

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,228

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
MINNESOTA -----	651	-	-	-	-	-	1	4	2	2	1	6
WHITE-----MALE----	293	-	-	-	-	-	-	1	1	-	1	3
FEMALE--	334	-	-	-	-	-	1	2	1	1	-	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	640	3	-	-	-	3	2	1	6	14	12	9
WHITE-----MALE----	148	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	198	-	-	-	-	1	1	-	-	4	1	3
ALL OTHER--MALE----	125	1	-	-	-	1	-	-	4	5	6	-
FEMALE--	169	2	-	-	-	1	1	1	-	4	3	5
BLACK---MALE----	125	1	-	-	-	1	-	-	4	5	6	-
FEMALE--	168	2	-	-	-	1	1	1	-	4	3	5
MISSOURI -----	1,109	5	1	-	-	2	3	1	4	6	9	10
WHITE-----MALE----	417	2	-	-	-	-	3	-	1	3	1	3
FEMALE--	565	2	1	-	-	2	-	1	2	1	5	3
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	69	1	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	58	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	69	1	-	-	-	-	-	-	-	-	1	2
MONTANA -----	136	1	-	1	-	-	-	-	-	-	2	3
WHITE-----MALE----	71	1	-	1	-	-	-	-	-	-	-	2
FEMALE--	56	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	272	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	107	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	151	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	290	2	1	-	-	-	2	1	4	2	1	8
WHITE-----MALE----	137	1	-	-	-	-	-	-	1	2	-	4
FEMALE--	122	1	1	-	-	-	-	-	2	-	1	2
ALL OTHER--MALE----	15	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	16	-	-	-	-	-	1	-	1	-	-	2
BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,228
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	11	10	14	24	69	88	136	123	100	50	10	-
WHITE-----MALE----	2	4	7	12	35	50	61	62	40	10	4	-
FEMALE--	6	4	6	9	31	33	74	60	60	38	6	-
ALL OTHER--MALE----	2	2	1	2	2	2	1	1	-	2	-	-
FEMALE--	1	-	-	1	1	3	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	2	2	1	1	-	1	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
MISSISSIPPI -----	13	25	23	41	61	88	113	123	74	23	6	-
WHITE-----MALE----	-	4	2	10	22	24	31	29	16	4	-	-
FEMALE--	3	5	2	11	14	25	34	47	34	9	4	-
ALL OTHER--MALE----	8	9	8	7	9	19	16	22	6	4	-	-
FEMALE--	2	7	11	13	16	20	32	25	18	6	2	-
BLACK---MALE----	8	9	8	7	9	19	16	22	6	4	-	-
FEMALE--	2	7	11	12	16	20	32	25	18	6	2	-
MISSOURI -----	17	15	43	63	120	154	193	227	165	54	17	-
WHITE-----MALE----	8	8	16	31	52	70	76	72	53	12	6	-
FEMALE--	3	2	16	23	49	70	93	140	103	38	11	-
ALL OTHER--MALE----	2	4	8	4	9	6	11	5	1	1	-	-
FEMALE--	4	1	3	5	10	8	13	10	8	3	8	-
BLACK---MALE----	2	4	8	4	9	6	11	5	1	1	-	-
FEMALE--	4	1	3	5	10	8	13	10	8	3	-	-
MONTANA -----	1	2	4	7	13	17	26	33	17	8	1	-
WHITE-----MALE----	1	1	1	5	5	10	18	19	5	2	-	-
FEMALE--	-	1	1	1	7	5	8	12	11	6	1	-
ALL OTHER--MALE----	-	-	1	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	8	2	6	12	25	40	54	63	39	17	2	-
WHITE-----MALE----	6	1	4	6	11	14	20	30	10	4	-	-
FEMALE--	1	-	1	5	11	22	32	33	29	13	2	-
ALL OTHER--MALE----	-	1	1	1	1	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
NEVADA -----	10	12	15	25	37	41	52	43	26	5	3	-
WHITE-----MALE----	2	8	7	16	22	24	24	15	9	2	-	-
FEMALE--	6	4	7	6	11	14	22	24	16	3	2	-
ALL OTHER--MALE----	1	-	-	2	2	2	4	2	-	-	-	-
FEMALE--	1	-	1	1	2	1	2	2	1	-	1	-
BLACK---MALE----	1	-	-	1	1	1	3	2	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	2	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,230
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,159	6	-	2	1	3	-	3	11	13	25	30
WHITE-----MALE----	782	4	-	1	-	1	-	1	4	2	11	10
FEMALE--	1,054	1	-	-	-	1	-	1	4	4	8	15
ALL OTHER--MALE----	135	1	-	-	1	-	-	1	3	4	5	2
FEMALE--	188	-	-	1	-	1	-	-	-	3	1	3
BLACK---MALE----	135	1	-	-	1	-	-	1	3	4	5	2
FEMALE--	187	-	-	1	-	1	-	-	-	3	1	3
OKLAHOMA -----	673	2	-	-	2	1	2	2	1	6	6	7
WHITE-----MALE----	223	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	333	-	-	-	-	-	2	1	-	4	1	-
ALL OTHER--MALE----	59	2	-	-	1	-	-	1	1	1	2	2
FEMALE--	58	-	-	-	1	1	-	-	-	-	1	1
BLACK---MALE----	33	2	-	-	1	-	-	1	-	-	2	1
FEMALE--	39	-	-	-	1	1	-	-	-	-	1	1
OREGON -----	418	1	-	-	1	-	1	-	-	-	7	7
WHITE-----MALE----	169	1	-	-	-	-	-	-	-	-	5	6
FEMALE--	237	-	-	-	1	-	-	-	-	-	2	1
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,887	6	2	1	2	-	3	5	10	17	22	30
WHITE-----MALE----	1,062	1	2	-	1	-	1	2	2	4	7	9
FEMALE--	1,454	3	-	1	1	-	1	1	2	4	5	11
ALL OTHER--MALE----	183	1	-	-	-	-	1	-	3	6	6	6
FEMALE--	188	1	-	-	-	-	-	2	3	3	4	4
BLACK---MALE----	175	1	-	-	-	-	1	-	2	6	5	6
FEMALE--	184	1	-	-	-	-	-	2	3	3	4	4
RHODE ISLAND -----	200	-	-	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	91	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	99	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	644	2	-	-	-	-	2	1	2	3	8	15
WHITE-----MALE----	152	1	-	-	-	-	-	-	-	-	5	2
FEMALE--	242	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	116	-	-	-	-	-	1	-	-	1	3	7
FEMALE--	134	1	-	-	-	-	1	-	2	1	-	5
BLACK---MALE----	116	-	-	-	-	-	1	-	-	1	3	7
FEMALE--	132	1	-	-	-	-	1	-	2	1	-	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,230
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	37	53	101	146	239	328	433	399	227	82	20	-
WHITE-----MALE----	14	19	38	57	92	122	175	146	65	18	2	-
FEMALE--	14	20	36	57	104	153	213	215	140	53	15	-
ALL OTHER--MALE----	5	8	14	17	18	19	14	14	5	3	1	-
FEMALE--	4	6	13	15	25	34	31	24	17	8	2	-
BLACK---MALE----	5	8	14	17	18	19	14	14	5	3	1	-
FEMALE--	4	6	13	14	25	34	31	24	17	8	2	-
OKLAHOMA -----	5	12	27	36	65	102	124	138	100	31	4	-
WHITE-----MALE----	-	5	9	12	20	45	42	49	29	5	-	-
FEMALE--	3	3	10	13	29	37	64	80	59	24	3	-
ALL OTHER--MALE----	1	3	5	4	8	12	9	2	4	1	-	-
FEMALE--	1	1	3	7	8	8	9	7	8	1	1	-
BLACK---MALE----	1	1	3	1	4	8	6	-	2	-	-	-
FEMALE--	1	1	2	3	5	6	6	4	1	1	1	-
OREGON -----	8	7	12	21	37	68	75	80	65	25	3	-
WHITE-----MALE----	6	5	4	7	13	29	30	32	24	6	1	-
FEMALE--	1	2	8	13	22	38	43	46	40	18	2	-
ALL OTHER--MALE----	1	-	-	1	1	1	2	2	1	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	46	57	93	178	333	451	589	516	379	117	30	-
WHITE-----MALE----	18	20	29	68	144	200	238	176	111	26	3	-
FEMALE--	15	23	32	66	138	202	300	311	239	76	23	-
ALL OTHER--MALE----	10	8	18	25	21	27	22	12	11	5	1	-
FEMALE--	3	6	14	19	30	22	29	17	18	10	3	-
BLACK---MALE----	10	8	18	25	20	27	20	12	9	4	1	-
FEMALE--	3	5	14	18	30	22	28	16	18	10	3	-
RHODE ISLAND -----	3	2	8	8	22	35	37	38	28	11	3	-
WHITE-----MALE----	1	1	5	4	10	23	16	12	12	3	1	-
FEMALE--	1	-	1	3	11	12	20	26	15	8	1	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	1	-	1	-
FEMALE--	1	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	-	1	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	23	26	39	54	67	104	114	98	54	24	8	-
WHITE-----MALE----	4	8	12	14	22	33	25	13	9	4	-	-
FEMALE--	6	7	8	13	18	34	51	56	32	11	3	-
ALL OTHER--MALE----	9	6	9	15	14	17	12	14	4	3	1	-
FEMALE--	4	5	10	12	13	20	26	15	9	6	4	-
BLACK---MALE----	9	6	9	15	14	17	12	14	4	3	1	-
FEMALE--	4	5	10	11	13	20	25	15	9	6	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,231
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	104	-	-	-	-	-	-	2	-	1	1	1
WHITE-----MALE----	44	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,014	3	-	-	-	-	2	4	5	7	12	25
WHITE-----MALE----	335	1	-	-	-	-	1	1	-	5	6	9
FEMALE--	479	-	-	-	-	-	-	2	1	2	1	7
ALL OTHER--MALE----	85	2	-	-	-	-	1	1	3	-	4	4
FEMALE--	115	-	-	-	-	-	-	-	1	-	1	5
BLACK---MALE----	84	2	-	-	-	-	1	1	3	-	4	4
FEMALE--	115	-	-	-	-	-	-	-	1	-	1	5
TEXAS -----	2,358	10	2	2	1	1	7	10	12	20	32	44
WHITE-----MALE----	851	5	-	1	1	1	4	3	5	9	15	13
FEMALE--	1,109	4	2	1	-	-	3	2	3	6	7	15
ALL OTHER--MALE----	170	-	-	-	-	-	-	2	-	3	6	11
FEMALE--	228	1	-	-	-	-	-	3	4	2	4	5
BLACK---MALE----	161	-	-	-	-	-	-	1	-	3	6	11
FEMALE--	223	-	-	-	-	-	-	3	4	2	4	5
UTAH -----	216	-	-	-	-	-	1	2	1	2	4	5
WHITE-----MALE----	84	-	-	-	-	-	-	1	-	2	2	1
FEMALE--	121	-	-	-	-	-	1	-	1	-	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	73	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,168	5	1	2	-	1	-	4	4	14	13	10
WHITE-----MALE----	338	3	-	1	-	1	-	1	1	1	2	4
FEMALE--	460	-	1	1	-	-	-	2	1	4	6	1
ALL OTHER--MALE----	159	-	-	-	-	-	-	1	1	3	3	5
FEMALE--	211	2	-	-	-	-	-	-	1	6	2	-
BLACK---MALE----	155	-	-	-	-	-	-	1	1	3	3	5
FEMALE--	204	2	-	-	-	-	-	-	-	6	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,231
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	2	-	4	6	12	24	17	16	15	1	-
WHITE-----MALE----	-	-	-	3	1	9	11	6	7	3	-	-
FEMALE--	1	1	-	1	5	3	11	11	8	12	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TENNESSEE -----	24	26	33	74	93	143	202	183	117	52	8	1
WHITE-----MALE----	8	9	8	28	37	54	72	51	27	16	2	-
FEMALE--	6	7	13	27	39	65	99	101	73	30	6	-
ALL OTHER--MALE----	5	6	5	8	4	11	10	12	5	3	-	1
FEMALE--	5	4	7	11	13	13	21	19	12	3	-	-
BLACK---MALE----	5	6	5	8	4	11	9	12	5	3	-	1
FEMALE--	5	4	7	11	13	13	21	19	12	3	-	-
TEXAS -----	46	66	81	132	231	310	400	446	338	137	30	-
WHITE-----MALE----	16	32	29	47	114	126	150	157	91	27	5	-
FEMALE--	15	18	28	50	70	140	202	238	197	88	20	-
ALL OTHER--MALE----	4	9	13	16	28	16	23	19	11	8	1	-
FEMALE--	11	7	11	19	19	28	25	32	39	14	4	-
BLACK---MALE----	4	8	13	16	24	15	22	19	10	8	1	-
FEMALE--	11	7	11	18	19	27	25	31	38	14	4	-
UTAH -----	3	6	7	8	24	27	36	54	22	11	3	-
WHITE-----MALE----	2	2	1	2	13	12	19	21	3	3	-	-
FEMALE--	1	3	5	3	10	14	17	32	18	8	3	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	1	1	2	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	1	-	4	3	4	13	16	14	8	7	-	-
WHITE-----MALE----	-	-	3	-	1	7	9	3	1	3	-	-
FEMALE--	1	-	1	3	3	6	7	11	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	29	50	73	137	183	215	208	129	56	8	-
WHITE-----MALE----	4	8	11	29	37	64	82	57	20	12	-	-
FEMALE--	4	5	10	22	39	65	73	107	80	34	5	-
ALL OTHER--MALE----	10	10	15	13	27	22	21	16	9	3	-	-
FEMALE--	8	6	14	9	34	32	39	28	20	7	3	-
BLACK---MALE----	10	10	14	13	24	22	21	16	9	3	-	-
FEMALE--	8	6	14	9	32	32	35	28	20	7	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,233
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	43,558	166	25	21	16	29	70	109	163	304	474	635
WHITE-----MALE----	15,225	65	10	11	3	10	21	34	50	89	158	208
FEMALE--	20,140	37	11	5	7	10	19	28	42	74	119	170
ALL OTHER--MALE----	3,585	40	3	1	4	4	15	29	37	85	129	146
FEMALE--	4,608	24	1	4	2	5	15	18	34	56	68	111
BLACK---MALE----	3,231	39	3	1	4	3	12	27	34	80	124	142
FEMALE--	4,196	22	1	4	2	4	13	15	31	52	65	100
ALABAMA -----	1,039	7	2	-	-	1	2	3	-	2	9	11
WHITE-----MALE----	265	2	1	-	-	-	-	2	-	1	2	3
FEMALE--	407	-	1	-	-	-	1	-	-	1	3	2
ALL OTHER--MALE----	149	3	-	-	-	1	1	-	-	-	1	3
FEMALE--	218	2	-	-	-	-	-	1	-	-	3	3
BLACK---MALE----	149	3	-	-	-	1	1	-	-	-	1	3
FEMALE--	217	2	-	-	-	-	-	1	-	-	3	3
ALASKA -----	25	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	606	5	2	-	-	1	-	4	2	7	4	6
WHITE-----MALE----	239	2	1	-	-	1	-	3	1	3	1	4
FEMALE--	300	3	1	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	665	4	-	-	-	-	2	-	1	1	3	7
WHITE-----MALE----	225	2	-	-	-	-	1	-	1	-	1	2
FEMALE--	292	1	-	-	-	-	1	-	-	1	1	2
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	81	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	66	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	81	1	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	3,285	16	4	1	2	4	5	12	18	22	27	50
WHITE-----MALE----	1,075	7	1	-	-	-	1	3	7	6	10	17
FEMALE--	1,665	6	2	1	2	1	2	3	8	7	14	13
ALL OTHER--MALE----	236	1	1	-	-	2	1	4	-	4	3	15
FEMALE--	309	2	-	-	-	1	1	2	3	5	-	5
BLACK---MALE----	133	1	1	-	-	1	-	4	-	3	3	13
FEMALE--	187	1	-	-	-	1	-	2	2	4	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,233
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	810	1,030	1,718	2,794	4,717	6,529	8,197	7,835	5,409	2,046	457	4
WHITE-----MALE----	273	353	651	1,026	1,923	2,618	3,134	2,578	1,476	450	84	-
FEMALE--	221	318	509	1,000	1,765	2,762	3,860	4,292	3,271	1,328	292	-
ALL OTHER--MALE----	160	208	283	355	467	522	431	354	210	81	18	3
FEMALE--	156	151	275	413	562	627	772	611	452	187	63	1
BLACK---MALE----	149	179	266	324	414	462	385	312	181	71	16	3
FEMALE--	143	139	253	366	519	570	692	561	413	173	57	1
ALABAMA -----	26	30	40	83	116	153	187	177	123	54	13	-
WHITE-----MALE----	7	9	16	21	36	47	53	35	22	7	1	-
FEMALE--	5	7	7	22	37	60	71	95	56	34	5	-
ALL OTHER--MALE----	9	7	8	19	14	21	21	18	15	5	3	-
FEMALE--	5	7	9	21	29	25	42	29	30	8	4	-
BLACK---MALE----	9	7	8	19	14	21	21	18	15	5	3	-
FEMALE--	5	7	9	21	29	25	41	29	30	8	4	-
ALASKA -----	1	2	1	4	1	4	8	1	1	2	-	-
WHITE-----MALE----	-	1	-	3	-	2	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	2	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	1	1	1	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	13	38	45	70	92	123	91	63	24	3	1
WHITE-----MALE----	2	4	15	13	32	37	57	38	19	5	1	-
FEMALE--	5	4	17	22	31	47	62	47	38	17	1	-
ALL OTHER--MALE----	2	3	2	5	3	5	3	2	3	2	-	-
FEMALE--	3	2	4	5	4	3	1	4	3	-	1	1
BLACK---MALE----	-	-	-	1	3	1	2	1	1	2	-	-
FEMALE--	-	-	1	1	-	1	-	2	-	-	-	1
ARKANSAS -----	17	14	28	39	55	118	140	125	81	24	6	-
WHITE-----MALE----	8	3	8	17	21	48	47	42	19	2	3	-
FEMALE--	4	5	8	12	17	45	66	65	47	15	2	-
ALL OTHER--MALE----	2	3	8	4	5	14	11	10	3	4	-	-
FEMALE--	3	3	4	6	12	11	16	8	12	3	1	-
BLACK---MALE----	2	3	8	3	5	14	11	10	3	4	-	-
FEMALE--	3	3	4	6	12	11	16	8	12	3	1	-
CALIFORNIA -----	51	75	109	219	358	458	626	617	414	159	37	1
WHITE-----MALE----	19	25	40	75	136	178	229	183	100	34	4	-
FEMALE--	17	26	37	95	156	205	306	357	274	104	29	-
ALL OTHER--MALE----	5	16	13	24	28	36	33	29	14	5	1	1
FEMALE--	10	8	19	25	38	39	58	48	26	16	3	-
BLACK---MALE----	4	9	10	13	16	15	14	14	8	3	-	1
FEMALE--	7	7	15	15	25	20	35	25	16	7	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,234
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	453	-	-	1	-	1	-	-	4	4	6	8
WHITE-----MALE----	182	-	-	1	-	-	-	-	3	2	4	3
FEMALE--	224	-	-	-	-	1	-	-	1	1	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	577	1	-	1	-	1	2	3	2	7	3	10
WHITE-----MALE----	224	1	-	-	-	1	-	2	1	1	2	6
FEMALE--	296	-	-	-	-	-	-	-	-	4	-	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	36	-	-	1	-	-	2	1	-	1	1	3
BLACK---MALE----	18	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	31	-	-	1	-	-	1	1	-	1	1	2
DELAWARE -----	142	-	-	-	-	-	-	1	-	1	1	2
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	161	-	-	-	-	-	-	1	1	3	3	5
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	60	-	-	-	-	-	-	1	-	2	1	4
FEMALE--	89	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	60	-	-	-	-	-	-	1	-	2	1	4
FEMALE--	88	-	-	-	-	-	-	-	1	1	2	1
FLORIDA -----	2,198	6	1	2	1	-	4	2	2	14	26	28
WHITE-----MALE----	924	1	-	1	-	-	1	1	1	6	10	13
FEMALE--	944	2	-	-	1	-	1	-	1	3	3	3
ALL OTHER--MALE----	140	2	1	-	-	-	1	1	-	2	7	3
FEMALE--	190	1	-	1	-	-	1	-	-	3	6	9
BLACK---MALE----	137	2	1	-	-	-	1	1	-	2	7	3
FEMALE--	183	1	-	1	-	-	1	-	-	3	6	8
GEORGIA -----	1,339	5	1	-	-	1	3	5	4	11	23	23
WHITE-----MALE----	331	1	1	-	-	-	1	-	1	1	3	5
FEMALE--	479	-	-	-	-	-	1	2	1	1	5	4
ALL OTHER--MALE----	198	2	-	-	-	-	1	2	1	6	10	5
FEMALE--	331	2	-	-	-	1	-	1	1	3	5	9
BLACK---MALE----	194	2	-	-	-	-	1	2	1	6	10	5
FEMALE--	330	2	-	-	-	1	-	1	1	3	5	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,234
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	11	17	28	53	61	80	83	57	28	5	-
WHITE-----MALE----	2	4	9	12	30	19	35	30	22	6	-	-
FEMALE--	4	4	5	13	19	36	41	47	28	18	3	-
ALL OTHER--MALE----	-	2	1	-	2	2	-	3	2	-	1	-
FEMALE--	-	1	2	3	2	4	4	3	5	4	1	-
BLACK---MALE----	-	2	1	-	2	2	-	2	2	-	1	-
FEMALE--	-	1	2	2	2	3	1	3	5	4	1	-
CONNECTICUT -----	6	14	24	47	61	82	106	103	73	22	9	-
WHITE-----MALE----	3	2	12	14	23	35	50	37	24	8	2	-
FEMALE--	1	11	5	23	29	39	52	63	47	14	7	-
ALL OTHER--MALE----	1	1	3	4	6	3	-	-	1	-	-	-
FEMALE--	1	-	4	6	3	5	4	3	1	-	-	-
BLACK---MALE----	1	1	3	3	6	2	-	-	-	-	-	-
FEMALE--	1	-	4	4	3	4	4	3	1	-	-	-
DELAWARE -----	6	4	4	12	16	24	27	24	15	5	-	-
WHITE-----MALE----	2	2	2	3	4	10	14	11	5	-	-	-
FEMALE--	2	2	2	4	10	8	9	11	8	3	-	-
ALL OTHER--MALE----	2	-	-	4	-	3	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	3	3	1	1	2	-	-
BLACK---MALE----	2	-	-	4	-	3	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	3	3	1	1	2	-	-
DISTRICT OF COLUMBIA ----	7	8	8	20	22	20	23	20	13	5	2	-
WHITE-----MALE----	-	-	-	2	-	1	2	1	2	1	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	3	3	5	6	10	4	12	5	2	2	-	-
FEMALE--	4	5	3	11	12	15	9	13	9	1	2	-
BLACK---MALE----	3	3	5	6	10	4	12	5	2	2	-	-
FEMALE--	4	5	3	11	12	15	8	13	9	1	2	-
FLORIDA -----	39	42	69	138	242	334	408	392	317	110	21	-
WHITE-----MALE----	15	18	31	62	121	159	184	155	107	33	5	-
FEMALE--	10	13	16	38	87	134	184	193	175	67	13	-
ALL OTHER--MALE----	7	6	12	17	15	20	9	17	18	2	-	-
FEMALE--	7	5	10	21	19	21	31	27	17	8	3	-
BLACK---MALE----	6	5	12	17	15	20	9	17	17	2	-	-
FEMALE--	7	5	10	20	19	19	30	27	16	7	3	-
GEORGIA -----	32	54	79	98	155	183	262	214	127	42	17	-
WHITE-----MALE----	10	17	23	23	45	66	67	44	16	7	-	-
FEMALE--	4	11	18	23	43	52	110	105	66	23	10	-
ALL OTHER--MALE----	6	13	18	18	29	26	27	19	10	4	1	-
FEMALE--	12	13	20	34	38	39	58	46	35	8	6	-
BLACK---MALE----	6	13	17	18	27	26	27	19	10	3	1	-
FEMALE--	12	13	20	34	38	39	58	46	34	8	6	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,235
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	2	13	10	12	24	29	28	18	4	2	-
WHITE-----MALE----	-	-	4	-	1	3	6	3	2	-	-	-
FEMALE--	-	-	-	2	-	6	5	2	2	-	-	-
ALL OTHER--MALE----	1	-	3	2	6	8	2	13	5	2	-	-
FEMALE--	3	2	6	6	5	7	16	10	9	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	6	8	12	19	29	32	22	9	-	-
WHITE-----MALE----	1	1	1	3	6	10	16	17	12	3	-	-
FEMALE--	1	-	5	4	6	9	12	15	9	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	48	48	89	161	293	334	406	417	275	116	21	-
WHITE-----MALE----	14	18	34	64	116	128	155	138	83	21	3	-
FEMALE--	12	13	18	42	104	122	183	224	153	75	14	-
ALL OTHER--MALE----	14	9	21	25	37	38	25	15	15	6	1	-
FEMALE--	8	8	16	30	36	46	43	40	24	14	3	-
BLACK---MALE----	14	9	21	25	34	35	23	15	13	6	1	-
FEMALE--	8	7	16	29	36	45	40	39	24	14	3	-
INDIANA -----	13	26	54	82	127	184	217	213	142	80	6	-
WHITE-----MALE----	4	11	24	27	57	73	79	82	39	21	-	-
FEMALE--	4	9	23	44	54	86	115	110	95	48	5	-
ALL OTHER--MALE----	2	3	3	3	9	8	9	6	1	3	-	-
FEMALE--	3	3	4	8	7	17	14	15	7	8	1	-
BLACK---MALE----	2	3	3	3	9	8	9	6	1	3	-	-
FEMALE--	3	3	3	8	7	17	14	14	7	8	1	-
IOWA -----	7	6	10	17	22	40	68	83	54	19	5	-
WHITE-----MALE----	5	2	4	9	14	24	35	24	12	5	1	-
FEMALE--	2	4	4	8	7	15	33	58	41	14	4	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
KANSAS -----	5	12	17	29	47	61	77	97	71	25	9	-
WHITE-----MALE----	3	4	7	9	18	29	30	32	20	7	4	-
FEMALE--	1	5	7	15	22	28	41	60	48	16	5	-
ALL OTHER--MALE----	-	2	1	2	2	1	2	-	2	-	-	-
FEMALE--	1	1	2	3	5	3	4	5	1	2	-	-
BLACK---MALE----	-	1	1	2	2	1	2	-	2	-	-	-
FEMALE--	1	1	2	3	5	2	3	5	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,236
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	833	2	-	1	-	-	2	2	4	7	6	10
WHITE-----MALE----	328	1	-	-	-	-	-	1	2	2	5	2
FEMALE--	419	1	-	1	-	-	-	-	1	4	1	4
ALL OTHER--MALE----	40	-	-	-	-	-	1	-	1	1	-	4
FEMALE--	46	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	39	-	-	-	-	-	1	-	1	1	-	4
FEMALE--	44	-	-	-	-	-	1	1	-	-	-	-
LOUISIANA -----	1,004	2	-	-	1	-	4	3	6	10	13	19
WHITE-----MALE----	276	2	-	-	-	-	1	1	1	4	1	5
FEMALE--	348	-	-	-	1	-	-	-	1	-	1	4
ALL OTHER--MALE----	165	-	-	-	-	-	3	1	3	5	7	5
FEMALE--	215	-	-	-	-	-	-	1	1	1	4	5
BLACK---MALE----	164	-	-	-	-	-	3	1	3	5	7	5
FEMALE--	215	-	-	-	-	-	-	1	1	1	4	5
MAINE -----	236	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	112	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	122	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	877	6	1	1	3	-	1	3	4	11	6	18
WHITE-----MALE----	231	1	-	-	-	-	1	2	1	2	1	5
FEMALE--	344	1	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	142	3	-	1	2	-	-	1	1	9	3	7
FEMALE--	160	1	1	-	1	-	-	-	1	-	1	3
BLACK---MALE----	138	3	-	1	2	-	-	1	1	9	3	7
FEMALE--	158	1	1	-	1	-	-	-	1	-	1	3
MASSACHUSETTS -----	1,306	3	-	1	-	2	1	2	3	7	13	14
WHITE-----MALE----	518	2	-	1	-	2	1	-	2	4	5	7
FEMALE--	706	-	-	-	-	-	-	1	-	2	2	5
ALL OTHER--MALE----	39	1	-	-	-	-	-	1	-	1	2	-
FEMALE--	43	-	-	-	-	-	-	-	1	-	4	2
BLACK---MALE----	32	1	-	-	-	-	-	1	-	1	2	-
FEMALE--	35	-	-	-	-	-	-	-	1	-	4	2
MICHIGAN -----	1,657	11	2	-	-	-	2	4	4	7	23	29
WHITE-----MALE----	588	1	1	-	-	-	1	1	-	4	6	4
FEMALE--	755	-	1	-	-	-	-	1	3	1	3	9
ALL OTHER--MALE----	147	9	-	-	-	-	-	2	-	2	11	11
FEMALE--	167	1	-	-	-	-	1	-	1	-	3	5
BLACK---MALE----	138	9	-	-	-	-	-	2	-	1	11	11
FEMALE--	161	1	-	-	-	-	1	-	1	-	2	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,236
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	19	15	35	62	78	127	162	160	109	27	5	-
WHITE-----MALE----	6	9	18	28	42	49	71	54	30	6	2	-
FEMALE--	10	3	15	20	30	62	80	93	72	19	3	-
ALL OTHER--MALE----	1	1	2	7	5	8	5	4	-	-	-	-
FEMALE--	2	2	-	7	1	8	6	9	7	2	-	-
BLACK---MALE----	1	1	2	7	5	8	4	4	-	-	-	-
FEMALE--	2	2	-	6	1	8	5	9	7	2	-	-
LOUISIANA -----	21	25	55	76	120	159	177	165	94	38	16	-
WHITE-----MALE----	8	4	14	26	34	60	47	41	21	5	1	-
FEMALE--	4	6	13	17	40	52	68	66	45	22	8	-
ALL OTHER--MALE----	3	9	14	15	11	24	29	15	16	3	2	-
FEMALE--	6	6	14	18	35	23	33	43	12	8	5	-
BLACK---MALE----	3	9	14	15	11	23	29	15	16	3	2	-
FEMALE--	6	6	14	18	35	23	33	43	12	8	5	-
MAINE -----	7	4	11	9	15	39	44	57	30	12	6	-
WHITE-----MALE----	4	4	5	5	7	24	19	27	9	4	2	-
FEMALE--	3	-	6	4	7	15	25	29	21	8	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MARYLAND -----	14	17	49	66	87	144	153	143	102	40	8	-
WHITE-----MALE----	2	2	15	18	26	46	57	28	20	4	-	-
FEMALE--	2	4	8	20	28	52	58	78	56	25	7	-
ALL OTHER--MALE----	7	7	12	12	16	24	11	16	8	2	-	-
FEMALE--	3	4	14	16	17	22	27	21	18	9	1	-
BLACK---MALE----	7	7	12	12	16	22	11	15	7	2	-	-
FEMALE--	3	4	14	16	17	22	25	21	18	9	1	-
MASSACHUSETTS -----	10	18	40	63	153	217	263	235	166	79	16	-
WHITE-----MALE----	5	12	21	31	71	86	113	86	49	19	1	-
FEMALE--	4	4	16	26	65	116	139	139	115	58	14	-
ALL OTHER--MALE----	-	2	3	2	10	5	6	3	2	-	1	-
FEMALE--	1	-	-	4	7	10	5	7	-	2	-	-
BLACK---MALE----	-	2	3	2	6	4	6	2	2	-	-	-
FEMALE--	1	-	-	3	6	8	4	5	-	1	-	-
MICHIGAN -----	31	32	60	90	185	264	325	294	211	70	13	-
WHITE-----MALE----	12	10	28	31	72	96	132	116	55	14	4	-
FEMALE--	8	13	15	31	72	122	142	154	132	41	7	-
ALL OTHER--MALE----	5	7	9	12	20	27	14	11	6	-	1	-
FEMALE--	6	2	8	16	21	19	37	13	18	15	1	-
BLACK---MALE----	4	6	9	10	19	25	14	10	6	-	1	-
FEMALE--	6	2	8	15	20	18	35	13	18	15	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,237
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	633	-	-	-	-	-	-	4	2	2	1	6
WHITE-----MALE----	282	-	-	-	-	-	-	1	1	-	1	3
FEMALE--	327	-	-	-	-	-	-	2	1	1	-	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	631	3	-	-	-	3	2	1	6	14	11	8
WHITE-----MALE----	142	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	198	-	-	-	-	1	1	-	-	4	1	3
ALL OTHER--MALE----	125	1	-	-	-	1	-	-	4	5	6	-
FEMALE--	166	2	-	-	-	1	1	1	-	4	2	4
BLACK---MALE----	125	1	-	-	-	1	-	-	4	5	6	-
FEMALE--	165	2	-	-	-	1	1	1	-	4	2	4
MISSOURI -----	1,091	5	-	-	-	2	3	1	4	6	9	10
WHITE-----MALE----	406	2	-	-	-	-	3	-	1	3	1	3
FEMALE--	558	2	-	-	-	2	-	1	2	1	5	3
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	69	1	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	58	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	69	1	-	-	-	-	-	-	-	-	1	2
MONTANA -----	132	1	-	1	-	-	-	-	-	-	2	3
WHITE-----MALE----	68	1	-	1	-	-	-	-	-	-	-	2
FEMALE--	55	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	268	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	105	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	149	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	286	2	1	-	-	-	2	1	4	2	1	7
WHITE-----MALE----	136	1	-	-	-	-	-	-	1	2	-	4
FEMALE--	120	1	1	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	14	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	16	-	-	-	-	-	1	-	1	-	-	2
BLACK---MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,237
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	11	10	14	23	69	86	132	118	97	48	10	-
WHITE-----MALE----	2	4	7	11	35	49	59	57	38	10	4	-
FEMALE--	6	4	6	9	31	32	72	60	59	36	6	-
ALL OTHER--MALE----	2	2	1	2	2	2	1	1	-	2	-	-
FEMALE--	1	-	-	1	1	3	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	2	2	1	1	-	1	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
MISSISSIPPI -----	13	25	23	41	61	88	110	120	74	22	6	-
WHITE-----MALE----	-	4	2	10	22	24	28	27	16	3	-	-
FEMALE--	3	5	2	11	14	25	34	47	34	9	4	-
ALL OTHER--MALE----	8	9	8	7	9	19	16	22	6	4	-	-
FEMALE--	2	7	11	13	16	20	32	24	18	6	2	-
BLACK---MALE----	8	9	8	7	9	19	16	22	6	4	-	-
FEMALE--	2	7	11	12	16	20	32	24	18	6	2	-
MISSOURI -----	17	15	42	62	119	152	191	219	163	54	17	-
WHITE-----MALE----	8	8	16	30	51	69	74	67	52	12	6	-
FEMALE--	3	2	15	23	49	69	93	137	102	38	11	-
ALL OTHER--MALE----	2	4	8	4	9	6	11	5	1	1	-	-
FEMALE--	4	1	3	5	10	8	13	10	8	3	8	-
BLACK---MALE----	2	4	8	4	9	6	11	5	1	1	-	-
FEMALE--	4	1	3	5	10	8	13	10	8	3	-	-
MONTANA -----	1	2	4	7	13	17	24	33	16	8	-	-
WHITE-----MALE----	1	1	1	5	5	10	16	19	4	2	-	-
FEMALE--	-	1	1	1	7	5	8	12	11	6	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	8	2	6	12	25	39	54	61	38	17	2	-
WHITE-----MALE----	6	1	4	6	11	13	20	29	10	4	-	-
FEMALE--	1	-	1	5	11	22	32	32	28	13	2	-
ALL OTHER--MALE----	-	1	1	1	1	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
NEVADA -----	10	11	15	25	37	40	52	42	26	5	3	-
WHITE-----MALE----	2	7	7	16	22	24	24	15	9	2	-	-
FEMALE--	6	4	7	6	11	13	22	24	16	3	2	-
ALL OTHER--MALE----	1	-	-	2	2	2	4	1	-	-	-	-
FEMALE--	1	-	1	1	2	1	2	2	1	-	1	-
BLACK---MALE----	1	-	-	1	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	2	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,239
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF URINARY SYSTEM (580-599)												
OHIO -----	2,116	6	-	2	1	3	-	3	11	11	24	28
WHITE-----MALE----	756	4	-	1	-	1	-	1	4	1	11	10
FEMALE--	1,039	1	-	-	-	1	-	1	4	3	7	13
ALL OTHER--MALE----	134	1	-	-	1	-	-	1	3	4	5	2
FEMALE--	187	-	-	1	-	1	-	-	-	3	1	3
BLACK---MALE----	134	1	-	-	1	-	-	1	3	4	5	2
FEMALE--	186	-	-	1	-	1	-	-	-	3	1	3
OKLAHOMA -----	662	2	-	-	2	-	2	1	1	5	6	7
WHITE-----MALE----	220	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	326	-	-	-	-	-	2	-	-	3	1	-
ALL OTHER--MALE----	59	2	-	-	1	-	-	1	1	1	2	2
FEMALE--	57	-	-	-	1	-	-	-	-	-	1	1
BLACK---MALE----	33	2	-	-	1	-	-	1	-	-	2	1
FEMALE--	38	-	-	-	1	-	-	-	-	-	1	1
OREGON -----	397	1	-	-	1	-	1	-	-	-	6	7
WHITE-----MALE----	150	1	-	-	-	-	-	-	-	-	5	6
FEMALE--	235	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,855	6	2	1	2	-	3	5	10	16	22	29
WHITE-----MALE----	1,047	1	2	-	1	-	1	2	2	4	7	9
FEMALE--	1,443	3	-	1	1	-	1	1	2	4	5	10
ALL OTHER--MALE----	178	1	-	-	-	-	1	-	3	5	6	6
FEMALE--	187	1	-	-	-	-	-	2	3	3	4	4
BLACK---MALE----	170	1	-	-	-	-	1	-	2	5	5	6
FEMALE--	183	1	-	-	-	-	-	2	3	3	4	4
RHODE ISLAND -----	192	-	-	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	84	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	98	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	634	2	-	-	-	-	2	-	2	2	8	15
WHITE-----MALE----	150	1	-	-	-	-	-	-	-	-	5	2
FEMALE--	239	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	112	-	-	-	-	-	1	-	-	1	3	7
FEMALE--	133	1	-	-	-	-	1	-	2	1	-	5
BLACK---MALE----	112	-	-	-	-	-	1	-	-	1	3	7
FEMALE--	131	1	-	-	-	-	1	-	2	1	-	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,239
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	36	53	100	143	236	324	422	393	220	80	20	-
WHITE-----MALE----	14	19	37	56	91	119	166	142	61	16	2	-
FEMALE--	14	20	36	55	102	153	211	213	137	53	15	-
ALL OTHER--MALE----	5	8	14	17	18	18	14	14	5	3	1	-
FEMALE--	3	6	13	15	25	34	31	24	17	8	2	-
BLACK---MALE----	5	8	14	17	18	18	14	14	5	3	1	-
FEMALE--	3	6	13	14	25	34	31	24	17	8	2	-
OKLAHOMA -----	5	12	27	36	62	100	122	138	100	30	4	-
WHITE-----MALE----	-	5	9	12	19	44	41	49	29	5	-	-
FEMALE--	3	3	10	13	27	36	63	80	59	23	3	-
ALL OTHER--MALE----	1	3	5	4	8	12	9	2	4	1	-	-
FEMALE--	1	1	3	7	8	8	9	7	8	1	1	-
BLACK---MALE----	1	1	3	1	4	8	6	-	2	-	-	-
FEMALE--	1	1	2	3	5	6	6	4	1	1	1	-
OREGON -----	8	7	12	21	36	63	70	75	61	25	3	-
WHITE-----MALE----	6	5	4	7	12	25	25	27	20	6	1	-
FEMALE--	1	2	8	13	22	37	43	46	40	18	2	-
ALL OTHER--MALE----	1	-	-	1	1	1	2	2	1	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	44	56	93	175	331	448	584	509	374	115	30	-
WHITE-----MALE----	18	20	29	67	143	198	235	173	107	25	3	-
FEMALE--	13	23	32	65	137	202	300	307	238	75	23	-
ALL OTHER--MALE----	10	7	18	24	21	26	21	12	11	5	1	-
FEMALE--	3	6	14	19	30	22	28	17	18	10	3	-
BLACK---MALE----	10	7	18	24	20	26	19	12	9	4	1	-
FEMALE--	3	5	14	18	30	22	27	16	18	10	3	-
RHODE ISLAND -----	3	2	8	8	21	33	36	35	28	10	3	-
WHITE-----MALE----	1	1	5	4	9	21	15	10	12	2	1	-
FEMALE--	1	-	1	3	11	12	20	25	15	8	1	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	1	-	1	-
FEMALE--	1	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	-	1	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	22	25	39	54	65	103	114	95	54	24	8	-
WHITE-----MALE----	4	8	12	14	21	33	25	12	9	4	-	-
FEMALE--	6	6	8	13	18	34	51	56	32	11	3	-
ALL OTHER--MALE----	8	6	9	15	13	16	12	13	4	3	1	-
FEMALE--	4	5	10	12	13	20	26	14	9	6	4	-
BLACK---MALE----	8	6	9	15	13	16	12	13	4	3	1	-
FEMALE--	4	5	10	11	13	20	25	14	9	6	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,240
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	101	-	-	-	-	-	-	2	-	1	1	1
WHITE-----MALE----	42	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	980	3	-	-	-	-	2	4	5	7	12	24
WHITE-----MALE----	316	1	-	-	-	-	1	1	-	5	6	9
FEMALE--	471	-	-	-	-	-	-	2	1	2	1	7
ALL OTHER--MALE----	81	2	-	-	-	-	1	1	3	-	4	4
FEMALE--	112	-	-	-	-	-	-	-	1	-	1	4
BLACK---MALE----	80	2	-	-	-	-	1	1	3	-	4	4
FEMALE--	112	-	-	-	-	-	-	-	1	-	1	4
TEXAS -----	2,298	10	2	2	1	1	7	10	12	19	32	41
WHITE-----MALE----	806	5	-	1	1	1	4	3	5	9	15	12
FEMALE--	1,100	4	2	1	-	-	3	2	3	6	7	14
ALL OTHER--MALE----	166	-	-	-	-	-	-	2	-	2	6	11
FEMALE--	226	1	-	-	-	-	-	3	4	2	4	4
BLACK---MALE----	158	-	-	-	-	-	-	1	-	2	6	11
FEMALE--	221	-	-	-	-	-	-	3	4	2	4	4
UTAH -----	209	-	-	-	-	-	1	2	1	2	4	5
WHITE-----MALE----	80	-	-	-	-	-	-	1	-	2	2	1
FEMALE--	119	-	-	-	-	-	1	-	1	-	1	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	72	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,149	5	1	2	-	1	-	3	4	14	13	10
WHITE-----MALE----	330	3	-	1	-	1	-	1	1	1	2	4
FEMALE--	453	-	1	1	-	-	-	1	1	4	6	1
ALL OTHER--MALE----	158	-	-	-	-	-	-	1	1	3	3	5
FEMALE--	208	2	-	-	-	-	-	-	1	6	2	-
BLACK---MALE----	154	-	-	-	-	-	-	1	1	3	3	5
FEMALE--	201	2	-	-	-	-	-	-	-	6	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,240
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF URINARY SYSTEM (580-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	2	-	4	6	12	23	16	16	14	1	-
WHITE-----MALE----	-	-	-	3	1	9	10	6	7	2	-	-
FEMALE--	1	1	-	1	5	3	11	10	8	12	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TENNESSEE -----	24	23	32	74	89	139	197	175	110	51	8	1
WHITE-----MALE----	8	8	8	28	35	52	68	46	23	15	2	-
FEMALE--	6	7	12	27	39	63	98	99	71	30	6	-
ALL OTHER--MALE----	5	4	5	8	4	11	10	11	4	3	-	1
FEMALE--	5	4	7	11	11	13	21	19	12	3	-	-
BLACK---MALE----	5	4	5	8	4	11	9	11	4	3	-	1
FEMALE--	5	4	7	11	11	13	21	19	12	3	-	-
TEXAS -----	46	65	79	129	227	301	388	428	332	136	30	-
WHITE-----MALE----	16	31	28	46	111	117	140	144	86	26	5	-
FEMALE--	15	18	27	48	70	140	201	235	196	88	20	-
ALL OTHER--MALE----	4	9	13	16	28	16	22	17	11	8	1	-
FEMALE--	11	7	11	19	18	28	25	32	39	14	4	-
BLACK---MALE----	4	8	13	16	24	15	22	17	10	8	1	-
FEMALE--	11	7	11	18	18	27	25	31	38	14	4	-
UTAH -----	3	6	6	7	23	27	36	53	19	11	3	-
WHITE-----MALE----	2	2	1	2	12	12	19	20	1	3	-	-
FEMALE--	1	3	4	3	10	14	17	32	17	8	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	1	2	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	1	-	4	3	4	12	16	14	8	7	-	-
WHITE-----MALE----	-	-	3	-	1	6	9	3	1	3	-	-
FEMALE--	1	-	1	3	3	6	7	11	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	29	49	72	136	180	212	204	125	55	8	-
WHITE-----MALE----	4	8	10	28	36	64	80	56	18	12	-	-
FEMALE--	4	5	10	22	39	63	72	105	80	33	5	-
ALL OTHER--MALE----	10	10	15	13	27	22	21	15	9	3	-	-
FEMALE--	8	6	14	9	34	31	39	28	18	7	3	-
BLACK---MALE----	10	10	14	13	24	22	21	15	9	3	-	-
FEMALE--	8	6	14	9	32	31	35	28	18	7	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,242
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	24,304	144	16	14	13	17	42	65	88	188	288	393
WHITE-----MALE----	9,549	53	6	8	2	8	14	25	26	59	95	143
FEMALE--	10,147	30	8	2	6	4	8	14	22	42	74	101
ALL OTHER--MALE----	2,093	38	2	1	3	2	10	21	23	54	79	87
FEMALE--	2,515	23	-	3	2	3	10	5	17	33	40	62
BLACK---MALE----	1,873	38	2	1	3	2	8	19	22	50	76	83
FEMALE--	2,271	21	-	3	2	2	9	4	14	30	39	57
ALABAMA -----	632	6	1	-	-	1	1	2	-	-	5	10
WHITE-----MALE----	170	2	-	-	-	-	-	1	-	-	1	3
FEMALE--	214	-	1	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	103	3	-	-	-	1	1	-	-	-	1	3
FEMALE--	145	1	-	-	-	-	-	1	-	-	2	2
BLACK---MALE----	103	3	-	-	-	1	1	-	-	-	1	3
FEMALE--	145	1	-	-	-	-	-	1	-	-	2	2
ALASKA -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	323	4	2	-	-	-	-	2	-	4	3	4
WHITE-----MALE----	138	2	1	-	-	-	-	2	-	2	1	3
FEMALE--	150	2	1	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	375	3	-	-	-	-	1	-	1	1	1	5
WHITE-----MALE----	134	1	-	-	-	-	1	-	1	-	1	1
FEMALE--	154	1	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	48	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	48	1	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	1,182	11	2	-	1	1	4	6	8	12	20	25
WHITE-----MALE----	460	3	-	-	-	-	1	3	2	5	5	7
FEMALE--	480	5	2	-	1	1	2	-	5	2	13	9
ALL OTHER--MALE----	115	1	-	-	-	-	1	3	-	2	2	6
FEMALE--	127	2	-	-	-	-	1	-	1	3	-	3
BLACK---MALE----	60	1	-	-	-	-	-	3	-	1	2	4
FEMALE--	63	1	-	-	-	-	-	-	-	2	-	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,242
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	486	626	1,053	1,737	2,896	3,805	4,548	4,050	2,626	972	235	2
WHITE-----MALE----	181	231	431	685	1,284	1,642	1,966	1,546	840	251	53	-
FEMALE--	133	186	309	596	1,026	1,520	1,919	1,977	1,447	582	141	-
ALL OTHER--MALE----	90	116	160	214	268	300	248	208	117	42	9	1
FEMALE--	82	93	153	242	318	343	415	319	222	97	32	1
BLACK---MALE----	85	101	150	192	233	271	215	180	98	36	7	1
FEMALE--	72	86	139	211	287	309	367	293	206	89	30	1
ALABAMA -----	18	20	31	58	69	90	109	100	74	30	7	-
WHITE-----MALE----	6	5	14	16	22	26	36	16	16	5	1	-
FEMALE--	3	3	4	12	23	33	33	53	27	16	3	-
ALL OTHER--MALE----	5	5	7	16	8	14	12	10	12	4	1	-
FEMALE--	4	7	6	14	16	17	28	21	19	5	2	-
BLACK---MALE----	5	5	7	16	8	14	12	10	12	4	1	-
FEMALE--	4	7	6	14	16	17	28	21	19	5	2	-
ALASKA -----	1	1	1	4	1	3	7	1	-	1	-	-
WHITE-----MALE----	-	-	-	3	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	8	25	28	36	51	66	40	31	10	2	1
WHITE-----MALE----	2	3	12	9	17	18	35	19	9	2	1	-
FEMALE--	2	3	11	11	14	28	29	19	19	8	-	-
ALL OTHER--MALE----	1	2	-	4	3	3	1	2	2	-	-	-
FEMALE--	1	-	2	4	2	2	1	-	1	-	1	1
BLACK---MALE----	-	-	-	1	3	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	1
ARKANSAS -----	8	10	18	27	35	69	74	70	39	10	3	-
WHITE-----MALE----	3	3	7	14	14	28	23	27	9	-	1	-
FEMALE--	2	3	4	7	11	28	34	33	20	7	1	-
ALL OTHER--MALE----	2	3	4	1	2	7	5	8	3	3	-	-
FEMALE--	1	1	3	5	8	6	12	2	7	-	1	-
BLACK---MALE----	2	3	4	1	2	7	5	8	3	3	-	-
FEMALE--	1	1	3	5	8	6	12	2	7	-	1	-
CALIFORNIA -----	27	33	56	86	154	172	225	184	109	38	8	-
WHITE-----MALE----	11	13	21	35	66	65	100	73	34	14	2	-
FEMALE--	8	11	18	31	54	71	80	87	60	17	4	-
ALL OTHER--MALE----	3	6	8	13	13	16	19	13	7	1	1	-
FEMALE--	5	3	9	7	21	20	26	11	8	6	1	-
BLACK---MALE----	2	4	5	7	7	6	7	7	3	1	-	-
FEMALE--	2	3	6	3	10	11	12	3	4	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,243
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	254	-	-	1	-	1	-	-	2	1	4	5
WHITE-----MALE----	121	-	-	1	-	-	-	-	2	-	2	3
FEMALE--	102	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	341	1	-	-	-	1	1	2	1	5	2	6
WHITE-----MALE----	146	1	-	-	-	1	-	2	-	1	2	3
FEMALE--	160	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	20	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	13	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	18	-	-	-	-	-	1	-	-	-	-	2
DELAWARE -----	93	-	-	-	-	-	-	1	-	1	1	1
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	76	-	-	-	-	-	-	1	-	2	2	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	33	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	1	1
FLORIDA -----	1,029	5	1	2	1	-	2	-	1	5	12	19
WHITE-----MALE----	492	1	-	1	-	-	1	-	1	2	6	9
FEMALE--	374	1	-	-	1	-	-	-	-	1	1	2
ALL OTHER--MALE----	68	2	1	-	-	-	-	-	-	1	2	3
FEMALE--	95	1	-	1	-	-	1	-	-	1	3	5
BLACK---MALE----	67	2	1	-	-	-	-	-	-	1	2	3
FEMALE--	91	1	-	1	-	-	1	-	-	1	3	5
GEORGIA -----	758	5	1	-	-	-	3	3	2	8	14	13
WHITE-----MALE----	215	1	1	-	-	-	1	-	-	1	2	3
FEMALE--	252	-	-	-	-	-	1	1	-	1	4	2
ALL OTHER--MALE----	122	2	-	-	-	-	1	2	1	5	7	5
FEMALE--	169	2	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	121	2	-	-	-	-	1	2	1	5	7	5
FEMALE--	169	2	-	-	-	-	-	-	1	1	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,243
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	6	12	19	34	34	45	41	31	13	2	-
WHITE-----MALE----	-	2	6	12	22	11	23	18	16	3	-	-
FEMALE--	3	2	3	4	11	21	20	19	9	7	1	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	1	2	-	1	-
FEMALE--	-	1	2	3	-	2	2	3	4	3	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	2	-	1	-
FEMALE--	-	1	2	2	-	1	1	3	4	3	-	-
CONNECTICUT -----	5	8	16	31	41	53	61	61	32	11	3	-
WHITE-----MALE----	3	1	8	8	18	25	31	27	10	5	-	-
FEMALE--	1	6	2	17	18	23	27	32	21	6	3	-
ALL OTHER--MALE----	1	1	2	2	4	2	-	-	1	-	-	-
FEMALE--	-	-	4	4	1	3	3	2	-	-	-	-
BLACK---MALE----	1	1	2	1	4	2	-	-	-	-	-	-
FEMALE--	-	-	4	3	1	2	3	2	-	-	-	-
DELAWARE -----	3	2	3	10	9	19	18	16	6	3	-	-
WHITE-----MALE----	1	-	1	3	2	8	10	7	3	-	-	-
FEMALE--	-	2	2	3	6	8	5	7	3	1	-	-
ALL OTHER--MALE----	2	-	-	4	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	2	-	-
BLACK---MALE----	2	-	-	4	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	2	-	-
DISTRICT OF COLUMBIA ----	4	5	1	10	11	15	9	3	6	4	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	2	-	5	7	4	5	1	2	1	-	-
FEMALE--	3	3	1	5	4	10	3	1	3	1	-	-
BLACK---MALE----	1	2	-	5	7	4	5	1	2	1	-	-
FEMALE--	3	3	1	5	4	10	3	1	3	1	-	-
FLORIDA -----	22	20	37	75	121	134	195	174	147	46	10	-
WHITE-----MALE----	9	5	15	38	67	67	104	79	67	17	3	-
FEMALE--	7	9	8	18	38	52	75	71	63	22	5	-
ALL OTHER--MALE----	5	3	8	7	6	9	3	8	9	1	-	-
FEMALE--	1	3	6	12	10	6	13	16	8	6	2	-
BLACK---MALE----	4	3	8	7	6	9	3	8	9	1	-	-
FEMALE--	1	3	6	11	10	6	12	16	7	5	2	-
GEORGIA -----	17	34	47	52	98	100	153	112	66	19	11	-
WHITE-----MALE----	6	11	13	13	32	39	49	27	14	2	-	-
FEMALE--	1	5	11	15	26	30	59	46	31	11	8	-
ALL OTHER--MALE----	2	10	11	10	17	11	17	14	6	1	-	-
FEMALE--	8	8	12	14	23	20	28	25	15	5	3	-
BLACK---MALE----	2	10	11	10	16	11	17	14	6	1	-	-
FEMALE--	8	8	12	14	23	20	28	25	15	5	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,244
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	2	8	8	8	14	21	20	5	4	1	-
WHITE-----MALE----	-	-	3	-	1	2	5	3	-	-	-	-
FEMALE--	-	-	-	2	-	3	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	2	4	4	2	9	2	2	-	-
FEMALE--	3	2	3	4	3	5	10	8	2	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	4	7	6	10	18	11	11	3	-	-
WHITE-----MALE----	-	1	-	3	4	6	12	7	7	1	-	-
FEMALE--	-	-	4	3	2	4	5	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	33	34	62	122	206	217	270	239	138	58	13	-
WHITE-----MALE----	10	14	24	51	84	92	114	87	43	12	2	-
FEMALE--	10	7	13	35	78	70	111	121	74	37	10	-
ALL OTHER--MALE----	10	7	13	17	24	26	19	7	10	3	-	-
FEMALE--	3	6	12	19	20	29	26	24	11	6	1	-
BLACK---MALE----	10	7	13	17	22	24	17	7	8	3	-	-
FEMALE--	3	5	12	18	20	28	23	23	11	6	1	-
INDIANA -----	8	16	42	53	90	118	128	124	71	43	1	-
WHITE-----MALE----	2	8	21	22	42	51	56	52	24	11	-	-
FEMALE--	3	4	15	24	36	55	59	57	43	24	1	-
ALL OTHER--MALE----	1	2	3	2	6	7	3	4	-	1	-	-
FEMALE--	2	2	3	5	6	5	10	11	4	7	-	-
BLACK---MALE----	1	2	3	2	6	7	3	4	-	1	-	-
FEMALE--	2	2	2	5	6	5	10	10	4	7	-	-
IOWA -----	4	4	9	8	14	25	32	29	20	7	3	-
WHITE-----MALE----	3	1	3	4	9	19	19	13	5	3	1	-
FEMALE--	1	3	4	4	4	6	13	15	15	4	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
KANSAS -----	4	3	13	26	37	47	52	59	49	19	6	-
WHITE-----MALE----	3	1	5	8	15	20	21	27	14	5	3	-
FEMALE--	1	2	6	13	18	24	26	28	32	12	3	-
ALL OTHER--MALE----	-	-	1	2	1	-	2	-	2	-	-	-
FEMALE--	-	-	1	3	3	3	3	4	1	2	-	-
BLACK---MALE----	-	-	1	2	1	-	2	-	2	-	-	-
FEMALE--	-	-	1	3	3	2	2	4	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,245
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	534	2	-	1	-	-	1	1	4	6	6	6
WHITE-----MALE----	227	1	-	-	-	-	-	1	2	2	5	2
FEMALE--	243	1	-	1	-	-	-	-	1	3	1	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	34	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	29	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	33	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	568	1	-	-	1	-	4	2	4	7	7	9
WHITE-----MALE----	174	1	-	-	-	-	1	1	-	2	-	4
FEMALE--	187	-	-	-	1	-	-	-	1	-	-	2
ALL OTHER--MALE----	90	-	-	-	-	-	3	1	2	4	3	2
FEMALE--	117	-	-	-	-	-	-	-	1	1	4	1
BLACK---MALE----	90	-	-	-	-	-	3	1	2	4	3	2
FEMALE--	117	-	-	-	-	-	-	-	1	1	4	1
MAINE -----	157	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	80	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	76	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	484	6	-	1	2	-	1	3	1	11	3	11
WHITE-----MALE----	155	1	-	-	-	-	1	2	-	2	1	3
FEMALE--	149	1	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	93	3	-	1	1	-	-	1	-	9	2	4
FEMALE--	87	1	-	-	1	-	-	-	-	-	-	2
BLACK---MALE----	89	3	-	1	1	-	-	1	-	9	2	4
FEMALE--	85	1	-	-	1	-	-	-	-	-	-	2
MASSACHUSETTS -----	868	3	-	-	-	1	1	2	1	5	9	12
WHITE-----MALE----	380	2	-	-	-	1	1	-	1	4	4	7
FEMALE--	438	-	-	-	-	-	-	1	-	-	1	5
ALL OTHER--MALE----	26	1	-	-	-	-	-	1	-	1	2	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	19	1	-	-	-	-	-	1	-	1	2	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	-
MICHIGAN -----	997	11	1	-	-	-	2	1	3	4	11	15
WHITE-----MALE----	381	1	-	-	-	-	1	-	-	3	3	3
FEMALE--	423	-	1	-	-	-	-	-	2	-	2	3
ALL OTHER--MALE----	89	9	-	-	-	-	-	1	-	1	4	5
FEMALE--	104	1	-	-	-	-	1	-	1	-	2	4
BLACK---MALE----	82	9	-	-	-	-	-	1	-	-	4	5
FEMALE--	99	1	-	-	-	-	1	-	1	-	1	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,245
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	17	10	24	50	55	85	101	84	63	15	3	-
WHITE-----MALE----	5	6	13	22	28	37	48	29	19	5	2	-
FEMALE--	9	2	10	16	22	36	45	45	40	8	1	-
ALL OTHER--MALE----	1	1	1	6	4	5	4	4	-	-	-	-
FEMALE--	2	1	-	6	1	7	4	6	4	2	-	-
BLACK---MALE----	1	1	1	6	4	5	3	4	-	-	-	-
FEMALE--	2	1	-	5	1	7	4	6	4	2	-	-
LOUISIANA -----	14	10	29	38	76	91	97	98	50	21	9	-
WHITE-----MALE----	5	2	8	16	27	37	29	27	11	2	1	-
FEMALE--	2	2	9	6	22	30	32	38	22	15	5	-
ALL OTHER--MALE----	2	4	8	8	6	13	12	11	10	-	1	-
FEMALE--	5	2	4	8	21	11	24	22	7	4	2	-
BLACK---MALE----	2	4	8	8	6	13	12	11	10	-	1	-
FEMALE--	5	2	4	8	21	11	24	22	7	4	2	-
MAINE -----	6	3	7	8	14	25	34	34	13	9	2	-
WHITE-----MALE----	3	3	4	4	7	15	15	18	4	4	1	-
FEMALE--	3	-	3	4	6	10	19	16	9	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MARYLAND -----	6	14	32	47	57	83	88	62	40	15	1	-
WHITE-----MALE----	1	2	11	12	18	31	40	16	13	1	-	-
FEMALE--	-	4	5	14	20	27	22	27	16	9	1	-
ALL OTHER--MALE----	4	5	7	9	8	14	8	11	5	1	-	-
FEMALE--	1	3	9	12	11	11	18	8	6	4	-	-
BLACK---MALE----	4	5	7	9	8	12	8	10	4	1	-	-
FEMALE--	1	3	9	12	11	11	16	8	6	4	-	-
MASSACHUSETTS -----	5	17	31	49	107	155	176	160	87	39	8	-
WHITE-----MALE----	2	12	16	25	49	66	83	66	29	11	1	-
FEMALE--	2	4	13	21	48	79	86	89	56	27	6	-
ALL OTHER--MALE----	-	1	2	-	6	4	3	2	2	-	1	-
FEMALE--	1	-	-	3	4	6	4	3	-	1	-	-
BLACK---MALE----	-	1	2	-	2	3	3	1	2	-	-	-
FEMALE--	1	-	-	2	3	4	4	2	-	-	-	-
MICHIGAN -----	16	24	37	59	120	164	193	176	107	46	7	-
WHITE-----MALE----	8	8	17	21	58	60	87	74	24	10	3	-
FEMALE--	3	9	9	20	40	74	74	85	70	29	2	-
ALL OTHER--MALE----	1	5	6	9	12	17	9	9	-	-	1	-
FEMALE--	4	2	5	9	10	13	23	8	13	7	1	-
BLACK---MALE----	1	4	6	7	11	16	9	8	-	-	1	-
FEMALE--	4	2	5	9	9	12	21	8	13	7	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,246
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	414	-	-	-	-	-	-	4	2	2	1	4
WHITE-----MALE----	198	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	199	-	-	-	-	-	-	2	1	1	-	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	345	3	-	-	-	2	1	1	3	7	6	4
WHITE-----MALE----	83	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	90	-	-	-	-	-	-	-	-	4	1	2
ALL OTHER--MALE----	69	1	-	-	-	1	-	-	2	1	1	-
FEMALE--	103	2	-	-	-	1	1	1	-	2	2	2
BLACK---MALE----	69	1	-	-	-	1	-	-	2	1	1	-
FEMALE--	103	2	-	-	-	1	1	1	-	2	2	2
MISSOURI -----	647	3	-	-	-	1	1	-	1	4	6	6
WHITE-----MALE----	267	1	-	-	-	-	1	-	1	3	-	2
FEMALE--	314	1	-	-	-	1	-	-	-	-	3	1
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	34	1	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	32	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	34	1	-	-	-	-	-	-	-	-	1	2
MONTANA -----	80	1	-	1	-	-	-	-	-	-	1	1
WHITE-----MALE----	45	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	185	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	80	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	98	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	208	1	1	-	-	-	2	1	4	1	-	6
WHITE-----MALE----	106	1	-	-	-	-	-	-	1	1	-	3
FEMALE--	75	-	1	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	1	-	1	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,246
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	10	7	6	19	49	60	89	68	59	24	10	-
WHITE-----MALE----	1	3	4	8	26	34	45	37	26	6	4	-
FEMALE--	6	3	2	8	21	24	44	30	33	16	6	-
ALL OTHER--MALE----	2	1	-	2	1	1	-	1	-	2	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	1	-	1	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
MISSISSIPPI -----	11	19	11	21	35	50	60	63	34	12	2	-
WHITE-----MALE----	-	3	1	5	11	16	17	16	9	2	-	-
FEMALE--	3	4	-	3	5	10	16	23	15	3	1	-
ALL OTHER--MALE----	7	5	2	5	7	14	8	10	2	3	-	-
FEMALE--	1	7	8	8	12	10	19	14	8	4	1	-
BLACK---MALE----	7	5	2	5	7	14	8	10	2	3	-	-
FEMALE--	1	7	8	8	12	10	19	14	8	4	1	-
MISSOURI -----	11	9	24	43	73	106	102	124	83	37	13	-
WHITE-----MALE----	7	6	8	25	35	47	44	46	31	7	3	-
FEMALE--	1	1	10	12	29	52	46	70	49	28	10	-
ALL OTHER--MALE----	1	1	5	2	4	3	9	2	-	1	-	-
FEMALE--	2	1	1	4	5	4	3	6	3	1	-	-
BLACK---MALE----	1	1	5	2	4	3	9	2	-	1	-	-
FEMALE--	2	1	1	4	5	4	3	6	3	1	-	-
MONTANA -----	1	-	3	4	8	12	17	21	8	2	-	-
WHITE-----MALE----	1	-	1	4	4	6	13	11	2	1	-	-
FEMALE--	-	-	1	-	3	4	4	9	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	1	5	7	15	25	37	47	31	8	-	-
WHITE-----MALE----	5	1	4	3	7	10	16	25	7	1	-	-
FEMALE--	1	-	1	3	5	13	21	22	24	7	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
NEVADA -----	8	9	11	20	29	27	36	28	19	2	3	-
WHITE-----MALE----	2	6	5	14	18	15	19	12	8	1	-	-
FEMALE--	4	3	5	4	7	9	13	13	10	1	2	-
ALL OTHER--MALE----	1	-	-	2	2	2	3	1	-	-	-	-
FEMALE--	1	-	1	-	2	1	1	2	1	-	1	-
BLACK---MALE----	1	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	2	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,248
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,312	4	-	2	1	2	-	2	7	7	17	18
WHITE-----MALE----	518	3	-	1	-	1	-	1	3	1	8	9
FEMALE--	598	-	-	-	-	-	-	1	1	2	4	6
ALL OTHER--MALE----	91	1	-	-	1	-	-	-	3	2	4	2
FEMALE--	105	-	-	1	-	1	-	-	-	2	1	1
BLACK---MALE----	91	1	-	-	1	-	-	-	3	2	4	2
FEMALE--	105	-	-	1	-	1	-	-	-	2	1	1
OKLAHOMA -----	421	2	-	-	2	-	-	-	-	2	3	5
WHITE-----MALE----	155	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	189	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	39	2	-	-	1	-	-	-	-	-	1	2
FEMALE--	38	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	22	2	-	-	1	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	1	-	-	-	-	-	-	1
OREGON -----	211	1	-	-	1	-	-	-	-	-	2	6
WHITE-----MALE----	85	1	-	-	-	-	-	-	-	-	2	5
FEMALE--	119	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,767	6	1	1	1	-	1	2	8	11	14	13
WHITE-----MALE----	699	1	1	-	-	-	-	1	2	4	5	7
FEMALE--	860	3	-	1	1	-	1	-	1	3	3	2
ALL OTHER--MALE----	107	1	-	-	-	-	-	-	3	1	4	3
FEMALE--	101	1	-	-	-	-	-	1	2	3	2	1
BLACK---MALE----	101	1	-	-	-	-	-	-	2	1	3	3
FEMALE--	97	1	-	-	-	-	-	1	2	3	2	1
RHODE ISLAND -----	93	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	267	2	-	-	-	-	1	-	-	1	2	9
WHITE-----MALE----	76	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	83	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	49	-	-	-	-	-	1	-	-	-	1	4
FEMALE--	59	1	-	-	-	-	-	-	-	1	-	4
BLACK---MALE----	49	-	-	-	-	-	1	-	-	-	1	4
FEMALE--	57	1	-	-	-	-	-	-	-	1	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,248
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	26	30	67	101	168	216	258	221	106	49	10	-
WHITE-----MALE----	13	12	26	38	71	87	109	86	38	10	1	-
FEMALE--	8	11	21	43	71	99	123	110	59	31	8	-
ALL OTHER--MALE----	3	4	11	11	14	11	10	10	2	2	-	-
FEMALE--	2	3	9	9	12	19	16	15	7	6	1	-
BLACK---MALE----	3	4	11	11	14	11	10	10	2	2	-	-
FEMALE--	2	3	9	9	12	19	16	15	7	6	1	-
OKLAHOMA -----	2	12	16	20	41	68	92	84	53	16	3	-
WHITE-----MALE----	-	5	8	6	10	33	33	37	17	2	-	-
FEMALE--	1	3	6	6	20	22	43	43	29	12	2	-
ALL OTHER--MALE----	1	3	1	2	6	6	8	2	3	1	-	-
FEMALE--	-	1	1	6	5	7	8	2	4	1	1	-
BLACK---MALE----	1	1	1	-	3	5	5	-	1	-	-	-
FEMALE--	-	1	-	2	4	4	5	2	2	1	1	-
OREGON -----	7	5	8	13	24	40	35	30	28	9	2	-
WHITE-----MALE----	5	4	2	4	9	19	13	11	9	1	-	-
FEMALE--	1	1	6	8	14	21	21	18	18	7	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	33	33	61	114	228	305	375	292	189	60	19	-
WHITE-----MALE----	15	12	19	46	103	140	161	101	65	15	1	-
FEMALE--	9	13	22	47	99	134	183	174	112	37	15	-
ALL OTHER--MALE----	7	3	11	10	15	18	14	7	5	4	1	-
FEMALE--	2	5	9	11	11	13	17	10	7	4	2	-
BLACK---MALE----	7	3	11	10	14	18	12	7	5	3	1	-
FEMALE--	2	4	9	10	11	13	16	9	7	4	2	-
RHODE ISLAND -----	3	1	6	3	14	19	14	11	15	2	2	-
WHITE-----MALE----	1	1	4	2	5	12	8	5	8	-	1	-
FEMALE--	1	-	1	-	8	7	6	6	6	2	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	12	19	30	28	43	49	35	15	6	3	-
WHITE-----MALE----	2	4	9	8	11	17	12	5	3	2	-	-
FEMALE--	3	3	5	5	6	14	20	16	7	3	1	-
ALL OTHER--MALE----	4	3	4	8	7	4	5	6	2	-	-	-
FEMALE--	3	2	1	9	4	8	12	8	3	1	2	-
BLACK---MALE----	4	3	4	8	7	4	5	6	2	-	-	-
FEMALE--	3	2	1	8	4	8	11	8	3	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,249
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	71	-	-	-	-	-	-	2	-	1	1	1
WHITE-----MALE----	36	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	398	3	-	-	-	-	1	3	2	4	6	14
WHITE-----MALE----	144	1	-	-	-	-	-	-	-	3	2	6
FEMALE--	168	-	-	-	-	-	-	2	-	1	1	6
ALL OTHER--MALE----	33	2	-	-	-	-	1	1	2	-	2	1
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	33	2	-	-	-	-	1	1	2	-	2	1
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	1
TEXAS -----	996	8	1	1	1	1	3	4	3	9	19	26
WHITE-----MALE----	410	4	-	1	1	1	2	1	2	4	9	8
FEMALE--	407	3	1	-	-	-	1	1	-	4	5	9
ALL OTHER--MALE----	70	-	-	-	-	-	-	2	-	-	2	6
FEMALE--	109	1	-	-	-	-	-	-	1	1	3	3
BLACK---MALE----	65	-	-	-	-	-	-	1	-	-	2	6
FEMALE--	105	-	-	-	-	-	-	-	1	1	3	3
UTAH -----	115	-	-	-	-	-	-	1	1	2	1	4
WHITE-----MALE----	56	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	54	-	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	50	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	661	5	-	1	-	1	-	3	2	8	7	8
WHITE-----MALE----	234	3	-	1	-	1	-	1	-	1	1	4
FEMALE--	219	-	-	-	-	-	-	1	1	2	2	1
ALL OTHER--MALE----	98	-	-	-	-	-	-	1	-	2	3	3
FEMALE--	110	2	-	-	-	-	-	-	1	3	1	-
BLACK---MALE----	95	-	-	-	-	-	-	1	-	2	3	3
FEMALE--	105	2	-	-	-	-	-	-	-	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,249
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	2	-	3	4	10	16	12	11	8	-	-
WHITE-----MALE----	-	-	-	3	1	7	8	5	6	2	-	-
FEMALE--	-	1	-	-	3	3	6	7	4	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TENNESSEE -----	11	13	19	30	47	62	69	61	34	17	1	1
WHITE-----MALE----	6	4	4	14	22	26	26	16	7	7	-	-
FEMALE--	2	6	8	10	16	23	29	34	21	8	1	-
ALL OTHER--MALE----	1	1	2	2	2	5	3	5	-	2	-	1
FEMALE--	2	2	5	4	7	8	11	6	6	-	-	-
BLACK---MALE----	1	1	2	2	2	5	3	5	-	2	-	1
FEMALE--	2	2	5	4	7	8	11	6	6	-	-	-
TEXAS -----	22	32	34	59	108	143	130	160	160	55	17	-
WHITE-----MALE----	10	17	15	27	62	68	52	61	48	14	3	-
FEMALE--	6	8	11	25	21	52	61	74	82	32	11	-
ALL OTHER--MALE----	2	4	6	3	13	7	8	9	6	2	-	-
FEMALE--	4	3	2	4	12	16	9	16	24	7	3	-
BLACK---MALE----	2	3	6	3	11	7	8	9	5	2	-	-
FEMALE--	4	3	2	4	12	15	9	15	23	7	3	-
UTAH -----	2	2	4	6	14	15	23	28	7	3	2	-
WHITE-----MALE----	1	2	1	2	7	7	14	15	-	2	-	-
FEMALE--	1	-	3	2	6	7	9	13	6	1	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	1	-	3	2	4	5	14	10	4	4	-	-
WHITE-----MALE----	-	-	2	-	1	2	8	3	-	1	-	-
FEMALE--	1	-	1	2	3	3	6	7	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	21	34	46	79	108	119	113	64	23	5	-
WHITE-----MALE----	4	7	7	18	26	46	56	40	8	10	-	-
FEMALE--	2	4	7	14	21	32	33	46	42	8	3	-
ALL OTHER--MALE----	4	7	11	9	13	14	12	10	7	2	-	-
FEMALE--	4	3	9	5	19	16	18	17	7	3	2	-
BLACK---MALE----	4	7	10	9	11	14	12	10	7	2	-	-
FEMALE--	4	3	9	5	17	16	16	17	7	3	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,260
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEPHROTIC SYNDROME (581)												
0 UNITED STATES --	9	9	7	22	18	34	47	25	17	2	3	-
WHITE-----MALE----	4	4	1	4	9	18	15	10	4	1	-	-
FEMALE--	3	2	3	12	8	11	25	11	10	-	2	-
ALL OTHER--MALE----	-	2	2	5	-	3	1	-	1	-	-	-
FEMALE--	2	1	1	1	1	2	6	4	2	1	1	-
BLACK---MALE----	-	2	2	5	-	3	-	-	1	-	-	-
FEMALE--	2	1	1	-	1	2	6	4	2	1	-	-
ALABAMA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	-	1	-	2	4	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,263
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 NEPHROTIC SYNDROME (581)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	13	-	-	-	-	-	-	-	1	1	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,263
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 NEPHROTIC SYNDROME (581)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MASSACHUSETTS -----	1	-	-	2	-	-	4	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	-	1	3	2	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,267
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 NEPHROTIC SYNDROME (581)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	1	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	1	2	1	2	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
UTAH -----	-	-	-	1	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,269
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	41	35	54	113	198	245	271	270	201	64	11	-
WHITE-----MALE----	16	9	18	48	85	115	119	100	63	17	2	-
FEMALE--	14	13	20	30	62	94	117	123	109	40	5	-
ALL OTHER--MALE----	9	7	6	17	20	23	20	20	6	2	1	-
FEMALE--	2	6	10	18	31	13	15	27	23	5	3	-
BLACK---MALE----	9	5	5	15	18	22	18	20	6	2	1	-
FEMALE--	1	6	7	15	28	12	12	25	21	4	3	-
ALABAMA -----	-	2	-	2	-	3	5	6	7	1	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	3	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	3	2	-	-	-
ALASKA -----	-	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	2	2	5	3	8	5	3	-	-	-
WHITE-----MALE----	1	-	-	1	2	-	5	2	-	-	-	-
FEMALE--	-	-	1	-	2	3	3	3	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	1	2	2	5	5	7	-	2	-	-
WHITE-----MALE----	1	-	1	-	-	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	3	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	2	2	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	2	2	-	2	-	-	-	-	-
CALIFORNIA -----	4	5	5	11	24	13	24	19	15	5	2	-
WHITE-----MALE----	1	2	3	6	9	5	9	9	4	2	-	-
FEMALE--	2	2	2	3	8	6	10	8	9	2	1	-
ALL OTHER--MALE----	-	-	-	2	4	1	2	-	-	-	-	-
FEMALE--	1	1	-	-	3	1	3	2	2	1	1	-
BLACK---MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,270
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	17	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	118	-	-	1	1	-	-	-	-	1	-	3
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	38	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	37	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,270
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	-	2	1	5	4	2	-	1	-	-
WHITE-----MALE----	-	-	-	2	-	2	1	2	-	1	-	-
FEMALE--	1	-	-	-	1	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	2	1	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	2	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	1	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	4	3	9	12	18	22	23	15	4	-	-
WHITE-----MALE----	1	2	1	4	8	11	13	10	5	2	-	-
FEMALE--	1	1	1	2	2	6	8	7	7	1	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	3	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	3	3	1	-	-
BLACK---MALE----	-	-	-	2	1	1	-	3	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	3	2	1	-	-
GEORGIA -----	1	-	-	5	4	3	9	6	4	2	-	-
WHITE-----MALE----	1	-	-	2	1	-	2	-	2	2	-	-
FEMALE--	-	-	-	1	-	3	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	3	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	3	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,272
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	-	1	2	1	8	5	6	3	-	-	-
WHITE-----MALE----	-	-	1	-	1	5	1	1	1	-	-	-
FEMALE--	1	-	-	1	-	2	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	-	-	3	4	3	3	4	4	2	-	-
WHITE-----MALE----	1	-	-	1	2	1	-	1	3	1	-	-
FEMALE--	-	-	-	1	1	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
MAINE -----	2	-	-	2	-	-	1	1	-	-	1	-
WHITE-----MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	1	5	7	2	4	3	4	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	1	2	-	-	-
FEMALE--	-	-	1	2	3	1	-	1	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
MASSACHUSETTS -----	-	1	2	1	6	8	6	6	4	1	-	-
WHITE-----MALE----	-	-	-	1	2	2	3	2	2	1	-	-
FEMALE--	-	1	1	-	4	6	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	3	2	7	9	5	5	9	-	-	-
WHITE-----MALE----	-	-	1	1	3	3	2	2	2	-	-	-
FEMALE--	-	-	2	-	2	5	3	3	7	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,275
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	2	2	4	8	7	10	10	8	3	1	-
WHITE-----MALE----	-	1	-	2	2	1	5	4	3	1	-	-
FEMALE--	1	1	1	-	3	5	3	5	5	1	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	1	-	1	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	1	-	1	-	-
OKLAHOMA -----	-	-	-	1	3	8	-	3	3	1	1	-
WHITE-----MALE----	-	-	-	-	3	5	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
OREGON -----	1	-	-	1	2	5	3	1	3	-	-	-
WHITE-----MALE----	1	-	-	1	1	2	1	1	2	-	-	-
FEMALE--	-	-	-	-	1	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	-	3	7	11	19	24	10	3	1	-
WHITE-----MALE----	-	-	-	1	3	7	9	6	1	1	-	-
FEMALE--	-	1	-	1	4	1	9	15	7	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	3	1	3	2	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	3	1	3	2	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	1	1	-	1	-	3	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	4	8	5	6	7	6	-	-	1	-
WHITE-----MALE----	1	-	3	3	3	3	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	3	1	1	3	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	1	-
BLACK---MALE----	-	-	1	3	1	1	3	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,276
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	2	3	3	10	12	13	10	1	-	-
WHITE-----MALE----	1	-	-	2	2	7	6	4	1	-	-	-
FEMALE--	1	1	2	1	1	2	6	4	6	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	3	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	3	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	3	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	3	-	-	-
TEXAS -----	3	2	2	7	17	17	15	22	16	5	-	-
WHITE-----MALE----	1	-	-	1	8	10	6	9	5	1	-	-
FEMALE--	1	1	1	6	4	4	9	11	9	3	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	3	2	-	2	2	1	-	-
BLACK---MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	3	2	-	2	2	1	-	-
UTAH -----	-	-	-	-	-	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	3	-	9	10	9	5	3	2	1	-
WHITE-----MALE----	-	-	-	-	2	1	5	3	-	-	-	-
FEMALE--	-	-	2	-	3	5	3	1	2	2	-	-
ALL OTHER--MALE----	2	-	-	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	1	-	3	2	1	-	-	-	1	-
BLACK---MALE----	2	-	-	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	1	-	3	2	1	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,278
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	22,345	133	9	8	11	12	30	54	77	169	254	337
WHITE-----MALE----	8,782	50	2	5	2	6	11	20	23	53	84	118
FEMALE--	9,349	24	6	2	4	2	5	11	17	38	66	85
ALL OTHER--MALE----	1,907	36	1	1	3	2	7	18	22	49	68	78
FEMALE--	2,307	23	-	-	2	2	7	5	15	29	36	56
BLACK---MALE----	1,703	36	1	1	3	2	6	18	21	46	65	75
FEMALE--	2,089	21	-	-	2	2	7	4	12	27	35	53
ALABAMA -----	602	6	1	-	-	1	-	2	-	-	5	10
WHITE-----MALE----	165	2	-	-	-	-	-	1	-	-	1	3
FEMALE--	201	-	1	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	100	3	-	-	-	1	-	-	-	-	1	3
FEMALE--	136	1	-	-	-	-	-	1	-	-	2	2
BLACK---MALE----	100	3	-	-	-	1	-	-	-	-	1	3
FEMALE--	136	1	-	-	-	-	-	1	-	-	2	2
ALASKA -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	285	4	-	-	-	-	-	-	-	3	3	4
WHITE-----MALE----	122	2	-	-	-	-	-	-	-	1	1	3
FEMALE--	132	2	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	344	3	-	-	-	-	1	-	1	1	1	5
WHITE-----MALE----	126	1	-	-	-	-	1	-	1	-	1	1
FEMALE--	143	1	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	42	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	42	1	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	1,016	10	2	-	1	-	1	5	4	8	17	19
WHITE-----MALE----	396	3	-	-	-	-	1	2	1	3	3	5
FEMALE--	412	4	2	-	1	-	-	-	2	1	12	8
ALL OTHER--MALE----	100	1	-	-	-	-	-	3	-	1	2	3
FEMALE--	108	2	-	-	-	-	-	-	1	3	-	3
BLACK---MALE----	53	1	-	-	-	-	-	3	-	-	2	2
FEMALE--	53	1	-	-	-	-	-	-	-	2	-	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,278
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	436	580	989	1,595	2,672	3,502	4,216	3,737	2,402	900	220	2
WHITE-----MALE----	161	217	410	629	1,184	1,497	1,827	1,429	772	231	51	-
FEMALE--	116	171	285	553	954	1,408	1,772	1,833	1,324	540	133	-
ALL OTHER--MALE----	81	106	152	191	248	271	227	188	109	40	8	1
FEMALE--	78	86	142	222	286	326	390	287	197	89	28	1
BLACK---MALE----	76	93	143	171	215	243	197	160	90	34	6	1
FEMALE--	69	79	131	195	258	293	345	263	183	82	27	1
ALABAMA -----	18	18	31	56	69	86	104	92	67	29	7	-
WHITE-----MALE----	6	5	14	15	22	24	35	16	15	5	1	-
FEMALE--	3	3	4	12	23	32	31	48	23	15	3	-
ALL OTHER--MALE----	5	5	7	16	8	13	11	10	12	4	1	-
FEMALE--	4	5	6	13	16	17	27	18	17	5	2	-
BLACK---MALE----	5	5	7	16	8	13	11	10	12	4	1	-
FEMALE--	4	5	6	13	16	17	27	18	17	5	2	-
ALASKA -----	1	1	1	2	1	3	7	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	7	22	26	31	47	57	35	28	10	2	1
WHITE-----MALE----	1	3	12	8	15	17	30	17	9	2	1	-
FEMALE--	2	3	9	11	12	25	25	16	16	8	-	-
ALL OTHER--MALE----	1	1	-	4	2	3	1	2	2	-	-	-
FEMALE--	1	-	1	3	2	2	1	-	1	-	1	1
BLACK---MALE----	-	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	1
ARKANSAS -----	6	10	17	24	32	62	68	63	39	8	3	-
WHITE-----MALE----	2	3	6	13	13	27	23	24	9	-	1	-
FEMALE--	2	3	4	7	11	24	31	30	20	6	1	-
ALL OTHER--MALE----	1	3	4	1	2	5	4	7	3	2	-	-
FEMALE--	1	1	3	3	6	6	10	2	7	-	1	-
BLACK---MALE----	1	3	4	1	2	5	4	7	3	2	-	-
FEMALE--	1	1	3	3	6	6	10	2	7	-	1	-
CALIFORNIA -----	22	28	51	74	129	156	196	162	92	33	6	-
WHITE-----MALE----	10	11	18	29	56	59	88	63	30	12	2	-
FEMALE--	6	9	16	28	46	63	68	78	50	15	3	-
ALL OTHER--MALE----	3	6	8	10	9	15	17	13	7	1	1	-
FEMALE--	3	2	9	7	18	19	23	8	5	5	-	-
BLACK---MALE----	2	4	5	6	4	6	7	7	3	1	-	-
FEMALE--	1	2	6	3	9	10	11	1	2	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,279
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	235	-	-	1	-	1	-	-	2	1	4	4
WHITE-----MALE----	112	-	-	1	-	-	-	-	2	-	2	2
FEMALE--	93	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	331	1	-	-	-	1	1	2	1	5	2	6
WHITE-----MALE----	143	1	-	-	-	1	-	2	-	1	2	3
FEMALE--	154	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	13	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	18	-	-	-	-	-	1	-	-	-	-	2
DELAWARE -----	85	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	71	-	-	-	-	-	-	1	-	2	2	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	31	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	1	1
FLORIDA -----	884	5	1	1	-	-	-	-	1	4	12	15
WHITE-----MALE----	420	1	-	1	-	-	-	-	1	1	6	7
FEMALE--	326	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	61	2	1	-	-	-	-	-	-	1	2	3
FEMALE--	77	1	-	-	-	-	-	-	-	1	3	4
BLACK---MALE----	60	2	1	-	-	-	-	-	-	1	2	3
FEMALE--	75	1	-	-	-	-	-	-	-	1	3	4
GEORGIA -----	713	4	1	-	-	-	1	3	2	7	12	13
WHITE-----MALE----	200	-	1	-	-	-	-	-	-	1	2	3
FEMALE--	241	-	-	-	-	-	1	1	-	1	3	2
ALL OTHER--MALE----	113	2	-	-	-	-	-	2	1	5	6	5
FEMALE--	159	2	-	-	-	-	-	-	1	-	1	3
BLACK---MALE----	112	2	-	-	-	-	-	2	1	5	6	5
FEMALE--	159	2	-	-	-	-	-	-	1	-	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,279
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	6	12	17	33	29	40	39	31	11	2	-
WHITE-----MALE----	-	2	6	10	22	9	22	16	16	2	-	-
FEMALE--	2	2	3	4	10	18	17	19	9	6	1	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	1	2	-	1	-
FEMALE--	-	1	2	3	-	2	1	3	4	3	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	2	-	1	-
FEMALE--	-	1	2	2	-	1	-	3	4	3	-	-
CONNECTICUT -----	5	7	16	29	39	52	59	61	30	11	3	-
WHITE-----MALE----	3	1	8	8	18	24	30	27	9	5	-	-
FEMALE--	1	5	2	16	16	23	26	32	20	6	3	-
ALL OTHER--MALE----	1	1	2	2	4	2	-	-	1	-	-	-
FEMALE--	-	-	4	3	1	3	3	2	-	-	-	-
BLACK---MALE----	1	1	2	1	4	2	-	-	-	-	-	-
FEMALE--	-	-	4	3	1	2	3	2	-	-	-	-
DELAWARE -----	3	2	3	10	9	17	17	15	5	1	-	-
WHITE-----MALE----	1	-	1	3	2	8	10	7	3	-	-	-
FEMALE--	-	2	2	3	6	8	5	6	2	-	-	-
ALL OTHER--MALE----	2	-	-	4	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	1	-	-
BLACK---MALE----	2	-	-	4	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	1	-	-
DISTRICT OF COLUMBIA ----	4	5	1	10	11	15	9	2	3	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	5	7	4	5	1	-	1	-	-
FEMALE--	3	3	1	5	4	10	3	1	3	1	-	-
BLACK---MALE----	1	2	-	5	7	4	5	1	-	1	-	-
FEMALE--	3	3	1	5	4	10	3	1	3	1	-	-
FLORIDA -----	19	15	34	63	106	112	168	148	130	41	9	-
WHITE-----MALE----	8	3	14	33	56	54	90	67	61	14	3	-
FEMALE--	5	7	7	15	36	44	65	63	55	21	4	-
ALL OTHER--MALE----	5	3	8	5	5	8	3	5	9	1	-	-
FEMALE--	1	2	5	10	9	6	10	13	5	5	2	-
BLACK---MALE----	4	3	8	5	5	8	3	5	9	1	-	-
FEMALE--	1	2	5	10	9	6	9	13	5	4	2	-
GEORGIA -----	16	34	47	46	92	96	143	106	62	17	11	-
WHITE-----MALE----	5	11	13	11	29	39	46	27	12	-	-	-
FEMALE--	1	5	11	13	26	27	56	45	30	11	8	-
ALL OTHER--MALE----	2	10	11	9	16	10	15	12	6	1	-	-
FEMALE--	8	8	12	13	21	20	26	22	14	5	3	-
BLACK---MALE----	2	10	11	9	15	10	15	12	6	1	-	-
FEMALE--	8	8	12	13	21	20	26	22	14	5	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,280
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	2	8	8	8	13	20	20	5	4	-	-
WHITE-----MALE----	-	-	3	-	1	2	4	3	-	-	-	-
FEMALE--	-	-	-	2	-	3	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	2	4	4	2	9	2	2	-	-
FEMALE--	3	2	3	4	3	4	10	8	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	4	6	3	9	17	10	11	3	-	-
WHITE-----MALE----	-	1	-	2	1	6	11	7	7	1	-	-
FEMALE--	-	-	4	3	2	3	5	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	30	31	56	116	193	208	262	224	124	54	12	-
WHITE-----MALE----	8	13	22	49	79	87	112	79	36	12	2	-
FEMALE--	9	6	11	34	74	68	107	115	68	33	9	-
ALL OTHER--MALE----	10	6	12	15	23	25	19	6	10	3	-	-
FEMALE--	3	6	11	18	17	28	24	24	10	6	1	-
BLACK---MALE----	10	6	12	15	21	23	17	6	8	3	-	-
FEMALE--	3	5	11	17	17	27	21	23	10	6	1	-
INDIANA -----	8	16	42	51	86	109	125	120	65	39	1	-
WHITE-----MALE----	2	8	21	21	41	46	55	50	20	10	-	-
FEMALE--	3	4	15	24	34	52	57	56	41	22	1	-
ALL OTHER--MALE----	1	2	3	2	6	6	3	4	-	1	-	-
FEMALE--	2	2	3	4	5	5	10	10	4	6	-	-
BLACK---MALE----	1	2	3	2	6	6	3	4	-	1	-	-
FEMALE--	2	2	2	4	5	5	10	10	4	6	-	-
IOWA -----	3	4	6	7	13	17	29	26	19	7	3	-
WHITE-----MALE----	2	1	3	3	8	11	17	12	5	3	1	-
FEMALE--	1	3	2	4	4	6	12	13	14	4	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	4	1	13	26	36	44	49	55	45	18	5	-
WHITE-----MALE----	3	-	5	8	14	18	20	26	14	4	2	-
FEMALE--	1	1	6	13	18	23	24	25	28	12	3	-
ALL OTHER--MALE----	-	-	1	2	1	-	2	-	2	-	-	-
FEMALE--	-	-	1	3	3	3	3	4	1	2	-	-
BLACK---MALE----	-	-	1	2	1	-	2	-	2	-	-	-
FEMALE--	-	-	1	3	3	2	2	4	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,281
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	501	2	-	1	-	-	-	1	4	6	6	6
WHITE-----MALE----	215	1	-	-	-	-	-	1	2	2	5	2
FEMALE--	227	1	-	1	-	-	-	-	1	3	1	2
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	538	1	-	-	1	-	4	2	4	7	6	8
WHITE-----MALE----	163	1	-	-	-	-	1	1	-	2	-	4
FEMALE--	179	-	-	-	1	-	-	-	1	-	-	1
ALL OTHER--MALE----	86	-	-	-	-	-	3	1	2	4	3	2
FEMALE--	110	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	86	-	-	-	-	-	3	1	2	4	3	2
FEMALE--	110	-	-	-	-	-	-	-	1	1	3	1
MAINE -----	145	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	71	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	446	5	-	1	2	-	1	3	1	10	2	11
WHITE-----MALE----	145	1	-	-	-	-	1	2	-	1	1	3
FEMALE--	135	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	88	3	-	1	1	-	-	1	-	9	1	4
FEMALE--	78	1	-	-	1	-	-	-	-	-	-	2
BLACK---MALE----	84	3	-	1	-	-	-	1	-	9	1	4
FEMALE--	76	1	-	-	1	-	-	-	-	-	-	2
MASSACHUSETTS -----	820	3	-	-	-	-	1	2	1	5	8	10
WHITE-----MALE----	363	2	-	-	-	-	1	-	1	4	4	5
FEMALE--	411	-	-	-	-	-	-	1	-	-	1	5
ALL OTHER--MALE----	23	1	-	-	-	-	-	1	-	1	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	16	1	-	-	-	-	-	1	-	1	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	2	-
MICHIGAN -----	934	11	1	-	-	-	2	1	2	3	8	13
WHITE-----MALE----	356	1	-	-	-	-	1	-	-	3	2	2
FEMALE--	396	-	1	-	-	-	-	-	2	-	1	3
ALL OTHER--MALE----	82	9	-	-	-	-	-	1	-	-	3	4
FEMALE--	100	1	-	-	-	-	1	-	-	-	2	4
BLACK---MALE----	77	9	-	-	-	-	-	1	-	-	3	4
FEMALE--	95	1	-	-	-	-	1	-	-	-	1	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,281
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	15	10	23	48	54	75	95	77	60	15	3	-
WHITE-----MALE----	5	6	12	22	27	31	47	27	18	5	2	-
FEMALE--	7	2	10	15	22	34	41	40	38	8	1	-
ALL OTHER--MALE----	1	1	1	6	4	4	3	4	-	-	-	-
FEMALE--	2	1	-	5	1	6	4	6	4	2	-	-
BLACK---MALE----	1	1	1	6	4	4	2	4	-	-	-	-
FEMALE--	2	1	-	5	1	6	4	6	4	2	-	-
LOUISIANA -----	13	10	29	35	71	87	92	94	46	19	9	-
WHITE-----MALE----	4	2	8	15	25	35	29	26	8	1	1	-
FEMALE--	2	2	9	5	20	29	30	38	22	14	5	-
ALL OTHER--MALE----	2	4	8	7	6	12	11	10	10	-	1	-
FEMALE--	5	2	4	8	20	11	22	20	6	4	2	-
BLACK---MALE----	2	4	8	7	6	12	11	10	10	-	1	-
FEMALE--	5	2	4	8	20	11	22	20	6	4	2	-
MAINE -----	4	3	7	6	14	24	33	32	12	9	1	-
WHITE-----MALE----	2	3	4	2	7	14	15	17	4	4	1	-
FEMALE--	2	-	3	4	6	10	18	15	8	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MARYLAND -----	5	14	31	41	50	77	83	58	36	14	1	-
WHITE-----MALE----	1	2	11	11	17	30	37	15	11	1	-	-
FEMALE--	-	4	4	11	17	25	22	26	14	8	1	-
ALL OTHER--MALE----	3	5	7	9	6	14	7	11	5	1	-	-
FEMALE--	1	3	9	10	10	8	17	6	6	4	-	-
BLACK---MALE----	3	5	7	9	6	12	7	10	4	1	-	-
FEMALE--	1	3	9	10	10	8	15	6	6	4	-	-
MASSACHUSETTS -----	4	16	29	46	101	146	166	154	82	38	8	-
WHITE-----MALE----	2	12	16	23	47	64	80	64	27	10	1	-
FEMALE--	2	3	12	20	44	72	79	85	54	27	6	-
ALL OTHER--MALE----	-	1	1	-	6	4	3	2	1	-	1	-
FEMALE--	-	-	-	3	4	6	4	3	-	1	-	-
BLACK---MALE----	-	1	1	-	2	3	3	1	1	-	-	-
FEMALE--	-	-	-	2	3	4	4	2	-	-	-	-
MICHIGAN -----	15	23	34	57	111	150	184	169	97	46	7	-
WHITE-----MALE----	7	8	16	20	55	53	83	71	21	10	3	-
FEMALE--	3	9	7	20	36	69	69	82	63	29	2	-
ALL OTHER--MALE----	1	5	6	8	11	15	9	9	-	-	1	-
FEMALE--	4	1	5	9	9	13	23	7	13	7	1	-
BLACK---MALE----	1	4	6	6	11	14	9	8	-	-	1	-
FEMALE--	4	1	5	9	8	12	21	7	13	7	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,282
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	397	-	-	-	-	-	-	2	2	2	1	3
WHITE-----MALE----	192	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	189	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	326	3	-	-	-	2	1	1	3	7	6	4
WHITE-----MALE----	74	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	86	-	-	-	-	-	-	-	-	4	1	2
ALL OTHER--MALE----	66	1	-	-	-	1	-	-	2	1	1	-
FEMALE--	100	2	-	-	-	1	1	1	-	2	2	2
BLACK---MALE----	66	1	-	-	-	1	-	-	2	1	1	-
FEMALE--	100	2	-	-	-	1	1	1	-	2	2	2
MISSOURI -----	602	3	-	-	-	1	1	-	1	4	4	6
WHITE-----MALE----	249	1	-	-	-	-	1	-	1	3	-	2
FEMALE--	295	1	-	-	-	1	-	-	-	-	3	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	31	1	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	31	1	-	-	-	-	-	-	-	-	-	2
MONTANA -----	72	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	40	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	166	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	92	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	200	1	-	-	-	-	2	1	3	1	-	5
WHITE-----MALE----	104	1	-	-	-	-	-	-	1	1	-	3
FEMALE--	71	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	1	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,282
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	10	6	5	19	48	60	81	67	58	23	10	-
WHITE-----MALE----	1	3	3	8	26	34	41	37	25	6	4	-
FEMALE--	6	2	2	8	20	24	40	29	33	15	6	-
ALL OTHER--MALE----	2	1	-	2	1	1	-	1	-	2	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	1	-	1	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
MISSISSIPPI -----	11	19	10	21	32	48	56	58	30	12	2	-
WHITE-----MALE----	-	3	1	5	10	16	13	13	8	2	-	-
FEMALE--	3	4	-	3	4	9	16	22	14	3	1	-
ALL OTHER--MALE----	7	5	2	5	7	13	8	9	1	3	-	-
FEMALE--	1	7	7	8	11	10	19	14	7	4	1	-
BLACK---MALE----	7	5	2	5	7	13	8	9	1	3	-	-
FEMALE--	1	7	7	8	11	10	19	14	7	4	1	-
MISSOURI -----	10	9	23	39	62	97	97	116	82	34	13	-
WHITE-----MALE----	7	6	7	24	29	42	43	44	30	6	3	-
FEMALE--	1	1	10	10	25	48	44	65	49	26	10	-
ALL OTHER--MALE----	-	1	5	1	4	3	7	2	-	1	-	-
FEMALE--	2	1	1	4	4	4	3	5	3	1	-	-
BLACK---MALE----	-	1	5	1	4	3	7	2	-	1	-	-
FEMALE--	2	1	1	4	4	4	3	5	3	1	-	-
MONTANA -----	1	-	2	4	7	12	15	19	7	2	-	-
WHITE-----MALE----	1	-	1	4	4	6	11	10	1	1	-	-
FEMALE--	-	-	1	-	2	4	4	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	1	5	7	11	23	33	44	26	8	-	-
WHITE-----MALE----	4	1	4	3	4	8	13	23	6	1	-	-
FEMALE--	1	-	1	3	5	13	20	21	20	7	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
NEVADA -----	8	8	10	20	29	27	35	28	17	2	3	-
WHITE-----MALE----	2	6	5	14	18	15	18	12	7	1	-	-
FEMALE--	4	2	5	4	7	9	13	13	9	1	2	-
ALL OTHER--MALE----	1	-	-	2	2	2	3	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	2	1	-	1	-
BLACK---MALE----	1	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	2	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,284
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,233	4	-	1	1	2	-	2	6	5	16	13
WHITE-----MALE----	488	3	-	1	-	1	-	1	2	1	7	6
FEMALE--	564	-	-	-	-	-	-	1	1	1	4	5
ALL OTHER--MALE----	87	1	-	-	1	-	-	-	3	2	4	1
FEMALE--	94	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	87	1	-	-	1	-	-	-	3	2	4	1
FEMALE--	94	-	-	-	-	1	-	-	-	1	1	1
OKLAHOMA -----	398	2	-	-	2	-	-	-	-	2	3	5
WHITE-----MALE----	143	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	180	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	39	2	-	-	1	-	-	-	-	-	1	2
FEMALE--	36	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	22	2	-	-	1	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	1	-	-	-	-	-	-	1
OREGON -----	185	1	-	-	1	-	-	-	-	-	1	4
WHITE-----MALE----	71	1	-	-	-	-	-	-	-	-	1	3
FEMALE--	107	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,664	5	-	1	-	-	1	2	8	10	13	12
WHITE-----MALE----	661	1	-	-	-	-	-	1	2	4	5	6
FEMALE--	810	2	-	1	-	-	1	-	1	2	2	2
ALL OTHER--MALE----	94	1	-	-	-	-	-	-	3	1	4	3
FEMALE--	99	1	-	-	-	-	-	1	2	3	2	1
BLACK---MALE----	88	1	-	-	-	-	-	-	2	1	3	3
FEMALE--	95	1	-	-	-	-	-	1	2	3	2	1
RHODE ISLAND -----	85	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	226	2	-	-	-	-	1	-	-	1	2	8
WHITE-----MALE----	62	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	37	-	-	-	-	-	1	-	-	-	1	3
FEMALE--	54	1	-	-	-	-	-	-	-	1	-	4
BLACK---MALE----	37	-	-	-	-	-	1	-	-	-	1	3
FEMALE--	53	1	-	-	-	-	-	-	-	1	-	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,284
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	25	26	65	94	160	208	246	206	98	46	9	-
WHITE-----MALE----	13	10	26	35	69	85	103	80	35	9	1	-
FEMALE--	7	10	20	41	68	94	119	102	54	30	7	-
ALL OTHER--MALE----	3	4	11	10	13	11	9	10	2	2	-	-
FEMALE--	2	2	8	8	10	18	15	14	7	5	1	-
BLACK---MALE----	3	4	11	10	13	11	9	10	2	2	-	-
FEMALE--	2	2	8	8	10	18	15	14	7	5	1	-
OKLAHOMA -----	2	11	16	19	38	60	91	81	49	15	2	-
WHITE-----MALE----	-	4	8	6	7	28	33	35	16	2	-	-
FEMALE--	1	3	6	6	20	20	42	42	26	11	1	-
ALL OTHER--MALE----	1	3	1	2	6	6	8	2	3	1	-	-
FEMALE--	-	1	1	5	5	6	8	2	4	1	1	-
BLACK---MALE----	1	1	1	-	3	5	5	-	1	-	-	-
FEMALE--	-	1	-	1	4	3	5	2	2	1	1	-
OREGON -----	6	5	8	12	21	33	30	29	23	9	2	-
WHITE-----MALE----	4	4	2	3	8	17	11	10	6	1	-	-
FEMALE--	1	1	6	8	12	16	18	18	16	7	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	33	32	59	109	219	290	352	265	179	56	18	-
WHITE-----MALE----	15	12	17	44	99	131	151	94	64	14	1	-
FEMALE--	9	12	22	46	94	132	172	157	105	35	15	-
ALL OTHER--MALE----	7	3	11	8	15	14	13	4	3	4	-	-
FEMALE--	2	5	9	11	11	13	16	10	7	3	2	-
BLACK---MALE----	7	3	11	8	14	14	11	4	3	3	-	-
FEMALE--	2	4	9	10	11	13	15	9	7	3	2	-
RHODE ISLAND -----	2	1	6	2	13	19	13	11	12	1	2	-
WHITE-----MALE----	-	1	4	1	5	12	8	5	7	-	1	-
FEMALE--	1	-	1	-	7	7	5	6	4	1	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	12	14	22	23	37	42	28	15	6	2	-
WHITE-----MALE----	1	4	6	5	8	14	11	5	3	2	-	-
FEMALE--	3	3	4	3	6	13	18	12	7	3	1	-
ALL OTHER--MALE----	4	3	3	5	6	3	2	4	2	-	-	-
FEMALE--	3	2	1	9	3	7	11	7	3	1	1	-
BLACK---MALE----	4	3	3	5	6	3	2	4	2	-	-	-
FEMALE--	3	2	1	8	3	7	11	7	3	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,285
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	67	-	-	-	-	-	-	2	-	-	1	1
WHITE-----MALE----	34	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	333	3	-	-	-	-	1	3	2	4	5	13
WHITE-----MALE----	120	1	-	-	-	-	-	-	-	3	2	6
FEMALE--	142	-	-	-	-	-	-	2	-	1	1	5
ALL OTHER--MALE----	23	2	-	-	-	-	1	1	2	-	1	1
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	23	2	-	-	-	-	1	1	2	-	1	1
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	1
TEXAS -----	858	8	1	1	1	1	1	1	3	9	16	18
WHITE-----MALE----	360	4	-	1	1	1	1	-	2	4	8	7
FEMALE--	344	3	1	-	-	-	-	1	-	4	4	5
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	94	1	-	-	-	-	-	-	1	1	3	2
BLACK---MALE----	56	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	90	-	-	-	-	-	-	-	1	1	3	2
UTAH -----	105	-	-	-	-	-	-	-	1	2	1	3
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	51	-	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	47	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	607	5	-	-	-	1	-	3	1	8	6	7
WHITE-----MALE----	220	3	-	-	-	1	-	1	-	1	1	4
FEMALE--	199	-	-	-	-	-	-	1	-	2	2	-
ALL OTHER--MALE----	88	-	-	-	-	-	-	1	-	2	2	3
FEMALE--	100	2	-	-	-	-	-	-	1	3	1	-
BLACK---MALE----	85	-	-	-	-	-	-	1	-	2	2	3
FEMALE--	95	2	-	-	-	-	-	-	-	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,285
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	2	-	3	4	10	15	12	11	6	-	-
WHITE-----MALE----	-	-	-	3	1	7	7	5	6	2	-	-
FEMALE--	-	1	-	-	3	3	6	7	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TENNESSEE -----	9	11	16	25	44	51	57	47	24	16	1	1
WHITE-----MALE----	5	4	4	12	20	18	20	12	6	7	-	-
FEMALE--	1	5	6	9	15	21	23	29	15	8	1	-
ALL OTHER--MALE----	1	-	1	-	2	4	3	2	-	1	-	1
FEMALE--	2	2	5	4	7	8	11	4	3	-	-	-
BLACK---MALE----	1	-	1	-	2	4	3	2	-	1	-	1
FEMALE--	2	2	5	4	7	8	11	4	3	-	-	-
TEXAS -----	19	29	31	49	90	122	114	136	141	50	17	-
WHITE-----MALE----	9	17	15	24	53	56	46	52	43	13	3	-
FEMALE--	5	7	9	18	17	46	51	62	71	29	11	-
ALL OTHER--MALE----	2	3	5	3	11	6	8	9	6	2	-	-
FEMALE--	3	2	2	4	9	14	9	13	21	6	3	-
BLACK---MALE----	2	2	5	3	9	6	8	9	5	2	-	-
FEMALE--	3	2	2	4	9	13	9	12	20	6	3	-
UTAH -----	2	2	4	5	14	14	20	26	7	2	2	-
WHITE-----MALE----	1	2	1	2	7	6	12	14	-	1	-	-
FEMALE--	1	-	3	1	6	7	8	12	6	1	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	1	-	3	2	2	5	14	10	4	4	-	-
WHITE-----MALE----	-	-	2	-	-	2	8	3	-	1	-	-
FEMALE--	1	-	1	2	2	3	6	7	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	20	31	45	70	97	109	108	60	21	4	-
WHITE-----MALE----	3	7	7	18	24	44	51	37	8	10	-	-
FEMALE--	2	4	5	14	18	27	30	45	40	6	3	-
ALL OTHER--MALE----	2	6	11	9	12	12	12	9	5	2	-	-
FEMALE--	4	3	8	4	16	14	16	17	7	3	1	-
BLACK---MALE----	2	6	10	9	10	12	12	9	5	2	-	-
FEMALE--	4	3	8	4	14	14	14	17	7	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,287
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFECTIONS OF KIDNEY (590)												
0 UNITED STATES --	896	6	4	1	-	1	4	8	7	9	16	12
WHITE-----MALE----	222	2	3	-	-	-	1	-	1	4	3	-
FEMALE--	556	2	1	1	-	1	2	3	4	2	9	6
ALL OTHER--MALE----	33	1	-	-	-	-	1	1	-	1	2	-
FEMALE--	85	1	-	-	-	-	-	4	2	2	2	6
BLACK---MALE----	30	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	76	1	-	-	-	-	-	2	2	2	2	5
ALABAMA -----	27	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	142	1	1	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	40	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	83	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,287
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFECTIONS OF KIDNEY (590)												
0 UNITED STATES --	16	25	40	62	80	130	154	163	105	47	5	1
WHITE-----MALE----	3	6	13	17	26	41	41	34	19	8	-	-
FEMALE--	10	17	20	35	45	76	98	108	76	37	3	-
ALL OTHER--MALE----	1	-	1	4	6	3	1	4	2	2	2	1
FEMALE--	2	2	6	6	3	10	14	17	8	-	-	-
BLACK---MALE----	1	-	1	3	6	3	1	4	2	2	2	1
FEMALE--	2	2	5	6	3	8	13	15	8	-	-	-
ALABAMA -----	-	1	1	1	3	3	7	6	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	1	-	-
FEMALE--	-	1	1	1	2	2	5	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	1	1	-	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	2	2	3	6	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	6	9	11	10	24	23	26	19	4	1	-
WHITE-----MALE----	-	1	3	2	4	11	9	5	3	-	-	-
FEMALE--	3	4	5	7	5	10	12	16	14	4	1	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	1	1	1	1	-	1	2	5	1	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	1	-	-	-
FEMALE--	1	1	1	1	-	-	1	4	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,288
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INFECTIONS OF KIDNEY (590)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	2	1	1	1	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	2	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
FLORIDA -----	1	1	2	1	5	9	9	12	5	2	-	-
WHITE-----MALE----	1	-	1	-	1	3	1	2	2	1	-	-
FEMALE--	-	1	1	-	4	5	5	8	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	1	-	-	-	-
GEORGIA -----	1	-	-	1	2	2	3	4	5	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	2	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,293
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFECTIONS OF KIDNEY (590)												
OHIO -----	38	-	-	-	-	1	-	-	-	-	2	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	1	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	24	-	-	-	-	-	2	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	13	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	23	-	1	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	-	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,293
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INFECTIONS OF KIDNEY (590)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	1	1	4	3	5	6	6	6	1	-	-
WHITE-----MALE----	-	1	1	1	-	1	2	2	-	1	-	-
FEMALE--	-	-	-	1	2	4	3	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
OKLAHOMA -----	1	-	2	1	1	5	1	4	3	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	1	1	1	4	1	4	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	1	3	4	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	3	4	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	2	1	3	3	1	6	2	-	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	2	-	-	-	-
FEMALE--	-	2	1	2	3	1	3	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	2	-	-	5	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,294
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 INFECTIONS OF KIDNEY (590)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	1	1	2	7	8	3	2	4	-	-
WHITE-----MALE----	-	1	-	-	2	3	2	1	-	2	-	-
FEMALE--	2	-	1	1	-	3	4	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
TEXAS -----	1	3	3	5	9	10	11	17	11	3	1	-
WHITE-----MALE----	1	1	1	1	3	1	7	7	-	-	-	-
FEMALE--	-	2	1	2	4	8	4	8	9	2	1	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	1	-	1	-	-
FEMALE--	-	-	1	1	-	1	-	1	2	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	1	-	1	-	-
FEMALE--	-	-	1	1	-	1	-	1	2	-	-	-
UTAH -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	1	2	6	2	2	4	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	4	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,296
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 URINARY CALCULUS (592,594)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	6	5	13	14	20	41	46	35	25	8	2	-
WHITE-----MALE----	2	1	4	7	7	16	19	10	9	1	-	-
FEMALE--	2	1	6	4	11	22	25	24	14	4	2	-
ALL OTHER--MALE----	1	1	1	2	1	1	1	-	-	1	-	-
FEMALE--	1	2	2	1	1	2	1	1	2	2	-	-
BLACK---MALE----	1	1	1	1	1	1	1	-	-	1	-	-
FEMALE--	1	2	2	1	1	2	1	1	2	1	-	-
ALABAMA -----	1	-	-	-	-	-	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	-	-	3	1	5	6	4	-	2	-	-
WHITE-----MALE----	1	-	-	1	-	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	4	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,297
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 URINARY CALCULUS (592,594)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	2	-	-	2	7	-	1	1	1	-
WHITE-----MALE----	-	1	-	-	-	2	4	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	2	2	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,303
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 URINARY CALCULUS (592,594)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	1	-	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	1	-	-	-	3	2	3	9	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	4	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	2	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,305
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	18,123	16	5	6	3	10	21	34	66	107	166	222
WHITE-----MALE----	5,371	10	1	3	1	2	5	9	22	26	58	62
FEMALE--	9,312	5	2	2	1	4	7	9	15	30	36	59
ALL OTHER--MALE----	1,449	1	1	-	1	2	4	7	14	30	47	59
FEMALE--	1,991	-	1	1	-	2	5	9	15	21	25	42
BLACK---MALE----	1,319	1	1	-	1	1	4	7	12	29	45	59
FEMALE--	1,834	-	1	1	-	2	4	9	15	20	23	38
ALABAMA -----	376	-	1	-	-	-	1	1	-	2	4	1
WHITE-----MALE----	91	-	1	-	-	-	-	1	-	1	1	-
FEMALE--	172	-	-	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	68	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	45	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	67	-	-	-	-	-	-	-	-	-	1	1
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	271	-	-	-	-	1	-	2	2	3	1	1
WHITE-----MALE----	100	-	-	-	-	1	-	1	1	1	-	1
FEMALE--	141	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	273	1	-	-	-	-	1	-	-	-	2	2
WHITE-----MALE----	85	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	128	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,937	4	1	1	1	3	1	5	8	9	7	25
WHITE-----MALE----	567	3	-	-	-	-	-	-	4	1	5	10
FEMALE--	1,090	1	-	1	1	-	1	2	2	5	1	4
ALL OTHER--MALE----	115	-	1	-	-	2	-	1	-	2	1	9
FEMALE--	165	-	-	-	-	1	-	2	2	1	-	2
BLACK---MALE----	69	-	1	-	-	1	-	1	-	2	1	9
FEMALE--	111	-	-	-	-	1	-	2	2	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,305
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	302	374	612	981	1,721	2,553	3,449	3,587	2,653	1,019	215	1
WHITE-----MALE----	87	115	203	317	606	919	1,108	988	608	190	31	-
FEMALE--	76	114	174	365	683	1,144	1,818	2,183	1,734	705	146	-
ALL OTHER--MALE----	68	91	121	135	192	218	181	142	91	36	7	1
FEMALE--	71	54	114	164	240	272	342	274	220	88	31	-
BLACK---MALE----	62	77	114	128	174	187	168	128	81	32	7	1
FEMALE--	68	49	107	148	228	251	311	252	197	83	27	-
ALABAMA -----	7	9	8	24	44	60	70	71	44	23	6	-
WHITE-----MALE----	1	4	2	5	14	21	16	17	6	1	-	-
FEMALE--	2	3	2	9	12	25	32	38	25	18	2	-
ALL OTHER--MALE----	3	2	1	3	6	7	9	8	3	1	2	-
FEMALE--	1	-	3	7	12	7	13	8	10	3	2	-
BLACK---MALE----	3	2	1	3	6	7	9	8	3	1	2	-
FEMALE--	1	-	3	7	12	7	12	8	10	3	2	-
ALASKA -----	-	1	-	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	5	13	16	33	41	55	47	31	14	1	-
WHITE-----MALE----	-	1	3	4	15	19	22	18	10	3	-	-
FEMALE--	2	1	6	10	16	19	31	25	19	9	1	-
ALL OTHER--MALE----	1	1	2	1	-	2	2	-	-	2	-	-
FEMALE--	2	2	2	1	2	1	-	4	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ARKANSAS -----	9	4	10	12	18	47	63	49	40	12	3	-
WHITE-----MALE----	5	-	1	3	7	18	23	13	9	2	2	-
FEMALE--	2	2	4	5	4	17	30	28	26	7	1	-
ALL OTHER--MALE----	-	-	4	3	3	7	6	2	-	-	-	-
FEMALE--	2	2	1	1	4	5	4	6	5	3	-	-
BLACK---MALE----	-	-	4	2	3	7	6	2	-	-	-	-
FEMALE--	2	2	1	1	4	5	4	6	5	3	-	-
CALIFORNIA -----	18	36	44	119	193	257	372	403	286	115	28	1
WHITE-----MALE----	7	11	16	37	66	99	119	104	63	20	2	-
FEMALE--	6	11	14	56	96	122	210	251	200	82	24	-
ALL OTHER--MALE----	2	10	5	9	14	18	14	16	6	4	-	1
FEMALE--	3	4	9	17	17	18	29	32	17	9	2	-
BLACK---MALE----	2	5	5	6	8	7	7	7	4	2	-	1
FEMALE--	3	3	8	11	15	9	21	18	11	5	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,306
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	181	-	-	-	-	-	-	-	1	2	1	2
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	108	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	229	-	-	1	-	-	1	1	1	2	1	4
WHITE-----MALE----	76	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	131	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	1	-	-	1	1	-	1	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	1	-	-	-	1	-	1	1	-
DELAWARE -----	48	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	83	-	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	50	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	49	-	-	-	-	-	-	-	1	-	1	-
FLORIDA -----	1,102	-	-	-	-	-	2	2	1	8	13	7
WHITE-----MALE----	411	-	-	-	-	-	-	1	-	3	4	4
FEMALE--	534	-	-	-	-	-	1	-	1	2	1	-
ALL OTHER--MALE----	70	-	-	-	-	-	1	1	-	1	5	-
FEMALE--	87	-	-	-	-	-	-	-	-	2	3	3
BLACK---MALE----	68	-	-	-	-	-	1	1	-	1	5	-
FEMALE--	84	-	-	-	-	-	-	-	-	2	3	2
GEORGIA -----	554	-	-	-	-	1	-	1	2	3	8	9
WHITE-----MALE----	111	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	213	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	155	-	-	-	-	1	-	1	-	2	3	5
BLACK---MALE----	72	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	154	-	-	-	-	1	-	1	-	2	3	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,306
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	5	4	7	17	26	34	39	24	13	3	-
WHITE-----MALE----	2	2	3	-	7	8	12	12	6	3	-	-
FEMALE--	1	2	1	7	7	14	20	25	17	9	2	-
ALL OTHER--MALE----	-	1	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	-	1	1	1	-
BLACK---MALE----	-	1	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	1	1	1	-
CONNECTICUT -----	1	6	7	14	20	26	44	42	41	11	6	-
WHITE-----MALE----	-	1	3	6	5	9	19	10	14	3	2	-
FEMALE--	-	5	3	4	11	14	24	31	26	8	4	-
ALL OTHER--MALE----	-	-	1	2	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	2	1	1	1	-	-	-
BLACK---MALE----	-	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	1	1	1	-	-	-
DELAWARE -----	3	2	1	2	6	5	9	8	9	2	-	-
WHITE-----MALE----	1	2	1	-	2	2	4	4	2	-	-	-
FEMALE--	2	-	-	1	3	-	4	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	1	-	-	-
DISTRICT OF COLUMBIA ----	3	3	7	10	11	5	13	16	7	1	2	-
WHITE-----MALE----	-	-	-	2	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	5	1	3	-	7	4	-	1	-	-
FEMALE--	1	2	2	6	8	5	5	11	6	-	2	-
BLACK---MALE----	2	1	5	1	3	-	7	4	-	1	-	-
FEMALE--	1	2	2	6	8	5	4	11	6	-	2	-
FLORIDA -----	16	20	28	62	116	189	197	206	164	61	10	-
WHITE-----MALE----	5	12	15	24	53	87	75	74	37	15	2	-
FEMALE--	3	3	6	20	45	77	102	114	109	43	7	-
ALL OTHER--MALE----	2	3	4	10	9	11	5	8	9	1	-	-
FEMALE--	6	2	3	8	9	14	15	10	9	2	1	-
BLACK---MALE----	2	2	4	10	9	11	5	8	8	1	-	-
FEMALE--	6	2	3	8	9	12	15	10	9	2	1	-
GEORGIA -----	14	20	30	43	55	81	105	98	56	22	6	-
WHITE-----MALE----	4	6	9	9	12	27	18	16	1	5	-	-
FEMALE--	2	6	6	8	16	20	48	57	32	12	2	-
ALL OTHER--MALE----	4	3	7	7	12	15	10	5	4	3	1	-
FEMALE--	4	5	8	19	15	19	29	20	19	2	3	-
BLACK---MALE----	4	3	6	7	11	15	10	5	4	2	1	-
FEMALE--	4	5	8	19	15	19	29	20	18	2	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,307
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	-	5	2	4	9	8	8	12	-	1	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	2	4	-	4	3	-	-	-
FEMALE--	-	-	3	2	2	2	6	2	7	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	2	-	6	8	8	21	10	4	-	-
WHITE-----MALE----	1	-	1	-	2	3	3	10	4	1	-	-
FEMALE--	1	-	1	-	4	5	5	11	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	14	13	26	37	85	113	130	174	132	57	7	-
WHITE-----MALE----	4	4	10	13	32	35	40	49	38	9	1	-
FEMALE--	1	6	4	6	24	49	67	101	77	37	4	-
ALL OTHER--MALE----	4	2	8	8	13	12	6	8	5	3	-	-
FEMALE--	5	1	4	10	16	17	17	16	12	8	2	-
BLACK---MALE----	4	2	8	8	12	11	6	8	5	3	-	-
FEMALE--	5	1	4	10	16	17	17	16	12	8	2	-
INDIANA -----	5	10	11	28	35	61	85	86	67	35	5	-
WHITE-----MALE----	2	3	2	4	14	20	23	29	13	10	-	-
FEMALE--	1	5	8	20	17	28	52	51	50	22	4	-
ALL OTHER--MALE----	1	1	-	1	3	1	6	2	1	2	-	-
FEMALE--	1	1	1	3	1	12	4	4	3	1	1	-
BLACK---MALE----	1	1	-	1	3	1	6	2	1	2	-	-
FEMALE--	1	1	1	3	1	12	4	4	3	1	1	-
IOWA -----	3	2	1	7	7	14	34	51	32	10	1	-
WHITE-----MALE----	2	1	1	4	5	4	16	10	7	2	-	-
FEMALE--	1	1	-	3	2	9	18	41	24	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	7	4	1	10	13	22	37	19	6	3	-
WHITE-----MALE----	-	2	2	1	3	9	8	5	6	2	1	-
FEMALE--	-	2	1	-	4	3	13	31	13	4	2	-
ALL OTHER--MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,308
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	5	10	11	22	36	60	75	44	11	2	-
WHITE-----MALE----	1	3	5	5	14	11	23	25	11	1	-	-
FEMALE--	1	1	4	4	7	21	34	48	30	10	2	-
ALL OTHER--MALE----	-	-	1	1	1	3	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	2	2	3	-	-	-
BLACK---MALE----	-	-	1	1	1	3	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	2	3	-	-	-
LOUISIANA -----	6	14	24	38	43	65	77	63	43	16	7	-
WHITE-----MALE----	3	2	5	10	7	21	16	13	9	2	-	-
FEMALE--	2	3	4	11	17	21	35	26	23	7	3	-
ALL OTHER--MALE----	1	5	6	7	5	11	17	4	6	3	1	-
FEMALE--	-	4	9	10	14	12	9	20	5	4	3	-
BLACK---MALE----	1	5	6	7	5	10	17	4	6	3	1	-
FEMALE--	-	4	9	10	14	12	9	20	5	4	3	-
MAINE -----	1	1	4	1	1	13	10	23	16	3	4	-
WHITE-----MALE----	1	1	1	1	-	8	4	9	5	-	1	-
FEMALE--	-	-	3	-	1	5	6	13	11	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	8	2	15	18	29	60	61	78	62	25	7	-
WHITE-----MALE----	1	-	3	5	7	14	16	12	7	3	-	-
FEMALE--	2	-	3	6	8	25	33	48	40	16	6	-
ALL OTHER--MALE----	3	2	5	3	8	10	3	5	3	1	-	-
FEMALE--	2	-	4	4	6	11	9	13	12	5	1	-
BLACK---MALE----	3	2	5	3	8	10	3	5	3	1	-	-
FEMALE--	2	-	4	4	6	11	9	13	12	5	1	-
MASSACHUSETTS -----	5	1	9	13	46	60	84	72	75	40	8	-
WHITE-----MALE----	3	-	5	6	22	19	29	20	19	8	-	-
FEMALE--	2	-	3	4	17	36	51	47	56	31	8	-
ALL OTHER--MALE----	-	1	1	2	4	1	3	1	-	-	-	-
FEMALE--	-	-	-	1	3	4	1	4	-	1	-	-
BLACK---MALE----	-	1	1	2	4	1	3	1	-	-	-	-
FEMALE--	-	-	-	1	3	4	-	3	-	1	-	-
MICHIGAN -----	15	7	22	27	61	93	124	114	102	23	6	-
WHITE-----MALE----	4	2	11	9	12	32	41	41	30	4	1	-
FEMALE--	5	3	5	9	31	45	64	66	61	11	5	-
ALL OTHER--MALE----	4	2	3	3	7	10	5	2	6	-	-	-
FEMALE--	2	-	3	6	11	6	14	5	5	8	-	-
BLACK---MALE----	3	2	3	3	7	9	5	2	6	-	-	-
FEMALE--	2	-	3	5	11	6	14	5	5	8	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,309
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	1	2	6	3	17	24	40	47	35	23	-	-
WHITE-----MALE----	1	-	2	3	9	14	13	20	12	4	-	-
FEMALE--	-	1	3	-	7	8	26	27	23	19	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	6	11	19	21	35	49	53	38	10	4	-
WHITE-----MALE----	-	1	1	4	7	7	11	11	7	1	-	-
FEMALE--	-	1	2	8	8	14	17	20	17	6	3	-
ALL OTHER--MALE----	1	4	5	2	2	5	8	12	4	1	-	-
FEMALE--	1	-	3	5	4	9	13	10	10	2	1	-
BLACK---MALE----	1	4	5	2	2	5	8	12	4	1	-	-
FEMALE--	1	-	3	4	4	9	13	10	10	2	1	-
MISSOURI -----	6	6	18	17	40	45	83	87	79	13	4	-
WHITE-----MALE----	1	2	8	5	13	22	28	20	21	4	3	-
FEMALE--	2	1	5	10	18	17	43	61	53	7	1	-
ALL OTHER--MALE----	1	3	3	1	4	3	2	3	1	-	-	-
FEMALE--	2	-	2	1	5	3	10	3	4	2	-	-
BLACK---MALE----	1	3	3	1	4	3	2	3	1	-	-	-
FEMALE--	2	-	2	1	5	3	10	3	4	2	-	-
MONTANA -----	-	2	1	2	5	5	6	12	8	4	-	-
WHITE-----MALE----	-	1	-	-	1	4	3	8	2	1	-	-
FEMALE--	-	1	-	1	4	1	3	3	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	1	4	10	13	15	13	6	8	2	-
WHITE-----MALE----	1	-	-	2	4	3	3	4	3	3	-	-
FEMALE--	-	-	-	2	6	8	10	9	3	5	2	-
ALL OTHER--MALE----	-	1	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	2	2	4	4	6	13	14	14	6	3	-	-
WHITE-----MALE----	-	1	2	2	2	9	4	3	1	1	-	-
FEMALE--	2	1	2	1	4	4	8	11	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,311
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	755	2	-	-	-	-	-	1	4	4	5	8
WHITE-----MALE----	225	1	-	-	-	-	-	-	1	-	2	1
FEMALE--	413	1	-	-	-	-	-	-	3	1	2	5
ALL OTHER--MALE----	42	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	75	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	42	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	74	-	-	-	-	-	-	-	-	1	-	2
OKLAHOMA -----	214	-	-	-	-	-	-	1	1	3	2	1
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	115	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	169	-	-	-	-	-	-	-	-	-	4	1
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	103	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,056	-	-	-	1	-	2	3	1	5	7	16
WHITE-----MALE----	338	-	-	-	1	-	1	1	-	-	2	2
FEMALE--	564	-	-	-	-	-	-	1	1	1	2	8
ALL OTHER--MALE----	70	-	-	-	-	-	1	-	-	4	1	3
FEMALE--	84	-	-	-	-	-	-	1	-	-	2	3
BLACK---MALE----	68	-	-	-	-	-	1	-	-	4	1	3
FEMALE--	84	-	-	-	-	-	-	1	-	-	2	3
RHODE ISLAND -----	97	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	59	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	351	-	-	-	-	-	1	-	1	1	4	6
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	149	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	72	-	-	-	-	-	1	-	1	-	-	1
BLACK---MALE----	60	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	72	-	-	-	-	-	1	-	1	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,311
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	10	21	32	37	64	100	157	165	105	30	10	-
WHITE-----MALE----	1	6	10	16	20	30	55	54	22	5	1	-
FEMALE--	6	9	15	11	28	49	83	99	72	22	7	-
ALL OTHER--MALE----	2	4	3	5	4	7	4	4	3	1	1	-
FEMALE--	1	2	4	5	12	14	15	8	8	2	1	-
BLACK---MALE----	2	4	3	5	4	7	4	4	3	1	1	-
FEMALE--	1	2	4	4	12	14	15	8	8	2	1	-
OKLAHOMA -----	1	-	9	15	19	27	29	50	44	11	1	-
WHITE-----MALE----	-	-	1	6	9	10	8	12	11	3	-	-
FEMALE--	-	-	3	6	5	10	19	33	28	8	1	-
ALL OTHER--MALE----	-	-	4	2	2	6	1	-	1	-	-	-
FEMALE--	1	-	1	1	3	1	1	5	4	-	-	-
BLACK---MALE----	-	-	2	1	1	3	1	-	1	-	-	-
FEMALE--	1	-	1	1	1	1	4	2	-	-	-	-
OREGON -----	1	1	4	8	11	19	29	42	33	15	1	-
WHITE-----MALE----	1	1	2	3	3	5	12	15	11	5	1	-
FEMALE--	-	-	2	5	7	13	16	27	22	10	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	21	30	58	98	142	201	214	182	53	11	-
WHITE-----MALE----	3	8	9	20	40	58	71	69	41	10	2	-
FEMALE--	4	8	9	16	33	67	113	133	124	36	8	-
ALL OTHER--MALE----	3	4	7	14	6	8	7	5	6	1	-	-
FEMALE--	1	1	5	8	19	9	10	7	11	6	1	-
BLACK---MALE----	3	4	7	14	6	8	7	5	4	1	-	-
FEMALE--	1	1	5	8	19	9	10	7	11	6	1	-
RHODE ISLAND -----	-	1	2	4	7	14	21	24	13	8	1	-
WHITE-----MALE----	-	-	1	1	4	9	7	5	4	2	-	-
FEMALE--	-	-	-	3	3	5	13	19	9	6	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	12	20	24	35	59	65	53	38	18	4	-
WHITE-----MALE----	2	4	3	6	10	15	13	7	5	2	-	-
FEMALE--	3	3	3	8	10	20	31	35	25	8	2	-
ALL OTHER--MALE----	4	2	5	7	6	12	7	6	2	3	-	-
FEMALE--	1	3	9	3	9	12	14	5	6	5	2	-
BLACK---MALE----	4	2	5	7	6	12	7	6	2	3	-	-
FEMALE--	1	3	9	3	9	12	14	5	6	5	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,312
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	28	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	546	-	-	-	-	-	1	1	3	3	6	10
WHITE-----MALE----	159	-	-	-	-	-	1	1	-	2	4	3
FEMALE--	284	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	56	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	46	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	56	-	-	-	-	-	-	-	1	-	-	3
TEXAS -----	1,200	2	1	-	-	-	3	4	8	9	12	14
WHITE-----MALE----	365	1	-	-	-	-	2	2	3	5	6	3
FEMALE--	634	1	1	-	-	-	1	-	2	1	1	5
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	-	2	4	5
FEMALE--	110	-	-	-	-	-	-	2	3	1	1	1
BLACK---MALE----	88	-	-	-	-	-	-	-	-	2	4	5
FEMALE--	109	-	-	-	-	-	-	2	3	1	1	1
UTAH -----	88	-	-	-	-	-	1	-	-	-	3	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	61	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	463	-	1	1	-	-	-	-	2	6	4	2
WHITE-----MALE----	90	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	221	-	1	1	-	-	-	-	-	2	3	-
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	94	-	-	-	-	-	-	-	-	3	1	-
BLACK---MALE----	57	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	92	-	-	-	-	-	-	-	-	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,312
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	-	-	1	2	2	6	3	5	6	1	-
WHITE-----MALE----	-	-	-	-	-	2	2	1	1	-	-	-
FEMALE--	1	-	-	1	2	-	4	2	4	6	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	9	12	43	39	70	119	109	73	30	7	-
WHITE-----MALE----	2	3	4	14	10	23	39	29	16	6	2	-
FEMALE--	2	1	3	16	23	37	65	62	47	20	5	-
ALL OTHER--MALE----	4	3	3	6	2	6	6	6	4	1	-	-
FEMALE--	3	2	2	7	4	4	9	12	6	3	-	-
BLACK---MALE----	4	3	3	6	2	6	5	6	4	1	-	-
FEMALE--	3	2	2	7	4	4	9	12	6	3	-	-
TEXAS -----	22	30	42	65	107	146	244	242	160	77	12	-
WHITE-----MALE----	5	13	12	18	45	47	79	72	38	12	2	-
FEMALE--	8	8	15	21	43	79	135	148	104	53	8	-
ALL OTHER--MALE----	2	5	7	12	13	9	14	7	5	5	1	-
FEMALE--	7	4	8	14	6	11	16	15	13	7	1	-
BLACK---MALE----	2	5	7	12	11	8	14	7	5	5	1	-
FEMALE--	7	4	8	13	6	11	16	15	13	7	1	-
UTAH -----	1	4	2	1	9	11	12	23	11	8	1	-
WHITE-----MALE----	1	-	-	-	5	5	5	5	1	1	-	-
FEMALE--	-	3	1	1	4	6	7	18	10	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	-	6	2	3	4	3	-	-
WHITE-----MALE----	-	-	1	-	-	4	1	-	1	2	-	-
FEMALE--	-	-	-	1	-	2	1	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	8	14	25	53	65	91	88	56	32	3	-
WHITE-----MALE----	-	1	2	9	8	18	24	16	9	2	-	-
FEMALE--	2	1	3	8	18	26	38	56	35	25	2	-
ALL OTHER--MALE----	6	3	4	4	13	7	9	5	2	1	-	-
FEMALE--	4	3	5	4	14	14	20	11	10	4	1	-
BLACK---MALE----	6	3	4	4	12	7	9	5	2	1	-	-
FEMALE--	4	3	5	4	14	14	18	11	10	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,314
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF MALE GENITAL ORGANS (600-608)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	11	18	18	49	62	90	128	145	88	28	5	-
WHITE-----MALE----	8	12	13	39	50	80	118	134	78	27	5	-
ALL OTHER--MALE----	3	6	5	10	12	10	10	11	10	1	-	-
BLACK---MALE----	3	6	4	9	12	10	7	10	9	1	-	-
ALABAMA -----	-	-	-	2	2	2	-	1	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	1	4	1	3	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	3	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	3	2	7	7	17	23	19	14	4	2	-
WHITE-----MALE----	1	2	2	7	6	17	22	17	10	4	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	2	4	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,315
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF MALE GENITAL ORGANS (600-608)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	-	-	2	-	2	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	-	-	1	2	2	1	1	-	-
WHITE-----MALE----	1	-	1	-	-	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	1	1	1	1	5	4	8	8	4	1	-	-
WHITE-----MALE----	1	1	1	1	3	3	8	8	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	-	-	-
GEORGIA -----	1	1	-	-	2	6	6	2	2	-	-	-
WHITE-----MALE----	1	1	-	-	2	3	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	3	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,317
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF MALE GENITAL ORGANS (600-608)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	1	1	2	1	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	1	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	1	-	-	-
MAINE -----	-	-	-	1	-	1	1	2	1	-	1	-
WHITE-----MALE----	-	-	-	1	-	1	1	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	3	1	1	3	3	4	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	3	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	2	-	2	2	3	1	2	1	-
WHITE-----MALE----	-	-	-	2	-	2	2	3	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	2	-	1	2	3	2	3	2	2	-	-
WHITE-----MALE----	-	2	-	1	1	3	1	3	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,318
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF MALE GENITAL ORGANS (600-608)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	-	-	-	1	-	1	2	5	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	-	-	-	-	3	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	-	-	-	1	1	1	2	5	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,320
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF MALE GENITAL ORGANS (600-608)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	1	1	1	4	9	4	4	2	-	-
WHITE-----MALE----	-	-	1	1	1	3	9	4	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	4	5	5	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	4	5	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	-	2	1	3	4	3	4	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	3	3	4	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	2	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	2	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,321
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF MALE GENITAL ORGANS (600-608)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	3	-	-	2	2	4	6	5	1	-	-
WHITE-----MALE----	-	1	-	-	2	2	4	5	4	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	1	1	-	-	-
TEXAS -----	-	1	1	1	3	9	11	15	5	1	-	-
WHITE-----MALE----	-	1	1	1	3	9	10	13	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
UTAH -----	-	-	-	1	1	-	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	1	1	-	2	2	2	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,323
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 HYPERPLASIA OF PROSTATE (600)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	2	2	8	11	36	64	102	121	78	27	5	-
WHITE-----MALE----	2	2	5	7	28	60	92	111	69	26	5	-
ALL OTHER--MALE----	-	-	3	4	8	4	10	10	9	1	-	-
BLACK---MALE----	-	-	3	3	8	4	7	9	8	1	-	-
ALABAMA -----	-	-	-	-	-	2	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	-	3	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	2	2	2	3	13	20	17	14	4	2	-
WHITE-----MALE----	1	2	2	2	2	13	19	15	10	4	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	2	4	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,324
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 HYPERPLASIA OF PROSTATE (600)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	1	-	2	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	1	4	4	8	7	4	1	-	-
WHITE-----MALE----	-	-	-	1	2	3	8	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	2	1	-	-	-	-	-	-
GEORGIA -----	1	-	-	-	2	3	4	2	2	-	-	-
WHITE-----MALE----	1	-	-	-	2	2	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,326
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 HYPERPLASIA OF PROSTATE (600)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	-	-	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	-	-	-	1	-	2	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	-	1	2	3	4	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	1	1	2	1	2	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	1	2	1	3	2	2	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,327
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HYPERPLASIA OF PROSTATE (600)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	-	-	-	-	-	1	1	5	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	-	-	-	-	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	-	-	-	-	1	-	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,329
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 HYPERPLASIA OF PROSTATE (600)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	1	1	1	3	8	4	2	2	-	-
WHITE-----MALE----	-	-	1	1	1	2	8	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	3	5	5	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	5	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	2	4	3	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,333
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	-	-	1	2	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	1	1	1	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	1	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	1	-	-	-	3	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,335
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	1	1	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	1	-	-	-	-	-	-
MAINE -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	2	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	2	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	2	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	2	-	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	2	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,338
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	-	-	-	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	-	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,339
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER DISEASES OF MALE GENITAL ORGANS (601-608)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	3	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	2	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	1	1	1	3	3	4	2	-	-	-	-
WHITE-----MALE----	-	1	1	1	3	3	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,347
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISORDERS OF BREAST (610-611)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,348
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISORDERS OF BREAST (610-611)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	-	-	-	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,350
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	279	3	1	-	-	3	3	4	8	8	12	19
WHITE-----FEMALE--	231	3	1	-	-	1	2	4	4	5	7	10
ALL OTHER--FEMALE--	48	-	-	-	-	2	1	-	4	3	5	9
BLACK---FEMALE--	44	-	-	-	-	2	1	-	3	3	4	8
ALABAMA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	35	1	-	-	-	-	-	-	3	1	4	1
WHITE-----FEMALE--	29	1	-	-	-	-	-	-	-	-	3	1
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	3	1	1	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,351
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	1	1	1	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	1	1	1	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	2	-	1	-	2	-
WHITE-----FEMALE--	-	-	-	-	-	-	2	-	1	-	2	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
FLORIDA -----	-	1	-	-	2	2	1	2	1	-	-	-
WHITE-----FEMALE--	-	1	-	-	2	2	1	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	-	-	-	3	1	2	2	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	2	-	2	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,353
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	1	-	1	3	3	2	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	-	3	2	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	-	1	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	1	1	-	1	2	-	-	-	-	-
WHITE-----FEMALE--	-	-	1	1	-	-	2	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,357
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
DISEASES OF FEMALE GENITAL ORGANS EXCEPT BREAST (614-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	1	2	1	2	2	-	-	-
WHITE-----FEMALE--	-	-	1	-	-	2	1	2	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	-	-	1	1	1	-	1	1	1	-	-	-
WHITE-----FEMALE--	-	-	1	1	-	-	1	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
UTAH -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	3	1	2	1	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	2	1	2	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,359
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	294	-	18	47	71	68	67	21	1
WHITE-----FEMALE--	159	-	10	19	35	37	40	16	1
ALL OTHER--FEMALE--	135	-	8	28	36	31	27	5	-
BLACK---FEMALE--	121	-	7	27	34	27	22	4	-
ALABAMA -----	6	-	-	1	1	2	2	-	-
WHITE-----FEMALE--	2	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	4	-	-	-	1	2	1	-	-
BLACK---FEMALE--	4	-	-	-	1	2	1	-	-
ALASKA -----	1	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	-	-	-	2	1	4	2	-
WHITE-----FEMALE--	6	-	-	-	2	-	2	2	-
ALL OTHER--FEMALE--	3	-	-	-	-	1	2	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	33	-	1	1	6	10	12	3	-
WHITE-----FEMALE--	27	-	1	-	5	8	10	3	-
ALL OTHER--FEMALE--	6	-	-	1	1	2	2	-	-
BLACK---FEMALE--	4	-	-	1	1	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,360
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	5	-	1	2	1	1	-	-	-
WHITE-----FEMALE--	4	-	1	1	1	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
FLORIDA -----	21	-	-	6	5	5	4	1	-
WHITE-----FEMALE--	10	-	-	2	2	2	3	1	-
ALL OTHER--FEMALE--	11	-	-	4	3	3	1	-	-
BLACK---FEMALE--	11	-	-	4	3	3	1	-	-
GEORGIA -----	15	-	-	2	5	4	3	-	1
WHITE-----FEMALE--	6	-	-	2	2	1	-	-	1
ALL OTHER--FEMALE--	9	-	-	-	3	3	3	-	-
BLACK---FEMALE--	9	-	-	-	3	3	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,361
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	1	-	1	-	-	-	-
WHITE-----FEMALE--	2	-	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ILLINOIS -----	18	-	-	7	5	1	2	3	-
WHITE-----FEMALE--	3	-	-	1	1	1	-	-	-
ALL OTHER--FEMALE--	15	-	-	6	4	-	2	3	-
BLACK---FEMALE--	13	-	-	6	3	-	2	2	-
INDIANA -----	4	-	2	1	-	-	1	-	-
WHITE-----FEMALE--	3	-	1	1	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
IOWA -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
KANSAS -----	2	-	-	-	-	-	2	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,362
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	4	-	-	-	3	1	-	-	-
WHITE-----FEMALE--	3	-	-	-	2	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
LOUISIANA -----	8	-	2	3	-	1	2	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	7	-	1	3	-	1	2	-	-
BLACK---FEMALE--	7	-	1	3	-	1	2	-	-
MAINE -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	-	-	1	3	4	4	1	-
WHITE-----FEMALE--	5	-	-	-	1	1	2	1	-
ALL OTHER--FEMALE--	8	-	-	1	2	3	2	-	-
BLACK---FEMALE--	8	-	-	1	2	3	2	-	-
MASSACHUSETTS -----	7	-	-	-	3	3	-	1	-
WHITE-----FEMALE--	6	-	-	-	2	3	-	1	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
MICHIGAN -----	5	-	-	-	3	1	1	-	-
WHITE-----FEMALE--	2	-	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	3	-	-	-	2	1	-	-	-
BLACK---FEMALE--	3	-	-	-	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,365
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	5	-	-	-	3	-	1	1	-
WHITE-----FEMALE--	2	-	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	3	-	-	-	2	-	-	1	-
BLACK---FEMALE--	3	-	-	-	2	-	-	1	-
OKLAHOMA -----	3	-	-	1	-	-	1	1	-
WHITE-----FEMALE--	3	-	-	1	-	-	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	-	-	-	-	2	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	-	1	2	4	1	3	1	-
WHITE-----FEMALE--	6	-	1	1	1	1	1	1	-
ALL OTHER--FEMALE--	6	-	-	1	3	-	2	-	-
BLACK---FEMALE--	6	-	-	1	3	-	2	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	1	-	1	1	1	-	-
WHITE-----FEMALE--	3	-	1	-	-	1	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,366
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	-	1	2	4	-	3	1	-
WHITE-----FEMALE--	6	-	-	2	2	-	1	1	-
ALL OTHER--FEMALE--	5	-	1	-	2	-	2	-	-
BLACK---FEMALE--	5	-	1	-	2	-	2	-	-
TEXAS -----	20	-	2	3	2	8	4	1	-
WHITE-----FEMALE--	14	-	1	3	2	5	3	-	-
ALL OTHER--FEMALE--	6	-	1	-	-	3	1	1	-
BLACK---FEMALE--	6	-	1	-	-	3	1	1	-
UTAH -----	2	-	-	-	1	-	-	1	-
WHITE-----FEMALE--	2	-	-	-	1	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	-	-	2	1	1	-	-	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	-	1	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,368
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 PREGNANCY WITH ABORTIVE OUTCOME (630-638)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	39	-	4	10	9	6	8	2	-
WHITE-----FEMALE--	24	-	4	6	3	3	6	2	-
ALL OTHER--FEMALE--	15	-	-	4	6	3	2	-	-
BLACK---FEMALE--	14	-	-	4	5	3	2	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	-	-	1	2	1	3	-	-
WHITE-----FEMALE--	5	-	-	-	2	-	3	-	-
ALL OTHER--FEMALE--	2	-	-	1	-	1	-	-	-
BLACK---FEMALE--	2	-	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,369
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
PREGNANCY WITH ABORTIVE OUTCOME (630-638)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
FLORIDA -----	2	-	-	1	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
GEORGIA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,377
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ECTOPIC PREGNANCY (633)												
0 UNITED STATES --	24	-	2	5	5	4	6	2	-
WHITE-----FEMALE--	12	-	2	2	1	1	4	2	-
ALL OTHER--FEMALE--	12	-	-	3	4	3	2	-	-
BLACK---FEMALE--	11	-	-	3	3	3	2	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	-	-	1	-	1	2	-	-
WHITE-----FEMALE--	2	-	-	-	-	-	2	-	-
ALL OTHER--FEMALE--	2	-	-	1	-	1	-	-	-
BLACK---FEMALE--	2	-	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,378
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ECTOPIC PREGNANCY (633)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
FLORIDA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
GEORGIA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,422
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DIRECT OBSTETRIC CAUSES (640-646,651-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	237	-	12	33	58	57	58	17	1
WHITE-----FEMALE--	126	-	5	12	29	32	33	13	1
ALL OTHER--FEMALE--	111	-	7	21	29	25	25	4	-
BLACK---FEMALE--	98	-	6	20	28	21	20	3	-
ALABAMA -----	5	-	-	1	-	2	2	-	-
WHITE-----FEMALE--	2	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	3	-	-	-	-	2	1	-	-
BLACK---FEMALE--	3	-	-	-	-	2	1	-	-
ALASKA -----	1	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	-	-	-	2	1	4	2	-
WHITE-----FEMALE--	6	-	-	-	2	-	2	2	-
ALL OTHER--FEMALE--	3	-	-	-	-	1	2	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	24	-	1	-	4	8	8	3	-
WHITE-----FEMALE--	20	-	1	-	3	7	6	3	-
ALL OTHER--FEMALE--	4	-	-	-	1	1	2	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,423
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	4	-	-	2	1	1	-	-	-
WHITE-----FEMALE--	3	-	-	1	1	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	18	-	-	5	4	4	4	1	-
WHITE-----FEMALE--	8	-	-	1	1	2	3	1	-
ALL OTHER--FEMALE--	10	-	-	4	3	2	1	-	-
BLACK---FEMALE--	10	-	-	4	3	2	1	-	-
GEORGIA -----	12	-	-	1	5	2	3	-	1
WHITE-----FEMALE--	4	-	-	1	2	-	-	-	1
ALL OTHER--FEMALE--	8	-	-	-	3	2	3	-	-
BLACK---FEMALE--	8	-	-	-	3	2	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,424
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ILLINOIS -----	15	-	-	6	4	1	1	3	-
WHITE-----FEMALE--	3	-	-	1	1	1	-	-	-
ALL OTHER--FEMALE--	12	-	-	5	3	-	1	3	-
BLACK---FEMALE--	10	-	-	5	2	-	1	2	-
INDIANA -----	4	-	2	1	-	-	1	-	-
WHITE-----FEMALE--	3	-	1	1	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
IOWA -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
KANSAS -----	2	-	-	-	-	-	2	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,425
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3	-	-	-	2	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
LOUISIANA -----	5	-	1	2	-	-	2	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	5	-	1	2	-	-	2	-	-
BLACK---FEMALE--	5	-	1	2	-	-	2	-	-
MAINE -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	-	-	-	2	4	3	-	-
WHITE-----FEMALE--	3	-	-	-	-	1	2	-	-
ALL OTHER--FEMALE--	6	-	-	-	2	3	1	-	-
BLACK---FEMALE--	6	-	-	-	2	3	1	-	-
MASSACHUSETTS -----	6	-	-	-	3	2	-	1	-
WHITE-----FEMALE--	5	-	-	-	2	2	-	1	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
MICHIGAN -----	5	-	-	-	3	1	1	-	-
WHITE-----FEMALE--	2	-	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	3	-	-	-	2	1	-	-	-
BLACK---FEMALE--	3	-	-	-	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,428
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	3	-	-	-	3	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	2	-	-	-	-
BLACK---FEMALE--	2	-	-	-	2	-	-	-	-
OKLAHOMA -----	3	-	-	1	-	-	1	1	-
WHITE-----FEMALE--	3	-	-	1	-	-	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	-	-	-	-	2	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	-	-	2	3	1	3	-	-
WHITE-----FEMALE--	4	-	-	1	1	1	1	-	-
ALL OTHER--FEMALE--	5	-	-	1	2	-	2	-	-
BLACK---FEMALE--	5	-	-	1	2	-	2	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	1	-	1	1	1	-	-
WHITE-----FEMALE--	3	-	1	-	-	1	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,429
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
DIRECT OBSTETRIC CAUSES (640-646,651-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	-	1	1	3	-	3	1	-
WHITE-----FEMALE--	5	-	-	1	2	-	1	1	-
ALL OTHER--FEMALE--	4	-	1	-	1	-	2	-	-
BLACK---FEMALE--	4	-	1	-	1	-	2	-	-
TEXAS -----	17	-	2	1	2	7	4	1	-
WHITE-----FEMALE--	12	-	1	1	2	5	3	-	-
ALL OTHER--FEMALE--	5	-	1	-	-	2	1	1	-
BLACK---FEMALE--	5	-	1	-	-	2	1	1	-
UTAH -----	2	-	-	-	1	-	-	1	-
WHITE-----FEMALE--	2	-	-	-	1	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	-	-	2	1	1	-	-	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	-	1	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,432
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH (640-641,666)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,433
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH (640-641,666)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	-	-	2	1	-	-	1	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	1	-	-	1	-
BLACK---FEMALE--	2	-	-	1	-	-	-	1	-
INDIANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,441
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	6	-	-	1	2	2	1	-	-
WHITE-----FEMALE--	4	-	-	-	1	2	1	-	-
ALL OTHER--FEMALE--	2	-	-	1	1	-	-	-	-
BLACK---FEMALE--	2	-	-	1	1	-	-	-	-
GEORGIA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,443
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 TOXEMIA OF PREGNANCY (642.4-642.9,643)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	2	-	-	-	1	-	-	1	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
MICHIGAN -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,458
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)												
0 UNITED STATES --	103	-	5	14	26	22	27	8	1
WHITE-----FEMALE--	50	-	2	6	12	11	12	6	1
ALL OTHER--FEMALE--	53	-	3	8	14	11	15	2	-
BLACK---FEMALE--	48	-	3	7	14	10	13	1	-
ALABAMA -----	3	-	-	1	-	-	2	-	-
WHITE-----FEMALE--	2	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-
ALASKA -----	1	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	1	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	-	-	2	-	-	1	-
WHITE-----FEMALE--	3	-	-	-	2	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	11	-	-	-	3	3	4	1	-
WHITE-----FEMALE--	8	-	-	-	2	2	3	1	-
ALL OTHER--FEMALE--	3	-	-	-	1	1	1	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,459
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	6	-	-	1	1	2	2	-	-
WHITE-----FEMALE--	2	-	-	-	-	-	2	-	-
ALL OTHER--FEMALE--	4	-	-	1	1	2	-	-	-
BLACK---FEMALE--	4	-	-	1	1	2	-	-	-
GEORGIA -----	6	-	-	-	2	-	3	-	1
WHITE-----FEMALE--	2	-	-	-	1	-	-	-	1
ALL OTHER--FEMALE--	4	-	-	-	1	-	3	-	-
BLACK---FEMALE--	4	-	-	-	1	-	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,461
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 COMPLICATIONS OF THE PUERPERIUM (670-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	-	1	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	-	-	1	-	-
BLACK---FEMALE--	2	-	-	1	-	-	1	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	-	-	-	1	2	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-
MASSACHUSETTS -----	2	-	-	-	2	-	-	-	-
WHITE-----FEMALE--	2	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	-	-	-	2	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,464
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 COMPLICATIONS OF THE PUERPERIUM (670-676)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2	-	-	-	2	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
OKLAHOMA -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	-	-	1	1	-	1	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	-	1	-	-
BLACK---FEMALE--	2	-	-	-	1	-	1	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	-	1	-	1	1	-	-	-
WHITE-----FEMALE--	2	-	1	-	-	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,468
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	6	-	-	3	1	-	1	1	-
WHITE-----FEMALE--	2	-	-	1	-	-	-	1	-
ALL OTHER--FEMALE--	4	-	-	2	1	-	1	-	-
BLACK---FEMALE--	4	-	-	2	1	-	1	-	-
GEORGIA -----	4	-	-	1	1	2	-	-	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	2	-	-	-
BLACK---FEMALE--	2	-	-	-	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,474
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OTHER DIRECT OBSTETRIC CAUSES (642.0-642.3,644-646,651-659,661-665,667-669)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	-	-	1	1	-	-	1	-
WHITE-----FEMALE--	3	-	-	1	1	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TEXAS -----	3	-	-	-	1	-	1	1	-
WHITE-----FEMALE--	2	-	-	-	1	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	1	-
UTAH -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,494
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
0 UNITED STATES --	3,171	7	4	-	2	14	3	11	24	28	45	60
WHITE-----MALE----	835	4	2	-	1	2	-	3	4	8	20	20
FEMALE--	1,507	-	1	-	1	6	-	1	8	9	9	16
ALL OTHER--MALE----	320	1	-	-	-	4	3	4	4	7	7	10
FEMALE--	509	2	1	-	-	2	-	3	8	4	9	14
BLACK---MALE----	300	1	-	-	-	4	3	3	4	7	7	8
FEMALE--	470	1	1	-	-	2	-	3	7	3	9	12
ALABAMA -----	62	-	-	-	-	-	-	2	-	1	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	2	-	-	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	46	-	-	-	-	1	-	1	1	2	-	1
WHITE-----MALE----	10	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	32	-	-	-	-	1	-	1	1	-	1	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
CALIFORNIA -----	191	2	-	-	1	-	-	1	1	4	6	8
WHITE-----MALE----	70	2	-	-	1	-	-	1	1	-	5	5
FEMALE--	93	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,494
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
0 UNITED STATES --	63	90	128	191	289	384	516	613	451	192	55	1
WHITE-----MALE----	24	31	40	61	88	136	141	142	74	28	5	1
FEMALE--	13	32	43	81	109	154	253	344	261	130	36	-
ALL OTHER--MALE----	15	15	16	22	45	47	49	34	32	4	1	-
FEMALE--	11	12	29	27	47	47	73	93	84	30	13	-
BLACK---MALE----	14	13	14	22	43	45	48	30	29	4	1	-
FEMALE--	8	12	27	25	45	47	63	87	78	28	12	-
ALABAMA -----	1	-	3	1	4	9	5	11	15	5	3	-
WHITE-----MALE----	1	-	-	1	1	3	-	1	3	-	-	-
FEMALE--	-	-	1	-	1	1	3	5	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	2	2	1	2	1	-	1	-
FEMALE--	-	-	2	-	-	3	1	3	5	3	1	-
BLACK---MALE----	-	-	-	-	2	2	1	2	1	-	1	-
FEMALE--	-	-	2	-	-	3	1	3	5	3	1	-
ALASKA -----	-	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	2	4	6	4	6	8	4	2	1	-
WHITE-----MALE----	-	-	1	1	1	2	-	2	-	-	-	-
FEMALE--	1	-	-	3	4	2	5	4	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	1	-	1	-	1	2	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
ARKANSAS -----	-	2	1	-	1	3	12	5	2	2	-	-
WHITE-----MALE----	-	-	1	-	1	2	6	2	-	1	-	-
FEMALE--	-	1	-	-	-	1	2	3	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
CALIFORNIA -----	9	11	12	12	12	23	27	25	24	10	3	-
WHITE-----MALE----	2	9	1	6	5	10	6	7	4	4	1	-
FEMALE--	4	2	8	5	4	10	17	15	17	5	2	-
ALL OTHER--MALE----	3	-	2	1	2	3	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	3	3	3	1	-	-
BLACK---MALE----	2	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,495
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	30	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	29	-	-	-	-	3	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	26	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	199	-	-	-	-	-	-	-	-	5	2	4
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	100	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	145	-	-	-	-	-	-	-	1	2	3	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	51	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	42	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	42	-	-	-	-	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,495
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	1	2	3	3	7	7	3	3	-
WHITE-----MALE----	-	-	1	-	2	2	1	2	1	1	-	-
FEMALE--	-	-	-	1	-	-	2	4	6	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
CONNECTICUT -----	-	1	1	2	3	1	3	10	2	2	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	2	1	-	-	-
FEMALE--	-	1	1	1	1	-	2	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
DELAWARE -----	-	1	1	1	-	1	2	3	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	3	3	5	-	1	4	5	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	4	2	-	-	-	-
FEMALE--	1	2	3	3	-	1	-	3	1	1	-	-
BLACK---MALE----	-	1	-	1	-	-	4	2	-	-	-	-
FEMALE--	1	2	3	3	-	1	-	3	1	1	-	-
FLORIDA -----	2	8	5	12	18	15	38	46	28	12	3	1
WHITE-----MALE----	2	2	3	3	6	2	13	11	4	2	1	1
FEMALE--	-	4	-	6	6	7	19	31	16	8	1	-
ALL OTHER--MALE----	-	-	-	3	2	4	3	-	1	-	-	-
FEMALE--	-	2	2	-	4	2	3	4	7	2	1	-
BLACK---MALE----	-	-	-	3	2	4	3	-	1	-	-	-
FEMALE--	-	2	2	-	4	2	3	4	7	2	1	-
GEORGIA -----	1	3	9	10	15	21	25	25	19	9	2	-
WHITE-----MALE----	-	2	2	3	7	4	2	4	1	1	-	-
FEMALE--	-	-	2	3	3	6	13	8	9	5	1	-
ALL OTHER--MALE----	1	1	1	1	3	5	5	2	4	-	-	-
FEMALE--	-	-	4	3	2	6	5	11	5	3	1	-
BLACK---MALE----	1	1	1	1	3	5	5	2	4	-	-	-
FEMALE--	-	-	4	3	2	6	5	11	5	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,496
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	2	2	1	-	-	3	2	1	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	-	-	-	2	2	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	5	9	9	17	24	25	36	26	4	1	-
WHITE-----MALE----	2	2	2	2	3	13	4	4	1	-	-	-
FEMALE--	1	1	2	2	6	7	15	20	16	3	1	-
ALL OTHER--MALE----	-	2	1	2	3	3	4	4	2	-	-	-
FEMALE--	2	-	4	3	5	1	2	8	7	1	-	-
BLACK---MALE----	-	2	1	2	3	3	4	4	1	-	-	-
FEMALE--	2	-	4	3	5	1	2	8	7	1	-	-
INDIANA -----	2	5	1	3	5	11	10	8	10	5	-	-
WHITE-----MALE----	1	-	-	2	1	4	2	2	1	-	-	-
FEMALE--	1	4	1	1	4	5	6	6	7	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	1	-	-	-
IOWA -----	-	1	-	-	1	1	5	3	4	2	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
KANSAS -----	2	1	-	1	2	2	6	4	9	2	-	-
WHITE-----MALE----	1	1	-	1	-	1	2	2	3	-	-	-
FEMALE--	-	-	-	-	2	1	4	1	4	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,497
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	42	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	91	-	-	-	-	1	-	2	1	-	2	2
WHITE-----MALE----	15	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	76	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	59	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	126	-	1	-	-	1	1	-	2	1	-	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	64	-	1	-	-	1	-	-	1	1	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	17	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,497
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	1	2	2	4	3	6	12	7	2	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	5	2	1	-	-
FEMALE--	1	1	1	1	3	-	6	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	2	-	-	-
LOUISIANA -----	2	1	3	6	11	10	14	22	10	4	-	-
WHITE-----MALE----	-	-	-	2	1	2	3	2	-	1	-	-
FEMALE--	-	-	-	1	1	6	1	12	6	1	-	-
ALL OTHER--MALE----	2	1	2	3	5	1	4	2	1	-	-	-
FEMALE--	-	-	1	-	4	1	6	6	3	2	-	-
BLACK---MALE----	2	1	2	3	5	1	4	2	1	-	-	-
FEMALE--	-	-	1	-	4	1	6	6	3	2	-	-
MAINE -----	-	-	-	-	-	1	-	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	-	5	8	6	14	13	11	8	1	-
WHITE-----MALE----	-	1	-	-	2	2	5	3	3	2	-	-
FEMALE--	1	1	-	1	-	1	6	7	4	4	1	-
ALL OTHER--MALE----	-	1	-	1	1	1	2	1	-	-	-	-
FEMALE--	1	-	-	3	5	2	1	2	4	2	-	-
BLACK---MALE----	-	1	-	1	1	1	2	1	-	-	-	-
FEMALE--	1	-	-	3	5	2	1	2	4	2	-	-
MASSACHUSETTS -----	3	2	2	5	3	4	9	12	12	4	2	-
WHITE-----MALE----	3	-	1	2	2	2	4	2	3	1	-	-
FEMALE--	-	2	1	2	1	2	5	7	8	3	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	2	4	2	7	14	21	18	21	26	3	1	-
WHITE-----MALE----	1	2	1	2	2	3	5	4	4	1	-	-
FEMALE--	-	-	-	4	6	15	6	9	16	2	1	-
ALL OTHER--MALE----	1	1	1	-	4	1	4	2	2	-	-	-
FEMALE--	-	1	-	1	2	2	3	6	4	-	-	-
BLACK---MALE----	1	1	1	-	4	1	4	2	2	-	-	-
FEMALE--	-	1	-	1	2	2	3	5	4	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,498
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)												
MINNESOTA -----	32	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	60	-	-	-	-	1	-	-	-	-	2	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	10	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
MISSOURI -----	60	2	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	16	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	13	-	-	-	1	-	-	-	1	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,498
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	-	1	1	2	-	5	8	8	3	2	2	-
WHITE-----MALE----	-	1	1	1	-	3	3	1	2	-	-	-
FEMALE--	-	-	-	1	-	2	5	7	1	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	1	3	5	10	7	12	3	8	4	1	-
WHITE-----MALE----	-	-	-	-	2	2	5	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	5	2	1	2	-	-
ALL OTHER--MALE----	1	-	-	1	2	2	-	1	2	-	-	-
FEMALE--	1	1	2	4	4	1	2	-	5	2	1	-
BLACK---MALE----	1	-	-	1	2	2	-	1	2	-	-	-
FEMALE--	1	1	2	4	4	1	2	-	5	2	1	-
MISSOURI -----	-	-	5	2	2	10	10	14	6	7	1	-
WHITE-----MALE----	-	-	1	1	1	4	3	3	1	1	-	-
FEMALE--	-	-	3	1	1	6	6	7	4	5	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	4	1	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	4	1	1	-	-
MONTANA -----	-	-	1	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	-	-	-	4	4	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	-	1	-	2	1	1	2	2	-	-	-
WHITE-----MALE----	1	-	1	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,500
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	5	3	4	9	21	24	20	15	7	1	-
WHITE-----MALE----	2	-	2	-	4	15	8	3	4	2	-	-
FEMALE--	-	4	1	2	2	4	12	16	7	5	1	-
ALL OTHER--MALE----	1	-	-	1	2	1	2	1	1	-	-	-
FEMALE--	-	1	-	1	1	1	2	-	3	-	-	-
BLACK---MALE----	1	-	-	1	2	1	2	1	1	-	-	-
FEMALE--	-	1	-	1	1	1	2	-	3	-	-	-
OKLAHOMA -----	-	1	1	4	5	5	8	11	8	3	1	-
WHITE-----MALE----	-	-	-	2	1	3	2	4	-	-	-	-
FEMALE--	-	1	-	1	3	2	5	5	6	3	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	2	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
OREGON -----	-	2	2	3	6	4	7	4	5	2	-	-
WHITE-----MALE----	-	1	-	2	3	2	4	2	1	-	-	-
FEMALE--	-	1	1	1	2	2	3	2	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	7	3	18	24	25	30	22	11	4	-
WHITE-----MALE----	1	-	2	2	5	8	4	10	2	3	-	-
FEMALE--	1	1	4	1	11	11	16	16	14	7	3	-
ALL OTHER--MALE----	-	1	-	-	-	3	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	2	4	4	5	1	1	-
BLACK---MALE----	-	1	-	-	-	3	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	2	3	4	5	1	1	-
RHODE ISLAND -----	-	-	-	-	2	-	-	6	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	3	5	8	14	12	11	8	2	2	-
WHITE-----MALE----	1	-	1	-	2	3	1	2	-	-	-	-
FEMALE--	-	1	1	4	3	5	4	3	5	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	4	2	1	1	1	-	-
FEMALE--	-	-	-	-	3	2	5	5	2	-	2	-
BLACK---MALE----	-	-	1	1	-	4	2	1	1	1	-	-
FEMALE--	-	-	-	-	3	2	5	5	2	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,501
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	5	4	5	5	11	7	13	12	7	-	-
WHITE-----MALE----	-	2	2	2	-	2	3	3	2	-	-	-
FEMALE--	-	1	1	2	3	4	3	8	8	4	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	1	2	1	-	-
FEMALE--	-	1	1	1	1	5	1	1	-	2	-	-
BLACK---MALE----	1	1	-	-	1	-	-	1	2	1	-	-
FEMALE--	-	1	1	1	1	5	1	1	-	2	-	-
TEXAS -----	4	3	3	15	24	28	45	48	27	11	5	-
WHITE-----MALE----	1	1	3	6	5	11	14	11	7	-	2	-
FEMALE--	2	-	-	7	9	11	22	29	13	9	3	-
ALL OTHER--MALE----	1	2	-	1	8	2	1	3	2	-	-	-
FEMALE--	-	-	-	1	2	4	8	5	5	2	-	-
BLACK---MALE----	1	2	-	1	8	2	1	2	2	-	-	-
FEMALE--	-	-	-	1	2	4	6	5	5	2	-	-
UTAH -----	-	-	-	2	2	2	-	5	1	3	1	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	1	1	1	-	4	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	2	6	7	12	11	35	20	16	5	2	-
WHITE-----MALE----	-	2	3	5	-	-	8	4	2	-	-	-
FEMALE--	-	-	2	1	6	6	18	10	9	3	1	-
ALL OTHER--MALE----	2	-	1	-	3	4	3	3	2	-	-	-
FEMALE--	1	-	-	1	3	1	6	3	3	2	1	-
BLACK---MALE----	2	-	1	-	3	4	3	3	2	-	-	-
FEMALE--	1	-	-	1	3	1	6	3	3	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,503
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	902	1	-	-	-	3	-	4	9	15	25	30
WHITE-----MALE----	334	-	-	-	-	-	-	1	2	2	13	15
FEMALE--	420	-	-	-	-	-	-	-	5	6	5	7
ALL OTHER--MALE----	66	-	-	-	-	2	-	2	-	5	2	3
FEMALE--	82	1	-	-	-	1	-	1	2	2	5	5
BLACK---MALE----	59	-	-	-	-	2	-	1	-	5	2	2
FEMALE--	69	-	-	-	-	1	-	1	2	1	5	5
ALABAMA -----	10	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	-	-	-	-	-	-	1	-	2	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	78	-	-	-	-	-	-	-	1	4	4	6
WHITE-----MALE----	40	-	-	-	-	-	-	-	1	-	4	4
FEMALE--	28	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,503
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	25	46	55	66	89	115	130	134	106	40	8	1
WHITE-----MALE----	12	24	18	25	36	59	48	47	22	7	2	1
FEMALE--	5	14	19	30	39	42	66	74	73	29	6	-
ALL OTHER--MALE----	4	6	7	6	6	9	6	4	4	-	-	-
FEMALE--	4	2	11	5	8	5	10	9	7	4	-	-
BLACK---MALE----	4	5	5	6	6	8	6	4	3	-	-	-
FEMALE--	3	2	9	4	8	5	8	7	6	2	-	-
ALABAMA -----	-	-	2	-	-	1	-	2	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	1	3	5	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	4	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	-	2	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	10	7	6	6	5	6	9	5	2	1	-
WHITE-----MALE----	2	9	1	4	3	4	1	5	-	1	1	-
FEMALE--	2	1	3	2	2	1	5	3	5	-	-	-
ALL OTHER--MALE----	2	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	1	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,504
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	2	3	1	4	4	2	1	-
WHITE-----MALE----	-	-	-	-	2	2	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	1	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	4	-	6	9	4	9	8	2	2	-	1
WHITE-----MALE----	-	2	-	2	3	1	5	4	-	-	-	1
FEMALE--	-	2	-	4	4	1	4	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
GEORGIA -----	-	1	3	3	5	3	4	1	2	2	-	-
WHITE-----MALE----	-	-	1	2	2	1	-	-	-	1	-	-
FEMALE--	-	-	2	1	2	1	2	1	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,506
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	1	1	1	1	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	-	-	-	1	1	4	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	1	-	-	4	2	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
MASSACHUSETTS -----	3	1	-	2	-	1	6	3	4	2	-	-
WHITE-----MALE----	3	-	-	1	-	1	3	1	1	-	-	-
FEMALE--	-	1	-	1	-	-	3	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	2	2	1	5	7	4	6	9	-	1	-
WHITE-----MALE----	-	2	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	3	5	2	4	8	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,509
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	4	2	2	5	11	8	7	2	2	-	-
WHITE-----MALE----	1	-	2	-	2	9	4	-	1	1	-	-
FEMALE--	-	3	-	1	-	2	4	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	1	2	2	1	1	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	2	2	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	1	1	2	3	1	4	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	2	2	4	4	6	7	7	2	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	3	2	1	-	-
FEMALE--	-	-	2	1	2	2	4	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	2	-	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	4	4	2	3	1	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,510
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	2	5	1	1	1	8	3	1	-	-
WHITE-----MALE----	-	1	2	2	-	-	1	2	1	-	-	-
FEMALE--	-	1	-	2	1	-	-	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-
TEXAS -----	1	3	1	3	2	10	10	10	5	1	1	-
WHITE-----MALE----	-	1	1	-	-	7	4	2	2	-	1	-
FEMALE--	-	-	-	1	2	3	4	6	3	1	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	2	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	2	-	-	-	-
UTAH -----	-	-	-	1	-	-	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	2	2	6	3	7	3	2	-	-	-
WHITE-----MALE----	-	2	1	2	-	-	2	1	-	-	-	-
FEMALE--	-	-	1	-	5	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,512
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	38	44	73	125	200	269	386	479	345	152	47	-
WHITE-----MALE----	12	7	22	36	52	77	93	95	52	21	3	-
FEMALE--	8	18	24	51	70	112	187	270	188	101	30	-
ALL OTHER--MALE----	11	9	9	16	39	38	43	30	28	4	1	-
FEMALE--	7	10	18	22	39	42	63	84	77	26	13	-
BLACK---MALE----	10	8	9	16	37	37	42	26	26	4	1	-
FEMALE--	5	10	18	21	37	42	55	80	72	26	12	-
ALABAMA -----	1	-	1	1	4	8	5	9	11	5	3	-
WHITE-----MALE----	1	-	-	1	1	2	-	-	2	-	-	-
FEMALE--	-	-	1	-	1	1	3	5	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	2	2	1	1	1	-	1	-
FEMALE--	-	-	-	-	-	3	1	3	4	3	1	-
BLACK---MALE----	-	-	-	-	2	2	1	1	1	-	1	-
FEMALE--	-	-	-	-	-	3	1	3	4	3	1	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	1	1	3	5	7	3	2	1	-
WHITE-----MALE----	-	-	1	-	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	4	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
ARKANSAS -----	-	2	-	-	1	3	10	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	1	2	4	1	-	1	-	-
FEMALE--	-	1	-	-	-	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
CALIFORNIA -----	3	1	5	6	6	18	21	16	19	8	2	-
WHITE-----MALE----	-	-	-	2	2	6	5	2	4	3	-	-
FEMALE--	2	1	5	3	2	9	12	12	5	5	2	-
ALL OTHER--MALE----	1	-	-	1	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	2	3	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,513
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	21	-	-	-	-	3	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	23	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	147	-	-	-	-	-	-	-	-	3	-	1
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	78	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	119	-	-	-	-	-	-	-	1	2	1	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	40	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,513
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	1	-	-	2	3	3	1	2	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	2	3	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	-	1	-	1	2	-	2	9	1	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
DELAWARE -----	-	-	-	1	-	1	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	2	5	-	1	4	5	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	4	2	-	-	-	-
FEMALE--	1	1	2	3	-	1	-	3	1	1	-	-
BLACK---MALE----	-	1	-	1	-	-	4	2	-	-	-	-
FEMALE--	1	1	2	3	-	1	-	3	1	1	-	-
FLORIDA -----	2	4	5	6	9	11	29	38	26	10	3	-
WHITE-----MALE----	2	-	3	1	3	1	8	7	4	2	1	-
FEMALE--	-	2	-	2	2	6	15	27	15	6	1	-
ALL OTHER--MALE----	-	-	-	3	1	3	3	-	1	-	-	-
FEMALE--	-	2	2	-	3	1	3	4	6	2	1	-
BLACK---MALE----	-	-	-	3	1	3	3	-	1	-	-	-
FEMALE--	-	2	2	-	3	1	3	4	6	2	1	-
GEORGIA -----	1	2	6	7	10	18	21	24	17	7	2	-
WHITE-----MALE----	-	2	1	1	5	3	2	4	1	-	-	-
FEMALE--	-	-	-	2	1	5	11	7	8	4	1	-
ALL OTHER--MALE----	1	-	1	1	3	4	3	2	3	-	-	-
FEMALE--	-	-	4	3	1	6	5	11	5	3	1	-
BLACK---MALE----	1	-	1	1	3	4	3	2	3	-	-	-
FEMALE--	-	-	4	3	1	6	5	11	5	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,514
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	1	1	-	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	-	-	-	2	2	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	4	3	3	16	12	22	30	21	3	1	-
WHITE-----MALE----	1	1	1	-	3	5	3	1	-	-	-	-
FEMALE--	1	1	-	1	6	3	13	18	12	2	1	-
ALL OTHER--MALE----	-	2	1	-	3	3	4	4	2	-	-	-
FEMALE--	1	-	1	2	4	1	2	7	7	1	-	-
BLACK---MALE----	-	2	1	-	3	3	4	4	1	-	-	-
FEMALE--	1	-	1	2	4	1	2	7	7	1	-	-
INDIANA -----	-	3	1	2	5	8	6	8	6	4	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	2	1	-	-	-
FEMALE--	-	2	1	1	4	4	4	6	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
IOWA -----	-	1	-	-	-	-	1	2	4	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
KANSAS -----	1	1	-	1	1	1	3	4	7	1	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	2	2	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,515
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	30	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	78	-	-	-	-	1	-	1	1	-	1	-
WHITE-----MALE----	12	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	60	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	37	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	88	-	1	-	-	1	1	-	2	1	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	1	-	-	1	-	-	1	1	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	14	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,515
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	1	1	1	3	2	3	9	6	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	4	2	1	-	-
FEMALE--	1	1	-	1	3	-	3	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	-	-	-
LOUISIANA -----	2	1	3	5	10	6	14	20	9	4	-	-
WHITE-----MALE----	-	-	-	2	1	2	3	2	-	1	-	-
FEMALE--	-	-	-	1	1	2	1	11	5	1	-	-
ALL OTHER--MALE----	2	1	2	2	5	1	4	2	1	-	-	-
FEMALE--	-	-	1	-	3	1	6	5	3	2	-	-
BLACK---MALE----	2	1	2	2	5	1	4	2	1	-	-	-
FEMALE--	-	-	1	-	3	1	6	5	3	2	-	-
MAINE -----	-	-	-	-	-	-	-	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	-	4	8	6	10	11	8	6	1	-
WHITE-----MALE----	-	1	-	-	2	2	4	1	3	2	-	-
FEMALE--	1	1	-	1	-	1	4	7	1	3	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	1	-	-	2	5	2	-	2	4	1	-	-
BLACK---MALE----	-	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	1	-	-	2	5	2	-	2	4	1	-	-
MASSACHUSETTS -----	-	1	2	3	3	3	3	9	8	2	2	-
WHITE-----MALE----	-	-	1	1	2	1	1	1	2	1	-	-
FEMALE--	-	1	1	1	1	2	2	6	6	1	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	1	2	-	6	9	14	14	15	17	3	-	-
WHITE-----MALE----	1	-	-	2	1	2	3	3	4	1	-	-
FEMALE--	-	-	-	3	3	10	4	5	8	2	-	-
ALL OTHER--MALE----	-	1	-	-	4	1	4	2	1	-	-	-
FEMALE--	-	1	-	1	1	1	3	5	4	-	-	-
BLACK---MALE----	-	1	-	-	4	1	4	2	1	-	-	-
FEMALE--	-	1	-	1	1	1	3	4	4	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,516
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	19	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	52	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
MISSOURI -----	42	2	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	10	-	-	-	1	-	-	-	1	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,516
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	-	1	-	2	-	2	3	7	3	1	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	1	2	-	-	-
FEMALE--	-	-	-	1	-	1	3	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	1	3	5	7	6	11	3	7	4	1	-
WHITE-----MALE----	-	-	-	-	1	1	5	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	4	2	1	2	-	-
ALL OTHER--MALE----	1	-	-	1	2	2	-	1	2	-	-	-
FEMALE--	1	1	2	4	4	1	2	-	4	2	1	-
BLACK---MALE----	1	-	-	1	2	2	-	1	2	-	-	-
FEMALE--	1	1	2	4	4	1	2	-	4	2	1	-
MISSOURI -----	-	-	2	1	1	7	7	11	5	4	1	-
WHITE-----MALE----	-	-	-	-	1	4	3	-	-	1	-	-
FEMALE--	-	-	1	1	-	3	3	7	4	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	4	1	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	4	1	1	-	-
MONTANA -----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	-	-	-	3	3	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	-	1	-	1	1	1	1	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,518
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	1	1	2	4	10	16	13	13	5	1	-
WHITE-----MALE----	1	-	-	-	2	6	4	3	3	1	-	-
FEMALE--	-	1	1	1	2	2	8	10	6	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	3	-	-	-
BLACK---MALE----	1	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	3	-	-	-
OKLAHOMA -----	-	-	1	3	3	3	7	10	6	1	-	-
WHITE-----MALE----	-	-	-	2	1	2	2	3	-	-	-	-
FEMALE--	-	-	-	1	2	1	4	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
OREGON -----	-	1	2	2	5	2	4	3	1	2	-	-
WHITE-----MALE----	-	-	-	2	3	1	2	1	-	-	-	-
FEMALE--	-	1	1	-	1	1	2	2	1	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	5	1	14	20	19	23	15	9	4	-
WHITE-----MALE----	1	-	2	1	3	7	3	7	-	2	-	-
FEMALE--	1	1	2	-	9	9	12	12	10	6	3	-
ALL OTHER--MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	3	4	5	1	1	-
BLACK---MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	3	4	5	1	1	-
RHODE ISLAND -----	-	-	-	-	-	-	-	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	3	5	4	10	10	8	7	2	2	-
WHITE-----MALE----	-	-	1	-	-	3	1	2	-	-	-	-
FEMALE--	-	1	1	4	2	3	3	1	4	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	3	2	-	1	1	-	-
FEMALE--	-	-	-	-	2	1	4	5	2	-	2	-
BLACK---MALE----	-	-	1	1	-	3	2	-	1	1	-	-
FEMALE--	-	-	-	-	2	1	4	5	2	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,519
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	2	-	4	10	6	5	9	6	-	-
WHITE-----MALE----	-	1	-	-	-	2	2	1	1	-	-	-
FEMALE--	-	-	1	-	2	4	3	3	6	4	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	2	1	-	-
FEMALE--	-	1	1	-	1	4	1	1	-	1	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	2	1	-	-
FEMALE--	-	1	1	-	1	4	1	1	-	1	-	-
TEXAS -----	3	-	2	12	22	18	35	38	22	10	4	-
WHITE-----MALE----	1	-	2	6	5	4	10	9	5	-	1	-
FEMALE--	2	-	-	6	7	8	18	23	10	8	3	-
ALL OTHER--MALE----	-	-	-	-	8	2	1	3	2	-	-	-
FEMALE--	-	-	-	-	2	4	6	3	5	2	-	-
BLACK---MALE----	-	-	-	-	8	2	1	2	2	-	-	-
FEMALE--	-	-	-	-	2	4	4	3	5	2	-	-
UTAH -----	-	-	-	1	2	2	-	3	-	2	1	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	4	5	6	8	28	17	14	5	2	-
WHITE-----MALE----	-	-	2	3	-	-	6	3	2	-	-	-
FEMALE--	-	-	1	1	1	5	16	8	7	3	1	-
ALL OTHER--MALE----	2	-	1	-	3	2	2	3	2	-	-	-
FEMALE--	-	-	-	1	2	1	4	3	3	2	1	-
BLACK---MALE----	2	-	1	-	3	2	2	3	2	-	-	-
FEMALE--	-	-	-	1	2	1	4	3	3	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,521
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	9,508	9	6	11	33	43	86	110	138	220	258	313
WHITE-----MALE----	2,169	2	3	-	12	13	15	17	19	40	50	52
FEMALE--	5,835	3	-	6	11	15	22	35	53	73	110	135
ALL OTHER--MALE----	441	3	1	3	3	7	7	10	11	23	22	38
FEMALE--	1,063	1	2	2	7	8	42	48	55	84	76	88
BLACK---MALE----	383	2	-	3	3	5	7	10	7	21	19	36
FEMALE--	939	1	2	1	6	7	36	42	51	78	68	83
ALABAMA -----	159	1	-	-	2	1	7	3	2	7	7	7
WHITE-----MALE----	29	-	-	-	-	-	1	1	-	1	1	-
FEMALE--	78	-	-	-	1	-	1	1	-	1	1	2
ALL OTHER--MALE----	12	1	-	-	-	-	1	1	-	2	-	2
FEMALE--	40	-	-	-	1	1	4	-	2	3	5	3
BLACK---MALE----	12	1	-	-	-	-	1	1	-	2	-	2
FEMALE--	39	-	-	-	1	1	3	-	2	3	5	3
ALASKA -----	6	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	186	-	1	-	1	-	-	1	3	3	8	4
WHITE-----MALE----	54	-	1	-	-	-	-	-	-	-	2	2
FEMALE--	124	-	-	-	1	-	-	1	3	1	5	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	110	-	-	-	1	-	-	1	2	3	1	4
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	52	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	17	-	-	-	-	-	-	1	-	2	1	2
BLACK---MALE----	7	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	17	-	-	-	-	-	-	1	-	2	1	2
CALIFORNIA -----	898	-	-	-	3	7	15	17	27	26	45	45
WHITE-----MALE----	196	-	-	-	-	2	5	4	6	3	9	5
FEMALE--	536	-	-	-	2	3	6	7	6	13	21	26
ALL OTHER--MALE----	47	-	-	-	-	1	1	1	5	2	4	3
FEMALE--	119	-	-	-	1	1	3	5	10	8	11	11
BLACK---MALE----	26	-	-	-	-	-	1	1	1	2	2	2
FEMALE--	82	-	-	-	1	-	2	3	8	5	10	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,521
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	382	398	596	814	1,128	1,330	1,327	1,151	775	294	86	-
WHITE-----MALE----	78	102	148	223	308	386	315	208	133	32	13	-
FEMALE--	199	188	322	470	677	820	907	875	598	252	64	-
ALL OTHER--MALE----	23	36	39	42	55	46	42	17	9	3	1	-
FEMALE--	82	72	87	79	88	78	63	51	35	7	8	-
BLACK---MALE----	19	33	36	34	48	42	34	12	8	3	1	-
FEMALE--	65	63	70	70	76	72	56	46	33	6	7	-
ALABAMA -----	4	4	17	16	21	13	25	10	9	2	1	-
WHITE-----MALE----	1	1	2	3	6	3	4	-	3	2	-	-
FEMALE--	1	-	9	9	11	9	18	9	5	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	1	-	-	-	-	-
FEMALE--	2	2	6	2	3	1	2	1	1	-	1	-
BLACK---MALE----	-	1	-	2	1	-	1	-	-	-	-	-
FEMALE--	2	2	6	2	3	1	2	1	1	-	1	-
ALASKA -----	-	-	-	-	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	10	12	25	29	25	23	13	16	4	1	-
WHITE-----MALE----	1	1	5	10	8	9	6	6	2	-	1	-
FEMALE--	4	8	7	15	19	16	17	7	14	4	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	5	7	11	16	16	14	18	6	2	-	-
WHITE-----MALE----	1	1	4	4	5	9	5	3	1	-	-	-
FEMALE--	2	3	2	5	9	4	7	12	4	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	1	2	3	1	3	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	1	2	3	1	3	-	-	-	-
CALIFORNIA -----	39	48	52	67	112	115	97	93	65	23	2	-
WHITE-----MALE----	9	8	12	17	26	31	24	20	14	1	-	-
FEMALE--	23	29	26	36	70	73	58	67	46	22	2	-
ALL OTHER--MALE----	1	4	2	3	7	3	6	2	2	-	-	-
FEMALE--	6	7	12	11	9	8	9	4	3	-	-	-
BLACK---MALE----	-	4	1	2	3	1	4	-	2	-	-	-
FEMALE--	4	5	5	8	7	4	4	3	3	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,522
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	147	-	-	-	-	1	-	3	2	2	3	2
WHITE-----MALE----	32	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	103	-	-	-	-	-	-	-	2	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	3	-	-	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	3	-	-	1	-
CONNECTICUT -----	86	-	-	1	-	1	-	1	-	-	1	2
WHITE-----MALE----	28	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	27	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	-	-
DISTRICT OF COLUMBIA ----	28	-	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	2	-	-
FLORIDA -----	590	-	-	-	4	-	6	9	8	14	18	16
WHITE-----MALE----	148	-	-	-	1	-	1	2	2	1	7	1
FEMALE--	358	-	-	-	2	-	2	4	4	6	7	4
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	65	-	-	-	1	-	3	3	5	6	3	7
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	62	-	-	-	1	-	2	3	5	6	3	7
GEORGIA -----	247	-	1	-	-	3	3	3	5	10	10	13
WHITE-----MALE----	47	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	122	-	-	-	-	2	-	-	-	2	4	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	2	3	2	1	2
FEMALE--	50	-	1	-	-	1	2	1	2	6	5	8
BLACK---MALE----	28	-	-	-	-	-	-	2	3	2	1	2
FEMALE--	50	-	1	-	-	1	2	1	2	6	5	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,522
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	9	6	10	19	17	18	21	15	6	12	1	-
WHITE-----MALE----	2	3	1	3	5	4	7	-	2	2	-	-
FEMALE--	6	2	8	15	11	14	12	15	4	10	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	1	2	4	6	10	16	16	11	10	3	1	-
WHITE-----MALE----	1	1	1	2	4	4	6	4	2	-	1	-
FEMALE--	-	1	3	4	5	12	10	6	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
DELAWARE -----	1	1	3	1	2	3	7	5	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	1	2	-	2	1	7	4	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	2	1	-	1	7	3	4	2	1	1	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	3	1	2	-	-	-	-
FEMALE--	1	1	-	-	1	4	1	-	1	-	1	-
BLACK---MALE----	-	1	-	-	-	3	1	2	-	-	-	-
FEMALE--	1	1	-	-	1	4	1	-	1	-	1	-
FLORIDA -----	26	17	43	49	84	92	81	71	33	18	1	-
WHITE-----MALE----	4	5	11	17	23	25	22	13	11	2	-	-
FEMALE--	17	7	24	25	50	61	56	55	22	15	-	-
ALL OTHER--MALE----	1	1	5	1	2	-	1	1	-	-	1	-
FEMALE--	4	4	3	6	9	6	2	2	-	1	-	-
BLACK---MALE----	1	1	5	1	2	-	1	1	-	-	1	-
FEMALE--	3	4	3	6	8	6	2	2	-	1	-	-
GEORGIA -----	10	14	25	15	25	36	28	24	15	7	-	-
WHITE-----MALE----	2	5	9	6	5	8	5	2	2	-	-	-
FEMALE--	4	2	7	6	14	22	19	21	11	7	-	-
ALL OTHER--MALE----	1	2	4	2	4	4	1	-	-	-	-	-
FEMALE--	3	5	5	1	2	2	3	1	2	-	-	-
BLACK---MALE----	1	2	4	2	4	4	1	-	-	-	-	-
FEMALE--	3	5	5	1	2	2	3	1	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,523
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	-	2	2	3	1	7	1	3	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	2	1	1	-	-	-
FEMALE--	1	-	1	-	3	-	2	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	7	7	1	4	11	8	5	-	-	-
WHITE-----MALE----	-	-	1	3	-	4	7	2	1	-	-	-
FEMALE--	-	-	4	4	1	-	4	6	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	20	20	24	35	53	58	61	69	41	18	7	-
WHITE-----MALE----	1	5	4	11	11	12	15	21	10	3	3	-
FEMALE--	11	4	16	20	30	37	43	43	31	14	4	-
ALL OTHER--MALE----	4	4	2	-	5	2	-	2	-	1	-	-
FEMALE--	4	7	2	4	7	7	3	3	-	-	-	-
BLACK---MALE----	4	4	2	-	5	2	-	1	-	1	-	-
FEMALE--	4	6	2	4	7	7	3	3	-	-	-	-
INDIANA -----	5	6	10	19	28	26	25	41	12	5	1	-
WHITE-----MALE----	1	1	1	2	9	3	6	6	1	-	-	-
FEMALE--	3	5	8	15	16	23	18	35	11	5	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	3	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	-	-	-
IOWA -----	3	6	4	11	9	13	22	22	16	4	2	-
WHITE-----MALE----	-	3	2	1	3	6	5	3	2	-	-	-
FEMALE--	3	3	2	9	6	7	17	19	14	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	3	4	10	11	16	18	16	9	17	7	2	-
WHITE-----MALE----	1	1	2	3	7	3	3	-	1	-	1	-
FEMALE--	2	3	7	8	8	14	13	8	16	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,524
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	137	-	-	-	1	-	1	-	1	4	2	4
WHITE-----MALE----	34	-	-	-	1	-	-	-	1	-	1	1
FEMALE--	89	-	-	-	-	-	1	-	-	2	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	-
LOUISIANA -----	185	-	-	-	-	3	1	4	5	4	7	9
WHITE-----MALE----	34	-	-	-	-	1	-	-	-	-	2	3
FEMALE--	90	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	43	-	-	-	-	2	1	3	3	3	3	4
BLACK---MALE----	18	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	42	-	-	-	-	2	1	3	3	3	3	4
MAINE -----	58	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	197	2	-	-	-	1	-	2	1	5	8	9
WHITE-----MALE----	32	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	106	-	-	-	-	1	-	-	-	2	5	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	46	-	-	-	-	-	-	1	1	3	3	7
BLACK---MALE----	13	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	44	-	-	-	-	-	-	1	1	3	3	7
MASSACHUSETTS -----	192	-	-	-	1	-	3	2	2	5	2	7
WHITE-----MALE----	44	-	-	-	1	-	1	-	1	4	-	1
FEMALE--	136	-	-	-	-	-	1	1	1	-	2	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	1	1	-	1	-	-
MICHIGAN -----	328	-	-	-	-	1	2	7	2	5	5	10
WHITE-----MALE----	66	-	-	-	-	-	1	1	2	-	2	1
FEMALE--	206	-	-	-	-	-	-	4	-	-	2	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	41	-	-	-	-	1	1	2	-	3	1	3
BLACK---MALE----	14	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	40	-	-	-	-	1	1	2	-	3	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,524
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	7	6	6	12	14	26	20	18	9	5	1	-
WHITE-----MALE----	3	1	1	1	4	10	6	1	1	1	1	-
FEMALE--	2	3	4	10	10	14	14	16	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	1	-	1	-	-	-	-
LOUISIANA -----	6	13	17	17	21	18	22	20	13	3	2	-
WHITE-----MALE----	2	2	5	1	6	5	5	-	1	1	-	-
FEMALE--	2	3	8	8	10	9	14	17	11	2	2	-
ALL OTHER--MALE----	1	3	-	3	2	2	2	1	-	-	-	-
FEMALE--	1	5	4	5	3	2	1	2	1	-	-	-
BLACK---MALE----	1	3	-	3	2	2	2	1	-	-	-	-
FEMALE--	1	5	4	5	2	2	1	2	1	-	-	-
MAINE -----	2	1	4	9	6	6	8	10	4	3	2	-
WHITE-----MALE----	-	-	1	5	1	1	3	-	2	-	1	-
FEMALE--	2	1	3	4	5	5	5	10	2	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	8	11	12	25	27	38	23	12	4	1	-
WHITE-----MALE----	-	1	2	2	7	5	8	4	-	-	-	-
FEMALE--	5	2	2	7	12	15	27	14	10	3	1	-
ALL OTHER--MALE----	-	2	1	1	3	2	1	-	1	-	-	-
FEMALE--	3	3	6	2	3	5	2	5	1	1	-	-
BLACK---MALE----	-	2	1	1	3	2	1	-	1	-	-	-
FEMALE--	2	3	6	2	3	5	2	4	1	1	-	-
MASSACHUSETTS -----	5	4	6	17	21	36	31	24	16	7	3	-
WHITE-----MALE----	-	1	1	5	5	8	8	7	1	-	-	-
FEMALE--	5	3	4	10	14	27	22	17	15	7	2	-
ALL OTHER--MALE----	-	-	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	1	-
BLACK---MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	1	-
MICHIGAN -----	14	15	15	37	43	53	48	35	30	5	1	-
WHITE-----MALE----	-	4	3	10	8	9	11	6	8	-	-	-
FEMALE--	10	8	9	20	25	37	31	28	21	5	1	-
ALL OTHER--MALE----	1	-	-	3	4	4	-	-	-	-	-	-
FEMALE--	3	3	3	4	6	3	6	1	1	-	-	-
BLACK---MALE----	1	-	-	3	4	3	-	-	-	-	-	-
FEMALE--	3	3	3	4	5	3	6	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,525
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	5	5	5	13	24	25	39	32	31	12	4	-
WHITE-----MALE----	1	1	1	4	9	9	11	8	2	1	-	-
FEMALE--	2	3	4	9	15	16	28	24	29	11	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	4	12	6	10	7	8	12	3	1	-	-
WHITE-----MALE----	2	2	1	-	3	3	3	2	-	-	-	-
FEMALE--	-	2	5	5	6	3	5	4	2	1	-	-
ALL OTHER--MALE----	1	-	6	1	1	1	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	4	1	-	-	-
BLACK---MALE----	1	-	5	1	1	1	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	4	1	-	-	-
MISSOURI -----	6	11	11	19	25	28	26	29	14	4	1	-
WHITE-----MALE----	3	3	5	7	9	10	6	6	1	2	-	-
FEMALE--	2	6	5	11	15	16	18	22	12	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	1	1	1	1	1	2	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	1	1	1	1	1	2	1	-	-	-	-
MONTANA -----	1	1	1	3	2	5	7	6	6	3	-	-
WHITE-----MALE----	1	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	1	1	2	2	5	5	5	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	1	3	4	8	7	10	11	10	6	1	-
WHITE-----MALE----	2	-	-	2	1	2	5	3	1	1	-	-
FEMALE--	1	1	3	2	6	4	5	8	8	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	1	-	-	-
NEVADA -----	4	3	5	2	8	7	4	1	3	1	-	-
WHITE-----MALE----	-	1	1	1	2	2	-	-	-	-	-	-
FEMALE--	2	2	4	1	5	4	3	1	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,527
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	452	1	-	1	1	2	2	3	3	10	14	11
WHITE-----MALE----	107	1	-	-	-	1	-	1	1	3	-	2
FEMALE--	293	-	-	1	1	-	-	1	1	3	9	7
ALL OTHER--MALE----	15	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	2	1	1	4	5	2
BLACK---MALE----	15	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	2	1	1	4	5	2
OKLAHOMA -----	121	1	-	-	1	-	1	-	1	2	1	6
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	65	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	1	-	1	-	-	3
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	1	-	1	-	-	2
OREGON -----	147	-	-	1	-	-	1	-	2	-	-	3
WHITE-----MALE----	40	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	103	-	-	1	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
PENNSYLVANIA -----	440	-	-	-	-	1	3	6	4	12	6	13
WHITE-----MALE----	96	-	-	-	-	-	1	-	2	5	2	4
FEMALE--	295	-	-	-	-	1	-	2	1	5	1	7
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	34	-	-	-	-	-	2	4	1	1	3	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	32	-	-	-	-	-	2	3	1	1	3	-
RHODE ISLAND -----	33	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	155	-	-	-	2	2	2	2	4	3	8	4
WHITE-----MALE----	24	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	70	-	-	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	23	-	-	-	1	1	-	1	-	1	2	1
FEMALE--	38	-	-	-	-	1	1	1	3	1	4	2
BLACK---MALE----	23	-	-	-	1	1	-	1	-	1	2	1
FEMALE--	38	-	-	-	-	1	1	1	3	1	4	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,527
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	9	9	23	36	50	69	70	62	52	18	6	-
WHITE-----MALE----	4	1	10	9	9	23	15	13	9	3	2	-
FEMALE--	3	7	9	23	37	38	51	46	40	12	4	-
ALL OTHER--MALE----	-	-	1	2	2	4	2	1	1	1	-	-
FEMALE--	2	1	3	2	2	4	2	2	2	2	-	-
BLACK---MALE----	-	-	1	2	2	4	2	1	1	1	-	-
FEMALE--	2	1	3	2	2	4	2	2	2	2	-	-
OKLAHOMA -----	8	4	11	9	12	16	17	13	10	7	1	-
WHITE-----MALE----	1	1	2	1	9	7	5	3	2	2	1	-
FEMALE--	6	2	4	6	3	9	10	10	7	5	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	2	-	-	-	-	-
FEMALE--	1	1	4	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
OREGON -----	11	5	2	13	14	22	20	19	25	9	-	-
WHITE-----MALE----	2	1	1	4	5	9	8	2	5	1	-	-
FEMALE--	8	4	1	9	9	13	12	16	20	8	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	17	15	26	40	60	71	57	53	34	14	8	-
WHITE-----MALE----	4	6	6	15	12	19	5	10	4	1	-	-
FEMALE--	9	5	17	21	44	44	48	40	30	13	7	-
ALL OTHER--MALE----	2	-	1	2	2	3	1	1	-	-	-	-
FEMALE--	2	4	2	2	2	5	3	2	-	-	1	-
BLACK---MALE----	2	-	1	2	2	3	1	1	-	-	-	-
FEMALE--	1	4	2	2	2	5	3	2	-	-	1	-
RHODE ISLAND -----	2	2	3	4	5	5	3	6	2	1	-	-
WHITE-----MALE----	1	1	1	1	3	2	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	3	2	6	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	7	13	19	21	19	19	13	8	-	3	-
WHITE-----MALE----	2	-	3	4	4	4	2	1	2	-	-	-
FEMALE--	3	4	3	10	8	10	9	11	5	-	2	-
ALL OTHER--MALE----	-	1	5	3	2	2	3	-	-	-	-	-
FEMALE--	1	2	2	2	7	3	5	1	1	-	1	-
BLACK---MALE----	-	1	5	3	2	2	3	-	-	-	-	-
FEMALE--	1	2	2	2	7	3	5	1	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,528
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	36	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	220	-	-	-	1	1	7	-	2	5	3	8
WHITE-----MALE----	55	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	126	-	-	-	-	-	2	-	-	3	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	29	-	-	-	1	-	5	-	2	1	-	3
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	29	-	-	-	1	-	5	-	2	1	-	3
TEXAS -----	690	2	-	1	3	4	6	8	14	21	21	18
WHITE-----MALE----	158	-	-	-	1	-	-	3	-	5	2	1
FEMALE--	439	1	-	1	2	3	3	2	9	8	10	9
ALL OTHER--MALE----	23	1	-	-	-	1	1	-	-	1	1	3
FEMALE--	70	-	-	-	-	-	2	3	5	7	8	5
BLACK---MALE----	21	-	-	-	-	1	1	-	-	1	1	3
FEMALE--	64	-	-	-	-	-	2	3	4	6	8	5
UTAH -----	105	-	-	-	-	-	-	1	-	1	5	-
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	72	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	19	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	237	-	-	-	-	-	5	4	7	4	3	12
WHITE-----MALE----	50	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	126	-	-	-	-	-	-	1	3	1	-	6
ALL OTHER--MALE----	14	-	-	-	-	-	2	1	1	-	-	1
FEMALE--	47	-	-	-	-	-	2	2	3	3	1	5
BLACK---MALE----	14	-	-	-	-	-	2	1	1	-	-	1
FEMALE--	46	-	-	-	-	-	2	2	3	3	1	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,528
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	1	2	-	2	9	4	4	6	2	1	-
WHITE-----MALE----	-	-	1	-	-	6	1	-	1	-	-	-
FEMALE--	3	1	-	-	2	2	3	4	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	15	13	23	26	34	25	27	16	5	1	-
WHITE-----MALE----	1	6	3	6	7	11	4	6	6	2	-	-
FEMALE--	5	4	9	13	16	20	21	18	9	3	-	-
ALL OTHER--MALE----	-	1	1	-	2	1	-	1	-	-	-	-
FEMALE--	2	4	-	4	1	2	-	2	1	-	1	-
BLACK---MALE----	-	1	1	-	2	1	-	1	-	-	-	-
FEMALE--	2	4	-	4	1	2	-	2	1	-	1	-
TEXAS -----	39	34	47	59	79	87	100	80	45	15	7	-
WHITE-----MALE----	9	10	12	11	22	34	24	15	6	3	-	-
FEMALE--	18	17	33	41	51	46	71	61	35	12	6	-
ALL OTHER--MALE----	1	3	-	1	3	4	2	1	-	-	-	-
FEMALE--	11	4	2	6	3	3	3	3	4	-	1	-
BLACK---MALE----	1	3	-	1	2	4	2	1	-	-	-	-
FEMALE--	10	4	1	5	2	3	3	3	4	-	1	-
UTAH -----	2	5	3	3	6	9	26	14	20	7	3	-
WHITE-----MALE----	1	2	-	1	1	4	5	4	6	1	1	-
FEMALE--	-	3	3	2	5	5	21	10	13	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	-	1	1	2	2	3	3	3	2	1	-	-
WHITE-----MALE----	-	1	-	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	3	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	10	10	25	23	39	34	32	18	3	1	-
WHITE-----MALE----	2	2	2	6	5	11	11	3	5	-	-	-
FEMALE--	2	5	5	11	13	23	18	23	11	3	1	-
ALL OTHER--MALE----	-	1	-	1	3	-	2	1	1	-	-	-
FEMALE--	3	2	3	7	2	5	3	5	1	-	-	-
BLACK---MALE----	-	1	-	1	3	-	2	1	1	-	-	-
FEMALE--	3	2	3	7	2	5	3	4	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,530
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	53	59	145	229	380	419	354	213	92	21	5	-
WHITE-----MALE----	13	20	39	71	96	92	66	31	10	1	-	-
FEMALE--	29	29	92	140	265	300	261	170	76	19	4	-
ALL OTHER--MALE----	1	5	3	5	3	5	8	1	-	-	1	-
FEMALE--	10	5	11	13	16	22	19	11	6	1	-	-
BLACK---MALE----	1	4	2	3	1	4	7	-	-	-	1	-
FEMALE--	6	4	5	11	11	18	17	8	6	1	-	-
ALABAMA -----	1	1	4	6	3	7	7	2	2	-	-	-
WHITE-----MALE----	1	1	-	1	2	1	1	-	1	-	-	-
FEMALE--	-	-	4	4	1	5	5	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALASKA -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	7	6	12	9	11	4	3	1	-	-
WHITE-----MALE----	-	-	2	1	3	2	3	1	-	-	-	-
FEMALE--	1	3	5	5	9	7	8	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	4	4	2	8	3	6	6	-	-	-	-
WHITE-----MALE----	-	1	2	-	2	1	1	2	-	-	-	-
FEMALE--	1	2	1	2	6	1	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
CALIFORNIA -----	5	5	9	11	38	31	26	6	7	-	-	-
WHITE-----MALE----	-	-	2	-	7	4	6	2	1	-	-	-
FEMALE--	4	2	7	8	27	23	14	4	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	3	3	3	6	-	2	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	2	2	-	4	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,531
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	-	5	5	4	3	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	3	3	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	-	2	2	4	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	2	3	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	2	10	10	27	27	14	10	5	-	1	-
WHITE-----MALE----	1	-	5	3	5	4	3	1	1	-	-	-
FEMALE--	4	2	5	6	21	21	9	9	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	1	1	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	1	1	2	2	-	-	-	-	-
GEORGIA -----	-	2	7	2	7	14	5	6	3	-	-	-
WHITE-----MALE----	-	2	4	1	3	4	1	-	1	-	-	-
FEMALE--	-	-	1	1	4	10	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,533
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	-	3	6	7	8	5	5	-	1	-	-
WHITE-----MALE----	1	-	1	1	3	3	2	1	-	-	-	-
FEMALE--	-	-	2	5	4	5	3	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	2	4	5	10	9	4	2	1	-	-	-
WHITE-----MALE----	1	1	1	1	4	2	1	-	-	-	-	-
FEMALE--	-	1	2	3	5	4	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	-	-	-	-
MAINE -----	-	-	3	7	3	3	5	5	-	-	-	-
WHITE-----MALE----	-	-	1	4	-	-	2	-	-	-	-	-
FEMALE--	-	-	2	3	3	3	3	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	1	3	9	10	8	5	1	-	1	-
WHITE-----MALE----	-	-	1	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	2	7	7	7	4	1	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
MASSACHUSETTS -----	1	-	-	3	8	13	8	6	4	1	-	-
WHITE-----MALE----	-	-	-	-	3	1	2	1	-	-	-	-
FEMALE--	1	-	-	3	5	12	6	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	3	3	11	15	20	10	7	2	1	-	-
WHITE-----MALE----	-	-	-	3	2	3	2	-	-	-	-	-
FEMALE--	1	3	3	8	11	16	6	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,536
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	2	3	10	21	25	15	8	4	1	-	-
WHITE-----MALE----	1	-	1	3	3	7	1	1	-	-	-	-
FEMALE--	-	2	2	7	18	18	13	7	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	1	1	3	6	7	6	-	4	4	1	-	-
WHITE-----MALE----	-	1	-	1	6	2	-	1	1	-	-	-
FEMALE--	1	-	1	4	1	4	-	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	2	1	2	3	6	8	4	4	3	1	-	-
WHITE-----MALE----	-	-	1	1	1	3	1	-	1	-	-	-
FEMALE--	2	1	1	2	5	5	3	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	7	14	14	18	16	12	4	-	-	-
WHITE-----MALE----	1	1	2	2	2	3	2	-	-	-	-	-
FEMALE--	1	2	4	12	11	13	13	11	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	1	-	-	-	-
RHODE ISLAND -----	-	-	1	-	1	1	1	3	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	-	2	2	3	5	8	3	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	2	-	1	1	3	3	5	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,537
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHRITIS (714)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	1	4	2	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	-	3	5	13	8	8	3	-	1	-	-
WHITE-----MALE----	-	-	-	2	3	3	1	1	-	-	-	-
FEMALE--	3	-	3	3	10	4	7	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	5	3	15	19	24	31	19	18	5	1	1	-
WHITE-----MALE----	2	1	3	5	9	8	5	5	-	-	-	-
FEMALE--	2	2	12	12	15	21	14	12	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
UTAH -----	1	2	1	1	2	2	5	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	2	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	9	9	15	7	8	4	-	-	-
WHITE-----MALE----	-	1	-	3	-	2	3	-	-	-	-	-
FEMALE--	-	-	1	5	8	10	3	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,539
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	4,022	2	-	4	9	28	70	88	114	175	185	221
WHITE-----MALE----	717	1	-	-	-	5	6	7	11	21	24	26
FEMALE--	2,416	1	-	1	3	11	19	29	46	59	78	103
ALL OTHER--MALE----	170	-	-	3	-	4	6	6	9	16	11	19
FEMALE--	719	-	-	-	6	8	39	46	48	79	72	73
BLACK---MALE----	154	-	-	3	-	2	6	6	5	15	10	19
FEMALE--	644	-	-	-	5	7	33	40	45	73	64	68
ALABAMA -----	74	-	-	-	2	1	6	1	1	7	6	4
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	30	-	-	-	1	-	1	1	-	1	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	2	-	2
FEMALE--	29	-	-	-	1	1	4	-	1	3	5	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	2	-	2
FEMALE--	28	-	-	-	1	1	3	-	1	3	5	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	69	-	-	-	-	-	-	1	2	2	6	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	47	-	-	-	-	-	-	1	2	1	5	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	50	-	-	-	-	-	-	1	2	2	1	4
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	1	-	1	1	2
CALIFORNIA -----	409	-	-	-	2	5	10	12	22	18	27	34
WHITE-----MALE----	55	-	-	-	-	1	1	1	3	-	2	1
FEMALE--	250	-	-	-	1	2	5	6	5	9	14	22
ALL OTHER--MALE----	22	-	-	-	-	1	1	-	5	1	2	1
FEMALE--	82	-	-	-	1	1	3	5	9	8	9	10
BLACK---MALE----	12	-	-	-	-	-	1	-	1	1	1	1
FEMALE--	56	-	-	-	1	-	2	3	7	5	8	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,539
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	233	223	307	370	438	470	399	318	227	105	36	-
WHITE-----MALE----	29	39	50	77	91	121	94	53	46	9	7	-
FEMALE--	137	115	188	234	277	305	274	250	167	93	26	-
ALL OTHER--MALE----	6	17	11	10	18	11	13	5	3	2	-	-
FEMALE--	61	52	58	49	52	33	18	10	11	1	3	-
BLACK---MALE----	5	17	10	10	17	11	9	4	3	2	-	-
FEMALE--	49	46	48	43	48	32	18	10	11	1	3	-
ALABAMA -----	3	2	9	4	12	4	10	2	-	-	-	-
WHITE-----MALE----	-	-	2	-	2	2	2	-	-	-	-	-
FEMALE--	1	-	3	2	6	2	7	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	4	2	3	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	4	2	3	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	4	3	12	11	6	3	4	5	2	1	-
WHITE-----MALE----	-	1	1	5	3	2	1	3	1	-	1	-
FEMALE--	3	3	2	7	8	4	2	1	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	1	6	5	8	6	7	4	1	-	-
WHITE-----MALE----	1	-	-	2	2	4	4	-	1	-	-	-
FEMALE--	1	-	1	2	2	3	2	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
CALIFORNIA -----	24	25	30	40	47	36	28	27	15	6	1	-
WHITE-----MALE----	3	2	4	9	8	7	7	4	2	-	-	-
FEMALE--	16	19	15	24	31	24	17	23	10	6	1	-
ALL OTHER--MALE----	1	1	1	-	2	-	4	-	2	-	-	-
FEMALE--	4	3	10	7	6	5	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	3	-	2	-	-	-
FEMALE--	2	1	3	5	5	4	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,540
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	69	-	-	-	-	1	-	3	2	-	3	2
WHITE-----MALE----	11	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	50	-	-	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	3	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	3	-	-	1	-
CONNECTICUT -----	32	-	-	-	-	1	-	1	-	-	-	2
WHITE-----MALE----	8	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	13	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
FLORIDA -----	263	-	-	-	1	-	6	6	6	14	11	13
WHITE-----MALE----	51	-	-	-	-	-	1	-	1	1	3	1
FEMALE--	162	-	-	-	-	-	2	3	1	6	5	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	44	-	-	-	1	-	3	3	4	6	2	5
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	41	-	-	-	1	-	2	3	4	6	2	5
GEORGIA -----	120	-	-	-	-	2	2	2	4	9	9	8
WHITE-----MALE----	16	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	55	-	-	-	-	1	-	-	-	1	3	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	2	2	1	1
FEMALE--	37	-	-	-	-	1	1	1	2	6	5	7
BLACK---MALE----	12	-	-	-	-	-	-	1	2	2	1	1
FEMALE--	37	-	-	-	-	1	1	1	2	6	5	7

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,540
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	4	8	9	8	6	6	6	1	5	-	-
WHITE-----MALE----	-	1	1	-	1	2	3	-	-	1	-	-
FEMALE--	4	2	7	9	7	4	2	6	1	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	1	1	1	3	5	4	6	3	1	3	-	-
WHITE-----MALE----	1	-	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	1	1	3	4	4	4	2	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	2	1	1	1	3	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	3	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	5	-	1	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	1	-	1	-
BLACK---MALE----	-	1	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	1	-	1	-
FLORIDA -----	18	11	19	23	31	34	26	27	13	4	-	-
WHITE-----MALE----	2	3	4	9	7	7	7	2	3	-	-	-
FEMALE--	12	4	14	13	17	24	19	24	10	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	1	1	7	3	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	1	1	6	3	-	1	-	-	-	-
GEORGIA -----	7	9	12	6	10	11	12	7	7	3	-	-
WHITE-----MALE----	2	2	3	1	1	3	3	-	-	-	-	-
FEMALE--	3	1	6	4	7	6	8	7	5	3	-	-
ALL OTHER--MALE----	-	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	2	5	2	1	1	-	1	-	2	-	-	-
BLACK---MALE----	-	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	2	5	2	1	1	-	1	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,542
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	56	-	-	-	-	-	1	-	-	3	1	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	35	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	-
LOUISIANA -----	83	-	-	-	-	3	-	4	5	3	5	6
WHITE-----MALE----	11	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	34	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	31	-	-	-	-	2	-	3	3	3	3	3
BLACK---MALE----	7	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	31	-	-	-	-	2	-	3	3	3	3	3
MAINE -----	20	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	67	-	-	-	-	1	-	1	-	5	6	6
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	30	-	-	-	-	1	-	-	-	2	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	3	3	5
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	3	3	5
MASSACHUSETTS -----	76	-	-	-	-	-	2	2	2	3	1	3
WHITE-----MALE----	12	-	-	-	-	-	1	-	1	2	-	-
FEMALE--	57	-	-	-	-	-	-	1	1	-	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	1	-	-
MICHIGAN -----	140	-	-	-	-	1	1	5	1	5	5	9
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	82	-	-	-	-	-	-	3	-	-	2	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	27	-	-	-	-	1	1	2	-	3	1	3
BLACK---MALE----	5	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	27	-	-	-	-	1	1	2	-	3	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,542
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	2	2	5	4	9	7	6	5	2	1	-
WHITE-----MALE----	2	-	-	-	-	2	-	-	1	1	1	-
FEMALE--	2	-	1	4	4	5	7	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	1	-	1	-	-	-	-
LOUISIANA -----	3	8	8	7	7	6	7	8	1	1	1	-
WHITE-----MALE----	-	1	3	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	4	4	3	4	6	6	-	1	1	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	5	1	2	2	1	-	1	1	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	5	1	2	2	1	-	1	1	-	-	-
MAINE -----	2	1	1	2	2	2	1	2	2	1	2	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	1	-	1	-
FEMALE--	2	1	1	1	1	2	-	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	8	3	8	8	8	4	1	1	-	-
WHITE-----MALE----	-	1	1	1	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	2	4	4	7	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	3	6	-	2	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	3	6	-	2	2	1	-	-	-	-	-
MASSACHUSETTS -----	3	1	3	10	8	15	7	7	4	3	2	-
WHITE-----MALE----	-	-	1	4	-	2	1	-	-	-	-	-
FEMALE--	3	1	2	5	7	12	6	7	4	3	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
MICHIGAN -----	9	9	12	16	18	11	18	10	7	2	1	-
WHITE-----MALE----	-	3	3	3	3	1	5	1	3	-	-	-
FEMALE--	6	3	6	9	11	10	12	9	4	2	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	3	3	3	3	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	3	3	3	3	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,543
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	4	2	2	5	11	10	8	12	14	6	2	-
WHITE-----MALE----	1	-	-	1	3	5	1	4	1	-	-	-
FEMALE--	2	2	2	4	8	5	7	8	13	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	2	3	3	2	4	3	1	1	1	-	-
WHITE-----MALE----	1	1	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	2	3	1	3	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MISSOURI -----	2	5	3	12	9	11	5	9	3	2	1	-
WHITE-----MALE----	1	1	-	2	1	2	1	1	-	1	-	-
FEMALE--	1	3	3	9	8	8	4	8	3	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
MONTANA -----	1	1	1	2	1	2	5	2	3	2	-	-
WHITE-----MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	1	2	1	2	3	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	-	3	1	4	3	4	4	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	3	1	3	2	2	4	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
NEVADA -----	3	1	4	1	4	2	-	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	2	1	3	1	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,545
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	203	1	-	-	-	-	2	1	3	5	10	9
WHITE-----MALE----	47	1	-	-	-	-	-	-	1	1	-	2
FEMALE--	127	-	-	-	-	-	-	-	1	2	5	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	2	1	1	2	5	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	2	1	1	2	5	1
OKLAHOMA -----	42	-	-	-	-	-	1	-	1	1	-	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	1	-	-	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	1	-	-	2
OREGON -----	51	-	-	-	-	-	-	-	2	-	-	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
PENNSYLVANIA -----	178	-	-	-	-	1	3	5	3	7	5	6
WHITE-----MALE----	37	-	-	-	-	-	1	-	1	3	1	1
FEMALE--	115	-	-	-	-	1	-	1	1	3	1	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	2	4	1	1	3	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	2	3	1	1	3	-
RHODE ISLAND -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	82	-	-	-	-	2	2	2	4	3	6	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	16	-	-	-	-	1	-	1	-	1	1	-
FEMALE--	28	-	-	-	-	1	1	1	3	1	4	2
BLACK---MALE----	16	-	-	-	-	1	-	1	-	1	1	-
FEMALE--	28	-	-	-	-	1	1	1	3	1	4	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,545
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	7	15	17	18	24	30	22	24	7	3	-
WHITE-----MALE----	1	1	5	4	2	10	7	5	5	2	-	-
FEMALE--	2	5	6	12	14	13	21	14	19	4	3	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	2	1	3	1	1	1	1	2	-	1	-	-
BLACK---MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	2	1	3	1	1	1	2	1	-	1	-	-
OKLAHOMA -----	6	2	2	-	3	4	8	5	2	2	1	-
WHITE-----MALE----	-	-	-	-	2	2	2	-	1	-	1	-
FEMALE--	5	2	1	-	1	2	4	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	6	3	-	7	6	5	6	2	7	4	-	-
WHITE-----MALE----	1	-	-	-	2	1	2	-	1	-	-	-
FEMALE--	5	3	-	7	4	4	4	2	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	7	14	13	30	29	15	12	8	6	3	-
WHITE-----MALE----	1	2	1	6	4	10	-	5	1	-	-	-
FEMALE--	7	2	11	5	24	18	14	7	7	6	3	-
ALL OTHER--MALE----	2	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	3	1	1	1	1	1	-	-	-	-	-
BLACK---MALE----	2	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	3	1	1	1	1	-	-	-	-	-	-
RHODE ISLAND -----	1	2	1	2	2	4	1	-	1	-	-	-
WHITE-----MALE----	1	1	1	-	2	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	3	7	11	11	11	7	2	5	-	2	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	2	-	-	-
FEMALE--	-	3	2	8	3	4	1	2	2	-	2	-
ALL OTHER--MALE----	-	-	4	2	1	2	3	-	-	-	-	-
FEMALE--	1	-	1	1	6	3	2	-	1	-	-	-
BLACK---MALE----	-	-	4	2	1	2	3	-	-	-	-	-
FEMALE--	1	-	1	1	6	3	2	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,546
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	12	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	98	-	-	-	1	-	7	-	2	4	3	8
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	54	-	-	-	-	-	2	-	-	2	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	18	-	-	-	1	-	5	-	2	1	-	3
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	18	-	-	-	1	-	5	-	2	1	-	3
TEXAS -----	311	-	-	1	1	4	5	6	11	15	18	14
WHITE-----MALE----	59	-	-	-	-	-	-	2	-	2	-	-
FEMALE--	192	-	-	1	1	3	2	2	9	7	9	7
ALL OTHER--MALE----	8	-	-	-	-	1	1	-	-	-	1	2
FEMALE--	52	-	-	-	-	-	2	2	2	6	8	5
BLACK---MALE----	8	-	-	-	-	1	1	-	-	-	1	2
FEMALE--	49	-	-	-	-	-	2	2	2	5	8	5
UTAH -----	34	-	-	-	-	-	-	1	-	1	3	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	21	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	97	-	-	-	-	-	5	3	4	4	2	5
WHITE-----MALE----	20	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	30	-	-	-	-	-	2	2	3	3	1	3
BLACK---MALE----	7	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	30	-	-	-	-	-	2	2	3	3	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,546
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	2	1	-	-	-	2	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	8	8	12	8	11	6	12	4	2	-	-
WHITE-----MALE----	-	3	3	2	2	2	1	3	2	1	-	-
FEMALE--	2	3	5	7	6	9	5	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	3	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	3	-	-	-	1	-	-	-	-
TEXAS -----	25	24	24	30	33	28	35	17	13	5	2	-
WHITE-----MALE----	3	6	3	5	8	13	9	5	2	1	-	-
FEMALE--	13	13	19	22	22	13	22	12	10	4	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	9	4	2	3	2	2	3	-	1	-	1	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	8	4	1	3	2	2	3	-	1	-	1	-
UTAH -----	-	1	1	2	2	4	8	4	2	3	2	-
WHITE-----MALE----	-	-	-	1	-	2	2	1	2	-	1	-
FEMALE--	-	1	1	1	2	2	6	3	-	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	4	6	11	5	17	11	6	6	2	-	-
WHITE-----MALE----	2	-	1	1	2	5	3	1	3	-	-	-
FEMALE--	2	2	3	3	2	10	6	4	2	2	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	2	1	2	6	-	2	2	1	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	2	1	2	6	-	2	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,550
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DORSOPATHIES (720-724)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	-	-	-	3	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	-	1	2	-	3	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	2	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	1	-	-	-	-	1	-	5	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,551
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DORSOPATHIES (720-724)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	1	-	-	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	2	-	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	2	3	2	2	2	1	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	2	-	-	-	-
FEMALE--	1	-	-	-	2	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,557
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
RHEUMATISM, EXCLUDING THE BACK (725-729)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	787	7	3	4	6	7	6	8	13	21	37	40
WHITE-----MALE----	297	1	2	-	4	3	4	3	5	8	15	12
FEMALE--	301	2	-	2	1	2	-	1	3	6	16	10
ALL OTHER--MALE----	103	3	1	-	1	2	1	3	1	5	5	9
FEMALE--	86	1	-	2	-	-	1	1	4	2	1	9
BLACK---MALE----	87	2	-	-	1	2	1	3	1	5	4	7
FEMALE--	81	1	-	1	-	-	1	1	4	2	1	9
ALABAMA -----	11	1	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	-	1	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	12	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	119	-	-	-	-	1	3	2	4	8	15	6
WHITE-----MALE----	52	-	-	-	-	1	3	1	3	3	6	4
FEMALE--	49	-	-	-	-	-	-	-	-	4	6	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,558
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 RHEUMATISM, EXCLUDING THE BACK (725-729)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	-	-	1	1	2	1	3	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	2	1	-	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	-	3	5	2	8	7	6	10	-	1	-	-
WHITE-----MALE----	-	1	-	-	3	4	2	6	-	1	-	-
FEMALE--	-	1	2	1	4	2	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	3	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	3	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
GEORGIA -----	-	2	3	2	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,559
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 RHEUMATISM, EXCLUDING THE BACK (725-729)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	1	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	4	3	1	9	3	1	8	1	2	1	-
WHITE-----MALE----	-	1	1	1	3	1	-	5	1	-	1	-
FEMALE--	-	-	2	-	2	1	-	3	-	2	-	-
ALL OTHER--MALE----	2	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	2	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	1	-	-	-	-	-
INDIANA -----	1	-	1	-	2	-	1	3	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
IOWA -----	-	1	-	1	-	2	1	1	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	1	-	2	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,560
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 RHEUMATISM, EXCLUDING THE BACK (725-729)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	1	-	-	-	2	4	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	2	2	-	1	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	-	2	1	2	1	5	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	1	2	-	3	2	3	3	2	2	-	-	-
WHITE-----MALE----	-	1	-	1	-	2	2	1	-	-	-	-
FEMALE--	1	1	-	2	2	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	3	-	5	2	6	5	2	2	-	-	-
WHITE-----MALE----	-	1	-	2	1	1	3	2	1	-	-	-
FEMALE--	1	2	-	1	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,564
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
RHEUMATISM, EXCLUDING THE BACK (725-729)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	-	1	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	4	1	1	1	1	1	1	2	-	1	-
WHITE-----MALE----	-	3	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	1	-
TEXAS -----	2	3	4	4	8	4	10	6	4	-	-	-
WHITE-----MALE----	1	1	2	-	2	1	2	2	2	-	-	-
FEMALE--	-	1	2	4	4	2	7	4	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
UTAH -----	-	1	-	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	1	1	2	2	2	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,566
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	39	53	74	122	188	294	440	485	380	150	42	-
WHITE-----MALE----	16	18	27	43	68	101	97	65	52	15	5	-
FEMALE--	12	23	26	62	94	164	312	389	316	130	33	-
ALL OTHER--MALE----	10	6	13	9	17	10	13	8	2	1	-	-
FEMALE--	1	6	8	8	9	19	18	23	10	4	4	-
BLACK---MALE----	8	5	12	6	16	10	12	7	1	1	-	-
FEMALE--	-	5	7	7	8	18	15	21	8	3	3	-
ALABAMA -----	-	1	3	4	4	2	8	4	5	2	1	-
WHITE-----MALE----	-	-	-	2	1	-	1	-	1	2	-	-
FEMALE--	-	-	2	2	3	2	6	4	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	5	3	3	5	4	7	1	-	-
WHITE-----MALE----	-	-	-	3	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	2	2	2	4	3	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	3	3	3	2	4	1	1	-	-
WHITE-----MALE----	-	-	-	2	1	2	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
CALIFORNIA -----	3	6	4	6	15	24	25	46	36	16	-	-
WHITE-----MALE----	3	1	2	4	7	12	3	8	8	1	-	-
FEMALE--	-	2	1	1	6	12	20	34	28	15	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	2	4	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,567
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	42	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	26	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	143	-	-	-	1	-	-	1	1	-	4	-
WHITE-----MALE----	41	-	-	-	-	-	-	1	1	-	4	-
FEMALE--	93	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	48	-	1	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,567
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	1	1	4	2	6	11	4	5	6	1	-
WHITE-----MALE----	1	1	-	2	1	1	2	-	2	-	-	-
FEMALE--	-	-	1	2	1	5	9	4	3	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	2	1	7	5	3	4	-	1	-
WHITE-----MALE----	-	1	1	1	-	3	2	1	-	-	1	-
FEMALE--	-	-	-	1	1	4	3	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	1	1	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
FLORIDA -----	3	-	8	10	14	23	31	20	14	13	-	-
WHITE-----MALE----	1	-	2	4	5	9	6	1	6	1	-	-
FEMALE--	1	-	3	4	8	14	25	18	8	11	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	1	-	-	1	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	1	-	-	1	-	1	-	-
GEORGIA -----	2	1	3	2	4	5	10	10	4	4	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	2	3	8	9	4	4	-	-
ALL OTHER--MALE----	1	1	2	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,569
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	3	-	1	3	5	4	6	3	2	-	-
WHITE-----MALE----	-	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	2	-	1	2	4	2	6	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	3	3	3	3	2	7	8	9	2	1	-
WHITE-----MALE----	1	-	1	-	-	1	1	-	1	1	-	-
FEMALE--	-	1	2	1	2	1	4	8	8	1	1	-
ALL OTHER--MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	-	1	1	1	3	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	-	3	6	8	17	11	8	3	-	-
WHITE-----MALE----	-	-	-	-	4	1	5	1	-	-	-	-
FEMALE--	-	2	-	2	1	4	11	7	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	3	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	2	1	1	-	-
MASSACHUSETTS -----	-	1	3	1	2	5	13	9	6	3	1	-
WHITE-----MALE----	-	-	-	-	1	3	3	5	1	-	-	-
FEMALE--	-	1	2	-	-	2	9	4	5	3	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	2	-	-	3	5	14	13	14	18	1	-	-
WHITE-----MALE----	-	-	-	1	1	3	1	1	4	-	-	-
FEMALE--	1	-	-	2	1	8	10	12	14	1	-	-
ALL OTHER--MALE----	1	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	-	-	-	-
BLACK---MALE----	1	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,572
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	-	3	6	9	12	18	26	18	9	3	-
WHITE-----MALE----	1	-	2	1	3	3	4	4	2	-	2	-
FEMALE--	1	-	1	4	5	7	13	22	15	8	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
OKLAHOMA -----	-	1	3	3	2	3	8	3	4	2	-	-
WHITE-----MALE----	-	-	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	2	1	2	6	2	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	2	3	10	10	11	3	-	-
WHITE-----MALE----	-	-	-	-	2	1	5	1	1	-	-	-
FEMALE--	1	-	-	-	-	2	5	9	10	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	3	4	10	14	19	19	24	16	7	5	-
WHITE-----MALE----	-	2	2	7	5	4	1	4	1	1	-	-
FEMALE--	-	1	2	2	8	11	17	18	15	6	4	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	1	-
RHODE ISLAND -----	-	-	1	2	1	-	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	3	3	3	3	7	1	-	1	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	3	2	7	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,573
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	2	1	1	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	2	2	13	10	11	9	2	-	-
WHITE-----MALE----	-	-	-	-	-	5	2	1	2	1	-	-
FEMALE--	-	-	-	2	-	6	8	9	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	1	-	-	-
TEXAS -----	5	3	1	5	12	22	29	36	22	9	4	-
WHITE-----MALE----	3	2	1	1	3	11	4	3	2	2	-	-
FEMALE--	1	1	-	2	9	9	25	31	18	7	4	-
ALL OTHER--MALE----	1	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	-	-	-
BLACK---MALE----	1	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	-	-	-
UTAH -----	1	1	1	-	2	3	12	9	16	3	1	-
WHITE-----MALE----	1	-	-	-	-	2	2	3	3	1	-	-
FEMALE--	-	1	1	-	2	1	10	6	13	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	-	-	1	3	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	4	2	3	7	4	14	13	8	-	1	-
WHITE-----MALE----	-	1	1	1	1	2	4	1	2	-	-	-
FEMALE--	-	2	1	2	3	2	8	10	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,575
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
0 UNITED STATES --	11,836	6,381	638	241	216	191	191	194	198	255	279	286
WHITE-----MALE----	5,066	2,706	243	109	93	96	90	82	95	106	121	128
FEMALE--	4,490	2,245	213	70	66	55	61	68	74	98	102	110
ALL OTHER--MALE----	1,172	746	82	37	34	24	21	26	13	26	26	27
FEMALE--	1,108	684	100	25	23	16	19	18	16	25	30	21
BLACK---MALE----	971	615	71	30	31	19	17	18	9	22	22	24
FEMALE--	934	574	81	20	19	13	15	17	14	23	27	18
ALABAMA -----	200	110	15	6	1	3	3	2	4	3	7	8
WHITE-----MALE----	85	49	3	3	1	-	2	2	1	1	2	2
FEMALE--	63	26	7	1	-	1	1	-	3	2	3	3
ALL OTHER--MALE----	27	17	3	-	-	2	-	-	-	-	1	2
FEMALE--	25	18	2	2	-	-	-	-	-	-	1	1
BLACK---MALE----	27	17	3	-	-	2	-	-	-	-	1	2
FEMALE--	25	18	2	2	-	-	-	-	-	-	1	1
ALASKA -----	28	16	-	1	-	2	-	-	-	3	1	-
WHITE-----MALE----	12	7	-	-	-	1	-	-	-	1	-	-
FEMALE--	7	3	-	-	-	1	-	-	-	2	1	-
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	242	164	11	2	4	2	2	-	-	6	1	6
WHITE-----MALE----	128	90	4	1	3	2	1	-	-	3	-	3
FEMALE--	87	53	3	1	-	-	1	-	-	3	1	2
ALL OTHER--MALE----	14	11	2	-	1	-	-	-	-	-	-	-
FEMALE--	13	10	2	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	3	2	-	-	-	-	-	-	-	-	1
ARKANSAS -----	111	64	8	3	2	3	1	2	6	3	1	1
WHITE-----MALE----	49	35	2	1	1	1	1	1	1	2	-	1
FEMALE--	40	18	3	1	-	1	-	-	3	1	1	-
ALL OTHER--MALE----	9	5	-	-	1	1	-	-	1	-	-	-
FEMALE--	13	6	3	1	-	-	-	1	1	-	-	-
BLACK---MALE----	9	5	-	-	1	1	-	-	1	-	-	-
FEMALE--	11	5	3	-	-	-	-	1	1	-	-	-
CALIFORNIA -----	1,469	837	107	35	22	24	32	27	24	34	34	30
WHITE-----MALE----	633	365	38	15	10	13	14	12	11	17	15	14
FEMALE--	577	315	44	14	8	6	11	9	10	9	12	12
ALL OTHER--MALE----	126	82	5	5	2	3	5	3	1	5	1	3
FEMALE--	133	75	20	1	2	2	2	3	2	3	6	1
BLACK---MALE----	65	41	3	2	1	1	3	1	1	4	1	2
FEMALE--	78	43	11	-	2	1	1	2	1	1	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,575
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	241	248	232	286	386	408	405	315	174	59	11	1
WHITE-----MALE----	113	99	118	122	168	189	189	119	62	16	1	1
FEMALE--	102	117	93	136	182	184	186	178	104	38	8	-
ALL OTHER--MALE----	14	15	8	12	21	19	12	4	4	1	-	-
FEMALE--	12	17	13	16	15	16	18	14	4	4	2	-
BLACK---MALE----	14	13	8	11	16	16	9	3	2	1	-	-
FEMALE--	11	14	13	13	12	13	15	13	3	4	2	-
ALABAMA -----	4	2	1	6	4	5	8	5	2	1	-	-
WHITE-----MALE----	3	-	1	3	3	2	3	2	2	-	-	-
FEMALE--	-	2	-	2	1	3	4	3	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	2	1	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	2	6	5	4	8	6	5	3	-	-	-
WHITE-----MALE----	4	1	4	2	3	2	1	2	2	-	-	-
FEMALE--	1	1	2	3	1	6	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	1	-	2	3	4	-	1	3	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	1	3	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	26	27	21	28	37	39	42	29	10	4	-	-
WHITE-----MALE----	10	11	9	8	15	18	21	11	5	1	-	-
FEMALE--	11	11	10	15	19	18	19	18	3	3	-	-
ALL OTHER--MALE----	1	2	-	2	2	2	1	-	1	-	-	-
FEMALE--	4	3	2	3	1	1	1	-	1	-	-	-
BLACK---MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	3	1	2	2	1	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,576
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XIV. CONGENITAL ANOMALIES (740-759)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	159	90	7	3	5	2	1	4	-	4	7	3
WHITE-----MALE----	73	41	5	1	3	2	-	3	-	1	2	2
FEMALE--	72	42	2	1	1	-	-	1	-	2	4	1
ALL OTHER--MALE----	9	5	-	1	-	-	1	-	-	1	-	-
FEMALE--	5	2	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	8	5	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	112	58	5	4	1	1	1	1	1	4	3	2
WHITE-----MALE----	53	27	3	3	-	-	1	1	-	2	2	-
FEMALE--	44	19	2	1	1	1	-	-	-	2	-	2
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	6	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	5	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	32	15	2	-	-	2	-	-	2	1	-	1
WHITE-----MALE----	13	6	1	-	-	1	-	-	-	-	-	1
FEMALE--	15	8	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	23	14	4	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	3	2	-	-	-	-	-	-	1	-	-
FEMALE--	9	5	2	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	2	2	-	-	-	-	-	-	1	-	-
FEMALE--	9	5	2	-	-	-	-	-	-	-	1	-
FLORIDA -----	647	299	26	14	10	6	14	14	16	10	16	20
WHITE-----MALE----	275	124	10	5	3	1	9	5	10	2	5	10
FEMALE--	235	92	8	3	5	-	2	5	5	6	7	8
ALL OTHER--MALE----	59	37	4	4	-	-	1	3	1	-	2	-
FEMALE--	78	46	4	2	2	5	2	1	-	2	2	2
BLACK---MALE----	56	35	4	4	-	-	1	3	-	-	2	-
FEMALE--	75	45	4	2	2	5	1	1	-	2	2	2
GEORGIA -----	326	198	21	5	2	6	4	3	4	4	13	5
WHITE-----MALE----	98	57	5	1	1	5	1	-	2	3	4	-
FEMALE--	108	57	7	2	1	-	-	3	-	1	3	2
ALL OTHER--MALE----	66	42	6	2	-	1	2	-	2	-	3	1
FEMALE--	54	42	3	-	-	-	1	-	-	-	3	2
BLACK---MALE----	64	40	6	2	-	1	2	-	2	-	3	1
FEMALE--	51	40	2	-	-	-	1	-	-	-	3	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,578
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XIV. CONGENITAL ANOMALIES (740-759)												
KENTUCKY -----	210	117	14	1	4	6	5	4	1	2	3	3
WHITE-----MALE----	107	59	10	-	2	3	-	2	1	1	-	3
FEMALE--	81	45	2	1	2	3	3	2	-	-	3	-
ALL OTHER--MALE----	16	11	2	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	2	-	-	1	-	-
BLACK---MALE----	15	10	2	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	2	-	-	-	1	-
LOUISIANA -----	237	137	20	7	6	4	4	6	7	4	4	3
WHITE-----MALE----	73	40	6	2	3	2	-	1	4	2	1	-
FEMALE--	66	35	2	2	1	1	1	2	2	-	2	3
ALL OTHER--MALE----	51	36	5	1	-	-	2	1	1	-	1	-
FEMALE--	47	26	7	2	2	1	1	2	-	2	-	-
BLACK---MALE----	50	36	4	1	-	-	2	1	1	-	1	-
FEMALE--	45	24	7	2	2	1	1	2	-	2	-	-
MAINE -----	48	13	4	1	-	2	-	2	1	1	1	1
WHITE-----MALE----	23	6	2	-	-	1	-	1	-	1	-	1
FEMALE--	24	6	2	1	-	1	-	1	1	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	194	94	9	5	4	2	3	4	6	4	2	3
WHITE-----MALE----	64	33	-	-	1	-	1	1	4	-	1	-
FEMALE--	70	27	2	3	1	1	-	-	-	1	1	2
ALL OTHER--MALE----	31	16	5	1	1	1	-	2	1	2	-	-
FEMALE--	29	18	2	1	1	-	1	1	1	1	-	1
BLACK---MALE----	27	14	5	1	1	-	-	2	1	2	-	-
FEMALE--	26	15	2	1	1	-	1	1	1	1	-	1
MASSACHUSETTS -----	200	76	13	5	6	6	4	5	4	5	6	10
WHITE-----MALE----	97	35	9	1	4	3	2	3	2	2	1	6
FEMALE--	82	28	2	3	1	3	2	2	2	3	5	3
ALL OTHER--MALE----	10	6	1	1	1	-	-	-	-	-	-	1
FEMALE--	11	7	1	-	-	-	-	-	-	2	-	-
BLACK---MALE----	6	4	1	-	1	-	-	-	-	-	-	-
FEMALE--	9	6	-	-	-	-	-	-	-	2	-	-
MICHIGAN -----	407	190	32	13	7	6	5	7	6	12	12	10
WHITE-----MALE----	169	70	14	6	2	3	2	4	2	4	8	3
FEMALE--	147	65	7	6	1	2	2	1	4	6	2	4
ALL OTHER--MALE----	46	28	3	1	2	-	-	2	-	1	1	3
FEMALE--	45	27	8	-	2	1	1	-	-	1	1	-
BLACK---MALE----	38	23	2	1	2	-	-	1	-	1	1	3
FEMALE--	44	27	8	-	1	1	1	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,578
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	5	3	7	10	5	10	2	4	1	-	-
WHITE-----MALE----	3	1	1	3	7	5	4	1	1	-	-	-
FEMALE--	-	3	2	4	1	-	5	1	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	4	2	5	5	4	5	4	5	1	-	-	-
WHITE-----MALE----	2	-	3	3	1	1	1	1	-	-	-	-
FEMALE--	2	1	-	2	1	1	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
MAINE -----	1	1	2	3	1	3	4	3	4	-	-	-
WHITE-----MALE----	-	-	1	2	-	2	2	2	2	-	-	-
FEMALE--	1	1	1	1	1	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	4	6	3	11	9	7	7	2	1	1	-
WHITE-----MALE----	3	-	5	1	6	4	2	1	1	-	-	-
FEMALE--	4	2	1	1	5	5	4	6	1	1	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	5	4	5	6	6	13	10	5	4	2	-	-
WHITE-----MALE----	3	2	4	4	4	4	4	3	1	2	-	-
FEMALE--	2	2	1	2	2	9	6	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	9	9	11	11	13	21	13	9	8	2	1	-
WHITE-----MALE----	6	4	5	4	8	11	8	4	1	-	-	-
FEMALE--	2	4	6	5	5	7	5	4	6	2	1	-
ALL OTHER--MALE----	-	1	-	2	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,581
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XIV. CONGENITAL ANOMALIES (740-759)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	497	244	22	4	9	7	9	9	7	13	14	16
WHITE-----MALE----	222	99	9	-	3	2	4	3	2	3	8	10
FEMALE--	185	92	6	2	3	3	4	5	4	7	4	3
ALL OTHER--MALE----	53	28	6	2	2	1	1	1	1	2	2	1
FEMALE--	37	25	1	-	1	1	-	-	-	1	-	2
BLACK---MALE----	51	26	6	2	2	1	1	1	1	2	2	1
FEMALE--	36	24	1	-	1	1	-	-	-	1	-	2
OKLAHOMA -----	175	102	4	6	3	4	1	1	3	2	2	6
WHITE-----MALE----	72	42	1	1	1	1	1	1	1	-	1	3
FEMALE--	68	39	2	2	1	1	-	-	-	2	-	2
ALL OTHER--MALE----	21	14	-	1	1	1	-	-	-	-	1	-
FEMALE--	14	7	1	2	-	1	-	-	2	-	-	1
BLACK---MALE----	11	8	-	1	1	-	-	-	-	-	-	-
FEMALE--	8	4	-	1	-	1	-	-	1	-	-	1
OREGON -----	133	52	9	1	2	1	5	5	8	3	4	1
WHITE-----MALE----	58	24	4	1	1	1	3	2	4	1	1	-
FEMALE--	66	25	4	-	-	-	2	2	3	2	1	1
ALL OTHER--MALE----	7	1	1	-	1	-	-	1	1	-	2	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	1	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	486	263	13	8	11	7	11	4	6	9	15	8
WHITE-----MALE----	232	123	5	6	7	4	6	2	4	6	5	2
FEMALE--	188	93	3	1	3	3	4	1	2	2	6	6
ALL OTHER--MALE----	32	25	-	1	1	-	1	1	-	-	2	-
FEMALE--	34	22	5	-	-	-	-	-	-	1	2	-
BLACK---MALE----	28	22	-	1	1	-	1	-	-	-	2	-
FEMALE--	30	20	4	-	-	-	-	-	-	1	2	-
RHODE ISLAND -----	31	12	-	-	-	-	-	-	3	-	1	-
WHITE-----MALE----	12	3	-	-	-	-	-	-	3	-	1	-
FEMALE--	16	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	149	85	5	5	5	2	1	-	3	5	5	6
WHITE-----MALE----	41	20	1	3	2	-	1	-	3	2	1	1
FEMALE--	48	27	-	1	-	1	-	-	-	2	2	2
ALL OTHER--MALE----	31	18	2	1	2	1	-	-	-	-	2	2
FEMALE--	29	20	2	-	1	-	-	-	-	1	-	1
BLACK---MALE----	31	18	2	1	2	1	-	-	-	-	2	2
FEMALE--	29	20	2	-	1	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,581
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	16	9	8	16	23	20	22	15	9	3	2	-
WHITE-----MALE----	11	4	5	10	13	9	16	8	1	1	1	-
FEMALE--	5	5	2	3	9	6	5	7	2	2	1	-
ALL OTHER--MALE----	-	-	1	-	1	3	-	-	1	-	-	-
FEMALE--	-	-	-	3	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	3	-	-	1	-	-	-
FEMALE--	-	-	-	3	-	2	1	-	-	-	-	-
OKLAHOMA -----	3	3	3	5	4	11	3	6	-	2	1	-
WHITE-----MALE----	1	1	2	1	3	8	2	1	-	-	-	-
FEMALE--	2	2	1	4	1	1	1	4	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	4	3	5	3	6	7	7	5	1	1	-
WHITE-----MALE----	-	1	2	2	-	4	2	2	2	1	-	-
FEMALE--	-	3	1	3	3	2	5	5	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	14	6	13	18	21	25	21	4	2	-	-
WHITE-----MALE----	2	8	4	7	5	13	16	4	2	1	-	-
FEMALE--	4	6	2	5	12	8	8	16	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
RHODE ISLAND -----	2	-	-	2	2	1	3	3	2	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	3	4	-	5	4	3	2	1	-	-	-
WHITE-----MALE----	3	1	-	-	-	1	1	-	1	-	-	-
FEMALE--	2	1	3	-	4	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,582
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XIV. CONGENITAL ANOMALIES (740-759)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	32	19	1	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	18	12	1	-	-	1	1	-	-	-	-	-
FEMALE--	9	3	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	243	135	14	3	8	1	3	4	5	6	7	3
WHITE-----MALE----	100	55	5	1	3	1	-	3	3	1	4	1
FEMALE--	83	42	4	1	1	-	2	1	1	2	3	2
ALL OTHER--MALE----	27	21	2	-	1	-	-	-	-	-	-	-
FEMALE--	33	17	3	1	3	-	1	-	1	3	-	-
BLACK---MALE----	26	20	2	-	1	-	-	-	-	-	-	-
FEMALE--	32	17	3	1	3	-	1	-	1	3	-	-
TEXAS -----	951	541	56	21	26	19	10	11	15	17	12	22
WHITE-----MALE----	416	236	25	15	15	10	4	3	8	6	4	10
FEMALE--	388	219	19	3	6	5	4	6	6	8	6	6
ALL OTHER--MALE----	78	49	5	1	4	3	1	-	1	-	-	4
FEMALE--	69	37	7	2	1	1	2	2	1	3	2	2
BLACK---MALE----	71	42	5	1	4	3	1	-	1	-	-	4
FEMALE--	63	33	7	2	1	-	-	2	-	3	2	2
UTAH -----	132	86	5	2	-	2	4	1	-	3	4	3
WHITE-----MALE----	70	46	4	1	-	2	2	1	-	1	2	1
FEMALE--	60	38	1	1	-	-	2	-	-	2	2	2
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	24	12	-	2	-	-	-	-	-	-	2	1
WHITE-----MALE----	11	4	-	1	-	-	-	-	-	-	1	1
FEMALE--	12	7	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	290	153	18	4	1	3	2	4	4	6	5	13
WHITE-----MALE----	115	61	6	2	-	1	1	2	1	3	3	5
FEMALE--	102	53	4	1	-	2	-	1	1	-	1	5
ALL OTHER--MALE----	38	21	5	1	1	-	1	-	1	3	-	3
FEMALE--	35	18	3	-	-	-	-	1	1	-	1	-
BLACK---MALE----	35	21	4	1	1	-	1	-	-	2	-	3
FEMALE--	33	16	3	-	-	-	-	1	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,582
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 XIV. CONGENITAL ANOMALIES (740-759)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	1	-	-	3	3	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	9	8	5	5	4	7	4	3	2	-	-
WHITE-----MALE----	3	4	3	2	2	1	5	2	1	-	-	-
FEMALE--	2	4	4	3	3	2	2	1	1	2	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
TEXAS -----	18	17	15	27	24	26	28	32	8	5	1	-
WHITE-----MALE----	8	6	6	8	5	13	15	15	3	1	-	-
FEMALE--	9	10	8	15	17	11	11	12	4	2	1	-
ALL OTHER--MALE----	1	-	1	3	2	-	1	1	-	1	-	-
FEMALE--	-	1	-	1	-	2	1	4	1	1	-	-
BLACK---MALE----	1	-	1	3	2	-	1	1	-	1	-	-
FEMALE--	-	1	-	1	-	2	1	4	1	1	-	-
UTAH -----	4	2	1	2	5	-	4	2	2	-	-	-
WHITE-----MALE----	4	-	-	1	2	-	2	-	1	-	-	-
FEMALE--	-	2	1	1	3	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	10	7	8	8	12	9	7	6	3	1	-
WHITE-----MALE----	2	4	6	2	1	5	6	2	1	1	-	-
FEMALE--	2	3	-	6	6	7	2	3	5	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	-	1	2	-	2	1	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	-	1	2	-	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,583
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 XIV. CONGENITAL ANOMALIES (740-759)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
WASHINGTON -----	269	139	12	3	8	2	3	5	4	2	3	12
WHITE-----MALE----	135	75	3	2	3	2	2	2	1	1	1	7
FEMALE--	110	48	6	1	3	-	1	2	2	1	2	5
ALL OTHER--MALE----	13	9	1	-	2	-	-	1	-	-	-	-
FEMALE--	11	7	2	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	3	1	-	1	-	-	-	-	-	-	-
FEMALE--	8	5	1	-	-	-	-	-	1	-	-	-
WEST VIRGINIA -----	86	39	3	2	3	5	1	2	2	-	2	2
WHITE-----MALE----	53	26	3	2	2	2	-	2	-	-	2	1
FEMALE--	30	11	-	-	1	3	1	-	2	-	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN -----	211	112	9	4	1	3	6	2	3	7	5	7
WHITE-----MALE----	99	50	4	3	1	2	2	1	1	2	4	4
FEMALE--	79	38	3	1	-	-	2	1	2	4	1	3
ALL OTHER--MALE----	18	12	1	-	-	1	1	-	-	1	-	-
FEMALE--	15	12	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	14	9	1	-	-	1	1	-	-	1	-	-
FEMALE--	11	9	-	-	-	-	1	-	-	-	-	-
WYOMING -----	14	8	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	8	5	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,593
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	2,081	796	124	66	38	21	19	20	9	14	16	21
WHITE-----MALE----	944	310	46	34	15	9	9	6	3	6	6	10
FEMALE--	820	315	46	17	12	4	3	8	6	4	1	7
ALL OTHER--MALE----	162	74	17	9	9	2	4	6	-	1	5	2
FEMALE--	155	97	15	6	2	6	3	-	-	3	4	2
BLACK---MALE----	133	55	16	6	8	2	4	5	-	-	5	2
FEMALE--	123	75	10	6	2	6	2	-	-	3	4	2
ALABAMA -----	36	15	1	2	-	-	-	-	-	-	2	2
WHITE-----MALE----	12	4	-	1	-	-	-	-	-	-	1	-
FEMALE--	14	3	1	1	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	-	-	-	-	-	1	-
ALASKA -----	5	3	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	47	24	3	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	22	11	1	-	-	-	-	-	-	-	-	1
FEMALE--	20	10	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	17	9	2	2	-	-	-	-	1	-	-	-
WHITE-----MALE----	4	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	10	5	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	247	116	25	6	3	1	3	2	3	3	-	2
WHITE-----MALE----	106	49	7	2	3	-	1	2	-	1	-	1
FEMALE--	105	46	14	2	-	-	-	-	3	1	-	-
ALL OTHER--MALE----	21	10	2	2	-	-	2	-	-	-	-	1
FEMALE--	15	11	2	-	-	1	-	-	-	1	-	-
BLACK---MALE----	12	4	2	1	-	-	2	-	-	-	-	1
FEMALE--	9	6	1	-	-	1	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,596
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	41	13	3	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	23	7	3	-	-	-	-	-	-	-	-	-
FEMALE--	15	6	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	31	17	1	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	9	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	4	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	4	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	5	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	4	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	5	1	-	-	1	-	-	-	-	-	-
MAINE -----	15	2	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	33	14	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	15	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	4	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	48	11	6	1	-	1	1	2	1	-	-	-
WHITE-----MALE----	26	5	4	1	-	1	1	1	1	-	-	-
FEMALE--	21	5	2	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	81	15	5	5	4	1	1	1	1	-	-	-
WHITE-----MALE----	38	4	2	3	1	-	-	1	-	-	-	-
FEMALE--	32	8	2	2	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	5	1	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	6	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	5	1	1	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,596
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	1	1	1	5	4	4	1	4	1	-	-
WHITE-----MALE----	1	-	1	1	3	4	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	-	1	3	3	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	1	1	3	1	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	2	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	-	4	1	5	4	-	-	-	-
WHITE-----MALE----	-	-	1	-	3	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	-	3	8	6	2	4	-	-	-
WHITE-----MALE----	1	-	1	-	2	2	3	2	1	-	-	-
FEMALE--	-	-	-	-	1	6	3	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	2	8	5	11	10	7	3	-	1	-
WHITE-----MALE----	1	-	1	4	3	6	7	4	1	-	-	-
FEMALE--	-	-	1	2	2	5	3	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,599
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	107	38	3	-	2	2	1	1	1	1	1	5
WHITE-----MALE----	57	16	1	-	-	-	-	-	-	1	1	3
FEMALE--	35	18	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	1	1	-	1	1	1	1	-	-	-	-
FEMALE--	6	3	-	-	-	1	-	-	-	-	-	2
BLACK---MALE----	9	1	1	-	1	1	1	1	-	-	-	-
FEMALE--	5	2	-	-	-	1	-	-	-	-	-	2
OKLAHOMA -----	29	8	3	2	-	1	-	-	-	-	-	-
WHITE-----MALE----	16	4	1	1	-	1	-	-	-	-	-	-
FEMALE--	9	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	30	7	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	15	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	15	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	101	40	1	4	1	1	-	-	-	-	-	1
WHITE-----MALE----	53	21	-	3	1	1	-	-	-	-	-	-
FEMALE--	41	12	1	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	7	3	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	33	16	1	-	3	-	-	-	-	1	1	-
WHITE-----MALE----	8	3	1	-	1	-	-	-	-	-	-	-
FEMALE--	9	6	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	4	-	-	1	-	-	-	-	-	1	-
FEMALE--	8	3	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	8	4	-	-	1	-	-	-	-	-	1	-
FEMALE--	8	3	-	-	1	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,599
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	1	2	6	10	9	9	7	7	-	1	-
WHITE-----MALE----	-	1	2	4	7	5	8	7	1	-	-	-
FEMALE--	-	-	-	2	3	2	1	-	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	1	3	4	2	2	-	1	1	-
WHITE-----MALE----	-	-	-	-	3	3	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	4	-	4	4	3	4	1	-	-
WHITE-----MALE----	-	-	1	2	-	3	2	1	2	1	-	-
FEMALE--	-	-	-	2	-	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	-	5	6	10	13	13	3	2	-	-
WHITE-----MALE----	-	-	-	4	3	6	9	2	2	1	-	-
FEMALE--	-	1	-	1	3	4	4	11	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	-	2	4	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,600
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	-	-	1	-	3	-	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	1	2	4	4	9	14	11	3	-	1	-
WHITE-----MALE----	-	1	1	2	1	6	9	8	2	-	-	-
FEMALE--	1	-	1	1	3	3	4	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	-	-	-	-	-	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	1	4	1	3	6	4	4	2	-	-
WHITE-----MALE----	1	1	1	1	-	2	4	2	1	1	-	-
FEMALE--	1	-	-	3	1	1	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,602
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
CONGENITAL ANOMALIES OF HEART (745-746)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	3,782	1,921	262	77	87	87	106	99	107	131	126	126
WHITE-----MALE----	1,644	866	95	31	39	51	51	47	59	62	59	62
FEMALE--	1,408	639	80	23	21	21	32	31	37	53	47	50
ALL OTHER--MALE----	361	205	34	13	17	11	13	11	6	12	9	7
FEMALE--	369	211	53	10	10	4	10	10	5	4	11	7
BLACK---MALE----	297	165	29	12	16	10	11	6	6	12	7	5
FEMALE--	320	183	43	8	9	4	8	10	5	4	10	7
ALABAMA -----	63	37	4	2	-	1	1	1	2	1	2	2
WHITE-----MALE----	26	17	1	1	-	-	-	1	1	-	-	1
FEMALE--	22	10	1	-	-	1	1	-	1	1	1	-
ALL OTHER--MALE----	9	5	2	-	-	-	-	-	-	-	1	1
FEMALE--	6	5	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	9	5	2	-	-	-	-	-	-	-	1	1
FEMALE--	6	5	-	1	-	-	-	-	-	-	-	-
ALASKA -----	10	5	-	1	-	1	-	-	-	1	1	-
WHITE-----MALE----	4	3	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	76	55	6	-	2	1	-	-	-	3	-	3
WHITE-----MALE----	40	31	2	-	2	1	-	-	-	1	-	-
FEMALE--	29	19	3	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
ARKANSAS -----	41	21	3	1	1	3	1	-	5	1	1	1
WHITE-----MALE----	16	12	-	-	-	1	1	-	-	1	-	1
FEMALE--	13	5	1	-	-	1	-	-	3	-	1	-
ALL OTHER--MALE----	6	2	-	-	1	1	-	-	1	-	-	-
FEMALE--	6	2	2	1	-	-	-	-	1	-	-	-
BLACK---MALE----	6	2	-	-	1	1	-	-	1	-	-	-
FEMALE--	4	1	2	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	438	234	34	10	6	7	20	14	11	14	15	13
WHITE-----MALE----	189	98	14	4	3	5	11	5	8	10	7	8
FEMALE--	172	87	10	5	1	2	7	6	3	3	7	4
ALL OTHER--MALE----	40	29	-	1	1	-	1	2	-	1	-	1
FEMALE--	37	20	10	-	1	-	1	1	-	-	1	-
BLACK---MALE----	20	16	-	1	-	-	1	-	-	1	-	-
FEMALE--	21	12	5	-	1	-	-	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,603
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 CONGENITAL ANOMALIES OF HEART (745-746)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	44	25	2	1	1	1	1	3	-	2	3	-
WHITE-----MALE----	25	15	2	1	1	1	-	2	-	-	1	-
FEMALE--	15	7	-	-	-	-	-	1	-	2	2	-
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	45	26	2	1	-	1	1	-	-	3	1	1
WHITE-----MALE----	19	13	-	1	-	-	1	-	-	2	-	-
FEMALE--	20	8	2	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	11	4	1	-	-	1	-	-	-	1	-	1
WHITE-----MALE----	5	2	-	-	-	1	-	-	-	-	-	1
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	2	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	190	86	11	4	4	3	9	7	8	5	9	8
WHITE-----MALE----	81	40	2	1	1	1	7	4	5	2	2	3
FEMALE--	62	22	5	-	2	-	1	1	3	2	4	4
ALL OTHER--MALE----	16	8	1	3	-	-	1	1	-	-	1	-
FEMALE--	31	16	3	-	1	2	-	1	-	1	2	1
BLACK---MALE----	15	7	1	3	-	-	1	1	-	-	1	-
FEMALE--	31	16	3	-	1	2	-	1	-	1	2	1
GEORGIA -----	104	65	4	3	1	2	3	1	3	4	4	3
WHITE-----MALE----	38	25	1	1	1	2	-	-	1	3	-	-
FEMALE--	33	19	1	1	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	16	9	-	1	-	-	2	-	2	-	2	-
FEMALE--	17	12	2	-	-	-	1	-	-	-	1	1
BLACK---MALE----	16	9	-	1	-	-	2	-	2	-	2	-
FEMALE--	17	12	2	-	-	-	1	-	-	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,605
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 CONGENITAL ANOMALIES OF HEART (745-746)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	87	47	8	1	3	2	3	3	1	1	2	2
WHITE-----MALE----	41	22	5	-	2	1	-	2	1	1	-	2
FEMALE--	37	20	1	1	1	1	1	1	-	-	2	-
ALL OTHER--MALE----	5	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	5	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	2	-	-	-	-	-
LOUISIANA -----	80	37	13	4	-	3	1	5	5	3	1	1
WHITE-----MALE----	27	14	3	1	-	2	-	1	2	2	1	-
FEMALE--	24	9	2	1	-	1	1	2	2	-	-	1
ALL OTHER--MALE----	15	8	4	1	-	-	-	1	1	-	-	-
FEMALE--	14	6	4	1	-	-	-	1	-	1	-	-
BLACK---MALE----	15	8	4	1	-	-	-	1	1	-	-	-
FEMALE--	14	6	4	1	-	-	-	1	-	1	-	-