

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,918

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CONNECTICUT -----	-	5	4	8	12	19	24	31	30	7	4	-
WHITE-----MALE----	-	4	4	5	7	15	8	11	11	2	3	-
FEMALE--	-	1	-	2	5	4	16	20	19	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	1	-	1	4	5	6	4	2	1	-
WHITE-----MALE----	1	1	-	-	1	1	1	1	1	2	-	-
FEMALE--	-	-	1	-	-	3	4	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	3	4	4	3	-	2	4	1	-	1
WHITE-----MALE----	-	-	-	2	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	2	-	-	1
ALL OTHER--MALE----	-	1	2	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	1	1	1	-	-
BLACK---MALE----	-	1	2	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	1	1	1	-	-
FLORIDA -----	17	6	12	18	53	74	126	130	78	29	3	-
WHITE-----MALE----	12	2	6	7	28	40	57	54	19	10	1	-
FEMALE--	4	2	3	11	21	30	68	76	57	19	2	-
ALL OTHER--MALE----	1	2	2	-	2	3	-	-	2	-	-	-
FEMALE--	-	-	1	-	2	1	1	-	-	-	-	-
BLACK---MALE----	1	1	2	-	2	3	-	-	2	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
GEORGIA -----	5	9	11	20	19	25	56	54	44	16	-	-
WHITE-----MALE----	2	8	4	6	9	9	17	16	13	1	-	-
FEMALE--	1	1	2	7	8	14	35	36	28	15	-	-
ALL OTHER--MALE----	1	-	4	5	-	-	1	-	1	-	-	-
FEMALE--	1	-	1	2	2	2	3	2	2	-	-	-
BLACK---MALE----	1	-	4	5	-	-	1	-	1	-	-	-
FEMALE--	1	-	1	2	2	1	3	2	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,919
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	1	-	1	3	10	8	8	10	7	1	-
WHITE-----MALE----	-	1	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	1	1	-
ALL OTHER--MALE----	1	-	-	1	2	4	4	3	4	-	-	-
FEMALE--	-	-	-	-	1	3	2	3	5	5	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	4	3	3	5	10	11	11	6	1	-
WHITE-----MALE----	1	1	2	1	2	2	2	6	3	2	-	-
FEMALE--	-	-	2	2	1	3	8	5	8	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	7	15	13	29	54	73	80	61	22	5	-
WHITE-----MALE----	2	4	11	9	14	28	25	30	15	4	-	-
FEMALE--	4	2	2	3	12	22	44	44	46	16	5	-
ALL OTHER--MALE----	3	1	2	1	1	2	-	4	-	-	-	-
FEMALE--	2	-	-	-	2	2	4	2	-	2	-	-
BLACK---MALE----	2	1	2	1	1	1	-	4	-	-	-	-
FEMALE--	2	-	-	-	1	2	4	2	-	2	-	-
INDIANA -----	4	1	7	12	18	22	47	53	51	26	6	-
WHITE-----MALE----	3	1	5	7	7	11	19	17	16	5	-	-
FEMALE--	1	-	2	5	11	10	26	35	35	21	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	1	-
IOWA -----	1	3	3	5	13	20	33	47	39	16	8	-
WHITE-----MALE----	1	3	2	3	5	11	15	13	19	1	3	-
FEMALE--	-	-	1	2	7	9	18	33	20	15	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	1	5	3	13	28	42	31	13	6	-
WHITE-----MALE----	-	-	-	3	-	8	9	13	9	6	2	-
FEMALE--	-	-	1	1	3	5	18	29	22	7	4	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,920
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	170	-	-	1	-	1	-	-	2	1	3	2
WHITE-----MALE----	63	-	-	1	-	1	-	-	2	-	2	-
FEMALE--	99	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	169	-	1	-	-	2	-	1	1	2	6	7
WHITE-----MALE----	61	-	-	-	-	1	-	1	-	2	2	2
FEMALE--	82	-	1	-	-	1	-	-	1	-	-	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	48	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	21	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	159	-	-	-	-	-	-	1	3	5	5	4
WHITE-----MALE----	54	-	-	-	-	-	-	1	-	4	3	1
FEMALE--	82	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	-
MASSACHUSETTS -----	269	-	1	-	1	1	1	-	2	1	-	6
WHITE-----MALE----	91	-	1	-	1	1	1	-	1	1	-	3
FEMALE--	170	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	366	1	1	1	-	2	2	-	3	5	4	8
WHITE-----MALE----	155	-	1	-	-	1	1	-	3	4	2	4
FEMALE--	177	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	21	1	-	1	-	-	-	-	-	-	1	4
FEMALE--	13	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	18	1	-	1	-	-	-	-	-	-	-	4
FEMALE--	13	-	-	-	-	1	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,920
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	3	4	9	10	17	25	37	32	18	1	-
WHITE-----MALE----	1	-	3	4	5	7	9	11	9	7	1	-
FEMALE--	1	2	1	5	5	10	16	25	22	10	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
LOUISIANA -----	1	1	7	12	12	23	31	35	11	10	6	-
WHITE-----MALE----	-	-	5	7	6	10	8	11	3	3	-	-
FEMALE--	-	1	1	1	4	8	22	22	7	6	5	-
ALL OTHER--MALE----	1	-	1	3	2	4	-	1	-	-	1	-
FEMALE--	-	-	-	1	-	1	1	1	1	1	-	-
BLACK---MALE----	1	-	1	3	2	4	-	1	-	-	1	-
FEMALE--	-	-	-	1	-	1	1	-	1	1	-	-
MAINE -----	1	-	1	1	1	5	11	13	9	3	-	-
WHITE-----MALE----	1	-	1	-	1	1	7	6	1	-	-	-
FEMALE--	-	-	-	1	-	4	4	7	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	5	4	7	15	20	23	30	21	11	4	-
WHITE-----MALE----	-	2	2	3	7	4	10	8	5	4	-	-
FEMALE--	-	1	1	2	4	14	11	21	15	6	2	-
ALL OTHER--MALE----	1	2	1	2	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	1	2	-
BLACK---MALE----	1	2	1	2	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	1	2	-
MASSACHUSETTS -----	1	2	2	11	11	25	47	54	65	32	6	-
WHITE-----MALE----	1	2	1	7	5	16	19	15	12	3	1	-
FEMALE--	-	-	-	3	6	8	27	38	52	28	5	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
MICHIGAN -----	9	10	11	15	29	47	67	66	54	24	7	-
WHITE-----MALE----	5	4	6	10	11	25	24	28	17	7	2	-
FEMALE--	2	3	1	5	16	21	39	32	35	17	4	-
ALL OTHER--MALE----	2	2	2	-	2	1	2	1	2	-	-	-
FEMALE--	-	1	2	-	-	-	2	5	-	-	1	-
BLACK---MALE----	2	2	1	-	2	1	1	1	2	-	-	-
FEMALE--	-	1	2	-	-	-	2	5	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,923
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	522	1	-	-	-	1	-	-	4	3	4	7
WHITE-----MALE----	181	-	-	-	-	1	-	-	2	1	4	3
FEMALE--	318	1	-	-	-	-	-	-	1	1	-	4
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	171	-	-	-	-	-	1	1	3	3	2	10
WHITE-----MALE----	84	-	-	-	-	-	1	1	3	3	1	8
FEMALE--	79	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	189	-	-	-	1	-	-	-	1	-	1	2
WHITE-----MALE----	75	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	113	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	531	1	1	1	1	2	1	-	3	3	5	8
WHITE-----MALE----	202	1	-	1	1	2	-	-	1	2	1	3
FEMALE--	307	-	1	-	-	-	-	-	2	1	2	1
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	10	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	3
RHODE ISLAND -----	44	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	144	1	-	-	-	-	1	1	-	5	8	3
WHITE-----MALE----	47	-	-	-	-	-	-	-	-	3	5	1
FEMALE--	72	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	13	1	-	-	-	-	1	-	-	-	2	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,923
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	8	6	10	17	33	55	108	126	88	38	13	-
WHITE-----MALE----	4	5	7	9	15	19	40	39	19	12	1	-
FEMALE--	4	1	3	8	17	32	63	82	63	26	12	-
ALL OTHER--MALE----	-	-	-	-	1	1	3	3	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	2	6	-	-	-
BLACK---MALE----	-	-	-	-	1	1	3	3	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	2	6	-	-	-
OKLAHOMA -----	3	4	5	6	7	24	31	33	24	12	2	-
WHITE-----MALE----	2	1	4	4	5	13	14	13	8	2	1	-
FEMALE--	-	2	1	1	2	10	16	20	15	9	1	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	1	4	6	3	7	16	33	45	43	19	7	-
WHITE-----MALE----	-	4	3	1	4	7	13	18	17	5	-	-
FEMALE--	1	-	3	2	3	9	20	26	26	14	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	10	13	15	48	52	94	120	98	44	5	-
WHITE-----MALE----	3	6	7	6	28	21	35	40	29	15	-	-
FEMALE--	2	1	5	8	18	30	57	79	67	28	5	-
ALL OTHER--MALE----	-	2	1	1	1	-	1	-	-	1	-	-
FEMALE--	1	1	-	-	1	1	1	1	2	-	-	-
BLACK---MALE----	-	1	1	1	1	-	1	-	-	1	-	-
FEMALE--	1	1	-	-	1	1	1	1	2	-	-	-
RHODE ISLAND -----	-	-	1	2	6	8	7	5	9	4	1	-
WHITE-----MALE----	-	-	-	1	3	3	5	3	4	-	1	-
FEMALE--	-	-	-	1	3	5	2	2	5	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	3	6	13	22	27	24	18	10	-	-
WHITE-----MALE----	-	1	1	-	4	8	10	7	7	-	-	-
FEMALE--	-	-	2	1	6	12	14	14	9	10	-	-
ALL OTHER--MALE----	1	-	-	2	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	3	1	1	2	2	2	-	-	-
BLACK---MALE----	1	-	-	2	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	3	1	1	2	2	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,924
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	3	6	4	5	6	9	11	4	-	-
WHITE-----MALE----	-	-	1	5	2	4	4	2	2	3	-	-
FEMALE--	-	-	1	-	2	1	2	7	8	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	5	10	8	20	30	45	62	43	17	3	-
WHITE-----MALE----	2	4	7	6	9	17	18	22	15	6	-	-
FEMALE--	-	1	2	2	10	10	26	38	26	10	2	-
ALL OTHER--MALE----	-	-	1	-	-	3	-	2	1	-	1	-
FEMALE--	-	-	-	-	1	-	1	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	3	-	2	1	-	1	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
TEXAS -----	18	15	15	18	52	83	118	133	112	41	13	-
WHITE-----MALE----	7	7	8	10	22	40	46	56	33	9	1	-
FEMALE--	9	3	7	6	29	41	69	74	75	28	11	-
ALL OTHER--MALE----	2	4	-	1	1	1	-	1	2	1	-	-
FEMALE--	-	1	-	1	-	1	3	2	2	3	1	-
BLACK---MALE----	2	3	-	1	1	1	-	1	2	1	-	-
FEMALE--	-	1	-	1	-	1	3	2	2	3	1	-
UTAH -----	1	-	1	1	2	9	16	14	16	3	-	-
WHITE-----MALE----	1	-	1	1	1	4	10	4	4	-	-	-
FEMALE--	-	-	-	-	1	5	6	10	12	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	2	10	6	9	4	2	-
WHITE-----MALE----	-	-	-	1	-	-	3	2	4	-	-	-
FEMALE--	-	-	-	-	-	2	7	4	5	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	3	7	11	26	38	37	50	53	21	9	-
WHITE-----MALE----	2	2	4	6	14	11	13	18	17	3	2	-
FEMALE--	1	-	1	4	8	19	23	29	32	17	6	-
ALL OTHER--MALE----	-	1	2	-	-	6	-	1	1	-	-	-
FEMALE--	1	-	-	1	4	2	1	2	3	1	1	-
BLACK---MALE----	-	1	2	-	-	5	-	1	1	-	-	-
FEMALE--	1	-	-	1	4	2	1	2	3	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,926
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
0 UNITED STATES --	3,741	56	408	196	101	79	136	122	178	212	241	193
WHITE-----MALE----	1,568	16	141	68	27	32	73	54	94	107	130	95
FEMALE--	1,034	16	84	46	33	25	34	36	34	52	47	54
ALL OTHER--MALE----	662	12	100	45	17	11	17	20	34	32	42	36
FEMALE--	477	12	83	37	24	11	12	12	16	21	22	8
BLACK---MALE----	616	9	89	40	15	11	16	19	33	25	41	36
FEMALE--	435	12	75	35	19	10	10	10	15	18	21	7
ALABAMA -----	103	-	4	1	2	3	5	6	7	5	5	11
WHITE-----MALE----	32	-	1	-	-	-	2	2	2	3	2	4
FEMALE--	21	-	2	-	-	-	2	2	-	1	1	2
ALL OTHER--MALE----	32	-	-	1	-	3	1	1	4	1	1	3
FEMALE--	18	-	1	-	2	-	-	1	1	-	1	2
BLACK---MALE----	32	-	-	1	-	3	1	1	4	1	1	3
FEMALE--	18	-	1	-	2	-	-	1	1	-	1	2
ALASKA -----	19	1	-	1	-	-	1	-	2	3	3	3
WHITE-----MALE----	11	1	-	-	-	-	-	-	2	2	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	39	1	5	1	1	1	-	-	1	2	3	-
WHITE-----MALE----	16	-	1	-	-	1	-	-	-	-	2	-
FEMALE--	11	1	1	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	2	1	1	-	-	-	1	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	68	2	7	4	5	4	4	-	4	4	2	2
WHITE-----MALE----	29	1	2	2	2	3	4	-	1	1	2	-
FEMALE--	14	-	1	1	2	1	-	-	2	-	-	1
ALL OTHER--MALE----	17	1	3	1	1	-	-	-	-	3	-	1
FEMALE--	8	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	17	1	3	1	1	-	-	-	-	3	-	1
FEMALE--	8	-	1	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	209	2	15	6	4	3	8	8	12	7	13	8
WHITE-----MALE----	94	-	4	3	1	1	5	2	8	4	9	6
FEMALE--	65	2	2	-	-	1	1	4	3	1	2	2
ALL OTHER--MALE----	24	-	4	-	-	-	-	2	1	1	2	-
FEMALE--	26	-	5	3	3	1	2	-	-	1	-	-
BLACK---MALE----	18	-	3	-	-	-	-	1	1	1	2	-
FEMALE--	17	-	4	2	2	-	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,926
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	173	173	183	197	254	266	244	191	106	22	3	7
WHITE-----MALE----	85	83	82	79	93	105	100	54	38	7	-	5
FEMALE--	33	39	42	51	89	93	94	90	35	7	-	-
ALL OTHER--MALE----	39	36	43	40	41	28	25	18	21	3	1	1
FEMALE--	16	15	16	27	31	40	25	29	12	5	2	1
BLACK---MALE----	36	36	42	39	39	28	22	14	21	3	1	1
FEMALE--	15	15	15	22	29	39	22	29	9	5	2	1
ALABAMA -----	8	2	8	9	2	8	8	6	2	1	-	-
WHITE-----MALE----	1	-	4	2	-	2	2	3	2	-	-	-
FEMALE--	1	1	1	-	-	5	1	1	-	1	-	-
ALL OTHER--MALE----	4	1	3	5	2	-	1	1	-	-	-	-
FEMALE--	2	-	-	2	-	1	4	1	-	-	-	-
BLACK---MALE----	4	1	3	5	2	-	1	1	-	-	-	-
FEMALE--	2	-	-	2	-	1	4	1	-	-	-	-
ALASKA -----	-	3	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	5	4	2	1	5	2	2	-	-	-
WHITE-----MALE----	1	1	4	3	-	1	2	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	3	6	1	6	4	1	1	4	1	-	1
WHITE-----MALE----	1	-	2	-	3	2	1	-	2	-	-	-
FEMALE--	-	1	2	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	2	2	-	1	-	-	-	-	1	-	1
FEMALE--	1	-	-	1	1	2	-	-	1	-	-	-
BLACK---MALE----	-	2	2	-	1	-	-	-	-	1	-	1
FEMALE--	1	-	-	1	1	2	-	-	1	-	-	-
CALIFORNIA -----	15	5	9	11	15	21	19	20	7	-	-	1
WHITE-----MALE----	9	2	3	6	7	9	6	7	1	-	-	1
FEMALE--	3	2	3	1	6	7	11	8	6	-	-	-
ALL OTHER--MALE----	3	-	2	3	1	-	1	4	-	-	-	-
FEMALE--	-	1	1	1	1	5	1	1	-	-	-	-
BLACK---MALE----	1	-	2	3	1	-	1	2	-	-	-	-
FEMALE--	-	1	1	-	-	4	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,927
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	16	-	-	-	1	-	1	2	-	2	2	1
WHITE-----MALE----	6	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	8	-	-	-	1	-	-	1	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	38	1	4	3	-	-	2	2	2	2	2	2
WHITE-----MALE----	20	1	-	1	-	-	1	-	2	2	2	1
FEMALE--	12	-	2	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	2	-	-	-	1
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	2	-	-	-	1
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
DELAWARE -----	14	1	-	5	1	1	-	-	-	1	-	2
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	1	-	3	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	2	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	19	-	1	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	150	1	13	5	3	2	4	4	4	7	16	10
WHITE-----MALE----	63	-	4	1	-	1	2	3	3	4	10	6
FEMALE--	37	1	3	2	2	-	-	-	1	1	3	2
ALL OTHER--MALE----	25	-	3	1	1	1	2	-	-	-	1	1
FEMALE--	25	-	3	1	-	-	-	1	-	2	2	1
BLACK---MALE----	25	-	3	1	1	1	2	-	-	-	1	1
FEMALE--	25	-	3	1	-	-	-	1	-	2	2	1
GEORGIA -----	173	7	24	13	6	4	5	8	8	9	10	5
WHITE-----MALE----	55	1	6	5	1	2	2	1	2	6	3	3
FEMALE--	31	1	-	2	1	1	-	1	-	-	2	1
ALL OTHER--MALE----	51	1	9	4	2	-	3	3	4	2	4	-
FEMALE--	36	4	9	2	2	1	-	3	2	1	1	1
BLACK---MALE----	49	1	9	3	1	-	3	3	4	2	4	-
FEMALE--	35	4	8	2	2	1	-	3	2	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,927
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	2	1	-	1	1	-	-	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	3	1	-	5	-	4	1	1	-	-	-
WHITE-----MALE----	2	2	-	-	4	-	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	2	2	-	2	2	3	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	2	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	2	-	-	-	-
BLACK---MALE----	1	1	2	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	2	-	-	-	-
FLORIDA -----	8	4	6	8	16	16	9	7	6	1	-	-
WHITE-----MALE----	4	1	1	3	4	5	6	3	1	1	-	-
FEMALE--	1	1	-	4	5	7	-	3	1	-	-	-
ALL OTHER--MALE----	3	2	3	1	1	1	2	-	2	-	-	-
FEMALE--	-	-	2	-	6	3	1	1	2	-	-	-
BLACK---MALE----	3	2	3	1	1	1	2	-	2	-	-	-
FEMALE--	-	-	2	-	6	3	1	1	2	-	-	-
GEORGIA -----	8	12	12	11	6	10	3	4	5	3	-	-
WHITE-----MALE----	3	3	7	3	1	2	2	-	2	-	-	-
FEMALE--	1	2	2	3	2	6	-	3	2	1	-	-
ALL OTHER--MALE----	4	5	3	2	3	1	-	-	1	-	-	-
FEMALE--	-	2	-	3	-	1	1	1	-	2	-	-
BLACK---MALE----	4	5	3	2	3	1	-	-	1	-	-	-
FEMALE--	-	2	-	3	-	1	1	1	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,929
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	84	3	11	5	2	-	3	5	3	6	5	3
WHITE-----MALE----	46	3	6	2	-	-	2	3	2	5	3	1
FEMALE--	30	-	4	3	2	-	1	1	1	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	111	1	9	10	2	1	3	4	-	5	10	6
WHITE-----MALE----	28	-	-	1	-	-	2	2	-	3	3	4
FEMALE--	22	-	2	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	36	1	4	6	1	-	-	2	-	1	5	-
FEMALE--	25	-	3	3	1	1	1	-	-	1	1	-
BLACK---MALE----	36	1	4	6	1	-	-	2	-	1	5	-
FEMALE--	25	-	3	3	1	1	1	-	-	1	1	-
MAINE -----	16	-	2	1	2	-	-	1	1	-	-	-
WHITE-----MALE----	6	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	10	-	1	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	38	1	5	-	3	2	1	1	-	2	2	2
WHITE-----MALE----	13	-	1	-	1	1	-	-	-	1	1	2
FEMALE--	8	-	-	-	-	1	-	1	-	1	1	-
ALL OTHER--MALE----	8	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	8	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	1	-	2	-	1	-	-	-	-	-
MASSACHUSETTS -----	63	1	4	1	1	1	1	-	1	5	7	3
WHITE-----MALE----	33	1	3	1	1	1	1	-	-	3	4	2
FEMALE--	27	-	-	-	-	-	-	-	-	2	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
MICHIGAN -----	128	-	18	7	1	2	7	2	4	11	11	4
WHITE-----MALE----	49	-	4	-	-	1	2	1	2	6	7	2
FEMALE--	33	-	5	4	-	-	1	-	2	2	2	1
ALL OTHER--MALE----	21	-	3	2	-	-	2	-	-	2	2	1
FEMALE--	25	-	6	1	1	1	2	1	-	1	-	-
BLACK---MALE----	19	-	1	2	-	-	2	-	-	2	2	1
FEMALE--	24	-	6	1	1	1	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,929
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	4	4	3	5	8	5	3	2	-	-	-
WHITE-----MALE----	2	3	3	2	3	4	-	2	-	-	-	-
FEMALE--	1	1	-	1	2	3	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	1	-	-	-
LOUISIANA -----	8	5	2	6	6	5	8	12	5	2	1	-
WHITE-----MALE----	4	-	2	1	1	-	3	1	-	1	-	-
FEMALE--	-	-	-	1	1	2	4	7	2	-	-	-
ALL OTHER--MALE----	3	3	-	2	1	2	1	1	2	1	-	-
FEMALE--	1	2	-	2	3	1	-	3	1	-	1	-
BLACK---MALE----	3	3	-	2	1	2	1	1	2	1	-	-
FEMALE--	1	2	-	2	3	1	-	3	1	-	1	-
MAINE -----	-	-	-	1	3	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	4	4	1	1	3	1	1	-	-	1
WHITE-----MALE----	-	1	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	2	-	-	-	-	1
BLACK---MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	2	-	-	-	-	1
MASSACHUSETTS -----	3	4	2	4	3	5	7	9	1	-	-	-
WHITE-----MALE----	-	2	2	3	-	3	4	2	-	-	-	-
FEMALE--	2	2	-	1	3	2	3	7	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	7	6	9	10	12	11	2	1	2	-	-
WHITE-----MALE----	-	5	3	3	4	6	3	-	-	-	-	-
FEMALE--	1	1	-	2	2	3	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	2	3	2	1	-	-	-	1	-	-
FEMALE--	-	1	1	1	2	2	4	-	-	1	-	-
BLACK---MALE----	-	-	2	3	2	1	-	-	-	1	-	-
FEMALE--	-	1	1	1	2	2	4	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,932
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
OHIO -----	136	1	27	10	5	2	8	9	11	6	9	5
WHITE-----MALE----	65	-	11	5	1	1	4	5	7	4	6	1
FEMALE--	59	1	14	4	4	-	4	3	4	2	3	3
ALL OTHER--MALE----	7	-	2	1	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	7	-	2	1	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	1	-	1	-	-	-	-
OKLAHOMA -----	77	3	6	4	2	5	2	1	4	4	8	3
WHITE-----MALE----	33	-	2	-	1	2	1	-	1	2	3	-
FEMALE--	20	-	1	1	1	2	-	1	2	-	3	1
ALL OTHER--MALE----	15	2	2	1	-	1	1	-	-	2	1	2
FEMALE--	9	1	1	2	-	-	-	-	1	-	1	-
BLACK---MALE----	13	2	2	1	-	1	1	-	-	1	1	2
FEMALE--	8	1	1	2	-	-	-	-	1	-	1	-
OREGON -----	41	-	7	3	2	2	6	-	-	2	3	4
WHITE-----MALE----	23	-	4	1	2	2	4	-	-	2	2	2
FEMALE--	17	-	3	2	-	-	2	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	184	2	14	10	6	2	7	10	8	8	3	10
WHITE-----MALE----	86	2	8	4	1	1	2	4	5	3	3	6
FEMALE--	65	-	4	2	3	1	5	6	2	3	-	2
ALL OTHER--MALE----	23	-	2	3	2	-	-	-	1	1	-	2
FEMALE--	10	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	23	-	2	3	2	-	-	-	1	1	-	2
FEMALE--	9	-	-	1	-	-	-	-	-	1	-	-
RHODE ISLAND -----	4	-	3	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	121	1	22	5	3	3	1	3	5	9	14	8
WHITE-----MALE----	33	-	7	1	-	2	1	1	2	1	4	1
FEMALE--	18	-	3	1	1	1	-	1	-	1	1	1
ALL OTHER--MALE----	47	-	8	-	1	-	-	1	2	5	6	6
FEMALE--	23	1	4	3	1	-	-	-	1	2	3	-
BLACK---MALE----	47	-	8	-	1	-	-	1	2	5	6	6
FEMALE--	23	1	4	3	1	-	-	-	1	2	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,932
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	6	2	2	9	5	7	7	-	-	-	-
WHITE-----MALE----	4	4	-	1	3	3	3	2	-	-	-	-
FEMALE--	1	1	1	1	4	1	4	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
OKLAHOMA -----	7	3	5	2	4	6	4	2	1	-	-	1
WHITE-----MALE----	5	2	1	1	1	5	3	1	1	-	-	1
FEMALE--	1	1	1	1	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
OREGON -----	1	3	2	4	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	-	-	1	-	-	-
FEMALE--	1	2	2	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	12	10	13	20	14	11	10	5	-	1	-
WHITE-----MALE----	4	7	3	7	10	6	6	3	1	-	-	-
FEMALE--	1	3	5	5	6	6	3	5	3	-	-	-
ALL OTHER--MALE----	2	2	1	-	3	-	2	-	1	-	1	-
FEMALE--	1	-	1	1	1	2	-	2	-	-	-	-
BLACK---MALE----	2	2	1	-	3	-	2	-	1	-	1	-
FEMALE--	1	-	1	-	1	2	-	2	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	6	9	5	6	6	4	5	3	-	-	-
WHITE-----MALE----	2	-	2	2	2	2	1	2	-	-	-	-
FEMALE--	-	1	1	-	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	1	4	6	3	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	2	1	1	2	1	-	-	-
BLACK---MALE----	1	4	6	3	1	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	2	1	1	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,933
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
SOUTH DAKOTA -----	12	-	2	2	-	-	1	-	-	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	154	1	13	12	2	1	4	5	8	12	9	6
WHITE-----MALE----	59	-	2	3	-	-	2	2	1	4	6	4
FEMALE--	46	1	5	-	1	-	2	1	1	6	-	2
ALL OTHER--MALE----	28	-	2	3	1	-	-	2	5	-	3	-
FEMALE--	21	-	4	6	-	1	-	-	1	2	-	-
BLACK---MALE----	28	-	2	3	1	-	-	2	5	-	3	-
FEMALE--	21	-	4	6	-	1	-	-	1	2	-	-
TEXAS -----	248	2	24	18	3	4	6	10	13	16	17	9
WHITE-----MALE----	119	1	12	9	1	2	3	7	5	10	8	6
FEMALE--	68	-	1	6	1	-	2	2	4	3	2	2
ALL OTHER--MALE----	31	-	6	1	-	1	-	-	3	2	3	1
FEMALE--	30	1	5	2	1	1	1	1	1	1	4	-
BLACK---MALE----	31	-	6	1	-	1	-	-	3	2	3	1
FEMALE--	29	1	5	2	1	1	1	1	1	1	3	-
UTAH -----	8	-	-	-	-	1	1	1	-	3	1	-
WHITE-----MALE----	6	-	-	-	-	1	1	1	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	106	4	10	6	3	2	4	4	5	6	4	3
WHITE-----MALE----	40	-	2	5	-	-	4	1	3	5	1	1
FEMALE--	21	1	2	-	-	1	-	2	1	-	-	1
ALL OTHER--MALE----	31	1	4	1	3	1	-	1	1	-	3	1
FEMALE--	14	2	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	31	1	4	1	3	1	-	1	1	-	3	1
FEMALE--	14	2	2	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,933
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	2	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	8	5	11	4	13	13	10	5	2	-	1
WHITE-----MALE----	6	6	2	2	3	6	5	1	3	-	-	1
FEMALE--	2	1	1	4	-	2	7	8	1	1	-	-
ALL OTHER--MALE----	-	1	2	5	1	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	4	-	1	-	1	-	-
BLACK---MALE----	-	1	2	5	1	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	4	-	1	-	1	-	-
TEXAS -----	11	10	15	12	13	16	17	20	12	-	-	-
WHITE-----MALE----	7	6	7	7	6	6	5	6	5	-	-	-
FEMALE--	3	3	6	3	5	6	10	5	4	-	-	-
ALL OTHER--MALE----	1	-	2	2	2	2	-	2	3	-	-	-
FEMALE--	-	1	-	-	-	2	2	7	-	-	-	-
BLACK---MALE----	1	-	2	2	2	2	-	2	3	-	-	-
FEMALE--	-	1	-	-	-	2	2	7	-	-	-	-
UTAH -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	4	7	1	7	12	10	6	5	-	-	-
WHITE-----MALE----	1	2	4	1	2	3	2	1	2	-	-	-
FEMALE--	-	-	1	-	2	2	4	2	2	-	-	-
ALL OTHER--MALE----	1	1	1	-	2	5	4	1	-	-	-	-
FEMALE--	1	1	1	-	1	2	-	2	1	-	-	-
BLACK---MALE----	1	1	1	-	2	5	4	1	-	-	-	-
FEMALE--	1	1	1	-	1	2	-	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,935
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
0 UNITED STATES --	17,315	479	784	405	495	896	858	808	931	999	1,006	902
WHITE-----MALE----	9,968	184	406	177	251	589	602	580	659	693	695	596
FEMALE--	4,183	131	205	83	72	77	77	80	95	118	131	121
ALL OTHER--MALE----	2,292	95	111	103	137	201	160	129	143	151	143	145
FEMALE--	872	69	62	42	35	29	19	19	34	37	37	40
BLACK---MALE----	1,863	84	92	83	109	163	116	96	116	119	121	121
FEMALE--	729	61	50	36	25	23	14	15	29	32	30	31
ALABAMA -----	491	11	14	9	16	25	23	29	35	30	26	38
WHITE-----MALE----	240	2	5	4	6	10	10	20	25	11	17	22
FEMALE--	89	1	1	1	2	3	2	3	3	5	3	1
ALL OTHER--MALE----	115	5	6	3	8	8	8	5	7	13	5	14
FEMALE--	47	3	2	1	-	4	3	1	-	1	1	1
BLACK---MALE----	113	5	6	3	8	8	7	5	7	13	5	13
FEMALE--	47	3	2	1	-	4	3	1	-	1	1	1
ALASKA -----	73	4	4	2	3	11	7	7	6	8	4	4
WHITE-----MALE----	36	2	2	-	2	5	3	4	3	5	1	2
FEMALE--	5	1	-	-	-	-	-	1	1	2	-	-
ALL OTHER--MALE----	26	1	2	2	1	5	3	2	-	1	3	2
FEMALE--	6	-	-	-	-	1	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	371	13	31	5	5	15	26	20	24	26	15	22
WHITE-----MALE----	225	3	17	2	4	12	19	13	19	19	11	16
FEMALE--	73	5	9	1	1	2	2	2	-	1	2	1
ALL OTHER--MALE----	59	3	2	2	-	1	4	5	5	6	2	4
FEMALE--	14	2	3	-	-	-	1	-	-	-	-	1
BLACK---MALE----	9	2	1	-	-	-	2	-	-	-	1	2
FEMALE--	3	1	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	291	6	8	7	2	22	18	13	14	17	12	8
WHITE-----MALE----	164	2	6	4	-	12	10	10	8	10	7	6
FEMALE--	66	3	2	2	2	2	2	1	1	1	1	-
ALL OTHER--MALE----	45	-	-	-	-	7	6	2	5	5	4	2
FEMALE--	16	1	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	44	-	-	-	-	7	5	2	5	5	4	2
FEMALE--	16	1	-	1	-	1	-	-	-	1	-	-
CALIFORNIA -----	1,469	49	122	42	45	97	114	90	85	97	113	102
WHITE-----MALE----	903	18	66	17	25	67	79	71	66	67	78	68
FEMALE--	303	18	31	11	9	9	5	6	10	14	15	19
ALL OTHER--MALE----	189	9	13	12	8	17	28	12	8	11	11	8
FEMALE--	74	4	12	2	3	4	2	1	1	5	9	7
BLACK---MALE----	104	6	9	6	3	10	13	8	6	7	7	4
FEMALE--	39	4	8	-	-	2	-	1	1	4	5	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,935
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	748	670	699	866	1,113	1,122	1,340	1,108	728	280	40	38
WHITE-----MALE----	496	424	434	499	628	587	658	437	258	78	6	31
FEMALE--	119	116	138	214	316	377	523	571	416	177	23	3
ALL OTHER--MALE----	102	91	96	108	101	102	84	55	22	3	6	4
FEMALE--	31	39	31	45	68	56	75	45	32	22	5	-
BLACK---MALE----	90	76	80	98	88	75	67	42	17	2	6	2
FEMALE--	24	31	24	36	54	49	71	41	31	18	4	-
ALABAMA -----	15	19	19	27	31	32	30	34	17	8	3	-
WHITE-----MALE----	5	16	11	14	13	17	11	13	3	4	1	-
FEMALE--	5	2	5	1	7	7	8	17	10	2	-	-
ALL OTHER--MALE----	4	1	3	9	6	6	3	1	-	-	-	-
FEMALE--	1	-	-	3	5	2	8	3	4	2	2	-
BLACK---MALE----	4	1	3	9	6	6	3	1	-	-	-	-
FEMALE--	1	-	-	3	5	2	8	3	4	2	2	-
ALASKA -----	3	3	2	2	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	3	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	16	20	13	21	27	22	15	13	-	-	6
WHITE-----MALE----	10	10	12	7	13	13	9	7	5	-	-	4
FEMALE--	4	-	2	3	5	11	10	6	6	-	-	-
ALL OTHER--MALE----	2	5	4	2	2	2	3	2	1	-	-	2
FEMALE--	-	1	2	1	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	17	12	16	22	19	18	27	23	8	1	1	-
WHITE-----MALE----	10	9	9	14	12	8	12	13	2	-	-	-
FEMALE--	5	2	3	4	3	4	11	10	6	1	-	-
ALL OTHER--MALE----	1	1	4	2	3	2	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	4	3	-	-	-	1	-
BLACK---MALE----	1	1	4	2	3	2	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	4	3	-	-	-	1	-
CALIFORNIA -----	63	60	43	59	48	61	75	44	33	15	2	10
WHITE-----MALE----	42	39	32	36	27	32	38	12	10	3	-	10
FEMALE--	9	10	7	12	15	14	28	27	23	10	1	-
ALL OTHER--MALE----	7	7	3	10	2	13	5	4	-	1	-	-
FEMALE--	5	4	1	1	4	2	4	1	-	1	1	-
BLACK---MALE----	5	4	1	7	1	5	-	2	-	-	-	-
FEMALE--	2	3	1	-	-	1	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,936
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	267	9	10	7	4	12	18	11	12	19	23	20
WHITE-----MALE----	177	5	5	4	4	9	15	8	9	15	19	15
FEMALE--	79	1	5	2	-	2	3	3	3	4	3	4
ALL OTHER--MALE----	9	2	-	1	-	1	-	-	-	-	1	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	2	-	1	-	1	-	-	-	-	1	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	170	4	3	2	5	5	4	4	4	9	14	5
WHITE-----MALE----	99	3	2	2	-	3	4	2	3	6	12	4
FEMALE--	51	-	1	-	1	-	-	1	1	1	1	-
ALL OTHER--MALE----	15	-	-	-	4	2	-	1	-	1	1	1
FEMALE--	5	1	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	13	-	-	-	2	2	-	1	-	1	1	1
FEMALE--	5	1	-	-	-	-	-	-	-	2	-	-
DELAWARE -----	37	1	1	-	-	-	3	1	7	2	3	-
WHITE-----MALE----	16	-	1	-	-	-	3	1	3	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	2	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	7	1	-	-	-	-	-	-	2	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	41	1	2	4	-	-	2	1	1	3	1	5
WHITE-----MALE----	9	-	-	-	-	-	1	1	-	1	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	22	1	1	1	-	-	1	-	1	2	-	4
FEMALE--	8	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	22	1	1	1	-	-	1	-	1	2	-	4
FEMALE--	8	-	1	2	-	-	-	-	-	-	-	-
FLORIDA -----	967	34	87	24	26	29	39	40	48	53	58	38
WHITE-----MALE----	562	14	38	13	10	16	24	28	34	37	43	26
FEMALE--	240	10	27	3	4	5	4	3	6	6	4	6
ALL OTHER--MALE----	123	4	14	6	7	8	11	8	6	6	8	5
FEMALE--	42	6	8	2	5	-	-	1	2	4	3	1
BLACK---MALE----	118	3	13	6	6	8	10	8	6	6	8	5
FEMALE--	41	6	8	2	5	-	-	1	2	4	3	1
GEORGIA -----	486	17	13	14	22	37	24	29	27	26	26	19
WHITE-----MALE----	232	4	5	4	6	19	14	20	16	16	12	11
FEMALE--	111	5	1	1	3	2	1	4	2	4	3	2
ALL OTHER--MALE----	97	3	6	5	10	15	6	5	6	4	8	5
FEMALE--	46	5	1	4	3	1	3	-	3	2	3	1
BLACK---MALE----	94	3	6	5	10	14	5	5	6	4	8	5
FEMALE--	45	5	-	4	3	1	3	-	3	2	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,936
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	10	4	9	13	17	12	21	17	15	3	1	-
WHITE-----MALE----	8	2	7	5	13	7	12	8	6	-	1	-
FEMALE--	1	2	2	8	3	4	9	8	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	11	4	6	7	11	18	23	12	17	1	1	-
WHITE-----MALE----	5	4	4	5	4	11	12	4	7	1	1	-
FEMALE--	2	-	1	2	6	6	11	8	10	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
DELAWARE -----	3	2	-	4	1	1	3	3	1	1	-	-
WHITE-----MALE----	1	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	2	1	2	2	3	5	2	-	1	-	-
WHITE-----MALE----	1	1	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	1	2	1	4	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	1	-	-
BLACK---MALE----	2	-	1	1	2	1	4	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	1	-	-
FLORIDA -----	44	45	29	49	59	72	75	62	41	14	1	-
WHITE-----MALE----	32	28	17	24	36	40	40	32	23	7	-	-
FEMALE--	6	6	9	11	17	29	32	26	18	7	1	-
ALL OTHER--MALE----	6	8	3	12	4	3	2	2	-	-	-	-
FEMALE--	-	3	-	2	2	-	1	2	-	-	-	-
BLACK---MALE----	6	7	3	12	4	3	2	2	-	-	-	-
FEMALE--	-	3	-	1	2	-	1	2	-	-	-	-
GEORGIA -----	20	19	18	20	34	26	33	28	19	12	2	1
WHITE-----MALE----	14	12	10	15	15	12	12	11	-	3	1	-
FEMALE--	3	2	4	2	12	7	17	15	13	7	1	-
ALL OTHER--MALE----	1	4	2	3	5	4	3	-	1	-	-	1
FEMALE--	2	1	2	-	2	3	1	2	5	2	-	-
BLACK---MALE----	1	4	2	3	5	4	3	-	-	-	-	1
FEMALE--	2	1	2	-	2	3	1	2	5	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,937
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	7	4	3	3	3	6	3	6	1	-	-	-
WHITE-----MALE----	4	1	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	2	2	1	5	3	4	1	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	7	8	6	9	8	4	5	-	1	-	-
WHITE-----MALE----	3	6	6	5	6	4	2	-	-	-	-	-
FEMALE--	-	1	2	1	3	4	2	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	27	19	23	41	43	55	57	45	34	17	2	-
WHITE-----MALE----	18	11	15	22	28	22	29	19	15	3	-	-
FEMALE--	6	3	5	14	8	25	22	21	15	14	1	-
ALL OTHER--MALE----	3	4	2	3	4	7	-	3	3	-	-	-
FEMALE--	-	1	1	2	3	1	6	2	1	-	1	-
BLACK---MALE----	3	4	2	3	4	5	-	2	3	-	-	-
FEMALE--	-	1	-	2	3	1	6	2	1	-	1	-
INDIANA -----	14	18	10	21	32	30	43	40	28	10	1	-
WHITE-----MALE----	9	12	8	13	22	20	19	9	8	3	-	-
FEMALE--	4	5	2	5	7	10	20	29	20	7	1	-
ALL OTHER--MALE----	1	1	-	2	1	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	-	-	-	-
BLACK---MALE----	1	1	-	2	1	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
IOWA -----	7	4	7	13	9	13	22	17	9	5	-	-
WHITE-----MALE----	5	3	6	9	6	10	14	5	4	2	-	-
FEMALE--	1	1	1	4	3	3	8	11	5	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	12	7	10	13	12	26	17	13	2	3	-
WHITE-----MALE----	4	6	3	6	10	7	10	5	5	-	-	-
FEMALE--	1	4	4	4	3	4	12	11	8	2	3	-
ALL OTHER--MALE----	1	2	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,938
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	421	16	10	5	6	23	16	20	26	30	31	21
WHITE-----MALE----	279	8	6	5	3	20	12	16	20	22	24	18
FEMALE--	109	5	4	-	2	1	1	3	2	7	4	2
ALL OTHER--MALE----	23	1	-	-	1	1	3	1	4	1	3	1
FEMALE--	10	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	19	1	-	-	1	1	2	-	3	1	3	1
FEMALE--	9	2	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	374	15	14	11	15	27	22	27	29	26	30	19
WHITE-----MALE----	173	3	3	4	5	14	12	18	14	12	18	12
FEMALE--	59	-	6	1	1	2	-	1	2	3	1	1
ALL OTHER--MALE----	106	5	2	5	8	11	9	7	12	10	6	5
FEMALE--	36	7	3	1	1	-	1	1	1	1	5	1
BLACK---MALE----	104	4	2	5	8	11	9	7	12	10	6	4
FEMALE--	36	7	3	1	1	-	1	1	1	1	5	1
MAINE -----	86	-	-	-	2	5	2	4	3	2	7	5
WHITE-----MALE----	54	-	-	-	1	5	2	3	2	1	6	3
FEMALE--	32	-	-	-	1	-	-	1	1	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	312	9	9	5	10	10	14	16	14	12	12	15
WHITE-----MALE----	128	-	3	1	2	4	6	9	10	4	5	9
FEMALE--	74	2	3	-	3	2	1	1	2	5	3	1
ALL OTHER--MALE----	72	2	2	3	5	3	6	6	1	2	4	4
FEMALE--	38	5	1	1	-	1	-	-	1	1	-	1
BLACK---MALE----	66	2	2	2	5	3	5	4	1	2	4	4
FEMALE--	38	5	1	1	-	1	1	-	1	1	-	1
MASSACHUSETTS -----	295	1	11	7	6	8	8	9	9	18	15	14
WHITE-----MALE----	173	-	4	2	2	4	5	8	7	11	12	9
FEMALE--	93	-	5	-	-	-	-	1	2	2	3	4
ALL OTHER--MALE----	25	1	1	5	3	4	3	-	-	4	-	1
FEMALE--	4	-	1	-	1	-	-	-	-	1	-	-
BLACK---MALE----	13	1	1	2	1	1	2	-	-	1	-	1
FEMALE--	3	-	1	-	1	-	-	-	-	-	-	-
MICHIGAN -----	540	26	28	15	24	24	20	18	23	29	27	25
WHITE-----MALE----	291	12	18	4	9	15	9	12	13	21	13	19
FEMALE--	133	4	8	2	4	1	3	4	-	4	5	1
ALL OTHER--MALE----	84	8	1	6	9	7	7	1	6	3	7	5
FEMALE--	32	2	1	3	2	1	1	1	4	1	2	-
BLACK---MALE----	76	8	1	6	7	6	7	-	5	3	7	4
FEMALE--	27	2	1	2	1	1	1	-	3	1	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,938
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	18	12	18	29	32	40	32	16	12	8	-	-
WHITE-----MALE----	14	12	11	18	21	21	11	7	7	3	-	-
FEMALE--	2	-	6	8	10	17	21	7	4	3	-	-
ALL OTHER--MALE----	-	-	1	2	-	2	-	1	-	1	-	-
FEMALE--	2	-	-	1	1	-	-	1	1	1	-	-
BLACK---MALE----	-	-	1	2	-	1	-	1	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	1	1	1	-	-
LOUISIANA -----	20	7	9	13	26	11	22	14	13	4	-	-
WHITE-----MALE----	11	4	7	7	6	4	8	5	5	1	-	-
FEMALE--	2	-	1	1	10	4	10	4	6	3	-	-
ALL OTHER--MALE----	6	1	1	4	8	3	2	1	-	-	-	-
FEMALE--	1	2	-	1	2	-	2	4	2	-	-	-
BLACK---MALE----	6	1	1	4	8	3	2	1	-	-	-	-
FEMALE--	1	2	-	1	2	-	2	4	2	-	-	-
MAINE -----	4	1	3	3	7	11	8	11	6	2	-	-
WHITE-----MALE----	2	1	-	2	7	7	4	3	4	1	-	-
FEMALE--	2	-	3	1	-	4	4	8	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	13	17	22	28	23	27	24	13	3	1	2
WHITE-----MALE----	5	7	7	9	12	13	11	8	1	-	-	2
FEMALE--	1	1	3	6	6	6	9	10	7	2	-	-
ALL OTHER--MALE----	5	5	6	4	5	2	3	1	2	-	1	-
FEMALE--	2	-	1	3	5	2	4	5	3	1	-	-
BLACK---MALE----	5	5	5	4	5	2	2	1	2	-	1	-
FEMALE--	2	-	1	3	5	2	4	5	3	1	-	-
MASSACHUSETTS -----	12	9	10	16	20	24	36	30	24	7	1	-
WHITE-----MALE----	8	8	6	10	11	12	23	17	10	4	-	-
FEMALE--	4	1	3	6	7	11	13	13	14	3	1	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	23	15	13	27	40	35	52	44	24	6	2	-
WHITE-----MALE----	15	12	7	15	17	20	30	19	9	2	-	-
FEMALE--	1	2	3	9	15	9	17	23	13	4	1	-
ALL OTHER--MALE----	5	-	2	-	5	4	3	2	2	-	1	-
FEMALE--	2	1	1	3	3	2	2	-	-	-	-	-
BLACK---MALE----	4	-	2	-	4	4	3	2	2	-	1	-
FEMALE--	2	1	1	2	3	2	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,941
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	672	17	20	18	19	30	17	23	46	42	48	27
WHITE-----MALE----	410	7	14	5	10	23	12	17	39	33	37	20
FEMALE--	180	6	2	5	6	3	3	3	2	3	8	2
ALL OTHER--MALE----	51	1	1	3	2	4	2	3	5	4	2	4
FEMALE--	31	3	3	5	1	-	-	-	-	2	1	1
BLACK---MALE----	50	1	1	3	2	4	1	3	5	4	2	4
FEMALE--	31	3	3	5	1	-	-	-	-	2	1	1
OKLAHOMA -----	309	6	13	7	4	11	13	13	19	19	21	11
WHITE-----MALE----	188	3	6	6	3	7	11	9	13	15	9	9
FEMALE--	81	2	6	1	1	2	1	3	1	3	8	1
ALL OTHER--MALE----	27	1	1	-	-	2	-	1	5	1	3	1
FEMALE--	13	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	16	-	1	-	-	-	-	1	4	-	2	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	1	-
OREGON -----	257	5	11	6	7	13	17	14	14	13	23	15
WHITE-----MALE----	169	3	8	-	4	11	14	12	9	10	15	10
FEMALE--	70	1	3	5	3	-	1	-	3	3	6	3
ALL OTHER--MALE----	16	1	-	-	-	2	2	2	2	-	2	2
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	810	14	20	11	15	19	31	39	25	35	47	34
WHITE-----MALE----	465	7	10	6	7	16	24	29	20	25	35	23
FEMALE--	252	5	3	4	4	2	2	7	3	6	5	6
ALL OTHER--MALE----	67	1	5	1	4	1	5	3	1	3	6	2
FEMALE--	26	1	2	-	-	-	-	-	1	1	1	3
BLACK---MALE----	65	1	5	1	4	1	4	3	1	3	6	2
FEMALE--	24	1	2	-	-	-	-	-	1	1	1	3
RHODE ISLAND -----	36	-	1	1	1	-	2	1	2	2	1	3
WHITE-----MALE----	21	-	1	1	-	-	2	-	1	2	1	3
FEMALE--	13	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	313	12	10	9	9	21	9	13	15	23	13	24
WHITE-----MALE----	125	4	2	3	4	9	8	7	9	13	7	6
FEMALE--	60	3	2	3	-	-	1	-	2	1	2	5
ALL OTHER--MALE----	104	5	4	2	4	11	-	6	4	9	4	12
FEMALE--	24	-	2	1	1	1	-	-	-	-	-	1
BLACK---MALE----	103	5	4	2	4	10	-	6	4	9	4	12
FEMALE--	24	-	2	1	1	1	-	-	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,941
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	30	29	16	36	54	47	59	44	35	14	1	-
WHITE-----MALE----	20	20	8	22	31	25	32	19	11	4	1	-
FEMALE--	5	5	3	9	18	22	21	23	22	9	-	-
ALL OTHER--MALE----	4	3	1	3	3	-	4	2	-	-	-	-
FEMALE--	1	1	4	2	2	-	2	-	2	1	-	-
BLACK---MALE----	4	3	1	3	3	-	4	2	-	-	-	-
FEMALE--	1	1	4	2	2	-	2	-	2	1	-	-
OKLAHOMA -----	13	17	22	12	28	14	23	21	13	7	1	1
WHITE-----MALE----	11	12	16	10	18	6	10	11	2	1	-	-
FEMALE--	2	2	3	2	7	6	10	6	9	4	-	1
ALL OTHER--MALE----	-	2	3	-	2	-	2	1	1	-	1	-
FEMALE--	-	1	-	-	1	2	1	3	1	2	-	-
BLACK---MALE----	-	1	2	-	1	-	1	-	1	-	1	-
FEMALE--	-	-	-	-	-	1	1	2	1	-	-	-
OREGON -----	4	9	14	14	18	14	14	18	12	2	-	-
WHITE-----MALE----	4	7	7	10	14	9	7	8	6	1	-	-
FEMALE--	-	2	7	2	4	4	7	9	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	31	27	50	42	60	62	90	85	46	20	7	-
WHITE-----MALE----	19	14	38	22	39	32	51	25	16	6	1	-
FEMALE--	7	5	6	14	16	27	32	51	30	13	4	-
ALL OTHER--MALE----	4	5	5	4	3	2	4	6	-	-	2	-
FEMALE--	1	3	1	2	2	1	3	3	-	1	-	-
BLACK---MALE----	3	5	5	4	3	2	4	6	-	-	2	-
FEMALE--	1	2	1	2	2	1	2	3	-	1	-	-
RHODE ISLAND -----	3	-	2	2	2	2	5	-	3	2	1	-
WHITE-----MALE----	2	-	1	2	-	1	3	-	-	1	-	-
FEMALE--	1	-	1	-	2	-	2	-	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	20	13	18	11	30	16	18	17	9	3	-	-
WHITE-----MALE----	7	4	8	4	8	7	9	5	1	-	-	-
FEMALE--	1	3	3	2	9	5	2	8	6	2	-	-
ALL OTHER--MALE----	11	2	7	4	7	3	5	1	2	1	-	-
FEMALE--	1	4	-	1	6	1	2	3	-	-	-	-
BLACK---MALE----	11	2	7	4	7	3	5	1	2	1	-	-
FEMALE--	1	4	-	1	6	1	2	3	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,942
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	65	2	2	2	1	5	2	4	5	4	4	4
WHITE-----MALE----	43	1	2	-	1	4	-	4	4	4	2	2
FEMALE--	9	1	-	2	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	1	2	-	1	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	509	10	14	11	13	30	35	26	39	32	28	32
WHITE-----MALE----	311	4	6	5	5	26	27	20	26	24	15	23
FEMALE--	109	3	3	2	2	-	2	1	7	3	4	4
ALL OTHER--MALE----	61	3	1	3	5	3	5	5	3	4	9	2
FEMALE--	28	-	4	1	1	1	1	-	3	1	-	3
BLACK---MALE----	59	3	-	3	5	2	5	5	3	4	9	2
FEMALE--	28	-	4	1	1	1	1	-	3	1	-	3
TEXAS -----	1,150	39	85	34	36	69	56	67	73	71	81	63
WHITE-----MALE----	748	18	52	17	20	49	43	49	58	56	66	52
FEMALE--	222	15	18	7	5	5	5	8	5	4	6	6
ALL OTHER--MALE----	129	5	12	8	7	13	7	7	7	8	6	4
FEMALE--	51	1	3	2	4	2	1	3	3	3	3	1
BLACK---MALE----	119	4	9	7	7	11	7	7	6	7	6	4
FEMALE--	46	1	3	2	4	2	-	3	2	2	2	1
UTAH -----	98	3	5	3	3	14	6	2	5	12	4	7
WHITE-----MALE----	75	2	4	3	2	13	6	1	4	10	2	7
FEMALE--	19	1	-	-	-	1	-	-	1	2	2	-
ALL OTHER--MALE----	4	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	42	2	-	1	3	2	2	3	3	4	2	4
WHITE-----MALE----	29	2	-	1	2	1	1	3	3	4	2	1
FEMALE--	13	-	-	-	1	1	1	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	508	6	16	8	18	20	22	23	26	23	20	39
WHITE-----MALE----	250	1	8	2	7	7	15	15	17	18	9	25
FEMALE--	117	3	3	3	2	3	2	-	2	2	4	6
ALL OTHER--MALE----	97	-	3	3	7	9	4	7	6	2	5	4
FEMALE--	44	2	2	-	2	1	1	1	1	1	2	4
BLACK---MALE----	94	-	3	3	6	9	4	7	6	2	5	4
FEMALE--	40	2	1	-	2	1	1	1	1	1	2	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,942
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	4	4	5	2	5	4	1	1	4	-	-	-
WHITE-----MALE----	3	3	3	2	4	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	4	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	24	17	24	30	36	30	28	30	16	3	-	1
WHITE-----MALE----	19	10	12	20	21	13	19	12	3	-	-	1
FEMALE--	4	5	7	5	10	11	6	16	12	2	-	-
ALL OTHER--MALE----	1	2	5	2	2	2	3	1	-	-	-	-
FEMALE--	-	-	-	3	3	4	-	1	1	1	-	-
BLACK---MALE----	1	2	5	2	2	2	3	1	-	-	-	-
FEMALE--	-	-	-	3	3	4	-	1	1	1	-	-
TEXAS -----	38	46	59	50	48	58	55	55	35	19	-	13
WHITE-----MALE----	27	30	38	33	26	28	27	28	11	9	-	11
FEMALE--	5	6	10	9	15	18	20	25	19	9	-	2
ALL OTHER--MALE----	4	6	8	7	4	8	5	1	2	-	-	-
FEMALE--	2	4	3	1	3	4	3	1	3	1	-	-
BLACK---MALE----	4	6	7	7	4	8	5	1	2	-	-	-
FEMALE--	1	4	3	1	3	4	3	1	3	1	-	-
UTAH -----	5	3	2	3	5	4	4	3	3	2	-	-
WHITE-----MALE----	5	1	1	-	4	3	3	2	2	-	-	-
FEMALE--	-	2	1	2	1	1	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	2	-	2	-	1	6	3	-	-	-
WHITE-----MALE----	1	1	2	-	1	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	19	24	40	38	42	38	26	20	12	2	-
WHITE-----MALE----	14	9	11	23	15	21	18	9	5	1	-	-
FEMALE--	5	4	2	11	11	12	11	12	11	7	1	-
ALL OTHER--MALE----	7	4	5	4	8	5	6	5	2	-	1	-
FEMALE--	-	2	6	2	4	4	3	-	2	4	-	-
BLACK---MALE----	7	4	5	4	7	5	6	5	1	-	1	-
FEMALE--	-	2	6	1	3	3	3	-	2	4	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,953
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
0 UNITED STATES --	3,488	64	466	218	218	364	292	240	247	252	226	167
WHITE-----MALE----	2,057	20	262	94	73	227	199	162	172	165	139	108
FEMALE--	558	23	121	29	33	30	29	24	22	31	35	20
ALL OTHER--MALE----	714	14	53	70	89	98	58	48	46	48	44	37
FEMALE--	159	7	30	25	23	9	6	6	7	8	8	2
BLACK---MALE----	549	12	41	54	71	74	40	35	37	40	36	29
FEMALE--	99	6	20	21	14	6	2	4	5	5	2	1
ALABAMA -----	71	3	1	5	9	8	4	7	6	4	8	2
WHITE-----MALE----	34	-	1	3	2	2	2	5	4	2	5	1
FEMALE--	8	-	-	-	1	-	-	1	1	1	1	-
ALL OTHER--MALE----	28	3	-	1	6	6	2	1	1	1	2	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	27	3	-	1	6	6	1	1	1	1	2	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	21	-	2	-	1	1	4	1	2	3	1	3
WHITE-----MALE----	9	-	1	-	1	-	2	-	1	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	8	-	1	-	-	1	1	1	-	1	1	1
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	91	3	20	1	3	8	11	6	4	5	3	4
WHITE-----MALE----	59	1	9	-	2	6	6	3	4	5	2	4
FEMALE--	21	2	7	-	1	2	1	1	-	-	1	-
ALL OTHER--MALE----	7	-	1	1	-	-	3	2	-	-	-	-
FEMALE--	4	-	3	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	41	-	4	4	2	6	2	3	4	8	-	-
WHITE-----MALE----	21	-	4	2	-	3	1	2	1	3	-	-
FEMALE--	7	-	-	1	2	1	-	1	-	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	2	1	-	3	3	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	2	1	-	3	3	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	1	-	-
CALIFORNIA -----	474	12	88	25	21	30	47	26	29	28	33	31
WHITE-----MALE----	280	4	48	12	9	18	29	20	25	18	21	19
FEMALE--	91	7	24	3	6	4	3	2	1	6	5	9
ALL OTHER--MALE----	76	1	10	9	3	7	14	4	2	2	3	2
FEMALE--	27	-	6	1	3	1	1	-	1	2	4	1
BLACK---MALE----	32	1	7	3	1	2	5	2	1	1	1	1
FEMALE--	6	-	2	-	-	-	-	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,953
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	141	97	72	98	87	85	65	35	30	4	-	20
WHITE-----MALE----	86	61	42	61	54	47	30	18	17	2	-	18
FEMALE--	22	16	14	17	17	23	25	13	12	1	-	1
ALL OTHER--MALE----	28	17	14	18	11	11	5	3	1	-	-	1
FEMALE--	5	3	2	2	5	4	5	1	-	1	-	-
BLACK---MALE----	20	12	11	14	11	7	2	2	-	-	-	1
FEMALE--	1	2	2	-	-	1	5	1	-	1	-	-
ALABAMA -----	-	5	-	3	3	2	-	-	1	-	-	-
WHITE-----MALE----	-	4	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	-	-	4	5	2	4	2	1	-	-	1
WHITE-----MALE----	2	-	-	3	5	2	2	1	1	-	-	1
FEMALE--	2	-	-	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	1	-	-	1	1	2	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	17	11	9	16	8	16	12	4	5	-	-	6
WHITE-----MALE----	9	7	6	9	4	8	5	2	1	-	-	6
FEMALE--	2	1	1	3	2	3	4	1	4	-	-	-
ALL OTHER--MALE----	3	3	2	4	-	4	2	1	-	-	-	-
FEMALE--	3	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	1	1	1	3	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,954
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
COLORADO -----	44	1	5	3	-	7	5	4	3	3	3	5
WHITE-----MALE----	29	-	3	2	-	6	3	3	2	2	2	3
FEMALE--	13	1	2	-	-	1	2	1	1	1	1	1
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	28	1	3	1	5	3	2	1	-	2	1	1
WHITE-----MALE----	17	1	2	1	-	2	2	1	-	2	-	1
FEMALE--	3	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	4	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	2	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	1	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	3	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	9	-	1	1	-	-	1	-	1	2	-	1
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	1	1	-	-	-	-	1	2	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	1	-	-	-	-	1	2	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	338	13	63	13	11	12	18	18	17	19	26	12
WHITE-----MALE----	203	3	29	7	2	6	12	13	13	16	21	7
FEMALE--	66	4	19	1	1	2	2	-	2	1	1	2
ALL OTHER--MALE----	57	3	12	3	6	4	4	4	2	2	4	3
FEMALE--	12	3	3	2	2	-	-	1	-	-	-	-
BLACK---MALE----	54	2	11	3	5	4	4	4	2	2	4	3
FEMALE--	11	3	3	2	2	-	-	1	-	-	-	-
GEORGIA -----	84	2	11	6	11	14	5	11	6	3	2	4
WHITE-----MALE----	40	1	5	1	1	8	4	5	4	2	1	3
FEMALE--	7	-	1	-	1	-	-	2	1	1	-	-
ALL OTHER--MALE----	32	-	4	3	9	5	1	4	1	-	1	1
FEMALE--	5	1	1	2	-	1	-	-	-	-	-	-
BLACK---MALE----	32	-	4	3	9	5	1	4	1	-	1	1
FEMALE--	4	1	-	2	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,956
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
KENTUCKY -----	62	-	7	2	4	11	2	6	7	3	5	1
WHITE-----MALE----	44	-	4	2	1	10	2	6	5	3	1	1
FEMALE--	12	-	3	-	2	1	-	-	1	-	1	-
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	1	-	3	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	-	-	1	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	100	1	10	8	7	8	10	10	7	13	7	4
WHITE-----MALE----	47	-	3	3	-	4	5	7	3	5	5	3
FEMALE--	10	-	5	-	-	1	-	-	-	2	1	-
ALL OTHER--MALE----	37	-	1	4	6	3	4	3	4	6	-	1
FEMALE--	6	1	1	1	1	-	1	-	-	-	1	-
BLACK---MALE----	37	-	1	4	6	3	4	3	4	6	-	1
FEMALE--	6	1	1	1	1	-	1	-	-	-	1	-
MAINE -----	15	-	-	-	1	4	1	3	2	-	1	-
WHITE-----MALE----	10	-	-	-	-	4	1	2	2	-	-	-
FEMALE--	5	-	-	-	1	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	43	1	4	5	5	4	3	7	1	4	2	2
WHITE-----MALE----	13	-	2	1	-	1	-	4	1	1	-	2
FEMALE--	6	-	-	-	1	1	-	1	-	2	-	-
ALL OTHER--MALE----	22	1	1	3	4	2	3	2	-	1	2	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	19	1	1	2	4	2	3	1	-	1	2	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	44	1	3	7	3	6	3	1	2	2	4	2
WHITE-----MALE----	27	-	3	2	-	3	2	1	2	1	3	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	1	-	5	2	3	1	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	1	-	2	1	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	110	3	13	10	9	10	6	6	6	8	4	2
WHITE-----MALE----	56	1	10	2	2	7	2	2	3	6	2	1
FEMALE--	16	-	3	2	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	32	2	-	4	6	3	3	1	1	1	2	1
FEMALE--	6	-	-	2	1	-	-	1	2	-	-	-
BLACK---MALE----	26	2	-	4	4	2	3	-	1	1	2	-
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,959
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
OHIO -----	80	1	8	11	5	7	3	8	11	9	6	1
WHITE-----MALE----	51	1	6	3	2	6	2	5	9	7	3	1
FEMALE--	12	-	1	3	2	-	1	2	-	-	2	-
ALL OTHER--MALE----	10	-	-	3	-	1	-	1	2	2	1	-
FEMALE--	7	-	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	3	-	1	-	1	2	2	1	-
FEMALE--	7	-	1	2	1	-	-	-	-	-	-	-
OKLAHOMA -----	57	2	8	2	2	4	4	4	9	3	5	1
WHITE-----MALE----	35	1	4	2	1	1	4	2	6	2	3	1
FEMALE--	15	1	4	-	1	1	-	1	-	1	2	-
ALL OTHER--MALE----	6	-	-	-	-	2	-	1	3	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	3	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	47	-	5	4	5	6	6	3	3	2	5	2
WHITE-----MALE----	32	-	5	-	3	4	6	2	3	2	3	1
FEMALE--	8	-	-	3	2	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	2	-	1	-	-	1	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	91	1	11	1	4	10	7	9	4	5	4	7
WHITE-----MALE----	59	-	7	-	1	8	6	7	4	2	3	5
FEMALE--	22	1	2	1	2	1	1	2	-	1	-	2
ALL OTHER--MALE----	7	-	1	-	1	1	-	-	-	1	1	-
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	1	-	1	1	-	-	-	1	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	9	-	-	1	-	-	2	1	1	1	1	-
WHITE-----MALE----	6	-	-	1	-	-	2	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	73	1	6	5	5	11	4	5	5	9	2	6
WHITE-----MALE----	27	-	2	1	2	3	3	3	2	4	1	1
FEMALE--	6	-	1	1	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	36	1	2	2	2	7	-	2	2	4	1	5
FEMALE--	4	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	35	1	2	2	2	6	-	2	2	4	1	5
FEMALE--	4	-	1	1	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,960
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
SOUTH DAKOTA -----	9	-	-	-	-	3	-	1	2	-	-	1
WHITE-----MALE----	6	-	-	-	-	3	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	90	2	9	5	3	9	10	9	14	6	9	3
WHITE-----MALE----	63	2	3	3	2	9	7	6	10	5	6	3
FEMALE--	9	-	2	-	-	-	-	-	3	-	1	-
ALL OTHER--MALE----	12	-	1	2	-	-	2	3	-	1	2	-
FEMALE--	6	-	3	-	1	-	1	-	1	-	-	-
BLACK---MALE----	11	-	-	2	-	-	2	3	-	1	2	-
FEMALE--	6	-	3	-	1	-	1	-	1	-	-	-
TEXAS -----	312	6	61	21	12	37	22	17	21	24	25	15
WHITE-----MALE----	203	2	38	10	5	25	16	10	17	18	16	12
FEMALE--	42	3	12	4	2	3	2	2	1	1	3	2
ALL OTHER--MALE----	50	1	8	5	2	8	3	5	3	3	4	1
FEMALE--	17	-	3	2	3	1	1	-	2	2	2	-
BLACK---MALE----	42	-	5	4	2	6	3	5	2	3	4	1
FEMALE--	13	-	3	2	3	1	-	-	1	1	1	-
UTAH -----	19	-	2	1	3	5	-	2	1	1	2	1
WHITE-----MALE----	13	-	2	1	2	5	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	1	2	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	92	-	8	3	9	7	4	8	11	8	9	7
WHITE-----MALE----	40	-	3	-	1	2	3	5	6	5	4	3
FEMALE--	16	-	3	1	-	1	1	-	2	-	2	2
ALL OTHER--MALE----	28	-	-	2	6	4	-	3	3	2	3	1
FEMALE--	8	-	2	-	2	-	-	-	-	1	-	1
BLACK---MALE----	26	-	-	2	5	4	-	3	3	2	3	1
FEMALE--	6	-	1	-	2	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,962
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
0 UNITED STATES --	3,206	73	94	25	19	13	32	42	47	54	79	99
WHITE-----MALE----	1,336	25	38	5	8	7	20	20	20	26	43	44
FEMALE--	1,328	17	24	5	3	4	6	12	12	13	20	30
ALL OTHER--MALE----	300	20	17	7	5	2	4	6	6	6	8	13
FEMALE--	242	11	15	8	3	-	2	4	9	9	8	12
BLACK---MALE----	262	18	15	7	3	1	4	3	6	4	6	10
FEMALE--	220	10	14	8	3	-	2	2	8	9	8	9
ALABAMA -----	98	4	6	-	-	1	-	2	1	2	4	3
WHITE-----MALE----	29	1	1	-	-	-	-	-	-	-	3	2
FEMALE--	31	-	-	-	-	1	-	1	1	1	-	-
ALL OTHER--MALE----	19	1	4	-	-	-	-	-	-	1	-	1
FEMALE--	19	2	1	-	-	-	-	1	-	-	1	-
BLACK---MALE----	19	1	4	-	-	-	-	-	-	1	-	1
FEMALE--	19	2	1	-	-	-	-	1	-	-	1	-
ALASKA -----	3	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	51	1	3	1	-	-	1	-	-	2	1	3
WHITE-----MALE----	22	-	3	-	-	-	1	-	-	2	1	1
FEMALE--	20	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	73	1	1	-	-	-	2	1	1	1	2	2
WHITE-----MALE----	29	-	1	-	-	-	1	1	-	-	1	1
FEMALE--	30	1	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	151	6	12	2	4	-	4	2	3	4	3	8
WHITE-----MALE----	75	4	3	-	2	-	4	2	1	3	2	4
FEMALE--	53	1	4	2	-	-	-	-	2	-	1	2
ALL OTHER--MALE----	11	1	1	-	2	-	-	-	-	-	-	1
FEMALE--	12	-	4	-	-	-	-	-	-	1	-	1
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	8	-	4	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,963
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	60	1	3	-	1	-	-	2	2	1	2	-
WHITE-----MALE----	30	1	1	-	1	-	-	1	1	-	-	-
FEMALE--	30	-	2	-	-	-	-	1	1	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	43	-	-	-	-	-	-	1	-	3	2	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	19	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
DELAWARE -----	7	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	2	-	-	-	1	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	2	-	-	-	-	-	-	-	-
FLORIDA -----	203	4	4	2	2	2	2	1	-	6	4	4
WHITE-----MALE----	91	-	1	1	-	1	-	-	-	3	2	2
FEMALE--	91	3	1	-	1	1	1	-	-	3	1	2
ALL OTHER--MALE----	13	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	8	-	2	-	1	-	-	-	-	-	1	-
BLACK---MALE----	13	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	8	-	2	-	1	-	-	-	-	-	1	-
GEORGIA -----	96	5	-	-	1	-	2	1	2	1	-	5
WHITE-----MALE----	30	1	-	-	-	-	-	1	1	-	-	2
FEMALE--	45	1	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	2	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	10	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	2	-	-	1	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,963
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	-	1	6	10	6	6	8	8	1	-	-
WHITE-----MALE----	1	-	1	2	9	3	3	5	1	-	-	-
FEMALE--	1	-	-	4	1	3	3	3	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	3	1	7	8	4	5	8	-	-	-
WHITE-----MALE----	-	1	3	1	3	4	2	1	3	-	-	-
FEMALE--	-	-	-	-	3	4	2	4	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	2	-	-	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	1	2	4	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	2	7	2	13	25	29	35	28	22	8	1	-
WHITE-----MALE----	1	3	1	8	13	15	15	15	7	3	-	-
FEMALE--	1	2	1	2	9	13	19	10	15	5	1	-
ALL OTHER--MALE----	-	2	-	3	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	2	-	3	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
GEORGIA -----	3	1	5	5	14	9	14	10	10	7	1	-
WHITE-----MALE----	1	-	3	3	5	5	3	4	-	1	-	-
FEMALE--	1	-	1	1	7	2	8	6	9	5	1	-
ALL OTHER--MALE----	-	-	-	1	1	2	3	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	1	2	3	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,964
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	-	-	-	-	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	2	1	2	1	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	3	6	6	13	19	23	15	18	4	-	-
WHITE-----MALE----	1	1	4	3	10	6	17	5	9	1	-	-
FEMALE--	2	-	2	1	3	10	6	9	7	3	-	-
ALL OTHER--MALE----	-	2	-	1	-	3	-	1	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	2	-	1	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
INDIANA -----	2	1	2	7	17	13	15	23	13	9	1	-
WHITE-----MALE----	1	1	1	4	12	9	3	4	2	3	-	-
FEMALE--	1	-	1	1	4	4	10	18	11	6	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
IOWA -----	-	-	1	2	3	4	9	7	2	-	-	-
WHITE-----MALE----	-	-	1	-	2	3	6	-	2	-	-	-
FEMALE--	-	-	-	2	1	1	3	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	3	1	3	4	7	8	6	8	1	1	-
WHITE-----MALE----	-	-	-	1	2	3	3	3	3	-	-	-
FEMALE--	-	3	1	2	2	4	3	3	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,965
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	58	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	68	6	-	-	-	1	2	1	2	2	1	4
WHITE-----MALE----	19	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	27	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	11	3	-	-	-	1	2	-	-	-	-	1
FEMALE--	11	2	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	10	2	-	-	-	1	2	-	-	-	-	1
FEMALE--	11	2	-	-	-	-	-	-	-	1	-	1
MAINE -----	18	-	-	-	-	-	1	-	-	-	2	1
WHITE-----MALE----	13	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	64	2	1	-	-	-	-	1	2	-	1	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	1	1	-	-	-	-	1	-	-	-	1
FEMALE--	13	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	13	1	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	74	-	2	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	35	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	36	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	93	3	4	2	-	-	2	1	2	2	3	2
WHITE-----MALE----	39	1	3	-	-	-	-	1	-	2	-	2
FEMALE--	36	1	1	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	10	1	-	1	-	-	1	-	1	-	-	-
FEMALE--	8	-	-	1	-	-	1	-	1	-	1	-
BLACK---MALE----	10	1	-	1	-	-	1	-	1	-	-	-
FEMALE--	7	-	-	1	-	-	1	-	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,965
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	-	3	12	4	12	7	6	3	3	-	-
WHITE-----MALE----	2	-	1	8	3	7	2	3	1	1	-	-
FEMALE--	1	-	2	4	1	4	5	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	3	1	3	2	10	5	10	6	7	2	-	-
WHITE-----MALE----	1	-	2	1	2	1	2	2	3	-	-	-
FEMALE--	2	-	1	-	6	3	5	1	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	3	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	3	-	-	-	-
MAINE -----	-	-	-	2	2	4	-	4	1	1	-	-
WHITE-----MALE----	-	-	-	2	2	2	-	2	1	1	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	3	6	5	6	7	9	8	7	1	-	-
WHITE-----MALE----	1	2	3	-	2	3	3	4	-	-	-	-
FEMALE--	-	-	2	3	-	2	3	3	5	1	-	-
ALL OTHER--MALE----	1	1	-	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	2	1	2	1	2	-	-	-
BLACK---MALE----	1	1	-	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	2	1	2	1	2	-	-	-
MASSACHUSETTS -----	2	1	2	5	9	6	16	14	10	4	-	-
WHITE-----MALE----	-	1	-	3	4	1	10	8	4	2	-	-
FEMALE--	2	-	2	2	4	4	6	6	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	5	1	1	9	13	13	11	8	8	2	1	-
WHITE-----MALE----	2	1	1	3	6	6	4	3	4	-	-	-
FEMALE--	-	-	-	5	6	4	6	5	3	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,968
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	4	2	9	12	13	24	13	13	7	-	-
WHITE-----MALE----	1	3	1	4	7	5	16	3	2	2	-	-
FEMALE--	1	1	-	4	4	8	6	9	10	4	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
BLACK---MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
OKLAHOMA -----	2	3	2	2	4	5	13	13	7	6	1	-
WHITE-----MALE----	1	2	-	1	2	2	5	7	-	1	-	-
FEMALE--	1	-	-	1	1	2	6	4	5	3	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	1	-	1	-	1	-
FEMALE--	-	-	-	-	-	1	1	2	1	2	-	-
BLACK---MALE----	-	1	2	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
OREGON -----	-	-	1	1	6	3	2	4	3	1	-	-
WHITE-----MALE----	-	-	1	1	4	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	2	2	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	4	7	13	19	17	34	40	22	8	2	-
WHITE-----MALE----	2	2	5	6	13	4	22	10	7	2	-	-
FEMALE--	-	1	2	7	4	11	8	23	15	6	2	-
ALL OTHER--MALE----	1	1	-	-	1	1	3	5	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
BLACK---MALE----	1	1	-	-	1	1	3	5	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	-	-	-	-
RHODE ISLAND -----	-	-	1	1	2	-	4	-	-	-	1	-
WHITE-----MALE----	-	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	4	5	4	8	5	11	7	4	2	-	-
WHITE-----MALE----	1	1	1	1	2	1	4	2	-	-	-	-
FEMALE--	1	2	1	1	2	3	1	3	4	2	-	-
ALL OTHER--MALE----	-	-	3	1	1	1	4	1	-	-	-	-
FEMALE--	-	1	-	1	3	-	2	1	-	-	-	-
BLACK---MALE----	-	-	3	1	1	1	4	1	-	-	-	-
FEMALE--	-	1	-	1	3	-	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 2,969
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	-	2	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	5	7	14	7	13	14	8	2	-	-
WHITE-----MALE----	-	1	2	4	6	3	8	5	2	-	-	-
FEMALE--	2	-	1	2	5	2	2	8	5	2	-	-
ALL OTHER--MALE----	-	-	2	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	1	-	-	-
BLACK---MALE----	-	-	2	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	1	-	-	-
TEXAS -----	5	8	9	8	5	20	17	24	13	9	-	-
WHITE-----MALE----	3	4	3	2	2	9	8	10	5	4	-	-
FEMALE--	2	2	2	5	3	7	8	13	5	5	-	-
ALL OTHER--MALE----	-	2	3	1	-	2	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	2	-	-	-
BLACK---MALE----	-	2	3	1	-	2	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	2	-	-	-
UTAH -----	-	1	-	1	1	1	1	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	1	-	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	1	10	12	17	20	15	11	9	8	-	-
WHITE-----MALE----	-	-	2	6	4	7	5	4	2	-	-	-
FEMALE--	2	1	2	4	8	8	4	6	6	6	-	-
ALL OTHER--MALE----	1	-	2	-	3	2	4	1	-	-	-	-
FEMALE--	-	-	4	2	2	3	2	-	1	2	-	-
BLACK---MALE----	1	-	2	-	3	2	4	1	-	-	-	-
FEMALE--	-	-	4	1	2	3	2	-	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,978
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENT CAUSED BY HANDGUN (E922.0)												
SOUTH DAKOTA -----	3	-	-	-	-	-	1	1	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	-	-	1	-	1	2	1	-	-	-	-
WHITE-----MALE----	5	-	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	8	-	1	1	1	1	-	1	1	-	-	1
WHITE-----MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	1	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	1	1	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	-	-	-	3	-	2	1	1	-	-	1
WHITE-----MALE----	6	-	-	-	2	-	2	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,980
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	947	2	11	23	73	187	129	85	66	67	64	61
WHITE-----MALE----	634	-	4	9	48	112	80	57	44	46	47	44
FEMALE--	94	-	3	6	5	10	9	8	9	8	7	8
ALL OTHER--MALE----	197	1	2	7	19	56	38	19	12	12	9	7
FEMALE--	22	1	2	1	1	9	2	1	1	1	1	2
BLACK---MALE----	180	1	2	7	18	52	35	15	11	11	9	4
FEMALE--	21	1	2	1	1	8	2	1	1	1	1	2
ALABAMA -----	53	-	-	2	2	7	9	4	7	4	1	4
WHITE-----MALE----	30	-	-	-	1	2	1	4	6	3	1	2
FEMALE--	4	-	-	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	15	-	-	2	1	2	5	-	1	1	-	1
FEMALE--	4	-	-	-	-	2	2	-	-	-	-	-
BLACK---MALE----	14	-	-	2	1	2	5	-	1	1	-	-
FEMALE--	4	-	-	-	-	2	2	-	-	-	-	-
ALASKA -----	9	-	-	-	-	4	1	1	-	2	-	-
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	-	-	-	-	2	2	2	-	-	1	3
WHITE-----MALE----	10	-	-	-	-	2	2	1	-	-	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	-	-	-	-	6	1	1	-	2	2	1
WHITE-----MALE----	11	-	-	-	-	2	-	1	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	4	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	4	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	106	-	2	3	4	26	16	17	4	10	4	8
WHITE-----MALE----	69	-	2	1	3	19	10	11	2	7	1	4
FEMALE--	12	-	-	2	1	2	-	1	-	1	1	2
ALL OTHER--MALE----	24	-	-	-	-	4	6	5	2	2	2	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	4	5	4	2	2	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,981
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	12	-	-	-	2	1	3	-	-	1	2	1
WHITE-----MALE----	11	-	-	-	2	1	2	-	-	1	2	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	-	-	-	-	-	1	-	-	-	3	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	23	-	1	1	4	2	4	4	4	1	-	1
WHITE-----MALE----	16	-	-	1	3	1	4	2	3	-	-	1
FEMALE--	3	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	37	-	-	1	3	13	5	3	4	-	2	1
WHITE-----MALE----	22	-	-	-	1	7	4	2	1	-	1	1
FEMALE--	4	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	5	1	-	2	-	-	-
FEMALE--	3	-	-	1	1	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	4	1	-	2	-	-	-
FEMALE--	3	-	-	1	1	-	-	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,983
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	38	-	1	1	2	4	5	1	4	4	4	5
WHITE-----MALE----	31	-	1	1	2	4	5	1	3	2	2	4
FEMALE--	7	-	-	-	-	-	-	-	1	2	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	33	-	1	2	2	8	2	3	3	2	4	2
WHITE-----MALE----	14	-	-	1	1	2	1	2	-	-	2	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	1	1	5	1	1	2	2	2	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	16	-	-	1	1	5	1	1	2	2	2	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	-	-	-	1	2	1	2	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	1	-	1	2	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	1	-	1	2	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	3	-	-	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	25	-	1	1	6	5	5	2	1	-	-	3
WHITE-----MALE----	13	-	-	-	3	1	3	2	-	-	-	3
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	1	3	3	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	8	-	-	1	3	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 2,999
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL, STEAM, AND EXPOSURE TO RADIATION (E924,E926)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	-	-	-	-	-	1	-	-	-	2	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	7	-	1	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,005
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL, STEAM, AND EXPOSURE TO RADIATION (E924,E926)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	1	1	-	-	-	1	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,016
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	8,708	335	200	122	147	240	308	332	468	522	544	502
WHITE-----MALE----	5,238	137	97	58	94	183	227	249	334	372	393	347
FEMALE--	2,097	89	56	40	25	25	27	31	50	62	62	57
ALL OTHER--MALE----	946	59	33	17	20	21	45	46	70	71	69	74
FEMALE--	427	50	14	7	8	11	9	6	14	17	20	24
BLACK---MALE----	754	52	28	13	13	15	26	36	54	51	59	65
FEMALE--	370	44	13	5	7	9	8	6	12	15	19	19
ALABAMA -----	240	4	6	2	3	6	8	14	16	19	12	26
WHITE-----MALE----	130	1	3	1	2	4	5	10	10	6	8	16
FEMALE--	43	1	1	1	1	-	1	1	1	2	2	-
ALL OTHER--MALE----	46	1	1	-	-	-	1	3	5	10	2	9
FEMALE--	21	1	1	-	-	2	1	-	-	1	-	1
BLACK---MALE----	46	1	1	-	-	-	1	3	5	10	2	9
FEMALE--	21	1	1	-	-	2	1	-	-	1	-	1
ALASKA -----	35	4	1	2	2	5	2	3	2	2	3	1
WHITE-----MALE----	19	2	1	-	1	3	1	2	2	2	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	1	-	2	1	2	1	1	-	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	193	9	8	3	1	2	11	9	16	13	9	11
WHITE-----MALE----	115	2	5	2	1	2	9	6	11	8	7	7
FEMALE--	28	3	2	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	44	2	1	1	-	-	1	2	5	5	2	3
FEMALE--	6	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	140	5	3	3	-	6	12	6	6	5	5	3
WHITE-----MALE----	89	2	1	2	-	4	8	4	4	5	3	3
FEMALE--	27	2	2	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	4	2	1	-	2	-
FEMALE--	9	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	3	2	1	-	2	-
FEMALE--	9	1	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	639	31	19	12	11	26	31	32	39	50	68	49
WHITE-----MALE----	401	10	12	4	7	17	22	26	29	35	49	36
FEMALE--	138	10	3	4	2	3	2	3	7	7	8	5
ALL OTHER--MALE----	66	7	2	3	2	4	6	2	3	6	6	3
FEMALE--	34	4	2	1	-	2	1	1	-	2	5	5
BLACK---MALE----	41	5	1	3	-	3	1	2	2	3	4	3
FEMALE--	24	4	2	-	-	1	-	1	-	2	5	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,016
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	449	411	444	527	631	622	753	605	369	136	24	17
WHITE-----MALE----	317	272	291	316	363	352	377	251	148	42	6	12
FEMALE--	57	57	83	116	174	194	300	304	194	83	9	2
ALL OTHER--MALE----	59	51	51	68	59	48	36	26	13	3	4	3
FEMALE--	16	31	19	27	35	28	40	24	14	8	5	-
BLACK---MALE----	55	42	42	64	48	29	26	18	11	2	4	1
FEMALE--	13	24	13	25	28	26	38	22	13	7	4	-
ALABAMA -----	11	10	15	15	15	13	15	18	5	4	3	-
WHITE-----MALE----	4	9	10	9	8	8	5	6	2	2	1	-
FEMALE--	5	1	3	-	2	3	4	10	3	1	-	-
ALL OTHER--MALE----	1	-	2	5	3	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	2	1	5	1	-	1	2	-
BLACK---MALE----	1	-	2	5	3	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	2	1	5	1	-	1	2	-
ALASKA -----	2	1	1	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	13	17	5	12	16	11	6	5	-	-	5
WHITE-----MALE----	7	8	12	1	6	9	4	1	4	-	-	3
FEMALE--	2	-	-	1	3	5	4	4	1	-	-	-
ALL OTHER--MALE----	2	4	4	2	2	2	3	1	-	-	-	2
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	8	10	15	13	9	9	9	2	1	1	-
WHITE-----MALE----	6	6	7	10	7	5	5	6	1	-	-	-
FEMALE--	3	1	2	2	3	2	2	3	1	1	-	-
ALL OTHER--MALE----	-	1	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	-	-	-	1	-
BLACK---MALE----	-	1	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	-	-	-	1	-
CALIFORNIA -----	33	30	25	28	25	30	45	24	16	10	2	3
WHITE-----MALE----	24	19	19	18	15	16	24	8	6	2	-	3
FEMALE--	4	5	5	5	9	6	18	15	10	6	1	-
ALL OTHER--MALE----	4	3	-	5	-	7	1	1	-	1	-	-
FEMALE--	1	3	1	-	1	1	2	-	-	1	1	-
BLACK---MALE----	4	2	-	4	-	3	-	1	-	-	-	-
FEMALE--	-	2	1	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,017
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	135	7	2	4	1	3	7	3	4	14	13	11
WHITE-----MALE----	94	4	1	2	1	2	7	3	3	12	12	9
FEMALE--	33	-	1	2	-	1	-	-	1	2	-	2
ALL OTHER--MALE----	6	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	93	3	-	1	-	1	1	2	3	4	8	4
WHITE-----MALE----	57	2	-	1	-	1	1	1	2	4	7	3
FEMALE--	29	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	23	-	-	-	-	-	2	-	5	1	2	-
WHITE-----MALE----	9	-	-	-	-	-	2	-	3	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	20	1	1	1	-	-	-	-	-	1	1	4
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	345	17	19	6	6	5	9	11	21	21	21	17
WHITE-----MALE----	211	11	8	2	2	5	5	7	12	14	15	13
FEMALE--	76	3	6	2	1	-	1	2	4	2	2	2
ALL OTHER--MALE----	37	-	2	2	1	-	3	2	3	2	2	1
FEMALE--	21	3	3	-	2	-	-	-	2	3	2	1
BLACK---MALE----	35	-	2	2	1	-	2	2	3	2	2	1
FEMALE--	21	3	3	-	2	-	-	-	2	3	2	1
GEORGIA -----	235	10	1	5	5	5	12	14	12	17	16	8
WHITE-----MALE----	121	2	-	2	3	3	6	12	8	11	6	4
FEMALE--	53	4	-	1	-	1	-	1	-	2	3	1
ALL OTHER--MALE----	36	2	1	1	1	1	4	1	2	3	5	2
FEMALE--	25	2	-	1	1	-	2	-	2	1	2	1
BLACK---MALE----	34	2	1	1	1	1	3	1	2	3	5	2
FEMALE--	25	2	-	1	1	-	2	-	2	1	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,017
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	2	6	7	6	6	15	9	7	2	1	-
WHITE-----MALE----	4	2	4	3	3	4	9	3	5	-	1	-
FEMALE--	-	-	2	4	2	1	6	5	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	1	3	4	4	10	19	7	9	1	1	-
WHITE-----MALE----	3	1	1	3	1	7	10	3	4	1	1	-
FEMALE--	2	-	1	1	3	2	9	4	5	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	2	2	-	2	1	1	3	1	1	-	-	-
WHITE-----MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	1	1	1	1	1	2	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
BLACK---MALE----	2	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
FLORIDA -----	21	23	17	18	21	23	28	28	8	5	-	-
WHITE-----MALE----	17	15	10	5	14	14	18	14	7	3	-	-
FEMALE--	1	1	5	6	5	8	9	13	1	2	-	-
ALL OTHER--MALE----	3	4	2	6	2	1	1	-	-	-	-	-
FEMALE--	-	3	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	3	3	2	6	2	1	1	-	-	-	-	-
FEMALE--	-	3	-	1	-	-	-	1	-	-	-	-
GEORGIA -----	9	14	12	14	16	16	19	16	9	4	1	-
WHITE-----MALE----	7	9	6	11	8	6	9	6	-	1	1	-
FEMALE--	1	2	3	1	5	5	9	8	4	2	-	-
ALL OTHER--MALE----	1	3	2	2	2	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	3	1	2	4	1	-	-
BLACK---MALE----	1	3	2	2	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	1	2	4	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,018
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	2	2	-	1	5	3	3	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	4	3	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	4	6	4	6	4	4	3	-	-	-	-
WHITE-----MALE----	2	3	6	4	4	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	2	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	17	10	13	31	25	30	33	29	15	13	2	-
WHITE-----MALE----	10	5	8	15	15	13	12	14	5	2	-	-
FEMALE--	4	2	2	13	4	13	16	12	8	11	1	-
ALL OTHER--MALE----	3	2	2	2	3	3	-	2	1	-	-	-
FEMALE--	-	1	1	1	3	1	5	1	1	-	1	-
BLACK---MALE----	3	2	2	2	3	2	-	1	1	-	-	-
FEMALE--	-	1	-	1	3	1	5	1	1	-	1	-
INDIANA -----	10	14	3	13	11	17	26	17	14	1	-	-
WHITE-----MALE----	6	10	2	8	7	11	14	5	6	-	-	-
FEMALE--	3	3	1	4	2	6	10	11	8	1	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IOWA -----	5	4	5	10	6	9	10	10	7	5	-	-
WHITE-----MALE----	4	3	4	8	4	7	6	5	2	2	-	-
FEMALE--	1	1	1	2	2	2	4	5	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	5	6	7	8	5	16	11	5	1	2	-
WHITE-----MALE----	4	4	3	5	7	4	6	2	2	-	-	-
FEMALE--	-	-	3	2	1	-	9	8	3	1	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,019
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	239	15	2	-	-	7	7	13	13	19	16	10
WHITE-----MALE----	156	8	1	-	-	6	3	9	10	15	16	9
FEMALE--	61	4	1	-	-	-	1	3	-	3	-	-
ALL OTHER--MALE----	14	1	-	-	-	-	3	1	3	1	-	1
FEMALE--	8	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	11	1	-	-	-	-	2	-	2	1	-	1
FEMALE--	8	2	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	148	8	3	1	5	7	8	9	12	6	16	7
WHITE-----MALE----	78	2	-	-	3	7	6	6	6	4	9	5
FEMALE--	20	-	1	1	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	33	2	1	-	1	-	2	2	5	1	3	2
FEMALE--	17	4	1	-	-	-	-	1	-	-	4	-
BLACK---MALE----	33	2	1	-	1	-	2	2	5	1	3	2
FEMALE--	17	4	1	-	-	-	-	1	-	-	4	-
MAINE -----	51	-	-	-	1	1	-	-	1	2	4	4
WHITE-----MALE----	30	-	-	-	1	1	-	-	-	1	4	3
FEMALE--	21	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	184	6	4	-	4	4	7	4	10	7	8	11
WHITE-----MALE----	84	-	1	-	2	3	3	4	7	3	5	6
FEMALE--	47	2	3	-	2	-	1	-	2	3	2	1
ALL OTHER--MALE----	32	-	-	-	-	1	2	-	1	1	1	3
FEMALE--	21	4	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	30	-	-	-	-	1	1	-	1	1	1	3
FEMALE--	21	4	-	-	-	-	1	-	-	-	-	1
MASSACHUSETTS -----	170	-	6	-	3	2	2	6	6	15	11	12
WHITE-----MALE----	107	-	1	-	2	1	1	6	4	10	9	7
FEMALE--	52	-	3	-	-	-	-	-	2	2	2	4
ALL OTHER--MALE----	9	-	1	-	1	1	1	-	-	2	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	291	18	10	2	8	8	7	8	14	15	16	16
WHITE-----MALE----	167	8	5	2	3	6	4	6	10	11	8	11
FEMALE--	75	3	3	-	4	1	1	2	-	2	2	1
ALL OTHER--MALE----	32	5	1	-	-	1	2	-	3	1	5	4
FEMALE--	17	2	1	-	1	-	-	-	1	1	1	-
BLACK---MALE----	31	5	1	-	-	1	2	-	3	1	5	4
FEMALE--	17	2	1	-	1	-	-	-	1	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,019
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	12	8	12	15	23	25	21	8	8	5	-	-
WHITE-----MALE----	10	8	7	8	15	13	8	3	5	2	-	-
FEMALE--	-	-	4	4	8	12	13	4	2	2	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	1	1	-	-	-
LOUISIANA -----	10	5	4	9	12	2	12	5	6	1	-	-
WHITE-----MALE----	4	4	4	4	3	1	6	2	2	-	-	-
FEMALE--	-	-	-	1	4	1	5	1	2	1	-	-
ALL OTHER--MALE----	5	-	-	4	3	-	1	1	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	1	2	-	-	-
BLACK---MALE----	5	-	-	4	3	-	1	1	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	1	2	-	-	-
MAINE -----	4	1	3	1	5	6	6	6	5	1	-	-
WHITE-----MALE----	2	1	-	-	5	4	4	1	3	-	-	-
FEMALE--	2	-	3	1	-	2	2	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	9	7	14	20	16	17	16	6	2	1	2
WHITE-----MALE----	4	5	3	6	8	10	7	4	1	-	-	2
FEMALE--	1	1	-	3	6	4	6	7	2	1	-	-
ALL OTHER--MALE----	3	3	4	3	3	1	2	1	2	-	1	-
FEMALE--	1	-	-	2	3	1	2	4	1	1	-	-
BLACK---MALE----	3	3	4	3	3	1	1	1	2	-	1	-
FEMALE--	1	-	-	2	3	1	2	4	1	1	-	-
MASSACHUSETTS -----	7	4	7	11	10	16	20	14	14	3	1	-
WHITE-----MALE----	5	3	5	7	7	10	13	8	6	2	-	-
FEMALE--	2	1	1	4	2	6	7	6	8	1	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	12	11	10	14	23	14	38	27	15	4	1	-
WHITE-----MALE----	10	9	5	9	11	8	23	12	4	2	-	-
FEMALE--	-	1	2	3	7	5	11	15	10	2	-	-
ALL OTHER--MALE----	1	-	2	-	3	-	2	-	1	-	1	-
FEMALE--	1	1	1	2	2	1	2	-	-	-	-	-
BLACK---MALE----	1	-	2	-	2	-	2	-	1	-	1	-
FEMALE--	1	1	1	2	2	1	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,022
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	23	21	12	24	33	32	32	29	21	7	1	-
WHITE-----MALE----	15	14	7	16	17	18	14	14	9	2	1	-
FEMALE--	3	3	3	5	13	14	15	14	11	5	-	-
ALL OTHER--MALE----	4	3	-	1	2	-	3	1	-	-	-	-
FEMALE--	1	1	2	2	1	-	-	-	1	-	-	-
BLACK---MALE----	4	3	-	1	2	-	3	1	-	-	-	-
FEMALE--	1	1	2	2	1	-	-	-	1	-	-	-
OKLAHOMA -----	6	14	13	6	21	3	9	8	5	1	-	1
WHITE-----MALE----	5	10	10	5	15	1	5	4	2	-	-	-
FEMALE--	1	2	2	1	4	2	3	2	3	1	-	1
ALL OTHER--MALE----	-	1	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	8	11	12	11	11	12	14	9	1	-	-
WHITE-----MALE----	3	6	6	9	9	8	6	6	5	1	-	-
FEMALE--	-	2	5	2	2	2	6	7	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	22	16	32	27	36	39	51	42	22	11	4	-
WHITE-----MALE----	14	8	25	16	21	26	26	13	8	4	1	-
FEMALE--	5	3	3	5	12	12	22	27	14	6	2	-
ALL OTHER--MALE----	2	3	4	4	2	1	1	1	-	-	1	-
FEMALE--	1	2	-	2	1	-	2	1	-	1	-	-
BLACK---MALE----	1	3	4	4	2	1	1	1	-	-	1	-
FEMALE--	1	2	-	2	1	-	2	1	-	1	-	-
RHODE ISLAND -----	1	-	1	1	-	2	1	-	3	1	-	-
WHITE-----MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	6	10	5	18	11	7	9	4	1	-	-
WHITE-----MALE----	6	1	6	2	4	6	5	2	-	-	-	-
FEMALE--	-	-	2	1	7	2	1	5	2	-	-	-
ALL OTHER--MALE----	6	2	2	2	4	2	1	-	2	1	-	-
FEMALE--	1	3	-	-	3	1	-	2	-	-	-	-
BLACK---MALE----	6	2	2	2	4	2	1	-	2	1	-	-
FEMALE--	1	3	-	-	3	1	-	2	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,023
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	40	2	1	2	1	2	-	2	3	2	3	-
WHITE-----MALE----	29	1	1	-	1	1	-	2	3	2	2	-
FEMALE--	5	1	-	2	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	222	5	2	2	3	7	6	11	17	11	10	17
WHITE-----MALE----	135	2	2	-	-	7	5	8	12	8	3	12
FEMALE--	51	2	-	1	2	-	1	1	1	1	2	1
ALL OTHER--MALE----	24	1	-	1	1	-	-	2	2	1	5	2
FEMALE--	12	-	-	-	-	-	-	-	2	1	-	2
BLACK---MALE----	24	1	-	1	1	-	-	2	2	1	5	2
FEMALE--	12	-	-	-	-	-	-	-	2	1	-	2
TEXAS -----	520	27	14	6	14	13	20	29	34	30	31	32
WHITE-----MALE----	356	12	7	4	11	11	17	22	28	24	29	29
FEMALE--	103	11	5	2	1	1	2	3	3	2	2	-
ALL OTHER--MALE----	36	3	2	-	1	-	1	2	2	3	-	2
FEMALE--	25	1	-	-	1	1	-	2	1	1	-	1
BLACK---MALE----	34	3	2	-	1	-	1	2	2	2	-	2
FEMALE--	24	1	-	-	1	1	-	2	-	1	-	1
UTAH -----	65	3	3	2	-	8	6	-	4	11	1	5
WHITE-----MALE----	53	2	2	2	-	7	6	-	4	10	1	5
FEMALE--	11	1	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	26	1	-	-	1	-	1	2	1	3	2	4
WHITE-----MALE----	19	1	-	-	1	-	1	2	1	3	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	246	5	6	3	4	5	9	8	11	11	7	23
WHITE-----MALE----	144	1	3	2	3	2	6	6	7	9	5	17
FEMALE--	45	3	-	1	1	1	-	-	-	2	-	2
ALL OTHER--MALE----	43	-	3	-	-	1	2	2	3	-	1	3
FEMALE--	14	1	-	-	-	1	1	-	1	-	1	1
BLACK---MALE----	42	-	3	-	-	1	2	2	3	-	1	3
FEMALE--	13	1	-	-	-	1	1	-	1	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,023
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	4	3	2	5	2	1	1	1	-	-	-
WHITE-----MALE----	2	3	2	2	4	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	15	8	15	21	13	22	12	15	8	1	-	1
WHITE-----MALE----	14	5	7	14	8	10	9	7	1	-	-	1
FEMALE--	1	1	5	3	4	8	3	7	7	-	-	-
ALL OTHER--MALE----	-	2	3	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	-	-	1	-	-
BLACK---MALE----	-	2	3	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	-	-	1	-	-
TEXAS -----	26	23	35	30	34	31	33	28	19	9	-	2
WHITE-----MALE----	20	16	25	25	17	15	17	16	5	5	-	1
FEMALE--	2	2	6	1	12	9	11	11	12	4	-	1
ALL OTHER--MALE----	3	1	2	3	2	5	3	-	1	-	-	-
FEMALE--	1	4	2	1	3	2	2	1	1	-	-	-
BLACK---MALE----	3	1	1	3	2	5	3	-	1	-	-	-
FEMALE--	1	4	2	1	3	2	2	1	1	-	-	-
UTAH -----	5	2	2	2	3	2	2	1	1	2	-	-
WHITE-----MALE----	5	1	1	-	3	1	1	1	1	-	-	-
FEMALE--	-	1	1	2	-	1	1	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	-	1	-	1	4	3	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	16	12	25	19	18	21	15	10	3	2	-
WHITE-----MALE----	9	8	8	16	10	12	11	5	3	1	-	-
FEMALE--	1	3	-	6	2	3	7	6	5	1	1	-
ALL OTHER--MALE----	3	4	2	3	5	3	2	4	1	-	1	-
FEMALE--	-	1	2	-	2	-	1	-	1	1	-	-
BLACK---MALE----	3	4	2	3	4	3	2	4	1	-	1	-
FEMALE--	-	1	2	-	1	-	1	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,026
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	3	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	12	-	-	-	-	-	1	-	1	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	10	-	1	-	-	-	1	-	-	2	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	1
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,028
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	-	-	-	-	-	-	2	1	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	14	-	-	-	-	-	-	4	1	2	3	-
WHITE-----MALE----	5	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,031
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	11	-	-	-	-	-	-	2	-	-	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	2	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	4	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	8	-	-	-	-	-	-	2	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,031
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	2	1	-	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	2	1	2	2	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,032
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	16	-	-	-	-	-	1	-	1	-	3	1
WHITE-----MALE----	9	-	-	-	-	-	1	-	1	-	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	-	-	-	-	1	-	-	1	2	-	1
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,032
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	1	2	-	3	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	-	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,034
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	30,903	4	298	1,817	2,541	2,816	3,045	3,476	3,265	2,785
WHITE-----MALE----	22,547	3	179	1,249	1,860	1,996	2,150	2,492	2,297	1,991
FEMALE--	5,309	1	65	273	257	373	490	631	682	595
ALL OTHER--MALE----	2,451	43	247	247	368	365	337	289	222	150
FEMALE--	596	-	11	48	56	82	68	64	64	49
BLACK---MALE----	1,820	-	28	169	292	258	245	227	170	113
FEMALE--	344	-	8	26	36	43	44	40	39	25
ALABAMA -----	513	-	3	28	40	46	49	55	57	47
WHITE-----MALE----	355	-	2	16	25	26	37	39	38	30
FEMALE--	96	-	-	6	4	6	6	10	13	13
ALL OTHER--MALE----	55	-	1	5	11	11	6	5	6	3
FEMALE--	7	-	-	1	-	3	-	1	-	1
BLACK---MALE----	53	-	1	5	11	10	5	5	6	3
FEMALE--	7	-	-	1	-	3	-	1	-	1
ALASKA -----	120	-	2	14	17	17	18	10	15	7
WHITE-----MALE----	63	-	-	4	8	11	6	6	9	3
FEMALE--	14	-	-	-	1	1	-	2	4	3
ALL OTHER--MALE----	36	-	1	10	7	4	9	2	2	1
FEMALE--	7	-	1	-	1	1	3	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
ARIZONA -----	726	1	7	55	66	70	71	80	74	61
WHITE-----MALE----	540	1	4	39	47	45	55	58	55	47
FEMALE--	126	-	1	4	10	11	9	18	15	12
ALL OTHER--MALE----	49	-	2	12	7	12	4	3	1	2
FEMALE--	11	-	-	-	2	2	3	1	3	-
BLACK---MALE----	11	-	-	2	2	4	-	2	-	1
FEMALE--	2	-	-	-	1	-	1	-	-	-
ARKANSAS -----	323	1	7	31	29	30	36	32	31	23
WHITE-----MALE----	239	-	4	29	22	15	26	24	26	16
FEMALE--	51	1	2	1	3	7	4	4	3	6
ALL OTHER--MALE----	25	-	1	1	4	6	5	2	2	-
FEMALE--	8	-	-	-	-	2	1	2	-	1
BLACK---MALE----	24	-	1	1	4	6	5	1	2	-
FEMALE--	7	-	-	-	-	1	1	2	-	1
CALIFORNIA -----	3,408	-	28	179	225	299	327	378	385	330
WHITE-----MALE----	2,390	-	15	120	161	212	218	269	255	234
FEMALE--	644	-	6	28	31	43	59	68	79	75
ALL OTHER--MALE----	268	-	5	26	25	32	42	32	36	12
FEMALE--	106	-	2	5	8	12	8	9	15	9
BLACK---MALE----	117	-	-	10	10	11	19	21	20	4
FEMALE--	35	-	1	1	3	1	5	4	5	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,034
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	2,052	1,615	1,310	1,419	1,387	1,280	1,010	557	173	28	1	24
WHITE-----MALE----	1,449	1,210	956	1,084	1,111	1,061	819	459	144	23	1	13
FEMALE--	474	305	266	256	200	167	158	80	25	5	-	6
ALL OTHER--MALE----	94	76	64	57	55	41	24	13	1	-	-	5
FEMALE--	35	24	24	22	21	11	9	5	3	-	-	-
BLACK---MALE----	71	54	54	48	39	24	15	9	1	-	-	3
FEMALE--	27	7	13	11	10	6	5	3	1	-	-	-
ALABAMA -----	42	29	16	26	28	10	23	12	1	1	-	-
WHITE-----MALE----	28	23	12	20	22	8	17	10	1	1	-	-
FEMALE--	13	6	4	6	4	-	5	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	6	6	3	2	1	-	1	-	1	-	-	-
WHITE-----MALE----	6	5	1	2	-	-	1	-	1	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	49	34	19	29	26	34	21	20	6	1	-	2
WHITE-----MALE----	36	29	14	22	18	30	17	17	5	-	-	1
FEMALE--	10	4	4	7	7	4	4	3	1	1	-	1
ALL OTHER--MALE----	3	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	22	10	20	8	10	16	13	4	-	-	-	-
WHITE-----MALE----	16	9	12	6	7	12	13	2	-	-	-	-
FEMALE--	6	1	6	2	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	228	186	151	151	165	148	130	56	29	5	1	7
WHITE-----MALE----	144	135	99	106	124	115	102	46	26	3	1	5
FEMALE--	64	35	38	31	24	24	24	8	3	2	-	2
ALL OTHER--MALE----	13	13	7	8	8	6	2	1	-	-	-	-
FEMALE--	7	3	7	6	9	3	2	1	-	-	-	-
BLACK---MALE----	7	3	5	4	2	1	-	-	-	-	-	-
FEMALE--	5	1	2	1	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,035
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	694	-	13	29	72	56	65	83	85	85
WHITE-----MALE----	551	-	9	26	60	48	48	62	68	68
FEMALE--	122	-	3	2	10	7	13	17	15	15
ALL OTHER--MALE----	18	-	1	1	2	1	4	2	2	1
FEMALE--	3	-	-	-	-	-	-	2	-	1
BLACK---MALE----	14	-	1	1	2	1	4	-	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	292	-	6	12	28	26	35	31	30	24
WHITE-----MALE----	211	-	5	5	16	20	27	21	26	17
FEMALE--	54	-	1	4	3	1	7	8	3	4
ALL OTHER--MALE----	22	-	-	3	7	5	-	2	1	2
FEMALE--	5	-	-	-	2	-	1	-	-	1
BLACK---MALE----	21	-	-	3	7	5	-	2	1	1
FEMALE--	3	-	-	-	1	-	-	-	-	1
DELAWARE -----	97	-	-	3	8	4	10	18	11	7
WHITE-----MALE----	73	-	-	3	7	3	6	12	9	5
FEMALE--	14	-	-	-	-	-	1	4	-	2
ALL OTHER--MALE----	7	-	-	-	1	1	-	2	2	-
FEMALE--	3	-	-	-	-	-	3	-	-	-
BLACK---MALE----	6	-	-	-	1	1	-	1	2	-
FEMALE--	2	-	-	-	-	-	2	-	-	-
DISTRICT OF COLUMBIA ----	35	-	-	2	3	3	7	5	3	-
WHITE-----MALE----	9	-	-	-	1	1	-	1	2	-
FEMALE--	4	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	17	-	-	1	2	-	6	3	1	-
FEMALE--	5	-	-	-	-	1	1	1	-	-
BLACK---MALE----	15	-	-	1	2	-	5	3	1	-
FEMALE--	5	-	-	-	-	1	1	1	-	-
FLORIDA -----	2,153	-	18	70	145	158	165	242	226	180
WHITE-----MALE----	1,593	-	8	49	97	113	114	181	155	131
FEMALE--	408	-	3	11	21	20	30	42	58	43
ALL OTHER--MALE----	128	-	5	10	24	21	20	13	10	6
FEMALE--	24	-	2	-	3	4	1	6	3	-
BLACK---MALE----	115	-	4	9	23	17	18	13	9	6
FEMALE--	21	-	2	-	2	4	1	6	3	-
GEORGIA -----	867	-	7	55	79	88	91	99	90	84
WHITE-----MALE----	599	-	5	32	54	65	59	70	47	64
FEMALE--	132	-	1	6	5	8	13	16	23	14
ALL OTHER--MALE----	122	-	1	15	17	13	17	12	19	5
FEMALE--	14	-	-	2	3	2	2	1	1	1
BLACK---MALE----	113	-	1	14	17	12	16	11	19	4
FEMALE--	12	-	-	2	3	1	2	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,035
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	36	35	17	22	28	30	18	15	4	1	-	-
WHITE-----MALE----	31	26	15	15	23	23	15	12	1	1	-	-
FEMALE--	4	7	2	7	5	6	3	3	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	22	20	11	17	10	8	7	5	-	-	-	-
WHITE-----MALE----	12	17	11	10	9	5	5	5	-	-	-	-
FEMALE--	10	3	-	5	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	3	10	3	7	5	5	2	1	-	-	-	-
WHITE-----MALE----	3	8	2	6	4	3	2	-	-	-	-	-
FEMALE--	-	2	1	-	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	1	1	2	1	1	2	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	161	119	99	109	105	138	114	73	26	3	-	2
WHITE-----MALE----	114	94	79	87	85	111	94	56	22	2	-	1
FEMALE--	43	20	20	18	19	21	19	14	4	1	-	1
ALL OTHER--MALE----	4	4	-	2	1	5	-	3	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	-	-	-	-	-
BLACK---MALE----	4	4	-	2	1	3	-	2	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
GEORGIA -----	53	39	37	51	39	23	23	3	6	-	-	-
WHITE-----MALE----	33	27	30	39	31	19	17	2	5	-	-	-
FEMALE--	12	9	5	7	4	3	4	1	1	-	-	-
ALL OTHER--MALE----	8	3	2	4	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	5	3	2	4	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,036
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	127	-	1	7	11	22	13	13	10	8
WHITE-----MALE----	42	-	-	2	2	5	3	7	6	2
FEMALE--	13	-	-	1	1	-	1	2	2	-
ALL OTHER--MALE----	56	-	1	3	7	16	7	3	1	4
FEMALE--	16	-	-	1	1	1	2	1	1	2
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
IDAHO -----	177	-	1	15	14	15	14	18	12	14
WHITE-----MALE----	145	-	-	12	11	14	13	13	11	12
FEMALE--	29	-	1	2	2	1	1	5	1	2
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,061	-	10	53	77	98	124	115	102	88
WHITE-----MALE----	734	-	4	33	56	65	83	76	63	58
FEMALE--	196	-	3	9	8	14	21	22	26	22
ALL OTHER--MALE----	107	-	1	10	11	18	15	14	11	5
FEMALE--	24	-	2	1	2	1	5	3	2	3
BLACK---MALE----	99	-	1	10	11	16	14	14	10	4
FEMALE--	20	-	2	1	2	1	5	2	2	2
INDIANA -----	738	-	5	48	71	77	74	76	74	57
WHITE-----MALE----	570	-	3	35	56	51	55	57	64	46
FEMALE--	119	-	2	9	8	14	12	14	7	9
ALL OTHER--MALE----	36	-	-	3	5	8	6	5	2	1
FEMALE--	13	-	-	1	2	4	1	-	1	1
BLACK---MALE----	31	-	-	1	5	8	5	4	2	1
FEMALE--	13	-	-	1	2	4	1	-	1	1
IOWA -----	321	-	2	25	28	27	30	37	43	29
WHITE-----MALE----	266	-	1	20	24	22	24	31	37	20
FEMALE--	47	-	-	1	3	4	5	6	6	9
ALL OTHER--MALE----	5	-	1	2	1	-	1	-	-	-
FEMALE--	3	-	-	2	-	1	-	-	-	-
BLACK---MALE----	4	-	-	2	1	-	1	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-
KANSAS -----	334	-	4	32	28	32	24	38	46	26
WHITE-----MALE----	258	-	2	25	22	22	18	29	36	16
FEMALE--	53	-	-	3	2	5	5	8	8	8
ALL OTHER--MALE----	18	-	1	3	4	4	1	1	2	1
FEMALE--	5	-	1	1	-	1	-	-	-	1
BLACK---MALE----	14	-	1	2	3	3	1	1	1	1
FEMALE--	3	-	1	-	-	-	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,037
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	488	-	5	32	35	48	49	49	57	46
WHITE-----MALE----	395	-	3	23	29	42	38	41	40	35
FEMALE--	77	-	2	5	3	6	9	7	15	9
ALL OTHER--MALE----	14	-	-	4	2	-	2	1	2	2
FEMALE--	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	14	-	-	4	2	-	2	1	2	2
FEMALE--	2	-	-	-	1	-	-	-	-	-
LOUISIANA -----	531	-	6	46	51	55	46	57	51	49
WHITE-----MALE----	342	-	4	32	29	38	25	34	25	31
FEMALE--	93	-	1	7	3	6	8	10	18	11
ALL OTHER--MALE----	82	-	1	6	16	10	11	10	7	7
FEMALE--	14	-	-	1	3	1	2	3	1	-
BLACK---MALE----	80	-	1	6	15	10	10	10	7	7
FEMALE--	11	-	-	1	3	-	2	1	1	-
MAINE -----	171	-	2	5	5	18	16	25	8	21
WHITE-----MALE----	145	-	1	5	5	17	15	21	2	16
FEMALE--	26	-	1	-	-	1	1	4	6	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	501	-	6	18	45	48	57	55	52	50
WHITE-----MALE----	326	-	3	10	33	27	31	37	38	30
FEMALE--	79	-	3	3	2	7	10	6	7	11
ALL OTHER--MALE----	73	-	-	5	7	10	14	9	4	7
FEMALE--	23	-	-	-	3	4	2	3	3	2
BLACK---MALE----	67	-	-	4	6	10	12	9	4	5
FEMALE--	19	-	-	-	3	3	2	2	3	1
MASSACHUSETTS -----	490	-	3	24	33	53	63	63	52	50
WHITE-----MALE----	367	-	3	21	28	44	45	50	32	32
FEMALE--	98	-	-	2	1	5	17	12	14	14
ALL OTHER--MALE----	19	-	-	1	3	4	1	1	5	2
FEMALE--	6	-	-	-	1	-	-	-	1	2
BLACK---MALE----	12	-	-	1	2	3	1	-	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1,114	-	8	60	98	105	95	121	115	105
WHITE-----MALE----	807	-	6	44	63	77	61	80	76	71
FEMALE--	173	-	2	8	11	15	18	25	20	22
ALL OTHER--MALE----	109	-	-	7	21	10	15	12	14	9
FEMALE--	25	-	-	1	3	3	1	4	5	3
BLACK---MALE----	92	-	-	7	18	10	11	11	11	7
FEMALE--	20	-	-	1	2	2	1	4	3	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,037
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	28	23	19	18	24	24	17	12	2	-	-	-
WHITE-----MALE----	23	18	18	15	20	22	15	11	2	-	-	-
FEMALE--	5	4	1	3	4	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	40	26	24	24	21	13	14	7	1	-	-	-
WHITE-----MALE----	24	21	18	21	16	9	10	4	1	-	-	-
FEMALE--	10	4	2	2	3	4	3	1	-	-	-	-
ALL OTHER--MALE----	5	1	3	1	1	-	1	2	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	1	3	1	1	-	1	2	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
MAINE -----	11	10	10	8	8	8	8	6	2	-	-	-
WHITE-----MALE----	9	7	9	6	8	8	8	6	2	-	-	-
FEMALE--	2	3	1	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	35	33	20	23	22	17	15	5	-	-	-	-
WHITE-----MALE----	20	24	11	17	16	14	12	3	-	-	-	-
FEMALE--	9	6	4	3	3	1	2	2	-	-	-	-
ALL OTHER--MALE----	4	2	4	2	2	2	1	-	-	-	-	-
FEMALE--	2	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	4	2	4	2	2	2	1	-	-	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	34	29	17	13	24	11	9	6	5	-	-	1
WHITE-----MALE----	28	21	14	8	18	10	6	2	4	-	-	1
FEMALE--	6	7	3	5	5	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	78	61	48	58	54	42	44	17	4	1	-	-
WHITE-----MALE----	57	50	32	49	49	41	37	11	2	1	-	-
FEMALE--	18	5	11	5	3	1	4	5	-	-	-	-
ALL OTHER--MALE----	2	5	5	4	2	-	2	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	2	5	4	2	2	-	1	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	1	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,038
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	491	-	7	34	42	46	56	52	62	42
WHITE-----MALE----	379	-	5	28	30	37	41	38	46	33
FEMALE--	87	-	2	2	9	5	11	10	15	8
ALL OTHER--MALE----	20	-	-	2	3	4	2	4	1	-
FEMALE--	5	-	-	2	-	-	2	-	-	1
BLACK---MALE----	10	-	-	1	2	1	-	2	1	-
FEMALE--	2	-	-	1	-	-	1	-	-	-
MISSISSIPPI -----	310	-	4	17	31	33	36	28	29	27
WHITE-----MALE----	204	-	3	6	18	18	21	19	26	21
FEMALE--	59	-	1	3	2	5	9	5	2	6
ALL OTHER--MALE----	39	-	-	7	11	7	6	3	1	-
FEMALE--	8	-	-	1	-	3	-	1	-	-
BLACK---MALE----	37	-	-	7	9	7	6	3	1	-
FEMALE--	8	-	-	1	-	3	-	1	-	-
MISSOURI -----	760	-	9	44	71	66	63	93	82	71
WHITE-----MALE----	578	-	7	34	55	44	48	67	56	50
FEMALE--	128	-	1	6	4	14	11	19	21	18
ALL OTHER--MALE----	47	-	1	3	11	7	4	4	5	3
FEMALE--	7	-	-	1	1	1	-	3	-	-
BLACK---MALE----	44	-	1	3	11	6	2	4	5	3
FEMALE--	5	-	-	-	1	1	-	2	-	-
MONTANA -----	174	-	4	12	18	15	11	16	15	15
WHITE-----MALE----	145	-	1	11	15	13	9	14	9	12
FEMALE--	20	-	2	1	2	-	1	2	5	1
ALL OTHER--MALE----	6	-	1	-	-	2	1	-	-	2
FEMALE--	3	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	189	-	3	19	21	15	16	17	22	16
WHITE-----MALE----	150	-	1	11	19	13	10	12	18	16
FEMALE--	30	-	2	6	-	1	4	4	4	-
ALL OTHER--MALE----	9	-	-	2	2	1	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	1	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEVADA -----	335	-	1	13	31	33	40	39	29	34
WHITE-----MALE----	256	-	1	5	21	22	33	30	22	29
FEMALE--	51	-	-	3	5	5	6	5	7	5
ALL OTHER--MALE----	22	-	-	5	3	5	1	2	-	-
FEMALE--	6	-	-	-	2	1	-	2	-	-
BLACK---MALE----	11	-	-	3	-	3	1	-	-	-
FEMALE--	3	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,040
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,054	-	11	46	65	104	103	125	109	99
WHITE-----MALE----	790	-	8	34	49	76	75	100	76	64
FEMALE--	169	-	1	8	5	12	13	17	24	29
ALL OTHER--MALE----	77	-	2	3	10	12	11	8	9	6
FEMALE--	18	-	-	1	1	4	4	-	-	-
BLACK---MALE----	74	-	2	3	8	12	11	8	9	6
FEMALE--	15	-	-	1	1	3	3	-	-	-
OKLAHOMA -----	467	-	6	30	45	41	49	51	51	46
WHITE-----MALE----	323	-	3	21	38	26	34	35	28	27
FEMALE--	93	-	-	3	4	7	8	11	16	13
ALL OTHER--MALE----	33	-	3	3	3	6	5	3	2	4
FEMALE--	18	-	-	3	-	2	2	2	5	2
BLACK---MALE----	16	-	3	2	1	-	4	2	-	2
FEMALE--	4	-	-	1	-	-	-	1	1	1
OREGON -----	520	-	10	28	41	39	47	64	50	44
WHITE-----MALE----	411	-	8	20	37	35	34	47	35	34
FEMALE--	92	-	1	6	2	3	11	13	13	9
ALL OTHER--MALE----	15	-	1	2	2	1	2	4	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	1	-	2	-	1	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,428	-	9	92	119	120	151	169	149	127
WHITE-----MALE----	1,093	-	5	64	94	93	111	128	112	97
FEMALE--	216	-	3	12	10	11	19	32	26	20
ALL OTHER--MALE----	94	-	1	12	13	12	17	7	8	7
FEMALE--	25	-	-	4	2	4	4	2	3	3
BLACK---MALE----	85	-	1	11	13	12	16	5	6	6
FEMALE--	18	-	-	3	2	1	4	1	2	2
RHODE ISLAND -----	83	-	-	6	9	7	5	7	11	10
WHITE-----MALE----	61	-	-	2	9	1	4	6	10	9
FEMALE--	16	-	-	2	-	5	1	1	-	1
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	1	-
FEMALE--	2	-	-	1	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	497	-	5	32	44	52	42	48	54	46
WHITE-----MALE----	318	-	1	20	22	32	29	28	39	25
FEMALE--	94	-	2	3	2	8	7	12	14	12
ALL OTHER--MALE----	69	-	1	5	19	11	4	8	-	8
FEMALE--	16	-	1	4	1	1	2	-	1	1
BLACK---MALE----	66	-	1	5	18	10	4	8	-	8
FEMALE--	16	-	1	4	1	1	2	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,040
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	82	57	51	51	46	57	31	12	5	-	-	-
WHITE-----MALE----	66	41	37	36	38	47	27	12	4	-	-	-
FEMALE--	11	10	11	13	4	7	3	-	1	-	-	-
ALL OTHER--MALE----	5	2	1	2	3	3	-	-	-	-	-	-
FEMALE--	-	4	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	4	2	1	2	3	3	-	-	-	-	-	-
FEMALE--	-	3	2	-	1	-	1	-	-	-	-	-
OKLAHOMA -----	25	24	20	18	21	14	13	7	6	-	-	-
WHITE-----MALE----	17	17	13	13	16	14	9	6	6	-	-	-
FEMALE--	8	5	5	3	5	-	4	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	32	35	16	31	21	19	26	15	1	1	-	-
WHITE-----MALE----	20	30	13	24	19	15	24	14	1	1	-	-
FEMALE--	11	4	3	7	2	4	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	90	65	55	79	67	54	42	34	4	2	-	-
WHITE-----MALE----	69	47	47	58	52	46	34	32	3	1	-	-
FEMALE--	18	16	4	19	10	5	7	2	1	1	-	-
ALL OTHER--MALE----	3	2	4	2	3	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	3	2	3	2	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
RHODE ISLAND -----	5	5	2	4	2	5	1	1	2	-	-	1
WHITE-----MALE----	5	3	1	2	1	5	1	1	1	-	-	-
FEMALE--	-	2	-	2	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	36	33	18	28	30	14	6	6	3	-	-	-
WHITE-----MALE----	26	20	13	21	20	11	5	4	2	-	-	-
FEMALE--	6	9	3	5	7	1	-	2	1	-	-	-
ALL OTHER--MALE----	2	4	1	1	3	1	1	-	-	-	-	-
FEMALE--	2	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	4	1	1	2	1	1	-	-	-	-	-
FEMALE--	2	-	1	1	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,041
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	124	-	1	14	7	13	10	12	16	13
WHITE-----MALE----	92	-	1	7	7	8	6	8	10	12
FEMALE--	18	-	-	4	-	2	1	2	4	1
ALL OTHER--MALE----	13	-	-	2	-	3	3	2	2	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	691	-	11	33	58	61	68	89	71	56
WHITE-----MALE----	510	-	6	23	42	43	52	63	49	45
FEMALE--	114	-	2	4	6	6	7	16	17	7
ALL OTHER--MALE----	61	-	3	5	10	11	9	8	5	4
FEMALE--	6	-	-	1	-	1	-	2	-	-
BLACK---MALE----	60	-	3	5	10	11	9	8	5	3
FEMALE--	6	-	-	1	-	1	-	2	-	-
TEXAS -----	2,223	1	28	163	199	212	209	269	250	183
WHITE-----MALE----	1,653	1	17	117	150	148	162	190	179	135
FEMALE--	366	-	9	26	20	33	29	43	55	35
ALL OTHER--MALE----	166	-	2	17	26	26	15	31	10	10
FEMALE--	38	-	-	3	3	5	3	5	6	3
BLACK---MALE----	138	-	1	13	22	24	12	25	9	9
FEMALE--	28	-	-	2	2	3	3	4	6	1
UTAH -----	287	-	4	37	31	30	36	35	27	23
WHITE-----MALE----	233	-	3	25	26	26	34	28	22	15
FEMALE--	43	-	1	6	4	3	1	6	4	8
ALL OTHER--MALE----	7	-	-	3	1	1	1	1	-	-
FEMALE--	4	-	-	3	-	-	-	-	1	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	66	-	-	3	5	8	8	7	5	9
WHITE-----MALE----	59	-	-	2	4	8	8	6	5	8
FEMALE--	6	-	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	829	-	6	57	74	74	75	86	75	73
WHITE-----MALE----	578	-	3	40	53	49	50	58	46	51
FEMALE--	162	-	1	9	8	12	17	19	19	15
ALL OTHER--MALE----	73	-	1	7	12	10	4	8	7	7
FEMALE--	16	-	1	1	1	3	4	1	3	-
BLACK---MALE----	66	-	1	6	11	8	4	7	6	6
FEMALE--	9	-	-	1	1	1	2	-	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,041
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SUICIDE (E950-E959)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	4	8	3	6	6	4	3	4	-	-	-	-
WHITE-----MALE----	3	6	3	5	6	3	3	4	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	47	39	35	42	30	18	19	11	3	-	-	-
WHITE-----MALE----	27	32	24	33	26	16	16	11	2	-	-	-
FEMALE--	19	7	11	6	1	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	154	102	82	82	102	84	58	31	11	1	-	2
WHITE-----MALE----	113	73	64	65	87	68	47	25	10	1	-	1
FEMALE--	29	22	13	12	10	14	9	6	1	-	-	-
ALL OTHER--MALE----	7	6	4	4	4	1	2	-	-	-	-	1
FEMALE--	5	1	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	5	5	4	4	2	1	1	-	-	-	-	1
FEMALE--	4	-	1	-	1	1	-	-	-	-	-	-
UTAH -----	12	10	4	7	12	11	4	3	1	-	-	-
WHITE-----MALE----	9	7	2	6	12	10	4	3	1	-	-	-
FEMALE--	3	3	2	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	3	2	3	-	2	2	3	-	-	-	-
WHITE-----MALE----	6	3	1	2	-	1	2	3	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	52	54	35	39	44	45	21	14	3	-	-	2
WHITE-----MALE----	33	40	26	31	38	33	13	12	2	-	-	-
FEMALE--	15	9	8	6	3	11	6	1	1	-	-	2
ALL OTHER--MALE----	4	4	1	2	3	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	4	1	2	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,043
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	2,896	-	8	71	124	196	321	404	504	438
WHITE-----MALE----	1,334	-	-	29	55	95	171	198	254	211
FEMALE--	1,356	-	7	33	48	72	120	172	214	209
ALL OTHER--MALE----	96	-	1	3	9	17	14	16	16	8
FEMALE--	110	-	-	6	12	12	16	18	20	10
BLACK---MALE----	65	-	-	2	7	12	10	10	12	5
FEMALE--	69	-	-	2	9	3	11	13	13	7
ALABAMA -----	25	-	-	1	1	2	1	2	7	4
WHITE-----MALE----	11	-	-	-	-	1	-	1	4	3
FEMALE--	14	-	-	1	1	1	1	1	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALASKA -----	9	-	-	-	-	1	1	1	3	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
ARIZONA -----	62	-	-	-	6	4	8	5	8	6
WHITE-----MALE----	30	-	-	-	1	2	6	2	3	5
FEMALE--	28	-	-	-	4	2	2	3	3	1
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	-	-	-	3	1	2	5	2	3
WHITE-----MALE----	10	-	-	-	1	-	1	2	2	2
FEMALE--	7	-	-	-	1	1	1	2	-	1
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	466	-	1	9	14	24	55	50	83	70
WHITE-----MALE----	215	-	-	3	4	9	32	27	42	35
FEMALE--	216	-	-	3	9	13	17	20	36	30
ALL OTHER--MALE----	13	-	1	-	-	-	4	1	1	3
FEMALE--	22	-	-	3	1	2	2	2	4	2
BLACK---MALE----	5	-	-	-	-	-	2	1	-	1
FEMALE--	10	-	-	-	1	-	1	1	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,043
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	236	159	115	92	84	63	45	24	10	1	1	-
WHITE-----MALE----	84	70	43	38	29	25	14	12	5	-	1	-
FEMALE--	139	82	69	52	53	38	31	12	4	1	-	-
ALL OTHER--MALE----	6	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	2	2	2	2	-	-	-	1	-	-	-
BLACK---MALE----	3	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	1	1	-	-	-	1	-	-	-
ALABAMA -----	5	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	4	1	2	2	3	3	-	1	1	-	-
WHITE-----MALE----	3	4	-	2	-	-	1	-	1	-	-	-
FEMALE--	4	-	1	-	2	3	2	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	41	26	21	17	20	18	11	3	2	-	1	-
WHITE-----MALE----	12	14	7	7	8	9	2	1	2	-	1	-
FEMALE--	27	10	12	9	10	9	9	2	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,044
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	66	-	-	1	5	4	10	7	14	15
WHITE-----MALE----	38	-	-	-	3	2	5	3	11	10
FEMALE--	28	-	-	1	2	2	5	4	3	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	35	-	-	1	2	1	6	8	3	4
WHITE-----MALE----	15	-	-	-	-	1	2	5	1	1
FEMALE--	19	-	-	1	1	-	4	3	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	-	-	-	-	2	2	1	1
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	236	-	-	4	8	20	21	32	40	29
WHITE-----MALE----	109	-	-	-	5	13	13	15	18	15
FEMALE--	120	-	-	3	2	5	8	15	22	14
ALL OTHER--MALE----	6	-	-	1	1	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	1	1	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
GEORGIA -----	52	-	-	-	4	3	4	7	15	6
WHITE-----MALE----	25	-	-	-	3	3	1	4	6	2
FEMALE--	23	-	-	-	-	-	2	3	7	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	1	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,046
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	33	-	-	2	-	3	5	3	3	8
WHITE-----MALE----	20	-	-	2	-	2	2	2	3	4
FEMALE--	13	-	-	-	-	1	3	1	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	35	-	-	2	2	4	1	3	10	6
WHITE-----MALE----	8	-	-	1	-	1	-	2	1	2
FEMALE--	23	-	-	1	-	2	1	1	8	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	2	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	2	-	-	-	1	-
MAINE -----	17	-	-	-	-	1	1	1	3	4
WHITE-----MALE----	7	-	-	-	-	-	1	1	-	2
FEMALE--	10	-	-	-	-	1	-	-	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	51	-	-	-	1	7	6	5	14	7
WHITE-----MALE----	21	-	-	-	1	5	2	3	6	2
FEMALE--	27	-	-	-	-	2	2	2	7	5
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	67	-	-	-	2	6	8	11	8	17
WHITE-----MALE----	34	-	-	-	1	3	3	7	4	9
FEMALE--	31	-	-	-	-	3	5	4	3	8
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	98	-	1	1	4	5	4	19	15	20
WHITE-----MALE----	33	-	-	-	2	2	1	5	6	8
FEMALE--	51	-	1	-	1	2	3	10	5	11
ALL OTHER--MALE----	5	-	-	-	1	-	-	3	1	-
FEMALE--	9	-	-	-	1	-	-	1	3	1
BLACK---MALE----	4	-	-	-	1	-	-	2	1	-
FEMALE--	9	-	-	1	-	1	-	1	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,046
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	2	1	-	2	1	-	1	-	-	-	-
WHITE-----MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	2	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	3	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	1	1	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	3	-	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	4	1	1	5	1	-	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	3	1	-	-	-	-	-	-
FEMALE--	2	2	1	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	10	2	7	3	2	-	3	1	1	-	-	-
WHITE-----MALE----	4	1	1	-	1	-	1	1	-	-	-	-
FEMALE--	5	1	6	3	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,049
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	76	-	-	1	2	5	3	12	15	10
WHITE-----MALE----	39	-	-	-	2	2	2	7	6	6
FEMALE--	32	-	-	-	-	1	1	5	8	4
ALL OTHER--MALE----	3	-	-	1	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	1	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	42	-	-	2	-	4	3	5	12	8
WHITE-----MALE----	16	-	-	-	-	1	2	1	5	3
FEMALE--	16	-	-	1	-	2	1	1	5	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	1	-	1	-	1	2	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1
OREGON -----	49	-	-	-	3	2	5	8	9	10
WHITE-----MALE----	27	-	-	-	2	2	2	6	2	7
FEMALE--	22	-	-	-	1	-	3	2	7	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	130	-	1	4	3	9	16	24	21	19
WHITE-----MALE----	70	-	-	2	-	7	9	14	10	12
FEMALE--	52	-	1	2	3	1	4	9	9	6
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	1	-
FEMALE--	6	-	-	-	-	-	3	1	1	1
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	3	-	1	1
RHODE ISLAND -----	5	-	-	1	-	1	1	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	42	-	-	2	3	6	5	3	7	5
WHITE-----MALE----	18	-	-	2	1	2	2	1	4	2
FEMALE--	22	-	-	-	1	3	3	2	3	3
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,050
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	12	-	-	1	1	2	-	1	5	-
WHITE-----MALE----	5	-	-	-	1	-	-	1	2	-
FEMALE--	4	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	61	-	1	4	-	4	5	9	11	3
WHITE-----MALE----	23	-	-	4	-	1	3	2	3	2
FEMALE--	34	-	1	-	-	2	2	6	6	1
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
TEXAS -----	199	-	2	11	10	10	25	34	45	20
WHITE-----MALE----	93	-	-	3	6	4	15	14	25	12
FEMALE--	87	-	2	6	2	3	8	14	17	8
ALL OTHER--MALE----	11	-	-	1	1	3	-	5	1	-
FEMALE--	8	-	-	1	1	-	2	1	2	-
BLACK---MALE----	7	-	-	-	1	1	-	4	1	-
FEMALE--	8	-	-	1	1	-	2	1	2	-
UTAH -----	36	-	-	3	6	3	5	5	7	4
WHITE-----MALE----	22	-	-	2	2	3	5	3	4	1
FEMALE--	13	-	-	1	3	-	-	2	3	3
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	60	-	-	1	3	4	11	11	9	5
WHITE-----MALE----	26	-	-	1	2	1	6	5	4	2
FEMALE--	28	-	-	-	1	1	3	6	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	2	2	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,062
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY GASES AND VAPORS (E951-E952)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	87	-	-	3	9	5	2	16	15	16
WHITE-----MALE----	65	-	-	3	8	3	1	12	9	15
FEMALE--	22	-	-	-	1	2	1	4	6	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	33	-	-	1	2	3	1	3	4	2
WHITE-----MALE----	26	-	-	1	2	3	1	1	4	-
FEMALE--	6	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	142	-	-	1	5	7	9	22	19	13
WHITE-----MALE----	113	-	-	1	5	6	9	18	17	10
FEMALE--	28	-	-	-	-	1	-	4	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	41	-	-	1	2	7	4	7	7	3
WHITE-----MALE----	31	-	-	1	1	4	2	6	6	2
FEMALE--	7	-	-	-	-	2	1	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,065
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 SUICIDE BY GASES AND VAPORS (E951-E952)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	69	-	-	1	10	5	11	7	10	8
WHITE-----MALE----	52	-	-	1	8	4	8	6	5	6
FEMALE--	16	-	-	-	2	1	3	-	5	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	11	-	-	-	1	1	1	-	1	3
WHITE-----MALE----	6	-	-	-	1	-	-	-	1	2
FEMALE--	3	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	56	-	-	1	3	8	6	9	8	6
WHITE-----MALE----	35	-	-	1	2	3	4	7	4	3
FEMALE--	21	-	-	-	1	5	2	2	4	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MONTANA -----	17	-	-	1	1	-	2	2	-	2
WHITE-----MALE----	14	-	-	1	1	-	1	2	-	2
FEMALE--	3	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	23	-	-	1	-	1	4	3	4	4
WHITE-----MALE----	17	-	-	-	-	1	2	3	3	4
FEMALE--	6	-	-	1	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEVADA -----	20	-	-	1	1	1	2	6	3	4
WHITE-----MALE----	15	-	-	-	-	1	1	5	3	3
FEMALE--	3	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,070
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	5,330	2	121	434	550	640	689	707	541	376
WHITE-----MALE----	3,743	2	72	294	420	468	470	538	391	266
FEMALE--	841	-	27	74	54	62	81	76	86	59
ALL OTHER--MALE----	607	-	18	46	68	96	116	82	58	38
FEMALE--	139	-	4	20	8	14	22	11	6	13
BLACK---MALE----	363	-	11	24	44	57	73	59	37	25
FEMALE--	46	-	1	8	4	5	14	4	1	2
ALABAMA -----	50	-	2	3	6	2	4	8	10	6
WHITE-----MALE----	31	-	1	1	4	2	2	6	5	3
FEMALE--	9	-	-	1	1	-	1	-	3	1
ALL OTHER--MALE----	10	-	1	1	1	-	1	2	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	1	1	1	-	-	2	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALASKA -----	18	-	1	3	2	2	5	1	2	1
WHITE-----MALE----	6	-	-	1	1	-	1	1	1	-
FEMALE--	2	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	2	-	2	3	-	-	1
FEMALE--	2	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	97	-	3	8	8	15	13	14	9	7
WHITE-----MALE----	63	-	1	5	4	8	10	10	8	5
FEMALE--	10	-	-	-	1	1	-	2	-	1
ALL OTHER--MALE----	19	-	2	3	2	4	2	1	1	1
FEMALE--	5	-	-	-	1	2	1	1	-	-
BLACK---MALE----	3	-	-	1	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	37	-	2	8	3	7	7	5	2	-
WHITE-----MALE----	30	-	2	8	3	4	7	4	2	-
FEMALE--	4	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	725	-	12	54	62	81	83	100	86	61
WHITE-----MALE----	476	-	7	38	44	59	53	74	58	42
FEMALE--	131	-	3	9	12	9	10	12	15	12
ALL OTHER--MALE----	86	-	1	7	5	11	18	12	9	3
FEMALE--	32	-	1	-	1	2	2	2	4	4
BLACK---MALE----	24	-	-	1	2	2	9	5	4	-
FEMALE--	5	-	-	-	-	-	2	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,073
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	65	-	1	10	7	6	9	7	5	7
WHITE-----MALE----	50	-	1	7	6	4	8	7	4	4
FEMALE--	11	-	-	2	1	2	1	-	-	2
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	62	-	2	4	6	6	12	8	10	6
WHITE-----MALE----	36	-	1	1	4	6	5	5	5	5
FEMALE--	14	-	1	2	-	-	2	1	4	-
ALL OTHER--MALE----	10	-	-	1	2	-	4	1	1	1
FEMALE--	2	-	-	-	-	-	1	1	-	-
BLACK---MALE----	9	-	-	1	2	-	3	1	1	1
FEMALE--	1	-	-	-	-	-	1	-	-	-
MAINE -----	22	-	-	1	-	4	4	4	-	2
WHITE-----MALE----	21	-	-	1	-	4	4	4	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	103	-	2	6	18	12	16	14	8	8
WHITE-----MALE----	61	-	-	3	14	5	7	8	7	3
FEMALE--	11	-	2	-	1	2	3	1	-	-
ALL OTHER--MALE----	22	-	-	3	3	2	4	4	1	4
FEMALE--	9	-	-	-	-	3	2	1	-	1
BLACK---MALE----	18	-	-	2	2	2	3	4	1	3
FEMALE--	6	-	-	-	-	2	2	1	-	-
MASSACHUSETTS -----	180	-	3	15	15	25	26	24	15	11
WHITE-----MALE----	136	-	3	14	14	21	19	19	10	6
FEMALE--	33	-	-	1	-	1	6	4	3	3
ALL OTHER--MALE----	9	-	-	-	1	3	1	1	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	3	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	203	-	3	13	22	29	25	22	21	14
WHITE-----MALE----	144	-	2	8	15	22	17	17	14	10
FEMALE--	34	-	1	4	3	3	2	4	3	2
ALL OTHER--MALE----	23	-	-	1	3	4	6	-	4	2
FEMALE--	2	-	-	-	1	-	-	1	-	-
BLACK---MALE----	18	-	-	1	2	4	5	-	2	2
FEMALE--	2	-	-	-	1	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,076
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	170	-	5	14	10	21	17	30	19	10
WHITE-----MALE----	131	-	3	11	9	16	13	28	11	6
FEMALE--	27	-	1	2	-	2	2	1	6	4
ALL OTHER--MALE----	10	-	1	1	1	2	2	1	2	-
FEMALE--	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	9	-	1	1	-	2	2	1	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	67	-	2	5	7	11	14	9	6	3
WHITE-----MALE----	40	-	1	4	5	6	8	6	4	2
FEMALE--	14	-	-	-	1	3	2	2	1	-
ALL OTHER--MALE----	11	-	1	1	1	2	2	1	1	1
FEMALE--	2	-	-	-	-	-	2	-	-	-
BLACK---MALE----	5	-	1	1	-	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
OREGON -----	84	-	7	5	6	13	9	11	10	7
WHITE-----MALE----	68	-	5	3	6	11	7	9	9	5
FEMALE--	10	-	1	2	-	1	1	-	1	1
ALL OTHER--MALE----	6	-	1	-	-	1	1	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	275	-	3	27	31	27	43	28	28	21
WHITE-----MALE----	190	-	1	18	23	20	27	22	19	13
FEMALE--	43	-	1	2	3	1	7	5	3	5
ALL OTHER--MALE----	35	-	1	4	4	6	9	1	5	2
FEMALE--	7	-	-	3	1	-	-	-	1	1
BLACK---MALE----	30	-	1	3	4	6	9	1	4	1
FEMALE--	6	-	-	3	1	-	-	-	-	1
RHODE ISLAND -----	24	-	-	2	6	1	1	-	5	2
WHITE-----MALE----	19	-	-	-	6	-	1	-	4	2
FEMALE--	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	65	-	1	4	7	8	9	14	9	4
WHITE-----MALE----	46	-	-	2	3	7	6	10	8	3
FEMALE--	8	-	1	1	-	1	1	-	1	1
ALL OTHER--MALE----	9	-	-	-	4	-	1	4	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	4	-	1	4	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,079
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY HANDGUN (E955.0)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	3,675	1	26	179	270	335	305	335	312	329
WHITE-----MALE----	2,828	1	18	108	203	247	217	235	229	259
FEMALE--	565	-	4	31	17	46	55	79	55	56
ALL OTHER--MALE----	244	-	2	36	43	33	32	17	24	12
FEMALE--	38	-	2	4	7	9	1	4	4	2
BLACK---MALE----	182	-	1	21	35	20	27	13	20	6
FEMALE--	23	-	2	3	4	7	-	1	4	-
ALABAMA -----	67	-	-	4	8	4	1	5	5	5
WHITE-----MALE----	37	-	-	2	5	1	1	3	1	3
FEMALE--	17	-	-	-	-	1	-	2	2	1
ALL OTHER--MALE----	12	-	-	2	3	1	-	-	2	1
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	12	-	-	2	3	1	-	-	2	1
FEMALE--	1	-	-	-	-	1	-	-	-	-
ALASKA -----	6	-	-	-	1	1	-	-	1	-
WHITE-----MALE----	5	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	124	1	-	6	7	13	6	15	10	19
WHITE-----MALE----	90	1	-	4	7	7	3	10	7	12
FEMALE--	30	-	-	1	-	4	3	5	3	6
ALL OTHER--MALE----	4	-	-	1	-	2	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	14	-	1	1	-	-	1	-	5	1
WHITE-----MALE----	9	-	-	1	-	-	1	-	3	1
FEMALE--	4	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	869	-	4	42	45	73	75	81	58	79
WHITE-----MALE----	678	-	1	25	31	53	57	58	40	62
FEMALE--	118	-	1	6	3	11	13	16	8	13
ALL OTHER--MALE----	64	-	1	10	9	7	5	6	9	4
FEMALE--	9	-	1	1	2	2	-	1	1	-
BLACK---MALE----	36	-	-	4	3	3	2	5	7	1
FEMALE--	3	-	1	-	1	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,086
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY HANDGUN (E955.0)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	26	-	-	2	-	2	2	1	4	6
WHITE-----MALE----	21	-	-	-	-	2	1	1	2	6
FEMALE--	5	-	-	2	-	-	1	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	30	-	-	-	3	1	3	4	3	1
WHITE-----MALE----	22	-	-	-	2	-	1	4	3	-
FEMALE--	6	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
TEXAS -----	122	-	1	8	4	6	4	18	17	11
WHITE-----MALE----	92	-	1	6	4	3	3	17	12	8
FEMALE--	22	-	-	-	-	2	-	1	4	2
ALL OTHER--MALE----	8	-	-	2	-	1	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	2	-	1	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
UTAH -----	88	-	1	10	8	11	8	8	5	6
WHITE-----MALE----	75	-	1	7	8	9	8	6	5	5
FEMALE--	11	-	-	1	-	2	-	2	-	1
ALL OTHER--MALE----	2	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	2	2	1	-	-	1	2
WHITE-----MALE----	8	-	-	1	2	1	-	-	1	2
FEMALE--	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	152	-	1	14	12	15	13	9	17	10
WHITE-----MALE----	106	-	1	6	8	10	10	7	12	8
FEMALE--	27	-	-	4	-	3	2	1	4	2
ALL OTHER--MALE----	16	-	-	3	3	2	1	1	-	-
FEMALE--	3	-	-	1	1	-	-	-	1	-
BLACK---MALE----	15	-	-	2	3	2	1	1	-	-
FEMALE--	3	-	-	1	1	-	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,088
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	14,491	-	135	968	1,307	1,245	1,235	1,435	1,335	1,172
WHITE-----MALE----	11,555	-	87	701	971	915	960	1,107	1,033	942
FEMALE--	1,575	-	24	106	102	126	145	180	198	153
ALL OTHER--MALE----	1,181	-	21	147	215	176	115	124	85	63
FEMALE--	180	-	3	14	19	28	15	24	19	14
BLACK---MALE----	980	-	16	115	181	140	93	106	70	54
FEMALE--	140	-	3	11	14	19	11	18	14	11
ALABAMA -----	333	-	1	20	24	32	34	35	31	29
WHITE-----MALE----	252	-	1	13	16	18	27	27	25	20
FEMALE--	49	-	-	4	2	4	4	5	4	8
ALL OTHER--MALE----	27	-	-	2	6	8	3	2	2	-
FEMALE--	5	-	-	1	-	2	-	1	-	1
BLACK---MALE----	27	-	-	2	6	8	3	2	2	-
FEMALE--	5	-	-	1	-	2	-	1	-	1
ALASKA -----	79	-	1	11	13	11	11	6	8	5
WHITE-----MALE----	43	-	-	3	5	8	5	4	6	3
FEMALE--	7	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	26	-	1	8	7	2	5	1	2	-
FEMALE--	3	-	-	-	1	-	1	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	367	-	4	36	40	29	35	39	37	23
WHITE-----MALE----	304	-	3	29	32	22	29	32	29	20
FEMALE--	40	-	1	2	3	3	2	5	7	3
ALL OTHER--MALE----	19	-	-	5	4	4	2	2	-	-
FEMALE--	4	-	-	-	1	-	2	-	1	-
BLACK---MALE----	5	-	-	1	2	-	-	2	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-
ARKANSAS -----	223	-	3	21	21	18	25	22	17	16
WHITE-----MALE----	173	-	2	19	17	10	17	18	15	11
FEMALE--	27	-	-	1	2	5	2	1	1	4
ALL OTHER--MALE----	18	-	1	1	2	2	5	2	1	-
FEMALE--	5	-	-	-	-	1	1	1	-	1
BLACK---MALE----	17	-	1	1	2	2	5	1	1	-
FEMALE--	5	-	-	-	-	1	1	1	-	1
CALIFORNIA -----	841	-	9	53	71	80	53	88	90	68
WHITE-----MALE----	686	-	7	42	54	63	42	72	67	59
FEMALE--	76	-	1	5	5	2	5	11	10	6
ALL OTHER--MALE----	67	-	1	6	10	11	6	5	11	1
FEMALE--	12	-	-	-	2	4	-	-	2	2
BLACK---MALE----	36	-	-	4	4	6	3	5	5	1
FEMALE--	6	-	-	-	1	1	-	-	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,089
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	305	-	8	13	35	21	26	36	30	25
WHITE-----MALE----	260	-	6	12	29	19	22	30	27	21
FEMALE--	33	-	2	-	4	1	3	4	2	3
ALL OTHER--MALE----	10	-	-	1	2	1	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	1	2	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	120	-	3	3	15	11	15	10	12	8
WHITE-----MALE----	97	-	3	-	10	7	15	6	10	8
FEMALE--	10	-	-	1	1	1	-	2	1	-
ALL OTHER--MALE----	13	-	-	2	4	3	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	2	4	3	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	54	-	-	1	6	4	4	8	6	3
WHITE-----MALE----	46	-	-	1	5	3	3	7	6	2
FEMALE--	5	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	3	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	10	-	-	1	1	-	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	1	1	-	2	1	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	1	1	-	2	1	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-
FLORIDA -----	1,145	-	10	41	82	83	66	96	104	90
WHITE-----MALE----	914	-	4	30	55	55	46	77	72	71
FEMALE--	138	-	1	4	10	11	10	8	24	16
ALL OTHER--MALE----	79	-	4	7	15	14	10	7	6	3
FEMALE--	14	-	1	-	2	3	-	4	2	-
BLACK---MALE----	72	-	3	6	14	12	10	7	5	3
FEMALE--	14	-	1	-	2	3	-	4	2	-
GEORGIA -----	629	-	4	46	55	57	65	67	53	61
WHITE-----MALE----	454	-	4	26	37	41	48	50	31	49
FEMALE--	82	-	-	4	4	6	9	8	10	8
ALL OTHER--MALE----	86	-	-	15	13	9	8	8	12	3
FEMALE--	7	-	-	1	1	1	-	1	-	1
BLACK---MALE----	80	-	-	14	13	8	7	7	12	2
FEMALE--	5	-	-	1	1	-	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,089
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	15	14	10	12	19	18	14	7	1	1	-	-
WHITE-----MALE----	11	11	9	10	16	15	13	7	1	1	-	-
FEMALE--	3	2	1	2	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	5	6	6	8	5	4	2	-	-	-	-
WHITE-----MALE----	4	4	6	6	8	4	4	2	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	4	2	6	1	3	2	1	-	-	-	-
WHITE-----MALE----	3	4	2	5	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	1	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	89	72	65	68	65	87	71	41	14	1	-	-
WHITE-----MALE----	70	64	55	60	61	80	63	37	13	1	-	-
FEMALE--	16	4	10	5	4	5	7	2	1	-	-	-
ALL OTHER--MALE----	3	4	-	2	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	3	4	-	2	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
GEORGIA -----	37	31	32	41	32	20	20	3	5	-	-	-
WHITE-----MALE----	24	22	27	31	25	17	16	2	4	-	-	-
FEMALE--	8	6	3	6	3	2	3	1	1	-	-	-
ALL OTHER--MALE----	5	3	2	3	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	5	3	2	3	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,091
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	294	-	3	17	18	30	22	30	39	23
WHITE-----MALE----	251	-	2	13	15	28	18	26	26	20
FEMALE--	35	-	1	1	2	2	4	3	12	2
ALL OTHER--MALE----	7	-	-	3	-	-	-	1	1	1
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	3	-	-	-	1	1	1
FEMALE--	1	-	-	-	1	-	-	-	-	-
LOUISIANA -----	370	-	4	38	38	37	26	42	23	30
WHITE-----MALE----	260	-	3	28	22	26	16	24	17	18
FEMALE--	42	-	-	4	2	2	4	7	4	7
ALL OTHER--MALE----	61	-	1	5	13	9	5	9	2	5
FEMALE--	7	-	-	1	1	-	1	2	-	-
BLACK---MALE----	60	-	1	5	12	9	5	9	2	5
FEMALE--	6	-	-	1	1	-	1	1	-	-
MAINE -----	81	-	2	2	2	6	8	15	-	9
WHITE-----MALE----	75	-	1	2	2	6	8	13	-	7
FEMALE--	6	-	1	-	-	-	-	2	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	263	-	4	9	19	22	25	28	20	30
WHITE-----MALE----	188	-	3	5	15	13	15	19	17	22
FEMALE--	24	-	1	2	-	2	3	2	-	4
ALL OTHER--MALE----	43	-	-	2	2	7	7	5	2	3
FEMALE--	8	-	-	-	2	-	-	2	1	1
BLACK---MALE----	41	-	-	2	2	7	6	5	2	2
FEMALE--	7	-	-	-	2	-	-	1	1	1
MASSACHUSETTS -----	131	-	-	5	12	14	10	13	9	11
WHITE-----MALE----	116	-	-	4	9	12	10	12	7	10
FEMALE--	9	-	-	-	1	1	-	1	1	1
ALL OTHER--MALE----	6	-	-	1	2	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	1	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	621	-	4	38	61	50	48	58	53	48
WHITE-----MALE----	495	-	4	28	38	37	33	41	40	39
FEMALE--	51	-	-	4	6	8	7	6	7	4
ALL OTHER--MALE----	66	-	-	6	15	5	7	9	5	5
FEMALE--	9	-	-	-	2	-	1	2	1	-
BLACK---MALE----	61	-	-	6	14	5	5	9	4	4
FEMALE--	7	-	-	-	1	-	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,091
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	16	14	13	12	18	17	12	8	2	-	-	-
WHITE-----MALE----	15	11	13	11	16	16	11	8	2	-	-	-
FEMALE--	1	2	-	1	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	28	20	19	20	17	10	11	6	1	-	-	-
WHITE-----MALE----	17	18	15	19	15	8	9	4	1	-	-	-
FEMALE--	7	1	-	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	4	1	3	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	1	3	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
MAINE -----	3	1	5	4	8	4	7	4	1	-	-	-
WHITE-----MALE----	3	1	5	3	8	4	7	4	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	13	12	17	15	16	10	3	-	-	-	-
WHITE-----MALE----	12	10	7	13	13	13	9	2	-	-	-	-
FEMALE--	4	1	1	2	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	3	2	3	2	2	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	3	2	2	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	11	9	7	5	8	6	6	3	2	-	-	-
WHITE-----MALE----	10	8	7	4	8	5	6	2	2	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	41	40	26	39	40	34	29	8	3	1	-	-
WHITE-----MALE----	35	35	21	36	37	34	27	7	2	1	-	-
FEMALE--	4	2	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	4	2	2	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	2	2	4	2	2	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,092
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	240	-	2	19	24	25	26	25	29	15
WHITE-----MALE----	205	-	1	14	18	19	22	21	25	15
FEMALE--	23	-	1	1	4	3	3	3	4	-
ALL OTHER--MALE----	9	-	-	2	2	3	-	1	-	-
FEMALE--	3	-	-	2	-	-	1	-	-	-
BLACK---MALE----	3	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-
MISSISSIPPI -----	172	-	3	12	20	19	20	11	14	14
WHITE-----MALE----	119	-	2	6	11	12	12	6	12	12
FEMALE--	25	-	1	2	1	2	6	2	1	2
ALL OTHER--MALE----	24	-	-	4	8	4	2	2	1	-
FEMALE--	4	-	-	-	-	1	-	1	-	-
BLACK---MALE----	22	-	-	4	6	4	2	2	1	-
FEMALE--	4	-	-	-	-	1	-	1	-	-
MISSOURI -----	267	-	2	19	29	22	24	26	23	18
WHITE-----MALE----	239	-	2	16	24	16	23	23	20	17
FEMALE--	11	-	-	1	1	2	1	1	1	-
ALL OTHER--MALE----	16	-	-	2	4	4	-	1	2	1
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	16	-	-	2	4	4	-	1	2	1
FEMALE--	1	-	-	-	-	-	-	1	-	-
MONTANA -----	94	-	3	8	10	7	4	7	7	8
WHITE-----MALE----	82	-	1	7	8	7	4	6	5	6
FEMALE--	8	-	1	1	2	-	-	1	2	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	109	-	1	15	15	6	9	8	8	10
WHITE-----MALE----	92	-	-	10	13	5	7	6	8	10
FEMALE--	11	-	1	4	-	-	1	1	-	-
ALL OTHER--MALE----	6	-	-	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEVADA -----	89	-	-	3	8	9	7	10	8	11
WHITE-----MALE----	70	-	-	2	4	5	6	8	7	10
FEMALE--	10	-	-	-	2	1	1	1	1	1
ALL OTHER--MALE----	8	-	-	1	2	2	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,094
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	567	-	5	23	41	57	52	57	48	45
WHITE-----MALE----	453	-	4	16	30	42	38	46	40	33
FEMALE--	61	-	-	5	4	6	6	6	6	9
ALL OTHER--MALE----	41	-	1	1	6	7	5	5	2	3
FEMALE--	12	-	-	1	1	2	3	-	-	-
BLACK---MALE----	40	-	1	1	6	7	5	5	2	3
FEMALE--	11	-	-	1	1	2	2	-	-	-
OKLAHOMA -----	317	-	4	21	35	22	27	31	28	30
WHITE-----MALE----	240	-	2	16	30	16	19	25	18	19
FEMALE--	52	-	-	2	3	2	5	5	7	7
ALL OTHER--MALE----	18	-	2	2	2	3	3	-	1	3
FEMALE--	7	-	-	1	-	1	-	1	2	1
BLACK---MALE----	9	-	2	1	1	-	3	-	-	1
FEMALE--	2	-	-	1	-	-	-	-	1	-
OREGON -----	131	-	1	12	14	11	10	13	6	7
WHITE-----MALE----	116	-	1	10	13	9	8	12	5	5
FEMALE--	13	-	-	1	-	2	2	1	1	2
ALL OTHER--MALE----	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	701	-	4	49	62	58	64	77	67	57
WHITE-----MALE----	595	-	3	37	54	49	53	63	57	53
FEMALE--	64	-	1	5	2	4	4	10	9	3
ALL OTHER--MALE----	38	-	-	6	6	4	6	4	1	1
FEMALE--	4	-	-	1	-	1	1	-	-	-
BLACK---MALE----	37	-	-	6	6	4	6	3	1	1
FEMALE--	2	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	35	-	-	1	3	1	3	4	4	5
WHITE-----MALE----	29	-	-	1	3	-	2	4	4	5
FEMALE--	4	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	307	-	4	21	27	29	22	21	31	28
WHITE-----MALE----	195	-	1	12	14	17	16	13	21	13
FEMALE--	54	-	1	2	1	4	3	7	9	7
ALL OTHER--MALE----	46	-	1	4	12	7	2	1	-	7
FEMALE--	12	-	1	3	-	1	1	-	1	1
BLACK---MALE----	44	-	1	4	11	7	2	1	-	7
FEMALE--	12	-	1	3	-	1	1	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,094
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	41	30	29	34	32	40	22	7	4	-	-	-
WHITE-----MALE----	34	27	25	24	26	37	20	7	4	-	-	-
FEMALE--	5	1	2	8	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	2	3	3	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	2	3	3	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	1	-	-	-	-	-
OKLAHOMA -----	17	15	17	17	19	13	9	7	5	-	-	-
WHITE-----MALE----	11	13	11	13	16	13	7	6	5	-	-	-
FEMALE--	6	2	4	3	3	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	8	9	2	11	9	5	7	6	-	-	-	-
WHITE-----MALE----	5	9	2	10	9	5	7	6	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	46	31	32	39	41	27	26	20	1	-	-	-
WHITE-----MALE----	36	26	28	35	37	22	21	20	1	-	-	-
FEMALE--	9	4	1	2	3	3	4	-	-	-	-	-
ALL OTHER--MALE----	1	1	3	2	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	3	2	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	2	2	2	3	-	1	1	-	-	1
WHITE-----MALE----	2	-	1	1	1	3	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	20	21	13	21	23	13	5	6	2	-	-	-
WHITE-----MALE----	13	12	8	17	18	11	4	4	1	-	-	-
FEMALE--	3	5	3	3	3	-	-	2	1	-	-	-
ALL OTHER--MALE----	2	4	1	1	2	1	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	4	1	1	1	1	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,095
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	48	-	-	7	4	8	2	3	2	3
WHITE-----MALE----	41	-	-	5	4	5	2	2	2	3
FEMALE--	3	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	468	-	5	27	42	39	46	46	45	42
WHITE-----MALE----	365	-	2	17	30	30	36	33	34	36
FEMALE--	53	-	-	4	3	1	4	6	9	4
ALL OTHER--MALE----	46	-	3	5	9	7	6	6	2	2
FEMALE--	4	-	-	1	-	1	-	1	-	-
BLACK---MALE----	46	-	3	5	9	7	6	6	2	2
FEMALE--	4	-	-	1	-	1	-	1	-	-
TEXAS -----	1,327	-	14	98	127	116	104	133	127	114
WHITE-----MALE----	1,051	-	8	74	95	80	84	98	98	90
FEMALE--	151	-	4	10	11	18	10	18	20	16
ALL OTHER--MALE----	102	-	2	13	20	14	9	14	5	6
FEMALE--	23	-	-	1	1	4	1	3	4	2
BLACK---MALE----	88	-	1	10	17	14	7	12	5	6
FEMALE--	18	-	-	1	-	3	1	2	4	1
UTAH -----	83	-	1	12	10	6	12	11	10	2
WHITE-----MALE----	71	-	-	10	9	5	11	9	8	1
FEMALE--	7	-	1	-	1	-	1	1	1	1
ALL OTHER--MALE----	3	-	-	1	-	1	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	35	-	-	-	3	2	7	3	2	3
WHITE-----MALE----	32	-	-	-	2	2	7	3	2	3
FEMALE--	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	410	-	3	25	39	38	27	44	29	34
WHITE-----MALE----	317	-	2	20	28	26	19	30	20	28
FEMALE--	61	-	1	2	5	6	7	11	4	4
ALL OTHER--MALE----	29	-	-	3	6	5	-	3	4	2
FEMALE--	3	-	-	-	-	1	1	-	1	-
BLACK---MALE----	27	-	-	3	6	4	-	2	4	2
FEMALE--	2	-	-	-	-	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,097
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	2,327	1	8	103	174	211	266	295	261	208
WHITE-----MALE----	1,416	-	2	65	113	129	157	178	162	123
FEMALE--	537	1	3	22	22	30	52	68	54	54
ALL OTHER--MALE----	265	-	1	13	32	35	44	42	35	24
FEMALE--	109	-	2	3	7	17	13	7	10	7
BLACK---MALE----	190	-	-	6	25	26	31	33	28	19
FEMALE--	57	-	2	2	3	8	7	4	5	4
ALABAMA -----	14	-	-	-	1	2	3	1	1	-
WHITE-----MALE----	6	-	-	-	-	1	2	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	1	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	1	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
ALASKA -----	7	-	-	-	1	2	1	2	1	-
WHITE-----MALE----	4	-	-	-	1	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	40	-	-	5	4	6	7	2	4	2
WHITE-----MALE----	23	-	-	1	3	3	5	1	3	2
FEMALE--	12	-	-	1	1	1	2	1	1	-
ALL OTHER--MALE----	5	-	-	3	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	21	1	1	-	2	3	1	-	3	1
WHITE-----MALE----	12	-	-	-	1	-	-	-	3	1
FEMALE--	5	1	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	365	-	2	19	26	33	42	42	50	30
WHITE-----MALE----	233	-	-	10	22	22	23	26	33	20
FEMALE--	72	-	1	5	2	7	9	6	7	8
ALL OTHER--MALE----	31	-	1	3	1	2	6	6	6	1
FEMALE--	29	-	-	1	1	2	4	4	4	1
BLACK---MALE----	14	-	-	1	1	-	3	4	4	1
FEMALE--	10	-	-	1	-	-	2	2	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,098
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	40	-	-	2	1	2	4	6	5	5
WHITE-----MALE----	29	-	-	2	-	2	2	5	3	5
FEMALE--	9	-	-	-	1	-	1	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	29	-	-	1	2	3	5	2	2	7
WHITE-----MALE----	20	-	-	1	2	3	3	1	2	6
FEMALE--	6	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1
DELAWARE -----	8	-	-	-	-	-	1	2	2	-
WHITE-----MALE----	5	-	-	-	-	-	1	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	9	-	-	1	-	1	3	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	2	1	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	2	1	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-
FLORIDA -----	177	-	1	5	16	9	19	22	18	14
WHITE-----MALE----	108	-	1	4	4	7	13	11	10	10
FEMALE--	49	-	-	1	5	1	3	8	6	3
ALL OTHER--MALE----	16	-	-	-	6	-	3	3	2	1
FEMALE--	4	-	-	-	1	1	-	-	-	-
BLACK---MALE----	15	-	-	-	6	-	2	3	2	1
FEMALE--	2	-	-	-	-	1	-	-	-	-
GEORGIA -----	41	-	-	3	1	3	5	5	7	5
WHITE-----MALE----	24	-	-	2	1	1	3	3	2	4
FEMALE--	6	-	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	8	-	-	-	-	2	1	-	2	1
FEMALE--	3	-	-	1	-	-	1	-	1	-
BLACK---MALE----	7	-	-	-	-	2	1	-	2	1
FEMALE--	3	-	-	1	-	-	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,099
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	21	-	-	-	3	4	3	1	2	1
WHITE-----MALE----	7	-	-	-	-	1	-	1	2	1
FEMALE--	3	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	1	2	1	-	-	-
FEMALE--	5	-	-	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	-	-	-	1	1	-	1	-	1
WHITE-----MALE----	5	-	-	-	1	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	89	-	-	3	4	7	15	10	8	9
WHITE-----MALE----	57	-	-	2	4	5	11	7	3	5
FEMALE--	20	-	-	1	-	-	-	3	3	3
ALL OTHER--MALE----	10	-	-	-	-	2	4	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	2	4	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
INDIANA -----	40	-	-	3	5	2	3	7	5	3
WHITE-----MALE----	26	-	-	2	5	1	3	3	5	-
FEMALE--	11	-	-	-	-	-	-	3	-	3
ALL OTHER--MALE----	3	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
IOWA -----	15	-	-	-	3	1	1	2	2	2
WHITE-----MALE----	8	-	-	-	3	-	-	2	2	-
FEMALE--	6	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
KANSAS -----	20	-	1	1	4	3	-	2	-	-
WHITE-----MALE----	16	-	-	1	3	1	-	2	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,100
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	25	-	1	3	1	2	2	5	1	1
WHITE-----MALE----	16	-	-	1	-	1	2	5	1	1
FEMALE--	8	-	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	28	-	-	1	4	2	2	1	7	3
WHITE-----MALE----	9	-	-	1	2	-	1	-	1	2
FEMALE--	9	-	-	-	1	1	-	1	2	-
ALL OTHER--MALE----	9	-	-	-	1	1	1	-	4	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	1	1	1	-	4	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
MAINE -----	13	-	-	2	-	1	1	1	1	2
WHITE-----MALE----	9	-	-	2	-	1	-	-	1	2
FEMALE--	4	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	49	-	-	2	5	5	7	4	4	4
WHITE-----MALE----	26	-	-	1	1	3	4	3	2	2
FEMALE--	13	-	-	1	1	1	2	1	-	2
ALL OTHER--MALE----	5	-	-	-	2	-	1	-	1	-
FEMALE--	5	-	-	-	1	1	-	-	1	-
BLACK---MALE----	5	-	-	-	2	-	1	-	1	-
FEMALE--	5	-	-	-	1	1	-	-	1	-
MASSACHUSETTS -----	70	-	-	4	2	4	13	8	13	4
WHITE-----MALE----	49	-	-	3	2	4	7	7	9	2
FEMALE--	17	-	-	1	-	-	6	1	3	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	63	-	-	2	2	6	3	10	9	10
WHITE-----MALE----	33	-	-	2	1	2	2	6	2	4
FEMALE--	16	-	-	-	-	1	1	4	3	3
ALL OTHER--MALE----	10	-	-	-	1	1	-	-	4	1
FEMALE--	4	-	-	-	-	2	-	-	-	2
BLACK---MALE----	8	-	-	-	1	1	-	-	4	1
FEMALE--	2	-	-	-	-	1	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,104
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	-	-	-	5	4	2	8	1	2
WHITE-----MALE----	21	-	-	-	4	3	2	6	-	2
FEMALE--	7	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
TEXAS -----	105	-	-	6	8	17	15	15	12	8
WHITE-----MALE----	65	-	-	4	5	11	7	10	8	3
FEMALE--	23	-	-	1	1	2	6	2	3	3
ALL OTHER--MALE----	14	-	-	1	1	3	2	2	1	2
FEMALE--	3	-	-	-	1	1	-	1	-	-
BLACK---MALE----	10	-	-	1	-	3	1	2	1	1
FEMALE--	2	-	-	-	1	-	-	1	-	-
UTAH -----	8	-	-	1	-	3	1	1	-	1
WHITE-----MALE----	7	-	-	1	-	2	1	1	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	49	-	-	1	6	4	5	3	6	6
WHITE-----MALE----	30	-	-	1	5	3	2	2	4	4
FEMALE--	12	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	5	-	-	-	1	1	1	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,104
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	1	-	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	8	3	2	1	2	5	2	-	-	1	-	-
WHITE-----MALE----	7	1	2	-	1	4	1	-	-	1	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	4	3	4	2	2	1	-	-	-	-	-
WHITE-----MALE----	1	2	2	2	2	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,106
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	20,971	332	420	179	335	2,924	3,624	2,890	2,538	2,246	1,648	1,161
WHITE-----MALE----	7,570	101	122	60	117	940	1,151	935	968	867	656	469
FEMALE--	2,747	100	103	52	67	210	245	262	306	327	243	206
ALL OTHER--MALE----	8,699	67	92	34	100	1,569	1,995	1,434	985	798	592	372
FEMALE--	1,955	64	103	33	51	205	233	259	279	254	157	114
BLACK---MALE----	8,183	64	84	32	89	1,488	1,905	1,359	935	747	546	340
FEMALE--	1,800	57	90	28	45	185	217	241	260	243	151	102
ALABAMA -----	529	9	9	4	7	60	82	83	54	68	45	40
WHITE-----MALE----	127	2	2	1	3	8	18	12	13	19	10	12
FEMALE--	49	1	-	1	-	-	6	8	7	12	4	3
ALL OTHER--MALE----	287	4	4	1	3	46	53	50	30	26	25	19
FEMALE--	66	2	3	1	1	6	5	13	4	11	6	6
BLACK---MALE----	285	4	4	1	3	46	53	50	29	26	24	19
FEMALE--	65	2	3	1	1	6	5	12	4	11	6	6
ALASKA -----	42	-	2	2	2	4	7	2	6	4	6	2
WHITE-----MALE----	18	-	1	1	1	1	2	-	4	2	4	1
FEMALE--	7	-	1	1	-	1	-	1	1	1	1	-
ALL OTHER--MALE----	10	-	-	-	-	2	4	1	-	1	-	-
FEMALE--	7	-	-	-	1	-	1	-	1	-	1	1
BLACK---MALE----	4	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	446	5	8	6	9	69	73	60	55	43	36	23
WHITE-----MALE----	279	2	4	2	4	45	51	32	38	28	27	16
FEMALE--	64	1	2	2	2	3	8	8	6	7	4	4
ALL OTHER--MALE----	86	1	2	-	1	17	13	19	9	8	4	2
FEMALE--	17	1	-	2	2	4	1	1	2	-	1	1
BLACK---MALE----	38	-	1	-	-	7	7	9	5	2	3	-
FEMALE--	8	1	-	-	-	2	1	-	2	-	-	1
ARKANSAS -----	239	4	3	2	3	32	33	24	27	27	21	17
WHITE-----MALE----	79	1	-	-	1	5	4	9	8	13	12	7
FEMALE--	39	2	-	2	-	3	6	4	5	2	1	3
ALL OTHER--MALE----	98	1	-	-	-	24	22	9	11	8	7	5
FEMALE--	23	-	3	-	2	-	1	2	3	4	1	2
BLACK---MALE----	97	1	-	-	-	24	22	9	11	8	7	5
FEMALE--	22	-	3	-	1	-	1	2	3	4	1	2
CALIFORNIA -----	3,056	35	62	24	52	514	534	471	386	280	215	163
WHITE-----MALE----	1,692	10	26	10	31	325	328	242	207	146	115	84
FEMALE--	336	12	19	10	10	24	25	28	43	34	29	23
ALL OTHER--MALE----	856	8	7	2	8	145	167	174	117	73	60	39
FEMALE--	172	5	10	2	3	20	14	27	19	27	11	17
BLACK---MALE----	696	8	4	2	5	117	135	147	105	61	46	30
FEMALE--	134	2	7	2	2	15	11	20	18	24	10	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,106
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	735	500	375	321	233	197	138	75	28	9	-	63
WHITE-----MALE----	329	248	182	154	96	69	48	17	8	2	-	31
FEMALE--	133	82	70	75	69	74	53	40	14	4	-	12
ALL OTHER--MALE----	235	138	98	67	45	32	22	8	3	2	-	11
FEMALE--	38	32	25	25	23	22	15	10	3	1	-	9
BLACK---MALE----	206	124	88	61	42	30	22	8	3	2	-	8
FEMALE--	30	29	25	20	21	18	15	10	3	1	-	9
ALABAMA -----	23	13	9	7	5	4	4	1	2	-	-	-
WHITE-----MALE----	8	4	3	4	3	3	1	-	1	-	-	-
FEMALE--	3	-	1	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	11	9	3	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	2	1	1	1	2	-	-	-	-	-
BLACK---MALE----	11	9	3	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	2	1	1	1	2	-	-	-	-	-
ALASKA -----	1	3	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	21	14	6	6	3	4	-	1	3	-	-	1
WHITE-----MALE----	12	8	4	2	-	2	-	-	1	-	-	1
FEMALE--	5	3	1	3	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	4	3	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	11	5	4	7	7	7	4	1	-	-	-	-
WHITE-----MALE----	5	2	3	5	1	2	1	-	-	-	-	-
FEMALE--	-	3	-	-	2	3	3	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	-	1	-	-	-	-
BLACK---MALE----	4	-	1	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	-	1	-	-	-	-
CALIFORNIA -----	93	59	44	32	29	27	12	11	2	-	-	11
WHITE-----MALE----	49	31	22	18	19	13	7	3	-	-	-	6
FEMALE--	23	12	9	8	5	6	4	8	1	-	-	3
ALL OTHER--MALE----	19	15	12	2	3	3	-	-	-	-	-	2
FEMALE--	2	1	1	4	2	5	1	-	1	-	-	-
BLACK---MALE----	13	10	8	1	3	1	-	-	-	-	-	-
FEMALE--	2	-	1	2	1	1	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,107
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 HOMICIDE AND LEGAL INTERVENTION (E960-E978)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	214	7	5	3	6	19	38	23	26	30	20	14
WHITE-----MALE----	126	2	2	1	3	12	25	17	16	18	12	7
FEMALE--	53	4	1	1	3	4	5	3	7	8	4	4
ALL OTHER--MALE----	28	1	1	-	-	3	7	1	3	4	3	3
FEMALE--	7	-	1	1	-	-	1	2	-	-	1	-
BLACK---MALE----	25	-	1	-	-	3	7	1	3	3	2	3
FEMALE--	3	-	1	-	-	-	1	1	-	-	-	-
CONNECTICUT -----	173	4	6	1	2	28	25	26	17	13	13	4
WHITE-----MALE----	61	1	1	-	1	8	9	10	8	6	7	-
FEMALE--	29	2	-	-	1	2	-	4	2	2	2	2
ALL OTHER--MALE----	72	1	3	-	-	16	15	12	6	4	4	2
FEMALE--	11	-	2	1	-	2	1	-	1	1	-	-
BLACK---MALE----	71	1	3	-	-	16	15	12	6	4	3	2
FEMALE--	9	-	2	1	-	2	1	-	-	1	-	-
DELAWARE -----	57	-	1	1	-	5	2	8	6	10	7	4
WHITE-----MALE----	13	-	-	1	-	-	1	3	-	2	1	1
FEMALE--	10	-	-	-	-	1	-	1	-	4	-	-
ALL OTHER--MALE----	24	-	-	-	-	4	-	1	4	3	4	3
FEMALE--	10	-	1	-	-	-	1	3	2	1	2	-
BLACK---MALE----	23	-	-	-	-	4	-	1	3	3	4	3
FEMALE--	10	-	1	-	-	-	1	3	2	1	2	-
DISTRICT OF COLUMBIA ----	325	2	1	3	6	68	87	62	26	22	24	12
WHITE-----MALE----	12	-	-	-	-	2	-	5	1	1	-	2
FEMALE--	3	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	272	1	1	1	4	59	78	51	23	17	19	9
FEMALE--	38	1	-	2	2	7	8	5	2	4	4	1
BLACK---MALE----	270	1	1	1	3	59	78	51	23	17	18	9
FEMALE--	38	1	-	2	2	7	8	5	2	4	4	1
FLORIDA -----	1,189	24	22	9	19	117	169	139	157	142	121	84
WHITE-----MALE----	448	3	5	3	6	35	59	44	59	56	53	38
FEMALE--	210	9	7	4	3	12	13	18	25	25	27	15
ALL OTHER--MALE----	429	7	3	-	6	63	86	64	60	46	36	25
FEMALE--	102	5	7	2	4	7	11	13	13	15	5	6
BLACK---MALE----	424	7	3	-	6	63	85	64	60	45	35	25
FEMALE--	102	5	7	2	4	7	11	13	13	15	5	6
GEORGIA -----	736	10	10	1	13	86	126	107	82	77	71	40
WHITE-----MALE----	157	3	1	-	4	8	16	22	13	22	12	11
FEMALE--	75	2	2	-	1	9	6	6	7	8	7	4
ALL OTHER--MALE----	390	3	4	1	5	57	94	66	44	31	37	17
FEMALE--	114	2	3	-	3	12	10	13	18	16	15	8
BLACK---MALE----	374	3	4	1	4	54	91	65	41	31	37	15
FEMALE--	108	2	3	-	3	11	9	12	18	16	15	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,107
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	7	4	7	1	1	2	-	-	1	-	-	-
WHITE-----MALE----	4	4	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	5	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	15	3	3	6	4	1	1	1	-	-	-	-
WHITE-----MALE----	4	1	-	3	2	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	3	1	1	3	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	1	3	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	2	3	2	-	2	1	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	3	-	2	3	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	3	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
FLORIDA -----	45	29	29	13	20	18	10	4	3	1	-	14
WHITE-----MALE----	26	14	17	8	8	6	2	1	1	-	-	4
FEMALE--	9	5	7	3	8	8	4	2	1	1	-	4
ALL OTHER--MALE----	8	7	4	1	4	3	2	1	-	-	-	3
FEMALE--	2	3	1	1	-	1	2	-	1	-	-	3
BLACK---MALE----	7	6	4	1	4	3	2	1	-	-	-	3
FEMALE--	2	3	1	1	-	1	2	-	1	-	-	3
GEORGIA -----	25	24	27	18	7	4	3	2	1	1	-	1
WHITE-----MALE----	10	13	12	6	1	2	-	-	1	-	-	-
FEMALE--	5	6	3	6	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	8	3	8	3	3	1	2	1	-	1	-	1
FEMALE--	2	2	4	3	1	1	-	1	-	-	-	-
BLACK---MALE----	7	2	7	3	3	1	2	1	-	1	-	1
FEMALE--	1	2	4	3	1	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,108
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	41	-	-	-	-	7	5	3	8	5	4	3
WHITE-----MALE----	9	-	-	-	-	-	1	-	3	1	1	2
FEMALE--	6	-	-	-	-	1	1	-	2	1	-	-
ALL OTHER--MALE----	19	-	-	-	-	5	2	3	1	3	2	-
FEMALE--	7	-	-	-	-	1	1	-	2	-	1	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	50	2	2	1	2	11	3	3	2	1	4	7
WHITE-----MALE----	23	2	1	-	1	6	2	2	1	-	1	1
FEMALE--	21	-	1	1	1	5	-	-	1	1	3	4
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,267	25	21	12	17	261	274	175	118	113	73	50
WHITE-----MALE----	290	6	3	2	3	59	53	37	30	19	20	17
FEMALE--	114	9	4	2	2	9	9	13	10	17	10	6
ALL OTHER--MALE----	719	4	6	6	11	172	199	103	53	60	38	17
FEMALE--	144	6	8	2	1	21	13	22	25	17	5	10
BLACK---MALE----	714	4	6	6	11	171	198	103	52	60	37	17
FEMALE--	141	6	8	2	1	20	12	22	25	17	5	10
INDIANA -----	400	6	13	5	9	47	84	48	48	46	37	20
WHITE-----MALE----	97	2	3	-	1	8	15	11	11	9	9	11
FEMALE--	66	3	3	1	2	2	5	5	12	9	10	3
ALL OTHER--MALE----	195	-	6	2	1	34	58	25	15	26	14	6
FEMALE--	42	1	1	2	5	3	6	7	10	2	4	-
BLACK---MALE----	192	-	6	2	1	34	57	25	14	26	14	6
FEMALE--	42	1	1	2	5	3	6	7	10	2	4	-
IOWA -----	71	6	4	-	3	10	7	6	11	7	7	6
WHITE-----MALE----	30	1	2	-	-	4	3	3	7	3	2	4
FEMALE--	22	3	2	-	3	1	-	1	4	3	3	-
ALL OTHER--MALE----	16	-	-	-	-	5	4	2	-	-	2	2
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	11	-	-	-	-	3	4	1	-	-	1	1
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
KANSAS -----	144	4	4	1	3	23	22	18	22	20	9	5
WHITE-----MALE----	61	1	1	1	2	7	7	8	12	11	3	2
FEMALE--	23	1	1	-	1	2	6	1	2	3	1	1
ALL OTHER--MALE----	48	2	1	-	-	11	7	9	8	2	3	2
FEMALE--	12	-	1	-	-	3	2	-	-	4	2	-
BLACK---MALE----	46	2	1	-	-	9	7	9	8	2	3	2
FEMALE--	11	-	-	-	-	3	2	-	-	4	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,109
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	233	7	2	3	2	25	24	23	29	34	32	14
WHITE-----MALE----	105	3	2	2	2	5	7	10	10	15	21	11
FEMALE--	52	3	-	-	-	5	3	1	7	9	5	3
ALL OTHER--MALE----	60	1	-	-	-	14	12	10	8	8	3	-
FEMALE--	16	-	-	1	-	1	2	2	4	2	3	-
BLACK---MALE----	58	1	-	-	-	14	12	10	8	7	3	-
FEMALE--	14	-	-	1	-	1	1	2	3	2	3	-
LOUISIANA -----	798	7	10	4	10	127	162	121	92	92	68	29
WHITE-----MALE----	125	3	1	-	2	7	14	8	19	21	16	11
FEMALE--	51	-	2	1	4	3	3	9	6	7	2	2
ALL OTHER--MALE----	521	3	3	-	3	106	132	91	48	52	41	11
FEMALE--	101	1	4	3	1	11	13	13	19	12	9	5
BLACK---MALE----	510	3	3	-	2	103	130	91	47	51	40	9
FEMALE--	101	1	4	3	1	11	13	13	19	12	9	5
MAINE -----	29	1	-	-	1	-	6	3	3	3	2	1
WHITE-----MALE----	13	-	-	-	-	-	5	1	2	-	2	-
FEMALE--	16	1	-	-	1	-	1	2	1	3	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	605	4	6	2	8	99	125	108	88	54	36	18
WHITE-----MALE----	77	-	-	-	1	7	10	11	8	13	10	2
FEMALE--	38	1	1	-	1	2	3	4	2	6	6	3
ALL OTHER--MALE----	416	-	4	2	3	87	96	86	59	26	16	12
FEMALE--	74	3	1	-	3	3	16	7	19	9	4	1
BLACK---MALE----	410	-	4	2	3	87	96	85	59	26	16	11
FEMALE--	73	3	1	-	3	2	16	7	19	9	4	1
MASSACHUSETTS -----	191	3	6	3	5	33	38	24	17	18	11	8
WHITE-----MALE----	78	1	2	3	4	8	15	12	7	5	5	4
FEMALE--	41	1	4	-	-	6	5	4	3	6	2	3
ALL OTHER--MALE----	63	1	-	-	1	18	17	6	6	6	3	1
FEMALE--	9	-	-	-	-	1	1	2	1	1	1	-
BLACK---MALE----	59	1	-	-	1	16	16	6	6	5	3	1
FEMALE--	8	-	-	-	-	-	1	2	1	1	1	-
MICHIGAN -----	808	10	19	5	14	99	147	138	105	86	47	37
WHITE-----MALE----	144	4	4	2	3	14	17	11	23	21	4	9
FEMALE--	80	2	3	-	1	5	8	10	7	14	4	4
ALL OTHER--MALE----	473	3	3	2	7	71	113	98	60	37	23	20
FEMALE--	111	1	9	1	3	9	9	19	15	14	16	4
BLACK---MALE----	468	3	3	2	7	70	111	98	59	37	22	20
FEMALE--	110	1	9	1	3	9	9	19	15	14	16	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,109
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 HOMICIDE AND LEGAL INTERVENTION (E960-E978)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	15	7	-	8	4	2	1	1	-	-	-	-
WHITE-----MALE----	9	2	-	4	1	-	1	-	-	-	-	-
FEMALE--	4	4	-	4	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	24	15	11	4	9	4	5	1	-	3	-	-
WHITE-----MALE----	8	3	2	-	3	4	1	1	-	1	-	-
FEMALE--	3	1	4	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	11	9	4	2	3	-	1	-	-	1	-	-
FEMALE--	2	2	1	1	1	-	2	-	-	1	-	-
BLACK---MALE----	11	9	4	2	3	-	1	-	-	1	-	-
FEMALE--	2	2	1	1	1	-	2	-	-	1	-	-
MAINE -----	3	-	1	2	1	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	2	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	11	13	4	2	3	5	3	1	-	-	1
WHITE-----MALE----	3	4	4	2	-	-	2	-	-	-	-	-
FEMALE--	1	1	2	-	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	9	5	4	2	-	1	2	1	-	-	-	1
FEMALE--	1	1	3	-	1	-	1	1	-	-	-	-
BLACK---MALE----	8	4	3	2	-	1	2	1	-	-	-	-
FEMALE--	1	1	3	-	1	-	1	1	-	-	-	-
MASSACHUSETTS -----	3	9	3	5	2	-	2	1	-	-	-	-
WHITE-----MALE----	1	5	3	1	1	-	1	-	-	-	-	-
FEMALE--	-	3	-	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	27	14	12	16	8	7	10	4	2	-	-	1
WHITE-----MALE----	3	8	5	5	5	1	3	1	1	-	-	-
FEMALE--	5	-	1	4	1	3	4	3	1	-	-	-
ALL OTHER--MALE----	16	3	6	7	1	-	2	-	-	-	-	1
FEMALE--	3	3	-	-	1	3	1	-	-	-	-	-
BLACK---MALE----	16	3	6	7	1	-	2	-	-	-	-	1
FEMALE--	3	2	-	-	1	3	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,110
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 HOMICIDE AND LEGAL INTERVENTION (E960-E978)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	177	5	7	3	6	20	21	20	22	22	18	14
WHITE-----MALE----	65	1	1	2	2	7	5	6	6	11	8	7
FEMALE--	40	2	2	-	2	3	4	4	3	3	6	3
ALL OTHER--MALE----	53	1	1	1	2	8	10	8	7	6	3	4
FEMALE--	19	1	3	-	-	2	2	2	6	2	1	-
BLACK---MALE----	36	1	-	1	2	7	6	6	4	5	-	3
FEMALE--	16	1	2	-	-	2	2	2	4	2	1	-
MISSISSIPPI -----	376	3	6	-	7	41	76	37	47	40	32	26
WHITE-----MALE----	91	3	1	-	1	4	15	8	10	12	9	9
FEMALE--	40	-	1	-	2	4	1	6	6	5	1	4
ALL OTHER--MALE----	196	-	3	-	2	26	49	21	23	18	19	11
FEMALE--	49	-	1	-	2	7	11	2	8	5	3	2
BLACK---MALE----	192	-	3	-	2	26	47	21	23	18	19	10
FEMALE--	48	-	1	-	2	7	10	2	8	5	3	2
MISSOURI -----	467	9	8	7	10	60	71	56	50	58	40	29
WHITE-----MALE----	143	1	4	2	3	5	14	12	18	27	13	8
FEMALE--	63	3	-	5	3	8	6	4	7	4	5	4
ALL OTHER--MALE----	214	4	2	-	2	41	47	33	24	18	14	14
FEMALE--	47	1	2	-	2	6	4	7	1	9	8	3
BLACK---MALE----	210	4	2	-	2	41	46	33	24	18	14	14
FEMALE--	47	1	2	-	2	6	4	7	1	9	8	3
MONTANA -----	37	-	3	-	-	4	-	4	4	5	3	3
WHITE-----MALE----	22	-	-	-	-	2	-	2	2	5	2	2
FEMALE--	9	-	3	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	2	-	2	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	50	-	2	-	2	7	13	8	4	3	7	2
WHITE-----MALE----	30	-	2	-	2	4	9	4	2	1	2	2
FEMALE--	3	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	13	-	-	-	-	3	3	3	1	-	3	-
FEMALE--	4	-	-	-	-	-	1	-	1	1	1	-
BLACK---MALE----	12	-	-	-	-	2	3	3	1	-	3	-
FEMALE--	4	-	-	-	-	-	1	-	1	1	1	-
NEVADA -----	206	5	5	1	5	23	31	23	28	16	17	12
WHITE-----MALE----	111	2	2	1	2	7	18	14	16	9	11	7
FEMALE--	28	1	-	-	2	3	1	2	3	2	3	3
ALL OTHER--MALE----	51	1	2	-	1	12	10	5	8	5	2	1
FEMALE--	16	1	1	-	-	1	2	2	1	-	1	1
BLACK---MALE----	48	1	2	-	1	12	9	5	7	4	2	1
FEMALE--	14	1	1	-	-	-	1	2	1	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,112
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
OHIO -----	502	11	21	2	11	71	83	65	57	50	27	24
WHITE-----MALE----	132	2	-	-	4	9	19	16	20	12	11	9
FEMALE--	84	3	10	1	2	10	5	7	6	9	4	6
ALL OTHER--MALE----	228	3	6	1	4	44	47	37	23	20	10	7
FEMALE--	58	3	5	-	1	8	12	5	8	9	2	2
BLACK---MALE----	227	3	6	1	4	44	47	36	23	20	10	7
FEMALE--	57	3	5	-	1	8	11	5	8	9	2	2
OKLAHOMA -----	269	3	4	2	4	31	42	29	31	38	21	22
WHITE-----MALE----	132	-	3	2	-	8	15	10	19	26	11	12
FEMALE--	41	2	-	-	2	10	4	4	4	5	1	3
ALL OTHER--MALE----	79	-	-	-	1	11	20	13	7	5	8	5
FEMALE--	17	1	1	-	1	2	3	2	1	2	1	2
BLACK---MALE----	61	-	-	-	-	11	17	8	5	4	5	3
FEMALE--	12	-	-	-	1	1	3	1	1	1	1	2
OREGON -----	150	6	9	6	1	12	22	14	26	12	10	8
WHITE-----MALE----	79	5	7	2	-	6	9	7	15	9	5	3
FEMALE--	46	1	1	4	1	4	3	4	6	1	4	5
ALL OTHER--MALE----	21	-	-	-	-	2	10	3	2	2	1	-
FEMALE--	4	-	1	-	-	-	-	-	3	-	-	-
BLACK---MALE----	13	-	-	-	-	2	8	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	715	10	15	4	7	114	132	91	82	85	44	38
WHITE-----MALE----	198	4	4	1	3	25	25	20	21	27	11	13
FEMALE--	73	3	3	1	1	3	11	5	8	12	7	5
ALL OTHER--MALE----	392	2	7	2	3	77	86	57	48	40	23	15
FEMALE--	52	1	1	-	-	9	10	9	5	6	3	5
BLACK---MALE----	378	2	7	2	3	74	83	55	46	38	23	14
FEMALE--	50	1	1	-	-	8	9	9	5	6	3	5
RHODE ISLAND -----	28	1	1	1	1	3	6	1	4	5	2	-
WHITE-----MALE----	14	-	1	-	-	2	2	1	3	2	2	-
FEMALE--	6	1	-	-	-	-	2	-	1	1	-	-
ALL OTHER--MALE----	4	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	4	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	2	-	-
SOUTH CAROLINA -----	379	8	3	3	7	33	57	55	49	42	30	23
WHITE-----MALE----	101	1	-	1	-	6	8	12	6	18	10	4
FEMALE--	40	-	-	-	-	1	2	6	10	5	1	3
ALL OTHER--MALE----	182	3	1	1	4	22	41	30	24	12	16	13
FEMALE--	56	4	2	1	3	4	6	7	9	7	3	3
BLACK---MALE----	182	3	1	1	4	22	41	30	24	12	16	13
FEMALE--	56	4	2	1	3	4	6	7	9	7	3	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,112
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	16	16	9	16	10	10	2	-	1	-	-	-
WHITE-----MALE----	10	3	4	6	4	2	-	-	1	-	-	-
FEMALE--	-	4	-	7	3	5	2	-	-	-	-	-
ALL OTHER--MALE----	6	8	4	3	2	3	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	8	4	3	2	3	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	12	9	4	4	4	2	1	3	2	-	-	1
WHITE-----MALE----	8	6	3	2	2	1	1	1	2	-	-	-
FEMALE--	-	2	-	-	1	-	-	2	-	-	-	1
ALL OTHER--MALE----	4	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	4	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	4	6	4	1	-	1	5	3	-	-	-	-
WHITE-----MALE----	1	4	4	-	-	-	1	1	-	-	-	-
FEMALE--	2	2	-	1	-	1	4	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	29	18	16	6	8	7	4	4	-	-	-	1
WHITE-----MALE----	13	9	9	1	4	2	4	1	-	-	-	1
FEMALE--	2	1	2	3	3	2	-	1	-	-	-	-
ALL OTHER--MALE----	14	8	5	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	13	8	5	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
RHODE ISLAND -----	-	-	1	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	20	14	8	7	6	8	5	1	-	-	-	-
WHITE-----MALE----	12	9	5	3	2	3	1	-	-	-	-	-
FEMALE--	3	-	1	1	2	3	2	-	-	-	-	-
ALL OTHER--MALE----	5	4	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	2	1	-	-	-	-
BLACK---MALE----	5	4	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	2	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,113
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	16	1	2	-	1	2	3	2	-	1	2	1
WHITE-----MALE----	5	-	-	-	-	1	1	1	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	1	2	1	-	1	1	-
FEMALE--	4	1	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	536	5	6	6	7	68	70	88	62	61	46	40
WHITE-----MALE----	167	2	2	2	2	14	14	24	14	23	21	11
FEMALE--	78	-	1	-	1	7	2	10	12	7	6	13
ALL OTHER--MALE----	241	1	-	2	2	43	48	42	31	27	15	13
FEMALE--	50	2	3	2	2	4	6	12	5	4	4	3
BLACK---MALE----	239	1	-	2	2	43	48	42	30	27	15	12
FEMALE--	49	2	3	2	2	4	5	12	5	4	4	3
TEXAS -----	1,584	20	33	18	27	211	253	188	208	178	137	92
WHITE-----MALE----	852	11	9	8	11	124	129	100	127	86	78	48
FEMALE--	262	6	11	4	4	24	31	25	32	30	24	24
ALL OTHER--MALE----	372	-	5	3	8	54	82	52	37	46	28	18
FEMALE--	98	3	8	3	4	9	11	11	12	16	7	2
BLACK---MALE----	344	-	5	1	7	51	78	49	34	41	26	16
FEMALE--	88	2	6	3	4	7	10	10	11	15	7	1
UTAH -----	66	1	3	2	3	12	7	9	9	6	4	-
WHITE-----MALE----	40	1	2	1	3	10	4	3	5	3	2	-
FEMALE--	16	-	1	-	-	2	3	3	-	2	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	3	1	1	-	-
FEMALE--	4	-	-	1	-	-	-	-	3	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	1	-	-	1	-	3	1	-	-	-
WHITE-----MALE----	4	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	531	9	4	6	2	58	91	73	67	57	52	39
WHITE-----MALE----	136	3	-	-	-	8	13	22	20	14	16	9
FEMALE--	71	3	1	3	-	4	8	6	11	7	8	5
ALL OTHER--MALE----	247	-	1	1	2	40	57	35	26	27	21	19
FEMALE--	77	3	2	2	-	6	13	10	10	9	7	6
BLACK---MALE----	242	-	-	1	2	40	57	35	26	25	21	17
FEMALE--	74	3	2	1	-	6	13	10	10	8	7	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,113
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	17	15	10	9	5	2	2	-	-	-	-
WHITE-----MALE----	9	10	7	4	5	1	2	-	-	-	-	-
FEMALE--	3	3	3	3	2	4	-	1	-	-	-	-
ALL OTHER--MALE----	4	3	5	2	2	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	5	2	2	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
TEXAS -----	57	37	32	31	13	17	13	9	1	-	-	9
WHITE-----MALE----	31	25	17	21	5	8	6	1	-	-	-	7
FEMALE--	9	4	5	5	5	5	5	7	1	-	-	1
ALL OTHER--MALE----	16	5	6	5	2	2	1	1	-	-	-	1
FEMALE--	1	3	4	-	1	2	1	-	-	-	-	-
BLACK---MALE----	14	4	6	5	2	2	1	1	-	-	-	1
FEMALE--	1	3	4	-	1	2	1	-	-	-	-	-
UTAH -----	1	3	1	2	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	3	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	18	7	10	4	4	9	1	-	-	-	2
WHITE-----MALE----	8	7	3	6	1	-	4	-	-	-	-	2
FEMALE--	1	3	1	2	3	2	3	-	-	-	-	-
ALL OTHER--MALE----	6	5	3	1	-	1	2	-	-	-	-	-
FEMALE--	3	3	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	6	5	3	1	-	1	2	-	-	-	-	-
FEMALE--	2	3	-	1	-	1	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,115
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
0 UNITED STATES --	1,256	3	4	13	24	195	217	188	174	134	99	69
WHITE-----MALE----	501	-	2	6	9	83	85	72	68	57	41	22
FEMALE--	179	1	-	3	9	11	17	11	24	20	18	20
ALL OTHER--MALE----	477	2	2	1	3	87	106	91	64	46	31	20
FEMALE--	99	-	-	3	3	14	9	14	18	11	9	7
BLACK---MALE----	442	2	2	1	3	81	101	86	59	41	26	19
FEMALE--	90	-	-	1	3	14	8	13	15	10	9	6
ALABAMA -----	73	1	-	1	-	10	10	13	10	10	3	6
WHITE-----MALE----	14	-	-	1	-	-	1	1	3	3	1	2
FEMALE--	6	-	-	-	-	-	-	2	-	-	-	1
ALL OTHER--MALE----	45	1	-	-	-	9	9	9	6	3	2	3
FEMALE--	8	-	-	-	-	1	-	1	1	4	-	-
BLACK---MALE----	45	1	-	-	-	9	9	9	6	3	2	3
FEMALE--	8	-	-	-	-	1	-	1	1	4	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	458	1	-	2	7	90	86	86	65	37	28	17
WHITE-----MALE----	244	-	-	1	4	58	53	40	31	21	12	8
FEMALE--	49	-	-	1	4	4	4	3	5	5	8	4
ALL OTHER--MALE----	140	1	-	-	1	24	26	37	24	10	7	4
FEMALE--	25	-	-	1	1	4	3	6	5	1	1	1
BLACK---MALE----	119	1	-	-	1	19	24	32	21	8	6	3
FEMALE--	23	-	-	1	1	4	3	5	5	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,115
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY HANDGUN (E965.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	47	33	17	13	4	8	7	3	2	-	-	2
WHITE-----MALE----	17	20	8	3	1	3	1	-	1	-	-	2
FEMALE--	14	8	5	5	1	3	5	3	1	-	-	-
ALL OTHER--MALE----	13	4	1	3	1	2	-	-	-	-	-	-
FEMALE--	3	1	3	2	1	-	1	-	-	-	-	-
BLACK---MALE----	11	3	1	3	1	2	-	-	-	-	-	-
FEMALE--	3	1	3	2	1	-	1	-	-	-	-	-
ALABAMA -----	6	1	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	13	11	5	4	1	1	2	1	1	-	-	-
WHITE-----MALE----	4	6	3	2	-	1	-	-	-	-	-	-
FEMALE--	5	3	2	2	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,116
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY HANDGUN (E965.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	1	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,119
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
MINNESOTA -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	92	-	-	-	2	17	18	10	9	11	6	11
WHITE-----MALE----	16	-	-	-	-	3	1	3	1	1	-	5
FEMALE--	9	-	-	-	1	-	-	1	1	1	-	3
ALL OTHER--MALE----	59	-	-	-	-	12	15	6	7	8	5	3
FEMALE--	8	-	-	-	1	2	2	-	-	1	1	-
BLACK---MALE----	59	-	-	-	-	12	15	6	7	8	5	3
FEMALE--	8	-	-	-	1	2	2	-	-	1	1	-
MISSOURI -----	97	-	1	-	3	16	15	12	13	14	10	7
WHITE-----MALE----	32	-	-	-	1	3	3	3	4	8	3	1
FEMALE--	11	-	-	-	1	2	1	-	2	1	2	2
ALL OTHER--MALE----	41	-	1	-	-	8	10	8	6	3	2	3
FEMALE--	13	-	-	-	1	3	1	1	1	2	3	1
BLACK---MALE----	40	-	1	-	-	8	9	8	6	3	2	3
FEMALE--	13	-	-	-	1	3	1	1	1	2	3	1
MONTANA -----	7	-	-	-	-	1	-	-	2	-	-	-
WHITE-----MALE----	6	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	37	-	-	1	2	6	6	3	6	3	4	1
WHITE-----MALE----	17	-	-	1	1	1	4	1	3	1	3	-
FEMALE--	4	-	-	-	1	-	-	1	2	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	5	2	-	1	2	1	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	11	-	-	-	-	5	2	-	1	1	1	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,121
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
OHIO -----	7	-	-	-	-	-	1	1	-	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	36	-	-	-	-	3	5	3	8	5	4	1
WHITE-----MALE----	16	-	-	-	-	3	2	2	3	3	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	3	1	2	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	3	-	-	-
BLACK---MALE----	4	-	-	-	-	-	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	-	-	-	-	1	1	-	2	2	-	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	26	-	-	1	2	4	4	2	2	4	1	-
WHITE-----MALE----	6	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	14	-	-	-	2	3	3	2	-	3	-	-
FEMALE--	4	-	-	-	-	1	1	-	2	-	-	-
BLACK---MALE----	14	-	-	-	2	3	3	2	-	3	-	-
FEMALE--	4	-	-	-	-	1	1	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,122
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	-	-	-	-	-	1	1	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	25	-	-	-	1	2	4	2	3	1	2	3
WHITE-----MALE----	12	-	-	-	-	2	2	1	1	1	-	1
FEMALE--	8	-	-	-	1	-	1	1	2	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	7	-	-	2	1	-	-	-	1	1	-	-
WHITE-----MALE----	5	-	-	1	1	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	85	-	-	2	-	11	18	15	13	9	4	4
WHITE-----MALE----	14	-	-	-	-	2	2	2	3	1	-	-
FEMALE--	11	-	-	2	-	1	1	1	2	2	-	1
ALL OTHER--MALE----	51	-	-	-	-	7	15	10	6	6	3	2
FEMALE--	9	-	-	-	-	1	-	2	2	-	1	1
BLACK---MALE----	50	-	-	-	-	7	15	10	6	5	3	2
FEMALE--	9	-	-	-	-	1	-	2	2	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,124
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
0 UNITED STATES --	12,781	6	55	53	221	2,262	2,754	2,028	1,528	1,254	865	609
WHITE-----MALE----	4,428	2	18	14	87	686	813	612	592	484	336	262
FEMALE--	1,132	1	10	15	28	109	115	135	127	161	122	88
ALL OTHER--MALE----	6,329	1	10	14	81	1,325	1,682	1,145	680	502	334	214
FEMALE--	892	2	17	10	25	142	144	136	129	107	73	45
BLACK---MALE----	6,042	1	9	12	73	1,271	1,623	1,108	656	475	312	195
FEMALE--	829	2	14	8	23	127	134	127	123	102	71	42
ALABAMA -----	309	-	1	1	6	39	57	56	27	41	25	23
WHITE-----MALE----	87	-	1	-	3	6	14	9	8	13	8	7
FEMALE--	24	-	-	-	-	-	4	4	4	7	2	2
ALL OTHER--MALE----	174	-	-	1	2	30	36	35	15	18	13	12
FEMALE--	24	-	-	-	1	3	3	8	-	3	2	2
BLACK---MALE----	172	-	-	1	2	30	36	35	14	18	12	12
FEMALE--	23	-	-	-	1	3	3	7	-	3	2	2
ALASKA -----	29	-	1	1	1	3	6	1	4	3	6	1
WHITE-----MALE----	14	-	1	-	1	1	1	-	3	2	4	1
FEMALE--	4	-	-	1	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	8	-	-	-	-	2	4	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	297	-	1	4	5	54	55	44	35	28	25	11
WHITE-----MALE----	203	-	-	1	3	38	43	24	26	21	21	8
FEMALE--	41	-	-	1	-	2	5	6	5	5	3	3
ALL OTHER--MALE----	43	-	1	-	1	11	6	13	3	2	1	-
FEMALE--	10	-	-	2	1	3	1	1	1	-	-	-
BLACK---MALE----	29	-	-	-	-	6	6	9	3	-	1	-
FEMALE--	4	-	-	-	-	1	1	-	1	-	-	-
ARKANSAS -----	163	-	-	-	1	26	30	18	15	17	16	12
WHITE-----MALE----	54	-	-	-	1	3	3	8	4	10	7	6
FEMALE--	18	-	-	-	-	1	5	2	1	-	1	2
ALL OTHER--MALE----	81	-	-	-	-	22	21	7	8	4	7	4
FEMALE--	10	-	-	-	-	-	1	1	2	3	1	-
BLACK---MALE----	80	-	-	-	-	22	21	7	8	4	7	4
FEMALE--	10	-	-	-	-	-	1	1	2	3	1	-
CALIFORNIA -----	1,694	-	7	4	37	360	368	297	205	136	93	81
WHITE-----MALE----	957	-	3	-	22	226	223	153	116	72	47	45
FEMALE--	115	-	1	2	6	11	10	14	16	14	13	8
ALL OTHER--MALE----	546	-	1	1	7	107	128	116	66	40	28	22
FEMALE--	76	-	2	1	2	16	7	14	7	10	5	6
BLACK---MALE----	447	-	1	1	4	87	104	101	60	34	19	17
FEMALE--	61	-	1	1	1	11	6	11	6	8	5	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,124
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	383	247	157	132	86	67	36	15	7	2	-	14
WHITE-----MALE----	172	133	80	65	33	22	10	1	1	1	-	4
FEMALE--	62	27	23	22	28	30	14	11	3	-	-	1
ALL OTHER--MALE----	132	77	45	34	19	11	10	2	2	1	-	8
FEMALE--	17	10	9	11	6	4	2	1	1	-	-	1
BLACK---MALE----	117	69	41	32	17	11	10	2	2	1	-	5
FEMALE--	14	9	9	10	6	3	2	1	1	-	-	1
ALABAMA -----	12	9	3	5	3	-	-	-	1	-	-	-
WHITE-----MALE----	5	4	2	3	3	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	17	8	1	2	2	3	-	-	2	-	-	-
WHITE-----MALE----	10	5	1	1	-	1	-	-	-	-	-	-
FEMALE--	5	2	-	1	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	8	3	3	3	4	6	1	-	-	-	-	-
WHITE-----MALE----	2	2	3	2	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	33	23	19	9	5	5	3	5	1	-	-	3
WHITE-----MALE----	16	14	9	4	4	1	2	-	-	-	-	-
FEMALE--	5	2	2	1	-	3	1	5	-	-	-	1
ALL OTHER--MALE----	11	7	7	2	1	-	-	-	-	-	-	2
FEMALE--	1	-	1	2	-	1	-	-	1	-	-	-
BLACK---MALE----	8	3	6	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,125
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	102	-	-	2	2	9	31	9	13	12	12	7
WHITE-----MALE----	68	-	-	1	2	5	22	6	8	9	8	4
FEMALE--	20	-	-	1	-	2	3	1	4	3	2	2
ALL OTHER--MALE----	11	-	-	-	-	2	5	1	1	-	1	1
FEMALE--	3	-	-	-	-	-	1	1	-	-	1	-
BLACK---MALE----	11	-	-	-	-	2	5	1	1	-	1	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	119	1	1	1	2	24	24	25	13	8	6	3
WHITE-----MALE----	44	-	1	-	1	5	9	9	7	5	3	-
FEMALE--	14	-	-	-	1	2	-	4	1	-	-	2
ALL OTHER--MALE----	56	1	-	-	-	15	14	12	5	3	3	1
FEMALE--	5	-	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	55	1	-	-	-	15	14	12	5	3	2	1
FEMALE--	5	-	-	1	-	2	1	-	-	-	-	-
DELAWARE -----	31	-	-	-	-	4	2	7	4	4	-	2
WHITE-----MALE----	4	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	3	-	-
ALL OTHER--MALE----	15	-	-	-	-	4	-	1	3	1	-	2
FEMALE--	5	-	-	-	-	-	1	3	1	-	-	-
BLACK---MALE----	14	-	-	-	-	4	-	1	2	1	-	2
FEMALE--	5	-	-	-	-	-	1	3	1	-	-	-
DISTRICT OF COLUMBIA ----	250	-	-	-	3	56	76	54	20	13	18	6
WHITE-----MALE----	8	-	-	-	-	2	-	4	1	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	221	-	-	-	3	51	69	46	18	11	13	6
FEMALE--	19	-	-	-	-	3	6	4	1	1	4	-
BLACK---MALE----	220	-	-	-	3	51	69	46	18	11	12	6
FEMALE--	19	-	-	-	-	3	6	4	1	1	4	-
FLORIDA -----	734	-	2	4	14	91	133	104	101	83	61	56
WHITE-----MALE----	283	-	2	1	5	28	40	38	44	33	29	24
FEMALE--	81	-	-	2	1	6	10	7	6	5	13	9
ALL OTHER--MALE----	326	-	-	-	6	52	78	53	43	38	18	20
FEMALE--	44	-	-	1	2	5	5	6	8	7	1	3
BLACK---MALE----	324	-	-	-	6	52	77	53	43	37	18	20
FEMALE--	44	-	-	1	2	5	5	6	8	7	1	3
GEORGIA -----	513	-	1	-	8	68	110	87	57	47	51	28
WHITE-----MALE----	103	-	-	-	3	6	12	15	11	12	10	10
FEMALE--	42	-	-	-	1	8	3	4	3	4	5	1
ALL OTHER--MALE----	307	-	-	-	3	47	89	61	34	23	26	11
FEMALE--	61	-	1	-	1	7	6	7	9	8	10	6
BLACK---MALE----	293	-	-	-	3	44	86	60	31	23	26	9
FEMALE--	57	-	1	-	1	6	6	7	9	8	10	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,126
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	18	-	-	-	-	2	3	1	3	3	1	1
WHITE-----MALE----	4	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	2	-	1	-	2	1	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	30	-	1	1	2	7	3	1	2	1	3	2
WHITE-----MALE----	14	-	-	-	1	5	2	1	1	-	-	-
FEMALE--	14	-	1	1	1	2	-	-	1	1	3	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	834	1	3	6	17	226	221	119	65	62	37	26
WHITE-----MALE----	172	1	-	1	3	47	38	23	16	7	4	10
FEMALE--	46	-	1	-	2	5	6	6	4	8	6	3
ALL OTHER--MALE----	553	-	1	3	11	156	171	79	36	38	24	10
FEMALE--	63	-	1	2	1	18	6	11	9	9	3	3
BLACK---MALE----	549	-	1	3	11	155	171	79	35	38	23	10
FEMALE--	62	-	1	2	1	17	6	11	9	9	3	3
INDIANA -----	275	-	1	-	5	45	71	35	25	33	26	15
WHITE-----MALE----	61	-	-	-	-	7	11	6	6	8	6	8
FEMALE--	35	-	1	-	1	2	2	4	3	6	9	3
ALL OTHER--MALE----	159	-	-	-	1	34	55	22	10	18	9	4
FEMALE--	20	-	-	-	3	2	3	3	6	1	2	-
BLACK---MALE----	156	-	-	-	1	34	54	22	9	18	9	4
FEMALE--	20	-	-	-	3	2	3	3	6	1	2	-
IOWA -----	17	-	-	-	-	3	4	1	3	2	1	2
WHITE-----MALE----	7	-	-	-	-	1	1	-	2	1	-	1
FEMALE--	4	-	-	-	-	-	-	1	1	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	2	3	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	3	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	86	-	1	-	2	20	13	15	14	7	5	3
WHITE-----MALE----	33	-	-	-	2	6	3	7	6	3	1	2
FEMALE--	8	-	-	-	-	1	3	-	-	2	-	1
ALL OTHER--MALE----	39	-	1	-	-	11	5	8	8	1	3	-
FEMALE--	6	-	-	-	-	2	2	-	-	1	1	-
BLACK---MALE----	37	-	1	-	-	9	5	8	8	1	3	-
FEMALE--	6	-	-	-	-	2	2	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,127
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	132	-	1	-	1	19	17	15	17	20	17	8
WHITE-----MALE----	57	-	1	-	1	2	6	6	6	12	9	6
FEMALE--	23	-	-	-	-	4	-	-	3	5	3	2
ALL OTHER--MALE----	45	-	-	-	-	12	10	8	6	3	3	-
FEMALE--	7	-	-	-	-	1	1	1	2	-	2	-
BLACK---MALE----	44	-	-	-	-	12	10	8	6	3	3	-
FEMALE--	6	-	-	-	-	1	-	1	2	-	2	-
LOUISIANA -----	615	1	3	2	7	120	150	101	74	59	45	17
WHITE-----MALE----	81	1	-	-	1	6	13	8	14	10	11	9
FEMALE--	27	-	1	1	2	2	1	3	4	3	2	1
ALL OTHER--MALE----	444	-	1	-	3	102	125	84	41	37	27	6
FEMALE--	63	-	1	1	1	10	11	6	15	9	5	1
BLACK---MALE----	435	-	1	-	2	99	123	84	40	36	26	6
FEMALE--	63	-	1	1	1	10	11	6	15	9	5	1
MAINE -----	8	-	-	-	-	-	1	1	-	1	1	-
WHITE-----MALE----	5	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	3	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	436	-	2	-	4	82	109	87	61	34	24	9
WHITE-----MALE----	49	-	-	-	-	4	8	7	7	8	6	2
FEMALE--	21	-	-	-	1	-	2	2	1	3	5	3
ALL OTHER--MALE----	333	-	1	-	-	76	90	74	45	20	11	4
FEMALE--	33	-	1	-	3	2	9	4	8	3	2	-
BLACK---MALE----	330	-	1	-	-	76	90	73	45	20	11	4
FEMALE--	32	-	1	-	3	1	9	4	8	3	2	-
MASSACHUSETTS -----	90	-	1	-	4	21	26	11	9	6	2	2
WHITE-----MALE----	33	-	1	-	3	5	8	5	4	1	-	-
FEMALE--	7	-	-	-	-	-	1	1	2	2	-	1
ALL OTHER--MALE----	47	-	-	-	1	15	16	5	3	3	1	1
FEMALE--	3	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	43	-	-	-	1	13	15	5	3	2	1	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
MICHIGAN -----	562	-	2	1	9	84	124	110	66	59	28	24
WHITE-----MALE----	90	-	1	1	2	10	11	6	12	17	4	7
FEMALE--	35	-	-	-	-	4	4	4	1	6	2	3
ALL OTHER--MALE----	376	-	-	-	6	62	102	87	44	28	14	12
FEMALE--	61	-	1	-	1	8	7	13	9	8	8	2
BLACK---MALE----	373	-	-	-	6	62	100	87	44	28	13	12
FEMALE--	61	-	1	-	1	8	7	13	9	8	8	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,127
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	3	-	3	3	-	-	-	-	-	-	-
WHITE-----MALE----	4	1	-	3	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	13	10	5	1	4	2	-	-	-	1	-	-
WHITE-----MALE----	1	3	-	-	2	2	-	-	-	-	-	-
FEMALE--	3	-	3	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	6	2	1	1	-	-	-	-	1	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	6	2	1	1	-	-	-	-	1	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	4	7	2	1	1	1	1	-	-	-	1
WHITE-----MALE----	1	2	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	5	2	3	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	3	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	3	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	18	9	4	11	3	3	5	-	1	-	-	1
WHITE-----MALE----	2	6	2	4	3	1	1	-	-	-	-	-
FEMALE--	3	-	1	3	-	1	2	-	1	-	-	-
ALL OTHER--MALE----	11	3	1	4	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	11	3	1	4	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,128
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	93	-	2	-	5	18	12	13	10	13	7	7
WHITE-----MALE----	30	-	-	-	1	7	2	3	3	7	3	3
FEMALE--	15	-	-	-	2	1	1	2	-	2	2	1
ALL OTHER--MALE----	37	-	-	-	2	8	7	7	4	4	1	3
FEMALE--	11	-	2	-	-	2	2	1	3	-	1	-
BLACK---MALE----	30	-	-	-	2	7	5	6	4	4	-	2
FEMALE--	10	-	1	-	-	2	2	1	3	-	1	-
MISSISSIPPI -----	170	-	-	-	4	15	44	19	24	20	10	7
WHITE-----MALE----	42	-	-	-	-	-	11	3	6	9	4	1
FEMALE--	17	-	-	-	1	2	1	3	2	4	-	-
ALL OTHER--MALE----	93	-	-	-	2	11	28	13	11	5	6	5
FEMALE--	18	-	-	-	1	2	4	-	5	2	-	1
BLACK---MALE----	89	-	-	-	2	11	26	13	11	5	6	4
FEMALE--	17	-	-	-	1	2	3	-	5	2	-	1
MISSOURI -----	220	1	-	1	4	37	43	34	25	26	13	17
WHITE-----MALE----	56	-	-	1	1	1	4	7	8	14	4	6
FEMALE--	21	1	-	-	1	4	5	1	2	1	2	1
ALL OTHER--MALE----	128	-	-	-	2	30	32	22	15	8	6	8
FEMALE--	15	-	-	-	-	2	2	4	-	3	1	2
BLACK---MALE----	126	-	-	-	2	30	32	22	15	8	6	8
FEMALE--	15	-	-	-	-	2	2	4	-	3	1	2
MONTANA -----	18	-	1	-	-	2	-	2	2	4	-	3
WHITE-----MALE----	11	-	-	-	-	1	-	2	1	4	-	2
FEMALE--	4	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	32	-	-	-	2	6	7	6	3	2	4	-
WHITE-----MALE----	15	-	-	-	2	3	4	2	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	3	2	3	1	-	2	-
FEMALE--	4	-	-	-	-	-	1	-	1	1	1	-
BLACK---MALE----	10	-	-	-	-	2	2	3	1	-	2	-
FEMALE--	4	-	-	-	-	-	1	-	1	1	1	-
NEVADA -----	90	-	-	-	2	14	17	16	15	8	5	4
WHITE-----MALE----	51	-	-	-	1	4	9	11	10	5	3	3
FEMALE--	7	-	-	-	-	3	-	1	1	1	-	-
ALL OTHER--MALE----	28	-	-	-	1	7	7	4	3	2	1	1
FEMALE--	4	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	26	-	-	-	1	7	6	4	2	2	1	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,130
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	315	-	6	1	7	61	63	51	42	23	12	14
WHITE-----MALE----	74	-	-	-	4	7	12	13	10	5	5	6
FEMALE--	35	-	2	-	1	7	2	5	3	5	1	2
ALL OTHER--MALE----	175	-	1	1	2	42	41	31	23	9	6	5
FEMALE--	31	-	3	-	-	5	8	2	6	4	-	1
BLACK---MALE----	174	-	1	1	2	42	41	30	23	9	6	5
FEMALE--	31	-	3	-	-	5	8	2	6	4	-	1
OKLAHOMA -----	161	-	-	1	2	27	32	18	20	26	8	10
WHITE-----MALE----	75	-	-	1	-	7	10	5	13	17	6	6
FEMALE--	25	-	-	-	1	8	1	4	2	4	1	2
ALL OTHER--MALE----	52	-	-	-	1	10	18	8	4	4	1	1
FEMALE--	9	-	-	-	-	2	3	1	1	1	-	1
BLACK---MALE----	44	-	-	-	-	10	15	7	3	3	1	-
FEMALE--	6	-	-	-	-	1	3	-	1	-	-	1
OREGON -----	39	-	-	1	-	5	14	3	6	3	2	4
WHITE-----MALE----	17	-	-	-	-	2	6	1	2	2	1	2
FEMALE--	12	-	-	1	-	1	2	-	4	1	1	2
ALL OTHER--MALE----	10	-	-	-	-	2	6	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	2	5	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	498	-	2	1	6	103	108	70	61	59	25	18
WHITE-----MALE----	132	-	1	1	3	24	21	14	17	16	6	9
FEMALE--	21	-	-	-	1	-	2	1	4	7	2	1
ALL OTHER--MALE----	317	-	1	-	2	72	78	50	39	33	15	7
FEMALE--	28	-	-	-	-	7	7	5	1	3	2	1
BLACK---MALE----	307	-	1	-	2	69	76	49	38	31	15	6
FEMALE--	27	-	-	-	-	7	6	5	1	3	2	1
RHODE ISLAND -----	15	-	1	1	1	2	5	1	1	1	-	-
WHITE-----MALE----	6	-	1	-	-	1	1	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
SOUTH CAROLINA -----	226	2	-	1	4	25	45	37	30	22	13	8
WHITE-----MALE----	63	-	-	-	-	4	6	12	5	11	5	-
FEMALE--	21	-	-	-	-	1	1	2	5	2	-	1
ALL OTHER--MALE----	114	-	-	1	2	17	34	19	15	6	6	5
FEMALE--	28	2	-	-	2	3	4	4	5	3	2	2
BLACK---MALE----	114	-	-	1	2	17	34	19	15	6	6	5
FEMALE--	28	2	-	-	2	3	4	4	5	3	2	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,130
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	9	7	3	6	6	4	-	-	-	-	-	-
WHITE-----MALE----	5	2	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	1	3	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	3	1	3	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	5	6	1	2	1	-	1	1	-	-	-	-
WHITE-----MALE----	3	4	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	20	8	7	3	2	3	-	2	-	-	-	-
WHITE-----MALE----	9	2	4	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	10	6	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	10	6	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	7	7	2	4	5	1	-	-	-	-	-
WHITE-----MALE----	8	5	4	-	1	2	-	-	-	-	-	-
FEMALE--	3	-	1	1	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	2	2	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	2	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,131
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	363	-	2	2	4	58	55	71	48	33	26	23
WHITE-----MALE----	104	-	1	1	2	12	9	18	10	12	13	5
FEMALE--	38	-	-	-	-	3	1	7	8	4	3	6
ALL OTHER--MALE----	193	-	-	-	1	41	41	39	25	16	8	11
FEMALE--	28	-	1	1	1	2	4	7	5	1	2	1
BLACK---MALE----	191	-	-	-	1	41	41	39	24	16	8	10
FEMALE--	27	-	1	1	1	2	3	7	5	1	2	1
TEXAS -----	1,012	-	6	9	17	167	195	127	134	109	86	51
WHITE-----MALE----	560	-	3	4	9	101	101	64	88	51	48	27
FEMALE--	118	-	2	2	-	14	11	12	13	17	15	12
ALL OTHER--MALE----	287	-	-	3	6	46	75	45	27	32	19	11
FEMALE--	47	-	1	-	2	6	8	6	6	9	4	1
BLACK---MALE----	262	-	-	1	6	44	71	42	25	27	17	9
FEMALE--	40	-	-	-	2	4	7	6	5	8	4	-
UTAH -----	26	-	-	-	2	6	3	5	4	3	1	-
WHITE-----MALE----	19	-	-	-	2	6	3	2	3	1	-	-
FEMALE--	4	-	-	-	-	-	-	2	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	268	-	1	3	2	35	56	46	27	29	29	16
WHITE-----MALE----	64	-	-	-	-	3	9	14	8	6	10	4
FEMALE--	26	-	-	1	-	1	2	5	3	4	4	1
ALL OTHER--MALE----	143	-	-	1	2	27	37	22	13	17	11	7
FEMALE--	35	-	1	1	-	4	8	5	3	2	4	4
BLACK---MALE----	140	-	-	1	2	27	37	22	13	16	11	5
FEMALE--	34	-	1	1	-	4	8	5	3	2	4	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,133
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
0 UNITED STATES --	2,619	8	13	18	28	220	331	315	377	386	281	189
WHITE-----MALE----	986	3	3	4	5	95	130	134	130	129	110	57
FEMALE--	391	1	4	6	12	24	44	33	49	45	33	37
ALL OTHER--MALE----	904	1	2	5	6	81	115	112	140	147	105	70
FEMALE--	338	3	4	3	5	20	42	36	58	65	33	25
BLACK---MALE----	810	1	2	5	4	69	98	94	131	135	98	64
FEMALE--	315	3	4	2	5	19	40	35	51	61	32	22
ALABAMA -----	76	-	-	-	-	5	12	10	10	13	9	6
WHITE-----MALE----	8	-	-	-	-	-	2	1	-	2	-	1
FEMALE--	8	-	-	-	-	-	1	2	1	3	-	-
ALL OTHER--MALE----	46	-	-	-	-	4	7	5	8	5	8	4
FEMALE--	14	-	-	-	-	1	2	2	1	3	1	1
BLACK---MALE----	46	-	-	-	-	4	7	5	8	5	8	4
FEMALE--	14	-	-	-	-	1	2	2	1	3	1	1
ALASKA -----	5	-	-	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	61	-	-	-	1	6	11	9	11	7	4	6
WHITE-----MALE----	31	-	-	-	-	2	5	5	6	4	2	4
FEMALE--	6	-	-	-	1	-	1	1	-	-	-	1
ALL OTHER--MALE----	20	-	-	-	-	3	5	3	4	3	1	-
FEMALE--	4	-	-	-	-	1	-	-	1	-	1	1
BLACK---MALE----	4	-	-	-	-	-	1	-	1	1	1	-
FEMALE--	3	-	-	-	-	1	-	-	1	-	-	1
ARKANSAS -----	22	-	-	-	-	3	2	2	4	4	2	1
WHITE-----MALE----	9	-	-	-	-	1	1	1	2	1	2	-
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	1	1	1	1	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	1	1	1	1	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	336	1	1	1	3	39	40	45	50	49	35	24
WHITE-----MALE----	193	1	-	-	2	28	25	28	27	24	22	11
FEMALE--	49	-	1	1	1	3	6	4	10	4	1	4
ALL OTHER--MALE----	73	-	-	-	-	8	7	10	12	11	11	5
FEMALE--	21	-	-	-	-	-	2	3	1	10	1	4
BLACK---MALE----	53	-	-	-	-	7	3	7	10	8	9	4
FEMALE--	18	-	-	-	-	-	2	2	1	9	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,134
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	34	-	-	-	1	3	1	2	5	11	2	3
WHITE-----MALE----	18	-	-	-	-	3	-	2	3	6	1	-
FEMALE--	7	-	-	-	1	-	-	-	1	1	-	2
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	1	4	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	1	-	1	3	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	-	-	-	-	3	-	-	1	1	3	1
WHITE-----MALE----	7	-	-	-	-	2	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	1	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	-	-	1	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	6	-	-	-	-	-	-	1	1	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	39	-	-	1	1	7	5	5	4	7	4	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	29	-	-	1	-	5	3	4	3	6	4	1
FEMALE--	9	-	-	-	1	2	2	1	1	1	-	-
BLACK---MALE----	29	-	-	1	-	5	3	4	3	6	4	1
FEMALE--	9	-	-	-	1	2	2	1	1	1	-	-
FLORIDA -----	146	1	1	-	-	6	16	10	22	20	24	12
WHITE-----MALE----	64	-	1	-	-	2	9	3	7	9	12	5
FEMALE--	36	-	-	-	-	-	1	3	6	5	7	3
ALL OTHER--MALE----	30	-	-	-	-	2	3	3	8	3	4	3
FEMALE--	16	1	-	-	-	2	3	1	1	3	1	1
BLACK---MALE----	29	-	-	-	-	2	3	3	8	3	4	3
FEMALE--	16	1	-	-	-	2	3	1	1	3	1	1
GEORGIA -----	81	1	-	1	2	8	8	9	7	13	6	9
WHITE-----MALE----	18	1	-	-	-	1	2	5	-	4	-	1
FEMALE--	9	-	-	-	-	-	2	-	1	1	-	2
ALL OTHER--MALE----	40	-	-	1	1	6	2	2	4	6	6	4
FEMALE--	14	-	-	-	1	1	2	2	2	2	-	2
BLACK---MALE----	38	-	-	1	-	6	2	2	4	6	6	4
FEMALE--	13	-	-	-	1	1	1	2	2	2	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,134
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	2	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	1	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	8	7	5	3	2	4	1	-	-	-	-	4
WHITE-----MALE----	3	3	2	3	1	2	-	-	-	-	-	2
FEMALE--	3	1	3	-	1	1	1	-	-	-	-	1
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	1
GEORGIA -----	4	-	7	4	-	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	3	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	3	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,135
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
HAWAII -----	5	-	-	-	-	2	-	-	3	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	-	-	-	-	2	-	1	-	-	-	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	2	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	135	1	3	-	-	9	18	16	15	23	16	7
WHITE-----MALE----	38	-	-	-	-	3	5	7	4	6	8	-
FEMALE--	21	1	2	-	-	-	1	2	1	3	1	1
ALL OTHER--MALE----	49	-	-	-	-	5	6	5	8	8	6	2
FEMALE--	27	-	1	-	-	1	6	2	2	6	1	4
BLACK---MALE----	49	-	-	-	-	5	6	5	8	8	6	2
FEMALE--	26	-	1	-	-	1	5	2	2	6	1	4
INDIANA -----	41	-	-	-	2	1	7	4	12	8	3	1
WHITE-----MALE----	8	-	-	-	-	1	1	2	1	-	1	-
FEMALE--	10	-	-	-	1	-	2	1	5	1	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	2	1	3	6	-	1
FEMALE--	10	-	-	-	1	-	2	-	3	1	2	-
BLACK---MALE----	13	-	-	-	-	-	2	1	3	6	-	1
FEMALE--	10	-	-	-	1	-	2	-	3	1	2	-
IOWA -----	7	1	-	-	1	-	1	1	1	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
KANSAS -----	14	-	-	-	-	-	2	1	3	4	2	-
WHITE-----MALE----	5	-	-	-	-	-	1	-	2	2	-	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,136
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	34	-	-	-	-	1	2	4	6	5	6	1
WHITE-----MALE----	15	-	-	-	-	1	-	1	2	1	5	1
FEMALE--	7	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	2	3	-	-
FEMALE--	6	-	-	-	-	-	1	1	1	1	1	-
BLACK---MALE----	5	-	-	-	-	-	-	1	2	2	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	1	1	-
LOUISIANA -----	80	-	-	-	-	4	5	9	7	15	11	9
WHITE-----MALE----	19	-	-	-	-	1	-	-	2	4	3	1
FEMALE--	8	-	-	-	-	-	1	2	-	2	-	1
ALL OTHER--MALE----	39	-	-	-	-	2	3	4	4	9	6	4
FEMALE--	14	-	-	-	-	1	1	3	1	-	2	3
BLACK---MALE----	37	-	-	-	-	2	3	4	4	9	6	2
FEMALE--	14	-	-	-	-	1	1	3	1	-	2	3
MAINE -----	7	-	-	-	-	-	1	1	1	2	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	75	-	1	-	3	6	11	12	15	7	3	4
WHITE-----MALE----	10	-	-	-	1	1	2	2	-	1	1	-
FEMALE--	7	-	-	-	-	-	1	2	-	2	1	-
ALL OTHER--MALE----	40	-	1	-	2	4	4	6	9	2	1	4
FEMALE--	18	-	-	-	-	1	4	2	6	2	-	-
BLACK---MALE----	38	-	1	-	2	4	4	6	9	2	1	3
FEMALE--	18	-	-	-	-	1	4	2	6	2	-	-
MASSACHUSETTS -----	44	1	1	-	-	4	8	8	4	6	5	3
WHITE-----MALE----	22	1	-	-	-	2	6	4	1	2	3	2
FEMALE--	7	-	1	-	-	1	1	1	-	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	1	1	1	2	3	1	-
FEMALE--	4	-	-	-	-	-	-	2	1	1	-	-
BLACK---MALE----	11	-	-	-	-	1	1	1	2	3	1	-
FEMALE--	4	-	-	-	-	-	-	2	1	1	-	-
MICHIGAN -----	79	-	1	1	1	8	7	9	13	11	10	8
WHITE-----MALE----	10	-	-	-	-	1	1	1	4	1	-	1
FEMALE--	7	-	-	-	1	1	-	-	2	1	1	1
ALL OTHER--MALE----	47	-	-	1	-	6	5	7	7	6	4	5
FEMALE--	15	-	1	-	-	-	1	1	2	2	5	1
BLACK---MALE----	46	-	-	1	-	5	5	7	7	6	4	5
FEMALE--	15	-	1	-	-	-	1	1	2	2	5	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,136
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	1	-	3	-	1	-	1	-	-	-	-
WHITE-----MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	6	4	3	3	2	-	1	1	-	-	-	-
WHITE-----MALE----	4	-	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	6	1	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	2	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	1	1	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	-	2	-	2	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,139
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	46	-	-	1	1	3	6	5	6	9	2	3
WHITE-----MALE----	11	-	-	-	-	1	1	1	4	-	-	1
FEMALE--	7	-	-	1	-	-	1	-	1	2	1	-
ALL OTHER--MALE----	21	-	-	-	-	1	3	2	-	6	1	2
FEMALE--	7	-	-	-	1	1	1	2	1	1	-	-
BLACK---MALE----	21	-	-	-	-	1	3	2	-	6	1	2
FEMALE--	7	-	-	-	1	1	1	2	1	1	-	-
OKLAHOMA -----	30	-	-	-	-	1	4	4	3	3	6	3
WHITE-----MALE----	19	-	-	-	-	-	2	2	3	2	3	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	1	1	2	-	1	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	1	1	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	16	-	1	1	-	1	-	2	5	2	-	-
WHITE-----MALE----	13	-	1	-	-	1	-	1	5	2	-	-
FEMALE--	3	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	60	1	-	-	-	3	8	8	9	11	6	6
WHITE-----MALE----	16	-	-	-	-	-	2	3	-	5	1	-
FEMALE--	9	-	-	-	-	1	-	-	3	2	2	-
ALL OTHER--MALE----	29	1	-	-	-	2	6	4	4	3	3	4
FEMALE--	6	-	-	-	-	-	-	1	2	1	-	2
BLACK---MALE----	27	1	-	-	-	2	6	3	3	3	3	4
FEMALE--	6	-	-	-	-	-	-	1	2	1	-	2
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	50	-	-	-	-	2	4	9	8	9	4	5
WHITE-----MALE----	9	-	-	-	-	1	1	-	-	3	-	1
FEMALE--	5	-	-	-	-	-	-	2	1	1	-	-
ALL OTHER--MALE----	28	-	-	-	-	1	3	6	6	3	4	4
FEMALE--	8	-	-	-	-	-	-	1	1	2	-	-
BLACK---MALE----	28	-	-	-	-	1	3	6	6	3	4	4
FEMALE--	8	-	-	-	-	-	-	1	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,139
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	4	3	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	2	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	2	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	3	-	2	-	2	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	-	2	-	1	3	-	-	-	-	-
WHITE-----MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,140
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
SOUTH DAKOTA -----	6	-	-	-	-	1	3	1	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	67	-	-	1	1	6	7	8	7	17	9	4
WHITE-----MALE----	20	-	-	-	-	2	2	3	2	5	1	1
FEMALE--	13	-	-	-	1	2	-	1	1	2	1	3
ALL OTHER--MALE----	27	-	-	1	-	2	4	2	4	8	5	-
FEMALE--	7	-	-	-	-	-	1	2	-	2	2	-
BLACK---MALE----	27	-	-	1	-	2	4	2	4	8	5	-
FEMALE--	7	-	-	-	-	-	1	2	-	2	2	-
TEXAS -----	214	-	-	4	3	21	28	31	30	30	18	9
WHITE-----MALE----	116	-	-	1	-	13	13	24	16	13	9	4
FEMALE--	39	-	-	1	-	4	11	1	5	4	3	4
ALL OTHER--MALE----	42	-	-	-	2	4	3	6	6	10	3	1
FEMALE--	17	-	-	2	1	-	1	-	3	3	3	-
BLACK---MALE----	41	-	-	-	1	4	3	6	6	10	3	1
FEMALE--	17	-	-	2	1	-	1	-	3	3	3	-
UTAH -----	7	-	-	-	-	1	1	1	3	-	-	-
WHITE-----MALE----	3	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	70	1	-	1	-	5	5	7	11	10	8	6
WHITE-----MALE----	21	-	-	-	-	1	2	3	2	2	2	1
FEMALE--	10	-	-	-	-	1	1	-	3	1	2	1
ALL OTHER--MALE----	21	-	-	-	-	2	1	2	3	2	3	3
FEMALE--	18	1	-	1	-	1	1	2	3	5	1	1
BLACK---MALE----	21	-	-	-	-	2	1	2	3	2	3	3
FEMALE--	17	1	-	-	-	1	1	2	3	5	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,140
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	-	1	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	7	4	7	4	2	7	4	1	-	-	-	4
WHITE-----MALE----	4	3	5	3	-	3	2	-	-	-	-	3
FEMALE--	-	-	1	-	1	1	1	1	-	-	-	1
ALL OTHER--MALE----	3	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	3	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	-	-	-	-	-
UTAH -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	5	2	1	1	2	1	1	-	-	-	-
WHITE-----MALE----	2	3	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,142
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	3,978	315	348	95	61	217	280	307	400	423	360	268
WHITE-----MALE----	1,436	96	99	36	15	63	98	90	132	157	144	110
FEMALE--	1,035	97	89	28	18	65	68	83	105	100	68	60
ALL OTHER--MALE----	884	63	78	14	10	60	76	62	89	96	106	61
FEMALE--	623	59	82	17	18	29	38	72	74	70	42	37
BLACK---MALE----	795	60	71	14	9	53	68	50	78	90	94	57
FEMALE--	563	52	72	17	14	25	35	65	71	69	39	32
ALABAMA -----	68	8	8	2	1	6	3	4	6	3	7	5
WHITE-----MALE----	16	2	1	-	-	2	1	1	1	-	1	2
FEMALE--	11	1	-	1	-	-	1	-	2	2	2	-
ALL OTHER--MALE----	21	3	4	-	1	3	1	1	1	-	1	-
FEMALE--	20	2	3	1	-	1	-	2	2	1	3	3
BLACK---MALE----	21	3	4	-	1	3	1	1	1	-	1	-
FEMALE--	20	2	3	1	-	1	-	2	2	1	3	3
ALASKA -----	8	-	1	1	1	1	-	1	1	-	-	1
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	71	5	7	2	3	7	5	6	5	5	5	4
WHITE-----MALE----	32	2	4	1	1	3	1	2	3	1	3	3
FEMALE--	17	1	2	1	1	1	2	1	1	2	1	-
ALL OTHER--MALE----	19	1	1	-	-	3	2	3	1	2	1	1
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	1	-	-	-	1	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	52	4	3	2	2	3	1	4	7	6	2	4
WHITE-----MALE----	15	1	-	-	-	1	-	-	2	2	2	1
FEMALE--	19	2	-	2	-	1	1	2	3	2	-	1
ALL OTHER--MALE----	9	1	-	-	-	1	-	1	2	2	-	-
FEMALE--	9	-	3	-	2	-	-	1	-	-	-	2
BLACK---MALE----	9	1	-	-	-	1	-	1	2	2	-	-
FEMALE--	8	-	3	-	1	-	-	1	-	-	-	2
CALIFORNIA -----	512	33	54	17	4	23	34	35	55	50	51	37
WHITE-----MALE----	254	9	23	9	2	12	23	15	25	22	27	16
FEMALE--	121	12	17	7	2	6	5	7	11	11	7	7
ALL OTHER--MALE----	88	7	6	1	-	5	4	9	13	11	13	8
FEMALE--	49	5	8	-	-	-	2	4	6	6	4	6
BLACK---MALE----	70	7	3	1	-	3	3	6	12	10	11	6
FEMALE--	31	2	6	-	-	-	-	2	6	6	3	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,142
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	185	141	128	114	91	78	67	44	18	6	-	32
WHITE-----MALE----	89	62	64	53	41	27	27	13	6	1	-	13
FEMALE--	33	36	26	36	24	28	28	22	9	3	-	9
ALL OTHER--MALE----	48	32	28	17	18	12	5	4	1	1	-	3
FEMALE--	15	11	10	8	8	11	7	5	2	1	-	7
BLACK---MALE----	41	28	24	15	17	12	5	4	1	1	-	3
FEMALE--	12	9	10	4	7	8	7	5	2	1	-	7
ALABAMA -----	3	2	2	-	1	2	3	1	1	-	-	-
WHITE-----MALE----	1	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	2	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALASKA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	5	3	4	-	1	-	1	1	-	-	-
WHITE-----MALE----	1	2	2	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	2	1	2	3	-	3	-	-	-	-	-
WHITE-----MALE----	3	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	30	16	17	13	14	15	6	4	-	-	-	4
WHITE-----MALE----	21	6	9	7	10	9	4	3	-	-	-	2
FEMALE--	7	5	4	4	3	1	2	1	-	-	-	2
ALL OTHER--MALE----	2	4	4	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	4	-	-	-	-	-	-
BLACK---MALE----	2	4	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,143
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	62	7	5	-	2	6	3	9	5	6	5	3
WHITE-----MALE----	29	2	2	-	1	3	1	6	2	2	2	3
FEMALE--	23	4	1	-	1	2	1	2	2	4	2	-
ALL OTHER--MALE----	7	1	1	-	-	1	1	-	1	-	1	-
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	34	3	5	-	-	1	-	1	2	4	3	-
WHITE-----MALE----	8	1	-	-	-	1	-	1	-	1	1	-
FEMALE--	13	2	-	-	-	-	-	-	1	2	2	-
ALL OTHER--MALE----	8	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	2	-	-	-	-	-	1	1	-	-
BLACK---MALE----	8	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	1	-	-
DELAWARE -----	17	-	1	1	-	1	-	-	1	4	5	1
WHITE-----MALE----	5	-	-	1	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	5	-	1	-	-	-	-	-	1	1	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	5	-	1	-	-	-	-	-	1	1	2	-
DISTRICT OF COLUMBIA ----	35	2	1	2	2	5	6	3	1	2	2	4
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	21	1	1	-	1	3	6	1	1	-	2	2
FEMALE--	10	1	-	2	1	2	-	-	-	2	-	1
BLACK---MALE----	20	1	1	-	-	3	6	1	1	-	2	2
FEMALE--	10	1	-	2	1	2	-	-	-	2	-	1
FLORIDA -----	272	23	19	5	5	13	14	19	29	33	31	16
WHITE-----MALE----	87	3	2	2	1	3	6	2	6	10	12	9
FEMALE--	89	9	7	2	2	5	1	8	12	14	7	3
ALL OTHER--MALE----	55	7	3	-	-	5	4	3	7	4	10	2
FEMALE--	41	4	7	1	2	-	3	6	4	5	2	2
BLACK---MALE----	53	7	3	-	-	5	4	3	7	4	9	2
FEMALE--	41	4	7	1	2	-	3	6	4	5	2	2
GEORGIA -----	122	9	9	-	3	6	6	9	14	16	13	2
WHITE-----MALE----	32	2	1	-	1	1	1	2	2	5	2	-
FEMALE--	21	2	2	-	-	1	1	2	2	3	2	1
ALL OTHER--MALE----	31	3	4	-	1	-	2	1	3	2	4	1
FEMALE--	38	2	2	-	1	4	2	4	7	6	5	-
BLACK---MALE----	31	3	4	-	1	-	2	1	3	2	4	1
FEMALE--	37	2	2	-	1	4	2	3	7	6	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,143
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	3	2	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	-	1	4	2	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	11	6	6	7	10	5	4	4	3	1	-	8
WHITE-----MALE----	8	2	3	4	7	1	2	1	1	-	-	2
FEMALE--	1	1	2	2	2	3	1	2	1	1	-	3
ALL OTHER--MALE----	1	3	1	1	1	1	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	2
BLACK---MALE----	1	2	1	1	1	1	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	2
GEORGIA -----	5	6	12	5	3	-	-	2	1	1	-	-
WHITE-----MALE----	3	3	5	2	1	-	-	-	1	-	-	-
FEMALE--	-	1	1	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	4	1	1	-	-	1	-	1	-	-
FEMALE--	-	2	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	4	1	1	-	-	1	-	1	-	-
FEMALE--	-	2	2	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,144
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	16	-	-	-	-	2	2	1	2	2	3	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	8	-	-	-	-	1	2	1	1	1	1	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	9	2	1	-	-	2	-	-	-	-	-	1
WHITE-----MALE----	5	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	237	23	15	6	-	15	23	26	32	22	11	16
WHITE-----MALE----	66	5	3	1	-	6	8	6	7	5	5	6
FEMALE--	42	8	1	2	-	3	2	4	5	5	1	2
ALL OTHER--MALE----	81	4	5	3	-	4	13	10	7	11	4	5
FEMALE--	48	6	6	-	-	2	-	6	13	1	1	3
BLACK---MALE----	80	4	5	3	-	4	12	10	7	11	4	5
FEMALE--	47	6	6	-	-	2	-	6	13	1	1	3
INDIANA -----	68	6	11	4	1	-	5	5	7	4	8	4
WHITE-----MALE----	21	2	3	-	-	-	2	1	3	1	2	3
FEMALE--	20	3	2	1	-	-	1	-	4	1	1	-
ALL OTHER--MALE----	17	-	5	1	-	-	1	-	-	2	5	1
FEMALE--	10	1	1	2	1	-	1	4	-	-	-	-
BLACK---MALE----	17	-	5	1	-	-	1	-	-	2	5	1
FEMALE--	10	1	1	2	1	-	1	4	-	-	-	-
IOWA -----	22	5	4	-	1	2	1	-	3	2	2	1
WHITE-----MALE----	11	1	2	-	1	1	1	-	2	2	1	1
FEMALE--	10	3	2	-	1	1	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	28	4	3	1	-	2	3	2	3	6	-	-
WHITE-----MALE----	12	1	1	1	-	-	1	1	2	3	-	-
FEMALE--	10	1	1	-	-	1	2	1	1	1	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	1	-	-	-	2	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,145
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	44	7	1	2	-	4	3	1	2	7	4	3
WHITE-----MALE----	21	3	1	1	-	2	1	1	1	2	2	2
FEMALE--	18	3	-	-	-	1	2	-	-	4	2	1
ALL OTHER--MALE----	3	1	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	3	1	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-
LOUISIANA -----	96	6	7	2	3	3	6	9	10	18	9	3
WHITE-----MALE----	25	2	1	-	1	-	1	-	3	7	2	1
FEMALE--	15	-	1	-	2	1	1	3	2	2	-	-
ALL OTHER--MALE----	33	3	2	-	-	2	3	2	2	6	6	1
FEMALE--	23	1	3	2	-	-	1	4	3	3	1	1
BLACK---MALE----	33	3	2	-	-	2	3	2	2	6	6	1
FEMALE--	23	1	3	2	-	-	1	4	3	3	1	1
MAINE -----	8	1	-	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	84	4	3	2	1	8	4	7	11	12	8	5
WHITE-----MALE----	16	-	-	-	-	2	-	2	-	3	3	-
FEMALE--	8	1	1	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	37	-	2	2	1	5	1	4	5	4	3	4
FEMALE--	23	3	-	-	-	-	3	1	5	4	2	1
BLACK---MALE----	36	-	2	2	1	5	1	4	5	4	3	4
FEMALE--	23	3	-	-	-	-	3	1	5	4	2	1
MASSACHUSETTS -----	54	2	4	3	1	8	4	4	3	6	4	2
WHITE-----MALE----	21	-	1	3	1	1	1	2	1	2	2	2
FEMALE--	26	1	3	-	-	5	3	2	1	4	1	-
ALL OTHER--MALE----	5	1	-	-	-	2	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	2	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	156	10	16	3	4	6	14	15	23	15	9	5
WHITE-----MALE----	36	4	3	1	1	2	4	1	5	2	-	1
FEMALE--	37	2	3	-	-	-	4	6	5	6	1	-
ALL OTHER--MALE----	48	3	3	1	1	3	5	3	9	3	5	3
FEMALE--	35	1	7	1	2	1	1	5	4	4	3	1
BLACK---MALE----	47	3	3	1	1	3	5	3	8	3	5	3
FEMALE--	34	1	7	1	2	1	1	5	4	4	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,145
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	3	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	3	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	1	3	-	3	2	4	-	-	2	-	-
WHITE-----MALE----	3	-	-	-	-	2	1	-	-	1	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	1	-	-
BLACK---MALE----	2	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	1	-	-
MAINE -----	1	-	1	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	1	4	1	1	2	4	-	1	-	-	-
WHITE-----MALE----	1	1	2	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	5	1	3	1	-	2	1	-	-	-	-
WHITE-----MALE----	-	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	6	5	6	5	3	3	3	4	1	-	-	-
WHITE-----MALE----	1	2	2	1	2	-	2	1	1	-	-	-
FEMALE--	2	-	-	1	1	2	1	3	-	-	-	-
ALL OTHER--MALE----	2	-	4	3	-	-	-	-	-	-	-	-
FEMALE--	1	3	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	4	3	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,146
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	56	5	5	3	1	1	3	2	9	5	8	5
WHITE-----MALE----	24	1	1	2	1	-	1	1	2	3	3	4
FEMALE--	17	2	2	-	-	1	1	1	3	-	4	-
ALL OTHER--MALE----	10	1	1	1	-	-	1	-	2	1	1	1
FEMALE--	5	1	1	-	-	-	-	-	2	1	-	-
BLACK---MALE----	4	1	-	1	-	-	-	-	-	-	-	1
FEMALE--	4	1	1	-	-	-	-	-	1	1	-	-
MISSISSIPPI -----	64	3	5	-	1	3	8	5	6	3	7	7
WHITE-----MALE----	23	3	1	-	1	1	1	2	2	1	3	3
FEMALE--	10	-	1	-	-	1	-	2	1	-	1	1
ALL OTHER--MALE----	20	-	3	-	-	1	4	-	1	2	2	2
FEMALE--	11	-	-	-	-	-	3	1	2	-	1	1
BLACK---MALE----	20	-	3	-	-	1	4	-	1	2	2	2
FEMALE--	11	-	-	-	-	-	3	1	2	-	1	1
MISSOURI -----	80	8	7	6	2	2	4	4	5	10	6	2
WHITE-----MALE----	28	1	4	1	1	-	3	-	2	2	1	-
FEMALE--	21	2	-	5	-	1	-	3	2	2	1	1
ALL OTHER--MALE----	18	4	1	-	-	1	1	-	1	3	2	1
FEMALE--	13	1	2	-	1	-	-	1	-	3	2	-
BLACK---MALE----	17	4	1	-	-	1	1	-	1	3	2	1
FEMALE--	13	1	2	-	1	-	-	1	-	3	2	-
MONTANA -----	7	-	2	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	-	2	-	-	-	1	1	-	1	1	1
WHITE-----MALE----	6	-	2	-	-	-	1	1	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	39	5	5	-	1	1	2	2	3	2	3	5
WHITE-----MALE----	20	2	2	-	-	1	-	1	2	1	2	2
FEMALE--	7	1	-	-	1	-	-	-	-	1	1	3
ALL OTHER--MALE----	5	1	2	-	-	-	1	-	1	-	-	-
FEMALE--	7	1	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	5	1	2	-	-	-	1	-	1	-	-	-
FEMALE--	7	1	1	-	-	-	1	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,148
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	126	11	15	-	3	7	12	6	7	17	11	5
WHITE-----MALE----	38	2	-	-	-	1	4	1	4	7	5	1
FEMALE--	41	3	8	-	1	3	2	2	2	2	2	3
ALL OTHER--MALE----	27	3	5	-	2	1	3	2	-	4	2	-
FEMALE--	20	3	2	-	-	2	3	1	1	4	2	1
BLACK---MALE----	27	3	5	-	2	1	3	2	-	4	2	-
FEMALE--	19	3	2	-	-	2	2	1	1	4	2	1
OKLAHOMA -----	63	3	4	1	2	3	3	4	5	7	6	7
WHITE-----MALE----	27	-	3	1	-	1	1	1	1	5	1	4
FEMALE--	14	2	-	-	1	2	2	-	2	1	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	2	2	-	5	2
FEMALE--	7	1	1	-	1	-	-	1	-	1	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	5	-	-	-	1	-	-	1	-	1	-	1
OREGON -----	50	6	8	4	1	3	2	4	4	2	4	2
WHITE-----MALE----	26	5	6	2	-	-	1	1	2	2	2	-
FEMALE--	23	1	1	2	1	3	1	3	2	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	138	9	13	3	1	6	15	11	9	11	13	11
WHITE-----MALE----	43	4	3	-	-	-	2	2	3	4	4	4
FEMALE--	39	3	3	1	-	2	8	4	1	2	3	3
ALL OTHER--MALE----	39	1	6	2	1	2	2	2	3	3	5	3
FEMALE--	17	1	1	-	-	2	3	3	2	2	1	1
BLACK---MALE----	37	1	6	2	1	2	1	2	3	3	5	3
FEMALE--	16	1	1	-	-	1	3	3	2	2	1	1
RHODE ISLAND -----	11	1	-	-	-	1	1	-	3	2	2	-
WHITE-----MALE----	7	-	-	-	-	1	1	-	2	1	2	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	68	6	3	1	1	2	3	6	8	6	11	8
WHITE-----MALE----	17	1	-	-	-	1	1	-	1	3	3	1
FEMALE--	12	-	-	-	-	-	1	2	4	1	1	2
ALL OTHER--MALE----	23	3	1	-	-	1	-	2	2	-	6	4
FEMALE--	16	2	2	1	1	-	1	2	1	2	1	1
BLACK---MALE----	23	3	1	-	-	1	-	2	2	-	6	4
FEMALE--	16	2	2	1	1	-	1	2	1	2	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,148
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	4	3	9	4	5	2	-	-	-	-	-
WHITE-----MALE----	4	1	1	4	2	1	-	-	-	-	-	-
FEMALE--	-	2	-	5	2	2	2	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	5	1	2	1	2	2	-	2	2	-	-	1
WHITE-----MALE----	3	-	1	-	1	1	-	1	2	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	2	3	1	1	-	-	3	-	-	-	-	-
WHITE-----MALE----	1	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	8	6	3	4	4	2	2	-	-	-	1
WHITE-----MALE----	3	5	4	-	1	-	2	1	-	-	-	1
FEMALE--	-	1	1	3	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	2	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	2	4	1	2	1	2	-	1	-	-	-	-
WHITE-----MALE----	1	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,149
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	6	1	2	-	1	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	98	5	4	3	2	4	6	7	7	10	10	12
WHITE-----MALE----	38	2	1	1	-	-	2	2	2	5	6	4
FEMALE--	27	-	1	-	-	2	1	2	3	1	2	4
ALL OTHER--MALE----	18	1	-	1	1	-	2	-	2	3	2	2
FEMALE--	15	2	2	1	1	2	1	3	-	1	-	2
BLACK---MALE----	18	1	-	1	1	-	2	-	2	3	2	2
FEMALE--	15	2	2	1	1	2	1	3	-	1	-	2
TEXAS -----	309	20	27	5	6	19	23	28	36	32	28	27
WHITE-----MALE----	145	11	6	3	2	7	10	11	18	16	18	15
FEMALE--	96	6	9	1	3	6	8	11	12	9	5	7
ALL OTHER--MALE----	36	-	5	-	-	3	3	1	3	3	5	4
FEMALE--	32	3	7	1	1	3	2	5	3	4	-	1
BLACK---MALE----	35	-	5	-	-	2	3	1	3	3	5	4
FEMALE--	29	2	6	1	1	3	2	4	3	4	-	1
UTAH -----	20	1	3	-	-	3	3	1	1	1	3	-
WHITE-----MALE----	9	1	2	-	-	1	1	-	-	-	2	-
FEMALE--	10	-	1	-	-	2	2	1	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	90	8	3	-	-	6	10	5	9	7	7	11
WHITE-----MALE----	28	3	-	-	-	2	-	3	2	3	2	4
FEMALE--	24	3	1	-	-	1	4	-	3	-	2	2
ALL OTHER--MALE----	23	-	1	-	-	3	2	1	2	2	2	5
FEMALE--	15	2	1	-	-	-	4	1	2	2	1	-
BLACK---MALE----	22	-	-	-	-	3	2	1	2	2	2	5
FEMALE--	14	2	1	-	-	-	4	1	2	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,149
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	5	6	4	5	3	1	-	-	-	-	-
WHITE-----MALE----	1	2	4	2	3	-	1	-	-	-	-	-
FEMALE--	-	3	2	2	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	13	8	7	5	6	6	3	5	1	-	-	4
WHITE-----MALE----	5	5	4	4	3	3	1	-	-	-	-	3
FEMALE--	4	1	1	1	2	3	2	4	1	-	-	-
ALL OTHER--MALE----	4	1	1	-	1	-	-	1	-	-	-	1
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	1	-	1	-	-	1	-	-	-	1
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
UTAH -----	1	1	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	6	2	6	-	2	4	-	-	-	-	1
WHITE-----MALE----	1	-	1	4	-	-	2	-	-	-	-	1
FEMALE--	-	2	1	2	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,160
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER LEGAL INTERVENTION AND LATE EFFECTS OF INJURY DUE TO LEGAL INTERVENTION (E970-E977)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	8	6	6	5	2	2	1	2	-	-	-	1
WHITE-----MALE----	5	6	3	4	1	2	-	-	-	-	-	1
FEMALE--	-	-	1	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	3	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	2	-	-	1	1	-	1	-	-	-	1
WHITE-----MALE----	2	2	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,169
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	3,463	58	54	23	25	166	201	266	497	618	545	323
WHITE-----MALE----	1,924	20	17	10	20	94	116	154	282	351	326	190
FEMALE--	756	19	16	5	2	16	27	57	94	132	98	68
ALL OTHER--MALE----	599	9	9	5	2	49	49	44	97	101	93	55
FEMALE--	184	10	12	3	1	7	9	11	24	34	28	10
BLACK---MALE----	551	9	8	4	1	48	45	40	89	97	86	49
FEMALE--	162	10	11	3	1	7	6	11	21	29	24	8
ALABAMA -----	57	1	1	-	2	5	6	2	9	5	7	3
WHITE-----MALE----	31	-	-	-	2	2	3	1	3	3	5	2
FEMALE--	10	-	-	-	-	-	-	1	4	-	1	-
ALL OTHER--MALE----	11	1	-	-	-	3	2	-	2	1	1	-
FEMALE--	5	-	1	-	-	-	1	-	-	1	-	1
BLACK---MALE----	10	1	-	-	-	3	2	-	1	1	1	-
FEMALE--	5	-	1	-	-	-	1	-	-	1	-	1
ALASKA -----	4	-	-	-	-	-	-	1	2	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	53	1	2	-	-	4	3	3	4	7	8	5
WHITE-----MALE----	33	-	2	-	-	4	3	2	4	5	4	1
FEMALE--	14	1	-	-	-	-	-	1	-	2	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	43	1	-	-	-	6	3	3	4	9	2	7
WHITE-----MALE----	24	-	-	-	-	3	2	2	3	6	2	4
FEMALE--	11	1	-	-	-	2	-	-	-	2	-	2
ALL OTHER--MALE----	5	-	-	-	-	1	1	1	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	1	1	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	224	4	6	2	-	10	11	19	18	22	35	33
WHITE-----MALE----	130	3	1	1	-	8	7	13	9	10	21	20
FEMALE--	66	1	3	-	-	1	2	5	2	9	11	10
ALL OTHER--MALE----	18	-	1	1	-	1	1	1	5	1	2	3
FEMALE--	10	-	1	-	-	-	1	-	2	2	1	-
BLACK---MALE----	13	-	-	-	-	1	1	1	3	1	2	2
FEMALE--	7	-	1	-	-	-	-	-	2	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,169
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	175	97	83	92	48	57	44	36	18	9	1	27
WHITE-----MALE----	90	36	42	52	28	31	22	19	3	2	-	19
FEMALE--	51	38	27	24	14	19	17	13	11	5	1	2
ALL OTHER--MALE----	30	16	11	11	4	2	2	1	2	2	-	5
FEMALE--	4	7	3	5	2	5	3	3	2	-	-	1
BLACK---MALE----	26	14	11	9	4	2	1	-	2	2	-	4
FEMALE--	3	6	3	5	2	5	2	3	1	-	-	1
ALABAMA -----	4	2	1	2	2	3	-	2	-	-	-	-
WHITE-----MALE----	2	2	-	1	1	2	-	2	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	3	2	1	-	2	1	1	1	-	1
WHITE-----MALE----	1	1	2	-	-	-	2	1	-	-	-	1
FEMALE--	2	-	1	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	2	1	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	13	6	5	10	9	2	4	6	3	-	-	6
WHITE-----MALE----	5	2	3	8	6	2	1	4	1	-	-	5
FEMALE--	7	3	1	2	3	-	2	2	1	-	-	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,170
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	57	-	-	1	-	4	3	3	4	13	13	5
WHITE-----MALE----	40	-	-	1	-	2	3	1	2	10	10	4
FEMALE--	14	-	-	-	-	1	-	1	1	3	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
CONNECTICUT -----	28	1	-	-	-	1	-	3	7	9	3	2
WHITE-----MALE----	14	1	-	-	-	-	-	1	4	5	2	1
FEMALE--	11	-	-	-	-	-	-	1	3	3	1	1
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	1	-	-	-	-	-	-	1	2	2	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	15	-	-	-	-	2	-	1	1	4	4	1
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	-	3	4	1
FEMALE--	3	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	10	-	-	-	-	1	-	-	-	3	4	1
FEMALE--	3	-	-	-	-	1	-	-	1	1	-	-
FLORIDA -----	97	1	4	-	3	4	6	11	13	15	16	8
WHITE-----MALE----	59	1	2	-	1	1	4	6	9	8	13	4
FEMALE--	22	-	1	-	-	-	1	3	2	4	3	3
ALL OTHER--MALE----	11	-	-	-	1	3	1	2	1	1	-	1
FEMALE--	5	-	1	-	1	-	-	-	1	2	-	-
BLACK---MALE----	11	-	-	-	1	3	1	2	1	1	-	1
FEMALE--	5	-	1	-	1	-	-	-	1	2	-	-
GEORGIA -----	91	-	2	1	-	9	6	5	8	12	11	12
WHITE-----MALE----	39	-	1	-	-	5	1	3	5	7	6	3
FEMALE--	21	-	1	-	-	-	-	1	1	3	3	3
ALL OTHER--MALE----	26	-	-	1	-	2	5	1	2	1	2	5
FEMALE--	5	-	-	-	-	2	-	-	-	1	-	1
BLACK---MALE----	26	-	-	1	-	2	5	1	2	1	2	5
FEMALE--	4	-	-	-	-	2	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,170
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	2	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	5	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	2	3	-	-	3	2	-	-	-	-	3
WHITE-----MALE----	1	2	1	-	-	3	-	-	-	-	-	3
FEMALE--	2	-	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	7	-	9	1	1	2	1	1	1	-	1	1
WHITE-----MALE----	4	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	2	-	4	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	4	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	4	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,171
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	37	-	-	-	-	-	4	1	5	3	6	5
WHITE-----MALE----	17	-	-	-	-	-	1	-	3	1	5	3
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	2	1	2	-	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	-	-	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	98	4	2	2	1	10	6	4	16	11	10	4
WHITE-----MALE----	46	3	-	-	1	5	2	1	8	6	7	2
FEMALE--	18	-	1	1	-	-	1	1	3	2	1	1
ALL OTHER--MALE----	24	1	-	-	-	5	2	1	4	2	1	1
FEMALE--	10	-	1	1	-	-	1	1	1	1	1	-
BLACK---MALE----	24	1	-	-	-	5	2	1	4	2	1	1
FEMALE--	10	-	1	1	-	-	1	1	1	1	1	-
INDIANA -----	68	-	2	-	1	9	3	2	4	9	12	5
WHITE-----MALE----	33	-	-	-	1	4	1	2	3	4	8	3
FEMALE--	21	-	1	-	-	1	-	-	-	4	4	1
ALL OTHER--MALE----	9	-	-	-	-	4	2	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	1	1	-	1
BLACK---MALE----	9	-	-	-	-	4	2	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	1	1	-	1
IOWA -----	14	-	1	-	1	1	-	1	1	1	2	-
WHITE-----MALE----	9	-	1	-	-	-	-	1	1	1	2	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	21	1	-	-	1	-	2	-	3	4	4	1
WHITE-----MALE----	11	-	-	-	1	-	1	-	2	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,172
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	19	3	-	-	-	-	-	-	3	4	2	3
WHITE-----MALE----	13	1	-	-	-	-	-	-	3	3	2	2
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	58	2	-	-	-	3	4	5	7	9	12	6
WHITE-----MALE----	24	-	-	-	-	-	1	3	4	6	4	1
FEMALE--	10	1	-	-	-	-	1	-	1	-	2	3
ALL OTHER--MALE----	19	-	-	-	-	2	1	1	2	3	6	2
FEMALE--	5	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	19	-	-	-	-	2	1	1	2	3	6	2
FEMALE--	5	1	-	-	-	1	1	1	-	-	-	-
MAINE -----	9	-	-	-	-	-	-	-	4	3	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	3	3	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	452	1	1	2	1	10	21	49	88	113	90	43
WHITE-----MALE----	179	-	-	-	1	6	6	20	31	46	38	18
FEMALE--	35	-	-	1	-	1	3	3	9	7	6	2
ALL OTHER--MALE----	197	1	1	-	-	3	10	21	41	48	37	21
FEMALE--	41	-	-	1	-	-	2	5	7	12	9	2
BLACK---MALE----	197	1	1	-	-	3	10	21	41	48	37	21
FEMALE--	40	-	-	1	-	-	2	5	7	12	8	2
MASSACHUSETTS -----	332	-	-	-	1	9	14	36	75	66	68	31
WHITE-----MALE----	246	-	-	-	1	8	12	25	55	48	52	24
FEMALE--	62	-	-	-	-	-	2	10	15	15	9	5
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	4	2	3	2
FEMALE--	7	-	-	-	-	1	-	-	1	1	4	-
BLACK---MALE----	16	-	-	-	-	-	-	1	4	2	2	2
FEMALE--	6	-	-	-	-	1	-	-	1	1	3	-
MICHIGAN -----	139	1	1	2	2	11	6	6	19	28	17	11
WHITE-----MALE----	67	-	-	1	2	4	3	4	9	13	9	4
FEMALE--	36	-	-	-	-	1	1	2	8	12	2	2
ALL OTHER--MALE----	29	-	-	1	-	5	2	-	2	2	5	3
FEMALE--	7	1	1	-	-	1	-	-	-	1	1	2
BLACK---MALE----	29	-	-	1	-	5	2	-	2	2	5	3
FEMALE--	7	1	1	-	-	1	-	-	-	1	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,173
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	37	1	-	-	1	6	2	4	5	5	4	1
WHITE-----MALE----	22	1	-	-	1	3	1	2	3	2	3	1
FEMALE--	10	-	-	-	-	1	1	2	1	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI -----	32	1	1	-	-	3	4	-	3	7	2	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	3	1	-
FEMALE--	7	-	-	-	-	1	1	-	1	1	-	1
ALL OTHER--MALE----	13	-	1	-	-	2	3	-	1	2	1	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	1	-	-	2	3	-	1	2	1	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	-
MISSOURI -----	50	-	2	-	-	1	7	2	7	13	5	4
WHITE-----MALE----	25	-	-	-	-	-	4	1	3	6	5	2
FEMALE--	13	-	-	-	-	-	-	1	1	5	-	2
ALL OTHER--MALE----	10	-	2	-	-	1	3	-	1	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	10	-	2	-	-	1	3	-	1	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
MONTANA -----	20	1	-	1	-	2	1	2	-	6	2	1
WHITE-----MALE----	14	-	-	1	-	1	1	2	-	3	2	1
FEMALE--	4	1	-	-	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	22	-	1	-	-	-	-	-	2	3	5	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	11	-	1	-	-	-	-	-	1	1	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	68	1	1	-	-	-	3	5	10	15	15	6
WHITE-----MALE----	40	-	-	-	-	-	1	4	4	9	12	3
FEMALE--	23	1	1	-	-	-	2	1	3	5	3	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,175
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	66	-	3	1	-	5	2	7	6	13	6	4
WHITE-----MALE----	38	-	3	1	-	3	2	3	4	8	5	2
FEMALE--	15	-	-	-	-	-	-	1	-	3	1	-
ALL OTHER--MALE----	8	-	-	-	-	2	-	3	1	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	8	-	-	-	-	2	-	3	1	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	1
OKLAHOMA -----	33	1	4	1	-	1	2	2	6	1	1	5
WHITE-----MALE----	9	1	-	-	-	1	2	-	1	-	1	2
FEMALE--	14	-	-	-	-	-	-	2	3	-	-	2
ALL OTHER--MALE----	6	-	3	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	1	1	-	-	-	-	1	1	-	-
BLACK---MALE----	3	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	44	1	-	-	1	-	3	-	6	11	6	5
WHITE-----MALE----	24	-	-	-	1	-	2	-	1	6	3	5
FEMALE--	12	1	-	-	-	-	-	-	1	4	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	2	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	186	6	3	1	1	11	16	12	25	37	30	15
WHITE-----MALE----	116	1	1	1	1	6	10	6	16	26	22	11
FEMALE--	32	1	1	-	-	1	1	2	6	5	3	2
ALL OTHER--MALE----	29	2	-	-	-	4	4	3	3	6	3	2
FEMALE--	9	2	1	-	-	-	1	1	-	-	2	-
BLACK---MALE----	28	2	-	-	-	4	4	3	2	6	3	2
FEMALE--	9	2	1	-	-	-	1	1	-	-	2	-
RHODE ISLAND -----	46	-	-	-	-	-	2	4	5	12	6	7
WHITE-----MALE----	34	-	-	-	-	-	1	3	4	9	3	7
FEMALE--	10	-	-	-	-	-	1	1	1	2	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	27	1	2	-	1	4	1	1	6	4	2	3
WHITE-----MALE----	12	-	-	-	1	1	-	1	3	3	-	2
FEMALE--	5	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	7	1	1	-	-	3	1	-	1	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	1	1	-	-	3	1	-	1	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,176
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	3	2	4	1	1	3	1	2	-	-	2
WHITE-----MALE----	-	2	1	2	-	-	2	-	1	-	-	2
FEMALE--	-	1	1	2	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	8	9	6	9	5	3	2	-	1	-	-	4
WHITE-----MALE----	2	5	4	3	1	1	2	-	-	-	-	3
FEMALE--	4	3	1	6	4	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	6	-	2	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	5	-	1	-	-	1	1	2	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	3	-	2	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,178
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	1,864	4	7	5	-	44	89	156	335	415	377	208
WHITE-----MALE----	1,042	3	1	3	-	29	55	95	191	231	227	117
FEMALE--	450	-	2	-	-	7	17	37	71	94	71	50
ALL OTHER--MALE----	276	-	2	-	-	6	13	16	54	65	60	35
FEMALE--	96	1	2	2	-	2	4	8	19	25	19	6
BLACK---MALE----	263	-	2	-	-	6	12	15	52	64	57	32
FEMALE--	82	1	1	2	-	2	3	8	17	22	17	4
ALABAMA -----	10	-	-	-	-	-	-	-	3	1	3	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	18	-	-	-	-	-	1	1	1	4	4	5
WHITE-----MALE----	7	-	-	-	-	-	1	-	1	3	1	1
FEMALE--	8	-	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	25	-	-	-	-	3	1	2	4	5	2	5
WHITE-----MALE----	14	-	-	-	-	-	1	2	3	3	2	2
FEMALE--	7	-	-	-	-	2	-	-	-	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	75	1	2	1	-	3	-	9	7	10	13	15
WHITE-----MALE----	36	1	-	1	-	2	-	7	2	5	6	8
FEMALE--	31	-	2	-	-	1	-	2	2	4	6	6
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	3	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,180
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	22	-	-	-	-	-	1	1	3	2	4	5
WHITE-----MALE----	14	-	-	-	-	-	1	-	3	1	3	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	-	-	1	-	-	-	1	2	2	2	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
INDIANA -----	32	-	-	-	-	3	1	1	3	5	9	2
WHITE-----MALE----	14	-	-	-	-	2	1	1	2	1	5	1
FEMALE--	13	-	-	-	-	-	-	-	-	4	4	1
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
IOWA -----	5	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,181
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	5	-	-	-	-	-	-	-	1	-	2	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	34	1	-	-	-	1	4	4	5	6	7	4
WHITE-----MALE----	15	-	-	-	-	-	1	3	4	3	4	-
FEMALE--	7	-	-	-	-	-	1	-	1	-	-	3
ALL OTHER--MALE----	9	-	-	-	-	1	1	-	-	3	3	1
FEMALE--	3	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	9	-	-	-	-	1	1	-	-	3	3	1
FEMALE--	3	1	-	-	-	-	1	1	-	-	-	-
MAINE -----	8	-	-	-	-	-	-	-	3	3	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	2	3	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	374	-	1	1	-	6	16	37	77	101	81	35
WHITE-----MALE----	144	-	-	-	-	4	6	17	27	39	33	12
FEMALE--	31	-	-	-	-	1	3	3	9	7	6	2
ALL OTHER--MALE----	161	-	1	-	-	1	5	13	34	43	34	19
FEMALE--	38	-	-	1	-	-	2	4	7	12	8	2
BLACK---MALE----	161	-	1	-	-	1	5	13	34	43	34	19
FEMALE--	38	-	-	1	-	-	2	4	7	12	8	2
MASSACHUSETTS -----	286	-	-	-	-	6	14	28	74	58	64	26
WHITE-----MALE----	211	-	-	-	-	5	12	20	54	43	48	21
FEMALE--	55	-	-	-	-	-	2	8	15	13	9	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	4	1	3	1
FEMALE--	7	-	-	-	-	1	-	-	1	1	4	-
BLACK---MALE----	12	-	-	-	-	-	-	-	4	1	2	1
FEMALE--	6	-	-	-	-	1	-	-	1	1	3	-
MICHIGAN -----	73	-	1	-	-	3	2	5	11	23	10	8
WHITE-----MALE----	35	-	-	-	-	1	1	3	5	11	6	4
FEMALE--	27	-	-	-	-	1	1	2	6	9	2	1
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	2	1	2
FEMALE--	4	-	1	-	-	-	-	-	-	1	1	1
BLACK---MALE----	7	-	-	-	-	1	-	-	-	2	1	2
FEMALE--	4	-	1	-	-	-	-	-	-	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,182
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	11	-	-	-	-	-	1	2	1	2	3	-
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	2	3	-
FEMALE--	4	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	8	-	-	-	-	-	2	-	1	2	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSOURI -----	17	-	1	-	-	-	2	2	1	6	2	1
WHITE-----MALE----	7	-	-	-	-	-	2	1	-	2	2	-
FEMALE--	7	-	-	-	-	-	-	1	-	3	-	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MONTANA -----	6	-	-	-	-	1	1	-	-	3	-	-
WHITE-----MALE----	4	-	-	-	-	1	1	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	51	-	-	-	-	-	2	2	10	11	13	4
WHITE-----MALE----	32	-	-	-	-	-	1	1	4	7	12	1
FEMALE--	14	-	-	-	-	-	1	1	3	3	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,184
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	22	-	-	-	-	-	1	2	3	5	3	1
WHITE-----MALE----	11	-	-	-	-	-	1	1	2	2	2	1
FEMALE--	9	-	-	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
OKLAHOMA -----	10	-	1	-	-	-	1	-	2	1	-	2
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	24	-	-	-	-	-	1	-	4	4	6	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	2	3	3
FEMALE--	8	-	-	-	-	-	-	-	1	2	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	113	-	-	-	-	4	9	6	21	24	26	12
WHITE-----MALE----	79	-	-	-	-	3	6	4	14	17	19	9
FEMALE--	18	-	-	-	-	1	1	1	4	5	2	1
ALL OTHER--MALE----	13	-	-	-	-	-	2	-	3	2	3	2
FEMALE--	3	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	12	-	-	-	-	-	2	-	2	2	3	2
FEMALE--	3	-	-	-	-	-	-	1	-	-	2	-
RHODE ISLAND -----	40	-	-	-	-	-	2	4	3	11	6	7
WHITE-----MALE----	29	-	-	-	-	-	1	3	2	8	3	7
FEMALE--	10	-	-	-	-	-	1	1	1	2	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	-	-	-	-	-	-	1	1	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,206
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	5	-	-	-	-	1	1	-	1	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	20	-	1	-	-	4	1	3	2	3	4	-
WHITE-----MALE----	5	-	-	-	-	1	-	-	1	1	2	-
FEMALE--	7	-	1	-	-	-	-	1	-	1	2	-
ALL OTHER--MALE----	7	-	-	-	-	3	1	2	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	3	1	2	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	25	-	-	-	-	6	4	2	1	4	2	4
WHITE-----MALE----	12	-	-	-	-	2	1	1	1	3	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	2	3	1	-	-	1	1
FEMALE--	3	-	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	9	-	-	-	-	2	3	1	-	-	1	1
FEMALE--	3	-	-	-	-	2	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,208
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	4	-	-	-	-	-	-	-	1	2	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	-	-	-	-	1	-	-	1	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	38	-	-	-	-	2	5	9	7	4	3	2
WHITE-----MALE----	10	-	-	-	-	-	-	2	1	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	2	5	7	6	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	26	-	-	-	-	2	5	7	6	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	10	-	-	-	1	5	2	1	-	-	-	-
WHITE-----MALE----	6	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 3,214
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	1,140	54	43	17	16	43	45	68	109	150	132	86
WHITE-----MALE----	605	17	15	6	12	26	24	38	58	90	73	53
FEMALE--	254	19	12	5	2	6	7	16	18	25	22	13
ALL OTHER--MALE----	211	9	7	5	1	10	9	12	30	28	29	18
FEMALE--	70	9	9	1	1	1	5	2	3	7	8	2
BLACK---MALE----	181	9	6	4	1	10	6	10	24	26	25	15
FEMALE--	64	9	9	1	1	1	3	2	3	5	7	2
ALABAMA -----	22	1	-	-	1	1	1	-	6	3	1	-
WHITE-----MALE----	12	-	-	-	1	-	-	-	2	3	1	-
FEMALE--	3	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	1	-	-	2	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	1	1	-	-	-	1	1	1	3	4	-
WHITE-----MALE----	14	-	1	-	-	-	1	1	1	2	3	-
FEMALE--	6	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	1	-	-	-	2	-	-	-	2	-	1
WHITE-----MALE----	6	-	-	-	-	2	-	-	-	2	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	113	3	4	1	-	3	6	6	8	10	18	17
WHITE-----MALE----	63	2	1	-	-	3	3	3	4	3	11	11
FEMALE--	32	1	1	-	-	-	2	2	-	5	5	4
ALL OTHER--MALE----	11	-	1	1	-	-	-	1	2	1	2	2
FEMALE--	7	-	1	-	-	-	1	-	2	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	1	1	2	1
FEMALE--	5	-	1	-	-	-	-	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,214
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	57	44	45	59	31	36	31	25	16	9	1	23
WHITE-----MALE----	32	19	26	32	18	18	14	12	2	2	-	18
FEMALE--	13	14	10	13	7	12	14	9	10	5	1	1
ALL OTHER--MALE----	10	7	9	11	4	2	2	1	2	2	-	3
FEMALE--	2	4	-	3	2	4	1	3	2	-	-	1
BLACK---MALE----	8	6	9	9	4	2	1	-	2	2	-	2
FEMALE--	2	4	-	3	2	4	1	3	1	-	-	1
ALABAMA -----	2	1	-	1	2	1	-	1	-	-	-	-
WHITE-----MALE----	2	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	2	2	-	-	2	-	1	1	-	1
WHITE-----MALE----	-	-	2	-	-	-	2	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	6	4	2	5	6	2	2	2	2	-	-	6
WHITE-----MALE----	2	2	1	4	4	2	1	1	-	-	-	5
FEMALE--	4	1	-	1	2	-	1	1	1	-	-	1
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,215
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	2	1	-	-	2	1	-	-	-	-	2
WHITE-----MALE----	-	2	-	-	-	2	-	-	-	-	-	2
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	3	-	4	1	-	1	1	1	1	-	1	1
WHITE-----MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	3	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	3	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 3,221
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	1	-	-	2	-	2	-	-	2
WHITE-----MALE----	-	1	-	1	-	-	1	-	1	-	-	2
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	4	1	4	2	3	-	-	1	-	-	4
WHITE-----MALE----	-	2	1	2	1	1	-	-	-	-	-	3
FEMALE--	1	1	-	2	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	2	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	3	-	1	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

