

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
UNITED STATES --	2314,245	28,045	5,501	3,645	4,416	14,272	17,272	19,272	26,266	38,172	51,236	65,090
WHITE-----MALE----	986,884	10,503	2,193	1,446	2,033	7,397	9,017	9,644	13,104	18,501	24,691	31,226
FEMALE--	1009,509	8,036	1,656	1,075	1,252	3,130	3,023	3,778	5,734	9,067	12,896	17,285
ALL OTHER--MALE----	167,155	5,285	928	599	685	2,868	4,030	4,115	4,844	6,577	8,372	10,221
FEMALE--	150,697	4,221	724	525	446	877	1,202	1,735	2,584	4,027	5,277	6,358
BLACK---MALE----	144,110	4,710	796	502	574	2,475	3,546	3,578	4,292	5,842	7,503	9,114
FEMALE--	132,410	3,786	587	445	369	713	1,004	1,515	2,290	3,628	4,674	5,623
ALABAMA -----	43,258	581	110	90	97	305	378	457	536	828	1,048	1,327
WHITE-----MALE----	16,296	175	41	33	37	135	170	181	220	346	431	517
FEMALE--	16,087	127	20	26	25	64	59	85	110	169	201	295
ALL OTHER--MALE----	5,582	162	31	18	19	80	109	139	143	193	256	329
FEMALE--	5,293	117	18	13	16	26	40	52	63	120	160	186
BLACK---MALE----	5,536	160	29	17	19	78	109	139	142	190	254	328
FEMALE--	5,256	115	18	12	16	26	40	52	62	119	158	184
ALASKA -----	2,575	75	26	16	20	54	40	65	83	100	134	143
WHITE-----MALE----	1,087	28	9	5	11	21	16	32	36	48	57	78
FEMALE--	740	17	6	2	3	6	8	9	11	19	32	26
ALL OTHER--MALE----	459	21	6	5	3	22	11	17	24	17	25	33
FEMALE--	289	9	5	4	3	5	5	7	12	16	20	6
BLACK---MALE----	34	4	-	1	-	1	-	2	-	1	4	1
FEMALE--	26	-	-	-	-	-	-	2	1	1	5	1
ARIZONA -----	37,066	536	124	78	93	291	375	430	516	682	909	1,080
WHITE-----MALE----	18,123	256	61	30	41	164	215	249	297	370	519	633
FEMALE--	16,365	194	46	33	30	53	73	79	112	171	257	310
ALL OTHER--MALE----	1,485	46	7	9	13	56	74	89	76	98	88	81
FEMALE--	1,093	40	10	6	9	18	13	13	31	43	45	56
BLACK---MALE----	520	17	2	4	2	16	22	19	20	26	26	24
FEMALE--	407	19	2	4	2	3	4	6	6	15	13	18
ARKANSAS -----	27,844	316	76	57	58	214	204	237	301	440	560	765
WHITE-----MALE----	11,957	121	29	27	23	108	109	122	146	230	255	354
FEMALE--	11,743	87	26	12	19	50	35	49	69	113	153	192
ALL OTHER--MALE----	2,119	55	13	9	8	38	47	44	56	66	88	133
FEMALE--	2,025	53	8	9	8	18	13	22	30	31	64	86
BLACK---MALE----	2,070	55	13	8	6	37	44	41	55	64	84	132
FEMALE--	1,981	53	8	9	8	18	13	21	27	28	63	82
CALIFORNIA -----	224,592	3,104	656	414	441	1,528	1,887	2,124	2,971	4,110	5,626	7,023
WHITE-----MALE----	96,727	1,283	286	191	220	911	1,105	1,213	1,715	2,277	2,971	3,563
FEMALE--	96,288	1,087	220	122	119	282	314	426	603	963	1,465	1,923
ALL OTHER--MALE----	17,017	384	82	45	68	257	359	341	453	550	671	925
FEMALE--	14,560	350	68	56	34	78	109	144	200	320	519	612
BLACK---MALE----	9,268	256	46	27	39	146	249	211	328	364	463	607
FEMALE--	8,251	233	36	26	10	37	53	86	133	221	344	368

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
UNITED STATES --	79,792	98,130	133,863	194,776	269,498	325,799	344,731	306,123	196,097	74,392	17,456	401
WHITE-----MALE----	38,974	47,548	65,755	97,752	131,749	152,257	145,618	107,099	52,894	14,766	2,468	249
FEMALE--	23,919	30,849	43,695	67,829	102,468	138,334	167,394	173,615	128,119	53,352	12,951	52
ALL OTHER--MALE----	10,166	11,636	13,937	16,038	18,336	17,553	13,963	9,900	4,967	1,641	426	68
FEMALE--	6,733	8,097	10,476	13,157	16,945	17,655	17,756	15,509	10,117	4,633	1,611	32
BLACK---MALE----	8,953	10,086	12,179	13,893	15,767	14,874	11,597	8,089	3,968	1,338	372	62
FEMALE--	5,924	7,167	9,212	11,395	14,846	15,338	15,518	13,761	9,032	4,102	1,453	28
ALABAMA -----	1,637	2,085	2,770	3,974	5,094	5,946	6,071	5,287	3,307	1,067	263	-
WHITE-----MALE----	713	894	1,266	1,812	2,220	2,473	2,182	1,557	699	171	23	-
FEMALE--	396	558	749	1,205	1,665	2,239	2,689	2,664	1,969	639	133	-
ALL OTHER--MALE----	340	368	441	528	592	602	518	415	213	66	20	-
FEMALE--	188	265	314	429	617	632	682	651	426	191	87	-
BLACK---MALE----	335	365	437	524	590	597	514	410	213	66	20	-
FEMALE--	187	262	314	424	613	627	678	647	424	191	87	-
ALASKA -----	141	157	189	244	281	272	217	184	97	30	7	-
WHITE-----MALE----	75	78	84	115	123	116	72	58	19	5	1	-
FEMALE--	35	34	50	67	86	88	81	82	61	15	2	-
ALL OTHER--MALE----	22	34	33	40	42	37	35	17	8	7	-	-
FEMALE--	9	11	22	22	30	31	29	27	9	3	4	-
BLACK---MALE----	5	2	-	5	2	2	2	2	-	-	-	-
FEMALE--	-	1	2	1	3	3	1	5	-	-	-	-
ARIZONA -----	1,266	1,541	2,101	3,194	4,544	5,452	5,506	4,478	2,680	960	203	27
WHITE-----MALE----	715	869	1,124	1,777	2,409	2,811	2,686	1,759	867	216	32	23
FEMALE--	398	530	778	1,218	1,879	2,408	2,649	2,567	1,724	701	153	2
ALL OTHER--MALE----	89	96	104	108	138	109	78	66	37	14	8	1
FEMALE--	64	46	95	91	118	124	93	86	52	29	10	1
BLACK---MALE----	32	42	39	47	59	48	30	27	10	4	3	1
FEMALE--	14	21	31	33	37	53	42	45	20	17	1	1
ARKANSAS -----	938	1,247	1,738	2,346	3,208	3,911	4,144	3,692	2,392	829	166	5
WHITE-----MALE----	471	625	929	1,204	1,595	1,861	1,696	1,242	618	167	24	1
FEMALE--	290	405	548	816	1,181	1,590	1,970	2,020	1,487	525	105	1
ALL OTHER--MALE----	102	135	157	195	220	228	204	178	94	38	9	2
FEMALE--	75	82	104	131	212	232	274	252	193	99	28	1
BLACK---MALE----	99	132	153	190	212	227	202	173	94	38	9	2
FEMALE--	75	74	100	130	205	230	271	247	192	98	28	1
CALIFORNIA -----	8,279	9,568	12,558	17,968	25,167	31,567	32,801	28,943	18,678	7,378	1,708	93
WHITE-----MALE----	4,203	4,520	5,961	8,581	11,746	14,471	13,782	10,461	5,342	1,575	284	66
FEMALE--	2,547	3,102	4,199	6,444	9,808	13,195	15,527	15,721	11,774	5,185	1,244	18
ALL OTHER--MALE----	868	1,166	1,412	1,658	1,937	1,998	1,682	1,278	636	200	40	7
FEMALE--	661	780	986	1,285	1,676	1,903	1,810	1,483	926	418	140	2
BLACK---MALE----	553	687	830	888	1,011	961	763	522	209	76	25	7
FEMALE--	411	499	608	697	901	992	946	807	522	233	87	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 2
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
COLORADO -----	25,626	397	76	40	67	199	252	259	363	494	651	850
WHITE-----MALE----	12,267	193	36	21	38	106	170	177	225	310	405	489
FEMALE--	12,124	155	29	12	21	66	51	60	106	137	193	271
ALL OTHER--MALE----	651	28	5	3	4	22	19	18	21	34	28	51
FEMALE--	584	21	6	4	4	5	12	4	11	13	25	39
BLACK---MALE----	479	25	4	-	3	15	13	15	13	28	18	42
FEMALE--	450	17	4	3	3	4	6	3	6	12	18	31
CONNECTICUT -----	29,415	310	50	26	46	103	146	180	282	412	585	672
WHITE-----MALE----	12,992	137	24	11	19	49	75	91	156	225	318	346
FEMALE--	14,423	90	19	8	14	32	31	45	71	115	173	218
ALL OTHER--MALE----	1,049	49	6	6	10	18	31	35	36	44	60	63
FEMALE--	951	34	1	1	3	4	9	9	19	28	34	45
BLACK---MALE----	970	46	5	6	10	18	30	32	35	41	58	58
FEMALE--	901	31	1	1	3	4	7	9	18	28	34	43
DELAWARE -----	6,510	80	15	9	11	38	33	58	75	132	163	173
WHITE-----MALE----	2,690	17	5	3	4	19	18	28	33	65	68	79
FEMALE--	2,763	26	3	2	4	8	7	10	19	26	36	43
ALL OTHER--MALE----	529	20	3	2	2	9	4	13	13	20	40	32
FEMALE--	528	17	4	2	1	2	4	7	10	21	19	19
BLACK---MALE----	506	20	3	2	2	9	4	12	13	20	39	31
FEMALE--	508	16	3	2	1	2	4	7	10	20	18	18
DISTRICT OF COLUMBIA -----	6,129	105	20	9	11	78	103	97	117	178	265	295
WHITE-----MALE----	629	2	2	2	-	3	9	12	18	21	22	17
FEMALE--	667	5	-	-	-	1	4	6	3	7	9	9
ALL OTHER--MALE----	2,512	59	7	2	8	70	77	53	62	100	144	180
FEMALE--	2,321	39	11	5	3	4	13	26	34	50	90	89
BLACK---MALE----	2,480	58	7	2	8	70	76	53	60	99	141	180
FEMALE--	2,303	39	11	4	3	4	13	25	33	49	88	89
FLORIDA -----	154,497	1,366	337	180	227	643	879	1,220	1,620	2,438	3,156	3,790
WHITE-----MALE----	71,201	454	128	60	99	302	447	569	761	1,163	1,601	1,918
FEMALE--	66,555	361	85	39	60	144	154	239	352	568	752	999
ALL OTHER--MALE----	8,860	302	69	49	43	138	192	264	293	397	508	531
FEMALE--	7,881	249	55	32	25	59	86	148	214	310	295	342
BLACK---MALE----	8,564	295	67	48	40	136	182	252	286	391	491	516
FEMALE--	7,619	241	54	30	23	58	78	145	210	303	284	328
GEORGIA -----	59,351	1,022	174	137	137	442	558	659	877	1,253	1,768	2,216
WHITE-----MALE----	21,112	251	65	32	54	189	242	216	305	452	640	826
FEMALE--	21,679	213	26	34	27	92	88	107	148	210	318	438
ALL OTHER--MALE----	8,561	328	41	35	30	126	159	219	253	365	478	612
FEMALE--	7,999	230	42	36	26	35	69	117	171	226	332	340
BLACK---MALE----	8,393	323	40	34	28	121	154	211	249	359	471	603
FEMALE--	7,858	225	40	36	23	34	68	116	169	223	323	329

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 2
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
COLORADO -----	974	1,019	1,443	2,098	2,819	3,409	3,559	3,277	2,326	850	202	2
WHITE-----MALE----	569	548	802	1,177	1,487	1,782	1,612	1,240	678	171	29	2
FEMALE--	346	396	536	807	1,220	1,509	1,837	1,963	1,593	652	164	-
ALL OTHER--MALE----	39	43	55	52	68	65	44	28	16	8	-	-
FEMALE--	20	32	50	62	44	53	66	46	39	19	9	-
BLACK---MALE----	28	36	42	43	52	36	24	24	12	6	-	-
FEMALE--	16	24	36	50	37	42	47	38	31	14	8	-
CONNECTICUT -----	898	1,112	1,464	2,273	3,124	4,254	4,794	4,350	2,854	1,193	287	-
WHITE-----MALE----	452	568	773	1,228	1,607	2,119	2,156	1,611	745	240	42	-
FEMALE--	324	379	514	871	1,312	1,950	2,470	2,602	2,033	921	231	-
ALL OTHER--MALE----	68	88	108	95	99	88	66	50	22	6	1	-
FEMALE--	54	77	69	79	106	97	102	87	54	26	13	-
BLACK---MALE----	61	77	98	89	90	83	61	45	20	6	1	-
FEMALE--	51	75	66	73	99	91	93	81	54	26	13	-
DELAWARE -----	236	292	416	576	875	995	887	772	449	184	38	3
WHITE-----MALE----	114	136	200	281	418	454	355	264	98	24	5	2
FEMALE--	59	93	137	207	315	430	423	431	312	146	25	1
ALL OTHER--MALE----	35	30	40	49	77	53	46	30	9	1	1	-
FEMALE--	28	33	39	39	65	58	63	47	30	13	7	-
BLACK---MALE----	32	29	37	46	75	51	43	28	8	1	1	-
FEMALE--	28	32	37	39	62	56	60	45	29	12	7	-
DISTRICT OF COLUMBIA ----	316	308	458	537	627	709	730	586	371	160	46	3
WHITE-----MALE----	33	34	28	49	71	75	98	67	46	17	1	2
FEMALE--	14	13	26	36	42	75	110	129	102	57	19	-
ALL OTHER--MALE----	171	182	227	240	242	258	218	134	54	20	3	1
FEMALE--	98	79	177	212	272	301	304	256	169	66	23	-
BLACK---MALE----	170	179	226	237	242	252	211	131	54	20	3	1
FEMALE--	97	79	177	209	270	299	302	255	168	66	23	-
FLORIDA -----	4,602	5,913	8,339	12,650	18,341	22,928	24,411	21,835	13,667	4,839	1,050	66
WHITE-----MALE----	2,315	3,048	4,287	6,723	9,622	11,659	11,544	8,628	4,427	1,215	194	37
FEMALE--	1,371	1,732	2,661	4,467	7,004	9,527	11,382	11,997	8,533	3,365	752	11
ALL OTHER--MALE----	555	670	815	822	877	872	666	454	234	70	29	10
FEMALE--	361	463	576	638	838	870	819	756	473	189	75	8
BLACK---MALE----	535	649	784	791	853	836	640	438	227	68	29	10
FEMALE--	347	442	554	610	813	837	795	738	466	181	74	8
GEORGIA -----	2,652	3,165	3,999	5,286	6,723	7,904	7,937	6,685	4,054	1,408	289	6
WHITE-----MALE----	1,050	1,331	1,701	2,280	2,728	3,183	2,700	1,821	824	195	24	3
FEMALE--	608	809	1,053	1,532	2,254	2,956	3,609	3,597	2,473	918	169	-
ALL OTHER--MALE----	628	613	736	810	859	878	641	455	202	72	18	3
FEMALE--	366	412	509	664	882	887	987	812	555	223	78	-
BLACK---MALE----	612	598	726	792	839	866	630	451	194	72	17	3
FEMALE--	354	403	497	649	864	875	975	805	550	222	78	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 3
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
HAWAII -----	7,892	114	18	9	18	37	64	76	82	149	188	251
WHITE-----MALE----	1,221	3	1	-	4	3	18	11	22	37	46	64
FEMALE--	917	11	-	1	1	3	3	6	3	15	14	23
ALL OTHER--MALE----	3,291	63	4	7	10	18	32	46	41	64	83	108
FEMALE--	2,463	37	13	1	3	13	11	13	16	33	45	56
BLACK---MALE----	39	2	1	-	1	-	3	3	-	3	6	2
FEMALE--	18	1	-	-	-	-	-	-	-	1	1	1
IDAHO -----	8,976	127	33	24	42	89	66	69	100	138	188	221
WHITE-----MALE----	4,669	74	21	11	22	57	51	57	60	93	126	149
FEMALE--	4,172	51	12	11	20	29	11	8	34	39	56	65
ALL OTHER--MALE----	86	1	-	-	-	3	3	3	3	5	6	4
FEMALE--	49	1	-	2	-	-	1	1	3	1	-	3
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ILLINOIS -----	102,914	1,523	218	155	191	703	870	879	1,119	1,587	2,350	2,877
WHITE-----MALE----	41,698	481	81	54	83	313	384	372	471	655	1,018	1,190
FEMALE--	44,403	404	47	40	52	138	134	155	245	333	516	682
ALL OTHER--MALE----	9,021	358	53	35	31	204	296	248	278	359	517	610
FEMALE--	7,792	280	37	26	25	48	56	104	125	240	299	395
BLACK---MALE----	8,503	342	51	34	29	201	288	241	271	351	505	582
FEMALE--	7,410	265	33	25	24	46	54	98	121	232	285	386
INDIANA -----	53,130	682	125	87	102	350	409	444	536	741	1,048	1,366
WHITE-----MALE----	23,761	296	61	41	59	204	224	252	311	406	574	728
FEMALE--	25,160	242	49	31	28	90	77	100	134	198	303	439
ALL OTHER--MALE----	2,244	85	7	13	8	49	93	69	67	88	102	123
FEMALE--	1,965	59	8	2	7	7	15	23	24	49	69	76
BLACK---MALE----	2,187	82	6	12	7	49	89	68	62	87	99	121
FEMALE--	1,909	57	7	1	6	6	13	22	24	46	68	74
IOWA -----	27,694	229	53	32	48	144	160	122	165	266	384	498
WHITE-----MALE----	13,192	128	33	22	28	89	114	78	96	163	233	290
FEMALE--	14,065	76	15	10	19	47	38	31	60	86	130	185
ALL OTHER--MALE----	239	12	3	-	1	6	5	11	8	10	14	16
FEMALE--	198	13	2	-	-	2	3	2	1	7	7	7
BLACK---MALE----	193	10	2	-	1	2	4	8	7	7	9	13
FEMALE--	156	10	1	-	-	1	2	-	1	4	5	5
KANSAS -----	23,750	276	60	34	48	172	172	150	211	311	409	512
WHITE-----MALE----	10,977	126	40	17	27	96	104	94	127	172	220	308
FEMALE--	11,382	95	10	13	17	46	33	33	57	105	137	153
ALL OTHER--MALE----	750	31	8	3	3	26	28	20	16	18	27	25
FEMALE--	641	24	2	1	1	4	7	3	11	16	25	26
BLACK---MALE----	633	27	6	3	2	25	25	18	12	15	22	23
FEMALE--	535	21	1	1	1	3	4	2	9	13	21	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 3
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
HAWAII -----	292	406	447	696	953	1,121	1,083	946	627	258	56	1
WHITE-----MALE----	72	81	82	108	151	180	165	111	50	11	1	-
FEMALE--	27	30	40	63	94	137	139	155	103	43	6	-
ALL OTHER--MALE----	115	192	190	296	407	469	423	405	232	72	13	1
FEMALE--	78	103	135	229	301	335	356	275	242	132	36	-
BLACK---MALE----	-	5	2	3	3	2	-	3	-	-	-	-
FEMALE--	-	1	1	1	3	3	4	1	-	-	-	-
IDAHO -----	267	340	528	649	957	1,329	1,421	1,291	759	273	64	1
WHITE-----MALE----	162	192	315	373	571	708	727	538	271	79	11	1
FEMALE--	101	140	200	266	374	610	681	740	483	191	50	-
ALL OTHER--MALE----	3	4	9	5	7	4	10	9	5	1	1	-
FEMALE--	1	4	4	5	5	7	3	4	-	2	2	-
BLACK---MALE----	-	-	1	-	-	1	1	2	-	-	1	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	2	-
ILLINOIS -----	3,487	4,411	5,924	8,572	11,846	14,262	15,433	13,581	8,734	3,366	815	11
WHITE-----MALE----	1,580	2,015	2,724	4,145	5,636	6,479	6,325	4,719	2,254	609	102	8
FEMALE--	1,003	1,288	1,795	2,862	4,317	6,041	7,622	7,838	5,789	2,466	634	2
ALL OTHER--MALE----	540	630	816	856	1,020	858	681	345	220	54	11	1
FEMALE--	364	478	589	709	873	884	805	679	471	237	68	-
BLACK---MALE----	511	586	764	800	960	790	615	315	205	51	10	1
FEMALE--	351	455	565	667	831	828	760	638	451	227	68	-
INDIANA -----	1,679	2,120	3,166	4,673	6,494	7,581	8,031	6,937	4,388	1,775	394	2
WHITE-----MALE----	904	1,084	1,679	2,493	3,333	3,630	3,484	2,442	1,152	348	56	-
FEMALE--	588	770	1,184	1,805	2,636	3,472	4,143	4,183	3,036	1,333	318	1
ALL OTHER--MALE----	109	154	171	198	262	229	185	137	63	23	8	1
FEMALE--	78	112	132	177	263	250	219	175	137	71	12	-
BLACK---MALE----	107	151	168	193	253	226	182	134	61	21	8	1
FEMALE--	76	110	130	169	259	241	213	172	134	69	12	-
IOWA -----	674	947	1,339	1,988	2,978	3,872	4,503	4,324	3,263	1,354	351	-
WHITE-----MALE----	407	569	800	1,153	1,700	2,098	2,172	1,751	947	260	61	-
FEMALE--	252	350	505	790	1,240	1,729	2,294	2,544	2,295	1,083	286	-
ALL OTHER--MALE----	6	20	17	22	22	24	17	13	9	2	1	-
FEMALE--	9	8	17	23	16	21	20	16	12	9	3	-
BLACK---MALE----	4	16	14	21	21	20	15	9	7	2	1	-
FEMALE--	5	7	13	19	14	19	15	13	10	9	3	-
KANSAS -----	667	809	1,221	1,721	2,530	3,253	3,601	3,565	2,630	1,119	279	-
WHITE-----MALE----	376	439	691	924	1,407	1,678	1,696	1,350	785	253	47	-
FEMALE--	218	281	423	671	972	1,418	1,764	2,103	1,776	832	225	-
ALL OTHER--MALE----	43	50	66	75	88	82	65	46	18	10	2	-
FEMALE--	30	39	41	51	63	75	76	66	51	24	5	-
BLACK---MALE----	37	41	50	62	72	66	59	42	15	9	2	-
FEMALE--	27	32	30	38	52	62	69	53	47	21	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 4
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
KENTUCKY -----	37,998	387	78	74	66	256	278	298	388	585	726	1,053
WHITE-----MALE----	17,847	206	41	32	34	161	180	194	243	353	434	604
FEMALE--	17,404	128	24	29	24	54	61	59	93	165	216	333
ALL OTHER--MALE----	1,357	29	10	4	6	34	29	28	36	49	38	69
FEMALE--	1,390	24	3	9	2	7	8	17	16	18	38	47
BLACK---MALE----	1,338	27	10	3	5	34	29	28	34	47	38	66
FEMALE--	1,354	24	3	9	2	7	8	16	16	17	35	45
LOUISIANA -----	40,006	630	120	88	104	379	490	506	569	811	1,045	1,313
WHITE-----MALE----	13,711	159	39	24	31	152	150	172	177	265	367	420
FEMALE--	13,659	91	26	22	23	43	56	60	97	136	184	245
ALL OTHER--MALE----	6,623	189	31	22	31	147	224	211	193	261	286	384
FEMALE--	6,013	191	24	20	19	37	60	63	102	149	208	264
BLACK---MALE----	6,509	187	29	20	31	141	219	207	189	255	283	377
FEMALE--	5,934	188	24	20	19	34	58	61	101	148	207	257
MAINE -----	11,993	70	19	11	18	48	50	62	96	114	153	266
WHITE-----MALE----	5,775	38	10	7	13	33	39	39	67	67	88	162
FEMALE--	6,184	32	9	4	5	15	11	21	28	46	63	101
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	41,794	616	92	60	77	248	348	379	661	979	1,139	1,419
WHITE-----MALE----	14,606	122	22	14	19	69	100	122	201	321	377	492
FEMALE--	15,805	106	19	15	13	40	44	48	87	138	170	254
ALL OTHER--MALE----	6,149	223	24	15	29	113	168	151	246	349	378	411
FEMALE--	5,234	165	27	16	16	26	36	58	127	171	214	262
BLACK---MALE----	5,903	213	24	15	28	110	163	144	242	341	371	400
FEMALE--	4,995	158	25	15	16	24	36	56	122	169	208	253
MASSACHUSETTS -----	54,685	421	72	35	67	196	228	270	458	697	934	1,257
WHITE-----MALE----	24,081	187	32	16	35	104	148	161	266	379	535	712
FEMALE--	28,072	155	25	10	16	49	45	70	128	214	296	414
ALL OTHER--MALE----	1,322	40	11	3	8	23	26	28	40	66	58	89
FEMALE--	1,210	39	4	6	8	20	9	11	24	38	45	42
BLACK---MALE----	1,088	35	9	3	5	22	21	23	35	54	53	73
FEMALE--	999	33	2	5	6	16	7	10	20	34	37	39
MICHIGAN -----	83,301	1,092	170	160	168	542	597	690	875	1,339	1,813	2,465
WHITE-----MALE----	34,670	368	69	62	88	261	273	308	415	617	798	1,083
FEMALE--	35,829	282	37	43	35	116	85	136	190	317	431	614
ALL OTHER--MALE----	6,739	232	37	26	22	130	193	171	179	249	357	458
FEMALE--	6,063	210	27	29	23	35	46	75	91	156	227	310
BLACK---MALE----	6,338	219	35	24	21	124	183	169	166	234	337	441
FEMALE--	5,745	206	26	27	21	32	42	70	87	153	217	297

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 4
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
KENTUCKY -----	1,451	1,760	2,484	3,486	4,696	5,275	5,430	4,830	3,006	1,136	253	2
WHITE-----MALE----	842	996	1,384	1,936	2,515	2,583	2,257	1,711	842	263	34	2
FEMALE--	470	610	896	1,315	1,838	2,378	2,864	2,860	1,992	799	196	-
ALL OTHER--MALE----	83	87	119	127	164	140	122	101	70	10	2	-
FEMALE--	56	67	85	108	179	174	187	158	102	64	21	-
BLACK---MALE----	83	87	118	124	163	138	122	101	69	10	2	-
FEMALE--	54	64	83	104	174	172	181	154	102	64	20	-
LOUISIANA -----	1,541	2,115	2,662	3,611	4,756	5,324	5,312	4,634	2,773	959	264	-
WHITE-----MALE----	561	815	1,021	1,439	1,979	2,088	1,784	1,326	568	146	28	-
FEMALE--	355	496	668	1,025	1,484	1,881	2,262	2,257	1,581	544	123	-
ALL OTHER--MALE----	379	475	516	637	674	672	558	418	224	72	19	-
FEMALE--	246	329	457	510	619	683	708	633	400	197	94	-
BLACK---MALE----	367	463	505	629	667	666	547	415	221	72	19	-
FEMALE--	237	321	450	502	613	676	704	626	398	197	93	-
MAINE -----	380	455	600	1,034	1,469	1,782	1,869	1,685	1,213	481	118	-
WHITE-----MALE----	234	279	350	614	812	933	864	650	364	96	16	-
FEMALE--	145	174	248	418	652	846	1,002	1,032	847	383	102	-
ALL OTHER--MALE----	1	1	1	1	2	1	2	2	1	-	-	-
FEMALE--	-	1	1	1	3	2	1	1	1	2	-	-
BLACK---MALE----	1	1	1	1	2	1	1	1	1	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	1	2	-	-
MARYLAND -----	1,601	1,977	2,513	3,543	4,945	5,941	5,795	4,874	3,160	1,128	283	16
WHITE-----MALE----	609	738	986	1,493	2,016	2,383	2,115	1,503	697	175	29	3
FEMALE--	373	499	676	1,006	1,671	2,404	2,655	2,607	2,008	773	199	-
ALL OTHER--MALE----	380	431	499	600	663	604	423	253	126	44	11	8
FEMALE--	239	309	352	444	595	550	602	511	329	136	44	5
BLACK---MALE----	370	403	488	570	640	578	391	236	115	43	10	8
FEMALE--	230	296	330	420	562	525	562	493	315	133	42	5
MASSACHUSETTS -----	1,571	1,920	2,675	4,173	6,121	7,856	9,046	8,271	5,491	2,313	611	2
WHITE-----MALE----	871	1,057	1,476	2,306	3,196	3,821	3,954	2,930	1,380	437	78	-
FEMALE--	571	714	1,000	1,642	2,646	3,753	4,842	5,139	4,002	1,823	518	-
ALL OTHER--MALE----	78	85	123	117	153	147	111	73	30	10	2	1
FEMALE--	51	64	76	108	126	135	139	129	79	43	13	1
BLACK---MALE----	71	73	101	95	127	111	88	54	25	8	2	-
FEMALE--	45	52	67	89	96	113	114	103	66	35	10	-
MICHIGAN -----	2,924	3,651	4,841	7,233	10,137	11,876	12,429	10,438	6,754	2,544	554	9
WHITE-----MALE----	1,317	1,680	2,257	3,612	4,799	5,405	5,251	3,646	1,783	491	83	4
FEMALE--	884	1,203	1,655	2,486	3,801	5,057	5,931	5,851	4,449	1,825	400	1
ALL OTHER--MALE----	403	465	506	625	799	730	555	349	184	55	11	3
FEMALE--	320	303	423	510	738	684	692	592	338	173	60	1
BLACK---MALE----	372	421	470	578	760	690	530	322	173	55	11	3
FEMALE--	297	272	403	478	690	657	654	567	319	171	58	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 5
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
MINNESOTA -----	36,913	382	77	61	67	202	175	207	273	456	601	807
WHITE-----MALE----	17,436	176	25	30	34	113	104	122	151	263	355	475
FEMALE--	18,245	118	35	16	26	58	45	51	68	129	191	264
ALL OTHER--MALE----	677	41	5	8	5	23	19	26	29	46	40	41
FEMALE--	555	47	12	7	2	8	7	8	25	18	15	27
BLACK---MALE----	359	25	1	4	2	14	11	17	14	25	23	23
FEMALE--	289	30	9	4	1	4	1	5	13	9	9	13
MISSISSIPPI -----	27,503	442	88	46	74	268	307	272	401	567	684	869
WHITE-----MALE----	9,152	74	20	11	25	97	96	70	135	162	233	295
FEMALE--	8,974	83	12	8	13	41	28	41	61	98	110	127
ALL OTHER--MALE----	4,880	175	24	13	24	96	136	113	121	188	221	273
FEMALE--	4,497	110	32	14	12	34	47	48	84	119	120	174
BLACK---MALE----	4,815	173	22	12	24	93	134	110	120	180	216	269
FEMALE--	4,444	109	28	13	12	32	47	46	82	116	119	167
MISSOURI -----	54,322	564	111	83	101	365	384	379	593	789	964	1,359
WHITE-----MALE----	23,528	219	45	32	45	190	205	172	333	408	479	665
FEMALE--	24,980	158	36	24	34	99	73	81	124	199	257	406
ALL OTHER--MALE----	2,991	101	19	14	9	66	84	93	92	113	127	179
FEMALE--	2,823	86	11	13	13	10	22	33	44	69	101	109
BLACK---MALE----	2,883	96	18	14	9	65	83	89	87	113	124	175
FEMALE--	2,724	84	11	12	13	9	21	32	39	66	95	105
MONTANA -----	7,769	75	27	11	18	70	67	62	81	110	152	191
WHITE-----MALE----	3,848	29	12	3	14	48	48	37	42	70	75	112
FEMALE--	3,566	28	11	4	3	15	11	11	22	26	57	50
ALL OTHER--MALE----	211	14	1	2	1	6	8	9	11	8	14	13
FEMALE--	144	4	3	2	-	1	-	5	6	6	6	16
BLACK---MALE----	8	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	15,282	173	35	18	28	100	93	82	125	181	253	294
WHITE-----MALE----	7,180	86	16	9	14	70	58	49	74	99	130	168
FEMALE--	7,478	58	13	7	13	22	27	21	39	55	91	100
ALL OTHER--MALE----	332	17	2	2	-	7	6	9	8	17	22	14
FEMALE--	292	12	4	-	1	1	2	3	4	10	10	12
BLACK---MALE----	266	15	2	2	-	6	5	8	5	13	15	12
FEMALE--	235	9	4	-	1	1	1	2	4	9	6	8
NEVADA -----	13,380	175	51	22	31	88	127	140	214	316	390	477
WHITE-----MALE----	6,834	81	22	9	17	54	74	84	143	199	218	284
FEMALE--	5,396	60	19	11	10	19	27	27	41	70	119	136
ALL OTHER--MALE----	620	18	5	2	4	12	22	19	20	25	32	32
FEMALE--	530	16	5	-	-	3	4	10	10	22	21	25
BLACK---MALE----	415	16	1	1	2	7	13	13	18	20	27	24
FEMALE--	361	13	5	-	-	3	3	7	7	16	15	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 5
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
MINNESOTA -----	966	1,335	1,805	2,607	3,819	4,946	5,990	5,765	4,163	1,760	447	2
WHITE-----MALE----	547	764	1,050	1,471	2,218	2,644	2,871	2,319	1,255	382	65	2
FEMALE--	350	486	679	1,029	1,484	2,189	3,034	3,392	2,867	1,358	376	-
ALL OTHER--MALE----	37	47	44	65	65	55	41	23	12	4	1	-
FEMALE--	32	38	32	42	52	58	44	31	29	16	5	-
BLACK---MALE----	20	29	25	25	26	29	22	14	5	4	1	-
FEMALE--	16	17	17	16	31	26	25	16	16	9	2	-
MISSISSIPPI -----	1,093	1,349	1,843	2,454	3,064	3,564	3,744	3,370	2,041	752	206	5
WHITE-----MALE----	384	510	725	1,042	1,240	1,370	1,224	913	398	108	18	2
FEMALE--	239	308	453	621	948	1,194	1,489	1,556	1,077	378	89	-
ALL OTHER--MALE----	292	308	367	416	445	515	453	399	186	75	37	3
FEMALE--	178	223	298	375	431	485	578	502	380	191	62	-
BLACK---MALE----	287	303	359	410	442	513	452	396	185	75	37	3
FEMALE--	175	220	296	373	429	481	574	499	376	189	61	-
MISSOURI -----	1,714	2,253	3,140	4,408	6,259	7,367	8,036	7,821	5,234	1,955	440	3
WHITE-----MALE----	845	1,191	1,668	2,333	3,179	3,456	3,478	2,700	1,465	354	65	1
FEMALE--	560	699	1,039	1,559	2,457	3,263	3,985	4,643	3,474	1,467	342	1
ALL OTHER--MALE----	180	212	244	266	329	335	242	163	86	32	4	1
FEMALE--	129	151	189	250	294	313	331	315	209	102	29	-
BLACK---MALE----	167	208	235	254	319	323	231	156	82	30	4	1
FEMALE--	128	143	186	234	286	303	320	306	203	99	29	-
MONTANA -----	242	319	422	594	871	1,048	1,269	1,086	733	253	68	-
WHITE-----MALE----	138	186	216	346	491	562	640	486	229	58	6	-
FEMALE--	88	117	173	209	347	460	601	584	498	192	59	-
ALL OTHER--MALE----	11	11	21	17	23	12	15	10	1	1	2	-
FEMALE--	5	5	12	22	10	14	13	6	5	2	1	-
BLACK---MALE----	-	-	2	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
NEBRASKA -----	399	544	711	1,133	1,587	2,060	2,358	2,386	1,768	769	184	1
WHITE-----MALE----	208	326	412	673	930	1,088	1,085	953	521	177	33	1
FEMALE--	155	171	242	391	603	916	1,218	1,391	1,216	584	145	-
ALL OTHER--MALE----	21	25	27	37	29	30	21	20	11	4	3	-
FEMALE--	15	22	30	32	25	26	34	22	20	4	3	-
BLACK---MALE----	10	19	20	31	24	28	18	17	10	4	2	-
FEMALE--	9	17	23	25	24	20	29	20	16	4	3	-
NEVADA -----	606	769	1,045	1,400	1,777	1,956	1,692	1,235	622	195	39	13
WHITE-----MALE----	355	411	590	826	971	991	802	473	174	40	5	11
FEMALE--	194	267	338	457	692	827	795	695	416	143	32	1
ALL OTHER--MALE----	37	53	68	65	58	63	44	28	11	2	-	-
FEMALE--	20	38	49	52	56	75	51	39	21	10	2	1
BLACK---MALE----	21	34	45	40	37	45	28	15	7	1	-	-
FEMALE--	14	23	27	32	41	48	32	34	14	8	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 7
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
OHIO -----	105,345	1,189	204	145	182	496	617	628	888	1,371	1,984	2,690
WHITE-----MALE----	45,523	462	83	69	88	291	350	349	485	688	1,036	1,341
FEMALE--	48,354	368	71	42	60	116	111	138	228	372	567	811
ALL OTHER--MALE----	5,942	206	29	21	20	71	121	99	127	196	230	336
FEMALE--	5,526	153	21	13	14	18	35	42	48	115	151	202
BLACK---MALE----	5,798	203	29	19	19	70	117	96	126	190	226	323
FEMALE--	5,417	149	21	13	14	18	32	40	45	112	146	198
OKLAHOMA -----	33,944	361	94	53	75	257	259	247	332	549	752	951
WHITE-----MALE----	14,930	144	42	24	37	129	138	149	182	295	372	491
FEMALE--	15,265	110	36	14	28	63	63	51	80	144	218	292
ALL OTHER--MALE----	1,962	46	10	5	5	45	36	36	48	64	104	104
FEMALE--	1,787	61	6	10	5	20	22	11	22	46	58	64
BLACK---MALE----	1,096	28	9	1	4	30	25	21	27	37	58	55
FEMALE--	1,074	43	4	7	4	9	17	7	12	27	32	32
OREGON -----	28,771	256	61	37	55	163	192	214	257	394	571	775
WHITE-----MALE----	13,767	136	29	17	28	105	121	144	158	236	347	461
FEMALE--	14,100	95	21	17	21	43	47	49	72	125	179	266
ALL OTHER--MALE----	516	12	11	2	5	9	23	14	16	24	28	30
FEMALE--	388	13	-	1	1	6	1	7	11	9	17	18
BLACK---MALE----	227	6	4	1	1	5	8	7	8	13	16	13
FEMALE--	147	8	-	-	-	2	-	2	2	4	7	11
PENNSYLVANIA -----	127,925	1,098	234	136	163	588	771	816	1,149	1,651	2,341	2,955
WHITE-----MALE----	55,293	411	98	51	81	317	419	435	604	856	1,232	1,501
FEMALE--	60,314	313	65	48	47	140	140	165	276	410	602	850
ALL OTHER--MALE----	6,388	197	35	19	21	101	172	160	186	246	325	385
FEMALE--	5,930	177	36	18	14	30	40	56	83	139	182	219
BLACK---MALE----	6,109	188	31	17	19	93	170	151	175	239	313	372
FEMALE--	5,718	171	32	18	12	28	36	51	81	137	178	208
RHODE ISLAND -----	9,820	87	9	8	10	45	50	45	77	125	140	232
WHITE-----MALE----	4,433	45	3	5	5	27	28	29	41	84	83	139
FEMALE--	5,005	31	4	3	4	14	13	11	22	29	43	70
ALL OTHER--MALE----	193	6	1	-	1	3	7	3	12	5	9	18
FEMALE--	189	5	1	-	-	1	2	2	2	7	5	5
BLACK---MALE----	163	6	1	-	1	3	6	3	10	3	8	14
FEMALE--	153	3	1	-	-	-	1	2	1	5	5	5
SOUTH CAROLINA -----	33,690	501	81	47	76	238	303	357	491	647	908	1,198
WHITE-----MALE----	11,923	125	20	15	29	88	121	139	171	242	303	411
FEMALE--	11,466	88	13	9	12	44	50	61	80	105	175	241
ALL OTHER--MALE----	5,366	174	30	12	24	77	104	103	147	193	269	326
FEMALE--	4,935	114	18	11	11	29	28	54	93	107	161	220
BLACK---MALE----	5,325	169	30	12	24	76	102	102	145	191	267	321
FEMALE--	4,893	114	18	11	10	28	27	54	93	106	159	220

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 7
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
OHIO -----	3,386	4,316	6,063	9,355	13,306	15,542	16,219	13,810	8,755	3,371	825	3
WHITE-----MALE----	1,773	2,121	3,106	4,781	6,647	7,212	6,881	4,756	2,252	648	102	2
FEMALE--	1,070	1,509	2,072	3,360	5,140	6,912	8,173	8,116	5,956	2,511	651	-
ALL OTHER--MALE----	323	386	472	645	806	739	545	371	151	38	9	1
FEMALE--	220	300	413	569	713	679	620	567	396	174	63	-
BLACK---MALE----	317	375	463	632	786	724	527	362	148	37	9	-
FEMALE--	212	294	401	556	699	671	610	561	393	169	63	-
OKLAHOMA -----	1,195	1,443	2,104	2,842	3,874	4,546	4,969	4,713	2,994	1,060	261	13
WHITE-----MALE----	607	754	1,102	1,501	1,976	2,209	2,075	1,656	795	206	40	6
FEMALE--	384	464	724	1,019	1,464	1,962	2,498	2,720	1,978	760	190	3
ALL OTHER--MALE----	128	129	168	161	235	200	182	131	93	25	3	4
FEMALE--	76	96	110	161	199	175	214	206	128	69	28	-
BLACK---MALE----	63	65	89	97	119	112	92	84	60	16	2	2
FEMALE--	40	53	63	91	115	99	137	131	87	46	18	-
OREGON -----	921	1,081	1,453	2,183	3,217	4,124	4,794	4,170	2,590	1,025	238	-
WHITE-----MALE----	508	596	800	1,253	1,686	2,147	2,278	1,651	777	250	39	-
FEMALE--	358	444	581	864	1,426	1,889	2,422	2,444	1,779	761	197	-
ALL OTHER--MALE----	30	22	39	41	56	48	50	36	14	6	-	-
FEMALE--	25	19	33	25	49	40	44	39	20	8	2	-
BLACK---MALE----	15	11	14	23	22	16	24	13	7	-	-	-
FEMALE--	8	6	10	6	13	13	22	17	12	2	2	-
PENNSYLVANIA -----	3,638	4,612	6,729	10,812	15,660	19,441	21,007	18,062	11,237	3,910	904	11
WHITE-----MALE----	1,860	2,287	3,396	5,585	7,902	9,197	8,893	6,226	3,035	771	131	5
FEMALE--	1,126	1,548	2,376	4,028	6,300	8,862	10,904	10,870	7,624	2,912	708	-
ALL OTHER--MALE----	383	453	530	642	777	651	534	321	175	56	16	3
FEMALE--	269	324	427	557	681	731	676	645	403	171	49	3
BLACK---MALE----	363	429	502	621	748	623	507	311	169	49	16	3
FEMALE--	256	312	407	537	658	706	649	625	396	168	49	3
RHODE ISLAND -----	272	337	487	743	1,123	1,517	1,558	1,456	995	404	96	4
WHITE-----MALE----	155	178	236	395	626	765	718	527	249	84	8	3
FEMALE--	85	133	220	317	468	700	803	912	724	315	84	-
ALL OTHER--MALE----	23	15	16	11	17	28	9	4	3	1	1	-
FEMALE--	9	11	15	20	12	24	28	13	19	4	3	1
BLACK---MALE----	19	11	15	10	15	23	9	3	2	1	-	-
FEMALE--	7	9	12	14	10	21	23	10	17	4	3	-
SOUTH CAROLINA -----	1,559	1,783	2,489	3,156	4,153	4,711	4,481	3,634	1,982	706	188	1
WHITE-----MALE----	593	709	1,079	1,328	1,751	1,813	1,532	963	385	94	12	-
FEMALE--	358	438	579	863	1,280	1,694	1,802	1,843	1,165	451	114	1
ALL OTHER--MALE----	397	394	458	544	555	577	501	310	122	37	12	-
FEMALE--	211	242	373	421	567	627	646	518	310	124	50	-
BLACK---MALE----	394	393	453	540	552	576	498	309	122	37	12	-
FEMALE--	209	238	369	416	560	619	644	516	309	123	50	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 8
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
SOUTH DAKOTA -----	6,865	78	15	11	18	64	43	49	58	94	102	129
WHITE-----MALE----	3,299	24	9	5	5	32	26	15	29	46	50	74
FEMALE--	3,084	21	2	2	9	10	7	13	11	29	26	31
ALL OTHER--MALE----	283	21	1	4	1	17	7	14	12	12	17	15
FEMALE--	199	12	3	-	3	5	3	7	6	7	9	9
BLACK---MALE----	13	2	-	-	-	2	-	-	-	1	2	-
FEMALE--	4	1	-	-	-	-	-	-	1	-	-	1
TENNESSEE -----	52,665	637	109	91	111	372	404	490	657	957	1,251	1,676
WHITE-----MALE----	22,094	218	38	38	50	202	206	248	320	473	573	787
FEMALE--	21,970	150	33	18	32	64	65	86	142	240	346	471
ALL OTHER--MALE----	4,383	138	24	22	15	88	108	116	138	148	213	270
FEMALE--	4,218	131	14	13	14	18	25	40	57	96	119	148
BLACK---MALE----	4,306	135	24	22	15	86	105	115	134	145	210	266
FEMALE--	4,151	131	14	13	14	18	24	38	57	96	114	140
TEXAS -----	142,776	2,150	480	315	356	1,249	1,380	1,561	1,973	2,860	3,715	4,512
WHITE-----MALE----	63,080	961	209	146	176	726	826	870	1,077	1,463	1,971	2,330
FEMALE--	60,878	721	178	102	124	303	257	352	462	758	975	1,221
ALL OTHER--MALE----	9,860	270	51	32	37	159	209	237	285	422	480	576
FEMALE--	8,958	198	42	35	19	61	88	102	149	217	289	385
BLACK---MALE----	9,282	246	47	27	34	151	186	219	267	394	445	540
FEMALE--	8,487	186	38	33	19	55	77	95	140	205	270	350
UTAH -----	11,578	249	59	28	53	171	159	132	176	201	280	316
WHITE-----MALE----	5,729	139	26	16	26	105	110	84	108	129	157	184
FEMALE--	5,544	97	27	10	22	53	34	36	53	65	100	112
ALL OTHER--MALE----	168	5	3	1	3	8	9	11	7	5	15	12
FEMALE--	137	8	3	1	2	5	6	1	8	2	8	8
BLACK---MALE----	45	1	-	-	2	1	1	-	1	2	5	4
FEMALE--	28	-	-	-	-	1	-	-	1	1	-	2
VERMONT -----	5,053	40	11	5	10	15	18	30	33	58	92	126
WHITE-----MALE----	2,416	24	5	3	4	12	18	21	22	38	50	77
FEMALE--	2,623	16	6	2	6	3	-	9	11	20	41	47
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	53,852	714	111	75	106	348	416	468	633	960	1,199	1,515
WHITE-----MALE----	20,524	245	36	20	41	149	179	191	271	386	489	654
FEMALE--	21,359	156	32	19	21	81	59	74	111	220	276	353
ALL OTHER--MALE----	6,243	178	26	20	23	91	130	136	168	219	260	323
FEMALE--	5,726	135	17	16	21	27	48	67	83	135	174	185
BLACK---MALE----	5,992	170	26	17	21	90	124	130	163	214	247	314
FEMALE--	5,484	129	16	15	18	23	46	62	77	127	163	180

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 8
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
SOUTH DAKOTA -----	166	225	330	479	743	937	1,066	1,008	784	366	100	-
WHITE-----MALE----	78	129	196	274	439	531	541	437	249	91	19	-
FEMALE--	64	67	100	158	250	368	493	546	527	271	79	-
ALL OTHER--MALE----	18	21	22	25	29	20	13	12	2	-	-	-
FEMALE--	6	8	12	22	25	18	19	13	6	4	2	-
BLACK---MALE----	-	-	2	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
TENNESSEE -----	2,070	2,645	3,503	4,755	6,132	7,084	7,279	6,677	4,071	1,387	300	7
WHITE-----MALE----	1,045	1,374	1,742	2,436	2,928	3,119	2,876	2,121	1,020	243	34	3
FEMALE--	573	774	1,125	1,541	2,253	3,025	3,530	3,742	2,614	937	208	1
ALL OTHER--MALE----	249	277	344	400	468	441	387	306	147	68	15	1
FEMALE--	203	220	292	378	483	499	486	508	290	139	43	2
BLACK---MALE----	246	271	336	392	459	439	379	299	144	68	15	1
FEMALE--	195	218	283	372	479	491	482	504	288	137	42	1
TEXAS -----	5,493	6,564	8,979	12,539	16,650	18,861	19,199	17,551	11,177	4,236	943	33
WHITE-----MALE----	2,846	3,337	4,494	6,383	8,273	8,987	8,019	6,014	3,013	800	134	25
FEMALE--	1,647	2,125	2,910	4,330	6,268	7,972	9,400	9,953	7,141	3,001	675	3
ALL OTHER--MALE----	594	642	891	995	1,111	921	806	640	348	118	32	4
FEMALE--	406	460	684	831	998	981	974	944	675	317	102	1
BLACK---MALE----	550	605	838	938	1,066	874	764	606	338	113	30	4
FEMALE--	376	444	640	788	953	915	923	906	661	310	102	1
UTAH -----	352	422	530	846	1,214	1,556	1,752	1,630	1,051	339	60	2
WHITE-----MALE----	220	245	302	459	676	824	836	644	337	92	8	2
FEMALE--	125	160	205	358	511	716	895	971	704	239	51	-
ALL OTHER--MALE----	3	6	14	13	15	10	13	9	3	3	-	-
FEMALE--	4	11	9	16	12	6	8	6	7	5	1	-
BLACK---MALE----	3	2	9	3	6	2	2	1	-	-	-	-
FEMALE--	-	3	2	4	2	1	4	3	3	1	-	-
VERMONT -----	154	189	257	409	613	702	785	714	534	212	46	-
WHITE-----MALE----	100	117	151	243	347	367	346	264	156	43	8	-
FEMALE--	53	72	105	165	262	333	439	449	377	169	38	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	3	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	2	-	-	1	-	-	-
VIRGINIA -----	2,088	2,481	3,420	4,818	6,528	7,829	7,650	6,583	4,015	1,517	362	16
WHITE-----MALE----	898	1,101	1,515	2,185	2,811	3,293	2,856	1,993	915	257	29	10
FEMALE--	607	679	1,017	1,498	2,333	3,039	3,444	3,544	2,507	1,047	242	-
ALL OTHER--MALE----	358	430	519	658	743	742	570	388	180	56	20	5
FEMALE--	225	271	369	477	641	755	780	658	413	157	71	1
BLACK---MALE----	345	408	497	635	709	712	545	376	169	56	19	5
FEMALE--	205	256	351	449	616	736	760	631	400	153	70	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 9
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
WASHINGTON -----	41,463	440	111	79	70	265	314	348	454	663	959	1,164
WHITE-----MALE----	19,578	212	43	26	41	139	196	214	276	387	540	625
FEMALE--	19,486	147	45	34	19	75	66	76	111	193	306	396
ALL OTHER--MALE----	1,348	39	12	9	8	39	38	41	45	53	63	86
FEMALE--	1,051	42	11	10	2	12	14	17	22	30	50	57
BLACK---MALE----	587	24	5	5	2	15	23	20	19	30	31	40
FEMALE--	415	25	5	3	1	8	5	4	9	13	14	20
WEST VIRGINIA -----	20,881	198	26	31	32	94	97	132	174	252	371	516
WHITE-----MALE----	9,918	108	14	17	19	65	64	89	112	165	228	315
FEMALE--	10,258	73	10	13	13	24	26	37	54	78	129	167
ALL OTHER--MALE----	332	10	1	1	-	3	4	5	8	5	7	25
FEMALE--	373	7	1	-	-	2	3	1	-	4	7	9
BLACK---MALE----	325	8	1	1	-	3	4	5	7	5	7	24
FEMALE--	362	7	1	-	-	2	3	1	-	4	6	7
WISCONSIN -----	44,891	431	89	58	77	243	293	274	373	569	751	996
WHITE-----MALE----	21,012	200	34	27	36	148	176	161	212	306	412	554
FEMALE--	21,884	130	34	21	27	59	63	56	99	179	243	326
ALL OTHER--MALE----	1,075	52	12	7	9	27	44	37	45	48	55	77
FEMALE--	920	49	9	3	5	9	10	20	17	36	41	39
BLACK---MALE----	875	46	8	7	8	20	32	29	38	39	47	67
FEMALE--	726	43	6	3	4	6	7	15	14	26	33	32
WYOMING -----	3,745	37	8	11	12	39	38	31	46	66	74	117
WHITE-----MALE----	1,929	20	4	6	8	22	25	21	30	40	51	71
FEMALE--	1,717	14	4	4	3	14	11	8	10	19	21	40
ALL OTHER--MALE----	57	3	-	-	1	3	1	2	2	4	1	5
FEMALE--	42	-	-	1	-	-	1	-	4	3	1	1
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 9
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
WASHINGTON -----	1,409	1,684	2,176	3,307	4,566	6,025	6,421	5,650	3,646	1,401	308	3
WHITE-----MALE----	768	917	1,209	1,803	2,418	3,131	2,943	2,205	1,133	307	42	3
FEMALE--	511	620	811	1,275	1,924	2,651	3,239	3,262	2,418	1,056	251	-
ALL OTHER--MALE----	88	89	85	125	127	115	124	100	43	16	3	-
FEMALE--	42	58	71	104	97	128	115	83	52	22	12	-
BLACK---MALE----	38	37	41	62	55	48	46	31	8	5	2	-
FEMALE--	18	25	23	34	42	53	40	35	26	6	6	-
WEST VIRGINIA -----	671	906	1,271	1,845	2,711	3,157	3,275	2,710	1,646	607	157	2
WHITE-----MALE----	405	522	757	994	1,427	1,591	1,432	983	455	133	22	1
FEMALE--	242	350	479	799	1,188	1,475	1,757	1,636	1,141	442	125	-
ALL OTHER--MALE----	17	19	22	24	45	41	37	36	14	7	-	1
FEMALE--	7	15	13	28	51	50	49	55	36	25	10	-
BLACK---MALE----	17	19	21	24	45	41	35	36	14	7	-	1
FEMALE--	7	15	13	28	47	48	48	55	36	24	10	-
WISCONSIN -----	1,221	1,542	2,220	3,546	4,875	6,222	7,455	6,680	4,641	1,919	414	2
WHITE-----MALE----	671	873	1,235	2,054	2,673	3,233	3,586	2,559	1,398	396	67	1
FEMALE--	426	554	822	1,282	1,990	2,814	3,736	4,001	3,192	1,488	341	1
ALL OTHER--MALE----	70	62	100	107	117	76	58	41	17	11	3	-
FEMALE--	54	53	63	103	95	99	75	79	34	24	3	-
BLACK---MALE----	57	44	86	88	93	54	47	37	14	11	3	-
FEMALE--	48	41	49	82	77	68	60	61	30	19	2	-
WYOMING -----	114	156	228	305	445	505	555	505	303	130	19	1
WHITE-----MALE----	71	98	135	188	256	270	282	199	99	28	4	1
FEMALE--	38	51	85	108	178	227	264	304	199	100	15	-
ALL OTHER--MALE----	3	5	4	6	8	4	3	1	-	1	-	-
FEMALE--	2	2	4	3	3	4	6	1	5	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 10
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
UNITED STATES --	52,371	721	293	166	126	200	407	1,352	3,374	4,601	4,688	3,939
WHITE-----MALE----	19,803	250	112	48	44	71	111	460	1,385	1,936	1,984	1,651
FEMALE--	16,127	183	78	58	33	59	85	165	364	454	477	477
ALL OTHER--MALE----	9,926	170	45	31	33	26	103	457	1,101	1,502	1,560	1,253
FEMALE--	6,515	118	58	29	16	44	108	270	524	709	667	558
BLACK---MALE----	9,298	158	40	30	31	18	97	440	1,066	1,450	1,496	1,202
FEMALE--	6,042	109	54	24	14	38	108	266	512	691	655	520
ALABAMA -----	949	10	6	2	1	6	5	19	56	74	58	40
WHITE-----MALE----	268	3	2	1	-	2	-	6	14	18	16	11
FEMALE--	284	3	-	1	1	2	3	1	5	3	6	4
ALL OTHER--MALE----	203	3	2	-	-	-	1	7	28	38	25	18
FEMALE--	194	1	2	-	-	2	1	5	9	15	11	7
BLACK---MALE----	203	3	2	-	-	-	1	7	28	38	25	18
FEMALE--	193	1	2	-	-	2	1	5	9	14	11	7
ALASKA -----	50	2	1	-	-	2	-	-	1	7	4	3
WHITE-----MALE----	18	2	-	-	-	-	-	-	-	4	1	1
FEMALE--	11	-	-	-	-	1	-	-	1	2	-	-
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	-	-	3	1
FEMALE--	9	-	-	-	-	1	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	712	22	11	4	2	5	8	19	49	46	63	49
WHITE-----MALE----	369	11	7	1	1	2	4	12	35	29	41	28
FEMALE--	237	7	3	3	1	-	2	3	8	9	12	13
ALL OTHER--MALE----	70	1	-	-	-	2	2	4	6	7	10	6
FEMALE--	36	3	1	-	-	1	-	-	-	1	-	2
BLACK---MALE----	35	1	-	-	-	1	1	1	4	4	5	3
FEMALE--	11	2	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	579	8	3	2	-	5	1	12	17	25	37	21
WHITE-----MALE----	221	2	2	-	-	2	1	5	6	12	14	6
FEMALE--	221	2	-	1	-	1	-	2	3	3	8	7
ALL OTHER--MALE----	66	3	-	1	-	-	-	2	4	6	8	8
FEMALE--	71	1	1	-	-	2	-	3	4	4	7	-
BLACK---MALE----	66	3	-	1	-	-	-	2	4	6	8	8
FEMALE--	71	1	1	-	-	2	-	3	4	4	7	-
CALIFORNIA -----	4,186	62	27	13	12	23	46	140	366	513	497	468
WHITE-----MALE----	2,250	20	13	8	6	8	24	90	229	346	321	303
FEMALE--	958	26	10	1	2	9	14	23	38	36	51	53
ALL OTHER--MALE----	659	7	1	-	2	4	5	17	80	105	102	86
FEMALE--	319	9	3	4	2	2	3	10	19	26	23	26
BLACK---MALE----	466	5	-	-	-	2	3	14	71	89	86	67
FEMALE--	177	4	3	2	1	1	3	9	17	22	22	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 10
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
UNITED STATES --	2,713	2,291	2,422	3,029	3,992	4,802	5,041	4,398	2,683	938	188	7
WHITE-----MALE----	1,109	890	957	1,230	1,621	1,977	1,818	1,326	633	165	20	5
FEMALE--	523	557	667	1,044	1,507	1,985	2,513	2,441	1,683	643	131	-
ALL OTHER--MALE----	747	512	476	432	429	393	284	220	110	33	8	1
FEMALE--	334	332	322	323	435	447	426	411	257	97	29	1
BLACK---MALE----	709	463	432	381	382	342	243	187	96	27	7	1
FEMALE--	314	292	268	272	376	389	396	388	241	87	27	1
ALABAMA -----	41	40	31	76	89	107	123	84	63	15	3	-
WHITE-----MALE----	10	9	13	28	29	42	27	26	10	1	-	-
FEMALE--	12	10	4	22	34	33	62	32	35	10	1	-
ALL OTHER--MALE----	8	8	5	13	10	12	13	8	3	1	-	-
FEMALE--	11	13	9	13	16	20	21	18	15	3	2	-
BLACK---MALE----	8	8	5	13	10	12	13	8	3	1	-	-
FEMALE--	11	13	9	13	16	20	21	18	15	3	2	-
ALASKA -----	2	4	-	7	4	6	4	2	-	1	-	-
WHITE-----MALE----	1	2	-	2	2	1	1	-	-	1	-	-
FEMALE--	-	2	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	36	30	44	46	64	65	78	38	23	9	1	-
WHITE-----MALE----	21	17	22	27	21	27	38	14	9	2	-	-
FEMALE--	10	9	14	13	30	35	31	18	11	5	-	-
ALL OTHER--MALE----	5	4	4	4	6	2	3	3	1	-	-	-
FEMALE--	-	-	4	2	7	1	6	3	2	2	1	-
BLACK---MALE----	3	2	3	2	2	-	-	2	1	-	-	-
FEMALE--	-	-	1	1	2	-	3	1	-	-	-	-
ARKANSAS -----	11	24	24	47	60	78	77	73	35	17	2	-
WHITE-----MALE----	5	11	11	28	25	33	27	23	7	1	-	-
FEMALE--	6	8	8	11	25	31	38	33	22	10	2	-
ALL OTHER--MALE----	-	2	5	2	5	9	2	4	2	3	-	-
FEMALE--	-	3	-	6	5	5	10	13	4	3	-	-
BLACK---MALE----	-	2	5	2	5	9	2	4	2	3	-	-
FEMALE--	-	3	-	6	5	5	10	13	4	3	-	-
CALIFORNIA -----	321	253	187	212	264	261	238	164	90	26	3	-
WHITE-----MALE----	186	128	80	94	107	108	96	53	27	3	-	-
FEMALE--	58	53	49	64	94	101	109	89	56	20	2	-
ALL OTHER--MALE----	57	46	33	26	36	20	12	13	5	1	1	-
FEMALE--	20	26	25	28	27	32	21	9	2	2	-	-
BLACK---MALE----	45	29	16	8	18	5	4	3	1	-	-	-
FEMALE--	11	13	7	8	8	11	12	4	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 11
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
COLORADO -----	479	10	2	1	1	3	1	8	31	46	34	39
WHITE-----MALE----	255	5	-	1	-	1	-	4	23	38	25	21
FEMALE--	184	4	2	-	-	2	1	1	6	6	4	12
ALL OTHER--MALE----	25	-	-	-	1	-	-	3	2	2	3	3
FEMALE--	15	1	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	18	-	-	-	1	-	-	3	1	2	1	3
FEMALE--	12	1	-	-	-	-	-	-	-	-	2	3
CONNECTICUT -----	726	5	3	1	2	1	5	17	37	58	55	51
WHITE-----MALE----	314	3	2	-	-	-	1	7	18	31	30	21
FEMALE--	280	-	1	1	1	1	2	4	7	10	8	8
ALL OTHER--MALE----	80	2	-	-	-	-	-	5	6	11	14	14
FEMALE--	52	-	-	-	1	-	2	1	6	6	3	8
BLACK---MALE----	80	2	-	-	-	-	-	5	6	11	14	14
FEMALE--	52	-	-	-	1	-	2	1	6	6	3	8
DELAWARE -----	207	7	-	-	-	-	1	4	6	20	17	17
WHITE-----MALE----	62	1	-	-	-	-	-	1	1	1	7	6
FEMALE--	64	3	-	-	-	-	1	1	-	3	1	1
ALL OTHER--MALE----	50	1	-	-	-	-	-	1	4	8	7	7
FEMALE--	31	2	-	-	-	-	-	1	1	8	2	3
BLACK---MALE----	48	1	-	-	-	-	-	1	4	8	7	7
FEMALE--	31	2	-	-	-	-	-	1	1	8	2	3
DISTRICT OF COLUMBIA ----	479	6	3	1	-	-	6	17	39	57	75	61
WHITE-----MALE----	53	-	-	-	-	-	1	1	9	10	9	4
FEMALE--	17	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	239	2	-	-	-	-	4	9	20	36	44	40
FEMALE--	170	3	3	1	-	-	1	6	10	11	22	17
BLACK---MALE----	238	2	-	-	-	-	4	9	20	35	44	40
FEMALE--	169	3	3	1	-	-	1	6	9	11	22	17
FLORIDA -----	3,626	53	16	16	12	15	44	169	342	497	425	288
WHITE-----MALE----	1,424	12	2	5	5	1	9	41	125	196	177	121
FEMALE--	780	13	5	-	2	4	4	16	26	41	35	29
ALL OTHER--MALE----	873	19	3	6	4	5	14	61	105	145	144	102
FEMALE--	549	9	6	5	1	5	17	51	86	115	69	36
BLACK---MALE----	862	17	3	6	4	4	14	61	104	145	143	102
FEMALE--	544	9	6	5	-	5	17	51	86	115	69	36
GEORGIA -----	1,963	23	12	8	6	7	26	74	151	188	211	147
WHITE-----MALE----	478	3	3	-	2	3	2	14	32	39	64	25
FEMALE--	434	4	1	4	1	2	5	6	4	8	7	15
ALL OTHER--MALE----	645	7	3	1	3	-	8	36	82	98	103	79
FEMALE--	406	9	5	3	-	2	11	18	33	43	37	28
BLACK---MALE----	642	7	3	1	3	-	8	35	82	98	102	79
FEMALE--	402	9	5	3	-	2	11	18	33	43	37	28

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 11
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
COLORADO -----	19	18	25	35	42	49	45	36	24	9	1	-
WHITE-----MALE----	12	9	11	19	23	22	20	12	7	2	-	-
FEMALE--	3	8	10	14	17	25	24	23	16	5	1	-
ALL OTHER--MALE----	3	1	2	1	-	1	1	-	1	1	-	-
FEMALE--	1	-	2	1	2	1	-	1	-	1	-	-
BLACK---MALE----	3	1	2	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	1	-	-	1	-	1	-	-
CONNECTICUT -----	30	34	32	46	47	63	97	70	51	19	2	-
WHITE-----MALE----	14	13	19	17	24	33	43	20	14	4	-	-
FEMALE--	7	9	8	22	19	25	51	47	33	15	1	-
ALL OTHER--MALE----	6	6	4	3	1	4	2	2	-	-	-	-
FEMALE--	3	6	1	4	3	1	1	1	4	-	1	-
BLACK---MALE----	6	6	4	3	1	4	2	2	-	-	-	-
FEMALE--	3	6	1	4	3	1	1	1	4	-	1	-
DELAWARE -----	18	7	4	10	24	23	25	13	8	2	1	-
WHITE-----MALE----	3	2	1	4	11	12	8	2	2	-	-	-
FEMALE--	5	1	-	4	8	9	14	8	4	-	1	-
ALL OTHER--MALE----	8	3	3	1	4	-	1	2	-	-	-	-
FEMALE--	2	1	-	1	1	2	2	1	2	2	-	-
BLACK---MALE----	8	2	3	1	3	-	1	2	-	-	-	-
FEMALE--	2	1	-	1	1	2	2	1	2	2	-	-
DISTRICT OF COLUMBIA ----	39	17	18	15	26	28	26	27	13	5	-	-
WHITE-----MALE----	5	1	-	1	2	1	4	2	3	-	-	-
FEMALE--	2	-	-	-	2	2	1	5	1	2	-	-
ALL OTHER--MALE----	21	11	6	7	13	11	11	2	2	-	-	-
FEMALE--	11	5	12	7	9	14	10	18	7	3	-	-
BLACK---MALE----	21	11	6	7	13	11	11	2	2	-	-	-
FEMALE--	11	5	12	7	9	14	10	18	7	3	-	-
FLORIDA -----	212	170	153	158	212	248	242	195	117	36	5	1
WHITE-----MALE----	89	74	56	73	99	113	117	64	34	11	-	-
FEMALE--	28	19	37	42	71	97	102	110	72	24	3	-
ALL OTHER--MALE----	64	53	48	30	20	23	11	6	7	-	2	1
FEMALE--	31	24	12	13	22	15	12	15	4	1	-	-
BLACK---MALE----	63	53	47	29	20	23	10	4	7	-	2	1
FEMALE--	31	22	12	13	21	15	12	14	4	1	-	-
GEORGIA -----	125	86	98	97	111	164	168	144	88	24	4	1
WHITE-----MALE----	28	21	26	27	39	46	46	40	13	4	-	1
FEMALE--	22	13	22	25	35	58	66	73	46	14	3	-
ALL OTHER--MALE----	52	35	30	24	22	31	15	8	7	1	-	-
FEMALE--	23	17	20	21	15	29	41	23	22	5	1	-
BLACK---MALE----	52	34	30	24	22	31	15	8	7	1	-	-
FEMALE--	23	16	18	20	15	29	41	23	22	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 12
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
HAWAII -----	201	2	-	-	-	4	-	-	5	12	15	14
WHITE-----MALE----	31	-	-	-	-	-	-	-	1	4	3	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	98	2	-	-	-	3	-	-	4	5	11	6
FEMALE--	62	-	-	-	-	1	-	-	-	2	1	5
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	97	2	-	1	1	1	2	3	8	5	3	2
WHITE-----MALE----	54	2	-	-	-	-	1	2	7	4	2	2
FEMALE--	42	-	-	1	1	1	1	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,315	36	9	12	6	5	16	44	118	158	157	137
WHITE-----MALE----	720	14	3	5	1	2	2	6	40	45	57	42
FEMALE--	759	8	1	4	3	3	1	6	15	9	10	13
ALL OTHER--MALE----	489	9	1	2	1	-	8	21	45	69	67	58
FEMALE--	347	5	4	1	1	-	5	11	18	35	23	24
BLACK---MALE----	477	9	1	2	1	-	8	20	44	69	67	58
FEMALE--	340	5	4	1	1	-	5	10	17	35	23	22
INDIANA -----	971	20	9	6	1	3	6	20	38	55	58	38
WHITE-----MALE----	413	5	2	-	-	2	3	12	20	30	36	24
FEMALE--	414	12	6	6	1	1	2	2	7	9	9	4
ALL OTHER--MALE----	83	2	-	-	-	-	1	3	8	13	12	7
FEMALE--	61	1	1	-	-	-	-	3	3	3	1	3
BLACK---MALE----	81	2	-	-	-	-	1	3	7	13	11	7
FEMALE--	59	1	1	-	-	-	-	3	3	3	1	3
IOWA -----	361	3	4	3	2	4	1	2	12	8	10	11
WHITE-----MALE----	167	2	3	-	-	1	-	1	9	5	7	9
FEMALE--	182	1	-	3	2	3	1	-	2	2	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	6	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	365	10	2	3	-	1	1	7	15	16	16	19
WHITE-----MALE----	177	7	2	3	-	-	-	6	10	7	11	12
FEMALE--	151	1	-	-	-	1	1	-	1	5	3	4
ALL OTHER--MALE----	19	2	-	-	-	-	-	1	1	4	2	-
FEMALE--	18	-	-	-	-	-	-	-	3	-	-	3
BLACK---MALE----	18	2	-	-	-	-	-	1	1	4	2	-
FEMALE--	14	-	-	-	-	-	-	-	3	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 12
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
HAWAII -----	9	11	14	13	22	27	21	17	8	6	1	-
WHITE-----MALE----	4	-	3	2	4	2	2	2	2	-	-	-
FEMALE--	-	1	1	-	-	3	2	1	-	-	-	-
ALL OTHER--MALE----	5	9	5	4	8	10	11	10	4	1	-	-
FEMALE--	-	1	5	7	10	12	6	4	2	5	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	6	3	5	8	15	13	9	6	1	1	-
WHITE-----MALE----	2	5	3	2	2	7	8	4	-	1	-	-
FEMALE--	-	1	-	3	6	8	5	5	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	103	94	127	124	214	262	250	229	140	66	8	-
WHITE-----MALE----	36	29	40	43	74	98	77	59	31	14	2	-
FEMALE--	17	29	36	36	79	105	125	140	74	41	4	-
ALL OTHER--MALE----	36	21	24	30	31	24	22	11	9	-	-	-
FEMALE--	14	15	27	15	30	35	26	19	26	11	2	-
BLACK---MALE----	36	19	23	29	29	22	20	11	9	-	-	-
FEMALE--	14	15	26	15	30	33	26	19	26	11	2	-
INDIANA -----	37	37	50	61	90	109	141	91	69	28	4	-
WHITE-----MALE----	14	19	21	29	37	52	49	36	17	3	2	-
FEMALE--	12	9	18	27	40	48	80	49	46	24	2	-
ALL OTHER--MALE----	7	6	1	2	6	4	5	3	2	1	-	-
FEMALE--	4	3	10	3	7	5	7	3	4	-	-	-
BLACK---MALE----	7	6	1	2	6	4	5	3	2	1	-	-
FEMALE--	4	3	9	3	6	5	7	3	4	-	-	-
IOWA -----	18	19	10	35	30	45	56	42	34	10	2	-
WHITE-----MALE----	13	11	5	15	16	24	24	12	7	3	-	-
FEMALE--	5	8	5	19	12	20	32	28	27	7	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
KANSAS -----	17	9	10	24	36	47	52	42	28	8	2	-
WHITE-----MALE----	10	5	8	11	18	22	21	12	10	2	-	-
FEMALE--	5	3	1	9	13	22	28	29	17	6	2	-
ALL OTHER--MALE----	1	-	1	1	3	2	-	-	1	-	-	-
FEMALE--	1	1	-	3	2	1	3	1	-	-	-	-
BLACK---MALE----	1	-	-	1	3	2	-	-	1	-	-	-
FEMALE--	1	-	-	2	1	1	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 13
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
KENTUCKY -----	656	10	5	2	1	2	4	9	20	27	22	42
WHITE-----MALE----	279	3	2	1	1	1	2	3	11	15	15	27
FEMALE--	302	4	2	1	-	-	1	1	1	4	3	5
ALL OTHER--MALE----	48	1	-	-	-	-	1	2	8	7	3	8
FEMALE--	27	2	1	-	-	1	-	3	-	1	1	2
BLACK---MALE----	46	1	-	-	-	-	1	2	8	6	3	7
FEMALE--	27	2	1	-	-	1	-	3	-	1	1	2
LOUISIANA -----	1,230	22	8	1	1	4	16	46	93	95	103	87
WHITE-----MALE----	314	8	4	-	-	-	1	8	21	17	32	25
FEMALE--	290	3	2	-	-	-	-	3	5	2	4	6
ALL OTHER--MALE----	380	7	-	1	1	-	8	27	51	58	48	42
FEMALE--	246	4	2	-	-	4	7	8	16	18	19	14
BLACK---MALE----	374	7	-	1	1	-	8	27	51	56	48	41
FEMALE--	243	4	2	-	-	4	7	8	16	18	19	13
MAINE -----	161	1	3	-	-	1	-	2	7	3	8	11
WHITE-----MALE----	78	1	2	-	-	-	-	2	6	3	4	7
FEMALE--	82	-	1	-	-	1	-	-	1	-	3	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,602	19	2	3	3	4	9	35	126	177	172	120
WHITE-----MALE----	326	8	-	-	1	2	1	4	20	23	20	14
FEMALE--	387	4	1	1	-	1	-	5	4	7	4	6
ALL OTHER--MALE----	552	2	1	2	1	-	3	16	68	98	99	77
FEMALE--	337	5	-	-	1	1	5	10	34	49	49	23
BLACK---MALE----	542	2	1	2	1	-	3	16	68	97	98	77
FEMALE--	330	5	-	-	1	1	5	10	34	49	48	23
MASSACHUSETTS -----	1,261	6	7	2	4	5	4	11	39	77	98	76
WHITE-----MALE----	580	2	5	1	4	2	1	8	12	43	62	44
FEMALE--	523	1	-	-	-	2	2	2	14	14	14	15
ALL OTHER--MALE----	85	1	2	-	-	-	-	-	7	13	13	10
FEMALE--	73	2	-	1	-	1	1	1	6	7	9	7
BLACK---MALE----	78	1	2	-	-	-	-	-	7	13	13	10
FEMALE--	66	2	-	1	-	-	1	1	6	7	8	7
MICHIGAN -----	1,280	15	5	1	4	4	14	28	69	87	109	91
WHITE-----MALE----	413	2	2	-	2	2	6	8	23	33	30	35
FEMALE--	388	5	-	1	-	1	2	2	6	13	7	5
ALL OTHER--MALE----	292	7	2	-	1	1	4	14	33	34	51	35
FEMALE--	187	1	1	-	1	-	2	4	7	7	21	16
BLACK---MALE----	279	7	1	-	1	1	4	13	30	34	48	34
FEMALE--	179	1	-	-	1	-	2	3	6	7	21	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 13
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
KENTUCKY -----	31	27	27	53	54	85	94	73	48	15	5	-
WHITE-----MALE----	17	13	17	24	28	37	30	15	10	6	1	-
FEMALE--	11	11	10	23	25	46	57	54	32	8	3	-
ALL OTHER--MALE----	2	3	-	3	1	2	4	1	1	1	-	-
FEMALE--	1	-	-	3	-	-	3	3	5	-	1	-
BLACK---MALE----	2	3	-	3	1	2	4	1	1	1	-	-
FEMALE--	1	-	-	3	-	-	3	3	5	-	1	-
LOUISIANA -----	59	45	53	79	88	115	105	110	70	23	7	-
WHITE-----MALE----	20	8	14	22	30	38	30	20	13	2	1	-
FEMALE--	6	14	10	28	24	38	50	47	32	14	2	-
ALL OTHER--MALE----	23	13	16	16	15	26	9	12	6	1	-	-
FEMALE--	10	10	13	13	19	13	16	31	19	6	4	-
BLACK---MALE----	23	12	14	16	15	26	9	12	6	1	-	-
FEMALE--	10	8	13	13	19	13	16	31	19	6	4	-
MAINE -----	6	5	7	11	12	17	20	23	16	4	4	-
WHITE-----MALE----	3	4	5	6	6	5	9	7	7	1	-	-
FEMALE--	3	1	2	5	6	12	11	16	9	3	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	67	73	91	106	145	132	130	70	34	5	-
WHITE-----MALE----	16	16	15	25	28	48	32	34	14	5	-	-
FEMALE--	8	9	14	26	43	58	65	68	38	21	4	-
ALL OTHER--MALE----	41	26	22	27	16	18	19	7	7	2	-	-
FEMALE--	14	16	22	13	19	21	16	21	11	6	1	-
BLACK---MALE----	41	25	22	26	15	18	16	7	5	2	-	-
FEMALE--	14	16	21	13	17	21	14	21	10	6	1	-
MASSACHUSETTS -----	56	40	52	84	106	130	155	150	109	42	8	-
WHITE-----MALE----	22	20	23	44	53	63	65	71	27	7	1	-
FEMALE--	17	10	24	28	42	61	82	74	81	33	7	-
ALL OTHER--MALE----	11	5	2	6	7	4	3	1	-	-	-	-
FEMALE--	6	5	3	6	4	2	5	4	1	2	-	-
BLACK---MALE----	10	5	1	4	6	2	3	1	-	-	-	-
FEMALE--	6	5	3	4	2	2	5	4	-	2	-	-
MICHIGAN -----	67	61	46	80	116	129	133	129	61	27	4	-
WHITE-----MALE----	17	21	18	21	41	41	50	38	18	4	1	-
FEMALE--	14	15	11	26	43	51	64	69	34	17	2	-
ALL OTHER--MALE----	20	14	14	15	20	13	7	4	2	1	-	-
FEMALE--	16	11	3	18	12	24	12	18	7	5	1	-
BLACK---MALE----	19	13	14	15	19	12	7	4	2	1	-	-
FEMALE--	15	10	3	18	11	24	12	17	7	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 14
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
MINNESOTA -----	438	9	3	-	2	1	1	4	16	23	27	23
WHITE-----MALE----	207	3	-	-	1	1	1	1	10	11	17	17
FEMALE--	186	3	3	-	-	-	-	2	1	3	5	3
ALL OTHER--MALE----	28	1	-	-	1	-	-	-	1	7	5	3
FEMALE--	17	2	-	-	-	-	-	1	4	2	-	-
BLACK---MALE----	18	-	-	-	1	-	-	-	1	5	4	2
FEMALE--	10	1	-	-	-	-	-	1	3	2	-	-
MISSISSIPPI -----	571	13	3	4	-	4	11	16	35	44	40	33
WHITE-----MALE----	153	1	-	2	-	-	-	2	7	12	15	7
FEMALE--	125	1	1	-	-	-	1	1	3	2	5	4
ALL OTHER--MALE----	182	8	1	1	-	1	5	10	16	22	17	18
FEMALE--	111	3	1	1	-	3	5	3	9	8	3	4
BLACK---MALE----	181	8	1	1	-	1	5	10	16	22	17	18
FEMALE--	109	3	1	1	-	3	5	3	9	7	3	4
MISSOURI -----	939	8	3	4	3	6	3	26	42	55	43	54
WHITE-----MALE----	363	2	2	2	1	1	-	7	25	24	23	30
FEMALE--	339	2	-	1	1	3	1	1	2	8	3	6
ALL OTHER--MALE----	142	2	-	1	1	2	2	12	13	23	10	13
FEMALE--	95	2	1	-	-	-	-	6	2	-	7	5
BLACK---MALE----	140	2	-	1	1	2	2	12	13	23	10	13
FEMALE--	92	2	1	-	-	-	-	6	2	-	7	5
MONTANA -----	91	3	1	1	-	1	-	-	3	8	1	2
WHITE-----MALE----	41	1	1	-	-	1	-	-	1	6	-	2
FEMALE--	42	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	1	1	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	192	2	2	1	-	-	2	2	9	12	11	10
WHITE-----MALE----	83	1	1	-	-	-	-	1	6	8	5	3
FEMALE--	88	1	1	1	-	-	1	-	1	1	4	4
ALL OTHER--MALE----	14	-	-	-	-	-	1	1	1	3	1	2
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	13	-	-	-	-	-	1	1	-	3	1	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	1
NEVADA -----	360	2	5	-	1	1	2	10	20	34	23	17
WHITE-----MALE----	177	1	3	-	-	-	2	3	16	24	10	8
FEMALE--	133	1	2	-	-	-	-	5	2	3	4	5
ALL OTHER--MALE----	31	-	-	-	1	-	-	1	2	4	7	3
FEMALE--	19	-	-	-	-	1	-	1	-	3	2	1
BLACK---MALE----	26	-	-	-	1	-	-	1	2	4	7	3
FEMALE--	14	-	-	-	-	1	-	1	-	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 14
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
MINNESOTA -----	9	18	21	44	39	53	44	55	31	13	2	-
WHITE-----MALE----	4	9	12	21	20	28	19	21	7	4	-	-
FEMALE--	4	6	7	19	15	24	25	33	22	9	2	-
ALL OTHER--MALE----	1	2	2	2	2	-	-	-	1	-	-	-
FEMALE--	-	1	-	2	2	1	-	1	1	-	-	-
BLACK---MALE----	-	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
MISSISSIPPI -----	30	38	28	35	42	48	58	47	31	9	2	-
WHITE-----MALE----	9	11	10	11	15	18	15	11	7	-	-	-
FEMALE--	3	7	7	9	12	16	18	19	13	2	1	-
ALL OTHER--MALE----	13	10	7	9	6	11	15	7	4	1	-	-
FEMALE--	5	10	4	6	9	3	10	10	7	6	1	-
BLACK---MALE----	13	10	7	9	5	11	15	7	4	1	-	-
FEMALE--	5	10	4	5	9	3	10	10	7	6	1	-
MISSOURI -----	51	45	54	59	89	92	103	104	67	26	2	-
WHITE-----MALE----	20	22	24	27	38	35	37	23	17	2	1	-
FEMALE--	14	9	21	18	35	33	51	68	44	18	-	-
ALL OTHER--MALE----	8	6	6	5	5	10	8	8	3	4	-	-
FEMALE--	9	8	3	9	11	14	7	5	3	2	1	-
BLACK---MALE----	7	5	6	5	5	10	8	8	3	4	-	-
FEMALE--	9	7	3	9	11	12	7	5	3	2	1	-
MONTANA -----	4	2	5	6	8	9	18	11	2	5	1	-
WHITE-----MALE----	3	-	2	5	6	4	6	3	-	-	-	-
FEMALE--	1	2	2	1	2	4	12	8	2	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	7	6	9	18	30	25	22	13	1	-	-
WHITE-----MALE----	3	5	1	5	12	13	6	10	3	-	-	-
FEMALE--	6	1	3	3	6	13	19	12	10	1	-	-
ALL OTHER--MALE----	-	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	-	-	-	-	-	-
BLACK---MALE----	-	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
NEVADA -----	23	15	22	36	27	47	35	24	10	6	-	-
WHITE-----MALE----	17	7	12	14	11	21	19	7	2	-	-	-
FEMALE--	4	6	5	19	13	24	15	15	6	4	-	-
ALL OTHER--MALE----	2	1	4	2	-	2	-	2	-	-	-	-
FEMALE--	-	1	1	1	3	-	1	-	2	2	-	-
BLACK---MALE----	1	1	2	1	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	1	3	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 16
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
OHIO -----	1,854	25	6	3	5	8	7	25	84	89	90	91
WHITE-----MALE----	743	4	4	1	3	1	1	10	44	35	47	44
FEMALE--	709	12	2	1	2	4	2	2	8	11	9	16
ALL OTHER--MALE----	208	5	-	1	-	3	3	9	22	29	23	21
FEMALE--	194	4	-	-	-	-	1	4	10	14	11	10
BLACK---MALE----	203	5	-	1	-	3	3	9	21	28	23	20
FEMALE--	188	3	-	-	-	-	1	4	9	13	10	10
OKLAHOMA -----	622	8	2	3	2	1	2	7	30	47	39	41
WHITE-----MALE----	273	6	1	1	1	-	1	3	14	28	28	25
FEMALE--	265	-	1	2	1	1	1	3	7	13	4	11
ALL OTHER--MALE----	48	1	-	-	-	-	-	1	8	3	5	5
FEMALE--	36	1	-	-	-	-	-	-	1	3	2	-
BLACK---MALE----	32	1	-	-	-	-	-	1	5	2	4	4
FEMALE--	24	1	-	-	-	-	-	-	1	2	1	-
OREGON -----	374	9	3	2	-	-	2	6	19	20	32	30
WHITE-----MALE----	210	6	2	1	-	-	1	4	15	17	19	27
FEMALE--	146	1	1	1	-	-	1	1	4	2	9	1
ALL OTHER--MALE----	13	2	-	-	-	-	-	-	-	1	2	2
FEMALE--	5	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	8	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
PENNSYLVANIA -----	3,220	21	12	2	3	8	18	45	113	175	194	166
WHITE-----MALE----	1,170	12	5	-	2	6	2	11	48	71	68	62
FEMALE--	1,279	3	2	1	1	1	7	7	16	18	27	26
ALL OTHER--MALE----	432	3	3	1	-	-	6	12	36	63	65	55
FEMALE--	339	3	2	-	-	1	3	15	13	23	34	23
BLACK---MALE----	423	3	3	1	-	-	6	11	36	63	65	55
FEMALE--	332	3	2	-	-	1	3	15	13	23	33	23
RHODE ISLAND -----	203	2	2	-	-	3	4	2	5	16	12	21
WHITE-----MALE----	86	2	2	-	-	2	1	1	3	12	6	12
FEMALE--	90	-	-	-	-	1	1	-	1	1	1	3
ALL OTHER--MALE----	17	-	-	-	-	-	1	-	1	-	4	6
FEMALE--	10	-	-	-	-	-	1	1	-	3	1	-
BLACK---MALE----	13	-	-	-	-	-	1	-	1	-	4	4
FEMALE--	8	-	-	-	-	-	1	1	-	3	1	-
SOUTH CAROLINA -----	890	17	7	1	1	1	8	38	74	82	85	80
WHITE-----MALE----	209	4	1	-	-	-	1	6	16	15	21	16
FEMALE--	195	-	2	-	-	-	1	3	3	1	5	7
ALL OTHER--MALE----	311	8	2	-	1	1	2	18	38	48	45	40
FEMALE--	175	5	2	1	-	-	4	11	17	18	14	17
BLACK---MALE----	311	8	2	-	1	1	2	18	38	48	45	40
FEMALE--	174	5	2	1	-	-	4	11	17	18	14	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 16
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
OHIO -----	62	74	101	109	199	223	228	225	150	36	14	-
WHITE-----MALE----	31	23	48	48	80	97	97	78	41	5	1	-
FEMALE--	12	27	30	43	80	100	106	118	85	28	11	-
ALL OTHER--MALE----	11	11	10	11	18	9	5	8	9	-	-	-
FEMALE--	8	13	13	7	21	17	20	21	15	3	2	-
BLACK---MALE----	11	11	9	11	18	9	4	8	9	-	-	-
FEMALE--	8	13	12	7	21	17	19	21	15	3	2	-
OKLAHOMA -----	32	27	30	32	60	57	79	72	34	14	3	-
WHITE-----MALE----	16	12	15	15	28	21	27	19	7	4	1	-
FEMALE--	9	10	10	13	25	33	44	47	21	7	2	-
ALL OTHER--MALE----	5	1	4	2	3	2	3	2	2	1	-	-
FEMALE--	2	4	1	2	4	1	5	4	4	2	-	-
BLACK---MALE----	5	1	2	2	2	1	-	1	1	-	-	-
FEMALE--	1	-	1	1	4	-	5	2	4	1	-	-
OREGON -----	24	15	18	26	34	43	42	30	11	7	1	-
WHITE-----MALE----	13	8	11	15	15	23	12	15	4	1	1	-
FEMALE--	10	7	6	7	19	19	29	15	7	6	-	-
ALL OTHER--MALE----	-	-	1	3	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	111	128	137	199	316	394	450	391	251	72	13	1
WHITE-----MALE----	40	48	52	72	137	171	165	121	64	10	2	1
FEMALE--	25	39	46	83	124	176	237	215	162	54	9	-
ALL OTHER--MALE----	33	26	24	22	25	20	16	13	7	1	1	-
FEMALE--	13	15	15	22	30	27	32	42	18	7	1	-
BLACK---MALE----	32	26	22	22	25	17	16	12	7	-	1	-
FEMALE--	13	15	13	21	30	25	32	42	17	7	1	-
RHODE ISLAND -----	9	8	8	7	16	20	31	18	12	3	4	-
WHITE-----MALE----	2	-	6	3	8	10	8	2	4	2	-	-
FEMALE--	5	5	2	4	7	9	21	16	8	1	4	-
ALL OTHER--MALE----	1	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	50	34	37	52	60	87	84	55	23	8	6	-
WHITE-----MALE----	14	6	14	12	24	28	19	9	2	1	-	-
FEMALE--	7	4	8	13	21	30	36	33	16	4	1	-
ALL OTHER--MALE----	22	12	12	22	7	13	12	6	-	1	1	-
FEMALE--	7	12	3	5	8	16	17	7	5	2	4	-
BLACK---MALE----	22	12	12	22	7	13	12	6	-	1	1	-
FEMALE--	7	11	3	5	8	16	17	7	5	2	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 17
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
SOUTH DAKOTA -----	58	-	-	-	-	-	-	-	1	4	1	4
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	3	-	3
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	963	18	3	1	2	5	9	39	79	85	73	66
WHITE-----MALE----	320	4	1	-	-	2	-	12	20	36	21	32
FEMALE--	303	2	-	1	2	-	4	1	6	7	12	12
ALL OTHER--MALE----	218	4	2	-	-	1	2	18	41	28	36	14
FEMALE--	122	8	-	-	-	2	3	8	12	14	4	8
BLACK---MALE----	217	4	2	-	-	1	2	17	41	28	36	14
FEMALE--	117	8	-	-	-	2	3	8	12	14	4	7
TEXAS -----	3,765	75	36	14	8	17	40	139	307	363	351	267
WHITE-----MALE----	1,710	31	16	5	-	12	15	63	170	199	200	141
FEMALE--	1,132	28	14	6	6	2	5	12	31	39	39	37
ALL OTHER--MALE----	573	11	2	2	1	1	8	42	77	94	82	58
FEMALE--	350	5	4	1	1	2	12	22	29	31	30	31
BLACK---MALE----	547	11	2	2	1	1	7	42	75	91	78	58
FEMALE--	325	5	3	1	1	2	12	21	29	30	28	27
UTAH -----	182	4	4	1	-	1	4	2	10	8	7	17
WHITE-----MALE----	89	4	-	-	-	1	3	1	3	6	6	12
FEMALE--	81	-	3	-	-	-	1	-	4	2	-	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	2	-	1	1
FEMALE--	6	-	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	51	-	1	1	-	-	-	-	-	3	4	3
WHITE-----MALE----	23	-	1	-	-	-	-	-	-	3	3	2
FEMALE--	27	-	-	1	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,411	23	6	3	3	7	11	36	73	104	95	59
WHITE-----MALE----	412	7	3	-	1	2	3	12	20	34	26	16
FEMALE--	438	2	1	-	-	4	3	2	3	8	9	2
ALL OTHER--MALE----	326	11	2	2	-	1	1	12	36	46	39	30
FEMALE--	235	3	-	1	2	-	4	10	14	16	21	11
BLACK---MALE----	314	11	2	1	-	1	1	12	36	46	39	29
FEMALE--	228	3	-	1	2	-	4	10	13	16	20	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 17
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
SOUTH DAKOTA -----	2	4	4	5	7	3	5	12	2	4	-	-
WHITE-----MALE----	1	3	3	4	3	2	3	3	2	-	-	-
FEMALE--	1	1	1	1	3	1	2	8	-	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	50	49	55	55	87	79	82	81	32	11	2	-
WHITE-----MALE----	17	15	23	27	28	25	27	24	4	2	-	-
FEMALE--	12	18	14	17	37	38	44	43	24	8	1	-
ALL OTHER--MALE----	13	7	16	6	11	9	3	7	-	-	-	-
FEMALE--	8	9	2	5	11	7	8	7	4	1	1	-
BLACK---MALE----	13	7	16	6	11	9	3	7	-	-	-	-
FEMALE--	6	8	2	4	11	7	8	7	4	1	1	-
TEXAS -----	163	165	196	234	287	309	304	271	164	45	10	-
WHITE-----MALE----	77	75	83	120	125	131	109	87	44	5	2	-
FEMALE--	34	55	70	76	109	129	150	146	102	35	7	-
ALL OTHER--MALE----	34	20	23	24	29	23	18	16	6	2	-	-
FEMALE--	18	15	20	14	24	26	27	22	12	3	1	-
BLACK---MALE----	30	18	22	23	26	21	16	15	6	2	-	-
FEMALE--	17	14	18	13	23	21	25	20	11	3	1	-
UTAH -----	13	5	12	12	17	19	15	18	8	3	2	-
WHITE-----MALE----	10	2	9	4	7	7	7	4	3	-	-	-
FEMALE--	2	2	2	8	10	12	8	14	5	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	3	4	4	6	4	7	3	3	1	-
WHITE-----MALE----	2	-	2	1	2	2	1	3	-	-	1	-
FEMALE--	2	-	1	3	2	3	3	4	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VIRGINIA -----	71	50	64	93	114	146	159	167	85	29	11	2
WHITE-----MALE----	24	14	16	37	38	51	50	34	15	7	-	2
FEMALE--	11	10	24	30	32	55	71	89	55	19	8	-
ALL OTHER--MALE----	26	14	16	17	19	18	13	17	4	1	1	-
FEMALE--	10	12	8	9	25	22	25	27	11	2	2	-
BLACK---MALE----	26	11	16	15	19	16	13	15	3	1	1	-
FEMALE--	8	11	8	9	23	22	25	27	11	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 19

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INTESTINAL INFECTIOUS DISEASES (001-009)												
UNITED STATES --	1,088	204	21	3	5	-	4	4	8	15	12	12
WHITE-----MALE----	375	67	9	1	4	-	3	3	-	3	5	4
FEMALE--	526	49	5	2	-	-	-	-	3	4	3	4
ALL OTHER--MALE----	100	53	6	-	1	-	-	-	2	5	4	3
FEMALE--	87	35	1	-	-	-	1	1	3	3	-	1
BLACK---MALE----	88	48	5	-	1	-	-	-	2	5	3	3
FEMALE--	78	35	-	-	-	-	1	-	3	3	-	1
ALABAMA -----	15	5	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	1	1	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	138	16	2	-	1	-	-	1	3	2	1	2
WHITE-----MALE----	44	4	2	-	1	-	-	1	-	1	-	1
FEMALE--	75	9	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	11	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	1	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 19

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
UNITED STATES --	21	16	26	60	86	140	182	140	97	28	4	-
WHITE-----MALE----	9	5	11	25	38	62	63	32	27	4	-	-
FEMALE--	5	7	9	27	36	70	110	100	65	23	4	-
ALL OTHER--MALE----	1	2	3	2	4	3	5	4	2	-	-	-
FEMALE--	6	2	3	6	8	5	4	4	3	1	-	-
BLACK---MALE----	-	2	1	2	4	2	5	3	2	-	-	-
FEMALE--	4	2	3	4	6	4	4	4	3	1	-	-
ALABAMA -----	-	-	-	1	1	-	1	1	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	3	2	-	1	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	2	-	-	-
FEMALE--	-	1	-	1	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	1	-	1	1	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	2	5	10	10	17	24	25	11	2	-	-
WHITE-----MALE----	1	-	1	4	4	8	10	4	2	-	-	-
FEMALE--	-	1	2	5	4	7	13	20	9	2	-	-
ALL OTHER--MALE----	1	1	2	-	1	1	1	1	-	-	-	-
FEMALE--	2	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 20

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INTESTINAL INFECTIOUS DISEASES (001-009)												
COLORADO -----	19	2	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	16	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	5	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	42	17	1	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	13	4	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	7	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	6	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	16	6	1	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 20

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
COLORADO -----	-	-	-	-	4	6	5	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	1	4	1	-	-	-	-
FEMALE--	-	-	-	-	1	5	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	1	1	3	3	2	1	1	1	-	-
WHITE-----MALE----	-	2	1	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
FLORIDA -----	1	1	2	1	2	5	8	3	-	-	-	-
WHITE-----MALE----	-	-	2	1	1	1	3	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	1	1	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 21

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
HAWAII -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	-	-	1	6	7	5	7	4	2	-	-
WHITE-----MALE----	-	-	-	-	3	2	-	2	1	-	-	-
FEMALE--	-	-	-	1	3	5	5	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
INDIANA -----	1	-	-	-	1	4	4	1	1	1	-	-
WHITE-----MALE----	1	-	-	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	4	4	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	1	3	2	3	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 22

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
KENTUCKY -----	-	1	-	-	-	4	4	1	3	-	1	-
WHITE-----MALE----	-	1	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	1	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	2	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	1	-	5	6	6	2	1	2	-	-
WHITE-----MALE----	1	-	-	-	2	2	1	-	-	1	-	-
FEMALE--	-	-	-	-	2	4	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	1	-	-	-	-
MASSACHUSETTS -----	2	-	2	4	1	14	13	7	7	4	1	-
WHITE-----MALE----	-	-	1	1	-	7	6	3	1	1	-	-
FEMALE--	2	-	-	3	1	7	6	4	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
MICHIGAN -----	1	-	-	3	3	4	5	4	4	1	-	-
WHITE-----MALE----	-	-	-	2	3	2	1	-	2	-	-	-
FEMALE--	-	-	-	1	-	2	4	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 26

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	-	1	1	1	3	4	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	4	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	1	-	5	6	2	10	3	7	1	-	-
WHITE-----MALE----	-	-	-	3	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	3	1	8	3	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
UTAH -----	-	-	-	-	1	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	2	1	4	4	4	1	-	-	-
WHITE-----MALE----	1	1	-	2	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 46

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)												
UNITED STATES --	59	4	1	1	-	-	2	-	2	4	1	3
WHITE-----MALE----	31	2	1	-	-	-	2	-	-	2	-	1
FEMALE--	14	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	7	2	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	2	1	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	8	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 47
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)												
COLORADO -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	6	2	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 64

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
UNITED STATES --	12	13	19	37	68	109	140	115	89	26	3	-
WHITE-----MALE----	4	3	8	14	32	44	45	24	24	4	-	-
FEMALE--	3	6	7	16	27	58	88	85	60	21	3	-
ALL OTHER--MALE----	1	2	2	1	4	2	5	3	2	-	-	-
FEMALE--	4	2	2	6	5	5	2	3	3	1	-	-
BLACK---MALE----	-	2	-	1	4	1	5	3	2	-	-	-
FEMALE--	3	2	2	4	3	4	2	3	3	1	-	-
ALABAMA -----	-	-	-	1	1	-	1	1	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	2	1	-	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	2	4	7	8	13	18	20	9	1	-	-
WHITE-----MALE----	-	-	1	2	3	6	5	4	1	-	-	-
FEMALE--	-	1	1	4	3	5	12	15	8	1	-	-
ALL OTHER--MALE----	1	1	2	-	1	1	1	1	-	-	-	-
FEMALE--	2	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 65

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
COLORADO -----	-	-	-	-	4	6	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	5	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	1	1	2	2	1	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
FLORIDA -----	1	1	-	-	2	4	5	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 66

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
HAWAII -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	-	-	1	5	7	3	7	4	2	-	-
WHITE-----MALE----	-	-	-	-	3	2	-	2	1	-	-	-
FEMALE--	-	-	-	1	2	5	3	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
INDIANA -----	-	-	-	-	-	4	3	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	4	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	1	3	2	3	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 67

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
KENTUCKY -----	-	-	-	-	-	3	4	1	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	1	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	4	5	4	1	1	2	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	4	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	1	-	2	3	1	13	11	7	7	4	1	-
WHITE-----MALE----	-	-	1	1	-	6	6	3	1	1	-	-
FEMALE--	1	-	-	2	1	7	5	4	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	1	2	3	4	4	3	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 71

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	-	-	1	1	3	4	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	4	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	3	3	-	6	2	7	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	5	2	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
UTAH -----	-	-	-	-	1	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	1	-	4	4	3	1	-	-	-
WHITE-----MALE----	1	1	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 73

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ILL-DEFINED INTESTINAL INFECTIONS (009)												
UNITED STATES --	337	192	8	-	2	-	2	3	-	1	3	2
WHITE-----MALE----	122	63	-	-	2	-	1	2	-	-	3	1
FEMALE--	116	45	3	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	57	51	5	-	-	-	-	-	-	-	-	-
FEMALE--	42	33	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	52	46	5	-	-	-	-	-	-	-	-	-
FEMALE--	41	33	-	-	-	-	1	-	-	1	-	-
ALABAMA -----	5	5	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	33	15	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	9	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 80

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ILL-DEFINED INTESTINAL INFECTIONS (009)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	1	-	1	3	2	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 82
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
UNITED STATES --	1,166	-	4	1	-	3	11	12	24	39	42	64
WHITE-----MALE----	380	-	1	-	-	2	1	2	7	11	15	15
FEMALE--	315	-	2	1	-	-	4	1	3	8	1	6
ALL OTHER--MALE----	282	-	-	-	-	1	2	7	8	11	21	24
FEMALE--	189	-	1	-	-	-	4	2	6	9	5	19
BLACK---MALE----	204	-	-	-	-	-	2	6	7	8	17	19
FEMALE--	138	-	1	-	-	-	4	2	5	8	5	13
ALABAMA -----	23	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	-	-	-	-	-	-	1	-	1	1	1
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	18	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	190	-	1	-	-	-	3	1	6	6	7	13
WHITE-----MALE----	59	-	-	-	-	-	-	-	2	4	5	3
FEMALE--	51	-	1	-	-	-	3	-	1	1	-	2
ALL OTHER--MALE----	45	-	-	-	-	-	-	1	1	1	2	4
FEMALE--	35	-	-	-	-	-	-	-	2	-	-	4
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 82

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
UNITED STATES --	61	73	84	90	144	163	190	97	52	11	1	-
WHITE-----MALE----	18	25	34	28	44	52	67	37	18	3	-	-
FEMALE--	8	14	13	20	50	60	71	29	21	3	-	-
ALL OTHER--MALE----	23	25	22	24	30	25	31	19	5	3	1	-
FEMALE--	12	9	15	18	20	26	21	12	8	2	-	-
BLACK---MALE----	21	19	17	18	23	15	18	10	3	1	-	-
FEMALE--	11	6	10	11	13	16	15	10	7	1	-	-
ALABAMA -----	1	3	-	-	1	5	6	3	1	2	-	-
WHITE-----MALE----	-	1	-	-	-	4	-	1	1	-	-	-
FEMALE--	-	2	-	-	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	1	-	1	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	2	1	-	1	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	1	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	3	3	2	8	-	2	2	-	-
WHITE-----MALE----	-	-	-	2	1	1	4	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	2	3	5	3	3	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	3	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	14	8	21	12	27	26	23	15	6	-	1	-
WHITE-----MALE----	6	6	10	3	8	3	5	2	2	-	-	-
FEMALE--	3	-	4	5	7	11	7	4	2	-	-	-
ALL OTHER--MALE----	4	2	4	-	7	5	5	7	1	-	1	-
FEMALE--	1	-	3	4	5	7	6	2	1	-	-	-
BLACK---MALE----	3	1	1	-	3	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	4	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 83
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
COLORADO -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	79	-	-	-	-	-	2	-	2	3	4	7
WHITE-----MALE----	30	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	22	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	1	-	1	-	-	3
FEMALE--	9	-	-	-	-	-	1	-	-	-	3	2
BLACK---MALE----	18	-	-	-	-	-	1	-	1	-	-	3
FEMALE--	9	-	-	-	-	-	1	-	-	-	3	2
GEORGIA -----	42	-	-	-	-	-	-	2	1	2	3	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	17	-	-	-	-	-	-	1	1	2	1	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 83

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
COLORADO -----	-	-	1	-	2	1	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	1	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
FLORIDA -----	5	8	5	5	9	7	16	4	2	-	-	-
WHITE-----MALE----	3	2	2	1	1	2	10	3	1	-	-	-
FEMALE--	1	3	-	-	5	4	5	1	1	-	-	-
ALL OTHER--MALE----	1	3	3	1	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	3	1	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
GEORGIA -----	2	2	3	1	9	6	2	3	3	-	-	-
WHITE-----MALE----	-	-	2	-	3	2	-	2	2	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	3	3	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	2	-	1	-	-	-
BLACK---MALE----	1	2	-	1	3	3	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 85

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
KENTUCKY -----	3	3	1	2	2	2	6	5	3	-	-	-
WHITE-----MALE----	1	1	-	2	1	-	1	2	2	-	-	-
FEMALE--	1	1	1	-	1	2	5	3	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	2	1	2	3	4	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	2	4	2	2	5	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	3	1	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	3	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	1	-	-	-	-
MASSACHUSETTS -----	1	-	-	2	2	-	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	7	2	1	3	4	6	7	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	2	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	3	-	-	2	1	2	2	1	-	-	-	-
BLACK---MALE----	3	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	3	-	-	2	1	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 88

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
OHIO -----	1	2	3	1	5	5	5	3	1	-	-	-
WHITE-----MALE----	-	1	2	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	1	3	3	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
OKLAHOMA -----	-	1	2	3	1	4	4	2	2	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	-	2	-	-	1	-	4	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	4	5	7	5	9	1	4	1	-	-
WHITE-----MALE----	-	-	1	1	-	3	5	-	3	-	-	-
FEMALE--	-	-	1	2	4	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	2	-	1	1	-	1	-	-
FEMALE--	1	-	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	2	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	1	1	3	1	7	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	4	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	1	-	1	1	1	-	4	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 89
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	47	-	-	-	-	-	1	1	2	1	1	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	2	-	1	-
FEMALE--	8	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	1	2	-	1	-
FEMALE--	7	-	-	-	-	-	1	-	-	1	-	-
TEXAS -----	121	-	2	-	-	1	2	2	2	5	4	6
WHITE-----MALE----	45	-	-	-	-	1	-	1	1	-	2	1
FEMALE--	40	-	1	-	-	-	-	1	1	2	1	-
ALL OTHER--MALE----	23	-	-	-	-	-	1	-	-	3	1	2
FEMALE--	13	-	1	-	-	-	1	-	-	-	-	3
BLACK---MALE----	20	-	-	-	-	-	1	-	-	2	1	2
FEMALE--	9	-	1	-	-	-	1	-	-	-	-	1
UTAH -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 89

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	3	3	3	5	5	8	8	1	-	-	-
WHITE-----MALE----	2	-	3	1	1	1	5	4	-	-	-	-
FEMALE--	-	2	-	-	2	2	3	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	2	2	1	-	2	-	-	-	-
FEMALE--	2	1	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	1	-	-	2	2	1	-	2	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	2	-	-	-	-
TEXAS -----	5	10	9	12	10	25	12	8	6	-	-	-
WHITE-----MALE----	2	6	3	6	5	7	5	4	1	-	-	-
FEMALE--	-	1	4	3	4	12	4	2	4	-	-	-
ALL OTHER--MALE----	2	3	2	2	1	2	2	2	-	-	-	-
FEMALE--	1	-	-	1	-	4	1	-	1	-	-	-
BLACK---MALE----	2	3	2	2	-	2	1	2	-	-	-	-
FEMALE--	1	-	-	1	-	2	1	-	1	-	-	-
UTAH -----	1	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	3	1	1	2	-	-	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 91

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
UNITED STATES --	44	49	63	63	113	124	151	82	42	11	1	-
WHITE-----MALE----	13	20	26	20	39	41	60	34	17	3	-	-
FEMALE--	6	6	8	13	36	45	52	24	18	3	-	-
ALL OTHER--MALE----	18	18	20	19	26	21	25	17	3	3	1	-
FEMALE--	7	5	9	11	12	17	14	7	4	2	-	-
BLACK---MALE----	16	13	16	15	20	13	15	8	2	1	-	-
FEMALE--	7	4	5	7	6	12	10	6	4	1	-	-
ALABAMA -----	-	1	-	-	1	4	4	2	1	2	-	-
WHITE-----MALE----	-	1	-	-	-	3	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	2	2	6	-	2	2	-	-
WHITE-----MALE----	-	-	-	-	1	1	3	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	2	2	3	3	2	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	6	15	8	23	14	16	14	5	-	1	-
WHITE-----MALE----	4	6	7	2	7	2	5	2	2	-	-	-
FEMALE--	1	-	2	3	4	5	4	4	2	-	-	-
ALL OTHER--MALE----	4	-	3	-	7	4	3	7	-	-	1	-
FEMALE--	-	-	3	3	5	3	4	1	1	-	-	-
BLACK---MALE----	3	-	1	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 92
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
COLORADO -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	62	-	-	-	-	-	1	-	2	1	2	6
WHITE-----MALE----	28	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	16	-	-	-	-	-	1	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	2
GEORGIA -----	33	-	-	-	-	-	-	2	-	2	2	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 92
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
COLORADO -----	-	-	-	-	1	1	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
FLORIDA -----	5	5	5	3	7	4	15	4	2	-	-	-
WHITE-----MALE----	3	2	2	-	1	1	10	3	1	-	-	-
FEMALE--	1	1	-	-	3	2	4	1	1	-	-	-
ALL OTHER--MALE----	1	2	3	1	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	3	1	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
GEORGIA -----	2	2	3	1	6	5	2	3	2	-	-	-
WHITE-----MALE----	-	-	2	-	2	2	-	2	2	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	2	3	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	2	-	1	2	3	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 94

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
KENTUCKY -----	3	2	-	1	2	2	5	4	3	-	-	-
WHITE-----MALE----	1	1	-	1	1	-	1	1	2	-	-	-
FEMALE--	1	1	-	-	1	2	4	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	2	1	1	3	4	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	4	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	2	-	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	5	1	-	2	2	6	6	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	3	-	-	1	-	2	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	3	-	-	1	-	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 97

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
OHIO -----	1	1	2	1	3	3	4	3	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	2	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	2	2	1	4	2	1	2	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	-	2	-	-	1	-	2	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	2	4	5	5	7	1	4	1	-	-
WHITE-----MALE----	-	-	1	1	-	3	4	-	3	-	-	-
FEMALE--	-	-	-	2	2	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	1	-	1	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	1	2	1	5	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 100
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER TUBERCULOSIS (013-018)												
UNITED STATES --	291	-	2	-	-	1	8	5	8	14	10	20
WHITE-----MALE----	71	-	1	-	-	-	1	1	1	5	4	5
FEMALE--	92	-	1	-	-	-	4	-	1	5	-	3
ALL OTHER--MALE----	54	-	-	-	-	1	-	3	3	1	3	6
FEMALE--	74	-	-	-	-	-	3	1	3	3	3	6
BLACK---MALE----	39	-	-	-	-	-	-	3	2	1	2	5
FEMALE--	53	-	-	-	-	-	3	1	2	2	3	4
ALABAMA -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	53	-	-	-	-	-	3	-	2	2	2	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	22	-	-	-	-	-	3	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 100

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER TUBERCULOSIS (013-018)												
UNITED STATES --	17	24	21	27	31	39	39	15	10	-	-	-
WHITE-----MALE----	5	5	8	8	5	11	7	3	1	-	-	-
FEMALE--	2	8	5	7	14	15	19	5	3	-	-	-
ALL OTHER--MALE----	5	7	2	5	4	4	6	2	2	-	-	-
FEMALE--	5	4	6	7	8	9	7	5	4	-	-	-
BLACK---MALE----	5	6	1	3	3	2	3	2	1	-	-	-
FEMALE--	4	2	5	4	7	4	5	4	3	-	-	-
ALABAMA -----	1	2	-	-	-	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	2	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	2	6	4	4	12	7	1	1	-	-	-
WHITE-----MALE----	2	-	3	1	1	1	-	-	-	-	-	-
FEMALE--	2	-	2	2	3	6	3	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	1	2	-	1	-	-	-
FEMALE--	1	-	-	1	-	4	2	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 101
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER TUBERCULOSIS (013-018)												
COLORADO -----	-	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	-	3	-	2	2	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	3	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 103
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER TUBERCULOSIS (013-018)												
KENTUCKY -----	-	1	1	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	2	-	-	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	1	-	-	-	-
MASSACHUSETTS -----	1	-	-	2	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	1	1	2	-	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 106

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER TUBERCULOSIS (013-018)												
OHIO -----	-	1	1	-	2	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	1	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	2	1	2	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	-	-	1	-	2	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 107
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER TUBERCULOSIS (013-018)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	21	-	1	-	-	-	1	1	1	2	-	2
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	8	-	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 107

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER TUBERCULOSIS (013-018)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	1	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	4	1	2	1	2	1	2	-	-	-	-
WHITE-----MALE----	-	2	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	-	-	1	-	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 109

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOO NOTIC AND OTHER BACTERIAL DISEASES (020-041)												
UNITED STATES --	23,801	269	125	56	39	89	76	108	184	316	408	587
WHITE-----MALE----	8,179	101	51	20	10	35	25	33	60	102	134	215
FEMALE--	10,789	75	36	22	16	29	22	27	61	85	116	162
ALL OTHER--MALE----	2,171	60	16	6	7	14	15	22	33	59	85	115
FEMALE--	2,662	33	22	8	6	11	14	26	30	70	73	95
BLACK---MALE----	1,998	57	14	6	7	10	13	19	30	59	79	106
FEMALE--	2,476	30	20	5	5	9	14	25	26	67	71	87
ALABAMA -----	556	2	1	1	1	3	1	1	3	8	13	10
WHITE-----MALE----	163	-	-	-	-	1	-	1	1	1	5	5
FEMALE--	211	1	-	1	1	1	1	-	-	1	3	1
ALL OTHER--MALE----	66	1	1	-	-	-	-	-	1	2	1	3
FEMALE--	116	-	-	-	-	1	-	-	1	4	4	1
BLACK---MALE----	66	1	1	-	-	-	-	-	1	2	1	3
FEMALE--	116	-	-	-	-	1	-	-	1	4	4	1
ALASKA -----	18	2	-	-	-	2	-	-	-	-	-	2
WHITE-----MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	309	9	3	1	1	3	4	5	2	3	12	10
WHITE-----MALE----	140	3	3	-	-	1	2	1	1	1	9	2
FEMALE--	126	5	-	1	1	-	1	2	1	1	2	5
ALL OTHER--MALE----	25	-	-	-	-	1	1	2	-	1	1	3
FEMALE--	18	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	1	-	1	-	1	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	392	2	2	1	-	4	-	2	2	4	9	9
WHITE-----MALE----	141	2	1	-	-	2	-	1	-	1	1	2
FEMALE--	168	-	-	-	-	-	-	-	1	1	4	5
ALL OTHER--MALE----	29	-	-	1	-	-	-	1	-	-	-	2
FEMALE--	54	-	1	-	-	2	-	-	1	2	4	-
BLACK---MALE----	29	-	-	1	-	-	-	1	-	-	-	2
FEMALE--	54	-	1	-	-	2	-	-	1	2	4	-
CALIFORNIA -----	646	17	13	6	3	5	7	7	5	17	13	20
WHITE-----MALE----	251	5	6	3	-	1	3	1	2	8	8	11
FEMALE--	289	7	5	1	2	2	2	4	3	3	3	5
ALL OTHER--MALE----	54	2	1	-	-	2	2	2	-	3	1	2
FEMALE--	52	3	1	2	1	-	-	-	-	3	1	2
BLACK---MALE----	31	1	-	-	-	1	2	1	-	3	1	2
FEMALE--	23	1	1	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 109

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
UNITED STATES STATES --	705	844	1,155	1,784	2,645	3,439	3,903	3,734	2,352	819	163	1
WHITE-----MALE----	257	284	461	712	1,090	1,412	1,368	1,115	537	140	16	1
FEMALE--	225	288	364	649	982	1,421	1,969	2,074	1,489	563	114	-
ALL OTHER--MALE----	131	124	166	230	281	279	221	180	93	27	7	-
FEMALE--	92	148	164	193	292	327	345	365	233	89	26	-
BLACK---MALE----	124	112	154	217	260	256	200	162	83	23	7	-
FEMALE--	89	136	144	181	269	298	330	346	220	80	24	-
ALABAMA -----	16	18	19	56	65	87	104	74	57	13	3	-
WHITE-----MALE----	6	4	8	21	21	35	25	21	7	1	-	-
FEMALE--	4	4	3	16	24	26	49	31	33	10	1	-
ALL OTHER--MALE----	1	4	5	9	9	10	11	6	2	-	-	-
FEMALE--	5	6	3	10	11	16	19	16	15	2	2	-
BLACK---MALE----	1	4	5	9	9	10	11	6	2	-	-	-
FEMALE--	5	6	3	10	11	16	19	16	15	2	2	-
ALASKA -----	-	-	-	4	1	3	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	11	20	21	39	44	52	29	18	5	1	-
WHITE-----MALE----	7	5	12	13	15	19	27	12	6	1	-	-
FEMALE--	7	4	5	5	18	22	20	12	11	3	-	-
ALL OTHER--MALE----	2	2	2	2	3	2	1	2	-	-	-	-
FEMALE--	-	-	1	1	3	1	4	3	1	1	1	-
BLACK---MALE----	1	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	-	-	-	-
ARKANSAS -----	8	16	16	29	39	64	66	68	33	16	2	-
WHITE-----MALE----	3	9	8	18	18	26	21	20	7	1	-	-
FEMALE--	5	4	5	6	14	26	34	32	20	9	2	-
ALL OTHER--MALE----	-	-	3	2	3	7	2	3	2	3	-	-
FEMALE--	-	3	-	3	4	5	9	13	4	3	-	-
BLACK---MALE----	-	-	3	2	3	7	2	3	2	3	-	-
FEMALE--	-	3	-	3	4	5	9	13	4	3	-	-
CALIFORNIA -----	25	28	27	40	79	89	90	79	54	20	2	-
WHITE-----MALE----	7	7	10	16	29	42	39	32	18	3	-	-
FEMALE--	10	13	12	16	35	35	41	40	33	15	2	-
ALL OTHER--MALE----	5	2	3	6	9	5	4	2	2	1	-	-
FEMALE--	3	6	2	2	6	7	6	5	1	1	-	-
BLACK---MALE----	4	-	2	3	4	4	2	1	-	-	-	-
FEMALE--	1	4	-	2	3	2	3	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 110

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
COLORADO -----	212	4	-	-	1	2	-	1	2	4	5	6
WHITE-----MALE----	90	2	-	-	-	-	-	1	1	4	2	1
FEMALE--	109	1	-	-	-	2	-	-	1	-	3	4
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	379	3	1	-	-	1	1	2	1	4	6	7
WHITE-----MALE----	143	2	-	-	-	-	1	1	1	1	4	4
FEMALE--	206	-	1	-	-	1	-	-	-	2	2	-
ALL OTHER--MALE----	12	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	12	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	3
DELAWARE -----	106	-	-	-	-	-	1	1	-	1	2	6
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	47	-	-	-	-	-	1	1	-	1	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
DISTRICT OF COLUMBIA ----	155	3	1	-	-	-	1	-	2	1	3	9
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	55	1	-	-	-	-	1	-	1	1	-	6
FEMALE--	76	1	1	-	-	-	-	-	1	-	2	2
BLACK---MALE----	55	1	-	-	-	-	1	-	1	1	-	6
FEMALE--	75	1	1	-	-	-	-	-	-	-	2	2
FLORIDA -----	937	18	2	4	3	5	5	2	6	15	13	14
WHITE-----MALE----	371	4	-	2	2	1	2	1	2	6	4	6
FEMALE--	406	5	2	-	1	1	2	1	1	3	5	5
ALL OTHER--MALE----	86	5	-	1	-	2	1	-	1	2	4	2
FEMALE--	74	4	-	1	-	1	-	-	2	4	-	1
BLACK---MALE----	83	5	-	1	-	1	1	-	1	2	4	2
FEMALE--	71	4	-	1	-	1	-	-	2	4	-	1
GEORGIA -----	919	7	8	4	2	4	2	9	8	14	18	29
WHITE-----MALE----	227	1	2	-	-	2	-	2	1	1	5	3
FEMALE--	341	2	1	2	-	2	1	2	1	3	6	7
ALL OTHER--MALE----	155	3	2	-	2	-	-	1	3	4	5	7
FEMALE--	196	1	3	2	-	-	1	4	3	6	2	12
BLACK---MALE----	155	3	2	-	2	-	-	1	3	4	5	7
FEMALE--	194	1	3	2	-	-	1	4	3	6	2	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 110

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
COLORADO -----	5	7	9	23	23	30	30	28	22	9	1	-
WHITE-----MALE----	3	3	3	13	13	14	13	9	6	2	-	-
FEMALE--	-	4	5	8	10	14	17	19	15	5	1	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	1	1	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	1	-	-
CONNECTICUT -----	6	13	15	28	30	44	83	67	48	17	2	-
WHITE-----MALE----	3	4	7	11	16	20	32	19	13	4	-	-
FEMALE--	3	6	6	14	12	21	48	45	31	13	1	-
ALL OTHER--MALE----	-	1	1	-	1	2	2	2	-	-	-	-
FEMALE--	-	2	1	3	1	1	1	1	4	-	1	-
BLACK---MALE----	-	1	1	-	1	2	2	2	-	-	-	-
FEMALE--	-	2	1	3	1	1	1	1	4	-	1	-
DELAWARE -----	7	1	2	8	19	17	21	10	7	2	1	-
WHITE-----MALE----	1	1	1	4	7	10	7	1	1	-	-	-
FEMALE--	3	-	-	3	8	6	11	6	4	-	1	-
ALL OTHER--MALE----	2	-	1	-	4	-	1	2	-	-	-	-
FEMALE--	1	-	-	1	-	1	2	1	2	2	-	-
BLACK---MALE----	2	-	1	-	3	-	1	2	-	-	-	-
FEMALE--	1	-	-	1	-	1	2	1	2	2	-	-
DISTRICT OF COLUMBIA -----	5	7	13	10	19	19	21	26	12	3	-	-
WHITE-----MALE----	-	-	-	1	2	-	3	2	3	-	-	-
FEMALE--	1	-	-	-	-	1	1	5	1	1	-	-
ALL OTHER--MALE----	2	5	4	5	9	7	9	2	2	-	-	-
FEMALE--	2	2	9	4	8	11	8	17	6	2	-	-
BLACK---MALE----	2	5	4	5	9	7	9	2	2	-	-	-
FEMALE--	2	2	9	4	8	11	8	17	6	2	-	-
FLORIDA -----	24	28	44	54	99	155	157	144	107	33	5	-
WHITE-----MALE----	11	14	16	23	46	77	72	42	30	10	-	-
FEMALE--	8	4	17	20	35	52	67	86	66	22	3	-
ALL OTHER--MALE----	4	5	6	8	8	16	7	5	7	-	2	-
FEMALE--	1	5	5	3	10	10	11	11	4	1	-	-
BLACK---MALE----	4	5	6	8	8	16	6	4	7	-	2	-
FEMALE--	1	4	5	3	9	10	11	10	4	1	-	-
GEORGIA -----	44	39	56	77	82	130	146	133	80	23	3	1
WHITE-----MALE----	8	10	13	23	31	35	39	36	11	3	-	1
FEMALE--	12	11	13	19	26	47	58	68	43	14	3	-
ALL OTHER--MALE----	15	10	17	19	15	22	15	7	7	1	-	-
FEMALE--	9	8	13	16	10	26	34	22	19	5	-	-
BLACK---MALE----	15	10	17	19	15	22	15	7	7	1	-	-
FEMALE--	9	7	12	16	10	26	34	22	19	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 111

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
HAWAII -----	1	4	7	7	14	18	15	16	8	5	1	-
WHITE-----MALE----	-	-	-	1	3	1	2	2	2	-	-	-
FEMALE--	-	1	1	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	1	3	3	2	6	6	8	9	4	-	-	-
FEMALE--	-	-	3	4	5	9	3	4	2	5	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	3	5	9	10	7	4	1	-	-
WHITE-----MALE----	1	1	1	1	1	4	6	2	-	1	-	-
FEMALE--	-	-	-	2	4	5	4	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	39	44	72	86	161	198	211	200	121	59	7	-
WHITE-----MALE----	12	12	24	30	54	73	61	50	25	14	1	-
FEMALE--	10	19	22	23	57	75	105	123	66	36	4	-
ALL OTHER--MALE----	11	6	12	18	25	19	22	10	8	-	-	-
FEMALE--	6	7	14	15	25	31	23	17	22	9	2	-
BLACK---MALE----	11	5	12	18	23	19	20	10	8	-	-	-
FEMALE--	6	7	13	15	25	30	23	17	22	9	2	-
INDIANA -----	24	16	30	49	72	87	113	77	65	23	2	-
WHITE-----MALE----	8	8	14	25	31	42	41	31	15	1	1	-
FEMALE--	11	5	10	20	30	39	63	41	44	21	1	-
ALL OTHER--MALE----	3	1	-	2	5	3	3	3	2	1	-	-
FEMALE--	2	2	6	2	6	3	6	2	4	-	-	-
BLACK---MALE----	3	1	-	2	5	3	3	3	2	1	-	-
FEMALE--	2	2	6	2	5	3	6	2	4	-	-	-
IOWA -----	8	8	6	20	20	30	38	30	30	8	2	-
WHITE-----MALE----	6	6	3	9	11	16	13	8	7	3	-	-
FEMALE--	2	2	3	10	7	14	25	20	23	5	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
KANSAS -----	4	4	4	15	24	32	41	35	19	7	2	-
WHITE-----MALE----	1	2	4	5	12	12	17	11	6	2	-	-
FEMALE--	3	2	-	7	8	17	22	24	12	5	2	-
ALL OTHER--MALE----	-	-	-	1	3	2	-	-	1	-	-	-
FEMALE--	-	-	-	2	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	3	2	-	-	1	-	-	-
FEMALE--	-	-	-	2	1	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 112
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
KENTUCKY -----	417	4	5	2	1	-	-	1	4	2	6	13
WHITE-----MALE----	158	1	2	1	1	-	-	-	3	1	4	9
FEMALE--	227	2	2	1	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	18	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	18	1	1	-	-	-	-	-	-	-	-	1
LOUISIANA -----	609	9	3	-	1	-	2	1	6	9	13	5
WHITE-----MALE----	155	6	3	-	-	-	-	-	1	2	4	3
FEMALE--	224	2	-	-	-	-	-	1	3	-	3	2
ALL OTHER--MALE----	89	1	-	-	1	-	1	-	2	3	1	-
FEMALE--	141	-	-	-	-	-	1	-	-	4	5	-
BLACK---MALE----	89	1	-	-	1	-	1	-	2	3	1	-
FEMALE--	140	-	-	-	-	-	1	-	-	4	5	-
MAINE -----	94	-	1	-	-	1	-	1	-	-	1	4
WHITE-----MALE----	37	-	1	-	-	-	-	1	-	-	1	1
FEMALE--	57	-	-	-	-	1	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	705	6	-	-	-	2	1	3	10	10	12	19
WHITE-----MALE----	194	4	-	-	-	2	-	1	2	1	1	3
FEMALE--	277	1	-	-	-	-	-	1	1	2	-	3
ALL OTHER--MALE----	111	1	-	-	-	-	-	1	5	4	6	10
FEMALE--	123	-	-	-	-	-	1	-	2	3	5	3
BLACK---MALE----	106	1	-	-	-	-	-	1	5	4	6	10
FEMALE--	119	-	-	-	-	-	1	-	2	3	5	3
MASSACHUSETTS -----	734	1	3	1	1	3	1	2	6	7	8	14
WHITE-----MALE----	312	-	2	1	1	2	-	2	1	1	3	9
FEMALE--	368	-	-	-	-	1	-	-	5	4	3	5
ALL OTHER--MALE----	25	1	1	-	-	-	-	-	-	2	-	-
FEMALE--	29	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	20	1	1	-	-	-	-	-	-	2	-	-
FEMALE--	27	-	-	-	-	-	1	-	-	-	2	-
MICHIGAN -----	643	6	1	1	1	3	3	5	4	13	12	15
WHITE-----MALE----	199	1	-	-	1	2	1	2	1	4	3	6
FEMALE--	279	2	-	1	-	1	-	-	1	7	4	4
ALL OTHER--MALE----	80	2	-	-	-	-	1	3	2	1	4	4
FEMALE--	85	1	1	-	-	-	1	-	-	1	1	1
BLACK---MALE----	78	2	-	-	-	-	1	3	1	1	4	4
FEMALE--	82	1	-	-	-	-	1	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 112

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
KENTUCKY -----	16	14	16	36	36	66	75	62	39	15	4	-
WHITE-----MALE----	9	7	10	13	18	27	26	11	8	6	1	-
FEMALE--	6	6	6	18	18	37	42	47	26	8	2	-
ALL OTHER--MALE----	1	1	-	2	-	2	4	1	-	1	-	-
FEMALE--	-	-	-	3	-	-	3	3	5	-	1	-
BLACK---MALE----	1	1	-	2	-	2	4	1	-	1	-	-
FEMALE--	-	-	-	3	-	-	3	3	5	-	1	-
LOUISIANA -----	18	25	26	56	62	91	86	102	65	22	7	-
WHITE-----MALE----	6	5	9	14	19	32	22	18	9	1	1	-
FEMALE--	1	7	6	21	17	29	41	43	32	14	2	-
ALL OTHER--MALE----	4	6	3	12	10	19	8	12	5	1	-	-
FEMALE--	7	7	8	9	16	11	15	29	19	6	4	-
BLACK---MALE----	4	6	3	12	10	19	8	12	5	1	-	-
FEMALE--	7	6	8	9	16	11	15	29	19	6	4	-
MAINE -----	2	2	3	7	9	9	15	19	16	2	2	-
WHITE-----MALE----	1	1	1	3	5	2	6	6	7	1	-	-
FEMALE--	1	1	2	4	4	7	9	13	9	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	27	35	64	70	111	104	113	66	31	5	-
WHITE-----MALE----	3	8	10	23	23	43	22	31	13	4	-	-
FEMALE--	3	4	8	18	27	42	51	57	36	19	4	-
ALL OTHER--MALE----	5	5	9	14	6	13	17	7	6	2	-	-
FEMALE--	5	10	8	9	14	13	14	18	11	6	1	-
BLACK---MALE----	5	5	9	13	6	13	15	7	4	2	-	-
FEMALE--	5	10	8	9	13	13	12	18	10	6	1	-
MASSACHUSETTS -----	19	23	30	51	80	89	120	136	95	37	7	-
WHITE-----MALE----	4	11	13	26	39	47	51	67	25	6	1	-
FEMALE--	8	6	13	19	32	38	64	66	69	29	6	-
ALL OTHER--MALE----	3	2	2	4	6	2	2	-	-	-	-	-
FEMALE--	4	4	2	2	3	2	3	3	1	2	-	-
BLACK---MALE----	3	2	1	3	5	-	2	-	-	-	-	-
FEMALE--	4	4	2	2	2	2	3	3	-	2	-	-
MICHIGAN -----	19	29	24	46	78	92	100	110	53	24	4	-
WHITE-----MALE----	4	8	12	7	27	28	40	34	14	3	1	-
FEMALE--	7	9	5	17	24	39	51	58	31	16	2	-
ALL OTHER--MALE----	4	6	6	12	18	7	4	4	1	1	-	-
FEMALE--	4	6	1	10	9	18	5	14	7	4	1	-
BLACK---MALE----	4	6	6	12	18	6	4	4	1	1	-	-
FEMALE--	4	5	1	10	9	18	5	13	7	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 113

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
MINNESOTA -----	216	2	-	-	-	1	1	1	1	3	3	6
WHITE-----MALE----	102	1	-	-	-	1	1	-	-	1	1	5
FEMALE--	107	1	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	290	4	-	1	-	2	2	3	4	5	5	5
WHITE-----MALE----	70	-	-	1	-	-	-	-	1	1	-	-
FEMALE--	85	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	67	3	-	-	-	-	-	2	-	1	3	4
FEMALE--	68	1	-	-	-	2	2	1	2	2	2	1
BLACK---MALE----	67	3	-	-	-	-	-	2	-	1	3	4
FEMALE--	67	1	-	-	-	2	2	1	2	2	2	1
MISSOURI -----	566	1	3	2	1	5	-	-	6	9	5	15
WHITE-----MALE----	191	-	2	2	-	1	-	-	3	3	1	9
FEMALE--	262	1	-	-	1	2	-	-	2	2	-	4
ALL OTHER--MALE----	57	-	-	-	-	2	-	-	1	4	1	1
FEMALE--	56	-	1	-	-	-	-	-	-	-	3	1
BLACK---MALE----	56	-	-	-	-	2	-	-	1	4	1	1
FEMALE--	55	-	1	-	-	-	-	-	-	-	3	1
MONTANA -----	54	1	-	1	-	-	-	-	-	1	1	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	112	-	1	-	-	-	-	-	3	1	4	3
WHITE-----MALE----	50	-	1	-	-	-	-	-	2	1	1	-
FEMALE--	57	-	-	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	205	2	3	-	-	-	1	1	2	4	3	4
WHITE-----MALE----	93	1	1	-	-	-	1	1	1	3	1	2
FEMALE--	98	1	2	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 113

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
MINNESOTA -----	3	6	4	22	16	35	33	44	24	10	1	-
WHITE-----MALE----	2	3	3	13	11	17	14	19	6	4	-	-
FEMALE--	1	2	1	8	5	17	19	24	17	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
MISSISSIPPI -----	11	18	19	21	32	34	49	37	27	9	2	-
WHITE-----MALE----	3	2	6	6	14	10	13	9	4	-	-	-
FEMALE--	2	4	7	4	9	12	14	15	13	2	1	-
ALL OTHER--MALE----	4	7	3	5	4	9	12	5	4	1	-	-
FEMALE--	2	5	3	6	5	3	10	8	6	6	1	-
BLACK---MALE----	4	7	3	5	4	9	12	5	4	1	-	-
FEMALE--	2	5	3	5	5	3	10	8	6	6	1	-
MISSOURI -----	22	23	35	44	66	66	88	86	61	26	2	-
WHITE-----MALE----	7	10	15	20	27	25	30	17	16	2	1	-
FEMALE--	8	6	14	13	27	22	45	57	40	18	-	-
ALL OTHER--MALE----	4	4	3	4	4	8	7	7	3	4	-	-
FEMALE--	3	3	3	7	8	11	6	5	2	2	1	-
BLACK---MALE----	4	3	3	4	4	8	7	7	3	4	-	-
FEMALE--	3	3	3	7	8	10	6	5	2	2	1	-
MONTANA -----	1	2	3	2	6	6	15	10	-	2	1	-
WHITE-----MALE----	-	-	1	2	5	2	6	3	-	-	-	-
FEMALE--	1	2	1	-	1	4	9	7	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	5	3	6	11	22	20	18	12	1	-	-
WHITE-----MALE----	1	4	-	3	10	12	5	7	3	-	-	-
FEMALE--	1	-	3	2	1	8	15	11	9	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	10	10	9	30	18	40	33	21	9	5	-	-
WHITE-----MALE----	7	3	5	14	7	19	18	7	2	-	-	-
FEMALE--	3	5	3	15	9	20	15	12	6	3	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	1	2	-	-
BLACK---MALE----	-	1	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 115

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
OHIO -----	1,150	11	4	-	-	5	1	2	13	9	9	30
WHITE-----MALE----	430	1	2	-	-	-	-	-	6	3	5	12
FEMALE--	522	6	2	-	-	3	-	-	3	1	1	9
ALL OTHER--MALE----	75	2	-	-	-	2	1	-	1	1	1	5
FEMALE--	123	2	-	-	-	-	-	2	3	4	2	4
BLACK---MALE----	73	2	-	-	-	2	1	-	-	1	1	5
FEMALE--	120	1	-	-	-	-	-	2	3	4	1	4
OKLAHOMA -----	354	3	-	2	-	-	1	-	3	10	6	17
WHITE-----MALE----	128	2	-	1	-	-	1	-	-	3	4	7
FEMALE--	182	-	-	1	-	-	-	-	2	5	1	7
ALL OTHER--MALE----	21	1	-	-	-	-	-	-	1	-	1	3
FEMALE--	23	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	14	1	-	-	-	-	-	-	1	-	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	131	5	2	1	-	-	-	-	1	-	3	2
WHITE-----MALE----	60	3	1	1	-	-	-	-	-	-	1	2
FEMALE--	67	1	1	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,169	12	6	2	1	2	7	4	10	18	37	44
WHITE-----MALE----	760	7	2	-	1	2	1	-	4	5	8	15
FEMALE--	1,050	1	2	1	-	-	3	1	3	6	13	15
ALL OTHER--MALE----	144	2	1	1	-	-	3	-	1	3	9	6
FEMALE--	215	2	1	-	-	-	-	3	2	4	7	8
BLACK---MALE----	140	2	1	1	-	-	3	-	1	3	9	6
FEMALE--	210	2	1	-	-	-	-	3	2	4	7	8
RHODE ISLAND -----	100	2	-	-	-	-	1	-	1	1	-	4
WHITE-----MALE----	37	2	-	-	-	-	1	-	1	1	-	3
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	391	10	4	-	-	1	1	6	4	5	8	18
WHITE-----MALE----	92	2	1	-	-	-	-	3	2	-	1	3
FEMALE--	138	-	2	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	88	6	1	-	-	1	-	1	1	4	5	8
FEMALE--	73	2	-	-	-	-	1	2	1	1	1	3
BLACK---MALE----	88	6	1	-	-	1	-	1	1	4	5	8
FEMALE--	72	2	-	-	-	-	1	2	1	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 115

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
OHIO -----	24	44	65	71	142	163	187	198	131	27	14	-
WHITE-----MALE----	9	12	33	33	58	67	82	69	34	3	1	-
FEMALE--	8	20	17	26	58	73	84	103	75	22	11	-
ALL OTHER--MALE----	5	5	7	7	11	8	4	8	7	-	-	-
FEMALE--	2	7	8	5	15	15	17	18	15	2	2	-
BLACK---MALE----	5	5	6	7	11	8	4	8	7	-	-	-
FEMALE--	2	7	7	5	15	15	17	18	15	2	2	-
OKLAHOMA -----	12	13	19	18	42	38	59	65	32	12	2	-
WHITE-----MALE----	7	5	11	9	18	12	21	18	6	2	1	-
FEMALE--	4	6	5	6	17	25	33	41	21	7	1	-
ALL OTHER--MALE----	1	-	2	2	3	-	2	2	2	1	-	-
FEMALE--	-	2	1	1	4	1	3	4	3	2	-	-
BLACK---MALE----	1	-	2	2	2	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	4	-	3	2	3	1	-	-
OREGON -----	5	5	7	13	14	23	19	25	5	1	-	-
WHITE-----MALE----	2	1	3	7	7	13	4	13	2	-	-	-
FEMALE--	3	4	4	5	7	9	14	12	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	45	69	93	152	256	336	403	362	230	68	12	-
WHITE-----MALE----	15	26	40	54	110	144	145	110	59	10	2	-
FEMALE--	17	26	31	61	103	149	214	198	147	51	8	-
ALL OTHER--MALE----	7	6	14	19	21	17	14	12	7	-	1	-
FEMALE--	6	11	8	18	22	26	30	42	17	7	1	-
BLACK---MALE----	6	6	13	19	21	15	14	12	7	-	1	-
FEMALE--	6	11	7	17	22	24	30	42	16	7	1	-
RHODE ISLAND -----	3	3	2	2	11	13	24	18	11	1	3	-
WHITE-----MALE----	1	-	2	1	5	6	8	2	4	-	-	-
FEMALE--	2	2	-	1	5	6	14	16	7	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	18	22	31	42	62	66	48	21	7	5	-
WHITE-----MALE----	4	3	8	5	18	14	18	7	2	1	-	-
FEMALE--	1	2	4	9	15	23	30	28	15	3	1	-
ALL OTHER--MALE----	4	6	8	12	4	13	6	6	-	1	1	-
FEMALE--	3	7	2	5	5	12	12	7	4	2	3	-
BLACK---MALE----	4	6	8	12	4	13	6	6	-	1	1	-
FEMALE--	3	6	2	5	5	12	12	7	4	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 116

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
SOUTH DAKOTA -----	38	-	-	-	-	-	-	-	-	2	-	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	378	6	2	-	1	1	1	2	3	4	8	10
WHITE-----MALE----	112	1	1	-	-	-	-	-	-	4	3	4
FEMALE--	183	1	-	-	1	-	1	1	1	-	4	4
ALL OTHER--MALE----	38	-	1	-	-	1	-	-	2	-	1	1
FEMALE--	45	4	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	38	-	1	-	-	1	-	-	2	-	1	1
FEMALE--	45	4	-	-	-	-	-	1	-	-	-	1
TEXAS -----	1,597	28	18	3	6	11	4	13	19	26	36	47
WHITE-----MALE----	604	11	8	1	-	8	3	4	8	10	14	20
FEMALE--	707	12	8	2	4	2	1	3	9	8	12	13
ALL OTHER--MALE----	140	3	1	-	1	1	-	4	2	4	5	6
FEMALE--	146	2	1	-	1	-	-	2	-	4	5	8
BLACK---MALE----	134	3	1	-	1	1	-	4	2	4	5	6
FEMALE--	136	2	1	-	1	-	-	1	-	4	4	7
UTAH -----	87	1	1	-	-	1	-	-	1	1	2	3
WHITE-----MALE----	35	1	-	-	-	1	-	-	-	-	2	1
FEMALE--	49	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	24	-	1	1	-	-	-	-	-	-	-	1
WHITE-----MALE----	11	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	838	11	3	1	3	3	3	3	3	8	12	10
WHITE-----MALE----	240	5	2	-	1	2	1	1	3	2	1	2
FEMALE--	354	1	1	-	-	1	1	-	-	1	2	1
ALL OTHER--MALE----	111	5	-	1	-	-	-	1	-	1	5	3
FEMALE--	133	-	-	-	2	-	1	1	-	4	4	4
BLACK---MALE----	103	5	-	1	-	-	-	1	-	1	5	2
FEMALE--	132	-	-	-	2	-	1	1	-	4	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 116

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
SOUTH DAKOTA -----	1	1	2	4	6	1	5	10	1	3	-	-
WHITE-----MALE----	1	1	2	3	2	1	3	3	1	-	-	-
FEMALE--	-	-	-	1	3	-	2	6	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	21	26	31	50	52	50	61	27	10	1	-
WHITE-----MALE----	3	5	10	16	20	12	10	17	4	2	-	-
FEMALE--	5	9	10	10	17	29	29	34	19	7	1	-
ALL OTHER--MALE----	2	2	5	2	6	7	3	5	-	-	-	-
FEMALE--	1	5	1	3	7	4	8	5	4	1	-	-
BLACK---MALE----	2	2	5	2	6	7	3	5	-	-	-	-
FEMALE--	1	5	1	3	7	4	8	5	4	1	-	-
TEXAS -----	43	65	86	134	184	222	237	233	134	38	10	-
WHITE-----MALE----	19	18	30	69	79	102	83	75	36	4	2	-
FEMALE--	11	32	36	43	64	85	115	126	84	30	7	-
ALL OTHER--MALE----	9	7	6	14	24	18	15	13	6	1	-	-
FEMALE--	4	8	14	8	17	17	24	19	8	3	1	-
BLACK---MALE----	9	6	6	14	22	17	14	12	6	1	-	-
FEMALE--	4	8	13	8	17	15	22	18	7	3	1	-
UTAH -----	6	2	5	9	12	10	9	13	7	2	2	-
WHITE-----MALE----	4	1	5	2	6	4	4	2	2	-	-	-
FEMALE--	2	1	-	7	6	6	5	11	5	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	2	1	4	2	4	3	2	1	-
WHITE-----MALE----	-	-	1	-	1	2	1	3	-	-	1	-
FEMALE--	1	-	-	2	-	1	1	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VIRGINIA -----	28	29	41	76	89	116	140	145	76	27	11	-
WHITE-----MALE----	13	10	11	29	32	37	43	24	14	7	-	-
FEMALE--	7	6	17	26	26	44	63	84	48	17	8	-
ALL OTHER--MALE----	7	7	7	14	14	15	11	14	4	1	1	-
FEMALE--	1	6	6	7	17	20	23	23	10	2	2	-
BLACK---MALE----	7	5	7	13	14	13	11	13	3	1	1	-
FEMALE--	1	6	6	7	16	20	23	23	10	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 161
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGOCOCCAL INFECTION (036)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	-	-	-	1	-	1	-	1	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	1	-	1	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	24	5	3	1	2	5	1	1	-	1	-	-
WHITE-----MALE----	8	-	2	-	-	3	1	-	-	1	-	-
FEMALE--	10	4	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	4	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	-	-	-	-	-
UTAH -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	-	-	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 172
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
UNITED STATES --	648	787	1,065	1,685	2,494	3,294	3,732	3,621	2,293	798	162	1
WHITE-----MALE----	232	257	418	670	1,031	1,350	1,300	1,071	525	137	16	1
FEMALE--	207	269	330	607	913	1,352	1,888	2,018	1,446	549	114	-
ALL OTHER--MALE----	121	119	158	221	268	271	214	174	92	25	7	-
FEMALE--	88	142	159	187	282	321	330	358	230	87	25	-
BLACK---MALE----	115	108	148	208	248	250	195	157	83	21	7	-
FEMALE--	85	130	141	175	260	293	317	339	217	79	23	-
ALABAMA -----	16	18	16	53	60	82	100	74	57	13	3	-
WHITE-----MALE----	6	4	5	20	19	34	24	21	7	1	-	-
FEMALE--	4	4	3	16	21	24	48	31	33	10	1	-
ALL OTHER--MALE----	1	4	5	8	9	8	11	6	2	-	-	-
FEMALE--	5	6	3	9	11	16	17	16	15	2	2	-
BLACK---MALE----	1	4	5	8	9	8	11	6	2	-	-	-
FEMALE--	5	6	3	9	11	16	17	16	15	2	2	-
ALASKA -----	-	-	-	4	1	3	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	8	17	18	34	39	46	25	18	4	1	-
WHITE-----MALE----	6	4	11	11	13	17	25	9	6	1	-	-
FEMALE--	6	3	4	4	15	19	16	11	11	2	-	-
ALL OTHER--MALE----	2	1	2	2	3	2	1	2	-	-	-	-
FEMALE--	-	-	-	1	3	1	4	3	1	1	1	-
BLACK---MALE----	1	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	-	-	-	-
ARKANSAS -----	8	15	16	29	38	62	64	66	32	16	2	-
WHITE-----MALE----	3	8	8	18	18	24	19	20	7	1	-	-
FEMALE--	5	4	5	6	13	26	34	31	19	9	2	-
ALL OTHER--MALE----	-	-	3	2	3	7	2	2	2	3	-	-
FEMALE--	-	3	-	3	4	5	9	13	4	3	-	-
BLACK---MALE----	-	-	3	2	3	7	2	2	2	3	-	-
FEMALE--	-	3	-	3	4	5	9	13	4	3	-	-
CALIFORNIA -----	19	24	15	33	62	68	69	67	44	17	2	-
WHITE-----MALE----	4	6	5	14	24	36	30	28	14	2	-	-
FEMALE--	9	10	7	11	29	22	34	33	28	13	2	-
ALL OTHER--MALE----	4	2	2	6	6	4	1	1	1	1	-	-
FEMALE--	2	6	1	2	3	6	4	5	1	1	-	-
BLACK---MALE----	3	-	2	3	2	4	1	-	-	-	-	-
FEMALE--	-	4	-	2	1	2	2	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 173
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
COLORADO -----	200	3	-	-	1	-	-	1	2	4	5	5
WHITE-----MALE----	87	2	-	-	-	-	-	1	1	4	2	1
FEMALE--	102	1	-	-	-	-	-	-	1	-	3	4
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	359	2	-	-	-	-	-	1	1	4	6	7
WHITE-----MALE----	134	1	-	-	-	-	-	1	1	1	4	4
FEMALE--	197	-	-	-	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	10	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	3
DELAWARE -----	102	-	-	-	-	-	1	1	-	1	2	6
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	45	-	-	-	-	-	1	1	-	1	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
DISTRICT OF COLUMBIA ----	147	2	1	-	-	-	1	-	1	1	3	8
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	53	1	-	-	-	-	1	-	-	1	-	6
FEMALE--	71	-	1	-	-	-	-	-	1	-	2	1
BLACK---MALE----	53	1	-	-	-	-	1	-	-	1	-	6
FEMALE--	70	-	1	-	-	-	-	-	-	-	2	1
FLORIDA -----	863	14	-	1	1	4	2	1	3	12	13	8
WHITE-----MALE----	329	3	-	-	1	1	-	1	1	4	4	1
FEMALE--	384	3	-	-	-	-	1	-	1	3	5	4
ALL OTHER--MALE----	80	4	-	1	-	2	1	-	-	2	4	2
FEMALE--	70	4	-	-	-	1	-	-	1	3	-	1
BLACK---MALE----	78	4	-	1	-	1	1	-	-	2	4	2
FEMALE--	67	4	-	-	-	1	-	-	1	3	-	1
GEORGIA -----	892	6	6	2	1	2	1	9	7	14	17	28
WHITE-----MALE----	220	-	1	-	-	2	-	2	1	1	5	3
FEMALE--	330	2	-	-	-	-	-	2	-	3	5	7
ALL OTHER--MALE----	148	3	2	-	1	-	-	1	3	4	5	7
FEMALE--	194	1	3	2	-	-	1	4	3	6	2	11
BLACK---MALE----	148	3	2	-	1	-	-	1	3	4	5	7
FEMALE--	192	1	3	2	-	-	1	4	3	6	2	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 173
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
COLORADO -----	5	6	9	22	22	29	29	28	20	8	1	-
WHITE-----MALE----	3	3	3	12	13	14	13	9	4	2	-	-
FEMALE--	-	3	5	8	9	13	16	19	15	4	1	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	1	1	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	1	-	-
CONNECTICUT -----	6	12	14	25	27	43	80	66	47	16	2	-
WHITE-----MALE----	3	3	7	10	15	19	30	19	13	3	-	-
FEMALE--	3	6	5	12	10	21	47	45	30	13	1	-
ALL OTHER--MALE----	-	1	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	2	1	3	1	1	1	1	4	-	1	-
BLACK---MALE----	-	1	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	2	1	3	1	1	1	1	4	-	1	-
DELAWARE -----	7	1	1	8	18	16	21	9	7	2	1	-
WHITE-----MALE----	1	1	-	4	7	10	7	1	1	-	-	-
FEMALE--	3	-	-	3	7	6	11	5	4	-	1	-
ALL OTHER--MALE----	2	-	1	-	4	-	1	2	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	1	2	2	-	-
BLACK---MALE----	2	-	1	-	3	-	1	2	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	1	2	2	-	-
DISTRICT OF COLUMBIA ----	5	6	13	10	17	19	20	25	12	3	-	-
WHITE-----MALE----	-	-	-	1	2	-	3	2	3	-	-	-
FEMALE--	1	-	-	-	-	1	1	4	1	1	-	-
ALL OTHER--MALE----	2	4	4	5	9	7	9	2	2	-	-	-
FEMALE--	2	2	9	4	6	11	7	17	6	2	-	-
BLACK---MALE----	2	4	4	5	9	7	9	2	2	-	-	-
FEMALE--	2	2	9	4	6	11	7	17	6	2	-	-
FLORIDA -----	23	25	40	44	92	146	152	139	105	33	5	-
WHITE-----MALE----	11	12	14	19	39	71	68	40	29	10	-	-
FEMALE--	8	3	15	16	35	49	67	84	65	22	3	-
ALL OTHER--MALE----	3	5	6	6	8	16	7	4	7	-	2	-
FEMALE--	1	5	5	3	10	10	10	11	4	1	-	-
BLACK---MALE----	3	5	6	6	8	16	6	4	7	-	2	-
FEMALE--	1	4	5	3	9	10	10	10	4	1	-	-
GEORGIA -----	41	38	50	75	80	130	145	133	80	23	3	1
WHITE-----MALE----	8	9	10	23	30	35	39	36	11	3	-	1
FEMALE--	12	11	12	18	25	47	58	68	43	14	3	-
ALL OTHER--MALE----	12	10	15	18	15	22	15	7	7	1	-	-
FEMALE--	9	8	13	16	10	26	33	22	19	5	-	-
BLACK---MALE----	12	10	15	18	15	22	15	7	7	1	-	-
FEMALE--	9	7	12	16	10	26	33	22	19	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 174
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
HAWAII -----	-	4	6	7	13	17	15	16	8	4	1	-
WHITE-----MALE----	-	-	-	1	2	1	2	2	2	-	-	-
FEMALE--	-	1	-	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	3	3	2	6	5	8	9	4	-	-	-
FEMALE--	-	-	3	4	5	9	3	4	2	4	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	3	5	8	10	6	4	1	-	-
WHITE-----MALE----	1	1	1	1	1	3	6	1	-	1	-	-
FEMALE--	-	-	-	2	4	5	4	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	37	41	67	86	153	195	206	197	119	59	7	-
WHITE-----MALE----	12	9	21	30	52	72	59	48	25	14	1	-
FEMALE--	8	19	21	23	54	74	102	122	64	36	4	-
ALL OTHER--MALE----	11	6	12	18	23	18	22	10	8	-	-	-
FEMALE--	6	7	13	15	24	31	23	17	22	9	2	-
BLACK---MALE----	11	5	12	18	21	18	20	10	8	-	-	-
FEMALE--	6	7	12	15	24	30	23	17	22	9	2	-
INDIANA -----	22	16	28	47	69	83	108	73	65	22	2	-
WHITE-----MALE----	7	8	12	23	30	41	40	28	15	1	1	-
FEMALE--	10	5	10	20	28	36	60	40	44	21	1	-
ALL OTHER--MALE----	3	1	-	2	5	3	2	3	2	-	-	-
FEMALE--	2	2	6	2	6	3	6	2	4	-	-	-
BLACK---MALE----	3	1	-	2	5	3	2	3	2	-	-	-
FEMALE--	2	2	6	2	5	3	6	2	4	-	-	-
IOWA -----	8	6	6	18	19	28	36	29	27	8	2	-
WHITE-----MALE----	6	5	3	8	10	15	13	8	7	3	-	-
FEMALE--	2	1	3	9	7	13	23	19	20	5	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
KANSAS -----	4	3	3	15	24	31	36	32	18	7	2	-
WHITE-----MALE----	1	2	3	5	12	12	15	9	5	2	-	-
FEMALE--	3	1	-	7	8	16	19	23	12	5	2	-
ALL OTHER--MALE----	-	-	-	1	3	2	-	-	1	-	-	-
FEMALE--	-	-	-	2	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	3	2	-	-	1	-	-	-
FEMALE--	-	-	-	2	1	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 175
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
KENTUCKY -----	400	2	2	2	1	-	-	1	4	2	6	13
WHITE-----MALE----	150	-	1	1	1	-	-	-	3	1	4	9
FEMALE--	219	2	-	1	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	17	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	17	-	1	-	-	-	-	-	-	-	-	1
LOUISIANA -----	573	8	2	-	-	-	1	1	4	6	13	5
WHITE-----MALE----	146	6	2	-	-	-	-	-	1	2	4	3
FEMALE--	214	2	-	-	-	-	-	1	2	-	3	2
ALL OTHER--MALE----	82	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	131	-	-	-	-	-	1	-	-	2	5	-
BLACK---MALE----	82	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	130	-	-	-	-	-	1	-	-	2	5	-
MAINE -----	90	-	-	-	-	-	-	1	-	-	1	3
WHITE-----MALE----	35	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	663	5	-	-	-	-	-	3	9	7	10	17
WHITE-----MALE----	179	4	-	-	-	-	-	1	2	1	1	2
FEMALE--	263	-	-	-	-	-	-	1	1	2	-	2
ALL OTHER--MALE----	105	1	-	-	-	-	-	1	4	2	5	10
FEMALE--	116	-	-	-	-	-	-	-	2	2	4	3
BLACK---MALE----	100	1	-	-	-	-	-	1	4	2	5	10
FEMALE--	112	-	-	-	-	-	-	-	2	2	4	3
MASSACHUSETTS -----	706	1	1	1	-	-	1	2	5	7	8	13
WHITE-----MALE----	299	-	1	1	-	-	-	2	1	1	3	8
FEMALE--	355	-	-	-	-	-	-	-	4	4	3	5
ALL OTHER--MALE----	23	1	-	-	-	-	-	-	-	2	-	-
FEMALE--	29	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	18	1	-	-	-	-	-	-	-	2	-	-
FEMALE--	27	-	-	-	-	-	1	-	-	-	2	-
MICHIGAN -----	609	5	1	1	-	-	2	3	3	12	9	15
WHITE-----MALE----	184	1	-	-	-	-	-	2	1	4	3	6
FEMALE--	267	2	-	1	-	-	-	-	1	6	3	4
ALL OTHER--MALE----	75	2	-	-	-	-	1	1	1	1	2	4
FEMALE--	83	-	1	-	-	-	1	-	-	1	1	1
BLACK---MALE----	74	2	-	-	-	-	1	1	1	1	2	4
FEMALE--	80	-	-	-	-	-	1	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 175
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
KENTUCKY -----	16	13	15	35	34	62	73	61	39	15	4	-
WHITE-----MALE----	9	6	9	13	18	24	25	11	8	6	1	-
FEMALE--	6	6	6	17	16	36	41	46	26	8	2	-
ALL OTHER--MALE----	1	1	-	2	-	2	4	1	-	1	-	-
FEMALE--	-	-	-	3	-	-	3	3	5	-	1	-
BLACK---MALE----	1	1	-	2	-	2	4	1	-	1	-	-
FEMALE--	-	-	-	3	-	-	3	3	5	-	1	-
LOUISIANA -----	16	23	25	52	59	90	81	96	62	22	7	-
WHITE-----MALE----	6	4	8	13	18	31	20	18	8	1	1	-
FEMALE--	1	7	6	19	16	29	38	40	32	14	2	-
ALL OTHER--MALE----	3	6	3	11	10	19	8	12	5	1	-	-
FEMALE--	6	6	8	9	15	11	15	26	17	6	4	-
BLACK---MALE----	3	6	3	11	10	19	8	12	5	1	-	-
FEMALE--	6	5	8	9	15	11	15	26	17	6	4	-
MAINE -----	2	2	3	7	8	9	15	19	16	2	2	-
WHITE-----MALE----	1	1	1	3	4	2	6	6	7	1	-	-
FEMALE--	1	1	2	4	4	7	9	13	9	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	25	34	58	70	105	97	109	63	30	5	-
WHITE-----MALE----	3	7	10	20	23	40	18	30	13	4	-	-
FEMALE--	3	3	8	16	27	40	49	55	33	19	4	-
ALL OTHER--MALE----	5	5	8	14	6	13	17	7	6	1	-	-
FEMALE--	5	10	8	8	14	12	13	17	11	6	1	-
BLACK---MALE----	5	5	8	13	6	13	15	7	4	1	-	-
FEMALE--	5	10	8	8	13	12	11	17	10	6	1	-
MASSACHUSETTS -----	19	23	30	49	75	87	113	135	92	37	7	-
WHITE-----MALE----	4	11	13	25	36	45	49	67	25	6	1	-
FEMALE--	8	6	13	19	30	38	59	65	66	29	6	-
ALL OTHER--MALE----	3	2	2	3	6	2	2	-	-	-	-	-
FEMALE--	4	4	2	2	3	2	3	3	1	2	-	-
BLACK---MALE----	3	2	1	2	5	-	2	-	-	-	-	-
FEMALE--	4	4	2	2	2	2	3	3	-	2	-	-
MICHIGAN -----	17	27	23	45	72	87	98	108	53	24	4	-
WHITE-----MALE----	4	6	11	6	26	26	38	32	14	3	1	-
FEMALE--	6	9	5	17	19	36	51	58	31	16	2	-
ALL OTHER--MALE----	4	6	6	12	18	7	4	4	1	1	-	-
FEMALE--	3	6	1	10	9	18	5	14	7	4	1	-
BLACK---MALE----	4	6	6	12	18	6	4	4	1	1	-	-
FEMALE--	3	5	1	10	9	18	5	13	7	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 176
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
MINNESOTA -----	199	1	-	-	-	-	-	-	-	3	3	4
WHITE-----MALE----	91	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	103	1	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	271	4	-	1	-	2	1	3	4	4	5	5
WHITE-----MALE----	61	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	79	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	65	3	-	-	-	-	-	2	-	1	3	4
FEMALE--	66	1	-	-	-	2	1	1	2	2	2	1
BLACK---MALE----	65	3	-	-	-	-	-	2	-	1	3	4
FEMALE--	65	1	-	-	-	2	1	1	2	2	2	1
MISSOURI -----	525	-	1	1	-	3	-	-	4	7	5	15
WHITE-----MALE----	177	-	1	1	-	1	-	-	3	3	1	9
FEMALE--	241	-	-	-	-	-	-	-	1	1	-	4
ALL OTHER--MALE----	54	-	-	-	-	2	-	-	-	3	1	1
FEMALE--	53	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE----	53	-	-	-	-	2	-	-	-	3	1	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	3	1
MONTANA -----	52	1	-	1	-	-	-	-	-	1	1	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	103	-	1	-	-	-	-	-	2	-	3	2
WHITE-----MALE----	47	-	1	-	-	-	-	-	2	-	1	-
FEMALE--	52	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	199	2	2	-	-	-	1	1	2	3	3	4
WHITE-----MALE----	88	1	-	-	-	-	1	1	1	2	1	2
FEMALE--	97	1	2	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 176
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
MINNESOTA -----	3	3	4	21	15	33	31	43	24	10	1	-
WHITE-----MALE----	2	1	3	13	10	16	13	18	6	4	-	-
FEMALE--	1	1	1	7	5	16	18	24	17	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
MISSISSIPPI -----	9	17	18	18	28	30	48	36	27	9	2	-
WHITE-----MALE----	3	2	5	5	12	8	12	8	4	-	-	-
FEMALE--	1	3	7	3	7	11	14	15	13	2	1	-
ALL OTHER--MALE----	3	7	3	5	4	8	12	5	4	1	-	-
FEMALE--	2	5	3	5	5	3	10	8	6	6	1	-
BLACK---MALE----	3	7	3	5	4	8	12	5	4	1	-	-
FEMALE--	2	5	3	4	5	3	10	8	6	6	1	-
MISSOURI -----	21	20	33	40	61	62	84	82	61	23	2	-
WHITE-----MALE----	7	8	15	18	25	22	28	17	16	1	1	-
FEMALE--	8	5	12	12	25	21	43	53	40	16	-	-
ALL OTHER--MALE----	4	4	3	4	3	8	7	7	3	4	-	-
FEMALE--	2	3	3	6	8	11	6	5	2	2	1	-
BLACK---MALE----	4	3	3	4	3	8	7	7	3	4	-	-
FEMALE--	2	3	3	6	8	10	6	5	2	2	1	-
MONTANA -----	1	2	3	2	6	6	13	10	-	2	1	-
WHITE-----MALE----	-	-	1	2	5	2	5	3	-	-	-	-
FEMALE--	1	2	1	-	1	4	8	7	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	5	3	6	11	22	18	17	11	1	-	-
WHITE-----MALE----	1	4	-	3	10	12	4	6	3	-	-	-
FEMALE--	-	-	3	2	1	8	14	11	8	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	7	10	9	30	18	40	32	21	9	5	-	-
WHITE-----MALE----	5	3	5	14	7	19	17	7	2	-	-	-
FEMALE--	2	5	3	15	9	20	15	12	6	3	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	1	2	-	-
BLACK---MALE----	-	1	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 178
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
OHIO -----	1,103	7	2	-	-	2	-	2	11	8	8	28
WHITE-----MALE----	410	1	-	-	-	-	-	-	4	2	5	12
FEMALE--	502	4	2	-	-	-	-	-	3	1	1	7
ALL OTHER--MALE----	70	1	-	-	-	2	-	-	1	1	-	5
FEMALE--	121	1	-	-	-	-	-	2	3	4	2	4
BLACK---MALE----	68	1	-	-	-	2	-	-	-	1	-	5
FEMALE--	119	1	-	-	-	-	-	2	3	4	1	4
OKLAHOMA -----	338	1	-	2	-	-	1	-	3	9	5	17
WHITE-----MALE----	121	1	-	1	-	-	1	-	-	3	3	7
FEMALE--	175	-	-	1	-	-	-	-	2	4	1	7
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	23	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	109	-	-	-	-	-	-	-	1	-	3	2
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	56	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,108	11	5	-	-	1	4	1	8	16	36	43
WHITE-----MALE----	739	6	2	-	-	1	1	-	3	4	7	15
FEMALE--	1,021	1	1	-	-	-	2	-	2	6	13	15
ALL OTHER--MALE----	137	2	1	-	-	-	1	-	1	2	9	6
FEMALE--	211	2	1	-	-	-	-	1	2	4	7	7
BLACK---MALE----	133	2	1	-	-	-	1	-	1	2	9	6
FEMALE--	206	2	1	-	-	-	-	1	2	4	7	7
RHODE ISLAND -----	93	1	-	-	-	-	1	-	-	-	-	4
WHITE-----MALE----	33	1	-	-	-	-	1	-	-	-	-	3
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	348	5	4	-	-	-	1	4	2	5	6	17
WHITE-----MALE----	82	1	1	-	-	-	-	2	-	-	-	3
FEMALE--	120	-	2	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	80	3	1	-	-	-	-	-	1	4	4	8
FEMALE--	66	1	-	-	-	-	1	2	1	1	1	3
BLACK---MALE----	80	3	1	-	-	-	-	-	1	4	4	8
FEMALE--	65	1	-	-	-	-	1	2	1	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 178

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
OHIO -----	22	40	60	67	139	161	184	194	127	27	14	-
WHITE-----MALE----	7	9	31	33	57	66	80	67	32	3	1	-
FEMALE--	8	19	14	24	57	72	83	101	73	22	11	-
ALL OTHER--MALE----	5	5	7	6	10	8	4	8	7	-	-	-
FEMALE--	2	7	8	4	15	15	17	18	15	2	2	-
BLACK---MALE----	5	5	6	6	10	8	4	8	7	-	-	-
FEMALE--	2	7	7	4	15	15	17	18	15	2	2	-
OKLAHOMA -----	10	13	19	18	36	36	59	64	31	12	2	-
WHITE-----MALE----	6	5	11	9	16	11	21	17	6	2	1	-
FEMALE--	3	6	5	6	14	24	33	41	20	7	1	-
ALL OTHER--MALE----	1	-	2	2	2	-	2	2	2	1	-	-
FEMALE--	-	2	1	1	4	1	3	4	3	2	-	-
BLACK---MALE----	1	-	2	2	1	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	4	-	3	2	3	1	-	-
OREGON -----	5	4	6	11	13	20	16	23	4	1	-	-
WHITE-----MALE----	2	1	2	7	6	12	4	11	2	-	-	-
FEMALE--	3	3	4	3	7	7	11	12	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	43	68	91	149	247	329	391	358	227	68	12	-
WHITE-----MALE----	14	26	39	52	107	140	142	109	59	10	2	-
FEMALE--	17	25	30	60	98	146	206	196	144	51	8	-
ALL OTHER--MALE----	6	6	14	19	20	17	13	12	7	-	1	-
FEMALE--	6	11	8	18	22	26	30	41	17	7	1	-
BLACK---MALE----	5	6	13	19	20	15	13	12	7	-	1	-
FEMALE--	6	11	7	17	22	24	30	41	16	7	1	-
RHODE ISLAND -----	2	3	1	2	11	13	24	17	10	1	3	-
WHITE-----MALE----	1	-	1	1	5	6	8	2	4	-	-	-
FEMALE--	1	2	-	1	5	6	14	15	6	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	17	17	29	39	59	62	43	18	7	4	-
WHITE-----MALE----	2	3	7	5	17	14	17	7	2	1	-	-
FEMALE--	-	2	2	8	13	21	28	24	12	3	1	-
ALL OTHER--MALE----	4	6	7	11	4	13	6	6	-	1	1	-
FEMALE--	3	6	1	5	5	11	11	6	4	2	2	-
BLACK---MALE----	4	6	7	11	4	13	6	6	-	1	1	-
FEMALE--	3	5	1	5	5	11	11	6	4	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 179
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
SOUTH DAKOTA -----	37	-	-	-	-	-	-	-	-	2	-	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	348	6	2	-	-	1	-	2	2	4	7	7
WHITE-----MALE----	103	1	1	-	-	-	-	-	-	4	2	4
FEMALE--	167	1	-	-	-	-	-	1	-	-	4	2
ALL OTHER--MALE----	36	-	1	-	-	1	-	-	2	-	1	-
FEMALE--	42	4	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	36	-	1	-	-	1	-	-	2	-	1	-
FEMALE--	42	4	-	-	-	-	-	1	-	-	-	1
TEXAS -----	1,493	21	14	1	3	6	3	9	16	25	32	44
WHITE-----MALE----	558	11	5	-	-	5	2	3	7	9	12	18
FEMALE--	665	7	7	1	3	1	1	2	7	8	10	13
ALL OTHER--MALE----	133	2	1	-	-	-	-	3	2	4	5	6
FEMALE--	137	1	1	-	-	-	-	1	-	4	5	7
BLACK---MALE----	127	2	1	-	-	-	-	3	2	4	5	6
FEMALE--	129	1	1	-	-	-	-	1	-	4	4	6
UTAH -----	81	1	1	-	-	-	-	-	1	1	2	3
WHITE-----MALE----	32	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	46	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	20	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	789	11	3	1	1	2	3	3	2	6	11	9
WHITE-----MALE----	219	5	2	-	-	1	1	1	2	1	1	1
FEMALE--	337	1	1	-	-	1	1	-	-	1	2	1
ALL OTHER--MALE----	108	5	-	1	-	-	-	1	-	1	5	3
FEMALE--	125	-	-	-	1	-	1	1	-	3	3	4
BLACK---MALE----	100	5	-	1	-	-	-	1	-	1	5	2
FEMALE--	124	-	-	-	1	-	1	1	-	3	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 179
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
SOUTH DAKOTA -----	1	1	2	4	6	1	4	10	1	3	-	-
WHITE-----MALE----	1	1	2	3	2	1	3	3	1	-	-	-
FEMALE--	-	-	-	1	3	-	1	6	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	20	22	28	47	51	43	58	27	9	1	-
WHITE-----MALE----	3	5	9	14	19	12	9	14	4	2	-	-
FEMALE--	5	9	7	9	16	28	25	34	19	6	1	-
ALL OTHER--MALE----	2	2	5	2	5	7	3	5	-	-	-	-
FEMALE--	1	4	1	3	7	4	6	5	4	1	-	-
BLACK---MALE----	2	2	5	2	5	7	3	5	-	-	-	-
FEMALE--	1	4	1	3	7	4	6	5	4	1	-	-
TEXAS -----	39	63	78	128	173	208	226	226	132	36	10	-
WHITE-----MALE----	15	17	26	65	73	96	80	72	36	4	2	-
FEMALE--	11	32	33	41	61	78	110	122	82	28	7	-
ALL OTHER--MALE----	9	6	6	14	23	18	14	13	6	1	-	-
FEMALE--	4	8	13	8	16	16	22	19	8	3	1	-
BLACK---MALE----	9	5	6	14	21	17	13	12	6	1	-	-
FEMALE--	4	8	12	8	16	14	21	18	7	3	1	-
UTAH -----	4	2	5	8	10	10	9	13	7	2	2	-
WHITE-----MALE----	3	1	5	2	5	4	4	2	2	-	-	-
FEMALE--	1	1	-	6	5	6	5	11	5	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	2	1	4	2	3	3	2	1	-
WHITE-----MALE----	-	-	1	-	1	2	1	2	-	-	1	-
FEMALE--	-	-	-	2	-	1	1	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VIRGINIA -----	24	26	39	72	85	110	132	140	74	24	11	-
WHITE-----MALE----	10	10	11	25	30	37	39	22	13	7	-	-
FEMALE--	6	5	16	26	25	39	61	81	47	15	8	-
ALL OTHER--MALE----	7	6	6	14	14	15	10	14	4	1	1	-
FEMALE--	1	5	6	7	16	19	22	23	10	1	2	-
BLACK---MALE----	7	4	6	13	14	13	10	13	3	1	1	-
FEMALE--	1	5	6	7	15	19	22	23	10	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 181

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
UNITED STATES --	1,077	21	6	3	6	7	5	16	21	35	32	39
WHITE-----MALE----	428	6	5	2	2	-	1	3	6	13	14	15
FEMALE--	456	4	-	1	2	5	2	7	7	7	8	13
ALL OTHER--MALE----	107	7	-	-	2	1	1	2	6	9	7	5
FEMALE--	86	4	1	-	-	1	1	4	2	6	3	6
BLACK---MALE----	92	7	-	-	2	-	1	2	5	9	7	3
FEMALE--	77	3	1	-	-	-	1	4	1	5	3	6
ALABAMA -----	25	-	-	-	-	-	-	-	-	4	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	3	-	-	-	-	2	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	42	-	-	-	1	-	1	1	-	2	2	3
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	20	-	-	-	1	-	1	1	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	113	2	-	-	-	1	-	-	1	4	3	3
WHITE-----MALE----	40	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	53	1	-	-	-	1	-	-	-	1	1	3
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 181

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
UNITED STATES --	44	51	80	92	143	138	163	104	53	17	1	-
WHITE-----MALE----	19	25	37	40	57	60	67	43	11	2	-	-
FEMALE--	13	17	31	37	65	65	74	48	39	11	-	-
ALL OTHER--MALE----	9	4	8	9	13	8	7	6	1	2	-	-
FEMALE--	3	5	4	6	8	5	15	7	2	2	1	-
BLACK---MALE----	8	3	6	9	12	6	5	5	-	2	-	-
FEMALE--	3	5	3	6	7	5	13	7	2	1	1	-
ALABAMA -----	-	-	3	3	5	5	4	-	-	-	-	-
WHITE-----MALE----	-	-	3	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	3	3	5	5	6	4	-	1	-	-
WHITE-----MALE----	1	1	1	2	2	2	2	3	-	-	-	-
FEMALE--	1	1	1	1	3	3	4	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	1	2	2	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	3	9	7	17	17	19	10	10	2	-	-
WHITE-----MALE----	2	1	4	2	5	4	9	4	4	1	-	-
FEMALE--	1	2	4	5	6	12	5	5	5	1	-	-
ALL OTHER--MALE----	1	-	1	-	3	1	3	1	1	-	-	-
FEMALE--	1	-	-	-	3	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 182

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
COLORADO -----	-	1	-	1	1	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	3	3	1	3	1	1	1	-	-
WHITE-----MALE----	-	1	-	1	1	1	2	-	-	1	-	-
FEMALE--	-	-	1	2	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
FLORIDA -----	1	3	4	8	7	9	5	5	2	-	-	-
WHITE-----MALE----	-	2	2	3	7	6	4	2	1	-	-	-
FEMALE--	-	1	2	3	-	3	-	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	2	1	6	2	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	3	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 187

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
OHIO -----	1	3	4	4	3	2	3	4	4	-	-	-
WHITE-----MALE----	1	3	1	-	1	1	2	2	2	-	-	-
FEMALE--	-	-	3	2	1	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	-	-	-	5	2	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	3	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	1	2	-	3	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	2	-	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	2	3	9	7	11	4	3	-	-	-
WHITE-----MALE----	1	-	1	2	3	4	3	1	-	-	-	-
FEMALE--	-	1	1	1	5	3	7	2	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	5	2	2	3	4	4	3	-	1	-
WHITE-----MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	1	2	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	1	-	-	1	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 188
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	24	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	79	2	1	1	1	-	-	3	3	-	4	3
WHITE-----MALE----	37	-	1	1	-	-	-	1	1	-	2	2
FEMALE--	32	1	-	-	1	-	-	1	2	-	2	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
UTAH -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	41	-	-	-	-	-	-	-	1	2	1	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 188

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	4	3	3	1	6	3	-	1	-	-
WHITE-----MALE----	-	-	1	2	1	-	1	3	-	-	-	-
FEMALE--	-	-	3	1	1	1	3	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
TEXAS -----	3	2	7	6	10	14	10	6	2	1	-	-
WHITE-----MALE----	3	1	4	4	6	6	3	2	-	-	-	-
FEMALE--	-	-	2	2	3	7	4	4	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
UTAH -----	2	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	2	4	4	6	7	5	1	3	-	-
WHITE-----MALE----	1	-	-	4	2	-	3	2	1	-	-	-
FEMALE--	1	1	1	-	1	5	2	3	-	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	1	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 190
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
UNITED STATES --	22,027	130	117	87	68	73	272	1,161	3,017	3,988	3,936	2,970
WHITE-----MALE----	9,264	39	36	21	25	21	72	400	1,273	1,740	1,735	1,319
FEMALE--	3,032	30	26	24	12	17	41	119	270	322	304	240
ALL OTHER--MALE----	6,800	34	23	22	23	7	78	413	1,017	1,354	1,388	1,043
FEMALE--	2,931	27	32	20	8	28	81	229	457	572	509	368
BLACK---MALE----	6,507	32	21	22	22	4	76	401	988	1,308	1,340	1,012
FEMALE--	2,758	23	31	18	8	25	81	228	450	564	500	350
ALABAMA -----	271	-	3	-	-	1	3	17	52	62	40	23
WHITE-----MALE----	67	-	-	-	-	-	-	5	13	16	9	5
FEMALE--	37	-	-	-	-	-	1	1	4	2	3	3
ALL OTHER--MALE----	116	-	1	-	-	-	1	7	27	33	23	12
FEMALE--	51	-	2	-	-	1	1	4	8	11	5	3
BLACK---MALE----	116	-	1	-	-	-	1	7	27	33	23	12
FEMALE--	50	-	2	-	-	1	1	4	8	10	5	3
ALASKA -----	22	-	1	-	-	-	-	-	1	6	4	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	4	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	3	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	271	8	7	-	1	1	2	13	41	42	46	29
WHITE-----MALE----	171	5	3	-	1	-	1	10	31	28	29	23
FEMALE--	66	1	3	-	-	-	-	1	5	8	10	4
ALL OTHER--MALE----	29	-	-	-	-	1	1	2	5	5	7	2
FEMALE--	5	2	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	19	-	-	-	-	-	1	-	3	3	5	2
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	114	3	-	1	-	-	1	8	14	21	23	11
WHITE-----MALE----	49	-	-	-	-	-	1	3	6	11	12	4
FEMALE--	25	-	-	1	-	-	-	1	2	2	3	1
ALL OTHER--MALE----	27	2	-	-	-	-	-	1	3	6	6	6
FEMALE--	13	1	-	-	-	-	-	3	3	2	2	-
BLACK---MALE----	27	2	-	-	-	-	-	1	3	6	6	6
FEMALE--	13	1	-	-	-	-	-	3	3	2	2	-
CALIFORNIA -----	2,726	11	9	7	6	11	25	123	328	454	448	392
WHITE-----MALE----	1,666	3	4	5	4	5	17	83	212	310	292	270
FEMALE--	398	5	3	-	-	3	5	17	28	29	43	37
ALL OTHER--MALE----	488	2	-	-	1	2	1	14	74	95	96	69
FEMALE--	174	1	2	2	1	1	2	9	14	20	17	16
BLACK---MALE----	386	2	-	-	-	1	1	13	66	81	82	56
FEMALE--	104	-	2	2	1	-	2	9	13	19	16	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 190

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
UNITED STATES --	1,614	1,071	810	726	667	540	413	224	86	40	11	6
WHITE-----MALE----	709	480	324	311	259	221	166	80	20	6	3	4
FEMALE--	189	150	165	206	265	227	207	125	56	31	6	-
ALL OTHER--MALE----	554	326	232	141	77	44	10	5	7	1	-	1
FEMALE--	162	115	89	68	66	48	30	14	3	2	2	1
BLACK---MALE----	529	300	216	116	67	36	6	4	5	1	-	1
FEMALE--	152	95	65	44	44	34	26	12	3	2	2	1
ALABAMA -----	17	7	7	10	12	8	7	2	-	-	-	-
WHITE-----MALE----	4	-	2	6	4	-	2	1	-	-	-	-
FEMALE--	4	2	1	2	5	5	4	-	-	-	-	-
ALL OTHER--MALE----	6	2	-	2	-	2	-	-	-	-	-	-
FEMALE--	3	3	4	-	3	1	1	1	-	-	-	-
BLACK---MALE----	6	2	-	2	-	2	-	-	-	-	-	-
FEMALE--	3	3	4	-	3	1	1	1	-	-	-	-
ALASKA -----	1	3	-	1	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	13	13	12	8	9	8	3	-	1	-	-
WHITE-----MALE----	11	9	5	7	1	3	3	1	-	-	-	-
FEMALE--	2	3	5	4	6	6	5	2	-	1	-	-
ALL OTHER--MALE----	1	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	6	2	8	8	5	1	1	-	-	-	-
WHITE-----MALE----	1	2	-	3	3	2	-	1	-	-	-	-
FEMALE--	-	2	1	3	5	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
CALIFORNIA -----	229	176	107	112	101	82	62	25	15	3	-	-
WHITE-----MALE----	151	102	50	49	43	31	27	5	3	-	-	-
FEMALE--	28	27	22	28	32	34	28	16	10	3	-	-
ALL OTHER--MALE----	41	34	20	17	12	5	1	2	2	-	-	-
FEMALE--	9	13	15	18	14	12	6	2	-	-	-	-
BLACK---MALE----	33	23	13	5	8	-	-	1	1	-	-	-
FEMALE--	5	5	3	3	4	5	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 191

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
COLORADO -----	193	3	1	1	-	1	-	5	28	40	25	28
WHITE-----MALE----	136	2	-	1	-	1	-	2	22	33	22	19
FEMALE--	41	1	1	-	-	-	-	1	4	5	1	6
ALL OTHER--MALE----	15	-	-	-	-	-	-	2	2	2	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	2	1	2	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	259	-	1	1	2	-	3	15	35	47	44	41
WHITE-----MALE----	129	-	1	-	-	-	-	6	17	26	23	17
FEMALE--	42	-	-	1	1	-	1	4	6	6	5	6
ALL OTHER--MALE----	58	-	-	-	-	-	-	4	6	9	14	13
FEMALE--	30	-	-	-	1	-	2	1	6	6	2	5
BLACK---MALE----	58	-	-	-	-	-	-	4	6	9	14	13
FEMALE--	30	-	-	-	1	-	2	1	6	6	2	5
DELAWARE -----	74	1	-	-	-	-	-	3	6	18	15	11
WHITE-----MALE----	17	-	-	-	-	-	-	1	1	1	6	4
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	38	1	-	-	-	-	-	1	4	8	7	6
FEMALE--	14	-	-	-	-	-	-	1	1	8	2	1
BLACK---MALE----	37	1	-	-	-	-	-	1	4	8	7	6
FEMALE--	14	-	-	-	-	-	-	1	1	8	2	1
DISTRICT OF COLUMBIA ----	285	1	2	1	-	-	5	16	36	52	70	45
WHITE-----MALE----	35	-	-	-	-	-	1	1	8	8	8	3
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	173	-	-	-	-	-	3	8	19	34	43	32
FEMALE--	73	1	2	1	-	-	1	6	9	10	19	10
BLACK---MALE----	172	-	-	-	-	-	3	8	19	33	43	32
FEMALE--	73	1	2	1	-	-	1	6	9	10	19	10
FLORIDA -----	2,296	6	12	9	6	7	34	162	321	461	390	258
WHITE-----MALE----	897	1	2	2	2	-	7	39	118	182	165	111
FEMALE--	253	1	3	-	-	3	1	13	22	33	28	21
ALL OTHER--MALE----	722	4	2	4	4	1	11	59	99	138	135	94
FEMALE--	424	-	5	3	-	3	15	51	82	108	62	32
BLACK---MALE----	718	3	2	4	4	1	11	59	98	138	135	94
FEMALE--	423	-	5	3	-	3	15	51	82	108	62	32
GEORGIA -----	863	6	3	4	3	3	22	59	136	165	174	106
WHITE-----MALE----	202	-	-	-	1	1	2	12	31	36	48	20
FEMALE--	50	1	-	2	1	-	3	2	3	4	1	3
ALL OTHER--MALE----	443	1	1	1	1	-	8	34	74	90	94	67
FEMALE--	168	4	2	1	-	2	9	11	28	35	31	16
BLACK---MALE----	440	1	1	1	1	-	8	33	74	90	93	67
FEMALE--	166	4	2	1	-	2	9	11	28	35	31	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 191

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
COLORADO -----	14	8	10	11	5	8	3	1	1	-	-	-
WHITE-----MALE----	9	6	6	6	1	4	-	1	1	-	-	-
FEMALE--	3	1	2	5	4	4	3	-	-	-	-	-
ALL OTHER--MALE----	2	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	18	15	8	10	8	6	4	1	-	-	-	-
WHITE-----MALE----	10	6	8	3	4	4	3	1	-	-	-	-
FEMALE--	2	2	-	4	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	3	-	1	-	-	-	-	-	-
FEMALE--	2	3	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	4	4	-	3	-	1	-	-	-	-	-	-
FEMALE--	2	3	-	-	2	-	-	-	-	-	-	-
DELAWARE -----	8	4	2	2	1	1	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	33	9	3	3	5	3	1	-	-	-	-	-
WHITE-----MALE----	4	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	6	2	2	3	1	1	-	-	-	-	-
FEMALE--	9	2	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	19	6	2	2	3	1	1	-	-	-	-	-
FEMALE--	9	2	1	1	-	1	-	-	-	-	-	-
FLORIDA -----	167	113	75	73	71	57	40	28	4	1	-	1
WHITE-----MALE----	70	49	22	37	30	25	22	11	1	1	-	-
FEMALE--	16	7	12	12	23	25	15	15	3	-	-	-
ALL OTHER--MALE----	56	45	35	18	9	5	2	-	-	-	-	1
FEMALE--	25	12	6	6	9	2	1	2	-	-	-	-
BLACK---MALE----	56	45	34	17	9	5	2	-	-	-	-	1
FEMALE--	25	11	6	6	9	2	1	2	-	-	-	-
GEORGIA -----	58	42	32	13	8	15	7	4	2	-	1	-
WHITE-----MALE----	14	10	10	3	2	9	3	-	-	-	-	-
FEMALE--	6	1	8	3	3	2	2	3	2	-	-	-
ALL OTHER--MALE----	32	22	10	4	2	2	-	-	-	-	-	-
FEMALE--	6	9	4	3	1	2	2	1	-	-	1	-
BLACK---MALE----	32	21	10	4	2	2	-	-	-	-	-	-
FEMALE--	6	9	3	2	1	2	2	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 192
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
HAWAII -----	65	-	-	-	-	1	-	-	5	10	8	6
WHITE-----MALE----	20	-	-	-	-	-	-	-	1	4	3	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	30	-	-	-	-	1	-	-	4	5	4	3
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	31	1	-	-	-	1	-	2	7	3	1	2
WHITE-----MALE----	22	1	-	-	-	-	-	2	6	2	-	2
FEMALE--	8	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	696	4	1	6	2	1	7	33	95	119	126	85
WHITE-----MALE----	231	1	-	2	1	-	-	6	34	33	48	22
FEMALE--	97	2	-	3	1	1	-	3	10	4	5	6
ALL OTHER--MALE----	268	1	-	-	-	-	5	16	39	58	55	42
FEMALE--	100	-	1	1	-	-	2	8	12	24	18	15
BLACK---MALE----	266	1	-	-	-	-	5	16	39	58	55	42
FEMALE--	96	-	1	1	-	-	2	7	11	24	18	14
INDIANA -----	245	6	2	4	-	1	5	16	33	43	39	24
WHITE-----MALE----	132	1	-	-	-	-	3	9	20	23	28	17
FEMALE--	54	2	2	4	-	1	1	1	3	7	3	1
ALL OTHER--MALE----	48	2	-	-	-	-	1	3	7	12	8	5
FEMALE--	11	1	-	-	-	-	-	3	3	1	-	1
BLACK---MALE----	46	2	-	-	-	-	1	3	6	12	7	5
FEMALE--	10	1	-	-	-	-	-	3	3	1	-	1
IOWA -----	81	-	1	1	1	-	-	2	9	5	8	8
WHITE-----MALE----	56	-	1	-	-	-	-	1	8	5	6	7
FEMALE--	22	-	-	1	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	94	3	-	2	-	1	-	5	13	12	9	10
WHITE-----MALE----	63	2	-	2	-	-	-	4	9	7	8	8
FEMALE--	15	-	-	-	-	1	-	-	-	2	-	1
ALL OTHER--MALE----	9	1	-	-	-	-	-	1	1	3	1	-
FEMALE--	7	-	-	-	-	-	-	-	3	-	-	1
BLACK---MALE----	8	1	-	-	-	-	-	1	1	3	1	-
FEMALE--	3	-	-	-	-	-	-	-	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 193

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
KENTUCKY -----	144	3	-	-	-	-	2	7	16	23	13	24
WHITE-----MALE----	77	1	-	-	-	-	1	3	8	13	10	15
FEMALE--	33	1	-	-	-	-	1	-	1	3	-	2
ALL OTHER--MALE----	28	-	-	-	-	-	-	2	7	6	2	7
FEMALE--	6	1	-	-	-	-	-	2	-	1	1	-
BLACK---MALE----	27	-	-	-	-	-	-	2	7	6	2	6
FEMALE--	6	1	-	-	-	-	-	2	-	1	1	-
LOUISIANA -----	513	3	4	1	-	4	13	44	84	81	83	67
WHITE-----MALE----	133	-	-	-	-	-	1	7	20	14	28	20
FEMALE--	44	-	2	-	-	-	-	2	2	2	-	4
ALL OTHER--MALE----	257	3	-	1	-	-	6	27	48	53	43	34
FEMALE--	79	-	2	-	-	4	6	8	14	12	12	9
BLACK---MALE----	253	3	-	1	-	-	6	27	48	51	43	34
FEMALE--	77	-	2	-	-	4	6	8	14	12	12	8
MAINE -----	45	-	2	-	-	-	-	1	7	3	7	6
WHITE-----MALE----	30	-	1	-	-	-	-	1	6	3	3	5
FEMALE--	14	-	1	-	-	-	-	-	1	-	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	720	1	-	3	2	2	7	31	113	153	150	89
WHITE-----MALE----	100	-	-	-	1	-	1	3	17	22	18	10
FEMALE--	57	-	-	1	-	1	-	4	3	5	3	2
ALL OTHER--MALE----	398	-	-	2	1	-	3	14	62	85	89	62
FEMALE--	165	1	-	-	-	1	3	10	31	41	40	15
BLACK---MALE----	395	-	-	2	1	-	3	14	62	84	88	62
FEMALE--	162	1	-	-	-	1	3	10	31	41	39	15
MASSACHUSETTS -----	360	1	2	1	3	1	1	8	30	65	87	52
WHITE-----MALE----	202	1	1	-	3	-	1	6	10	39	58	32
FEMALE--	73	-	-	-	-	-	-	1	8	8	10	7
ALL OTHER--MALE----	55	-	1	-	-	-	-	-	7	11	13	8
FEMALE--	30	-	-	1	-	1	-	1	5	7	6	5
BLACK---MALE----	53	-	1	-	-	-	-	-	7	11	13	8
FEMALE--	28	-	-	1	-	-	-	1	5	7	5	5
MICHIGAN -----	437	1	4	-	2	-	9	20	62	68	83	66
WHITE-----MALE----	152	-	2	-	-	-	4	6	21	28	24	27
FEMALE--	50	1	-	-	-	-	1	2	5	6	2	-
ALL OTHER--MALE----	179	-	2	-	1	-	3	11	31	29	43	28
FEMALE--	56	-	-	-	1	-	1	1	5	5	14	11
BLACK---MALE----	170	-	1	-	1	-	3	10	29	29	40	27
FEMALE--	52	-	-	-	1	-	1	1	4	5	14	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 193

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
KENTUCKY -----	8	5	7	7	11	8	6	3	1	-	-	-
WHITE-----MALE----	5	1	4	5	5	4	1	1	-	-	-	-
FEMALE--	2	3	3	1	5	4	5	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	38	16	23	13	11	11	8	5	4	-	-	-
WHITE-----MALE----	13	3	5	6	5	2	4	2	3	-	-	-
FEMALE--	3	5	3	5	5	5	4	2	-	-	-	-
ALL OTHER--MALE----	19	6	12	1	-	3	-	-	1	-	-	-
FEMALE--	3	2	3	1	1	1	-	1	-	-	-	-
BLACK---MALE----	19	6	10	1	-	3	-	-	1	-	-	-
FEMALE--	3	1	3	1	1	1	-	1	-	-	-	-
MAINE -----	3	1	3	3	3	3	2	-	-	-	1	-
WHITE-----MALE----	2	1	3	2	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	54	32	25	13	15	9	10	9	1	1	-	-
WHITE-----MALE----	10	8	4	-	1	-	4	1	-	-	-	-
FEMALE--	3	1	4	4	5	5	6	8	1	1	-	-
ALL OTHER--MALE----	35	20	11	6	6	2	-	-	-	-	-	-
FEMALE--	6	3	6	3	3	2	-	-	-	-	-	-
BLACK---MALE----	35	19	11	6	6	2	-	-	-	-	-	-
FEMALE--	6	3	5	3	2	2	-	-	-	-	-	-
MASSACHUSETTS -----	30	12	12	17	12	12	8	1	4	1	-	-
WHITE-----MALE----	16	7	6	9	8	3	2	-	-	-	-	-
FEMALE--	5	2	6	4	4	7	5	1	4	1	-	-
ALL OTHER--MALE----	7	3	-	2	-	2	1	-	-	-	-	-
FEMALE--	2	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	6	3	-	1	-	2	1	-	-	-	-	-
FEMALE--	2	-	-	2	-	-	-	-	-	-	-	-
MICHIGAN -----	33	16	12	16	17	11	10	5	1	1	-	-
WHITE-----MALE----	10	8	3	6	4	3	3	1	1	1	-	-
FEMALE--	5	1	2	4	10	3	5	3	-	-	-	-
ALL OTHER--MALE----	12	6	6	3	2	2	-	-	-	-	-	-
FEMALE--	6	1	1	3	1	3	2	1	-	-	-	-
BLACK---MALE----	12	6	6	3	1	2	-	-	-	-	-	-
FEMALE--	5	1	1	3	-	3	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 194
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
MINNESOTA -----	133	5	3	-	1	-	-	2	14	18	23	15
WHITE-----MALE----	70	1	-	-	1	-	-	1	9	10	15	11
FEMALE--	36	2	3	-	-	-	-	1	1	-	3	2
ALL OTHER--MALE----	21	1	-	-	-	-	-	-	1	7	5	2
FEMALE--	6	1	-	-	-	-	-	-	3	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	5	4	1
FEMALE--	4	-	-	-	-	-	-	-	3	1	-	-
MISSISSIPPI -----	216	3	3	3	-	1	9	12	28	37	32	24
WHITE-----MALE----	65	1	-	1	-	-	-	1	6	11	15	7
FEMALE--	29	-	1	-	-	-	1	1	2	1	4	3
ALL OTHER--MALE----	90	-	1	1	-	-	5	8	15	21	12	12
FEMALE--	32	2	1	1	-	1	3	2	5	4	1	2
BLACK---MALE----	89	-	1	1	-	-	5	8	15	21	12	12
FEMALE--	31	2	1	1	-	1	3	2	5	3	1	2
MISSOURI -----	252	2	-	1	2	-	3	22	32	40	31	35
WHITE-----MALE----	129	-	-	-	1	-	-	6	21	21	19	20
FEMALE--	33	1	-	-	-	-	1	-	-	3	2	2
ALL OTHER--MALE----	66	1	-	1	1	-	2	10	10	16	7	11
FEMALE--	24	-	-	-	-	-	-	6	1	-	3	2
BLACK---MALE----	65	1	-	1	1	-	2	10	10	16	7	11
FEMALE--	22	-	-	-	-	-	-	6	1	-	3	2
MONTANA -----	24	-	1	-	-	-	-	-	3	7	-	-
WHITE-----MALE----	14	-	1	-	-	-	-	-	1	5	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	57	-	1	1	-	-	2	2	6	11	6	6
WHITE-----MALE----	26	-	-	-	-	-	-	1	4	7	4	2
FEMALE--	18	-	1	1	-	-	1	-	1	1	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	1	-	3	1	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	9	-	-	-	-	-	1	1	-	3	1	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1
NEVADA -----	128	-	2	-	1	1	1	9	17	27	19	11
WHITE-----MALE----	75	-	2	-	-	-	1	2	14	20	9	6
FEMALE--	22	-	-	-	-	-	-	5	1	2	3	2
ALL OTHER--MALE----	21	-	-	-	1	-	-	1	2	3	5	2
FEMALE--	10	-	-	-	-	1	-	1	-	2	2	1
BLACK---MALE----	18	-	-	-	1	-	-	1	2	3	5	2
FEMALE--	8	-	-	-	-	1	-	1	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 194

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
MINNESOTA -----	2	7	7	7	13	5	5	2	2	1	1	-
WHITE-----MALE----	1	3	3	3	5	2	3	1	1	-	-	-
FEMALE--	-	2	4	4	5	3	2	1	1	1	1	-
ALL OTHER--MALE----	1	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	13	16	6	7	4	5	3	8	2	-	-	-
WHITE-----MALE----	6	6	3	2	-	2	1	2	1	-	-	-
FEMALE--	-	3	-	4	2	2	2	3	-	-	-	-
ALL OTHER--MALE----	6	2	2	1	2	1	-	1	-	-	-	-
FEMALE--	1	5	1	-	-	-	-	2	1	-	-	-
BLACK---MALE----	6	2	2	1	1	1	-	1	-	-	-	-
FEMALE--	1	5	1	-	-	-	-	2	1	-	-	-
MISSOURI -----	21	14	7	7	12	10	6	6	1	-	-	-
WHITE-----MALE----	9	10	2	4	8	3	3	2	-	-	-	-
FEMALE--	6	-	4	2	3	3	2	3	1	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	3	3	-	1	1	3	1	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	3	2	-	1	1	2	1	-	-	-	-	-
MONTANA -----	2	-	1	2	2	2	2	-	-	2	-	-
WHITE-----MALE----	2	-	-	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	1	2	2	4	4	3	1	1	-	-	-
WHITE-----MALE----	2	1	1	2	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	4	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA -----	12	3	11	4	6	3	1	-	-	-	-	-
WHITE-----MALE----	9	2	5	-	4	-	1	-	-	-	-	-
FEMALE--	1	1	2	2	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	3	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 196
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
OHIO -----	445	3	-	1	1	3	6	22	68	66	71	53
WHITE-----MALE----	224	1	-	-	1	1	1	9	37	31	40	31
FEMALE--	76	1	-	-	-	1	2	2	4	7	4	5
ALL OTHER--MALE----	105	-	-	1	-	1	2	9	21	22	20	13
FEMALE--	40	1	-	-	-	-	1	2	6	6	7	4
BLACK---MALE----	103	-	-	1	-	1	2	9	21	21	20	12
FEMALE--	39	1	-	-	-	-	1	2	5	6	7	4
OKLAHOMA -----	176	-	1	1	2	-	1	6	25	36	29	20
WHITE-----MALE----	111	-	1	-	1	-	-	2	14	25	24	15
FEMALE--	42	-	-	1	1	-	1	3	4	7	1	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	6	3	2	2
FEMALE--	4	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	16	-	-	-	-	-	-	1	4	2	2	2
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
OREGON -----	168	2	-	-	-	-	2	6	17	19	26	27
WHITE-----MALE----	116	1	-	-	-	-	1	4	14	16	17	25
FEMALE--	41	-	-	-	-	-	1	1	3	2	6	-
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	1	2	2
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	775	-	5	-	1	3	9	33	96	147	146	108
WHITE-----MALE----	307	-	2	-	1	2	-	8	43	64	60	40
FEMALE--	121	-	-	-	-	-	3	5	12	10	13	9
ALL OTHER--MALE----	261	-	2	-	-	-	3	10	32	57	53	49
FEMALE--	86	-	1	-	-	1	3	10	9	16	20	10
BLACK---MALE----	260	-	2	-	-	-	3	9	32	57	53	49
FEMALE--	84	-	1	-	-	1	3	10	9	16	19	10
RHODE ISLAND -----	76	-	1	-	-	2	2	2	4	15	9	15
WHITE-----MALE----	40	-	1	-	-	2	-	1	2	11	5	8
FEMALE--	17	-	-	-	-	-	1	-	1	1	-	2
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	1	-	3	5
FEMALE--	6	-	-	-	-	-	-	1	-	3	1	-
BLACK---MALE----	11	-	-	-	-	-	1	-	1	-	3	4
FEMALE--	6	-	-	-	-	-	-	1	-	3	1	-
SOUTH CAROLINA -----	383	1	2	1	1	-	7	31	67	70	68	54
WHITE-----MALE----	84	-	-	-	-	-	1	3	14	15	18	11
FEMALE--	27	-	-	-	-	-	1	2	3	-	2	1
ALL OTHER--MALE----	194	-	1	-	1	-	2	17	36	41	36	31
FEMALE--	78	1	1	1	-	-	3	9	14	14	12	11
BLACK---MALE----	194	-	1	-	1	-	2	17	36	41	36	31
FEMALE--	78	1	1	1	-	-	3	9	14	14	12	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 196

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
OHIO -----	27	17	16	19	21	20	14	10	3	4	-	-
WHITE-----MALE----	18	6	7	8	10	12	5	4	1	1	-	-
FEMALE--	1	4	5	8	8	7	8	5	2	2	-	-
ALL OTHER--MALE----	4	5	2	3	2	-	-	-	-	-	-	-
FEMALE--	4	2	2	-	1	1	1	1	-	1	-	-
BLACK---MALE----	4	5	2	3	2	-	-	-	-	-	-	-
FEMALE--	4	2	2	-	1	1	1	1	-	1	-	-
OKLAHOMA -----	12	10	3	4	10	8	7	1	-	-	-	-
WHITE-----MALE----	5	7	1	2	6	4	3	1	-	-	-	-
FEMALE--	3	2	2	2	4	4	4	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	13	6	8	9	7	7	8	3	3	4	1	-
WHITE-----MALE----	10	4	6	5	4	4	2	1	1	-	1	-
FEMALE--	3	2	1	2	3	3	6	2	2	4	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	54	49	28	20	20	27	14	8	4	1	1	1
WHITE-----MALE----	22	22	8	6	9	9	7	3	-	-	-	1
FEMALE--	4	7	8	10	7	16	6	5	4	1	1	-
ALL OTHER--MALE----	24	18	9	1	2	1	-	-	-	-	-	-
FEMALE--	4	2	3	3	2	1	1	-	-	-	-	-
BLACK---MALE----	24	18	9	1	2	1	-	-	-	-	-	-
FEMALE--	4	2	2	3	2	1	1	-	-	-	-	-
RHODE ISLAND -----	5	4	5	3	1	4	3	-	1	-	-	-
WHITE-----MALE----	1	-	4	2	1	2	-	-	-	-	-	-
FEMALE--	2	2	1	1	-	2	3	-	1	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	32	9	10	8	7	7	4	3	1	-	-	-
WHITE-----MALE----	9	2	4	2	2	3	-	-	-	-	-	-
FEMALE--	3	1	3	-	3	3	1	3	1	-	-	-
ALL OTHER--MALE----	16	5	2	6	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	2	1	3	-	-	-	-	-
BLACK---MALE----	16	5	2	6	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	2	1	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 197
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
SOUTH DAKOTA -----	8	-	-	-	-	-	-	-	1	2	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	417	6	1	-	1	2	4	34	72	75	55	47
WHITE-----MALE----	144	1	-	-	-	-	-	11	20	29	15	23
FEMALE--	63	-	-	-	1	-	2	-	5	6	5	7
ALL OTHER--MALE----	154	2	1	-	-	-	1	17	36	28	31	12
FEMALE--	56	3	-	-	-	2	1	6	11	12	4	5
BLACK---MALE----	153	2	1	-	-	-	1	16	36	28	31	12
FEMALE--	53	3	-	-	-	2	1	6	11	12	4	5
TEXAS -----	1,692	13	8	8	2	4	32	120	272	316	289	187
WHITE-----MALE----	912	6	5	3	-	2	12	56	155	182	173	105
FEMALE--	248	5	1	2	2	-	4	8	16	25	22	17
ALL OTHER--MALE----	378	2	1	2	-	-	7	36	73	85	72	48
FEMALE--	154	-	1	1	-	2	9	20	28	24	22	17
BLACK---MALE----	362	2	1	2	-	-	6	36	71	83	68	48
FEMALE--	146	-	1	1	-	2	9	20	28	23	21	16
UTAH -----	65	1	2	1	-	-	3	2	9	7	5	12
WHITE-----MALE----	40	1	-	-	-	-	3	1	3	6	4	11
FEMALE--	18	-	2	-	-	-	-	-	4	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	2	-	1	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	17	-	-	-	-	-	-	-	-	3	4	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	3	3	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	428	5	2	1	-	3	7	31	63	87	72	41
WHITE-----MALE----	134	1	-	-	-	-	1	11	16	31	22	13
FEMALE--	46	-	-	-	-	2	2	2	2	7	7	-
ALL OTHER--MALE----	183	3	2	-	-	1	1	9	35	40	33	24
FEMALE--	65	1	-	1	-	-	3	9	10	9	10	4
BLACK---MALE----	182	3	2	-	-	1	1	9	35	40	33	24
FEMALE--	61	1	-	1	-	-	3	9	9	9	10	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 197

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
SOUTH DAKOTA -----	1	2	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	16	17	13	19	8	10	5	3	-	1	-
WHITE-----MALE----	12	8	4	6	4	5	4	2	-	-	-	-
FEMALE--	4	2	2	4	11	2	6	3	3	-	-	-
ALL OTHER--MALE----	9	3	10	2	2	-	-	-	-	-	-	-
FEMALE--	3	3	1	1	2	1	-	-	-	-	1	-
BLACK---MALE----	9	3	10	2	2	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	2	1	-	-	-	-	1	-
TEXAS -----	90	77	70	63	64	29	25	14	7	2	-	-
WHITE-----MALE----	45	44	40	31	28	7	9	6	3	-	-	-
FEMALE--	13	18	17	22	29	20	15	7	3	2	-	-
ALL OTHER--MALE----	21	10	10	7	3	1	-	-	-	-	-	-
FEMALE--	11	5	3	3	4	1	1	1	1	-	-	-
BLACK---MALE----	17	9	9	6	3	1	-	-	-	-	-	-
FEMALE--	11	4	2	2	3	1	1	-	1	-	-	-
UTAH -----	4	3	4	1	3	2	3	2	-	1	-	-
WHITE-----MALE----	3	1	3	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	1	-	2	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	3	1	2	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	35	13	14	9	9	15	7	10	1	1	-	2
WHITE-----MALE----	9	2	3	5	2	9	2	5	-	-	-	2
FEMALE--	2	3	4	1	2	4	2	4	1	1	-	-
ALL OTHER--MALE----	18	4	6	2	2	2	1	-	-	-	-	-
FEMALE--	6	4	1	1	3	-	2	1	-	-	-	-
BLACK---MALE----	18	4	6	1	2	2	1	-	-	-	-	-
FEMALE--	4	3	1	1	3	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 244
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
UNITED STATES --	4,057	3	1	4	4	10	14	27	82	251	483	580
WHITE-----MALE----	1,988	-	-	1	2	8	6	9	37	151	312	335
FEMALE--	1,262	1	-	2	1	2	3	8	18	51	85	104
ALL OTHER--MALE----	454	1	1	-	-	-	3	5	17	33	65	100
FEMALE--	353	1	-	1	1	-	2	5	10	16	21	41
BLACK---MALE----	311	1	-	-	-	-	1	3	14	24	50	76
FEMALE--	224	1	-	-	1	-	2	5	8	12	17	29
ALABAMA -----	59	-	-	-	-	-	1	1	-	6	5	5
WHITE-----MALE----	22	-	-	-	-	-	-	1	-	3	3	2
FEMALE--	20	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	9	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	77	-	-	-	-	-	-	1	4	1	13	12
WHITE-----MALE----	42	-	-	-	-	-	-	-	1	1	9	9
FEMALE--	31	-	-	-	-	-	-	-	2	-	4	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	36	-	-	-	-	-	-	-	-	4	4	5
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	2	4	2
FEMALE--	14	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	708	-	-	-	2	4	1	4	11	28	76	116
WHITE-----MALE----	336	-	-	-	1	3	-	1	5	21	52	72
FEMALE--	201	-	-	-	-	1	1	3	2	5	13	21
ALL OTHER--MALE----	93	-	-	-	-	-	-	-	3	2	9	18
FEMALE--	78	-	-	-	1	-	-	-	1	-	2	5
BLACK---MALE----	32	-	-	-	-	-	-	-	3	1	3	7
FEMALE--	18	-	-	-	1	-	-	-	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 244
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
UNITED STATES --	372	341	298	388	422	355	262	122	36	1	1	-
WHITE-----MALE----	199	169	128	152	165	149	113	44	8	-	-	-
FEMALE--	90	83	96	154	197	155	126	66	20	-	-	-
ALL OTHER--MALE----	57	47	34	37	24	16	4	4	6	-	-	-
FEMALE--	26	42	40	45	36	35	19	8	2	1	1	-
BLACK---MALE----	44	29	22	15	14	10	1	3	4	-	-	-
FEMALE--	19	25	18	22	17	22	15	7	2	1	1	-
ALABAMA -----	8	3	4	8	7	4	5	2	-	-	-	-
WHITE-----MALE----	1	-	2	5	2	-	2	1	-	-	-	-
FEMALE--	4	2	-	2	4	3	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	1	1	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	1	1	-	-	-	-
ALASKA -----	-	2	-	-	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	3	6	10	6	7	6	2	-	-	-	-
WHITE-----MALE----	5	2	3	6	1	2	2	1	-	-	-	-
FEMALE--	1	1	3	4	4	5	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	1	8	6	4	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	3	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	3	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
CALIFORNIA -----	54	79	61	72	69	62	46	15	8	-	-	-
WHITE-----MALE----	30	37	23	22	24	22	19	2	2	-	-	-
FEMALE--	13	18	18	21	26	25	20	10	4	-	-	-
ALL OTHER--MALE----	9	14	8	12	9	4	1	2	2	-	-	-
FEMALE--	2	10	12	17	10	11	6	1	-	-	-	-
BLACK---MALE----	4	5	2	-	5	-	-	1	1	-	-	-
FEMALE--	-	3	-	3	1	4	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 245

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
COLORADO -----	51	-	-	1	-	-	-	-	1	4	2	12
WHITE-----MALE----	28	-	-	1	-	-	-	-	-	2	2	8
FEMALE--	21	-	-	-	-	-	-	-	1	2	-	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	43	-	-	-	-	-	-	-	1	3	6	8
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	3	3	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	12	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	10	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
FLORIDA -----	317	-	-	-	-	-	1	1	4	22	36	31
WHITE-----MALE----	180	-	-	-	-	-	1	-	3	10	25	22
FEMALE--	104	-	-	-	-	-	-	-	-	10	6	6
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	15	-	-	-	-	-	-	1	1	1	2	2
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	14	-	-	-	-	-	-	1	1	1	2	2
GEORGIA -----	86	-	-	-	1	1	-	3	1	6	6	11
WHITE-----MALE----	39	-	-	-	1	1	-	1	-	4	3	4
FEMALE--	21	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	2	3	4
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	12	-	-	-	-	-	-	1	-	2	2	4
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 245
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
COLORADO -----	7	-	6	7	2	5	3	-	1	-	-	-
WHITE-----MALE----	4	-	5	2	-	3	-	-	1	-	-	-
FEMALE--	2	-	-	5	2	2	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	3	3	1	5	5	2	-	-	-	-	-
WHITE-----MALE----	5	-	3	-	2	3	2	-	-	-	-	-
FEMALE--	1	1	-	1	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	3	2	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	3	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	27	22	16	33	39	38	27	19	1	-	-	-
WHITE-----MALE----	18	15	6	17	19	18	17	9	-	-	-	-
FEMALE--	6	2	6	12	17	19	9	10	1	-	-	-
ALL OTHER--MALE----	2	4	2	3	-	1	1	-	-	-	-	-
FEMALE--	1	1	2	1	3	-	-	-	-	-	-	-
BLACK---MALE----	2	4	1	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	2	1	3	-	-	-	-	-	-	-
GEORGIA -----	11	8	12	7	4	9	2	2	2	-	-	-
WHITE-----MALE----	5	5	4	1	2	7	1	-	-	-	-	-
FEMALE--	4	-	5	2	2	1	1	2	2	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	3	3	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	2	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 247
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
KENTUCKY -----	41	-	-	-	-	-	-	-	2	3	4	11
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	3	4	8
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	82	-	-	-	-	-	-	1	-	2	7	15
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	1	7	5
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	-	-	6
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	16	-	-	-	-	-	-	1	-	-	-	6
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MAINE -----	9	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	84	-	-	-	-	1	1	-	3	8	5	10
WHITE-----MALE----	27	-	-	-	-	-	1	-	1	6	2	3
FEMALE--	28	-	-	-	-	1	-	-	-	-	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	15	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	2
MASSACHUSETTS -----	84	-	-	-	-	-	-	-	1	1	14	17
WHITE-----MALE----	53	-	-	-	-	-	-	-	1	1	11	10
FEMALE--	23	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	3
MICHIGAN -----	96	-	1	-	-	-	-	3	4	3	7	18
WHITE-----MALE----	37	-	-	-	-	-	-	1	2	1	4	10
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	17	-	1	-	-	-	-	1	1	1	2	5
FEMALE--	17	-	-	-	-	-	-	1	1	-	1	3
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	14	-	-	-	-	-	-	1	-	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 247
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
KENTUCKY -----	2	1	4	3	5	4	1	-	1	-	-	-
WHITE-----MALE----	1	-	1	2	2	2	-	-	-	-	-	-
FEMALE--	1	1	3	1	3	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	9	8	10	7	9	5	6	1	2	-	-	-
WHITE-----MALE----	3	2	2	1	3	1	4	1	1	-	-	-
FEMALE--	2	5	2	4	5	4	2	-	-	-	-	-
ALL OTHER--MALE----	3	-	6	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	4	1	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
MAINE -----	1	-	-	2	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	6	6	5	9	6	8	6	-	-	-	-
WHITE-----MALE----	5	2	2	-	1	-	4	-	-	-	-	-
FEMALE--	2	1	2	3	3	3	4	6	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	2	2	3	2	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	2	2	-	-	-	-	-	-
MASSACHUSETTS -----	13	4	5	10	10	3	5	-	1	-	-	-
WHITE-----MALE----	8	3	2	6	7	2	2	-	-	-	-	-
FEMALE--	3	1	3	2	3	1	3	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	5	3	10	13	8	8	4	-	-	-	-
WHITE-----MALE----	4	2	-	4	3	2	3	1	-	-	-	-
FEMALE--	2	-	2	4	9	2	3	2	-	-	-	-
ALL OTHER--MALE----	1	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	1	2	-	3	2	1	-	-	-	-
BLACK---MALE----	1	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	3	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 248
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
MINNESOTA -----	-	1	1	4	9	2	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	3	-	2	-	1	-	-	-
FEMALE--	-	1	1	3	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	5	5	5	3	3	2	6	2	-	-	-
WHITE-----MALE----	1	-	3	2	-	2	-	2	1	-	-	-
FEMALE--	-	2	-	3	2	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	3	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	3	1	-	-	-	-	1	1	-	-	-
MISSOURI -----	8	10	3	4	7	7	4	4	1	-	-	-
WHITE-----MALE----	3	6	-	1	6	2	3	2	-	-	-	-
FEMALE--	2	-	3	2	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	3	-	1	-	3	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	2	-	1	-	2	-	-	-	-	-	-
MONTANA -----	-	-	-	-	1	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	-	2	1	3	3	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA -----	5	2	3	2	6	2	1	-	-	-	-	-
WHITE-----MALE----	3	2	1	-	4	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 250

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
OHIO -----	92	-	-	-	-	1	1	-	3	3	8	19
WHITE-----MALE----	44	-	-	-	-	1	-	-	2	1	6	6
FEMALE--	27	-	-	-	-	-	-	-	-	2	2	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	-	6
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	3
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	-	5
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	3
OKLAHOMA -----	47	-	-	-	1	-	1	1	1	4	5	8
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	2	5	6
FEMALE--	18	-	-	-	1	-	1	1	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	62	-	-	-	-	-	-	-	-	3	9	13
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	1	5	12
FEMALE--	19	-	-	-	-	-	-	-	-	2	3	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	145	-	-	-	-	1	-	-	2	12	22	18
WHITE-----MALE----	74	-	-	-	-	1	-	-	2	8	11	10
FEMALE--	43	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	2	7	5
FEMALE--	9	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	2	7	5
FEMALE--	8	-	-	-	-	-	-	-	-	1	2	-
RHODE ISLAND -----	29	-	-	-	-	-	-	1	-	2	1	8
WHITE-----MALE----	18	-	-	-	-	-	-	1	-	2	1	5
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	56	-	-	-	-	-	1	-	1	8	12	7
WHITE-----MALE----	27	-	-	-	-	-	1	-	1	5	6	5
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	2	3	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	2	3	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 250

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
OHIO -----	7	5	4	8	11	9	8	5	-	-	-	-
WHITE-----MALE----	4	1	2	4	6	6	2	3	-	-	-	-
FEMALE--	-	3	-	3	4	2	6	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	1	-	1	-	-	-	-
OKLAHOMA -----	1	6	-	2	6	7	3	1	-	-	-	-
WHITE-----MALE----	1	5	-	-	4	3	-	1	-	-	-	-
FEMALE--	-	1	-	2	2	4	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	7	4	4	8	4	4	5	-	1	-	-	-
WHITE-----MALE----	5	3	2	4	2	3	1	-	-	-	-	-
FEMALE--	2	1	1	2	2	1	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	12	10	13	12	16	10	3	1	-	-	-
WHITE-----MALE----	8	8	2	5	6	7	5	1	-	-	-	-
FEMALE--	2	2	6	6	5	9	4	2	1	-	-	-
ALL OTHER--MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	2	-	-	1	-	-	-	-	-
BLACK---MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	1	-	-	-	-	-
RHODE ISLAND -----	2	2	5	2	1	3	2	-	-	-	-	-
WHITE-----MALE----	1	-	4	1	1	2	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	2	6	-	3	5	3	1	1	-	-	-
WHITE-----MALE----	3	1	2	-	-	3	-	-	-	-	-	-
FEMALE--	-	1	3	-	3	2	-	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	3	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 251
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	9	4	10	15	7	8	3	1	-	1	-
WHITE-----MALE----	4	5	2	5	4	5	3	-	-	-	-	-
FEMALE--	2	1	2	4	10	1	5	3	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	3	-	1	1	1	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	1	1	-	-	-	-	1	-
TEXAS -----	30	41	32	40	47	23	20	11	5	-	-	-
WHITE-----MALE----	15	23	18	16	19	5	8	4	1	-	-	-
FEMALE--	5	12	10	20	22	17	12	6	3	-	-	-
ALL OTHER--MALE----	5	2	2	1	2	-	-	-	-	-	-	-
FEMALE--	5	4	2	3	4	1	-	1	1	-	-	-
BLACK---MALE----	3	1	2	1	2	-	-	-	-	-	-	-
FEMALE--	5	3	1	2	3	1	-	-	1	-	-	-
UTAH -----	4	2	2	1	2	1	1	-	-	-	-	-
WHITE-----MALE----	3	-	2	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	3	1	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	7	5	2	2	7	2	5	1	-	-	-
WHITE-----MALE----	2	1	2	2	1	5	1	3	-	-	-	-
FEMALE--	2	3	2	-	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 253

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
UNITED STATES --	17,964	127	114	82	63	63	258	1,134	2,935	3,737	3,453	2,390
WHITE-----MALE----	7,274	39	35	20	23	13	66	391	1,236	1,589	1,423	984
FEMALE--	1,766	29	25	21	10	15	38	111	252	271	219	136
ALL OTHER--MALE----	6,346	33	22	22	23	7	75	408	1,000	1,321	1,323	943
FEMALE--	2,578	26	32	19	7	28	79	224	447	556	488	327
BLACK---MALE----	6,196	31	21	22	22	4	75	398	974	1,284	1,290	936
FEMALE--	2,534	22	31	18	7	25	79	223	442	552	483	321
ALABAMA -----	212	-	3	-	-	1	2	16	52	56	35	18
WHITE-----MALE----	45	-	-	-	-	-	-	4	13	13	6	3
FEMALE--	17	-	-	-	-	-	-	1	4	2	3	1
ALL OTHER--MALE----	108	-	1	-	-	-	1	7	27	31	21	12
FEMALE--	42	-	2	-	-	1	1	4	8	10	5	2
BLACK---MALE----	108	-	1	-	-	-	1	7	27	31	21	12
FEMALE--	42	-	2	-	-	1	1	4	8	10	5	2
ALASKA -----	13	-	1	-	-	-	-	-	-	5	4	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	194	8	7	-	1	1	2	12	37	41	33	17
WHITE-----MALE----	129	5	3	-	1	-	1	10	30	27	20	14
FEMALE--	35	1	3	-	-	-	-	1	3	8	6	2
ALL OTHER--MALE----	25	-	-	-	-	1	1	1	4	5	7	1
FEMALE--	5	2	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	18	-	-	-	-	-	1	-	3	3	5	1
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	78	3	-	1	-	-	1	8	14	17	19	6
WHITE-----MALE----	32	-	-	-	-	-	1	3	6	9	8	2
FEMALE--	11	-	-	1	-	-	-	1	2	-	3	-
ALL OTHER--MALE----	24	2	-	-	-	-	-	1	3	6	6	4
FEMALE--	11	1	-	-	-	-	-	3	3	2	2	-
BLACK---MALE----	24	2	-	-	-	-	-	1	3	6	6	4
FEMALE--	11	1	-	-	-	-	-	3	3	2	2	-
CALIFORNIA -----	2,017	11	9	7	4	7	24	119	317	426	372	276
WHITE-----MALE----	1,329	3	4	5	3	2	17	82	207	289	240	198
FEMALE--	197	5	3	-	-	2	4	14	26	24	30	16
ALL OTHER--MALE----	395	2	-	-	1	2	1	14	71	93	87	51
FEMALE--	96	1	2	2	-	1	2	9	13	20	15	11
BLACK---MALE----	354	2	-	-	-	1	1	13	63	80	79	49
FEMALE--	86	-	2	2	-	-	2	9	13	19	15	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 253

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
UNITED STATES --	1,240	730	512	338	245	185	151	102	50	39	10	6
WHITE-----MALE----	509	311	196	159	94	72	53	36	12	6	3	4
FEMALE--	98	67	69	52	68	72	81	59	36	31	6	-
ALL OTHER--MALE----	497	279	198	104	53	28	6	1	1	1	-	1
FEMALE--	136	73	49	23	30	13	11	6	1	1	1	1
BLACK---MALE----	485	271	194	101	53	26	5	1	1	1	-	1
FEMALE--	133	70	47	22	27	12	11	5	1	1	1	1
ALABAMA -----	9	4	3	2	5	4	2	-	-	-	-	-
WHITE-----MALE----	3	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	4	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	2	2	-	2	1	-	-	-	-	-	-
BLACK---MALE----	4	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	2	2	-	2	1	-	-	-	-	-	-
ALASKA -----	1	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	10	7	2	2	2	2	1	-	1	-	-
WHITE-----MALE----	6	7	2	1	-	1	1	-	-	-	-	-
FEMALE--	1	2	2	-	2	1	1	1	-	1	-	-
ALL OTHER--MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	4	1	-	2	1	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	174	97	46	40	32	20	16	10	7	3	-	-
WHITE-----MALE----	120	65	27	27	19	9	8	3	1	-	-	-
FEMALE--	15	9	4	7	6	9	8	6	6	3	-	-
ALL OTHER--MALE----	32	20	12	5	3	1	-	-	-	-	-	-
FEMALE--	7	3	3	1	4	1	-	1	-	-	-	-
BLACK---MALE----	29	18	11	5	3	-	-	-	-	-	-	-
FEMALE--	5	2	3	-	3	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 254

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
COLORADO -----	142	3	1	-	-	1	-	5	27	36	23	16
WHITE-----MALE----	108	2	-	-	-	1	-	2	22	31	20	11
FEMALE--	20	1	1	-	-	-	-	1	3	3	1	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	2	2	2	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	2	1	2	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	216	-	1	1	2	-	3	15	34	44	38	33
WHITE-----MALE----	103	-	1	-	-	-	-	6	16	23	20	13
FEMALE--	33	-	-	1	1	-	1	4	6	6	3	5
ALL OTHER--MALE----	52	-	-	-	-	-	-	4	6	9	13	10
FEMALE--	28	-	-	-	1	-	2	1	6	6	2	5
BLACK---MALE----	52	-	-	-	-	-	-	4	6	9	13	10
FEMALE--	28	-	-	-	1	-	2	1	6	6	2	5
DELAWARE -----	62	1	-	-	-	-	-	3	6	18	14	9
WHITE-----MALE----	11	-	-	-	-	-	-	1	1	1	6	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	36	1	-	-	-	-	-	1	4	8	6	6
FEMALE--	14	-	-	-	-	-	-	1	1	8	2	1
BLACK---MALE----	36	1	-	-	-	-	-	1	4	8	6	6
FEMALE--	14	-	-	-	-	-	-	1	1	8	2	1
DISTRICT OF COLUMBIA ----	275	1	2	1	-	-	5	16	35	52	69	44
WHITE-----MALE----	34	-	-	-	-	-	1	1	8	8	8	3
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	168	-	-	-	-	-	3	8	19	34	42	32
FEMALE--	71	1	2	1	-	-	1	6	8	10	19	9
BLACK---MALE----	167	-	-	-	-	-	3	8	19	33	42	32
FEMALE--	71	1	2	1	-	-	1	6	8	10	19	9
FLORIDA -----	1,979	6	12	9	6	7	33	161	317	439	354	227
WHITE-----MALE----	717	1	2	2	2	-	6	39	115	172	140	89
FEMALE--	149	1	3	-	-	3	1	13	22	23	22	15
ALL OTHER--MALE----	704	4	2	4	4	1	11	59	99	137	132	93
FEMALE--	409	-	5	3	-	3	15	50	81	107	60	30
BLACK---MALE----	702	3	2	4	4	1	11	59	98	137	132	93
FEMALE--	409	-	5	3	-	3	15	50	81	107	60	30
GEORGIA -----	776	6	3	4	1	2	22	56	135	159	168	95
WHITE-----MALE----	163	-	-	-	-	-	2	11	31	32	45	16
FEMALE--	28	1	-	2	-	-	3	1	3	4	1	2
ALL OTHER--MALE----	429	1	1	1	1	-	8	33	74	88	91	63
FEMALE--	156	4	2	1	-	2	9	11	27	35	31	14
BLACK---MALE----	428	1	1	1	1	-	8	32	74	88	91	63
FEMALE--	156	4	2	1	-	2	9	11	27	35	31	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 254

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
COLORADO -----	7	8	4	4	3	3	-	1	-	-	-	-
WHITE-----MALE----	5	6	1	4	1	1	-	1	-	-	-	-
FEMALE--	1	1	2	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	12	5	9	3	1	2	1	-	-	-	-
WHITE-----MALE----	5	6	5	3	2	1	1	1	-	-	-	-
FEMALE--	1	1	-	3	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	3	-	3	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	3	-	3	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	5	2	2	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	30	9	3	3	2	2	1	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	6	2	2	2	-	1	-	-	-	-	-
FEMALE--	9	2	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	17	6	2	2	2	-	1	-	-	-	-	-
FEMALE--	9	2	1	1	-	1	-	-	-	-	-	-
FLORIDA -----	140	91	59	40	32	19	13	9	3	1	-	1
WHITE-----MALE----	52	34	16	20	11	7	5	2	1	1	-	-
FEMALE--	10	5	6	-	6	6	6	5	2	-	-	-
ALL OTHER--MALE----	54	41	33	15	9	4	1	-	-	-	-	1
FEMALE--	24	11	4	5	6	2	1	2	-	-	-	-
BLACK---MALE----	54	41	33	15	9	4	1	-	-	-	-	1
FEMALE--	24	11	4	5	6	2	1	2	-	-	-	-
GEORGIA -----	47	34	20	6	4	6	5	2	-	-	1	-
WHITE-----MALE----	9	5	6	2	-	2	2	-	-	-	-	-
FEMALE--	2	1	3	1	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	30	21	10	3	2	2	-	-	-	-	-	-
FEMALE--	6	7	1	-	1	1	2	1	-	-	1	-
BLACK---MALE----	30	21	10	3	2	2	-	-	-	-	-	-
FEMALE--	6	7	1	-	1	1	2	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 255

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
HAWAII -----	44	-	-	-	-	1	-	-	5	9	7	4
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	4	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	24	-	-	-	-	1	-	-	4	4	4	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	22	1	-	-	-	1	-	2	6	1	1	1
WHITE-----MALE----	17	1	-	-	-	-	-	2	6	1	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	578	3	1	4	2	1	7	33	93	112	117	73
WHITE-----MALE----	180	1	-	2	1	-	-	6	34	30	43	17
FEMALE--	56	1	-	1	1	1	-	3	9	3	4	5
ALL OTHER--MALE----	253	1	-	-	-	-	5	16	38	56	54	37
FEMALE--	89	-	1	1	-	-	2	8	12	23	16	14
BLACK---MALE----	253	1	-	-	-	-	5	16	38	56	54	37
FEMALE--	86	-	1	1	-	-	2	7	11	23	16	14
INDIANA -----	190	6	2	4	-	1	5	15	32	39	26	19
WHITE-----MALE----	103	1	-	-	-	-	3	9	20	21	18	13
FEMALE--	37	2	2	4	-	1	1	1	3	5	2	-
ALL OTHER--MALE----	43	2	-	-	-	-	1	3	7	12	6	5
FEMALE--	7	1	-	-	-	-	-	2	2	1	-	1
BLACK---MALE----	42	2	-	-	-	-	1	3	6	12	6	5
FEMALE--	7	1	-	-	-	-	-	2	2	1	-	1
IOWA -----	49	-	1	1	1	-	-	2	9	4	5	4
WHITE-----MALE----	35	-	1	-	-	-	-	1	8	4	3	4
FEMALE--	11	-	-	1	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	65	3	-	2	-	1	-	5	13	9	6	4
WHITE-----MALE----	44	2	-	2	-	-	-	4	9	4	5	4
FEMALE--	9	-	-	-	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	8	1	-	-	-	-	-	1	1	3	1	-
FEMALE--	4	-	-	-	-	-	-	-	3	-	-	-
BLACK---MALE----	8	1	-	-	-	-	-	1	1	3	1	-
FEMALE--	3	-	-	-	-	-	-	-	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 256

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
KENTUCKY -----	103	3	-	-	-	-	2	7	14	20	9	13
WHITE-----MALE----	53	1	-	-	-	-	1	3	7	10	6	7
FEMALE--	20	1	-	-	-	-	1	-	1	3	-	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	2	6	6	2	5
FEMALE--	6	1	-	-	-	-	-	2	-	1	1	-
BLACK---MALE----	24	-	-	-	-	-	-	2	6	6	2	5
FEMALE--	6	1	-	-	-	-	-	2	-	1	1	-
LOUISIANA -----	431	3	4	1	-	4	13	43	84	79	76	52
WHITE-----MALE----	102	-	-	-	-	-	1	7	20	13	21	15
FEMALE--	17	-	2	-	-	-	-	2	2	2	-	1
ALL OTHER--MALE----	239	3	-	1	-	-	6	26	48	53	43	28
FEMALE--	73	-	2	-	-	4	6	8	14	11	12	8
BLACK---MALE----	237	3	-	1	-	-	6	26	48	51	43	28
FEMALE--	73	-	2	-	-	4	6	8	14	11	12	8
MAINE -----	36	-	2	-	-	-	-	1	7	3	7	5
WHITE-----MALE----	25	-	1	-	-	-	-	1	6	3	3	4
FEMALE--	10	-	1	-	-	-	-	-	1	-	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	636	1	-	3	2	1	6	31	110	145	145	79
WHITE-----MALE----	73	-	-	-	1	-	-	3	16	16	16	7
FEMALE--	29	-	-	1	-	-	-	4	3	5	2	-
ALL OTHER--MALE----	381	-	-	2	1	-	3	14	61	83	87	59
FEMALE--	153	1	-	-	-	1	3	10	30	41	40	13
BLACK---MALE----	380	-	-	2	1	-	3	14	61	83	86	59
FEMALE--	152	1	-	-	-	1	3	10	30	41	39	13
MASSACHUSETTS -----	275	1	1	1	3	1	1	8	29	64	73	35
WHITE-----MALE----	148	1	-	-	3	-	1	6	9	38	47	22
FEMALE--	50	-	-	-	-	-	-	1	8	8	8	3
ALL OTHER--MALE----	52	-	1	-	-	-	-	-	7	11	13	8
FEMALE--	25	-	-	1	-	1	-	1	5	7	5	2
BLACK---MALE----	52	-	1	-	-	-	-	-	7	11	13	8
FEMALE--	24	-	-	1	-	-	-	1	5	7	5	2
MICHIGAN -----	341	1	3	-	2	-	9	17	58	65	76	48
WHITE-----MALE----	115	-	2	-	-	-	4	5	19	27	20	17
FEMALE--	25	1	-	-	-	-	1	2	5	5	2	-
ALL OTHER--MALE----	162	-	1	-	1	-	3	10	30	28	41	23
FEMALE--	39	-	-	-	1	-	1	-	4	5	13	8
BLACK---MALE----	160	-	1	-	1	-	3	10	29	28	40	23
FEMALE--	38	-	-	-	1	-	1	-	4	5	13	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 257
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
MINNESOTA -----	101	5	2	-	1	-	-	2	13	16	20	11
WHITE-----MALE----	57	1	-	-	1	-	-	1	8	9	13	9
FEMALE--	22	2	2	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	1	6	5	1
FEMALE--	5	1	-	-	-	-	-	-	3	1	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	5	4	1
FEMALE--	4	-	-	-	-	-	-	-	3	1	-	-
MISSISSIPPI -----	173	3	3	3	-	1	9	12	28	37	25	20
WHITE-----MALE----	47	1	-	1	-	-	-	1	6	11	10	5
FEMALE--	13	-	1	-	-	-	1	1	2	1	2	1
ALL OTHER--MALE----	87	-	1	1	-	-	5	8	15	21	12	12
FEMALE--	26	2	1	1	-	1	3	2	5	4	1	2
BLACK---MALE----	87	-	1	1	-	-	5	8	15	21	12	12
FEMALE--	25	2	1	1	-	1	3	2	5	3	1	2
MISSOURI -----	174	2	-	1	2	-	3	22	32	33	21	22
WHITE-----MALE----	87	-	-	-	1	-	-	6	21	16	11	14
FEMALE--	16	1	-	-	-	-	1	-	-	2	1	-
ALL OTHER--MALE----	55	1	-	1	1	-	2	10	10	15	6	6
FEMALE--	16	-	-	-	-	-	-	6	1	-	3	2
BLACK---MALE----	55	1	-	1	1	-	2	10	10	15	6	6
FEMALE--	16	-	-	-	-	-	-	6	1	-	3	2
MONTANA -----	18	-	1	-	-	-	-	-	3	6	-	-
WHITE-----MALE----	12	-	1	-	-	-	-	-	1	5	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	42	-	1	1	-	-	2	2	6	10	5	5
WHITE-----MALE----	21	-	-	-	-	-	-	1	4	7	3	1
FEMALE--	10	-	1	1	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	1	1	-	3	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	8	-	-	-	-	-	1	1	-	3	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
NEVADA -----	96	-	2	-	1	1	1	7	16	24	16	9
WHITE-----MALE----	58	-	2	-	-	-	1	2	13	17	7	6
FEMALE--	12	-	-	-	-	-	-	3	1	2	2	-
ALL OTHER--MALE----	18	-	-	-	1	-	-	1	2	3	5	2
FEMALE--	8	-	-	-	-	1	-	1	-	2	2	1
BLACK---MALE----	17	-	-	-	1	-	-	1	2	3	5	2
FEMALE--	7	-	-	-	-	1	-	1	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 259

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
OHIO -----	353	3	-	1	1	2	5	22	65	63	63	34
WHITE-----MALE----	180	1	-	-	1	-	1	9	35	30	34	25
FEMALE--	49	1	-	-	-	1	2	2	4	5	2	1
ALL OTHER--MALE----	95	-	-	1	-	1	2	9	20	22	20	7
FEMALE--	29	1	-	-	-	-	-	2	6	6	7	1
BLACK---MALE----	94	-	-	1	-	1	2	9	20	21	20	7
FEMALE--	28	1	-	-	-	-	-	2	5	6	7	1
OKLAHOMA -----	129	-	1	1	1	-	-	5	24	32	24	12
WHITE-----MALE----	84	-	1	-	1	-	-	2	14	23	19	9
FEMALE--	24	-	-	1	-	-	-	2	4	6	1	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	5	2	2	2
FEMALE--	4	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	16	-	-	-	-	-	-	1	4	2	2	2
FEMALE--	3	-	-	-	-	-	-	-	1	1	1	-
OREGON -----	106	2	-	-	-	-	2	6	17	16	17	14
WHITE-----MALE----	78	1	-	-	-	-	1	4	14	15	12	13
FEMALE--	22	-	-	-	-	-	1	1	3	-	3	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	630	-	5	-	1	2	9	33	94	135	124	90
WHITE-----MALE----	233	-	2	-	1	1	-	8	41	56	49	30
FEMALE--	78	-	-	-	-	-	3	5	12	9	11	6
ALL OTHER--MALE----	242	-	2	-	-	-	3	10	32	55	46	44
FEMALE--	77	-	1	-	-	1	3	10	9	15	18	10
BLACK---MALE----	241	-	2	-	-	-	3	9	32	55	46	44
FEMALE--	76	-	1	-	-	1	3	10	9	15	17	10
RHODE ISLAND -----	47	-	1	-	-	2	2	1	4	13	8	7
WHITE-----MALE----	22	-	1	-	-	2	-	-	2	9	4	3
FEMALE--	8	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	1	-	3	4
FEMALE--	6	-	-	-	-	-	-	1	-	3	1	-
BLACK---MALE----	11	-	-	-	-	-	1	-	1	-	3	4
FEMALE--	6	-	-	-	-	-	-	1	-	3	1	-
SOUTH CAROLINA -----	327	1	2	1	1	-	6	31	66	62	56	47
WHITE-----MALE----	57	-	-	-	-	-	-	3	13	10	12	6
FEMALE--	13	-	-	-	-	-	1	2	3	-	-	-
ALL OTHER--MALE----	187	-	1	-	1	-	2	17	36	39	33	31
FEMALE--	70	1	1	1	-	-	3	9	14	13	11	10
BLACK---MALE----	187	-	1	-	1	-	2	17	36	39	33	31
FEMALE--	70	1	1	1	-	-	3	9	14	13	11	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 259

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
OHIO -----	20	12	12	11	10	11	6	5	3	4	-	-
WHITE-----MALE----	14	5	5	4	4	6	3	1	1	1	-	-
FEMALE--	1	1	5	5	4	5	2	4	2	2	-	-
ALL OTHER--MALE----	3	5	1	2	2	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	3	5	1	2	2	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	1	-	-	1	-	-
OKLAHOMA -----	11	4	3	2	4	1	4	-	-	-	-	-
WHITE-----MALE----	4	2	1	2	2	1	3	-	-	-	-	-
FEMALE--	3	1	2	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	6	2	4	1	3	3	3	3	2	4	1	-
WHITE-----MALE----	5	1	4	1	2	1	1	1	1	-	1	-
FEMALE--	1	1	-	-	1	2	2	2	1	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	41	37	18	7	8	11	4	5	3	1	1	1
WHITE-----MALE----	14	14	6	1	3	2	2	2	-	-	-	1
FEMALE--	2	5	2	4	2	7	2	3	3	1	1	-
ALL OTHER--MALE----	21	17	9	1	1	1	-	-	-	-	-	-
FEMALE--	4	1	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	21	17	9	1	1	1	-	-	-	-	-	-
FEMALE--	4	1	1	1	2	1	-	-	-	-	-	-
RHODE ISLAND -----	3	2	-	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	26	7	4	8	4	2	1	2	-	-	-	-
WHITE-----MALE----	6	1	2	2	2	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	14	5	2	6	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	14	5	2	6	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 260

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
SOUTH DAKOTA -----	8	-	-	-	-	-	-	-	1	2	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	305	5	1	-	1	2	4	33	68	66	41	33
WHITE-----MALE----	97	1	-	-	-	-	-	10	20	25	8	16
FEMALE--	20	-	-	-	1	-	2	-	3	4	-	3
ALL OTHER--MALE----	147	2	1	-	-	-	1	17	34	27	30	11
FEMALE--	41	2	-	-	-	2	1	6	11	10	3	3
BLACK---MALE----	146	2	1	-	-	-	1	16	34	27	30	11
FEMALE--	41	2	-	-	-	2	1	6	11	10	3	3
TEXAS -----	1,306	13	8	8	2	3	28	118	265	290	238	141
WHITE-----MALE----	715	6	5	3	-	1	10	55	152	164	140	75
FEMALE--	119	5	1	2	2	-	4	8	15	19	14	10
ALL OTHER--MALE----	349	2	1	2	-	-	5	36	72	84	65	42
FEMALE--	123	-	1	1	-	2	9	19	26	23	19	14
BLACK---MALE----	339	2	1	2	-	-	5	36	70	82	63	42
FEMALE--	121	-	1	1	-	2	9	19	26	22	19	13
UTAH -----	38	1	2	-	-	-	3	2	9	4	1	6
WHITE-----MALE----	22	1	-	-	-	-	3	1	3	4	1	6
FEMALE--	13	-	2	-	-	-	-	-	4	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	-	-	-	-	-	3	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	361	4	2	1	-	3	7	31	62	81	61	33
WHITE-----MALE----	105	1	-	-	-	-	1	11	15	29	16	10
FEMALE--	26	-	-	-	-	2	2	2	2	4	3	-
ALL OTHER--MALE----	170	2	2	-	-	1	1	9	35	39	32	19
FEMALE--	60	1	-	1	-	-	3	9	10	9	10	4
BLACK---MALE----	169	2	2	-	-	1	1	9	35	39	32	19
FEMALE--	59	1	-	1	-	-	3	9	9	9	10	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 260

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
SOUTH DAKOTA -----	1	2	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	7	13	3	4	1	2	2	2	-	-	-
WHITE-----MALE----	8	3	2	1	-	-	1	2	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	2	-	-	-
ALL OTHER--MALE----	7	3	10	2	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	3	10	2	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
TEXAS -----	60	36	38	23	17	6	5	3	2	2	-	-
WHITE-----MALE----	30	21	22	15	9	2	1	2	2	-	-	-
FEMALE--	8	6	7	2	7	3	3	1	-	2	-	-
ALL OTHER--MALE----	16	8	8	6	1	1	-	-	-	-	-	-
FEMALE--	6	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	14	8	7	5	1	1	-	-	-	-	-	-
FEMALE--	6	1	1	-	-	-	1	-	-	-	-	-
UTAH -----	-	1	2	-	1	1	2	2	-	1	-	-
WHITE-----MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	6	9	7	7	8	5	5	-	1	-	2
WHITE-----MALE----	7	1	1	3	1	4	1	2	-	-	-	2
FEMALE--	-	-	2	1	1	2	1	3	-	1	-	-
ALL OTHER--MALE----	15	3	5	2	2	2	1	-	-	-	-	-
FEMALE--	4	2	1	1	3	-	2	-	-	-	-	-
BLACK---MALE----	15	3	5	1	2	2	1	-	-	-	-	-
FEMALE--	4	2	1	1	3	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 300

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SYPHILIS AND OTHER VENEREAL DISEASES (090-099)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	-	-	1	1	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
INDIANA -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 304

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SYPHILIS AND OTHER VENEREAL DISEASES (090-099)												
OHIO -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 309
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SYPHILIS (090-097)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	-	-	1	1	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
INDIANA -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 313
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SYPHILIS (090-097)												
OHIO -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

