

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,601

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
SOUTH DAKOTA -----	13	11	30	44	56	96	114	99	98	48	23	-
WHITE-----MALE----	11	7	24	29	33	60	62	35	30	11	5	-
FEMALE--	2	2	4	10	18	33	51	61	68	37	18	-
ALL OTHER--MALE----	-	2	1	3	3	1	1	2	-	-	-	-
FEMALE--	-	-	1	2	2	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	152	177	280	449	567	792	828	815	585	226	48	-
WHITE-----MALE----	88	104	163	250	285	371	342	258	147	41	2	-
FEMALE--	32	37	64	120	203	324	394	468	380	155	37	-
ALL OTHER--MALE----	18	20	32	46	35	44	34	33	18	12	3	-
FEMALE--	14	16	21	33	44	53	58	56	40	18	6	-
BLACK---MALE----	18	20	31	45	34	44	34	33	18	12	3	-
FEMALE--	14	15	20	33	44	50	58	55	40	18	6	-
TEXAS -----	377	512	757	1,089	1,618	2,009	2,124	2,177	1,461	634	158	1
WHITE-----MALE----	242	307	464	666	915	1,060	956	771	364	109	31	1
FEMALE--	59	107	177	303	498	762	997	1,248	978	480	104	-
ALL OTHER--MALE----	50	62	71	73	114	102	70	67	37	7	7	-
FEMALE--	26	36	45	47	91	85	101	91	82	38	16	-
BLACK---MALE----	45	58	68	70	109	101	66	62	36	7	7	-
FEMALE--	24	35	43	45	84	83	92	86	82	38	16	-
UTAH -----	22	40	41	69	98	146	153	173	109	29	9	-
WHITE-----MALE----	20	32	32	44	67	91	79	81	42	5	1	-
FEMALE--	2	7	9	21	30	54	73	91	65	23	8	-
ALL OTHER--MALE----	-	1	-	2	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	1	1	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
VERMONT -----	18	12	29	42	59	60	79	76	60	26	7	-
WHITE-----MALE----	13	10	22	29	40	35	38	38	19	5	-	-
FEMALE--	5	2	7	13	19	25	41	38	41	21	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	123	167	270	403	563	716	684	627	445	174	40	-
WHITE-----MALE----	68	100	142	216	307	355	279	215	94	27	1	-
FEMALE--	25	27	61	105	135	253	297	336	297	117	26	-
ALL OTHER--MALE----	20	26	46	50	69	54	47	17	19	8	1	-
FEMALE--	10	14	21	32	52	54	61	59	35	22	12	-
BLACK---MALE----	18	24	41	49	64	52	45	17	19	8	1	-
FEMALE--	10	13	21	30	50	54	58	57	34	22	12	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,603

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
0 UNITED STATES --	12,002	186	18	12	16	50	99	127	201	298	399	523
WHITE-----MALE----	4,119	81	3	5	8	11	19	29	54	93	144	181
FEMALE--	5,699	55	10	4	6	24	41	40	73	100	121	190
ALL OTHER--MALE----	921	28	3	1	-	4	16	24	34	43	55	68
FEMALE--	1,263	22	2	2	2	11	23	34	40	62	79	84
BLACK---MALE----	863	25	3	1	-	4	16	24	29	41	52	64
FEMALE--	1,194	20	2	-	2	11	21	32	37	61	77	81
ALABAMA -----	274	8	1	2	-	1	5	1	5	10	7	8
WHITE-----MALE----	103	4	-	1	-	-	-	-	4	5	5	3
FEMALE--	100	2	1	1	-	-	1	1	-	2	1	3
ALL OTHER--MALE----	31	1	-	-	-	1	2	-	-	1	-	2
FEMALE--	40	1	-	-	-	-	2	-	1	2	1	-
BLACK---MALE----	31	1	-	-	-	1	2	-	-	1	-	2
FEMALE--	40	1	-	-	-	-	2	-	1	2	1	-
ALASKA -----	13	3	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	2	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	190	1	-	-	-	-	1	-	8	6	8	9
WHITE-----MALE----	85	1	-	-	-	-	-	-	2	2	5	4
FEMALE--	92	-	-	-	-	-	1	-	4	3	2	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	200	-	1	-	-	1	-	2	2	2	6	12
WHITE-----MALE----	83	-	-	-	-	-	-	1	-	-	1	7
FEMALE--	92	-	1	-	-	1	-	-	2	2	4	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	1	-	-	1	-
CALIFORNIA -----	796	20	1	3	-	2	9	6	17	22	29	40
WHITE-----MALE----	260	14	-	1	-	-	5	3	3	5	11	20
FEMALE--	433	4	1	-	-	2	3	-	9	15	14	15
ALL OTHER--MALE----	43	-	-	-	-	-	1	1	4	-	2	4
FEMALE--	60	2	-	2	-	-	-	2	1	2	2	1
BLACK---MALE----	32	-	-	-	-	-	1	1	4	-	2	2
FEMALE--	41	2	-	-	-	-	-	1	1	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,603

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	570	646	798	1,163	1,482	1,698	1,600	1,276	624	186	30	-
WHITE-----MALE----	203	235	302	492	547	632	527	361	149	36	7	-
FEMALE--	224	270	328	466	695	835	883	775	417	125	17	-
ALL OTHER--MALE----	57	76	78	96	103	102	63	47	19	3	1	-
FEMALE--	86	65	90	109	137	129	127	93	39	22	5	-
BLACK---MALE----	56	73	77	91	98	91	56	42	16	3	1	-
FEMALE--	82	62	77	106	131	121	119	89	38	21	4	-
ALABAMA -----	15	14	26	27	31	40	38	21	11	3	-	-
WHITE-----MALE----	9	3	12	10	10	15	12	5	4	1	-	-
FEMALE--	3	2	5	11	13	17	20	10	6	1	-	-
ALL OTHER--MALE----	2	2	4	5	3	3	1	4	-	-	-	-
FEMALE--	1	7	5	1	5	5	5	2	1	1	-	-
BLACK---MALE----	2	2	4	5	3	3	1	4	-	-	-	-
FEMALE--	1	7	5	1	5	5	5	2	1	1	-	-
ALASKA -----	2	1	1	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	13	12	25	16	28	26	14	8	3	1	-
WHITE-----MALE----	6	7	7	12	5	12	15	5	2	-	-	-
FEMALE--	5	5	5	12	11	13	10	9	6	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
ARKANSAS -----	11	8	16	28	19	31	23	26	11	1	-	-
WHITE-----MALE----	3	4	7	21	10	11	9	6	2	1	-	-
FEMALE--	6	1	8	5	7	15	13	17	7	-	-	-
ALL OTHER--MALE----	-	2	-	1	1	1	-	1	1	-	-	-
FEMALE--	2	1	1	1	1	4	1	2	1	-	-	-
BLACK---MALE----	-	2	-	1	1	1	-	1	1	-	-	-
FEMALE--	2	1	1	1	1	4	1	2	1	-	-	-
CALIFORNIA -----	43	39	47	65	98	118	120	68	31	15	3	-
WHITE-----MALE----	12	13	14	28	36	29	39	19	5	2	1	-
FEMALE--	24	22	22	27	54	77	67	39	24	13	1	-
ALL OTHER--MALE----	1	2	5	6	3	3	6	3	1	-	1	-
FEMALE--	6	2	6	4	5	9	8	7	1	-	-	-
BLACK---MALE----	1	2	5	4	2	3	3	1	-	-	1	-
FEMALE--	6	2	3	2	3	5	4	6	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,604

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
COLORADO -----	183	5	-	-	-	-	3	3	1	6	5	10
WHITE-----MALE----	73	3	-	-	-	-	2	2	1	5	2	2
FEMALE--	97	2	-	-	-	-	1	1	-	-	1	8
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	121	2	1	-	-	-	-	-	1	2	2	7
WHITE-----MALE----	47	1	-	-	-	-	-	-	-	1	2	4
FEMALE--	67	1	1	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
DELAWARE -----	31	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	56	-	-	-	-	-	-	2	1	1	1	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	27	-	-	-	-	-	-	1	1	-	1	2
BLACK---MALE----	22	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	27	-	-	-	-	-	-	1	1	-	1	2
FLORIDA -----	674	5	3	-	1	1	3	6	14	16	23	24
WHITE-----MALE----	210	2	-	-	-	-	-	-	7	4	5	10
FEMALE--	331	2	1	-	-	-	1	-	1	7	9	7
ALL OTHER--MALE----	53	1	-	-	-	-	1	1	1	2	4	2
FEMALE--	80	-	2	-	1	1	1	5	5	3	5	5
BLACK---MALE----	50	1	-	-	-	-	1	1	1	2	3	2
FEMALE--	78	-	2	-	1	1	-	5	4	3	5	5
GEORGIA -----	377	4	-	-	-	1	9	10	8	15	15	20
WHITE-----MALE----	87	1	-	-	-	-	-	1	1	3	5	6
FEMALE--	160	-	-	-	-	1	4	2	2	2	4	5
ALL OTHER--MALE----	60	2	-	-	-	-	1	4	3	2	1	6
FEMALE--	70	1	-	-	-	-	4	3	2	8	5	3
BLACK---MALE----	59	2	-	-	-	-	1	4	3	2	1	6
FEMALE--	70	1	-	-	-	-	4	3	2	8	5	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,604

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF PULMONARY CIRCULATION (415-417)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	12	14	13	25	23	23	14	15	10	1	-	-
WHITE-----MALE----	5	6	6	8	5	11	7	4	4	-	-	-
FEMALE--	7	7	6	13	16	11	6	11	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	4	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	4	2	-	-	-	-	-	-	-
CONNECTICUT -----	3	10	5	10	16	20	22	11	5	4	-	-
WHITE-----MALE----	2	4	2	4	9	5	7	3	-	3	-	-
FEMALE--	1	6	3	6	7	13	12	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
DELAWARE -----	-	3	2	3	5	6	2	3	4	-	1	-
WHITE-----MALE----	-	1	-	-	2	1	-	1	2	-	-	-
FEMALE--	-	1	2	1	1	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	1	-
BLACK---MALE----	-	1	-	1	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	1	-
DISTRICT OF COLUMBIA ----	2	2	5	6	12	7	3	8	2	-	1	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	2	3	4	4	4	-	2	-	-	-	-
FEMALE--	1	-	2	1	5	2	3	5	2	-	1	-
BLACK---MALE----	1	2	3	4	4	3	-	2	-	-	-	-
FEMALE--	1	-	2	1	5	2	3	5	2	-	1	-
FLORIDA -----	25	27	58	68	93	102	75	83	37	10	-	-
WHITE-----MALE----	8	14	21	18	29	41	21	22	7	1	-	-
FEMALE--	6	9	28	32	47	48	48	49	29	7	-	-
ALL OTHER--MALE----	3	3	3	10	7	7	3	4	1	-	-	-
FEMALE--	8	1	6	8	10	6	3	8	-	2	-	-
BLACK---MALE----	3	3	3	9	7	7	2	4	1	-	-	-
FEMALE--	8	1	6	8	10	6	3	8	-	2	-	-
GEORGIA -----	21	20	27	32	41	51	39	36	20	7	1	-
WHITE-----MALE----	2	5	9	9	13	18	9	4	-	1	-	-
FEMALE--	8	7	10	14	15	23	19	26	14	3	1	-
ALL OTHER--MALE----	6	5	4	7	5	6	5	1	1	1	-	-
FEMALE--	5	3	4	2	8	4	6	5	5	2	-	-
BLACK---MALE----	6	5	4	7	5	6	5	1	-	1	-	-
FEMALE--	5	3	4	2	8	4	6	5	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
HAWAII -----	36	1	-	-	-	-	-	-	1	1	-	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	44	1	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	16	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	586	12	1	-	3	4	4	4	7	15	22	27
WHITE-----MALE----	196	3	-	-	3	2	-	2	-	3	6	6
FEMALE--	259	5	-	-	-	-	1	2	1	6	3	8
ALL OTHER--MALE----	40	1	1	-	-	-	2	-	2	3	3	5
FEMALE--	91	3	-	-	-	2	1	-	4	3	10	8
BLACK---MALE----	38	1	1	-	-	-	2	-	2	2	3	4
FEMALE--	88	2	-	-	-	2	1	-	4	3	10	8
INDIANA -----	328	5	-	1	1	-	4	3	6	12	18	15
WHITE-----MALE----	122	1	-	1	-	-	-	-	2	5	7	5
FEMALE--	164	3	-	-	1	-	4	1	1	5	5	6
ALL OTHER--MALE----	25	1	-	-	-	-	-	1	1	2	3	2
FEMALE--	17	-	-	-	-	-	-	1	2	-	3	2
BLACK---MALE----	25	1	-	-	-	-	-	1	1	2	3	2
FEMALE--	17	-	-	-	-	-	-	1	2	-	3	2
IOWA -----	147	2	-	-	-	1	-	-	2	2	3	5
WHITE-----MALE----	70	-	-	-	-	1	-	-	-	-	3	3
FEMALE--	75	2	-	-	-	-	-	-	2	2	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	144	2	-	-	1	1	2	-	2	3	3	11
WHITE-----MALE----	59	-	-	-	1	-	2	-	-	-	2	4
FEMALE--	76	2	-	-	-	1	-	-	2	2	1	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
HAWAII -----	2	1	3	3	6	5	4	4	3	-	-	-
WHITE-----MALE----	2	-	-	1	2	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	2	4	1	1	-	-	-	-
FEMALE--	-	1	2	-	1	1	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	2	7	3	1	6	8	6	2	-	1	-
WHITE-----MALE----	3	2	2	-	-	2	2	1	1	-	1	-
FEMALE--	2	-	5	3	1	4	6	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	35	33	35	52	75	83	73	57	31	9	4	-
WHITE-----MALE----	11	14	16	25	24	33	24	14	6	3	1	-
FEMALE--	15	14	13	16	36	42	38	35	18	4	2	-
ALL OTHER--MALE----	2	3	2	3	6	-	3	2	2	-	-	-
FEMALE--	7	2	4	8	9	8	8	6	5	2	1	-
BLACK---MALE----	2	3	2	3	6	-	3	2	2	-	-	-
FEMALE--	7	2	3	8	9	7	8	6	5	2	1	-
INDIANA -----	15	23	16	29	42	37	31	42	20	8	-	-
WHITE-----MALE----	4	5	7	14	21	19	12	12	6	1	-	-
FEMALE--	9	11	8	13	19	12	18	29	14	5	-	-
ALL OTHER--MALE----	-	5	1	2	2	4	-	1	-	-	-	-
FEMALE--	2	2	-	-	-	2	1	-	-	2	-	-
BLACK---MALE----	-	5	1	2	2	4	-	1	-	-	-	-
FEMALE--	2	2	-	-	-	2	1	-	-	2	-	-
IOWA -----	5	10	12	13	17	18	21	21	12	3	-	-
WHITE-----MALE----	3	6	5	8	12	8	7	11	3	-	-	-
FEMALE--	2	4	6	5	5	10	13	10	9	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	11	5	7	10	11	20	23	20	8	3	1	-
WHITE-----MALE----	5	2	2	5	7	9	11	4	4	1	-	-
FEMALE--	3	3	4	5	4	11	10	15	4	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,606

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
KENTUCKY -----	223	2	-	-	-	2	1	5	4	5	11	7
WHITE-----MALE----	90	1	-	-	-	1	-	1	1	1	7	2
FEMALE--	108	-	-	-	-	1	1	3	3	2	1	5
ALL OTHER--MALE----	11	1	-	-	-	-	-	1	-	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	11	1	-	-	-	-	-	1	-	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	-
LOUISIANA -----	256	4	-	-	-	2	4	5	5	5	8	13
WHITE-----MALE----	70	1	-	-	-	-	-	-	-	-	4	5
FEMALE--	96	1	-	-	-	1	1	2	1	1	-	2
ALL OTHER--MALE----	42	1	-	-	-	-	2	2	1	3	2	1
FEMALE--	48	1	-	-	-	1	1	1	3	1	2	5
BLACK---MALE----	42	1	-	-	-	-	2	2	1	3	2	1
FEMALE--	48	1	-	-	-	1	1	1	3	1	2	5
MAINE -----	50	-	-	-	-	1	-	-	2	2	1	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	34	-	-	-	-	1	-	-	1	2	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	278	4	-	-	1	2	3	2	2	12	12	13
WHITE-----MALE----	79	1	-	-	-	-	-	1	-	2	2	3
FEMALE--	100	2	-	-	-	2	-	1	-	1	-	3
ALL OTHER--MALE----	39	1	-	-	-	-	1	-	-	5	3	3
FEMALE--	60	-	-	-	1	-	2	-	2	4	7	4
BLACK---MALE----	39	1	-	-	-	-	1	-	-	5	3	3
FEMALE--	59	-	-	-	1	-	2	-	2	4	7	4
MASSACHUSETTS -----	251	3	-	2	1	1	1	-	4	5	5	9
WHITE-----MALE----	82	1	-	-	-	-	-	-	1	2	3	2
FEMALE--	154	2	-	2	1	1	1	-	3	2	1	6
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
MICHIGAN -----	380	4	1	1	-	-	1	5	7	10	8	7
WHITE-----MALE----	134	1	-	1	-	-	-	-	3	3	4	4
FEMALE--	164	-	1	-	-	-	1	2	-	1	1	-
ALL OTHER--MALE----	30	2	-	-	-	-	-	-	2	2	-	1
FEMALE--	52	1	-	-	-	-	-	3	2	4	3	2
BLACK---MALE----	29	2	-	-	-	-	-	-	2	2	-	1
FEMALE--	51	1	-	-	-	-	-	3	2	4	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,606

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
KENTUCKY -----	10	14	19	21	33	27	25	25	10	2	-	-
WHITE-----MALE----	4	6	7	12	10	14	9	10	4	-	-	-
FEMALE--	3	6	11	8	17	10	16	13	6	2	-	-
ALL OTHER--MALE----	1	1	-	-	3	1	-	-	-	-	-	-
FEMALE--	2	1	1	1	3	2	-	2	-	-	-	-
BLACK---MALE----	1	1	-	-	3	1	-	-	-	-	-	-
FEMALE--	2	1	1	1	3	2	-	2	-	-	-	-
LOUISIANA -----	11	18	20	22	27	31	37	25	11	6	2	-
WHITE-----MALE----	4	7	3	9	7	8	12	8	-	1	1	-
FEMALE--	1	3	8	6	12	16	17	12	10	1	1	-
ALL OTHER--MALE----	3	7	4	3	2	3	2	4	1	1	-	-
FEMALE--	3	1	5	4	6	4	6	1	-	3	-	-
BLACK---MALE----	3	7	4	3	2	3	2	4	1	1	-	-
FEMALE--	3	1	5	4	6	4	6	1	-	3	-	-
MAINE -----	1	3	5	5	6	8	5	5	4	-	-	-
WHITE-----MALE----	-	2	2	2	1	3	3	-	-	-	-	-
FEMALE--	1	1	2	3	5	5	2	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	15	16	26	32	40	36	33	12	4	-	-
WHITE-----MALE----	2	6	7	6	15	10	8	13	2	1	-	-
FEMALE--	2	5	3	8	7	21	23	13	8	1	-	-
ALL OTHER--MALE----	5	1	4	4	4	5	-	2	1	-	-	-
FEMALE--	4	3	2	8	6	4	5	5	1	2	-	-
BLACK---MALE----	5	1	4	4	4	5	-	2	1	-	-	-
FEMALE--	4	3	1	8	6	4	5	5	1	2	-	-
MASSACHUSETTS -----	10	12	20	20	31	31	36	39	16	4	1	-
WHITE-----MALE----	6	3	7	6	12	11	13	10	3	1	1	-
FEMALE--	2	7	11	12	19	17	23	28	13	3	-	-
ALL OTHER--MALE----	-	1	1	2	-	1	-	1	-	-	-	-
FEMALE--	2	1	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	-	1	-	-	-	-
FEMALE--	2	1	1	-	-	2	-	-	-	-	-	-
MICHIGAN -----	27	24	22	33	49	58	45	44	26	4	4	-
WHITE-----MALE----	8	8	8	15	20	24	15	11	7	1	1	-
FEMALE--	10	10	10	13	21	23	21	29	17	2	2	-
ALL OTHER--MALE----	3	3	1	-	4	7	2	1	2	-	-	-
FEMALE--	6	3	3	5	4	4	7	3	-	1	1	-
BLACK---MALE----	3	3	1	-	4	7	2	-	2	-	-	-
FEMALE--	6	3	3	5	4	4	7	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,607

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
MINNESOTA -----	198	3	-	-	-	-	4	3	3	1	5	3
WHITE-----MALE----	77	2	-	-	-	-	-	-	1	1	3	3
FEMALE--	114	1	-	-	-	-	4	2	2	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	211	5	-	-	-	-	-	2	2	7	11	14
WHITE-----MALE----	54	1	-	-	-	-	-	-	-	1	3	2
FEMALE--	76	2	-	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	32	2	-	-	-	-	-	-	1	1	2	3
FEMALE--	49	-	-	-	-	-	-	2	1	5	3	6
BLACK---MALE----	32	2	-	-	-	-	-	-	1	1	2	3
FEMALE--	48	-	-	-	-	-	-	2	1	5	3	6
MISSOURI -----	305	5	-	-	-	-	1	3	2	10	11	12
WHITE-----MALE----	101	-	-	-	-	-	-	1	1	5	3	2
FEMALE--	158	2	-	-	-	-	-	-	1	4	3	7
ALL OTHER--MALE----	16	1	-	-	-	-	-	2	-	-	2	1
FEMALE--	30	2	-	-	-	-	1	-	-	1	3	2
BLACK---MALE----	16	1	-	-	-	-	-	2	-	-	2	1
FEMALE--	30	2	-	-	-	-	1	-	-	1	3	2
MONTANA -----	35	-	-	-	-	1	-	-	1	1	-	2
WHITE-----MALE----	16	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	107	-	-	-	-	-	1	-	2	1	4	4
WHITE-----MALE----	38	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	64	-	-	-	-	-	1	-	1	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	58	1	-	-	-	1	-	2	-	2	1	3
WHITE-----MALE----	23	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	29	-	-	-	-	1	-	1	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,607

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
MINNESOTA -----	9	10	16	22	19	31	28	20	19	2	-	-
WHITE-----MALE----	4	4	6	12	6	11	10	7	7	-	-	-
FEMALE--	4	6	9	9	13	18	18	13	12	2	-	-
ALL OTHER--MALE----	1	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSISSIPPI -----	8	11	20	16	31	26	24	17	13	4	-	-
WHITE-----MALE----	2	4	5	7	11	8	5	2	3	-	-	-
FEMALE--	2	3	7	6	10	8	14	9	6	3	-	-
ALL OTHER--MALE----	1	2	3	2	4	5	2	2	2	-	-	-
FEMALE--	3	2	5	1	6	5	3	4	2	1	-	-
BLACK---MALE----	1	2	3	2	4	5	2	2	2	-	-	-
FEMALE--	2	2	5	1	6	5	3	4	2	1	-	-
MISSOURI -----	12	25	20	18	37	40	46	44	12	5	2	-
WHITE-----MALE----	5	11	5	10	15	17	12	12	1	1	-	-
FEMALE--	4	13	9	6	17	18	31	27	11	4	1	-
ALL OTHER--MALE----	1	1	3	1	1	1	1	1	-	-	-	-
FEMALE--	2	-	3	1	4	4	2	4	-	-	1	-
BLACK---MALE----	1	1	3	1	1	1	1	1	-	-	-	-
FEMALE--	2	-	3	1	4	4	2	4	-	-	1	-
MONTANA -----	2	4	3	2	5	6	4	4	-	-	-	-
WHITE-----MALE----	1	1	2	1	2	2	2	3	-	-	-	-
FEMALE--	1	3	1	1	3	4	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	3	7	13	9	22	17	15	3	2	-	-
WHITE-----MALE----	-	-	3	4	6	11	4	6	-	-	-	-
FEMALE--	4	3	4	7	3	10	13	9	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEVADA -----	2	4	2	6	11	10	8	3	1	1	-	-
WHITE-----MALE----	2	-	1	2	4	5	4	-	1	1	-	-
FEMALE--	-	2	1	4	6	4	4	3	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,609

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
OHIO -----	556	4	1	-	1	-	7	5	8	14	20	23
WHITE-----MALE----	198	1	-	-	-	-	1	2	2	6	10	11
FEMALE--	264	1	1	-	1	-	3	3	4	5	6	6
ALL OTHER--MALE----	42	2	-	-	-	-	1	-	2	2	2	2
FEMALE--	52	-	-	-	-	-	2	-	-	1	2	4
BLACK---MALE----	42	2	-	-	-	-	1	-	2	2	2	2
FEMALE--	49	-	-	-	-	-	2	-	-	1	2	4
OKLAHOMA -----	180	4	-	-	-	1	1	2	2	5	11	12
WHITE-----MALE----	65	1	-	-	-	-	-	1	-	-	4	3
FEMALE--	88	3	-	-	-	1	-	1	1	4	2	6
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	17	-	-	-	-	-	1	-	-	1	2	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	13	-	-	-	-	-	1	-	-	1	2	-
OREGON -----	128	-	-	-	-	2	-	2	1	3	5	4
WHITE-----MALE----	47	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	72	-	-	-	-	1	-	1	1	2	4	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	745	7	1	-	1	2	5	9	11	15	24	28
WHITE-----MALE----	271	2	-	-	1	-	2	3	3	8	9	10
FEMALE--	368	-	1	-	-	-	1	4	3	4	9	10
ALL OTHER--MALE----	45	3	-	-	-	-	1	1	2	1	4	5
FEMALE--	61	2	-	-	-	2	1	1	3	2	2	3
BLACK---MALE----	44	3	-	-	-	-	1	1	1	1	4	5
FEMALE--	60	2	-	-	-	2	1	1	2	2	2	3
RHODE ISLAND -----	25	2	1	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	11	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	230	4	-	-	-	5	2	1	3	3	7	14
WHITE-----MALE----	52	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	92	2	-	-	-	1	1	1	-	-	1	3
ALL OTHER--MALE----	35	1	-	-	-	2	-	-	1	-	3	2
FEMALE--	51	-	-	-	-	2	1	-	1	3	3	8
BLACK---MALE----	35	1	-	-	-	2	-	-	1	-	3	2
FEMALE--	50	-	-	-	-	2	1	-	1	3	3	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,609

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
OHIO -----	20	25	32	53	80	72	94	52	31	11	3	-
WHITE-----MALE----	11	10	14	18	32	25	28	16	9	2	-	-
FEMALE--	7	8	10	22	33	40	54	30	19	8	3	-
ALL OTHER--MALE----	1	3	7	4	5	2	5	3	1	-	-	-
FEMALE--	1	4	1	9	10	5	7	3	2	1	-	-
BLACK---MALE----	1	3	7	4	5	2	5	3	1	-	-	-
FEMALE--	1	4	-	9	8	5	7	3	2	1	-	-
OKLAHOMA -----	9	8	12	19	21	23	23	20	6	1	-	-
WHITE-----MALE----	6	3	3	14	8	9	7	5	1	-	-	-
FEMALE--	3	4	7	3	10	14	12	12	4	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	1	1	1	3	-	2	3	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	3	-	2	1	1	-	-	-
OREGON -----	10	9	5	13	11	15	21	17	9	1	-	-
WHITE-----MALE----	3	2	2	5	5	8	4	9	6	-	-	-
FEMALE--	5	4	2	7	6	7	17	8	3	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	21	33	35	91	106	134	98	76	41	7	-	-
WHITE-----MALE----	5	10	17	29	42	55	33	27	13	2	-	-
FEMALE--	12	17	15	46	52	65	57	44	24	4	-	-
ALL OTHER--MALE----	2	2	2	9	6	4	2	1	-	-	-	-
FEMALE--	2	4	1	7	6	10	6	4	4	1	-	-
BLACK---MALE----	2	2	2	9	6	4	2	1	-	-	-	-
FEMALE--	2	4	1	7	6	10	6	4	4	1	-	-
RHODE ISLAND -----	1	-	3	1	8	1	3	3	-	-	-	-
WHITE-----MALE----	1	-	-	1	5	-	1	-	-	-	-	-
FEMALE--	-	-	3	-	3	1	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	15	9	13	23	32	27	32	22	16	2	-	-
WHITE-----MALE----	2	3	4	5	8	8	10	5	4	-	-	-
FEMALE--	7	5	5	8	10	10	12	14	10	2	-	-
ALL OTHER--MALE----	4	1	3	2	8	5	3	-	-	-	-	-
FEMALE--	2	-	1	8	6	4	7	3	2	-	-	-
BLACK---MALE----	4	1	3	2	8	5	3	-	-	-	-	-
FEMALE--	2	-	1	8	5	4	7	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,610

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
SOUTH DAKOTA -----	37	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	286	4	-	1	1	1	2	2	6	6	12	11
WHITE-----MALE----	92	3	-	1	-	1	1	-	2	2	3	4
FEMALE--	143	-	-	-	1	-	-	1	1	3	6	5
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	30	1	-	-	-	-	1	1	1	1	2	-
BLACK---MALE----	21	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	30	1	-	-	-	-	1	1	1	1	2	-
TEXAS -----	787	21	-	-	3	4	1	10	13	22	22	41
WHITE-----MALE----	287	14	-	-	2	1	-	1	6	5	4	13
FEMALE--	360	3	-	-	1	2	1	4	6	8	8	18
ALL OTHER--MALE----	62	2	-	-	-	-	-	1	-	5	4	3
FEMALE--	78	2	-	-	-	1	-	4	1	4	6	7
BLACK---MALE----	60	1	-	-	-	-	-	1	-	5	4	3
FEMALE--	78	2	-	-	-	1	-	4	1	4	6	7
UTAH -----	87	-	-	-	-	2	1	1	-	1	1	4
WHITE-----MALE----	43	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	44	-	-	-	-	2	1	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	-	-	-	-	1	-	-	-	1	1	1
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	291	4	1	1	-	2	3	4	8	10	8	19
WHITE-----MALE----	74	-	-	-	-	1	-	-	-	2	2	5
FEMALE--	126	-	-	1	-	1	1	1	3	3	1	6
ALL OTHER--MALE----	40	1	1	-	-	-	1	3	2	1	1	3
FEMALE--	51	3	-	-	-	-	1	-	3	4	4	5
BLACK---MALE----	39	1	1	-	-	-	1	3	2	1	1	3
FEMALE--	48	2	-	-	-	-	1	-	2	4	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,610

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
SOUTH DAKOTA -----	-	2	6	2	3	7	5	7	1	1	-	-
WHITE-----MALE----	-	1	5	1	2	2	2	3	-	-	-	-
FEMALE--	-	1	1	1	1	5	3	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	14	19	33	42	45	40	19	13	5	-	-
WHITE-----MALE----	3	7	7	8	18	13	13	5	1	-	-	-
FEMALE--	6	5	8	19	19	20	24	11	10	4	-	-
ALL OTHER--MALE----	-	1	3	2	2	4	2	1	1	-	-	-
FEMALE--	1	1	1	4	3	8	1	2	1	1	-	-
BLACK---MALE----	-	1	3	2	2	4	2	1	1	-	-	-
FEMALE--	1	1	1	4	3	8	1	2	1	1	-	-
TEXAS -----	45	41	56	82	103	93	93	78	48	11	-	-
WHITE-----MALE----	16	11	22	43	33	44	31	29	8	4	-	-
FEMALE--	17	17	19	23	53	43	53	44	33	7	-	-
ALL OTHER--MALE----	5	6	6	9	9	3	6	1	2	-	-	-
FEMALE--	7	7	9	7	8	3	3	4	5	-	-	-
BLACK---MALE----	5	6	6	9	8	3	6	1	2	-	-	-
FEMALE--	7	7	9	7	8	3	3	4	5	-	-	-
UTAH -----	3	3	4	12	17	9	14	11	4	-	-	-
WHITE-----MALE----	3	2	-	9	7	6	8	3	-	-	-	-
FEMALE--	-	1	4	3	10	3	6	8	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	-	3	5	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	11	17	28	25	48	33	32	15	6	1	-
WHITE-----MALE----	1	2	8	10	9	13	6	9	5	1	-	-
FEMALE--	8	4	6	8	8	28	16	16	10	4	1	-
ALL OTHER--MALE----	4	2	2	6	3	4	2	3	-	1	-	-
FEMALE--	2	3	1	4	5	3	9	4	-	-	-	-
BLACK---MALE----	4	2	2	6	3	3	2	3	-	1	-	-
FEMALE--	2	3	1	3	5	3	9	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,612

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
0 UNITED STATES --	214,826	410	186	108	150	307	445	624	1,035	1,857	3,035	4,526
WHITE-----MALE----	85,217	167	62	42	71	147	181	264	479	910	1,565	2,395
FEMALE--	100,003	120	58	29	39	66	100	142	223	359	560	833
ALL OTHER--MALE----	15,019	62	44	14	24	55	109	131	222	360	604	872
FEMALE--	14,587	61	22	23	16	39	55	87	111	228	306	426
BLACK---MALE----	13,255	53	41	14	23	51	93	116	193	313	553	790
FEMALE--	13,162	51	18	21	13	33	49	79	104	215	282	395
ALABAMA -----	6,151	20	4	4	4	7	15	18	26	77	99	150
WHITE-----MALE----	2,116	14	1	1	-	2	4	9	16	38	40	66
FEMALE--	2,630	2	2	1	3	2	4	3	5	17	13	28
ALL OTHER--MALE----	654	1	1	1	1	3	5	4	3	15	29	35
FEMALE--	751	3	-	1	-	2	2	2	2	7	17	21
BLACK---MALE----	650	1	1	1	1	3	5	4	3	14	29	35
FEMALE--	742	3	-	1	-	-	2	2	2	7	17	21
ALASKA -----	208	1	-	-	2	-	1	1	2	3	1	9
WHITE-----MALE----	79	-	-	-	1	-	1	-	-	1	1	6
FEMALE--	70	1	-	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	29	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3,181	5	2	2	4	5	8	10	22	33	56	89
WHITE-----MALE----	1,521	3	2	-	2	3	5	7	9	23	31	65
FEMALE--	1,449	-	-	2	2	1	2	2	8	6	20	17
ALL OTHER--MALE----	109	1	-	-	-	-	1	1	4	3	5	5
FEMALE--	102	1	-	-	-	1	-	-	1	1	-	2
BLACK---MALE----	42	-	-	-	-	-	1	1	-	-	2	3
FEMALE--	51	-	-	-	-	-	-	-	1	1	-	1
ARKANSAS -----	2,409	7	-	-	-	5	2	2	12	23	25	43
WHITE-----MALE----	939	2	-	-	-	2	-	1	6	13	15	20
FEMALE--	1,146	5	-	-	-	1	1	-	2	4	5	9
ALL OTHER--MALE----	162	-	-	-	-	2	1	-	4	4	4	9
FEMALE--	162	-	-	-	-	-	-	1	-	2	1	5
BLACK---MALE----	160	-	-	-	-	2	1	-	4	4	4	9
FEMALE--	158	-	-	-	-	-	-	1	-	2	1	5
CALIFORNIA -----	17,754	37	15	12	18	31	38	53	111	193	283	437
WHITE-----MALE----	7,559	16	9	4	10	17	18	32	61	100	162	249
FEMALE--	7,689	12	5	4	4	7	7	9	16	38	53	75
ALL OTHER--MALE----	1,439	4	-	-	3	3	8	8	23	39	47	81
FEMALE--	1,067	5	1	4	1	4	5	4	11	16	21	32
BLACK---MALE----	894	2	-	-	2	2	5	4	16	25	38	62
FEMALE--	718	3	1	3	-	2	4	4	9	14	19	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,612

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
0 UNITED STATES --	6,051	7,815	10,925	15,207	21,904	28,753	34,792	35,667	26,741	11,286	2,972	30
WHITE-----MALE----	3,256	4,117	5,653	7,789	10,710	13,150	13,720	11,454	6,581	2,089	402	13
FEMALE--	1,171	1,782	2,774	4,577	7,741	12,055	17,522	21,151	18,189	8,284	2,223	5
ALL OTHER--MALE----	1,049	1,205	1,579	1,632	1,828	1,704	1,523	1,103	593	225	72	9
FEMALE--	575	711	919	1,209	1,625	1,844	2,027	1,959	1,378	688	275	3
BLACK---MALE----	952	1,082	1,425	1,477	1,618	1,473	1,329	915	478	196	62	8
FEMALE--	529	654	840	1,092	1,497	1,638	1,806	1,761	1,227	615	240	3
ALABAMA -----	179	196	342	440	638	827	988	1,058	724	260	75	-
WHITE-----MALE----	85	89	142	214	275	355	311	286	121	38	9	-
FEMALE--	27	40	98	118	218	305	486	573	484	168	33	-
ALL OTHER--MALE----	43	44	68	61	67	70	77	68	37	15	6	-
FEMALE--	24	23	34	47	78	97	114	131	82	39	27	-
BLACK---MALE----	43	43	67	61	66	70	77	68	37	15	6	-
FEMALE--	24	22	34	47	77	94	111	130	82	39	27	-
ALASKA -----	3	13	15	19	27	27	30	32	16	3	3	-
WHITE-----MALE----	1	7	7	10	12	11	11	8	2	-	-	-
FEMALE--	1	1	3	6	6	9	12	17	10	1	-	-
ALL OTHER--MALE----	-	4	5	2	3	3	3	3	1	2	-	-
FEMALE--	1	1	-	1	6	4	4	4	3	-	3	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	122	119	195	242	349	500	474	447	323	133	40	1
WHITE-----MALE----	77	76	109	154	188	253	209	168	95	35	6	1
FEMALE--	26	27	62	73	140	213	248	261	218	91	30	-
ALL OTHER--MALE----	12	12	13	7	12	16	6	6	2	1	2	-
FEMALE--	7	4	11	8	9	18	11	12	8	6	2	-
BLACK---MALE----	6	6	4	4	4	6	2	3	-	-	-	-
FEMALE--	4	2	4	2	6	9	5	7	5	4	-	-
ARKANSAS -----	62	69	127	132	238	336	400	427	334	143	22	-
WHITE-----MALE----	32	39	84	73	125	147	140	134	81	24	1	-
FEMALE--	13	15	26	42	79	149	216	251	217	97	14	-
ALL OTHER--MALE----	13	9	7	11	19	22	16	18	12	10	1	-
FEMALE--	4	6	10	6	15	18	28	24	24	12	6	-
BLACK---MALE----	13	9	7	11	19	21	16	17	12	10	1	-
FEMALE--	4	5	10	6	14	18	28	23	23	12	6	-
CALIFORNIA -----	674	828	1,002	1,324	1,820	2,254	2,702	2,750	2,070	890	211	1
WHITE-----MALE----	422	446	563	693	890	1,010	1,125	954	558	183	37	-
FEMALE--	107	177	216	378	625	946	1,307	1,540	1,364	641	157	1
ALL OTHER--MALE----	98	146	143	161	193	166	126	112	55	18	5	-
FEMALE--	47	59	80	92	112	132	144	144	93	48	12	-
BLACK---MALE----	68	106	100	112	112	90	71	54	15	8	2	-
FEMALE--	38	48	63	66	75	74	88	93	54	27	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,613

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
COLORADO -----	2,148	4	1	1	4	3	8	1	3	14	23	33
WHITE-----MALE----	892	1	-	-	3	2	3	1	-	8	16	18
FEMALE--	1,179	3	1	-	1	1	4	-	3	4	5	13
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	41	-	-	1	-	-	1	-	-	-	-	1
BLACK---MALE----	27	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	31	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	3,652	2	2	-	1	-	6	5	4	29	34	52
WHITE-----MALE----	1,558	1	1	-	-	-	2	3	-	19	17	37
FEMALE--	1,865	1	1	-	1	-	3	2	2	7	10	8
ALL OTHER--MALE----	101	-	-	-	-	-	1	-	1	2	6	4
FEMALE--	128	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	93	-	-	-	-	-	1	-	1	2	5	3
FEMALE--	121	-	-	-	-	-	-	-	1	1	1	3
DELAWARE -----	732	1	-	-	2	-	-	2	3	4	14	15
WHITE-----MALE----	291	1	-	-	1	-	-	1	2	3	8	10
FEMALE--	353	-	-	-	1	-	-	1	1	1	-	1
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	43	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	609	-	1	2	-	-	-	3	2	11	15	20
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	232	-	1	-	-	-	-	1	1	6	8	8
FEMALE--	243	-	-	2	-	-	-	2	1	5	6	9
BLACK---MALE----	231	-	1	-	-	-	-	1	1	6	8	8
FEMALE--	242	-	-	2	-	-	-	2	1	5	6	9
FLORIDA -----	11,617	18	7	7	5	12	19	37	50	106	160	231
WHITE-----MALE----	5,318	4	3	2	1	5	8	11	19	50	99	147
FEMALE--	5,179	6	1	-	2	1	2	7	12	20	30	35
ALL OTHER--MALE----	571	3	1	3	2	3	5	7	9	21	19	29
FEMALE--	549	5	2	2	-	3	4	12	10	15	12	20
BLACK---MALE----	553	3	1	3	2	3	5	7	8	21	18	29
FEMALE--	533	5	2	2	-	3	4	12	10	15	12	20
GEORGIA -----	7,073	14	9	5	4	3	13	34	45	78	124	183
WHITE-----MALE----	2,173	7	3	-	3	1	6	12	14	28	45	77
FEMALE--	2,915	1	2	-	-	-	-	5	5	10	14	32
ALL OTHER--MALE----	947	3	3	1	1	-	4	13	13	26	40	53
FEMALE--	1,038	3	1	4	-	2	3	4	13	14	25	21
BLACK---MALE----	931	3	3	1	1	-	4	13	13	26	40	53
FEMALE--	1,025	2	1	4	-	2	3	4	13	14	24	21

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,613

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
COLORADO -----	56	47	92	132	210	298	342	383	335	130	28	-
WHITE-----MALE----	37	29	60	74	107	147	141	118	99	26	2	-
FEMALE--	15	13	27	51	94	141	191	256	228	102	26	-
ALL OTHER--MALE----	2	4	2	2	7	5	4	3	2	-	-	-
FEMALE--	2	1	3	5	2	5	6	6	6	2	-	-
BLACK---MALE----	2	4	1	2	6	4	1	2	2	-	-	-
FEMALE--	2	1	2	2	2	4	5	6	5	1	-	-
CONNECTICUT -----	91	130	163	242	344	523	605	640	486	230	63	-
WHITE-----MALE----	51	76	104	134	190	272	276	228	113	29	5	-
FEMALE--	22	26	40	79	131	229	304	387	362	194	56	-
ALL OTHER--MALE----	10	12	10	14	13	10	11	3	2	2	-	-
FEMALE--	8	16	9	15	10	12	14	22	9	5	2	-
BLACK---MALE----	9	11	9	14	11	9	11	3	2	2	-	-
FEMALE--	8	16	9	14	9	12	12	19	9	5	2	-
DELAWARE -----	15	31	36	44	89	104	121	123	79	41	8	-
WHITE-----MALE----	9	18	19	24	39	53	54	29	15	3	2	-
FEMALE--	3	6	9	14	37	41	54	80	63	35	6	-
ALL OTHER--MALE----	2	3	5	4	7	3	7	4	-	-	-	-
FEMALE--	1	4	3	2	6	7	6	10	1	3	-	-
BLACK---MALE----	1	3	5	4	7	3	7	4	-	-	-	-
FEMALE--	1	4	3	2	6	7	5	10	1	3	-	-
DISTRICT OF COLUMBIA -----	34	29	46	58	71	83	82	81	45	23	3	-
WHITE-----MALE----	4	4	1	2	5	10	8	11	3	2	-	-
FEMALE--	-	-	2	5	9	10	8	19	16	9	2	-
ALL OTHER--MALE----	21	20	30	27	26	34	27	16	3	2	1	-
FEMALE--	9	5	13	24	31	29	39	35	23	10	-	-
BLACK---MALE----	21	20	30	27	26	34	26	16	3	2	1	-
FEMALE--	9	5	13	24	31	29	39	35	22	10	-	-
FLORIDA -----	308	428	541	811	1,190	1,613	1,968	1,977	1,404	551	170	4
WHITE-----MALE----	177	261	325	443	630	834	927	733	464	138	36	1
FEMALE--	61	93	124	257	427	657	926	1,147	874	377	118	2
ALL OTHER--MALE----	46	48	59	68	75	45	54	38	19	12	5	-
FEMALE--	24	26	33	43	58	77	61	59	47	24	11	1
BLACK---MALE----	44	47	57	67	72	44	50	38	17	12	5	-
FEMALE--	24	25	31	42	57	72	60	56	47	23	10	1
GEORGIA -----	262	348	440	524	762	904	1,065	1,115	755	311	73	2
WHITE-----MALE----	99	154	179	200	277	352	293	243	140	33	6	1
FEMALE--	39	67	86	138	259	330	528	659	470	219	51	-
ALL OTHER--MALE----	81	77	113	111	96	108	83	64	40	14	2	1
FEMALE--	43	50	62	75	130	114	161	149	105	45	14	-
BLACK---MALE----	80	75	112	109	96	104	81	62	38	14	2	1
FEMALE--	43	49	62	74	129	113	157	146	105	45	14	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,614

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
HAWAII -----	1,032	2	2	-	2	3	4	6	7	13	24	18
WHITE-----MALE----	161	-	-	-	1	-	-	-	2	1	4	5
FEMALE--	129	-	-	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	400	2	1	-	-	2	4	5	5	9	13	8
FEMALE--	342	-	1	-	1	-	-	1	-	3	5	4
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
IDAHO -----	659	2	2	1	2	1	-	2	1	3	8	15
WHITE-----MALE----	297	1	1	1	2	-	-	1	1	2	7	8
FEMALE--	354	1	1	-	-	1	-	1	-	1	1	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8,948	16	8	3	5	19	27	33	54	83	117	225
WHITE-----MALE----	3,488	5	2	2	3	6	14	13	15	35	50	115
FEMALE--	3,897	3	3	-	1	5	7	3	10	12	21	35
ALL OTHER--MALE----	899	4	2	1	1	5	6	10	21	24	34	56
FEMALE--	664	4	1	-	-	3	-	7	8	12	12	19
BLACK---MALE----	862	3	2	1	1	5	6	10	21	22	34	56
FEMALE--	645	4	1	-	-	3	-	7	7	12	12	18
INDIANA -----	4,728	4	6	1	2	6	11	16	23	25	71	100
WHITE-----MALE----	1,945	3	3	-	2	4	3	8	11	12	35	47
FEMALE--	2,441	1	2	1	-	1	3	7	7	6	22	31
ALL OTHER--MALE----	169	-	1	-	-	1	3	-	3	5	7	16
FEMALE--	173	-	-	-	-	-	2	1	2	2	7	6
BLACK---MALE----	168	-	1	-	-	1	3	-	3	5	7	16
FEMALE--	167	-	-	-	-	-	2	1	2	2	6	6
IOWA -----	2,342	5	-	2	1	-	6	4	7	13	19	27
WHITE-----MALE----	1,047	3	-	1	1	-	2	2	5	9	17	20
FEMALE--	1,268	2	-	1	-	-	3	2	2	4	2	7
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	2,384	5	1	-	-	2	3	3	6	17	21	30
WHITE-----MALE----	962	2	1	-	-	2	2	1	4	10	11	15
FEMALE--	1,286	2	-	-	-	-	-	1	1	5	6	9
ALL OTHER--MALE----	63	1	-	-	-	-	1	1	1	-	2	2
FEMALE--	73	-	-	-	-	-	-	-	-	2	2	4
BLACK---MALE----	55	1	-	-	-	-	1	1	1	-	2	-
FEMALE--	64	-	-	-	-	-	-	-	-	2	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,614

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
HAWAII -----	37	45	58	92	102	154	142	144	119	42	16	-
WHITE-----MALE----	10	11	12	17	22	25	20	21	8	1	1	-
FEMALE--	-	2	7	5	11	21	23	24	19	11	2	-
ALL OTHER--MALE----	13	21	22	42	42	57	47	57	38	10	2	-
FEMALE--	14	11	17	28	27	51	52	42	54	20	11	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
IDAHO -----	11	7	26	40	46	83	123	126	105	45	10	-
WHITE-----MALE----	8	3	17	22	22	45	56	56	36	8	-	-
FEMALE--	3	3	9	18	22	38	67	68	68	37	10	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	320	374	512	694	964	1,190	1,418	1,357	987	432	106	4
WHITE-----MALE----	158	172	229	349	439	552	564	432	237	81	12	3
FEMALE--	53	69	104	172	314	480	692	826	679	321	87	-
ALL OTHER--MALE----	70	92	118	107	115	78	87	38	24	3	2	1
FEMALE--	39	41	61	66	96	80	75	61	47	27	5	-
BLACK---MALE----	69	89	113	101	110	73	83	35	22	3	2	1
FEMALE--	38	40	60	64	94	78	72	59	45	26	5	-
INDIANA -----	103	143	225	339	477	672	770	775	614	281	64	-
WHITE-----MALE----	60	83	122	195	248	301	330	253	153	64	8	-
FEMALE--	27	44	79	113	182	325	405	490	433	206	56	-
ALL OTHER--MALE----	13	9	14	18	29	16	18	9	7	-	-	-
FEMALE--	3	7	10	13	18	30	17	23	21	11	-	-
BLACK---MALE----	13	9	14	18	29	15	18	9	7	-	-	-
FEMALE--	2	6	10	12	18	30	16	22	21	11	-	-
IOWA -----	53	59	102	149	206	269	390	465	332	188	45	-
WHITE-----MALE----	40	37	68	97	124	142	168	179	90	33	9	-
FEMALE--	13	19	31	50	77	120	218	285	241	155	36	-
ALL OTHER--MALE----	-	1	1	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	2	2	3	6	3	-	1	-	-	-
BLACK---MALE----	-	1	1	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	2	2	3	6	2	-	1	-	-	-
KANSAS -----	46	66	87	128	200	292	372	471	374	200	60	-
WHITE-----MALE----	30	41	56	75	120	151	148	144	96	42	11	-
FEMALE--	11	18	20	48	65	119	204	307	272	152	46	-
ALL OTHER--MALE----	2	6	6	4	8	11	9	6	1	2	-	-
FEMALE--	3	1	5	1	7	11	11	14	5	4	3	-
BLACK---MALE----	1	6	6	4	6	11	8	5	-	2	-	-
FEMALE--	2	1	5	-	6	9	10	12	5	4	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,615

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
KENTUCKY -----	4,185	11	5	-	3	6	9	10	19	21	50	71
WHITE-----MALE----	1,695	7	3	-	3	3	3	5	13	12	36	52
FEMALE--	2,177	4	1	-	-	3	5	4	4	3	8	12
ALL OTHER--MALE----	145	-	1	-	-	-	1	-	1	3	2	7
FEMALE--	168	-	-	-	-	-	-	1	1	3	4	-
BLACK---MALE----	143	-	1	-	-	-	1	-	1	2	2	7
FEMALE--	166	-	-	-	-	-	-	1	1	3	4	-
LOUISIANA -----	3,890	8	3	2	4	7	11	15	17	35	57	69
WHITE-----MALE----	1,267	2	-	-	2	1	3	4	6	17	27	19
FEMALE--	1,563	3	1	1	-	-	1	3	4	5	8	12
ALL OTHER--MALE----	514	-	1	-	1	3	5	6	2	6	15	24
FEMALE--	546	3	1	1	1	3	2	2	5	7	7	14
BLACK---MALE----	507	-	1	-	1	3	5	6	2	5	15	24
FEMALE--	543	3	1	1	1	3	2	2	5	7	7	14
MAINE -----	1,083	1	-	1	-	2	3	1	3	2	6	13
WHITE-----MALE----	469	1	-	1	-	1	3	1	2	1	4	10
FEMALE--	610	-	-	-	-	1	-	-	1	1	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4,204	13	3	4	5	7	13	23	37	50	91	132
WHITE-----MALE----	1,414	1	-	2	1	3	4	8	11	23	32	53
FEMALE--	1,658	2	-	-	1	1	3	3	4	10	14	16
ALL OTHER--MALE----	601	8	2	2	1	1	3	6	19	9	30	39
FEMALE--	531	2	1	-	2	2	3	6	3	8	15	24
BLACK---MALE----	588	8	2	2	1	1	3	6	19	8	30	38
FEMALE--	519	2	1	-	2	2	3	5	3	8	15	24
MASSACHUSETTS -----	5,669	6	5	2	2	6	7	14	25	36	53	89
WHITE-----MALE----	2,353	1	2	-	1	3	2	7	12	22	33	58
FEMALE--	3,096	1	1	1	1	1	3	5	8	6	17	19
ALL OTHER--MALE----	102	2	1	-	-	-	2	1	2	6	3	10
FEMALE--	118	2	1	1	-	2	-	1	3	2	-	2
BLACK---MALE----	86	2	1	-	-	-	2	1	1	5	3	8
FEMALE--	101	2	1	1	-	2	-	1	3	2	-	2
MICHIGAN -----	8,458	9	5	7	6	8	19	24	41	80	131	264
WHITE-----MALE----	3,172	3	1	2	3	4	8	8	21	41	59	115
FEMALE--	3,505	5	4	2	3	2	5	3	8	11	16	45
ALL OTHER--MALE----	942	1	-	1	-	1	3	7	8	13	41	62
FEMALE--	839	-	-	2	-	1	3	6	4	15	15	42
BLACK---MALE----	912	1	-	1	-	1	3	7	8	13	40	61
FEMALE--	823	-	-	2	-	1	2	6	4	15	15	40

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,615

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
KENTUCKY -----	111	124	196	293	427	538	696	744	548	246	57	-
WHITE-----MALE----	71	75	115	165	235	226	255	224	141	45	6	-
FEMALE--	25	33	62	107	155	278	404	472	371	183	43	-
ALL OTHER--MALE----	9	12	9	12	20	17	13	18	19	-	1	-
FEMALE--	6	4	10	9	17	17	24	30	17	18	7	-
BLACK---MALE----	9	12	9	11	20	17	13	18	19	-	1	-
FEMALE--	6	4	10	9	17	17	23	30	17	18	6	-
LOUISIANA -----	104	157	193	285	400	553	665	625	454	178	48	-
WHITE-----MALE----	34	63	72	127	190	214	201	175	82	25	3	-
FEMALE--	12	27	51	70	115	187	300	331	289	117	26	-
ALL OTHER--MALE----	37	39	37	53	47	83	74	42	24	13	2	-
FEMALE--	21	28	33	35	48	69	90	77	59	23	17	-
BLACK---MALE----	37	37	37	53	47	81	73	41	24	13	2	-
FEMALE--	21	28	33	35	48	68	89	76	59	23	17	-
MAINE -----	30	25	44	58	112	163	158	172	160	101	28	-
WHITE-----MALE----	23	14	29	34	60	95	66	52	49	18	5	-
FEMALE--	7	11	15	24	51	68	91	120	110	82	23	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	1	-	-
MARYLAND -----	165	196	241	300	425	547	639	602	463	187	59	2
WHITE-----MALE----	69	89	97	106	174	218	212	175	95	33	8	-
FEMALE--	26	30	49	74	120	200	302	337	299	130	37	-
ALL OTHER--MALE----	46	47	67	78	75	69	47	30	10	6	4	2
FEMALE--	24	30	28	42	56	60	78	60	59	18	10	-
BLACK---MALE----	44	47	66	75	75	68	45	29	9	6	4	2
FEMALE--	24	29	28	42	56	58	75	59	55	18	10	-
MASSACHUSETTS -----	136	160	255	335	540	727	960	1,028	805	359	119	-
WHITE-----MALE----	91	110	162	195	309	359	408	330	175	62	11	-
FEMALE--	29	36	75	125	208	348	531	676	612	289	104	-
ALL OTHER--MALE----	11	10	14	5	10	7	8	5	4	1	-	-
FEMALE--	5	4	4	10	13	13	13	17	14	7	4	-
BLACK---MALE----	10	10	11	5	8	6	7	1	4	1	-	-
FEMALE--	4	4	4	9	10	12	11	15	10	6	2	-
MICHIGAN -----	278	379	479	658	963	1,182	1,328	1,244	868	383	102	-
WHITE-----MALE----	129	177	210	286	409	495	509	413	204	64	11	-
FEMALE--	46	77	99	181	313	436	612	687	589	282	79	-
ALL OTHER--MALE----	71	74	105	117	128	124	97	52	25	12	-	-
FEMALE--	32	51	65	74	113	127	110	92	50	25	12	-
BLACK---MALE----	66	73	103	112	127	118	96	45	25	12	-	-
FEMALE--	30	48	65	74	111	125	108	92	49	24	12	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,616

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
MINNESOTA -----	3,105	6	2	3	4	2	9	6	4	18	26	29
WHITE-----MALE----	1,374	1	1	1	2	1	5	3	2	11	17	19
FEMALE--	1,665	4	-	1	2	1	4	1	1	3	8	6
ALL OTHER--MALE----	27	-	-	1	-	-	-	-	1	3	1	2
FEMALE--	39	1	1	-	-	-	-	2	-	1	-	2
BLACK---MALE----	15	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	19	-	1	-	-	-	-	1	-	1	-	1
MISSISSIPPI -----	4,177	6	6	-	5	7	5	9	12	42	41	93
WHITE-----MALE----	1,189	1	1	-	-	4	-	-	1	8	11	23
FEMALE--	1,575	1	1	-	2	-	1	1	-	5	6	13
ALL OTHER--MALE----	673	2	2	-	2	-	2	5	8	18	16	38
FEMALE--	740	2	2	-	1	3	2	3	3	11	8	19
BLACK---MALE----	669	2	2	-	2	-	2	5	8	18	16	38
FEMALE--	735	2	2	-	1	3	2	3	3	11	8	19
MISSOURI -----	5,091	4	4	2	6	9	9	18	25	37	47	71
WHITE-----MALE----	1,979	1	-	-	3	5	5	8	15	19	22	34
FEMALE--	2,633	1	1	2	2	1	1	3	4	10	8	16
ALL OTHER--MALE----	215	1	3	-	-	3	2	5	4	2	9	14
FEMALE--	264	1	-	-	1	-	1	2	2	6	8	7
BLACK---MALE----	207	1	3	-	-	3	2	4	4	2	9	14
FEMALE--	254	1	-	-	1	-	1	2	2	6	8	7
MONTANA -----	836	1	1	-	-	2	2	1	1	2	5	11
WHITE-----MALE----	412	-	1	-	-	-	2	-	-	2	2	6
FEMALE--	396	1	-	-	-	2	-	-	1	-	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2,060	2	2	-	3	1	1	1	7	9	19	22
WHITE-----MALE----	896	2	-	-	1	1	-	-	2	4	10	17
FEMALE--	1,097	-	2	-	2	-	1	1	4	3	4	5
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	1	4	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	32	-	-	-	-	-	-	-	-	1	1	-
NEVADA -----	1,668	3	2	1	1	-	2	2	10	13	23	28
WHITE-----MALE----	841	1	1	-	1	-	2	-	4	7	16	16
FEMALE--	687	2	1	1	-	-	-	-	3	2	5	6
ALL OTHER--MALE----	76	-	-	-	-	-	-	1	2	3	-	5
FEMALE--	64	-	-	-	-	-	-	1	1	1	2	1
BLACK---MALE----	49	-	-	-	-	-	-	1	2	2	-	3
FEMALE--	45	-	-	-	-	-	-	1	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,616

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
MINNESOTA -----	36	65	97	159	279	368	538	600	539	243	72	-
WHITE-----MALE----	24	45	57	100	171	193	255	245	155	55	11	-
FEMALE--	9	18	34	51	101	163	282	351	380	186	59	-
ALL OTHER--MALE----	1	-	3	4	4	6	-	-	-	-	1	-
FEMALE--	2	2	3	4	3	6	1	4	4	2	1	-
BLACK---MALE----	1	-	1	2	4	3	-	-	-	-	1	-
FEMALE--	1	1	1	1	2	3	-	3	1	2	-	-
MISSISSIPPI -----	118	149	209	299	393	542	673	727	562	214	65	-
WHITE-----MALE----	48	54	82	115	142	201	201	171	93	29	4	-
FEMALE--	18	30	34	64	115	178	274	354	333	118	27	-
ALL OTHER--MALE----	34	39	51	55	75	74	87	89	44	22	10	-
FEMALE--	18	26	42	65	61	89	111	113	92	45	24	-
BLACK---MALE----	33	38	51	55	75	73	87	89	43	22	10	-
FEMALE--	18	26	41	65	61	89	111	112	90	45	23	-
MISSOURI -----	107	165	228	327	467	660	800	983	722	318	82	-
WHITE-----MALE----	54	91	129	164	235	310	333	305	181	55	10	-
FEMALE--	28	43	58	115	181	299	414	627	508	245	66	-
ALL OTHER--MALE----	13	14	24	25	23	24	22	13	12	2	-	-
FEMALE--	12	17	17	23	28	27	31	38	21	16	6	-
BLACK---MALE----	13	14	23	25	22	23	21	12	10	2	-	-
FEMALE--	12	16	17	20	27	27	29	36	21	15	6	-
MONTANA -----	15	28	40	51	76	103	145	151	133	57	11	-
WHITE-----MALE----	12	16	22	33	51	57	84	71	38	14	1	-
FEMALE--	3	11	12	16	23	45	56	78	93	43	9	-
ALL OTHER--MALE----	-	1	4	2	2	1	2	2	-	-	-	-
FEMALE--	-	-	2	-	-	-	3	-	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	31	44	76	120	171	245	326	417	362	151	50	-
WHITE-----MALE----	24	26	48	75	107	132	143	166	99	32	7	-
FEMALE--	5	11	22	36	54	109	174	247	258	117	42	-
ALL OTHER--MALE----	1	3	3	2	5	1	5	-	-	1	-	-
FEMALE--	1	4	3	7	5	3	4	4	5	1	1	-
BLACK---MALE----	-	2	2	2	5	1	4	-	-	1	-	-
FEMALE--	1	3	2	5	5	2	3	4	3	1	1	-
NEVADA -----	48	74	142	169	220	260	269	226	118	44	10	3
WHITE-----MALE----	34	41	84	110	130	143	131	86	28	3	1	2
FEMALE--	8	19	36	45	76	95	123	132	84	39	9	1
ALL OTHER--MALE----	4	9	13	8	8	7	9	5	2	-	-	-
FEMALE--	2	5	9	6	6	15	6	3	4	2	-	-
BLACK---MALE----	2	4	9	5	6	5	6	4	-	-	-	-
FEMALE--	1	4	5	5	5	11	3	3	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,618

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
OHIO -----	10,146	18	2	4	8	18	17	16	36	75	115	222
WHITE-----MALE----	4,014	10	-	2	5	12	6	5	10	44	69	125
FEMALE--	5,053	4	1	2	1	5	5	7	15	16	24	54
ALL OTHER--MALE----	551	2	1	-	1	-	4	3	7	12	13	27
FEMALE--	528	2	-	-	1	1	2	1	4	3	9	16
BLACK---MALE----	540	2	1	-	1	-	4	2	7	12	12	27
FEMALE--	518	1	-	-	1	1	2	1	4	3	9	16
OKLAHOMA -----	3,331	8	5	-	-	8	9	6	13	31	60	75
WHITE-----MALE----	1,277	3	1	-	-	3	5	3	4	18	33	38
FEMALE--	1,719	3	2	-	-	1	1	2	3	5	9	21
ALL OTHER--MALE----	152	1	1	-	-	2	1	-	4	4	12	13
FEMALE--	183	1	1	-	-	2	2	1	2	4	6	3
BLACK---MALE----	85	-	1	-	-	1	1	-	4	3	10	7
FEMALE--	112	1	1	-	-	2	2	-	1	2	4	1
OREGON -----	2,209	2	3	1	-	1	2	8	9	21	27	32
WHITE-----MALE----	932	2	1	1	-	-	1	4	5	11	21	18
FEMALE--	1,221	-	1	-	-	1	-	2	3	8	4	11
ALL OTHER--MALE----	30	-	1	-	-	-	1	1	1	1	2	3
FEMALE--	26	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	9	-	1	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14,088	13	13	5	7	14	11	29	49	99	174	262
WHITE-----MALE----	5,641	5	6	2	4	7	5	12	29	49	97	151
FEMALE--	7,000	7	3	3	1	3	3	6	13	21	26	52
ALL OTHER--MALE----	776	1	3	-	1	3	1	9	6	18	37	45
FEMALE--	671	-	1	-	1	1	2	2	1	11	14	14
BLACK---MALE----	756	-	3	-	1	3	1	8	5	18	36	42
FEMALE--	647	-	-	-	1	1	2	1	1	11	13	14
RHODE ISLAND -----	702	-	-	-	-	-	1	1	3	3	10	15
WHITE-----MALE----	317	-	-	-	-	-	1	1	2	2	7	11
FEMALE--	362	-	-	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,025	10	6	1	4	6	10	7	19	41	81	83
WHITE-----MALE----	935	3	2	-	-	2	3	3	3	15	24	28
FEMALE--	1,158	1	1	-	1	1	1	-	4	1	15	13
ALL OTHER--MALE----	426	1	2	1	2	1	5	3	7	17	28	27
FEMALE--	506	5	1	-	1	2	1	1	5	8	14	15
BLACK---MALE----	423	1	2	1	2	1	5	3	7	17	28	26
FEMALE--	498	5	1	-	1	2	1	1	5	8	14	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,618

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
OHIO -----	258	343	488	745	1,084	1,479	1,707	1,633	1,254	487	137	-
WHITE-----MALE----	135	178	259	340	529	667	670	527	311	96	14	-
FEMALE--	63	100	138	280	413	661	915	999	876	360	114	-
ALL OTHER--MALE----	43	38	58	67	80	74	57	37	20	7	-	-
FEMALE--	17	27	33	58	62	77	65	70	47	24	9	-
BLACK---MALE----	43	37	58	66	78	71	57	35	20	7	-	-
FEMALE--	17	27	32	56	60	77	65	68	46	23	9	-
OKLAHOMA -----	83	117	147	219	306	405	538	580	468	202	49	2
WHITE-----MALE----	47	60	78	115	164	175	202	182	101	31	13	1
FEMALE--	18	32	48	82	109	196	292	364	342	156	32	1
ALL OTHER--MALE----	10	13	12	11	14	17	16	9	9	3	-	-
FEMALE--	8	12	9	11	19	17	28	25	16	12	4	-
BLACK---MALE----	6	6	6	7	6	9	6	7	4	1	-	-
FEMALE--	4	8	6	3	14	14	14	15	9	8	3	-
OREGON -----	37	50	75	121	173	287	425	409	346	149	31	-
WHITE-----MALE----	22	29	39	75	93	138	177	159	94	38	4	-
FEMALE--	13	20	30	44	76	144	240	241	249	107	27	-
ALL OTHER--MALE----	2	-	3	1	3	1	2	5	2	1	-	-
FEMALE--	-	1	3	1	1	4	6	4	1	3	-	-
BLACK---MALE----	-	-	2	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	2	-	-	-	-	-
PENNSYLVANIA -----	315	462	645	994	1,457	1,945	2,440	2,496	1,786	680	188	4
WHITE-----MALE----	163	240	336	552	711	908	952	788	458	129	35	2
FEMALE--	62	112	164	289	555	882	1,315	1,569	1,246	523	145	-
ALL OTHER--MALE----	60	69	97	87	105	71	83	52	21	4	3	-
FEMALE--	30	41	48	66	86	84	90	87	61	24	5	2
BLACK---MALE----	59	69	93	87	103	71	80	51	19	4	3	-
FEMALE--	29	41	46	63	84	82	87	82	58	24	5	2
RHODE ISLAND -----	17	24	27	48	80	103	114	107	93	46	10	-
WHITE-----MALE----	12	14	14	30	43	49	61	37	23	9	1	-
FEMALE--	4	9	11	16	35	47	51	68	68	37	9	-
ALL OTHER--MALE----	1	-	2	-	1	4	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	3	2	2	2	-	-	-
BLACK---MALE----	1	-	1	-	1	3	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	2	1	2	-	-	-
SOUTH CAROLINA -----	86	125	177	221	327	413	480	487	281	120	40	-
WHITE-----MALE----	26	50	70	92	132	150	138	126	56	9	3	-
FEMALE--	19	27	42	52	94	144	208	252	172	86	24	-
ALL OTHER--MALE----	22	30	36	40	49	53	52	32	11	5	2	-
FEMALE--	19	18	29	37	52	66	82	77	42	20	11	-
BLACK---MALE----	22	30	36	39	49	53	52	31	11	5	2	-
FEMALE--	19	18	29	36	50	63	81	77	42	19	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,619

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
SOUTH DAKOTA -----	635	3	-	-	-	1	-	2	2	7	3	9
WHITE-----MALE----	283	1	-	-	-	-	-	-	1	2	2	7
FEMALE--	316	1	-	-	-	1	-	2	-	3	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	25	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,423	16	4	1	3	9	8	17	31	43	70	120
WHITE-----MALE----	1,716	6	2	-	2	2	5	5	16	21	36	61
FEMALE--	1,918	3	1	-	1	3	1	4	7	8	12	24
ALL OTHER--MALE----	412	3	1	-	-	2	2	5	6	7	18	24
FEMALE--	377	4	-	1	-	2	-	3	2	7	4	11
BLACK---MALE----	409	2	1	-	-	2	2	5	5	7	18	24
FEMALE--	374	4	-	1	-	2	-	3	2	7	4	11
TEXAS -----	12,388	33	11	11	8	25	48	48	90	139	209	293
WHITE-----MALE----	5,078	16	4	8	1	15	22	28	44	68	108	162
FEMALE--	5,656	8	4	1	3	4	12	10	27	31	44	62
ALL OTHER--MALE----	823	5	1	-	2	2	7	7	12	22	33	44
FEMALE--	831	4	2	2	2	4	7	3	7	18	24	25
BLACK---MALE----	779	5	1	-	2	2	6	7	11	21	31	40
FEMALE--	782	4	2	2	2	3	6	3	6	17	22	22
UTAH -----	1,050	6	6	1	2	3	5	5	4	8	15	17
WHITE-----MALE----	458	4	3	1	-	1	2	2	3	5	7	8
FEMALE--	577	2	3	-	2	2	1	3	1	3	6	8
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	538	-	1	-	-	-	-	2	-	2	5	3
WHITE-----MALE----	222	-	1	-	-	-	-	1	-	2	4	3
FEMALE--	316	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,869	11	2	1	4	13	8	16	31	55	92	115
WHITE-----MALE----	2,060	6	1	1	3	5	-	8	14	18	42	48
FEMALE--	2,566	1	-	-	-	2	3	3	6	12	15	14
ALL OTHER--MALE----	608	3	-	-	-	5	2	3	9	10	24	37
FEMALE--	635	1	1	-	1	1	3	2	2	15	11	16
BLACK---MALE----	578	3	-	-	-	5	2	3	8	10	21	36
FEMALE--	613	1	1	-	1	-	3	2	2	13	10	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,619

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
SOUTH DAKOTA -----	5	15	23	37	57	70	110	116	106	52	17	-
WHITE-----MALE----	3	8	17	21	36	36	59	43	33	11	3	-
FEMALE--	1	5	5	13	16	30	46	66	72	40	13	-
ALL OTHER--MALE----	1	1	-	-	2	2	2	1	-	-	-	-
FEMALE--	-	1	1	3	3	2	3	6	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	168	243	252	333	467	574	647	703	483	184	46	1
WHITE-----MALE----	97	128	128	171	213	236	232	212	109	27	6	1
FEMALE--	28	53	63	86	165	256	327	395	317	135	29	-
ALL OTHER--MALE----	26	39	39	43	45	44	38	37	20	10	3	-
FEMALE--	17	23	22	33	44	38	50	59	37	12	8	-
BLACK---MALE----	26	39	39	43	45	44	38	37	19	10	3	-
FEMALE--	17	23	22	32	44	38	49	58	37	12	8	-
TEXAS -----	407	475	707	939	1,303	1,601	1,872	1,896	1,497	638	136	2
WHITE-----MALE----	229	265	380	506	653	787	716	567	372	108	19	-
FEMALE--	91	120	179	264	442	648	970	1,177	999	459	101	-
ALL OTHER--MALE----	54	54	98	95	114	77	85	54	38	12	5	2
FEMALE--	33	36	50	74	94	89	101	98	88	59	11	-
BLACK---MALE----	49	52	92	90	108	74	79	52	38	12	5	2
FEMALE--	31	36	47	72	88	80	93	93	86	56	11	-
UTAH -----	19	25	34	64	104	123	174	208	165	50	12	-
WHITE-----MALE----	15	19	15	33	61	68	81	75	36	15	4	-
FEMALE--	4	4	17	29	43	55	92	132	127	35	8	-
ALL OTHER--MALE----	-	1	2	2	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	11	18	36	56	64	104	103	80	36	9	-
WHITE-----MALE----	6	10	8	24	29	35	51	25	16	5	2	-
FEMALE--	2	1	10	12	27	29	53	78	64	31	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	183	210	325	388	593	819	975	942	700	315	71	-
WHITE-----MALE----	78	94	158	163	255	326	351	269	170	48	2	-
FEMALE--	51	50	68	112	213	307	443	540	449	224	53	-
ALL OTHER--MALE----	37	43	62	60	68	88	78	40	25	10	4	-
FEMALE--	17	23	37	53	57	98	103	93	56	33	12	-
BLACK---MALE----	35	41	58	59	62	83	76	39	23	10	4	-
FEMALE--	16	21	35	53	55	97	102	86	56	31	12	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,620

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
WASHINGTON -----	89	127	190	261	309	475	634	582	497	212	55	-
WHITE-----MALE----	58	84	121	155	173	237	279	225	146	48	8	-
FEMALE--	22	32	55	88	117	211	318	340	343	161	45	-
ALL OTHER--MALE----	7	8	9	11	11	12	22	10	3	2	1	-
FEMALE--	2	3	5	7	8	15	15	7	5	1	1	-
BLACK---MALE----	2	4	5	4	5	5	4	4	1	1	-	-
FEMALE--	2	2	3	3	4	4	6	3	2	-	-	-
WEST VIRGINIA -----	50	106	101	181	261	322	361	364	260	113	37	1
WHITE-----MALE----	32	62	69	101	151	169	146	128	67	27	4	-
FEMALE--	13	37	29	74	100	140	205	221	185	80	29	-
ALL OTHER--MALE----	4	3	2	2	4	4	4	6	2	2	-	1
FEMALE--	1	4	1	4	6	9	6	9	6	4	4	-
BLACK---MALE----	4	3	2	2	4	4	4	6	2	2	-	1
FEMALE--	1	4	1	4	6	9	6	9	6	4	4	-
WISCONSIN -----	77	94	150	231	347	507	686	721	607	304	70	1
WHITE-----MALE----	50	60	87	140	191	267	303	273	161	65	12	1
FEMALE--	17	25	46	81	140	220	375	433	442	233	57	-
ALL OTHER--MALE----	5	6	15	4	8	6	1	6	2	4	-	-
FEMALE--	5	3	2	6	8	14	7	9	2	2	1	-
BLACK---MALE----	3	4	10	3	7	4	1	4	2	4	-	-
FEMALE--	5	2	2	6	7	9	6	7	1	2	-	-
WYOMING -----	8	6	11	23	31	33	53	69	40	32	6	-
WHITE-----MALE----	6	4	9	20	19	11	24	26	11	9	1	-
FEMALE--	2	2	2	3	11	22	29	43	29	22	5	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,621

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
0 UNITED STATES --	981	4	1	1	1	3	7	16	21	49	69	51
WHITE-----MALE----	448	3	1	1	1	2	3	5	8	23	31	23
FEMALE--	347	1	-	-	-	1	2	5	8	13	10	11
ALL OTHER--MALE----	102	-	-	-	-	-	1	4	2	7	24	8
FEMALE--	84	-	-	-	-	-	1	2	3	6	4	9
BLACK---MALE----	92	-	-	-	-	-	1	4	2	6	21	6
FEMALE--	73	-	-	-	-	-	1	2	3	5	3	8
ALABAMA -----	16	-	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	-	-	-	1	-	-	1	-	1	3	-
WHITE-----MALE----	11	-	-	-	1	-	-	1	-	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	107	-	-	-	-	1	-	1	3	7	10	6
WHITE-----MALE----	57	-	-	-	-	1	-	-	2	5	5	3
FEMALE--	32	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	9	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,621

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ACUTE AND SUBACUTE ENDOCARDITIS (421)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	66	57	80	102	115	140	103	58	32	4	1	-
WHITE-----MALE----	26	25	34	50	53	75	53	25	5	1	-	-
FEMALE--	19	21	28	33	38	53	41	33	26	3	1	-
ALL OTHER--MALE----	12	6	7	10	13	4	4	-	-	-	-	-
FEMALE--	9	5	11	9	11	8	5	-	1	-	-	-
BLACK---MALE----	11	5	6	10	13	4	3	-	-	-	-	-
FEMALE--	6	4	9	9	11	6	5	-	1	-	-	-
ALABAMA -----	1	-	2	4	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	1	1	2	6	-	3	-	-	-	-
WHITE-----MALE----	1	-	-	1	2	3	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	3	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	2	3	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	9	4	6	18	8	19	9	2	4	-	-	-
WHITE-----MALE----	4	3	2	13	4	10	4	1	-	-	-	-
FEMALE--	3	-	2	3	3	8	3	1	4	-	-	-
ALL OTHER--MALE----	2	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	2	-	-	-	-	-
BLACK---MALE----	2	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,622

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
COLORADO -----	2	1	2	2	1	2	-	4	-	-	-	-
WHITE-----MALE----	2	-	1	-	1	2	-	3	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	-	-	1	1	1	2	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	7	5	9	4	10	11	11	3	5	-	-	-
WHITE-----MALE----	2	2	6	2	8	9	7	1	1	-	-	-
FEMALE--	2	2	2	1	1	1	3	2	4	-	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
GEORGIA -----	3	2	3	1	6	1	1	1	2	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	3	-	-	1	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,624

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
KENTUCKY -----	8	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	8	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	26	-	-	-	-	-	1	1	3	2	2	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	9	-	-	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	2	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	23	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	38	-	-	-	-	-	-	1	-	2	6	5
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,624

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
KENTUCKY -----	-	1	1	1	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	2	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	1	2	2	2	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	2	2	2	3	3	4	3	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	2	2	-	-	-	-
FEMALE--	-	1	2	-	-	3	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	2	-	3	5	5	6	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	3	1	-	-	-	-
FEMALE--	-	1	-	-	1	3	3	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,628

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ACUTE AND SUBACUTE ENDOCARDITIS (421)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	-	3	2	1	2	-	1	-	-	-	-
WHITE-----MALE----	2	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
TEXAS -----	4	7	4	8	7	13	6	5	1	-	-	-
WHITE-----MALE----	3	3	2	2	2	8	4	1	-	-	-	-
FEMALE--	-	3	1	2	2	5	2	4	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	3	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	3	1	-	-	-	-	-	-	-
UTAH -----	-	-	-	1	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	2	1	3	4	1	-	-	-	-	-
WHITE-----MALE----	-	2	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,630

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
0 UNITED STATES --	854	32	19	18	11	15	23	29	35	54	55	47
WHITE-----MALE----	371	7	3	5	3	4	9	10	13	20	26	20
FEMALE--	323	11	5	6	5	7	5	10	12	20	17	14
ALL OTHER--MALE----	81	8	8	3	1	1	5	4	3	6	6	8
FEMALE--	79	6	3	4	2	3	4	5	7	8	6	5
BLACK---MALE----	75	7	7	3	1	1	4	4	2	6	6	7
FEMALE--	69	5	3	4	1	2	4	5	6	8	5	5
ALABAMA -----	10	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
ALASKA -----	3	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	1	-	2	-	-	-	-	1	3	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	8	-	-	2	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	86	2	-	4	2	5	3	4	4	5	6	9
WHITE-----MALE----	35	-	-	-	-	-	3	2	4	1	2	5
FEMALE--	43	2	-	2	2	3	-	1	-	3	4	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	-	2	-	2	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	4	-	-	2	-	1	-	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,631

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
COLORADO -----	8	-	-	-	-	1	2	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	4	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	56	2	-	2	-	-	-	1	2	6	4	7
WHITE-----MALE----	23	-	-	1	-	-	-	-	-	3	2	2
FEMALE--	25	1	-	-	-	-	-	1	2	2	2	2
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	2
GEORGIA -----	36	1	3	2	1	-	1	1	4	2	3	1
WHITE-----MALE----	15	-	1	-	1	-	1	1	-	1	2	1
FEMALE--	9	1	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	1	1	-	-	-	-	1	1	-	-
FEMALE--	6	-	-	1	-	-	-	-	2	-	1	-
BLACK---MALE----	6	-	1	1	-	-	-	-	1	1	-	-
FEMALE--	6	-	-	1	-	-	-	-	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,631

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
COLORADO -----	-	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	1	-	-	-	2	1	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
FLORIDA -----	2	3	8	4	7	3	4	1	-	-	-	-
WHITE-----MALE----	-	1	6	1	2	1	3	1	-	-	-	-
FEMALE--	2	2	2	2	5	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	3	2	-	1	3	5	1	1	1	-	-	-
WHITE-----MALE----	1	1	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	1	-	-	2	2	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,633

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
KENTUCKY -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	12	-	-	-	-	1	-	1	-	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	1	-	1	-	-	-	-
MAINE -----	6	-	-	-	-	-	-	-	2	2	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	23	1	-	-	-	-	-	1	-	-	1	2
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	17	1	1	1	-	-	-	2	4	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	-	-	-	1	-	-	-
MICHIGAN -----	37	3	-	-	1	1	-	1	3	3	2	1
WHITE-----MALE----	12	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	20	2	-	-	1	1	-	-	2	3	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,636

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
OHIO -----	37	2	-	-	1	1	-	-	-	1	2	2
WHITE-----MALE----	19	1	-	-	-	1	-	-	-	-	2	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	1	-	-
OKLAHOMA -----	8	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	-	1	-	-	-	-	1	-	-	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	36	-	-	-	-	-	1	1	1	1	2	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	19	-	-	-	1	-	2	-	2	3	-	1
WHITE-----MALE----	7	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	5	-	-	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	1	-	1	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	1	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,636

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	2	2	6	3	3	7	1	-	-	1	-
WHITE-----MALE----	2	2	2	3	-	1	4	-	-	-	-	-
FEMALE--	1	-	-	2	3	2	3	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	2	-	-	2	-	1	1	-	-	-	-
WHITE-----MALE----	-	2	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	-	-	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	3	4	4	5	4	3	4	-	1	-	-
WHITE-----MALE----	-	1	1	3	3	2	-	2	-	-	-	-
FEMALE--	-	2	3	-	2	2	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	2	1	1	1	2	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,637

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	-	1	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	71	4	2	2	-	-	3	3	2	3	4	3
WHITE-----MALE----	38	2	1	2	-	-	1	-	1	2	2	-
FEMALE--	24	-	-	-	-	-	1	2	-	1	1	3
ALL OTHER--MALE----	6	1	1	-	-	-	-	1	-	-	1	-
FEMALE--	3	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	6	1	1	-	-	-	-	1	-	-	1	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
UTAH -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	-	-	1	-	1	-	1	-	1	1	1
WHITE-----MALE----	5	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,639

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
0 UNITED STATES --	17,661	5	12	3	11	14	30	33	78	121	176	241
WHITE-----MALE----	6,454	4	5	1	9	11	11	13	31	59	86	111
FEMALE--	9,869	1	6	1	-	2	11	11	28	32	45	60
ALL OTHER--MALE----	581	-	-	1	-	-	5	4	12	15	27	47
FEMALE--	757	-	1	-	2	1	3	5	7	15	18	23
BLACK---MALE----	464	-	-	1	-	-	5	4	12	13	26	46
FEMALE--	647	-	1	-	1	-	3	5	7	13	18	20
ALABAMA -----	246	-	-	-	-	1	2	1	2	3	3	5
WHITE-----MALE----	85	-	-	-	-	1	1	-	1	1	-	1
FEMALE--	126	-	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	20	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	15	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	20	-	-	-	-	-	-	1	-	-	1	1
ALASKA -----	26	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	289	-	-	-	-	-	-	1	-	2	4	7
WHITE-----MALE----	109	-	-	-	-	-	-	1	-	1	3	4
FEMALE--	171	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	140	-	-	-	-	-	1	-	-	2	1	3
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	79	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	1,794	1	2	-	-	3	-	1	9	12	15	23
WHITE-----MALE----	681	-	1	-	-	1	-	-	5	4	11	13
FEMALE--	947	1	1	-	-	1	-	1	3	5	3	4
ALL OTHER--MALE----	77	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	89	-	-	-	-	1	-	-	1	2	1	2
BLACK---MALE----	30	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	46	-	-	-	-	-	-	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,639

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
0 UNITED STATES --	259	365	506	941	1,465	2,479	3,474	3,827	2,591	865	164	1
WHITE-----MALE----	116	178	250	418	677	1,101	1,320	1,199	667	166	21	-
FEMALE--	69	123	178	402	665	1,211	1,978	2,442	1,822	650	132	-
ALL OTHER--MALE----	44	29	36	51	54	85	62	70	27	10	1	1
FEMALE--	30	35	42	70	69	82	114	116	75	39	10	-
BLACK---MALE----	40	24	31	41	46	59	48	40	20	7	1	-
FEMALE--	27	32	39	55	55	63	101	109	58	30	10	-
ALABAMA -----	5	4	9	15	23	38	43	54	28	7	3	-
WHITE-----MALE----	3	1	1	6	8	19	13	14	13	2	-	-
FEMALE--	1	1	6	5	13	17	23	34	14	4	3	-
ALL OTHER--MALE----	-	1	1	2	2	2	1	1	1	-	-	-
FEMALE--	1	1	1	2	-	-	6	5	-	1	-	-
BLACK---MALE----	-	1	1	2	2	2	1	1	1	-	-	-
FEMALE--	1	1	1	2	-	-	6	5	-	1	-	-
ALASKA -----	-	1	2	2	2	2	6	5	5	1	-	-
WHITE-----MALE----	-	-	1	2	-	2	3	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	5	5	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	4	9	22	29	41	51	56	48	10	2	-
WHITE-----MALE----	-	3	3	9	16	19	21	15	11	3	-	-
FEMALE--	2	-	6	10	12	22	29	41	36	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	3	1	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	1	-	-
ARKANSAS -----	3	2	10	11	8	19	32	27	15	5	1	-
WHITE-----MALE----	-	2	6	1	3	9	8	7	8	-	-	-
FEMALE--	1	-	3	8	5	10	21	18	6	5	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	3	1	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	3	1	1	-	-	-
CALIFORNIA -----	26	44	48	75	126	242	342	395	297	118	15	-
WHITE-----MALE----	13	18	24	33	57	105	147	134	90	23	2	-
FEMALE--	5	17	16	34	53	111	169	233	191	87	12	-
ALL OTHER--MALE----	5	6	4	4	7	13	10	14	6	2	1	-
FEMALE--	3	3	4	4	9	13	16	14	10	6	-	-
BLACK---MALE----	4	3	2	1	5	2	4	2	1	-	1	-
FEMALE--	3	2	3	1	2	5	10	10	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,640

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
COLORADO -----	193	-	-	-	1	-	-	-	1	1	3	2
WHITE-----MALE----	73	-	-	-	1	-	-	-	-	1	1	-
FEMALE--	113	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	266	-	-	-	-	-	-	-	-	3	5	4
WHITE-----MALE----	104	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	156	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	56	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	17	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	26	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,329	1	-	-	-	-	4	4	9	9	16	11
WHITE-----MALE----	547	1	-	-	-	-	-	-	5	5	12	8
FEMALE--	718	-	-	-	-	-	1	2	2	1	1	-
ALL OTHER--MALE----	24	-	-	-	-	-	1	1	-	-	1	1
FEMALE--	40	-	-	-	-	-	2	1	2	3	2	2
BLACK---MALE----	23	-	-	-	-	-	1	1	-	-	1	1
FEMALE--	38	-	-	-	-	-	2	1	2	3	2	2
GEORGIA -----	330	-	-	-	-	-	-	2	2	2	3	6
WHITE-----MALE----	100	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	171	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	2	1	1	-	1
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	21	-	-	-	-	-	-	2	1	1	-	1
FEMALE--	36	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,640

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
COLORADO -----	8	1	5	7	18	26	33	35	42	9	1	-
WHITE-----MALE----	3	-	4	3	7	14	15	10	11	3	-	-
FEMALE--	4	-	1	3	11	12	18	24	29	5	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
CONNECTICUT -----	2	5	7	15	17	30	55	54	52	15	2	-
WHITE-----MALE----	2	5	6	5	10	14	23	19	11	4	-	-
FEMALE--	-	-	1	10	7	16	30	34	41	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
DELAWARE -----	1	1	3	1	10	4	10	14	8	2	1	-
WHITE-----MALE----	-	-	1	1	4	3	2	2	3	-	-	-
FEMALE--	1	-	2	-	5	1	8	10	5	2	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	2	5	2	2	7	3	2	1	-
WHITE-----MALE----	-	1	-	-	3	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	1	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	2	-	1	-	-
FEMALE--	-	-	-	2	1	-	1	2	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	2	-	1	-	-
FEMALE--	-	-	-	2	1	-	1	2	1	-	-	-
FLORIDA -----	14	23	37	51	127	198	267	313	177	53	15	-
WHITE-----MALE----	6	13	23	22	59	89	123	102	63	14	2	-
FEMALE--	2	5	8	23	58	106	139	206	112	39	13	-
ALL OTHER--MALE----	3	3	3	2	4	2	2	1	-	-	-	-
FEMALE--	3	2	3	4	6	1	3	4	2	-	-	-
BLACK---MALE----	2	3	3	2	4	2	2	1	-	-	-	-
FEMALE--	3	2	2	4	5	1	3	4	2	-	-	-
GEORGIA -----	13	12	14	22	34	41	68	65	32	12	2	-
WHITE-----MALE----	7	5	7	3	11	20	15	15	7	3	-	-
FEMALE--	1	4	4	11	18	14	42	44	22	8	2	-
ALL OTHER--MALE----	3	1	1	4	1	5	1	-	1	-	-	-
FEMALE--	2	2	2	4	4	2	10	6	2	1	-	-
BLACK---MALE----	3	1	1	4	1	4	1	-	1	-	-	-
FEMALE--	2	2	2	4	3	2	10	6	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,642

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
KENTUCKY -----	4	9	7	9	21	32	27	45	28	5	2	-
WHITE-----MALE----	1	3	4	7	10	13	10	19	8	1	-	-
FEMALE--	2	6	3	1	9	18	16	26	18	4	2	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
LOUISIANA -----	3	5	9	22	24	38	48	57	30	8	2	-
WHITE-----MALE----	2	1	4	9	13	13	17	11	5	4	-	-
FEMALE--	1	-	4	11	7	18	23	42	20	3	1	-
ALL OTHER--MALE----	-	1	1	-	2	5	4	1	-	-	-	-
FEMALE--	-	3	-	2	2	2	4	3	5	1	1	-
BLACK---MALE----	-	1	1	-	2	5	4	1	-	-	-	-
FEMALE--	-	3	-	2	2	2	4	3	5	1	1	-
MAINE -----	1	3	3	3	10	20	15	23	17	14	3	-
WHITE-----MALE----	-	-	1	3	4	10	4	9	6	1	1	-
FEMALE--	1	3	2	-	6	10	11	14	11	12	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
MARYLAND -----	6	5	6	15	22	34	55	53	48	14	7	-
WHITE-----MALE----	3	1	-	4	12	14	15	20	9	4	1	-
FEMALE--	-	1	2	6	8	14	33	30	33	9	5	-
ALL OTHER--MALE----	3	1	2	3	1	2	4	-	-	-	-	-
FEMALE--	-	2	2	2	1	4	3	3	6	1	1	-
BLACK---MALE----	3	1	2	2	1	2	3	-	-	-	-	-
FEMALE--	-	2	2	2	1	3	3	3	5	1	1	-
MASSACHUSETTS -----	6	6	14	28	39	66	99	115	85	28	4	-
WHITE-----MALE----	-	5	8	15	18	26	36	44	17	2	-	-
FEMALE--	4	1	4	12	20	40	61	69	68	25	4	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	2	2	-	1	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	2	2	-	1	-	-
MICHIGAN -----	10	14	16	25	45	84	103	118	78	21	2	-
WHITE-----MALE----	4	6	8	11	22	37	40	35	19	3	-	-
FEMALE--	1	4	5	10	17	40	59	75	57	16	2	-
ALL OTHER--MALE----	2	-	1	1	2	1	1	5	-	1	-	-
FEMALE--	3	4	2	3	4	6	3	3	2	1	-	-
BLACK---MALE----	2	-	1	1	2	-	1	3	-	1	-	-
FEMALE--	3	4	2	3	4	6	3	3	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,643

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER DISEASES OF ENDOCARDIUM (424)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	2	10	4	7	25	45	74	84	84	28	6	-
WHITE-----MALE----	1	8	2	4	16	22	38	26	18	2	1	-
FEMALE--	1	2	2	3	8	23	36	57	64	26	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MISSISSIPPI -----	1	3	6	10	10	22	25	16	8	3	-	-
WHITE-----MALE----	1	2	3	3	3	6	12	4	-	-	-	-
FEMALE--	-	-	1	4	6	8	11	9	5	1	-	-
ALL OTHER--MALE----	-	1	2	1	1	2	2	2	2	2	-	-
FEMALE--	-	-	-	2	-	6	-	1	1	-	-	-
BLACK---MALE----	-	1	2	1	1	2	2	2	2	2	-	-
FEMALE--	-	-	-	2	-	6	-	1	1	-	-	-
MISSOURI -----	1	14	8	27	29	47	65	93	45	22	6	-
WHITE-----MALE----	-	9	7	11	11	18	22	24	14	2	-	-
FEMALE--	-	4	1	15	15	26	39	65	30	19	4	-
ALL OTHER--MALE----	1	1	-	-	2	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	2	3	-	1	2	-
BLACK---MALE----	1	1	-	-	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	2	3	-	-	2	-
MONTANA -----	2	1	3	2	4	15	16	17	14	6	1	-
WHITE-----MALE----	2	1	3	1	3	10	9	7	3	-	-	-
FEMALE--	-	-	-	1	1	5	7	9	10	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	2	9	11	18	18	37	26	6	-	-
WHITE-----MALE----	1	-	1	6	7	8	7	15	6	1	-	-
FEMALE--	-	1	1	2	4	9	11	21	19	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NEVADA -----	-	5	3	8	11	19	16	10	4	4	-	-
WHITE-----MALE----	-	1	1	7	8	8	8	2	1	-	-	-
FEMALE--	-	3	2	-	3	9	7	8	3	4	-	-
ALL OTHER--MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,645

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
OHIO -----	798	-	-	-	-	1	1	1	4	3	13	15
WHITE-----MALE----	277	-	-	-	-	1	1	-	2	3	6	7
FEMALE--	474	-	-	-	-	-	-	1	1	-	5	5
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	23	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	208	-	-	-	-	1	-	2	-	3	3	5
WHITE-----MALE----	70	-	-	-	-	1	-	2	-	2	3	3
FEMALE--	120	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	345	-	-	-	-	-	-	-	1	3	2	1
WHITE-----MALE----	134	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	207	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,276	-	1	-	-	-	1	1	4	7	9	11
WHITE-----MALE----	431	-	1	-	-	-	-	1	2	3	1	8
FEMALE--	786	-	-	-	-	-	1	-	1	3	4	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	43	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	41	-	-	-	-	-	-	-	-	1	2	-
RHODE ISLAND -----	72	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	33	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	198	-	1	1	-	-	-	1	-	2	4	7
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	90	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	18	-	-	1	-	-	-	-	-	-	1	3
FEMALE--	29	-	1	-	-	-	-	1	-	1	1	-
BLACK---MALE----	18	-	-	1	-	-	-	-	-	-	1	3
FEMALE--	29	-	1	-	-	-	-	1	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,645

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER DISEASES OF ENDOCARDIUM (424)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	18	13	29	39	54	131	167	162	115	26	6	-
WHITE-----MALE----	7	7	13	10	24	55	59	49	30	3	-	-
FEMALE--	10	6	11	23	25	67	105	107	82	22	4	-
ALL OTHER--MALE----	1	-	2	3	3	5	1	2	1	1	-	-
FEMALE--	-	-	3	3	2	4	2	4	2	-	2	-
BLACK---MALE----	1	-	2	3	2	5	1	2	1	1	-	-
FEMALE--	-	-	3	3	2	4	2	4	2	-	2	-
OKLAHOMA -----	5	8	11	14	15	29	38	33	31	6	4	-
WHITE-----MALE----	4	4	5	5	5	10	10	7	7	1	1	-
FEMALE--	-	2	3	9	9	16	27	25	22	3	3	-
ALL OTHER--MALE----	1	-	1	-	-	3	-	1	-	-	-	-
FEMALE--	-	2	2	-	1	-	1	-	2	2	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	-	1	-	1	1	-	-
OREGON -----	2	5	2	20	22	38	87	82	55	22	3	-
WHITE-----MALE----	-	-	1	10	11	18	39	35	11	5	-	-
FEMALE--	2	5	1	10	11	20	47	46	43	17	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	20	36	61	103	165	272	306	194	64	11	-
WHITE-----MALE----	7	10	22	36	38	64	90	87	45	13	3	-
FEMALE--	3	6	10	22	58	92	173	209	145	49	8	-
ALL OTHER--MALE----	-	2	-	-	2	4	3	1	-	-	-	-
FEMALE--	-	2	4	3	5	5	6	9	4	2	-	-
BLACK---MALE----	-	2	-	-	2	4	3	1	-	-	-	-
FEMALE--	-	2	4	2	5	5	6	9	3	2	-	-
RHODE ISLAND -----	1	1	3	4	5	9	14	14	15	3	-	-
WHITE-----MALE----	1	-	1	2	3	3	6	8	5	1	-	-
FEMALE--	-	1	1	2	2	6	8	6	10	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	4	13	13	15	27	41	38	20	9	-	-
WHITE-----MALE----	2	2	4	5	5	11	8	13	5	2	-	-
FEMALE--	-	-	4	6	6	10	25	19	12	5	-	-
ALL OTHER--MALE----	-	-	-	2	4	2	3	1	1	-	-	-
FEMALE--	-	2	5	-	-	4	5	5	2	2	-	-
BLACK---MALE----	-	-	-	2	4	2	3	1	1	-	-	-
FEMALE--	-	2	5	-	-	4	5	5	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,646

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
SOUTH DAKOTA -----	45	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	26	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	334	1	-	-	-	-	-	-	4	3	2	5
WHITE-----MALE----	126	1	-	-	-	-	-	-	-	2	2	1
FEMALE--	176	-	-	-	-	-	-	-	3	1	-	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	1
TEXAS -----	884	2	2	-	-	-	2	3	3	11	6	23
WHITE-----MALE----	335	2	-	-	-	-	-	2	2	5	1	10
FEMALE--	453	-	2	-	-	-	1	-	1	4	4	8
ALL OTHER--MALE----	45	-	-	-	-	-	1	-	-	1	1	4
FEMALE--	51	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	44	-	-	-	-	-	1	-	-	1	1	4
FEMALE--	47	-	-	-	-	-	-	1	-	1	-	1
UTAH -----	93	-	1	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	42	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	49	-	1	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	56	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	26	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	333	-	-	-	-	1	-	2	2	2	4	1
WHITE-----MALE----	105	-	-	-	-	1	-	1	1	1	-	1
FEMALE--	194	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,646

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
SOUTH DAKOTA -----	-	1	1	2	4	4	10	9	6	5	1	-
WHITE-----MALE----	-	1	-	2	3	2	3	3	4	-	-	-
FEMALE--	-	-	1	-	1	2	7	6	2	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	6	13	20	43	53	66	69	31	9	4	-
WHITE-----MALE----	2	4	5	8	16	24	28	22	8	1	2	-
FEMALE--	1	2	6	6	22	28	34	41	21	6	2	-
ALL OTHER--MALE----	1	-	1	4	1	1	1	1	-	-	-	-
FEMALE--	1	-	1	2	4	-	3	5	2	2	-	-
BLACK---MALE----	1	-	1	4	1	1	1	1	-	-	-	-
FEMALE--	1	-	1	2	4	-	3	5	2	2	-	-
TEXAS -----	20	27	26	63	102	130	144	171	107	36	6	-
WHITE-----MALE----	4	11	13	31	57	64	57	48	22	6	-	-
FEMALE--	6	13	12	22	34	53	83	108	73	24	5	-
ALL OTHER--MALE----	6	2	1	3	5	6	4	6	5	-	-	-
FEMALE--	4	1	-	7	6	7	-	9	7	6	1	-
BLACK---MALE----	5	2	1	3	5	6	4	6	5	-	-	-
FEMALE--	4	1	-	6	5	5	-	9	7	6	1	-
UTAH -----	4	1	-	9	11	20	9	21	10	1	1	-
WHITE-----MALE----	3	1	-	3	6	9	7	6	4	-	1	-
FEMALE--	1	-	-	6	5	11	2	14	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	2	4	3	4	12	11	14	1	-	-
WHITE-----MALE----	-	2	1	3	2	2	6	3	4	-	-	-
FEMALE--	-	-	1	1	1	2	6	8	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	7	8	13	26	50	68	81	41	18	3	-
WHITE-----MALE----	1	2	4	6	14	19	22	26	6	-	-	-
FEMALE--	3	4	2	5	10	27	39	49	33	17	2	-
ALL OTHER--MALE----	1	-	1	2	-	3	3	1	-	1	-	-
FEMALE--	1	1	1	-	2	1	4	5	2	-	1	-
BLACK---MALE----	1	-	1	2	-	3	3	-	-	1	-	-
FEMALE--	1	1	1	-	2	1	4	5	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,648

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
0 UNITED STATES --	38	58	91	160	258	407	502	486	267	81	20	-
WHITE-----MALE----	12	14	42	54	93	163	166	122	73	16	2	-
FEMALE--	12	24	33	82	137	218	313	337	184	61	17	-
ALL OTHER--MALE----	7	9	8	13	13	11	11	6	1	-	-	-
FEMALE--	7	11	8	11	15	15	12	21	9	4	1	-
BLACK---MALE----	6	7	7	9	10	9	6	3	1	-	-	-
FEMALE--	7	10	7	8	11	14	10	20	6	2	1	-
ALABAMA -----	1	-	1	4	3	6	2	7	5	-	1	-
WHITE-----MALE----	-	-	-	1	-	3	1	1	3	-	-	-
FEMALE--	-	-	1	1	3	3	-	4	2	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	2	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	3	2	2	6	12	3	4	-	-	-
WHITE-----MALE----	-	-	1	2	1	2	7	-	1	-	-	-
FEMALE--	-	-	2	-	-	4	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	-	1	2	2	1	4	4	4	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	1	2	-	3	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	7	9	18	15	45	64	61	41	15	1	-
WHITE-----MALE----	2	1	1	6	3	20	21	14	16	1	-	-
FEMALE--	1	2	6	9	7	22	37	41	23	12	1	-
ALL OTHER--MALE----	2	2	1	2	2	2	4	2	-	-	-	-
FEMALE--	-	2	1	1	3	1	2	4	2	2	-	-
BLACK---MALE----	1	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	4	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,649

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MITRAL VALVE DISORDERS (424.0)												
COLORADO -----	35	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	35	-	-	-	-	-	-	-	-	1	3	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	186	-	-	-	-	-	2	2	2	3	-	3
WHITE-----MALE----	63	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	108	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	1	-	1	-	-
GEORGIA -----	54	-	-	-	-	-	-	1	2	-	1	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,649

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 MITRAL VALVE DISORDERS (424.0)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	-	1	2	8	5	9	5	3	-	-
WHITE-----MALE----	1	-	-	-	1	3	1	2	1	2	-	-
FEMALE--	-	-	-	1	1	5	4	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	1	6	7	5	3	5	1	-	-
WHITE-----MALE----	-	-	2	-	3	5	-	1	-	-	-	-
FEMALE--	-	-	-	1	3	2	5	2	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	2	2	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	1	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
FLORIDA -----	2	2	7	14	26	26	32	43	14	6	2	-
WHITE-----MALE----	-	-	5	5	7	10	12	12	6	1	-	-
FEMALE--	-	2	1	7	16	15	18	31	7	5	2	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	2	1	1	-	1	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	1	1	1	-	1	-	-	-
GEORGIA -----	1	2	2	6	6	7	9	9	5	3	-	-
WHITE-----MALE----	1	1	1	1	1	3	4	2	1	-	-	-
FEMALE--	-	-	1	3	5	3	5	6	2	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,651

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
KENTUCKY -----	-	3	1	-	3	4	2	8	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	3	1	-	3	3	2	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	3	2	7	7	7	5	3	-	-	-
WHITE-----MALE----	-	-	1	-	1	3	2	2	1	-	-	-
FEMALE--	-	-	1	2	-	1	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	1	1	-	4	5	1	2	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	3	4	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	2	2	3	7	12	5	2	1	1	-
WHITE-----MALE----	-	-	-	1	-	5	2	-	1	-	-	-
FEMALE--	-	-	2	-	3	1	9	5	1	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	2	5	10	8	9	14	3	3	1	-
WHITE-----MALE----	-	-	1	2	5	4	2	5	-	-	-	-
FEMALE--	-	-	1	2	4	4	6	9	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
MICHIGAN -----	3	1	1	5	9	14	17	10	6	1	-	-
WHITE-----MALE----	-	-	1	4	2	5	8	3	3	1	-	-
FEMALE--	1	-	-	1	6	7	8	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,654

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
OHIO -----	3	4	6	6	10	27	19	22	15	-	1	-
WHITE-----MALE----	-	1	4	3	2	9	9	6	3	-	-	-
FEMALE--	3	3	2	3	7	15	10	16	12	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	1	3	3	6	5	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	3	6	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	2	5	-	6	19	9	4	1	1	-
WHITE-----MALE----	-	-	1	2	-	2	9	4	1	-	-	-
FEMALE--	1	-	1	3	-	4	10	5	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	3	3	12	16	24	38	33	18	4	2	-
WHITE-----MALE----	-	-	2	3	7	7	10	8	5	1	-	-
FEMALE--	1	1	1	9	8	17	27	24	12	2	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	1	1	-	-
RHODE ISLAND -----	-	-	-	-	-	5	3	4	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	5	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	2	3	4	5	2	5	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,655

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
SOUTH DAKOTA -----	-	-	1	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	2	4	10	4	12	7	5	1	-	-
WHITE-----MALE----	1	1	-	2	2	4	6	2	1	-	-	-
FEMALE--	-	1	2	1	7	-	6	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
TEXAS -----	3	3	7	12	18	17	19	24	10	2	1	-
WHITE-----MALE----	-	-	5	5	15	9	5	7	1	-	-	-
FEMALE--	1	1	2	6	3	7	14	12	8	2	1	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	3	1	-	-	-
BLACK---MALE----	2	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	3	1	-	-	-
UTAH -----	-	-	-	-	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	2	1	2	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	2	1	3	3	12	10	8	1	1	-
WHITE-----MALE----	-	-	1	-	-	-	2	3	-	-	-	-
FEMALE--	-	-	1	-	2	3	9	6	7	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,657

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
0 UNITED STATES --	118	178	259	494	814	1,436	2,258	2,627	1,896	631	119	-
WHITE-----MALE----	66	111	149	257	416	685	902	897	492	121	15	-
FEMALE--	27	45	80	187	338	660	1,245	1,610	1,328	473	94	-
ALL OTHER--MALE----	18	11	12	22	26	46	40	52	24	9	1	-
FEMALE--	7	11	18	28	34	45	71	68	52	28	9	-
BLACK---MALE----	15	8	9	21	22	35	34	29	17	6	1	-
FEMALE--	7	10	17	20	29	34	61	64	43	22	9	-
ALABAMA -----	2	2	4	5	12	25	33	41	19	5	2	-
WHITE-----MALE----	2	1	-	3	5	12	11	12	9	2	-	-
FEMALE--	-	-	3	2	5	11	18	26	9	2	2	-
ALL OTHER--MALE----	-	-	-	-	2	2	-	1	1	-	-	-
FEMALE--	-	1	1	-	-	-	4	2	-	1	-	-
BLACK---MALE----	-	-	-	-	2	2	-	1	1	-	-	-
FEMALE--	-	1	1	-	-	-	4	2	-	1	-	-
ALASKA -----	-	-	1	-	2	1	5	4	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	3	12	16	21	23	41	31	10	2	-
WHITE-----MALE----	-	2	1	5	10	12	10	11	5	3	-	-
FEMALE--	2	-	2	5	6	9	13	30	25	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ARKANSAS -----	2	1	5	5	4	11	15	12	11	3	1	-
WHITE-----MALE----	-	1	4	1	1	7	6	3	6	-	-	-
FEMALE--	1	-	-	4	3	4	9	9	4	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	10	27	29	41	76	140	221	271	208	84	12	-
WHITE-----MALE----	5	16	18	23	37	66	103	104	64	17	2	-
FEMALE--	2	9	6	16	34	64	104	149	132	62	9	-
ALL OTHER--MALE----	2	2	3	1	4	5	3	12	6	2	1	-
FEMALE--	1	-	2	1	1	5	11	6	6	3	-	-
BLACK---MALE----	2	1	1	-	3	1	1	2	1	-	1	-
FEMALE--	1	-	2	-	1	3	7	4	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,658

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
AORTIC VALVE DISORDERS (424.1)												
COLORADO -----	2	1	3	4	6	9	21	19	30	5	1	-
WHITE-----MALE----	2	-	3	2	4	5	11	7	7	1	-	-
FEMALE--	-	-	-	1	2	4	10	11	21	3	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
CONNECTICUT -----	-	3	4	9	8	17	41	46	42	12	2	-
WHITE-----MALE----	-	3	3	3	5	6	19	16	10	4	-	-
FEMALE--	-	-	1	6	3	11	20	29	32	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
DELAWARE -----	-	-	3	1	8	2	4	12	6	2	1	-
WHITE-----MALE----	-	-	1	1	4	2	1	1	3	-	-	-
FEMALE--	-	-	2	-	3	-	3	9	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	3	2	2	6	2	1	1	-
WHITE-----MALE----	-	-	-	-	2	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
FLORIDA -----	9	9	12	20	70	116	180	222	134	40	9	-
WHITE-----MALE----	5	6	9	13	38	56	82	73	46	10	1	-
FEMALE--	1	1	3	6	29	58	95	145	87	30	8	-
ALL OTHER--MALE----	3	1	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	2	-	2	3	1	-	-	-
BLACK---MALE----	2	1	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	2	-	2	3	1	-	-	-
GEORGIA -----	5	5	6	10	18	21	42	41	22	7	2	-
WHITE-----MALE----	4	3	3	1	7	12	6	13	6	3	-	-
FEMALE--	-	1	3	5	8	6	30	27	15	3	2	-
ALL OTHER--MALE----	-	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	1	1	-	2	2	1	5	1	1	1	-	-
BLACK---MALE----	-	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	1	1	-	2	2	1	5	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,660

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
KENTUCKY -----	-	2	4	5	7	19	16	23	19	4	2	-
WHITE-----MALE----	-	2	2	5	5	8	7	13	4	1	-	-
FEMALE--	-	-	2	-	2	11	9	10	15	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	2	4	17	15	24	29	45	21	4	2	-
WHITE-----MALE----	1	-	3	7	8	7	12	9	3	1	-	-
FEMALE--	-	-	1	9	6	14	12	34	15	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	3	2	3	1	1	-
BLACK---MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	3	2	3	1	1	-
MAINE -----	1	-	1	1	5	11	8	15	14	9	2	-
WHITE-----MALE----	-	-	-	1	3	5	3	8	4	1	1	-
FEMALE--	1	-	1	-	2	6	5	7	10	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	3	2	6	11	19	33	40	40	11	4	-
WHITE-----MALE----	3	1	-	2	7	7	10	18	8	4	-	-
FEMALE--	-	1	-	3	4	8	19	20	27	6	3	-
ALL OTHER--MALE----	1	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	1	1	-	4	2	2	5	1	1	-
BLACK---MALE----	1	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	1	1	-	3	2	2	5	1	1	-
MASSACHUSETTS -----	1	4	8	12	18	38	70	82	76	22	3	-
WHITE-----MALE----	-	4	4	8	7	17	28	34	16	1	-	-
FEMALE--	1	-	3	4	11	21	42	46	60	20	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	-	1	-	-
MICHIGAN -----	5	7	9	12	28	44	60	80	60	16	1	-
WHITE-----MALE----	4	5	5	3	17	23	25	25	13	2	-	-
FEMALE--	-	2	2	7	8	19	34	50	45	12	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	3	-	1	-	-
FEMALE--	-	-	2	2	3	1	1	2	2	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	2	2	3	1	1	2	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,661

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 AORTIC VALVE DISORDERS (424.1)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	1	6	4	4	15	27	49	50	63	21	4	-
WHITE-----MALE----	-	6	2	2	9	16	29	18	12	2	-	-
FEMALE--	1	-	2	2	6	11	20	31	50	19	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	1	2	1	6	8	14	19	11	7	2	-	-
WHITE-----MALE----	1	2	1	1	3	5	10	3	-	-	-	-
FEMALE--	-	-	-	2	4	4	8	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	1	2	1	-	-
FEMALE--	-	-	-	2	-	3	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	2	1	1	2	1	-	-
FEMALE--	-	-	-	2	-	3	-	-	1	-	-	-
MISSOURI -----	-	7	7	12	16	27	48	63	35	17	5	-
WHITE-----MALE----	-	5	6	7	9	12	15	17	11	1	-	-
FEMALE--	-	2	1	4	6	12	29	43	23	15	3	-
ALL OTHER--MALE----	-	-	-	-	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	-	1	2	-
BLACK---MALE----	-	-	-	-	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	-	-	2	-
MONTANA -----	1	1	1	-	3	10	9	13	11	2	1	-
WHITE-----MALE----	1	1	1	-	2	8	5	6	3	-	-	-
FEMALE--	-	-	-	-	1	2	4	7	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	1	6	5	12	14	21	20	3	-	-
WHITE-----MALE----	1	-	1	5	4	5	7	9	5	-	-	-
FEMALE--	-	-	-	-	1	6	7	12	14	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	2	2	6	10	15	14	9	4	2	-	-
WHITE-----MALE----	-	-	1	6	8	6	6	2	1	-	-	-
FEMALE--	-	1	1	-	2	8	7	7	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,663

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
OHIO -----	11	6	13	16	24	75	114	100	80	21	4	-
WHITE-----MALE----	6	4	7	5	16	36	42	33	24	3	-	-
FEMALE--	4	2	5	9	6	35	71	63	53	17	2	-
ALL OTHER--MALE----	1	-	-	2	2	2	1	2	1	1	-	-
FEMALE--	-	-	1	-	-	2	-	2	2	-	2	-
BLACK---MALE----	1	-	-	2	1	2	1	2	1	1	-	-
FEMALE--	-	-	1	-	-	2	-	2	2	-	2	-
OKLAHOMA -----	3	5	8	10	6	17	18	21	26	3	3	-
WHITE-----MALE----	3	3	4	3	1	9	5	4	6	-	1	-
FEMALE--	-	-	2	7	4	7	12	16	18	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	2	-	1	-	1	-	2	2	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	-	1	-	1	1	-	-
OREGON -----	-	2	-	11	15	25	54	58	43	18	2	-
WHITE-----MALE----	-	-	-	5	8	13	24	25	10	4	-	-
FEMALE--	-	2	-	6	7	12	29	32	32	14	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	9	20	30	53	103	176	215	137	46	8	-
WHITE-----MALE----	5	7	14	23	19	43	60	67	31	11	3	-
FEMALE--	2	2	4	5	30	54	109	139	104	35	5	-
ALL OTHER--MALE----	-	-	-	-	-	3	3	1	-	-	-	-
FEMALE--	-	-	2	2	4	3	4	8	2	-	-	-
BLACK---MALE----	-	-	-	-	-	3	3	1	-	-	-	-
FEMALE--	-	-	2	1	4	3	4	8	2	-	-	-
RHODE ISLAND -----	-	-	2	2	1	4	10	9	9	2	-	-
WHITE-----MALE----	-	-	1	1	1	3	4	5	3	-	-	-
FEMALE--	-	-	1	1	-	1	6	4	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	4	8	7	10	18	31	25	13	8	-	-
WHITE-----MALE----	1	2	3	2	4	7	8	10	3	2	-	-
FEMALE--	-	-	3	5	3	6	18	10	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	3	2	2	1	1	-	-	-
FEMALE--	-	2	2	-	-	3	3	4	-	2	-	-
BLACK---MALE----	-	-	-	-	3	2	2	1	1	-	-	-
FEMALE--	-	2	2	-	-	3	3	4	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,664

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
SOUTH DAKOTA -----	-	1	-	2	4	1	8	8	4	4	1	-
WHITE-----MALE----	-	1	-	2	3	-	2	3	3	-	-	-
FEMALE--	-	-	-	-	1	1	6	5	1	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	6	5	20	33	43	49	17	7	3	-
WHITE-----MALE----	1	-	4	2	8	15	17	18	6	1	1	-
FEMALE--	1	1	1	1	8	17	23	28	10	5	2	-
ALL OTHER--MALE----	-	-	1	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	3	-	3	2	1	1	-	-
BLACK---MALE----	-	-	1	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	3	-	3	2	1	1	-	-
TEXAS -----	10	19	14	37	64	82	104	120	75	28	5	-
WHITE-----MALE----	2	9	8	17	33	42	39	32	15	5	-	-
FEMALE--	3	9	5	11	23	30	61	78	51	18	4	-
ALL OTHER--MALE----	4	1	1	3	3	5	4	4	5	-	-	-
FEMALE--	1	-	-	6	5	5	-	6	4	5	1	-
BLACK---MALE----	3	1	1	3	3	5	4	4	5	-	-	-
FEMALE--	1	-	-	6	4	3	-	6	4	5	1	-
UTAH -----	-	-	-	2	7	9	5	15	5	-	1	-
WHITE-----MALE----	-	-	-	-	6	5	5	5	3	-	1	-
FEMALE--	-	-	-	2	1	4	-	9	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	4	1	3	8	6	12	-	-	-
WHITE-----MALE----	-	1	1	3	1	2	5	1	4	-	-	-
FEMALE--	-	-	-	1	-	1	3	5	8	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	3	4	8	16	32	43	55	26	15	2	-
WHITE-----MALE----	-	2	2	4	10	14	14	20	5	-	-	-
FEMALE--	2	-	1	3	5	16	24	31	21	14	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	2	1	-	1	-	-
FEMALE--	1	1	1	-	1	1	3	3	-	-	1	-
BLACK---MALE----	-	-	-	1	-	1	2	-	-	1	-	-
FEMALE--	1	1	1	-	1	1	3	3	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,666

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
0 UNITED STATES --	4,013	4	5	-	5	4	11	11	29	48	65	92
WHITE-----MALE----	1,358	3	2	-	3	3	4	4	10	22	26	36
FEMALE--	2,239	1	2	-	-	-	6	5	10	14	15	19
ALL OTHER--MALE----	178	-	-	-	-	-	1	-	6	6	12	23
FEMALE--	238	-	1	-	2	1	-	2	3	6	12	14
BLACK---MALE----	150	-	-	-	-	-	1	-	6	6	12	23
FEMALE--	203	-	1	-	1	-	-	2	3	5	12	12
ALABAMA -----	55	-	-	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
ALASKA -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	84	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	50	-	-	-	-	-	-	-	-	2	1	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	349	1	-	-	-	2	-	-	3	6	2	7
WHITE-----MALE----	116	-	-	-	-	1	-	-	1	1	2	5
FEMALE--	187	1	-	-	-	-	-	-	1	4	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,666

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	103	129	156	287	393	636	714	714	428	153	25	1
WHITE-----MALE----	38	53	59	107	168	253	252	180	102	29	4	-
FEMALE--	30	54	65	133	190	333	420	495	310	116	21	-
ALL OTHER--MALE----	19	9	16	16	15	28	11	12	2	1	-	1
FEMALE--	16	13	16	31	20	22	31	27	14	7	-	-
BLACK---MALE----	19	9	15	11	14	15	8	8	2	1	-	-
FEMALE--	13	12	15	27	15	15	30	25	9	6	-	-
ALABAMA -----	2	2	4	6	8	7	8	6	4	2	-	-
WHITE-----MALE----	1	-	1	2	3	4	1	1	1	-	-	-
FEMALE--	1	1	2	2	5	3	5	4	3	2	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
ALASKA -----	-	1	1	1	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	3	8	11	14	16	12	13	-	-	-
WHITE-----MALE----	-	1	1	2	5	5	4	4	5	-	-	-
FEMALE--	-	-	2	5	6	9	12	8	8	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	3	4	3	4	13	11	3	2	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	3	1	-	-	-
FEMALE--	-	-	2	2	2	3	10	6	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	3	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	3	1	-	-	-	-
CALIFORNIA -----	11	10	10	16	35	57	57	63	48	19	2	-
WHITE-----MALE----	6	1	5	4	17	19	23	16	10	5	-	-
FEMALE--	2	6	4	9	12	25	28	43	36	13	2	-
ALL OTHER--MALE----	1	2	-	1	1	6	3	-	-	-	-	-
FEMALE--	2	1	1	2	5	7	3	4	2	1	-	-
BLACK---MALE----	1	2	-	1	-	1	2	-	-	-	-	-
FEMALE--	2	1	1	1	1	2	3	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,667

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
COLORADO -----	5	-	2	2	10	9	7	7	7	1	-	-
WHITE-----MALE----	-	-	1	1	2	6	3	1	3	-	-	-
FEMALE--	4	-	1	1	8	3	4	6	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	2	1	5	3	6	9	5	5	2	-	-
WHITE-----MALE----	2	2	1	2	2	3	4	2	1	-	-	-
FEMALE--	-	-	-	3	1	3	5	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	1	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	3	12	18	17	31	56	55	48	29	7	4	-
WHITE-----MALE----	1	7	9	4	14	23	29	17	11	3	1	-
FEMALE--	1	2	4	10	13	33	26	30	18	4	3	-
ALL OTHER--MALE----	-	2	2	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	3	2	2	-	-	1	-	-	-	-
BLACK---MALE----	-	2	2	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	2	2	2	-	-	1	-	-	-	-
GEORGIA -----	7	5	6	6	10	13	17	15	5	2	-	-
WHITE-----MALE----	2	1	3	1	3	5	5	-	-	-	-	-
FEMALE--	1	3	-	3	5	5	7	11	5	2	-	-
ALL OTHER--MALE----	3	1	1	1	-	3	-	-	-	-	-	-
FEMALE--	1	-	2	1	2	-	5	4	-	-	-	-
BLACK---MALE----	3	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	-	5	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,669

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	4	2	4	11	9	9	14	7	1	-	-
WHITE-----MALE----	1	1	2	2	5	4	3	5	3	-	-	-
FEMALE--	2	3	-	1	4	4	5	9	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
LOUISIANA -----	2	3	2	3	7	7	12	7	6	4	-	-
WHITE-----MALE----	1	1	-	2	4	3	3	-	1	3	-	-
FEMALE--	1	-	2	-	1	3	8	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	1	1	1	-	-	-
MAINE -----	-	2	1	2	1	4	6	6	2	4	1	-
WHITE-----MALE----	-	-	-	2	-	4	1	1	1	-	-	-
FEMALE--	-	2	1	-	1	-	5	5	1	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MARYLAND -----	2	1	2	7	8	8	10	8	6	2	2	-
WHITE-----MALE----	-	-	-	1	5	2	3	2	-	-	1	-
FEMALE--	-	-	-	3	1	5	5	5	5	2	1	-
ALL OTHER--MALE----	2	-	1	3	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	1	1	-	-	-
BLACK---MALE----	2	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	1	-	-	-	-
MASSACHUSETTS -----	5	2	4	11	11	20	20	19	6	3	-	-
WHITE-----MALE----	-	1	3	5	6	5	6	5	1	1	-	-
FEMALE--	3	1	-	6	5	15	13	14	5	2	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	2	6	6	8	8	26	26	28	12	4	1	-
WHITE-----MALE----	-	1	2	4	3	9	7	7	3	-	-	-
FEMALE--	-	2	3	2	3	14	17	19	9	4	1	-
ALL OTHER--MALE----	1	-	1	1	1	-	1	2	-	-	-	-
FEMALE--	1	3	-	1	1	3	1	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	1	2	-	-	-	-
FEMALE--	1	3	-	1	1	3	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,672

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
OHIO -----	195	-	-	-	-	1	-	-	-	2	4	5
WHITE-----MALE----	49	-	-	-	-	1	-	-	-	2	1	1
FEMALE--	125	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	63	-	-	-	-	-	-	-	-	3	1	3
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	65	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	300	-	1	-	-	-	1	1	4	3	4	2
WHITE-----MALE----	95	-	1	-	-	-	-	1	2	1	-	1
FEMALE--	189	-	-	-	-	-	1	-	1	1	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	17	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	41	-	1	-	-	-	-	1	-	1	2	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	1	-	-	-	-	1	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	1	-	-	-	-	1	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,672

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
OHIO -----	4	3	10	17	20	29	34	40	20	5	1	-
WHITE-----MALE----	1	2	2	2	6	10	8	10	3	-	-	-
FEMALE--	3	1	4	11	12	17	24	28	17	5	1	-
ALL OTHER--MALE----	-	-	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	3	1	-	2	2	-	-	-	-
BLACK---MALE----	-	-	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	3	1	-	2	2	-	-	-	-
OKLAHOMA -----	2	3	3	3	6	9	14	7	5	3	1	-
WHITE-----MALE----	1	1	1	1	3	1	5	2	1	1	-	-
FEMALE--	-	2	1	2	3	6	9	5	4	2	1	-
ALL OTHER--MALE----	1	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	3	-	4	7	7	14	15	8	3	-	-
WHITE-----MALE----	-	-	-	3	3	3	6	6	-	1	-	-
FEMALE--	1	3	-	1	4	4	8	9	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	8	13	19	34	38	58	58	39	14	1	-
WHITE-----MALE----	2	3	6	10	12	14	20	12	9	1	-	-
FEMALE--	-	3	5	8	20	21	37	46	29	12	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	2	1	-	1	1	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	2	1	-	-	1	-	-
RHODE ISLAND -----	1	1	1	2	4	-	1	1	4	1	-	-
WHITE-----MALE----	1	-	-	1	2	-	1	1	2	1	-	-
FEMALE--	-	1	-	1	2	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	3	3	1	4	8	8	6	-	-	-
WHITE-----MALE----	1	-	-	3	-	1	-	2	2	-	-	-
FEMALE--	-	-	1	-	1	2	6	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,673

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
SOUTH DAKOTA -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	90	1	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	31	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	49	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	179	1	1	-	-	-	1	2	1	4	3	8
WHITE-----MALE----	73	1	-	-	-	-	-	1	1	2	1	3
FEMALE--	92	-	1	-	-	-	1	-	-	2	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	38	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	76	-	-	-	-	1	-	-	1	1	-	-
WHITE-----MALE----	25	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,673

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
SOUTH DAKOTA -----	-	-	-	-	-	3	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	5	11	13	16	11	13	9	1	1	-
WHITE-----MALE----	-	3	1	4	6	5	5	2	1	-	1	-
FEMALE--	-	-	3	4	7	11	5	9	7	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	2	1	1	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	2	1	1	-	-
TEXAS -----	7	5	5	14	20	31	21	27	22	6	-	-
WHITE-----MALE----	2	2	-	9	9	13	13	9	6	1	-	-
FEMALE--	2	3	5	5	8	16	8	18	14	4	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	2	-	-	2	1	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	2	-	-	2	1	-	-
UTAH -----	4	1	-	7	2	10	2	5	5	1	-	-
WHITE-----MALE----	3	1	-	3	-	3	2	1	1	-	-	-
FEMALE--	1	-	-	4	2	7	-	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	2	3	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	4	2	4	7	15	13	16	7	2	-	-
WHITE-----MALE----	1	-	1	2	4	5	6	3	1	-	-	-
FEMALE--	1	4	-	2	3	8	6	12	5	2	-	-
ALL OTHER--MALE----	1	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,675

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
0 UNITED STATES --	461	700	1,182	2,129	3,920	6,244	8,992	10,575	9,005	4,060	1,056	3
WHITE-----MALE----	214	304	543	992	1,756	2,713	3,454	3,306	2,227	772	151	-
FEMALE--	105	206	357	778	1,645	2,869	4,791	6,492	6,218	3,029	811	3
ALL OTHER--MALE----	79	103	151	179	231	281	282	255	162	48	19	-
FEMALE--	63	87	131	180	288	381	465	522	398	211	75	-
BLACK---MALE----	74	93	142	166	217	243	241	224	135	41	14	-
FEMALE--	58	81	124	168	272	349	406	458	358	187	67	-
ALABAMA -----	23	34	64	91	165	236	310	394	328	119	26	-
WHITE-----MALE----	9	12	24	40	73	103	111	107	52	17	6	-
FEMALE--	6	6	21	32	66	90	163	235	238	79	12	-
ALL OTHER--MALE----	4	9	13	8	9	17	11	17	14	3	-	-
FEMALE--	4	7	6	11	17	26	25	35	24	20	8	-
BLACK---MALE----	4	8	13	8	8	17	11	17	14	3	-	-
FEMALE--	4	7	6	11	17	24	23	35	24	20	8	-
ALASKA -----	-	-	1	1	7	10	5	9	6	1	2	-
WHITE-----MALE----	-	-	1	-	3	2	1	3	1	-	-	-
FEMALE--	-	-	-	1	3	5	3	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	3	2	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	6	11	24	37	71	97	108	83	44	12	-
WHITE-----MALE----	3	6	6	13	13	36	41	37	27	9	3	-
FEMALE--	-	-	4	7	21	27	54	68	54	32	8	-
ALL OTHER--MALE----	1	-	-	3	1	4	-	1	1	1	1	-
FEMALE--	1	-	1	1	2	4	2	2	1	2	-	-
BLACK---MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	1	1	1	-	-
ARKANSAS -----	17	15	40	51	92	155	188	226	215	94	17	-
WHITE-----MALE----	9	8	22	30	45	70	68	76	51	19	1	-
FEMALE--	2	3	12	17	38	65	106	135	144	66	12	-
ALL OTHER--MALE----	3	3	1	3	4	9	3	3	8	5	-	-
FEMALE--	3	1	5	1	5	11	11	12	12	4	4	-
BLACK---MALE----	3	3	1	3	4	8	3	3	8	5	-	-
FEMALE--	3	1	5	1	5	11	11	11	12	4	4	-
CALIFORNIA -----	28	39	52	110	203	316	492	563	490	222	44	-
WHITE-----MALE----	17	19	26	45	88	128	201	206	139	47	2	-
FEMALE--	6	13	16	47	93	148	254	309	323	161	38	-
ALL OTHER--MALE----	2	5	4	10	13	19	15	16	12	5	3	-
FEMALE--	3	2	6	8	9	21	22	32	16	9	1	-
BLACK---MALE----	-	5	4	5	7	9	9	6	2	2	-	-
FEMALE--	3	2	5	6	7	12	10	17	9	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,676

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HEART FAILURE (428)												
COLORADO -----	661	-	1	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	232	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	409	-	1	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	656	1	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	226	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	394	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	143	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	83	-	-	-	-	-	-	-	1	2	2	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	44	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	22	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	43	-	-	-	-	-	-	-	-	1	-	2
FLORIDA -----	955	1	-	-	-	1	1	1	-	1	2	5
WHITE-----MALE----	353	-	-	-	-	-	1	-	-	1	-	3
FEMALE--	526	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	35	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	41	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	34	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	40	-	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	1,602	3	-	-	-	-	1	3	1	6	19	15
WHITE-----MALE----	420	1	-	-	-	-	-	2	-	2	7	5
FEMALE--	809	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	150	1	-	-	-	-	-	-	-	3	7	5
FEMALE--	223	1	-	-	-	-	1	1	1	-	2	1
BLACK---MALE----	148	1	-	-	-	-	-	-	-	3	7	5
FEMALE--	223	1	-	-	-	-	1	1	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,676

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
COLORADO -----	5	9	12	23	46	103	106	139	146	57	12	-
WHITE-----MALE----	2	5	8	12	17	48	45	40	41	11	2	-
FEMALE--	2	3	4	8	27	53	56	96	102	46	10	-
ALL OTHER--MALE----	-	1	-	1	1	-	3	1	1	-	-	-
FEMALE--	1	-	-	2	1	2	2	2	2	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	1	2	2	2	1	-	-	-
CONNECTICUT -----	5	8	11	24	41	78	134	152	122	62	14	-
WHITE-----MALE----	2	3	4	9	21	35	53	56	31	7	3	-
FEMALE--	1	3	5	12	19	38	70	91	89	53	11	-
ALL OTHER--MALE----	1	-	1	1	-	3	4	1	1	-	-	-
FEMALE--	1	2	1	2	1	2	7	4	1	2	-	-
BLACK---MALE----	1	-	1	1	-	2	4	1	1	-	-	-
FEMALE--	1	2	1	2	1	2	6	3	1	2	-	-
DELAWARE -----	-	2	5	6	10	28	26	35	15	14	-	-
WHITE-----MALE----	-	2	2	3	4	13	15	8	2	2	-	-
FEMALE--	-	-	-	3	4	12	8	22	13	11	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	3	-	1	3	2	3	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	3	-	1	3	1	3	-	1	-	-
DISTRICT OF COLUMBIA -----	1	2	4	9	3	5	16	15	12	8	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	2	-	-	2	2	5	3	-	-
ALL OTHER--MALE----	1	1	1	4	1	1	5	3	-	-	-	-
FEMALE--	-	1	2	3	2	4	9	9	6	5	-	-
BLACK---MALE----	1	1	1	4	1	1	5	3	-	-	-	-
FEMALE--	-	1	2	3	2	4	9	9	5	5	-	-
FLORIDA -----	8	14	17	38	63	127	153	205	200	84	33	1
WHITE-----MALE----	6	8	12	15	23	53	59	75	68	21	8	-
FEMALE--	1	2	1	15	35	57	87	117	126	60	21	1
ALL OTHER--MALE----	-	2	3	6	3	4	4	6	2	1	1	-
FEMALE--	1	2	1	2	2	13	3	7	4	2	3	-
BLACK---MALE----	-	2	3	6	3	4	3	6	2	1	1	-
FEMALE--	1	2	1	2	2	13	3	7	4	1	3	-
GEORGIA -----	28	36	54	90	133	221	293	334	251	86	28	-
WHITE-----MALE----	8	8	17	25	45	86	81	77	47	7	2	-
FEMALE--	6	12	13	30	44	82	159	204	164	65	22	-
ALL OTHER--MALE----	9	9	14	17	13	26	17	18	8	3	-	-
FEMALE--	5	7	10	18	31	27	36	35	32	11	4	-
BLACK---MALE----	9	9	14	17	13	25	17	18	7	3	-	-
FEMALE--	5	7	10	18	31	27	36	35	32	11	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,677

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
HAWAII -----	1	4	1	2	6	18	21	24	21	5	1	-
WHITE-----MALE----	-	1	-	1	-	4	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	5	3	6	3	-	1	-
ALL OTHER--MALE----	-	1	1	1	2	4	6	6	8	1	-	-
FEMALE--	1	2	-	-	3	5	11	10	9	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	3	5	15	22	36	44	29	18	4	-
WHITE-----MALE----	-	-	3	1	6	11	16	18	11	4	-	-
FEMALE--	-	1	-	4	9	11	20	24	18	14	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	22	31	63	105	211	333	466	542	467	200	52	-
WHITE-----MALE----	10	15	27	52	89	146	171	162	120	30	6	-
FEMALE--	4	5	19	31	88	155	257	347	323	158	42	-
ALL OTHER--MALE----	4	7	8	12	15	8	18	9	7	1	2	-
FEMALE--	4	4	9	10	19	24	20	24	17	11	2	-
BLACK---MALE----	4	6	8	12	15	6	16	8	7	1	2	-
FEMALE--	4	4	9	10	18	24	19	22	16	10	2	-
INDIANA -----	11	23	38	73	128	200	287	321	298	145	37	-
WHITE-----MALE----	3	8	22	38	56	79	125	102	77	28	4	-
FEMALE--	5	11	13	31	63	112	147	203	214	114	33	-
ALL OTHER--MALE----	3	1	-	1	4	2	9	4	-	-	-	-
FEMALE--	-	3	3	3	5	7	6	12	7	3	-	-
BLACK---MALE----	3	1	-	1	4	2	9	4	-	-	-	-
FEMALE--	-	3	3	3	5	7	6	12	7	3	-	-
IOWA -----	2	3	3	7	15	26	36	59	44	20	6	-
WHITE-----MALE----	1	2	3	4	9	15	18	26	14	4	-	-
FEMALE--	1	1	-	3	6	11	18	33	30	16	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	6	11	26	43	82	117	199	166	107	30	-
WHITE-----MALE----	2	2	8	15	26	39	42	56	42	17	8	-
FEMALE--	-	3	1	11	12	38	68	140	122	86	21	-
ALL OTHER--MALE----	-	1	2	-	2	1	3	2	1	2	-	-
FEMALE--	-	-	-	-	3	4	4	1	1	2	1	-
BLACK---MALE----	-	1	2	-	2	1	3	2	-	2	-	-
FEMALE--	-	-	-	-	3	4	3	-	1	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,678

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HEART FAILURE (428)												
KENTUCKY -----	18	23	35	76	126	184	256	274	212	83	25	-
WHITE-----MALE----	14	16	22	38	70	74	89	76	63	19	1	-
FEMALE--	2	4	10	34	41	99	153	185	137	59	21	-
ALL OTHER--MALE----	1	2	-	2	11	6	6	4	4	-	-	-
FEMALE--	1	1	3	2	4	5	8	9	8	5	3	-
BLACK---MALE----	1	2	-	2	11	6	6	4	4	-	-	-
FEMALE--	1	1	3	2	4	5	7	9	8	5	2	-
LOUISIANA -----	19	25	32	53	83	133	182	168	138	61	17	-
WHITE-----MALE----	3	6	13	23	36	56	55	47	30	11	3	-
FEMALE--	1	4	6	12	24	51	95	85	86	41	9	-
ALL OTHER--MALE----	8	11	8	12	11	11	19	13	7	3	-	-
FEMALE--	7	4	5	6	12	15	13	23	15	6	5	-
BLACK---MALE----	8	10	8	12	11	10	18	13	7	3	-	-
FEMALE--	7	4	5	6	12	15	13	23	15	6	5	-
MAINE -----	2	1	1	8	21	47	48	45	60	35	12	-
WHITE-----MALE----	2	1	-	1	9	26	21	7	20	7	1	-
FEMALE--	-	-	1	7	12	21	27	38	40	28	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	8	18	28	60	86	127	142	103	49	12	-
WHITE-----MALE----	1	4	5	13	20	34	48	41	19	6	-	-
FEMALE--	2	-	5	8	22	36	58	84	68	39	9	-
ALL OTHER--MALE----	1	1	4	5	11	7	6	11	1	-	1	-
FEMALE--	3	3	4	2	7	9	15	6	15	4	2	-
BLACK---MALE----	1	1	4	5	11	7	5	11	1	-	1	-
FEMALE--	3	3	4	2	7	9	12	5	14	4	2	-
MASSACHUSETTS -----	5	24	30	45	93	177	296	370	329	171	43	-
WHITE-----MALE----	2	16	16	21	48	92	125	110	73	30	4	-
FEMALE--	2	6	12	23	43	78	166	254	248	138	37	-
ALL OTHER--MALE----	1	1	2	-	1	3	3	-	1	1	-	-
FEMALE--	-	1	-	1	1	4	2	6	7	2	2	-
BLACK---MALE----	1	1	1	-	1	3	2	-	1	1	-	-
FEMALE--	-	1	-	1	1	4	2	6	7	2	1	-
MICHIGAN -----	11	23	38	71	165	234	394	426	360	173	44	-
WHITE-----MALE----	4	8	16	31	62	101	160	149	80	30	4	-
FEMALE--	2	8	13	30	78	105	212	255	261	135	37	-
ALL OTHER--MALE----	4	4	4	6	10	11	8	6	8	2	-	-
FEMALE--	1	3	5	4	15	17	14	16	11	6	3	-
BLACK---MALE----	4	4	4	4	10	11	7	3	8	2	-	-
FEMALE--	1	1	5	4	15	16	13	16	10	6	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,681

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
OHIO -----	2,467	3	-	-	2	1	-	-	-	1	7	10
WHITE-----MALE----	858	1	-	-	2	1	-	-	-	-	4	6
FEMALE--	1,421	1	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	66	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	122	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	65	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	119	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	1,183	1	1	-	-	-	-	1	-	2	7	4
WHITE-----MALE----	395	-	1	-	-	-	-	-	-	1	5	3
FEMALE--	682	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	69	1	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	1	-	-	-	-	-	-	-	1	1	-
OREGON -----	664	-	1	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	247	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	399	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,018	1	-	-	1	1	-	3	3	9	4	10
WHITE-----MALE----	1,128	-	-	-	-	1	-	1	3	5	3	8
FEMALE--	1,730	1	-	-	1	-	-	1	-	3	1	-
ALL OTHER--MALE----	70	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	90	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	70	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	89	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	72	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	747	1	1	-	-	1	-	3	2	4	5	3
WHITE-----MALE----	220	-	1	-	-	-	-	2	1	1	3	-
FEMALE--	313	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	86	1	-	-	-	-	-	1	1	2	1	1
FEMALE--	128	-	-	-	-	1	-	-	-	1	1	2
BLACK---MALE----	86	1	-	-	-	-	-	1	1	2	1	1
FEMALE--	127	-	-	-	-	1	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,681

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HEART FAILURE (428)												
OHIO -----	15	36	53	110	225	359	476	508	425	186	50	-
WHITE-----MALE----	9	14	22	47	103	143	192	157	114	39	4	-
FEMALE--	4	15	18	49	101	178	256	322	291	137	43	-
ALL OTHER--MALE----	1	3	9	4	10	17	7	8	5	1	-	-
FEMALE--	1	4	4	10	11	21	21	21	15	9	3	-
BLACK---MALE----	1	3	9	4	10	16	7	8	5	1	-	-
FEMALE--	1	4	4	9	10	21	21	21	15	9	3	-
OKLAHOMA -----	15	22	35	59	71	129	227	264	213	107	24	1
WHITE-----MALE----	7	11	16	29	40	52	82	81	44	17	6	-
FEMALE--	3	6	13	23	23	65	123	163	156	87	18	1
ALL OTHER--MALE----	1	2	4	4	2	5	7	5	5	1	-	-
FEMALE--	4	3	2	3	6	7	15	15	8	2	-	-
BLACK---MALE----	-	-	2	2	2	2	3	3	2	-	-	-
FEMALE--	2	3	1	1	4	6	7	7	3	-	-	-
OREGON -----	7	5	16	18	41	76	119	146	149	70	13	-
WHITE-----MALE----	4	4	7	9	21	36	47	53	42	20	1	-
FEMALE--	2	1	7	8	20	39	68	88	106	48	12	-
ALL OTHER--MALE----	1	-	1	1	-	-	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	3	1	2	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
PENNSYLVANIA -----	18	35	72	125	269	404	586	659	535	221	62	-
WHITE-----MALE----	11	14	34	73	140	193	234	203	149	42	14	-
FEMALE--	5	15	24	38	109	190	330	428	366	172	46	-
ALL OTHER--MALE----	2	4	4	9	12	9	9	11	4	1	1	-
FEMALE--	-	2	10	5	8	12	13	17	16	6	1	-
BLACK---MALE----	2	4	4	9	12	9	9	11	4	1	1	-
FEMALE--	-	2	10	5	8	12	12	17	16	6	1	-
RHODE ISLAND -----	1	1	-	2	5	15	13	13	12	8	2	-
WHITE-----MALE----	-	-	-	2	2	7	8	4	1	-	1	-
FEMALE--	1	1	-	-	3	6	5	9	11	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	14	21	34	54	86	102	129	143	94	33	17	-
WHITE-----MALE----	6	11	11	22	32	32	32	39	24	1	2	-
FEMALE--	4	4	8	17	24	40	55	72	55	19	15	-
ALL OTHER--MALE----	2	4	10	8	13	14	14	11	3	-	-	-
FEMALE--	2	2	5	7	17	16	28	21	12	13	-	-
BLACK---MALE----	2	4	10	8	13	14	14	11	3	-	-	-
FEMALE--	2	2	5	7	17	16	28	21	12	12	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,682

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HEART FAILURE (428)												
SOUTH DAKOTA -----	192	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	80	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	103	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	553	-	-	-	1	1	1	1	3	-	1	2
WHITE-----MALE----	177	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	293	-	-	-	1	1	1	-	-	-	1	-
ALL OTHER--MALE----	43	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	42	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3,120	-	1	-	-	1	2	2	8	8	14	19
WHITE-----MALE----	1,120	-	1	-	-	1	1	2	4	4	10	11
FEMALE--	1,679	-	-	-	-	-	-	-	4	2	2	2
ALL OTHER--MALE----	126	-	-	-	-	-	1	-	-	-	1	6
FEMALE--	195	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	125	-	-	-	-	-	1	-	-	-	1	6
FEMALE--	192	-	-	-	-	-	-	-	-	2	1	-
UTAH -----	393	1	-	-	-	-	-	1	-	-	2	1
WHITE-----MALE----	133	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	259	1	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	78	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,323	2	-	-	1	1	-	1	4	1	8	9
WHITE-----MALE----	429	1	-	-	1	1	-	-	1	-	4	1
FEMALE--	651	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	91	1	-	-	-	-	-	-	1	-	2	3
FEMALE--	152	-	-	-	-	-	-	1	1	-	1	3
BLACK---MALE----	87	1	-	-	-	-	-	-	1	-	2	3
FEMALE--	147	-	-	-	-	-	-	1	1	-	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,682

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
SOUTH DAKOTA -----	1	3	1	8	9	18	34	46	47	20	5	-
WHITE-----MALE----	1	2	-	3	7	10	20	16	15	5	1	-
FEMALE--	-	1	-	4	2	6	12	27	32	15	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	12	16	35	58	76	91	115	86	38	9	-
WHITE-----MALE----	4	7	3	17	22	32	30	32	18	6	3	-
FEMALE--	1	3	4	13	22	34	54	67	57	30	4	-
ALL OTHER--MALE----	1	2	7	2	6	7	4	8	3	-	-	-
FEMALE--	1	-	2	3	8	3	3	8	8	2	2	-
BLACK---MALE----	1	2	7	2	6	7	4	8	3	-	-	-
FEMALE--	1	-	2	3	8	3	3	8	8	2	2	-
TEXAS -----	46	54	89	152	279	415	548	660	518	248	56	-
WHITE-----MALE----	24	25	46	73	121	200	207	200	140	43	7	-
FEMALE--	11	16	26	52	117	179	288	412	339	184	45	-
ALL OTHER--MALE----	8	6	8	12	22	14	18	15	8	6	1	-
FEMALE--	3	7	9	15	19	22	35	33	31	15	3	-
BLACK---MALE----	8	6	8	12	22	14	18	14	8	6	1	-
FEMALE--	3	7	8	15	19	22	34	32	31	15	3	-
UTAH -----	2	-	1	11	24	37	87	106	84	27	9	-
WHITE-----MALE----	2	-	1	4	13	19	33	35	16	7	1	-
FEMALE--	-	-	-	7	11	18	54	71	67	20	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	3	9	15	19	16	10	3	-
WHITE-----MALE----	-	-	-	-	-	5	7	6	4	-	1	-
FEMALE--	-	1	-	1	3	4	8	13	12	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	25	33	65	107	185	231	279	229	100	24	-
WHITE-----MALE----	5	12	18	25	49	81	79	81	52	17	1	-
FEMALE--	4	5	7	22	40	71	114	158	142	67	16	-
ALL OTHER--MALE----	5	4	5	8	7	18	12	12	9	1	3	-
FEMALE--	4	4	3	10	11	15	26	28	26	15	4	-
BLACK---MALE----	5	4	5	8	6	15	12	12	9	1	3	-
FEMALE--	3	4	3	10	11	15	26	26	26	13	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,683

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
WASHINGTON -----	1	6	14	31	45	85	149	146	147	73	24	-
WHITE-----MALE----	1	3	7	19	26	37	63	56	40	21	5	-
FEMALE--	-	3	7	9	18	46	79	88	105	52	19	-
ALL OTHER--MALE----	-	-	-	2	-	-	5	2	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	-	2	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
WEST VIRGINIA -----	3	13	9	29	50	76	95	122	92	34	12	-
WHITE-----MALE----	1	4	4	12	26	34	44	47	22	11	3	-
FEMALE--	2	8	5	15	23	39	50	74	70	23	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	3	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	3	-	1	-	-	1	-
WISCONSIN -----	8	9	20	38	67	143	236	287	264	146	33	-
WHITE-----MALE----	5	4	10	23	30	68	101	111	74	31	8	-
FEMALE--	3	3	8	14	36	70	134	171	186	112	24	-
ALL OTHER--MALE----	-	1	2	1	-	2	-	2	2	2	-	-
FEMALE--	-	1	-	-	1	3	1	3	2	1	1	-
BLACK---MALE----	-	1	1	1	-	2	-	2	2	2	-	-
FEMALE--	-	1	-	-	-	2	1	2	1	1	-	-
WYOMING -----	1	-	3	5	6	11	17	18	7	17	3	-
WHITE-----MALE----	1	-	1	4	4	2	9	7	3	3	-	-
FEMALE--	-	-	2	1	2	9	8	11	4	13	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,685

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	13	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	-	-	-	-	-	2	-	-	3	-	-
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	1	2	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	41	-	2	-	-	-	2	2	3	5	5	4
WHITE-----MALE----	14	-	1	-	-	-	1	-	1	2	-	2
FEMALE--	17	-	-	-	-	-	-	1	-	2	4	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	1	2	1	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	7	-	-	-	-	-	1	1	2	1	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	1	1
GEORGIA -----	18	-	-	-	-	-	-	2	1	3	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,685

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)												
COLORADO -----	2	-	1	1	1	3	-	1	1	1	-	-
WHITE-----MALE----	1	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	2	1	3	3	-	1	1	2	1	4	-	-
WHITE-----MALE----	-	-	1	1	-	1	1	-	1	2	-	-
FEMALE--	2	1	1	1	-	-	-	2	-	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	2	-	1	2	-	-	4	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,687

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)												
KENTUCKY -----	12	-	-	-	1	-	2	-	-	2	-	-
WHITE-----MALE----	7	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	12	-	-	-	-	-	-	1	-	3	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	38	4	1	-	2	1	2	4	1	2	1	8
WHITE-----MALE----	9	-	-	-	-	1	-	3	-	1	-	1
FEMALE--	8	-	-	-	1	-	1	-	-	-	-	1
ALL OTHER--MALE----	9	3	1	-	-	-	-	-	1	-	1	2
FEMALE--	12	1	-	-	1	-	1	1	-	1	-	4
BLACK---MALE----	9	3	1	-	-	-	-	-	1	-	1	2
FEMALE--	12	1	-	-	1	-	1	1	-	1	-	4
MASSACHUSETTS -----	17	-	-	1	-	-	-	1	2	2	2	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	6	-	-	1	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
MICHIGAN -----	32	-	2	-	-	-	1	-	1	1	1	-
WHITE-----MALE----	12	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	17	-	2	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,688

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	24	1	-	2	1	-	-	1	-	3	1	2
WHITE-----MALE----	11	-	-	1	-	-	-	-	-	2	-	2
FEMALE--	10	-	-	1	1	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MISSOURI -----	8	1	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	5	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,693

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
0 UNITED STATES --	145,678	314	129	75	109	237	350	488	817	1,491	2,519	3,929
WHITE-----MALE----	60,955	137	46	31	50	114	150	212	391	750	1,312	2,127
FEMALE--	61,727	89	37	16	27	45	69	99	152	257	443	688
ALL OTHER--MALE----	12,280	43	31	9	22	51	89	110	185	312	505	765
FEMALE--	10,716	45	15	19	10	27	42	67	89	172	259	349
BLACK---MALE----	10,867	35	29	9	21	47	75	96	160	273	461	690
FEMALE--	9,710	39	11	17	9	25	37	60	84	164	238	323
ALABAMA -----	4,056	16	4	3	4	6	13	16	23	69	81	134
WHITE-----MALE----	1,453	12	1	-	-	1	3	8	14	36	33	61
FEMALE--	1,543	2	2	1	3	2	4	3	4	14	11	24
ALL OTHER--MALE----	523	-	1	1	1	3	4	4	3	13	24	33
FEMALE--	537	2	-	1	-	-	2	1	2	6	13	16
BLACK---MALE----	521	-	1	1	1	3	4	4	3	12	24	33
FEMALE--	532	2	-	1	-	-	2	1	2	6	13	16
ALASKA -----	134	1	-	-	1	-	1	1	1	2	1	9
WHITE-----MALE----	59	-	-	-	1	-	1	-	-	1	1	6
FEMALE--	36	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	18	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,337	4	2	-	3	3	6	6	20	26	48	80
WHITE-----MALE----	1,192	3	2	-	1	1	4	4	9	19	27	60
FEMALE--	976	-	-	-	2	1	1	1	6	3	17	13
ALL OTHER--MALE----	94	1	-	-	-	-	1	1	4	3	4	5
FEMALE--	75	-	-	-	-	1	-	-	1	1	-	2
BLACK---MALE----	38	-	-	-	-	-	1	1	-	-	2	3
FEMALE--	39	-	-	-	-	-	-	-	1	1	-	1
ARKANSAS -----	1,124	6	-	-	-	3	1	2	12	17	20	29
WHITE-----MALE----	469	2	-	-	-	1	-	1	6	8	11	11
FEMALE--	462	4	-	-	-	-	1	-	2	4	5	7
ALL OTHER--MALE----	115	-	-	-	-	2	-	-	4	4	4	9
FEMALE--	78	-	-	-	-	-	-	1	-	1	-	2
BLACK---MALE----	114	-	-	-	-	2	-	-	4	4	4	9
FEMALE--	75	-	-	-	-	-	-	1	-	1	-	2
CALIFORNIA -----	13,118	34	12	8	13	20	33	44	92	159	239	381
WHITE-----MALE----	5,827	16	8	4	8	13	15	28	49	84	137	219
FEMALE--	5,225	9	3	2	2	3	6	6	12	26	42	57
ALL OTHER--MALE----	1,234	4	-	-	2	3	7	7	21	36	41	76
FEMALE--	832	5	1	2	1	1	5	3	10	13	19	29
BLACK---MALE----	795	2	-	-	1	2	4	3	14	22	34	58
FEMALE--	587	3	1	1	-	1	4	3	8	13	18	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,693

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
0 UNITED STATES --	5,175	6,612	9,058	11,933	16,303	19,768	22,109	21,119	15,047	6,331	1,739	26
WHITE-----MALE----	2,864	3,573	4,772	6,277	8,173	9,195	8,854	6,885	3,657	1,143	229	13
FEMALE--	940	1,404	2,175	3,326	5,353	7,877	10,646	12,143	10,085	4,585	1,269	2
ALL OTHER--MALE----	906	1,056	1,379	1,383	1,527	1,330	1,173	776	403	166	51	8
FEMALE--	465	579	732	947	1,250	1,366	1,436	1,315	902	437	190	3
BLACK---MALE----	821	949	1,240	1,251	1,339	1,164	1,035	649	322	147	46	8
FEMALE--	433	533	665	857	1,152	1,214	1,290	1,188	808	397	163	3
ALABAMA -----	150	156	265	330	448	551	632	609	366	134	46	-
WHITE-----MALE----	73	75	117	165	193	232	186	165	56	19	3	-
FEMALE--	20	33	69	80	138	198	299	303	230	85	18	-
ALL OTHER--MALE----	39	33	52	51	56	50	65	50	22	12	6	-
FEMALE--	18	15	27	34	61	71	82	91	58	18	19	-
BLACK---MALE----	39	33	51	51	56	50	65	50	22	12	6	-
FEMALE--	18	14	27	34	60	70	81	90	58	18	19	-
ALASKA -----	3	11	11	16	17	15	19	18	5	1	1	-
WHITE-----MALE----	1	7	5	8	8	7	7	5	1	-	-	-
FEMALE--	1	-	2	5	3	4	7	9	3	-	-	-
ALL OTHER--MALE----	-	3	4	2	2	1	2	3	-	1	-	-
FEMALE--	1	1	-	1	4	3	3	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	110	106	173	194	280	382	322	277	190	79	25	1
WHITE-----MALE----	71	67	100	130	156	195	146	115	55	23	3	1
FEMALE--	23	25	51	56	107	161	162	147	128	53	19	-
ALL OTHER--MALE----	11	12	13	4	11	12	5	5	1	-	1	-
FEMALE--	5	2	9	4	6	14	9	10	6	3	2	-
BLACK---MALE----	6	6	4	2	3	5	2	3	-	-	-	-
FEMALE--	4	1	3	2	4	6	5	6	3	2	-	-
ARKANSAS -----	42	51	77	68	136	157	180	171	104	44	4	-
WHITE-----MALE----	23	28	56	40	76	67	64	48	22	5	-	-
FEMALE--	10	12	11	17	36	72	89	98	67	26	1	-
ALL OTHER--MALE----	8	6	6	8	15	12	13	14	4	5	1	-
FEMALE--	1	5	4	3	9	6	14	11	11	8	2	-
BLACK---MALE----	8	6	6	8	15	12	13	13	4	5	1	-
FEMALE--	1	4	4	3	8	6	14	11	10	8	2	-
CALIFORNIA -----	598	734	887	1,109	1,475	1,666	1,853	1,786	1,273	549	152	1
WHITE-----MALE----	383	403	509	598	738	757	772	612	328	113	33	-
FEMALE--	88	146	175	288	471	678	876	994	841	392	107	1
ALL OTHER--MALE----	88	132	135	143	173	134	101	82	37	11	1	-
FEMALE--	39	53	68	80	93	97	104	98	67	33	11	-
BLACK---MALE----	62	95	94	102	100	79	58	46	12	6	1	-
FEMALE--	31	44	54	59	65	57	66	66	42	21	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,694

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
COLORADO -----	1,258	4	-	1	3	2	5	1	1	13	18	29
WHITE-----MALE----	568	1	-	-	2	2	2	1	-	7	13	17
FEMALE--	642	3	-	-	1	-	3	-	1	4	3	10
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	22	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2,695	1	2	-	1	-	3	4	3	21	27	43
WHITE-----MALE----	1,214	1	1	-	-	-	1	2	-	15	14	33
FEMALE--	1,299	-	1	-	1	-	1	2	2	4	8	5
ALL OTHER--MALE----	83	-	-	-	-	-	1	-	1	2	4	4
FEMALE--	99	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	77	-	-	-	-	-	1	-	1	2	4	3
FEMALE--	94	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	526	1	-	-	1	-	-	1	1	3	11	15
WHITE-----MALE----	217	1	-	-	-	-	-	-	1	2	6	10
FEMALE--	244	-	-	-	1	-	-	1	-	1	-	1
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	488	-	1	2	-	-	-	2	1	6	11	16
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	199	-	1	-	-	-	-	1	-	3	4	7
FEMALE--	186	-	-	2	-	-	-	1	1	3	6	6
BLACK---MALE----	198	-	1	-	-	-	-	1	-	3	4	7
FEMALE--	186	-	-	2	-	-	-	1	1	3	6	6
FLORIDA -----	9,165	14	4	5	5	11	12	28	36	84	131	203
WHITE-----MALE----	4,341	3	1	1	1	5	6	11	13	39	85	131
FEMALE--	3,875	4	1	-	2	1	1	3	8	15	22	31
ALL OTHER--MALE----	494	3	1	2	2	3	3	3	7	20	15	26
FEMALE--	455	4	1	2	-	2	2	11	8	10	9	15
BLACK---MALE----	478	3	1	2	2	3	3	3	6	20	14	26
FEMALE--	442	4	1	2	-	2	2	11	8	10	9	15
GEORGIA -----	5,057	9	6	3	3	3	11	23	36	62	97	159
WHITE-----MALE----	1,628	5	2	-	2	1	5	8	14	23	34	66
FEMALE--	1,907	-	1	-	-	-	-	3	3	7	9	28
ALL OTHER--MALE----	758	2	2	-	1	-	4	9	10	20	32	47
FEMALE--	764	2	1	3	-	2	2	3	9	12	22	18
BLACK---MALE----	746	2	2	-	1	-	4	9	10	20	32	47
FEMALE--	752	1	1	3	-	2	2	3	9	12	21	18

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,694

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	39	36	72	99	142	163	202	204	146	63	15	-
WHITE-----MALE----	29	24	47	58	80	81	81	64	47	12	-	-
FEMALE--	8	9	21	38	55	74	116	135	96	50	15	-
ALL OTHER--MALE----	1	2	2	1	6	5	1	2	1	-	-	-
FEMALE--	1	1	2	2	1	3	4	3	2	1	-	-
BLACK---MALE----	1	2	1	1	5	4	1	1	1	-	-	-
FEMALE--	1	1	1	1	1	2	3	3	2	1	-	-
CONNECTICUT -----	81	116	143	201	285	410	412	431	312	152	47	-
WHITE-----MALE----	46	68	93	119	159	221	199	152	71	17	2	-
FEMALE--	21	23	33	56	104	172	201	260	232	130	43	-
ALL OTHER--MALE----	7	11	9	13	13	7	6	2	1	2	-	-
FEMALE--	7	14	8	13	9	10	6	17	8	3	2	-
BLACK---MALE----	6	10	8	13	11	7	6	2	1	2	-	-
FEMALE--	7	14	8	12	8	10	5	15	8	3	2	-
DELAWARE -----	14	28	28	35	69	72	85	74	56	25	7	-
WHITE-----MALE----	9	16	16	19	31	37	37	19	10	1	2	-
FEMALE--	2	6	7	11	28	28	38	48	45	22	5	-
ALL OTHER--MALE----	2	2	5	3	5	3	6	2	-	-	-	-
FEMALE--	1	4	-	2	5	4	4	5	1	2	-	-
BLACK---MALE----	1	2	5	3	5	3	6	2	-	-	-	-
FEMALE--	1	4	-	2	5	4	4	5	1	2	-	-
DISTRICT OF COLUMBIA -----	32	26	41	47	63	76	61	58	30	13	2	-
WHITE-----MALE----	4	3	-	2	2	9	7	8	2	2	-	-
FEMALE--	-	-	2	3	9	9	6	16	9	5	1	-
ALL OTHER--MALE----	19	19	29	23	24	33	21	10	3	1	1	-
FEMALE--	9	4	10	19	28	25	27	24	16	5	-	-
BLACK---MALE----	19	19	29	23	24	33	20	10	3	1	1	-
FEMALE--	9	4	10	19	28	25	27	24	16	5	-	-
FLORIDA -----	275	382	467	711	983	1,273	1,532	1,453	1,021	410	122	3
WHITE-----MALE----	163	237	277	402	538	681	734	554	331	101	26	1
FEMALE--	52	81	110	215	328	492	696	820	632	276	84	1
ALL OTHER--MALE----	41	42	52	58	67	39	47	31	17	11	4	-
FEMALE--	19	22	28	36	50	61	55	48	41	22	8	1
BLACK---MALE----	40	41	50	57	64	38	44	31	15	11	4	-
FEMALE--	19	21	27	35	50	56	54	45	41	22	7	1
GEORGIA -----	215	294	369	409	584	636	702	710	468	213	43	2
WHITE-----MALE----	82	139	154	170	220	243	196	150	86	23	4	1
FEMALE--	32	47	68	97	192	232	327	408	280	146	27	-
ALL OTHER--MALE----	66	67	97	89	80	76	65	46	31	11	2	1
FEMALE--	35	41	50	53	92	85	114	106	71	33	10	-
BLACK---MALE----	66	65	96	87	80	74	63	44	30	11	2	1
FEMALE--	35	40	50	52	92	84	110	103	71	33	10	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
HAWAII -----	835	1	2	-	-	3	4	5	7	11	22	16
WHITE-----MALE----	134	-	-	-	-	-	-	-	2	1	4	5
FEMALE--	93	-	-	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	340	1	1	-	-	2	4	4	5	7	12	6
FEMALE--	268	-	1	-	-	-	-	1	-	3	4	4
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
IDAHO -----	369	2	2	1	2	1	-	2	1	2	7	14
WHITE-----MALE----	177	1	1	1	2	-	-	1	1	2	6	8
FEMALE--	187	1	1	-	-	1	-	1	-	-	1	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5,614	12	4	2	4	16	21	29	37	66	101	194
WHITE-----MALE----	2,351	3	2	2	2	6	11	11	11	28	45	100
FEMALE--	2,034	3	2	-	1	4	5	3	7	8	17	28
ALL OTHER--MALE----	756	3	-	-	1	4	5	9	14	22	28	50
FEMALE--	473	3	-	-	-	2	-	6	5	8	11	16
BLACK---MALE----	727	2	-	-	1	4	5	9	14	20	28	50
FEMALE--	462	3	-	-	-	2	-	6	5	8	11	15
INDIANA -----	2,679	2	3	-	2	4	8	15	17	21	59	80
WHITE-----MALE----	1,205	2	-	-	2	2	2	8	7	11	28	37
FEMALE--	1,237	-	2	-	-	1	3	6	5	3	18	25
ALL OTHER--MALE----	134	-	1	-	-	1	2	-	3	5	6	14
FEMALE--	103	-	-	-	-	-	1	1	2	2	7	4
BLACK---MALE----	133	-	1	-	-	1	2	-	3	5	6	14
FEMALE--	99	-	-	-	-	-	1	1	2	2	6	4
IOWA -----	1,837	5	-	1	1	-	3	3	5	11	17	25
WHITE-----MALE----	844	3	-	-	1	-	2	2	3	8	16	18
FEMALE--	970	2	-	1	-	-	1	1	2	3	1	7
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1,393	4	1	-	-	2	3	3	5	13	17	27
WHITE-----MALE----	620	2	1	-	-	2	2	1	3	8	9	15
FEMALE--	673	1	-	-	-	-	-	1	1	3	5	8
ALL OTHER--MALE----	46	1	-	-	-	-	1	1	1	-	2	1
FEMALE--	54	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	41	1	-	-	-	-	1	1	1	-	2	-
FEMALE--	47	-	-	-	-	-	-	-	-	2	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,695

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
HAWAII -----	29	40	56	83	89	117	105	106	90	34	15	-
WHITE-----MALE----	9	10	12	15	19	19	14	16	6	1	1	-
FEMALE--	-	2	7	4	8	14	15	16	11	11	1	-
ALL OTHER--MALE----	11	19	20	39	40	46	39	43	30	9	2	-
FEMALE--	9	9	17	25	22	38	37	31	43	13	11	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
IDAHO -----	10	4	19	28	26	42	66	56	58	20	6	-
WHITE-----MALE----	7	2	14	17	13	21	30	28	19	3	-	-
FEMALE--	3	1	5	11	11	21	36	28	39	17	6	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	276	325	418	537	688	746	790	662	429	206	47	4
WHITE-----MALE----	135	146	186	271	323	354	337	230	94	46	5	3
FEMALE--	44	59	78	122	193	274	338	372	294	143	39	-
ALL OTHER--MALE----	64	83	107	92	98	66	66	27	15	1	-	1
FEMALE--	33	37	47	52	74	52	49	33	26	16	3	-
BLACK---MALE----	63	81	102	87	93	64	64	25	13	1	-	1
FEMALE--	32	36	46	51	73	50	47	33	25	16	3	-
INDIANA -----	81	112	168	238	309	401	397	372	259	110	21	-
WHITE-----MALE----	52	71	92	141	178	191	170	121	60	26	4	-
FEMALE--	19	31	56	73	95	178	208	237	183	77	17	-
ALL OTHER--MALE----	9	8	14	14	24	14	8	5	6	-	-	-
FEMALE--	1	2	6	10	12	18	11	9	10	7	-	-
BLACK---MALE----	9	8	14	14	24	13	8	5	6	-	-	-
FEMALE--	1	2	6	9	12	18	10	8	10	7	-	-
IOWA -----	47	53	93	126	175	210	297	337	246	147	35	-
WHITE-----MALE----	37	34	60	85	108	112	132	125	66	24	8	-
FEMALE--	10	16	30	41	62	91	162	211	179	123	27	-
ALL OTHER--MALE----	-	1	1	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	2	-	3	6	2	-	1	-	-	-
BLACK---MALE----	-	1	1	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	2	-	3	6	2	-	1	-	-	-
KANSAS -----	42	56	71	98	139	181	222	225	178	79	27	-
WHITE-----MALE----	26	37	44	58	84	92	89	74	50	20	3	-
FEMALE--	11	13	18	35	45	73	121	134	124	57	23	-
ALL OTHER--MALE----	2	5	4	4	6	9	5	4	-	-	-	-
FEMALE--	3	1	5	1	4	7	7	13	4	2	1	-
BLACK---MALE----	1	5	4	4	4	9	5	3	-	-	-	-
FEMALE--	2	1	5	-	3	5	7	12	4	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,696

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
KENTUCKY -----	2,626	8	5	-	1	6	5	9	17	15	39	61
WHITE-----MALE----	1,102	6	3	-	1	3	1	5	13	9	27	46
FEMALE--	1,307	2	1	-	-	3	3	3	3	2	6	8
ALL OTHER--MALE----	104	-	1	-	-	-	1	-	1	2	2	7
FEMALE--	113	-	-	-	-	-	-	1	-	2	4	-
BLACK---MALE----	103	-	1	-	-	-	1	-	1	2	2	7
FEMALE--	113	-	-	-	-	-	-	1	-	2	4	-
LOUISIANA -----	2,666	6	3	2	3	5	10	12	14	26	45	55
WHITE-----MALE----	881	1	-	-	1	1	3	4	5	13	22	17
FEMALE--	1,002	2	1	1	-	-	1	1	3	3	5	9
ALL OTHER--MALE----	384	-	1	-	1	3	4	6	1	5	12	19
FEMALE--	399	3	1	1	1	1	2	1	5	5	6	10
BLACK---MALE----	380	-	1	-	1	3	4	6	1	4	12	19
FEMALE--	396	3	1	1	1	1	2	1	5	5	6	10
MAINE -----	678	1	-	1	-	1	2	1	1	-	4	11
WHITE-----MALE----	328	1	-	1	-	1	2	1	1	-	3	9
FEMALE--	347	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,183	6	2	4	2	5	9	16	30	43	80	110
WHITE-----MALE----	1,111	1	-	2	1	2	4	4	9	21	30	49
FEMALE--	1,155	1	-	-	-	1	-	2	4	10	11	14
ALL OTHER--MALE----	503	3	1	2	1	-	3	5	14	7	24	30
FEMALE--	414	1	1	-	-	2	2	5	3	5	15	17
BLACK---MALE----	493	3	1	2	1	-	3	5	14	6	24	29
FEMALE--	409	1	1	-	-	2	2	4	3	5	15	17
MASSACHUSETTS -----	3,513	5	2	-	1	4	3	11	15	29	44	82
WHITE-----MALE----	1,606	1	1	-	-	1	1	6	7	17	28	54
FEMALE--	1,751	1	-	-	1	1	1	4	6	5	16	16
ALL OTHER--MALE----	77	1	1	-	-	-	1	1	1	5	-	10
FEMALE--	79	2	-	-	-	2	-	-	1	2	-	2
BLACK---MALE----	66	1	1	-	-	-	1	1	1	5	-	8
FEMALE--	63	2	-	-	-	2	-	-	1	2	-	2
MICHIGAN -----	5,855	6	3	6	5	7	14	22	34	67	113	241
WHITE-----MALE----	2,293	2	1	2	3	4	6	7	21	36	53	108
FEMALE--	2,023	3	2	1	2	1	3	3	2	6	13	41
ALL OTHER--MALE----	841	1	-	1	-	1	2	7	8	11	33	56
FEMALE--	698	-	-	2	-	1	3	5	3	14	14	36
BLACK---MALE----	820	1	-	1	-	1	2	7	8	11	32	55
FEMALE--	688	-	-	2	-	1	2	5	3	14	14	35

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,696

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
KENTUCKY -----	89	89	152	205	279	320	411	422	306	158	29	-
WHITE-----MALE----	56	53	87	117	154	138	156	128	69	25	5	-
FEMALE--	21	23	49	72	105	160	233	259	215	120	19	-
ALL OTHER--MALE----	7	10	9	10	8	11	7	14	13	-	1	-
FEMALE--	5	3	7	6	12	11	15	21	9	13	4	-
BLACK---MALE----	7	10	9	9	8	11	7	14	13	-	1	-
FEMALE--	5	3	7	6	12	11	15	21	9	13	4	-
LOUISIANA -----	79	124	150	210	289	378	432	399	286	109	29	-
WHITE-----MALE----	27	54	55	95	139	143	127	117	47	10	-	-
FEMALE--	10	23	39	47	84	117	181	203	183	73	16	-
ALL OTHER--MALE----	28	27	28	41	33	67	51	28	17	10	2	-
FEMALE--	14	20	28	27	33	51	73	51	39	16	11	-
BLACK---MALE----	28	26	28	41	33	66	51	27	17	10	2	-
FEMALE--	14	20	28	27	33	50	72	50	39	16	11	-
MAINE -----	27	21	40	47	80	95	95	104	83	51	13	-
WHITE-----MALE----	21	13	28	30	46	58	41	36	23	10	3	-
FEMALE--	6	8	12	17	33	37	53	68	59	41	10	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
MARYLAND -----	145	179	213	249	338	421	450	407	308	124	40	2
WHITE-----MALE----	64	84	90	87	140	166	147	114	66	23	7	-
FEMALE--	21	26	40	57	89	149	206	223	196	82	23	-
ALL OTHER--MALE----	41	45	61	69	62	59	37	19	9	6	3	2
FEMALE--	19	24	22	36	47	47	60	51	37	13	7	-
BLACK---MALE----	39	45	60	67	62	58	37	18	8	6	3	2
FEMALE--	19	23	22	36	47	46	60	51	35	13	7	-
MASSACHUSETTS -----	125	127	207	259	405	478	560	537	387	160	72	-
WHITE-----MALE----	89	88	136	158	241	239	244	174	84	30	7	-
FEMALE--	23	27	57	89	144	227	302	349	293	126	63	-
ALL OTHER--MALE----	9	9	11	4	8	3	5	5	3	-	-	-
FEMALE--	4	3	3	8	12	9	9	9	7	4	2	-
BLACK---MALE----	8	9	9	4	6	3	5	1	3	-	-	-
FEMALE--	3	3	3	7	9	8	7	7	3	3	1	-
MICHIGAN -----	249	337	420	552	745	854	818	694	427	186	55	-
WHITE-----MALE----	116	163	184	240	322	352	305	225	105	31	7	-
FEMALE--	42	63	78	138	216	286	333	355	268	128	39	-
ALL OTHER--MALE----	64	67	100	109	115	112	87	41	17	9	-	-
FEMALE--	27	44	58	65	92	104	93	73	37	18	9	-
BLACK---MALE----	59	66	98	106	114	107	87	39	17	9	-	-
FEMALE--	25	43	58	65	90	103	92	73	37	17	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,697

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
MINNESOTA -----	1,613	5	1	1	2	1	8	3	2	12	19	26
WHITE-----MALE----	809	1	1	-	1	-	5	1	1	7	14	16
FEMALE--	765	4	-	-	1	1	3	-	1	2	4	6
ALL OTHER--MALE----	20	-	-	1	-	-	-	-	-	3	1	2
FEMALE--	19	-	-	-	-	-	-	2	-	-	-	2
BLACK---MALE----	10	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
MISSISSIPPI -----	2,872	5	3	-	4	5	5	7	11	35	31	84
WHITE-----MALE----	852	1	-	-	-	4	-	-	1	7	8	21
FEMALE--	980	1	-	-	2	-	1	1	-	5	4	10
ALL OTHER--MALE----	511	1	1	-	2	-	2	4	7	16	13	35
FEMALE--	529	2	2	-	-	1	2	2	3	7	6	18
BLACK---MALE----	508	1	1	-	2	-	2	4	7	16	13	35
FEMALE--	525	2	2	-	-	1	2	2	3	7	6	18
MISSOURI -----	3,237	3	2	2	4	7	9	17	21	31	42	60
WHITE-----MALE----	1,368	1	-	-	2	5	5	7	13	17	20	28
FEMALE--	1,506	1	-	2	1	-	1	3	3	7	7	14
ALL OTHER--MALE----	168	-	2	-	-	2	2	5	4	1	9	13
FEMALE--	195	1	-	-	1	-	1	2	1	6	6	5
BLACK---MALE----	162	-	2	-	-	2	4	4	4	1	9	13
FEMALE--	188	1	-	-	1	-	1	2	1	6	6	5
MONTANA -----	479	1	1	-	-	-	2	1	1	2	4	7
WHITE-----MALE----	249	-	1	-	-	-	2	-	-	2	2	3
FEMALE--	210	1	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,304	1	2	-	2	-	-	-	4	6	16	14
WHITE-----MALE----	581	1	-	-	-	-	-	-	1	3	9	11
FEMALE--	675	-	2	-	2	-	-	-	2	2	3	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	1	-
NEVADA -----	1,285	2	2	-	1	-	1	1	7	8	17	26
WHITE-----MALE----	676	1	1	-	1	-	1	-	2	3	11	15
FEMALE--	493	1	1	-	-	-	-	-	2	1	4	6
ALL OTHER--MALE----	66	-	-	-	-	-	-	1	2	3	-	5
FEMALE--	50	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	44	-	-	-	-	-	-	1	2	2	-	3
FEMALE--	36	-	-	-	-	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,697

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
MINNESOTA -----	29	47	82	113	178	209	265	285	209	82	34	-
WHITE-----MALE----	20	33	51	74	109	122	128	131	65	24	5	-
FEMALE--	7	14	25	33	66	81	136	153	142	57	29	-
ALL OTHER--MALE----	1	-	3	4	2	3	-	-	-	-	-	-
FEMALE--	1	-	3	2	1	3	1	1	2	1	-	-
BLACK---MALE----	1	-	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	1	1	-	-
MISSISSIPPI -----	100	119	168	230	294	375	422	460	340	131	43	-
WHITE-----MALE----	40	41	70	84	113	149	123	108	61	18	3	-
FEMALE--	15	24	28	47	71	113	167	216	194	65	16	-
ALL OTHER--MALE----	30	33	39	45	63	51	60	61	24	17	7	-
FEMALE--	15	21	31	54	47	62	72	75	61	31	17	-
BLACK---MALE----	29	33	39	45	63	50	60	61	23	17	7	-
FEMALE--	15	21	30	54	47	62	72	74	60	31	16	-
MISSOURI -----	86	130	183	236	318	436	511	537	391	172	39	-
WHITE-----MALE----	45	73	103	123	167	211	227	179	106	30	6	-
FEMALE--	21	32	50	78	112	181	243	327	265	128	30	-
ALL OTHER--MALE----	11	11	18	21	19	19	15	7	7	2	-	-
FEMALE--	9	14	12	14	20	25	26	24	13	12	3	-
BLACK---MALE----	11	11	17	21	19	18	14	6	6	2	-	-
FEMALE--	9	13	12	11	19	25	24	24	13	12	3	-
MONTANA -----	12	24	33	35	53	61	79	70	62	25	6	-
WHITE-----MALE----	10	14	18	22	33	35	45	33	21	8	-	-
FEMALE--	2	9	10	11	18	25	31	36	40	17	6	-
ALL OTHER--MALE----	-	1	3	2	2	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	27	40	57	82	117	153	207	246	206	95	29	-
WHITE-----MALE----	20	26	37	49	76	81	90	97	60	17	3	-
FEMALE--	5	10	15	27	33	70	109	147	143	77	25	-
ALL OTHER--MALE----	1	2	3	1	4	-	5	-	-	1	-	-
FEMALE--	1	2	2	5	4	2	3	2	3	-	1	-
BLACK---MALE----	-	2	2	1	4	-	4	-	-	1	-	-
FEMALE--	1	1	2	4	4	1	2	2	3	-	1	-
NEVADA -----	41	59	124	139	172	198	196	165	91	27	6	2
WHITE-----MALE----	32	37	72	93	102	111	102	66	21	3	-	2
FEMALE--	3	11	31	33	59	69	84	93	65	24	6	-
ALL OTHER--MALE----	4	7	12	7	6	5	8	4	2	-	-	-
FEMALE--	2	4	9	6	5	13	2	2	3	-	-	-
BLACK---MALE----	2	3	9	5	5	4	5	3	-	-	-	-
FEMALE--	1	3	5	5	4	10	1	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,699

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
OHIO -----	6,778	13	2	4	4	14	15	14	30	63	89	194
WHITE-----MALE----	2,838	8	-	2	2	8	5	5	8	39	55	111
FEMALE--	3,110	2	1	2	1	5	5	5	12	13	16	44
ALL OTHER--MALE----	455	2	1	-	1	-	3	3	6	9	11	25
FEMALE--	375	1	-	-	-	1	2	1	4	2	7	14
BLACK---MALE----	446	2	1	-	1	-	3	2	6	9	10	25
FEMALE--	368	1	-	-	-	1	2	1	4	2	7	14
OKLAHOMA -----	1,914	7	4	-	-	7	9	2	13	26	46	63
WHITE-----MALE----	799	3	-	-	-	2	5	1	4	15	22	32
FEMALE--	907	3	2	-	-	1	1	1	3	5	9	17
ALL OTHER--MALE----	106	1	1	-	-	2	1	-	4	3	10	12
FEMALE--	102	-	1	-	-	2	2	-	2	3	5	2
BLACK---MALE----	63	-	1	-	-	1	1	-	4	2	9	6
FEMALE--	67	-	1	-	-	2	2	-	1	1	3	-
OREGON -----	1,172	2	1	1	-	1	2	6	7	15	21	28
WHITE-----MALE----	537	2	1	1	-	-	1	3	4	8	15	16
FEMALE--	603	-	-	-	-	1	-	1	2	6	4	10
ALL OTHER--MALE----	20	-	-	-	-	-	1	1	1	1	2	2
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9,665	12	11	4	6	13	9	24	37	76	156	230
WHITE-----MALE----	4,023	5	5	2	4	6	5	10	21	38	89	133
FEMALE--	4,432	6	2	2	-	3	2	4	10	14	20	47
ALL OTHER--MALE----	677	1	3	-	1	3	-	8	5	15	35	38
FEMALE--	533	-	1	-	1	1	2	2	1	9	12	12
BLACK---MALE----	657	-	3	-	1	3	-	7	4	15	34	35
FEMALE--	512	-	-	-	1	1	2	1	1	9	11	12
RHODE ISLAND -----	552	-	-	-	-	-	1	1	2	3	8	14
WHITE-----MALE----	255	-	-	-	-	-	1	1	1	2	5	10
FEMALE--	277	-	-	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,037	8	4	-	3	5	8	3	13	32	66	72
WHITE-----MALE----	636	3	1	-	-	2	2	1	1	12	18	26
FEMALE--	740	-	1	-	-	1	1	-	2	-	12	11
ALL OTHER--MALE----	317	-	2	-	2	1	5	2	6	15	25	22
FEMALE--	344	5	-	-	1	1	-	-	4	5	11	13
BLACK---MALE----	314	-	2	-	2	1	5	2	6	15	25	21
FEMALE--	337	5	-	-	1	1	-	-	4	5	11	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,699

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
OHIO -----	219	288	398	586	793	976	1,055	957	712	274	78	-
WHITE-----MALE----	116	154	220	279	399	463	414	320	166	54	10	-
FEMALE--	47	76	106	203	279	411	551	565	502	200	64	-
ALL OTHER--MALE----	40	35	47	60	66	51	49	27	14	5	-	-
FEMALE--	16	23	25	44	49	51	41	45	30	15	4	-
BLACK---MALE----	40	34	47	59	65	49	49	25	14	5	-	-
FEMALE--	16	23	24	43	48	51	41	43	29	14	4	-
OKLAHOMA -----	62	84	98	146	217	246	271	281	221	89	21	1
WHITE-----MALE----	36	43	56	81	116	112	109	92	50	13	6	1
FEMALE--	15	23	30	50	77	115	141	176	161	66	11	-
ALL OTHER--MALE----	8	11	7	7	12	9	9	3	4	2	-	-
FEMALE--	3	7	5	8	12	10	12	10	6	8	4	-
BLACK---MALE----	5	6	4	5	4	6	3	3	2	1	-	-
FEMALE--	2	3	4	2	9	8	6	8	5	7	3	-
OREGON -----	26	38	56	82	106	172	215	179	142	57	15	-
WHITE-----MALE----	17	23	30	56	60	83	90	70	41	13	3	-
FEMALE--	8	14	22	25	42	85	123	106	100	42	12	-
ALL OTHER--MALE----	1	-	2	-	3	1	-	3	1	1	-	-
FEMALE--	-	1	2	1	1	3	2	-	-	1	-	-
BLACK---MALE----	-	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	281	399	527	794	1,072	1,362	1,566	1,520	1,053	394	115	4
WHITE-----MALE----	142	212	276	437	527	644	618	493	262	74	18	2
FEMALE--	52	88	126	224	381	594	806	926	733	301	91	-
ALL OTHER--MALE----	57	62	91	76	91	58	71	40	17	3	2	-
FEMALE--	30	37	34	57	73	66	71	61	41	16	4	2
BLACK---MALE----	56	62	87	76	89	58	68	39	15	3	2	-
FEMALE--	29	37	32	55	71	64	69	56	39	16	4	2
RHODE ISLAND -----	15	21	24	42	69	78	86	80	66	34	8	-
WHITE-----MALE----	11	14	13	26	37	38	47	25	17	7	-	-
FEMALE--	3	6	10	14	30	35	37	53	47	27	8	-
ALL OTHER--MALE----	1	-	1	-	1	3	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	2	2	2	2	-	-	-
BLACK---MALE----	1	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	2	1	2	-	-	-
SOUTH CAROLINA -----	67	96	127	151	224	281	308	302	166	78	23	-
WHITE-----MALE----	17	35	53	63	94	105	97	72	27	6	1	-
FEMALE--	14	22	30	28	64	93	127	159	104	62	9	-
ALL OTHER--MALE----	19	25	25	30	32	37	35	20	7	5	2	-
FEMALE--	17	14	19	30	34	46	49	51	28	5	11	-
BLACK---MALE----	19	25	25	29	32	37	35	19	7	5	2	-
FEMALE--	17	14	19	29	32	43	48	51	28	5	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,700

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
SOUTH DAKOTA -----	390	3	-	-	-	-	-	2	1	6	3	9
WHITE-----MALE----	177	1	-	-	-	-	-	-	-	1	2	7
FEMALE--	186	1	-	-	-	-	-	2	-	3	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	19	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,491	15	3	1	2	7	6	15	22	38	65	110
WHITE-----MALE----	1,394	5	2	-	2	2	4	5	14	19	33	55
FEMALE--	1,433	3	-	-	-	1	-	3	4	6	10	21
ALL OTHER--MALE----	353	3	1	-	-	2	2	4	3	7	18	24
FEMALE--	311	4	-	1	-	2	-	3	1	6	4	10
BLACK---MALE----	351	2	1	-	-	2	2	4	3	7	18	24
FEMALE--	308	4	-	1	-	2	-	3	1	6	4	10
TEXAS -----	8,197	24	6	8	8	22	36	35	71	107	182	245
WHITE-----MALE----	3,531	10	2	5	1	14	19	20	36	52	93	139
FEMALE--	3,457	8	2	1	3	3	7	7	17	22	37	48
ALL OTHER--MALE----	637	4	-	-	2	2	5	6	12	19	29	34
FEMALE--	572	2	2	2	2	3	5	2	6	14	23	24
BLACK---MALE----	596	4	-	-	2	2	4	6	11	19	27	30
FEMALE--	534	2	2	2	2	3	4	2	6	14	21	21
UTAH -----	543	4	5	-	1	2	3	3	3	6	10	13
WHITE-----MALE----	275	3	3	-	-	1	2	2	2	4	3	7
FEMALE--	258	1	2	-	1	1	1	1	1	2	5	6
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	397	-	1	-	-	-	-	1	-	1	3	2
WHITE-----MALE----	168	-	1	-	-	-	-	-	-	1	2	2
FEMALE--	229	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,168	7	2	-	3	8	8	12	25	47	77	102
WHITE-----MALE----	1,508	5	1	-	2	2	-	7	12	15	36	44
FEMALE--	1,705	-	-	-	-	-	3	2	5	10	11	12
ALL OTHER--MALE----	498	2	-	-	-	5	2	3	7	10	21	33
FEMALE--	457	-	1	-	1	1	3	-	1	12	9	13
BLACK---MALE----	473	2	-	-	-	5	2	3	6	10	18	32
FEMALE--	441	-	1	-	1	-	3	-	1	11	8	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,700

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
SOUTH DAKOTA -----	4	10	20	26	42	48	66	60	52	27	11	-
WHITE-----MALE----	2	5	16	15	24	24	36	23	13	6	2	-
FEMALE--	1	3	4	9	13	22	27	33	38	20	8	-
ALL OTHER--MALE----	1	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	3	1	2	4	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	152	223	219	274	363	443	488	515	361	135	33	1
WHITE-----MALE----	89	116	117	145	174	179	173	157	81	20	1	1
FEMALE--	25	48	53	66	120	194	238	284	236	98	23	-
ALL OTHER--MALE----	23	36	31	35	38	36	33	28	17	9	3	-
FEMALE--	15	23	18	28	31	34	44	46	27	8	6	-
BLACK---MALE----	23	36	31	35	38	36	33	28	16	9	3	-
FEMALE--	15	23	18	27	31	34	43	45	27	8	6	-
TEXAS -----	330	384	580	705	906	1,035	1,166	1,054	867	352	72	2
WHITE-----MALE----	195	225	315	394	465	511	446	313	207	58	11	-
FEMALE--	70	86	138	183	288	407	592	652	585	250	51	-
ALL OTHER--MALE----	40	45	87	79	85	57	62	33	25	6	3	2
FEMALE--	25	28	40	49	68	60	66	56	50	38	7	-
BLACK---MALE----	36	43	81	74	79	54	56	32	25	6	3	2
FEMALE--	24	28	38	48	63	53	59	52	48	35	7	-
UTAH -----	11	23	33	43	68	65	76	80	70	22	2	-
WHITE-----MALE----	10	17	14	26	42	40	40	34	15	8	2	-
FEMALE--	1	4	17	15	26	25	35	46	54	14	-	-
ALL OTHER--MALE----	-	1	2	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	8	15	30	49	50	76	73	50	24	6	-
WHITE-----MALE----	6	8	6	21	27	27	37	16	8	5	1	-
FEMALE--	2	-	9	9	22	23	39	57	42	19	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	159	173	279	309	456	578	674	581	427	197	44	-
WHITE-----MALE----	72	78	134	131	192	223	249	162	111	31	1	-
FEMALE--	44	40	57	85	160	207	290	332	272	140	35	-
ALL OTHER--MALE----	31	37	56	50	60	67	62	27	16	8	1	-
FEMALE--	12	18	32	43	44	81	73	60	28	18	7	-
BLACK---MALE----	29	35	52	49	55	65	60	27	14	8	1	-
FEMALE--	12	16	30	43	42	80	72	55	28	18	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,702

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
0 UNITED STATES --	159,791	264	56	25	51	71	117	203	475	981	1,806	2,477
WHITE-----MALE----	53,158	99	21	12	19	35	42	69	167	334	586	874
FEMALE--	85,166	80	15	5	18	25	34	76	156	299	507	675
ALL OTHER--MALE----	9,406	48	15	5	8	6	23	34	65	164	335	509
FEMALE--	12,061	37	5	3	6	5	18	24	87	184	378	419
BLACK---MALE----	7,794	41	15	5	8	6	19	30	57	142	294	466
FEMALE--	10,337	32	4	3	5	2	16	19	76	162	345	375
ALABAMA -----	2,885	4	1	-	2	-	3	4	11	23	42	66
WHITE-----MALE----	809	1	-	-	2	-	1	2	5	3	10	13
FEMALE--	1,315	-	-	-	-	-	-	2	4	4	7	15
ALL OTHER--MALE----	331	3	1	-	-	-	-	-	1	7	11	19
FEMALE--	430	-	-	-	-	-	2	-	1	9	14	19
BLACK---MALE----	325	3	1	-	-	-	-	-	1	6	11	19
FEMALE--	428	-	-	-	-	-	2	-	1	9	14	19
ALASKA -----	132	1	-	-	-	-	1	-	2	2	5	4
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	38	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	21	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	1	-	1	1	3	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	2,483	4	2	-	-	-	2	4	6	13	22	34
WHITE-----MALE----	928	2	-	-	-	-	1	2	2	5	11	13
FEMALE--	1,454	2	2	-	-	-	-	2	2	7	10	17
ALL OTHER--MALE----	48	-	-	-	-	-	1	-	1	1	-	3
FEMALE--	53	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	25	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2,461	2	-	-	-	2	1	5	12	12	27	42
WHITE-----MALE----	816	2	-	-	-	2	-	2	4	6	8	18
FEMALE--	1,276	-	-	-	-	-	-	3	1	2	6	7
ALL OTHER--MALE----	157	-	-	-	-	-	1	-	3	3	5	12
FEMALE--	212	-	-	-	-	-	-	-	4	1	8	5
BLACK---MALE----	155	-	-	-	-	-	1	-	2	3	5	12
FEMALE--	209	-	-	-	-	-	-	-	4	-	8	5
CALIFORNIA -----	16,727	31	3	3	4	9	14	19	60	100	211	262
WHITE-----MALE----	5,553	14	2	2	1	3	7	8	24	44	78	102
FEMALE--	8,570	7	1	1	-	5	5	4	20	29	49	76
ALL OTHER--MALE----	1,191	4	-	-	2	-	2	4	7	15	35	43
FEMALE--	1,413	6	-	-	1	1	-	3	9	12	49	41
BLACK---MALE----	509	2	-	-	2	-	1	2	5	6	23	19
FEMALE--	730	4	-	-	-	-	-	1	7	6	35	21

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,702

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
0 UNITED STATES --	3,218	3,969	5,707	9,256	15,688	23,638	30,438	31,130	20,970	7,710	1,536	5
WHITE-----MALE----	1,196	1,518	2,307	3,917	6,503	9,379	10,810	9,164	4,684	1,262	158	2
FEMALE--	998	1,238	1,857	3,421	6,558	11,293	16,651	19,554	14,715	5,795	1,194	2
ALL OTHER--MALE----	581	696	821	997	1,246	1,321	1,113	822	430	140	26	1
FEMALE--	443	517	722	921	1,381	1,645	1,864	1,590	1,141	513	158	-
BLACK---MALE----	504	600	700	843	1,050	1,061	855	640	329	109	19	1
FEMALE--	379	439	614	792	1,170	1,373	1,566	1,376	998	449	142	-
ALABAMA -----	81	102	145	211	321	376	522	516	337	95	23	-
WHITE-----MALE----	19	32	44	69	113	131	161	134	55	14	-	-
FEMALE--	20	28	40	65	113	162	260	300	226	58	11	-
ALL OTHER--MALE----	26	21	31	43	45	40	35	28	15	4	1	-
FEMALE--	16	21	30	34	50	43	66	54	41	19	11	-
BLACK---MALE----	25	21	31	43	45	38	34	27	15	4	1	-
FEMALE--	15	20	30	34	50	43	66	54	41	19	11	-
ALASKA -----	4	5	11	7	7	24	24	18	12	4	1	-
WHITE-----MALE----	3	3	4	3	4	9	7	6	2	1	1	-
FEMALE--	-	1	3	3	2	7	7	5	7	2	-	-
ALL OTHER--MALE----	1	-	4	1	1	4	3	2	2	1	-	-
FEMALE--	-	1	-	-	-	4	7	5	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	33	53	82	160	275	378	489	522	297	89	18	-
WHITE-----MALE----	19	29	34	89	126	155	181	170	71	15	3	-
FEMALE--	12	17	34	63	136	210	300	337	217	71	15	-
ALL OTHER--MALE----	2	3	6	5	5	5	5	4	5	2	-	-
FEMALE--	-	4	8	3	8	8	3	11	4	1	-	-
BLACK---MALE----	1	1	3	4	4	3	2	1	2	1	-	-
FEMALE--	-	2	1	2	3	5	1	5	1	1	-	-
ARKANSAS -----	40	69	83	137	259	356	476	455	357	105	21	-
WHITE-----MALE----	13	31	41	56	106	145	172	126	62	18	4	-
FEMALE--	14	18	24	57	111	169	247	276	252	74	15	-
ALL OTHER--MALE----	5	14	11	20	22	13	22	16	10	-	-	-
FEMALE--	8	6	7	4	20	29	35	37	33	13	2	-
BLACK---MALE----	5	14	11	20	21	13	22	16	10	-	-	-
FEMALE--	8	5	7	4	20	29	35	36	33	13	2	-
CALIFORNIA -----	370	435	606	966	1,664	2,518	3,159	3,134	2,132	870	157	-
WHITE-----MALE----	156	177	241	387	647	983	1,076	938	495	153	15	-
FEMALE--	107	126	191	355	683	1,149	1,687	1,867	1,444	646	118	-
ALL OTHER--MALE----	57	72	99	123	165	161	164	142	68	24	4	-
FEMALE--	50	60	75	101	169	225	232	187	125	47	20	-
BLACK---MALE----	25	37	62	51	73	56	58	55	23	8	1	-
FEMALE--	30	31	44	55	76	109	109	102	66	24	10	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,703

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
COLORADO -----	1,708	2	-	-	-	1	1	1	5	9	22	34
WHITE-----MALE----	585	1	-	-	-	-	-	-	2	3	10	17
FEMALE--	1,029	1	-	-	-	1	-	1	1	2	8	13
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	53	-	-	-	-	-	1	-	1	2	2	3
BLACK---MALE----	34	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	41	-	-	-	-	-	1	-	-	1	2	3
CONNECTICUT -----	1,904	-	1	-	2	-	-	1	6	5	24	19
WHITE-----MALE----	657	-	1	-	-	-	-	1	3	4	10	7
FEMALE--	1,134	-	-	-	1	-	-	-	2	-	11	8
ALL OTHER--MALE----	40	-	-	-	1	-	-	-	1	-	3	3
FEMALE--	73	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	37	-	-	-	1	-	-	-	1	-	3	3
FEMALE--	66	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	347	3	1	-	1	-	-	2	-	1	5	7
WHITE-----MALE----	119	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	176	2	-	-	1	-	-	1	-	-	1	2
ALL OTHER--MALE----	23	1	1	-	-	-	-	-	-	-	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	21	1	1	-	-	-	-	-	-	-	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	2	2
DISTRICT OF COLUMBIA ----	336	1	-	-	-	2	1	-	3	10	9	11
WHITE-----MALE----	31	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	104	1	-	-	-	1	1	-	1	6	3	6
FEMALE--	138	-	-	-	-	-	-	-	1	4	5	5
BLACK---MALE----	101	1	-	-	-	1	1	-	1	6	3	6
FEMALE--	138	-	-	-	-	-	-	-	1	4	5	5
FLORIDA -----	10,026	13	5	3	4	-	2	10	26	64	106	143
WHITE-----MALE----	3,685	4	1	2	2	-	-	4	9	23	38	50
FEMALE--	5,183	5	1	-	1	-	1	2	11	19	27	43
ALL OTHER--MALE----	515	2	2	-	-	-	1	2	3	6	23	31
FEMALE--	643	2	1	1	1	-	-	2	3	16	18	19
BLACK---MALE----	493	2	2	-	-	-	1	2	3	6	21	30
FEMALE--	628	2	1	1	1	-	-	2	3	16	18	19
GEORGIA -----	4,267	10	2	3	1	5	6	12	21	28	80	124
WHITE-----MALE----	1,156	-	2	1	1	4	2	5	4	5	19	31
FEMALE--	1,896	6	-	1	-	1	-	2	7	6	9	21
ALL OTHER--MALE----	529	3	-	-	-	-	3	2	6	10	19	39
FEMALE--	686	1	-	1	-	-	1	3	4	7	33	33
BLACK---MALE----	510	3	-	-	-	-	3	2	6	10	18	39
FEMALE--	673	1	-	1	-	-	1	3	4	7	33	31

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,703

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
COLORADO -----	36	55	61	82	148	251	317	333	242	93	15	-
WHITE-----MALE----	14	20	29	38	69	104	105	104	56	11	2	-
FEMALE--	16	28	28	35	71	137	195	222	180	78	12	-
ALL OTHER--MALE----	4	3	3	6	7	5	4	2	-	1	-	-
FEMALE--	2	4	1	3	1	5	13	5	6	3	1	-
BLACK---MALE----	3	2	2	5	7	3	4	2	-	1	-	-
FEMALE--	-	2	1	1	1	4	12	4	5	3	1	-
CONNECTICUT -----	24	34	45	96	170	285	375	396	295	110	16	-
WHITE-----MALE----	8	20	19	43	86	125	131	115	65	18	1	-
FEMALE--	12	10	11	45	72	144	229	269	221	85	14	-
ALL OTHER--MALE----	2	3	9	1	5	4	2	2	3	1	-	-
FEMALE--	2	1	6	7	7	12	13	10	6	6	1	-
BLACK---MALE----	1	3	9	1	5	3	2	1	3	1	-	-
FEMALE--	2	1	5	6	6	11	11	9	6	6	1	-
DELAWARE -----	5	11	13	21	39	56	63	72	36	8	3	-
WHITE-----MALE----	3	5	5	8	20	21	21	23	7	1	-	-
FEMALE--	1	4	6	7	15	26	32	43	27	6	2	-
ALL OTHER--MALE----	1	2	1	4	2	4	2	2	1	-	-	-
FEMALE--	-	-	1	2	2	5	8	4	1	1	1	-
BLACK---MALE----	1	2	1	4	2	3	1	2	1	-	-	-
FEMALE--	-	-	1	2	2	5	8	4	1	1	1	-
DISTRICT OF COLUMBIA ----	13	13	27	20	25	54	43	45	36	20	3	-
WHITE-----MALE----	-	-	2	2	1	7	6	5	4	2	-	-
FEMALE--	1	-	2	1	-	7	9	11	19	11	1	-
ALL OTHER--MALE----	6	8	14	13	9	13	9	6	5	2	-	-
FEMALE--	6	5	9	4	15	27	19	23	8	5	2	-
BLACK---MALE----	5	8	14	13	9	12	8	6	5	2	-	-
FEMALE--	6	5	9	4	15	27	19	23	8	5	2	-
FLORIDA -----	167	234	324	556	1,015	1,522	2,062	1,994	1,270	429	75	2
WHITE-----MALE----	53	109	131	232	446	648	851	651	348	75	7	1
FEMALE--	54	56	102	228	413	708	1,058	1,228	848	319	58	1
ALL OTHER--MALE----	36	38	49	58	66	77	58	38	14	10	1	-
FEMALE--	24	31	42	38	90	89	95	77	60	25	9	-
BLACK---MALE----	34	37	46	56	63	74	56	35	14	10	1	-
FEMALE--	23	28	42	38	89	88	91	76	58	23	9	-
GEORGIA -----	131	168	223	323	469	620	750	673	451	148	19	-
WHITE-----MALE----	35	47	69	101	163	200	216	148	79	21	3	-
FEMALE--	23	41	65	100	160	255	382	422	291	96	8	-
ALL OTHER--MALE----	44	47	54	56	73	68	54	27	18	3	3	-
FEMALE--	29	33	35	66	73	97	98	76	63	28	5	-
BLACK---MALE----	42	44	53	53	71	66	51	26	17	3	3	-
FEMALE--	28	33	34	66	73	94	95	76	60	28	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,704

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
HAWAII -----	17	25	28	51	78	115	132	99	81	36	6	-
WHITE-----MALE----	-	1	2	6	7	8	13	7	4	1	-	-
FEMALE--	1	-	1	2	6	11	12	13	17	5	1	-
ALL OTHER--MALE----	6	14	14	23	31	62	63	43	27	7	3	-
FEMALE--	10	10	11	20	34	34	44	36	33	23	2	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
IDAHO -----	13	7	23	34	53	117	151	173	83	27	8	-
WHITE-----MALE----	7	-	11	15	27	48	53	57	24	7	-	-
FEMALE--	6	7	12	18	23	68	98	115	58	19	7	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ILLINOIS -----	127	177	265	419	702	1,033	1,392	1,379	964	374	83	-
WHITE-----MALE----	51	57	94	179	285	411	513	435	223	56	9	-
FEMALE--	29	50	81	150	301	503	744	858	681	293	72	-
ALL OTHER--MALE----	27	39	48	42	62	45	50	23	17	5	-	-
FEMALE--	20	31	42	48	54	74	85	63	43	20	2	-
BLACK---MALE----	26	38	43	38	58	39	45	21	16	5	-	-
FEMALE--	18	29	41	42	53	61	73	60	40	20	2	-
INDIANA -----	69	76	124	217	412	544	739	771	508	195	35	-
WHITE-----MALE----	31	26	57	100	188	226	296	218	119	35	4	-
FEMALE--	25	30	54	90	190	279	405	538	369	151	29	-
ALL OTHER--MALE----	8	13	7	14	13	19	16	3	8	2	1	-
FEMALE--	5	7	6	13	21	20	22	12	12	7	1	-
BLACK---MALE----	8	13	7	14	12	19	15	3	8	2	1	-
FEMALE--	5	7	5	13	21	18	22	12	11	7	1	-
IOWA -----	22	38	46	74	160	291	455	456	384	146	42	-
WHITE-----MALE----	10	19	25	45	83	147	184	166	94	20	3	-
FEMALE--	11	18	17	28	75	141	265	289	290	122	39	-
ALL OTHER--MALE----	1	1	3	1	1	3	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	5	1	-	4	-	-
BLACK---MALE----	1	1	2	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	4	1	-	4	-	-
KANSAS -----	28	35	39	69	129	224	336	385	287	113	26	-
WHITE-----MALE----	17	20	18	32	66	89	128	132	60	19	3	-
FEMALE--	6	12	17	31	55	118	195	241	212	92	23	-
ALL OTHER--MALE----	4	1	3	1	5	6	5	2	3	-	-	-
FEMALE--	1	2	1	5	3	11	8	10	12	2	-	-
BLACK---MALE----	3	1	3	1	4	4	5	2	2	-	-	-
FEMALE--	1	1	1	5	3	9	7	6	12	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,705

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
KENTUCKY -----	2,502	2	-	-	-	2	2	7	5	13	25	20
WHITE-----MALE----	903	2	-	-	-	2	-	2	2	3	7	9
FEMALE--	1,433	-	-	-	-	-	2	3	3	6	10	9
ALL OTHER--MALE----	64	-	-	-	-	-	-	2	-	3	2	1
FEMALE--	102	-	-	-	-	-	-	-	-	1	6	1
BLACK---MALE----	63	-	-	-	-	-	-	2	-	3	2	1
FEMALE--	97	-	-	-	-	-	-	-	-	1	6	1
LOUISIANA -----	2,528	3	3	1	2	1	4	-	10	28	48	65
WHITE-----MALE----	665	1	1	1	1	1	-	-	1	3	12	11
FEMALE--	1,033	-	-	-	-	-	-	-	1	6	7	11
ALL OTHER--MALE----	347	1	1	-	-	-	2	-	6	10	9	21
FEMALE--	483	1	1	-	1	-	2	-	2	9	20	22
BLACK---MALE----	339	1	1	-	-	-	2	-	5	10	9	21
FEMALE--	478	1	1	-	1	-	2	-	2	9	20	22
MAINE -----	789	2	-	-	-	-	-	-	3	5	3	6
WHITE-----MALE----	310	2	-	-	-	-	-	-	3	-	1	3
FEMALE--	479	-	-	-	-	-	-	-	-	5	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,607	4	-	-	2	2	1	1	9	22	42	56
WHITE-----MALE----	749	-	-	-	-	1	-	-	1	10	7	15
FEMALE--	1,230	2	-	-	1	-	1	1	1	3	6	9
ALL OTHER--MALE----	267	2	-	-	1	1	-	-	1	4	14	16
FEMALE--	361	-	-	-	-	-	-	-	6	5	15	16
BLACK---MALE----	250	2	-	-	1	1	-	-	1	4	13	16
FEMALE--	333	-	-	-	-	-	-	-	6	5	15	14
MASSACHUSETTS -----	3,410	7	-	-	1	3	1	5	6	16	27	36
WHITE-----MALE----	1,187	4	-	-	1	2	1	3	1	6	7	19
FEMALE--	2,082	3	-	-	-	-	-	-	3	8	14	12
ALL OTHER--MALE----	57	-	-	-	-	1	-	2	1	-	3	3
FEMALE--	84	-	-	-	-	-	-	-	1	2	3	2
BLACK---MALE----	41	-	-	-	-	1	-	2	1	-	2	2
FEMALE--	67	-	-	-	-	-	-	-	1	2	3	2
MICHIGAN -----	5,757	10	7	1	2	2	2	6	21	40	58	103
WHITE-----MALE----	1,927	6	3	1	2	2	2	-	7	16	18	32
FEMALE--	3,047	2	2	-	-	-	-	3	10	15	13	23
ALL OTHER--MALE----	332	1	-	-	-	-	-	2	-	3	14	27
FEMALE--	451	1	2	-	-	-	-	1	4	6	13	21
BLACK---MALE----	315	-	-	-	-	-	-	2	-	3	12	27
FEMALE--	421	1	2	-	-	-	-	1	4	6	11	20

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,705

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
KENTUCKY -----	61	55	102	148	252	400	471	470	326	115	26	-
WHITE-----MALE----	23	25	51	70	110	162	179	149	77	25	5	-
FEMALE--	24	25	38	66	124	213	269	300	243	80	18	-
ALL OTHER--MALE----	9	3	7	6	6	10	8	5	1	-	1	-
FEMALE--	5	2	6	6	12	15	15	16	5	10	2	-
BLACK---MALE----	9	3	7	6	6	9	8	5	1	-	1	-
FEMALE--	4	2	5	6	11	15	15	14	5	10	2	-
LOUISIANA -----	62	79	125	178	279	349	439	449	282	95	26	-
WHITE-----MALE----	15	19	40	57	99	117	119	107	47	10	3	-
FEMALE--	14	16	26	54	79	132	203	240	174	58	12	-
ALL OTHER--MALE----	20	24	30	30	49	37	46	37	20	4	-	-
FEMALE--	13	20	29	37	52	63	71	65	41	23	11	-
BLACK---MALE----	20	23	30	29	49	37	42	37	19	4	-	-
FEMALE--	13	19	29	37	51	62	70	64	41	23	11	-
MAINE -----	14	10	22	41	72	133	136	162	118	53	9	-
WHITE-----MALE----	8	4	11	22	37	64	57	63	23	11	1	-
FEMALE--	6	6	11	19	35	69	79	99	95	42	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	63	93	91	143	273	424	463	448	327	117	26	-
WHITE-----MALE----	15	21	24	63	89	152	163	117	55	14	2	-
FEMALE--	7	24	30	27	99	186	216	268	242	87	20	-
ALL OTHER--MALE----	24	23	19	30	38	48	19	18	5	4	-	-
FEMALE--	17	25	18	23	47	38	65	45	25	12	4	-
BLACK---MALE----	24	20	19	29	36	44	16	15	5	4	-	-
FEMALE--	16	23	16	21	46	32	60	41	22	12	4	-
MASSACHUSETTS -----	58	58	77	165	280	466	682	718	551	205	48	-
WHITE-----MALE----	29	35	45	75	125	216	249	198	135	28	8	-
FEMALE--	24	18	20	71	140	237	412	503	407	172	38	-
ALL OTHER--MALE----	4	3	6	11	6	4	7	4	2	-	-	-
FEMALE--	1	2	6	8	9	9	14	13	7	5	2	-
BLACK---MALE----	3	3	3	6	6	3	5	3	1	-	-	-
FEMALE--	-	2	3	7	9	8	9	11	5	3	2	-
MICHIGAN -----	116	150	166	343	592	875	1,120	1,076	751	261	55	-
WHITE-----MALE----	42	62	71	161	235	359	394	306	159	45	4	-
FEMALE--	36	48	50	119	245	422	605	677	539	197	41	-
ALL OTHER--MALE----	18	19	30	33	54	40	39	33	14	3	2	-
FEMALE--	20	21	15	30	58	54	82	60	39	16	8	-
BLACK---MALE----	17	19	28	31	52	38	37	32	12	3	2	-
FEMALE--	18	19	14	29	53	51	75	56	37	16	8	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,706

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
MINNESOTA -----	43	49	74	139	236	392	581	656	490	209	44	-
WHITE-----MALE----	26	26	32	70	125	177	241	219	132	41	2	-
FEMALE--	12	18	31	61	100	207	331	431	353	167	42	-
ALL OTHER--MALE----	4	3	4	4	6	4	3	4	2	-	-	-
FEMALE--	1	2	7	4	5	4	6	2	3	1	-	-
BLACK---MALE----	3	2	-	3	1	2	1	3	-	-	-	-
FEMALE--	-	2	4	2	4	1	4	2	2	1	-	-
MISSISSIPPI -----	61	72	99	133	198	277	318	285	207	65	9	-
WHITE-----MALE----	17	19	20	39	69	74	91	63	40	8	-	-
FEMALE--	14	15	22	38	67	96	144	158	115	35	5	-
ALL OTHER--MALE----	18	23	23	29	26	51	28	28	15	6	1	-
FEMALE--	12	15	34	27	36	56	55	36	37	16	3	-
BLACK---MALE----	18	23	22	28	26	51	28	28	15	6	1	-
FEMALE--	12	15	34	27	35	55	55	36	37	16	3	-
MISSOURI -----	68	84	125	208	323	517	683	795	546	200	34	-
WHITE-----MALE----	30	29	57	96	127	220	229	231	150	27	4	-
FEMALE--	24	34	51	84	156	255	420	527	363	162	27	-
ALL OTHER--MALE----	9	14	10	14	21	18	15	11	9	5	-	-
FEMALE--	5	7	7	14	19	24	19	26	24	6	3	-
BLACK---MALE----	8	14	9	14	21	18	15	11	8	5	-	-
FEMALE--	5	6	7	12	17	23	17	26	23	5	3	-
MONTANA -----	3	14	18	20	56	84	92	109	89	29	10	-
WHITE-----MALE----	1	7	7	11	25	36	37	41	23	7	-	-
FEMALE--	2	7	10	6	28	45	52	67	66	21	9	-
ALL OTHER--MALE----	-	-	1	1	1	1	2	1	-	-	1	-
FEMALE--	-	-	-	2	2	2	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	20	17	32	41	86	137	216	265	180	72	11	-
WHITE-----MALE----	12	9	13	18	38	62	91	95	45	11	1	-
FEMALE--	4	7	15	22	46	72	122	166	132	61	9	-
ALL OTHER--MALE----	3	1	-	-	2	2	-	3	-	-	-	-
FEMALE--	1	-	4	1	-	1	3	1	3	-	1	-
BLACK---MALE----	2	1	-	-	2	2	-	3	-	-	-	-
FEMALE--	1	-	4	1	-	1	3	1	2	-	1	-
NEVADA -----	21	28	38	56	103	145	137	129	79	21	3	-
WHITE-----MALE----	10	9	15	28	36	60	60	35	15	3	-	-
FEMALE--	9	13	19	20	60	71	68	84	62	17	2	-
ALL OTHER--MALE----	1	2	3	1	4	5	5	4	1	-	-	-
FEMALE--	1	4	1	7	3	9	4	6	1	1	1	-
BLACK---MALE----	1	2	2	-	2	4	3	1	1	-	-	-
FEMALE--	1	3	-	3	1	5	4	5	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,708

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
OHIO -----	6,878	11	4	1	5	6	1	9	12	37	63	120
WHITE-----MALE----	2,322	3	1	-	2	1	-	3	5	12	21	44
FEMALE--	3,837	2	1	-	3	5	-	3	5	15	23	32
ALL OTHER--MALE----	316	3	2	1	-	-	1	-	2	6	8	19
FEMALE--	403	3	-	-	-	-	-	3	-	4	11	25
BLACK---MALE----	307	3	2	1	-	-	1	-	2	6	8	19
FEMALE--	391	3	-	-	-	-	-	3	-	4	11	24
OKLAHOMA -----	2,393	2	1	-	1	-	1	2	7	20	26	34
WHITE-----MALE----	813	1	-	-	-	-	1	1	3	3	10	12
FEMALE--	1,322	-	1	-	1	-	-	1	4	4	7	14
ALL OTHER--MALE----	114	1	-	-	-	-	-	-	-	5	7	7
FEMALE--	144	-	-	-	-	-	-	-	-	8	2	1
BLACK---MALE----	80	-	-	-	-	-	-	-	-	2	4	7
FEMALE--	94	-	-	-	-	-	-	-	-	6	1	1
OREGON -----	2,569	3	-	-	-	1	1	1	6	8	16	30
WHITE-----MALE----	961	2	-	-	-	-	1	-	3	4	5	16
FEMALE--	1,535	1	-	-	-	1	-	1	3	4	8	12
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	1
PENNSYLVANIA -----	8,371	15	2	2	2	-	4	9	17	48	88	81
WHITE-----MALE----	2,802	7	1	1	2	-	2	2	5	17	33	32
FEMALE--	4,839	3	-	-	-	-	1	5	9	16	28	27
ALL OTHER--MALE----	303	3	1	1	-	-	1	1	1	6	15	11
FEMALE--	427	2	-	-	-	-	-	1	2	9	12	11
BLACK---MALE----	287	3	1	1	-	-	1	1	1	6	14	11
FEMALE--	399	2	-	-	-	-	-	1	2	9	12	10
RHODE ISLAND -----	684	-	-	-	-	1	1	-	3	2	5	8
WHITE-----MALE----	249	-	-	-	-	-	1	-	2	1	3	5
FEMALE--	409	-	-	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,845	1	-	-	2	-	4	1	11	25	40	64
WHITE-----MALE----	767	1	-	-	1	-	1	-	3	8	7	14
FEMALE--	1,108	-	-	-	-	-	1	-	1	4	8	15
ALL OTHER--MALE----	444	-	-	-	-	-	-	1	4	6	10	23
FEMALE--	526	-	-	-	1	-	2	-	3	7	15	12
BLACK---MALE----	440	-	-	-	-	-	-	1	4	6	10	23
FEMALE--	524	-	-	-	1	-	2	-	3	7	15	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,708

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
OHIO -----	142	164	242	392	709	1,060	1,308	1,350	855	317	70	-
WHITE-----MALE----	58	66	107	180	288	418	476	385	194	54	4	-
FEMALE--	54	59	89	148	326	533	740	874	619	248	58	-
ALL OTHER--MALE----	16	19	19	29	53	47	41	40	7	2	1	-
FEMALE--	14	20	27	35	42	62	51	51	35	13	7	-
BLACK---MALE----	16	18	19	29	50	45	39	39	7	2	1	-
FEMALE--	13	19	25	35	37	61	50	51	35	13	7	-
OKLAHOMA -----	45	54	69	117	250	358	424	509	340	103	29	1
WHITE-----MALE----	15	21	26	49	122	149	119	172	85	20	4	-
FEMALE--	21	19	24	54	98	172	260	311	229	78	23	1
ALL OTHER--MALE----	4	8	10	7	14	21	14	8	7	1	-	-
FEMALE--	5	6	9	7	16	16	31	18	19	4	2	-
BLACK---MALE----	2	6	8	5	8	15	11	5	6	1	-	-
FEMALE--	5	4	7	3	10	11	19	10	15	1	1	-
OREGON -----	29	33	56	123	225	363	550	595	368	136	25	-
WHITE-----MALE----	15	16	34	59	111	154	217	193	98	28	5	-
FEMALE--	10	14	16	61	105	196	315	395	265	108	20	-
ALL OTHER--MALE----	1	3	3	-	5	3	8	3	-	-	-	-
FEMALE--	3	-	3	3	4	10	10	4	5	-	-	-
BLACK---MALE----	1	2	-	-	1	3	5	1	-	-	-	-
FEMALE--	-	-	-	1	1	4	4	1	4	-	-	-
PENNSYLVANIA -----	125	151	280	508	794	1,256	1,734	1,682	1,109	382	82	-
WHITE-----MALE----	45	53	118	234	354	523	582	493	226	65	7	-
FEMALE--	48	57	108	193	356	644	1,043	1,114	831	286	70	-
ALL OTHER--MALE----	25	27	25	38	34	37	36	19	13	8	1	-
FEMALE--	7	14	29	43	50	52	73	56	39	23	4	-
BLACK---MALE----	24	23	24	37	34	35	32	19	13	6	1	-
FEMALE--	7	13	24	41	44	49	68	53	38	22	4	-
RHODE ISLAND -----	10	10	14	35	61	109	140	133	102	39	11	-
WHITE-----MALE----	6	2	6	17	31	48	53	46	19	7	1	-
FEMALE--	3	7	6	17	26	56	84	85	78	32	9	-
ALL OTHER--MALE----	-	1	1	1	2	1	1	1	-	-	-	-
FEMALE--	1	-	1	-	2	4	2	1	5	-	1	-
BLACK---MALE----	-	-	1	1	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	2	4	2	-	4	-	1	-
SOUTH CAROLINA -----	94	112	157	217	350	456	459	447	290	97	18	-
WHITE-----MALE----	33	28	54	66	121	147	137	97	38	11	-	-
FEMALE--	17	19	25	54	106	169	200	248	171	59	11	-
ALL OTHER--MALE----	27	48	44	55	51	65	51	33	19	6	1	-
FEMALE--	17	17	34	42	72	75	71	69	62	21	6	-
BLACK---MALE----	25	48	44	54	51	65	50	33	19	6	1	-
FEMALE--	17	17	34	41	72	75	70	69	62	21	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,709

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
SOUTH DAKOTA -----	571	2	1	-	-	-	-	1	-	1	3	7
WHITE-----MALE----	230	1	1	-	-	-	-	-	-	1	2	5
FEMALE--	321	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,021	3	-	-	1	1	5	5	15	19	49	65
WHITE-----MALE----	1,226	-	-	-	-	-	-	1	6	6	16	18
FEMALE--	2,111	1	-	-	1	1	1	3	5	7	18	17
ALL OTHER--MALE----	293	1	-	-	-	-	3	1	1	2	6	22
FEMALE--	391	1	-	-	-	-	1	-	3	4	9	8
BLACK---MALE----	286	1	-	-	-	-	3	1	1	2	6	21
FEMALE--	388	1	-	-	-	-	1	-	3	4	9	7
TEXAS -----	10,150	27	3	3	3	7	9	19	27	76	134	176
WHITE-----MALE----	3,361	12	1	1	1	3	4	8	13	28	52	68
FEMALE--	5,451	9	1	1	1	3	4	9	10	27	41	53
ALL OTHER--MALE----	580	1	1	1	1	1	-	2	1	14	22	25
FEMALE--	758	5	-	-	-	-	1	-	3	7	19	30
BLACK---MALE----	540	1	1	1	1	1	-	2	1	11	21	25
FEMALE--	718	5	-	-	-	-	1	-	3	6	19	28
UTAH -----	875	3	-	-	-	-	1	2	1	4	6	5
WHITE-----MALE----	336	2	-	-	-	-	1	1	1	3	4	2
FEMALE--	531	1	-	-	-	-	-	1	-	1	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	347	-	-	-	-	-	-	1	-	3	4	3
WHITE-----MALE----	136	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	211	-	-	-	-	-	-	-	-	3	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,041	8	4	1	-	2	5	5	23	20	51	51
WHITE-----MALE----	1,143	1	2	-	-	1	2	2	8	3	12	17
FEMALE--	1,983	1	2	-	-	1	2	1	6	9	11	12
ALL OTHER--MALE----	396	4	-	1	-	-	1	1	4	2	12	12
FEMALE--	519	2	-	-	-	-	-	1	5	6	16	10
BLACK---MALE----	369	4	-	1	-	-	1	-	2	2	11	12
FEMALE--	492	1	-	-	-	-	-	1	5	5	15	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,709

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
SOUTH DAKOTA -----	5	8	13	22	40	81	120	123	96	42	6	-
WHITE-----MALE----	-	3	4	12	22	41	52	50	25	11	-	-
FEMALE--	5	3	3	9	16	40	65	70	70	31	6	-
ALL OTHER--MALE----	-	2	3	1	-	-	3	1	-	-	-	-
FEMALE--	-	-	3	-	2	-	-	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	93	126	174	283	372	593	745	762	518	173	18	1
WHITE-----MALE----	31	53	67	122	138	204	248	189	107	19	1	-
FEMALE--	26	32	61	104	147	296	398	495	358	124	16	-
ALL OTHER--MALE----	21	20	21	26	41	45	33	24	18	7	-	1
FEMALE--	15	21	25	31	46	48	66	54	35	23	1	-
BLACK---MALE----	21	19	21	24	41	44	31	24	18	7	-	1
FEMALE--	15	21	25	31	46	47	65	54	35	23	1	-
TEXAS -----	242	244	380	627	990	1,447	1,823	2,006	1,308	492	106	1
WHITE-----MALE----	92	105	159	252	422	555	611	588	299	76	10	1
FEMALE--	89	83	127	242	406	722	1,047	1,248	884	362	82	-
ALL OTHER--MALE----	29	31	53	64	78	77	64	64	32	18	1	-
FEMALE--	32	25	41	69	84	93	101	106	93	36	13	-
BLACK---MALE----	29	29	45	60	71	70	61	62	31	16	1	-
FEMALE--	27	23	38	65	80	84	96	103	91	36	13	-
UTAH -----	9	16	25	43	84	124	205	186	127	32	2	-
WHITE-----MALE----	2	10	12	26	42	50	83	58	28	11	-	-
FEMALE--	6	6	12	17	41	72	119	128	99	21	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
VERMONT -----	3	6	14	16	26	52	65	69	61	20	4	-
WHITE-----MALE----	2	4	10	7	14	20	23	26	21	3	1	-
FEMALE--	1	2	4	9	12	32	42	43	40	17	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	87	99	184	263	390	661	736	755	492	169	35	-
WHITE-----MALE----	24	38	65	88	130	225	216	193	89	25	2	-
FEMALE--	27	19	49	87	148	286	397	455	329	120	21	-
ALL OTHER--MALE----	18	24	43	47	53	67	49	37	17	3	1	-
FEMALE--	18	18	27	41	59	83	74	70	57	21	11	-
BLACK---MALE----	18	19	40	45	50	66	44	35	15	3	1	-
FEMALE--	15	17	23	37	57	82	74	66	53	21	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,710

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
WASHINGTON -----	3,365	3	1	-	-	1	2	2	7	19	14	42
WHITE-----MALE----	1,269	1	-	-	-	-	1	-	3	10	5	19
FEMALE--	1,909	2	1	-	-	1	1	1	3	4	8	14
ALL OTHER--MALE----	84	-	-	-	-	-	-	-	-	3	-	5
FEMALE--	103	-	-	-	-	-	-	1	1	2	1	4
BLACK---MALE----	35	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	2
WEST VIRGINIA -----	1,237	3	-	-	1	-	1	4	1	6	7	12
WHITE-----MALE----	437	-	-	-	-	-	-	-	1	4	6	5
FEMALE--	752	3	-	-	1	-	-	2	-	2	1	6
ALL OTHER--MALE----	25	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	23	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	23	-	-	-	-	-	1	-	-	-	-	-
WISCONSIN -----	3,681	5	-	-	-	-	2	3	7	11	31	37
WHITE-----MALE----	1,349	-	-	-	-	-	-	1	3	4	15	17
FEMALE--	2,214	3	-	-	-	-	2	2	1	4	12	13
ALL OTHER--MALE----	48	2	-	-	-	-	-	-	1	1	2	4
FEMALE--	70	-	-	-	-	-	-	-	2	2	2	3
BLACK---MALE----	37	2	-	-	-	-	-	-	-	1	1	4
FEMALE--	51	-	-	-	-	-	-	-	2	1	1	2
WYOMING -----	233	-	-	-	-	1	-	-	-	1	1	7
WHITE-----MALE----	96	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	131	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,711

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
0 UNITED STATES --	6,942	3	2	4	12	14	45	81	172	362	599	658
WHITE-----MALE----	1,990	-	-	1	7	9	13	31	61	116	185	206
FEMALE--	3,686	-	1	1	4	4	17	33	59	148	238	271
ALL OTHER--MALE----	399	1	1	1	1	1	7	11	13	31	60	66
FEMALE--	867	2	-	1	-	-	8	6	39	67	116	115
BLACK---MALE----	306	1	1	1	1	1	5	9	9	26	49	53
FEMALE--	667	2	-	1	-	-	7	6	34	57	102	93
ALABAMA -----	107	-	-	-	-	-	1	2	3	6	6	8
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	50	-	-	-	-	-	-	2	2	2	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	21	-	-	-	-	-	1	-	-	1	2	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	20	-	-	-	-	-	1	-	-	1	2	1
ALASKA -----	9	-	-	-	-	-	1	-	1	1	3	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	1	1	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	105	-	-	-	-	-	1	3	2	5	8	10
WHITE-----MALE----	26	-	-	-	-	-	1	2	-	1	2	2
FEMALE--	70	-	-	-	-	-	-	1	1	3	5	6
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	78	-	-	-	-	-	-	2	6	3	7	4
WHITE-----MALE----	30	-	-	-	-	-	-	1	2	2	2	3
FEMALE--	35	-	-	-	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	2	-	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	2	-	2	-
CALIFORNIA -----	795	-	-	-	1	2	7	4	18	44	65	93
WHITE-----MALE----	237	-	-	-	-	1	3	2	6	14	26	27
FEMALE--	372	-	-	-	-	1	3	1	7	17	23	37
ALL OTHER--MALE----	64	-	-	-	1	-	1	1	1	4	7	10
FEMALE--	122	-	-	-	-	-	-	-	4	9	9	19
BLACK---MALE----	22	-	-	-	1	-	-	-	-	3	5	1
FEMALE--	42	-	-	-	-	-	-	-	3	4	3	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,711

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
0 UNITED STATES --	676	647	576	613	720	697	537	348	135	36	5	-
WHITE-----MALE----	222	195	165	169	203	154	130	95	24	3	1	-
FEMALE--	325	331	303	363	426	452	362	220	99	27	2	-
ALL OTHER--MALE----	51	44	20	22	36	15	10	5	2	1	-	-
FEMALE--	78	77	88	59	55	76	35	28	10	5	2	-
BLACK---MALE----	42	36	11	16	23	12	5	4	1	-	-	-
FEMALE--	58	60	70	46	35	42	23	18	8	3	2	-
ALABAMA -----	11	9	10	12	16	10	5	7	1	-	-	-
WHITE-----MALE----	1	3	2	5	3	2	1	3	-	-	-	-
FEMALE--	5	4	4	4	12	5	4	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	4	2	4	2	1	2	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	3	2	4	2	1	2	-	-	1	-	-	-
ALASKA -----	1	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	7	11	7	14	12	11	2	4	-	-	-
WHITE-----MALE----	2	2	3	1	5	1	3	-	1	-	-	-
FEMALE--	5	3	8	6	9	10	8	2	3	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	11	4	8	12	7	7	-	-	1	-	-
WHITE-----MALE----	2	3	-	5	6	1	3	-	-	-	-	-
FEMALE--	2	6	3	3	5	6	4	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	74	75	66	74	85	77	53	35	19	3	-	-
WHITE-----MALE----	30	24	21	22	21	17	9	13	1	-	-	-
FEMALE--	30	34	30	39	41	41	33	16	17	2	-	-
ALL OTHER--MALE----	6	5	4	7	9	2	4	1	-	1	-	-
FEMALE--	8	12	11	6	14	17	7	5	1	-	-	-
BLACK---MALE----	2	4	1	3	1	1	-	-	-	-	-	-
FEMALE--	1	6	5	3	3	4	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,712

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SUBARACHNOID HEMORRHAGE (430)												
COLORADO -----	77	-	-	-	-	-	-	1	1	2	8	14
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	43	-	-	-	-	-	-	1	-	1	3	8
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	2
CONNECTICUT -----	86	-	-	-	1	-	-	1	1	1	11	4
WHITE-----MALE----	36	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	49	-	-	-	1	-	-	-	-	-	8	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	20	-	-	-	-	-	-	2	-	-	2	2
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	19	-	-	-	-	1	-	-	2	2	2	1
WHITE-----MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	2	1
FLORIDA -----	434	-	-	-	-	-	1	5	8	19	41	36
WHITE-----MALE----	136	-	-	-	-	-	-	3	2	7	16	12
FEMALE--	237	-	-	-	-	-	1	1	4	8	15	16
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	1	-	4	5
FEMALE--	39	-	-	-	-	-	-	-	1	4	6	3
BLACK---MALE----	20	-	-	-	-	-	-	1	1	-	3	5
FEMALE--	36	-	-	-	-	-	-	-	1	4	6	3
GEORGIA -----	210	-	-	1	-	1	1	4	6	10	25	32
WHITE-----MALE----	53	-	-	-	-	-	-	2	1	1	5	8
FEMALE--	90	-	-	1	-	1	-	1	3	3	4	10
ALL OTHER--MALE----	22	-	-	-	-	-	1	1	1	3	4	5
FEMALE--	45	-	-	-	-	-	-	-	1	3	12	9
BLACK---MALE----	21	-	-	-	-	-	1	1	1	3	3	5
FEMALE--	44	-	-	-	-	-	-	-	1	3	12	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,712

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
COLORADO -----	9	13	5	4	5	8	-	5	1	1	-	-
WHITE-----MALE----	3	3	3	2	2	2	-	3	-	-	-	-
FEMALE--	5	9	1	2	3	6	-	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	9	4	7	8	7	12	5	4	2	-	-
WHITE-----MALE----	4	5	1	1	4	4	3	3	2	1	-	-
FEMALE--	5	4	3	5	4	3	9	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	2	3	1	-	2	4	1	1	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	3	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	2	2	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	1	-	-	-	-	-	-
FLORIDA -----	35	40	34	36	48	51	43	25	8	3	1	-
WHITE-----MALE----	10	14	11	12	17	13	12	6	1	-	-	-
FEMALE--	13	21	16	24	26	37	28	17	7	3	-	-
ALL OTHER--MALE----	4	1	1	-	2	-	1	2	-	-	-	-
FEMALE--	8	4	6	-	3	1	2	-	-	-	1	-
BLACK---MALE----	3	1	1	-	2	-	1	2	-	-	-	-
FEMALE--	8	2	6	-	3	1	1	-	-	-	1	-
GEORGIA -----	19	25	23	16	13	14	12	8	-	-	-	-
WHITE-----MALE----	6	6	9	4	3	5	2	1	-	-	-	-
FEMALE--	4	13	11	9	9	7	7	7	-	-	-	-
ALL OTHER--MALE----	3	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	3	3	1	2	3	-	-	-	-	-
BLACK---MALE----	3	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	2	3	1	2	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,713

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
HAWAII -----	5	1	1	2	4	7	4	3	1	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	4	-	1	1	2	6	3	3	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	2	4	3	3	5	-	3	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	3	2	3	3	3	4	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	20	23	28	21	25	30	34	9	3	2	-	-
WHITE-----MALE----	6	2	8	7	12	8	10	1	-	1	-	-
FEMALE--	10	15	17	8	12	19	21	8	2	1	-	-
ALL OTHER--MALE----	2	3	1	1	1	-	-	-	-	-	-	-
FEMALE--	2	3	2	5	-	3	3	-	1	-	-	-
BLACK---MALE----	2	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	3	2	3	-	2	3	-	1	-	-	-
INDIANA -----	19	11	14	6	19	18	8	13	3	1	-	-
WHITE-----MALE----	10	6	4	2	7	8	1	3	-	-	-	-
FEMALE--	8	4	9	4	10	9	7	10	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	1	-	-	-	-	-	-
IOWA -----	8	6	2	7	9	12	5	3	2	-	-	-
WHITE-----MALE----	3	1	1	1	2	3	-	1	2	-	-	-
FEMALE--	5	5	1	6	7	9	5	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	4	6	9	7	12	6	4	2	-	-	-
WHITE-----MALE----	2	1	2	4	4	6	2	1	-	-	-	-
FEMALE--	1	3	4	5	2	6	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,714

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
KENTUCKY -----	106	-	-	-	-	-	-	3	2	5	6	12
WHITE-----MALE----	41	-	-	-	-	-	-	1	1	2	2	7
FEMALE--	61	-	-	-	-	-	-	2	1	3	3	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	105	1	-	-	-	-	2	-	1	7	14	11
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	36	-	-	-	-	-	-	-	1	2	3	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	35	1	-	-	-	-	2	-	-	1	6	6
BLACK---MALE----	10	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	34	1	-	-	-	-	2	-	-	1	6	6
MAINE -----	35	-	-	-	-	-	-	-	3	2	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	3	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	118	-	-	-	-	1	1	1	7	5	11	12
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	4	3	2
FEMALE--	51	-	-	-	-	-	1	1	1	-	4	4
ALL OTHER--MALE----	13	-	-	-	-	1	-	-	-	-	2	2
FEMALE--	27	-	-	-	-	-	-	-	5	1	2	4
BLACK---MALE----	13	-	-	-	-	1	-	-	-	-	2	2
FEMALE--	23	-	-	-	-	-	-	-	5	1	2	3
MASSACHUSETTS -----	145	-	-	-	-	1	-	1	1	9	11	13
WHITE-----MALE----	46	-	-	-	-	1	-	-	-	2	3	7
FEMALE--	85	-	-	-	-	-	-	-	1	5	7	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	1
MICHIGAN -----	243	-	-	1	2	-	-	3	5	15	24	24
WHITE-----MALE----	61	-	-	1	2	-	-	-	2	4	7	9
FEMALE--	139	-	-	-	-	-	-	1	2	8	10	7
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	2	5	3
FEMALE--	25	-	-	-	-	-	-	1	1	1	2	5
BLACK---MALE----	16	-	-	-	-	-	-	1	-	2	4	3
FEMALE--	23	-	-	-	-	-	-	1	1	1	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,714

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SUBARACHNOID HEMORRHAGE (430)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	12	9	8	13	16	8	8	3	1	-	-	-
WHITE-----MALE----	7	2	5	5	5	2	2	-	-	-	-	-
FEMALE--	5	6	3	8	10	5	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
LOUISIANA -----	8	9	9	11	7	10	7	4	3	1	-	-
WHITE-----MALE----	2	2	1	3	2	2	3	1	1	-	-	-
FEMALE--	4	4	3	7	2	2	3	1	2	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	5	1	2	5	1	2	-	1	-	-
BLACK---MALE----	1	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	5	1	1	5	1	2	-	1	-	-
MAINE -----	4	2	2	1	3	5	5	4	1	1	-	-
WHITE-----MALE----	2	-	-	1	1	-	1	2	1	-	-	-
FEMALE--	2	2	2	-	2	5	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	13	6	9	14	11	9	2	1	-	-	-
WHITE-----MALE----	5	2	-	3	5	1	-	1	-	-	-	-
FEMALE--	4	7	2	5	7	6	8	-	1	-	-	-
ALL OTHER--MALE----	3	1	2	-	-	2	-	-	-	-	-	-
FEMALE--	3	3	2	1	2	2	1	1	-	-	-	-
BLACK---MALE----	3	1	2	-	-	2	-	-	-	-	-	-
FEMALE--	3	2	2	1	2	1	-	1	-	-	-	-
MASSACHUSETTS -----	16	9	12	15	14	16	10	10	4	2	1	-
WHITE-----MALE----	5	3	6	4	2	6	2	4	-	-	1	-
FEMALE--	11	4	5	9	12	10	6	5	4	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	2	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	1	-	-	-	-
MICHIGAN -----	23	25	13	20	25	28	18	10	6	1	-	-
WHITE-----MALE----	6	6	1	5	5	6	4	2	1	-	-	-
FEMALE--	15	12	10	12	16	20	13	7	5	1	-	-
ALL OTHER--MALE----	2	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	7	1	1	3	1	1	1	-	-	-	-
BLACK---MALE----	2	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	6	1	1	2	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,717

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
OHIO -----	308	-	1	-	2	1	1	5	6	11	21	30
WHITE-----MALE----	78	-	-	-	1	-	-	1	2	3	5	5
FEMALE--	179	-	-	-	1	1	-	2	3	8	7	14
ALL OTHER--MALE----	18	-	1	-	-	-	1	-	1	-	2	3
FEMALE--	33	-	-	-	-	-	-	2	-	-	7	8
BLACK---MALE----	16	-	1	-	-	-	1	-	1	-	2	3
FEMALE--	31	-	-	-	-	-	-	2	-	-	7	8
OKLAHOMA -----	102	-	-	-	-	-	1	-	3	11	11	12
WHITE-----MALE----	27	-	-	-	-	-	1	-	1	2	2	2
FEMALE--	56	-	-	-	-	-	-	-	2	4	5	7
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	11	-	-	-	-	-	-	-	-	3	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	7	-	-	-	-	-	-	-	-	3	-	-
OREGON -----	99	-	-	-	-	-	1	1	2	5	7	9
WHITE-----MALE----	27	-	-	-	-	-	1	-	1	3	2	2
FEMALE--	64	-	-	-	-	-	-	1	1	2	3	6
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	329	1	-	-	-	-	1	4	7	18	34	31
WHITE-----MALE----	88	-	-	-	-	-	-	2	3	5	10	12
FEMALE--	189	-	-	-	-	-	1	2	3	7	15	12
ALL OTHER--MALE----	23	1	-	-	-	-	-	-	-	2	4	4
FEMALE--	29	-	-	-	-	-	-	-	1	4	5	3
BLACK---MALE----	21	1	-	-	-	-	-	-	-	2	4	4
FEMALE--	27	-	-	-	-	-	-	-	1	4	5	3
RHODE ISLAND -----	25	-	-	-	-	1	-	-	2	1	2	-
WHITE-----MALE----	9	-	-	-	-	1	-	-	1	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	102	-	-	-	1	-	-	-	3	4	10	12
WHITE-----MALE----	30	-	-	-	1	-	-	-	2	2	2	2
FEMALE--	43	-	-	-	-	-	-	-	1	-	4	7
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	3	3
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,717

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
OHIO -----	27	42	25	19	36	32	28	14	6	1	-	-
WHITE-----MALE----	8	13	11	1	12	4	10	2	-	-	-	-
FEMALE--	13	23	12	15	20	23	18	12	6	1	-	-
ALL OTHER--MALE----	2	1	-	2	3	2	-	-	-	-	-	-
FEMALE--	4	5	2	1	1	3	-	-	-	-	-	-
BLACK---MALE----	2	-	-	2	2	2	-	-	-	-	-	-
FEMALE--	3	4	2	1	1	3	-	-	-	-	-	-
OKLAHOMA -----	7	7	3	10	10	13	7	5	2	-	-	-
WHITE-----MALE----	2	2	2	3	2	5	-	2	1	-	-	-
FEMALE--	4	3	-	6	8	7	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
OREGON -----	9	7	5	15	11	9	13	4	1	-	-	-
WHITE-----MALE----	4	-	1	3	4	1	4	1	-	-	-	-
FEMALE--	3	7	4	11	7	7	9	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	29	20	28	27	27	25	43	19	11	4	-	-
WHITE-----MALE----	7	5	9	10	8	5	9	1	2	-	-	-
FEMALE--	17	12	17	13	15	17	34	15	6	3	-	-
ALL OTHER--MALE----	4	2	1	2	2	-	-	-	1	-	-	-
FEMALE--	1	1	1	2	2	3	-	3	2	1	-	-
BLACK---MALE----	4	1	-	2	2	-	-	-	1	-	-	-
FEMALE--	1	1	-	2	2	3	-	2	2	1	-	-
RHODE ISLAND -----	1	4	2	2	1	3	4	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	1	-	-	-
FEMALE--	1	3	1	1	-	3	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	9	8	6	14	11	8	-	1	1	-	-
WHITE-----MALE----	7	3	1	1	4	3	1	-	1	-	-	-
FEMALE--	3	4	4	2	6	7	4	-	6	1	-	-
ALL OTHER--MALE----	2	1	1	1	3	-	1	-	-	-	-	-
FEMALE--	2	1	2	2	1	1	2	-	-	-	-	-
BLACK---MALE----	2	1	1	1	3	-	1	-	-	-	-	-
FEMALE--	2	1	2	2	1	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,718

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
SOUTH DAKOTA -----	18	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	162	-	-	-	1	-	3	2	5	5	17	10
WHITE-----MALE----	40	-	-	-	-	-	-	1	-	2	6	-
FEMALE--	98	-	-	-	1	-	1	-	3	2	11	7
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	20	-	-	-	-	-	1	-	2	1	-	3
BLACK---MALE----	4	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	18	-	-	-	-	-	1	-	2	1	-	2
TEXAS -----	418	-	-	1	-	3	3	8	8	22	42	36
WHITE-----MALE----	117	-	-	-	-	3	1	2	2	7	15	10
FEMALE--	237	-	-	-	-	-	1	4	4	12	19	18
ALL OTHER--MALE----	16	-	-	1	-	-	-	2	1	1	3	1
FEMALE--	48	-	-	-	-	-	1	-	1	2	5	7
BLACK---MALE----	13	-	-	1	-	-	-	2	1	1	2	1
FEMALE--	36	-	-	-	-	-	1	-	1	1	5	5
UTAH -----	35	-	-	-	-	-	-	2	1	2	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	21	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	19	-	-	-	-	-	-	1	-	3	1	2
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	3	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	149	-	-	-	-	-	-	2	10	10	11	10
WHITE-----MALE----	40	-	-	-	-	-	-	1	5	1	-	3
FEMALE--	75	-	-	-	-	-	-	-	2	6	4	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	2	3	7	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	2	2	7	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,718

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
SOUTH DAKOTA -----	2	2	2	4	1	2	-	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	4	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	17	17	20	13	15	10	10	3	1	-	-
WHITE-----MALE----	3	8	2	6	5	1	2	4	-	-	-	-
FEMALE--	9	7	12	12	6	13	6	5	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	2	2	1	1	2	1	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	2	2	1	-	2	1	1	-	-	-
TEXAS -----	41	39	41	42	38	36	30	24	3	1	-	-
WHITE-----MALE----	7	17	12	11	9	5	9	7	-	-	-	-
FEMALE--	24	19	21	26	23	27	21	16	2	-	-	-
ALL OTHER--MALE----	3	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	7	3	7	5	3	4	-	1	1	1	-	-
BLACK---MALE----	3	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	4	2	5	5	2	2	-	1	1	1	-	-
UTAH -----	3	2	1	4	10	3	2	1	2	-	-	-
WHITE-----MALE----	1	1	-	4	3	1	-	-	1	-	-	-
FEMALE--	2	1	1	-	7	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	2	1	-	3	1	4	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	-	3	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	13	15	18	9	19	7	7	4	1	-	-
WHITE-----MALE----	3	2	5	5	4	4	3	3	1	-	-	-
FEMALE--	10	6	6	9	5	10	4	4	3	1	-	-
ALL OTHER--MALE----	-	3	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	3	3	-	5	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	2	-	4	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,720

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
0 UNITED STATES --	25,858	30	10	12	18	33	41	73	192	379	762	1,079
WHITE-----MALE----	9,516	12	5	7	6	17	16	26	66	135	240	371
FEMALE--	11,686	5	2	3	7	12	11	22	58	80	157	232
ALL OTHER--MALE----	2,424	5	2	1	3	1	9	13	36	89	190	291
FEMALE--	2,232	8	1	1	2	3	5	12	32	75	175	185
BLACK---MALE----	1,934	5	2	1	3	1	9	11	33	75	172	270
FEMALE--	1,778	7	1	1	1	1	5	8	28	67	163	170
ALABAMA -----	519	-	1	-	2	-	2	1	6	10	18	28
WHITE-----MALE----	181	-	-	-	2	-	1	1	3	-	3	6
FEMALE--	195	-	-	-	-	-	-	-	2	-	2	6
ALL OTHER--MALE----	69	-	1	-	-	-	-	-	1	4	5	11
FEMALE--	74	-	-	-	-	-	1	-	-	6	8	5
BLACK---MALE----	65	-	1	-	-	-	-	-	1	3	5	11
FEMALE--	73	-	-	-	-	-	1	-	-	6	8	5
ALASKA -----	19	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	388	-	-	-	-	-	-	1	3	6	10	13
WHITE-----MALE----	167	-	-	-	-	-	-	-	1	3	6	8
FEMALE--	208	-	-	-	-	-	-	1	1	3	4	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	343	-	-	-	-	2	-	2	2	4	8	22
WHITE-----MALE----	123	-	-	-	-	2	-	1	1	1	1	8
FEMALE--	156	-	-	-	-	-	-	1	-	-	3	4
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	2	3	8
FEMALE--	27	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	36	-	-	-	-	-	-	-	-	2	3	8
FEMALE--	26	-	-	-	-	-	-	-	1	-	1	2
CALIFORNIA -----	2,774	5	-	2	2	4	4	10	28	40	102	116
WHITE-----MALE----	1,028	3	-	1	1	1	3	4	12	23	34	44
FEMALE--	1,110	1	-	1	1	3	1	2	7	6	16	28
ALL OTHER--MALE----	343	-	-	-	-	-	-	2	5	8	19	25
FEMALE--	293	1	-	-	1	-	-	2	4	3	33	19
BLACK---MALE----	122	-	-	-	-	-	-	1	4	2	13	13
FEMALE--	133	1	-	-	-	-	-	-	4	2	26	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,720

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
0 UNITED STATES --	1,248	1,331	1,649	2,336	3,384	4,322	4,121	3,067	1,380	345	45	1
WHITE-----MALE----	478	505	675	1,012	1,438	1,740	1,469	907	327	62	2	-
FEMALE--	323	368	536	859	1,468	2,134	2,262	1,922	943	246	35	1
ALL OTHER--MALE----	268	277	246	254	242	209	147	92	35	12	2	-
FEMALE--	179	181	192	211	236	239	243	146	75	25	6	-
BLACK---MALE----	224	233	203	193	183	141	88	56	20	9	2	-
FEMALE--	151	140	154	166	172	173	171	113	58	23	5	-
ALABAMA -----	31	29	44	47	73	66	80	46	30	5	-	-
WHITE-----MALE----	9	10	18	19	29	31	25	14	8	2	-	-
FEMALE--	6	10	12	18	26	27	42	25	18	1	-	-
ALL OTHER--MALE----	10	3	8	5	10	4	5	1	1	-	-	-
FEMALE--	6	6	6	5	8	4	8	6	3	2	-	-
BLACK---MALE----	9	3	8	5	10	2	5	1	1	-	-	-
FEMALE--	6	5	6	5	8	4	8	6	3	2	-	-
ALASKA -----	-	3	4	1	1	-	3	2	1	-	-	-
WHITE-----MALE----	-	2	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	2	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	20	19	43	52	58	71	47	28	1	-	-
WHITE-----MALE----	10	10	7	24	27	18	27	19	6	1	-	-
FEMALE--	5	7	10	16	25	39	44	27	22	-	-	-
ALL OTHER--MALE----	1	1	2	3	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	25	26	25	53	47	50	31	26	3	2	-
WHITE-----MALE----	6	11	15	9	21	20	16	4	7	-	-	-
FEMALE--	5	7	8	10	23	24	29	22	15	3	2	-
ALL OTHER--MALE----	-	6	3	5	6	-	1	2	1	-	-	-
FEMALE--	4	1	-	1	3	3	4	3	3	-	-	-
BLACK---MALE----	-	6	3	5	5	-	1	2	1	-	-	-
FEMALE--	4	1	-	1	3	3	4	3	3	-	-	-
CALIFORNIA -----	159	165	191	258	313	446	425	342	129	26	7	-
WHITE-----MALE----	67	64	78	105	123	169	153	113	25	5	-	-
FEMALE--	37	41	53	81	123	202	211	186	86	20	5	-
ALL OTHER--MALE----	33	36	38	45	36	36	30	19	10	1	-	-
FEMALE--	22	24	22	27	31	39	31	24	8	-	2	-
BLACK---MALE----	11	16	21	14	9	8	4	4	2	-	-	-
FEMALE--	14	10	11	14	9	11	9	6	4	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,721

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	274	-	-	-	-	-	1	-	3	2	8	10
WHITE-----MALE----	101	-	-	-	-	-	-	-	-	1	3	7
FEMALE--	152	-	-	-	-	-	-	-	1	-	4	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	10	-	-	-	-	-	1	-	1	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	1
CONNECTICUT -----	317	-	-	-	-	-	-	-	3	2	9	9
WHITE-----MALE----	122	-	-	-	-	-	-	-	1	1	5	4
FEMALE--	167	-	-	-	-	-	-	-	2	-	2	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	73	1	-	-	-	-	-	-	-	-	2	4
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	39	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	2
DISTRICT OF COLUMBIA ----	93	-	-	-	-	-	1	-	-	8	4	7
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	46	-	-	-	-	-	1	-	-	6	2	5
FEMALE--	29	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	45	-	-	-	-	-	1	-	-	6	2	5
FEMALE--	29	-	-	-	-	-	-	-	-	2	2	2
FLORIDA -----	1,668	1	1	1	1	-	1	3	8	28	41	72
WHITE-----MALE----	640	-	-	1	1	-	-	-	3	8	14	25
FEMALE--	811	-	-	-	-	-	-	1	4	7	6	15
ALL OTHER--MALE----	121	-	-	-	-	-	1	1	1	5	14	21
FEMALE--	96	1	1	-	-	-	-	1	-	8	7	11
BLACK---MALE----	117	-	-	-	-	-	1	1	1	5	13	20
FEMALE--	93	1	1	-	-	-	-	1	-	8	7	11
GEORGIA -----	783	1	1	2	1	2	3	7	11	11	38	55
WHITE-----MALE----	246	-	1	1	1	2	1	3	3	2	10	14
FEMALE--	259	-	-	-	-	-	-	-	3	1	4	5
ALL OTHER--MALE----	138	1	-	-	-	-	1	1	3	6	12	19
FEMALE--	140	-	-	1	-	-	1	3	2	2	12	17
BLACK---MALE----	132	1	-	-	-	-	1	1	3	6	12	19
FEMALE--	134	-	-	1	-	-	1	3	2	2	12	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,721

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
COLORADO -----	12	25	13	22	35	41	44	37	11	8	2	-
WHITE-----MALE----	7	10	7	6	16	16	12	13	2	1	-	-
FEMALE--	4	11	6	12	17	24	30	23	9	7	2	-
ALL OTHER--MALE----	1	1	-	3	2	1	1	-	-	-	-	-
FEMALE--	-	3	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	2	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
CONNECTICUT -----	10	12	11	29	38	60	65	44	24	1	-	-
WHITE-----MALE----	2	9	5	14	17	27	18	13	6	-	-	-
FEMALE--	4	1	2	12	19	29	45	29	18	1	-	-
ALL OTHER--MALE----	2	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	3	3	1	3	2	2	-	-	-	-
BLACK---MALE----	1	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	2	2	1	3	1	1	-	-	-	-
DELAWARE -----	3	2	5	6	10	8	14	13	3	1	1	-
WHITE-----MALE----	3	1	1	2	5	4	2	4	1	-	-	-
FEMALE--	-	-	4	2	5	3	10	8	2	1	1	-
ALL OTHER--MALE----	-	1	-	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA -----	6	6	13	9	7	10	8	10	2	2	-	-
WHITE-----MALE----	-	-	1	1	1	-	3	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	2	3	1	2	-	-
ALL OTHER--MALE----	3	5	8	6	4	4	-	1	1	-	-	-
FEMALE--	3	1	3	1	2	4	3	6	-	-	-	-
BLACK---MALE----	2	5	8	6	4	4	-	1	1	-	-	-
FEMALE--	3	1	3	1	2	4	3	6	-	-	-	-
FLORIDA -----	70	75	73	137	231	287	292	221	95	24	5	1
WHITE-----MALE----	25	38	24	51	97	137	119	66	24	6	1	-
FEMALE--	24	14	32	65	106	135	163	149	71	15	3	1
ALL OTHER--MALE----	14	15	9	11	15	5	5	3	-	1	-	-
FEMALE--	7	8	8	10	13	10	5	3	-	2	1	-
BLACK---MALE----	13	15	9	10	15	5	5	3	-	1	-	-
FEMALE--	6	7	8	10	12	10	5	3	-	2	1	-
GEORGIA -----	59	50	66	79	99	109	88	61	32	6	2	-
WHITE-----MALE----	14	17	26	28	35	45	26	10	5	2	-	-
FEMALE--	12	6	16	26	35	43	45	38	22	1	2	-
ALL OTHER--MALE----	21	19	16	9	13	9	4	3	-	1	-	-
FEMALE--	12	8	8	16	16	12	13	10	5	2	-	-
BLACK---MALE----	19	17	16	8	13	8	4	3	-	1	-	-
FEMALE--	11	8	8	16	16	11	11	10	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,722

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	9	10	7	12	24	24	23	18	15	3	-	-
WHITE-----MALE----	-	-	1	-	2	1	1	-	2	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	4	-	-	-
ALL OTHER--MALE----	3	3	4	6	10	14	12	13	3	1	-	-
FEMALE--	6	7	2	6	10	8	9	5	6	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	2	4	8	11	15	17	13	5	-	-	-
WHITE-----MALE----	2	-	2	4	5	7	6	6	2	-	-	-
FEMALE--	2	2	2	4	5	8	11	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	49	55	67	100	157	188	209	142	70	17	2	-
WHITE-----MALE----	20	15	23	36	63	56	75	51	20	2	-	-
FEMALE--	7	15	23	36	69	105	111	85	45	15	2	-
ALL OTHER--MALE----	14	15	10	14	13	11	6	2	1	-	-	-
FEMALE--	8	10	11	14	12	16	17	4	4	-	-	-
BLACK---MALE----	13	15	10	11	10	10	6	2	1	-	-	-
FEMALE--	8	9	10	12	11	8	14	4	3	-	-	-
INDIANA -----	21	21	41	55	86	85	95	65	35	8	-	-
WHITE-----MALE----	12	9	19	23	42	42	36	19	11	2	-	-
FEMALE--	7	5	19	27	43	40	52	43	24	6	-	-
ALL OTHER--MALE----	2	4	3	2	-	-	4	-	-	-	-	-
FEMALE--	-	3	-	3	1	3	3	3	-	-	-	-
BLACK---MALE----	2	4	3	2	-	-	4	-	-	-	-	-
FEMALE--	-	3	-	3	1	3	3	3	-	-	-	-
IOWA -----	8	9	17	16	33	49	52	38	23	4	1	-
WHITE-----MALE----	5	3	10	12	21	24	19	11	6	-	-	-
FEMALE--	3	5	6	4	12	25	33	27	17	4	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	10	10	13	16	19	50	39	29	20	6	-	-
WHITE-----MALE----	7	6	8	9	6	21	18	12	4	1	-	-
FEMALE--	-	2	4	7	12	26	19	16	15	5	-	-
ALL OTHER--MALE----	2	1	1	-	-	2	-	1	1	-	-	-
FEMALE--	1	1	-	-	1	1	2	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,723

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
KENTUCKY -----	353	-	-	-	-	1	1	3	2	3	10	4
WHITE-----MALE----	139	-	-	-	-	1	-	-	1	-	3	-
FEMALE--	174	-	-	-	-	-	1	1	1	1	3	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	2	-	2	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE----	22	-	-	-	-	-	-	2	-	2	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	3	1
LOUISIANA -----	412	-	1	1	-	1	1	-	4	15	21	33
WHITE-----MALE----	116	-	-	1	-	1	-	-	1	-	6	5
FEMALE--	145	-	-	-	-	-	-	-	-	2	3	6
ALL OTHER--MALE----	74	-	1	-	-	-	1	-	1	7	5	12
FEMALE--	77	-	-	-	-	-	-	-	2	6	7	10
BLACK---MALE----	71	-	1	-	-	-	1	-	1	7	5	12
FEMALE--	76	-	-	-	-	-	-	-	2	6	7	10
MAINE -----	123	-	-	-	-	-	-	-	-	3	1	5
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	70	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	491	-	-	-	2	1	-	-	2	9	23	30
WHITE-----MALE----	151	-	-	-	-	1	-	-	-	3	2	8
FEMALE--	178	-	-	-	1	-	-	-	-	1	1	4
ALL OTHER--MALE----	81	-	-	-	1	-	-	-	1	3	10	12
FEMALE--	81	-	-	-	-	-	-	-	1	2	10	6
BLACK---MALE----	78	-	-	-	1	-	-	-	1	3	9	12
FEMALE--	73	-	-	-	-	-	-	-	1	2	10	6
MASSACHUSETTS -----	542	1	-	-	-	-	1	1	3	4	10	16
WHITE-----MALE----	226	1	-	-	-	-	1	1	-	3	2	8
FEMALE--	283	-	-	-	-	-	-	-	1	1	4	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	18	-	-	-	-	-	-	-	1	-	3	1
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	1	-	3	1
MICHIGAN -----	974	-	-	-	-	-	1	-	9	16	19	52
WHITE-----MALE----	383	-	-	-	-	-	1	-	-	9	6	11
FEMALE--	420	-	-	-	-	-	-	-	6	5	2	10
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	-	-	6	18
FEMALE--	93	-	-	-	-	-	-	-	3	2	5	13
BLACK---MALE----	77	-	-	-	-	-	-	-	-	-	6	18
FEMALE--	83	-	-	-	-	-	-	-	3	2	4	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,723

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
KENTUCKY -----	24	20	25	33	41	72	62	33	10	9	-	-
WHITE-----MALE----	9	6	13	15	19	34	26	8	4	-	-	-
FEMALE--	7	12	6	15	19	34	33	24	6	8	-	-
ALL OTHER--MALE----	5	2	4	2	2	1	2	-	-	-	-	-
FEMALE--	3	-	2	1	1	3	1	1	-	1	-	-
BLACK---MALE----	5	2	4	2	2	-	2	-	-	-	-	-
FEMALE--	2	-	2	1	-	3	1	-	-	1	-	-
LOUISIANA -----	24	24	32	32	54	58	44	39	20	6	2	-
WHITE-----MALE----	6	4	9	8	24	25	14	8	4	-	-	-
FEMALE--	3	5	10	15	18	23	20	22	12	5	1	-
ALL OTHER--MALE----	9	8	8	4	4	3	4	4	2	1	-	-
FEMALE--	6	7	5	5	8	7	6	5	2	-	1	-
BLACK---MALE----	9	7	8	4	4	3	2	4	2	1	-	-
FEMALE--	6	6	5	5	8	7	6	5	2	-	1	-
MAINE -----	4	7	7	15	21	22	8	15	12	3	-	-
WHITE-----MALE----	1	3	4	9	11	13	3	3	1	2	-	-
FEMALE--	3	4	3	6	10	9	5	12	11	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	38	23	36	58	99	67	55	18	8	3	-
WHITE-----MALE----	3	7	8	15	15	42	26	17	4	-	-	-
FEMALE--	1	9	7	5	26	39	30	33	12	6	3	-
ALL OTHER--MALE----	8	10	2	10	7	14	1	2	-	-	-	-
FEMALE--	7	12	6	6	10	4	10	3	2	2	-	-
BLACK---MALE----	8	9	2	10	7	13	1	2	-	-	-	-
FEMALE--	6	11	5	5	9	3	9	3	1	2	-	-
MASSACHUSETTS -----	18	15	25	42	82	85	99	88	41	10	1	-
WHITE-----MALE----	13	10	16	19	43	44	34	21	9	1	-	-
FEMALE--	4	3	7	17	36	40	62	63	31	8	1	-
ALL OTHER--MALE----	-	2	1	5	1	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	2	1	2	3	1	1	-	-
BLACK---MALE----	-	2	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	3	-	1	-	-
MICHIGAN -----	44	47	39	89	142	172	164	111	53	14	2	-
WHITE-----MALE----	16	22	17	55	58	77	61	30	16	4	-	-
FEMALE--	12	10	10	19	63	81	88	72	33	7	2	-
ALL OTHER--MALE----	8	8	8	7	11	5	2	3	2	-	-	-
FEMALE--	8	7	4	8	10	9	13	6	2	3	-	-
BLACK---MALE----	8	8	8	7	11	4	2	3	2	-	-	-
FEMALE--	8	7	4	7	8	8	9	5	2	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,724

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
MINNESOTA -----	13	23	31	43	54	72	68	77	42	9	3	-
WHITE-----MALE----	9	10	16	22	25	30	31	25	11	4	-	-
FEMALE--	4	9	9	21	27	37	34	52	30	5	3	-
ALL OTHER--MALE----	-	3	3	-	2	3	-	-	1	-	-	-
FEMALE--	-	1	3	-	-	2	3	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-
MISSISSIPPI -----	27	18	29	27	31	39	33	25	11	3	-	-
WHITE-----MALE----	7	6	6	10	13	17	3	6	2	-	-	-
FEMALE--	3	3	7	10	11	17	18	16	8	3	-	-
ALL OTHER--MALE----	10	4	5	6	4	1	3	2	-	-	-	-
FEMALE--	7	5	11	1	3	4	9	1	1	-	-	-
BLACK---MALE----	10	4	5	5	4	1	3	2	-	-	-	-
FEMALE--	7	5	11	1	3	4	9	1	1	-	-	-
MISSOURI -----	27	31	31	52	79	106	107	76	38	9	1	-
WHITE-----MALE----	15	9	17	27	37	49	36	23	14	1	-	-
FEMALE--	7	13	10	19	34	51	64	46	19	7	-	-
ALL OTHER--MALE----	4	8	4	4	5	2	1	3	-	-	-	-
FEMALE--	1	1	-	2	3	4	6	4	5	1	1	-
BLACK---MALE----	3	8	4	4	5	2	1	3	-	-	-	-
FEMALE--	1	1	-	1	2	3	5	4	4	1	1	-
MONTANA -----	1	4	6	2	8	16	12	8	2	-	-	-
WHITE-----MALE----	-	3	2	1	5	6	6	6	-	-	-	-
FEMALE--	1	1	4	-	3	9	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	5	12	10	14	20	21	12	12	-	-	-
WHITE-----MALE----	3	3	4	3	4	10	10	3	2	-	-	-
FEMALE--	-	2	7	7	10	10	11	8	10	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	11	14	12	13	27	32	20	8	5	-	-	-
WHITE-----MALE----	6	4	5	8	8	13	11	2	1	-	-	-
FEMALE--	4	5	6	4	17	15	8	5	4	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	3	-	1	2	3	1	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,726

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
OHIO -----	1,127	-	-	-	2	2	-	4	5	15	33	45
WHITE-----MALE----	399	-	-	-	-	1	-	2	2	6	13	15
FEMALE--	584	-	-	-	2	1	-	1	2	4	12	11
ALL OTHER--MALE----	74	-	-	-	-	-	-	-	1	4	5	10
FEMALE--	70	-	-	-	-	-	-	1	-	1	3	9
BLACK---MALE----	73	-	-	-	-	-	-	-	1	4	5	10
FEMALE--	65	-	-	-	-	-	-	1	-	1	3	9
OKLAHOMA -----	267	-	-	-	1	-	-	-	2	5	6	10
WHITE-----MALE----	105	-	-	-	-	-	-	-	1	1	3	7
FEMALE--	122	-	-	-	1	-	-	-	1	-	-	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	18	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	12	-	-	-	-	-	-	-	-	2	1	-
OREGON -----	299	-	-	-	-	-	-	-	3	1	7	14
WHITE-----MALE----	128	-	-	-	-	-	-	-	2	-	3	9
FEMALE--	157	-	-	-	-	-	-	-	1	1	4	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,384	-	-	-	-	-	1	1	7	13	31	28
WHITE-----MALE----	517	-	-	-	-	-	-	-	2	3	12	10
FEMALE--	700	-	-	-	-	-	-	-	3	4	4	7
ALL OTHER--MALE----	84	-	-	-	-	-	1	1	1	3	9	7
FEMALE--	83	-	-	-	-	-	-	-	1	3	6	4
BLACK---MALE----	80	-	-	-	-	-	1	1	1	3	9	7
FEMALE--	76	-	-	-	-	-	-	-	1	3	6	3
RHODE ISLAND -----	130	-	-	-	-	-	-	-	1	1	2	6
WHITE-----MALE----	53	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	72	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	482	-	-	-	1	-	2	1	4	13	18	25
WHITE-----MALE----	140	-	-	-	-	-	1	-	-	3	2	4
FEMALE--	153	-	-	-	-	-	-	-	-	2	-	5
ALL OTHER--MALE----	114	-	-	-	-	-	-	1	2	4	6	13
FEMALE--	75	-	-	-	1	-	1	-	2	4	10	3
BLACK---MALE----	111	-	-	-	-	-	-	1	2	4	6	13
FEMALE--	74	-	-	-	1	-	1	-	2	4	10	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,726

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
OHIO -----	48	50	78	100	181	194	170	111	68	18	3	-
WHITE-----MALE----	19	19	33	47	72	68	48	32	17	5	-	-
FEMALE--	21	16	30	38	89	110	115	67	50	13	2	-
ALL OTHER--MALE----	3	8	7	7	13	8	3	5	-	-	-	-
FEMALE--	5	7	8	8	7	8	4	7	1	-	1	-
BLACK---MALE----	3	8	7	7	12	8	3	5	-	-	-	-
FEMALE--	5	7	6	8	4	8	4	7	1	-	1	-
OKLAHOMA -----	13	13	16	18	43	51	41	31	11	6	-	-
WHITE-----MALE----	3	6	7	4	23	22	14	10	3	1	-	-
FEMALE--	8	3	4	12	13	24	23	20	6	5	-	-
ALL OTHER--MALE----	1	2	4	1	2	4	2	1	-	-	-	-
FEMALE--	1	2	1	1	5	1	2	-	2	-	-	-
BLACK---MALE----	1	2	4	1	1	3	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	-	-	2	-	-	-
OREGON -----	9	9	16	29	37	64	66	27	14	1	2	-
WHITE-----MALE----	5	4	7	12	21	26	24	9	4	1	1	-
FEMALE--	3	3	5	17	15	37	40	17	9	-	1	-
ALL OTHER--MALE----	-	2	1	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	3	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	43	48	77	134	172	255	265	213	74	21	1	-
WHITE-----MALE----	12	19	35	65	69	108	96	68	16	2	-	-
FEMALE--	16	18	27	42	89	128	154	136	55	16	1	-
ALL OTHER--MALE----	13	7	9	12	3	9	3	3	2	1	-	-
FEMALE--	2	4	6	15	11	10	12	6	1	2	-	-
BLACK---MALE----	13	5	9	12	3	7	3	3	2	1	-	-
FEMALE--	2	4	5	14	9	10	10	6	1	2	-	-
RHODE ISLAND -----	5	3	3	11	16	31	26	18	5	2	-	-
WHITE-----MALE----	3	-	-	5	8	13	11	7	1	-	-	-
FEMALE--	1	2	2	6	7	18	15	11	4	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	37	36	43	53	68	73	58	32	15	2	1	-
WHITE-----MALE----	12	8	12	18	24	26	21	7	1	1	-	-
FEMALE--	10	6	6	13	27	34	24	19	7	-	-	-
ALL OTHER--MALE----	12	15	12	14	8	6	9	5	5	1	1	-
FEMALE--	3	7	13	8	9	7	4	1	2	-	-	-
BLACK---MALE----	11	15	12	13	8	6	8	5	5	1	1	-
FEMALE--	3	7	13	7	9	7	4	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,727

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
SOUTH DAKOTA -----	78	1	1	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	33	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	606	1	-	-	-	1	2	-	6	7	17	32
WHITE-----MALE----	203	-	-	-	-	-	-	-	4	2	4	11
FEMALE--	277	-	-	-	-	1	-	-	1	2	3	6
ALL OTHER--MALE----	70	1	-	-	-	-	2	-	-	1	4	15
FEMALE--	56	-	-	-	-	-	-	-	1	2	6	-
BLACK---MALE----	70	1	-	-	-	-	2	-	-	1	4	15
FEMALE--	55	-	-	-	-	-	-	-	1	2	6	-
TEXAS -----	1,530	3	-	2	1	2	4	9	11	32	59	80
WHITE-----MALE----	604	2	-	1	1	-	2	5	6	16	29	32
FEMALE--	696	1	-	1	-	2	2	4	3	6	11	18
ALL OTHER--MALE----	120	-	-	-	-	-	-	-	-	8	10	13
FEMALE--	110	-	-	-	-	-	-	-	2	2	9	17
BLACK---MALE----	103	-	-	-	-	-	-	-	-	6	10	13
FEMALE--	102	-	-	-	-	-	-	-	2	2	9	17
UTAH -----	123	1	-	-	-	-	-	-	-	2	3	2
WHITE-----MALE----	57	1	-	-	-	-	-	-	-	2	2	1
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	47	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	695	2	2	1	-	2	4	3	5	7	28	23
WHITE-----MALE----	230	-	1	-	-	1	2	1	1	1	8	7
FEMALE--	283	-	1	-	-	1	1	1	1	3	5	4
ALL OTHER--MALE----	95	1	-	1	-	-	1	-	2	1	8	5
FEMALE--	87	1	-	-	-	-	-	1	1	2	7	7
BLACK---MALE----	86	1	-	1	-	-	1	-	1	1	7	5
FEMALE--	79	1	-	-	-	-	-	1	1	2	7	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,727

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
SOUTH DAKOTA -----	2	3	3	6	8	15	15	10	7	2	-	-
WHITE-----MALE----	-	1	-	4	3	8	6	3	3	1	-	-
FEMALE--	2	1	2	1	5	7	8	7	4	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	41	34	47	65	65	101	87	66	26	8	-	-
WHITE-----MALE----	15	17	18	30	26	36	29	8	3	-	-	-
FEMALE--	7	9	15	22	33	47	50	54	20	7	-	-
ALL OTHER--MALE----	13	3	8	6	3	11	1	-	1	1	-	-
FEMALE--	6	5	6	7	3	7	7	4	2	-	-	-
BLACK---MALE----	13	3	8	6	3	11	1	-	1	1	-	-
FEMALE--	6	5	6	7	3	7	6	4	2	-	-	-
TEXAS -----	96	86	105	135	196	229	216	166	79	17	2	-
WHITE-----MALE----	42	38	48	55	80	83	87	55	19	3	-	-
FEMALE--	31	23	38	51	87	130	117	107	53	9	2	-
ALL OTHER--MALE----	14	16	13	14	15	7	6	-	1	3	-	-
FEMALE--	9	9	6	15	14	9	6	4	6	2	-	-
BLACK---MALE----	14	14	9	12	12	5	5	-	-	3	-	-
FEMALE--	8	8	5	13	13	7	6	4	6	2	-	-
UTAH -----	2	7	9	12	17	25	21	15	6	1	-	-
WHITE-----MALE----	1	6	3	6	9	9	10	6	1	-	-	-
FEMALE--	1	1	5	6	8	16	11	9	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	4	5	5	5	6	6	6	4	2	-	-
WHITE-----MALE----	1	2	3	1	3	1	1	3	2	-	-	-
FEMALE--	-	2	2	4	2	5	5	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	40	33	51	77	84	122	111	73	18	9	-	-
WHITE-----MALE----	13	10	16	26	34	47	37	19	4	2	-	-
FEMALE--	9	7	9	29	33	55	60	50	8	6	-	-
ALL OTHER--MALE----	10	11	17	10	9	12	5	1	1	-	-	-
FEMALE--	8	5	9	12	8	8	9	3	5	1	-	-
BLACK---MALE----	10	9	16	8	7	12	5	1	1	-	-	-
FEMALE--	6	4	9	10	8	8	9	2	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,728

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
WASHINGTON -----	513	-	-	-	-	1	1	2	2	11	4	19
WHITE-----MALE----	205	-	-	-	-	-	-	-	-	6	-	10
FEMALE--	248	-	-	-	-	1	1	1	2	2	4	5
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	32	-	-	-	-	-	-	1	-	1	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
WEST VIRGINIA -----	200	-	-	-	-	-	-	2	-	4	1	7
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	125	-	-	-	-	-	-	2	-	2	-	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN -----	500	-	-	-	-	-	1	1	2	3	6	15
WHITE-----MALE----	209	-	-	-	-	-	-	1	1	2	3	6
FEMALE--	267	-	-	-	-	-	1	-	-	1	2	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
WYOMING -----	35	-	-	-	-	1	-	-	-	1	1	3
WHITE-----MALE----	16	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,729

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
0 UNITED STATES --	47	55	83	151	194	236	245	157	73	25	1	-
WHITE-----MALE----	26	25	48	82	104	115	121	55	25	7	-	-
FEMALE--	11	16	20	47	66	107	116	93	47	18	1	-
ALL OTHER--MALE----	7	7	10	11	8	8	4	2	1	-	-	-
FEMALE--	3	7	5	11	16	6	4	7	-	-	-	-
BLACK---MALE----	6	5	8	9	4	4	3	1	-	-	-	-
FEMALE--	2	5	4	10	13	6	4	6	-	-	-	-
ALABAMA -----	3	-	-	7	2	3	6	2	1	-	-	-
WHITE-----MALE----	1	-	-	7	1	1	3	-	-	-	-	-
FEMALE--	2	-	-	-	-	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALASKA -----	-	1	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	-	7	3	3	4	-	-	-	-
WHITE-----MALE----	1	-	1	-	5	2	2	3	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	1	3	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	9	8	5	12	19	26	29	17	8	5	-	-
WHITE-----MALE----	4	5	3	6	9	13	10	9	5	1	-	-
FEMALE--	2	1	-	5	6	11	18	6	3	4	-	-
ALL OTHER--MALE----	1	1	1	-	1	2	-	2	-	-	-	-
FEMALE--	2	1	1	1	3	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,730

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
COLORADO -----	-	1	-	1	-	5	2	-	1	2	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	3	1	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	2	3	2	5	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	3	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	2	1	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	4	6	12	20	20	30	10	5	1	-	-
WHITE-----MALE----	-	2	3	6	11	14	16	2	2	1	-	-
FEMALE--	-	-	1	3	8	6	12	7	3	-	-	-
ALL OTHER--MALE----	1	-	1	3	1	-	1	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	3	1	-	1	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	1	1	-	-	-	-
GEORGIA -----	3	1	5	6	2	6	8	3	1	2	-	-
WHITE-----MALE----	2	1	1	2	-	2	4	2	-	1	-	-
FEMALE--	-	-	2	2	1	3	4	1	-	1	-	-
ALL OTHER--MALE----	1	-	2	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,732

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
KENTUCKY -----	-	-	1	2	2	2	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	1	-	1	3	-	2	2	2	1	-	-	-
WHITE-----MALE----	1	-	1	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	1	2	-	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	1	8	5	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	3	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	5	4	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	1	3	5	4	4	3	4	-	-	-
WHITE-----MALE----	-	-	1	2	4	3	2	1	2	-	-	-
FEMALE--	-	1	-	1	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	2	1	4	7	5	8	7	3	1	-	-
WHITE-----MALE----	-	-	1	2	5	2	2	3	1	-	-	-
FEMALE--	-	1	-	1	-	2	5	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,735

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
OHIO -----	4	2	3	5	12	11	10	5	6	2	-	-
WHITE-----MALE----	2	1	2	3	6	4	4	1	2	-	-	-
FEMALE--	1	-	1	2	4	7	6	4	4	2	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	1	-	1	-	5	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	2	2	2	2	3	1	1	-	-
WHITE-----MALE----	-	-	1	2	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	5	9	11	12	14	17	9	1	3	-	-
WHITE-----MALE----	1	2	2	5	7	6	7	3	1	1	-	-
FEMALE--	1	1	6	5	5	7	10	6	-	2	-	-
ALL OTHER--MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	1	2	4	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	1	3	5	4	2	2	-	1	-	-
WHITE-----MALE----	-	-	1	1	1	2	2	1	-	1	-	-
FEMALE--	-	-	-	1	3	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,736

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
SOUTH DAKOTA -----	-	-	-	1	-	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	3	3	3	4	6	4	7	1	1	-	-
WHITE-----MALE----	3	1	2	1	3	4	3	3	1	-	-	-
FEMALE--	-	2	-	2	1	2	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	3	-	-	-	-
TEXAS -----	2	4	7	11	9	13	10	8	3	1	-	-
WHITE-----MALE----	1	3	4	7	5	5	6	3	-	-	-	-
FEMALE--	-	1	2	2	4	7	4	5	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	2	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	-	1	-	-	1	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	-	2	6	4	3	3	2	1	-	-
WHITE-----MALE----	1	-	-	1	3	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	-	2	2	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,738

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
0 UNITED STATES --	187	235	395	630	1,147	1,776	2,306	2,488	1,757	650	132	-
WHITE-----MALE----	71	110	186	279	461	681	840	706	370	110	12	-
FEMALE--	55	56	112	227	473	858	1,237	1,586	1,254	483	100	-
ALL OTHER--MALE----	31	44	61	68	84	96	89	61	40	16	3	-
FEMALE--	30	25	36	56	129	141	140	135	93	41	17	-
BLACK---MALE----	30	40	54	62	75	79	71	54	32	12	3	-
FEMALE--	28	23	33	53	111	123	116	119	81	36	15	-
ALABAMA -----	6	6	9	17	25	24	30	45	32	8	-	-
WHITE-----MALE----	2	2	3	5	8	9	11	13	6	3	-	-
FEMALE--	3	2	3	3	8	12	16	28	22	4	-	-
ALL OTHER--MALE----	-	1	1	4	6	1	2	1	1	-	-	-
FEMALE--	1	1	2	5	3	2	1	3	3	1	-	-
BLACK---MALE----	-	1	1	4	6	1	2	1	1	-	-	-
FEMALE--	1	1	2	5	3	2	1	3	3	1	-	-
ALASKA -----	-	-	1	1	-	6	4	4	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	4	4	10	13	15	20	28	7	2	1	-
WHITE-----MALE----	1	4	2	5	8	9	6	9	3	-	-	-
FEMALE--	-	-	2	5	5	6	14	19	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	3	6	7	21	21	30	26	22	13	1	-
WHITE-----MALE----	-	2	3	3	8	8	4	12	4	1	-	-
FEMALE--	-	-	2	2	7	11	20	8	13	10	-	-
ALL OTHER--MALE----	-	-	-	2	2	-	3	-	1	-	-	-
FEMALE--	-	1	1	-	4	2	3	6	4	2	1	-
BLACK---MALE----	-	-	-	2	2	-	3	-	1	-	-	-
FEMALE--	-	-	1	-	4	2	3	6	4	2	1	-
CALIFORNIA -----	15	25	41	59	112	150	233	235	187	71	9	-
WHITE-----MALE----	7	15	19	22	36	52	81	67	38	11	1	-
FEMALE--	6	4	11	29	60	71	121	147	134	55	7	-
ALL OTHER--MALE----	-	3	11	7	6	13	14	6	4	2	-	-
FEMALE--	2	3	-	1	10	14	17	15	11	3	1	-
BLACK---MALE----	-	3	7	3	1	4	6	3	1	-	-	-
FEMALE--	1	2	-	-	4	7	9	9	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,739

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
COLORADO -----	74	-	-	-	-	-	-	-	-	1	3	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	154	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	89	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	28	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	33	-	-	-	-	1	-	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	935	-	-	-	-	-	-	-	6	1	3	7
WHITE-----MALE----	335	-	-	-	-	-	-	-	2	1	2	3
FEMALE--	491	-	-	-	-	-	-	-	2	-	1	3
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	72	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	37	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	70	-	-	-	-	-	-	-	1	-	-	-
GEORGIA -----	243	2	-	-	-	1	-	1	-	1	3	5
WHITE-----MALE----	73	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	107	1	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	34	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	34	1	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,739

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	3	3	1	6	11	13	19	8	3	-	-
WHITE-----MALE----	1	-	-	-	2	7	4	8	3	1	-	-
FEMALE--	1	2	3	1	4	4	8	10	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	1	3	5	6	8	31	28	31	27	11	1	-
WHITE-----MALE----	1	2	1	3	6	14	10	9	8	1	-	-
FEMALE--	-	-	-	3	2	15	18	21	19	10	1	-
ALL OTHER--MALE----	-	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	-	-	-	-
DELAWARE -----	-	2	1	1	1	7	6	5	2	1	1	-
WHITE-----MALE----	-	1	1	-	1	4	3	2	-	1	-	-
FEMALE--	-	1	-	1	-	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	1	-
DISTRICT OF COLUMBIA -----	-	1	3	3	3	3	5	3	4	3	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	2	1	-
ALL OTHER--MALE----	-	1	2	2	1	-	3	-	1	-	-	-
FEMALE--	-	-	1	1	2	2	1	2	-	1	1	-
BLACK---MALE----	-	1	2	2	1	-	2	-	1	-	-	-
FEMALE--	-	-	1	1	2	2	1	2	-	1	1	-
FLORIDA -----	6	14	22	48	83	134	188	208	156	47	12	-
WHITE-----MALE----	1	7	8	16	32	59	78	76	38	11	1	-
FEMALE--	2	3	5	16	31	60	94	119	111	34	10	-
ALL OTHER--MALE----	1	3	4	10	5	6	5	-	1	-	-	-
FEMALE--	2	1	5	6	15	9	11	13	6	2	1	-
BLACK---MALE----	1	3	4	10	5	6	5	-	1	-	-	-
FEMALE--	2	1	5	6	15	9	10	13	5	2	1	-
GEORGIA -----	4	7	8	17	25	46	37	43	31	11	1	-
WHITE-----MALE----	1	1	3	5	13	15	13	9	7	4	-	-
FEMALE--	1	3	2	4	7	23	15	26	17	6	-	-
ALL OTHER--MALE----	2	1	2	3	3	1	7	3	1	-	1	-
FEMALE--	-	2	1	5	2	7	2	5	6	1	-	-
BLACK---MALE----	2	1	2	2	3	1	6	3	1	-	1	-
FEMALE--	-	2	1	5	2	7	2	5	6	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,740

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	3	4	4	8	10	4	4	6	1	-
WHITE-----MALE----	-	-	-	1	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	4	4	1	2	2	-	-
FEMALE--	-	-	3	1	2	3	4	1	-	3	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	3	3	5	7	6	2	-	1	-
WHITE-----MALE----	1	-	-	2	1	3	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	2	5	5	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	15	21	40	56	107	147	115	104	40	8	-
WHITE-----MALE----	1	5	6	22	20	37	39	31	16	6	-	-
FEMALE--	2	4	9	11	27	51	90	74	81	29	8	-
ALL OTHER--MALE----	4	5	4	2	3	6	8	5	4	1	-	-
FEMALE--	3	1	2	5	6	13	10	5	3	4	-	-
BLACK---MALE----	4	5	4	2	3	6	5	5	3	1	-	-
FEMALE--	3	1	2	5	6	12	9	5	3	4	-	-
INDIANA -----	3	6	7	20	34	35	48	54	34	13	2	-
WHITE-----MALE----	1	3	3	13	14	17	16	14	5	-	1	-
FEMALE--	-	-	2	6	16	15	27	39	29	12	1	-
ALL OTHER--MALE----	-	3	1	1	3	2	3	1	-	-	-	-
FEMALE--	2	-	1	-	1	1	2	-	-	1	-	-
BLACK---MALE----	-	3	1	1	2	2	3	1	-	-	-	-
FEMALE--	2	-	1	-	1	1	2	-	-	1	-	-
IOWA -----	1	5	2	5	13	16	30	30	23	9	2	-
WHITE-----MALE----	-	4	1	3	8	9	12	7	7	3	-	-
FEMALE--	1	1	-	2	5	7	17	23	16	6	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	2	2	2	2	4	11	23	26	11	9	-	-
WHITE-----MALE----	-	2	1	1	3	3	10	5	2	1	-	-
FEMALE--	2	-	-	-	1	7	13	20	8	7	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,741

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	175	-	-	-	-	-	1	-	1	1	1	1
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	97	-	-	-	-	-	1	-	1	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	209	-	1	-	-	-	-	-	1	1	2	4
WHITE-----MALE----	50	-	1	-	-	-	-	-	-	-	2	2
FEMALE--	112	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	39	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	187	-	-	-	-	-	-	-	-	2	1	5
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	100	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	2
MASSACHUSETTS -----	251	-	-	-	-	-	-	2	1	-	3	2
WHITE-----MALE----	96	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	148	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	635	1	3	-	-	-	-	1	1	3	6	7
WHITE-----MALE----	207	1	1	-	-	-	-	-	1	1	2	3
FEMALE--	295	-	1	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	54	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	79	-	1	-	-	-	-	-	-	1	2	-
BLACK---MALE----	53	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	75	-	1	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,741

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
KENTUCKY -----	3	3	9	10	16	28	27	32	32	7	3	-
WHITE-----MALE----	2	2	7	7	9	11	13	9	6	3	-	-
FEMALE--	-	1	2	2	6	15	13	23	26	3	2	-
ALL OTHER--MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	1	-
BLACK---MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	1	-
LOUISIANA -----	5	5	4	6	20	26	38	43	40	10	3	-
WHITE-----MALE----	2	3	3	3	7	7	6	10	4	-	-	-
FEMALE--	1	1	-	2	8	10	23	25	31	8	2	-
ALL OTHER--MALE----	1	-	1	-	2	4	4	3	1	1	-	-
FEMALE--	1	1	-	1	3	5	5	5	4	1	1	-
BLACK---MALE----	1	-	1	-	2	4	4	3	1	1	-	-
FEMALE--	1	1	-	1	3	5	5	5	4	1	1	-
MAINE -----	2	-	2	1	3	7	9	6	6	2	-	-
WHITE-----MALE----	2	-	-	1	2	2	2	2	1	-	-	-
FEMALE--	-	-	2	-	1	5	7	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	5	6	7	17	33	25	48	21	10	3	-
WHITE-----MALE----	-	1	1	2	5	12	8	10	1	3	-	-
FEMALE--	-	1	2	3	5	16	12	32	20	6	2	-
ALL OTHER--MALE----	3	3	2	-	5	2	-	-	-	1	-	-
FEMALE--	1	-	1	2	2	3	5	6	-	-	1	-
BLACK---MALE----	3	2	2	-	4	2	-	-	-	1	-	-
FEMALE--	1	-	1	2	2	3	5	5	-	-	1	-
MASSACHUSETTS -----	4	9	4	10	23	34	49	40	53	16	1	-
WHITE-----MALE----	4	6	3	3	9	17	19	13	16	2	-	-
FEMALE--	-	3	1	7	11	17	28	27	37	14	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
MICHIGAN -----	14	11	27	34	76	94	129	104	82	34	8	-
WHITE-----MALE----	6	5	11	18	32	33	49	22	16	6	-	-
FEMALE--	1	3	5	9	23	48	61	62	54	22	2	-
ALL OTHER--MALE----	3	3	7	3	7	7	6	8	4	-	2	-
FEMALE--	4	-	4	4	14	6	13	12	8	6	4	-
BLACK---MALE----	3	3	7	3	7	7	6	8	4	-	2	-
FEMALE--	3	-	4	4	13	6	12	11	8	6	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,744

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
OHIO -----	542	-	-	-	-	2	-	-	-	4	4	9
WHITE-----MALE----	190	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	298	-	-	-	-	2	-	-	-	3	1	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA -----	158	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	100	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	271	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	106	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	161	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	822	-	-	1	-	-	-	2	-	7	7	4
WHITE-----MALE----	297	-	-	-	-	-	-	-	-	4	3	-
FEMALE--	466	-	-	-	-	-	-	2	-	2	4	3
ALL OTHER--MALE----	21	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	21	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	52	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	19	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	226	-	-	-	-	-	1	-	-	1	2	8
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	105	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	40	-	-	-	-	-	1	-	-	-	-	3
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	40	-	-	-	-	-	1	-	-	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,744

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
OHIO -----	10	11	19	30	45	95	106	109	67	27	4	-
WHITE-----MALE----	3	8	10	19	14	40	42	31	14	3	-	-
FEMALE--	6	2	6	8	21	41	61	71	47	23	3	-
ALL OTHER--MALE----	1	-	2	-	7	6	2	3	-	-	-	-
FEMALE--	-	1	1	3	3	8	1	4	6	1	1	-
BLACK---MALE----	1	-	2	-	7	5	2	3	-	-	-	-
FEMALE--	-	1	1	3	3	8	1	4	6	1	1	-
OKLAHOMA -----	3	-	8	6	8	27	26	36	32	8	2	-
WHITE-----MALE----	1	-	4	2	5	7	5	13	10	-	-	-
FEMALE--	2	-	3	4	3	19	17	22	20	8	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
OREGON -----	-	-	3	10	16	33	64	79	46	15	4	-
WHITE-----MALE----	-	-	3	6	7	13	35	24	12	4	1	-
FEMALE--	-	-	-	3	9	20	28	54	33	11	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	9	25	45	71	116	170	186	112	43	9	-
WHITE-----MALE----	9	2	14	24	35	51	64	61	21	8	1	-
FEMALE--	4	3	8	16	24	60	96	116	86	34	8	-
ALL OTHER--MALE----	1	2	3	4	5	2	1	-	1	-	-	-
FEMALE--	1	2	-	1	7	3	9	9	4	1	-	-
BLACK---MALE----	1	2	3	4	5	2	1	-	1	-	-	-
FEMALE--	1	2	-	1	5	3	8	9	3	1	-	-
RHODE ISLAND -----	4	-	1	4	4	4	10	13	6	4	-	-
WHITE-----MALE----	3	-	1	2	2	2	3	3	2	-	-	-
FEMALE--	1	-	-	2	2	-	6	9	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
SOUTH CAROLINA -----	1	5	16	13	26	33	29	57	21	10	3	-
WHITE-----MALE----	-	3	8	5	7	9	12	6	3	-	-	-
FEMALE--	-	1	2	5	10	17	13	36	11	5	3	-
ALL OTHER--MALE----	-	1	4	3	2	3	1	4	2	2	-	-
FEMALE--	1	-	2	-	7	4	3	11	5	3	-	-
BLACK---MALE----	-	1	4	3	2	3	1	4	2	2	-	-
FEMALE--	1	-	2	-	7	4	3	11	5	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,745

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
SOUTH DAKOTA -----	-	1	-	1	3	2	5	5	5	2	-	-
WHITE-----MALE----	-	-	-	1	1	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	4	4	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	6	10	18	24	43	52	56	48	16	1	-
WHITE-----MALE----	-	1	7	6	11	13	19	13	7	-	-	-
FEMALE--	3	1	2	8	8	20	24	37	35	13	1	-
ALL OTHER--MALE----	3	2	1	1	1	5	2	3	3	2	-	-
FEMALE--	2	2	-	3	4	5	7	3	3	1	-	-
BLACK---MALE----	3	2	1	1	1	5	2	3	3	2	-	-
FEMALE--	2	2	-	3	4	5	7	3	3	1	-	-
TEXAS -----	10	12	29	48	102	99	138	148	114	34	6	-
WHITE-----MALE----	3	4	13	20	47	40	43	41	21	8	1	-
FEMALE--	3	4	11	17	36	44	78	93	80	22	4	-
ALL OTHER--MALE----	1	2	2	6	5	8	9	5	5	2	-	-
FEMALE--	3	2	3	5	14	7	8	9	8	2	1	-
BLACK---MALE----	1	2	2	6	4	7	9	5	5	2	-	-
FEMALE--	3	2	3	5	12	6	6	9	8	2	1	-
UTAH -----	-	-	2	2	2	7	6	7	5	-	-	-
WHITE-----MALE----	-	-	2	1	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	5	4	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	3	1	4	9	7	5	4	2	-	-
WHITE-----MALE----	-	-	3	1	4	3	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	6	5	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	3	8	12	32	37	55	45	30	7	3	-
WHITE-----MALE----	-	-	3	4	9	5	16	9	8	1	-	-
FEMALE--	-	1	5	5	16	23	30	32	19	5	2	-
ALL OTHER--MALE----	2	-	-	2	1	3	3	2	-	-	-	-
FEMALE--	3	2	-	1	6	6	6	2	3	1	1	-
BLACK---MALE----	2	-	-	2	1	3	3	2	-	-	-	-
FEMALE--	3	2	-	1	6	6	6	1	2	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,748

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL EMBOLISM (434.1)												
COLORADO -----	-	-	1	-	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	2	1	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	4	8	7	8	8	5	7	1	-	-
WHITE-----MALE----	-	1	4	4	4	3	3	1	1	-	-	-
FEMALE--	-	-	-	3	3	3	5	4	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
GEORGIA -----	-	-	1	-	3	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,751

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL EMBOLISM (434.1)												
MINNESOTA -----	-	-	-	2	1	1	2	1	3	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	1	1	4	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	3	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MISSOURI -----	-	2	-	3	3	3	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	1	1	-	2	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	1	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,753

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL EMBOLISM (434.1)												
OHIO -----	-	1	2	5	3	2	5	4	1	-	-	-
WHITE-----MALE----	-	-	2	2	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	3	3	1	2	4	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	1	2	-	1	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	1	-	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	2	2	3	6	9	9	4	1	1	-
WHITE-----MALE----	-	-	2	-	2	2	3	1	1	-	-	-
FEMALE--	-	2	-	1	1	4	6	8	3	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	1	1	1	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	1	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,754

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBRAL EMBOLISM (434.1)												
SOUTH DAKOTA -----	-	-	1	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	2	3	3	1	2	-	4	-	-	-
WHITE-----MALE----	-	-	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	2	-	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	4	3	1	10	12	3	3	1	1	-
WHITE-----MALE----	-	-	2	1	1	1	4	-	2	-	-	-
FEMALE--	-	-	1	1	-	7	7	3	1	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
UTAH -----	-	-	1	1	-	2	3	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	1	4	3	4	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	3	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,756

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
0 UNITED STATES --	91,017	2	2	1	2	3	13	19	51	113	267	477
WHITE-----MALE----	29,490	1	1	1	1	2	5	4	21	38	98	188
FEMALE--	50,472	1	-	-	1	-	3	7	14	31	62	103
ALL OTHER--MALE----	4,648	-	1	-	-	1	3	4	8	20	54	100
FEMALE--	6,407	-	-	-	-	-	2	4	8	24	53	86
BLACK---MALE----	3,943	-	1	-	-	1	2	4	8	18	47	95
FEMALE--	5,682	-	-	-	-	-	1	3	8	21	48	82
ALABAMA -----	1,702	-	-	-	-	-	-	1	2	4	13	26
WHITE-----MALE----	442	-	-	-	-	-	-	1	1	-	4	5
FEMALE--	815	-	-	-	-	-	-	-	-	2	4	5
ALL OTHER--MALE----	184	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	261	-	-	-	-	-	-	-	1	2	2	12
BLACK---MALE----	182	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	261	-	-	-	-	-	-	-	1	2	2	12
ALASKA -----	58	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,527	-	-	-	-	-	-	-	-	-	2	5
WHITE-----MALE----	557	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	907	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1,540	-	-	-	-	-	1	-	4	2	12	11
WHITE-----MALE----	491	-	-	-	-	-	-	-	1	1	5	2
FEMALE--	841	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	87	-	-	-	-	-	1	-	2	1	-	4
FEMALE--	121	-	-	-	-	-	-	-	1	-	5	3
BLACK---MALE----	87	-	-	-	-	-	1	-	2	1	-	4
FEMALE--	120	-	-	-	-	-	-	-	1	-	5	3
CALIFORNIA -----	9,003	-	1	1	-	1	-	2	5	7	23	26
WHITE-----MALE----	2,930	-	1	1	-	1	-	-	4	3	11	18
FEMALE--	4,901	-	-	-	-	-	-	-	1	2	3	5
ALL OTHER--MALE----	520	-	-	-	-	-	-	1	-	2	5	1
FEMALE--	652	-	-	-	-	-	-	1	-	-	4	2
BLACK---MALE----	244	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	365	-	-	-	-	-	-	1	-	-	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,756

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
0 UNITED STATES --	868	1,417	2,479	4,565	8,440	13,531	18,755	19,892	13,940	5,143	1,033	4
WHITE-----MALE----	328	578	1,020	1,954	3,489	5,393	6,549	5,803	3,095	807	112	2
FEMALE--	224	361	732	1,602	3,468	6,390	10,334	12,593	9,832	3,911	802	1
ALL OTHER--MALE----	194	280	394	526	709	777	706	502	273	81	14	1
FEMALE--	122	198	333	483	774	971	1,166	994	740	344	105	-
BLACK---MALE----	176	245	347	467	619	643	565	402	225	68	9	1
FEMALE--	114	187	295	427	692	854	1,009	883	660	301	97	-
ALABAMA -----	21	47	72	108	174	226	339	354	229	69	17	-
WHITE-----MALE----	4	14	20	27	60	70	104	89	35	8	-	-
FEMALE--	2	7	19	34	63	96	165	210	156	46	6	-
ALL OTHER--MALE----	11	15	16	28	23	30	20	19	11	4	-	-
FEMALE--	4	11	17	19	28	30	50	36	27	11	11	-
BLACK---MALE----	11	15	16	28	23	30	19	18	11	4	-	-
FEMALE--	4	11	17	19	28	30	50	36	27	11	11	-
ALASKA -----	3	1	3	3	4	12	14	8	5	1	1	-
WHITE-----MALE----	3	1	1	1	3	4	4	3	1	-	1	-
FEMALE--	-	-	-	2	1	4	5	1	4	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	4	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	20	40	81	159	245	317	362	208	73	11	-
WHITE-----MALE----	3	13	19	48	70	109	121	107	48	14	2	-
FEMALE--	1	6	11	28	79	126	188	244	153	58	9	-
ALL OTHER--MALE----	-	1	2	2	3	3	5	2	3	1	-	-
FEMALE--	-	-	8	3	7	7	3	9	4	-	-	-
BLACK---MALE----	-	-	1	2	2	2	2	1	1	-	-	-
FEMALE--	-	-	1	2	3	5	1	4	1	-	-	-
ARKANSAS -----	17	25	40	80	143	229	317	327	246	70	16	-
WHITE-----MALE----	4	13	17	32	55	95	124	84	41	13	4	-
FEMALE--	6	4	10	37	70	108	156	208	178	48	12	-
ALL OTHER--MALE----	5	7	7	10	9	10	14	10	7	-	-	-
FEMALE--	2	1	6	1	9	16	23	25	20	9	-	-
BLACK---MALE----	5	7	7	10	9	10	14	10	7	-	-	-
FEMALE--	2	1	6	1	9	16	23	24	20	9	-	-
CALIFORNIA -----	89	129	239	447	881	1,419	1,855	1,890	1,335	552	101	-
WHITE-----MALE----	35	56	98	185	348	560	611	562	329	97	10	-
FEMALE--	29	36	75	160	362	660	1,017	1,161	902	411	77	-
ALL OTHER--MALE----	13	21	38	51	87	81	92	79	34	12	3	-
FEMALE--	12	16	28	51	84	118	135	88	70	32	11	-
BLACK---MALE----	8	9	28	24	48	30	39	32	15	6	1	-
FEMALE--	10	12	19	28	46	65	67	53	37	15	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,757

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
COLORADO -----	1,083	-	-	-	-	-	-	-	1	1	1	6
WHITE-----MALE----	350	-	-	-	-	-	-	-	1	1	-	5
FEMALE--	683	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,084	-	-	-	-	-	-	-	1	2	2	2
WHITE-----MALE----	346	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	676	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	19	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	191	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	99	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	141	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	1
FLORIDA -----	5,504	-	-	-	-	-	-	-	3	11	17	20
WHITE-----MALE----	2,020	-	-	-	-	-	-	-	1	4	5	7
FEMALE--	2,871	-	-	-	-	-	-	-	1	3	5	6
ALL OTHER--MALE----	263	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	350	-	-	-	-	-	-	-	1	3	2	4
BLACK---MALE----	249	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	343	-	-	-	-	-	-	-	1	3	2	4
GEORGIA -----	2,421	-	-	-	-	1	1	-	2	4	10	24
WHITE-----MALE----	623	-	-	-	-	1	1	-	-	2	2	6
FEMALE--	1,167	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	259	-	-	-	-	-	-	-	1	1	1	10
FEMALE--	372	-	-	-	-	-	-	-	1	-	7	5
BLACK---MALE----	252	-	-	-	-	-	-	-	1	1	1	10
FEMALE--	369	-	-	-	-	-	-	-	1	-	7	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,757

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
COLORADO -----	9	10	30	45	85	154	223	243	196	68	11	-
WHITE-----MALE----	3	6	16	24	38	60	75	67	43	9	2	-
FEMALE--	3	3	12	17	41	87	136	171	147	56	9	-
ALL OTHER--MALE----	3	1	2	2	5	2	3	2	-	1	-	-
FEMALE--	-	-	-	2	1	5	9	3	6	2	-	-
BLACK---MALE----	3	-	2	2	5	1	3	2	-	1	-	-
FEMALE--	-	-	-	1	1	4	8	3	5	2	-	-
CONNECTICUT -----	2	7	18	45	96	152	217	262	193	74	11	-
WHITE-----MALE----	-	3	7	22	52	61	73	71	41	13	1	-
FEMALE--	2	3	5	21	35	82	134	184	144	55	9	-
ALL OTHER--MALE----	-	-	4	1	4	3	2	1	3	1	-	-
FEMALE--	-	1	2	1	5	6	8	6	5	5	1	-
BLACK---MALE----	-	-	4	1	4	2	2	-	3	1	-	-
FEMALE--	-	1	2	1	4	5	7	6	5	5	1	-
DELAWARE -----	-	2	5	11	22	31	35	49	28	4	1	-
WHITE-----MALE----	-	1	2	5	11	10	13	16	6	-	-	-
FEMALE--	-	1	1	2	9	16	16	28	21	4	1	-
ALL OTHER--MALE----	-	-	1	2	1	2	1	1	1	-	-	-
FEMALE--	-	-	1	2	1	3	5	4	-	-	-	-
BLACK---MALE----	-	-	1	2	1	2	1	1	1	-	-	-
FEMALE--	-	-	1	2	1	3	5	4	-	-	-	-
DISTRICT OF COLUMBIA -----	2	4	5	7	8	30	26	20	24	10	1	-
WHITE-----MALE----	-	-	-	1	-	6	3	2	3	1	-	-
FEMALE--	-	-	-	-	-	4	5	4	12	5	-	-
ALL OTHER--MALE----	1	1	2	4	4	4	6	4	3	1	-	-
FEMALE--	1	3	3	2	4	16	12	10	6	3	1	-
BLACK---MALE----	1	1	2	4	4	4	6	4	3	1	-	-
FEMALE--	1	3	3	2	4	16	12	10	6	3	1	-
FLORIDA -----	44	88	156	269	524	831	1,229	1,219	778	271	43	1
WHITE-----MALE----	14	45	73	122	236	354	502	393	217	42	4	1
FEMALE--	12	12	41	101	203	377	623	747	501	206	33	-
ALL OTHER--MALE----	14	18	24	29	35	48	39	29	10	7	1	-
FEMALE--	4	13	18	17	50	52	65	50	50	16	5	-
BLACK---MALE----	14	17	22	28	33	45	37	26	10	7	1	-
FEMALE--	4	13	18	17	50	51	63	49	49	14	5	-
GEORGIA -----	35	74	96	179	264	370	493	449	306	101	12	-
WHITE-----MALE----	10	19	25	55	89	114	139	98	51	10	1	-
FEMALE--	4	16	27	51	87	151	259	291	203	69	5	-
ALL OTHER--MALE----	14	19	25	37	45	42	36	13	13	1	1	-
FEMALE--	7	20	19	36	43	63	59	47	39	21	5	-
BLACK---MALE----	14	18	24	37	43	42	34	12	13	1	1	-
FEMALE--	7	20	19	36	43	62	59	47	37	21	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,758

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
HAWAII -----	2	11	9	28	39	65	74	57	47	17	5	-
WHITE-----MALE----	-	1	-	4	4	5	8	5	-	-	-	-
FEMALE--	-	-	1	1	3	9	8	9	9	2	1	-
ALL OTHER--MALE----	2	8	6	12	17	37	36	21	16	2	3	-
FEMALE--	-	2	2	11	15	14	22	22	22	13	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
IDAHO -----	3	1	11	14	22	65	94	109	63	20	5	-
WHITE-----MALE----	2	-	7	5	13	26	38	31	17	5	-	-
FEMALE--	1	1	4	8	8	38	56	77	45	14	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ILLINOIS -----	36	71	120	213	369	583	822	871	622	236	54	-
WHITE-----MALE----	17	30	45	90	142	257	314	266	145	33	6	-
FEMALE--	8	16	27	82	163	272	434	548	446	187	47	-
ALL OTHER--MALE----	6	10	23	20	34	23	29	12	9	2	-	-
FEMALE--	5	15	25	21	30	31	45	45	22	14	1	-
BLACK---MALE----	6	9	19	20	33	21	28	11	9	2	-	-
FEMALE--	4	14	25	20	30	30	39	43	21	14	1	-
INDIANA -----	20	29	51	116	228	340	488	497	366	130	26	-
WHITE-----MALE----	5	4	23	50	98	129	196	132	88	23	2	-
FEMALE--	8	17	21	45	108	183	270	356	265	101	23	-
ALL OTHER--MALE----	5	4	3	11	9	15	7	2	4	1	1	-
FEMALE--	2	4	4	10	13	13	15	7	9	5	-	-
BLACK---MALE----	5	4	3	11	9	15	6	2	4	1	1	-
FEMALE--	2	4	3	10	13	11	15	7	8	5	-	-
IOWA -----	3	15	20	41	87	182	307	326	288	114	29	-
WHITE-----MALE----	1	9	10	24	45	91	125	121	64	12	1	-
FEMALE--	1	6	9	16	41	89	178	204	224	98	28	-
ALL OTHER--MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	3	1	-	4	-	-
BLACK---MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	1	-	4	-	-
KANSAS -----	10	17	14	34	84	123	219	257	209	75	25	-
WHITE-----MALE----	6	10	5	15	39	48	73	91	46	13	3	-
FEMALE--	3	6	8	15	40	65	138	156	153	61	22	-
ALL OTHER--MALE----	1	-	1	-	4	4	3	1	2	-	-	-
FEMALE--	-	1	-	4	1	6	5	9	8	1	-	-
BLACK---MALE----	1	-	1	-	3	4	3	1	2	-	-	-
FEMALE--	-	1	-	4	1	4	5	6	8	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,759

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
KENTUCKY -----	1,551	-	-	-	-	-	-	1	-	2	6	2
WHITE-----MALE----	550	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	914	-	-	-	-	-	-	-	-	1	4	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	59	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1,448	-	-	-	-	-	1	-	2	3	8	13
WHITE-----MALE----	378	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	583	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	206	-	-	-	-	-	1	-	2	-	2	5
FEMALE--	281	-	-	-	-	-	-	-	-	2	4	3
BLACK---MALE----	203	-	-	-	-	-	1	-	2	-	2	5
FEMALE--	278	-	-	-	-	-	-	-	-	2	4	3
MAINE -----	492	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	191	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	301	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,348	-	-	-	-	-	-	-	-	3	7	6
WHITE-----MALE----	384	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	683	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	112	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	169	-	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	102	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	160	-	-	-	-	-	-	-	-	1	3	2
MASSACHUSETTS -----	1,794	-	-	-	-	-	-	-	1	2	3	3
WHITE-----MALE----	580	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	1,160	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2,901	1	-	-	-	-	2	4	2	2	5	13
WHITE-----MALE----	951	1	-	-	-	-	-	4	-	-	3	7
FEMALE--	1,653	-	-	-	-	-	2	-	-	-	-	2
ALL OTHER--MALE----	119	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	178	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	112	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	170	-	-	-	-	-	-	-	-	2	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,759

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
KENTUCKY -----	20	22	47	80	155	233	317	327	244	77	18	-
WHITE-----MALE----	5	14	19	36	70	88	117	117	57	19	5	-
FEMALE--	12	6	23	36	74	132	184	196	181	52	13	-
ALL OTHER--MALE----	2	1	1	3	3	5	6	3	1	-	-	-
FEMALE--	1	1	4	5	8	8	10	11	5	6	-	-
BLACK---MALE----	2	1	1	3	3	5	6	3	1	-	-	-
FEMALE--	1	1	3	5	8	8	10	10	5	6	-	-
LOUISIANA -----	23	39	71	108	168	200	277	286	170	62	17	-
WHITE-----MALE----	4	10	24	35	53	63	74	69	34	6	3	-
FEMALE--	5	6	9	25	43	69	127	150	99	37	8	-
ALL OTHER--MALE----	9	13	21	22	37	25	31	25	11	2	-	-
FEMALE--	5	10	17	26	35	43	45	42	26	17	6	-
BLACK---MALE----	9	13	21	21	37	25	30	25	10	2	-	-
FEMALE--	5	10	17	26	35	42	44	41	26	17	6	-
MAINE -----	3	1	8	20	41	79	100	107	86	41	5	-
WHITE-----MALE----	2	1	4	9	20	38	46	46	16	7	1	-
FEMALE--	1	-	4	11	21	41	54	61	70	34	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	32	44	71	139	198	264	260	218	69	16	-
WHITE-----MALE----	7	9	10	33	48	69	86	69	37	7	2	-
FEMALE--	1	5	17	13	47	90	130	155	161	52	11	-
ALL OTHER--MALE----	8	9	11	15	19	19	12	10	5	2	-	-
FEMALE--	5	9	6	10	25	20	36	26	15	8	3	-
BLACK---MALE----	8	8	11	14	18	16	9	9	5	2	-	-
FEMALE--	5	9	6	9	25	17	33	25	14	8	3	-
MASSACHUSETTS -----	17	19	24	70	122	248	378	417	327	132	31	-
WHITE-----MALE----	5	13	12	35	52	112	138	112	78	15	4	-
FEMALE--	9	5	5	29	64	128	233	297	244	116	25	-
ALL OTHER--MALE----	3	-	4	3	4	2	2	1	1	-	-	-
FEMALE--	-	1	3	3	2	6	5	7	4	1	2	-
BLACK---MALE----	2	-	2	2	4	1	1	1	1	-	-	-
FEMALE--	-	1	1	3	2	5	2	7	3	1	2	-
MICHIGAN -----	27	54	65	143	270	437	605	639	448	154	32	-
WHITE-----MALE----	13	27	31	61	106	177	208	190	96	24	3	-
FEMALE--	4	14	20	57	117	212	333	408	334	125	25	-
ALL OTHER--MALE----	5	7	12	12	25	15	21	13	3	3	-	-
FEMALE--	5	6	2	13	22	33	43	28	15	2	4	-
BLACK---MALE----	4	7	10	12	24	15	20	12	2	3	-	-
FEMALE--	4	5	1	13	21	32	41	28	15	2	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,760

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
MINNESOTA -----	7	10	21	65	122	230	352	419	326	154	25	-
WHITE-----MALE----	3	9	8	34	69	106	140	140	84	30	2	-
FEMALE--	3	1	12	28	48	124	209	275	239	123	23	-
ALL OTHER--MALE----	1	-	1	1	2	-	1	2	1	-	-	-
FEMALE--	-	-	-	2	3	-	2	2	2	1	-	-
BLACK---MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	3	-	2	2	2	1	-	-
MISSISSIPPI -----	20	36	43	79	122	187	216	202	159	48	8	-
WHITE-----MALE----	8	7	8	21	39	46	61	40	31	4	-	-
FEMALE--	2	9	7	20	39	57	98	114	85	24	4	-
ALL OTHER--MALE----	7	13	15	20	15	39	21	19	11	6	1	-
FEMALE--	3	7	13	18	29	45	36	29	32	14	3	-
BLACK---MALE----	7	13	14	20	15	39	21	19	11	6	1	-
FEMALE--	3	7	13	18	28	44	36	29	32	14	3	-
MISSOURI -----	16	21	54	88	174	291	424	519	360	141	22	-
WHITE-----MALE----	7	12	22	41	65	127	138	152	95	23	3	-
FEMALE--	4	5	24	32	89	136	266	343	246	111	17	-
ALL OTHER--MALE----	2	3	4	7	10	12	11	6	7	3	-	-
FEMALE--	3	1	4	8	10	16	9	18	12	4	2	-
BLACK---MALE----	2	3	3	7	10	12	11	6	6	3	-	-
FEMALE--	3	1	4	7	10	16	8	18	12	3	2	-
MONTANA -----	-	8	8	15	34	47	62	76	66	25	5	-
WHITE-----MALE----	-	4	2	9	16	21	23	27	21	5	-	-
FEMALE--	-	4	5	4	18	25	37	48	45	19	5	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	5	4	9	20	52	81	143	186	123	46	9	-
WHITE-----MALE----	5	3	4	9	25	39	59	67	29	7	1	-
FEMALE--	-	1	4	10	25	41	82	116	93	39	7	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	1	-	1	-
BLACK---MALE----	-	-	-	-	2	1	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	-	-	1	-
NEVADA -----	5	8	18	30	52	82	95	92	57	19	3	-
WHITE-----MALE----	2	3	9	14	20	34	37	26	9	1	-	-
FEMALE--	3	4	7	10	28	41	51	61	46	17	2	-
ALL OTHER--MALE----	-	-	1	1	3	4	4	1	1	-	-	-
FEMALE--	-	1	1	5	1	3	3	4	1	1	1	-
BLACK---MALE----	-	-	1	-	1	3	2	1	1	-	-	-
FEMALE--	-	1	-	3	1	3	3	3	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,762

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
OHIO -----	3,860	-	-	-	-	-	-	-	-	6	4	24
WHITE-----MALE----	1,294	-	-	-	-	-	-	-	-	2	1	14
FEMALE--	2,198	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	159	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	209	-	-	-	-	-	-	-	-	2	-	5
BLACK---MALE----	155	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	204	-	-	-	-	-	-	-	-	2	-	4
OKLAHOMA -----	1,579	-	-	-	-	-	2	1	1	4	7	9
WHITE-----MALE----	537	-	-	-	-	-	-	1	-	-	3	3
FEMALE--	882	-	-	-	-	-	-	1	1	-	2	4
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	95	-	-	-	-	-	-	-	-	3	-	1
BLACK---MALE----	44	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	61	-	-	-	-	-	-	-	-	1	-	1
OREGON -----	1,494	-	-	-	-	-	-	-	1	1	1	5
WHITE-----MALE----	536	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	923	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	4,674	-	-	-	1	-	1	2	3	8	8	14
WHITE-----MALE----	1,523	-	-	-	1	-	1	-	-	3	6	8
FEMALE--	2,797	-	-	-	-	-	-	1	3	3	2	4
ALL OTHER--MALE----	135	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	219	-	-	-	-	-	-	1	-	2	-	2
BLACK---MALE----	126	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	206	-	-	-	-	-	-	1	-	2	-	2
RHODE ISLAND -----	354	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	116	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	230	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,693	-	-	-	-	-	1	-	2	5	7	18
WHITE-----MALE----	447	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	664	-	-	-	-	-	1	-	-	1	1	2
ALL OTHER--MALE----	248	-	-	-	-	-	-	-	1	1	2	7
FEMALE--	334	-	-	-	-	-	-	-	1	2	2	3
BLACK---MALE----	247	-	-	-	-	-	-	-	1	1	2	7
FEMALE--	333	-	-	-	-	-	-	-	1	2	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,762

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
OHIO -----	42	48	89	186	371	615	807	869	557	191	51	-
WHITE-----MALE----	21	23	38	83	158	245	305	248	125	28	3	-
FEMALE--	9	15	31	67	164	307	435	565	404	152	44	-
ALL OTHER--MALE----	8	5	8	16	25	26	30	27	6	2	1	-
FEMALE--	4	5	12	20	24	37	37	29	22	9	3	-
BLACK---MALE----	8	5	8	16	25	25	28	26	6	2	1	-
FEMALE--	4	5	12	20	22	36	36	29	22	9	3	-
OKLAHOMA -----	18	30	30	70	159	235	298	369	255	69	22	1
WHITE-----MALE----	7	11	7	33	74	105	88	126	61	15	3	-
FEMALE--	7	12	13	28	64	102	182	223	173	51	18	1
ALL OTHER--MALE----	2	5	4	4	11	15	6	7	6	1	-	-
FEMALE--	2	2	6	5	10	13	22	13	15	2	1	-
BLACK---MALE----	1	3	3	3	6	10	5	5	5	1	-	-
FEMALE--	2	2	5	2	7	8	14	7	12	-	-	-
OREGON -----	9	13	23	50	144	210	313	376	239	93	16	-
WHITE-----MALE----	5	9	17	30	70	88	110	126	60	16	2	-
FEMALE--	3	4	5	20	68	114	191	246	177	77	14	-
ALL OTHER--MALE----	1	-	1	-	3	3	6	1	-	-	-	-
FEMALE--	-	-	-	-	3	5	6	3	2	-	-	-
BLACK---MALE----	1	-	-	-	1	3	4	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	3	1	2	-	-	-
PENNSYLVANIA -----	30	56	118	234	427	699	1,046	999	729	239	60	-
WHITE-----MALE----	14	21	50	109	199	293	334	285	151	44	4	-
FEMALE--	8	17	40	93	186	358	645	669	544	173	51	-
ALL OTHER--MALE----	6	13	9	15	19	20	26	13	7	6	1	-
FEMALE--	2	5	19	17	23	28	41	32	27	16	4	-
BLACK---MALE----	5	12	9	14	19	20	22	13	7	4	1	-
FEMALE--	2	5	16	17	21	25	39	30	27	15	4	-
RHODE ISLAND -----	-	2	3	14	28	54	77	84	61	23	7	-
WHITE-----MALE----	-	-	1	8	13	27	27	26	8	5	-	-
FEMALE--	-	2	2	6	13	25	49	57	51	18	7	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
SOUTH CAROLINA -----	37	55	82	118	194	281	301	297	211	73	11	-
WHITE-----MALE----	14	13	29	35	69	89	85	69	28	7	-	-
FEMALE--	3	6	12	29	46	91	127	163	128	49	5	-
ALL OTHER--MALE----	10	28	25	30	32	46	33	20	11	2	-	-
FEMALE--	10	8	16	24	47	55	56	45	44	15	6	-
BLACK---MALE----	9	28	25	30	32	46	33	20	11	2	-	-
FEMALE--	10	8	16	24	47	55	55	45	44	15	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,763

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
SOUTH DAKOTA -----	392	-	-	-	-	-	-	1	-	-	-	3
WHITE-----MALE----	162	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	221	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,496	-	-	-	-	-	-	2	1	4	12	17
WHITE-----MALE----	755	-	-	-	-	-	-	-	1	2	6	5
FEMALE--	1,319	-	-	-	-	-	-	2	-	1	3	3
ALL OTHER--MALE----	169	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	253	-	-	-	-	-	-	-	-	-	2	5
BLACK---MALE----	165	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	253	-	-	-	-	-	-	-	-	-	2	5
TEXAS -----	5,622	1	-	-	-	1	-	-	2	9	22	43
WHITE-----MALE----	1,790	-	-	-	-	-	-	-	2	2	6	17
FEMALE--	3,115	1	-	-	-	-	-	-	-	5	7	12
ALL OTHER--MALE----	306	-	-	-	-	1	-	-	-	2	5	8
FEMALE--	411	-	-	-	-	-	-	-	-	-	4	6
BLACK---MALE----	294	-	-	-	-	1	-	-	-	2	5	8
FEMALE--	403	-	-	-	-	-	-	-	-	-	4	6
UTAH -----	524	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	180	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	337	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	172	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	107	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,326	-	-	-	-	-	1	-	7	-	8	12
WHITE-----MALE----	634	-	-	-	-	-	-	-	2	-	3	3
FEMALE--	1,161	-	-	-	-	-	1	-	2	-	2	3
ALL OTHER--MALE----	224	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	307	-	-	-	-	-	-	-	2	-	1	2
BLACK---MALE----	216	-	-	-	-	-	-	-	1	-	2	4
FEMALE--	298	-	-	-	-	-	-	-	2	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,763

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
SOUTH DAKOTA -----	-	1	6	5	25	53	94	95	71	33	5	-
WHITE-----MALE----	-	1	3	3	17	27	40	41	19	8	-	-
FEMALE--	-	-	1	2	7	26	52	52	51	25	5	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	59	85	159	230	371	510	527	360	119	14	1
WHITE-----MALE----	9	23	34	70	77	128	169	136	77	17	1	-
FEMALE--	6	10	29	55	83	185	272	333	245	80	12	-
ALL OTHER--MALE----	5	14	8	16	33	26	26	18	14	2	-	1
FEMALE--	5	12	14	18	37	32	43	40	24	20	1	-
BLACK---MALE----	5	13	8	15	33	25	26	18	14	2	-	1
FEMALE--	5	12	14	18	37	32	43	40	24	20	1	-
TEXAS -----	74	81	161	312	525	825	1,107	1,250	822	323	63	1
WHITE-----MALE----	30	32	71	128	221	322	346	369	189	46	8	1
FEMALE--	23	29	43	119	215	402	655	762	551	245	46	-
ALL OTHER--MALE----	10	11	29	35	43	45	43	43	22	9	-	-
FEMALE--	11	9	18	30	46	56	63	76	60	23	9	-
BLACK---MALE----	10	11	27	34	41	42	41	42	22	8	-	-
FEMALE--	11	9	18	29	46	54	61	74	59	23	9	-
UTAH -----	2	3	11	18	38	69	133	131	89	26	1	-
WHITE-----MALE----	-	2	6	10	18	28	51	39	17	7	-	-
FEMALE--	1	1	5	8	19	39	79	92	72	19	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
VERMONT -----	-	1	3	6	13	23	35	39	39	10	3	-
WHITE-----MALE----	-	1	2	1	7	9	15	13	13	3	1	-
FEMALE--	-	-	1	5	6	14	20	26	26	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	35	94	128	219	397	446	483	338	109	24	-
WHITE-----MALE----	6	17	38	45	67	140	127	119	52	13	2	-
FEMALE--	6	3	22	35	81	161	237	284	232	79	13	-
ALL OTHER--MALE----	6	7	21	28	37	42	34	25	13	3	1	-
FEMALE--	7	8	13	20	34	54	48	55	41	14	8	-
BLACK---MALE----	6	7	21	28	36	42	29	24	12	3	1	-
FEMALE--	6	8	11	19	34	54	48	53	39	14	8	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,765

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
0 UNITED STATES --	186	266	493	909	1,724	2,968	4,357	5,091	3,615	1,495	316	-
WHITE-----MALE----	70	100	196	398	769	1,264	1,659	1,576	831	272	31	-
FEMALE--	56	97	142	301	624	1,289	2,271	3,080	2,484	1,096	251	-
ALL OTHER--MALE----	30	40	88	113	166	211	156	158	78	30	7	-
FEMALE--	30	29	67	97	165	204	271	277	222	97	27	-
BLACK---MALE----	26	38	77	93	146	177	123	123	51	20	5	-
FEMALE--	25	24	57	87	143	170	240	236	190	85	22	-
ALABAMA -----	9	11	10	20	30	46	62	61	43	13	6	-
WHITE-----MALE----	2	3	1	6	11	18	17	15	6	1	-	-
FEMALE--	2	5	2	6	4	20	31	32	28	7	5	-
ALL OTHER--MALE----	4	2	6	5	6	3	8	6	2	-	1	-
FEMALE--	1	1	1	3	9	5	6	8	7	5	-	-
BLACK---MALE----	4	2	6	5	6	3	8	6	2	-	1	-
FEMALE--	1	1	1	3	9	5	6	8	7	5	-	-
ALASKA -----	-	-	1	2	1	4	3	4	2	3	-	-
WHITE-----MALE----	-	-	1	1	1	2	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	5	17	29	42	64	76	49	13	6	-
WHITE-----MALE----	2	-	2	11	10	15	21	31	13	-	1	-
FEMALE--	1	1	1	6	16	26	43	42	34	11	5	-
ALL OTHER--MALE----	-	-	2	-	2	1	-	1	2	1	-	-
FEMALE--	-	1	-	-	1	-	-	2	-	1	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	1	1	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	1	-	-
ARKANSAS -----	2	4	7	16	27	50	71	70	63	18	2	-
WHITE-----MALE----	1	2	6	6	14	21	24	26	10	4	-	-
FEMALE--	1	-	1	5	6	18	38	37	46	12	1	-
ALL OTHER--MALE----	-	1	-	3	5	3	4	4	1	-	-	-
FEMALE--	-	1	-	2	2	8	5	3	6	2	1	-
BLACK---MALE----	-	1	-	3	5	3	4	4	1	-	-	-
FEMALE--	-	1	-	2	2	8	5	3	6	2	1	-
CALIFORNIA -----	23	33	61	114	243	390	548	605	445	212	40	-
WHITE-----MALE----	12	13	21	46	105	169	207	168	97	39	4	-
FEMALE--	3	10	20	40	88	157	278	348	294	153	29	-
ALL OTHER--MALE----	4	6	7	13	25	27	23	34	19	8	1	-
FEMALE--	4	4	13	15	25	37	40	55	35	12	6	-
BLACK---MALE----	3	5	5	7	14	12	9	15	5	2	-	-
FEMALE--	3	1	8	9	13	22	22	32	19	7	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,766

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	181	2	-	-	-	1	-	-	-	2	2	2
WHITE-----MALE----	74	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	98	1	-	-	-	1	-	-	-	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	237	-	1	-	1	-	-	-	-	-	-	2
WHITE-----MALE----	87	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	139	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	27	1	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	47	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	1,317	12	4	2	3	-	-	1	-	2	3	4
WHITE-----MALE----	468	4	1	1	1	-	-	-	-	1	-	-
FEMALE--	706	5	1	-	1	-	-	-	-	-	-	2
ALL OTHER--MALE----	64	2	2	-	-	-	-	-	-	-	-	1
FEMALE--	79	1	-	1	1	-	-	1	-	1	3	1
BLACK---MALE----	63	2	2	-	-	-	-	-	-	-	-	1
FEMALE--	79	1	-	1	1	-	-	1	-	1	3	1
GEORGIA -----	563	7	1	-	-	-	1	-	1	2	4	6
WHITE-----MALE----	143	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	256	5	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	73	2	-	-	-	-	1	-	-	-	1	-
FEMALE--	91	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	71	2	-	-	-	-	1	-	-	-	1	-
FEMALE--	88	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,766

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
COLORADO -----	4	3	9	9	16	31	33	29	25	11	2	-
WHITE-----MALE----	-	1	3	5	10	18	13	13	8	-	-	-
FEMALE--	3	2	5	3	6	12	18	16	17	10	1	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	1	1	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	1	-
CONNECTICUT -----	2	3	5	6	15	32	46	54	44	22	4	-
WHITE-----MALE----	1	1	5	3	6	17	23	19	7	3	-	-
FEMALE--	1	2	-	2	8	14	20	33	36	18	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	1	1	-	-
DELAWARE -----	-	2	1	1	3	5	5	3	2	2	-	-
WHITE-----MALE----	-	-	1	1	2	2	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	3	2	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
DISTRICT OF COLUMBIA ----	1	-	2	1	5	9	4	12	6	5	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	3	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	3	4	2	-	-
ALL OTHER--MALE----	-	-	2	1	-	4	-	1	-	1	-	-
FEMALE--	1	-	-	-	5	4	3	5	2	1	-	-
BLACK---MALE----	-	-	2	1	-	4	-	1	-	1	-	-
FEMALE--	1	-	-	-	5	4	3	5	2	1	-	-
FLORIDA -----	11	12	29	46	102	191	272	306	221	82	14	-
WHITE-----MALE----	3	2	8	21	49	68	121	107	65	15	1	-
FEMALE--	3	6	7	16	36	90	133	185	149	60	12	-
ALL OTHER--MALE----	2	1	10	4	8	18	7	4	3	2	-	-
FEMALE--	3	3	4	5	9	15	11	10	4	5	1	-
BLACK---MALE----	2	1	10	4	7	18	7	4	3	2	-	-
FEMALE--	3	3	4	5	9	15	11	10	4	5	1	-
GEORGIA -----	11	11	24	26	63	74	111	109	80	28	4	-
WHITE-----MALE----	2	3	5	7	22	19	31	28	16	4	2	-
FEMALE--	2	3	6	8	21	27	52	59	48	19	1	-
ALL OTHER--MALE----	3	4	9	6	11	16	7	8	3	1	1	-
FEMALE--	4	1	4	5	9	12	21	14	13	4	-	-
BLACK---MALE----	3	4	9	5	11	15	7	8	3	1	1	-
FEMALE--	4	1	4	5	9	11	20	14	12	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,767

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
HAWAII -----	1	1	7	4	7	10	21	15	13	8	-	-
WHITE-----MALE----	-	-	1	-	-	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	3	3	2	2	-	-
ALL OTHER--MALE----	1	-	3	3	2	5	10	7	6	2	-	-
FEMALE--	-	1	3	1	5	3	6	4	4	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	2	4	11	23	31	42	13	7	2	-
WHITE-----MALE----	1	-	1	2	6	9	6	19	5	2	-	-
FEMALE--	-	1	1	2	4	14	25	23	8	5	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	12	12	21	35	81	110	171	234	159	78	18	-
WHITE-----MALE----	7	4	6	18	39	47	68	83	40	14	3	-
FEMALE--	2	-	4	11	26	48	86	138	103	60	15	-
ALL OTHER--MALE----	1	6	9	4	11	4	7	4	3	2	-	-
FEMALE--	2	2	2	2	5	11	10	9	13	2	-	-
BLACK---MALE----	1	6	9	3	11	1	6	3	3	2	-	-
FEMALE--	1	2	2	2	5	9	8	8	12	2	-	-
INDIANA -----	6	4	9	19	41	57	92	137	69	43	7	-
WHITE-----MALE----	3	2	6	12	25	26	43	48	14	10	1	-
FEMALE--	2	2	3	7	11	27	45	87	48	31	5	-
ALL OTHER--MALE----	1	-	-	-	1	2	2	-	4	1	-	-
FEMALE--	-	-	-	-	4	2	2	2	3	1	1	-
BLACK---MALE----	1	-	-	-	1	2	2	-	4	1	-	-
FEMALE--	-	-	-	-	4	2	2	2	3	1	1	-
IOWA -----	1	1	3	4	16	28	54	54	44	19	10	-
WHITE-----MALE----	-	-	1	4	7	16	26	25	11	5	2	-
FEMALE--	1	1	1	-	8	11	27	29	33	14	8	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	2	1	3	6	13	25	46	61	42	22	1	-
WHITE-----MALE----	1	-	1	3	12	10	22	22	8	4	-	-
FEMALE--	-	1	1	3	-	12	21	39	31	18	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	1	-	3	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	1	-	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,768

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
KENTUCKY -----	2	1	12	9	22	56	53	69	38	22	5	-
WHITE-----MALE----	-	1	6	5	7	25	19	15	9	3	-	-
FEMALE--	-	-	4	4	14	26	31	48	29	17	3	-
ALL OTHER--MALE----	1	-	2	-	1	2	-	2	-	-	1	-
FEMALE--	1	-	-	-	-	3	3	4	-	2	1	-
BLACK---MALE----	1	-	2	-	1	2	-	2	-	-	1	-
FEMALE--	1	-	-	-	-	3	3	4	-	2	1	-
LOUISIANA -----	-	2	8	17	27	50	70	74	47	16	4	-
WHITE-----MALE----	-	-	2	6	12	19	21	17	4	4	-	-
FEMALE--	-	-	4	3	7	24	28	41	28	8	1	-
ALL OTHER--MALE----	-	1	-	4	5	4	7	5	6	-	-	-
FEMALE--	-	1	2	4	3	3	14	11	9	4	3	-
BLACK---MALE----	-	1	-	4	5	4	6	5	6	-	-	-
FEMALE--	-	1	2	4	3	3	14	11	9	4	3	-
MAINE -----	1	-	2	4	3	18	14	28	10	6	4	-
WHITE-----MALE----	1	-	2	2	2	10	5	10	4	2	-	-
FEMALE--	-	-	-	2	1	8	9	18	6	4	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	12	19	37	78	95	79	68	29	4	-
WHITE-----MALE----	-	2	5	9	13	28	42	19	12	4	-	-
FEMALE--	-	2	2	1	9	31	34	45	48	22	4	-
ALL OTHER--MALE----	2	-	2	5	7	11	6	6	-	1	-	-
FEMALE--	1	1	3	4	8	8	13	9	8	2	-	-
BLACK---MALE----	2	-	2	5	7	11	6	4	-	1	-	-
FEMALE--	1	1	2	4	8	7	13	7	7	2	-	-
MASSACHUSETTS -----	3	5	11	24	32	76	137	157	120	44	14	-
WHITE-----MALE----	2	3	7	11	15	34	50	47	30	10	3	-
FEMALE--	-	2	2	8	14	38	82	107	87	31	11	-
ALL OTHER--MALE----	1	-	1	3	-	2	2	2	1	-	-	-
FEMALE--	-	-	1	2	3	2	3	1	2	3	-	-
BLACK---MALE----	1	-	1	1	-	2	2	2	-	-	-	-
FEMALE--	-	-	1	2	3	2	3	-	2	1	-	-
MICHIGAN -----	7	11	20	52	71	135	189	203	157	56	12	-
WHITE-----MALE----	1	2	9	20	28	63	68	58	28	11	1	-
FEMALE--	3	8	5	20	26	56	100	124	110	40	11	-
ALL OTHER--MALE----	-	1	2	9	10	12	9	9	5	-	-	-
FEMALE--	3	-	4	3	7	4	12	12	14	5	-	-
BLACK---MALE----	-	1	2	8	9	11	9	9	4	-	-	-
FEMALE--	3	-	4	3	7	3	12	10	12	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,769

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
MINNESOTA -----	1	4	7	12	25	50	116	116	92	36	11	-
WHITE-----MALE----	-	2	3	8	16	23	50	39	31	6	-	-
FEMALE--	-	1	2	1	7	24	64	75	61	30	11	-
ALL OTHER--MALE----	-	-	-	2	1	1	2	2	-	-	-	-
FEMALE--	1	1	2	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	-	4	8	9	20	21	40	36	20	8	1	-
WHITE-----MALE----	-	2	1	5	9	6	19	10	3	4	-	-
FEMALE--	-	-	3	2	7	7	15	18	11	2	1	-
ALL OTHER--MALE----	-	2	1	-	3	6	2	3	3	-	-	-
FEMALE--	-	-	3	2	1	2	4	5	3	2	-	-
BLACK---MALE----	-	2	1	-	3	6	2	3	3	-	-	-
FEMALE--	-	-	3	2	1	2	4	5	3	2	-	-
MISSOURI -----	2	7	10	25	29	48	91	123	91	34	7	-
WHITE-----MALE----	1	-	3	15	10	21	34	36	26	2	1	-
FEMALE--	-	3	6	7	14	21	52	85	63	32	6	-
ALL OTHER--MALE----	1	1	1	2	2	3	3	1	-	-	-	-
FEMALE--	-	3	-	1	3	3	2	1	2	-	-	-
BLACK---MALE----	1	1	1	2	2	3	3	1	-	-	-	-
FEMALE--	-	3	-	1	3	3	2	1	2	-	-	-
MONTANA -----	1	1	1	2	8	14	11	18	14	2	3	-
WHITE-----MALE----	1	-	1	1	4	7	7	6	2	1	-	-
FEMALE--	-	1	-	1	2	7	4	12	12	1	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	3	5	10	18	31	38	33	16	-	-
WHITE-----MALE----	-	-	2	4	4	7	14	17	10	2	-	-
FEMALE--	-	2	-	1	6	10	17	21	22	14	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
NEVADA -----	-	-	2	4	13	21	15	18	12	1	-	-
WHITE-----MALE----	-	-	-	3	6	12	7	4	3	1	-	-
FEMALE--	-	-	1	1	6	7	8	11	9	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,771

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
OHIO -----	11	10	26	47	61	111	182	238	150	78	12	-
WHITE-----MALE----	5	2	11	25	26	56	64	71	36	18	1	-
FEMALE--	4	3	9	15	25	44	103	151	107	57	9	-
ALL OTHER--MALE----	1	3	2	4	4	5	6	5	1	-	-	-
FEMALE--	1	2	4	3	6	6	9	11	6	3	2	-
BLACK---MALE----	1	3	2	4	4	5	6	5	1	-	-	-
FEMALE--	1	2	4	3	6	6	9	11	6	3	2	-
OKLAHOMA -----	3	4	11	11	28	31	51	61	38	20	5	-
WHITE-----MALE----	2	2	5	5	17	10	11	19	10	4	1	-
FEMALE--	-	1	4	4	9	19	32	39	27	14	3	-
ALL OTHER--MALE----	-	1	1	2	1	2	3	-	1	-	-	-
FEMALE--	1	-	1	-	1	-	5	3	-	2	1	-
BLACK---MALE----	-	1	1	1	1	2	2	-	1	-	-	-
FEMALE--	1	-	1	-	1	-	4	2	-	1	1	-
OREGON -----	2	4	8	16	14	45	91	104	66	26	3	-
WHITE-----MALE----	1	3	5	6	8	25	42	31	22	7	1	-
FEMALE--	1	-	2	9	5	17	46	73	43	19	2	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	2	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
PENNSYLVANIA -----	4	11	21	55	82	141	184	247	178	71	11	-
WHITE-----MALE----	2	4	6	21	34	58	69	74	34	10	2	-
FEMALE--	2	4	10	23	36	70	98	164	137	57	9	-
ALL OTHER--MALE----	-	2	2	4	5	5	6	3	2	1	-	-
FEMALE--	-	1	3	7	7	8	11	6	5	3	-	-
BLACK---MALE----	-	2	2	4	5	5	6	3	2	1	-	-
FEMALE--	-	1	3	6	7	8	11	6	5	3	-	-
RHODE ISLAND -----	-	-	5	3	10	15	19	17	29	10	4	-
WHITE-----MALE----	-	-	4	1	6	6	9	10	7	2	1	-
FEMALE--	-	-	1	2	3	8	9	7	19	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	3	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	2	-	1	-
SOUTH CAROLINA -----	4	4	6	23	42	53	61	58	41	10	3	-
WHITE-----MALE----	-	1	2	5	15	18	16	13	4	2	-	-
FEMALE--	-	1	1	4	14	19	32	29	25	4	3	-
ALL OTHER--MALE----	3	2	2	7	6	10	7	4	1	1	-	-
FEMALE--	1	-	1	7	7	6	6	12	11	3	-	-
BLACK---MALE----	3	2	2	7	6	10	7	4	1	1	-	-
FEMALE--	1	-	1	7	7	6	6	12	11	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,772

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
SOUTH DAKOTA -----	51	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	20	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	415	2	-	-	-	-	-	1	1	1	1	3
WHITE-----MALE----	121	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	243	1	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	27	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	27	1	-	-	-	-	-	-	-	1	-	-
TEXAS -----	1,700	16	3	-	1	1	1	1	5	7	4	7
WHITE-----MALE----	553	7	1	-	-	-	1	1	3	1	1	4
FEMALE--	947	5	1	-	-	1	-	-	2	3	-	3
ALL OTHER--MALE----	81	1	1	-	1	-	-	-	-	1	2	-
FEMALE--	119	3	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	76	1	1	-	1	-	-	-	-	1	2	-
FEMALE--	113	3	-	-	-	-	-	-	-	2	1	-
UTAH -----	147	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	68	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	79	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	66	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	584	5	2	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	161	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	310	1	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	48	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	65	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	43	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	61	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,772

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
SOUTH DAKOTA -----	1	1	1	5	3	7	4	12	10	5	1	-
WHITE-----MALE----	-	-	1	3	-	4	2	5	2	2	-	-
FEMALE--	1	1	-	2	3	3	2	6	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	6	10	15	33	56	80	96	76	28	3	-
WHITE-----MALE----	1	3	3	6	15	21	26	25	19	2	-	-
FEMALE--	1	2	2	5	14	29	43	65	52	22	3	-
ALL OTHER--MALE----	-	1	3	3	3	3	4	3	-	2	-	-
FEMALE--	1	-	2	1	1	3	7	3	5	2	-	-
BLACK---MALE----	-	1	3	2	3	3	2	3	-	2	-	-
FEMALE--	1	-	2	1	1	3	7	3	5	2	-	-
TEXAS -----	19	22	33	76	119	235	310	407	284	115	34	-
WHITE-----MALE----	9	11	9	30	59	99	116	113	68	19	1	-
FEMALE--	8	7	11	26	41	105	165	262	194	84	29	-
ALL OTHER--MALE----	1	2	7	7	12	15	6	16	4	4	1	-
FEMALE--	1	2	6	13	7	16	23	16	18	8	3	-
BLACK---MALE----	1	2	6	6	12	14	6	15	4	3	1	-
FEMALE--	-	2	6	12	7	15	22	15	17	8	3	-
UTAH -----	2	4	1	6	17	16	37	32	24	5	1	-
WHITE-----MALE----	-	1	-	5	11	8	18	12	8	4	-	-
FEMALE--	2	3	1	1	6	8	19	20	16	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	3	3	11	15	14	11	6	1	-
WHITE-----MALE----	-	-	1	3	-	6	5	4	5	-	-	-
FEMALE--	-	-	-	-	3	5	10	10	6	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	13	16	25	39	78	111	140	99	41	8	-
WHITE-----MALE----	1	9	3	6	13	24	28	42	24	9	-	-
FEMALE--	2	2	7	8	10	35	66	80	64	27	6	-
ALL OTHER--MALE----	-	1	4	6	6	9	6	9	3	-	-	-
FEMALE--	-	1	2	5	10	10	11	9	8	5	2	-
BLACK---MALE----	-	-	3	6	6	8	6	8	2	-	-	-
FEMALE--	-	1	1	5	8	10	11	9	8	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,774

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	43,849	12	8	9	11	30	49	75	143	233	348	492
WHITE-----MALE----	19,166	3	5	2	3	14	19	32	70	110	165	221
FEMALE--	20,375	3	2	4	5	9	17	24	42	51	73	119
ALL OTHER--MALE----	1,962	4	1	-	1	5	5	7	17	44	65	96
FEMALE--	2,346	2	-	3	2	2	8	12	14	28	45	56
BLACK---MALE----	1,680	4	1	-	1	5	4	5	14	42	62	86
FEMALE--	2,077	2	-	3	1	2	6	10	13	27	40	54
ALABAMA -----	674	1	-	1	-	-	1	2	2	6	10	11
WHITE-----MALE----	287	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	233	-	-	-	-	-	-	1	-	2	-	2
ALL OTHER--MALE----	74	-	-	-	-	-	-	-	2	3	5	3
FEMALE--	80	1	-	1	-	-	-	1	-	1	4	4
BLACK---MALE----	74	-	-	-	-	-	-	-	2	3	5	3
FEMALE--	79	1	-	1	-	-	-	1	-	1	4	4
ALASKA -----	36	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	673	-	-	-	-	-	-	3	3	2	2	3
WHITE-----MALE----	335	-	-	-	-	-	-	2	2	2	1	1
FEMALE--	318	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	488	-	-	-	-	-	1	2	1	3	2	6
WHITE-----MALE----	221	-	-	-	-	-	-	2	-	3	2	4
FEMALE--	215	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	1	-	-	-	-	2
CALIFORNIA -----	4,450	-	-	-	1	2	5	5	14	29	37	48
WHITE-----MALE----	1,937	-	-	-	-	-	1	2	6	18	18	20
FEMALE--	2,069	-	-	-	1	2	3	1	4	4	9	10
ALL OTHER--MALE----	225	-	-	-	-	-	-	1	3	3	5	10
FEMALE--	219	-	-	-	-	-	1	1	1	4	5	8
BLACK---MALE----	127	-	-	-	-	-	-	1	1	3	3	7
FEMALE--	128	-	-	-	-	-	-	-	-	3	3	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,774

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	722	1,093	1,890	3,384	5,373	7,005	7,667	7,251	5,051	2,300	702	1
WHITE-----MALE----	378	599	1,085	1,970	2,967	3,527	3,430	2,675	1,376	428	86	1
FEMALE--	162	269	524	1,007	1,837	2,918	3,634	4,097	3,334	1,686	558	-
ALL OTHER--MALE----	106	132	146	195	289	279	256	171	91	44	8	-
FEMALE--	76	93	135	212	280	281	347	308	250	142	50	-
BLACK---MALE----	93	112	120	170	252	235	210	142	75	39	8	-
FEMALE--	69	78	118	179	239	255	306	268	228	131	48	-
ALABAMA -----	14	25	33	69	106	121	101	92	49	28	2	-
WHITE-----MALE----	7	17	18	37	57	62	45	25	12	3	-	-
FEMALE--	1	4	8	16	24	40	36	53	28	17	1	-
ALL OTHER--MALE----	5	2	4	7	17	9	7	7	2	1	-	-
FEMALE--	1	2	3	9	8	10	13	7	7	7	1	-
BLACK---MALE----	5	2	4	7	17	9	7	7	2	1	-	-
FEMALE--	1	2	3	9	8	10	13	7	6	7	1	-
ALASKA -----	2	3	5	7	3	5	4	2	2	1	1	-
WHITE-----MALE----	1	2	3	4	2	5	3	1	1	1	-	-
FEMALE--	-	-	2	2	1	-	1	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	12	21	45	93	131	114	121	80	27	10	-
WHITE-----MALE----	4	7	14	27	57	69	63	54	22	9	1	-
FEMALE--	1	4	5	15	32	57	50	66	58	18	8	-
ALL OTHER--MALE----	-	1	2	1	2	4	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	1	-	1	-	-	1	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
ARKANSAS -----	6	13	29	31	55	101	86	73	49	27	3	-
WHITE-----MALE----	3	5	15	14	35	57	38	24	12	6	1	-
FEMALE--	1	3	12	13	14	38	39	45	27	20	2	-
ALL OTHER--MALE----	-	1	1	3	4	3	2	1	2	-	-	-
FEMALE--	2	4	1	1	2	3	7	3	8	1	-	-
BLACK---MALE----	-	1	1	3	4	3	2	1	2	-	-	-
FEMALE--	2	4	1	1	1	3	7	3	8	1	-	-
CALIFORNIA -----	89	127	183	290	539	666	793	761	527	249	84	1
WHITE-----MALE----	46	71	99	171	298	330	349	272	172	43	20	1
FEMALE--	24	30	51	82	189	283	372	433	324	187	60	-
ALL OTHER--MALE----	11	17	21	24	30	28	36	20	10	4	2	-
FEMALE--	8	9	12	13	22	25	36	36	21	15	2	-
BLACK---MALE----	8	12	9	11	18	16	22	8	3	3	2	-
FEMALE--	8	6	7	7	14	12	17	22	12	9	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,775

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	714	-	-	-	-	-	1	-	4	4	3	10
WHITE-----MALE----	290	-	-	-	-	-	-	-	4	1	2	5
FEMALE--	387	-	-	-	-	-	1	-	-	2	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
CONNECTICUT -----	536	-	-	-	-	-	-	1	2	1	5	7
WHITE-----MALE----	264	-	-	-	-	-	-	1	2	-	4	5
FEMALE--	250	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	104	-	-	-	-	-	-	-	-	1	3	1
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	98	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	1	2
FLORIDA -----	3,030	1	-	-	-	1	1	8	5	8	19	30
WHITE-----MALE----	1,467	1	-	-	-	1	-	4	2	2	14	14
FEMALE--	1,331	-	-	-	-	-	1	2	2	1	3	8
ALL OTHER--MALE----	111	-	-	-	-	-	-	1	-	3	1	4
FEMALE--	121	-	-	-	-	-	-	1	1	2	1	4
BLACK---MALE----	104	-	-	-	-	-	-	1	-	3	1	4
FEMALE--	119	-	-	-	-	-	-	1	1	2	1	4
GEORGIA -----	1,110	-	-	-	-	1	-	1	6	9	14	18
WHITE-----MALE----	402	-	-	-	-	-	-	-	1	1	4	8
FEMALE--	468	-	-	-	-	1	-	-	1	1	1	2
ALL OTHER--MALE----	92	-	-	-	-	-	-	1	-	3	5	5
FEMALE--	148	-	-	-	-	-	-	-	4	4	4	3
BLACK---MALE----	91	-	-	-	-	-	-	1	-	3	5	5
FEMALE--	146	-	-	-	-	-	-	-	4	4	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,775

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	17	20	44	71	95	119	133	123	46	21	-
WHITE-----MALE----	1	10	12	26	34	56	56	45	31	7	-	-
FEMALE--	2	7	7	12	32	34	59	84	88	36	20	-
ALL OTHER--MALE----	-	-	-	3	4	2	2	2	1	1	-	-
FEMALE--	-	-	1	3	1	3	2	2	3	2	1	-
BLACK---MALE----	-	-	-	3	1	1	1	2	1	-	-	-
FEMALE--	-	-	-	2	1	3	2	2	1	1	-	-
CONNECTICUT -----	6	11	25	42	76	86	87	95	49	35	8	-
WHITE-----MALE----	3	10	19	27	46	43	45	34	17	7	1	-
FEMALE--	2	1	4	14	26	39	40	59	30	26	7	-
ALL OTHER--MALE----	1	-	1	-	1	1	1	-	1	1	-	-
FEMALE--	-	-	1	1	3	3	1	2	1	1	-	-
BLACK---MALE----	1	-	1	-	1	1	1	-	1	1	-	-
FEMALE--	-	-	1	1	3	3	1	2	1	1	-	-
DELAWARE -----	3	2	6	11	12	23	18	9	8	5	2	-
WHITE-----MALE----	2	1	4	8	8	13	7	4	1	2	-	-
FEMALE--	-	1	2	3	3	8	11	4	5	3	2	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
DISTRICT OF COLUMBIA -----	3	4	11	2	12	13	14	12	13	6	5	-
WHITE-----MALE----	-	-	-	-	3	2	2	-	3	-	-	-
FEMALE--	-	-	1	-	-	1	2	2	1	2	4	-
ALL OTHER--MALE----	3	4	4	-	6	5	3	4	2	2	1	-
FEMALE--	-	-	6	2	3	5	7	6	7	2	-	-
BLACK---MALE----	3	4	4	-	6	5	2	4	2	2	1	-
FEMALE--	-	-	6	2	3	5	7	6	7	2	-	-
FLORIDA -----	27	59	123	235	390	549	580	525	300	132	37	-
WHITE-----MALE----	13	36	76	145	246	273	274	230	105	24	7	-
FEMALE--	6	15	34	63	116	238	268	267	184	95	28	-
ALL OTHER--MALE----	4	6	7	16	15	21	14	9	6	4	-	-
FEMALE--	4	2	6	11	13	17	24	19	5	9	2	-
BLACK---MALE----	4	6	7	15	14	19	12	9	5	4	-	-
FEMALE--	4	2	6	11	13	16	23	19	5	9	2	-
GEORGIA -----	37	30	60	100	118	147	194	180	128	51	16	-
WHITE-----MALE----	19	12	31	51	58	72	68	47	24	6	-	-
FEMALE--	9	7	14	32	37	45	88	105	78	36	11	-
ALL OTHER--MALE----	8	8	6	7	7	14	14	10	3	1	-	-
FEMALE--	1	3	9	10	16	16	24	18	23	8	5	-
BLACK---MALE----	7	8	6	7	7	14	14	10	3	1	-	-
FEMALE--	1	3	9	9	15	16	24	18	23	8	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,776

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	2	5	13	17	15	20	18	7	5	-	-
WHITE-----MALE----	1	-	2	3	2	4	2	1	-	-	-	-
FEMALE--	-	-	1	-	2	3	1	3	1	2	-	-
ALL OTHER--MALE----	-	2	1	6	4	7	8	7	2	2	-	-
FEMALE--	-	-	1	4	9	1	9	7	4	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	1	6	12	20	34	32	31	22	7	4	-
WHITE-----MALE----	1	1	6	10	12	20	14	16	9	3	1	-
FEMALE--	2	-	-	2	8	14	17	15	13	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	39	35	86	137	224	302	324	300	241	117	35	-
WHITE-----MALE----	18	15	49	78	117	162	149	110	56	17	5	-
FEMALE--	8	10	22	38	79	113	151	177	173	90	29	-
ALL OTHER--MALE----	8	5	8	12	16	12	13	3	6	1	-	-
FEMALE--	5	5	7	9	12	15	11	10	6	9	1	-
BLACK---MALE----	8	4	8	12	16	11	11	2	6	1	-	-
FEMALE--	5	5	7	7	10	14	11	9	6	9	1	-
INDIANA -----	24	39	51	93	153	184	196	192	151	57	18	-
WHITE-----MALE----	15	24	29	55	88	89	80	63	37	8	2	-
FEMALE--	7	11	13	32	57	86	108	119	102	43	15	-
ALL OTHER--MALE----	1	2	5	4	2	2	3	6	5	1	-	-
FEMALE--	1	2	4	2	6	7	5	4	7	5	1	-
BLACK---MALE----	-	2	5	4	2	2	3	6	5	1	-	-
FEMALE--	1	2	4	1	5	7	5	4	7	4	1	-
IOWA -----	8	10	21	32	71	121	140	139	117	52	24	-
WHITE-----MALE----	6	7	14	20	41	79	78	56	22	13	2	-
FEMALE--	2	2	7	11	29	42	62	80	94	39	22	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	3	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	1	-	-	-
KANSAS -----	4	8	14	37	50	62	104	97	89	41	15	-
WHITE-----MALE----	2	6	11	21	22	37	56	30	22	9	1	-
FEMALE--	1	2	2	13	26	24	41	64	64	32	13	-
ALL OTHER--MALE----	1	-	-	-	2	-	7	2	1	-	-	-
FEMALE--	-	-	1	3	-	1	-	1	2	-	1	-
BLACK---MALE----	1	-	-	-	2	-	4	1	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,777

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	594	-	-	-	-	-	1	1	3	6	7	9
WHITE-----MALE----	271	-	-	-	-	-	1	1	2	4	3	5
FEMALE--	276	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	736	2	1	1	-	1	-	2	2	8	6	8
WHITE-----MALE----	244	-	1	-	-	1	-	-	-	2	2	3
FEMALE--	280	-	-	1	-	-	-	1	-	2	-	3
ALL OTHER--MALE----	98	1	-	-	-	-	-	-	-	-	2	2
FEMALE--	114	1	-	-	-	-	-	1	2	4	2	-
BLACK---MALE----	95	1	-	-	-	-	-	-	-	-	2	2
FEMALE--	112	1	-	-	-	-	-	1	2	4	2	-
MAINE -----	253	-	-	-	-	-	-	1	2	1	3	-
WHITE-----MALE----	123	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	130	-	-	-	-	-	-	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	620	-	-	-	-	1	1	1	1	8	10	8
WHITE-----MALE----	223	-	-	-	-	-	-	1	-	4	3	3
FEMALE--	281	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	51	-	-	-	-	1	1	-	1	3	2	2
FEMALE--	65	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	47	-	-	-	-	1	1	-	1	3	2	2
FEMALE--	59	-	-	-	-	-	-	-	-	1	1	2
MASSACHUSETTS -----	997	-	-	-	1	-	-	2	2	2	2	9
WHITE-----MALE----	437	-	-	-	1	-	-	2	2	1	2	4
FEMALE--	525	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1,748	-	-	-	2	-	2	3	6	9	11	21
WHITE-----MALE----	734	-	-	-	1	-	1	2	1	3	6	10
FEMALE--	824	-	-	-	-	-	-	1	3	3	1	4
ALL OTHER--MALE----	87	-	-	-	-	-	1	-	2	1	3	5
FEMALE--	103	-	-	-	1	-	-	-	-	2	1	2
BLACK---MALE----	75	-	-	-	-	-	1	-	2	1	3	5
FEMALE--	95	-	-	-	1	-	-	-	-	2	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,777

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	10	17	28	46	76	93	101	93	60	34	9	-
WHITE-----MALE----	7	11	23	23	42	48	44	35	16	6	-	-
FEMALE--	-	6	5	18	31	41	48	54	34	26	8	-
ALL OTHER--MALE----	2	-	-	-	2	2	1	1	2	-	-	-
FEMALE--	1	-	-	5	1	2	8	3	8	2	1	-
BLACK---MALE----	2	-	-	-	2	2	1	1	2	-	-	-
FEMALE--	1	-	-	5	1	2	8	3	8	2	1	-
LOUISIANA -----	26	27	28	63	89	106	110	119	88	39	10	-
WHITE-----MALE----	9	6	14	24	43	39	40	40	15	4	1	-
FEMALE--	3	4	3	21	27	38	39	58	53	22	5	-
ALL OTHER--MALE----	7	13	5	9	8	17	14	11	5	4	-	-
FEMALE--	7	4	6	9	11	12	17	10	15	9	4	-
BLACK---MALE----	7	12	4	9	8	17	14	11	4	4	-	-
FEMALE--	6	4	6	9	11	12	17	9	15	9	4	-
MAINE -----	2	5	7	20	28	49	52	39	32	10	2	-
WHITE-----MALE----	2	4	6	11	16	22	29	18	11	2	-	-
FEMALE--	-	1	1	9	12	27	23	21	21	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	18	26	54	72	104	109	91	58	31	10	-
WHITE-----MALE----	8	7	10	21	36	40	51	23	13	2	1	-
FEMALE--	5	-	9	20	24	52	43	56	39	22	7	-
ALL OTHER--MALE----	3	4	2	9	5	6	5	4	1	2	-	-
FEMALE--	1	7	5	4	7	6	10	8	5	5	2	-
BLACK---MALE----	3	4	2	9	4	6	3	3	1	2	-	-
FEMALE--	1	5	5	3	6	6	10	7	5	5	2	-
MASSACHUSETTS -----	9	17	31	54	117	148	190	198	146	50	19	-
WHITE-----MALE----	8	12	15	33	69	74	78	79	46	8	3	-
FEMALE--	-	4	13	20	40	69	108	114	98	41	16	-
ALL OTHER--MALE----	-	1	3	-	4	3	1	1	-	-	-	-
FEMALE--	1	-	-	1	4	2	3	4	2	1	-	-
BLACK---MALE----	-	-	3	-	4	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	2	3	2	1	-	-
MICHIGAN -----	27	38	68	140	198	282	307	299	227	85	23	-
WHITE-----MALE----	10	22	32	75	106	132	129	118	63	19	4	-
FEMALE--	6	7	24	49	63	121	145	162	158	61	16	-
ALL OTHER--MALE----	6	6	6	8	15	17	12	3	2	-	-	-
FEMALE--	5	3	6	8	14	12	21	16	4	5	3	-
BLACK---MALE----	5	5	4	7	14	13	10	3	2	-	-	-
FEMALE--	3	3	6	7	12	12	20	15	3	5	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,778

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	820	-	-	-	-	1	-	-	-	1	8	5
WHITE-----MALE----	386	-	-	-	-	1	-	-	-	1	3	3
FEMALE--	420	-	-	-	-	-	-	-	-	-	4	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	336	-	-	-	-	1	-	2	1	3	2	3
WHITE-----MALE----	129	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	120	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	51	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	36	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	51	-	-	-	-	-	-	1	-	-	-	-
MISSOURI -----	967	-	-	-	1	1	4	-	6	7	10	15
WHITE-----MALE----	453	-	-	-	-	1	1	-	4	6	5	7
FEMALE--	453	-	-	-	1	-	2	-	2	1	2	3
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	32	-	-	-	-	-	1	-	-	-	2	1
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	32	-	-	-	-	-	1	-	-	-	2	1
MONTANA -----	170	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	84	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	82	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	393	-	1	-	-	-	1	-	1	-	-	1
WHITE-----MALE----	179	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	204	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	243	-	-	-	-	-	-	1	2	2	4	4
WHITE-----MALE----	129	-	-	-	-	-	-	-	2	1	2	3
FEMALE--	91	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,778

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	5	21	29	49	97	125	130	171	113	48	17	-
WHITE-----MALE----	2	13	20	32	58	76	63	72	34	7	1	-
FEMALE--	2	5	9	17	36	49	65	97	78	41	15	-
ALL OTHER--MALE----	1	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	2	2	1	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	1	-
MISSISSIPPI -----	5	12	18	32	43	59	60	48	29	16	2	-
WHITE-----MALE----	1	7	10	13	24	23	19	15	8	5	-	-
FEMALE--	1	-	3	12	7	23	25	26	15	6	-	-
ALL OTHER--MALE----	2	2	3	3	8	5	5	1	1	-	1	-
FEMALE--	1	3	2	4	4	8	11	6	5	5	1	-
BLACK---MALE----	2	2	3	3	8	5	5	1	1	-	1	-
FEMALE--	1	3	2	4	4	8	11	6	5	5	1	-
MISSOURI -----	22	30	29	86	122	142	148	138	120	72	14	-
WHITE-----MALE----	14	18	18	53	73	72	83	54	29	14	1	-
FEMALE--	5	8	10	24	36	64	61	80	87	54	13	-
ALL OTHER--MALE----	1	4	1	4	4	3	2	2	2	1	-	-
FEMALE--	2	-	-	5	9	3	2	2	2	3	-	-
BLACK---MALE----	1	4	1	4	4	3	2	2	2	1	-	-
FEMALE--	2	-	-	5	9	3	2	2	2	3	-	-
MONTANA -----	6	5	7	12	22	23	38	23	18	9	3	-
WHITE-----MALE----	4	3	4	6	12	13	18	11	6	3	1	-
FEMALE--	2	2	2	4	10	10	19	12	12	6	2	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	8	11	21	43	44	73	75	72	28	10	-
WHITE-----MALE----	4	6	6	17	27	19	35	34	21	7	1	-
FEMALE--	-	1	4	4	15	25	34	41	48	21	9	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	3	-	2	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	3	-	2	-	-	-
NEVADA -----	5	11	25	28	39	28	38	32	19	4	1	-
WHITE-----MALE----	2	7	15	16	20	20	19	11	9	2	-	-
FEMALE--	2	2	7	7	13	7	18	19	10	2	1	-
ALL OTHER--MALE----	-	1	-	1	5	1	-	-	-	-	-	-
FEMALE--	1	1	3	4	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	4	-	-	-	-	-	-	-
FEMALE--	1	1	1	3	1	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,780

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,998	1	1	1	-	2	4	3	5	10	20	17
WHITE-----MALE----	891	-	1	-	-	1	3	-	3	4	9	7
FEMALE--	923	-	-	-	-	1	-	2	-	2	6	4
ALL OTHER--MALE----	86	1	-	-	-	-	-	-	2	2	3	6
FEMALE--	98	-	-	1	-	-	1	1	-	2	2	-
BLACK---MALE----	84	1	-	-	-	-	-	-	2	2	3	5
FEMALE--	94	-	-	1	-	-	1	1	-	2	2	-
OKLAHOMA -----	739	1	-	-	-	-	1	3	1	2	7	10
WHITE-----MALE----	325	1	-	-	-	-	-	-	-	-	4	6
FEMALE--	348	-	-	-	-	-	-	1	1	2	-	2
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	35	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	21	-	-	-	-	-	1	1	-	-	-	1
OREGON -----	600	-	-	-	-	-	2	-	2	1	1	7
WHITE-----MALE----	296	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	292	-	-	-	-	-	2	-	1	-	-	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,396	1	2	-	-	-	1	1	9	8	11	24
WHITE-----MALE----	1,050	-	1	-	-	-	-	-	6	4	4	13
FEMALE--	1,192	1	1	-	-	-	-	1	3	1	2	7
ALL OTHER--MALE----	69	-	-	-	-	-	1	-	-	2	5	4
FEMALE--	85	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	66	-	-	-	-	-	1	-	-	2	5	4
FEMALE--	80	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	198	-	-	-	-	1	-	-	1	-	-	2
WHITE-----MALE----	82	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	106	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	548	-	1	-	-	1	2	-	2	6	6	10
WHITE-----MALE----	226	-	-	-	-	1	1	-	1	3	2	1
FEMALE--	196	-	-	-	-	-	-	-	1	-	1	5
ALL OTHER--MALE----	50	-	1	-	-	-	-	-	-	2	2	1
FEMALE--	76	-	-	-	-	-	1	-	-	1	1	3
BLACK---MALE----	50	-	1	-	-	-	-	-	-	2	2	1
FEMALE--	75	-	-	-	-	-	1	-	-	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,780

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	29	46	92	169	294	330	334	306	210	93	31	-
WHITE-----MALE----	15	27	53	98	162	160	140	124	57	24	3	-
FEMALE--	10	12	26	48	96	142	177	168	140	65	24	-
ALL OTHER--MALE----	2	4	4	9	16	19	9	6	2	1	-	-
FEMALE--	2	3	9	14	20	9	8	8	11	3	4	-
BLACK---MALE----	2	4	3	9	16	19	9	6	2	1	-	-
FEMALE--	2	2	8	13	20	9	8	7	11	3	4	-
OKLAHOMA -----	8	9	39	63	86	112	122	128	91	44	12	-
WHITE-----MALE----	4	4	22	37	45	65	57	45	23	10	2	-
FEMALE--	2	3	11	20	32	40	56	78	59	31	10	-
ALL OTHER--MALE----	2	1	4	3	5	3	3	1	2	2	-	-
FEMALE--	-	1	2	3	4	4	6	4	7	1	-	-
BLACK---MALE----	1	-	3	3	2	2	3	1	1	1	-	-
FEMALE--	-	1	-	3	2	2	3	1	5	1	-	-
OREGON -----	5	15	32	42	69	95	117	103	61	34	14	-
WHITE-----MALE----	4	8	22	31	41	50	66	42	21	6	-	-
FEMALE--	1	4	10	11	25	43	50	59	40	28	13	-
ALL OTHER--MALE----	-	1	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	1	2	-	-	1	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	1	-
PENNSYLVANIA -----	32	33	94	186	315	380	488	419	247	109	36	-
WHITE-----MALE----	24	17	58	106	173	178	207	169	63	22	5	-
FEMALE--	5	12	23	61	117	182	258	229	174	84	31	-
ALL OTHER--MALE----	1	2	8	11	11	7	8	3	5	1	-	-
FEMALE--	2	2	5	8	14	13	15	18	5	2	-	-
BLACK---MALE----	1	1	7	11	11	7	7	3	5	1	-	-
FEMALE--	2	2	5	7	12	13	14	17	5	2	-	-
RHODE ISLAND -----	3	5	5	10	22	44	26	33	30	14	2	-
WHITE-----MALE----	2	4	4	5	13	18	11	11	8	3	-	-
FEMALE--	1	1	-	3	8	23	14	21	22	11	2	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	-	-	-
SOUTH CAROLINA -----	16	23	29	56	83	82	101	68	41	18	3	-
WHITE-----MALE----	8	7	18	33	43	40	42	17	5	4	-	-
FEMALE--	1	5	4	9	28	33	38	37	24	9	1	-
ALL OTHER--MALE----	5	8	4	4	5	3	6	7	1	1	-	-
FEMALE--	2	3	3	10	7	6	15	7	11	4	2	-
BLACK---MALE----	5	8	4	4	5	3	6	7	1	1	-	-
FEMALE--	2	3	2	10	7	6	15	7	11	4	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,781

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
SOUTH DAKOTA -----	151	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	73	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	72	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,012	1	-	-	-	-	-	1	3	6	12	19
WHITE-----MALE----	427	-	-	-	-	-	-	-	1	2	5	8
FEMALE--	463	1	-	-	-	-	-	1	2	3	2	5
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	-	4	6
FEMALE--	64	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	57	-	-	-	-	-	-	-	-	-	4	6
FEMALE--	63	-	-	-	-	-	-	-	-	1	1	-
TEXAS -----	2,473	-	-	1	1	1	4	8	13	14	31	38
WHITE-----MALE----	1,060	-	-	1	-	-	1	3	9	7	14	16
FEMALE--	1,143	-	-	-	1	1	3	5	3	2	9	7
ALL OTHER--MALE----	120	-	-	-	-	-	-	-	-	4	7	11
FEMALE--	150	-	-	-	-	-	-	-	1	1	1	4
BLACK---MALE----	111	-	-	-	-	-	-	-	-	3	7	9
FEMALE--	144	-	-	-	-	-	-	-	1	1	1	4
UTAH -----	177	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	102	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	107	-	-	-	1	-	-	-	-	-	-	2
WHITE-----MALE----	58	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	991	1	-	1	-	2	3	1	5	7	9	19
WHITE-----MALE----	412	1	-	-	-	-	2	1	4	1	3	10
FEMALE--	394	-	-	1	-	-	-	-	1	4	2	4
ALL OTHER--MALE----	74	-	-	-	-	2	-	-	-	1	1	4
FEMALE--	111	-	-	-	-	-	1	-	-	1	3	1
BLACK---MALE----	71	-	-	-	-	2	-	-	-	1	-	4
FEMALE--	108	-	-	-	-	-	1	-	-	1	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,781

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	5	2	7	15	30	17	26	24	15	8	-
WHITE-----MALE----	-	5	2	5	11	18	8	14	4	2	3	-
FEMALE--	-	-	-	2	3	11	8	11	20	13	4	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
TENNESSEE -----	21	22	50	77	133	166	162	162	109	54	14	-
WHITE-----MALE----	11	12	37	39	69	83	64	63	22	8	3	-
FEMALE--	5	6	8	25	48	64	83	86	76	41	7	-
ALL OTHER--MALE----	3	2	2	5	10	4	8	6	5	2	1	-
FEMALE--	2	2	3	8	6	15	7	7	6	3	3	-
BLACK---MALE----	3	1	2	5	10	4	8	6	5	2	1	-
FEMALE--	2	2	3	7	6	15	7	7	6	3	3	-
TEXAS -----	58	83	130	207	276	358	398	411	268	143	30	-
WHITE-----MALE----	26	45	73	122	145	191	172	130	82	23	-	-
FEMALE--	19	23	39	61	96	144	187	245	169	103	26	-
ALL OTHER--MALE----	10	6	10	10	17	12	16	10	3	3	1	-
FEMALE--	3	9	8	14	18	11	23	26	14	14	3	-
BLACK---MALE----	10	5	10	10	17	10	14	9	3	3	1	-
FEMALE--	3	8	8	13	18	11	21	24	14	14	3	-
UTAH -----	4	8	10	9	22	26	31	33	22	10	1	-
WHITE-----MALE----	4	4	5	4	12	21	22	16	8	5	-	-
FEMALE--	-	4	4	5	10	5	9	17	13	5	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	5	6	14	27	17	18	9	4	2	-
WHITE-----MALE----	1	-	4	3	10	16	9	7	3	1	1	-
FEMALE--	-	1	1	3	4	11	8	11	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	22	48	86	135	173	159	165	88	41	12	-
WHITE-----MALE----	5	11	28	57	65	81	63	49	19	9	3	-
FEMALE--	3	3	10	16	48	57	76	84	52	25	8	-
ALL OTHER--MALE----	3	3	3	9	10	13	10	11	2	2	-	-
FEMALE--	3	5	7	4	12	22	10	21	15	5	1	-
BLACK---MALE----	2	3	3	9	9	13	10	11	2	2	-	-
FEMALE--	2	4	7	4	12	21	10	21	15	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,783

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ATHEROSCLEROSIS (440)												
UNITED STATES --	16,057	-	1	-	-	-	-	2	3	17	32	75
WHITE-----MALE----	5,506	-	1	-	-	-	-	-	2	9	18	46
FEMALE--	9,244	-	-	-	-	-	-	1	-	2	7	10
ALL OTHER--MALE----	513	-	-	-	-	-	-	1	1	3	4	12
FEMALE--	794	-	-	-	-	-	-	-	-	3	3	7
BLACK---MALE----	451	-	-	-	-	-	-	-	-	3	4	11
FEMALE--	720	-	-	-	-	-	-	-	-	3	3	7
ALABAMA -----	213	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	79	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	1	2	-
ALASKA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	269	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	109	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	153	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	165	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	95	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,984	-	-	-	-	-	-	-	-	1	5	7
WHITE-----MALE----	714	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	1,125	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	87	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,783

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 Atherosclerosis (440)												
0 UNITED STATES --	133	192	328	664	1,141	1,930	2,808	3,522	3,111	1,544	553	1
WHITE-----MALE----	65	118	168	374	544	854	1,112	1,083	757	284	70	1
FEMALE--	33	37	110	195	450	907	1,491	2,229	2,166	1,157	449	-
ALL OTHER--MALE----	24	24	24	45	74	86	77	63	44	25	6	-
FEMALE--	11	13	26	50	73	83	128	147	144	78	28	-
BLACK---MALE----	20	22	20	40	66	78	68	56	35	22	6	-
FEMALE--	10	13	22	44	69	76	115	129	132	70	27	-
ALABAMA -----	-	8	10	22	20	36	36	36	23	16	1	-
WHITE-----MALE----	-	5	4	11	9	15	11	11	3	1	-	-
FEMALE--	-	-	1	3	1	10	20	19	16	9	-	-
ALL OTHER--MALE----	-	2	3	3	6	6	1	2	-	-	-	-
FEMALE--	-	1	2	5	4	5	4	4	4	6	1	-
BLACK---MALE----	-	2	3	3	6	6	1	2	-	-	-	-
FEMALE--	-	1	2	5	4	5	4	4	3	6	1	-
ALASKA -----	-	1	1	1	-	-	1	2	1	1	1	-
WHITE-----MALE----	-	1	-	-	-	-	1	1	1	1	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	4	9	24	40	43	60	57	19	9	-
WHITE-----MALE----	-	2	2	5	14	19	23	23	13	7	1	-
FEMALE--	1	-	1	3	7	21	19	37	44	12	8	-
ALL OTHER--MALE----	-	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	4	5	12	23	34	33	28	21	3	-
WHITE-----MALE----	-	-	3	4	7	9	12	6	6	4	1	-
FEMALE--	-	-	1	1	3	13	18	24	16	17	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	4	2	6	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	4	2	6	-	-	-
CALIFORNIA -----	17	29	37	69	154	236	375	421	359	197	76	1
WHITE-----MALE----	6	18	14	43	75	104	143	141	107	36	18	1
FEMALE--	6	6	18	17	63	114	204	260	233	147	54	-
ALL OTHER--MALE----	4	4	2	6	9	9	10	4	6	2	2	-
FEMALE--	1	1	3	3	7	9	18	16	13	12	2	-
BLACK---MALE----	4	4	-	4	7	7	8	1	2	2	2	-
FEMALE--	1	1	2	3	5	5	11	9	8	7	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,784

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
COLORADO -----	1	6	5	11	16	42	65	93	94	39	19	-
WHITE-----MALE----	-	3	3	4	8	18	22	28	24	6	-	-
FEMALE--	1	3	1	6	8	21	40	61	67	30	18	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	2	1	1	-	-
FEMALE--	-	-	1	1	-	1	2	2	2	2	1	-
BLACK---MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	1	-	-
CONNECTICUT -----	2	1	3	7	11	13	24	28	29	27	7	-
WHITE-----MALE----	-	1	1	4	6	3	11	6	12	5	1	-
FEMALE--	2	-	1	2	4	10	11	21	17	22	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	1	-	-	-	-
DELAWARE -----	-	-	-	1	1	5	6	3	1	2	1	-
WHITE-----MALE----	-	-	-	1	-	2	4	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	2	2	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	2	-	2	2	1	8	7	5	3	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	1	2	3	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	3	1	2	-	-
FEMALE--	-	-	-	-	-	1	-	3	4	1	-	-
BLACK---MALE----	-	-	1	-	1	-	-	3	1	2	-	-
FEMALE--	-	-	-	-	-	1	-	3	4	1	-	-
FLORIDA -----	4	8	17	50	81	144	208	254	186	85	28	-
WHITE-----MALE----	-	3	7	27	51	66	79	105	55	15	4	-
FEMALE--	2	2	7	13	24	68	114	133	125	62	23	-
ALL OTHER--MALE----	1	2	2	6	2	5	6	3	3	1	-	-
FEMALE--	1	1	1	4	4	5	9	13	3	7	1	-
BLACK---MALE----	1	2	2	6	2	5	6	3	2	1	-	-
FEMALE--	1	1	1	4	4	5	9	13	3	7	1	-
GEORGIA -----	10	10	15	28	39	64	102	116	94	41	12	-
WHITE-----MALE----	5	4	5	11	17	30	31	21	14	4	-	-
FEMALE--	1	3	7	13	14	22	55	79	57	32	11	-
ALL OTHER--MALE----	4	2	2	2	2	4	6	6	3	-	-	-
FEMALE--	-	1	1	2	6	8	10	10	20	5	1	-
BLACK---MALE----	4	2	2	2	2	4	6	6	3	-	-	-
FEMALE--	-	1	1	2	6	8	10	10	20	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,785

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
HAWAII -----	-	1	-	2	-	1	-	2	3	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	-	5	10	7	9	9	4	4	-
WHITE-----MALE----	1	-	-	-	2	6	3	1	3	-	1	-
FEMALE--	-	-	-	-	3	4	4	8	6	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	4	11	24	32	69	101	146	151	76	28	-
WHITE-----MALE----	2	1	7	11	14	37	43	51	30	11	3	-
FEMALE--	1	2	2	7	17	27	53	94	115	62	24	-
ALL OTHER--MALE----	-	-	2	4	1	1	2	-	2	1	-	-
FEMALE--	-	1	-	2	-	4	3	1	4	2	1	-
BLACK---MALE----	-	-	2	4	1	1	2	-	2	1	-	-
FEMALE--	-	1	-	2	-	4	3	1	4	2	1	-
INDIANA -----	4	7	12	19	30	56	76	102	101	43	16	-
WHITE-----MALE----	1	5	6	9	13	19	26	25	22	8	2	-
FEMALE--	3	-	4	9	14	35	46	72	74	32	13	-
ALL OTHER--MALE----	-	1	1	1	1	1	1	2	2	1	-	-
FEMALE--	-	1	1	-	2	1	3	3	3	2	1	-
BLACK---MALE----	-	1	1	1	1	1	1	2	2	1	-	-
FEMALE--	-	1	1	-	2	1	3	3	3	2	1	-
IOWA -----	1	3	5	6	19	48	59	76	83	41	18	-
WHITE-----MALE----	1	2	2	5	11	32	24	30	14	9	2	-
FEMALE--	-	-	3	1	8	16	35	45	69	32	16	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	2	4	10	21	42	50	60	33	10	-
WHITE-----MALE----	-	1	2	2	3	10	21	17	9	7	1	-
FEMALE--	-	-	-	1	6	10	18	30	48	26	9	-
ALL OTHER--MALE----	-	-	-	-	1	-	3	2	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,786

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
KENTUCKY -----	3	-	3	7	10	26	40	44	34	20	8	-
WHITE-----MALE----	1	-	2	5	6	13	16	11	7	6	-	-
FEMALE--	-	-	1	1	3	12	17	31	19	13	7	-
ALL OTHER--MALE----	2	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	6	2	7	1	1	-
BLACK---MALE----	2	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	6	2	7	1	1	-
LOUISIANA -----	5	6	4	14	28	45	42	71	59	24	8	-
WHITE-----MALE----	2	2	2	7	10	14	13	21	7	2	1	-
FEMALE--	1	-	-	5	6	18	18	36	43	16	5	-
ALL OTHER--MALE----	-	4	1	1	5	7	4	7	2	1	-	-
FEMALE--	2	-	1	1	7	6	7	7	7	5	2	-
BLACK---MALE----	-	4	1	1	5	7	4	7	1	1	-	-
FEMALE--	2	-	1	1	7	6	7	6	7	5	2	-
MAINE -----	1	1	2	5	2	5	14	13	17	9	2	-
WHITE-----MALE----	1	1	1	4	1	2	8	4	4	1	-	-
FEMALE--	-	-	1	1	1	3	6	9	13	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	-	2	6	10	23	28	39	30	21	8	-
WHITE-----MALE----	3	-	-	2	1	9	11	8	8	1	1	-
FEMALE--	3	-	1	4	5	10	13	24	20	17	7	-
ALL OTHER--MALE----	-	-	-	-	2	3	2	2	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	5	2	3	-	-
BLACK---MALE----	-	-	-	-	1	3	2	2	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	4	2	3	-	-
MASSACHUSETTS -----	3	4	5	9	16	34	52	75	74	31	15	-
WHITE-----MALE----	3	4	3	6	7	16	13	27	18	3	3	-
FEMALE--	-	-	1	3	8	17	37	48	55	27	12	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	1	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-
MICHIGAN -----	4	5	9	30	48	78	137	161	155	53	18	-
WHITE-----MALE----	1	4	4	15	15	34	46	52	36	11	3	-
FEMALE--	2	-	3	12	25	38	78	99	115	40	14	-
ALL OTHER--MALE----	1	1	-	-	4	5	5	2	2	-	-	-
FEMALE--	-	-	2	3	4	1	8	8	2	2	1	-
BLACK---MALE----	-	1	-	-	4	4	4	2	2	-	-	-
FEMALE--	-	-	2	2	4	1	7	8	1	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,787

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
MINNESOTA -----	2	3	6	5	18	26	36	58	55	23	11	-
WHITE-----MALE----	1	1	6	5	13	10	21	15	17	2	-	-
FEMALE--	-	2	-	-	5	16	15	43	38	21	11	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	2	7	5	6	15	19	25	13	8	2	-
WHITE-----MALE----	-	1	4	4	2	4	6	8	4	4	-	-
FEMALE--	-	-	1	1	2	9	9	13	6	3	-	-
ALL OTHER--MALE----	1	-	2	-	2	-	-	-	-	-	1	-
FEMALE--	-	1	-	-	-	2	4	4	3	1	1	-
BLACK---MALE----	1	-	2	-	2	-	-	-	-	-	1	-
FEMALE--	-	1	-	-	-	2	4	4	3	1	1	-
MISSOURI -----	4	6	4	12	25	24	34	61	63	45	11	-
WHITE-----MALE----	3	4	2	11	11	10	15	20	15	10	1	-
FEMALE--	1	2	2	-	13	13	18	41	46	32	10	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	2	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	2	-	-
MONTANA -----	1	2	6	7	6	6	10	10	12	6	3	-
WHITE-----MALE----	1	1	3	3	4	4	6	4	5	2	1	-
FEMALE--	-	1	2	2	2	2	4	6	7	4	2	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	2	-	8	8	10	40	38	54	25	5	-
WHITE-----MALE----	1	2	-	6	3	3	17	16	16	7	-	-
FEMALE--	-	-	-	2	4	7	21	22	36	18	5	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
NEVADA -----	1	3	6	6	7	11	18	19	13	3	1	-
WHITE-----MALE----	-	2	4	2	3	9	9	7	6	1	-	-
FEMALE--	1	1	1	1	3	2	9	11	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	3	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,789

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
OHIO -----	7	4	9	19	59	81	113	128	121	58	24	-
WHITE-----MALE----	5	3	5	6	29	31	45	44	32	15	2	-
FEMALE--	1	1	3	9	26	40	63	81	84	43	18	-
ALL OTHER--MALE----	-	-	-	2	1	4	2	2	2	-	-	-
FEMALE--	1	-	1	2	3	6	3	1	3	-	4	-
BLACK---MALE----	-	-	-	2	1	4	2	2	2	-	-	-
FEMALE--	1	-	1	2	3	6	3	1	3	-	4	-
OKLAHOMA -----	4	2	13	20	24	56	62	86	71	33	10	-
WHITE-----MALE----	2	1	6	11	11	29	29	24	20	7	2	-
FEMALE--	-	1	6	6	8	21	30	58	45	23	8	-
ALL OTHER--MALE----	2	-	-	2	4	3	-	1	1	2	-	-
FEMALE--	-	-	1	1	1	3	3	3	5	1	-	-
BLACK---MALE----	1	-	-	2	2	2	-	1	-	1	-	-
FEMALE--	-	-	-	1	-	2	1	1	5	1	-	-
OREGON -----	-	2	7	12	18	29	43	50	36	25	12	-
WHITE-----MALE----	-	2	6	8	11	13	27	17	9	5	-	-
FEMALE--	-	-	1	4	7	16	16	32	27	20	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
PENNSYLVANIA -----	4	2	11	31	54	80	152	171	130	56	24	-
WHITE-----MALE----	3	1	9	17	31	29	61	53	25	10	3	-
FEMALE--	1	1	2	11	16	49	83	112	101	43	21	-
ALL OTHER--MALE----	-	-	-	2	2	1	3	1	2	1	-	-
FEMALE--	-	-	-	1	5	1	5	5	2	2	-	-
BLACK---MALE----	-	-	-	2	2	1	3	1	2	1	-	-
FEMALE--	-	-	-	1	5	1	5	4	2	2	-	-
RHODE ISLAND -----	-	-	1	2	4	8	8	14	15	10	2	-
WHITE-----MALE----	-	-	1	1	2	4	2	3	4	1	-	-
FEMALE--	-	-	-	1	2	4	6	11	11	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	4	5	14	15	29	20	16	8	1	-
WHITE-----MALE----	2	1	2	4	6	7	11	2	1	3	-	-
FEMALE--	-	-	1	-	7	6	11	15	10	4	-	-
ALL OTHER--MALE----	1	1	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	5	3	5	1	1	-
BLACK---MALE----	1	1	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	5	3	5	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,790

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
SOUTH DAKOTA -----	-	1	-	2	5	5	6	9	13	10	5	-
WHITE-----MALE----	-	1	-	2	3	2	2	3	2	-	2	-
FEMALE--	-	-	-	-	1	3	4	5	11	10	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	4	8	22	28	53	58	82	74	39	10	-
WHITE-----MALE----	1	4	5	6	10	22	20	25	15	7	2	-
FEMALE--	-	-	1	10	14	27	33	52	54	27	6	-
ALL OTHER--MALE----	-	-	1	2	2	1	3	1	2	2	1	-
FEMALE--	-	-	1	4	2	3	2	4	3	3	1	-
BLACK---MALE----	-	-	1	2	2	1	3	1	2	2	1	-
FEMALE--	-	-	1	4	2	3	2	4	3	3	1	-
TEXAS -----	14	16	20	31	63	100	153	202	162	89	21	-
WHITE-----MALE----	8	8	11	24	29	55	71	56	44	14	-	-
FEMALE--	3	3	7	5	27	38	72	131	108	65	20	-
ALL OTHER--MALE----	3	3	-	-	3	5	3	2	2	2	-	-
FEMALE--	-	2	2	2	4	2	7	13	8	8	1	-
BLACK---MALE----	3	2	-	-	3	5	3	2	2	2	-	-
FEMALE--	-	2	2	2	4	2	6	11	8	8	1	-
UTAH -----	-	3	4	2	4	8	12	16	8	8	1	-
WHITE-----MALE----	-	2	2	-	2	5	8	6	4	4	-	-
FEMALE--	-	1	2	2	2	3	4	10	4	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	2	5	3	6	4	1	2	-
WHITE-----MALE----	-	-	-	-	2	4	1	2	-	-	1	-
FEMALE--	-	1	-	-	-	1	2	4	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	7	12	16	30	48	51	72	54	29	10	-
WHITE-----MALE----	1	3	5	12	12	15	20	23	11	6	2	-
FEMALE--	1	1	3	1	10	19	27	36	32	17	7	-
ALL OTHER--MALE----	1	1	2	2	4	7	3	3	1	2	-	-
FEMALE--	-	2	2	1	4	7	1	10	10	4	1	-
BLACK---MALE----	-	1	2	2	4	7	3	3	1	2	-	-
FEMALE--	-	2	2	1	4	7	1	10	10	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,792

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
AORTIC ANEURYSM (441)												
UNITED STATES --	351	566	942	1,791	2,797	3,290	3,038	2,126	859	224	28	-
WHITE-----MALE----	214	349	639	1,167	1,764	1,890	1,625	1,051	357	67	8	-
FEMALE--	56	115	202	470	819	1,212	1,219	942	448	143	17	-
ALL OTHER--MALE----	52	63	61	81	117	99	93	49	19	4	-	-
FEMALE--	29	39	40	73	97	89	101	84	35	10	3	-
BLACK---MALE----	47	51	46	64	94	71	65	32	14	3	-	-
FEMALE--	26	33	35	57	77	78	86	73	32	10	3	-
ALABAMA -----	12	11	15	23	58	53	38	32	11	4	-	-
WHITE-----MALE----	6	9	9	17	38	32	25	10	5	1	-	-
FEMALE--	1	2	5	4	13	18	7	18	5	2	-	-
ALL OTHER--MALE----	4	-	-	1	6	1	2	3	-	1	-	-
FEMALE--	1	-	1	1	1	2	4	1	1	-	-	-
BLACK---MALE----	4	-	-	1	6	1	2	3	-	1	-	-
FEMALE--	1	-	1	1	1	2	4	1	1	-	-	-
ALASKA -----	1	1	4	4	2	3	2	-	1	-	-	-
WHITE-----MALE----	-	1	3	3	1	3	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	5	12	21	43	60	46	38	15	4	-	-
WHITE-----MALE----	2	4	11	17	29	37	31	24	7	1	-	-
FEMALE--	-	1	-	3	14	21	15	13	8	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ARKANSAS -----	1	10	14	15	30	52	34	22	11	1	-	-
WHITE-----MALE----	1	5	8	5	24	32	21	9	6	1	-	-
FEMALE--	-	1	5	6	5	17	12	12	4	-	-	-
ALL OTHER--MALE----	-	1	-	3	-	3	1	-	1	-	-	-
FEMALE--	-	3	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	3	-	3	1	-	1	-	-	-
FEMALE--	-	3	1	1	-	-	-	1	-	-	-	-
CALIFORNIA -----	40	67	87	151	243	281	261	205	77	16	2	-
WHITE-----MALE----	28	45	51	96	154	160	144	84	36	2	1	-
FEMALE--	6	11	20	37	69	96	88	98	34	14	1	-
ALL OTHER--MALE----	3	7	13	13	14	12	16	11	4	-	-	-
FEMALE--	3	4	3	5	6	13	13	12	3	-	-	-
BLACK---MALE----	2	4	6	3	7	4	7	3	1	-	-	-
FEMALE--	3	3	2	1	3	5	5	8	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,793

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC ANEURYSM (441)												
COLORADO -----	206	-	-	-	-	-	-	-	3	1	3	7
WHITE-----MALE----	118	-	-	-	-	-	-	-	3	1	2	3
FEMALE--	77	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	237	-	-	-	-	-	-	-	2	-	4	-
WHITE-----MALE----	141	-	-	-	-	-	-	-	2	-	3	-
FEMALE--	90	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	50	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	35	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	1,202	-	-	-	-	1	-	5	2	1	8	17
WHITE-----MALE----	736	-	-	-	-	1	-	3	1	1	8	10
FEMALE--	397	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	43	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	37	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	2
GEORGIA -----	332	-	-	-	-	-	-	1	-	4	9	4
WHITE-----MALE----	187	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	85	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	-	2	4	2
FEMALE--	31	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	29	-	-	-	-	-	-	1	-	2	4	2
FEMALE--	30	-	-	-	-	-	-	-	-	1	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,793

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
COLORADO -----	-	7	10	22	33	32	40	27	15	5	1	-
WHITE-----MALE----	-	5	7	15	14	24	26	12	5	1	-	-
FEMALE--	-	2	3	4	15	7	14	15	9	4	1	-
ALL OTHER--MALE----	-	-	-	2	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
CONNECTICUT -----	2	8	13	24	37	43	45	48	9	2	-	-
WHITE-----MALE----	2	8	12	17	24	21	24	23	4	1	-	-
FEMALE--	-	-	1	7	12	20	21	24	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	1	-	-	-
DELAWARE -----	1	2	4	9	8	12	7	1	1	3	-	-
WHITE-----MALE----	-	1	3	7	7	9	2	1	1	2	-	-
FEMALE--	-	1	1	2	-	3	5	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	3	4	-	7	5	10	-	3	-	1	-
WHITE-----MALE----	-	-	-	-	2	-	2	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	1	3	1	-	3	2	2	-	-	-	-	-
FEMALE--	-	-	3	-	2	2	5	-	1	-	-	-
BLACK---MALE----	1	3	1	-	3	2	1	-	-	-	-	-
FEMALE--	-	-	3	-	2	2	5	-	1	-	-	-
FLORIDA -----	11	33	72	108	209	257	235	162	60	17	4	-
WHITE-----MALE----	6	23	51	77	143	147	135	90	33	4	3	-
FEMALE--	2	7	17	22	51	96	92	67	26	13	1	-
ALL OTHER--MALE----	2	3	2	5	10	10	3	3	1	-	-	-
FEMALE--	1	-	2	4	5	4	5	2	-	-	-	-
BLACK---MALE----	2	3	2	4	9	8	1	3	1	-	-	-
FEMALE--	1	-	2	4	5	4	5	2	-	-	-	-
GEORGIA -----	12	11	28	47	49	58	54	38	15	2	-	-
WHITE-----MALE----	8	5	23	32	29	33	29	19	4	1	-	-
FEMALE--	1	2	2	9	13	15	17	14	10	1	-	-
ALL OTHER--MALE----	2	2	2	3	1	5	3	2	-	-	-	-
FEMALE--	1	2	1	3	6	5	5	3	1	-	-	-
BLACK---MALE----	2	2	2	3	1	5	3	2	-	-	-	-
FEMALE--	1	2	1	2	6	5	5	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,795

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC ANEURYSM (441)												
KENTUCKY -----	241	-	-	-	-	-	1	-	1	4	4	7
WHITE-----MALE----	141	-	-	-	-	-	1	-	1	3	2	4
FEMALE--	92	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	226	-	-	-	-	1	-	-	-	1	5	4
WHITE-----MALE----	113	-	-	-	-	1	-	-	-	1	2	3
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	2	-
MAINE -----	109	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	265	-	-	-	-	1	-	1	1	5	5	5
WHITE-----MALE----	115	-	-	-	-	-	-	1	-	3	2	1
FEMALE--	105	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	23	-	-	-	-	1	-	-	1	2	2	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	20	-	-	-	-	1	-	-	1	2	2	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	409	-	-	-	1	-	-	-	1	1	1	4
WHITE-----MALE----	221	-	-	-	1	-	-	-	1	-	1	1
FEMALE--	174	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	621	-	-	-	-	-	1	2	3	4	8	15
WHITE-----MALE----	357	-	-	-	-	-	1	2	-	2	5	7
FEMALE--	199	-	-	-	-	-	-	-	2	-	-	3
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	29	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,795

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
KENTUCKY -----	4	10	17	23	46	44	36	29	12	3	-	-
WHITE-----MALE----	4	9	14	11	25	26	19	18	4	-	-	-
FEMALE--	-	1	3	10	20	18	16	11	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	1	-	-	-
LOUISIANA -----	10	14	16	28	40	30	40	22	10	5	-	-
WHITE-----MALE----	4	4	7	14	22	16	22	12	4	1	-	-
FEMALE--	1	1	2	8	15	11	12	9	3	2	-	-
ALL OTHER--MALE----	3	6	3	6	1	2	4	1	2	1	-	-
FEMALE--	2	3	4	-	2	1	2	-	1	1	-	-
BLACK---MALE----	3	6	2	6	1	2	4	1	2	1	-	-
FEMALE--	1	3	4	-	2	1	2	-	1	1	-	-
MAINE -----	1	2	5	11	15	28	25	14	5	1	-	-
WHITE-----MALE----	1	2	5	6	11	14	15	10	3	1	-	-
FEMALE--	-	-	-	5	4	14	10	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	7	13	22	47	49	54	33	12	1	1	-
WHITE-----MALE----	4	2	7	10	27	20	27	8	3	-	-	-
FEMALE--	2	-	5	8	14	26	20	20	7	1	-	-
ALL OTHER--MALE----	1	3	-	2	2	2	2	2	1	-	-	-
FEMALE--	1	2	1	2	4	1	5	3	1	-	1	-
BLACK---MALE----	1	3	-	2	2	2	-	1	1	-	-	-
FEMALE--	1	1	1	1	3	1	5	3	1	-	1	-
MASSACHUSETTS -----	5	7	13	32	64	78	85	75	34	8	-	-
WHITE-----MALE----	5	4	8	21	38	39	39	40	20	3	-	-
FEMALE--	-	2	5	11	21	37	44	34	14	5	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
MICHIGAN -----	15	27	38	70	97	130	103	69	30	9	-	-
WHITE-----MALE----	9	14	20	41	71	68	58	40	16	3	-	-
FEMALE--	2	6	15	21	19	49	37	26	13	6	-	-
ALL OTHER--MALE----	2	4	1	5	4	8	2	-	-	-	-	-
FEMALE--	2	3	2	3	3	5	6	3	1	-	-	-
BLACK---MALE----	2	3	-	4	4	6	2	-	-	-	-	-
FEMALE--	1	3	2	3	2	5	6	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,796

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
MINNESOTA -----	2	14	15	35	52	65	50	60	24	6	1	-
WHITE-----MALE----	1	11	9	21	36	47	25	32	8	2	-	-
FEMALE--	1	2	6	14	15	18	25	27	16	4	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	1	6	7	14	29	26	30	12	9	2	-	-
WHITE-----MALE----	-	3	4	6	19	15	10	5	2	1	-	-
FEMALE--	-	-	2	6	4	6	9	7	7	-	-	-
ALL OTHER--MALE----	-	1	1	1	6	3	5	-	-	-	-	-
FEMALE--	1	2	-	1	-	2	6	-	-	1	-	-
BLACK---MALE----	-	1	1	1	6	3	5	-	-	-	-	-
FEMALE--	1	2	-	1	-	2	6	-	-	1	-	-
MISSOURI -----	13	14	13	47	64	75	71	39	21	9	2	-
WHITE-----MALE----	8	9	9	31	46	47	49	19	10	2	-	-
FEMALE--	2	4	4	12	10	27	20	20	10	6	2	-
ALL OTHER--MALE----	1	1	-	3	2	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	6	1	1	-	1	1	-	-
BLACK---MALE----	1	1	-	3	2	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	6	1	1	-	1	1	-	-
MONTANA -----	4	2	1	4	11	11	16	8	1	1	-	-
WHITE-----MALE----	3	1	1	2	6	6	9	4	-	1	-	-
FEMALE--	1	1	-	2	5	5	6	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	3	6	9	26	24	21	26	8	1	-	-
WHITE-----MALE----	3	3	3	8	19	12	14	14	2	-	-	-
FEMALE--	-	-	2	1	7	12	6	12	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
NEVADA -----	4	6	12	12	20	9	16	12	2	1	-	-
WHITE-----MALE----	2	5	8	8	10	6	7	4	2	1	-	-
FEMALE--	1	-	4	3	8	2	8	7	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,798

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
OHIO -----	17	22	53	102	148	163	134	102	44	8	-	-
WHITE-----MALE----	10	14	35	65	92	91	68	54	12	3	-	-
FEMALE--	4	5	11	29	41	64	59	43	29	5	-	-
ALL OTHER--MALE----	2	3	3	1	5	6	4	3	-	-	-	-
FEMALE--	1	-	4	7	10	2	3	2	3	-	-	-
BLACK---MALE----	2	3	3	1	5	6	4	3	-	-	-	-
FEMALE--	1	-	4	6	10	2	3	2	3	-	-	-
OKLAHOMA -----	1	6	17	34	43	42	39	23	6	3	-	-
WHITE-----MALE----	-	3	11	22	25	29	21	15	-	2	-	-
FEMALE--	1	1	1	10	17	13	15	8	4	1	-	-
ALL OTHER--MALE----	-	1	4	1	1	-	3	-	1	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	3	1	-	-	3	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
OREGON -----	4	10	15	25	29	43	49	26	12	4	1	-
WHITE-----MALE----	3	5	12	19	17	26	29	14	6	-	-	-
FEMALE--	1	4	3	6	9	16	19	12	6	4	1	-
ALL OTHER--MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	20	55	113	175	198	209	144	54	15	2	-
WHITE-----MALE----	11	8	39	72	104	110	101	71	22	4	1	-
FEMALE--	3	9	9	34	62	78	99	61	29	11	1	-
ALL OTHER--MALE----	-	2	6	5	5	3	3	1	2	-	-	-
FEMALE--	-	1	1	2	4	7	6	11	1	-	-	-
BLACK---MALE----	-	1	5	5	5	3	2	1	2	-	-	-
FEMALE--	-	1	1	1	3	7	5	11	1	-	-	-
RHODE ISLAND -----	2	3	2	7	13	20	11	13	7	-	-	-
WHITE-----MALE----	1	3	1	4	11	9	7	5	3	-	-	-
FEMALE--	1	-	-	2	2	9	3	8	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
SOUTH CAROLINA -----	6	10	14	34	52	46	39	26	8	3	-	-
WHITE-----MALE----	3	5	12	19	29	26	22	9	2	-	-	-
FEMALE--	-	2	1	6	15	18	14	12	3	1	-	-
ALL OTHER--MALE----	3	1	1	3	3	-	1	3	-	1	-	-
FEMALE--	-	2	-	6	5	2	2	2	3	1	-	-
BLACK---MALE----	3	1	1	3	3	-	1	3	-	1	-	-
FEMALE--	-	2	-	6	5	2	2	2	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,799

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC ANEURYSM (441)												
SOUTH DAKOTA -----	52	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	346	-	-	-	-	-	-	-	-	2	6	7
WHITE-----MALE----	201	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	114	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	808	-	-	1	-	-	2	5	7	11	16	19
WHITE-----MALE----	463	-	-	1	-	-	1	2	6	5	7	8
FEMALE--	273	-	-	-	-	-	1	3	1	2	5	1
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	4	3	7
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	35	-	-	-	-	-	-	-	-	3	3	6
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	3
UTAH -----	73	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	53	-	-	-	1	-	-	-	-	-	-	1
WHITE-----MALE----	36	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	399	-	-	-	-	1	2	1	4	4	3	13
WHITE-----MALE----	222	-	-	-	-	-	1	1	3	1	1	8
FEMALE--	126	-	-	-	-	-	-	-	1	2	1	3
ALL OTHER--MALE----	18	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	33	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	1	-	-	-	1	-	2
FEMALE--	32	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,799

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
AORTIC ANEURYSM (441)												
SOUTH DAKOTA -----	1	2	1	1	9	18	4	9	5	1	1	-
WHITE-----MALE----	-	2	1	-	7	13	4	6	1	1	1	-
FEMALE--	-	-	-	1	2	4	-	3	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	8	27	36	66	68	57	40	12	4	-	-
WHITE-----MALE----	8	4	25	22	42	42	26	23	4	-	-	-
FEMALE--	2	4	1	10	20	21	27	16	6	4	-	-
ALL OTHER--MALE----	2	-	-	1	3	-	2	-	1	-	-	-
FEMALE--	1	-	1	3	1	5	2	1	1	-	-	-
BLACK---MALE----	2	-	-	1	3	-	2	-	1	-	-	-
FEMALE--	1	-	1	3	1	5	2	1	1	-	-	-
TEXAS -----	25	41	53	88	122	150	131	90	37	9	1	-
WHITE-----MALE----	14	28	38	64	72	91	61	47	16	2	-	-
FEMALE--	6	10	11	21	40	53	56	36	20	6	1	-
ALL OTHER--MALE----	4	-	4	1	6	4	8	1	-	-	-	-
FEMALE--	1	3	-	2	4	2	6	6	1	1	-	-
BLACK---MALE----	4	-	4	1	6	2	6	-	-	-	-	-
FEMALE--	1	2	-	1	4	2	6	6	1	1	-	-
UTAH -----	4	3	4	3	11	14	13	10	9	1	-	-
WHITE-----MALE----	4	1	3	3	7	13	9	7	4	1	-	-
FEMALE--	-	2	1	-	4	1	4	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	3	2	5	16	12	8	3	1	-	-
WHITE-----MALE----	1	-	3	1	4	11	7	4	2	1	-	-
FEMALE--	-	-	-	1	1	5	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	7	19	47	70	83	64	52	17	5	1	-
WHITE-----MALE----	4	3	17	37	44	49	29	16	6	1	1	-
FEMALE--	-	2	2	7	20	23	29	23	9	4	-	-
ALL OTHER--MALE----	1	1	-	2	3	2	1	3	-	-	-	-
FEMALE--	1	1	-	1	3	9	5	10	2	-	-	-
BLACK---MALE----	1	1	-	2	2	2	1	3	-	-	-	-
FEMALE--	-	1	-	1	3	9	5	10	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,801

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
0 UNITED STATES --	11,068	12	6	8	8	19	27	35	61	99	123	170
WHITE-----MALE----	4,142	3	4	1	1	6	5	9	17	31	48	56
FEMALE--	5,368	3	1	4	5	8	11	13	26	34	36	68
ALL OTHER--MALE----	656	4	1	-	-	3	4	2	5	14	13	23
FEMALE--	902	2	-	3	2	2	7	11	13	20	26	23
BLACK---MALE----	601	4	1	-	-	3	3	2	5	14	13	20
FEMALE--	802	2	-	3	1	2	5	9	12	20	23	23
ALABAMA -----	184	1	-	1	-	-	-	1	1	2	-	3
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	77	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	24	1	-	1	-	-	-	1	-	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	24	1	-	1	-	-	-	1	-	-	-	1
ALASKA -----	9	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	150	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	85	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	126	-	-	-	-	-	1	-	-	-	2	4
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	2
CALIFORNIA -----	964	-	-	-	1	2	3	4	4	10	12	20
WHITE-----MALE----	383	-	-	-	-	-	-	1	1	4	4	8
FEMALE--	462	-	-	-	1	2	2	1	2	3	5	7
ALL OTHER--MALE----	56	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	63	-	-	-	-	-	1	1	1	2	3	3
BLACK---MALE----	38	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	38	-	-	-	-	-	-	-	-	2	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,801

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
0 UNITED STATES --	238	335	620	929	1,435	1,785	1,821	1,603	1,081	532	121	-
WHITE-----MALE----	99	132	278	429	659	783	693	541	262	77	8	-
FEMALE--	73	117	212	342	568	799	924	926	720	386	92	-
ALL OTHER--MALE----	30	45	61	69	98	94	86	59	28	15	2	-
FEMALE--	36	41	69	89	110	109	118	77	71	54	19	-
BLACK---MALE----	26	39	54	66	92	86	77	54	26	14	2	-
FEMALE--	33	32	61	78	93	101	105	66	64	51	18	-
ALABAMA -----	2	6	8	24	28	32	27	24	15	8	1	-
WHITE-----MALE----	1	3	5	9	10	15	9	4	4	1	-	-
FEMALE--	-	2	2	9	10	12	9	16	7	6	1	-
ALL OTHER--MALE----	1	-	1	3	5	2	4	2	2	-	-	-
FEMALE--	-	1	-	3	3	3	5	2	2	1	-	-
BLACK---MALE----	1	-	1	3	5	2	4	2	2	-	-	-
FEMALE--	-	1	-	3	3	3	5	2	2	1	-	-
ALASKA -----	1	1	-	2	1	2	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	5	5	15	26	31	25	23	8	4	1	-
WHITE-----MALE----	2	1	1	5	14	13	9	7	2	1	-	-
FEMALE--	-	3	4	9	11	15	16	16	6	3	-	-
ALL OTHER--MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	4	3	11	11	13	26	18	18	10	5	-	-
WHITE-----MALE----	2	-	4	5	4	16	5	9	-	1	-	-
FEMALE--	1	2	6	6	6	8	9	9	7	3	-	-
ALL OTHER--MALE----	-	-	1	-	3	-	1	-	1	-	-	-
FEMALE--	1	1	-	-	2	3	-	2	1	-	-	-
BLACK---MALE----	-	-	1	-	3	-	1	-	1	-	-	-
FEMALE--	1	1	-	-	2	3	-	2	1	-	-	-
CALIFORNIA -----	32	31	59	70	142	149	157	135	91	36	6	-
WHITE-----MALE----	12	8	34	32	69	66	62	47	29	5	1	-
FEMALE--	12	13	13	28	57	73	80	75	57	26	5	-
ALL OTHER--MALE----	4	6	6	5	7	7	10	5	-	2	-	-
FEMALE--	4	4	6	5	9	3	5	8	5	3	-	-
BLACK---MALE----	2	4	3	4	4	5	7	4	-	1	-	-
FEMALE--	4	2	3	3	6	2	1	5	3	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,802

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
COLORADO -----	116	-	-	-	-	-	1	-	1	3	-	2
WHITE-----MALE----	55	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	54	-	-	-	-	-	1	-	-	2	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	142	-	-	-	-	-	-	1	-	-	-	4
WHITE-----MALE----	69	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	33	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	32	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	758	1	-	-	-	-	1	3	3	7	9	10
WHITE-----MALE----	317	1	-	-	-	-	-	1	1	1	6	2
FEMALE--	359	-	-	-	-	-	1	1	2	1	2	5
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	46	-	-	-	-	-	-	1	-	2	1	2
BLACK---MALE----	36	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	44	-	-	-	-	-	-	1	-	2	1	2
GEORGIA -----	235	-	-	-	-	1	-	-	5	4	2	7
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	88	-	-	-	-	1	-	-	1	-	-	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	49	-	-	-	-	-	-	-	4	3	-	-
BLACK---MALE----	29	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	48	-	-	-	-	-	-	-	4	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,802

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
COLORADO -----	2	4	5	11	22	21	14	13	14	2	1	-
WHITE-----MALE----	1	2	2	7	12	14	8	5	2	-	-	-
FEMALE--	1	2	3	2	9	6	5	8	12	2	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	2	2	9	11	28	30	18	19	11	6	1	-
WHITE-----MALE----	1	1	6	6	16	19	10	5	1	1	-	-
FEMALE--	-	1	2	5	10	9	8	14	9	3	1	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	1	-	1	-	1	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
DELAWARE -----	2	-	2	1	3	6	5	5	6	-	1	-
WHITE-----MALE----	2	-	1	-	1	2	1	3	-	-	-	-
FEMALE--	-	-	1	1	2	2	4	2	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	2	1	5	2	3	6	3	4	3	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	2	-	2	3	1	1	1	-	1	-
FEMALE--	-	-	3	2	1	2	2	3	2	1	-	-
BLACK---MALE----	2	1	2	-	2	3	1	1	1	-	1	-
FEMALE--	-	-	3	2	1	2	2	3	2	1	-	-
FLORIDA -----	12	18	34	77	100	148	137	109	54	30	5	-
WHITE-----MALE----	7	10	18	41	52	60	60	35	17	5	-	-
FEMALE--	2	6	10	28	41	74	62	67	33	20	4	-
ALL OTHER--MALE----	1	1	3	5	3	6	5	3	2	3	-	-
FEMALE--	2	1	3	3	4	8	10	4	2	2	1	-
BLACK---MALE----	1	1	3	5	3	6	5	3	2	3	-	-
FEMALE--	2	1	3	3	4	7	9	4	2	2	1	-
GEORGIA -----	15	9	17	25	30	25	38	26	19	8	4	-
WHITE-----MALE----	6	3	3	8	12	9	8	7	6	1	-	-
FEMALE--	7	2	5	10	10	8	16	12	11	3	-	-
ALL OTHER--MALE----	2	4	2	2	4	5	5	2	-	1	-	-
FEMALE--	-	-	7	5	4	3	9	5	2	3	4	-
BLACK---MALE----	1	4	2	2	4	5	5	2	-	1	-	-
FEMALE--	-	-	7	5	3	3	9	5	2	3	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,804

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
KENTUCKY -----	156	-	-	-	-	-	-	1	2	1	2	2
WHITE-----MALE----	61	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	80	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	201	2	1	1	-	-	-	2	2	6	1	2
WHITE-----MALE----	50	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	67	-	-	1	-	-	-	1	-	2	-	2
ALL OTHER--MALE----	34	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	50	1	-	-	-	-	-	1	2	3	-	-
BLACK---MALE----	33	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	50	1	-	-	-	-	-	1	2	3	-	-
MAINE -----	72	-	-	-	-	-	-	1	2	-	1	-
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	-	-	-	-	-	-	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	180	-	-	-	-	-	1	-	-	3	5	1
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	72	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	19	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	1	1
MASSACHUSETTS -----	268	-	-	-	-	-	2	1	1	1	1	3
WHITE-----MALE----	111	-	-	-	-	-	-	2	1	1	1	1
FEMALE--	143	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	427	-	-	-	2	-	1	1	3	5	3	4
WHITE-----MALE----	155	-	-	-	1	-	-	-	1	1	1	2
FEMALE--	199	-	-	-	-	-	-	1	1	3	1	1
ALL OTHER--MALE----	32	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	41	-	-	-	1	-	-	-	-	1	1	-
BLACK---MALE----	28	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	38	-	-	-	1	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,804

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	7	8	16	20	23	25	20	14	11	1	-
WHITE-----MALE----	2	2	7	7	11	9	9	6	5	-	-	-
FEMALE--	-	5	1	7	8	11	15	12	9	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	2	1	2	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	2	1	2	1	1	-	1	-	-
LOUISIANA -----	11	7	8	21	21	31	28	26	19	10	2	-
WHITE-----MALE----	3	-	5	3	11	9	5	7	4	1	-	-
FEMALE--	1	3	1	8	6	9	9	13	7	4	-	-
ALL OTHER--MALE----	4	3	1	2	2	8	6	3	1	2	-	-
FEMALE--	3	1	1	8	2	5	8	3	7	3	2	-
BLACK---MALE----	4	2	1	2	2	8	6	3	1	2	-	-
FEMALE--	3	1	1	8	2	5	8	3	7	3	2	-
MAINE -----	-	2	-	4	11	16	13	12	10	-	-	-
WHITE-----MALE----	-	1	-	1	4	6	6	4	4	-	-	-
FEMALE--	-	1	-	3	7	10	7	8	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	11	11	26	15	32	27	19	16	9	1	-
WHITE-----MALE----	1	5	3	9	8	11	13	7	2	1	-	-
FEMALE--	-	-	3	8	5	16	10	12	12	4	-	-
ALL OTHER--MALE----	2	1	2	7	1	1	1	-	-	2	-	-
FEMALE--	-	5	3	2	1	4	3	-	2	2	1	-
BLACK---MALE----	2	1	2	7	1	1	1	-	-	2	-	-
FEMALE--	-	4	3	2	1	4	3	-	2	2	1	-
MASSACHUSETTS -----	1	6	13	13	37	36	53	48	38	11	4	-
WHITE-----MALE----	-	4	4	6	24	19	26	12	8	2	-	-
FEMALE--	-	2	7	6	11	15	27	32	29	9	4	-
ALL OTHER--MALE----	-	-	2	-	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	3	1	-	-	-
BLACK---MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	2	1	-	-	-
MICHIGAN -----	8	6	21	40	53	74	67	69	42	23	5	-
WHITE-----MALE----	-	4	8	19	20	30	25	26	11	5	1	-
FEMALE--	2	1	6	16	19	34	30	37	30	15	2	-
ALL OTHER--MALE----	3	1	5	3	7	4	5	1	-	-	-	-
FEMALE--	3	-	2	2	7	6	7	5	1	3	2	-
BLACK---MALE----	3	1	4	3	6	3	4	1	-	-	-	-
FEMALE--	2	-	2	2	6	6	7	4	1	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,805

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
MINNESOTA -----	245	-	-	-	-	1	-	-	-	-	2	4
WHITE-----MALE----	99	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	137	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	89	-	-	-	-	1	-	1	-	1	-	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	34	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	-	-
MISSOURI -----	285	-	-	-	1	-	3	-	2	4	4	5
WHITE-----MALE----	104	-	-	-	-	-	-	-	1	3	1	2
FEMALE--	156	-	-	-	1	-	2	-	1	1	2	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	1	-	-	-	1	-
MONTANA -----	40	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	74	-	1	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	30	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	51	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,805

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
MINNESOTA -----	1	4	8	9	27	34	44	53	34	19	5	-
WHITE-----MALE----	-	1	5	6	9	19	17	25	9	3	1	-
FEMALE--	1	1	3	3	16	15	25	27	24	16	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
MISSISSIPPI -----	3	4	4	13	8	18	11	11	7	6	-	-
WHITE-----MALE----	1	3	2	3	3	4	3	2	2	-	-	-
FEMALE--	1	-	-	5	1	8	7	6	2	3	-	-
ALL OTHER--MALE----	1	1	-	2	-	2	-	1	1	-	-	-
FEMALE--	-	-	2	3	4	4	1	2	2	3	-	-
BLACK---MALE----	1	1	-	2	-	2	-	1	1	-	-	-
FEMALE--	-	-	2	3	4	4	1	2	2	3	-	-
MISSOURI -----	5	10	12	27	33	43	43	38	36	18	1	-
WHITE-----MALE----	3	5	7	11	16	15	19	15	4	2	-	-
FEMALE--	2	2	4	12	13	24	23	19	31	16	1	-
ALL OTHER--MALE----	-	3	1	-	2	2	-	2	1	-	-	-
FEMALE--	-	-	-	4	2	2	1	2	-	-	-	-
BLACK---MALE----	-	3	1	-	2	2	-	2	1	-	-	-
FEMALE--	-	-	-	4	2	2	1	2	-	-	-	-
MONTANA -----	1	1	-	1	5	6	12	5	5	2	-	-
WHITE-----MALE----	-	1	-	1	2	3	3	3	1	-	-	-
FEMALE--	1	-	-	-	3	3	9	2	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	3	5	4	9	10	12	11	10	2	5	-
WHITE-----MALE----	-	1	3	3	5	4	4	4	3	-	1	-
FEMALE--	-	1	2	1	4	6	7	7	7	2	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
NEVADA -----	-	2	7	10	12	8	4	1	4	-	-	-
WHITE-----MALE----	-	-	3	6	7	5	3	-	1	-	-	-
FEMALE--	-	1	2	3	2	3	1	1	3	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,807

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
OHIO -----	552	1	1	1	-	1	3	1	2	8	12	4
WHITE-----MALE----	212	-	1	-	-	1	2	-	1	3	2	-
FEMALE--	261	-	-	-	-	-	-	1	-	2	6	3
ALL OTHER--MALE----	38	1	-	-	-	-	-	-	1	1	2	1
FEMALE--	41	-	-	1	-	-	1	-	-	2	2	-
BLACK---MALE----	36	1	-	-	-	-	-	-	1	1	2	-
FEMALE--	38	-	-	1	-	-	1	-	-	2	2	-
OKLAHOMA -----	126	1	-	-	-	-	1	1	1	-	1	2
WHITE-----MALE----	46	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	67	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	1	1	-	-	-	-
OREGON -----	139	-	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	72	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	647	1	-	-	-	-	-	1	1	4	5	10
WHITE-----MALE----	247	-	-	-	-	-	-	-	1	1	3	5
FEMALE--	346	1	-	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	54	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	18	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	179	-	1	-	-	1	2	-	-	2	2	6
WHITE-----MALE----	55	-	-	-	-	1	1	-	-	1	1	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	25	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	33	-	-	-	-	-	1	-	-	1	-	2
BLACK---MALE----	25	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	32	-	-	-	-	-	1	-	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,807

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
OHIO -----	5	20	30	48	87	86	87	76	45	27	7	-
WHITE-----MALE----	-	10	13	27	41	38	27	26	13	6	1	-
FEMALE--	5	6	12	10	29	38	55	44	27	17	6	-
ALL OTHER--MALE----	-	1	1	6	10	9	3	1	-	1	-	-
FEMALE--	-	3	4	5	7	1	2	5	5	3	-	-
BLACK---MALE----	-	1	-	6	10	9	3	1	-	1	-	-
FEMALE--	-	2	3	5	7	1	2	4	5	3	-	-
OKLAHOMA -----	3	1	9	9	19	14	21	19	14	8	2	-
WHITE-----MALE----	2	-	5	4	9	7	7	6	3	1	-	-
FEMALE--	1	1	4	4	7	6	11	12	10	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	3	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	-	-	-	-
OREGON -----	1	3	10	5	22	23	25	27	13	5	1	-
WHITE-----MALE----	1	1	4	4	13	11	10	11	6	1	-	-
FEMALE--	-	-	6	1	9	11	15	15	7	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	14	11	28	42	86	102	127	104	63	38	10	-
WHITE-----MALE----	10	8	10	17	38	39	45	45	16	8	1	-
FEMALE--	1	2	12	16	39	55	76	56	44	30	9	-
ALL OTHER--MALE----	1	-	2	4	4	3	2	1	1	-	-	-
FEMALE--	2	1	4	5	5	5	4	2	2	-	-	-
BLACK---MALE----	1	-	2	4	4	3	2	1	1	-	-	-
FEMALE--	2	1	4	5	4	5	4	2	2	-	-	-
RHODE ISLAND -----	1	2	2	1	5	16	7	6	8	4	-	-
WHITE-----MALE----	1	1	2	-	-	5	2	3	1	2	-	-
FEMALE--	-	1	-	-	4	10	5	2	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
SOUTH CAROLINA -----	7	11	11	17	17	21	33	22	17	7	2	-
WHITE-----MALE----	3	1	4	10	8	7	9	6	2	1	-	-
FEMALE--	1	3	2	3	6	9	13	10	11	4	1	-
ALL OTHER--MALE----	1	6	2	1	2	2	3	4	1	-	-	-
FEMALE--	2	1	3	3	1	3	8	2	3	2	1	-
BLACK---MALE----	1	6	2	1	2	2	3	4	1	-	-	-
FEMALE--	2	1	2	3	1	3	8	2	3	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,808

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
SOUTH DAKOTA -----	43	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	20	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	278	1	-	-	-	-	-	-	3	3	5	6
WHITE-----MALE----	103	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	123	1	-	-	-	-	-	-	2	2	1	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	788	-	-	-	1	1	2	3	6	3	13	15
WHITE-----MALE----	273	-	-	-	-	-	-	1	3	2	6	5
FEMALE--	391	-	-	-	1	1	2	2	2	-	4	6
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	71	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	52	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	70	-	-	-	-	-	-	-	1	1	-	1
UTAH -----	38	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	30	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	256	1	-	1	-	1	1	-	-	3	6	3
WHITE-----MALE----	79	1	-	-	-	-	1	-	-	-	2	2
FEMALE--	113	-	-	1	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	28	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	28	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	1	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,808

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
SOUTH DAKOTA -----	-	2	1	4	1	7	7	8	6	4	2	-
WHITE-----MALE----	-	2	1	3	1	3	2	5	1	1	-	-
FEMALE--	-	-	-	1	-	4	4	3	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
TENNESSEE -----	7	10	15	19	39	45	47	40	23	11	4	-
WHITE-----MALE----	2	4	7	11	17	19	18	15	3	1	1	-
FEMALE--	3	2	6	5	14	16	23	18	16	10	1	-
ALL OTHER--MALE----	1	2	1	2	5	3	3	5	2	-	-	-
FEMALE--	1	2	1	1	3	7	3	2	2	-	2	-
BLACK---MALE----	1	1	1	2	5	3	3	5	2	-	-	-
FEMALE--	1	2	1	-	3	7	3	2	2	-	2	-
TEXAS -----	19	26	57	88	91	108	114	119	69	45	8	-
WHITE-----MALE----	4	9	24	34	44	45	40	27	22	7	-	-
FEMALE--	10	10	21	35	29	53	59	78	41	32	5	-
ALL OTHER--MALE----	3	3	6	9	8	3	5	7	1	1	1	-
FEMALE--	2	4	6	10	10	7	10	7	5	5	2	-
BLACK---MALE----	3	3	6	9	8	3	5	7	1	1	1	-
FEMALE--	2	4	6	10	10	7	9	7	5	5	2	-
UTAH -----	-	2	2	4	7	4	6	7	5	1	-	-
WHITE-----MALE----	-	1	-	1	3	3	5	3	-	-	-	-
FEMALE--	-	1	1	3	4	1	1	4	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	4	7	6	2	4	2	2	-	-
WHITE-----MALE----	-	-	1	2	4	1	1	1	1	-	-	-
FEMALE--	-	-	1	2	3	5	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	8	17	23	35	42	44	41	17	7	1	-
WHITE-----MALE----	-	5	6	8	9	17	14	10	2	2	-	-
FEMALE--	2	-	5	8	18	15	20	25	11	4	1	-
ALL OTHER--MALE----	1	1	1	5	3	4	6	5	1	-	-	-
FEMALE--	2	2	5	2	5	6	4	1	3	1	-	-
BLACK---MALE----	1	1	1	5	3	4	6	5	1	-	-	-
FEMALE--	2	1	5	2	5	5	4	1	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,810

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	4,264	55	5	5	5	6	26	37	66	88	152	171
WHITE-----MALE----	1,608	21	1	2	1	2	5	7	22	32	71	71
FEMALE--	1,901	17	4	1	3	1	9	16	15	21	46	41
ALL OTHER--MALE----	370	8	-	-	-	2	7	6	18	25	17	34
FEMALE--	385	9	-	2	1	1	5	8	11	10	18	25
BLACK---MALE----	336	7	-	-	-	2	7	6	17	25	16	31
FEMALE--	359	6	-	2	1	1	4	8	11	10	17	24
ALABAMA -----	77	-	-	-	-	-	-	1	-	3	4	5
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	26	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	3	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	69	-	-	-	-	-	-	1	-	-	3	2
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	31	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	61	2	-	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	19	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	34	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	335	7	-	-	-	-	3	1	7	10	12	18
WHITE-----MALE----	135	-	-	-	-	-	1	1	4	7	2	9
FEMALE--	153	4	-	-	-	-	1	-	1	-	8	3
ALL OTHER--MALE----	25	1	-	-	-	-	1	-	2	1	1	2
FEMALE--	22	2	-	-	-	-	-	-	-	2	1	4
BLACK---MALE----	16	-	-	-	-	-	1	-	2	1	-	1
FEMALE--	18	1	-	-	-	-	-	-	-	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,810

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	198	227	284	358	483	586	588	490	293	118	22	1
WHITE-----MALE----	95	99	124	150	208	248	199	156	72	18	4	-
FEMALE--	63	78	96	134	202	256	318	282	193	91	14	-
ALL OTHER--MALE----	27	30	31	41	34	35	26	16	9	2	2	-
FEMALE--	13	20	33	33	39	47	45	36	19	7	2	1
BLACK---MALE----	25	28	29	31	29	32	24	15	8	2	2	-
FEMALE--	13	20	30	30	37	44	41	34	17	6	2	1
ALABAMA -----	2	9	6	7	11	5	6	10	4	2	2	-
WHITE-----MALE----	-	5	2	3	2	1	2	4	1	-	1	-
FEMALE--	1	2	3	3	4	1	3	3	1	2	-	-
ALL OTHER--MALE----	1	1	-	-	2	2	-	1	-	-	-	-
FEMALE--	-	1	1	1	3	1	1	2	2	-	1	-
BLACK---MALE----	1	1	-	-	2	2	-	1	-	-	-	-
FEMALE--	-	1	1	1	3	1	1	2	2	-	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	5	3	8	7	10	12	9	5	2	1	-
WHITE-----MALE----	1	4	3	3	5	5	2	4	2	-	-	-
FEMALE--	-	1	-	4	1	3	10	5	2	2	1	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	4	8	3	5	4	13	7	7	2	-	-
WHITE-----MALE----	1	1	5	1	2	2	3	-	1	-	-	-
FEMALE--	-	3	3	2	3	2	8	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	1	-	-
CALIFORNIA -----	26	22	23	32	34	41	34	37	22	5	1	-
WHITE-----MALE----	8	8	11	13	17	16	11	20	6	-	1	-
FEMALE--	13	11	9	13	14	20	22	15	14	5	-	-
ALL OTHER--MALE----	3	2	3	3	2	2	1	-	1	-	-	-
FEMALE--	2	1	-	3	1	3	-	2	1	-	-	-
BLACK---MALE----	3	1	3	1	1	1	1	-	-	-	-	-
FEMALE--	2	1	-	2	1	3	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,811

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	62	-	-	-	-	-	1	-	1	1	7	2
WHITE-----MALE----	28	-	-	-	-	-	1	-	-	-	5	2
FEMALE--	31	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	65	1	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	29	1	-	-	-	-	-	-	-	-	3	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	17	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	246	2	1	-	-	-	-	3	5	4	5	9
WHITE-----MALE----	96	2	1	-	-	-	-	1	1	1	3	4
FEMALE--	104	-	-	-	-	-	-	1	2	2	-	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	25	-	-	-	-	-	-	1	1	-	1	3
BLACK---MALE----	20	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	25	-	-	-	-	-	-	1	1	-	1	3
GEORGIA -----	95	1	-	-	-	-	-	2	1	3	3	4
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	18	1	-	-	-	-	-	1	-	2	-	1
FEMALE--	12	-	-	-	-	-	-	1	1	-	-	2
BLACK---MALE----	16	1	-	-	-	-	-	1	-	2	-	1
FEMALE--	12	-	-	-	-	-	-	1	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,811

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	2	1	9	6	6	10	3	8	1	-	-
WHITE-----MALE----	4	-	1	5	2	3	3	-	2	-	-	-
FEMALE--	-	2	-	4	4	3	5	3	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
CONNECTICUT -----	2	6	3	6	5	5	11	12	5	4	-	-
WHITE-----MALE----	2	5	1	3	2	1	4	4	2	-	-	-
FEMALE--	-	1	1	2	2	4	6	8	3	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
DELAWARE -----	-	1	1	1	1	6	4	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
DISTRICT OF COLUMBIA -----	2	-	-	2	3	1	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	2	1	1	-	-	1	-	-
BLACK---MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	2	1	1	-	-	1	-	-
FLORIDA -----	12	10	17	18	33	35	39	31	14	8	-	-
WHITE-----MALE----	6	7	4	4	15	17	12	11	6	1	-	-
FEMALE--	3	1	6	9	12	13	25	15	7	7	-	-
ALL OTHER--MALE----	2	2	4	1	2	3	-	3	-	-	-	-
FEMALE--	1	-	3	4	4	2	2	2	1	-	-	-
BLACK---MALE----	2	2	4	-	2	3	-	3	-	-	-	-
FEMALE--	1	-	3	4	4	2	2	2	1	-	-	-
GEORGIA -----	2	9	9	6	9	16	14	10	5	1	-	-
WHITE-----MALE----	1	3	5	2	2	6	6	5	-	1	-	-
FEMALE--	-	3	-	1	4	6	7	4	4	-	-	-
ALL OTHER--MALE----	1	-	4	2	1	3	1	-	1	-	-	-
FEMALE--	-	3	-	1	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	3	2	1	3	1	-	1	-	-	-
FEMALE--	-	3	-	1	2	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,813

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	66	-	-	-	-	-	-	-	2	1	1	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	70	3	-	-	1	-	-	1	-	-	4	1
WHITE-----MALE----	23	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	21	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	9	2	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	17	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	9	2	-	-	-	-	-	-	-	-	1	-
MAINE -----	25	-	-	-	-	-	1	-	-	-	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	94	3	-	-	-	1	1	-	6	1	3	7
WHITE-----MALE----	32	1	-	-	-	-	-	-	2	-	1	3
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	21	1	-	-	-	1	1	-	3	1	1	1
FEMALE--	15	1	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	20	1	-	-	-	1	1	-	3	1	1	1
FEMALE--	15	1	-	-	-	-	-	-	1	-	-	3
MASSACHUSETTS -----	118	2	1	-	1	1	-	1	3	4	7	5
WHITE-----MALE----	40	2	-	-	-	-	-	-	-	1	4	2
FEMALE--	67	-	1	-	1	-	-	1	3	1	3	1
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	2	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	224	1	-	1	-	-	2	2	6	9	11	12
WHITE-----MALE----	80	-	-	-	-	-	-	-	1	1	5	3
FEMALE--	91	1	-	-	-	-	2	1	-	2	3	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	3	3	-	5
FEMALE--	31	-	-	1	-	-	-	-	2	3	3	2
BLACK---MALE----	21	-	-	-	-	-	-	1	2	3	-	5
FEMALE--	30	-	-	1	-	-	-	-	2	3	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,813

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	2	3	6	8	8	6	10	12	1	2	-
WHITE-----MALE----	3	2	2	3	5	2	3	1	3	-	-	-
FEMALE--	-	-	-	3	3	5	3	8	8	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	1	-	-
LOUISIANA -----	2	3	6	6	5	11	12	7	6	2	-	-
WHITE-----MALE----	-	-	3	2	1	4	3	2	3	1	-	-
FEMALE--	1	2	-	1	-	5	4	4	3	-	-	-
ALL OTHER--MALE----	-	1	3	3	1	2	3	1	-	1	-	-
FEMALE--	1	-	-	-	3	-	2	-	-	-	-	-
BLACK---MALE----	-	1	3	3	1	2	3	1	-	1	-	-
FEMALE--	1	-	-	-	3	-	2	-	-	-	-	-
MAINE -----	2	1	2	-	2	6	1	5	1	1	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	2	6	1	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	3	5	10	24	10	8	2	3	-	-
WHITE-----MALE----	1	1	-	-	5	10	7	1	-	-	-	-
FEMALE--	1	2	1	5	1	5	-	6	2	2	-	-
ALL OTHER--MALE----	1	1	2	-	2	3	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	6	1	-	-	1	-	-
BLACK---MALE----	-	1	2	-	2	3	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	6	1	-	-	1	-	-
MASSACHUSETTS -----	4	4	9	11	15	15	21	7	6	1	-	-
WHITE-----MALE----	2	1	4	3	4	7	7	2	1	-	-	-
FEMALE--	2	3	4	6	10	8	12	5	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
MICHIGAN -----	12	14	13	22	30	25	32	18	11	2	1	-
WHITE-----MALE----	7	8	5	13	11	10	12	4	-	-	-	-
FEMALE--	3	4	4	4	17	13	13	11	8	2	1	-
ALL OTHER--MALE----	2	-	-	4	1	-	2	-	1	-	-	-
FEMALE--	-	2	4	1	1	2	5	3	2	-	-	-
BLACK---MALE----	2	-	-	4	1	-	2	-	1	-	-	-
FEMALE--	-	2	4	1	1	2	4	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,816

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	203	-	-	-	1	-	1	2	2	2	3	7
WHITE-----MALE----	76	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	95	-	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	13	-	-	-	1	-	1	1	-	-	-	1
BLACK---MALE----	19	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	13	-	-	-	1	-	1	1	-	-	-	1
OKLAHOMA -----	53	1	-	1	1	-	-	-	-	-	4	-
WHITE-----MALE----	24	1	-	1	1	-	-	-	-	-	2	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	42	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	228	1	-	1	-	-	2	3	2	2	8	6
WHITE-----MALE----	89	-	-	-	-	-	-	-	-	-	6	3
FEMALE--	102	-	-	-	-	-	1	2	1	1	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	20	1	-	1	-	-	1	-	1	1	-	1
BLACK---MALE----	17	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	19	1	-	1	-	-	-	-	1	1	-	1
RHODE ISLAND -----	28	-	-	-	-	-	-	-	2	-	1	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	73	3	-	-	-	-	-	-	2	2	5	1
WHITE-----MALE----	23	1	-	-	-	-	-	-	-	2	2	1
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	2	-	3	-
BLACK---MALE----	12	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	2	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,816

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	11	17	13	35	28	20	28	18	6	3	-
WHITE-----MALE----	2	5	4	7	18	13	8	7	5	2	1	-
FEMALE--	3	1	8	3	12	14	10	19	13	4	2	-
ALL OTHER--MALE----	-	4	3	1	3	1	2	1	-	-	-	-
FEMALE--	1	1	2	2	2	-	-	1	-	-	-	-
BLACK---MALE----	-	4	3	1	3	1	2	1	-	-	-	-
FEMALE--	1	1	2	2	2	-	-	1	-	-	-	-
OKLAHOMA -----	3	1	3	11	4	7	6	4	6	1	-	-
WHITE-----MALE----	1	1	2	5	2	2	4	1	1	-	-	-
FEMALE--	-	-	1	4	1	5	2	3	5	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	1	2	2	6	7	7	6	2	2	-	-
WHITE-----MALE----	-	1	-	1	4	3	3	1	1	-	-	-
FEMALE--	3	-	2	1	2	4	4	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	8	13	22	26	36	36	22	19	6	-	-
WHITE-----MALE----	5	3	8	8	12	17	18	5	3	1	-	-
FEMALE--	6	1	4	11	11	14	14	12	16	5	-	-
ALL OTHER--MALE----	1	4	1	2	2	2	2	1	-	-	-	-
FEMALE--	3	-	-	1	1	3	2	4	-	-	-	-
BLACK---MALE----	1	4	1	2	2	2	2	1	-	-	-	-
FEMALE--	3	-	-	1	1	3	2	4	-	-	-	-
RHODE ISLAND -----	1	4	1	1	2	5	5	3	2	-	1	-
WHITE-----MALE----	1	3	-	-	1	4	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	4	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	4	3	4	7	13	12	8	3	-	-	-
WHITE-----MALE----	3	2	1	-	2	4	2	2	1	-	-	-
FEMALE--	-	-	1	-	2	4	3	5	1	-	-	-
ALL OTHER--MALE----	2	-	-	1	1	3	4	-	-	-	-	-
FEMALE--	1	2	1	3	2	2	3	1	1	-	-	-
BLACK---MALE----	2	-	-	1	1	3	4	-	-	-	-	-
FEMALE--	1	2	1	3	2	2	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,817

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)												
SOUTH DAKOTA -----	18	1	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	105	-	-	-	-	-	-	1	-	1	5	4
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	50	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	289	4	2	1	-	1	3	3	4	12	9	11
WHITE-----MALE----	99	2	-	-	-	1	-	1	1	7	3	3
FEMALE--	142	1	2	1	-	-	1	2	1	3	4	4
ALL OTHER--MALE----	17	1	-	-	-	-	2	-	1	2	-	2
FEMALE--	31	-	-	-	-	-	-	-	1	-	2	2
BLACK---MALE----	17	1	-	-	-	-	2	-	1	2	-	2
FEMALE--	30	-	-	-	-	-	-	-	1	-	2	2
UTAH -----	22	1	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	11	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	17	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	113	2	-	-	-	-	1	4	-	2	7	-
WHITE-----MALE----	39	1	-	-	-	-	1	1	-	-	4	-
FEMALE--	44	1	-	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,817

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	2	-	4	-	5	2	-	-	-
WHITE-----MALE----	-	1	1	1	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	10	6	14	18	18	10	6	5	-	-
WHITE-----MALE----	2	2	6	3	4	4	8	4	2	1	-	-
FEMALE--	-	2	2	3	8	14	9	3	4	3	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	1	-	1	2	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	1	-	1	2	-	-	-	-
TEXAS -----	11	17	17	24	31	32	40	35	19	12	-	1
WHITE-----MALE----	5	7	6	10	16	12	11	11	2	1	-	-
FEMALE--	4	6	7	9	11	16	27	18	15	10	-	-
ALL OTHER--MALE----	1	3	1	2	2	-	-	-	-	-	-	-
FEMALE--	1	1	3	3	2	4	2	6	2	1	-	1
BLACK---MALE----	1	3	1	2	2	-	-	-	-	-	-	-
FEMALE--	1	1	2	3	2	4	2	6	2	1	-	1
UTAH -----	-	1	2	2	2	6	2	1	2	-	-	-
WHITE-----MALE----	-	1	-	1	1	3	-	1	2	-	-	-
FEMALE--	-	-	2	1	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	1	2	2	1	2	3	1	1	-	-
WHITE-----MALE----	1	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	6	3	11	10	20	12	16	11	5	-	-
WHITE-----MALE----	2	1	-	3	3	9	4	5	5	-	-	-
FEMALE--	1	3	1	-	5	6	6	8	5	5	-	-
ALL OTHER--MALE----	-	1	1	6	1	1	2	-	1	-	-	-
FEMALE--	-	1	1	2	1	4	-	3	-	-	-	-
BLACK---MALE----	-	1	1	5	-	1	1	-	1	-	-	-
FEMALE--	-	1	1	2	1	4	-	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,819

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
0 UNITED STATES --	1,724	5	1	1	-	4	24	29	44	53	76	80
WHITE-----MALE----	564	2	-	-	-	2	3	5	15	15	24	27
FEMALE--	843	1	1	-	-	-	9	12	8	15	29	25
ALL OTHER--MALE----	161	1	-	-	-	1	7	5	15	15	9	14
FEMALE--	156	1	-	1	-	1	5	7	6	8	14	14
BLACK---MALE----	152	1	-	-	-	1	7	5	14	15	9	12
FEMALE--	148	-	-	1	-	1	4	7	6	8	13	13
ALABAMA -----	20	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	29	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	1	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	243	1	-	-	-	-	3	1	7	6	10	14
WHITE-----MALE----	100	-	-	-	-	-	1	1	4	4	2	6
FEMALE--	111	-	-	-	-	-	1	-	1	-	7	3
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	2	1	-	1
FEMALE--	16	1	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	12	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,819

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
0 UNITED STATES --	99	103	114	157	183	202	218	190	98	35	7	1
WHITE-----MALE----	42	38	47	59	68	74	61	52	21	7	2	-
FEMALE--	37	44	40	70	88	104	138	119	70	28	5	-
ALL OTHER--MALE----	14	9	14	14	11	14	8	7	3	-	-	-
FEMALE--	6	12	13	14	16	10	11	12	4	-	-	1
BLACK---MALE----	14	9	13	11	10	14	8	7	2	-	-	-
FEMALE--	6	12	12	13	16	10	11	11	3	-	-	1
ALABAMA -----	1	2	1	2	3	2	-	5	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	3	3	2	2	5	3	2	1	1	-
WHITE-----MALE----	1	2	3	1	2	-	-	1	2	-	-	-
FEMALE--	-	1	-	2	-	2	5	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	2	-	2	2	1	3	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	24	18	18	24	23	30	27	25	10	2	-	-
WHITE-----MALE----	7	7	9	10	12	13	9	12	3	-	-	-
FEMALE--	12	10	7	10	9	15	17	11	6	2	-	-
ALL OTHER--MALE----	3	1	2	1	1	1	1	-	1	-	-	-
FEMALE--	2	-	-	3	1	1	-	2	-	-	-	-
BLACK---MALE----	3	1	2	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	2	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,820

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
COLORADO -----	29	-	-	-	-	-	-	-	1	1	4	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	18	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	6	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	100	1	-	-	-	-	-	3	2	2	4	2
WHITE-----MALE----	35	1	-	-	-	-	-	1	-	-	2	-
FEMALE--	42	-	-	-	-	-	-	1	1	2	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	11	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	11	-	-	-	-	-	-	1	-	-	1	1
GEORGIA -----	34	-	-	-	-	-	-	2	-	-	1	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,820

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
COLORADO -----	2	2	-	3	2	2	3	2	4	1	-	-
WHITE-----MALE----	2	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	1	2	1	2	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	3	4	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	6	6	7	7	17	13	17	9	2	2	-	-
WHITE-----MALE----	3	6	1	-	7	6	4	4	-	-	-	-
FEMALE--	1	-	2	5	4	5	13	4	2	2	-	-
ALL OTHER--MALE----	2	-	2	-	2	2	-	1	-	-	-	-
FEMALE--	-	-	2	2	4	-	-	-	-	-	-	-
BLACK---MALE----	2	-	2	-	2	2	-	1	-	-	-	-
FEMALE--	-	-	2	2	4	-	-	-	-	-	-	-
GEORGIA -----	1	6	2	3	2	2	7	3	2	1	-	-
WHITE-----MALE----	1	1	1	1	-	-	2	1	-	1	-	-
FEMALE--	-	3	-	1	1	1	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,822

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
KENTUCKY -----	19	-	-	-	-	-	-	-	2	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	27	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	7	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	-	-	-	-	-	1	-	2	-	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	2	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	-	1	-	2	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
MASSACHUSETTS -----	32	1	-	-	-	1	-	1	1	2	3	1
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	24	-	-	-	-	-	-	1	1	1	2	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	146	-	-	1	-	-	2	2	6	9	10	5
WHITE-----MALE----	49	-	-	-	-	-	-	-	1	1	4	2
FEMALE--	60	-	-	-	-	-	2	1	-	2	3	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	3	3	-	1
FEMALE--	21	-	-	1	-	-	-	-	2	3	3	1
BLACK---MALE----	15	-	-	-	-	-	-	1	2	3	-	1
FEMALE--	21	-	-	1	-	-	-	-	2	3	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,822

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
KENTUCKY -----	-	-	-	1	2	3	1	3	5	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	2	2	1	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	-	4	1	2	5	5	6	-	1	-	-
WHITE-----MALE----	-	-	2	-	1	2	1	1	-	1	-	-
FEMALE--	-	-	-	1	-	2	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
MAINE -----	1	1	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	1	2	8	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	3	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	-	-	-	-	-
MASSACHUSETTS -----	-	2	-	2	2	1	8	4	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	7	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	10	9	16	18	16	20	9	4	-	-	-
WHITE-----MALE----	5	5	3	8	6	6	6	2	-	-	-	-
FEMALE--	3	3	3	3	11	9	10	6	3	-	-	-
ALL OTHER--MALE----	1	-	-	4	1	-	2	-	-	-	-	-
FEMALE--	-	2	3	1	-	1	2	1	1	-	-	-
BLACK---MALE----	1	-	-	4	1	-	2	-	-	-	-	-
FEMALE--	-	2	3	1	-	1	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,825

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
OHIO -----	83	-	-	-	-	-	1	1	2	2	3	5
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	41	-	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	1
OKLAHOMA -----	19	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	20	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	81	-	-	-	-	-	2	3	-	-	2	3
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	43	-	-	-	-	-	1	2	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	10	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	21	-	-	-	-	-	-	-	2	1	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	2	-	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	2	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,825

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
OHIO -----	4	2	7	6	12	9	7	12	7	2	1	-
WHITE-----MALE----	2	1	1	4	4	3	1	2	3	-	1	-
FEMALE--	1	-	4	1	5	5	5	8	4	2	-	-
ALL OTHER--MALE----	-	1	1	-	2	1	1	1	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	2	1	1	1	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	1	-	-	-	-
OKLAHOMA -----	2	1	1	3	1	2	2	2	2	1	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	3	1	2	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	1	1	1	1	3	4	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	3	-	1	1	1	2	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	2	5	12	7	8	12	9	9	-	-	-
WHITE-----MALE----	2	-	2	4	6	3	6	1	-	-	-	-
FEMALE--	4	1	2	6	1	5	4	6	9	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	2	-	-	-	-
RHODE ISLAND -----	1	2	-	-	2	-	2	1	1	-	-	-
WHITE-----MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	-	2	3	3	2	1	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	2	-	1	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,826

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	34	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	110	-	1	-	-	1	3	2	3	6	2	6
WHITE-----MALE----	30	-	-	-	-	1	-	1	-	2	1	1
FEMALE--	57	-	1	-	-	-	1	1	1	2	1	2
ALL OTHER--MALE----	11	-	-	-	-	-	2	-	1	2	-	2
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	11	-	-	-	-	-	2	-	1	2	-	2
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	1
UTAH -----	9	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	38	-	-	-	-	-	-	4	-	1	2	-
WHITE-----MALE----	12	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,828

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
0 UNITED STATES --	2,540	50	4	4	5	2	2	8	22	35	76	91
WHITE-----MALE----	1,044	19	1	2	1	-	2	2	7	17	47	44
FEMALE--	1,058	16	3	1	3	1	-	4	7	6	17	16
ALL OTHER--MALE----	209	7	-	-	-	1	-	1	3	10	8	20
FEMALE--	229	8	-	1	1	-	-	1	5	2	4	11
BLACK---MALE----	184	6	-	-	-	1	-	1	3	10	7	19
FEMALE--	211	6	-	1	1	-	-	1	5	2	4	11
ALABAMA -----	57	-	-	-	-	-	-	1	-	1	4	4
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	2	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	40	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	46	1	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	16	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	92	6	-	-	-	-	-	-	-	4	2	4
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	3	-	3
FEMALE--	42	4	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,828

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
0 UNITED STATES --	99	124	170	201	300	384	370	300	195	83	15	-
WHITE-----MALE----	53	61	77	91	140	174	138	104	51	11	2	-
FEMALE--	26	34	56	64	114	152	180	163	123	63	9	-
ALL OTHER--MALE----	13	21	17	27	23	21	18	9	6	2	2	-
FEMALE--	7	8	20	19	23	37	34	24	15	7	2	-
BLACK---MALE----	11	19	16	20	19	18	16	8	6	2	2	-
FEMALE--	7	8	18	17	21	34	30	23	14	6	2	-
ALABAMA -----	1	7	5	5	8	3	6	5	3	2	2	-
WHITE-----MALE----	-	4	2	3	2	-	2	2	1	-	1	-
FEMALE--	-	2	3	1	3	1	3	2	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	1	2	-	1	-
BLACK---MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	1	2	-	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	-	5	5	8	7	6	3	1	-	-
WHITE-----MALE----	-	2	-	2	3	5	2	3	-	-	-	-
FEMALE--	-	-	-	2	1	1	5	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	3	6	3	3	2	12	4	6	2	-	-
WHITE-----MALE----	1	1	4	1	2	1	2	-	1	-	-	-
FEMALE--	-	2	2	2	1	1	8	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	1	-	-
CALIFORNIA -----	2	4	5	8	11	11	7	12	12	3	1	-
WHITE-----MALE----	1	1	2	3	5	3	2	8	3	-	1	-
FEMALE--	1	1	2	3	5	5	5	4	8	3	-	-
ALL OTHER--MALE----	-	1	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,829

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
COLORADO -----	33	-	-	-	-	-	1	-	-	-	3	-
WHITE-----MALE----	18	-	-	-	-	-	1	-	-	-	3	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	55	1	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	27	1	-	-	-	-	-	-	-	-	3	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	146	1	1	-	-	-	-	-	3	2	1	7
WHITE-----MALE----	61	1	1	-	-	-	-	-	1	1	1	4
FEMALE--	62	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	2
GEORGIA -----	61	1	-	-	-	-	-	-	1	3	2	2
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	11	1	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,829

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	-	1	6	4	4	7	1	4	-	-	-
WHITE-----MALE----	2	-	1	3	2	2	2	-	2	-	-	-
FEMALE--	-	-	-	3	2	2	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
CONNECTICUT -----	2	6	3	5	5	5	8	8	4	3	-	-
WHITE-----MALE----	2	5	1	3	2	1	3	3	2	-	-	-
FEMALE--	-	1	1	1	2	4	4	5	2	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
DELAWARE -----	-	1	1	-	1	5	3	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	1	3	1	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	1	-	-
BLACK---MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	1	-	-
FLORIDA -----	6	4	10	11	16	22	22	22	12	6	-	-
WHITE-----MALE----	3	1	3	4	8	11	8	7	6	1	-	-
FEMALE--	2	1	4	4	8	8	12	11	5	5	-	-
ALL OTHER--MALE----	-	2	2	1	-	1	-	2	-	-	-	-
FEMALE--	1	-	1	2	-	2	2	2	1	-	-	-
BLACK---MALE----	-	2	2	-	-	1	-	2	-	-	-	-
FEMALE--	1	-	1	2	-	2	2	2	1	-	-	-
GEORGIA -----	1	3	7	3	7	14	7	7	3	-	-	-
WHITE-----MALE----	-	2	4	1	2	6	4	4	-	-	-	-
FEMALE--	-	-	-	-	3	5	3	2	2	-	-	-
ALL OTHER--MALE----	1	-	3	2	1	2	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	2	2	1	2	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,831

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
KENTUCKY -----	3	2	3	5	6	5	5	7	7	1	2	-
WHITE-----MALE----	3	2	2	3	5	2	3	1	1	-	-	-
FEMALE--	-	-	-	2	1	3	2	5	5	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	1	-	-
LOUISIANA -----	1	3	2	5	3	6	7	1	6	1	-	-
WHITE-----MALE----	-	-	1	2	-	2	2	1	3	-	-	-
FEMALE--	1	2	-	-	-	3	3	-	3	-	-	-
ALL OTHER--MALE----	-	1	1	3	1	1	2	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	3	1	1	2	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
MAINE -----	1	-	2	-	2	4	-	5	1	1	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	4	-	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	3	3	4	8	16	9	7	1	3	-	-
WHITE-----MALE----	1	1	-	-	4	9	7	1	-	-	-	-
FEMALE--	1	1	1	4	1	2	-	5	1	2	-	-
ALL OTHER--MALE----	1	1	2	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	-	1	-	-
BLACK---MALE----	-	1	2	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	-	1	-	-
MASSACHUSETTS -----	4	2	9	9	13	14	13	3	3	1	-	-
WHITE-----MALE----	2	1	4	2	3	7	6	2	1	-	-	-
FEMALE--	2	1	4	5	9	7	5	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
MICHIGAN -----	3	4	4	6	12	9	12	9	7	2	1	-
WHITE-----MALE----	2	3	2	5	5	4	6	2	-	-	-	-
FEMALE--	-	1	1	1	6	4	3	5	5	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	3	2	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	2	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,834

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
OHIO -----	2	9	10	7	23	19	13	16	11	4	2	-
WHITE-----MALE----	-	4	3	3	14	10	7	5	2	2	-	-
FEMALE--	2	1	4	2	7	9	5	11	9	2	2	-
ALL OTHER--MALE----	-	3	2	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	3	2	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	2	8	3	5	4	2	4	-	-	-
WHITE-----MALE----	-	-	2	5	2	2	3	1	1	-	-	-
FEMALE--	-	-	-	1	-	3	1	1	3	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	1	5	4	3	4	1	2	-	-
WHITE-----MALE----	-	-	-	1	4	2	2	1	1	-	-	-
FEMALE--	-	-	1	-	1	2	1	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	6	8	10	19	28	24	13	10	6	-	-
WHITE-----MALE----	3	3	6	4	6	14	12	4	3	1	-	-
FEMALE--	2	-	2	5	10	9	10	6	7	5	-	-
ALL OTHER--MALE----	1	3	-	1	2	2	1	1	-	-	-	-
FEMALE--	2	-	-	-	1	3	1	2	-	-	-	-
BLACK---MALE----	1	3	-	1	2	2	1	1	-	-	-	-
FEMALE--	2	-	-	-	1	3	1	2	-	-	-	-
RHODE ISLAND -----	-	2	1	1	-	5	3	2	1	-	1	-
WHITE-----MALE----	-	2	-	-	-	4	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	2	3	2	4	10	10	7	2	-	-	-
WHITE-----MALE----	2	1	1	-	2	4	2	2	1	-	-	-
FEMALE--	-	-	1	-	1	4	3	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	4	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	4	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,835

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
SOUTH DAKOTA -----	-	1	1	1	-	3	-	4	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	6	3	11	15	12	5	4	2	-	-
WHITE-----MALE----	2	-	2	2	3	4	6	1	2	-	-	-
FEMALE--	-	1	2	1	6	11	5	2	2	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	1	2	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	1	2	-	-	-	-
TEXAS -----	8	9	12	11	18	24	23	24	15	9	-	-
WHITE-----MALE----	4	4	6	6	10	11	8	6	1	1	-	-
FEMALE--	3	3	3	3	6	10	14	14	12	7	-	-
ALL OTHER--MALE----	-	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	3	1	4	2	1	-	-
BLACK---MALE----	-	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	3	1	4	2	1	-	-
UTAH -----	-	-	2	1	2	3	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	1	-	-	-
FEMALE--	-	-	2	-	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	1	1	2	1	2	2	-	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	5	-	7	6	13	8	12	8	4	-	-
WHITE-----MALE----	2	1	-	1	2	6	2	4	4	-	-	-
FEMALE--	1	2	-	-	2	2	4	5	4	4	-	-
ALL OTHER--MALE----	-	1	-	4	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	2	1	4	-	3	-	-	-	-
BLACK---MALE----	-	1	-	3	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	4	-	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,837

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
0 UNITED STATES --	227,942	813	345	173	187	251	319	465	707	1,144	1,764	2,518
WHITE-----MALE----	100,353	319	120	60	63	114	115	161	269	404	676	1,005
FEMALE--	106,102	192	106	49	56	57	100	129	188	332	547	772
ALL OTHER--MALE----	11,563	182	72	35	32	48	58	89	133	232	280	433
FEMALE--	9,924	120	47	29	36	32	46	86	117	176	261	308
BLACK---MALE----	9,523	156	64	30	31	38	51	76	121	214	255	394
FEMALE--	8,407	112	40	23	34	25	42	78	108	164	238	280
ALABAMA -----	3,893	14	5	4	2	2	6	4	13	19	28	51
WHITE-----MALE----	1,621	4	-	1	-	-	3	1	3	5	9	21
FEMALE--	1,603	-	1	1	-	-	2	-	2	6	6	9
ALL OTHER--MALE----	364	8	4	1	-	2	1	2	4	5	3	13
FEMALE--	305	2	-	1	2	-	-	1	4	3	10	8
BLACK---MALE----	360	7	4	1	-	2	1	2	4	5	3	13
FEMALE--	300	2	-	-	2	-	-	1	4	3	10	8
ALASKA -----	201	6	-	1	1	-	-	2	2	-	3	3
WHITE-----MALE----	70	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	66	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	39	3	-	-	1	-	-	-	-	-	1	2
FEMALE--	26	-	-	1	-	-	-	-	1	-	1	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4,188	32	4	4	4	7	4	6	13	23	37	42
WHITE-----MALE----	2,011	13	1	1	2	2	3	1	6	7	21	23
FEMALE--	1,959	12	3	3	2	2	-	2	5	10	12	10
ALL OTHER--MALE----	115	5	-	-	-	2	1	1	2	5	3	4
FEMALE--	103	2	-	-	-	1	-	2	-	1	1	5
BLACK---MALE----	37	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	40	1	-	-	-	-	-	1	-	1	1	3
ARKANSAS -----	2,720	19	2	2	3	1	4	8	12	16	10	37
WHITE-----MALE----	1,267	7	1	1	-	1	3	2	3	2	6	19
FEMALE--	1,198	5	1	-	1	-	1	5	4	10	2	6
ALL OTHER--MALE----	137	5	-	-	1	-	-	1	2	2	1	7
FEMALE--	118	2	-	1	1	-	-	-	3	2	1	5
BLACK---MALE----	129	5	-	-	1	-	-	-	2	2	1	7
FEMALE--	115	2	-	1	1	-	-	-	3	2	1	5
CALIFORNIA -----	26,371	92	42	18	18	29	36	44	60	103	191	308
WHITE-----MALE----	10,891	46	16	5	6	17	12	22	27	45	87	144
FEMALE--	12,672	25	18	6	8	4	14	12	17	32	68	92
ALL OTHER--MALE----	1,524	10	2	6	2	6	5	8	9	16	9	31
FEMALE--	1,284	11	6	1	2	2	5	2	7	10	27	41
BLACK---MALE----	686	6	2	6	2	1	3	4	5	12	5	20
FEMALE--	699	8	4	-	1	1	2	2	5	8	20	28

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,837

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

UNITED STATES --	3,727	5,814	10,329	18,380	29,005	38,045	42,358	37,025	23,352	8,948	2,259	14
WHITE-----MALE----	1,619	2,572	4,818	9,123	14,694	18,695	19,629	15,223	7,879	2,371	418	6
FEMALE--	1,382	2,266	4,098	7,249	11,701	16,385	19,687	19,306	13,988	5,921	1,590	1
ALL OTHER--MALE----	407	565	793	1,210	1,501	1,727	1,654	1,180	642	215	72	3
FEMALE--	319	411	620	798	1,109	1,238	1,388	1,316	843	441	179	4
BLACK---MALE----	358	489	684	1,020	1,247	1,416	1,273	906	476	160	61	3
FEMALE--	271	361	539	671	943	1,002	1,154	1,083	710	373	153	3
ALABAMA -----	80	118	203	364	517	629	684	602	398	120	30	-
WHITE-----MALE----	33	51	101	189	255	276	305	234	104	24	2	-
FEMALE--	26	36	59	118	173	258	284	284	246	75	17	-
ALL OTHER--MALE----	10	18	25	35	51	62	45	41	26	6	2	-
FEMALE--	11	13	18	22	38	33	50	43	22	15	9	-
BLACK---MALE----	10	17	24	35	50	62	45	41	26	6	2	-
FEMALE--	11	13	18	22	36	33	49	42	22	15	9	-
ALASKA -----	7	5	14	20	27	34	33	25	15	3	-	-
WHITE-----MALE----	4	2	5	12	10	13	10	9	1	-	-	-
FEMALE--	1	-	5	4	10	9	11	9	11	2	-	-
ALL OTHER--MALE----	1	3	2	1	2	8	7	5	2	1	-	-
FEMALE--	1	-	2	3	5	4	5	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	89	134	214	357	606	744	803	601	327	111	26	-
WHITE-----MALE----	50	67	114	175	330	368	403	270	121	30	3	-
FEMALE--	28	57	86	165	252	349	375	301	192	74	19	-
ALL OTHER--MALE----	4	8	6	8	14	11	14	13	10	2	2	-
FEMALE--	7	2	8	9	10	16	11	17	4	5	2	-
BLACK---MALE----	1	5	1	7	6	3	6	4	-	-	1	-
FEMALE--	-	2	4	5	2	4	5	7	1	3	-	-
ARKANSAS -----	52	94	147	217	347	465	495	437	250	84	18	-
WHITE-----MALE----	18	40	65	102	194	243	253	185	90	26	6	-
FEMALE--	28	39	68	96	120	187	208	211	145	49	12	-
ALL OTHER--MALE----	1	6	9	13	21	22	16	20	6	4	-	-
FEMALE--	5	9	5	6	12	13	18	21	9	5	-	-
BLACK---MALE----	1	6	7	13	19	22	15	18	6	4	-	-
FEMALE--	5	7	5	6	12	13	18	21	9	4	-	-
CALIFORNIA -----	384	581	1,099	1,886	3,151	4,463	4,966	4,507	2,924	1,175	291	3
WHITE-----MALE----	176	247	472	825	1,498	2,038	2,114	1,794	940	301	58	1
FEMALE--	140	228	461	809	1,307	1,979	2,390	2,335	1,753	770	204	-
ALL OTHER--MALE----	33	61	96	151	205	258	268	202	105	35	5	1
FEMALE--	35	45	70	101	141	188	194	176	126	69	24	1
BLACK---MALE----	25	40	55	76	102	114	94	72	30	8	3	1
FEMALE--	23	31	43	60	82	82	93	78	72	40	15	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,838

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
COLORADO -----	2,946	6	5	-	2	3	4	7	6	13	24	24
WHITE-----MALE----	1,450	-	2	-	1	1	3	5	2	7	16	13
FEMALE--	1,401	3	1	-	1	2	1	2	3	6	6	6
ALL OTHER--MALE----	48	3	1	-	-	-	-	-	-	-	1	3
FEMALE--	47	-	1	-	-	-	-	-	1	-	1	2
BLACK---MALE----	32	2	1	-	-	-	-	-	-	-	1	3
FEMALE--	35	-	-	-	-	-	-	-	1	-	1	1
CONNECTICUT -----	2,950	10	1	1	-	-	2	7	10	13	27	23
WHITE-----MALE----	1,283	5	1	1	-	-	1	2	4	7	11	13
FEMALE--	1,549	4	-	-	-	-	1	4	1	2	10	6
ALL OTHER--MALE----	63	-	-	-	-	-	-	1	4	2	2	3
FEMALE--	55	1	-	-	-	-	-	-	1	2	4	1
BLACK---MALE----	58	-	-	-	-	-	-	1	4	2	2	3
FEMALE--	52	1	-	-	-	-	-	-	1	2	4	1
DELAWARE -----	631	1	-	3	-	-	1	1	-	5	2	8
WHITE-----MALE----	255	-	-	1	-	-	1	-	-	3	1	2
FEMALE--	307	-	-	-	-	-	-	1	-	2	-	4
ALL OTHER--MALE----	38	1	-	1	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	1	-	-	-	-	-	-	1	1
BLACK---MALE----	37	1	-	1	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	1	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	435	2	2	-	2	1	2	1	4	9	13	19
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	165	1	1	-	-	1	1	-	2	4	8	13
FEMALE--	150	1	1	-	2	-	1	1	2	4	5	6
BLACK---MALE----	164	1	1	-	-	1	1	-	2	4	8	13
FEMALE--	148	1	1	-	2	-	1	1	2	4	5	6
FLORIDA -----	14,304	45	19	9	4	11	17	25	34	65	118	141
WHITE-----MALE----	6,506	18	5	6	-	5	3	7	12	16	46	63
FEMALE--	6,749	9	3	1	2	2	8	7	11	20	32	39
ALL OTHER--MALE----	606	13	6	-	1	4	2	8	6	14	23	26
FEMALE--	443	5	5	2	1	-	4	3	5	15	17	13
BLACK---MALE----	589	13	6	-	1	4	2	8	6	14	23	26
FEMALE--	424	5	5	2	1	-	4	3	4	15	17	13
GEORGIA -----	5,597	26	10	6	4	10	14	16	29	40	71	104
WHITE-----MALE----	2,252	5	1	1	-	5	4	3	5	11	16	34
FEMALE--	2,282	7	-	2	1	2	2	2	8	10	10	24
ALL OTHER--MALE----	562	8	4	1	2	3	5	6	6	10	25	36
FEMALE--	501	6	5	2	1	-	3	5	10	9	20	10
BLACK---MALE----	550	8	4	1	2	3	5	6	5	10	25	36
FEMALE--	493	6	5	2	1	-	3	5	10	8	20	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,838

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
COLORADO -----	52	77	125	263	399	501	523	443	320	126	23	-
WHITE-----MALE----	31	35	61	134	207	277	278	214	120	36	7	-
FEMALE--	19	34	54	114	179	212	237	223	196	86	16	-
ALL OTHER--MALE----	1	5	4	7	8	8	3	1	1	2	-	-
FEMALE--	1	3	6	8	5	4	5	5	3	2	-	-
BLACK---MALE----	-	4	2	5	6	2	3	1	-	2	-	-
FEMALE--	1	3	5	6	4	3	5	2	2	1	-	-
CONNECTICUT -----	41	68	100	205	321	459	556	525	376	167	38	-
WHITE-----MALE----	17	33	44	103	161	234	238	221	122	57	8	-
FEMALE--	20	28	43	89	144	213	306	293	247	109	29	-
ALL OTHER--MALE----	1	6	6	8	10	7	4	7	2	-	-	-
FEMALE--	3	1	7	5	6	5	8	4	5	1	1	-
BLACK---MALE----	1	5	5	7	10	7	4	5	2	-	-	-
FEMALE--	3	1	7	5	6	3	7	4	5	1	1	-
DELAWARE -----	12	13	32	56	101	102	108	94	61	28	3	-
WHITE-----MALE----	4	8	15	24	47	46	40	42	16	5	-	-
FEMALE--	4	4	13	25	43	47	55	45	39	23	2	-
ALL OTHER--MALE----	2	-	2	6	6	7	7	2	2	-	1	-
FEMALE--	2	1	2	1	5	2	6	5	4	-	-	-
BLACK---MALE----	2	-	2	6	6	7	6	2	2	-	1	-
FEMALE--	2	1	2	1	5	2	6	5	4	-	-	-
DISTRICT OF COLUMBIA ----	9	12	24	36	54	52	74	49	40	22	8	-
WHITE-----MALE----	1	-	1	5	5	4	14	11	7	6	-	-
FEMALE--	-	-	2	4	6	13	11	13	8	5	3	-
ALL OTHER--MALE----	6	12	13	16	19	17	26	11	10	3	1	-
FEMALE--	2	-	8	11	24	18	23	14	15	8	4	-
BLACK---MALE----	6	12	13	15	19	17	26	11	10	3	1	-
FEMALE--	2	-	8	11	23	18	22	14	15	8	4	-
FLORIDA -----	204	341	664	1,172	1,906	2,533	2,715	2,317	1,395	463	100	6
WHITE-----MALE----	95	160	311	577	965	1,268	1,264	980	520	157	26	2
FEMALE--	66	126	263	486	822	1,123	1,324	1,223	821	294	66	1
ALL OTHER--MALE----	21	29	49	70	80	94	73	56	28	1	1	1
FEMALE--	22	26	41	39	39	48	54	58	26	11	7	2
BLACK---MALE----	20	28	48	69	77	87	72	54	28	1	1	1
FEMALE--	20	24	39	37	37	45	52	56	25	11	7	2
GEORGIA -----	143	197	301	484	793	933	1,002	793	442	140	39	-
WHITE-----MALE----	51	72	126	245	352	444	437	290	122	24	4	-
FEMALE--	41	81	104	150	304	350	419	383	261	99	22	-
ALL OTHER--MALE----	32	23	39	56	76	80	74	50	18	5	3	-
FEMALE--	19	21	32	33	61	59	72	70	41	12	10	-
BLACK---MALE----	32	23	37	52	72	79	74	50	18	5	3	-
FEMALE--	19	19	32	33	59	58	71	69	41	12	10	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,839

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
HAWAII -----	753	2	-	-	-	2	3	4	1	7	3	8
WHITE-----MALE----	113	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	105	-	-	-	-	-	1	-	-	2	-	2
ALL OTHER--MALE----	311	1	-	-	-	-	2	2	-	3	1	1
FEMALE--	224	1	-	-	-	2	-	2	1	2	2	2
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1,016	3	2	2	2	2	2	1	-	5	5	6
WHITE-----MALE----	527	2	1	2	1	2	-	1	-	2	3	5
FEMALE--	479	1	1	-	1	-	2	-	-	3	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9,445	42	19	10	12	14	21	35	39	62	83	118
WHITE-----MALE----	4,074	12	9	2	1	5	8	9	11	21	32	36
FEMALE--	4,208	8	3	5	2	5	7	4	6	13	18	35
ALL OTHER--MALE----	630	13	4	2	4	3	2	11	16	21	14	25
FEMALE--	533	9	3	1	5	1	4	11	6	7	19	22
BLACK---MALE----	585	13	4	1	4	3	2	10	16	21	14	25
FEMALE--	500	9	3	1	5	1	4	11	6	7	18	21
INDIANA -----	5,250	23	14	2	6	9	5	12	13	21	37	48
WHITE-----MALE----	2,427	8	2	-	4	5	2	5	9	5	13	25
FEMALE--	2,582	5	8	-	1	2	1	2	4	12	18	20
ALL OTHER--MALE----	118	5	2	2	-	2	2	1	-	3	2	2
FEMALE--	123	5	2	-	1	-	-	4	-	1	4	1
BLACK---MALE----	116	4	1	2	-	2	2	1	-	3	2	2
FEMALE--	121	5	2	-	1	-	-	4	-	1	4	1
IOWA -----	2,869	6	7	-	2	2	3	2	8	11	12	21
WHITE-----MALE----	1,416	2	4	-	1	1	-	1	3	5	8	15
FEMALE--	1,416	3	2	-	1	-	2	1	4	5	4	6
ALL OTHER--MALE----	24	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	1	-	1	-	-	-
KANSAS -----	2,637	8	2	2	1	4	4	2	3	9	11	22
WHITE-----MALE----	1,282	3	1	-	-	2	2	2	2	4	5	12
FEMALE--	1,257	2	1	1	1	1	2	-	1	3	3	5
ALL OTHER--MALE----	63	2	-	1	-	1	-	-	-	1	1	1
FEMALE--	35	1	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	53	2	-	1	-	1	-	-	-	1	1	1
FEMALE--	30	1	-	-	-	-	-	-	-	1	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,839

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
HAWAII -----	16	12	22	73	80	130	152	120	84	29	5	-
WHITE-----MALE----	3	2	2	12	14	28	23	14	10	2	-	-
FEMALE--	2	2	2	8	6	20	21	21	14	4	-	-
ALL OTHER--MALE----	3	4	12	29	39	49	69	50	36	9	1	-
FEMALE--	8	4	6	24	21	33	39	35	24	14	4	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
IDAHO -----	16	20	57	68	114	185	194	180	113	33	6	-
WHITE-----MALE----	8	6	31	37	75	101	116	80	39	13	2	-
FEMALE--	8	14	24	30	38	84	77	97	74	19	4	-
ALL OTHER--MALE----	-	-	2	1	1	-	1	3	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	160	232	418	788	1,117	1,518	1,728	1,588	939	403	99	-
WHITE-----MALE----	67	98	189	370	582	714	790	658	338	107	15	-
FEMALE--	48	72	165	292	405	646	785	820	533	263	73	-
ALL OTHER--MALE----	28	33	37	80	75	98	81	44	28	6	5	-
FEMALE--	17	29	27	46	55	60	72	66	40	27	6	-
BLACK---MALE----	27	29	34	70	73	91	69	43	26	6	4	-
FEMALE--	17	29	26	44	50	54	68	58	37	25	6	-
INDIANA -----	79	154	261	461	748	884	954	802	476	192	49	-
WHITE-----MALE----	37	72	132	237	390	444	476	356	152	47	6	-
FEMALE--	34	71	117	204	324	402	442	420	310	142	43	-
ALL OTHER--MALE----	5	5	5	9	19	19	18	13	3	1	-	-
FEMALE--	3	6	7	11	15	19	18	13	11	2	-	-
BLACK---MALE----	5	5	5	9	19	19	18	13	3	1	-	-
FEMALE--	3	6	7	11	15	19	17	13	10	2	-	-
IOWA -----	32	48	112	182	361	443	524	506	392	151	44	-
WHITE-----MALE----	19	24	62	110	210	258	291	230	131	33	8	-
FEMALE--	13	23	47	67	147	179	231	271	258	118	34	-
ALL OTHER--MALE----	-	-	1	2	3	5	1	4	3	-	1	-
FEMALE--	-	1	2	3	1	1	1	1	-	-	1	-
BLACK---MALE----	-	-	1	2	3	5	1	2	2	-	1	-
FEMALE--	-	1	1	1	1	1	1	-	-	-	1	-
KANSAS -----	38	45	114	188	314	419	488	447	338	140	38	-
WHITE-----MALE----	16	18	61	102	173	231	274	191	124	48	11	-
FEMALE--	17	22	42	74	131	175	202	251	209	88	26	-
ALL OTHER--MALE----	1	4	10	9	8	8	7	4	1	3	1	-
FEMALE--	4	1	1	3	2	5	5	1	4	1	-	-
BLACK---MALE----	1	3	6	8	6	7	7	3	1	3	1	-
FEMALE--	4	1	1	2	-	4	5	1	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,840

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
KENTUCKY -----	3,851	7	4	4	1	6	4	1	4	16	37	46
WHITE-----MALE----	1,833	4	3	2	-	5	2	1	2	6	15	14
FEMALE--	1,820	1	-	1	-	1	2	-	1	4	18	25
ALL OTHER--MALE----	94	1	-	-	-	-	-	-	-	3	1	3
FEMALE--	104	1	1	1	1	-	-	-	1	3	3	4
BLACK---MALE----	93	1	-	-	-	-	-	-	-	3	1	3
FEMALE--	101	1	1	1	1	-	-	-	1	3	3	4
LOUISIANA -----	3,139	18	7	3	4	4	6	10	14	23	41	39
WHITE-----MALE----	1,190	4	1	1	1	3	2	3	4	7	8	9
FEMALE--	1,246	2	1	-	-	1	-	1	3	3	9	12
ALL OTHER--MALE----	386	5	5	2	3	-	2	3	4	5	12	11
FEMALE--	317	7	-	-	-	-	2	3	3	8	12	7
BLACK---MALE----	378	5	5	1	3	-	2	2	4	5	12	11
FEMALE--	312	7	-	-	-	-	2	3	3	8	12	6
MAINE -----	1,291	1	-	-	-	-	1	2	2	5	3	8
WHITE-----MALE----	626	-	-	-	-	-	1	-	1	1	3	4
FEMALE--	664	1	-	-	-	-	-	2	1	4	-	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,936	9	5	2	6	4	11	8	17	39	39	55
WHITE-----MALE----	1,474	4	1	1	3	-	2	3	5	5	12	23
FEMALE--	1,751	1	-	-	1	3	2	1	2	4	5	9
ALL OTHER--MALE----	370	3	1	-	2	1	5	2	3	19	12	13
FEMALE--	341	1	3	1	-	-	2	2	7	11	10	10
BLACK---MALE----	350	3	1	-	2	1	5	2	3	19	12	12
FEMALE--	325	1	3	1	-	-	2	2	7	11	10	10
MASSACHUSETTS -----	6,002	9	13	1	-	9	4	11	19	23	27	44
WHITE-----MALE----	2,617	3	5	1	-	4	2	4	10	10	15	17
FEMALE--	3,207	5	6	-	-	-	1	5	5	7	9	17
ALL OTHER--MALE----	87	1	2	-	-	-	1	-	1	3	2	9
FEMALE--	91	-	-	-	-	5	-	2	3	3	1	1
BLACK---MALE----	68	1	1	-	-	-	1	-	1	3	2	8
FEMALE--	69	-	-	-	-	5	-	2	3	3	-	1
MICHIGAN -----	7,506	18	7	7	11	7	8	19	25	42	67	100
WHITE-----MALE----	3,470	4	2	2	6	4	4	7	7	16	18	31
FEMALE--	3,234	3	2	4	1	2	3	6	5	10	17	31
ALL OTHER--MALE----	426	5	1	-	1	1	1	4	5	7	22	15
FEMALE--	376	6	2	1	3	-	-	2	8	9	10	23
BLACK---MALE----	387	4	1	-	1	1	1	4	5	7	21	15
FEMALE--	350	6	2	1	3	-	-	1	8	8	9	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,840

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
KENTUCKY -----	69	115	197	375	548	587	706	579	371	144	30	-
WHITE-----MALE----	38	71	102	195	306	299	328	265	124	48	3	-
FEMALE--	26	39	83	158	205	264	354	292	231	91	24	-
ALL OTHER--MALE----	3	3	7	15	17	12	11	8	9	1	-	-
FEMALE--	2	2	5	7	20	12	13	14	7	4	3	-
BLACK---MALE----	3	3	7	14	17	12	11	8	9	1	-	-
FEMALE--	2	2	5	6	19	12	12	14	7	4	3	-
LOUISIANA -----	64	117	175	300	424	462	541	476	287	92	32	-
WHITE-----MALE----	23	45	69	140	173	204	217	158	85	27	6	-
FEMALE--	15	40	60	97	169	161	223	241	149	45	14	-
ALL OTHER--MALE----	19	18	24	39	53	49	61	41	23	5	2	-
FEMALE--	7	14	22	24	29	48	40	36	30	15	10	-
BLACK---MALE----	19	17	23	39	52	48	60	40	23	5	2	-
FEMALE--	7	13	21	24	29	48	40	35	30	15	9	-
MAINE -----	21	27	44	97	171	212	229	224	174	57	13	-
WHITE-----MALE----	9	14	21	47	101	110	124	102	65	20	3	-
FEMALE--	12	13	22	50	70	102	105	122	109	37	10	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	66	102	184	333	492	689	707	608	381	141	38	-
WHITE-----MALE----	23	34	69	146	211	292	252	234	114	33	7	-
FEMALE--	24	35	70	110	203	299	360	308	208	82	24	-
ALL OTHER--MALE----	13	19	29	45	48	52	47	21	24	8	3	-
FEMALE--	6	14	16	32	30	46	48	45	35	18	4	-
BLACK---MALE----	10	18	29	42	45	50	44	21	21	8	2	-
FEMALE--	6	14	16	31	29	44	43	42	33	16	4	-
MASSACHUSETTS -----	86	105	178	363	662	963	1,162	1,128	769	324	102	-
WHITE-----MALE----	48	53	93	199	342	500	537	431	246	77	20	-
FEMALE--	34	43	77	146	302	439	608	675	509	238	81	-
ALL OTHER--MALE----	1	7	5	7	10	11	8	11	6	1	1	-
FEMALE--	3	2	3	11	8	13	9	11	8	8	-	-
BLACK---MALE----	1	7	4	5	6	7	7	8	4	1	1	-
FEMALE--	3	1	3	9	5	8	7	7	6	6	-	-
MICHIGAN -----	144	186	343	696	1,041	1,271	1,377	1,103	684	271	79	-
WHITE-----MALE----	60	78	154	372	568	663	670	462	246	83	13	-
FEMALE--	53	69	144	247	373	497	603	555	390	166	53	-
ALL OTHER--MALE----	14	28	26	40	57	74	57	39	20	5	4	-
FEMALE--	17	11	19	37	43	37	47	47	28	17	9	-
BLACK---MALE----	12	23	24	36	49	69	52	36	17	5	4	-
FEMALE--	15	8	17	34	40	34	45	43	27	17	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,841

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
MINNESOTA -----	3,414	7	3	3	1	2	2	4	9	13	14	21
WHITE-----MALE----	1,650	3	-	1	-	1	-	2	1	8	5	12
FEMALE--	1,694	2	2	-	1	-	1	2	6	4	8	8
ALL OTHER--MALE----	37	2	1	-	-	-	1	-	1	1	1	1
FEMALE--	33	-	-	2	-	1	-	-	1	-	-	-
BLACK---MALE----	20	2	-	-	-	-	1	-	1	-	1	1
FEMALE--	15	-	-	1	-	1	-	-	1	-	-	-
MISSISSIPPI -----	2,559	27	4	-	4	6	8	4	13	19	17	43
WHITE-----MALE----	1,043	6	1	-	1	1	3	-	2	5	6	11
FEMALE--	945	5	1	-	1	1	1	-	4	4	4	4
ALL OTHER--MALE----	314	8	1	-	1	3	1	1	4	4	2	16
FEMALE--	257	8	1	-	1	1	3	3	3	6	5	12
BLACK---MALE----	313	8	1	-	1	3	1	1	4	4	2	16
FEMALE--	257	8	1	-	1	1	3	3	3	6	5	12
MISSOURI -----	5,627	12	6	5	3	5	9	5	19	22	30	57
WHITE-----MALE----	2,522	6	3	1	1	3	3	1	9	8	11	21
FEMALE--	2,713	3	1	1	1	-	4	1	5	5	7	25
ALL OTHER--MALE----	216	2	2	1	-	-	2	1	2	5	5	6
FEMALE--	176	1	-	2	1	2	-	2	3	4	7	5
BLACK---MALE----	205	2	2	1	-	-	2	1	1	5	5	6
FEMALE--	167	1	-	2	1	2	-	2	3	4	7	5
MONTANA -----	948	-	3	1	-	2	-	-	3	1	1	8
WHITE-----MALE----	467	-	3	-	-	1	-	-	1	-	1	4
FEMALE--	443	-	-	-	-	1	-	-	2	1	-	1
ALL OTHER--MALE----	20	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,577	3	2	-	3	1	3	3	2	6	7	12
WHITE-----MALE----	782	1	-	-	-	1	3	1	2	2	3	5
FEMALE--	743	2	1	-	2	-	-	1	-	3	2	6
ALL OTHER--MALE----	28	-	1	-	-	-	-	1	-	1	1	1
FEMALE--	24	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	24	-	1	-	-	-	-	1	-	1	1	1
FEMALE--	19	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	1,441	11	2	2	-	-	4	3	10	14	15	28
WHITE-----MALE----	728	4	-	-	-	-	-	2	7	8	6	23
FEMALE--	632	3	2	1	-	-	2	1	3	2	7	4
ALL OTHER--MALE----	41	1	-	1	-	-	1	-	-	2	2	1
FEMALE--	40	3	-	-	-	-	1	-	-	2	-	-
BLACK---MALE----	31	1	-	1	-	-	1	-	-	2	1	1
FEMALE--	27	3	-	-	-	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,841

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
MINNESOTA -----	34	62	120	203	361	529	677	618	472	206	53	-
WHITE-----MALE----	12	35	71	105	203	305	351	291	175	56	13	-
FEMALE--	20	22	45	92	150	215	315	319	295	148	39	-
ALL OTHER--MALE----	-	2	1	3	6	7	8	2	-	-	-	-
FEMALE--	2	3	3	3	2	2	3	6	2	2	1	-
BLACK---MALE----	-	-	1	2	3	3	3	2	-	-	-	-
FEMALE--	-	1	2	3	1	1	1	2	-	1	-	-
MISSISSIPPI -----	47	80	146	226	293	430	441	415	226	88	22	-
WHITE-----MALE----	16	36	65	125	134	205	190	155	53	26	2	-
FEMALE--	14	27	49	65	109	152	163	179	121	33	8	-
ALL OTHER--MALE----	11	10	22	22	31	47	48	41	22	11	8	-
FEMALE--	6	7	10	14	19	26	40	40	30	18	4	-
BLACK---MALE----	11	10	22	22	31	47	48	40	22	11	8	-
FEMALE--	6	7	10	14	19	26	40	40	30	18	4	-
MISSOURI -----	77	145	283	440	730	907	1,003	926	646	244	53	-
WHITE-----MALE----	31	66	144	234	379	469	490	359	215	53	15	-
FEMALE--	32	59	112	174	304	380	462	520	404	178	35	-
ALL OTHER--MALE----	9	16	18	20	24	37	27	24	9	5	1	-
FEMALE--	5	4	9	12	23	21	24	23	18	8	2	-
BLACK---MALE----	8	16	18	17	23	36	26	22	9	4	1	-
FEMALE--	5	4	7	10	22	20	23	21	18	8	2	-
MONTANA -----	20	31	38	74	107	157	204	165	94	34	5	-
WHITE-----MALE----	8	17	15	41	51	91	108	79	41	6	-	-
FEMALE--	11	13	20	27	50	61	87	83	53	28	5	-
ALL OTHER--MALE----	1	1	1	3	4	1	5	1	-	-	-	-
FEMALE--	-	-	2	3	2	4	4	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	11	41	52	127	169	257	283	284	192	89	30	-
WHITE-----MALE----	5	23	25	74	94	138	150	145	77	25	8	-
FEMALE--	4	14	24	43	69	114	129	133	112	63	21	-
ALL OTHER--MALE----	1	2	1	3	4	2	2	5	2	-	1	-
FEMALE--	1	2	2	7	2	3	2	1	1	1	-	-
BLACK---MALE----	-	2	1	2	4	2	1	4	2	-	1	-
FEMALE--	-	2	2	6	2	3	1	1	-	1	-	-
NEVADA -----	30	67	91	151	219	271	242	178	71	24	6	2
WHITE-----MALE----	15	33	44	84	119	142	123	80	24	10	2	2
FEMALE--	12	29	35	60	87	120	110	93	43	14	4	-
ALL OTHER--MALE----	2	2	4	3	8	4	6	2	2	-	-	-
FEMALE--	1	3	8	4	5	5	3	3	2	-	-	-
BLACK---MALE----	1	2	4	2	5	3	4	1	2	-	-	-
FEMALE--	1	1	5	3	4	2	1	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,843

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

OHIO -----	10,186	29	11	5	5	13	13	17	27	35	68	76
WHITE-----MALE----	4,520	20	1	3	3	8	8	7	15	19	26	33
FEMALE--	4,910	3	6	-	2	3	3	3	7	7	22	26
ALL OTHER--MALE----	391	1	2	1	-	2	2	3	5	5	10	10
FEMALE--	365	5	2	1	-	-	-	4	-	4	10	7
BLACK---MALE----	381	1	2	1	-	2	2	2	5	5	10	9
FEMALE--	356	5	2	1	-	-	-	4	-	4	10	7
OKLAHOMA -----	3,502	9	1	-	2	7	4	7	8	14	25	31
WHITE-----MALE----	1,593	3	-	-	1	4	-	2	3	6	11	12
FEMALE--	1,654	1	-	-	1	1	1	4	-	3	12	12
ALL OTHER--MALE----	138	3	-	-	-	1	2	1	3	3	2	4
FEMALE--	117	2	1	-	-	1	1	-	2	2	-	3
BLACK---MALE----	65	1	-	-	-	-	1	-	2	3	1	-
FEMALE--	65	1	1	-	-	-	1	-	-	1	-	3
OREGON -----	2,898	6	3	1	-	3	1	5	4	9	12	26
WHITE-----MALE----	1,368	2	1	1	-	1	-	4	1	6	6	11
FEMALE--	1,478	2	2	-	-	-	1	1	1	3	5	13
ALL OTHER--MALE----	35	1	-	-	-	1	-	-	2	-	1	-
FEMALE--	17	1	-	-	-	1	-	-	-	-	-	2
BLACK---MALE----	14	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	7	1	-	-	-	1	-	-	-	-	-	2
PENNSYLVANIA -----	12,027	17	16	10	9	14	17	23	27	48	88	119
WHITE-----MALE----	5,533	11	4	2	3	4	8	9	8	17	37	42
FEMALE--	5,691	3	5	5	3	6	6	7	11	15	32	31
ALL OTHER--MALE----	414	2	4	2	1	3	1	5	5	10	11	23
FEMALE--	389	1	3	1	2	1	2	2	3	6	8	23
BLACK---MALE----	390	2	3	2	1	2	1	5	5	8	11	21
FEMALE--	385	1	3	1	2	1	2	2	3	6	8	23
RHODE ISLAND -----	867	5	2	1	2	1	1	-	2	1	5	8
WHITE-----MALE----	398	3	-	-	1	1	-	-	1	1	2	6
FEMALE--	444	1	1	1	-	-	1	-	1	-	3	2
ALL OTHER--MALE----	15	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,002	15	5	4	4	4	3	9	9	15	30	56
WHITE-----MALE----	1,205	3	2	1	2	1	-	1	3	3	8	17
FEMALE--	1,199	3	1	1	-	1	1	2	2	4	8	17
ALL OTHER--MALE----	332	5	2	1	1	2	1	2	2	4	11	12
FEMALE--	266	4	-	1	1	-	1	4	2	4	3	10
BLACK---MALE----	332	5	2	1	1	2	1	2	2	4	11	12
FEMALE--	265	4	-	1	1	-	1	4	2	4	3	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,843

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
OHIO -----	141	268	434	863	1,400	1,778	1,938	1,580	981	406	98	-
WHITE-----MALE----	57	106	211	441	723	829	896	647	344	103	20	-
FEMALE--	63	123	173	334	579	837	936	846	589	279	69	-
ALL OTHER--MALE----	12	19	21	52	53	60	67	39	18	6	3	-
FEMALE--	9	20	29	36	45	52	39	48	30	18	6	-
BLACK---MALE----	12	17	21	51	51	60	64	39	18	6	3	-
FEMALE--	9	18	28	34	45	51	37	47	30	18	6	-
OKLAHOMA -----	52	107	168	306	469	589	636	586	325	122	33	1
WHITE-----MALE----	27	50	80	171	234	310	310	234	108	23	3	1
FEMALE--	19	46	72	113	201	252	287	312	200	90	27	-
ALL OTHER--MALE----	4	7	10	11	20	17	22	18	5	4	1	-
FEMALE--	2	4	6	11	14	10	17	22	12	5	2	-
BLACK---MALE----	2	4	3	7	11	10	6	8	2	3	1	-
FEMALE--	2	2	4	6	6	5	9	13	6	3	2	-
OREGON -----	42	51	123	235	385	497	606	467	268	128	26	-
WHITE-----MALE----	21	29	62	117	196	251	303	209	102	40	5	-
FEMALE--	18	20	61	111	177	242	300	250	165	85	21	-
ALL OTHER--MALE----	2	1	-	6	7	3	2	6	-	3	-	-
FEMALE--	1	1	-	1	5	1	1	2	1	-	-	-
BLACK---MALE----	1	1	-	2	3	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
PENNSYLVANIA -----	171	231	441	890	1,492	2,073	2,419	2,081	1,307	439	95	-
WHITE-----MALE----	88	105	218	460	787	1,051	1,193	878	465	123	20	-
FEMALE--	58	87	170	356	605	914	1,109	1,118	788	293	69	-
ALL OTHER--MALE----	15	19	33	42	58	53	66	32	19	8	2	-
FEMALE--	10	20	20	32	42	55	51	53	35	15	4	-
BLACK---MALE----	13	16	33	42	55	52	61	32	18	5	2	-
FEMALE--	10	20	20	32	40	53	51	53	35	15	4	-
RHODE ISLAND -----	9	20	31	52	91	138	178	169	102	39	9	1
WHITE-----MALE----	3	6	17	30	51	72	92	67	32	12	1	-
FEMALE--	3	13	13	20	37	62	84	101	69	25	7	-
ALL OTHER--MALE----	2	-	1	1	2	3	2	-	1	-	1	-
FEMALE--	1	1	-	1	1	1	-	1	-	2	-	1
BLACK---MALE----	2	-	1	1	2	2	2	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	2	-	-
SSOUTH CAROLINA -----	78	115	213	307	426	516	483	412	207	69	22	-
WHITE-----MALE----	29	54	92	146	204	232	191	139	57	18	2	-
FEMALE--	27	28	68	103	155	203	207	204	120	36	8	-
ALL OTHER--MALE----	12	24	30	39	40	47	40	35	13	6	3	-
FEMALE--	10	9	23	19	27	34	45	34	17	9	9	-
BLACK---MALE----	12	24	30	39	40	47	40	35	13	6	3	-
FEMALE--	10	9	23	19	27	33	45	34	17	9	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,844

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
SOUTH DAKOTA -----	688	6	-	1	1	1	-	-	3	1	2	3
WHITE-----MALE----	353	1	-	-	-	1	-	-	2	-	-	-
FEMALE--	299	1	-	-	1	-	-	-	1	-	1	1
ALL OTHER--MALE----	23	4	-	1	-	-	-	-	-	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
TENNESSEE -----	5,215	13	10	3	9	5	7	14	17	30	43	66
WHITE-----MALE----	2,301	4	2	1	4	4	3	3	7	10	13	24
FEMALE--	2,330	3	4	-	3	-	1	4	4	10	16	26
ALL OTHER--MALE----	308	5	2	2	1	1	2	4	1	7	8	11
FEMALE--	276	1	2	-	1	-	1	3	5	3	6	5
BLACK---MALE----	305	5	2	2	1	1	2	4	1	7	8	11
FEMALE--	271	1	2	-	1	-	1	3	5	3	5	5
TEXAS -----	13,267	73	27	18	20	25	31	38	52	86	116	184
WHITE-----MALE----	5,872	33	16	10	6	10	9	20	21	34	54	71
FEMALE--	6,221	21	7	5	10	9	11	10	15	31	39	62
ALL OTHER--MALE----	662	12	3	1	2	3	8	5	11	12	15	38
FEMALE--	512	7	1	2	2	3	3	3	5	9	8	13
BLACK---MALE----	630	12	3	-	2	3	7	5	11	12	14	36
FEMALE--	487	7	1	2	2	3	3	3	4	8	7	11
UTAH -----	1,161	4	3	-	-	1	1	3	10	7	11	8
WHITE-----MALE----	586	2	2	-	-	-	1	1	6	3	6	3
FEMALE--	562	2	1	-	-	-	-	2	3	3	3	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	567	3	2	-	-	-	-	-	1	-	2	6
WHITE-----MALE----	304	3	1	-	-	-	-	-	1	-	-	2
FEMALE--	262	-	1	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,436	29	8	11	8	5	8	9	17	32	36	53
WHITE-----MALE----	2,233	13	3	2	4	-	2	3	5	7	13	20
FEMALE--	2,405	4	3	3	2	1	3	3	3	9	9	14
ALL OTHER--MALE----	412	7	2	3	-	1	1	1	4	11	6	12
FEMALE--	386	5	-	3	2	3	2	2	5	5	8	7
BLACK---MALE----	403	7	2	3	-	1	1	1	4	11	6	11
FEMALE--	372	5	-	2	1	3	2	1	5	5	7	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,844

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	6	15	22	38	71	92	126	137	101	47	15	-
WHITE-----MALE----	3	8	8	21	49	58	65	78	41	15	3	-
FEMALE--	1	6	13	13	19	30	57	55	57	31	12	-
ALL OTHER--MALE----	2	-	1	1	3	2	2	3	1	-	-	-
FEMALE--	-	1	-	3	-	2	2	1	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	90	180	304	507	690	859	930	761	481	147	49	-
WHITE-----MALE----	40	78	133	262	358	427	426	305	153	37	7	-
FEMALE--	38	72	115	186	269	357	417	395	286	93	31	-
ALL OTHER--MALE----	5	18	29	36	28	47	50	23	19	7	2	-
FEMALE--	7	12	27	23	35	28	37	38	23	10	9	-
BLACK---MALE----	5	18	29	36	27	47	48	23	19	7	2	-
FEMALE--	7	12	25	23	34	28	37	38	23	10	8	-
TEXAS -----	237	367	702	1,138	1,763	2,137	2,347	2,049	1,248	489	120	-
WHITE-----MALE----	112	158	340	558	937	1,024	1,073	827	412	126	21	-
FEMALE--	91	153	273	461	693	969	1,146	1,073	748	312	82	-
ALL OTHER--MALE----	24	31	44	72	84	82	72	72	42	23	6	-
FEMALE--	10	25	45	47	49	62	56	77	46	28	11	-
BLACK---MALE----	23	30	42	67	84	80	67	66	42	20	4	-
FEMALE--	9	24	44	45	45	57	55	74	44	28	11	-
UTAH -----	14	33	41	82	128	204	211	207	126	56	11	-
WHITE-----MALE----	8	15	25	44	83	113	106	98	45	23	2	-
FEMALE--	6	18	16	37	43	90	105	106	81	33	9	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	10	20	37	78	93	106	89	83	25	4	-
WHITE-----MALE----	7	4	10	22	48	60	54	46	37	8	1	-
FEMALE--	1	6	10	15	29	33	52	43	46	17	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	91	132	256	467	711	980	998	825	501	209	50	-
WHITE-----MALE----	36	69	108	222	332	466	424	310	142	41	11	-
FEMALE--	33	32	100	171	292	383	440	419	305	144	32	-
ALL OTHER--MALE----	13	18	27	43	43	74	68	42	25	8	3	-
FEMALE--	9	13	21	31	44	57	66	54	29	16	4	-
BLACK---MALE----	13	17	27	42	42	72	66	41	25	8	3	-
FEMALE--	9	13	20	30	42	56	63	53	29	16	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,846

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	521	13	28	1	6	8	8	7	12	14	9	20
WHITE-----MALE----	217	6	13	-	3	4	2	5	10	7	3	6
FEMALE--	211	4	9	1	2	1	2	2	1	2	1	4
ALL OTHER--MALE----	59	2	5	-	1	3	3	-	-	3	2	8
FEMALE--	34	1	1	-	-	-	1	-	1	2	3	2
BLACK---MALE----	49	2	4	-	1	3	3	-	-	3	2	6
FEMALE--	30	1	1	-	-	-	1	-	-	2	2	2
ALABAMA -----	9	-	1	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	42	1	1	-	1	2	-	-	-	2	-	4
WHITE-----MALE----	14	1	-	-	1	1	-	-	-	1	-	2
FEMALE--	16	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,846

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	17	20	13	35	42	48	69	70	53	19	9	-
WHITE-----MALE----	6	10	3	19	19	24	24	29	17	6	1	-
FEMALE--	8	5	5	10	15	20	38	32	33	11	5	-
ALL OTHER--MALE----	2	3	4	5	5	3	4	3	2	-	1	-
FEMALE--	1	2	1	1	3	1	3	6	1	2	2	-
BLACK---MALE----	2	3	3	4	3	3	3	2	1	-	1	-
FEMALE--	1	2	1	1	3	1	2	5	1	2	2	-
ALABAMA -----	1	-	-	-	-	-	1	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	1	-	-	2	1	2	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	1	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	2	2	5	3	1	7	6	5	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	4	-	1	-	-	-
FEMALE--	-	1	-	2	1	1	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,847

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	1	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	2	-	2	4	3	4	6	8	2	-	-
WHITE-----MALE----	-	2	-	2	1	1	-	2	3	-	-	-
FEMALE--	-	-	-	-	2	-	4	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
GEORGIA -----	-	1	-	-	-	1	1	1	-	-	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,852

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	1	-	-	4	2	1	4	2	2	-	-
WHITE-----MALE----	-	1	-	-	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	-	-	1	4	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	3	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	-	-	2	-	2	2	3	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	1	3	-	2	8	2	2	-	2	-
WHITE-----MALE----	-	1	-	2	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	6	2	1	-	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	3	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,853

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	2	-	-	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	1	1	1	3	3	3	2	3	1	-
WHITE-----MALE----	-	-	1	-	-	-	-	3	1	1	-	-
FEMALE--	-	-	-	1	1	3	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
UTAH -----	-	-	1	-	-	-	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	-	1	2	1	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,855

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)												
0 UNITED STATES --	196	12	20	-	2	6	3	3	3	3	4	5
WHITE-----MALE----	74	6	10	-	2	3	1	3	2	1	-	2
FEMALE--	94	3	5	-	-	1	2	-	1	-	1	1
ALL OTHER--MALE----	18	2	4	-	-	2	-	-	-	1	1	2
FEMALE--	10	1	1	-	-	-	-	-	-	1	2	-
BLACK---MALE----	14	2	3	-	-	2	-	-	-	1	1	2
FEMALE--	8	1	1	-	-	-	-	-	-	1	1	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	19	1	-	-	-	1	-	-	-	1	-	1
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,864

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)												
0 UNITED STATES --	13	12	8	28	29	39	43	46	31	9	2	-
WHITE-----MALE----	5	5	2	15	14	20	17	21	11	4	-	-
FEMALE--	6	2	1	7	8	16	21	19	18	4	-	-
ALL OTHER--MALE----	1	3	4	5	4	2	3	2	1	-	1	-
FEMALE--	1	2	1	1	3	1	2	4	1	1	1	-
BLACK---MALE----	1	3	3	4	3	2	2	2	1	-	1	-
FEMALE--	1	2	1	1	3	1	1	4	1	1	1	-
ALABAMA -----	1	-	-	-	-	-	1	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	1	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	1	2	4	2	1	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	1	-	-	-
FEMALE--	-	1	-	2	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,865

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	1	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	-	2	4	2	4	4	5	1	-	-
WHITE-----MALE----	-	1	-	2	1	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	2	-	4	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
GEORGIA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,870

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)												
OHIO -----	1	1	-	-	3	1	1	3	1	-	-	-
WHITE-----MALE----	-	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	1	-	2	1	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	2	-	2	6	2	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	3	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,871

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	2	-	-	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	1	-	2	-	2	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	-	-	-	1	-	2	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	-	1	2	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,873

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	227,421	800	317	172	181	243	311	458	695	1,130	1,755	2,498
WHITE-----MALE----	100,136	313	107	60	60	110	113	156	259	397	673	999
FEMALE--	105,891	188	97	48	54	56	98	127	187	330	546	768
ALL OTHER--MALE----	11,504	180	67	35	31	45	55	89	133	229	278	425
FEMALE--	9,890	119	46	29	36	32	45	86	116	174	258	306
BLACK---MALE----	9,474	154	60	30	30	35	48	76	121	211	253	388
FEMALE--	8,377	111	39	23	34	25	41	78	108	162	236	278
ALABAMA -----	3,884	14	4	4	2	2	6	4	13	17	28	51
WHITE-----MALE----	1,619	4	-	1	-	-	3	1	3	5	9	21
FEMALE--	1,599	-	1	1	-	-	2	-	2	6	6	9
ALL OTHER--MALE----	362	8	3	1	-	2	1	2	4	4	3	13
FEMALE--	304	2	-	1	2	-	-	1	4	2	10	8
BLACK---MALE----	358	7	3	1	-	2	1	2	4	4	3	13
FEMALE--	299	2	-	-	2	-	-	1	4	2	10	8
ALASKA -----	200	6	-	1	1	-	-	2	2	-	3	2
WHITE-----MALE----	70	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	66	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	38	3	-	-	1	-	-	-	-	-	1	1
FEMALE--	26	-	-	1	-	-	-	-	1	-	1	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4,178	32	4	4	4	7	4	6	13	22	36	42
WHITE-----MALE----	2,006	13	1	1	2	2	3	1	6	6	20	23
FEMALE--	1,955	12	3	3	2	2	-	2	5	10	12	10
ALL OTHER--MALE----	115	5	-	-	-	2	1	1	2	5	3	4
FEMALE--	102	2	-	-	-	1	-	2	-	1	1	5
BLACK---MALE----	37	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	40	1	-	-	-	-	-	1	-	1	1	3
ARKANSAS -----	2,714	19	2	2	3	1	4	8	12	16	10	36
WHITE-----MALE----	1,264	7	1	1	-	1	3	2	3	2	6	19
FEMALE--	1,197	5	1	-	1	-	1	5	4	10	2	6
ALL OTHER--MALE----	136	5	-	-	1	-	-	1	2	2	1	6
FEMALE--	117	2	-	1	1	-	-	-	3	2	1	5
BLACK---MALE----	128	5	-	-	1	-	-	-	2	2	1	6
FEMALE--	114	2	-	1	1	-	-	-	3	2	1	5
CALIFORNIA -----	26,329	91	41	18	17	27	36	44	60	101	191	304
WHITE-----MALE----	10,877	45	16	5	5	16	12	22	27	44	87	142
FEMALE--	12,656	25	17	6	8	3	14	12	17	32	68	92
ALL OTHER--MALE----	1,516	10	2	6	2	6	5	8	9	16	9	30
FEMALE--	1,280	11	6	1	2	2	5	2	7	9	27	40
BLACK---MALE----	682	6	2	6	2	1	3	4	5	12	5	19
FEMALE--	696	8	4	-	1	1	2	2	5	7	20	27

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,873

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
UNITED STATES --	3,710	5,794	10,316	18,345	28,963	37,997	42,289	36,955	23,299	8,929	2,250	14
WHITE-----MALE----	1,613	2,562	4,815	9,104	14,675	18,671	19,605	15,194	7,862	2,365	417	6
FEMALE--	1,374	2,261	4,093	7,239	11,686	16,365	19,649	19,274	13,955	5,910	1,585	1
ALL OTHER--MALE----	405	562	789	1,205	1,496	1,724	1,650	1,177	640	215	71	3
FEMALE--	318	409	619	797	1,106	1,237	1,385	1,310	842	439	177	4
BLACK---MALE----	356	486	681	1,016	1,244	1,413	1,270	904	475	160	60	3
FEMALE--	270	359	538	670	940	1,001	1,152	1,078	709	371	151	3
ALABAMA -----	79	118	203	364	517	629	683	601	396	119	30	-
WHITE-----MALE----	33	51	101	189	255	276	304	234	103	24	2	-
FEMALE--	25	36	59	118	173	258	284	283	245	74	17	-
ALL OTHER--MALE----	10	18	25	35	51	62	45	41	26	6	2	-
FEMALE--	11	13	18	22	38	33	50	43	22	15	9	-
BLACK---MALE----	10	17	24	35	50	62	45	41	26	6	2	-
FEMALE--	11	13	18	22	36	33	49	42	22	15	9	-
ALASKA -----	7	5	14	20	27	34	33	25	15	3	-	-
WHITE-----MALE----	4	2	5	12	10	13	10	9	1	-	-	-
FEMALE--	1	-	5	4	10	9	11	9	11	2	-	-
ALL OTHER--MALE----	1	3	2	1	2	8	7	5	2	1	-	-
FEMALE--	1	-	2	3	5	4	5	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	89	133	214	356	606	744	801	600	325	110	26	-
WHITE-----MALE----	50	66	114	175	330	368	402	270	120	30	3	-
FEMALE--	28	57	86	164	252	349	375	300	191	73	19	-
ALL OTHER--MALE----	4	8	6	8	14	11	14	13	10	2	2	-
FEMALE--	7	2	8	9	10	16	10	17	4	5	2	-
BLACK---MALE----	1	5	1	7	6	3	6	4	-	-	1	-
FEMALE--	-	2	4	5	2	4	5	7	1	3	-	-
ARKANSAS -----	52	94	147	216	346	464	494	437	249	84	18	-
WHITE-----MALE----	18	40	65	102	193	242	253	185	89	26	6	-
FEMALE--	28	39	68	96	120	187	207	211	145	49	12	-
ALL OTHER--MALE----	1	6	9	13	21	22	16	20	6	4	-	-
FEMALE--	5	9	5	5	12	13	18	21	9	5	-	-
BLACK---MALE----	1	6	7	13	19	22	15	18	6	4	-	-
FEMALE--	5	7	5	5	12	13	18	21	9	4	-	-
CALIFORNIA -----	384	579	1,097	1,881	3,148	4,462	4,959	4,501	2,919	1,175	291	3
WHITE-----MALE----	176	246	472	823	1,498	2,038	2,110	1,794	939	301	58	1
FEMALE--	140	227	461	807	1,306	1,978	2,387	2,331	1,751	770	204	-
ALL OTHER--MALE----	33	61	94	150	204	258	268	201	103	35	5	1
FEMALE--	35	45	70	101	140	188	194	175	126	69	24	1
BLACK---MALE----	25	40	54	75	102	114	94	72	29	8	3	1
FEMALE--	23	31	43	60	81	82	93	78	72	40	15	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,874

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
COLORADO -----	2,943	6	5	-	2	3	4	7	6	13	24	24
WHITE-----MALE----	1,448	-	2	-	1	1	3	5	2	7	16	13
FEMALE--	1,400	3	1	-	1	2	1	2	3	6	6	6
ALL OTHER--MALE----	48	3	1	-	-	-	-	-	-	-	1	3
FEMALE--	47	-	1	-	-	-	-	-	1	-	1	2
BLACK---MALE----	32	2	1	-	-	-	-	-	-	-	1	3
FEMALE--	35	-	-	-	-	-	-	-	1	-	1	1
CONNECTICUT -----	2,945	9	1	1	-	-	2	7	10	13	27	23
WHITE-----MALE----	1,279	4	1	1	-	-	1	2	4	7	11	13
FEMALE--	1,548	4	-	-	-	-	1	4	1	2	10	6
ALL OTHER--MALE----	63	-	-	-	-	-	-	1	4	2	2	3
FEMALE--	55	1	-	-	-	-	-	1	1	2	4	1
BLACK---MALE----	58	-	-	-	-	-	-	1	4	2	2	3
FEMALE--	52	1	-	-	-	-	-	-	1	2	4	1
DELAWARE -----	631	1	-	3	-	-	1	1	-	5	2	8
WHITE-----MALE----	255	-	-	1	-	-	1	-	-	3	1	2
FEMALE--	307	-	-	-	-	-	-	1	-	2	-	4
ALL OTHER--MALE----	38	1	-	1	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	1	-	-	-	-	-	-	1	1
BLACK---MALE----	37	1	-	1	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	1	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	434	2	2	-	2	1	2	1	4	9	13	18
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	164	1	1	-	-	1	1	-	2	4	8	12
FEMALE--	150	1	1	-	2	-	1	1	2	4	5	6
BLACK---MALE----	163	1	1	-	-	1	1	-	2	4	8	12
FEMALE--	148	1	1	-	2	-	1	1	2	4	5	6
FLORIDA -----	14,265	44	16	9	4	11	17	25	32	64	118	140
WHITE-----MALE----	6,492	18	4	6	-	5	3	7	11	15	46	63
FEMALE--	6,732	9	2	1	2	2	8	7	11	20	32	38
ALL OTHER--MALE----	602	12	6	-	1	4	2	8	6	14	23	26
FEMALE--	439	5	4	2	1	-	4	3	4	15	17	13
BLACK---MALE----	585	12	6	-	1	4	2	8	6	14	23	26
FEMALE--	421	5	4	2	1	-	4	3	4	15	17	13
GEORGIA -----	5,589	26	10	6	4	10	14	16	29	40	71	102
WHITE-----MALE----	2,251	5	1	1	-	5	4	3	5	11	16	33
FEMALE--	2,279	7	-	2	1	2	2	2	8	10	10	24
ALL OTHER--MALE----	560	8	4	1	2	3	5	6	6	10	25	35
FEMALE--	499	6	5	2	1	-	3	5	10	9	20	10
BLACK---MALE----	548	8	4	1	2	3	5	6	5	10	25	35
FEMALE--	491	6	5	2	1	-	3	5	10	8	20	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,874

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
COLORADO -----	51	77	125	263	398	501	523	442	320	126	23	-
WHITE-----MALE----	30	35	61	134	207	277	278	213	120	36	7	-
FEMALE--	19	34	54	114	178	212	237	223	196	86	16	-
ALL OTHER--MALE----	1	5	4	7	8	8	3	1	1	2	-	-
FEMALE--	1	3	6	8	5	4	5	5	3	2	-	-
BLACK---MALE----	-	4	2	5	6	2	3	1	-	2	-	-
FEMALE--	1	3	5	6	4	3	5	2	2	1	-	-
CONNECTICUT -----	41	68	100	205	321	459	555	525	373	167	38	-
WHITE-----MALE----	17	33	44	103	161	234	237	221	120	57	8	-
FEMALE--	20	28	43	89	144	213	306	293	246	109	29	-
ALL OTHER--MALE----	1	6	6	8	10	7	4	7	2	-	-	-
FEMALE--	3	1	7	5	6	5	8	4	5	1	1	-
BLACK---MALE----	1	5	5	7	10	7	4	5	2	-	-	-
FEMALE--	3	1	7	5	6	3	7	4	5	1	1	-
DELAWARE -----	12	13	32	56	101	102	108	94	61	28	3	-
WHITE-----MALE----	4	8	15	24	47	46	40	42	16	5	-	-
FEMALE--	4	4	13	25	43	47	55	45	39	23	2	-
ALL OTHER--MALE----	2	-	2	6	6	7	7	2	2	-	1	-
FEMALE--	2	1	2	1	5	2	6	5	4	-	-	-
BLACK---MALE----	2	-	2	6	6	7	6	2	2	-	1	-
FEMALE--	2	1	2	1	5	2	6	5	4	-	-	-
DISTRICT OF COLUMBIA ----	9	12	24	36	54	52	74	49	40	22	8	-
WHITE-----MALE----	1	-	1	5	5	4	14	11	7	6	-	-
FEMALE--	-	-	2	4	6	13	11	13	8	5	3	-
ALL OTHER--MALE----	6	12	13	16	19	17	26	11	10	3	1	-
FEMALE--	2	-	8	11	24	18	23	14	15	8	4	-
BLACK---MALE----	6	12	13	15	19	17	26	11	10	3	1	-
FEMALE--	2	-	8	11	23	18	22	14	15	8	4	-
FLORIDA -----	204	339	664	1,170	1,902	2,530	2,711	2,311	1,387	461	100	6
WHITE-----MALE----	95	158	311	575	964	1,267	1,264	978	517	157	26	2
FEMALE--	66	126	263	486	820	1,123	1,320	1,219	817	293	66	1
ALL OTHER--MALE----	21	29	49	70	79	92	73	56	28	1	1	1
FEMALE--	22	26	41	39	39	48	54	58	25	10	7	2
BLACK---MALE----	20	28	48	69	76	85	72	54	28	1	1	1
FEMALE--	20	24	39	37	37	45	52	56	24	10	7	2
GEORGIA -----	143	196	301	484	793	932	1,001	792	442	140	37	-
WHITE-----MALE----	51	72	126	245	352	444	437	290	122	24	4	-
FEMALE--	41	80	104	150	304	349	419	383	261	99	21	-
ALL OTHER--MALE----	32	23	39	56	76	80	73	50	18	5	3	-
FEMALE--	19	21	32	33	61	59	72	69	41	12	9	-
BLACK---MALE----	32	23	37	52	72	79	73	50	18	5	3	-
FEMALE--	19	19	32	33	59	58	71	68	41	12	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,875

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
HAWAII -----	751	2	-	-	-	2	3	4	1	7	3	8
WHITE-----MALE----	113	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	105	-	-	-	-	-	1	-	-	2	-	2
ALL OTHER--MALE----	309	1	-	-	-	-	2	2	-	3	1	1
FEMALE--	224	1	-	-	-	2	-	2	1	2	2	2
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1,009	3	1	2	1	2	1	-	-	5	5	6
WHITE-----MALE----	524	2	1	2	1	2	-	-	-	2	3	5
FEMALE--	475	1	-	-	-	-	1	-	-	3	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9,414	42	19	10	12	14	21	35	37	62	82	116
WHITE-----MALE----	4,054	12	9	2	1	5	8	9	9	21	31	34
FEMALE--	4,200	8	3	5	2	5	7	4	6	13	18	35
ALL OTHER--MALE----	628	13	4	2	4	3	2	11	16	21	14	25
FEMALE--	532	9	3	1	5	1	4	11	6	7	19	22
BLACK---MALE----	583	13	4	1	4	3	2	10	16	21	14	25
FEMALE--	499	9	3	1	5	1	4	11	6	7	18	21
INDIANA -----	5,243	23	14	2	6	9	5	12	13	21	37	48
WHITE-----MALE----	2,426	8	2	-	4	5	2	5	9	5	13	25
FEMALE--	2,578	5	8	-	1	2	1	2	4	12	18	20
ALL OTHER--MALE----	116	5	2	2	-	2	2	1	-	3	2	2
FEMALE--	123	5	2	-	1	-	-	4	-	1	4	1
BLACK---MALE----	114	4	1	2	-	2	2	1	-	3	2	2
FEMALE--	121	5	2	-	1	-	-	4	-	1	4	1
IOWA -----	2,862	6	6	-	2	2	3	2	7	11	12	21
WHITE-----MALE----	1,412	2	3	-	1	1	-	1	3	5	8	15
FEMALE--	1,413	3	2	-	1	-	2	1	3	5	4	6
ALL OTHER--MALE----	24	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	1	-	1	-	-	-
KANSAS -----	2,631	7	2	2	1	4	4	2	3	9	11	22
WHITE-----MALE----	1,278	2	1	-	-	2	2	2	2	4	5	12
FEMALE--	1,255	2	1	1	1	1	2	-	1	3	3	5
ALL OTHER--MALE----	63	2	-	1	-	1	-	-	-	1	1	1
FEMALE--	35	1	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	53	2	-	1	-	1	-	-	-	1	1	1
FEMALE--	30	1	-	-	-	-	-	-	-	1	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,875

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
HAWAII -----	16	12	22	73	79	130	151	120	84	29	5	-
WHITE-----MALE----	3	2	2	12	14	28	23	14	10	2	-	-
FEMALE--	2	2	2	8	6	20	21	21	14	4	-	-
ALL OTHER--MALE----	3	4	12	29	38	49	68	50	36	9	1	-
FEMALE--	8	4	6	24	21	33	39	35	24	14	4	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
IDAHO -----	16	19	56	68	114	185	194	180	113	32	6	-
WHITE-----MALE----	8	5	31	37	75	101	116	80	39	12	2	-
FEMALE--	8	14	23	30	38	84	77	97	74	19	4	-
ALL OTHER--MALE----	-	-	2	1	1	-	1	3	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	159	232	417	785	1,112	1,513	1,726	1,580	938	403	99	-
WHITE-----MALE----	66	98	188	369	579	711	788	655	337	107	15	-
FEMALE--	48	72	165	291	404	644	785	816	533	263	73	-
ALL OTHER--MALE----	28	33	37	79	75	98	81	43	28	6	5	-
FEMALE--	17	29	27	46	54	60	72	66	40	27	6	-
BLACK---MALE----	27	29	34	69	73	91	69	42	26	6	4	-
FEMALE--	17	29	26	44	49	54	68	58	37	25	6	-
INDIANA -----	78	154	261	461	747	882	953	801	475	192	49	-
WHITE-----MALE----	37	72	132	237	390	443	476	356	152	47	6	-
FEMALE--	33	71	117	204	324	401	442	419	309	142	43	-
ALL OTHER--MALE----	5	5	5	9	18	19	17	13	3	1	-	-
FEMALE--	3	6	7	11	15	19	18	13	11	2	-	-
BLACK---MALE----	5	5	5	9	18	19	17	13	3	1	-	-
FEMALE--	3	6	7	11	15	19	17	13	10	2	-	-
IOWA -----	31	48	112	182	361	443	523	504	392	150	44	-
WHITE-----MALE----	19	24	62	110	210	258	291	228	131	32	8	-
FEMALE--	12	23	47	67	147	179	230	271	258	118	34	-
ALL OTHER--MALE----	-	-	1	2	3	5	1	4	3	-	1	-
FEMALE--	-	1	2	3	1	1	1	1	-	-	1	-
BLACK---MALE----	-	-	1	2	3	5	1	2	2	-	1	-
FEMALE--	-	1	1	1	1	1	1	-	-	-	1	-
KANSAS -----	38	45	114	187	314	419	486	447	336	140	38	-
WHITE-----MALE----	16	18	61	101	173	231	272	191	124	48	11	-
FEMALE--	17	22	42	74	131	175	202	251	207	88	26	-
ALL OTHER--MALE----	1	4	10	9	8	8	7	4	1	3	1	-
FEMALE--	4	1	1	3	2	5	5	1	4	1	-	-
BLACK---MALE----	1	3	6	8	6	7	7	3	1	3	1	-
FEMALE--	4	1	1	2	-	4	5	1	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,876

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
KENTUCKY -----	3,845	7	4	4	1	6	4	1	4	16	37	46
WHITE-----MALE----	1,829	4	3	2	-	5	2	1	2	6	15	14
FEMALE--	1,819	1	-	1	-	1	2	-	1	4	18	25
ALL OTHER--MALE----	94	1	-	-	-	-	-	-	-	3	1	3
FEMALE--	103	1	1	1	1	-	-	-	1	3	3	4
BLACK---MALE----	93	1	-	-	-	-	-	-	-	3	1	3
FEMALE--	100	1	1	1	1	-	-	-	1	3	3	4
LOUISIANA -----	3,129	17	7	3	4	4	6	10	14	22	39	39
WHITE-----MALE----	1,188	4	1	1	1	3	2	3	4	7	8	9
FEMALE--	1,244	2	1	-	-	1	-	1	3	3	9	12
ALL OTHER--MALE----	384	5	5	2	3	-	2	3	4	4	11	11
FEMALE--	313	6	-	-	-	-	2	3	3	8	11	7
BLACK---MALE----	376	5	5	1	3	-	2	2	4	4	11	11
FEMALE--	308	6	-	-	-	-	2	3	3	8	11	6
MAINE -----	1,287	1	-	-	-	-	1	2	2	5	3	8
WHITE-----MALE----	625	-	-	-	-	-	1	-	1	1	3	4
FEMALE--	661	1	-	-	-	-	-	2	1	4	-	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,921	9	4	2	6	4	10	8	17	38	39	55
WHITE-----MALE----	1,468	4	1	1	3	-	2	3	5	4	12	23
FEMALE--	1,746	1	-	-	1	3	2	1	2	4	5	9
ALL OTHER--MALE----	367	3	-	-	2	1	4	2	3	19	12	13
FEMALE--	340	1	3	1	-	-	2	2	7	11	10	10
BLACK---MALE----	347	3	-	-	2	1	4	2	3	19	12	12
FEMALE--	324	1	3	1	-	-	2	2	7	11	10	10
MASSACHUSETTS -----	5,999	9	13	1	-	9	4	11	19	23	27	44
WHITE-----MALE----	2,615	3	5	1	-	4	2	4	10	10	15	17
FEMALE--	3,206	5	6	-	-	-	1	5	5	7	9	17
ALL OTHER--MALE----	87	1	2	-	-	-	1	-	1	3	2	9
FEMALE--	91	-	-	-	-	5	-	2	3	3	1	1
BLACK---MALE----	68	1	1	-	-	-	1	-	1	3	2	8
FEMALE--	69	-	-	-	-	5	-	2	3	3	-	1
MICHIGAN -----	7,493	18	7	7	11	7	8	19	24	42	67	100
WHITE-----MALE----	3,465	4	2	2	6	4	4	7	6	16	18	31
FEMALE--	3,226	3	2	4	1	2	3	6	5	10	17	31
ALL OTHER--MALE----	426	5	1	-	1	1	1	4	5	7	22	15
FEMALE--	376	6	2	1	3	-	-	2	8	9	10	23
BLACK---MALE----	387	4	1	-	1	1	1	4	5	7	21	15
FEMALE--	350	6	2	1	3	-	-	1	8	8	9	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,876

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
KENTUCKY -----	68	115	197	374	548	585	706	577	371	144	30	-
WHITE-----MALE----	37	71	102	194	306	298	328	264	124	48	3	-
FEMALE--	26	39	83	158	205	263	354	292	231	91	24	-
ALL OTHER--MALE----	3	3	7	15	17	12	11	8	9	1	-	-
FEMALE--	2	2	5	7	20	12	13	13	7	4	3	-
BLACK---MALE----	3	3	7	14	17	12	11	8	9	1	-	-
FEMALE--	2	2	5	6	19	12	12	13	7	4	3	-
LOUISIANA -----	64	116	175	299	423	461	540	475	287	92	32	-
WHITE-----MALE----	23	45	69	139	172	204	217	158	85	27	6	-
FEMALE--	15	40	60	97	169	160	222	241	149	45	14	-
ALL OTHER--MALE----	19	18	24	39	53	49	61	41	23	5	2	-
FEMALE--	7	13	22	24	29	48	40	35	30	15	10	-
BLACK---MALE----	19	17	23	39	52	48	60	40	23	5	2	-
FEMALE--	7	12	21	24	29	48	40	34	30	15	9	-
MAINE -----	21	27	44	97	171	211	228	223	173	57	13	-
WHITE-----MALE----	9	14	21	47	101	109	124	102	65	20	3	-
FEMALE--	12	13	22	50	70	102	104	121	108	37	10	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	66	101	183	332	489	687	704	608	381	140	38	-
WHITE-----MALE----	23	34	69	145	209	291	251	234	114	33	7	-
FEMALE--	24	35	69	110	203	298	358	308	208	81	24	-
ALL OTHER--MALE----	13	19	29	45	47	52	47	21	24	8	3	-
FEMALE--	6	13	16	32	30	46	48	45	35	18	4	-
BLACK---MALE----	10	18	29	42	44	50	44	21	21	8	2	-
FEMALE--	6	13	16	31	29	44	43	42	33	16	4	-
MASSACHUSETTS -----	85	105	178	363	661	963	1,161	1,128	769	324	102	-
WHITE-----MALE----	47	53	93	199	342	500	536	431	246	77	20	-
FEMALE--	34	43	77	146	301	439	608	675	509	238	81	-
ALL OTHER--MALE----	1	7	5	7	10	11	8	11	6	1	1	-
FEMALE--	3	2	3	11	8	13	9	11	8	8	-	-
BLACK---MALE----	1	7	4	5	6	7	7	8	4	1	1	-
FEMALE--	3	1	3	9	5	8	7	7	6	6	-	-
MICHIGAN -----	144	186	343	694	1,040	1,268	1,376	1,100	682	271	79	-
WHITE-----MALE----	60	78	154	371	567	662	670	461	246	83	13	-
FEMALE--	53	69	144	246	373	495	602	553	388	166	53	-
ALL OTHER--MALE----	14	28	26	40	57	74	57	39	20	5	4	-
FEMALE--	17	11	19	37	43	37	47	47	28	17	9	-
BLACK---MALE----	12	23	24	36	49	69	52	36	17	5	4	-
FEMALE--	15	8	17	34	40	34	45	43	27	17	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,877

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
MINNESOTA -----	3,402	7	2	3	1	2	1	4	9	13	14	20
WHITE-----MALE----	1,646	3	-	1	-	1	-	2	1	8	5	12
FEMALE--	1,687	2	1	-	1	-	1	2	6	4	8	7
ALL OTHER--MALE----	36	2	1	-	-	-	-	-	1	1	1	1
FEMALE--	33	-	-	2	-	1	-	-	1	-	-	-
BLACK---MALE----	19	2	-	-	-	-	-	-	1	-	1	1
FEMALE--	15	-	-	1	-	1	-	-	1	-	-	-
MISSISSIPPI -----	2,552	26	4	-	4	6	8	4	13	19	17	43
WHITE-----MALE----	1,041	6	1	-	1	1	3	-	2	5	6	11
FEMALE--	942	4	1	-	1	1	1	-	4	4	4	4
ALL OTHER--MALE----	313	8	1	-	1	3	1	1	4	4	2	16
FEMALE--	256	8	1	-	1	1	3	3	3	6	5	12
BLACK---MALE----	312	8	1	-	1	3	1	1	4	4	2	16
FEMALE--	256	8	1	-	1	1	3	3	3	6	5	12
MISSOURI -----	5,612	12	6	5	3	5	9	5	18	22	30	56
WHITE-----MALE----	2,516	6	3	1	1	3	3	1	8	8	11	21
FEMALE--	2,709	3	1	1	1	-	4	1	5	5	7	25
ALL OTHER--MALE----	212	2	2	1	-	-	2	1	2	5	5	5
FEMALE--	175	1	-	2	1	2	-	2	3	4	7	5
BLACK---MALE----	201	2	2	1	-	-	2	1	1	5	5	5
FEMALE--	166	1	-	2	1	2	-	2	3	4	7	5
MONTANA -----	945	-	2	1	-	2	-	-	3	1	1	8
WHITE-----MALE----	466	-	2	-	-	1	-	-	1	-	1	4
FEMALE--	441	-	-	-	-	1	-	-	2	1	-	1
ALL OTHER--MALE----	20	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,572	3	2	-	3	1	3	3	2	6	7	12
WHITE-----MALE----	777	1	-	-	-	1	3	1	2	2	3	5
FEMALE--	743	2	1	-	2	-	-	1	-	3	2	6
ALL OTHER--MALE----	28	-	1	-	-	-	-	1	-	1	1	1
FEMALE--	24	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	24	-	1	-	-	-	-	1	-	1	1	1
FEMALE--	19	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	1,437	11	2	2	-	-	4	3	10	14	15	28
WHITE-----MALE----	727	4	-	-	-	-	-	2	7	8	6	23
FEMALE--	629	3	2	1	-	-	2	1	3	2	7	4
ALL OTHER--MALE----	41	1	-	1	-	-	1	-	-	2	2	1
FEMALE--	40	3	-	-	-	-	1	-	-	2	-	-
BLACK---MALE----	31	1	-	1	-	-	1	-	-	2	1	1
FEMALE--	27	3	-	-	-	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,877

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	34	61	119	203	361	529	675	616	470	205	53	-
WHITE-----MALE----	12	35	71	105	203	305	349	290	175	55	13	-
FEMALE--	20	21	44	92	150	215	315	318	293	148	39	-
ALL OTHER--MALE----	-	2	1	3	6	7	8	2	-	-	-	-
FEMALE--	2	3	3	3	2	2	3	6	2	2	1	-
BLACK---MALE----	-	-	1	2	3	3	3	2	-	-	-	-
FEMALE--	-	1	2	3	1	1	1	2	-	1	-	-
MISSISSIPPI -----	47	78	146	224	293	430	440	414	226	88	22	-
WHITE-----MALE----	16	36	65	124	134	205	190	154	53	26	2	-
FEMALE--	14	26	49	64	109	152	163	179	121	33	8	-
ALL OTHER--MALE----	11	9	22	22	31	47	48	41	22	11	8	-
FEMALE--	6	7	10	14	19	26	39	40	30	18	4	-
BLACK---MALE----	11	9	22	22	31	47	48	40	22	11	8	-
FEMALE--	6	7	10	14	19	26	39	40	30	18	4	-
MISSOURI -----	76	144	283	438	729	905	1,002	924	644	243	53	-
WHITE-----MALE----	31	66	144	233	379	468	490	357	214	53	15	-
FEMALE--	32	59	112	174	303	379	462	520	403	177	35	-
ALL OTHER--MALE----	8	15	18	19	24	37	27	24	9	5	1	-
FEMALE--	5	4	9	12	23	21	23	23	18	8	2	-
BLACK---MALE----	7	15	18	16	23	36	26	22	9	4	1	-
FEMALE--	5	4	7	10	22	20	22	21	18	8	2	-
MONTANA -----	19	31	38	74	107	157	204	165	93	34	5	-
WHITE-----MALE----	8	17	15	41	51	91	108	79	41	6	-	-
FEMALE--	10	13	20	27	50	61	87	83	52	28	5	-
ALL OTHER--MALE----	1	1	1	3	4	1	5	1	-	-	-	-
FEMALE--	-	-	2	3	2	4	4	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	11	41	52	127	169	255	282	283	192	89	29	-
WHITE-----MALE----	5	23	25	74	94	136	149	144	77	25	7	-
FEMALE--	4	14	24	43	69	114	129	133	112	63	21	-
ALL OTHER--MALE----	1	2	1	3	4	2	2	5	2	-	1	-
FEMALE--	1	2	2	7	2	3	2	1	1	1	-	-
BLACK---MALE----	-	2	1	2	4	2	1	4	2	-	1	-
FEMALE--	-	2	2	6	2	3	1	1	-	1	-	-
NEVADA -----	30	66	91	151	219	271	240	177	71	24	6	2
WHITE-----MALE----	15	32	44	84	119	142	123	80	24	10	2	2
FEMALE--	12	29	35	60	87	120	108	92	43	14	4	-
ALL OTHER--MALE----	2	2	4	3	8	4	6	2	2	-	-	-
FEMALE--	1	3	8	4	5	5	3	3	2	-	-	-
BLACK---MALE----	1	2	4	2	5	3	4	1	2	-	-	-
FEMALE--	1	1	5	3	4	2	1	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,879

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	10,161	29	10	5	5	10	13	16	26	34	68	75
WHITE-----MALE----	4,509	20	1	3	3	6	8	6	14	19	26	33
FEMALE--	4,900	3	5	-	2	3	3	3	7	7	22	25
ALL OTHER--MALE----	388	1	2	1	-	1	2	3	5	4	10	10
FEMALE--	364	5	2	1	-	-	-	4	-	4	10	7
BLACK---MALE----	378	1	2	1	-	1	2	2	5	4	10	9
FEMALE--	355	5	2	1	-	-	-	4	-	4	10	7
OKLAHOMA -----	3,492	9	1	-	2	7	4	6	8	13	25	31
WHITE-----MALE----	1,589	3	-	-	1	4	-	2	3	5	11	12
FEMALE--	1,648	1	-	-	1	1	1	3	-	3	12	12
ALL OTHER--MALE----	138	3	-	-	-	1	2	1	3	3	2	4
FEMALE--	117	2	1	-	-	1	-	-	2	2	-	3
BLACK---MALE----	65	1	-	-	-	-	1	-	2	3	1	-
FEMALE--	65	1	1	-	-	-	1	-	-	1	-	3
OREGON -----	2,886	6	3	1	-	3	1	5	4	9	12	26
WHITE-----MALE----	1,364	2	1	1	-	1	-	4	1	6	6	11
FEMALE--	1,471	2	2	-	-	-	1	1	1	3	5	13
ALL OTHER--MALE----	34	1	-	-	-	1	-	-	2	-	1	-
FEMALE--	17	1	-	-	-	1	-	-	-	-	-	2
BLACK---MALE----	13	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	7	1	-	-	-	1	-	-	-	-	-	2
PENNSYLVANIA -----	11,996	17	13	10	8	14	17	22	27	47	85	118
WHITE-----MALE----	5,522	11	3	2	2	4	8	9	8	17	36	41
FEMALE--	5,675	3	4	5	3	6	6	6	11	14	32	31
ALL OTHER--MALE----	411	2	3	2	1	3	1	5	5	10	10	23
FEMALE--	388	1	3	1	2	1	2	2	3	6	7	23
BLACK---MALE----	388	2	3	2	1	2	1	5	5	8	10	21
FEMALE--	384	1	3	1	2	1	2	2	3	6	7	23
RHODE ISLAND -----	867	5	2	1	2	1	1	-	2	1	5	8
WHITE-----MALE----	398	3	-	-	1	1	-	-	1	1	2	6
FEMALE--	444	1	1	1	-	-	1	-	1	-	3	2
ALL OTHER--MALE----	15	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,986	14	4	4	3	3	3	9	9	15	30	55
WHITE-----MALE----	1,202	3	1	1	2	1	-	1	3	3	8	17
FEMALE--	1,191	2	1	1	-	1	1	2	2	4	8	17
ALL OTHER--MALE----	328	5	2	1	-	1	1	2	2	4	11	11
FEMALE--	265	4	-	1	1	-	1	4	2	4	3	10
BLACK---MALE----	328	5	2	1	-	1	1	2	2	4	11	11
FEMALE--	264	4	-	1	1	-	1	4	2	4	3	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,879

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	140	267	434	863	1,396	1,776	1,937	1,576	979	404	98	-
WHITE-----MALE----	57	105	211	441	720	828	895	646	344	103	20	-
FEMALE--	63	123	173	334	578	836	936	844	587	277	69	-
ALL OTHER--MALE----	12	19	21	52	53	60	67	38	18	6	3	-
FEMALE--	8	20	29	36	45	52	39	48	30	18	6	-
BLACK---MALE----	12	17	21	51	51	60	64	38	18	6	3	-
FEMALE--	8	18	28	34	45	51	37	47	30	18	6	-
OKLAHOMA -----	52	107	167	306	469	588	632	586	324	122	32	1
WHITE-----MALE----	27	50	80	171	234	309	309	234	107	23	3	1
FEMALE--	19	46	71	113	201	252	284	312	200	90	26	-
ALL OTHER--MALE----	4	7	10	11	20	17	22	18	5	4	1	-
FEMALE--	2	4	6	11	14	10	17	22	12	5	2	-
BLACK---MALE----	2	4	3	7	11	10	6	8	2	3	1	-
FEMALE--	2	2	4	6	6	5	9	13	6	3	2	-
OREGON -----	40	51	123	235	383	497	604	465	265	127	26	-
WHITE-----MALE----	20	29	62	117	196	251	303	207	101	40	5	-
FEMALE--	18	20	61	111	175	242	298	250	163	84	21	-
ALL OTHER--MALE----	1	1	-	6	7	3	2	6	-	3	-	-
FEMALE--	1	1	-	1	5	1	1	2	1	-	-	-
BLACK---MALE----	-	1	-	2	3	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
PENNSYLVANIA -----	171	230	440	887	1,492	2,071	2,411	2,079	1,305	439	93	-
WHITE-----MALE----	88	104	218	458	787	1,050	1,191	878	464	123	20	-
FEMALE--	58	87	170	355	605	913	1,103	1,116	787	293	67	-
ALL OTHER--MALE----	15	19	32	42	58	53	66	32	19	8	2	-
FEMALE--	10	20	20	32	42	55	51	53	35	15	4	-
BLACK---MALE----	13	16	32	42	55	52	61	32	18	5	2	-
FEMALE--	10	20	20	32	40	53	51	53	35	15	4	-
RHODE ISLAND -----	9	20	31	52	91	138	178	169	102	39	9	1
WHITE-----MALE----	3	6	17	30	51	72	92	67	32	12	1	-
FEMALE--	3	13	13	20	37	62	84	101	69	25	7	-
ALL OTHER--MALE----	2	-	1	1	2	3	2	-	1	-	1	-
FEMALE--	1	1	-	1	1	1	-	1	-	2	-	1
BLACK---MALE----	2	-	1	1	2	2	2	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	2	-	-
SOUTH CAROLINA -----	77	115	213	307	426	513	480	409	206	69	22	-
WHITE-----MALE----	29	54	92	146	204	231	191	138	57	18	2	-
FEMALE--	26	28	68	103	155	201	205	203	119	36	8	-
ALL OTHER--MALE----	12	24	30	39	40	47	39	35	13	6	3	-
FEMALE--	10	9	23	19	27	34	45	33	17	9	9	-
BLACK---MALE----	12	24	30	39	40	47	39	35	13	6	3	-
FEMALE--	10	9	23	19	27	33	45	33	17	9	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,880

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
SOUTH DAKOTA -----	685	6	-	1	1	1	-	-	2	1	2	3
WHITE-----MALE----	350	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	299	1	-	-	1	-	-	-	1	-	1	1
ALL OTHER--MALE----	23	4	-	1	-	-	-	-	-	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
TENNESSEE -----	5,204	13	9	3	9	5	7	13	17	29	43	66
WHITE-----MALE----	2,297	4	2	1	4	4	3	2	7	9	13	24
FEMALE--	2,325	3	4	-	3	-	1	4	4	10	16	26
ALL OTHER--MALE----	306	5	1	2	1	1	2	4	1	7	8	11
FEMALE--	276	1	2	-	1	-	1	3	5	3	6	5
BLACK---MALE----	303	5	1	2	1	1	2	4	1	7	8	11
FEMALE--	271	1	2	-	1	-	1	3	5	3	5	5
TEXAS -----	13,234	73	22	18	19	24	29	37	51	84	114	184
WHITE-----MALE----	5,856	33	13	10	5	9	7	19	20	33	54	71
FEMALE--	6,207	21	5	5	10	9	11	10	15	30	38	62
ALL OTHER--MALE----	661	12	3	1	2	3	8	5	11	12	15	38
FEMALE--	510	7	1	2	2	3	3	3	5	9	7	13
BLACK---MALE----	629	12	3	-	2	3	7	5	11	12	14	36
FEMALE--	486	7	1	2	2	3	3	3	4	8	7	11
UTAH -----	1,154	4	1	-	-	1	1	3	10	7	11	8
WHITE-----MALE----	583	2	-	-	-	-	1	1	6	3	6	3
FEMALE--	558	2	1	-	-	-	-	2	3	3	3	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	564	2	1	-	-	-	-	-	1	-	2	6
WHITE-----MALE----	301	2	-	-	-	-	-	-	1	-	-	2
FEMALE--	262	-	1	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,426	29	8	11	8	5	8	9	17	32	36	53
WHITE-----MALE----	2,228	13	3	2	4	-	2	3	5	7	13	20
FEMALE--	2,402	4	3	3	2	1	3	3	3	9	9	14
ALL OTHER--MALE----	411	7	2	3	-	1	1	1	4	11	6	12
FEMALE--	385	5	-	3	2	3	2	2	5	5	8	7
BLACK---MALE----	402	7	2	3	-	1	1	1	4	11	6	11
FEMALE--	371	5	-	2	1	3	2	1	5	5	7	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,880

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
SOUTH DAKOTA -----	5	15	22	38	71	92	126	137	101	46	15	-
WHITE-----MALE----	2	8	8	21	49	58	65	78	41	14	3	-
FEMALE--	1	6	13	13	19	30	57	55	57	31	12	-
ALL OTHER--MALE----	2	-	1	1	3	2	2	3	1	-	-	-
FEMALE--	-	1	-	3	-	2	2	1	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	89	180	304	505	690	859	929	758	480	147	49	-
WHITE-----MALE----	40	78	133	261	358	427	426	304	153	37	7	-
FEMALE--	37	72	115	186	269	357	416	393	285	93	31	-
ALL OTHER--MALE----	5	18	29	35	28	47	50	23	19	7	2	-
FEMALE--	7	12	27	23	35	28	37	38	23	10	9	-
BLACK---MALE----	5	18	29	35	27	47	48	23	19	7	2	-
FEMALE--	7	12	25	23	34	28	37	38	23	10	8	-
TEXAS -----	237	367	701	1,137	1,762	2,134	2,344	2,046	1,246	486	119	-
WHITE-----MALE----	112	158	339	558	937	1,024	1,073	824	411	125	21	-
FEMALE--	91	153	273	460	692	966	1,143	1,073	747	311	82	-
ALL OTHER--MALE----	24	31	44	72	84	82	72	72	42	23	5	-
FEMALE--	10	25	45	47	49	62	56	77	46	27	11	-
BLACK---MALE----	23	30	42	67	84	80	67	66	42	20	3	-
FEMALE--	9	24	44	45	45	57	55	74	44	27	11	-
UTAH -----	14	33	40	82	128	204	211	205	124	56	11	-
WHITE-----MALE----	8	15	25	44	83	113	106	97	45	23	2	-
FEMALE--	6	18	15	37	43	90	105	105	79	33	9	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	10	20	37	77	93	106	89	83	25	4	-
WHITE-----MALE----	7	4	10	22	47	60	54	46	37	8	1	-
FEMALE--	1	6	10	15	29	33	52	43	46	17	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	91	131	256	466	709	979	996	824	499	209	50	-
WHITE-----MALE----	36	69	108	221	330	465	423	310	142	41	11	-
FEMALE--	33	32	100	171	292	383	439	419	303	144	32	-
ALL OTHER--MALE----	13	17	27	43	43	74	68	42	25	8	3	-
FEMALE--	9	13	21	31	44	57	66	53	29	16	4	-
BLACK---MALE----	13	16	27	42	42	72	66	41	25	8	3	-
FEMALE--	9	13	20	30	42	56	63	52	29	16	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,882

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)												
0 UNITED STATES --	465	67	20	5	3	-	1	1	1	9	7	6
WHITE-----MALE----	161	28	8	2	-	-	-	1	1	2	3	1
FEMALE--	243	18	6	1	2	-	-	-	-	4	3	3
ALL OTHER--MALE----	33	12	2	1	-	-	1	-	-	1	-	1
FEMALE--	28	9	4	1	1	-	-	-	-	2	1	1
BLACK---MALE----	27	9	2	1	-	-	1	-	-	1	-	-
FEMALE--	26	9	4	-	1	-	-	-	-	2	1	1
ALABAMA -----	13	5	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	-	1	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	58	8	3	1	1	-	-	-	-	2	-	2
WHITE-----MALE----	18	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	35	4	2	-	1	-	-	-	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,888

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)												
OHIO -----	31	4	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	10	3	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	5	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	22	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,889

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	2	2	-	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	-	3	3	5	5	4	1	-	-
WHITE-----MALE----	-	-	-	-	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	2	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,891

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
0 UNITED STATES --	85,729	409	170	70	58	91	125	200	327	564	812	1,021
WHITE-----MALE----	34,135	162	53	25	24	39	45	75	128	231	344	416
FEMALE--	42,059	92	59	25	20	28	39	50	79	151	219	255
ALL OTHER--MALE----	4,878	88	31	9	7	15	18	39	67	114	150	227
FEMALE--	4,657	67	27	11	7	9	23	36	53	68	99	123
BLACK---MALE----	3,965	74	26	8	7	13	15	33	60	107	137	206
FEMALE--	3,929	65	22	10	7	6	22	32	50	62	94	111
ALABAMA -----	1,430	2	-	2	-	2	4	3	5	6	8	17
WHITE-----MALE----	495	1	-	1	-	-	2	-	1	3	6	8
FEMALE--	654	-	-	1	-	-	2	-	1	1	-	1
ALL OTHER--MALE----	143	1	-	-	-	2	-	2	2	1	1	3
FEMALE--	138	-	-	-	-	-	-	1	1	1	1	5
BLACK---MALE----	143	1	-	-	-	2	-	2	2	1	1	3
FEMALE--	137	-	-	-	-	-	-	1	1	1	1	5
ALASKA -----	48	3	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	16	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,263	21	2	2	2	3	2	3	8	10	18	24
WHITE-----MALE----	546	8	-	-	1	-	2	1	5	3	13	14
FEMALE--	611	9	2	2	1	2	-	1	2	5	3	3
ALL OTHER--MALE----	60	3	-	-	-	-	-	1	1	2	2	3
FEMALE--	46	1	-	-	-	1	-	-	-	-	-	4
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	2
ARKANSAS -----	1,047	12	1	2	-	-	3	2	2	8	6	11
WHITE-----MALE----	468	5	-	1	-	-	3	1	-	1	4	6
FEMALE--	476	3	1	-	-	-	-	1	-	5	1	2
ALL OTHER--MALE----	52	3	-	-	-	-	-	-	1	-	1	3
FEMALE--	51	1	-	1	-	-	-	-	1	2	-	-
BLACK---MALE----	49	3	-	-	-	-	-	-	1	-	1	3
FEMALE--	51	1	-	1	-	-	-	-	1	2	-	-
CALIFORNIA -----	12,194	46	23	7	7	11	12	19	27	47	93	127
WHITE-----MALE----	4,797	26	8	1	2	8	7	11	14	27	49	62
FEMALE--	6,035	13	10	5	4	1	3	3	7	13	31	41
ALL OTHER--MALE----	701	3	1	-	1	1	1	4	3	5	3	11
FEMALE--	661	4	4	1	-	1	1	1	3	2	10	13
BLACK---MALE----	293	1	1	-	1	-	1	2	2	3	2	4
FEMALE--	351	3	2	-	-	-	-	1	2	2	7	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,891

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
0 UNITED STATES --	1,194	1,472	2,256	3,728	6,729	11,142	16,054	17,898	13,772	6,003	1,628	6
WHITE-----MALE----	536	632	1,041	1,859	3,355	5,376	7,119	6,719	4,243	1,432	279	2
FEMALE--	369	492	736	1,234	2,449	4,535	7,496	9,805	8,644	4,127	1,155	-
ALL OTHER--MALE----	189	216	286	383	509	685	713	594	352	130	54	2
FEMALE--	100	132	193	252	416	546	726	780	533	314	140	2
BLACK---MALE----	162	194	247	319	415	561	530	452	254	98	45	2
FEMALE--	83	112	165	210	354	448	610	630	448	264	122	2
ALABAMA -----	24	32	38	86	129	174	278	295	227	78	20	-
WHITE-----MALE----	12	9	20	39	58	58	105	105	51	15	1	-
FEMALE--	5	8	6	24	42	76	134	145	147	50	11	-
ALL OTHER--MALE----	4	11	7	15	18	26	13	19	14	3	1	-
FEMALE--	3	4	5	8	11	14	26	26	15	10	7	-
BLACK---MALE----	4	11	7	15	18	26	13	19	14	3	1	-
FEMALE--	3	4	5	8	11	14	26	25	15	10	7	-
ALASKA -----	2	-	-	2	5	9	11	6	8	1	-	-
WHITE-----MALE----	-	-	-	1	3	2	5	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	6	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	3	1	1	1	-	-	-
FEMALE--	1	-	-	1	-	2	4	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	34	26	36	50	118	181	221	249	164	71	18	-
WHITE-----MALE----	16	12	21	21	69	96	100	90	57	15	2	-
FEMALE--	11	10	12	22	39	72	111	142	97	53	12	-
ALL OTHER--MALE----	3	3	1	4	6	6	8	8	6	1	2	-
FEMALE--	4	1	2	3	4	7	2	9	4	2	2	-
BLACK---MALE----	-	3	-	3	2	2	4	3	-	-	1	-
FEMALE--	-	1	-	-	-	3	-	3	1	1	-	-
ARKANSAS -----	15	21	22	42	93	150	206	233	150	56	12	-
WHITE-----MALE----	3	8	8	26	53	76	108	91	52	20	2	-
FEMALE--	9	10	12	11	28	62	85	114	89	33	10	-
ALL OTHER--MALE----	1	2	2	5	7	5	4	13	3	2	-	-
FEMALE--	2	1	-	-	5	7	9	15	6	1	-	-
BLACK---MALE----	1	2	1	5	7	5	4	11	3	2	-	-
FEMALE--	2	1	-	-	5	7	9	15	6	1	-	-
CALIFORNIA -----	119	179	279	501	963	1,723	2,358	2,547	1,994	877	234	1
WHITE-----MALE----	58	69	117	235	463	821	1,003	982	588	203	43	-
FEMALE--	46	68	112	173	347	692	1,110	1,336	1,260	590	170	-
ALL OTHER--MALE----	9	26	27	61	79	121	142	109	65	25	3	1
FEMALE--	6	16	23	32	74	89	103	120	81	59	18	-
BLACK---MALE----	6	15	12	33	39	57	49	38	18	7	1	1
FEMALE--	4	9	13	20	43	40	51	53	51	31	12	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,892

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
COLORADO -----	846	4	2	-	1	1	1	2	3	10	11	10
WHITE-----MALE----	371	-	2	-	1	-	1	1	1	5	9	3
FEMALE--	444	2	-	-	-	1	-	1	1	5	1	2
ALL OTHER--MALE----	14	2	-	-	-	-	-	-	-	-	1	3
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	1	3
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	1
CONNECTICUT -----	1,219	3	-	1	-	-	1	4	6	8	14	11
WHITE-----MALE----	536	1	-	1	-	-	1	-	3	5	7	8
FEMALE--	622	1	-	-	-	-	-	4	-	1	3	2
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	2	2	2	1
FEMALE--	31	1	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	27	-	-	-	-	-	-	-	2	2	2	1
FEMALE--	29	1	-	-	-	-	-	-	1	-	2	-
DELAWARE -----	226	1	-	2	-	-	1	-	-	2	1	2
WHITE-----MALE----	83	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	117	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	19	1	-	1	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	19	1	-	1	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	1	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	187	1	-	-	-	-	1	1	2	4	6	11
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	77	-	-	-	-	-	-	-	-	2	4	8
FEMALE--	64	1	-	-	-	-	1	1	2	1	2	3
BLACK---MALE----	77	-	-	-	-	-	-	-	-	2	4	8
FEMALE--	62	1	-	-	-	-	1	1	2	1	2	3
FLORIDA -----	3,877	23	8	4	-	5	6	14	16	31	59	57
WHITE-----MALE----	1,684	8	2	2	-	2	-	4	4	8	19	23
FEMALE--	1,797	2	2	1	-	2	4	4	4	8	18	12
ALL OTHER--MALE----	220	9	3	-	-	1	-	4	5	9	13	19
FEMALE--	176	4	1	1	-	-	2	2	3	6	9	3
BLACK---MALE----	214	9	3	-	-	1	-	4	5	9	13	19
FEMALE--	172	4	1	1	-	-	2	2	3	6	9	3
GEORGIA -----	2,142	17	6	3	2	4	7	8	13	23	38	40
WHITE-----MALE----	740	3	1	1	-	2	2	1	1	10	7	10
FEMALE--	890	3	-	-	1	-	-	-	4	5	4	9
ALL OTHER--MALE----	251	6	2	-	-	2	4	5	3	5	17	16
FEMALE--	261	5	3	2	1	-	1	2	5	3	10	5
BLACK---MALE----	245	6	2	-	-	2	4	5	2	5	17	16
FEMALE--	260	5	3	2	1	-	1	2	5	3	10	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,892

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
COLORADO -----	14	19	14	37	55	88	141	172	168	79	14	-
WHITE-----MALE----	10	13	3	17	24	45	72	79	59	22	4	-
FEMALE--	3	6	8	16	28	40	68	90	107	55	10	-
ALL OTHER--MALE----	1	-	-	2	1	2	-	1	-	1	-	-
FEMALE--	-	-	3	2	2	1	1	2	2	1	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	1	-	-
FEMALE--	-	-	3	2	2	-	1	-	1	1	-	-
CONNECTICUT -----	10	26	24	45	71	149	234	245	228	111	28	-
WHITE-----MALE----	5	15	11	26	40	85	118	97	76	34	3	-
FEMALE--	3	7	7	14	24	57	108	141	150	76	24	-
ALL OTHER--MALE----	-	3	4	3	2	4	3	4	-	-	-	-
FEMALE--	2	1	2	2	5	3	5	3	2	1	1	-
BLACK---MALE----	-	3	3	2	2	4	3	3	-	-	-	-
FEMALE--	2	1	2	2	5	2	4	3	2	1	1	-
DELAWARE -----	4	1	9	12	23	27	42	35	39	23	2	-
WHITE-----MALE----	-	1	5	7	14	11	14	15	8	5	-	-
FEMALE--	3	-	3	2	7	11	25	17	29	18	1	-
ALL OTHER--MALE----	1	-	1	3	1	4	2	1	2	-	1	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
BLACK---MALE----	1	-	1	3	1	4	2	1	2	-	1	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
DISTRICT OF COLUMBIA -----	4	7	9	13	17	18	30	25	20	13	5	-
WHITE-----MALE----	-	-	-	-	3	-	5	6	4	2	-	-
FEMALE--	-	-	1	1	1	4	3	6	4	4	1	-
ALL OTHER--MALE----	3	7	7	6	6	7	13	6	5	2	1	-
FEMALE--	1	-	1	6	7	7	9	7	7	5	3	-
BLACK---MALE----	3	7	7	6	6	7	13	6	5	2	1	-
FEMALE--	1	-	1	6	6	7	8	7	7	5	3	-
FLORIDA -----	69	79	127	179	319	559	672	768	589	236	55	2
WHITE-----MALE----	32	39	67	83	181	301	305	313	197	81	13	-
FEMALE--	20	18	34	66	110	214	319	404	370	150	35	-
ALL OTHER--MALE----	10	9	15	16	16	29	25	26	10	-	1	-
FEMALE--	7	13	11	14	12	15	23	25	12	5	6	2
BLACK---MALE----	9	8	15	15	15	28	25	25	10	-	1	-
FEMALE--	7	13	10	14	12	15	22	23	12	5	6	2
GEORGIA -----	50	50	79	108	212	314	389	404	256	92	27	-
WHITE-----MALE----	18	13	30	58	84	131	151	134	65	16	2	-
FEMALE--	7	19	20	24	70	116	175	201	153	62	17	-
ALL OTHER--MALE----	17	11	14	17	34	34	26	23	9	4	2	-
FEMALE--	8	7	15	9	24	33	37	46	29	10	6	-
BLACK---MALE----	17	11	14	15	31	34	26	23	9	4	2	-
FEMALE--	8	6	15	9	24	33	37	46	29	10	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,893

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
HAWAII -----	348	1	-	-	-	1	1	2	-	1	-	5
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	41	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	147	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	115	1	-	-	-	1	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	341	2	-	1	1	1	-	-	-	2	4	1
WHITE-----MALE----	149	1	-	1	1	1	-	-	-	-	3	1
FEMALE--	187	1	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,738	26	14	3	2	5	6	9	14	28	30	47
WHITE-----MALE----	1,473	6	8	1	-	2	2	2	2	15	13	14
FEMALE--	1,750	6	2	2	-	2	2	2	4	3	5	9
ALL OTHER--MALE----	280	6	3	-	1	1	-	3	8	7	7	15
FEMALE--	235	8	1	-	1	-	2	2	-	3	5	9
BLACK---MALE----	262	6	3	-	1	1	-	3	8	7	7	15
FEMALE--	220	8	1	-	1	-	2	2	-	3	5	9
INDIANA -----	1,753	12	9	-	-	1	4	3	3	8	16	16
WHITE-----MALE----	730	5	1	-	-	-	1	1	2	2	10	11
FEMALE--	938	4	5	-	-	1	1	-	1	4	6	3
ALL OTHER--MALE----	39	-	1	-	-	-	2	-	-	2	-	1
FEMALE--	46	3	2	-	-	-	-	2	-	-	-	1
BLACK---MALE----	39	-	1	-	-	-	2	-	-	2	-	1
FEMALE--	45	3	2	-	-	-	-	2	-	-	-	1
IOWA -----	1,195	-	3	-	1	1	1	2	4	6	6	7
WHITE-----MALE----	509	-	-	-	-	1	-	1	2	2	3	5
FEMALE--	669	-	2	-	1	-	-	1	2	4	3	2
ALL OTHER--MALE----	11	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	958	4	1	-	1	2	1	-	-	6	5	6
WHITE-----MALE----	414	1	1	-	-	1	-	-	-	3	3	4
FEMALE--	507	1	-	-	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	20	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	17	1	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	19	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	1	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,893

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
HAWAII -----	6	4	7	25	32	43	75	66	55	20	4	-
WHITE-----MALE----	1	1	-	5	5	7	12	7	4	1	-	-
FEMALE--	-	1	1	2	3	5	7	8	9	3	-	-
ALL OTHER--MALE----	1	1	5	10	15	17	35	27	25	7	1	-
FEMALE--	4	1	1	8	9	14	21	24	17	9	3	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO -----	3	3	10	11	18	39	57	84	75	25	4	-
WHITE-----MALE----	2	1	7	5	10	24	30	31	22	7	2	-
FEMALE--	1	2	2	6	7	15	27	52	53	17	2	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	49	64	121	167	259	472	660	803	618	276	65	-
WHITE-----MALE----	23	31	54	82	137	214	290	297	198	69	13	-
FEMALE--	9	14	40	41	81	180	299	443	377	185	44	-
ALL OTHER--MALE----	14	14	20	25	23	50	39	23	17	2	2	-
FEMALE--	3	5	7	19	18	28	32	40	26	20	6	-
BLACK---MALE----	13	13	19	22	22	47	33	23	15	2	2	-
FEMALE--	3	5	6	18	18	27	29	35	24	18	6	-
INDIANA -----	21	31	44	74	139	236	356	372	263	112	33	-
WHITE-----MALE----	9	15	15	38	71	123	165	154	78	25	4	-
FEMALE--	9	10	25	31	59	103	177	207	178	85	29	-
ALL OTHER--MALE----	1	3	2	2	6	4	8	6	1	-	-	-
FEMALE--	2	3	2	3	3	6	6	5	6	2	-	-
BLACK---MALE----	1	3	2	2	6	4	8	6	1	-	-	-
FEMALE--	2	3	2	3	3	6	5	5	6	2	-	-
IOWA -----	9	15	30	33	80	143	204	253	249	108	40	-
WHITE-----MALE----	5	9	21	22	42	87	108	104	74	17	6	-
FEMALE--	4	6	8	9	37	53	95	144	175	91	32	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	4	-	-	1	-
FEMALE--	-	-	1	1	-	1	-	1	-	-	1	-
BLACK---MALE----	-	-	-	1	1	2	1	2	-	-	1	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	1	-
KANSAS -----	10	4	17	27	65	107	168	220	199	91	24	-
WHITE-----MALE----	2	2	7	18	34	60	90	90	63	30	5	-
FEMALE--	6	2	9	7	28	39	75	128	131	59	18	-
ALL OTHER--MALE----	1	-	1	1	2	4	2	2	1	2	1	-
FEMALE--	1	-	-	1	1	4	1	-	4	-	-	-
BLACK---MALE----	1	-	-	1	2	4	2	2	1	2	1	-
FEMALE--	1	-	-	-	-	3	1	-	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,894

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
KENTUCKY -----	1,335	4	3	4	-	1	2	-	2	5	14	14
WHITE-----MALE----	553	2	2	2	-	1	-	-	1	2	4	4
FEMALE--	701	-	-	1	-	-	2	-	-	1	9	5
ALL OTHER--MALE----	32	1	-	-	-	-	-	-	-	2	1	3
FEMALE--	49	1	1	1	-	-	-	-	1	-	-	2
BLACK---MALE----	32	1	-	-	-	-	-	-	-	2	1	3
FEMALE--	48	1	1	1	-	-	-	-	1	-	-	2
LOUISIANA -----	1,105	10	2	1	1	3	4	5	7	8	12	11
WHITE-----MALE----	370	3	-	-	-	2	1	2	2	2	3	2
FEMALE--	444	1	-	-	-	1	-	-	2	1	3	2
ALL OTHER--MALE----	150	3	2	1	1	-	1	3	2	2	4	3
FEMALE--	141	3	-	-	-	-	2	-	1	3	2	4
BLACK---MALE----	147	3	2	1	1	-	1	2	2	2	4	3
FEMALE--	139	3	-	-	-	-	2	-	1	3	2	4
MAINE -----	418	-	-	-	-	-	-	2	1	2	-	3
WHITE-----MALE----	173	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	245	-	-	-	-	-	-	2	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,445	5	1	1	-	2	5	4	6	18	19	25
WHITE-----MALE----	499	2	-	1	-	-	-	3	3	2	7	11
FEMALE--	647	-	-	-	-	2	1	-	-	2	1	3
ALL OTHER--MALE----	152	2	-	-	-	-	3	1	-	11	5	8
FEMALE--	147	1	1	-	-	-	1	-	3	3	6	3
BLACK---MALE----	141	2	-	-	-	-	3	1	-	11	5	8
FEMALE--	139	1	1	-	-	-	1	-	3	3	6	3
MASSACHUSETTS -----	2,658	3	6	-	-	4	-	4	9	15	14	17
WHITE-----MALE----	1,086	1	2	-	-	2	-	3	6	7	7	4
FEMALE--	1,489	2	3	-	-	-	-	1	1	5	5	8
ALL OTHER--MALE----	42	-	1	-	-	-	-	-	1	2	2	4
FEMALE--	41	-	-	-	-	2	-	-	1	1	-	1
BLACK---MALE----	34	-	-	-	-	-	-	-	1	2	2	4
FEMALE--	30	-	-	-	-	2	-	-	1	1	-	1
MICHIGAN -----	2,812	9	-	5	4	6	4	8	11	23	33	44
WHITE-----MALE----	1,175	2	-	1	2	3	2	2	4	10	7	16
FEMALE--	1,247	1	-	3	1	2	1	2	2	6	5	9
ALL OTHER--MALE----	197	4	-	-	1	1	1	2	2	4	15	10
FEMALE--	193	2	-	1	-	-	-	2	3	3	6	9
BLACK---MALE----	183	3	-	-	1	1	1	2	2	4	14	10
FEMALE--	183	2	-	1	-	-	-	1	3	3	5	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,894

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
PNEUMONIA (480-486)												
KENTUCKY -----	13	24	27	65	114	160	283	271	221	87	21	-
WHITE-----MALE----	7	13	20	38	64	76	119	109	64	23	2	-
FEMALE--	5	8	6	21	43	73	148	151	151	61	16	-
ALL OTHER--MALE----	1	2	-	4	-	5	4	4	4	1	-	-
FEMALE--	-	1	1	2	7	6	12	7	2	2	3	-
BLACK---MALE----	1	2	-	4	-	5	4	4	4	1	-	-
FEMALE--	-	1	1	2	6	6	12	7	2	2	3	-
LOUISIANA -----	24	25	47	67	93	123	191	219	170	55	27	-
WHITE-----MALE----	11	9	12	31	40	42	72	61	52	17	6	-
FEMALE--	3	8	18	16	31	41	81	112	86	26	12	-
ALL OTHER--MALE----	8	5	12	11	15	17	23	20	13	2	2	-
FEMALE--	2	3	5	9	7	23	15	26	19	10	7	-
BLACK---MALE----	8	5	12	11	14	17	23	19	13	2	2	-
FEMALE--	2	2	5	9	7	23	15	25	19	10	7	-
MAINE -----	7	4	5	15	27	42	73	93	102	33	9	-
WHITE-----MALE----	3	3	3	10	14	18	36	42	30	8	2	-
FEMALE--	4	1	2	5	13	24	37	51	72	25	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	27	43	78	127	192	266	277	203	93	26	-
WHITE-----MALE----	10	8	15	29	54	84	99	99	49	19	4	-
FEMALE--	7	9	13	21	49	72	124	148	119	57	19	-
ALL OTHER--MALE----	8	7	9	20	14	18	16	8	14	6	2	-
FEMALE--	2	3	6	8	10	18	27	22	21	11	1	-
BLACK---MALE----	6	7	9	19	12	16	14	8	13	6	1	-
FEMALE--	2	3	6	7	10	17	24	20	20	11	1	-
MASSACHUSETTS -----	32	37	45	75	168	315	489	614	510	223	78	-
WHITE-----MALE----	21	18	27	45	92	170	239	230	154	46	12	-
FEMALE--	9	18	15	24	67	135	241	370	349	171	65	-
ALL OTHER--MALE----	1	1	2	1	5	5	4	9	3	-	1	-
FEMALE--	1	-	1	5	4	5	5	5	4	6	-	-
BLACK---MALE----	1	1	1	-	4	4	4	7	2	-	1	-
FEMALE--	1	-	1	5	2	2	5	2	2	5	-	-
MICHIGAN -----	54	55	81	132	257	390	500	544	411	181	60	-
WHITE-----MALE----	22	22	32	76	137	197	232	213	134	51	10	-
FEMALE--	17	17	27	31	80	149	212	283	248	113	38	-
ALL OTHER--MALE----	10	10	13	12	23	26	28	18	11	3	3	-
FEMALE--	5	6	9	13	17	18	28	30	18	14	9	-
BLACK---MALE----	9	9	12	10	20	24	27	18	10	3	3	-
FEMALE--	5	6	8	12	17	16	27	27	18	14	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,895

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
MINNESOTA -----	1,290	6	1	1	-	-	-	1	4	5	7	6
WHITE-----MALE----	547	2	-	-	-	-	-	-	-	3	4	5
FEMALE--	715	2	1	-	-	-	1	1	3	1	3	1
ALL OTHER--MALE----	14	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	7	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	1	-	-	-	-	1	-	-	-
MISSISSIPPI -----	1,031	15	4	-	3	3	4	1	6	6	8	25
WHITE-----MALE----	348	3	1	-	1	-	1	-	2	-	3	6
FEMALE--	399	2	1	-	1	-	1	-	1	2	2	2
ALL OTHER--MALE----	138	4	1	-	-	2	-	-	2	2	1	12
FEMALE--	146	6	1	-	1	1	2	1	1	2	2	5
BLACK---MALE----	138	4	1	-	-	2	-	-	2	2	1	12
FEMALE--	146	6	1	-	1	1	2	1	1	2	2	5
MISSOURI -----	2,219	5	3	3	1	1	6	3	9	9	17	22
WHITE-----MALE----	870	3	-	1	-	1	2	1	3	5	8	7
FEMALE--	1,186	1	1	1	1	-	4	-	4	2	4	10
ALL OTHER--MALE----	86	-	2	1	-	-	-	1	-	1	2	3
FEMALE--	77	1	-	-	-	-	-	1	2	1	3	2
BLACK---MALE----	80	-	2	1	-	-	-	1	-	1	2	3
FEMALE--	74	1	-	-	-	-	-	1	2	1	3	2
MONTANA -----	299	-	1	1	-	1	-	-	2	-	1	3
WHITE-----MALE----	131	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	156	-	-	-	-	1	-	-	2	-	-	1
ALL OTHER--MALE----	6	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	557	3	1	-	1	-	-	1	-	4	4	5
WHITE-----MALE----	242	1	-	-	-	-	-	1	-	2	3	3
FEMALE--	302	2	1	-	1	-	-	-	-	2	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	411	9	1	-	-	-	3	1	7	8	10	13
WHITE-----MALE----	210	3	-	-	-	-	-	1	5	5	3	9
FEMALE--	171	3	1	-	-	-	1	-	2	1	6	3
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	15	3	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	12	3	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,895

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
MINNESOTA -----	9	16	20	33	53	119	229	303	297	136	44	-
WHITE-----MALE----	5	11	13	22	28	77	111	127	95	31	13	-
FEMALE--	4	2	7	10	23	39	110	174	201	103	30	-
ALL OTHER--MALE----	-	1	-	-	1	3	5	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	3	1	1	2	1	-
BLACK---MALE----	-	-	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	1	-	1	-	-
MISSISSIPPI -----	18	27	38	50	79	131	183	200	152	60	18	-
WHITE-----MALE----	2	13	22	22	31	59	70	67	28	16	1	-
FEMALE--	7	7	6	12	36	44	70	88	90	21	6	-
ALL OTHER--MALE----	6	3	5	11	7	16	18	19	13	9	7	-
FEMALE--	3	4	5	5	5	12	25	26	21	14	4	-
BLACK---MALE----	6	3	5	11	7	16	18	19	13	9	7	-
FEMALE--	3	4	5	5	5	12	25	26	21	14	4	-
MISSOURI -----	18	30	65	103	172	266	420	465	390	174	37	-
WHITE-----MALE----	8	12	34	58	84	136	198	157	105	35	12	-
FEMALE--	5	14	20	29	71	114	203	284	267	127	24	-
ALL OTHER--MALE----	3	3	10	12	10	10	10	9	5	4	-	-
FEMALE--	2	1	1	4	7	6	9	15	13	8	1	-
BLACK---MALE----	3	3	10	10	9	10	10	7	5	3	-	-
FEMALE--	2	1	-	4	7	5	9	14	13	8	1	-
MONTANA -----	3	1	7	11	27	30	60	63	57	27	4	-
WHITE-----MALE----	3	-	3	6	13	20	31	26	24	2	-	-
FEMALE--	-	-	3	4	11	10	27	35	33	25	4	-
ALL OTHER--MALE----	-	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	9	6	27	30	56	95	118	108	66	19	-
WHITE-----MALE----	1	5	4	18	16	26	49	54	38	17	4	-
FEMALE--	1	3	1	6	14	28	46	62	70	48	15	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	1	1	3	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	3	-	1	-	1	-	1	-	-
NEVADA -----	10	11	18	18	45	57	73	70	36	15	4	2
WHITE-----MALE----	4	5	11	11	30	33	34	31	15	6	2	2
FEMALE--	5	5	6	7	13	20	34	35	18	9	2	-
ALL OTHER--MALE----	1	1	-	-	1	3	3	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	2	3	2	-	-	-
BLACK---MALE----	-	1	-	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,897

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
OHIO -----	3,417	13	5	-	2	4	3	5	13	20	24	23
WHITE-----MALE----	1,401	9	-	-	1	2	1	2	9	13	10	9
FEMALE--	1,757	2	3	-	1	2	2	2	1	3	7	9
ALL OTHER--MALE----	125	-	-	-	-	-	-	-	3	3	2	3
FEMALE--	134	2	2	-	-	-	-	1	-	1	5	2
BLACK---MALE----	121	-	-	-	-	-	-	-	3	3	2	3
FEMALE--	130	2	2	-	-	-	-	1	-	1	5	2
OKLAHOMA -----	1,295	6	1	-	-	2	2	1	3	8	8	16
WHITE-----MALE----	526	3	-	-	-	1	-	1	-	2	6	5
FEMALE--	656	1	-	-	-	1	-	-	-	3	2	5
ALL OTHER--MALE----	54	1	-	-	-	-	1	-	2	1	-	3
FEMALE--	59	1	1	-	-	-	1	-	1	2	-	3
BLACK---MALE----	27	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	32	1	1	-	-	-	1	-	-	1	-	3
OREGON -----	900	4	1	-	-	1	1	2	2	4	7	6
WHITE-----MALE----	374	2	-	-	-	-	-	2	1	3	3	3
FEMALE--	511	1	1	-	-	-	1	-	-	1	4	3
ALL OTHER--MALE----	10	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,354	11	5	4	2	4	4	14	13	20	45	40
WHITE-----MALE----	1,841	8	2	-	-	1	1	7	5	9	22	15
FEMALE--	2,191	1	1	3	1	2	2	5	4	7	13	7
ALL OTHER--MALE----	163	2	-	1	-	-	-	1	2	3	6	15
FEMALE--	159	-	2	-	1	1	1	1	2	1	4	3
BLACK---MALE----	150	2	-	1	-	-	-	1	2	2	6	13
FEMALE--	157	-	2	-	1	1	1	1	2	1	4	3
RHODE ISLAND -----	324	2	2	1	2	1	-	-	-	1	2	2
WHITE-----MALE----	125	1	-	-	1	1	-	-	-	1	-	2
FEMALE--	194	1	1	1	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	958	5	2	1	1	2	-	3	4	9	11	24
WHITE-----MALE----	316	1	1	-	1	-	-	1	2	2	4	8
FEMALE--	398	-	-	-	-	1	-	-	1	2	3	3
ALL OTHER--MALE----	125	3	1	-	-	1	-	1	1	3	2	7
FEMALE--	119	1	-	1	-	-	-	1	-	2	2	6
BLACK---MALE----	125	3	1	-	-	1	-	1	1	3	2	7
FEMALE--	119	1	-	1	-	-	-	1	-	2	2	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,897

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
PNEUMONIA (480-486)												
OHIO -----	35	53	90	133	299	494	669	722	502	246	62	-
WHITE-----MALE----	15	26	45	79	144	229	302	268	166	59	12	-
FEMALE--	14	19	30	42	124	222	329	417	312	171	45	-
ALL OTHER--MALE----	4	5	8	5	20	23	25	14	6	2	2	-
FEMALE--	2	3	7	7	11	20	13	23	18	14	3	-
BLACK---MALE----	4	4	8	5	19	23	23	14	6	2	2	-
FEMALE--	2	3	7	6	11	19	12	22	18	14	3	-
OKLAHOMA -----	18	19	32	58	101	146	270	306	195	79	24	-
WHITE-----MALE----	7	10	16	32	50	79	122	111	64	15	2	-
FEMALE--	9	6	12	18	41	58	129	173	118	60	20	-
ALL OTHER--MALE----	1	1	1	5	8	6	11	7	4	1	1	-
FEMALE--	1	2	3	3	2	3	8	15	9	3	1	-
BLACK---MALE----	-	1	-	3	4	5	4	5	2	-	1	-
FEMALE--	1	1	1	2	1	2	3	8	3	2	1	-
OREGON -----	9	11	20	32	63	100	185	188	154	92	18	-
WHITE-----MALE----	2	6	12	16	33	48	92	73	49	27	2	-
FEMALE--	6	4	8	14	28	50	93	112	104	65	16	-
ALL OTHER--MALE----	-	-	-	2	-	2	-	3	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	56	53	107	208	333	611	855	955	690	263	61	-
WHITE-----MALE----	34	22	58	108	171	306	410	361	227	61	13	-
FEMALE--	14	17	36	81	122	262	397	549	436	187	44	-
ALL OTHER--MALE----	6	8	7	12	22	23	24	16	10	4	1	-
FEMALE--	2	6	6	7	18	20	24	29	17	11	3	-
BLACK---MALE----	5	6	7	12	21	22	22	16	9	2	1	-
FEMALE--	2	6	6	7	16	20	24	29	17	11	3	-
RHODE ISLAND -----	1	3	6	12	21	32	60	77	62	29	8	-
WHITE-----MALE----	-	-	2	6	11	15	30	30	17	7	1	-
FEMALE--	1	3	4	6	10	16	30	47	45	21	6	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	19	29	41	54	97	129	167	176	121	45	18	-
WHITE-----MALE----	9	12	13	20	46	46	57	52	28	11	2	-
FEMALE--	4	5	8	19	27	54	76	91	71	26	7	-
ALL OTHER--MALE----	5	10	12	10	11	16	12	17	6	5	2	-
FEMALE--	1	2	8	5	13	13	22	16	16	3	7	-
BLACK---MALE----	5	10	12	10	11	16	12	17	6	5	2	-
FEMALE--	1	2	8	5	13	13	22	16	16	3	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,898

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
SOUTH DAKOTA -----	263	4	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	119	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	128	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	3	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
TENNESSEE -----	2,034	2	3	2	3	2	3	6	7	13	18	28
WHITE-----MALE----	730	-	-	1	-	1	2	2	5	5	7	9
FEMALE--	1,015	1	2	-	2	-	1	1	1	4	4	9
ALL OTHER--MALE----	143	1	-	1	-	1	-	2	-	3	6	7
FEMALE--	146	-	1	-	1	-	-	1	1	1	1	3
BLACK---MALE----	141	1	-	1	-	1	-	2	-	3	6	7
FEMALE--	144	-	1	-	1	-	-	1	1	1	1	3
TEXAS -----	4,594	29	13	8	5	8	16	19	30	46	58	82
WHITE-----MALE----	1,768	12	6	4	1	3	6	11	11	20	25	38
FEMALE--	2,316	9	5	4	3	2	6	4	8	13	19	21
ALL OTHER--MALE----	271	4	1	-	-	1	2	2	9	8	9	17
FEMALE--	239	4	1	-	1	2	2	2	2	5	5	6
BLACK---MALE----	258	4	1	-	-	1	1	2	9	8	8	16
FEMALE--	231	4	1	-	1	2	2	2	2	4	5	5
UTAH -----	526	3	1	-	-	-	1	2	8	7	7	5
WHITE-----MALE----	236	2	-	-	-	-	1	1	6	3	4	2
FEMALE--	285	1	1	-	-	-	-	1	1	3	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	193	1	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	88	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	105	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,028	15	5	2	3	1	2	3	11	15	12	19
WHITE-----MALE----	740	8	1	1	2	-	1	-	2	4	6	9
FEMALE--	939	1	3	-	1	1	1	2	2	5	1	5
ALL OTHER--MALE----	171	2	1	1	-	-	-	-	4	5	3	2
FEMALE--	178	4	-	-	-	-	-	1	3	1	2	3
BLACK---MALE----	168	2	1	1	-	-	-	-	4	5	3	2
FEMALE--	175	4	-	-	-	-	-	1	3	1	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,898

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
SOUTH DAKOTA -----	1	1	4	8	13	14	39	63	68	33	10	-
WHITE-----MALE----	-	1	2	3	12	8	20	36	25	9	2	-
FEMALE--	-	-	1	3	-	6	18	26	41	24	8	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	29	47	61	95	181	279	401	411	300	108	35	-
WHITE-----MALE----	14	14	21	41	83	123	164	131	76	27	4	-
FEMALE--	10	16	17	37	73	123	190	235	200	68	21	-
ALL OTHER--MALE----	2	12	12	9	10	20	23	18	9	5	2	-
FEMALE--	3	5	11	8	15	13	24	27	15	8	8	-
BLACK---MALE----	2	12	12	9	9	20	22	18	9	5	2	-
FEMALE--	3	5	10	8	15	13	24	27	15	8	7	-
TEXAS -----	81	87	142	211	371	574	805	937	672	314	86	-
WHITE-----MALE----	43	32	66	87	203	261	331	315	207	72	14	-
FEMALE--	26	37	49	89	128	252	408	544	416	212	61	-
ALL OTHER--MALE----	9	11	15	21	26	31	30	38	20	13	4	-
FEMALE--	3	7	12	14	14	30	36	40	29	17	7	-
BLACK---MALE----	8	11	14	20	26	30	29	35	20	12	3	-
FEMALE--	3	6	12	14	13	28	35	39	29	17	7	-
UTAH -----	8	5	9	19	31	66	115	114	76	41	8	-
WHITE-----MALE----	4	3	5	10	21	31	54	45	26	16	2	-
FEMALE--	4	2	4	9	10	35	61	68	50	25	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	3	1	7	13	19	33	43	46	18	3	-
WHITE-----MALE----	1	1	1	4	8	12	14	20	17	6	1	-
FEMALE--	-	2	-	3	5	7	19	23	29	12	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	39	44	106	159	298	405	392	292	141	38	-
WHITE-----MALE----	8	18	18	53	67	128	163	131	92	20	8	-
FEMALE--	9	9	11	28	60	112	177	212	171	104	24	-
ALL OTHER--MALE----	8	5	7	15	16	30	28	20	15	7	2	-
FEMALE--	1	7	8	10	16	28	37	29	14	10	4	-
BLACK---MALE----	8	4	7	15	16	30	27	19	15	7	2	-
FEMALE--	1	7	8	9	16	28	36	29	14	10	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,909

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
0 UNITED STATES --	5,724	51	30	6	9	15	14	39	61	115	172	160
WHITE-----MALE----	2,450	25	9	4	6	10	6	10	23	47	67	77
FEMALE--	2,345	10	11	-	1	2	3	12	16	36	49	33
ALL OTHER--MALE----	494	9	6	-	1	1	2	5	13	18	34	29
FEMALE--	435	7	4	2	1	2	3	12	9	14	22	21
BLACK---MALE----	424	9	5	-	1	1	2	4	11	15	27	26
FEMALE--	365	5	3	2	1	1	2	10	9	13	21	19
ALABAMA -----	81	-	-	-	-	-	-	-	2	1	1	3
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	25	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	7	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	88	1	-	-	-	-	1	1	1	3	2	3
WHITE-----MALE----	39	1	-	-	-	-	1	-	1	-	1	2
FEMALE--	35	-	-	-	-	-	-	1	-	3	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	53	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	912	9	6	1	2	4	3	8	8	16	29	20
WHITE-----MALE----	397	4	3	1	2	2	1	4	4	9	17	11
FEMALE--	399	4	1	-	-	1	1	2	3	5	8	5
ALL OTHER--MALE----	48	-	1	-	-	-	-	1	1	1	1	-
FEMALE--	68	1	1	-	-	1	1	1	-	1	3	4
BLACK---MALE----	26	-	1	-	-	-	-	1	-	-	1	-
FEMALE--	32	-	-	-	-	-	-	1	-	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,909

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
0 UNITED STATES --	215	185	277	305	534	744	931	957	588	257	58	1
WHITE-----MALE----	103	83	126	141	264	354	443	385	188	73	6	-
FEMALE--	53	61	83	103	177	290	388	481	340	157	39	-
ALL OTHER--MALE----	36	31	44	41	43	54	52	45	19	6	5	-
FEMALE--	23	10	24	20	50	46	48	46	41	21	8	1
BLACK---MALE----	30	29	39	38	38	47	42	35	16	4	5	-
FEMALE--	17	8	19	17	44	37	41	32	37	18	8	1
ALABAMA -----	4	4	5	3	9	11	15	9	11	2	1	-
WHITE-----MALE----	2	2	3	2	5	3	10	7	1	-	-	-
FEMALE--	-	1	1	1	2	4	5	1	7	1	1	-
ALL OTHER--MALE----	2	1	1	-	-	4	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	2	1	-	-
BLACK---MALE----	2	1	1	-	-	4	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	2	1	-	-
ALASKA -----	2	-	-	2	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	-	3	1	10	11	8	27	7	3	-	-
WHITE-----MALE----	2	-	1	1	8	2	6	10	3	-	-	-
FEMALE--	1	-	1	-	2	7	2	11	4	3	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	4	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	2	4	9	8	7	7	9	2	-	-
WHITE-----MALE----	1	-	-	2	4	5	3	3	4	-	-	-
FEMALE--	-	1	2	2	3	1	3	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
CALIFORNIA -----	32	26	39	43	81	116	153	162	97	43	14	-
WHITE-----MALE----	19	14	20	24	35	50	64	67	35	10	1	-
FEMALE--	10	8	12	14	29	49	75	76	58	25	13	-
ALL OTHER--MALE----	-	2	2	2	7	9	7	8	3	3	-	-
FEMALE--	3	2	5	3	10	8	7	11	1	5	-	-
BLACK---MALE----	-	2	1	1	5	5	2	5	1	1	-	-
FEMALE--	2	2	2	3	6	1	2	5	-	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,910

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
COLORADO -----	61	1	-	-	-	-	-	1	1	2	3	3
WHITE-----MALE----	29	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	29	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	58	-	-	-	-	-	1	2	-	-	-	3
WHITE-----MALE----	28	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	26	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	20	1	-	1	-	-	-	-	-	1	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
FLORIDA -----	393	2	-	1	-	1	-	3	3	3	15	7
WHITE-----MALE----	187	1	-	1	-	1	-	-	1	1	7	6
FEMALE--	155	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	1	1	3	-
FEMALE--	23	1	-	-	-	-	-	2	1	1	1	-
BLACK---MALE----	27	-	-	-	-	-	-	1	1	1	3	-
FEMALE--	23	1	-	-	-	-	-	2	1	1	1	-
GEORGIA -----	111	1	-	-	-	-	2	1	1	2	8	3
WHITE-----MALE----	39	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	22	-	-	-	-	-	2	-	1	1	3	1
FEMALE--	13	-	-	-	-	-	-	1	-	1	2	1
BLACK---MALE----	22	-	-	-	-	-	2	-	1	1	3	1
FEMALE--	13	-	-	-	-	-	-	1	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,910

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	4	4	3	5	3	5	11	11	1	1	-
WHITE-----MALE----	2	2	-	1	-	2	3	6	5	-	1	-
FEMALE--	-	2	2	2	5	1	2	5	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	3	2	5	6	12	10	10	2	-	-
WHITE-----MALE----	1	-	2	-	3	4	6	5	3	-	-	-
FEMALE--	-	1	-	1	2	2	4	5	7	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	-	3	2	4	3	1	1	-	-
WHITE-----MALE----	-	-	1	-	2	2	2	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	1	1	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	13	14	22	27	31	64	55	63	43	23	2	1
WHITE-----MALE----	7	9	12	11	18	33	29	26	17	7	-	-
FEMALE--	3	2	8	8	9	26	19	33	24	16	2	-
ALL OTHER--MALE----	1	2	2	5	2	3	3	3	1	-	-	-
FEMALE--	2	1	-	3	2	2	4	1	1	-	-	1
BLACK---MALE----	1	2	2	4	2	3	3	3	1	-	-	-
FEMALE--	2	1	-	3	2	2	4	1	1	-	-	1
GEORGIA -----	6	7	6	5	11	16	13	16	4	6	3	-
WHITE-----MALE----	2	2	4	4	3	5	5	6	2	1	1	-
FEMALE--	-	2	1	-	3	8	7	8	1	5	1	-
ALL OTHER--MALE----	2	2	-	1	3	2	1	2	-	-	1	-
FEMALE--	2	1	1	-	2	1	-	-	1	-	-	-
BLACK---MALE----	2	2	-	1	3	2	1	2	-	-	1	-
FEMALE--	2	1	1	-	2	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,911

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
HAWAII -----	1	-	2	1	2	3	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	1	-	3	3	7	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	3	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7	5	13	13	17	20	22	30	18	4	1	-
WHITE-----MALE----	5	3	6	7	9	8	15	15	6	3	-	-
FEMALE--	1	-	3	3	5	8	4	15	10	1	1	-
ALL OTHER--MALE----	1	2	4	1	1	4	3	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	-	-	2	-	-	-
BLACK---MALE----	1	2	4	1	1	4	3	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	2	-	-	-
INDIANA -----	5	3	7	1	9	13	15	23	10	4	-	-
WHITE-----MALE----	2	1	3	1	4	10	7	10	1	1	-	-
FEMALE--	2	1	3	-	5	3	8	13	8	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	1	-	-	-
IOWA -----	2	3	3	2	4	6	8	11	3	2	2	-
WHITE-----MALE----	-	-	3	1	3	3	6	5	-	2	-	-
FEMALE--	2	3	-	1	1	3	2	6	3	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	3	2	5	9	12	9	7	2	-	-
WHITE-----MALE----	-	-	1	1	2	6	7	4	2	1	-	-
FEMALE--	1	-	2	1	2	3	5	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT A PG 1,912

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
KENTUCKY -----	57	-	1	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	29	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	51	-	1	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	23	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	68	-	-	-	-	-	1	-	-	4	2	4
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
MASSACHUSETTS -----	101	-	1	-	-	3	-	-	1	-	1	1
WHITE-----MALE----	47	-	1	-	-	2	-	-	-	-	-	1
FEMALE--	49	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	152	2	-	-	1	1	-	1	3	4	6	6
WHITE-----MALE----	57	1	-	-	-	1	-	-	-	1	-	1
FEMALE--	53	-	-	-	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	19	1	-	-	1	-	-	-	-	-	4	1
FEMALE--	23	-	-	-	-	-	-	-	2	2	1	3
BLACK---MALE----	18	1	-	-	1	-	-	-	-	-	4	1
FEMALE--	21	-	-	-	-	-	-	-	2	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1997 PLT B PG 1,912

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
KENTUCKY -----	3	-	3	4	7	8	11	7	6	1	-	-
WHITE-----MALE----	2	-	2	2	2	3	7	4	2	1	-	-
FEMALE--	-	-	1	1	4	4	4	2	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	1	-	-	-
LOUISIANA -----	1	2	3	2	12	4	7	8	6	2	1	-
WHITE-----MALE----	-	1	2	-	3	2	5	4	2	-	-	-
FEMALE--	-	1	-	2	5	1	1	2	3	1	1	-
ALL OTHER--MALE----	1	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	2	1	1	-	-
BLACK---MALE----	1	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	2	1	1	-	-
MAINE -----	2	1	1	1	1	-	9	4	1	1	-	-
WHITE-----MALE----	1	1	1	1	1	-	6	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	3	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	3	3	3	8	12	10	9	5	-	1	-
WHITE-----MALE----	1	-	-	-	4	4	3	2	-	-	-	-
FEMALE--	-	2	-	2	2	5	5	6	4	-	-	-
ALL OTHER--MALE----	2	1	2	1	1	-	1	1	1	-	1	-
FEMALE--	-	-	1	-	1	3	1	-	-	-	-	-
BLACK---MALE----	2	1	2	1	1	-	1	1	1	-	1	-
FEMALE--	-	-	1	-	1	3	1	-	-	-	-	-
MASSACHUSETTS -----	3	3	5	3	10	13	20	16	17	3	1	-
WHITE-----MALE----	3	-	3	-	5	7	13	4	7	1	-	-
FEMALE--	-	2	1	3	4	6	7	12	10	1	1	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	5	7	9	6	17	25	21	19	13	4	2	-
WHITE-----MALE----	1	4	6	2	6	15	11	4	3	1	-	-
FEMALE--	2	1	3	1	8	6	5	12	8	2	-	-
ALL OTHER--MALE----	-	1	-	3	1	3	3	1	-	-	-	-
FEMALE--	2	1	-	-	2	1	2	2	2	1	2	-
BLACK---MALE----	-	1	-	3	1	2	3	1	-	-	-	-
FEMALE--	2	1	-	-	2	1	2	-	2	1	2	-

