

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,915

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
OHIO -----	204	2	-	1	-	-	-	-	5	5	10	10
WHITE-----MALE----	95	1	-	1	-	-	-	-	3	2	4	4
FEMALE--	88	1	-	-	-	-	-	-	1	1	4	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	2	2	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	2	2	1
OKLAHOMA -----	93	2	-	-	-	-	1	1	2	2	2	2
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	41	-	-	-	-	-	1	1	2	1	-	1
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	81	-	-	-	-	-	-	-	1	1	3	4
WHITE-----MALE----	46	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	198	-	-	1	1	-	-	2	4	3	8	2
WHITE-----MALE----	95	-	-	-	-	-	-	2	1	1	3	2
FEMALE--	83	-	-	1	1	-	-	-	2	1	3	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	21	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	137	2	2	-	1	1	-	1	2	3	4	3
WHITE-----MALE----	56	1	1	-	-	-	-	-	1	-	1	1
FEMALE--	47	1	-	-	-	1	-	1	-	2	-	-
ALL OTHER--MALE----	21	-	-	-	1	-	-	-	-	-	2	1
FEMALE--	13	-	1	-	-	-	-	-	1	1	1	1
BLACK---MALE----	21	-	-	-	1	-	-	-	-	-	2	1
FEMALE--	13	-	1	-	-	-	-	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,915

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
OHIO -----	9	4	8	20	18	32	32	23	22	1	2	-
WHITE-----MALE----	3	1	3	9	12	17	16	11	8	-	-	-
FEMALE--	6	1	4	7	5	15	12	12	13	-	2	-
ALL OTHER--MALE----	-	1	1	4	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	1	1	-	-
BLACK---MALE----	-	1	1	4	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	1	1	-	-
OKLAHOMA -----	2	6	2	6	11	6	16	14	14	3	1	-
WHITE-----MALE----	1	4	2	3	7	3	3	7	5	-	1	-
FEMALE--	-	2	-	2	2	1	11	7	8	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
OREGON -----	1	2	4	2	7	10	15	13	12	5	1	-
WHITE-----MALE----	1	1	2	1	5	4	10	8	6	1	-	-
FEMALE--	-	1	2	1	2	6	5	5	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	7	5	17	19	28	33	36	23	5	-	-
WHITE-----MALE----	1	4	4	8	13	17	14	19	6	-	-	-
FEMALE--	2	1	1	5	3	8	16	17	17	5	-	-
ALL OTHER--MALE----	1	2	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	2	2	-	-	-	-	-
BLACK---MALE----	1	2	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	2	2	-	-	-	-	-
RHODE ISLAND -----	-	-	-	2	1	1	6	5	3	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	3	3	1	-	-	-
FEMALE--	-	-	-	1	1	1	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	2	11	9	13	16	24	25	8	5	1	-
WHITE-----MALE----	1	-	4	7	7	8	13	8	1	1	1	-
FEMALE--	1	1	2	1	3	7	7	13	4	3	-	-
ALL OTHER--MALE----	1	1	2	1	3	-	3	3	3	-	-	-
FEMALE--	1	-	3	-	-	1	1	1	-	1	-	-
BLACK---MALE----	1	1	2	1	3	-	3	3	3	-	-	-
FEMALE--	1	-	3	-	-	1	1	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,916

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
SOUTH DAKOTA -----	8	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	173	2	2	-	-	-	-	-	-	6	2	5
WHITE-----MALE----	80	1	1	-	-	-	-	-	-	3	1	1
FEMALE--	67	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	14	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	12	1	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	14	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	12	1	-	-	-	-	-	-	-	2	-	-
TEXAS -----	340	9	4	-	-	-	1	4	7	14	18	11
WHITE-----MALE----	150	4	-	-	-	-	-	-	5	7	10	6
FEMALE--	146	3	2	-	-	-	1	1	1	4	3	3
ALL OTHER--MALE----	26	1	-	-	-	-	-	3	-	2	5	1
FEMALE--	18	1	2	-	-	-	-	-	1	1	-	1
BLACK---MALE----	26	1	-	-	-	-	-	3	-	2	5	1
FEMALE--	18	1	2	-	-	-	-	-	1	1	-	1
UTAH -----	26	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	15	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	83	-	-	-	-	-	-	1	1	1	4	1
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,916

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
SOUTH DAKOTA -----	-	1	-	-	-	1	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	6	8	10	22	30	26	26	20	7	-	-
WHITE-----MALE----	1	4	2	4	7	19	15	14	6	1	-	-
FEMALE--	-	1	5	2	12	8	9	11	11	4	-	-
ALL OTHER--MALE----	-	1	-	2	2	2	1	1	2	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	1	2	-	-
BLACK---MALE----	-	1	-	2	2	2	1	1	2	-	-	-
FEMALE--	-	-	1	2	1	1	1	-	1	2	-	-
TEXAS -----	15	9	16	15	26	34	50	54	33	17	3	-
WHITE-----MALE----	6	2	13	8	14	18	20	19	14	4	-	-
FEMALE--	5	6	-	7	10	14	23	30	18	12	3	-
ALL OTHER--MALE----	1	1	3	-	1	1	3	3	-	1	-	-
FEMALE--	3	-	-	-	1	1	4	2	1	-	-	-
BLACK---MALE----	1	1	3	-	1	1	3	3	-	1	-	-
FEMALE--	3	-	-	-	1	1	4	2	1	-	-	-
UTAH -----	-	-	1	3	4	4	5	3	2	1	-	-
WHITE-----MALE----	-	-	-	1	2	2	4	3	-	1	-	-
FEMALE--	-	-	1	2	2	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	1	2	-	1	1	1	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	3	6	5	8	10	12	13	8	2	1	-
WHITE-----MALE----	4	1	3	3	2	7	6	5	5	2	1	-
FEMALE--	2	-	2	1	3	2	4	8	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	2	1	-	2	1	2	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	2	1	-	2	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,918

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
UNITED STATES --	3,500	122	31	11	8	11	15	22	46	68	106	128
WHITE-----MALE----	1,333	33	14	1	3	7	8	8	18	28	51	59
FEMALE--	1,655	28	5	4	2	1	1	8	13	18	25	37
ALL OTHER--MALE----	285	35	5	4	2	1	1	5	7	13	20	24
FEMALE--	227	26	7	2	1	2	5	1	8	9	10	8
BLACK---MALE----	255	31	5	4	2	-	1	4	7	12	18	24
FEMALE--	193	25	6	2	1	2	5	1	7	8	8	8
ALABAMA -----	23	1	1	-	-	-	1	-	1	1	1	3
WHITE-----MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	1	-	3
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	1	-	3
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	66	4	1	-	-	-	-	-	1	3	3	7
WHITE-----MALE----	34	2	1	-	-	-	-	-	-	1	3	6
FEMALE--	29	1	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	28	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	542	11	3	2	-	-	1	3	7	16	12	28
WHITE-----MALE----	214	4	1	-	-	-	1	2	4	8	8	13
FEMALE--	259	4	1	1	-	-	-	1	3	5	2	10
ALL OTHER--MALE----	40	3	-	1	-	-	-	-	-	1	2	3
FEMALE--	29	-	1	-	-	-	-	-	-	2	-	2
BLACK---MALE----	30	1	-	1	-	-	-	-	-	-	2	3
FEMALE--	12	-	1	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,918

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
UNITED STATES --	105	104	95	136	246	346	507	599	485	239	67	3
WHITE-----MALE----	42	48	43	68	120	164	204	220	139	44	11	-
FEMALE--	33	31	33	41	86	149	256	337	314	181	52	-
ALL OTHER--MALE----	20	17	12	20	25	18	23	17	11	3	-	2
FEMALE--	10	8	7	7	15	15	24	25	21	11	4	1
BLACK---MALE----	19	17	11	18	21	16	21	11	9	2	-	2
FEMALE--	9	5	6	6	11	10	19	24	17	9	3	1
ALABAMA -----	-	1	-	1	2	2	1	1	5	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	2	1	-	-
FEMALE--	-	-	-	1	1	1	-	1	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	1	1	1	2	10	6	12	6	2	2	-
WHITE-----MALE----	2	-	-	-	1	5	3	5	3	2	-	-
FEMALE--	2	1	1	1	1	5	3	5	3	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	1	4	7	6	3	-	3	-	-
WHITE-----MALE----	-	-	-	1	1	5	3	2	-	-	-	-
FEMALE--	1	-	-	-	3	-	1	1	-	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	19	20	19	25	43	61	79	79	73	30	10	1
WHITE-----MALE----	6	6	8	11	16	28	32	29	26	10	1	-
FEMALE--	8	10	10	9	17	26	35	49	43	17	8	-
ALL OTHER--MALE----	4	2	1	5	5	4	6	1	1	1	-	-
FEMALE--	1	2	-	-	5	3	6	-	3	2	1	1
BLACK---MALE----	3	2	1	4	4	3	6	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	2	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,919

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
COLORADO -----	26	1	2	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	15	1	1	-	-	-	-	-	-	1	2	-
FEMALE--	10	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	28	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	14	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	233	10	3	-	-	-	-	1	6	4	4	13
WHITE-----MALE----	102	3	1	-	-	-	-	1	4	1	1	7
FEMALE--	101	1	1	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	16	2	1	-	-	-	-	-	-	3	1	3
FEMALE--	14	4	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	16	2	1	-	-	-	-	-	-	3	1	3
FEMALE--	11	3	-	-	-	-	-	-	1	-	-	1
GEORGIA -----	64	5	-	1	1	-	1	1	1	-	4	4
WHITE-----MALE----	22	-	-	-	-	-	1	-	-	-	3	1
FEMALE--	22	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	2	-	-	-	-	-	1	-	-	-	2
FEMALE--	7	2	-	1	1	-	-	-	1	-	1	1
BLACK---MALE----	12	2	-	-	-	-	-	1	-	-	-	2
FEMALE--	7	2	-	1	1	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,921

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
KENTUCKY -----	36	-	-	-	-	-	1	1	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	46	1	1	1	1	-	1	-	1	1	1	3
WHITE-----MALE----	15	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	1	1	-	1	-	-	-	-	-	1	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	9	1	1	-	1	-	-	-	-	-	1	-
FEMALE--	8	-	-	1	-	-	-	-	-	-	-	-
MAINE -----	11	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	52	-	-	-	-	-	-	-	-	1	2	5
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	103	1	-	-	-	-	1	-	1	1	5	1
WHITE-----MALE----	35	1	-	-	-	-	1	-	-	-	2	-
FEMALE--	66	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	87	3	1	-	-	1	-	-	1	3	1	6
WHITE-----MALE----	33	-	1	-	-	1	-	-	-	2	1	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	2	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,921

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
KENTUCKY -----	2	1	-	4	3	-	7	5	8	2	1	-
WHITE-----MALE----	-	1	-	2	2	-	2	2	1	-	-	-
FEMALE--	2	-	-	2	1	-	5	3	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	-	2	4	2	5	10	8	-	2	-
WHITE-----MALE----	1	1	-	1	1	1	1	2	2	-	-	-
FEMALE--	-	-	-	-	-	1	2	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	2	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	1	-	2	-
BLACK---MALE----	-	-	-	-	2	-	-	2	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	1	-	2	-
MAINE -----	-	-	1	-	1	1	2	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	2	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	5	5	4	8	6	10	3	1	1
WHITE-----MALE----	-	-	-	2	4	2	5	2	2	1	-	-
FEMALE--	-	-	-	1	-	2	3	3	7	2	1	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	4	1	1	-	4	7	17	25	24	9	1	-
WHITE-----MALE----	3	1	1	-	1	2	7	9	7	-	-	-
FEMALE--	1	-	-	-	3	5	10	15	17	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	3	1	3	9	3	14	11	11	4	3	-
WHITE-----MALE----	3	2	-	2	3	1	4	5	4	1	1	-
FEMALE--	1	-	1	1	5	1	8	6	6	3	2	-
ALL OTHER--MALE----	3	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	3	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,924

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
OHIO -----	112	3	-	-	-	-	-	-	3	-	4	3
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	57	2	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	2	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	1	-	-	-	-	-	-	2	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	29	1	-	1	-	-	-	-	-	-	1	1
WHITE-----MALE----	12	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	21	-	-	-	1	-	-	-	-	-	-	2
WHITE-----MALE----	11	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	122	4	1	2	-	1	-	2	2	3	4	4
WHITE-----MALE----	56	-	1	-	-	1	-	1	1	3	3	3
FEMALE--	54	2	-	1	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	8	1	-	1	-	-	-	-	-	-	-	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	1	-	1	-	-	-	-	-	-	-	1
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	13	1	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	22	2	1	-	-	-	1	1	1	2	1	-
WHITE-----MALE----	6	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,924
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
OHIO -----	3	2	4	6	7	21	15	20	17	2	2	-
WHITE-----MALE----	2	1	3	3	2	12	6	7	4	-	-	-
FEMALE--	1	1	1	3	3	8	8	13	12	2	2	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	1	-	4	3	4	7	4	1	1	-
WHITE-----MALE----	-	-	1	-	3	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	6	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	1	2	2	3	4	4	1	-	-
WHITE-----MALE----	-	1	-	-	2	1	2	2	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	7	1	5	9	13	23	22	8	5	3	-
WHITE-----MALE----	1	5	-	2	7	7	10	7	3	-	1	-
FEMALE--	1	1	1	1	1	6	13	14	5	3	2	-
ALL OTHER--MALE----	1	1	-	2	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	1	1	-	2	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
RHODE ISLAND -----	-	-	1	1	2	2	-	-	2	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	1	2	-	3	1	1	-	1	-	-
WHITE-----MALE----	1	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,925

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	65	2	-	1	-	-	-	-	-	1	3	2
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	8	2	-	1	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	2	-	1	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	229	12	4	2	2	3	1	-	1	7	7	8
WHITE-----MALE----	95	5	2	1	1	2	-	-	-	3	5	2
FEMALE--	107	4	-	-	1	1	-	-	1	3	1	5
ALL OTHER--MALE----	10	2	-	1	-	-	-	-	-	-	1	-
FEMALE--	17	1	2	-	-	-	1	-	-	1	-	1
BLACK---MALE----	9	2	-	1	-	-	-	-	-	-	1	-
FEMALE--	16	1	2	-	-	-	1	-	-	1	-	1
UTAH -----	7	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	12	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	41	-	-	-	1	-	1	1	1	2	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	22	-	-	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,925

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
SOUTH DAKOTA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	4	6	10	13	10	6	4	1	-
WHITE-----MALE----	1	1	-	2	6	5	6	4	-	-	1	-
FEMALE--	-	-	-	1	-	4	5	5	6	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
TEXAS -----	5	4	4	13	13	26	27	37	29	20	4	-
WHITE-----MALE----	4	4	2	8	7	14	14	14	4	2	1	-
FEMALE--	-	-	1	4	4	10	11	20	22	16	3	-
ALL OTHER--MALE----	1	-	1	-	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	3	2	2	-	-
BLACK---MALE----	1	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	3	2	2	-	-
UTAH -----	-	-	-	-	-	-	2	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	-	1	1	1	-	4	-	1	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	2	-	1	2	6	12	7	3	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	4	3	-	-	-
FEMALE--	-	-	1	-	-	1	4	6	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,927

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
UNITED STATES --	80,187	170	63	41	28	51	108	122	234	328	554	655
WHITE-----MALE----	31,128	57	17	13	15	16	40	48	86	113	202	276
FEMALE--	40,421	41	25	19	9	11	31	30	55	98	161	185
ALL OTHER--MALE----	4,325	39	9	3	2	12	15	21	59	70	109	117
FEMALE--	4,313	33	12	6	2	12	22	23	34	47	82	77
BLACK---MALE----	3,473	31	9	3	2	9	12	18	50	67	104	107
FEMALE--	3,537	23	10	4	2	10	17	22	30	42	74	70
ALABAMA -----	1,394	2	5	-	-	1	1	5	4	8	11	13
WHITE-----MALE----	485	-	3	-	-	-	-	1	1	-	3	7
FEMALE--	627	-	-	-	-	-	1	-	1	2	3	3
ALL OTHER--MALE----	138	1	1	-	-	1	-	2	2	4	3	2
FEMALE--	144	1	1	-	-	-	-	2	-	2	2	1
BLACK---MALE----	137	1	1	-	-	1	-	2	2	4	3	2
FEMALE--	143	1	1	-	-	-	-	2	-	2	2	1
ALASKA -----	44	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,257	15	3	1	-	3	4	3	9	4	14	6
WHITE-----MALE----	550	6	1	-	-	1	1	-	2	2	5	3
FEMALE--	615	5	2	1	-	1	2	1	3	1	7	2
ALL OTHER--MALE----	49	1	-	-	-	1	-	1	3	1	1	1
FEMALE--	43	3	-	-	-	-	1	1	1	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	972	2	-	1	-	-	2	2	4	8	11	12
WHITE-----MALE----	386	1	-	-	-	-	-	1	-	3	4	4
FEMALE--	485	-	-	1	-	-	1	-	3	1	4	6
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	1	4	2	1
FEMALE--	49	1	-	-	-	-	1	1	-	-	1	1
BLACK---MALE----	50	-	-	-	-	-	-	-	1	3	2	1
FEMALE--	47	1	-	-	-	-	1	1	-	-	1	1
CALIFORNIA -----	11,645	15	5	2	4	7	10	8	13	21	50	71
WHITE-----MALE----	4,436	8	1	1	3	3	3	5	3	10	20	35
FEMALE--	5,775	2	3	1	1	1	2	3	6	5	16	21
ALL OTHER--MALE----	726	2	-	-	-	2	4	-	4	3	11	7
FEMALE--	708	3	1	-	-	1	1	-	-	3	3	8
BLACK---MALE----	337	-	-	-	-	1	2	-	1	3	9	6
FEMALE--	360	1	1	-	-	-	-	-	-	1	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,927
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
UNITED STATES --	907	1,226	1,919	3,250	6,255	10,384	15,275	17,377	13,664	6,005	1,569	2
WHITE-----MALE----	406	580	877	1,547	3,099	4,881	6,638	6,437	4,135	1,369	275	1
FEMALE--	274	375	637	1,147	2,313	4,300	7,215	9,582	8,599	4,185	1,129	-
ALL OTHER--MALE----	144	169	254	348	501	669	687	562	359	133	42	1
FEMALE--	83	102	151	208	342	534	735	796	571	318	123	-
BLACK---MALE----	130	149	234	294	407	540	531	402	246	97	30	1
FEMALE--	75	87	132	175	282	429	602	616	481	260	94	-
ALABAMA -----	24	26	29	66	114	189	265	297	212	96	26	-
WHITE-----MALE----	9	8	11	32	48	84	100	103	56	17	2	-
FEMALE--	5	6	4	20	39	66	120	153	127	60	17	-
ALL OTHER--MALE----	2	7	9	8	16	23	23	20	8	2	4	-
FEMALE--	8	5	5	6	11	16	22	21	21	17	3	-
BLACK---MALE----	2	7	9	8	15	23	23	20	8	2	4	-
FEMALE--	8	5	5	6	11	16	22	21	20	17	3	-
ALASKA -----	1	1	3	3	4	4	9	10	6	-	1	-
WHITE-----MALE----	1	1	1	1	2	1	1	4	-	-	-	-
FEMALE--	-	-	2	-	-	2	4	2	3	-	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	3	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	4	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	17	15	37	57	107	177	256	254	177	77	21	-
WHITE-----MALE----	8	5	18	37	60	98	123	105	53	18	4	-
FEMALE--	7	5	13	14	40	73	117	135	114	58	14	-
ALL OTHER--MALE----	2	2	2	3	7	3	8	6	6	-	1	-
FEMALE--	-	3	4	3	-	3	8	8	4	1	2	-
BLACK---MALE----	-	1	2	1	1	-	5	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	1	2	-	-	-
ARKANSAS -----	18	16	26	46	56	135	194	220	151	58	10	-
WHITE-----MALE----	9	9	15	26	27	60	82	89	37	17	2	-
FEMALE--	7	5	8	18	22	63	90	118	99	32	7	-
ALL OTHER--MALE----	1	1	2	2	4	8	10	5	6	4	1	-
FEMALE--	1	1	1	-	3	4	12	8	9	5	-	-
BLACK---MALE----	1	1	2	2	4	8	9	5	6	4	1	-
FEMALE--	1	1	1	-	3	4	10	8	9	5	-	-
CALIFORNIA -----	80	154	237	436	932	1,536	2,404	2,558	1,998	887	216	1
WHITE-----MALE----	46	77	101	204	409	668	1,025	965	580	225	43	1
FEMALE--	18	53	81	155	366	640	1,106	1,330	1,235	588	142	-
ALL OTHER--MALE----	10	10	32	42	91	132	149	114	85	22	6	-
FEMALE--	6	14	23	35	66	96	124	149	98	52	25	-
BLACK---MALE----	8	9	19	24	42	66	73	38	29	7	-	-
FEMALE--	5	7	18	22	40	40	60	66	52	28	12	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,928

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
COLORADO -----	916	1	-	-	1	-	1	-	-	2	13	12
WHITE-----MALE----	352	1	-	-	-	-	-	-	-	2	6	6
FEMALE--	533	-	-	-	-	-	1	-	-	-	4	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	15	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	9	-	-	-	1	-	-	-	-	-	-	1
CONNECTICUT -----	1,118	2	1	1	-	-	1	-	1	5	2	8
WHITE-----MALE----	462	1	-	-	-	-	-	-	1	2	1	3
FEMALE--	606	1	-	1	-	-	-	-	-	1	-	5
ALL OTHER--MALE----	23	-	1	-	-	-	1	-	-	1	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	20	-	1	-	-	-	1	-	-	1	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	226	-	-	1	-	-	-	-	-	-	4	2
WHITE-----MALE----	102	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	98	-	-	1	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	174	-	1	-	-	-	-	1	1	-	4	3
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	52	-	-	-	-	-	-	1	1	-	1	2
FEMALE--	73	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	52	-	-	-	-	-	-	1	1	-	1	2
FEMALE--	73	-	-	-	-	-	-	-	-	-	3	-
FLORIDA -----	3,399	8	-	2	-	2	8	6	18	21	29	35
WHITE-----MALE----	1,498	2	-	-	-	-	3	3	4	5	11	13
FEMALE--	1,602	3	-	1	-	-	2	3	5	6	6	8
ALL OTHER--MALE----	160	2	-	1	-	1	1	-	7	5	6	6
FEMALE--	139	1	-	-	-	1	2	-	2	5	6	8
BLACK---MALE----	156	2	-	1	-	1	1	-	7	5	6	6
FEMALE--	133	1	-	-	-	1	2	-	2	5	6	8
GEORGIA -----	2,088	11	1	2	2	1	6	9	11	16	36	31
WHITE-----MALE----	725	3	-	1	1	-	2	4	3	6	6	8
FEMALE--	919	2	1	-	1	-	2	-	3	4	3	4
ALL OTHER--MALE----	219	2	-	1	-	-	-	-	3	3	12	9
FEMALE--	225	4	-	-	-	1	2	5	2	3	15	10
BLACK---MALE----	217	2	-	1	-	-	-	-	3	3	12	9
FEMALE--	218	3	-	-	-	1	2	5	1	3	14	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,928

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
COLORADO -----	9	8	29	36	64	102	178	194	166	75	25	-
WHITE-----MALE----	4	3	15	20	34	48	69	67	52	21	4	-
FEMALE--	4	5	13	13	27	50	104	125	112	51	20	-
ALL OTHER--MALE----	1	-	-	2	3	2	1	1	2	-	-	-
FEMALE--	-	-	1	1	-	2	4	1	-	3	1	-
BLACK---MALE----	-	-	-	1	3	2	-	1	2	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	2	-	-
CONNECTICUT -----	7	8	16	37	65	151	223	270	202	84	34	-
WHITE-----MALE----	6	5	8	18	34	72	108	105	71	18	9	-
FEMALE--	1	3	4	13	27	74	108	150	129	64	25	-
ALL OTHER--MALE----	-	-	1	3	4	1	3	5	1	1	-	-
FEMALE--	-	-	3	3	-	4	4	10	1	1	-	-
BLACK---MALE----	-	-	1	3	3	1	3	3	1	1	-	-
FEMALE--	-	-	3	3	-	4	4	10	1	1	-	-
DELAWARE -----	4	3	9	15	15	28	50	40	34	19	2	-
WHITE-----MALE----	2	1	5	9	6	14	26	22	11	3	-	-
FEMALE--	-	1	3	6	5	6	20	17	20	15	2	-
ALL OTHER--MALE----	2	1	-	-	2	4	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	4	3	1	3	1	-	-
BLACK---MALE----	2	1	-	-	2	4	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	4	3	-	3	1	-	-
DISTRICT OF COLUMBIA ----	5	4	7	5	13	20	34	35	23	13	5	-
WHITE-----MALE----	1	-	1	1	1	3	5	3	3	-	1	-
FEMALE--	1	-	-	-	1	2	4	6	6	7	1	-
ALL OTHER--MALE----	2	1	5	2	10	6	8	8	2	2	1	-
FEMALE--	1	3	1	2	1	9	17	18	12	4	2	-
BLACK---MALE----	2	1	5	2	10	6	8	8	2	2	1	-
FEMALE--	1	3	1	2	1	9	17	18	12	4	2	-
FLORIDA -----	70	57	76	152	287	421	665	736	517	231	58	-
WHITE-----MALE----	30	40	37	74	142	218	322	314	198	66	16	-
FEMALE--	22	10	26	59	112	164	300	384	302	154	35	-
ALL OTHER--MALE----	9	4	10	12	21	21	20	24	6	3	1	-
FEMALE--	9	3	3	7	12	18	23	14	11	8	6	-
BLACK---MALE----	8	4	10	11	20	21	20	24	5	3	1	-
FEMALE--	9	3	3	6	11	17	22	14	11	7	5	-
GEORGIA -----	40	45	71	98	179	315	374	421	280	120	19	-
WHITE-----MALE----	16	19	30	46	90	133	144	117	68	23	5	-
FEMALE--	11	15	20	29	42	117	172	237	172	72	12	-
ALL OTHER--MALE----	11	7	19	16	25	35	28	26	14	8	-	-
FEMALE--	2	4	2	7	22	30	30	41	26	17	2	-
BLACK---MALE----	11	7	19	16	25	33	28	26	14	8	-	-
FEMALE--	2	4	2	7	22	27	30	41	26	17	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,929

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
HAWAII -----	7	9	3	16	29	49	52	69	59	33	8	-
WHITE-----MALE----	2	-	-	2	4	9	9	5	7	3	-	-
FEMALE--	1	-	-	3	2	4	5	9	8	4	-	-
ALL OTHER--MALE----	3	8	3	10	11	22	22	30	25	9	1	-
FEMALE--	1	1	-	1	12	14	16	25	19	17	7	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	3	1	5	13	14	32	68	87	53	25	6	-
WHITE-----MALE----	2	1	3	8	7	19	33	30	21	8	2	-
FEMALE--	1	-	2	5	7	13	34	57	32	17	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	58	61	78	157	276	423	631	731	610	267	69	-
WHITE-----MALE----	18	23	35	67	128	186	260	259	165	59	8	-
FEMALE--	19	10	19	47	102	174	311	418	391	192	53	-
ALL OTHER--MALE----	14	21	16	23	25	31	30	20	21	4	1	-
FEMALE--	7	7	8	20	21	32	30	34	33	12	7	-
BLACK---MALE----	14	20	16	22	24	27	28	15	19	3	1	-
FEMALE--	7	7	8	18	21	31	29	31	32	9	6	-
INDIANA -----	17	30	34	69	143	211	324	343	290	128	32	-
WHITE-----MALE----	3	19	20	44	75	95	157	139	95	30	6	-
FEMALE--	11	7	8	25	57	105	154	193	187	95	24	-
ALL OTHER--MALE----	2	2	3	-	8	6	4	1	4	1	-	-
FEMALE--	1	2	3	-	3	5	9	10	4	2	2	-
BLACK---MALE----	2	2	3	-	8	6	4	1	3	1	-	-
FEMALE--	1	2	3	-	3	5	8	10	4	2	2	-
IOWA -----	3	11	27	30	62	124	200	284	222	156	45	-
WHITE-----MALE----	2	4	15	18	34	73	102	120	76	39	3	-
FEMALE--	1	7	11	12	25	49	95	163	144	115	42	-
ALL OTHER--MALE----	-	-	1	-	3	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	2	-	-
BLACK---MALE----	-	-	1	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	2	-	-
KANSAS -----	7	13	14	24	52	102	148	227	171	96	27	-
WHITE-----MALE----	5	9	8	12	30	43	67	91	67	22	3	-
FEMALE--	1	4	4	10	21	54	78	134	102	73	23	-
ALL OTHER--MALE----	1	-	1	2	-	2	2	1	-	1	-	-
FEMALE--	-	-	1	-	1	3	1	1	2	-	1	-
BLACK---MALE----	1	-	1	-	-	2	2	1	-	1	-	-
FEMALE--	-	-	1	-	1	1	1	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,930

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
KENTUCKY -----	1,354	-	1	1	-	2	1	1	-	5	5	8
WHITE-----MALE----	523	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	764	-	1	1	-	-	1	1	-	2	2	-
ALL OTHER--MALE----	33	-	-	-	-	1	-	-	-	-	1	3
FEMALE--	34	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	33	-	-	-	-	1	-	-	-	-	1	3
FEMALE--	33	-	-	-	-	1	-	-	-	1	-	-
LOUISIANA -----	969	3	-	-	-	5	4	1	4	7	11	12
WHITE-----MALE----	298	1	-	-	-	2	-	1	1	1	5	2
FEMALE--	421	-	-	-	-	1	1	-	1	2	2	1
ALL OTHER--MALE----	121	1	-	-	-	1	1	-	1	1	1	8
FEMALE--	129	1	-	-	-	1	2	-	1	3	3	1
BLACK---MALE----	120	1	-	-	-	1	1	-	1	1	1	8
FEMALE--	128	1	-	-	-	1	2	-	1	3	3	1
MAINE -----	381	3	1	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	172	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	208	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,497	4	1	1	-	2	2	6	6	8	11	17
WHITE-----MALE----	555	1	1	1	-	-	1	1	1	1	4	4
FEMALE--	635	1	-	-	-	1	-	1	2	3	3	4
ALL OTHER--MALE----	165	2	-	-	-	1	1	2	1	2	4	6
FEMALE--	142	-	-	-	-	-	-	2	2	2	-	3
BLACK---MALE----	153	2	-	-	-	1	1	2	1	2	4	6
FEMALE--	135	-	-	-	-	-	-	2	2	2	-	3
MASSACHUSETTS -----	2,606	4	-	-	-	-	-	2	1	11	9	10
WHITE-----MALE----	1,027	1	-	-	-	-	-	1	1	5	4	7
FEMALE--	1,512	2	-	-	-	-	-	-	-	4	5	3
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	38	1	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	1	-	-	-	-	-	-	-	2	-	-
MICHIGAN -----	2,723	3	1	-	2	2	1	1	11	14	24	40
WHITE-----MALE----	1,067	1	-	-	1	1	1	-	2	3	5	12
FEMALE--	1,291	-	-	-	1	-	-	1	2	3	10	14
ALL OTHER--MALE----	194	1	1	-	-	-	-	-	6	3	9	9
FEMALE--	171	1	-	-	-	1	-	-	1	5	-	5
BLACK---MALE----	186	1	1	-	-	-	-	-	6	3	8	9
FEMALE--	168	1	-	-	-	1	-	-	1	5	-	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,930

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
KENTUCKY -----	10	27	37	60	129	190	243	286	225	101	22	-
WHITE-----MALE----	3	18	27	35	57	82	108	98	66	18	2	-
FEMALE--	6	8	9	23	62	99	125	179	152	76	17	-
ALL OTHER--MALE----	1	1	-	1	9	7	5	3	1	-	-	-
FEMALE--	-	-	1	1	1	2	5	6	6	7	3	-
BLACK---MALE----	1	1	-	1	9	7	5	3	1	-	-	-
FEMALE--	-	-	1	1	1	2	5	6	5	7	3	-
LOUISIANA -----	14	16	33	49	79	123	163	223	158	46	18	-
WHITE-----MALE----	7	8	11	17	32	43	56	57	37	14	3	-
FEMALE--	2	5	7	17	27	48	64	119	93	21	10	-
ALL OTHER--MALE----	4	2	8	8	10	17	19	21	14	3	1	-
FEMALE--	1	1	7	7	10	15	24	26	14	8	4	-
BLACK---MALE----	4	2	8	7	10	17	19	21	14	3	1	-
FEMALE--	1	1	6	7	10	15	24	26	14	8	4	-
MAINE -----	5	2	8	10	32	45	66	85	73	33	15	-
WHITE-----MALE----	3	1	4	7	22	23	37	38	22	8	3	-
FEMALE--	1	1	4	3	10	22	29	47	51	25	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	24	39	73	126	244	287	308	220	80	17	1
WHITE-----MALE----	3	11	20	28	57	116	115	104	70	15	1	-
FEMALE--	6	3	7	20	37	81	111	157	130	54	14	-
ALL OTHER--MALE----	6	7	8	18	19	28	29	21	5	3	1	1
FEMALE--	5	3	4	7	13	19	32	26	15	8	1	-
BLACK---MALE----	6	7	8	17	18	27	24	19	5	1	1	1
FEMALE--	5	3	4	6	13	18	29	24	15	8	1	-
MASSACHUSETTS -----	19	16	41	86	175	319	451	606	521	258	77	-
WHITE-----MALE----	10	8	26	44	99	170	214	219	160	44	14	-
FEMALE--	8	8	12	37	69	140	227	373	353	209	62	-
ALL OTHER--MALE----	1	-	1	2	5	6	3	6	2	1	1	-
FEMALE--	-	-	2	3	2	3	7	8	6	4	-	-
BLACK---MALE----	1	-	1	2	5	6	3	5	1	1	-	-
FEMALE--	-	-	2	3	2	2	4	3	4	2	-	-
MICHIGAN -----	29	51	75	118	243	370	526	536	438	200	38	-
WHITE-----MALE----	11	24	35	54	116	186	218	195	153	42	7	-
FEMALE--	9	11	19	36	90	140	237	291	263	137	27	-
ALL OTHER--MALE----	9	9	16	23	25	21	29	16	11	3	3	-
FEMALE--	-	7	5	5	12	23	42	34	11	18	1	-
BLACK---MALE----	9	9	16	22	25	20	25	16	10	3	3	-
FEMALE--	-	5	5	5	12	22	42	34	11	18	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,931

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
MINNESOTA -----	1,204	2	-	-	-	-	1	-	1	1	6	7
WHITE-----MALE----	468	-	-	-	-	-	1	-	-	-	2	6
FEMALE--	714	2	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	971	2	2	1	-	-	1	1	9	7	8	15
WHITE-----MALE----	308	-	-	-	-	-	1	-	1	2	1	4
FEMALE--	407	1	1	1	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	135	-	-	-	-	-	-	-	5	4	4	4
FEMALE--	121	1	1	-	-	-	-	1	2	-	2	4
BLACK---MALE----	133	-	-	-	-	-	-	-	4	4	4	4
FEMALE--	118	1	1	-	-	-	-	1	2	-	2	4
MISSOURI -----	2,125	2	2	1	-	2	1	3	4	8	13	9
WHITE-----MALE----	773	-	-	1	-	-	-	2	1	5	7	3
FEMALE--	1,201	1	2	-	-	-	1	-	2	3	5	5
ALL OTHER--MALE----	69	1	-	-	-	1	-	1	1	-	-	1
FEMALE--	82	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	67	1	-	-	-	1	-	1	1	-	-	1
FEMALE--	81	-	-	-	-	1	-	-	-	-	1	-
MONTANA -----	283	1	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	125	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	149	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	546	1	-	-	1	-	-	1	2	2	-	2
WHITE-----MALE----	218	1	-	-	1	-	-	-	2	-	-	1
FEMALE--	313	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	370	3	1	3	-	1	1	-	2	7	3	3
WHITE-----MALE----	181	1	1	1	-	-	1	-	1	4	2	1
FEMALE--	156	1	-	2	-	1	-	-	-	2	1	1
ALL OTHER--MALE----	22	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	15	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,931

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
MINNESOTA -----	12	8	16	26	67	120	204	296	270	132	35	-
WHITE-----MALE----	6	2	7	14	36	59	92	124	82	29	8	-
FEMALE--	4	6	8	11	27	57	109	170	186	102	27	-
ALL OTHER--MALE----	1	-	-	-	3	2	-	2	1	-	-	-
FEMALE--	1	-	1	1	1	2	3	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	1	1	-	1	2	-	1	1	-	-
MISSISSIPPI -----	17	30	35	47	82	122	148	212	146	71	15	-
WHITE-----MALE----	7	6	15	19	37	48	45	70	37	13	2	-
FEMALE--	4	9	9	11	17	52	65	104	77	43	7	-
ALL OTHER--MALE----	3	7	5	12	17	16	17	17	16	6	2	-
FEMALE--	3	8	6	5	11	6	21	21	16	9	4	-
BLACK---MALE----	3	7	5	12	17	16	16	17	16	6	2	-
FEMALE--	3	8	4	5	11	6	20	21	16	9	4	-
MISSOURI -----	20	33	50	89	152	221	393	484	412	170	56	-
WHITE-----MALE----	8	20	20	46	83	96	156	173	113	31	8	-
FEMALE--	7	10	21	31	57	102	212	290	277	131	44	-
ALL OTHER--MALE----	3	2	5	7	7	10	13	8	7	2	-	-
FEMALE--	2	1	4	5	5	13	12	13	15	6	4	-
BLACK---MALE----	3	2	5	6	6	10	13	8	7	2	-	-
FEMALE--	1	1	4	5	5	13	12	13	15	6	4	-
MONTANA -----	-	2	4	9	13	48	50	62	62	25	5	-
WHITE-----MALE----	-	2	1	6	4	30	26	26	22	5	1	-
FEMALE--	-	-	3	3	9	15	22	33	39	20	4	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	7	6	15	29	51	103	143	117	50	12	-
WHITE-----MALE----	2	3	3	11	17	25	47	53	35	14	3	-
FEMALE--	1	4	3	4	11	25	51	89	79	36	9	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	3	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	2	-	-	-
NEVADA -----	4	7	18	19	43	71	77	55	40	7	5	-
WHITE-----MALE----	2	4	9	11	21	32	38	30	18	4	-	-
FEMALE--	1	3	7	7	17	32	31	24	19	2	5	-
ALL OTHER--MALE----	1	-	2	1	3	4	5	1	3	-	-	-
FEMALE--	-	-	-	-	2	3	3	-	-	1	-	-
BLACK---MALE----	1	-	2	1	1	4	2	1	2	-	-	-
FEMALE--	-	-	-	-	1	2	3	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,932

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
NEW HAMPSHIRE -----	214	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	92	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	121	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	2,139	5	-	2	1	1	4	4	6	16	16	24
WHITE-----MALE----	843	3	-	-	-	-	1	1	3	3	6	9
FEMALE--	1,082	-	-	1	1	1	1	-	-	3	5	7
ALL OTHER--MALE----	100	1	-	-	-	-	1	-	2	8	3	6
FEMALE--	114	1	-	1	-	-	1	3	1	2	2	2
BLACK---MALE----	95	1	-	-	-	-	1	-	2	8	3	6
FEMALE--	105	1	-	1	-	-	1	3	1	2	2	2
NEW MEXICO -----	390	1	2	-	-	-	-	1	1	2	5	4
WHITE-----MALE----	156	-	-	-	-	-	-	1	-	-	4	2
FEMALE--	193	-	1	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	26	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	15	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK -----	5,103	9	4	2	1	3	5	9	12	18	32	55
WHITE-----MALE----	1,974	2	1	1	1	-	4	5	7	6	10	22
FEMALE--	2,590	2	2	1	-	2	-	4	2	7	10	19
ALL OTHER--MALE----	242	4	1	-	-	1	-	-	-	3	5	9
FEMALE--	297	1	-	-	-	-	1	-	3	2	7	5
BLACK---MALE----	201	3	1	-	-	-	-	-	-	3	5	9
FEMALE--	253	-	-	-	-	-	1	-	3	2	7	4
NORTH CAROLINA -----	2,434	2	3	3	1	4	4	3	14	8	19	19
WHITE-----MALE----	849	1	1	1	-	2	2	-	2	2	5	6
FEMALE--	1,112	-	-	1	-	-	1	1	1	-	6	6
ALL OTHER--MALE----	227	-	-	-	-	2	1	1	3	5	5	3
FEMALE--	246	1	2	1	1	-	-	1	8	1	3	4
BLACK---MALE----	222	-	-	-	-	2	1	1	3	5	5	2
FEMALE--	234	1	1	1	1	-	-	1	8	1	2	4
NORTH DAKOTA -----	213	-	-	1	-	-	-	-	2	-	2	1
WHITE-----MALE----	93	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	116	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,933

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
OHIO -----	3,388	9	3	3	2	-	5	3	8	14	28	23
WHITE-----MALE----	1,333	1	1	1	1	-	3	1	6	4	11	15
FEMALE--	1,796	4	-	2	1	-	1	2	1	7	11	6
ALL OTHER--MALE----	135	2	1	-	-	-	-	-	1	3	1	1
FEMALE--	124	2	1	-	-	-	1	-	-	-	5	1
BLACK---MALE----	131	2	1	-	-	-	-	-	1	3	1	1
FEMALE--	122	2	1	-	-	-	1	-	-	-	5	1
OKLAHOMA -----	1,209	1	-	-	-	1	-	1	4	8	7	16
WHITE-----MALE----	471	-	-	-	-	-	-	-	2	2	2	12
FEMALE--	636	-	-	-	-	-	-	1	2	4	3	2
ALL OTHER--MALE----	51	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	51	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	32	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	30	-	-	-	-	1	-	-	-	-	-	1
OREGON -----	889	-	-	-	-	-	1	2	1	5	5	7
WHITE-----MALE----	385	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	483	-	-	-	-	-	1	1	-	2	2	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,147	7	3	4	2	1	2	7	16	12	24	22
WHITE-----MALE----	1,677	3	1	2	1	1	-	3	11	5	6	8
FEMALE--	2,159	2	2	1	1	-	1	2	-	1	8	3
ALL OTHER--MALE----	142	1	-	1	-	-	1	2	2	4	4	6
FEMALE--	169	1	-	-	-	-	-	-	3	2	6	5
BLACK---MALE----	139	1	-	1	-	-	1	2	1	4	4	6
FEMALE--	164	-	-	-	-	-	-	-	3	2	5	5
RHODE ISLAND -----	344	1	-	-	-	-	-	1	1	1	-	4
WHITE-----MALE----	145	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	192	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	924	2	4	-	-	1	4	3	2	3	16	8
WHITE-----MALE----	317	-	-	-	-	-	1	1	-	2	4	2
FEMALE--	390	1	-	-	-	-	-	1	-	-	3	2
ALL OTHER--MALE----	103	1	2	-	-	-	1	-	1	1	3	2
FEMALE--	114	-	2	-	-	1	2	1	1	-	6	2
BLACK---MALE----	103	1	2	-	-	-	1	-	1	1	3	2
FEMALE--	112	-	2	-	-	1	2	1	1	-	6	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,933

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
OHIO -----	32	43	89	124	254	466	709	725	580	216	52	-
WHITE-----MALE----	21	19	37	48	137	217	313	258	175	55	9	-
FEMALE--	4	20	34	54	97	204	346	425	389	149	39	-
ALL OTHER--MALE----	3	1	13	12	12	29	31	18	5	2	-	-
FEMALE--	4	3	5	10	8	16	19	24	11	10	4	-
BLACK---MALE----	3	1	13	12	12	27	30	17	5	2	-	-
FEMALE--	4	3	5	9	8	16	19	24	10	10	4	-
OKLAHOMA -----	19	17	28	51	95	170	211	285	202	75	18	-
WHITE-----MALE----	11	9	19	18	55	66	92	107	63	13	-	-
FEMALE--	5	7	7	24	34	88	108	160	126	54	11	-
ALL OTHER--MALE----	3	-	-	3	4	10	9	7	3	5	2	-
FEMALE--	-	1	2	6	2	6	2	11	10	3	5	-
BLACK---MALE----	3	-	-	2	1	6	6	4	2	3	-	-
FEMALE--	-	1	1	4	-	4	1	3	8	1	5	-
OREGON -----	7	14	20	23	52	131	144	212	166	71	28	-
WHITE-----MALE----	3	9	9	8	24	67	77	90	66	21	3	-
FEMALE--	4	5	9	14	27	62	65	115	98	49	25	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	4	2	-	-	-
FEMALE--	-	-	1	1	-	1	1	3	-	1	-	-
BLACK---MALE----	-	-	1	-	1	1	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	1	-	-
PENNSYLVANIA -----	39	57	90	151	357	559	859	932	653	286	64	-
WHITE-----MALE----	18	28	45	76	181	262	382	359	202	68	15	-
FEMALE--	10	23	30	50	147	243	432	537	422	199	45	-
ALL OTHER--MALE----	4	3	8	18	14	23	21	15	10	4	1	-
FEMALE--	7	3	7	7	15	31	24	21	19	15	3	-
BLACK---MALE----	4	3	8	17	14	23	20	15	10	4	1	-
FEMALE--	7	3	7	7	14	30	23	21	19	15	3	-
RHODE ISLAND -----	4	8	4	8	22	31	77	78	67	23	14	-
WHITE-----MALE----	2	5	3	5	16	19	40	29	18	3	1	-
FEMALE--	1	3	-	2	6	12	37	48	48	20	13	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
SOUTH CAROLINA -----	15	17	34	41	88	137	143	177	152	58	19	-
WHITE-----MALE----	2	4	16	16	46	55	47	64	39	13	5	-
FEMALE--	5	5	5	12	24	46	55	92	98	34	7	-
ALL OTHER--MALE----	5	5	11	7	12	20	19	6	2	2	3	-
FEMALE--	3	3	2	6	6	16	22	15	13	9	4	-
BLACK---MALE----	5	5	11	7	12	20	19	6	2	2	3	-
FEMALE--	3	3	2	5	6	16	21	15	13	9	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,934

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
SOUTH DAKOTA -----	246	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	100	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	131	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,942	1	2	-	1	-	3	1	4	8	20	15
WHITE-----MALE----	718	-	-	-	-	-	1	-	-	3	9	10
FEMALE--	971	1	2	-	1	-	2	-	2	4	6	3
ALL OTHER--MALE----	115	-	-	-	-	-	-	1	1	-	3	1
FEMALE--	138	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	114	-	-	-	-	-	-	1	1	-	3	1
FEMALE--	136	-	-	-	-	-	-	-	1	1	2	1
TEXAS -----	3,966	19	4	2	3	3	10	10	16	23	36	51
WHITE-----MALE----	1,570	9	2	1	1	2	5	5	9	6	16	27
FEMALE--	1,965	2	1	1	1	1	2	1	3	11	8	10
ALL OTHER--MALE----	245	6	1	-	1	-	-	1	3	3	9	10
FEMALE--	186	2	-	-	-	-	3	3	1	3	3	4
BLACK---MALE----	226	6	1	-	1	-	-	1	3	3	9	10
FEMALE--	179	2	-	-	-	-	3	3	1	3	3	3
UTAH -----	445	1	-	-	1	-	1	2	-	2	4	2
WHITE-----MALE----	200	-	-	-	1	-	-	1	-	2	1	1
FEMALE--	230	1	-	-	-	-	1	1	-	-	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
VERMONT -----	206	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	80	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	125	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,899	3	-	2	-	1	3	4	9	5	9	12
WHITE-----MALE----	711	1	-	-	-	1	1	4	3	1	3	2
FEMALE--	884	1	-	1	-	-	1	-	1	2	1	3
ALL OTHER--MALE----	153	-	-	-	-	-	-	-	4	2	2	4
FEMALE--	151	1	-	1	-	-	1	-	1	-	3	3
BLACK---MALE----	143	-	-	-	-	-	-	-	4	2	2	3
FEMALE--	145	1	-	1	-	-	1	-	1	-	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,934

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
SOUTH DAKOTA -----	1	1	6	14	15	22	52	51	57	17	8	-
WHITE-----MALE----	-	-	3	7	9	12	23	21	19	4	2	-
FEMALE--	1	-	3	3	3	8	28	28	38	12	6	-
ALL OTHER--MALE----	-	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	1	1	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	29	42	54	92	160	265	362	421	315	129	18	-
WHITE-----MALE----	13	19	21	47	77	113	147	144	87	26	1	-
FEMALE--	11	11	23	32	64	116	171	224	198	86	14	-
ALL OTHER--MALE----	3	11	6	6	9	22	16	15	13	7	1	-
FEMALE--	2	1	4	7	10	14	28	38	17	10	2	-
BLACK---MALE----	3	10	6	6	9	22	16	15	13	7	1	-
FEMALE--	2	1	4	7	10	14	28	37	17	10	1	-
TEXAS -----	62	74	120	192	317	510	729	795	642	296	52	-
WHITE-----MALE----	31	38	50	94	166	257	313	274	185	70	9	-
FEMALE--	21	19	48	73	115	215	352	446	402	199	34	-
ALL OTHER--MALE----	7	14	19	18	22	23	28	38	26	12	4	-
FEMALE--	3	3	3	7	14	15	36	37	29	15	5	-
BLACK---MALE----	7	12	18	18	19	19	26	34	25	10	4	-
FEMALE--	3	3	3	7	13	13	33	37	29	15	5	-
UTAH -----	4	4	10	15	33	59	80	112	76	28	11	-
WHITE-----MALE----	1	4	5	7	20	29	39	45	29	10	5	-
FEMALE--	3	-	5	7	13	30	40	58	46	16	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	5	1	2	-	-
FEMALE--	-	-	-	1	-	-	1	4	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	2	8	9	20	44	54	39	18	7	-
WHITE-----MALE----	1	-	1	4	3	12	21	23	11	2	-	-
FEMALE--	1	1	1	3	6	8	23	31	28	16	7	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	34	44	98	173	244	397	381	305	123	40	-
WHITE-----MALE----	3	10	20	45	88	114	170	137	83	20	5	-
FEMALE--	4	13	14	35	55	93	171	188	181	90	30	-
ALL OTHER--MALE----	2	6	7	16	15	20	24	27	17	6	1	-
FEMALE--	3	5	3	2	15	17	32	29	24	7	4	-
BLACK---MALE----	2	6	7	15	15	19	23	24	15	5	1	-
FEMALE--	3	5	3	2	13	16	32	26	24	7	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,935

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
WASHINGTON -----	13	19	26	55	107	174	281	343	272	150	43	-
WHITE-----MALE----	5	9	12	29	61	96	136	134	95	35	9	-
FEMALE--	5	8	13	23	39	72	136	197	168	114	32	-
ALL OTHER--MALE----	2	2	1	3	5	3	3	7	6	1	-	-
FEMALE--	1	-	-	-	2	3	6	5	3	-	2	-
BLACK---MALE----	-	1	1	2	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	2	1	-	-	-
WEST VIRGINIA -----	7	12	19	26	57	87	117	138	89	31	13	-
WHITE-----MALE----	4	8	8	17	32	45	60	54	28	9	5	-
FEMALE--	2	3	9	8	23	38	56	82	59	22	8	-
ALL OTHER--MALE----	-	1	1	-	1	3	1	1	1	-	-	-
FEMALE--	1	-	1	1	1	1	-	1	1	-	-	-
BLACK---MALE----	-	1	1	-	1	3	1	1	1	-	-	-
FEMALE--	1	-	1	1	1	1	-	1	1	-	-	-
WISCONSIN -----	9	16	24	52	89	198	318	381	350	160	42	-
WHITE-----MALE----	6	9	14	26	56	108	157	153	120	42	8	-
FEMALE--	2	7	7	24	29	83	158	222	223	115	33	-
ALL OTHER--MALE----	1	-	-	2	1	4	2	4	1	1	-	-
FEMALE--	-	-	3	-	3	3	1	2	6	2	1	-
BLACK---MALE----	1	-	-	1	1	4	2	3	1	-	-	-
FEMALE--	-	-	2	-	1	2	1	-	5	1	1	-
WYOMING -----	-	1	5	3	9	12	22	29	31	13	1	-
WHITE-----MALE----	-	1	1	1	3	6	6	18	8	2	-	-
FEMALE--	-	-	4	2	6	5	16	11	23	10	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,936

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFLUENZA (487)												
UNITED STATES --	1,724	6	3	4	10	6	4	1	-	8	9	10
WHITE-----MALE----	560	1	1	1	5	1	2	-	-	2	2	5
FEMALE--	1,107	3	1	2	4	3	2	1	-	5	7	3
ALL OTHER--MALE----	24	1	1	-	-	1	-	-	-	1	-	1
FEMALE--	33	1	-	1	1	1	-	-	-	-	-	1
BLACK---MALE----	13	1	1	-	-	1	-	-	-	1	-	1
FEMALE--	20	-	-	1	-	1	-	-	-	-	-	-
ALABAMA -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	1	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	29	-	-	-	1	-	1	-	-	-	1	-
WHITE-----MALE----	16	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	213	1	-	-	3	1	-	1	-	4	2	1
WHITE-----MALE----	51	1	-	-	1	-	-	-	-	1	-	1
FEMALE--	147	-	-	-	1	-	-	1	-	3	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,936

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFLUENZA (487)												
UNITED STATES --	11	28	33	57	95	198	315	382	314	172	58	-
WHITE-----MALE----	7	10	13	24	44	93	127	119	72	24	7	-
FEMALE--	4	15	18	29	48	98	181	255	234	145	49	-
ALL OTHER--MALE----	-	1	1	1	2	3	3	4	2	2	-	-
FEMALE--	-	2	1	3	1	4	4	4	6	1	2	-
BLACK---MALE----	-	1	1	-	2	1	1	1	-	1	-	-
FEMALE--	-	1	-	3	-	3	2	2	5	1	1	-
ALABAMA -----	-	-	-	1	-	2	4	4	2	2	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	4	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	2	1	-	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	-	3	1	6	5	5	2	1	-
WHITE-----MALE----	1	-	1	-	2	-	2	3	2	2	1	-
FEMALE--	-	1	-	-	1	1	4	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	6	6	5	16	22	34	51	32	20	6	-
WHITE-----MALE----	2	2	4	1	5	6	8	14	2	2	1	-
FEMALE--	-	3	2	4	10	13	24	34	28	17	5	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	2	1	1	-	-
FEMALE--	-	1	-	-	1	2	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,939

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFLUENZA (487)												
KENTUCKY -----	-	-	-	-	1	2	2	1	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	3	1	2	4	4	1	-	-	-
WHITE-----MALE----	-	-	-	3	-	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	-	1	2	-	2	9	7	10	7	7	2	-
WHITE-----MALE----	-	1	-	-	2	6	1	2	1	1	-	-
FEMALE--	-	-	2	-	-	3	6	8	6	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	-	-	2	5	3	5	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	2	-	-	-
FEMALE--	-	1	-	-	-	1	4	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	-	-	-	1	1	2	9	8	10	5	1	-
WHITE-----MALE----	-	-	-	1	1	1	4	2	2	-	-	-
FEMALE--	-	-	-	-	-	1	5	6	7	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	-	-	5	6	11	23	31	19	8	4	-
WHITE-----MALE----	2	-	-	4	2	3	11	11	4	1	-	-
FEMALE--	-	-	-	1	4	8	12	20	15	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,945

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
UNITED STATES --	112,584	39	49	54	98	98	141	155	173	337	547	940
WHITE-----MALE----	52,172	14	16	12	29	30	49	44	43	109	177	340
FEMALE--	51,889	6	7	17	20	20	30	38	43	98	194	332
ALL OTHER--MALE----	4,846	10	17	14	33	26	44	43	46	60	82	127
FEMALE--	3,677	9	9	11	16	22	18	30	41	70	94	141
BLACK---MALE----	4,039	8	15	12	27	26	43	40	40	57	73	113
FEMALE--	3,166	8	9	11	14	21	15	28	35	69	87	131
ALABAMA -----	1,985	2	-	-	1	4	1	3	-	7	12	22
WHITE-----MALE----	950	-	-	-	-	1	-	-	-	-	6	8
FEMALE--	796	-	-	-	-	-	1	1	-	1	2	7
ALL OTHER--MALE----	157	-	-	-	1	2	-	1	-	5	3	3
FEMALE--	82	2	-	-	-	1	-	1	-	1	1	4
BLACK---MALE----	153	-	-	-	1	2	-	1	-	5	3	3
FEMALE--	81	2	-	-	-	1	-	1	-	1	1	4
ALASKA -----	112	-	-	-	-	1	-	-	-	-	-	4
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,401	1	2	2	1	1	1	1	3	6	8	21
WHITE-----MALE----	1,202	-	1	1	-	1	1	-	1	3	2	14
FEMALE--	1,142	-	1	1	-	-	-	-	-	2	6	6
ALL OTHER--MALE----	39	1	-	-	1	-	-	1	1	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	1,244	3	-	1	1	1	-	2	2	4	4	9
WHITE-----MALE----	588	-	-	1	1	-	-	1	2	1	1	2
FEMALE--	564	1	-	-	-	1	-	-	-	3	3	4
ALL OTHER--MALE----	65	2	-	-	-	-	-	-	-	-	-	3
FEMALE--	27	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	64	2	-	-	-	-	-	-	-	-	-	3
FEMALE--	22	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	12,341	5	5	3	25	10	4	22	29	45	71	115
WHITE-----MALE----	5,202	4	3	2	6	1	1	13	10	14	24	41
FEMALE--	5,954	1	1	-	5	3	-	4	7	18	24	40
ALL OTHER--MALE----	723	-	-	-	11	4	1	3	5	7	9	20
FEMALE--	462	-	1	1	3	2	2	2	7	6	14	14
BLACK---MALE----	379	-	-	-	6	4	1	2	3	6	7	14
FEMALE--	281	-	1	1	2	1	1	2	4	6	11	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,945

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
UNITED STATES --	1,888	3,512	6,650	12,120	18,982	22,622	21,096	14,438	6,513	1,817	308	7
WHITE-----MALE----	754	1,564	3,145	5,886	9,357	10,976	9,977	6,454	2,515	599	75	7
FEMALE--	805	1,478	2,841	5,255	8,293	10,220	10,059	7,212	3,619	1,097	205	-
ALL OTHER--MALE----	159	263	385	572	782	848	649	433	192	53	8	-
FEMALE--	170	207	279	407	550	578	411	339	187	68	20	-
BLACK---MALE----	143	233	325	486	662	701	522	333	135	40	5	-
FEMALE--	160	190	246	348	472	486	336	264	156	61	19	-
ALABAMA -----	34	62	143	252	356	395	329	215	118	22	7	-
WHITE-----MALE----	12	32	66	117	160	208	175	104	51	8	2	-
FEMALE--	15	24	58	105	152	149	132	84	51	11	3	-
ALL OTHER--MALE----	2	4	12	17	33	25	17	21	8	2	1	-
FEMALE--	5	2	7	13	11	13	5	6	8	1	1	-
BLACK---MALE----	2	4	10	16	32	25	17	21	8	2	1	-
FEMALE--	5	2	7	12	11	13	5	6	8	1	1	-
ALASKA -----	5	3	10	15	26	22	13	10	3	-	-	-
WHITE-----MALE----	2	1	2	6	8	7	4	4	1	-	-	-
FEMALE--	3	1	2	6	12	4	6	4	1	-	-	-
ALL OTHER--MALE----	-	1	4	2	1	6	1	1	1	-	-	-
FEMALE--	-	-	2	1	5	5	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	28	60	141	281	411	492	466	318	120	31	6	-
WHITE-----MALE----	10	32	81	139	213	249	221	171	49	10	3	-
FEMALE--	15	24	56	134	195	235	234	142	68	21	2	-
ALL OTHER--MALE----	2	2	2	5	2	6	8	2	3	-	1	-
FEMALE--	1	2	2	3	1	2	3	3	-	-	-	-
BLACK---MALE----	2	1	2	3	1	3	4	1	1	-	-	-
FEMALE--	1	2	2	3	1	1	-	2	-	-	-	-
ARKANSAS -----	22	59	79	147	231	250	201	153	60	13	2	-
WHITE-----MALE----	7	27	43	81	110	117	95	72	21	6	-	-
FEMALE--	12	27	30	58	102	117	99	69	32	5	1	-
ALL OTHER--MALE----	1	2	5	5	12	14	4	9	6	2	-	-
FEMALE--	2	3	1	3	7	2	3	3	1	-	1	-
BLACK---MALE----	1	2	5	5	12	14	4	9	5	2	-	-
FEMALE--	1	3	1	1	6	2	3	2	1	-	1	-
CALIFORNIA -----	217	370	666	1,214	1,916	2,497	2,423	1,654	782	243	24	1
WHITE-----MALE----	82	154	290	532	841	1,097	1,036	706	257	83	4	1
FEMALE--	92	153	298	561	894	1,194	1,232	810	460	138	19	-
ALL OTHER--MALE----	27	38	51	74	118	125	97	81	41	10	1	-
FEMALE--	16	25	27	47	63	81	58	57	24	12	-	-
BLACK---MALE----	22	30	31	47	61	63	42	27	11	2	-	-
FEMALE--	15	17	22	28	41	47	24	24	14	8	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,946

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
COLORADO -----	1,836	-	1	1	-	2	5	2	3	4	8	14
WHITE-----MALE----	941	-	-	-	-	2	3	1	-	1	6	8
FEMALE--	851	-	-	-	-	-	1	1	3	2	2	5
ALL OTHER--MALE----	25	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	19	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	14	-	1	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,243	-	1	-	1	2	3	1	1	4	9	9
WHITE-----MALE----	560	-	-	-	1	-	2	1	-	1	4	2
FEMALE--	651	-	-	-	-	1	-	-	1	2	5	3
ALL OTHER--MALE----	14	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	18	-	1	-	-	-	1	-	-	1	-	3
BLACK---MALE----	13	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	18	-	1	-	-	-	1	-	-	1	-	3
DELAWARE -----	327	-	-	-	1	-	1	-	1	-	1	2
WHITE-----MALE----	142	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	146	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	18	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	21	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	20	-	-	-	1	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	158	-	1	2	-	-	1	2	-	2	2	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	48	-	1	-	-	-	1	1	-	1	-	-
FEMALE--	56	-	-	2	-	-	-	1	-	1	2	-
BLACK---MALE----	47	-	1	-	-	-	1	1	-	1	-	-
FEMALE--	56	-	-	2	-	-	-	1	-	1	2	-
FLORIDA -----	8,188	2	3	6	6	2	4	6	5	14	37	51
WHITE-----MALE----	3,766	-	2	-	3	-	-	-	1	5	14	19
FEMALE--	3,942	1	-	3	1	-	-	4	-	5	16	18
ALL OTHER--MALE----	295	-	-	3	1	2	4	1	4	2	3	8
FEMALE--	185	1	1	-	1	-	-	1	-	2	4	6
BLACK---MALE----	280	-	-	3	1	2	4	1	4	2	3	7
FEMALE--	175	1	1	-	1	-	-	-	-	2	4	6
GEORGIA -----	2,744	-	-	1	2	2	2	2	7	14	19	42
WHITE-----MALE----	1,280	-	-	-	1	-	-	-	2	2	6	15
FEMALE--	1,081	-	-	-	-	-	1	1	1	1	3	9
ALL OTHER--MALE----	218	-	-	1	-	1	-	1	3	4	5	4
FEMALE--	165	-	-	-	1	1	1	-	1	7	5	14
BLACK---MALE----	212	-	-	1	-	1	-	1	3	4	5	4
FEMALE--	162	-	-	-	1	1	1	-	1	7	5	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,946

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
COLORADO -----	34	37	113	220	328	389	328	224	95	20	8	-
WHITE-----MALE----	12	17	59	126	157	204	182	107	44	10	2	-
FEMALE--	18	20	46	91	163	177	140	116	50	10	6	-
ALL OTHER--MALE----	2	-	5	2	7	3	3	-	-	-	-	-
FEMALE--	2	-	3	1	1	5	3	1	1	-	-	-
BLACK---MALE----	1	-	4	1	6	2	1	-	-	-	-	-
FEMALE--	1	-	2	-	1	3	3	1	1	-	-	-
CONNECTICUT -----	15	27	48	102	175	258	279	185	85	34	4	-
WHITE-----MALE----	7	10	20	46	78	119	136	80	35	15	3	-
FEMALE--	7	16	27	53	89	134	140	104	50	18	1	-
ALL OTHER--MALE----	1	-	1	2	3	2	2	1	-	-	-	-
FEMALE--	-	1	-	1	5	3	1	-	-	1	-	-
BLACK---MALE----	1	-	1	2	3	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	5	3	1	-	-	1	-	-
DELAWARE -----	3	7	14	36	49	70	75	44	19	4	-	-
WHITE-----MALE----	-	2	5	19	24	24	37	21	9	-	-	-
FEMALE--	2	3	4	12	19	37	31	23	9	4	-	-
ALL OTHER--MALE----	1	1	3	1	3	5	3	-	-	-	-	-
FEMALE--	-	1	2	4	3	4	4	-	1	-	-	-
BLACK---MALE----	1	1	2	1	3	5	3	-	-	-	-	-
FEMALE--	-	1	2	4	3	3	4	-	1	-	-	-
DISTRICT OF COLUMBIA ----	4	7	13	18	21	26	22	14	14	7	1	-
WHITE-----MALE----	-	-	1	4	2	4	4	2	2	2	-	-
FEMALE--	-	-	1	2	4	5	6	5	5	3	1	-
ALL OTHER--MALE----	-	4	6	6	8	8	5	3	4	-	-	-
FEMALE--	4	3	5	6	7	9	7	4	3	2	-	-
BLACK---MALE----	-	4	5	6	8	8	5	3	4	-	-	-
FEMALE--	4	3	5	6	7	9	7	4	3	2	-	-
FLORIDA -----	140	219	438	807	1,313	1,691	1,537	1,159	574	152	21	1
WHITE-----MALE----	65	104	209	403	670	799	702	489	224	52	4	1
FEMALE--	53	78	182	337	579	807	782	636	332	93	15	-
ALL OTHER--MALE----	11	26	35	38	44	48	35	15	11	3	1	-
FEMALE--	11	11	12	29	20	37	18	19	7	4	1	-
BLACK---MALE----	11	24	33	38	42	45	32	13	11	3	1	-
FEMALE--	11	11	11	28	19	34	17	17	7	4	1	-
GEORGIA -----	80	128	187	318	468	575	441	308	104	40	4	-
WHITE-----MALE----	23	57	91	176	247	279	207	131	28	15	-	-
FEMALE--	30	50	74	116	167	233	181	130	59	21	4	-
ALL OTHER--MALE----	14	14	12	14	36	43	32	26	7	1	-	-
FEMALE--	13	7	10	12	18	20	21	21	10	3	-	-
BLACK---MALE----	14	13	12	14	36	41	30	25	7	1	-	-
FEMALE--	13	7	10	12	18	19	20	20	10	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,947

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
HAWAII -----	3	8	18	27	30	59	47	42	16	5	1	-
WHITE-----MALE----	2	-	2	10	7	18	6	6	1	-	1	-
FEMALE--	-	3	5	4	2	10	9	12	1	1	-	-
ALL OTHER--MALE----	1	5	6	8	11	19	21	15	10	3	-	-
FEMALE--	-	-	5	5	10	12	11	9	4	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	14	23	28	76	85	102	97	71	29	6	-	-
WHITE-----MALE----	5	13	14	40	48	62	61	35	14	4	-	-
FEMALE--	8	10	14	36	36	38	36	36	15	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	72	154	249	462	756	874	905	571	246	71	12	1
WHITE-----MALE----	24	64	132	225	360	426	409	256	91	26	4	1
FEMALE--	19	67	95	181	335	378	453	283	142	42	7	-
ALL OTHER--MALE----	12	12	7	30	40	44	21	16	7	-	1	-
FEMALE--	17	11	15	26	21	26	22	16	6	3	-	-
BLACK---MALE----	12	12	7	28	34	42	20	16	6	-	1	-
FEMALE--	16	11	15	24	20	25	19	12	6	3	-	-
INDIANA -----	35	93	172	327	502	553	488	321	153	43	10	-
WHITE-----MALE----	20	44	85	187	248	289	223	144	53	15	3	-
FEMALE--	15	39	79	132	236	239	248	167	95	27	4	-
ALL OTHER--MALE----	-	5	6	4	12	14	8	4	1	1	-	-
FEMALE--	-	5	2	4	6	11	9	6	4	-	3	-
BLACK---MALE----	-	5	6	4	12	14	8	4	1	1	-	-
FEMALE--	-	5	2	4	6	11	9	6	3	-	3	-
IOWA -----	19	28	74	150	223	306	302	196	92	29	5	-
WHITE-----MALE----	11	14	33	73	141	177	178	109	38	11	2	-
FEMALE--	7	14	40	76	81	122	122	83	53	18	3	-
ALL OTHER--MALE----	1	-	-	1	1	5	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	2	1	-	-	-
BLACK---MALE----	1	-	-	1	1	3	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	2	1	-	-	-
KANSAS -----	14	37	87	131	195	228	205	175	79	26	3	-
WHITE-----MALE----	5	24	46	74	110	121	110	91	42	8	-	-
FEMALE--	9	9	33	49	83	105	89	82	36	17	3	-
ALL OTHER--MALE----	-	2	5	5	1	-	3	-	-	1	-	-
FEMALE--	-	2	3	3	1	2	3	2	1	-	-	-
BLACK---MALE----	-	2	5	4	1	-	-	-	-	1	-	-
FEMALE--	-	2	2	1	1	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,948

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
KENTUCKY -----	1,963	3	-	-	-	3	2	6	3	1	13	23
WHITE-----MALE----	986	1	-	-	-	1	1	2	-	-	5	9
FEMALE--	889	2	-	-	-	1	1	2	2	-	3	12
ALL OTHER--MALE----	41	-	-	-	-	1	-	-	1	-	4	1
FEMALE--	47	-	-	-	-	-	-	2	-	1	1	1
BLACK---MALE----	39	-	-	-	-	1	-	-	-	-	4	1
FEMALE--	46	-	-	-	-	-	-	2	-	1	1	1
LOUISIANA -----	1,566	-	1	1	1	-	2	4	4	8	8	16
WHITE-----MALE----	627	-	-	-	-	-	-	-	-	3	2	4
FEMALE--	624	-	-	1	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	182	-	-	-	-	-	1	1	-	2	3	4
FEMALE--	133	-	1	-	1	-	1	3	3	3	2	6
BLACK---MALE----	180	-	-	-	-	-	1	1	-	2	3	4
FEMALE--	129	-	1	-	1	-	1	3	3	3	2	6
MAINE -----	769	-	-	-	-	-	1	1	-	3	2	2
WHITE-----MALE----	388	-	-	-	-	-	1	1	-	3	2	-
FEMALE--	378	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,708	-	1	1	-	6	1	5	4	9	14	14
WHITE-----MALE----	605	-	-	1	-	1	1	1	-	1	1	3
FEMALE--	837	-	-	-	-	2	-	-	1	1	5	2
ALL OTHER--MALE----	124	-	1	-	-	-	-	3	2	1	3	2
FEMALE--	142	-	-	-	-	3	-	1	1	6	5	7
BLACK---MALE----	123	-	1	-	-	-	-	3	2	1	3	2
FEMALE--	137	-	-	-	-	3	-	1	1	6	5	7
MASSACHUSETTS -----	2,546	1	2	1	-	1	5	2	5	10	8	19
WHITE-----MALE----	1,120	-	1	1	-	1	2	-	1	7	3	8
FEMALE--	1,356	-	-	-	-	-	1	1	3	3	5	10
ALL OTHER--MALE----	34	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	36	1	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	24	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	26	1	-	-	-	-	-	1	-	-	-	1
MICHIGAN -----	3,813	1	3	2	4	5	12	8	9	6	22	47
WHITE-----MALE----	1,742	-	1	1	-	3	2	2	1	2	5	13
FEMALE--	1,735	-	1	-	-	1	3	1	4	3	7	19
ALL OTHER--MALE----	188	1	1	-	2	-	7	-	-	1	4	8
FEMALE--	148	-	-	1	2	1	-	5	4	-	6	7
BLACK---MALE----	170	1	1	-	2	-	7	-	-	1	3	8
FEMALE--	132	-	-	1	1	1	-	5	4	-	6	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,948

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
KENTUCKY -----	39	81	132	246	348	387	313	226	102	28	7	-
WHITE-----MALE----	15	45	70	129	170	208	166	117	37	9	1	-
FEMALE--	22	33	55	109	161	160	140	102	60	19	5	-
ALL OTHER--MALE----	1	-	2	4	5	11	5	4	2	-	-	-
FEMALE--	1	3	5	4	12	8	2	3	3	-	1	-
BLACK---MALE----	1	-	1	4	5	11	5	4	2	-	-	-
FEMALE--	1	3	5	4	12	7	2	3	3	-	1	-
LOUISIANA -----	33	62	122	160	292	297	299	162	69	21	4	-
WHITE-----MALE----	14	19	45	71	124	119	138	65	20	3	-	-
FEMALE--	9	21	48	54	114	128	120	74	38	10	3	-
ALL OTHER--MALE----	5	16	15	26	28	27	26	17	6	4	1	-
FEMALE--	5	6	14	9	26	23	15	6	5	4	-	-
BLACK---MALE----	5	16	15	26	27	27	25	17	6	4	1	-
FEMALE--	5	6	12	9	25	22	15	6	5	4	-	-
MAINE -----	12	11	30	80	141	145	145	118	56	17	5	-
WHITE-----MALE----	6	3	15	43	79	75	71	59	27	3	-	-
FEMALE--	6	8	15	37	61	69	73	59	29	14	5	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	61	85	158	270	374	320	229	94	35	6	-
WHITE-----MALE----	3	23	34	67	102	151	108	73	30	4	1	-
FEMALE--	12	19	29	66	131	189	171	132	48	25	4	-
ALL OTHER--MALE----	3	8	10	12	16	21	28	10	3	1	-	-
FEMALE--	3	11	12	13	21	13	13	14	13	5	1	-
BLACK---MALE----	3	8	9	12	16	21	28	10	3	1	-	-
FEMALE--	3	11	11	13	19	13	11	14	13	5	1	-
MASSACHUSETTS -----	35	62	119	252	385	507	483	379	190	70	10	-
WHITE-----MALE----	13	29	49	118	194	245	208	153	67	19	1	-
FEMALE--	20	31	69	121	176	253	267	219	118	51	8	-
ALL OTHER--MALE----	1	-	1	5	8	5	4	3	2	-	1	-
FEMALE--	1	2	-	8	7	4	4	4	3	-	-	-
BLACK---MALE----	1	-	-	3	6	4	3	2	1	-	-	-
FEMALE--	1	1	-	6	5	3	3	3	1	-	-	-
MICHIGAN -----	60	112	240	426	688	772	690	429	205	63	9	-
WHITE-----MALE----	19	53	105	203	342	362	331	190	82	23	2	-
FEMALE--	25	44	106	185	292	345	326	216	117	33	7	-
ALL OTHER--MALE----	8	9	18	23	32	33	22	13	3	3	-	-
FEMALE--	8	6	11	15	22	32	11	10	3	4	-	-
BLACK---MALE----	8	8	17	20	29	29	20	10	3	3	-	-
FEMALE--	7	5	9	13	19	29	10	9	2	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,949

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
MINNESOTA -----	1,745	1	1	-	3	-	3	1	2	3	4	9
WHITE-----MALE----	871	-	-	-	-	-	1	-	1	1	-	5
FEMALE--	835	-	1	-	2	-	1	1	-	2	3	1
ALL OTHER--MALE----	22	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	17	1	-	-	1	-	-	-	1	-	1	-
BLACK---MALE----	10	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	9	1	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	1,141	1	-	2	3	1	-	-	-	6	7	12
WHITE-----MALE----	541	1	-	2	1	-	-	-	-	-	1	3
FEMALE--	410	-	-	-	-	-	-	-	-	3	2	4
ALL OTHER--MALE----	122	-	-	-	2	1	-	-	-	-	2	4
FEMALE--	68	-	-	-	-	-	-	-	-	3	2	1
BLACK---MALE----	121	-	-	-	2	1	-	-	-	-	2	3
FEMALE--	68	-	-	-	-	-	-	-	-	3	2	1
MISSOURI -----	2,725	-	-	-	1	3	2	4	6	10	15	19
WHITE-----MALE----	1,367	-	-	-	1	-	-	2	1	4	5	8
FEMALE--	1,191	-	-	-	-	1	-	2	4	4	7	7
ALL OTHER--MALE----	92	-	-	-	-	1	2	-	1	-	3	1
FEMALE--	75	-	-	-	-	1	-	-	-	2	-	3
BLACK---MALE----	89	-	-	-	-	1	2	-	1	-	3	1
FEMALE--	69	-	-	-	-	1	-	-	-	2	-	2
MONTANA -----	505	-	1	-	1	-	-	-	-	1	2	2
WHITE-----MALE----	254	-	1	-	1	-	-	-	-	1	1	1
FEMALE--	235	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	784	1	-	-	-	1	-	1	1	2	4	6
WHITE-----MALE----	423	-	-	-	-	1	-	-	-	1	1	3
FEMALE--	346	-	-	-	-	-	-	1	-	1	3	2
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	947	-	-	2	1	-	3	-	-	5	8	7
WHITE-----MALE----	445	-	-	1	1	-	-	-	-	1	5	3
FEMALE--	474	-	-	-	-	-	2	-	-	3	2	4
ALL OTHER--MALE----	16	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,949

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
MINNESOTA -----	16	44	84	139	266	348	388	267	132	29	5	-
WHITE-----MALE----	9	14	40	73	126	179	202	136	73	7	4	-
FEMALE--	5	26	42	61	136	160	185	129	58	21	1	-
ALL OTHER--MALE----	1	3	2	3	3	3	-	1	1	1	-	-
FEMALE--	1	1	-	2	1	6	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	1	-	1	1	3	-	1	-	-	-	-
MISSISSIPPI -----	21	51	91	157	226	179	188	113	63	17	3	-
WHITE-----MALE----	13	19	38	78	121	85	93	55	23	7	1	-
FEMALE--	4	19	38	48	66	69	71	44	33	8	1	-
ALL OTHER--MALE----	-	6	11	19	22	19	18	11	6	1	-	-
FEMALE--	4	7	4	12	17	6	6	3	1	1	1	-
BLACK---MALE----	-	6	11	19	22	19	18	11	6	1	-	-
FEMALE--	4	7	4	12	17	6	6	3	1	1	1	-
MISSOURI -----	42	94	171	304	469	560	481	350	140	46	8	-
WHITE-----MALE----	17	46	84	146	256	284	238	185	70	20	-	-
FEMALE--	19	40	74	138	187	250	215	148	62	25	8	-
ALL OTHER--MALE----	2	3	8	10	13	16	17	10	4	1	-	-
FEMALE--	4	5	5	10	13	10	11	7	4	-	-	-
BLACK---MALE----	2	3	8	10	13	14	17	9	4	1	-	-
FEMALE--	3	5	4	7	13	10	11	7	4	-	-	-
MONTANA -----	6	16	40	48	67	110	106	65	35	5	-	-
WHITE-----MALE----	3	4	21	26	38	61	43	32	19	2	-	-
FEMALE--	3	10	17	18	27	47	63	32	14	3	-	-
ALL OTHER--MALE----	-	1	2	3	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	2	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	11	21	38	73	127	154	170	104	57	12	1	-
WHITE-----MALE----	6	8	22	36	71	85	109	50	28	1	1	-
FEMALE--	5	10	16	33	56	66	59	54	29	11	-	-
ALL OTHER--MALE----	-	3	-	2	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	3	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
NEVADA -----	17	42	65	127	173	187	181	87	34	8	-	-
WHITE-----MALE----	8	18	40	65	81	83	88	39	10	2	-	-
FEMALE--	8	19	23	55	91	101	91	45	24	6	-	-
ALL OTHER--MALE----	1	2	1	5	1	2	2	-	-	-	-	-
FEMALE--	-	3	1	2	-	1	-	3	-	-	-	-
BLACK---MALE----	1	1	1	2	-	2	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,951

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
OHIO -----	5,404	5	2	-	5	3	9	5	6	8	18	49
WHITE-----MALE----	2,555	3	1	-	2	2	3	2	1	3	6	18
FEMALE--	2,499	-	-	-	1	1	1	-	3	4	7	19
ALL OTHER--MALE----	187	1	-	-	1	-	3	3	2	1	1	4
FEMALE--	163	1	1	-	1	-	2	-	-	-	4	8
BLACK---MALE----	185	1	-	-	1	-	3	3	2	1	1	4
FEMALE--	160	1	1	-	1	-	2	-	-	-	4	8
OKLAHOMA -----	1,750	-	-	1	3	4	5	1	2	6	9	6
WHITE-----MALE----	921	-	-	-	2	2	1	-	2	4	6	2
FEMALE--	733	-	-	-	-	1	2	-	-	1	2	4
ALL OTHER--MALE----	58	-	-	1	1	1	1	-	-	1	1	-
FEMALE--	38	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	30	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	25	-	-	-	-	-	1	1	-	-	-	-
OREGON -----	1,612	-	-	-	1	-	2	-	-	3	4	8
WHITE-----MALE----	786	-	-	-	1	-	1	-	-	3	2	1
FEMALE--	792	-	-	-	-	-	1	-	-	-	1	3
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	5,596	-	1	2	2	2	7	4	7	13	15	41
WHITE-----MALE----	2,647	-	-	-	1	1	2	2	2	2	6	21
FEMALE--	2,626	-	-	2	-	-	2	-	1	7	3	4
ALL OTHER--MALE----	152	-	1	-	1	1	2	2	3	2	1	5
FEMALE--	171	-	-	-	-	-	1	-	1	2	5	11
BLACK---MALE----	143	-	1	-	1	1	2	2	3	2	1	5
FEMALE--	167	-	-	-	-	-	1	-	1	2	4	11
RHODE ISLAND -----	454	-	-	-	-	-	-	1	-	1	2	-
WHITE-----MALE----	218	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	227	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,568	-	1	1	-	5	1	1	1	8	10	15
WHITE-----MALE----	724	-	-	-	-	2	1	-	-	1	2	7
FEMALE--	637	-	-	-	-	2	-	1	-	2	3	5
ALL OTHER--MALE----	125	-	1	-	-	-	-	-	-	3	3	-
FEMALE--	82	-	-	1	-	1	-	-	1	2	2	3
BLACK---MALE----	125	-	1	-	-	-	-	-	-	3	3	-
FEMALE--	81	-	-	1	-	1	-	-	-	2	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,951
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
OHIO -----	93	178	307	594	957	1,077	989	700	312	66	21	-
WHITE-----MALE----	30	68	144	284	490	536	484	328	117	26	7	-
FEMALE--	49	82	141	274	403	489	457	341	180	34	13	-
ALL OTHER--MALE----	8	14	11	20	40	32	24	16	6	-	-	-
FEMALE--	6	14	11	16	24	20	24	15	9	6	1	-
BLACK---MALE----	7	14	11	20	40	32	24	15	6	-	-	-
FEMALE--	6	14	11	14	24	20	24	14	9	6	1	-
OKLAHOMA -----	35	71	126	193	318	376	272	206	83	25	7	1
WHITE-----MALE----	20	40	71	101	155	206	153	107	36	9	3	1
FEMALE--	12	27	45	76	144	157	109	91	43	15	4	-
ALL OTHER--MALE----	2	3	6	9	11	6	9	4	2	-	-	-
FEMALE--	1	1	4	7	8	7	1	4	2	1	-	-
BLACK---MALE----	1	1	4	3	7	4	3	2	1	-	-	-
FEMALE--	1	1	1	6	6	4	-	2	2	-	-	-
OREGON -----	25	41	96	177	266	381	316	198	76	17	1	-
WHITE-----MALE----	14	18	46	84	146	178	164	92	29	7	-	-
FEMALE--	9	21	49	90	109	199	149	105	45	10	1	-
ALL OTHER--MALE----	1	1	1	3	6	3	2	-	2	-	-	-
FEMALE--	1	1	-	-	5	1	1	1	-	-	-	-
BLACK---MALE----	1	1	-	1	3	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
PENNSYLVANIA -----	68	139	287	512	1,023	1,126	1,123	775	355	80	14	-
WHITE-----MALE----	24	67	143	266	511	575	521	325	146	28	4	-
FEMALE--	29	54	122	213	457	499	562	417	196	48	10	-
ALL OTHER--MALE----	10	9	8	12	24	29	19	16	5	2	-	-
FEMALE--	5	9	14	21	31	23	21	17	8	2	-	-
BLACK---MALE----	9	8	7	12	22	26	18	16	5	2	-	-
FEMALE--	5	9	13	21	31	23	20	16	8	2	-	-
RHODE ISLAND -----	4	15	26	54	60	82	91	75	29	14	-	-
WHITE-----MALE----	4	7	10	26	29	41	44	39	9	6	-	-
FEMALE--	-	8	15	27	29	41	44	35	20	8	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	-	-	-	-
SOUTH CAROLINA -----	43	73	135	214	312	278	241	141	63	21	4	-
WHITE-----MALE----	14	31	64	95	150	131	131	65	23	7	-	-
FEMALE--	12	31	53	95	124	108	85	68	33	11	4	-
ALL OTHER--MALE----	8	5	13	16	26	23	20	3	2	2	-	-
FEMALE--	9	6	5	8	12	16	5	5	5	1	-	-
BLACK---MALE----	8	5	13	16	26	23	20	3	2	2	-	-
FEMALE--	9	6	5	8	12	16	5	5	5	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,952

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
SOUTH DAKOTA -----	317	-	-	-	2	1	-	-	-	1	-	2
WHITE-----MALE----	167	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	141	-	-	-	2	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,641	-	1	-	2	1	2	5	3	7	12	21
WHITE-----MALE----	1,343	-	-	-	2	-	2	3	1	5	4	7
FEMALE--	1,091	-	-	-	-	-	-	1	1	1	5	6
ALL OTHER--MALE----	125	-	-	-	-	-	-	1	1	1	2	5
FEMALE--	82	-	1	-	-	1	-	-	-	-	1	3
BLACK---MALE----	125	-	-	-	-	-	-	1	1	1	2	5
FEMALE--	80	-	1	-	-	1	-	-	-	-	1	3
TEXAS -----	6,603	4	5	6	5	9	9	5	9	23	29	53
WHITE-----MALE----	3,011	2	3	1	1	2	4	1	2	7	10	21
FEMALE--	3,098	-	2	5	1	1	3	1	4	8	11	21
ALL OTHER--MALE----	291	1	-	-	3	3	2	2	1	4	5	6
FEMALE--	203	1	-	-	-	3	-	1	2	4	3	5
BLACK---MALE----	273	1	-	-	3	3	2	2	1	4	5	6
FEMALE--	188	1	-	-	-	3	-	1	1	4	2	5
UTAH -----	483	-	-	-	-	-	1	-	-	-	1	2
WHITE-----MALE----	271	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	206	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	250	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	123	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	127	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,481	2	6	2	1	5	4	3	4	9	8	28
WHITE-----MALE----	1,088	1	1	-	-	1	-	-	1	1	2	8
FEMALE--	1,080	-	-	-	-	1	1	-	2	3	3	9
ALL OTHER--MALE----	178	-	5	1	1	-	3	2	1	3	1	6
FEMALE--	135	1	-	1	-	3	-	1	-	2	2	5
BLACK---MALE----	166	-	4	1	1	-	3	2	1	3	1	6
FEMALE--	130	1	-	1	-	3	-	1	-	2	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,952

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
SOUTH DAKOTA -----	8	7	15	25	46	60	67	50	23	7	3	-
WHITE-----MALE----	4	3	10	13	25	30	41	26	12	1	1	-
FEMALE--	4	4	5	10	19	28	24	24	11	6	2	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	55	120	207	351	456	519	431	288	117	33	10	-
WHITE-----MALE----	26	59	106	195	256	260	235	134	39	8	1	-
FEMALE--	26	46	79	129	174	216	178	134	64	23	8	-
ALL OTHER--MALE----	1	9	10	20	16	22	15	12	8	2	-	-
FEMALE--	2	6	12	7	10	21	3	8	6	-	1	-
BLACK---MALE----	1	9	10	20	16	22	15	12	8	2	-	-
FEMALE--	2	6	12	7	9	21	3	8	5	-	1	-
TEXAS -----	134	211	443	775	1,115	1,325	1,200	781	351	92	19	-
WHITE-----MALE----	52	90	218	365	529	616	564	339	149	30	5	-
FEMALE--	63	94	171	343	507	638	574	397	185	57	12	-
ALL OTHER--MALE----	7	16	35	39	44	44	37	27	11	4	-	-
FEMALE--	12	11	19	28	35	27	25	18	6	1	2	-
BLACK---MALE----	6	15	30	37	41	42	36	25	10	4	-	-
FEMALE--	12	9	18	27	33	26	23	15	5	1	2	-
UTAH -----	8	18	39	52	87	112	97	44	20	2	-	-
WHITE-----MALE----	6	12	27	23	56	58	56	22	8	1	-	-
FEMALE--	2	6	12	28	29	51	41	22	12	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	2	7	18	25	44	44	49	39	14	4	-	-
WHITE-----MALE----	-	5	12	14	26	23	23	15	3	-	-	-
FEMALE--	2	2	6	11	18	21	26	24	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	37	81	157	265	432	526	427	330	120	28	5	1
WHITE-----MALE----	12	29	66	105	214	253	186	146	48	12	1	1
FEMALE--	19	40	67	121	178	213	185	160	60	16	2	-
ALL OTHER--MALE----	2	7	15	22	24	27	34	19	5	-	-	-
FEMALE--	4	5	9	17	16	33	22	5	7	-	2	-
BLACK---MALE----	2	7	14	21	21	24	33	17	5	-	-	-
FEMALE--	4	4	9	16	15	31	22	5	7	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,954

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
UNITED STATES --	26,025	35	45	48	94	95	133	142	160	258	352	499
WHITE-----MALE----	11,409	13	15	10	29	29	44	38	38	69	90	147
FEMALE--	11,866	4	6	15	19	18	29	33	41	78	134	172
ALL OTHER--MALE----	1,406	10	16	12	33	26	43	42	42	51	55	76
FEMALE--	1,344	8	8	11	13	22	17	29	39	60	73	104
BLACK---MALE----	1,173	8	14	11	27	26	42	39	37	49	52	67
FEMALE--	1,172	8	8	11	12	21	14	27	33	59	66	96
ALABAMA -----	444	2	-	-	1	4	1	3	-	4	6	14
WHITE-----MALE----	208	-	-	-	-	1	-	-	-	-	2	4
FEMALE--	168	-	-	-	-	-	1	1	-	-	2	3
ALL OTHER--MALE----	35	-	-	-	1	2	-	1	-	3	2	3
FEMALE--	33	2	-	-	-	1	-	1	-	1	-	4
BLACK---MALE----	33	-	-	-	1	2	-	1	-	3	2	3
FEMALE--	33	2	-	-	-	1	-	1	-	1	-	4
ALASKA -----	22	-	-	-	-	1	-	-	-	-	-	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	635	1	2	1	1	1	1	1	2	4	7	12
WHITE-----MALE----	330	-	1	-	-	1	1	-	1	1	2	8
FEMALE--	284	-	1	1	-	-	-	-	-	2	5	4
ALL OTHER--MALE----	12	1	-	-	1	-	-	1	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	463	3	-	1	1	1	-	2	2	3	2	6
WHITE-----MALE----	211	-	-	1	1	-	-	1	2	-	-	2
FEMALE--	211	1	-	-	-	1	-	-	-	3	2	2
ALL OTHER--MALE----	27	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	26	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	3,014	4	4	3	24	9	4	17	26	33	44	61
WHITE-----MALE----	1,235	4	2	2	6	1	1	9	8	9	13	12
FEMALE--	1,419	-	1	-	5	2	-	3	6	13	16	25
ALL OTHER--MALE----	193	-	-	-	11	4	1	3	5	6	5	13
FEMALE--	167	-	1	1	2	2	2	2	7	5	10	11
BLACK---MALE----	97	-	-	-	6	4	1	2	3	5	5	8
FEMALE--	96	-	1	1	2	1	1	2	4	5	7	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,954

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
UNITED STATES --	725	1,103	1,849	3,121	4,362	4,788	4,167	2,542	1,140	295	72	-
WHITE-----MALE----	229	451	854	1,451	2,109	2,276	1,904	1,096	403	92	22	-
FEMALE--	323	469	774	1,367	1,912	2,195	2,061	1,308	670	191	47	-
ALL OTHER--MALE----	64	87	122	164	181	174	115	60	29	3	1	-
FEMALE--	109	96	99	139	160	143	87	78	38	9	2	-
BLACK---MALE----	56	72	98	138	144	134	95	45	16	2	1	-
FEMALE--	102	87	89	120	134	120	69	58	29	7	2	-
ALABAMA -----	8	21	37	69	83	73	59	34	20	3	2	-
WHITE-----MALE----	1	12	19	35	37	46	32	14	5	-	-	-
FEMALE--	4	8	10	27	33	25	22	14	14	2	2	-
ALL OTHER--MALE----	1	-	4	3	6	1	3	4	-	1	-	-
FEMALE--	2	1	4	4	7	1	2	2	1	-	-	-
BLACK---MALE----	1	-	3	3	5	1	3	4	-	1	-	-
FEMALE--	2	1	4	4	7	1	2	2	1	-	-	-
ALASKA -----	3	-	3	2	6	1	-	2	1	-	-	-
WHITE-----MALE----	1	-	1	1	2	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	4	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	16	16	46	82	100	139	106	69	24	3	1	-
WHITE-----MALE----	6	9	24	33	55	79	53	43	12	-	1	-
FEMALE--	8	6	21	45	44	57	51	24	12	3	-	-
ALL OTHER--MALE----	1	-	-	2	-	3	2	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	-	2	-	-	-	-
BLACK---MALE----	1	-	-	2	-	2	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	-	1	-	-	-	-
ARKANSAS -----	10	36	35	79	86	82	61	35	15	3	-	-
WHITE-----MALE----	2	15	19	41	44	41	23	11	6	2	-	-
FEMALE--	5	18	12	33	37	35	34	20	7	1	-	-
ALL OTHER--MALE----	1	1	3	4	3	5	2	2	2	-	-	-
FEMALE--	2	2	1	1	2	1	2	2	-	-	-	-
BLACK---MALE----	1	1	3	4	3	5	2	2	1	-	-	-
FEMALE--	1	2	1	-	2	1	2	2	-	-	-	-
CALIFORNIA -----	69	125	183	316	468	575	495	353	168	31	2	-
WHITE-----MALE----	22	45	72	144	202	255	216	143	57	12	-	-
FEMALE--	29	52	87	142	214	273	254	181	96	18	2	-
ALL OTHER--MALE----	8	15	14	14	35	26	12	13	8	-	-	-
FEMALE--	10	13	10	16	17	21	13	16	7	1	-	-
BLACK---MALE----	6	9	6	8	15	10	4	4	1	-	-	-
FEMALE--	9	8	7	9	8	10	3	5	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,955

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
COLORADO -----	382	-	1	1	-	2	5	2	3	4	7	9
WHITE-----MALE----	185	-	-	-	-	2	3	1	-	1	6	5
FEMALE--	184	-	-	-	-	-	1	1	3	2	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	6	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	3	-	1	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	265	-	1	-	1	2	2	1	1	3	5	3
WHITE-----MALE----	119	-	-	-	1	-	2	1	-	1	1	1
FEMALE--	134	-	-	-	-	1	-	-	1	1	4	1
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	1	-	1
DELAWARE -----	80	-	-	-	1	-	1	-	1	-	1	1
WHITE-----MALE----	35	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	47	-	1	2	-	-	1	2	-	2	2	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	1	-	-	-	1	1	-	1	-	-
FEMALE--	24	-	-	2	-	-	-	1	-	1	2	-
BLACK---MALE----	7	-	1	-	-	-	1	1	-	1	-	-
FEMALE--	24	-	-	2	-	-	-	1	-	1	2	-
FLORIDA -----	1,814	2	2	6	5	2	4	4	5	11	11	20
WHITE-----MALE----	814	-	2	-	3	-	-	-	1	4	3	10
FEMALE--	870	1	-	3	1	-	-	3	-	4	6	7
ALL OTHER--MALE----	85	-	-	3	1	2	4	-	4	1	-	3
FEMALE--	45	1	-	-	-	-	-	1	-	2	2	-
BLACK---MALE----	83	-	-	3	1	2	4	-	4	1	-	3
FEMALE--	43	1	-	-	-	-	-	-	-	2	2	-
GEORGIA -----	701	-	-	-	2	2	2	1	4	12	7	22
WHITE-----MALE----	306	-	-	-	1	-	-	-	1	2	1	7
FEMALE--	286	-	-	-	-	-	1	-	1	-	2	2
ALL OTHER--MALE----	44	-	-	-	-	1	-	1	2	4	1	3
FEMALE--	65	-	-	-	1	1	1	-	-	6	3	10
BLACK---MALE----	43	-	-	-	-	1	-	1	2	4	1	3
FEMALE--	65	-	-	-	1	1	1	-	-	6	3	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,955

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
COLORADO -----	13	9	28	65	70	68	57	26	8	3	1	-
WHITE-----MALE----	3	3	13	36	34	35	31	8	2	2	-	-
FEMALE--	9	6	14	29	35	31	23	18	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	11	5	13	24	39	56	50	28	13	4	3	-
WHITE-----MALE----	5	1	5	11	19	28	20	13	4	3	3	-
FEMALE--	5	3	8	11	18	27	30	14	9	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	2	-	-	-	-	-	-	-
DELAWARE -----	1	2	-	6	15	18	21	7	3	2	-	-
WHITE-----MALE----	-	-	-	3	8	7	11	3	2	-	-	-
FEMALE--	1	-	-	3	4	9	10	4	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	1	5	7	7	5	3	3	1	1	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	2	1	-	-	-
FEMALE--	-	-	1	1	2	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	4	1	2	3	3	3	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	4	1	2	3	3	3	1	1	-	-	-	-
FLORIDA -----	51	76	123	197	308	373	296	191	98	23	6	-
WHITE-----MALE----	19	34	51	100	153	178	132	80	36	7	1	-
FEMALE--	26	26	53	82	138	179	157	106	59	15	4	-
ALL OTHER--MALE----	2	12	17	7	12	8	5	2	1	1	-	-
FEMALE--	4	4	2	8	5	8	2	3	2	-	1	-
BLACK---MALE----	2	11	16	7	12	8	5	2	1	1	-	-
FEMALE--	4	4	2	8	5	7	2	3	2	-	1	-
GEORGIA -----	29	41	55	95	101	142	105	52	21	6	2	-
WHITE-----MALE----	8	18	28	53	47	67	42	24	6	1	-	-
FEMALE--	7	18	21	37	41	65	52	21	12	4	2	-
ALL OTHER--MALE----	6	3	2	1	8	6	4	2	-	-	-	-
FEMALE--	8	2	4	4	5	4	7	5	3	1	-	-
BLACK---MALE----	6	3	2	1	8	5	4	2	-	-	-	-
FEMALE--	8	2	4	4	5	4	7	5	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,956

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
HAWAII -----	2	3	8	8	11	24	12	12	8	2	-	-
WHITE-----MALE----	1	-	1	3	3	6	-	2	1	-	-	-
FEMALE--	-	-	2	1	-	3	5	3	1	-	-	-
ALL OTHER--MALE----	1	3	3	1	3	10	5	5	3	1	-	-
FEMALE--	-	-	2	3	5	5	2	2	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	10	6	11	22	23	19	11	5	1	-	-
WHITE-----MALE----	1	7	4	5	14	13	11	6	2	-	-	-
FEMALE--	5	3	2	6	8	9	8	5	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	31	62	80	149	189	215	207	116	50	16	6	-
WHITE-----MALE----	8	20	46	73	87	111	97	48	19	3	2	-
FEMALE--	12	28	30	51	86	84	101	64	29	12	3	-
ALL OTHER--MALE----	3	7	1	13	9	9	4	2	1	-	1	-
FEMALE--	8	7	3	12	7	11	5	2	1	1	-	-
BLACK---MALE----	3	7	1	11	7	8	4	2	-	-	1	-
FEMALE--	7	7	3	11	6	10	5	1	1	1	-	-
INDIANA -----	13	27	45	85	128	114	100	59	26	9	2	-
WHITE-----MALE----	5	10	25	44	72	48	53	28	5	4	-	-
FEMALE--	8	13	19	37	52	57	40	30	20	5	2	-
ALL OTHER--MALE----	-	-	-	2	3	7	3	1	-	-	-	-
FEMALE--	-	4	1	2	1	2	4	-	1	-	-	-
BLACK---MALE----	-	-	-	2	3	7	3	1	-	-	-	-
FEMALE--	-	4	1	2	1	2	4	-	1	-	-	-
IOWA -----	4	10	14	25	39	50	56	35	16	5	1	-
WHITE-----MALE----	2	3	8	10	25	27	35	17	6	2	1	-
FEMALE--	2	7	6	15	13	22	21	18	10	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	5	10	21	31	32	40	34	19	18	6	1	-
WHITE-----MALE----	2	5	12	17	16	22	19	10	9	1	-	-
FEMALE--	3	3	7	12	16	18	14	9	9	5	1	-
ALL OTHER--MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,957

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
KENTUCKY -----	405	2	-	-	-	2	2	4	2	-	6	8
WHITE-----MALE----	191	1	-	-	-	-	1	1	-	-	3	4
FEMALE--	195	1	-	-	-	1	1	1	1	-	2	3
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	11	-	-	-	-	-	-	2	-	-	-	1
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	2	-	-	-	1
LOUISIANA -----	397	-	1	-	1	-	2	3	3	5	4	10
WHITE-----MALE----	133	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	156	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	52	-	-	-	-	-	1	1	-	2	2	1
FEMALE--	56	-	1	-	1	-	1	2	2	3	1	5
BLACK---MALE----	52	-	-	-	-	-	1	1	-	2	2	1
FEMALE--	54	-	1	-	1	-	1	2	2	3	1	5
MAINE -----	157	-	-	-	-	-	1	1	-	1	1	1
WHITE-----MALE----	71	-	-	-	-	-	1	1	-	1	1	-
FEMALE--	86	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	387	-	1	1	-	6	1	5	4	7	10	7
WHITE-----MALE----	130	-	-	1	-	1	1	1	-	1	-	1
FEMALE--	184	-	-	-	-	2	-	-	1	1	3	-
ALL OTHER--MALE----	35	-	1	-	-	-	-	3	2	1	2	1
FEMALE--	38	-	-	-	-	3	-	1	1	4	5	5
BLACK---MALE----	35	-	1	-	-	-	-	3	2	1	2	1
FEMALE--	33	-	-	-	-	3	-	1	1	4	5	5
MASSACHUSETTS -----	529	1	2	1	-	1	5	2	5	7	5	9
WHITE-----MALE----	215	-	1	1	-	1	2	-	1	4	2	4
FEMALE--	290	-	-	-	-	-	1	1	3	3	3	5
ALL OTHER--MALE----	10	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	14	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	10	1	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	1,086	1	3	2	4	5	11	8	9	5	17	34
WHITE-----MALE----	461	-	1	1	-	3	2	2	1	2	1	8
FEMALE--	507	-	1	-	-	1	2	1	4	3	6	13
ALL OTHER--MALE----	62	1	1	-	2	-	7	-	-	-	4	7
FEMALE--	56	-	-	1	2	1	-	5	4	-	6	6
BLACK---MALE----	58	1	1	-	2	-	7	-	-	-	3	7
FEMALE--	54	-	-	1	1	1	-	5	4	-	6	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,957

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
KENTUCKY -----	14	21	32	49	72	68	64	40	12	5	2	-
WHITE-----MALE----	6	13	17	21	30	34	36	19	3	2	-	-
FEMALE--	7	7	15	28	39	31	26	19	8	3	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	1	1	-	-	2	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	1	1	-	-	2	2	1	-	1	-	-	-
LOUISIANA -----	11	22	39	49	73	56	65	33	14	3	3	-
WHITE-----MALE----	3	2	12	24	27	24	23	10	5	-	-	-
FEMALE--	3	7	15	9	27	23	36	19	8	3	3	-
ALL OTHER--MALE----	2	8	4	11	9	4	3	3	1	-	-	-
FEMALE--	3	5	8	5	10	5	3	1	-	-	-	-
BLACK---MALE----	2	8	4	11	9	4	3	3	1	-	-	-
FEMALE--	3	5	7	5	9	5	3	1	-	-	-	-
MAINE -----	3	3	4	19	34	29	28	20	6	3	3	-
WHITE-----MALE----	1	-	3	10	15	17	11	9	-	1	-	-
FEMALE--	2	3	1	9	19	12	17	11	6	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	11	21	43	45	84	65	44	18	6	1	-
WHITE-----MALE----	1	4	9	17	14	37	21	14	6	-	1	-
FEMALE--	3	4	5	19	25	40	37	27	11	6	-	-
ALL OTHER--MALE----	2	-	4	4	3	6	5	1	-	-	-	-
FEMALE--	1	3	3	3	3	1	2	2	1	-	-	-
BLACK---MALE----	2	-	4	4	3	6	5	1	-	-	-	-
FEMALE--	1	3	2	3	1	1	-	2	1	-	-	-
MASSACHUSETTS -----	10	20	36	68	82	87	79	70	29	8	2	-
WHITE-----MALE----	2	9	17	32	39	35	29	24	9	3	-	-
FEMALE--	7	11	19	28	40	48	50	45	19	5	2	-
ALL OTHER--MALE----	-	-	-	3	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	5	2	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	4	1	1	-	1	-	-	-	-
MICHIGAN -----	24	36	95	115	200	193	164	100	46	14	-	-
WHITE-----MALE----	8	15	42	45	98	90	80	41	15	6	-	-
FEMALE--	9	18	43	59	91	86	76	55	31	8	-	-
ALL OTHER--MALE----	4	1	7	5	8	8	6	1	-	-	-	-
FEMALE--	3	2	3	6	3	9	2	3	-	-	-	-
BLACK---MALE----	4	1	7	5	7	7	5	1	-	-	-	-
FEMALE--	3	2	2	6	3	9	2	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,958

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
MINNESOTA -----	330	1	1	-	2	-	3	1	2	3	4	4
WHITE-----MALE----	145	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	172	-	1	-	1	-	1	1	-	2	3	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	8	1	-	-	1	-	-	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	5	1	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	247	1	-	1	3	1	-	-	-	4	4	5
WHITE-----MALE----	96	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	86	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	36	-	-	-	2	1	-	-	-	-	1	2
FEMALE--	29	-	-	-	-	-	-	-	-	3	1	1
BLACK---MALE----	36	-	-	-	2	1	-	-	-	-	1	2
FEMALE--	29	-	-	-	-	-	-	-	-	3	1	1
MISSOURI -----	559	-	-	-	1	3	2	3	6	6	8	10
WHITE-----MALE----	249	-	-	-	1	-	-	1	1	3	1	2
FEMALE--	260	-	-	-	-	1	-	2	4	2	5	4
ALL OTHER--MALE----	23	-	-	-	-	1	2	-	1	-	2	1
FEMALE--	27	-	-	-	-	1	-	-	-	1	-	3
BLACK---MALE----	23	-	-	-	-	1	2	-	1	-	2	1
FEMALE--	24	-	-	-	-	1	-	-	-	1	-	2
MONTANA -----	95	-	1	-	1	-	-	-	-	1	1	-
WHITE-----MALE----	43	-	1	-	1	-	-	-	-	1	1	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	174	1	-	-	-	1	-	1	1	2	2	3
WHITE-----MALE----	80	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	87	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	168	-	-	2	1	-	3	-	-	4	3	1
WHITE-----MALE----	76	-	-	1	1	-	-	-	-	-	2	-
FEMALE--	85	-	-	-	-	-	2	-	-	3	1	1
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,960

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
OHIO -----	1,168	4	2	-	5	3	8	5	6	7	9	31
WHITE-----MALE----	539	2	1	-	2	2	2	2	1	2	3	7
FEMALE--	511	-	-	-	1	1	1	-	3	4	3	15
ALL OTHER--MALE----	67	1	-	-	1	-	3	3	2	1	1	2
FEMALE--	51	1	1	-	1	-	2	-	-	-	2	7
BLACK---MALE----	66	1	-	-	1	-	3	3	2	1	1	2
FEMALE--	51	1	1	-	1	-	2	-	-	-	2	7
OKLAHOMA -----	339	-	-	-	3	4	5	1	2	5	6	3
WHITE-----MALE----	170	-	-	-	2	2	1	-	2	3	4	1
FEMALE--	144	-	-	-	-	1	2	-	-	1	2	2
ALL OTHER--MALE----	13	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	8	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	1	1	-	-	-	-
OREGON -----	448	-	-	-	1	-	2	-	-	1	2	5
WHITE-----MALE----	206	-	-	-	1	-	1	-	-	1	-	1
FEMALE--	232	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,151	-	1	2	2	2	7	4	7	10	11	24
WHITE-----MALE----	497	-	-	-	1	1	2	2	2	2	3	10
FEMALE--	542	-	-	2	-	-	2	-	1	5	3	3
ALL OTHER--MALE----	48	-	1	-	1	1	2	2	3	1	1	3
FEMALE--	64	-	-	-	-	-	1	-	1	2	4	8
BLACK---MALE----	44	-	1	-	1	1	2	2	3	1	1	3
FEMALE--	62	-	-	-	-	-	1	-	1	2	3	8
RHODE ISLAND -----	68	-	-	-	-	-	-	1	-	-	2	-
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	367	-	1	1	-	4	-	1	1	8	8	7
WHITE-----MALE----	168	-	-	-	-	2	-	-	-	1	1	2
FEMALE--	127	-	-	-	-	1	-	1	-	2	2	2
ALL OTHER--MALE----	37	-	1	-	-	-	-	-	-	3	3	-
FEMALE--	35	-	-	1	-	1	-	-	1	2	2	3
BLACK---MALE----	37	-	1	-	-	-	-	-	-	3	3	-
FEMALE--	34	-	-	1	-	1	-	-	-	2	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,960

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
OHIO -----	43	56	82	147	209	213	164	118	43	10	3	-
WHITE-----MALE----	9	17	40	74	105	108	81	64	10	4	3	-
FEMALE--	24	25	34	62	85	93	76	49	29	6	-	-
ALL OTHER--MALE----	6	8	4	7	12	6	6	2	2	-	-	-
FEMALE--	4	6	4	4	7	6	1	3	2	-	-	-
BLACK---MALE----	5	8	4	7	12	6	6	2	2	-	-	-
FEMALE--	4	6	4	4	7	6	1	3	2	-	-	-
OKLAHOMA -----	11	16	21	31	70	61	53	27	16	2	2	-
WHITE-----MALE----	6	8	9	15	31	23	34	17	9	1	2	-
FEMALE--	4	7	9	12	34	36	18	9	6	1	-	-
ALL OTHER--MALE----	-	1	3	2	2	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	3	2	-	1	1	-	-	-
BLACK---MALE----	-	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	2	-	-	1	-	-	-
OREGON -----	11	18	29	42	79	108	86	44	13	7	-	-
WHITE-----MALE----	5	7	13	20	43	42	52	16	1	3	-	-
FEMALE--	6	10	16	21	33	65	34	28	12	4	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	29	44	76	113	188	241	191	131	52	14	2	-
WHITE-----MALE----	7	19	35	51	84	122	90	42	19	4	1	-
FEMALE--	13	19	31	52	89	108	92	79	32	10	1	-
ALL OTHER--MALE----	5	2	3	3	7	7	4	2	-	-	-	-
FEMALE--	4	4	7	7	8	4	5	8	1	-	-	-
BLACK---MALE----	5	1	2	3	5	7	4	2	-	-	-	-
FEMALE--	4	4	7	7	8	4	5	7	1	-	-	-
RHODE ISLAND -----	2	4	10	10	6	11	9	9	2	2	-	-
WHITE-----MALE----	2	2	4	6	3	6	3	5	-	-	-	-
FEMALE--	-	2	6	4	3	5	5	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	21	17	39	62	60	60	41	24	6	5	1	-
WHITE-----MALE----	3	11	18	26	37	31	22	10	2	2	-	-
FEMALE--	3	3	15	26	21	19	14	12	3	2	1	-
ALL OTHER--MALE----	6	2	4	6	1	6	4	1	-	-	-	-
FEMALE--	9	1	2	4	1	4	1	1	1	1	-	-
BLACK---MALE----	6	2	4	6	1	6	4	1	-	-	-	-
FEMALE--	9	1	2	4	1	4	1	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,961

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
SOUTH DAKOTA -----	80	-	-	-	2	1	-	-	-	1	-	1
WHITE-----MALE----	39	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	39	-	-	-	2	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	611	-	1	-	2	1	2	5	1	5	8	12
WHITE-----MALE----	287	-	-	-	2	-	2	3	-	3	2	3
FEMALE--	256	-	-	-	-	-	-	1	1	1	4	2
ALL OTHER--MALE----	35	-	-	-	-	-	-	1	-	1	2	5
FEMALE--	33	-	1	-	-	1	-	-	-	-	-	2
BLACK---MALE----	35	-	-	-	-	-	-	1	-	1	2	5
FEMALE--	33	-	1	-	-	1	-	-	-	-	-	2
TEXAS -----	1,598	4	5	6	5	9	8	5	8	18	19	20
WHITE-----MALE----	708	2	3	1	1	2	4	1	1	4	5	5
FEMALE--	738	-	2	5	1	1	3	1	4	7	8	10
ALL OTHER--MALE----	79	1	-	-	3	3	1	2	1	3	3	2
FEMALE--	73	1	-	-	-	3	-	1	2	4	3	3
BLACK---MALE----	73	1	-	-	3	3	1	2	1	3	3	2
FEMALE--	66	1	-	-	-	3	-	1	1	4	2	3
UTAH -----	120	-	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	53	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	37	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	542	2	5	2	1	5	4	3	4	9	4	11
WHITE-----MALE----	216	1	1	-	-	1	-	-	1	1	-	1
FEMALE--	232	-	-	-	-	1	1	-	2	3	2	3
ALL OTHER--MALE----	47	-	4	1	1	-	3	2	1	3	1	3
FEMALE--	47	1	-	1	-	3	-	1	-	2	1	4
BLACK---MALE----	41	-	3	1	1	-	3	2	1	3	1	3
FEMALE--	44	1	-	1	-	3	-	1	-	2	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,961

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
SOUTH DAKOTA -----	1	2	3	9	16	11	17	10	5	-	1	-
WHITE-----MALE----	1	1	2	5	6	4	8	7	3	-	1	-
FEMALE--	-	1	1	3	10	7	9	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	35	54	91	103	121	75	44	21	4	4	-
WHITE-----MALE----	12	20	24	44	52	53	38	19	10	-	-	-
FEMALE--	9	11	22	39	47	49	32	23	7	4	4	-
ALL OTHER--MALE----	-	1	2	5	2	9	4	1	2	-	-	-
FEMALE--	1	3	6	3	2	10	1	1	2	-	-	-
BLACK---MALE----	-	1	2	5	2	9	4	1	2	-	-	-
FEMALE--	1	3	6	3	2	10	1	1	2	-	-	-
TEXAS -----	61	70	125	207	276	282	249	150	57	10	4	-
WHITE-----MALE----	21	37	57	93	124	140	112	64	28	3	-	-
FEMALE--	28	22	50	97	126	133	122	81	26	7	4	-
ALL OTHER--MALE----	3	6	12	8	14	7	5	3	2	-	-	-
FEMALE--	9	5	6	9	12	2	10	2	1	-	-	-
BLACK---MALE----	3	5	10	6	13	7	5	3	2	-	-	-
FEMALE--	9	4	6	8	11	2	8	2	1	-	-	-
UTAH -----	2	5	7	19	22	23	25	10	4	-	-	-
WHITE-----MALE----	2	2	6	6	12	9	8	5	2	-	-	-
FEMALE--	-	3	1	12	10	14	17	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	2	3	6	4	12	3	-	1	-	-
WHITE-----MALE----	-	2	2	3	3	3	7	2	-	-	-	-
FEMALE--	1	-	-	-	3	1	5	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	18	44	61	101	100	76	57	18	4	-	-
WHITE-----MALE----	1	4	19	23	55	39	35	25	8	1	-	-
FEMALE--	9	10	16	26	35	52	30	29	10	3	-	-
ALL OTHER--MALE----	-	-	5	6	5	4	7	1	-	-	-	-
FEMALE--	3	4	4	6	6	5	4	2	-	-	-	-
BLACK---MALE----	-	-	4	6	3	3	6	1	-	-	-	-
FEMALE--	3	3	4	6	5	4	4	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,964

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)												
COLORADO -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	41	2	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	20	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,964

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)												
COLORADO -----	1	-	1	-	-	-	5	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	1	-	1	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	2	2	-	4	-	7	5	9	6	3	-	-
WHITE-----MALE----	1	-	-	2	-	3	3	6	4	-	-	-
FEMALE--	-	1	-	2	-	4	2	3	2	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	-	2	-	1	4	4	5	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	3	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	3	-	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,969

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)												
OHIO -----	28	1	-	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	13	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	34	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	23	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,972

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
UNITED STATES --	45	94	155	242	370	478	423	309	170	45	16	-
WHITE-----MALE----	21	55	77	109	197	235	193	153	62	14	5	-
FEMALE--	18	34	68	114	150	217	210	144	103	31	10	-
ALL OTHER--MALE----	1	3	5	9	13	16	15	9	2	-	-	-
FEMALE--	5	2	5	10	10	10	5	3	3	-	1	-
BLACK---MALE----	1	2	4	7	9	11	13	7	-	-	-	-
FEMALE--	2	1	4	8	9	8	4	1	-	-	1	-
ALABAMA -----	-	2	3	9	9	4	1	4	5	-	-	-
WHITE-----MALE----	-	1	-	6	7	3	-	1	-	-	-	-
FEMALE--	-	1	3	3	1	1	1	2	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	3	3	7	9	8	8	-	-	-	-
WHITE-----MALE----	-	-	-	2	3	4	2	5	-	-	-	-
FEMALE--	1	1	3	-	4	5	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	6	6	8	10	18	5	6	3	1	-	-
WHITE-----MALE----	2	4	4	2	6	7	2	3	1	1	-	-
FEMALE--	-	2	2	6	3	9	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	11	18	31	46	70	54	51	28	7	1	-
WHITE-----MALE----	3	5	10	11	20	26	21	23	7	2	-	-
FEMALE--	4	3	8	19	23	38	30	25	18	5	1	-
ALL OTHER--MALE----	-	2	-	1	3	3	2	2	2	-	-	-
FEMALE--	-	1	-	-	-	3	1	1	1	-	-	-
BLACK---MALE----	-	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,973

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
COLORADO -----	1	-	1	4	4	9	7	1	2	-	1	-
WHITE-----MALE----	-	-	1	1	1	5	4	-	-	-	-	-
FEMALE--	-	-	-	3	3	4	1	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	2	3	4	9	13	1	-	-	-	-
WHITE-----MALE----	1	-	2	1	3	2	5	1	-	-	-	-
FEMALE--	-	-	-	1	1	7	8	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	1	1	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	1	2	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
FLORIDA -----	6	7	8	10	21	30	37	28	14	9	2	-
WHITE-----MALE----	2	3	6	3	11	19	17	12	8	3	1	-
FEMALE--	4	4	2	5	10	10	18	15	6	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
GEORGIA -----	-	4	2	8	6	8	9	5	3	-	-	-
WHITE-----MALE----	-	4	2	3	3	3	4	3	1	-	-	-
FEMALE--	-	-	-	5	2	5	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,978

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
OHIO -----	1	6	5	10	28	27	14	20	10	3	1	-
WHITE-----MALE----	1	3	3	5	10	14	7	9	1	-	1	-
FEMALE--	-	2	2	5	14	12	6	10	9	3	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
OKLAHOMA -----	-	3	2	2	3	4	1	1	-	1	-	-
WHITE-----MALE----	-	3	1	1	2	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	1	5	4	7	6	7	2	-	-	-
WHITE-----MALE----	-	1	-	3	3	2	2	4	-	-	-	-
FEMALE--	-	-	1	2	1	5	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	5	5	13	15	27	25	17	7	2	2	-
WHITE-----MALE----	-	2	3	7	8	16	11	7	6	1	1	-
FEMALE--	-	3	2	5	7	11	13	10	1	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	-	1	2	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	3	4	3	8	4	4	-	1	1	-
WHITE-----MALE----	-	2	2	2	2	4	2	3	-	-	-	-
FEMALE--	-	-	-	2	1	3	2	1	-	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,979

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
SOUTH DAKOTA -----	-	-	-	-	2	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	4	7	13	13	4	5	2	1	1	-
WHITE-----MALE----	2	2	3	3	6	5	3	1	1	-	-	-
FEMALE--	-	-	1	3	6	7	1	4	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
TEXAS -----	2	7	18	15	24	21	22	23	9	1	-	-
WHITE-----MALE----	2	3	5	9	14	12	12	15	3	1	-	-
FEMALE--	-	3	12	4	9	9	9	6	6	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
UTAH -----	1	1	2	-	1	2	5	-	1	-	-	-
WHITE-----MALE----	1	1	2	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	6	9	12	5	10	5	4	1	-	-
WHITE-----MALE----	-	-	2	4	8	2	5	3	3	-	-	-
FEMALE--	-	-	2	4	3	2	5	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,981

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EMPHYSEMA (492)												
UNITED STATES --	17,555	1	-	-	-	-	4	4	8	22	60	143
WHITE-----MALE----	8,684	-	-	-	-	-	2	1	3	6	29	67
FEMALE--	7,827	-	-	-	-	-	1	1	2	11	12	47
ALL OTHER--MALE----	649	-	-	-	-	-	1	2	1	4	13	18
FEMALE--	395	1	-	-	-	-	-	-	2	1	6	11
BLACK---MALE----	543	-	-	-	-	-	1	2	1	4	12	14
FEMALE--	347	1	-	-	-	-	-	-	2	1	6	10
ALABAMA -----	311	-	-	-	-	-	-	-	-	1	2	5
WHITE-----MALE----	170	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	112	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	13	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	467	-	-	-	-	-	1	-	-	1	-	6
WHITE-----MALE----	271	-	-	-	-	-	1	-	-	1	-	4
FEMALE--	188	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	331	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	164	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	149	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,904	-	-	-	-	-	-	1	1	4	6	11
WHITE-----MALE----	907	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	857	-	-	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	51	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	47	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	37	-	-	-	-	-	-	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,981
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
UNITED STATES --	333	685	1,315	2,408	3,427	3,639	3,078	1,694	583	131	20	-
WHITE-----MALE----	140	319	677	1,199	1,745	1,841	1,514	811	263	56	11	-
FEMALE--	145	289	537	1,064	1,479	1,612	1,453	812	285	69	8	-
ALL OTHER--MALE----	29	48	69	94	121	116	77	37	18	1	-	-
FEMALE--	19	29	32	51	82	70	34	34	17	5	1	-
BLACK---MALE----	26	42	58	84	100	94	63	30	11	1	-	-
FEMALE--	17	26	28	46	68	63	28	30	16	4	1	-
ALABAMA -----	4	14	26	53	65	62	48	22	7	1	1	-
WHITE-----MALE----	1	9	18	25	29	41	27	12	4	-	-	-
FEMALE--	2	5	6	23	28	19	18	7	2	-	1	-
ALL OTHER--MALE----	-	-	2	2	5	1	2	2	-	1	-	-
FEMALE--	1	-	-	3	3	1	1	1	1	-	-	-
BLACK---MALE----	-	-	1	2	5	1	2	2	-	1	-	-
FEMALE--	1	-	-	3	3	1	1	1	1	-	-	-
ALASKA -----	-	-	3	2	4	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	6	10	35	58	82	112	83	53	18	1	1	-
WHITE-----MALE----	4	7	19	26	48	69	45	36	10	-	1	-
FEMALE--	2	3	15	32	33	40	36	16	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ARKANSAS -----	4	22	25	63	67	58	50	26	10	1	-	-
WHITE-----MALE----	-	11	14	37	34	32	21	8	4	1	-	-
FEMALE--	3	11	8	25	29	23	27	15	5	-	-	-
ALL OTHER--MALE----	1	-	2	1	2	2	1	2	1	-	-	-
FEMALE--	-	-	1	-	2	1	1	1	-	-	-	-
BLACK---MALE----	1	-	2	1	2	2	1	2	1	-	-	-
FEMALE--	-	-	1	-	2	1	1	1	-	-	-	-
CALIFORNIA -----	30	72	116	230	347	405	356	222	91	12	-	-
WHITE-----MALE----	12	31	52	118	160	199	174	103	42	8	-	-
FEMALE--	11	31	52	98	156	183	170	106	42	3	-	-
ALL OTHER--MALE----	3	8	8	8	24	14	8	7	4	-	-	-
FEMALE--	4	2	4	6	7	9	4	6	3	1	-	-
BLACK---MALE----	3	6	4	6	10	8	3	2	1	-	-	-
FEMALE--	4	-	4	5	4	7	1	4	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,982
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
COLORADO -----	7	7	24	52	54	51	37	18	4	3	-	-
WHITE-----MALE----	2	2	11	29	28	27	23	7	2	2	-	-
FEMALE--	5	5	13	23	25	23	13	11	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	4	3	7	20	30	38	31	22	9	1	3	-
WHITE-----MALE----	1	-	2	10	16	23	14	11	4	1	3	-
FEMALE--	3	2	5	9	14	15	17	11	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	3	14	18	15	5	-	1	-	-
WHITE-----MALE----	-	-	-	1	7	7	7	3	-	-	-	-
FEMALE--	-	-	-	2	4	9	8	2	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	3	2	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
FLORIDA -----	21	49	90	165	254	306	234	138	62	9	3	-
WHITE-----MALE----	9	25	40	90	134	150	106	58	22	4	-	-
FEMALE--	9	13	38	68	111	146	124	77	37	5	2	-
ALL OTHER--MALE----	2	11	11	5	9	5	2	1	1	-	-	-
FEMALE--	1	-	1	2	-	5	2	2	2	-	1	-
BLACK---MALE----	2	11	11	5	9	5	2	1	1	-	-	-
FEMALE--	1	-	1	2	-	5	2	2	2	-	1	-
GEORGIA -----	14	28	46	76	84	122	79	32	9	4	-	-
WHITE-----MALE----	6	12	24	47	43	62	35	16	4	1	-	-
FEMALE--	3	14	20	28	34	53	41	13	4	2	-	-
ALL OTHER--MALE----	3	2	1	-	4	6	1	1	-	-	-	-
FEMALE--	2	-	1	1	3	1	2	2	1	1	-	-
BLACK---MALE----	3	2	1	-	4	5	1	1	-	-	-	-
FEMALE--	2	-	1	1	3	1	2	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,984

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
KENTUCKY -----	8	15	23	40	52	48	39	28	4	3	-	-
WHITE-----MALE----	4	10	12	17	23	23	25	15	1	2	-	-
FEMALE--	4	4	11	23	27	22	14	11	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	1	-	-	-
LOUISIANA -----	5	12	28	36	49	41	53	22	10	2	2	-
WHITE-----MALE----	1	2	10	19	19	19	18	8	4	-	-	-
FEMALE--	2	4	10	9	18	20	32	11	5	2	2	-
ALL OTHER--MALE----	2	4	4	5	7	2	3	3	1	-	-	-
FEMALE--	-	2	4	3	5	-	-	-	-	-	-	-
BLACK---MALE----	2	4	4	5	7	2	3	3	1	-	-	-
FEMALE--	-	2	3	3	4	-	-	-	-	-	-	-
MAINE -----	3	3	4	11	27	23	17	15	4	2	-	-
WHITE-----MALE----	1	-	3	6	14	14	8	5	-	1	-	-
FEMALE--	2	3	1	5	13	9	9	10	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	3	13	31	34	62	50	25	9	4	-	-
WHITE-----MALE----	1	2	7	13	13	31	15	9	5	-	-	-
FEMALE--	1	1	4	14	17	28	32	15	3	4	-	-
ALL OTHER--MALE----	1	-	2	3	3	3	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	1	-	-	-
BLACK---MALE----	1	-	2	3	3	3	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
MASSACHUSETTS -----	7	6	25	51	61	66	60	48	20	3	1	-
WHITE-----MALE----	2	4	15	23	33	28	24	19	8	2	-	-
FEMALE--	5	2	10	26	25	36	36	28	12	1	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
MICHIGAN -----	11	26	80	99	169	160	122	72	16	8	-	-
WHITE-----MALE----	6	10	36	42	83	76	65	29	9	4	-	-
FEMALE--	5	15	37	53	78	70	51	41	7	4	-	-
ALL OTHER--MALE----	-	-	6	2	6	7	6	1	-	-	-	-
FEMALE--	-	1	1	2	2	7	-	1	-	-	-	-
BLACK---MALE----	-	-	6	2	5	6	5	1	-	-	-	-
FEMALE--	-	1	-	2	2	7	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,987

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
OHIO -----	25	38	64	119	159	160	129	81	21	4	1	-
WHITE-----MALE----	8	11	35	61	86	88	68	49	7	3	1	-
FEMALE--	13	17	23	49	64	63	55	29	11	1	-	-
ALL OTHER--MALE----	3	6	4	6	7	4	5	1	2	-	-	-
FEMALE--	1	4	2	3	2	5	1	2	1	-	-	-
BLACK---MALE----	2	6	4	6	7	4	5	1	2	-	-	-
FEMALE--	1	4	2	3	2	5	1	2	1	-	-	-
OKLAHOMA -----	6	10	17	22	61	51	43	21	11	1	2	-
WHITE-----MALE----	4	5	7	12	27	20	30	15	9	1	2	-
FEMALE--	2	4	8	9	31	29	12	6	1	-	-	-
ALL OTHER--MALE----	-	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	1	-	-	-
OREGON -----	8	10	23	34	64	88	57	24	3	3	-	-
WHITE-----MALE----	4	4	13	16	36	36	38	10	1	1	-	-
FEMALE--	4	6	10	17	26	51	19	14	2	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	27	57	84	146	186	133	85	24	7	-	-
WHITE-----MALE----	5	13	28	41	68	95	69	32	10	3	-	-
FEMALE--	6	13	24	39	67	83	59	46	13	4	-	-
ALL OTHER--MALE----	3	1	2	1	6	5	3	2	-	-	-	-
FEMALE--	1	-	3	3	5	3	2	5	1	-	-	-
BLACK---MALE----	3	-	2	1	5	5	3	2	-	-	-	-
FEMALE--	1	-	3	3	5	3	2	5	1	-	-	-
RHODE ISLAND -----	1	2	6	9	5	7	6	4	1	1	-	-
WHITE-----MALE----	1	1	3	5	2	4	3	1	-	-	-	-
FEMALE--	-	1	3	4	3	3	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	9	27	50	43	44	26	15	3	2	-	-
WHITE-----MALE----	3	6	13	23	28	23	17	7	2	1	-	-
FEMALE--	1	1	12	22	15	15	7	6	1	-	-	-
ALL OTHER--MALE----	3	2	1	5	-	5	2	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	-	1	-	-
BLACK---MALE----	3	2	1	5	-	5	2	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,988

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
SOUTH DAKOTA -----	1	1	1	8	10	9	15	8	2	-	-	-
WHITE-----MALE----	1	-	1	5	3	3	8	6	2	-	-	-
FEMALE--	-	1	-	3	7	6	7	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	27	43	72	79	93	61	30	10	1	1	-
WHITE-----MALE----	9	17	21	35	45	45	33	16	5	-	-	-
FEMALE--	4	9	18	33	32	36	24	12	3	1	1	-
ALL OTHER--MALE----	-	-	1	3	2	7	4	1	2	-	-	-
FEMALE--	-	1	3	1	-	5	-	1	-	-	-	-
BLACK---MALE----	-	-	1	3	2	7	4	1	2	-	-	-
FEMALE--	-	1	3	1	-	5	-	1	-	-	-	-
TEXAS -----	37	42	88	162	218	213	178	97	24	4	-	-
WHITE-----MALE----	14	28	47	78	100	109	86	42	14	1	-	-
FEMALE--	19	12	33	76	101	98	84	53	9	3	-	-
ALL OTHER--MALE----	1	1	6	5	8	6	3	1	1	-	-	-
FEMALE--	3	1	2	3	9	-	5	1	-	-	-	-
BLACK---MALE----	1	1	6	4	8	6	3	1	1	-	-	-
FEMALE--	3	1	2	3	8	-	4	1	-	-	-	-
UTAH -----	1	3	3	13	18	16	13	4	1	-	-	-
WHITE-----MALE----	1	1	2	6	11	5	3	3	1	-	-	-
FEMALE--	-	2	1	7	7	11	10	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	2	2	2	4	8	2	-	-	-	-
WHITE-----MALE----	-	2	2	2	1	3	5	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	9	26	38	76	73	52	36	6	2	-	-
WHITE-----MALE----	-	4	16	15	44	31	25	21	4	1	-	-
FEMALE--	3	5	9	17	26	39	20	14	2	1	-	-
ALL OTHER--MALE----	-	-	1	2	3	2	6	-	-	-	-	-
FEMALE--	-	-	-	4	3	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	3	1	5	-	-	-	-	-
FEMALE--	-	-	-	4	2	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,990
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
UNITED STATES --	5,438	7	33	43	88	92	122	133	144	214	273	320
WHITE-----MALE----	1,366	2	10	8	27	28	38	35	32	56	51	69
FEMALE--	2,581	-	3	12	16	17	25	30	36	58	117	111
ALL OTHER--MALE----	634	3	12	12	33	26	42	39	40	44	38	50
FEMALE--	857	2	8	11	12	21	17	29	36	56	67	90
BLACK---MALE----	536	3	10	11	27	26	41	36	36	43	36	45
FEMALE--	754	2	8	11	11	20	14	27	30	55	60	83
ALABAMA -----	78	1	-	-	1	4	1	3	-	2	4	8
WHITE-----MALE----	14	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	32	-	-	-	-	-	1	1	-	-	2	2
ALL OTHER--MALE----	15	-	-	-	1	2	-	1	-	2	1	2
FEMALE--	17	1	-	-	-	1	-	1	-	-	-	4
BLACK---MALE----	14	-	-	-	1	2	-	1	-	2	1	2
FEMALE--	17	1	-	-	-	1	-	1	-	-	-	4
ALASKA -----	9	-	-	-	-	1	-	-	-	-	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	120	-	-	1	1	1	-	1	2	3	7	5
WHITE-----MALE----	40	-	-	-	-	1	-	-	1	-	2	3
FEMALE--	70	-	-	1	-	-	-	-	-	2	5	2
ALL OTHER--MALE----	5	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	57	-	-	1	1	1	-	1	2	3	1	2
WHITE-----MALE----	13	-	-	1	1	-	-	-	2	-	-	-
FEMALE--	28	-	-	-	-	1	-	-	-	3	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	709	2	4	3	22	9	4	15	24	27	35	44
WHITE-----MALE----	179	2	2	2	6	1	1	9	7	8	8	7
FEMALE--	342	-	1	-	3	2	-	2	6	10	15	19
ALL OTHER--MALE----	84	-	-	-	11	4	1	2	5	5	3	10
FEMALE--	104	-	1	1	2	2	2	2	6	4	9	8
BLACK---MALE----	41	-	-	-	6	4	1	1	3	4	3	6
FEMALE--	54	-	1	1	2	1	1	2	3	4	6	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,990
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
UNITED STATES --	327	312	361	443	529	622	568	442	276	71	18	-
WHITE-----MALE----	64	71	91	131	150	178	163	97	49	15	1	-
FEMALE--	150	142	163	180	271	340	339	299	204	52	16	-
ALL OTHER--MALE----	32	34	46	55	45	42	22	9	8	1	1	-
FEMALE--	81	65	61	77	63	62	44	37	15	3	-	-
BLACK---MALE----	27	27	34	42	33	29	19	5	5	-	1	-
FEMALE--	79	60	56	65	54	48	33	24	12	2	-	-
ALABAMA -----	3	5	8	6	8	5	7	6	5	-	1	-
WHITE-----MALE----	-	2	1	4	1	1	2	1	-	-	-	-
FEMALE--	2	2	1	-	4	4	3	4	5	-	1	-
ALL OTHER--MALE----	1	-	2	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	4	1	2	-	1	1	-	-	-	-
BLACK---MALE----	1	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	4	1	2	-	1	1	-	-	-	-
ALASKA -----	3	-	-	-	2	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	5	7	21	11	17	13	8	6	2	-	-
WHITE-----MALE----	2	2	4	5	4	6	6	2	2	-	-	-
FEMALE--	5	2	3	13	7	11	7	6	4	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	-	-	-	-	-
ARKANSAS -----	3	8	4	8	8	6	4	3	1	-	-	-
WHITE-----MALE----	-	-	1	2	3	2	-	-	1	-	-	-
FEMALE--	2	5	2	2	5	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	3	-	1	1	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	3	-	1	1	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	30	40	48	51	68	98	74	67	36	7	1	-
WHITE-----MALE----	7	7	10	14	18	28	18	15	7	2	-	-
FEMALE--	13	18	26	22	34	52	47	40	26	5	1	-
ALL OTHER--MALE----	5	5	6	5	7	9	1	3	2	-	-	-
FEMALE--	5	10	6	10	9	9	8	9	1	-	-	-
BLACK---MALE----	3	2	2	1	3	1	-	1	-	-	-	-
FEMALE--	4	7	3	4	4	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,991

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
COLORADO -----	77	-	1	1	-	2	5	2	3	3	3	4
WHITE-----MALE----	32	-	-	-	-	2	3	1	-	1	2	4
FEMALE--	39	-	-	-	-	-	1	1	3	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	3	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	56	-	1	-	1	2	2	1	1	3	5	1
WHITE-----MALE----	15	-	-	-	1	-	2	1	-	1	1	-
FEMALE--	32	-	-	-	-	1	-	-	1	1	4	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	1	-	1
DELAWARE -----	14	-	-	-	1	-	1	-	1	-	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	25	-	1	2	-	-	1	1	-	2	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	17	-	-	2	-	-	-	1	-	1	2	-
BLACK---MALE----	3	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	17	-	-	2	-	-	-	1	-	1	2	-
FLORIDA -----	257	-	1	6	5	2	4	4	5	11	8	10
WHITE-----MALE----	63	-	1	-	3	-	-	-	1	4	1	4
FEMALE--	139	-	-	3	1	-	-	3	-	4	6	4
ALL OTHER--MALE----	31	-	-	3	1	2	4	-	4	1	-	2
FEMALE--	24	-	-	-	-	-	-	1	-	2	1	-
BLACK---MALE----	30	-	-	3	1	2	4	-	4	1	-	2
FEMALE--	22	-	-	-	-	-	-	-	-	2	1	-
GEORGIA -----	133	-	-	-	1	2	2	1	3	11	7	15
WHITE-----MALE----	22	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	44	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	22	-	-	-	-	1	-	1	2	4	1	3
FEMALE--	45	-	-	-	1	1	1	-	-	5	3	10
BLACK---MALE----	22	-	-	-	-	1	-	1	2	4	1	3
FEMALE--	45	-	-	-	1	1	1	-	-	5	3	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,991
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
COLORADO -----	4	2	2	9	12	8	8	7	1	-	-	-
WHITE-----MALE----	1	1	1	6	5	3	1	1	-	-	-	-
FEMALE--	3	1	-	3	7	4	7	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	2	4	1	5	8	6	4	2	1	-	-
WHITE-----MALE----	3	1	1	-	-	2	1	-	-	1	-	-
FEMALE--	2	1	3	1	3	5	5	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	2	-	-	3	2	1	1	-	-
WHITE-----MALE----	-	-	-	2	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	1	3	2	3	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	2	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	2	1	2	-	1	-	-	-	-
FLORIDA -----	22	18	25	18	33	30	20	16	16	2	1	-
WHITE-----MALE----	7	6	5	5	8	6	6	4	2	-	-	-
FEMALE--	13	8	13	7	17	19	13	11	14	2	1	-
ALL OTHER--MALE----	-	-	6	2	3	2	1	-	-	-	-	-
FEMALE--	2	4	1	4	5	3	-	1	-	-	-	-
BLACK---MALE----	-	-	5	2	3	2	1	-	-	-	-	-
FEMALE--	2	4	1	4	5	2	-	1	-	-	-	-
GEORGIA -----	13	9	7	9	11	11	13	11	4	2	1	-
WHITE-----MALE----	1	2	2	3	1	2	3	2	-	-	-	-
FEMALE--	4	4	1	3	5	6	6	6	3	2	1	-
ALL OTHER--MALE----	2	1	1	-	3	-	2	1	-	-	-	-
FEMALE--	6	2	3	3	2	3	2	2	1	-	-	-
BLACK---MALE----	2	1	1	-	3	-	2	1	-	-	-	-
FEMALE--	6	2	3	3	2	3	2	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,992

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
HAWAII -----	1	1	3	2	2	6	2	3	3	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	2	-	2	1	1	-	-
FEMALE--	-	-	-	1	2	3	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	4	1	3	3	2	4	2	3	1	-	-
WHITE-----MALE----	1	1	1	1	1	-	-	1	1	-	-	-
FEMALE--	3	3	-	2	2	1	4	1	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	22	15	12	19	21	33	19	18	11	3	3	-
WHITE-----MALE----	4	4	3	2	4	5	3	3	3	-	-	-
FEMALE--	8	5	5	6	12	19	13	13	7	3	2	-
ALL OTHER--MALE----	3	3	1	3	4	3	2	-	-	-	1	-
FEMALE--	7	3	3	8	1	6	1	2	1	-	-	-
BLACK---MALE----	3	3	1	1	3	3	2	-	-	-	1	-
FEMALE--	6	3	3	7	1	5	1	1	1	-	-	-
INDIANA -----	5	6	5	3	7	13	18	3	6	4	-	-
WHITE-----MALE----	2	2	1	1	3	6	4	-	-	2	-	-
FEMALE--	3	2	4	2	4	6	12	3	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	2	-	1	-	-	-
IOWA -----	2	4	2	1	1	11	9	8	2	1	-	-
WHITE-----MALE----	1	1	1	-	1	3	3	1	-	-	-	-
FEMALE--	1	3	1	1	-	7	6	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	2	1	5	4	2	3	6	3	4	1	1	-
WHITE-----MALE----	-	-	3	2	-	2	3	-	1	-	-	-
FEMALE--	2	-	1	2	2	1	2	3	3	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,993

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
KENTUCKY -----	68	-	-	-	-	2	2	3	2	-	3	1
WHITE-----MALE----	18	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	42	-	-	-	-	1	1	-	1	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	2	-	-	-	-
LOUISIANA -----	100	-	1	-	-	-	2	3	3	3	2	5
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	15	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	36	-	1	-	-	-	1	2	2	3	1	3
BLACK---MALE----	15	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	36	-	1	-	-	-	1	2	2	3	1	3
MAINE -----	25	-	-	-	-	-	1	1	-	1	-	-
WHITE-----MALE----	11	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	109	-	1	1	-	6	1	4	3	6	8	6
WHITE-----MALE----	16	-	-	1	-	1	1	-	-	1	-	1
FEMALE--	46	-	-	-	-	2	-	-	1	-	2	-
ALL OTHER--MALE----	18	-	1	-	-	-	-	3	2	1	2	-
FEMALE--	29	-	-	-	-	3	-	1	-	4	4	5
BLACK---MALE----	18	-	1	-	-	-	-	3	2	1	2	-
FEMALE--	27	-	-	-	-	3	-	1	-	4	4	5
MASSACHUSETTS -----	119	-	-	-	-	1	5	2	5	6	4	7
WHITE-----MALE----	31	-	-	-	-	1	2	-	1	4	1	2
FEMALE--	74	-	-	-	-	-	1	1	3	2	3	5
ALL OTHER--MALE----	6	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	217	1	2	1	4	5	10	8	8	5	13	26
WHITE-----MALE----	54	-	1	-	-	3	1	2	1	2	1	6
FEMALE--	97	-	-	-	-	1	2	1	3	3	5	10
ALL OTHER--MALE----	28	1	1	-	2	-	7	-	-	-	2	5
FEMALE--	38	-	-	1	2	1	-	5	4	-	5	5
BLACK---MALE----	27	1	1	-	2	-	7	-	-	-	1	5
FEMALE--	37	-	-	1	1	1	-	5	4	-	5	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,993

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
KENTUCKY -----	4	3	3	3	9	8	12	6	4	2	1	-
WHITE-----MALE----	1	1	1	2	2	3	5	-	-	-	-	-
FEMALE--	2	2	2	1	6	5	6	6	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
LOUISIANA -----	6	10	7	10	18	11	7	9	2	-	1	-
WHITE-----MALE----	2	-	1	3	4	4	2	-	-	-	-	-
FEMALE--	1	3	2	-	9	1	3	8	2	-	1	-
ALL OTHER--MALE----	-	4	-	5	1	2	-	-	-	-	-	-
FEMALE--	3	3	4	2	4	4	2	1	-	-	-	-
BLACK---MALE----	-	4	-	5	1	2	-	-	-	-	-	-
FEMALE--	3	3	4	2	4	4	2	1	-	-	-	-
MAINE -----	-	-	-	5	5	1	5	3	1	1	1	-
WHITE-----MALE----	-	-	-	3	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	2	4	-	4	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	6	6	8	6	16	8	13	5	1	-	-
WHITE-----MALE----	-	1	1	2	-	3	1	3	-	-	-	-
FEMALE--	2	2	1	4	4	9	4	9	5	1	-	-
ALL OTHER--MALE----	1	-	2	1	-	3	2	-	-	-	-	-
FEMALE--	1	3	2	1	2	1	1	1	-	-	-	-
BLACK---MALE----	1	-	2	1	-	3	2	-	-	-	-	-
FEMALE--	1	3	2	1	1	1	-	1	-	-	-	-
MASSACHUSETTS -----	3	11	9	14	10	12	7	13	6	4	-	-
WHITE-----MALE----	-	3	1	8	1	2	1	2	1	1	-	-
FEMALE--	2	8	8	-	9	8	6	11	4	3	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	4	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	3	-	1	-	-	-	-	-	-
MICHIGAN -----	11	8	9	13	17	16	24	17	18	1	-	-
WHITE-----MALE----	1	3	3	3	6	5	7	7	2	-	-	-
FEMALE--	4	3	5	4	8	8	15	8	16	1	-	-
ALL OTHER--MALE----	4	1	-	2	2	1	-	-	-	-	-	-
FEMALE--	2	1	1	4	1	2	2	2	-	-	-	-
BLACK---MALE----	4	1	-	2	2	1	-	-	-	-	-	-
FEMALE--	2	1	1	4	1	2	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,994
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
MINNESOTA -----	105	-	-	-	1	-	3	1	2	2	3	1
WHITE-----MALE----	29	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	69	-	-	-	-	-	1	1	-	2	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	63	-	-	1	3	1	-	-	-	4	4	2
WHITE-----MALE----	7	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	17	-	-	-	2	1	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	3	1	1
BLACK---MALE----	17	-	-	-	2	1	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	3	1	1
MISSOURI -----	110	-	-	-	1	3	2	3	6	5	5	3
WHITE-----MALE----	24	-	-	-	1	-	-	1	1	2	-	-
FEMALE--	58	-	-	-	-	1	-	2	4	2	3	1
ALL OTHER--MALE----	14	-	-	-	-	1	2	-	1	-	2	-
FEMALE--	14	-	-	-	-	1	-	-	-	1	-	2
BLACK---MALE----	14	-	-	-	-	1	2	-	1	-	2	-
FEMALE--	13	-	-	-	-	1	-	-	-	1	-	1
MONTANA -----	22	-	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	13	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	46	-	-	-	-	1	-	1	1	2	2	2
WHITE-----MALE----	12	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	29	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	31	-	-	2	1	-	3	-	-	2	2	1
WHITE-----MALE----	11	-	-	1	1	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	2	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,996

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
OHIO -----	189	-	2	-	5	3	7	5	5	4	5	15
WHITE-----MALE----	47	-	1	-	2	2	2	2	1	1	1	3
FEMALE--	97	-	-	-	1	1	-	-	2	2	1	6
ALL OTHER--MALE----	20	-	-	-	1	-	3	3	2	1	1	-
FEMALE--	25	-	1	-	1	-	2	-	-	-	2	6
BLACK---MALE----	20	-	-	-	1	-	3	3	2	1	1	-
FEMALE--	25	-	1	-	1	-	2	-	-	-	2	6
OKLAHOMA -----	68	-	-	-	3	4	4	1	2	4	4	2
WHITE-----MALE----	24	-	-	-	2	2	1	-	2	3	2	-
FEMALE--	32	-	-	-	-	1	1	-	-	-	2	2
ALL OTHER--MALE----	7	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	7	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	1	1	-	-	-	-
OREGON -----	92	-	-	-	1	-	1	-	-	1	1	2
WHITE-----MALE----	31	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	217	-	1	1	2	2	5	3	6	7	9	14
WHITE-----MALE----	51	-	-	-	1	1	2	1	1	1	1	4
FEMALE--	106	-	-	1	-	-	1	-	1	3	3	1
ALL OTHER--MALE----	20	-	1	-	1	1	1	2	3	1	1	1
FEMALE--	40	-	-	-	-	-	1	-	1	2	4	8
BLACK---MALE----	18	-	1	-	1	1	1	2	3	1	1	1
FEMALE--	38	-	-	-	-	-	1	-	1	2	3	8
RHODE ISLAND -----	10	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	96	-	1	1	-	3	-	1	1	7	5	5
WHITE-----MALE----	22	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	1	-	1	-	2	2	2
ALL OTHER--MALE----	16	-	1	-	-	-	-	-	-	3	2	-
FEMALE--	27	-	-	1	-	-	-	-	1	2	1	3
BLACK---MALE----	16	-	1	-	-	-	-	-	-	3	2	-
FEMALE--	26	-	-	1	-	-	-	-	-	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,996

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
OHIO -----	15	11	11	17	22	24	15	13	9	1	-	-
WHITE-----MALE----	-	2	-	7	9	5	4	4	1	-	-	-
FEMALE--	10	6	9	8	7	17	11	8	7	1	-	-
ALL OTHER--MALE----	2	1	-	1	4	1	-	-	-	-	-	-
FEMALE--	3	2	2	1	2	1	-	1	1	-	-	-
BLACK---MALE----	2	1	-	1	4	1	-	-	-	-	-	-
FEMALE--	3	2	2	1	2	1	-	1	1	-	-	-
OKLAHOMA -----	5	3	2	7	6	6	9	2	4	-	-	-
WHITE-----MALE----	2	-	1	2	2	-	4	1	-	-	-	-
FEMALE--	2	3	1	2	2	6	5	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
OREGON -----	3	7	5	3	11	13	23	11	6	4	-	-
WHITE-----MALE----	1	2	-	1	4	4	12	2	-	2	-	-
FEMALE--	2	4	5	2	6	9	11	9	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	11	12	16	24	28	23	25	13	2	-	-
WHITE-----MALE----	2	3	4	3	6	11	5	3	2	-	-	-
FEMALE--	6	3	4	8	14	14	15	19	11	2	-	-
ALL OTHER--MALE----	2	1	1	1	1	2	-	-	-	-	-	-
FEMALE--	3	4	3	4	3	1	3	3	-	-	-	-
BLACK---MALE----	2	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	3	4	3	4	3	1	3	2	-	-	-	-
RHODE ISLAND -----	1	2	2	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	2	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	6	8	8	12	7	10	3	3	2	-	-
WHITE-----MALE----	-	3	3	1	5	4	3	-	-	1	-	-
FEMALE--	2	2	2	2	5	-	4	3	2	1	-	-
ALL OTHER--MALE----	3	-	2	1	1	1	2	-	-	-	-	-
FEMALE--	8	1	1	4	1	2	1	-	1	-	-	-
BLACK---MALE----	3	-	2	1	1	1	2	-	-	-	-	-
FEMALE--	8	1	1	4	1	2	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,997

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
SOUTH DAKOTA -----	19	-	-	-	2	1	-	-	-	1	-	1
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	-	-	-	2	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	100	-	1	-	1	1	1	5	-	5	5	8
WHITE-----MALE----	24	-	-	-	1	-	1	3	-	3	-	2
FEMALE--	45	-	-	-	-	-	-	1	-	1	4	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	20	-	1	-	-	1	-	-	-	-	-	2
BLACK---MALE----	11	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	20	-	1	-	-	1	-	-	-	-	-	2
TEXAS -----	343	2	4	4	5	9	8	4	6	12	16	16
WHITE-----MALE----	94	-	2	1	-	2	4	1	-	2	4	3
FEMALE--	169	-	2	3	1	1	3	1	3	4	8	10
ALL OTHER--MALE----	36	1	-	-	3	3	1	1	1	3	1	1
FEMALE--	44	1	-	-	-	3	-	1	2	3	3	2
BLACK---MALE----	31	1	-	-	3	3	1	1	1	3	1	1
FEMALE--	40	1	-	-	-	3	-	1	1	3	2	2
UTAH -----	31	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	143	-	4	2	1	5	4	3	4	7	4	7
WHITE-----MALE----	22	-	1	-	-	1	-	-	1	1	-	-
FEMALE--	62	-	-	-	-	1	1	-	2	2	2	2
ALL OTHER--MALE----	28	-	3	1	1	-	3	2	1	2	1	2
FEMALE--	31	-	-	1	-	3	-	1	-	2	1	3
BLACK---MALE----	25	-	2	1	1	-	3	2	1	2	1	2
FEMALE--	30	-	-	1	-	3	-	1	-	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,997

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
SOUTH DAKOTA -----	-	1	2	1	4	1	2	1	2	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	6	7	10	9	14	10	7	4	-	1	-
WHITE-----MALE----	1	1	-	5	1	2	2	-	2	-	-	-
FEMALE--	3	2	3	3	7	6	7	7	-	-	1	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	2	3	1	1	5	1	-	2	-	-	-
BLACK---MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	2	3	1	1	5	1	-	2	-	-	-
TEXAS -----	21	21	18	30	31	44	42	27	17	4	2	-
WHITE-----MALE----	5	6	5	6	8	16	13	7	7	1	-	-
FEMALE--	8	7	5	17	15	25	24	19	8	3	2	-
ALL OTHER--MALE----	2	5	4	2	5	1	1	-	1	-	-	-
FEMALE--	6	3	4	5	3	2	4	1	1	-	-	-
BLACK---MALE----	2	4	2	1	4	1	1	-	1	-	-	-
FEMALE--	6	3	4	4	3	2	3	1	1	-	-	-
UTAH -----	-	1	2	5	3	5	7	5	2	-	-	-
WHITE-----MALE----	-	-	2	-	1	2	3	2	1	-	-	-
FEMALE--	-	1	-	5	2	3	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	2	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	8	11	13	13	16	12	12	6	1	-	-
WHITE-----MALE----	1	-	1	3	3	5	5	-	-	-	-	-
FEMALE--	6	4	4	5	6	6	3	11	6	1	-	-
ALL OTHER--MALE----	-	-	3	4	2	2	1	-	-	-	-	-
FEMALE--	3	4	3	1	2	3	3	1	-	-	-	-
BLACK---MALE----	-	-	3	4	-	2	1	-	-	-	-	-
FEMALE--	3	3	3	1	2	3	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,999

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)												
UNITED STATES --	23	29	50	96	155	235	222	210	88	23	3	-
WHITE-----MALE----	9	11	18	34	55	76	72	62	18	7	-	-
FEMALE--	13	14	27	57	87	145	138	139	69	13	3	-
ALL OTHER--MALE----	-	1	3	4	4	5	4	4	1	3	-	-
FEMALE--	1	3	2	1	9	9	8	5	-	-	-	-
BLACK---MALE----	-	1	1	2	1	2	2	-	1	2	-	-
FEMALE--	1	3	1	-	3	3	4	2	-	-	-	-
ALABAMA -----	-	1	2	3	2	4	5	1	1	1	-	-
WHITE-----MALE----	-	1	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	3	1	2	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	4	7	12	11	10	1	-	-	-
WHITE-----MALE----	-	-	-	2	4	6	4	3	-	-	-	-
FEMALE--	1	-	1	2	3	5	5	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	1	1	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	1	4	11	19	29	25	27	12	3	2	-
WHITE-----MALE----	2	-	2	2	5	9	7	8	6	2	-	-
FEMALE--	1	-	2	8	9	18	15	18	6	1	2	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	3	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,000

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)												
COLORADO -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	21	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	76	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
GEORGIA -----	29	-	-	-	-	-	-	1	1	-	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,000

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)												
COLORADO -----	1	-	1	3	4	3	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	3	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	3	1	2	8	2	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	3	-	1	5	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	4	6	14	18	10	15	4	2	-	-
WHITE-----MALE----	1	-	1	4	5	4	4	4	-	1	-	-
FEMALE--	-	-	2	2	9	14	6	11	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	1	2	3	1	4	4	5	2	1	-	-
WHITE-----MALE----	-	-	-	2	-	-	4	4	-	-	-	-
FEMALE--	2	-	2	1	1	3	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,005

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)												
OHIO -----	-	3	-	6	3	7	9	7	3	-	-	-
WHITE-----MALE----	-	1	-	1	-	5	3	4	1	-	-	-
FEMALE--	-	1	-	5	3	2	6	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	1	1	1	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	2	2	11	2	8	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	4	-	3	1	-	-	-
FEMALE--	-	-	-	1	-	6	2	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	2	2	5	13	8	6	11	6	1	-	-
WHITE-----MALE----	-	-	2	3	5	4	1	3	1	-	-	-
FEMALE--	-	2	-	2	8	4	5	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	2	4	3	2	4	3	2	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	3	2	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,008

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
UNITED STATES --	85,382	4	3	4	1	3	5	8	10	70	185	434
WHITE-----MALE----	40,383	1	1	1	-	1	3	4	4	34	83	191
FEMALE--	39,307	2	1	1	1	2	1	2	1	19	57	158
ALL OTHER--MALE----	3,406	-	1	2	-	-	1	1	4	9	24	49
FEMALE--	2,286	1	-	-	-	-	-	1	1	8	21	36
BLACK---MALE----	2,850	-	1	1	-	-	1	1	3	8	19	44
FEMALE--	1,969	-	-	-	-	-	-	1	1	8	21	34
ALABAMA -----	1,521	-	-	-	-	-	-	-	-	3	6	8
WHITE-----MALE----	736	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	615	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	122	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	120	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	86	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,717	-	-	-	-	-	-	-	1	1	1	9
WHITE-----MALE----	851	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	833	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	772	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	374	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	347	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	38	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9,184	1	1	-	-	1	-	3	2	11	27	52
WHITE-----MALE----	3,920	-	1	-	-	-	-	2	2	4	11	28
FEMALE--	4,453	1	-	-	-	1	-	1	-	5	8	14
ALL OTHER--MALE----	526	-	-	-	-	-	-	-	-	1	4	7
FEMALE--	285	-	-	-	-	-	-	-	-	1	4	3
BLACK---MALE----	282	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	181	-	-	-	-	-	-	-	-	1	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,008

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
UNITED STATES --	1,140	2,380	4,751	8,903	14,465	17,599	16,707	11,686	5,285	1,499	233	7
WHITE-----MALE----	516	1,102	2,273	4,401	7,193	8,624	8,001	5,296	2,094	500	53	7
FEMALE--	469	995	2,040	3,831	6,294	7,880	7,860	5,765	2,880	893	155	-
ALL OTHER--MALE----	95	175	260	404	597	669	530	369	162	47	7	-
FEMALE--	60	108	178	267	381	426	316	256	149	59	18	-
BLACK---MALE----	87	160	226	346	517	565	425	288	118	36	4	-
FEMALE--	57	100	156	228	335	363	263	204	127	54	17	-
ALABAMA -----	26	40	104	180	271	318	265	180	97	18	5	-
WHITE-----MALE----	11	19	46	82	122	160	142	90	46	8	2	-
FEMALE--	11	16	47	75	118	122	107	69	36	8	1	-
ALL OTHER--MALE----	1	4	8	14	27	24	14	17	8	1	1	-
FEMALE--	3	1	3	9	4	12	2	4	7	1	1	-
BLACK---MALE----	1	4	7	13	27	24	14	17	8	1	1	-
FEMALE--	3	1	3	8	4	12	2	4	7	1	1	-
ALASKA -----	2	3	7	12	19	20	12	8	2	-	-	-
WHITE-----MALE----	1	1	1	5	6	7	4	3	1	-	-	-
FEMALE--	1	1	2	5	8	4	5	3	-	-	-	-
ALL OTHER--MALE----	-	1	2	1	1	5	1	1	1	-	-	-
FEMALE--	-	-	2	1	4	4	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	44	94	195	304	341	349	239	95	28	5	-
WHITE-----MALE----	4	23	57	104	154	164	164	125	37	10	2	-
FEMALE--	6	18	34	87	148	173	178	111	55	18	2	-
ALL OTHER--MALE----	1	2	2	3	2	2	6	2	3	-	1	-
FEMALE--	-	1	1	1	-	2	1	1	-	-	-	-
BLACK---MALE----	1	1	2	1	1	1	3	1	1	-	-	-
FEMALE--	-	1	1	1	-	1	-	1	-	-	-	-
ARKANSAS -----	12	23	44	67	144	167	137	116	45	10	2	-
WHITE-----MALE----	5	12	24	39	66	75	72	61	15	4	-	-
FEMALE--	7	9	18	25	64	82	62	47	25	4	1	-
ALL OTHER--MALE----	-	1	2	1	9	9	2	7	4	2	-	-
FEMALE--	-	1	-	2	5	1	1	1	1	-	1	-
BLACK---MALE----	-	1	2	1	9	9	2	7	4	2	-	-
FEMALE--	-	1	-	1	4	1	1	-	1	-	1	-
CALIFORNIA -----	145	244	479	887	1,429	1,893	1,903	1,274	602	209	20	1
WHITE-----MALE----	58	109	216	386	634	833	813	555	194	69	4	1
FEMALE--	62	101	209	411	671	903	963	611	358	119	15	-
ALL OTHER--MALE----	19	23	37	60	81	98	84	68	33	10	1	-
FEMALE--	6	11	17	30	43	59	43	40	17	11	-	-
BLACK---MALE----	16	21	25	39	46	53	38	23	10	2	-	-
FEMALE--	6	8	15	19	31	37	20	19	11	7	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,009

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
COLORADO -----	1,440	-	-	-	-	-	-	-	-	-	1	5
WHITE-----MALE----	752	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	657	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	957	-	-	-	-	-	-	-	-	1	4	6
WHITE-----MALE----	436	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	502	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
DELAWARE -----	243	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	107	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	108	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	111	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	6,298	-	-	-	-	-	-	2	-	3	26	31
WHITE-----MALE----	2,928	-	-	-	-	-	-	-	-	1	11	9
FEMALE--	3,023	-	-	-	-	-	1	-	-	1	10	11
ALL OTHER--MALE----	209	-	-	-	-	-	-	1	-	1	3	5
FEMALE--	138	-	-	-	-	-	-	-	-	-	2	6
BLACK---MALE----	196	-	-	-	-	-	-	1	-	1	3	4
FEMALE--	130	-	-	-	-	-	-	-	-	-	2	6
GEORGIA -----	2,014	-	-	1	-	-	-	-	2	2	11	19
WHITE-----MALE----	963	-	-	-	-	-	-	-	1	-	4	8
FEMALE--	781	-	-	-	-	-	-	-	-	1	1	7
ALL OTHER--MALE----	174	-	-	1	-	-	-	-	1	-	4	1
FEMALE--	96	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	169	-	-	1	-	-	-	-	1	-	4	1
FEMALE--	93	-	-	-	-	-	-	-	-	1	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,009

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
COLORADO -----	20	28	84	152	254	318	269	198	87	17	7	-
WHITE-----MALE----	9	14	45	88	122	169	151	99	42	8	2	-
FEMALE--	8	14	32	61	125	143	115	98	44	9	5	-
ALL OTHER--MALE----	2	-	5	2	6	2	1	-	-	-	-	-
FEMALE--	1	-	2	1	1	4	2	1	1	-	-	-
BLACK---MALE----	1	-	4	1	5	1	-	-	-	-	-	-
FEMALE--	1	-	2	-	1	3	2	1	1	-	-	-
CONNECTICUT -----	4	22	35	75	135	200	221	155	69	29	1	-
WHITE-----MALE----	2	9	15	35	58	90	113	67	31	12	-	-
FEMALE--	2	13	19	39	71	106	105	88	38	16	1	-
ALL OTHER--MALE----	-	-	1	1	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	3	1	-	-	1	-	-
BLACK---MALE----	-	-	1	1	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	3	1	-	-	1	-	-
DELAWARE -----	2	5	14	29	33	51	53	37	16	2	-	-
WHITE-----MALE----	-	2	5	16	16	17	26	18	7	-	-	-
FEMALE--	1	3	4	8	14	27	21	19	8	2	-	-
ALL OTHER--MALE----	1	-	3	1	1	5	2	-	-	-	-	-
FEMALE--	-	-	2	4	2	2	4	-	1	-	-	-
BLACK---MALE----	1	-	2	1	1	5	2	-	-	-	-	-
FEMALE--	-	-	2	4	2	1	4	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	6	8	11	14	21	19	11	13	6	1	-
WHITE-----MALE----	-	-	-	3	1	3	4	-	1	2	-	-
FEMALE--	-	-	-	1	2	4	4	5	5	2	1	-
ALL OTHER--MALE----	-	4	5	4	7	8	5	3	4	-	-	-
FEMALE--	-	2	3	3	4	6	6	3	3	2	-	-
BLACK---MALE----	-	4	5	4	7	8	5	3	4	-	-	-
FEMALE--	-	2	3	3	4	6	6	3	3	2	-	-
FLORIDA -----	88	143	311	604	991	1,300	1,231	953	472	127	15	1
WHITE-----MALE----	45	70	157	299	512	617	566	405	188	44	3	1
FEMALE--	27	52	127	253	432	614	619	519	269	77	11	-
ALL OTHER--MALE----	9	14	17	31	32	40	30	13	10	2	1	-
FEMALE--	7	7	10	21	15	29	16	16	5	4	-	-
BLACK---MALE----	9	13	16	31	30	37	27	11	10	2	1	-
FEMALE--	7	7	9	20	14	27	15	14	5	4	-	-
GEORGIA -----	49	86	130	220	366	429	332	251	81	33	2	-
WHITE-----MALE----	15	39	63	121	200	212	161	103	22	14	-	-
FEMALE--	21	32	51	78	125	165	129	108	45	16	2	-
ALL OTHER--MALE----	8	11	10	13	28	37	28	24	7	1	-	-
FEMALE--	5	4	6	8	13	15	14	16	7	2	-	-
BLACK---MALE----	8	10	10	13	28	36	26	23	7	1	-	-
FEMALE--	5	4	6	8	13	14	13	15	7	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,010

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
HAWAII -----	1	4	9	18	18	33	33	28	8	2	1	-
WHITE-----MALE----	1	-	1	7	4	11	6	4	-	-	1	-
FEMALE--	-	2	2	3	2	7	4	9	-	1	-	-
ALL OTHER--MALE----	-	2	3	6	7	9	15	9	7	1	-	-
FEMALE--	-	-	3	2	5	6	8	6	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	13	21	65	63	78	75	59	24	5	-	-
WHITE-----MALE----	4	6	9	35	34	49	49	29	12	4	-	-
FEMALE--	2	7	12	30	28	28	26	30	12	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	41	91	165	311	563	644	696	444	192	55	6	1
WHITE-----MALE----	16	43	83	151	270	309	310	205	71	23	2	1
FEMALE--	7	39	64	129	248	288	352	211	110	30	4	-
ALL OTHER--MALE----	9	5	6	17	31	33	17	14	6	-	-	-
FEMALE--	9	4	12	14	14	14	17	14	5	2	-	-
BLACK---MALE----	9	5	6	17	27	32	16	14	6	-	-	-
FEMALE--	9	4	12	13	14	14	14	11	5	2	-	-
INDIANA -----	22	65	126	241	369	434	382	259	125	34	8	-
WHITE-----MALE----	15	34	60	143	174	239	169	116	48	11	3	-
FEMALE--	7	25	59	94	181	179	204	134	73	22	2	-
ALL OTHER--MALE----	-	5	6	2	9	7	5	3	1	1	-	-
FEMALE--	-	1	1	2	5	9	4	6	3	-	3	-
BLACK---MALE----	-	5	6	2	9	7	5	3	1	1	-	-
FEMALE--	-	1	1	2	5	9	4	6	2	-	3	-
IOWA -----	15	18	60	123	183	253	242	156	74	23	4	-
WHITE-----MALE----	9	11	25	61	116	150	139	91	30	8	1	-
FEMALE--	5	7	34	61	67	97	101	61	43	15	3	-
ALL OTHER--MALE----	1	-	-	1	-	5	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	1	-	-	-
BLACK---MALE----	1	-	-	1	-	3	2	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	1	-	-	-
KANSAS -----	9	26	64	100	161	185	167	151	60	19	2	-
WHITE-----MALE----	3	18	34	57	94	99	91	78	32	7	-	-
FEMALE--	6	6	24	37	65	84	71	71	27	11	2	-
ALL OTHER--MALE----	-	1	4	3	1	-	3	-	-	1	-	-
FEMALE--	-	1	2	3	1	2	2	2	1	-	-	-
BLACK---MALE----	-	1	4	3	1	-	-	-	-	1	-	-
FEMALE--	-	1	1	1	1	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,011

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
KENTUCKY -----	25	60	99	195	274	316	245	183	88	23	5	-
WHITE-----MALE----	9	32	53	107	140	173	130	98	34	7	1	-
FEMALE--	15	26	39	80	120	127	110	80	50	16	3	-
ALL OTHER--MALE----	1	-	2	4	4	10	4	2	2	-	-	-
FEMALE--	-	2	5	4	10	6	1	3	2	-	1	-
BLACK---MALE----	1	-	1	4	4	10	4	2	2	-	-	-
FEMALE--	-	2	5	4	10	5	1	3	2	-	1	-
LOUISIANA -----	21	38	83	111	218	238	233	129	55	18	1	-
WHITE-----MALE----	11	16	33	47	97	94	115	55	15	3	-	-
FEMALE--	5	13	33	45	86	103	83	55	30	7	-	-
ALL OTHER--MALE----	3	8	11	15	19	23	23	14	5	4	1	-
FEMALE--	2	1	6	4	16	18	12	5	5	4	-	-
BLACK---MALE----	3	8	11	15	18	23	22	14	5	4	1	-
FEMALE--	2	1	5	4	16	17	12	5	5	4	-	-
MAINE -----	9	8	26	60	103	115	115	95	49	14	2	-
WHITE-----MALE----	5	3	12	32	62	58	59	49	27	2	-	-
FEMALE--	4	5	14	28	40	56	55	46	22	12	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	49	64	114	223	288	254	182	75	28	5	-
WHITE-----MALE----	2	19	25	50	88	113	86	58	24	4	-	-
FEMALE--	9	14	24	46	105	148	134	103	36	18	4	-
ALL OTHER--MALE----	1	8	6	8	13	15	23	9	3	1	-	-
FEMALE--	2	8	9	10	17	12	11	12	12	5	1	-
BLACK---MALE----	1	8	5	8	13	15	23	9	3	1	-	-
FEMALE--	2	8	9	10	17	12	11	12	12	5	1	-
MASSACHUSETTS -----	25	42	81	184	300	413	400	307	160	60	8	-
WHITE-----MALE----	11	20	31	86	154	208	177	129	58	14	1	-
FEMALE--	13	20	49	93	134	200	215	172	98	46	6	-
ALL OTHER--MALE----	1	-	1	2	7	3	4	3	2	-	1	-
FEMALE--	-	2	-	3	5	2	4	3	2	-	-	-
BLACK---MALE----	1	-	-	2	5	3	3	2	1	-	-	-
FEMALE--	-	1	-	2	4	2	3	2	1	-	-	-
MICHIGAN -----	36	74	143	310	484	575	518	327	157	49	9	-
WHITE-----MALE----	11	37	63	158	243	271	249	148	66	17	2	-
FEMALE--	16	25	62	125	199	256	244	160	85	25	7	-
ALL OTHER--MALE----	4	8	11	18	23	25	16	12	3	3	-	-
FEMALE--	5	4	7	9	19	23	9	7	3	4	-	-
BLACK---MALE----	4	7	10	15	21	22	15	9	3	3	-	-
FEMALE--	4	3	6	7	16	20	8	6	2	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,012
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
MINNESOTA -----	15	34	64	111	218	293	326	205	107	18	4	-
WHITE-----MALE----	8	13	28	59	99	155	175	110	63	5	3	-
FEMALE--	5	18	34	48	116	132	150	93	43	12	1	-
ALL OTHER--MALE----	1	3	2	2	2	3	-	1	1	1	-	-
FEMALE--	1	-	-	2	1	3	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
MISSISSIPPI -----	15	38	58	116	183	149	145	99	49	12	2	-
WHITE-----MALE----	11	17	24	58	99	75	76	49	17	5	1	-
FEMALE--	2	13	24	37	57	56	50	40	27	6	1	-
ALL OTHER--MALE----	-	3	8	13	18	14	14	8	4	1	-	-
FEMALE--	2	5	2	8	9	4	5	2	1	-	-	-
BLACK---MALE----	-	3	8	13	18	14	14	8	4	1	-	-
FEMALE--	2	5	2	8	9	4	5	2	1	-	-	-
MISSOURI -----	27	60	130	235	376	451	381	303	114	39	6	-
WHITE-----MALE----	14	29	66	115	211	231	196	159	59	17	-	-
FEMALE--	12	26	57	105	144	200	159	130	50	21	6	-
ALL OTHER--MALE----	1	2	5	8	11	13	16	8	3	1	-	-
FEMALE--	-	3	2	7	10	7	10	6	2	-	-	-
BLACK---MALE----	1	2	5	8	11	11	16	7	3	1	-	-
FEMALE--	-	3	1	5	10	7	10	6	2	-	-	-
MONTANA -----	5	12	29	33	59	91	86	56	30	4	-	-
WHITE-----MALE----	3	2	15	21	37	53	36	24	17	2	-	-
FEMALE--	2	8	13	9	21	36	50	31	12	2	-	-
ALL OTHER--MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	12	31	52	101	127	134	79	43	6	-	-
WHITE-----MALE----	6	5	19	29	57	70	89	40	23	-	-	-
FEMALE--	3	5	12	22	44	54	43	39	20	6	-	-
ALL OTHER--MALE----	-	2	-	1	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	15	34	55	103	144	151	154	75	28	8	-	-
WHITE-----MALE----	7	18	33	53	68	68	74	32	7	2	-	-
FEMALE--	7	13	20	45	75	80	78	40	21	6	-	-
ALL OTHER--MALE----	1	1	1	4	1	2	2	-	-	-	-	-
FEMALE--	-	2	1	1	-	1	-	3	-	-	-	-
BLACK---MALE----	1	-	1	2	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,014
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
OHIO -----	50	119	225	441	745	857	816	575	266	56	18	-
WHITE-----MALE----	21	50	104	209	385	423	400	260	106	22	4	-
FEMALE--	25	56	107	207	315	394	375	290	149	28	13	-
ALL OTHER--MALE----	2	6	7	13	28	26	18	14	4	-	-	-
FEMALE--	2	7	7	12	17	14	23	11	7	6	1	-
BLACK---MALE----	2	6	7	13	28	26	18	13	4	-	-	-
FEMALE--	2	7	7	10	17	14	23	10	7	6	1	-
OKLAHOMA -----	24	55	105	162	248	314	218	178	67	22	4	1
WHITE-----MALE----	14	32	62	86	124	183	118	90	27	8	1	1
FEMALE--	8	20	36	64	110	120	91	81	37	13	3	-
ALL OTHER--MALE----	2	2	3	7	9	6	8	4	2	-	-	-
FEMALE--	-	1	4	5	5	5	1	3	1	1	-	-
BLACK---MALE----	1	1	3	1	6	4	3	2	1	-	-	-
FEMALE--	-	1	1	4	4	2	-	2	1	-	-	-
OREGON -----	14	23	66	133	185	262	228	146	62	10	1	-
WHITE-----MALE----	9	11	32	63	102	132	112	73	27	4	-	-
FEMALE--	3	11	33	68	76	128	113	72	33	6	1	-
ALL OTHER--MALE----	1	1	1	2	5	2	2	-	2	-	-	-
FEMALE--	1	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
PENNSYLVANIA -----	39	93	209	394	822	877	926	633	297	65	12	-
WHITE-----MALE----	17	48	106	212	422	449	430	280	126	24	3	-
FEMALE--	16	33	91	159	360	387	465	330	159	37	9	-
ALL OTHER--MALE----	5	7	5	9	17	22	15	14	5	2	-	-
FEMALE--	1	5	7	14	23	19	16	9	7	2	-	-
BLACK---MALE----	4	7	5	9	17	19	14	14	5	2	-	-
FEMALE--	1	5	6	14	23	19	15	9	7	2	-	-
RHODE ISLAND -----	2	11	16	44	53	70	81	65	27	12	-	-
WHITE-----MALE----	2	5	6	20	26	35	41	34	9	6	-	-
FEMALE--	-	6	9	23	25	35	38	30	18	6	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	-	-	-	-
SOUTH CAROLINA -----	22	55	96	150	248	215	198	113	54	14	3	-
WHITE-----MALE----	11	20	46	68	111	100	109	55	21	5	-	-
FEMALE--	9	27	38	68	101	86	69	53	27	7	3	-
ALL OTHER--MALE----	2	3	9	10	25	17	16	2	2	2	-	-
FEMALE--	-	5	3	4	11	12	4	3	4	-	-	-
BLACK---MALE----	2	3	9	10	25	17	16	2	2	2	-	-
FEMALE--	-	5	3	4	11	12	4	3	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,015

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
SOUTH DAKOTA -----	7	5	12	16	30	48	50	40	17	7	2	-
WHITE-----MALE----	3	2	8	8	19	26	33	19	9	1	-	-
FEMALE--	4	3	4	7	9	21	15	21	8	6	2	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	30	84	152	257	348	394	350	239	96	28	6	-
WHITE-----MALE----	13	39	82	150	200	207	196	115	29	8	1	-
FEMALE--	15	34	56	88	126	163	141	106	57	19	4	-
ALL OTHER--MALE----	1	8	8	15	14	13	11	11	6	1	-	-
FEMALE--	1	3	6	4	8	11	2	7	4	-	1	-
BLACK---MALE----	1	8	8	15	14	13	11	11	6	1	-	-
FEMALE--	1	3	6	4	7	11	2	7	3	-	1	-
TEXAS -----	70	139	314	560	828	1,026	935	617	286	82	15	-
WHITE-----MALE----	29	52	160	270	403	467	446	272	121	27	5	-
FEMALE--	34	71	119	241	372	497	443	306	151	50	8	-
ALL OTHER--MALE----	4	10	22	30	30	37	32	24	9	4	-	-
FEMALE--	3	6	13	19	23	25	14	15	5	1	2	-
BLACK---MALE----	3	10	20	30	28	35	31	22	8	4	-	-
FEMALE--	3	5	12	19	22	24	14	13	4	1	2	-
UTAH -----	6	13	31	33	63	86	71	34	16	2	-	-
WHITE-----MALE----	4	10	21	17	43	48	47	17	6	1	-	-
FEMALE--	2	3	10	16	18	35	24	17	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	1	5	16	22	38	40	34	35	12	3	-	-
WHITE-----MALE----	-	3	10	11	23	20	16	12	3	-	-	-
FEMALE--	1	2	6	11	15	20	18	23	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	63	113	199	327	419	347	269	99	24	5	1
WHITE-----MALE----	11	25	47	82	158	214	151	120	40	11	1	1
FEMALE--	9	30	51	90	140	155	151	128	48	13	2	-
ALL OTHER--MALE----	2	7	10	16	19	23	27	18	4	-	-	-
FEMALE--	1	1	5	11	10	27	18	3	7	-	2	-
BLACK---MALE----	2	7	10	15	18	21	27	16	4	-	-	-
FEMALE--	1	1	5	10	10	27	18	3	7	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,017

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
UNITED STATES --	13,826	11	9	8	8	11	12	25	28	50	69	93
WHITE-----MALE----	6,488	4	5	3	3	4	6	10	12	20	28	46
FEMALE--	5,786	2	2	3	3	4	4	4	8	19	23	29
ALL OTHER--MALE----	799	1	2	1	1	1	-	3	6	6	9	9
FEMALE--	753	4	-	1	1	2	2	8	2	5	9	9
BLACK---MALE----	705	1	1	1	1	1	-	3	6	3	8	9
FEMALE--	668	4	-	1	1	2	1	6	1	4	9	9
ALABAMA -----	253	-	-	-	-	-	-	1	-	-	2	2
WHITE-----MALE----	104	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	99	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	8	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	176	-	2	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	79	-	2	-	-	-	-	-	-	-	1	-
FEMALE--	82	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	167	1	-	-	-	-	-	-	-	-	4	1
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	72	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	1
CALIFORNIA -----	702	2	1	1	1	2	1	2	1	4	6	3
WHITE-----MALE----	323	1	-	-	1	1	1	1	-	2	1	2
FEMALE--	307	-	-	1	-	1	-	1	1	-	4	-
ALL OTHER--MALE----	32	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	40	1	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	16	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	25	1	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,017

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
UNITED STATES --	141	199	296	581	1,174	1,987	2,858	2,983	2,194	900	189	-
WHITE-----MALE----	70	104	163	318	681	1,095	1,449	1,343	807	273	44	-
FEMALE--	36	49	83	143	314	663	1,144	1,391	1,204	537	121	-
ALL OTHER--MALE----	24	32	35	76	110	119	139	118	77	24	6	-
FEMALE--	11	14	15	44	69	110	126	131	106	66	18	-
BLACK---MALE----	22	29	35	73	96	101	124	107	60	19	5	-
FEMALE--	11	14	14	39	61	97	110	116	92	58	18	-
ALABAMA -----	2	7	8	17	18	46	50	51	37	10	2	-
WHITE-----MALE----	2	5	3	8	10	22	28	16	4	2	-	-
FEMALE--	-	2	-	2	4	16	16	25	28	6	-	-
ALL OTHER--MALE----	-	-	3	4	3	3	4	4	2	1	1	-
FEMALE--	-	-	2	3	1	5	2	6	3	1	1	-
BLACK---MALE----	-	-	3	4	3	2	4	4	2	1	1	-
FEMALE--	-	-	2	3	1	5	2	6	3	1	1	-
ALASKA -----	-	-	-	-	1	2	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	7	8	16	26	28	41	28	13	-	-
WHITE-----MALE----	1	1	4	2	8	8	16	21	10	5	-	-
FEMALE--	-	-	3	5	7	17	11	17	15	7	-	-
ALL OTHER--MALE----	-	2	-	-	1	1	-	-	3	1	-	-
FEMALE--	-	-	-	1	-	-	1	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ARKANSAS -----	2	6	3	3	16	14	38	39	32	8	-	-
WHITE-----MALE----	1	4	2	1	11	8	17	12	11	2	-	-
FEMALE--	1	-	-	1	5	6	17	21	17	4	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	1	2	3	-	-	-
FEMALE--	-	-	1	-	-	-	3	4	1	2	-	-
BLACK---MALE----	-	2	-	1	-	-	1	2	3	-	-	-
FEMALE--	-	-	1	-	-	-	3	4	1	2	-	-
CALIFORNIA -----	7	18	13	25	67	93	140	138	117	53	7	-
WHITE-----MALE----	3	10	6	12	33	50	62	71	47	17	2	-
FEMALE--	2	5	6	9	24	34	71	57	58	29	4	-
ALL OTHER--MALE----	1	2	1	1	5	2	4	6	7	1	-	-
FEMALE--	1	1	-	3	5	7	3	4	5	6	1	-
BLACK---MALE----	1	1	1	1	3	2	2	3	1	-	-	-
FEMALE--	1	1	-	2	3	4	2	1	4	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,018

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
COLORADO -----	164	-	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	84	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	76	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	265	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	120	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	128	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	49	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	44	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	17	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	944	1	-	1	1	-	-	1	3	4	6	4
WHITE-----MALE----	463	1	-	-	-	-	-	-	1	3	3	2
FEMALE--	402	-	-	-	-	-	-	-	2	1	2	-
ALL OTHER--MALE----	41	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	38	-	-	-	1	-	-	1	-	-	1	-
BLACK---MALE----	39	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	38	-	-	-	1	-	-	1	-	-	1	-
GEORGIA -----	363	2	-	2	-	1	1	-	-	-	-	4
WHITE-----MALE----	140	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	153	1	-	-	-	1	-	-	-	-	-	3
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	34	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,018

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
COLORADO -----	3	2	6	5	10	24	31	39	19	15	7	-
WHITE-----MALE----	-	1	4	3	6	14	16	21	10	8	-	-
FEMALE--	2	1	2	2	4	10	14	18	8	7	7	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	2	-	7	10	24	32	57	51	52	23	4	-
WHITE-----MALE----	1	-	3	4	12	21	21	24	23	11	-	-
FEMALE--	1	-	2	5	11	8	33	27	26	12	2	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	-	1	-	1	-
FEMALE--	-	-	1	-	-	2	2	-	2	-	1	-
BLACK---MALE----	-	-	1	1	1	1	1	-	1	-	1	-
FEMALE--	-	-	1	-	-	2	1	-	2	-	1	-
DELAWARE -----	1	-	2	-	2	10	6	11	10	4	3	-
WHITE-----MALE----	1	-	1	-	1	8	5	6	3	1	2	-
FEMALE--	-	-	1	-	1	1	-	4	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	1	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	1	-
DISTRICT OF COLUMBIA ----	-	1	1	2	5	7	8	7	4	2	4	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	2	-
FEMALE--	-	-	-	-	1	-	1	1	1	1	2	-
ALL OTHER--MALE----	-	1	1	2	2	4	4	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	4	2	1	-	-
BLACK---MALE----	-	1	1	2	2	4	4	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	4	2	1	-	-
FLORIDA -----	5	7	20	32	64	129	203	209	172	68	14	-
WHITE-----MALE----	1	4	12	15	43	70	103	98	75	25	7	-
FEMALE--	1	2	4	9	16	45	87	100	89	39	5	-
ALL OTHER--MALE----	1	-	2	4	3	6	10	5	6	1	-	-
FEMALE--	2	1	2	4	2	8	3	6	2	3	2	-
BLACK---MALE----	1	-	2	4	3	6	9	4	6	1	-	-
FEMALE--	2	1	2	4	2	8	3	6	2	3	2	-
GEORGIA -----	5	6	6	16	34	50	82	80	44	27	3	-
WHITE-----MALE----	1	2	3	4	20	24	28	33	17	6	-	-
FEMALE--	1	4	2	2	8	18	37	35	21	17	3	-
ALL OTHER--MALE----	2	-	1	10	4	4	7	4	3	-	-	-
FEMALE--	1	-	-	-	2	4	10	8	3	4	-	-
BLACK---MALE----	2	-	1	10	4	4	7	4	2	-	-	-
FEMALE--	1	-	-	-	2	4	9	8	3	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,019

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
HAWAII -----	1	-	-	1	4	14	9	9	13	6	1	-
WHITE-----MALE----	1	-	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	3	1	1	-
ALL OTHER--MALE----	-	-	-	1	2	7	3	3	3	3	-	-
FEMALE--	-	-	-	-	1	7	3	5	7	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	-	2	-	3	3	6	10	12	9	5	-	-
WHITE-----MALE----	-	1	-	1	2	2	7	8	2	1	-	-
FEMALE--	-	1	-	2	1	3	3	4	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7	11	14	32	47	86	138	137	100	39	10	-
WHITE-----MALE----	5	4	6	18	29	49	74	54	26	14	-	-
FEMALE--	2	4	5	9	9	26	53	67	65	19	9	-
ALL OTHER--MALE----	-	3	3	4	9	6	5	5	5	1	-	-
FEMALE--	-	-	-	1	-	5	6	11	4	5	1	-
BLACK---MALE----	-	3	3	4	8	5	2	5	5	1	-	-
FEMALE--	-	-	-	1	-	4	6	11	4	5	1	-
INDIANA -----	6	3	5	13	24	53	61	71	54	14	4	-
WHITE-----MALE----	2	2	2	11	13	27	30	39	21	4	1	-
FEMALE--	3	-	3	2	7	21	28	31	32	9	3	-
ALL OTHER--MALE----	1	1	-	-	4	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	-	4	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	4	1	2	1	1	1	-	-
FEMALE--	-	-	-	-	-	4	1	-	-	-	-	-
IOWA -----	2	3	2	9	9	23	37	33	22	11	3	-
WHITE-----MALE----	2	1	2	8	5	16	24	17	15	4	1	-
FEMALE--	-	2	-	1	4	7	13	14	6	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	-	-	2	2	11	11	21	27	22	4	2	-
WHITE-----MALE----	-	-	1	2	7	5	10	15	8	2	1	-
FEMALE--	-	-	1	-	3	6	11	10	14	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,020

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
KENTUCKY -----	5	4	6	17	27	41	66	55	36	16	4	-
WHITE-----MALE----	3	4	5	12	22	30	39	21	9	5	1	-
FEMALE--	1	-	1	2	4	10	21	31	23	10	2	-
ALL OTHER--MALE----	1	-	-	1	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	2	-	-	4	2	3	1	1	-
BLACK---MALE----	1	-	-	1	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	2	-	-	4	2	2	1	1	-
LOUISIANA -----	3	4	4	5	15	29	44	33	14	14	2	-
WHITE-----MALE----	1	3	2	3	8	13	16	8	8	3	2	-
FEMALE--	-	-	-	-	1	11	13	19	4	6	-	-
ALL OTHER--MALE----	1	-	2	1	3	2	10	1	1	2	-	-
FEMALE--	1	1	-	1	3	3	5	5	1	3	-	-
BLACK---MALE----	1	-	2	1	3	2	10	1	1	2	-	-
FEMALE--	1	1	-	1	3	3	5	5	1	3	-	-
MAINE -----	-	-	-	2	7	10	12	10	13	5	-	-
WHITE-----MALE----	-	-	-	2	4	9	6	5	4	2	-	-
FEMALE--	-	-	-	-	3	1	6	5	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	1	7	15	23	42	70	62	45	26	1	-
WHITE-----MALE----	1	-	3	6	10	23	30	24	11	4	1	-
FEMALE--	-	-	-	2	5	12	25	26	29	15	-	-
ALL OTHER--MALE----	3	-	2	6	5	3	5	8	2	1	-	-
FEMALE--	-	1	2	1	3	4	10	4	3	6	-	-
BLACK---MALE----	3	-	2	5	5	3	5	8	2	1	-	-
FEMALE--	-	1	2	1	3	4	6	4	3	5	-	-
MASSACHUSETTS -----	2	7	10	18	38	51	94	118	89	49	12	-
WHITE-----MALE----	2	4	4	12	18	30	59	48	33	11	1	-
FEMALE--	-	3	5	3	13	18	31	65	56	37	10	-
ALL OTHER--MALE----	-	-	1	2	5	3	3	2	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	3	-	1	1	-
BLACK---MALE----	-	-	1	2	3	2	3	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	1	1	-
MICHIGAN -----	6	6	10	17	40	74	74	89	71	25	6	-
WHITE-----MALE----	2	3	5	11	17	43	35	39	29	5	2	-
FEMALE--	1	-	4	5	11	23	23	37	33	20	3	-
ALL OTHER--MALE----	2	2	1	-	7	4	10	8	4	-	-	-
FEMALE--	1	1	-	1	5	4	6	5	5	-	1	-
BLACK---MALE----	2	2	1	-	6	4	8	8	4	-	-	-
FEMALE--	1	1	-	-	4	3	6	5	5	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,023

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
OHIO -----	615	-	-	-	1	-	-	-	1	3	3	6
WHITE-----MALE----	288	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	279	-	-	-	1	-	-	-	-	1	1	4
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	204	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	97	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	86	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	127	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	75	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,219	-	-	-	-	-	-	1	-	3	2	4
WHITE-----MALE----	626	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	481	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	70	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	42	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	69	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND -----	41	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	235	-	-	-	-	-	-	2	-	2	2	2
WHITE-----MALE----	89	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	86	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	30	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	29	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	30	-	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,023

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
OHIO -----	4	3	17	29	59	79	139	138	85	38	10	-
WHITE-----MALE----	3	-	12	15	32	49	68	62	28	11	1	-
FEMALE--	1	2	3	11	18	26	60	67	50	26	8	-
ALL OTHER--MALE----	-	1	2	3	4	1	5	2	2	1	-	-
FEMALE--	-	-	-	-	5	3	6	7	5	-	1	-
BLACK---MALE----	-	1	2	3	4	1	5	2	2	1	-	-
FEMALE--	-	-	-	-	5	3	6	7	5	-	1	-
OKLAHOMA -----	3	3	6	5	13	30	45	49	30	15	1	-
WHITE-----MALE----	2	1	2	3	8	12	22	22	14	7	1	-
FEMALE--	-	-	4	2	1	14	15	26	15	8	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	3	-	1	-	-	-
FEMALE--	1	2	-	-	2	2	5	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	3	-	-	-	-	-
FEMALE--	1	2	-	-	2	1	2	-	-	-	-	-
OREGON -----	1	2	-	2	13	24	21	33	17	7	3	-
WHITE-----MALE----	1	1	-	2	8	16	11	19	8	3	2	-
FEMALE--	-	1	-	-	5	6	10	13	8	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	6	10	21	35	96	195	293	283	190	70	10	-
WHITE-----MALE----	5	4	14	20	62	116	167	142	68	22	2	-
FEMALE--	1	2	5	8	26	59	108	125	103	36	6	-
ALL OTHER--MALE----	-	-	-	4	5	9	6	9	3	3	1	-
FEMALE--	-	4	2	3	3	11	12	7	16	9	1	-
BLACK---MALE----	-	-	-	4	5	9	6	9	3	3	1	-
FEMALE--	-	4	2	3	3	11	12	7	15	9	1	-
RHODE ISLAND -----	-	-	1	1	1	5	8	7	14	1	3	-
WHITE-----MALE----	-	-	-	1	1	2	4	1	4	-	1	-
FEMALE--	-	-	1	-	-	3	4	6	10	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	5	3	13	26	33	43	64	25	10	-	-
WHITE-----MALE----	-	4	1	5	11	16	19	22	8	2	-	-
FEMALE--	1	-	-	3	6	9	16	31	11	6	-	-
ALL OTHER--MALE----	2	1	2	3	4	5	5	5	1	-	-	-
FEMALE--	2	-	-	2	5	3	3	6	5	2	-	-
BLACK---MALE----	2	1	2	3	3	5	5	5	1	-	-	-
FEMALE--	2	-	-	2	5	3	3	6	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,024

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
SOUTH DAKOTA -----	-	1	-	2	1	4	5	6	5	-	2	-
WHITE-----MALE----	-	1	-	1	-	2	5	2	3	-	1	-
FEMALE--	-	-	-	1	1	1	-	4	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	7	7	19	36	72	87	90	56	22	3	-
WHITE-----MALE----	4	4	6	10	24	38	48	41	16	3	-	-
FEMALE--	3	1	1	8	8	26	36	42	33	17	3	-
ALL OTHER--MALE----	1	-	-	-	3	5	2	2	3	1	-	-
FEMALE--	-	2	-	1	1	3	1	5	4	1	-	-
BLACK---MALE----	1	-	-	-	3	5	2	2	3	1	-	-
FEMALE--	-	2	-	1	1	3	1	5	4	1	-	-
TEXAS -----	9	15	23	47	70	123	177	177	147	51	11	-
WHITE-----MALE----	3	9	16	27	44	70	84	74	58	14	1	-
FEMALE--	4	2	4	14	16	38	70	84	81	33	10	-
ALL OTHER--MALE----	1	3	3	1	8	8	13	13	7	-	-	-
FEMALE--	1	1	-	5	2	7	10	6	1	4	-	-
BLACK---MALE----	1	3	3	1	8	7	12	13	7	-	-	-
FEMALE--	1	1	-	5	2	7	9	6	1	4	-	-
UTAH -----	2	2	2	2	7	6	14	12	12	6	-	-
WHITE-----MALE----	1	1	2	2	5	5	9	6	6	2	-	-
FEMALE--	1	1	-	-	1	1	4	6	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	3	3	4	5	3	1	-	-
WHITE-----MALE----	-	-	-	1	1	3	4	5	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	8	9	28	41	62	105	105	49	30	7	-
WHITE-----MALE----	1	3	5	12	20	32	60	41	12	9	2	-
FEMALE--	1	2	3	3	8	17	36	51	32	16	5	-
ALL OTHER--MALE----	2	3	1	9	9	8	3	7	1	2	-	-
FEMALE--	1	-	-	4	4	5	6	6	4	3	-	-
BLACK---MALE----	2	3	1	9	9	7	3	5	1	2	-	-
FEMALE--	1	-	-	4	4	5	6	6	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,027

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)												
COLORADO -----	-	-	1	3	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	1	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	2	2	5	2	9	7	4	1	2	-	-
WHITE-----MALE----	4	-	1	2	1	6	5	2	-	-	-	-
FEMALE--	-	1	1	1	1	2	2	1	1	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	4	1	4	2	4	5	-	2	3	-	-	-
WHITE-----MALE----	1	-	1	2	1	4	-	1	1	-	-	-
FEMALE--	-	1	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	3	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,032

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)												
OHIO -----	2	2	-	4	3	9	5	2	-	-	-	-
WHITE-----MALE----	2	1	-	3	2	6	3	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	2	4	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	4	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	2	1	5	5	7	9	2	1	-	-	-
WHITE-----MALE----	-	2	1	5	1	5	2	1	1	-	-	-
FEMALE--	-	-	-	-	3	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	2	1	-	-	2	-	1	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,033

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	1	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
TEXAS -----	4	2	2	4	9	8	7	6	2	1	-	-
WHITE-----MALE----	1	1	1	1	5	5	7	2	-	-	-	-
FEMALE--	3	1	-	3	4	2	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	2	3	3	-	2	-	-	1	-	-
WHITE-----MALE----	-	-	1	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,035

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PLEURISY (511)												
UNITED STATES --	18	17	40	37	85	135	193	200	126	62	11	-
WHITE-----MALE----	11	8	17	24	33	56	79	73	36	19	1	-
FEMALE--	1	3	14	8	42	62	99	107	78	37	7	-
ALL OTHER--MALE----	5	3	6	1	7	8	6	6	2	1	-	-
FEMALE--	1	3	3	4	3	9	9	14	10	5	3	-
BLACK---MALE----	5	2	6	1	6	7	5	4	2	1	-	-
FEMALE--	1	3	3	3	2	9	7	12	10	5	3	-
ALABAMA -----	-	1	2	1	2	3	7	5	1	-	-	-
WHITE-----MALE----	-	-	2	-	-	2	4	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	2	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	3	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	1	1	1	3	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	2	2	3	12	8	7	5	4	1	-
WHITE-----MALE----	1	-	1	-	2	3	3	3	3	2	-	-
FEMALE--	-	-	1	1	1	8	5	3	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,036

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PLEURISY (511)												
COLORADO -----	-	1	1	-	2	1	1	1	3	1	-	-
WHITE-----MALE----	-	1	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	1	-	2	7	5	2	2	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	6	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	1	-	-	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	1	-	1	1	9	9	15	9	6	4	-	-
WHITE-----MALE----	1	-	-	1	2	3	6	5	2	1	-	-
FEMALE--	-	-	1	-	6	5	9	3	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	1	-	2	2	2	1	9	6	4	2	-	-
WHITE-----MALE----	-	-	-	1	1	-	5	3	1	-	-	-
FEMALE--	-	-	-	-	1	1	4	3	3	1	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,038

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PLEURISY (511)												
KENTUCKY -----	-	-	-	-	2	3	2	7	5	2	1	-
WHITE-----MALE----	-	-	-	-	2	2	1	3	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
LOUISIANA -----	-	-	2	2	2	1	5	5	2	3	-	-
WHITE-----MALE----	-	-	-	2	1	1	2	3	1	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	-	-	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	1	3	2	10	4	5	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	6	2	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
MASSACHUSETTS -----	-	1	2	1	1	4	8	4	5	2	-	-
WHITE-----MALE----	-	-	-	1	-	3	5	1	1	1	-	-
FEMALE--	-	1	1	-	1	-	3	2	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	1	1	2	1	4	5	10	5	6	3	-	-
WHITE-----MALE----	-	1	2	1	2	-	4	2	2	1	-	-
FEMALE--	-	-	-	-	2	2	4	3	4	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,041

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PLEURISY (511)												
OHIO -----	1	1	1	3	5	6	8	16	8	2	-	-
WHITE-----MALE----	1	-	1	2	2	4	4	7	3	2	-	-
FEMALE--	-	1	-	1	2	2	4	8	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	-	1	1	2	3	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	1	1	7	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	5	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	1	2	6	11	17	16	10	2	-	-
WHITE-----MALE----	-	1	1	2	1	4	8	5	3	1	-	-
FEMALE--	-	-	-	-	3	7	7	11	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
RHODE ISLAND -----	-	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	-	2	2	1	1	1	1	1	1	-
WHITE-----MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,042

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PLEURISY (511)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	1	3	3	6	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
TEXAS -----	2	2	3	1	1	7	8	10	5	2	-	-
WHITE-----MALE----	2	-	1	-	1	4	4	3	2	1	-	-
FEMALE--	-	-	2	1	-	2	4	6	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	-	-	-	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	-	2	8	5	7	6	1	-	-
WHITE-----MALE----	-	1	1	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	6	2	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,044

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
UNITED STATES --	462	717	1,010	1,658	2,523	3,193	3,063	2,325	1,202	400	81	3
WHITE-----MALE----	213	333	480	888	1,290	1,589	1,295	936	336	104	16	1
FEMALE--	148	250	368	554	994	1,354	1,565	1,248	802	264	57	-
ALL OTHER--MALE----	48	76	87	106	109	129	89	62	23	11	2	2
FEMALE--	53	58	75	110	130	121	114	79	41	21	6	-
BLACK---MALE----	40	68	70	81	91	98	61	42	17	6	2	2
FEMALE--	49	49	60	93	107	96	88	66	32	14	4	-
ALABAMA -----	13	23	21	35	44	58	56	42	24	4	-	-
WHITE-----MALE----	4	11	8	16	21	28	21	18	7	-	-	-
FEMALE--	5	6	10	12	20	24	30	21	15	3	-	-
ALL OTHER--MALE----	1	3	2	2	-	2	2	1	1	1	-	-
FEMALE--	3	3	1	5	3	4	3	2	1	-	-	-
BLACK---MALE----	1	3	2	2	-	2	2	1	1	1	-	-
FEMALE--	3	3	1	5	2	3	2	2	1	-	-	-
ALASKA -----	-	-	-	2	1	2	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	12	20	26	54	71	39	45	14	6	-	-
WHITE-----MALE----	6	5	9	15	25	42	21	21	6	2	-	-
FEMALE--	6	4	10	9	26	28	16	21	7	4	-	-
ALL OTHER--MALE----	-	2	1	-	2	1	2	1	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	2	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	5	6	18	25	30	37	46	23	16	5	-	-
WHITE-----MALE----	3	3	12	12	13	23	25	11	3	-	-	-
FEMALE--	-	2	4	12	14	13	19	9	13	5	-	-
ALL OTHER--MALE----	1	1	2	-	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	2	-	-	-	-
BLACK---MALE----	1	1	2	-	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	2	-	-	-	-
CALIFORNIA -----	37	57	79	153	198	283	258	209	82	22	3	-
WHITE-----MALE----	20	22	42	83	94	138	111	77	21	9	2	-
FEMALE--	12	22	24	57	80	124	126	115	57	11	1	-
ALL OTHER--MALE----	4	7	9	9	11	11	11	10	2	2	-	-
FEMALE--	1	6	4	4	13	10	10	7	2	-	-	-
BLACK---MALE----	2	6	4	5	6	2	2	1	2	-	-	-
FEMALE--	1	4	4	1	6	4	4	4	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,045

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
COLORADO -----	228	7	-	1	-	1	1	-	3	-	4	9
WHITE-----MALE----	110	4	-	1	-	-	1	-	3	-	2	4
FEMALE--	109	1	-	-	-	1	-	-	-	-	2	5
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	227	2	1	-	-	-	-	-	1	-	4	4
WHITE-----MALE----	89	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	122	1	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	54	1	-	-	-	1	1	-	-	-	-	2
WHITE-----MALE----	25	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	24	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	48	1	1	1	-	1	-	-	-	1	2	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	19	1	-	1	-	-	-	-	-	1	-	1
FEMALE--	20	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	19	1	-	1	-	-	-	-	-	1	-	1
FEMALE--	20	-	-	-	-	1	-	-	-	-	1	-
FLORIDA -----	1,205	18	1	2	-	-	2	3	4	5	14	18
WHITE-----MALE----	568	3	1	1	-	-	1	2	-	3	6	6
FEMALE--	553	5	-	1	-	-	1	-	2	-	3	9
ALL OTHER--MALE----	41	7	-	-	-	-	-	1	1	1	3	-
FEMALE--	43	3	-	-	-	-	-	-	1	1	2	3
BLACK---MALE----	39	7	-	-	-	-	-	1	1	1	3	-
FEMALE--	42	3	-	-	-	-	-	-	1	1	2	3
GEORGIA -----	505	5	3	2	-	-	1	4	3	9	8	8
WHITE-----MALE----	197	2	1	1	-	-	-	2	-	3	2	2
FEMALE--	212	1	-	-	-	-	-	2	1	2	4	2
ALL OTHER--MALE----	48	2	1	1	-	-	-	-	2	2	1	2
FEMALE--	48	-	1	-	-	-	1	-	-	2	1	2
BLACK---MALE----	48	2	1	1	-	-	-	-	2	2	1	2
FEMALE--	47	-	1	-	-	-	1	-	-	2	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,045

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
COLORADO -----	4	8	10	16	29	46	37	28	17	6	1	-
WHITE-----MALE----	1	5	6	8	19	21	13	16	5	1	-	-
FEMALE--	3	3	4	5	10	25	22	11	12	4	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
CONNECTICUT -----	3	7	10	22	29	41	43	26	21	13	-	-
WHITE-----MALE----	-	3	4	11	12	24	10	13	5	3	-	-
FEMALE--	2	2	4	10	15	14	32	13	16	10	-	-
ALL OTHER--MALE----	1	2	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	-	-	-	-
DELAWARE -----	1	3	1	5	10	7	12	6	3	1	-	-
WHITE-----MALE----	1	3	1	2	7	3	3	2	-	-	-	-
FEMALE--	-	-	-	1	2	4	8	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	3	2	3	8	10	4	6	3	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	3	5	1	2	1	-	-	-
FEMALE--	-	1	1	2	5	4	2	2	1	-	-	-
BLACK---MALE----	-	1	1	1	3	5	1	2	1	-	-	-
FEMALE--	-	1	1	2	5	4	2	2	1	-	-	-
FLORIDA -----	16	37	70	105	167	237	232	158	82	28	6	-
WHITE-----MALE----	6	24	30	64	82	118	111	67	32	8	3	-
FEMALE--	9	8	30	33	69	110	115	88	50	17	3	-
ALL OTHER--MALE----	-	4	3	4	9	6	1	-	-	1	-	-
FEMALE--	1	1	7	4	7	3	5	3	-	2	-	-
BLACK---MALE----	-	3	3	4	9	5	1	-	-	1	-	-
FEMALE--	1	1	7	3	7	3	5	3	-	2	-	-
GEORGIA -----	20	25	39	54	78	91	73	49	25	8	-	-
WHITE-----MALE----	8	10	19	30	32	47	23	12	3	-	-	-
FEMALE--	3	6	12	16	34	34	40	31	16	8	-	-
ALL OTHER--MALE----	7	5	3	3	5	5	4	2	3	-	-	-
FEMALE--	2	4	5	5	7	5	6	4	3	-	-	-
BLACK---MALE----	7	5	3	3	5	5	4	2	3	-	-	-
FEMALE--	2	4	5	4	7	5	6	4	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,046

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
HAWAII -----	2	1	6	5	10	18	9	7	4	5	-	-
WHITE-----MALE----	1	-	-	1	2	4	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	5	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	4	4	4	7	6	3	2	2	-	-
FEMALE--	1	1	2	-	4	2	1	1	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	2	3	9	11	17	10	9	4	4	-	-
WHITE-----MALE----	2	1	-	3	4	10	4	5	3	4	-	-
FEMALE--	-	1	3	5	7	7	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	21	31	44	75	107	133	140	112	59	16	2	-
WHITE-----MALE----	6	15	28	37	60	66	65	51	12	3	1	-
FEMALE--	5	7	12	21	36	53	69	51	46	12	1	-
ALL OTHER--MALE----	7	6	2	11	4	8	3	2	-	-	-	-
FEMALE--	3	3	2	6	7	6	3	8	1	1	-	-
BLACK---MALE----	7	6	2	8	4	6	3	2	-	-	-	-
FEMALE--	3	3	2	6	7	6	3	7	1	1	-	-
INDIANA -----	13	12	26	47	65	73	88	93	40	11	4	-
WHITE-----MALE----	10	5	11	26	34	36	37	31	11	2	-	-
FEMALE--	2	7	14	19	28	33	47	60	28	7	4	-
ALL OTHER--MALE----	1	-	-	1	-	2	3	1	-	-	-	-
FEMALE--	-	-	1	1	3	2	1	1	1	2	-	-
BLACK---MALE----	1	-	-	1	-	2	3	1	-	-	-	-
FEMALE--	-	-	1	1	3	2	1	1	1	2	-	-
IOWA -----	4	6	5	17	34	38	26	48	20	8	-	-
WHITE-----MALE----	3	4	2	12	22	23	11	21	5	1	-	-
FEMALE--	1	2	3	3	12	15	15	27	15	7	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	6	11	16	26	50	44	33	24	6	-	-
WHITE-----MALE----	3	3	4	10	12	26	27	14	9	3	-	-
FEMALE--	-	2	4	4	11	22	15	18	15	3	-	-
ALL OTHER--MALE----	-	1	2	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	1	2	3	-	2	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	2	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,047

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
KENTUCKY -----	287	4	2	-	-	1	1	2	2	5	4	10
WHITE-----MALE----	142	2	-	-	-	1	-	1	-	2	1	6
FEMALE--	132	-	2	-	-	-	1	1	1	3	2	2
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	305	6	-	-	1	-	2	3	2	5	10	7
WHITE-----MALE----	106	3	-	-	-	-	1	1	1	-	2	2
FEMALE--	126	2	-	-	-	-	-	1	-	3	4	-
ALL OTHER--MALE----	29	1	-	-	1	-	-	-	1	2	2	2
FEMALE--	44	-	-	-	-	-	1	1	-	-	2	3
BLACK---MALE----	29	1	-	-	1	-	-	-	1	2	2	2
FEMALE--	42	-	-	-	-	-	1	1	-	-	2	2
MAINE -----	104	1	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	51	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	51	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	317	6	1	-	1	-	-	1	3	7	4	6
WHITE-----MALE----	126	4	1	-	-	-	-	1	2	3	1	2
FEMALE--	123	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	31	1	-	-	1	-	-	-	-	2	3	1
FEMALE--	37	1	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	28	1	-	-	1	-	-	-	-	2	3	1
FEMALE--	32	1	-	-	-	-	-	-	1	-	-	1
MASSACHUSETTS -----	514	4	1	-	1	1	-	1	3	3	5	7
WHITE-----MALE----	233	4	-	-	-	-	-	-	1	2	-	4
FEMALE--	256	-	1	-	1	1	-	-	2	1	2	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	3	-
MICHIGAN -----	673	7	2	3	2	2	1	1	1	11	8	8
WHITE-----MALE----	301	1	-	1	-	-	1	-	-	5	2	2
FEMALE--	286	4	2	1	1	1	-	-	1	4	2	1
ALL OTHER--MALE----	44	2	-	-	1	1	-	1	-	1	3	2
FEMALE--	42	-	-	1	-	-	-	-	-	1	1	3
BLACK---MALE----	41	2	-	-	1	1	-	1	-	1	3	1
FEMALE--	41	-	-	1	-	-	-	-	-	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,047

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
KENTUCKY -----	6	17	15	33	44	48	39	33	17	4	-	-
WHITE-----MALE----	5	8	8	22	29	22	14	15	5	1	-	-
FEMALE--	1	9	6	8	15	25	24	17	12	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	-	-	1	1	-	-	-	-
LOUISIANA -----	9	21	21	35	41	44	40	38	13	7	-	-
WHITE-----MALE----	3	7	9	17	20	14	15	8	3	-	-	-
FEMALE--	1	4	6	11	16	21	18	24	8	7	-	-
ALL OTHER--MALE----	3	3	4	2	2	3	2	1	-	-	-	-
FEMALE--	2	7	2	5	3	6	5	5	2	-	-	-
BLACK---MALE----	3	3	4	2	2	3	2	1	-	-	-	-
FEMALE--	2	7	2	5	3	6	5	4	2	-	-	-
MAINE -----	1	8	2	11	18	17	15	17	6	5	1	-
WHITE-----MALE----	-	3	1	7	12	10	7	7	2	-	-	-
FEMALE--	1	4	1	3	6	7	8	10	4	5	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	21	20	24	43	52	48	39	22	1	5	1
WHITE-----MALE----	3	8	9	10	22	25	18	13	3	-	1	-
FEMALE--	2	5	7	8	14	19	24	24	15	-	3	-
ALL OTHER--MALE----	-	5	2	4	3	2	4	-	2	-	-	1
FEMALE--	7	3	2	2	4	6	2	2	2	1	1	-
BLACK---MALE----	-	5	1	3	3	1	4	-	2	-	-	1
FEMALE--	6	2	2	2	4	5	2	2	2	1	1	-
MASSACHUSETTS -----	18	18	20	43	72	99	87	62	41	24	4	-
WHITE-----MALE----	5	7	9	20	36	52	43	26	18	6	-	-
FEMALE--	11	8	8	22	33	40	42	36	23	18	4	-
ALL OTHER--MALE----	1	3	3	1	2	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	6	-	-	-	-	-	-
BLACK---MALE----	1	3	1	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	4	-	-	-	-	-	-
MICHIGAN -----	12	33	33	51	110	117	131	81	46	12	1	-
WHITE-----MALE----	3	20	11	26	60	57	65	34	11	2	-	-
FEMALE--	5	8	15	17	36	51	52	43	32	9	1	-
ALL OTHER--MALE----	2	4	3	4	5	7	6	-	1	1	-	-
FEMALE--	2	1	4	4	9	2	8	4	2	-	-	-
BLACK---MALE----	2	4	3	4	3	7	6	-	1	1	-	-
FEMALE--	2	1	3	4	9	2	8	4	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,048

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
MINNESOTA -----	321	2	1	1	-	-	-	-	-	4	2	-
WHITE-----MALE----	152	2	-	1	-	-	-	-	-	3	-	-
FEMALE--	158	-	1	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	197	4	2	2	1	1	1	2	1	1	5	6
WHITE-----MALE----	72	2	-	-	-	1	-	1	1	-	1	2
FEMALE--	76	-	1	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	23	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	1	1	2	1	-	1	1	-	1	3	-
BLACK---MALE----	23	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	1	1	2	1	-	1	1	-	1	3	-
MISSOURI -----	417	10	2	1	-	2	3	4	3	3	8	1
WHITE-----MALE----	199	5	-	-	-	1	1	1	1	3	3	-
FEMALE--	188	3	-	1	-	1	2	2	1	-	2	1
ALL OTHER--MALE----	16	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	1	-	-	-	-	-	1	-	3	-
BLACK---MALE----	15	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	12	-	1	-	-	-	-	-	1	-	2	-
MONTANA -----	67	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	27	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	150	-	-	1	-	-	-	-	-	1	4	1
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	82	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	122	7	2	-	-	1	-	-	2	2	3	5
WHITE-----MALE----	59	1	1	-	-	-	-	-	-	1	-	4
FEMALE--	50	4	1	-	-	1	-	-	-	1	2	1
ALL OTHER--MALE----	7	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	6	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,048

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
MINNESOTA -----	4	11	16	23	41	65	53	54	32	9	3	-
WHITE-----MALE----	2	5	5	15	25	34	21	29	6	3	1	-
FEMALE--	2	5	8	6	13	30	32	25	26	5	2	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	3	1	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
MISSISSIPPI -----	10	6	14	15	25	38	21	24	12	6	-	-
WHITE-----MALE----	7	4	5	5	14	12	6	7	2	2	-	-
FEMALE--	2	2	7	5	8	19	11	8	7	3	-	-
ALL OTHER--MALE----	-	-	1	4	2	5	2	5	-	1	-	-
FEMALE--	1	-	1	1	1	2	2	4	3	-	-	-
BLACK---MALE----	-	-	1	4	2	5	2	5	-	1	-	-
FEMALE--	1	-	1	1	1	2	2	4	3	-	-	-
MISSOURI -----	8	20	21	37	42	90	70	49	36	7	-	-
WHITE-----MALE----	4	7	11	24	26	49	32	20	7	4	-	-
FEMALE--	2	9	6	8	16	38	37	28	28	3	-	-
ALL OTHER--MALE----	2	3	1	3	-	2	-	-	1	-	-	-
FEMALE--	-	1	3	2	-	1	1	1	-	-	-	-
BLACK---MALE----	2	3	1	3	-	2	-	-	1	-	-	-
FEMALE--	-	1	3	2	-	1	-	1	-	-	-	-
MONTANA -----	3	2	3	9	8	13	17	5	3	-	3	-
WHITE-----MALE----	1	1	2	5	4	4	8	1	-	-	-	-
FEMALE--	2	1	-	3	3	7	9	4	3	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	8	9	24	29	31	23	15	3	-	-
WHITE-----MALE----	-	-	4	4	9	14	11	9	6	1	-	-
FEMALE--	-	1	3	3	14	14	20	14	9	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEVADA -----	3	4	10	15	19	18	13	14	3	1	-	-
WHITE-----MALE----	1	-	5	8	12	8	8	8	1	1	-	-
FEMALE--	-	4	5	5	6	9	4	5	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,050

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
OHIO -----	22	30	49	80	125	156	151	107	58	23	2	-
WHITE-----MALE----	12	18	26	49	66	76	71	44	15	8	-	-
FEMALE--	6	7	18	20	49	63	73	58	40	13	1	-
ALL OTHER--MALE----	2	1	1	5	6	8	1	3	1	-	1	-
FEMALE--	2	4	4	6	4	9	6	2	2	2	-	-
BLACK---MALE----	2	1	1	5	6	8	1	3	1	-	1	-
FEMALE--	2	4	4	6	4	9	6	2	1	2	-	-
OKLAHOMA -----	3	12	11	21	41	40	48	29	14	9	1	-
WHITE-----MALE----	-	7	5	10	16	12	19	12	3	4	-	-
FEMALE--	1	3	6	8	19	26	24	17	9	4	1	-
ALL OTHER--MALE----	1	1	-	2	3	2	1	-	-	1	-	-
FEMALE--	1	1	-	1	3	-	4	-	2	-	-	-
BLACK---MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
OREGON -----	5	8	8	15	37	43	53	31	18	4	2	-
WHITE-----MALE----	5	4	5	9	23	29	21	14	7	1	-	-
FEMALE--	-	4	2	5	14	14	32	17	10	3	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	35	49	86	148	152	189	120	73	19	7	-
WHITE-----MALE----	4	14	23	32	82	82	78	45	20	5	-	-
FEMALE--	7	14	20	41	61	59	102	73	50	14	7	-
ALL OTHER--MALE----	1	6	5	7	1	6	2	2	2	-	-	-
FEMALE--	3	1	1	6	4	5	7	-	1	-	-	-
BLACK---MALE----	1	6	5	7	1	6	2	2	2	-	-	-
FEMALE--	3	-	1	5	4	5	6	-	1	-	-	-
RHODE ISLAND -----	1	3	4	5	9	15	12	8	5	-	-	-
WHITE-----MALE----	1	1	3	3	2	11	6	3	1	-	-	-
FEMALE--	-	2	-	2	6	4	5	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	20	17	29	48	52	57	33	12	4	1	1
WHITE-----MALE----	3	9	8	8	18	25	17	15	2	1	-	-
FEMALE--	1	7	5	15	21	18	29	13	9	2	-	-
ALL OTHER--MALE----	1	1	2	2	3	6	2	4	1	-	-	1
FEMALE--	3	3	2	4	6	3	9	1	-	1	1	-
BLACK---MALE----	1	1	2	2	3	6	2	4	1	-	-	1
FEMALE--	3	3	2	4	6	3	8	1	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,051

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
SOUTH DAKOTA -----	39	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	345	5	-	1	-	-	1	1	2	5	7	6
WHITE-----MALE----	161	2	-	-	-	-	1	-	1	-	6	1
FEMALE--	143	1	-	1	-	-	-	1	-	3	-	3
ALL OTHER--MALE----	19	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	18	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	1	1	2
TEXAS -----	1,069	21	8	1	1	5	2	5	7	14	15	27
WHITE-----MALE----	489	12	4	1	1	3	2	4	2	6	4	9
FEMALE--	486	5	3	-	-	2	-	-	3	7	5	9
ALL OTHER--MALE----	52	3	-	-	-	-	-	-	-	-	1	7
FEMALE--	42	1	1	-	-	-	-	1	2	1	5	2
BLACK---MALE----	44	3	-	-	-	-	-	-	-	-	1	6
FEMALE--	36	1	1	-	-	-	-	-	2	1	5	2
UTAH -----	120	2	1	-	-	-	1	1	1	1	-	3
WHITE-----MALE----	65	1	1	-	-	-	-	1	-	1	-	2
FEMALE--	54	1	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	47	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	505	4	-	1	2	-	4	2	-	4	7	10
WHITE-----MALE----	206	2	-	1	2	-	3	-	-	2	4	3
FEMALE--	210	1	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	46	-	-	-	-	-	1	1	-	1	1	1
FEMALE--	43	1	-	-	-	-	-	1	-	1	2	1
BLACK---MALE----	40	-	-	-	-	-	1	1	-	1	1	-
FEMALE--	41	1	-	-	-	-	-	1	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,051

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
SOUTH DAKOTA -----	1	1	2	2	-	9	7	6	6	2	2	-
WHITE-----MALE----	-	1	1	2	-	5	2	4	2	1	-	-
FEMALE--	1	-	-	-	-	4	5	2	4	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	13	29	27	45	78	46	42	22	4	2	-
WHITE-----MALE----	5	7	16	14	19	39	25	16	7	1	1	-
FEMALE--	3	3	7	11	20	33	18	22	13	3	1	-
ALL OTHER--MALE----	-	2	3	1	4	2	2	2	-	-	-	-
FEMALE--	1	1	3	1	2	4	1	2	2	-	-	-
BLACK---MALE----	-	2	3	1	4	2	2	2	-	-	-	-
FEMALE--	1	1	3	1	2	4	1	2	2	-	-	-
TEXAS -----	34	51	64	117	141	170	188	119	52	23	3	1
WHITE-----MALE----	18	24	29	73	76	82	74	43	15	5	1	1
FEMALE--	12	21	26	34	58	74	104	73	34	14	2	-
ALL OTHER--MALE----	2	4	8	5	4	6	6	2	3	1	-	-
FEMALE--	2	2	1	5	3	8	4	1	-	3	-	-
BLACK---MALE----	2	3	7	4	3	5	5	2	2	1	-	-
FEMALE--	2	2	1	4	3	6	4	1	-	1	-	-
UTAH -----	2	1	7	7	16	23	20	24	7	2	1	-
WHITE-----MALE----	-	-	2	5	8	12	10	16	4	2	-	-
FEMALE--	2	1	5	2	8	10	10	8	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	4	11	3	6	6	9	1	2	-	-
WHITE-----MALE----	1	-	2	7	1	3	6	6	-	1	-	-
FEMALE--	1	-	2	4	2	3	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	26	36	53	58	86	76	71	31	14	1	-
WHITE-----MALE----	12	10	18	21	32	39	24	22	8	3	-	-
FEMALE--	3	8	8	19	16	38	39	42	21	9	1	-
ALL OTHER--MALE----	3	3	6	7	7	4	8	2	-	1	-	-
FEMALE--	1	5	4	6	3	5	5	5	2	1	-	-
BLACK---MALE----	3	3	6	7	7	3	4	2	-	1	-	-
FEMALE--	1	5	4	6	3	4	4	5	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,053

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
UNITED STATES --	79,357	330	130	53	59	81	137	290	755	1,798	3,390	4,555
WHITE-----MALE----	33,909	124	46	30	19	31	56	128	362	899	1,919	2,623
FEMALE--	35,050	87	40	10	23	20	41	83	204	479	775	948
ALL OTHER--MALE----	5,541	61	27	5	8	17	16	50	101	237	429	650
FEMALE--	4,857	58	17	8	9	13	24	29	88	183	267	334
BLACK---MALE----	4,600	55	25	4	6	15	12	41	70	188	360	563
FEMALE--	4,107	51	14	7	8	11	20	21	72	151	212	273
ALABAMA -----	1,431	10	3	2	2	-	3	8	11	34	51	78
WHITE-----MALE----	507	3	1	1	-	-	-	2	3	14	23	36
FEMALE--	587	3	-	1	2	-	1	1	-	9	10	14
ALL OTHER--MALE----	160	-	2	-	-	-	-	3	6	7	14	16
FEMALE--	177	4	-	-	-	-	2	2	2	4	4	12
BLACK---MALE----	157	-	2	-	-	-	-	3	6	7	12	15
FEMALE--	171	4	-	-	-	-	2	2	2	4	4	9
ALASKA -----	119	1	-	-	1	-	1	-	-	9	7	12
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	2	2	7
FEMALE--	36	-	-	-	-	-	-	-	-	3	2	2
ALL OTHER--MALE----	19	-	-	-	1	-	-	-	-	2	-	3
FEMALE--	19	1	-	-	-	-	1	-	-	2	3	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,478	5	2	-	1	-	2	6	22	46	79	99
WHITE-----MALE----	698	1	1	-	-	-	2	2	8	14	36	59
FEMALE--	597	2	-	-	1	-	-	2	2	14	22	18
ALL OTHER--MALE----	103	1	1	-	-	-	-	-	10	11	10	11
FEMALE--	80	1	-	-	-	-	-	2	2	7	11	11
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	11	1	-	-	-	-	-	-	-	1	-	1
ARKANSAS -----	858	3	-	1	-	3	4	3	7	10	26	39
WHITE-----MALE----	346	-	-	-	-	1	1	2	3	6	16	21
FEMALE--	394	1	-	-	-	2	2	-	4	3	6	12
ALL OTHER--MALE----	61	2	-	-	-	-	-	-	-	1	3	1
FEMALE--	57	-	-	1	-	-	1	1	-	-	1	5
BLACK---MALE----	60	2	-	-	-	-	-	-	-	1	3	1
FEMALE--	55	-	-	1	-	-	1	1	-	-	1	5
CALIFORNIA -----	8,428	34	16	9	11	8	18	44	113	231	455	576
WHITE-----MALE----	3,911	16	5	6	6	3	10	25	68	123	290	357
FEMALE--	3,523	7	8	2	3	2	5	13	35	68	112	133
ALL OTHER--MALE----	570	5	2	1	1	2	2	5	8	26	34	51
FEMALE--	424	6	1	-	1	1	1	1	2	14	19	35
BLACK---MALE----	297	3	1	1	-	1	1	3	3	15	22	31
FEMALE--	237	4	-	-	1	-	1	1	1	9	14	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,053

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
0 UNITED STATES --	4,605	4,713	5,382	6,803	8,601	9,925	10,309	9,081	5,790	2,170	393	7
WHITE-----MALE----	2,558	2,506	2,795	3,320	3,953	4,110	3,801	2,770	1,378	424	53	4
FEMALE--	1,148	1,374	1,697	2,528	3,678	4,826	5,627	5,567	4,010	1,585	299	1
ALL OTHER--MALE----	597	535	571	541	491	443	349	262	105	35	9	2
FEMALE--	302	298	319	414	479	546	532	482	297	126	32	-
BLACK---MALE----	503	448	486	442	419	362	280	198	88	25	8	2
FEMALE--	250	261	267	342	407	453	462	422	262	111	30	-
ALABAMA -----	80	83	87	148	160	183	190	160	108	26	4	-
WHITE-----MALE----	44	38	45	62	57	60	53	38	24	3	-	-
FEMALE--	9	22	24	53	77	90	103	93	59	15	1	-
ALL OTHER--MALE----	19	16	13	19	12	6	7	7	10	2	1	-
FEMALE--	8	7	5	14	14	27	27	22	15	6	2	-
BLACK---MALE----	19	16	13	19	12	6	7	7	10	2	1	-
FEMALE--	8	6	5	14	13	27	27	21	15	6	2	-
ALASKA -----	7	12	9	12	15	11	12	5	3	2	-	-
WHITE-----MALE----	4	6	5	2	6	5	4	1	1	-	-	-
FEMALE--	2	2	2	3	6	4	5	2	2	1	-	-
ALL OTHER--MALE----	-	3	2	4	-	-	2	1	-	1	-	-
FEMALE--	1	1	-	3	3	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	114	96	108	139	150	166	186	146	74	31	6	-
WHITE-----MALE----	60	55	53	81	78	84	82	51	24	6	1	-
FEMALE--	26	28	41	42	61	74	97	89	49	24	5	-
ALL OTHER--MALE----	18	7	10	9	4	5	3	1	1	1	-	-
FEMALE--	10	6	4	7	7	3	4	5	-	-	-	-
BLACK---MALE----	1	1	2	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	2	2	-	-	-	-
ARKANSAS -----	43	58	48	74	85	115	102	120	86	25	6	-
WHITE-----MALE----	25	35	23	41	39	48	33	27	21	4	-	-
FEMALE--	8	13	19	22	33	61	55	73	58	17	5	-
ALL OTHER--MALE----	7	4	6	7	6	2	7	11	3	-	1	-
FEMALE--	3	6	-	4	7	4	7	9	4	4	-	-
BLACK---MALE----	7	4	6	7	6	2	7	10	3	-	1	-
FEMALE--	3	6	-	4	6	4	6	9	4	4	-	-
CALIFORNIA -----	594	597	656	724	878	1,002	954	810	499	168	30	1
WHITE-----MALE----	358	343	345	361	422	415	362	240	116	34	5	1
FEMALE--	147	177	225	265	363	477	498	490	344	124	25	-
ALL OTHER--MALE----	58	55	57	59	56	53	39	42	9	5	-	-
FEMALE--	31	22	29	39	37	57	55	38	30	5	-	-
BLACK---MALE----	36	31	34	37	25	16	15	17	2	3	-	-
FEMALE--	21	16	19	18	20	26	27	15	18	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,054

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
COLORADO -----	1,117	2	1	1	1	2	3	3	6	30	67	75
WHITE-----MALE----	543	-	-	-	-	2	3	2	4	18	46	53
FEMALE--	521	2	1	-	-	-	-	-	1	11	14	20
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	1	-	4	1
FEMALE--	26	-	-	1	1	-	-	-	-	1	3	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	14	-	-	-	1	-	-	-	-	-	1	-
CONNECTICUT -----	1,103	2	2	-	1	3	2	2	10	21	35	45
WHITE-----MALE----	460	1	2	-	-	1	-	-	5	7	24	22
FEMALE--	570	-	-	-	1	1	1	1	3	9	7	18
ALL OTHER--MALE----	34	1	-	-	-	-	-	1	-	2	3	5
FEMALE--	39	-	-	-	-	1	1	-	2	3	1	-
BLACK---MALE----	31	1	-	-	-	-	-	-	-	2	3	5
FEMALE--	37	-	-	-	-	-	1	-	2	3	1	-
DELAWARE -----	230	-	-	-	-	-	1	2	2	8	15	11
WHITE-----MALE----	98	-	-	-	-	-	1	1	2	3	9	4
FEMALE--	94	-	-	-	-	-	-	1	-	2	4	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	17	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	3
DISTRICT OF COLUMBIA ----	248	-	1	-	-	-	1	3	3	5	12	16
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	26	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	112	-	-	-	-	-	1	2	2	1	5	11
FEMALE--	96	-	1	-	-	-	-	-	1	3	6	3
BLACK---MALE----	111	-	-	-	-	-	1	2	2	1	5	11
FEMALE--	95	-	1	-	-	-	-	-	1	3	6	3
FLORIDA -----	5,061	17	4	1	4	2	5	9	45	111	202	289
WHITE-----MALE----	2,422	6	2	1	-	1	2	5	20	52	120	187
FEMALE--	2,160	4	2	-	2	-	1	3	14	41	47	64
ALL OTHER--MALE----	263	5	-	-	-	-	1	1	5	9	18	28
FEMALE--	216	2	-	-	2	1	1	-	6	9	17	10
BLACK---MALE----	247	5	-	-	-	-	1	1	5	9	17	28
FEMALE--	204	2	-	-	2	1	1	-	5	8	16	10
GEORGIA -----	2,073	11	8	1	1	1	5	8	28	52	105	158
WHITE-----MALE----	762	4	2	1	-	-	2	4	10	18	44	66
FEMALE--	770	1	1	-	-	-	1	2	8	11	19	33
ALL OTHER--MALE----	248	5	5	-	-	1	-	2	2	13	23	28
FEMALE--	293	1	-	-	1	-	2	-	8	10	19	31
BLACK---MALE----	244	5	5	-	-	1	-	2	2	13	23	28
FEMALE--	292	1	-	-	1	-	2	-	8	10	19	31

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,054
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
COLORADO -----	72	63	64	94	125	121	149	128	75	32	3	-
WHITE-----MALE----	41	26	34	55	62	60	48	53	28	8	-	-
FEMALE--	27	31	24	37	57	56	94	74	46	23	3	-
ALL OTHER--MALE----	3	4	3	1	3	4	2	-	-	-	-	-
FEMALE--	1	2	3	1	3	1	5	1	1	1	-	-
BLACK---MALE----	3	2	3	1	3	2	2	-	-	-	-	-
FEMALE--	1	-	2	-	2	1	4	1	-	1	-	-
CONNECTICUT -----	56	57	57	80	137	137	157	168	86	35	10	-
WHITE-----MALE----	31	27	36	39	68	48	64	55	21	8	1	-
FEMALE--	21	22	17	37	58	85	87	109	59	26	8	-
ALL OTHER--MALE----	3	4	4	2	5	1	2	1	-	-	-	-
FEMALE--	1	4	-	2	6	3	4	3	6	1	1	-
BLACK---MALE----	3	4	3	2	5	1	2	-	-	-	-	-
FEMALE--	1	4	-	2	6	3	4	2	6	1	1	-
DELAWARE -----	7	11	19	21	29	39	21	20	16	5	3	-
WHITE-----MALE----	-	4	12	11	12	17	6	10	4	2	-	-
FEMALE--	2	2	5	7	16	15	12	10	11	3	3	-
ALL OTHER--MALE----	2	3	-	3	-	2	1	-	-	-	-	-
FEMALE--	3	2	2	-	1	5	2	-	1	-	-	-
BLACK---MALE----	2	2	-	3	-	2	1	-	-	-	-	-
FEMALE--	3	2	2	-	-	5	2	-	1	-	-	-
DISTRICT OF COLUMBIA ----	24	14	22	21	27	26	26	20	18	7	2	-
WHITE-----MALE----	2	-	2	-	1	1	2	-	2	-	-	-
FEMALE--	-	1	1	2	2	3	2	6	6	2	-	-
ALL OTHER--MALE----	14	8	13	13	15	12	8	5	-	1	1	-
FEMALE--	8	5	6	6	9	10	14	9	10	4	1	-
BLACK---MALE----	13	8	13	13	15	12	8	5	-	1	1	-
FEMALE--	8	5	6	6	9	10	14	8	10	4	1	-
FLORIDA -----	303	333	355	453	590	661	664	559	302	126	25	1
WHITE-----MALE----	190	202	206	232	279	293	292	207	88	33	4	-
FEMALE--	74	88	99	186	262	321	333	313	198	87	21	-
ALL OTHER--MALE----	26	29	31	23	26	20	18	15	5	2	-	1
FEMALE--	13	14	19	12	23	27	21	24	11	4	-	-
BLACK---MALE----	25	26	30	19	25	19	17	13	4	2	-	1
FEMALE--	13	14	16	10	20	27	21	24	10	4	-	-
GEORGIA -----	141	142	166	184	209	225	271	211	99	38	9	-
WHITE-----MALE----	66	67	77	87	83	83	80	43	17	7	1	-
FEMALE--	26	36	49	55	67	98	136	130	66	26	5	-
ALL OTHER--MALE----	25	21	23	23	26	20	17	9	4	-	1	-
FEMALE--	24	18	17	19	33	24	38	29	12	5	2	-
BLACK---MALE----	23	21	23	22	25	20	17	9	4	-	1	-
FEMALE--	24	18	17	19	33	23	38	29	12	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,055

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
HAWAII -----	250	1	1	1	1	-	-	1	1	4	12	11
WHITE-----MALE----	50	-	-	-	1	-	-	-	-	-	7	2
FEMALE--	53	1	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	89	-	-	1	-	-	-	1	1	2	2	4
FEMALE--	58	-	1	-	-	-	-	-	-	1	1	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	335	1	-	-	-	-	1	-	3	4	9	11
WHITE-----MALE----	156	1	-	-	-	-	-	-	2	2	6	6
FEMALE--	174	-	-	-	-	-	1	-	-	2	2	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,481	21	6	3	4	5	7	14	41	86	167	226
WHITE-----MALE----	1,476	6	3	2	1	2	1	6	17	51	102	134
FEMALE--	1,465	3	3	-	2	-	5	2	8	14	31	45
ALL OTHER--MALE----	289	6	-	-	-	1	1	5	7	14	22	32
FEMALE--	251	6	-	1	1	2	-	1	9	7	12	15
BLACK---MALE----	266	6	-	-	-	1	1	4	6	12	22	30
FEMALE--	234	6	-	1	1	2	-	1	9	7	11	13
INDIANA -----	1,747	5	5	1	1	2	2	3	22	40	81	86
WHITE-----MALE----	745	3	-	-	-	-	-	1	8	24	44	47
FEMALE--	851	2	2	-	-	2	2	2	9	8	24	25
ALL OTHER--MALE----	83	-	2	-	1	-	-	-	3	6	8	8
FEMALE--	68	-	1	1	-	-	-	-	2	2	5	6
BLACK---MALE----	82	-	2	-	1	-	-	-	3	6	8	8
FEMALE--	68	-	1	1	-	-	-	-	2	2	5	6
IOWA -----	916	3	2	-	-	1	1	-	1	12	16	23
WHITE-----MALE----	372	1	1	-	-	1	-	-	1	5	10	15
FEMALE--	528	1	1	-	-	-	1	-	-	5	4	6
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	815	5	1	-	1	-	2	2	8	12	26	52
WHITE-----MALE----	327	2	1	-	-	-	2	-	5	6	16	28
FEMALE--	431	3	-	-	1	-	-	-	3	4	5	15
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	-	1	3	6
FEMALE--	27	-	-	-	-	-	-	1	-	1	2	3
BLACK---MALE----	22	-	-	-	-	-	-	1	-	-	1	5
FEMALE--	22	-	-	-	-	-	-	-	-	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,055

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)

HAWAII -----	23	10	12	22	30	40	30	27	15	7	1	-
WHITE-----MALE----	10	2	2	5	8	5	3	5	-	-	-	-
FEMALE--	1	3	1	1	8	11	10	7	3	1	-	-
ALL OTHER--MALE----	10	4	7	13	8	10	10	9	4	3	-	-
FEMALE--	2	1	2	3	6	14	7	6	8	3	1	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	21	23	20	31	30	38	48	49	33	13	-	-
WHITE-----MALE----	14	14	9	18	12	20	22	19	9	2	-	-
FEMALE--	7	9	10	11	18	18	26	30	24	11	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	197	193	225	280	369	426	468	374	262	96	11	-
WHITE-----MALE----	99	107	111	127	156	173	182	112	65	17	2	-
FEMALE--	41	50	65	98	151	207	248	232	181	72	7	-
ALL OTHER--MALE----	42	22	32	23	30	20	14	11	7	-	-	-
FEMALE--	15	14	17	32	32	26	24	19	9	7	2	-
BLACK---MALE----	42	18	29	22	29	17	12	9	6	-	-	-
FEMALE--	13	14	15	29	30	25	23	18	8	6	2	-
INDIANA -----	86	88	125	157	209	220	217	187	147	55	8	-
WHITE-----MALE----	43	53	77	77	88	92	91	60	30	7	-	-
FEMALE--	31	28	39	66	105	116	118	117	103	45	7	-
ALL OTHER--MALE----	10	4	5	7	9	5	6	4	5	-	-	-
FEMALE--	2	3	4	7	7	7	2	6	9	3	1	-
BLACK---MALE----	10	4	5	6	9	5	6	4	5	-	-	-
FEMALE--	2	3	4	7	7	7	2	6	9	3	1	-
IOWA -----	42	31	35	75	85	119	141	147	115	60	7	-
WHITE-----MALE----	24	24	22	41	41	54	49	50	21	12	-	-
FEMALE--	16	7	11	32	44	63	92	96	94	48	7	-
ALL OTHER--MALE----	2	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
KANSAS -----	32	38	46	59	61	111	111	108	98	37	5	-
WHITE-----MALE----	16	25	19	24	28	45	38	38	28	6	-	-
FEMALE--	11	11	24	29	27	60	68	66	68	31	5	-
ALL OTHER--MALE----	2	1	2	5	3	2	3	1	-	-	-	-
FEMALE--	3	1	1	1	3	4	2	3	2	-	-	-
BLACK---MALE----	2	1	2	1	3	2	3	1	-	-	-	-
FEMALE--	2	1	1	1	3	2	2	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,056

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
KENTUCKY -----	1,222	7	3	-	-	-	3	6	7	24	41	64
WHITE-----MALE----	549	3	1	-	-	-	2	3	3	17	28	46
FEMALE--	582	2	2	-	-	-	-	2	3	6	9	12
ALL OTHER--MALE----	50	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	41	2	-	-	-	-	1	-	1	-	2	3
BLACK---MALE----	48	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	40	2	-	-	-	-	1	-	1	-	2	3
LOUISIANA -----	1,281	6	4	1	2	3	4	7	10	39	54	82
WHITE-----MALE----	416	1	-	-	-	2	1	-	2	14	20	39
FEMALE--	497	-	-	-	1	1	-	1	2	9	8	10
ALL OTHER--MALE----	201	3	3	-	1	-	1	4	4	9	20	29
FEMALE--	167	2	1	1	-	-	2	2	2	7	6	4
BLACK---MALE----	196	3	3	-	1	-	1	4	4	9	20	29
FEMALE--	166	2	1	1	-	-	2	2	2	7	6	4
MAINE -----	379	2	-	1	-	-	1	-	2	5	5	18
WHITE-----MALE----	179	-	-	1	-	-	1	-	1	2	2	11
FEMALE--	197	2	-	-	-	-	-	-	1	3	3	7
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,378	8	1	1	-	4	1	5	13	40	65	89
WHITE-----MALE----	472	-	-	1	-	-	-	1	9	16	30	33
FEMALE--	539	-	-	-	-	2	-	2	-	5	8	16
ALL OTHER--MALE----	191	3	-	-	-	-	-	2	2	12	12	29
FEMALE--	176	5	1	-	-	2	1	-	2	7	15	11
BLACK---MALE----	186	3	-	-	-	-	-	2	2	12	12	28
FEMALE--	169	5	1	-	-	2	1	-	2	7	15	11
MASSACHUSETTS -----	2,065	4	5	-	-	3	4	10	14	34	91	110
WHITE-----MALE----	962	2	3	-	-	1	2	5	12	21	61	85
FEMALE--	1,009	-	2	-	-	1	1	3	1	9	27	17
ALL OTHER--MALE----	53	2	-	-	-	1	-	2	-	3	1	7
FEMALE--	41	-	-	-	-	-	1	-	1	1	2	1
BLACK---MALE----	45	1	-	-	-	1	-	2	-	2	1	5
FEMALE--	27	-	-	-	-	-	-	-	1	1	2	-
MICHIGAN -----	3,011	16	2	1	4	5	6	7	35	72	144	187
WHITE-----MALE----	1,262	5	1	-	-	2	3	2	22	29	78	92
FEMALE--	1,269	7	-	-	3	2	2	3	5	25	29	30
ALL OTHER--MALE----	262	1	1	1	1	1	-	1	3	9	23	40
FEMALE--	218	3	-	-	-	-	1	1	5	9	14	25
BLACK---MALE----	249	1	1	1	1	1	-	1	3	9	22	40
FEMALE--	199	2	-	-	-	-	1	1	5	8	13	21

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,056

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
KENTUCKY -----	67	80	77	113	148	173	149	125	96	32	7	-
WHITE-----MALE----	41	55	49	60	80	55	52	27	22	4	1	-
FEMALE--	21	21	20	49	61	105	86	87	66	27	3	-
ALL OTHER--MALE----	4	2	8	3	5	9	5	4	2	-	1	-
FEMALE--	1	2	-	1	2	4	6	7	6	1	2	-
BLACK---MALE----	4	2	7	2	5	9	5	4	2	-	1	-
FEMALE--	1	2	-	1	1	4	6	7	6	1	2	-
LOUISIANA -----	77	75	91	136	141	143	162	134	76	31	3	-
WHITE-----MALE----	34	28	37	51	57	47	41	28	11	3	-	-
FEMALE--	14	20	23	47	52	69	89	76	53	19	3	-
ALL OTHER--MALE----	18	14	21	20	10	16	15	10	2	1	-	-
FEMALE--	11	13	10	18	22	11	17	20	10	8	-	-
BLACK---MALE----	18	14	20	19	10	16	14	8	2	1	-	-
FEMALE--	11	13	9	18	22	11	17	20	10	8	-	-
MAINE -----	19	28	22	33	47	47	50	50	34	13	2	-
WHITE-----MALE----	14	19	15	21	28	22	20	12	7	3	-	-
FEMALE--	4	9	7	12	18	24	30	38	27	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MARYLAND -----	78	85	103	123	140	184	168	138	91	37	4	-
WHITE-----MALE----	35	34	32	38	44	83	52	37	20	6	1	-
FEMALE--	19	20	20	45	71	70	92	83	60	23	3	-
ALL OTHER--MALE----	16	16	32	28	10	15	8	5	-	1	-	-
FEMALE--	8	15	19	12	15	16	16	13	11	7	-	-
BLACK---MALE----	16	16	30	27	10	15	7	5	-	1	-	-
FEMALE--	8	15	18	11	14	15	15	11	11	7	-	-
MASSACHUSETTS -----	108	104	131	156	219	263	308	261	159	62	19	-
WHITE-----MALE----	74	59	74	85	113	107	117	81	42	13	5	-
FEMALE--	27	39	51	60	99	144	184	170	113	49	12	-
ALL OTHER--MALE----	5	5	4	5	3	7	4	3	-	-	1	-
FEMALE--	2	1	2	6	4	5	3	7	4	-	1	-
BLACK---MALE----	5	5	4	5	2	6	3	3	-	-	-	-
FEMALE--	2	1	1	6	2	2	3	4	2	-	-	-
MICHIGAN -----	186	189	191	247	307	401	382	303	217	96	13	-
WHITE-----MALE----	104	89	104	110	147	170	139	89	53	22	1	-
FEMALE--	40	53	45	96	116	194	203	184	149	72	11	-
ALL OTHER--MALE----	27	32	29	26	22	18	15	9	3	-	-	-
FEMALE--	15	15	13	15	22	19	25	21	12	2	1	-
BLACK---MALE----	27	28	27	24	22	16	13	9	3	-	-	-
FEMALE--	15	13	11	12	21	16	25	21	12	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,057

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
MINNESOTA -----	44	62	72	74	119	131	171	195	129	47	15	-
WHITE-----MALE----	21	32	42	44	57	66	63	65	36	9	4	-
FEMALE--	15	22	28	25	55	61	105	127	92	38	11	-
ALL OTHER--MALE----	4	5	1	1	3	-	2	-	-	-	-	-
FEMALE--	4	3	1	4	4	4	1	3	1	-	-	-
BLACK---MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	1	-	2	1	-	-	-
MISSISSIPPI -----	61	44	55	77	88	101	81	78	65	18	4	-
WHITE-----MALE----	25	17	25	31	31	32	23	20	12	1	-	-
FEMALE--	13	12	18	22	35	43	37	41	40	14	3	-
ALL OTHER--MALE----	15	12	7	10	11	12	6	6	-	1	-	-
FEMALE--	8	3	5	14	11	14	15	11	13	2	1	-
BLACK---MALE----	15	11	7	10	11	11	6	6	-	1	-	-
FEMALE--	8	3	5	14	10	14	15	11	13	2	1	-
MISSOURI -----	75	103	108	143	171	219	231	212	170	56	10	-
WHITE-----MALE----	32	55	55	81	88	100	86	56	47	12	-	-
FEMALE--	29	29	34	48	70	104	133	144	116	42	10	-
ALL OTHER--MALE----	6	13	12	9	6	4	5	4	2	1	-	-
FEMALE--	8	6	7	5	7	11	7	8	5	1	-	-
BLACK---MALE----	6	13	11	9	6	4	5	4	2	-	-	-
FEMALE--	6	5	5	5	6	11	7	8	5	1	-	-
MONTANA -----	17	18	14	20	35	36	36	40	23	8	1	-
WHITE-----MALE----	10	4	8	10	21	13	14	13	6	1	-	-
FEMALE--	4	9	3	7	14	22	19	26	17	7	1	-
ALL OTHER--MALE----	-	3	3	1	-	-	2	-	-	-	-	-
FEMALE--	3	2	-	2	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	18	21	24	28	51	56	68	87	57	21	9	-
WHITE-----MALE----	9	10	14	16	28	23	25	31	13	6	1	-
FEMALE--	8	10	8	11	20	32	42	55	44	15	8	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	-	1	-	-	-	-
NEVADA -----	65	44	42	77	64	75	64	34	19	6	-	-
WHITE-----MALE----	40	30	21	45	27	33	21	12	6	3	-	-
FEMALE--	22	11	15	25	33	34	39	19	12	3	-	-
ALL OTHER--MALE----	1	3	2	5	3	7	3	2	-	-	-	-
FEMALE--	2	-	4	2	1	1	1	1	1	-	-	-
BLACK---MALE----	1	3	2	3	1	5	3	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,059

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
OHIO -----	3,424	14	6	1	1	2	3	6	24	56	141	167
WHITE-----MALE----	1,434	5	3	1	-	1	2	1	8	33	99	103
FEMALE--	1,633	4	1	-	1	1	-	3	12	12	20	32
ALL OTHER--MALE----	195	3	2	-	-	-	1	1	3	7	15	22
FEMALE--	162	2	-	-	-	-	-	1	1	4	7	10
BLACK---MALE----	190	3	2	-	-	-	1	1	3	7	15	22
FEMALE--	158	2	-	-	-	-	-	-	1	4	7	10
OKLAHOMA -----	1,123	7	3	1	-	2	3	9	9	20	57	57
WHITE-----MALE----	467	1	1	-	-	2	-	5	2	10	28	31
FEMALE--	501	3	1	1	-	-	2	3	2	7	11	9
ALL OTHER--MALE----	81	-	1	-	-	-	1	-	3	1	8	12
FEMALE--	74	3	-	-	-	-	-	1	2	2	10	5
BLACK---MALE----	39	-	1	-	-	-	-	-	1	-	4	5
FEMALE--	26	1	-	-	-	-	-	-	1	-	2	1
OREGON -----	989	1	2	1	-	1	1	3	6	22	35	61
WHITE-----MALE----	450	1	1	1	-	1	-	2	4	9	22	42
FEMALE--	503	-	-	-	-	-	1	-	1	13	11	15
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	15	-	1	-	-	-	-	1	-	-	1	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	4,130	12	7	2	1	-	5	13	20	66	127	172
WHITE-----MALE----	1,723	3	3	1	-	-	2	5	7	38	87	90
FEMALE--	1,986	4	1	1	-	-	3	3	8	21	19	43
ALL OTHER--MALE----	237	3	2	-	1	-	-	3	2	3	15	31
FEMALE--	184	2	1	-	-	-	-	2	3	4	6	8
BLACK---MALE----	223	3	2	-	1	-	-	3	2	2	14	29
FEMALE--	178	2	1	-	-	-	-	2	3	4	5	8
RHODE ISLAND -----	356	1	-	-	-	-	1	-	2	2	14	15
WHITE-----MALE----	170	-	-	-	-	-	-	-	1	1	11	10
FEMALE--	174	1	-	-	-	-	1	-	1	-	3	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	1,234	7	-	-	-	2	2	5	12	38	61	77
WHITE-----MALE----	431	2	-	-	-	2	1	2	3	15	20	34
FEMALE--	450	-	-	-	-	-	-	1	3	7	15	5
ALL OTHER--MALE----	188	5	-	-	-	-	-	1	4	5	18	25
FEMALE--	165	-	-	-	-	-	1	1	2	11	8	13
BLACK---MALE----	186	5	-	-	-	-	-	1	4	5	17	25
FEMALE--	162	-	-	-	-	-	1	1	2	11	8	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,059

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
OHIO -----	161	174	201	267	441	471	479	418	271	102	18	-
WHITE-----MALE----	94	76	107	135	213	201	156	112	64	19	1	-
FEMALE--	43	69	67	95	181	244	286	278	195	75	14	-
ALL OTHER--MALE----	16	21	16	21	27	11	13	10	3	3	-	-
FEMALE--	8	8	11	16	20	15	24	18	9	5	3	-
BLACK---MALE----	16	21	16	21	25	9	12	10	3	3	-	-
FEMALE--	7	7	11	16	20	14	24	18	9	5	3	-
OKLAHOMA -----	70	65	75	99	120	123	143	142	85	29	4	-
WHITE-----MALE----	37	33	34	47	54	65	51	46	14	6	-	-
FEMALE--	13	24	24	44	57	51	77	86	62	21	3	-
ALL OTHER--MALE----	15	5	9	5	8	2	7	1	2	-	1	-
FEMALE--	5	3	8	3	1	5	8	9	7	2	-	-
BLACK---MALE----	4	3	5	2	3	1	6	1	2	-	1	-
FEMALE--	2	-	3	-	1	2	2	7	3	1	-	-
OREGON -----	44	54	67	65	94	126	147	123	93	39	4	-
WHITE-----MALE----	20	31	41	34	46	53	59	54	24	5	-	-
FEMALE--	20	19	22	26	48	71	84	68	67	34	3	-
ALL OTHER--MALE----	3	4	2	4	-	1	1	1	-	-	1	-
FEMALE--	1	-	2	1	-	1	3	-	2	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
PENNSYLVANIA -----	191	195	235	356	434	593	674	536	353	109	28	1
WHITE-----MALE----	102	89	133	173	192	238	273	167	91	24	4	1
FEMALE--	39	62	70	144	196	312	374	337	247	80	22	-
ALL OTHER--MALE----	39	24	19	24	25	24	7	10	4	1	-	-
FEMALE--	11	20	13	15	21	19	20	22	11	4	2	-
BLACK---MALE----	37	23	18	23	24	22	6	9	4	1	-	-
FEMALE--	11	19	13	14	21	19	20	20	10	4	2	-
RHODE ISLAND -----	16	12	26	26	32	54	57	48	36	10	4	-
WHITE-----MALE----	6	7	16	16	19	25	29	20	7	1	1	-
FEMALE--	7	5	9	9	12	29	26	28	28	9	3	-
ALL OTHER--MALE----	2	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	84	87	98	125	132	157	137	121	64	22	3	-
WHITE-----MALE----	39	37	44	54	51	49	35	33	5	5	-	-
FEMALE--	19	16	31	35	47	69	72	67	48	13	2	-
ALL OTHER--MALE----	21	22	14	18	18	19	11	3	4	-	-	-
FEMALE--	5	12	9	18	16	20	19	18	7	4	1	-
BLACK---MALE----	21	22	14	18	18	19	11	2	4	-	-	-
FEMALE--	5	12	9	18	15	20	17	18	7	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,060

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
SOUTH DAKOTA -----	239	-	-	-	-	-	-	2	5	3	6	18
WHITE-----MALE----	89	-	-	-	-	-	-	1	1	1	1	5
FEMALE--	105	-	-	-	-	-	-	-	1	-	3	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	2	-	1	6
FEMALE--	25	-	-	-	-	-	-	-	1	2	1	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,712	5	2	1	1	1	13	6	16	35	73	91
WHITE-----MALE----	733	4	-	-	-	1	5	2	7	20	35	56
FEMALE--	755	-	2	1	-	-	2	3	4	7	29	16
ALL OTHER--MALE----	109	-	-	-	-	-	3	-	1	5	7	13
FEMALE--	115	1	-	-	1	-	3	1	4	3	2	6
BLACK---MALE----	108	-	-	-	-	-	3	-	1	5	7	13
FEMALE--	114	1	-	-	1	-	3	1	4	3	2	6
TEXAS -----	5,302	43	8	4	3	7	8	26	65	138	264	369
WHITE-----MALE----	2,381	17	3	2	3	1	6	13	36	82	172	239
FEMALE--	2,315	15	1	1	-	2	2	9	21	33	54	82
ALL OTHER--MALE----	325	6	1	-	-	4	-	3	5	15	26	33
FEMALE--	281	5	3	1	-	-	-	1	3	8	12	15
BLACK---MALE----	310	5	1	-	-	4	-	3	4	14	25	31
FEMALE--	264	5	3	1	-	-	-	1	3	8	11	12
UTAH -----	464	6	-	-	-	-	2	1	3	8	12	19
WHITE-----MALE----	200	4	-	-	-	-	1	-	-	2	6	11
FEMALE--	251	2	-	-	-	-	1	1	2	4	6	7
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	169	-	1	-	-	-	-	-	1	2	4	8
WHITE-----MALE----	82	-	1	-	-	-	-	-	-	1	3	5
FEMALE--	87	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,861	2	1	-	2	3	1	9	15	44	62	101
WHITE-----MALE----	703	1	-	-	1	1	-	3	6	23	25	56
FEMALE--	787	-	1	-	-	-	-	2	4	10	13	18
ALL OTHER--MALE----	189	-	-	-	-	2	1	1	4	8	18	20
FEMALE--	182	1	-	-	1	-	-	3	1	3	6	7
BLACK---MALE----	177	-	-	-	-	2	1	1	4	7	15	20
FEMALE--	176	1	-	-	1	-	-	3	1	2	6	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,060

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
SOUTH DAKOTA -----	14	5	10	20	24	38	34	31	18	9	2	-
WHITE-----MALE----	6	4	4	6	13	18	9	14	4	2	-	-
FEMALE--	1	-	2	10	6	16	24	17	14	7	2	-
ALL OTHER--MALE----	2	-	3	2	2	1	-	-	-	-	-	-
FEMALE--	5	1	1	2	3	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	108	93	115	182	217	228	204	183	99	33	6	-
WHITE-----MALE----	65	48	57	94	104	88	68	43	31	3	2	-
FEMALE--	28	28	36	69	91	113	117	122	57	26	4	-
ALL OTHER--MALE----	11	8	14	10	9	12	6	6	4	-	-	-
FEMALE--	4	9	8	9	13	15	13	12	7	4	-	-
BLACK---MALE----	11	8	13	10	9	12	6	6	4	-	-	-
FEMALE--	4	9	8	9	13	15	12	12	7	4	-	-
TEXAS -----	356	351	397	441	526	630	588	581	338	142	17	-
WHITE-----MALE----	222	198	192	218	234	257	211	168	74	31	2	-
FEMALE--	92	103	148	169	236	309	328	361	242	96	11	-
ALL OTHER--MALE----	26	36	41	25	31	26	22	12	8	4	1	-
FEMALE--	16	14	16	29	25	38	27	40	14	11	3	-
BLACK---MALE----	25	34	39	24	30	24	22	12	8	4	1	-
FEMALE--	16	14	16	29	22	35	23	38	13	11	3	-
UTAH -----	27	15	25	51	49	64	67	61	41	11	2	-
WHITE-----MALE----	15	6	15	27	25	26	29	21	6	4	2	-
FEMALE--	11	8	9	23	22	36	37	40	35	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	4	9	13	15	19	18	27	23	15	9	1	-
WHITE-----MALE----	3	6	8	8	13	12	12	4	4	2	-	-
FEMALE--	1	3	5	7	6	6	15	19	11	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	96	106	145	162	236	248	232	226	117	44	8	1
WHITE-----MALE----	52	53	66	65	95	91	92	56	14	3	-	-
FEMALE--	18	29	45	60	102	112	112	135	88	34	4	-
ALL OTHER--MALE----	17	16	20	21	15	18	11	9	6	1	-	1
FEMALE--	9	8	14	16	24	27	17	26	9	6	4	-
BLACK---MALE----	16	15	20	19	13	18	10	8	6	1	-	1
FEMALE--	8	8	14	16	21	26	17	26	9	6	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,065

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)												
KENTUCKY -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,068

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	1	-	2	-	-	1	1	-	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	1	-	2	2	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,071

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
UNITED STATES --	79,229	330	130	52	59	80	137	290	752	1,794	3,386	4,550
WHITE-----MALE----	33,861	124	46	29	19	30	56	128	361	898	1,915	2,619
FEMALE--	34,986	87	40	10	23	20	41	83	203	478	775	948
ALL OTHER--MALE----	5,531	61	27	5	8	17	16	50	101	236	429	650
FEMALE--	4,851	58	17	8	9	13	24	29	87	182	267	333
BLACK---MALE----	4,592	55	25	4	6	15	12	41	70	187	360	563
FEMALE--	4,102	51	14	7	8	11	20	21	71	150	212	272
ALABAMA -----	1,430	10	3	2	2	-	3	8	11	34	51	78
WHITE-----MALE----	507	3	1	1	-	-	-	2	3	14	23	36
FEMALE--	586	3	-	1	2	-	1	1	-	9	10	14
ALL OTHER--MALE----	160	-	2	-	-	-	-	3	6	7	14	16
FEMALE--	177	4	-	-	-	-	2	2	2	4	4	12
BLACK---MALE----	157	-	2	-	-	-	-	3	6	7	12	15
FEMALE--	171	4	-	-	-	-	2	2	2	4	4	9
ALASKA -----	119	1	-	-	1	-	1	-	-	9	7	12
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	2	2	7
FEMALE--	36	-	-	-	-	-	-	-	-	3	2	2
ALL OTHER--MALE----	19	-	-	-	1	-	-	-	-	2	-	3
FEMALE--	19	1	-	-	-	-	1	-	-	2	3	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,474	5	2	-	1	-	2	6	22	45	79	99
WHITE-----MALE----	698	1	1	-	-	-	2	2	8	14	36	59
FEMALE--	594	2	-	-	1	-	-	2	2	14	22	18
ALL OTHER--MALE----	102	1	1	-	-	-	-	-	10	10	10	11
FEMALE--	80	1	-	-	-	-	-	2	2	7	11	11
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	11	1	-	-	-	-	-	-	-	1	-	1
ARKANSAS -----	858	3	-	1	-	3	4	3	7	10	26	39
WHITE-----MALE----	346	-	-	-	-	1	1	2	3	6	16	21
FEMALE--	394	1	-	-	-	2	2	-	4	3	6	12
ALL OTHER--MALE----	61	2	-	-	-	-	-	-	-	1	3	1
FEMALE--	57	-	-	1	-	-	1	1	-	-	1	5
BLACK---MALE----	60	2	-	-	-	-	-	-	-	1	3	1
FEMALE--	55	-	-	1	-	-	1	1	-	-	1	5
CALIFORNIA -----	8,407	34	16	8	11	7	18	44	112	231	454	574
WHITE-----MALE----	3,901	16	5	5	6	2	10	25	67	123	289	355
FEMALE--	3,515	7	8	2	3	2	5	13	35	68	112	133
ALL OTHER--MALE----	568	5	2	1	1	2	2	5	8	26	34	51
FEMALE--	423	6	1	-	1	1	1	1	2	14	19	35
BLACK---MALE----	297	3	1	1	-	1	1	3	3	15	22	31
FEMALE--	237	4	-	-	1	-	1	1	1	9	14	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,071

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
UNITED STATES --	4,602	4,706	5,381	6,796	8,596	9,916	10,293	9,052	5,776	2,155	389	7
WHITE-----MALE----	2,557	2,502	2,794	3,316	3,952	4,108	3,795	2,763	1,373	420	52	4
FEMALE--	1,147	1,372	1,697	2,526	3,675	4,819	5,619	5,550	4,001	1,574	297	1
ALL OTHER--MALE----	597	534	571	540	491	443	347	258	105	35	8	2
FEMALE--	301	298	319	414	478	546	532	481	297	126	32	-
BLACK---MALE----	503	447	486	441	419	362	279	195	88	25	7	2
FEMALE--	250	261	267	342	406	453	462	421	262	111	30	-
ALABAMA -----	80	83	87	148	160	183	190	159	108	26	4	-
WHITE-----MALE----	44	38	45	62	57	60	53	38	24	3	-	-
FEMALE--	9	22	24	53	77	90	103	92	59	15	1	-
ALL OTHER--MALE----	19	16	13	19	12	6	7	7	10	2	1	-
FEMALE--	8	7	5	14	14	27	27	22	15	6	2	-
BLACK---MALE----	19	16	13	19	12	6	7	7	10	2	1	-
FEMALE--	8	6	5	14	13	27	27	21	15	6	2	-
ALASKA -----	7	12	9	12	15	11	12	5	3	2	-	-
WHITE-----MALE----	4	6	5	2	6	5	4	1	1	-	-	-
FEMALE--	2	2	2	3	6	4	5	2	2	1	-	-
ALL OTHER--MALE----	-	3	2	4	-	-	2	1	-	1	-	-
FEMALE--	1	1	-	3	3	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	114	96	108	139	150	166	185	145	74	30	6	-
WHITE-----MALE----	60	55	53	81	78	84	82	51	24	6	1	-
FEMALE--	26	28	41	42	61	74	96	88	49	23	5	-
ALL OTHER--MALE----	18	7	10	9	4	5	3	1	1	1	-	-
FEMALE--	10	6	4	7	7	3	4	5	-	-	-	-
BLACK---MALE----	1	1	2	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	2	2	-	-	-	-
ARKANSAS -----	43	58	48	74	85	115	102	120	86	25	6	-
WHITE-----MALE----	25	35	23	41	39	48	33	27	21	4	-	-
FEMALE--	8	13	19	22	33	61	55	73	58	17	5	-
ALL OTHER--MALE----	7	4	6	7	6	2	7	11	3	-	1	-
FEMALE--	3	6	-	4	7	4	7	9	4	4	-	-
BLACK---MALE----	7	4	6	7	6	2	7	10	3	-	1	-
FEMALE--	3	6	-	4	6	4	6	9	4	4	-	-
CALIFORNIA -----	593	595	656	723	877	1,002	952	807	496	166	30	1
WHITE-----MALE----	358	342	345	360	422	415	362	239	116	33	5	1
FEMALE--	147	176	225	265	362	477	497	489	341	123	25	-
ALL OTHER--MALE----	58	55	57	59	56	53	38	41	9	5	-	-
FEMALE--	30	22	29	39	37	57	55	38	30	5	-	-
BLACK---MALE----	36	31	34	37	25	16	15	17	2	3	-	-
FEMALE--	21	16	19	18	20	26	27	15	18	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,072

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
COLORADO -----	1,115	2	1	1	1	2	3	3	6	30	67	75
WHITE-----MALE----	541	-	-	-	-	2	3	2	4	18	46	53
FEMALE--	521	2	1	-	-	-	-	-	1	11	14	20
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	1	-	4	1
FEMALE--	26	-	-	1	1	-	-	-	-	1	3	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	14	-	-	-	1	-	-	-	-	-	1	-
CONNECTICUT -----	1,101	2	2	-	1	3	2	2	10	21	35	45
WHITE-----MALE----	460	1	2	-	-	1	-	-	5	7	24	22
FEMALE--	568	-	-	-	1	1	1	1	3	9	7	18
ALL OTHER--MALE----	34	1	-	-	-	-	-	1	-	2	3	5
FEMALE--	39	-	-	-	-	1	1	-	2	3	1	-
BLACK---MALE----	31	1	-	-	-	-	-	-	-	2	3	5
FEMALE--	37	-	-	-	-	-	1	-	2	3	1	-
DELAWARE -----	230	-	-	-	-	-	1	2	2	8	15	11
WHITE-----MALE----	98	-	-	-	-	-	1	1	2	3	9	4
FEMALE--	94	-	-	-	-	-	-	1	-	2	4	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	17	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	3
DISTRICT OF COLUMBIA ----	247	-	1	-	-	-	1	3	3	5	12	16
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	26	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	111	-	-	-	-	-	1	2	2	1	5	11
FEMALE--	96	-	1	-	-	-	-	-	1	3	6	3
BLACK---MALE----	110	-	-	-	-	-	1	2	2	1	5	11
FEMALE--	95	-	1	-	-	-	-	-	1	3	6	3
FLORIDA -----	5,051	17	4	1	4	2	5	9	45	111	202	288
WHITE-----MALE----	2,418	6	2	1	-	1	2	5	20	52	120	186
FEMALE--	2,156	4	2	-	2	-	1	3	14	41	47	64
ALL OTHER--MALE----	261	5	-	-	-	-	1	1	5	9	18	28
FEMALE--	216	2	-	-	2	1	1	-	6	9	17	10
BLACK---MALE----	245	5	-	-	-	-	1	1	5	9	17	28
FEMALE--	204	2	-	-	2	1	1	-	5	8	16	10
GEORGIA -----	2,072	11	8	1	1	1	5	8	28	52	105	158
WHITE-----MALE----	761	4	2	1	-	-	2	4	10	18	44	66
FEMALE--	770	1	1	-	-	-	1	2	8	11	19	33
ALL OTHER--MALE----	248	5	5	-	-	1	-	2	2	13	23	28
FEMALE--	293	1	-	-	1	-	2	-	8	10	19	31
BLACK---MALE----	244	5	5	-	-	1	-	2	2	13	23	28
FEMALE--	292	1	-	-	1	-	2	-	8	10	19	31

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,072

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
COLORADO -----	72	63	64	94	124	121	149	128	74	32	3	-
WHITE-----MALE----	41	26	34	55	61	60	48	53	27	8	-	-
FEMALE--	27	31	24	37	57	56	94	74	46	23	3	-
ALL OTHER--MALE----	3	4	3	1	3	4	2	-	-	-	-	-
FEMALE--	1	2	3	1	3	1	5	1	1	1	-	-
BLACK---MALE----	3	2	3	1	3	2	2	-	-	-	-	-
FEMALE--	1	-	2	-	2	1	4	1	-	1	-	-
CONNECTICUT -----	56	57	57	80	137	137	156	167	86	35	10	-
WHITE-----MALE----	31	27	36	39	68	48	64	55	21	8	1	-
FEMALE--	21	22	17	37	58	85	86	108	59	26	8	-
ALL OTHER--MALE----	3	4	4	2	5	1	2	1	-	-	-	-
FEMALE--	1	4	-	2	6	3	4	3	6	1	1	-
BLACK---MALE----	3	4	3	2	5	1	2	-	-	-	-	-
FEMALE--	1	4	-	2	6	3	4	2	6	1	1	-
DELAWARE -----	7	11	19	21	29	39	21	20	16	5	3	-
WHITE-----MALE----	-	4	12	11	12	17	6	10	4	2	-	-
FEMALE--	2	2	5	7	16	15	12	10	11	3	3	-
ALL OTHER--MALE----	2	3	-	3	-	2	1	-	-	-	-	-
FEMALE--	3	2	2	-	1	5	2	-	1	-	-	-
BLACK---MALE----	2	2	-	3	-	2	1	-	-	-	-	-
FEMALE--	3	2	2	-	-	5	2	-	1	-	-	-
DISTRICT OF COLUMBIA ----	24	14	22	21	27	26	25	20	18	7	2	-
WHITE-----MALE----	2	-	2	-	1	1	2	-	2	-	-	-
FEMALE--	-	1	1	2	2	3	2	6	6	2	-	-
ALL OTHER--MALE----	14	8	13	13	15	12	7	5	-	1	1	-
FEMALE--	8	5	6	6	9	10	14	9	10	4	1	-
BLACK---MALE----	13	8	13	13	15	12	7	5	-	1	1	-
FEMALE--	8	5	6	6	9	10	14	8	10	4	1	-
FLORIDA -----	303	331	355	452	590	660	663	555	302	126	25	1
WHITE-----MALE----	190	201	206	232	279	293	292	205	88	33	4	-
FEMALE--	74	88	99	185	262	320	332	312	198	87	21	-
ALL OTHER--MALE----	26	28	31	23	26	20	18	14	5	2	-	1
FEMALE--	13	14	19	12	23	27	21	24	11	4	-	-
BLACK---MALE----	25	25	30	19	25	19	17	12	4	2	-	1
FEMALE--	13	14	16	10	20	27	21	24	10	4	-	-
GEORGIA -----	141	142	166	183	209	225	271	211	99	38	9	-
WHITE-----MALE----	66	67	77	86	83	83	80	43	17	7	1	-
FEMALE--	26	36	49	55	67	98	136	130	66	26	5	-
ALL OTHER--MALE----	25	21	23	23	26	20	17	9	4	-	1	-
FEMALE--	24	18	17	19	33	24	38	29	12	5	2	-
BLACK---MALE----	23	21	23	22	25	20	17	9	4	-	1	-
FEMALE--	24	18	17	19	33	23	38	29	12	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,073

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
HAWAII -----	250	1	1	1	1	-	-	1	1	4	12	11
WHITE-----MALE----	50	-	-	-	1	-	-	-	-	-	7	2
FEMALE--	53	1	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	89	-	-	1	-	-	-	1	1	2	2	4
FEMALE--	58	-	1	-	-	-	-	-	-	1	1	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	335	1	-	-	-	-	1	-	3	4	9	11
WHITE-----MALE----	156	1	-	-	-	-	-	-	2	2	6	6
FEMALE--	174	-	-	-	-	-	1	-	-	2	2	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,477	21	6	3	4	5	7	14	41	86	167	226
WHITE-----MALE----	1,475	6	3	2	1	2	1	6	17	51	102	134
FEMALE--	1,462	3	3	-	2	-	5	2	8	14	31	45
ALL OTHER--MALE----	289	6	-	-	-	1	1	5	7	14	22	32
FEMALE--	251	6	-	1	1	2	-	1	9	7	12	15
BLACK---MALE----	266	6	-	-	-	1	1	4	6	12	22	30
FEMALE--	234	6	-	1	1	2	-	1	9	7	11	13
INDIANA -----	1,744	5	5	1	1	2	2	3	22	40	80	85
WHITE-----MALE----	743	3	-	-	-	-	-	1	8	24	43	46
FEMALE--	850	2	2	-	-	2	2	2	9	8	24	25
ALL OTHER--MALE----	83	-	2	-	1	-	-	-	3	6	8	8
FEMALE--	68	-	1	1	-	-	-	-	2	2	5	6
BLACK---MALE----	82	-	2	-	1	-	-	-	3	6	8	8
FEMALE--	68	-	1	1	-	-	-	-	2	2	5	6
IOWA -----	915	3	2	-	-	1	1	-	1	12	16	23
WHITE-----MALE----	372	1	1	-	-	1	-	-	1	5	10	15
FEMALE--	527	1	1	-	-	-	1	-	-	5	4	6
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	815	5	1	-	1	-	2	2	8	12	26	52
WHITE-----MALE----	327	2	1	-	-	-	2	-	5	6	16	28
FEMALE--	431	3	-	-	1	-	-	-	3	4	5	15
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	-	1	3	6
FEMALE--	27	-	-	-	-	-	-	1	-	1	2	3
BLACK---MALE----	22	-	-	-	-	-	-	1	-	-	1	5
FEMALE--	22	-	-	-	-	-	-	-	-	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,073

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
HAWAII -----	23	10	12	22	30	40	30	27	15	7	1	-
WHITE-----MALE----	10	2	2	5	8	5	3	5	-	-	-	-
FEMALE--	1	3	1	1	8	11	10	7	3	1	-	-
ALL OTHER--MALE----	10	4	7	13	8	10	10	9	4	3	-	-
FEMALE--	2	1	2	3	6	14	7	6	8	3	1	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	21	23	20	31	30	38	48	49	33	13	-	-
WHITE-----MALE----	14	14	9	18	12	20	22	19	9	2	-	-
FEMALE--	7	9	10	11	18	18	26	30	24	11	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	197	193	225	280	369	426	468	373	259	96	11	-
WHITE-----MALE----	99	107	111	127	156	173	182	112	64	17	2	-
FEMALE--	41	50	65	98	151	207	248	231	179	72	7	-
ALL OTHER--MALE----	42	22	32	23	30	20	14	11	7	-	-	-
FEMALE--	15	14	17	32	32	26	24	19	9	7	2	-
BLACK---MALE----	42	18	29	22	29	17	12	9	6	-	-	-
FEMALE--	13	14	15	29	30	25	23	18	8	6	2	-
INDIANA -----	86	88	125	157	209	220	217	187	147	54	8	-
WHITE-----MALE----	43	53	77	77	88	92	91	60	30	7	-	-
FEMALE--	31	28	39	66	105	116	118	117	103	44	7	-
ALL OTHER--MALE----	10	4	5	7	9	5	6	4	5	-	-	-
FEMALE--	2	3	4	7	7	7	2	6	9	3	1	-
BLACK---MALE----	10	4	5	6	9	5	6	4	5	-	-	-
FEMALE--	2	3	4	7	7	7	2	6	9	3	1	-
IOWA -----	42	31	35	75	85	119	141	147	114	60	7	-
WHITE-----MALE----	24	24	22	41	41	54	49	50	21	12	-	-
FEMALE--	16	7	11	32	44	63	92	96	93	48	7	-
ALL OTHER--MALE----	2	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
KANSAS -----	32	38	46	59	61	111	111	108	98	37	5	-
WHITE-----MALE----	16	25	19	24	28	45	38	38	28	6	-	-
FEMALE--	11	11	24	29	27	60	68	66	68	31	5	-
ALL OTHER--MALE----	2	1	2	5	3	2	3	1	-	-	-	-
FEMALE--	3	1	1	1	3	4	2	3	2	-	-	-
BLACK---MALE----	2	1	2	1	3	2	3	1	-	-	-	-
FEMALE--	2	1	1	1	3	2	2	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,074

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
KENTUCKY -----	1,220	7	3	-	-	-	3	6	7	23	41	64
WHITE-----MALE----	548	3	1	-	-	-	2	3	3	16	28	46
FEMALE--	581	2	2	-	-	-	-	2	3	6	9	12
ALL OTHER--MALE----	50	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	41	2	-	-	-	-	1	-	1	-	2	3
BLACK---MALE----	48	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	40	2	-	-	-	-	1	-	1	-	2	3
LOUISIANA -----	1,279	6	4	1	2	3	4	7	10	39	54	82
WHITE-----MALE----	415	1	-	-	-	2	1	-	2	14	20	39
FEMALE--	497	-	-	-	1	1	-	1	2	9	8	10
ALL OTHER--MALE----	200	3	3	-	1	-	1	4	4	9	20	29
FEMALE--	167	2	1	1	-	-	2	2	2	7	6	4
BLACK---MALE----	195	3	3	-	1	-	1	4	4	9	20	29
FEMALE--	166	2	1	1	-	-	2	2	2	7	6	4
MAINE -----	378	2	-	1	-	-	1	-	2	5	5	18
WHITE-----MALE----	178	-	-	1	-	-	1	-	1	2	2	11
FEMALE--	197	2	-	-	-	-	-	-	1	3	3	7
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,376	8	1	1	-	4	1	5	13	40	65	88
WHITE-----MALE----	472	-	-	1	-	-	-	1	9	16	30	33
FEMALE--	538	-	-	-	-	2	-	2	-	5	8	16
ALL OTHER--MALE----	191	3	-	-	-	-	-	2	2	12	12	29
FEMALE--	175	5	1	-	-	2	1	-	2	7	15	10
BLACK---MALE----	186	3	-	-	-	-	-	2	2	12	12	28
FEMALE--	168	5	1	-	-	2	1	-	2	7	15	10
MASSACHUSETTS -----	2,062	4	5	-	-	3	4	10	14	34	91	110
WHITE-----MALE----	961	2	3	-	-	1	2	5	12	21	61	85
FEMALE--	1,007	-	2	-	-	1	1	3	1	9	27	17
ALL OTHER--MALE----	53	2	-	-	-	1	-	2	-	3	1	7
FEMALE--	41	-	-	-	-	-	1	-	1	1	2	1
BLACK---MALE----	45	1	-	-	-	1	-	2	-	2	1	5
FEMALE--	27	-	-	-	-	-	-	-	1	1	2	-
MICHIGAN -----	3,006	16	2	1	4	5	6	7	34	72	144	187
WHITE-----MALE----	1,260	5	1	-	-	2	3	2	22	29	78	92
FEMALE--	1,267	7	-	-	3	2	2	3	5	25	29	30
ALL OTHER--MALE----	262	1	1	1	1	1	-	1	3	9	23	40
FEMALE--	217	3	-	-	-	-	1	1	4	9	14	25
BLACK---MALE----	249	1	1	1	1	1	-	1	3	9	22	40
FEMALE--	198	2	-	-	-	-	1	1	4	8	13	21

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,074

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
KENTUCKY -----	67	80	77	113	148	173	149	125	96	31	7	-
WHITE-----MALE----	41	55	49	60	80	55	52	27	22	4	1	-
FEMALE--	21	21	20	49	61	105	86	87	66	26	3	-
ALL OTHER--MALE----	4	2	8	3	5	9	5	4	2	-	1	-
FEMALE--	1	2	-	1	2	4	6	7	6	1	2	-
BLACK---MALE----	4	2	7	2	5	9	5	4	2	-	1	-
FEMALE--	1	2	-	1	1	4	6	7	6	1	2	-
LOUISIANA -----	77	75	91	136	141	143	161	133	76	31	3	-
WHITE-----MALE----	34	28	37	51	57	47	40	28	11	3	-	-
FEMALE--	14	20	23	47	52	69	89	76	53	19	3	-
ALL OTHER--MALE----	18	14	21	20	10	16	15	9	2	1	-	-
FEMALE--	11	13	10	18	22	11	17	20	10	8	-	-
BLACK---MALE----	18	14	20	19	10	16	14	7	2	1	-	-
FEMALE--	11	13	9	18	22	11	17	20	10	8	-	-
MAINE -----	19	28	22	33	47	46	50	50	34	13	2	-
WHITE-----MALE----	14	19	15	21	28	21	20	12	7	3	-	-
FEMALE--	4	9	7	12	18	24	30	38	27	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MARYLAND -----	78	85	103	123	139	184	168	138	91	37	4	-
WHITE-----MALE----	35	34	32	38	44	83	52	37	20	6	1	-
FEMALE--	19	20	20	45	70	70	92	83	60	23	3	-
ALL OTHER--MALE----	16	16	32	28	10	15	8	5	-	1	-	-
FEMALE--	8	15	19	12	15	16	16	13	11	7	-	-
BLACK---MALE----	16	16	30	27	10	15	7	5	-	1	-	-
FEMALE--	8	15	18	11	14	15	15	11	11	7	-	-
MASSACHUSETTS -----	108	104	131	156	219	263	307	259	159	62	19	-
WHITE-----MALE----	74	59	74	85	113	107	116	81	42	13	5	-
FEMALE--	27	39	51	60	99	144	184	168	113	49	12	-
ALL OTHER--MALE----	5	5	4	5	3	7	4	3	-	-	1	-
FEMALE--	2	1	2	6	4	5	3	7	4	-	1	-
BLACK---MALE----	5	5	4	5	2	6	3	3	-	-	-	-
FEMALE--	2	1	1	6	2	2	3	4	2	-	-	-
MICHIGAN -----	186	189	190	247	307	401	381	303	216	95	13	-
WHITE-----MALE----	104	89	103	110	147	170	138	89	53	22	1	-
FEMALE--	40	53	45	96	116	194	203	184	148	71	11	-
ALL OTHER--MALE----	27	32	29	26	22	18	15	9	3	-	-	-
FEMALE--	15	15	13	15	22	19	25	21	12	2	1	-
BLACK---MALE----	27	28	27	24	22	16	13	9	3	-	-	-
FEMALE--	15	13	11	12	21	16	25	21	12	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,075

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
MINNESOTA -----	44	62	72	74	119	131	171	193	129	47	13	-
WHITE-----MALE----	21	32	42	44	57	66	63	64	36	9	3	-
FEMALE--	15	22	28	25	55	61	105	126	92	38	10	-
ALL OTHER--MALE----	4	5	1	1	3	-	2	-	-	-	-	-
FEMALE--	4	3	1	4	4	4	1	3	1	-	-	-
BLACK---MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	1	-	2	1	-	-	-
MISSISSIPPI -----	61	44	55	77	88	101	81	78	65	18	4	-
WHITE-----MALE----	25	17	25	31	31	32	23	20	12	1	-	-
FEMALE--	13	12	18	22	35	43	37	41	40	14	3	-
ALL OTHER--MALE----	15	12	7	10	11	12	6	6	-	1	-	-
FEMALE--	8	3	5	14	11	14	15	11	13	2	1	-
BLACK---MALE----	15	11	7	10	11	11	6	6	-	1	-	-
FEMALE--	8	3	5	14	10	14	15	11	13	2	1	-
MISSOURI -----	75	103	108	143	170	219	230	212	169	56	10	-
WHITE-----MALE----	32	55	55	81	88	100	85	56	46	12	-	-
FEMALE--	29	29	34	48	70	104	133	144	116	42	10	-
ALL OTHER--MALE----	6	13	12	9	6	4	5	4	2	1	-	-
FEMALE--	8	6	7	5	6	11	7	8	5	1	-	-
BLACK---MALE----	6	13	11	9	6	4	5	4	2	-	-	-
FEMALE--	6	5	5	5	5	11	7	8	5	1	-	-
MONTANA -----	16	18	14	20	35	36	36	40	23	8	1	-
WHITE-----MALE----	9	4	8	10	21	13	14	13	6	1	-	-
FEMALE--	4	9	3	7	14	22	19	26	17	7	1	-
ALL OTHER--MALE----	-	3	3	1	-	-	2	-	-	-	-	-
FEMALE--	3	2	-	2	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	18	21	24	28	51	56	68	87	57	20	8	-
WHITE-----MALE----	9	10	14	16	28	23	25	31	13	6	1	-
FEMALE--	8	10	8	11	20	32	42	55	44	14	7	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	-	1	-	-	-	-
NEVADA -----	65	44	42	77	64	75	64	34	19	6	-	-
WHITE-----MALE----	40	30	21	45	27	33	21	12	6	3	-	-
FEMALE--	22	11	15	25	33	34	39	19	12	3	-	-
ALL OTHER--MALE----	1	3	2	5	3	7	3	2	-	-	-	-
FEMALE--	2	-	4	2	1	1	1	1	1	-	-	-
BLACK---MALE----	1	3	2	3	1	5	3	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,077

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
OHIO -----	3,418	14	6	1	1	2	3	6	24	56	141	167
WHITE-----MALE----	1,433	5	3	1	-	1	2	1	8	33	99	103
FEMALE--	1,629	4	1	-	1	1	-	3	12	12	20	32
ALL OTHER--MALE----	194	3	2	-	-	-	1	1	3	7	15	22
FEMALE--	162	2	-	-	-	-	-	1	1	4	7	10
BLACK---MALE----	189	3	2	-	-	-	1	1	3	7	15	22
FEMALE--	158	2	-	-	-	-	-	-	1	4	7	10
OKLAHOMA -----	1,121	7	3	1	-	2	3	9	9	20	57	57
WHITE-----MALE----	467	1	1	-	-	2	-	5	2	10	28	31
FEMALE--	499	3	1	1	-	-	2	3	2	7	11	9
ALL OTHER--MALE----	81	-	1	-	-	-	1	-	3	1	8	12
FEMALE--	74	3	-	-	-	-	-	1	2	2	10	5
BLACK---MALE----	39	-	1	-	-	-	-	-	1	-	4	5
FEMALE--	26	1	-	-	-	-	-	-	1	-	2	1
OREGON -----	986	1	2	1	-	1	1	3	6	22	35	61
WHITE-----MALE----	449	1	1	1	-	1	-	2	4	9	22	42
FEMALE--	502	-	-	-	-	-	1	-	1	13	11	15
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	15	-	1	-	-	-	-	1	-	-	1	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	4,123	12	7	2	1	-	5	13	20	65	127	172
WHITE-----MALE----	1,721	3	3	1	-	-	2	5	7	38	87	90
FEMALE--	1,982	4	1	1	-	-	3	3	8	21	19	43
ALL OTHER--MALE----	237	3	2	-	1	-	-	3	2	3	15	31
FEMALE--	183	2	1	-	-	-	-	2	3	3	6	8
BLACK---MALE----	223	3	2	-	1	-	-	3	2	2	14	29
FEMALE--	177	2	1	-	-	-	-	2	3	3	5	8
RHODE ISLAND -----	356	1	-	-	-	-	1	-	2	2	14	15
WHITE-----MALE----	170	-	-	-	-	-	-	-	1	1	11	10
FEMALE--	174	1	-	-	-	-	1	-	1	-	3	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	1,231	7	-	-	-	2	2	5	12	38	61	77
WHITE-----MALE----	430	2	-	-	-	2	1	2	3	15	20	34
FEMALE--	449	-	-	-	-	-	-	1	3	7	15	5
ALL OTHER--MALE----	188	5	-	-	-	-	-	1	4	5	18	25
FEMALE--	164	-	-	-	-	-	1	1	2	11	8	13
BLACK---MALE----	186	5	-	-	-	-	-	1	4	5	17	25
FEMALE--	161	-	-	-	-	-	1	1	2	11	8	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,077

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
OHIO -----	161	173	201	265	441	471	478	417	271	101	18	-
WHITE-----MALE----	94	75	107	135	213	201	156	112	64	19	1	-
FEMALE--	43	69	67	94	181	244	285	277	195	74	14	-
ALL OTHER--MALE----	16	21	16	20	27	11	13	10	3	3	-	-
FEMALE--	8	8	11	16	20	15	24	18	9	5	3	-
BLACK---MALE----	16	21	16	20	25	9	12	10	3	3	-	-
FEMALE--	7	7	11	16	20	14	24	18	9	5	3	-
OKLAHOMA -----	70	65	75	99	120	123	143	141	84	29	4	-
WHITE-----MALE----	37	33	34	47	54	65	51	46	14	6	-	-
FEMALE--	13	24	24	44	57	51	77	85	61	21	3	-
ALL OTHER--MALE----	15	5	9	5	8	2	7	1	2	-	1	-
FEMALE--	5	3	8	3	1	5	8	9	7	2	-	-
BLACK---MALE----	4	3	5	2	3	1	6	1	2	-	1	-
FEMALE--	2	-	3	-	1	2	2	7	3	1	-	-
OREGON -----	44	54	67	65	94	126	147	122	93	38	3	-
WHITE-----MALE----	20	31	41	34	46	53	59	54	24	4	-	-
FEMALE--	20	19	22	26	48	71	84	67	67	34	3	-
ALL OTHER--MALE----	3	4	2	4	-	1	1	1	-	-	-	-
FEMALE--	1	-	2	1	-	1	3	-	2	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
PENNSYLVANIA -----	191	195	235	355	434	591	672	536	353	108	28	1
WHITE-----MALE----	102	89	133	172	192	238	272	167	91	24	4	1
FEMALE--	39	62	70	144	196	310	373	337	247	79	22	-
ALL OTHER--MALE----	39	24	19	24	25	24	7	10	4	1	-	-
FEMALE--	11	20	13	15	21	19	20	22	11	4	2	-
BLACK---MALE----	37	23	18	23	24	22	6	9	4	1	-	-
FEMALE--	11	19	13	14	21	19	20	20	10	4	2	-
RHODE ISLAND -----	16	12	26	26	32	54	57	48	36	10	4	-
WHITE-----MALE----	6	7	16	16	19	25	29	20	7	1	1	-
FEMALE--	7	5	9	9	12	29	26	28	28	9	3	-
ALL OTHER--MALE----	2	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	84	87	98	125	132	157	136	119	64	22	3	-
WHITE-----MALE----	39	37	44	54	51	49	34	33	5	5	-	-
FEMALE--	19	16	31	35	47	69	72	66	48	13	2	-
ALL OTHER--MALE----	21	22	14	18	18	19	11	3	4	-	-	-
FEMALE--	5	12	9	18	16	20	19	17	7	4	1	-
BLACK---MALE----	21	22	14	18	18	19	11	2	4	-	-	-
FEMALE--	5	12	9	18	15	20	17	17	7	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,078

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
SOUTH DAKOTA -----	238	-	-	-	-	-	-	2	5	3	6	18
WHITE-----MALE----	88	-	-	-	-	-	-	1	1	1	1	5
FEMALE--	105	-	-	-	-	-	-	-	1	-	3	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	2	-	1	6
FEMALE--	25	-	-	-	-	-	-	-	1	2	1	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,707	5	2	1	1	1	13	6	16	35	73	91
WHITE-----MALE----	731	4	-	-	-	1	5	2	7	20	35	56
FEMALE--	753	-	2	1	-	-	2	3	4	7	29	16
ALL OTHER--MALE----	108	-	-	-	-	-	3	-	1	5	7	13
FEMALE--	115	1	-	-	1	-	3	1	4	3	2	6
BLACK---MALE----	107	-	-	-	-	-	3	-	1	5	7	13
FEMALE--	114	1	-	-	1	-	3	1	4	3	2	6
TEXAS -----	5,293	43	8	4	3	7	8	26	64	138	264	369
WHITE-----MALE----	2,377	17	3	2	3	1	6	13	36	82	172	239
FEMALE--	2,310	15	1	1	-	2	2	9	20	33	54	82
ALL OTHER--MALE----	325	6	1	-	-	4	-	3	5	15	26	33
FEMALE--	281	5	3	1	-	-	-	1	3	8	12	15
BLACK---MALE----	310	5	1	-	-	4	-	3	4	14	25	31
FEMALE--	264	5	3	1	-	-	-	1	3	8	11	12
UTAH -----	464	6	-	-	-	-	2	1	3	8	12	19
WHITE-----MALE----	200	4	-	-	-	-	1	-	-	2	6	11
FEMALE--	251	2	-	-	-	-	1	1	2	4	6	7
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	169	-	1	-	-	-	-	-	1	2	4	8
WHITE-----MALE----	82	-	1	-	-	-	-	-	-	1	3	5
FEMALE--	87	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,859	2	1	-	2	3	1	9	15	44	62	101
WHITE-----MALE----	703	1	-	-	1	1	-	3	6	23	25	56
FEMALE--	785	-	1	-	-	-	-	2	4	10	13	18
ALL OTHER--MALE----	189	-	-	-	-	2	1	1	4	8	18	20
FEMALE--	182	1	-	-	1	-	-	3	1	3	6	7
BLACK---MALE----	177	-	-	-	-	2	1	1	4	7	15	20
FEMALE--	176	1	-	-	1	-	-	3	1	2	6	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,078

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
SOUTH DAKOTA -----	14	5	10	20	24	38	34	30	18	9	2	-
WHITE-----MALE----	6	4	4	6	13	18	9	13	4	2	-	-
FEMALE--	1	-	2	10	6	16	24	17	14	7	2	-
ALL OTHER--MALE----	2	-	3	2	2	1	-	-	-	-	-	-
FEMALE--	5	1	1	2	3	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	107	92	115	182	216	228	204	181	99	33	6	-
WHITE-----MALE----	65	47	57	94	104	88	68	42	31	3	2	-
FEMALE--	27	28	36	69	90	113	117	122	57	26	4	-
ALL OTHER--MALE----	11	8	14	10	9	12	6	5	4	-	-	-
FEMALE--	4	9	8	9	13	15	13	12	7	4	-	-
BLACK---MALE----	11	8	13	10	9	12	6	5	4	-	-	-
FEMALE--	4	9	8	9	13	15	12	12	7	4	-	-
TEXAS -----	356	351	397	440	526	629	587	578	338	140	17	-
WHITE-----MALE----	222	198	192	217	234	257	211	167	74	29	2	-
FEMALE--	92	103	148	169	236	308	327	359	242	96	11	-
ALL OTHER--MALE----	26	36	41	25	31	26	22	12	8	4	1	-
FEMALE--	16	14	16	29	25	38	27	40	14	11	3	-
BLACK---MALE----	25	34	39	24	30	24	22	12	8	4	1	-
FEMALE--	16	14	16	29	22	35	23	38	13	11	3	-
UTAH -----	27	15	25	51	49	64	67	61	41	11	2	-
WHITE-----MALE----	15	6	15	27	25	26	29	21	6	4	2	-
FEMALE--	11	8	9	23	22	36	37	40	35	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	4	9	13	15	19	18	27	23	15	9	1	-
WHITE-----MALE----	3	6	8	8	13	12	12	4	4	2	-	-
FEMALE--	1	3	5	7	6	6	15	19	11	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	96	105	145	162	236	248	232	226	117	43	8	1
WHITE-----MALE----	52	53	66	65	95	91	92	56	14	3	-	-
FEMALE--	18	28	45	60	102	112	112	135	88	33	4	-
ALL OTHER--MALE----	17	16	20	21	15	18	11	9	6	1	-	1
FEMALE--	9	8	14	16	24	27	17	26	9	6	4	-
BLACK---MALE----	16	15	20	19	13	18	10	8	6	1	-	1
FEMALE--	8	8	14	16	21	26	17	26	9	6	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,080

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ULCER OF STOMACH AND DUODENUM (531-533)												
UNITED STATES --	4,695	4	2	1	2	3	5	12	23	32	77	125
WHITE-----MALE----	1,960	1	-	1	-	1	3	5	14	15	41	57
FEMALE--	2,202	1	2	-	2	-	1	4	3	7	16	35
ALL OTHER--MALE----	275	1	-	-	-	1	-	1	4	3	16	23
FEMALE--	258	1	-	-	-	1	1	2	2	7	4	10
BLACK---MALE----	204	1	-	-	-	1	-	1	3	2	13	21
FEMALE--	207	-	-	-	-	1	1	2	1	7	4	8
ALABAMA -----	75	1	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	32	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	30	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	74	-	-	-	-	-	1	-	1	1	1	1
WHITE-----MALE----	37	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	45	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	748	1	-	-	-	-	2	2	3	3	13	28
WHITE-----MALE----	276	-	-	-	-	-	2	1	3	1	9	10
FEMALE--	350	-	-	-	-	-	-	-	-	1	1	9
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	54	1	-	-	-	-	-	1	-	-	-	4
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	26	-	-	-	-	-	-	1	-	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,080

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
UNITED STATES --	131	184	233	349	496	695	801	819	496	175	30	-
WHITE-----MALE----	60	98	121	183	235	313	320	295	145	48	4	-
FEMALE--	50	58	71	114	195	313	406	456	331	115	22	-
ALL OTHER--MALE----	13	21	26	34	33	39	27	19	9	4	1	-
FEMALE--	8	7	15	18	33	30	48	49	11	8	3	-
BLACK---MALE----	11	17	23	20	24	29	19	10	6	2	1	-
FEMALE--	8	6	13	13	28	23	35	37	10	8	2	-
ALABAMA -----	4	4	7	6	5	11	10	7	12	2	1	-
WHITE-----MALE----	2	3	4	2	2	5	6	2	2	-	-	-
FEMALE--	-	1	2	4	2	3	3	4	8	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	2	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	-	1	-
BLACK---MALE----	2	-	-	-	-	1	1	-	2	-	-	-
FEMALE--	-	-	1	-	1	2	-	1	-	-	1	-
ALASKA -----	-	-	-	-	1	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	4	4	7	8	12	13	11	6	2	-	-
WHITE-----MALE----	1	2	1	7	5	6	6	4	3	-	-	-
FEMALE--	1	2	3	-	2	6	7	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	2	3	2	1	7	4	10	10	-	-	-
WHITE-----MALE----	2	2	1	2	1	3	-	2	4	-	-	-
FEMALE--	-	-	2	-	-	4	4	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	1	-	-	-
CALIFORNIA -----	24	37	34	54	75	104	131	123	78	32	4	-
WHITE-----MALE----	9	17	16	17	34	43	50	34	21	8	1	-
FEMALE--	11	15	9	28	29	45	56	71	52	20	3	-
ALL OTHER--MALE----	2	4	7	7	8	9	11	7	2	2	-	-
FEMALE--	2	1	2	2	4	7	14	11	3	2	-	-
BLACK---MALE----	-	1	6	6	1	4	4	3	1	2	-	-
FEMALE--	2	1	1	-	4	2	4	4	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,081

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ULCER OF STOMACH AND DUODENUM (531-533)												
COLORADO -----	53	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	49	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	304	-	-	-	-	-	-	-	1	2	5	7
WHITE-----MALE----	145	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	135	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	11	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	10	-	-	-	-	-	-	-	1	1	1	1
GEORGIA -----	106	1	-	-	-	-	1	-	-	1	1	5
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	9	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,081

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
COLORADO -----	1	1	2	6	6	7	13	8	5	-	-	-
WHITE-----MALE----	-	1	2	6	5	4	3	5	1	-	-	-
FEMALE--	1	-	-	-	1	3	10	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	5	11	6	9	8	3	3	-	-
WHITE-----MALE----	-	-	-	2	2	5	5	3	1	1	-	-
FEMALE--	-	1	1	2	8	1	4	5	2	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	1	-	2	1	-	3	-	3	2	1	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	2	1	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	3	-	-	3	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	-	-	1	-	2	-	-	-	-	-
FLORIDA -----	7	10	19	23	34	41	53	58	24	17	3	-
WHITE-----MALE----	3	9	11	13	13	22	25	30	8	5	-	-
FEMALE--	2	-	8	6	18	17	26	27	15	12	3	-
ALL OTHER--MALE----	1	1	-	4	1	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	2	1	2	1	-	-	-	-
BLACK---MALE----	1	1	-	2	1	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	2	1	-	-	-	-
GEORGIA -----	4	4	10	5	20	15	13	17	6	2	1	-
WHITE-----MALE----	-	2	6	1	7	10	5	6	2	1	-	-
FEMALE--	1	2	2	4	9	2	6	10	4	1	-	-
ALL OTHER--MALE----	1	-	2	-	1	2	-	-	-	-	-	-
FEMALE--	2	-	-	-	3	1	2	1	-	-	1	-
BLACK---MALE----	1	-	2	-	1	2	-	-	-	-	-	-
FEMALE--	2	-	-	-	3	1	2	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,082

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
HAWAII -----	-	-	-	3	2	3	2	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	1	1	-	5	5	9	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	3	-	-	-	-
FEMALE--	-	1	1	-	-	3	4	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	6	6	18	21	27	33	35	20	11	2	-
WHITE-----MALE----	2	5	4	14	9	12	16	10	4	4	1	-
FEMALE--	-	-	1	1	8	13	16	21	15	7	1	-
ALL OTHER--MALE----	1	1	1	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	2	1	3	1	-	-	-
BLACK---MALE----	1	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	2	1	2	1	-	-	-
INDIANA -----	2	2	1	3	8	15	19	17	16	5	-	-
WHITE-----MALE----	-	-	-	2	3	9	9	4	3	1	-	-
FEMALE--	2	2	1	1	5	6	10	12	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
IOWA -----	3	2	1	4	9	10	11	19	20	9	-	-
WHITE-----MALE----	-	2	-	2	6	4	2	11	2	3	-	-
FEMALE--	3	-	1	2	3	6	9	8	18	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	3	3	3	1	13	12	9	6	1	1	-
WHITE-----MALE----	2	2	1	1	1	4	2	3	1	-	-	-
FEMALE--	-	-	2	2	-	9	10	5	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,083

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
KENTUCKY -----	1	1	3	8	5	12	8	10	6	1	-	-
WHITE-----MALE----	1	1	2	4	4	1	4	2	5	1	-	-
FEMALE--	-	-	1	4	-	10	4	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
LOUISIANA -----	1	-	1	3	6	4	4	10	4	2	-	-
WHITE-----MALE----	1	-	1	1	3	1	2	4	-	-	-	-
FEMALE--	-	-	-	1	2	2	2	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	4	-	2	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	4	-	2	-	-
MAINE -----	1	1	3	2	4	3	2	3	1	1	-	-
WHITE-----MALE----	1	1	1	1	3	-	1	2	1	-	-	-
FEMALE--	-	-	2	1	1	3	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	4	3	7	14	8	13	4	3	-	-
WHITE-----MALE----	2	-	1	-	2	8	1	8	2	-	-	-
FEMALE--	1	1	1	1	4	4	6	3	2	2	-	-
ALL OTHER--MALE----	-	-	2	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	1	-	-
BLACK---MALE----	-	-	2	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	1	-	-
MASSACHUSETTS -----	-	1	2	5	9	13	15	10	9	3	3	-
WHITE-----MALE----	-	-	2	4	6	6	6	8	1	1	1	-
FEMALE--	-	1	-	1	3	7	8	2	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	7	9	13	15	35	24	22	14	8	-	-
WHITE-----MALE----	-	2	6	7	9	19	9	4	5	4	-	-
FEMALE--	1	3	1	1	5	14	12	16	9	4	-	-
ALL OTHER--MALE----	-	2	2	3	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	1	2	1	2	-	-	-	-
BLACK---MALE----	-	2	2	2	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	1	2	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,084

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
MINNESOTA -----	2	2	2	6	4	5	9	15	12	2	1	-
WHITE-----MALE----	1	2	1	5	2	3	6	3	3	-	-	-
FEMALE--	1	-	1	1	2	2	3	12	9	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	2	7	9	7	6	4	5	-	-	-
WHITE-----MALE----	-	-	1	4	4	3	3	-	2	-	-	-
FEMALE--	-	-	-	1	2	3	1	4	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
MISSOURI -----	4	7	3	7	12	23	16	21	14	6	1	-
WHITE-----MALE----	1	3	1	4	10	5	7	4	8	1	-	-
FEMALE--	3	3	1	3	2	16	9	15	6	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	2	-	-	-	-
MONTANA -----	-	2	4	3	1	2	7	3	1	-	-	-
WHITE-----MALE----	-	1	3	2	-	1	4	2	-	-	-	-
FEMALE--	-	1	1	1	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	2	1	-	4	6	5	16	3	-	-	-
WHITE-----MALE----	1	1	1	-	3	3	4	5	1	-	-	-
FEMALE--	-	1	-	-	-	3	1	11	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	3	2	1	4	4	3	17	5	1	1	-	-
WHITE-----MALE----	3	1	-	-	2	-	6	3	1	-	-	-
FEMALE--	-	-	1	3	2	3	9	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,086

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
OHIO -----	4	8	9	11	20	18	33	33	22	8	1	-
WHITE-----MALE----	2	4	7	9	7	5	8	14	7	3	-	-
FEMALE--	1	3	1	1	9	11	21	18	15	5	1	-
ALL OTHER--MALE----	1	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	4	1	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	4	1	-	-	-	-
OKLAHOMA -----	4	2	2	9	4	5	13	5	8	4	1	-
WHITE-----MALE----	2	2	1	6	3	3	7	2	2	1	-	-
FEMALE--	2	-	1	2	1	2	5	1	6	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	2	-	2	4	3	9	8	5	4	1	-	-
WHITE-----MALE----	-	-	-	2	1	4	4	-	1	1	-	-
FEMALE--	2	-	2	2	2	5	4	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	5	12	12	19	30	47	31	20	5	2	-
WHITE-----MALE----	5	4	6	7	8	14	17	13	8	1	-	-
FEMALE--	1	1	4	5	10	14	28	17	12	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	2	1	-	-	-	-
RHODE ISLAND -----	1	-	1	3	1	5	6	7	3	-	1	-
WHITE-----MALE----	1	-	1	2	-	3	3	3	1	-	-	-
FEMALE--	-	-	-	-	1	2	3	4	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	4	5	7	6	10	11	15	1	1	-	-
WHITE-----MALE----	1	-	4	2	3	6	5	6	-	1	-	-
FEMALE--	1	-	-	2	1	4	5	8	1	-	-	-
ALL OTHER--MALE----	1	3	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,087

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ULCER OF STOMACH AND DUODENUM (531-533)												
SOUTH DAKOTA -----	16	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	114	-	-	-	-	-	1	-	-	-	3	3
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	59	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	289	-	-	-	-	-	-	-	1	3	1	12
WHITE-----MALE----	129	-	-	-	-	-	-	-	1	2	1	9
FEMALE--	123	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
UTAH -----	39	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	86	-	-	-	-	1	-	1	1	-	2	3
WHITE-----MALE----	28	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,087

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
SOUTH DAKOTA -----	-	-	1	3	1	2	5	1	2	-	1	-
WHITE-----MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	4	1	2	-	1	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	5	6	8	16	18	19	19	9	4	1	-
WHITE-----MALE----	-	1	2	6	9	7	4	5	4	-	-	-
FEMALE--	2	4	2	1	6	9	11	13	4	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	3	1	1	1	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	3	1	1	1	-	-
TEXAS -----	7	15	11	23	32	44	54	49	24	11	2	-
WHITE-----MALE----	4	7	6	11	15	21	27	16	6	2	1	-
FEMALE--	1	4	2	10	10	19	21	30	16	8	1	-
ALL OTHER--MALE----	1	4	1	-	5	2	4	-	1	-	-	-
FEMALE--	1	-	2	2	2	2	2	3	1	1	-	-
BLACK---MALE----	1	4	1	-	5	2	4	-	1	-	-	-
FEMALE--	1	-	2	2	1	2	1	3	1	1	-	-
UTAH -----	1	-	-	1	5	6	10	8	5	1	-	-
WHITE-----MALE----	-	-	-	-	5	2	7	4	-	-	-	-
FEMALE--	1	-	-	1	-	4	3	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	1	2	-	2	-	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	4	5	8	9	13	12	13	10	2	-	-
WHITE-----MALE----	-	3	2	5	3	3	4	3	1	1	-	-
FEMALE--	2	-	2	1	5	5	6	7	9	1	-	-
ALL OTHER--MALE----	-	1	1	1	1	3	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-
BLACK---MALE----	-	1	1	1	1	3	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,089

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
UNITED STATES --	43	61	78	115	152	213	243	238	122	47	7	-
WHITE-----MALE----	16	32	37	53	68	81	86	73	32	10	-	-
FEMALE--	20	18	25	42	66	109	135	136	85	35	6	-
ALL OTHER--MALE----	3	8	9	12	8	15	9	8	1	1	-	-
FEMALE--	4	3	7	8	10	8	13	21	4	1	1	-
BLACK---MALE----	3	7	9	6	4	11	7	3	1	-	-	-
FEMALE--	4	3	6	6	7	4	12	16	4	1	1	-
ALABAMA -----	-	1	5	2	1	3	3	3	2	1	1	-
WHITE-----MALE----	-	-	3	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	2	2	-	2	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	2	2	5	4	6	4	2	1	-	-
WHITE-----MALE----	-	-	-	2	3	3	1	2	1	-	-	-
FEMALE--	-	-	2	-	1	1	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	1	-	1	2	1	2	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	10	9	9	24	25	31	33	31	21	10	1	-
WHITE-----MALE----	4	5	5	6	12	11	10	8	6	2	-	-
FEMALE--	5	4	1	13	10	13	18	16	14	8	1	-
ALL OTHER--MALE----	-	-	3	4	2	4	2	3	-	-	-	-
FEMALE--	1	-	-	1	1	3	3	4	1	-	-	-
BLACK---MALE----	-	-	3	3	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	3	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,090

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
COLORADO -----	1	1	-	3	1	-	4	3	-	-	-	-
WHITE-----MALE----	-	1	-	3	1	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	3	-	2	-	2	3	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	-	-	1	-	-
FEMALE--	-	-	1	-	2	-	-	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	3	-	-	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	1	-	2	-	-	-	-	-
FLORIDA -----	1	3	7	7	6	11	13	18	6	5	1	-
WHITE-----MALE----	-	3	4	3	1	5	6	6	3	-	-	-
FEMALE--	-	-	3	2	5	5	6	11	3	5	1	-
ALL OTHER--MALE----	1	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
GEORGIA -----	2	1	4	2	7	2	2	6	3	-	-	-
WHITE-----MALE----	-	1	1	-	2	1	-	1	1	-	-	-
FEMALE--	1	-	2	2	5	1	2	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,092

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
KENTUCKY -----	1	-	1	3	1	4	1	4	-	-	-	-
WHITE-----MALE----	1	-	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	4	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
LOUISIANA -----	-	-	-	2	3	1	-	3	1	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	1	-	-
MAINE -----	-	1	-	1	1	2	-	1	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	2	1	3	4	1	4	-	1	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	2	-	-	-	-
FEMALE--	1	1	-	1	2	3	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	2	4	1	5	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	4	3	5	9	10	8	1	2	-	-
WHITE-----MALE----	-	-	2	1	3	3	3	1	-	2	-	-
FEMALE--	-	-	1	-	2	4	5	7	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,093

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
MINNESOTA -----	1	1	-	2	1	2	2	4	1	1	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	2	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	-	1	3	2	4	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	2	2	2	1	3	7	6	3	1	1	-	-
WHITE-----MALE----	-	1	1	-	3	3	1	-	-	-	-	-
FEMALE--	2	1	1	1	-	4	5	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	1	-	-	2	4	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	1	-	1	-	4	6	2	-	-	-
WHITE-----MALE----	1	1	1	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	1	-	1	2	1	6	2	-	-	-	-
WHITE-----MALE----	1	1	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,096

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 GASTRIC ULCER (531)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	27	-	-	-	-	-	1	-	-	-	-	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	80	-	-	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
UTAH -----	14	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	28	-	-	-	-	1	-	1	1	-	1	1
WHITE-----MALE----	9	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,096

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
SOUTH DAKOTA -----	-	-	-	1	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	2	3	2	5	4	4	1	-	1	-
WHITE-----MALE----	-	-	1	2	2	-	1	1	1	-	-	-
FEMALE--	-	2	-	-	-	4	3	3	-	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
TEXAS -----	-	6	1	8	10	12	16	13	7	1	-	-
WHITE-----MALE----	-	3	1	4	5	6	5	4	1	-	-	-
FEMALE--	-	1	-	2	4	5	9	8	5	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	1	1	-	-	-
BLACK---MALE----	-	2	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	1	-	-	-
UTAH -----	1	-	-	1	-	3	3	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	-	5	5	2	6	3	-	-	-
WHITE-----MALE----	-	-	-	-	3	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	2	3	-	3	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,098

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DUODENAL ULCER (532)												
UNITED STATES --	1,486	-	1	-	1	-	3	3	9	14	21	39
WHITE-----MALE----	686	-	-	-	-	-	2	-	4	7	13	19
FEMALE--	650	-	1	-	1	-	-	1	2	3	3	12
ALL OTHER--MALE----	75	-	-	-	-	-	-	1	2	-	4	3
FEMALE--	75	-	-	-	-	-	1	1	1	4	1	5
BLACK---MALE----	55	-	-	-	-	-	-	1	2	-	4	1
FEMALE--	57	-	-	-	-	-	1	1	1	4	1	3
ALABAMA -----	23	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	233	-	-	-	-	-	1	1	1	1	2	10
WHITE-----MALE----	95	-	-	-	-	-	1	-	1	1	2	4
FEMALE--	101	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,098

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
UNITED STATES --	50	57	78	100	171	240	264	247	142	39	7	-
WHITE-----MALE----	25	31	40	63	82	117	112	105	47	17	2	-
FEMALE--	14	19	26	22	65	107	133	128	89	19	5	-
ALL OTHER--MALE----	8	5	8	8	13	6	8	4	4	1	-	-
FEMALE--	3	2	4	7	11	10	11	10	2	2	-	-
BLACK---MALE----	6	3	7	4	10	4	6	4	2	1	-	-
FEMALE--	3	2	3	4	9	8	5	8	2	2	-	-
ALABAMA -----	3	2	1	2	3	2	1	2	4	-	-	-
WHITE-----MALE----	1	2	1	1	1	1	-	2	1	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	1	2	-	2	4	4	-	-	-	-
WHITE-----MALE----	1	1	-	2	-	1	2	1	-	-	-	-
FEMALE--	-	2	1	-	-	1	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	-	1	-	1	2	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	8	13	13	15	20	36	49	32	21	9	1	-
WHITE-----MALE----	1	7	7	6	8	14	26	8	6	3	-	-
FEMALE--	4	3	3	7	7	18	15	21	14	4	1	-
ALL OTHER--MALE----	2	2	2	1	3	2	4	1	1	1	-	-
FEMALE--	1	1	1	1	2	2	4	2	-	1	-	-
BLACK---MALE----	-	-	2	1	-	-	2	1	1	1	-	-
FEMALE--	1	1	-	-	2	1	-	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,099

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DUODENAL ULCER (532)												
COLORADO -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	99	-	-	-	-	-	-	-	1	1	1	4
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
GEORGIA -----	38	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,099

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
COLORADO -----	-	-	1	2	5	4	4	2	2	-	-	-
WHITE-----MALE----	-	-	1	2	4	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	3	4	2	5	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	1	2	-	-	-	-
FEMALE--	-	1	-	1	3	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	1	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	3	3	8	13	16	18	16	3	5	2	-
WHITE-----MALE----	3	3	2	6	4	10	7	10	1	3	-	-
FEMALE--	1	-	1	1	6	5	11	6	2	2	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
GEORGIA -----	2	2	4	2	7	7	5	5	1	2	-	-
WHITE-----MALE----	-	-	4	1	2	6	3	2	1	1	-	-
FEMALE--	-	2	-	1	2	-	1	3	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,105

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
SOUTH DAKOTA -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	1	1	5	6	9	7	5	1	-	-
WHITE-----MALE----	-	1	-	1	2	3	1	2	1	-	-	-
FEMALE--	-	1	1	-	2	3	5	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	1	-	-
TEXAS -----	3	5	4	5	9	11	12	15	6	2	2	-
WHITE-----MALE----	1	2	1	3	3	8	5	6	2	1	1	-
FEMALE--	1	2	2	2	3	3	6	9	4	1	1	-
ALL OTHER--MALE----	1	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	4	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	4	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	2	2	2	5	5	3	4	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	3	1	1	-	-	-
FEMALE--	1	-	2	-	2	2	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,107

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
UNITED STATES --	38	66	77	134	173	242	294	334	232	89	16	-
WHITE-----MALE----	19	35	44	67	85	115	122	117	66	21	2	-
FEMALE--	16	21	20	50	64	97	138	192	157	61	11	-
ALL OTHER--MALE----	2	8	9	14	12	18	10	7	4	2	1	-
FEMALE--	1	2	4	3	12	12	24	18	5	5	2	-
BLACK---MALE----	2	7	7	10	10	14	6	3	3	1	1	-
FEMALE--	1	1	4	3	12	11	18	13	4	5	1	-
ALABAMA -----	1	1	1	2	1	6	6	2	6	1	-	-
WHITE-----MALE----	1	1	-	1	-	3	5	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	1	3	3	6	3	3	4	1	-	-
WHITE-----MALE----	-	1	1	3	2	2	3	1	2	-	-	-
FEMALE--	1	-	-	-	1	4	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	1	-	6	1	7	7	-	-	-
WHITE-----MALE----	1	1	-	1	-	3	-	1	3	-	-	-
FEMALE--	-	-	1	-	-	3	1	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
CALIFORNIA -----	6	15	12	15	30	37	49	60	36	13	2	-
WHITE-----MALE----	4	5	4	5	14	18	14	18	9	3	1	-
FEMALE--	2	8	5	8	12	14	23	34	24	8	1	-
ALL OTHER--MALE----	-	2	2	2	3	3	5	3	1	1	-	-
FEMALE--	-	-	1	-	1	2	7	5	2	1	-	-
BLACK---MALE----	-	1	1	2	1	2	2	2	-	1	-	-
FEMALE--	-	-	1	-	1	1	1	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,108

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
COLORADO -----	-	-	1	1	-	3	5	3	3	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	1	4	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	3	5	2	5	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	1	3	-	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	1	-	1	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	4	9	8	15	14	22	24	15	7	-	-
WHITE-----MALE----	-	3	5	4	8	7	12	14	4	2	-	-
FEMALE--	1	-	4	3	7	7	9	10	10	5	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	-	1	2	1	6	6	6	6	2	-	1	-
WHITE-----MALE----	-	1	1	-	3	3	2	3	-	-	-	-
FEMALE--	-	-	-	1	2	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,109

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
HAWAII -----	-	-	-	1	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	1	-	1	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	-	2	6	5	8	12	13	6	6	1	-
WHITE-----MALE----	-	-	1	5	2	6	8	2	2	1	-	-
FEMALE--	-	-	1	-	2	2	3	11	4	5	1	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
INDIANA -----	1	-	-	2	2	6	5	10	7	4	-	-
WHITE-----MALE----	-	-	-	1	-	5	3	1	1	1	-	-
FEMALE--	1	-	-	1	2	1	2	8	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IOWA -----	-	-	-	2	1	2	2	6	8	2	-	-
WHITE-----MALE----	-	-	-	2	1	-	1	4	-	1	-	-
FEMALE--	-	-	-	-	-	2	1	2	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	2	-	2	-	2	2	4	3	-	1	-
WHITE-----MALE----	-	2	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,110

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
KENTUCKY -----	-	1	2	3	-	5	2	3	2	1	-	-
WHITE-----MALE----	-	1	1	1	-	1	1	1	2	1	-	-
FEMALE--	-	-	1	2	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	1	2	3	2	6	2	1	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	4	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
MAINE -----	1	-	2	-	1	-	-	2	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	1	-	3	6	4	7	1	2	-	-
WHITE-----MALE----	1	-	-	-	1	4	1	5	1	-	-	-
FEMALE--	-	-	-	-	1	1	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
MASSACHUSETTS -----	-	-	-	1	2	1	8	-	4	2	3	-
WHITE-----MALE----	-	-	-	1	2	1	3	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	5	-	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	3	4	6	9	9	10	10	6	5	-	-
WHITE-----MALE----	-	2	3	4	5	7	4	3	2	1	-	-
FEMALE--	1	-	-	-	3	2	5	5	4	4	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,113

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
OHIO -----	1	2	3	4	6	10	11	8	9	4	1	-
WHITE-----MALE----	-	1	3	2	3	2	1	3	2	-	-	-
FEMALE--	1	1	-	1	3	6	9	5	7	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
OKLAHOMA -----	2	1	1	4	1	1	3	1	3	2	1	-
WHITE-----MALE----	1	1	-	3	1	-	2	-	1	1	-	-
FEMALE--	1	-	1	-	-	1	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	2	1	5	3	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	3	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	3	1	5	6	17	11	10	-	1	-
WHITE-----MALE----	1	1	3	-	2	3	6	3	3	-	-	-
FEMALE--	1	-	-	1	3	3	9	8	7	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	1	1	3	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	3	4	2	4	6	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	1	1	2	-	-	-	-
FEMALE--	-	-	-	2	-	1	2	4	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,117

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 GASTRITIS AND DUODENITIS (535)												
COLORADO -----	6	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	21	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	8	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,119

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRITIS AND DUODENITIS (535)												
KENTUCKY -----	-	-	-	1	1	2	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	2	-	-	1	1	3	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	1	2	3	4	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
MASSACHUSETTS -----	-	-	1	-	1	2	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	1	1	5	2	2	5	2	2	1	-	-
WHITE-----MALE----	2	-	1	2	2	-	1	-	-	-	-	-
FEMALE--	1	1	-	2	-	2	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,126

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APPENDICITIS (540-543)												
COLORADO -----	-	1	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	-	3	1	3	7	4	-	-	-	-
WHITE-----MALE----	-	1	-	2	-	2	3	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	1	1	4	1	3	1	2	-	-	-	-
WHITE-----MALE----	-	1	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,131
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APPENDICITIS (540-543)												
OHIO -----	-	-	1	2	2	3	4	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	1	1	1	-	2	1	3	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	-	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	3	-	1	3	2	3	4	-	-	-	-
WHITE-----MALE----	-	2	-	1	3	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	-	3	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,134
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
UNITED STATES --	114	134	207	306	568	902	1,280	1,311	995	386	76	-
WHITE-----MALE----	54	50	80	114	229	343	395	314	196	72	12	-
FEMALE--	39	54	86	130	267	442	740	879	719	288	57	-
ALL OTHER--MALE----	11	12	23	28	35	61	54	36	16	6	2	-
FEMALE--	10	18	18	34	37	56	91	82	64	20	5	-
BLACK---MALE----	10	12	23	27	29	52	49	29	14	6	2	-
FEMALE--	9	17	18	31	36	52	87	74	55	20	5	-
ALABAMA -----	1	4	6	8	13	13	30	30	12	8	1	-
WHITE-----MALE----	-	-	1	2	5	5	9	6	3	2	-	-
FEMALE--	-	3	5	2	5	5	17	19	5	3	1	-
ALL OTHER--MALE----	-	1	-	1	2	-	1	2	-	2	-	-
FEMALE--	1	-	-	3	1	3	3	3	4	1	-	-
BLACK---MALE----	-	1	-	1	2	-	1	2	-	2	-	-
FEMALE--	1	-	-	3	1	3	3	3	4	1	-	-
ALASKA -----	-	1	-	-	-	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	2	6	7	18	23	29	18	7	3	-
WHITE-----MALE----	3	-	1	3	4	4	12	4	7	2	1	-
FEMALE--	-	-	1	2	3	11	10	24	11	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	-	-	5	2	5	12	17	20	9	4	-	-
WHITE-----MALE----	-	-	1	-	2	7	2	3	2	-	-	-
FEMALE--	-	-	3	2	2	5	11	12	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	3	3	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	3	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	1	-	-
CALIFORNIA -----	15	15	29	23	40	84	94	92	68	24	7	-
WHITE-----MALE----	8	5	13	7	18	36	33	17	13	6	1	-
FEMALE--	6	6	14	11	14	40	55	64	51	18	6	-
ALL OTHER--MALE----	-	2	-	3	4	5	2	3	-	-	-	-
FEMALE--	1	2	2	2	4	3	4	8	4	-	-	-
BLACK---MALE----	-	2	-	2	1	1	2	2	-	-	-	-
FEMALE--	-	2	2	1	3	1	4	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,135

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
COLORADO -----	2	2	2	4	14	9	28	23	11	11	-	-
WHITE-----MALE----	1	-	1	1	6	4	6	12	5	4	-	-
FEMALE--	-	2	1	3	7	5	20	10	5	6	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
CONNECTICUT -----	-	-	6	2	8	5	20	17	12	8	3	-
WHITE-----MALE----	-	-	2	1	-	2	7	4	1	2	1	-
FEMALE--	-	-	3	-	6	3	10	13	10	5	2	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	1	1	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	1	1	-	-
DELAWARE -----	-	-	-	-	3	7	6	2	5	-	1	-
WHITE-----MALE----	-	-	-	-	1	4	-	1	2	-	-	-
FEMALE--	-	-	-	-	2	1	5	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	3	2	3	2	3	5	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	2	1	1	2	2	1	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	2	1	1	2	2	1	-	-
FLORIDA -----	7	8	16	18	28	64	74	77	57	26	5	-
WHITE-----MALE----	3	2	10	10	9	26	26	20	10	6	-	-
FEMALE--	2	2	5	7	17	30	43	49	45	19	5	-
ALL OTHER--MALE----	1	2	1	-	1	2	2	3	-	1	-	-
FEMALE--	1	2	-	1	1	6	3	5	2	-	-	-
BLACK---MALE----	1	2	1	-	1	2	2	3	-	1	-	-
FEMALE--	1	2	-	1	1	6	3	5	1	-	-	-
GEORGIA -----	8	6	10	11	14	24	37	32	14	10	2	-
WHITE-----MALE----	2	1	1	2	4	7	8	8	1	1	1	-
FEMALE--	4	3	1	4	6	10	15	16	12	6	1	-
ALL OTHER--MALE----	-	1	4	2	1	4	4	1	-	-	-	-
FEMALE--	2	1	4	3	3	3	10	7	1	3	-	-
BLACK---MALE----	-	1	4	2	1	4	4	1	-	-	-	-
FEMALE--	2	1	4	3	3	3	10	7	1	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,136

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
HAWAII -----	-	-	-	-	3	3	5	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	2	3	2	10	6	3	7	5	-	-
WHITE-----MALE----	-	-	1	3	1	4	6	1	1	2	-	-
FEMALE--	-	1	1	-	1	6	-	2	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	8	4	13	32	38	65	57	62	20	3	-
WHITE-----MALE----	-	4	1	6	11	13	25	13	16	2	-	-
FEMALE--	2	2	1	6	15	23	33	41	39	16	2	-
ALL OTHER--MALE----	3	1	-	1	2	1	3	-	3	-	-	-
FEMALE--	-	1	2	-	4	1	4	3	4	2	1	-
BLACK---MALE----	3	1	-	1	2	1	3	-	2	-	-	-
FEMALE--	-	1	2	-	4	1	4	3	4	2	1	-
INDIANA -----	4	4	6	8	10	28	11	24	18	5	2	-
WHITE-----MALE----	1	2	2	4	3	10	5	9	5	-	-	-
FEMALE--	3	2	3	4	7	15	6	15	12	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	-	-	-
IOWA -----	2	1	-	5	4	8	17	27	18	14	-	-
WHITE-----MALE----	1	-	-	2	3	4	6	7	3	2	-	-
FEMALE--	1	1	-	3	1	4	11	19	15	12	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	1	1	3	2	7	13	10	24	25	11	1	-
WHITE-----MALE----	-	-	-	-	2	5	3	7	6	2	-	-
FEMALE--	1	1	3	2	4	7	6	17	19	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,137

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
KENTUCKY -----	2	5	2	5	15	14	22	14	16	4	3	-
WHITE-----MALE----	1	4	1	4	4	10	5	4	2	-	-	-
FEMALE--	-	1	1	1	10	4	14	9	11	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	1	-	1	-
FEMALE--	-	-	-	-	1	-	1	1	2	-	1	-
BLACK---MALE----	1	-	-	-	-	-	2	-	1	-	1	-
FEMALE--	-	-	-	-	1	-	1	1	2	-	1	-
LOUISIANA -----	1	3	4	10	14	16	21	21	16	3	1	-
WHITE-----MALE----	1	-	-	2	2	3	5	3	-	-	-	-
FEMALE--	-	1	2	3	6	9	13	12	10	3	1	-
ALL OTHER--MALE----	-	1	1	4	1	3	1	3	1	-	-	-
FEMALE--	-	1	1	1	5	1	2	3	5	-	-	-
BLACK---MALE----	-	1	1	4	1	3	1	2	1	-	-	-
FEMALE--	-	1	1	1	5	1	2	3	5	-	-	-
MAINE -----	-	-	-	2	5	4	4	11	4	2	-	-
WHITE-----MALE----	-	-	-	1	3	4	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	10	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	-	7	7	13	19	21	18	8	1	-
WHITE-----MALE----	1	-	-	2	3	3	4	4	5	1	1	-
FEMALE--	-	1	-	3	4	6	12	15	11	5	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	-	-	1	-	-
FEMALE--	-	1	-	1	-	2	2	2	2	1	-	-
BLACK---MALE----	-	-	-	1	-	2	1	-	-	1	-	-
FEMALE--	-	1	-	1	-	2	2	2	2	1	-	-
MASSACHUSETTS -----	2	-	4	3	11	22	40	39	33	14	1	-
WHITE-----MALE----	1	-	1	2	6	9	14	7	7	1	-	-
FEMALE--	-	-	3	-	5	13	24	32	24	13	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
MICHIGAN -----	6	1	8	7	19	31	42	42	40	15	3	-
WHITE-----MALE----	4	-	4	2	13	8	13	14	7	2	1	-
FEMALE--	1	-	1	3	5	20	23	26	32	13	2	-
ALL OTHER--MALE----	-	1	3	2	-	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	5	2	1	-	-	-
BLACK---MALE----	-	1	3	2	-	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	5	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,140

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
OHIO -----	5	5	4	12	33	40	55	68	55	10	3	-
WHITE-----MALE----	3	2	3	5	13	18	21	16	11	4	-	-
FEMALE--	2	3	1	7	20	19	31	47	43	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	4	1	-	1	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	4	1	-	1	-
OKLAHOMA -----	4	3	4	5	13	17	16	22	15	8	-	-
WHITE-----MALE----	2	1	3	2	4	10	5	3	-	-	-	-
FEMALE--	-	2	1	2	5	6	8	17	12	8	-	-
ALL OTHER--MALE----	1	-	-	1	3	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	-	-
OREGON -----	-	3	2	2	8	7	19	22	9	5	1	-
WHITE-----MALE----	-	3	1	-	3	4	7	11	3	-	-	-
FEMALE--	-	-	1	2	5	3	12	11	6	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	5	11	18	28	47	75	74	66	22	9	-
WHITE-----MALE----	4	-	1	8	14	16	27	19	14	5	2	-
FEMALE--	3	3	9	8	9	24	46	48	49	16	7	-
ALL OTHER--MALE----	1	1	-	2	3	3	-	2	-	-	-	-
FEMALE--	-	1	1	-	2	4	2	5	3	1	-	-
BLACK---MALE----	1	1	-	2	3	3	-	2	-	-	-	-
FEMALE--	-	1	1	-	2	4	2	4	3	1	-	-
RHODE ISLAND -----	-	-	-	-	2	4	4	7	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	3	6	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	4	5	6	10	16	19	23	12	4	1	-
WHITE-----MALE----	-	1	1	2	2	6	2	7	-	1	-	-
FEMALE--	1	2	1	1	7	5	8	11	10	2	1	-
ALL OTHER--MALE----	1	-	3	2	-	4	3	1	1	-	-	-
FEMALE--	-	1	-	1	1	1	6	4	1	1	-	-
BLACK---MALE----	1	-	3	2	-	4	3	1	1	-	-	-
FEMALE--	-	1	-	1	1	1	6	4	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,141

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
SOUTH DAKOTA -----	24	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	124	1	1	-	-	-	1	1	-	-	2	2
WHITE-----MALE----	32	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	74	-	1	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	428	8	1	1	1	-	-	2	1	2	5	9
WHITE-----MALE----	117	2	1	1	1	-	-	-	-	1	1	3
FEMALE--	246	2	-	-	-	-	-	1	1	1	3	1
ALL OTHER--MALE----	29	2	-	-	-	-	-	1	-	-	1	1
FEMALE--	36	2	-	-	-	-	-	-	-	-	-	4
BLACK---MALE----	27	1	-	-	-	-	-	1	-	-	1	1
FEMALE--	35	2	-	-	-	-	-	-	-	-	-	4
UTAH -----	53	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	158	-	1	-	-	-	-	-	2	2	2	2
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	73	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,141

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
SOUTH DAKOTA -----	-	-	-	1	-	4	5	7	3	2	1	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	4	7	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	3	2	5	14	23	22	18	18	8	-	-
WHITE-----MALE----	2	1	1	-	3	9	5	3	6	-	-	-
FEMALE--	1	1	-	3	9	11	15	14	9	7	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	-	1	1	1	1	1	2	1	2	1	-	-
BLACK---MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	-	1	1	1	1	1	2	1	2	1	-	-
TEXAS -----	4	16	25	18	38	64	88	61	58	22	4	-
WHITE-----MALE----	2	8	7	9	14	23	20	12	9	3	-	-
FEMALE--	1	4	10	5	20	30	60	44	44	17	2	-
ALL OTHER--MALE----	-	-	5	1	4	6	4	1	2	-	1	-
FEMALE--	1	4	3	3	-	5	4	4	3	2	1	-
BLACK---MALE----	-	-	5	1	4	5	4	1	2	-	1	-
FEMALE--	1	4	3	3	-	5	4	4	2	2	1	-
UTAH -----	1	-	-	3	7	5	15	12	4	3	1	-
WHITE-----MALE----	1	-	-	3	3	2	6	1	-	1	1	-
FEMALE--	-	-	-	-	4	2	8	11	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	3	5	4	4	1	-	-
WHITE-----MALE----	-	1	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	5	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	8	8	17	22	36	28	20	6	1	-
WHITE-----MALE----	1	-	5	2	7	7	8	8	2	-	-	-
FEMALE--	-	-	2	2	6	11	18	13	13	6	-	-
ALL OTHER--MALE----	-	1	1	1	2	-	6	2	1	-	-	-
FEMALE--	-	1	-	3	2	4	4	5	4	-	1	-
BLACK---MALE----	-	1	1	1	2	-	6	2	1	-	-	-
FEMALE--	-	1	-	3	2	4	4	5	4	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,143

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)												
UNITED STATES --	42	39	60	96	106	147	163	91	53	13	2	-
WHITE-----MALE----	17	16	31	37	43	70	62	26	15	3	1	-
FEMALE--	23	20	23	48	53	66	93	62	36	9	1	-
ALL OTHER--MALE----	1	3	2	3	5	4	3	1	-	1	-	-
FEMALE--	1	-	4	8	5	7	5	2	2	-	-	-
BLACK---MALE----	1	2	2	3	5	4	2	1	-	1	-	-
FEMALE--	1	-	4	8	5	6	5	2	1	-	-	-
ALABAMA -----	1	1	-	-	-	2	2	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	2	-	5	5	4	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	4	3	2	1	-	-	-	-
FEMALE--	-	-	2	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	-	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	3	4	12	13	11	19	6	2	1	1	-
WHITE-----MALE----	2	-	2	4	9	6	8	1	-	1	1	-
FEMALE--	3	3	1	7	4	5	9	5	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,144

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)												
COLORADO -----	-	-	1	1	-	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	3	2	2	4	4	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	4	5	8	9	9	7	6	4	1	-	-
WHITE-----MALE----	1	2	-	5	1	6	4	2	2	-	-	-
FEMALE--	3	1	4	3	7	1	2	4	2	1	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	2	2	-	1	2	3	3	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,146

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)												
KENTUCKY -----	1	3	1	1	2	1	2	2	2	-	-	-
WHITE-----MALE----	1	1	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	2	-	-	1	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	1	-	-	2	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	1	1	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	-	3	1	-	1	3	-	-	-	-	-
WHITE-----MALE----	2	-	2	-	-	-	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	1	6	5	2	5	4	-	-	-	-
WHITE-----MALE----	-	-	-	4	4	2	1	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	2	-	5	-	4	5	7	3	2	-	-	-
WHITE-----MALE----	2	-	2	-	1	4	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,152

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
UNITED STATES --	9,760	73	31	9	6	8	14	16	25	46	76	128
WHITE-----MALE----	2,879	25	7	6	-	3	8	7	8	13	26	49
FEMALE--	5,778	16	12	1	3	2	4	4	9	13	23	52
ALL OTHER--MALE----	439	16	7	-	3	3	1	2	5	12	15	12
FEMALE--	664	16	5	2	-	-	1	3	3	8	12	15
BLACK---MALE----	381	14	7	-	3	2	1	2	5	11	15	11
FEMALE--	582	14	4	2	-	-	1	3	3	7	10	14
ALABAMA -----	160	1	1	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	43	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	85	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	20	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	20	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	13	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	145	2	-	-	1	-	-	-	-	-	-	3
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	78	1	-	-	1	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	127	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	79	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,059	8	4	-	-	1	1	2	3	7	13	14
WHITE-----MALE----	315	5	-	-	-	-	1	2	2	-	8	3
FEMALE--	628	1	3	-	-	-	-	-	1	5	2	8
ALL OTHER--MALE----	51	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	65	2	1	-	-	-	-	-	-	1	2	1
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	41	2	-	-	-	-	-	-	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,152

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
UNITED STATES --	218	289	484	781	1,209	1,688	1,846	1,575	867	307	64	-
WHITE-----MALE----	76	81	173	291	448	518	519	385	169	58	9	-
FEMALE--	91	158	227	390	628	990	1,186	1,053	640	227	49	-
ALL OTHER--MALE----	22	20	40	47	54	67	49	43	16	5	-	-
FEMALE--	29	30	44	53	79	113	92	94	42	17	6	-
BLACK---MALE----	20	19	35	42	47	57	38	34	14	4	-	-
FEMALE--	24	25	41	43	71	98	79	84	37	16	6	-
ALABAMA -----	6	9	9	18	17	32	25	20	14	2	-	-
WHITE-----MALE----	3	1	3	12	4	7	5	4	2	-	-	-
FEMALE--	2	3	4	6	10	17	18	14	8	1	-	-
ALL OTHER--MALE----	1	3	2	-	-	2	-	-	1	-	-	-
FEMALE--	-	2	-	-	3	6	2	2	3	1	-	-
BLACK---MALE----	1	3	2	-	-	2	-	-	1	-	-	-
FEMALE--	-	2	-	-	3	6	2	2	3	1	-	-
ALASKA -----	-	1	-	1	4	2	1	1	1	1	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	3	4	8	15	19	23	33	26	3	3	2	-
WHITE-----MALE----	1	2	5	5	12	10	11	10	1	1	-	-
FEMALE--	1	2	2	7	6	13	22	15	2	2	2	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	5	3	12	15	23	17	29	13	4	-	-
WHITE-----MALE----	3	1	1	5	7	5	3	3	2	2	-	-
FEMALE--	-	1	1	6	5	17	12	23	11	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	2	-	-	-	-
FEMALE--	-	3	-	1	3	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	2	-	-	-	-
FEMALE--	-	3	-	1	3	1	-	1	-	-	-	-
CALIFORNIA -----	24	33	48	78	128	189	203	169	99	32	3	-
WHITE-----MALE----	13	5	18	28	45	53	64	44	18	6	-	-
FEMALE--	7	22	21	38	66	118	122	112	74	25	3	-
ALL OTHER--MALE----	2	-	5	4	11	7	7	8	2	-	-	-
FEMALE--	2	6	4	8	6	11	10	5	5	1	-	-
BLACK---MALE----	2	-	4	3	6	2	3	4	1	-	-	-
FEMALE--	2	3	2	5	4	8	5	3	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,153

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
COLORADO -----	4	6	6	10	13	23	21	24	8	7	3	-
WHITE-----MALE----	1	-	4	2	5	12	9	6	3	1	-	-
FEMALE--	3	6	1	8	7	11	10	18	5	6	3	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	5	3	3	8	26	28	25	29	17	3	2	-
WHITE-----MALE----	1	-	1	4	12	8	7	4	3	-	-	-
FEMALE--	3	2	2	3	14	19	16	24	13	3	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	1	-	-	-
DELAWARE -----	-	2	2	-	3	5	4	5	2	-	1	-
WHITE-----MALE----	-	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	2	3	4	2	-	1	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	-	-	3	5	6	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	3	3	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	3	2	1	-	-	-
FLORIDA -----	15	15	25	42	75	126	123	96	46	18	4	-
WHITE-----MALE----	7	6	9	19	33	40	45	24	15	2	-	-
FEMALE--	5	8	7	20	35	77	71	63	28	14	4	-
ALL OTHER--MALE----	2	-	4	2	1	2	-	3	2	1	-	-
FEMALE--	1	1	5	1	6	7	7	6	1	1	-	-
BLACK---MALE----	2	-	3	2	1	2	-	3	1	1	-	-
FEMALE--	1	1	5	1	6	7	7	6	1	1	-	-
GEORGIA -----	5	10	18	16	35	34	54	31	18	6	1	-
WHITE-----MALE----	2	2	1	3	15	9	11	8	2	3	-	-
FEMALE--	2	4	10	10	9	15	30	20	13	3	-	-
ALL OTHER--MALE----	-	2	4	1	4	5	6	3	-	-	-	-
FEMALE--	1	2	3	2	7	5	7	-	3	-	1	-
BLACK---MALE----	-	2	4	1	4	5	6	3	-	-	-	-
FEMALE--	1	2	3	2	7	5	7	-	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,154

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
HAWAII -----	1	1	1	2	3	6	2	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	3	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	1	2	-	5	3	8	4	10	-	-	-
WHITE-----MALE----	2	1	-	-	2	-	3	1	1	-	-	-
FEMALE--	2	-	2	-	3	3	5	3	9	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	13	20	30	53	64	77	58	37	7	2	-
WHITE-----MALE----	1	4	5	10	17	22	20	17	5	1	1	-
FEMALE--	-	8	13	14	26	34	48	37	30	6	1	-
ALL OTHER--MALE----	2	-	-	1	5	5	3	1	1	-	-	-
FEMALE--	1	1	2	5	5	3	6	3	1	-	-	-
BLACK---MALE----	2	-	-	1	5	5	3	1	1	-	-	-
FEMALE--	-	1	2	5	4	3	6	3	1	-	-	-
INDIANA -----	6	6	21	23	37	32	39	38	19	16	-	-
WHITE-----MALE----	2	2	13	11	14	6	12	6	3	2	-	-
FEMALE--	3	3	7	9	22	22	26	29	14	14	-	-
ALL OTHER--MALE----	-	1	1	1	1	2	1	2	1	-	-	-
FEMALE--	1	-	-	2	-	2	-	1	1	-	-	-
BLACK---MALE----	-	1	1	1	1	2	1	2	1	-	-	-
FEMALE--	1	-	-	2	-	2	-	1	1	-	-	-
IOWA -----	8	5	10	6	16	14	30	24	10	13	-	-
WHITE-----MALE----	3	3	5	4	8	4	11	4	3	3	-	-
FEMALE--	5	2	4	2	8	9	19	20	7	10	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	4	5	6	8	14	13	14	12	5	-	-
WHITE-----MALE----	-	1	2	1	3	5	3	2	4	-	-	-
FEMALE--	1	3	3	5	3	8	10	11	7	5	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,155

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
KENTUCKY -----	5	7	6	15	26	23	27	18	14	6	2	-
WHITE-----MALE----	2	1	4	6	16	5	8	6	2	2	-	-
FEMALE--	3	4	2	9	10	16	18	12	11	4	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	1	-
LOUISIANA -----	4	12	6	17	14	18	24	23	9	5	-	-
WHITE-----MALE----	2	3	1	2	4	4	3	4	1	1	-	-
FEMALE--	-	6	5	11	5	13	14	15	8	1	-	-
ALL OTHER--MALE----	2	1	-	-	2	1	4	1	-	-	-	-
FEMALE--	-	2	-	4	3	-	3	3	-	3	-	-
BLACK---MALE----	2	1	-	-	2	1	3	1	-	-	-	-
FEMALE--	-	2	-	4	3	-	3	3	-	3	-	-
MAINE -----	2	3	1	2	4	10	6	6	7	1	1	-
WHITE-----MALE----	1	1	-	-	2	3	2	3	1	-	-	-
FEMALE--	-	2	1	2	2	7	4	3	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	5	11	15	10	36	27	24	11	4	1	-
WHITE-----MALE----	-	2	3	4	-	11	7	4	1	1	-	-
FEMALE--	4	2	3	5	7	20	18	19	8	2	1	-
ALL OTHER--MALE----	-	-	-	5	-	1	-	-	-	-	-	-
FEMALE--	1	1	5	1	3	4	2	1	2	1	-	-
BLACK---MALE----	-	-	-	5	-	1	-	-	-	-	-	-
FEMALE--	1	1	5	1	3	3	2	1	2	1	-	-
MASSACHUSETTS -----	1	7	7	20	29	44	41	56	24	9	5	-
WHITE-----MALE----	-	1	-	6	9	16	12	8	2	3	2	-
FEMALE--	1	5	6	12	18	24	29	45	21	6	3	-
ALL OTHER--MALE----	-	1	1	2	1	4	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
BLACK---MALE----	-	1	1	2	1	4	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
MICHIGAN -----	8	13	13	33	48	56	61	64	33	17	2	-
WHITE-----MALE----	2	3	3	9	19	13	17	18	10	2	-	-
FEMALE--	4	8	6	20	21	35	38	40	18	15	2	-
ALL OTHER--MALE----	1	2	3	2	2	4	2	1	1	-	-	-
FEMALE--	1	-	1	2	6	4	4	5	4	-	-	-
BLACK---MALE----	1	1	2	2	2	3	1	1	1	-	-	-
FEMALE--	1	-	1	2	6	3	4	5	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,158

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
OHIO -----	448	2	2	-	1	1	1	-	-	3	6	13
WHITE-----MALE----	141	-	1	-	-	1	1	-	-	2	5	6
FEMALE--	251	-	-	-	1	-	-	-	-	-	1	3
ALL OTHER--MALE----	21	1	1	-	-	-	-	-	-	-	-	3
FEMALE--	35	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	21	1	1	-	-	-	-	-	-	-	-	3
FEMALE--	35	1	-	-	-	-	-	-	-	1	-	1
OKLAHOMA -----	170	2	-	1	-	1	-	-	1	1	-	1
WHITE-----MALE----	59	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	94	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	106	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	554	1	1	-	-	-	-	1	1	1	5	5
WHITE-----MALE----	175	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	335	1	1	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	53	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	155	1	-	-	-	-	-	1	1	-	5	2
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	72	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	14	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	32	-	-	-	-	-	-	1	-	-	3	1
BLACK---MALE----	13	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	31	-	-	-	-	-	-	1	-	-	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,158

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
OHIO -----	7	11	22	33	54	86	84	72	33	14	3	-
WHITE-----MALE----	2	3	10	16	23	23	19	20	8	1	-	-
FEMALE--	3	8	10	12	22	56	56	44	22	11	2	-
ALL OTHER--MALE----	1	-	-	3	5	-	4	2	-	1	-	-
FEMALE--	1	-	2	2	4	7	5	6	3	1	1	-
BLACK---MALE----	1	-	-	3	5	-	4	2	-	1	-	-
FEMALE--	1	-	2	2	4	7	5	6	3	1	1	-
OKLAHOMA -----	4	8	12	15	28	28	26	23	14	4	1	-
WHITE-----MALE----	1	5	4	6	10	12	9	7	1	2	-	-
FEMALE--	2	3	5	8	16	15	15	14	11	2	1	-
ALL OTHER--MALE----	1	-	2	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	2	2	-	-	-
BLACK---MALE----	1	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	1	-	-	-
OREGON -----	-	2	5	9	9	18	20	16	19	5	1	-
WHITE-----MALE----	-	1	2	4	-	7	4	6	3	-	-	-
FEMALE--	-	1	2	5	9	10	15	10	16	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	5	7	29	52	48	111	141	84	46	12	4	-
WHITE-----MALE----	2	1	10	25	13	35	48	23	8	6	-	-
FEMALE--	3	5	14	22	32	67	87	54	35	5	4	-
ALL OTHER--MALE----	-	-	3	3	2	3	-	3	2	1	-	-
FEMALE--	-	1	2	2	1	6	6	4	1	-	-	-
BLACK---MALE----	-	-	3	3	2	3	-	2	2	1	-	-
FEMALE--	-	1	2	2	1	6	6	4	1	-	-	-
RHODE ISLAND -----	3	1	1	1	6	8	11	3	14	1	1	-
WHITE-----MALE----	-	1	1	1	2	2	5	1	1	-	1	-
FEMALE--	3	-	-	-	3	6	4	2	13	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	5	12	14	22	19	22	29	9	5	-	-
WHITE-----MALE----	2	3	4	4	7	5	4	7	1	-	-	-
FEMALE--	2	1	6	7	10	7	14	15	4	4	-	-
ALL OTHER--MALE----	2	1	-	2	-	3	-	1	2	-	-	-
FEMALE--	2	-	2	1	5	4	4	6	2	1	-	-
BLACK---MALE----	2	1	-	2	-	3	-	-	2	-	-	-
FEMALE--	2	-	2	1	5	4	3	6	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,159

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
SOUTH DAKOTA -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	223	2	1	-	-	-	1	-	1	-	1	2
WHITE-----MALE----	65	1	-	-	-	-	1	-	-	-	-	1
FEMALE--	135	-	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	-	1	-	-	-
TEXAS -----	670	12	2	1	-	4	3	2	3	4	5	10
WHITE-----MALE----	182	3	1	-	-	1	3	-	1	1	2	3
FEMALE--	414	5	1	-	-	2	-	2	1	1	1	5
ALL OTHER--MALE----	36	3	-	-	-	1	-	-	1	1	2	2
FEMALE--	38	1	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	36	3	-	-	-	1	-	-	1	1	2	2
FEMALE--	37	1	-	1	-	-	-	-	-	1	-	-
UTAH -----	61	1	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	42	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	258	-	-	-	-	1	1	2	4	-	1	3
WHITE-----MALE----	56	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	159	-	-	-	-	-	-	1	2	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	29	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	13	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	28	-	-	-	-	-	-	1	-	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,159

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
SOUTH DAKOTA -----	-	-	-	2	2	7	3	5	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	3	2	2	-	1	-	-
FEMALE--	-	-	-	1	1	4	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	5	9	24	29	39	43	39	14	4	1	-
WHITE-----MALE----	1	1	3	11	10	13	11	7	4	1	-	-
FEMALE--	6	3	4	13	16	23	29	26	9	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	2	2	-	-	-	-
FEMALE--	-	1	2	-	3	2	1	4	1	1	-	-
BLACK---MALE----	1	-	-	-	-	1	2	2	-	-	-	-
FEMALE--	-	1	2	-	3	2	1	4	1	1	-	-
TEXAS -----	12	19	34	56	86	111	119	113	57	16	1	-
WHITE-----MALE----	3	4	11	15	34	35	26	26	9	4	-	-
FEMALE--	4	10	21	34	45	65	85	73	46	12	1	-
ALL OTHER--MALE----	2	3	1	1	4	7	4	4	-	-	-	-
FEMALE--	3	2	1	6	3	4	4	10	2	-	-	-
BLACK---MALE----	2	3	1	1	4	7	4	4	-	-	-	-
FEMALE--	3	2	1	6	3	4	3	10	2	-	-	-
UTAH -----	4	-	5	4	8	9	13	8	5	2	-	-
WHITE-----MALE----	-	-	1	1	4	3	5	2	-	1	-	-
FEMALE--	3	-	4	3	4	6	8	6	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	2	3	4	1	4	-	1	-	-
WHITE-----MALE----	-	-	1	-	1	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	2	1	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	3	21	20	31	45	49	43	21	8	1	-
WHITE-----MALE----	1	2	6	5	5	12	13	6	4	-	-	-
FEMALE--	2	1	9	10	22	27	32	30	16	6	-	-
ALL OTHER--MALE----	-	-	2	3	2	2	-	2	-	-	-	-
FEMALE--	1	-	4	2	2	4	4	5	1	2	1	-
BLACK---MALE----	-	-	2	3	1	2	-	2	-	-	-	-
FEMALE--	1	-	4	2	2	3	4	5	1	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,161

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
UNITED STATES --	52	85	119	237	362	546	634	689	448	183	24	1
WHITE-----MALE----	24	32	38	88	122	181	164	164	72	21	-	-
FEMALE--	19	39	54	126	213	312	416	487	349	151	20	1
ALL OTHER--MALE----	7	6	13	8	10	16	13	10	3	1	-	-
FEMALE--	2	8	14	15	17	37	41	28	24	10	4	-
BLACK---MALE----	5	6	13	6	9	13	10	8	3	1	-	-
FEMALE--	2	8	14	15	15	33	39	24	22	8	4	-
ALABAMA -----	1	2	1	5	10	15	13	12	11	1	-	-
WHITE-----MALE----	-	2	-	2	5	3	4	2	1	-	-	-
FEMALE--	-	-	-	1	5	8	7	10	8	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	4	2	-	1	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	4	2	-	1	-	-	-
ALASKA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	2	-	6	6	9	7	7	1	-	-
WHITE-----MALE----	1	1	-	-	1	2	1	2	2	1	-	-
FEMALE--	1	-	2	-	5	4	8	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	2	3	5	5	6	7	7	9	1	-
WHITE-----MALE----	1	-	-	1	3	2	1	1	-	1	-	-
FEMALE--	-	1	2	1	2	2	3	5	6	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	1	2	-	-
CALIFORNIA -----	5	8	16	36	40	69	96	92	56	20	5	-
WHITE-----MALE----	1	2	5	17	17	20	28	20	10	2	-	-
FEMALE--	2	6	9	16	23	40	61	63	42	18	5	-
ALL OTHER--MALE----	1	-	1	2	-	5	2	3	-	-	-	-
FEMALE--	1	-	1	1	-	4	5	6	4	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	2	-	-	-	-
FEMALE--	1	-	1	1	-	2	4	3	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,162

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
COLORADO -----	-	3	2	1	5	9	7	6	2	3	-	-
WHITE-----MALE----	-	-	-	-	2	4	2	1	-	-	-	-
FEMALE--	-	3	2	1	3	4	5	5	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	3	1	4	3	10	3	1	-	-
WHITE-----MALE----	-	-	2	-	-	1	2	3	-	-	-	-
FEMALE--	-	-	-	3	1	3	1	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	3	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
FLORIDA -----	4	7	8	12	28	35	41	42	30	5	-	-
WHITE-----MALE----	2	4	3	5	13	17	11	18	6	1	-	-
FEMALE--	2	3	5	7	12	16	28	22	24	4	-	-
ALL OTHER--MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
GEORGIA -----	1	-	4	5	11	11	17	13	5	-	-	-
WHITE-----MALE----	1	-	2	3	4	6	2	1	-	-	-	-
FEMALE--	-	-	1	2	5	3	14	12	5	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,164

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
KENTUCKY -----	2	1	2	4	10	12	9	13	5	2	-	-
WHITE-----MALE----	2	1	-	3	4	3	3	3	-	-	-	-
FEMALE--	-	-	2	1	6	8	6	9	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	1	1	1	7	5	6	13	7	6	4	-	-
WHITE-----MALE----	-	-	-	2	1	2	1	1	1	-	-	-
FEMALE--	-	1	-	2	2	2	8	5	5	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	2	1	3	1	-	2	-	-
BLACK---MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	2	1	3	1	-	2	-	-
MAINE -----	-	-	1	1	3	1	5	4	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	5	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	3	4	6	6	12	4	8	2	-	-
WHITE-----MALE----	-	-	-	1	3	2	3	-	2	-	-	-
FEMALE--	-	-	1	3	3	2	7	4	6	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	2	1	-	-	-	-	-
MASSACHUSETTS -----	-	2	2	5	3	14	20	9	16	5	-	-
WHITE-----MALE----	-	1	-	2	2	7	7	2	1	-	-	-
FEMALE--	-	1	2	3	1	7	12	7	15	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	2	5	7	6	13	21	21	17	16	7	1	-
WHITE-----MALE----	-	1	2	2	1	4	5	2	4	-	-	-
FEMALE--	1	1	3	3	10	15	13	15	12	7	1	-
ALL OTHER--MALE----	-	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	2	2	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,167

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
OHIO -----	1	5	4	8	18	35	26	29	16	8	1	-
WHITE-----MALE----	1	2	2	3	6	9	6	3	4	2	-	-
FEMALE--	-	3	1	4	9	24	18	24	11	6	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	1	1	-	-	-
OKLAHOMA -----	-	-	-	3	7	3	6	9	5	3	1	-
WHITE-----MALE----	-	-	-	1	3	2	1	5	1	1	-	-
FEMALE--	-	-	-	2	4	1	3	3	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	1	2	6	13	10	4	9	5	-	-
WHITE-----MALE----	-	-	1	-	3	6	2	1	-	-	-	-
FEMALE--	-	1	-	2	3	7	8	3	8	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	-	2	10	14	19	34	32	29	9	2	-
WHITE-----MALE----	1	-	-	2	6	5	9	6	6	1	-	-
FEMALE--	3	-	1	8	6	14	25	24	22	8	1	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	-	1	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	-	1	-
RHODE ISLAND -----	-	1	-	-	3	4	3	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	2	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	1	3	3	6	5	6	7	10	7	2	1	-
WHITE-----MALE----	-	1	-	2	1	2	1	3	-	-	-	-
FEMALE--	1	-	2	3	3	2	2	6	6	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	2	1	1	1	1	-
BLACK---MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	2	1	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,168

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIVERTICULA OF INTESTINE (562)												
SOUTH DAKOTA -----	16	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	92	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	23	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	229	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	150	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	19	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	61	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,168

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
SOUTH DAKOTA -----	-	-	-	-	1	3	2	4	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	3	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	-	2	13	16	15	14	17	9	1	-	-
WHITE-----MALE----	1	-	-	4	8	4	3	-	2	-	-	-
FEMALE--	2	-	2	7	8	8	9	15	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	2	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	2	2	2	-	-	-
TEXAS -----	4	13	8	23	16	41	24	60	25	12	1	-
WHITE-----MALE----	2	4	3	11	5	11	5	14	4	2	-	-
FEMALE--	2	6	5	10	10	27	15	44	20	9	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	1	3	3	2	1	1	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	3	3	2	1	1	-	-
UTAH -----	-	-	-	1	3	4	3	3	4	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	3	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	1	1	1	1	3	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	-	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	-	-	5	7	14	7	16	5	3	-	-
WHITE-----MALE----	3	-	-	2	-	5	4	5	1	-	-	-
FEMALE--	-	-	-	2	7	7	2	9	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,170

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
UNITED STATES --	25,192	16	1	3	1	3	19	97	409	1,110	2,260	2,966
WHITE-----MALE----	14,096	8	-	1	-	2	12	55	214	586	1,359	1,830
FEMALE--	7,675	3	-	1	1	-	3	21	111	306	486	545
ALL OTHER--MALE----	2,247	3	-	-	-	1	1	12	51	128	265	404
FEMALE--	1,174	2	1	1	-	-	3	9	33	90	150	187
BLACK---MALE----	1,804	3	-	-	-	1	-	7	28	94	217	346
FEMALE--	893	2	1	1	-	-	2	3	21	65	111	144
ALABAMA -----	400	-	-	-	1	-	1	2	6	18	30	45
WHITE-----MALE----	189	-	-	-	-	-	-	2	-	7	16	22
FEMALE--	122	-	-	-	1	-	-	-	-	7	4	3
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	6	3	8	14
FEMALE--	30	-	-	-	-	-	1	-	-	1	2	6
BLACK---MALE----	57	-	-	-	-	-	-	-	6	3	7	13
FEMALE--	27	-	-	-	-	-	1	-	-	1	2	5
ALASKA -----	50	-	-	-	-	-	1	-	-	6	4	11
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	1	7
FEMALE--	13	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	1	-	-	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	586	-	-	-	-	-	-	3	14	32	59	69
WHITE-----MALE----	313	-	-	-	-	-	-	1	3	11	30	43
FEMALE--	163	-	-	-	-	-	-	1	2	9	11	11
ALL OTHER--MALE----	69	-	-	-	-	-	-	-	8	6	10	9
FEMALE--	41	-	-	-	-	-	-	1	1	6	8	6
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
ARKANSAS -----	203	2	-	-	-	-	1	1	5	4	12	19
WHITE-----MALE----	109	-	-	-	-	-	-	1	2	1	8	10
FEMALE--	69	-	-	-	-	-	1	-	3	2	2	4
ALL OTHER--MALE----	17	2	-	-	-	-	-	-	-	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	17	2	-	-	-	-	-	-	-	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	4
CALIFORNIA -----	3,512	1	-	1	-	2	3	23	79	185	346	430
WHITE-----MALE----	2,123	1	-	-	-	1	3	15	50	106	225	280
FEMALE--	1,010	-	-	1	-	-	-	7	23	51	86	97
ALL OTHER--MALE----	249	-	-	-	-	1	-	1	5	18	21	33
FEMALE--	130	-	-	-	-	-	-	-	1	10	14	20
BLACK---MALE----	140	-	-	-	-	1	-	-	1	9	14	20
FEMALE--	75	-	-	-	-	-	-	-	-	6	10	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,170

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
UNITED STATES --	2,778	2,643	2,636	2,777	2,878	2,282	1,421	670	186	30	1	5
WHITE-----MALE----	1,721	1,591	1,576	1,543	1,507	1,097	631	281	69	10	-	3
FEMALE--	575	626	686	927	1,146	1,059	701	352	108	17	1	-
ALL OTHER--MALE----	341	307	261	205	141	59	40	22	2	2	-	2
FEMALE--	141	119	113	102	84	67	49	15	7	1	-	-
BLACK---MALE----	276	246	210	164	118	47	31	13	-	1	-	2
FEMALE--	107	99	85	82	68	48	36	11	6	1	-	-
ALABAMA -----	45	32	33	46	59	35	25	16	6	-	-	-
WHITE-----MALE----	28	19	20	22	25	13	5	7	3	-	-	-
FEMALE--	6	7	6	17	26	19	15	9	2	-	-	-
ALL OTHER--MALE----	7	3	6	5	6	-	1	-	-	-	-	-
FEMALE--	4	3	1	2	2	3	4	-	1	-	-	-
BLACK---MALE----	7	3	6	5	6	-	1	-	-	-	-	-
FEMALE--	4	2	1	2	1	3	4	-	1	-	-	-
ALASKA -----	5	6	7	4	2	3	1	-	-	-	-	-
WHITE-----MALE----	2	3	4	1	2	1	1	-	-	-	-	-
FEMALE--	2	1	2	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	77	72	58	59	54	46	28	13	2	-	-	-
WHITE-----MALE----	41	43	32	32	31	25	12	7	2	-	-	-
FEMALE--	13	18	18	21	21	20	13	5	-	-	-	-
ALL OTHER--MALE----	16	6	7	4	1	1	1	-	-	-	-	-
FEMALE--	7	5	1	2	1	-	2	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
ARKANSAS -----	21	27	21	26	27	17	14	4	2	-	-	-
WHITE-----MALE----	11	16	15	17	11	7	9	1	-	-	-	-
FEMALE--	5	7	5	6	15	9	5	3	2	-	-	-
ALL OTHER--MALE----	4	4	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	4	4	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
CALIFORNIA -----	416	393	392	368	369	269	147	63	23	1	-	1
WHITE-----MALE----	275	263	233	212	207	141	74	27	9	-	-	1
FEMALE--	85	86	115	115	134	110	62	27	10	1	-	-
ALL OTHER--MALE----	38	35	31	28	19	8	1	8	2	-	-	-
FEMALE--	18	9	13	13	9	10	10	1	2	-	-	-
BLACK---MALE----	23	19	18	18	10	3	1	3	-	-	-	-
FEMALE--	12	8	9	6	5	3	3	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,171

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
COLORADO -----	348	-	-	-	-	-	1	2	4	17	45	53
WHITE-----MALE----	211	-	-	-	-	-	1	1	2	8	34	39
FEMALE--	121	-	-	-	-	-	-	-	1	9	8	12
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	287	1	-	-	-	-	-	2	7	11	21	30
WHITE-----MALE----	158	1	-	-	-	-	-	-	5	4	16	18
FEMALE--	113	-	-	-	-	-	-	1	1	5	3	10
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	73	-	-	-	-	-	-	1	1	4	14	7
WHITE-----MALE----	37	-	-	-	-	-	-	-	1	2	8	3
FEMALE--	24	-	-	-	-	-	-	1	-	1	4	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	69	-	-	-	-	-	-	-	1	1	8	11
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	4	8
FEMALE--	22	-	-	-	-	-	-	-	1	-	4	3
BLACK---MALE----	37	-	-	-	-	-	-	-	-	-	4	8
FEMALE--	22	-	-	-	-	-	-	-	1	-	4	3
FLORIDA -----	1,883	-	-	-	-	-	-	2	24	76	142	196
WHITE-----MALE----	1,119	-	-	-	-	-	-	2	10	36	95	140
FEMALE--	618	-	-	-	-	-	-	-	10	33	28	39
ALL OTHER--MALE----	103	-	-	-	-	-	-	-	2	3	12	13
FEMALE--	43	-	-	-	-	-	-	-	2	4	7	4
BLACK---MALE----	96	-	-	-	-	-	-	-	2	3	11	13
FEMALE--	42	-	-	-	-	-	-	-	2	4	7	4
GEORGIA -----	579	2	-	-	-	-	-	-	13	26	56	78
WHITE-----MALE----	295	1	-	-	-	-	-	-	6	11	26	37
FEMALE--	153	-	-	-	-	-	-	-	3	5	13	13
ALL OTHER--MALE----	63	1	-	-	-	-	-	-	2	4	10	12
FEMALE--	68	-	-	-	-	-	-	-	2	6	7	16
BLACK---MALE----	60	1	-	-	-	-	-	-	2	4	10	12
FEMALE--	68	-	-	-	-	-	-	-	2	6	7	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,171
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
COLORADO -----	38	33	31	48	30	25	17	2	2	-	-	-
WHITE-----MALE----	24	17	17	29	18	14	4	1	2	-	-	-
FEMALE--	14	12	11	19	11	10	13	1	-	-	-	-
ALL OTHER--MALE----	-	2	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	23	29	28	29	38	32	27	7	2	-	-	-
WHITE-----MALE----	13	18	20	14	24	8	13	2	2	-	-	-
FEMALE--	9	8	6	14	13	24	14	5	-	-	-	-
ALL OTHER--MALE----	1	2	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	3	7	9	13	8	2	1	1	-	-	-
WHITE-----MALE----	-	1	4	6	6	3	1	1	1	-	-	-
FEMALE--	-	1	2	2	6	5	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	5	12	9	8	2	1	-	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	7	4	6	6	3	-	-	-	-	-	-	-
FEMALE--	3	-	3	2	4	1	1	-	-	-	-	-
BLACK---MALE----	6	4	6	6	3	-	-	-	-	-	-	-
FEMALE--	3	-	3	2	4	1	1	-	-	-	-	-
FLORIDA -----	193	215	183	213	243	192	116	60	24	3	-	1
WHITE-----MALE----	128	137	122	117	133	95	60	34	9	1	-	-
FEMALE--	44	58	43	85	97	90	48	26	15	2	-	-
ALL OTHER--MALE----	16	17	11	9	11	3	5	-	-	-	-	1
FEMALE--	5	3	7	2	2	4	3	-	-	-	-	-
BLACK---MALE----	15	16	11	7	11	2	4	-	-	-	-	1
FEMALE--	5	3	7	1	2	4	3	-	-	-	-	-
GEORGIA -----	66	71	65	63	41	41	43	13	1	-	-	-
WHITE-----MALE----	44	42	34	39	16	18	18	3	-	-	-	-
FEMALE--	8	11	21	11	16	20	23	9	-	-	-	-
ALL OTHER--MALE----	6	9	5	9	5	-	-	-	-	-	-	-
FEMALE--	8	9	5	4	4	3	2	1	1	-	-	-
BLACK---MALE----	5	9	5	8	4	-	-	-	-	-	-	-
FEMALE--	8	9	5	4	4	3	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,172

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
HAWAII -----	13	4	5	7	11	4	6	3	-	2	-	-
WHITE-----MALE----	6	2	2	2	4	2	1	1	-	-	-	-
FEMALE--	1	1	-	1	4	1	2	-	-	1	-	-
ALL OTHER--MALE----	6	1	2	3	3	-	2	1	-	1	-	-
FEMALE--	-	-	1	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	15	10	6	15	8	5	3	2	1	-	-	-
WHITE-----MALE----	10	7	3	8	4	4	2	2	1	-	-	-
FEMALE--	5	3	2	5	4	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	126	102	107	108	108	91	57	25	10	-	-	-
WHITE-----MALE----	69	61	62	52	55	42	25	5	3	-	-	-
FEMALE--	22	22	27	37	41	34	28	18	7	-	-	-
ALL OTHER--MALE----	25	15	11	10	7	8	2	1	-	-	-	-
FEMALE--	10	4	7	9	5	7	2	1	-	-	-	-
BLACK---MALE----	25	14	9	10	7	7	2	1	-	-	-	-
FEMALE--	10	4	5	8	5	7	2	1	-	-	-	-
INDIANA -----	37	50	54	62	50	43	35	12	4	1	-	-
WHITE-----MALE----	19	38	37	36	23	24	14	7	-	1	-	-
FEMALE--	14	9	14	23	23	19	20	4	4	-	-	-
ALL OTHER--MALE----	4	3	2	2	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	4	3	2	1	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
IOWA -----	23	14	14	31	27	36	17	11	2	-	-	-
WHITE-----MALE----	15	13	12	19	11	19	7	2	1	-	-	-
FEMALE--	6	1	1	11	16	17	10	9	1	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	18	23	20	22	12	19	14	4	2	-	-	-
WHITE-----MALE----	9	17	13	11	8	9	6	2	-	-	-	-
FEMALE--	5	6	7	10	2	9	7	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,173

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
KENTUCKY -----	331	2	-	-	-	-	-	2	4	10	21	40
WHITE-----MALE----	212	1	-	-	-	-	-	1	2	7	14	31
FEMALE--	103	1	-	-	-	-	-	1	2	3	6	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA -----	379	-	-	-	-	-	-	1	3	19	32	58
WHITE-----MALE----	167	-	-	-	-	-	-	-	1	5	14	29
FEMALE--	104	-	-	-	-	-	-	-	1	4	4	6
ALL OTHER--MALE----	74	-	-	-	-	-	-	-	1	7	10	19
FEMALE--	34	-	-	-	-	-	-	1	-	3	4	4
BLACK---MALE----	72	-	-	-	-	-	-	-	1	7	10	19
FEMALE--	34	-	-	-	-	-	-	1	-	3	4	4
MAINE -----	103	-	-	-	-	-	-	-	1	3	4	10
WHITE-----MALE----	67	-	-	-	-	-	-	-	1	1	1	7
FEMALE--	36	-	-	-	-	-	-	-	-	2	3	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	438	-	-	-	-	-	-	2	9	24	45	58
WHITE-----MALE----	202	-	-	-	-	-	-	1	7	11	23	24
FEMALE--	117	-	-	-	-	-	-	-	-	4	5	10
ALL OTHER--MALE----	75	-	-	-	-	-	-	1	-	5	8	18
FEMALE--	44	-	-	-	-	-	-	-	2	4	9	6
BLACK---MALE----	73	-	-	-	-	-	-	1	-	5	8	17
FEMALE--	42	-	-	-	-	-	-	-	2	4	9	6
MASSACHUSETTS -----	575	-	-	-	-	-	2	1	5	15	52	68
WHITE-----MALE----	368	-	-	-	-	-	2	1	5	10	37	52
FEMALE--	186	-	-	-	-	-	-	-	-	4	15	10
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	972	2	-	-	-	-	1	1	20	46	106	117
WHITE-----MALE----	527	1	-	-	-	-	1	1	15	23	58	60
FEMALE--	262	-	-	-	-	-	-	-	3	17	21	11
ALL OTHER--MALE----	115	-	-	-	-	-	-	-	1	3	16	29
FEMALE--	68	1	-	-	-	-	-	-	1	3	11	17
BLACK---MALE----	111	-	-	-	-	-	-	-	1	3	15	29
FEMALE--	58	1	-	-	-	-	-	-	1	3	10	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,173

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
KENTUCKY -----	33	37	37	35	46	42	13	5	4	-	-	-
WHITE-----MALE----	25	31	27	19	30	17	6	1	-	-	-	-
FEMALE--	4	5	7	16	16	24	6	4	3	-	-	-
ALL OTHER--MALE----	3	1	3	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	1	3	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	45	28	34	51	43	29	21	11	3	1	-	-
WHITE-----MALE----	21	16	19	22	18	9	7	4	2	-	-	-
FEMALE--	8	5	4	17	19	17	11	7	1	-	-	-
ALL OTHER--MALE----	10	3	10	6	3	3	1	-	-	1	-	-
FEMALE--	6	4	1	6	3	-	2	-	-	-	-	-
BLACK---MALE----	10	3	9	5	3	3	1	-	-	1	-	-
FEMALE--	6	4	1	6	3	-	2	-	-	-	-	-
MAINE -----	12	13	11	13	11	11	8	6	-	-	-	-
WHITE-----MALE----	10	10	8	11	7	6	3	2	-	-	-	-
FEMALE--	2	3	3	2	4	5	5	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	41	43	43	46	46	46	25	7	3	-	-	-
WHITE-----MALE----	21	19	18	21	12	28	12	4	1	-	-	-
FEMALE--	9	11	9	16	26	15	8	3	1	-	-	-
ALL OTHER--MALE----	9	8	13	5	3	2	3	-	-	-	-	-
FEMALE--	2	5	3	4	5	1	2	-	1	-	-	-
BLACK---MALE----	9	8	12	5	3	2	3	-	-	-	-	-
FEMALE--	2	5	3	3	5	1	1	-	1	-	-	-
MASSACHUSETTS -----	52	61	59	55	73	57	46	24	5	-	-	-
WHITE-----MALE----	43	41	40	36	42	23	18	14	4	-	-	-
FEMALE--	7	17	18	18	29	32	26	9	1	-	-	-
ALL OTHER--MALE----	2	2	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	2	2	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	106	123	98	94	106	83	48	16	5	-	-	-
WHITE-----MALE----	67	70	61	48	52	38	26	4	2	-	-	-
FEMALE--	20	24	20	33	40	40	19	11	3	-	-	-
ALL OTHER--MALE----	12	22	11	10	9	2	-	-	-	-	-	-
FEMALE--	7	7	6	3	5	3	3	1	-	-	-	-
BLACK---MALE----	12	19	11	10	9	2	-	-	-	-	-	-
FEMALE--	7	6	5	2	4	1	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,176

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
OHIO -----	964	-	-	-	-	-	-	2	10	33	99	92
WHITE-----MALE----	538	-	-	-	-	-	-	-	4	21	69	64
FEMALE--	312	-	-	-	-	-	-	-	5	7	13	15
ALL OTHER--MALE----	83	-	-	-	-	-	-	1	-	4	13	10
FEMALE--	31	-	-	-	-	-	-	1	1	1	4	3
BLACK---MALE----	82	-	-	-	-	-	-	1	-	4	13	10
FEMALE--	30	-	-	-	-	-	-	-	1	1	4	3
OKLAHOMA -----	302	-	-	-	-	-	-	2	2	10	38	43
WHITE-----MALE----	148	-	-	-	-	-	-	-	-	5	15	24
FEMALE--	92	-	-	-	-	-	-	1	1	3	8	7
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	1	7	9
FEMALE--	25	-	-	-	-	-	-	1	1	1	8	3
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
OREGON -----	318	-	-	-	-	-	-	1	4	12	26	46
WHITE-----MALE----	183	-	-	-	-	-	-	-	2	4	15	34
FEMALE--	118	-	-	-	-	-	-	-	1	8	10	10
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,091	-	-	-	-	-	-	4	9	41	81	104
WHITE-----MALE----	587	-	-	-	-	-	-	3	3	24	61	54
FEMALE--	377	-	-	-	-	-	-	-	5	14	13	25
ALL OTHER--MALE----	92	-	-	-	-	-	-	1	-	1	5	19
FEMALE--	35	-	-	-	-	-	-	-	1	2	2	6
BLACK---MALE----	89	-	-	-	-	-	-	1	-	1	5	18
FEMALE--	35	-	-	-	-	-	-	-	1	2	2	6
RHODE ISLAND -----	101	-	-	-	-	-	1	-	1	1	12	9
WHITE-----MALE----	58	-	-	-	-	-	-	-	1	1	10	7
FEMALE--	38	-	-	-	-	-	1	-	-	-	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	375	-	-	-	-	-	-	2	2	27	30	48
WHITE-----MALE----	173	-	-	-	-	-	-	1	1	10	14	25
FEMALE--	102	-	-	-	-	-	-	-	-	6	5	2
ALL OTHER--MALE----	71	-	-	-	-	-	-	1	-	2	10	17
FEMALE--	29	-	-	-	-	-	-	-	1	9	1	4
BLACK---MALE----	70	-	-	-	-	-	-	1	-	2	9	17
FEMALE--	28	-	-	-	-	-	-	-	1	9	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,176

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
OHIO -----	90	82	87	109	153	103	66	30	7	1	-	-
WHITE-----MALE----	55	37	51	58	84	54	27	12	2	-	-	-
FEMALE--	22	25	24	39	59	47	33	17	5	1	-	-
ALL OTHER--MALE----	10	16	8	8	8	1	4	-	-	-	-	-
FEMALE--	3	4	4	4	2	1	2	1	-	-	-	-
BLACK---MALE----	10	16	8	8	7	1	4	-	-	-	-	-
FEMALE--	3	4	4	4	2	1	2	1	-	-	-	-
OKLAHOMA -----	36	32	35	29	27	21	14	10	3	-	-	-
WHITE-----MALE----	21	16	17	18	12	13	2	4	1	-	-	-
FEMALE--	5	11	11	7	14	6	10	6	2	-	-	-
ALL OTHER--MALE----	7	3	4	3	1	-	2	-	-	-	-	-
FEMALE--	3	2	3	1	-	2	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	25	34	34	31	32	36	21	11	3	2	-	-
WHITE-----MALE----	13	20	21	20	21	12	12	7	2	-	-	-
FEMALE--	10	11	10	8	11	23	9	4	1	2	-	-
ALL OTHER--MALE----	1	3	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	102	87	101	121	140	144	93	52	11	-	-	1
WHITE-----MALE----	61	45	65	60	68	75	44	20	3	-	-	1
FEMALE--	17	25	21	48	60	65	46	30	8	-	-	-
ALL OTHER--MALE----	20	10	12	12	6	3	1	2	-	-	-	-
FEMALE--	4	7	3	1	6	1	2	-	-	-	-	-
BLACK---MALE----	20	9	12	11	6	3	1	2	-	-	-	-
FEMALE--	4	7	3	1	6	1	2	-	-	-	-	-
RHODE ISLAND -----	8	6	13	11	10	14	9	4	2	-	-	-
WHITE-----MALE----	3	3	8	6	6	4	5	2	2	-	-	-
FEMALE--	2	3	4	5	4	10	4	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	46	39	44	43	34	33	19	6	1	1	-	-
WHITE-----MALE----	22	18	22	23	16	12	6	2	1	-	-	-
FEMALE--	10	6	16	11	11	19	12	3	-	1	-	-
ALL OTHER--MALE----	13	12	5	4	5	1	1	-	-	-	-	-
FEMALE--	1	3	1	5	2	1	-	1	-	-	-	-
BLACK---MALE----	13	12	5	4	5	1	1	-	-	-	-	-
FEMALE--	1	3	1	5	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,177

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
SOUTH DAKOTA -----	75	-	-	-	-	-	-	1	5	3	3	14
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	1	-	4
FEMALE--	20	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	2	-	-	4
FEMALE--	18	-	-	-	-	-	-	-	1	2	1	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	541	-	-	-	-	1	4	4	8	23	50	60
WHITE-----MALE----	323	-	-	-	-	1	3	2	4	12	28	43
FEMALE--	149	-	-	-	-	-	-	1	2	5	18	8
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	3	3	7
FEMALE--	21	-	-	-	-	-	1	1	1	3	1	2
BLACK---MALE----	47	-	-	-	-	-	-	-	1	3	3	7
FEMALE--	20	-	-	-	-	-	1	1	1	3	1	2
TEXAS -----	1,962	2	1	-	-	-	2	9	39	88	182	255
WHITE-----MALE----	1,164	-	-	-	-	-	1	6	25	55	129	171
FEMALE--	605	2	-	-	-	-	1	3	10	22	29	57
ALL OTHER--MALE----	134	-	-	-	-	-	-	-	2	10	16	20
FEMALE--	59	-	1	-	-	-	-	-	2	1	8	7
BLACK---MALE----	123	-	-	-	-	-	-	-	2	9	15	18
FEMALE--	54	-	1	-	-	-	-	-	2	1	7	5
UTAH -----	116	1	-	-	-	-	-	-	3	4	8	10
WHITE-----MALE----	63	1	-	-	-	-	-	-	-	-	4	8
FEMALE--	47	-	-	-	-	-	-	-	2	3	4	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	45	-	-	-	-	-	-	-	1	-	2	4
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	16	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	527	-	-	-	-	-	-	2	3	26	35	60
WHITE-----MALE----	285	-	-	-	-	-	-	1	1	15	15	35
FEMALE--	157	-	-	-	-	-	-	1	1	5	8	9
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	1	4	9	14
FEMALE--	28	-	-	-	-	-	-	-	-	2	3	2
BLACK---MALE----	56	-	-	-	-	-	-	-	1	4	9	14
FEMALE--	27	-	-	-	-	-	-	-	-	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,177

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
SOUTH DAKOTA -----	11	2	6	9	10	6	3	2	-	-	-	-
WHITE-----MALE----	4	1	3	3	5	1	1	1	-	-	-	-
FEMALE--	1	-	1	6	2	3	2	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	4	1	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	69	51	62	58	67	46	24	13	-	1	-	-
WHITE-----MALE----	50	33	36	38	34	19	14	5	-	1	-	-
FEMALE--	9	8	15	15	26	25	9	8	-	-	-	-
ALL OTHER--MALE----	8	6	9	4	5	2	-	-	-	-	-	-
FEMALE--	2	4	2	1	2	-	1	-	-	-	-	-
BLACK---MALE----	8	6	8	4	5	2	-	-	-	-	-	-
FEMALE--	2	4	2	1	2	-	-	-	-	-	-	-
TEXAS -----	243	214	220	204	182	163	80	55	19	4	-	-
WHITE-----MALE----	166	136	127	117	95	81	32	19	3	1	-	-
FEMALE--	56	55	62	63	76	71	48	31	16	3	-	-
ALL OTHER--MALE----	16	19	23	14	7	5	-	2	-	-	-	-
FEMALE--	5	4	8	10	4	6	-	3	-	-	-	-
BLACK---MALE----	15	17	21	13	6	5	-	2	-	-	-	-
FEMALE--	5	4	8	10	4	6	-	1	-	-	-	-
UTAH -----	13	9	14	20	10	11	7	4	2	-	-	-
WHITE-----MALE----	8	6	9	11	6	5	2	2	1	-	-	-
FEMALE--	5	3	4	8	4	5	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	2	4	5	6	7	6	7	-	1	-	-	-
WHITE-----MALE----	2	2	5	3	6	4	3	-	-	-	-	-
FEMALE--	-	2	-	3	1	2	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	61	53	50	64	69	47	37	14	3	2	-	1
WHITE-----MALE----	38	28	32	31	38	24	20	6	-	1	-	-
FEMALE--	11	14	14	24	24	21	14	8	2	1	-	-
ALL OTHER--MALE----	8	8	2	5	4	-	1	-	-	-	-	1
FEMALE--	4	3	2	4	3	2	2	-	1	-	-	-
BLACK---MALE----	8	7	2	5	4	-	1	-	-	-	-	1
FEMALE--	4	3	2	4	3	2	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,179

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
UNITED STATES --	11,798	-	-	-	-	-	11	57	275	732	1,485	1,777
WHITE-----MALE----	7,417	-	-	-	-	-	8	34	150	390	885	1,113
FEMALE--	2,530	-	-	-	-	-	-	13	75	202	333	332
ALL OTHER--MALE----	1,291	-	-	-	-	-	1	5	30	82	168	223
FEMALE--	560	-	-	-	-	-	2	5	20	58	99	109
BLACK---MALE----	1,003	-	-	-	-	-	-	2	12	58	132	183
FEMALE--	407	-	-	-	-	-	1	1	9	37	70	80
ALABAMA -----	122	-	-	-	-	-	1	2	3	7	16	23
WHITE-----MALE----	68	-	-	-	-	-	-	2	-	2	7	12
FEMALE--	20	-	-	-	-	-	-	-	-	3	2	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	3	1	5	4
FEMALE--	11	-	-	-	-	-	1	-	-	1	2	5
BLACK---MALE----	22	-	-	-	-	-	-	-	3	1	4	4
FEMALE--	10	-	-	-	-	-	1	-	-	1	2	4
ALASKA -----	38	-	-	-	-	-	1	-	-	6	2	9
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	11	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	1	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	291	-	-	-	-	-	-	2	12	21	45	38
WHITE-----MALE----	162	-	-	-	-	-	-	1	3	8	25	24
FEMALE--	56	-	-	-	-	-	-	1	2	7	4	3
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	6	4	8	6
FEMALE--	24	-	-	-	-	-	-	-	1	2	8	5
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	53	-	-	-	-	-	-	-	3	1	2	8
WHITE-----MALE----	30	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	10	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	3
CALIFORNIA -----	2,388	-	-	-	-	-	3	20	54	148	274	348
WHITE-----MALE----	1,584	-	-	-	-	-	3	14	33	87	180	226
FEMALE--	559	-	-	-	-	-	-	6	16	42	69	82
ALL OTHER--MALE----	171	-	-	-	-	-	-	-	4	13	14	23
FEMALE--	74	-	-	-	-	-	-	-	1	6	11	17
BLACK---MALE----	104	-	-	-	-	-	-	-	-	6	10	15
FEMALE--	53	-	-	-	-	-	-	-	-	3	9	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,179

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
UNITED STATES --	1,685	1,462	1,343	1,203	924	511	227	80	23	-	1	2
WHITE-----MALE----	1,083	935	885	778	612	331	137	56	19	-	-	1
FEMALE--	305	281	252	283	220	144	67	18	4	-	1	-
ALL OTHER--MALE----	223	188	153	99	75	24	15	4	-	-	-	1
FEMALE--	74	58	53	43	17	12	8	2	-	-	-	-
BLACK---MALE----	176	148	124	73	62	17	12	3	-	-	-	1
FEMALE--	51	45	41	37	15	11	7	2	-	-	-	-
ALABAMA -----	15	15	12	11	9	5	1	1	1	-	-	-
WHITE-----MALE----	11	8	6	8	7	3	-	1	1	-	-	-
FEMALE--	2	4	2	3	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	4	-	2	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	4	-	2	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALASKA -----	4	6	6	3	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	3	3	1	1	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	46	38	30	25	12	10	9	3	-	-	-	-
WHITE-----MALE----	26	22	18	12	9	8	4	2	-	-	-	-
FEMALE--	6	9	8	8	2	1	4	1	-	-	-	-
ALL OTHER--MALE----	10	4	4	4	1	1	1	-	-	-	-	-
FEMALE--	4	3	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	8	7	5	7	1	2	-	-	-	-	-
WHITE-----MALE----	6	5	5	3	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	4	1	1	-	-	-	-	-
ALL OTHER--MALE----	3	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	324	299	281	239	206	120	49	17	6	-	-	-
WHITE-----MALE----	221	212	182	162	140	79	31	9	5	-	-	-
FEMALE--	60	53	67	57	48	37	16	5	1	-	-	-
ALL OTHER--MALE----	29	27	22	17	15	4	-	3	-	-	-	-
FEMALE--	14	7	10	3	3	-	2	-	-	-	-	-
BLACK---MALE----	20	16	13	12	9	1	-	2	-	-	-	-
FEMALE--	10	6	8	2	3	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,180

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
COLORADO -----	206	-	-	-	-	-	1	1	4	14	33	39
WHITE-----MALE----	136	-	-	-	-	-	1	-	2	5	23	28
FEMALE--	59	-	-	-	-	-	-	-	1	9	7	9
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	87	-	-	-	-	-	-	-	6	4	10	12
WHITE-----MALE----	55	-	-	-	-	-	-	-	5	1	8	7
FEMALE--	26	-	-	-	-	-	-	-	1	1	1	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	38	-	-	-	-	-	-	1	1	3	12	4
WHITE-----MALE----	20	-	-	-	-	-	-	-	1	1	6	2
FEMALE--	9	-	-	-	-	-	-	1	-	1	4	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	40	-	-	-	-	-	-	-	-	-	7	5
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	4	5
FEMALE--	8	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	4	5
FEMALE--	8	-	-	-	-	-	-	-	-	-	3	-
FLORIDA -----	802	-	-	-	-	-	-	1	17	44	93	105
WHITE-----MALE----	531	-	-	-	-	-	-	1	7	24	62	75
FEMALE--	199	-	-	-	-	-	-	-	8	18	19	20
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	1	1	7	8
FEMALE--	18	-	-	-	-	-	-	-	1	1	5	2
BLACK---MALE----	49	-	-	-	-	-	-	-	1	1	6	8
FEMALE--	18	-	-	-	-	-	-	-	1	1	5	2
GEORGIA -----	209	-	-	-	-	-	-	-	11	16	32	32
WHITE-----MALE----	120	-	-	-	-	-	-	-	5	8	16	12
FEMALE--	30	-	-	-	-	-	-	-	3	2	7	7
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	1	2	6	5
FEMALE--	28	-	-	-	-	-	-	-	2	4	3	8
BLACK---MALE----	30	-	-	-	-	-	-	-	1	2	6	5
FEMALE--	28	-	-	-	-	-	-	-	2	4	3	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,180

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
COLORADO -----	28	23	16	28	10	5	3	-	1	-	-	-
WHITE-----MALE----	19	13	11	19	7	4	3	-	1	-	-	-
FEMALE--	9	8	4	9	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	14	5	11	8	1	2	-	-	-	-	-
WHITE-----MALE----	9	8	4	4	6	1	2	-	-	-	-	-
FEMALE--	4	5	1	7	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	1	5	5	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	4	3	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	4	8	6	1	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	4	4	6	1	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	4	4	6	1	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	1	-	-	-	-	-
FLORIDA -----	110	111	90	85	71	41	20	10	3	-	-	1
WHITE-----MALE----	72	69	65	54	53	23	13	10	3	-	-	-
FEMALE--	26	30	17	26	14	15	6	-	-	-	-	-
ALL OTHER--MALE----	10	10	4	5	4	2	1	-	4	-	-	1
FEMALE--	2	2	4	-	-	1	-	-	-	-	-	-
BLACK---MALE----	9	10	4	3	4	1	1	-	-	-	-	1
FEMALE--	2	2	4	-	-	1	-	-	-	-	-	-
GEORGIA -----	28	30	23	25	7	3	1	1	-	-	-	-
WHITE-----MALE----	18	20	16	17	5	2	1	-	-	-	-	-
FEMALE--	1	3	3	2	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	6	5	2	3	1	-	-	-	-	-	-	-
FEMALE--	3	2	2	3	1	-	-	-	-	-	-	-
BLACK---MALE----	5	5	2	3	1	-	-	-	-	-	-	-
FEMALE--	3	2	2	3	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,181

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
HAWAII -----	9	3	3	2	4	2	2	1	-	-	-	-
WHITE-----MALE----	6	1	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	2	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	11	8	4	8	1	4	1	1	-	-	-	-
WHITE-----MALE----	7	6	2	6	-	3	-	1	-	-	-	-
FEMALE--	4	2	1	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	56	43	42	35	29	12	4	-	1	-	-	-
WHITE-----MALE----	36	27	28	18	17	5	-	-	1	-	-	-
FEMALE--	9	7	7	11	7	5	3	-	-	-	-	-
ALL OTHER--MALE----	7	7	3	5	4	1	1	-	-	-	-	-
FEMALE--	4	2	4	1	1	1	-	-	-	-	-	-
BLACK---MALE----	7	7	3	5	4	1	1	-	-	-	-	-
FEMALE--	4	2	2	1	1	1	-	-	-	-	-	-
INDIANA -----	17	16	22	18	13	4	1	-	-	-	-	-
WHITE-----MALE----	9	11	16	13	4	3	1	-	-	-	-	-
FEMALE--	6	4	4	4	6	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
IOWA -----	17	8	9	17	9	8	1	1	-	-	-	-
WHITE-----MALE----	13	8	9	11	7	6	1	-	-	-	-	-
FEMALE--	2	-	-	5	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	11	15	8	7	3	3	1	1	-	-	-	-
WHITE-----MALE----	8	14	6	4	1	2	1	1	-	-	-	-
FEMALE--	1	1	2	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,182

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
KENTUCKY -----	125	-	-	-	-	-	-	1	2	6	9	24
WHITE-----MALE----	99	-	-	-	-	-	-	-	2	4	6	19
FEMALE--	17	-	-	-	-	-	-	1	-	2	3	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA -----	163	-	-	-	-	-	-	-	2	14	22	32
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	2	9	12
FEMALE--	26	-	-	-	-	-	-	-	1	4	2	3
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	1	6	7	14
FEMALE--	18	-	-	-	-	-	-	-	-	2	4	3
BLACK---MALE----	55	-	-	-	-	-	-	-	1	6	7	14
FEMALE--	18	-	-	-	-	-	-	-	-	2	4	3
MAINE -----	50	-	-	-	-	-	-	-	-	2	2	8
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	10	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	155	-	-	-	-	-	-	-	3	7	21	28
WHITE-----MALE----	82	-	-	-	-	-	-	-	3	4	9	14
FEMALE--	26	-	-	-	-	-	-	-	-	1	4	5
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	1	5	8
FEMALE--	10	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	37	-	-	-	-	-	-	-	-	1	5	8
FEMALE--	10	-	-	-	-	-	-	-	-	1	3	1
MASSACHUSETTS -----	198	-	-	-	-	-	-	-	4	9	25	34
WHITE-----MALE----	150	-	-	-	-	-	-	-	4	7	19	26
FEMALE--	42	-	-	-	-	-	-	-	-	1	6	6
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	402	-	-	-	-	-	-	1	14	26	66	56
WHITE-----MALE----	244	-	-	-	-	-	-	1	12	12	33	33
FEMALE--	77	-	-	-	-	-	-	-	1	13	18	3
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	1	9	13
FEMALE--	24	-	-	-	-	-	-	-	1	-	6	7
BLACK---MALE----	54	-	-	-	-	-	-	-	-	1	8	13
FEMALE--	23	-	-	-	-	-	-	-	1	-	6	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,182

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
KENTUCKY -----	19	23	18	10	8	4	1	-	-	-	-	-
WHITE-----MALE----	16	19	13	8	8	3	1	-	-	-	-	-
FEMALE--	-	3	2	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	30	11	19	17	9	4	3	-	-	-	-	-
WHITE-----MALE----	10	5	8	11	4	2	1	-	-	-	-	-
FEMALE--	6	2	3	2	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	10	3	7	2	2	2	1	-	-	-	-	-
FEMALE--	4	1	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	10	3	7	2	2	2	1	-	-	-	-	-
FEMALE--	4	1	1	2	1	-	-	-	-	-	-	-
MAINE -----	9	10	5	6	3	5	-	-	-	-	-	-
WHITE-----MALE----	8	7	4	6	3	5	-	-	-	-	-	-
FEMALE--	1	3	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	22	22	20	12	10	5	4	1	-	-	-	-
WHITE-----MALE----	13	12	8	6	6	4	2	1	-	-	-	-
FEMALE--	3	3	3	2	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	5	5	8	3	1	-	1	-	-	-	-	-
FEMALE--	1	2	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	8	3	1	-	1	-	-	-	-	-
FEMALE--	1	2	1	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	28	25	19	20	16	9	7	1	1	-	-	-
WHITE-----MALE----	24	18	13	15	11	6	5	1	1	-	-	-
FEMALE--	3	6	6	5	5	2	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	52	72	48	27	23	12	4	1	-	-	-	-
WHITE-----MALE----	37	48	31	14	13	6	3	1	-	-	-	-
FEMALE--	6	8	8	10	4	5	1	-	-	-	-	-
ALL OTHER--MALE----	7	12	7	2	5	1	-	-	-	-	-	-
FEMALE--	2	4	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	7	10	7	2	5	1	-	-	-	-	-	-
FEMALE--	2	4	2	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,185

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
OHIO -----	376	-	-	-	-	-	-	1	7	20	63	50
WHITE-----MALE----	256	-	-	-	-	-	-	-	3	14	46	38
FEMALE--	71	-	-	-	-	-	-	-	4	5	10	5
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	1	5	6
FEMALE--	12	-	-	-	-	-	-	1	-	-	2	1
BLACK---MALE----	37	-	-	-	-	-	-	-	-	1	5	6
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	1
OKLAHOMA -----	176	-	-	-	-	-	2	2	2	8	28	33
WHITE-----MALE----	87	-	-	-	-	-	-	-	-	5	10	16
FEMALE--	39	-	-	-	-	-	1	1	1	1	5	6
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	1	6	8
FEMALE--	21	-	-	-	-	-	1	1	1	1	7	3
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
OREGON -----	214	-	-	-	-	-	-	-	3	11	23	40
WHITE-----MALE----	136	-	-	-	-	-	-	-	1	4	13	29
FEMALE--	66	-	-	-	-	-	-	-	1	7	9	9
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	296	-	-	-	-	-	1	2	2	16	36	46
WHITE-----MALE----	191	-	-	-	-	-	1	-	-	11	26	27
FEMALE--	61	-	-	-	-	-	-	2	4	4	6	11
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	3	6
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	2
RHODE ISLAND -----	45	-	-	-	-	-	-	-	1	1	10	7
WHITE-----MALE----	29	-	-	-	-	-	-	-	1	1	8	5
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	231	-	-	-	-	-	-	-	1	19	28	40
WHITE-----MALE----	122	-	-	-	-	-	-	-	-	6	13	21
FEMALE--	33	-	-	-	-	-	-	-	-	3	5	2
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	1	9	14
FEMALE--	23	-	-	-	-	-	-	-	1	9	1	3
BLACK---MALE----	52	-	-	-	-	-	-	-	-	1	8	14
FEMALE--	23	-	-	-	-	-	-	-	1	9	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,185

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
OHIO -----	52	29	39	49	38	16	9	3	-	-	-	-
WHITE-----MALE----	33	15	26	35	26	13	5	2	-	-	-	-
FEMALE--	12	7	6	8	8	3	2	1	-	-	-	-
ALL OTHER--MALE----	7	7	5	4	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	2	-	2	-	-	-	-	-
BLACK---MALE----	7	7	5	4	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	2	-	2	-	-	-	-	-
OKLAHOMA -----	30	19	23	15	8	5	2	1	-	-	-	-
WHITE-----MALE----	15	10	13	11	3	4	-	-	-	-	-	-
FEMALE--	5	6	6	2	4	-	1	1	-	-	-	-
ALL OTHER--MALE----	7	1	2	2	1	-	1	-	-	-	-	-
FEMALE--	3	2	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	20	25	24	21	16	17	8	4	2	-	-	-
WHITE-----MALE----	10	18	17	15	13	6	6	3	1	-	-	-
FEMALE--	9	6	4	4	3	10	2	1	1	-	-	-
ALL OTHER--MALE----	1	1	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	42	31	36	29	29	18	8	1	1	-	-	-
WHITE-----MALE----	27	17	23	18	21	15	5	-	-	-	-	-
FEMALE--	8	6	8	5	6	2	2	-	1	-	-	-
ALL OTHER--MALE----	6	6	4	6	1	1	-	1	-	-	-	-
FEMALE--	1	2	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	6	5	4	5	1	1	-	1	-	-	-	-
FEMALE--	1	2	1	-	1	-	1	-	-	-	-	-
RHODE ISLAND -----	6	3	4	3	5	2	2	-	1	-	-	-
WHITE-----MALE----	1	1	4	1	4	2	-	-	1	-	-	-
FEMALE--	2	2	-	2	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	34	25	27	23	20	7	5	1	1	-	-	-
WHITE-----MALE----	19	12	18	14	11	3	3	1	1	-	-	-
FEMALE--	4	3	4	2	5	3	2	-	-	-	-	-
ALL OTHER--MALE----	10	9	4	2	4	-	-	-	-	-	-	-
FEMALE--	1	1	1	5	-	1	-	-	-	-	-	-
BLACK---MALE----	10	9	4	2	4	-	-	-	-	-	-	-
FEMALE--	1	1	1	5	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,186

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
SOUTH DAKOTA -----	10	1	6	3	3	1	1	1	-	-	-	-
WHITE-----MALE----	3	-	3	1	2	-	1	1	-	-	-	-
FEMALE--	1	-	1	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	37	18	33	24	17	9	4	1	-	-	-	-
WHITE-----MALE----	26	13	23	19	10	5	2	1	-	-	-	-
FEMALE--	4	2	4	4	4	4	2	-	-	-	-	-
ALL OTHER--MALE----	7	3	5	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	7	3	4	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
TEXAS -----	109	87	89	71	51	33	8	5	-	-	-	-
WHITE-----MALE----	82	58	56	53	33	21	6	3	-	-	-	-
FEMALE--	14	20	15	12	15	9	2	1	-	-	-	-
ALL OTHER--MALE----	11	8	14	3	3	2	-	-	-	-	-	-
FEMALE--	2	1	4	3	-	1	-	1	-	-	-	-
BLACK---MALE----	11	7	13	3	3	2	-	-	-	-	-	-
FEMALE--	2	1	4	3	-	1	-	1	-	-	-	-
UTAH -----	11	7	7	9	2	3	1	2	-	-	-	-
WHITE-----MALE----	8	5	4	5	1	2	-	2	-	-	-	-
FEMALE--	3	2	3	3	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	3	5	2	2	3	1	-	-	-	-	-
WHITE-----MALE----	-	2	5	2	2	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	30	19	19	15	17	6	3	1	-	-	-	-
WHITE-----MALE----	20	12	14	9	11	5	3	1	-	-	-	-
FEMALE--	5	3	3	4	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	4	3	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,188

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)												
UNITED STATES --	707	-	-	-	-	-	-	-	4	19	24	25
WHITE-----MALE----	150	-	-	-	-	-	-	-	-	7	12	11
FEMALE--	511	-	-	-	-	-	-	-	4	8	7	10
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	29	-	-	-	-	-	-	-	-	3	2	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	20	-	-	-	-	-	-	-	-	3	1	2
ALABAMA -----	7	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	96	-	-	-	-	-	-	-	2	1	3	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	60	-	-	-	-	-	-	-	2	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,188

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)												
UNITED STATES --	47	43	49	78	135	143	86	41	12	1	-	-
WHITE-----MALE----	10	7	9	12	27	24	20	8	3	-	-	-
FEMALE--	33	29	35	63	101	114	65	33	8	1	-	-
ALL OTHER--MALE----	3	4	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	3	3	2	7	4	1	-	1	-	-	-
BLACK---MALE----	2	3	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	6	3	-	-	1	-	-	-
ALABAMA -----	-	2	-	1	-	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	2	3	4	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	1	-	-	2	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	11	9	9	16	17	12	6	2	-	-	-
WHITE-----MALE----	4	3	2	-	4	4	2	3	1	-	-	-
FEMALE--	1	8	5	7	10	11	9	3	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	2	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,191

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)												
KENTUCKY -----	1	1	-	-	1	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	2	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	-	-	2	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	-	1	2	3	5	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	3	5	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	2	2	6	6	6	3	1	1	-	-	-
WHITE-----MALE----	1	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	1	2	1	5	3	6	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,197

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
UNITED STATES --	12,687	16	1	3	1	3	8	40	130	359	751	1,164
WHITE-----MALE----	6,529	8	-	1	-	2	4	21	64	189	462	706
FEMALE--	4,634	3	-	1	1	-	3	8	32	96	146	203
ALL OTHER--MALE----	939	3	-	-	-	1	-	7	21	45	94	179
FEMALE--	585	2	1	1	-	-	1	4	13	29	49	76
BLACK---MALE----	787	3	-	-	-	1	-	5	16	35	83	161
FEMALE--	466	2	1	1	-	-	1	2	12	25	40	62
ALABAMA -----	271	-	-	-	1	-	-	-	3	11	13	22
WHITE-----MALE----	119	-	-	-	-	-	-	-	-	5	8	10
FEMALE--	98	-	-	-	1	-	-	-	-	4	2	1
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	3	2	3	10
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	35	-	-	-	-	-	-	-	3	2	3	9
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	11	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	281	-	-	-	-	-	-	1	2	11	14	31
WHITE-----MALE----	146	-	-	-	-	-	-	-	-	3	5	19
FEMALE--	99	-	-	-	-	-	-	-	-	2	7	8
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	16	-	-	-	-	-	-	1	-	4	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	146	2	-	-	-	-	1	1	2	3	9	10
WHITE-----MALE----	78	-	-	-	-	-	-	1	1	-	6	6
FEMALE--	56	-	-	-	-	-	1	-	1	2	2	3
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	8	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
CALIFORNIA -----	1,028	1	-	1	-	2	-	3	23	36	69	80
WHITE-----MALE----	514	1	-	-	-	1	-	1	17	19	44	53
FEMALE--	391	-	-	1	-	-	-	1	5	9	15	14
ALL OTHER--MALE----	76	-	-	-	-	1	-	1	1	5	7	10
FEMALE--	47	-	-	-	-	-	-	-	-	3	3	3
BLACK---MALE----	35	-	-	-	-	1	-	-	1	3	4	5
FEMALE--	17	-	-	-	-	-	-	-	-	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,197

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
UNITED STATES --	1,046	1,138	1,244	1,496	1,819	1,628	1,108	549	151	29	-	3
WHITE-----MALE----	628	649	682	753	868	742	474	217	47	10	-	2
FEMALE--	237	316	399	581	825	801	569	301	96	16	-	-
ALL OTHER--MALE----	115	115	106	105	66	34	25	18	2	2	-	1
FEMALE--	66	58	57	57	60	51	40	13	6	1	-	-
BLACK---MALE----	98	95	84	90	56	29	19	10	-	1	-	1
FEMALE--	55	52	44	44	47	34	29	9	5	1	-	-
ALABAMA -----	30	15	21	34	50	30	22	15	4	-	-	-
WHITE-----MALE----	17	11	14	14	18	10	4	6	2	-	-	-
FEMALE--	4	1	4	13	26	17	14	9	2	-	-	-
ALL OTHER--MALE----	5	2	2	5	4	-	-	-	-	-	-	-
FEMALE--	4	1	1	2	2	3	4	-	-	-	-	-
BLACK---MALE----	5	2	2	5	4	-	-	-	-	-	-	-
FEMALE--	4	-	1	2	1	3	4	-	-	-	-	-
ALASKA -----	1	-	1	-	1	3	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	30	33	28	32	39	32	17	9	2	-	-	-
WHITE-----MALE----	15	21	14	20	20	16	7	4	2	-	-	-
FEMALE--	6	9	10	11	18	16	8	4	-	-	-	-
ALL OTHER--MALE----	6	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	1	1	-	2	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ARKANSAS -----	11	18	14	21	20	16	12	4	2	-	-	-
WHITE-----MALE----	5	11	10	14	8	7	8	1	-	-	-	-
FEMALE--	4	6	4	5	11	8	4	3	2	-	-	-
ALL OTHER--MALE----	1	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	86	83	102	120	147	132	86	40	15	1	-	1
WHITE-----MALE----	50	48	49	50	63	58	41	15	3	-	-	1
FEMALE--	24	25	43	51	76	62	37	19	8	1	-	-
ALL OTHER--MALE----	8	8	8	11	4	4	1	5	2	-	-	-
FEMALE--	4	2	2	8	4	8	7	1	2	-	-	-
BLACK---MALE----	3	3	4	6	1	2	1	1	-	-	-	-
FEMALE--	2	2	1	3	-	2	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,198

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
COLORADO -----	129	-	-	-	-	-	-	1	-	3	12	14
WHITE-----MALE----	75	-	-	-	-	-	-	1	-	3	11	11
FEMALE--	49	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	190	1	-	-	-	-	-	2	1	7	11	18
WHITE-----MALE----	101	1	-	-	-	-	-	-	-	3	8	11
FEMALE--	79	-	-	-	-	-	-	1	-	4	2	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	31	-	-	-	-	-	-	-	-	-	2	3
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	28	-	-	-	-	-	-	-	1	1	1	5
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	3
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	3
FLORIDA -----	1,040	-	-	-	-	-	-	1	7	31	49	90
WHITE-----MALE----	581	-	-	-	-	-	-	1	3	12	33	64
FEMALE--	387	-	-	-	-	-	-	-	2	14	9	19
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	2	5	5
FEMALE--	24	-	-	-	-	-	-	-	1	3	2	2
BLACK---MALE----	46	-	-	-	-	-	-	-	1	2	5	5
FEMALE--	23	-	-	-	-	-	-	-	1	3	2	2
GEORGIA -----	356	2	-	-	-	-	-	-	2	9	24	43
WHITE-----MALE----	172	1	-	-	-	-	-	-	1	2	10	24
FEMALE--	115	-	-	-	-	-	-	-	-	3	6	6
ALL OTHER--MALE----	32	1	-	-	-	-	-	-	1	2	4	7
FEMALE--	37	-	-	-	-	-	-	-	-	2	4	6
BLACK---MALE----	30	1	-	-	-	-	-	-	1	2	4	7
FEMALE--	37	-	-	-	-	-	-	-	-	2	4	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,198

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	9	8	15	16	18	18	13	1	1	-	-	-
WHITE-----MALE----	5	4	6	10	11	10	1	1	1	-	-	-
FEMALE--	4	2	7	6	7	7	12	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	8	14	22	17	28	29	23	7	2	-	-	-
WHITE-----MALE----	4	10	15	10	17	7	11	2	2	-	-	-
FEMALE--	4	2	5	6	11	22	12	5	-	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	2	2	4	10	4	2	1	1	-	-	-
WHITE-----MALE----	-	1	-	3	5	1	1	1	1	-	-	-
FEMALE--	-	1	1	1	4	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	1	4	3	7	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	2	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	4	1	-	-	-	-	-	-
BLACK---MALE----	3	-	2	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	4	1	-	-	-	-	-	-
FLORIDA -----	82	101	88	126	162	140	94	47	19	3	-	-
WHITE-----MALE----	56	67	57	63	79	71	46	23	5	1	-	-
FEMALE--	17	27	21	57	75	65	41	24	14	2	-	-
ALL OTHER--MALE----	6	6	7	4	7	1	4	-	-	-	-	-
FEMALE--	3	1	3	2	1	3	3	-	-	-	-	-
BLACK---MALE----	6	5	7	4	7	1	3	-	-	-	-	-
FEMALE--	3	1	3	1	1	3	3	-	-	-	-	-
GEORGIA -----	37	39	42	35	32	36	42	12	1	-	-	-
WHITE-----MALE----	26	21	18	22	11	16	17	3	-	-	-	-
FEMALE--	6	8	18	6	14	17	23	8	-	-	-	-
ALL OTHER--MALE----	-	4	3	6	4	-	-	-	-	-	-	-
FEMALE--	5	6	3	1	3	3	2	1	1	-	-	-
BLACK---MALE----	-	4	3	5	3	-	-	-	-	-	-	-
FEMALE--	5	6	3	1	3	3	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,199

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
HAWAII -----	4	1	2	5	7	2	4	2	-	2	-	-
WHITE-----MALE----	-	1	1	2	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	2	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	1	2	-	1	1	-	1	-	-
FEMALE--	-	-	1	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	2	2	6	7	1	2	1	1	-	-	-
WHITE-----MALE----	3	1	1	2	4	1	2	1	1	-	-	-
FEMALE--	1	1	1	3	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	68	59	61	68	76	74	49	22	9	-	-	-
WHITE-----MALE----	33	34	33	31	37	35	25	5	2	-	-	-
FEMALE--	11	15	17	24	33	27	21	15	7	-	-	-
ALL OTHER--MALE----	18	8	8	5	3	6	1	1	-	-	-	-
FEMALE--	6	2	3	8	3	6	2	1	-	-	-	-
BLACK---MALE----	18	7	6	5	3	5	1	1	-	-	-	-
FEMALE--	6	2	3	7	3	6	2	1	-	-	-	-
INDIANA -----	19	33	31	43	35	38	32	12	3	1	-	-
WHITE-----MALE----	10	27	21	23	19	21	13	7	-	1	-	-
FEMALE--	7	4	9	18	15	17	18	4	3	-	-	-
ALL OTHER--MALE----	2	2	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IOWA -----	4	5	4	14	12	23	14	8	2	-	-	-
WHITE-----MALE----	2	5	3	8	2	12	4	2	1	-	-	-
FEMALE--	2	-	-	6	10	11	10	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	7	8	11	12	8	13	11	2	2	-	-	-
WHITE-----MALE----	1	3	7	5	6	6	4	1	-	-	-	-
FEMALE--	4	5	4	7	1	7	6	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,200

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
KENTUCKY -----	197	2	-	-	-	-	-	1	2	4	12	14
WHITE-----MALE----	111	1	-	-	-	-	-	1	-	3	8	10
FEMALE--	79	1	-	-	-	-	-	-	2	1	3	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	209	-	-	-	-	-	-	1	1	5	8	26
WHITE-----MALE----	103	-	-	-	-	-	-	-	1	3	5	17
FEMALE--	72	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	16	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	16	-	-	-	-	-	-	1	-	1	-	1
MAINE -----	47	-	-	-	-	-	-	-	1	-	2	2
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	274	-	-	-	-	-	-	2	6	17	23	30
WHITE-----MALE----	120	-	-	-	-	-	-	1	4	7	14	10
FEMALE--	84	-	-	-	-	-	-	-	-	3	1	5
ALL OTHER--MALE----	38	-	-	-	-	-	-	1	-	4	3	10
FEMALE--	32	-	-	-	-	-	-	-	2	3	5	5
BLACK---MALE----	36	-	-	-	-	-	-	1	-	4	3	9
FEMALE--	30	-	-	-	-	-	-	-	2	3	5	5
MASSACHUSETTS -----	361	-	-	-	-	-	2	1	1	6	26	34
WHITE-----MALE----	216	-	-	-	-	-	2	1	1	3	17	26
FEMALE--	130	-	-	-	-	-	-	-	-	3	9	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	537	2	-	-	-	-	1	-	5	20	39	60
WHITE-----MALE----	277	1	-	-	-	-	1	-	3	11	25	26
FEMALE--	162	-	-	-	-	-	-	-	1	4	3	8
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	1	2	7	16
FEMALE--	42	1	-	-	-	-	-	-	-	3	4	10
BLACK---MALE----	55	-	-	-	-	-	-	-	1	2	7	16
FEMALE--	34	1	-	-	-	-	-	-	-	3	4	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,200

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
KENTUCKY -----	13	13	19	25	37	37	11	4	3	-	-	-
WHITE-----MALE----	9	12	14	11	22	14	5	1	-	-	-	-
FEMALE--	3	1	5	14	15	22	5	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	15	17	15	32	34	24	17	10	3	1	-	-
WHITE-----MALE----	11	11	11	11	14	7	6	4	2	-	-	-
FEMALE--	2	3	1	13	17	16	9	6	1	-	-	-
ALL OTHER--MALE----	-	-	3	4	1	1	-	-	-	1	-	-
FEMALE--	2	3	-	4	2	-	2	-	-	-	-	-
BLACK---MALE----	-	-	2	3	1	1	-	-	-	1	-	-
FEMALE--	2	3	-	4	2	-	2	-	-	-	-	-
MAINE -----	3	3	6	7	8	5	6	4	-	-	-	-
WHITE-----MALE----	2	3	4	5	4	1	3	2	-	-	-	-
FEMALE--	1	-	2	2	4	4	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	21	23	34	34	38	20	6	3	-	-	-
WHITE-----MALE----	8	7	10	15	6	24	10	3	1	-	-	-
FEMALE--	4	8	6	14	22	11	6	3	1	-	-	-
ALL OTHER--MALE----	4	3	5	2	2	2	2	-	-	-	-	-
FEMALE--	1	3	2	3	4	1	2	-	1	-	-	-
BLACK---MALE----	4	3	4	2	2	2	2	-	-	-	-	-
FEMALE--	1	3	2	2	4	1	1	-	1	-	-	-
MASSACHUSETTS -----	22	36	39	33	54	43	37	23	4	-	-	-
WHITE-----MALE----	18	23	27	21	31	17	13	13	3	-	-	-
FEMALE--	3	11	11	11	21	25	22	9	1	-	-	-
ALL OTHER--MALE----	1	2	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	2	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	51	49	48	61	77	65	41	14	4	-	-	-
WHITE-----MALE----	29	22	30	33	37	32	22	3	2	-	-	-
FEMALE--	13	14	11	18	33	29	16	10	2	-	-	-
ALL OTHER--MALE----	4	10	3	8	4	1	-	-	-	-	-	-
FEMALE--	5	3	4	2	3	3	3	1	-	-	-	-
BLACK---MALE----	4	9	3	8	4	1	-	-	-	-	-	-
FEMALE--	5	2	3	1	2	1	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,203

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
OHIO -----	37	49	47	57	104	85	56	26	7	1	-	-
WHITE-----MALE----	22	22	25	23	55	40	22	10	2	-	-	-
FEMALE--	9	16	17	29	43	43	30	15	5	1	-	-
ALL OTHER--MALE----	3	7	3	3	6	1	4	-	-	-	-	-
FEMALE--	3	4	2	2	-	1	-	1	-	-	-	-
BLACK---MALE----	3	7	3	3	5	1	4	-	-	-	-	-
FEMALE--	3	4	2	2	-	1	-	1	-	-	-	-
OKLAHOMA -----	6	13	12	12	17	12	10	8	3	-	-	-
WHITE-----MALE----	6	6	4	7	8	9	2	4	1	-	-	-
FEMALE--	-	5	5	3	9	3	7	4	2	-	-	-
ALL OTHER--MALE----	-	2	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	5	9	10	10	16	13	11	6	1	2	-	-
WHITE-----MALE----	3	2	4	5	8	6	5	3	1	-	-	-
FEMALE--	1	5	6	4	8	7	6	3	-	2	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	58	55	65	90	106	117	78	47	9	-	-	1
WHITE-----MALE----	34	28	42	42	47	58	39	20	3	-	-	1
FEMALE--	7	18	13	41	49	56	37	26	6	-	-	-
ALL OTHER--MALE----	14	4	8	6	5	2	1	1	-	-	-	-
FEMALE--	3	5	2	1	5	1	1	-	-	-	-	-
BLACK---MALE----	14	4	8	6	5	2	1	1	-	-	-	-
FEMALE--	3	5	2	1	5	1	1	-	-	-	-	-
RHODE ISLAND -----	2	3	7	8	4	11	7	4	1	-	-	-
WHITE-----MALE----	2	2	4	5	1	2	5	2	1	-	-	-
FEMALE--	-	1	3	3	3	9	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	13	17	20	12	24	13	5	-	1	-	-
WHITE-----MALE----	3	6	4	9	5	9	3	1	-	-	-	-
FEMALE--	4	3	12	9	5	14	9	3	-	1	-	-
ALL OTHER--MALE----	3	3	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	3	3	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,204

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
SOUTH DAKOTA -----	26	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	308	-	-	-	-	1	2	3	3	7	16	33
WHITE-----MALE----	164	-	-	-	-	1	1	1	1	4	6	23
FEMALE--	105	-	-	-	-	-	-	1	-	2	8	4
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	15	-	-	-	-	-	1	1	1	-	-	2
BLACK---MALE----	24	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	14	-	-	-	-	-	1	1	1	-	-	2
TEXAS -----	1,175	2	1	-	-	-	1	4	18	39	80	141
WHITE-----MALE----	637	-	-	-	-	-	-	2	10	27	54	86
FEMALE--	425	2	-	-	-	-	1	2	4	9	12	36
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	2	3	10	13
FEMALE--	41	-	1	-	-	-	-	-	2	-	4	6
BLACK---MALE----	65	-	-	-	-	-	-	-	2	2	9	12
FEMALE--	37	-	1	-	-	-	-	-	2	-	4	4
UTAH -----	48	1	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	24	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	21	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	346	-	-	-	-	-	-	1	3	11	21	36
WHITE-----MALE----	175	-	-	-	-	-	-	-	1	6	8	17
FEMALE--	114	-	-	-	-	-	-	1	1	2	5	7
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	2	6	11
FEMALE--	19	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	37	-	-	-	-	-	-	-	1	2	6	11
FEMALE--	19	-	-	-	-	-	-	-	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,204

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
SOUTH DAKOTA -----	1	1	-	6	6	5	2	1	-	-	-	-
WHITE-----MALE----	1	1	-	2	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	4	1	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	33	28	33	49	37	19	12	-	1	-	-
WHITE-----MALE----	23	20	12	19	23	14	11	4	-	1	-	-
FEMALE--	5	6	11	10	22	21	7	8	-	-	-	-
ALL OTHER--MALE----	1	3	4	4	2	2	-	-	-	-	-	-
FEMALE--	2	4	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	1	3	4	4	2	2	-	-	-	-	-	-
FEMALE--	2	4	1	-	2	-	-	-	-	-	-	-
TEXAS -----	129	123	126	123	125	126	69	47	18	3	-	-
WHITE-----MALE----	82	77	71	63	62	57	26	16	3	1	-	-
FEMALE--	39	33	42	42	55	61	43	27	15	2	-	-
ALL OTHER--MALE----	5	10	9	11	4	3	-	2	-	-	-	-
FEMALE--	3	3	4	7	4	5	-	2	-	-	-	-
BLACK---MALE----	4	10	8	10	3	3	-	2	-	-	-	-
FEMALE--	3	3	4	7	4	5	-	-	-	-	-	-
UTAH -----	1	2	7	11	6	8	5	2	1	-	-	-
WHITE-----MALE----	-	1	5	6	5	3	1	-	-	-	-	-
FEMALE--	1	1	1	5	1	4	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	-	3	5	1	6	-	1	-	-	-
WHITE-----MALE----	2	-	-	1	4	1	3	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	30	34	29	46	46	38	32	13	3	2	-	1
WHITE-----MALE----	18	16	18	22	27	19	17	5	-	1	-	-
FEMALE--	5	11	9	17	15	18	12	8	2	1	-	-
ALL OTHER--MALE----	4	5	1	4	2	-	1	-	-	-	-	1
FEMALE--	3	2	1	3	2	1	2	-	1	-	-	-
BLACK---MALE----	4	4	1	4	2	-	1	-	-	-	-	1
FEMALE--	3	2	1	3	2	1	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,206

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
UNITED STATES --	56	71	108	186	310	439	515	503	335	126	21	-
WHITE-----MALE----	24	33	44	79	150	183	212	174	92	31	3	-
FEMALE--	20	23	46	70	109	200	264	288	223	82	17	-
ALL OTHER--MALE----	7	5	12	18	13	17	18	19	7	3	1	-
FEMALE--	5	10	6	19	38	39	21	22	13	10	-	-
BLACK---MALE----	6	5	10	14	12	9	11	14	6	3	-	-
FEMALE--	4	10	4	16	27	31	19	21	12	9	-	-
ALABAMA -----	1	-	5	4	9	8	19	8	7	2	-	-
WHITE-----MALE----	1	-	5	1	3	5	6	-	2	-	-	-
FEMALE--	-	-	-	2	4	2	10	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	1	2	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	1	2	-	-
ALASKA -----	-	-	-	-	2	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	1	-	3	9	9	6	4	1	-	-
WHITE-----MALE----	1	1	1	-	2	4	3	3	1	-	-	-
FEMALE--	-	-	-	-	1	4	5	3	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	7	4	5	7	10	6	2	-	-
WHITE-----MALE----	-	1	-	4	1	1	3	4	2	-	-	-
FEMALE--	-	-	1	2	1	3	2	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
CALIFORNIA -----	6	9	22	24	41	62	58	47	33	14	4	-
WHITE-----MALE----	5	5	5	8	17	25	29	19	10	4	-	-
FEMALE--	1	3	14	12	16	30	22	24	22	9	4	-
ALL OTHER--MALE----	-	-	1	3	2	3	4	2	-	-	-	-
FEMALE--	-	1	2	1	6	4	3	2	1	1	-	-
BLACK---MALE----	-	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	1	3	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,207

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
COLORADO -----	1	-	2	1	6	5	5	6	6	1	-	-
WHITE-----MALE----	-	-	-	1	3	2	1	4	2	1	-	-
FEMALE--	1	-	2	-	3	3	4	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	-	-	2	2	5	10	2	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	2	6	2	1	-	-
FEMALE--	-	1	-	-	1	2	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	5	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	2	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
FLORIDA -----	3	3	5	6	16	20	29	37	15	10	1	-
WHITE-----MALE----	2	1	2	2	11	11	13	13	1	3	-	-
FEMALE--	-	-	3	3	4	7	15	19	11	7	1	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	1	-	1	1	1	1	3	2	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	1	-	1	1	1	1	3	2	-	-	-
GEORGIA -----	1	3	6	9	9	15	20	9	6	1	1	-
WHITE-----MALE----	1	2	2	4	5	4	6	1	1	-	-	-
FEMALE--	-	1	2	3	-	6	9	7	4	1	1	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	2	1	3	3	4	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	2	1	3	3	4	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,208

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
HAWAII -----	-	-	-	-	-	6	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	2	-	1	1	2	2	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	3	6	8	9	15	21	18	15	3	-	-
WHITE-----MALE----	1	2	2	2	3	10	10	10	6	-	-	-
FEMALE--	2	1	1	5	4	5	10	8	9	3	-	-
ALL OTHER--MALE----	1	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
INDIANA -----	1	2	1	4	6	6	11	6	6	3	-	-
WHITE-----MALE----	1	2	1	1	3	4	6	2	2	-	-	-
FEMALE--	-	-	-	2	2	2	5	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-
IOWA -----	-	-	1	2	5	8	5	3	7	1	2	-
WHITE-----MALE----	-	-	1	1	3	4	1	-	3	1	-	-
FEMALE--	-	-	-	-	2	3	4	3	4	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	1	-	-	1	2	4	8	4	6	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	2	2	-	-	-
FEMALE--	1	-	-	-	1	3	5	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,209

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
KENTUCKY -----	55	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	37	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	52	-	-	-	-	-	1	-	1	-	1	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	57	1	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	29	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	59	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	21	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	96	-	-	-	-	1	-	-	1	1	2	4
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	55	-	-	-	-	1	-	-	-	-	2	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,209

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
KENTUCKY -----	3	2	1	-	2	10	12	14	6	2	-	-
WHITE-----MALE----	2	1	-	-	-	3	7	1	1	1	-	-
FEMALE--	1	1	1	-	2	6	5	13	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	2	3	4	4	7	7	10	8	2	-	-
WHITE-----MALE----	1	-	1	1	3	5	3	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	6	8	2	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	2	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	2	-	-	-	-
MAINE -----	-	1	-	-	2	1	3	-	3	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MARYLAND -----	2	2	2	4	9	9	8	10	6	1	-	-
WHITE-----MALE----	1	-	-	-	4	3	1	-	1	-	-	-
FEMALE--	-	-	-	2	3	2	7	9	5	-	-	-
ALL OTHER--MALE----	1	-	2	2	1	2	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	2	-	1	-	1	-	-
BLACK---MALE----	1	-	2	2	1	2	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	2	-	1	-	1	-	-
MASSACHUSETTS -----	2	2	-	4	7	7	15	13	4	3	1	-
WHITE-----MALE----	-	2	-	2	2	2	6	3	1	2	-	-
FEMALE--	1	-	-	2	5	5	9	10	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	4	2	8	8	13	18	20	9	4	-	-
WHITE-----MALE----	-	1	-	1	3	5	4	7	1	3	-	-
FEMALE--	1	2	-	6	3	8	13	8	8	1	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	1	3	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,212

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
OHIO -----	-	4	4	8	15	18	19	25	18	12	-	-
WHITE-----MALE----	-	1	-	4	6	8	7	5	9	3	-	-
FEMALE--	-	3	3	2	8	10	12	18	8	8	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	1	1	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	1	1	1	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
OKLAHOMA -----	1	-	1	1	4	7	9	11	2	1	1	-
WHITE-----MALE----	-	-	1	-	1	2	4	1	-	-	-	-
FEMALE--	-	-	-	1	3	4	5	10	2	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
OREGON -----	1	-	4	2	4	4	10	5	8	6	-	-
WHITE-----MALE----	-	-	2	1	2	1	3	2	3	1	-	-
FEMALE--	1	-	2	1	2	3	7	3	5	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	1	9	11	28	28	23	18	3	-	-
WHITE-----MALE----	-	-	1	4	4	12	10	8	4	1	-	-
FEMALE--	1	1	-	1	7	15	18	13	13	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	1	-	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	1	-	2	1	-	-	-
RHODE ISLAND -----	-	-	-	-	1	1	4	3	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	1	1	6	6	10	3	7	1	1	-
WHITE-----MALE----	-	1	-	-	3	2	3	1	1	-	-	-
FEMALE--	-	-	-	-	2	3	6	2	4	1	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	2	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,213

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
SOUTH DAKOTA -----	1	-	-	-	2	1	-	2	1	1	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	2	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	6	4	13	11	12	14	12	7	-	2	-
WHITE-----MALE----	1	4	1	6	6	6	8	3	2	-	2	-
FEMALE--	2	1	3	5	3	6	5	8	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	2	-	-	1	-	-	-	-
TEXAS -----	5	6	6	13	22	18	24	36	23	15	-	-
WHITE-----MALE----	3	4	2	7	15	7	11	17	7	2	-	-
FEMALE--	2	1	3	5	3	11	10	17	15	9	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	4	-	1	2	1	3	-	-
BLACK---MALE----	-	1	1	1	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	4	-	1	2	1	3	-	-
UTAH -----	-	-	1	1	3	5	3	3	2	-	-	-
WHITE-----MALE----	-	-	1	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	2	2	9	9	15	14	5	1	-	-
WHITE-----MALE----	-	-	1	1	5	4	10	7	-	-	-	-
FEMALE--	-	-	1	1	1	4	5	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	3	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,215

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
UNITED STATES --	24,837	154	64	19	28	47	65	123	233	491	815	1,081
WHITE-----MALE----	10,134	62	27	10	8	20	19	42	97	234	409	578
FEMALE--	11,070	47	18	5	10	12	23	39	60	116	203	229
ALL OTHER--MALE----	1,866	20	12	1	3	6	7	29	34	75	119	184
FEMALE--	1,767	25	7	3	7	9	16	13	42	66	84	90
BLACK---MALE----	1,601	19	10	1	2	5	5	27	27	65	102	163
FEMALE--	1,533	25	5	2	7	8	13	12	39	62	71	77
ALABAMA -----	492	4	-	-	-	-	1	5	2	11	17	19
WHITE-----MALE----	155	2	-	-	-	-	-	-	1	5	6	9
FEMALE--	198	-	-	-	-	-	-	1	-	2	5	5
ALL OTHER--MALE----	60	-	-	-	-	-	-	2	-	2	4	2
FEMALE--	79	2	-	-	-	-	1	2	1	2	2	3
BLACK---MALE----	59	-	-	-	-	-	-	2	-	2	3	2
FEMALE--	77	2	-	-	-	-	1	2	1	2	2	2
ALASKA -----	33	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	433	2	1	-	-	-	1	1	6	10	15	23
WHITE-----MALE----	201	-	-	-	-	-	1	-	3	2	6	13
FEMALE--	183	1	-	-	-	-	-	1	-	3	7	3
ALL OTHER--MALE----	22	-	1	-	-	-	-	-	2	4	-	2
FEMALE--	27	1	-	-	-	-	-	-	1	1	2	5
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	295	1	-	-	-	2	2	2	1	4	10	14
WHITE-----MALE----	132	-	-	-	-	-	1	1	1	4	6	7
FEMALE--	120	1	-	-	-	2	-	-	-	-	3	6
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	1	1	-	-	-	1
CALIFORNIA -----	1,550	14	7	2	5	4	9	13	18	21	71	63
WHITE-----MALE----	640	7	3	1	3	1	3	5	10	8	39	37
FEMALE--	701	4	3	1	-	2	4	5	4	8	22	13
ALL OTHER--MALE----	122	2	1	-	1	-	1	3	3	2	9	7
FEMALE--	87	1	-	-	1	1	1	-	1	3	1	6
BLACK---MALE----	55	1	-	-	-	-	-	3	2	2	5	4
FEMALE--	43	1	-	-	1	-	1	-	1	2	-	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,215

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
UNITED STATES --	1,182	1,205	1,486	2,000	2,582	3,116	3,496	3,260	2,326	900	163	1
WHITE-----MALE----	573	575	710	950	1,166	1,361	1,435	1,081	587	166	23	1
FEMALE--	318	375	490	701	1,044	1,391	1,750	1,895	1,555	666	123	-
ALL OTHER--MALE----	186	150	184	186	189	173	138	104	51	11	4	-
FEMALE--	105	105	102	163	183	191	173	180	133	57	13	-
BLACK---MALE----	165	130	161	155	166	145	116	82	44	7	4	-
FEMALE--	95	95	85	132	155	159	153	161	118	47	12	-
ALABAMA -----	21	29	26	58	46	62	66	66	46	11	2	-
WHITE-----MALE----	9	12	12	19	12	22	17	17	11	1	-	-
FEMALE--	1	8	7	20	25	29	32	30	25	8	-	-
ALL OTHER--MALE----	8	7	4	11	4	3	3	4	5	-	1	-
FEMALE--	3	2	3	8	5	8	14	15	5	2	1	-
BLACK---MALE----	8	7	4	11	4	3	3	4	5	-	1	-
FEMALE--	3	2	3	8	5	8	14	14	5	2	1	-
ALASKA -----	2	4	1	7	6	2	3	1	2	-	-	-
WHITE-----MALE----	2	2	-	-	2	1	1	-	1	-	-	-
FEMALE--	-	1	-	2	3	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	3	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	14	30	52	46	47	65	49	32	16	-	-
WHITE-----MALE----	11	6	13	34	18	30	34	20	8	2	-	-
FEMALE--	9	6	12	12	22	15	29	26	23	14	-	-
ALL OTHER--MALE----	1	1	2	4	1	2	1	-	1	-	-	-
FEMALE--	2	1	3	2	5	-	1	3	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
ARKANSAS -----	15	22	13	19	28	41	35	37	38	6	5	-
WHITE-----MALE----	8	15	5	10	14	21	14	13	11	1	-	-
FEMALE--	3	4	5	4	8	18	17	17	24	4	4	-
ALL OTHER--MALE----	3	-	3	4	5	1	2	3	1	-	1	-
FEMALE--	1	3	-	1	1	1	2	4	2	1	-	-
BLACK---MALE----	3	-	3	4	5	1	2	3	1	-	1	-
FEMALE--	1	3	-	1	1	1	2	4	2	1	-	-
CALIFORNIA -----	90	88	102	122	157	206	188	193	133	39	5	-
WHITE-----MALE----	43	41	48	66	65	87	68	65	32	6	2	-
FEMALE--	29	32	40	35	74	87	103	115	87	30	3	-
ALL OTHER--MALE----	12	12	9	10	10	16	9	10	3	2	-	-
FEMALE--	6	3	5	11	8	16	8	3	11	1	-	-
BLACK---MALE----	8	7	2	6	4	4	4	2	-	1	-	-
FEMALE--	4	1	3	4	3	7	4	-	6	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,216

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
COLORADO -----	391	1	1	1	1	2	-	1	2	10	18	20
WHITE-----MALE----	180	-	-	-	-	2	-	1	2	7	9	13
FEMALE--	187	1	1	-	-	-	-	-	-	2	5	7
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	13	-	-	1	1	-	-	-	-	1	2	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	1	-	-	-	-	-	1	-
CONNECTICUT -----	450	-	1	-	-	-	2	-	3	7	12	13
WHITE-----MALE----	189	-	1	-	-	-	-	-	-	2	7	4
FEMALE--	227	-	-	-	1	-	1	-	2	3	4	6
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	22	-	-	-	-	-	1	-	1	2	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	21	-	-	-	-	-	1	-	1	2	-	-
DELAWARE -----	74	-	-	-	-	-	1	1	1	3	-	2
WHITE-----MALE----	32	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	2
DISTRICT OF COLUMBIA ----	113	-	-	-	-	-	-	3	1	4	4	5
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	55	-	-	-	-	-	-	2	1	1	1	3
FEMALE--	42	-	-	-	-	-	-	-	-	3	2	-
BLACK---MALE----	55	-	-	-	-	-	-	2	1	1	1	3
FEMALE--	42	-	-	-	-	-	-	-	-	3	2	-
FLORIDA -----	1,379	10	4	-	3	2	2	4	14	20	42	64
WHITE-----MALE----	624	3	2	-	-	1	2	1	6	10	19	35
FEMALE--	584	4	2	-	2	-	-	2	3	3	11	15
ALL OTHER--MALE----	88	2	-	-	-	-	-	1	2	4	3	11
FEMALE--	83	1	-	-	1	1	-	-	3	3	9	3
BLACK---MALE----	85	2	-	-	-	-	-	1	2	4	3	11
FEMALE--	75	1	-	-	1	1	-	-	2	3	8	3
GEORGIA -----	765	6	4	-	1	1	2	6	13	20	38	57
WHITE-----MALE----	260	3	1	-	-	-	-	4	3	5	16	24
FEMALE--	279	1	1	-	-	-	1	1	5	4	4	11
ALL OTHER--MALE----	110	1	2	-	-	1	-	1	-	7	10	11
FEMALE--	116	1	-	-	1	-	1	-	5	4	8	11
BLACK---MALE----	109	1	2	-	-	1	-	1	-	7	10	11
FEMALE--	115	1	-	-	1	-	1	-	5	4	8	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,216

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	26	15	18	22	49	42	54	59	39	10	-	-
WHITE-----MALE----	15	6	10	14	21	20	21	24	13	2	-	-
FEMALE--	8	7	6	6	25	19	31	35	26	8	-	-
ALL OTHER--MALE----	2	2	-	1	1	3	-	-	-	-	-	-
FEMALE--	1	-	2	1	2	-	2	-	-	-	-	-
BLACK---MALE----	2	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	2	-	-	-	-	-
CONNECTICUT -----	27	22	16	30	48	58	62	79	45	19	5	-
WHITE-----MALE----	17	8	10	17	27	23	26	32	11	4	-	-
FEMALE--	8	10	5	13	14	32	35	44	30	15	4	-
ALL OTHER--MALE----	1	2	1	-	3	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	4	2	1	3	4	-	1	-
BLACK---MALE----	1	2	1	-	3	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	4	2	1	2	4	-	1	-
DELAWARE -----	4	6	6	9	9	9	8	5	5	4	1	-
WHITE-----MALE----	-	3	4	3	4	5	3	4	-	2	-	-
FEMALE--	1	1	2	5	5	3	3	1	5	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	3	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	3	2	-	-	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	12	5	8	9	14	14	10	8	11	3	2	-
WHITE-----MALE----	1	-	-	-	1	1	2	-	2	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	2	-	-	-
ALL OTHER--MALE----	7	3	6	5	10	7	5	3	-	-	1	-
FEMALE--	4	2	2	3	2	6	3	4	7	3	1	-
BLACK---MALE----	7	3	6	5	10	7	5	3	-	-	1	-
FEMALE--	4	2	2	3	2	6	3	4	7	3	1	-
FLORIDA -----	69	68	92	124	155	169	207	173	101	44	12	-
WHITE-----MALE----	44	39	47	57	65	73	103	62	37	14	4	-
FEMALE--	16	16	24	53	71	81	91	98	57	27	8	-
ALL OTHER--MALE----	4	6	14	7	8	9	10	6	1	-	-	-
FEMALE--	5	7	7	7	11	6	3	7	6	3	-	-
BLACK---MALE----	4	5	14	7	7	9	10	5	1	-	-	-
FEMALE--	5	7	4	6	9	6	3	7	6	3	-	-
GEORGIA -----	53	45	52	69	76	79	81	92	47	19	4	-
WHITE-----MALE----	16	16	30	30	30	27	27	16	10	2	-	-
FEMALE--	9	14	12	21	22	38	36	54	27	15	3	-
ALL OTHER--MALE----	17	9	7	9	13	6	6	5	4	-	1	-
FEMALE--	11	6	3	9	11	8	12	17	6	2	-	-
BLACK---MALE----	16	9	7	9	13	6	6	5	4	-	1	-
FEMALE--	11	6	3	9	11	7	12	17	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,217

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
HAWAII -----	105	-	1	-	-	-	-	-	1	1	4	3
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	37	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	111	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	61	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,150	8	2	1	3	3	5	6	12	23	38	66
WHITE-----MALE----	486	3	2	1	-	2	1	1	3	12	21	40
FEMALE--	467	1	-	-	2	-	3	1	1	4	7	14
ALL OTHER--MALE----	101	2	-	-	-	-	1	4	4	5	6	9
FEMALE--	96	2	-	-	1	1	-	-	4	2	4	3
BLACK---MALE----	92	2	-	-	-	-	1	3	4	4	6	8
FEMALE--	90	2	-	-	1	1	-	-	4	2	4	3
INDIANA -----	638	1	2	1	-	2	-	1	12	17	28	26
WHITE-----MALE----	255	1	-	-	-	-	-	-	4	8	18	14
FEMALE--	319	-	2	-	-	2	-	1	4	5	5	9
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	2	3	3	2
FEMALE--	28	-	-	1	-	-	-	-	2	1	2	1
BLACK---MALE----	36	-	-	-	-	-	-	-	2	3	3	2
FEMALE--	28	-	-	1	-	-	-	-	2	1	2	1
IOWA -----	257	1	1	-	-	1	-	-	-	2	4	5
WHITE-----MALE----	107	-	1	-	-	1	-	-	-	1	4	4
FEMALE--	149	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	293	1	1	-	-	-	-	-	2	8	5	18
WHITE-----MALE----	131	1	1	-	-	-	-	-	-	5	4	9
FEMALE--	139	-	-	-	-	-	-	-	2	1	-	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,217

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	9	5	5	9	10	18	13	12	8	5	1	-
WHITE-----MALE----	4	-	-	2	2	3	2	2	-	-	-	-
FEMALE--	-	1	-	-	2	4	3	2	1	-	-	-
ALL OTHER--MALE----	3	3	4	5	3	4	3	4	2	2	-	-
FEMALE--	2	1	1	2	3	7	5	4	5	3	1	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	8	9	9	12	11	20	21	9	6	-	-
WHITE-----MALE----	2	5	5	4	4	7	9	8	3	-	-	-
FEMALE--	-	3	4	5	8	4	11	13	6	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	52	52	75	88	121	151	173	133	94	40	4	-
WHITE-----MALE----	25	28	32	39	59	66	74	46	24	7	-	-
FEMALE--	14	11	21	25	38	66	86	75	65	30	3	-
ALL OTHER--MALE----	9	5	16	9	11	6	5	6	3	-	-	-
FEMALE--	4	8	6	15	13	13	8	6	2	3	1	-
BLACK---MALE----	9	3	16	9	10	4	4	6	3	-	-	-
FEMALE--	3	8	6	13	12	12	7	6	2	3	1	-
INDIANA -----	35	20	39	47	84	72	80	74	72	20	5	-
WHITE-----MALE----	20	7	22	20	39	26	36	25	12	3	-	-
FEMALE--	8	11	14	21	38	44	39	45	52	15	4	-
ALL OTHER--MALE----	6	-	2	4	4	2	4	1	3	-	-	-
FEMALE--	1	2	1	2	3	-	1	3	5	2	1	-
BLACK---MALE----	6	-	2	4	4	2	4	1	3	-	-	-
FEMALE--	1	2	1	2	3	-	1	3	5	2	1	-
IOWA -----	6	7	9	20	17	30	49	43	41	17	4	-
WHITE-----MALE----	5	5	4	12	7	15	20	19	7	2	-	-
FEMALE--	1	2	5	8	10	15	29	24	34	15	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	9	6	15	22	25	41	45	45	33	14	3	-
WHITE-----MALE----	5	5	3	11	11	21	20	19	13	3	-	-
FEMALE--	3	1	9	7	13	18	22	25	19	11	3	-
ALL OTHER--MALE----	1	-	2	3	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	1	-	-	-
BLACK---MALE----	1	-	2	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,218

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
KENTUCKY -----	415	3	2	-	-	-	-	3	1	11	14	17
WHITE-----MALE----	164	1	1	-	-	-	-	2	-	8	10	11
FEMALE--	205	-	1	-	-	-	-	-	-	2	2	5
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	22	2	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	22	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	21	2	-	-	-	-	-	-	1	-	2	-
LOUISIANA -----	476	2	3	-	1	3	2	5	5	19	17	17
WHITE-----MALE----	162	-	-	-	-	2	1	-	1	9	4	8
FEMALE--	179	-	-	-	1	1	-	1	1	4	2	3
ALL OTHER--MALE----	73	-	2	-	-	-	-	4	2	2	9	6
FEMALE--	62	2	1	-	-	-	1	-	1	4	2	-
BLACK---MALE----	72	-	2	-	-	-	-	4	2	2	9	6
FEMALE--	61	2	1	-	-	-	1	-	1	4	2	-
MAINE -----	140	2	-	-	-	-	1	-	1	1	-	5
WHITE-----MALE----	63	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	76	2	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	466	2	-	-	-	1	1	1	2	12	13	22
WHITE-----MALE----	142	-	-	-	-	-	-	-	1	4	2	5
FEMALE--	178	-	-	-	-	-	-	1	-	-	2	5
ALL OTHER--MALE----	79	1	-	-	-	-	-	-	1	5	4	9
FEMALE--	67	1	-	-	-	1	1	-	-	3	5	3
BLACK---MALE----	76	1	-	-	-	-	-	-	1	5	4	9
FEMALE--	63	1	-	-	-	1	1	-	-	3	5	3
MASSACHUSETTS -----	798	2	3	-	-	3	1	4	5	16	34	30
WHITE-----MALE----	373	1	2	-	-	1	-	2	4	10	20	26
FEMALE--	383	-	1	-	-	1	-	-	1	4	11	2
ALL OTHER--MALE----	20	1	-	-	-	1	-	2	-	1	1	2
FEMALE--	22	-	-	-	-	-	1	-	-	1	2	-
BLACK---MALE----	17	1	-	-	-	1	-	2	-	-	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	1	2	-
MICHIGAN -----	995	5	2	1	2	2	3	5	9	21	28	42
WHITE-----MALE----	411	-	1	-	-	2	1	-	4	6	15	24
FEMALE--	422	5	-	-	1	-	1	3	1	5	4	9
ALL OTHER--MALE----	90	-	1	1	1	-	-	1	1	6	7	7
FEMALE--	72	-	-	-	-	-	-	1	3	4	2	2
BLACK---MALE----	86	-	1	1	1	-	-	1	1	6	7	7
FEMALE--	68	-	-	-	-	-	1	1	3	4	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,218

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	18	24	24	41	41	57	53	46	42	16	2	-
WHITE-----MALE----	7	15	14	21	22	14	18	9	10	-	1	-
FEMALE--	11	8	5	16	15	36	29	30	29	15	1	-
ALL OTHER--MALE----	-	-	5	3	3	5	1	4	-	-	-	-
FEMALE--	-	1	-	1	1	2	5	3	3	1	-	-
BLACK---MALE----	-	-	4	2	3	5	1	4	-	-	-	-
FEMALE--	-	1	-	1	-	2	5	3	3	1	-	-
LOUISIANA -----	23	28	39	44	54	59	67	47	26	13	2	-
WHITE-----MALE----	8	9	15	21	26	21	18	11	6	2	-	-
FEMALE--	6	7	11	12	16	23	38	26	15	10	2	-
ALL OTHER--MALE----	5	8	7	7	3	8	6	3	1	-	-	-
FEMALE--	4	4	6	4	9	7	5	7	4	1	-	-
BLACK---MALE----	5	8	7	7	3	8	6	2	1	-	-	-
FEMALE--	4	4	5	4	9	7	5	7	4	1	-	-
MAINE -----	4	9	5	12	18	16	22	17	18	9	-	-
WHITE-----MALE----	2	7	4	8	11	7	11	3	3	3	-	-
FEMALE--	2	2	1	4	7	8	11	14	15	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	29	37	43	51	57	63	54	38	17	2	-
WHITE-----MALE----	8	13	8	10	19	26	21	16	6	3	-	-
FEMALE--	3	5	6	15	21	20	32	28	26	12	2	-
ALL OTHER--MALE----	5	6	15	13	6	6	3	5	-	-	-	-
FEMALE--	5	5	8	5	5	5	7	5	6	2	-	-
BLACK---MALE----	5	6	14	12	6	6	2	5	-	-	-	-
FEMALE--	5	5	7	5	4	5	7	3	6	2	-	-
MASSACHUSETTS -----	50	29	53	58	80	102	123	102	68	27	8	-
WHITE-----MALE----	30	14	29	29	41	42	51	38	26	5	2	-
FEMALE--	17	13	21	23	36	54	71	59	41	22	6	-
ALL OTHER--MALE----	2	2	2	2	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	4	2	4	-	5	1	-	-	-
BLACK---MALE----	2	2	2	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	4	1	2	-	3	-	-	-	-
MICHIGAN -----	56	35	46	79	92	154	152	116	95	43	7	-
WHITE-----MALE----	27	12	24	37	47	78	59	40	23	11	-	-
FEMALE--	11	14	12	28	30	59	77	63	63	30	6	-
ALL OTHER--MALE----	14	2	8	7	10	9	8	5	2	-	-	-
FEMALE--	4	7	2	7	5	8	8	8	7	2	1	-
BLACK---MALE----	14	2	7	6	10	8	7	5	2	-	-	-
FEMALE--	4	6	2	5	5	8	8	8	7	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,219

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	8	22	23	22	36	53	61	68	57	19	5	-
WHITE-----MALE----	4	8	15	10	18	33	27	30	18	3	2	-
FEMALE--	2	9	8	10	15	20	33	37	38	16	3	-
ALL OTHER--MALE----	2	4	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	2	-	-	1	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
MISSISSIPPI -----	26	20	18	30	24	36	28	29	24	9	4	-
WHITE-----MALE----	10	7	9	13	6	12	10	11	5	-	-	-
FEMALE--	4	6	5	8	9	17	14	13	15	7	3	-
ALL OTHER--MALE----	7	5	3	5	5	4	1	1	-	1	-	-
FEMALE--	5	2	1	4	4	3	3	4	4	1	1	-
BLACK---MALE----	7	5	3	5	5	4	1	1	-	1	-	-
FEMALE--	5	2	1	4	4	3	3	4	4	1	1	-
MISSOURI -----	19	28	28	50	49	76	79	78	70	25	6	-
WHITE-----MALE----	7	17	12	27	31	43	38	24	14	3	-	-
FEMALE--	9	5	12	17	12	29	39	52	52	22	6	-
ALL OTHER--MALE----	2	6	2	5	4	2	-	1	1	-	-	-
FEMALE--	1	-	2	1	2	2	2	1	3	-	-	-
BLACK---MALE----	2	6	2	5	4	2	-	1	1	-	-	-
FEMALE--	1	-	1	1	2	2	2	1	3	-	-	-
MONTANA -----	4	3	-	8	15	13	9	16	13	5	-	-
WHITE-----MALE----	3	1	-	3	10	5	4	2	4	1	-	-
FEMALE--	1	1	-	4	5	8	3	13	9	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	4	7	10	17	20	22	34	29	13	5	-
WHITE-----MALE----	3	2	4	6	8	9	7	16	7	3	1	-
FEMALE--	4	2	3	3	9	11	14	17	22	10	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
NEVADA -----	9	9	14	27	20	26	18	11	9	4	-	-
WHITE-----MALE----	6	6	7	19	8	15	7	2	2	2	-	-
FEMALE--	3	3	5	6	10	9	10	8	6	2	-	-
ALL OTHER--MALE----	-	-	1	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,221

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
OHIO -----	1,160	9	2	1	-	1	1	2	11	12	27	50
WHITE-----MALE----	469	3	1	1	-	-	-	-	3	7	20	26
FEMALE--	570	4	1	-	-	1	-	2	6	4	4	10
ALL OTHER--MALE----	61	2	-	-	-	-	1	-	2	-	1	8
FEMALE--	60	-	-	-	-	-	-	-	-	1	2	6
BLACK---MALE----	59	2	-	-	-	-	1	-	2	-	1	8
FEMALE--	58	-	-	-	-	-	-	-	-	1	2	6
OKLAHOMA -----	377	4	3	-	-	1	3	6	3	5	16	13
WHITE-----MALE----	160	-	1	-	-	1	-	4	1	3	11	7
FEMALE--	174	3	1	-	-	-	2	2	-	2	2	1
ALL OTHER--MALE----	21	-	1	-	-	-	1	-	1	-	1	3
FEMALE--	22	1	-	-	-	-	-	-	1	-	2	2
BLACK---MALE----	11	-	1	-	-	-	-	-	-	-	1	3
FEMALE--	12	1	-	-	-	-	-	-	1	-	-	1
OREGON -----	314	-	2	-	-	1	1	1	2	9	6	11
WHITE-----MALE----	140	-	1	-	-	1	-	1	2	4	4	8
FEMALE--	161	-	-	-	-	-	1	-	-	5	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,509	9	4	2	-	-	4	7	7	20	35	50
WHITE-----MALE----	624	2	3	1	-	-	1	1	2	11	20	28
FEMALE--	710	3	-	1	-	-	3	2	1	6	4	11
ALL OTHER--MALE----	97	2	1	-	-	-	-	2	2	2	8	9
FEMALE--	78	2	-	-	-	-	-	2	2	1	3	2
BLACK---MALE----	89	2	1	-	-	-	-	2	2	1	7	9
FEMALE--	74	2	-	-	-	-	-	2	2	1	3	2
RHODE ISLAND -----	115	-	-	-	-	-	-	-	-	1	1	5
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	49	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	401	4	-	-	-	1	2	1	6	8	22	23
WHITE-----MALE----	132	1	-	-	-	1	1	-	2	3	5	8
FEMALE--	145	-	-	-	-	-	-	1	1	1	9	2
ALL OTHER--MALE----	65	3	-	-	-	-	-	-	2	2	5	7
FEMALE--	59	-	-	-	-	-	1	-	1	2	3	6
BLACK---MALE----	65	3	-	-	-	-	-	-	2	2	5	7
FEMALE--	59	-	-	-	-	-	1	-	1	2	3	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,221

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	52	55	67	78	138	154	178	150	115	47	10	-
WHITE-----MALE----	31	25	31	38	69	81	63	40	23	6	1	-
FEMALE--	14	24	26	25	50	65	103	101	86	36	8	-
ALL OTHER--MALE----	3	2	5	8	11	5	5	5	2	1	-	-
FEMALE--	4	4	5	7	8	3	7	4	4	4	1	-
BLACK---MALE----	3	2	5	8	10	5	4	5	2	1	-	-
FEMALE--	3	3	5	7	8	3	7	4	4	4	1	-
OKLAHOMA -----	20	19	20	32	33	40	56	57	37	9	-	-
WHITE-----MALE----	10	8	8	13	18	21	21	22	9	2	-	-
FEMALE--	4	8	5	18	14	17	31	32	25	7	-	-
ALL OTHER--MALE----	5	2	3	-	1	1	2	-	-	-	-	-
FEMALE--	1	1	4	1	-	1	2	3	3	-	-	-
BLACK---MALE----	1	2	1	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	2	3	1	-	-	-
OREGON -----	14	12	18	13	30	34	52	55	39	13	1	-
WHITE-----MALE----	5	5	14	6	14	16	21	25	11	2	-	-
FEMALE--	7	6	4	5	16	18	29	29	27	11	1	-
ALL OTHER--MALE----	2	1	-	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	60	82	76	124	158	195	235	220	157	54	10	-
WHITE-----MALE----	27	36	48	64	72	77	109	67	44	9	2	-
FEMALE--	11	24	20	49	63	99	115	143	106	42	7	-
ALL OTHER--MALE----	15	11	3	3	14	14	6	3	2	-	-	-
FEMALE--	7	11	5	8	9	5	5	7	5	3	1	-
BLACK---MALE----	14	11	2	3	13	12	5	3	2	-	-	-
FEMALE--	7	10	5	7	9	5	5	6	4	3	1	-
RHODE ISLAND -----	4	4	10	8	9	17	19	22	8	6	1	-
WHITE-----MALE----	2	3	6	5	9	10	13	10	2	1	-	-
FEMALE--	2	1	4	3	-	7	6	12	6	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	22	30	24	44	45	60	46	31	24	8	-	-
WHITE-----MALE----	14	13	12	19	17	12	13	6	2	3	-	-
FEMALE--	3	7	5	9	13	27	23	20	20	4	-	-
ALL OTHER--MALE----	4	5	4	8	10	10	4	-	1	-	-	-
FEMALE--	1	5	3	8	5	11	6	5	1	1	-	-
BLACK---MALE----	4	5	4	8	10	10	4	-	1	-	-	-
FEMALE--	1	5	3	8	5	11	6	5	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,222

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
SOUTH DAKOTA -----	73	-	-	-	-	-	-	1	-	-	2	3
WHITE-----MALE----	30	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	492	2	-	1	1	-	5	-	6	11	14	21
WHITE-----MALE----	197	2	-	-	-	-	-	-	3	7	3	10
FEMALE--	221	-	-	1	-	-	1	-	1	2	7	5
ALL OTHER--MALE----	37	-	-	-	-	-	2	-	-	2	3	4
FEMALE--	37	-	-	-	1	-	2	-	2	-	1	2
BLACK---MALE----	37	-	-	-	-	-	2	-	-	2	3	4
FEMALE--	37	-	-	-	1	-	2	-	2	-	1	2
TEXAS -----	1,408	19	4	1	1	3	2	12	16	35	62	76
WHITE-----MALE----	585	11	1	1	1	-	1	6	7	20	34	47
FEMALE--	635	6	-	-	-	-	1	3	6	9	18	17
ALL OTHER--MALE----	87	-	1	-	-	3	-	2	2	3	6	8
FEMALE--	101	2	2	-	-	-	-	1	1	3	4	4
BLACK---MALE----	85	-	1	-	-	3	-	2	1	3	6	8
FEMALE--	94	2	2	-	-	-	-	1	1	3	4	3
UTAH -----	147	2	-	-	-	-	1	1	-	4	2	5
WHITE-----MALE----	67	2	-	-	-	-	1	-	-	2	1	2
FEMALE--	76	-	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	59	-	1	-	-	-	-	-	-	2	1	3
WHITE-----MALE----	31	-	1	-	-	-	-	-	-	1	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	670	2	-	-	2	-	-	3	4	14	20	31
WHITE-----MALE----	227	1	-	-	1	-	-	1	2	7	8	17
FEMALE--	280	-	-	-	-	-	-	-	1	3	4	7
ALL OTHER--MALE----	83	-	-	-	-	-	-	1	1	4	7	5
FEMALE--	80	1	-	-	1	-	-	1	-	-	1	2
BLACK---MALE----	74	-	-	-	-	-	-	1	1	3	5	5
FEMALE--	78	1	-	-	1	-	-	1	-	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,222

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
SOUTH DAKOTA -----	2	3	3	5	8	13	14	9	7	3	-	-
WHITE-----MALE----	1	3	1	1	6	7	3	5	1	-	-	-
FEMALE--	-	-	1	2	2	5	10	4	6	3	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	21	30	56	57	69	64	61	40	14	2	-
WHITE-----MALE----	10	7	14	27	31	28	22	19	13	1	-	-
FEMALE--	4	10	10	23	19	29	36	36	23	12	2	-
ALL OTHER--MALE----	1	2	4	4	3	4	2	3	3	-	-	-
FEMALE--	2	2	2	2	4	8	4	3	1	1	-	-
BLACK---MALE----	1	2	4	4	3	4	2	3	3	-	-	-
FEMALE--	2	2	2	2	4	8	4	3	1	1	-	-
TEXAS -----	70	64	87	96	137	172	178	190	121	55	7	-
WHITE-----MALE----	39	35	33	43	53	67	82	58	33	12	1	-
FEMALE--	19	20	43	39	65	82	77	111	77	37	5	-
ALL OTHER--MALE----	6	7	9	7	8	6	7	5	5	2	-	-
FEMALE--	6	2	2	7	11	17	12	16	6	4	1	-
BLACK---MALE----	6	7	9	7	8	5	7	5	5	2	-	-
FEMALE--	6	2	2	7	10	14	10	16	6	4	1	-
UTAH -----	8	5	3	20	13	24	14	22	18	4	1	-
WHITE-----MALE----	6	-	2	9	4	10	8	12	5	2	1	-
FEMALE--	2	4	1	11	7	14	6	10	13	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	3	1	5	6	2	9	12	6	5	1	-
WHITE-----MALE----	1	2	-	4	5	1	7	3	1	2	-	-
FEMALE--	1	1	1	1	1	1	2	9	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	41	58	52	90	88	70	92	53	20	6	-
WHITE-----MALE----	9	20	19	18	34	32	32	19	6	1	-	-
FEMALE--	2	11	17	18	36	33	30	59	40	15	4	-
ALL OTHER--MALE----	9	6	14	10	6	10	4	2	4	-	-	-
FEMALE--	4	4	8	6	14	13	4	12	3	4	2	-
BLACK---MALE----	8	6	14	8	5	10	3	1	4	-	-	-
FEMALE--	3	4	8	6	13	13	4	12	3	4	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,224

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
UNITED STATES --	48,377	161	22	13	11	30	51	103	176	312	478	747
WHITE-----MALE----	17,120	52	9	6	5	9	12	28	51	92	154	258
FEMALE--	22,290	53	4	4	5	6	20	30	54	82	104	169
ALL OTHER--MALE----	3,863	28	5	1	1	8	8	22	37	73	138	198
FEMALE--	5,104	28	4	2	-	7	11	23	34	65	82	122
BLACK---MALE----	3,495	27	5	1	1	8	7	20	35	69	130	180
FEMALE--	4,632	22	4	2	-	7	10	19	30	62	76	112
ALABAMA -----	1,167	1	1	-	1	1	2	5	4	13	19	10
WHITE-----MALE----	361	-	-	-	-	1	1	3	1	3	4	3
FEMALE--	428	1	-	-	1	-	-	-	1	3	2	2
ALL OTHER--MALE----	145	-	1	-	-	-	1	-	-	4	7	2
FEMALE--	233	-	-	-	-	-	-	2	2	3	6	3
BLACK---MALE----	145	-	1	-	-	-	1	-	-	4	7	2
FEMALE--	232	-	-	-	-	-	-	2	2	3	5	3
ALASKA -----	24	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	696	1	-	-	-	-	1	1	2	7	7	13
WHITE-----MALE----	301	1	-	-	-	-	1	1	1	3	3	4
FEMALE--	323	-	-	-	-	-	-	-	-	1	3	7
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	45	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	1
ARKANSAS -----	635	5	1	-	-	-	-	-	2	6	3	13
WHITE-----MALE----	205	3	-	-	-	-	-	-	-	1	2	6
FEMALE--	299	-	1	-	-	-	-	-	1	2	-	4
ALL OTHER--MALE----	57	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	74	1	-	-	-	-	-	-	1	2	-	2
BLACK---MALE----	56	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	74	1	-	-	-	-	-	-	1	2	-	2
CALIFORNIA -----	3,709	24	2	2	-	5	7	10	16	24	39	69
WHITE-----MALE----	1,221	5	2	1	-	3	2	4	4	5	19	19
FEMALE--	1,871	11	-	-	-	1	4	3	6	10	9	22
ALL OTHER--MALE----	270	5	-	1	-	1	1	2	2	5	9	16
FEMALE--	347	3	-	-	-	-	-	1	4	4	2	12
BLACK---MALE----	167	4	-	1	-	1	-	1	2	4	8	12
FEMALE--	187	3	-	-	-	-	-	-	2	2	2	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,224
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
UNITED STATES --	921	1,279	1,829	2,994	5,141	7,293	9,074	8,957	5,970	2,292	522	1
WHITE-----MALE----	327	419	632	1,156	2,013	2,908	3,565	3,091	1,705	539	89	-
FEMALE--	249	371	598	1,028	1,944	3,077	4,285	4,777	3,613	1,478	339	-
ALL OTHER--MALE----	177	262	308	361	491	568	482	384	203	83	24	1
FEMALE--	168	227	291	449	693	740	742	705	449	192	70	-
BLACK---MALE----	155	243	291	335	438	517	425	336	180	69	22	1
FEMALE--	156	206	263	406	628	669	662	634	421	181	62	-
ALABAMA -----	20	25	48	84	141	156	214	223	132	52	15	-
WHITE-----MALE----	7	9	17	35	49	56	75	51	33	10	3	-
FEMALE--	2	5	12	22	40	52	89	106	63	24	3	-
ALL OTHER--MALE----	7	7	8	13	17	18	15	24	11	4	6	-
FEMALE--	4	4	11	14	35	30	35	42	25	14	3	-
BLACK---MALE----	7	7	8	13	17	18	15	24	11	4	6	-
FEMALE--	4	4	11	14	35	30	35	42	25	14	3	-
ALASKA -----	2	1	-	5	4	4	3	2	2	-	-	-
WHITE-----MALE----	1	1	-	4	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	21	37	45	94	103	138	114	71	19	6	-
WHITE-----MALE----	7	11	12	20	49	48	61	49	25	4	1	-
FEMALE--	7	6	13	18	38	51	67	57	42	11	2	-
ALL OTHER--MALE----	1	2	2	1	2	-	5	5	3	2	1	-
FEMALE--	1	2	10	6	5	4	5	3	1	2	2	-
BLACK---MALE----	-	-	1	1	1	-	2	2	-	-	-	-
FEMALE--	1	-	2	1	1	2	-	2	-	1	-	-
ARKANSAS -----	8	13	30	34	58	92	136	126	78	24	6	-
WHITE-----MALE----	3	3	12	14	26	28	44	42	16	3	2	-
FEMALE--	2	5	9	11	21	38	69	67	47	19	3	-
ALL OTHER--MALE----	1	3	6	3	3	10	11	8	8	-	-	-
FEMALE--	2	2	3	6	8	16	12	9	7	2	1	-
BLACK---MALE----	1	2	6	3	3	10	11	8	8	-	-	-
FEMALE--	2	2	3	6	8	16	12	9	7	2	1	-
CALIFORNIA -----	80	88	136	231	383	518	726	687	439	181	42	-
WHITE-----MALE----	36	27	46	87	137	178	254	242	105	44	1	-
FEMALE--	25	31	60	95	166	251	365	361	297	117	37	-
ALL OTHER--MALE----	8	15	10	16	38	39	50	27	14	10	1	-
FEMALE--	11	15	20	33	42	50	57	57	23	10	3	-
BLACK---MALE----	5	11	8	11	22	30	22	13	8	4	-	-
FEMALE--	4	11	13	19	22	26	27	30	11	7	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,225

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
COLORADO -----	479	4	-	-	-	-	1	3	2	2	4	8
WHITE-----MALE----	213	1	-	-	-	-	-	1	1	1	3	5
FEMALE--	242	1	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	9	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	15	1	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	8	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	1	1
CONNECTICUT -----	623	-	1	-	-	-	-	2	1	1	7	8
WHITE-----MALE----	251	-	-	-	-	-	-	1	-	-	3	4
FEMALE--	316	-	1	-	-	-	-	1	-	1	1	4
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	29	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	1	-	2	-
DELAWARE -----	157	1	-	-	-	-	-	1	1	1	1	2
WHITE-----MALE----	55	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	20	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	186	-	1	-	-	-	-	1	2	2	-	4
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	65	-	-	-	-	-	-	1	1	1	-	2
FEMALE--	88	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	65	-	-	-	-	-	-	1	1	1	-	2
FEMALE--	88	-	1	-	-	-	-	-	-	1	-	-
FLORIDA -----	2,484	11	2	3	-	2	3	4	7	18	30	34
WHITE-----MALE----	1,044	3	1	1	-	-	-	1	2	6	19	12
FEMALE--	1,061	2	-	1	-	-	2	1	1	4	2	10
ALL OTHER--MALE----	169	2	1	-	-	1	-	2	3	4	4	11
FEMALE--	210	4	-	1	-	1	1	-	1	4	5	1
BLACK---MALE----	164	2	1	-	-	1	-	2	3	4	4	11
FEMALE--	205	4	-	1	-	1	1	-	1	4	5	-
GEORGIA -----	1,460	7	1	1	1	2	-	2	9	13	22	38
WHITE-----MALE----	375	3	-	-	-	-	-	-	3	4	7	6
FEMALE--	502	-	-	-	1	1	-	-	3	-	1	6
ALL OTHER--MALE----	211	1	1	-	-	-	-	1	2	4	7	16
FEMALE--	372	3	-	1	-	1	-	1	1	5	7	10
BLACK---MALE----	210	1	1	-	-	-	-	1	2	4	7	16
FEMALE--	369	3	-	1	-	1	-	1	1	5	7	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,225
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
COLORADO -----	13	11	13	20	40	73	92	107	50	27	9	-
WHITE-----MALE----	5	3	7	11	21	38	40	48	22	6	-	-
FEMALE--	4	7	5	9	17	30	49	58	28	21	8	-
ALL OTHER--MALE----	2	1	-	-	-	3	1	-	-	-	-	-
FEMALE--	2	-	1	-	2	2	2	1	-	-	1	-
BLACK---MALE----	1	1	-	-	-	3	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	2	1	-	-	1	-
CONNECTICUT -----	12	16	21	34	73	102	114	118	74	34	5	-
WHITE-----MALE----	5	5	9	13	35	35	52	47	33	8	1	-
FEMALE--	3	6	7	14	25	56	61	66	40	26	4	-
ALL OTHER--MALE----	2	1	2	5	7	6	1	2	-	-	-	-
FEMALE--	2	4	3	2	6	5	-	3	1	-	-	-
BLACK---MALE----	2	1	2	5	7	6	1	2	-	-	-	-
FEMALE--	2	4	2	2	6	5	-	3	1	-	-	-
DELAWARE -----	-	5	7	7	18	35	31	28	15	2	2	-
WHITE-----MALE----	-	-	-	3	10	16	12	7	5	1	-	-
FEMALE--	-	3	3	4	3	11	12	12	8	-	2	-
ALL OTHER--MALE----	-	1	2	-	3	3	1	3	1	1	-	-
FEMALE--	-	1	2	-	2	5	6	6	1	-	-	-
BLACK---MALE----	-	1	2	-	3	3	1	3	1	1	-	-
FEMALE--	-	1	2	-	2	5	6	6	1	-	-	-
DISTRICT OF COLUMBIA ----	4	12	8	15	20	29	26	28	15	15	4	-
WHITE-----MALE----	-	-	-	1	-	2	3	3	1	1	-	-
FEMALE--	-	-	-	1	1	2	4	2	4	3	2	-
ALL OTHER--MALE----	4	7	3	7	9	11	8	8	3	-	-	-
FEMALE--	-	5	5	6	10	14	11	15	7	11	2	-
BLACK---MALE----	4	7	3	7	9	11	8	8	3	-	-	-
FEMALE--	-	5	5	6	10	14	11	15	7	11	2	-
FLORIDA -----	33	49	99	142	242	392	495	463	324	109	22	-
WHITE-----MALE----	16	19	40	57	101	185	234	194	113	35	5	-
FEMALE--	4	14	29	46	91	145	215	232	185	65	12	-
ALL OTHER--MALE----	6	10	15	18	18	23	23	17	7	3	1	-
FEMALE--	7	6	15	21	32	39	23	20	19	6	4	-
BLACK---MALE----	5	9	15	18	16	23	22	17	7	3	1	-
FEMALE--	7	6	15	21	32	37	23	18	19	6	4	-
GEORGIA -----	39	49	80	113	160	239	214	245	152	59	14	-
WHITE-----MALE----	10	13	20	31	48	88	52	51	29	8	2	-
FEMALE--	7	4	15	27	51	67	82	120	75	34	8	-
ALL OTHER--MALE----	12	18	17	25	19	30	29	15	10	3	1	-
FEMALE--	10	14	28	30	42	54	51	59	38	14	3	-
BLACK---MALE----	11	18	17	25	19	30	29	15	10	3	1	-
FEMALE--	10	14	28	30	42	54	50	57	38	14	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,226

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
HAWAII -----	161	2	-	-	-	-	-	-	2	-	3	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	61	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	154	1	-	-	-	-	-	-	3	1	1	1
WHITE-----MALE----	74	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	79	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,509	3	1	-	1	-	4	5	6	15	18	42
WHITE-----MALE----	887	1	-	-	-	-	-	-	2	3	6	20
FEMALE--	1,100	-	-	-	1	-	2	3	1	2	5	5
ALL OTHER--MALE----	229	2	-	-	-	-	2	2	3	5	4	13
FEMALE--	293	-	1	-	-	-	-	-	-	5	3	4
BLACK---MALE----	224	2	-	-	-	-	2	2	3	5	4	13
FEMALE--	281	-	1	-	-	-	-	-	-	5	3	4
INDIANA -----	1,250	4	-	-	-	1	2	1	4	4	13	12
WHITE-----MALE----	480	2	-	-	-	-	-	-	1	2	4	5
FEMALE--	633	2	-	-	-	-	1	1	1	2	5	4
ALL OTHER--MALE----	54	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	83	-	-	-	-	1	-	-	1	-	2	1
BLACK---MALE----	53	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	83	-	-	-	-	1	-	-	1	-	2	1
IOWA -----	409	2	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	175	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	222	1	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	529	2	-	1	-	1	1	1	-	4	6	7
WHITE-----MALE----	213	-	-	1	-	-	-	-	-	-	3	1
FEMALE--	278	1	-	-	-	-	1	1	-	2	1	3
ALL OTHER--MALE----	20	-	-	-	-	1	-	-	-	1	-	2
FEMALE--	18	1	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	17	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	17	1	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,226

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
HAWAII -----	2	10	7	12	21	26	25	25	15	8	1	-
WHITE-----MALE----	-	-	1	2	-	2	2	4	3	1	-	-
FEMALE--	-	-	2	1	1	4	3	1	3	-	1	-
ALL OTHER--MALE----	1	6	1	4	13	13	7	9	5	3	-	-
FEMALE--	1	4	3	5	7	7	13	11	4	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	3	15	14	17	25	41	21	6	2	-
WHITE-----MALE----	1	1	2	6	6	9	16	23	5	-	1	-
FEMALE--	-	1	1	9	8	8	9	18	16	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	47	85	96	133	290	370	501	449	327	97	19	-
WHITE-----MALE----	13	22	22	48	108	137	211	157	115	17	5	-
FEMALE--	14	27	32	43	105	157	217	232	178	65	11	-
ALL OTHER--MALE----	11	19	27	14	32	32	25	21	10	4	3	-
FEMALE--	9	17	15	28	45	44	48	39	24	11	-	-
BLACK---MALE----	11	19	26	14	32	32	22	20	10	4	3	-
FEMALE--	9	16	15	27	42	42	45	37	24	11	-	-
INDIANA -----	23	35	48	70	124	186	243	249	152	64	15	-
WHITE-----MALE----	17	17	24	34	43	78	102	84	44	22	1	-
FEMALE--	1	12	17	23	59	87	121	152	93	38	14	-
ALL OTHER--MALE----	1	3	2	5	9	10	11	3	4	-	-	-
FEMALE--	4	3	5	8	13	11	9	10	11	4	-	-
BLACK---MALE----	1	3	2	5	9	10	10	3	4	-	-	-
FEMALE--	4	3	5	8	13	11	9	10	11	4	-	-
IOWA -----	6	14	9	17	32	58	62	94	69	36	6	-
WHITE-----MALE----	4	5	5	7	17	29	28	41	28	9	-	-
FEMALE--	2	7	4	8	13	29	33	51	40	26	5	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	1	1	1	-	-
FEMALE--	-	1	-	2	1	-	-	1	-	-	1	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	2	1	-	-	1	-	-	1	-
KANSAS -----	6	9	15	25	42	74	99	103	90	32	11	-
WHITE-----MALE----	3	7	4	17	21	37	42	39	30	7	1	-
FEMALE--	2	1	9	7	17	30	53	59	57	24	10	-
ALL OTHER--MALE----	1	-	2	1	-	5	2	3	2	-	-	-
FEMALE--	-	1	-	-	4	2	2	2	1	1	-	-
BLACK---MALE----	1	-	2	1	-	5	2	1	2	-	-	-
FEMALE--	-	1	-	-	4	2	2	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2,227

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
KENTUCKY -----	864	2	1	1	-	-	-	2	4	2	6	8
WHITE-----MALE----	320	1	-	-	-	-	-	1	1	2	4	3
FEMALE--	440	-	1	1	-	-	-	1	3	-	2	2
ALL OTHER--MALE----	40	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	40	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	1,132	4	-	-	-	-	3	6	14	17	24	
WHITE-----MALE----	278	2	-	-	-	-	-	-	2	1	10	
FEMALE--	399	1	-	-	-	-	-	-	2	2	1	
ALL OTHER--MALE----	193	1	-	-	-	-	2	2	5	7	5	
FEMALE--	262	-	-	-	-	-	1	4	5	7	8	
BLACK---MALE----	192	1	-	-	-	-	2	2	5	7	5	
FEMALE--	260	-	-	-	-	-	1	4	5	7	8	
MAINE -----	272	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	121	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	149	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	913	3	-	-	-	1	1	2	6	10	20	18
WHITE-----MALE----	245	1	-	-	-	-	-	-	1	2	5	4
FEMALE--	354	-	-	-	-	-	1	-	1	2	-	3
ALL OTHER--MALE----	141	1	-	-	-	1	-	1	1	3	11	7
FEMALE--	173	1	-	-	-	-	-	1	3	3	4	4
BLACK---MALE----	137	1	-	-	-	1	-	1	1	3	11	7
FEMALE--	166	1	-	-	-	-	-	1	3	3	4	3
MASSACHUSETTS -----	1,438	5	2	-	-	-	-	-	7	7	9	11
WHITE-----MALE----	584	4	1	-	-	-	-	-	1	1	3	3
FEMALE--	765	1	-	-	-	-	-	-	4	5	4	6
ALL OTHER--MALE----	34	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	55	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	27	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	45	-	-	-	-	-	-	-	1	1	1	1
MICHIGAN -----	1,903	7	-	-	-	-	3	4	6	13	16	37
WHITE-----MALE----	644	3	-	-	-	-	-	1	2	6	4	8
FEMALE--	886	2	-	-	-	-	1	-	2	3	4	6
ALL OTHER--MALE----	174	-	-	-	-	-	1	-	2	1	5	9
FEMALE--	199	2	-	-	-	-	1	3	-	3	3	14
BLACK---MALE----	167	-	-	-	-	-	1	-	2	1	5	9
FEMALE--	196	1	-	-	-	-	1	3	-	3	3	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2,227

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	20	24	32	54	112	127	149	157	111	42	10	-
WHITE-----MALE----	10	7	14	22	56	56	50	52	32	7	2	-
FEMALE--	5	8	8	22	48	57	80	93	69	33	7	-
ALL OTHER--MALE----	1	6	6	5	2	8	6	3	-	-	-	-
FEMALE--	4	3	4	5	6	6	13	9	10	2	1	-
BLACK---MALE----	1	6	6	5	2	8	6	3	-	-	-	-
FEMALE--	4	3	4	4	6	6	12	9	10	2	1	-
LOUISIANA -----	46	45	55	82	129	180	191	166	109	45	16	-
WHITE-----MALE----	8	6	9	20	40	55	59	36	15	12	3	-
FEMALE--	7	14	8	18	43	69	77	83	54	17	3	-
ALL OTHER--MALE----	12	12	21	22	24	25	19	21	8	5	2	-
FEMALE--	19	13	17	22	22	31	36	26	32	11	8	-
BLACK---MALE----	12	12	20	22	24	25	19	21	8	5	2	-
FEMALE--	18	13	17	22	22	30	36	26	32	11	8	-
MAINE -----	2	6	10	18	23	35	60	64	31	20	2	-
WHITE-----MALE----	1	2	6	6	16	18	29	30	9	3	-	-
FEMALE--	1	4	4	12	7	17	31	33	21	17	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	23	33	32	54	114	138	159	143	114	33	9	-
WHITE-----MALE----	4	8	9	11	34	45	49	40	28	3	1	-
FEMALE--	4	7	-	19	37	53	67	69	64	21	6	-
ALL OTHER--MALE----	8	8	12	14	15	19	17	11	10	2	-	-
FEMALE--	7	10	11	10	28	21	26	23	12	7	2	-
BLACK---MALE----	8	8	12	13	13	18	17	11	10	2	-	-
FEMALE--	7	10	11	10	28	19	26	20	11	7	2	-
MASSACHUSETTS -----	21	31	43	72	150	233	288	279	183	86	11	-
WHITE-----MALE----	9	17	26	33	74	105	121	106	59	18	3	-
FEMALE--	8	10	14	29	60	115	154	161	119	67	8	-
ALL OTHER--MALE----	1	1	2	6	7	4	4	4	1	-	-	-
FEMALE--	3	3	1	4	9	9	9	8	4	1	-	-
BLACK---MALE----	1	1	2	5	6	2	2	3	1	-	-	-
FEMALE--	3	3	1	3	8	6	8	4	4	1	-	-
MICHIGAN -----	35	46	78	117	178	297	372	358	222	90	24	-
WHITE-----MALE----	10	10	23	39	64	113	145	119	68	26	3	-
FEMALE--	11	16	27	45	70	126	181	191	132	54	15	-
ALL OTHER--MALE----	9	13	18	17	16	33	20	17	9	3	1	-
FEMALE--	5	7	10	16	28	25	26	31	13	7	5	-
BLACK---MALE----	7	13	17	16	16	31	19	17	9	3	1	-
FEMALE--	5	7	10	16	26	25	26	31	13	7	5	-