



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 628  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF PANCREAS (157)												
OHIO -----	1,174	-	-	-	-	-	1	-	3	4	14	36
WHITE-----MALE----	474	-	-	-	-	-	-	-	1	1	9	24
FEMALE--	561	-	-	-	-	-	-	-	1	1	4	12
ALL OTHER--MALE----	53	-	-	-	-	-	1	-	1	2	-	-
FEMALE--	86	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	52	-	-	-	-	-	1	-	1	2	-	-
FEMALE--	85	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	340	-	-	-	-	-	-	-	-	1	12	6
WHITE-----MALE----	143	-	-	-	-	-	-	-	-	-	6	4
FEMALE--	155	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	1
OREGON -----	358	-	-	-	-	-	-	-	-	3	6	11
WHITE-----MALE----	163	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	186	-	-	-	-	-	-	-	-	2	4	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,462	-	-	-	-	-	-	1	4	3	14	36
WHITE-----MALE----	608	-	-	-	-	-	-	1	2	1	6	19
FEMALE--	718	-	-	-	-	-	-	-	2	2	5	15
ALL OTHER--MALE----	76	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	74	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	116	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	68	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	374	-	-	-	-	-	1	-	-	2	3	12
WHITE-----MALE----	120	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	131	-	-	-	-	-	-	-	-	2	2	4
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	73	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	50	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	73	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 628  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PANCREAS (157)												
OHIO -----	55	75	114	159	217	189	159	96	40	10	2	-
WHITE-----MALE----	30	40	56	64	88	75	49	24	11	2	-	-
FEMALE--	22	25	40	69	101	93	96	61	27	7	2	-
ALL OTHER--MALE----	2	4	4	11	15	7	4	1	1	-	-	-
FEMALE--	1	6	14	15	13	14	10	10	1	1	-	-
BLACK---MALE----	2	4	4	10	15	7	4	1	1	-	-	-
FEMALE--	1	6	13	15	13	14	10	10	1	1	-	-
OKLAHOMA -----	13	22	27	51	58	50	48	29	16	6	1	-
WHITE-----MALE----	8	11	15	14	30	14	20	15	4	2	-	-
FEMALE--	4	8	9	30	25	30	22	9	11	3	1	-
ALL OTHER--MALE----	1	1	-	4	1	-	2	3	-	-	-	-
FEMALE--	-	2	3	3	2	6	4	2	1	1	-	-
BLACK---MALE----	-	-	-	4	1	-	1	2	-	-	-	-
FEMALE--	-	2	2	1	2	4	3	2	1	1	-	-
OREGON -----	13	20	40	51	49	66	50	30	17	2	-	-
WHITE-----MALE----	5	16	20	33	15	30	19	10	5	1	-	-
FEMALE--	6	3	20	18	30	35	30	20	12	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
PENNSYLVANIA -----	64	96	128	200	253	249	206	127	65	13	3	-
WHITE-----MALE----	34	46	65	88	107	115	70	45	9	-	-	-
FEMALE--	24	34	48	96	118	111	122	74	51	13	3	-
ALL OTHER--MALE----	5	10	8	9	17	13	4	2	3	-	-	-
FEMALE--	1	6	7	7	11	10	10	6	2	-	-	-
BLACK---MALE----	5	9	7	9	17	13	4	2	3	-	-	-
FEMALE--	1	6	6	7	10	10	10	6	2	-	-	-
RHODE ISLAND -----	5	9	10	14	19	17	18	13	5	2	-	-
WHITE-----MALE----	1	5	7	3	9	6	6	4	2	-	-	-
FEMALE--	3	4	3	10	10	11	12	8	3	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	17	26	50	45	73	66	43	22	10	1	3	-
WHITE-----MALE----	8	8	17	16	27	14	16	5	-	-	-	-
FEMALE--	4	9	15	17	27	22	14	10	2	1	2	-
ALL OTHER--MALE----	5	6	7	6	8	11	4	1	2	-	-	-
FEMALE--	-	3	11	6	11	19	9	6	6	-	1	-
BLACK---MALE----	5	6	7	6	8	11	4	1	2	-	-	-
FEMALE--	-	3	11	6	11	19	9	6	6	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 629  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF PANCREAS (157)												
SOUTH DAKOTA -----	77	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	43	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	531	-	-	-	-	-	-	1	-	3	5	16
WHITE-----MALE----	215	-	-	-	-	-	-	-	-	3	2	10
FEMALE--	218	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	63	-	-	-	-	-	-	1	-	-	2	2
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	60	-	-	-	-	-	-	-	-	-	2	2
TEXAS -----	1,545	-	-	-	-	-	1	2	5	13	17	44
WHITE-----MALE----	702	-	-	-	-	-	-	1	1	8	11	23
FEMALE--	623	-	-	-	-	-	-	1	4	4	1	11
ALL OTHER--MALE----	98	-	-	-	-	-	-	-	-	-	3	5
FEMALE--	122	-	-	-	-	-	1	-	-	1	2	5
BLACK---MALE----	91	-	-	-	-	-	-	-	-	-	3	5
FEMALE--	117	-	-	-	-	-	1	-	-	1	2	5
UTAH -----	115	-	-	-	-	-	-	1	-	-	2	4
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	46	-	-	-	-	-	-	-	2	-	-	2
WHITE-----MALE----	28	-	-	-	-	-	-	-	2	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	543	-	-	-	-	-	1	-	1	6	5	13
WHITE-----MALE----	205	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	200	-	-	-	-	-	-	-	-	3	1	4
ALL OTHER--MALE----	63	-	-	-	-	-	1	-	1	1	1	-
FEMALE--	75	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	58	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	72	-	-	-	-	-	-	-	-	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 629  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PANCREAS (157)												
SOUTH DAKOTA -----	2	6	8	9	7	11	11	11	6	1	-	-
WHITE-----MALE----	2	2	3	6	3	5	2	5	1	-	-	-
FEMALE--	-	3	4	3	4	6	9	6	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	30	48	68	97	92	73	54	18	4	-	-
WHITE-----MALE----	9	14	28	26	42	37	18	19	6	1	-	-
FEMALE--	5	9	13	27	41	42	38	29	9	2	-	-
ALL OTHER--MALE----	5	2	4	4	3	6	7	2	-	-	-	-
FEMALE--	3	5	3	11	11	7	10	4	3	1	-	-
BLACK---MALE----	5	1	4	4	3	5	7	2	-	-	-	-
FEMALE--	3	5	3	10	11	7	10	3	3	1	-	-
TEXAS -----	82	93	151	217	282	229	205	128	55	18	3	-
WHITE-----MALE----	41	52	81	107	133	107	76	41	15	5	-	-
FEMALE--	27	24	43	69	119	95	107	68	37	10	3	-
ALL OTHER--MALE----	6	12	16	19	9	14	7	5	-	2	-	-
FEMALE--	8	5	11	22	21	13	15	14	3	1	-	-
BLACK---MALE----	6	11	16	15	9	12	7	5	-	2	-	-
FEMALE--	8	5	11	21	20	12	15	13	3	-	-	-
UTAH -----	1	12	14	16	12	21	14	12	6	-	-	-
WHITE-----MALE----	1	4	9	10	9	12	6	5	2	-	-	-
FEMALE--	-	6	5	6	3	9	8	7	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	4	8	6	8	5	2	7	2	-	-	-
WHITE-----MALE----	-	2	7	3	4	4	1	2	1	-	-	-
FEMALE--	-	2	1	3	4	1	1	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	38	34	54	81	105	74	71	41	15	3	1	-
WHITE-----MALE----	17	14	25	32	44	23	23	15	2	-	-	-
FEMALE--	10	9	15	30	38	34	23	19	10	3	1	-
ALL OTHER--MALE----	5	6	9	11	9	9	7	3	-	-	-	-
FEMALE--	6	5	5	8	14	8	18	4	3	-	-	-
BLACK---MALE----	5	6	8	11	8	8	6	3	-	-	-	-
FEMALE--	6	5	5	8	11	8	18	4	3	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 631  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
0 UNITED STATES --	63	83	154	213	263	249	287	228	129	46	10	-
WHITE-----MALE----	23	33	67	87	107	87	101	63	30	8	-	-
FEMALE--	28	40	62	103	140	129	159	149	93	36	9	-
ALL OTHER--MALE----	8	2	12	12	9	10	7	7	1	1	-	-
FEMALE--	4	8	13	11	7	23	20	9	5	1	1	-
BLACK---MALE----	5	2	12	10	8	8	5	6	1	-	-	-
FEMALE--	4	6	9	8	7	21	19	9	5	1	1	-
ALABAMA -----	1	-	1	6	-	-	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	2	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALASKA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	6	2	4	2	4	5	2	1	-	-
WHITE-----MALE----	-	-	3	1	1	-	1	2	2	-	-	-
FEMALE--	-	-	2	1	3	2	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	2	-	1	2	1	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	8	7	14	15	26	19	24	13	10	7	-	-
WHITE-----MALE----	2	2	7	3	9	3	6	4	4	-	-	-
FEMALE--	5	4	4	12	15	16	14	9	6	7	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	3	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 632  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
COLORADO -----	-	-	3	2	1	2	3	2	-	-	-	-
WHITE-----MALE----	-	-	2	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	2	1	4	1	4	10	3	3	3	-	-
WHITE-----MALE----	-	1	-	3	1	3	5	-	-	1	-	-
FEMALE--	2	1	1	1	-	-	5	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	2	-	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
FLORIDA -----	7	6	8	15	32	21	17	18	8	4	-	-
WHITE-----MALE----	2	4	3	5	14	8	9	6	2	2	-	-
FEMALE--	5	1	2	9	16	8	8	11	6	2	-	-
ALL OTHER--MALE----	-	1	2	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	1	-	-	-	-
BLACK---MALE----	-	1	2	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	1	-	-	-	-
GEORGIA -----	2	1	3	2	4	5	7	4	3	-	-	-
WHITE-----MALE----	1	-	-	1	2	3	-	-	1	-	-	-
FEMALE--	-	1	1	1	1	2	4	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 634  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
KENTUCKY -----	3	1	4	4	4	5	6	2	4	-	-	-
WHITE-----MALE----	1	-	2	3	2	3	2	2	2	-	-	-
FEMALE--	2	1	2	1	2	1	4	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	-	-	-	1	3	2	-	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
MAINE -----	-	2	1	3	1	1	9	4	3	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	4	1	1	-	-	-
FEMALE--	-	2	1	2	1	-	5	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	4	1	3	3	3	4	1	1	-	-
WHITE-----MALE----	-	-	2	1	1	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
MASSACHUSETTS -----	2	-	4	5	9	11	8	6	6	1	-	-
WHITE-----MALE----	2	-	2	1	6	6	-	-	-	-	-	-
FEMALE--	-	-	2	4	3	5	8	6	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	2	9	8	8	10	17	13	7	-	-	-
WHITE-----MALE----	1	-	4	4	2	6	6	3	3	-	-	-
FEMALE--	1	1	2	4	6	2	8	8	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	3	-	-	2	2	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	2	2	2	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 637

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
OHIO -----	2	2	9	14	13	16	12	11	4	4	1	-
WHITE-----MALE----	-	1	4	9	6	6	5	3	-	2	-	-
FEMALE--	1	1	2	4	6	8	6	8	3	2	1	-
ALL OTHER--MALE----	-	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	1	-	-	-
OKLAHOMA -----	-	-	-	2	1	9	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	3	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	6	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	1	3	2	5	2	7	3	2	-	1	-
WHITE-----MALE----	1	1	2	2	2	-	3	1	2	-	-	-
FEMALE--	1	-	1	-	3	1	4	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	9	12	14	24	21	20	18	5	1	1	-
WHITE-----MALE----	1	3	8	6	10	4	6	8	1	-	-	-
FEMALE--	1	5	3	6	14	16	14	10	3	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	3	3	1	3	2	1	1	1	-	-
WHITE-----MALE----	-	-	3	1	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	2	-	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	3	2	1	3	3	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	3	1	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 638

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
SOUTH DAKOTA -----	1	-	-	-	-	6	-	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	4	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	3	3	8	8	5	3	5	2	-	1	-
WHITE-----MALE----	2	1	-	2	5	2	-	1	-	-	-	-
FEMALE--	-	2	3	3	3	2	2	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	1	-
TEXAS -----	6	3	9	13	9	14	14	10	10	2	-	-
WHITE-----MALE----	3	2	2	6	1	6	6	5	3	-	-	-
FEMALE--	1	1	6	5	8	7	6	3	6	2	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	2	-	-	2	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	1	1	-	-	-
UTAH -----	-	-	1	-	2	-	4	2	-	1	-	-
WHITE-----MALE----	-	-	1	-	1	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	-	-	-	-	2	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	2	6	6	5	7	4	5	1	-	-
WHITE-----MALE----	-	-	-	1	3	1	1	-	-	-	-	-
FEMALE--	1	1	2	5	3	2	3	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 640  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
0 UNITED STATES --	156,378	3	2	6	5	18	23	54	249	796	1,913	4,344
WHITE-----MALE----	83,293	1	1	2	2	11	11	23	112	329	867	2,041
FEMALE--	54,336	1	1	2	2	5	6	18	90	297	583	1,438
ALL OTHER--MALE----	12,470	1	-	1	1	1	5	6	27	108	305	569
FEMALE--	6,279	-	-	1	-	1	1	7	20	62	158	296
BLACK---MALE----	11,186	1	-	1	1	1	3	5	21	95	284	514
FEMALE--	5,449	-	-	1	-	1	-	4	17	50	139	268
ALABAMA -----	2,788	-	-	-	-	-	1	1	2	16	39	81
WHITE-----MALE----	1,495	-	-	-	-	-	-	1	-	6	18	39
FEMALE--	789	-	-	-	-	-	1	-	1	4	8	21
ALL OTHER--MALE----	371	-	-	-	-	-	-	-	-	3	9	16
FEMALE--	133	-	-	-	-	-	-	-	1	3	4	5
BLACK---MALE----	370	-	-	-	-	-	-	-	-	3	9	16
FEMALE--	132	-	-	-	-	-	-	-	1	3	3	5
ALASKA -----	177	-	-	-	-	-	-	-	1	-	1	12
WHITE-----MALE----	84	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	55	-	-	-	-	-	-	-	1	-	-	4
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,332	-	-	1	-	1	2	-	4	4	28	35
WHITE-----MALE----	1,354	-	-	1	-	-	-	-	2	-	12	16
FEMALE--	890	-	-	-	-	1	1	-	2	4	11	14
ALL OTHER--MALE----	60	-	-	-	-	-	1	-	-	-	2	3
FEMALE--	28	-	-	-	-	-	-	-	-	-	3	2
BLACK---MALE----	40	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	3	2
ARKANSAS -----	2,066	-	-	-	-	-	-	1	9	11	21	69
WHITE-----MALE----	1,226	-	-	-	-	-	-	1	5	6	11	34
FEMALE--	617	-	-	-	-	-	-	-	4	4	3	23
ALL OTHER--MALE----	164	-	-	-	-	-	-	-	-	-	6	8
FEMALE--	59	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	160	-	-	-	-	-	-	-	-	-	6	8
FEMALE--	58	-	-	-	-	-	-	-	-	1	1	4
CALIFORNIA -----	14,225	-	-	-	-	1	5	8	13	74	172	398
WHITE-----MALE----	6,908	-	-	-	-	1	3	2	8	26	76	182
FEMALE--	5,484	-	-	-	-	-	-	2	3	29	51	137
ALL OTHER--MALE----	1,139	-	-	-	-	-	2	1	1	15	24	48
FEMALE--	694	-	-	-	-	-	-	3	1	4	21	31
BLACK---MALE----	681	-	-	-	-	-	1	-	-	8	18	28
FEMALE--	411	-	-	-	-	-	-	1	-	1	16	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 640  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
0 UNITED STATES --	8,012	12,400	18,918	26,965	30,465	24,963	16,569	7,773	2,374	463	58	5
WHITE-----MALE----	3,993	6,421	10,100	14,921	16,840	13,554	8,870	3,939	1,085	158	11	1
FEMALE--	2,614	4,025	6,108	8,770	10,410	9,141	6,329	3,148	1,056	248	41	3
ALL OTHER--MALE----	972	1,334	1,845	2,181	2,130	1,528	876	417	129	30	3	1
FEMALE--	433	620	865	1,093	1,085	740	494	269	104	27	3	-
BLACK---MALE----	899	1,230	1,684	1,977	1,890	1,333	765	342	113	24	2	1
FEMALE--	379	553	769	965	941	624	404	224	84	24	2	-
ALABAMA -----	150	239	357	494	551	398	289	129	29	12	-	-
WHITE-----MALE----	71	124	182	276	308	221	161	71	12	5	-	-
FEMALE--	38	75	90	129	159	116	90	42	10	5	-	-
ALL OTHER--MALE----	35	30	60	65	69	42	26	10	5	1	-	-
FEMALE--	6	10	25	24	15	19	12	6	2	1	-	-
BLACK---MALE----	35	30	60	65	69	42	25	10	5	1	-	-
FEMALE--	6	10	25	24	15	19	12	6	2	1	-	-
ALASKA -----	10	14	31	28	35	26	15	3	-	1	-	-
WHITE-----MALE----	7	9	14	17	14	13	3	2	-	-	-	-
FEMALE--	2	3	8	5	13	7	10	1	-	1	-	-
ALL OTHER--MALE----	1	1	6	4	5	4	1	-	-	-	-	-
FEMALE--	-	1	3	2	3	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ARIZONA -----	91	176	270	403	504	396	275	106	31	3	-	2
WHITE-----MALE----	48	106	163	241	309	223	160	52	20	-	-	1
FEMALE--	39	58	95	149	185	159	108	50	10	3	-	1
ALL OTHER--MALE----	3	7	9	8	10	8	5	4	-	-	-	-
FEMALE--	1	5	3	5	-	6	2	-	1	-	-	-
BLACK---MALE----	2	2	7	8	4	6	5	1	-	-	-	-
FEMALE--	-	2	3	3	-	3	1	-	1	-	-	-
ARKANSAS -----	97	186	242	368	395	310	236	77	38	6	-	-
WHITE-----MALE----	57	116	147	219	257	178	141	39	15	-	-	-
FEMALE--	27	51	68	108	102	100	73	33	17	4	-	-
ALL OTHER--MALE----	9	13	21	29	29	23	18	2	5	1	-	-
FEMALE--	4	6	6	12	7	9	4	3	1	1	-	-
BLACK---MALE----	9	13	20	29	27	23	18	2	5	-	-	-
FEMALE--	4	5	6	12	7	9	4	3	1	1	-	-
CALIFORNIA -----	716	1,068	1,673	2,252	2,773	2,351	1,627	796	240	47	11	-
WHITE-----MALE----	326	476	838	1,134	1,389	1,136	811	379	99	21	1	-
FEMALE--	254	398	590	841	1,058	968	679	324	118	22	10	-
ALL OTHER--MALE----	83	118	158	179	199	162	82	53	12	2	-	-
FEMALE--	53	76	87	98	127	85	55	40	11	2	-	-
BLACK---MALE----	62	78	104	114	115	82	47	17	6	1	-	-
FEMALE--	36	57	48	69	77	38	27	13	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 641  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
COLORADO -----	1,332	-	-	-	-	-	1	-	2	-	14	45
WHITE-----MALE----	755	-	-	-	-	-	-	-	-	-	6	27
FEMALE--	517	-	-	-	-	-	1	-	2	-	6	14
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	2
CONNECTICUT -----	1,902	-	-	-	-	-	-	-	-	9	33	44
WHITE-----MALE----	1,035	-	-	-	-	-	-	-	-	2	13	18
FEMALE--	758	-	-	-	-	-	-	-	-	7	14	22
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	71	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	508	-	-	-	-	-	-	-	-	3	3	7
WHITE-----MALE----	234	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	187	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	53	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	380	-	-	-	-	-	-	-	2	2	10	20
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	196	-	-	-	-	-	-	-	1	-	6	13
FEMALE--	106	-	-	-	-	-	-	-	1	-	2	7
BLACK---MALE----	194	-	-	-	-	-	-	-	1	-	6	13
FEMALE--	106	-	-	-	-	-	-	-	1	-	2	7
FLORIDA -----	11,672	-	-	-	-	2	1	8	13	41	132	277
WHITE-----MALE----	6,434	-	-	-	-	2	1	4	4	18	67	148
FEMALE--	4,329	-	-	-	-	-	-	3	7	16	35	92
ALL OTHER--MALE----	666	-	-	-	-	-	-	-	2	5	23	28
FEMALE--	243	-	-	-	-	-	-	1	-	2	7	9
BLACK---MALE----	655	-	-	-	-	-	-	-	2	5	22	28
FEMALE--	222	-	-	-	-	-	-	-	-	2	6	9
GEORGIA -----	3,988	-	-	-	-	-	-	-	11	20	57	132
WHITE-----MALE----	2,087	-	-	-	-	-	-	-	4	10	20	53
FEMALE--	1,127	-	-	-	-	-	-	-	2	6	18	38
ALL OTHER--MALE----	564	-	-	-	-	-	-	-	3	2	13	32
FEMALE--	210	-	-	-	-	-	-	-	2	2	6	9
BLACK---MALE----	558	-	-	-	-	-	-	-	2	2	13	32
FEMALE--	206	-	-	-	-	-	-	-	2	1	6	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 641  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
COLORADO -----	57	93	156	238	297	205	142	66	10	6	-	-
WHITE-----MALE----	31	60	79	143	163	120	81	39	4	2	-	-
FEMALE--	23	29	64	82	123	83	57	24	6	3	-	-
ALL OTHER--MALE----	3	3	9	6	5	2	3	3	-	1	-	-
FEMALE--	-	1	4	7	6	-	1	-	-	-	-	-
BLACK---MALE----	3	3	9	6	4	1	2	1	-	1	-	-
FEMALE--	-	1	3	3	4	-	-	-	-	-	-	-
CONNECTICUT -----	81	136	197	324	353	316	251	119	34	4	1	-
WHITE-----MALE----	32	62	108	197	202	178	143	60	17	3	-	-
FEMALE--	37	52	75	114	137	123	105	54	16	1	1	-
ALL OTHER--MALE----	8	16	10	10	8	12	1	1	-	-	-	-
FEMALE--	4	6	4	3	6	3	2	4	1	-	-	-
BLACK---MALE----	7	16	10	9	7	11	1	1	-	-	-	-
FEMALE--	4	5	3	3	6	3	2	3	1	-	-	-
DELAWARE -----	28	46	64	81	108	81	57	24	4	1	1	-
WHITE-----MALE----	13	17	22	45	56	39	24	10	4	-	-	-
FEMALE--	6	15	28	25	41	30	26	10	-	-	-	-
ALL OTHER--MALE----	6	13	9	5	6	8	-	3	-	-	1	-
FEMALE--	3	1	5	6	5	4	7	1	-	1	-	-
BLACK---MALE----	6	12	9	5	6	8	-	3	-	-	1	-
FEMALE--	3	1	5	6	4	4	7	1	-	1	-	-
DISTRICT OF COLUMBIA ----	25	41	42	61	61	51	42	18	4	1	-	-
WHITE-----MALE----	2	2	3	10	10	5	6	3	-	1	-	-
FEMALE--	3	3	1	3	5	7	6	3	1	-	-	-
ALL OTHER--MALE----	17	23	28	31	21	29	19	6	2	-	-	-
FEMALE--	3	13	10	17	25	10	11	6	1	-	-	-
BLACK---MALE----	16	23	28	31	21	29	18	6	2	-	-	-
FEMALE--	3	13	10	17	25	10	11	6	1	-	-	-
FLORIDA -----	531	819	1,352	1,926	2,261	1,976	1,385	691	202	53	2	-
WHITE-----MALE----	277	444	764	1,112	1,239	1,118	750	374	95	16	1	-
FEMALE--	181	274	469	664	871	755	551	281	97	32	1	-
ALL OTHER--MALE----	49	75	89	113	108	70	65	28	7	4	-	-
FEMALE--	24	26	30	37	43	33	19	8	3	1	-	-
BLACK---MALE----	47	74	89	112	105	70	63	27	7	4	-	-
FEMALE--	19	25	28	35	39	29	18	8	3	1	-	-
GEORGIA -----	279	393	503	714	731	616	337	158	31	5	-	1
WHITE-----MALE----	152	194	277	371	386	344	177	82	15	2	-	-
FEMALE--	59	114	123	203	214	185	103	53	8	1	-	-
ALL OTHER--MALE----	52	65	77	99	94	67	42	12	5	-	-	1
FEMALE--	16	20	26	41	37	20	15	11	3	2	-	-
BLACK---MALE----	52	65	75	98	94	65	42	12	5	-	-	1
FEMALE--	16	20	26	41	36	19	15	10	3	2	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 642

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
HAWAII -----	26	32	50	76	101	80	45	25	16	2	-	1
WHITE-----MALE----	4	6	11	18	15	22	7	2	2	-	-	-
FEMALE--	6	4	6	5	15	8	2	4	2	-	-	1
ALL OTHER--MALE----	13	12	25	28	47	32	22	12	5	1	-	-
FEMALE--	3	10	8	25	24	18	14	7	7	1	-	-
BLACK---MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	28	36	70	80	101	76	50	31	7	5	-	-
WHITE-----MALE----	19	21	37	44	68	51	26	20	2	2	-	-
FEMALE--	9	15	32	34	31	25	23	11	5	3	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	354	587	898	1,237	1,392	1,128	749	339	122	18	3	-
WHITE-----MALE----	151	294	424	672	743	611	391	163	53	6	1	-
FEMALE--	113	168	278	341	476	398	293	143	52	8	1	-
ALL OTHER--MALE----	59	85	131	137	118	68	40	21	7	2	-	-
FEMALE--	31	40	65	87	55	51	25	12	10	2	1	-
BLACK---MALE----	57	84	124	133	114	66	39	19	7	2	-	-
FEMALE--	28	39	65	80	52	49	23	10	10	2	1	-
INDIANA -----	171	328	466	724	812	613	384	187	66	13	1	-
WHITE-----MALE----	98	168	258	434	474	349	217	99	26	4	-	-
FEMALE--	61	125	167	232	278	227	138	73	36	6	1	-
ALL OTHER--MALE----	8	19	25	31	40	25	12	13	4	3	-	-
FEMALE--	4	16	16	27	20	12	17	2	-	-	-	-
BLACK---MALE----	8	18	25	31	40	25	12	13	4	3	-	-
FEMALE--	4	15	16	27	19	12	17	2	-	-	-	-
IOWA -----	101	116	215	262	330	320	195	124	34	5	-	-
WHITE-----MALE----	62	69	133	154	197	212	115	76	18	2	-	-
FEMALE--	38	41	75	104	129	105	78	45	16	3	-	-
ALL OTHER--MALE----	1	5	7	4	4	1	2	2	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	1	5	7	4	2	1	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
KANSAS -----	79	92	167	229	277	243	179	89	26	9	-	-
WHITE-----MALE----	42	53	92	144	176	135	106	52	9	5	-	-
FEMALE--	27	35	65	74	85	98	69	34	16	4	-	-
ALL OTHER--MALE----	8	1	6	7	10	5	2	3	-	-	-	-
FEMALE--	2	3	4	4	6	5	2	-	1	-	-	-
BLACK---MALE----	7	-	6	7	8	5	2	2	-	-	-	-
FEMALE--	1	1	4	3	5	3	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 643  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
KENTUCKY -----	3,111	-	-	-	-	-	1	1	7	18	33	109
WHITE-----MALE----	1,883	-	-	-	-	-	-	1	3	10	20	57
FEMALE--	1,007	-	-	-	-	-	-	-	4	7	7	44
ALL OTHER--MALE----	151	-	-	-	-	-	1	-	-	1	5	6
FEMALE--	70	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	149	-	-	-	-	-	1	-	-	1	5	6
FEMALE--	68	-	-	-	-	-	-	-	-	-	1	2
LOUISIANA -----	2,834	-	-	-	1	-	-	1	7	15	42	100
WHITE-----MALE----	1,272	-	-	-	-	-	-	-	3	5	15	33
FEMALE--	767	-	-	-	-	-	-	1	1	4	8	20
ALL OTHER--MALE----	563	-	-	-	1	-	-	-	1	5	15	33
FEMALE--	232	-	-	-	-	-	-	-	2	1	4	14
BLACK---MALE----	560	-	-	-	1	-	-	-	1	5	15	33
FEMALE--	231	-	-	-	-	-	-	-	2	1	4	14
MAINE -----	933	-	-	-	-	-	-	-	1	6	12	25
WHITE-----MALE----	564	-	-	-	-	-	-	-	-	2	5	13
FEMALE--	367	-	-	-	-	-	-	-	1	4	7	12
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,985	-	-	-	-	1	2	4	6	17	49	95
WHITE-----MALE----	1,302	-	-	-	-	-	-	-	-	8	18	41
FEMALE--	988	-	-	-	-	-	2	1	2	4	13	18
ALL OTHER--MALE----	455	-	-	-	-	1	-	3	2	2	12	24
FEMALE--	240	-	-	-	-	-	-	-	2	3	6	12
BLACK---MALE----	440	-	-	-	-	1	-	3	2	2	11	23
FEMALE--	227	-	-	-	-	-	-	-	2	3	4	10
MASSACHUSETTS -----	3,839	-	-	1	-	-	1	-	8	18	47	111
WHITE-----MALE----	2,106	-	-	-	-	-	-	-	2	7	24	59
FEMALE--	1,582	-	-	1	-	-	-	-	5	11	19	47
ALL OTHER--MALE----	98	-	-	-	-	-	-	-	1	-	4	4
FEMALE--	53	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	77	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	5,776	-	-	-	-	-	-	1	5	25	60	166
WHITE-----MALE----	3,019	-	-	-	-	-	-	1	1	10	28	79
FEMALE--	1,982	-	-	-	-	-	-	-	3	9	13	50
ALL OTHER--MALE----	517	-	-	-	-	-	-	-	1	3	9	20
FEMALE--	258	-	-	-	-	-	-	-	-	3	10	17
BLACK---MALE----	490	-	-	-	-	-	-	-	1	3	9	20
FEMALE--	236	-	-	-	-	-	-	-	-	3	9	14



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 643

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
KENTUCKY -----	175	295	427	545	630	442	261	127	33	7	-	-
WHITE-----MALE----	109	163	256	334	407	272	155	76	19	1	-	-
FEMALE--	50	109	135	170	179	148	92	45	12	5	-	-
ALL OTHER--MALE----	12	16	22	28	29	15	9	5	2	-	-	-
FEMALE--	4	7	14	13	15	7	5	1	-	1	-	-
BLACK---MALE----	12	16	21	28	29	14	9	5	2	-	-	-
FEMALE--	4	6	13	13	15	7	5	1	-	1	-	-
LOUISIANA -----	171	247	359	494	522	410	302	121	28	13	1	-
WHITE-----MALE----	71	113	154	246	242	193	133	51	11	2	-	-
FEMALE--	32	57	100	120	147	120	98	45	9	4	1	-
ALL OTHER--MALE----	49	60	73	92	93	69	46	17	6	3	-	-
FEMALE--	19	17	32	36	40	28	25	8	2	4	-	-
BLACK---MALE----	48	60	73	91	92	69	46	17	6	3	-	-
FEMALE--	19	17	32	35	40	28	25	8	2	4	-	-
MAINE -----	54	77	110	170	184	157	82	38	13	4	-	-
WHITE-----MALE----	26	54	73	111	117	88	49	21	5	-	-	-
FEMALE--	27	22	37	59	67	69	33	17	8	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	148	253	374	525	569	433	324	143	34	7	1	-
WHITE-----MALE----	53	89	169	240	256	201	151	64	9	3	-	-
FEMALE--	48	71	112	161	198	154	127	57	16	3	1	-
ALL OTHER--MALE----	31	65	56	84	77	49	32	11	5	1	-	-
FEMALE--	16	28	37	40	38	29	14	11	4	-	-	-
BLACK---MALE----	31	61	55	81	75	47	31	11	5	1	-	-
FEMALE--	15	28	36	39	36	28	11	11	4	-	-	-
MASSACHUSETTS -----	177	262	445	649	728	627	463	209	77	12	4	-
WHITE-----MALE----	100	139	249	373	413	334	251	114	38	2	1	-
FEMALE--	60	99	178	251	289	276	203	91	39	10	3	-
ALL OTHER--MALE----	9	16	14	17	16	10	5	2	-	-	-	-
FEMALE--	8	8	4	8	10	7	4	2	-	-	-	-
BLACK---MALE----	7	13	12	12	13	7	4	2	-	-	-	-
FEMALE--	5	7	2	7	8	4	3	1	-	-	-	-
MICHIGAN -----	300	494	699	1,033	1,156	922	573	266	68	7	1	-
WHITE-----MALE----	152	272	346	530	628	496	301	132	38	5	-	-
FEMALE--	97	150	235	364	400	317	208	110	24	1	1	-
ALL OTHER--MALE----	30	50	81	100	91	75	40	13	3	1	-	-
FEMALE--	21	22	37	39	37	34	24	11	3	-	-	-
BLACK---MALE----	28	48	76	96	84	72	37	12	3	1	-	-
FEMALE--	20	20	36	34	35	30	21	11	3	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 644  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
MINNESOTA -----	118	156	255	383	359	338	252	119	44	12	-	-
WHITE-----MALE----	68	84	154	225	226	204	138	72	23	5	-	-
FEMALE--	45	68	93	147	129	129	108	46	21	7	-	-
ALL OTHER--MALE----	4	3	6	8	2	5	3	1	-	-	-	-
FEMALE--	1	1	2	3	2	-	3	-	-	-	-	-
BLACK---MALE----	4	2	4	5	2	2	2	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
MISSISSIPPI -----	85	172	230	318	293	268	180	92	26	5	1	-
WHITE-----MALE----	36	85	118	153	162	141	102	40	8	-	-	-
FEMALE--	18	44	59	84	76	63	45	24	9	5	-	-
ALL OTHER--MALE----	24	33	39	48	39	50	25	19	6	-	-	-
FEMALE--	7	10	14	33	16	14	8	9	3	-	1	-
BLACK---MALE----	24	32	39	48	39	50	25	19	6	-	-	-
FEMALE--	7	10	14	33	16	14	8	9	3	-	1	-
MISSOURI -----	177	306	520	655	775	551	391	177	71	10	2	-
WHITE-----MALE----	99	162	326	374	438	327	237	89	32	3	-	-
FEMALE--	55	105	129	218	268	182	131	78	32	6	2	-
ALL OTHER--MALE----	13	27	42	40	40	28	12	5	3	1	-	-
FEMALE--	10	12	23	23	29	14	11	5	4	-	4	-
BLACK---MALE----	12	25	39	40	38	28	11	5	3	1	-	-
FEMALE--	10	12	22	22	27	13	11	5	4	-	-	-
MONTANA -----	28	35	51	92	91	72	61	21	11	1	-	-
WHITE-----MALE----	17	19	27	48	50	41	31	11	8	-	-	-
FEMALE--	10	16	20	39	35	25	26	10	3	-	-	-
ALL OTHER--MALE----	-	-	3	1	5	2	3	-	-	-	-	-
FEMALE--	1	-	1	4	1	4	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	29	59	117	150	177	140	101	40	24	3	1	-
WHITE-----MALE----	18	29	84	93	105	82	66	21	13	-	1	-
FEMALE--	10	25	30	52	66	57	34	17	11	3	-	-
ALL OTHER--MALE----	-	4	2	2	2	1	-	2	-	-	-	-
FEMALE--	1	1	1	3	4	-	1	-	-	-	-	-
BLACK---MALE----	-	2	2	1	1	1	-	2	-	-	-	-
FEMALE--	1	1	1	3	3	-	1	-	-	-	-	-
NEVADA -----	63	71	117	189	199	141	99	30	7	1	-	-
WHITE-----MALE----	33	27	73	95	115	73	58	12	4	-	-	-
FEMALE--	25	36	37	77	76	60	36	14	2	1	-	-
ALL OTHER--MALE----	2	3	4	11	5	5	4	4	1	-	-	-
FEMALE--	3	5	3	6	3	3	1	-	-	-	-	-
BLACK---MALE----	-	3	4	8	2	3	3	3	1	-	-	-
FEMALE--	2	5	1	3	2	3	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 645  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
NEW HAMPSHIRE -----	33	45	88	115	147	99	67	41	8	1	-	-
WHITE-----MALE----	23	28	48	68	84	49	36	21	6	-	-	-
FEMALE--	10	17	39	46	63	50	31	20	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	258	380	529	826	945	787	540	280	83	11	1	-
WHITE-----MALE----	104	176	267	437	509	382	277	136	34	4	1	-
FEMALE--	97	140	172	276	311	318	232	116	41	6	-	-
ALL OTHER--MALE----	39	44	57	64	77	58	17	17	3	-	-	-
FEMALE--	18	20	33	49	48	29	14	11	5	1	-	-
BLACK---MALE----	36	42	51	63	73	49	15	12	3	-	-	-
FEMALE--	17	19	29	47	44	27	12	11	5	1	-	-
NEW MEXICO -----	30	38	85	115	133	103	60	33	16	1	-	-
WHITE-----MALE----	11	23	46	60	88	55	34	20	8	1	-	-
FEMALE--	16	13	33	49	43	44	23	12	7	-	-	-
ALL OTHER--MALE----	3	1	4	4	-	2	2	1	1	-	-	-
FEMALE--	-	1	2	2	2	2	1	-	-	-	-	-
BLACK---MALE----	1	1	4	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	1	-	-	-	-	-	-
NEW YORK -----	572	813	1,179	1,725	1,899	1,629	1,174	538	173	40	5	-
WHITE-----MALE----	253	396	577	887	1,028	846	579	249	75	11	1	-
FEMALE--	190	261	389	582	641	632	504	256	84	26	3	-
ALL OTHER--MALE----	89	97	129	165	142	98	48	19	6	2	-	-
FEMALE--	40	59	84	91	88	53	43	14	8	1	1	-
BLACK---MALE----	84	89	121	142	130	86	41	16	5	1	-	-
FEMALE--	39	53	79	85	81	49	31	13	5	1	-	-
NORTH CAROLINA -----	268	392	611	813	865	634	400	175	36	11	1	-
WHITE-----MALE----	123	196	326	483	483	359	205	77	17	6	1	-
FEMALE--	77	108	173	205	224	176	111	58	12	3	-	-
ALL OTHER--MALE----	50	61	84	89	117	80	59	24	4	-	-	-
FEMALE--	18	27	28	36	41	19	25	16	3	2	-	-
BLACK---MALE----	50	59	81	87	113	78	54	24	4	-	-	-
FEMALE--	18	25	26	34	41	18	24	16	3	2	-	-
NORTH DAKOTA -----	13	28	41	52	67	68	36	31	8	1	-	-
WHITE-----MALE----	9	13	23	32	50	47	26	16	4	-	-	-
FEMALE--	3	14	18	19	17	18	8	15	4	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 646

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
OHIO -----	7,611	-	-	-	-	-	1	3	12	43	85	188
WHITE-----MALE----	4,055	-	-	-	-	-	1	2	7	18	44	91
FEMALE--	2,706	-	-	-	-	-	-	-	5	18	25	63
ALL OTHER--MALE----	543	-	-	-	-	-	-	1	-	3	11	22
FEMALE--	307	-	-	-	-	-	-	-	-	4	5	12
BLACK---MALE----	535	-	-	-	-	-	-	1	-	3	11	21
FEMALE--	299	-	-	-	-	-	-	-	-	4	5	12
OKLAHOMA -----	2,343	-	-	-	-	2	-	-	3	16	23	56
WHITE-----MALE----	1,379	-	-	-	-	2	-	-	1	11	11	33
FEMALE--	786	-	-	-	-	-	-	-	2	3	9	14
ALL OTHER--MALE----	117	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	61	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	62	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	1	3
OREGON -----	1,962	-	-	-	-	1	-	-	3	9	18	35
WHITE-----MALE----	1,050	-	-	-	-	1	-	-	1	4	14	19
FEMALE--	861	-	-	-	-	-	-	-	1	5	3	15
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8,484	-	-	-	1	1	2	-	8	42	89	205
WHITE-----MALE----	4,689	-	-	-	1	1	2	-	2	19	49	106
FEMALE--	2,922	-	-	-	-	-	-	-	4	18	22	66
ALL OTHER--MALE----	525	-	-	-	-	-	-	-	-	3	11	18
FEMALE--	348	-	-	-	-	-	-	-	2	2	7	15
BLACK---MALE----	514	-	-	-	-	-	-	-	-	3	11	17
FEMALE--	329	-	-	-	-	-	-	-	2	2	6	15
RHODE ISLAND -----	734	-	-	-	-	-	-	-	-	5	9	12
WHITE-----MALE----	415	-	-	-	-	-	-	-	-	1	5	11
FEMALE--	287	-	-	-	-	-	-	-	-	3	3	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	2,185	1	-	1	-	-	-	1	4	9	30	72
WHITE-----MALE----	1,120	-	-	-	-	-	-	1	3	3	10	32
FEMALE--	563	-	-	-	-	-	-	-	-	5	6	14
ALL OTHER--MALE----	361	1	-	-	-	-	-	-	-	1	8	16
FEMALE--	141	-	-	1	-	-	-	-	1	-	6	10
BLACK---MALE----	360	1	-	-	-	-	-	-	-	1	8	15
FEMALE--	139	-	-	1	-	-	-	-	1	-	6	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 646  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
OHIO -----	385	651	950	1,303	1,531	1,239	748	333	102	29	8	-
WHITE-----MALE----	195	363	503	705	819	675	403	169	48	10	2	-
FEMALE--	123	203	313	433	565	469	296	129	42	16	6	-
ALL OTHER--MALE----	44	59	91	107	87	62	33	17	5	1	-	-
FEMALE--	23	26	43	58	60	33	16	18	7	2	-	-
BLACK---MALE----	44	59	90	106	86	61	31	16	5	1	-	-
FEMALE--	22	24	43	57	57	33	15	18	7	2	-	-
OKLAHOMA -----	101	213	284	421	460	367	235	123	31	7	1	-
WHITE-----MALE----	62	126	171	255	266	212	148	66	12	3	-	-
FEMALE--	34	73	87	126	168	128	76	45	16	4	1	-
ALL OTHER--MALE----	4	8	18	30	17	16	7	6	3	-	-	-
FEMALE--	1	6	8	10	9	11	4	6	-	-	-	-
BLACK---MALE----	1	5	10	17	7	5	5	5	2	-	-	-
FEMALE--	1	5	4	7	5	9	1	5	-	-	-	-
OREGON -----	117	141	207	311	372	379	228	94	38	8	1	-
WHITE-----MALE----	56	72	106	174	211	193	127	49	19	4	-	-
FEMALE--	58	65	90	131	150	177	99	45	17	4	1	-
ALL OTHER--MALE----	3	2	6	5	5	7	1	-	-	-	-	-
FEMALE--	-	2	5	1	6	2	1	-	2	-	-	-
BLACK---MALE----	2	1	3	-	2	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	1	1	-	-	-	-	-
PENNSYLVANIA -----	358	599	944	1,513	1,708	1,500	929	433	124	22	5	1
WHITE-----MALE----	182	333	536	881	979	839	470	218	59	12	-	-
FEMALE--	115	175	276	465	561	563	395	187	60	9	5	1
ALL OTHER--MALE----	35	62	89	99	98	63	35	11	1	-	-	-
FEMALE--	26	29	43	68	70	35	29	17	4	1	-	-
BLACK---MALE----	35	61	86	94	98	63	35	10	1	-	-	-
FEMALE--	24	27	42	63	66	33	27	17	4	1	-	-
RHODE ISLAND -----	38	42	81	119	137	142	81	49	17	2	-	-
WHITE-----MALE----	21	22	51	60	85	80	46	26	7	-	-	-
FEMALE--	15	17	27	49	48	58	33	22	10	2	-	-
ALL OTHER--MALE----	-	2	1	7	2	1	1	1	-	-	-	-
FEMALE--	2	1	2	3	2	3	1	-	-	-	-	-
BLACK---MALE----	-	2	1	6	1	1	-	1	-	-	-	-
FEMALE--	1	1	2	2	1	3	1	-	-	-	-	-
SOUTH CAROLINA -----	134	196	289	397	436	334	182	71	25	2	1	-
WHITE-----MALE----	73	98	151	222	226	166	91	37	7	-	-	-
FEMALE--	32	43	74	97	114	91	51	24	11	1	-	-
ALL OTHER--MALE----	25	44	50	59	67	53	24	6	5	1	1	-
FEMALE--	4	11	14	19	29	24	16	4	2	-	-	-
BLACK---MALE----	25	44	50	59	67	53	24	6	5	1	1	-
FEMALE--	4	11	14	19	28	24	15	4	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 647  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
SOUTH DAKOTA -----	387	-	-	-	-	-	-	-	-	3	4	8
WHITE-----MALE----	234	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	128	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,768	-	-	-	-	1	-	-	11	28	51	138
WHITE-----MALE----	2,177	-	-	-	-	1	-	-	8	8	27	75
FEMALE--	1,098	-	-	-	-	-	-	-	3	16	13	37
ALL OTHER--MALE----	331	-	-	-	-	-	-	-	-	1	7	20
FEMALE--	162	-	-	-	-	-	-	-	-	3	4	6
BLACK---MALE----	328	-	-	-	-	-	-	-	-	1	7	20
FEMALE--	160	-	-	-	-	-	-	-	-	3	4	6
TEXAS -----	9,560	-	-	2	1	2	3	4	19	51	119	268
WHITE-----MALE----	5,175	-	-	1	1	-	2	2	12	19	57	120
FEMALE--	3,143	-	-	1	-	2	-	1	4	16	33	86
ALL OTHER--MALE----	879	-	-	-	-	-	1	-	3	10	23	40
FEMALE--	363	-	-	-	-	-	-	1	-	6	6	22
BLACK---MALE----	850	-	-	-	-	-	1	-	3	10	23	40
FEMALE--	341	-	-	-	-	-	-	1	-	5	6	20
UTAH -----	351	-	-	-	-	-	-	1	1	-	9	7
WHITE-----MALE----	220	-	-	-	-	-	-	-	-	-	5	5
FEMALE--	118	-	-	-	-	-	-	1	1	-	4	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	303	-	-	-	-	-	-	-	2	1	4	7
WHITE-----MALE----	177	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	125	-	-	-	-	-	-	-	2	1	1	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,821	-	-	-	-	1	-	3	6	17	52	111
WHITE-----MALE----	1,937	-	-	-	-	-	-	-	5	7	22	44
FEMALE--	1,147	-	-	-	-	1	-	1	-	5	15	39
ALL OTHER--MALE----	492	-	-	-	-	-	-	1	-	2	9	18
FEMALE--	245	-	-	-	-	-	-	1	1	3	6	10
BLACK---MALE----	484	-	-	-	-	-	-	1	-	2	9	18
FEMALE--	238	-	-	-	-	-	-	1	1	3	5	9



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 647

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
SOUTH DAKOTA -----	14	29	32	61	80	64	52	27	10	3	-	-
WHITE-----MALE----	8	14	18	45	56	41	28	11	5	-	-	-
FEMALE--	6	11	12	12	22	19	19	14	5	2	-	-
ALL OTHER--MALE----	-	2	1	2	1	4	5	-	-	1	-	-
FEMALE--	-	2	1	2	1	-	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	221	342	506	713	707	543	309	140	52	6	-	-
WHITE-----MALE----	126	197	290	422	422	321	187	71	20	2	-	-
FEMALE--	67	104	145	196	193	161	80	58	24	1	-	-
ALL OTHER--MALE----	18	25	41	67	67	41	32	5	5	2	-	-
FEMALE--	10	16	30	28	25	20	10	6	3	1	-	-
BLACK---MALE----	18	25	41	66	67	41	31	5	5	1	-	-
FEMALE--	10	16	30	27	24	20	10	6	3	1	-	-
TEXAS -----	546	779	1,210	1,677	1,839	1,461	942	480	137	17	3	-
WHITE-----MALE----	276	405	626	951	1,022	826	533	247	71	4	-	-
FEMALE--	174	230	370	513	620	503	343	183	52	10	2	-
ALL OTHER--MALE----	77	100	149	157	138	92	45	33	8	2	1	-
FEMALE--	19	44	65	56	59	40	21	17	6	1	-	-
BLACK---MALE----	72	97	146	154	135	86	41	32	8	2	-	-
FEMALE--	15	43	61	51	58	39	18	17	6	1	-	-
UTAH -----	17	33	32	62	77	64	29	17	2	-	-	-
WHITE-----MALE----	9	22	22	35	46	43	20	12	1	-	-	-
FEMALE--	8	9	9	25	27	20	7	5	1	-	-	-
ALL OTHER--MALE----	-	2	1	2	4	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	30	42	50	58	44	34	10	4	2	-	-
WHITE-----MALE----	9	19	26	32	35	21	19	5	3	2	-	-
FEMALE--	6	11	15	18	23	23	15	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VIRGINIA -----	215	283	491	728	778	561	354	153	56	10	2	-
WHITE-----MALE----	108	137	248	380	406	291	188	76	22	2	1	-
FEMALE--	47	82	142	215	224	184	112	52	20	7	1	-
ALL OTHER--MALE----	47	44	73	85	100	55	33	17	8	-	-	-
FEMALE--	13	20	28	48	48	31	21	8	6	1	-	-
BLACK---MALE----	46	44	73	83	96	55	33	17	7	-	-	-
FEMALE--	13	20	26	47	47	31	20	8	6	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 649  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF LARYNX (161)												
0 UNITED STATES --	3,871	-	-	-	-	-	1	2	3	17	58	165
WHITE-----MALE----	2,483	-	-	-	-	-	-	1	-	10	39	88
FEMALE--	644	-	-	-	-	-	-	-	3	2	6	19
ALL OTHER--MALE----	598	-	-	-	-	-	1	-	-	4	11	47
FEMALE--	146	-	-	-	-	-	-	1	-	1	2	11
BLACK---MALE----	560	-	-	-	-	-	1	-	-	4	10	45
FEMALE--	140	-	-	-	-	-	-	1	-	1	2	11
ALABAMA -----	61	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	51	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	39	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	349	-	-	-	-	-	-	1	-	-	5	12
WHITE-----MALE----	248	-	-	-	-	-	-	-	-	-	3	9
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 649  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LARYNX (161)												
0 UNITED STATES --	269	363	529	681	641	555	358	166	52	11	-	-
WHITE-----MALE----	156	223	321	458	417	357	258	112	37	6	-	-
FEMALE--	29	45	91	104	128	110	65	33	6	3	-	-
ALL OTHER--MALE----	72	77	101	90	68	72	29	17	7	2	-	-
FEMALE--	12	18	16	29	28	16	6	4	2	-	-	-
BLACK---MALE----	70	72	96	88	64	62	25	14	7	2	-	-
FEMALE--	12	17	16	28	26	15	6	3	2	-	-	-
ALABAMA -----	3	8	9	9	12	5	4	5	2	2	-	-
WHITE-----MALE----	-	6	5	5	7	1	4	2	1	2	-	-
FEMALE--	-	-	-	1	3	1	-	1	-	-	-	-
ALL OTHER--MALE----	3	2	3	3	2	2	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	3	2	3	3	2	2	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALASKA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	6	10	8	9	6	5	1	1	-	-	-
WHITE-----MALE----	4	5	10	4	7	6	2	-	1	-	-	-
FEMALE--	-	1	-	4	2	-	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	3	7	8	7	2	2	1	2	-	-	-
WHITE-----MALE----	2	3	4	6	4	1	2	1	1	-	-	-
FEMALE--	1	-	1	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	27	24	53	64	56	45	41	19	2	-	-	-
WHITE-----MALE----	19	15	39	45	41	31	31	13	2	-	-	-
FEMALE--	3	-	6	11	7	5	5	5	-	-	-	-
ALL OTHER--MALE----	5	7	8	5	6	8	5	1	-	-	-	-
FEMALE--	-	2	-	3	2	1	-	-	-	-	-	-
BLACK---MALE----	5	4	7	4	5	4	3	-	-	-	-	-
FEMALE--	-	2	-	3	2	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 650  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LARYNX (161)												
COLORADO -----	1	3	5	9	12	5	5	1	-	-	-	-
WHITE-----MALE----	1	2	5	8	5	4	5	1	-	-	-	-
FEMALE--	-	1	-	1	6	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	8	7	8	5	7	9	4	-	-	-	-
WHITE-----MALE----	2	4	5	6	4	6	7	2	-	-	-	-
FEMALE--	-	-	1	2	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	3	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	3	2	-	3	4	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	1	-	1	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	4	4	1	1	1	6	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	4	4	-	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	4	4	-	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
FLORIDA -----	18	25	48	51	48	44	29	17	3	3	-	-
WHITE-----MALE----	11	13	23	36	39	32	20	13	2	1	-	-
FEMALE--	2	5	15	6	6	9	7	2	1	2	-	-
ALL OTHER--MALE----	5	6	9	8	3	2	2	2	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	5	6	9	8	3	2	2	2	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
GEORGIA -----	4	11	5	13	15	11	5	3	1	1	-	-
WHITE-----MALE----	2	8	3	10	11	8	4	1	-	1	-	-
FEMALE--	-	-	-	2	3	2	1	1	-	-	-	-
ALL OTHER--MALE----	2	3	1	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	3	1	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-























TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 655  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LARYNX (161)												
OHIO -----	11	24	22	27	27	37	18	8	2	-	-	-
WHITE-----MALE----	5	18	12	20	14	28	15	5	2	-	-	-
FEMALE--	2	-	3	2	9	7	2	2	-	-	-	-
ALL OTHER--MALE----	2	5	7	3	2	1	1	1	-	-	-	-
FEMALE--	2	1	-	2	2	1	-	-	-	-	-	-
BLACK---MALE----	2	5	7	3	2	1	1	1	-	-	-	-
FEMALE--	2	1	-	2	2	1	-	-	-	-	-	-
OKLAHOMA -----	3	9	4	4	8	4	1	2	1	-	-	-
WHITE-----MALE----	3	6	3	3	6	2	-	2	1	-	-	-
FEMALE--	-	1	1	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	-	3	-	5	6	9	3	1	3	-	-	-
WHITE-----MALE----	-	1	-	5	4	6	2	1	3	-	-	-
FEMALE--	-	2	-	-	2	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	21	41	57	47	30	20	4	5	-	-	-
WHITE-----MALE----	9	11	30	43	35	17	13	4	4	-	-	-
FEMALE--	1	3	6	7	7	9	5	-	-	-	-	-
ALL OTHER--MALE----	5	6	4	4	2	3	2	-	1	-	-	-
FEMALE--	-	1	1	3	3	1	-	-	-	-	-	-
BLACK---MALE----	5	6	4	4	2	3	2	-	1	-	-	-
FEMALE--	-	1	1	3	3	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	3	6	6	6	2	-	-	-	-	-
WHITE-----MALE----	-	-	3	1	4	5	2	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	5	11	9	11	6	5	4	-	-	-	-
WHITE-----MALE----	4	3	5	8	6	3	3	3	-	-	-	-
FEMALE--	-	1	1	1	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	5	-	3	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	5	-	3	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 656  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LARYNX (161)												
SOUTH DAKOTA -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	9	10	8	18	19	9	4	1	1	-	-
WHITE-----MALE----	7	7	7	5	10	12	6	3	1	-	-	-
FEMALE--	1	2	-	3	4	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	4	3	2	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	4	3	2	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
TEXAS -----	19	22	29	40	44	39	23	10	4	1	-	-
WHITE-----MALE----	7	14	16	28	28	28	19	8	4	-	-	-
FEMALE--	1	6	7	5	10	7	2	1	-	-	-	-
ALL OTHER--MALE----	10	2	4	6	6	4	2	1	-	1	-	-
FEMALE--	1	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	10	2	4	6	6	4	2	1	-	1	-	-
FEMALE--	1	-	2	1	-	-	-	-	-	-	-	-
UTAH -----	-	1	-	1	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	2	2	-	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	2	2	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	4	14	18	15	14	11	3	3	-	-	-
WHITE-----MALE----	3	3	5	9	10	10	9	2	1	-	-	-
FEMALE--	1	-	1	1	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	3	-	7	5	3	3	-	-	1	-	-	-
FEMALE--	1	1	1	3	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	7	5	3	3	-	-	1	-	-	-
FEMALE--	1	1	1	3	-	-	-	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 658  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
0 UNITED STATES --	151,200	2	1	4	5	12	14	40	233	746	1,817	4,129
WHITE-----MALE----	80,088	1	-	2	2	7	7	16	108	303	807	1,931
FEMALE--	53,278	-	1	1	2	3	4	14	83	285	571	1,400
ALL OTHER--MALE----	11,768	1	-	1	1	1	2	6	25	98	285	516
FEMALE--	6,066	-	-	-	-	1	1	4	17	60	154	282
BLACK---MALE----	10,537	1	-	1	1	1	1	5	19	86	266	464
FEMALE--	5,253	-	-	-	-	1	-	1	16	49	135	254
ALABAMA -----	2,709	-	-	-	-	-	1	1	2	16	39	77
WHITE-----MALE----	1,452	-	-	-	-	-	-	1	-	6	18	37
FEMALE--	780	-	-	-	-	-	1	-	1	4	8	21
ALL OTHER--MALE----	350	-	-	-	-	-	-	-	-	3	9	15
FEMALE--	127	-	-	-	-	-	-	-	1	3	4	4
BLACK---MALE----	349	-	-	-	-	-	-	-	-	3	9	15
FEMALE--	126	-	-	-	-	-	-	-	1	3	3	4
ALASKA -----	175	-	-	-	-	-	-	-	1	-	1	11
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	55	-	-	-	-	-	-	-	1	-	-	4
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,268	-	-	1	-	-	1	-	4	4	28	35
WHITE-----MALE----	1,307	-	-	1	-	-	-	-	2	-	12	16
FEMALE--	875	-	-	-	-	-	-	-	2	4	11	14
ALL OTHER--MALE----	58	-	-	-	-	-	1	-	-	-	2	3
FEMALE--	28	-	-	-	-	-	-	-	-	-	3	2
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	3	2
ARKANSAS -----	2,013	-	-	-	-	-	-	-	9	11	20	66
WHITE-----MALE----	1,190	-	-	-	-	-	-	-	5	6	10	32
FEMALE--	608	-	-	-	-	-	-	-	4	4	3	23
ALL OTHER--MALE----	157	-	-	-	-	-	-	-	-	-	6	7
FEMALE--	58	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	154	-	-	-	-	-	-	-	-	-	6	7
FEMALE--	57	-	-	-	-	-	-	-	-	1	1	4
CALIFORNIA -----	13,735	-	-	-	-	-	1	6	11	71	160	382
WHITE-----MALE----	6,586	-	-	-	-	-	1	1	7	25	70	171
FEMALE--	5,391	-	-	-	-	-	-	2	2	28	49	134
ALL OTHER--MALE----	1,080	-	-	-	-	-	-	1	1	14	21	46
FEMALE--	678	-	-	-	-	-	-	2	1	4	20	31
BLACK---MALE----	643	-	-	-	-	-	-	-	-	8	16	27
FEMALE--	399	-	-	-	-	-	-	-	-	1	15	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 658  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
0 UNITED STATES --	7,681	11,937	18,260	26,123	29,606	24,212	16,070	7,517	2,283	446	57	5
WHITE-----MALE----	3,803	6,139	9,699	14,357	16,301	13,089	8,532	3,786	1,035	151	11	1
FEMALE--	2,571	3,950	5,983	8,625	10,212	8,965	6,218	3,076	1,030	241	40	3
ALL OTHER--MALE----	891	1,249	1,735	2,078	2,048	1,442	841	395	121	28	3	1
FEMALE--	416	599	843	1,063	1,045	716	479	260	97	26	3	-
BLACK---MALE----	820	1,152	1,579	1,876	1,816	1,259	735	325	105	22	2	1
FEMALE--	363	533	747	936	906	603	390	216	78	23	2	-
ALABAMA -----	146	229	346	482	537	390	284	122	27	10	-	-
WHITE-----MALE----	70	117	175	270	300	219	156	69	11	3	-	-
FEMALE--	38	74	90	128	156	115	90	39	10	5	-	-
ALL OTHER--MALE----	32	28	57	60	67	39	26	9	4	1	-	-
FEMALE--	6	10	24	24	14	17	12	5	2	1	-	-
BLACK---MALE----	32	28	57	60	67	39	25	9	4	1	-	-
FEMALE--	6	10	24	24	14	17	12	5	2	1	-	-
ALASKA -----	10	14	30	28	35	26	15	3	-	1	-	-
WHITE-----MALE----	7	9	13	17	14	13	3	2	-	-	-	-
FEMALE--	2	3	8	5	13	7	10	1	-	1	-	-
ALL OTHER--MALE----	1	1	6	4	5	4	1	-	-	-	-	-
FEMALE--	-	1	3	2	3	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ARIZONA -----	86	168	259	394	493	386	270	104	30	3	-	2
WHITE-----MALE----	44	100	152	236	301	213	158	52	19	-	-	1
FEMALE--	39	56	95	145	182	159	105	49	10	3	-	1
ALL OTHER--MALE----	2	7	9	8	10	8	5	3	-	-	-	-
FEMALE--	1	5	3	5	-	6	2	-	1	-	-	-
BLACK---MALE----	1	2	7	8	4	6	5	1	-	-	-	-
FEMALE--	-	2	3	3	-	3	1	-	1	-	-	-
ARKANSAS -----	94	183	231	358	387	308	232	74	34	6	-	-
WHITE-----MALE----	55	113	140	211	252	177	137	38	14	-	-	-
FEMALE--	26	51	66	107	100	100	73	32	15	4	-	-
ALL OTHER--MALE----	9	13	19	28	28	22	18	2	4	1	-	-
FEMALE--	4	6	6	12	7	9	4	2	1	1	-	-
BLACK---MALE----	9	13	18	28	27	22	18	2	4	-	-	-
FEMALE--	4	5	6	12	7	9	4	2	1	1	-	-
CALIFORNIA -----	678	1,032	1,609	2,171	2,698	2,284	1,573	768	234	47	10	-
WHITE-----MALE----	297	455	792	1,077	1,336	1,095	776	364	97	21	1	-
FEMALE--	250	394	581	825	1,045	955	667	313	115	22	9	-
ALL OTHER--MALE----	78	109	149	174	193	152	77	51	12	2	-	-
FEMALE--	53	74	87	95	124	82	53	40	10	2	-	-
BLACK---MALE----	57	74	96	110	110	77	44	17	6	1	-	-
FEMALE--	36	55	48	66	75	36	26	13	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 659  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF TRACHEA, BRONCHUS, AND LUNG (162)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	1,282	-	-	-	-	-	1	-	2	-	13	45
WHITE-----MALE----	719	-	-	-	-	-	-	-	-	-	5	27
FEMALE--	504	-	-	-	-	-	1	-	2	-	6	14
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	2
CONNECTICUT -----	1,836	-	-	-	-	-	-	-	-	7	33	42
WHITE-----MALE----	991	-	-	-	-	-	-	-	-	1	13	17
FEMALE--	745	-	-	-	-	-	-	-	-	6	14	22
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	-	-	5	3
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	65	-	-	-	-	-	-	-	-	-	5	3
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	487	-	-	-	-	-	-	-	-	3	3	7
WHITE-----MALE----	228	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	183	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	358	-	-	-	-	-	-	-	2	2	9	20
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	180	-	-	-	-	-	-	-	1	-	5	13
FEMALE--	102	-	-	-	-	-	-	-	1	-	2	7
BLACK---MALE----	178	-	-	-	-	-	-	-	1	-	5	13
FEMALE--	102	-	-	-	-	-	-	-	1	-	2	7
FLORIDA -----	11,237	-	-	-	-	2	1	5	12	36	125	258
WHITE-----MALE----	6,142	-	-	-	-	2	1	2	4	16	61	138
FEMALE--	4,245	-	-	-	-	-	-	2	7	14	35	89
ALL OTHER--MALE----	614	-	-	-	-	-	-	-	1	4	22	23
FEMALE--	236	-	-	-	-	-	-	1	-	2	7	8
BLACK---MALE----	603	-	-	-	-	-	-	-	1	4	21	23
FEMALE--	215	-	-	-	-	-	-	-	-	2	6	8
GEORGIA -----	3,891	-	-	-	-	-	-	-	11	19	53	127
WHITE-----MALE----	2,025	-	-	-	-	-	-	-	4	9	17	51
FEMALE--	1,111	-	-	-	-	-	-	-	2	6	18	37
ALL OTHER--MALE----	549	-	-	-	-	-	-	-	3	2	12	30
FEMALE--	206	-	-	-	-	-	-	-	2	2	6	9
BLACK---MALE----	543	-	-	-	-	-	-	-	2	2	12	30
FEMALE--	202	-	-	-	-	-	-	-	2	1	6	9



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 659  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
COLORADO -----	56	89	150	229	283	198	135	65	10	6	-	-
WHITE-----MALE----	30	57	73	135	157	115	76	38	4	2	-	-
FEMALE--	23	28	64	81	116	81	55	24	6	3	-	-
ALL OTHER--MALE----	3	3	9	6	5	2	3	3	-	1	-	-
FEMALE--	-	1	4	7	5	-	1	-	-	-	-	-
BLACK---MALE----	3	3	9	6	4	1	2	1	-	1	-	-
FEMALE--	-	1	3	3	4	-	-	-	-	-	-	-
CONNECTICUT -----	79	128	189	312	346	308	242	112	33	4	1	-
WHITE-----MALE----	30	58	102	189	197	172	136	57	16	3	-	-
FEMALE--	37	52	74	110	137	122	103	50	16	1	1	-
ALL OTHER--MALE----	8	13	9	10	7	11	1	1	-	-	-	-
FEMALE--	4	5	4	3	5	3	2	4	1	-	-	-
BLACK---MALE----	7	13	9	9	6	11	1	1	-	-	-	-
FEMALE--	4	4	3	3	5	3	2	3	1	-	-	-
DELAWARE -----	27	43	59	79	105	77	55	23	4	1	1	-
WHITE-----MALE----	13	17	22	44	53	38	24	9	4	-	-	-
FEMALE--	6	14	26	25	41	29	26	10	-	-	-	-
ALL OTHER--MALE----	6	11	7	4	6	7	-	3	-	-	1	-
FEMALE--	2	1	4	6	5	3	5	1	-	1	-	-
BLACK---MALE----	6	10	7	4	6	7	-	3	-	-	1	-
FEMALE--	2	1	4	6	4	3	5	1	-	1	-	-
DISTRICT OF COLUMBIA ----	24	36	38	60	60	49	36	17	4	1	-	-
WHITE-----MALE----	1	2	3	9	10	5	6	3	-	1	-	-
FEMALE--	3	3	1	3	5	7	6	3	1	-	-	-
ALL OTHER--MALE----	17	19	24	31	20	27	16	5	2	-	-	-
FEMALE--	3	12	10	17	25	10	8	6	1	-	-	-
BLACK---MALE----	16	19	24	31	20	27	15	5	2	-	-	-
FEMALE--	3	12	10	17	25	10	8	6	1	-	-	-
FLORIDA -----	510	790	1,288	1,860	2,187	1,910	1,337	668	196	50	2	-
WHITE-----MALE----	264	428	729	1,065	1,178	1,071	720	356	91	15	1	-
FEMALE--	179	269	451	655	863	741	536	278	95	30	1	-
ALL OTHER--MALE----	43	69	79	104	104	66	62	26	7	4	-	-
FEMALE--	24	24	29	36	42	32	19	8	3	1	-	-
BLACK---MALE----	41	68	79	103	101	66	60	25	7	4	-	-
FEMALE--	19	23	27	34	38	28	18	8	3	1	-	-
GEORGIA -----	275	380	498	698	711	600	331	153	30	4	-	1
WHITE-----MALE----	150	185	274	360	374	334	172	79	15	1	-	-
FEMALE--	59	114	123	199	210	180	102	52	8	1	-	-
ALL OTHER--MALE----	50	61	76	98	92	66	42	12	4	-	-	1
FEMALE--	16	20	25	41	35	20	15	10	3	2	-	-
BLACK---MALE----	50	61	74	97	92	64	42	12	4	-	-	1
FEMALE--	16	20	25	41	34	19	15	9	3	2	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 660  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
HAWAII -----	26	32	49	74	95	76	45	22	16	2	-	1
WHITE-----MALE----	4	6	11	17	14	21	7	2	2	-	-	-
FEMALE--	6	4	5	5	15	8	2	4	2	-	-	1
ALL OTHER--MALE----	13	12	25	27	44	30	22	10	5	1	-	-
FEMALE--	3	10	8	25	22	17	14	6	7	1	-	-
BLACK---MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	27	34	69	77	100	74	49	31	7	5	-	-
WHITE-----MALE----	18	20	36	42	67	49	25	20	2	2	-	-
FEMALE--	9	14	32	33	31	25	23	11	5	3	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	339	563	865	1,194	1,351	1,097	732	324	118	17	3	-
WHITE-----MALE----	145	282	405	644	717	589	377	156	50	6	1	-
FEMALE--	110	162	273	337	468	393	292	137	51	7	1	-
ALL OTHER--MALE----	53	80	123	131	114	64	39	19	7	2	-	-
FEMALE--	31	39	64	82	52	51	24	12	10	2	1	-
BLACK---MALE----	51	79	117	127	110	63	38	17	7	2	-	-
FEMALE--	28	38	64	75	49	49	22	10	10	2	1	-
INDIANA -----	168	317	460	705	791	599	376	181	63	12	1	-
WHITE-----MALE----	96	160	253	422	459	342	213	96	24	3	-	-
FEMALE--	60	124	166	228	274	224	135	72	35	6	1	-
ALL OTHER--MALE----	8	18	25	28	39	21	12	12	4	3	-	-
FEMALE--	4	15	16	27	19	12	16	1	-	-	-	-
BLACK---MALE----	8	17	25	28	39	21	12	12	4	3	-	-
FEMALE--	4	14	16	27	18	12	16	1	-	-	-	-
IOWA -----	97	111	205	253	326	309	190	120	34	5	-	-
WHITE-----MALE----	58	65	126	149	194	203	111	74	18	2	-	-
FEMALE--	38	40	73	100	128	103	77	43	16	3	-	-
ALL OTHER--MALE----	1	5	6	4	4	1	2	2	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	1	5	6	4	2	1	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
KANSAS -----	76	92	165	220	270	240	175	88	26	8	-	-
WHITE-----MALE----	40	53	91	139	171	133	102	52	9	5	-	-
FEMALE--	27	35	64	71	83	97	69	34	16	3	-	-
ALL OTHER--MALE----	7	1	6	6	10	5	2	2	-	-	-	-
FEMALE--	2	3	4	4	6	5	2	-	1	-	-	-
BLACK---MALE----	6	-	6	6	8	5	2	1	-	-	-	-
FEMALE--	1	1	4	3	5	3	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 661  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF TRACHEA, BRONCHUS, AND LUNG (162)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	3,033	-	-	-	-	-	1	1	7	17	33	104
WHITE-----MALE----	1,834	-	-	-	-	-	-	1	3	9	20	56
FEMALE--	984	-	-	-	-	-	-	-	4	7	7	41
ALL OTHER--MALE----	147	-	-	-	-	-	1	-	-	1	5	5
FEMALE--	68	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	145	-	-	-	-	-	1	-	-	1	5	5
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	2
LOUISIANA -----	2,713	-	-	-	1	-	-	1	7	14	39	88
WHITE-----MALE----	1,207	-	-	-	-	-	-	-	3	4	13	29
FEMALE--	751	-	-	-	-	-	-	1	1	4	8	17
ALL OTHER--MALE----	534	-	-	-	1	-	-	-	1	5	14	29
FEMALE--	221	-	-	-	-	-	-	-	2	1	4	13
BLACK---MALE----	531	-	-	-	1	-	-	-	1	5	14	29
FEMALE--	220	-	-	-	-	-	-	-	2	1	4	13
MAINE -----	917	-	-	-	-	-	-	-	1	6	11	25
WHITE-----MALE----	551	-	-	-	-	-	-	-	-	2	4	13
FEMALE--	364	-	-	-	-	-	-	-	1	4	7	12
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,884	-	-	-	-	1	2	4	6	15	46	91
WHITE-----MALE----	1,255	-	-	-	-	-	-	-	-	7	17	39
FEMALE--	975	-	-	-	-	-	2	1	2	3	12	18
ALL OTHER--MALE----	423	-	-	-	-	1	-	3	2	2	11	23
FEMALE--	231	-	-	-	-	-	-	-	2	3	6	11
BLACK---MALE----	408	-	-	-	-	1	-	3	2	2	10	22
FEMALE--	218	-	-	-	-	-	-	-	2	3	4	9
MASSACHUSETTS -----	3,709	-	-	1	-	-	1	-	8	18	47	105
WHITE-----MALE----	2,014	-	-	-	-	-	-	-	2	7	24	55
FEMALE--	1,551	-	-	1	-	-	-	-	5	11	19	46
ALL OTHER--MALE----	93	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	51	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	73	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	5,577	-	-	-	-	-	-	1	5	23	58	157
WHITE-----MALE----	2,908	-	-	-	-	-	-	1	1	9	28	74
FEMALE--	1,930	-	-	-	-	-	-	-	3	9	12	50
ALL OTHER--MALE----	491	-	-	-	-	-	-	-	1	2	9	18
FEMALE--	248	-	-	-	-	-	-	-	-	3	9	15
BLACK---MALE----	466	-	-	-	-	-	-	-	1	2	9	18
FEMALE--	227	-	-	-	-	-	-	-	-	3	8	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 661  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF TRACHEA, BRONCHUS, AND LUNG (162)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	168	285	413	533	617	433	256	126	33	6	-	-
WHITE-----MALE----	107	156	245	326	399	266	150	76	19	1	-	-
FEMALE--	47	107	132	166	175	146	92	44	12	4	-	-
ALL OTHER--MALE----	11	15	22	28	28	15	9	5	2	-	-	-
FEMALE--	3	7	14	13	15	6	5	1	-	1	-	-
BLACK---MALE----	11	15	21	28	28	14	9	5	2	-	-	-
FEMALE--	3	6	13	13	15	6	5	1	-	1	-	-
LOUISIANA -----	162	232	343	475	510	392	293	117	26	12	1	-
WHITE-----MALE----	68	101	146	233	236	185	127	50	10	2	-	-
FEMALE--	31	57	98	120	145	116	96	44	8	4	1	-
ALL OTHER--MALE----	45	58	68	87	91	64	45	17	6	3	-	-
FEMALE--	18	16	31	35	38	27	25	6	2	3	-	-
BLACK---MALE----	44	58	68	86	90	64	45	17	6	3	-	-
FEMALE--	18	16	31	34	38	27	25	6	2	3	-	-
MAINE -----	53	77	108	165	182	155	80	37	13	4	-	-
WHITE-----MALE----	26	54	71	107	115	86	48	20	5	-	-	-
FEMALE--	26	22	37	58	67	69	32	17	8	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	139	242	363	514	544	420	313	142	34	7	1	-
WHITE-----MALE----	50	88	162	235	245	193	143	64	9	3	-	-
FEMALE--	48	70	111	160	194	152	125	57	16	3	1	-
ALL OTHER--MALE----	26	57	54	79	70	48	31	10	5	1	-	-
FEMALE--	15	27	36	40	35	27	14	11	4	-	-	-
BLACK---MALE----	26	53	53	76	68	46	30	10	5	1	-	-
FEMALE--	14	27	35	39	33	26	11	11	4	-	-	-
MASSACHUSETTS -----	170	251	427	630	710	607	445	199	74	12	4	-
WHITE-----MALE----	94	132	236	357	403	321	237	107	36	2	1	-
FEMALE--	59	97	173	249	283	269	200	88	38	10	3	-
ALL OTHER--MALE----	9	14	14	16	15	10	5	2	-	-	-	-
FEMALE--	8	8	4	8	9	7	3	2	-	-	-	-
BLACK---MALE----	7	11	12	11	13	7	4	2	-	-	-	-
FEMALE--	5	7	2	7	7	4	2	1	-	-	-	-
MICHIGAN -----	292	480	668	993	1,119	894	554	259	66	7	1	-
WHITE-----MALE----	147	262	327	510	605	483	291	127	38	5	-	-
FEMALE--	95	149	230	352	390	304	203	108	23	1	1	-
ALL OTHER--MALE----	29	49	75	95	87	73	37	13	2	1	-	-
FEMALE--	21	20	36	36	37	34	23	11	3	-	-	-
BLACK---MALE----	27	47	71	91	80	70	35	12	2	1	-	-
FEMALE--	20	19	35	31	35	30	20	11	3	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 662  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
MINNESOTA -----	114	149	252	378	353	331	247	116	43	11	-	-
WHITE-----MALE----	65	79	151	222	220	199	135	70	23	5	-	-
FEMALE--	45	66	93	145	129	128	106	45	20	6	-	-
ALL OTHER--MALE----	3	3	6	8	2	4	3	1	-	-	-	-
FEMALE--	1	1	2	3	2	-	3	-	-	-	-	-
BLACK---MALE----	3	2	4	5	2	2	2	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
MISSISSIPPI -----	82	168	224	312	283	259	175	89	26	5	1	-
WHITE-----MALE----	35	85	112	149	155	135	98	39	8	-	-	-
FEMALE--	18	42	59	83	75	62	44	23	9	5	-	-
ALL OTHER--MALE----	23	31	39	47	38	49	25	18	6	-	-	-
FEMALE--	6	10	14	33	15	13	8	9	3	-	1	-
BLACK---MALE----	23	30	39	47	38	49	25	18	6	-	-	-
FEMALE--	6	10	14	33	15	13	8	9	3	-	1	-
MISSOURI -----	173	298	503	644	761	540	382	173	64	9	2	-
WHITE-----MALE----	96	158	318	367	431	321	231	88	29	2	-	-
FEMALE--	55	101	124	216	263	179	128	75	30	6	2	-
ALL OTHER--MALE----	12	27	39	39	38	26	12	5	2	1	-	-
FEMALE--	10	12	22	22	29	14	11	5	3	-	3	-
BLACK---MALE----	11	25	36	39	36	26	11	5	2	1	-	-
FEMALE--	10	12	21	21	27	13	11	5	3	-	-	-
MONTANA -----	28	34	50	91	90	71	56	21	11	1	-	-
WHITE-----MALE----	17	19	27	47	49	40	26	11	8	-	-	-
FEMALE--	10	15	20	39	35	25	26	10	3	-	-	-
ALL OTHER--MALE----	-	-	2	1	5	2	3	-	-	-	-	-
FEMALE--	1	-	1	4	1	4	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	29	51	113	147	173	137	99	39	21	3	1	-
WHITE-----MALE----	18	24	82	91	101	79	64	21	11	-	1	-
FEMALE--	10	23	28	51	66	57	34	16	10	3	-	-
ALL OTHER--MALE----	-	3	2	2	2	1	-	2	-	-	-	-
FEMALE--	1	1	1	3	4	-	1	-	-	-	-	-
BLACK---MALE----	-	2	2	1	1	1	-	2	-	-	-	-
FEMALE--	1	1	1	3	3	-	1	-	-	-	-	-
NEVADA -----	61	68	111	182	198	136	95	29	7	1	-	-
WHITE-----MALE----	33	24	69	91	114	70	55	11	4	-	-	-
FEMALE--	24	36	36	75	76	59	35	14	2	1	-	-
ALL OTHER--MALE----	1	3	3	10	5	4	4	4	1	-	-	-
FEMALE--	3	5	3	6	3	3	1	-	-	-	-	-
BLACK---MALE----	-	3	3	7	2	2	3	3	1	-	-	-
FEMALE--	2	5	1	3	2	3	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 663  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
NEW HAMPSHIRE -----	32	45	85	108	143	96	66	40	7	1	-	-
WHITE-----MALE----	22	28	46	63	82	47	35	20	5	-	-	-
FEMALE--	10	17	38	44	61	49	31	20	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	242	366	517	795	917	760	519	270	81	11	1	-
WHITE-----MALE----	98	168	263	418	495	368	263	130	33	4	1	-
FEMALE--	95	136	167	273	301	310	228	113	40	6	-	-
ALL OTHER--MALE----	32	43	55	57	75	54	16	17	3	-	-	-
FEMALE--	17	19	32	47	46	28	12	10	5	1	-	-
BLACK---MALE----	29	41	49	56	71	45	14	12	3	-	-	-
FEMALE--	16	18	28	45	42	26	10	10	5	1	-	-
NEW MEXICO -----	29	33	81	111	132	101	57	33	15	1	-	-
WHITE-----MALE----	10	19	42	56	88	55	33	20	7	1	-	-
FEMALE--	16	12	33	49	42	42	22	12	7	-	-	-
ALL OTHER--MALE----	3	1	4	4	-	2	1	1	1	-	-	-
FEMALE--	-	1	2	2	2	2	1	-	-	-	-	-
BLACK---MALE----	1	1	4	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	1	-	-	-	-	-	-
NEW YORK -----	528	773	1,126	1,649	1,834	1,566	1,143	523	168	39	5	-
WHITE-----MALE----	229	370	552	839	995	810	562	240	73	11	1	-
FEMALE--	183	258	375	573	624	617	494	252	81	25	3	-
ALL OTHER--MALE----	79	89	117	149	132	88	44	17	6	2	-	-
FEMALE--	37	56	82	88	83	51	43	14	8	1	1	-
BLACK---MALE----	75	81	110	126	121	77	37	14	5	1	-	-
FEMALE--	36	50	77	82	76	47	31	13	5	1	-	-
NORTH CAROLINA -----	258	382	595	799	839	623	389	168	33	11	1	-
WHITE-----MALE----	118	192	321	475	470	355	197	74	17	6	1	-
FEMALE--	76	105	168	203	217	174	109	55	10	3	-	-
ALL OTHER--MALE----	47	59	80	85	113	75	58	23	4	-	-	-
FEMALE--	17	26	26	36	39	19	25	16	2	2	-	-
BLACK---MALE----	47	57	77	83	109	73	53	23	4	-	-	-
FEMALE--	17	24	24	34	39	18	24	16	2	2	-	-
NORTH DAKOTA -----	13	27	39	49	61	66	35	31	8	1	-	-
WHITE-----MALE----	9	12	22	29	47	45	25	16	4	-	-	-
FEMALE--	3	14	17	19	14	18	8	15	4	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 664  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
OHIO -----	7,372	-	-	-	-	-	1	2	11	38	83	177
WHITE-----MALE----	3,905	-	-	-	-	-	1	1	7	15	42	87
FEMALE--	2,651	-	-	-	-	-	-	-	4	16	25	58
ALL OTHER--MALE----	518	-	-	-	-	-	-	1	-	3	11	20
FEMALE--	298	-	-	-	-	-	-	-	-	4	5	12
BLACK---MALE----	510	-	-	-	-	-	-	1	-	3	11	19
FEMALE--	290	-	-	-	-	-	-	-	-	4	5	12
OKLAHOMA -----	2,289	-	-	-	-	1	-	-	3	14	20	54
WHITE-----MALE----	1,339	-	-	-	-	1	-	-	1	10	10	32
FEMALE--	778	-	-	-	-	-	-	-	2	2	8	14
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	59	-	-	-	-	-	-	-	-	1	-	4
BLACK---MALE----	59	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	3
OREGON -----	1,911	-	-	-	-	1	-	-	2	9	17	34
WHITE-----MALE----	1,015	-	-	-	-	1	-	-	1	4	13	19
FEMALE--	846	-	-	-	-	-	-	-	1	5	3	14
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8,175	-	-	-	1	1	2	-	7	40	86	200
WHITE-----MALE----	4,485	-	-	-	1	1	2	-	2	18	46	104
FEMALE--	2,862	-	-	-	-	-	-	-	4	17	22	66
ALL OTHER--MALE----	492	-	-	-	-	-	-	-	-	3	11	16
FEMALE--	336	-	-	-	-	-	-	-	1	2	7	14
BLACK---MALE----	481	-	-	-	-	-	-	-	-	3	11	15
FEMALE--	317	-	-	-	-	-	-	-	1	2	6	14
RHODE ISLAND -----	699	-	-	-	-	-	-	-	-	5	7	12
WHITE-----MALE----	392	-	-	-	-	-	-	-	-	1	4	11
FEMALE--	278	-	-	-	-	-	-	-	-	3	2	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	2,104	1	-	-	-	-	-	1	4	9	27	68
WHITE-----MALE----	1,074	-	-	-	-	-	-	1	3	3	9	29
FEMALE--	549	-	-	-	-	-	-	-	-	5	5	14
ALL OTHER--MALE----	346	1	-	-	-	-	-	-	-	1	7	15
FEMALE--	135	-	-	-	-	-	-	-	1	-	6	10
BLACK---MALE----	345	1	-	-	-	-	-	-	-	1	7	14
FEMALE--	133	-	-	-	-	-	-	-	1	-	6	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 664  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
OHIO -----	373	626	923	1,267	1,493	1,195	725	322	99	29	8	-
WHITE-----MALE----	189	344	488	677	801	645	387	163	46	10	2	-
FEMALE--	121	203	309	430	549	457	291	125	41	16	6	-
ALL OTHER--MALE----	42	54	84	104	85	61	31	16	5	1	-	-
FEMALE--	21	25	42	56	58	32	16	18	7	2	-	-
BLACK---MALE----	42	54	83	103	84	60	29	15	5	1	-	-
FEMALE--	20	23	42	55	55	32	15	18	7	2	-	-
OKLAHOMA -----	98	204	279	415	449	363	231	121	29	7	1	-
WHITE-----MALE----	59	120	167	250	257	210	145	64	10	3	-	-
FEMALE--	34	72	86	126	167	126	75	45	16	4	1	-
ALL OTHER--MALE----	4	6	18	29	17	16	7	6	3	-	-	-
FEMALE--	1	6	8	10	8	11	4	6	-	-	-	-
BLACK---MALE----	1	4	10	16	7	5	5	5	2	-	-	-
FEMALE--	1	5	4	7	4	9	1	5	-	-	-	-
OREGON -----	116	136	205	303	363	368	224	90	34	8	1	-
WHITE-----MALE----	55	70	104	167	206	186	125	45	15	4	-	-
FEMALE--	58	62	90	130	146	173	97	45	17	4	1	-
ALL OTHER--MALE----	3	2	6	5	5	7	1	-	-	-	-	-
FEMALE--	-	2	5	1	6	2	1	-	2	-	-	-
BLACK---MALE----	2	1	3	-	2	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	1	1	-	-	-	-	-
PENNSYLVANIA -----	341	575	897	1,453	1,648	1,454	902	423	117	22	5	1
WHITE-----MALE----	172	320	502	836	938	812	454	211	54	12	-	-
FEMALE--	113	172	268	457	547	550	387	185	59	9	5	1
ALL OTHER--MALE----	30	55	85	95	96	59	32	10	-	-	-	-
FEMALE--	26	28	42	65	67	33	29	17	4	1	-	-
BLACK---MALE----	30	54	82	90	96	59	32	9	-	-	-	-
FEMALE--	24	26	41	60	63	31	27	17	4	1	-	-
RHODE ISLAND -----	38	42	77	112	130	133	76	48	17	2	-	-
WHITE-----MALE----	21	22	47	58	81	73	42	25	7	-	-	-
FEMALE--	15	17	27	46	46	56	32	22	10	2	-	-
ALL OTHER--MALE----	-	2	1	6	1	1	1	1	-	-	-	-
FEMALE--	2	1	2	2	2	3	1	-	-	-	-	-
BLACK---MALE----	-	2	1	5	1	1	-	1	-	-	-	-
FEMALE--	1	1	2	2	1	3	1	-	-	-	-	-
SOUTH CAROLINA -----	128	190	275	387	421	325	175	65	25	2	1	-
WHITE-----MALE----	69	95	144	214	217	163	87	33	7	-	-	-
FEMALE--	32	42	72	95	112	88	50	22	11	1	-	-
ALL OTHER--MALE----	24	42	45	59	64	52	23	6	5	1	1	-
FEMALE--	3	11	14	19	28	22	15	4	2	-	-	-
BLACK---MALE----	24	42	45	59	64	52	23	6	5	1	1	-
FEMALE--	3	11	14	19	27	22	14	4	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 665  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
SOUTH DAKOTA -----	380	-	-	-	-	-	-	-	-	3	3	8
WHITE-----MALE----	228	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	127	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,647	-	-	-	-	-	-	-	9	26	51	132
WHITE-----MALE----	2,097	-	-	-	-	-	-	-	7	7	27	70
FEMALE--	1,076	-	-	-	-	-	-	-	2	16	13	36
ALL OTHER--MALE----	316	-	-	-	-	-	-	-	-	-	7	20
FEMALE--	158	-	-	-	-	-	-	-	-	3	4	6
BLACK---MALE----	313	-	-	-	-	-	-	-	-	-	7	20
FEMALE--	156	-	-	-	-	-	-	-	-	3	4	6
TEXAS -----	9,201	-	-	1	1	1	2	2	18	50	112	253
WHITE-----MALE----	4,945	-	-	1	1	-	2	2	11	18	52	109
FEMALE--	3,074	-	-	-	-	1	-	-	4	16	33	86
ALL OTHER--MALE----	828	-	-	-	-	-	-	-	3	10	21	37
FEMALE--	354	-	-	-	-	-	-	-	-	6	6	21
BLACK---MALE----	800	-	-	-	-	-	-	-	3	10	21	37
FEMALE--	333	-	-	-	-	-	-	-	-	5	6	19
UTAH -----	341	-	-	-	-	-	-	-	1	-	9	7
WHITE-----MALE----	213	-	-	-	-	-	-	-	-	-	5	5
FEMALE--	116	-	-	-	-	-	-	-	1	-	4	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	291	-	-	-	-	-	-	-	1	1	4	6
WHITE-----MALE----	168	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	122	-	-	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,706	-	-	-	-	1	-	2	6	16	50	109
WHITE-----MALE----	1,870	-	-	-	-	-	-	-	5	6	20	43
FEMALE--	1,133	-	-	-	-	1	-	1	-	5	15	39
ALL OTHER--MALE----	468	-	-	-	-	-	-	1	-	2	9	17
FEMALE--	235	-	-	-	-	-	-	-	1	3	6	10
BLACK---MALE----	460	-	-	-	-	-	-	1	-	2	9	17
FEMALE--	228	-	-	-	-	-	-	-	1	3	5	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 665  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TRACHEA, BRONCHUS, AND LUNG (162)												
SOUTH DAKOTA -----	14	29	32	59	80	61	51	27	10	3	-	-
WHITE-----MALE----	8	14	18	43	56	39	27	11	5	-	-	-
FEMALE--	6	11	12	12	22	18	19	14	5	2	-	-
ALL OTHER--MALE----	-	2	1	2	1	4	5	-	-	1	-	-
FEMALE--	-	2	1	2	1	-	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	211	330	493	704	685	519	299	133	50	5	-	-
WHITE-----MALE----	117	188	280	416	411	305	181	67	19	2	-	-
FEMALE--	66	101	145	193	186	158	78	57	24	1	-	-
ALL OTHER--MALE----	18	25	39	67	63	37	30	4	5	1	-	-
FEMALE--	10	16	29	28	25	19	10	5	2	1	-	-
BLACK---MALE----	18	25	39	66	63	37	29	4	5	-	-	-
FEMALE--	10	16	29	27	24	19	10	5	2	1	-	-
TEXAS -----	519	746	1,172	1,623	1,780	1,405	907	461	129	16	3	-
WHITE-----MALE----	266	384	604	915	982	790	505	233	66	4	-	-
FEMALE--	170	221	361	505	608	489	338	179	51	10	2	-
ALL OTHER--MALE----	66	97	144	148	131	86	43	32	8	1	1	-
FEMALE--	17	44	63	55	59	40	21	17	4	1	-	-
BLACK---MALE----	61	94	141	145	128	81	39	31	8	1	-	-
FEMALE--	14	43	59	50	58	39	18	17	4	1	-	-
UTAH -----	17	32	32	61	74	63	27	16	2	-	-	-
WHITE-----MALE----	9	21	22	34	43	43	19	11	1	-	-	-
FEMALE--	8	9	9	25	27	19	7	5	1	-	-	-
ALL OTHER--MALE----	-	2	1	2	4	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	30	40	47	56	42	34	10	4	1	-	-
WHITE-----MALE----	9	19	24	31	33	19	19	5	3	1	-	-
FEMALE--	6	11	15	16	23	23	15	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VIRGINIA -----	205	277	476	708	759	545	340	148	52	10	2	-
WHITE-----MALE----	103	133	242	370	394	280	178	72	21	2	1	-
FEMALE--	46	81	141	213	221	182	109	51	20	7	1	-
ALL OTHER--MALE----	44	44	66	80	97	52	33	17	6	-	-	-
FEMALE--	12	19	27	45	47	31	20	8	5	1	-	-
BLACK---MALE----	43	44	66	78	93	52	33	17	5	-	-	-
FEMALE--	12	19	25	44	46	31	19	8	5	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 667  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)												
0 UNITED STATES --	62	100	129	161	218	196	141	90	39	6	1	-
WHITE-----MALE----	34	59	80	106	122	108	80	41	13	1	-	-
FEMALE--	14	30	34	41	70	66	46	39	20	4	1	-
ALL OTHER--MALE----	9	8	9	13	14	14	6	5	1	-	-	-
FEMALE--	5	3	6	1	12	8	9	5	5	1	-	-
BLACK---MALE----	9	6	9	13	10	12	5	3	1	-	-	-
FEMALE--	4	3	6	1	9	6	8	5	4	1	-	-
ALABAMA -----	1	2	2	3	2	3	1	2	-	-	-	-
WHITE-----MALE----	1	1	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	1	1	2	4	-	1	-	-	-	-
WHITE-----MALE----	-	1	1	1	1	4	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	4	2	1	-	2	2	2	-	-	-
WHITE-----MALE----	-	-	3	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	11	12	11	17	19	22	13	9	4	-	1	-
WHITE-----MALE----	10	6	7	12	12	10	4	2	-	-	-	-
FEMALE--	1	4	3	5	6	8	7	6	3	-	1	-
ALL OTHER--MALE----	-	2	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 668

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)												
COLORADO -----	-	1	1	-	2	2	2	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	4	2	1	-	3	1	-	-	-
WHITE-----MALE----	-	-	1	2	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	1	-	3	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	4	16	15	26	22	19	6	3	-	-	-
WHITE-----MALE----	2	3	12	11	22	15	10	5	2	-	-	-
FEMALE--	-	-	3	3	2	5	8	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	-	2	-	3	5	5	1	2	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 670

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)												
KENTUCKY -----	1	1	2	1	2	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	2	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	4	3	4	2	3	3	1	-	1	-	-
WHITE-----MALE----	-	4	2	2	1	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	1	-	-
MAINE -----	-	-	-	2	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	2	3	4	4	3	-	-	-	-	-
WHITE-----MALE----	1	-	2	1	2	3	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	3	2	9	7	5	6	2	-	-	-
WHITE-----MALE----	-	1	2	2	5	3	3	4	1	-	-	-
FEMALE--	1	-	1	-	3	4	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	2	2	5	9	8	5	10	1	1	-	-	-
WHITE-----MALE----	1	1	3	6	5	2	4	1	-	-	-	-
FEMALE--	1	1	1	2	3	3	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 673

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)												
OHIO -----	1	1	5	9	11	7	5	3	1	-	-	-
WHITE-----MALE----	1	1	3	8	4	2	1	1	-	-	-	-
FEMALE--	-	-	1	1	7	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	2	3	-	3	-	1	-	-	-
WHITE-----MALE----	-	-	1	2	3	-	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	2	3	3	2	1	3	1	-	-	-
WHITE-----MALE----	1	1	2	2	1	1	-	3	1	-	-	-
FEMALE--	-	1	-	1	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	6	3	13	16	7	6	2	-	-	-
WHITE-----MALE----	1	2	4	2	6	10	3	3	1	-	-	-
FEMALE--	1	-	2	1	7	4	3	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	1	1	3	3	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	3	1	4	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	2	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 674

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	27	-	-	-	-	1	-	-	2	-	-	1
WHITE-----MALE----	17	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	112	-	-	1	-	1	-	2	1	1	5	2
WHITE-----MALE----	67	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	30	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	4	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	22	-	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 674

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)												
SOUTH DAKOTA -----	-	-	-	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	3	3	1	4	5	1	3	1	-	-	-
WHITE-----MALE----	2	2	3	1	1	4	-	1	-	-	-	-
FEMALE--	-	1	-	-	3	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
TEXAS -----	8	11	9	14	15	17	12	9	4	-	-	-
WHITE-----MALE----	3	7	6	8	12	8	9	6	1	-	-	-
FEMALE--	3	3	2	3	2	7	3	3	1	-	-	-
ALL OTHER--MALE----	1	1	1	3	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	1	1	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
UTAH -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	1	2	4	2	3	2	1	-	-	-
WHITE-----MALE----	2	1	1	1	2	1	1	2	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 676  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
0 UNITED STATES --	58,211	4	31	38	87	168	206	329	792	1,703	2,680	3,943
WHITE-----MALE----	8,015	2	19	20	34	89	103	117	190	262	394	513
FEMALE--	43,178	1	7	7	34	49	65	149	427	1,126	1,776	2,701
ALL OTHER--MALE----	605	1	5	5	11	15	23	19	24	27	37	50
FEMALE--	6,413	-	-	6	8	15	15	44	151	288	473	679
BLACK---MALE----	503	-	5	5	7	11	22	17	20	19	31	43
FEMALE--	5,699	-	-	3	6	9	13	35	134	255	420	576
ALABAMA -----	867	-	-	-	2	1	1	7	12	28	30	56
WHITE-----MALE----	100	-	-	-	-	1	1	-	2	4	-	6
FEMALE--	581	-	-	-	2	-	-	5	6	17	19	29
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	173	-	-	-	-	-	-	1	4	7	11	19
BLACK---MALE----	13	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	173	-	-	-	-	-	-	1	4	7	11	19
ALASKA -----	67	-	-	-	-	-	1	-	1	5	5	11
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	46	-	-	-	-	-	1	-	1	3	3	10
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	817	-	-	1	-	2	9	3	7	16	33	39
WHITE-----MALE----	156	-	-	-	-	1	6	2	3	2	4	4
FEMALE--	623	-	-	-	-	1	3	1	3	13	27	31
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	1	-	-	-	-	1	1	2	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	2
ARKANSAS -----	552	-	-	-	-	-	2	2	8	14	17	38
WHITE-----MALE----	72	-	-	-	-	-	1	-	-	2	1	7
FEMALE--	391	-	-	-	-	-	1	-	6	10	12	22
ALL OTHER--MALE----	9	-	-	-	-	-	-	2	-	-	-	2
FEMALE--	80	-	-	-	-	-	-	-	2	2	4	7
BLACK---MALE----	9	-	-	-	-	-	-	2	-	-	-	2
FEMALE--	79	-	-	-	-	-	-	-	2	2	3	7
CALIFORNIA -----	5,830	-	5	6	18	14	24	43	111	189	305	424
WHITE-----MALE----	918	-	2	2	7	9	13	14	27	28	40	59
FEMALE--	4,198	-	3	2	6	3	7	21	63	125	208	289
ALL OTHER--MALE----	67	-	-	1	2	2	1	-	4	4	4	6
FEMALE--	647	-	-	1	3	-	3	8	17	32	53	70
BLACK---MALE----	31	-	-	1	-	-	1	-	2	2	1	4
FEMALE--	387	-	-	-	1	-	2	2	11	20	32	37

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 676  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
0 UNITED STATES --	4,461	4,699	5,378	6,656	7,381	6,965	5,870	4,126	1,917	651	122	4
WHITE-----MALE----	550	626	769	940	978	972	751	449	172	57	7	1
FEMALE--	3,177	3,368	3,877	4,998	5,677	5,430	4,652	3,381	1,618	562	95	1
ALL OTHER--MALE----	40	60	56	61	52	51	38	15	11	1	1	2
FEMALE--	694	645	676	657	674	512	429	281	116	31	19	-
BLACK---MALE----	36	50	45	53	41	49	30	9	7	-	1	2
FEMALE--	595	557	591	582	624	477	402	262	110	31	17	-
ALABAMA -----	74	77	100	96	112	106	77	54	19	12	3	-
WHITE-----MALE----	13	6	12	9	11	17	10	6	2	-	-	-
FEMALE--	43	54	68	67	77	73	52	43	14	11	1	-
ALL OTHER--MALE----	2	1	-	2	1	2	1	-	1	-	-	-
FEMALE--	16	16	20	18	23	14	14	5	2	1	2	-
BLACK---MALE----	2	1	-	2	1	2	1	-	1	-	-	-
FEMALE--	16	16	20	18	23	14	14	5	2	1	2	-
ALASKA -----	7	6	8	5	5	5	5	2	1	-	-	-
WHITE-----MALE----	1	3	1	-	1	-	1	-	-	-	-	-
FEMALE--	4	2	5	4	4	5	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	1	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	62	66	90	106	109	85	91	59	21	17	1	-
WHITE-----MALE----	12	16	18	17	21	18	18	10	-	4	-	-
FEMALE--	46	48	66	87	87	63	68	47	18	13	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	2	1	-	-	-	-
FEMALE--	4	2	4	2	1	4	3	1	3	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	3	2	-	2	1	-	1	-	-	-
ARKANSAS -----	36	50	57	78	68	60	64	37	14	6	1	-
WHITE-----MALE----	4	6	9	10	7	11	7	4	2	1	-	-
FEMALE--	25	34	36	57	50	42	49	30	12	4	1	-
ALL OTHER--MALE----	1	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	6	10	10	10	10	7	8	3	-	1	-	-
BLACK---MALE----	1	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	6	10	10	10	10	7	8	3	-	1	-	-
CALIFORNIA -----	467	464	531	650	777	687	520	377	162	45	11	-
WHITE-----MALE----	44	72	83	108	126	126	92	39	22	4	1	-
FEMALE--	335	316	372	464	576	518	393	318	129	40	10	-
ALL OTHER--MALE----	3	5	6	10	9	2	4	2	2	-	-	-
FEMALE--	85	71	70	68	66	41	31	18	9	1	-	-
BLACK---MALE----	1	3	2	7	3	1	3	-	-	-	-	-
FEMALE--	45	36	43	37	50	28	22	12	8	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 677  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
COLORADO -----	648	-	-	-	1	2	2	2	10	21	38	46
WHITE-----MALE----	92	-	-	-	1	1	1	1	2	6	6	4
FEMALE--	527	-	-	-	-	1	1	-	7	12	29	41
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	1	1	3	3	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	2	2	1
CONNECTICUT -----	816	-	-	-	1	2	1	3	9	25	29	50
WHITE-----MALE----	108	-	-	-	-	2	1	-	4	7	3	5
FEMALE--	661	-	-	-	1	-	-	3	2	16	23	38
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	40	-	-	-	-	-	-	-	2	2	3	5
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	35	-	-	-	-	-	-	-	1	2	2	5
DELAWARE -----	174	-	-	-	-	1	-	2	2	7	7	8
WHITE-----MALE----	29	-	-	-	-	-	-	1	1	1	-	3
FEMALE--	125	-	-	-	-	-	-	1	1	6	6	3
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	147	-	-	-	1	-	-	-	4	5	6	10
WHITE-----MALE----	5	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	110	-	-	-	-	-	-	-	2	4	5	10
BLACK---MALE----	10	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	110	-	-	-	-	-	-	-	2	4	5	10
FLORIDA -----	3,858	-	1	3	5	13	5	22	46	104	181	220
WHITE-----MALE----	624	-	1	1	3	5	1	10	12	15	35	38
FEMALE--	2,866	-	-	-	2	4	1	6	23	66	113	145
ALL OTHER--MALE----	37	-	-	-	-	3	3	2	-	5	3	4
FEMALE--	331	-	-	2	-	1	-	4	11	18	30	33
BLACK---MALE----	36	-	-	-	-	3	3	2	-	5	3	3
FEMALE--	311	-	-	1	-	1	-	4	9	15	30	29
GEORGIA -----	1,345	-	2	1	2	2	5	10	30	44	91	131
WHITE-----MALE----	186	-	1	-	1	2	3	5	4	5	14	10
FEMALE--	795	-	-	1	-	-	1	1	8	22	41	74
ALL OTHER--MALE----	34	-	1	-	-	-	-	1	2	3	2	5
FEMALE--	330	-	-	-	1	-	1	3	16	14	34	42
BLACK---MALE----	34	-	1	-	-	-	-	1	2	3	2	5
FEMALE--	325	-	-	-	1	-	1	3	15	13	33	41

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 677  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
COLORADO -----	49	45	56	74	84	67	69	49	24	9	-	-
WHITE-----MALE----	10	8	11	5	9	9	11	6	-	1	-	-
FEMALE--	36	32	44	69	71	54	56	42	24	8	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	4	1	-	4	3	2	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	4	1	-	4	3	2	1	-	-	-	-
CONNECTICUT -----	42	72	72	101	93	126	91	59	30	7	3	-
WHITE-----MALE----	3	11	12	12	8	18	9	6	6	1	-	-
FEMALE--	35	52	55	85	82	103	82	53	22	6	3	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	7	5	4	3	4	-	-	2	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	5	5	4	3	4	-	-	2	-	-	-
DELAWARE -----	10	16	11	31	19	31	14	7	6	2	-	-
WHITE-----MALE----	-	4	2	2	-	8	5	1	1	-	-	-
FEMALE--	7	10	7	26	18	23	8	3	4	2	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	2	1	-	1	3	1	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	2	1	-	1	3	1	-	-	-
DISTRICT OF COLUMBIA ----	17	12	19	18	14	14	13	11	2	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	2	3	3	3	2	4	4	-	-	-	-
ALL OTHER--MALE----	-	2	2	-	-	2	1	1	-	-	-	-
FEMALE--	16	8	14	15	11	10	7	6	1	-	1	-
BLACK---MALE----	-	2	2	-	-	2	1	1	-	-	-	-
FEMALE--	16	8	14	15	11	10	7	6	1	-	1	-
FLORIDA -----	258	284	332	467	495	488	433	296	152	47	6	-
WHITE-----MALE----	33	38	41	67	75	85	80	58	20	6	-	-
FEMALE--	183	213	259	364	382	376	332	226	128	37	6	-
ALL OTHER--MALE----	3	4	-	4	2	-	3	1	-	-	-	-
FEMALE--	39	29	32	32	36	27	18	11	4	4	-	-
BLACK---MALE----	3	4	-	4	2	-	3	1	-	-	-	-
FEMALE--	36	29	29	30	36	27	18	10	3	4	-	-
GEORGIA -----	128	127	120	126	144	138	112	82	34	12	4	-
WHITE-----MALE----	16	11	19	24	27	18	16	8	2	-	-	-
FEMALE--	78	79	67	72	83	95	76	58	26	10	3	-
ALL OTHER--MALE----	2	6	2	2	2	5	1	-	-	-	-	-
FEMALE--	32	31	32	28	32	20	19	16	6	2	1	-
BLACK---MALE----	2	6	2	2	2	5	1	-	-	-	-	-
FEMALE--	31	31	32	28	32	20	19	16	6	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 678  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
HAWAII -----	158	-	-	-	1	2	-	-	1	4	8	10
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	12	-	-	-	1	1	-	-	-	2	1	-
FEMALE--	88	-	-	-	-	1	-	-	1	2	5	6
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	231	-	-	-	2	1	-	2	5	8	7	17
WHITE-----MALE----	48	-	-	-	1	1	-	2	1	2	2	2
FEMALE--	180	-	-	-	1	-	-	-	4	5	5	15
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,741	-	-	-	4	7	8	17	31	81	114	164
WHITE-----MALE----	326	-	-	-	2	5	4	6	7	11	19	20
FEMALE--	2,040	-	-	-	2	1	2	6	14	52	76	111
ALL OTHER--MALE----	27	-	-	-	-	-	1	1	2	1	1	-
FEMALE--	348	-	-	-	-	1	1	4	8	17	18	33
BLACK---MALE----	23	-	-	-	-	-	1	-	2	1	1	-
FEMALE--	331	-	-	-	-	-	1	4	8	17	16	32
INDIANA -----	1,319	-	3	-	3	1	4	8	14	43	59	81
WHITE-----MALE----	191	-	3	-	1	1	4	2	5	11	16	12
FEMALE--	1,043	-	-	-	1	-	-	6	7	27	35	60
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	75	-	-	-	1	-	-	-	1	5	8	7
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	73	-	-	-	1	-	-	-	1	5	8	7
IOWA -----	656	1	-	-	-	2	4	3	4	14	29	35
WHITE-----MALE----	90	-	-	-	-	2	2	2	1	2	6	2
FEMALE--	555	1	-	-	-	-	2	1	3	11	23	31
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
KANSAS -----	588	-	-	-	1	-	1	4	7	14	17	27
WHITE-----MALE----	86	-	-	-	1	-	-	2	2	2	5	4
FEMALE--	469	-	-	-	-	-	1	2	4	10	12	23
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 678  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
HAWAII -----	16	21	14	18	24	13	10	9	4	2	1	-
WHITE-----MALE----	1	2	-	1	3	1	2	-	-	1	-	-
FEMALE--	3	7	4	3	10	5	3	3	3	-	-	-
ALL OTHER--MALE----	1	1	-	2	1	-	-	-	1	1	-	-
FEMALE--	11	11	10	12	10	7	5	6	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO -----	16	20	21	34	25	22	26	11	8	4	2	-
WHITE-----MALE----	5	4	7	7	3	2	5	2	2	-	-	-
FEMALE--	11	16	14	26	21	20	21	9	6	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	228	213	250	332	339	329	291	198	95	33	7	-
WHITE-----MALE----	21	22	29	41	32	48	30	17	7	5	-	-
FEMALE--	165	150	172	246	267	256	236	168	83	27	6	-
ALL OTHER--MALE----	3	5	7	4	-	1	-	1	-	-	-	-
FEMALE--	39	36	42	41	40	24	25	12	5	1	1	-
BLACK---MALE----	3	5	4	4	-	1	-	1	-	-	-	-
FEMALE--	38	32	38	39	39	23	25	12	5	1	1	-
INDIANA -----	93	112	129	149	182	164	115	99	38	20	2	-
WHITE-----MALE----	10	11	22	24	25	21	9	8	3	2	1	-
FEMALE--	76	92	102	118	147	138	98	84	33	18	1	-
ALL OTHER--MALE----	-	1	1	1	-	1	2	-	1	-	-	-
FEMALE--	7	8	4	6	10	4	6	7	1	-	-	-
BLACK---MALE----	-	1	1	1	-	1	2	-	1	-	-	-
FEMALE--	7	7	3	6	10	4	6	7	1	-	-	-
IOWA -----	43	45	47	74	80	85	68	62	41	16	3	-
WHITE-----MALE----	7	10	6	17	7	12	6	3	4	1	-	-
FEMALE--	36	34	38	57	71	72	61	59	37	15	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	3	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	3	-	2	1	1	-	-	-	-	-
KANSAS -----	39	46	52	82	74	67	65	50	33	7	2	-
WHITE-----MALE----	9	4	4	15	9	8	10	9	2	-	-	-
FEMALE--	27	38	47	60	60	55	51	40	30	7	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	3	1	7	5	4	3	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	3	-	7	3	3	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 679  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
KENTUCKY -----	870	-	-	-	2	2	3	4	6	29	33	69
WHITE-----MALE----	138	-	-	-	1	1	1	3	1	5	4	10
FEMALE--	661	-	-	-	-	-	1	1	4	21	24	52
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	65	-	-	-	-	1	1	-	1	3	5	7
BLACK---MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	65	-	-	-	-	1	1	-	1	3	5	7
LOUISIANA -----	922	-	1	1	-	-	4	6	19	23	51	73
WHITE-----MALE----	96	-	-	1	-	-	-	-	3	4	-	7
FEMALE--	572	-	-	-	-	-	1	3	11	9	26	39
ALL OTHER--MALE----	24	-	1	-	-	-	2	1	1	2	2	1
FEMALE--	230	-	-	-	-	-	1	2	4	8	23	26
BLACK---MALE----	24	-	1	-	-	-	2	1	1	2	2	1
FEMALE--	228	-	-	-	-	-	1	2	4	8	23	24
MAINE -----	288	-	-	-	1	-	1	-	5	5	8	26
WHITE-----MALE----	29	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	259	-	-	-	1	-	-	-	4	5	7	26
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,129	-	1	-	-	4	5	7	23	39	70	77
WHITE-----MALE----	142	-	1	-	-	2	1	2	7	9	12	8
FEMALE--	715	-	-	-	-	1	4	3	7	17	38	39
ALL OTHER--MALE----	23	-	-	-	-	1	-	2	1	1	-	3
FEMALE--	249	-	-	-	-	-	-	-	8	12	20	27
BLACK---MALE----	21	-	-	-	-	1	-	2	1	1	-	2
FEMALE--	243	-	-	-	-	-	-	-	8	12	20	26
MASSACHUSETTS -----	1,610	-	2	2	1	8	7	18	15	38	40	91
WHITE-----MALE----	195	-	1	-	-	6	3	5	5	6	6	16
FEMALE--	1,340	-	1	1	1	1	2	10	7	28	30	70
ALL OTHER--MALE----	9	-	-	-	-	-	2	2	-	1	-	-
FEMALE--	66	-	-	1	-	1	-	1	3	3	4	5
BLACK---MALE----	8	-	-	-	-	-	2	2	-	-	-	-
FEMALE--	58	-	-	1	-	1	-	1	3	2	3	5
MICHIGAN -----	2,141	-	-	4	3	8	9	14	25	70	99	134
WHITE-----MALE----	229	-	-	3	2	5	2	3	7	9	8	15
FEMALE--	1,616	-	-	-	-	2	6	7	14	49	64	85
ALL OTHER--MALE----	20	-	-	1	1	-	-	2	1	2	2	-
FEMALE--	276	-	-	-	-	1	1	2	3	10	25	34
BLACK---MALE----	19	-	-	1	1	-	-	2	1	2	2	-
FEMALE--	254	-	-	-	-	-	1	1	3	10	24	31



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 679  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
KENTUCKY -----	69	81	88	88	113	107	85	49	28	13	1	-
WHITE-----MALE----	14	11	21	15	18	13	8	8	3	1	-	-
FEMALE--	50	66	58	61	87	85	74	40	25	11	1	-
ALL OTHER--MALE----	-	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	5	3	8	11	7	8	3	1	-	1	-	-
BLACK---MALE----	-	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	5	3	8	11	7	8	3	1	-	1	-	-
LOUISIANA -----	81	77	94	98	122	103	70	66	22	9	2	-
WHITE-----MALE----	4	10	6	14	11	13	9	10	3	1	-	-
FEMALE--	51	40	56	65	87	67	49	47	13	7	1	-
ALL OTHER--MALE----	1	2	2	1	2	4	1	-	1	-	-	-
FEMALE--	25	25	30	18	22	19	11	9	5	1	1	-
BLACK---MALE----	1	2	2	1	2	4	1	-	1	-	-	-
FEMALE--	25	25	30	18	22	19	11	9	5	1	1	-
MAINE -----	29	26	23	33	28	32	37	18	10	6	-	-
WHITE-----MALE----	1	6	1	4	5	3	3	1	2	-	-	-
FEMALE--	28	20	22	29	23	29	34	17	8	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	96	83	112	131	127	148	96	63	36	8	3	-
WHITE-----MALE----	4	14	12	16	15	16	12	9	1	1	-	-
FEMALE--	56	43	68	90	95	100	71	45	31	5	2	-
ALL OTHER--MALE----	3	1	4	3	2	1	1	-	-	-	-	-
FEMALE--	33	25	28	22	15	31	12	9	4	2	1	-
BLACK---MALE----	3	1	4	3	1	1	1	-	-	-	-	-
FEMALE--	33	25	27	21	15	29	12	8	4	2	1	-
MASSACHUSETTS -----	124	102	144	185	207	184	190	139	78	31	4	-
WHITE-----MALE----	11	10	28	21	25	20	18	8	4	1	1	-
FEMALE--	104	86	110	157	176	159	168	127	72	29	1	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	8	6	6	6	5	5	4	4	1	1	2	-
BLACK---MALE----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	8	6	5	5	3	5	4	3	1	1	1	-
MICHIGAN -----	165	186	190	251	279	251	207	150	70	21	5	-
WHITE-----MALE----	20	16	26	20	33	25	16	12	5	2	-	-
FEMALE--	119	141	144	195	220	202	168	124	55	18	3	-
ALL OTHER--MALE----	-	4	1	-	1	2	2	-	1	-	-	-
FEMALE--	26	25	19	36	25	22	21	14	9	1	2	-
BLACK---MALE----	-	3	1	-	1	2	2	-	1	-	-	-
FEMALE--	21	22	15	34	24	21	21	14	9	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 680  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
MINNESOTA -----	999	-	-	-	2	3	1	9	14	32	41	64
WHITE-----MALE----	134	-	-	-	2	2	-	3	2	4	8	6
FEMALE--	845	-	-	-	-	1	1	6	11	27	32	56
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	1
MISSISSIPPI -----	529	-	-	-	-	4	3	1	5	19	33	37
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	3	3	3
FEMALE--	309	-	-	-	-	2	2	1	3	8	17	26
ALL OTHER--MALE----	16	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	150	-	-	-	-	1	1	-	2	8	12	6
BLACK---MALE----	16	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	149	-	-	-	-	1	1	-	2	8	12	6
MISSOURI -----	1,323	-	1	-	2	2	5	7	14	41	65	99
WHITE-----MALE----	182	-	1	-	-	1	3	2	3	8	10	16
FEMALE--	1,007	-	-	-	1	1	1	5	5	26	47	73
ALL OTHER--MALE----	11	-	-	-	1	-	1	-	1	1	1	1
FEMALE--	123	-	-	-	-	-	-	-	5	6	7	9
BLACK---MALE----	11	-	-	-	1	-	1	-	1	1	1	1
FEMALE--	120	-	-	-	-	-	-	-	5	6	7	9
MONTANA -----	205	-	-	-	-	1	1	1	3	11	6	11
WHITE-----MALE----	29	-	-	-	-	1	1	-	2	1	1	1
FEMALE--	171	-	-	-	-	-	-	1	1	9	5	9
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	346	-	-	-	-	-	4	1	3	9	14	18
WHITE-----MALE----	44	-	-	-	-	-	3	-	1	2	2	2
FEMALE--	298	-	-	-	-	-	1	1	2	7	12	15
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	299	-	-	-	1	1	-	-	4	8	16	23
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	225	-	-	-	1	-	-	-	3	5	11	19
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 680  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
MINNESOTA -----	79	67	90	101	119	124	99	90	49	14	1	-
WHITE-----MALE----	13	8	10	15	19	17	15	4	4	2	-	-
FEMALE--	62	58	79	85	96	107	83	84	44	12	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	1	4	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	2	-	1	2	1	-	-	-
MISSISSIPPI -----	38	56	48	56	75	52	49	32	17	3	1	-
WHITE-----MALE----	4	5	1	7	10	6	9	3	-	-	-	-
FEMALE--	20	32	30	35	43	29	26	19	14	2	-	-
ALL OTHER--MALE----	1	1	-	1	3	2	2	1	1	-	-	-
FEMALE--	13	18	17	13	19	15	12	9	2	1	1	-
BLACK---MALE----	1	1	-	1	3	2	2	1	1	-	-	-
FEMALE--	13	18	17	12	19	15	12	9	2	1	1	-
MISSOURI -----	108	110	126	138	151	137	156	98	47	13	3	-
WHITE-----MALE----	13	12	22	26	17	14	23	7	4	-	-	-
FEMALE--	79	85	87	100	123	115	125	80	40	12	2	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	16	13	16	11	9	7	8	11	3	1	1	-
BLACK---MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	15	13	15	10	9	7	8	11	3	1	1	-
MONTANA -----	18	10	18	24	28	29	27	12	3	2	-	-
WHITE-----MALE----	1	1	2	2	2	5	6	1	1	1	-	-
FEMALE--	17	9	15	21	25	24	21	11	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	23	33	42	57	41	40	29	9	8	1	-
WHITE-----MALE----	1	2	1	9	8	5	7	1	-	-	-	-
FEMALE--	13	21	32	33	48	36	31	28	9	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
NEVADA -----	22	32	40	35	39	30	31	11	4	2	-	-
WHITE-----MALE----	1	5	7	6	11	3	7	2	-	-	-	-
FEMALE--	17	26	25	29	25	27	22	9	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	7	-	3	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	5	-	3	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 682  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
OHIO -----	2,686	-	-	3	4	13	13	13	38	76	115	163
WHITE-----MALE----	346	-	-	1	2	9	8	6	12	6	19	19
FEMALE--	2,084	-	-	-	2	3	3	4	22	58	78	127
ALL OTHER--MALE----	24	-	-	2	-	1	-	-	1	-	5	-
FEMALE--	232	-	-	-	-	-	2	3	3	12	13	17
BLACK---MALE----	23	-	-	2	-	1	-	-	1	-	5	-
FEMALE--	227	-	-	-	-	-	2	3	3	11	13	17
OKLAHOMA -----	777	-	1	-	-	5	3	6	8	22	37	52
WHITE-----MALE----	127	-	1	-	-	2	3	3	4	1	9	8
FEMALE--	590	-	-	-	-	1	-	3	2	15	25	36
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	53	-	-	-	-	2	-	-	2	6	3	7
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	2	6	1	5
OREGON -----	708	1	-	-	-	3	3	2	6	19	27	58
WHITE-----MALE----	112	-	-	-	-	2	2	2	2	4	2	15
FEMALE--	580	-	-	-	-	1	1	-	4	15	23	40
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	4	-	-	-	-	-	-
PENNSYLVANIA -----	3,256	-	2	1	5	11	10	15	36	70	124	174
WHITE-----MALE----	441	-	-	-	2	5	5	7	9	11	19	25
FEMALE--	2,555	-	-	1	2	4	2	8	24	52	85	127
ALL OTHER--MALE----	23	-	2	-	1	2	3	-	1	-	2	-
FEMALE--	237	-	-	-	-	-	-	-	2	7	18	22
BLACK---MALE----	23	-	2	-	1	2	3	-	1	-	2	-
FEMALE--	229	-	-	-	-	-	-	-	2	6	18	20
RHODE ISLAND -----	273	-	-	-	-	-	-	1	3	3	12	18
WHITE-----MALE----	38	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	220	-	-	-	-	-	-	-	3	2	9	13
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	4
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
SOUTH CAROLINA -----	846	-	-	-	1	3	1	4	16	35	45	63
WHITE-----MALE----	120	-	-	-	-	1	1	-	2	7	8	10
FEMALE--	496	-	-	-	1	2	-	1	8	15	19	30
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	218	-	-	-	-	-	-	2	6	13	18	23
BLACK---MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	216	-	-	-	-	-	-	2	6	12	18	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 682  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
OHIO -----	186	234	227	297	353	331	271	218	87	39	5	-
WHITE-----MALE----	24	28	31	42	34	41	30	26	4	3	1	-
FEMALE--	142	179	169	232	281	261	226	179	80	35	3	-
ALL OTHER--MALE----	-	3	2	2	3	3	1	1	-	-	-	-
FEMALE--	20	24	25	21	35	26	14	12	3	1	1	-
BLACK---MALE----	-	3	2	2	3	3	1	-	-	-	-	-
FEMALE--	20	23	25	20	35	25	14	12	2	1	1	-
OKLAHOMA -----	62	63	82	83	87	75	80	80	21	7	2	1
WHITE-----MALE----	7	8	16	15	12	14	9	11	3	-	-	1
FEMALE--	51	49	60	63	69	59	68	64	16	7	2	-
ALL OTHER--MALE----	1	-	1	2	-	-	1	1	-	-	-	-
FEMALE--	3	6	5	3	6	2	2	4	2	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	3	4	4	3	3	1	1	3	2	-	-	-
OREGON -----	49	51	73	74	91	81	88	55	16	7	4	-
WHITE-----MALE----	5	11	12	12	4	16	12	8	2	1	-	-
FEMALE--	43	39	60	61	86	65	74	44	14	6	4	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	1	1	-	1	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
PENNSYLVANIA -----	243	239	274	410	445	452	360	239	121	20	5	-
WHITE-----MALE----	36	39	33	61	66	51	34	28	9	1	-	-
FEMALE--	181	174	214	320	347	379	310	199	105	17	4	-
ALL OTHER--MALE----	-	1	1	2	6	1	1	-	-	-	-	-
FEMALE--	26	25	26	27	26	21	15	12	7	2	1	-
BLACK---MALE----	-	1	1	2	6	1	1	-	-	-	-	-
FEMALE--	24	25	24	27	26	20	15	12	7	2	1	-
RHODE ISLAND -----	18	20	20	33	36	40	38	17	10	4	-	-
WHITE-----MALE----	5	5	4	3	4	6	5	-	1	-	-	-
FEMALE--	11	13	13	30	31	33	32	17	9	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	2	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	2	-	1	1	-	-	-	-	-	-
SOUTH CAROLINA -----	66	75	83	89	104	115	72	46	22	6	-	-
WHITE-----MALE----	4	8	13	15	20	20	7	1	2	1	-	-
FEMALE--	46	38	52	49	61	72	48	37	14	3	-	-
ALL OTHER--MALE----	1	2	-	3	2	2	1	-	-	-	-	-
FEMALE--	15	27	18	22	21	21	16	8	6	2	-	-
BLACK---MALE----	1	2	-	3	1	2	1	-	-	-	-	-
FEMALE--	15	27	17	22	21	21	16	8	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 683  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
SOUTH DAKOTA -----	180	-	-	-	-	-	1	-	1	6	3	14
WHITE-----MALE----	37	-	-	-	-	-	1	-	-	2	1	4
FEMALE--	137	-	-	-	-	-	-	-	1	4	2	8
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,209	-	-	1	3	1	2	7	12	27	70	100
WHITE-----MALE----	181	-	-	1	2	1	1	-	5	5	11	12
FEMALE--	853	-	-	-	-	-	-	3	5	16	46	71
ALL OTHER--MALE----	13	-	-	-	1	-	-	1	-	-	-	3
FEMALE--	162	-	-	-	-	-	1	3	2	6	13	14
BLACK---MALE----	12	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	158	-	-	-	-	-	1	3	2	5	12	14
TEXAS -----	3,448	2	3	6	6	16	13	14	52	133	187	259
WHITE-----MALE----	533	2	1	4	3	7	8	3	13	17	27	29
FEMALE--	2,491	-	2	1	2	7	2	7	33	93	134	179
ALL OTHER--MALE----	38	-	-	1	-	-	2	1	2	1	-	3
FEMALE--	386	-	-	-	1	2	1	3	4	22	26	48
BLACK---MALE----	34	-	-	1	-	-	2	1	2	-	-	1
FEMALE--	364	-	-	-	1	2	1	2	4	19	22	45
UTAH -----	287	-	-	-	1	2	6	2	4	6	17	18
WHITE-----MALE----	57	-	-	-	-	1	4	1	2	2	6	5
FEMALE--	222	-	-	-	1	1	1	1	2	4	11	12
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	132	-	-	1	-	-	1	-	4	4	10	11
WHITE-----MALE----	24	-	-	1	-	-	1	-	1	-	3	2
FEMALE--	108	-	-	-	-	-	-	-	3	4	7	9
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,351	-	2	1	1	-	3	5	18	38	66	120
WHITE-----MALE----	165	-	2	-	-	-	1	2	6	4	7	18
FEMALE--	901	-	-	1	1	-	1	2	8	26	36	76
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	-	-	3	1
FEMALE--	266	-	-	-	-	-	-	1	4	8	20	25
BLACK---MALE----	17	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	254	-	-	-	-	-	-	1	4	8	20	22



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 683  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)												
SOUTH DAKOTA -----	11	12	14	15	21	19	27	20	8	7	1	-
WHITE-----MALE----	4	1	-	6	4	5	-	4	2	3	-	-
FEMALE--	7	11	12	7	17	14	27	16	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	98	111	118	129	147	153	111	75	33	10	1	-
WHITE-----MALE----	15	14	12	26	27	19	17	10	2	1	-	-
FEMALE--	68	82	88	84	104	112	78	59	28	8	1	-
ALL OTHER--MALE----	1	-	-	3	1	2	-	1	-	-	-	-
FEMALE--	14	15	18	16	15	20	16	5	3	1	-	-
BLACK---MALE----	1	-	-	3	1	2	-	1	-	-	-	-
FEMALE--	13	15	18	15	15	20	16	5	3	1	-	-
TEXAS -----	283	288	346	388	407	394	305	202	100	32	11	1
WHITE-----MALE----	34	46	66	67	55	64	42	31	12	1	1	-
FEMALE--	204	205	236	279	315	285	230	155	84	29	8	1
ALL OTHER--MALE----	1	4	5	5	1	8	3	1	-	-	-	-
FEMALE--	44	33	39	37	36	37	30	15	4	2	2	-
BLACK---MALE----	1	4	4	5	1	8	3	1	-	-	-	-
FEMALE--	40	32	39	33	34	37	30	15	4	2	2	-
UTAH -----	14	28	30	33	39	45	25	11	5	1	-	-
WHITE-----MALE----	1	5	8	5	6	5	3	2	1	-	-	-
FEMALE--	12	21	22	27	32	39	22	9	4	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	9	13	16	12	11	17	8	4	1	-	-
WHITE-----MALE----	3	1	2	2	3	1	2	1	1	-	-	-
FEMALE--	7	8	11	14	9	10	15	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	115	121	137	153	166	167	96	84	41	11	4	2
WHITE-----MALE----	12	15	19	23	19	20	8	5	1	3	-	-
FEMALE--	74	78	83	98	117	123	74	60	34	6	3	-
ALL OTHER--MALE----	4	1	1	-	2	2	2	-	-	-	-	2
FEMALE--	25	27	34	32	28	22	12	19	6	2	1	-
BLACK---MALE----	4	1	1	-	2	2	2	-	-	-	-	2
FEMALE--	24	25	32	30	27	21	12	19	6	2	1	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 685  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BONE AND ARTICULAR CARTILAGE (170)												
0 UNITED STATES --	1,228	2	3	17	59	93	79	51	42	30	45	59
WHITE-----MALE----	585	1	1	9	20	54	48	26	23	10	18	29
FEMALE--	463	1	2	3	24	27	20	18	13	14	13	22
ALL OTHER--MALE----	108	-	-	3	9	7	7	4	5	4	9	3
FEMALE--	72	-	-	2	6	5	4	3	1	2	5	5
BLACK---MALE----	91	-	-	3	6	5	6	4	4	4	7	3
FEMALE--	59	-	-	1	5	4	2	2	1	2	5	4
ALABAMA -----	35	-	-	-	1	-	-	1	-	-	1	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	1	-	-	1	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	17	-	-	1	-	2	5	3	1	-	-	1
WHITE-----MALE----	9	-	-	-	-	1	4	2	1	-	-	-
FEMALE--	6	-	-	-	-	1	1	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	26	-	-	-	-	-	1	2	-	-	-	3
WHITE-----MALE----	11	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	130	-	2	2	12	7	15	8	5	4	8	4
WHITE-----MALE----	65	-	-	1	3	5	11	4	3	1	1	4
FEMALE--	47	-	2	-	6	1	3	3	2	3	3	-
ALL OTHER--MALE----	12	-	-	1	1	1	-	-	-	-	3	-
FEMALE--	6	-	-	-	2	-	1	1	-	-	1	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 686

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BONE AND ARTICULAR CARTILAGE (170)												
COLORADO -----	-	-	1	1	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	2	1	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	1	4	2	7	6	13	6	4	1	3	-	-
WHITE-----MALE----	1	1	1	3	3	6	3	2	1	-	-	-
FEMALE--	-	3	1	3	2	7	2	2	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	-	4	2	3	3	2	2	1	-	-	-	-
WHITE-----MALE----	-	3	2	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 688  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BONE AND ARTICULAR CARTILAGE (170)												
KENTUCKY -----	35	-	-	-	1	2	2	1	-	2	-	3
WHITE-----MALE----	17	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	14	-	-	-	-	-	1	1	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
LOUISIANA -----	25	-	-	-	-	-	1	1	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	5	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	-	-	-	-	2	2	1	-	1	3	1
WHITE-----MALE----	10	-	-	-	-	1	-	1	-	1	3	1
FEMALE--	7	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	40	-	-	2	1	6	3	2	1	1	-	5
WHITE-----MALE----	19	-	-	-	-	5	1	-	1	1	-	4
FEMALE--	15	-	-	1	1	-	1	2	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
MICHIGAN -----	44	-	-	1	3	5	4	3	1	1	1	4
WHITE-----MALE----	20	-	-	1	2	5	1	2	1	-	-	1
FEMALE--	20	-	-	-	-	-	3	-	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 691  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BONE AND ARTICULAR CARTILAGE (170)												
OHIO -----	2	2	2	4	5	10	4	4	1	-	-	-
WHITE-----MALE----	2	-	-	3	3	6	3	1	-	-	-	-
FEMALE--	-	1	-	1	2	2	1	3	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
OKLAHOMA -----	1	-	4	-	2	-	2	3	1	-	-	-
WHITE-----MALE----	1	-	3	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	-	-	1	2	-	-	1	1	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	-	1	5	8	3	1	-	-	-	-
WHITE-----MALE----	-	2	-	1	5	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	7	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	5	4	4	4	2	4	1	1	-	-	-
WHITE-----MALE----	-	2	2	2	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 692  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BONE AND ARTICULAR CARTILAGE (170)												
SOUTH DAKOTA -----	4	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	29	-	-	1	3	1	-	1	-	-	3	2
WHITE-----MALE----	14	-	-	1	2	1	-	-	-	-	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	97	1	-	4	5	5	6	-	2	2	2	1
WHITE-----MALE----	53	1	-	2	2	2	5	-	2	1	-	-
FEMALE--	33	-	-	1	2	3	-	-	-	1	1	1
ALL OTHER--MALE----	6	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	1	-
UTAH -----	10	-	-	-	-	1	4	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	-	1	-	-	-	1	1	1	1	2	3
WHITE-----MALE----	13	-	1	-	-	-	-	-	1	-	-	2
FEMALE--	8	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 694  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
0 UNITED STATES --	3,796	2	26	19	23	63	78	92	102	131	184	241
WHITE-----MALE----	1,645	1	16	11	13	25	38	42	55	52	84	93
FEMALE--	1,611	-	5	4	6	21	23	30	30	52	67	101
ALL OTHER--MALE----	237	1	5	2	2	8	12	13	10	17	19	23
FEMALE--	303	-	-	2	2	9	5	7	7	10	14	24
BLACK---MALE----	188	-	5	2	1	6	12	11	8	12	16	19
FEMALE--	266	-	-	1	1	5	5	6	5	8	12	20
ALABAMA -----	49	-	-	-	1	1	1	1	-	2	-	3
WHITE-----MALE----	14	-	-	-	-	1	1	-	-	2	-	1
FEMALE--	26	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	52	-	-	-	-	-	2	-	1	-	3	4
WHITE-----MALE----	21	-	-	-	-	-	2	-	1	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	32	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	409	-	3	4	6	4	6	8	13	11	28	25
WHITE-----MALE----	175	-	2	1	4	1	2	3	4	4	11	10
FEMALE--	160	-	1	2	-	2	3	4	3	4	12	8
ALL OTHER--MALE----	35	-	-	-	1	1	-	-	4	2	1	4
FEMALE--	39	-	-	1	1	-	1	1	2	1	4	3
BLACK---MALE----	16	-	-	-	-	-	-	-	2	1	-	3
FEMALE--	26	-	-	-	-	-	1	-	2	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 694  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
0 UNITED STATES --	242	291	316	437	452	466	335	196	77	20	2	1
WHITE-----MALE----	100	120	138	194	188	203	145	91	27	8	1	-
FEMALE--	105	120	131	180	209	220	153	97	47	10	-	-
ALL OTHER--MALE----	12	18	14	25	22	15	11	4	2	-	1	1
FEMALE--	25	33	33	38	33	28	26	4	1	2	-	-
BLACK---MALE----	8	13	10	23	16	15	8	1	-	-	1	1
FEMALE--	25	28	31	31	32	26	23	4	1	2	-	-
ALABAMA -----	7	4	6	1	9	8	3	-	2	-	-	-
WHITE-----MALE----	3	1	2	-	1	1	1	-	-	-	-	-
FEMALE--	3	3	3	-	6	5	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	2	1	-	-	-	-	-	-
ALASKA -----	1	2	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	3	3	9	5	7	6	4	-	1	-	-
WHITE-----MALE----	4	1	2	2	1	3	2	2	-	-	-	-
FEMALE--	-	2	1	7	4	4	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	3	3	5	5	8	3	1	-	-	-	-
WHITE-----MALE----	-	1	1	1	1	4	1	-	-	-	-	-
FEMALE--	-	-	2	2	3	4	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	2	-	-	-	-	-
CALIFORNIA -----	21	28	31	45	50	54	31	19	18	4	-	-
WHITE-----MALE----	5	13	13	20	22	29	15	7	8	1	-	-
FEMALE--	11	6	14	14	21	22	12	11	7	3	-	-
ALL OTHER--MALE----	3	4	1	6	4	1	-	1	2	-	-	-
FEMALE--	2	5	3	5	3	2	4	-	1	-	-	-
BLACK---MALE----	1	2	-	5	1	1	-	-	-	-	-	-
FEMALE--	2	5	2	1	3	2	3	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 695  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
COLORADO -----	40	-	-	-	-	-	-	1	1	-	1	4
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	55	-	-	-	-	1	1	1	-	2	3	7
WHITE-----MALE----	29	-	-	-	-	1	1	-	-	2	3	3
FEMALE--	24	-	-	-	-	-	-	1	-	-	-	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	9	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	-	-	-	1	-	-	-	-	1	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	235	-	1	2	2	1	4	7	7	11	13	8
WHITE-----MALE----	118	-	1	1	2	-	1	3	4	4	8	5
FEMALE--	81	-	-	-	-	-	1	1	3	1	4	1
ALL OTHER--MALE----	17	-	-	-	-	1	2	2	-	4	-	1
FEMALE--	19	-	-	1	-	-	-	1	-	2	1	1
BLACK---MALE----	17	-	-	-	-	1	2	2	-	4	-	1
FEMALE--	19	-	-	1	-	-	-	1	-	2	1	1
GEORGIA -----	94	-	2	1	1	1	1	4	5	4	1	6
WHITE-----MALE----	41	-	1	-	-	1	1	3	-	1	1	3
FEMALE--	30	-	-	1	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	11	-	1	-	-	-	-	1	2	2	-	2
FEMALE--	12	-	-	-	1	-	-	-	2	-	-	-
BLACK---MALE----	11	-	1	-	-	-	-	1	2	2	-	2
FEMALE--	11	-	-	-	1	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 695  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	3	5	7	5	2	3	3	-	1	-	-
WHITE-----MALE----	3	1	2	-	1	1	2	2	-	1	-	-
FEMALE--	1	2	3	7	4	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	3	8	7	4	5	4	3	3	-	-	-
WHITE-----MALE----	1	1	4	3	2	2	1	2	3	-	-	-
FEMALE--	1	2	4	3	2	3	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	-	1	-	3	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	16	17	14	22	21	32	38	16	2	1	-	-
WHITE-----MALE----	8	11	3	9	12	16	19	10	1	-	-	-
FEMALE--	5	3	10	8	7	15	15	6	1	-	-	-
ALL OTHER--MALE----	-	3	-	2	-	-	2	-	-	-	-	-
FEMALE--	3	-	1	3	2	1	2	-	-	1	-	-
BLACK---MALE----	-	3	-	2	-	-	2	-	-	-	-	-
FEMALE--	3	-	1	3	2	1	2	-	-	1	-	-
GEORGIA -----	8	5	11	4	10	15	10	4	1	-	-	-
WHITE-----MALE----	3	2	7	2	5	4	4	3	-	-	-	-
FEMALE--	3	2	4	1	3	8	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	1	2	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 696  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
HAWAII -----	1	1	2	2	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	2	3	3	2	1	2	-	-	-
WHITE-----MALE----	1	1	1	2	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	13	15	20	18	17	25	8	11	5	-	-	-
WHITE-----MALE----	4	4	7	7	8	12	2	3	2	-	-	-
FEMALE--	7	8	7	7	9	10	6	8	3	-	-	-
ALL OTHER--MALE----	1	1	4	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	2	3	-	3	-	-	-	-	-	-
BLACK---MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	2	3	-	3	-	-	-	-	-	-
INDIANA -----	6	3	7	7	8	13	7	2	-	3	-	-
WHITE-----MALE----	2	2	3	5	3	6	3	2	-	1	-	-
FEMALE--	4	1	4	2	5	7	4	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	2	1	3	4	1	5	4	5	1	-	-	-
WHITE-----MALE----	1	-	1	3	-	2	3	2	-	-	-	-
FEMALE--	1	1	1	1	1	3	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	3	2	4	3	3	3	2	4	2	-	-	-
WHITE-----MALE----	3	-	1	1	1	1	2	3	1	-	-	-
FEMALE--	-	1	3	1	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 697  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
KENTUCKY -----	52	-	-	-	1	-	1	-	-	-	1	6
WHITE-----MALE----	25	-	-	-	1	-	1	-	-	-	-	3
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	38	-	1	1	-	-	2	2	3	1	1	3
WHITE-----MALE----	10	-	-	1	-	-	-	-	1	-	-	1
FEMALE--	17	-	-	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	1	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	5	-	1	-	-	-	1	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	1
MAINE -----	19	-	-	-	1	-	-	-	2	1	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	1	-	-	-	1	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	75	-	1	-	-	2	3	2	3	5	3	5
WHITE-----MALE----	33	-	1	-	-	1	1	-	3	3	1	2
FEMALE--	25	-	-	-	-	-	2	1	-	-	2	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	1	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	6	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	2
MASSACHUSETTS -----	92	-	1	-	-	2	3	5	4	4	-	5
WHITE-----MALE----	44	-	-	-	-	1	2	2	2	1	-	2
FEMALE--	41	-	1	-	-	1	-	1	-	3	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	2	-	-	-
MICHIGAN -----	133	-	-	3	-	3	3	4	5	8	4	8
WHITE-----MALE----	47	-	-	2	-	-	-	1	3	4	2	1
FEMALE--	62	-	-	-	-	2	2	1	1	3	1	4
ALL OTHER--MALE----	9	-	-	1	-	-	-	2	1	1	1	-
FEMALE--	15	-	-	-	-	1	1	-	-	-	-	3
BLACK---MALE----	8	-	-	1	-	-	-	2	1	1	1	-
FEMALE--	13	-	-	-	-	-	1	-	-	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 697  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
KENTUCKY -----	3	6	8	6	6	8	4	1	1	-	-	-
WHITE-----MALE----	1	-	6	2	3	4	3	1	-	-	-	-
FEMALE--	2	5	-	2	3	4	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
LOUISIANA -----	5	5	1	6	1	3	2	1	-	-	-	-
WHITE-----MALE----	1	2	1	2	1	-	-	-	-	-	-	-
FEMALE--	3	2	-	3	-	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	-	-	-	-
MAINE -----	1	2	1	1	2	3	1	-	2	-	-	-
WHITE-----MALE----	-	1	-	1	2	3	1	-	1	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	5	7	7	6	5	7	4	1	-	-	-
WHITE-----MALE----	-	3	3	3	4	1	4	3	-	-	-	-
FEMALE--	4	1	3	3	1	4	2	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	1	-	1	-	1	-	-	-	-	-
MASSACHUSETTS -----	7	8	6	8	15	9	7	4	3	1	-	-
WHITE-----MALE----	3	3	5	4	9	4	4	2	-	-	-	-
FEMALE--	4	5	1	4	5	5	2	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	6	6	12	12	21	19	9	10	-	-	-	-
WHITE-----MALE----	2	2	6	1	9	4	4	6	-	-	-	-
FEMALE--	4	1	4	7	12	11	5	4	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	4	-	4	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	3	-	4	-	-	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 700  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
OHIO -----	175	-	-	1	1	5	5	1	8	4	16	7
WHITE-----MALE----	73	-	-	-	1	4	3	-	6	-	4	4
FEMALE--	81	-	-	-	-	1	1	1	2	4	6	3
ALL OTHER--MALE----	12	-	-	1	-	-	-	-	-	-	5	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	11	-	-	1	-	-	-	-	-	-	5	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	1	-
OKLAHOMA -----	48	-	1	-	-	1	1	1	2	-	3	4
WHITE-----MALE----	21	-	1	-	-	-	1	1	2	-	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	48	1	-	-	-	-	1	1	-	-	5	5
WHITE-----MALE----	19	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	26	-	-	-	-	-	1	-	-	-	4	3
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	210	-	2	-	1	7	5	5	5	5	3	9
WHITE-----MALE----	100	-	-	-	-	1	2	3	3	-	2	4
FEMALE--	92	-	-	-	1	4	-	2	2	5	-	3
ALL OTHER--MALE----	13	-	2	-	-	2	3	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	13	-	2	-	-	2	3	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
RHODE ISLAND -----	17	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	55	-	-	-	-	2	1	1	-	4	2	4
WHITE-----MALE----	18	-	-	-	-	-	1	-	-	2	1	3
FEMALE--	17	-	-	-	-	2	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 700  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
OHIO -----	14	16	7	21	26	16	16	8	2	1	-	-
WHITE-----MALE----	7	7	7	8	6	6	5	4	-	1	-	-
FEMALE--	7	8	-	12	14	8	10	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	3	1	1	1	-	-	-	-
FEMALE--	-	1	-	1	3	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	3	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	3	1	-	1	-	-	-	-
OKLAHOMA -----	4	2	2	7	6	6	3	5	-	-	-	-
WHITE-----MALE----	1	1	1	4	1	4	-	2	-	-	-	-
FEMALE--	3	-	1	2	4	2	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
OREGON -----	2	7	5	2	4	8	4	3	-	-	-	-
WHITE-----MALE----	-	3	3	1	1	4	2	1	-	-	-	-
FEMALE--	2	4	2	-	3	4	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	24	20	31	28	20	16	11	5	-	-	-
WHITE-----MALE----	6	11	8	19	12	13	7	8	1	-	-	-
FEMALE--	7	12	9	12	13	7	8	3	4	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	2	1	3	5	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	4	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	5	7	8	6	7	4	1	-	1	-	-
WHITE-----MALE----	2	-	3	2	2	2	-	-	-	-	-	-
FEMALE--	-	1	1	3	1	3	3	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	3	3	1	1	2	1	-	-	-	-	-
BLACK---MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	3	3	1	1	2	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 701  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)												
SOUTH DAKOTA -----	-	-	1	2	2	4	3	3	-	1	-	-
WHITE-----MALE----	-	-	-	2	1	2	-	2	-	1	-	-
FEMALE--	-	-	1	-	1	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	6	5	12	7	7	7	3	2	1	-	-
WHITE-----MALE----	1	2	2	7	1	2	2	1	-	-	-	-
FEMALE--	2	2	1	3	5	5	3	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	-	1	-	2	-	-	1	-	-
BLACK---MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	-	1	-	2	-	-	1	-	-
TEXAS -----	13	22	23	36	33	42	15	10	3	1	-	-
WHITE-----MALE----	6	11	7	20	13	16	8	5	1	-	-	-
FEMALE--	5	8	10	10	14	14	7	5	2	1	-	-
ALL OTHER--MALE----	-	1	1	2	-	5	-	-	-	-	-	-
FEMALE--	2	2	5	4	6	7	-	-	-	-	-	-
BLACK---MALE----	-	1	1	2	-	5	-	-	-	-	-	-
FEMALE--	2	1	5	4	6	7	-	-	-	-	-	-
UTAH -----	-	2	2	4	4	5	-	-	-	-	-	-
WHITE-----MALE----	-	2	2	2	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	1	1	-	1	2	-	-	-	-	-
WHITE-----MALE----	2	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	7	6	17	14	9	6	3	1	1	-	1
WHITE-----MALE----	-	4	2	5	6	6	2	2	-	1	-	-
FEMALE--	2	2	3	10	5	2	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	1	1	-	-	-	-	1
FEMALE--	2	1	1	2	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	1	1	-	-	-	-	1
FEMALE--	2	1	1	2	1	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 703  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MELANOMA OF SKIN (172)												
0 UNITED STATES --	6,907	-	1	1	3	10	35	74	178	310	409	509
WHITE-----MALE----	4,237	-	1	-	1	9	16	43	96	181	259	339
FEMALE--	2,537	-	-	-	2	-	17	30	78	125	145	162
ALL OTHER--MALE----	60	-	-	-	-	-	2	-	2	3	1	5
FEMALE--	73	-	-	1	-	1	-	1	2	1	4	3
BLACK---MALE----	46	-	-	-	-	-	2	-	2	2	-	4
FEMALE--	57	-	-	-	-	-	-	1	1	1	3	2
ALABAMA -----	95	-	-	-	-	-	-	-	2	2	2	8
WHITE-----MALE----	52	-	-	-	-	-	-	-	2	2	-	5
FEMALE--	36	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	12	-	-	-	-	-	1	-	-	2	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	141	-	-	-	-	-	2	-	2	5	6	9
WHITE-----MALE----	99	-	-	-	-	-	-	-	1	2	3	3
FEMALE--	41	-	-	-	-	-	2	-	1	3	3	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	66	-	-	-	-	-	1	-	1	3	3	5
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	23	-	-	-	-	-	1	-	1	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	807	-	-	-	-	3	1	13	31	40	51	68
WHITE-----MALE----	513	-	-	-	-	3	-	7	20	22	26	41
FEMALE--	280	-	-	-	-	-	1	5	11	17	23	26
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 703  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
0 UNITED STATES --	495	556	659	778	843	796	645	401	147	48	7	2
WHITE-----MALE----	325	363	452	504	544	480	352	189	60	21	1	1
FEMALE--	165	181	196	256	287	296	280	201	84	27	5	-
ALL OTHER--MALE----	1	3	7	8	7	11	6	3	-	-	-	1
FEMALE--	4	9	4	10	5	9	7	8	3	-	1	-
BLACK---MALE----	1	2	4	6	4	11	5	2	-	-	-	1
FEMALE--	4	4	1	9	4	8	7	8	3	-	1	-
ALABAMA -----	11	4	16	6	10	16	8	7	3	-	-	-
WHITE-----MALE----	6	2	8	2	7	10	5	3	-	-	-	-
FEMALE--	3	2	8	2	2	5	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	2	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	2	-	-	-	-	1	-	-	-
ALASKA -----	1	2	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	16	14	18	20	11	18	7	-	4	-	-
WHITE-----MALE----	7	12	13	12	17	9	11	5	-	4	-	-
FEMALE--	2	4	1	6	3	2	7	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	5	8	9	7	6	8	5	1	-	-	-
WHITE-----MALE----	4	3	7	7	4	3	3	2	1	-	-	-
FEMALE--	-	2	1	2	3	3	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	43	57	73	92	110	100	74	36	11	4	-	-
WHITE-----MALE----	29	45	53	61	71	61	46	20	6	2	-	-
FEMALE--	14	10	18	30	37	38	27	16	5	2	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 704  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
COLORADO -----	7	7	11	6	6	9	8	5	1	-	-	-
WHITE-----MALE----	6	7	6	5	5	7	4	2	-	-	-	-
FEMALE--	1	-	5	1	1	2	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	3	12	8	9	8	19	12	5	4	1	-	-
WHITE-----MALE----	2	10	3	6	3	11	4	4	2	-	-	-
FEMALE--	1	2	5	3	5	8	8	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	3	2	2	1	3	2	1	1	-	-	-
WHITE-----MALE----	-	3	1	1	-	3	1	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	27	27	31	49	61	65	64	37	16	4	1	-
WHITE-----MALE----	17	20	26	33	44	45	46	26	8	3	-	-
FEMALE--	10	7	5	14	17	19	18	10	8	1	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
GEORGIA -----	13	9	12	22	19	15	12	7	5	2	-	-
WHITE-----MALE----	8	3	7	17	12	10	6	4	1	-	-	-
FEMALE--	5	6	5	5	4	3	5	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 705  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
HAWAII -----	1	3	1	1	2	1	2	-	-	-	-	-
WHITE-----MALE----	1	2	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	5	8	5	2	2	3	-	2	-	-	-
WHITE-----MALE----	4	2	6	3	1	-	2	-	1	-	-	-
FEMALE--	-	3	2	2	1	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	20	21	27	30	33	29	32	7	2	5	1	-
WHITE-----MALE----	8	13	18	17	19	20	17	2	1	1	-	-
FEMALE--	12	7	7	11	14	9	14	5	1	4	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
INDIANA -----	12	12	20	21	18	18	14	10	3	1	-	-
WHITE-----MALE----	7	6	13	12	12	10	3	4	1	-	-	-
FEMALE--	4	5	7	8	6	7	11	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
IOWA -----	5	9	5	11	7	14	3	5	4	-	-	-
WHITE-----MALE----	4	8	4	11	4	6	-	-	1	-	-	-
FEMALE--	1	-	1	-	3	8	3	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	9	7	3	14	6	8	9	5	4	-	-	-
WHITE-----MALE----	5	3	2	11	3	3	3	4	-	-	-	-
FEMALE--	4	4	1	3	3	4	5	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 706  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
KENTUCKY -----	14	7	14	9	15	10	7	7	3	1	-	-
WHITE-----MALE----	9	3	10	6	8	5	4	3	2	1	-	-
FEMALE--	5	4	4	3	7	4	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	5	8	14	11	14	7	11	1	1	-	-
WHITE-----MALE----	3	2	4	11	9	7	5	4	1	-	-	-
FEMALE--	3	3	3	2	2	6	2	7	-	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	4	3	3	3	4	-	2	1	2	-	-	-
WHITE-----MALE----	1	3	1	2	2	-	1	-	-	-	-	-
FEMALE--	3	-	2	1	2	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	12	10	13	14	18	11	9	1	2	1	-
WHITE-----MALE----	4	9	6	10	8	10	5	6	-	1	-	-
FEMALE--	2	3	3	3	5	8	6	2	1	1	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	8	9	22	18	24	22	22	12	2	2	-	-
WHITE-----MALE----	6	5	12	8	11	12	10	1	1	1	-	-
FEMALE--	2	4	10	10	12	10	11	11	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	22	20	18	21	20	17	15	12	7	1	-	-
WHITE-----MALE----	14	11	13	13	17	12	8	4	3	1	-	-
FEMALE--	8	9	5	8	3	4	6	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 709  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
OHIO -----	12	24	27	34	37	24	24	15	6	2	-	-
WHITE-----MALE----	8	18	19	23	21	20	14	6	3	1	-	-
FEMALE--	4	5	8	11	16	3	10	8	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	10	6	11	9	14	9	9	12	-	-	1	1
WHITE-----MALE----	2	5	9	7	7	6	2	4	-	-	-	1
FEMALE--	7	-	2	1	6	3	7	7	-	-	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	7	8	12	15	8	9	11	4	1	1	-	-
WHITE-----MALE----	3	7	8	8	3	7	3	3	1	-	-	-
FEMALE--	4	1	4	7	5	2	8	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	37	32	28	47	53	43	29	29	9	1	-	-
WHITE-----MALE----	26	22	18	32	36	23	18	13	4	-	-	-
FEMALE--	11	10	10	13	16	20	11	15	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
RHODE ISLAND -----	3	3	4	1	2	3	6	1	1	1	-	-
WHITE-----MALE----	3	3	2	1	2	2	3	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	6	9	15	17	23	13	4	1	1	-	-
WHITE-----MALE----	2	5	4	10	13	13	7	-	1	-	-	-
FEMALE--	2	1	5	3	4	8	4	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 710  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MELANOMA OF SKIN (172)												
SOUTH DAKOTA -----	3	3	-	2	6	2	2	2	2	-	-	-
WHITE-----MALE----	2	1	-	1	3	2	-	1	1	-	-	-
FEMALE--	1	2	-	1	3	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	11	10	22	25	19	15	9	1	1	-	-
WHITE-----MALE----	9	5	7	15	20	8	5	3	1	1	-	-
FEMALE--	2	5	3	7	5	11	9	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
TEXAS -----	24	34	53	42	43	52	31	22	12	1	1	-
WHITE-----MALE----	20	22	42	27	28	25	11	14	4	-	1	-
FEMALE--	4	11	11	13	15	25	20	8	8	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
UTAH -----	3	5	7	2	4	6	3	2	2	-	-	-
WHITE-----MALE----	1	3	5	1	2	4	1	2	-	-	-	-
FEMALE--	2	2	2	1	2	2	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	2	1	3	1	2	-	1	-	-	-
WHITE-----MALE----	1	-	1	1	3	1	1	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	10	14	18	19	17	5	10	1	-	-	1
WHITE-----MALE----	6	8	11	13	10	11	3	2	-	-	-	-
FEMALE--	5	2	2	5	9	4	2	8	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 712  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)												
0 UNITED STATES --	2,071	-	1	1	2	1	3	9	23	22	39	71
WHITE-----MALE----	1,249	-	1	-	-	1	1	6	16	14	28	43
FEMALE--	630	-	-	-	2	-	-	2	1	3	-	12
ALL OTHER--MALE----	134	-	-	-	-	-	2	1	6	3	8	16
FEMALE--	58	-	-	1	-	-	-	-	-	2	3	-
BLACK---MALE----	115	-	-	-	-	-	2	1	6	1	8	14
FEMALE--	52	-	-	1	-	-	-	-	-	2	3	-
ALABAMA -----	37	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	37	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	20	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	194	-	-	-	-	-	1	-	-	3	2	3
WHITE-----MALE----	130	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 713  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)												
COLORADO -----	3	2	1	1	4	4	4	4	-	1	-	-
WHITE-----MALE----	1	-	1	-	3	1	4	2	-	-	-	-
FEMALE--	2	1	-	1	1	2	-	2	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	3	3	1	3	2	1	3	1	-	-
WHITE-----MALE----	-	-	2	2	1	1	1	-	1	1	-	-
FEMALE--	1	-	1	1	-	2	1	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	2	1	-	3	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	3	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	9	10	14	20	20	25	20	24	18	6	1	-
WHITE-----MALE----	7	5	11	15	14	16	11	17	9	3	-	-
FEMALE--	-	3	3	4	5	9	7	5	9	3	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	1	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-
GEORGIA -----	5	5	6	4	8	8	5	-	2	2	-	-
WHITE-----MALE----	3	3	2	2	6	4	4	-	1	-	-	-
FEMALE--	1	-	2	-	1	3	1	-	1	2	-	-
ALL OTHER--MALE----	-	2	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 714  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)												
HAWAII -----	7	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	87	-	-	-	-	-	-	1	1	1	2	2
WHITE-----MALE----	54	-	-	-	-	-	-	1	1	-	2	2
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	43	-	-	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	30	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	21	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	29	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 715  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)												
KENTUCKY -----	2	6	2	3	8	5	2	6	1	1	-	-
WHITE-----MALE----	2	5	2	3	7	3	-	2	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	3	1	1	1	7	6	10	3	2	-	-
WHITE-----MALE----	-	3	1	1	-	4	4	5	2	1	-	-
FEMALE--	1	-	-	-	-	1	2	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MAINE -----	1	2	-	1	1	-	1	1	1	1	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	1	1	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	2	5	2	4	5	3	2	1	-	-
WHITE-----MALE----	-	1	-	2	2	3	1	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	4	3	1	1	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	2	9	7	7	3	4	6	6	1	2	-
WHITE-----MALE----	1	1	9	7	4	-	2	3	3	-	1	-
FEMALE--	-	-	-	-	3	2	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	3	3	7	7	9	11	6	3	4	2	-	-
WHITE-----MALE----	2	1	6	4	6	5	3	-	2	1	-	-
FEMALE--	1	1	1	3	2	5	3	3	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 718  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)												
OHIO -----	7	4	9	12	7	9	13	13	4	2	2	-
WHITE-----MALE----	7	2	5	8	4	6	8	12	1	1	1	-
FEMALE--	-	1	3	3	3	3	4	1	3	1	1	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	2	3	3	5	4	5	7	3	3	-	-	-
WHITE-----MALE----	2	2	3	4	3	4	6	3	2	-	-	-
FEMALE--	-	1	-	1	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	1	2	-	3	6	4	1	-	-	-
WHITE-----MALE----	1	-	-	2	-	3	6	2	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	4	7	10	8	16	11	10	7	3	-	-
WHITE-----MALE----	3	3	3	7	6	11	7	5	2	1	-	-
FEMALE--	1	1	3	2	1	4	4	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	2	2	2	1	1	1	-	1	-	-	-
WHITE-----MALE----	1	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	4	1	7	7	2	5	4	1	-	-
WHITE-----MALE----	-	1	4	-	3	4	-	1	1	1	-	-
FEMALE--	-	-	-	1	3	2	1	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	1	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 721  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
0 UNITED STATES --	43,844	-	-	-	-	1	11	102	446	1,205	1,998	3,051
WHITE-----FEMALE--	37,937	-	-	-	-	1	5	69	305	932	1,551	2,404
ALL OTHER--FEMALE--	5,907	-	-	-	-	-	6	33	141	273	447	647
BLACK---FEMALE--	5,265	-	-	-	-	-	6	26	127	242	397	550
ALABAMA -----	649	-	-	-	-	-	-	5	10	24	27	42
WHITE-----FEMALE--	492	-	-	-	-	-	-	4	6	17	17	24
ALL OTHER--FEMALE--	157	-	-	-	-	-	-	1	4	7	10	18
BLACK---FEMALE--	157	-	-	-	-	-	-	1	4	7	10	18
ALASKA -----	46	-	-	-	-	-	-	-	1	3	4	8
WHITE-----FEMALE--	38	-	-	-	-	-	-	-	1	3	3	8
ALL OTHER--FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	566	-	-	-	-	-	-	-	3	10	23	25
WHITE-----FEMALE--	536	-	-	-	-	-	-	-	2	9	21	22
ALL OTHER--FEMALE--	30	-	-	-	-	-	-	-	1	1	2	3
BLACK---FEMALE--	13	-	-	-	-	-	-	-	-	1	-	2
ARKANSAS -----	408	-	-	-	-	-	-	-	6	10	14	26
WHITE-----FEMALE--	337	-	-	-	-	-	-	-	4	8	10	19
ALL OTHER--FEMALE--	71	-	-	-	-	-	-	-	2	2	4	7
BLACK---FEMALE--	70	-	-	-	-	-	-	-	2	2	3	7
CALIFORNIA -----	4,251	-	-	-	-	-	1	14	62	131	216	322
WHITE-----FEMALE--	3,660	-	-	-	-	-	-	9	47	101	170	255
ALL OTHER--FEMALE--	591	-	-	-	-	-	1	5	15	30	46	67
BLACK---FEMALE--	352	-	-	-	-	-	1	1	9	19	27	35

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 721  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
0 UNITED STATES --	3,529	3,624	4,117	5,065	5,699	5,202	4,474	3,208	1,508	503	100	1
WHITE-----FEMALE--	2,873	3,030	3,487	4,471	5,076	4,738	4,085	2,950	1,401	475	83	1
ALL OTHER--FEMALE--	656	594	630	594	623	464	389	258	107	28	17	-
BLACK---FEMALE--	558	516	551	530	577	433	365	242	101	28	16	-
ALABAMA -----	48	63	74	77	86	75	56	41	7	11	3	-
WHITE-----FEMALE--	37	47	55	63	65	62	42	36	6	10	1	-
ALL OTHER--FEMALE--	11	16	19	14	21	13	14	5	1	1	2	-
BLACK---FEMALE--	11	16	19	14	21	13	14	5	1	1	2	-
ALASKA -----	5	1	7	3	3	4	4	2	1	-	-	-
WHITE-----FEMALE--	3	1	5	3	3	4	3	1	-	-	-	-
ALL OTHER--FEMALE--	2	-	2	-	-	-	1	1	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	45	44	67	75	81	59	60	43	19	11	1	-
WHITE-----FEMALE--	41	42	64	73	80	55	57	42	16	11	1	-
ALL OTHER--FEMALE--	4	2	3	2	1	4	3	1	3	-	-	-
BLACK---FEMALE--	2	-	2	2	-	2	1	-	1	-	-	-
ARKANSAS -----	31	39	42	59	52	39	45	27	12	5	1	-
WHITE-----FEMALE--	25	32	32	50	43	32	40	25	12	4	1	-
ALL OTHER--FEMALE--	6	7	10	9	9	7	5	2	-	1	-	-
BLACK---FEMALE--	6	7	10	9	9	7	5	2	-	1	-	-
CALIFORNIA -----	389	361	402	473	571	479	373	292	121	34	10	-
WHITE-----FEMALE--	307	297	335	412	509	441	346	275	113	33	10	-
ALL OTHER--FEMALE--	82	64	67	61	62	38	27	17	8	1	-	-
BLACK---FEMALE--	43	30	41	35	46	26	19	12	7	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 722  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
COLORADO -----	484	-	-	-	-	-	-	1	4	15	28	34
WHITE-----FEMALE--	460	-	-	-	-	-	-	-	4	12	25	33
ALL OTHER--FEMALE--	24	-	-	-	-	-	1	-	-	3	3	1
BLACK---FEMALE--	20	-	-	-	-	-	-	-	-	2	2	1
CONNECTICUT -----	623	-	-	-	-	-	-	1	4	18	24	37
WHITE-----FEMALE--	584	-	-	-	-	-	-	1	2	16	21	32
ALL OTHER--FEMALE--	39	-	-	-	-	-	-	-	2	2	3	5
BLACK---FEMALE--	34	-	-	-	-	-	-	-	1	2	2	5
DELAWARE -----	131	-	-	-	-	-	-	-	-	5	7	5
WHITE-----FEMALE--	115	-	-	-	-	-	-	-	-	5	6	3
ALL OTHER--FEMALE--	16	-	-	-	-	-	-	-	-	-	1	2
BLACK---FEMALE--	15	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	125	-	-	-	-	-	-	-	2	4	4	10
WHITE-----FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	105	-	-	-	-	-	-	-	2	4	4	10
BLACK---FEMALE--	105	-	-	-	-	-	-	-	2	4	4	10
FLORIDA -----	2,859	-	-	-	-	-	-	5	24	71	123	172
WHITE-----FEMALE--	2,560	-	-	-	-	-	-	2	13	55	96	140
ALL OTHER--FEMALE--	299	-	-	-	-	-	-	3	11	16	27	32
BLACK---FEMALE--	282	-	-	-	-	-	-	3	9	13	27	28
GEORGIA -----	1,000	-	-	-	-	-	2	3	21	32	68	106
WHITE-----FEMALE--	692	-	-	-	-	-	1	-	7	18	36	65
ALL OTHER--FEMALE--	308	-	-	-	-	-	1	3	14	14	32	41
BLACK---FEMALE--	304	-	-	-	-	-	1	3	14	13	31	40

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 722  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
COLORADO -----	34	33	37	59	69	51	53	37	22	7	-	-
WHITE-----FEMALE--	32	29	36	59	65	48	52	36	22	7	-	-
ALL OTHER--FEMALE--	2	4	1	-	4	3	1	1	-	-	-	-
BLACK---FEMALE--	1	4	1	-	4	3	1	1	-	-	-	-
CONNECTICUT -----	35	55	50	80	78	93	70	50	20	5	3	-
WHITE-----FEMALE--	32	48	45	77	75	89	70	50	18	5	3	-
ALL OTHER--FEMALE--	3	7	5	3	3	4	-	-	2	-	-	-
BLACK---FEMALE--	2	5	5	3	3	4	-	-	2	-	-	-
DELAWARE -----	9	12	5	27	18	22	8	6	5	2	-	-
WHITE-----FEMALE--	6	10	5	25	17	22	7	3	4	2	-	-
ALL OTHER--FEMALE--	3	2	-	2	1	-	1	3	1	-	-	-
BLACK---FEMALE--	3	2	-	2	1	-	1	3	1	-	-	-
DISTRICT OF COLUMBIA ----	15	10	16	17	13	12	11	9	1	-	1	-
WHITE-----FEMALE--	1	2	3	3	2	2	4	3	-	-	-	-
ALL OTHER--FEMALE--	14	8	13	14	11	10	7	6	1	-	1	-
BLACK---FEMALE--	14	8	13	14	11	10	7	6	1	-	1	-
FLORIDA -----	204	225	271	362	384	351	304	212	114	33	4	-
WHITE-----FEMALE--	168	197	240	335	351	326	290	203	110	30	4	-
ALL OTHER--FEMALE--	36	28	31	27	33	25	14	9	4	3	-	-
BLACK---FEMALE--	33	28	28	26	33	25	14	9	3	3	-	-
GEORGIA -----	98	101	88	92	101	98	83	69	26	8	4	-
WHITE-----FEMALE--	69	71	56	66	74	79	66	55	20	6	3	-
ALL OTHER--FEMALE--	29	30	32	26	27	19	17	14	6	2	1	-
BLACK---FEMALE--	28	30	32	26	27	19	17	14	6	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 723  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
HAWAII -----	121	-	-	-	-	-	-	-	1	2	7	9
WHITE-----FEMALE--	41	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--FEMALE--	80	-	-	-	-	-	-	-	1	2	5	6
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	157	-	-	-	-	-	-	-	2	5	5	14
WHITE-----FEMALE--	154	-	-	-	-	-	-	-	2	4	5	14
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,126	-	-	-	-	-	1	6	14	60	84	126
WHITE-----FEMALE--	1,798	-	-	-	-	-	-	3	6	43	66	94
ALL OTHER--FEMALE--	328	-	-	-	-	-	1	3	8	17	18	32
BLACK---FEMALE--	313	-	-	-	-	-	1	3	8	17	16	31
INDIANA -----	986	-	-	-	-	-	-	1	7	27	38	62
WHITE-----FEMALE--	922	-	-	-	-	-	-	1	6	24	31	55
ALL OTHER--FEMALE--	64	-	-	-	-	-	-	-	1	3	7	7
BLACK---FEMALE--	63	-	-	-	-	-	-	-	1	3	7	7
IOWA -----	498	-	-	-	-	-	-	1	2	10	19	29
WHITE-----FEMALE--	491	-	-	-	-	-	-	1	2	10	19	28
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
KANSAS -----	433	-	-	-	-	-	-	2	3	9	11	21
WHITE-----FEMALE--	409	-	-	-	-	-	-	2	2	8	11	21
ALL OTHER--FEMALE--	24	-	-	-	-	-	-	-	1	1	-	-
BLACK---FEMALE--	20	-	-	-	-	-	-	-	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 723  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
HAWAII -----	14	16	11	14	18	9	7	9	3	-	1	-
WHITE-----FEMALE--	3	7	2	3	9	3	3	3	3	-	-	-
ALL OTHER--FEMALE--	11	9	9	11	9	6	4	6	-	-	1	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO -----	11	13	12	24	19	16	19	8	4	3	2	-
WHITE-----FEMALE--	11	13	12	23	18	16	19	8	4	3	2	-
ALL OTHER--FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	183	167	193	260	278	252	233	164	79	22	4	-
WHITE-----FEMALE--	145	134	154	224	239	231	209	152	74	21	3	-
ALL OTHER--FEMALE--	38	33	39	36	39	21	24	12	5	1	1	-
BLACK---FEMALE--	37	29	36	34	38	20	24	12	5	1	1	-
INDIANA -----	74	92	93	109	144	123	89	82	31	13	1	-
WHITE-----FEMALE--	68	85	89	105	135	120	83	76	30	13	1	-
ALL OTHER--FEMALE--	6	7	4	4	9	3	6	6	1	-	-	-
BLACK---FEMALE--	6	7	3	4	9	3	6	6	1	-	-	-
IOWA -----	34	33	37	56	67	60	56	48	30	14	2	-
WHITE-----FEMALE--	34	33	35	56	65	59	55	48	30	14	2	-
ALL OTHER--FEMALE--	-	-	2	-	2	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	2	-	2	1	1	-	-	-	-	-
KANSAS -----	25	34	43	61	57	50	47	36	25	7	2	-
WHITE-----FEMALE--	23	31	42	56	52	48	45	35	24	7	2	-
ALL OTHER--FEMALE--	2	3	1	5	5	2	2	1	1	-	-	-
BLACK---FEMALE--	2	3	-	5	3	1	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 724  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
KENTUCKY -----	627	-	-	-	-	-	-	-	4	18	25	52
WHITE-----FEMALE--	567	-	-	-	-	-	-	-	3	15	20	45
ALL OTHER--FEMALE--	60	-	-	-	-	-	-	-	1	3	5	7
BLACK---FEMALE--	60	-	-	-	-	-	-	-	1	3	5	7
LOUISIANA -----	722	-	-	-	-	-	-	2	12	17	48	61
WHITE-----FEMALE--	507	-	-	-	-	-	-	1	8	9	25	37
ALL OTHER--FEMALE--	215	-	-	-	-	-	-	1	4	8	23	24
BLACK---FEMALE--	213	-	-	-	-	-	-	1	4	8	23	22
MAINE -----	230	-	-	-	-	-	-	-	2	4	7	23
WHITE-----FEMALE--	230	-	-	-	-	-	-	-	2	4	7	23
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	865	-	-	-	-	-	-	1	13	26	54	63
WHITE-----FEMALE--	628	-	-	-	-	-	-	1	5	15	34	38
ALL OTHER--FEMALE--	237	-	-	-	-	-	-	-	8	11	20	25
BLACK---FEMALE--	231	-	-	-	-	-	-	-	8	11	20	24
MASSACHUSETTS -----	1,236	-	-	-	-	-	-	5	8	24	29	67
WHITE-----FEMALE--	1,182	-	-	-	-	-	-	4	7	21	25	62
ALL OTHER--FEMALE--	54	-	-	-	-	-	-	1	1	3	4	5
BLACK---FEMALE--	50	-	-	-	-	-	-	1	1	2	3	5
MICHIGAN -----	1,694	-	-	-	-	-	1	5	13	50	82	104
WHITE-----FEMALE--	1,439	-	-	-	-	-	1	4	10	40	57	74
ALL OTHER--FEMALE--	255	-	-	-	-	-	-	1	3	10	25	30
BLACK---FEMALE--	235	-	-	-	-	-	-	-	3	10	24	27

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 724  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
KENTUCKY -----	47	59	60	64	81	81	69	33	22	11	1	-
WHITE-----FEMALE--	42	56	53	55	74	73	66	32	22	10	1	-
ALL OTHER--FEMALE--	5	3	7	9	7	8	3	1	-	1	-	-
BLACK---FEMALE--	5	3	7	9	7	8	3	1	-	1	-	-
LOUISIANA -----	67	59	82	76	105	72	52	43	18	6	2	-
WHITE-----FEMALE--	44	35	52	59	85	56	42	35	13	5	1	-
ALL OTHER--FEMALE--	23	24	30	17	20	16	10	8	5	1	1	-
BLACK---FEMALE--	23	24	30	17	20	16	10	8	5	1	1	-
MAINE -----	22	17	19	28	21	29	32	16	5	5	-	-
WHITE-----FEMALE--	22	17	19	28	21	29	32	16	5	5	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	80	63	88	103	100	118	70	47	32	5	2	-
WHITE-----FEMALE--	50	39	61	82	86	87	59	39	28	3	1	-
ALL OTHER--FEMALE--	30	24	27	21	14	31	11	8	4	2	1	-
BLACK---FEMALE--	30	24	26	20	14	29	11	7	4	2	1	-
MASSACHUSETTS -----	104	82	104	148	158	145	153	113	67	27	2	-
WHITE-----FEMALE--	96	77	98	142	155	141	151	110	66	26	1	-
ALL OTHER--FEMALE--	8	5	6	6	3	4	2	3	1	1	1	-
BLACK---FEMALE--	8	5	5	5	3	4	2	3	1	1	1	-
MICHIGAN -----	131	154	151	208	225	198	172	120	57	18	5	-
WHITE-----FEMALE--	105	130	133	176	200	181	151	107	50	17	3	-
ALL OTHER--FEMALE--	26	24	18	32	25	17	21	13	7	1	2	-
BLACK---FEMALE--	21	21	14	31	24	16	21	13	7	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 725  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
MINNESOTA -----	773	-	-	-	-	-	1	3	8	23	31	52
WHITE-----FEMALE--	754	-	-	-	-	-	1	3	7	22	30	50
ALL OTHER--FEMALE--	19	-	-	-	-	-	-	-	1	1	1	2
BLACK---FEMALE--	12	-	-	-	-	-	-	-	1	1	-	1
MISSISSIPPI -----	401	-	-	-	-	-	1	1	5	16	26	29
WHITE-----FEMALE--	262	-	-	-	-	-	-	1	3	8	14	23
ALL OTHER--FEMALE--	139	-	-	-	-	-	1	-	2	8	12	6
BLACK---FEMALE--	138	-	-	-	-	-	1	-	2	8	12	6
MISSOURI -----	997	-	-	-	-	-	-	2	9	25	51	77
WHITE-----FEMALE--	880	-	-	-	-	-	-	2	4	19	44	68
ALL OTHER--FEMALE--	117	-	-	-	-	-	-	-	5	6	7	9
BLACK---FEMALE--	114	-	-	-	-	-	-	-	5	6	7	9
MONTANA -----	161	-	-	-	-	-	-	1	1	10	5	10
WHITE-----FEMALE--	156	-	-	-	-	-	-	1	1	9	5	9
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	271	-	-	-	-	-	-	1	2	5	12	15
WHITE-----FEMALE--	267	-	-	-	-	-	-	1	2	5	12	14
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	211	-	-	-	-	-	-	-	2	5	10	17
WHITE-----FEMALE--	193	-	-	-	-	-	-	-	2	4	8	17
ALL OTHER--FEMALE--	18	-	-	-	-	-	-	-	-	1	2	-
BLACK---FEMALE--	12	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 725  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
MINNESOTA -----	61	51	75	77	93	95	76	74	41	11	1	-
WHITE-----FEMALE--	57	50	74	76	89	95	76	72	40	11	1	-
ALL OTHER--FEMALE--	4	1	1	1	4	-	-	2	1	-	-	-
BLACK---FEMALE--	2	1	1	-	2	-	-	2	1	-	-	-
MISSISSIPPI -----	30	46	46	44	56	36	29	20	13	3	-	-
WHITE-----FEMALE--	17	29	30	32	37	23	19	13	11	2	-	-
ALL OTHER--FEMALE--	13	17	16	12	19	13	10	7	2	1	-	-
BLACK---FEMALE--	13	17	16	11	19	13	10	7	2	1	-	-
MISSOURI -----	84	90	92	101	110	106	120	76	39	12	3	-
WHITE-----FEMALE--	68	77	76	91	103	99	113	67	36	11	2	-
ALL OTHER--FEMALE--	16	13	16	10	7	7	7	9	3	1	1	-
BLACK---FEMALE--	15	13	15	9	7	7	7	9	3	1	1	-
MONTANA -----	14	9	16	20	24	19	20	9	2	1	-	-
WHITE-----FEMALE--	14	9	15	19	23	19	20	9	2	1	-	-
ALL OTHER--FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	12	17	28	31	46	32	28	25	8	8	1	-
WHITE-----FEMALE--	12	17	28	31	45	32	26	25	8	8	1	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
NEVADA -----	18	22	23	27	26	24	22	9	4	2	-	-
WHITE-----FEMALE--	14	21	18	27	23	24	20	9	4	2	-	-
ALL OTHER--FEMALE--	4	1	5	-	3	-	2	-	-	-	-	-
BLACK---FEMALE--	2	-	4	-	3	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 727  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
OHIO -----	2,079	-	-	-	-	-	1	6	17	56	79	129
WHITE-----FEMALE--	1,861	-	-	-	-	-	-	3	14	44	67	112
ALL OTHER--FEMALE--	218	-	-	-	-	-	1	3	3	12	12	17
BLACK---FEMALE--	213	-	-	-	-	-	1	3	3	11	12	17
OKLAHOMA -----	556	-	-	-	-	-	-	1	3	18	24	35
WHITE-----FEMALE--	511	-	-	-	-	-	-	1	1	12	21	29
ALL OTHER--FEMALE--	45	-	-	-	-	-	-	-	2	6	3	6
BLACK---FEMALE--	34	-	-	-	-	-	-	-	2	6	1	4
OREGON -----	517	-	-	-	-	-	-	-	3	13	18	38
WHITE-----FEMALE--	506	-	-	-	-	-	-	-	3	13	17	36
ALL OTHER--FEMALE--	11	-	-	-	-	-	-	-	-	-	1	2
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,513	-	-	-	-	-	-	5	17	46	98	140
WHITE-----FEMALE--	2,285	-	-	-	-	-	-	5	15	39	80	121
ALL OTHER--FEMALE--	228	-	-	-	-	-	-	-	2	7	18	19
BLACK---FEMALE--	220	-	-	-	-	-	-	-	2	6	18	17
RHODE ISLAND -----	211	-	-	-	-	-	-	-	3	2	8	15
WHITE-----FEMALE--	199	-	-	-	-	-	-	-	3	1	8	11
ALL OTHER--FEMALE--	12	-	-	-	-	-	-	-	-	1	-	4
BLACK---FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
SOUTH CAROLINA -----	606	-	-	-	-	-	-	3	13	25	34	49
WHITE-----FEMALE--	418	-	-	-	-	-	-	1	7	14	18	26
ALL OTHER--FEMALE--	188	-	-	-	-	-	-	2	6	11	16	23
BLACK---FEMALE--	186	-	-	-	-	-	-	2	6	10	16	23



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 727  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
OHIO -----	151	187	182	225	278	268	214	175	74	34	3	-
WHITE-----FEMALE--	131	164	158	205	246	245	201	165	71	33	2	-
ALL OTHER--FEMALE--	20	23	24	20	32	23	13	10	3	1	1	-
BLACK---FEMALE--	20	22	24	19	32	22	13	10	2	1	1	-
OKLAHOMA -----	44	52	62	61	61	55	59	56	17	7	1	-
WHITE-----FEMALE--	41	48	57	59	57	53	57	52	15	7	1	-
ALL OTHER--FEMALE--	3	4	5	2	4	2	2	4	2	-	-	-
BLACK---FEMALE--	3	3	4	2	2	1	1	3	2	-	-	-
OREGON -----	38	34	54	54	78	57	66	42	13	5	4	-
WHITE-----FEMALE--	37	33	53	54	77	57	64	40	13	5	4	-
ALL OTHER--FEMALE--	1	1	1	-	1	-	2	2	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
PENNSYLVANIA -----	187	176	215	319	342	362	300	187	98	16	5	-
WHITE-----FEMALE--	161	151	192	293	317	341	285	176	91	14	4	-
ALL OTHER--FEMALE--	26	25	23	26	25	21	15	11	7	2	1	-
BLACK---FEMALE--	24	25	21	26	25	20	15	11	7	2	1	-
RHODE ISLAND -----	12	15	12	28	29	31	30	15	8	3	-	-
WHITE-----FEMALE--	10	13	10	28	29	30	30	15	8	3	-	-
ALL OTHER--FEMALE--	2	2	2	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	2	2	2	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	58	57	59	60	70	75	49	35	16	3	-	-
WHITE-----FEMALE--	44	35	46	41	51	58	37	27	12	1	-	-
ALL OTHER--FEMALE--	14	22	13	19	19	17	12	8	4	2	-	-
BLACK---FEMALE--	14	22	12	19	19	17	12	8	4	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 728  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE BREAST (174)												
SOUTH DAKOTA -----	118	-	-	-	-	-	-	-	-	3	1	9
WHITE-----FEMALE--	113	-	-	-	-	-	-	-	-	3	1	8
ALL OTHER--FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	883	-	-	-	-	-	-	4	6	20	52	80
WHITE-----FEMALE--	737	-	-	-	-	-	-	1	4	14	39	66
ALL OTHER--FEMALE--	146	-	-	-	-	-	-	3	2	6	13	14
BLACK---FEMALE--	142	-	-	-	-	-	-	3	2	5	12	14
TEXAS -----	2,498	-	-	-	-	1	1	6	30	97	142	209
WHITE-----FEMALE--	2,154	-	-	-	-	1	1	4	26	76	119	161
ALL OTHER--FEMALE--	344	-	-	-	-	-	1	2	4	21	23	48
BLACK---FEMALE--	326	-	-	-	-	-	1	1	4	19	20	45
UTAH -----	196	-	-	-	-	-	-	-	2	3	10	12
WHITE-----FEMALE--	193	-	-	-	-	-	-	-	2	3	10	11
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	97	-	-	-	-	-	-	-	2	2	6	7
WHITE-----FEMALE--	97	-	-	-	-	-	-	-	2	2	6	7
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,035	-	-	-	-	-	-	2	10	27	49	89
WHITE-----FEMALE--	784	-	-	-	-	-	-	1	6	20	29	65
ALL OTHER--FEMALE--	251	-	-	-	-	-	-	1	4	7	20	24
BLACK---FEMALE--	240	-	-	-	-	-	-	1	4	7	20	21

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 728  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF FEMALE BREAST (174)												
SOUTH DAKOTA -----	6	9	13	8	13	12	21	14	4	4	1	-
WHITE-----FEMALE--	6	9	11	6	13	12	21	14	4	4	1	-
ALL OTHER--FEMALE--	-	-	2	2	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	77	86	98	88	104	111	76	49	25	6	1	-
WHITE-----FEMALE--	63	75	83	72	90	91	63	47	22	6	1	-
ALL OTHER--FEMALE--	14	11	15	16	14	20	13	2	3	-	-	-
BLACK---FEMALE--	13	11	15	15	14	20	13	2	3	-	-	-
TEXAS -----	234	217	245	277	305	257	222	148	71	25	10	1
WHITE-----FEMALE--	193	186	212	246	278	228	192	133	67	23	8	1
ALL OTHER--FEMALE--	41	31	33	31	27	29	30	15	4	2	2	-
BLACK---FEMALE--	37	31	33	28	25	29	30	15	4	2	2	-
UTAH -----	11	20	20	25	29	33	20	8	2	1	-	-
WHITE-----FEMALE--	10	19	20	25	29	33	20	8	2	1	-	-
ALL OTHER--FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	7	10	14	9	9	13	7	3	1	-	-
WHITE-----FEMALE--	7	7	10	14	9	9	13	7	3	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	90	97	107	112	129	134	78	66	35	6	4	-
WHITE-----FEMALE--	67	73	75	82	102	114	67	47	29	4	3	-
ALL OTHER--FEMALE--	23	24	32	30	27	20	11	19	6	2	1	-
BLACK---FEMALE--	22	22	31	28	26	19	11	19	6	2	1	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 730  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF MALE BREAST (175)												
0 UNITED STATES --	29	27	44	49	46	65	38	29	11	1	2	-
WHITE-----MALE----	21	21	39	40	39	55	28	26	8	1	2	-
ALL OTHER--MALE----	8	6	5	9	7	10	10	3	3	-	-	-
BLACK---MALE----	8	6	5	8	7	10	9	3	3	-	-	-
ALABAMA -----	-	-	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	1	4	4	11	7	3	3	-	1	1	-
WHITE-----MALE----	2	1	4	3	11	7	-	3	-	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 733  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF MALE BREAST (175)												
KENTUCKY -----	-	1	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	-	1	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	3	3	1	2	3	-	-	-	-	-
WHITE-----MALE----	-	1	2	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	2	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	2	1	1	1	-	-	-	-	-
MASSACHUSETTS -----	-	1	1	2	-	3	2	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	1	3	1	1	-	3	2	-	1	-	-	-
WHITE-----MALE----	1	2	1	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	1	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 736  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF MALE BREAST (175)												
OHIO -----	-	1	-	1	-	4	-	3	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	3	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	1	-	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	4	2	9	3	1	1	2	-	-	-
WHITE-----MALE----	1	1	4	2	7	3	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 737  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF MALE BREAST (175)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	2	1	4	2	1	3	5	-	-	-	-
WHITE-----MALE----	2	2	1	3	2	1	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	1	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	1	1	-	1	-	1	-	-	-	-
WHITE-----MALE----	1	1	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 739  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
0 UNITED STATES --	60,507	-	-	1	3	29	66	155	367	621	948	1,360
WHITE-----MALE----	28,988	-	-	-	-	18	28	26	53	59	57	83
FEMALE--	22,065	-	-	1	3	9	26	96	245	416	711	1,028
ALL OTHER--MALE----	6,035	-	-	-	-	1	1	4	4	10	15	25
FEMALE--	3,419	-	-	-	-	1	11	29	65	136	165	224
BLACK---MALE----	5,636	-	-	-	-	-	-	2	3	9	14	23
FEMALE--	2,993	-	-	-	-	1	11	25	60	121	138	172
ALABAMA -----	1,079	-	-	-	-	1	1	-	7	19	23	23
WHITE-----MALE----	381	-	-	-	-	1	1	-	1	2	2	1
FEMALE--	310	-	-	-	-	-	-	-	6	6	15	17
ALL OTHER--MALE----	266	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	122	-	-	-	-	-	-	-	-	10	6	3
BLACK---MALE----	265	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	122	-	-	-	-	-	-	-	-	10	6	3
ALASKA -----	47	-	-	-	-	-	-	2	1	1	1	6
WHITE-----MALE----	25	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	962	-	-	-	-	1	3	1	6	8	15	23
WHITE-----MALE----	575	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	334	-	-	-	-	-	3	-	5	6	13	19
ALL OTHER--MALE----	31	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	705	-	-	-	-	-	-	-	5	8	11	14
WHITE-----MALE----	335	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	203	-	-	-	-	-	-	-	3	4	6	10
ALL OTHER--MALE----	101	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	66	-	-	-	-	-	-	-	1	3	5	4
BLACK---MALE----	101	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	66	-	-	-	-	-	-	-	1	3	5	4
CALIFORNIA -----	5,807	-	-	-	-	7	11	13	47	54	95	154
WHITE-----MALE----	2,797	-	-	-	-	4	5	2	8	10	7	9
FEMALE--	2,258	-	-	-	-	3	6	10	34	35	67	115
ALL OTHER--MALE----	463	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	289	-	-	-	-	-	-	1	5	9	19	29
BLACK---MALE----	339	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	148	-	-	-	-	-	-	1	3	5	9	11



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 739  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
0 UNITED STATES --	1,826	2,523	3,962	6,556	9,570	10,666	10,353	7,272	3,319	811	98	1
WHITE-----MALE----	230	537	1,235	2,674	4,629	5,977	6,216	4,586	2,044	489	47	-
FEMALE--	1,296	1,550	1,919	2,713	3,364	3,174	2,673	1,792	821	203	24	1
ALL OTHER--MALE----	57	164	430	733	1,141	1,120	1,142	709	358	99	22	-
FEMALE--	243	272	378	436	436	395	322	185	96	20	5	-
BLACK---MALE----	55	154	413	688	1,086	1,057	1,045	647	330	88	22	-
FEMALE--	192	227	318	392	404	363	291	169	86	18	5	-
ALABAMA -----	26	35	63	144	175	173	190	125	58	15	1	-
WHITE-----MALE----	1	5	16	51	65	74	78	51	27	5	-	-
FEMALE--	14	23	19	51	47	45	33	21	6	6	1	-
ALL OTHER--MALE----	4	4	17	26	41	39	64	42	22	4	-	-
FEMALE--	7	3	11	16	22	15	15	11	3	-	-	-
BLACK---MALE----	4	4	17	26	41	39	64	41	22	4	-	-
FEMALE--	7	3	11	16	22	15	15	11	3	-	-	-
ALASKA -----	3	2	6	5	1	9	5	2	3	-	-	-
WHITE-----MALE----	1	1	5	2	1	7	3	1	2	-	-	-
FEMALE--	2	-	1	1	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	24	40	67	98	141	181	185	112	47	10	-	-
WHITE-----MALE----	1	10	30	47	93	115	136	91	40	9	-	-
FEMALE--	19	28	30	45	45	57	38	20	5	1	-	-
ALL OTHER--MALE----	-	-	4	3	3	7	8	1	2	-	-	-
FEMALE--	4	2	3	3	-	2	3	-	-	-	-	-
BLACK---MALE----	-	-	2	1	2	6	3	-	1	-	-	-
FEMALE--	2	1	-	1	-	1	1	-	-	-	-	-
ARKANSAS -----	27	31	32	64	101	106	151	92	49	12	2	-
WHITE-----MALE----	9	7	10	30	52	59	79	55	31	1	1	-
FEMALE--	15	13	14	20	28	27	33	18	7	5	-	-
ALL OTHER--MALE----	1	5	1	6	13	17	30	12	8	6	1	-
FEMALE--	2	6	7	8	8	3	9	7	3	-	-	-
BLACK---MALE----	1	5	1	6	13	17	30	12	8	6	1	-
FEMALE--	2	6	7	8	8	3	9	7	3	-	-	-
CALIFORNIA -----	200	268	386	596	951	1,054	943	680	276	63	9	-
WHITE-----MALE----	25	56	132	256	466	616	570	430	161	36	4	-
FEMALE--	135	172	193	253	358	333	264	183	80	15	2	-
ALL OTHER--MALE----	8	11	28	59	97	79	83	53	30	10	2	-
FEMALE--	32	29	33	28	30	26	26	14	5	2	1	-
BLACK---MALE----	6	9	23	47	71	61	58	36	19	5	2	-
FEMALE--	16	11	15	14	19	20	14	5	2	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 740  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
COLORADO -----	629	-	-	-	-	-	1	-	2	7	9	14
WHITE-----MALE----	354	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	255	-	-	-	-	-	1	-	1	6	8	14
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	759	-	-	-	-	-	-	1	4	4	9	11
WHITE-----MALE----	397	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	303	-	-	-	-	-	-	1	3	3	7	10
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	1
DELAWARE -----	172	-	-	-	-	-	-	-	1	1	2	5
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	62	-	-	-	-	-	-	-	1	-	2	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	2
DISTRICT OF COLUMBIA ----	199	-	-	-	-	-	-	-	1	7	2	5
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	99	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	62	-	-	-	-	-	-	-	-	5	2	2
BLACK---MALE----	99	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	61	-	-	-	-	-	-	-	-	4	2	2
FLORIDA -----	4,201	-	-	-	-	-	7	9	22	37	49	77
WHITE-----MALE----	2,254	-	-	-	-	-	2	-	4	3	2	8
FEMALE--	1,422	-	-	-	-	-	3	8	14	29	36	56
ALL OTHER--MALE----	343	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	182	-	-	-	-	-	2	1	4	5	9	11
BLACK---MALE----	338	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	173	-	-	-	-	-	2	1	4	5	9	9
GEORGIA -----	1,447	-	-	-	-	1	2	7	10	20	26	36
WHITE-----MALE----	512	-	-	-	-	-	-	-	3	2	1	1
FEMALE--	436	-	-	-	-	-	1	3	4	10	15	23
ALL OTHER--MALE----	320	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	179	-	-	-	-	1	1	4	3	8	9	12
BLACK---MALE----	316	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	177	-	-	-	-	1	1	4	3	8	9	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 740  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
COLORADO -----	29	30	34	68	95	109	105	81	36	8	1	-
WHITE-----MALE----	6	6	13	39	52	70	77	54	28	5	1	-
FEMALE--	21	22	21	27	37	38	25	25	6	3	-	-
ALL OTHER--MALE----	1	1	-	1	3	1	3	1	2	-	-	-
FEMALE--	1	1	-	1	3	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	2	1	3	1	2	-	-	-
FEMALE--	-	1	-	-	2	-	-	1	-	-	-	-
CONNECTICUT -----	24	25	47	79	114	130	144	105	49	12	1	-
WHITE-----MALE----	4	4	14	28	61	84	87	68	37	7	1	-
FEMALE--	19	16	24	38	45	38	50	34	11	4	-	-
ALL OTHER--MALE----	-	3	7	9	6	8	6	2	1	-	-	-
FEMALE--	1	2	2	4	2	-	1	1	-	1	-	-
BLACK---MALE----	-	3	7	9	6	8	5	1	1	-	-	-
FEMALE--	1	2	2	4	2	-	1	1	-	1	-	-
DELAWARE -----	5	9	8	21	35	37	18	21	7	2	-	-
WHITE-----MALE----	1	2	3	9	17	19	8	6	4	-	-	-
FEMALE--	3	5	4	8	7	10	4	11	2	2	-	-
ALL OTHER--MALE----	-	1	-	4	9	5	4	3	1	-	-	-
FEMALE--	1	1	1	-	2	3	2	1	-	-	-	-
BLACK---MALE----	-	1	-	4	9	5	4	3	1	-	-	-
FEMALE--	1	1	1	-	2	2	2	1	-	-	-	-
DISTRICT OF COLUMBIA ----	4	4	17	22	33	40	34	18	8	4	-	-
WHITE-----MALE----	-	-	-	2	2	3	8	5	1	-	-	-
FEMALE--	1	1	1	-	1	3	1	3	-	1	-	-
ALL OTHER--MALE----	-	2	10	13	20	20	16	8	7	2	-	-
FEMALE--	3	1	6	7	10	14	9	2	-	1	-	-
BLACK---MALE----	-	2	10	13	20	20	16	8	7	2	-	-
FEMALE--	3	1	6	7	10	14	9	2	-	1	-	-
FLORIDA -----	103	125	270	452	628	748	778	577	255	57	7	-
WHITE-----MALE----	16	31	112	214	295	460	511	389	168	34	5	-
FEMALE--	75	78	122	161	237	207	192	123	64	17	-	-
ALL OTHER--MALE----	1	8	17	45	70	65	58	52	15	6	2	-
FEMALE--	11	8	19	32	26	16	17	13	8	-	-	-
BLACK---MALE----	1	8	17	44	70	62	57	52	15	6	2	-
FEMALE--	10	7	18	30	24	16	17	13	8	-	-	-
GEORGIA -----	35	75	117	184	243	246	253	123	52	16	1	-
WHITE-----MALE----	3	15	23	47	92	102	125	61	27	9	1	-
FEMALE--	25	40	41	64	63	62	51	25	8	1	-	-
ALL OTHER--MALE----	2	7	33	48	62	61	55	34	14	3	-	-
FEMALE--	5	13	20	25	26	21	22	3	3	3	-	-
BLACK---MALE----	2	6	33	48	62	60	55	32	14	3	-	-
FEMALE--	5	13	19	25	26	20	22	3	3	3	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 741  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
HAWAII -----	9	7	14	21	23	28	46	33	8	4	-	-
WHITE-----MALE----	-	-	2	7	8	8	6	11	2	-	-	-
FEMALE--	2	2	1	2	3	-	5	2	-	-	-	-
ALL OTHER--MALE----	-	2	2	7	10	13	30	19	5	4	-	-
FEMALE--	7	3	9	5	2	7	5	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	10	16	37	44	53	57	43	9	4	1	-
WHITE-----MALE----	-	2	4	19	23	40	42	31	7	4	1	-
FEMALE--	3	7	12	18	21	13	15	11	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	86	99	177	295	413	473	459	307	163	31	2	-
WHITE-----MALE----	7	16	43	139	179	257	263	196	109	19	1	-
FEMALE--	57	56	88	107	166	155	124	78	31	8	1	-
ALL OTHER--MALE----	4	10	24	33	53	46	52	28	18	3	-	-
FEMALE--	18	17	22	16	15	15	20	5	5	1	-	-
BLACK---MALE----	4	10	24	31	53	46	52	27	17	3	-	-
FEMALE--	17	15	21	16	15	15	20	5	5	1	-	-
INDIANA -----	53	59	81	142	229	254	224	149	72	19	3	-
WHITE-----MALE----	4	12	34	64	120	150	149	102	47	7	1	-
FEMALE--	46	42	43	70	91	80	53	37	22	9	2	-
ALL OTHER--MALE----	2	4	-	3	12	18	20	9	1	3	-	-
FEMALE--	1	1	4	5	6	6	2	1	2	-	-	-
BLACK---MALE----	2	4	-	3	12	18	20	9	1	3	-	-
FEMALE--	1	-	4	5	6	6	2	1	2	-	-	-
IOWA -----	11	32	39	57	112	124	139	115	56	14	5	-
WHITE-----MALE----	-	9	14	26	65	84	91	80	41	12	2	-
FEMALE--	11	23	20	29	46	37	46	34	13	2	3	-
ALL OTHER--MALE----	-	-	1	2	1	1	2	1	1	-	-	-
FEMALE--	-	-	4	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	1	2	1	1	1	1	1	-	-	-
FEMALE--	-	-	3	-	-	1	-	-	1	-	-	-
KANSAS -----	11	20	41	71	89	115	105	88	43	18	3	-
WHITE-----MALE----	-	6	18	28	49	66	73	59	31	12	1	-
FEMALE--	11	13	19	39	33	46	29	26	10	5	1	-
ALL OTHER--MALE----	-	-	2	3	4	1	3	3	1	1	1	-
FEMALE--	-	1	2	1	3	2	-	-	1	-	-	-
BLACK---MALE----	-	-	2	3	4	1	3	3	1	1	1	-
FEMALE--	-	1	2	-	3	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 742  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
KENTUCKY -----	940	-	-	-	-	-	1	5	10	10	22	19
WHITE-----MALE----	480	-	-	-	-	-	1	2	2	2	1	1
FEMALE--	368	-	-	-	-	-	-	3	6	7	19	15
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	2	1	2	2
BLACK---MALE----	58	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	-	-	-	2	1	2	2
LOUISIANA -----	979	-	-	-	-	-	2	4	8	14	24	29
WHITE-----MALE----	361	-	-	-	-	-	-	-	-	4	1	1
FEMALE--	251	-	-	-	-	-	-	-	5	9	10	18
ALL OTHER--MALE----	239	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	128	-	-	-	-	-	2	3	3	1	12	9
BLACK---MALE----	239	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	126	-	-	-	-	-	2	3	3	1	11	9
MAINE -----	337	-	-	-	-	-	-	1	2	3	5	11
WHITE-----MALE----	207	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	130	-	-	-	-	-	-	1	2	2	5	9
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,111	-	-	-	-	-	-	6	6	14	22	27
WHITE-----MALE----	413	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	367	-	-	-	-	-	-	4	2	7	14	16
ALL OTHER--MALE----	212	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	119	-	-	-	-	-	-	2	3	5	4	7
BLACK---MALE----	206	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	107	-	-	-	-	-	-	2	3	5	3	4
MASSACHUSETTS -----	1,399	-	-	-	-	-	2	4	5	12	16	25
WHITE-----MALE----	754	-	-	-	-	-	2	2	2	-	1	3
FEMALE--	570	-	-	-	-	-	-	2	3	12	12	18
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	3	3
BLACK---MALE----	42	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	2	2
MICHIGAN -----	2,154	-	-	-	-	1	2	7	11	22	31	50
WHITE-----MALE----	1,039	-	-	-	-	1	1	2	1	2	4	3
FEMALE--	780	-	-	-	-	-	1	4	5	16	23	38
ALL OTHER--MALE----	224	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	111	-	-	-	-	-	-	1	5	4	4	9
BLACK---MALE----	221	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	101	-	-	-	-	-	-	1	5	4	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 742  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
KENTUCKY -----	26	51	60	90	156	168	161	100	53	8	-	-
WHITE-----MALE----	6	16	19	40	87	95	104	65	32	7	-	-
FEMALE--	18	32	32	43	49	60	45	27	11	1	-	-
ALL OTHER--MALE----	-	1	3	6	16	9	8	8	7	-	-	-
FEMALE--	2	2	6	1	4	4	4	-	3	-	-	-
BLACK---MALE----	-	1	3	5	16	9	8	8	7	-	-	-
FEMALE--	2	2	5	1	4	3	4	-	3	-	-	-
LOUISIANA -----	37	40	65	102	156	175	156	107	46	12	2	-
WHITE-----MALE----	7	7	10	29	65	90	69	49	23	6	-	-
FEMALE--	17	17	26	28	37	26	30	18	9	1	-	-
ALL OTHER--MALE----	8	4	18	26	44	41	42	34	13	4	2	-
FEMALE--	5	12	11	19	10	18	15	6	1	1	-	-
BLACK---MALE----	8	4	18	26	44	41	42	34	13	4	2	-
FEMALE--	5	12	10	19	10	18	15	6	1	1	-	-
MAINE -----	9	13	16	37	59	53	61	49	13	5	-	-
WHITE-----MALE----	1	5	6	22	39	34	46	37	10	4	-	-
FEMALE--	8	8	10	15	20	19	15	12	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	35	46	80	112	189	210	173	125	54	8	4	-
WHITE-----MALE----	4	5	19	32	71	92	81	72	26	2	1	-
FEMALE--	28	23	42	38	59	59	40	19	12	3	1	-
ALL OTHER--MALE----	-	3	12	25	39	45	43	26	13	2	1	-
FEMALE--	3	15	7	17	20	14	9	8	3	1	1	-
BLACK---MALE----	-	3	12	25	37	45	42	24	12	2	1	-
FEMALE--	3	12	6	16	19	13	8	8	3	1	1	-
MASSACHUSETTS -----	42	52	85	125	246	245	245	170	96	26	3	-
WHITE-----MALE----	5	20	27	60	148	152	162	107	48	14	1	-
FEMALE--	35	29	53	58	85	79	74	53	44	11	2	-
ALL OTHER--MALE----	1	1	2	6	9	12	7	5	3	1	-	-
FEMALE--	1	2	3	1	4	2	2	5	1	-	-	-
BLACK---MALE----	1	1	2	5	8	12	4	4	3	1	-	-
FEMALE--	-	2	3	1	4	1	2	5	1	-	-	-
MICHIGAN -----	60	89	115	257	345	402	357	261	119	21	4	-
WHITE-----MALE----	6	28	37	87	167	223	223	173	62	16	3	-
FEMALE--	47	46	58	116	116	125	87	63	31	3	1	-
ALL OTHER--MALE----	-	8	10	36	44	44	40	22	20	-	-	-
FEMALE--	7	7	10	18	18	10	7	3	6	2	-	-
BLACK---MALE----	-	8	10	35	43	44	39	22	20	-	-	-
FEMALE--	5	7	7	17	17	10	7	3	6	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 743  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
MINNESOTA -----	37	40	52	102	136	176	183	148	103	32	3	-
WHITE-----MALE----	2	9	16	58	85	116	138	116	77	24	2	-
FEMALE--	32	30	36	41	50	57	41	27	24	7	1	-
ALL OTHER--MALE----	-	-	-	2	1	1	2	3	-	1	-	-
FEMALE--	3	1	-	1	-	2	2	2	2	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	2	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-
MISSISSIPPI -----	19	22	40	65	105	98	131	100	39	8	3	-
WHITE-----MALE----	2	2	15	25	36	34	65	42	14	1	-	-
FEMALE--	8	4	12	16	25	15	13	11	3	3	-	-
ALL OTHER--MALE----	1	9	10	15	31	38	45	37	19	4	3	-
FEMALE--	8	7	3	9	13	11	8	10	3	-	-	-
BLACK---MALE----	1	8	10	15	31	38	45	37	19	4	3	-
FEMALE--	8	7	3	9	13	11	7	10	3	-	-	-
MISSOURI -----	31	52	82	151	210	244	233	172	90	24	-	-
WHITE-----MALE----	5	9	26	66	100	138	138	100	60	19	-	-
FEMALE--	21	36	39	65	83	79	68	52	24	4	-	-
ALL OTHER--MALE----	2	2	9	12	23	14	23	16	4	1	-	-
FEMALE--	3	5	8	8	4	13	4	4	2	-	-	-
BLACK---MALE----	2	2	9	12	23	14	23	15	4	1	-	-
FEMALE--	3	5	7	8	4	13	4	4	2	-	-	-
MONTANA -----	7	5	17	22	24	38	43	25	11	5	-	-
WHITE-----MALE----	-	2	6	9	16	27	27	20	8	4	-	-
FEMALE--	7	2	9	12	8	10	12	5	3	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	10	21	50	54	58	77	60	23	7	-	-
WHITE-----MALE----	-	2	6	21	30	42	52	44	18	5	-	-
FEMALE--	5	8	13	28	21	16	21	12	5	2	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	4	3	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	2	1	1	-	4	3	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
NEVADA -----	19	12	27	40	55	47	47	22	13	5	-	-
WHITE-----MALE----	4	5	11	22	33	28	33	16	11	5	-	-
FEMALE--	13	5	12	12	19	15	12	6	2	-	-	-
ALL OTHER--MALE----	-	1	3	3	3	2	2	-	-	-	-	-
FEMALE--	2	1	1	3	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	2	1	3	2	2	-	-	-	-	-
FEMALE--	1	1	-	2	-	2	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 745  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
OHIO -----	2,737	-	-	-	1	1	2	10	20	30	57	55
WHITE-----MALE----	1,319	-	-	-	-	1	1	2	3	5	2	4
FEMALE--	1,072	-	-	-	1	-	1	6	14	20	47	47
ALL OTHER--MALE----	214	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	132	-	-	-	-	-	-	2	3	5	6	4
BLACK---MALE----	212	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	131	-	-	-	-	-	-	2	3	5	6	4
OKLAHOMA -----	718	-	-	1	-	-	-	-	3	5	13	10
WHITE-----MALE----	363	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	273	-	-	1	-	-	-	-	3	4	10	7
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	45	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	2
OREGON -----	789	-	-	-	-	-	-	1	-	5	15	21
WHITE-----MALE----	463	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	307	-	-	-	-	-	-	1	-	5	14	18
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,327	-	-	-	-	-	2	6	19	22	40	73
WHITE-----MALE----	1,666	-	-	-	-	-	2	1	2	1	5	5
FEMALE--	1,327	-	-	-	-	-	-	3	16	13	31	60
ALL OTHER--MALE----	229	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	105	-	-	-	-	-	-	1	1	7	4	7
BLACK---MALE----	224	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	100	-	-	-	-	-	-	1	1	6	4	7
RHODE ISLAND -----	265	-	-	-	-	-	-	-	2	-	5	7
WHITE-----MALE----	152	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	103	-	-	-	-	-	-	-	2	-	4	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	922	-	-	-	-	-	5	-	5	12	10	20
WHITE-----MALE----	311	-	-	-	-	-	1	-	-	1	2	2
FEMALE--	260	-	-	-	-	-	-	-	2	7	6	10
ALL OTHER--MALE----	230	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	121	-	-	-	-	-	4	-	3	4	2	5
BLACK---MALE----	228	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	121	-	-	-	-	-	4	-	3	4	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 745  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
OHIO -----	71	113	181	340	460	486	401	300	167	38	4	-
WHITE-----MALE----	16	19	63	126	231	281	254	197	92	20	2	-
FEMALE--	46	76	85	156	163	149	107	81	59	13	1	-
ALL OTHER--MALE----	-	10	17	35	46	38	34	13	14	4	1	-
FEMALE--	9	8	16	23	20	18	6	9	2	1	-	-
BLACK---MALE----	-	10	17	35	45	38	34	12	14	4	1	-
FEMALE--	9	8	16	22	20	18	6	9	2	1	-	-
OKLAHOMA -----	20	34	46	76	103	127	128	97	48	6	1	-
WHITE-----MALE----	2	9	20	30	51	73	80	61	32	4	-	-
FEMALE--	17	22	18	34	42	40	32	29	13	1	-	-
ALL OTHER--MALE----	1	2	4	9	7	8	14	6	2	1	1	-
FEMALE--	-	1	4	3	3	6	2	1	1	-	-	-
BLACK---MALE----	1	2	2	7	6	8	10	5	2	1	1	-
FEMALE--	-	1	1	2	3	2	1	1	1	-	-	-
OREGON -----	21	26	33	70	127	151	173	90	38	16	2	-
WHITE-----MALE----	5	8	11	31	79	101	122	61	31	10	1	-
FEMALE--	16	18	20	37	46	43	49	26	7	6	1	-
ALL OTHER--MALE----	-	-	-	2	1	6	1	3	-	-	-	-
FEMALE--	-	-	2	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	3	-	3	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	91	148	220	370	538	624	566	395	173	34	6	-
WHITE-----MALE----	11	20	67	161	253	373	366	263	115	19	2	-
FEMALE--	74	116	120	170	221	191	156	103	41	10	2	-
ALL OTHER--MALE----	2	4	18	26	49	47	35	23	15	5	2	-
FEMALE--	4	8	15	13	15	13	9	6	2	-	-	-
BLACK---MALE----	2	4	18	26	48	46	34	22	15	5	2	-
FEMALE--	4	8	13	13	15	12	9	5	2	-	-	-
RHODE ISLAND -----	9	5	14	34	47	45	35	39	18	5	-	-
WHITE-----MALE----	1	-	4	19	27	37	22	25	11	4	-	-
FEMALE--	7	5	8	12	19	8	11	13	7	1	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	1	1	-	-	-	-
SOUTH CAROLINA -----	22	49	65	108	168	167	147	100	34	7	3	-
WHITE-----MALE----	2	8	13	32	67	56	60	48	16	3	-	-
FEMALE--	12	29	26	26	43	43	27	21	7	1	-	-
ALL OTHER--MALE----	1	3	15	32	45	51	43	22	10	2	3	-
FEMALE--	7	9	11	18	13	17	17	9	1	1	-	-
BLACK---MALE----	1	3	15	32	45	51	42	21	10	2	3	-
FEMALE--	7	9	11	18	13	17	17	9	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 746  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
SOUTH DAKOTA -----	197	-	-	-	-	-	-	1	-	-	1	3
WHITE-----MALE----	133	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,288	-	-	-	-	1	1	3	7	13	17	39
WHITE-----MALE----	530	-	-	-	-	-	1	1	2	1	-	-
FEMALE--	474	-	-	-	-	1	-	1	1	7	15	32
ALL OTHER--MALE----	190	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	94	-	-	-	-	-	-	1	4	5	-	6
BLACK---MALE----	187	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	93	-	-	-	-	-	-	1	4	5	-	6
TEXAS -----	3,542	-	-	-	1	5	5	20	24	50	72	100
WHITE-----MALE----	1,597	-	-	-	-	4	3	3	2	1	4	8
FEMALE--	1,347	-	-	-	1	1	2	15	17	41	57	73
ALL OTHER--MALE----	386	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	212	-	-	-	-	-	-	2	4	8	10	18
BLACK---MALE----	380	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	200	-	-	-	-	-	-	2	4	8	9	16
UTAH -----	327	-	-	-	-	1	-	3	1	-	4	4
WHITE-----MALE----	209	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	109	-	-	-	-	-	-	1	1	-	4	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	156	-	-	-	-	-	-	-	2	2	1	3
WHITE-----MALE----	81	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	75	-	-	-	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,421	-	-	-	-	-	2	3	10	14	25	26
WHITE-----MALE----	564	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	454	-	-	-	-	-	1	2	7	6	16	21
ALL OTHER--MALE----	265	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	138	-	-	-	-	-	1	-	1	7	6	4
BLACK---MALE----	262	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	132	-	-	-	-	-	1	-	1	7	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 746  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
SOUTH DAKOTA -----	1	7	9	16	23	41	42	29	16	8	-	-
WHITE-----MALE----	-	1	6	8	16	27	29	26	14	6	-	-
FEMALE--	1	6	3	6	6	10	13	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	4	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	48	73	72	152	200	209	220	157	56	20	-	-
WHITE-----MALE----	1	18	21	55	91	98	116	85	29	11	-	-
FEMALE--	34	40	34	61	66	65	56	43	16	2	-	-
ALL OTHER--MALE----	5	7	11	23	25	37	40	24	8	7	-	-
FEMALE--	8	8	6	13	18	9	8	5	3	-	-	-
BLACK---MALE----	5	7	10	23	25	37	39	23	8	7	-	-
FEMALE--	8	8	6	12	18	9	8	5	3	-	-	-
TEXAS -----	132	160	245	331	553	581	592	432	188	47	4	-
WHITE-----MALE----	17	35	73	123	270	314	353	251	108	26	2	-
FEMALE--	96	90	118	164	182	168	150	117	45	10	-	-
ALL OTHER--MALE----	4	8	31	28	74	76	70	53	27	10	2	-
FEMALE--	15	27	23	16	27	23	19	11	8	1	-	-
BLACK---MALE----	4	8	30	28	73	76	69	52	26	9	2	-
FEMALE--	13	22	22	16	26	23	19	11	8	1	-	-
UTAH -----	9	13	20	27	61	68	49	49	17	1	-	-
WHITE-----MALE----	2	1	10	17	40	48	41	34	13	1	-	-
FEMALE--	7	11	9	10	20	17	7	15	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	4	6	14	12	23	30	27	17	13	1	1	-
WHITE-----MALE----	1	-	6	5	13	15	15	13	10	-	1	-
FEMALE--	3	6	8	7	10	15	12	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	56	59	105	153	247	244	245	148	72	12	-	-
WHITE-----MALE----	7	8	23	53	96	113	132	80	37	10	-	-
FEMALE--	37	40	43	55	74	59	49	27	16	1	-	-
ALL OTHER--MALE----	-	6	24	29	52	54	49	31	16	1	-	-
FEMALE--	12	5	15	16	25	18	15	10	3	-	-	-
BLACK---MALE----	-	6	23	29	51	54	48	31	16	1	-	-
FEMALE--	9	4	15	16	24	18	15	10	3	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 747  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
WASHINGTON -----	34	50	70	124	158	213	204	122	53	14	3	-
WHITE-----MALE----	6	13	19	54	85	131	140	88	41	11	3	-
FEMALE--	24	36	48	59	70	76	59	27	10	3	-	-
ALL OTHER--MALE----	-	-	-	7	1	5	3	6	1	-	-	-
FEMALE--	4	1	3	4	2	1	2	1	1	-	-	-
BLACK---MALE----	-	-	-	2	1	4	1	2	1	-	-	-
FEMALE--	1	-	1	3	1	-	1	-	-	-	-	-
WEST VIRGINIA -----	15	20	40	52	86	86	78	51	27	5	3	1
WHITE-----MALE----	2	10	16	34	48	54	41	39	16	5	2	-
FEMALE--	13	10	24	16	32	29	29	11	10	-	1	1
ALL OTHER--MALE----	-	-	-	1	4	2	5	1	1	-	-	-
FEMALE--	-	-	-	1	2	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	1	4	2	5	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	3	-	-	-	-	-
WISCONSIN -----	40	48	83	115	204	225	234	176	77	28	3	-
WHITE-----MALE----	7	9	36	61	125	144	150	128	59	19	2	-
FEMALE--	28	37	42	50	70	77	76	44	17	9	1	-
ALL OTHER--MALE----	2	1	2	2	6	4	7	3	-	-	-	-
FEMALE--	3	1	3	2	3	-	1	1	1	-	-	-
BLACK---MALE----	2	1	2	2	5	4	5	3	-	-	-	-
FEMALE--	3	1	2	2	3	-	-	-	-	-	-	-
WYOMING -----	1	5	6	9	13	16	21	13	8	2	-	-
WHITE-----MALE----	-	1	1	5	10	9	15	9	6	1	-	-
FEMALE--	1	4	5	4	3	7	6	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 748  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CERVIX UTERI (180)												
0 UNITED STATES --	4,503	-	-	-	-	2	19	80	210	328	455	469
WHITE-----FEMALE--	3,359	-	-	-	-	1	12	54	161	232	346	346
ALL OTHER--FEMALE--	1,144	-	-	-	-	1	7	26	49	96	109	123
BLACK---FEMALE--	995	-	-	-	-	1	7	23	46	88	97	98
ALABAMA -----	88	-	-	-	-	-	-	-	5	12	12	8
WHITE-----FEMALE--	51	-	-	-	-	-	-	-	5	3	8	6
ALL OTHER--FEMALE--	37	-	-	-	-	-	-	-	-	9	4	2
BLACK---FEMALE--	37	-	-	-	-	-	-	-	-	9	4	2
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	4
WHITE-----FEMALE--	4	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	59	-	-	-	-	-	2	-	5	5	8	8
WHITE-----FEMALE--	53	-	-	-	-	-	2	-	5	4	8	7
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	65	-	-	-	-	-	-	-	4	3	7	7
WHITE-----FEMALE--	41	-	-	-	-	-	-	-	3	1	5	4
ALL OTHER--FEMALE--	24	-	-	-	-	-	-	-	1	2	2	3
BLACK---FEMALE--	24	-	-	-	-	-	-	-	1	2	2	3
CALIFORNIA -----	425	-	-	-	-	-	1	5	25	30	38	52
WHITE-----FEMALE--	331	-	-	-	-	-	1	4	21	24	29	42
ALL OTHER--FEMALE--	94	-	-	-	-	-	-	1	4	6	9	10
BLACK---FEMALE--	47	-	-	-	-	-	-	1	2	5	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 748  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CERVIX UTERI (180)												
0 UNITED STATES --	432	364	349	379	395	356	324	213	96	26	6	-
WHITE-----FEMALE--	319	272	250	284	301	267	256	167	65	23	3	-
ALL OTHER--FEMALE--	113	92	99	95	94	89	68	46	31	3	3	-
BLACK---FEMALE--	95	82	79	82	85	77	60	42	27	3	3	-
ALABAMA -----	5	7	5	6	7	7	6	5	2	1	-	-
WHITE-----FEMALE--	2	6	1	4	4	4	3	3	1	1	-	-
ALL OTHER--FEMALE--	3	1	4	2	3	3	3	2	1	-	-	-
BLACK---FEMALE--	3	1	4	2	3	3	3	2	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	6	4	5	2	6	2	1	-	-	-	-
WHITE-----FEMALE--	4	6	4	3	2	6	1	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	2	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	5	7	6	3	5	3	7	6	-	2	-	-
WHITE-----FEMALE--	4	4	5	2	3	2	2	4	-	2	-	-
ALL OTHER--FEMALE--	1	3	1	1	2	1	5	2	-	-	-	-
BLACK---FEMALE--	1	3	1	1	2	1	5	2	-	-	-	-
CALIFORNIA -----	46	42	45	34	34	22	25	14	9	2	1	-
WHITE-----FEMALE--	36	31	31	27	26	20	19	11	7	1	1	-
ALL OTHER--FEMALE--	10	11	14	7	8	2	6	3	2	1	-	-
BLACK---FEMALE--	6	6	5	4	6	-	3	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 749  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CERVIX UTERI (180)												
COLORADO -----	50	-	-	-	-	-	-	-	1	4	3	6
WHITE-----FEMALE--	47	-	-	-	-	-	-	-	1	4	3	6
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	38	-	-	-	-	-	-	1	2	3	5	3
WHITE-----FEMALE--	34	-	-	-	-	-	-	1	2	3	4	2
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	13	-	-	-	-	-	-	-	-	1	1	3
WHITE-----FEMALE--	7	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ----	22	-	-	-	-	-	-	-	1	6	2	-
WHITE-----FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--FEMALE--	18	-	-	-	-	-	-	-	-	5	2	-
BLACK---FEMALE--	17	-	-	-	-	-	-	-	-	4	2	-
FLORIDA -----	260	-	-	-	-	-	3	4	10	21	28	24
WHITE-----FEMALE--	202	-	-	-	-	-	1	3	9	17	19	19
ALL OTHER--FEMALE--	58	-	-	-	-	-	2	1	1	4	9	5
BLACK---FEMALE--	55	-	-	-	-	-	2	1	1	4	9	4
GEORGIA -----	132	-	-	-	-	1	1	5	5	8	15	16
WHITE-----FEMALE--	75	-	-	-	-	-	-	2	4	6	10	9
ALL OTHER--FEMALE--	57	-	-	-	-	1	1	3	1	2	5	7
BLACK---FEMALE--	57	-	-	-	-	1	1	3	1	2	5	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 749  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CERVIX UTERI (180)												
COLORADO -----	3	7	4	3	7	6	1	3	1	1	-	-
WHITE-----FEMALE--	2	6	4	3	6	6	1	3	1	1	-	-
ALL OTHER--FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	3	4	2	2	6	3	1	-	-	-
WHITE-----FEMALE--	1	2	3	3	2	2	5	3	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
DELAWARE -----	1	-	3	-	-	3	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	2	-	-	1	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	2	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	2	1	1	4	2	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	2	1	1	3	2	1	-	-	-	-
BLACK---FEMALE--	1	-	2	1	1	3	2	1	-	-	-	-
FLORIDA -----	24	18	22	23	21	17	21	14	10	-	-	-
WHITE-----FEMALE--	18	16	18	13	18	14	20	12	5	-	-	-
ALL OTHER--FEMALE--	6	2	4	10	3	3	1	2	5	-	-	-
BLACK---FEMALE--	6	2	4	9	2	3	1	2	5	-	-	-
GEORGIA -----	8	14	12	12	14	12	7	1	1	-	-	-
WHITE-----FEMALE--	4	8	7	4	5	9	6	1	-	-	-	-
ALL OTHER--FEMALE--	4	6	5	8	9	3	1	-	1	-	-	-
BLACK---FEMALE--	4	6	5	8	9	3	1	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 751  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF CERVIX UTERI (180)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	101	-	-	-	-	-	-	1	8	6	13	6
WHITE-----FEMALE--	90	-	-	-	-	-	-	1	6	5	11	6
ALL OTHER--FEMALE--	11	-	-	-	-	-	-	-	2	1	2	-
BLACK---FEMALE--	10	-	-	-	-	-	-	-	2	1	2	-
LOUISIANA -----	99	-	-	-	-	-	1	3	3	9	15	16
WHITE-----FEMALE--	47	-	-	-	-	-	-	-	1	8	5	9
ALL OTHER--FEMALE--	52	-	-	-	-	-	1	3	2	1	10	7
BLACK---FEMALE--	50	-	-	-	-	-	1	3	2	1	9	7
MAINE -----	28	-	-	-	-	-	-	1	2	1	3	2
WHITE-----FEMALE--	28	-	-	-	-	-	-	1	2	1	3	2
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	88	-	-	-	-	-	-	4	5	6	9	8
WHITE-----FEMALE--	54	-	-	-	-	-	-	2	2	3	7	3
ALL OTHER--FEMALE--	34	-	-	-	-	-	-	2	3	3	2	5
BLACK---FEMALE--	31	-	-	-	-	-	-	2	3	3	2	3
MASSACHUSETTS -----	86	-	-	-	-	-	-	1	1	6	8	7
WHITE-----FEMALE--	77	-	-	-	-	-	-	1	1	6	5	6
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	-	3	1
BLACK---FEMALE--	7	-	-	-	-	-	-	-	-	-	2	1
MICHIGAN -----	143	-	-	-	-	-	1	4	9	7	15	12
WHITE-----FEMALE--	110	-	-	-	-	-	1	3	4	4	12	9
ALL OTHER--FEMALE--	33	-	-	-	-	-	-	1	5	3	3	3
BLACK---FEMALE--	30	-	-	-	-	-	-	1	5	3	3	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 751  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CERVIX UTERI (180)												
KENTUCKY -----	9	7	6	8	8	8	10	7	4	-	-	-
WHITE-----FEMALE--	8	7	5	7	8	7	10	7	2	-	-	-
ALL OTHER--FEMALE--	1	-	1	1	-	1	-	-	2	-	-	-
BLACK---FEMALE--	1	-	1	1	-	-	-	-	2	-	-	-
LOUISIANA -----	6	8	8	9	2	7	7	4	1	-	-	-
WHITE-----FEMALE--	3	4	4	5	-	1	5	1	1	-	-	-
ALL OTHER--FEMALE--	3	4	4	4	2	6	2	3	-	-	-	-
BLACK---FEMALE--	3	4	3	4	2	6	2	3	-	-	-	-
MAINE -----	4	1	1	2	4	2	2	2	-	1	-	-
WHITE-----FEMALE--	4	1	1	2	4	2	2	2	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	5	6	2	4	13	11	3	2	-	1	-
WHITE-----FEMALE--	8	1	5	2	2	10	7	-	2	-	-	-
ALL OTHER--FEMALE--	1	4	1	-	2	3	4	3	-	-	1	-
BLACK---FEMALE--	1	4	1	-	2	3	3	3	-	-	1	-
MASSACHUSETTS -----	10	5	8	4	8	10	5	6	7	-	-	-
WHITE-----FEMALE--	9	5	7	4	7	10	5	5	6	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	1	-	-	1	1	-	-	-
BLACK---FEMALE--	-	-	1	-	1	-	-	1	1	-	-	-
MICHIGAN -----	13	10	16	16	13	9	9	6	2	1	-	-
WHITE-----FEMALE--	11	8	9	16	11	8	7	5	2	-	-	-
ALL OTHER--FEMALE--	2	2	7	-	2	1	2	1	-	1	-	-
BLACK---FEMALE--	2	2	5	-	2	1	2	1	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 752  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CERVIX UTERI (180)												
MINNESOTA -----	11	3	3	1	3	5	6	2	2	-	-	-
WHITE-----FEMALE--	9	2	3	-	3	4	5	2	2	-	-	-
ALL OTHER--FEMALE--	2	1	-	1	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	7	4	2	2	5	4	5	10	-	-	-	-
WHITE-----FEMALE--	2	2	1	-	2	-	1	5	-	-	-	-
ALL OTHER--FEMALE--	5	2	1	2	3	4	4	5	-	-	-	-
BLACK---FEMALE--	5	2	1	2	3	4	4	5	-	-	-	-
MISSOURI -----	7	8	5	12	8	7	10	1	-	-	-	-
WHITE-----FEMALE--	6	7	3	9	7	6	8	1	-	-	-	-
ALL OTHER--FEMALE--	1	1	2	3	1	1	2	-	-	-	-	-
BLACK---FEMALE--	1	1	2	3	1	1	2	-	-	-	-	-
MONTANA -----	-	-	-	1	-	1	4	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	-	1	3	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	2	-	3	3	2	5	-	-	-	-	-
WHITE-----FEMALE--	1	2	-	3	2	2	5	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	8	-	-	3	5	3	2	1	1	-	-	-
WHITE-----FEMALE--	7	-	-	3	5	2	2	1	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 754  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF CERVIX UTERI (180)												
OHIO -----	208	-	-	-	-	-	1	7	14	12	27	23
WHITE-----FEMALE--	168	-	-	-	-	-	1	5	11	10	22	22
ALL OTHER--FEMALE--	40	-	-	-	-	-	-	2	3	2	5	1
BLACK---FEMALE--	40	-	-	-	-	-	-	2	3	2	5	1
OKLAHOMA -----	61	-	-	-	-	-	-	-	3	2	7	5
WHITE-----FEMALE--	52	-	-	-	-	-	-	-	3	1	6	5
ALL OTHER--FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
OREGON -----	46	-	-	-	-	-	-	1	-	3	7	6
WHITE-----FEMALE--	43	-	-	-	-	-	-	1	-	3	7	5
ALL OTHER--FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	213	-	-	-	-	-	-	2	7	12	16	19
WHITE-----FEMALE--	172	-	-	-	-	-	-	1	6	6	12	15
ALL OTHER--FEMALE--	41	-	-	-	-	-	-	1	1	6	4	4
BLACK---FEMALE--	38	-	-	-	-	-	-	1	1	6	4	4
RHODE ISLAND -----	18	-	-	-	-	-	-	-	2	-	1	1
WHITE-----FEMALE--	16	-	-	-	-	-	-	-	2	-	1	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	77	-	-	-	-	-	2	-	4	10	4	8
WHITE-----FEMALE--	37	-	-	-	-	-	-	-	2	7	3	4
ALL OTHER--FEMALE--	40	-	-	-	-	-	2	-	2	3	1	4
BLACK---FEMALE--	40	-	-	-	-	-	2	-	2	3	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 754  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CERVIX UTERI (180)												
OHIO -----	20	16	10	21	21	12	10	5	6	3	-	-
WHITE-----FEMALE--	13	13	8	17	15	8	10	5	6	2	-	-
ALL OTHER--FEMALE--	7	3	2	4	6	4	-	-	-	1	-	-
BLACK---FEMALE--	7	3	2	4	6	4	-	-	-	1	-	-
OKLAHOMA -----	3	5	3	7	7	7	7	4	1	-	-	-
WHITE-----FEMALE--	3	4	2	6	7	5	5	4	1	-	-	-
ALL OTHER--FEMALE--	-	1	1	1	-	2	2	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	5	4	6	4	5	3	2	-	-	-	-
WHITE-----FEMALE--	-	5	3	6	3	5	3	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	23	24	12	26	18	15	14	15	6	3	1	-
WHITE-----FEMALE--	22	22	8	21	13	12	13	13	4	3	1	-
ALL OTHER--FEMALE--	1	2	4	5	5	3	1	2	2	-	-	-
BLACK---FEMALE--	1	2	2	5	5	2	1	2	2	-	-	-
RHODE ISLAND -----	2	2	2	3	3	1	1	-	-	-	-	-
WHITE-----FEMALE--	1	2	1	3	3	1	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	6	3	10	3	8	7	4	-	-	-	-
WHITE-----FEMALE--	5	3	2	4	1	2	4	-	-	-	-	-
ALL OTHER--FEMALE--	3	3	1	6	2	6	3	4	-	-	-	-
BLACK---FEMALE--	3	3	1	6	2	6	3	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 755  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF CERVIX UTERI (180)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	6	-	-	-	-	-	-	1	-	-	-	1
WHITE-----FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	125	-	-	-	-	1	-	2	4	9	7	16
WHITE-----FEMALE--	83	-	-	-	-	1	-	1	1	5	7	11
ALL OTHER--FEMALE--	42	-	-	-	-	-	-	1	3	4	-	5
BLACK---FEMALE--	42	-	-	-	-	-	-	1	3	4	-	5
TEXAS -----	353	-	-	-	-	-	-	10	13	27	33	49
WHITE-----FEMALE--	271	-	-	-	-	-	-	8	9	23	25	37
ALL OTHER--FEMALE--	82	-	-	-	-	-	-	2	4	4	8	12
BLACK---FEMALE--	73	-	-	-	-	-	-	2	4	4	7	11
UTAH -----	12	-	-	-	-	-	-	1	1	-	3	3
WHITE-----FEMALE--	11	-	-	-	-	-	-	-	1	-	3	3
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	12	-	-	-	-	-	-	-	-	2	-	1
WHITE-----FEMALE--	12	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	109	-	-	-	-	-	1	1	2	9	12	9
WHITE-----FEMALE--	75	-	-	-	-	-	-	1	2	3	9	7
ALL OTHER--FEMALE--	34	-	-	-	-	-	1	-	-	6	3	2
BLACK---FEMALE--	33	-	-	-	-	-	1	-	-	6	3	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 755  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF CERVIX UTERI (180)												
SOUTH DAKOTA -----	1	-	-	1	-	-	1	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	11	6	9	10	13	12	10	2	1	-	-
WHITE-----FEMALE--	8	6	4	3	6	9	10	8	2	1	-	-
ALL OTHER--FEMALE--	4	5	2	6	4	4	2	2	-	-	-	-
BLACK---FEMALE--	4	5	2	6	4	4	2	2	-	-	-	-
TEXAS -----	37	21	27	28	28	22	27	20	9	2	-	-
WHITE-----FEMALE--	29	11	20	26	21	19	22	16	3	2	-	-
ALL OTHER--FEMALE--	8	10	7	2	7	3	5	4	6	-	-	-
BLACK---FEMALE--	7	6	6	2	6	3	5	4	6	-	-	-
UTAH -----	2	1	-	-	1	-	-	-	-	-	-	-
WHITE-----FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	2	-	2	2	-	1	-	-	-
WHITE-----FEMALE--	1	1	-	2	-	2	2	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	9	10	11	14	9	5	6	1	-	-	-
WHITE-----FEMALE--	6	8	8	8	8	6	2	6	1	-	-	-
ALL OTHER--FEMALE--	4	1	2	3	6	3	3	-	-	-	-	-
BLACK---FEMALE--	3	1	2	3	6	3	3	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 757  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
0 UNITED STATES --	241	326	576	847	1,051	1,026	867	616	285	80	10	-
WHITE-----FEMALE--	209	261	442	679	888	898	771	544	255	76	9	-
ALL OTHER--FEMALE--	32	65	134	168	163	128	96	72	30	4	1	-
BLACK---FEMALE--	28	56	117	154	156	124	91	68	27	4	1	-
ALABAMA -----	3	4	9	19	16	9	13	10	3	-	-	-
WHITE-----FEMALE--	1	2	5	10	4	5	12	4	2	-	-	-
ALL OTHER--FEMALE--	2	2	4	9	12	4	1	6	1	-	-	-
BLACK---FEMALE--	2	2	4	9	12	4	1	6	1	-	-	-
ALASKA -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	3	1	5	12	12	16	12	7	-	1	-	-
WHITE-----FEMALE--	2	1	4	12	12	16	12	7	-	1	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	4	4	5	12	8	10	6	4	2	-	-
WHITE-----FEMALE--	3	2	3	2	9	7	9	4	2	2	-	-
ALL OTHER--FEMALE--	1	2	1	3	3	1	1	2	2	-	-	-
BLACK---FEMALE--	1	2	1	3	3	1	1	2	2	-	-	-
CALIFORNIA -----	28	31	58	69	99	91	80	55	29	6	1	-
WHITE-----FEMALE--	23	27	50	59	92	81	72	50	29	6	-	-
ALL OTHER--FEMALE--	5	4	8	10	7	10	8	5	-	-	1	-
BLACK---FEMALE--	3	-	5	4	5	9	6	2	-	-	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 758  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
COLORADO -----	2	4	6	9	10	10	7	6	3	2	-	-
WHITE-----FEMALE--	2	4	6	9	10	10	7	6	3	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	3	7	11	17	9	15	12	3	2	-	-
WHITE-----FEMALE--	4	2	6	8	17	9	15	12	3	2	-	-
ALL OTHER--FEMALE--	1	1	1	3	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	1	1	3	-	-	-	-	-	-	-	-
DELAWARE -----	1	3	-	1	-	6	-	5	1	-	-	-
WHITE-----FEMALE--	1	2	-	1	-	5	-	5	1	-	-	-
ALL OTHER--FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	2	3	6	8	4	4	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
ALL OTHER--FEMALE--	1	-	2	3	6	7	4	1	-	-	-	-
BLACK---FEMALE--	1	-	2	3	6	7	4	1	-	-	-	-
FLORIDA -----	14	6	38	50	59	62	49	34	19	10	-	-
WHITE-----FEMALE--	12	5	29	40	47	57	42	25	17	10	-	-
ALL OTHER--FEMALE--	2	1	9	10	12	5	7	9	2	-	-	-
BLACK---FEMALE--	2	1	9	10	11	5	7	9	2	-	-	-
GEORGIA -----	2	8	18	27	27	29	20	10	1	-	-	-
WHITE-----FEMALE--	2	6	12	16	15	21	11	8	1	-	-	-
ALL OTHER--FEMALE--	-	2	6	11	12	8	9	2	-	-	-	-
BLACK---FEMALE--	-	2	6	11	12	8	9	2	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 760

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
KENTUCKY -----	2	8	11	14	16	18	16	6	2	1	-	-
WHITE-----FEMALE--	2	6	10	14	13	17	13	6	1	1	-	-
ALL OTHER--FEMALE--	-	2	1	-	3	1	3	-	1	-	-	-
BLACK---FEMALE--	-	2	1	-	3	1	3	-	1	-	-	-
LOUISIANA -----	6	9	8	13	16	9	11	7	3	-	-	-
WHITE-----FEMALE--	4	5	4	5	10	4	8	6	2	-	-	-
ALL OTHER--FEMALE--	2	4	4	8	6	5	3	1	1	-	-	-
BLACK---FEMALE--	2	4	4	8	6	5	3	1	1	-	-	-
MAINE -----	2	2	2	3	1	5	-	4	-	-	-	-
WHITE-----FEMALE--	2	2	2	3	1	5	-	4	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	4	10	14	22	17	14	10	4	-	-	-
WHITE-----FEMALE--	2	1	6	7	13	13	14	8	1	-	-	-
ALL OTHER--FEMALE--	-	3	4	7	9	4	-	2	3	-	-	-
BLACK---FEMALE--	-	2	3	7	9	4	-	2	3	-	-	-
MASSACHUSETTS -----	4	10	14	15	23	26	29	17	21	5	1	-
WHITE-----FEMALE--	4	9	13	15	23	26	28	15	21	5	1	-
ALL OTHER--FEMALE--	-	1	1	-	-	-	1	2	-	-	-	-
BLACK---FEMALE--	-	1	1	-	-	-	1	2	-	-	-	-
MICHIGAN -----	9	7	17	37	41	45	35	28	13	1	-	-
WHITE-----FEMALE--	8	6	16	28	36	38	33	28	9	1	-	-
ALL OTHER--FEMALE--	1	1	1	9	5	7	2	-	4	-	-	-
BLACK---FEMALE--	1	1	-	8	4	7	2	-	4	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 761  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
MINNESOTA -----	7	6	8	12	15	20	8	8	10	1	-	-
WHITE-----FEMALE--	7	6	8	12	15	20	8	8	9	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	4	3	5	11	6	3	5	3	1	-	-
WHITE-----FEMALE--	-	-	1	2	6	4	3	-	2	1	-	-
ALL OTHER--FEMALE--	1	4	2	3	5	2	-	5	1	-	-	-
BLACK---FEMALE--	1	4	2	3	5	2	-	5	1	-	-	-
MISSOURI -----	3	10	7	23	26	40	22	19	9	2	-	-
WHITE-----FEMALE--	3	7	6	19	24	33	21	17	8	2	-	-
ALL OTHER--FEMALE--	-	3	1	4	2	7	1	2	1	-	-	-
BLACK---FEMALE--	-	3	1	4	2	7	1	2	1	-	-	-
MONTANA -----	-	-	3	1	4	2	3	4	-	1	-	-
WHITE-----FEMALE--	-	-	2	1	4	2	3	4	-	1	-	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	4	8	7	4	7	7	2	1	-	-
WHITE-----FEMALE--	1	-	4	8	7	4	7	6	2	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
NEVADA -----	2	1	1	3	4	4	5	1	-	-	-	-
WHITE-----FEMALE--	2	1	1	1	4	3	5	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 763  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OTHER PARTS OF UTERUS (179,181-182)												
OHIO -----	325	-	-	-	-	-	-	-	-	2	5	9
WHITE-----FEMALE--	278	-	-	-	-	-	-	-	-	2	5	8
ALL OTHER--FEMALE--	47	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	47	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	64	-	-	-	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	57	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	78	-	-	-	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	77	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	353	-	-	-	-	-	-	1	-	2	2	7
WHITE-----FEMALE--	325	-	-	-	-	-	-	1	-	1	2	6
ALL OTHER--FEMALE--	28	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	33	-	-	-	-	-	-	-	-	-	-	3
WHITE-----FEMALE--	31	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	81	-	-	-	-	-	-	-	-	1	2	-
WHITE-----FEMALE--	51	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	30	-	-	-	-	-	-	-	-	1	1	-
BLACK---FEMALE--	30	-	-	-	-	-	-	-	-	1	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 763  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
OHIO -----	9	14	25	54	61	57	36	28	19	6	-	-
WHITE-----FEMALE--	8	10	20	42	53	51	31	23	19	6	-	-
ALL OTHER--FEMALE--	1	4	5	12	8	6	5	5	-	-	-	-
BLACK---FEMALE--	1	4	5	12	8	6	5	5	-	-	-	-
OKLAHOMA -----	1	7	6	6	12	8	10	7	6	-	-	-
WHITE-----FEMALE--	1	7	5	6	10	6	10	6	5	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	2	2	-	1	1	-	-	-
BLACK---FEMALE--	-	-	1	-	2	1	-	1	1	-	-	-
OREGON -----	2	2	10	5	7	15	16	13	2	4	1	-
WHITE-----FEMALE--	2	2	9	5	7	15	16	13	2	4	1	-
ALL OTHER--FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	22	31	46	64	61	53	36	13	2	-	-
WHITE-----FEMALE--	12	21	24	40	61	59	49	34	13	2	-	-
ALL OTHER--FEMALE--	1	1	7	6	3	2	4	2	-	-	-	-
BLACK---FEMALE--	1	1	7	6	3	2	4	2	-	-	-	-
RHODE ISLAND -----	1	1	1	4	6	3	3	7	3	1	-	-
WHITE-----FEMALE--	1	1	-	3	6	3	3	7	3	1	-	-
ALL OTHER--FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	8	11	14	16	15	7	2	1	-	-
WHITE-----FEMALE--	1	1	3	5	9	13	10	6	2	-	-	-
ALL OTHER--FEMALE--	1	1	5	6	5	3	5	1	-	1	-	-
BLACK---FEMALE--	1	1	5	6	5	3	5	1	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 764  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
SOUTH DAKOTA -----	-	2	1	2	2	4	2	2	-	1	-	-
WHITE-----FEMALE--	-	2	1	2	2	4	2	2	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	5	15	15	17	19	15	7	6	-	-	-
WHITE-----FEMALE--	6	5	13	13	12	16	14	4	5	-	-	-
ALL OTHER--FEMALE--	1	-	2	2	5	3	1	3	1	-	-	-
BLACK---FEMALE--	1	-	2	2	5	3	1	3	1	-	-	-
TEXAS -----	20	28	32	56	60	46	46	36	16	5	-	-
WHITE-----FEMALE--	18	18	23	47	50	38	40	32	16	4	-	-
ALL OTHER--FEMALE--	2	10	9	9	10	8	6	4	-	1	-	-
BLACK---FEMALE--	1	9	9	9	10	8	6	4	-	1	-	-
UTAH -----	1	3	1	3	4	10	3	6	-	-	-	-
WHITE-----FEMALE--	1	3	1	3	4	10	3	6	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	3	3	4	4	1	-	1	-	-
WHITE-----FEMALE--	-	-	1	3	3	4	4	1	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	9	16	22	31	21	22	12	6	1	-	-
WHITE-----FEMALE--	7	8	10	18	21	14	17	8	6	1	-	-
ALL OTHER--FEMALE--	-	1	6	4	10	7	5	4	-	-	-	-
BLACK---FEMALE--	-	1	6	4	9	7	5	4	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 765

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER PARTS OF UTERUS (179,181-182)												
WASHINGTON -----	3	7	7	12	20	13	18	7	3	1	-	-
WHITE-----FEMALE--	3	6	5	11	19	12	17	7	2	1	-	-
ALL OTHER--FEMALE--	-	1	2	1	1	1	1	-	1	-	-	-
BLACK---FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
WEST VIRGINIA -----	1	1	3	5	5	9	8	3	2	-	-	-
WHITE-----FEMALE--	1	1	3	4	5	9	7	3	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
WISCONSIN -----	5	6	12	14	31	23	23	13	6	4	-	-
WHITE-----FEMALE--	5	6	10	14	28	23	23	13	6	4	-	-
ALL OTHER--FEMALE--	-	-	2	-	3	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	3	-	-	-	-	-	-	-
WYOMING -----	-	2	3	2	1	1	3	2	1	-	-	-
WHITE-----FEMALE--	-	2	3	2	1	1	3	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 766  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
0 UNITED STATES --	13,524	-	-	1	3	6	15	37	78	172	314	582
WHITE-----FEMALE--	12,332	-	-	1	3	6	11	34	65	143	274	518
ALL OTHER--FEMALE--	1,192	-	-	-	-	-	4	3	13	29	40	64
BLACK---FEMALE--	1,008	-	-	-	-	-	4	2	11	25	29	44
ALABAMA -----	236	-	-	-	-	-	-	-	-	4	6	9
WHITE-----FEMALE--	198	-	-	-	-	-	-	-	-	3	6	8
ALL OTHER--FEMALE--	38	-	-	-	-	-	-	-	-	1	-	1
BLACK---FEMALE--	38	-	-	-	-	-	-	-	-	1	-	1
ALASKA -----	11	-	-	-	-	-	-	1	-	1	1	1
WHITE-----FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	214	-	-	-	-	-	1	-	-	1	6	9
WHITE-----FEMALE--	201	-	-	-	-	-	1	-	-	1	4	9
ALL OTHER--FEMALE--	13	-	-	-	-	-	-	-	-	-	2	-
BLACK---FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	130	-	-	-	-	-	-	-	-	4	3	3
WHITE-----FEMALE--	108	-	-	-	-	-	-	-	-	3	1	3
ALL OTHER--FEMALE--	22	-	-	-	-	-	-	-	-	1	2	-
BLACK---FEMALE--	22	-	-	-	-	-	-	-	-	1	2	-
CALIFORNIA -----	1,405	-	-	-	-	2	3	5	13	8	30	61
WHITE-----FEMALE--	1,290	-	-	-	-	2	3	5	12	6	24	48
ALL OTHER--FEMALE--	115	-	-	-	-	-	-	-	1	2	6	13
BLACK---FEMALE--	55	-	-	-	-	-	-	-	1	-	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 766  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
0 UNITED STATES --	817	1,085	1,318	1,816	2,182	2,035	1,596	979	406	75	6	1
WHITE-----FEMALE--	728	975	1,186	1,654	2,027	1,875	1,457	921	382	66	5	1
ALL OTHER--FEMALE--	89	110	132	162	155	160	139	58	24	9	1	-
BLACK---FEMALE--	63	85	110	145	142	144	122	52	22	7	1	-
ALABAMA -----	10	15	16	39	44	41	28	15	4	4	1	-
WHITE-----FEMALE--	9	15	13	34	38	34	18	12	3	4	1	-
ALL OTHER--FEMALE--	1	-	3	5	6	7	10	3	1	-	-	-
BLACK---FEMALE--	1	-	3	5	6	7	10	3	1	-	-	-
ALASKA -----	2	1	-	1	-	1	1	-	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	21	24	30	30	36	25	11	5	-	-	-
WHITE-----FEMALE--	13	19	22	29	30	34	23	11	5	-	-	-
ALL OTHER--FEMALE--	2	2	2	1	-	2	2	-	-	-	-	-
BLACK---FEMALE--	1	1	-	1	-	1	-	-	-	-	-	-
ARKANSAS -----	7	8	10	20	17	17	23	12	5	1	-	-
WHITE-----FEMALE--	7	7	6	16	15	16	20	9	4	1	-	-
ALL OTHER--FEMALE--	-	1	4	4	2	1	3	3	1	-	-	-
BLACK---FEMALE--	-	1	4	4	2	1	3	3	1	-	-	-
CALIFORNIA -----	88	123	119	168	236	230	166	111	33	9	-	-
WHITE-----FEMALE--	73	109	109	157	225	218	155	105	31	8	-	-
ALL OTHER--FEMALE--	15	14	10	11	11	12	11	6	2	1	-	-
BLACK---FEMALE--	7	5	4	6	7	9	4	2	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 767  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
COLORADO -----	143	-	-	-	-	-	-	-	-	1	4	8
WHITE-----FEMALE--	139	-	-	-	-	-	-	-	-	1	4	8
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	186	-	-	-	-	-	-	-	1	-	3	8
WHITE-----FEMALE--	182	-	-	-	-	-	-	-	1	-	3	8
ALL OTHER--FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	40	-	-	-	-	-	-	-	1	-	1	2
WHITE-----FEMALE--	34	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	26	-	-	-	-	-	-	-	-	1	-	3
WHITE-----FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--FEMALE--	19	-	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	19	-	-	-	-	-	-	-	-	-	-	2
FLORIDA -----	906	-	-	-	-	-	2	4	5	10	12	34
WHITE-----FEMALE--	849	-	-	-	-	-	2	4	4	9	12	29
ALL OTHER--FEMALE--	57	-	-	-	-	-	-	-	1	1	-	5
BLACK---FEMALE--	52	-	-	-	-	-	-	-	1	1	-	4
GEORGIA -----	309	-	-	-	-	-	1	2	2	10	9	11
WHITE-----FEMALE--	248	-	-	-	-	-	1	1	-	4	5	9
ALL OTHER--FEMALE--	61	-	-	-	-	-	-	1	2	6	4	2
BLACK---FEMALE--	59	-	-	-	-	-	-	1	2	6	4	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 767  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
COLORADO -----	17	11	11	16	23	19	16	16	1	-	-	-
WHITE-----FEMALE--	17	11	11	15	21	19	16	15	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	2	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
CONNECTICUT -----	13	12	16	27	27	27	24	20	6	2	-	-
WHITE-----FEMALE--	13	11	15	27	26	27	24	19	6	2	-	-
ALL OTHER--FEMALE--	-	1	1	-	1	-	-	1	-	-	-	-
BLACK---FEMALE--	-	1	1	-	1	-	-	1	-	-	-	-
DELAWARE -----	2	3	2	7	9	4	3	4	1	1	-	-
WHITE-----FEMALE--	2	3	2	7	7	4	1	3	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	3	3	4	5	4	-	-	-	-	-
WHITE-----FEMALE--	-	1	1	-	1	1	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	1	2	3	3	4	3	-	-	-	-	-
BLACK---FEMALE--	1	1	2	3	3	4	3	-	-	-	-	-
FLORIDA -----	46	59	77	116	172	134	120	76	34	5	-	-
WHITE-----FEMALE--	44	54	72	104	163	127	113	74	33	5	-	-
ALL OTHER--FEMALE--	2	5	5	12	9	7	7	2	1	-	-	-
BLACK---FEMALE--	1	4	4	11	9	7	7	2	1	-	-	-
GEORGIA -----	19	28	30	45	47	40	40	14	9	2	-	-
WHITE-----FEMALE--	18	23	21	41	42	32	31	13	7	-	-	-
ALL OTHER--FEMALE--	1	5	9	4	5	8	9	1	2	2	-	-
BLACK---FEMALE--	1	5	8	4	5	7	9	1	2	2	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 768

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
HAWAII -----	5	3	3	3	3	5	7	-	-	-	-	-
WHITE-----FEMALE--	1	2	-	1	2	-	4	-	-	-	-	-
ALL OTHER--FEMALE--	4	1	3	2	1	5	3	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	4	7	9	13	10	11	8	2	-	-	-
WHITE-----FEMALE--	1	4	7	9	13	10	11	7	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	37	47	64	67	92	98	82	37	12	-	-	-
WHITE-----FEMALE--	32	41	55	63	89	95	77	36	12	-	-	-
ALL OTHER--FEMALE--	5	6	9	4	3	3	5	1	-	-	-	-
BLACK---FEMALE--	4	4	9	4	3	3	5	1	-	-	-	-
INDIANA -----	29	24	25	49	56	47	35	20	10	3	-	-
WHITE-----FEMALE--	29	23	24	46	53	44	34	20	9	3	-	-
ALL OTHER--FEMALE--	-	1	1	3	3	3	1	-	1	-	-	-
BLACK---FEMALE--	-	-	1	3	3	3	1	-	1	-	-	-
IOWA -----	3	12	15	10	28	22	19	13	8	2	-	-
WHITE-----FEMALE--	3	12	13	10	28	21	19	13	8	2	-	-
ALL OTHER--FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
KANSAS -----	6	10	10	25	21	32	17	19	4	-	-	-
WHITE-----FEMALE--	6	10	9	25	18	30	17	19	3	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	3	2	-	-	1	-	-	-
BLACK---FEMALE--	-	-	1	-	3	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 769  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
KENTUCKY -----	177	-	-	-	-	-	-	1	-	2	4	8
WHITE-----FEMALE--	166	-	-	-	-	-	-	1	-	2	4	6
ALL OTHER--FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA -----	175	-	-	-	-	-	1	-	2	-	5	7
WHITE-----FEMALE--	138	-	-	-	-	-	-	-	1	-	4	7
ALL OTHER--FEMALE--	37	-	-	-	-	-	1	-	1	-	1	-
BLACK---FEMALE--	37	-	-	-	-	-	1	-	1	-	1	-
MAINE -----	74	-	-	-	-	-	-	-	-	1	1	7
WHITE-----FEMALE--	74	-	-	-	-	-	-	-	-	1	1	7
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	271	-	-	-	-	-	-	2	-	5	8	9
WHITE-----FEMALE--	222	-	-	-	-	-	-	2	-	3	6	7
ALL OTHER--FEMALE--	49	-	-	-	-	-	-	-	-	2	2	2
BLACK---FEMALE--	42	-	-	-	-	-	-	-	-	2	1	1
MASSACHUSETTS -----	309	-	-	-	-	-	-	1	1	6	6	9
WHITE-----FEMALE--	297	-	-	-	-	-	-	1	1	6	6	7
ALL OTHER--FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	454	-	-	-	-	-	-	1	-	11	7	27
WHITE-----FEMALE--	411	-	-	-	-	-	-	1	-	10	6	23
ALL OTHER--FEMALE--	43	-	-	-	-	-	-	-	-	1	1	4
BLACK---FEMALE--	39	-	-	-	-	-	-	-	-	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 769  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
KENTUCKY -----	7	19	19	21	26	35	20	11	4	-	-	-
WHITE-----FEMALE--	6	19	15	21	25	33	19	11	4	-	-	-
ALL OTHER--FEMALE--	1	-	4	-	1	2	1	-	-	-	-	-
BLACK---FEMALE--	1	-	3	-	1	2	1	-	-	-	-	-
LOUISIANA -----	8	12	21	24	27	28	23	12	3	2	-	-
WHITE-----FEMALE--	8	8	18	18	25	21	14	10	3	1	-	-
ALL OTHER--FEMALE--	-	4	3	6	2	7	9	2	-	1	-	-
BLACK---FEMALE--	-	4	3	6	2	7	9	2	-	1	-	-
MAINE -----	2	4	7	9	14	12	10	4	3	-	-	-
WHITE-----FEMALE--	2	4	7	9	14	12	10	4	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	29	33	37	46	40	22	12	6	2	1	-
WHITE-----FEMALE--	17	21	31	27	38	33	18	10	6	2	1	-
ALL OTHER--FEMALE--	2	8	2	10	8	7	4	2	-	-	-	-
BLACK---FEMALE--	2	6	2	9	7	6	4	2	-	-	-	-
MASSACHUSETTS -----	22	15	31	39	52	43	36	30	13	4	1	-
WHITE-----FEMALE--	22	14	30	38	50	41	35	28	13	4	1	-
ALL OTHER--FEMALE--	-	1	1	1	2	2	1	2	-	-	-	-
BLACK---FEMALE--	-	1	1	1	2	1	1	2	-	-	-	-
MICHIGAN -----	31	35	32	79	72	74	40	26	16	2	1	-
WHITE-----FEMALE--	27	31	30	71	62	72	37	24	15	1	1	-
ALL OTHER--FEMALE--	4	4	2	8	10	2	3	2	1	1	-	-
BLACK---FEMALE--	2	4	2	8	10	2	3	2	1	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 772  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
OHIO -----	608	-	-	-	1	-	-	-	3	10	19	16
WHITE-----FEMALE--	566	-	-	-	1	-	-	-	3	7	18	15
ALL OTHER--FEMALE--	42	-	-	-	-	-	-	-	-	3	1	1
BLACK---FEMALE--	41	-	-	-	-	-	-	-	-	3	1	1
OKLAHOMA -----	168	-	-	1	-	-	-	-	-	3	4	4
WHITE-----FEMALE--	158	-	-	1	-	-	-	-	-	3	3	2
ALL OTHER--FEMALE--	10	-	-	-	-	-	-	-	-	-	1	2
BLACK---FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
OREGON -----	173	-	-	-	-	-	-	-	-	1	6	12
WHITE-----FEMALE--	171	-	-	-	-	-	-	-	-	1	6	12
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	790	-	-	-	-	-	-	1	10	5	15	41
WHITE-----FEMALE--	759	-	-	-	-	-	-	1	10	5	15	39
ALL OTHER--FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
BLACK---FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
RHODE ISLAND -----	48	-	-	-	-	-	-	-	-	-	3	2
WHITE-----FEMALE--	46	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	206	-	-	-	-	-	2	-	1	-	2	6
WHITE-----FEMALE--	157	-	-	-	-	-	-	-	-	-	2	5
ALL OTHER--FEMALE--	49	-	-	-	-	-	2	-	1	-	-	1
BLACK---FEMALE--	49	-	-	-	-	-	2	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 772  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
OHIO -----	25	51	66	100	92	89	56	47	29	3	1	-
WHITE-----FEMALE--	24	50	57	93	86	82	55	44	27	3	1	-
ALL OTHER--FEMALE--	1	1	9	7	6	7	1	3	2	-	-	-
BLACK---FEMALE--	1	1	9	6	6	7	1	3	2	-	-	-
OKLAHOMA -----	13	11	13	23	26	29	16	19	6	-	-	-
WHITE-----FEMALE--	13	11	11	21	25	27	16	19	6	-	-	-
ALL OTHER--FEMALE--	-	-	2	2	1	2	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
OREGON -----	14	9	7	24	33	22	29	11	4	1	-	-
WHITE-----FEMALE--	14	9	7	24	33	21	28	11	4	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	40	74	89	106	140	110	88	49	19	3	-	-
WHITE-----FEMALE--	38	69	85	104	135	104	84	48	19	3	-	-
ALL OTHER--FEMALE--	2	5	4	2	5	6	4	1	-	-	-	-
BLACK---FEMALE--	2	5	4	2	5	6	4	1	-	-	-	-
RHODE ISLAND -----	4	1	7	6	9	3	5	6	2	-	-	-
WHITE-----FEMALE--	4	1	7	6	9	3	4	5	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
SOUTH CAROLINA -----	9	29	26	23	37	33	19	15	4	-	-	-
WHITE-----FEMALE--	6	24	21	17	31	25	10	12	4	-	-	-
ALL OTHER--FEMALE--	3	5	5	6	6	8	9	3	-	-	-	-
BLACK---FEMALE--	3	5	5	6	6	8	9	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 773

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
SOUTH DAKOTA -----	33	-	-	-	-	-	-	-	-	-	-	1
WHITE-----FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	295	-	-	-	-	-	-	-	1	2	4	16
WHITE-----FEMALE--	270	-	-	-	-	-	-	-	-	2	4	16
ALL OTHER--FEMALE--	25	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	24	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	772	-	-	-	1	1	2	6	6	15	24	30
WHITE-----FEMALE--	713	-	-	-	1	1	2	6	6	13	22	26
ALL OTHER--FEMALE--	59	-	-	-	-	-	-	-	-	2	2	4
BLACK---FEMALE--	59	-	-	-	-	-	-	-	-	2	2	4
UTAH -----	66	-	-	-	-	-	-	1	-	-	1	1
WHITE-----FEMALE--	64	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	44	-	-	-	-	-	-	-	1	-	1	1
WHITE-----FEMALE--	44	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	311	-	-	-	-	-	1	-	6	4	8	12
WHITE-----FEMALE--	252	-	-	-	-	-	1	-	5	3	6	12
ALL OTHER--FEMALE--	59	-	-	-	-	-	-	-	1	1	2	-
BLACK---FEMALE--	55	-	-	-	-	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 773

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OVARY AND OTHER UTERINE ADNEXA (183)												
SOUTH DAKOTA -----	-	4	2	4	4	5	10	1	2	-	-	-
WHITE-----FEMALE--	-	4	2	4	4	5	10	1	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	29	19	50	51	35	32	25	10	1	-	-
WHITE-----FEMALE--	19	27	17	45	43	33	29	25	9	1	-	-
ALL OTHER--FEMALE--	1	2	2	5	8	2	3	-	1	-	-	-
BLACK---FEMALE--	1	2	2	4	8	2	3	-	1	-	-	-
TEXAS -----	49	64	80	89	112	116	89	63	21	4	-	-
WHITE-----FEMALE--	45	59	74	84	103	105	81	60	21	4	-	-
ALL OTHER--FEMALE--	4	5	6	5	9	11	8	3	-	-	-	-
BLACK---FEMALE--	4	5	6	5	9	11	8	3	-	-	-	-
UTAH -----	4	8	9	7	15	7	4	6	3	-	-	-
WHITE-----FEMALE--	4	7	8	7	15	7	4	6	3	-	-	-
ALL OTHER--FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	2	5	6	2	7	9	6	3	1	-	-	-
WHITE-----FEMALE--	2	5	6	2	7	9	6	3	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	29	27	31	37	52	46	31	17	10	-	-	-
WHITE-----FEMALE--	22	24	24	28	43	38	26	11	9	-	-	-
ALL OTHER--FEMALE--	7	3	7	9	9	8	5	6	1	-	-	-
BLACK---FEMALE--	5	2	7	9	9	8	5	6	1	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 775  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
0 UNITED STATES --	49	47	54	107	172	152	208	169	130	42	7	-
WHITE-----FEMALE--	40	42	41	96	148	134	189	160	119	38	7	-
ALL OTHER--FEMALE--	9	5	13	11	24	18	19	9	11	4	-	-
BLACK---FEMALE--	6	4	12	11	21	18	18	7	10	4	-	-
ALABAMA -----	3	-	-	3	2	3	1	2	-	1	-	-
WHITE-----FEMALE--	2	-	-	3	1	2	-	2	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	-	1	1	1	2	1	-	-	-	-
WHITE-----FEMALE--	-	2	-	1	1	1	2	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	-	2	2	2	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	2	2	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	5	5	4	10	19	16	19	17	14	-	1	-
WHITE-----FEMALE--	3	5	3	10	15	14	18	17	13	-	1	-
ALL OTHER--FEMALE--	2	-	1	-	4	2	1	-	1	-	-	-
BLACK---FEMALE--	-	-	1	-	1	2	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 776

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
COLORADO -----	-	1	-	-	-	3	1	1	1	-	-	-
WHITE-----FEMALE--	-	1	-	-	-	3	1	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	-	1	-	6	-	1	1	-	-
WHITE-----FEMALE--	1	1	-	-	-	-	6	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
DELAWARE -----	-	-	-	-	-	-	2	3	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	2	3	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	2	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	2	3	4	4	11	10	19	12	9	2	-	-
WHITE-----FEMALE--	1	3	3	4	9	9	17	12	9	2	-	-
ALL OTHER--FEMALE--	1	-	1	-	2	1	2	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	2	1	2	-	-	-	-	-
GEORGIA -----	1	3	1	5	1	2	6	3	-	2	-	-
WHITE-----FEMALE--	1	3	1	3	1	-	3	3	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	2	-	2	3	-	-	1	-	-
BLACK---FEMALE--	-	-	-	2	-	2	3	-	-	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 778

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
KENTUCKY -----	2	-	2	1	3	3	3	3	4	-	-	-
WHITE-----FEMALE--	2	-	2	1	3	3	3	3	4	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	-	1	2	-	4	1	3	-	-	-
WHITE-----FEMALE--	2	-	-	-	2	-	3	1	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
MAINE -----	-	1	-	1	1	-	3	2	-	-	-	-
WHITE-----FEMALE--	-	1	-	1	1	-	3	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	2	7	3	2	2	3	2	-	-
WHITE-----FEMALE--	1	-	-	2	6	3	1	1	3	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	1	1	-	1	-	-
BLACK---FEMALE--	-	-	-	-	1	-	1	1	-	1	-	-
MASSACHUSETTS -----	-	1	3	1	6	2	6	5	4	2	-	-
WHITE-----FEMALE--	-	1	3	1	5	2	6	5	4	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	1	1	3	2	8	7	10	6	6	1	-	-
WHITE-----FEMALE--	1	1	3	1	7	7	10	6	5	1	-	-
ALL OTHER--FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 781  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
OHIO -----	1	3	-	4	9	9	11	10	7	2	-	-
WHITE-----FEMALE--	1	3	-	4	9	8	11	9	7	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
OKLAHOMA -----	-	-	-	1	-	2	1	-	1	1	-	-
WHITE-----FEMALE--	-	-	-	1	-	2	1	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	2	1	2	3	2	2	-	1	1	-	-
WHITE-----FEMALE--	-	2	1	2	3	2	2	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	4	3	5	14	18	10	9	5	2	1	-
WHITE-----FEMALE--	2	4	3	5	12	16	10	8	5	2	1	-
ALL OTHER--FEMALE--	-	-	-	-	2	2	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
RHODE ISLAND -----	1	1	-	-	1	1	3	1	2	-	-	-
WHITE-----FEMALE--	1	1	-	-	1	1	3	1	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	-	2	3	3	4	2	1	-	-
WHITE-----FEMALE--	-	1	-	-	2	3	3	3	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 782

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	3	-	-	6	7	5	6	1	-	-	-
WHITE-----FEMALE--	1	2	-	-	5	7	3	6	-	-	-	-
ALL OTHER--FEMALE--	2	1	-	-	1	-	2	-	1	-	-	-
BLACK---FEMALE--	2	1	-	-	1	-	2	-	1	-	-	-
TEXAS -----	5	4	2	7	9	7	7	9	7	-	-	-
WHITE-----FEMALE--	4	2	1	7	8	6	7	9	5	-	-	-
ALL OTHER--FEMALE--	1	2	1	-	1	1	-	-	2	-	-	-
BLACK---FEMALE--	1	2	1	-	1	1	-	-	2	-	-	-
UTAH -----	-	-	-	-	-	-	-	3	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	-	1	1	2	1	6	2	2	-	-	-
WHITE-----FEMALE--	2	-	1	1	2	1	4	2	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	2	-	2	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	2	-	2	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 784  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
0 UNITED STATES --	252	671	1,626	3,359	5,723	7,065	7,329	5,279	2,395	587	67	-
WHITE-----MALE----	195	510	1,203	2,630	4,585	5,950	6,190	4,573	2,037	488	47	-
ALL OTHER--MALE----	57	161	423	729	1,138	1,115	1,139	706	358	99	20	-
BLACK---MALE-----	55	151	406	685	1,083	1,052	1,044	644	330	88	20	-
ALABAMA -----	5	9	33	77	105	113	142	93	49	9	-	-
WHITE-----MALE----	1	5	16	51	64	74	78	51	27	5	-	-
ALL OTHER--MALE----	4	4	17	26	41	39	64	42	22	4	-	-
BLACK---MALE-----	4	4	17	26	41	39	64	41	22	4	-	-
ALASKA -----	1	1	5	3	1	8	3	2	2	-	-	-
WHITE-----MALE----	1	1	5	2	1	7	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	1	-	-	-	-
ARIZONA -----	1	9	34	50	95	122	144	91	42	9	-	-
WHITE-----MALE----	1	9	30	47	92	115	136	90	40	9	-	-
ALL OTHER--MALE----	-	-	4	3	3	7	8	1	2	-	-	-
BLACK---MALE-----	-	-	2	1	2	6	3	-	1	-	-	-
ARKANSAS -----	8	11	11	35	64	76	107	67	39	7	2	-
WHITE-----MALE----	7	6	10	29	51	59	77	55	31	1	1	-
ALL OTHER--MALE----	1	5	1	6	13	17	30	12	8	6	1	-
BLACK---MALE-----	1	5	1	6	13	17	30	12	8	6	1	-
CALIFORNIA -----	30	65	157	310	560	691	652	482	191	46	6	-
WHITE-----MALE----	22	54	129	252	463	612	569	429	161	36	4	-
ALL OTHER--MALE----	8	11	28	58	97	79	83	53	30	10	2	-
BLACK---MALE-----	6	9	23	46	71	61	58	36	19	5	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 785  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
COLORADO -----	7	6	13	40	55	71	80	55	30	5	1	-
WHITE-----MALE----	6	5	13	39	52	70	77	54	28	5	1	-
ALL OTHER--MALE----	1	1	-	1	3	1	3	1	2	-	-	-
BLACK---MALE----	1	1	-	-	2	1	3	1	2	-	-	-
CONNECTICUT -----	4	6	20	37	67	91	92	69	38	7	1	-
WHITE-----MALE----	4	3	13	28	61	83	86	67	37	7	1	-
ALL OTHER--MALE----	-	3	7	9	6	8	6	2	1	-	-	-
BLACK---MALE----	-	3	7	9	6	8	5	1	1	-	-	-
DELAWARE -----	1	3	3	13	26	24	12	9	5	-	-	-
WHITE-----MALE----	1	2	3	9	17	19	8	6	4	-	-	-
ALL OTHER--MALE----	-	1	-	4	9	5	4	3	1	-	-	-
BLACK---MALE----	-	1	-	4	9	5	4	3	1	-	-	-
DISTRICT OF COLUMBIA ----	-	2	10	15	22	22	24	13	8	2	-	-
WHITE-----MALE----	-	-	-	2	2	3	8	5	1	-	-	-
ALL OTHER--MALE----	-	2	10	13	20	19	16	8	7	2	-	-
BLACK---MALE----	-	2	10	13	20	19	16	8	7	2	-	-
FLORIDA -----	14	36	126	256	359	525	567	440	183	40	6	-
WHITE-----MALE----	13	28	109	211	289	460	509	388	168	34	5	-
ALL OTHER--MALE----	1	8	17	45	70	65	58	52	15	6	1	-
BLACK---MALE----	1	8	17	44	70	62	57	52	15	6	1	-
GEORGIA -----	5	20	54	95	152	163	180	95	41	12	1	-
WHITE-----MALE----	3	13	22	47	91	102	125	61	27	9	1	-
ALL OTHER--MALE----	2	7	32	48	61	61	55	34	14	3	-	-
BLACK---MALE----	2	6	32	48	61	60	55	32	14	3	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 786  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
HAWAII -----	-	2	4	14	18	21	35	30	7	4	-	-
WHITE-----MALE----	-	-	2	7	8	8	6	11	2	-	-	-
ALL OTHER--MALE----	-	2	2	7	10	13	29	19	5	4	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
IDAHO -----	-	3	4	19	23	40	42	30	7	4	1	-
WHITE-----MALE----	-	2	4	19	23	40	42	30	7	4	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	26	66	170	231	300	315	224	127	22	1	-
WHITE-----MALE----	7	16	42	137	178	254	263	196	109	19	1	-
ALL OTHER--MALE----	4	10	24	33	53	46	52	28	18	3	-	-
BLACK---MALE----	4	10	24	31	53	46	52	27	17	3	-	-
INDIANA -----	5	16	33	66	131	168	166	110	48	10	1	-
WHITE-----MALE----	3	12	33	63	119	150	147	101	47	7	1	-
ALL OTHER--MALE----	2	4	-	3	12	18	19	9	1	3	-	-
BLACK---MALE----	2	4	-	3	12	18	19	9	1	3	-	-
IOWA -----	-	9	14	27	65	83	92	81	42	12	2	-
WHITE-----MALE----	-	9	13	25	64	82	90	80	41	12	2	-
ALL OTHER--MALE----	-	-	1	2	1	1	2	1	1	-	-	-
BLACK---MALE----	-	-	1	2	1	1	1	1	1	-	-	-
KANSAS -----	-	6	20	31	52	66	75	62	30	13	2	-
WHITE-----MALE----	-	6	18	28	48	65	72	59	29	12	1	-
ALL OTHER--MALE----	-	-	2	3	4	1	3	3	1	1	1	-
BLACK---MALE----	-	-	2	3	4	1	3	3	1	1	1	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 787  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
KENTUCKY -----	5	16	21	45	101	104	112	72	39	7	-	-
WHITE-----MALE----	5	15	18	39	85	95	104	65	32	7	-	-
ALL OTHER--MALE----	-	1	3	6	16	9	8	7	7	-	-	-
BLACK---MALE----	-	1	3	5	16	9	8	7	7	-	-	-
LOUISIANA -----	15	11	26	55	108	131	111	82	36	10	2	-
WHITE-----MALE----	7	7	10	29	64	90	69	48	23	6	-	-
ALL OTHER--MALE----	8	4	16	26	44	41	42	34	13	4	2	-
BLACK---MALE----	8	4	16	26	44	41	42	34	13	4	2	-
MAINE -----	1	5	6	21	38	34	46	37	10	4	-	-
WHITE-----MALE----	1	5	6	21	38	34	46	37	10	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	7	29	56	109	135	124	98	39	4	2	-
WHITE-----MALE----	3	5	18	31	71	91	81	72	26	2	1	-
ALL OTHER--MALE----	-	2	11	25	38	44	43	26	13	2	1	-
BLACK---MALE----	-	2	11	25	36	44	42	24	12	2	1	-
MASSACHUSETTS -----	4	20	27	64	157	164	169	112	51	15	1	-
WHITE-----MALE----	3	19	25	58	148	152	162	107	48	14	1	-
ALL OTHER--MALE----	1	1	2	6	9	12	7	5	3	1	-	-
BLACK---MALE----	1	1	2	5	8	12	4	4	3	1	-	-
MICHIGAN -----	4	36	47	120	210	264	262	193	81	16	3	-
WHITE-----MALE----	4	28	37	85	166	221	222	171	61	16	3	-
ALL OTHER--MALE----	-	8	10	35	44	43	40	22	20	-	-	-
BLACK---MALE----	-	8	10	35	43	43	39	22	20	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 788  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
MINNESOTA -----	2	9	16	59	86	117	139	119	76	25	2	-
WHITE-----MALE----	2	9	16	57	85	116	137	116	76	24	2	-
ALL OTHER--MALE----	-	-	-	2	1	1	2	3	-	1	-	-
BLACK---MALE----	-	-	-	1	1	-	1	2	-	1	-	-
MISSISSIPPI -----	2	10	25	39	66	72	110	79	33	5	2	-
WHITE-----MALE----	1	2	15	24	35	34	65	42	14	1	-	-
ALL OTHER--MALE----	1	8	10	15	31	38	45	37	19	4	2	-
BLACK---MALE----	1	7	10	15	31	38	45	37	19	4	2	-
MISSOURI -----	6	11	35	77	122	152	160	116	63	20	-	-
WHITE-----MALE----	4	9	26	65	99	138	137	100	59	19	-	-
ALL OTHER--MALE----	2	2	9	12	23	14	23	16	4	1	-	-
BLACK---MALE----	2	2	9	12	23	14	23	15	4	1	-	-
MONTANA -----	-	3	7	10	16	28	29	20	8	4	-	-
WHITE-----MALE----	-	2	6	9	16	27	27	20	8	4	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	8	22	30	42	56	47	18	5	-	-
WHITE-----MALE----	-	2	6	21	29	42	52	44	18	5	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	4	3	-	-	-	-
BLACK---MALE----	-	-	2	1	1	-	4	3	-	-	-	-
NEVADA -----	3	5	12	24	36	30	35	16	11	5	-	-
WHITE-----MALE----	3	4	9	21	33	28	33	16	11	5	-	-
ALL OTHER--MALE----	-	1	3	3	3	2	2	-	-	-	-	-
BLACK---MALE----	-	1	2	1	3	2	2	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 790  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
OHIO -----	13	28	78	158	276	319	286	210	106	24	3	-
WHITE-----MALE----	13	18	61	124	230	281	252	197	92	20	2	-
ALL OTHER--MALE----	-	10	17	34	46	38	34	13	14	4	1	-
BLACK---MALE----	-	10	17	34	45	38	34	12	14	4	1	-
OKLAHOMA -----	3	11	23	39	58	79	93	67	34	5	1	-
WHITE-----MALE----	2	9	19	30	51	71	79	61	32	4	-	-
ALL OTHER--MALE----	1	2	4	9	7	8	14	6	2	1	1	-
BLACK---MALE----	1	2	2	7	6	8	10	5	2	1	1	-
OREGON -----	5	8	11	32	80	106	123	63	31	10	1	-
WHITE-----MALE----	5	8	11	30	79	100	122	60	31	10	1	-
ALL OTHER--MALE----	-	-	-	2	1	6	1	3	-	-	-	-
BLACK---MALE----	-	-	-	2	-	3	-	3	-	-	-	-
PENNSYLVANIA -----	12	23	84	187	299	418	398	285	129	24	4	-
WHITE-----MALE----	10	19	66	161	250	371	363	262	114	19	2	-
ALL OTHER--MALE----	2	4	18	26	49	47	35	23	15	5	2	-
BLACK---MALE----	2	4	18	26	48	46	34	22	15	5	2	-
RHODE ISLAND -----	1	-	3	21	26	37	23	25	11	4	-	-
WHITE-----MALE----	1	-	3	19	25	37	22	25	11	4	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	-	-	-	-	-
SOUTH CAROLINA -----	3	10	28	64	111	106	103	70	26	5	3	-
WHITE-----MALE----	2	7	13	32	66	56	60	48	16	3	-	-
ALL OTHER--MALE----	1	3	15	32	45	50	43	22	10	2	3	-
BLACK---MALE----	1	3	15	32	45	50	42	21	10	2	3	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 791  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PROSTATE (185)												
SOUTH DAKOTA -----	-	1	6	8	16	31	29	26	14	6	-	-
WHITE-----MALE----	-	1	6	7	15	27	29	26	14	6	-	-
ALL OTHER--MALE----	-	-	-	1	1	4	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	23	31	76	114	135	156	109	37	18	-	-
WHITE-----MALE----	1	17	21	54	89	98	116	85	29	11	-	-
ALL OTHER--MALE----	5	6	10	22	25	37	40	24	8	7	-	-
BLACK---MALE----	5	6	9	22	25	37	39	23	8	7	-	-
TEXAS -----	18	41	103	148	341	388	421	304	135	36	4	-
WHITE-----MALE----	14	33	73	120	267	312	351	251	108	26	2	-
ALL OTHER--MALE----	4	8	30	28	74	76	70	53	27	10	2	-
BLACK---MALE----	4	8	29	28	73	76	69	52	26	9	2	-
UTAH -----	1	1	10	17	41	51	42	34	14	1	-	-
WHITE-----MALE----	1	1	10	17	40	48	41	34	13	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
VERMONT -----	1	-	6	5	13	15	15	13	10	-	1	-
WHITE-----MALE----	1	-	6	5	13	15	15	13	10	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	13	47	82	147	166	180	110	53	11	-	-
WHITE-----MALE----	6	7	23	53	95	112	131	79	37	10	-	-
ALL OTHER--MALE----	-	6	24	29	52	54	49	31	16	1	-	-
BLACK---MALE----	-	6	23	29	51	54	48	31	16	1	-	-





































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 800  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TESTIS (186)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	-	-	-	-	-	1	1	2	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	1	1	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	19	-	-	-	-	3	3	3	3	1	3	-
WHITE-----MALE----	18	-	-	-	-	3	3	3	2	1	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
UTAH -----	2	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	-	-	-	-	-	-	1	2	1	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 803  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)												
COLORADO -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	-	3	2	3	4	-	2	1	-	-	1	-
WHITE-----MALE----	-	3	2	3	4	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	-	2	2	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 805

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)												
KENTUCKY -----	1	1	1	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	1	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	-	-	2	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	2	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	2	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	1	1	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	2	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	2	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	2	1	2	1	2	1	-	-	-
WHITE-----MALE----	1	-	-	2	1	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 808

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)												
OHIO -----	1	-	2	1	1	-	2	-	-	-	-	-
WHITE-----MALE----	1	-	2	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	1	-	3	1	3	1	1	-	-	-
WHITE-----MALE----	1	-	1	-	3	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 811  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
0 UNITED STATES --	22,639	3	23	17	11	9	15	23	53	150	312	602
WHITE-----MALE----	13,227	-	5	4	2	1	3	9	23	77	180	369
FEMALE--	7,264	2	12	9	7	4	5	6	18	38	74	152
ALL OTHER--MALE----	1,188	1	3	2	1	3	4	4	5	20	34	52
FEMALE--	960	-	3	2	1	1	3	4	7	15	24	29
BLACK---MALE----	1,030	1	1	1	1	3	4	4	5	18	31	44
FEMALE--	866	-	3	2	1	1	3	4	7	15	21	24
ALABAMA -----	317	-	-	-	-	-	-	1	-	3	8	10
WHITE-----MALE----	174	-	-	-	-	-	-	-	-	-	3	5
FEMALE--	76	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	36	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	31	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	36	-	-	-	-	-	-	1	-	1	2	2
FEMALE--	31	-	-	-	-	-	-	-	-	2	1	1
ALASKA -----	23	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	334	-	-	-	-	-	2	-	1	2	4	6
WHITE-----MALE----	210	-	-	-	-	-	1	-	1	2	2	3
FEMALE--	107	-	-	-	-	-	1	-	-	-	2	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	234	-	1	-	-	-	-	-	1	4	3	3
WHITE-----MALE----	131	-	1	-	-	-	-	-	-	3	3	2
FEMALE--	75	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2,108	1	5	3	1	-	1	-	5	18	29	59
WHITE-----MALE----	1,256	-	2	2	-	-	-	-	2	12	17	34
FEMALE--	641	1	3	-	1	-	-	-	1	5	7	12
ALL OTHER--MALE----	120	-	-	1	-	-	-	-	-	1	5	10
FEMALE--	91	-	-	-	-	-	1	-	2	-	-	3
BLACK---MALE----	61	-	-	-	-	-	-	-	-	1	4	7
FEMALE--	66	-	-	-	-	-	1	-	2	-	-	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 811  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
0 UNITED STATES --	920	1,318	1,892	2,760	3,548	3,830	3,413	2,382	1,019	296	42	1
WHITE-----MALE----	573	786	1,155	1,727	2,197	2,371	1,928	1,216	465	118	18	-
FEMALE--	229	378	492	767	1,046	1,175	1,227	975	481	151	16	-
ALL OTHER--MALE----	77	108	151	156	166	148	116	93	29	13	2	-
FEMALE--	41	46	94	110	139	136	142	98	44	14	6	1
BLACK---MALE----	65	90	127	135	143	135	103	80	27	11	1	-
FEMALE--	37	41	81	100	128	119	127	90	42	14	5	1
ALABAMA -----	14	26	32	44	47	47	38	32	12	3	-	-
WHITE-----MALE----	9	13	19	25	32	27	21	16	3	1	-	-
FEMALE--	3	8	8	11	7	9	10	11	4	1	-	-
ALL OTHER--MALE----	-	3	-	5	6	7	4	2	2	1	-	-
FEMALE--	2	2	5	3	2	4	3	3	3	-	-	-
BLACK---MALE----	-	3	-	5	6	7	4	2	2	1	-	-
FEMALE--	2	2	5	3	2	4	3	3	3	-	-	-
ALASKA -----	1	1	1	4	3	6	2	2	-	-	-	-
WHITE-----MALE----	-	-	1	2	2	3	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	22	32	49	47	60	45	32	10	5	1	-
WHITE-----MALE----	11	15	23	23	34	41	28	19	4	3	-	-
FEMALE--	4	5	7	21	13	16	16	11	6	2	1	-
ALL OTHER--MALE----	1	1	2	4	-	2	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ARKANSAS -----	10	9	17	23	43	40	31	34	12	2	1	-
WHITE-----MALE----	6	2	10	14	31	21	18	15	5	-	-	-
FEMALE--	2	4	6	5	6	14	11	16	7	1	1	-
ALL OTHER--MALE----	1	-	-	3	3	1	2	2	-	1	-	-
FEMALE--	1	3	1	1	3	4	-	1	-	-	-	-
BLACK---MALE----	1	-	-	3	3	1	2	2	-	1	-	-
FEMALE--	1	3	1	1	3	4	-	1	-	-	-	-
CALIFORNIA -----	74	124	183	266	354	351	308	208	84	27	7	-
WHITE-----MALE----	42	73	119	165	214	232	174	109	41	16	2	-
FEMALE--	24	36	42	76	106	101	101	77	35	10	3	-
ALL OTHER--MALE----	5	11	14	14	15	11	15	12	5	1	-	-
FEMALE--	3	4	8	11	19	7	18	10	3	-	2	-
BLACK---MALE----	1	5	7	7	7	6	7	6	3	-	-	-
FEMALE--	2	4	5	8	16	5	12	6	2	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 812  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
COLORADO -----	245	-	-	-	-	-	-	1	-	-	6	5
WHITE-----MALE----	161	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	78	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	314	-	-	-	-	-	-	-	1	4	-	3
WHITE-----MALE----	194	-	-	-	-	-	-	-	1	3	-	1
FEMALE--	107	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	70	-	-	-	-	-	-	-	-	-	2	3
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	58	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,614	-	-	1	3	-	2	1	3	13	10	30
WHITE-----MALE----	1,034	-	-	-	-	-	1	-	2	6	6	20
FEMALE--	470	-	-	1	2	-	-	-	1	3	3	7
ALL OTHER--MALE----	61	-	-	-	1	-	1	-	-	2	1	3
FEMALE--	49	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	57	-	-	-	1	-	1	-	-	2	1	3
FEMALE--	49	-	-	-	-	-	-	1	-	2	-	-
GEORGIA -----	424	-	1	-	-	-	-	2	1	2	9	22
WHITE-----MALE----	212	-	-	-	-	-	-	-	1	-	6	8
FEMALE--	130	-	1	-	-	-	-	-	-	2	1	7
ALL OTHER--MALE----	44	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	3
BLACK---MALE----	41	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	38	-	-	-	-	-	-	1	-	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 812  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
COLORADO -----	7	19	24	30	36	48	39	20	7	2	1	-
WHITE-----MALE----	6	13	15	22	24	32	25	11	2	1	1	-
FEMALE--	1	5	7	8	11	15	14	9	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	15	22	32	37	40	59	48	31	14	6	2	-
WHITE-----MALE----	8	17	18	24	27	39	30	18	5	2	1	-
FEMALE--	4	4	12	13	13	18	17	10	9	4	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	1	2	-	-	1	-	2	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	2	-	-	-	-
DELAWARE -----	2	1	4	12	10	11	10	12	2	1	-	-
WHITE-----MALE----	2	1	2	6	4	6	8	5	1	1	-	-
FEMALE--	-	-	2	4	4	4	2	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	6	3	4	8	7	6	14	6	1	3	-	-
WHITE-----MALE----	1	1	-	2	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	1	1	-	-
ALL OTHER--MALE----	4	1	2	1	6	4	4	1	-	1	-	-
FEMALE--	1	1	2	4	1	1	6	3	-	1	-	-
BLACK---MALE----	4	1	2	1	6	4	4	1	-	1	-	-
FEMALE--	1	1	2	4	1	1	6	3	-	1	-	-
FLORIDA -----	56	77	127	199	246	281	271	195	77	19	2	1
WHITE-----MALE----	36	52	91	132	168	192	164	120	37	5	2	-
FEMALE--	14	19	25	49	66	72	93	69	34	12	-	-
ALL OTHER--MALE----	5	5	7	13	4	7	7	1	3	1	-	-
FEMALE--	1	1	4	5	8	10	7	5	3	1	-	1
BLACK---MALE----	4	5	6	12	4	6	7	1	3	1	-	-
FEMALE--	1	1	4	5	8	10	7	5	3	1	-	1
GEORGIA -----	21	31	41	48	65	65	48	43	19	4	2	-
WHITE-----MALE----	10	19	22	30	30	34	26	16	9	1	-	-
FEMALE--	3	9	9	10	23	22	16	17	7	2	1	-
ALL OTHER--MALE----	5	2	7	5	7	1	2	6	2	-	-	-
FEMALE--	3	1	3	3	5	8	4	4	1	1	1	-
BLACK---MALE----	5	2	7	5	6	1	2	6	2	-	-	-
FEMALE--	3	1	3	3	5	8	4	4	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 813  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
HAWAII -----	53	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	89	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,047	-	1	-	-	-	1	2	2	7	10	34
WHITE-----MALE----	594	-	-	-	-	-	-	1	1	4	4	19
FEMALE--	348	-	1	-	-	-	-	-	1	2	4	11
ALL OTHER--MALE----	69	-	-	-	-	-	1	1	-	1	2	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	67	-	-	-	-	-	1	1	-	1	1	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	2
INDIANA -----	562	-	-	-	-	-	1	1	3	4	8	12
WHITE-----MALE----	336	-	-	-	-	-	-	-	2	4	4	8
FEMALE--	207	-	-	-	-	-	1	1	1	-	2	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
IOWA -----	274	-	-	-	-	-	1	-	1	2	1	11
WHITE-----MALE----	175	-	-	-	-	-	-	-	1	1	1	7
FEMALE--	98	-	-	-	-	-	1	-	-	1	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	235	-	-	-	1	-	-	1	-	2	1	7
WHITE-----MALE----	134	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	85	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 813  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
HAWAII -----	2	5	8	5	11	6	4	6	1	-	-	-
WHITE-----MALE----	-	-	1	3	4	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	4	6	1	5	1	2	3	-	-	-	-
FEMALE--	1	-	1	1	2	3	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	4	6	10	10	16	24	7	6	-	1	-
WHITE-----MALE----	3	4	4	7	4	12	16	5	4	-	-	-
FEMALE--	-	-	1	3	6	4	7	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	40	61	106	117	178	178	161	99	44	6	-	-
WHITE-----MALE----	25	29	58	72	112	111	89	51	14	4	-	-
FEMALE--	11	26	30	35	49	48	62	41	25	2	-	-
ALL OTHER--MALE----	3	6	12	8	11	11	6	4	1	-	-	-
FEMALE--	1	-	6	2	6	8	4	3	4	-	-	-
BLACK---MALE----	3	6	12	8	11	10	6	4	1	-	-	-
FEMALE--	1	-	6	2	6	8	4	3	4	-	-	-
INDIANA -----	33	30	57	66	82	96	73	53	33	9	1	-
WHITE-----MALE----	23	17	36	46	52	59	39	23	20	2	1	-
FEMALE--	7	13	17	17	28	35	33	29	13	7	-	-
ALL OTHER--MALE----	2	-	2	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	2	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	-	-	-	-	-
IOWA -----	9	11	15	38	39	46	43	38	15	4	-	-
WHITE-----MALE----	7	7	10	30	24	29	28	19	9	2	-	-
FEMALE--	2	4	5	8	15	17	15	18	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	9	11	11	36	47	35	23	27	19	4	1	-
WHITE-----MALE----	4	6	11	22	26	18	14	15	8	2	1	-
FEMALE--	4	4	-	10	17	17	9	9	11	1	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	3	2	-	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 814  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
KENTUCKY -----	336	-	1	-	-	-	-	-	-	5	5	10
WHITE-----MALE----	196	-	-	-	-	-	-	-	-	5	2	6
FEMALE--	112	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	1	-	-	-	-	-	-	-	1	-
LOUISIANA -----	362	-	-	-	-	1	-	2	-	2	6	8
WHITE-----MALE----	182	-	-	-	-	-	-	-	-	1	5	5
FEMALE--	97	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	46	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	1	-	1	-	2
BLACK---MALE----	45	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	1	-	1	-	2
MAINE -----	148	-	1	-	-	1	-	-	1	1	1	5
WHITE-----MALE----	98	-	-	-	-	1	-	-	-	1	-	3
FEMALE--	50	-	1	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	408	1	-	-	-	1	-	-	1	2	5	11
WHITE-----MALE----	208	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	123	1	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	39	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	2
MASSACHUSETTS -----	604	-	2	-	1	-	-	-	1	3	2	16
WHITE-----MALE----	365	-	-	-	-	-	-	-	1	2	2	12
FEMALE--	219	-	1	-	1	-	-	-	-	-	-	4
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	853	-	1	1	-	-	-	1	-	8	13	20
WHITE-----MALE----	499	-	-	-	-	-	-	1	-	1	7	15
FEMALE--	269	-	1	1	-	-	-	-	-	3	5	2
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	41	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	43	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 814  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
KENTUCKY -----	13	17	32	48	49	56	51	38	6	5	-	-
WHITE-----MALE----	10	12	25	27	31	34	24	16	1	3	-	-
FEMALE--	3	3	5	13	14	19	23	20	5	2	-	-
ALL OTHER--MALE----	-	1	1	5	2	2	2	2	-	-	-	-
FEMALE--	-	1	1	3	2	1	2	-	-	-	-	-
BLACK---MALE----	-	1	1	5	2	2	2	2	-	-	-	-
FEMALE--	-	1	1	3	2	1	2	-	-	-	-	-
LOUISIANA -----	21	29	36	46	60	59	41	27	15	7	2	-
WHITE-----MALE----	10	13	17	27	32	33	16	14	5	3	1	-
FEMALE--	8	5	8	7	18	17	16	10	5	1	-	-
ALL OTHER--MALE----	2	8	4	9	8	7	3	2	1	-	-	-
FEMALE--	1	3	7	3	2	2	6	1	4	3	1	-
BLACK---MALE----	2	7	4	9	8	7	3	2	1	-	-	-
FEMALE--	1	3	7	3	2	2	6	1	4	3	-	-
MAINE -----	8	9	14	16	18	28	23	13	7	1	1	-
WHITE-----MALE----	4	7	9	12	13	18	16	9	3	1	1	-
FEMALE--	4	2	5	4	5	10	7	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	25	32	45	63	67	60	48	20	8	-	-
WHITE-----MALE----	11	12	20	26	33	32	27	26	10	3	-	-
FEMALE--	2	10	5	13	18	25	20	14	7	5	-	-
ALL OTHER--MALE----	5	3	2	5	5	6	4	1	2	-	-	-
FEMALE--	1	-	5	1	7	4	9	7	1	-	-	-
BLACK---MALE----	5	3	2	5	5	6	4	1	2	-	-	-
FEMALE--	1	-	5	1	7	4	9	6	1	-	-	-
MASSACHUSETTS -----	24	33	44	49	90	109	99	79	35	13	4	-
WHITE-----MALE----	18	17	30	29	60	73	52	46	17	3	3	-
FEMALE--	5	14	10	18	28	35	43	33	18	8	1	-
ALL OTHER--MALE----	-	1	3	2	-	-	1	-	-	2	-	-
FEMALE--	1	1	1	-	2	1	3	-	-	-	-	-
BLACK---MALE----	-	1	3	2	-	-	1	-	-	2	-	-
FEMALE--	1	1	1	-	2	1	3	-	-	-	-	-
MICHIGAN -----	30	60	86	106	157	137	119	66	38	10	-	-
WHITE-----MALE----	16	35	52	67	104	88	62	33	15	3	-	-
FEMALE--	10	15	23	22	43	37	53	25	22	7	-	-
ALL OTHER--MALE----	4	7	8	4	5	6	2	4	-	-	-	-
FEMALE--	-	3	3	13	5	6	2	4	1	-	-	-
BLACK---MALE----	4	7	7	4	5	6	2	4	-	-	-	-
FEMALE--	-	2	2	13	5	5	1	3	1	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 817  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
OHIO -----	1,158	-	-	1	-	1	-	1	2	12	21	41
WHITE-----MALE----	687	-	-	-	-	-	-	1	2	4	13	26
FEMALE--	367	-	-	1	-	1	-	-	-	3	4	13
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	5	3	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	57	-	-	-	-	-	-	-	-	5	3	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	334	-	-	2	-	-	-	-	-	4	6	11
WHITE-----MALE----	190	-	-	-	-	-	-	-	-	1	5	9
FEMALE--	120	-	-	1	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	19	-	-	1	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	304	-	-	1	-	-	-	-	-	2	3	9
WHITE-----MALE----	203	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	91	-	-	1	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,307	-	1	-	-	-	-	-	3	3	12	29
WHITE-----MALE----	745	-	-	-	-	-	-	-	1	-	10	15
FEMALE--	468	-	1	-	-	-	-	-	2	3	2	10
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	52	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	124	-	1	-	-	-	-	-	1	2	2	4
WHITE-----MALE----	75	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	46	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	316	-	1	-	1	1	-	1	2	3	5	7
WHITE-----MALE----	154	-	-	-	-	-	-	1	1	2	2	4
FEMALE--	89	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	41	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	32	-	1	-	-	-	-	-	1	1	1	-
BLACK---MALE----	41	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	31	-	1	-	-	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 817  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
OHIO -----	46	69	89	151	179	191	174	122	44	12	2	-
WHITE-----MALE----	30	43	54	97	118	114	93	71	18	3	-	-
FEMALE--	13	14	25	37	48	65	70	40	22	9	2	-
ALL OTHER--MALE----	-	9	8	6	7	7	4	6	2	-	-	-
FEMALE--	3	3	2	11	6	5	7	5	2	-	-	-
BLACK---MALE----	-	9	7	6	7	7	4	6	2	-	-	-
FEMALE--	3	3	2	11	6	5	7	5	2	-	-	-
OKLAHOMA -----	14	20	27	36	44	60	47	38	17	7	1	-
WHITE-----MALE----	8	10	16	21	28	34	24	20	9	5	-	-
FEMALE--	5	8	8	15	14	21	20	15	8	1	1	-
ALL OTHER--MALE----	1	2	3	-	2	2	2	2	-	1	-	-
FEMALE--	-	-	-	-	-	3	1	1	-	-	-	-
BLACK---MALE----	-	1	3	-	1	2	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
OREGON -----	11	18	20	35	41	54	45	42	18	5	-	-
WHITE-----MALE----	9	11	11	25	32	33	32	23	13	3	-	-
FEMALE--	2	6	7	8	9	19	12	17	5	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	49	56	105	165	213	222	217	142	73	14	3	-
WHITE-----MALE----	32	32	58	109	123	140	125	67	28	5	-	-
FEMALE--	10	17	35	43	69	70	84	70	43	7	2	-
ALL OTHER--MALE----	4	5	9	7	13	5	3	1	2	1	-	-
FEMALE--	3	2	3	6	8	7	5	4	-	1	1	-
BLACK---MALE----	4	5	8	7	12	5	3	1	2	1	-	-
FEMALE--	3	2	3	6	8	7	5	4	-	1	1	-
RHODE ISLAND -----	3	1	11	16	21	23	21	8	7	2	1	-
WHITE-----MALE----	3	-	8	9	16	14	11	4	5	-	1	-
FEMALE--	-	1	3	6	5	9	10	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	21	31	40	56	48	47	31	9	1	-	-
WHITE-----MALE----	6	9	15	21	35	24	21	10	3	-	-	-
FEMALE--	2	5	10	10	13	14	16	12	3	1	-	-
ALL OTHER--MALE----	3	5	5	5	5	5	5	4	-	-	-	-
FEMALE--	-	2	1	4	3	5	5	5	3	-	-	-
BLACK---MALE----	3	5	5	5	5	5	5	4	-	-	-	-
FEMALE--	-	2	1	4	2	5	5	5	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 818  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
SOUTH DAKOTA -----	71	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	475	-	-	2	2	-	-	2	1	4	11	15
WHITE-----MALE----	267	-	-	1	-	-	-	2	1	2	5	11
FEMALE--	144	-	-	1	2	-	-	-	-	1	5	3
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	1	1	1
TEXAS -----	1,254	-	3	-	2	-	2	2	7	7	31	45
WHITE-----MALE----	706	-	1	-	2	-	1	1	-	4	15	32
FEMALE--	424	-	2	-	-	-	-	-	5	1	10	9
ALL OTHER--MALE----	73	-	-	-	-	-	1	1	1	1	5	1
FEMALE--	51	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	70	-	-	-	-	-	1	1	1	1	5	1
FEMALE--	48	-	-	-	-	-	-	-	1	1	1	3
UTAH -----	84	-	-	-	-	-	-	-	1	2	1	1
WHITE-----MALE----	54	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	67	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	466	-	-	-	-	-	-	-	4	2	8	14
WHITE-----MALE----	243	-	-	-	-	-	-	-	2	2	4	10
FEMALE--	135	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	43	-	-	-	-	-	-	-	1	-	3	1
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	-	-	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 818  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
SOUTH DAKOTA -----	2	5	2	8	13	14	11	6	2	3	-	-
WHITE-----MALE----	1	4	1	5	10	8	8	3	2	2	-	-
FEMALE--	1	1	-	2	3	5	3	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	14	28	44	60	71	79	69	58	12	1	2	-
WHITE-----MALE----	10	18	25	45	41	44	32	21	7	-	2	-
FEMALE--	3	5	12	9	22	25	24	27	4	1	-	-
ALL OTHER--MALE----	1	5	5	3	2	5	6	5	1	-	-	-
FEMALE--	-	-	2	3	6	5	7	5	-	-	-	-
BLACK---MALE----	1	5	5	3	2	5	6	5	1	-	-	-
FEMALE--	-	-	2	3	6	5	7	5	-	-	-	-
TEXAS -----	61	75	111	129	204	215	176	127	44	11	2	-
WHITE-----MALE----	41	40	71	80	120	130	92	53	20	3	-	-
FEMALE--	13	28	28	36	70	62	73	63	18	5	1	-
ALL OTHER--MALE----	3	5	11	9	6	13	6	7	2	1	-	-
FEMALE--	4	2	1	4	8	10	5	4	4	2	1	-
BLACK---MALE----	3	4	11	8	6	12	6	7	2	1	-	-
FEMALE--	3	1	1	4	8	9	5	4	4	2	1	-
UTAH -----	2	6	3	13	17	12	10	9	5	2	-	-
WHITE-----MALE----	1	5	2	8	11	8	7	4	4	-	-	-
FEMALE--	1	-	1	5	6	3	3	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	5	8	4	7	14	11	8	4	2	-	-
WHITE-----MALE----	2	3	6	3	4	12	7	5	2	-	-	-
FEMALE--	1	2	2	1	3	2	4	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	34	47	58	74	75	70	39	18	5	-	-
WHITE-----MALE----	10	20	22	37	37	36	38	15	6	4	-	-
FEMALE--	7	9	13	13	27	23	17	13	9	-	-	-
ALL OTHER--MALE----	1	4	7	4	6	9	7	5	-	1	-	-
FEMALE--	-	1	5	4	4	7	8	6	3	-	-	-
BLACK---MALE----	1	4	6	4	6	8	6	4	-	1	-	-
FEMALE--	-	1	4	4	4	7	8	6	3	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 819

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)												
WASHINGTON -----	21	23	30	48	59	75	64	34	28	4	-	-
WHITE-----MALE----	17	16	21	30	45	53	36	18	13	-	-	-
FEMALE--	4	6	9	15	13	19	28	14	15	4	-	-
ALL OTHER--MALE----	-	1	-	3	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WEST VIRGINIA -----	10	12	16	28	34	27	35	21	5	4	-	-
WHITE-----MALE----	6	9	10	20	24	16	22	13	2	-	-	-
FEMALE--	4	3	5	7	10	11	13	7	3	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
WISCONSIN -----	14	24	34	63	67	91	66	80	29	19	1	-
WHITE-----MALE----	10	15	23	44	44	61	42	48	15	9	1	-
FEMALE--	1	8	10	19	23	30	21	32	14	10	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	3	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
WYOMING -----	1	2	6	5	7	10	6	2	2	-	-	-
WHITE-----MALE----	1	2	4	4	3	5	3	2	1	-	-	-
FEMALE--	-	-	2	1	4	5	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 820  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BLADDER (188)												
0 UNITED STATES --	217	397	650	1,200	1,752	2,066	2,036	1,523	706	228	32	1
WHITE-----MALE----	147	259	432	825	1,216	1,384	1,263	867	351	94	16	-
FEMALE--	46	102	130	264	394	541	623	535	308	115	10	-
ALL OTHER--MALE----	18	24	55	65	74	71	67	60	22	10	2	-
FEMALE--	6	12	33	46	68	70	83	61	25	9	4	1
BLACK---MALE----	16	19	47	59	66	66	58	53	20	8	1	-
FEMALE--	5	12	29	43	66	65	79	55	24	9	4	1
ALABAMA -----	6	10	7	24	26	27	23	23	6	2	-	-
WHITE-----MALE----	3	4	4	17	21	18	15	11	3	1	-	-
FEMALE--	1	4	1	5	1	4	3	8	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	3	3	4	2	1	-	-	-
FEMALE--	2	1	2	1	1	2	1	2	1	-	-	-
BLACK---MALE----	-	1	-	1	3	3	4	2	1	-	-	-
FEMALE--	2	1	2	1	1	2	1	2	1	-	-	-
ALASKA -----	-	1	-	2	3	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	7	8	20	16	38	26	24	9	4	-	-
WHITE-----MALE----	5	6	8	11	12	26	16	15	4	2	-	-
FEMALE--	1	1	-	7	4	11	9	8	5	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	2	4	3	11	21	20	20	20	9	2	1	-
WHITE-----MALE----	2	1	2	9	16	9	14	8	3	-	-	-
FEMALE--	-	1	1	2	4	8	4	10	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	2	-	1	-	-
FEMALE--	-	2	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	2	-	1	-	-
FEMALE--	-	2	-	-	1	2	-	-	-	-	-	-
CALIFORNIA -----	15	36	72	124	175	198	189	131	64	22	6	-
WHITE-----MALE----	8	25	49	83	121	140	117	74	36	13	2	-
FEMALE--	5	8	11	31	38	46	54	41	24	8	2	-
ALL OTHER--MALE----	1	2	9	4	6	6	10	10	4	1	-	-
FEMALE--	1	1	3	6	10	6	8	6	-	-	2	-
BLACK---MALE----	-	-	4	2	3	4	4	6	2	-	-	-
FEMALE--	-	1	2	3	9	4	5	2	-	-	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 821  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BLADDER (188)												
COLORADO -----	3	7	13	11	16	19	20	11	5	2	1	-
WHITE-----MALE----	3	4	8	10	13	14	14	8	2	1	1	-
FEMALE--	-	2	4	1	3	4	6	3	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	9	12	21	28	38	31	21	6	4	1	-
WHITE-----MALE----	2	6	8	17	23	28	22	15	2	2	1	-
FEMALE--	-	3	3	4	5	8	9	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	-	-	-	-
DELAWARE -----	1	-	2	4	6	7	10	8	2	1	-	-
WHITE-----MALE----	1	-	1	1	3	5	8	4	1	1	-	-
FEMALE--	-	-	1	2	2	1	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	1	4	6	3	9	4	1	2	-	-
WHITE-----MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	2	-	1	-	5	2	3	-	-	1	-	-
FEMALE--	-	-	-	2	1	1	5	2	-	1	-	-
BLACK---MALE----	2	-	1	-	5	2	3	-	-	1	-	-
FEMALE--	-	-	-	2	1	1	5	2	-	1	-	-
FLORIDA -----	15	30	57	83	139	164	171	126	63	14	1	1
WHITE-----MALE----	10	24	41	57	102	119	114	82	32	4	1	-
FEMALE--	5	6	12	16	32	37	46	39	26	9	-	-
ALL OTHER--MALE----	-	-	1	7	2	2	6	1	3	1	-	-
FEMALE--	-	-	3	3	3	6	5	4	2	-	-	1
BLACK---MALE----	-	-	1	6	2	2	6	1	3	1	-	-
FEMALE--	-	-	3	3	3	6	5	4	2	-	-	1
GEORGIA -----	8	11	7	20	35	33	23	28	13	3	1	-
WHITE-----MALE----	3	5	5	12	15	17	14	10	8	-	-	-
FEMALE--	1	3	1	4	11	11	5	11	3	2	-	-
ALL OTHER--MALE----	3	2	1	2	6	-	1	5	1	-	-	-
FEMALE--	1	1	-	2	3	5	3	2	1	1	1	-
BLACK---MALE----	3	2	1	2	6	-	1	5	1	-	-	-
FEMALE--	1	1	-	2	3	5	3	2	1	1	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 822  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BLADDER (188)												
HAWAII -----	-	2	5	2	6	1	2	3	1	-	-	-
WHITE-----MALE----	-	-	1	2	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	2	3	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	-	6	5	13	12	7	4	-	1	-
WHITE-----MALE----	1	1	-	4	3	11	8	5	4	-	-	-
FEMALE--	-	-	-	2	2	2	4	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7	11	38	52	81	93	103	62	32	5	-	-
WHITE-----MALE----	6	10	23	40	59	63	60	38	12	4	-	-
FEMALE--	1	1	10	9	14	21	39	21	16	1	-	-
ALL OTHER--MALE----	-	-	4	3	5	6	2	2	1	-	-	-
FEMALE--	-	-	1	-	3	3	2	1	3	-	-	-
BLACK---MALE----	-	-	4	3	5	6	2	2	1	-	-	-
FEMALE--	-	-	1	-	3	3	2	1	3	-	-	-
INDIANA -----	6	7	19	23	33	44	45	38	19	7	1	-
WHITE-----MALE----	6	6	13	16	25	31	30	17	12	2	1	-
FEMALE--	-	1	4	6	7	12	15	20	7	5	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
IOWA -----	1	4	5	19	14	23	28	18	9	3	-	-
WHITE-----MALE----	1	4	3	16	11	19	20	12	4	1	-	-
FEMALE--	-	-	2	3	3	4	8	6	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	2	10	18	18	15	18	12	1	1	-
WHITE-----MALE----	-	-	2	7	11	12	9	10	5	-	1	-
FEMALE--	-	1	-	1	7	6	6	6	7	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 823  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BLADDER (188)												
KENTUCKY -----	2	2	12	20	21	30	30	22	6	5	-	-
WHITE-----MALE----	2	2	10	15	17	19	16	12	1	3	-	-
FEMALE--	-	-	2	3	3	9	10	10	5	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
LOUISIANA -----	4	13	8	24	24	22	28	20	8	4	1	-
WHITE-----MALE----	2	6	3	14	12	14	12	12	4	2	1	-
FEMALE--	2	2	1	3	9	5	11	6	1	-	-	-
ALL OTHER--MALE----	-	4	2	5	1	3	2	1	1	-	-	-
FEMALE--	-	1	2	2	2	-	3	1	2	2	-	-
BLACK---MALE----	-	3	2	5	1	3	2	1	1	-	-	-
FEMALE--	-	1	2	2	2	-	3	1	2	2	-	-
MAINE -----	2	2	7	7	6	12	12	9	6	-	1	-
WHITE-----MALE----	2	2	4	7	5	8	9	6	3	-	1	-
FEMALE--	-	-	3	-	1	4	3	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	8	16	19	33	31	39	35	12	6	-	-
WHITE-----MALE----	2	2	11	13	17	17	17	21	9	3	-	-
FEMALE--	1	6	2	3	9	9	12	8	2	3	-	-
ALL OTHER--MALE----	1	-	-	2	4	3	3	-	1	-	-	-
FEMALE--	-	-	3	1	3	2	7	6	-	-	-	-
BLACK---MALE----	1	-	-	2	4	3	3	-	1	-	-	-
FEMALE--	-	-	3	1	3	2	7	6	-	-	-	-
MASSACHUSETTS -----	5	12	17	21	52	56	62	55	26	11	4	-
WHITE-----MALE----	4	6	11	15	37	38	39	32	11	2	3	-
FEMALE--	1	5	3	6	14	17	21	23	15	7	1	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-
MICHIGAN -----	10	14	26	47	78	87	54	44	27	10	-	-
WHITE-----MALE----	5	6	15	32	57	56	30	26	10	3	-	-
FEMALE--	4	6	8	8	18	23	21	16	16	7	-	-
ALL OTHER--MALE----	1	1	2	2	1	4	2	1	-	-	-	-
FEMALE--	-	1	1	5	2	4	1	1	1	-	-	-
BLACK---MALE----	1	1	2	2	1	4	2	1	-	-	-	-
FEMALE--	-	1	1	5	2	3	1	1	1	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 826  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BLADDER (188)												
OHIO -----	11	19	33	74	96	109	102	80	33	10	1	-
WHITE-----MALE----	9	13	21	54	69	72	58	54	14	3	-	-
FEMALE--	2	6	9	12	21	33	35	18	15	7	1	-
ALL OTHER--MALE----	-	-	3	4	3	2	3	6	2	-	-	-
FEMALE--	-	-	-	4	3	2	6	2	2	-	-	-
BLACK---MALE----	-	-	3	4	3	2	3	6	2	-	-	-
FEMALE--	-	-	-	4	3	2	6	2	2	-	-	-
OKLAHOMA -----	2	4	9	15	21	35	19	20	12	5	1	-
WHITE-----MALE----	1	1	5	9	14	23	11	10	8	4	-	-
FEMALE--	1	2	3	6	6	8	8	8	4	1	1	-
ALL OTHER--MALE----	-	1	1	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
OREGON -----	2	4	2	13	19	32	26	30	11	3	-	-
WHITE-----MALE----	2	4	1	11	19	21	22	18	8	2	-	-
FEMALE--	-	-	1	2	-	11	4	11	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	24	48	75	116	114	130	95	49	11	2	-
WHITE-----MALE----	8	17	30	53	73	74	85	53	22	3	-	-
FEMALE--	2	6	11	14	29	32	40	38	26	7	2	-
ALL OTHER--MALE----	1	-	6	5	10	3	3	1	1	-	-	-
FEMALE--	-	1	1	3	4	5	2	3	-	1	-	-
BLACK---MALE----	1	-	6	5	9	3	3	1	1	-	-	-
FEMALE--	-	1	1	3	4	5	2	3	-	1	-	-
RHODE ISLAND -----	-	-	3	6	11	11	15	6	6	2	1	-
WHITE-----MALE----	-	-	3	3	9	9	9	3	5	-	1	-
FEMALE--	-	-	-	3	2	2	6	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	3	11	20	23	20	27	16	5	1	-	-
WHITE-----MALE----	-	1	7	12	16	8	12	6	2	-	-	-
FEMALE--	2	1	1	4	5	6	11	6	1	1	-	-
ALL OTHER--MALE----	-	-	2	2	1	2	2	2	-	-	-	-
FEMALE--	-	1	1	2	1	4	2	2	2	-	-	-
BLACK---MALE----	-	-	2	2	1	2	2	2	-	-	-	-
FEMALE--	-	1	1	2	1	4	2	2	2	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 827  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BLADDER (188)												
SOUTH DAKOTA -----	-	-	1	1	9	5	8	4	-	2	-	-
WHITE-----MALE----	-	-	1	1	8	4	6	2	-	2	-	-
FEMALE--	-	-	-	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	13	10	21	43	39	45	37	7	-	1	-
WHITE-----MALE----	2	9	6	15	28	23	23	15	4	-	1	-
FEMALE--	1	3	3	3	9	10	12	16	3	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	2	5	2	-	-	-	-
FEMALE--	-	-	1	1	5	4	5	4	-	-	-	-
BLACK---MALE----	-	1	-	2	1	2	5	2	-	-	-	-
FEMALE--	-	-	1	1	5	4	5	4	-	-	-	-
TEXAS -----	8	19	26	48	91	101	97	78	27	7	1	-
WHITE-----MALE----	5	13	18	34	62	70	61	38	11	2	-	-
FEMALE--	2	5	4	8	24	22	32	32	12	3	-	-
ALL OTHER--MALE----	-	1	4	5	2	7	1	5	2	1	-	-
FEMALE--	1	-	-	1	3	2	3	3	2	1	1	-
BLACK---MALE----	-	1	4	4	2	6	1	5	2	1	-	-
FEMALE--	1	-	-	1	3	2	3	3	2	1	1	-
UTAH -----	-	2	1	8	10	5	6	3	5	2	-	-
WHITE-----MALE----	-	2	1	5	7	4	5	1	4	-	-	-
FEMALE--	-	-	-	3	3	1	1	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	4	2	-	4	7	7	5	2	-	-	-
WHITE-----MALE----	1	3	1	-	3	6	5	3	1	-	-	-
FEMALE--	-	1	1	-	1	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	9	11	23	29	35	42	19	8	4	-	-
WHITE-----MALE----	4	6	4	17	17	19	21	10	3	3	-	-
FEMALE--	3	1	2	1	9	10	13	4	4	-	-	-
ALL OTHER--MALE----	1	2	2	3	1	2	4	2	-	1	-	-
FEMALE--	-	-	3	2	2	4	4	3	1	-	-	-
BLACK---MALE----	1	2	2	3	1	2	3	2	-	1	-	-
FEMALE--	-	-	2	2	2	4	4	3	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 828  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BLADDER (188)												
WASHINGTON -----	3	9	11	30	31	42	39	25	23	4	-	-
WHITE-----MALE----	2	6	9	18	26	32	23	15	11	-	-	-
FEMALE--	1	3	2	11	5	9	16	9	12	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
WEST VIRGINIA -----	4	3	5	16	13	16	17	12	4	1	-	-
WHITE-----MALE----	4	3	4	13	9	8	13	7	1	-	-	-
FEMALE--	-	-	1	3	4	8	4	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WISCONSIN -----	6	9	13	23	37	48	36	49	17	16	1	-
WHITE-----MALE----	4	7	10	16	29	35	26	33	11	9	1	-
FEMALE--	-	2	2	7	8	13	8	16	6	7	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
WYOMING -----	-	1	2	2	1	4	4	2	2	-	-	-
WHITE-----MALE----	-	1	2	2	1	2	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 829  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
0 UNITED STATES --	11,555	3	23	16	10	9	15	17	41	114	236	458
WHITE-----MALE----	6,205	-	5	4	1	1	3	6	18	53	134	280
FEMALE--	4,135	2	12	8	7	4	5	3	16	33	61	115
ALL OTHER--MALE----	689	1	3	2	1	3	4	4	1	15	24	40
FEMALE--	526	-	3	2	1	1	3	4	6	13	17	23
BLACK---MALE----	589	1	1	1	1	3	4	4	1	13	23	33
FEMALE--	462	-	3	2	1	1	3	4	6	13	15	21
ALABAMA -----	161	-	-	-	-	-	-	1	-	3	7	9
WHITE-----MALE----	76	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	47	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	18	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	20	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	18	-	-	-	-	-	-	-	-	2	1	1
ALASKA -----	11	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	173	-	-	-	-	-	2	-	1	2	3	4
WHITE-----MALE----	103	-	-	-	-	-	1	-	1	2	1	2
FEMALE--	58	-	-	-	-	-	1	-	-	-	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	118	-	1	-	-	-	-	-	-	3	2	3
WHITE-----MALE----	65	-	1	-	-	-	-	-	-	2	2	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,046	1	5	3	1	-	1	-	5	9	21	46
WHITE-----MALE----	566	-	2	2	-	-	-	-	2	4	11	26
FEMALE--	369	1	3	-	1	-	-	-	1	4	7	9
ALL OTHER--MALE----	64	-	-	1	-	-	-	-	-	1	3	9
FEMALE--	47	-	-	-	-	-	1	-	2	-	-	2
BLACK---MALE----	35	-	-	-	-	-	-	-	-	1	3	7
FEMALE--	38	-	-	-	-	-	1	-	2	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 829  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
0 UNITED STATES --	703	921	1,242	1,560	1,796	1,764	1,377	859	313	68	10	-
WHITE-----MALE----	426	527	723	902	981	987	665	349	114	24	2	-
FEMALE--	183	276	362	503	652	634	604	440	173	36	6	-
ALL OTHER--MALE----	59	84	96	91	92	77	49	33	7	3	-	-
FEMALE--	35	34	61	64	71	66	59	37	19	5	2	-
BLACK---MALE----	49	71	80	76	77	69	45	27	7	3	-	-
FEMALE--	32	29	52	57	62	54	48	35	18	5	1	-
ALABAMA -----	8	16	25	20	21	20	15	9	6	1	-	-
WHITE-----MALE----	6	9	15	8	11	9	6	5	-	-	-	-
FEMALE--	2	4	7	6	6	5	7	3	3	-	-	-
ALL OTHER--MALE----	-	2	-	4	3	4	-	-	1	1	-	-
FEMALE--	-	1	3	2	1	2	2	1	2	-	-	-
BLACK---MALE----	-	2	-	4	3	4	-	-	1	1	-	-
FEMALE--	-	1	3	2	1	2	2	1	2	-	-	-
ALASKA -----	1	-	1	2	-	4	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	15	24	29	31	22	19	8	1	1	1	-
WHITE-----MALE----	6	9	15	12	22	15	12	4	-	1	-	-
FEMALE--	3	4	7	14	9	5	7	3	1	-	1	-
ALL OTHER--MALE----	1	1	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	8	5	14	12	22	20	11	14	3	-	-	-
WHITE-----MALE----	4	1	8	5	15	12	4	7	2	-	-	-
FEMALE--	2	3	5	3	2	6	7	6	1	-	-	-
ALL OTHER--MALE----	1	-	-	3	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	3	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	2	-	1	-	-	-	-
CALIFORNIA -----	59	88	111	142	179	153	119	77	20	5	1	-
WHITE-----MALE----	34	48	70	82	93	92	57	35	5	3	-	-
FEMALE--	19	28	31	45	68	55	47	36	11	2	1	-
ALL OTHER--MALE----	4	9	5	10	9	5	5	2	1	-	-	-
FEMALE--	2	3	5	5	9	1	10	4	3	-	-	-
BLACK---MALE----	1	5	3	5	4	2	3	-	1	-	-	-
FEMALE--	2	3	3	5	7	1	7	4	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 830  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
COLORADO -----	133	-	-	-	-	-	-	-	-	-	4	4
WHITE-----MALE----	81	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	140	-	-	-	-	-	-	-	1	3	-	3
WHITE-----MALE----	68	-	-	-	-	-	-	-	1	3	-	1
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	27	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	25	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	738	-	-	1	3	-	2	1	3	10	8	23
WHITE-----MALE----	441	-	-	-	-	-	1	-	2	4	5	16
FEMALE--	239	-	-	1	2	-	-	-	1	3	2	5
ALL OTHER--MALE----	37	-	-	-	1	-	1	-	-	2	1	2
FEMALE--	21	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	34	-	-	-	1	-	1	-	-	2	1	2
FEMALE--	21	-	-	-	-	-	-	1	-	1	-	-
GEORGIA -----	234	-	1	-	-	-	-	2	-	2	9	15
WHITE-----MALE----	118	-	-	-	-	-	-	-	-	-	6	4
FEMALE--	76	-	1	-	-	-	-	-	-	2	1	5
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	20	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 830  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
COLORADO -----	4	12	11	19	20	29	19	9	2	-	-	-
WHITE-----MALE----	3	9	7	12	11	18	11	3	-	-	-	-
FEMALE--	1	3	3	7	8	11	8	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	13	20	16	12	21	17	10	8	2	1	-
WHITE-----MALE----	6	11	10	7	4	11	8	3	3	-	-	-
FEMALE--	4	1	9	9	8	10	8	7	5	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	2	8	4	4	-	4	-	-	-	-
WHITE-----MALE----	1	1	1	5	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	2	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	4	2	3	4	1	3	5	2	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	2	1	1	1	1	2	1	1	-	-	-	-
FEMALE--	1	1	2	2	-	-	1	1	-	-	-	-
BLACK---MALE----	2	1	1	1	1	2	1	1	-	-	-	-
FEMALE--	1	1	2	2	-	-	1	1	-	-	-	-
FLORIDA -----	41	47	70	116	107	117	100	69	14	5	1	-
WHITE-----MALE----	26	28	50	75	66	73	50	38	5	1	1	-
FEMALE--	9	13	13	33	34	35	47	30	8	3	-	-
ALL OTHER--MALE----	5	5	6	6	2	5	1	-	-	-	-	-
FEMALE--	1	1	1	2	5	4	2	1	1	1	-	-
BLACK---MALE----	4	5	5	6	2	4	1	-	-	-	-	-
FEMALE--	1	1	1	2	5	4	2	1	1	1	-	-
GEORGIA -----	13	20	34	28	30	32	25	15	6	1	1	-
WHITE-----MALE----	7	14	17	18	15	17	12	6	1	1	-	-
FEMALE--	2	6	8	6	12	11	11	6	4	-	1	-
ALL OTHER--MALE----	2	-	6	3	1	1	1	1	1	-	-	-
FEMALE--	2	-	3	1	2	3	1	2	-	-	-	-
BLACK---MALE----	2	-	6	3	-	1	1	1	1	-	-	-
FEMALE--	2	-	3	1	2	3	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 831  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
HAWAII -----	30	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	39	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	546	-	1	-	-	-	1	2	2	5	6	23
WHITE-----MALE----	270	-	-	-	-	-	-	1	1	3	3	12
FEMALE--	210	-	1	-	-	-	-	-	1	2	3	7
ALL OTHER--MALE----	43	-	-	-	-	-	1	1	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	42	-	-	-	-	-	1	1	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2
INDIANA -----	310	-	-	-	-	-	1	-	3	1	6	8
WHITE-----MALE----	169	-	-	-	-	-	-	-	2	1	3	4
FEMALE--	129	-	-	-	-	-	1	-	1	-	2	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
IOWA -----	145	-	-	-	-	-	1	-	1	1	-	8
WHITE-----MALE----	80	-	-	-	-	-	-	-	1	-	-	5
FEMALE--	64	-	-	-	-	-	1	-	-	1	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	139	-	-	-	1	-	-	1	-	2	1	7
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	50	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 831  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
HAWAII -----	2	3	3	3	5	5	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	3	1	3	-	1	2	-	-	-	-
FEMALE--	1	-	-	1	1	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	6	4	5	3	12	-	2	-	-	-
WHITE-----MALE----	2	3	4	3	1	1	8	-	-	-	-	-
FEMALE--	-	-	1	1	4	2	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	33	50	68	65	97	85	58	37	12	1	-	-
WHITE-----MALE----	19	19	35	32	53	48	29	13	2	-	-	-
FEMALE--	10	25	20	26	35	27	23	20	9	1	-	-
ALL OTHER--MALE----	3	6	8	5	6	5	4	2	-	-	-	-
FEMALE--	1	-	5	2	3	5	2	2	1	-	-	-
BLACK---MALE----	3	6	8	5	6	4	4	2	-	-	-	-
FEMALE--	1	-	5	2	3	5	2	2	1	-	-	-
INDIANA -----	27	23	38	43	49	52	28	15	14	2	-	-
WHITE-----MALE----	17	11	23	30	27	28	9	6	8	-	-	-
FEMALE--	7	12	13	11	21	23	18	9	6	2	-	-
ALL OTHER--MALE----	2	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
IOWA -----	8	7	10	19	25	23	15	20	6	1	-	-
WHITE-----MALE----	6	3	7	14	13	10	8	7	5	1	-	-
FEMALE--	2	4	3	5	12	13	7	12	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	9	10	9	26	29	17	8	9	7	3	-	-
WHITE-----MALE----	4	6	9	15	15	6	5	5	3	2	-	-
FEMALE--	4	3	-	9	10	11	3	3	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	2	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 832  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
KENTUCKY -----	182	-	1	-	-	-	-	-	-	3	4	9
WHITE-----MALE----	96	-	-	-	-	-	-	-	-	3	2	5
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	1	-
LOUISIANA -----	203	-	-	-	-	1	-	2	-	2	3	8
WHITE-----MALE----	97	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	57	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	27	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	1	-	1	-	2
BLACK---MALE----	27	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	1	-	1	-	2
MAINE -----	84	-	1	-	-	1	-	-	1	1	1	5
WHITE-----MALE----	51	-	-	-	-	1	-	-	-	1	-	3
FEMALE--	33	-	1	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	199	1	-	-	-	1	-	-	-	1	4	8
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	68	1	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	2
MASSACHUSETTS -----	280	-	2	-	1	-	-	-	1	3	2	13
WHITE-----MALE----	164	-	-	-	-	-	-	-	1	2	2	9
FEMALE--	106	-	1	-	1	-	-	-	-	-	-	4
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	447	-	1	1	-	-	-	1	-	7	11	14
WHITE-----MALE----	253	-	-	-	-	-	-	1	-	1	5	11
FEMALE--	141	-	1	1	-	-	-	-	-	3	5	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 832  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
KENTUCKY -----	11	15	20	28	28	26	21	16	-	-	-	-
WHITE-----MALE----	8	10	15	12	14	15	8	4	-	-	-	-
FEMALE--	3	3	3	10	11	10	13	10	-	-	-	-
ALL OTHER--MALE----	-	1	1	4	2	-	-	2	-	-	-	-
FEMALE--	-	1	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	4	2	-	-	2	-	-	-	-
FEMALE--	-	1	1	2	1	-	-	-	-	-	-	-
LOUISIANA -----	17	16	28	22	36	37	13	7	7	3	1	-
WHITE-----MALE----	8	7	14	13	20	19	4	2	1	1	-	-
FEMALE--	6	3	7	4	9	12	5	4	4	1	-	-
ALL OTHER--MALE----	2	4	2	4	7	4	1	1	-	-	-	-
FEMALE--	1	2	5	1	-	2	3	-	2	1	1	-
BLACK---MALE----	2	4	2	4	7	4	1	1	-	-	-	-
FEMALE--	1	2	5	1	-	2	3	-	2	1	-	-
MAINE -----	6	7	7	9	12	16	11	4	1	1	-	-
WHITE-----MALE----	2	5	5	5	8	10	7	3	-	1	-	-
FEMALE--	4	2	2	4	4	6	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	17	16	26	30	36	21	13	8	2	-	-
WHITE-----MALE----	9	10	9	13	16	15	10	5	1	-	-	-
FEMALE--	1	4	3	10	9	16	8	6	5	2	-	-
ALL OTHER--MALE----	4	3	2	3	1	3	1	1	1	-	-	-
FEMALE--	1	-	2	-	4	2	2	1	1	-	-	-
BLACK---MALE----	4	3	2	3	1	3	1	1	1	-	-	-
FEMALE--	1	-	2	-	4	2	2	-	1	-	-	-
MASSACHUSETTS -----	19	21	27	28	38	53	37	24	9	2	-	-
WHITE-----MALE----	14	11	19	14	23	35	13	14	6	1	-	-
FEMALE--	4	9	7	12	14	18	22	10	3	1	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
MICHIGAN -----	20	46	60	59	79	50	65	22	11	-	-	-
WHITE-----MALE----	11	29	37	35	47	32	32	7	5	-	-	-
FEMALE--	6	9	15	14	25	14	32	9	6	-	-	-
ALL OTHER--MALE----	3	6	6	2	4	2	-	3	-	-	-	-
FEMALE--	-	2	2	8	3	2	1	3	-	-	-	-
BLACK---MALE----	3	6	5	2	4	2	-	3	-	-	-	-
FEMALE--	-	1	1	8	3	2	-	2	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 835  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
OHIO -----	564	-	-	1	-	1	-	-	1	9	15	26
WHITE-----MALE----	307	-	-	-	-	-	-	-	1	3	11	18
FEMALE--	200	-	-	1	-	1	-	-	-	1	3	8
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	5	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	5	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	186	-	-	2	-	-	-	-	-	3	5	8
WHITE-----MALE----	99	-	-	-	-	-	-	-	-	-	4	6
FEMALE--	72	-	-	1	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	13	-	-	1	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	159	-	-	1	-	-	-	-	-	2	2	7
WHITE-----MALE----	93	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	57	-	-	1	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	620	-	1	-	-	-	-	-	2	2	10	21
WHITE-----MALE----	323	-	-	-	-	-	-	-	1	-	8	13
FEMALE--	255	-	1	-	-	-	-	-	1	2	2	6
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	60	-	1	-	-	-	-	-	1	2	1	2
WHITE-----MALE----	32	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	185	-	1	-	1	1	-	1	2	2	4	6
WHITE-----MALE----	88	-	-	-	-	-	-	1	1	1	2	3
FEMALE--	50	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	30	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	17	-	1	-	-	-	-	-	1	1	1	-
BLACK---MALE----	30	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	16	-	1	-	-	-	-	-	1	1	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 835  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
OHIO -----	35	50	56	77	83	82	72	42	11	2	1	-
WHITE-----MALE----	21	30	33	43	49	42	35	17	4	-	-	-
FEMALE--	11	8	16	25	27	32	35	22	7	2	1	-
ALL OTHER--MALE----	-	9	5	2	4	5	1	-	-	-	-	-
FEMALE--	3	3	2	7	3	3	1	3	-	-	-	-
BLACK---MALE----	-	9	4	2	4	5	1	-	-	-	-	-
FEMALE--	3	3	2	7	3	3	1	3	-	-	-	-
OKLAHOMA -----	12	16	18	21	23	25	28	18	5	2	-	-
WHITE-----MALE----	7	9	11	12	14	11	13	10	1	1	-	-
FEMALE--	4	6	5	9	8	13	12	7	4	-	-	-
ALL OTHER--MALE----	1	1	2	-	1	-	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	9	14	18	22	22	22	19	12	7	2	-	-
WHITE-----MALE----	7	7	10	14	13	12	10	5	5	1	-	-
FEMALE--	2	6	6	6	9	8	8	6	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	38	32	57	90	97	108	87	47	24	3	1	-
WHITE-----MALE----	24	15	28	56	50	66	40	14	6	2	-	-
FEMALE--	8	11	24	29	40	38	44	32	17	-	-	-
ALL OTHER--MALE----	3	5	3	2	3	2	-	-	1	1	-	-
FEMALE--	3	1	2	3	4	2	3	1	-	-	1	-
BLACK---MALE----	3	5	2	2	3	2	-	-	1	1	-	-
FEMALE--	3	1	2	3	4	2	3	1	-	-	1	-
RHODE ISLAND -----	3	1	8	10	10	12	6	2	1	-	-	-
WHITE-----MALE----	3	-	5	6	7	5	2	1	-	-	-	-
FEMALE--	-	1	3	3	3	7	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	18	20	20	33	28	20	15	4	-	-	-
WHITE-----MALE----	6	8	8	9	19	16	9	4	1	-	-	-
FEMALE--	-	4	9	6	8	8	5	6	2	-	-	-
ALL OTHER--MALE----	3	5	3	3	4	3	3	2	-	-	-	-
FEMALE--	-	1	-	2	2	1	3	3	1	-	-	-
BLACK---MALE----	3	5	3	3	4	3	3	2	-	-	-	-
FEMALE--	-	1	-	2	1	1	3	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 836

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
SOUTH DAKOTA -----	38	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	250	-	-	1	2	-	-	2	1	4	11	10
WHITE-----MALE----	137	-	-	1	-	-	-	2	1	2	5	7
FEMALE--	82	-	-	-	2	-	-	-	-	1	5	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	1
TEXAS -----	730	-	3	-	1	-	2	2	5	5	21	39
WHITE-----MALE----	382	-	1	-	1	-	1	1	-	4	10	28
FEMALE--	274	-	2	-	-	-	-	-	4	1	7	7
ALL OTHER--MALE----	41	-	-	-	-	-	1	1	-	-	3	1
FEMALE--	33	-	-	-	-	-	-	-	1	-	1	3
BLACK---MALE----	40	-	-	-	-	-	1	1	-	-	3	1
FEMALE--	30	-	-	-	-	-	-	-	1	-	1	3
UTAH -----	41	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	35	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	271	-	-	-	-	-	-	-	2	2	6	11
WHITE-----MALE----	135	-	-	-	-	-	-	-	-	2	3	9
FEMALE--	86	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	1	-	3	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 836  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)												
SOUTH DAKOTA -----	2	5	1	7	4	9	3	2	2	1	-	-
WHITE-----MALE----	1	4	-	4	2	4	2	1	2	-	-	-
FEMALE--	1	1	-	2	2	4	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	15	34	39	28	40	24	21	5	1	1	-
WHITE-----MALE----	8	9	19	30	13	21	9	6	3	-	1	-
FEMALE--	2	2	9	6	13	15	12	11	1	1	-	-
ALL OTHER--MALE----	1	4	5	1	1	3	1	3	1	-	-	-
FEMALE--	-	-	1	2	1	1	2	1	-	-	-	-
BLACK---MALE----	1	4	5	1	1	3	1	3	1	-	-	-
FEMALE--	-	-	1	2	1	2	1	1	-	-	-	-
TEXAS -----	53	56	85	81	113	114	79	49	17	4	1	-
WHITE-----MALE----	36	27	53	46	58	60	31	15	9	1	-	-
FEMALE--	11	23	24	28	46	40	41	31	6	2	1	-
ALL OTHER--MALE----	3	4	7	4	4	6	5	2	-	-	-	-
FEMALE--	3	2	1	3	5	8	2	1	2	1	-	-
BLACK---MALE----	3	3	7	4	4	6	5	2	-	-	-	-
FEMALE--	2	1	1	3	5	7	2	1	2	1	-	-
UTAH -----	2	4	2	5	7	7	4	6	-	-	-	-
WHITE-----MALE----	1	3	1	3	4	4	2	3	-	-	-	-
FEMALE--	1	-	1	2	3	2	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	6	4	3	7	4	3	2	2	-	-
WHITE-----MALE----	1	-	5	3	1	6	2	2	1	-	-	-
FEMALE--	1	1	1	1	2	1	2	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	25	36	35	45	40	28	20	10	1	-	-
WHITE-----MALE----	6	14	18	20	20	17	17	5	3	1	-	-
FEMALE--	4	8	11	12	18	13	4	9	5	-	-	-
ALL OTHER--MALE----	-	2	5	1	5	7	3	3	-	-	-	-
FEMALE--	-	1	2	2	2	3	4	3	2	-	-	-
BLACK---MALE----	-	2	4	1	5	6	3	2	-	-	-	-
FEMALE--	-	1	2	2	2	3	4	3	2	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 838  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
0 UNITED STATES --	51,676	32	235	229	153	129	181	277	534	918	1,300	2,046
WHITE-----MALE----	23,358	16	116	95	77	62	97	139	248	420	593	984
FEMALE--	22,110	11	70	80	49	37	45	94	187	335	474	719
ALL OTHER--MALE----	3,231	1	26	23	15	16	27	28	59	100	127	201
FEMALE--	2,977	4	23	31	12	14	12	16	40	63	106	142
BLACK---MALE----	2,803	1	22	18	12	14	25	23	48	92	112	177
FEMALE--	2,600	4	17	26	10	11	12	13	28	53	91	119
ALABAMA -----	1,376	-	1	4	2	4	4	8	13	20	36	48
WHITE-----MALE----	555	-	1	2	2	3	1	3	7	7	17	27
FEMALE--	521	-	-	1	-	1	1	3	3	6	9	7
ALL OTHER--MALE----	167	-	-	1	-	-	1	2	1	6	8	9
FEMALE--	133	-	-	-	-	-	1	-	2	1	2	5
BLACK---MALE----	165	-	-	1	-	-	1	2	1	6	8	8
FEMALE--	132	-	-	-	-	-	1	-	2	1	2	5
ALASKA -----	57	-	1	1	-	-	-	-	1	1	3	5
WHITE-----MALE----	31	-	1	-	-	-	-	-	-	1	1	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	852	1	4	3	3	3	6	5	14	13	15	23
WHITE-----MALE----	432	1	2	2	2	3	4	3	6	4	6	12
FEMALE--	373	-	1	1	-	-	2	-	6	8	7	8
ALL OTHER--MALE----	24	-	1	-	-	-	-	2	2	-	-	2
FEMALE--	23	-	-	-	1	-	-	-	-	1	2	1
BLACK---MALE----	13	-	1	-	-	-	-	2	2	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
ARKANSAS -----	498	1	5	2	2	4	1	2	9	11	14	21
WHITE-----MALE----	230	-	3	1	2	2	1	-	4	7	7	8
FEMALE--	205	-	1	-	-	1	-	1	3	2	4	5
ALL OTHER--MALE----	32	-	1	1	-	1	-	-	-	1	2	5
FEMALE--	31	1	-	-	-	-	-	1	2	1	1	3
BLACK---MALE----	31	-	1	1	-	1	-	-	-	1	2	5
FEMALE--	31	1	-	-	-	-	-	1	2	1	1	3
CALIFORNIA -----	4,820	3	27	26	19	17	22	30	64	92	140	189
WHITE-----MALE----	2,199	-	17	8	8	6	10	20	31	43	65	84
FEMALE--	2,033	3	8	15	8	6	10	6	20	36	50	72
ALL OTHER--MALE----	313	-	2	1	1	1	2	2	6	3	11	17
FEMALE--	275	-	-	2	2	4	-	2	7	10	14	16
BLACK---MALE----	168	-	-	-	1	1	1	-	4	1	7	9
FEMALE--	149	-	-	-	1	2	-	1	1	5	9	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 838  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
0 UNITED STATES --	2,713	3,554	4,793	6,766	7,982	7,377	6,258	3,983	1,694	460	61	1
WHITE-----MALE----	1,326	1,767	2,392	3,359	3,864	3,346	2,541	1,329	470	104	13	-
FEMALE--	967	1,231	1,762	2,628	3,237	3,340	3,102	2,314	1,073	317	38	-
ALL OTHER--MALE----	244	329	351	448	457	334	252	132	45	14	1	1
FEMALE--	176	227	288	331	424	357	363	208	106	25	9	-
BLACK---MALE----	212	282	308	391	401	293	211	113	36	11	-	1
FEMALE--	150	201	241	298	380	321	313	185	95	24	8	-
ALABAMA -----	75	128	141	184	204	205	156	93	36	14	-	-
WHITE-----MALE----	28	52	61	84	96	77	51	24	7	5	-	-
FEMALE--	29	50	46	57	75	93	66	50	19	5	-	-
ALL OTHER--MALE----	14	14	20	23	18	14	24	8	3	1	-	-
FEMALE--	4	12	14	20	15	21	15	11	7	3	-	-
BLACK---MALE----	13	14	20	23	18	14	24	8	3	1	-	-
FEMALE--	4	11	14	20	15	21	15	11	7	3	-	-
ALASKA -----	4	2	6	6	11	7	6	2	1	-	-	-
WHITE-----MALE----	3	2	6	1	5	3	3	1	1	-	-	-
FEMALE--	-	-	-	4	5	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	47	45	83	126	124	124	117	59	27	7	3	-
WHITE-----MALE----	25	20	46	74	65	67	55	21	10	4	-	-
FEMALE--	19	25	35	45	49	51	60	37	15	2	2	-
ALL OTHER--MALE----	1	-	-	5	6	3	-	-	-	1	1	-
FEMALE--	2	-	2	2	4	3	2	1	2	-	-	-
BLACK---MALE----	1	-	-	2	2	3	-	-	-	-	-	-
FEMALE--	2	-	1	1	1	-	-	-	-	-	-	-
ARKANSAS -----	23	34	43	74	74	80	52	29	15	1	1	-
WHITE-----MALE----	16	20	22	37	35	40	17	8	-	-	-	-
FEMALE--	5	12	17	29	34	34	27	17	11	1	1	-
ALL OTHER--MALE----	1	2	2	2	1	3	5	3	2	-	-	-
FEMALE--	1	-	2	6	4	3	3	1	2	-	-	-
BLACK---MALE----	1	2	1	2	1	3	5	3	2	-	-	-
FEMALE--	1	-	2	6	4	3	3	1	2	-	-	-
CALIFORNIA -----	263	339	466	602	750	684	602	313	136	33	3	-
WHITE-----MALE----	126	169	228	297	383	298	242	115	41	8	-	-
FEMALE--	90	113	166	243	296	312	299	173	85	21	1	-
ALL OTHER--MALE----	24	35	34	41	37	45	31	14	6	-	-	-
FEMALE--	23	22	38	21	34	29	30	11	4	4	2	-
BLACK---MALE----	13	16	18	29	22	25	14	6	1	-	-	-
FEMALE--	14	14	19	13	16	20	12	7	2	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 839  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
COLORADO -----	643	2	4	4	3	1	1	2	6	9	24	40
WHITE-----MALE----	305	1	3	4	2	-	1	1	2	5	13	20
FEMALE--	303	1	1	-	1	1	-	1	3	4	9	17
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	714	-	2	1	2	-	2	2	5	8	12	28
WHITE-----MALE----	344	-	2	1	1	-	-	1	-	4	7	14
FEMALE--	338	-	-	-	1	-	-	1	5	4	5	11
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	145	-	-	-	-	-	-	1	1	2	2	6
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	68	-	-	-	-	-	-	1	1	2	2	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	137	-	-	-	1	-	-	1	-	-	3	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	54	-	-	-	1	-	-	1	-	-	2	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	54	-	-	-	1	-	-	1	-	-	2	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	3,116	5	7	10	8	4	8	15	24	46	73	114
WHITE-----MALE----	1,492	5	3	4	2	1	3	8	12	21	34	51
FEMALE--	1,349	-	1	2	4	1	1	6	7	12	29	49
ALL OTHER--MALE----	159	-	2	-	2	2	3	1	4	11	6	10
FEMALE--	116	-	1	4	-	-	1	-	1	2	4	4
BLACK---MALE----	159	-	2	-	2	2	3	1	4	11	6	10
FEMALE--	110	-	1	4	-	-	1	-	1	2	3	3
GEORGIA -----	1,458	2	7	9	3	4	7	6	17	32	39	70
WHITE-----MALE----	559	2	1	5	3	2	1	3	5	14	12	27
FEMALE--	537	-	1	2	-	-	3	1	7	9	15	20
ALL OTHER--MALE----	179	-	2	-	-	-	3	1	4	5	5	11
FEMALE--	183	-	3	2	-	2	-	1	1	4	7	12
BLACK---MALE----	176	-	2	-	-	-	3	1	3	5	5	11
FEMALE--	181	-	3	2	-	2	-	1	1	4	7	12



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 839  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
COLORADO -----	34	42	72	90	95	88	57	39	19	11	-	-
WHITE-----MALE----	18	21	43	43	46	41	19	15	6	1	-	-
FEMALE--	15	17	29	42	41	43	34	22	13	9	-	-
ALL OTHER--MALE----	1	2	-	3	3	1	2	-	-	-	-	-
FEMALE--	-	2	-	2	5	3	2	2	-	1	-	-
BLACK---MALE----	-	2	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	2	-	2	3	1	2	2	-	1	-	-
CONNECTICUT -----	46	42	46	88	106	112	80	79	36	16	1	-
WHITE-----MALE----	22	26	22	52	57	52	36	37	9	1	-	-
FEMALE--	22	14	19	30	44	58	42	41	27	13	1	-
ALL OTHER--MALE----	-	1	3	3	4	1	-	-	-	-	-	-
FEMALE--	2	1	2	3	1	1	2	1	-	2	-	-
BLACK---MALE----	-	1	3	3	3	1	-	-	-	-	-	-
FEMALE--	2	1	2	3	1	1	2	1	-	2	-	-
DELAWARE -----	9	7	9	24	25	28	14	12	5	-	-	-
WHITE-----MALE----	4	2	5	9	13	13	5	3	1	-	-	-
FEMALE--	5	4	3	12	8	13	8	6	3	-	-	-
ALL OTHER--MALE----	-	1	1	2	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	1	-	-	-
BLACK---MALE----	-	1	1	2	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	1	-	-	-
DISTRICT OF COLUMBIA -----	9	11	10	19	27	16	23	7	7	1	-	-
WHITE-----MALE----	2	2	4	5	2	4	1	-	2	-	-	-
FEMALE--	1	-	-	1	1	1	3	4	1	1	-	-
ALL OTHER--MALE----	4	4	3	6	14	5	10	1	1	-	-	-
FEMALE--	2	5	3	7	10	6	9	2	3	-	-	-
BLACK---MALE----	4	4	3	6	14	5	10	1	1	-	-	-
FEMALE--	2	5	3	7	10	6	9	2	3	-	-	-
FLORIDA -----	142	200	268	402	497	484	402	262	106	30	9	-
WHITE-----MALE----	58	104	138	200	278	235	185	109	27	13	1	-
FEMALE--	60	66	94	172	191	220	194	141	77	15	7	-
ALL OTHER--MALE----	16	15	24	17	16	16	8	4	2	-	-	-
FEMALE--	8	15	12	13	12	13	15	8	-	2	1	-
BLACK---MALE----	16	15	24	17	16	16	8	4	2	-	-	-
FEMALE--	7	14	12	12	12	13	15	7	-	2	1	-
GEORGIA -----	105	115	131	209	195	197	145	114	37	14	-	-
WHITE-----MALE----	47	48	61	89	69	81	50	31	5	3	-	-
FEMALE--	29	25	40	76	83	77	59	61	22	7	-	-
ALL OTHER--MALE----	18	28	14	23	19	19	14	10	3	-	-	-
FEMALE--	11	14	16	21	24	20	22	12	7	4	-	-
BLACK---MALE----	18	28	14	23	18	19	13	10	3	-	-	-
FEMALE--	10	14	16	21	24	19	22	12	7	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 840  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
HAWAII -----	176	-	1	2	1	-	-	2	4	3	9	4
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	68	-	1	-	1	-	-	1	3	1	2	1
FEMALE--	54	-	-	2	-	-	-	1	1	1	2	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	206	-	-	2	-	-	2	2	5	4	10	6
WHITE-----MALE----	112	-	-	2	-	-	1	2	4	1	2	2
FEMALE--	94	-	-	-	-	-	1	-	1	3	8	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,340	1	10	8	9	6	9	15	17	38	54	87
WHITE-----MALE----	1,022	1	4	3	2	-	7	5	9	12	29	43
FEMALE--	986	-	2	4	4	4	1	5	4	12	13	28
ALL OTHER--MALE----	176	-	2	-	3	1	1	3	3	10	9	6
FEMALE--	156	-	2	1	-	1	-	2	1	4	3	10
BLACK---MALE----	162	-	2	-	1	1	1	3	2	8	9	6
FEMALE--	150	-	1	1	-	1	-	2	1	4	3	10
INDIANA -----	1,178	2	9	4	3	3	3	6	11	19	19	47
WHITE-----MALE----	563	-	4	1	2	3	-	2	7	7	6	22
FEMALE--	531	2	3	1	1	-	1	4	4	10	13	19
ALL OTHER--MALE----	42	-	1	1	-	-	2	-	-	1	-	3
FEMALE--	42	-	1	1	-	-	-	-	-	1	-	3
BLACK---MALE----	42	-	1	1	-	-	2	-	-	1	-	3
FEMALE--	41	-	1	1	-	-	-	-	-	1	-	3
IOWA -----	491	1	2	2	-	1	3	1	10	3	12	10
WHITE-----MALE----	256	-	2	-	-	1	2	-	6	-	10	7
FEMALE--	225	1	-	2	-	-	-	1	4	3	2	3
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	516	1	2	2	3	1	3	1	2	11	12	19
WHITE-----MALE----	238	1	1	-	2	-	2	1	1	6	9	9
FEMALE--	248	-	-	2	1	1	1	-	1	4	3	10
ALL OTHER--MALE----	18	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	17	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 840  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
HAWAII -----	11	12	18	29	20	17	21	10	9	3	-	-
WHITE-----MALE----	4	-	2	8	5	4	2	1	3	-	-	-
FEMALE--	2	2	1	2	2	2	4	2	-	1	-	-
ALL OTHER--MALE----	3	9	7	13	7	5	6	4	2	2	-	-
FEMALE--	2	1	8	6	6	6	9	3	4	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	11	17	14	29	29	27	18	17	12	1	-	-
WHITE-----MALE----	8	11	10	16	16	16	9	9	2	1	-	-
FEMALE--	3	6	4	13	13	11	9	8	10	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	99	168	228	299	366	337	307	188	70	21	3	-
WHITE-----MALE----	48	85	119	137	166	151	123	60	14	3	1	-
FEMALE--	39	50	78	113	151	144	154	112	51	17	-	-
ALL OTHER--MALE----	9	20	18	31	21	23	8	6	1	1	-	-
FEMALE--	3	13	13	18	28	19	22	10	4	-	2	-
BLACK---MALE----	9	17	17	29	19	22	8	6	1	1	-	-
FEMALE--	2	13	13	17	28	19	21	8	4	-	2	-
INDIANA -----	65	98	95	185	181	149	149	85	37	7	1	-
WHITE-----MALE----	39	66	46	98	90	65	61	31	9	3	1	-
FEMALE--	22	28	39	76	78	72	79	49	26	4	-	-
ALL OTHER--MALE----	2	2	5	5	7	6	3	4	-	-	-	-
FEMALE--	2	2	5	6	6	6	1	2	-	-	-	-
BLACK---MALE----	2	2	5	5	7	6	3	4	-	-	-	-
FEMALE--	2	2	5	6	6	5	6	1	2	-	-	-
IOWA -----	15	28	48	64	78	78	57	48	26	3	1	-
WHITE-----MALE----	10	21	29	28	42	40	33	18	7	-	-	-
FEMALE--	5	7	17	34	32	38	24	29	19	3	1	-
ALL OTHER--MALE----	-	-	2	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
KANSAS -----	27	27	42	57	79	66	65	57	27	11	1	-
WHITE-----MALE----	14	13	23	32	35	31	30	20	7	-	1	-
FEMALE--	12	13	18	20	39	30	30	35	18	10	-	-
ALL OTHER--MALE----	1	-	-	2	3	4	4	1	1	1	-	-
FEMALE--	-	1	1	3	2	1	1	1	1	-	-	-
BLACK---MALE----	1	-	-	2	3	4	3	1	1	1	-	-
FEMALE--	-	1	1	3	2	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 841  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
KENTUCKY -----	783	-	4	3	-	-	2	7	10	11	16	41
WHITE-----MALE----	363	-	2	2	-	-	1	5	5	6	10	23
FEMALE--	364	-	2	1	-	-	1	2	4	5	5	15
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	31	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
LOUISIANA -----	949	-	7	4	2	3	3	4	11	13	25	44
WHITE-----MALE----	361	-	2	2	-	-	-	2	5	4	10	14
FEMALE--	304	-	2	1	-	-	1	-	2	4	4	13
ALL OTHER--MALE----	149	-	2	-	2	3	1	2	2	4	3	9
FEMALE--	135	-	1	1	-	-	1	-	2	1	8	8
BLACK---MALE----	147	-	2	-	2	3	1	2	2	4	3	9
FEMALE--	134	-	1	1	-	-	1	-	2	1	8	8
MAINE -----	305	-	3	4	1	1	-	2	3	3	5	8
WHITE-----MALE----	143	-	2	3	-	1	-	1	-	3	3	5
FEMALE--	161	-	1	1	1	-	-	1	3	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,033	-	7	5	-	4	4	7	10	16	33	54
WHITE-----MALE----	411	-	2	2	-	1	1	2	5	9	11	22
FEMALE--	369	-	1	-	-	1	-	2	4	4	7	15
ALL OTHER--MALE----	129	-	1	1	-	-	3	-	1	2	10	9
FEMALE--	124	-	3	2	-	2	-	3	-	1	5	8
BLACK---MALE----	124	-	1	1	-	-	3	-	1	2	10	8
FEMALE--	118	-	3	2	-	2	-	2	-	1	5	6
MASSACHUSETTS -----	1,500	-	9	3	4	3	3	7	13	25	32	57
WHITE-----MALE----	721	-	6	2	3	3	2	3	8	13	15	27
FEMALE--	697	-	2	1	1	-	1	4	4	7	14	21
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	3	2	5
FEMALE--	37	-	1	-	-	-	-	-	1	2	1	4
BLACK---MALE----	28	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	28	-	1	-	-	-	-	-	1	2	1	3
MICHIGAN -----	1,779	1	12	8	1	4	5	15	18	40	49	85
WHITE-----MALE----	796	1	5	2	-	2	1	11	6	21	16	44
FEMALE--	759	-	2	4	1	2	3	4	9	16	27	22
ALL OTHER--MALE----	114	-	3	2	-	-	-	-	2	3	3	12
FEMALE--	110	-	2	-	-	-	1	-	1	-	3	7
BLACK---MALE----	106	-	3	2	-	-	-	-	1	3	2	12
FEMALE--	105	-	-	-	-	-	1	-	1	-	3	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 841  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
KENTUCKY -----	51	60	81	96	121	101	88	69	15	6	1	-
WHITE-----MALE----	26	29	41	51	66	48	31	12	5	-	-	-
FEMALE--	21	23	35	40	48	48	50	49	8	6	1	-
ALL OTHER--MALE----	3	6	2	3	4	4	4	2	2	-	-	-
FEMALE--	1	2	3	2	3	1	3	6	-	-	-	-
BLACK---MALE----	3	5	2	3	4	4	4	2	1	-	-	-
FEMALE--	1	2	3	2	3	1	3	6	-	-	-	-
LOUISIANA -----	43	76	90	134	150	116	121	74	24	4	1	-
WHITE-----MALE----	19	34	37	52	59	50	40	22	7	2	-	-
FEMALE--	12	23	26	42	47	39	43	33	10	2	-	-
ALL OTHER--MALE----	9	10	17	24	21	11	15	13	1	-	-	-
FEMALE--	3	9	10	16	23	16	23	6	6	-	1	-
BLACK---MALE----	9	10	17	22	21	11	15	13	1	-	-	-
FEMALE--	2	9	10	16	23	16	23	6	6	-	1	-
MAINE -----	10	15	20	41	46	52	46	30	14	1	-	-
WHITE-----MALE----	6	7	10	13	26	32	17	11	3	-	-	-
FEMALE--	4	8	10	28	20	20	28	19	11	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	57	79	96	135	152	149	116	71	31	7	-	-
WHITE-----MALE----	20	43	35	62	59	70	39	18	9	1	-	-
FEMALE--	17	18	33	44	49	53	61	37	18	5	-	-
ALL OTHER--MALE----	9	13	17	17	18	12	7	7	1	1	-	-
FEMALE--	11	5	11	12	26	14	9	9	3	-	-	-
BLACK---MALE----	9	13	17	16	17	11	7	6	1	1	-	-
FEMALE--	10	5	10	12	25	14	9	9	3	-	-	-
MASSACHUSETTS -----	78	93	122	190	212	247	173	128	76	22	3	-
WHITE-----MALE----	37	51	65	104	120	121	72	44	20	5	-	-
FEMALE--	34	39	50	79	83	118	89	77	53	17	3	-
ALL OTHER--MALE----	4	1	4	6	8	2	7	2	1	-	-	-
FEMALE--	3	2	3	1	1	6	5	5	2	-	-	-
BLACK---MALE----	1	1	2	4	6	2	5	-	1	-	-	-
FEMALE--	1	1	2	1	1	5	4	3	2	-	-	-
MICHIGAN -----	97	131	157	240	286	253	195	110	54	14	4	-
WHITE-----MALE----	50	62	81	122	141	100	85	31	12	3	-	-
FEMALE--	31	50	55	84	109	128	92	69	38	9	4	-
ALL OTHER--MALE----	9	9	9	23	18	11	7	3	-	-	-	-
FEMALE--	7	10	12	11	18	14	11	7	4	2	-	-
BLACK---MALE----	9	9	8	21	16	11	6	3	-	-	-	-
FEMALE--	7	9	12	10	17	14	11	7	4	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 842  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
MINNESOTA -----	885	-	2	4	2	2	2	5	10	13	22	27
WHITE-----MALE----	437	-	-	2	2	2	2	-	7	8	13	11
FEMALE--	425	-	2	2	-	-	-	4	2	5	9	14
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	662	-	1	2	1	3	3	-	3	5	26	31
WHITE-----MALE----	237	-	-	-	1	-	1	-	-	2	12	9
FEMALE--	218	-	-	2	-	-	1	-	2	1	3	9
ALL OTHER--MALE----	106	-	-	-	-	2	-	-	1	-	6	6
FEMALE--	101	-	1	-	-	1	1	-	-	2	5	7
BLACK---MALE----	106	-	-	-	-	2	-	-	1	-	6	6
FEMALE--	99	-	1	-	-	1	1	-	-	2	5	7
MISSOURI -----	1,169	-	3	4	2	1	5	11	16	17	25	47
WHITE-----MALE----	563	-	3	3	2	1	3	6	11	8	15	24
FEMALE--	515	-	-	-	-	-	1	5	4	5	7	21
ALL OTHER--MALE----	49	-	-	-	-	-	1	-	1	3	2	2
FEMALE--	42	-	-	1	-	-	-	-	-	1	1	-
BLACK---MALE----	49	-	-	-	-	-	1	-	1	3	2	2
FEMALE--	40	-	-	-	-	-	-	-	-	1	1	-
MONTANA -----	168	-	-	1	1	-	-	2	-	2	3	10
WHITE-----MALE----	83	-	-	-	1	-	-	1	-	1	1	4
FEMALE--	74	-	-	-	-	-	-	1	-	1	2	6
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	329	-	-	6	1	3	3	2	4	13	5	7
WHITE-----MALE----	164	-	-	2	1	1	2	1	2	12	3	4
FEMALE--	155	-	-	4	-	2	-	1	2	1	2	3
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	323	-	1	-	-	1	-	1	3	2	5	18
WHITE-----MALE----	177	-	-	-	-	1	-	1	2	1	3	12
FEMALE--	128	-	1	-	-	-	-	-	-	1	2	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 842

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
MINNESOTA -----	38	55	84	113	125	134	117	90	31	9	-	-
WHITE-----MALE----	25	29	41	65	74	65	44	32	13	2	-	-
FEMALE--	12	24	41	47	44	67	69	58	18	7	-	-
ALL OTHER--MALE----	1	-	-	1	6	1	1	-	-	-	-	-
FEMALE--	-	2	2	-	1	1	3	-	-	-	-	-
BLACK---MALE----	1	-	-	1	3	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	1	1	-	-	-	-	-
MISSISSIPPI -----	47	47	67	93	94	81	70	52	26	7	3	-
WHITE-----MALE----	17	23	29	35	32	30	22	19	5	-	-	-
FEMALE--	13	12	23	31	32	27	26	18	10	5	3	-
ALL OTHER--MALE----	10	4	10	16	18	14	10	6	2	1	-	-
FEMALE--	7	8	5	11	12	10	12	9	9	1	-	-
BLACK---MALE----	10	4	10	16	18	14	10	6	2	1	-	-
FEMALE--	7	6	5	11	12	10	12	9	9	1	-	-
MISSOURI -----	62	81	122	140	180	141	145	109	41	16	1	-
WHITE-----MALE----	33	42	69	73	93	76	62	23	10	5	1	-
FEMALE--	24	29	45	51	75	57	71	79	30	11	-	-
ALL OTHER--MALE----	3	6	6	11	4	3	5	2	-	-	-	-
FEMALE--	2	4	2	5	8	5	7	5	1	-	-	-
BLACK---MALE----	3	6	6	11	4	3	5	2	-	-	-	-
FEMALE--	2	4	2	5	8	5	7	4	1	-	-	-
MONTANA -----	10	7	17	16	30	29	22	14	4	-	-	-
WHITE-----MALE----	7	5	7	8	18	17	7	5	1	-	-	-
FEMALE--	3	2	9	8	11	7	12	9	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	13	23	32	36	44	47	32	31	23	4	-	-
WHITE-----MALE----	8	14	12	21	25	21	16	8	8	3	-	-
FEMALE--	3	8	19	12	18	25	16	23	15	1	-	-
ALL OTHER--MALE----	2	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	32	17	36	62	52	46	30	10	6	1	-	-
WHITE-----MALE----	20	8	19	34	32	24	12	5	3	-	-	-
FEMALE--	9	7	16	26	19	18	15	5	3	1	-	-
ALL OTHER--MALE----	2	1	-	-	-	3	2	-	-	-	-	-
FEMALE--	1	1	1	2	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 844

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
OHIO -----	2,386	2	10	9	8	2	6	15	25	45	54	84
WHITE-----MALE----	1,036	2	2	3	5	2	5	9	13	24	24	40
FEMALE--	1,132	-	7	5	2	-	5	9	17	23	23	36
ALL OTHER--MALE----	109	-	1	1	1	-	1	-	1	1	4	6
FEMALE--	109	-	-	-	-	-	-	1	2	3	3	2
BLACK---MALE----	108	-	1	1	1	-	1	-	1	1	4	6
FEMALE--	107	-	-	-	-	-	-	1	2	3	3	1
OKLAHOMA -----	642	-	3	2	2	4	3	3	7	9	16	29
WHITE-----MALE----	288	-	2	-	1	2	3	1	3	5	7	15
FEMALE--	292	-	1	2	1	1	-	2	1	3	9	12
ALL OTHER--MALE----	33	-	-	-	-	1	-	-	2	-	-	2
FEMALE--	29	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	15	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	694	-	1	2	1	1	2	3	3	7	13	27
WHITE-----MALE----	326	-	1	-	-	-	1	3	2	3	9	17
FEMALE--	345	-	-	2	1	1	1	-	1	3	2	9
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
PENNSYLVANIA -----	3,155	1	6	7	6	9	6	7	19	56	58	98
WHITE-----MALE----	1,496	1	3	4	4	4	4	4	7	19	29	52
FEMALE--	1,408	-	2	3	1	2	1	3	12	29	21	35
ALL OTHER--MALE----	127	-	-	-	-	1	-	-	-	4	3	6
FEMALE--	124	-	1	-	1	2	1	-	-	4	5	5
BLACK---MALE----	122	-	-	-	-	-	-	-	-	4	3	5
FEMALE--	121	-	-	-	1	1	1	-	-	4	5	5
RHODE ISLAND -----	206	-	1	-	1	-	2	1	1	2	5	6
WHITE-----MALE----	85	-	-	-	-	-	1	1	-	-	2	4
FEMALE--	115	-	1	-	1	-	1	-	-	2	3	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	610	-	6	8	5	-	4	4	9	10	15	31
WHITE-----MALE----	242	-	3	2	1	-	2	-	3	1	3	11
FEMALE--	206	-	2	3	-	-	2	2	3	6	5	6
ALL OTHER--MALE----	83	-	-	2	1	-	-	1	3	2	2	10
FEMALE--	79	-	1	1	3	-	2	1	-	1	5	4
BLACK---MALE----	82	-	-	2	1	-	-	1	3	2	2	10
FEMALE--	79	-	1	1	3	-	2	1	-	1	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 844  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
OHIO -----	126	148	215	325	403	324	300	185	86	12	2	-
WHITE-----MALE----	63	69	102	153	174	135	119	59	30	2	1	-
FEMALE--	50	59	88	146	190	169	154	111	51	9	1	-
ALL OTHER--MALE----	6	11	12	18	22	6	8	8	1	1	-	-
FEMALE--	7	9	13	8	17	14	19	7	4	-	-	-
BLACK---MALE----	6	11	12	18	22	6	7	8	1	1	-	-
FEMALE--	7	9	12	8	17	14	19	7	4	-	-	-
OKLAHOMA -----	30	46	59	84	92	92	86	42	17	14	2	-
WHITE-----MALE----	13	26	30	39	45	36	32	18	5	4	1	-
FEMALE--	9	13	23	36	39	48	50	20	11	10	1	-
ALL OTHER--MALE----	4	6	3	3	4	4	2	2	-	-	-	-
FEMALE--	4	1	3	6	4	4	2	2	1	-	-	-
BLACK---MALE----	1	2	-	2	-	4	1	2	-	-	-	-
FEMALE--	3	1	1	5	3	2	1	2	-	-	-	-
OREGON -----	37	52	54	89	125	92	93	59	25	7	1	-
WHITE-----MALE----	20	21	31	44	44	43	50	26	9	1	1	-
FEMALE--	16	25	21	42	76	49	43	31	16	6	-	-
ALL OTHER--MALE----	1	2	-	1	3	-	-	1	-	-	-	-
FEMALE--	-	4	2	2	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	3	-	-	1	-	-	-	-
FEMALE--	-	2	2	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	135	191	274	392	527	504	437	291	98	30	3	-
WHITE-----MALE----	70	106	153	211	272	236	196	89	26	5	1	-
FEMALE--	52	60	93	150	214	227	219	188	69	25	2	-
ALL OTHER--MALE----	4	19	17	15	20	21	9	7	1	-	-	-
FEMALE--	9	6	11	16	21	20	13	7	2	-	-	-
BLACK---MALE----	3	19	15	15	20	21	9	7	1	-	-	-
FEMALE--	9	6	11	16	20	20	13	7	2	-	-	-
RHODE ISLAND -----	9	10	16	23	38	41	22	18	8	1	1	-
WHITE-----MALE----	3	6	6	17	15	17	8	4	1	-	-	-
FEMALE--	6	4	7	6	22	24	13	14	7	1	1	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	24	48	71	93	91	76	74	25	14	2	-	-
WHITE-----MALE----	13	18	33	47	36	31	25	10	3	-	-	-
FEMALE--	8	15	20	28	33	32	25	10	7	1	-	-
ALL OTHER--MALE----	-	10	11	11	12	7	7	2	1	1	-	-
FEMALE--	3	5	7	7	10	6	17	3	3	-	-	-
BLACK---MALE----	-	9	11	11	12	7	7	2	1	1	-	-
FEMALE--	3	5	7	7	10	6	17	3	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 845  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
SOUTH DAKOTA -----	140	-	-	-	-	-	-	-	2	3	4	4
WHITE-----MALE----	60	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	66	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,050	1	5	13	2	2	6	6	15	22	24	44
WHITE-----MALE----	463	-	3	4	-	1	3	4	5	9	15	20
FEMALE--	431	1	1	4	1	1	-	1	6	7	6	16
ALL OTHER--MALE----	82	-	1	-	1	-	3	-	4	3	1	4
FEMALE--	74	-	-	5	-	-	-	1	-	3	2	4
BLACK---MALE----	82	-	1	-	1	-	3	-	4	3	1	4
FEMALE--	72	-	-	5	-	-	-	1	-	2	2	4
TEXAS -----	2,707	3	24	17	21	11	13	23	43	61	87	120
WHITE-----MALE----	1,255	-	11	8	9	7	9	10	26	24	35	62
FEMALE--	1,132	1	9	4	7	3	2	9	10	29	33	45
ALL OTHER--MALE----	162	1	1	2	1	1	1	3	3	6	11	8
FEMALE--	158	1	3	3	4	-	1	1	4	2	8	5
BLACK---MALE----	152	1	1	2	1	1	1	3	3	6	11	7
FEMALE--	147	1	1	3	4	-	1	1	4	2	7	4
UTAH -----	265	-	3	2	-	-	1	1	2	2	10	11
WHITE-----MALE----	144	-	2	1	-	-	1	-	1	1	5	10
FEMALE--	116	-	1	1	-	-	-	-	1	1	5	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	132	-	-	1	2	1	-	-	-	5	3	3
WHITE-----MALE----	64	-	-	-	1	1	-	-	-	5	1	3
FEMALE--	68	-	-	1	1	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,341	1	3	4	5	2	4	8	17	34	40	54
WHITE-----MALE----	569	1	1	1	4	1	2	4	5	16	13	23
FEMALE--	523	-	1	-	1	1	1	1	6	7	18	20
ALL OTHER--MALE----	139	-	-	3	-	-	1	2	3	8	3	8
FEMALE--	110	-	1	-	-	-	-	1	3	3	6	3
BLACK---MALE----	132	-	-	3	-	-	1	2	3	7	3	8
FEMALE--	102	-	1	-	-	-	-	1	3	3	5	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 845

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
SOUTH DAKOTA -----	4	6	10	16	25	20	23	15	7	1	-	-
WHITE-----MALE----	-	5	6	8	12	11	6	6	1	1	-	-
FEMALE--	4	1	2	4	8	9	16	8	6	-	-	-
ALL OTHER--MALE----	-	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	3	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	74	75	112	128	167	124	117	72	28	11	1	1
WHITE-----MALE----	34	38	59	64	81	47	43	23	9	1	-	-
FEMALE--	27	21	39	48	64	61	61	41	15	10	-	-
ALL OTHER--MALE----	9	12	7	8	10	7	8	3	-	-	-	1
FEMALE--	4	4	7	8	12	9	5	5	4	-	1	-
BLACK---MALE----	9	12	7	8	10	7	8	3	-	-	-	1
FEMALE--	4	4	7	8	12	9	5	4	4	-	1	-
TEXAS -----	157	189	257	325	409	362	285	190	93	14	3	-
WHITE-----MALE----	86	97	123	171	207	163	116	58	29	2	2	-
FEMALE--	54	68	101	112	163	165	139	113	54	10	1	-
ALL OTHER--MALE----	11	15	21	25	21	17	8	3	2	1	-	-
FEMALE--	6	9	12	17	18	17	22	16	8	1	-	-
BLACK---MALE----	10	15	19	23	20	15	7	3	2	1	-	-
FEMALE--	6	7	10	17	18	17	20	15	8	1	-	-
UTAH -----	12	18	22	34	44	42	27	19	14	1	-	-
WHITE-----MALE----	6	10	13	17	26	22	14	7	7	1	-	-
FEMALE--	6	7	7	17	17	20	13	12	7	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	8	12	18	21	25	13	11	4	1	1	-
WHITE-----MALE----	1	3	6	10	10	8	8	5	2	-	-	-
FEMALE--	2	5	6	8	11	17	5	6	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	77	92	147	210	211	179	114	102	29	8	-	-
WHITE-----MALE----	38	41	72	96	94	77	50	22	6	2	-	-
FEMALE--	18	33	47	77	81	68	54	65	19	5	-	-
ALL OTHER--MALE----	14	11	19	22	22	15	4	3	-	1	-	-
FEMALE--	7	7	9	15	14	19	6	12	4	-	-	-
BLACK---MALE----	13	11	19	19	20	15	4	3	-	1	-	-
FEMALE--	6	6	8	15	14	19	5	10	4	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 846

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)												
WASHINGTON -----	51	60	79	124	142	156	118	70	26	5	1	-
WHITE-----MALE----	32	34	39	71	75	87	57	32	9	1	-	-
FEMALE--	18	25	36	45	62	65	56	36	15	4	1	-
ALL OTHER--MALE----	1	-	2	5	4	3	1	1	1	-	-	-
FEMALE--	-	1	2	3	1	1	4	1	1	-	-	-
BLACK---MALE----	-	-	-	2	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	1	-	1	-	1	-	-	-
WEST VIRGINIA -----	36	35	58	85	97	75	69	31	19	2	-	-
WHITE-----MALE----	18	22	30	49	51	33	30	8	2	2	-	-
FEMALE--	16	12	26	34	42	38	38	20	17	-	-	-
ALL OTHER--MALE----	2	1	2	-	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	2	-	-	-	-
BLACK---MALE----	2	1	2	-	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	2	-	-	-	-
WISCONSIN -----	52	86	106	133	150	158	130	99	39	13	1	-
WHITE-----MALE----	32	47	61	74	81	81	60	38	14	4	-	-
FEMALE--	14	32	37	55	64	72	70	61	25	9	1	-
ALL OTHER--MALE----	3	3	7	4	3	-	-	-	-	-	-	-
FEMALE--	3	4	1	-	2	5	-	-	-	-	-	-
BLACK---MALE----	2	3	6	3	2	-	-	-	-	-	-	-
FEMALE--	2	3	1	-	2	4	-	-	-	-	-	-
WYOMING -----	5	5	7	6	18	5	10	10	2	1	-	-
WHITE-----MALE----	2	2	3	-	9	1	5	3	-	-	-	-
FEMALE--	3	3	4	6	9	3	4	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 848  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF EYE (190)												
COLORADO -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	3	1	4	7	2	2	5	3	1	-	-
WHITE-----MALE----	1	1	-	1	2	2	-	3	-	1	-	-
FEMALE--	-	2	1	2	5	-	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	1	3	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 856  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BRAIN (191)												
0 UNITED STATES --	11,778	16	115	156	118	94	105	153	316	435	538	830
WHITE-----MALE----	5,941	7	62	64	61	52	65	83	157	234	297	474
FEMALE--	4,973	6	31	51	38	26	27	54	113	155	200	287
ALL OTHER--MALE----	450	-	11	15	10	6	8	9	31	30	17	40
FEMALE--	414	3	11	26	9	10	5	7	15	16	24	29
BLACK---MALE----	359	-	11	13	8	5	7	7	22	27	15	31
FEMALE--	333	3	8	21	7	7	5	6	10	14	19	22
ALABAMA -----	224	-	-	3	1	2	2	2	10	8	9	13
WHITE-----MALE----	94	-	-	1	1	2	1	1	5	4	7	8
FEMALE--	110	-	-	1	-	-	1	1	3	2	2	2
ALL OTHER--MALE----	13	-	-	1	-	-	-	-	-	2	-	3
FEMALE--	7	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	12	-	-	1	-	-	-	-	-	2	-	2
FEMALE--	7	-	-	-	-	-	-	-	2	-	-	-
ALASKA -----	15	-	1	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	14	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	161	-	1	2	2	3	2	3	8	3	8	7
WHITE-----MALE----	88	-	1	1	1	3	2	2	3	2	3	5
FEMALE--	63	-	-	1	-	-	-	-	5	1	4	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	155	1	2	1	2	3	-	1	8	7	5	6
WHITE-----MALE----	81	-	1	-	2	2	-	-	4	5	3	3
FEMALE--	64	-	1	-	-	-	-	1	2	2	2	1
ALL OTHER--MALE----	5	-	-	1	-	1	-	-	-	-	-	1
FEMALE--	5	1	-	-	-	-	-	-	2	-	-	1
BLACK---MALE----	5	-	-	1	-	1	-	-	-	-	-	1
FEMALE--	5	1	-	-	-	-	-	-	2	-	-	1
CALIFORNIA -----	1,266	2	14	18	18	13	13	22	40	44	62	86
WHITE-----MALE----	651	-	9	5	8	4	6	16	19	22	32	52
FEMALE--	506	2	5	11	7	5	6	4	12	18	24	27
ALL OTHER--MALE----	54	-	-	-	1	-	1	2	5	1	2	5
FEMALE--	55	-	-	2	2	4	-	-	4	3	4	2
BLACK---MALE----	26	-	-	-	1	-	1	-	3	-	2	2
FEMALE--	24	-	-	-	1	2	-	-	1	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 856  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BRAIN (191)												
0 UNITED STATES --	839	1,009	1,222	1,533	1,604	1,316	850	391	123	13	1	1
WHITE-----MALE----	471	539	647	789	774	601	375	147	40	2	-	-
FEMALE--	320	368	498	660	750	648	429	231	70	10	1	-
ALL OTHER--MALE----	27	56	42	44	42	34	19	6	2	-	-	1
FEMALE--	21	46	35	40	38	33	27	7	11	1	-	-
BLACK---MALE----	19	41	29	38	35	27	17	5	1	-	-	1
FEMALE--	16	37	26	36	31	27	22	6	9	1	-	-
ALABAMA -----	16	20	15	37	33	30	17	3	2	1	-	-
WHITE-----MALE----	4	6	7	19	10	12	4	1	-	1	-	-
FEMALE--	12	12	5	17	21	16	11	2	2	-	-	-
ALL OTHER--MALE----	-	1	2	-	2	-	2	-	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	2	-	2	-	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	-	-	-	-	-
ALASKA -----	1	2	4	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	1	2	4	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	12	15	23	20	17	12	6	1	1	-	-
WHITE-----MALE----	7	7	10	15	7	9	6	3	-	1	-	-
FEMALE--	8	5	5	8	9	5	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	12	17	16	28	17	12	6	2	-	-	-
WHITE-----MALE----	7	7	9	11	10	9	5	3	-	-	-	-
FEMALE--	2	4	8	5	17	7	7	3	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	97	115	137	153	160	137	93	31	9	2	-	-
WHITE-----MALE----	48	67	77	81	82	63	41	17	2	-	-	-
FEMALE--	40	34	46	60	72	65	48	11	7	2	-	-
ALL OTHER--MALE----	5	9	6	8	1	4	2	2	-	-	-	-
FEMALE--	4	5	8	4	5	5	2	1	-	-	-	-
BLACK---MALE----	2	2	2	6	1	1	2	1	-	-	-	-
FEMALE--	1	2	4	3	2	3	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 857  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BRAIN (191)												
COLORADO -----	158	-	3	3	3	-	-	2	3	7	9	16
WHITE-----MALE----	94	-	3	3	2	-	-	1	2	5	5	8
FEMALE--	61	-	-	-	1	-	-	1	1	2	4	7
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	131	-	2	1	1	-	1	1	2	3	4	15
WHITE-----MALE----	66	-	2	1	-	-	-	1	-	3	3	8
FEMALE--	59	-	-	-	1	-	-	-	2	-	1	7
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	19	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	12	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	852	3	4	8	7	3	2	9	18	18	32	52
WHITE-----MALE----	458	3	2	2	2	1	1	6	11	10	20	25
FEMALE--	346	-	-	2	4	1	1	3	4	6	7	24
ALL OTHER--MALE----	28	-	2	-	1	1	-	-	2	2	3	3
FEMALE--	20	-	-	4	-	-	-	-	1	-	2	-
BLACK---MALE----	28	-	2	-	1	1	-	-	2	2	3	3
FEMALE--	19	-	-	4	-	-	-	-	1	-	2	-
GEORGIA -----	272	2	5	5	2	2	4	5	11	11	14	19
WHITE-----MALE----	134	2	1	4	2	1	1	3	3	4	6	12
FEMALE--	100	-	1	-	-	-	2	-	4	3	6	5
ALL OTHER--MALE----	19	-	2	-	-	-	1	1	4	1	-	-
FEMALE--	19	-	1	1	-	1	-	1	-	3	2	2
BLACK---MALE----	18	-	2	-	-	-	1	1	3	1	-	-
FEMALE--	18	-	1	1	-	1	-	1	-	3	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 857  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BRAIN (191)												
COLORADO -----	17	14	17	25	14	15	7	2	1	-	-	-
WHITE-----MALE----	11	6	13	12	8	7	5	2	1	-	-	-
FEMALE--	5	8	4	13	6	7	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	10	11	20	23	12	5	5	1	1	-	-
WHITE-----MALE----	8	6	4	8	11	6	2	3	-	-	-	-
FEMALE--	5	3	5	11	11	6	3	2	1	1	-	-
ALL OTHER--MALE----	-	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	2	2	6	1	2	-	1	-	-	-
WHITE-----MALE----	1	-	2	1	2	1	1	-	1	-	-	-
FEMALE--	1	-	-	1	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	2	1	4	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
FLORIDA -----	46	65	88	121	133	116	82	32	11	1	1	-
WHITE-----MALE----	20	37	53	59	85	64	41	13	3	-	-	-
FEMALE--	22	21	31	58	43	52	39	18	8	1	1	-
ALL OTHER--MALE----	3	4	1	2	3	-	-	1	-	-	-	-
FEMALE--	1	3	3	2	2	-	2	-	-	-	-	-
BLACK---MALE----	3	4	1	2	3	-	-	1	-	-	-	-
FEMALE--	1	3	3	1	2	-	2	-	-	-	-	-
GEORGIA -----	19	28	24	37	34	25	15	6	4	-	-	-
WHITE-----MALE----	12	12	18	15	13	14	8	1	2	-	-	-
FEMALE--	7	10	4	21	17	10	5	4	1	-	-	-
ALL OTHER--MALE----	-	3	-	1	3	-	2	1	-	-	-	-
FEMALE--	-	3	2	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	3	-	1	3	-	2	1	-	-	-	-
FEMALE--	-	3	2	-	1	-	-	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 859  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BRAIN (191)												
KENTUCKY -----	196	-	1	3	-	-	2	4	10	8	6	22
WHITE-----MALE----	96	-	-	2	-	-	1	2	5	4	5	12
FEMALE--	90	-	1	1	-	-	1	2	4	4	1	9
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	167	-	4	3	2	2	2	2	6	6	4	16
WHITE-----MALE----	73	-	2	2	-	-	-	1	3	3	3	7
FEMALE--	66	-	-	-	-	-	1	-	2	3	-	5
ALL OTHER--MALE----	14	-	1	-	2	2	-	1	1	-	-	3
FEMALE--	14	-	1	1	-	-	1	-	-	-	1	1
BLACK---MALE----	14	-	1	-	2	2	-	1	1	-	-	3
FEMALE--	14	-	1	1	-	-	1	-	-	-	1	1
MAINE -----	64	-	1	3	-	1	-	1	1	2	4	3
WHITE-----MALE----	36	-	1	3	-	1	-	1	-	2	3	3
FEMALE--	28	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	210	-	2	4	-	3	1	2	5	12	7	16
WHITE-----MALE----	95	-	1	1	-	1	1	1	2	6	3	6
FEMALE--	83	-	-	-	-	1	-	-	3	4	3	6
ALL OTHER--MALE----	11	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	21	-	1	2	-	1	-	1	-	1	1	3
BLACK---MALE----	10	-	-	1	-	-	-	-	-	1	-	1
FEMALE--	18	-	1	2	-	1	-	1	-	1	1	2
MASSACHUSETTS -----	272	-	5	3	3	3	2	5	9	10	9	23
WHITE-----MALE----	139	-	3	2	2	3	2	2	6	5	3	14
FEMALE--	126	-	1	1	1	-	-	3	3	5	5	8
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	441	-	7	4	1	4	3	8	11	26	25	35
WHITE-----MALE----	202	-	3	-	-	2	-	5	4	15	10	22
FEMALE--	189	-	1	3	1	2	2	3	5	10	13	7
ALL OTHER--MALE----	15	-	1	1	-	-	-	-	1	1	1	2
FEMALE--	35	-	2	-	-	-	1	-	1	-	1	4
BLACK---MALE----	11	-	1	1	-	-	-	-	-	1	-	2
FEMALE--	32	-	-	-	-	-	1	-	1	-	1	4



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 859  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BRAIN (191)												
KENTUCKY -----	14	20	21	14	27	19	12	12	1	-	-	-
WHITE-----MALE----	8	10	8	8	19	7	4	1	-	-	-	-
FEMALE--	5	7	13	6	7	10	8	11	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	9	18	14	19	28	11	17	3	1	-	-	-
WHITE-----MALE----	4	10	6	8	10	5	7	2	-	-	-	-
FEMALE--	5	6	8	10	14	4	6	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	1	4	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	1	4	-	-	-	-	-
MAINE -----	5	3	2	10	8	12	6	2	-	-	-	-
WHITE-----MALE----	2	2	2	3	3	6	3	1	-	-	-	-
FEMALE--	3	1	-	7	5	6	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	24	28	27	25	17	15	5	1	-	-	-
WHITE-----MALE----	5	15	14	13	10	10	4	2	-	-	-	-
FEMALE--	8	6	12	10	10	7	9	3	1	-	-	-
ALL OTHER--MALE----	-	2	1	1	3	-	1	-	-	-	-	-
FEMALE--	3	1	1	3	2	-	1	-	-	-	-	-
BLACK---MALE----	-	2	1	1	2	-	1	-	-	-	-	-
FEMALE--	2	1	1	3	1	-	1	-	-	-	-	-
MASSACHUSETTS -----	19	18	24	38	32	33	24	8	4	-	-	-
WHITE-----MALE----	8	8	13	20	15	15	10	6	2	-	-	-
FEMALE--	11	9	10	17	17	17	14	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
MICHIGAN -----	30	34	37	60	58	51	31	10	5	1	-	-
WHITE-----MALE----	17	13	14	33	27	15	17	3	2	-	-	-
FEMALE--	10	14	19	21	28	31	11	6	2	-	-	-
ALL OTHER--MALE----	-	2	1	4	-	1	-	-	-	-	-	-
FEMALE--	3	5	3	2	3	4	3	1	1	1	-	-
BLACK---MALE----	-	2	-	3	-	1	-	-	-	-	-	-
FEMALE--	3	4	3	2	3	4	3	1	1	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 862  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BRAIN (191)												
OHIO -----	503	1	2	6	6	2	4	10	11	21	24	33
WHITE-----MALE----	255	1	1	2	4	2	4	6	8	13	13	18
FEMALE--	230	-	1	3	1	-	-	3	3	8	10	14
ALL OTHER--MALE----	12	-	-	1	1	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	11	-	-	1	1	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
OKLAHOMA -----	170	-	1	1	2	2	1	2	2	5	10	14
WHITE-----MALE----	84	-	1	-	1	2	1	-	1	3	4	8
FEMALE--	82	-	-	1	1	-	-	2	-	2	6	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	196	-	1	1	1	1	2	1	3	3	9	17
WHITE-----MALE----	106	-	1	-	-	-	1	1	2	2	6	12
FEMALE--	85	-	-	1	1	1	1	-	1	1	2	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	560	-	2	4	5	7	4	4	10	26	22	40
WHITE-----MALE----	276	-	1	3	3	3	3	2	4	8	15	24
FEMALE--	258	-	-	1	1	1	1	2	6	14	6	12
ALL OTHER--MALE----	14	-	-	-	-	1	-	-	-	3	-	3
FEMALE--	12	-	1	-	1	2	-	-	-	1	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	3	-	2
FEMALE--	9	-	-	-	1	1	-	-	-	1	1	1
RHODE ISLAND -----	63	-	1	-	-	-	2	1	1	2	4	4
WHITE-----MALE----	26	-	-	-	-	-	1	1	-	-	2	2
FEMALE--	35	-	1	-	-	-	1	-	-	2	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	167	-	5	7	3	-	2	1	7	3	4	11
WHITE-----MALE----	81	-	2	2	1	-	1	-	3	-	1	9
FEMALE--	59	-	2	3	-	-	-	1	2	3	1	1
ALL OTHER--MALE----	16	-	-	1	-	-	-	-	2	-	1	1
FEMALE--	11	-	1	1	2	-	1	-	-	-	1	-
BLACK---MALE----	16	-	-	1	-	-	-	-	2	-	1	1
FEMALE--	11	-	1	1	2	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 862  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BRAIN (191)												
OHIO -----	30	43	52	80	68	53	30	17	10	-	-	-
WHITE-----MALE----	19	20	24	42	34	24	12	3	5	-	-	-
FEMALE--	10	18	26	36	33	29	16	14	5	-	-	-
ALL OTHER--MALE----	1	5	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	5	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
OKLAHOMA -----	11	9	15	30	20	22	17	2	2	2	-	-
WHITE-----MALE----	7	6	9	13	12	8	7	-	1	-	-	-
FEMALE--	3	2	6	17	8	14	10	2	1	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	18	17	20	18	39	23	14	8	-	-	-	-
WHITE-----MALE----	12	9	15	9	10	12	10	4	-	-	-	-
FEMALE--	6	6	5	8	29	11	4	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	36	44	52	72	88	68	44	26	5	1	-	-
WHITE-----MALE----	20	27	30	33	40	27	22	11	-	-	-	-
FEMALE--	15	14	21	36	47	40	20	15	5	1	-	-
ALL OTHER--MALE----	1	2	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	1	1	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	-	-	-	-	-
RHODE ISLAND -----	4	5	6	6	10	11	2	3	1	-	-	-
WHITE-----MALE----	1	3	2	4	2	7	1	-	-	-	-	-
FEMALE--	3	2	3	2	8	4	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	13	22	28	15	21	12	3	-	-	-	-
WHITE-----MALE----	7	5	11	16	6	10	5	2	-	-	-	-
FEMALE--	2	4	8	7	9	10	5	1	-	-	-	-
ALL OTHER--MALE----	-	2	3	4	-	1	1	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	3	4	-	1	1	-	-	-	-	-
FEMALE--	1	2	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 863  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF BRAIN (191)												
SOUTH DAKOTA -----	30	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	294	-	4	8	1	1	5	1	10	8	11	16
WHITE-----MALE----	146	-	3	2	-	1	3	1	3	3	7	10
FEMALE--	117	-	1	3	-	-	-	-	4	3	3	5
ALL OTHER--MALE----	17	-	-	-	1	-	2	-	3	2	-	-
FEMALE--	14	-	-	3	-	-	-	-	-	-	1	1
BLACK---MALE----	17	-	-	-	1	-	2	-	3	2	-	-
FEMALE--	14	-	-	3	-	-	-	-	-	-	1	1
TEXAS -----	811	2	12	12	16	9	6	13	24	26	38	50
WHITE-----MALE----	401	-	7	4	8	6	4	5	14	13	17	26
FEMALE--	349	1	5	3	5	3	1	6	7	11	17	19
ALL OTHER--MALE----	32	-	-	2	-	-	1	1	2	1	2	4
FEMALE--	29	1	-	3	3	-	-	1	1	1	2	1
BLACK---MALE----	31	-	-	2	-	-	1	1	2	1	2	4
FEMALE--	28	1	-	3	3	-	-	1	1	1	2	1
UTAH -----	60	-	-	-	-	-	1	-	2	2	6	5
WHITE-----MALE----	33	-	-	-	-	-	1	-	1	1	2	4
FEMALE--	27	-	-	-	-	-	-	-	1	1	4	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	25	-	-	-	1	1	-	-	-	3	2	2
WHITE-----MALE----	17	-	-	-	-	1	-	-	-	3	1	2
FEMALE--	8	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	259	1	2	3	5	1	2	4	7	12	21	15
WHITE-----MALE----	121	1	-	-	4	1	2	2	1	9	9	6
FEMALE--	108	-	1	-	1	-	-	-	4	-	10	8
ALL OTHER--MALE----	21	-	-	3	-	-	-	1	1	2	1	1
FEMALE--	9	-	1	-	-	-	-	1	1	1	1	-
BLACK---MALE----	21	-	-	3	-	-	-	1	1	2	1	1
FEMALE--	9	-	1	-	-	-	-	1	1	1	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 863  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF BRAIN (191)												
SOUTH DAKOTA -----	-	4	3	5	4	4	5	1	1	-	-	-
WHITE-----MALE----	-	3	2	4	1	1	3	-	-	-	-	-
FEMALE--	-	1	-	1	2	3	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	30	29	29	40	41	23	27	9	-	-	-	1
WHITE-----MALE----	19	12	16	21	27	7	8	3	-	-	-	-
FEMALE--	11	11	12	15	13	14	16	6	-	-	-	-
ALL OTHER--MALE----	-	3	1	1	-	1	2	-	-	-	-	1
FEMALE--	-	3	-	3	1	1	1	-	-	-	-	-
BLACK---MALE----	-	3	1	1	-	1	2	-	-	-	-	1
FEMALE--	-	3	-	3	1	1	1	-	-	-	-	-
TEXAS -----	54	55	87	104	126	86	45	33	13	-	-	-
WHITE-----MALE----	34	32	43	53	67	37	16	12	3	-	-	-
FEMALE--	16	20	38	42	54	45	26	21	9	-	-	-
ALL OTHER--MALE----	3	2	5	5	2	2	-	-	-	-	-	-
FEMALE--	1	1	1	4	3	2	3	-	1	-	-	-
BLACK---MALE----	3	2	5	5	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	4	3	2	3	-	1	-	-	-
UTAH -----	5	6	12	5	6	5	3	2	-	-	-	-
WHITE-----MALE----	3	4	6	3	1	3	2	2	-	-	-	-
FEMALE--	2	2	6	2	5	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	3	1	4	3	4	-	-	-	-	-	-
WHITE-----MALE----	1	2	1	3	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	26	28	40	32	23	17	3	3	-	-	-
WHITE-----MALE----	10	14	12	15	15	10	8	1	1	-	-	-
FEMALE--	2	12	12	22	14	11	8	2	1	-	-	-
ALL OTHER--MALE----	2	-	3	2	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-
BLACK---MALE----	2	-	3	2	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-















































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 874  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
0 UNITED STATES --	74	122	142	218	255	237	194	122	55	13	2	-
WHITE-----MALE----	40	53	71	108	111	96	53	31	6	2	-	-
FEMALE--	24	53	56	88	120	128	117	79	47	10	1	-
ALL OTHER--MALE----	4	4	3	12	5	6	3	1	-	-	-	-
FEMALE--	6	12	12	10	19	7	21	11	2	1	1	-
BLACK---MALE----	2	4	2	9	5	4	1	1	-	-	-	-
FEMALE--	4	7	10	10	16	4	16	10	2	1	1	-
ALABAMA -----	1	5	1	3	1	4	1	2	2	-	-	-
WHITE-----MALE----	1	2	1	2	-	2	-	1	-	-	-	-
FEMALE--	-	3	-	-	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALASKA -----	-	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	3	3	5	4	5	3	2	-	-	-
WHITE-----MALE----	1	1	1	-	2	-	3	1	-	-	-	-
FEMALE--	2	2	2	3	2	4	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	2	-	4	2	5	-	1	-	1	-	-
WHITE-----MALE----	2	1	-	3	2	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	16	17	25	25	35	22	5	5	-	-	-
WHITE-----MALE----	3	6	7	8	12	14	7	-	-	-	-	-
FEMALE--	3	3	7	15	11	19	13	4	5	-	-	-
ALL OTHER--MALE----	-	1	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	6	2	-	2	1	2	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	4	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 875

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
COLORADO -----	23	1	1	1	-	1	-	-	1	-	2	1
WHITE-----MALE----	10	1	-	1	-	-	-	-	-	-	2	-
FEMALE--	13	-	1	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	22	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	123	2	2	2	1	1	2	1	1	5	4	3
WHITE-----MALE----	55	2	1	2	-	-	-	1	-	2	2	2
FEMALE--	53	-	-	-	-	-	-	-	1	2	2	1
ALL OTHER--MALE----	8	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	1	-	-
GEORGIA -----	34	-	2	3	1	1	1	1	-	-	1	1
WHITE-----MALE----	9	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	15	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	6	-	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	6	-	2	1	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 875

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
COLORADO -----	-	-	1	3	2	2	5	1	1	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	3	1	4	2	5	3	1	1	1	-	-
WHITE-----MALE----	-	1	-	2	2	2	1	1	-	-	-	-
FEMALE--	1	2	1	2	-	3	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	3	12	13	15	17	20	8	4	3	-	-
WHITE-----MALE----	2	2	8	6	9	4	6	3	1	2	-	-
FEMALE--	1	1	4	6	4	11	12	4	3	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
GEORGIA -----	-	2	4	2	4	2	3	2	3	1	-	-
WHITE-----MALE----	-	1	2	1	1	1	-	-	1	-	-	-
FEMALE--	-	1	2	-	2	1	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 877

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
KENTUCKY -----	2	-	1	4	2	5	5	4	-	-	-	-
WHITE-----MALE----	2	-	1	3	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
LOUISIANA -----	-	-	1	4	6	8	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	3	2	5	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-
MAINE -----	-	-	3	1	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	3	5	5	2	3	-	1	-	-	-
WHITE-----MALE----	1	-	1	2	1	2	3	-	-	-	-	-
FEMALE--	-	-	1	2	3	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	3	6	7	5	3	1	1	1	1	-
WHITE-----MALE----	1	1	2	3	4	2	2	-	-	-	-	-
FEMALE--	-	-	1	3	3	3	1	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	3	7	4	11	5	5	2	2	-	-	-
WHITE-----MALE----	2	2	3	2	5	1	1	-	-	-	-	-
FEMALE--	-	1	4	2	5	4	4	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 880

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
OHIO -----	81	-	7	1	1	-	-	-	-	3	2	3
WHITE-----MALE----	33	-	1	-	1	-	-	-	-	1	-	2
FEMALE--	41	-	5	1	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	18	-	2	1	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	1	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	29	-	-	1	-	-	-	1	-	-	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	16	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	92	-	3	3	-	1	-	-	2	3	3	4
WHITE-----MALE----	36	-	1	1	-	-	-	-	1	-	1	1
FEMALE--	52	-	2	2	-	1	-	-	1	3	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	5	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	24	-	-	1	1	-	1	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 881  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	45	1	1	4	1	-	-	-	-	-	1	1
WHITE-----MALE----	15	-	-	2	-	-	-	-	-	-	1	1
FEMALE--	25	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	129	1	8	3	2	1	1	-	-	4	3	7
WHITE-----MALE----	50	-	3	2	1	1	-	-	-	2	1	-
FEMALE--	59	-	3	1	-	-	-	-	-	1	1	7
ALL OTHER--MALE----	10	1	1	-	1	-	-	-	-	1	1	-
FEMALE--	10	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	8	1	1	-	1	-	-	-	-	1	1	-
FEMALE--	9	-	1	-	-	-	1	-	-	-	-	-
UTAH -----	16	-	3	2	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	2	1	-	-	-	-	-	-	-	1
FEMALE--	6	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	41	-	1	-	-	-	-	-	2	-	-	2
WHITE-----MALE----	16	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 881

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)												
SOUTH DAKOTA -----	-	1	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	1	1	2	5	8	8	6	1	-	-	-
WHITE-----MALE----	2	1	1	-	2	3	-	2	-	-	-	-
FEMALE--	2	-	-	2	2	3	8	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
TEXAS -----	10	6	4	18	20	16	15	8	2	-	-	-
WHITE-----MALE----	8	1	1	9	10	5	6	-	-	-	-	-
FEMALE--	1	4	2	6	10	10	7	4	2	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	-	2	3	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	-	2	2	-	-	-	-
UTAH -----	1	1	2	1	-	1	1	1	2	-	-	-
WHITE-----MALE----	-	1	2	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	4	6	6	5	4	2	5	-	1	-	-
WHITE-----MALE----	2	1	4	4	-	2	1	1	-	-	-	-
FEMALE--	-	3	2	2	2	2	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 883  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
0 UNITED STATES --	37,541	7	14	9	11	23	52	100	190	426	695	1,117
WHITE-----MALE----	16,449	5	8	5	5	6	22	46	82	159	264	473
FEMALE--	16,013	2	4	3	4	7	14	32	60	157	249	379
ALL OTHER--MALE----	2,670	-	1	1	1	8	12	13	26	66	103	156
FEMALE--	2,409	-	1	-	1	2	4	9	22	44	79	109
BLACK---MALE----	2,355	-	1	-	1	7	12	10	24	61	91	142
FEMALE--	2,143	-	1	-	1	2	4	7	15	36	70	95
ALABAMA -----	1,123	-	-	-	1	2	1	5	3	12	26	35
WHITE-----MALE----	447	-	-	-	1	1	-	2	2	3	9	19
FEMALE--	402	-	-	-	-	1	-	2	-	4	7	5
ALL OTHER--MALE----	151	-	-	-	-	-	1	1	1	4	8	6
FEMALE--	123	-	-	-	-	-	-	-	-	1	2	5
BLACK---MALE----	150	-	-	-	-	-	1	1	1	4	8	6
FEMALE--	122	-	-	-	-	-	-	-	-	1	2	5
ALASKA -----	37	-	-	1	-	-	-	-	1	1	1	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	644	-	1	1	-	-	3	2	5	5	7	16
WHITE-----MALE----	330	-	-	1	-	-	1	1	3	2	3	7
FEMALE--	281	-	-	-	-	-	2	-	1	3	3	6
ALL OTHER--MALE----	17	-	1	-	-	-	-	1	1	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	8	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	312	-	1	-	-	1	-	1	1	3	7	13
WHITE-----MALE----	127	-	1	-	-	-	-	-	-	1	2	3
FEMALE--	135	-	-	-	-	1	-	-	1	-	2	4
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	25	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	24	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	25	-	-	-	-	-	-	1	-	1	1	2
CALIFORNIA -----	3,300	-	2	-	-	2	4	8	18	45	73	91
WHITE-----MALE----	1,451	-	2	-	-	1	2	4	8	20	31	27
FEMALE--	1,402	-	-	-	-	-	2	2	6	16	24	42
ALL OTHER--MALE----	246	-	-	-	-	1	-	-	1	2	8	10
FEMALE--	201	-	-	-	-	-	-	2	3	7	10	12
BLACK---MALE----	139	-	-	-	-	1	-	-	1	1	4	6
FEMALE--	118	-	-	-	-	-	-	1	-	3	7	8



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 883  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
0 UNITED STATES --	1,765	2,390	3,394	4,950	6,037	5,777	5,159	3,438	1,502	430	55	-
WHITE-----MALE----	803	1,160	1,657	2,432	2,941	2,627	2,084	1,138	421	99	12	-
FEMALE--	603	793	1,193	1,854	2,324	2,539	2,533	1,988	946	295	34	-
ALL OTHER--MALE----	212	269	305	386	407	294	229	124	43	13	1	-
FEMALE--	147	168	239	278	365	317	313	188	92	23	8	-
BLACK---MALE----	191	237	276	339	358	262	192	106	35	10	-	-
FEMALE--	128	156	203	250	332	290	273	168	83	22	7	-
ALABAMA -----	56	103	125	143	170	171	137	88	32	13	-	-
WHITE-----MALE----	22	44	53	63	86	63	46	22	7	4	-	-
FEMALE--	16	35	41	40	53	75	55	47	16	5	-	-
ALL OTHER--MALE----	14	13	18	21	16	14	22	8	3	1	-	-
FEMALE--	4	11	13	19	15	19	14	11	6	3	-	-
BLACK---MALE----	13	13	18	21	16	14	22	8	3	1	-	-
FEMALE--	4	10	13	19	15	19	14	11	6	3	-	-
ALASKA -----	3	-	1	6	8	6	5	2	1	-	-	-
WHITE-----MALE----	2	-	1	1	2	2	3	1	1	-	-	-
FEMALE--	-	-	-	4	5	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	29	30	65	100	96	103	99	50	23	6	3	-
WHITE-----MALE----	17	12	35	59	55	58	46	17	10	3	-	-
FEMALE--	9	18	28	34	36	42	52	32	11	2	2	-
ALL OTHER--MALE----	1	-	-	5	3	1	-	-	-	1	1	-
FEMALE--	2	-	2	2	2	2	1	1	2	-	-	-
BLACK---MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	2	-	1	1	1	-	-	-	-	-	-	-
ARKANSAS -----	12	20	24	54	43	57	39	22	13	-	1	-
WHITE-----MALE----	7	12	12	23	22	28	11	5	-	-	-	-
FEMALE--	3	7	9	24	17	24	20	13	9	-	1	-
ALL OTHER--MALE----	1	1	2	1	1	2	5	3	2	-	-	-
FEMALE--	1	-	1	6	3	3	3	1	2	-	-	-
BLACK---MALE----	1	1	1	1	1	2	5	3	2	-	-	-
FEMALE--	1	-	1	6	3	3	3	1	2	-	-	-
CALIFORNIA -----	153	204	308	420	556	505	480	275	122	31	3	-
WHITE-----MALE----	73	94	144	204	286	219	191	98	39	8	-	-
FEMALE--	44	74	109	168	208	223	234	157	73	19	1	-
ALL OTHER--MALE----	18	25	27	31	36	40	29	12	6	-	-	-
FEMALE--	18	11	28	17	26	23	26	8	4	4	2	-
BLACK---MALE----	11	13	16	23	21	24	12	5	1	-	-	-
FEMALE--	13	8	14	10	14	17	11	6	2	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 884  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
COLORADO -----	453	-	-	-	-	-	1	-	2	2	13	22
WHITE-----MALE----	197	-	-	-	-	-	1	-	-	-	6	11
FEMALE--	224	-	-	-	-	-	-	-	1	2	5	9
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	554	-	-	-	1	-	-	1	3	5	8	12
WHITE-----MALE----	264	-	-	-	1	-	-	-	-	1	4	6
FEMALE--	265	-	-	-	-	-	-	1	3	4	4	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	120	-	-	-	-	-	-	1	1	1	2	3
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	59	-	-	-	-	-	-	1	1	1	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	118	-	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	2,090	-	1	-	-	-	3	4	5	22	35	57
WHITE-----MALE----	957	-	-	-	-	-	1	1	1	8	11	24
FEMALE--	926	-	1	-	-	-	-	3	2	4	19	23
ALL OTHER--MALE----	121	-	-	-	-	-	1	-	2	9	3	7
FEMALE--	86	-	-	-	-	-	1	-	-	1	2	3
BLACK---MALE----	121	-	-	-	-	-	1	-	2	9	3	7
FEMALE--	82	-	-	-	-	-	1	-	-	1	1	3
GEORGIA -----	1,136	-	-	-	-	1	2	-	5	20	24	48
WHITE-----MALE----	411	-	-	-	-	1	-	-	2	9	6	15
FEMALE--	412	-	-	-	-	-	1	-	2	6	9	13
ALL OTHER--MALE----	156	-	-	-	-	-	1	-	-	4	4	10
FEMALE--	157	-	-	-	-	-	-	-	1	1	5	10
BLACK---MALE----	154	-	-	-	-	-	1	-	-	4	4	10
FEMALE--	156	-	-	-	-	-	-	-	1	1	5	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 884  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
COLORADO -----	17	28	53	60	77	70	45	35	17	11	-	-
WHITE-----MALE----	7	15	28	28	37	33	13	12	5	1	-	-
FEMALE--	10	9	25	27	32	34	28	21	12	9	-	-
ALL OTHER--MALE----	-	2	-	3	3	1	2	-	-	-	-	-
FEMALE--	-	2	-	2	5	2	2	2	-	1	-	-
BLACK---MALE----	-	2	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	2	-	2	3	1	2	2	-	1	-	-
CONNECTICUT -----	32	28	34	64	80	95	69	73	34	14	1	-
WHITE-----MALE----	14	18	18	42	43	44	30	33	9	1	-	-
FEMALE--	16	9	13	17	33	49	37	39	25	11	1	-
ALL OTHER--MALE----	-	-	1	2	3	1	-	-	-	-	-	-
FEMALE--	2	1	2	3	1	1	2	1	-	2	-	-
BLACK---MALE----	-	-	1	2	3	1	-	-	-	-	-	-
FEMALE--	2	1	2	3	1	1	2	1	-	2	-	-
DELAWARE -----	7	7	7	21	18	25	12	11	4	-	-	-
WHITE-----MALE----	3	2	3	7	10	12	4	3	-	-	-	-
FEMALE--	4	4	3	11	5	11	7	6	3	-	-	-
ALL OTHER--MALE----	-	1	1	2	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	1	-	-	-
BLACK---MALE----	-	1	1	2	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	1	-	-	-
DISTRICT OF COLUMBIA -----	8	10	8	18	22	14	20	7	5	1	-	-
WHITE-----MALE----	1	2	3	4	1	2	1	-	1	-	-	-
FEMALE--	1	-	-	1	1	1	2	4	-	1	-	-
ALL OTHER--MALE----	4	4	3	6	11	5	8	1	1	-	-	-
FEMALE--	2	4	2	7	9	6	9	2	3	-	-	-
BLACK---MALE----	4	4	3	6	11	5	8	1	1	-	-	-
FEMALE--	2	4	2	7	9	6	9	2	3	-	-	-
FLORIDA -----	91	129	166	259	339	345	297	217	87	25	8	-
WHITE-----MALE----	35	64	77	132	179	163	137	90	23	10	1	-
FEMALE--	37	42	58	104	139	155	141	117	62	13	6	-
ALL OTHER--MALE----	12	11	23	13	13	14	8	3	2	-	-	-
FEMALE--	7	12	8	10	8	13	11	7	-	2	1	-
BLACK---MALE----	12	11	23	13	13	14	8	3	2	-	-	-
FEMALE--	6	11	8	10	8	13	11	6	-	2	1	-
GEORGIA -----	86	84	101	165	157	170	126	105	29	13	-	-
WHITE-----MALE----	35	35	40	71	55	66	42	29	2	3	-	-
FEMALE--	22	13	33	52	64	66	51	55	19	6	-	-
ALL OTHER--MALE----	18	25	14	21	16	19	12	9	3	-	-	-
FEMALE--	11	11	14	21	22	19	21	12	5	4	-	-
BLACK---MALE----	18	25	14	21	15	19	11	9	3	-	-	-
FEMALE--	10	11	14	21	22	19	21	12	5	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 885  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
HAWAII -----	131	-	-	-	-	-	-	1	1	2	7	3
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	51	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	40	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	155	-	-	-	-	-	-	1	-	3	6	3
WHITE-----MALE----	85	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	70	-	-	-	-	-	-	-	-	3	4	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,778	1	1	-	-	2	2	3	12	18	26	53
WHITE-----MALE----	757	1	1	-	-	-	1	1	5	4	6	21
FEMALE--	746	-	-	-	-	1	-	-	3	6	8	17
ALL OTHER--MALE----	145	-	-	-	-	-	1	1	3	5	9	6
FEMALE--	130	-	-	-	-	1	-	1	1	3	3	9
BLACK---MALE----	136	-	-	-	-	-	1	1	2	4	9	6
FEMALE--	125	-	-	-	-	1	-	1	1	3	3	9
INDIANA -----	834	1	-	-	-	-	1	3	2	8	9	26
WHITE-----MALE----	392	-	-	-	-	-	-	2	1	1	3	11
FEMALE--	378	1	-	-	-	-	-	1	1	6	6	10
ALL OTHER--MALE----	36	-	-	-	-	-	1	-	-	1	-	3
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	36	-	-	-	-	-	1	-	-	1	-	3
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	2
IOWA -----	323	-	1	1	-	-	1	-	3	2	2	3
WHITE-----MALE----	160	-	1	-	-	-	1	-	2	-	1	1
FEMALE--	157	-	-	1	-	-	-	-	1	2	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	359	1	-	-	-	-	-	-	-	4	5	9
WHITE-----MALE----	158	1	-	-	-	-	-	-	-	1	3	2
FEMALE--	175	-	-	-	-	-	-	-	-	2	2	7
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 885  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
HAWAII -----	5	9	11	24	17	12	19	10	7	3	-	-
WHITE-----MALE----	3	-	1	7	5	2	2	1	3	-	-	-
FEMALE--	-	2	-	2	1	1	4	2	-	1	-	-
ALL OTHER--MALE----	1	7	5	10	6	4	5	4	2	2	-	-
FEMALE--	1	-	5	5	5	5	8	3	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	9	11	12	19	23	24	17	15	11	1	-	-
WHITE-----MALE----	6	7	9	11	12	16	9	9	2	1	-	-
FEMALE--	3	4	3	8	11	8	8	6	9	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	64	119	178	221	295	276	262	162	60	20	3	-
WHITE-----MALE----	28	56	95	101	136	127	107	51	12	3	1	-
FEMALE--	26	35	56	80	113	113	129	98	45	16	-	-
ALL OTHER--MALE----	7	18	16	26	20	19	7	5	1	1	-	-
FEMALE--	3	10	11	14	26	17	19	8	2	-	2	-
BLACK---MALE----	7	16	16	24	18	18	7	5	1	1	-	-
FEMALE--	2	10	11	13	26	17	18	6	2	-	2	-
INDIANA -----	39	62	69	123	138	116	125	71	33	7	1	-
WHITE-----MALE----	25	41	31	66	69	53	50	27	8	3	1	-
FEMALE--	11	18	29	49	58	54	68	39	23	4	-	-
ALL OTHER--MALE----	2	2	5	4	7	4	3	4	-	-	-	-
FEMALE--	1	1	4	4	4	5	4	1	2	-	-	-
BLACK---MALE----	2	2	5	4	7	4	3	4	-	-	-	-
FEMALE--	1	1	4	4	4	5	4	1	2	-	-	-
IOWA -----	7	13	24	45	50	60	47	39	21	3	1	-
WHITE-----MALE----	7	9	13	23	26	32	24	14	6	-	-	-
FEMALE--	-	4	9	20	23	28	23	24	15	3	1	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	15	17	29	41	55	52	55	40	26	10	-	-
WHITE-----MALE----	7	10	15	22	29	24	25	13	6	-	-	-
FEMALE--	7	6	14	15	21	24	25	25	18	9	-	-
ALL OTHER--MALE----	1	-	-	2	3	3	4	1	1	1	-	-
FEMALE--	-	1	-	2	2	1	1	1	1	-	-	-
BLACK---MALE----	1	-	-	2	3	3	3	1	1	1	-	-
FEMALE--	-	1	-	2	2	1	1	1	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 886

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
KENTUCKY -----	35	39	58	77	90	76	70	53	14	6	1	-
WHITE-----MALE----	16	19	31	39	46	37	25	11	5	-	-	-
FEMALE--	16	15	22	33	38	36	39	36	8	6	1	-
ALL OTHER--MALE----	2	4	2	3	3	3	4	2	1	-	-	-
FEMALE--	1	1	3	2	3	-	2	4	-	-	-	-
BLACK---MALE----	2	4	2	3	3	3	4	2	1	-	-	-
FEMALE--	1	1	3	2	3	-	2	4	-	-	-	-
LOUISIANA -----	33	57	75	111	116	97	101	69	22	4	1	-
WHITE-----MALE----	14	23	31	41	47	40	33	20	7	2	-	-
FEMALE--	7	17	18	31	30	33	37	30	8	2	-	-
ALL OTHER--MALE----	9	10	17	23	19	10	14	13	1	-	-	-
FEMALE--	3	7	9	16	20	14	17	6	6	-	1	-
BLACK---MALE----	9	10	17	21	19	10	14	13	1	-	-	-
FEMALE--	2	7	9	16	20	14	17	6	6	-	1	-
MAINE -----	5	12	15	29	37	38	39	27	14	1	-	-
WHITE-----MALE----	4	5	7	10	23	25	14	10	3	-	-	-
FEMALE--	1	7	8	19	14	13	24	17	11	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	39	54	65	103	121	130	97	65	28	7	-	-
WHITE-----MALE----	14	27	20	47	47	58	32	15	9	1	-	-
FEMALE--	8	12	20	32	36	46	51	34	15	5	-	-
ALL OTHER--MALE----	9	11	16	16	15	12	6	7	1	1	-	-
FEMALE--	8	4	9	8	23	14	8	9	3	-	-	-
BLACK---MALE----	9	11	16	15	15	11	6	6	1	1	-	-
FEMALE--	8	4	8	8	23	14	8	9	3	-	-	-
MASSACHUSETTS -----	58	74	93	146	171	208	144	118	71	21	2	-
WHITE-----MALE----	28	42	50	81	100	103	58	37	18	5	-	-
FEMALE--	23	30	37	59	62	98	74	74	50	16	2	-
ALL OTHER--MALE----	4	1	3	6	8	2	7	2	1	-	-	-
FEMALE--	3	1	3	-	1	5	5	5	2	-	-	-
BLACK---MALE----	1	1	2	4	6	2	5	-	1	-	-	-
FEMALE--	1	1	2	-	1	4	4	3	2	-	-	-
MICHIGAN -----	63	91	112	173	214	196	157	98	46	13	4	-
WHITE-----MALE----	31	45	63	86	107	83	67	28	10	3	-	-
FEMALE--	20	34	32	59	75	93	75	62	33	9	4	-
ALL OTHER--MALE----	8	7	8	19	18	10	7	3	-	-	-	-
FEMALE--	4	5	9	9	14	10	8	5	3	1	-	-
BLACK---MALE----	8	7	8	18	16	10	6	3	-	-	-	-
FEMALE--	4	5	9	8	13	10	8	5	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 887

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
MINNESOTA -----	638	-	-	1	-	-	1	3	1	7	10	15
WHITE-----MALE----	311	-	-	-	-	-	1	-	1	3	6	8
FEMALE--	306	-	-	1	-	-	-	2	-	4	4	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	502	-	-	-	-	2	1	-	2	4	13	21
WHITE-----MALE----	180	-	-	-	-	-	-	-	-	1	5	5
FEMALE--	149	-	-	-	-	-	-	-	1	1	2	5
ALL OTHER--MALE----	88	-	-	-	-	2	-	-	1	-	2	5
FEMALE--	85	-	-	-	-	-	1	-	-	2	4	6
BLACK---MALE----	88	-	-	-	-	2	-	-	1	-	2	5
FEMALE--	84	-	-	-	-	-	1	-	-	2	4	6
MISSOURI -----	871	-	-	1	-	-	-	3	6	6	14	20
WHITE-----MALE----	394	-	-	1	-	-	-	1	4	2	7	11
FEMALE--	398	-	-	-	-	-	-	2	1	1	4	8
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	42	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	36	-	-	-	-	-	-	-	-	1	1	-
MONTANA -----	125	-	-	-	-	-	-	2	-	-	1	5
WHITE-----MALE----	62	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	54	-	-	-	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	210	-	-	-	-	2	2	1	1	1	1	2
WHITE-----MALE----	96	-	-	-	-	1	1	1	-	1	1	1
FEMALE--	106	-	-	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	253	-	-	-	-	-	-	1	2	1	4	13
WHITE-----MALE----	132	-	-	-	-	-	-	1	1	-	2	8
FEMALE--	106	-	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 887  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
MINNESOTA -----	21	29	55	83	97	102	98	79	27	9	-	-
WHITE-----MALE----	14	18	30	44	58	50	36	27	13	2	-	-
FEMALE--	7	9	23	38	32	50	58	52	14	7	-	-
ALL OTHER--MALE----	-	-	-	1	6	1	1	-	-	-	-	-
FEMALE--	-	2	2	-	1	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	1	3	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	1	1	-	-	-	-	-
MISSISSIPPI -----	30	33	46	77	71	66	60	45	21	7	3	-
WHITE-----MALE----	10	17	18	29	27	27	21	15	5	-	-	-
FEMALE--	6	6	13	25	21	17	21	16	7	5	3	-
ALL OTHER--MALE----	9	3	10	14	12	14	8	5	2	1	-	-
FEMALE--	5	7	5	9	11	8	10	9	7	1	-	-
BLACK---MALE----	9	3	10	14	12	14	8	5	2	1	-	-
FEMALE--	5	6	5	9	11	8	10	9	7	1	-	-
MISSOURI -----	37	55	81	113	143	114	128	95	38	16	1	-
WHITE-----MALE----	16	27	44	60	72	60	54	20	9	5	1	-
FEMALE--	16	21	29	41	59	47	62	68	28	11	-	-
ALL OTHER--MALE----	3	5	6	9	4	2	5	2	-	-	-	-
FEMALE--	2	2	2	3	8	5	7	5	1	-	-	-
BLACK---MALE----	3	5	6	9	4	2	5	2	-	-	-	-
FEMALE--	2	2	2	3	8	5	7	4	1	-	-	-
MONTANA -----	7	6	11	11	24	23	17	14	4	-	-	-
WHITE-----MALE----	4	4	4	7	14	13	6	5	1	-	-	-
FEMALE--	3	2	6	4	9	5	9	9	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	10	19	23	31	32	23	28	21	4	-	-
WHITE-----MALE----	5	6	6	12	18	15	12	7	6	3	-	-
FEMALE--	2	3	13	8	12	17	11	21	15	1	-	-
ALL OTHER--MALE----	2	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	24	11	34	45	40	37	24	10	6	1	-	-
WHITE-----MALE----	15	5	18	23	24	17	10	5	3	-	-	-
FEMALE--	7	6	15	20	15	16	11	5	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	3	2	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 889  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
OHIO -----	1,786	1	-	2	1	-	2	4	14	21	28	47
WHITE-----MALE----	742	1	-	1	-	-	1	2	5	10	11	20
FEMALE--	852	-	-	1	1	-	-	2	6	8	11	20
ALL OTHER--MALE----	94	-	-	-	-	-	1	-	1	-	4	5
FEMALE--	98	-	-	-	-	-	-	-	2	3	2	2
BLACK---MALE----	94	-	-	-	-	-	1	-	1	-	4	5
FEMALE--	97	-	-	-	-	-	-	-	2	3	2	1
OKLAHOMA -----	446	-	-	-	-	1	2	1	5	3	6	15
WHITE-----MALE----	197	-	-	-	-	-	2	1	2	2	3	7
FEMALE--	192	-	-	-	-	1	-	-	1	-	3	7
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	461	-	-	-	-	-	-	1	-	4	3	9
WHITE-----MALE----	210	-	-	-	-	-	-	1	-	1	3	5
FEMALE--	237	-	-	-	-	-	-	-	-	2	-	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	4	-	-	-	-	1	-	-
PENNSYLVANIA -----	2,481	1	1	-	1	1	1	2	7	26	33	53
WHITE-----MALE----	1,170	1	1	-	1	1	-	2	2	10	13	27
FEMALE--	1,090	-	-	-	-	-	-	-	5	12	13	19
ALL OTHER--MALE----	112	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	109	-	-	-	-	-	1	-	-	3	4	4
BLACK---MALE----	111	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	109	-	-	-	-	-	1	-	-	3	4	4
RHODE ISLAND -----	138	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	408	-	1	-	1	-	1	2	2	7	11	17
WHITE-----MALE----	148	-	1	-	-	-	-	-	-	1	2	2
FEMALE--	130	-	-	-	-	-	-	-	1	3	4	3
ALL OTHER--MALE----	64	-	-	-	1	-	-	1	1	2	1	9
FEMALE--	66	-	-	-	-	-	1	1	-	1	4	3
BLACK---MALE----	63	-	-	-	1	-	-	1	1	2	1	9
FEMALE--	66	-	-	-	-	-	1	1	-	1	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 889  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
OHIO -----	93	101	154	234	324	253	258	161	74	12	2	-
WHITE-----MALE----	43	47	73	104	138	101	104	53	25	2	1	-
FEMALE--	39	39	59	107	148	133	130	94	44	9	1	-
ALL OTHER--MALE----	5	6	12	15	22	6	7	8	1	1	-	-
FEMALE--	6	9	10	8	16	13	17	6	4	-	-	-
BLACK---MALE----	5	6	12	15	22	6	7	8	1	1	-	-
FEMALE--	6	9	10	8	16	13	17	6	4	-	-	-
OKLAHOMA -----	18	36	43	52	69	66	65	38	14	10	2	-
WHITE-----MALE----	6	19	21	25	33	27	23	17	4	4	1	-
FEMALE--	5	11	16	18	28	31	38	17	9	6	1	-
ALL OTHER--MALE----	3	5	3	3	4	4	2	2	-	-	-	-
FEMALE--	4	1	3	6	4	4	2	2	1	-	-	-
BLACK---MALE----	1	2	-	2	-	4	1	2	-	-	-	-
FEMALE--	3	1	1	5	3	2	1	2	-	-	-	-
OREGON -----	17	31	34	64	81	62	78	47	22	7	1	-
WHITE-----MALE----	7	10	16	32	33	29	40	22	9	1	1	-
FEMALE--	10	18	16	31	43	33	38	23	13	6	-	-
ALL OTHER--MALE----	-	1	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	2	2	1	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	94	135	217	307	416	425	385	252	92	29	3	-
WHITE-----MALE----	47	75	121	168	221	203	170	75	26	5	1	-
FEMALE--	35	38	69	112	157	183	195	163	63	24	2	-
ALL OTHER--MALE----	3	17	16	14	20	19	8	7	1	-	-	-
FEMALE--	9	5	11	13	18	20	12	7	2	-	-	-
BLACK---MALE----	3	17	15	14	20	19	8	7	1	-	-	-
FEMALE--	9	5	11	13	18	20	12	7	2	-	-	-
RHODE ISLAND -----	5	5	10	17	27	30	19	14	7	1	1	-
WHITE-----MALE----	2	3	4	13	13	10	7	4	1	-	-	-
FEMALE--	3	2	4	4	13	20	11	10	6	1	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	13	33	44	61	70	53	58	20	13	1	-	-
WHITE-----MALE----	6	11	20	29	27	21	19	7	2	-	-	-
FEMALE--	5	11	10	19	21	20	17	8	7	1	-	-
ALL OTHER--MALE----	-	8	7	7	12	6	6	2	1	-	-	-
FEMALE--	2	3	7	6	10	6	16	3	3	-	-	-
BLACK---MALE----	-	7	7	7	12	6	6	2	1	-	-	-
FEMALE--	2	3	7	6	10	6	16	3	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 890  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
SOUTH DAKOTA -----	103	-	-	-	-	-	-	-	1	1	3	4
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	699	-	-	-	-	1	1	5	5	13	12	25
WHITE-----MALE----	296	-	-	-	-	-	-	3	2	5	7	9
FEMALE--	285	-	-	-	-	1	-	1	2	4	3	9
ALL OTHER--MALE----	63	-	-	-	-	-	1	-	1	1	1	4
FEMALE--	55	-	-	-	-	-	-	1	-	3	1	3
BLACK---MALE----	63	-	-	-	-	-	1	-	1	1	1	4
FEMALE--	53	-	-	-	-	-	-	1	-	2	1	3
TEXAS -----	1,732	-	1	1	2	1	5	8	18	30	44	62
WHITE-----MALE----	784	-	1	1	-	-	4	4	11	9	16	35
FEMALE--	714	-	-	-	2	-	1	3	3	16	14	19
ALL OTHER--MALE----	118	-	-	-	-	1	-	1	1	4	8	4
FEMALE--	116	-	-	-	-	-	-	-	3	1	6	4
BLACK---MALE----	111	-	-	-	-	1	-	1	1	4	8	3
FEMALE--	109	-	-	-	-	-	-	-	3	1	5	3
UTAH -----	187	-	-	-	-	-	-	1	-	-	4	5
WHITE-----MALE----	99	-	-	-	-	-	-	-	-	-	3	5
FEMALE--	83	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	101	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,026	-	-	-	-	1	2	4	8	22	18	35
WHITE-----MALE----	425	-	-	-	-	-	-	2	4	7	4	16
FEMALE--	391	-	-	-	-	1	1	1	2	7	8	9
ALL OTHER--MALE----	116	-	-	-	-	-	1	1	2	6	2	7
FEMALE--	94	-	-	-	-	-	-	-	-	2	4	3
BLACK---MALE----	109	-	-	-	-	-	1	1	2	5	2	7
FEMALE--	86	-	-	-	-	-	-	-	-	2	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 890  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
SOUTH DAKOTA -----	4	1	7	10	20	14	17	14	6	1	-	-
WHITE-----MALE----	-	1	4	4	10	8	3	6	1	1	-	-
FEMALE--	4	-	2	2	6	6	13	7	5	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	3	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	39	44	80	86	119	93	81	56	27	11	1	-
WHITE-----MALE----	13	25	40	43	51	37	34	17	9	1	-	-
FEMALE--	14	9	27	31	48	44	37	31	14	10	-	-
ALL OTHER--MALE----	9	9	6	7	10	5	6	3	-	-	-	-
FEMALE--	3	1	7	5	10	7	4	5	4	-	1	-
BLACK---MALE----	9	9	6	7	10	5	6	3	-	-	-	-
FEMALE--	3	1	7	5	10	7	4	4	4	-	1	-
TEXAS -----	89	127	165	199	258	259	223	146	77	14	3	-
WHITE-----MALE----	42	64	79	105	126	120	93	44	26	2	2	-
FEMALE--	35	43	60	64	99	110	105	87	42	10	1	-
ALL OTHER--MALE----	8	12	16	18	18	14	8	2	2	1	-	-
FEMALE--	4	8	10	12	15	15	17	13	7	1	-	-
BLACK---MALE----	7	12	14	17	17	14	7	2	2	1	-	-
FEMALE--	4	7	8	12	15	15	15	13	7	1	-	-
UTAH -----	6	11	8	28	36	36	23	16	12	1	-	-
WHITE-----MALE----	3	5	5	14	23	18	12	4	6	1	-	-
FEMALE--	3	5	1	14	12	18	11	12	6	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	5	11	13	17	21	13	11	4	1	1	-
WHITE-----MALE----	-	1	5	7	8	7	8	5	2	-	-	-
FEMALE--	2	4	6	6	9	14	5	6	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	59	62	111	163	171	150	94	94	25	7	-	-
WHITE-----MALE----	26	26	54	77	78	64	40	20	5	2	-	-
FEMALE--	16	18	33	52	63	54	45	60	17	4	-	-
ALL OTHER--MALE----	12	11	16	20	18	13	3	3	-	1	-	-
FEMALE--	5	7	8	14	12	19	6	11	3	-	-	-
BLACK---MALE----	11	11	16	17	16	13	3	3	-	1	-	-
FEMALE--	4	6	7	14	12	19	5	9	3	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 891  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)												
WASHINGTON -----	33	37	51	92	112	126	101	58	25	4	1	-
WHITE-----MALE----	20	20	28	51	59	70	50	26	8	1	-	-
FEMALE--	12	16	20	36	48	52	49	30	15	3	1	-
ALL OTHER--MALE----	1	-	1	4	4	3	-	1	1	-	-	-
FEMALE--	-	1	2	1	1	1	2	1	1	-	-	-
BLACK---MALE----	-	-	-	2	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	1	-	-	-
WEST VIRGINIA -----	20	24	46	66	80	62	60	27	18	2	-	-
WHITE-----MALE----	9	17	23	41	43	26	28	8	2	2	-	-
FEMALE--	9	6	21	23	33	33	31	16	16	-	-	-
ALL OTHER--MALE----	2	1	2	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	2	-	-	-	-
BLACK---MALE----	2	1	2	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	2	-	-	-	-
WISCONSIN -----	35	59	77	100	115	118	107	83	34	13	-	-
WHITE-----MALE----	20	30	44	59	64	64	50	33	11	4	-	-
FEMALE--	10	23	25	37	46	50	57	50	23	9	-	-
ALL OTHER--MALE----	3	3	7	4	3	-	-	-	-	-	-	-
FEMALE--	2	3	1	-	2	4	-	-	-	-	-	-
BLACK---MALE----	2	3	6	3	2	-	-	-	-	-	-	-
FEMALE--	1	3	1	-	2	3	-	-	-	-	-	-
WYOMING -----	3	4	5	4	15	5	9	7	2	1	-	-
WHITE-----MALE----	1	1	2	-	6	1	4	3	-	-	-	-
FEMALE--	2	3	3	4	9	3	4	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 892  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
0 UNITED STATES --	54,367	23	171	224	231	292	372	533	814	1,032	1,366	1,722
WHITE-----MALE----	25,853	9	84	123	103	145	183	275	423	554	744	898
FEMALE--	22,704	9	44	62	63	81	111	150	206	288	404	558
ALL OTHER--MALE----	3,034	2	21	20	36	42	43	67	112	114	128	150
FEMALE--	2,776	3	22	19	29	24	35	41	73	76	90	116
BLACK---MALE----	2,586	1	15	17	21	34	29	59	93	103	111	137
FEMALE--	2,372	-	18	13	23	22	29	29	59	60	74	101
ALABAMA -----	927	-	4	1	5	4	6	8	9	21	28	39
WHITE-----MALE----	403	-	1	-	2	2	3	1	6	11	10	18
FEMALE--	336	-	-	1	1	1	2	4	-	5	8	8
ALL OTHER--MALE----	101	-	2	-	2	1	-	1	2	1	6	9
FEMALE--	87	-	1	-	-	-	1	2	1	4	4	4
BLACK---MALE----	99	-	1	-	2	1	-	1	2	1	6	9
FEMALE--	87	-	1	-	-	-	1	2	1	4	4	4
ALASKA -----	61	-	-	1	-	1	2	3	5	2	4	2
WHITE-----MALE----	35	-	-	1	-	-	2	2	2	1	2	1
FEMALE--	19	-	-	-	-	1	-	-	1	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	805	2	-	2	2	4	2	7	11	17	20	33
WHITE-----MALE----	416	1	-	2	1	2	1	4	5	12	13	16
FEMALE--	352	1	-	-	-	2	1	3	4	3	7	14
ALL OTHER--MALE----	19	-	-	-	1	-	-	-	1	1	-	2
FEMALE--	18	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	588	1	-	-	3	1	3	9	9	7	7	13
WHITE-----MALE----	290	-	-	-	3	-	-	6	5	4	4	9
FEMALE--	233	-	-	-	-	-	1	2	1	3	1	4
ALL OTHER--MALE----	38	1	-	-	-	1	-	1	2	-	1	-
FEMALE--	27	-	-	-	-	-	2	-	1	-	1	-
BLACK---MALE----	36	1	-	-	-	1	-	1	1	-	1	-
FEMALE--	26	-	-	-	-	-	2	-	1	-	1	-
CALIFORNIA -----	5,274	5	22	43	26	49	48	57	95	105	143	190
WHITE-----MALE----	2,567	3	14	23	10	26	25	32	51	63	78	103
FEMALE--	2,065	2	6	12	7	14	12	15	24	22	48	64
ALL OTHER--MALE----	355	-	2	3	5	7	10	4	8	13	11	13
FEMALE--	287	-	-	5	4	2	1	6	12	7	6	10
BLACK---MALE----	174	-	1	2	1	5	4	2	3	6	3	9
FEMALE--	152	-	-	1	3	1	-	4	7	2	1	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 892  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
0 UNITED STATES --	2,216	2,957	4,304	6,332	8,443	8,763	7,420	4,766	1,926	396	62	2
WHITE-----MALE----	1,130	1,495	2,203	3,276	4,201	4,129	3,270	1,824	650	118	16	-
FEMALE--	717	1,048	1,503	2,396	3,496	3,911	3,619	2,603	1,149	249	36	1
ALL OTHER--MALE----	219	213	324	353	391	351	237	146	55	9	1	-
FEMALE--	150	201	274	307	355	372	294	193	72	20	9	1
BLACK---MALE----	193	186	286	308	330	296	199	113	47	8	-	-
FEMALE--	123	171	238	265	311	324	248	169	69	18	8	-
ALABAMA -----	44	53	74	128	136	142	115	77	26	7	-	-
WHITE-----MALE----	21	27	34	69	63	61	38	25	9	2	-	-
FEMALE--	10	12	24	41	51	55	59	34	16	4	-	-
ALL OTHER--MALE----	7	9	7	10	13	10	10	10	-	1	-	-
FEMALE--	6	5	9	8	9	16	8	8	1	-	-	-
BLACK---MALE----	7	9	7	10	13	10	10	9	-	1	-	-
FEMALE--	6	5	9	8	9	16	8	8	1	-	-	-
ALASKA -----	4	3	4	8	9	5	6	1	1	-	-	-
WHITE-----MALE----	3	2	2	7	5	3	1	-	1	-	-	-
FEMALE--	1	-	2	1	3	1	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	33	46	70	94	136	151	97	58	19	1	-	-
WHITE-----MALE----	18	25	35	55	75	72	48	23	8	-	-	-
FEMALE--	11	17	32	37	59	70	45	34	11	1	-	-
ALL OTHER--MALE----	2	2	2	1	-	6	1	-	-	-	-	-
FEMALE--	2	2	1	1	2	3	3	1	-	-	-	-
BLACK---MALE----	1	1	1	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ARKANSAS -----	21	37	67	69	93	75	84	62	22	3	2	-
WHITE-----MALE----	8	22	36	46	36	38	37	27	8	1	-	-
FEMALE--	9	12	25	17	50	30	37	29	9	2	1	-
ALL OTHER--MALE----	2	3	3	4	4	4	6	5	1	-	-	-
FEMALE--	2	-	3	2	3	3	4	1	4	-	1	-
BLACK---MALE----	2	3	3	4	4	4	5	5	1	-	-	-
FEMALE--	2	-	3	2	3	2	4	1	4	-	1	-
CALIFORNIA -----	219	312	428	576	798	874	680	392	170	38	4	-
WHITE-----MALE----	120	165	216	293	395	412	305	157	59	16	1	-
FEMALE--	58	101	142	208	315	384	315	196	98	20	2	-
ALL OTHER--MALE----	24	25	39	41	52	39	28	21	9	1	-	-
FEMALE--	17	21	31	34	36	39	32	18	4	1	1	-
BLACK---MALE----	15	19	21	20	22	15	12	7	6	1	-	-
FEMALE--	12	14	16	21	23	17	11	8	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 893  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
COLORADO -----	669	-	1	2	5	1	1	4	20	20	23	23
WHITE-----MALE----	343	-	-	-	2	-	1	4	14	13	14	12
FEMALE--	299	-	1	1	-	1	-	-	4	4	7	9
ALL OTHER--MALE----	13	-	-	1	2	-	-	-	2	3	-	-
FEMALE--	14	-	-	-	1	-	-	-	-	-	2	2
BLACK---MALE----	7	-	-	1	1	-	-	-	1	2	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	1
CONNECTICUT -----	733	-	1	4	2	2	6	14	10	16	20	17
WHITE-----MALE----	358	-	1	4	1	1	4	9	8	7	12	7
FEMALE--	339	-	-	-	-	1	1	4	1	7	8	7
ALL OTHER--MALE----	21	-	-	-	-	-	1	1	1	1	-	1
FEMALE--	15	-	-	-	1	-	-	-	-	1	-	2
BLACK---MALE----	19	-	-	-	-	-	1	1	1	1	-	1
FEMALE--	14	-	-	-	1	-	-	-	-	1	-	2
DELAWARE -----	152	-	-	-	1	3	1	1	2	5	3	6
WHITE-----MALE----	77	-	-	-	-	2	1	-	1	2	1	3
FEMALE--	51	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	17	-	-	-	1	1	-	1	-	2	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	17	-	-	-	1	1	-	1	-	2	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	136	-	2	-	1	2	-	2	5	6	3	6
WHITE-----MALE----	31	-	-	-	-	-	-	1	2	2	1	2
FEMALE--	16	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	47	-	-	-	-	2	-	-	1	2	2	3
FEMALE--	42	-	1	-	1	-	-	1	2	2	-	1
BLACK---MALE----	46	-	-	-	-	2	-	-	1	2	2	3
FEMALE--	41	-	-	-	1	-	-	1	2	2	-	1
FLORIDA -----	3,666	3	11	12	12	13	19	23	47	58	63	98
WHITE-----MALE----	1,873	1	6	6	5	3	7	10	30	28	31	58
FEMALE--	1,505	2	3	5	6	6	6	9	5	18	25	18
ALL OTHER--MALE----	152	-	1	1	-	2	3	2	9	7	1	12
FEMALE--	136	-	1	-	1	2	3	2	3	5	6	10
BLACK---MALE----	148	-	1	1	-	2	3	2	8	7	1	12
FEMALE--	126	-	1	-	1	2	3	1	2	4	6	10
GEORGIA -----	1,185	-	5	7	5	10	11	15	24	21	39	42
WHITE-----MALE----	494	-	1	4	2	4	6	8	7	7	21	19
FEMALE--	440	-	3	2	2	1	1	3	9	5	9	15
ALL OTHER--MALE----	135	-	1	-	1	5	1	3	7	4	4	5
FEMALE--	116	-	-	1	-	-	3	1	1	5	5	3
BLACK---MALE----	134	-	1	-	-	5	1	3	7	4	4	5
FEMALE--	115	-	-	1	-	-	3	1	1	4	5	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 893

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
COLORADO -----	26	26	66	67	105	102	84	67	23	3	-	-
WHITE-----MALE----	15	15	38	35	58	45	43	29	5	-	-	-
FEMALE--	10	11	27	29	43	55	41	37	17	2	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	2	2	2	-	-	1	1	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	2	-	-	1	1	-	-
CONNECTICUT -----	25	35	58	85	107	133	101	65	22	9	1	-
WHITE-----MALE----	18	15	37	47	52	62	41	23	7	2	-	-
FEMALE--	5	15	17	33	51	67	58	42	14	7	1	-
ALL OTHER--MALE----	2	2	3	3	3	-	2	-	1	-	-	-
FEMALE--	-	3	1	2	1	4	-	-	-	-	-	-
BLACK---MALE----	2	1	3	3	3	-	1	-	1	-	-	-
FEMALE--	-	3	1	1	1	4	-	-	-	-	-	-
DELAWARE -----	8	6	13	25	23	20	14	15	6	-	-	-
WHITE-----MALE----	6	2	7	17	11	10	6	5	3	-	-	-
FEMALE--	-	3	4	7	10	6	6	8	2	-	-	-
ALL OTHER--MALE----	1	1	1	1	1	2	1	2	1	-	-	-
FEMALE--	1	-	1	-	1	2	1	-	-	-	-	-
BLACK---MALE----	1	1	1	1	1	2	1	2	1	-	-	-
FEMALE--	1	-	1	-	1	2	1	-	-	-	-	-
DISTRICT OF COLUMBIA -----	4	10	8	19	15	18	15	14	4	2	-	-
WHITE-----MALE----	1	2	-	4	1	3	9	2	-	1	-	-
FEMALE--	1	1	2	-	3	3	1	3	1	-	-	-
ALL OTHER--MALE----	1	4	5	7	8	3	2	6	1	-	-	-
FEMALE--	1	3	1	8	3	9	3	3	2	1	-	-
BLACK---MALE----	1	4	5	7	8	3	2	5	1	-	-	-
FEMALE--	1	3	1	8	3	9	3	3	2	1	-	-
FLORIDA -----	127	162	268	419	622	639	564	352	124	25	5	-
WHITE-----MALE----	58	83	132	242	330	332	285	164	52	8	2	-
FEMALE--	46	60	85	153	261	279	254	178	68	16	2	-
ALL OTHER--MALE----	12	11	32	14	13	17	9	6	-	-	-	-
FEMALE--	11	8	19	10	18	11	16	4	4	1	1	-
BLACK---MALE----	11	11	32	14	12	16	9	6	-	-	-	-
FEMALE--	10	8	16	10	17	10	15	4	4	1	1	-
GEORGIA -----	53	75	108	141	178	162	161	88	34	4	2	-
WHITE-----MALE----	22	33	57	64	71	60	65	33	8	1	1	-
FEMALE--	24	22	26	44	71	65	72	44	19	2	1	-
ALL OTHER--MALE----	5	14	13	22	18	14	13	4	1	-	-	-
FEMALE--	2	6	12	11	18	23	11	7	6	1	-	-
BLACK---MALE----	5	14	13	22	18	14	13	4	1	-	-	-
FEMALE--	2	6	12	11	18	23	11	7	6	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 894  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
HAWAII -----	148	-	1	1	2	2	2	6	2	3	4	7
WHITE-----MALE----	24	-	-	1	-	-	-	1	-	1	1	4
FEMALE--	21	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	47	-	-	-	2	2	1	2	1	-	1	-
FEMALE--	56	-	1	-	-	-	1	3	1	1	-	2
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	251	-	1	-	1	3	1	-	1	3	4	6
WHITE-----MALE----	134	-	-	-	1	1	1	-	1	3	4	3
FEMALE--	114	-	1	-	-	2	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,599	1	8	16	8	8	15	26	27	56	74	69
WHITE-----MALE----	1,192	-	6	7	2	4	8	12	14	28	41	32
FEMALE--	1,080	1	-	5	5	3	3	10	4	17	19	21
ALL OTHER--MALE----	171	-	-	2	1	-	3	2	8	5	11	11
FEMALE--	156	-	2	2	-	1	2	1	6	3	3	5
BLACK---MALE----	160	-	-	2	1	-	1	1	8	5	10	11
FEMALE--	146	-	1	2	-	1	1	2	1	5	2	5
INDIANA -----	1,238	-	3	5	2	4	5	12	14	14	29	39
WHITE-----MALE----	601	-	2	2	1	4	2	6	6	10	15	24
FEMALE--	564	-	1	2	1	-	3	5	5	4	12	11
ALL OTHER--MALE----	38	-	-	1	-	-	-	1	2	-	1	2
FEMALE--	35	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	36	-	-	1	-	-	-	-	1	-	1	2
FEMALE--	33	-	-	-	-	-	-	-	1	-	1	2
IOWA -----	722	-	2	3	2	6	3	5	7	7	19	18
WHITE-----MALE----	363	-	1	1	1	3	1	2	5	1	11	9
FEMALE--	349	-	1	2	1	2	2	3	2	6	7	9
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	584	-	4	-	3	1	7	2	6	10	11	15
WHITE-----MALE----	288	-	1	-	2	1	3	1	2	5	7	3
FEMALE--	262	-	1	-	1	-	3	1	3	4	1	12
ALL OTHER--MALE----	16	-	1	-	-	-	1	-	-	1	2	-
FEMALE--	18	-	1	-	-	-	-	-	1	-	1	-
BLACK---MALE----	15	-	1	-	-	-	1	-	-	1	1	-
FEMALE--	16	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 894  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
HAWAII -----	6	7	8	19	24	23	14	13	3	1	-	-
WHITE-----MALE----	1	1	2	3	5	2	1	1	-	-	-	-
FEMALE--	1	-	1	4	3	4	2	1	1	-	-	-
ALL OTHER--MALE----	-	2	3	6	8	6	6	5	2	-	-	-
FEMALE--	4	4	2	6	8	11	5	6	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	16	20	16	25	48	36	35	22	10	2	1	-
WHITE-----MALE----	12	9	11	8	23	21	19	13	4	-	-	-
FEMALE--	3	11	5	16	24	15	16	9	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	103	144	192	299	412	417	384	216	104	19	1	-
WHITE-----MALE----	57	68	97	131	191	196	180	74	37	7	-	-
FEMALE--	26	54	69	123	167	181	181	122	59	10	-	-
ALL OTHER--MALE----	12	12	13	25	28	19	8	7	3	1	-	-
FEMALE--	8	10	13	20	26	21	15	13	5	1	1	-
BLACK---MALE----	11	12	13	24	26	18	6	7	3	1	-	-
FEMALE--	7	10	12	19	25	20	14	13	4	1	1	-
INDIANA -----	51	82	93	143	195	214	180	101	45	5	2	-
WHITE-----MALE----	31	50	54	68	94	92	80	42	13	4	1	-
FEMALE--	16	27	31	66	87	115	90	55	31	1	1	-
ALL OTHER--MALE----	2	3	4	3	6	3	6	3	1	-	-	-
FEMALE--	2	2	4	6	8	4	4	1	-	-	-	-
BLACK---MALE----	2	3	4	3	6	3	6	3	1	-	-	-
FEMALE--	2	2	4	6	7	3	4	1	-	-	-	-
IOWA -----	26	26	50	82	89	125	125	77	40	10	-	-
WHITE-----MALE----	15	18	23	49	53	55	65	34	15	1	-	-
FEMALE--	10	8	24	32	35	69	59	43	25	9	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	1	-	-	-	-	-
KANSAS -----	12	25	49	67	89	99	87	53	30	12	2	-
WHITE-----MALE----	4	12	35	40	47	38	47	24	11	5	-	-
FEMALE--	6	8	12	23	38	58	39	27	18	6	1	-
ALL OTHER--MALE----	1	1	-	2	3	2	-	2	-	-	-	-
FEMALE--	1	4	2	2	1	1	1	-	1	1	1	-
BLACK---MALE----	1	1	-	2	3	2	-	2	-	-	-	-
FEMALE--	1	3	2	2	1	1	1	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 895  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
KENTUCKY -----	795	-	3	3	2	-	7	9	12	12	15	28
WHITE-----MALE----	369	-	2	1	1	-	3	6	5	6	8	15
FEMALE--	375	-	1	-	-	-	4	3	6	5	7	12
ALL OTHER--MALE----	23	-	-	1	1	-	-	-	1	1	-	1
FEMALE--	28	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	1	1	-	-	-	1	1	-	1
FEMALE--	27	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	907	-	3	1	6	2	7	12	11	28	31	27
WHITE-----MALE----	361	-	1	1	3	1	4	3	4	13	15	13
FEMALE--	331	-	-	-	-	-	1	3	3	11	8	9
ALL OTHER--MALE----	108	-	-	-	1	-	1	4	2	2	6	3
FEMALE--	107	-	2	-	2	1	1	2	2	2	2	2
BLACK---MALE----	105	-	-	-	1	-	1	4	2	2	6	3
FEMALE--	105	-	2	-	2	1	1	1	2	1	2	2
MAINE -----	279	-	-	2	1	2	-	3	3	7	8	6
WHITE-----MALE----	146	-	-	2	1	1	-	2	2	3	5	3
FEMALE--	132	-	-	-	-	1	-	-	1	4	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	912	-	2	4	7	8	6	9	23	16	28	29
WHITE-----MALE----	374	-	-	2	2	1	1	3	9	9	13	15
FEMALE--	351	-	-	-	1	1	1	2	4	2	4	9
ALL OTHER--MALE----	102	-	2	1	1	5	3	2	6	3	9	2
FEMALE--	85	-	-	1	3	1	1	2	4	2	2	3
BLACK---MALE----	94	-	2	-	1	4	3	2	6	3	9	2
FEMALE--	81	-	-	1	3	1	1	2	4	2	2	3
MASSACHUSETTS -----	1,358	-	3	11	6	4	12	9	19	18	37	48
WHITE-----MALE----	688	-	2	7	3	2	6	7	7	14	18	28
FEMALE--	617	-	-	3	1	2	3	2	11	4	16	14
ALL OTHER--MALE----	22	-	-	1	-	-	3	-	1	-	1	4
FEMALE--	31	-	1	-	2	-	-	-	-	-	2	2
BLACK---MALE----	19	-	-	-	-	-	2	-	-	-	1	4
FEMALE--	23	-	1	-	1	-	-	-	-	-	2	2
MICHIGAN -----	2,007	1	4	8	7	6	14	11	19	39	45	74
WHITE-----MALE----	880	1	-	5	4	2	6	6	11	19	21	35
FEMALE--	888	-	3	2	1	1	4	2	3	14	12	27
ALL OTHER--MALE----	130	-	1	1	1	1	2	2	3	3	9	7
FEMALE--	109	-	-	-	1	2	2	1	2	3	3	5
BLACK---MALE----	126	-	1	1	1	1	2	2	3	3	9	5
FEMALE--	98	-	-	-	1	2	1	1	2	3	1	3



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 895

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
KENTUCKY -----	44	45	81	92	123	115	107	65	27	5	-	-
WHITE-----MALE----	25	22	39	52	59	53	45	14	10	3	-	-
FEMALE--	16	21	36	34	59	53	57	45	15	1	-	-
ALL OTHER--MALE----	2	2	3	1	1	5	3	1	-	-	-	-
FEMALE--	1	-	3	5	4	4	2	5	2	1	-	-
BLACK---MALE----	2	2	3	-	1	5	3	1	-	-	-	-
FEMALE--	1	-	3	4	4	4	2	5	2	1	-	-
LOUISIANA -----	35	47	84	107	124	143	111	84	33	9	2	-
WHITE-----MALE----	13	19	37	51	48	63	35	29	5	3	-	-
FEMALE--	9	14	24	39	45	47	53	40	20	4	1	-
ALL OTHER--MALE----	5	5	12	9	15	22	9	6	4	2	-	-
FEMALE--	8	9	11	8	16	11	14	9	4	-	1	-
BLACK---MALE----	5	4	11	9	15	21	9	6	4	2	-	-
FEMALE--	8	9	11	8	16	11	14	9	4	-	1	-
MAINE -----	12	13	19	34	38	55	36	24	12	3	1	-
WHITE-----MALE----	7	7	9	22	22	29	22	6	2	-	1	-
FEMALE--	5	6	10	12	16	26	14	18	10	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	48	51	72	112	133	151	110	63	29	10	1	-
WHITE-----MALE----	16	18	32	54	61	65	39	25	8	1	-	-
FEMALE--	18	19	19	42	49	68	56	33	16	6	1	-
ALL OTHER--MALE----	8	7	10	8	14	9	9	1	2	-	-	-
FEMALE--	6	7	11	8	9	9	6	4	3	3	-	-
BLACK---MALE----	8	6	9	7	13	8	8	1	2	-	-	-
FEMALE--	5	6	10	8	8	9	6	4	3	3	-	-
MASSACHUSETTS -----	39	71	92	135	224	234	198	130	56	9	3	-
WHITE-----MALE----	23	32	51	76	120	131	95	50	12	4	-	-
FEMALE--	13	35	38	55	94	101	95	79	43	5	3	-
ALL OTHER--MALE----	1	2	-	2	3	1	3	-	-	-	-	-
FEMALE--	2	2	3	2	7	1	5	1	1	-	-	-
BLACK---MALE----	1	2	-	2	3	1	3	-	-	-	-	-
FEMALE--	1	1	3	-	5	1	4	1	1	-	-	-
MICHIGAN -----	67	113	134	264	375	320	257	169	64	15	1	-
WHITE-----MALE----	42	51	51	117	160	147	112	59	24	6	1	-
FEMALE--	20	45	61	110	167	149	123	100	36	8	-	-
ALL OTHER--MALE----	4	7	13	21	26	13	10	4	2	-	-	-
FEMALE--	1	10	9	16	22	11	12	6	2	1	-	-
BLACK---MALE----	4	7	13	21	26	12	9	4	2	-	-	-
FEMALE--	1	8	9	13	21	11	12	6	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 896  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
MINNESOTA -----	1,058	1	6	5	2	6	7	7	8	13	19	31
WHITE-----MALE----	559	-	3	5	2	3	4	3	4	7	14	17
FEMALE--	479	1	3	-	-	2	3	4	4	5	5	11
ALL OTHER--MALE----	13	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	513	-	2	2	-	4	2	6	14	13	12	15
WHITE-----MALE----	197	-	-	-	-	1	1	2	7	5	5	6
FEMALE--	176	-	1	2	-	1	-	-	3	2	1	5
ALL OTHER--MALE----	79	-	-	-	-	2	1	4	4	5	2	3
FEMALE--	61	-	1	-	-	-	-	-	-	1	4	1
BLACK---MALE----	78	-	-	-	-	2	-	4	4	5	2	3
FEMALE--	59	-	1	-	-	-	-	-	-	-	4	1
MISSOURI -----	1,226	-	1	3	3	5	9	4	11	18	29	29
WHITE-----MALE----	580	-	1	2	3	2	6	2	3	10	18	13
FEMALE--	548	-	-	1	-	1	2	1	5	5	10	12
ALL OTHER--MALE----	52	-	-	-	-	2	1	-	2	2	-	3
FEMALE--	46	-	-	-	-	-	-	1	1	1	1	1
BLACK---MALE----	50	-	-	-	-	2	1	-	2	2	-	3
FEMALE--	43	-	-	-	-	-	-	1	1	1	-	1
MONTANA -----	185	-	1	2	1	2	2	-	3	6	6	7
WHITE-----MALE----	100	-	-	-	1	1	1	-	1	5	5	6
FEMALE--	82	-	1	2	-	1	1	-	2	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	356	-	-	-	-	3	1	3	3	8	9	6
WHITE-----MALE----	186	-	-	-	-	2	-	3	-	5	4	2
FEMALE--	158	-	-	-	-	-	1	-	2	3	4	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	1	-	-	1	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	1	-
NEVADA -----	284	-	-	1	1	1	1	4	4	5	10	11
WHITE-----MALE----	160	-	-	1	-	-	1	2	2	3	7	7
FEMALE--	105	-	-	-	1	-	-	2	1	-	3	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	9	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 896

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
MINNESOTA -----	48	52	65	116	158	161	157	122	61	11	2	-
WHITE-----MALE----	26	33	39	69	90	87	74	53	23	2	1	-
FEMALE--	20	17	23	46	66	71	82	68	38	9	1	-
ALL OTHER--MALE----	1	1	1	1	2	2	1	1	-	-	-	-
FEMALE--	1	1	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	23	29	62	59	59	67	81	45	15	2	1	-
WHITE-----MALE----	8	15	30	33	27	19	24	9	4	1	-	-
FEMALE--	7	6	15	13	21	28	37	22	11	1	-	-
ALL OTHER--MALE----	5	4	11	7	7	9	9	6	-	-	-	-
FEMALE--	3	4	6	6	4	11	11	8	-	-	1	-
BLACK---MALE----	5	4	11	7	7	9	9	6	-	-	-	-
FEMALE--	3	4	6	5	4	11	11	8	-	-	1	-
MISSOURI -----	45	69	104	152	182	198	164	125	66	9	-	-
WHITE-----MALE----	19	29	52	84	88	101	72	58	13	4	-	-
FEMALE--	20	29	40	57	80	86	85	61	48	5	-	-
ALL OTHER--MALE----	5	5	8	6	7	3	4	2	2	-	-	-
FEMALE--	1	6	4	5	7	8	3	4	3	-	-	-
BLACK---MALE----	5	5	7	5	7	3	4	2	2	-	-	-
FEMALE--	1	6	3	4	7	8	3	4	3	-	-	-
MONTANA -----	6	8	17	20	16	26	37	15	9	1	-	-
WHITE-----MALE----	2	4	13	12	10	18	12	6	3	-	-	-
FEMALE--	3	3	4	7	6	8	25	9	6	1	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	17	25	35	52	58	51	52	20	4	-	-
WHITE-----MALE----	7	13	16	17	24	39	21	23	8	2	-	-
FEMALE--	2	4	9	16	26	18	29	27	12	2	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
NEVADA -----	12	22	16	35	64	44	28	17	8	-	-	-
WHITE-----MALE----	10	14	11	18	31	25	17	10	1	-	-	-
FEMALE--	1	6	4	14	29	19	10	6	6	-	-	-
ALL OTHER--MALE----	-	1	1	2	2	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	2	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 898

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
OHIO -----	2,540	-	3	9	6	8	21	28	43	37	45	84
WHITE-----MALE----	1,195	-	1	4	3	3	10	14	25	23	25	41
FEMALE--	1,117	-	-	2	1	4	8	8	13	9	13	34
ALL OTHER--MALE----	124	-	-	3	2	1	1	2	2	3	7	3
FEMALE--	104	-	2	-	-	-	2	4	3	2	-	6
BLACK---MALE----	120	-	-	3	2	-	1	2	2	3	7	3
FEMALE--	100	-	2	-	-	-	2	4	3	2	-	6
OKLAHOMA -----	772	-	3	4	2	8	2	7	11	10	21	17
WHITE-----MALE----	393	-	2	1	1	5	-	3	7	9	12	12
FEMALE--	321	-	-	2	1	3	2	2	1	-	6	5
ALL OTHER--MALE----	25	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	33	-	1	1	-	-	-	-	2	1	2	-
BLACK---MALE----	16	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	17	-	1	-	-	-	-	-	1	1	1	-
OREGON -----	693	-	3	1	2	8	2	3	7	21	21	14
WHITE-----MALE----	387	-	1	1	1	5	2	-	7	14	11	9
FEMALE--	292	-	2	-	1	3	-	3	-	6	10	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,994	-	8	6	9	11	23	24	33	43	70	61
WHITE-----MALE----	1,439	-	3	4	2	9	14	15	20	21	45	33
FEMALE--	1,360	-	3	2	4	1	7	6	9	16	20	24
ALL OTHER--MALE----	89	-	2	-	-	-	-	3	3	6	4	4
FEMALE--	106	-	-	-	3	1	2	-	1	-	1	-
BLACK---MALE----	84	-	1	-	-	-	-	3	3	5	4	4
FEMALE--	98	-	-	-	1	1	2	-	-	-	1	-
RHODE ISLAND -----	220	-	2	1	1	1	1	1	4	4	3	5
WHITE-----MALE----	111	-	1	-	-	-	-	1	3	2	3	4
FEMALE--	104	-	-	-	1	1	1	-	1	2	-	1
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	698	1	2	2	1	3	5	7	12	15	16	19
WHITE-----MALE----	288	-	-	2	-	1	2	2	5	8	5	12
FEMALE--	245	-	1	-	-	1	2	2	4	4	3	2
ALL OTHER--MALE----	75	1	-	-	-	-	-	2	1	-	4	2
FEMALE--	90	-	1	-	1	1	1	1	2	3	4	3
BLACK---MALE----	74	-	-	-	-	-	-	2	1	-	4	2
FEMALE--	89	-	1	-	1	1	1	1	2	3	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 898  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
OHIO -----	112	130	219	303	412	410	340	205	102	18	5	-
WHITE-----MALE----	62	56	112	152	213	196	138	69	40	5	3	-
FEMALE--	29	58	88	121	172	186	174	125	58	12	2	-
ALL OTHER--MALE----	15	8	9	18	15	16	10	6	2	1	-	-
FEMALE--	6	8	10	12	12	12	18	5	2	-	-	-
BLACK---MALE----	14	8	9	18	14	15	10	6	2	1	-	-
FEMALE--	6	8	10	11	10	12	17	5	2	-	-	-
OKLAHOMA -----	36	42	72	93	110	128	109	69	25	2	1	-
WHITE-----MALE----	14	22	45	50	60	61	50	29	9	1	-	-
FEMALE--	17	15	19	36	47	59	53	37	14	1	1	-
ALL OTHER--MALE----	4	1	2	4	2	3	2	1	2	-	-	-
FEMALE--	1	4	6	3	1	5	4	2	-	-	-	-
BLACK---MALE----	1	-	1	2	2	2	2	1	1	-	-	-
FEMALE--	-	3	3	2	1	1	1	2	-	-	-	-
OREGON -----	26	34	41	85	114	106	105	68	24	8	-	-
WHITE-----MALE----	13	19	24	53	67	59	60	28	10	3	-	-
FEMALE--	13	15	16	32	44	44	41	38	14	5	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
PENNSYLVANIA -----	100	146	211	370	507	525	427	278	115	21	6	-
WHITE-----MALE----	55	74	112	206	259	240	180	101	40	5	1	-
FEMALE--	33	61	76	144	222	254	231	163	66	14	4	-
ALL OTHER--MALE----	5	7	11	10	12	12	5	2	3	-	-	-
FEMALE--	7	4	12	10	14	19	11	12	6	2	1	-
BLACK---MALE----	3	7	11	10	12	11	5	2	3	-	-	-
FEMALE--	7	3	11	9	14	19	11	11	6	2	-	-
RHODE ISLAND -----	9	10	10	30	38	31	33	24	10	2	-	-
WHITE-----MALE----	5	4	7	11	22	16	16	8	-	-	-	-
FEMALE--	4	5	3	18	16	15	16	16	2	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	28	33	69	98	109	104	90	60	20	3	1	-
WHITE-----MALE----	12	10	31	51	46	41	34	20	5	1	-	-
FEMALE--	6	11	21	24	44	39	40	31	9	-	1	-
ALL OTHER--MALE----	5	6	10	10	13	11	4	4	2	-	-	-
FEMALE--	5	6	7	13	6	13	12	5	4	2	-	-
BLACK---MALE----	5	6	10	10	13	11	4	4	2	-	-	-
FEMALE--	5	5	7	13	6	13	12	5	4	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 899  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
SOUTH DAKOTA -----	191	-	1	-	-	1	3	1	-	-	5	5
WHITE-----MALE----	106	-	1	-	-	-	1	-	-	-	2	2
FEMALE--	77	-	-	-	-	1	1	1	-	-	3	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,136	-	5	2	5	6	5	15	20	17	25	40
WHITE-----MALE----	526	-	4	2	1	3	4	7	12	7	13	21
FEMALE--	455	-	-	-	2	1	-	7	4	8	10	8
ALL OTHER--MALE----	77	-	-	-	1	2	-	1	3	-	-	6
FEMALE--	78	-	1	-	1	-	1	-	1	2	2	5
BLACK---MALE----	75	-	-	-	1	2	-	1	3	-	-	5
FEMALE--	77	-	1	-	1	-	1	-	1	2	2	4
TEXAS -----	3,264	1	19	20	29	23	21	38	73	77	109	112
WHITE-----MALE----	1,591	1	8	11	17	10	11	22	38	48	59	65
FEMALE--	1,299	-	5	7	8	5	8	8	20	14	25	26
ALL OTHER--MALE----	186	-	4	1	2	2	1	7	4	8	18	10
FEMALE--	188	-	2	1	2	6	1	1	11	7	7	11
BLACK---MALE----	173	-	3	1	-	2	1	7	4	8	17	10
FEMALE--	179	-	2	1	2	6	1	-	11	6	6	11
UTAH -----	260	-	3	1	-	3	5	1	4	6	7	9
WHITE-----MALE----	134	-	3	-	-	1	3	-	4	3	5	5
FEMALE--	121	-	-	1	-	2	2	1	-	3	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	110	-	-	-	-	2	-	-	3	-	-	4
WHITE-----MALE----	70	-	-	-	-	1	-	-	2	-	-	3
FEMALE--	40	-	-	-	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,173	2	6	1	6	8	12	20	17	31	20	41
WHITE-----MALE----	487	1	4	-	3	6	5	5	8	14	13	17
FEMALE--	466	-	1	-	1	-	3	4	4	10	2	15
ALL OTHER--MALE----	115	-	-	-	-	2	2	6	1	5	2	5
FEMALE--	105	1	1	1	2	-	2	5	4	2	3	4
BLACK---MALE----	111	-	-	-	-	2	2	5	1	5	1	5
FEMALE--	99	-	1	1	2	-	2	4	4	2	3	3



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 899  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)												
SOUTH DAKOTA -----	6	8	15	20	27	30	25	30	9	4	1	-
WHITE-----MALE----	4	7	10	16	16	16	14	15	1	1	-	-
FEMALE--	2	1	5	4	10	11	11	13	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	-	1	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	48	74	89	117	166	182	175	96	40	7	2	-
WHITE-----MALE----	21	38	39	61	86	78	74	38	14	1	2	-
FEMALE--	11	24	34	41	62	83	79	51	24	6	-	-
ALL OTHER--MALE----	12	8	7	10	9	7	7	2	2	-	-	-
FEMALE--	4	4	9	5	9	14	15	5	-	-	-	-
BLACK---MALE----	12	7	7	10	9	7	7	2	2	-	-	-
FEMALE--	4	4	9	5	9	14	15	5	-	-	-	-
TEXAS -----	160	198	256	397	449	477	409	268	102	22	4	-
WHITE-----MALE----	83	103	120	221	228	243	163	105	30	4	1	-
FEMALE--	51	71	103	136	184	183	221	140	65	16	3	-
ALL OTHER--MALE----	17	7	19	21	20	26	8	7	4	-	-	-
FEMALE--	9	17	14	19	17	25	17	16	3	2	-	-
BLACK---MALE----	15	7	17	20	19	26	6	6	4	-	-	-
FEMALE--	7	15	14	18	17	25	17	15	3	2	-	-
UTAH -----	12	12	20	28	37	41	30	33	8	-	-	-
WHITE-----MALE----	7	8	11	15	21	22	13	10	3	-	-	-
FEMALE--	4	4	9	12	14	19	17	23	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	5	8	9	8	19	16	19	12	4	1	-	-
WHITE-----MALE----	4	6	6	6	10	12	12	7	1	-	-	-
FEMALE--	1	2	3	2	9	4	7	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	58	60	93	141	184	197	128	103	33	9	1	2
WHITE-----MALE----	23	29	48	61	78	83	52	23	14	-	-	-
FEMALE--	23	16	27	51	79	88	57	58	16	9	1	1
ALL OTHER--MALE----	9	7	11	15	16	12	12	8	2	-	-	-
FEMALE--	3	8	7	14	11	14	7	14	1	-	-	1
BLACK---MALE----	9	7	10	15	15	12	12	8	2	-	-	-
FEMALE--	2	8	7	14	11	13	7	14	1	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 901  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)												
0 UNITED STATES --	38	48	70	125	158	157	129	83	26	5	-	-
WHITE-----MALE----	23	29	50	61	83	71	53	35	11	-	-	-
FEMALE--	10	17	17	53	72	74	68	46	15	5	-	-
ALL OTHER--MALE----	3	1	3	5	3	3	2	1	-	-	-	-
FEMALE--	2	1	-	6	-	9	6	1	-	-	-	-
BLACK---MALE----	3	1	3	5	3	3	2	1	-	-	-	-
FEMALE--	2	1	-	6	-	6	4	1	-	-	-	-
ALABAMA -----	-	-	1	2	2	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	4	6	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	1	7	14	16	15	8	9	1	-	-	-
WHITE-----MALE----	3	1	4	8	11	4	3	3	1	-	-	-
FEMALE--	2	-	3	4	4	10	4	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 902  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)												
COLORADO -----	1	1	3	1	1	1	2	1	-	-	-	-
WHITE-----MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	2	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	2	3	1	12	10	12	14	2	-	-	-	-
WHITE-----MALE----	1	2	-	9	5	5	8	1	-	-	-	-
FEMALE--	-	1	-	3	5	7	6	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	1	2	-	3	2	1	1	-	-	-	-
WHITE-----MALE----	-	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



























TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 908

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)												
SOUTH DAKOTA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	-	1	2	1	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	3	3	9	9	10	8	7	5	-	-	-	-
WHITE-----MALE----	3	2	7	4	3	5	1	4	-	-	-	-
FEMALE--	-	1	2	4	7	3	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	-	-	-	2	1	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	-	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	1	1	5	5	14	3	3	1	-	-	-
WHITE-----MALE----	1	1	1	1	3	6	-	-	-	-	-	-
FEMALE--	1	-	-	4	2	7	3	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 910  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
0 UNITED STATES --	1,431	-	-	1	1	35	63	98	111	110	99	92
WHITE-----MALE----	692	-	-	-	1	9	30	50	62	61	48	53
FEMALE--	570	-	-	1	-	13	12	29	29	36	33	31
ALL OTHER--MALE----	107	-	-	-	-	7	14	14	13	9	8	4
FEMALE--	62	-	-	-	-	6	7	5	7	4	10	4
BLACK---MALE----	98	-	-	-	-	6	11	14	13	8	8	4
FEMALE--	59	-	-	-	-	6	6	5	7	2	10	4
ALABAMA -----	26	-	-	-	-	-	2	2	-	1	2	2
WHITE-----MALE----	6	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
ALASKA -----	4	-	-	-	-	-	1	-	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	17	-	-	-	-	-	-	-	1	1	-	4
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	-	-	-	-	-	-	4	2	1	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	2	1	1	-	1
FEMALE--	11	-	-	-	-	-	-	2	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	158	-	-	-	-	5	7	10	10	13	12	15
WHITE-----MALE----	83	-	-	-	-	1	2	7	5	10	8	10
FEMALE--	55	-	-	-	-	1	2	2	3	1	4	4
ALL OTHER--MALE----	13	-	-	-	-	2	3	-	-	2	-	1
FEMALE--	7	-	-	-	-	1	-	1	2	-	-	-
BLACK---MALE----	7	-	-	-	-	2	2	-	-	1	-	1
FEMALE--	7	-	-	-	-	1	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 910  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HODGKIN'S DISEASE (201)												
0 UNITED STATES --	81	83	71	105	147	141	111	67	14	1	-	-
WHITE-----MALE----	45	45	31	54	75	46	48	30	4	-	-	-
FEMALE--	25	27	31	47	67	86	57	35	10	1	-	-
ALL OTHER--MALE----	10	9	4	3	3	5	3	1	-	-	-	-
FEMALE--	1	2	5	1	2	4	3	1	-	-	-	-
BLACK---MALE----	10	9	3	3	3	3	2	1	-	-	-	-
FEMALE--	1	2	5	1	2	4	3	1	-	-	-	-
ALABAMA -----	1	1	-	1	6	3	4	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	2	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	1	2	-	3	2	-	-	-	-	-
WHITE-----MALE----	2	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	2	1	1	3	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	11	12	14	14	17	13	1	1	-	-	-
WHITE-----MALE----	2	9	5	6	6	6	5	1	-	-	-	-
FEMALE--	-	2	5	8	7	8	7	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 912  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
HAWAII -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	58	-	-	-	-	-	2	3	3	8	7	7
WHITE-----MALE----	30	-	-	-	-	-	-	2	1	4	6	4
FEMALE--	18	-	-	-	-	-	-	1	-	2	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	5	-	-	-	-	-	1	-	1	1	1	1
BLACK---MALE----	5	-	-	-	-	-	1	-	2	1	-	-
FEMALE--	5	-	-	-	-	-	1	-	1	1	1	1
INDIANA -----	30	-	-	-	-	-	1	3	1	2	1	1
WHITE-----MALE----	14	-	-	-	-	-	1	2	-	2	-	-
FEMALE--	14	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
IOWA -----	11	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	16	-	-	-	-	-	2	-	3	1	-	1
WHITE-----MALE----	8	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 913  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
KENTUCKY -----	18	-	-	-	-	-	2	2	1	1	2	1
WHITE-----MALE----	10	-	-	-	-	-	1	1	1	1	-	1
FEMALE--	7	-	-	-	-	-	1	1	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	33	-	-	-	-	-	1	-	3	3	6	3
WHITE-----MALE----	12	-	-	-	-	-	1	-	1	1	2	2
FEMALE--	15	-	-	-	-	-	-	-	2	2	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	10	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	28	-	-	-	-	2	2	2	4	1	3	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	8	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	1	2	-	1	-	2	-
FEMALE--	4	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	6	-	-	-	-	1	2	-	1	-	2	-
FEMALE--	4	-	-	-	-	1	-	1	1	-	-	-
MASSACHUSETTS -----	35	-	-	-	-	-	3	3	5	-	5	-
WHITE-----MALE----	18	-	-	-	-	-	-	2	1	-	4	-
FEMALE--	15	-	-	-	-	-	2	1	4	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	63	-	-	-	1	1	2	1	6	5	2	9
WHITE-----MALE----	28	-	-	-	1	1	1	-	5	2	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	6
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	1	1	2	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 916  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
OHIO -----	61	-	-	-	-	-	3	6	9	1	1	1
WHITE-----MALE----	28	-	-	-	-	-	-	2	6	-	-	-
FEMALE--	24	-	-	-	-	-	1	3	3	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	13	-	-	-	-	-	1	3	1	2	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	11	-	-	-	-	1	-	-	-	3	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	59	-	-	-	-	3	3	2	7	2	4	3
WHITE-----MALE----	32	-	-	-	-	2	2	2	5	1	3	2
FEMALE--	23	-	-	-	-	1	1	-	1	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	3	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	-	-	-	-	-	1	-	1	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 917  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HODGKIN'S DISEASE (201)												
SOUTH DAKOTA -----	7	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	-	-	-	-	-	-	2	2	2	1	-
WHITE-----MALE----	13	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	14	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	117	-	-	-	-	4	1	9	11	9	8	7
WHITE-----MALE----	52	-	-	-	-	1	-	4	5	5	2	4
FEMALE--	51	-	-	-	-	1	1	2	4	3	2	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	3	2	-	3	-
FEMALE--	6	-	-	-	-	2	-	-	-	1	1	1
BLACK---MALE----	8	-	-	-	-	-	-	3	2	-	3	-
FEMALE--	6	-	-	-	-	2	-	-	-	1	1	1
UTAH -----	9	-	-	-	-	2	-	1	-	2	2	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	2	-	1	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	30	-	-	-	-	1	1	1	3	5	1	1
WHITE-----MALE----	14	-	-	-	-	-	1	-	3	3	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 919  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
0 UNITED STATES --	21,471	1	15	16	27	41	69	152	326	483	615	751
WHITE-----MALE----	10,181	-	11	10	15	26	31	85	185	284	357	436
FEMALE--	9,630	-	1	1	7	7	24	35	70	107	157	226
ALL OTHER--MALE----	914	1	1	3	3	6	9	23	46	60	62	58
FEMALE--	746	-	2	2	2	2	5	9	25	32	39	31
BLACK---MALE----	738	-	-	3	3	6	6	22	37	55	55	53
FEMALE--	593	-	2	2	2	4	7	20	28	28	35	26
ALABAMA -----	318	-	1	-	-	1	1	3	4	10	11	12
WHITE-----MALE----	143	-	-	-	-	-	1	1	4	7	4	4
FEMALE--	124	-	-	-	-	-	-	2	-	2	2	2
ALL OTHER--MALE----	27	-	-	-	-	1	-	-	-	-	2	4
FEMALE--	24	-	1	-	-	-	-	-	-	1	3	2
BLACK---MALE----	27	-	-	-	-	1	-	-	-	-	2	4
FEMALE--	24	-	1	-	-	-	-	-	-	1	3	2
ALASKA -----	28	-	-	-	-	-	-	-	3	-	2	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	317	-	-	-	-	1	-	3	2	9	7	12
WHITE-----MALE----	159	-	-	-	-	1	-	2	2	7	5	6
FEMALE--	142	-	-	-	-	-	-	1	-	1	2	6
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	228	-	-	-	-	-	1	1	2	2	2	5
WHITE-----MALE----	108	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	104	-	-	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2,047	-	-	3	3	4	10	8	36	42	57	86
WHITE-----MALE----	983	-	-	2	2	2	5	5	22	30	29	49
FEMALE--	861	-	-	1	1	1	2	1	6	8	21	29
ALL OTHER--MALE----	113	-	-	-	-	1	3	-	4	4	5	4
FEMALE--	90	-	-	-	-	-	-	2	4	-	2	4
BLACK---MALE----	34	-	-	-	-	1	1	-	1	1	1	2
FEMALE--	35	-	-	-	-	-	-	1	2	-	-	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 919  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
0 UNITED STATES --	1,010	1,274	1,679	2,530	3,372	3,496	2,883	1,898	690	124	19	-
WHITE-----MALE----	538	672	888	1,315	1,639	1,564	1,212	664	215	31	3	-
FEMALE--	343	484	625	1,028	1,541	1,750	1,544	1,140	444	82	14	-
ALL OTHER--MALE----	88	63	96	102	95	83	63	37	13	1	1	-
FEMALE--	41	55	70	85	97	99	64	57	18	10	1	-
BLACK---MALE----	75	50	80	84	70	60	45	24	9	1	-	-
FEMALE--	34	40	50	67	77	78	49	45	16	8	1	-
ALABAMA -----	18	20	21	53	45	44	41	22	9	2	-	-
WHITE-----MALE----	11	9	8	29	21	18	18	8	-	-	-	-
FEMALE--	2	6	10	17	20	20	18	12	9	2	-	-
ALL OTHER--MALE----	3	4	2	5	-	1	3	2	-	-	-	-
FEMALE--	2	1	1	2	4	5	2	-	-	-	-	-
BLACK---MALE----	3	4	2	5	-	1	3	2	-	-	-	-
FEMALE--	2	1	1	2	4	5	2	-	-	-	-	-
ALASKA -----	4	1	1	4	4	4	4	-	-	-	-	-
WHITE-----MALE----	3	1	-	4	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	18	34	37	58	58	40	18	4	-	-	-
WHITE-----MALE----	9	8	17	23	30	21	20	6	2	-	-	-
FEMALE--	4	10	15	14	26	32	18	11	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	2	3	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ARKANSAS -----	13	11	27	33	46	22	27	28	7	-	1	-
WHITE-----MALE----	5	7	13	21	18	10	14	10	3	-	-	-
FEMALE--	7	4	12	11	27	11	11	14	2	-	1	-
ALL OTHER--MALE----	1	-	2	-	1	-	1	4	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	1	4	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	2	-	-	-
CALIFORNIA -----	91	131	174	231	315	353	275	160	56	11	1	-
WHITE-----MALE----	53	64	94	120	149	159	115	57	20	5	1	-
FEMALE--	22	52	57	89	138	166	139	90	33	5	-	-
ALL OTHER--MALE----	11	7	12	12	18	14	10	6	2	-	-	-
FEMALE--	5	8	11	10	10	14	11	7	1	1	-	-
BLACK---MALE----	6	3	4	4	4	2	3	1	-	-	-	-
FEMALE--	2	3	4	4	6	5	3	3	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 920  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
COLORADO -----	14	9	25	31	34	41	31	29	7	1	-	-
WHITE-----MALE----	8	4	16	15	16	15	11	11	2	-	-	-
FEMALE--	5	5	9	15	18	25	20	17	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
CONNECTICUT -----	10	19	23	33	46	69	34	31	7	2	-	-
WHITE-----MALE----	8	11	14	16	19	34	13	6	1	1	-	-
FEMALE--	1	5	6	17	25	35	21	25	6	1	-	-
ALL OTHER--MALE----	1	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
DELAWARE -----	3	3	6	12	8	6	5	3	3	-	-	-
WHITE-----MALE----	2	1	3	9	3	3	2	-	1	-	-	-
FEMALE--	-	2	3	3	4	2	2	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	5	2	5	7	5	5	5	2	1	-	-
WHITE-----MALE----	-	2	-	-	-	2	5	1	-	1	-	-
FEMALE--	-	-	-	-	3	1	-	3	1	-	-	-
ALL OTHER--MALE----	1	3	2	3	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	-	1	-	-	-
BLACK---MALE----	1	3	2	3	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	-	1	-	-	-
FLORIDA -----	54	74	101	182	261	244	230	159	42	10	1	-
WHITE-----MALE----	28	35	51	103	132	108	116	67	21	1	-	-
FEMALE--	22	31	31	74	123	131	111	89	20	8	1	-
ALL OTHER--MALE----	2	4	13	3	3	2	1	1	-	-	-	-
FEMALE--	2	4	6	2	3	3	2	2	1	1	-	-
BLACK---MALE----	2	4	13	3	2	2	1	1	-	-	-	-
FEMALE--	2	4	4	2	3	3	2	2	1	1	-	-
GEORGIA -----	20	28	41	50	69	53	53	25	9	1	-	-
WHITE-----MALE----	10	17	26	26	24	19	23	7	2	1	-	-
FEMALE--	9	7	10	17	34	25	27	16	6	-	-	-
ALL OTHER--MALE----	1	3	3	4	6	2	1	1	-	-	-	-
FEMALE--	-	1	2	3	5	7	2	1	1	-	-	-
BLACK---MALE----	1	3	3	4	6	2	1	1	-	-	-	-
FEMALE--	-	1	2	3	5	7	2	1	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 921  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
HAWAII -----	-	3	2	10	12	11	4	7	1	1	-	-
WHITE-----MALE----	-	-	2	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	4	1	2	3	3	1	-	-	-
FEMALE--	-	2	-	4	5	6	1	3	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	10	8	11	16	12	14	11	-	-	1	-
WHITE-----MALE----	4	5	6	5	8	6	8	6	-	-	-	-
FEMALE--	3	5	2	6	8	6	6	5	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	42	67	78	130	174	169	146	83	38	4	-	-
WHITE-----MALE----	26	39	36	65	72	80	62	31	10	1	-	-
FEMALE--	11	24	32	57	85	79	79	45	24	2	-	-
ALL OTHER--MALE----	2	4	5	5	9	2	3	1	1	1	-	-
FEMALE--	3	-	5	3	8	8	2	6	3	-	-	-
BLACK---MALE----	1	4	5	5	8	2	1	1	1	1	-	-
FEMALE--	2	-	4	3	7	7	2	6	2	-	-	-
INDIANA -----	19	37	42	58	86	94	68	35	22	1	1	-
WHITE-----MALE----	11	21	27	28	41	36	28	13	6	1	1	-
FEMALE--	7	14	14	27	41	56	36	22	16	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	1	3	-	-	-	-	-
FEMALE--	-	1	-	2	4	1	1	-	-	-	-	-
BLACK---MALE----	1	1	1	1	-	1	3	-	-	-	-	-
FEMALE--	-	1	-	2	4	1	1	-	-	-	-	-
IOWA -----	9	13	26	33	28	50	49	32	12	4	-	-
WHITE-----MALE----	5	10	17	17	14	13	25	15	5	-	-	-
FEMALE--	4	3	8	15	14	37	24	17	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
KANSAS -----	6	11	21	23	34	43	30	19	16	1	1	-
WHITE-----MALE----	2	6	14	11	20	18	17	8	6	-	-	-
FEMALE--	3	3	6	12	13	23	13	9	10	-	1	-
ALL OTHER--MALE----	1	1	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	1	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 922  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
KENTUCKY -----	22	25	29	39	47	41	47	27	8	1	-	-
WHITE-----MALE----	12	13	16	20	22	24	21	7	3	-	-	-
FEMALE--	9	12	12	15	23	17	25	20	5	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	3	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	-	-	-	-	-	-	-
LOUISIANA -----	15	18	28	44	44	39	38	34	12	3	1	-
WHITE-----MALE----	9	8	16	19	21	21	13	13	-	1	-	-
FEMALE--	4	7	9	22	15	12	22	19	10	2	1	-
ALL OTHER--MALE----	1	-	2	1	2	3	1	-	-	-	-	-
FEMALE--	1	3	1	2	6	3	2	2	2	-	-	-
BLACK---MALE----	1	-	1	1	2	3	1	-	-	-	-	-
FEMALE--	1	3	1	2	6	3	2	2	2	-	-	-
MAINE -----	6	8	11	11	16	21	12	10	8	2	-	-
WHITE-----MALE----	3	4	4	8	8	11	9	3	1	-	-	-
FEMALE--	3	4	7	3	8	10	3	7	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	28	22	47	51	66	36	33	9	2	-	-
WHITE-----MALE----	8	12	10	26	21	28	10	14	2	-	-	-
FEMALE--	13	11	8	17	22	34	25	16	5	2	-	-
ALL OTHER--MALE----	4	3	1	1	5	3	1	-	1	-	-	-
FEMALE--	2	2	3	3	3	1	-	3	1	-	-	-
BLACK---MALE----	4	2	1	1	5	2	1	-	1	-	-	-
FEMALE--	2	1	2	3	2	1	-	3	1	-	-	-
MASSACHUSETTS -----	18	33	38	56	95	94	87	64	24	6	-	-
WHITE-----MALE----	12	14	22	33	52	47	38	21	3	2	-	-
FEMALE--	4	17	16	21	41	47	47	42	21	4	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	2	-	-	-	-	-
FEMALE--	1	1	-	1	2	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	1	-	-	-	-
MICHIGAN -----	31	48	61	102	135	133	108	67	28	7	1	-
WHITE-----MALE----	20	24	27	42	49	57	50	20	7	1	1	-
FEMALE--	8	18	25	48	73	68	55	43	18	5	-	-
ALL OTHER--MALE----	2	2	5	6	10	4	-	2	2	-	-	-
FEMALE--	1	4	4	6	3	4	3	2	1	1	-	-
BLACK---MALE----	2	2	5	6	10	4	-	2	2	-	-	-
FEMALE--	1	3	4	4	2	4	3	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 923  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
MINNESOTA -----	402	-	-	-	-	-	-	3	5	5	9	16
WHITE-----MALE----	199	-	-	-	-	-	-	2	3	3	8	11
FEMALE--	197	-	-	-	-	-	-	1	2	1	1	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	195	-	-	-	-	1	1	2	5	7	8	9
WHITE-----MALE----	79	-	-	-	-	-	-	1	3	3	4	4
FEMALE--	82	-	-	-	-	-	-	-	2	1	1	4
ALL OTHER--MALE----	22	-	-	-	-	1	1	1	-	3	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	21	-	-	-	-	1	-	1	-	3	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	-
MISSOURI -----	492	-	-	-	2	-	1	1	6	7	16	13
WHITE-----MALE----	212	-	-	-	2	-	1	-	2	4	12	7
FEMALE--	255	-	-	-	-	-	-	-	2	1	4	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	2	1	-	2
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	2	1	-	2
FEMALE--	8	-	-	-	-	-	-	1	-	1	-	-
MONTANA -----	71	-	-	-	-	-	1	-	-	4	4	2
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	4	3	2
FEMALE--	32	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	131	-	-	-	-	1	-	1	1	5	1	3
WHITE-----MALE----	67	-	-	-	-	-	-	1	-	3	1	1
FEMALE--	61	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
NEVADA -----	106	-	-	-	-	-	1	1	1	5	6	3
WHITE-----MALE----	58	-	-	-	-	-	1	1	1	3	5	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 925  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
OHIO -----	1,032	-	1	1	-	1	5	9	10	21	22	33
WHITE-----MALE----	493	-	1	1	-	1	3	7	7	17	13	17
FEMALE--	472	-	-	-	-	-	2	-	2	2	5	14
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	30	-	-	-	-	-	-	2	1	1	-	-
BLACK---MALE----	35	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	27	-	-	-	-	-	-	2	1	1	-	-
OKLAHOMA -----	293	-	-	-	-	1	-	1	3	5	12	8
WHITE-----MALE----	146	-	-	-	-	-	-	-	3	4	6	7
FEMALE--	128	-	-	-	-	1	-	-	-	-	4	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
OREGON -----	272	-	-	-	-	2	-	1	6	8	8	4
WHITE-----MALE----	159	-	-	-	-	1	-	-	6	5	5	3
FEMALE--	109	-	-	-	-	1	-	1	-	2	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,243	-	1	-	1	1	9	7	13	19	30	27
WHITE-----MALE----	570	-	-	-	-	-	4	5	9	6	20	18
FEMALE--	603	-	-	-	1	-	4	-	3	8	7	8
ALL OTHER--MALE----	33	-	1	-	-	-	-	2	-	5	3	1
FEMALE--	37	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	29	-	-	-	-	-	-	2	-	4	3	1
FEMALE--	35	-	-	-	-	1	1	-	-	-	-	-
RHODE ISLAND -----	109	-	-	1	-	1	-	-	2	1	3	2
WHITE-----MALE----	51	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	56	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	244	1	-	-	-	-	-	3	2	6	7	8
WHITE-----MALE----	107	-	-	-	-	-	-	1	1	6	4	5
FEMALE--	99	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	19	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	19	-	-	-	-	-	-	1	-	-	2	1
BLACK---MALE----	18	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	18	-	-	-	-	-	-	1	-	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 925  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
OHIO -----	53	68	83	118	179	165	145	72	41	4	1	-
WHITE-----MALE----	29	30	42	65	93	77	53	20	15	2	-	-
FEMALE--	14	33	35	42	79	83	81	51	26	2	1	-
ALL OTHER--MALE----	6	3	2	7	4	3	5	-	-	-	-	-
FEMALE--	4	2	4	4	3	2	6	1	-	-	-	-
BLACK---MALE----	5	3	2	7	4	2	5	-	-	-	-	-
FEMALE--	4	2	4	3	2	2	5	1	-	-	-	-
OKLAHOMA -----	18	19	30	30	39	50	41	29	6	1	-	-
WHITE-----MALE----	7	9	19	16	20	22	20	11	1	1	-	-
FEMALE--	10	7	7	12	19	25	20	17	5	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	3	1	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	2	-	-	1	-	1	-	-	-	-
OREGON -----	11	11	17	30	48	42	32	38	12	2	-	-
WHITE-----MALE----	7	7	11	18	30	28	20	16	2	-	-	-
FEMALE--	4	4	6	12	16	13	12	22	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	52	73	82	137	228	222	180	109	43	7	2	-
WHITE-----MALE----	25	39	43	74	108	93	72	38	14	2	-	-
FEMALE--	20	29	32	57	112	119	103	67	28	3	2	-
ALL OTHER--MALE----	3	3	2	2	2	5	3	-	1	-	-	-
FEMALE--	4	2	5	4	6	5	2	4	-	2	-	-
BLACK---MALE----	2	3	2	2	2	4	3	-	1	-	-	-
FEMALE--	4	2	5	4	6	5	2	3	-	2	-	-
RHODE ISLAND -----	7	5	5	15	21	18	14	9	4	1	-	-
WHITE-----MALE----	5	1	3	4	13	8	6	-	4	-	-	-
FEMALE--	2	3	2	11	8	10	8	9	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	8	26	33	36	36	35	26	3	-	1	-
WHITE-----MALE----	7	2	15	17	16	15	10	8	-	-	-	-
FEMALE--	1	3	7	11	17	16	21	17	2	-	1	-
ALL OTHER--MALE----	2	1	4	3	3	2	1	-	-	-	-	-
FEMALE--	3	2	-	2	-	3	3	1	1	-	-	-
BLACK---MALE----	2	1	4	3	3	2	1	-	-	-	-	-
FEMALE--	3	1	-	2	-	3	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 926  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
SOUTH DAKOTA -----	71	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	463	-	-	1	-	3	1	3	7	10	10	22
WHITE-----MALE----	225	-	-	1	-	3	1	2	4	6	5	15
FEMALE--	203	-	-	-	-	-	-	1	2	4	4	4
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	17	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	2
TEXAS -----	1,249	-	1	1	4	1	1	7	29	34	53	55
WHITE-----MALE----	626	-	1	1	3	1	-	2	17	23	33	31
FEMALE--	513	-	-	-	1	-	1	3	5	4	9	16
ALL OTHER--MALE----	67	-	-	-	-	-	-	2	2	6	8	6
FEMALE--	43	-	-	-	-	-	-	-	5	1	3	2
BLACK---MALE----	62	-	-	-	-	-	-	2	2	6	7	6
FEMALE--	40	-	-	-	-	-	-	-	5	1	3	2
UTAH -----	103	-	-	-	-	1	-	-	2	3	2	3
WHITE-----MALE----	55	-	-	-	-	1	-	-	2	2	1	3
FEMALE--	46	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	47	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	433	-	-	-	1	-	2	4	4	12	9	13
WHITE-----MALE----	190	-	-	-	1	-	-	1	1	5	7	6
FEMALE--	182	-	-	-	-	-	1	1	2	3	1	5
ALL OTHER--MALE----	35	-	-	-	-	-	1	2	-	3	-	2
FEMALE--	26	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	32	-	-	-	-	-	1	1	-	3	-	2
FEMALE--	25	-	-	-	-	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 926  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)												
SOUTH DAKOTA -----	3	4	8	10	11	12	10	6	2	1	1	-
WHITE-----MALE----	2	4	5	7	5	6	6	3	-	-	-	-
FEMALE--	1	-	3	3	6	6	4	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	18	32	35	41	72	69	70	51	16	2	-	-
WHITE-----MALE----	9	20	21	22	38	29	28	17	4	-	-	-
FEMALE--	7	10	11	17	29	33	37	32	10	2	-	-
ALL OTHER--MALE----	2	2	-	2	2	4	3	-	2	-	-	-
FEMALE--	-	-	3	-	3	3	2	2	-	-	-	-
BLACK---MALE----	2	1	-	2	2	4	3	-	2	-	-	-
FEMALE--	-	-	3	-	3	3	2	2	-	-	-	-
TEXAS -----	73	82	92	168	169	181	146	97	41	12	2	-
WHITE-----MALE----	40	45	39	97	90	91	55	39	16	2	-	-
FEMALE--	24	29	43	59	69	78	86	54	22	8	2	-
ALL OTHER--MALE----	8	2	9	7	6	6	3	1	1	-	-	-
FEMALE--	1	6	1	5	4	6	2	3	2	2	-	-
BLACK---MALE----	7	2	8	7	5	6	2	1	1	-	-	-
FEMALE--	1	4	1	5	4	6	2	2	2	2	-	-
UTAH -----	5	3	10	8	17	17	12	19	1	-	-	-
WHITE-----MALE----	3	3	5	3	10	8	7	6	1	-	-	-
FEMALE--	2	-	5	5	5	9	5	13	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	4	5	3	7	6	8	6	3	-	-	-
WHITE-----MALE----	2	4	2	2	4	4	6	4	1	-	-	-
FEMALE--	1	-	3	1	3	2	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	29	27	43	41	66	75	51	38	15	3	-	-
WHITE-----MALE----	13	15	21	19	31	34	22	8	6	-	-	-
FEMALE--	10	6	15	16	29	37	22	23	8	3	-	-
ALL OTHER--MALE----	4	2	5	2	4	4	3	2	1	-	-	-
FEMALE--	2	4	2	4	2	-	4	5	-	-	-	-
BLACK---MALE----	4	2	4	2	3	4	3	2	1	-	-	-
FEMALE--	1	4	2	4	2	-	4	5	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 928  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
0 UNITED STATES --	10,266	-	-	-	-	-	-	6	16	41	116	250
WHITE-----MALE----	4,286	-	-	-	-	-	-	2	4	13	52	110
FEMALE--	4,120	-	-	-	-	-	-	1	6	12	37	71
ALL OTHER--MALE----	879	-	-	-	-	-	-	2	2	9	20	39
FEMALE--	981	-	-	-	-	-	-	1	4	7	7	30
BLACK---MALE----	800	-	-	-	-	-	-	1	2	8	18	36
FEMALE--	916	-	-	-	-	-	-	1	3	7	6	28
ALABAMA -----	194	-	-	-	-	-	-	-	-	-	5	4
WHITE-----MALE----	67	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	6	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	143	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	58	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	110	-	-	-	-	-	-	-	-	2	-	2
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	47	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	966	-	-	-	-	-	-	1	3	5	15	27
WHITE-----MALE----	448	-	-	-	-	-	-	-	2	-	9	14
FEMALE--	356	-	-	-	-	-	-	1	-	2	3	6
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	1	2	3	4
FEMALE--	73	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	61	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	56	-	-	-	-	-	-	-	-	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 928  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
0 UNITED STATES --	401	608	1,010	1,470	1,793	1,801	1,492	866	337	56	3	-
WHITE-----MALE----	184	267	440	663	751	760	601	303	120	16	-	-
FEMALE--	100	183	324	552	748	756	691	438	166	34	1	-
ALL OTHER--MALE----	56	67	117	119	146	137	83	60	19	3	-	-
FEMALE--	61	91	129	136	148	148	117	65	32	3	2	-
BLACK---MALE----	53	58	111	103	134	127	79	50	17	3	-	-
FEMALE--	53	88	121	125	139	141	105	63	31	3	2	-
ALABAMA -----	11	13	19	31	31	32	24	20	4	-	-	-
WHITE-----MALE----	3	5	9	13	12	11	5	3	2	-	-	-
FEMALE--	3	3	4	13	11	12	16	8	2	-	-	-
ALL OTHER--MALE----	1	2	3	2	5	2	1	5	-	-	-	-
FEMALE--	4	3	3	3	3	7	2	4	-	-	-	-
BLACK---MALE----	1	2	3	2	5	2	1	5	-	-	-	-
FEMALE--	4	3	3	3	3	7	2	4	-	-	-	-
ALASKA -----	-	-	-	2	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	7	16	21	24	25	22	13	5	-	-	-
WHITE-----MALE----	3	4	7	7	13	9	9	4	2	-	-	-
FEMALE--	2	2	8	12	11	14	11	9	3	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	2	7	13	11	20	20	20	8	4	1	-	-
WHITE-----MALE----	-	3	6	5	6	8	5	4	3	-	-	-
FEMALE--	1	3	4	3	11	9	11	3	-	1	-	-
ALL OTHER--MALE----	1	1	1	2	1	3	3	1	-	-	-	-
FEMALE--	-	-	2	1	2	-	1	-	1	-	-	-
BLACK---MALE----	1	1	1	2	1	3	3	1	-	-	-	-
FEMALE--	-	-	2	1	2	-	1	-	1	-	-	-
CALIFORNIA -----	39	71	81	132	181	176	124	73	33	5	-	-
WHITE-----MALE----	15	38	30	67	83	82	57	30	17	4	-	-
FEMALE--	12	19	27	44	69	73	53	33	13	1	-	-
ALL OTHER--MALE----	6	9	11	12	16	10	5	8	2	-	-	-
FEMALE--	6	5	13	9	13	11	9	2	1	-	-	-
BLACK---MALE----	4	8	10	6	11	7	3	4	2	-	-	-
FEMALE--	5	5	9	7	9	9	6	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 929  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
COLORADO -----	113	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	115	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	60	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	38	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	31	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	673	-	-	-	-	-	1	1	1	7	15	
WHITE-----MALE----	323	-	-	-	-	-	-	-	-	3	8	
FEMALE--	253	-	-	-	-	-	-	-	-	2	2	
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	-	2	
FEMALE--	51	-	-	-	-	-	1	1	-	2	3	
BLACK---MALE----	45	-	-	-	-	-	-	-	-	-	2	
FEMALE--	50	-	-	-	-	-	1	-	-	2	3	
GEORGIA -----	236	-	-	-	-	-	-	3	2	4	10	
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	2	4	
FEMALE--	85	-	-	-	-	-	-	2	1	-	3	
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	1	2	
FEMALE--	39	-	-	-	-	-	-	1	1	1	1	
BLACK---MALE----	37	-	-	-	-	-	-	-	-	1	2	
FEMALE--	39	-	-	-	-	-	-	1	1	1	1	

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 929

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
COLORADO -----	3	3	14	12	17	24	15	15	5	1	-	-
WHITE-----MALE----	2	2	8	3	11	5	6	6	-	-	-	-
FEMALE--	1	1	6	7	5	18	9	9	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	1	-	-
CONNECTICUT -----	4	5	13	15	17	18	23	10	5	2	-	-
WHITE-----MALE----	4	-	7	6	8	4	9	3	3	1	-	-
FEMALE--	-	3	5	7	8	12	13	7	2	1	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
DELAWARE -----	2	2	3	10	6	4	5	5	-	-	-	-
WHITE-----MALE----	2	1	1	5	4	2	2	2	-	-	-	-
FEMALE--	-	1	1	4	2	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	3	4	2	9	3	7	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	2	1	5	-	-	-	-
FEMALE--	1	1	1	2	1	6	1	2	1	-	-	-
BLACK---MALE----	-	-	2	1	1	2	1	4	-	-	-	-
FEMALE--	1	1	1	2	1	6	1	2	1	-	-	-
FLORIDA -----	24	29	61	82	121	137	110	60	20	5	-	-
WHITE-----MALE----	10	17	25	42	59	70	48	30	10	1	-	-
FEMALE--	4	5	18	31	48	56	50	25	8	4	-	-
ALL OTHER--MALE----	4	4	10	4	6	7	5	4	-	-	-	-
FEMALE--	6	3	8	5	8	4	7	1	2	-	-	-
BLACK---MALE----	4	4	10	4	6	6	5	4	-	-	-	-
FEMALE--	6	3	8	5	8	4	7	1	2	-	-	-
GEORGIA -----	11	21	21	42	42	30	28	14	7	1	-	-
WHITE-----MALE----	5	5	9	12	14	7	11	4	2	-	-	-
FEMALE--	5	9	4	15	18	10	10	4	3	1	-	-
ALL OTHER--MALE----	1	4	3	8	5	7	5	1	-	-	-	-
FEMALE--	-	3	5	7	5	6	2	5	2	-	-	-
BLACK---MALE----	1	4	3	8	5	7	5	1	-	-	-	-
FEMALE--	-	3	5	7	5	6	2	5	2	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 930  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
HAWAII -----	3	2	2	5	5	2	4	2	1	-	-	-
WHITE-----MALE----	1	1	-	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	3	-	-	1	1	-	-	-
FEMALE--	2	-	1	1	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	3	3	3	10	11	7	7	2	-	-	-
WHITE-----MALE----	5	1	2	-	2	4	5	4	-	-	-	-
FEMALE--	-	2	1	2	7	7	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	18	35	42	78	92	81	73	46	10	1	1	-
WHITE-----MALE----	7	12	21	28	38	33	31	13	6	1	-	-
FEMALE--	3	16	11	29	30	36	31	23	2	-	-	-
ALL OTHER--MALE----	5	1	6	11	13	5	4	3	1	-	-	-
FEMALE--	3	6	4	10	11	7	7	7	1	-	1	-
BLACK---MALE----	5	1	6	10	13	5	4	3	1	-	-	-
FEMALE--	3	6	4	10	11	7	7	7	1	-	1	-
INDIANA -----	13	10	15	34	44	46	36	17	5	-	-	-
WHITE-----MALE----	10	7	8	15	22	23	17	7	-	-	-	-
FEMALE--	1	3	2	17	16	20	17	8	5	-	-	-
ALL OTHER--MALE----	1	-	1	-	2	1	-	1	-	-	-	-
FEMALE--	1	-	4	2	4	2	2	1	-	-	-	-
BLACK---MALE----	1	-	1	-	2	1	-	1	-	-	-	-
FEMALE--	1	-	4	2	3	2	2	1	-	-	-	-
IOWA -----	3	4	8	22	18	19	31	11	7	1	-	-
WHITE-----MALE----	1	1	2	14	12	7	13	5	3	-	-	-
FEMALE--	1	3	5	8	6	12	17	6	4	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	2	6	14	16	23	21	24	10	3	2	1	-
WHITE-----MALE----	-	3	10	11	11	10	11	2	-	1	-	-
FEMALE--	1	1	3	4	10	10	13	8	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 931  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
KENTUCKY -----	145	-	-	-	-	-	-	-	-	1	3	5
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	72	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	217	-	-	-	-	-	-	-	-	-	-	7
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	68	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	47	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	180	-	-	-	-	-	-	-	1	2	2	4
WHITE-----MALE----	57	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	68	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	1
MASSACHUSETTS -----	246	-	-	-	-	-	-	-	-	-	3	5
WHITE-----MALE----	117	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	112	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	404	-	-	-	-	-	-	-	1	1	8	11
WHITE-----MALE----	157	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	177	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	35	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	34	-	-	-	-	-	-	-	1	-	-	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 931  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
KENTUCKY -----	6	7	22	20	24	28	15	11	2	1	-	-
WHITE-----MALE----	4	2	8	9	12	7	6	-	1	-	-	-
FEMALE--	2	5	10	10	11	15	6	9	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	3	2	-	-	-	-	-
FEMALE--	-	-	2	1	1	3	1	2	1	1	-	-
BLACK---MALE----	-	-	2	-	-	3	2	-	-	-	-	-
FEMALE--	-	-	2	1	1	3	1	2	1	1	-	-
LOUISIANA -----	6	15	28	26	37	42	31	12	11	2	-	-
WHITE-----MALE----	-	4	10	14	7	18	10	-	1	-	-	-
FEMALE--	1	3	6	5	20	8	10	6	5	1	-	-
ALL OTHER--MALE----	-	4	6	5	5	12	1	5	3	1	-	-
FEMALE--	5	4	6	2	5	4	10	1	2	-	-	-
BLACK---MALE----	-	3	6	5	5	11	1	5	3	1	-	-
FEMALE--	5	4	6	2	5	4	10	1	2	-	-	-
MAINE -----	2	5	4	4	7	10	9	3	2	-	-	-
WHITE-----MALE----	1	3	2	2	5	5	4	1	-	-	-	-
FEMALE--	1	2	2	2	2	5	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	8	18	28	32	31	29	12	7	1	-	-
WHITE-----MALE----	-	1	6	11	9	11	9	5	2	-	-	-
FEMALE--	2	2	3	9	14	14	13	5	3	1	-	-
ALL OTHER--MALE----	1	4	4	5	5	4	5	1	-	-	-	-
FEMALE--	2	1	5	3	4	2	2	1	2	-	-	-
BLACK---MALE----	1	4	4	4	5	4	5	1	-	-	-	-
FEMALE--	2	1	5	3	4	2	2	1	2	-	-	-
MASSACHUSETTS -----	5	16	21	22	46	46	46	24	11	1	-	-
WHITE-----MALE----	4	6	10	10	19	27	20	13	4	1	-	-
FEMALE--	1	8	9	11	22	18	23	11	6	-	-	-
ALL OTHER--MALE----	-	1	-	1	3	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	2	1	2	-	1	-	-	-
BLACK---MALE----	-	1	-	1	3	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	2	1	2	-	1	-	-	-
MICHIGAN -----	13	24	31	65	83	77	47	31	11	1	-	-
WHITE-----MALE----	7	8	9	25	28	35	16	11	8	1	-	-
FEMALE--	5	9	15	28	38	34	22	19	3	-	-	-
ALL OTHER--MALE----	1	2	5	6	8	3	4	1	-	-	-	-
FEMALE--	-	5	2	6	9	5	5	-	-	-	-	-
BLACK---MALE----	1	2	5	6	8	3	4	1	-	-	-	-
FEMALE--	-	5	2	5	9	5	5	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 932  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
MINNESOTA -----	10	6	16	25	27	30	29	16	8	2	-	-
WHITE-----MALE----	5	4	8	13	13	9	16	7	4	-	-	-
FEMALE--	5	1	7	11	14	20	12	9	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	10	15	14	14	13	17	8	3	-	-	-
WHITE-----MALE----	2	4	5	6	7	3	5	1	-	-	-	-
FEMALE--	-	2	2	2	3	3	6	2	3	-	-	-
ALL OTHER--MALE----	2	-	4	1	3	4	3	3	-	-	-	-
FEMALE--	-	4	4	5	1	3	3	2	-	-	-	-
BLACK---MALE----	2	-	4	1	3	4	3	3	-	-	-	-
FEMALE--	-	4	4	5	1	3	3	2	-	-	-	-
MISSOURI -----	8	17	23	32	36	33	28	14	12	2	-	-
WHITE-----MALE----	6	7	12	16	17	16	14	5	2	1	-	-
FEMALE--	-	3	5	12	11	12	12	9	7	1	-	-
ALL OTHER--MALE----	1	2	4	2	3	1	2	-	2	-	-	-
FEMALE--	1	5	2	2	5	4	-	-	1	-	-	-
BLACK---MALE----	1	2	4	2	3	1	2	-	2	-	-	-
FEMALE--	1	5	2	2	5	4	-	-	1	-	-	-
MONTANA -----	1	2	3	2	1	2	9	1	1	-	-	-
WHITE-----MALE----	-	1	2	1	-	1	6	1	1	-	-	-
FEMALE--	1	-	1	-	1	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	2	9	9	11	6	11	10	2	-	-	-
WHITE-----MALE----	1	2	7	4	5	3	4	4	-	-	-	-
FEMALE--	-	-	2	5	6	2	6	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
NEVADA -----	3	2	5	8	11	13	10	4	2	-	-	-
WHITE-----MALE----	3	1	3	5	5	9	4	2	-	-	-	-
FEMALE--	-	-	2	3	3	4	6	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 934  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
OHIO -----	458	-	-	-	-	-	-	-	1	1	4	13
WHITE-----MALE----	177	-	-	-	-	-	-	-	-	-	-	7
FEMALE--	212	-	-	-	-	-	-	-	1	-	4	2
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	33	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	3
OKLAHOMA -----	151	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	67	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	68	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	123	-	-	-	-	-	-	-	-	-	4	3
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	54	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	523	-	-	-	-	-	-	-	-	-	5	8
WHITE-----MALE----	220	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	241	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	28	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	170	-	-	-	-	-	-	1	-	3	3	2
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	42	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	28	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	42	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 934  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
OHIO -----	18	22	50	66	81	77	61	43	14	7	-	-
WHITE-----MALE----	10	7	20	25	30	31	27	13	6	1	-	-
FEMALE--	4	8	23	29	41	34	27	26	7	6	-	-
ALL OTHER--MALE----	4	2	2	6	4	8	2	3	-	-	-	-
FEMALE--	-	5	5	6	6	4	5	1	1	-	-	-
BLACK---MALE----	4	2	2	6	4	8	2	3	-	-	-	-
FEMALE--	-	5	5	6	6	4	5	1	1	-	-	-
OKLAHOMA -----	6	13	12	24	25	29	20	11	7	-	-	-
WHITE-----MALE----	3	7	6	13	9	13	5	7	2	-	-	-
FEMALE--	2	5	4	9	14	13	12	3	4	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	1	2	1	3	2	1	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
OREGON -----	3	8	14	19	20	15	23	8	4	2	-	-
WHITE-----MALE----	1	6	7	11	10	8	12	2	2	2	-	-
FEMALE--	2	2	7	8	9	6	9	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	14	13	49	81	107	96	81	48	19	2	-	-
WHITE-----MALE----	7	8	27	43	47	36	28	12	5	-	-	-
FEMALE--	4	1	15	32	48	45	50	30	9	2	-	-
ALL OTHER--MALE----	-	2	5	4	6	4	1	1	2	-	-	-
FEMALE--	3	2	2	2	6	11	2	5	3	-	-	-
BLACK---MALE----	-	2	5	4	6	4	1	1	2	-	-	-
FEMALE--	3	1	1	2	6	11	2	5	3	-	-	-
RHODE ISLAND -----	-	1	2	4	5	5	5	5	1	-	-	-
WHITE-----MALE----	-	-	2	3	2	4	2	4	-	-	-	-
FEMALE--	-	1	-	1	3	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	13	17	27	28	28	18	11	8	1	-	-
WHITE-----MALE----	3	4	4	11	10	7	10	4	3	-	-	-
FEMALE--	3	3	6	4	9	9	1	4	2	-	-	-
ALL OTHER--MALE----	2	2	2	3	5	6	1	2	1	-	-	-
FEMALE--	2	4	5	9	4	6	6	1	2	1	-	-
BLACK---MALE----	2	2	2	3	5	6	1	2	1	-	-	-
FEMALE--	2	4	5	9	4	6	6	1	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 935

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
SOUTH DAKOTA -----	32	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	228	-	-	-	-	-	-	-	-	-	-	6
WHITE-----MALE----	81	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	93	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	626	-	-	-	-	-	-	-	1	3	7	12
WHITE-----MALE----	249	-	-	-	-	-	-	-	1	-	3	5
FEMALE--	254	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	78	-	-	-	-	-	-	-	-	3	-	3
BLACK---MALE----	42	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	76	-	-	-	-	-	-	-	-	3	-	3
UTAH -----	49	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	249	-	-	-	-	-	-	-	2	1	2	10
WHITE-----MALE----	89	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	83	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	40	-	-	-	-	-	-	-	1	-	1	3
BLACK---MALE----	37	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	40	-	-	-	-	-	-	-	1	-	1	3



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 935  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
SOUTH DAKOTA -----	2	1	2	3	5	7	4	3	3	1	-	-
WHITE-----MALE----	1	1	2	3	3	2	1	2	1	-	-	-
FEMALE--	1	-	-	-	2	4	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	13	28	37	36	44	35	11	4	1	-	-
WHITE-----MALE----	6	3	8	15	15	18	13	1	1	-	-	-
FEMALE--	-	6	12	15	17	19	11	9	3	1	-	-
ALL OTHER--MALE----	5	1	3	5	2	3	2	1	-	-	-	-
FEMALE--	2	3	5	2	2	4	9	-	-	-	-	-
BLACK---MALE----	5	1	3	5	2	3	2	1	-	-	-	-
FEMALE--	2	3	5	2	2	4	9	-	-	-	-	-
TEXAS -----	28	42	72	104	90	116	80	49	20	2	-	-
WHITE-----MALE----	9	17	31	51	32	51	28	15	6	-	-	-
FEMALE--	11	14	26	38	42	42	38	25	12	2	-	-
ALL OTHER--MALE----	4	1	4	5	9	10	4	2	2	-	-	-
FEMALE--	4	10	11	10	7	13	10	7	-	-	-	-
BLACK---MALE----	3	1	4	4	9	10	3	2	2	-	-	-
FEMALE--	3	10	11	9	7	13	10	7	-	-	-	-
UTAH -----	2	5	5	10	5	5	8	5	2	-	-	-
WHITE-----MALE----	2	3	4	6	4	3	3	2	1	-	-	-
FEMALE--	-	2	1	3	1	2	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VERMONT -----	2	-	2	2	4	2	2	2	-	-	-	-
WHITE-----MALE----	2	-	2	2	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	10	29	47	37	45	27	19	11	-	-	-
WHITE-----MALE----	3	4	15	17	8	19	10	4	4	-	-	-
FEMALE--	2	2	8	13	17	13	12	8	5	-	-	-
ALL OTHER--MALE----	3	2	2	9	6	6	3	3	1	-	-	-
FEMALE--	1	2	4	8	6	7	2	4	1	-	-	-
BLACK---MALE----	3	2	2	9	6	6	3	3	1	-	-	-
FEMALE--	1	2	4	8	6	7	2	4	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 937  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
0 UNITED STATES --	20,148	22	155	196	200	197	223	264	320	375	487	594
WHITE-----MALE----	10,143	9	73	105	86	95	110	131	141	180	257	284
FEMALE--	7,966	9	42	59	56	57	73	85	96	131	165	216
ALL OTHER--MALE----	1,086	1	20	16	31	29	17	23	48	33	33	44
FEMALE--	953	3	20	16	27	16	23	25	35	31	32	50
BLACK---MALE----	908	1	15	13	18	22	11	18	38	29	26	39
FEMALE--	778	-	16	10	21	14	19	15	27	22	22	43
ALABAMA -----	376	-	3	1	5	1	3	3	5	10	10	21
WHITE-----MALE----	179	-	1	-	2	-	1	-	2	4	3	11
FEMALE--	124	-	-	1	1	1	2	1	-	2	6	5
ALL OTHER--MALE----	45	-	2	-	2	-	-	-	2	1	1	4
FEMALE--	28	-	-	-	-	-	-	2	1	3	-	1
BLACK---MALE----	43	-	1	-	2	-	-	-	2	1	1	4
FEMALE--	28	-	-	-	-	-	-	2	1	3	-	1
ALASKA -----	22	-	-	1	-	1	1	3	1	1	-	-
WHITE-----MALE----	15	-	-	1	-	-	1	2	-	1	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	308	2	-	1	2	3	2	4	8	6	11	10
WHITE-----MALE----	176	1	-	1	1	1	1	2	2	3	7	5
FEMALE--	125	1	-	-	-	2	1	2	4	2	4	5
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	228	1	-	-	3	1	2	4	5	2	4	5
WHITE-----MALE----	130	-	-	-	3	-	-	4	2	1	3	3
FEMALE--	71	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	13	1	-	-	-	1	-	-	2	-	-	-
FEMALE--	14	-	-	-	-	-	2	-	1	-	1	-
BLACK---MALE----	11	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	2	-	1	-	1	-
CALIFORNIA -----	1,997	5	22	39	23	39	29	34	40	42	51	57
WHITE-----MALE----	995	3	14	20	8	22	16	18	16	21	27	29
FEMALE--	756	2	6	11	6	12	8	11	15	11	18	22
ALL OTHER--MALE----	133	-	2	3	5	4	4	2	3	4	2	3
FEMALE--	113	-	-	5	4	1	1	3	6	6	4	3
BLACK---MALE----	66	-	1	2	1	2	1	-	1	2	1	2
FEMALE--	52	-	-	1	3	-	-	2	3	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 937  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
0 UNITED STATES --	686	944	1,474	2,102	2,973	3,168	2,805	1,852	859	210	40	2
WHITE-----MALE----	340	482	794	1,183	1,653	1,688	1,356	792	300	71	13	-
FEMALE--	239	337	506	716	1,068	1,245	1,259	944	514	127	21	1
ALL OTHER--MALE----	62	73	104	124	144	123	86	47	23	5	-	-
FEMALE--	45	52	70	79	108	112	104	69	22	7	6	1
BLACK---MALE----	52	68	89	113	120	103	71	37	21	4	-	-
FEMALE--	33	40	62	66	93	95	87	59	22	7	5	-
ALABAMA -----	14	19	33	41	52	61	44	33	12	5	-	-
WHITE-----MALE----	7	13	16	26	26	31	14	14	6	2	-	-
FEMALE--	5	3	10	9	16	21	21	13	5	2	-	-
ALL OTHER--MALE----	2	3	2	3	8	6	6	2	-	1	-	-
FEMALE--	-	-	5	3	2	3	3	4	1	-	-	-
BLACK---MALE----	2	3	2	3	8	6	6	1	-	1	-	-
FEMALE--	-	-	5	3	2	3	3	4	1	-	-	-
ALASKA -----	-	2	3	2	4	1	1	-	1	-	-	-
WHITE-----MALE----	-	1	2	2	3	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	20	19	33	50	59	32	26	10	1	-	-
WHITE-----MALE----	4	12	11	24	29	38	18	12	4	-	-	-
FEMALE--	5	5	8	9	21	21	14	14	6	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	18	25	24	26	30	36	23	11	2	1	-
WHITE-----MALE----	3	12	16	19	12	20	17	12	2	1	-	-
FEMALE--	1	5	8	3	11	7	15	10	7	1	-	-
ALL OTHER--MALE----	-	1	-	2	2	1	2	-	1	-	-	-
FEMALE--	1	-	1	-	1	2	2	1	1	-	1	-
BLACK---MALE----	-	1	-	2	2	1	1	-	1	-	-	-
FEMALE--	1	-	1	-	1	2	2	1	1	-	1	-
CALIFORNIA -----	81	98	154	185	272	313	260	149	79	22	3	-
WHITE-----MALE----	47	53	83	92	146	161	125	66	21	7	-	-
FEMALE--	22	28	50	63	97	127	112	68	51	14	2	-
ALL OTHER--MALE----	6	9	15	16	17	13	12	7	5	1	-	-
FEMALE--	6	8	6	14	12	12	11	8	2	-	1	-
BLACK---MALE----	4	8	7	9	6	6	6	2	4	1	-	-
FEMALE--	5	6	2	9	7	2	2	3	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 938  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
COLORADO -----	263	-	1	1	4	-	1	1	7	4	14	11
WHITE-----MALE----	157	-	-	-	2	-	1	1	4	3	9	4
FEMALE--	96	-	1	1	-	-	-	-	2	-	4	6
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	281	-	1	4	2	1	5	4	2	4	11	8
WHITE-----MALE----	151	-	1	4	1	-	4	2	1	1	8	-
FEMALE--	116	-	-	-	-	1	1	2	1	2	3	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	1	-	-	-	-	1	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	1	-	-	-	-	1	-	2
DELAWARE -----	47	-	-	-	-	1	1	-	1	2	1	-
WHITE-----MALE----	28	-	-	-	-	1	1	-	-	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	48	-	2	-	1	2	-	-	1	2	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	2	-	-	-	1	-	1
FEMALE--	14	-	1	-	1	-	-	-	-	1	-	-
BLACK---MALE----	16	-	-	-	-	2	-	-	-	1	-	1
FEMALE--	13	-	-	-	1	-	-	-	-	1	-	-
FLORIDA -----	1,355	3	10	11	10	10	14	10	15	19	20	40
WHITE-----MALE----	725	1	6	5	4	2	6	5	6	5	10	22
FEMALE--	524	2	3	5	6	5	3	2	2	10	9	8
ALL OTHER--MALE----	60	-	1	1	-	2	2	2	5	4	-	5
FEMALE--	46	-	-	-	-	1	3	1	2	-	1	5
BLACK---MALE----	59	-	1	1	-	2	2	2	5	4	-	5
FEMALE--	40	-	-	-	-	1	3	-	2	-	1	5
GEORGIA -----	497	-	4	7	4	3	7	8	8	11	14	15
WHITE-----MALE----	217	-	1	4	2	1	2	5	1	4	8	8
FEMALE--	171	-	2	2	1	-	1	1	4	1	6	4
ALL OTHER--MALE----	61	-	1	-	1	2	1	1	3	2	-	2
FEMALE--	48	-	-	1	-	-	3	1	-	4	-	1
BLACK---MALE----	60	-	1	-	-	2	1	1	3	2	-	2
FEMALE--	47	-	-	1	-	-	3	1	-	3	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 938  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
COLORADO -----	8	13	23	21	53	36	33	21	10	1	-	-
WHITE-----MALE----	4	8	11	17	31	25	23	11	3	-	-	-
FEMALE--	4	5	11	4	19	11	10	10	7	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	9	9	21	34	40	43	43	24	10	5	1	-
WHITE-----MALE----	5	4	15	24	23	22	19	14	3	-	-	-
FEMALE--	3	5	6	7	16	19	23	10	6	5	1	-
ALL OTHER--MALE----	1	-	-	2	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
DELAWARE -----	2	1	4	3	8	9	4	7	3	-	-	-
WHITE-----MALE----	2	-	3	3	4	5	2	3	2	-	-	-
FEMALE--	-	-	-	-	3	3	1	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	4	3	9	6	4	7	2	1	1	-	-
WHITE-----MALE----	1	-	-	3	1	1	3	1	-	-	-	-
FEMALE--	1	1	2	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	3	5	-	1	-	1	-	-	-
FEMALE--	-	2	-	3	-	2	2	1	-	1	-	-
BLACK---MALE----	-	1	1	3	5	-	1	-	1	-	-	-
FEMALE--	-	2	-	3	-	2	2	1	-	1	-	-
FLORIDA -----	45	52	103	137	220	233	204	124	61	10	4	-
WHITE-----MALE----	19	26	56	83	129	143	107	61	21	6	2	-
FEMALE--	19	22	34	44	80	78	87	61	39	4	1	-
ALL OTHER--MALE----	4	3	8	7	4	8	3	1	-	-	-	-
FEMALE--	3	1	5	3	7	4	7	1	1	-	1	-
BLACK---MALE----	3	3	8	7	4	8	3	1	-	-	-	-
FEMALE--	2	1	4	3	6	3	6	1	1	-	1	-
GEORGIA -----	21	24	42	46	62	76	76	47	18	2	2	-
WHITE-----MALE----	7	10	19	25	31	33	30	21	4	-	1	-
FEMALE--	9	6	12	10	16	29	32	23	10	1	1	-
ALL OTHER--MALE----	3	6	7	10	7	5	7	2	1	-	-	-
FEMALE--	2	2	4	1	8	9	7	1	3	1	-	-
BLACK---MALE----	3	6	7	10	7	5	7	2	1	-	-	-
FEMALE--	2	2	4	1	8	9	7	1	3	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 939  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
HAWAII -----	3	2	4	4	7	10	5	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	4	4	3	1	-	-	-	-
FEMALE--	2	2	1	1	2	4	1	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	7	5	9	21	12	14	3	8	2	-	-
WHITE-----MALE----	2	3	3	1	13	10	6	2	4	-	-	-
FEMALE--	-	4	2	8	8	2	8	1	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	41	39	67	82	127	160	154	83	53	13	-	-
WHITE-----MALE----	22	16	37	35	72	81	81	29	21	5	-	-
FEMALE--	12	13	24	33	42	62	66	51	30	7	-	-
ALL OTHER--MALE----	5	6	2	8	6	12	1	3	1	-	-	-
FEMALE--	2	4	4	6	7	5	6	-	1	1	-	-
BLACK---MALE----	5	6	2	8	5	11	1	3	1	-	-	-
FEMALE--	2	4	4	5	7	5	5	-	1	1	-	-
INDIANA -----	17	31	33	44	57	69	69	45	17	4	1	-
WHITE-----MALE----	9	20	18	22	27	32	30	20	7	3	-	-
FEMALE--	7	8	14	18	26	36	35	23	9	1	1	-
ALL OTHER--MALE----	-	2	1	2	4	1	3	2	1	-	-	-
FEMALE--	1	1	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	1	2	4	1	3	2	1	-	-	-
FEMALE--	1	1	-	2	-	-	1	-	-	-	-	-
IOWA -----	11	9	13	23	38	53	42	32	20	5	-	-
WHITE-----MALE----	7	7	4	15	23	35	25	13	7	1	-	-
FEMALE--	4	2	8	8	14	17	17	19	13	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
KANSAS -----	2	8	10	26	28	28	31	23	11	9	-	-
WHITE-----MALE----	1	3	9	17	15	8	17	14	5	4	-	-
FEMALE--	1	4	1	7	13	20	13	9	5	5	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 940  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
KENTUCKY -----	304	-	3	3	2	-	3	5	5	8	1	7
WHITE-----MALE----	144	-	2	1	1	-	1	3	2	4	1	3
FEMALE--	140	-	1	-	-	-	2	2	3	4	-	3
ALL OTHER--MALE----	10	-	-	1	1	-	-	-	-	-	-	1
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	1	1	-	-	-	-	-	-	1
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	314	-	2	1	5	2	6	5	3	10	7	9
WHITE-----MALE----	130	-	-	1	2	1	3	2	-	4	2	6
FEMALE--	108	-	-	-	-	-	1	2	1	5	2	2
ALL OTHER--MALE----	40	-	-	-	1	-	1	-	1	1	2	1
FEMALE--	36	-	2	-	2	1	1	1	1	-	1	-
BLACK---MALE----	40	-	-	-	1	-	1	-	1	1	2	1
FEMALE--	36	-	2	-	2	1	1	1	1	-	1	-
MAINE -----	94	-	-	2	1	1	-	1	1	4	4	2
WHITE-----MALE----	51	-	-	2	1	-	-	1	1	1	2	-
FEMALE--	43	-	-	-	-	1	-	-	-	3	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	312	-	2	1	6	5	2	3	11	4	10	10
WHITE-----MALE----	136	-	-	-	2	1	-	2	5	2	3	4
FEMALE--	110	-	-	-	1	-	1	-	2	2	4	3
ALL OTHER--MALE----	33	-	2	1	1	4	1	-	3	-	1	1
FEMALE--	33	-	-	-	2	-	1	1	1	-	2	2
BLACK---MALE----	28	-	2	-	1	3	1	-	3	-	1	1
FEMALE--	32	-	-	-	2	-	-	1	1	-	2	2
MASSACHUSETTS -----	489	-	3	10	6	3	5	3	2	8	17	25
WHITE-----MALE----	262	-	2	6	3	2	4	2	-	6	8	13
FEMALE--	211	-	-	3	1	1	1	1	2	2	9	8
ALL OTHER--MALE----	5	-	-	1	-	-	-	-	-	-	-	3
FEMALE--	11	-	1	-	2	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	5	-	1	-	1	-	-	-	-	-	-	1
MICHIGAN -----	706	1	4	7	6	3	7	5	6	18	17	22
WHITE-----MALE----	338	1	-	4	3	-	4	3	3	8	8	9
FEMALE--	284	-	3	2	1	-	1	-	1	7	6	10
ALL OTHER--MALE----	46	-	1	1	1	1	1	1	1	-	2	3
FEMALE--	38	-	-	-	1	2	1	1	1	3	1	-
BLACK---MALE----	44	-	1	1	1	1	1	1	1	-	2	3
FEMALE--	35	-	-	-	1	2	-	1	1	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 940  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
KENTUCKY -----	13	11	29	33	50	43	42	26	17	3	-	-
WHITE-----MALE----	7	6	14	23	23	20	17	7	6	3	-	-
FEMALE--	4	4	14	9	25	20	24	15	10	-	-	-
ALL OTHER--MALE----	2	1	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	3	1	-	-	-
BLACK---MALE----	2	1	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	3	1	-	-	-
LOUISIANA -----	11	9	24	35	41	54	40	36	9	4	1	-
WHITE-----MALE----	3	5	9	18	19	23	12	15	3	2	-	-
FEMALE--	4	1	8	11	10	22	19	14	5	1	-	-
ALL OTHER--MALE----	3	1	4	2	7	6	7	1	1	1	-	-
FEMALE--	1	2	3	4	5	3	2	6	-	-	1	-
BLACK---MALE----	3	1	4	2	7	6	7	1	1	1	-	-
FEMALE--	1	2	3	4	5	3	2	6	-	-	1	-
MAINE -----	4	-	2	13	12	21	14	9	1	1	1	-
WHITE-----MALE----	3	-	1	9	8	11	8	2	-	-	1	-
FEMALE--	1	-	1	4	4	10	6	7	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	15	28	31	46	50	36	18	13	7	1	-
WHITE-----MALE----	7	5	13	14	28	24	15	6	4	1	-	-
FEMALE--	2	6	7	13	12	18	15	12	8	3	1	-
ALL OTHER--MALE----	2	-	5	2	4	2	3	-	1	-	-	-
FEMALE--	2	4	3	2	2	6	3	-	-	3	-	-
BLACK---MALE----	2	-	4	2	3	2	2	-	1	-	-	-
FEMALE--	1	4	3	2	2	6	3	-	-	3	-	-
MASSACHUSETTS -----	14	18	32	51	76	89	62	39	21	2	3	-
WHITE-----MALE----	6	9	19	29	45	52	35	15	5	1	-	-
FEMALE--	7	9	12	21	29	36	25	24	16	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	2	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
MICHIGAN -----	20	35	37	87	143	99	95	63	24	7	-	-
WHITE-----MALE----	12	16	14	44	75	51	44	27	8	4	-	-
FEMALE--	7	16	18	31	50	40	42	31	15	3	-	-
ALL OTHER--MALE----	1	2	3	8	8	6	5	1	-	-	-	-
FEMALE--	-	1	2	4	10	2	4	4	1	-	-	-
BLACK---MALE----	1	2	3	8	8	5	4	1	-	-	-	-
FEMALE--	-	-	2	4	10	2	4	4	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 941  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
MINNESOTA -----	433	1	6	5	2	5	4	3	2	6	2	7
WHITE-----MALE----	256	-	3	5	2	3	2	1	1	3	1	2
FEMALE--	170	1	3	-	-	1	2	2	1	3	1	5
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	193	-	2	1	-	3	1	3	4	5	4	3
WHITE-----MALE----	74	-	-	-	-	1	1	1	2	2	1	1
FEMALE--	63	-	1	1	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	32	-	-	-	-	1	-	2	2	2	1	1
FEMALE--	24	-	1	-	-	-	-	-	-	-	2	-
BLACK---MALE----	32	-	-	-	-	1	-	2	2	2	1	1
FEMALE--	24	-	1	-	-	-	-	-	-	-	2	-
MISSOURI -----	459	-	1	3	1	4	4	2	4	5	7	11
WHITE-----MALE----	236	-	1	2	1	2	2	1	1	1	5	5
FEMALE--	193	-	-	1	-	-	2	1	2	3	1	5
ALL OTHER--MALE----	14	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	13	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	1
MONTANA -----	84	-	1	2	1	1	-	-	3	2	2	5
WHITE-----MALE----	45	-	-	-	1	1	-	-	1	1	2	4
FEMALE--	39	-	1	2	-	-	-	-	2	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	150	-	-	-	-	2	1	1	2	3	6	1
WHITE-----MALE----	81	-	-	-	-	2	-	1	-	2	2	1
FEMALE--	64	-	-	-	-	-	1	-	1	1	4	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	103	-	-	1	1	1	-	3	2	-	3	4
WHITE-----MALE----	62	-	-	1	-	-	-	1	1	-	1	4
FEMALE--	34	-	-	-	1	-	-	2	-	-	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 943  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
OHIO -----	940	-	2	8	6	6	12	12	20	12	18	36
WHITE-----MALE----	469	-	-	3	3	2	6	5	10	5	12	16
FEMALE--	391	-	-	2	1	3	5	5	6	6	4	17
ALL OTHER--MALE----	46	-	-	3	2	1	-	1	2	-	2	-
FEMALE--	34	-	2	-	-	-	1	1	2	1	-	3
BLACK---MALE----	44	-	-	3	2	-	-	1	2	-	2	-
FEMALE--	33	-	2	-	-	-	1	1	2	1	-	3
OKLAHOMA -----	299	-	3	4	2	7	1	3	7	2	6	5
WHITE-----MALE----	163	-	2	1	1	5	-	2	4	2	5	3
FEMALE--	115	-	-	2	1	2	1	1	1	-	-	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	1	1	-	-	-	-	2	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	1	-	-	-	-	-	1	-	-	-
OREGON -----	265	-	3	1	2	5	1	2	-	10	8	7
WHITE-----MALE----	150	-	1	1	1	4	1	-	-	6	4	4
FEMALE--	110	-	2	-	1	1	-	2	-	4	4	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,113	-	7	6	8	6	10	14	13	20	29	23
WHITE-----MALE----	590	-	3	4	2	6	7	7	6	13	19	8
FEMALE--	466	-	3	2	3	-	2	6	5	6	9	13
ALL OTHER--MALE----	26	-	1	-	-	-	-	1	2	1	1	2
FEMALE--	31	-	-	-	3	-	1	-	-	-	-	-
BLACK---MALE----	25	-	1	-	-	-	-	1	2	1	1	2
FEMALE--	27	-	-	-	1	-	1	-	-	-	-	-
RHODE ISLAND -----	80	-	2	-	1	-	1	1	1	3	-	2
WHITE-----MALE----	40	-	1	-	-	-	-	1	1	1	-	1
FEMALE--	37	-	-	-	1	-	1	-	-	2	-	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	257	-	2	2	1	3	4	2	9	5	4	8
WHITE-----MALE----	115	-	-	2	-	1	2	-	4	-	1	6
FEMALE--	91	-	1	-	-	1	2	1	4	3	1	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	26	-	1	-	1	1	-	-	1	2	1	1
BLACK---MALE----	25	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	26	-	1	-	1	1	-	-	1	2	1	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 943  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
OHIO -----	35	36	74	111	138	151	125	82	45	7	4	-
WHITE-----MALE----	20	17	43	59	78	83	53	32	17	2	3	-
FEMALE--	9	15	28	45	51	57	63	44	25	4	1	-
ALL OTHER--MALE----	4	3	3	5	6	5	3	3	2	1	-	-
FEMALE--	2	1	-	2	3	6	6	3	1	-	-	-
BLACK---MALE----	4	3	3	5	5	5	3	3	2	1	-	-
FEMALE--	2	1	-	2	2	6	3	3	1	-	-	-
OKLAHOMA -----	12	9	30	36	43	45	43	27	12	1	1	-
WHITE-----MALE----	4	5	20	19	29	23	23	9	6	-	-	-
FEMALE--	5	3	8	14	13	20	18	17	5	1	1	-
ALL OTHER--MALE----	2	-	-	3	1	2	1	1	1	-	-	-
FEMALE--	1	1	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	1	1	1	1	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
OREGON -----	9	11	10	31	42	47	46	18	8	4	-	-
WHITE-----MALE----	4	5	6	21	25	23	28	9	6	1	-	-
FEMALE--	5	6	3	10	17	23	16	8	2	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	28	56	75	138	159	193	148	113	53	10	4	-
WHITE-----MALE----	19	26	39	81	97	104	76	48	21	3	1	-
FEMALE--	7	29	28	50	56	83	65	61	29	7	2	-
ALL OTHER--MALE----	2	1	3	3	4	3	1	1	-	-	-	-
FEMALE--	-	-	5	4	2	3	6	3	3	-	1	-
BLACK---MALE----	1	1	3	3	4	3	1	1	-	-	-	-
FEMALE--	-	-	5	3	2	3	6	3	3	-	-	-
RHODE ISLAND -----	2	3	3	11	12	8	14	10	5	1	-	-
WHITE-----MALE----	-	2	2	4	7	4	8	4	4	-	-	-
FEMALE--	2	1	1	6	5	4	5	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	10	25	35	41	35	32	23	9	2	-	-
WHITE-----MALE----	2	4	11	22	19	17	13	8	2	1	-	-
FEMALE--	2	4	8	8	15	12	14	10	5	-	-	-
ALL OTHER--MALE----	1	2	4	3	5	2	2	2	1	-	-	-
FEMALE--	-	-	2	2	2	4	3	3	1	1	-	-
BLACK---MALE----	1	2	4	3	5	2	2	2	1	-	-	-
FEMALE--	-	-	2	2	2	4	3	3	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 944  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LEUKEMIA (204-208)												
SOUTH DAKOTA -----	80	-	1	-	-	1	2	-	-	-	4	2
WHITE-----MALE----	46	-	1	-	-	-	1	-	-	-	1	2
FEMALE--	28	-	-	-	-	1	-	-	-	-	3	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	403	-	5	1	5	3	4	10	9	5	13	12
WHITE-----MALE----	200	-	4	1	1	-	3	4	6	-	7	5
FEMALE--	143	-	-	-	2	1	-	5	2	3	5	4
ALL OTHER--MALE----	29	-	-	-	1	2	-	1	1	-	-	2
FEMALE--	31	-	1	-	1	-	1	-	-	2	1	1
BLACK---MALE----	29	-	-	-	1	2	-	1	1	-	-	2
FEMALE--	31	-	1	-	1	-	1	-	-	2	1	1
TEXAS -----	1,195	1	18	18	24	17	18	21	26	31	32	35
WHITE-----MALE----	618	1	7	9	14	7	10	16	10	20	15	22
FEMALE--	456	-	5	7	7	4	6	3	11	7	10	6
ALL OTHER--MALE----	62	-	4	1	1	2	1	1	-	2	4	2
FEMALE--	59	-	2	1	2	4	1	1	5	2	3	5
BLACK---MALE----	58	-	3	1	-	2	1	1	-	2	4	2
FEMALE--	55	-	2	1	2	4	1	-	5	1	2	5
UTAH -----	89	-	3	1	-	-	4	-	1	1	1	4
WHITE-----MALE----	41	-	3	-	-	-	2	-	1	1	1	2
FEMALE--	47	-	-	1	-	-	2	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	37	-	-	-	-	1	-	-	2	-	-	-
WHITE-----MALE----	23	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	14	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	422	2	6	1	5	6	9	15	8	13	7	16
WHITE-----MALE----	178	1	4	-	2	5	4	4	4	5	4	6
FEMALE--	169	-	1	-	1	-	2	3	1	5	1	8
ALL OTHER--MALE----	39	-	-	-	-	1	1	4	1	2	2	1
FEMALE--	36	1	1	1	2	-	2	4	2	1	-	1
BLACK---MALE----	38	-	-	-	-	1	1	4	1	2	1	1
FEMALE--	31	-	1	1	2	-	2	3	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 944  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LEUKEMIA (204-208)												
SOUTH DAKOTA -----	1	3	3	6	9	11	11	20	4	2	-	-
WHITE-----MALE----	1	2	1	5	7	8	7	9	-	1	-	-
FEMALE--	-	1	2	1	1	1	4	9	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	27	24	35	51	66	65	32	18	4	2	-
WHITE-----MALE----	5	14	10	22	29	29	31	18	8	1	2	-
FEMALE--	1	7	9	9	14	30	28	10	10	3	-	-
ALL OTHER--MALE----	4	5	4	2	4	-	2	1	-	-	-	-
FEMALE--	2	1	1	2	4	7	4	3	-	-	-	-
BLACK---MALE----	4	5	4	2	4	-	2	1	-	-	-	-
FEMALE--	2	1	1	2	4	7	4	3	-	-	-	-
TEXAS -----	47	65	76	111	167	161	166	111	40	8	2	-
WHITE-----MALE----	25	37	39	65	98	92	75	45	8	2	1	-
FEMALE--	13	23	29	34	58	53	86	57	30	6	1	-
ALL OTHER--MALE----	5	4	6	8	5	10	1	4	1	-	-	-
FEMALE--	4	1	2	4	6	6	4	5	1	-	-	-
BLACK---MALE----	5	4	5	8	5	10	1	3	1	-	-	-
FEMALE--	3	1	2	4	6	6	4	5	1	-	-	-
UTAH -----	5	4	5	8	14	17	9	8	4	-	-	-
WHITE-----MALE----	2	2	2	5	6	9	3	1	1	-	-	-
FEMALE--	2	2	3	3	8	8	6	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	2	3	6	8	8	4	1	-	-	-
WHITE-----MALE----	-	1	2	2	3	6	4	3	-	-	-	-
FEMALE--	-	1	-	1	3	2	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	21	20	45	72	59	45	41	5	6	1	2
WHITE-----MALE----	6	8	11	22	35	24	20	10	3	-	-	-
FEMALE--	10	8	4	17	28	27	19	24	2	6	1	1
ALL OTHER--MALE----	1	3	4	4	6	2	5	2	-	-	-	-
FEMALE--	-	2	1	2	3	6	1	5	-	-	-	1
BLACK---MALE----	1	3	4	4	6	2	5	2	-	-	-	-
FEMALE--	-	2	1	2	3	5	1	5	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 946  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOID LEUKEMIA (204)												
0 UNITED STATES --	6,013	7	50	116	111	88	78	64	70	66	85	119
WHITE-----MALE----	3,165	2	28	66	51	38	41	36	41	25	51	65
FEMALE--	2,239	3	12	36	32	24	26	17	16	26	18	36
ALL OTHER--MALE----	349	1	4	7	16	17	6	5	9	7	8	9
FEMALE--	260	1	6	7	12	9	5	6	4	8	8	9
BLACK---MALE----	310	1	3	5	10	14	3	4	6	6	7	8
FEMALE--	227	-	4	4	9	8	4	5	4	4	5	9
ALABAMA -----	107	-	-	1	2	-	1	-	1	-	1	4
WHITE-----MALE----	50	-	-	-	1	-	-	-	1	-	-	2
FEMALE--	33	-	-	1	1	-	1	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	5	-	-	1	-	1	-	2	-	-	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	90	1	-	-	2	2	-	1	1	2	2	4
WHITE-----MALE----	54	1	-	-	1	-	-	-	-	1	1	3
FEMALE--	33	-	-	-	-	2	-	1	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	73	1	-	-	3	1	-	-	1	-	1	2
WHITE-----MALE----	37	-	-	-	3	-	-	-	1	-	-	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	551	-	7	24	12	18	13	8	10	12	14	4
WHITE-----MALE----	287	-	5	12	4	8	8	3	6	7	7	3
FEMALE--	202	-	2	7	4	6	3	3	3	2	3	1
ALL OTHER--MALE----	36	-	-	2	3	3	2	1	1	1	1	-
FEMALE--	26	-	-	3	1	1	-	1	-	2	3	-
BLACK---MALE----	24	-	-	2	1	2	1	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 946  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
0 UNITED STATES --	154	227	410	593	790	917	860	714	356	114	23	1
WHITE-----MALE----	93	124	220	362	476	509	442	320	126	42	7	-
FEMALE--	31	62	130	169	248	333	368	356	212	69	15	-
ALL OTHER--MALE----	20	26	39	40	44	39	25	14	12	1	-	-
FEMALE--	10	15	21	22	22	36	25	24	6	2	1	1
BLACK---MALE----	17	26	37	39	41	36	23	12	11	1	-	-
FEMALE--	9	12	20	22	22	34	21	22	6	2	1	-
ALABAMA -----	3	3	9	12	13	19	9	20	4	5	-	-
WHITE-----MALE----	1	2	3	7	6	7	3	12	3	2	-	-
FEMALE--	1	-	2	1	5	8	4	5	1	2	-	-
ALL OTHER--MALE----	1	1	-	2	1	1	1	1	-	1	-	-
FEMALE--	-	-	4	2	1	3	1	2	-	-	-	-
BLACK---MALE----	1	1	-	2	1	1	1	-	-	1	-	-
FEMALE--	-	-	4	2	1	3	1	2	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	4	6	7	10	17	12	13	3	-	-	-
WHITE-----MALE----	2	3	4	7	6	12	5	6	2	-	-	-
FEMALE--	1	-	2	-	4	5	7	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	4	5	8	8	12	11	10	4	2	-	-
WHITE-----MALE----	-	2	2	6	5	8	5	2	-	1	-	-
FEMALE--	-	1	3	2	3	3	3	7	4	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	19	24	30	50	71	79	64	49	32	9	2	-
WHITE-----MALE----	12	15	16	27	41	46	30	25	9	3	-	-
FEMALE--	2	6	9	18	26	27	30	22	20	6	2	-
ALL OTHER--MALE----	3	2	4	3	1	4	2	-	3	-	-	-
FEMALE--	2	1	1	2	3	2	2	2	-	-	-	-
BLACK---MALE----	2	2	2	2	1	3	2	-	3	-	-	-
FEMALE--	2	1	1	2	3	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 947  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOID LEUKEMIA (204)												
COLORADO -----	76	-	-	1	3	-	-	-	2	-	2	3
WHITE-----MALE----	48	-	-	-	1	-	-	-	1	-	2	2
FEMALE--	25	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	78	-	-	4	2	1	2	1	-	1	-	-
WHITE-----MALE----	49	-	-	4	1	-	2	1	-	-	-	-
FEMALE--	26	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	1	-	-
DELAWARE -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	15	-	-	-	-	1	-	-	1	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	398	1	2	8	3	5	7	4	3	6	3	11
WHITE-----MALE----	226	-	1	4	2	-	4	4	1	-	3	7
FEMALE--	145	1	1	4	1	3	1	-	-	4	-	3
ALL OTHER--MALE----	15	-	-	-	-	1	1	-	1	2	-	1
FEMALE--	12	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	15	-	-	-	-	1	1	-	1	2	-	1
FEMALE--	11	-	-	-	-	1	1	-	1	-	-	-
GEORGIA -----	149	-	2	6	4	1	3	-	3	3	4	3
WHITE-----MALE----	57	-	1	4	2	-	-	-	-	-	3	2
FEMALE--	47	-	-	1	1	-	-	-	1	1	1	1
ALL OTHER--MALE----	29	-	1	-	1	1	1	-	2	1	-	-
FEMALE--	16	-	-	1	-	-	2	-	-	1	-	-
BLACK---MALE----	28	-	1	-	-	1	1	-	2	1	-	-
FEMALE--	15	-	-	1	-	-	2	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 947  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
COLORADO -----	3	4	8	8	16	6	9	7	4	-	-	-
WHITE-----MALE----	1	3	3	6	10	4	8	5	2	-	-	-
FEMALE--	2	1	5	2	6	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	5	9	10	9	14	11	3	2	1	-
WHITE-----MALE----	1	2	5	7	7	3	7	9	-	-	-	-
FEMALE--	-	-	-	2	3	5	7	2	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	1	1	2	1	3	1	4	-	-	-	-
WHITE-----MALE----	1	-	1	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	4	3	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
FLORIDA -----	7	9	28	33	56	76	60	43	27	4	2	-
WHITE-----MALE----	5	5	16	22	38	47	34	19	11	2	1	-
FEMALE--	1	4	9	9	16	21	25	23	16	2	1	-
ALL OTHER--MALE----	-	-	1	-	1	5	1	1	-	-	-	-
FEMALE--	1	-	2	2	1	3	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	5	1	1	-	-	-	-
FEMALE--	1	-	2	2	1	2	-	-	-	-	-	-
GEORGIA -----	3	4	15	16	16	20	25	13	8	-	-	-
WHITE-----MALE----	-	-	6	7	6	9	9	7	1	-	-	-
FEMALE--	1	-	2	4	5	7	11	6	5	-	-	-
ALL OTHER--MALE----	2	3	5	5	1	2	3	-	1	-	-	-
FEMALE--	-	1	2	-	4	2	2	-	1	-	-	-
BLACK---MALE----	2	3	5	5	1	2	3	-	1	-	-	-
FEMALE--	-	1	2	-	4	2	2	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 948  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
HAWAII -----	-	-	2	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	-	3	3	4	4	-	5	1	-	-
WHITE-----MALE----	-	1	-	-	3	4	1	-	3	-	-	-
FEMALE--	-	1	-	3	-	-	3	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	11	16	23	40	46	50	32	17	7	-	-
WHITE-----MALE----	3	2	12	11	26	23	29	9	8	3	-	-
FEMALE--	2	3	3	9	10	18	20	21	7	4	-	-
ALL OTHER--MALE----	1	4	1	2	2	5	-	2	1	-	-	-
FEMALE--	-	2	-	1	2	-	1	-	1	-	-	-
BLACK---MALE----	1	4	1	2	2	4	-	2	1	-	-	-
FEMALE--	-	2	-	1	2	-	1	-	1	-	-	-
INDIANA -----	6	6	9	9	16	15	29	17	6	2	1	-
WHITE-----MALE----	5	4	5	3	8	8	14	6	1	2	-	-
FEMALE--	1	1	4	4	7	7	14	9	5	-	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
IOWA -----	4	2	5	8	17	15	19	19	14	3	-	-
WHITE-----MALE----	3	1	1	7	11	8	9	8	5	1	-	-
FEMALE--	1	1	4	1	5	7	10	11	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	1	3	2	7	6	9	13	9	4	4	-	-
WHITE-----MALE----	-	1	2	6	4	3	8	6	2	2	-	-
FEMALE--	1	1	-	1	2	6	4	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 949  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOID LEUKEMIA (204)												
KENTUCKY -----	95	-	1	1	1	-	1	-	1	-	-	5
WHITE-----MALE----	48	-	1	1	1	-	-	-	-	-	-	3
FEMALE--	40	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	79	-	-	1	2	1	1	1	-	2	2	-
WHITE-----MALE----	39	-	-	1	1	-	1	-	-	1	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	10	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	1	-	1	-	-	-	-
MAINE -----	31	-	-	1	1	-	-	1	-	1	-	-
WHITE-----MALE----	23	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	111	-	-	1	5	3	1	1	4	1	-	2
WHITE-----MALE----	46	-	-	-	2	1	-	1	2	-	-	-
FEMALE--	37	-	-	-	1	-	1	-	1	1	-	-
ALL OTHER--MALE----	13	-	-	1	-	2	-	-	-	-	-	1
FEMALE--	15	-	-	-	2	-	-	-	1	-	-	1
BLACK---MALE----	11	-	-	-	-	2	-	-	-	-	-	1
FEMALE--	15	-	-	-	2	-	-	-	1	-	-	1
MASSACHUSETTS -----	127	-	-	5	3	1	1	-	-	-	3	6
WHITE-----MALE----	74	-	-	2	2	1	1	-	-	-	-	6
FEMALE--	51	-	-	2	1	-	-	-	-	-	3	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	214	1	2	4	3	2	2	5	2	2	2	4
WHITE-----MALE----	109	1	-	3	2	-	2	3	1	-	1	-
FEMALE--	74	-	2	1	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	22	-	-	-	-	1	-	1	1	-	1	1
FEMALE--	9	-	-	-	1	1	-	1	-	1	-	-
BLACK---MALE----	22	-	-	-	-	1	-	1	1	-	1	1
FEMALE--	9	-	-	-	1	1	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 949  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
KENTUCKY -----	2	3	6	10	10	18	15	10	9	2	-	-
WHITE-----MALE----	1	2	5	7	5	9	5	4	2	2	-	-
FEMALE--	-	1	1	3	5	8	10	3	6	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
LOUISIANA -----	-	3	5	7	15	16	12	7	3	1	-	-
WHITE-----MALE----	-	2	1	5	7	7	6	4	1	1	-	-
FEMALE--	-	1	2	-	6	6	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	2	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	2	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	-	-	-
MAINE -----	2	-	-	6	6	9	2	1	-	1	-	-
WHITE-----MALE----	2	-	-	4	5	7	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	4	13	11	14	19	9	9	5	4	1	-
WHITE-----MALE----	2	-	7	6	9	11	2	3	-	-	-	-
FEMALE--	-	3	3	3	2	6	3	6	4	2	1	-
ALL OTHER--MALE----	1	-	1	1	3	-	2	-	1	-	-	-
FEMALE--	1	1	2	1	-	2	2	-	-	2	-	-
BLACK---MALE----	1	-	1	1	3	-	1	-	1	-	-	-
FEMALE--	1	1	2	1	-	2	2	-	-	2	-	-
MASSACHUSETTS -----	1	3	10	14	12	26	16	16	7	-	3	-
WHITE-----MALE----	1	2	7	8	9	17	11	5	2	-	-	-
FEMALE--	-	1	3	6	3	9	4	11	5	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	7	6	9	26	38	25	35	25	10	4	-	-
WHITE-----MALE----	5	4	2	12	21	16	17	12	4	3	-	-
FEMALE--	1	2	4	10	10	6	16	11	6	1	-	-
ALL OTHER--MALE----	1	-	3	4	6	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
BLACK---MALE----	1	-	3	4	6	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 952  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOID LEUKEMIA (204)												
OHIO -----	286	-	-	4	4	1	3	7	2	5	1	6
WHITE-----MALE----	155	-	-	2	3	-	2	4	2	2	1	4
FEMALE--	108	-	-	1	-	1	1	2	-	3	-	2
ALL OTHER--MALE----	16	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	15	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	95	-	1	3	2	4	-	1	2	-	1	2
WHITE-----MALE----	56	-	1	1	1	4	-	1	2	-	1	2
FEMALE--	35	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	67	-	2	-	1	-	-	-	-	5	1	1
WHITE-----MALE----	44	-	1	-	-	-	-	-	-	3	1	1
FEMALE--	23	-	1	-	1	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	315	-	1	3	3	3	4	1	3	2	5	3
WHITE-----MALE----	177	-	1	2	-	3	3	1	2	1	3	-
FEMALE--	126	-	-	1	3	-	1	-	-	1	2	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	22	-	2	-	1	-	-	-	-	-	-	1
WHITE-----MALE----	11	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	72	-	-	1	1	1	1	-	2	2	1	2
WHITE-----MALE----	26	-	-	1	-	-	-	-	1	-	-	1
FEMALE--	27	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	1	1	-	-	-	2	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	1	1	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 952  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
OHIO -----	9	8	23	35	40	46	34	31	19	5	3	-
WHITE-----MALE----	6	5	14	20	28	27	12	12	7	2	2	-
FEMALE--	2	2	7	12	8	16	18	18	11	3	1	-
ALL OTHER--MALE----	1	1	2	2	4	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-
BLACK---MALE----	1	1	2	2	3	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-
OKLAHOMA -----	2	3	12	10	7	15	14	10	6	-	-	-
WHITE-----MALE----	1	1	8	7	4	8	10	2	2	-	-	-
FEMALE--	-	1	4	3	3	6	4	8	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	2	9	7	7	14	8	4	3	-	-
WHITE-----MALE----	1	1	1	7	4	5	10	5	3	1	-	-
FEMALE--	-	1	1	2	3	2	4	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	18	32	44	29	48	45	42	17	5	2	-
WHITE-----MALE----	3	9	19	32	21	25	26	17	9	-	-	-
FEMALE--	2	9	11	11	6	20	19	22	8	5	2	-
ALL OTHER--MALE----	-	-	-	-	2	2	-	1	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	2	2	-	1	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	2	-	-	-	-
RHODE ISLAND -----	-	-	-	3	3	1	4	4	2	1	-	-
WHITE-----MALE----	-	-	-	2	3	-	2	1	2	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	10	8	10	7	10	11	3	-	-	-
WHITE-----MALE----	-	1	2	5	2	3	6	4	-	-	-	-
FEMALE--	-	1	5	1	4	2	3	6	2	-	-	-
ALL OTHER--MALE----	-	-	3	2	3	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	3	2	3	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 953  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LYMPHOID LEUKEMIA (204)												
SOUTH DAKOTA -----	36	-	1	-	-	1	1	-	-	-	-	1
WHITE-----MALE----	21	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	122	-	1	-	4	1	1	2	3	-	5	1
WHITE-----MALE----	68	-	1	-	1	-	1	2	2	-	5	-
FEMALE--	40	-	-	-	2	-	-	-	1	-	-	1
ALL OTHER--MALE----	10	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	388	-	7	9	13	7	8	6	10	6	6	7
WHITE-----MALE----	213	-	4	4	8	5	3	5	4	4	4	5
FEMALE--	141	-	2	3	4	-	5	-	4	2	1	-
ALL OTHER--MALE----	17	-	1	1	-	1	-	1	-	-	1	-
FEMALE--	17	-	-	1	1	1	-	-	2	-	-	2
BLACK---MALE----	17	-	1	1	-	1	-	1	-	-	1	-
FEMALE--	16	-	-	1	1	1	-	-	2	-	-	2
UTAH -----	27	-	-	1	-	-	2	-	1	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	14	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	136	-	2	-	3	3	3	4	-	3	-	4
WHITE-----MALE----	60	-	1	-	2	2	2	1	-	1	-	1
FEMALE--	51	-	-	-	-	-	1	2	-	1	-	3
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	13	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	12	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	12	-	1	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 953  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LYMPHOID LEUKEMIA (204)												
SOUTH DAKOTA -----	-	-	1	3	4	5	7	8	4	-	-	-
WHITE-----MALE----	-	-	-	3	3	4	5	4	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	6	6	12	18	20	20	5	8	4	2	-
WHITE-----MALE----	1	3	2	9	11	8	11	4	4	1	2	-
FEMALE--	-	1	2	3	4	9	9	1	4	3	-	-
ALL OTHER--MALE----	2	2	2	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	-	-	-	-	-
BLACK---MALE----	2	2	2	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	-	-	-	-	-
TEXAS -----	16	18	22	35	44	53	47	49	17	7	1	-
WHITE-----MALE----	10	11	14	24	25	33	26	18	3	2	1	-
FEMALE--	3	5	6	9	16	15	20	27	14	5	-	-
ALL OTHER--MALE----	-	2	2	2	1	3	-	2	-	-	-	-
FEMALE--	3	-	-	-	2	2	1	2	-	-	-	-
BLACK---MALE----	-	2	2	2	1	3	-	2	-	-	-	-
FEMALE--	2	-	-	-	2	2	1	2	-	-	-	-
UTAH -----	-	-	2	1	5	7	3	2	3	-	-	-
WHITE-----MALE----	-	-	1	1	2	3	3	-	1	-	-	-
FEMALE--	-	-	1	-	3	4	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	1	3	4	3	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	3	3	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	4	7	14	19	24	19	16	2	4	-	1
WHITE-----MALE----	3	2	4	7	11	12	5	5	1	-	-	-
FEMALE--	-	-	1	4	5	10	11	8	1	4	-	-
ALL OTHER--MALE----	1	-	1	2	1	1	3	1	-	-	-	-
FEMALE--	-	2	1	1	2	1	-	2	-	-	-	1
BLACK---MALE----	1	-	1	2	1	1	3	1	-	-	-	-
FEMALE--	-	2	1	1	2	1	-	2	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 955  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
0 UNITED STATES --	8,590	4	62	42	44	70	107	134	189	225	309	332
WHITE-----MALE----	4,225	3	24	21	17	35	54	60	79	108	167	155
FEMALE--	3,490	1	20	9	12	22	32	50	57	81	106	125
ALL OTHER--MALE----	430	-	10	7	9	7	7	10	30	18	16	20
FEMALE--	445	-	8	5	6	6	14	14	23	18	20	32
BLACK---MALE----	348	-	8	6	4	4	4	8	24	16	12	17
FEMALE--	353	-	7	4	4	6	12	9	17	16	15	27
ALABAMA -----	143	-	2	-	1	-	1	3	2	7	4	10
WHITE-----MALE----	72	-	-	-	-	-	1	-	1	3	2	7
FEMALE--	46	-	-	-	-	-	-	1	-	2	2	1
ALL OTHER--MALE----	14	-	2	-	1	-	-	-	1	-	-	1
FEMALE--	11	-	-	-	-	-	-	2	-	2	-	1
BLACK---MALE----	13	-	1	-	1	-	-	-	1	-	-	1
FEMALE--	11	-	-	-	-	-	-	2	-	2	-	1
ALASKA -----	9	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	108	-	-	-	-	-	1	3	5	3	4	2
WHITE-----MALE----	55	-	-	-	-	-	-	2	2	1	3	2
FEMALE--	50	-	-	-	-	-	1	1	2	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	74	-	-	-	-	-	1	3	4	2	3	1
WHITE-----MALE----	45	-	-	-	-	-	-	3	1	1	3	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	1	-	-	-
CALIFORNIA -----	916	2	9	6	6	11	15	15	22	22	31	37
WHITE-----MALE----	441	2	6	3	2	5	8	8	8	11	16	17
FEMALE--	357	-	2	1	2	5	4	4	8	5	13	17
ALL OTHER--MALE----	62	-	1	1	1	1	2	1	1	3	1	1
FEMALE--	56	-	-	1	1	-	1	2	5	3	1	2
BLACK---MALE----	28	-	1	-	-	-	-	-	-	2	-	1
FEMALE--	25	-	-	-	1	-	-	1	2	1	-	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 955  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
0 UNITED STATES --	374	488	718	945	1,376	1,285	1,074	556	211	39	5	1
WHITE-----MALE----	167	233	376	520	728	670	497	227	71	11	2	-
FEMALE--	158	197	266	341	535	531	501	288	130	26	1	1
ALL OTHER--MALE----	25	28	43	47	53	47	30	17	4	2	-	-
FEMALE--	24	30	33	37	60	37	46	24	6	-	2	-
BLACK---MALE----	20	25	36	42	44	41	22	11	3	1	-	-
FEMALE--	16	24	29	26	47	29	38	20	6	-	1	-
ALABAMA -----	6	7	11	18	20	26	18	3	4	-	-	-
WHITE-----MALE----	4	6	7	11	12	12	5	-	1	-	-	-
FEMALE--	2	1	3	5	5	11	10	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	3	3	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	3	3	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	1	-	-	-
ALASKA -----	-	1	1	1	2	-	1	-	1	-	-	-
WHITE-----MALE----	-	1	1	1	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	9	7	10	23	21	8	5	-	1	-	-
WHITE-----MALE----	2	4	3	7	12	12	3	2	-	-	-	-
FEMALE--	4	4	4	3	11	9	5	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	9	5	7	11	9	12	1	2	-	-	-
WHITE-----MALE----	2	7	4	5	5	6	5	1	1	-	-	-
FEMALE--	1	2	1	1	5	2	6	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
CALIFORNIA -----	42	54	88	94	139	132	110	53	22	5	1	-
WHITE-----MALE----	24	26	46	44	74	63	53	20	4	1	-	-
FEMALE--	14	16	31	33	49	63	44	26	16	4	-	-
ALL OTHER--MALE----	2	5	7	10	8	3	9	4	1	-	-	-
FEMALE--	2	7	4	7	8	3	4	3	1	-	1	-
BLACK---MALE----	1	5	3	5	4	2	4	-	-	-	-	-
FEMALE--	1	5	1	4	3	-	1	1	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 956  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
COLORADO -----	126	-	1	-	1	-	1	1	4	3	11	6
WHITE-----MALE----	74	-	-	-	1	-	1	1	2	3	6	1
FEMALE--	47	-	1	-	-	-	-	-	2	-	4	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	102	-	-	-	-	-	1	2	2	3	8	5
WHITE-----MALE----	55	-	-	-	-	-	1	1	1	1	7	-
FEMALE--	43	-	-	-	-	-	-	1	1	2	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	24	-	-	-	-	1	-	-	-	2	1	-
WHITE-----MALE----	15	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	16	-	1	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	627	1	4	2	2	4	6	3	9	11	12	22
WHITE-----MALE----	332	1	2	1	-	2	2	-	2	4	6	12
FEMALE--	242	-	2	-	2	1	2	2	2	6	6	4
ALL OTHER--MALE----	29	-	-	1	-	1	-	-	4	1	-	2
FEMALE--	24	-	-	-	-	-	2	1	1	-	-	4
BLACK---MALE----	28	-	-	1	-	1	-	-	4	1	-	2
FEMALE--	20	-	-	-	-	-	2	-	1	-	-	4
GEORGIA -----	191	-	2	-	-	1	2	4	3	3	7	7
WHITE-----MALE----	81	-	-	-	-	1	-	3	-	-	5	5
FEMALE--	79	-	2	-	-	-	1	-	2	-	2	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	16	-	-	-	-	-	1	1	-	3	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	16	-	-	-	-	-	1	1	-	3	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 956  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
COLORADO -----	4	4	10	10	23	15	18	10	3	1	-	-
WHITE-----MALE----	2	2	6	8	13	11	12	5	-	-	-	-
FEMALE--	2	2	4	2	7	4	6	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	6	6	9	14	13	16	15	1	-	1	-	-
WHITE-----MALE----	3	2	5	11	7	10	5	1	-	-	-	-
FEMALE--	3	4	4	2	6	6	9	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	2	1	7	4	3	1	2	-	-	-
WHITE-----MALE----	-	-	1	1	4	3	2	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	2	2	1	1	4	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
FLORIDA -----	26	36	53	70	114	101	88	46	12	4	1	-
WHITE-----MALE----	9	18	29	42	61	65	45	26	2	2	1	-
FEMALE--	13	15	17	22	45	34	38	19	10	2	-	-
ALL OTHER--MALE----	2	2	5	5	3	2	1	-	-	-	-	-
FEMALE--	2	1	2	1	5	-	4	1	-	-	-	-
BLACK---MALE----	1	2	5	5	3	2	1	-	-	-	-	-
FEMALE--	1	1	2	1	4	-	3	1	-	-	-	-
GEORGIA -----	14	11	21	16	24	35	27	13	1	-	-	-
WHITE-----MALE----	4	5	9	7	11	18	10	3	-	-	-	-
FEMALE--	7	4	9	5	7	15	14	9	1	-	-	-
ALL OTHER--MALE----	1	1	2	4	4	1	1	-	-	-	-	-
FEMALE--	2	1	1	-	2	1	2	1	-	-	-	-
BLACK---MALE----	1	1	2	4	4	1	1	-	-	-	-	-
FEMALE--	2	1	1	-	2	1	2	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 958  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
KENTUCKY -----	126	-	1	2	1	-	2	3	4	5	-	2
WHITE-----MALE----	56	-	1	-	-	-	1	1	2	3	-	-
FEMALE--	59	-	-	-	-	-	1	2	2	2	-	2
ALL OTHER--MALE----	6	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	137	-	1	-	2	1	4	3	3	6	4	7
WHITE-----MALE----	47	-	-	-	1	1	1	1	-	1	1	5
FEMALE--	55	-	-	-	-	-	1	2	1	5	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	1	-	1	-	2	1
FEMALE--	18	-	1	-	1	-	1	-	1	-	1	-
BLACK---MALE----	17	-	-	-	-	-	1	-	1	-	2	1
FEMALE--	18	-	1	-	1	-	1	-	1	-	1	-
MAINE -----	41	-	-	1	-	1	-	-	1	1	4	2
WHITE-----MALE----	23	-	-	1	-	-	-	-	1	-	2	-
FEMALE--	18	-	-	-	-	1	-	-	-	1	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	125	-	2	-	-	2	-	1	6	3	9	5
WHITE-----MALE----	60	-	-	-	-	-	-	-	2	2	3	2
FEMALE--	42	-	-	-	-	-	-	-	1	1	4	2
ALL OTHER--MALE----	10	-	2	-	-	2	-	-	3	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	2	1
BLACK---MALE----	9	-	2	-	-	1	-	-	3	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	2	1
MASSACHUSETTS -----	221	-	2	2	3	1	4	2	1	6	11	14
WHITE-----MALE----	108	-	1	2	1	1	3	1	-	4	7	5
FEMALE--	100	-	-	-	-	-	1	1	1	2	4	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	10	-	1	-	2	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	4	-	1	-	1	-	-	-	-	-	-	1
MICHIGAN -----	295	-	2	3	2	1	5	-	3	12	12	7
WHITE-----MALE----	136	-	-	1	1	-	2	-	2	6	6	4
FEMALE--	125	-	1	1	1	-	1	-	1	4	4	2
ALL OTHER--MALE----	15	-	1	1	-	-	1	-	-	-	1	1
FEMALE--	19	-	-	-	-	1	1	-	-	2	1	-
BLACK---MALE----	14	-	1	1	-	-	1	-	-	-	1	1
FEMALE--	16	-	-	-	-	1	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 958  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
KENTUCKY -----	5	5	16	13	26	18	13	8	1	1	-	-
WHITE-----MALE----	2	2	7	9	12	9	5	1	-	1	-	-
FEMALE--	2	2	8	4	12	7	8	6	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
LOUISIANA -----	7	3	12	15	16	22	12	14	3	2	-	-
WHITE-----MALE----	2	2	5	4	6	9	1	5	1	1	-	-
FEMALE--	3	-	5	9	3	10	8	6	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	3	3	2	-	1	1	-	-
FEMALE--	1	1	1	2	4	-	1	3	-	-	-	-
BLACK---MALE----	1	-	1	-	3	3	2	-	1	1	-	-
FEMALE--	1	1	1	2	4	-	1	3	-	-	-	-
MAINE -----	2	-	2	4	3	7	8	3	1	-	1	-
WHITE-----MALE----	1	-	1	4	2	3	7	-	-	-	1	-
FEMALE--	1	-	1	-	1	4	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	9	12	13	21	16	11	6	3	-	-	-
WHITE-----MALE----	4	3	6	6	14	6	8	3	1	-	-	-
FEMALE--	1	3	3	7	5	7	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	3	1	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	3	1	-	2	2	-	-	-	-	-	-
MASSACHUSETTS -----	11	10	16	24	43	31	22	14	4	-	-	-
WHITE-----MALE----	3	4	9	13	20	18	10	6	-	-	-	-
FEMALE--	7	6	6	10	21	13	11	8	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	7	22	19	40	62	40	33	15	9	1	-	-
WHITE-----MALE----	4	9	8	20	31	19	15	5	3	-	-	-
FEMALE--	3	11	10	14	23	19	14	9	6	1	-	-
ALL OTHER--MALE----	-	1	-	3	2	2	2	-	-	-	-	-
FEMALE--	-	1	1	3	6	-	2	1	-	-	-	-
BLACK---MALE----	-	1	-	3	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	3	6	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 959  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
MINNESOTA -----	174	-	2	2	-	-	1	1	1	2	-	6
WHITE-----MALE----	101	-	-	2	-	-	-	1	1	1	-	2
FEMALE--	69	-	2	-	-	-	1	-	-	1	-	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	74	-	1	-	-	1	1	2	3	3	2	2
WHITE-----MALE----	30	-	-	-	-	-	1	1	1	-	-	1
FEMALE--	20	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	2	2	1	1
FEMALE--	7	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	17	-	-	-	-	-	-	1	2	2	1	1
FEMALE--	7	-	1	-	-	-	-	-	-	-	1	-
MISSOURI -----	186	-	-	-	1	-	2	2	3	4	4	5
WHITE-----MALE----	96	-	-	-	1	-	1	1	-	-	3	3
FEMALE--	82	-	-	-	-	-	1	1	2	3	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
MONTANA -----	38	-	1	1	-	1	-	-	2	2	2	2
WHITE-----MALE----	18	-	-	-	-	1	-	-	-	1	2	2
FEMALE--	20	-	1	1	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	64	-	-	-	-	1	-	1	1	3	5	-
WHITE-----MALE----	34	-	-	-	-	1	-	1	-	2	2	-
FEMALE--	28	-	-	-	-	-	-	-	1	1	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	41	-	-	1	-	1	-	2	1	-	3	2
WHITE-----MALE----	25	-	-	1	-	-	-	1	1	-	1	2
FEMALE--	12	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 961  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
OHIO -----	392	-	1	2	2	3	4	4	15	5	14	20
WHITE-----MALE----	191	-	-	1	-	1	2	1	8	1	9	8
FEMALE--	166	-	-	-	1	1	1	2	4	3	3	9
ALL OTHER--MALE----	19	-	-	1	1	1	-	1	2	-	2	-
FEMALE--	16	-	1	-	-	-	1	-	1	1	-	3
BLACK---MALE----	18	-	-	1	1	-	-	1	2	-	2	-
FEMALE--	15	-	1	-	-	-	1	-	1	1	-	3
OKLAHOMA -----	129	-	2	-	-	2	1	-	5	2	3	3
WHITE-----MALE----	71	-	1	-	-	-	-	-	2	2	3	1
FEMALE--	46	-	-	-	-	2	1	-	1	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	2	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	1	-	-	-
OREGON -----	127	-	1	-	-	4	1	2	-	4	6	5
WHITE-----MALE----	65	-	-	-	-	3	1	-	-	2	3	2
FEMALE--	59	-	1	-	-	1	-	2	-	2	3	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	480	-	5	3	3	2	5	9	7	7	15	17
WHITE-----MALE----	240	-	2	2	2	2	3	4	3	4	10	6
FEMALE--	212	-	2	1	-	-	1	4	4	2	5	9
ALL OTHER--MALE----	11	-	1	-	-	-	-	1	-	1	-	2
FEMALE--	17	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	11	-	1	-	-	-	-	1	-	1	-	2
FEMALE--	14	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	36	-	-	-	-	-	1	1	1	1	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	19	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	122	-	2	-	-	2	3	2	6	3	2	5
WHITE-----MALE----	56	-	-	-	-	1	2	-	3	-	-	4
FEMALE--	42	-	1	-	-	1	1	1	2	3	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	14	-	1	-	-	-	-	-	1	-	1	1
BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	14	-	1	-	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 961  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
OHIO -----	17	18	35	49	61	59	41	28	13	1	-	-
WHITE-----MALE----	9	6	17	28	34	28	20	12	6	-	-	-
FEMALE--	5	9	17	18	26	25	19	15	7	1	-	-
ALL OTHER--MALE----	2	2	1	2	-	4	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	2	1	-	-	-	-
BLACK---MALE----	2	2	1	2	-	4	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	2	1	-	-	-	-
OKLAHOMA -----	7	5	13	12	30	16	15	8	4	1	-	-
WHITE-----MALE----	1	4	8	5	21	9	7	4	3	-	-	-
FEMALE--	4	1	3	5	8	6	8	3	1	1	-	-
ALL OTHER--MALE----	1	-	-	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	5	6	6	14	17	29	22	5	-	-	-	-
WHITE-----MALE----	2	3	4	8	11	10	13	3	-	-	-	-
FEMALE--	3	3	1	6	6	18	8	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	27	27	66	84	81	62	29	14	2	1	-
WHITE-----MALE----	9	12	12	34	46	45	24	15	4	1	-	-
FEMALE--	5	15	11	27	35	35	33	14	8	1	-	-
ALL OTHER--MALE----	-	-	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	3	2	-	5	-	2	-	1	-
BLACK---MALE----	-	-	2	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	2	2	-	5	-	2	-	-	-
RHODE ISLAND -----	2	3	2	4	6	3	5	4	2	-	-	-
WHITE-----MALE----	-	2	1	2	3	1	2	1	2	-	-	-
FEMALE--	2	1	1	2	3	2	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	5	11	18	19	19	11	8	3	-	-	-
WHITE-----MALE----	2	1	6	12	9	8	4	3	1	-	-	-
FEMALE--	1	2	2	4	8	7	5	3	1	-	-	-
ALL OTHER--MALE----	-	2	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	2	1	2	1	-	-	-
BLACK---MALE----	-	2	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	2	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 962  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYELOID LEUKEMIA (205)												
SOUTH DAKOTA -----	26	-	-	-	-	-	1	-	-	-	3	1
WHITE-----MALE----	17	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	160	-	2	-	1	1	1	4	4	4	7	7
WHITE-----MALE----	75	-	2	-	-	-	1	1	3	-	2	4
FEMALE--	53	-	-	-	-	1	-	2	-	2	4	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	20	-	-	-	1	-	-	-	-	2	1	1
BLACK---MALE----	12	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	20	-	-	-	1	-	-	-	-	2	1	1
TEXAS -----	503	-	6	3	4	7	10	10	12	19	23	22
WHITE-----MALE----	256	-	2	3	3	2	7	7	4	12	10	12
FEMALE--	191	-	1	-	1	1	1	3	5	4	7	6
ALL OTHER--MALE----	30	-	2	-	-	1	1	-	-	2	3	2
FEMALE--	26	-	1	-	-	3	1	-	3	1	3	2
BLACK---MALE----	27	-	1	-	-	1	1	-	-	2	3	2
FEMALE--	25	-	1	-	-	3	1	-	3	1	2	2
UTAH -----	44	-	-	-	-	-	1	-	-	-	1	4
WHITE-----MALE----	18	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	168	-	2	1	-	2	3	7	5	5	4	9
WHITE-----MALE----	75	-	2	-	-	2	2	2	3	3	2	3
FEMALE--	70	-	-	-	-	-	-	1	-	2	1	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	2	1	-	1	-
FEMALE--	11	-	-	1	-	-	1	2	1	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	8	-	-	1	-	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 962  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYELOID LEUKEMIA (205)												
SOUTH DAKOTA -----	-	2	2	3	2	4	2	4	-	2	-	-
WHITE-----MALE----	-	1	1	2	2	3	2	2	-	1	-	-
FEMALE--	-	1	1	1	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	13	10	15	21	23	24	11	5	-	-	-
WHITE-----MALE----	3	8	5	8	9	9	12	5	3	-	-	-
FEMALE--	1	3	3	4	9	10	6	4	2	-	-	-
ALL OTHER--MALE----	1	2	2	1	1	-	2	1	-	-	-	-
FEMALE--	2	-	-	2	2	4	4	1	-	-	-	-
BLACK---MALE----	1	2	2	1	1	-	2	1	-	-	-	-
FEMALE--	2	-	-	2	2	4	4	1	-	-	-	-
TEXAS -----	24	33	40	43	79	62	63	29	13	1	-	-
WHITE-----MALE----	14	17	17	24	44	37	24	12	5	-	-	-
FEMALE--	5	13	18	17	31	16	38	15	8	1	-	-
ALL OTHER--MALE----	4	2	3	1	2	5	-	2	-	-	-	-
FEMALE--	1	1	2	1	2	4	1	-	-	-	-	-
BLACK---MALE----	4	2	2	1	2	5	-	1	-	-	-	-
FEMALE--	1	1	2	1	2	4	1	-	-	-	-	-
UTAH -----	3	4	3	5	7	8	6	2	-	-	-	-
WHITE-----MALE----	1	2	1	2	4	4	-	-	-	-	-	-
FEMALE--	2	2	2	3	3	4	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	3	3	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	7	8	21	39	17	14	14	1	1	1	1
WHITE-----MALE----	1	2	5	10	19	8	8	2	1	-	-	-
FEMALE--	5	5	2	9	15	6	6	10	-	1	1	1
ALL OTHER--MALE----	-	-	1	1	4	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	4	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 965  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MONOCYTTIC LEUKEMIA (206)												
COLORADO -----	-	-	-	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	2	5	1	3	2	3	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	3	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
GEORGIA -----	-	-	-	-	1	1	-	2	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-























