U. S. DEPARTMENT OF COMMERCE
DANIEL C. ROPER, SECRETARY
BUREAU OF THE CENSUS
WILLIAM LANE AUSTIN, DIRECTOR

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS

FOR

THE CONTINENTAL UNITED STATES
THE TERRITORY OF HAWAII
THE VIRGIN ISLANDS

1935

TWENTY-FIRST ANNUAL REPORT

PREPARED UNDER THE SUPERVISION OF
DR. HALBERT L. DUNN
Chief Statistician for Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1937

For sale by the Superintendent of Documents, Washington, D. C. - Price $1.25 (buckram)

REPORTS ON BIRTH AND MORTALITY STATISTICS ISSUED BY THE BUREAU OF THE CENSUS

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for continental United States, with supplemental statistics for Hawaii and the Virgin Islands.

MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for continental United States, with supplemental statistics for Hawaii, Puerto Rico, and the Virgin Islands.

CONTENTS

BIRTH STATISTICS

	Page		Page
Introduction	3	Annual birth rates by months	5
Growth of the registration area: 1915 to 1935	3	Births and deaths in the original registration area	5
Definition of "urban" and "rural"	3	Number of children in the family	7
Statistics of births and deaths in 1935	3	Country of birth of parents	7
Excess of births over deaths	4	Plural births	8
Comparison of birth and death rates	4	Age of mother and father	9
Comparison of birth rates, 1931 to 1935	4	Illegitimate births	9

STILLBIRTH STATISTICS

	Page		Page
Introduction	15	Stillbirths by legitimacy	16
Comparison of stillbirth ratios: 1934 and 1935	15	Percent of stillbirths from certain causes at specified periods of uterogestation	18
Stillbirths by months	16		
Stillbirths by age of mother	16		

INFANT MORTALITY STATISTICS

	Page		Page
Introduction	20	Seasonal infant mortality—Continued	
Infant mortality rates: 1931 to 1935	20	Influenza, pneumonia (all forms), and bronchitis	24
Infant mortality rates for cities and rural districts	21	Premature birth and congenital debility	24
Comparison of infant mortality rates: 1930 to 1935	22	Diarrhea and enteritis	24
Seasonal infant mortality	24	Infant mortality by race	25
Measles and whooping-cough	24	Infant mortality rates of foreign countries	26

SUMMARY AND RATE TABLE

Page

Table I.—Births, deaths, infant mortality, and stillbirths: 1935 — 33
Section A.—Cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State.
Section B.—Each county (including cities of 10,000 or more inhabitants in 1930).

GENERAL TABLES

Page

Table 1.—Births, by months: 1935 — 84
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State, and in cities of 100,000 inhabitants or more in 1930.

Table 2.—Births, by sex and race, and by parent nativity of white: 1935 — 88
Births of Whites, Negroes, Indians, Chinese, Japanese, and minor races, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State.

Table 3.—Births of white children, by sex, and country of birth of parents, in the United States: 1935 — 95

Table 4.—Births by sex, race, and age of mother, and for white by country of birth of mother, in the United States: 1935 — 95

Table 4A.—Births by sex, race, and age of mother, and for white by nativity of mother, in each State: 1935 — 96

Table 5.—Births, by age of parents: 1935 — 100
In the United States and each State.

Table 6.—Births, by number of child, age of mother, and race, and for white by nativity of mother, in the United States: 1935 — 106

Table 7.—Births, with the number of child in order of birth, by race, and for white by nativity of mother: 1935 — 111
In the United States and each State.

Table 8.—Cases of plural births and plural stillbirths, by sex and race: 1935 — 117
In the United States and each State.

Table 9.—Number of plural births and plural stillbirths, by race, and for white by country of birth of mother in the United States: 1935 — 121

Table 10.—Stillbirths, by months: 1935 — 122
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State, and in cities of 100,000 inhabitants or more in 1930.

Table 11.—Stillbirths by race, and parent nativity of white: 1935 — 126
Stillbirths of Whites, Negroes, Indians, Japanese, Chinese, and minor races, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State.

Table 12.—Stillbirths of white children, by sex, and country of birth of parents, in the United States: 1935 — 129

Table 13.—Stillbirths, by sex, and age of parents, in the United States: 1935 — 129

Page

Table 14.—Stillbirths, with the number of child in order of birth, by sex, race, and age of mother, and for white by country of birth of mother, in the United States: 1935---------- 130

Table 15.—Stillbirths by cause, in certain specified States and cities: 1935---------- 134

Table 16.—Stillbirths by sex, cause, and period of uterogestation, in a selected area: 1935---------- 135

Table 17.—Stillbirths, by period of uterogestation, in certain specified States and cities: 1935---------- 137

Table 18.—Deaths under 1 year of age from important causes, by sex and race, in the United States: 1935---------- 138

Table 19.—Deaths, for certain subdivisions of the first year of life, by sex and race, in the United States: 1935---------- 138

Table 20.—Deaths from important causes, by months and certain subdivisions of the first year of life, in the United States: 1935------- 139

Table 21.—Deaths from important causes, by certain subdivisions of the first year of life: 1935---------- 146
In the United States, each State, and cities of 500,000 inhabitants or more in 1930.

Table 22.—Deaths under 1 year of age from important causes, by sex: 1935---------- 182
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State.

Table 23.—Deaths by sex and certain subdivisions of the first year of life: 1935---------- 191
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts in the United States and each State.

MAP

Growth of the registration area for births---------- 2

SUPPLEMENT

Hawaii----------199,200
Virgin Islands----------199,204

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS 1935

GROWTH OF THE REGISTRATION AREA FOR BIRTHS: 1915 TO 1935



ORIGINAL REGISTRATION STATES, 1915

STATES ADDED SINCE 1915

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS: 1935

BIRTH STATISTICS: 1935

INTRODUCTION

This volume presents statistics of live births, stillbirths, and infant mortality in the United States, the Territory of Hawaii, and the Virgin Islands. The data were secured from transcripts of birth, death, and stillbirth certificates received from these areas.

As the text and general tables relate only to the United States, figures for Hawaii and the Virgin Islands are presented in special tables, as a supplement.

The number of live births reported in the United States in 1935 was 2,155,105, equivalent to a birth rate of 16.9 per 1,000 estimated population; the number of stillbirths reported was 77,119 or a ratio of 3.6 per 100 live births; and the number of deaths under 1 year of age was 120,138, corresponding to an infant mortality rate of 55.7 (deaths under 1 year per 1,000 live births).

The compilation of these data makes it possible to compare statistics for the United States with those for foreign countries. Also, light is thrown on such matters as the natural increase of populations in the States and cities, the relation between birth rates and rates of infant mortality, ratio of stillbirths to live births, etc.

This report was prepared under the direction of Dr. Halbert L. Dunn, Chief Statistician for Vital Statistics, assisted by Dr. John Collinson, Assistant Chief Statistician for Vital Statistics.

Although it has again been necessary to present this volume in condensed form, the data eliminated are available in manuscript tables on file in the Bureau of the Census.

GROWTH OF REGISTRATION AREA: 1915 TO 1935

Table A shows the year when each State was added to the registration area for births.

TABLE A

YEAR	STATE	YEAR	STATE	YEAR	STATE
1915----	Connecticut	1917--	Virginia	1925--	West Virginia
	Maine		Washington		
	Massachusetts		Wisconsin	1926--	Arizona
	Michigan				Idaho
	Minnesota	1919--	California		
	New Hampshire		Oregon	1927--	Alabama
	New York		South Carolina 3/		Arkansas
	Pennsylvania				Louisiana
	Rhode Island 1/	1920--	Nebraska		Missouri
	Vermont				Tennessee
	District of Columbia 2/	1921--	Delaware		
			Mississippi	1928--	Colorado
1916----	Maryland		New Jersey		Georgia
					Oklahoma
1917----	Indiana	1922--	Illinois		
	Kansas		Montana	1929--	Nevada
	Kentucky		Wyoming		New Mexico
	North Carolina	1924--	Florida	1932--	South Dakota
	Ohio		Iowa		
	Utah		North Dakota	1933--	Texas

1/ Dropped from the registration area in 1919; readmitted in 1921.
2/ Included in registration States.
3/ Dropped from the registration area in 1925; readmitted in 1928.

The birth registration area was established in 1915 and comprised but 10 States and the District of Columbia. Gradually, by the inclusion of other States, this area expanded until 1933 when the last State was admitted and the tables, for the first time, related to the entire continental United States. The Virgin Islands and the Territory of Hawaii became part of the registration area in 1924 and 1929, respectively.

DEFINITION OF "URBAN" AND "RURAL"

The term "urban" as used in the birth and mortality reports prior to 1930 included the population living in cities having 10,000 or more inhabitants. The definition was changed in 1930 to include as "urban" the population of all cities having 2,500 inhabitants or more, the rest of the population being classified as "rural." This conforms with the established practice of the population census reports. In order, however, to facilitate comparisons with the earlier classification the urban population as thus defined is usually subdivided into two groups, one comprising the population of cities of 10,000 or more and the other that of cities from 2,500 to 10,000. The former corresponds to the urban population as previously defined in the birth reports, and the latter when combined with the rural population as now defined corresponds to the population previously designated as rural.

Unfortunately, however, in some States the Bureau of the Census did not succeed in obtaining for deaths the local detail necessary for applying the new classification and in such States the only distinction that can be shown for deaths is that between population living in cities having more than 10,000 inhabitants and the remainder of the population, formerly designated as rural. Ultimately, of course, it is expected that the new classification can be made to cover all the States.

STATISTICS OF BIRTHS AND DEATHS IN 1935

BIRTHS.—In the United States in 1935 there were 2,155,105 live births, which represent a birth rate of 16.9 per 1,000 estimated population, as against 2,167,636 live births, with a rate of 17.1 reported in 1934. Of the 1935 births, 1,105,489 were males and 1,049,616 were females, or a proportion of 1,053 males to 1,000 females.

DEATHS.—The total deaths (exclusive of stillbirths) numbered 1,392,752, corresponding to a death rate of 10.9 per 1,000 estimated population; of these, 771,320 were males and 621,432 were females, or a proportion of 1,241 males to 1,000 females.

STILLBIRTHS.—There were 77,119 stillbirths in the United States in 1935, with a ratio of 3.6 per 100 live births; of these stillbirths, 42,658 were males, 32,845 were females, and in 1,616 cases the sex was not stated or was unknown. These stillbirths show a proportion of 1,299 males to 1,000 females.

INFANT MORTALITY.—Deaths of infants under 1 year of age numbered 120,138 or 55.7 per 1,000 live births, a rate 4.4 lower than the corresponding rate of 1934. Of the total deaths under 1 year of age, 68,805 were males and 51,333 were females, or a proportion of 1,340 males to 1,000 females. The infant mortality rates for the States ranged from 41.2 in Nebraska and Oregon to 129.3 in New Mexico.

Table B shows births, total deaths, stillbirths, and deaths under 1 year of age, with the proportion of males to 1,000 females, from 1915 to 1935.

TABLE B — UNITED STATES (BIRTH REGISTRATION AREA)

CALENDAR YEAR	Births[1] Total	Male	Female	Male per 1,000 female	All deaths[1] Total	Male	Female	Male per 1,000 female	Stillbirths Total	Male	Female	Unknown sex	Male per 1,000 female	Deaths[1] under 1 year of age Total	Male	Female	Male per 1,000 female
1935	2,155,105	1,105,489	1,049,616	1,053	1,392,752	771,320	621,432	1,241	77,119	42,658	32,845	1,616	1,299	120,138	68,805	51,333	1,340
1934	2,167,636	1,112,703	1,054,933	1,055	1,396,903	772,595	624,308	1,238	78,503	43,768	33,137	1,598	1,321	130,185	73,950	56,235	1,315
1933	2,081,232	1,066,871	1,012,361	1,055	1,342,106	737,312	604,794	1,219	77,059	42,857	32,581	1,621	1,315	120,887	68,331	52,556	1,300
1932	2,074,042	1,063,885	1,010,157	1,053	1,293,269	704,506	588,763	1,197	78,351	43,673	33,133	1,545	1,318	119,431	67,839	51,592	1,315
1931	2,112,760	1,084,404	1,028,356	1,055	1,301,405	714,277	587,128	1,217	80,616	45,090	33,933	1,593	1,329	130,134	74,056	56,078	1,321
1930	2,203,958	1,131,976	1,071,982	1,056	1,321,367	723,315	598,052	1,209	86,466	48,604	36,459	1,403	1,333	142,413	80,744	61,669	1,309
1929	2,169,920	1,114,814	1,055,106	1,057	1,369,757	745,491	624,266	1,194	85,678	48,074	36,046	1,558	1,334	146,661	83,144	63,517	1,309
1928	2,233,149	1,147,625	1,085,524	1,057	1,361,987	738,891	623,096	1,186	89,765	50,666	37,695	1,404	1,344	153,492	87,676	65,816	1,332
1927	2,137,836	1,099,287	1,038,549	1,058	1,176,805	638,080	538,725	1,184	82,931	47,150	34,478	1,303	1,368	138,017	78,652	59,365	1,325
1926	1,856,068	953,638	902,430	1,057	1,093,511	589,653	503,858	1,170	70,716	39,809	29,746	1,161	1,338	136,118	77,366	58,752	1,317
1925	1,878,880	966,973	911,907	1,060	1,030,518	555,267	475,251	1,168	71,519	40,387	29,999	1,133	1,346	134,652	76,902	57,750	1,332
1924	1,930,614	992,431	938,183	1,058	1,006,994	542,637	464,357	1,169	75,817	43,139	31,377	1,301	1,375	136,730	78,085	58,645	1,331
1923	1,792,646	921,020	871,626	1,057	992,237	528,429	463,808	1,139	69,757	39,566	29,235	956	1,353	138,259	78,309	59,950	1,306
1922	1,774,911	911,831	863,080	1,056	938,545	497,967	440,578	1,130	70,010	39,672	29,173	1,165	1,360	135,228	77,105	58,123	1,327
1921	1,714,261	881,591	832,670	1,059	825,511	434,019	391,492	1,109	(2)	(2)	(2)	(2)	(2)	129,588	73,582	56,006	1,314
1920	1,508,874	775,322	733,552	1,057	836,134	438,201	397,933	1,101	(2)	(2)	(2)	(2)	(2)	129,531	73,737	55,794	1,322
1919	1,373,438	705,593	667,845	1,057	798,104	422,252	375,852	1,123	(2)	(2)	(2)	(2)	(2)	119,000	67,580	51,420	1,314
1918	1,363,649	701,154	662,485	1,058	996,627	534,720	461,907	1,158	48,634	28,127	20,507	(3)	1,372	137,647	77,736	59,911	1,298
1917	1,353,792	696,101	657,691	1,058	776,222	423,359	352,863	1,200	(2)	(2)	(2)	(2)	(2)	126,960	72,192	54,768	1,318
1916	818,983	420,881	398,102	1,057	486,682	264,498	222,184	1,190	(2)	(2)	(2)	(2)	(2)	82,734	46,790	35,944	1,302
1915	776,304	398,615	377,689	1,055	436,593	234,871	201,722	1,164	(2)	(2)	(2)	(2)	(2)	77,572	43,818	33,754	1,298

1/ Exclusive of stillbirths. 2/ Data not collected. 3/ Stillbirths of unknown sex distributed.

NOTE.—See tables A and C for growth of the registration area, etc.

The figures given in table B should be considered in relation to the growth of the birth registration area as shown in table C. Table C shows populations, births, and birth rates, in the birth registration area of the United States from 1915 to 1935. As may be seen in this table, the original birth registration area included only 31.1 percent of the population of the United States and the percent included increased gradually until 1933 when the registration area comprised the whole United States. The data given in table B refer only to the area included in the birth registration area although for the years shown in table B, mortality data were collected for a larger area. Mortality figures for the mortality registration area are published separately.

TABLE C

CALENDAR YEAR	Population of the United States[1]	REGISTRATION AREA IN THE UNITED STATES Population[1] Number	Percent of total	Births[2] Number	Per 1,000 population
1935	127,521,000	127,521,000	100.0	2,155,105	16.9
1934	126,626,000	126,626,000	100.0	2,167,636	17.1
1933	125,693,000	125,693,000	100.0	2,081,232	16.6
1932	124,822,000	118,858,000	95.2	2,074,042	17.4
1931	124,070,000	117,460,000	94.7	2,112,760	18.0
1930	123,191,000	116,644,000	94.7	2,203,958	18.9
1929	121,526,429	115,097,972	94.7	2,169,920	18.9
1928	119,861,607	113,050,663	94.3	2,233,149	19.8
1927	118,196,785	103,575,656	87.6	2,137,836	20.6
1926	116,531,963	89,682,479	77.0	1,856,068	20.7
1925	114,867,141	87,486,096	76.2	1,878,880	21.5
1924	113,202,319	86,256,025	76.2	1,930,614	22.4
1923	111,537,497	80,694,406	72.3	1,792,646	22.2
1922	109,872,675	79,415,641	72.3	1,774,911	22.3
1921	108,207,853	70,738,177	65.4	1,714,261	24.2
1920	106,543,031	63,740,669	59.8	1,508,874	23.7
1919	105,003,065	61,483,423	58.6	1,373,438	22.3
1918	103,587,955	55,515,241	53.6	1,363,649	24.6
1917	102,172,845	54,771,416	53.6	1,353,792	24.7
1916	100,757,735	32,788,670	32.5	818,983	25.0
1915	99,342,625	30,936,179	31.1	776,304	25.1

1/ Estimated as of July 1. 2/ Exclusive of stillbirths.

EXCESS OF BIRTHS OVER DEATHS

In 1935 there was a substantial excess of births over deaths in every State.

According to the census of 1930 there were 913 cities in the United States having 10,000 or more inhabitants. There were also 47 towns and 23 townships with populations of 10,000 or more and with population densities of 1,000 or more per square mile which, for statistical purposes, are also considered urban.

In 171 of these 983 places the deaths outnumbered the births. Two factors were doubtless responsible for this apparent lack of natural increase in the population: First, many of these places have a State asylum, State hospital, or similar institution in which many deaths occur; second, many of them lack maternity hospital facilities causing their expectant mothers to use other areas.

If births to nonresident mothers were allocated to the mother's residence and deaths of nonresidents were credited to the decedent's usual place of abode instead of being charged to the areas in which they occur, the number of places where deaths outnumber births would be much smaller.

COMPARISON OF BIRTH AND DEATH RATES.—In 1935 the birth rate for the United States was 16.9, exceeding the death rate (10.9) by 6.0, or 55 percent. This signifies that if these rates were to remain unchanged and if there were no migration from or into this area the natural annual increase in the population would be 6.0 per 1,000 inhabitants. In the States the greatest excess of births over deaths (16.4 per 1,000 population) was for New Mexico. Other large excesses were 14.9 for Utah, 13.5 for Mississippi, 13.2 for North Carolina, 12.9 for West Virginia, and 11.9 for Alabama.

COMPARISON OF BIRTH RATES, 1931 TO 1935.—The birth rate (16.9 per 1,000 population) for the United States in 1935 was 0.2 lower than that for 1934. The rates for the individual States, as compared with those for 1934, were higher in only 12 States. The largest increase (0.8 per 1,000 population) was in the rate for Colorado. The largest decrease (1.6) was in the rate for Oklahoma.

The highest rate (31.3 for New Mexico) was followed by 24.7 for Utah and 24.1 for Mississippi as the next highest. The lowest rate (12.7) was for New Jersey.

A comparison of the rates for the birth registration area from 1931 to 1935 shows a gradual decline from 18.0 in 1931 to 16.6 in 1933. This was followed by a rise to 17.1 in 1934 after which the rate declined again to 16.9 in 1935. Comparing the rates for 1935 with those for 1931 for the 46 States that were in the area in both years, it is found that only 8 States—Arizona, Michigan, Mississippi, Montana, Nevada, New Mexico, Utah, and West Virginia—had higher rates in the later year.

Table D shows birth and death rates from 1931 to 1935.

TABLE D

AREA	RATE PER 1,000 POPULATION									
	Births (exclusive of stillbirths)					Deaths (exclusive of stillbirths)				
	1935	1934	1933	1932	1931	1935	1934	1933	1932	1931
United States 1/	16.9	17.1	16.6	17.4	18.0	10.9	11.0	10.7	10.9	11.1
Alabama	22.0	22.7	22.0	23.5	23.5	10.1	10.5	10.0	10.3	10.7
Arizona	22.5	22.0	17.9	19.0	21.1	15.0	14.6	12.2	12.1	13.7
Arkansas	17.9	19.0	19.1	20.1	22.0	8.1	8.6	8.9	8.7	9.6
California	13.4	13.9	12.4	13.1	13.9	12.1	12.1	11.2	11.4	11.5
Colorado	17.7	16.9	16.3	16.8	17.7	12.4	11.8	11.4	12.0	12.0
Connecticut	13.0	13.1	13.6	14.5	15.7	10.3	10.3	10.6	10.4	10.6
Delaware	15.8	15.8	16.3	17.9	17.7	12.5	13.3	13.7	13.2	13.8
District of Columbia	18.2	18.1	20.1	20.6	19.0	14.3	14.8	15.9	16.1	15.8
Florida	17.4	16.8	16.5	17.9	18.0	12.4	12.8	12.1	12.0	12.0
Georgia	20.8	19.8	20.9	21.9	21.2	11.3	10.9	10.7	11.0	11.3
Idaho	19.8	19.8	19.1	19.5	20.3	9.5	9.3	9.1	8.8	9.0
Illinois	14.3	14.2	13.8	14.4	15.4	10.9	11.2	10.5	10.7	11.1
Indiana	15.4	15.4	15.3	16.2	17.2	11.5	12.0	11.5	11.8	11.9
Iowa	16.2	16.8	15.9	16.3	16.9	10.4	10.6	10.3	10.4	10.4
Kansas	16.3	17.6	16.2	16.7	17.4	10.8	10.8	10.3	10.3	9.9
Kentucky	20.3	21.3	20.9	22.6	21.7	10.3	10.7	10.8	11.0	11.0
Louisiana	19.9	20.3	18.5	20.3	20.4	11.2	11.0	10.7	10.9	11.1
Maine	18.6	18.8	18.9	20.1	20.4	13.0	13.1	13.8	13.4	13.1
Maryland	16.3	16.4	16.5	17.4	17.5	12.7	12.6	12.4	12.7	13.2
Massachusetts	14.4	14.8	14.7	15.9	16.2	11.5	11.7	11.8	11.5	11.3
Michigan	18.5	17.9	16.0	17.2	18.4	10.8	10.8	9.6	10.0	10.0
Minnesota	17.5	17.5	17.2	17.9	18.2	10.0	10.2	9.8	9.9	9.9
Mississippi	24.1	24.4	21.6	22.7	22.3	10.6	11.1	10.6	10.0	10.9
Missouri	14.6	15.3	15.6	16.4	16.7	11.0	12.1	11.6	12.0	12.1
Montana	18.9	18.7	16.7	16.9	17.9	11.8	10.6	9.7	9.8	9.8
Nebraska	17.1	18.4	17.4	18.1	19.2	9.7	9.8	9.3	9.3	9.3
Nevada	14.4	14.6	14.5	13.5	13.3	13.4	13.2	13.3	14.4	14.6
New Hampshire	15.5	15.9	15.7	15.7	16.6	13.0	12.9	13.8	13.5	12.7
New Jersey	12.7	12.8	13.4	14.8	15.6	10.1	10.3	10.4	10.3	10.8
New Mexico	31.3	31.8	28.4	28.7	28.8	14.9	15.2	13.4	13.8	14.4
New York	14.3	14.5	14.4	15.4	16.1	11.5	11.6	11.5	11.5	11.7
North Carolina	23.0	23.6	23.0	24.0	23.3	9.8	10.4	9.3	9.6	10.3
North Dakota	19.5	20.9	19.2	20.5	21.1	8.4	8.4	8.0	7.5	7.5
Ohio	15.1	14.9	14.1	15.1	16.1	11.5	11.5	10.7	11.3	11.3
Oklahoma	17.4	19.0	17.8	16.8	17.9	8.4	8.6	8.3	7.9	7.8
Oregon	13.1	13.1	12.4	13.2	13.7	11.3	10.6	10.6	10.6	10.6
Pennsylvania	16.0	16.0	16.0	17.3	18.4	10.8	11.0	10.8	11.2	11.5
Rhode Island	15.0	15.2	14.7	16.0	16.3	11.5	11.3	11.2	11.6	11.5
South Carolina	22.1	22.5	23.1	23.8	22.7	11.1	10.8	11.1	11.4	12.1
South Dakota	18.6	19.4	18.3	18.9	(2/)	9.1	9.5	8.7	8.2	(2/)
Tennessee	18.9	18.3	18.8	19.8	19.8	10.6	10.6	10.6	10.8	10.8
Texas	18.9	19.3	17.9	(2/)	(2/)	10.1	9.9	9.8	(2/)	(2/)
Utah	24.7	24.6	23.0	23.3	23.5	9.8	9.4	8.5	8.6	8.7
Vermont	17.5	17.6	17.0	16.8	18.5	12.7	13.0	12.8	13.2	12.5
Virginia	19.5	20.1	21.0	22.4	21.7	11.5	11.7	11.7	11.9	12.4
Washington	13.7	13.9	13.1	13.5	14.0	11.1	10.8	10.4	10.4	10.5
West Virginia	23.0	23.0	20.4	22.0	22.5	10.1	10.0	9.4	10.2	10.1
Wisconsin	18.1	17.7	16.8	17.8	18.4	10.6	10.5	9.9	10.2	10.2
Wyoming	18.8	19.8	18.2	18.6	19.8	9.8	9.1	8.5	9.0	8.9

1/ Exclusive of South Dakota and Texas in 1931; exclusive of Texas in 1932. (See tables A and C.)
2/ Not added to the registration area until a later date.

TABLE E

MONTH	ANNUAL BIRTH RATE PER 1,000 ESTIMATED POPULATION IN THE UNITED STATES 1/				
	1935	1934	1933	1932	1931
The year	16.9	17.1	16.6	17.4	18.0
January	17.2	17.0	16.9	17.7	18.5
February	17.4	16.6	16.6	18.3	18.5
March	17.2	16.7	17.3	18.0	18.7
April	16.5	16.3	16.6	16.9	17.9
May	16.2	16.7	16.4	17.2	17.9
June	17.1	16.9	16.4	17.5	18.3
July	17.8	17.5	17.0	17.5	18.4
August	17.8	18.2	17.1	18.1	18.6
September	17.7	18.5	16.3	18.1	18.7
October	16.5	17.5	15.7	17.2	17.4
November	16.0	16.9	16.1	16.4	16.7
December	15.9	16.6	16.2	16.2	16.7

1/ Exclusive of South Dakota and Texas in 1931; exclusive of Texas in 1932.

ANNUAL BIRTH RATES BY MONTHS

Table E, showing annual birth rates by months, indicates that the greatest natality occurred in the third quarter of the year, namely, July to September, inclusive. The highest rate in any month of 1935 was 17.8 for July and August, closely followed by 17.7 for September. The lowest rate in the same year was 15.9 for December.

A comparison of the rates for 1935 with those for 1934 shows a higher rate in 1935 for the first four months and again for June and July. The greatest increase (1.0 per 1,000 population) occurred in October.

BIRTHS AND DEATHS IN THE ORIGINAL REGISTRATION AREA

Table F shows birth, death, and infant mortality rates for the original birth registration area (exclusive of Rhode Island) from 1915 to 1935. All rates for 1935 are lower than the corresponding rates for 1934.

TABLE F

YEAR	THE ORIGINAL BIRTH REGISTRATION AREA (EXCLUSIVE OF RHODE ISLAND)						
	Population estimated as of July 1	Births (exclusive of stillbirths)	Deaths (exclusive of stillbirths)	Rate per 1,000 population		Deaths under 1 year of age	
				Births	Deaths	Total	Per 1,000 births
1935							
Total	38,725,000	605,062	433,026	15.6	11.2	29,634	49.0
Cities	(1/)	411,259	287,148	(1/)	(1/)	19,965	48.5
Rural	(1/)	193,803	145,878	(1/)	(1/)	9,669	49.9
1934							
Total	38,702,000	602,101	434,205	15.7	11.3	31,787	52.8
Cities	(1/)	406,086	286,581	(1/)	(1/)	21,263	52.4
Rural	(1/)	196,015	147,624	(1/)	(1/)	10,524	53.7
1933							
Total	38,480,000	594,117	426,747	15.4	11.1	31,422	52.9
Cities	25,398,300	400,804	280,632	15.8	11.1	21,280	53.1
Rural	13,081,700	193,313	145,915	14.8	11.2	10,142	52.5
1932							
Total	38,214,000	631,467	428,350	16.5	11.2	34,794	55.1
Cities	25,201,000	429,520	281,578	17.0	11.2	23,311	54.3
Rural	13,013,000	201,947	146,772	15.5	11.3	11,483	56.9
1931							
Total	37,986,000	657,074	430,069	17.3	11.3	39,067	59.5
Cities	25,219,800	448,901	287,576	17.8	11.4	26,449	58.9
Rural	12,766,200	208,173	142,493	16.3	11.2	12,618	60.6
1930							
Total	37,719,000	694,433	432,479	18.4	11.5	43,129	62.1
Cities	24,810,600	476,864	287,440	19.3	11.6	29,329	61.2
Rural	12,908,400	215,569	145,039	16.7	11.2	13,800	64.0
1929							
Total	37,211,173	693,545	453,976	18.6	12.2	44,746	64.5
Cities	23,641,790	464,987	295,225	19.7	12.5	29,534	63.5
Rural	13,569,383	228,558	158,751	16.8	11.7	15,212	66.6
1928							
Total	36,704,193	719,569	450,564	19.6	12.3	48,003	66.7
Cities	23,277,184	476,545	294,205	20.5	12.6	32,251	67.7
Rural	13,427,009	243,024	156,359	18.1	11.6	15,752	64.8
1927							
Total	36,197,212	741,102	422,679	20.5	11.7	47,449	64.0
Cities	22,909,166	488,114	273,084	21.3	11.9	30,861	63.2
Rural	13,288,046	252,988	149,595	19.0	11.3	16,588	65.6
1926							
Total	35,690,232	735,708	453,386	20.6	12.7	54,961	74.7
Cities	22,513,414	483,863	294,285	21.5	13.1	36,092	74.6
Rural	13,176,818	251,845	159,098	19.1	12.1	18,869	74.9

1/ Not available.

TABLE F—Contd. THE ORIGINAL BIRTH REGISTRATION AREA (EXCLUSIVE OF RHODE ISLAND)

YEAR	Population estimated as of July 1	Births (exclusive of stillbirths)	Deaths (exclusive of stillbirths)	Rate per 1,000 population: Births	Rate per 1,000 population: Deaths	Deaths under 1 year of age: Total	Deaths under 1 year of age: Per 1,000 births
1925							
Total	35,183,251	757,082	432,008	21.5	12.3	55,731	73.6
Cities	22,163,368	492,961	279,298	22.2	12.6	36,128	73.3
Rural	13,019,883	264,121	152,710	20.3	11.7	19,603	74.2
1924							
Total	34,676,271	778,525	420,300	22.5	12.1	55,781	71.6
Cities	21,821,222	505,605	272,001	23.2	12.5	36,432	72.1
Rural	12,855,049	272,920	148,299	21.2	11.5	19,349	70.9
1923							
Total	34,169,292	760,130	437,157	22.2	12.8	60,290	79.3
Cities	21,497,511	493,120	278,728	22.9	13.0	38,523	78.1
Rural	12,671,781	267,010	158,429	21.1	12.5	21,767	81.5
1922							
Total	33,662,313	755,808	414,938	22.5	12.3	59,896	79.2
Cities	21,155,337	483,657	265,376	22.9	12.5	39,283	81.2
Rural	12,506,976	272,151	149,562	21.8	12.0	20,613	75.7
1921							
Total	33,155,334	794,229	399,176	24.0	12.0	62,480	78.7
Cities	20,830,195	509,349	251,818	24.5	12.1	39,851	78.2
Rural	12,325,139	284,880	147,358	23.1	12.0	22,629	79.4
1920							
Total	32,648,354	773,648	445,780	23.7	13.7	69,566	89.9
Cities	20,507,897	503,524	286,531	24.6	14.0	46,512	92.4
Rural	12,140,457	270,124	159,249	22.2	13.1	23,054	85.3
1919							
Total	32,168,814	730,752	428,782	22.7	13.3	64,846	88.7
Cities	19,495,730	463,595	267,337	23.8	13.7	41,546	89.6
Rural	12,673,084	267,157	161,445	21.1	12.7	23,300	87.2

TABLE F—Contd. THE ORIGINAL BIRTH REGISTRATION AREA (EXCLUSIVE OF RHODE ISLAND)

YEAR	Population estimated as of July 1	Births (exclusive of stillbirths)	Deaths (exclusive of stillbirths)	Rate per 1,000 population: Births	Rate per 1,000 population: Deaths	Deaths under 1 year of age: Total	Deaths under 1 year of age: Per 1,000 births
1918							
Total	31,716,715	783,997	607,605	24.7	19.2	82,971	105.8
Cities	19,125,220	493,949	382,084	25.8	20.0	53,248	107.8
Rural	12,591,495	290,048	225,521	23.0	17.9	29,723	102.5
1917							
Total	31,264,615	786,890	461,847	25.2	14.8	75,604	96.1
Cities	18,771,641	496,138	289,156	26.4	15.4	48,867	98.5
Rural	12,492,974	290,752	172,691	23.3	13.8	26,737	92.0
1916							
Total	30,812,521	770,718	454,669	25.0	14.8	77,037	100.0
Cities	18,393,761	479,048	281,478	26.0	15.3	49,330	103.0
Rural	12,418,760	291,670	173,191	23.5	13.9	27,707	95.0
1915							
Total	30,360,423	762,399	427,671	25.1	14.1	75,899	99.6
Cities	18,032,062	469,485	262,778	26.0	14.6	48,391	103.1
Rural	12,328,361	292,914	164,893	23.8	13.4	27,508	93.9

NOTE.—"Cities" includes cities with a population of 10,000 or more; "rural" includes the remainder of the State.

For the United States and certain foreign countries table G presents birth rates per 1,000 population from 1915 to 1935. Rates for 1935 are shown for 28 countries. A comparison of these rates with those for 1934 shows that only 10 countries had higher rates in the later year.

TABLE G — BIRTH RATE PER 1,000 POPULATION

AREA	1935	1934	1933	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
United States (birth registration area)	15.9	17.1	16.5	17.4	18.0	18.9	18.9	19.8	20.6	20.7	21.5	22.4	22.2	22.3	24.2	23.7	22.3	24.6	24.7	25.0	25.1
Australia	16.6	16.4	16.8	16.9	18.2	19.9	20.3	21.3	21.7	22.0	22.9	23.2	23.8	24.7	25.0	25.5	23.5	25.0	26.3	26.6	27.1
Austria	13.2	13.5	14.3	15.2	15.9	16.6	16.7	17.5	17.8	19.1	20.5	21.6	22.4	23.1	23.2	22.3	18.0	14.1	13.9	14.7	18.4
Belgium	(1/)	16.0	16.5	17.6	18.2	18.7	18.1	18.4	18.3	19.0	19.8	19.9	20.4	20.4	21.8	22.1	16.3	11.3	11.3	12.9	16.1
British Guiana	34.3	28.8	32.6	34.1	31.4	33.4	31.7	28.3	32.6	34.7	33.5	32.4	30.4	27.8	34.5	31.9	25.9	25.1	28.4	26.5	31.3
British India	34.4	(1/)	36.2	34.1	34.4	36.0	35.5	36.8	35.3	34.8	33.7	34.4	35.1	31.9	32.2	33.0	30.2	35.4	39.3	37.1	37.8
Canada 2/	20.2	20.5	20.9	22.5	23.2	23.9	23.5	24.1	24.3	24.8	23.0	23.7	23.9	25.2	26.4	26.6	(1/)	(1/)	(1/)	(1/)	(1/)
Ceylon	34.4	37.2	38.6	37.0	37.4	39.0	38.3	41.9	41.0	42.0	39.9	37.5	38.7	39.1	40.7	36.5	36.0	39.2	40.1	39.0	37.0
Chile	34.1	33.8	33.4	34.2	34.6	39.8	41.9	43.6	42.8	40.1	39.8	40.0	39.5	38.7	39.2	39.4	39.2	39.9	41.2	40.3	38.6
Colombia	(1/)	(1/)	30.3	22.2	27.1	28.1	30.4	29.5	27.5	27.7	26.4	25.5	26.6	27.5	27.1	26.4	26.9	26.9	27.8	28.9	28.3
Denmark	17.7	17.8	17.3	18.0	18.0	18.7	18.6	19.6	19.6	20.5	21.0	21.8	22.3	22.2	24.0	25.4	22.6	24.1	23.7	24.4	24.2
Egypt	(1/)	(1/)	44.1	41.1	43.2	44.6	43.7	43.3	44.0	43.2	42.8	43.3	43.0	43.2	42.3	42.8	38.3	39.0	40.3	41.6	43.4
England and Wales	14.7	14.8	14.4	15.3	15.8	16.3	16.3	16.7	16.6	17.6	18.3	18.8	19.7	20.4	22.4	25.5	18.5	17.7	17.8	21.0	21.8
Estonia	15.9	15.4	16.2	17.6	17.4	17.4	17.1	18.0	17.7	17.9	18.3	19.2	20.1	20.2	20.3	18.4	17.3	20.2	16.9	19.5	22.6
Finland	18.5	18.1	17.4	18.7	19.5	20.6	20.9	21.5	21.1	21.7	22.3	22.4	23.7	23.4	24.3	25.3	19.2	23.8	24.3	24.1	25.4
France	15.2	16.2	16.2	17.3	17.5	18.0	17.7	18.3	18.2	18.8	19.0	18.7	19.1	19.3	20.7	21.4	12.4	12.1	10.4	9.4	11.3
Germany	18.9	18.0	14.7	15.1	16.0	17.5	17.9	18.6	18.4	19.5	20.7	20.5	21.1	23.0	25.3	25.9	20.0	14.3	13.9	15.2	20.4
Hungary	20.8	21.9	22.0	23.4	23.7	25.4	25.1	26.4	25.8	27.4	28.4	26.8	29.2	30.8	31.8	31.4	27.6	16.3	16.5	17.0	23.6
Irish Free State	19.6	19.5	19.4	19.1	19.5	19.9	19.8	20.1	20.3	20.6	20.8	21.1	20.5	19.5	19.7	21.6	19.9	19.9	20.0	21.1	22.0
Italy	23.3	23.4	23.7	23.8	24.9	26.7	25.6	26.7	27.4	27.2	27.8	28.4	29.4	30.2	30.3	31.8	21.4	18.1	19.5	24.0	30.5
Jamaica	33.4	31.2	32.9	32.2	34.8	37.0	34.2	35.8	34.8	36.5	34.6	36.8	38.2	37.3	34.9	40.8	33.5	34.1	34.1	33.4	35.8
Japan	(1/)	30.0	31.6	32.9	32.2	32.4	33.0	34.4	33.6	34.8	34.9	33.8	34.9	34.2	35.2	36.2	31.6	32.2	32.3	32.7	33.1
Netherlands	20.2	20.7	20.8	22.0	22.2	23.1	22.8	23.3	23.1	23.8	24.2	25.1	26.0	25.9	27.4	28.3	24.4	25.0	26.2	26.6	26.3
New Zealand	16.1	16.5	16.6	17.1	18.4	18.8	19.0	19.6	20.3	21.1	21.2	21.6	21.9	23.2	23.3	25.1	21.4	23.4	25.7	25.9	25.3
Northern Ireland	19.2	19.8	19.4	19.9	20.5	20.8	20.4	20.8	21.3	22.4	22.0	22.7	23.9	23.3	23.6	25.9	22.0	21.6	20.7	22.1	23.2
Norway	14.6	14.6	14.8	16.0	15.3	17.0	17.3	17.9	18.1	19.5	19.6	21.2	22.6	23.2	24.0	26.2	22.7	24.6	25.1	24.2	23.6
Scotland	17.8	18.0	17.6	18.6	19.0	19.6	19.2	20.0	19.9	21.1	21.4	21.9	23.0	23.6	25.2	28.1	22.0	20.5	20.3	22.9	23.9
Spain	25.7	26.3	27.8	28.3	28.3	29.0	28.9	29.7	28.6	30.0	29.4	30.0	30.6	30.5	30.4	30.0	28.3	29.1	28.8	28.9	30.8
Sweden	13.8	13.7	13.7	14.5	14.8	15.4	15.2	16.1	16.1	16.8	17.6	18.1	18.9	19.6	21.5	23.6	19.8	20.3	20.9	21.2	21.6
Switzerland	16.0	16.2	16.4	16.7	16.7	17.2	17.1	17.4	17.5	18.3	18.5	18.9	19.4	19.6	20.8	20.9	18.6	18.7	18.5	18.9	19.5
Union of South Africa	24.8	23.4	23.6	24.2	25.4	26.4	26.2	25.8	26.0	25.2	25.5	25.3	25.7	27.5	28.4	29.0	26.9	28.6	29.0	29.3	29.3
Uruguay	20.4	20.6	21.0	22.5	23.1	24.0	24.2	25.0	24.6	25.4	25.4	25.6	25.4	26.0	25.2	26.6	27.2	27.4	26.4	27.1	28.6

1/ Figures not available.
2/ Exclusive of Yukon and the Northwest Territories; Quebec also excluded in the years previous to 1926.

NOTE.—These rates were procured from the annual reports on vital statistics of the various countries.

Some idea of the part played by the various nationalities in producing the coming generation in the registration area may be gained from table H, which shows the percent of births of white children with father, mother, or both parents born in specified country.

Of the white children born in the year 1935, 87.3 percent had native fathers, i.e., fathers born in the United States, and 91.6 percent had native mothers. The increase shown by the table in the percentage of white children born of native parents is a natural result of the check to immigration in recent years. Of all children of specified foreign parentage born in the United States in 1935, by far the largest number had parents born in Italy.

TABLE H

PERCENT OF BIRTHS OF WHITE CHILDREN BORN IN THE UNITED STATES, WITH FATHER, MOTHER, OR BOTH PARENTS BORN IN SPECIFIED COUNTRY

COUNTRY OF BIRTH OF PARENTS	1935			1934			1933		
	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents
All countries	100.0	100.0	1/89.4	100.0	100.0	1/89.6	100.0	100.0	1/89.4
United States	87.3	91.6	84.6	87.3	91.5	84.6	86.2	90.5	83.5
Austria, Hungary	0.6	0.5	0.2	0.7	0.6	0.3	0.8	0.6	0.4
Canada	1.0	1.1	0.3	1.0	1.1	0.3	1.1	1.1	0.4
Denmark, Norway, Sweden	0.5	0.3	0.1	0.5	0.3	0.2	0.6	0.3	0.2
England, Scotland, Wales	0.6	0.5	0.2	0.7	0.6	0.2	0.7	0.7	0.2
Ireland	0.6	0.7	0.4	0.7	0.7	0.5	0.7	0.8	0.5
Germany	0.8	0.5	0.3	0.8	0.6	0.3	0.8	0.6	0.4
Italy	2.2	1.3	1.1	2.5	1.6	1.3	3.0	1.9	1.7
Poland	0.7	0.6	0.3	0.8	0.7	0.4	0.9	0.8	0.5
Russia	0.9	0.6	0.3	1.0	0.7	0.4	1.1	0.8	0.5
Other foreign	3.1	2.2	1.5	2.3	1.6	1.0	2.4	1.7	1.2
Not stated	1.7	0.1	0.1	1.7	0.1	0.1	1.6	0.1	0.1

1/ This number excludes the percent of "mixed parentage."

NUMBER OF CHILDREN IN THE FAMILY

Data relating to the size of families are presented in table J. This table shows the average number of children born per mother, classified by age, race, and country of birth of mother. Only those women in the United States who bore children in 1935 are considered. The average number of children born to Italian mothers was 4.4; to mothers born in Poland and to those born in Austria and Hungary, 4.2. The lowest average (2.5) was for mothers born in Germany. The average number of children borne by Negro women who bore children in 1935 was 3.6; for "minor races" it was 3.8.

TABLE J

AVERAGE NUMBER OF CHILDREN EVER BORN TO WOMEN WHO BORE CHILDREN IN 1935, BY AGE OF MOTHER, IN THE UNITED STATES 1/

RACE AND COUNTRY OF BIRTH OF MOTHER	All ages	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 & over	Not stated
Total	3.0	1.2	1.9	2.8	4.0	5.7	7.4	8.9	7.7	3.3
White	2.9	1.2	1.8	2.7	3.8	5.4	7.2	8.7	6.9	3.2
United States	2.8	1.2	1.8	2.7	3.9	5.4	7.2	8.6	6.6	3.1
Foreign countries	3.7	1.3	1.8	2.6	3.7	5.5	7.5	9.2	7.8	4.5
Austria, Hungary	4.2	1.2	1.6	2.3	3.5	5.6	8.1	9.1	5.0	6.0
Canada	2.9	1.2	1.7	2.5	3.6	5.0	7.1	8.7	12.5	4.7
Denmark, Norway, Sweden	3.1	1.1	1.5	2.0	2.8	4.1	5.7	7.4	3.0	3.5
England, Scotland, Wales	2.7	1.1	1.5	2.1	2.8	3.9	5.0	6.9	----	3.0
Ireland	2.8	1.3	1.6	2.1	2.9	4.0	5.7	6.6	----	3.8
Germany	2.5	1.1	1.5	1.9	2.5	3.6	5.6	9.3	6.0	3.8
Italy	4.4	1.2	1.8	2.9	4.3	5.8	7.8	9.6	14.0	3.8
Poland	4.2	1.1	1.5	2.2	3.4	5.9	8.2	10.0	8.3	6.4
Russia	2.9	1.3	1.4	1.9	2.8	4.6	7.3	9.5	3.0	4.3
Other foreign	4.4	1.4	2.2	3.4	4.8	6.6	8.2	9.6	7.3	4.6
Country not stated	2.7	1.2	1.8	2.8	4.6	4.9	7.0	10.9	11.0	3.0
Other races	3.6	1.3	2.5	4.1	5.8	7.5	9.2	10.0	9.2	3.6
Negro	3.6	1.3	2.5	4.1	5.8	7.6	9.3	10.0	9.7	3.5
Minor races	3.8	1.3	2.1	3.7	5.4	6.8	8.1	9.3	6.1	4.2

1/ Exclusive of Massachusetts and New Hampshire.

COUNTRY OF BIRTH OF PARENTS

Table K, in which the distribution per thousand by country of birth of father is shown for children classified by country of birth of mother, gives some idea of the extent to which the natives of the United States and various foreign countries have intermarried. Thus, of the children born in 1935 of mothers who were born in Ireland, 261 per thousand, or 26.1 percent, have fathers who were born in the United States, while 65.5 percent have fathers born in Ireland, and the remainder (8.4 percent) have fathers born in other foreign countries or in "country not stated." Of the children whose mothers were born in Canada, 65.1 percent have fathers who were born in the United States, while for the children whose mothers were born in Italy the corresponding percentage is only 15.7.

TABLE K

COUNTRY OF BIRTH OF MOTHERS OF WHITE CHILDREN BORN IN THE UNITED STATES: 1935

COUNTRY OF BIRTH OF FATHERS OF WHITE CHILDREN	United States	Foreign country										Country not stated
		Total foreign	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries	
Total	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
United States	923.1	319.5	289.2	651.0	416.5	543.8	260.7	297.9	156.7	243.0	310.0	245.8	401.0
Foreign countries	59.6	672.9	706.6	334.6	576.3	447.6	730.7	696.9	840.5	752.3	687.3	743.9	52.5
Austria, Hungary	3.3	36.8	517.3	2.7	2.1	5.7	1.4	20.2	1.3	18.5	30.9	5.6	4.3
Canada	7.1	38.6	3.0	261.0	5.5	32.8	11.2	4.8	1.2	3.8	5.2	2.9	5.4
Denmark, Norway, Sweden	3.7	19.6	3.3	5.8	529.5	8.8	4.4	10.6	0.3	1.0	1.4	3.3	2.7
England, Scotland, Wales	4.4	28.1	5.4	21.8	9.1	292.1	34.9	5.6	1.1	3.4	11.2	3.7	2.7
Ireland	1.7	56.9	1.0	5.2	2.3	41.9	655.3	2.1	0.6	0.6	0.3	1.3	1.6
Germany	4.2	45.8	40.9	4.2	11.9	9.0	6.1	597.2	1.7	6.6	7.7	5.7	4.8
Italy	11.8	139.1	12.5	5.6	2.1	8.0	4.9	8.9	818.8	4.7	2.9	11.7	7.5
Poland	3.5	49.4	24.2	3.4	1.5	5.2	1.2	6.1	0.2	601.4	53.4	4.9	4.8
Russia	4.7	55.1	60.9	8.5	2.5	21.2	0.6	7.1	0.3	80.2	538.2	9.7	2.1
Other foreign	15.2	203.4	38.1	16.4	9.7	22.8	10.7	34.3	14.9	32.0	35.9	695.3	16.6
Country not stated	17.3	7.6	4.2	14.4	7.2	8.5	8.6	5.2	2.8	4.6	2.7	10.3	546.5

PLURAL BIRTHS

In the United States, in 1935, there were 47,202 living plural births in 24,399 cases where at least one was a live birth. There were 22,391 cases of twins where both were living at birth and 1,776 cases where only one was born alive.

In 193 cases of triplets all were born alive; in 26 cases only 2 were living; and in 13 cases only 1 was a live birth.

There were no cases of quadruplets in 1935.

Tables 8 and 9 of this report relate to plural births.

Table L shows cases of single and plural births and also cases of plural births per 1,000 total cases, at specified age of parents.

The relative frequency of plural births increases with aging of the mother up to the age period, 35 to 39.

TABLE L

AGE OF MOTHER	AGE OF FATHER: All ages	Under 20 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TOTAL CASES OF BIRTHS IN THE UNITED STATES: 1935											
All ages	2,132,302	31,763	403,665	578,918	443,075	311,009	174,922	80,980	29,480	17,021	61,470
Under 20 years	271,924	26,203	148,248	52,795	11,304	3,902	1,318	594	284	270	27,006
20 to 24 years	655,092	5,116	228,338	277,288	85,412	26,643	8,375	3,158	1,321	998	18,443
25 to 29 years	558,323	345	24,120	221,377	196,772	74,389	21,361	7,923	2,953	2,114	6,969
30 to 34 years	352,422	49	2,123	24,065	132,581	120,478	46,288	15,016	5,326	3,194	3,302
35 to 39 years	210,554	13	352	2,519	15,453	78,831	68,771	28,447	8,876	5,197	2,095
40 to 44 years	71,791	4	53	253	1,035	6,220	27,845	22,712	8,802	4,142	725
45 years and over	7,138	--------	17	25	60	206	743	3,032	1,887	1,072	96
Not stated	5,058	33	414	596	458	339	221	98	31	34	2,834
CASES OF SINGLE BIRTHS											
All ages	2,107,903	31,576	400,654	573,289	437,720	306,409	172,120	79,640	28,956	16,703	60,836
Under 20 years	270,249	26,060	147,342	52,436	11,248	3,879	1,306	586	282	270	26,840
20 to 24 years	649,373	5,077	226,529	274,827	84,605	26,391	8,280	3,129	1,304	987	18,244
25 to 29 years	551,827	342	23,851	218,954	194,471	73,446	21,082	7,828	2,916	2,076	6,861
30 to 34 years	347,076	49	2,103	23,729	130,701	118,603	45,563	14,733	5,230	3,116	3,249
35 to 39 years	206,604	13	349	2,477	15,166	77,404	67,517	27,910	8,646	5,090	2,032
40 to 44 years	70,688	4	53	248	1,014	6,145	27,417	22,347	8,677	4,067	716
45 years and over	7,075	--------	17	24	59	204	734	3,010	1,870	1,063	94
Not stated	5,011	31	410	594	455	337	221	97	31	34	2,800
CASES 1/ OF TWIN BIRTHS											
All ages	24,167	187	2,990	5,574	5,319	4,538	2,773	1,326	518	314	628
Under 20 years	1,568	143	903	357	56	23	11	8	2	--------	165
20 to 24 years	5,669	39	1,793	2,432	804	251	95	29	17	11	198
25 to 29 years	5,434	3	267	2,403	2,285	930	272	93	37	38	106
30 to 34 years	5,291	--------	20	332	1,867	1,849	721	281	93	76	52
35 to 39 years	3,901	--------	3	42	283	1,406	1,241	530	228	106	62
40 to 44 years	1,094	--------	--------	5	21	75	424	362	124	74	9
45 years and over	63	--------	--------	1	1	2	9	22	17	9	2
Not stated	47	2	4	2	2	2	--------	1	--------	--------	34
CASES 1/ OF TRIPLE BIRTHS											
All ages	232	--------	21	55	36	61	29	14	6	4	6
Under 20 years	7	--------	3	2	--------	--------	1	--------	--------	--------	1
20 to 24 years	50	--------	16	29	3	1	--------	--------	--------	--------	1
25 to 29 years	62	--------	2	20	16	13	7	2	--------	--------	2
30 to 34 years	55	--------	--------	4	13	26	4	2	3	2	1
35 to 39 years	49	--------	--------	--------	4	21	13	7	2	1	1
40 to 44 years	9	--------	--------	--------	--------	--------	4	3	1	1	----------
CASES 1/ OF PLURAL BIRTHS PER 1,000 TOTAL CASES AT SPECIFIED AGE OF PARENTS											
All ages	11.4	5.9	7.5	9.7	12.1	14.8	16.0	16.5	17.8	18.7	10.3
Under 20 years	6.2	5.5	6.1	6.8	5.0	5.9	9.1	13.5	7.0	--------	6.1
20 to 24 years	8.7	7.6	7.9	8.9	9.4	9.5	11.3	9.2	12.9	11.0	10.8
25 to 29 years	11.6	8.7	11.2	10.9	11.7	12.7	13.1	12.0	12.5	18.0	15.5
30 to 34 years	15.2	--------	9.4	14.0	14.2	15.6	15.7	16.8	18.0	24.4	16.1
35 to 39 years	18.8	--------	8.5	16.7	18.6	18.1	18.2	18.9	25.9	20.6	30.1
40 to 44 years	15.4	--------	--------	19.8	20.3	12.1	15.4	16.1	14.2	18.1	12.4
45 years and over	8.8	--------	--------	40.0	16.7	9.7	12.1	7.3	9.0	8.4	20.8
Not stated	9.3	60.6	9.7	3.4	4.4	5.9	--------	10.2	--------	--------	12.0

1/ Only those cases where at least 1 was a live birth.

Table M shows for the United States and each State the number of cases of plural births per 1,000 women who bore children in 1935. In Arkansas, the rate was highest, there having been 15.3 cases of plural births in that State per 1,000 mothers or confinements. The next highest rates were 15.0 for Nevada, 14.9 for Mississippi, 14.3 for North Dakota, and 14.0 for Louisiana. The lowest rate (9.3) was for Rhode Island.

AGE OF MOTHER AND FATHER

The ages of both parents were reported on the transcripts of birth certificates of 2,090,838 of the children born in the United States in 1935. The fathers of 61 percent of these children were in a higher-age group than were the mothers, whereas only 4 percent were in a lower-age group and 35 percent were of the same group.

In 1935, as in previous years, the number of children whose fathers were 25 to 29 years of age, and mothers 20 to 24 was larger than that in any other group, as shown in table 5.

Verification of the age of the mother was sought when the age was given as 55 or more. As a result no mother was credited to this age period although 6 had been originally so reported.

Table N shows the distribution of births per 1,000, by age of parents.

In table O the distribution per 1,000, by age of father, is shown for children born in 1935 classified by age of mother.

TABLE M

AREA	1935		
	Number of women who bore children in 1935	Cases of plural births having at least 1 mate born alive	
		Number	Per 1,000 mothers
The United States	2,132,302	24,399	11.4
Alabama	61,609	706	11.5
Arizona	9,039	109	12.1
Arkansas	35,190	538	15.3
California	79,355	821	10.3
Colorado	18,656	190	10.2
Connecticut	22,052	212	9.6
Delaware	3,988	51	12.8
District of Columbia	10,702	109	10.2
Florida	27,760	312	11.2
Georgia	62,614	708	11.3
Idaho	9,366	109	11.6
Illinois	110,809	1,156	10.4
Indiana	52,352	592	11.3
Iowa	40,657	505	12.4
Kansas	30,301	302	10.0
Kentucky	57,106	662	11.6
Louisiana	41,718	584	14.0
Maine	15,567	164	10.5
Maryland	26,973	283	10.5
Massachusetts	62,413	624	10.0
Michigan	86,555	913	10.5
Minnesota	45,396	606	13.3
Mississippi	47,693	711	14.9
Missouri	56,704	647	11.4
Montana	9,936	98	9.9
Nebraska	23,088	253	11.0
Nevada	1,403	21	15.0
New Hampshire	7,694	78	10.1
New Jersey	53,979	567	10.5
New Mexico	13,066	125	9.6
New York	182,582	1,820	10.0
North Carolina	77,801	1,032	13.3
North Dakota	13,475	193	14.3
Ohio	100,021	1,152	11.5
Oklahoma	43,190	547	12.7
Oregon	13,058	128	9.8
Pennsylvania	159,639	1,634	10.2
Rhode Island	10,126	94	9.3
South Carolina	40,131	510	12.7
South Dakota	12,709	153	12.0
Tennessee	52,663	722	13.7
Texas	113,408	1,414	12.5
Utah	12,564	138	11.0
Vermont	6,533	62	9.5
Virginia	50,871	680	13.4
Washington	22,178	225	10.1
West Virginia	41,297	510	12.3
Wisconsin	51,997	585	11.3
Wyoming	4,318	44	10.2

TABLE M—Continued

TABLE N

DISTRIBUTION OF BIRTHS PER 1,000, BY AGE OF PARENT, IN THE UNITED STATES: 1935

AGE OF PARENT	Father	Mother
Total	1,000.0	1,000.0
10 to 14 years	(1/)	1.5
15 to 19 years	14.8	125.4
20 to 24 years	188.6	306.4
25 to 29 years	271.0	261.9
30 to 34 years	207.9	165.9
35 to 39 years	146.3	99.4
40 to 44 years	82.4	33.8
45 to 49 years	38.2	3.3
50 to 54 years	13.9	0.1
55 years and over	8.0	----
Not stated	28.8	2.4

1/ Less than one-tenth of 1 per 1,000 births.

TABLE O

AGE OF MOTHERS OF CHILDREN BORN IN THE UNITED STATES: 1935

AGE OF FATHERS	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
All ages	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
10 to 14 years	1.9	(1/)	(1/)	(1/)	--------	--------	--------	--------	--------	----------
15 to 19 years	194.7	95.1	7.8	0.6	0.1	0.1	0.1	--------	--------	6.9
20 to 24 years	251.2	548.6	348.3	43.2	6.0	1.7	0.7	2.3	6.4	81.8
25 to 29 years	73.3	195.7	423.3	396.2	68.2	11.9	3.5	2.8	38.5	117.2
30 to 34 years	21.9	41.7	130.5	352.5	375.9	73.4	14.5	8.1	25.6	90.1
35 to 39 years	10.1	14.4	40.7	133.4	342.0	374.2	86.3	27.4	96.2	66.9
40 to 44 years	6.0	4.8	12.8	38.3	131.4	326.5	387.9	105.1	76.9	43.4
45 to 49 years	4.4	2.2	4.8	14.2	42.8	135.1	316.6	431.2	96.2	19.2
50 years and over	6.0	2.0	3.5	9.1	24.3	67.1	180.3	409.9	628.2	12.8
Not stated	430.4	95.4	28.2	12.5	9.4	10.1	10.1	13.2	32.1	561.8

1/ Less than one-tenth of 1 per 1,000 mothers.

ILLEGITIMATE BIRTHS

Statistics relating to illegitimate births may be found in tables P, Q, and R. The ratio of illegitimate births to 1,000 total births, as shown in table P, varied in 1935 from 9.1 in Utah to 104.8 in South Carolina. The exceptionally high rates—104.8 in South Carolina, 87.4 in Mississippi, 86.0 in Alabama, 85.9 in Louisiana, 82.7 in the District of Columbia, and 81.4 in North Carolina—were due to the large number of illegitimate births among the populations of other races.

A comparison of the figures for 1935 with those for 1934 shows that rates for illegitimacy in 1935 were higher in 31 States. The largest increases (6.4, 5.4, and 4.2) were for Nevada, Arizona, and Connecticut, respectively. The largest decrease (3.5) was for New Mexico.

Table Q shows the number of illegitimate births, with ratios to 1,000 total births, by age and country of birth of mother. As usual, the ratios of illegitimacy were by far the highest for mothers below the age of 25. The highest ratio for illegitimate children of foreign-born mothers (16.6) was for children of mothers born in Canada, and the lowest (3.0) was for those of mothers born in Russia. Native mothers had a ratio of 21.6 against 163.8 for Negro mothers and 84.7 for mothers of minor races.

TABLE P — ILLEGITIMATE BIRTHS

AREA, SEX, AND RACE	Number			Per 1,000 total births		
	1935	1934	1933	1935	1934	1933
UNITED STATES 1/	78,874	78,798	77,167	39.2	38.9	39.7
Male	40,195	40,134	39,394	39.0	38.6	39.5
Female	38,679	38,664	37,773	39.5	39.2	40.0
White	36,655	35,547	34,890	20.9	20.4	20.9
Male	18,820	18,120	18,060	20.9	20.3	21.0
Female	17,835	17,427	16,830	21.0	20.6	20.7
Other races	42,219	43,251	42,277	161.1	151.5	156.0
Male	21,375	22,014	21,334	160.6	151.5	155.1
Female	20,844	21,237	20,943	161.6	151.5	157.0
ALABAMA	5,354	5,607	5,623	86.0	88.3	94.8
Male	2,729	2,861	2,825	85.8	88.3	92.8
Female	2,625	2,746	2,798	86.3	88.3	96.8
White	710	774	705	18.5	19.6	19.4
Male	367	383	364	18.5	18.9	19.3
Female	343	391	341	18.5	20.3	19.5
Other races	4,644	4,833	4,918	194.5	201.8	214.0
Male	2,362	2,478	2,461	196.5	204.0	212.8
Female	2,282	2,355	2,457	192.5	199.4	215.2
ARIZONA	221	160	153	24.2	18.8	18.8
Male	124	91	79	26.6	20.5	18.9
Female	97	69	74	21.5	17.0	18.7
ARKANSAS	1,688	1,675	1,586	47.3	44.6	42.9
Male	870	848	808	47.1	43.9	43.9
Female	818	827	778	47.5	45.4	41.8
White	393	414	427	14.5	14.3	15.4
Male	205	203	219	14.5	13.7	15.4
Female	188	211	208	14.4	15.1	15.5
Other races	1,295	1,261	1,109	152.2	145.7	136.8
Male	665	645	589	153.7	144.5	141.8
Female	630	616	520	150.7	146.9	131.6
COLORADO	438	417	371	25.9	23.4	21.6
Male	249	208	182	25.8	22.8	20.9
Female	239	209	189	26.0	24.0	22.3
CONNECTICUT	481	387	379	21.6	17.4	16.9
Male	241	208	195	21.1	18.2	17.0
Female	240	179	184	22.1	16.6	16.8
DELAWARE	284	274	254	70.4	68.7	64.8
Male	143	135	129	68.8	64.8	63.8
Female	141	139	125	72.0	73.0	65.8
DISTRICT OF COLUMBIA	893	824	800	82.7	81.3	80.4
Male	469	378	406	84.2	73.8	78.2
Female	424	446	394	81.0	89.0	82.7
White	148	128	157	20.7	19.3	24.1
Male	82	55	77	22.1	16.1	22.5
Female	66	73	80	19.1	22.8	25.8
Other races	745	696	643	204.6	198.1	187.1
Male	387	323	329	208.7	189.1	185.4
Female	358	373	314	200.3	206.6	189.0
FLORIDA	1,837	1,722	1,694	65.5	64.5	66.0
Male	947	877	891	65.8	63.4	68.0
Female	890	845	803	65.2	65.6	63.9
White	341	318	342	17.4	17.1	19.4
Male	180	165	191	17.8	17.1	21.1
Female	161	153	151	17.0	17.1	17.7
Other races	1,496	1,404	1,352	176.6	173.2	167.8
Male	767	712	700	179.6	169.9	173.1
Female	729	692	652	173.5	176.7	162.4
GEORGIA	4,963	5,254	5,152	78.5	81.3	84.5
Male	2,470	2,659	2,536	76.5	80.6	81.6
Female	2,493	2,595	2,616	80.5	81.9	87.5
White	662	700	603	17.7	18.3	16.8
Male	343	363	294	17.8	18.4	15.0
Female	319	337	309	17.7	18.1	17.6
Other races	4,301	4,554	4,549	165.9	173.0	181.2
Male	2,127	2,296	2,242	163.3	172.8	176.3
Female	2,174	2,258	2,307	168.5	173.3	186.2
IDAHO	100	98	117	10.6	10.5	13.7
Male	48	50	58	9.9	10.3	13.2
Female	52	48	59	11.2	10.6	14.1
ILLINOIS	2,801	2,670	2,667	25.0	26.0	24.7
Male	1,500	1,468	1,341	26.2	25.9	24.1
Female	1,301	1,402	1,326	23.8	26.2	25.4
INDIANA	1,104	1,135	996	20.9	21.7	19.7
Male	582	570	523	21.4	21.2	20.2
Female	522	565	473	20.3	22.2	19.3
IOWA	741	789	752	18.0	18.6	19.0
Male	365	382	392	17.3	17.5	19.2
Female	376	407	360	18.8	19.7	18.8
KANSAS	525	565	539	17.2	17.4	17.5
Male	272	290	292	17.4	17.4	18.5
Female	253	275	247	16.9	17.4	16.5
KENTUCKY	1,135	1,055	1,079	19.7	17.6	19.5
Male	558	570	569	18.7	18.3	20.0
Female	577	485	510	20.8	16.9	19.0
White	836	795	742	15.2	14.0	14.2
Male	401	441	396	14.1	14.9	14.8
Female	435	354	346	16.5	13.0	13.7
Other races	299	260	337	106.9	85.4	103.9
Male	157	129	173	111.3	81.7	103.2
Female	142	131	164	102.4	89.3	104.7
LOUISIANA	3,533	3,814	3,510	85.9	88.7	88.3
Male	1,881	1,934	1,777	87.1	88.1	87.6
Female	1,752	1,880	1,733	84.7	89.3	89.1
White	464	527	475	19.0	21.2	20.4
Male	236	279	241	19.1	21.9	20.3
Female	228	248	234	18.9	20.5	20.6
Other races	3,169	3,287	3,035	177.5	181.3	183.9
Male	1,645	1,655	1,536	176.2	179.9	182.6
Female	1,524	1,632	1,499	178.7	182.9	185.1

TABLE P—Continued — ILLEGITIMATE BIRTHS

AREA, SEX, AND RACE	Number			Per 1,000 total births		
	1935	1934	1933	1935	1934	1933
MAINE	532	504	503	33.8	32.0	33.3
Male	258	253	274	32.2	31.4	35.0
Female	274	251	229	35.6	32.6	31.4
MARYLAND	2,041	1,966	2,024	74.9	71.9	73.8
Male	1,048	988	1,004	75.2	71.4	72.2
Female	993	978	1,020	74.6	72.4	75.4
White	541	510	559	25.4	24.0	26.3
Male	284	263	254	25.9	24.5	23.5
Female	257	247	305	24.8	23.5	29.1
Other races	1,500	1,456	1,465	253.6	239.6	238.1
Male	764	725	750	256.3	235.2	241.2
Female	736	731	715	250.9	244.2	235.0
MICHIGAN	2,235	2,139	2,124	25.6	25.5	26.2
Male	1,143	1,129	1,075	25.4	26.3	25.8
Female	1,092	1,010	1,049	25.7	24.6	26.7
MINNESOTA	1,134	1,135	1,139	24.7	24.7	25.6
Male	574	585	584	24.4	24.7	25.4
Female	560	550	555	25.0	24.8	25.9
MISSISSIPPI	4,221	4,140	3,867	87.4	86.5	87.3
Male	2,151	2,094	1,954	87.7	85.6	86.2
Female	2,070	2,046	1,913	87.0	87.4	88.5
White	269	293	275	12.2	13.1	13.4
Male	132	148	145	11.8	12.8	13.6
Female	137	145	130	12.7	13.4	13.0
Other races	3,952	3,847	3,592	150.0	150.5	151.1
Male	2,019	1,946	1,809	151.4	150.4	148.9
Female	1,933	1,901	1,783	148.6	150.6	153.4
MISSOURI	1,848	1,923	1,755	32.3	32.5	30.6
Male	971	987	905	33.0	32.4	30.7
Female	877	936	850	31.4	32.6	30.6
MONTANA	210	197	190	20.9	19.8	21.2
Male	109	104	107	21.4	20.2	23.3
Female	101	93	83	20.5	19.4	19.0
NEBRASKA	428	426	485	18.3	17.0	20.1
Male	229	228	262	19.2	17.8	21.2
Female	199	198	223	17.5	16.1	18.9
NEVADA	22	13	19	15.5	9.1	14.0
Male	8	6	16	10.9	8.1	23.0
Female	14	7	3	20.3	10.1	4.6
NEW HAMPSHIRE	181	157	152	23.3	20.0	20.6
Male	99	71	74	25.1	17.5	19.5
Female	82	86	78	21.4	22.6	21.7
NEW JERSEY	1,323	1,290	1,262	24.3	23.7	22.5
Male	657	655	623	23.4	23.5	21.6
Female	666	635	639	25.2	23.8	23.5
NEW MEXICO	494	524	438	37.5	41.0	35.6
Male	233	266	218	34.8	41.0	34.5
Female	261	258	220	40.2	41.0	36.8
NEW YORK	3,733	3,446	3,778	20.3	18.6	20.2
Male	1,901	1,787	2,003	20.1	18.8	20.8
Female	1,832	1,659	1,775	20.4	18.3	19.5
NORTH CAROLINA	6,414	6,514	6,460	81.4	81.7	85.7
Male	3,237	3,335	3,258	80.2	81.8	83.8
Female	3,177	3,179	3,202	82.7	81.7	87.6
White	1,562	1,547	1,458	29.1	28.4	28.3
Male	828	780	761	29.9	28.0	28.5
Female	734	767	697	28.2	28.8	28.1
Other races	4,852	4,967	5,002	193.4	197.1	209.5
Male	2,409	2,555	2,497	189.6	198.4	205.9
Female	2,443	2,412	2,505	197.3	195.7	213.2
NORTH DAKOTA	340	315	314	24.9	21.7	23.8
Male	161	156	170	22.9	20.7	25.1
Female	179	159	144	27.0	22.6	22.4
OHIO	2,464	2,436	2,449	24.4	24.3	25.6
Male	1,257	1,245	1,263	24.3	24.2	25.6
Female	1,207	1,191	1,186	24.5	24.4	25.5
OKLAHOMA	908	911	843	20.8	19.3	19.3
Male	450	450	419	20.1	18.5	18.6
Female	458	461	424	21.5	20.1	20.0
OREGON	209	222	215	15.9	17.0	17.6
Male	100	119	108	14.7	17.7	17.1
Female	109	103	107	17.2	16.2	18.1
PENNSYLVANIA	5,489	5,216	5,256	34.1	32.6	33.5
Male	2,826	2,664	2,758	34.2	32.6	34.1
Female	2,663	2,552	2,498	33.9	32.5	32.8
RHODE ISLAND	308	299	249	30.2	28.9	24.1
Male	155	147	122	29.5	27.5	23.0
Female	153	152	127	30.8	30.4	25.2
SOUTH CAROLINA	4,256	4,682	4,519	104.8	105.8	112.1
Male	2,145	2,362	2,242	102.9	103.5	109.5
Female	2,111	2,320	2,277	106.8	108.2	114.8
White	417	507	478	21.3	23.2	24.4
Male	203	241	249	20.2	21.3	24.9
Female	214	266	229	22.4	25.3	23.8
Other races	3,839	4,175	4,041	182.7	186.3	195.1
Male	1,942	2,121	1,993	180.1	184.6	190.2
Female	1,897	2,054	2,048	185.5	188.0	200.1
SOUTH DAKOTA	226	256	240	17.6	19.4	18.7
Male	123	126	116	18.6	18.8	17.6
Female	103	130	124	16.5	20.1	19.8
TENNESSEE	2,226	2,114	2,121	41.8	40.3	42.3
Male	1,126	1,098	1,111	41.1	40.9	43.2
Female	1,100	1,016	1,010	42.4	39.8	41.4
White	999	967	946	22.2	21.7	22.4
Male	518	518	491	22.4	22.7	22.5
Female	481	449	455	22.0	20.7	22.2
Other races	1,227	1,147	1,175	147.2	145.0	149.5
Male	608	580	620	140.6	144.4	158.1
Female	619	567	555	154.4	145.6	141.0
TEXAS	3,541	3,586	3,503	30.9	30.8	32.5
Male	1,788	1,869	1,806	30.4	30.8	32.6
Female	1,753	1,717	1,697	31.4	30.7	32.3

1/ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

TABLE P—Continued

AREA, SEX, AND RACE	ILLEGITIMATE BIRTHS: Number			Per 1,000 total births		
	1935	1934	1933	1935	1934	1933
TEXAS—Continued						
White	1,753	1,192	1,243	17.4	13.6	15.2
Male	906	607	624	17.5	13.3	14.9
Female	847	585	619	17.3	14.0	15.6
Other races	1,788	2,394	2,260	128.1	82.1	85.7
Male	882	1,262	1,182	123.6	83.8	87.1
Female	906	1,132	1,078	132.9	80.3	84.1
UTAH	116	125	125	9.1	9.9	10.5
Male	54	67	73	8.3	10.4	11.8
Female	62	58	52	10.0	9.3	9.0
VERMONT	207	189	151	31.4	28.7	24.6
Male	105	100	78	31.3	30.1	24.7
Female	102	89	73	31.6	27.2	24.6
VIRGINIA	3,802	3,822	3,968	73.8	73.0	77.4
Male	1,908	1,910	2,012	72.6	71.1	76.9
Female	1,894	1,912	1,956	75.1	75.0	77.9
White	1,068	1,034	1,045	29.2	27.8	29.2
Male	544	491	538	29.1	25.6	29.2
Female	524	543	507	29.3	30.1	29.2

TABLE P—Continued

AREA, SEX, AND RACE	ILLEGITIMATE BIRTHS: Number			Per 1,000 total births		
	1935	1934	1933	1935	1934	1933
VIRGINIA—Continued						
Other races	2,734	2,788	2,923	183.8	184.2	188.9
Male	1,364	1,419	1,474	180.0	185.0	190.5
Female	1,370	1,369	1,449	187.7	183.3	187.4
WASHINGTON	478	496	497	21.3	22.0	23.8
Male	230	251	258	19.8	21.8	24.4
Female	248	245	239	23.0	22.2	23.2
WEST VIRGINIA	2,003	1,902	1,682	47.9	45.9	46.4
Male	1,066	946	861	49.8	44.2	46.2
Female	937	956	821	46.0	47.6	46.5
WISCONSIN	1,174	1,142	1,155	22.3	22.2	22.9
Male	600	573	599	22.1	21.6	23.0
Female	574	569	556	22.6	22.8	22.8
WYOMING	63	65	62	14.4	14.2	14.7
Male	35	34	38	15.7	14.4	17.1
Female	28	31	24	13.1	14.1	12.1

TABLE Q

ILLEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS), IN THE UNITED STATES,1/ BY AGE OF MOTHER: 1935

COUNTRY OF BIRTH OF MOTHER	Number: All ages	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 yrs. and over	Not stated
Total	78,874	1,864	35,167	24,512	8,979	4,214	2,650	888	137	463
White	36,655	524	15,258	13,171	4,080	1,819	1,082	449	63	209
United States	34,983	506	14,892	12,615	3,797	1,637	952	384	52	148
Foreign countries	1,163	10	179	395	229	165	112	58	10	5
Austria, Hungary	45	-----	3	17	8	10	5	1	1	------
Canada	240	1	78	102	32	9	11	2	2	3
Denmark, Norway, Sweden	34	-----	7	9	5	4	5	3	1	------
England, Scotland, Wales	84	1	12	33	17	8	8	5	----	------
Ireland	104	-----	4	45	27	19	6	2	1	------
Germany	73	2	6	17	13	23	7	4	1	------
Italy	70	1	8	30	9	8	8	5	1	------
Poland	57	-----	2	10	10	10	10	14	1	------
Russia	32	-----	-----	11	12	4	3	2	----	------
Other foreign	424	5	59	121	96	70	49	20	2	2
Country not stated	509	8	187	161	54	17	18	7	1	56
Other races	42,219	1,340	19,909	11,341	4,899	2,395	1,568	439	74	254
Negro	41,444	1,327	19,658	11,041	4,795	2,338	1,533	432	73	247
Minor races	775	13	251	300	104	57	35	7	1	7

COUNTRY OF BIRTH OF MOTHER	Ratio to 1,000 total births: All ages	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 yrs. and over	Not stated
Total	39.2	(2/)	136.7	39.7	17.1	12.7	13.3	13.0	20.0	95.7
White	20.9	(2/)	77.0	24.7	8.7	6.1	6.1	7.3	10.8	54.7
United States	21.6	(2/)	76.2	24.6	8.8	6.2	6.3	7.4	11.3	45.0
Foreign countries	8.9	(2/)	71.2	19.2	6.3	4.8	4.5	5.9	8.3	18.6
Austria, Hungary	5.2	-----	83.3	18.7	4.0	4.3	2.4	0.9	7.1	------
Canada	16.6	(2/)	86.6	26.5	7.8	3.0	6.1	3.4	34.5	30.3
Denmark, Norway, Sweden	8.0	-----	137.3	24.7	4.9	3.1	5.3	6.3	14.5	------
England, Scotland, Wales	9.6	(2/)	64.2	26.0	6.5	3.1	5.1	10.5	----	------
Ireland	10.2	-----	125.0	42.6	7.4	5.8	3.5	4.2	21.7	------
Germany	7.6	(2/)	60.0	13.8	4.0	7.6	4.9	8.3	14.9	------
Italy	3.1	(2/)	35.4	9.6	1.8	1.4	1.4	2.2	3.4	------
Poland	5.6	-----	95.2	7.2	4.0	4.6	4.2	9.5	7.1	------
Russia	3.0	-----	------	8.1	3.4	1.2	1.7	3.8	----	------
Other foreign	13.6	(2/)	63.0	20.2	11.2	9.1	8.6	10.1	7.3	21.7
Country not stated	279.4	(2/)	548.4	334.7	172.0	79.1	142.9	122.8	90.9	209.0
Other races	161.1	(2/)	337.0	136.4	90.2	73.8	69.9	63.6	72.5	250.0
Negro	163.8	(2/)	340.0	137.6	91.7	75.4	71.6	66.6	75.7	260.3
Minor races	84.7	(2/)	199.0	104.7	52.0	39.3	34.2	17.1	17.9	104.5

1/ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child. 2/ Rate not computed.

Table R shows the number of legitimate and illegitimate births by race and by nativity of mother, with the ratio of illegitimate births to 1,000 total births, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants, and rural districts of each State.

Although the ratio (41.9) of illegitimate births for the rural part of the United States was higher than the ratios for both the larger and the smaller cities (38.4 and 30.5, respectively), the reverse was true in 14 States, and in 22 of the remaining States the ratios for rural districts were lower than those for the larger cities.

Considering only the illegitimate births to white mothers in each State, ratios were generally highest for the larger cities. In Maryland and New York ratios were highest for the smaller cities (those having from 2,500 to 10,000 inhabitants) and in Connecticut, Florida, New Hampshire, New Jersey, Virginia, and West Virginia ratios were highest for the rural part of the State. The highest ratio for illegitimate births to all white mothers (62.3) was for the larger cities of North Dakota.

The highest ratio for illegitimate births to native mothers (63.3) was also for the larger cities of North Dakota.

For children of foreign-born mothers, the highest ratio of illegitimate births (55.6 per 1,000 total births) was for the larger cities of Idaho.

Considering only the illegitimate births in each State to mothers of other races, ratios were highest for the larger cities in the majority of States. In 9 States ratios were highest in the smaller cities and in 9 other States the highest ratios were for the rural districts.

TABLE R

AREA	1935: Total births 1/	WHITE: Total 1/	WHITE: Mother native	WHITE: Mother foreign-born	Other races
	LEGITIMATE BIRTHS				
UNITED STATES 2/	1,933,099	1,713,178	1,582,831	129,034	219,921
Cities of 10,000 or more	856,224	785,480	686,577	98,511	70,744
Cities of 2,500 to 10,000	199,037	185,188	176,059	8,931	13,849
Rural	877,838	742,510	720,195	21,592	135,328
ALABAMA	56,885	37,654	37,555	79	19,231
Cities of 10,000 or more	10,695	7,238	7,181	52	3,457
Cities of 2,500 to 10,000	3,160	2,434	2,428	1	726
Rural	43,030	27,982	27,946	26	15,048
ARIZONA	8,918	7,659	6,094	1,555	1,259
Cities of 10,000 or more	2,833	2,739	2,299	438	94
Cities of 2,500 to 10,000	2,015	1,966	1,470	493	49
Rural	4,070	2,954	2,325	624	1,116
ARKANSAS	33,995	26,782	26,660	61	7,214
Cities of 10,000 or more	3,587	3,023	2,995	23	564
Cities of 2,500 to 10,000	3,063	2,418	2,401	13	645
Rural	27,346	21,341	21,264	25	6,005

1/ Includes "Country not stated." 2/ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

TABLE R—Continued

1935

AREA	Total births[1]	WHITE			Other races
		Total[1]	Mother native	Mother foreign-born	
	LEGITIMATE BIRTHS				
COLORADO	18,349	18,111	16,843	1,041	238
Cities of 10,000 or more	7,825	7,690	7,278	376	135
Cities of 2,500 to 10,000	3,145	3,120	2,872	181	25
Rural	7,379	7,301	6,693	484	78
CONNECTICUT	21,777	21,281	17,097	4,179	496
Cities of 10,000 or more	18,235	17,771	14,231	3,537	464
Cities of 2,500 to 10,000	1,047	1,038	843	195	9
Rural	2,495	2,472	2,023	447	23
DELAWARE	3,752	3,255	3,093	190	467
Cities of 10,000 or more	2,139	1,946	1,781	164	193
Cities of 2,500 to 10,000	344	314	301	13	30
Rural	1,269	1,025	1,011	13	244
DISTRICT OF COLUMBIA	9,910	7,014	6,559	451	2,896
FLORIDA	25,214	19,238	18,719	475	5,976
Cities of 10,000 or more	9,688	7,475	7,139	324	2,213
Cities of 2,500 to 10,000	4,299	3,269	3,180	85	1,030
Rural	12,227	8,494	8,400	65	3,733
GEORGIA	58,297	36,672	36,518	100	21,625
Cities of 10,000 or more	12,407	8,449	8,367	78	3,958
Cities of 2,500 to 10,000	6,204	4,282	4,276	2	1,922
Rural	39,686	23,941	23,875	20	15,745
IDAHO	9,369	9,250	8,951	293	119
Cities of 10,000 or more	1,260	1,259	1,224	34	1
Cities of 2,500 to 10,000	4,104	4,087	3,943	142	17
Rural	4,005	3,904	3,784	117	101
ILLINOIS	109,083	104,020	93,324	10,672	5,063
Cities of 10,000 or more	74,546	69,963	60,244	9,702	4,583
Cities of 2,500 to 10,000	9,951	9,776	9,388	367	175
Rural	24,586	24,281	23,692	583	305
INDIANA	51,805	50,137	48,877	1,230	1,668
Cities of 10,000 or more	25,097	23,579	22,545	1,018	1,518
Cities of 2,500 to 10,000	5,804	5,757	5,692	62	47
Rural	20,904	20,801	20,640	150	103
IOWA	40,396	40,160	39,062	1,015	236
Cities of 10,000 or more	14,863	14,666	14,181	461	197
Cities of 2,500 to 10,000	6,012	6,004	5,885	101	8
Rural	19,521	19,490	18,996	453	31
KANSAS	30,064	29,238	28,495	728	826
Cities of 10,000 or more	10,351	9,753	9,425	321	598
Cities of 2,500 to 10,000	4,319	4,244	4,150	93	75
Rural	15,394	15,241	14,920	314	153
KENTUCKY	56,580	54,082	53,995	77	2,498
Cities of 10,000 or more	9,740	8,841	8,787	54	899
Cities of 2,500 to 10,000	4,595	4,259	4,251	8	336
Rural	42,245	40,982	40,957	15	1,263
LOUISIANA	38,637	23,953	23,723	222	14,684
Cities of 10,000 or more	12,649	8,181	8,028	153	4,468
Cities of 2,500 to 10,000	4,993	3,221	3,202	19	1,772
Rural	20,995	12,551	12,493	50	8,444
MAINE	15,191	15,151	13,082	2,068	40
Cities of 10,000 or more	4,718	4,705	3,868	837	13
Cities of 2,500 to 10,000	1,984	1,977	1,683	294	7
Rural	8,489	8,469	7,531	937	20
MARYLAND	25,195	20,781	19,943	838	4,414
Cities of 10,000 or more	14,874	12,376	11,654	721	2,498
Cities of 2,500 to 10,000	1,463	1,307	1,280	27	156
Rural	8,858	7,098	7,009	80	1,760
MICHIGAN	85,211	82,467	72,616	9,781	2,744
Cities of 10,000 or more	52,819	50,358	42,386	7,930	2,461
Cities of 2,500 to 10,000	7,578	7,501	7,050	445	77
Rural	24,814	24,608	23,180	1,406	206
MINNESOTA	44,828	44,314	42,100	2,207	514
Cities of 10,000 or more	17,285	17,182	16,050	1,129	103
Cities of 2,500 to 10,000	6,086	6,064	5,814	250	22
Rural	21,457	21,068	20,236	828	389
MISSISSIPPI	44,099	21,708	21,636	59	22,391
Cities of 10,000 or more	4,577	3,145	3,121	23	1,431
Cities of 2,500 to 10,000	1,945	1,137	1,128	9	808
Rural	37,577	17,425	17,387	27	20,152
MISSOURI	55,451	52,428	51,376	1,034	3,023
Cities of 10,000 or more	22,985	20,892	19,990	894	2,093
Cities of 2,500 to 10,000	5,204	4,933	4,888	43	271
Rural	27,262	26,603	26,500	97	659
MONTANA	9,819	9,195	8,390	803	624
Cities of 10,000 or more	2,904	2,885	2,662	223	19
Cities of 2,500 to 10,000	1,749	1,741	1,623	118	8
Rural	5,166	4,569	4,105	462	597
NEBRASKA	22,899	22,603	21,792	805	296
Cities of 10,000 or more	7,171	6,993	6,611	379	178
Cities of 2,500 to 10,000	3,031	3,021	2,924	97	10
Rural	12,697	12,589	12,257	329	108
NEVADA	1,401	1,310	1,195	114	91
Cities of 10,000 or more	235	231	209	22	4
Cities of 2,500 to 10,000	378	366	340	26	12
Rural	788	713	646	66	75
NEW HAMPSHIRE	7,587	7,580	6,513	1,056	7
Cities of 10,000 or more	4,280	4,275	3,558	708	5
Cities of 2,500 to 10,000	818	818	709	108	-------
Rural	2,489	2,487	2,246	240	2
NEW JERSEY	53,191	49,441	41,138	8,232	3,750
Cities of 10,000 or more	42,662	39,617	32,496	7,085	3,065
Cities of 2,500 to 10,000	4,564	4,279	3,717	550	285
Rural	5,945	5,545	4,925	597	400
NEW MEXICO	12,696	12,181	11,499	664	515
Cities of 10,000 or more	1,595	1,587	1,542	44	8
Cities of 2,500 to 10,000	2,297	2,280	2,137	140	17
Rural	8,804	8,314	7,820	480	490

TABLE R—Continued

1935

AREA	Total births[1]	WHITE			Other races
		Total[1]	Mother native	Mother foreign-born	
	LEGITIMATE BIRTHS				
NEW YORK	180,611	172,688	133,406	39,262	7,923
Cities of 10,000 or more	149,154	141,872	105,571	35,285	7,282
Cities of 2,500 to 10,000	9,347	9,195	8,167	1,028	152
Rural	22,110	21,621	19,668	1,949	489
NORTH CAROLINA	72,339	52,103	51,995	90	20,236
Cities of 10,000 or more	12,048	9,020	8,953	63	3,028
Cities of 2,500 to 10,000	5,812	4,792	4,787	5	1,020
Rural	54,479	38,291	38,255	22	16,188
NORTH DAKOTA	13,315	12,920	11,870	1,047	395
Cities of 10,000 or more	2,458	2,454	2,340	114	4
Cities of 2,500 to 10,000	1,686	1,679	1,554	125	7
Rural	9,171	8,787	7,976	808	384
OHIO	98,539	94,026	88,340	5,664	4,613
Cities of 10,000 or more	60,734	56,785	51,962	4,812	3,949
Cities of 2,500 to 10,000	8,275	8,068	7,820	246	207
Rural	29,530	29,173	28,558	606	457
OKLAHOMA	42,783	39,746	39,352	246	3,037
Cities of 10,000 or more	10,757	9,859	9,729	107	898
Cities of 2,500 to 10,000	7,841	7,229	7,157	44	612
Rural	24,185	22,658	22,466	95	1,527
OREGON	12,970	12,775	12,071	699	195
Cities of 10,000 or more	5,967	5,876	5,450	425	91
Cities of 2,500 to 10,000	2,881	2,867	2,758	108	14
Rural	4,122	4,032	3,863	166	90
PENNSYLVANIA	155,677	148,766	135,586	13,132	6,911
Cities of 10,000 or more	86,445	80,396	71,301	9,068	6,049
Cities of 2,500 to 10,000	20,370	20,139	18,597	1,539	231
Rural	48,862	48,231	45,688	2,525	631
RHODE ISLAND	9,907	9,703	7,694	1,998	204
Cities of 10,000 or more	9,105	8,927	7,038	1,881	178
Cities of 2,500 to 10,000	256	254	213	41	2
Rural	546	522	443	76	24
SOUTH CAROLINA	36,342	19,173	19,126	43	17,169
Cities of 10,000 or more	4,879	3,326	3,294	31	1,553
Cities of 2,500 to 10,000	2,817	1,907	1,903	4	910
Rural	28,646	13,940	13,929	8	14,706
SOUTH DAKOTA	12,624	12,030	11,581	446	594
Cities of 10,000 or more	2,550	2,542	2,467	75	8
Cities of 2,500 to 10,000	1,429	1,419	1,385	33	10
Rural	8,645	8,069	7,729	338	576
TENNESSEE	51,088	43,982	43,883	89	7,106
Cities of 10,000 or more	12,597	9,806	9,731	69	2,891
Cities of 2,500 to 10,000	3,933	3,448	3,442	5	485
Rural	34,458	30,728	30,710	15	3,730
TEXAS	111,180	99,013	89,703	9,206	12,167
Cities of 10,000 or more	35,906	32,401	27,916	4,458	3,505
Cities of 2,500 to 10,000	13,665	12,716	11,593	1,106	949
Rural	61,609	53,896	50,194	3,642	7,713
UTAH	12,579	12,475	11,815	658	104
Cities of 10,000 or more	5,099	5,085	4,696	389	14
Cities of 2,500 to 10,000	2,617	2,613	2,501	112	4
Rural	4,863	4,777	4,618	157	86
VERMONT	6,384	6,379	5,628	743	5
Cities of 10,000 or more	1,531	1,531	1,378	151	-------
Cities of 2,500 to 10,000	1,242	1,241	1,087	153	1
Rural	3,611	3,607	3,163	439	4
VIRGINIA	47,685	35,542	35,326	210	12,143
Cities of 10,000 or more	10,486	7,943	7,814	128	2,543
Cities of 2,500 to 10,000	3,634	3,152	3,133	18	482
Rural	33,565	24,447	24,379	64	9,118
WASHINGTON	21,918	21,282	19,416	1,857	636
Cities of 10,000 or more	13,743	13,473	12,162	1,307	270
Cities of 2,500 to 10,000	2,351	2,303	2,145	157	48
Rural	5,824	5,506	5,109	393	318
WEST VIRGINIA	39,771	37,779	37,097	667	1,992
Cities of 10,000 or more	6,775	6,514	6,341	167	261
Cities of 2,500 to 10,000	3,443	3,284	3,200	84	159
Rural	29,553	27,981	27,556	416	1,572
WISCONSIN	51,386	50,909	48,136	2,739	479
Cities of 10,000 or more	23,252	23,154	21,376	1,769	98
Cities of 2,500 to 10,000	6,427	6,417	6,241	171	10
Rural	21,709	21,338	20,519	799	371
WYOMING	4,299	4,192	3,959	219	107
Cities of 10,000 or more	688	682	647	31	6
Cities of 2,500 to 10,000	859	852	801	50	7
Rural	2,752	2,658	2,511	138	94
	ILLEGITIMATE BIRTHS				
UNITED STATES 2/	78,874	36,655	34,983	1,163	42,219
Cities of 10,000 or more	34,188	19,540	18,604	887	14,648
Cities of 2,500 to 10,000	6,270	3,330	3,216	74	2,940
Rural	38,416	13,785	13,163	202	24,731
ALABAMA	5,354	710	705	1	4,644
Cities of 10,000 or more	1,142	225	223	1	917
Cities of 2,500 to 10,000	261	34	34	--------	227
Rural	3,951	451	448	--------	3,500
ARIZONA	221	148	119	28	73
Cities of 10,000 or more	65	59	51	8	6
Cities of 2,500 to 10,000	36	33	25	8	3
Rural	120	56	43	12	64

1/ Includes "Country not stated." 2/ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

TABLE R—Continued

1935

AREA	Total births[1]	WHITE			Other races
		Total[1]	Mother native	Mother foreign-born	
	ILLEGITIMATE BIRTHS				
ARKANSAS	1,688	393	385	--------	1,295
Cities of 10,000 or more	225	66	64	--------	159
Cities of 2,500 to 10,000	158	38	38	--------	120
Rural	1,305	289	283	--------	1,016
COLORADO	488	461	440	14	27
Cities of 10,000 or more	352	331	316	10	21
Cities of 2,500 to 10,000	36	35	31	3	1
Rural	100	95	93	1	5
CONNECTICUT	481	415	371	40	66
Cities of 10,000 or more	373	321	283	35	52
Cities of 2,500 to 10,000	14	12	11	1	2
Rural	94	82	77	4	12
DELAWARE	284	94	90	2	190
Cities of 10,000 or more	130	63	59	2	67
Cities of 2,500 to 10,000	23	8	8	--------	15
Rural	131	23	23	--------	108
DISTRICT OF COLUMBIA	893	148	105	6	745
FLORIDA	1,837	341	336	3	1,496
Cities of 10,000 or more	689	135	133	2	554
Cities of 2,500 to 10,000	278	37	36	--------	241
Rural	870	169	167	1	701
GEORGIA	4,963	662	647	--------	4,301
Cities of 10,000 or more	1,285	188	176	--------	1,097
Cities of 2,500 to 10,000	445	52	51	--------	393
Rural	3,233	422	420	--------	2,811
IDAHO	100	94	91	3	6
Cities of 10,000 or more	58	57	55	2	1
Cities of 2,500 to 10,000	18	18	18	--------	--------
Rural	24	19	18	1	5
ILLINOIS	2,801	2,100	1,998	64	701
Cities of 10,000 or more	2,162	1,530	1,439	58	632
Cities of 2,500 to 10,000	220	201	196	3	19
Rural	419	369	363	3	50
INDIANA	1,104	940	927	10	164
Cities of 10,000 or more	677	523	516	6	154
Cities of 2,500 to 10,000	96	93	93	--------	3
Rural	331	324	318	4	7
IOWA	741	719	701	11	22
Cities of 10,000 or more	512	491	479	9	21
Cities of 2,500 to 10,000	79	79	78	--------	--------
Rural	150	149	144	2	1
KANSAS	525	396	387	2	129
Cities of 10,000 or more	338	234	226	1	104
Cities of 2,500 to 10,000	79	67	66	1	12
Rural	108	95	95	--------	13
KENTUCKY	1,135	836	836	--------	299
Cities of 10,000 or more	324	178	178	--------	146
Cities of 2,500 to 10,000	95	49	49	--------	46
Rural	716	609	609	--------	107
LOUISIANA	3,633	464	462	1	3,169
Cities of 10,000 or more	1,252	252	251	1	1,000
Cities of 2,500 to 10,000	457	53	53	--------	404
Rural	1,924	159	158	--------	1,765
MAINE	532	530	496	34	2
Cities of 10,000 or more	199	199	183	16	--------
Cities of 2,500 to 10,000	62	61	58	3	1
Rural	271	270	255	15	1
MARYLAND	2,041	541	532	6	1,500
Cities of 10,000 or more	1,138	286	278	6	852
Cities of 2,500 to 10,000	113	43	43	--------	70
Rural	790	212	211	--------	578
MICHIGAN	2,235	1,910	1,804	97	325
Cities of 10,000 or more	1,723	1,434	1,341	86	289
Cities of 2,500 to 10,000	144	131	129	2	13
Rural	368	345	334	9	23
MINNESOTA	1,134	1,050	1,020	24	84
Cities of 10,000 or more	657	649	627	19	8
Cities of 2,500 to 10,000	142	138	136	1	4
Rural	335	263	257	4	72
MISSISSIPPI	4,221	269	268	--------	3,952
Cities of 10,000 or more	509	55	55	--------	454
Cities of 2,500 to 10,000	194	13	13	--------	181
Rural	3,518	201	200	--------	3,317
MISSOURI	1,848	1,296	1,280	14	552
Cities of 10,000 or more	1,288	857	842	14	431
Cities of 2,500 to 10,000	119	77	76	--------	42
Rural	441	362	362	--------	79
MONTANA	210	153	149	3	57
Cities of 10,000 or more	80	78	76	1	2
Cities of 2,500 to 10,000	23	23	22	1	--------
Rural	107	52	51	1	55
NEBRASKA	428	393	385	8	35
Cities of 10,000 or more	250	230	225	5	20
Cities of 2,500 to 10,000	41	40	39	1	1
Rural	137	123	121	2	14
NEVADA	22	15	14	--------	7
Cities of 10,000 or more	7	7	7	--------	--------
Cities of 2,500 to 10,000	5	4	3	--------	1
Rural	10	4	4	--------	6
NEW HAMPSHIRE	181	181	173	8	--------
Cities of 10,000 or more	91	91	87	4	--------
Cities of 2,500 to 10,000	15	15	14	1	--------
Rural	75	75	72	3	--------
NEW JERSEY	1,323	863	812	45	460
Cities of 10,000 or more	1,023	659	622	35	364
Cities of 2,500 to 10,000	100	63	58	4	37
Rural	200	141	132	6	59
NEW MEXICO	494	419	391	21	75
Cities of 10,000 or more	69	69	68	--------	--------
Cities of 2,500 to 10,000	81	78	73	5	3
Rural	344	272	250	16	72
NEW YORK	3,733	2,970	2,728	239	763
Cities of 10,000 or more	3,007	2,327	2,116	208	680
Cities of 2,500 to 10,000	208	194	183	11	14
Rural	518	449	429	20	69
NORTH CAROLINA	6,414	1,562	1,279	--------	4,852
Cities of 10,000 or more	1,567	358	358	--------	1,209
Cities of 2,500 to 10,000	457	112	87	--------	345
Rural	4,390	1,092	834	--------	3,298
NORTH DAKOTA	340	295	286	9	45
Cities of 10,000 or more	164	163	158	5	1
Cities of 2,500 to 10,000	26	25	24	1	1
Rural	150	107	104	3	43
OHIO	2,464	1,852	1,813	35	612
Cities of 10,000 or more	1,750	1,206	1,167	35	544
Cities of 2,500 to 10,000	165	142	142	--------	23
Rural	549	504	504	--------	45
OKLAHOMA	908	614	610	2	294
Cities of 10,000 or more	336	222	219	2	114
Cities of 2,500 to 10,000	133	76	75	--------	57
Rural	439	316	316	--------	123
OREGON	209	188	181	5	21
Cities of 10,000 or more	148	145	141	3	3
Cities of 2,500 to 10,000	13	12	10	1	1
Rural	48	31	30	1	17
PENNSYLVANIA	5,489	4,295	4,205	81	1,193
Cities of 10,000 or more	3,456	2,386	2,318	62	1,070
Cities of 2,500 to 10,000	583	547	540	6	36
Rural	1,450	1,363	1,347	13	87
RHODE ISLAND	308	277	251	25	31
Cities of 10,000 or more	291	260	235	25	31
Cities of 2,500 to 10,000	3	3	3	--------	--------
Rural	14	14	13	--------	--------
SOUTH CAROLINA	4,256	417	417	--------	3,839
Cities of 10,000 or more	724	110	110	--------	614
Cities of 2,500 to 10,000	260	45	45	--------	215
Rural	3,272	262	262	--------	3,010
SOUTH DAKOTA	226	183	183	--------	43
Cities of 10,000 or more	89	89	89	--------	--------
Cities of 2,500 to 10,000	19	18	18	--------	1
Rural	118	76	76	--------	42
TENNESSEE	2,226	999	997	1	1,227
Cities of 10,000 or more	1,047	353	351	1	694
Cities of 2,500 to 10,000	172	77	77	--------	95
Rural	1,007	569	569	--------	438
TEXAS	3,541	1,753	1,501	244	1,788
Cities of 10,000 or more	1,630	1,025	854	168	605
Cities of 2,500 to 10,000	325	162	142	19	163
Rural	1,586	566	505	57	1,020
UTAH	116	110	105	5	6
Cities of 10,000 or more	65	63	59	4	2
Cities of 2,500 to 10,000	15	15	15	--------	--------
Rural	36	32	31	1	4
VERMONT	207	207	193	13	--------
Cities of 10,000 or more	82	82	74	7	--------
Cities of 2,500 to 10,000	28	28	27	1	--------
Rural	97	97	92	5	--------
VIRGINIA	3,802	1,068	1,061	4	2,734
Cities of 10,000 or more	1,002	201	198	3	801
Cities of 2,500 to 10,000	211	91	91	--------	120
Rural	2,589	776	772	1	1,813
WASHINGTON	478	431	397	30	47
Cities of 10,000 or more	346	327	298	26	19
Cities of 2,500 to 10,000	20	18	18	--------	2
Rural	112	86	81	4	26
WEST VIRGINIA	2,003	1,733	1,720	2	270
Cities of 10,000 or more	337	285	284	--------	52
Cities of 2,500 to 10,000	166	138	136	1	28
Rural	1,500	1,310	1,300	1	190
WISCONSIN	1,174	1,108	1,086	19	66
Cities of 10,000 or more	620	608	596	10	12
Cities of 2,500 to 10,000	125	125	125	--------	--------
Rural	429	375	365	9	54
WYOMING	63	51	46	4	12
Cities of 10,000 or more	16	15	14	1	1
Cities of 2,500 to 10,000	7	7	7	--------	--------
Rural	40	29	25	3	11
	RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS				
UNITED STATES 2/	39.2	20.9	21.6	8.9	161.1
Cities of 10,000 or more	38.4	24.4	26.4	8.9	170.6
Cities of 2,500 to 10,000	30.5	17.7	17.9	8.2	175.1
Rural	41.9	18.1	17.9	9.3	154.5
ALABAMA	86.0	18.5	18.4	12.5	194.5
Cities of 10,000 or more	96.5	30.1	30.1	18.9	209.6
Cities of 2,500 to 10,000	76.3	13.8	13.8	--------	238.2
Rural	84.1	15.9	15.8	--------	188.7

1/ Includes "Country not stated." 2/ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

153010 O—37—2

TABLE R—Continued

1935

AREA	Total births[1]	WHITE			Other races
		Total[1]	Mother native	Mother foreign-born	
	RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS				
ARIZONA	24.2	19.0	19.2	17.7	54.8
Cities of 10,000 or more	22.4	21.1	21.7	17.9	60.0
Cities of 2,500 to 10,000	17.6	16.5	16.7	16.0	57.7
Rural	28.6	18.6	18.2	18.9	54.2
ARKANSAS	47.3	14.5	14.2	--------	152.2
Cities of 10,000 or more	59.0	21.4	20.9	--------	219.9
Cities of 2,500 to 10,000	49.1	15.5	15.6	--------	156.9
Rural	45.5	13.4	13.1	--------	144.7
COLORADO	25.9	24.8	25.5	13.3	101.9
Cities of 10,000 or more	43.0	41.3	41.6	25.9	134.6
Cities of 2,500 to 10,000	11.3	11.1	10.7	16.3	38.5
Rural	13.4	12.8	13.7	2.1	60.2
CONNECTICUT	21.6	19.1	21.2	9.5	117.4
Cities of 10,000 or more	20.0	17.7	19.5	9.8	100.8
Cities of 2,500 to 10,000	13.2	11.4	12.9	5.1	181.8
Rural	36.3	32.1	36.7	8.9	342.9
DELAWARE	70.4	27.8	28.3	10.4	289.2
Cities of 10,000 or more	57.3	31.4	32.1	12.0	257.7
Cities of 2,500 to 10,000	62.7	24.8	25.9	--------	333.3
Rural	93.6	21.9	22.2	--------	306.8
DISTRICT OF COLUMBIA	82.7	20.7	15.8	13.1	204.6
FLORIDA	65.5	17.4	17.6	6.3	176.6
Cities of 10,000 or more	66.4	17.7	18.3	6.1	200.2
Cities of 2,500 to 10,000	60.7	11.2	11.2	--------	189.5
Rural	66.4	19.5	19.5	14.9	158.1
GEORGIA	78.5	17.7	17.4	--------	165.9
Cities of 10,000 or more	93.9	21.8	20.6	--------	217.0
Cities of 2,500 to 10,000	86.9	12.0	11.8	--------	169.8
Rural	75.3	17.3	17.3	--------	151.5
IDAHO	10.6	10.1	10.1	10.1	48.0
Cities of 10,000 or more	44.0	43.3	43.0	55.6	500.0
Cities of 2,500 to 10,000	4.4	4.4	4.5	--------	-------
Rural	6.0	4.8	4.7	8.5	47.2
ILLINOIS	25.0	19.8	21.0	6.0	121.6
Cities of 10,000 or more	28.2	21.4	23.3	5.9	121.2
Cities of 2,500 to 10,000	21.6	20.1	20.5	7.7	97.9
Rural	16.8	15.0	15.1	5.1	140.8
INDIANA	20.9	18.4	18.6	8.1	89.5
Cities of 10,000 or more	26.3	21.7	22.4	5.9	92.1
Cities of 2,500 to 10,000	16.3	15.9	16.1	--------	60.0
Rural	15.6	15.3	15.2	26.0	63.6
IOWA	18.0	17.6	17.6	10.7	85.3
Cities of 10,000 or more	33.3	32.4	32.7	19.1	96.3
Cities of 2,500 to 10,000	13.0	13.0	13.1	--------	-------
Rural	7.6	7.6	7.5	4.4	31.3
KANSAS	17.2	13.4	13.4	2.7	135.1
Cities of 10,000 or more	31.6	23.4	23.4	3.1	148.1
Cities of 2,500 to 10,000	18.0	15.5	15.7	10.6	137.9
Rural	7.0	6.2	6.3	--------	78.3
KENTUCKY	19.7	15.2	15.2	--------	106.9
Cities of 10,000 or more	32.2	19.7	19.9	--------	139.7
Cities of 2,500 to 10,000	20.3	11.4	11.4	--------	120.4
Rural	16.7	14.6	14.7	--------	78.1
LOUISIANA	85.9	19.0	19.1	4.5	177.5
Cities of 10,000 or more	90.1	29.9	30.3	6.5	182.9
Cities of 2,500 to 10,000	83.9	16.2	16.3	--------	185.7
Rural	83.9	12.5	12.5	--------	172.9
MAINE	33.8	33.8	36.5	16.2	47.6
Cities of 10,000 or more	40.5	40.6	45.2	16.8	-------
Cities of 2,500 to 10,000	30.3	29.9	33.3	10.1	125.0
Rural	30.9	30.9	32.8	15.8	47.6
MARYLAND	74.9	25.4	26.0	7.2	253.6
Cities of 10,000 or more	71.1	22.6	23.3	8.3	254.3
Cities of 2,500 to 10,000	71.7	31.9	32.5	--------	309.7
Rural	81.9	29.0	29.2	--------	247.2
MICHIGAN	25.6	22.6	24.2	9.8	105.9
Cities of 10,000 or more	31.6	27.7	30.7	10.7	105.1
Cities of 2,500 to 10,000	18.6	17.2	18.0	4.5	144.4
Rural	14.6	13.8	14.2	6.4	100.4
MINNESOTA	24.7	23.1	23.7	10.6	140.5
Cities of 10,000 or more	36.6	36.4	37.6	15.6	72.1
Cities of 2,500 to 10,000	22.8	22.3	22.9	4.0	153.8
Rural	15.4	12.3	12.5	4.8	156.2
MISSISSIPPI	87.4	12.2	12.2	--------	150.0
Cities of 10,000 or more	100.1	17.2	17.3	--------	240.8
Cities of 2,500 to 10,000	90.7	11.3	11.4	--------	183.0
Rural	85.6	11.4	11.4	--------	141.3
MISSOURI	32.3	24.1	24.3	13.4	154.4
Cities of 10,000 or more	53.1	39.4	40.4	15.4	170.8
Cities of 2,500 to 10,000	22.4	15.4	15.3	--------	134.2
Rural	15.9	13.4	13.5	--------	107.0
MONTANA	20.9	16.4	17.4	3.7	83.7
Cities of 10,000 or more	26.8	26.3	27.8	4.5	95.2
Cities of 2,500 to 10,000	13.0	13.0	13.4	8.4	-------
Rural	20.3	11.3	12.3	2.2	84.4
NEBRASKA	18.3	17.1	17.4	9.8	105.7
Cities of 10,000 or more	33.7	31.8	32.9	13.0	101.0
Cities of 2,500 to 10,000	13.3	13.1	13.2	10.2	90.9
Rural	10.7	9.7	9.8	6.0	114.8
NEVADA	15.5	11.3	11.6	--------	71.4
Cities of 10,000 or more	28.9	29.4	32.4	--------	-------
Cities of 2,500 to 10,000	13.1	10.8	8.7	--------	76.9
Rural	12.5	5.6	6.2	--------	74.1

TABLE R—Continued

1935

AREA	Total births[1]	WHITE			Other races
		Total[1]	Mother native	Mother foreign-born	
	RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS				
NEW HAMPSHIRE	23.3	23.3	25.9	7.5	--------
Cities of 10,000 or more	20.8	20.8	23.9	5.6	--------
Cities of 2,500 to 10,000	18.0	18.0	19.4	9.2	--------
Rural	29.3	29.3	31.1	12.3	--------
NEW JERSEY	24.3	17.2	19.4	5.4	109.3
Cities of 10,000 or more	23.4	16.4	18.8	4.9	106.2
Cities of 2,500 to 10,000	21.4	14.5	15.4	7.2	114.9
Rural	32.5	24.8	26.1	10.0	128.5
NEW MEXICO	37.5	33.3	32.9	30.7	127.1
Cities of 10,000 or more	41.5	41.7	42.2	--------	-------
Cities of 2,500 to 10,000	34.1	33.1	33.0	34.5	150.0
Rural	37.6	31.7	31.0	32.3	128.1
NEW YORK	20.3	15.9	20.0	6.1	87.8
Cities of 10,000 or more	19.8	16.1	19.6	5.7	85.4
Cities of 2,500 to 10,000	21.8	20.7	21.9	10.6	84.3
Rural	22.9	20.3	21.3	10.2	123.7
NORTH CAROLINA	81.4	29.1	24.0	--------	193.4
Cities of 10,000 or more	115.1	38.2	38.4	--------	285.3
Cities of 2,500 to 10,000	72.9	22.6	17.8	--------	252.7
Rural	74.6	27.7	21.3	--------	169.2
NORTH DAKOTA	24.9	22.3	23.5	8.5	102.3
Cities of 10,000 or more	62.5	62.3	63.3	42.0	200.0
Cities of 2,500 to 10,000	15.2	14.7	15.2	7.9	125.0
Rural	16.1	12.0	12.9	3.7	100.7
OHIO	24.4	19.3	20.1	6.1	117.1
Cities of 10,000 or more	28.0	20.8	22.0	7.2	121.1
Cities of 2,500 to 10,000	19.5	17.3	17.8	--------	100.0
Rural	18.2	17.0	17.3	--------	89.6
OKLAHOMA	20.8	15.2	15.3	8.1	88.3
Cities of 10,000 or more	30.3	22.0	22.0	18.3	112.6
Cities of 2,500 to 10,000	16.7	10.4	10.4	--------	85.2
Rural	17.8	13.8	13.9	--------	74.5
OREGON	15.9	14.5	14.8	7.1	97.2
Cities of 10,000 or more	24.2	24.1	25.2	7.0	31.9
Cities of 2,500 to 10,000	4.5	4.2	3.6	9.2	66.7
Rural	11.5	7.6	7.7	6.0	158.9
PENNSYLVANIA	34.1	28.1	30.1	6.1	147.2
Cities of 10,000 or more	36.4	28.8	31.5	6.8	150.3
Cities of 2,500 to 10,000	27.8	26.4	28.2	3.9	134.8
Rural	28.8	27.5	28.6	5.1	121.2
RHODE ISLAND	30.2	27.8	31.6	12.4	131.9
Cities of 10,000 or more	31.0	28.3	32.3	13.1	148.3
Cities of 2,500 to 10,000	11.6	11.7	13.9	--------	-------
Rural	25.0	26.1	28.5	--------	-------
SOUTH CAROLINA	104.8	21.3	21.3	--------	182.7
Cities of 10,000 or more	129.2	32.0	32.3	--------	283.3
Cities of 2,500 to 10,000	84.5	23.1	23.1	--------	191.1
Rural	102.5	18.4	18.5	--------	169.9
SOUTH DAKOTA	17.6	15.0	15.6	--------	67.5
Cities of 10,000 or more	33.7	33.8	34.8	--------	-------
Cities of 2,500 to 10,000	13.1	12.5	12.8	--------	90.9
Rural	13.5	9.3	9.7	--------	68.0
TENNESSEE	41.8	22.2	22.2	11.1	147.2
Cities of 10,000 or more	76.2	34.7	34.8	14.3	193.6
Cities of 2,500 to 10,000	41.9	21.8	21.9	--------	163.8
Rural	28.4	18.2	18.2	--------	105.1
TEXAS	30.9	17.4	16.5	25.8	128.1
Cities of 10,000 or more	43.4	30.7	29.7	36.3	147.2
Cities of 2,500 to 10,000	23.2	12.6	12.1	16.9	146.6
Rural	25.1	10.4	10.0	15.4	116.8
UTAH	9.1	8.7	8.8	7.5	54.5
Cities of 10,000 or more	12.6	12.2	12.4	10.2	125.0
Cities of 2,500 to 10,000	5.7	5.7	6.0	--------	-------
Rural	7.3	6.7	6.7	6.3	44.4
VERMONT	31.4	31.4	33.2	17.2	--------
Cities of 10,000 or more	50.8	50.8	51.0	44.3	--------
Cities of 2,500 to 10,000	22.0	22.1	24.2	6.5	--------
Rural	26.2	26.2	28.3	11.3	--------
VIRGINIA	73.8	29.2	29.2	18.7	183.8
Cities of 10,000 or more	87.2	24.7	24.7	22.9	239.5
Cities of 2,500 to 10,000	54.9	28.1	28.2	--------	199.3
Rural	71.6	30.8	30.7	15.4	165.9
WASHINGTON	21.3	19.8	20.0	15.9	68.8
Cities of 10,000 or more	24.6	23.7	23.9	19.5	65.7
Cities of 2,500 to 10,000	8.4	7.8	8.3	--------	40.0
Rural	18.9	15.4	15.6	10.1	75.6
WEST VIRGINIA	47.9	43.9	44.3	3.0	119.4
Cities of 10,000 or more	47.4	41.9	42.9	--------	166.1
Cities of 2,500 to 10,000	45.0	40.3	40.8	11.8	149.7
Rural	48.3	44.7	45.1	2.4	107.8
WISCONSIN	22.3	21.3	22.1	6.9	121.1
Cities of 10,000 or more	26.0	25.6	27.1	5.6	109.1
Cities of 2,500 to 10,000	19.1	19.1	19.6	--------	-------
Rural	19.4	17.3	17.5	11.1	127.1
WYOMING	14.4	12.0	11.5	17.9	100.8
Cities of 10,000 or more	22.7	21.5	21.2	31.3	142.9
Cities of 2,500 to 10,000	8.1	8.1	8.7	--------	-------
Rural	14.3	10.8	9.9	21.3	104.8

1/ Includes "Country not stated."

STILLBIRTH STATISTICS: 1935

INTRODUCTION

The annual presentation of stillbirth statistics was begun in 1922. Previous to that time the Bureau of the Census had published such data but once, in 1918.

The interpretation of the statistics relating to stillbirths should be made with caution. There is no single definition for "stillbirth" in general use, and the application of the term varies widely in the law and practices of the different States.

Therefore, it is suggested that persons interested in stillbirth statistics study table S before drawing conclusions from the figures presented in tables relating to stillbirths.

TABLE S

PERIOD OF UTEROGESTATION TO WHICH A STILLBORN CHILD MUST HAVE ADVANCED BEFORE A CERTIFICATE IS REQUIRED TO BE REGISTERED

STATE	Period	Authority
Alabama	Advanced to 5th month	Law
Arizona	Advanced to 5th month	Law
California	Advanced to 5th month	Law
Connecticut	Not less than 28 weeks	Law
District of Columbia	Passed the 5th month	Law
Florida	Advanced to 5th month	Law
Georgia	Advanced to 5th month	Law
Illinois	Advanced to 5th month	Law
Indiana	7 months and over	Law
Iowa	Advanced to 5th month	Law
Louisiana	Advanced to 5th month	Law
Michigan	Advanced to 5th month	Law
Minnesota	Advanced to 5th month	Law
Mississippi	Advanced to 5th month	Law
Nebraska	Advanced to 5th month	Law
New Mexico	Advanced to 5th month	Law
New York 1/	Advanced to 5th month	Law
North Carolina	Advanced to 5th month	Law
Oklahoma	Advanced to 5th month	Law
Oregon	Advanced to 5th month	Law
South Dakota	Advanced to 5th month	Law
Tennessee	Advanced to 5th month	Law
Texas	Advanced to 5th month	Law
Washington	Beyond the 7th month	Law
West Virginia	Advanced to 5th month	Law
Arkansas	5 months	Letter, State Board of Health
Colorado	5 months	Letter, State Board of Health
Delaware	No definite ruling	Letter, State Board of Health
Idaho	4 months	Letter, State Board of Health
Kansas	Passed the 28th week	Letter, State Board of Health
Kentucky	4 1/2 months	Letter, State Board of Health
Maine	5 months	Letter, State Board of Health
Massachusetts	After 4 1/2 months	Letter, State Board of Health
Missouri	Any period	Letter, State Board of Health
Montana	Passed 4th month or 16th week	Letter, State Board of Health
Nevada	6 months	Letter, State Board of Health
New Hampshire	No definite ruling	Letter, State Board of Health
New Jersey	Advanced to 5th month	Letter, State Board of Health
North Dakota	7th month	Letter, State Board of Health
Ohio	4 months	Letter, State Board of Health
Rhode Island	After the 6th month	Letter, State Board of Health
South Carolina	5 months	Letter, State Board of Health
Utah	6 months	Letter, State Board of Health
Vermont	About the 5th month	Letter, State Board of Health
Virginia	5 months	Letter, State Board of Health
Wisconsin	After the 5th month	Letter, State Board of Health
Wyoming	Advanced to 5th month	Letter, State Board of Health
Maryland	Any product of conception	Letter to doctors of Maryland Instructions for local registrars
Pennsylvania	Passed the 4th month	Letter to doctors of Maryland Instructions for local registrars

1/ Exclusive of New York City, where any product of conception is required to be registered.

NOTE.-Connecticut, Illinois, New Jersey, New York, North Carolina, Oregon, and the District of Columbia report a stillbirth as a stillbirth. In the remaining States a stillbirth is reported either as a birth or as both a birth and a death.

COMPARISON OF STILLBIRTH RATIOS: 1934 AND 1935

In 1935 the highest stillbirth ratio (6.1 per 100 live births) was for both Georgia and South Carolina. Ratios for the white populations of these States were 4.0 and 3.7, respectively, and for the populations of other races, 9.3 and 8.3, respectively. The next highest ratio (5.6 per 100 live births) was for both Florida and Maryland. In these States a large proportion of the population is of other races, for which the ratios were, respectively, 10.1 and 8.4, whereas the ratios for the white populations were only 3.7 and 4.8, respectively. The lowest stillbirth ratio (2.0 per 100 live births) was for Wyoming. A comparison of the figures for 1935 with those for 1934 shows that ratios were higher in 1935 in only 15 States and lower in 21.

In table T stillbirths per 100 live births are presented by race for certain States, and by cities of 10,000 inhabitants or more, cities of 2,500 to 10,000 inhabitants, and rural districts of each State, for the years 1934 and 1935. In 1935 the rates for the rural and the smaller cities were identical with those for 1934, but that for the larger cities was slightly lower in 1935. Considering the States separately, rates in 1935 were lowest for rural districts in 31 States.

The stillbirth ratio for the population of other races in the United States (6.9 per 100 live births) was more than double that for the white (3.1) and for each State shown by race this marked difference prevailed, the greatest (6.4) being for Florida.

TABLE T

STILLBIRTHS PER 100 LIVE BIRTHS

AREA	1935 Total	1935 Cities of 10,000 or more	1935 Cities of 2,500 to 10,000	1935 Rural	1934 Total	1934 Cities of 10,000 or more	1934 Cities of 2,500 to 10,000	1934 Rural
United States	3.6	3.6	3.7	3.5	3.6	3.7	3.7	3.5
White	3.1	3.3	3.3	2.9	3.1	3.3	3.3	2.9
Other races	6.9	7.4	8.1	6.5	6.7	7.1	7.2	6.4
Alabama	4.8	5.6	5.7	4.6	5.0	5.7	5.7	4.7
White	3.4	3.7	4.6	3.2	3.4	3.8	3.9	3.3
Other races	7.1	8.8	8.5	6.7	7.5	8.7	10.1	7.1
Arizona	2.8	3.4	2.5	2.5	2.7	3.0	3.8	2.0
Arkansas	3.8	3.7	4.7	3.7	3.6	4.7	3.9	3.4
White	2.9	2.8	3.1	2.9	2.7	3.2	2.7	2.7
Other races	6.6	7.6	9.5	6.2	6.4	11.0	7.6	5.8
California	2.4	2.4	2.4	2.5	2.4	2.4	2.3	2.5
Colorado	2.9	3.1	3.2	2.5	3.2	3.8	3.6	2.5
Connecticut	2.6	2.7	2.2	2.4	2.8	2.8	4.8	2.4
Delaware	3.7	3.4	6.0	3.5	3.4	3.0	3.9	3.8
District of Columbia	3.8	3.8	----	---	3.8	3.8	----	----
White	3.1	3.1	----	---	3.0	3.0	----	----
Other races	5.1	5.1	----	---	5.2	5.2	----	----
Florida	5.6	5.7	5.2	5.7	5.9	5.8	5.8	6.0
White	3.7	3.4	3.4	4.0	3.9	3.7	3.8	4.1
Other races	10.1	11.8	9.7	9.1	10.4	11.6	10.9	9.6
Georgia	6.1	6.9	6.0	5.9	5.9	6.1	9.6	5.4
White	4.0	4.6	4.2	3.7	3.8	3.8	5.8	3.5
Other races	9.3	10.9	9.5	8.8	9.0	10.0	15.9	8.0
Idaho	2.3	2.4	2.3	2.3	2.3	2.2	2.3	2.2
Illinois	3.0	2.9	3.3	2.9	3.0	3.1	3.1	2.9
Indiana	2.7	3.0	3.3	2.2	2.7	2.8	2.8	2.5
Iowa	2.7	3.0	3.3	2.3	2.7	3.3	3.0	2.2
Kansas	2.7	3.1	3.3	2.3	2.7	2.9	3.4	2.3
Kentucky	3.3	3.5	2.2	3.4	3.4	3.8	3.7	3.2
White	3.2	3.2	1.9	3.3	3.1	3.2	3.2	3.1
Other races	6.4	6.2	5.0	6.9	7.3	8.7	8.8	6.0
Louisiana	4.9	5.1	5.4	4.7	4.8	4.8	5.2	4.8
White	3.4	3.9	3.6	3.0	3.3	3.4	3.6	3.1
Other races	7.0	6.9	8.2	6.9	6.9	6.8	7.6	6.9
Maine	3.4	3.2	3.6	3.5	3.5	2.8	3.6	3.9
Maryland	5.6	5.3	8.5	5.5	5.8	5.4	10.1	5.8
White	4.8	4.6	7.4	4.6	4.9	4.5	9.4	4.7
Other races	8.4	7.8	15.0	8.5	9.1	8.9	14.1	9.0

TABLE T—Continued

STILLBIRTHS PER 100 LIVE BIRTHS

AREA	1935				1934			
	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Massachusetts	3.0	3.1	2.5	2.4	3.1	3.1	3.2	3.2
Michigan	3.1	3.2	3.2	2.9	3.1	3.2	3.4	2.9
Minnesota	2.7	3.2	2.9	2.3	2.8	3.0	3.7	2.5
Mississippi	4.8	6.8	4.6	4.5	4.6	6.9	5.5	4.3
White	3.1	4.3	4.3	2.8	3.0	4.8	3.7	2.6
Other races	6.2	10.9	5.1	5.9	6.1	10.4	7.2	5.6
Missouri	3.8	4.2	3.6	3.6	3.8	4.4	3.4	3.4
Montana	2.3	2.5	2.1	2.3	2.5	2.5	2.3	2.5
Nebraska	2.8	2.8	3.6	2.5	2.5	2.9	2.5	2.4
Nevada	2.2	0.4	1.3	3.1	3.2	4.1	3.1	2.9
New Hampshire	3.4	3.5	3.2	3.3	3.1	2.9	2.8	3.5
New Jersey	3.4	3.5	3.6	2.5	3.6	3.7	3.6	3.1
New Mexico	2.9	3.9	3.9	2.4	3.3	4.2	3.5	3.1
New York	4.0	4.2	3.3	2.7	4.1	4.3	3.5	3.0
North Carolina	4.1	5.8	6.1	3.6	4.1	5.8	5.1	3.7
White	3.0	3.6	5.0	2.7	2.8	3.6	3.8	2.6
Other races	6.5	10.4	9.9	5.4	6.9	10.6	10.1	5.9
North Dakota	2.6	2.9	3.0	2.4	2.4	2.7	2.8	2.3
Ohio	3.2	3.3	3.9	2.7	3.3	3.4	3.2	3.1
Oklahoma	2.9	3.2	3.2	2.7	2.8	3.1	3.0	2.5
White	2.7	2.9	3.1	2.5	2.5	2.7	2.8	2.4
Other races	5.1	6.4	4.3	4.5	5.0	6.9	4.5	4.3
Oregon	2.2	2.3	2.7	1.8	2.4	2.5	2.9	1.9
Pennsylvania	3.2	3.3	3.4	3.1	3.5	3.6	3.8	3.2
Rhode Island	2.9	2.8	2.7	3.8	2.9	2.9	8.0	1.9
South Carolina	6.1	8.0	7.8	5.6	5.6	8.4	6.3	5.1
White	3.7	4.0	4.9	3.4	3.1	4.3	3.6	2.7
Other races	8.3	14.3	12.8	7.3	8.1	14.8	11.3	7.1
South Dakota	2.7	3.1	2.8	2.5	2.5	3.0	3.0	2.3
Tennessee	4.0	5.0	4.3	3.7	3.9	4.7	3.9	3.6
White	3.6	3.9	3.7	3.5	3.4	3.6	3.6	3.3
Other races	6.6	7.9	7.9	5.2	6.5	7.8	5.4	5.5
Texas	3.8	4.1	3.9	3.6	3.8	4.2	4.4	3.4
White	3.3	3.6	3.5	3.1	3.1	3.5	3.7	2.8
Other races	7.3	8.5	8.3	6.7	5.7	6.6	6.1	5.1
Utah	2.2	2.3	2.4	1.9	1.9	2.1	1.3	1.9
Vermont	2.9	2.9	3.4	2.7	3.3	2.7	3.5	3.5
Virginia	4.2	6.0	4.1	3.7	4.3	5.7	4.1	3.9
White	3.2	4.2	3.6	2.8	3.2	4.0	3.2	3.0
Other races	6.8	10.4	6.8	5.7	7.1	9.6	8.6	6.2
Washington	2.1	2.4	1.9	1.7	2.3	2.2	2.7	2.4
West Virginia	3.9	4.7	5.7	3.6	3.9	4.3	6.3	3.6
Wisconsin	2.4	2.4	3.0	2.2	2.5	2.5	3.6	2.3
Wyoming	2.0	1.7	1.5	2.2	1.9	1.8	2.0	2.0

STILLBIRTHS BY MONTHS

Table U shows stillbirths per 100 live births by month of birth for the years 1934 and 1935. A comparison of the ratios for the 2 years shows the differences to be very slight. Rates were higher in 1935 for only 2 months—October and November.

TABLE U

MONTH OF BIRTH	STILLBIRTHS PER 100 LIVE BIRTHS IN THE UNITED STATES IN—	
	1935	1934
Total	3.6	3.6
January	3.7	3.7
February	3.6	3.7
March	3.6	3.8
April	3.8	3.8
May	3.7	3.7
June	3.6	3.7
July	3.4	3.6
August	3.3	3.4
September	3.3	3.3
October	3.6	3.5
November	3.7	3.5
December	3.5	3.6

STILLBIRTHS BY AGE OF MOTHER

Table V shows stillbirths per 100 live births, by age of mother, and plainly indicates that as mothers grow older the tendency for stillbirths among them becomes greater, especially after the age of 30. The ratios of 8.8 for mothers 45 to 49 years of age, and 8.3 for those in the 50 to 54 age-group are in marked contrast with 3.0 for mothers in the age periods 20 to 24 and 25 to 29 years.

TABLE V

UNITED STATES: 1935

AGE OF MOTHER	Live births	Stillbirths	Stillbirths per 100 live births
All ages	2,155,105	77,119	3.6
10 to 14 years	3,153	211	6.7
15 to 19 years	270,288	10,272	3.8
20 to 24 years	660,381	19,786	3.0
25 to 29 years	564,425	16,676	3.0
30 to 34 years	357,474	12,728	3.6
35 to 39 years	214,267	9,979	4.7
40 to 44 years	72,822	4,358	6.0
45 to 49 years	7,043	622	8.8
50 to 54 years	156	13	8.3
Not stated	5,096	2,474	48.5

Table W shows the distribution of births and stillbirths, by age of mother, in the United States.

TABLE W

DISTRIBUTION PER 1,000, BY AGE OF MOTHER, IN THE UNITED STATES: 1935

AGE OF MOTHER	Live births	Stillbirths
All ages	1,000.0	1,000.0
10 to 14 years	1.5	2.7
15 to 19 years	125.4	133.2
20 to 24 years	306.4	256.6
25 to 29 years	261.9	216.2
30 to 34 years	165.9	165.0
35 to 39 years	99.4	129.4
40 to 44 years	33.8	56.5
45 to 49 years	3.3	8.1
50 to 54 years	0.1	0.2
Not stated	2.4	32.1

STILLBIRTHS BY LEGITIMACY

Table X shows the number of stillbirths, with the ratio to 100 live births, by legitimacy, for cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000, and rural districts of the United States and each State.

Ratios were higher for illegitimates in all States except two—Utah and Washington. In 22 States rates of illegitimacy were highest in the smaller cities and in 15 States the highest rates were for the larger cities.

TABLE X

1935

AREA	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
UNITED STATES 1/	73,262	67,201	6,061	3.6	3.5	7.7
White	55,030	53,001	2,029	3.1	3.1	5.5
Other races	18,232	14,200	4,032	7.0	6.5	9.6
Cities of 10,000 or more	33,208	30,620	2,588	3.7	3.6	7.6
White	25,714	25,709	1,005	3.3	3.3	5.1
Other races	6,494	4,911	1,583	7.6	6.9	10.9
Cities of 2,500 to 10,000	7,770	7,209	561	3.8	3.6	8.9
White	6,366	6,141	225	3.4	3.3	6.8
Other races	1,404	1,068	336	8.4	7.7	11.4
Rural	32,284	29,372	2,912	3.5	3.3	7.6
White	21,950	21,151	799	2.9	2.8	5.8
Other races	10,334	8,221	2,113	6.5	6.1	8.5
ALABAMA	3,003	2,510	493	4.8	4.4	9.2
White	1,297	1,241	56	3.4	3.3	7.9
Other races	1,706	1,269	437	7.1	6.6	9.4
Cities of 10,000 or more	663	554	109	5.6	5.2	9.5
White	279	265	14	3.7	3.7	6.2
Other races	384	289	95	8.8	8.4	10.4
Cities of 2,500 to 10,000	194	166	28	5.7	5.3	10.7
White	113	105	8	4.6	4.3	23.5
Other races	81	61	20	8.5	8.4	8.8
Rural	2,146	1,790	356	4.6	4.2	9.0
White	905	871	34	3.2	3.1	7.5
Other races	1,241	919	322	6.7	6.1	9.2

1/ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

TABLE X—Continued

AREA	1935 STILLBIRTHS Total	Legitimate	Illegitimate	STILLBIRTHS PER 100 LIVE BIRTHS Total	Legitimate	Illegitimate
ARIZONA	255	242	13	2.8	2.7	5.9
Cities of 10,000 or more	98	92	6	3.4	3.2	9.2
Cities of 2,500 to 10,000	51	51	-----	2.5	2.5	-----
Rural	106	99	7	2.5	2.4	5.8
ARKANSAS	1,350	1,197	153	3.8	3.5	9.1
White	785	759	26	2.9	2.8	6.6
Other races	565	438	127	6.6	6.1	9.8
Cities of 10,000 or more	142	125	17	3.7	3.5	7.6
White	87	83	4	2.8	2.7	5.1
Other races	55	42	13	7.5	7.4	8.2
Cities of 2,500 to 10,000	150	127	23	4.7	4.1	14.6
White	77	76	1	3.1	3.1	2.6
Other races	73	51	22	9.5	7.9	18.3
Rural	1,058	945	113	3.7	3.5	8.7
White	621	600	21	2.9	2.8	7.3
Other races	437	345	92	6.2	5.7	9.1
COLORADO	539	507	32	2.9	2.8	6.6
Cities of 10,000 or more	251	230	21	3.1	2.9	6.0
Cities of 2,500 to 10,000	102	99	3	3.2	3.1	8.3
Rural	186	178	8	2.5	2.4	8.0
CONNECTICUT	587	574	13	2.6	2.6	2.7
Cities of 10,000 or more	501	491	10	2.7	2.7	2.7
Cities of 2,500 to 10,000	23	21	2	2.2	2.0	14.3
Rural	63	62	1	2.4	2.5	1.1
DELAWARE	148	131	17	3.7	3.5	6.0
Cities of 10,000 or more	77	69	8	3.4	3.2	6.2
Cities of 2,500 to 10,000	22	21	1	6.0	6.1	4.3
Rural	49	41	8	3.5	3.2	6.1
DISTRICT OF COLUMBIA	409	343	66	3.8	3.5	7.4
White	222	211	11	3.1	3.0	7.4
Other races	187	132	55	5.1	4.6	7.4
FLORIDA	1,573	1,362	211	5.6	5.2	11.5
White	721	700	21	3.7	3.6	6.2
Other races	852	662	190	10.1	9.5	12.7
Cities of 10,000 or more	588	495	93	5.7	5.1	13.5
White	261	252	9	3.4	3.4	6.7
Other races	327	243	84	11.8	11.0	15.2
Cities of 2,500 to 10,000	237	205	32	5.2	4.8	11.5
White	114	112	2	3.4	3.4	5.4
Other races	123	93	30	9.7	9.0	12.4
Rural	748	662	86	5.7	5.4	9.9
White	346	336	10	4.0	4.0	5.9
Other races	402	326	76	9.1	8.7	10.8
GEORGIA	3,877	3,321	556	6.1	5.7	11.2
White	1,477	1,430	47	4.0	3.9	7.1
Other races	2,400	1,891	509	9.3	8.7	11.8
Cities of 10,000 or more	944	789	155	6.9	6.4	12.1
White	395	383	12	4.6	4.5	6.4
Other races	549	406	143	10.9	10.3	13.0
Cities of 2,500 to 10,000	402	352	50	6.0	5.7	11.2
White	182	177	5	4.2	4.1	9.6
Other races	220	175	45	9.5	9.1	11.5
Rural	2,531	2,180	351	5.9	5.5	10.9
White	900	870	30	3.7	3.6	7.1
Other races	1,631	1,310	321	8.8	8.3	11.4
IDAHO	217	211	6	2.3	2.3	6.0
Cities of 10,000 or more	32	31	1	2.4	2.5	1.7
Cities of 2,500 to 10,000	93	91	2	2.3	2.2	11.1
Rural	92	89	3	2.3	2.2	12.5
ILLINOIS	3,308	3,162	146	3.0	2.9	5.2
Cities of 10,000 or more	2,249	2,142	107	2.9	2.9	4.9
Cities of 2,500 to 10,000	336	324	12	3.3	3.3	5.5
Rural	723	696	27	2.9	2.8	6.4
INDIANA	1,430	1,377	53	2.7	2.7	4.8
Cities of 10,000 or more	761	728	33	3.0	2.9	4.9
Cities of 2,500 to 10,000	192	187	5	3.3	3.2	5.2
Rural	477	462	15	2.2	2.2	4.5
IOWA	1,105	1,058	47	2.7	2.6	6.3
Cities of 10,000 or more	461	429	32	3.0	2.9	6.3
Cities of 2,500 to 10,000	201	197	4	3.3	3.3	5.1
Rural	443	432	11	2.3	2.2	7.3
KANSAS	836	802	34	2.7	2.7	6.5
Cities of 10,000 or more	333	315	18	3.1	3.0	5.3
Cities of 2,500 to 10,000	145	136	9	3.3	3.1	11.4
Rural	358	351	7	2.3	2.3	6.5
KENTUCKY	1,915	1,827	88	3.3	3.2	7.8
White	1,737	1,686	51	3.2	3.1	6.1
Other races	178	141	37	6.4	5.6	12.4
Cities of 10,000 or more	353	331	22	3.5	3.4	6.8
White	288	281	7	3.2	3.2	3.9
Other races	65	50	15	6.2	5.6	10.3
Cities of 2,500 to 10,000	101	89	12	2.2	1.9	12.6
White	82	78	4	1.9	1.8	8.2
Other races	19	11	8	5.0	3.3	17.4
Rural	1,461	1,407	54	3.4	3.3	7.5
White	1,367	1,327	40	3.3	3.2	6.6
Other races	94	80	14	6.9	6.3	13.1
LOUISIANA	2,087	1,675	412	4.9	4.3	11.3
White	830	805	25	3.4	3.4	5.4
Other races	1,257	870	387	7.0	5.9	12.2
Cities of 10,000 or more	710	507	203	5.1	4.0	16.2
White	331	314	17	3.9	3.8	6.7
Other races	379	193	186	6.9	4.3	18.6
Cities of 2,500 to 10,000	296	244	52	5.4	4.9	11.4
White	118	115	3	3.6	3.6	5.7
Other races	178	129	49	8.2	7.3	12.1
Rural	1,081	924	157	4.7	4.4	8.2
White	381	376	5	3.0	3.0	3.1
Other races	700	548	152	6.9	6.5	8.6

TABLE X—Continued

AREA	1935 STILLBIRTHS Total	Legitimate	Illegitimate	STILLBIRTHS PER 100 LIVE BIRTHS Total	Legitimate	Illegitimate
MAINE	531	512	19	3.4	3.4	3.6
Cities of 10,000 or more	155	152	3	3.2	3.2	1.5
Cities of 2,500 to 10,000	73	71	2	3.6	3.6	3.2
Rural	303	289	14	3.5	3.4	5.2
MARYLAND	1,516	1,282	234	5.6	5.1	11.5
White	1,022	955	67	4.8	4.6	12.4
Other races	494	327	167	8.4	7.4	11.1
Cities of 10,000 or more	847	722	125	5.3	4.9	11.0
White	585	547	38	4.6	4.4	13.3
Other races	262	175	87	7.8	7.0	10.2
Cities of 2,500 to 10,000	134	117	17	8.5	8.0	15.0
White	100	93	7	7.4	7.1	16.3
Other races	34	24	10	15.0	15.4	14.3
Rural	535	443	92	5.5	5.0	11.6
White	337	315	22	4.6	4.4	10.4
Other races	198	128	70	8.5	7.3	12.1
MICHIGAN	2,717	2,593	124	3.1	3.0	5.5
Cities of 10,000 or more	1,749	1,658	91	3.2	3.1	5.3
Cities of 2,500 to 10,000	249	244	5	3.2	3.2	3.5
Rural	719	691	28	2.9	2.8	7.6
MINNESOTA	1,263	1,206	57	2.7	2.7	5.0
Cities of 10,000 or more	576	539	37	3.2	3.1	5.6
Cities of 2,500 to 10,000	178	173	5	2.9	2.8	3.5
Rural	509	494	15	2.3	2.3	4.5
MISSISSIPPI	2,309	1,999	310	4.8	4.5	7.3
White	675	665	10	3.1	3.1	3.7
Other races	1,634	1,334	300	6.2	6.0	7.6
Cities of 10,000 or more	345	289	56	6.8	6.3	11.0
White	139	136	3	4.3	4.3	5.5
Other races	206	153	53	10.9	10.7	11.7
Cities of 2,500 to 10,000	99	87	12	4.6	4.5	6.2
White	49	49	-----	4.3	4.3	-----
Other races	50	38	12	5.1	4.7	6.6
Rural	1,865	1,623	242	4.5	4.3	6.9
White	487	480	7	2.8	2.8	3.5
Other races	1,378	1,143	235	5.9	5.7	7.1
MISSOURI	2,206	2,057	149	3.8	3.7	8.1
Cities of 10,000 or more	1,028	916	112	4.2	4.0	8.7
Cities of 2,500 to 10,000	194	188	6	3.6	3.6	5.0
Rural	984	953	31	3.6	3.5	7.0
MONTANA	232	223	9	2.3	2.3	4.3
Cities of 10,000 or more	75	70	5	2.5	2.4	6.3
Cities of 2,500 to 10,000	37	36	1	2.1	2.1	4.3
Rural	120	117	3	2.3	2.3	2.8
NEBRASKA	644	621	23	2.8	2.7	5.4
Cities of 10,000 or more	211	197	14	2.8	2.7	5.6
Cities of 2,500 to 10,000	112	109	3	3.6	3.6	7.3
Rural	321	315	6	2.5	2.5	4.4
NEVADA	31	30	1	2.2	2.1	4.5
Cities of 10,000 or more	1	1	-----	0.4	0.4	-----
Cities of 2,500 to 10,000	5	5	-----	1.3	1.3	-----
Rural	25	24	1	3.1	3.0	10.0
NEW HAMPSHIRE	265	252	13	3.4	3.3	7.2
Cities of 10,000 or more	154	146	8	3.5	3.4	8.8
Cities of 2,500 to 10,000	27	27	-----	3.2	3.3	-----
Rural	84	79	5	3.3	3.2	6.7
NEW JERSEY	1,857	1,781	76	3.4	3.3	5.7
Cities of 10,000 or more	1,534	1,473	61	3.5	3.5	6.0
Cities of 2,500 to 10,000	168	161	7	3.6	3.5	7.0
Rural	155	147	8	2.5	2.5	4.0
NEW MEXICO	379	350	29	2.9	2.8	5.9
Cities of 10,000 or more	65	63	2	3.9	3.9	2.9
Cities of 2,500 to 10,000	93	81	12	3.9	3.5	14.8
Rural	221	206	15	2.4	2.3	4.4
NEW YORK	7,326	7,019	307	4.0	3.9	8.2
Cities of 10,000 or more	6,397	6,140	257	4.2	4.1	8.5
Cities of 2,500 to 10,000	314	299	15	3.3	3.2	7.2
Rural	615	580	35	2.7	2.6	6.8
NORTH CAROLINA	3,255	2,781	474	4.1	3.8	7.4
White	1,634	1,558	76	3.0	3.0	4.9
Other races	1,621	1,223	398	6.5	6.0	8.2
Cities of 10,000 or more	784	633	151	5.8	5.3	9.6
White	342	328	14	3.6	3.6	3.9
Other races	442	305	137	10.4	10.1	11.3
Cities of 2,500 to 10,000	380	339	41	6.1	5.8	9.0
White	245	236	9	5.0	4.9	8.0
Other races	135	103	32	9.9	10.1	9.3
Rural	2,091	1,809	282	3.6	3.3	6.4
White	1,047	994	53	2.7	2.6	4.9
Other races	1,044	815	229	5.4	5.0	6.9
NORTH DAKOTA	350	336	14	2.6	2.5	4.1
Cities of 10,000 or more	76	68	8	2.9	2.8	4.9
Cities of 2,500 to 10,000	51	50	1	3.0	3.0	3.8
Rural	223	218	5	2.4	2.4	3.3
OHIO	3,225	3,104	121	3.2	3.1	4.9
Cities of 10,000 or more	2,077	2,005	72	3.3	3.3	4.1
Cities of 2,500 to 10,000	330	314	16	3.9	3.8	9.7
Rural	818	785	33	2.7	2.6	6.0
OKLAHOMA	1,269	1,215	54	2.9	2.8	5.9
White	1,100	1,079	21	2.7	2.7	3.4
Other races	169	136	33	5.1	4.5	11.2
Cities of 10,000 or more	356	335	21	3.2	3.1	6.3
White	291	283	8	2.9	2.9	3.6
Other races	65	52	13	6.4	5.8	11.4
Cities of 2,500 to 10,000	259	249	10	3.2	3.2	7.5
White	230	226	4	3.1	3.1	5.3
Other races	29	23	6	4.3	3.8	10.5
Rural	654	631	23	2.7	2.6	5.2
White	579	570	9	2.5	2.5	2.8
Other races	75	61	14	4.5	4.0	11.4

TABLE X—Continued

AREA	1935 STILLBIRTHS Total	Legitimate	Illegitimate	STILLBIRTHS PER 100 LIVE BIRTHS Total	Legitimate	Illegitimate
OREGON	295	288	7	2.2	2.2	3.3
Cities of 10,000 or more	142	139	3	2.3	2.3	2.0
Cities of 2,500 to 10,000	77	74	3	2.7	2.6	23.1
Rural	76	75	1	1.8	1.8	2.1
PENNSYLVANIA	5,212	4,936	276	3.2	3.2	5.0
Cities of 10,000 or more	2,939	2,790	149	3.3	3.2	4.3
Cities of 2,500 to 10,000	710	661	49	3.4	3.2	6.4
Rural	1,563	1,485	78	3.1	3.0	5.4
RHODE ISLAND	293	281	12	2.9	2.8	3.9
Cities of 10,000 or more	265	255	10	2.8	2.8	3.4
Cities of 2,500 to 10,000	7	7	-----	2.7	2.7	-----
Rural	21	19	2	3.8	3.5	14.3
SOUTH CAROLINA	2,474	2,016	458	6.1	5.5	10.8
White	722	693	29	3.7	3.6	7.0
Other races	1,752	1,323	429	8.3	7.7	11.2
Cities of 10,000 or more	449	342	107	8.0	7.0	14.8
White	139	134	5	4.0	4.0	4.5
Other races	310	208	102	14.3	13.4	16.6
Cities of 2,500 to 10,000	239	198	41	7.8	7.0	15.8
White	95	92	3	4.9	4.8	5.7
Other races	144	106	38	12.8	11.6	17.7
Rural	1,786	1,476	310	5.6	5.2	9.5
White	488	467	21	3.4	3.4	8.0
Other races	1,298	1,009	289	7.3	6.9	9.6
SOUTH DAKOTA	342	332	10	2.7	2.6	4.4
Cities of 10,000 or more	83	79	4	3.1	3.1	4.5
Cities of 2,500 to 10,000	41	40	1	2.8	2.8	5.3
Rural	218	213	5	2.5	2.5	4.2
TENNESSEE	2,159	1,988	171	4.0	3.9	7.7
White	1,613	1,546	67	3.6	3.5	6.7
Other races	546	442	104	6.6	6.2	8.5
Cities of 10,000 or more	681	594	87	5.0	4.7	8.3
White	397	373	24	3.9	3.8	6.8
Other races	284	221	63	7.9	7.6	9.1
Cities of 2,500 to 10,000	178	163	15	4.3	4.1	8.7
White	132	128	4	3.7	3.7	5.2
Other races	46	35	11	7.9	7.2	11.6
Rural	1,300	1,231	69	3.7	3.6	6.9
White	1,084	1,045	39	3.5	3.4	6.9
Other races	216	186	30	5.2	5.0	6.8
TEXAS	4,370	4,071	299	3.8	3.7	8.4
White	3,346	3,257	89	3.3	3.3	5.1
Other races	1,024	814	210	7.3	6.7	11.7
Cities of 10,000 or more	1,540	1,412	128	4.1	3.9	7.9
White	1,191	1,148	43	3.6	3.5	4.2
Other races	349	264	85	8.5	7.5	14.0

TABLE X—Continued

AREA	1935 STILLBIRTHS Total	Legitimate	Illegitimate	STILLBIRTHS PER 100 LIVE BIRTHS Total	Legitimate	Illegitimate
TEXAS—Continued						
Cities of 2,500 to 10,000	548	515	33	3.9	3.8	10.2
White	456	443	13	3.5	3.5	8.0
Other races	92	72	20	8.3	7.6	12.3
Rural	2,282	2,144	138	3.6	3.5	8.7
White	1,699	1,666	33	3.1	3.1	5.8
Other races	583	478	105	6.7	6.2	10.3
UTAH	274	273	1	2.2	2.2	0.9
Cities of 10,000 or more	119	119	-----	2.3	2.3	-----
Cities of 2,500 to 10,000	62	62	-----	2.4	2.4	-----
Rural	93	92	1	1.9	1.9	2.8
VERMONT	189	181	8	2.9	2.8	3.9
Cities of 10,000 or more	46	43	3	2.9	2.8	3.7
Cities of 2,500 to 10,000	43	43	-----	3.4	3.5	-----
Rural	100	95	5	2.7	2.6	5.2
VIRGINIA	2,182	1,897	285	4.2	4.0	7.5
White	1,166	1,108	58	3.2	3.1	5.4
Other races	1,016	789	227	6.8	6.5	8.3
Cities of 10,000 or more	690	565	125	6.0	5.4	12.5
White	341	328	13	4.2	4.1	6.5
Other races	349	237	112	10.4	9.3	14.0
Cities of 2,500 to 10,000	157	144	13	4.1	4.0	6.2
White	116	112	4	3.6	3.6	4.4
Other races	41	32	9	6.8	6.6	7.5
Rural	1,335	1,188	147	3.7	3.5	5.7
White	709	668	41	2.8	2.7	5.3
Other races	626	520	106	5.7	5.7	5.8
WASHINGTON	476	470	6	2.1	2.1	1.3
Cities of 10,000 or more	332	329	3	2.4	2.4	0.9
Cities of 2,500 to 10,000	45	44	1	1.9	1.9	5.0
Rural	99	97	2	1.7	1.7	1.8
WEST VIRGINIA	1,645	1,519	126	3.9	3.8	6.3
Cities of 10,000 or more	332	309	23	4.7	4.6	6.8
Cities of 2,500 to 10,000	207	197	10	5.7	5.7	6.0
Rural	1,106	1,013	93	3.6	3.4	6.2
WISCONSIN	1,251	1,206	45	2.4	2.3	3.8
Cities of 10,000 or more	576	554	22	2.4	2.4	3.5
Cities of 2,500 to 10,000	195	189	6	3.0	2.9	4.8
Rural	480	463	17	2.2	2.1	4.0
WYOMING	86	83	3	2.0	1.9	4.8
Cities of 10,000 or more	12	12	-----	1.7	1.7	-----
Cities of 2,500 to 10,000	13	12	1	1.5	1.4	14.3
Rural	61	59	2	2.2	2.1	5.0

PERCENT OF STILLBIRTHS FROM CERTAIN CAUSES AT SPECIFIED PERIODS OF UTEROGESTATION

In table Y the percentage distribution by sex and by cause is shown for the number of stillbirths reported in 7 States, the District of Columbia, and Baltimore, Md., the total number being 15,738. Similar tabulations are not available for other States or cities,as information concerning the cause of stillbirths and the period of gestation is not returned on a sufficient number of transcripts to warrant its tabulation.

Note the much greater preponderance of males in the stillbirths of the first 4 months of uterogestation as compared with those of the later months. The following comments apply to male stillbirths presented for the seventh, eighth, and ninth months of uterogestation, these being the months for which stillbirths are believed to be best reported.

For stillbirths of 7 months, only 18.1 percent were due to causes not specified or unknown, though this percentage would change to 26.2 if the terms "abortion, miscarriage, and premature birth" were included. For stillbirths of 8 and 9 months, 18.8 and 14.5 percent, respectively, were due to unknown or not specified causes.

Of the well-defined causes of stillbirths of 7 months' uterogestation, separation of the placenta was the principal cause, being responsible for 11.3 percent of the total. Next in importance were malformations, 6.8 percent; prolapse and compression of cord, 6.5 percent; other deaths in utero, 5.9 percent; toxemia of pregnancy, 5.8 percent; and placenta praevia, 5.7 percent.

Of the well-defined causes of 8 months' uterogestation, prolapse and compression of cord was of first importance, responsible for 13.9 percent of the total. Next in importance were other difficult labor, 11.1 percent; separation of placenta, 7.8 percent; and malformations, 5.7 percent.

Of the well-defined causes of 9 months' uterogestation, prolapse and compression of cord was the principal cause, responsible for 17.6 percent of the total. Next in importance were other difficult labor, 15.3 percent; malformations, 6.2 percent; and separation of placenta and asphyxia of child,each 6.0 percent.

From table Z, which shows the percent of stillbirths at specified periods of uterogestation by sex and cause of stillbirth, it is found that 30.8 percent of the male and 30.7 percent of the female stillbirths reported were at the ninth month, and that for 19 of the 20 groups of causes there were more stillbirths of males than females. Malformations, as usual, was the only cause responsible for more stillbirths of females than males.

As causes of stillbirths among males, albuminuria, nephritis,and other diseases incident to pregnancy played their most important role at the seventh and eighth months; the higher percentages of stillbirths from abortion, miscarriage,and premature birth were credited to the fifth and sixth months; the higher percentages from both eclampsia of pregnancy and toxemia of pregnancy were credited to the sixth, seventh, eighth,and ninth months; from traumatism to the seventh month; from placenta praevia to the seventh and eighth months; from separation of placenta to the seventh, eighth, and ninth months; from syphilis to the seventh month; from other deaths in utero to the eighth and ninth months, and for all other causes listed the higher percentages were for the ninth month.

TABLE Y

SEX AND CAUSE OF STILLBIRTH

A SELECTED AREA:1/ 1935

SEX AND CAUSE OF STILLBIRTH		Total	Period of uterogestation of stillbirth: Under 4 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Unknown
Stillbirths, number		15,738	354	693	1,290	1,669	2,197	3,703	4,841	119	872
Male		8,901	256	453	730	925	1,200	2,037	2,739	70	491
Female		6,837	98	240	560	744	997	1,666	2,102	49	381
		PERCENT OF EACH SEX									
Male		56.6	72.3	65.4	56.6	55.4	54.6	55.0	56.6	58.8	56.3
Female		43.4	27.7	34.6	43.4	44.6	45.4	45.0	43.4	41.2	43.7
		PERCENT OF EACH CAUSE TO ALL CAUSES OF EACH SEX									
All causes	M	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	F	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Syphilis	M	2.1	3.1	2.0	1.4	3.7	3.8	1.6	1.4	1.4	2.0
	F	2.1	3.1	2.1	2.0	2.6	3.3	2.0	1.4	---	1.8
Eclampsia of pregnancy	M	1.5	---	0.7	1.1	1.9	2.4	2.0	1.2	1.4	0.6
	F	1.4	---	---	1.8	2.8	2.4	1.3	1.0	2.0	---
Toxemia of pregnancy	M	3.3	1.6	0.9	2.2	4.8	5.8	3.6	2.7	5.7	1.4
	F	3.6	1.0	2.5	3.4	5.9	6.6	2.9	2.6	4.1	1.6
Albuminuria, nephritis, and other diseases incident to pregnancy	M	2.1	0.4	0.7	1.9	3.0	3.5	2.3	1.4	1.4	2.4
	F	2.7	1.0	0.8	2.7	6.6	4.8	2.0	1.4	4.1	1.0
Malformations	M	4.7	---	0.2	0.8	3.1	6.8	5.7	6.2	8.6	2.4
	F	8.2	2.0	0.4	3.4	7.1	10.8	9.1	9.7	12.2	5.2
Placenta praevia	M	2.9	0.4	2.2	2.9	4.2	5.7	3.2	1.5	---	2.2
	F	2.4	1.0	2.9	3.4	4.2	3.6	1.7	1.8	---	1.6
Separation of placenta	M	7.5	4.3	7.5	7.9	9.7	11.3	7.8	6.0	1.4	4.1
	F	7.0	3.1	5.8	7.5	8.7	9.9	7.6	5.3	---	4.7
Other diseases of the placenta and membranes	M	2.1	0.8	2.6	2.5	2.1	2.3	1.7	2.4	1.4	0.2
	F	1.9	1.0	1.7	2.5	1.9	2.3	1.9	1.9	4.1	1.0
Abortion, miscarriage, and premature birth	M	7.6	32.8	23.4	21.1	16.8	8.1	2.2	0.3	---	5.5
	F	7.5	31.6	27.9	23.2	16.1	9.3	1.7	0.3	2.0	8.9
Prolapse and compression of cord	M	10.8	0.4	1.5	3.7	4.0	6.5	13.9	17.6	20.0	6.5
	F	10.6	---	2.1	2.1	3.0	6.3	13.2	17.8	22.4	4.5
Breech presentation	M	2.5	---	0.2	0.4	0.3	1.0	3.4	4.6	7.1	0.8
	F	2.7	---	---	0.2	0.5	0.6	3.6	4.9	4.1	1.8
Other malpresentations	M	2.1	---	---	0.4	0.5	0.9	2.4	4.1	1.4	1.0
	F	1.7	---	---	---	0.4	0.9	2.8	2.8	2.0	---
Deformed pelvis	M	1.4	---	---	---	0.3	0.1	1.6	3.1	---	0.6
	F	1.0	---	---	---	---	0.3	1.0	2.1	---	0.5
Other difficult labor	M	8.1	0.4	0.2	0.4	1.4	1.6	11.1	15.3	17.1	5.1
	F	6.5	---	---	0.4	1.1	1.5	9.2	11.7	12.2	3.9
Asphyxia of child (cause not stated)	M	4.6	4.3	3.3	4.0	2.6	3.1	4.9	6.0	5.7	5.3
	F	5.1	2.0	1.3	4.1	3.4	4.0	4.9	7.6	4.1	3.4
Maceration	M	1.7	---	1.5	1.0	1.5	2.4	1.5	2.0	4.3	0.8
	F	1.7	---	1.3	0.9	1.6	1.9	1.7	2.0	2.0	0.8
Other deaths in utero	M	4.6	6.3	6.0	6.0	7.4	5.9	4.4	3.2	1.4	1.4
	F	4.9	8.2	6.3	7.0	5.1	6.9	5.5	3.3	5.1	0.3
Traumatism (exclusive of overwork)	M	2.2	6.6	6.2	4.7	3.4	3.3	0.8	0.7	1.4	1.2
	F	1.9	7.1	6.7	3.2	3.6	2.9	1.1	0.7	---	0.5
Other specified causes	M	7.5	11.3	10.2	11.1	9.4	7.4	7.1	6.0	8.6	4.3
	F	7.1	7.1	7.1	7.3	7.1	8.1	7.6	6.6	10.2	4.2
Causes not specified and unknown	M	20.7	27.3	30.7	25.6	19.9	18.1	18.8	14.5	11.4	51.9
	F	20.0	31.6	31.3	25.0	18.3	13.3	19.3	15.2	8.2	54.1

1/ Including Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, Baltimore, (Md.), and the District of Columbia.

TABLE Z

CAUSE OF STILLBIRTH

A SELECTED AREA:1/ 1935

CAUSE OF STILLBIRTH	Stillbirths: Number: Total	M	F	Percent of each sex: M	F	Percent of stillbirths at specified period of uterogestation for total of each sex: All periods, M and F	Under 4 months: M	F	4 months: M	F	5 months: M	F	6 months: M	F	7 months: M	F	8 months: M	F	9 months: M	F	10 months and over: M	F	Unknown: M	F
All causes	15,738	8,901	6,837	56.6	43.4	100.0	2.9	1.4	5.1	3.5	8.2	8.2	10.4	10.9	13.5	14.6	22.9	24.4	30.8	30.7	0.8	0.7	5.5	5.6
Syphilis	327	186	141	56.9	43.1	100.0	4.3	2.1	4.8	3.5	5.4	7.8	13.3	13.5	24.2	23.4	17.2	23.4	19.9	21.3	0.5	---	5.4	5.0
Eclampsia of pregnancy	234	136	98	58.1	41.9	100.0	---	---	2.2	---	5.9	10.2	13.2	21.4	21.3	24.5	29.4	22.4	25.0	20.4	0.7	1.0	2.2	---
Toxemia of pregnancy	544	297	247	54.6	45.4	100.0	1.3	0.4	1.3	2.4	5.4	7.7	14.8	17.8	23.6	25.7	24.9	19.4	24.9	22.3	1.3	0.8	2.4	2.4
Albuminuria, nephritis, and other diseases incident to pregnancy	367	184	183	50.1	49.9	100.0	0.5	0.5	1.6	1.1	7.6	8.2	15.2	26.8	22.8	26.2	25.0	18.0	20.1	15.8	0.5	1.1	5.5	2.2
Malformations	985	422	563	42.8	57.2	100.0	---	0.4	0.2	0.2	1.4	3.4	6.9	9.4	19.4	19.2	27.7	26.8	40.0	36.1	1.4	1.1	2.8	3.6
Placenta praevia	424	257	157	60.6	39.4	100.0	0.4	0.6	3.9	4.2	8.2	11.4	15.2	18.6	26.5	21.6	25.7	17.4	16.0	22.8	---	---	4.3	3.6
Separation of placenta	1,151	672	479	58.4	41.6	100.0	1.6	0.6	5.1	2.9	8.6	8.8	13.4	13.6	20.1	20.7	23.7	26.3	24.4	23.4	0.1	---	3.0	3.8
Other diseases of the placenta and membranes	316	183	133	57.9	42.1	100.0	1.1	0.8	6.6	3.0	9.8	10.5	10.4	10.5	15.3	17.3	19.1	24.1	36.6	29.3	0.5	1.5	0.5	3.0
Abortion, miscarriage, and premature birth	1,186	676	510	57.0	43.0	100.0	12.4	6.1	15.7	13.1	22.8	25.5	22.9	23.5	14.3	18.2	6.7	5.5	1.2	1.2	---	0.2	4.0	6.7
Prolapse and compression of cord	1,684	960	724	57.0	43.0	100.0	0.1	---	0.7	0.7	2.8	1.7	3.9	3.0	8.1	8.7	29.5	30.4	50.1	51.7	1.5	1.5	3.3	2.3
Breech presentation	407	223	184	54.8	45.2	100.0	---	---	0.4	---	1.3	0.5	1.3	2.2	5.4	3.3	31.4	32.6	56.1	56.5	2.2	1.1	1.8	3.8
Other malpresentations	303	185	118	61.1	38.9	100.0	---	---	----	---	1.6	---	2.7	2.5	5.9	7.6	26.5	39.8	60.0	49.2	0.5	0.8	2.7	---
Deformed pelvis	191	125	66	65.4	34.6	100.0	---	---	----	---	----	---	2.4	----	0.8	4.5	25.6	24.2	68.3	68.2	---	---	2.4	3.0
Other difficult labor	1,164	719	445	61.8	38.2	100.0	0.1	---	0.1	---	0.4	0.4	1.8	1.8	2.6	3.4	31.4	34.4	58.3	55.3	1.7	1.3	3.5	3.4
Asphyxia of child (cause not stated)	756	408	348	54.0	46.0	100.0	2.7	0.6	3.7	0.9	7.1	6.6	5.9	7.2	9.1	11.5	24.3	23.3	40.0	45.7	1.0	0.6	6.4	3.7
Maceration	265	151	114	57.0	43.0	100.0	---	---	4.6	2.6	4.6	4.4	9.3	10.5	19.2	16.7	20.5	25.4	37.1	36.8	2.0	0.9	2.6	2.6
Other deaths in utero	745	411	334	55.2	44.8	100.0	3.9	2.4	6.6	4.5	10.7	11.7	16.5	11.4	17.3	20.7	21.7	27.5	21.4	20.7	0.2	0.9	1.7	0.3
Traumatism (exclusive of overwork)	326	194	132	59.5	40.5	100.0	8.8	5.3	14.4	12.1	17.5	13.6	16.0	20.5	20.6	22.0	8.8	13.6	10.3	11.4	0.5	---	3.1	1.5
Other specified causes	1,151	666	485	57.9	42.1	100.0	4.4	1.4	6.9	3.5	12.2	8.5	13.1	10.9	13.4	16.7	21.6	26.0	24.5	28.7	0.9	1.0	3.2	3.3
Causes not specified and unknown	3,212	1,846	1,366	57.5	42.5	100.0	3.8	2.3	7.5	5.5	10.5	10.2	10.0	10.1	11.8	9.7	20.7	23.6	21.5	23.4	0.4	0.3	13.8	15.1

1/ Including Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, Baltimore, (Md.), and the District of Columbia.

INFANT MORTALITY STATISTICS: 1935

INTRODUCTION

The infant mortality rate is the number of deaths of infants under 1 year of age per 1,000 born alive. In 1935 the rate of infant mortality for the United States was 55.7. This is 4.4 lower than the 1934 rate and is practically equivalent to saying that of every 18 infants born alive 1 dies before reaching the age of 1 year.

INFANT MORTALITY RATES: 1931 TO 1935

Table AA shows, for the years 1931 to 1935, infant mortality rates for each State, and each city having 100,000 or more inhabitants in 1930.

For the States, the rates in 1935 ranged from 41.2 in Nebraska and Oregon to 129.3 in New Mexico. A comparison of the rates for 1935 with those for 1934 shows that rates in 1935 were lower for 35 States and higher for only 12. The greatest decreases (10.9 and 10.6) were in the rates for Mississippi and Georgia, respectively. The greatest increase (11.7) was in the rate for Nevada.

For the 93 cities that had populations in 1930 of 100,000 or more, the infant mortality rates varied from 28.8 in Duluth, Minn., to 103.8 in El Paso, Texas. In 1935 the rates for 63 cities were lower than in the preceding year and those for 30 cities were higher. The greatest decreases were 22.4 in the rate for Memphis, Tenn., 22.2 for Chattanooga, Tenn., and 22.0 for Hartford, Conn.

The greatest increases (37.0 and 27.2) were in the rates for Lynn, Mass., and South Bend, Ind., respectively.

TABLE AA

AREA	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)				
	1935	1934	1933	1932	1931
UNITED STATES 2/	55.7	60.1	58.1	57.6	61.6
White	51.9	55.6	54.1	53.9	57.4
Other races	83.2	91.6	86.4	84.4	93.1
ALABAMA	62.8	67.8	65.1	60.9	61.4
White	51.6	57.4	55.7	51.9	52.7
Other races	80.8	84.9	80.1	76.1	76.7
ARIZONA	111.7	103.5	111.4	95.9	109.6
White	97.0	92.7	101.2	89.1	101.5
Other races	198.2	179.1	182.1	142.7	177.5
ARKANSAS	47.1	54.1	54.4	45.3	49.0
White	46.7	52.1	51.2	43.4	48.4
Other races	48.6	60.7	65.2	51.6	51.1
CALIFORNIA	49.6	51.7	53.7	52.7	56.7
White	49.3	51.3	53.3	52.3	56.5
Other races	56.5	59.3	60.6	59.4	58.4
COLORADO	72.7	72.7	68.9	71.5	81.0
White	72.4	72.4	67.9	71.0	80.8
Other races	98.1	93.1	146.3	110.1	98.5
CONNECTICUT	42.7	48.8	48.4	49.4	53.8
White	42.0	48.1	47.7	48.2	52.4
Other races	71.2	75.6	73.9	95.4	103.3
DELAWARE	66.4	61.4	60.4	67.1	81.7
White	53.3	51.5	54.4	62.4	67.6
Other races	133.9	107.3	91.8	90.9	154.7
FLORIDA	61.9	68.2	62.9	61.1	63.9
White	50.5	54.5	49.8	49.4	51.8
Other races	88.3	99.5	91.6	86.9	90.9
GEORGIA	68.3	78.9	66.7	64.4	68.3
White	59.7	68.0	59.0	55.5	56.7
Other races	80.7	94.7	77.8	77.7	86.1
IDAHO	51.0	50.3	47.2	43.4	55.9
White	48.9	47.9	45.1	41.4	52.9
Other races	208.0	222.2	193.5	157.9	224.4
ILLINOIS	45.9	52.8	49.0	52.8	58.6
White	44.6	51.6	47.1	51.3	56.7
Other races	69.6	76.6	83.3	81.2	98.1
INDIANA	50.8	56.5	53.0	54.7	57.6
White	49.3	55.4	52.0	53.7	56.8
Other races	92.8	92.1	82.1	83.7	80.8
IOWA	47.1	50.6	48.3	47.9	49.0
White	46.8	50.4	47.9	47.4	48.6
Other races	96.9	83.0	139.8	169.8	112.4
KANSAS	50.3	48.5	53.5	48.1	47.9
White	49.2	46.8	52.0	46.2	46.9
Other races	83.8	97.7	99.6	108.4	80.4
KENTUCKY	58.7	64.9	58.1	63.3	65.0
White	56.6	62.1	55.6	60.7	60.7
Other races	99.4	116.5	98.4	108.2	136.7
LOUISIANA	69.4	69.1	70.1	64.8	65.9
White	57.7	55.6	56.8	52.8	53.5
Other races	85.4	87.6	88.8	82.0	84.8
MAINE	63.0	70.7	66.3	63.1	71.5
White	62.9	70.8	66.2	62.9	71.4
Other races	95.2	------	76.9	121.2	125.0
MARYLAND	62.0	70.4	65.8	69.0	80.5
White	51.7	59.8	54.7	57.3	66.3
Other races	99.1	107.3	104.0	110.4	131.9
MASSACHUSETTS	48.3	49.0	52.0	52.9	54.5
White	47.6	48.5	51.6	52.4	54.1
Other races	91.4	78.1	78.6	84.1	81.3
MICHIGAN	47.7	52.0	50.5	54.0	57.0
White	47.1	51.4	49.8	53.5	55.6
Other races	64.2	67.5	70.3	67.1	93.5
MINNESOTA	44.7	47.2	47.6	47.2	50.6
White	44.0	46.5	46.9	46.5	49.9
Other races	92.0	105.1	114.6	109.0	113.2
MISSISSIPPI	53.9	64.8	63.6	53.6	55.9
White	47.8	54.9	50.9	44.5	43.9
Other races	59.0	73.5	74.7	61.7	67.1
MISSOURI	56.9	63.1	55.4	57.2	62.8
White	55.2	60.1	52.7	53.7	60.0
Other races	83.1	109.7	100.3	110.7	106.3
MONTANA	60.0	53.5	51.5	51.4	60.5
White	54.3	47.1	46.1	46.2	53.0
Other races	138.0	153.8	125.8	125.4	184.6
NEBRASKA	41.2	45.5	49.3	43.4	48.8
White	40.3	44.8	48.9	42.9	48.2
Other races	102.7	88.5	78.7	74.5	95.8
NEVADA	71.0	59.3	73.2	69.8	74.4
White	61.1	48.4	68.2	60.3	68.0
Other races	204.1	165.4	132.1	204.8	142.9
NEW HAMPSHIRE	53.9	60.7	55.9	58.9	57.3
White	54.0	60.8	55.9	59.0	57.4
Other races	------	------	------	------	------
NEW JERSEY	46.2	49.1	46.3	50.2	56.8
White	43.7	45.3	43.7	46.8	53.5
Other races	76.5	94.3	77.1	92.4	98.3
NEW MEXICO	129.3	126.3	136.1	119.4	134.4
White	124.7	120.9	132.8	116.3	130.3
Other races	227.1	246.0	213.4	204.6	289.4
NEW YORK	48.0	51.9	53.6	52.8	57.4
White	46.3	50.1	51.8	50.8	55.3
Other races	82.4	89.9	89.8	93.1	104.5
NORTH CAROLINA	68.8	77.9	66.0	66.5	72.9
White	59.6	67.2	55.0	57.2	60.0
Other races	88.5	101.1	89.8	87.2	102.2
NORTH DAKOTA	59.4	57.3	60.0	55.5	58.8
White	57.3	56.2	56.4	54.6	57.7
Other races	122.7	95.0	198.8	96.6	113.9
OHIO	50.4	53.7	52.7	58.5	60.0
White	48.8	52.2	50.7	56.6	57.8
Other races	78.9	81.6	88.3	97.3	105.7
OKLAHOMA	54.6	60.5	56.4	50.0	51.5
White	50.5	56.5	53.1	47.2	48.8
Other races	103.6	106.2	95.5	81.0	82.4
OREGON	41.2	39.8	40.3	41.3	43.7
White	39.7	37.5	39.4	40.0	42.7
Other races	134.3	170.3	84.7	103.1	94.3
PENNSYLVANIA	50.8	55.0	53.4	60.0	66.7
White	49.3	53.0	52.1	58.1	64.2
Other races	80.5	92.6	79.2	98.3	114.9
RHODE ISLAND	47.2	53.9	55.5	57.2	60.8
White	46.9	53.3	55.4	56.6	60.7
Other races	59.6	79.7	61.2	86.5	68.6
SOUTH CAROLINA	79.3	83.0	78.2	77.2	81.0
White	61.6	67.3	60.9	61.5	58.9
Other races	95.8	98.3	94.6	91.9	102.0
SOUTH DAKOTA	52.5	58.0	54.8	50.4	(3/)
White	47.2	53.3	46.7	46.6	(3/)
Other races	152.3	151.9	204.2	126.4	(3/)
TENNESSEE	64.0	73.7	69.3	67.6	67.6
White	60.4	67.4	63.2	62.7	61.5
Other races	83.8	109.3	101.9	94.9	101.8
TEXAS	71.7	71.9	75.5	(3/)	(3/)
White	70.2	70.3	75.1	(3/)	(3/)
Other races	82.7	82.5	78.9	(3/)	(3/)
UTAH	49.3	49.2	47.6	44.2	51.4
White	47.0	47.9	47.2	43.1	51.0
Other races	309.1	181.1	131.1	195.4	107.5
VERMONT	48.6	52.6	53.0	63.2	59.9
White	48.6	52.7	53.0	63.2	59.9
Other races	------	------	------	------	------
VIRGINIA	69.6	72.6	68.5	67.2	76.3
White	58.8	62.2	59.2	57.7	63.9
Other races	96.1	98.4	90.0	90.1	107.8
WASHINGTON	45.2	43.2	38.8	45.2	48.3
White	43.3	41.3	36.8	43.7	45.6
Other races	105.4	108.0	102.0	88.3	122.4
WEST VIRGINIA	60.6	67.4	68.2	75.0	77.2
White	60.0	65.9	67.3	73.3	75.2
Other races	72.1	92.4	84.1	103.5	111.4
WISCONSIN	46.0	49.4	48.5	50.4	53.1
White	45.5	48.9	48.0	50.0	52.4
Other races	91.7	97.9	113.8	98.6	134.4
WYOMING	51.1	53.0	54.7	57.0	66.8
White	49.7	52.0	51.6	54.4	64.5
Other races	100.8	98.0	159.7	146.6	157.9

See footnotes at end of table.

TABLE AA—Continued

AREA	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)				
	1935	1934	1933	1932	1931
Cities having 100,000 or more inhabitants in 1930					
AKRON, OHIO	47.8	47.6	47.3	45.8	53.5
ALBANY, N. Y.	47.2	54.1	46.5	48.8	57.3
ATLANTA, GA.	73.5	82.9	82.7	69.3	83.8
BALTIMORE, MD.	58.5	65.1	61.2	61.9	74.2
BIRMINGHAM, ALA.	63.8	77.3	70.5	65.0	65.4
BOSTON, MASS.	51.4	54.9	59.0	59.4	60.7
BRIDGEPORT, CONN.	30.2	45.5	42.6	46.8	51.6
BUFFALO, N. Y.	52.0	56.4	68.4	67.0	66.1
CAMBRIDGE, MASS.	56.8	46.6	48.5	56.8	50.1
CAMDEN, N. J.	57.9	57.4	57.2	67.8	69.0
CANTON, OHIO	52.5	57.6	39.0	69.1	59.1
CHATTANOOGA, TENN.	82.6	104.8	93.3	89.7	89.2
CHICAGO, ILL.	40.3	47.7	48.6	49.0	56.5
CINCINNATI, OHIO	61.2	64.2	57.1	54.5	71.1
CLEVELAND, OHIO	44.2	44.6	44.2	52.8	53.5
COLUMBUS, OHIO	55.3	58.0	69.2	60.5	61.5
DALLAS, TEX.	72.7	71.3	86.3	(3/)	(3/)
DAYTON, OHIO	47.3	44.7	50.6	54.5	61.8
DENVER, COLO.	60.4	63.4	54.3	69.1	69.8
DES MOINES, IOWA	43.2	51.8	44.9	57.2	53.8
DETROIT, MICH.	44.8	50.4	50.8	51.8	56.1
DULUTH, MINN.	28.8	48.2	46.9	51.6	58.7
ELIZABETH, N. J.	44.1	40.4	46.6	47.0	46.1
EL PASO, TEX.	103.8	104.4	125.7	(3/)	(3/)
ERIE, PA.	41.4	40.0	47.3	54.3	49.5
EVANSVILLE, IND.	58.4	64.1	65.0	44.5	72.5
FALL RIVER, MASS.	56.7	41.6	62.7	52.9	58.6
FLINT, MICH.	50.9	64.5	59.5	61.0	49.2
FORT WAYNE, IND.	37.6	48.5	33.9	49.4	46.8
FORT WORTH, TEX.	64.2	66.0	76.4	(3/)	(3/)
GARY, IND.	53.9	51.6	53.2	55.0	53.0
GRAND RAPIDS, MICH.	57.2	48.4	53.3	40.2	42.7
HARTFORD, CONN.	46.7	68.7	55.9	54.2	72.4
HOUSTON, TEX.	57.5	68.1	61.4	(3/)	(3/)
INDIANAPOLIS, IND.	66.5	66.9	60.8	61.1	58.0
JACKSONVILLE, FLA.	55.2	64.9	55.2	54.3	56.5
JERSEY CITY, N. J.	40.6	45.0	41.3	54.0	73.6
KANSAS CITY, KANS.	52.3	63.4	58.8	59.4	66.5
KANSAS CITY, MO.	58.3	59.0	52.1	56.8	68.6
KNOXVILLE, TENN.	72.2	77.3	70.9	74.6	81.3
LONG BEACH, CALIF.	38.0	31.3	34.6	36.1	31.0
LOS ANGELES, CALIF.	52.9	53.3	56.8	56.1	59.4
LOUISVILLE, KY.	53.7	71.0	65.7	67.1	77.3
LOWELL, MASS.	67.7	62.6	61.1	67.3	76.7
LYNN, MASS.	70.5	33.5	48.8	42.3	44.7
MEMPHIS, TENN.	90.0	112.4	111.4	96.0	102.3
MIAMI, FLA.	63.3	61.9	58.4	57.7	57.1
MILWAUKEE, WIS.	45.8	45.3	47.2	47.4	58.4
MINNEAPOLIS, MINN.	43.0	47.4	48.5	52.5	61.4
NASHVILLE, TENN.	75.7	87.3	85.1	78.3	87.5
NEWARK, N. J.	50.9	45.1	43.4	41.1	48.7
NEW BEDFORD, MASS.	55.8	60.8	56.5	56.2	82.8
NEW HAVEN, CONN.	40.6	35.2	44.1	43.5	54.6
NEW ORLEANS, LA.	77.1	81.6	80.7	74.8	75.1
NEW YORK, N. Y.	47.8	52.1	53.0	50.8	55.7
BRONX BOROUGH	45.4	45.0	44.4	40.8	42.8
BROOKLYN BOROUGH	45.3	48.1	49.7	47.4	55.5
MANHATTAN BOROUGH	52.8	62.0	64.7	62.6	64.7
QUEENS BOROUGH	46.2	49.1	43.9	42.5	48.8
RICHMOND BOROUGH	45.0	51.2	53.4	59.1	55.7
NORFOLK, VA.	71.8	81.3	69.2	60.2	71.7
OAKLAND, CALIF.	41.9	40.4	38.1	40.1	41.0
OKLAHOMA CITY, OKLA.	64.1	65.0	62.2	63.6	61.7
OMAHA, NEBR.	42.2	47.8	46.5	41.9	53.8
PATERSON, N. J.	41.9	46.2	46.2	49.1	58.8
PEORIA, ILL.	54.0	59.5	48.9	56.5	71.8
PHILADELPHIA, PA.	48.5	54.1	49.2	51.8	54.3
PITTSBURGH, PA.	50.0	54.6	53.4	66.5	69.6
PORTLAND, OREG.	34.0	35.5	37.7	33.7	35.5
PROVIDENCE, R. I.	41.0	49.7	54.6	59.6	59.3
READING, PA.	52.8	46.0	50.4	69.5	67.8
RICHMOND, VA.	78.8	73.3	64.0	63.7	77.5
ROCHESTER, N. Y.	46.1	42.0	50.9	48.3	53.7
ST. LOUIS, MO.	51.9	60.9	44.6	56.4	63.4
ST. PAUL, MINN.	36.9	42.9	45.9	39.1	44.1
SALT LAKE CITY, UTAH	50.3	48.3	50.5	43.4	41.6
SAN ANTONIO, TEX.	96.3	109.0	113.3	(3/)	(3/)
SAN DIEGO, CALIF.	38.7	47.0	50.4	47.2	46.7
SAN FRANCISCO, CALIF.	35.4	33.0	39.9	39.2	41.3
SCRANTON, PA.	52.5	59.8	53.8	64.6	68.0
SEATTLE, WASH.	41.4	41.3	37.6	43.3	40.7
SOMERVILLE, MASS.	34.8	46.3	50.9	46.9	48.3
SOUTH BEND, IND.	63.3	36.1	41.1	49.5	47.8
SPOKANE, WASH.	53.9	51.8	38.3	39.6	48.8
SPRINGFIELD, MASS.	52.4	52.2	52.2	56.8	48.6
SYRACUSE, N. Y.	46.7	47.6	39.5	48.9	59.0
TACOMA, WASH.	36.0	45.4	34.5	47.5	48.9
TAMPA, FLA.	57.4	63.2	58.0	52.0	66.4
TOLEDO, OHIO	53.5	52.8	58.8	61.8	56.3
TRENTON, N. J.	54.4	64.4	49.6	57.7	60.0

TABLE AA—Continued

AREA	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)				
	1935	1934	1933	1932	1931
TULSA, OKLA.	66.9	72.5	60.2	62.9	52.3
UTICA, N. Y.	51.0	52.0	54.2	59.9	45.3
WASHINGTON, D. C.	59.4	65.3	67.2	72.9	67.0
WICHITA, KANS.	50.8	49.1	43.0	46.2	43.2
WILMINGTON, DEL.	58.6	55.1	55.2	62.3	69.5
WORCESTER, MASS.	47.9	60.8	55.1	52.7	50.1
YONKERS, N. Y.	34.9	46.7	51.6	45.8	54.3
YOUNGSTOWN, OHIO	42.2	48.8	51.2	61.8	58.3

1/ Exclusive of stillbirths.
2/ Exclusive of South Dakota and Texas in 1931; exclusive of Texas in 1932. (See tables A and C.)
3/ Not added to the registration area until a later date.

INFANT MORTALITY RATES FOR CITIES AND RURAL DISTRICTS

In table AB the infant mortality rates of 1917 and 1935 in the registration area of 1917 are shown for cities of 10,000 inhabitants or more and for smaller cities and rural districts combined. There was in this interval a much greater improvement in the rate for larger cities than in that for the smaller cities and rural districts, the table showing a decrease of 48.3 in the former rate as compared with 34.1 in the latter. This greater decline for the larger cities was largely due to the greater decrease (20.3) in the rate from diarrhea and enteritis. Both in the larger cities and in the smaller cities and rural districts injury at birth was the only cause which produced greater infant mortality in 1935 than in 1917.

TABLE AB

List no.	CAUSE OF DEATH	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA OF 1917 (EXCLUSIVE OF RHODE ISLAND)					
		Total		Cities of 10,000 or more		Cities of 2,500 to 10,000 and rural districts	
		1935	1917	1935	1917	1935	1917
	All causes	52.3	93.6	51.1	99.4	53.7	87.8
7	Measles	0.4	1.2	0.2	1.0	0.6	1.4
8	Scarlet fever	(4/)	0.1	(4/)	0.1	0.1	0.1
9	Whooping-cough	1.3	2.4	0.8	2.1	1.8	2.7
10	Diphtheria	0.1	0.5	0.1	0.6	0.1	0.5
11,108, 109	Influenza and pneumonia	3.1	5.0	2.5	5.1	3.8	4.8
13	Dysentery	0.2	0.3	0.1	0.2	0.3	0.5
15	Erysipelas	0.3	0.5	0.3	0.6	0.2	0.4
22	Tetanus	(4/)	0.1	(4/)	0.1	(4/)	0.1
23-32	Tuberculosis (all forms)	0.3	1.5	0.3	1.8	0.2	1.2
34	Syphilis	0.5	1.2	0.6	1.7	0.4	0.6
86	Convulsions	0.3	1.0	0.1	0.8	0.4	1.2
106,107	Bronchitis and bronchopneumonia	5.8	10.5	6.2	12.4	5.4	8.6
117,118	Diseases of the stomach	0.2	1.2	0.1	1.0	0.3	1.5
119	Diarrhea and enteritis	4.0	20.0	3.6	23.9	4.4	16.1
157	Congenital malformations	5.5	6.3	5.8	6.5	5.2	6.1
158,161	Congenital debility and other diseases of early infancy 2/	3.7	8.7	3.3	8.7	4.2	8.7
159	Premature birth	15.6	19.1	16.0	20.1	15.1	18.1
160	Injury at birth	4.8	3.8	5.5	4.6	3.9	3.0
172-198, 201-214	External causes 3/	1.0	1.3	0.8	1.3	1.2	1.4
199,200	Unknown or ill-defined diseases	1.2	2.9	0.3	0.6	2.2	5.2
	All other causes	4.1	6.0	4.4	6.3	3.7	5.7

1/ Exclusive of stillbirths.
2/ Excludes lack of care, desertion, etc., in 1935.
3/ Includes lack of care, desertion, etc., in 1935.
4/ Less than one-tenth of 1 per 1,000 births.

Table AC presents infant mortality rates, by sex, for certain subdivisions of the first year of life, for the class of cities having 10,000 inhabitants or more, and for smaller cities combined with rural districts, in the birth registration area of 1917 (exclusive of Rhode Island), from 1929 to 1935. The table shows that year by year, with one exception, the rate of infant mortality declined gradually from 1929 to 1935, the difference in rates for this six-year interval being 14.4 per 1,000 for cities of 10,000 or more, and 13.8 per 1,000 for the smaller cities and rural districts.

The table also shows that in 1935 all rates under 1 year had either declined since 1934 or had remained the same.

TABLE AC

INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FOR THE REGISTRATION AREA OF 1917 (EXCLUSIVE OF RHODE ISLAND)

AGE AND SEX	In cities of 10,000 or more							In cities of 2,500 to 10,000 and rural districts						
	1935	1934	1933	1932	1931	1930	1929	1935	1934	1933	1932	1931	1930	1929
Under 1 year	51.1	54.9	54.4	55.8	60.1	61.9	65.5	53.7	58.2	55.0	58.1	62.0	64.7	67.5
Male	57.6	61.1	60.4	61.8	67.0	68.7	72.4	59.9	64.9	61.0	64.7	68.3	70.9	74.4
Female	44.3	48.4	48.0	49.6	52.9	54.7	58.2	47.1	51.2	48.5	51.1	55.4	58.1	60.1
Under 1 day	15.4	16.1	15.7	15.8	15.5	15.4	15.5	14.1	14.7	14.2	14.0	14.3	14.1	14.7
Male	17.6	17.8	17.2	17.5	17.3	17.2	17.4	16.0	16.5	15.8	15.8	16.4	15.9	16.6
Female	13.1	14.3	14.2	14.1	13.7	13.5	13.5	12.1	12.8	12.5	12.2	12.1	12.2	12.8
1 day	3.9	4.0	4.1	4.0	4.2	4.3	4.5	3.5	3.5	3.5	3.7	3.9	4.0	4.2
Male	4.5	4.6	4.6	4.6	4.6	4.9	5.1	3.9	4.0	4.0	4.3	4.4	4.4	4.8
Female	3.3	3.4	3.5	3.4	3.7	3.7	4.1	3.0	3.0	3.0	3.0	3.4	3.7	3.5
2 days	2.4	2.4	2.7	2.6	2.8	3.0	3.0	2.5	2.7	2.7	2.7	2.7	2.9	3.1
Male	2.8	2.9	3.2	3.1	3.3	3.5	3.5	3.1	3.2	3.2	3.1	3.2	3.4	3.5
Female	2.0	2.0	2.3	2.2	2.4	2.4	2.5	1.9	2.1	2.1	2.3	2.2	2.4	2.7
3 to 6 days	3.9	4.1	4.4	4.4	4.6	4.9	5.1	4.5	4.7	4.8	4.9	4.9	5.2	5.5
Male	4.4	4.6	4.9	5.0	5.2	5.4	5.8	5.3	5.4	5.2	5.9	5.6	6.0	6.2
Female	3.4	3.4	3.7	3.7	3.9	4.3	4.5	3.7	4.0	4.4	4.0	4.3	4.5	4.7
1 week	2.7	2.7	2.7	3.0	3.2	3.5	3.6	3.1	3.5	3.5	3.5	4.1	4.2	4.1
Male	3.0	3.0	3.0	3.1	3.4	3.7	3.9	3.3	4.0	3.8	4.0	4.4	4.5	4.6
Female	2.4	2.4	2.5	2.8	2.8	3.2	3.3	2.8	3.1	3.1	3.1	3.8	4.0	3.6
2 weeks	1.8	2.1	1.9	2.0	2.2	2.4	2.4	2.0	2.3	2.2	2.3	2.6	2.6	2.9
Male	1.9	2.3	2.1	2.2	2.5	2.6	2.5	2.2	2.5	2.5	2.5	2.9	2.8	3.2
Female	1.7	1.9	1.7	1.8	2.0	2.2	2.2	1.9	2.1	2.0	2.1	2.4	2.4	2.6
3 weeks but under 1 month	1.6	1.7	1.7	1.7	1.8	2.0	2.0	1.7	2.0	1.9	2.1	2.3	2.2	2.4
Male	1.7	1.9	1.9	1.8	1.9	2.2	2.2	2.0	2.3	2.1	2.2	2.5	2.4	2.7
Female	1.4	1.5	1.6	1.5	1.6	1.8	1.9	1.5	1.8	1.7	1.9	2.0	2.0	2.2
Under 1 month	31.7	33.1	33.3	33.6	34.3	35.4	36.2	31.4	33.5	32.9	33.3	34.9	35.4	36.9
Male	36.0	37.1	36.9	37.4	38.8	39.4	40.3	35.7	37.9	36.4	37.8	39.3	39.4	41.5
Female	27.3	28.9	29.4	29.5	30.1	31.1	32.0	26.8	28.8	29.2	28.6	30.3	31.2	32.1
1 month	3.6	3.9	3.9	4.1	4.6	4.7	5.0	4.6	4.9	5.5	4.9	5.4	5.6	5.8
Male	4.1	4.5	4.4	4.7	5.3	5.4	5.6	5.1	5.5	5.0	5.7	6.0	6.1	6.2
Female	3.1	3.3	3.4	3.6	3.9	4.0	4.4	4.0	4.2	3.9	4.1	4.8	5.1	5.3
2 months	2.9	3.2	3.0	3.2	3.8	3.8	4.0	3.6	3.7	3.1	3.7	4.2	4.4	4.3
Male	3.2	3.5	3.5	3.5	4.3	4.3	4.5	4.0	4.2	3.6	3.9	4.5	4.8	4.7
Female	2.6	2.9	2.7	2.7	3.2	3.3	3.5	3.1	3.2	2.9	3.6	3.8	3.9	4.0
3 to 5 months	5.8	6.5	6.3	6.7	7.6	8.0	8.8	6.8	7.5	6.6	7.5	7.8	8.9	9.4
Male	6.5	7.2	7.0	7.2	8.4	8.9	9.6	7.3	8.1	7.0	8.1	8.3	9.5	10.3
Female	5.1	5.7	5.5	6.1	6.7	7.1	7.9	6.2	6.9	6.2	6.9	7.3	8.1	8.6
6 to 8 months	3.9	4.7	4.5	4.7	5.6	5.8	6.5	4.2	5.0	4.3	4.8	5.6	6.0	6.3
Male	4.5	4.9	4.9	5.0	6.2	6.3	7.1	4.5	5.4	4.6	5.2	6.0	6.4	6.7
Female	3.4	4.4	3.9	4.4	5.0	5.3	5.7	3.8	4.5	4.0	4.4	5.2	5.6	5.7
9 to 11 months	3.1	3.5	3.4	3.6	4.3	4.2	5.0	3.2	3.7	3.3	3.7	4.1	4.4	4.8
Male	3.3	3.9	3.7	3.9	4.6	4.4	5.3	3.3	3.8	3.6	4.0	4.2	4.6	5.1
Female	2.8	3.1	3.0	3.3	4.1	3.9	4.7	3.1	3.6	3.2	3.5	4.0	4.1	4.5

1/ Exclusive of stillbirths.

COMPARISON OF INFANT MORTALITY RATES: 1930 TO 1935

Table AD shows infant mortality rates from certain important causes for each year from 1930 to 1935. A comparison of the rates for 1935 with those for 1934 shows very slight increases in the rates for scarlet fever, influenza and pneumonia, erysipelas, and "all other" causes in the expanding area and for influenza and pneumonia, unknown or ill-defined diseases, and "all other" causes in the area of 1915. All other rates declined or remained the same.

Table AE shows infant mortality rates from important causes for certain subdivisions of the first year of life by sex.

Only slight differences between the rates for 1935 and those for 1934 are indicated by the figures in this table. Except for 4 causes—scarlet fever, influenza, erysipelas, and "all other" causes—the rates either declined in 1935 or remained the same. The greatest increase (0.3 per 1,000 births) was in the rate for influenza. The greatest decrease (1.2) was in the rate for diarrhea and enteritis.

TABLE AD

List no.	CAUSE OF DEATH	INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE EXPANDING REGISTRATION AREA IN THE UNITED STATES						INFANT MORTALITY RATE (DEATHS 1/ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE REGISTRATION AREA OF 1915 (EXCLUSIVE OF RHODE ISLAND)					
		1935	1934	1933	1932	1931	1930	1935	1934	1933	1932	1931	1930
	All causes	55.7	60.1	58.1	57.6	61.6	64.6	49.0	52.8	52.9	55.1	59.5	62.1
7	Measles	0.4	0.7	0.3	0.2	0.4	0.4	0.3	0.3	0.2	0.3	0.3	0.3
8	Scarlet fever	0.1	(2/)	(2/)	(2/)	0.1	0.1	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
9	Whooping-cough	1.4	2.1	1.3	1.5	1.2	1.5	1.0	1.2	0.9	1.2	1.1	1.2
10	Diphtheria	0.1	0.2	0.2	0.2	0.2	0.2	(2/)	(2/)	(2/)	0.1	0.1	0.1
11,108, 109	Influenza and pneumonia	3.6	3.5	4.1	4.0	4.2	3.8	2.7	2.6	3.0	3.3	3.8	3.5
13	Dysentery	0.4	0.4	0.4	0.2	0.3	0.4	(2/)	0.1	0.1	0.1	0.1	0.1
15	Erysipelas	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.4	0.4
22	Tetanus	0.1	0.1	0.1	0.1	0.1	0.1	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
23-32	Tuberculosis (all forms)	0.3	0.3	0.4	0.4	0.5	0.5	0.3	0.4	0.3	0.4	0.5	0.5
34	Syphilis	0.7	0.7	0.8	0.8	0.8	0.8	0.4	0.5	0.5	0.6	0.7	0.7
86	Convulsions	0.3	0.3	0.3	0.3	0.3	0.4	0.2	0.2	0.3	0.3	0.3	0.4
106,107	Bronchitis and bronchopneumonia	5.8	6.2	5.7	6.0	6.8	6.8	6.1	6.5	6.0	6.9	7.8	7.9
117,118	Diseases of the stomach	0.2	0.3	0.3	0.2	0.3	0.3	0.1	0.1	0.1	0.1	0.2	0.2
119	Diarrhea and enteritis	4.9	6.1	5.6	5.2	6.6	7.8	3.1	4.1	4.0	4.3	5.6	7.0
157	Congenital malformations	4.8	5.2	5.1	5.3	5.4	5.3	5.9	6.4	6.4	6.6	6.6	6.5
158,161	Congenital debility and other diseases of early infancy	3.9	4.3	4.3	4.2	4.5	4.7	3.2	3.6	3.8	3.9	4.4	4.7
159	Premature birth	15.4	16.2	15.8	15.8	16.0	16.7	14.9	16.1	15.8	15.7	15.9	16.4
160	Injury at birth	4.5	4.5	4.6	4.6	4.8	4.8	5.1	5.4	5.6	5.8	5.9	6.1
172-198, 201-214	External causes	1.0	1.0	1.0	0.9	1.0	1.1	0.8	0.8	0.8	0.7	0.8	0.8
199,200	Unknown or ill-defined diseases	3.4	3.5	3.8	3.6	3.7	4.0	0.3	0.2	0.3	0.4	0.4	0.4
	All other causes	4.2	4.0	3.9	3.8	4.3	4.5	4.1	4.0	4.0	4.1	4.7	5.0

1/ Exclusive of stillbirths. 2/ Less than one-tenth of 1 per 1,000 births.

TABLE AE

INFANT MORTALITY RATE (DEATHS[1] UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE UNITED STATES

List no.	CAUSE OF DEATH AND SEX	Under 1 year		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 month	1 month	2 months	3 to 5 months	6 to 8 months	9 to 11 months
		1935	1934	1935	1935	1935	1935	1935	1935	1935	1935	1935	1935	1935	1935	1935
	All causes	55.7	60.1	15.0	3.7	2.4	4.4	3.1	2.0	1.8	32.4	4.4	3.5	7.1	4.8	3.5
	Male	62.2	66.5	17.0	4.2	2.9	5.1	3.4	2.2	2.0	36.7	4.9	3.9	7.8	5.2	3.8
	Female	48.9	53.3	12.8	3.1	2.0	3.7	2.9	1.9	1.6	27.9	3.8	3.2	6.4	4.4	3.2
7	Measles	0.4	0.7	(2/)	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	0.1	0.1
	Male	0.4	0.8	(2/)	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	0.1	0.1
	Female	0.3	0.6	(2/)	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	0.1	0.1
8	Scarlet fever	0.1	(2/)	----	----	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
	Male	0.1	(2/)	----	----	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
	Female	(1/)	(2/)	----	----	----	----	----	(2/)	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
9	Whooping-cough	1.4	2.1	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	0.2	0.2	0.4	0.3	0.2
	Male	1.3	2.0	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	0.2	0.2	0.4	0.3	0.2
	Female	1.4	2.3	----	----	----	----	(2/)	(2/)	0.1	0.1	0.2	0.2	0.4	0.3	0.2
10	Diphtheria	0.1	0.2	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
	Male	0.1	0.2	----	(2/)	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
	Female	0.1	0.2	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1
11	Influenza	1.5	1.2	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	0.1	0.2	0.2	0.2	0.4	0.3	0.2
	Male	1.7	1.4	(2/)	(2/)	(2/)	(2/)	0.1	0.1	0.1	0.2	0.2	0.2	0.4	0.4	0.2
	Female	1.3	1.1	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	0.2	0.2	0.2	0.3	0.3	0.2
13	Dysentery	0.4	0.4	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	0.1	0.1
	Male	0.4	0.5	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	0.1	0.1
	Female	0.3	0.4	----	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	0.1	0.1
15	Erysipelas	0.3	0.2	----	----	----	(2/)	(2/)	(2/)	(2/)	0.1	0.1	(2/)	(2/)	(2/)	(2/)
	Male	0.3	0.3	----	----	----	(2/)	(2/)	(2/)	(2/)	0.1	0.1	(2/)	(2/)	(2/)	(2/)
	Female	0.2	0.2	----	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	0.1	(2/)	(2/)
18	Epidemic cerebrospinal meningitis	0.1	0.1	----	----	----	(2/)	(2/)	(2/)	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
	Male	0.1	0.1	----	----	----	----	(2/)	(2/)	----	(2/)	(2/)	(2/)	0.1	(2/)	(2/)
	Female	0.1	0.1	----	----	----	(2/)	(2/)	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
22	Tetanus	0.1	0.1	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	(2/)	(2/)	(2/)	(2/)
	Male	0.1	0.1	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	(2/)	(2/)	(2/)	(2/)
	Female	0.1	0.1	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	----	----	(2/)	(2/)	----
23	Tuberculosis of the respiratory system	0.1	0.1	(2/)	(2/)	(2/)	(2/)	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
	Male	0.2	0.1	----	(2/)	(2/)	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
	Female	0.1	0.1	(2/)	----	(2/)	(2/)	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
24	Tuberculosis of the meninges, etc.	0.1	0.1	----	----	----	(2/)	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
	Male	0.1	0.2	----	----	----	----	----	(2/)	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
	Female	0.1	0.1	----	----	----	(2/)	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
25	Other forms of tuberculosis	0.1	0.1	----	(2/)	----	(2/)	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
to	Male	0.1	0.1	----	----	----	(2/)	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
32	Female	(1/)	(2/)	----	(2/)	----	(2/)	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)
34	Syphilis	0.7	0.7	0.1	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.3	0.1	0.1	0.1	(2/)	(2/)
	Male	0.8	0.8	0.1	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.3	0.1	0.1	0.1	(2/)	(2/)
	Female	0.6	0.6	0.1	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.3	0.1	0.1	0.1	(2/)	(2/)
86	Convulsions	0.3	0.3	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.2	(2/)	(2/)	(2/)	(2/)	(2/)
	Male	0.3	0.3	(2/)	(2/)	(2/)	0.1	(2/)	(2/)	(2/)	0.2	(2/)	(2/)	0.1	(2/)	(2/)
	Female	0.2	0.2	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	(2/)	(2/)	(2/)	(2/)
106	Bronchitis	0.3	0.3	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	(2/)
	Male	0.3	0.3	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	(2/)	0.1	(2/)	(2/)
	Female	0.2	0.2	----	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	(2/)
107	Bronchopneumonia	5.5	5.9	(2/)	(2/)	0.1	0.2	0.2	0.2	0.3	1.0	0.7	0.7	1.5	0.9	0.7
	Male	6.1	6.6	(2/)	(2/)	0.1	0.2	0.2	0.3	0.3	1.1	0.9	0.7	1.6	1.0	0.7
	Female	4.9	5.3	(2/)	(2/)	(2/)	0.2	0.2	0.2	0.2	0.9	0.6	0.6	1.3	0.8	0.6
108,109	Lobar and unspecified pneumonia	2.2	2.3	(2/)	(2/)	(2/)	0.1	0.1	0.1	0.1	0.4	0.3	0.2	0.5	0.4	0.3
	Male	2.5	2.6	(2/)	(2/)	(2/)	0.1	0.1	0.1	0.1	0.4	0.3	0.2	0.6	0.5	0.4
	Female	1.8	2.1	(2/)	(2/)	(2/)	0.1	0.1	0.1	0.1	0.3	0.2	0.2	0.5	0.4	0.3
117,118	Diseases of the stomach	0.2	0.3	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	(2/)	0.1	(2/)	(2/)
	Male	0.3	0.3	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	(2/)	0.1	(2/)	(2/)
	Female	0.2	0.2	----	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	(2/)	(2/)	(2/)	(2/)
119	Diarrhea and enteritis	4.9	6.1	(2/)	(2/)	(2/)	0.1	0.1	0.2	0.2	0.6	0.6	0.6	1.4	1.0	0.7
	Male	5.4	6.7	(2/)	(2/)	(2/)	0.1	0.2	0.2	0.2	0.7	0.7	0.6	1.6	1.1	0.7
	Female	4.4	5.5	(2/)	(2/)	(2/)	0.1	0.1	0.2	0.2	0.6	0.5	0.5	1.3	0.9	0.6
122b	Intestinal obstruction	0.4	0.4	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	(2/)	0.1	0.1	(2/)
	Male	0.5	0.5	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	0.1	0.1	0.1	0.1	(2/)
	Female	0.3	0.3	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	(2/)	0.1	0.1	(2/)
157	Congenital malformations	4.8	5.2	1.2	0.4	0.3	0.6	0.4	0.2	0.2	3.4	0.4	0.3	0.4	0.2	0.1
	Male	5.2	5.6	1.2	0.5	0.4	0.7	0.4	0.3	0.2	3.7	0.5	0.3	0.5	0.2	0.1
	Female	4.4	4.7	1.1	0.3	0.3	0.5	0.4	0.2	0.2	3.0	0.4	0.2	0.4	0.2	0.1
158,161	Congenital debility, icterus, sclerema	2.1	2.4	0.3	0.1	0.1	0.3	0.2	0.1	0.1	1.3	0.3	0.2	0.2	0.1	(2/)
b,c	Male	2.4	2.7	0.4	0.1	0.1	0.4	0.2	0.1	0.1	1.5	0.3	0.2	0.2	0.1	0.1
	Female	1.8	2.1	0.3	0.1	0.1	0.2	0.2	0.1	0.1	1.1	0.2	0.1	0.2	0.1	(2/)
159	Premature birth	15.4	16.2	9.3	1.8	0.9	1.2	1.0	0.4	0.3	14.9	0.3	0.1	0.1	(2/)	(2/)
	Male	17.1	17.8	10.5	2.0	1.0	1.3	1.0	0.4	0.3	16.5	0.3	0.1	0.1	(2/)	(2/)
	Female	13.6	14.5	8.0	1.6	0.8	1.1	0.9	0.4	0.2	13.1	0.3	0.1	0.1	(2/)	(2/)
160	Injury at birth	4.5	4.5	2.3	0.6	0.5	0.7	0.2	0.1	(2/)	4.4	(2/)	(2/)	----	----	----
	Male	5.4	5.4	2.8	0.8	0.6	0.8	0.2	0.1	(2/)	5.3	(2/)	(2/)	----	----	----
	Female	3.5	3.6	1.9	0.5	0.3	0.5	0.2	(2/)	(2/)	3.5	(2/)	(2/)	----	----	----
161a,d	Other diseases of early infancy	1.8	1.9	0.8	0.2	0.2	0.3	0.1	0.1	(2/)	1.8	(2/)	(2/)	----	----	----
	Male	2.1	2.2	1.0	0.3	0.2	0.4	0.1	0.1	(2/)	2.1	(2/)	(2/)	----	----	----
	Female	1.5	1.6	0.7	0.2	0.2	0.3	0.1	(2/)	(2/)	1.5	(2/)	(2/)	----	----	----
172-198,	External causes	1.0	1.0	0.1	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.3	0.1	0.1	0.2	0.1	0.1
201-214	Male	1.1	1.1	0.1	(2/)	(2/)	0.1	(2/)	(2/)	(2/)	0.3	0.1	0.1	0.2	0.2	0.2
	Female	1.0	1.0	0.1	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.2	0.1	0.1	0.2	0.1	0.1
199,200	Unknown or ill-defined diseases	3.4	3.5	0.7	0.3	0.2	0.4	0.3	0.2	0.1	2.1	0.3	0.3	0.4	0.2	0.1
	Male	3.7	3.9	0.8	0.3	0.2	0.5	0.3	0.2	0.1	2.3	0.4	0.3	0.4	0.2	0.1
	Female	3.0	3.2	0.6	0.2	0.2	0.3	0.3	0.1	0.1	1.8	0.3	0.2	0.4	0.2	0.1
	All other causes	3.7	3.5	0.1	0.1	0.1	0.2	0.2	0.2	0.1	1.1	0.4	0.4	0.8	0.6	0.5
	Male	4.2	4.0	0.1	0.1	0.1	0.3	0.3	0.2	0.2	1.3	0.5	0.4	0.9	0.7	0.5
	Female	3.1	3.0	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.9	0.4	0.3	0.6	0.5	0.4

1/ Exclusive of stillbirths.
2/ Less than one-tenth of 1 per 1,000 births.

SEASONAL INFANT MORTALITY

Table AF shows infant mortality rates from important causes, by sex and month of death, in the United States.

MEASLES AND WHOOPING-COUGH.—The rates from measles and whooping-cough were highest in the first quarter of the year. The highest rates from measles were for March and April, but the highest mortality from whooping-cough occurred from February to April.

INFLUENZA, PNEUMONIA (all forms) AND BRONCHITIS.—Rates from these causes were highest in the first 3 months of the year.

PREMATURE BIRTH AND CONGENITAL DEBILITY.—The rates from premature birth and congenital debility show very slight variations from month to month, the highest rate from premature birth appearing for May and the highest from congenital debility appearing for November. As in previous years more deaths resulted from premature birth than from any other cause, 27.6 percent of all deaths of infants having been attributed to this cause.

DIARRHEA AND ENTERITIS.—As usual, the highest mortality from these diseases occurred from June to October. The highest rate was for the month of July.

TABLE AF

INFANT MORTALITY RATE (DEATHS[1] UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE UNITED STATES: 1935

List no.	CAUSE OF DEATH AND SEX	All causes	January	February	March	April	May	June	July	August	September	October	November	December
	All causes	55.7	66.7	65.0	62.3	58.6	57.3	53.4	49.2	47.7	46.3	51.0	53.9	58.7
	Male	62.2	74.6	73.0	70.2	65.3	64.1	59.8	54.8	52.7	51.8	56.0	59.7	66.3
	Female	48.9	58.4	56.7	54.0	51.6	50.2	46.6	43.3	42.3	40.5	45.7	47.7	50.9
7	Measles	0.4	0.5	0.7	0.9	0.8	0.7	0.4	0.1	(2/)	(2/)	0.1	(2/)	0.1
	Male	0.4	0.6	0.9	1.0	0.8	0.8	0.4	0.1	(2/)	0.1	(2/)	0.1	0.1
	Female	0.3	0.4	0.6	0.9	0.7	0.6	0.4	0.1	(2/)	(2/)	0.1	(2/)	(2/)
8	Scarlet fever	0.1	0.1	0.1	0.1	0.1	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	0.1
	Male	0.1	0.1	0.1	0.1	0.1	0.1	0.1	(2/)	(2/)	(2/)	0.1	(2/)	0.1
	Female	(2/)	(2/)	(2/)	0.1	0.1	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	(2/)	0.1
9	Whooping-cough	1.4	1.8	2.0	2.0	2.0	1.7	1.7	1.2	1.0	0.8	0.8	0.8	0.8
	Male	1.3	1.8	1.9	1.9	1.9	1.6	1.5	1.2	0.8	0.7	0.7	0.7	0.7
	Female	1.4	1.7	2.1	2.1	2.0	1.9	1.9	1.2	1.2	0.8	0.8	0.8	0.8
10	Diphtheria	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	(2/)	0.2	0.1	0.2	0.2
	Male	0.1	0.2	0.3	0.2	0.1	0.1	0.1	(2/)	0.1	0.2	0.1	0.2	0.3
	Female	0.1	0.3	0.2	0.2	0.2	0.1	0.1	0.1	(2/)	0.1	0.2	0.1	0.2
11	Influenza	1.5	4.3	4.3	2.9	1.5	0.8	0.4	0.2	0.3	0.4	0.5	0.8	1.5
	Male	1.7	4.9	4.7	3.3	1.7	1.0	0.4	0.2	0.3	0.4	0.5	0.8	1.8
	Female	1.3	3.7	3.8	2.5	1.2	0.6	0.4	0.2	0.2	0.4	0.4	0.7	1.2
13	Dysentery	0.4	0.1	(2/)	0.1	0.1	0.4	0.7	0.7	0.7	0.5	0.5	0.3	0.1
	Male	0.4	0.2	(2/)	0.1	0.1	0.5	0.7	0.7	0.6	0.6	0.5	0.4	0.1
	Female	0.3	0.1	0.1	(2/)	0.2	0.3	0.6	0.7	0.7	0.4	0.4	0.3	0.1
15	Erysipelas	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.1	0.1	0.2	0.2	0.3	0.3
	Male	0.3	0.4	0.4	0.4	0.3	0.3	0.2	0.1	0.1	0.2	0.2	0.3	0.4
	Female	0.2	0.2	0.2	0.4	0.4	0.4	0.3	0.1	0.1	0.1	0.2	0.2	0.3
16	Epidemic cerebrospinal meningitis	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
	Male	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.2
	Female	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	(2/)	0.1	0.1	0.1	0.1
22	Tetanus	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	(2/)	0.1	0.1	0.1	0.1
	Male	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	(2/)	0.1	0.1	0.1	0.1
	Female	0.1	0.1	0.1	0.1	(2/)	(2/)	(2/)	(2/)	(2/)	(2/)	0.1	0.1	0.1
23	Tuberculosis of the respiratory system	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
	Male	0.2	0.1	0.1	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1
	Female	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.1
24	Tuberculosis of the meninges, etc.	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	Male	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
	Female	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25 to 32	Other forms of tuberculosis	0.1	(2/)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	(2/)	0.1	0.1	(2/)
	Male	0.1	(2/)	(2/)	0.1	(2/)	0.1	0.1	0.1	0.1	(2/)	0.1	0.1	0.1
	Female	(2/)	(2/)	0.1	0.1	0.1	0.1	(2/)	0.1	0.1	(2/)	0.1	(2/)	(2/)
34	Syphilis	0.7	0.8	0.7	0.7	0.8	0.9	0.6	0.6	0.6	0.5	0.7	0.7	0.8
	Male	0.8	0.8	0.8	0.7	0.8	0.9	0.6	0.7	0.6	0.5	0.8	0.8	0.9
	Female	0.6	0.8	0.6	0.7	0.8	0.8	0.5	0.5	0.5	0.4	0.7	0.6	0.7
86	Convulsions	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.3	0.4
	Male	0.3	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.2	0.3	0.2	0.3	0.4
	Female	0.2	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.3
106	Bronchitis	0.3	0.5	0.5	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.3
	Male	0.3	0.5	0.7	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.4
	Female	0.2	0.4	0.3	0.4	0.3	0.3	0.1	0.1	0.1	0.1	0.2	0.3	0.3
107	Bronchopneumonia	5.5	10.8	9.4	9.1	6.9	5.1	3.3	2.2	2.0	2.5	4.0	4.8	6.8
	Male	6.1	12.2	10.6	10.2	7.9	5.5	3.6	2.3	2.2	2.8	4.4	5.1	7.5
	Female	4.9	9.3	8.2	8.1	5.7	4.8	2.9	2.1	1.8	2.2	3.6	4.5	6.1
108,109	Lobar and unspecified pneumonia	2.2	4.1	3.9	3.2	2.8	1.9	1.3	0.8	0.7	1.0	1.4	1.9	3.1
	Male	2.5	4.4	4.3	4.0	3.2	2.2	1.5	0.8	0.7	1.2	1.5	2.3	3.6
	Female	1.8	3.7	3.6	2.3	2.4	1.7	1.1	0.7	0.7	0.7	1.3	1.5	2.6
117,118	Diseases of the stomach	0.2	0.3	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.3
	Male	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.2	0.2	0.3	0.3	0.3	0.3
	Female	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.1	0.3
119	Diarrhea and enteritis	4.9	2.5	2.5	2.8	3.7	5.4	7.3	7.6	7.2	6.4	5.8	4.6	3.0
	Male	5.4	2.8	2.8	2.9	4.0	5.8	8.1	8.3	7.9	7.3	6.3	5.1	3.3
	Female	4.4	2.2	2.3	2.6	3.4	4.9	6.4	6.9	6.4	5.4	5.3	4.1	2.7
122b	Intestinal obstruction	0.4	0.4	0.5	0.4	0.4	0.5	0.3	0.4	0.4	0.4	0.4	0.4	0.4
	Male	0.5	0.5	0.6	0.6	0.5	0.6	0.3	0.4	0.5	0.5	0.6	0.5	0.5
	Female	0.3	0.2	0.4	0.3	0.3	0.4	0.3	0.4	0.3	0.3	0.2	0.3	0.4
157	Congenital malformations	4.8	5.3	5.1	4.9	5.1	4.7	4.5	4.8	4.3	4.3	4.7	4.8	5.1
	Male	5.2	5.7	5.3	5.3	5.4	5.0	4.9	5.4	4.6	5.0	5.2	5.1	5.8
	Female	4.4	4.8	4.8	4.6	4.7	4.4	4.1	4.2	3.9	3.6	4.2	4.6	4.4
158,161 b, c	Congenital debility, icterus, sclerema	2.1	2.1	1.9	1.9	2.2	2.1	2.0	2.0	2.1	1.9	2.2	2.5	2.2
	Male	2.4	2.4	2.2	2.2	2.5	2.5	2.3	2.2	2.3	2.1	2.5	2.8	2.4
	Female	1.8	1.7	1.7	1.5	1.8	1.7	1.6	1.8	2.0	1.7	1.9	2.1	1.9
159	Premature birth	15.4	15.3	15.3	15.3	15.7	16.8	16.0	15.1	14.6	13.8	14.9	16.0	16.1
	Male	17.1	16.5	17.1	17.0	17.4	19.0	18.2	17.0	16.2	14.9	16.0	17.8	17.9
	Female	13.6	14.0	13.3	13.5	13.9	14.5	13.6	13.0	13.0	12.7	13.7	14.2	14.1
160	Injury at birth	4.5	4.8	4.8	4.9	4.8	4.6	4.4	4.3	4.0	4.0	4.2	4.3	4.7
	Male	5.4	5.7	5.9	5.8	5.9	5.3	5.3	5.1	4.9	5.1	5.0	5.2	5.7
	Female	3.5	3.8	3.5	3.9	3.6	3.9	3.6	3.5	3.0	2.9	3.3	3.4	3.7
161a,d	Other diseases of early infancy	1.8	1.9	2.1	2.0	1.9	1.8	1.8	1.6	1.8	1.7	1.8	1.7	1.9
	Male	2.1	2.3	2.4	2.3	2.0	2.2	2.1	1.9	2.1	1.9	2.1	2.0	2.2
	Female	1.5	1.5	1.7	1.7	1.7	1.4	1.6	1.2	1.4	1.5	1.6	1.5	1.7
172-198, 201-214	External causes	1.0	1.3	1.1	1.0	1.0	0.8	0.9	0.9	0.8	0.9	1.0	1.1	1.6
	Male	1.1	1.4	1.2	1.1	1.0	0.9	1.0	1.0	1.0	1.0	1.2	1.1	1.7
	Female	1.0	1.3	1.0	0.9	0.9	0.8	0.8	0.9	0.7	0.9	0.8	1.0	1.5
199,200	Unknown or ill-defined diseases	3.4	4.2	4.2	3.8	3.3	3.2	2.8	2.7	3.1	2.8	2.9	3.4	4.1
	Male	3.7	4.8	4.8	4.2	3.7	3.5	3.2	3.0	3.4	2.9	3.2	3.7	4.4
	Female	3.0	3.5	3.6	3.4	3.0	2.8	2.4	2.3	2.8	2.6	2.6	3.2	3.7
	All other causes	3.7	4.4	4.3	4.1	3.8	3.8	3.6	2.8	3.0	3.0	3.5	3.8	4.2
	Male	4.2	5.0	4.8	5.0	4.3	4.8	4.0	3.1	3.4	3.3	3.7	4.2	5.1
	Female	3.1	3.7	3.7	3.1	3.3	2.9	3.1	2.4	2.5	2.6	3.4	3.3	3.3

1/ Exclusive of stillbirths. 2/ Less than one-tenth of 1 per 1,000 births.

INFANT MORTALITY BY RACE

Table AG presents infant mortality rates by age, sex, and race.

With a rate of 55.7 per 1,000 live births for the total, rates for white and Negro children and for those of other races were 51.9, 81.9, and 110.8, respectively.

For "under 1 day", rates for children of other races were lower than those for white and Negro children, but in every other instance rates for the white were lower than those for both Negroes and other races.

For the first 2 age-periods—under 1 day and 1 day—rates for children of other races were lower than those for Negroes but for all other ages rates for Negroes are lower than those for other races.

Except for 2 ages—2 weeks for other races and 11 months for white—rates throughout the table are higher for males than for females.

TABLE AG

INFANT MORTALITY RATE (DEATHS[1] UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE UNITED STATES: 1935

AGE AND SEX	Total	White	Negro	Other races
Under 1 year	55.7	51.9	81.9	110.8
Male	62.2	58.1	90.0	126.8
Female	48.9	45.2	73.6	94.7
Under 1 day	15.0	14.8	16.5	11.4
Male	17.0	16.8	18.2	13.1
Female	12.8	12.6	14.6	9.7
1 day	3.7	3.6	4.7	3.7
Male	4.2	4.1	5.2	4.7
Female	3.1	3.0	4.2	2.7
2 days	2.4	2.3	3.3	5.2
Male	2.9	2.7	3.8	6.2
Female	2.0	1.9	2.8	4.2
3 to 6 days	4.4	4.0	6.7	8.7
Male	5.1	4.7	7.9	9.5
Female	3.7	3.4	5.4	7.9
1 week	3.1	2.8	5.4	6.1
Male	3.4	3.1	5.7	6.3
Female	2.9	2.6	5.0	5.9
2 weeks	2.0	1.9	3.3	3.3
Male	2.2	2.0	3.3	3.2
Female	1.9	1.7	3.2	3.5
3 weeks but under 1 month	1.8	1.6	2.9	3.3
Male	2.0	1.8	3.2	3.7
Female	1.6	1.4	2.7	3.0
Under 1 month	32.4	31.0	42.8	41.7
Male	36.7	35.2	47.3	46.7
Female	27.9	26.5	38.0	36.8
1 month	4.4	4.0	6.9	9.9
Male	4.9	4.5	7.7	11.3
Female	3.8	3.5	6.1	8.5
2 months	3.5	3.2	5.6	8.6
Male	3.9	3.5	6.1	10.5
Female	3.2	2.9	5.2	6.7
3 months	2.9	2.5	4.9	7.1
Male	3.1	2.8	5.3	9.0
Female	2.5	2.3	4.6	5.2
4 months	2.3	2.0	4.3	5.9
Male	2.5	2.2	4.6	7.2
Female	2.1	1.8	3.9	4.7
5 months	2.0	1.7	3.5	5.7
Male	2.1	1.9	3.9	7.5
Female	1.8	1.6	3.1	5.9
6 months	1.8	1.6	3.3	6.5
Male	2.0	1.7	3.6	7.5
Female	1.6	1.4	3.0	5.5
7 months	1.6	1.4	2.6	5.4
Male	1.7	1.5	2.8	5.8
Female	1.4	1.2	2.5	5.0
8 months	1.4	1.3	2.6	5.1
Male	1.5	1.4	2.7	5.5
Female	1.3	1.2	2.4	4.9
9 months	1.3	1.2	2.0	5.7
Male	1.5	1.3	2.4	7.2
Female	1.1	1.0	1.7	4.2
10 months	1.1	1.0	1.6	3.8
Male	1.1	1.0	1.7	4.0
Female	1.0	0.9	1.4	3.5
11 months	1.1	1.0	1.8	4.2
Male	1.2	1.0	1.9	4.5
Female	1.1	1.0	1.8	3.9

1/ Exclusive of stillbirths.

Table AH presents rates of infant mortality, by sex and cause, for white and Negro children and for those of other races, in the United States in 1935.

The table shows that the only diseases causing a higher mortality among white children than among Negroes were scarlet fever, erysipelas, congenital malformations, and injury at birth. A comparison of the rates for white children with those of other races shows that there was higher mortality among whites from scarlet fever, diphtheria, tetanus, congenital malformations, premature birth, and injury at birth.

TABLE AH

INFANT MORTALITY RATE (DEATHS[1] UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE UNITED STATES: 1935

List no.	CAUSE OF DEATH AND SEX	Total	White	Negro	Other races
	All causes	55.7	51.9	81.9	110.8
	Male	62.2	58.1	90.0	126.8
	Female	48.9	45.2	73.6	94.7
7	Measles	0.4	0.3	0.4	2.7
	Male	0.4	0.4	0.5	3.3
	Female	0.3	0.3	0.3	2.0
8	Scarlet fever	0.1	0.1	(2/)	-------
	Male	0.1	0.1	-----	-------
	Female	(2/)	(2/)	(2/)	-------
9	Whooping-cough	1.4	1.2	2.2	4.0
	Male	1.3	1.1	2.3	3.5
	Female	1.4	1.3	2.2	4.5
10	Diphtheria	0.1	0.1	0.2	-------
	Male	0.1	0.1	0.2	-------
	Female	0.1	0.1	0.2	-------
11	Influenza	1.5	1.3	2.8	3.2
	Male	1.7	1.5	3.0	4.8
	Female	1.3	1.1	2.5	1.5
13	Dysentery	0.4	0.3	0.6	1.2
	Male	0.4	0.3	0.6	1.3
	Female	0.3	0.3	0.5	1.0
15	Erysipelas	0.3	0.3	0.1	0.4
	Male	0.3	0.3	0.1	0.5
	Female	0.2	0.3	0.1	0.3
18	Epidemic cerebrospinal meningitis	0.1	0.1	0.1	0.3
	Male	0.1	0.1	0.1	0.3
	Female	0.1	0.1	0.1	0.2
22	Tetanus	0.1	0.1	0.2	-------
	Male	0.1	0.1	0.3	-------
	Female	0.1	(2/)	0.1	-------
23	Tuberculosis of the respiratory system	0.1	0.1	0.4	2.2
	Male	0.2	0.1	0.4	2.8
	Female	0.1	0.1	0.4	1.5
24	Tuberculosis of the meninges, etc.	0.1	0.1	0.2	1.4
	Male	0.1	0.1	0.2	1.8
	Female	0.1	0.1	0.2	1.0
25 to 32	Other forms of tuberculosis	0.1	(2/)	0.1	0.8
	Male	0.1	(2/)	0.2	1.2
	Female	(2/)	(2/)	0.1	0.5
34	Syphilis	0.7	0.4	2.8	2.6
	Male	0.8	0.4	3.1	3.8
	Female	0.6	0.4	2.5	1.3
86	Convulsions	0.3	0.2	0.6	0.9
	Male	0.3	0.3	0.8	0.8
	Female	0.2	0.2	0.5	1.0
106	Bronchitis	0.3	0.2	0.4	0.6
	Male	0.3	0.3	0.4	0.5
	Female	0.2	0.2	0.4	0.7
107	Bronchopneumonia	5.5	5.1	8.0	18.6
	Male	6.1	5.7	8.7	21.2
	Female	4.9	4.5	7.3	15.9
108,109	Lobar and unspecified pneumonia	2.2	1.8	4.6	7.7
	Male	2.5	2.0	5.4	9.7
	Female	1.8	1.5	3.9	5.7
117,118	Diseases of the stomach	0.2	0.2	0.5	0.9
	Male	0.3	0.2	0.7	1.0
	Female	0.2	0.2	0.4	1.0
119	Diarrhea and enteritis	4.9	4.6	7.1	10.5
	Male	5.4	5.0	7.9	12.0
	Female	4.4	4.2	6.2	9.0
122b	Intestinal obstruction	0.4	0.4	0.4	0.6
	Male	0.5	0.5	0.5	0.8
	Female	0.3	0.3	0.4	0.3
157	Congenital malformations	4.8	5.2	2.0	4.6
	Male	5.2	5.6	2.2	5.3
	Female	4.4	4.7	1.9	3.9
158,161 b,t	Congenital debility, icterus, sclerema	2.1	1.8	4.3	4.3
	Male	2.4	2.0	4.6	4.5
	Female	1.8	1.5	3.9	4.0
159	Premature birth	15.4	15.0	18.1	12.6
	Male	17.1	16.8	19.3	14.5
	Female	13.6	13.2	16.8	10.5
160	Injury at birth	4.5	4.7	3.1	3.3
	Male	5.4	5.6	3.7	3.0
	Female	3.5	3.7	2.5	3.5
161a,d	Other diseases of early infancy	1.8	1.8	2.2	4.6
	Male	2.1	2.0	2.6	4.7
	Female	1.5	1.5	1.8	4.5
172-198, 201-214	External causes	1.0	0.9	1.8	2.3
	Male	1.1	1.0	1.9	2.0
	Female	1.0	0.8	1.7	2.7
199,200	Unknown or ill-defined diseases	3.4	1.9	13.8	15.0
	Male	3.7	2.2	14.9	17.5
	Female	3.0	1.6	12.5	12.6
	All other causes	3.7	3.5	4.7	5.6
	Male	4.2	4.0	5.3	5.5
	Female	3.1	3.0	4.1	5.5

1/ Exclusive of stillbirths.

2/ Less than one-tenth of 1 per 1,000 births.

INFANT MORTALITY RATES OF FOREIGN COUNTRIES

Infant mortality rates for the United States and certain foreign countries are presented in tables AI, AJ, and AK.

For 18 countries rates are shown for both 1934 and 1935. Of these, all but 7 had lower rates in 1935, namely, Ceylon, Denmark, Irish Free State, Jamaica, New Zealand, Northern Ireland, and Switzerland.

New Zealand in 1935 had a rate of 32.3 or 23.4 less than the 1935 rate for the United States. Of this difference, 63 percent is found in the rates for the first 3 months of life, and the other 37 percent distributed over the other 9 months. Considering the difference by cause of death, it is found that the rates in the United States were higher for all but three causes. The rates in the United States from congenital debility and other diseases of early infancy, convulsions, and diphtheria were 0.3, 0.2, and 0.1, respectively, lower than the rates for the same causes in New Zealand and the rate for diseases of the stomach was the same in both countries.

The diseases chiefly responsible for the difference between the rates of the two countries are premature birth, diarrhea and enteritis, bronchitis and bronchopneumonia, and unknown or ill-defined diseases.

Chile and British Guiana had rates of 250.9 and 121.8, or 195.2 and 66.1, respectively, higher than that for the United States. In Chile, 28 percent of the difference was caused by the high rates from influenza and pneumonia, and bronchitis and bronchopneumonia, 26 percent from congenital debility and other diseases of early infancy, and 17 percent from diarrhea and enteritis.

British Guiana's nigh mortality from congenital debility and other diseases of early infancy was responsible for 45 percent of the difference between the rates of the two countries, and the large number of deaths from bronchitis and bronchopneumonia, diarrhea and enteritis, and premature birth caused 12, 10, and 7 percent, respectively, of the difference.

TABLE AI

COUNTRY, YEAR, AND SEX	Births[1]	Deaths under 1 year[1]	Infant mortality rate (deaths under 1 year of age per 1,000 live births)
UNITED STATES:			
1935—Total	2,155,105	120,138	55.7
Male	1,105,489	68,805	62.2
Female	1,049,616	51,333	48.9
1934—Total	2,167,636	130,185	60.1
Male	1,112,703	73,950	66.5
Female	1,054,933	56,235	53.3
1933—Total	2,081,232	120,887	58.1
Male	1,068,871	68,331	63.9
Female	1,012,361	52,556	51.9
AUSTRALIA:			
1935—Total	111,325	4,429	39.8
Male	56,892	2,537	44.6
Female	54,433	1,892	34.8
1934—Total	109,475	4,772	43.6
Male	55,848	2,697	48.3
Female	53,627	2,075	38.7
1933—Total	111,269	4,397	39.5
Male	57,160	2,500	43.7
Female	54,109	1,897	35.1
BELGIUM:			
1934—Total	132,568	10,067	75.9
Male	67,746	5,808	85.7
Female	64,822	4,259	65.7
1933—Total	135,769	11,597	85.4
Male	69,728	6,650	95.4
Female	66,041	4,947	74.9
BRITISH GUIANA:			
1935—Total	11,262	1,372	121.8
Male	5,657	727	128.5
Female	5,605	645	115.1
1934—Total	9,301	1,567	168.5
Male	4,727	846	179.0
Female	4,574	721	157.6
1933—Total	10,461	1,613	154.2
Male	5,339	865	162.0
Female	5,122	748	146.0
CANADA: [2]			
1935—Total	221,226	15,723	71.1
Male	113,188	9,064	80.1
Female	108,038	6,659	61.6
1934—Total	221,303	15,870	71.7
Male	113,323	9,124	80.5
Female	107,980	6,746	62.5
1933—Total	222,868	16,284	73.1
Male	114,388	9,340	81.7
Female	108,480	6,944	64.0

TABLE AI—Continued

COUNTRY, YEAR, AND SEX	Births[1]	Deaths under 1 year[1]	Infant mortality rate (deaths under 1 year of age per 1,000 live births)
CEYLON:			
1935—Total	192,755	50,733	263.2
Male	98,209	26,135	266.1
Female	94,546	24,597	260.2
1934—Total	206,512	35,719	173.0
Male	105,298	19,161	182.0
Female	101,214	16,558	163.6
1933—Total	209,032	32,866	157.2
Male	107,054	17,731	165.6
Female	101,978	15,135	148.4
CHILE:			
1935—Total	153,151	38,432	250.9
Male	78,689	20,213	256.9
Female	74,462	18,219	244.7
1934—Total	150,362	39,383	261.9
Male	77,056	20,720	268.9
Female	73,306	18,663	254.6
1933—Total	147,733	38,106	257.9
Male	76,276	20,155	264.2
Female	71,457	17,951	251.2
DENMARK:			
1935—Total	65,223	4,634	71.0
1934—Total	65,116	4,194	64.4
Male	33,600	2,469	73.5
Female	31,516	1,725	54.7
1933—Total	62,780	4,246	67.6
Male	32,409	2,465	76.1
Female	30,371	1,781	58.6
ENGLAND, SCOTLAND, AND WALES:			
1935—Total	686,684	40,846	59.5
Male	352,517	23,563	66.8
Female	334,167	17,283	51.7
1934—Total	686,478	41,918	61.1
Male	352,288	24,009	68.2
Female	334,190	17,909	53.6
1933—Total	666,959	43,979	65.9
Male	341,496	25,307	74.1
Female	325,463	18,672	57.4
ENGLAND AND WALES:			
1935—Total	598,756	34,092	56.9
Male	307,552	19,654	63.9
Female	291,204	14,438	49.6
1934—Total	597,642	35,017	58.6
Male	306,874	20,061	65.4
Female	290,768	14,956	51.4
1933—Total	580,413	36,960	63.7
Male	296,729	21,311	71.8
Female	283,684	15,649	55.2
SCOTLAND:			
1935—Total	87,928	6,754	76.8
Male	44,965	3,909	86.9
Female	42,963	2,845	66.2
1934—Total	88,836	6,901	77.7
Male	45,414	3,948	86.9
Female	43,422	2,953	68.0
1933—Total	86,546	7,019	81.1
Male	44,767	3,996	89.3
Female	41,779	3,023	72.4
ESTONIA:			
1934—Total	17,305	1,576	91.1
Male	8,959	931	103.9
Female	8,346	645	77.3
1933—Total	18,208	1,711	94.0
Male	9,439	951	100.8
Female	8,769	760	86.7
FINLAND:			
1935—Total	69,942	4,669	66.8
Male	36,178	2,586	71.5
Female	33,764	2,083	61.7
1934—Total	67,713	4,944	73.0
Male	34,575	2,825	81.7
Female	33,137	2,119	63.9
1933—Total	65,047	4,922	75.7
Male	33,419	2,729	81.7
Female	31,628	2,193	69.3
FRANCE:			
1934—Total	677,878	47,075	69.4
Male	345,780	27,019	78.1
Female	332,098	20,056	60.4
1933—Total	678,700	50,772	74.8
Male	345,751	28,777	83.2
Female	332,949	21,995	66.1
GERMANY:			
1934—Total	1,182,789	77,848	65.8
Male	611,027	44,867	73.4
Female	571,762	32,981	57.7
1933—Total	956,971	73,283	76.6
Male	493,473	41,921	85.0
Female	463,498	31,362	67.7

See footnotes on page 27.

TABLE AI—Continued

COUNTRY, YEAR, AND SEX	Births[1]	Deaths under 1 year[1]	Infant mortality rate (deaths under 1 year of age per 1,000 live births)
HUNGARY:			
1934—Total	194,279	28,721	147.8
1933—Total	193,911	26,426	136.3
IRISH FREE STATE:			
1935—Total	58,266	3,988	68.4
Male	29,898	2,337	78.2
Female	28,368	1,651	58.2
1934—Total	57,897	3,664	63.3
Male	29,825	2,086	69.9
Female	28,072	1,578	56.2
1933—Total	57,364	3,742	65.2
Male	29,381	2,150	73.2
Female	27,983	1,592	56.9
ITALY:			
1934—Total	992,956	98,023	98.7
Male	508,814	53,192	104.5
Female	484,152	44,831	92.6
1933—Total	995,979	99,746	100.1
Male	511,032	54,075	105.8
Female	484,947	45,671	94.2
JAMAICA:			
1935—Total	37,379	5,144	137.6
Male	18,898	2,722	144.0
Female	18,481	2,422	131.1
1934—Total	34,247	4,507	131.6
Male	17,291	2,447	141.5
Female	16,956	2,060	121.5
1933—Total	35,568	5,342	149.8
Male	18,173	2,887	158.9
Female	17,495	2,455	140.3
JAPAN:			
1934—Total	2,043,783	255,063	124.8
Male	1,042,736	138,736	133.0
Female	1,001,047	116,327	116.2
1933—Total	2,121,253	257,251	121.3
Male	1,087,688	139,571	128.3
Female	1,033,565	117,680	113.9
LITHUANIA:			
1935—Total	57,970	7,146	123.3
Male	29,821	4,024	134.9
Female	28,149	3,122	110.9
1934—Total	60,770	10,059	165.5
Male	31,247	5,576	178.4
Female	29,523	4,483	151.8
1933—Total	62,145	7,537	121.3
Male	31,999	4,319	135.0
Female	30,146	3,218	106.7
NETHERLANDS:			
1935—Total	170,425	6,819	40.0
Male	87,910	3,977	45.2
Female	82,515	2,842	34.4
1934—Total	172,214	7,334	42.6
Male	88,725	4,218	47.5
Female	83,489	3,116	37.3
1933—Total	171,289	7,518	43.9
Male	88,136	4,364	49.5
Female	83,153	3,154	37.9

TABLE AI—Continued

COUNTRY, YEAR, AND SEX	Births[1]	Deaths under 1 year[1]	Infant mortality rate (deaths under 1 year of age per 1,000 live births)
NEW ZEALAND:			
1935—Total	23,965	773	32.3
Male	12,316	444	36.1
Female	11,649	329	28.2
1934—Total	24,322	781	32.1
Male	12,554	456	36.3
Female	11,768	325	27.6
1933—Total	24,334	770	31.6
Male	12,419	455	36.6
Female	11,915	315	26.4
NORTHERN IRELAND:			
1935—Total	24,742	2,136	86.3
Male	12,780	1,227	96.0
Female	11,962	909	76.0
1934—Total	25,365	1,767	69.7
Male	13,165	1,054	80.1
Female	12,200	713	58.4
1933—Total	24,601	1,960	79.7
Male	12,648	1,106	87.4
Female	11,953	854	71.4
NORWAY:			
1934—Total	41,833	1,645	39.3
Male	21,589	922	42.7
Female	20,244	723	35.7
1933—Total	42,114	2,003	47.5
Male	21,834	1,179	54.0
Female	20,280	824	40.7
SPAIN:			
1934—Total	637,446	72,027	113.0
1933—Total	667,818	75,014	112.3
SWEDEN:			
1935—Total	85,902	4,020	46.8
1934—Total	85,036	4,027	47.4
1933—Total	85,020	4,210	49.5
Male	43,819	2,472	56.4
Female	41,201	1,738	42.2
SWITZERLAND:			
1935—Total	66,378	3,179	47.9
Male	34,241	1,826	53.3
Female	32,137	1,353	42.1
1934—Total	67,277	3,077	45.7
Male	34,591	1,809	52.3
Female	32,686	1,268	38.8
1933—Total	67,509	3,224	47.8
Male	34,314	1,837	53.5
Female	33,195	1,387	41.8
UNION OF SOUTH AFRICA (EUROPEAN):			
1934—Total	44,878	2,728	60.8
Male	22,924	1,513	66.0
Female	21,954	1,215	55.3
1933—Total	44,519	2,716	61.0
Male	22,994	1,515	65.9
Female	21,525	1,201	55.8

1/ Exclusive of stillbirths.
2/ Exclusive of Yukon and the Northwest Territories.

NOTE.—These data were procured from the annual reports on vital statistics of the various countries.

TABLE AJ

DEATHS[1] UNDER 1 YEAR OF AGE IN 1935 IN—

AGE AND SEX	United States	England and Wales	New Zealand	Scotland	Chile	Northern Ireland	Australia	Irish Free State	Netherlands	Ceylon
Under 1 year	120,138	34,092	773	6,754	38,432	2,136	4,429	3,988	6,819	50,733
Male	68,805	19,654	444	3,909	20,213	1,227	2,537	2,337	3,977	26,136
Female	51,333	14,436	329	2,845	18,219	909	1,892	1,651	2,842	24,597
Under 1 day—Total	32,237	6,438	196	1,028	4,121	287	---	---	---	---
Male	18,782	3,676	120	616	2,250	166	---	---	---	---
Female	13,455	2,762	76	412	1,871	121	---	---	---	---
1 day—Total	7,945	2,041	72							
Male	4,657	1,181	40							
Female	3,288	860	32							
2 days—Total	5,250	1,751	161	1,155	5,654	276	---	---	---	---
Male	3,169	1,039	93	678	2,978	152	---	---	---	---
Female	2,081	712	68	477	2,676	126	---	---	---	---
3 to 6 days—Total	9,445	2,953								
Male	5,597	1,750								
Female	3,848	1,203								
Under 1 week—Total	54,877	13,183	429	2,183	9,775	565	2,528	---	---	18,581
Male	32,205	7,646	253	1,294	5,228	318	1,427	---	---	10,186
Female	22,672	5,537	176	889	4,547	247	1,101	---	---	8,395
1 week—Total	6,759	2,191	54	487			304			
Male	3,750	1,221	27	255			186			
Female	3,009	970	27	222			118			
2 weeks—Total	4,396	1,615	35	417	4,678	283	124	---	---	
Male	2,432	930	16	218	2,429	160	77	---	---	
Female	1,964	685	19	199	2,249	123	47	---	---	
3 weeks but under 1 month—Total	3,802	1,203	10	302	3,241		108			
Male	2,176	693	3	175	1,661		70			15,604
Female	1,626	510	7	127	1,580		38			7,927
										7,677
Under 1 month—Total	69,834	18,192	528	3,389	17,694	848	3,054	1,591	3,809	
Male	40,563	10,490	299	1,952	9,318	478	1,760	941	2,231	
Female	29,271	7,702	229	1,437	8,376	370	1,304	650	1,578	
1 month—Total	9,477		45		4,819	206	239	498	491	
Male	5,451		25		2,563	118	148	294	309	
Female	4,026	5,460	20	985	2,256	88	91	204	182	
2 months—Total	7,571	3,236	41	595	2,884	153	155	377	429	
Male	4,250	2,224	33	390	1,525	103	95	213	254	
Female	3,321		8		1,359	50	60	164	175	
3 to 5 months—Total	15,370	4,606	74	1,045	5,531	388	342	781	889	
Male	8,609	2,632	36	612	2,904	219	191	453	529	
Female	6,761	1,974	38	433	2,627	169	151	328	360	16,548
6 to 8 months—Total	10,325	3,248	55	771	4,027		320			8,023
Male	5,757	1,859	30	446	2,115	541	182	741	1,201	8,525
Female	4,568	1,389	25	325	1,912	309	138	436	654	
9 to 11 months—Total	7,561	2,586	30	564	3,477	232	309	305	547	
Male	4,175	1,437	21	304	1,788		161			
Female	3,386	1,149	9	260	1,689		148			

INFANT MORTALITY RATE (DEATHS[1] UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN 1935 IN

Under 1 year	55.7	56.9	32.3	76.8	250.9	86.3	39.8	68.4	40.0	263.2
Male	62.2	63.9	36.1	86.9	256.9	96.0	44.6	78.2	45.2	266.1
Female	48.9	49.6	28.2	66.2	244.7	76.0	34.8	58.2	34.4	260.2
Under 1 day—Total	15.0	10.8	8.2	11.7	26.9	11.6	---	---	---	---
Male	17.0	12.0	9.7	13.7	28.6	13.0	---	---	---	---
Female	12.8	9.5	6.5	9.6	25.1	10.1	---	---	---	---
1 day—Total	3.7	3.4	3.0							
Male	4.2	3.8	3.2							
Female	3.1	3.0	2.7							
2 days—Total	2.4	2.9	6.7	13.1	36.9	11.2	---	---	---	---
Male	2.9	3.4	7.6	15.1	37.8	11.9	---	---	---	---
Female	2.0	2.4	5.8	11.1	35.9	10.5	---	---	---	---
3 to 6 days—Total	4.4	4.9								
Male	5.1	5.7								
Female	3.7	4.1								
Under 1 week—Total	25.5	22.0	17.9	24.8	63.8	22.8	22.7	---	---	96.4
Male	29.1	24.9	20.5	28.8	66.4	24.9	25.1	---	---	103.7
Female	21.6	19.0	15.1	20.7	61.1	20.6	20.2	---	---	88.8
1 week—Total	3.1	3.7	2.3	5.5			2.7			
Male	3.4	4.0	2.2	5.9			3.3			
Female	2.9	3.3	2.3	5.2	30.5		2.2			
2 weeks—Total	2.0	2.7	1.5	4.7	30.9	11.4	1.1	---	---	
Male	2.2	3.0	1.3	4.8	30.2	12.5	1.4	---	---	
Female	1.9	2.4	1.6	4.6		10.3	1.0	---	---	
3 weeks but under 1 month—Total	1.8	2.0	0.4	3.4	21.2		1.0			
Male	2.0	2.3	0.2	3.9	21.1		1.2			81.0
Female	1.5	1.8	0.6	3.0	21.2		0.7			80.7
										81.2
Under 1 month—Total	32.4	30.4	22.0	38.5	115.5	34.3	27.5	27.3	22.4	
Male	36.7	34.1	24.3	43.4	118.4	37.4	30.9	31.5	25.4	
Female	27.9	26.4	19.7	33.4	112.5	30.9	24.0	22.9	19.1	
1 month—Total	4.4		1.9		31.5	8.3	2.1	8.5	2.9	
Male	4.9		2.0		32.6	9.2	2.6	9.8	3.5	
Female	3.8	9.1	1.7	11.2	30.3	7.4	1.7	7.2	2.2	
2 months—Total	3.5	10.5	1.7	13.2	18.8	6.2	1.4	6.5	2.5	
Male	3.8	7.6	2.7	9.1	19.4	8.1	1.7	7.1	2.9	
Female	3.2		0.7		18.3	4.2	1.1	5.8	2.1	
3 to 5 months—Total	7.1	7.7	3.1	11.9	36.1	15.7	3.1	13.4	5.2	
Male	7.8	8.6	2.9	13.6	36.9	17.1	3.4	15.2	6.0	
Female	6.4	6.8	3.3	10.1	35.3	14.1	2.8	11.6	4.4	
6 to 8 months—Total	4.8	5.4	2.3	8.8	25.3		2.9			85.8
Male	5.2	6.0	2.4	9.9	26.9	21.9	3.2	12.7	7.0	81.7
Female	4.4	4.8	2.1	7.6	25.7	24.2	2.5	14.6	7.4	90.2
9 to 11 months—Total	3.5	4.3	1.3	6.4	22.7	19.4	2.8	10.8	6.6	
Male	3.8	4.7	1.7	6.8	22.7		2.8			
Female	3.2	3.9	0.8	6.1	22.7		2.7			

1/ Exclusive of stillbirths.

NOTE.—These data were procured from the annual reports on vital statistics of the various countries.

TABLE AK

INFANT MORTALITY RATE (DEATHS[1] UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN—

CAUSE OF DEATH AND SEX	United States		England and Wales		Canada[2]	Australia		Scotland		New Zealand		Netherlands		Irish Free State		Chile		Northern Ireland		British Guiana		Japan	Switzerland	
	1935	1934	1935	1934	1934	1935	1934	1935	1934	1935	1934	1935	1934	1935	1934	1935	1934	1935	1934	1935	1934	1934	1935	1934
All causes	55.7	60.1	56.9	58.6	71.7	39.8	43.6	76.8	77.7	32.3	32.1	40.0	42.6	68.4	63.3	250.9	261.9	86.3	69.7	121.8	168.5	124.8	47.9	45.7
Male	62.2	66.5	63.9	65.4	80.5	44.6	48.3	86.9	85.9	36.1	36.3	45.2	47.5	78.2	69.9	256.9	268.9	96.0	80.1	128.5	179.0	133.0	53.3	52.3
Female	48.9	53.3	49.6	51.4	62.5	34.8	38.7	66.2	68.0	28.2	27.6	34.4	37.3	58.2	56.2	244.7	254.6	76.0	58.4	115.1	157.6	116.2	42.1	38.8
Measles (7)	0.4	0.7	0.5	1.1	0.3	0.1	0.1	0.4	3.4	(3/)	0.3	0.2	0.4	1.0	0.2	2.6	3.5	4.7	0.9	----	----	1.5	0.1	0.2
Male	0.4	0.8	0.5	1.2	0.4	0.1	0.1	0.3	3.8	0.1	0.5	0.2	0.5	0.9	0.3	2.6	3.5	4.9	1.0	----	----	1.5	(3/)	0.2
Female	0.3	0.6	0.4	1.1	0.3	0.2	0.1	0.5	3.1	----	0.2	0.2	0.4	1.0	0.2	2.6	3.5	4.4	0.9	----	----	1.5	0.1	0.2
Scarlet fever (8)	0.1	(3/)	(3/)	(3/)	(3/)	(3/)	(3/)	0.1	0.2	----	----	(3/)	(3/)	0.1	(3/)	(3/)	(3/)	0.1	(3/)	----	----	(3/)	----	(3/)
Male	0.1	(3/)	(3/)	(3/)	0.1	----	(3/)	0.1	0.3	----	----	(3/)	----	0.1	----	(3/)	(3/)	0.2	----	----	----	(3/)	----	(3/)
Female	(3/)	(3/)	(3/)	(3/)	(3/)	(3/)	0.1	----	0.1	----	----	----	(3/)	0.1	(3/)	(3/)	(3/)	0.1	0.1	----	----	(3/)	----	----
Whooping-cough (9)	1.4	2.1	1.4	1.5	2.7	0.9	2.4	3.4	2.0	1.0	0.8	1.1	1.5	1.0	3.0	8.5	8.4	1.6	2.1	3.6	0.2	2.2	0.9	0.6
Male	1.3	2.0	1.2	1.3	2.6	0.8	2.2	3.3	2.0	1.0	0.3	0.9	1.3	1.0	2.6	8.2	7.3	1.4	2.0	3.4	0.2	2.0	0.8	0.5
Female	1.4	2.3	1.5	1.8	2.9	1.0	2.6	3.4	2.1	1.0	1.3	1.3	1.8	1.1	3.3	8.8	9.6	1.8	2.2	3.9	0.2	2.5	0.9	0.6
Diphtheria (10)	0.1	0.2	0.1	0.1	(3/)	0.2	0.2	0.4	0.2	0.2	----	(3/)	(3/)	0.4	0.2	0.3	0.4	0.3	0.3	0.2	0.1	0.2	(3/)	0.1
Male	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.4	0.3	----	----	(3/)	(3/)	0.4	0.1	0.3	0.5	0.3	0.4	0.2	----	0.2	(3/)	0.1
Female	0.1	0.2	0.1	0.1	(3/)	0.2	0.3	0.3	0.2	0.3	----	(3/)	----	0.4	0.2	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.1	(3/)
Influenza and pneumonia (11,108,109)	3.6	3.5	1.6	1.4	4.3	1.6	1.5	3.1	2.6	1.2	1.1	2.1	2.0	2.6	2.3	30.3	28.1	13.5[4]	7.8[4]	3.7	5.4	14.9	4.1	2.8
Male	4.1	4.0	1.8	1.7	4.7	1.8	1.8	3.3	2.9	1.9	1.3	2.7	2.4	3.1	2.5	31.3	28.8	15.3	8.4	3.9	6.8	16.3	4.4	3.2
Female	3.1	3.2	1.3	1.2	3.9	1.4	1.2	2.8	2.3	0.4	0.8	1.5	1.6	2.0	2.1	29.2	27.3	11.5	7.2	3.6	3.9	13.5	3.8	2.4
Dysentery (13)	0.4	0.4	(3/)	(3/)	0.2	(3/)	(3/)	(3/)	(3/)	----	----	(3/)	----	----	----	0.3	0.3	----	----	0.6	3.3	(3/)	----	----
Male	0.4	0.5	(3/)	(3/)	0.1	0.1	----	(3/)	(3/)	----	----	(3/)	----	----	----	0.3	0.3	----	----	0.5	3.0	(3/)	----	----
Female	0.3	0.4	(3/)	(3/)	0.1	(3/)	(3/)	----	----	----	----	----	----	----	----	0.2	0.2	----	----	0.7	3.7	(3/)	----	----
Erysipelas (15)	0.3	0.2	0.2	0.3	0.3	0.1	(3/)	0.4	0.5	----	----	0.1	0.1	0.1	0.1	0.3	0.2	----	----	0.1	0.1	1.2	0.1	0.2
Male	0.3	0.3	0.2	0.3	0.2	0.1	0.1	0.5	0.5	----	----	0.1	0.1	(3/)	0.1	0.3	0.2	----	----	0.2	0.2	1.2	0.1	0.2
Female	0.2	0.2	0.2	0.3	0.3	0.1	(3/)	0.3	0.6	----	----	0.2	0.1	0.1	(3/)	0.4	0.2	----	----	----	----	1.1	0.1	0.2
Tetanus (22)	0.1	0.1	(3/)	(3/)	(3/)	(3/)	(3/)	----	(3/)	----	----	0.1	(3/)	(3/)	(3/)	(3/)	(3/)	----	----	0.4	0.6	0.7	(3/)	0.1
Male	0.1	0.1	(3/)	(3/)	(3/)	0.1	----	----	----	----	----	0.1	(3/)	----	(3/)	(3/)	(3/)	----	----	0.7	0.4	0.8	0.1	0.1
Female	0.1	0.1	(3/)	----	(3/)	----	(3/)	----	(3/)	----	----	(3/)	(3/)	(3/)	----	(3/)	(3/)	----	----	0.2	0.9	0.6	(3/)	(3/)
Tuberculosis (all forms) (23-32)	0.3	0.3	0.6	0.7	0.6	0.2	0.2	1.0	0.9	0.2	0.3	0.5	0.6	1.3	1.1	1.9	2.3	1.0	1.2	0.5	0.8	0.5	0.6	0.6
Male	0.4	0.4	0.6	0.8	0.7	0.2	0.2	1.1	1.2	0.2	0.6	0.6	0.6	1.4	1.1	1.8	2.1	1.3	1.4	0.4	0.8	0.5	0.8	0.7
Female	0.3	0.2	0.5	0.6	0.6	0.1	0.2	0.8	0.7	0.2	0.1	0.5	0.6	1.3	1.0	2.1	2.4	0.7	0.9	0.7	0.7	0.5	0.4	0.5
Syphilis (34)	0.7	0.7	0.3	0.3	0.7	0.1	0.2	0.3	0.2	0.1	0.2	0.1	0.2	0.1	0.1	7.2	7.0	0.3	0.4	2.0	2.8	1.5	0.1	0.4
Male	0.8	0.8	0.3	0.4	0.8	0.1	0.3	0.3	0.1	----	0.2	0.1	0.2	0.1	0.1	7.7	7.6	0.3	0.5	2.5	4.0	1.6	0.1	0.4
Female	0.6	0.6	0.3	0.3	0.7	0.1	0.1	0.3	0.2	0.2	0.2	0.1	0.2	0.1	0.1	6.6	6.4	0.3	0.2	1.4	1.5	1.5	0.2	0.3
Convulsions (86)	0.3	0.3	1.7	1.8	0.9	0.2	0.3	1.8	1.9	0.5	0.5	1.4	1.3	4.5	5.4	0.8	0.9	(5/)	(5/)	2.6	4.8	1.6	0.9	1.0
Male	0.4	0.3	2.0	2.1	1.1	0.2	0.3	2.2	2.1	0.8	0.7	1.6	1.7	5.0	6.3	0.8	1.0	(5/)	(5/)	3.7	6.3	1.6	1.1	1.3
Female	0.2	0.2	1.4	1.4	0.6	0.2	0.3	1.4	1.8	0.2	0.3	1.2	1.0	3.9	4.5	0.8	0.8	(5/)	(5/)	1.4	3.3	1.5	0.7	0.7
Bronchitis and bronchopneumonia (106,107)	5.8	6.2	9.1	9.1	5.9	3.5	4.3	13.2	14.7	2.5	2.5	4.0	4.7	9.5	8.1	34.1	35.8	6/3.3	6/2.5	14.0	13.0	13.0	2.6	2.6
Male	6.4	6.9	10.1	10.1	6.7	4.0	4.6	14.7	16.4	2.5	2.7	4.3	5.2	11.5	9.5	35.3	35.4	3.1	2.4	13.8	13.5	13.8	3.2	3.1
Female	5.1	5.5	8.1	7.9	5.1	3.0	4.0	11.8	13.0	2.5	2.2	3.7	4.1	7.3	6.6	32.8	35.2	3.6	2.5	14.3	12.5	12.1	1.9	2.0
Diseases of the stomach (117,118)	0.2	0.3	0.3	0.3	0.5	0.1	0.1	0.3	0.3	0.2	0.1	0.1	0.1	1.1	1.2	----	----	----	----	0.4	0.5	0.4	----	(3/)
Male	0.3	0.3	0.3	0.3	0.6	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.1	1.2	1.3	----	----	----	----	0.4	1.1	0.4	----	----
Female	0.2	0.2	0.2	0.2	0.5	(3/)	0.1	0.3	0.3	0.2	0.1	(3/)	(3/)	0.9	1.1	----	----	----	----	0.5	----	0.4	----	(3/)
Diarrhea and enteritis (119)	4.9	6.1	5.1	4.8	12.3	2.0	2.6	6.8	6.2	0.7	0.9	2.2	2.8	10.7	7.5	37.8	43.1	13.1	6.7	11.8	21.6	22.5	4.5	4.1
Male	5.4	6.7	5.9	5.5	13.7	2.5	2.7	7.8	7.4	0.6	0.7	2.8	3.1	12.2	8.1	38.2	44.1	16.0	7.7	12.0	22.0	23.8	5.1	4.5
Female	4.4	5.5	4.2	4.1	10.6	1.5	2.5	5.7	4.8	0.8	1.0	1.6	2.5	9.0	6.9	37.4	42.0	10.1	5.7	11.6	21.2	21.2	3.8	3.7
Congenital malformations (157)	4.8	5.2	5.9	6.1	5.5	4.6	4.8	5.4	4.9	4.6	4.6	5.2	5.1	3.9	3.5	0.5	0.4	5.3	5.6	1.6	0.5	1.7	3.0	2.8
Male	5.2	5.6	6.4	6.5	5.8	5.3	5.4	6.1	5.0	4.5	5.3	5.2	4.8	4.4	3.8	0.6	0.4	5.8	6.1	1.9	0.6	1.9	3.1	2.9
Female	4.4	4.7	5.4	5.6	5.1	3.9	4.2	4.6	4.8	4.8	4.0	5.2	5.3	3.3	3.3	0.5	0.5	4.8	5.1	1.2	0.4	1.4	2.8	2.8
Congenital debility and other diseases of early infancy (158,161)	3.9	4.3	5.6	5.7	11.7	5.9	6.3	11.7	11.5	4.2	4.3	5.8	6.2	16.5	15.9	54.4	54.4	14.5	14.0	33.7	49.6	38.8		
Male	4.5	4.9	6.5	6.6	13.3	6.7	7.3	13.5	13.5	4.4	5.2	6.6	7.4	18.4	16.6	56.2	56.6	16.1	17.5	36.6	50.6	41.4		
Female	3.3	3.7	4.6	4.8	10.0	5.0	5.3	9.8	9.4	4.0	3.4	4.9	4.9	14.5	15.1	52.4	52.1	12.8	10.1	30.9	48.5	36.1		
Premature birth (159)	15.4	16.2	17.2	17.6	15.3	13.0	13.1	18.8	18.8	10.8	11.0	7.8	7.8	9.8	8.1	9.1	8.0	15.7	16.9	19.7	27.4	2.8	22.2	21.8
Male	17.1	17.8	19.1	19.5	16.9	14.0	14.5	21.6	20.5	12.4	12.2	9.1	8.7	11.2	9.4	9.7	8.2	17.0	19.3	21.0	28.1	2.9	24.6	25.3
Female	13.6	14.5	15.3	15.6	13.6	12.0	11.7	16.0	16.9	9.1	9.7	6.4	6.9	8.2	6.7	8.5	7.7	14.2	14.3	18.4	26.7	2.6	19.6	18.1
Injury at birth (160)	4.5	4.5	2.4	2.3	4.3	3.7	3.6	2.7	2.2	2.5	2.7	3.3	3.2	0.9	1.2	6.4	6.0	1.3	1.2	0.4	----	0.2		
Male	5.4	5.4	2.9	2.8	5.4	4.5	4.6	2.9	2.6	3.1	3.5	3.7	3.8	0.9	1.5	6.4	6.1	1.6	1.6	0.5	----	0.2		
Female	3.5	3.6	1.8	1.8	3.2	2.9	3.1	2.4	1.7	1.8	1.8	2.8	2.5	0.8	0.8	6.3	5.9	1.0	0.7	0.4	----	0.2		
External causes (172-198, 201-214)	1.0	1.0	1.1	1.2	0.8	0.8	0.8	1.1	1.1	0.7	0.7	0.3	0.4	0.9	0.8	0.7	1.3	1.4	1.6	0.2	0.4	0.7	0.7	0.7
Male	1.1	1.1	1.2	1.2	1.0	1.1	0.9	1.1	1.1	0.9	0.8	0.4	0.4	0.8	0.8	0.7	1.5	1.6	1.8	0.4	0.4	0.7	0.6	0.7
Female	1.0	1.0	0.9	1.2	0.6	0.5	0.8	1.0	1.0	0.4	0.7	0.2	0.3	1.0	0.7	0.6	1.1	1.2	1.3	----	0.4	0.7	0.9	0.7
Unknown or ill-defined diseases (199,200)	3.4	3.5	(3/)	(3/)	0.8	0.1	0.1	0.5	0.3	(3/)	(3/)	3.2	3.5	0.2	0.2	24.8	27.7	0.2	(3/)	2.6	3.5	2.8	4.2	3.4
Male	3.7	3.9	(3/)	(3/)	0.8	0.1	0.1	0.6	0.4	0.1	----	3.7	4.0	0.2	0.1	25.4	29.1	0.2	----	2.7	4.4	3.0	4.6	4.1
Female	3.0	3.2	(3/)	0.1	0.7	0.1	0.1	0.3	0.3	----	0.1	2.6	2.9	0.2	0.3	24.2	26.3	0.3	0.1	2.5	2.6	2.5	3.7	2.6
All other causes	4.2	4.0	3.8	4.0	4.6	2.7	2.7	5.7	5.7	2.8	2.1	2.5	2.6	4.1	4.5	31.0	34.2	9.8	8.4	25.5	33.7	17.7	3.9	4.4
Male	4.9	4.6	4.5	4.7	5.3	2.9	3.4	6.8	6.8	3.3	2.3	3.0	3.0	5.2	5.6	31.1	35.2	10.7	9.9	23.9	36.4	19.2	4.7	4.8
Female	3.5	3.4	3.1	3.3	3.8	2.5	2.0	4.6	4.7	2.2	1.9	1.9	2.2	3.0	3.3	30.9	33.1	8.9	6.8	23.2	30.8	16.1	3.0	3.9

1/ Exclusive of stillbirths.
2/ Exclusive of Yukon and the Northwest Territories.
3/ Less than one-tenth of 1 per 1,000 births.
4/ Includes bronchopneumonia (107).
5/ Included with "All other causes".
6/ Bronchitis only (106).

NOTE.—Numbers after causes of death correspond to those of the detailed International List. These data were procured from the annual reports on vital statistics of the various countries.

155010 O—37——3

SUMMARY AND RATE TABLE

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935

(White and other races are shown separately for minor areas only when the populations of other races in 1930 formed at least 10 percent of the total or numbered 10,000 or more)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
UNITED STATES	2155105	1392752	762,353	155	120,138	55.7	77,119	3.6
White	1888012	1207359	680,653	156	97,907	51.9	58,767	3.1
Other races	267,093	185,393	81,700	144	22,231	83.2	18,352	6.9
Cities,10,000 or more	997,332	726,317	271,015	137	53,839	54.0	36,173	3.6
White	908,562	638,590	269,972	142	45,892	50.5	29,594	3.3
Other races	88,770	87,727	1,043	101	7,947	89.5	6,579	7.4
Cities,2,500-10,000[2]	207,153	142,148	65,005	146	12,145	58.6	7,574	3.7
White	192,703	128,717	63,986	150	10,817	56.1	6,400	3.3
Other races	14,450	13,431	1,019	108	1,328	91.9	1,174	8.1
Rural [3]	950,620	524,287	426,333	181	54,154	57.0	33,372	3.5
White	786,747	440,052	346,695	179	41,198	52.4	22,773	2.9
Other races	163,873	84,235	79,638	195	12,956	79.1	10,599	6.5
Section A (States)								
ALABAMA	62,239	28,585	33,654	218	3,910	62.8	3,003	4.8
White	38,364	15,861	22,503	242	1,980	51.6	1,297	3.4
Other races	23,875	12,724	11,151	188	1,930	80.8	1,706	7.1
Cities,10,000 or more	11,837	8,941	2,896	132	888	75.0	663	5.6
White	7,463	4,849	2,614	154	453	60.7	279	3.7
Other races	4,374	4,092	282	107	435	99.5	384	8.8
Cities, 2,500-10,000	3,421	2,243	1,178	153	249	72.8	194	5.7
White	2,468	1,395	1,073	177	153	62.0	113	4.6
Other races	953	848	105	112	96	100.7	81	8.5
Rural	45,981	17,401	29,580	270	2,773	59.0	2,146	4.5
White	28,433	9,617	18,816	296	1,374	48.3	905	3.2
Other races	18,548	7,784	10,764	238	1,399	75.4	1,241	6.7
ARIZONA	9,139	6,077	3,062	150	1,021	111.7	255	2.8
White	7,807	4,874	2,933	160	757	97.0	222	2.8
Other races	1,332	1,203	129	111	264	198.2	33	2.5
Cities,10,000 or more	2,898	1,972	926	147	276	95.2	98	3.4
White	2,798	1,820	978	154	256	91.5	89	3.2
Other races	100	152	-52	66	20	200.0	9	9.0
Cities, 2,500-10,000	2,051	1,322	729	155	207	100.9	51	2.5
White	1,999	1,266	733	158	202	101.1	47	2.4
Other races	52	56	-4	(4/)	5	96.2	4	(5/)
Rural	4,190	2,783	1,407	151	538	128.4	106	2.5
White	3,010	1,788	1,222	168	299	99.3	86	2.9
Other races	1,180	995	185	119	239	202.5	20	1.7
ARKANSAS	35,684	16,176	19,508	221	1,681	47.1	1,350	3.8
White	27,175	11,446	15,729	237	1,268	46.7	785	2.9
Other races	8,509	4,730	3,779	180	413	48.5	565	6.6
Cities,10,000 or more	3,812	3,995	-183	95	260	68.2	142	3.7
White	3,089	2,848	241	108	192	62.2	87	2.8
Other races	723	1,147	-424	63	68	94.1	55	7.6
Cities, 2,500-10,000	3,221	2,170	1,051	148	162	50.3	150	4.7
White	2,456	1,520	936	162	125	50.9	77	3.1
Other races	765	650	115	118	37	48.4	73	9.5
Rural	28,651	10,011	18,640	286	1,259	43.9	1,058	3.7
White	21,630	7,078	14,552	306	951	44.0	621	2.9
Other races	7,021	2,933	4,088	239	308	43.9	437	6.2
CALIFORNIA	80,131	72,456	7,675	111	3,978	49.6	1,957	2.4
White	76,097	69,108	6,989	110	3,750	49.3	1,859	2.4
Other races	4,034	3,348	686	120	228	56.5	98	2.4
Cities,10,000 or more	50,519	45,464	5,055	111	2,277	45.1	1,226	2.4
White	47,822	43,520	4,302	110	2,148	44.9	1,162	2.4
Other races	2,697	1,944	753	139	129	47.8	64	2.4
Cities, 2,500-10,000	10,841	6,963	3,878	156	561	51.7	260	2.4
White	10,502	6,703	3,799	157	538	51.2	252	2.4
Other races	339	260	79	130	23	67.8	8	2.4
Rural	18,771	20,029	-1,258	94	1,140	60.7	471	2.5
White	17,773	18,885	-1,112	94	1,064	59.9	445	2.5
Other races	998	1,144	-146	87	76	76.2	26	2.6
COLORADO	18,837	13,134	5,703	143	1,370	72.7	539	2.9
White	18,572	12,840	5,732	145	1,344	72.4	533	2.9
Other races	265	294	-29	90	26	98.1	6	2.3
Cities,10,000 or more	8,177	6,325	1,852	129	538	65.8	251	3.1
White	8,021	6,160	1,861	130	529	66.0	246	3.1
Other races	156	165	-9	95	9	57.7	5	3.2
Cities, 2,500-10,000	3,181	1,939	1,242	164	230	72.3	102	3.2
White	3,155	1,920	1,235	164	230	72.9	102	3.2
Other races	26	19	7	(4/)	------	------	-----	------
Rural	7,479	4,870	2,609	154	602	80.5	186	2.5
White	7,396	4,760	2,636	155	585	79.1	185	2.5
Other races	83	110	-27	75	17	204.8	1	(5/)
Sec. A (States)—Con.								
CONNECTICUT	22,258	17,659	4,599	126	951	42.7	587	2.6
White	21,696	17,161	4,535	126	911	42.0	564	2.6
Other races	562	498	64	113	40	71.2	23	4.1
Cities,10,000 or more	18,608	12,649	5,959	147	776	41.7	501	2.7
White	18,092	12,245	5,847	148	741	41.0	479	2.6
Other races	516	404	112	128	35	67.8	22	4.3
Cities, 2,500-10,000	1,061	755	306	141	37	34.9	23	2.2
White	1,050	734	316	143	36	34.3	23	2.2
Other races	11	21	-10	(4/)	1	90.9	-----	------
Rural	2,589	4,255	-1,666	61	138	53.3	63	2.4
White	2,554	4,182	-1,628	61	134	52.5	62	2.4
Other races	35	73	-38	(4/)	4	114.3	1	(5/)
DELAWARE	4,036	3,208	828	126	268	66.4	148	3.7
White	3,379	2,546	833	133	180	53.3	101	3.0
Other races	657	662	-5	99	88	133.9	47	7.2
Cities,10,000 or more	2,269	1,484	785	153	133	58.6	77	3.4
White	2,009	1,197	812	168	107	53.3	59	2.9
Other races	260	287	-27	91	26	100.0	18	6.9
Cities, 2,500-10,000	367	345	22	106	38	103.5	22	6.0
White	322	270	52	119	22	68.3	14	4.3
Other races	45	75	-30	(4/)	16	355.6	8	(5/)
Rural	1,400	1,379	21	102	97	69.3	49	3.5
White	1,048	1,079	-31	97	51	48.7	28	2.7
Other races	352	300	52	117	46	130.7	21	6.0
DIST. OF COLUMBIA	10,803	8,483	2,320	127	642	59.4	409	3.8
White	7,162	5,258	1,904	136	292	40.8	222	3.1
Other races	3,641	3,225	416	113	350	96.1	187	5.1
FLORIDA	28,051	20,046	8,005	140	1,736	61.9	1,573	5.6
White	19,579	12,963	6,616	151	988	50.5	721	3.7
Other races	8,472	7,083	1,389	120	748	88.3	852	10.1
Cities,10,000 or more	10,377	8,878	1,499	117	648	62.4	588	5.7
White	7,610	5,879	1,731	129	405	53.2	261	3.4
Other races	2,767	2,999	-232	92	243	87.8	327	11.8
Cities, 2,500-10,000	4,577	3,692	885	124	245	53.5	237	5.2
White	3,306	2,499	807	132	152	46.0	114	3.4
Other races	1,271	1,193	78	107	93	73.2	123	9.7
Rural	13,097	7,476	5,621	175	843	64.4	748	5.7
White	8,563	4,585	4,078	189	431	49.8	346	4.0
Other races	4,434	2,891	1,543	153	412	92.9	402	9.1
GEORGIA	63,260	34,288	28,972	184	4,320	68.3	3,877	6.1
White	37,334	18,673	18,661	200	2,229	59.7	1,477	4.0
Other races	25,926	15,615	10,311	166	2,091	80.7	2,400	9.3
Cities,10,000 or more	13,692	11,847	1,845	116	1,100	80.3	944	6.9
White	8,637	6,042	2,595	143	579	67.0	395	4.6
Other races	5,055	5,805	-750	87	521	103.1	549	10.9
Rural [6]	49,568	22,441	27,127	221	3,220	65.0	2,933	5.9
White	28,697	12,631	16,066	227	1,650	57.5	1,082	3.8
Other races	20,871	9,810	11,061	213	1,570	75.2	1,851	8.9
IDAHO	9,469	4,531	4,938	209	483	51.0	217	2.3
White	9,344	4,412	4,932	212	457	48.9	215	2.3
Other races	125	119	6	105	26	208.0	2	1.6
Cities,10,000 or more	1,318	707	611	186	60	45.5	32	2.4
White	1,316	696	620	189	59	44.8	32	2.4
Other races	2	11	-9	(4/)	1	(7/)	-----	------
Cities, 2,500-10,000	4,122	1,980	2,142	208	207	50.2	93	2.3
White	4,105	1,968	2,137	209	206	50.2	92	2.2
Other races	17	12	5	(4/)	1	55.8	1	(5/)
Rural	4,029	1,844	2,185	218	216	53.6	92	2.3
White	3,923	1,748	2,175	224	192	48.9	91	2.3
Other races	106	96	10	(4/)	24	226.4	1	0.9
ILLINOIS	111,884	85,518	26,366	131	5,138	45.9	3,308	3.0
White	106,120	79,358	26,762	134	4,737	44.6	3,064	2.9
Other races	5,764	6,160	-396	94	401	69.6	244	4.2
Cities,10,000 or more	76,708	55,410	21,298	138	3,391	44.2	2,249	2.9
White	71,493	50,387	21,106	142	3,060	42.8	2,037	2.8
Other races	5,215	5,023	192	104	331	63.5	212	4.1
Cities, 2,500-10,000	10,171	7,678	2,493	132	531	52.2	336	3.3
White	9,977	7,434	2,543	134	507	50.8	324	3.2
Other races	194	244	-50	80	24	123.7	12	6.2
Rural	25,005	22,430	2,575	111	1,216	48.6	723	2.9
White	24,650	21,537	3,113	114	1,170	47.5	703	2.9
Other races	355	893	-538	40	46	129.6	20	5.6

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Sec. A (States)—Con.								
INDIANA	52,909	39,515	13,394	134	2,690	50.8	1,430	2.7
White	51,077	37,407	13,670	137	2,520	49.3	1,345	2.6
Other races	1,832	2,108	-276	87	170	92.8	85	4.6
Cities, 10,000 or more	25,774	18,745	7,029	137	1,455	56.5	761	3.0
White	24,102	16,971	7,131	142	1,296	53.8	680	2.8
Other races	1,672	1,774	-102	94	159	95.1	81	4.8
Cities, 2,500-10,000	5,900	4,390	1,510	134	265	44.9	192	3.3
White	5,850	4,331	1,519	135	262	44.8	190	3.2
Other races	50	59	-9	(4/)	3	60.0	2	(5/)
Rural	21,235	16,380	4,855	130	970	45.7	477	2.2
White	21,125	16,105	5,020	131	962	45.5	475	2.2
Other races	110	275	-165	40	8	72.7	2	1.8
IOWA	41,137	26,364	14,773	156	1,937	47.1	1,105	2.7
White	40,879	26,028	14,851	157	1,912	46.8	1,092	2.7
Other races	258	336	-78	77	25	96.9	13	5.0
Cities, 10,000 or more	15,375	10,096	5,279	152	793	51.6	461	3.0
White	15,157	9,833	5,324	154	775	51.1	451	3.0
Other races	218	263	-45	83	18	82.6	10	4.6
Cities, 2,500-10,000	6,091	4,865	1,226	125	319	52.4	201	3.3
White	6,063	4,816	1,247	126	318	52.3	200	3.3
Other races	8	29	-21	(4/)	1	125.0	1	(5/)
Rural	19,671	11,403	8,268	173	825	41.9	443	2.3
White	19,639	11,359	8,280	173	819	41.7	441	2.2
Other races	32	44	-12	(4/)	6	187.5	2	(5/)
KANSAS	30,589	20,334	10,255	150	1,539	50.3	836	2.7
White	29,634	19,211	10,423	154	1,459	49.2	778	2.6
Other races	955	1,123	-168	85	80	83.8	58	6.1
Cities, 10,000 or more	10,589	7,177	3,512	149	534	50.0	333	3.1
White	9,987	6,423	3,564	155	487	48.8	287	2.9
Other races	702	754	-52	93	47	67.0	46	6.6
Cities, 2,500-10,000	4,398	3,084	1,314	143	263	59.8	145	3.3
White	4,311	3,014	1,297	143	250	58.0	143	3.3
Other races	87	70	17	(4/)	13	149.4	2	(5/)
Rural	15,502	10,073	5,429	154	742	47.9	358	2.3
White	15,336	9,774	5,562	157	722	47.1	348	2.3
Other races	166	299	-133	56	20	120.5	10	6.0
KENTUCKY	57,715	29,370	28,345	197	3,388	58.7	1,915	3.3
White	54,918	25,218	29,700	218	3,110	56.6	1,737	3.2
Other races	2,797	4,152	-1,355	67	278	99.4	178	6.4
Cities, 10,000 or more	10,064	9,268	796	109	667	66.3	353	3.5
White	9,019	7,293	1,726	124	557	61.8	288	3.2
Other races	1,045	1,975	-930	53	110	105.3	65	6.2
Rural 6/	47,651	20,102	27,549	237	2,721	57.1	1,562	3.3
White	45,899	17,925	27,974	256	2,553	55.6	1,449	3.2
Other races	1,752	2,177	-425	80	168	95.9	113	6.4
LOUISIANA	42,270	23,711	18,559	178	2,933	69.4	2,087	4.9
White	24,417	12,835	11,582	190	1,408	57.7	830	3.4
Other races	17,853	10,876	6,977	164	1,525	85.4	1,257	7.0
Cities, 10,000 or more	13,901	11,694	2,207	119	1,152	82.9	710	5.1
White	8,433	6,719	1,714	126	573	67.9	331	3.9
Other races	5,468	4,975	493	110	579	105.9	379	6.9
Cities, 2,500-10,000	5,450	2,724	2,726	200	308	56.5	296	5.4
White	3,274	1,430	1,844	229	152	46.4	118	3.6
Other races	2,176	1,294	882	168	156	71.7	178	8.2
Rural	22,919	9,293	13,626	247	1,473	64.3	1,081	4.7
White	12,710	4,686	8,024	271	683	53.7	381	3.0
Other races	10,209	4,607	5,602	222	790	77.4	700	6.9
MAINE	15,723	11,024	4,699	143	990	63.0	531	3.4
White	15,681	10,982	4,699	143	986	62.9	530	3.4
Other races	42	42	-------	(4/)	4	95.2	1	(5/)
Cities, 10,000 or more	4,917	3,792	1,125	130	310	63.0	155	3.2
White	4,904	3,776	1,128	130	308	62.8	155	3.2
Other races	13	16	-3	(4/)	2	153.8	----	------
Cities, 2,500-10,000	2,046	1,520	526	135	139	67.9	73	3.6
White	2,038	1,511	527	135	139	68.2	72	3.5
Other races	8	9	-1	(4/)	-----	------	1	(5/)
Rural	8,760	5,712	3,048	153	541	61.8	303	3.5
White	8,739	5,695	3,044	153	539	61.7	303	3.5
Other races	21	17	4	(4/)	2	95.2	----	------
MARYLAND	27,236	21,182	6,054	129	1,689	62.0	1,516	5.6
White	21,322	16,208	5,114	132	1,102	51.7	1,022	4.8
Other races	5,914	4,974	940	119	586	99.1	494	8.4
Cities, 10,000 or more	16,012	12,772	3,234	125	920	57.8	847	5.3
White	12,662	9,770	2,892	130	643	50.8	585	4.6
Other races	3,350	3,008	342	111	282	84.5	262	7.8

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Sec. A (States)—Con.								
MARYLAND—Con.								
Cities, 2,500-10,000	1,576	1,079	497	146	96	60.9	134	8.5
White	1,350	854	496	158	72	53.3	100	7.4
Other races	226	225	1	100	24	106.2	34	15.0
Rural	9,648	7,325	2,323	132	667	69.1	535	5.5
White	7,310	5,584	1,726	131	388	53.1	337	4.6
Other races	2,338	1,741	597	134	279	119.3	198	8.5
MASSACHUSETTS	63,001	50,237	12,764	125	3,041	48.3	1,900	3.0
White	62,082	49,320	12,762	126	2,957	47.6	1,878	3.0
Other races	919	917	2	100	84	91.4	22	2.4
Cities, 10,000 or more	56,401	41,130	15,271	137	2,730	48.4	1,739	3.1
White	55,620	40,346	15,274	138	2,663	47.9	1,718	3.1
Other races	781	784	-3	100	67	85.8	21	2.7
Cities, 2,500-10,000	3,614	3,164	450	114	137	37.9	90	2.5
White	3,594	3,137	457	115	135	37.6	89	2.5
Other races	20	27	-7	(4/)	2	100.0	1	(5/)
Rural	2,986	5,943	-2,957	50	174	58.3	71	2.4
White	2,868	5,837	-2,969	49	159	55.4	71	2.5
Other races	118	106	12	111	15	127.1	----	------
MICHIGAN	87,446	51,050	36,396	171	4,172	47.7	2,717	3.1
White	84,377	48,301	36,076	175	3,975	47.1	2,565	3.0
Other races	3,069	2,749	320	112	197	64.2	152	5.0
Cities, 10,000 or more	54,542	28,904	25,638	189	2,641	48.4	1,749	3.2
White	51,792	26,769	25,023	193	2,476	47.8	1,611	3.1
Other races	2,750	2,135	615	129	165	60.0	138	5.0
Cities, 2,500-10,000	7,722	4,620	3,102	167	397	51.4	249	3.2
White	7,632	4,550	3,082	168	383	50.2	246	3.2
Other races	90	70	20	(4/)	14	155.6	3	(5/)
Rural	25,182	17,526	7,656	144	1,134	45.0	719	2.9
White	24,953	16,982	7,971	147	1,116	44.7	708	2.8
Other races	229	544	-315	42	18	78.6	11	4.8
MINNESOTA	45,962	26,247	19,715	175	2,053	44.7	1,263	2.7
White	45,364	25,825	19,538	176	1,998	44.0	1,249	2.8
Other races	598	421	177	142	55	92.0	14	2.3
Cities, 10,000 or more	17,942	11,935	6,007	150	749	41.7	576	3.2
White	17,881	11,759	6,072	152	743	41.7	573	3.2
Other races	111	176	-65	63	6	54.1	3	2.7
Cities, 2,500-10,000	6,228	3,845	2,383	162	311	49.9	178	2.9
White	6,202	3,826	2,376	162	309	49.8	177	2.9
Other races	26	19	7	(4/)	2	76.9	1	(5/)
Rural	21,792	10,467	11,325	208	993	45.6	509	2.3
White	21,331	10,241	11,090	208	946	44.3	499	2.3
Other races	461	226	235	204	47	102.0	10	2.2
MISSISSIPPI	48,320	21,339	26,981	226	2,605	53.9	2,309	4.8
White	21,977	9,223	12,754	238	1,050	47.8	675	3.1
Other races	26,343	12,116	14,227	217	1,555	59.0	1,634	6.2
Cities, 10,000 or more	5,086	4,362	724	117	388	76.3	345	6.8
White	3,201	2,186	1,015	146	215	67.2	139	4.3
Other races	1,885	2,176	-291	87	173	91.8	206	10.9
Cities, 2,500-10,000	2,139	1,807	332	118	175	81.8	99	4.6
White	1,150	847	303	136	84	73.0	49	4.3
Other races	989	960	29	103	91	92.0	50	5.1
Rural	41,095	15,170	25,925	271	2,042	49.7	1,865	4.5
White	17,626	6,190	11,436	285	751	42.6	487	2.8
Other races	23,469	8,980	14,489	261	1,291	55.0	1,378	5.9
MISSOURI	57,299	43,201	14,098	133	3,252	56.9	2,206	3.8
White	53,724	38,955	14,769	138	2,965	55.2	1,923	3.6
Other races	3,575	4,246	-671	84	297	83.1	283	7.9
Cities, 10,000 or more	24,273	20,901	3,372	116	1,349	55.6	1,028	4.2
White	21,749	17,950	3,799	121	1,181	54.3	811	3.7
Other races	2,524	2,951	-427	86	168	66.6	217	8.6
Cities, 2,500-10,000	5,323	4,850	473	110	363	68.2	194	3.6
White	5,010	4,393	617	114	324	64.7	176	3.5
Other races	313	457	-144	68	39	124.6	18	5.8
Rural	27,703	17,450	10,253	159	1,560	56.0	984	3.6
White	26,965	16,512	10,353	162	1,460	54.1	936	3.5
Other races	738	838	-100	88	90	122.0	48	6.5
MONTANA	10,029	6,291	3,738	159	602	60.0	232	2.3
White	9,348	5,880	3,468	159	508	54.3	219	2.3
Other races	681	411	270	166	94	138.0	13	1.9
Cities, 10,000 or more	2,984	1,893	1,091	158	144	48.3	75	2.5
White	2,963	1,857	1,106	160	143	48.3	75	2.5
Other races	21	36	-15	(4/)	1	47.6	----	------

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Sec. A (States)—Con.								
MONTANA—Con.								
Cities, 2,500-10,000	1,772	967	805	183	82	46.3	37	2.1
White	1,764	951	813	185	79	44.8	35	2.0
Other races	8	16	-8	(4)	3	375.0	2	(5)
Rural	5,273	3,431	1,842	154	376	71.3	120	2.3
White	4,621	3,072	1,549	150	286	61.9	109	2.4
Other races	652	359	293	182	90	138.0	11	1.7
NEBRASKA	23,327	13,181	10,146	177	960	41.2	644	2.8
White	22,996	12,811	10,185	180	926	40.3	629	2.7
Other races	331	370	-39	89	34	102.7	15	4.5
Cities, 10,000 or more	7,421	4,914	2,507	151	338	45.5	211	2.8
White	7,223	4,675	2,548	155	327	45.3	203	2.8
Other races	198	239	-41	83	11	55.6	8	4.0
Cities, 2,500-10,000	3,072	1,865	1,207	165	173	56.3	112	3.6
White	3,061	1,837	1,224	167	171	55.9	112	3.7
Other races	11	28	-17	(4)	2	181.8	----	------
Rural	12,834	6,402	6,432	200	449	35.0	321	2.5
White	12,712	6,299	6,413	202	428	33.7	314	2.5
Other races	122	103	19	118	21	172.1	7	5.7
NEVADA	1,423	1,324	99	107	101	71.0	31	2.2
White	1,325	1,182	143	112	81	61.1	30	2.3
Other races	98	142	-44	69	20	204.1	1	(5)
Cities, 10,000 or more	242	232	10	104	14	57.9	1	0.4
White	238	222	16	107	13	54.6	1	0.4
Other races	4	10	-6	(4)	1	250.0	----	------
Cities, 2,500-10,000	383	333	50	115	35	91.4	5	1.3
White	370	307	63	121	33	89.2	5	1.4
Other races	13	26	-13	(4)	2	153.8	----	------
Rural	798	759	39	105	52	65.2	25	3.1
White	717	653	64	110	35	48.8	24	3.3
Other races	81	106	-25	76	17	209.9	1	(5)
NEW HAMPSHIRE	7,768	6,532	1,236	119	419	53.9	265	3.4
White	7,761	6,521	1,240	119	419	54.0	265	3.4
Other races	7	11	-4	(4)	-----	------	----	------
Cities, 10,000 or more	4,371	3,155	1,216	139	232	53.1	154	3.5
White	4,366	3,151	1,215	139	232	53.1	154	3.5
Other races	5	4	1	(4)	-----	------	----	------
Cities, 2,500-10,000	833	554	279	150	43	51.6	27	3.2
White	833	553	280	151	43	51.6	27	3.2
Other races	------	1	-1	(4)	-----	------	----	------
Rural	2,564	2,823	-259	91	144	56.2	84	3.3
White	2,562	2,817	-255	91	144	56.2	84	3.3
Other races	2	6	-4	(4)	-----	------	----	------
NEW JERSEY	54,514	43,284	11,230	126	2,520	46.2	1,857	3.4
White	50,304	39,924	10,380	126	2,198	43.7	1,635	3.3
Other races	4,210	3,360	850	125	322	76.5	222	5.3
Cities, 10,000 or more	43,705	29,219	14,486	150	2,028	46.4	1,534	3.5
White	40,276	26,823	13,453	150	1,763	43.8	1,349	3.3
Other races	3,429	2,396	1,033	143	265	77.3	185	5.4
Cities, 2,500-10,000	4,664	5,416	-752	86	217	46.5	168	3.6
White	4,342	5,093	-751	85	196	45.1	148	3.4
Other races	322	323	-1	100	21	65.2	20	6.2
Rural	6,145	8,649	-2,504	71	275	44.8	155	2.5
White	5,686	8,008	-2,322	71	239	42.0	138	2.4
Other races	459	641	-182	72	36	78.4	17	3.7
NEW MEXICO	13,190	6,272	6,918	210	1,705	129.3	379	2.9
White	12,600	5,830	6,770	216	1,571	124.7	378	3.0
Other races	590	442	148	133	134	227.1	1	0.2
Cities, 10,000 or more	1,664	1,174	490	142	217	130.4	65	3.9
White	1,656	1,114	542	149	204	123.2	64	3.9
Other races	8	60	-52	(4)	13	(7)	1	(5)
Cities, 2,500-10,000	2,378	1,245	1,133	191	230	96.7	93	3.9
White	2,358	1,222	1,136	193	225	95.4	93	3.9
Other races	20	23	-3	(4)	5	250.0	----	------
Rural	9,148	3,853	5,295	237	1,258	137.5	221	2.4
White	8,586	3,494	5,092	246	1,142	133.0	221	2.6
Other races	562	359	203	157	116	206.4	----	------
NEW YORK	184,344	148,462	35,882	124	8,652	48.0	7,326	4.0
White	175,658	140,848	34,810	125	8,136	46.3	6,629	3.8
Other races	8,686	7,614	1,072	114	716	82.4	697	8.0
Cities, 10,000 or more	152,161	112,995	39,166	135	7,288	47.9	6,397	4.2
White	144,199	106,135	38,064	136	6,623	45.9	5,740	4.0
Other races	7,962	6,860	1,102	116	665	83.5	657	8.3

AREA	BIRTHS AND DEATES (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Sec. A (States)—Con.								
NEW YORK—Con.								
Cities, 2,500-10,000	9,555	7,852	1,703	122	459	48.0	314	3.3
White	9,389	7,747	1,642	121	443	47.2	300	3.2
Other races	166	105	61	158	16	96.4	14	8.4
Rural	22,628	27,615	-4,987	82	1,105	48.8	615	2.7
White	22,070	26,966	-4,896	82	1,070	48.5	589	2.7
Other races	558	649	-91	86	35	62.7	26	4.7
NORTH CAROLINA	78,753	33,485	45,268	235	5,422	68.8	3,255	4.1
White	53,665	21,249	32,416	253	3,201	59.6	1,634	3.0
Other races	25,088	12,236	12,852	205	2,221	88.5	1,621	6.5
Cities, 10,000 or more	13,615	9,201	4,414	148	1,274	93.6	784	5.8
White	9,378	5,407	3,971	173	772	82.3	342	3.6
Other races	4,237	3,794	443	112	502	118.5	442	10.4
Cities, 2,500-10,000	6,269	3,255	3,014	193	448	71.5	380	6.1
White	4,904	2,206	2,698	222	306	62.4	245	5.0
Other races	1,365	1,049	316	130	142	104.0	135	9.9
Rural	58,869	21,029	37,840	280	3,700	62.9	2,091	3.6
White	39,383	13,636	25,747	289	2,123	53.9	1,047	2.7
Other races	19,486	7,393	12,093	264	1,577	80.9	1,044	5.4
NORTH DAKOTA	13,655	5,860	7,795	233	811	59.4	350	2.6
White	13,215	5,671	7,544	233	757	57.3	337	2.6
Other races	440	189	251	233	54	122.7	13	3.0
Cities, 10,000 or more	2,622	1,190	1,432	220	123	46.9	76	2.9
White	2,617	1,180	1,437	222	121	46.2	76	2.9
Other races	5	10	-5	(4)	2	400.0	----	------
Cities, 2,500-10,000	1,712	1,021	691	168	104	60.7	51	3.0
White	1,704	1,015	689	168	104	61.0	51	3.0
Other races	8	6	2	(4)	-----	------	----	------
Rural	9,321	3,649	5,672	255	584	62.7	223	2.4
White	8,894	3,476	5,418	256	532	59.8	210	2.4
Other races	427	173	254	247	52	121.8	13	3.0
OHIO	101,103	77,356	23,747	131	5,093	50.4	3,225	3.2
White	95,878	71,696	24,182	134	4,681	48.8	2,903	3.0
Other races	5,225	5,660	-435	92	412	78.9	322	6.2
Cities, 10,000 or more	62,484	47,393	15,091	132	3,252	52.0	2,077	3.3
White	57,991	42,746	15,245	136	2,892	49.9	1,801	3.1
Other races	4,493	4,647	-154	97	360	80.1	276	6.1
Cities, 2,500-10,000	8,440	6,869	1,571	123	464	55.0	330	3.9
White	8,210	6,630	1,580	124	445	54.2	313	3.8
Other races	230	239	-9	96	19	82.6	17	7.4
Rural	30,179	23,094	7,085	131	1,377	45.6	818	2.7
White	29,677	22,320	7,357	133	1,344	45.3	789	2.7
Other races	502	774	-272	65	33	65.7	29	5.8
OKLAHOMA	43,691	21,091	22,600	207	2,384	54.6	1,269	2.9
White	40,360	18,179	22,181	222	2,039	50.5	1,100	2.7
Other races	3,331	2,912	419	114	345	103.6	169	5.1
Cities, 10,000 or more	11,093	7,132	3,961	156	728	65.6	356	3.2
White	10,081	5,933	4,148	170	610	60.5	291	2.9
Other races	1,012	1,199	-187	84	118	116.6	65	6.4
Cities, 2,500-10,000	7,974	4,684	3,290	170	469	58.8	259	3.2
White	7,305	4,212	3,093	173	400	54.8	230	3.1
Other races	669	472	197	142	69	103.1	29	4.3
Rural	24,624	9,275	15,349	625	1,187	48.2	654	2.7
White	22,974	8,034	14,940	286	1,029	44.8	579	2.5
Other races	1,650	1,241	409	133	158	95.8	75	4.5
OREGON	13,179	11,430	1,749	115	543	41.2	295	2.2
White	12,963	11,204	1,759	116	514	39.7	286	2.2
Other races	216	226	-10	96	29	134.3	9	4.2
Cities, 10,000 or more	6,115	5,591	524	109	228	37.3	142	2.3
White	6,021	5,491	530	110	222	36.9	137	2.3
Other races	94	100	-6	94	6	63.8	5	(5)
Cities, 2,500-10,000	2,894	2,187	707	132	126	43.5	77	2.7
White	2,879	2,155	724	134	121	42.0	76	2.6
Other races	15	32	-17	(4)	5	333.3	1	(5)
Rural	4,170	3,652	518	114	189	45.3	76	1.8
White	4,063	3,558	505	114	171	42.1	73	1.8
Other races	107	94	13	(4)	18	168.2	3	2.8
PENNSYLVANIA	161,166	108,555	52,611	148	8,194	50.8	5,212	3.2
White	153,062	101,861	51,201	150	7,542	49.3	4,809	3.1
Other races	8,104	6,694	1,410	121	652	80.5	403	5.0
Cities, 10,000 or more	89,901	63,208	26,693	142	4,526	50.3	2,939	3.3
White	82,782	57,711	25,071	143	3,973	48.0	2,591	3.1
Other races	7,119	5,497	1,622	130	553	77.7	348	4.9

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Sec. A (States)—Con.								
PENNSYLVANIA—Con.								
Cities, 2,500-10,000--	20,953	13,579	7,374	154	1,107	52.8	710	3.4
White---------	20,686	13,327	7,359	155	1,080	52.2	697	3.4
Other races---	267	252	15	106	27	101.1	13	4.9
Rural----------	50,312	31,768	18,544	158	2,561	50.9	1,563	3.1
White---------	49,594	30,823	18,771	161	2,489	50.2	1,521	3.1
Other races---	718	945	-227	76	72	100.3	42	5.8
RHODE ISLAND------	10,215	7,838	2,377	130	482	47.2	293	2.9
White---------	9,980	7,642	2,338	131	468	46.9	286	2.9
Other races---	235	196	39	120	14	59.6	7	3.0
Cities, 10,000 or more	9,396	6,923	2,473	136	441	46.9	265	2.8
White---------	9,187	6,747	2,440	136	428	46.6	258	2.8
Other races---	209	176	33	119	13	62.2	7	3.3
Cities, 2,500-10,000--	259	336	-77	77	10	38.6	7	2.7
White---------	257	327	-70	79	10	38.9	7	2.7
Other races---	2	9	-7	(4/)	-----	------	----	------
Rural----------	560	579	-19	97	31	55.4	21	3.8
White---------	536	568	-32	94	30	56.0	21	3.9
Other races---	24	11	13	(4/)	1	41.7	----	------
SOUTH CAROLINA----	40,998	20,353	20,245	199	3,219	79.3	2,474	6.1
White---------	19,990	9,154	10,436	214	1,206	61.6	722	3.7
Other races---	21,008	11,199	9,809	186	2,013	95.8	1,752	8.3
Cities, 10,000 or more	5,603	5,149	454	109	565	100.8	449	8.0
White---------	3,436	2,618	818	131	276	80.3	139	4.0
Other races---	2,167	2,531	-364	86	289	133.4	310	14.3
Cities, 2,500-10,000--	3,077	1,865	1,212	165	224	72.8	239	7.8
White---------	1,952	945	1,007	207	113	57.9	95	4.9
Other races---	1,125	920	205	122	111	98.7	144	12.8
Rural----------	31,918	13,339	18,579	239	2,430	76.1	1,786	5.6
White---------	14,202	5,591	8,611	254	817	57.5	488	3.4
Other races---	17,716	7,748	9,968	229	1,613	91.0	1,298	7.3
SOUTH DAKOTA------	12,850	6,316	6,534	203	674	52.5	342	2.7
White---------	12,213	5,856	6,357	209	577	47.2	325	2.7
Other races---	637	460	177	138	97	152.3	17	2.7
Cities, 10,000 or more	2,639	1,410	1,229	187	134	50.8	83	3.1
White---------	2,631	1,402	1,229	188	133	50.6	83	3.2
Other races---	8	8	-------	(4/)	1	125.0	----	------
Cities, 2,500-10,000--	1,448	1,020	428	142	77	53.2	41	2.8
White---------	1,437	1,010	427	142	75	52.2	41	2.9
Other races---	11	10	1	(4/)	2	181.8	----	------
Rural----------	8,763	3,886	4,877	226	463	52.8	218	2.5
White---------	8,145	3,444	4,701	236	369	45.3	201	2.5
Other races---	618	442	176	140	94	152.1	17	2.8
TENNESSEE---------	53,314	30,002	23,312	178	3,414	64.0	2,159	4.0
White---------	44,981	22,120	22,861	203	2,716	60.4	1,613	3.6
Other races---	8,333	7,882	451	106	698	83.8	546	6.6
Cities, 10,000 or more	13,744	11,383	2,361	121	1,104	80.3	681	5.0
White---------	10,159	7,102	3,057	143	756	74.4	397	3.9
Other races---	3,585	4,281	-696	84	348	97.1	284	7.9
Cities, 2,500-10,000--	4,105	2,826	1,279	145	299	72.8	178	4.3
White---------	3,525	2,098	1,427	168	237	67.2	132	3.7
Other races---	580	728	-148	80	62	106.9	46	7.9
Rural----------	35,465	15,793	19,672	225	2,011	56.7	1,300	3.7
White---------	31,297	12,920	18,377	242	1,723	55.1	1,084	3.5
Other races---	4,168	2,873	1,295	146	288	69.1	216	5.2
TEXAS----------	114,721	61,663	53,058	186	8,230	71.7	4,370	3.8
White---------	100,786	50,055	50,711	201	7,076	70.2	3,346	3.3
Other races---	13,935	11,608	2,327	120	1,154	82.7	1,024	7.3
Cities, 10,000 or more	37,536	24,233	13,303	155	2,054	81.4	1,540	4.1
White---------	33,426	19,586	13,840	171	2,629	78.7	1,191	3.6
Other races---	4,110	4,647	-537	88	425	103.4	349	8.5
Cities, 2,500-10,000--	13,990	8,793	5,197	159	1,143	81.7	548	3.9
White---------	12,878	7,228	5,650	178	1,031	80.1	456	3.5
Other races---	1,112	1,565	453	71	112	100.7	92	8.3
Rural----------	62,195	28,537	34,658	221	4,033	63.8	2,282	3.6
White---------	54,462	23,241	31,221	234	3,416	62.7	1,639	3.1
Other races---	8,733	5,296	3,337	162	617	70.7	583	6.7
UTAH----------	12,695	5,066	7,629	251	626	49.3	274	2.2
White---------	12,585	4,915	7,670	256	592	47.0	273	2.2
Other races---	110	151	-41	73	34	309.1	1	0.9
Cities, 10,000 or more	5,164	2,463	2,701	210	244	47.3	119	2.3
White---------	5,148	2,412	2,736	213	236	45.8	119	2.3
Other races---	16	51	-35	(4/)	8	(7/)	----	------

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Sec. A (States)—Con.								
UTAH—Con.								
Cities, 2,500-10,000--	2,632	828	1,804	318	120	45.6	62	2.4
White---------	2,628	825	1,803	319	120	45.7	62	2.4
Other races---	4	3	1	(4/)	-----	------	----	------
Rural----------	4,899	1,775	3,124	276	262	53.5	93	1.9
White---------	4,809	1,678	3,131	287	236	49.1	92	1.9
Other races---	90	97	-7	(4/)	26	288.9	1	(5/)
VERMONT----------	6,591	4,777	1,814	138	320	48.6	189	2.9
White---------	6,586	4,772	1,814	138	320	48.6	189	2.9
Other races---	5	5	-------	(4/)	-----	------	----	------
Cities, 10,000 or more	1,613	897	716	180	71	44.0	46	2.9
White---------	1,613	895	718	180	71	44.0	46	2.9
Other races---	------	2	-2	------	------	------	----	------
Rural 9/----------	4,978	3,880	1,098	128	249	50.0	143	2.9
White---------	4,973	3,877	1,096	128	249	50.1	143	2.9
Other races---	5	3	2	(4/)	-----	------	----	------
VIRGINIA----------	51,487	30,358	21,129	170	3,583	69.6	2,182	4.2
White---------	36,610	19,272	17,338	190	2,153	58.8	1,166	3.2
Other races---	14,877	11,086	3,791	134	1,430	96.1	1,016	6.8
Cities, 10,000 or more	11,488	9,916	1,572	116	904	78.7	690	6.0
White---------	8,144	5,902	2,242	138	531	65.2	341	4.2
Other races---	3,344	4,014	-670	83	373	111.5	349	10.4
Cities, 2,500-10,000--	3,845	2,640	1,205	146	279	72.6	157	4.1
White---------	3,243	2,035	1,208	159	223	68.8	116	3.6
Other races---	602	605	-3	100	56	93.0	41	6.8
Rural----------	36,154	17,802	18,352	203	2,400	66.4	1,335	3.7
White---------	25,223	11,335	13,888	223	1,399	55.5	709	2.8
Other races---	10,931	6,467	4,464	169	1,001	91.6	626	5.7
WASHINGTON--------	22,396	18,203	4,193	123	1,012	45.2	476	2.1
White---------	21,713	17,582	4,131	123	940	43.3	463	2.1
Other races---	683	621	62	110	72	105.4	13	1.9
Cities, 10,000 or more	14,089	10,519	3,570	134	615	43.7	332	2.4
White---------	13,800	10,185	3,615	135	597	43.3	322	2.3
Other races---	289	334	-45	87	18	62.3	10	3.5
Cities, 2,500-10,000--	2,371	1,667	704	142	117	49.3	45	1.9
White---------	2,321	1,632	689	142	111	47.8	44	1.9
Other races---	50	35	15	(4/)	6	120.0	1	(5/)
Rural----------	5,936	6,017	-81	99	280	47.2	99	1.7
White---------	5,592	5,765	-173	97	232	41.5	97	1.7
Other races---	344	252	92	137	48	139.5	2	0.6
WEST VIRGINIA-----	41,774	18,340	23,434	228	2,533	60.6	1,645	3.9
White---------	39,512	16,608	22,904	238	2,370	60.0	1,534	3.9
Other races---	2,262	1,732	530	131	163	72.1	111	4.9
Cities, 10,000 or more	7,112	5,331	1,781	133	512	72.0	332	4.7
White---------	6,799	4,845	1,954	140	488	71.8	312	4.6
Other races---	313	486	-173	64	24	76.7	20	6.4
Cities, 2,500-10,000--	3,609	2,869	740	126	290	80.4	207	5.7
White---------	3,422	2,516	906	136	267	78.0	189	5.5
Other races---	187	353	-166	53	23	123.0	18	9.6
Rural----------	31,053	10,140	20,913	306	1,731	55.7	1,106	3.6
White---------	29,291	9,247	20,044	317	1,615	55.1	1,033	3.5
Other races---	1,762	893	869	197	116	65.8	73	4.1
WISCONSIN---------	52,562	30,694	21,868	171	2,419	46.0	1,251	2.4
White---------	52,017	30,317	21,700	172	2,369	45.5	1,228	2.4
Other races---	545	377	168	145	50	91.7	23	4.2
Cities, 10,000 or more	23,372	13,364	10,008	179	1,070	45.8	576	2.4
White---------	23,262	13,273	10,489	179	1,069	45.9	573	2.4
Other races---	110	91	19	(4/)	6	54.5	3	2.7
Cities, 2,500-10,000--	6,552	3,865	2,687	170	345	52.7	193	3.0
White---------	6,542	3,946	2,696	170	342	52.3	193	3.0
Other races---	10	19	-9	(4/)	3	300.0	----	------
Rural----------	22,138	13,460	8,673	164	999	45.1	480	2.2
White---------	21,713	13,198	8,515	165	958	44.1	460	2.1
Other races---	425	262	163	159	41	96.5	20	4.7
WYOMING----------	4,362	2,284	2,078	191	223	51.1	86	2.0
White---------	4,243	2,196	2,047	193	211	49.7	84	2.0
Other races---	119	88	31	(4/)	12	100.8	2	1.7
Cities, 10,000 or more	704	495	209	142	45	63.9	12	1.7
White---------	697	482	215	145	45	64.6	12	1.7
Other races---	7	13	-6	(4/)	-----	------	----	------
Cities, 2,500-10,000--	866	577	289	150	44	50.8	13	1.5
White---------	869	562	297	153	43	50.1	13	1.5
Other races---	7	15	-8	(4/)	1	142.9	----	------
Rural----------	2,792	1,212	1,580	230	134	48.0	61	2.2
White---------	2,687	1,152	1,535	233	123	45.8	59	2.2
Other races---	105	60	45	(4/)	11	104.8	2	1.9

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B (Counties including cities of 10,000 or more in 1930)								
ALABAMA (total)	62,239	28,585	33,654	218	3,910	62.8	3,003	4.8
Autauga	518	208	310	249	38	73.4	35	6.8
White	182	80	102	(4/)	12	65.9	7	3.8
Other races	336	128	208	263	26	77.4	28	8.3
Baldwin	674	330	344	204	54	80.1	28	4.2
White	464	244	220	190	32	69.0	14	3.0
Other races	210	86	124	(4/)	22	104.8	14	6.7
Barbour	699	368	331	190	40	57.2	50	7.2
White	290	164	126	177	15	51.7	12	4.1
Other races	409	204	205	200	25	61.1	38	9.3
Bibb	431	160	271	269	18	41.8	22	5.1
White	306	104	202	294	14	45.8	11	3.6
Other races	125	56	69	(4/)	4	32.0	11	8.8
Blount	752	221	531	340	39	51.9	22	2.9
Bullock	658	231	427	285	36	54.7	41	6.2
White	73	37	36	(4/)	2	27.4	2	(5/)
Other races	585	194	391	302	34	58.1	39	6.7
Butler	672	295	377	228	37	55.1	35	5.2
White	285	130	155	219	10	35.1	10	3.5
Other races	387	165	222	235	27	69.8	25	6.5
Calhoun	1,331	600	731	222	81	60.9	73	5.5
Rural part	827	303	524	273	49	59.3	37	4.5
White	667	245	422	272	36	54.0	22	3.3
Other races	160	58	102	(4/)	13	81.3	15	9.4
Anniston	504	297	207	170	32	63.5	36	7.1
White	362	166	196	218	20	55.2	19	5.2
Other races	142	131	11	108	12	84.5	17	12.0
Chambers	808	363	445	223	39	48.3	47	5.8
White	395	219	176	180	15	38.0	20	5.1
Other races	413	144	269	287	24	58.1	27	6.5
Cherokee	532	167	365	319	34	63.9	23	4.3
Chilton	696	234	462	297	29	41.7	24	3.4
White	568	176	392	323	23	40.5	13	2.3
Other races	128	58	70	(4/)	6	46.9	11	8.6
Choctaw	463	177	286	262	28	60.5	22	4.8
White	182	71	111	(4/)	9	49.5	2	1.1
Other races	281	106	175	265	19	67.6	20	7.1
Clarke	666	276	390	241	49	73.6	28	4.2
White	264	99	165	(4/)	12	45.5	6	2.3
Other races	402	177	225	227	37	92.0	22	5.5
Clay	380	147	233	259	16	42.1	13	3.4
White	322	120	202	268	12	37.3	7	2.2
Other races	58	27	31	(4/)	4	69.0	6	(5/)
Cleburne	302	103	199	293	21	69.5	7	2.3
Coffee	628	243	385	258	36	57.3	36	5.7
White	533	196	337	272	31	58.2	30	5.6
Other races	95	47	48	(4/)	5	52.6	6	(5/)
Colbert	774	347	427	223	46	59.4	33	4.3
White	582	221	361	263	36	61.9	21	3.6
Other races	192	126	66	152	10	52.1	12	6.3
Conecuh	764	247	517	309	46	60.2	50	6.5
White	356	125	231	285	16	44.9	13	3.7
Other races	408	122	286	334	30	73.5	37	9.1
Coosa	297	102	195	291	18	60.6	15	5.1
White	139	65	74	(4/)	8	57.6	5	3.6
Other races	158	37	121	(4/)	10	63.3	10	6.3
Covington	959	320	639	300	52	54.2	45	4.7
White	791	258	533	307	39	49.3	28	3.5
Other races	168	62	106	(4/)	13	77.4	17	10.1
Crenshaw	506	217	289	233	39	77.1	25	4.9
White	294	140	154	210	16	54.4	7	2.4
Other races	212	77	135	(4/)	23	108.5	18	8.5
Cullman	1,115	340	775	328	52	46.6	27	2.4
Dale	556	216	340	257	26	46.8	14	2.5
White	431	155	276	278	19	44.1	10	2.3
Other races	125	61	64	(4/)	7	56.0	4	3.2
Dallas	1,459	932	527	157	148	101.4	124	8.5
Rural part	1,041	470	571	221	90	86.5	86	8.3
White	51	42	9	(4/)	2	39.2	----	------
Other races	990	428	562	231	88	88.9	86	8.7
Selma	418	462	-44	90	38	138.8	38	9.1
White	217	190	27	114	17	78.3	14	6.5
Other races	201	272	-71	74	41	204.0	24	11.9
De Kalb	977	270	707	362	43	44.0	29	3.0
Elmore	695	294	401	236	45	64.7	29	4.2
White	324	153	171	212	18	55.6	7	2.2
Other races	371	141	230	263	27	78.8	22	5.9
Escambia	767	303	464	253	50	65.2	56	7.3
White	530	185	345	286	30	56.6	27	5.1
Other races	237	118	119	201	20	84.4	29	12.2

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
ALABAMA—Con.								
Etowah	1,365	588	777	232	66	48.4	36	2.6
Rural part	704	213	491	331	33	46.9	14	2.0
Gadsden	661	375	286	176	33	49.9	22	3.3
White	548	274	274	200	23	42.0	17	3.1
Other races	113	101	12	112	10	88.5	5	4.4
Fayette	469	134	335	350	14	29.9	17	3.6
White	419	115	304	364	10	23.9	16	3.8
Other races	50	19	31	(4/)	4	80.0	1	2.0
Franklin	780	213	567	366	32	41.0	30	3.8
Geneva	669	215	454	311	40	59.8	24	3.6
White	553	165	388	335	29	52.4	20	3.6
Other races	116	50	66	(4/)	11	94.8	4	3.4
Greene	498	244	254	204	49	98.4	40	8.0
White	50	33	17	(4/)	3	60.0	3	(5/)
Other races	448	211	237	212	46	102.7	37	8.3
Hale	599	323	276	185	52	86.8	49	8.2
White	102	62	40	(4/)	7	68.6	4	3.9
Other races	497	261	236	190	45	90.5	45	9.1
Henry	550	233	317	236	39	70.9	39	7.1
White	232	124	108	187	15	64.7	10	4.3
Other races	318	109	209	292	24	75.5	29	9.1
Houston	971	506	465	192	61	62.8	45	4.6
Rural part	720	235	485	306	40	55.6	27	3.8
White	522	176	346	297	27	51.7	17	3.3
Other races	198	59	139	(4/)	13	65.7	10	5.1
Dothan	251	271	-20	93	21	83.7	18	7.2
White	167	177	-10	94	10	59.9	9	5.4
Other races	84	94	-10	(4/)	11	131.0	9	(5/)
Jackson	1,078	383	695	281	68	63.1	29	2.7
Jefferson	7,680	4,975	2,705	154	504	65.6	358	4.7
Rural part	1,993	1,114	879	179	115	57.7	66	3.3
White	1,190	551	639	216	50	42.0	23	1.9
Other races	803	563	240	143	65	80.9	43	5.4
Bessemer	265	231	34	115	26	98.1	14	5.3
White	115	80	35	(4/)	7	60.9	5	4.3
Other races	150	151	-1	99	19	126.7	9	6.0
Birmingham	4,952	3,348	1,604	148	316	63.8	259	5.2
White	2,938	1,711	1,227	172	169	57.5	101	3.4
Other races	2,014	1,637	377	123	147	73.0	158	7.8
Fairfield	470	282	188	167	47	100.0	19	4.0
White	273	121	152	226	16	58.6	6	2.2
Other races	197	161	36	122	31	157.4	13	6.6
Lamar	488	141	347	346	22	45.1	23	4.7
White	417	112	305	372	14	33.6	13	3.1
Other races	71	29	42	(4/)	8	112.7	10	(5/)
Lauderdale	1,177	424	753	278	76	64.6	41	3.5
Rural part	839	196	643	428	39	46.5	25	3.0
White	709	150	559	473	33	46.5	18	2.5
Other races	130	46	84	(4/)	6	46.2	7	5.4
Florence	338	228	110	148	37	109.5	16	4.7
White	278	158	120	176	29	104.3	12	4.3
Other races	60	70	-10	(4/)	8	133.3	4	(5/)
Lawrence	701	262	439	268	38	54.2	20	2.9
White	554	178	376	311	31	56.0	11	2.0
Other races	147	84	63	(4/)	7	47.6	9	6.1
Lee	(10/)	(10/)	(10/)	(10/)	(10/)	(10/)	(10/)	(10/)
Rural part	818	333	485	246	48	58.7	43	5.3
White	232	127	105	183	11	47.4	7	3.0
Other races	586	206	380	284	37	63.1	36	6.1
Phenix City (part)	(10/)	(10/)	(10/)	(10/)	(10/)	(10/)	(10/)	(10/)
Limestone	985	416	569	237	75	76.1	31	3.1
White	710	269	441	264	49	69.0	23	3.2
Other races	275	147	128	187	26	94.5	8	2.9
Lowndes	753	298	455	256	79	103.5	56	7.3
White	55	33	2	(4/)	-----	------	----	------
Other races	728	265	463	275	79	108.5	56	7.7
Macon	319	439	380	187	62	70.7	54	6.6
White	76	54	22	(4/)	7	92.1	4	(5/)
Other races	743	385	358	193	55	74.0	50	6.7
Madison	1,630	710	920	230	92	56.4	73	4.5
Rural part	1,363	485	878	281	73	53.6	51	3.7
White	942	322	620	293	50	53.1	33	3.5
Other races	421	163	258	258	23	54.6	18	4.3
Huntsville	267	225	42	119	19	71.2	22	8.2
White	196	141	55	139	11	56.1	10	5.1
Other races	71	84	-13	(4/)	8	112.7	12	(5/)
Marengo	821	355	466	231	44	53.6	61	7.4
White	192	97	95	(4/)	6	31.3	11	5.7
Other races	629	258	371	244	38	60.4	50	7.9
Marion	756	161	595	470	29	38.4	24	3.2
Marshall	1,006	351	655	287	51	50.7	42	4.2

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
ALABAMA—Con.								
Mobile	2,584	1,917	667	135	154	59.6	130	5.0
Rural part	1,113	743	370	150	55	49.4	50	4.5
White	640	223	417	287	19	29.7	17	2.7
Other races	473	520	-47	91	36	76.1	33	7.0
Mobile	1,471	1,174	297	125	99	67.3	80	5.4
White	981	652	329	150	58	59.1	30	3.1
Other races	490	522	-32	94	41	83.7	50	10.2
Monroe	855	264	591	324	38	44.4	34	4.0
White	343	129	214	266	9	26.2	11	3.2
Other races	512	135	377	379	29	56.6	23	4.5
Montgomery	1,915	1,399	516	137	152	79.4	97	5.1
Rural part	684	350	334	195	43	62.9	29	4.2
White	110	87	23	(4/)	3	27.3	7	6.4
Other races	574	263	311	218	40	69.7	22	3.8
Montgomery	1,231	1,049	182	117	109	88.5	68	5.5
White	698	487	211	143	50	71.6	19	2.7
Other races	533	562	-29	95	59	110.7	49	9.2
Morgan	1,015	537	478	189	72	70.9	45	4.4
Rural part	693	262	431	265	46	66.4	28	4.0
White	598	218	380	274	37	61.9	23	3.8
Other races	95	44	51	(4/)	9	94.7	5	(5/)
Decatur	322	275	47	117	26	80.7	17	5.3
White	256	199	57	129	17	66.4	12	4.7
Other races	66	76	-10	(4/)	9	136.4	5	(5/)
Perry	768	283	485	271	56	72.9	68	8.9
White	144	41	103	(4/)	7	48.6	10	6.9
Other races	624	242	382	258	49	78.5	58	9.3
Pickens	670	236	434	284	36	53.7	23	3.4
White	317	111	206	286	9	28.4	10	3.2
Other races	353	125	228	282	27	76.5	13	3.7
Pike	745	318	427	234	51	68.5	33	4.4
White	371	153	218	242	18	48.5	13	3.5
Other races	374	165	209	227	33	88.2	20	5.3
Randolph	498	221	277	225	30	60.2	19	3.8
White	386	160	226	241	19	49.2	9	2.3
Other races	112	61	51	(4/)	11	98.2	10	8.9
Russell	(10/)	(10/)	(10/)	(10/)	(10/)	(10/)	(10/)	(10/)
Rural part	503	216	287	233	37	73.6	42	8.3
White	45	34	11	(4/)	1	22.2	2	(5/)
Other races	458	182	276	252	36	78.6	40	8.7
Phenix City 10/	242	190	52	127	18	74.4	28	11.6
White	129	102	27	126	7	54.3	8	6.2
Other races	113	88	25	(4/)	11	97.3	20	17.7
St. Clair	644	218	426	295	32	49.7	22	3.4
White	522	162	360	322	18	34.5	15	2.9
Other races	122	56	66	(4/)	14	114.8	7	5.7
Shelby	705	245	460	288	40	56.7	21	3.0
White	531	150	381	354	24	45.2	14	2.6
Other races	174	95	79	(4/)	16	92.0	7	4.0
Sumter	745	304	441	245	55	73.8	50	6.7
White	65	52	13	(4/)	5	76.9	1	(5/)
Other races	680	252	428	270	50	73.5	49	7.2
Talladega	1,344	501	843	268	103	76.6	55	4.1
White	824	292	532	282	52	63.1	33	4.0
Other races	520	209	311	249	51	98.1	22	4.2
Tallapoosa	783	314	469	249	38	48.5	33	4.2
White	524	221	303	237	27	51.5	23	4.4
Other races	259	93	166	(4/)	11	42.5	10	3.9
Tuscaloosa	1,284	943	341	136	111	86.4	55	4.3
Rural part	839	409	430	205	64	76.3	29	3.5
White	552	264	288	209	37	67.0	14	2.5
Other races	287	145	142	198	27	94.1	15	5.2
Tuscaloosa	445	534	-89	83	47	105.6	26	5.8
White	305	391	-86	78	19	62.3	17	5.6
Other races	140	143	-3	98	28	200.0	9	6.4
Walker	1,520	495	1,025	307	78	51.3	64	4.2
White	1,402	425	977	330	74	52.8	59	4.2
Other races	118	70	48	(4/)	4	33.9	5	4.2
Washington	482	138	344	349	22	45.6	29	6.0
White	295	79	216	(4/)	15	50.8	13	4.4
Other races	187	59	128	(4/)	7	37.4	16	8.6
Wilcox	776	336	440	231	68	87.6	52	6.7
White	92	46	46	(4/)	4	43.5	6	(5/)
Other races	684	290	394	236	64	93.6	46	6.7
Winston	459	95	364	(4/)	18	39.2	15	3.3
ARIZONA (total)	9,139	6,077	3,062	150	1,021	111.7	255	2.8
Apache	342	250	92	137	79	231.0	14	4.1
White	165	70	95	(4/)	23	139.4	11	6.7
Other races	177	180	-3	98	56	316.4	3	1.7
Section B—Continued								
ARIZONA—Con.								
Cochise	621	400	221	155	58	93.4	20	3.2
White	602	374	228	161	55	91.4	20	3.3
Other races	19	26	-7	(4/)	3	157.9	----	------
Coconino	318	192	126	166	34	106.9	10	3.1
White	252	132	120	191	17	67.5	8	3.2
Other races	66	60	6	(4/)	17	257.6	2	(5/)
Gila	533	260	273	205	38	71.3	9	1.7
White	414	192	222	216	25	60.4	7	1.7
Other races	119	68	51	(4/)	13	109.2	2	1.7
Graham	372	134	238	278	37	99.5	7	1.9
White	349	123	226	284	30	86.0	7	2.0
Other races	23	11	12	(4/)	7	304.3	----	------
Greenlee	116	56	60	(4/)	7	60.3	----	------
White	116	55	61	(4/)	7	60.3	----	------
Other races	------	1	-1	------	-----	------	----	------
Maricopa	3,185	2,191	994	145	354	111.1	96	3.0
Rural part	1,336	938	398	142	177	132.5	34	2.5
White	1,221	846	375	144	164	134.3	33	2.7
Other races	115	92	23	(4/)	13	113.0	1	0.9
Phoenix	1,849	1,253	596	148	177	95.7	62	3.4
White	1,777	1,148	629	155	166	93.4	54	3.0
Other races	72	105	-33	69	11	152.8	8	(5/)
Mohave	110	119	-9	92	7	63.6	2	1.8
White	96	91	5	(4/)	4	41.7	2	(5/)
Other races	14	28	-14	(4/)	3	214.3	----	------
Navajo	546	371	175	147	86	157.5	11	2.0
White	263	116	147	227	27	102.7	7	2.7
Other races	283	255	28	111	59	208.5	4	1.4
Pima	1,405	1,020	385	138	148	105.3	43	3.1
Rural part	356	301	55	118	49	137.6	7	2.0
White	155	164	-9	95	17	109.7	6	3.9
Other races	201	137	64	147	32	159.2	1	0.5
Tucson	1,049	719	330	146	99	94.4	36	3.4
White	1,021	672	349	152	90	88.1	35	3.4
Other races	28	47	-19	(4/)	9	321.4	1	(5/)
Pinal	448	309	139	145	67	149.6	12	2.7
White	299	175	124	171	35	117.1	5	1.7
Other races	149	134	15	111	32	214.8	7	4.7
Santa Cruz	197	145	52	136	20	101.5	3	1.5
White	190	135	55	141	20	105.3	2	1.1
Other races	7	10	-3	(4/)	-----	------	1	(5/)
Yavapai	546	389	157	140	38	69.6	13	2.4
White	534	374	160	143	36	67.4	13	2.4
Other races	12	15	-3	(4/)	2	166.7	----	------
Yuma	400	241	159	166	48	120.0	15	3.8
White	353	207	146	171	41	116.1	12	3.4
Other races	47	34	13	(4/)	7	148.9	3	(5/)
ARKANSAS (total)	35,684	16,176	19,508	221	1,681	47.1	1,350	3.8
Arkansas	294	121	173	243	7	23.8	9	3.1
White	248	94	154	(4/)	7	28.2	5	2.0
Other races	46	27	19	(4/)	-----	------	4	(5/)
Ashley	618	145	473	426	15	24.3	37	6.0
White	318	69	249	(4/)	9	28.3	14	4.4
Other races	300	76	224	(4/)	6	20.0	23	7.7
Baxter	216	29	187	(4/)	2	9.3	7	3.2
Benton	637	444	193	143	36	56.5	22	3.5
Boone	315	145	170	217	13	41.3	8	2.5
Bradley	342	124	218	276	19	55.6	7	2.0
White	228	97	131	(4/)	12	52.6	6	2.6
Other races	114	27	87	(4/)	7	61.4	1	0.9
Calhoun	184	62	122	(4/)	8	43.5	6	3.3
White	118	32	86	(4/)	3	25.4	4	3.4
Other races	66	30	36	(4/)	5	75.8	2	(5/)
Carroll	310	127	183	244	15	48.4	8	2.6
Chicot	449	224	225	200	25	55.7	24	5.3
White	191	75	116	(4/)	12	62.8	4	2.1
Other races	258	149	109	173	13	50.4	20	7.8
Clark	340	187	153	182	13	38.2	9	2.6
White	228	129	99	177	9	39.5	5	2.2
Other races	112	58	54	(4/)	4	35.7	4	3.6
Clay	670	267	403	251	43	64.2	28	4.2
Cleburne	264	67	197	(4/)	8	30.3	7	2.7
Cleveland	222	59	163	(4/)	4	18.0	5	2.3
White	184	49	135	(4/)	4	21.7	2	1.1
Other races	38	10	28	(4/)	-----	------	3	(5/)
Columbia	342	125	217	274	11	32.2	10	2.9
White	176	70	106	(4/)	8	45.5	2	1.1
Other races	166	55	111	(4/)	3	18.1	8	4.8
Conway	538	173	365	311	27	50.2	24	4.5
White	387	106	281	365	18	46.5	13	3.4
Other races	151	67	84	(4/)	9	59.6	11	7.3

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
ARKANSAS—Con.								
Craighead	1,059	453	606	234	64	60.4	31	2.9
Rural part	813	217	596	375	38	46.7	20	2.5
Jonesboro	246	236	10	104	26	105.7	11	4.5
White	236	218	18	108	25	105.9	11	4.7
Other races	10	18	-8	(4/)	1	100.0	----	----
Crawford	535	191	344	280	19	35.5	16	3.0
Crittenden	725	393	332	184	55	75.9	32	4.4
White	136	81	55	(4/)	14	102.9	3	2.2
Other races	589	312	277	189	41	69.6	29	4.9
Cross	437	190	247	230	21	48.1	25	5.7
White	264	103	161	256	15	56.8	6	2.3
Other races	173	87	86	(4/)	6	34.7	19	11.0
Dallas	192	62	130	(4/)	5	26.0	4	2.1
White	111	44	67	(4/)	2	18.0	3	2.7
Other races	81	18	63	(4/)	3	37.0	1	(5/)
Desha	370	122	248	303	6	16.2	27	7.3
White	99	41	58	(4/)	3	30.3	5	(5/)
Other races	271	81	190	(4/)	3	11.1	22	8.1
Drew	429	148	281	290	22	51.3	16	3.7
White	248	77	171	(4/)	10	40.3	5	2.0
Other races	181	71	110	(4/)	12	66.3	11	6.1
Faulkner	528	230	298	230	31	58.7	17	3.2
White	461	189	272	244	25	54.2	11	2.4
Other races	67	41	26	(4/)	6	89.6	6	(5/)
Franklin	327	102	225	321	8	24.5	5	1.5
Fulton	240	49	191	(4/)	10	41.7	8	3.3
Garland	542	673	-131	81	38	70.1	16	3.0
Rural part	187	79	108	(4/)	5	26.7	1	0.5
Hot Springs	355	594	-239	60	33	93.0	15	4.2
White	330	478	-148	69	27	81.8	14	4.2
Other races	25	116	-91	22	6	240.0	1	(5/)
Grant	242	70	172	(4/)	7	28.9	12	5.0
Greene	606	261	345	232	32	52.8	10	1.7
Hempstead	581	256	325	227	27	46.5	25	4.3
White	331	133	198	249	13	39.3	10	3.0
Other races	250	123	127	203	14	56.0	15	6.0
Hot Springs	353	137	216	258	15	42.5	13	3.7
White	304	121	183	251	15	49.3	8	2.6
Other races	49	16	33	(4/)	----	----	5	(5/)
Howard	320	102	218	314	10	31.3	3	0.9
White	222	69	153	(4/)	6	27.0	2	0.9
Other races	98	33	65	(4/)	4	40.8	1	(5/)
Independence	517	209	308	247	23	44.5	9	1.7
Izard	228	61	167	(4/)	1	4.4	5	2.2
Jackson	636	257	379	247	40	62.9	21	3.3
White	554	206	348	269	35	63.2	14	2.5
Other races	82	51	31	(4/)	5	61.0	7	(5/)
Jefferson	1,220	592	628	206	45	36.9	57	4.7
Rural part	862	269	593	320	25	29.0	45	5.2
White	212	80	132	(4/)	11	51.9	4	1.9
Other races	650	189	461	344	14	21.5	41	6.3
Pine Bluff	358	323	35	111	20	55.9	12	3.4
White	227	168	59	135	10	44.1	5	2.2
Other races	131	155	-24	85	10	76.3	7	5.3
Johnson	382	133	249	287	15	39.3	17	4.5
Lafayette	184	61	123	(4/)	5	27.2	11	6.0
White	85	31	54	(4/)	1	11.8	2	(5/)
Other races	99	30	69	(4/)	4	40.4	9	(5/)
Lawrence	492	131	361	376	20	40.7	26	5.3
Lee	496	249	247	199	30	60.5	30	6.0
White	178	54	124	(4/)	8	44.9	9	5.1
Other races	318	195	123	163	22	69.2	21	6.6
Lincoln	467	162	305	288	15	32.1	18	3.9
White	142	29	113	(4/)	4	28.2	6	4.2
Other races	325	133	192	244	11	33.8	12	3.7
Little River	274	71	203	(4/)	7	25.5	12	4.4
White	199	45	154	(4/)	5	25.1	5	2.5
Other races	75	26	49	(4/)	2	26.7	7	(5/)
Logan	422	169	253	250	9	21.3	12	2.8
Lonoke	629	260	369	242	33	52.5	28	4.5
White	407	158	249	258	17	41.8	10	2.5
Other races	222	102	120	218	16	72.1	18	8.1
Madison	282	49	233	(4/)	6	21.3	10	3.5
Marion	210	46	164	(4/)	11	52.4	7	3.3
Miller	446	307	139	145	25	56.1	15	3.4
Rural part	286	102	184	280	13	45.5	6	2.1
White	224	61	163	(4/)	10	44.6	4	1.8
Other races	62	41	21	(4/)	3	48.4	2	(5/)
Texarkana	160	205	-45	78	12	75.0	9	5.6
White	125	136	-11	92	8	64.0	3	2.4
Other races	35	69	-34	(4/)	4	114.3	6	(5/)
Mississippi	1,856	734	1,122	253	144	77.6	83	4.5
Rural part	1,708	589	1,119	290	133	77.9	77	4.5
White	1,250	350	900	357	102	81.6	47	3.8
Other races	458	239	219	192	31	67.7	30	6.6
Blytheville	148	145	3	102	11	74.3	6	4.1
White	123	106	17	116	7	56.9	5	4.1
Other races	25	39	-14	(4/)	4	160.0	1	(5/)
Monroe	446	214	232	208	21	47.1	17	3.8
White	225	98	127	(4/)	16	71.1	5	2.2
Other races	221	116	105	191	5	22.6	12	5.4
Montgomery	210	40	170	(4/)	4	19.0	6	2.9
Nevada	135	62	73	(4/)	4	29.6	4	3.0
White	95	46	49	(4/)	2	21.1	1	(5/)
Other races	40	16	24	(4/)	2	50.0	3	(5/)
Newton	323	72	251	(4/)	10	31.0	7	2.2
Ouachita	524	228	296	230	20	38.2	24	4.6
White	257	125	132	206	10	38.9	8	3.1
Other races	267	103	164	259	10	37.5	16	6.0
Perry	138	31	107	(4/)	4	29.0	3	2.2
Phillips	825	560	265	147	36	43.6	54	6.5
White	297	167	130	178	15	50.5	9	3.0
Other races	528	393	135	134	21	39.8	45	8.5
Pike	175	55	120	(4/)	4	22.9	2	1.1
Poinsett	802	281	521	285	57	71.1	33	4.1
White	723	235	488	308	52	71.9	25	3.5
Other races	79	46	33	(4/)	5	63.3	8	(5/)
Polk	303	125	178	242	16	52.8	13	4.3
Pope	626	182	444	344	19	30.4	20	3.2
Prairie	307	126	181	244	9	29.3	13	4.2
White	228	86	142	(4/)	4	17.5	6	2.6
Other races	79	40	39	(4/)	5	63.3	7	(5/)
Pulaski	2,182	2,173	9	100	133	61.0	90	4.1
Rural part	643	336	307	191	33	51.3	26	4.0
White	355	195	160	182	17	47.9	4	1.1
Other races	288	141	147	204	16	55.6	22	7.6
Little Rock	1,301	1,695	-394	77	85	65.3	52	4.0
White	1,014	1,122	-108	90	57	56.2	25	2.5
Other races	287	573	-286	50	28	97.6	27	9.4
North Little Rock	238	142	96	168	15	63.0	12	5.0
White	138	87	51	(4/)	8	58.0	5	3.6
Other races	100	55	45	(4/)	7	70.0	7	7.0
Randolph	388	137	251	283	26	67.0	12	3.1
St. Francis	633	317	316	200	33	52.1	34	5.4
White	196	111	85	177	13	66.3	9	4.6
Other races	437	206	231	212	20	45.8	25	5.7
Saline	339	154	185	220	14	41.3	12	3.5
Scott	308	62	246	(4/)	5	16.2	12	3.9
Searcy	241	51	190	(4/)	9	37.3	8	3.3
Sebastian	1,166	614	552	190	61	52.3	23	2.0
Rural part	443	103	340	430	13	29.3	6	1.4
Fort Smith	723	511	212	141	48	66.4	17	2.4
White	600	426	234	155	41	62.1	13	2.0
Other races	63	85	-22	(4/)	7	111.1	4	(5/)
Sevier	303	140	163	216	8	26.4	12	4.0
White	258	123	135	210	6	23.3	8	3.1
Other races	45	17	28	(4/)	2	44.4	4	(5/)
Sharp	234	46	188	(4/)	10	42.7	3	1.3
Stone	198	44	154	(4/)	5	25.3	8	4.0
Union	640	272	368	235	27	42.2	15	2.3
Rural part	357	128	229	279	17	47.6	7	2.0
White	227	95	132	(4/)	12	52.9	1	0.4
Other races	130	33	97	(4/)	5	38.5	6	4.6
El Dorado	283	144	139	197	10	35.3	8	2.8
White	236	107	129	221	9	38.1	6	2.5
Other races	47	37	10	(4/)	1	21.3	2	(5/)
Van Buren	226	61	165	(4/)	11	48.7	8	3.5
Washington	791	449	342	176	43	54.4	34	4.3
White	628	282	346	223	30	47.8	21	3.3
Woodruff	299	94	205	(4/)	6	20.1	22	7.4
White	117	41	76	(4/)	3	25.6	2	1.7
Other races	182	53	129	(4/)	3	16.5	20	11.0
Yell	326	75	251	(4/)	11	33.7	8	2.5
CALIFORNIA (total)	80,131	72,456	7,675	111	3,978	49.6	1,957	2.4
Alameda	5,750	5,696	59	101	230	40.0	142	2.5
Rural part	584	1,070	-486	55	30	51.4	14	2.4
Alameda	274	278	-4	99	2	7.3	10	3.6
Berkeley	724	725	-1	100	23	31.8	8	1.1
Oakland	4,085	3,529	556	116	171	41.9	109	2.7
White	3,867	3,369	498	115	160	41.4	105	2.7
Other races	218	160	58	136	11	50.5	4	1.8
San Leandro	88	94	-6	(4/)	4	45.5	1	(5/)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
CALIFORNIA—Con.								
Alpine	------	3	-3	------	-----	------	----	------
White	------	2	-2	------	-----	------	----	------
Other races	------	1	-1	------	-----	------	----	------
Amador	68	86	-18	(4/)	2	29.4	----	------
White	67	82	-15	(4/)	2	29.9	----	------
Other races	1	4	-3	(4/)	-----	------	----	------
Butte	609	539	70	113	32	52.5	11	1.8
Calaveras	49	101	-52	49	-----	------	2	(5/)
Colusa	163	154	9	106	10	61.3	3	1.8
White	159	136	23	117	10	62.9	3	1.9
Other races	4	18	-14	(4/)	-----	------	----	------
Contra Costa	1,002	710	292	141	52	51.9	25	2.5
Rural part	736	527	209	140	36	51.6	17	2.3
White	708	503	205	141	31	43.8	17	2.4
Other races	28	24	4	(4/)	7	250.0	----	------
Richmond	266	183	83	145	14	52.6	8	3.0
Del Norte	72	57	15	(4/)	2	27.8	3	(5/)
White	64	48	16	(4/)	-----	------	3	(5/)
Other races	8	9	-1	(4/)	2	250.0	----	------
Eldorado	107	155	-48	69	3	28.0	2	1.9
Fresno	2,475	1,694	781	146	129	52.1	71	2.9
Rural part	1,792	1,237	555	145	97	54.1	55	3.1
White	1,725	1,132	593	152	92	53.3	53	3.1
Other races	67	105	-38	64	5	74.6	2	(5/)
Fresno	683	457	226	149	32	46.9	16	2.3
White	626	431	195	145	31	49.5	15	2.4
Other races	57	26	31	(4/)	1	17.5	1	(5/)
Glenn	146	121	25	121	8	54.8	5	3.4
Humboldt	632	569	63	111	31	49.1	17	2.7
Rural part	253	202	51	125	13	51.4	4	1.6
Eureka	379	367	12	103	18	47.5	13	3.4
Imperial	1,363	960	803	243	142	104.2	24	1.8
Rural part	969	417	552	232	83	85.7	15	1.5
White	863	365	498	236	79	91.5	14	1.6
Other races	106	52	54	(4/)	4	37.7	1	0.9
Brawley	394	143	251	276	59	149.7	9	2.3
White	374	140	234	267	59	157.8	9	2.4
Other races	20	3	17	(4/)	-----	------	----	------
Inyo	69	70	-1	(4/)	7	101.4	1	(5/)
White	67	56	11	(4/)	6	89.6	1	(5/)
Other races	2	14	-12	(4/)	1	(7/)	----	------
Kern	1,657	1,060	597	156	140	84.5	52	3.1
Rural part	1,086	835	251	130	109	100.4	35	3.2
White	1,035	775	260	134	104	100.5	32	3.1
Other races	51	60	-9	(4/)	5	98.0	3	(5/)
Bakersfield	571	225	346	254	31	54.3	17	3.0
White	557	215	342	259	30	53.9	17	3.1
Other races	14	10	4	(4/)	1	71.4	----	------
Kings	519	286	233	181	44	84.8	10	1.9
White	503	267	236	188	43	85.5	10	2.0
Other races	16	19	-3	(4/)	1	62.5	----	------
Lake	80	116	-36	69	2	25.0	2	(5/)
Lassen	230	107	123	215	13	56.5	6	2.6
White	226	98	128	(4/)	10	44.2	6	2.7
Other races	4	9	-5	(4/)	3	(7/)	----	------
Los Angeles	30,079	27,374	2,705	110	1,316	43.8	703	2.3
Rural part	5,573	5,297	276	105	172	30.9	118	2.1
White	5,413	5,132	281	105	169	31.2	114	2.1
Other races	160	165	-5	97	3	18.8	4	2.5
Alhambra	221	239	-18	92	7	31.7	4	1.8
Belvedere (twp.)	528	163	365	324	13	24.6	10	1.9
White	514	158	356	325	13	25.3	10	1.9
Other races	14	5	9	(4/)	-----	------	----	------
Beverly Hills	6	105	-99	6	2	333.3	----	------
Burbank	175	147	28	119	7	40.0	4	2.3
Compton	214	113	101	189	9	42.1	5	2.3
Gardena (twp.)	41	98	-57	(4/)	2	48.8	-----	------
Glendale	996	814	172	121	23	23.3	20	2.0
Huntington Park	330	196	134	168	15	45.5	5	1.5
Inglewood	422	158	264	267	10	23.7	9	2.1
Long Beach	2,182	1,524	658	143	83	38.0	56	2.6
Los Angeles	16,865	16,112	753	105	892	52.9	413	2.4
White	15,601	15,227	404	103	826	52.8	380	2.4
Other races	1,234	885	349	139	66	53.5	33	2.7
Monrovia	85	170	-85	50	2	23.5	6	(5/)
White	84	160	-76	53	2	23.8	6	(5/)
Other races	1	10	-9	(4/)	-----	------	----	------
Pasadena	681	954	-273	71	12	17.6	6	0.9
Pomona	324	274	50	118	16	49.4	7	2.2
Santa Monica	766	590	176	130	22	28.7	20	2.6
South Gate	372	116	256	321	10	26.9	11	3.0
South Pasadena	8	140	-132	6	1	125.0	1	(5/)
Whittier	300	164	136	183	18	60.0	8	2.7

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
CALIFORNIA—Con.								
Madera	273	220	53	124	28	102.6	5	1.8
White	250	200	50	125	26	104.0	4	1.6
Other races	23	20	3	(4/)	2	87.0	1	(5/)
Marin	279	420	-141	66	7	25.1	6	2.2
Mariposa	30	32	-2	(4/)	2	66.7	2	(5/)
Mendocino	313	436	-123	72	11	35.1	10	3.2
Merced	676	419	257	161	39	57.7	16	2.4
White	654	409	245	160	37	56.6	15	2.3
Other races	22	10	12	(4/)	2	90.9	1	4.5
Modoc	88	70	18	(4/)	8	90.9	3	(5/)
White	84	55	29	(4/)	4	47.6	1	(5/)
Other races	4	15	-11	(4/)	4	(7/)	2	(5/)
Mono	7	35	-28	(4/)	1	142.9	----	------
White	7	30	-23	(4/)	-----	------	----	------
Other races	------	5	-5	------	1	------	----	------
Monterey	902	636	266	142	52	57.6	21	2.3
Rural part	705	558	147	126	45	63.8	19	2.7
White	648	521	127	124	42	64.8	19	2.9
Other races	57	37	20	(4/)	3	52.6	----	------
Salinas	197	78	119	(4/)	7	35.5	2	1.0
White	176	71	105	(4/)	6	34.1	2	1.1
Other races	21	7	14	(4/)	1	47.6	----	------
Napa	241	637	-396	38	8	33.2	3	1.2
Nevada	219	226	-7	97	18	82.2	6	2.7
Orange	1,876	1,247	629	150	124	66.1	57	3.0
Rural part	1,164	817	347	142	88	75.6	42	3.6
White	1,141	801	340	142	88	77.1	42	3.7
Other races	23	16	7	------	-----	------	----	------
Anaheim	126	81	45	(4/)	5	39.7	3	2.4
White	126	81	45	(4/)	5	39.7	3	2.4
Other races	------	------	------	------	-----	------	----	------
Fullerton	173	82	91	(4/)	4	23.1	5	2.9
Santa Ana	413	267	146	155	27	65.4	7	1.7
White	407	264	143	154	27	66.3	7	1.7
Other races	6	3	3	(4/)	-----	------	----	------
Placer	260	425	-165	61	13	50.0	7	2.7
White	236	384	-148	61	12	50.8	7	3.0
Other races	24	41	-17	------	1	41.7	----	------
Plumas	91	99	-8	(4/)	3	33.0	4	(5/)
Riverside	1,608	1,042	566	154	97	60.3	44	2.7
Rural part	839	565	274	148	64	76.3	26	3.1
White	791	526	265	150	58	73.3	24	3.0
Other races	48	39	9	(4/)	6	125.0	2	(5/)
Riverside	769	477	292	161	33	42.9	18	2.3
White	741	455	286	163	31	41.8	18	2.4
Other races	28	22	6	(4/)	2	71.4	----	------
Sacramento	2,142	1,903	239	113	110	51.4	55	2.6
Rural part	205	276	-71	74	9	43.9	5	2.4
White	136	242	-107	56	6	44.1	3	2.2
Other races	69	33	36	(4/)	3	43.5	2	(5/)
Sacramento	1,937	1,627	310	119	101	52.1	50	2.6
White	1,709	1,485	274	118	91	51.7	45	2.6
Other races	178	142	36	125	10	56.2	5	2.8
San Benito	129	112	17	115	14	108.5	7	5.4
White	122	110	12	111	14	114.8	7	5.7
Other races	7	2	5	(4/)	-----	------	----	------
San Bernardino	2,451	1,911	540	128	144	58.8	64	2.6
Rural part	1,070	934	136	115	55	51.4	16	1.5
White	1,059	905	154	117	55	51.9	15	1.4
Other races	11	29	-18	(4/)	-----	------	1	(5/)
Ontario	154	104	50	148	9	58.4	4	2.6
Redlands	238	154	84	155	11	46.2	9	3.8
White	238	154	84	155	11	46.2	9	3.8
Other races	------	------	------	------	-----	------	----	------
San Bernardino	989	719	270	138	69	69.8	35	3.5
White	963	707	256	136	69	71.7	35	3.6
Other races	26	12	14	(4/)	-----	------	----	------
San Diego	3,553	2,964	589	120	143	40.2	105	3.0
Rural part	686	683	3	100	32	46.6	14	2.0
White	640	662	-22	97	29	45.3	14	2.2
Other races	46	21	25	(4/)	3	65.2	----	------
San Diego	2,867	2,281	586	126	111	38.7	91	3.2
White	2,748	2,196	552	125	105	38.2	89	3.2
Other races	119	85	34	(4/)	6	50.4	2	1.7
San Francisco, co-extensive with: San Francisco (city)	7,116	8,502	-1,386	84	252	35.4	146	2.1
White	6,709	8,122	-1,413	83	235	35.0	135	2.0
Other races	407	380	27	107	17	41.8	11	2.7

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
CALIFORNIA—Con.								
San Joaquin	1,577	1,755	-178	90	105	66.6	42	2.7
Rural part	962	1,236	-274	78	71	73.8	26	2.7
White	894	1,098	-204	81	68	76.1	23	2.6
Other races	68	138	-70	49	3	44.1	3	(5/)
Stockton	615	519	96	118	34	55.3	16	2.6
White	545	475	70	115	30	55.0	13	2.4
Other races	70	44	26	(4/)	4	57.1	3	(5/)
San Luis Obispo	439	362	77	121	29	66.1	11	2.5
White	409	345	64	119	27	66.0	11	2.7
Other races	30	17	13	(4/)	2	66.7	----	-------
San Mateo	558	779	-221	72	18	32.3	9	1.6
Rural part	160	402	-242	40	4	25.0	5	3.1
Burlingame	3	73	-70	(4/)	1	333.3	----	-------
San Mateo	395	304	91	130	13	32.9	4	1.0
Santa Barbara	1,116	748	368	149	59	52.9	29	2.6
Rural part	642	412	230	156	37	57.6	15	2.3
White	587	375	212	157	31	52.8	15	2.6
Other races	55	37	18	(4/)	6	109.1	----	-------
Santa Barbara	474	336	138	141	22	46.4	14	3.0
White	471	330	141	143	22	46.7	14	3.0
Other races	3	6	-3	(4/)	----	-------	----	-------
Santa Clara	2,029	2,257	-228	90	114	56.2	44	2.2
Rural part	1,257	1,549	-292	81	93	74.0	31	2.5
Palo Alto	256	156	100	164	7	27.3	8	3.1
San Jose	516	552	-36	93	14	27.1	5	1.0
Santa Cruz	528	591	-63	89	27	51.1	13	2.5
Rural part	359	348	11	103	21	58.5	9	2.5
White	333	323	10	103	20	60.1	8	2.4
Other races	26	25	1	(4/)	1	38.5	1	(5/)
Santa Cruz	169	243	-74	70	6	35.5	4	2.4
Shasta	255	259	-4	98	14	54.9	3	1.2
Sierra	35	28	7	(4/)	2	57.1	----	-------
Siskiyou	344	282	62	122	18	52.3	13	3.8
Solano	411	393	18	105	21	51.1	6	1.5
Rural part	190	193	-3	98	10	52.6	2	1.1
White	168	186	-18	90	10	59.5	2	1.2
Other races	22	7	15	(4/)	----	-------	----	-------
Vallejo	221	200	21	111	11	49.8	4	1.8
Sonoma	689	917	-228	75	30	43.5	19	2.8
Rural part	488	755	-267	65	22	45.1	15	3.1
Santa Rosa	201	162	39	124	8	39.8	4	2.0
Stanislaus	1,052	695	357	151	51	48.5	30	2.9
Rural part	488	321	167	152	20	41.0	12	2.5
Modesto	564	374	190	151	31	55.0	18	3.2
Sutter	278	181	97	154	20	71.9	4	1.4
White	269	178	91	151	20	74.3	4	1.5
Other races	9	3	6	(4/)	----	-------	----	-------
Tehama	224	197	27	114	7	31.3	6	2.7
Trinity	47	43	4	(4/)	2	42.6	1	(5/)
White	46	39	7	(4/)	2	43.5	1	(5/)
Other races	1	4	-3	(4/)	----	-------	----	-------
Tulare	1,568	900	668	174	112	71.4	32	2.0
White	1,526	868	658	176	107	70.1	31	2.0
Other races	42	32	10	(4/)	5	119.0	1	(5/)
Tuolumne	106	160	-54	66	8	75.5	2	1.9
Ventura	1,059	629	430	168	77	72.7	30	2.8
Rural part	903	534	369	169	74	81.9	27	3.0
White	887	518	369	171	74	83.4	27	3.0
Other races	16	16	-------	(4/)	----	-------	----	-------
San Buenaventura	156	95	61	(4/)	3	19.2	3	1.9
Yolo	307	277	30	111	13	42.3	9	2.9
White	292	266	26	110	11	37.7	8	2.7
Other races	15	11	4	(4/)	2	133.3	1	(5/)
Yuba	180	209	-29	86	14	77.8	14	7.8
White	164	185	-21	89	13	79.3	13	7.9
Other races	16	24	-8	(4/)	1	62.5	1	(5/)
COLORADO (total)	18,837	13,134	5,703	143	1,370	72.7	539	2.9
Adams	258	299	-41	86	18	69.8	9	3.5
Alamosa	211	131	80	161	25	118.5	13	6.2
Arapahoe	183	190	-7	96	12	65.6	7	3.8
Archuleta	45	33	12	(4/)	8	177.8	3	(5/)
White	44	30	14	(4/)	8	181.8	3	(5/)
Other races	1	3	-2	(4/)	----	-------	----	-------
Baca	167	57	110	(4/)	10	59.9	3	1.8
Bent	186	145	41	128	14	75.3	7	3.8
White	184	143	41	129	14	76.1	7	3.8
Other races	2	2	-------	(4/)	----	-------	----	-------
Boulder	669	470	199	140	41	62.2	17	2.6
Rural part	500	316	184	158	37	74.0	11	2.2
Boulder	159	154	5	103	4	25.2	6	3.8
Chaffee	170	132	38	129	10	58.8	2	1.2
White	170	132	38	129	10	58.8	2	1.2
Other races	-------	-------	-------	-------	----	-------	----	-------
Cheyenne	68	28	40	(4/)	2	29.4	3	(5/)
Clear Creek	35	21	14	(4/)	2	57.1	----	-------
Conejos	147	67	80	(4/)	13	88.4	3	2.0
Costilla	102	15	87	(4/)	8	78.4	4	3.9
Crowley	93	62	31	(4/)	11	118.3	8	(5/)
White	92	62	30	(4/)	11	119.6	8	(5/)
Other races	1	-------	1	(4/)	----	-------	----	-------
Custer	27	16	11	(4/)	----	-------	----	-------
Delta	307	162	145	190	22	71.7	10	3.3
Denver, coextensive with:								
Denver (city)	5,530	4,369	1,161	127	334	60.4	167	3.0
White	5,410	4,241	1,169	128	325	60.1	164	3.0
Other races	120	128	-8	94	9	75.0	3	2.5
Dolores	16	5	11	(4/)	----	-------	----	-------
Douglas	30	14	16	(4/)	----	-------	----	-------
Eagle	69	41	28	(4/)	6	87.0	----	-------
White	69	41	28	(4/)	6	87.0	----	-------
Other races	-------	-------	-------	-------	----	-------	----	-------
Elbert	77	30	47	(4/)	2	26.0	3	(5/)
El Paso	869	906	-37	96	58	66.7	21	2.4
Rural part	91	253	-162	36	4	44.0	4	(5/)
Colorado Springs	778	653	125	119	54	69.4	17	2.2
Fremont	331	239	92	138	26	78.5	7	2.1
Garfield	213	116	97	184	13	61.0	5	2.3
Gilpin	22	13	9	(4/)	1	45.5	1	(5/)
Grand	41	19	22	(4/)	1	24.4	----	-------
Gunnison	95	64	31	(4/)	6	63.2	2	(5/)
Hinsdale	3	6	-3	(4/)	1	333.3	----	-------
Huerfano	393	186	207	211	23	58.5	9	2.3
White	388	183	205	212	23	59.3	9	2.3
Other races	5	3	2	(4/)	----	-------	----	-------
Jackson	18	10	8	(4/)	----	-------	----	-------
Jefferson	149	225	-76	66	13	87.2	3	2.0
Kiowa	43	23	20	(4/)	4	93.0	----	-------
Kit Carson	191	66	125	(4/)	9	47.1	4	2.1
Lake	78	105	-27	74	7	89.7	3	(5/)
La Plata	308	193	115	160	16	51.9	9	2.9
White	291	173	118	168	13	44.7	8	2.7
Other races	17	20	-3	(4/)	3	176.5	1	(5/)
Larimer	570	352	218	162	34	59.6	11	1.9
Rural part	481	263	218	183	30	62.4	10	2.1
Fort Collins	89	89	-------	(4/)	4	44.9	1	(5/)
Las Animas	582	408	174	143	88	151.2	23	4.0
Rural part	356	281	75	127	55	154.5	16	4.5
White	354	277	77	128	55	155.4	16	4.5
Other races	2	4	-2	(4/)	----	-------	----	-------
Trinidad	226	127	99	178	33	146.0	7	3.1
Lincoln	137	36	101	(4/)	7	51.1	3	2.2
Logan	367	178	189	206	28	76.3	8	2.2
Mesa	579	368	211	157	48	82.9	13	2.2
Rural part	265	199	66	133	26	98.1	3	1.1
Grand Junction	314	169	145	186	22	70.1	10	3.2
Mineral	18	15	3	(4/)	----	-------	----	-------
Moffat	81	32	49	(4/)	3	37.0	----	-------
Montezuma	269	93	176	(4/)	22	81.8	2	0.7
White	251	76	175	(4/)	16	63.7	2	0.8
Other races	18	17	1	(4/)	6	333.3	----	-------
Montrose	236	150	86	157	25	105.9	5	2.1
White	235	147	88	160	23	97.9	5	2.1
Other races	1	3	-2	(4/)	2	(7/)	----	-------
Morgan	419	192	227	218	35	83.5	12	2.9
Otero	488	315	173	155	53	108.6	17	3.5
White	476	307	169	155	51	107.1	17	3.6
Other races	12	8	4	(4/)	2	166.7	----	-------
Ouray	24	29	-5	(4/)	2	83.3	1	(5/)
Park	41	42	-1	(4/)	7	170.7	1	(5/)
Phillips	138	57	81	(4/)	3	21.7	5	3.6
Pitkin	19	23	-4	(4/)	----	-------	1	(5/)
Prowers	354	186	168	190	30	84.7	9	2.5
White	353	185	168	191	30	85.0	9	2.5
Other races	1	1	-------	(4/)	----	-------	----	-------
Pueblo	992	986	6	101	76	76.6	37	3.7
Rural part	293	489	-196	60	23	78.5	9	3.1
White	288	472	-184	61	22	75.4	9	3.1
Other races	5	17	-12	(4/)	1	200.0	----	-------
Pueblo	699	497	202	141	53	75.8	28	4.0
Rio Blanco	26	22	4	(4/)	----	-------	----	-------
Rio Grande	208	135	73	154	31	149.0	4	1.9
Routt	161	100	61	161	15	93.2	4	2.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
COLORADO—Con.								
Saguache	71	43	28	(4)	9	126.8	3	(5)
San Juan	29	22	7	(4)	1	34.5	----	------
San Miguel	37	31	6	(4)	2	54.1	1	(5)
Sedgwick	150	37	113	(4)	6	40.0	7	4.7
Summit	15	18	-3	(4)	4	266.7	1	(5)
Teller	89	90	-1	(4)	7	78.7	7	(5)
Washington	121	47	74	(4)	5	41.3	6	5.0
Weld	1,268	551	717	230	96	75.7	32	2.5
Rural part	886	284	602	312	62	70.0	17	1.9
White	871	278	593	313	59	67.7	17	2.0
Other races	15	6	9	(4)	3	200.0	----	------
Greeley	382	267	115	143	34	89.0	15	3.9
Yuma	214	118	96	181	17	79.4	3	1.4
CONNECTICUT (total)	22,258	17,659	4,599	126	951	42.7	587	2.6
Fairfield	5,293	4,054	1,239	131	190	35.9	144	2.7
Rural part	485	789	-304	61	17	35.1	7	1.4
Bridgeport	2,581	1,581	1,000	163	78	30.2	71	2.8
Danbury	507	359	148	141	28	55.2	9	1.8
Norwalk	685	516	169	133	22	32.1	12	1.8
Shelton	63	132	-69	48	5	79.4	1	(5)
Stamford	919	568	351	162	40	43.5	43	4.7
Stratford (town)	53	109	-56	49	-----	------	1	(5)
Hartford	5,972	4,412	1,560	135	306	51.2	154	2.6
Rural part	745	1,022	-277	73	42	56.4	15	2.0
Bristol	475	276	199	172	16	33.7	13	2.7
East Hartford (town)	26	94	-68	(4)	3	115.4	4	(5)
Hartford	3,684	2,252	1,432	164	172	46.7	99	2.7
New Britain	962	588	374	164	59	61.3	21	2.2
West Hartford (town)	80	180	-100	44	14	175.0	2	(5)
Litchfield	1,023	834	189	123	49	47.9	39	3.8
Rural part	583	565	18	103	23	39.5	19	3.3
Torrington	440	269	171	164	26	59.1	20	4.5
Middlesex	611	785	-174	78	31	50.7	13	2.1
Rural part	115	227	-112	51	6	52.2	2	1.7
Middletown	496	558	-62	89	25	50.4	11	2.2
New Haven	6,451	5,020	1,431	129	256	39.7	152	2.4
Rural part	370	629	-259	59	18	48.6	12	3.2
Ansonia	65	125	-60	52	4	61.5	----	------
Derby	356	213	143	167	16	44.9	9	2.5
Meriden	602	396	206	152	17	28.2	18	3.0
Naugatuck	29	107	-78	27	2	69.0	1	(5)
New Haven	3,081	2,170	911	142	125	40.6	64	2.1
Wallingford	43	117	-74	37	4	93.0	1	(5)
Waterbury	1,797	1,061	736	169	67	37.3	45	2.5
West Haven (town)	108	202	-94	53	3	27.8	2	1.9
New London	1,817	1,656	161	110	73	40.2	50	2.8
Rural part	531	1,047	-516	51	39	73.4	5	0.9
New London	792	414	378	191	28	35.4	21	2.7
Norwich	494	195	299	253	6	12.1	24	4.9
Tolland	293	301	-8	97	5	17.1	5	1.7
Windham	798	597	201	134	41	51.4	30	3.8
Rural part	528	430	98	123	25	47.3	21	4.0
Willimantic	270	167	103	162	16	59.3	9	3.3
DELAWARE (total)	4,036	3,208	828	126	268	66.4	148	3.7
Kent	647	631	16	103	55	85.0	23	3.6
White	499	475	24	105	28	56.1	16	3.2
Other races	148	156	-8	95	27	182.4	7	4.7
New Castle	2,660	2,042	618	130	157	59.0	92	3.5
Rural part	391	558	-167	70	24	61.4	15	3.8
White	314	461	-147	68	12	38.2	7	2.2
Other races	77	97	-20	(4)	12	155.8	8	(5)
Wilmington	2,269	1,484	785	153	133	58.6	77	3.4
White	2,009	1,197	812	168	107	53.3	59	2.9
Other races	260	287	-27	91	26	100.0	18	6.9
Sussex	729	535	194	136	56	76.8	33	4.5
White	557	413	144	135	33	59.2	19	3.4
Other races	172	122	50	141	23	133.7	14	8.1
DIST. OF COLUMBIA	10,803	8,483	2,320	127	642	59.4	409	3.8
Washington	10,803	8,483	2,320	127	642	59.4	409	3.8
White	7,162	5,258	1,904	136	292	40.8	222	3.1
Other races	3,641	3,225	416	113	350	96.1	187	5.1

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
FLORIDA (total)	28,051	20,046	8,005	140	1,736	61.9	1,573	5.6
Alachua	688	462	226	149	46	66.9	45	6.5
Rural part	389	221	168	176	31	79.7	31	8.0
White	157	82	75	(4)	8	51.0	10	6.4
Other races	232	139	93	167	23	99.1	21	9.1
Gainesville	299	241	58	124	15	50.2	14	4.7
White	189	125	64	151	5	26.5	9	4.8
Other races	110	116	-6	95	10	90.9	5	4.5
Baker	180	64	116	(4)	13	72.2	8	4.4
White	124	28	96	(4)	5	40.3	6	4.8
Other races	56	36	20	(4)	8	142.9	2	(5)
Bay	460	181	279	254	25	54.3	26	5.7
White	386	134	252	288	18	46.6	14	3.6
Other races	74	47	27	(4)	7	94.6	12	(5)
Bradford	185	79	106	(4)	13	70.3	10	5.4
White	133	52	81	(4)	7	52.6	4	3.0
Other races	52	27	25	(4)	6	115.4	6	(5)
Brevard	200	154	46	130	13	65.0	6	3.0
White	118	96	22	(4)	4	33.9	1	0.8
Other races	82	58	24	(4)	9	109.8	5	(5)
Broward	426	295	131	144	38	89.2	34	8.0
White	223	183	40	122	12	53.8	5	2.2
Other races	203	112	91	181	26	128.1	29	14.3
Calhoun	217	69	148	(4)	17	78.3	7	3.2
White	183	58	125	(4)	14	76.5	4	2.2
Other races	34	11	23	(4)	3	88.2	3	(5)
Charlotte	39	26	13	(4)	2	51.3	2	(5)
White	29	20	9	(4)	2	69.0	----	------
Other races	10	6	4	(4)	-----	------	2	(5)
Citrus	92	75	17	(4)	10	108.7	4	(5)
White	64	38	26	(4)	4	62.5	----	------
Other races	28	37	-9	(4)	6	214.3	4	(5)
Clay	80	99	-19	(4)	3	37.5	1	(5)
White	56	72	-16	(4)	3	53.6	1	(5)
Other races	24	27	-3	(4)	-----	------	----	------
Collier	52	23	29	(4)	1	19.2	1	(5)
White	39	15	24	(4)	1	25.6	1	(5)
Other races	13	8	5	(4)	-----	------	----	------
Columbia	323	289	34	112	13	40.2	25	7.7
White	215	158	57	136	10	46.5	8	3.7
Other races	108	131	-23	82	3	27.8	17	15.7
Dade	2,521	2,093	428	120	161	63.9	117	4.6
Rural part	610	549	61	111	40	65.6	28	4.6
White	448	428	20	105	19	42.4	16	3.6
Other races	162	121	41	134	21	129.6	12	7.4
Miami	1,911	1,544	367	124	121	63.3	89	4.7
White	1,444	1,114	330	130	76	52.6	43	3.0
Other races	467	430	37	109	45	96.4	46	9.9
De Soto	177	114	63	155	15	84.7	6	3.4
White	146	86	60	(4)	14	95.9	4	2.7
Other races	31	28	3	(4)	1	32.3	2	(5)
Dixie	118	61	57	(4)	9	76.3	14	11.9
White	86	37	49	(4)	4	46.5	1	(5)
Other races	32	24	8	(4)	5	156.3	13	(5)
Duval	2,872	2,369	503	121	154	53.6	196	6.8
Rural part	282	194	88	145	11	39.0	12	4.3
White	197	124	73	159	5	25.4	6	3.0
Other races	85	70	15	(4)	6	70.6	6	(5)
Jacksonville	2,590	2,175	415	119	143	55.2	184	7.1
White	1,717	1,131	586	152	83	48.3	67	3.9
Other races	873	1,044	-171	84	60	68.7	117	13.4
Escambia	1,227	785	442	156	105	85.6	73	5.9
Rural part	426	234	192	182	31	72.8	20	4.7
White	334	161	173	207	20	59.9	10	3.0
Other races	92	73	19	(4)	11	119.6	10	(5)
Pensacola	801	551	250	145	74	92.4	53	6.6
White	626	340	286	184	57	91.1	30	4.8
Other races	175	211	-36	83	17	97.1	23	13.1
Flagler	42	39	3	(4)	5	119.0	4	(5)
White	14	15	-1	(4)	1	71.4	----	------
Other races	28	24	4	(4)	4	142.9	4	(5)
Franklin	155	71	84	(4)	10	64.5	8	5.2
White	102	35	67	(4)	6	58.8	4	3.9
Other races	53	36	17	(4)	4	75.5	4	(5)
Gadsden	579	603	-24	96	55	95.0	43	7.4
White	197	267	-70	74	13	66.0	14	7.1
Other races	382	336	46	114	42	109.9	29	7.6

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
FLORIDA—Con.								
Gilchrist	124	34	90	(4)	8	64.5	3	2.4
White	110	22	88	(4)	4	36.4	----	------
Other races	14	12	2	(4)	4	285.7	3	(5)
Glades	49	22	27	(4)	2	40.8	1	(5)
White	44	14	30	(4)	2	45.5	1	(5)
Other races	5	8	-3	(4)	-----	------	----	------
Gulf	75	30	45	(4)	6	80.0	10	(5)
White	43	17	26	(4)	2	46.5	4	(5)
Other races	32	13	19	(4)	4	125.0	6	(5)
Hamilton	223	107	116	208	13	58.3	14	6.3
White	138	59	79	(4)	8	58.0	7	5.1
Other races	85	48	37	(4)	5	58.8	7	(5)
Hardee	210	80	130	(4)	9	42.9	12	5.7
Hendry	59	34	25	(4)	5	84.7	1	(5)
White	48	18	30	(4)	1	20.8	----	------
Other races	11	16	-5	(4)	4	363.6	1	(5)
Hernando	114	60	54	(4)	6	52.6	5	4.4
White	73	40	33	(4)	4	54.8	2	(5)
Other races	41	20	21	(4)	2	48.8	3	(5)
Highlands	183	114	69	161	14	76.5	8	4.4
White	134	71	63	(4)	6	44.8	4	3.0
Other races	49	43	6	(4)	8	163.3	4	(5)
Hillsborough	2,502	1,849	653	135	144	57.6	117	4.7
Rural part	864	566	298	153	50	57.9	40	4.6
White	695	402	293	173	37	53.2	29	4.2
Other races	169	164	5	103	13	76.9	11	6.5
Tampa	1,638	1,283	355	128	94	57.4	77	4.7
White	1,348	967	381	139	61	45.3	43	3.2
Other races	290	316	-26	92	33	113.8	34	11.7
Holmes	343	133	210	258	21	61.2	19	5.5
Indian River	140	92	48	(4)	13	92.9	12	8.6
White	95	59	36	(4)	5	52.6	7	(5)
Other races	45	33	12	(4)	8	177.8	5	(5)
Jackson	861	320	541	269	33	38.3	43	5.0
White	527	171	356	308	14	26.6	23	4.4
Other races	334	149	185	224	19	56.9	20	6.0
Jefferson	325	162	163	201	24	73.8	26	8.0
White	69	44	25	(4)	2	29.0	4	(5)
Other races	256	118	138	217	22	85.9	22	8.6
Lafayette	67	13	54	(4)	1	14.9	4	(5)
White	60	7	53	(4)	1	16.7	4	(5)
Other races	7	6	1	(4)	-----	------	----	------
Lake	476	355	121	134	32	67.2	21	4.4
White	328	228	100	144	16	48.8	14	4.3
Other races	148	127	21	117	16	108.1	7	4.7
Lee	282	212	70	133	18	63.8	22	7.8
White	227	154	73	147	15	66.1	10	4.4
Other races	55	58	-3	(4)	3	54.5	12	(5)
Leon	577	316	261	183	40	69.3	39	6.8
Rural part	314	156	158	201	23	73.2	20	6.4
White	53	26	27	(4)	3	56.6	4	(5)
Other races	261	130	131	201	20	76.6	16	6.1
Tallahassee	263	160	103	164	17	64.6	19	7.2
White	140	81	59	(4)	9	64.3	4	2.9
Other races	123	79	44	(4)	8	65.0	15	12.2
Levy	206	134	72	154	23	111.7	13	6.3
White	124	55	69	(4)	14	112.9	3	2.4
Other races	82	79	3	(4)	9	109.8	10	(5)
Liberty	96	32	64	(4)	5	52.1	3	(5)
White	57	23	44	(4)	4	59.7	1	(5)
Other races	29	9	20	(4)	1	34.5	2	(5)
Madison	358	176	182	203	18	50.3	25	7.0
White	175	69	106	(4)	6	34.3	5	2.9
Other races	183	107	76	171	12	65.6	20	10.9
Manatee	368	299	69	123	13	35.3	22	6.0
White	235	210	25	112	8	34.0	8	3.4
Other races	133	89	44	(4)	5	37.6	14	10.5
Marion	568	423	145	134	37	65.1	23	4.0
White	285	222	63	128	16	56.1	7	2.5
Other races	283	201	82	141	21	74.2	16	5.7
Martin	64	50	14	(4)	5	78.1	2	(5)
White	40	31	9	(4)	2	50.0	1	(5)
Other races	24	19	5	(4)	3	125.0	1	(5)
Monroe	219	485	-266	45	14	63.9	5	2.3
Rural part	------	295	-295	------	1	------	----	------
White	------	286	-286	------	1	------	----	------
Other races	------	9	-9	------	-----	------	----	------
Key West	219	190	29	115	13	59.4	5	2.3
White	170	130	40	131	8	47.1	3	1.8
Other races	49	60	-11	(4)	5	102.0	2	(5)
Nassau	181	97	84	(4)	8	44.2	11	6.1
White	102	41	61	(4)	4	39.2	2	2.0
Other races	79	56	23	(4)	4	50.6	9	(5)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
FLORIDA—Con.								
Okaloosa	287	127	160	226	22	76.7	14	4.9
White	259	113	146	229	19	73.4	13	5.0
Other races	28	14	14	(4)	3	107.1	1	(5)
Okeechobee	65	18	47	(4)	4	61.5	4	(5)
White	58	14	44	(4)	3	51.7	3	(5)
Other races	7	4	3	(4)	1	142.9	1	(5)
Orange	818	714	104	115	49	59.9	47	5.7
Rural part	299	226	73	132	13	43.5	16	5.4
White	216	163	53	133	4	18.5	5	2.3
Other races	83	63	20	(4)	9	108.4	11	(5)
Orlando	519	488	31	106	36	69.4	31	6.0
White	416	381	35	109	29	69.7	19	4.6
Other races	103	107	-4	96	7	68.0	12	11.7
Osceola	143	144	-1	99	5	35.0	4	2.8
White	111	117	-6	95	2	18.0	1	0.9
Other races	32	27	5	(4)	3	93.8	3	(5)
Palm Beach	825	727	98	113	61	73.9	50	6.1
Rural part	369	287	82	129	32	86.7	26	7.0
White	210	155	55	135	12	57.1	13	6.2
Other races	159	132	27	120	20	125.8	13	8.2
West Palm Beach	456	440	16	104	29	63.6	24	5.3
White	325	261	64	125	18	55.4	4	1.2
Other races	131	179	-48	73	11	84.0	20	15.3
Pasco	184	149	35	123	5	27.2	10	5.4
White	159	121	38	131	3	18.9	7	4.4
Other races	25	28	-3	(4)	2	80.0	3	(5)
Pinellas	862	1,177	-315	73	28	32.5	42	4.9
Rural part	311	346	-35	90	9	28.9	11	3.5
White	256	295	-29	90	8	30.1	9	3.4
Other races	45	51	-6	(4)	1	22.2	2	(5)
St. Petersburg	551	831	-280	66	19	34.5	31	5.6
White	414	716	-302	58	12	29.0	16	3.9
Other races	137	115	22	119	7	51.1	15	10.9
Polk	1,523	886	637	172	93	61.1	77	5.1
Rural part	1,153	575	578	201	59	51.2	57	4.9
White	923	398	525	232	39	42.3	43	4.7
Other races	230	177	53	130	20	87.0	14	6.1
Lakeland	370	311	59	119	34	91.9	20	5.4
White	297	231	66	129	22	74.1	10	3.4
Other races	73	80	-7	(4)	12	164.4	10	(5)
Putnam	311	286	25	109	21	67.5	26	8.4
White	170	147	23	116	11	64.7	11	6.5
Other races	141	139	2	101	10	70.9	15	10.6
St. Johns	354	287	67	123	33	93.2	9	2.5
Rural part	69	56	13	(4)	9	130.4	3	(5)
White	14	19	-5	(4)	1	-71.4	----	------
Other races	55	37	18	(4)	8	145.5	3	(5)
St. Augustine	285	231	54	123	24	84.2	6	2.1
White	213	142	71	150	11	51.6	2	0.9
Other races	72	89	-17	(4)	13	180.6	4	(5)
St. Lucie	161	97	64	(4)	6	37.3	6	3.7
White	116	70	46	(4)	5	43.1	3	2.6
Other races	45	27	18	(4)	1	22.2	3	(5)
Santa Rosa	343	128	215	268	24	70.0	10	2.9
White	299	104	195	288	21	70.2	6	2.0
Other races	44	24	20	(4)	3	68.2	4	(5)
Sarasota	223	137	86	163	8	35.9	3	1.3
White	171	99	72	(4)	5	29.2	1	0.6
Other races	52	38	14	(4)	3	57.7	2	(5)
Seminole	375	256	119	146	27	72.0	38	10.1
Rural part	172	98	74	(4)	12	69.8	22	12.8
White	66	45	21	(4)	3	45.5	5	(5)
Other races	106	53	53	(4)	9	84.9	17	16.0
Sanford	203	158	45	128	15	73.9	16	7.9
White	114	71	43	(4)	6	52.6	4	3.5
Other races	89	87	2	(4)	9	101.1	12	(5)
Sumter	177	90	87	(4)	12	67.8	10	5.6
White	119	58	61	(4)	7	58.8	2	1.7
Other races	58	32	26	(4)	5	86.2	8	(5)
Suwannee	412	178	234	231	29	70.4	20	4.9
White	284	91	193	(4)	15	52.8	10	3.5
Other races	128	87	41	(4)	14	109.4	10	7.8
Taylor	211	108	103	195	15	71.1	10	4.7
White	155	57	98	(4)	9	58.1	6	3.9
Other races	56	51	5	(4)	6	107.1	4	(5)
Union	140	78	62	(4)	6	42.9	10	7.1
White	101	45	56	(4)	2	19.8	4	4.0
Other races	39	33	6	(4)	4	102.6	6	(5)
Volusia	619	580	39	107	28	45.2	38	6.1
Rural part	347	305	42	114	14	40.3	19	5.5
White	240	216	24	111	10	41.7	6	2.5
Other races	107	89	18	(4)	4	37.4	13	12.1
Daytona Beach	272	275	-3	99	14	51.5	19	7.0
White	197	189	8	104	8	40.6	7	3.6
Other races	75	86	-11	(4)	6	80.0	12	(5)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
FLORIDA—Con.								
Wakulla	87	53	34	(4/)	10	114.9	18	(5/)
White	55	23	32	(4/)	5	90.9	9	(5/)
Other races	32	30	2	(4/)	5	156.3	9	(5/)
Walton	317	149	168	213	20	63.1	18	5.7
White	275	124	151	222	18	65.5	14	5.1
Other races	42	25	17	(4/)	2	47.6	4	(5/)
Washington	311	97	214	(4/)	10	32.2	18	5.8
White	253	68	185	(4/)	7	27.7	13	5.1
Other races	58	29	29	(4/)	3	51.7	5	(5/)
GEORGIA (total)	63,260	34,288	28,972	184	4,320	68.3	3,877	6.1
Appling	350	102	248	343	18	51.4	17	4.9
White	289	64	225	(4/)	10	34.6	13	4.5
Other races	61	38	23	(4/)	8	131.1	4	(5/)
Atkinson	209	58	151	(4/)	11	52.6	9	4.3
White	150	37	113	(4/)	6	53.3	6	4.0
Other races	59	21	38	(4/)	3	50.8	3	(5/)
Bacon	198	70	128	(4/)	15	75.8	9	4.5
White	167	61	106	(4/)	14	83.8	7	4.2
Other races	31	9	22	(4/)	1	32.3	2	(5/)
Baker	192	76	116	(4/)	15	78.1	15	7.8
White	66	28	38	(4/)	5	75.8	2	(5/)
Other races	126	48	78	(4/)	10	79.4	13	10.3
Baldwin	302	603	-301	50	27	89.4	17	5.6
White	94	298	-204	32	7	74.5	1	(5/)
Other races	208	305	-97	68	20	96.2	16	7.7
Banks	207	79	128	(4/)	18	87.0	8	3.9
Barrow	216	122	94	177	16	74.1	11	5.1
White	180	95	85	(4/)	13	72.2	6	3.3
Other races	36	27	9	(4/)	3	83.3	5	(5/)
Bartow	551	282	269	195	54	98.0	31	5.6
White	459	204	255	225	43	93.7	23	5.0
Other races	92	78	14	(4/)	11	119.6	8	(5/)
Ben Hill	309	153	156	202	9	29.1	21	6.8
White	188	87	101	(4/)	6	31.9	3	1.6
Other races	121	66	55	(4/)	3	24.8	18	14.9
Berrien	399	129	270	309	25	62.7	22	5.5
White	351	108	243	325	24	68.4	21	6.0
Other races	48	21	27	(4/)	1	20.8	1	(5/)
Bibb	1,351	1,228	123	110	121	89.6	131	9.7
Rural part	202	139	63	145	21	104.0	20	9.9
White	61	43	18	(4/)	2	32.8	----	------
Other races	141	96	45	(4/)	19	134.8	20	14.2
Macon	1,149	1,089	60	106	100	87.0	111	9.7
White	666	520	146	128	53	79.6	38	5.7
Other races	483	569	-86	85	47	97.3	73	15.1
Bleckley	251	85	166	(4/)	19	75.7	20	8.0
White	149	40	109	(4/)	7	47.0	7	4.7
Other races	102	45	57	(4/)	12	117.6	13	12.7
Brantley	178	74	104	(4/)	9	50.6	12	6.7
White	146	62	84	(4/)	8	54.8	6	4.1
Other races	32	12	20	(4/)	1	31.3	6	(5/)
Brooks	448	201	247	223	25	55.8	36	8.0
White	161	76	85	(4/)	8	49.7	4	2.5
Other races	287	125	162	230	17	59.2	32	11.1
Bryan	136	75	61	(4/)	8	58.8	7	5.1
White	57	29	28	(4/)	2	35.1	1	(5/)
Other races	79	46	33	(4/)	6	75.9	6	(5/)
Bulloch	674	262	412	257	37	54.9	58	8.6
White	357	147	210	243	15	42.0	18	5.0
Other races	317	115	202	276	22	69.4	40	12.6
Burke	551	295	256	187	25	45.4	47	8.5
White	102	62	40	(4/)	7	68.6	2	2.0
Other races	449	233	216	193	18	40.1	45	10.0
Butts	169	86	83	(4/)	4	23.7	9	5.3
White	72	43	29	(4/)	1	13.9	1	(5/)
Other races	97	43	54	(4/)	3	30.9	8	(5/)
Calhoun	273	108	165	253	25	91.6	18	6.6
White	48	18	30	(4/)	2	41.7	2	(5/)
Other races	225	90	135	(4/)	23	102.2	16	7.1
Camden	170	102	68	167	15	88.2	15	8.8
White	62	27	35	(4/)	4	64.5	3	(5/)
Other races	108	75	33	(4/)	11	101.9	12	11.1
Candler	186	101	85	184	20	107.5	5	2.7
White	103	63	40	(4/)	12	116.5	2	1.9
Other races	83	38	45	(4/)	8	96.4	3	(5/)
Carroll	685	328	357	209	45	65.7	30	4.4
White	496	244	252	203	30	60.5	15	3.0
Other races	189	84	105	(4/)	15	79.4	15	7.9
Catoosa	186	78	108	(4/)	10	53.8	3	1.6
Charlton	124	55	69	(4/)	3	24.2	9	7.3
White	93	36	57	(4/)	2	21.5	2	(5/)
Other races	31	19	12	(4/)	1	32.3	7	(5/)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Con.								
Chatham	1,846	2,010	-164	92	156	84.5	102	5.5
Rural part	220	269	-49	82	20	90.9	9	4.1
White	71	96	-25	(4/)	2	28.2	1	(5/)
Other races	149	173	-24	86	18	120.8	8	5.4
Savannah	1,626	1,741	-115	93	136	83.6	93	5.7
White	868	721	147	120	60	69.1	33	3.8
Other races	758	1,020	-262	74	76	100.3	60	7.9
Chattahoochee	174	73	101	(4/)	9	51.7	5	2.9
White	116	44	72	(4/)	7	60.3	1	0.9
Other races	58	29	29	(4/)	2	34.5	4	(5/)
Chattooga	450	190	260	237	26	57.8	19	4.2
White	399	166	233	240	23	57.6	17	4.3
Other races	51	24	27	(4/)	3	58.8	2	(5/)
Cherokee	503	130	373	387	14	27.8	21	4.2
Clarke	441	413	28	107	42	95.2	32	7.3
Rural part	145	86	59	(4/)	10	69.0	9	6.2
White	71	46	25	(4/)	5	70.4	3	(5/)
Other races	74	40	34	(4/)	5	67.6	6	(5/)
Athens	296	327	-31	91	32	108.1	23	7.8
White	206	176	30	117	17	82.5	16	7.8
Other races	90	151	-61	60	15	166.7	7	(5/)
Clay	139	56	83	(4/)	7	50.4	8	5.8
White	22	18	4	(4/)	2	90.9	1	(5/)
Other races	117	38	79	(4/)	5	42.7	7	6.0
Clayton	152	105	47	145	12	78.9	11	7.2
White	91	63	28	(4/)	7	76.9	6	(5/)
Other races	61	42	19	(4/)	5	82.0	5	(5/)
Clinch	147	47	100	(4/)	4	27.2	13	8.8
White	97	26	71	(4/)	2	20.6	7	(5/)
Other races	50	21	29	(4/)	2	40.0	6	(5/)
Cobb	600	343	257	175	46	76.7	33	5.5
White	477	258	219	185	32	67.1	21	4.4
Other races	123	85	38	(4/)	14	113.8	12	9.8
Coffee	425	170	255	250	25	58.8	13	3.1
White	315	117	198	269	20	63.5	8	2.5
Other races	110	53	57	(4/)	5	45.5	5	4.5
Colquitt	674	282	392	239	40	59.3	50	7.4
White	478	192	286	249	23	48.1	27	5.6
Other races	196	90	106	(4/)	17	86.7	23	11.7
Columbia	249	91	158	(4/)	7	28.1	12	4.8
White	72	30	42	(4/)	1	13.9	1	(5/)
Other races	177	61	116	(4/)	6	33.9	11	6.2
Cook	294	105	189	280	8	27.2	15	5.1
White	217	71	146	(4/)	7	32.3	12	5.5
Other races	77	34	43	(4/)	1	13.0	3	(5/)
Coweta	484	235	249	206	26	53.7	20	4.1
White	247	99	148	(4/)	7	28.3	12	4.9
Other races	237	136	101	174	19	80.2	8	3.4
Crawford	212	81	131	(4/)	7	33.0	15	7.1
White	66	38	28	(4/)	2	30.3	2	(5/)
Other races	146	43	103	(4/)	5	34.2	13	8.9
Crisp	367	212	155	173	33	89.9	39	10.6
White	157	82	75	(4/)	6	38.2	10	6.4
Other races	210	130	80	162	27	128.6	29	13.8
Dade	137	35	102	(4/)	5	36.5	6	4.4
Dawson	78	13	65	(4/)	2	25.6	4	(5/)
Decatur	580	289	291	201	47	81.0	51	8.8
White	258	125	133	206	17	65.9	10	3.9
Other races	322	164	158	196	30	93.2	41	12.7
De Kalb	(11/)	(11/)	(11/)	(11/)	(11/)	(11/)	(11/)	(11/)
Rural part	853	471	382	181	38	44.5	34	4.0
White	700	366	334	191	27	38.6	17	2.4
Other races	153	105	48	146	11	71.9	17	11.1
Decatur	88	99	-11	(4/)	5	56.8	2	(5/)
White	27	57	-30	(4/)	1	37.0	1	(5/)
Other races	61	42	19	(4/)	4	65.6	1	(5/)
Atlanta (part)	(11/)	(11/)	(11/)	(11/)	(11/)	(11/)	(11/)	(11/)
Dodge	522	189	333	276	23	44.1	31	5.9
White	297	124	173	240	13	43.8	14	4.7
Other races	225	65	160	(4/)	10	44.4	17	7.6
Dooly	445	188	257	237	31	69.7	32	7.2
White	159	72	87	(4/)	8	50.3	6	3.8
Other races	286	116	170	247	23	80.4	26	9.1
Dougherty	442	279	163	158	25	56.6	27	6.1
Rural part	77	51	26	(4/)	6	77.9	4	(5/)
White	11	7	4	(4/)	2	181.8	----	------
Other races	66	44	22	(4/)	4	60.6	4	(5/)
Albany	365	228	137	160	19	52.1	23	6.3
White	178	82	96	(4/)	7	39.3	7	3.9
Other races	187	146	41	128	12	64.2	16	8.6
Douglas	217	96	121	(4/)	19	87.6	8	3.7
White	161	70	91	(4/)	12	74.5	6	3.7
Other races	56	26	30	(4/)	7	125.0	2	(5/)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Con.								
Early	452	181	271	250	29	64.2	28	6.2
White	179	72	107	(4)	13	72.6	2	1.1
Other races	273	109	164	250	16	58.6	26	9.5
Echols	76	14	62	(4)	1	13.2	1	(5)
White	59	12	47	(4)	1	16.9	----	------
Other races	17	2	15	(4)	-----	------	1	(5)
Effingham	223	124	99	180	23	103.1	26	11.7
White	108	59	49	(4)	8	74.1	4	3.7
Other races	115	65	50	(4)	15	130.4	22	19.1
Elbert	477	203	274	235	31	65.0	17	3.6
White	210	109	101	193	15	71.4	2	1.0
Other races	267	94	173	(4)	16	59.9	15	5.6
Emanuel	511	250	261	204	37	72.4	31	6.1
White	272	120	152	227	12	44.1	10	3.7
Other races	239	130	109	184	25	104.6	21	8.8
Evans	158	73	85	(4)	8	50.6	18	11.4
White	106	36	70	(4)	5	47.2	7	6.6
Other races	52	37	15	(4)	3	57.7	11	(5)
Fannin	432	125	307	346	34	78.7	17	3.9
Fayette	182	77	105	(4)	15	82.4	8	4.4
White	97	52	45	(4)	8	82.5	3	(5)
Other races	85	25	60	(4)	7	82.4	5	(5)
Floyd	1,121	586	535	191	91	81.2	54	4.8
Rural part	641	165	476	388	34	53.0	22	3.4
White	562	140	422	401	26	46.3	17	3.0
Other races	79	25	54	(4)	8	101.3	5	(5)
Rome	480	421	59	114	57	118.8	32	6.7
White	401	301	100	133	41	102.2	19	4.7
Other races	79	120	-41	66	16	202.5	13	(5)
Forsyth	284	43	241	(4)	9	31.7	8	2.8
Franklin	361	142	219	254	16	44.3	9	2.5
White	317	117	200	271	10	31.5	3	0.9
Other races	44	25	19	(4)	6	136.4	6	(5)
Fulton	(11)	(11)	(11)	(11)	(11)	(11)	(11)	(11)
Rural part	622	728	-106	85	57	91.6	37	5.9
White	486	513	-27	95	41	84.4	24	4.9
Other races	136	215	-79	63	16	117.6	13	9.6
Atlanta 11	5,549	4,340	1,209	128	408	73.5	280	5.0
White	3,585	2,285	1,300	157	217	60.5	132	3.7
Other races	1,964	2,055	-91	96	191	97.3	148	7.5
Gilmer	240	67	173	(4)	10	41.7	8	3.3
Glascock	104	39	65	(4)	4	38.5	7	6.7
White	74	23	51	(4)	2	27.0	5	(5)
Other races	30	16	14	(4)	2	66.7	2	(5)
Glynn	350	304	46	115	18	51.4	26	7.4
Rural part	88	55	33	(4)	3	34.1	5	(5)
White	49	30	19	(4)	3	61.2	----	------
Other races	39	25	14	(4)	-----	------	5	(5)
Brunswick	262	249	13	105	15	57.3	21	8.0
White	176	120	56	147	7	39.8	7	4.0
Other races	86	129	-43	67	8	93.0	14	(5)
Gordon	423	157	266	269	27	63.8	11	2.6
Grady	440	221	219	199	38	86.4	30	6.8
White	259	146	113	177	23	88.8	10	3.9
Other races	181	75	106	(4)	15	82.9	20	11.0
Greene	307	146	161	210	27	87.9	16	5.2
White	125	60	65	(4)	8	64.0	3	2.4
Other races	182	86	96	(4)	19	104.4	13	7.1
Gwinnett	664	242	422	274	47	70.8	25	3.8
White	564	205	359	275	38	67.4	24	4.3
Other races	100	37	63	(4)	9	90.0	1	1.0
Habersham	329	145	184	227	16	48.6	10	3.0
Hall	613	340	273	180	55	89.7	36	5.9
White	542	289	253	188	47	86.7	34	6.3
Other races	71	51	20	(4)	8	112.7	2	(5)
Hancock	372	112	260	332	17	45.7	29	7.8
White	52	33	19	(4)	5	96.2	5	(5)
Other races	320	79	241	(4)	12	37.5	24	7.5
Haralson	275	120	155	229	16	58.2	13	4.7
Harris	261	119	142	219	12	46.0	15	5.7
White	54	50	4	(4)	2	37.0	1	(5)
Other races	207	69	138	(4)	10	48.3	14	6.8
Hart	336	140	196	240	27	80.4	16	4.8
White	268	99	169	(4)	20	74.6	12	4.5
Other races	68	41	27	(4)	7	102.9	4	(5)
Heard	218	78	140	(4)	20	91.7	9	4.1
White	145	53	92	(4)	11	75.9	6	4.1
Other races	73	25	48	(4)	9	123.3	3	(5)
Henry	393	140	253	281	10	25.4	35	8.9
White	145	68	77	(4)	3	20.7	4	2.8
Other races	248	72	176	(4)	7	28.2	31	12.5
Houston	233	93	140	(4)	14	60.1	18	7.7
White	65	25	40	(4)	2	30.8	3	(5)
Other races	168	68	100	(4)	12	71.4	15	8.9

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Con.								
Irwin	346	114	232	304	22	63.6	25	7.2
White	170	63	107	(4)	9	52.9	8	4.7
Other races	176	51	125	(4)	13	73.9	17	9.7
Jackson	551	179	372	308	34	61.7	23	4.2
White	440	132	308	333	23	52.3	19	4.3
Other races	111	47	64	(4)	11	99.1	4	3.6
Jasper	222	113	109	196	15	67.6	7	3.2
White	57	49	8	(4)	4	70.2	1	(5)
Other races	165	64	101	(4)	11	66.7	6	3.6
Jeff Davis	192	83	109	(4)	15	78.1	7	3.6
White	152	67	85	(4)	11	72.4	5	3.3
Other races	40	16	24	(4)	4	100.0	2	(5)
Jefferson	447	157	290	285	16	35.8	25	5.6
White	131	78	53	(4)	6	45.8	2	1.5
Other races	316	79	237	(4)	10	31.6	23	7.3
Jenkins	327	139	188	235	18	55.0	21	6.4
White	126	63	63	(4)	9	71.4	5	4.0
Other races	201	76	125	(4)	9	44.8	16	8.0
Johnson	282	103	179	274	12	42.6	19	6.7
White	158	50	108	(4)	5	31.6	4	2.5
Other races	124	53	71	(4)	7	56.5	15	12.1
Jones	209	88	121	(4)	23	110.0	16	7.7
White	45	22	23	(4)	2	44.4	3	(5)
Other races	164	66	98	(4)	21	128.0	13	7.9
Lamar	210	113	97	186	16	76.2	24	11.4
White	92	52	40	(4)	5	54.3	11	(5)
Other races	118	61	57	(4)	11	93.2	13	11.0
Lanier	46	25	21	(4)	5	108.7	6	(5)
White	18	13	5	(4)	2	111.1	2	(5)
Other races	28	12	16	(4)	3	107.1	4	(5)
Laurens	793	398	395	199	30	37.8	44	5.5
White	438	215	223	204	11	25.1	18	4.1
Other races	355	183	172	194	19	53.5	26	7.3
Lee	176	113	63	156	21	119.3	20	11.4
White	29	14	15	(4)	3	103.4	1	(5)
Other races	147	99	48	(4)	18	122.4	19	12.9
Liberty	189	138	51	137	35	185.2	22	11.6
White	43	24	19	(4)	6	139.5	3	(5)
Other races	146	114	32	128	29	198.6	19	13.0
Lincoln	195	40	155	(4)	8	41.0	6	3.1
White	79	19	60	(4)	3	38.0	1	(5)
Other races	116	21	95	(4)	5	43.1	5	4.3
Long	63	36	27	(4)	6	95.2	8	(5)
White	32	15	17	(4)	2	62.5	3	(5)
Other races	31	21	10	(4)	4	129.0	5	(5)
Lowndes	654	405	249	161	34	52.0	49	7.5
Rural part	310	115	195	270	8	25.8	14	4.5
White	135	59	76	(4)	4	29.6	1	0.7
Other races	175	56	119	(4)	4	22.9	13	7.4
Valdosta	344	290	54	119	26	75.6	35	10.2
White	186	130	56	143	9	48.4	10	5.4
Other races	158	160	-2	99	17	107.6	25	15.8
Lumpkin	114	39	75	(4)	7	61.4	4	3.5
McDuffie	191	118	73	162	21	109.9	18	9.4
White	56	43	13	(4)	5	89.3	3	(5)
Other races	135	75	60	(4)	16	118.5	15	11.1
McIntosh	116	98	18	(4)	13	112.1	18	15.5
White	36	24	12	(4)	3	83.3	1	(5)
Other races	80	74	6	(4)	10	125.0	17	(5)
Macon	397	179	218	222	36	90.7	42	10.6
White	82	53	29	(4)	3	36.6	3	(5)
Other races	315	126	189	250	33	104.8	39	12.4
Madison	355	115	240	309	15	42.3	23	6.5
White	276	88	188	(4)	8	29.0	17	6.2
Other races	79	27	52	(4)	7	88.6	6	(5)
Marion	196	95	101	(4)	15	76.5	21	10.7
White	70	42	28	(4)	4	57.1	4	(5)
Other races	126	53	73	(4)	11	87.3	17	13.5
Meriwether	495	233	262	212	28	56.6	32	6.5
White	194	99	95	(4)	9	46.4	6	3.1
Other races	301	134	167	225	19	63.1	26	8.6
Miller	202	79	123	(4)	13	64.4	15	7.4
White	105	50	55	(4)	8	76.2	4	3.8
Other races	97	29	68	(4)	5	51.5	11	(5)
Mitchell	605	243	362	249	51	84.3	51	8.4
White	243	101	142	241	18	74.1	8	3.3
Other races	362	142	220	255	33	91.2	43	11.9
Monroe	263	137	126	192	13	49.4	20	7.6
White	67	50	17	(4)	4	59.7	----	------
Other races	196	87	109	(4)	9	45.9	20	10.2
Montgomery	256	88	168	(4)	17	66.4	21	8.2
White	130	47	83	(4)	8	61.5	4	3.1
Other races	126	41	85	(4)	9	71.4	17	13.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Con.								
Morgan	273	148	125	184	19	69.6	16	5.9
White	82	64	18	(4/)	8	97.6	1	(5/)
Other races	191	84	107	(4/)	11	57.6	15	7.9
Murray	267	71	196	(4/)	19	71.2	10	3.7
Muscogee	1,124	889	235	126	81	72.1	97	8.6
Rural part	197	102	95	193	12	60.9	7	3.6
White	101	55	46	(4/)	7	69.3	1	1.0
Other races	96	47	49	(4/)	5	52.1	6	(5/)
Columbus	927	787	140	118	69	74.4	90	9.7
White	614	435	179	141	39	63.5	36	5.9
Other races	313	352	-39	89	30	95.8	54	17.3
Newton	398	169	229	236	27	67.8	20	5.0
White	228	88	140	(4/)	12	52.6	5	2.2
Other races	170	81	89	(4/)	15	88.2	15	8.8
Oconee	143	66	77	(4/)	14	97.9	11	7.7
White	75	41	34	(4/)	10	133.3	6	(5/)
Other races	68	25	43	(4/)	4	58.8	5	(5/)
Oglethorpe	341	129	212	264	27	79.2	13	3.8
White	158	58	100	(4/)	14	88.6	----	------
Other races	183	71	112	(4/)	13	71.0	13	7.1
Paulding	234	83	151	(4/)	10	42.7	10	4.3
Peach	255	113	142	226	25	98.0	24	9.4
White	101	24	77	(4/)	2	19.8	4	4.0
Other races	154	89	65	(4/)	23	149.4	20	13.0
Pickens	206	57	149	(4/)	14	68.0	7	3.4
Pierce	319	113	206	282	12	37.6	28	8.8
White	245	78	167	(4/)	11	44.9	14	5.7
Other races	74	35	39	(4/)	1	13.5	14	(5/)
Pike	278	122	156	228	24	86.3	14	5.0
White	99	47	52	(4/)	7	70.7	2	(5/)
Other races	179	75	104	(4/)	17	95.0	12	6.7
Polk	579	211	368	274	38	65.6	21	3.6
White	477	158	319	302	31	65.0	15	3.1
Other races	102	53	49	(4/)	7	68.6	6	5.9
Pulaski	195	96	99	(4/)	16	82.1	14	7.2
White	70	36	34	(4/)	5	71.4	6	(5/)
Other races	125	60	65	(4/)	11	88.0	8	6.4
Putnam	204	114	90	179	21	102.9	8	3.9
White	51	42	9	(4/)	3	58.8	2	(5/)
Other races	153	72	81	(4/)	18	117.6	6	3.9
Quitman	85	35	50	(4/)	8	94.1	4	(5/)
White	21	11	10	(4/)	2	95.2	----	------
Other races	64	24	40	(4/)	6	93.8	4	(5/)
Rabun	132	41	91	(4/)	7	53.0	4	3.0
Randolph	447	203	244	220	39	87.2	32	7.2
White	122	78	44	(4/)	10	82.0	3	2.5
Other races	325	125	200	260	29	89.2	29	8.9
Richmond	1,486	1,384	102	107	138	92.9	129	8.7
Rural part	178	129	49	138	9	50.6	9	5.1
White	73	71	2	(4/)	2	27.4	2	(5/)
Other races	105	58	47	(4/)	7	66.7	7	6.7
Augusta	1,308	1,255	53	104	129	98.6	120	9.2
White	818	631	187	130	62	75.8	47	5.7
Other races	490	624	-134	79	67	136.7	73	14.9
Rockdale	137	85	52	(4/)	9	65.7	11	8.0
White	71	46	25	(4/)	6	84.5	7	(5/)
Other races	66	39	27	(4/)	3	45.5	4	(5/)
Schley	125	52	73	(4/)	6	64.0	6	4.8
White	20	19	1	(4/)	1	50.0	1	(5/)
Other races	105	33	72	(4/)	7	66.7	5	4.8
Screven	485	200	285	243	34	70.1	26	5.4
White	158	78	80	(4/)	9	57.0	4	2.5
Other races	327	122	205	268	25	76.5	22	6.7
Seminole	218	78	140	(4/)	19	87.2	14	6.4
White	124	45	79	(4/)	11	88.7	7	5.6
Other races	94	33	61	(4/)	8	85.1	7	(5/)
Spalding	543	349	194	156	44	81.0	56	10.3
Rural part	197	141	56	140	15	76.1	24	12.2
White	97	81	16	(4/)	10	103.1	8	(5/)
Other races	100	60	40	(4/)	5	50.0	16	16.0
Griffin	346	208	138	166	29	83.8	32	9.2
White	244	129	115	189	18	73.8	11	4.5
Other races	102	79	23	(4/)	11	107.8	21	20.6
Stephens	274	121	153	226	17	62.0	8	2.9
White	226	95	131	(4/)	14	61.9	4	1.8
Other races	48	26	22	(4/)	3	62.5	4	(5/)
Stewart	244	118	126	207	19	77.9	12	4.9
White	24	28	-4	(4/)	2	83.3	----	------
Other races	220	90	130	(4/)	17	77.3	12	5.5
Sumter	629	313	316	201	36	57.2	57	9.1
White	170	81	89	(4/)	4	23.5	8	4.7
Other races	459	232	227	198	32	69.7	49	10.7
Talbot	174	111	63	157	14	80.5	6	3.4
White	25	37	-12	(4/)	2	80.0	1	(5/)
Other races	149	74	75	(4/)	12	80.5	5	3.4
Taliaferro	160	82	78	(4/)	11	68.8	10	6.3
White	32	22	10	(4/)	----	------	----	------
Other races	128	60	68	(4/)	11	85.9	10	7.8
Tattnall	338	111	227	305	19	56.2	20	5.9
White	251	80	171	(4/)	16	63.7	12	4.8
Other races	87	31	56	(4/)	3	34.5	8	(5/)
Taylor	264	115	149	230	19	72.0	18	6.8
White	121	60	61	(4/)	8	66.1	5	4.1
Other races	143	55	88	(4/)	11	76.9	13	9.1
Telfair	346	154	192	225	20	57.8	29	8.4
White	202	88	114	(4/)	7	34.7	12	5.9
Other races	144	66	78	(4/)	13	90.3	17	11.8
Terrell	431	194	237	222	29	67.3	33	7.7
White	57	48	9	(4/)	2	35.1	2	(5/)
Other races	374	146	228	256	27	72.2	31	8.3
Thomas	622	456	166	136	57	91.6	67	10.8
Rural part	407	206	201	198	33	81.1	32	7.9
White	182	108	74	169	15	82.4	8	4.4
Other races	225	98	127	(4/)	18	80.0	24	10.7
Thomasville	215	250	-35	86	24	111.6	35	16.3
White	104	121	-17	86	13	125.0	15	14.4
Other races	111	129	-18	86	11	99.1	20	18.0
Tift	340	197	143	173	35	102.9	23	6.8
White	212	121	91	175	19	89.6	10	4.7
Other races	128	76	52	(4/)	16	125.0	13	10.2
Toombs	342	198	144	173	29	84.8	26	7.6
White	219	121	98	181	18	82.2	13	5.9
Other races	123	77	46	(4/)	11	89.4	13	10.6
Towns	111	25	86	(4/)	4	36.0	3	2.7
Treutlen	191	60	131	(4/)	14	73.3	9	4.7
White	134	41	93	(4/)	9	67.2	6	4.5
Other races	57	19	38	(4/)	5	87.7	3	(5/)
Troup	770	459	311	168	61	79.2	42	5.5
Rural part	377	179	198	211	24	63.7	18	4.8
White	138	68	70	(4/)	9	65.2	8	5.8
Other races	239	111	128	215	15	62.8	10	4.2
La Grange	393	280	113	140	37	94.1	24	6.1
White	303	170	133	178	26	85.8	9	3.0
Other races	90	110	-20	82	11	122.2	15	(5/)
Turner	262	87	175	(4/)	16	61.1	15	5.7
White	168	42	126	(4/)	11	65.5	2	1.2
Other races	94	45	49	(4/)	5	53.2	13	(5/)
Twiggs	249	56	193	(4/)	11	44.2	14	5.6
White	51	23	28	(4/)	2	39.2	2	(5/)
Other races	198	43	155	(4/)	9	45.5	12	6.1
Union	221	56	165	(4/)	11	49.8	5	2.3
Upson	589	243	346	242	36	61.1	38	6.5
White	398	129	269	309	22	55.3	18	4.5
Other races	191	114	77	168	14	73.3	20	10.5
Walker	644	260	384	248	35	54.3	14	2.2
Walton	513	239	274	215	35	68.2	27	5.3
White	303	137	166	221	20	66.0	10	3.3
Other races	210	102	108	206	15	71.4	17	8.1
Ware	556	358	198	155	26	46.8	27	4.9
Rural part	212	75	137	(4/)	12	56.6	4	1.9
White	173	61	112	(4/)	11	63.6	1	0.6
Other races	39	14	25	(4/)	1	25.6	3	(5/)
Waycross	344	283	61	122	14	40.7	23	6.7
White	261	164	97	159	9	34.5	14	5.4
Other races	83	119	-36	70	5	60.2	9	(5/)
Warren	216	97	119	(4/)	17	78.7	12	5.6
White	64	36	28	(4/)	2	31.3	1	(5/)
Other races	152	61	91	(4/)	15	98.7	11	7.2
Washington	562	264	298	213	28	49.8	35	6.2
White	221	119	102	186	12	54.3	5	2.3
Other races	341	145	196	235	16	46.9	30	8.8
Wayne	326	131	195	249	22	67.5	24	7.4
White	253	86	167	(4/)	18	71.1	15	5.9
Other races	73	45	28	(4/)	4	54.8	9	(5/)
Webster	121	36	85	(4/)	7	57.9	9	7.4
White	32	23	9	(4/)	3	93.8	3	(5/)
Other races	89	13	76	(4/)	4	44.9	6	(5/)
Wheeler	203	76	127	(4/)	16	78.8	18	8.9
White	121	41	80	(4/)	10	82.6	8	6.6
Other races	82	35	47	(4/)	6	73.2	10	(5/)
White	164	66	98	(4/)	9	54.9	5	3.0
Whitfield	538	238	300	226	40	74.3	30	5.6
Wilcox	301	99	202	(4/)	13	43.2	15	5.0
White	152	45	107	(4/)	3	19.7	5	3.3
Other races	149	54	95	(4/)	10	67.1	10	6.7

See footnotes at end of table.

SUMMARY AND RATE TABLE

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Con.								
Wilkes	381	162	219	235	15	39.4	18	4.7
White	114	49	65	(4/)	4	35.1	1	0.9
Other races	267	113	154	236	11	41.2	17	6.4
Wilkinson	226	91	135	(4/)	16	70.8	12	5.3
White	100	27	73	(4/)	4	40.0	3	3.0
Other races	126	64	62	(4/)	12	95.2	9	7.1
Worth	546	226	320	242	43	78.8	33	6.0
White	265	94	171	(4/)	13	49.1	9	3.4
Other races	281	132	149	213	30	106.8	24	8.5
IDAHO (total)	9,469	4,531	4,938	209	483	51.0	217	2.3
Ada	808	523	285	154	34	42.1	21	2.6
Rural part	50	57	-7	(4/)	6	120.0	3	(5/)
Boise	758	466	292	163	28	36.9	18	2.4
Adams	69	27	42	(4/)	3	43.5	2	(5/)
Bannock	679	284	395	239	37	54.5	18	2.7
Rural part	119	43	76	(4/)	5	42.0	4	3.4
Pocatello	560	241	319	232	32	57.1	14	2.5
Bear Lake	118	45	73	(4/)	7	59.3	----	------
Benewah	127	84	43	(4/)	7	55.1	4	3.1
Bingham	493	225	268	219	38	77.1	14	2.8
Blaine	74	42	32	(4/)	4	54.1	1	(5/)
Boise	7	10	-3	(4/)	-----	------	----	------
Bonner	263	126	137	209	11	41.8	4	1.5
Bonneville	715	233	482	307	43	60.1	16	2.2
Boundary	111	46	65	(4/)	3	27.0	1	0.9
Butte	50	15	35	(4/)	-----	------	----	------
Camas	26	6	20	(4/)	2	76.9	1	(5/)
Canyon	688	371	317	185	31	45.1	13	1.9
Caribou	35	67	-32	(4/)	6	171.4	----	------
Cassia	305	130	175	235	23	75.4	8	2.6
Clark	5	6	-1	(4/)	-----	------	----	------
Clearwater	131	99	32	(4/)	8	61.1	5	3.8
Custer	31	27	4	(4/)	3	96.8	1	(5/)
Elmore	70	35	35	(4/)	3	42.9	1	(5/)
Franklin	262	69	193	(4/)	11	42.0	5	1.9
Fremont	213	45	168	(4/)	2	9.4	3	1.4
Gem	184	66	118	(4/)	6	32.6	4	2.2
Gooding	171	62	109	(4/)	14	81.9	4	2.3
Idaho	213	109	104	195	14	65.7	6	2.8
Jefferson	202	57	145	(4/)	15	74.3	4	2.0
Jerome	163	38	125	(4/)	12	73.6	3	1.8
Kootenai	272	236	36	115	17	62.5	4	1.5
Latah	271	147	124	184	6	22.1	8	3.0
Lemhi	91	68	23	(4/)	3	33.0	3	(5/)
Lewis	69	17	52	(4/)	1	14.5	1	(5/)
Lincoln	58	23	35	(4/)	2	34.5	6	(5/)
Madison	256	71	185	(4/)	11	43.0	5	2.0
Minidoka	192	45	147	(4/)	5	26.0	1	0.5
Nez Perce	384	255	129	151	16	41.7	15	3.9
Oneida	122	26	96	(4/)	2	16.4	1	0.8
Owyhee	32	23	9	(4/)	2	62.5	----	------
Payette	143	68	75	(4/)	12	83.9	1	0.7
Power	93	44	49	(4/)	1	10.8	----	------
Shoshone	242	205	37	118	13	53.7	8	3.3
Teton	53	12	41	(4/)	2	37.7	3	(5/)
Twin Falls	748	320	428	234	40	53.5	19	2.5
Valley	51	27	24	(4/)	7	137.3	2	(5/)
Washington	179	97	82	(4/)	6	33.5	1	0.6
ILLINOIS (total)	111,884	85,518	26,366	131	5,138	45.9	3,308	3.0
Adams	957	809	148	118	47	49.1	32	3.3
Rural part	144	215	-71	67	3	20.8	3	2.1
Quincy	813	594	219	137	44	54.1	29	3.6
Alexander	444	366	78	121	35	78.8	14	3.2
Rural part	244	111	133	220	22	90.2	6	2.5
White	192	70	122	(4/)	13	67.7	4	2.1
Other races	52	41	11	(4/)	9	173.1	2	(5/)
Cairo	200	255	-55	78	13	65.0	8	4.0
White	166	149	17	111	6	36.1	7	4.2
Other races	34	106	-72	32	7	205.9	1	(5/)
Bond	228	129	99	177	6	26.3	7	3.1
Boone	222	184	38	121	10	45.0	7	3.2
Brown	128	101	27	127	7	54.7	1	0.8
Bureau	514	512	2	100	29	56.4	15	2.9
Calhoun	161	76	85	(4/)	7	43.5	6	3.7
Carroll	202	197	5	103	11	54.5	5	2.5
Cass	275	223	52	123	16	58.2	5	1.8
Champaign	961	643	318	149	45	46.8	33	3.4
Rural part	363	278	85	131	13	35.8	12	3.3
Champaign	299	190	109	157	16	53.5	13	4.3
Urbana	299	175	124	171	16	53.5	8	2.7

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
ILLINOIS—Con.								
Christian	627	410	217	153	30	47.8	22	3.5
Clark	274	191	83	143	14	51.1	7	2.6
Clay	245	157	88	156	7	28.6	15	6.1
Clinton	(12/)	(12/)	(12/)	(12/)	(12/)	(12/)	(12/)	(12/)
Rural part	397	222	175	179	19	47.9	7	1.8
Centralia (part)	(12/)	(12/)	(12/)	(12/)	(12/)	(12/)	(12/)	(12/)
Coles	608	477	131	127	32	52.6	16	2.6
Rural part	347	255	92	136	17	49.0	9	2.6
Mattoon	261	222	39	118	15	57.5	7	2.7
Cook	(13/)	(13/)	(13/)	(13/)	(13/)	(13/)	(13/)	(13/)
Rural part	1,603	3,459	-1,856	46	75	46.8	49	3.1
Berwyn	422	311	111	136	16	37.9	9	2.1
Blue Island	326	183	143	178	16	49.1	11	3.4
Brookfield	60	65	-5	(4/)	1	16.7	----	------
Calumet City	89	55	34	(4/)	-----	------	1	(5/)
Chicago	49,426	35,431	13,995	139	1,994	40.3	1,342	2.7
White	45,042	31,395	13,647	143	1,745	38.7	1,179	2.6
Other races	4,384	4,036	348	109	249	56.8	163	3.7
Chicago Heights	447	221	226	202	27	60.4	12	2.7
White	412	205	207	201	25	60.7	9	2.2
Other races	35	16	19	(4/)	2	57.1	3	(5/)
Cicero	184	344	-160	53	16	87.0	4	2.2
Elgin (part)	(13/)	(13/)	(13/)	(13/)	(13/)	(13/)	(13/)	(13/)
Elmwood Park	52	46	6	(4/)	3	57.7	2	(5/)
Evanston	1,632	689	943	237	62	38.0	35	2.1
Forest Park	33	110	-77	30	2	60.6	----	------
Harvey	523	193	330	271	27	51.6	11	2.1
La Grange	7	53	-46	(4/)	3	428.6	----	------
Maywood	71	123	-52	58	2	28.2	2	(5/)
Melrose Park	277	95	182	(4/)	13	46.9	2	0.7
Oak Park	1,736	766	970	227	51	29.4	57	3.3
Park Ridge	4	57	-53	(4/)	-----	------	1	(5/)
Wilmette	13	106	-93	12	1	76.9	----	------
Winnetka	2	63	-61	(4/)	-----	------	----	------
Crawford	349	241	108	145	18	51.6	14	4.0
Cumberland	192	141	51	136	7	36.5	4	2.1
De Kalb	489	340	149	144	13	26.6	12	2.5
De Witt	255	218	37	117	14	54.9	8	3.1
Douglas	304	201	103	151	12	39.5	18	5.9
Du Page	727	754	-27	96	26	35.8	27	3.7
Rural part	439	618	-179	71	20	45.6	13	3.0
Elmhurst	288	136	152	212	6	20.8	14	4.9
Edgar	378	294	84	129	26	68.8	10	2.6
Edwards	144	90	54	(4/)	7	48.6	10	6.9
Effingham	340	259	81	131	15	44.1	11	3.2
Fayette	485	282	203	172	21	43.3	17	3.5
Ford	175	170	5	103	7	40.0	3	1.7
Franklin	910	502	408	181	73	80.2	30	3.3
Rural part	586	337	249	174	42	71.7	16	2.7
West Frankfort	324	165	159	196	31	95.7	14	4.3
Fulton	619	494	125	125	39	63.0	24	3.9
Rural part	384	303	81	127	24	62.5	12	3.1
Canton	235	191	44	123	15	63.8	12	5.1
Gallatin	191	104	87	184	8	41.9	7	3.7
Greene	361	239	122	151	29	80.3	9	2.5
Grundy	255	203	52	126	11	43.1	5	2.0
Hamilton	240	170	70	141	13	54.2	13	5.4
Hancock	304	285	19	107	10	32.9	5	1.6
Hardin	124	89	35	(4/)	10	80.6	6	4.8
Henderson	125	81	44	(4/)	3	24.0	4	3.2
Henry	611	511	100	120	14	22.9	18	2.9
Rural part	271	285	-14	95	1	3.7	2	0.7
Kewanee	340	226	114	150	13	38.2	16	4.7
Iroquois	442	333	109	133	15	33.9	12	2.7
Jackson	575	390	185	173	39	57.8	23	3.4
Jasper	188	113	75	166	8	42.6	9	4.8
Jefferson	532	387	145	137	31	58.3	23	4.3
Rural part	301	184	117	164	11	36.5	8	2.7
Mount Vernon	231	203	28	114	20	86.6	15	6.5
Jersey	186	137	49	136	12	64.5	7	3.8
Jo Daviess	244	228	16	107	13	53.3	2	0.8
Johnson	213	112	101	190	17	79.8	9	4.2
Kane	(13/)	(13/)	(13/)	(13/)	(13/)	(13/)	(13/)	(13/)
Rural part	339	424	-85	80	16	47.2	8	2.4
Aurora	1,073	622	451	173	47	43.8	36	3.4
Elgin 13/	657	962	-305	68	31	47.2	26	4.0
Kankakee	694	925	-231	75	25	36.0	21	3.0
Rural part	315	654	-339	48	7	22.2	9	2.9
Kankakee	379	271	108	140	18	47.5	12	3.2
Kendall	54	117	-63	46	2	37.0	1	(5/)
Knox	710	604	106	118	33	46.5	24	3.4
Rural part	203	202	1	100	9	44.3	5	2.5
Galesburg	507	402	105	126	24	47.3	19	3.7

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
ILLINOIS—Con.								
Lake	1,560	1,009	551	155	53	34.0	47	3.0
Rural part	1,004	699	305	144	36	35.9	28	2.8
Highland Park	206	116	90	178	9	43.7	5	2.4
Waukegan	350	194	156	180	8	22.9	14	4.0
La Salle	1,480	1,096	384	135	62	41.9	49	3.3
Rural part	550	500	50	110	17	30.9	18	3.3
La Salle	262	184	78	142	7	26.7	13	5.0
Ottawa	329	187	142	176	20	60.8	7	2.1
Streator	339	225	114	151	18	53.1	11	3.2
Lawrence	425	207	218	205	23	54.1	10	2.4
Lee	492	493	-1	100	20	40.7	17	3.5
Livingston	501	403	98	124	24	47.9	12	2.4
Logan	413	392	21	105	31	75.1	16	3.9
Rural part	163	113	50	144	8	49.1	3	1.8
Lincoln	250	279	-29	90	23	92.0	13	5.2
McDonough	466	322	144	145	30	64.4	14	3.0
McHenry	389	387	2	101	20	51.4	12	3.1
McLean	1,098	913	185	120	51	46.4	33	3.0
Rural part	474	401	73	118	27	57.0	9	1.9
Bloomington	624	512	112	122	24	38.5	24	3.8
Macon	1,343	982	361	137	66	49.1	40	3.0
Rural part	200	210	-10	95	10	50.0	7	3.5
Decatur	1,143	772	371	148	56	49.0	33	2.9
Macoupin	525	415	110	127	23	43.8	12	2.3
Madison	2,292	1,565	727	146	110	48.0	63	2.7
Rural part	1,239	880	359	141	52	42.0	30	2.4
Alton	613	447	166	137	36	58.7	18	2.9
Granite City	440	238	202	185	22	50.0	15	3.4
Marion	(12/)	(12/)	(12/)	(12/)	(12/)	(12/)	(12/)	(12/)
Rural part	411	287	124	143	28	68.1	15	3.6
Centralia 12/	235	191	44	123	14	59.6	13	5.5
Marshall	155	138	17	112	9	58.1	1	0.6
Mason	220	144	76	153	7	31.8	5	2.3
Massac	179	207	-28	86	24	134.1	11	6.1
White	168	166	2	101	20	119.0	11	6.5
Other races	11	41	-30	(4/)	4	363.6	----	------
Menard	137	89	48	(4/)	10	73.0	8	5.8
Mercer	233	210	23	111	10	42.9	10	4.3
Monroe	150	118	32	127	3	20.0	15	3.3
Montgomery	598	472	126	127	23	38.5	25	4.2
Morgan	540	753	-213	72	25	46.3	16	3.0
Rural part	176	150	26	117	7	39.8	6	3.4
Jacksonville	364	603	-239	60	18	49.5	10	2.7
Moultrie	198	160	38	124	8	40.4	7	3.5
Ogle	323	304	19	106	16	49.5	6	1.9
Peoria	2,262	1,993	269	113	126	55.7	63	2.8
Rural part	337	576	-239	59	22	65.3	6	1.8
Peoria	1,925	1,417	508	136	104	54.0	57	3.0
Perry	460	265	195	174	21	45.7	11	2.4
Piatt	182	149	33	122	9	49.5	5	2.7
Pike	362	254	108	143	12	33.1	12	3.3
Pope	143	91	52	(4/)	10	69.9	9	6.3
Pulaski	272	208	64	131	26	95.6	17	6.3
White	170	110	60	155	9	52.9	14	8.2
Other races	102	98	4	(4/)	17	166.7	3	2.9
Putnam	57	43	14	(4/)	3	52.6	2	(5/)
Randolph	432	321	111	135	21	48.6	14	3.2
Richland	342	248	94	138	27	78.9	12	3.5
Rock Island	1,367	1,278	89	107	73	53.4	38	2.8
Rural part	130	157	-27	83	9	69.2	10	7.7
East Moline	58	261	-203	22	2	34.5	1	(5/)
Moline	768	454	314	169	40	52.1	18	2.3
Rock Island	411	406	5	101	22	53.5	9	2.2
St. Clair	2,388	1,801	587	133	134	56.1	90	3.8
Rural part	649	521	128	125	32	49.3	26	4.0
Belleville	438	332	106	132	19	43.4	15	3.4
East St. Louis	1,301	948	353	137	83	63.8	49	3.8
White	1,043	741	302	141	54	51.8	32	3.1
Other races	258	207	51	125	29	112.4	17	6.6
Saline	678	413	265	164	55	81.1	19	2.8
Rural part	467	251	216	186	41	87.8	13	2.8
Harrisburg	211	162	49	130	14	66.4	6	2.8
Sangamon	1,644	1,511	133	109	111	67.5	88	5.4
Rural part	348	332	16	105	14	40.2	7	2.0
Springfield	1,296	1,179	117	110	97	74.8	81	6.3
Schuyler	184	120	64	153	15	81.5	----	------
Scott	111	81	30	(4/)	8	72.1	3	2.7
Shelby	453	275	178	165	13	28.7	10	2.2
Stark	112	90	22	(4/)	10	89.3	3	2.7
Stephenson	695	508	187	137	29	41.7	31	4.5
Rural part	173	149	24	116	7	40.5	7	4.0
Freeport	522	359	163	145	22	42.1	24	4.6
Tazewell	645	399	246	162	28	43.4	15	2.3
Rural part	293	215	78	136	7	23.9	6	2.0
Pekin	352	184	168	191	21	59.7	9	2.6
Union	388	506	-118	77	25	64.4	15	3.9
Vermilion	1,370	1,181	189	116	86	62.8	35	2.6
Rural part	666	490	176	136	30	45.0	15	2.3
Danville	704	691	13	102	56	79.5	20	2.8
Wabash	192	130	62	148	13	67.7	6	3.1
Warren	327	229	98	143	17	52.0	14	4.3
Washington	219	151	68	145	6	27.4	6	2.7
Wayne	398	205	193	194	21	52.8	17	4.3
White	321	240	81	134	21	65.4	6	1.9
Whiteside	664	429	235	155	31	46.7	14	2.1
Rural part	353	262	91	135	18	51.0	6	1.7
Sterling	311	167	144	186	13	41.8	8	2.6
Will	1,443	1,174	269	123	68	47.1	37	2.6
Rural part	678	645	33	105	29	42.8	15	2.2
Joliet	765	529	236	145	39	51.0	22	2.9
Williamson	863	527	336	164	56	64.9	36	4.2
Winnebago	1,587	1,182	405	134	77	48.5	43	2.7
Rural part	306	334	-28	92	16	52.3	7	2.3
Rockford	1,281	848	433	151	61	47.6	36	2.8
Woodford	225	170	55	132	7	31.1	4	1.8
INDIANA (total)	52,909	39,515	13,394	134	2,690	50.8	1,430	2.7
Adams	382	190	192	201	15	39.3	4	1.0
Allen	2,267	1,644	623	138	84	37.1	55	2.4
Rural part	430	346	84	124	15	34.9	6	1.9
Fort Wayne	1,837	1,298	539	142	69	37.6	47	2.6
Bartholomew	458	337	121	136	18	39.3	19	4.1
Benton	96	103	-7	93	3	31.3	3	(5/)
Blackford	248	165	83	150	20	80.6	2	0.8
Boone	304	248	56	123	8	26.3	6	2.0
Brown	118	60	58	(4/)	3	25.4	4	3.4
Carroll	145	161	-16	90	7	48.3	3	2.1
Cass	509	614	-105	83	29	57.0	17	3.3
Rural part	203	300	-97	68	11	54.2	5	2.5
Logansport	306	314	-8	97	18	58.8	12	3.9
Clark	514	440	74	117	30	58.4	10	1.9
Rural part	291	236	55	123	17	58.4	4	1.4
Jeffersonville	223	204	19	109	13	58.3	6	2.7
White	202	178	24	113	12	59.4	6	3.0
Other races	21	26	-5	(4/)	1	47.6	----	------
Clay	376	308	68	122	22	58.5	15	4.0
Clinton	440	327	113	135	19	43.2	11	2.5
Rural part	172	167	5	103	9	52.3	4	2.3
Frankfort	268	160	108	168	10	37.3	7	2.6
Crawford	201	133	68	151	8	39.8	9	4.5
Daviess	512	317	195	162	30	58.6	16	3.1
Dearborn	307	239	68	128	10	32.6	9	2.9
Decatur	277	247	30	112	6	21.7	10	3.6
De Kalb	333	313	20	106	17	51.1	13	3.9
Delaware	1,119	790	329	142	58	51.8	30	2.7
Rural part	197	197	-------	100	10	50.8	5	2.5
Muncie	922	593	329	155	48	52.1	25	2.7
Dubois	416	186	230	224	19	45.7	12	2.9
Elkhart	1,125	706	419	159	45	40.0	36	3.2
Rural part	382	244	138	157	17	44.5	9	2.4
Elkhart	514	329	185	156	25	48.6	19	3.7
Goshen	229	133	96	172	3	13.1	8	3.5
Fayette	369	247	122	149	20	54.2	12	3.3
Rural part	88	61	27	(4/)	4	45.5	2	(5/)
Connersville	281	186	95	151	16	56.9	10	3.6
Floyd	519	456	63	114	24	46.2	14	2.7
Rural part	100	103	-3	97	6	60.0	2	2.0
New Albany	419	353	66	119	18	43.0	12	2.9
Fountain	237	185	52	128	5	21.1	5	2.1
Franklin	203	140	63	145	6	29.6	6	3.0
Fulton	251	206	45	122	13	51.8	6	2.4
Gibson	524	340	184	154	20	38.2	20	3.8
Grant	938	663	275	141	56	58.6	25	2.7
Rural part	413	350	63	118	22	53.3	10	2.4
Marion	525	313	212	168	33	62.9	15	2.9
Greene	564	348	216	162	27	47.9	15	2.7
Hamilton	289	296	-7	98	13	45.0	11	3.8
Hancock	210	246	-36	85	6	28.6	4	1.9
Harrison	304	199	105	153	17	55.9	6	2.0
Hendricks	227	219	8	104	2	8.8	2	0.9
Henry	673	465	208	145	29	43.1	16	2.4
Rural part	368	334	34	110	18	48.9	6	1.6
New Castle	305	131	174	233	11	36.1	10	3.3

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
INDIANA—Con.								
Howard	816	520	296	157	45	55.1	27	3.3
Rural part	162	136	26	119	7	43.2	4	2.5
Kokomo	654	384	270	170	38	58.1	23	3.5
Huntington	478	369	109	130	21	43.9	12	2.5
Rural part	222	183	39	121	6	27.0	4	1.8
Huntington	256	186	70	138	15	58.6	8	3.1
Jackson	508	288	220	176	24	47.2	16	3.1
Jasper	253	191	62	132	18	71.1	7	2.8
Jay	309	261	48	118	12	38.8	8	2.6
Jefferson	257	360	-103	71	13	50.6	10	3.9
Jennings	222	187	35	119	9	40.5	8	3.6
Johnson	316	282	34	112	10	31.6	8	2.5
Knox	785	553	232	142	52	66.2	31	3.9
Rural part	472	253	219	187	24	50.8	17	3.6
Vincennes	313	300	13	104	28	89.5	14	4.5
Kosciusko	478	345	133	139	23	48.1	12	2.5
Lagrange	258	151	107	171	13	50.4	10	3.9
Lake	4,453	2,374	2,079	188	224	50.3	125	2.8
Rural part	320	300	20	107	11	34.4	4	1.3
East Chicago	973	488	485	199	59	60.6	25	2.6
White	875	410	465	213	50	57.1	25	2.9
Other races	98	78	20	(4/)	9	91.8	----	------
Gary	1,873	974	899	192	101	53.9	57	3.0
White	1,564	717	847	218	75	48.0	44	2.8
Other races	309	257	52	120	26	84.1	13	4.2
Hammond	1,205	564	641	214	47	39.0	35	2.9
Whiting	82	48	34	(4/)	6	73.2	4	(5/)
La Porte	924	732	192	126	48	51.9	23	2.5
Rural part	184	164	20	112	7	38.0	3	1.6
La Porte	354	280	74	126	19	53.7	13	3.7
Michigan City	386	288	98	134	22	57.0	7	1.8
Lawrence	681	407	274	167	39	57.3	21	3.1
Rural part	433	230	203	188	23	53.1	12	2.8
Bedford	248	177	71	140	16	64.5	9	3.6
Madison	1,464	922	542	159	86	58.7	46	3.1
Rural part	475	287	188	166	26	54.7	6	1.3
Anderson	684	484	200	141	43	62.9	28	4.1
Elwood	305	151	154	202	17	55.7	12	3.9
Marion	6,835	6,000	835	114	420	61.4	179	2.6
Rural part	969	707	262	137	30	31.0	12	1.2
Indianapolis	5,866	5,293	573	111	390	66.5	167	2.8
White	5,111	4,406	705	116	327	64.0	127	2.5
Other races	755	887	-132	85	63	83.4	40	5.3
Marshall	462	276	186	167	18	39.0	16	3.5
Martin	258	115	143	224	19	73.6	1	0.4
Miami	393	385	28	108	18	45.8	9	2.3
Rural part	199	193	6	103	10	50.3	4	2.0
Peru	194	172	22	113	8	41.2	5	2.6
Monroe	591	330	261	179	28	47.4	20	3.4
Rural part	337	130	207	259	8	23.7	11	3.3
Bloomington	254	200	54	127	20	78.7	9	3.5
Montgomery	422	364	58	116	20	47.4	15	3.6
Rural part	170	180	-10	94	6	35.3	1	0.6
Crawfordsville	252	184	68	137	14	55.6	14	5.6
Morgan	357	243	114	147	16	44.8	9	2.5
Newton	126	112	14	113	10	79.4	1	0.8
Noble	409	304	105	135	15	36.7	6	1.5
Ohio	51	61	-10	(4/)	3	58.8	2	(5/)
Orange	316	202	114	156	24	75.9	8	2.5
Owen	225	145	80	155	7	31.1	3	1.3
Parke	225	220	5	102	11	48.9	5	2.2
Perry	338	167	171	202	18	53.3	12	3.6
Pike	315	177	138	178	11	34.9	10	3.2
Porter	330	242	88	136	12	36.4	12	3.6
Posey	276	204	72	135	19	68.8	7	2.5
Pulaski	180	126	54	143	11	61.1	2	1.1
Putnam	305	238	67	128	15	49.2	7	2.3
Randolph	366	306	60	120	19	51.9	14	3.8
Ripley	357	279	78	128	15	42.0	8	2.2
Rush	238	231	7	103	9	37.8	4	1.7
St. Joseph	2,558	1,505	1,053	170	135	52.8	40	1.6
Rural part	370	250	120	148	11	29.7	5	1.4
Mishawaka	607	264	343	230	24	39.5	13	2.1
South Bend	1,581	991	590	160	100	63.3	22	1.4
Scott	173	76	97	(4/)	6	34.7	6	3.5
Shelby	368	367	1	100	19	51.6	12	3.3
Rural part	194	194	-------	100	6	30.9	5	2.6
Shelbyville	174	173	1	101	13	74.7	7	4.0
Spencer	281	200	81	141	17	60.5	6	2.1
Starke	171	96	75	(4/)	14	81.9	6	3.5
Steuben	240	199	41	121	8	33.3	3	1.3
Sullivan	468	315	153	149	17	36.3	11	2.4

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
INDIANA—Con.								
Switzerland	122	133	-11	92	3	24.6	2	1.6
Tippecanoe	881	781	100	113	40	45.4	22	2.5
Rural part	124	226	-102	55	7	56.5	2	1.6
Lafayette	757	555	202	136	33	43.6	20	2.6
Tipton	228	162	66	141	5	21.9	2	0.9
Union	74	68	6	(4/)	7	94.6	----	------
Vanderburg	1,900	1,643	257	116	106	55.8	66	3.5
Rural part	326	374	-48	87	14	42.9	6	1.8
Evansville	1,574	1,269	305	124	92	58.4	60	3.8
Vermillion	322	274	48	118	19	59.0	7	2.2
Vigo	1,479	1,329	150	111	82	55.4	39	2.6
Rural part	458	331	127	138	17	37.1	13	2.8
Terre Haute	1,021	998	23	102	65	63.7	26	2.5
Wabash	360	336	24	107	17	47.2	14	3.9
Warren	148	116	32	128	8	54.1	1	0.7
Warrick	268	179	89	150	21	78.4	11	4.1
Washington	276	188	88	147	21	76.1	6	2.2
Wayne	823	784	39	105	48	58.3	22	2.7
Rural part	491	476	15	103	27	55.0	10	2.0
Richmond	332	308	24	108	21	63.3	12	3.6
Wells	259	233	26	111	11	42.5	4	1.5
White	239	161	78	148	10	41.8	6	2.5
Whitley	239	183	56	131	13	54.4	4	1.7
IOWA (total)	41,137	26,364	14,773	156	1,937	47.1	1,105	2.7
Adair	235	114	121	206	15	63.8	6	2.6
Adams	158	81	77	(4/)	6	38.0	4	2.5
Allamakee	296	186	110	159	12	40.5	5	1.7
Appanoose	395	283	112	140	28	70.9	12	3.0
Audubon	189	89	100	(4/)	8	42.3	7	3.7
Benton	337	207	130	163	12	35.6	12	3.6
Black Hawk	1,099	648	451	170	41	37.3	39	3.5
Rural part	268	212	56	126	10	37.3	5	1.9
Waterloo	831	436	395	191	31	37.3	34	4.1
Boone	419	314	105	133	20	47.7	8	1.9
Rural part	172	155	17	111	6	34.9	4	2.3
Boone	247	159	88	155	14	56.7	4	1.6
Bremer	301	173	128	174	18	59.8	9	3.0
Buchanan	333	337	-4	99	15	45.0	6	1.8
Buena Vista	307	165	142	186	17	55.4	9	2.9
Butler	225	140	86	161	9	39.8	5	2.2
Calhoun	281	160	121	176	8	28.5	8	2.8
Carroll	573	302	271	190	35	61.1	15	2.6
Cass	278	203	75	137	14	50.4	11	4.0
Cedar	163	144	19	113	4	24.5	5	3.1
Cerro Gordo	781	394	387	198	36	46.1	23	2.9
Rural part	200	102	98	196	10	50.0	8	4.0
Mason City	581	292	289	199	26	44.8	15	2.6
Cherokee	285	265	20	108	10	35.1	9	3.2
Chickasaw	239	151	88	158	11	46.0	10	4.2
Clarke	198	109	89	182	10	50.5	1	0.5
Clay	316	159	157	199	18	57.0	9	2.8
Clayton	353	233	120	152	17	48.2	15	4.2
Clinton	681	504	177	135	43	63.1	20	2.9
Rural part	167	133	34	126	7	41.9	2	1.2
Clinton	514	371	143	139	36	70.0	18	3.5
Crawford	300	186	114	161	12	40.0	10	3.3
Dallas	331	251	80	132	17	51.4	12	3.6
Davis	145	128	17	113	6	41.4	2	1.4
Decatur	273	168	105	163	6	22.0	12	4.4
Delaware	307	165	142	186	16	52.1	8	2.6
Des Moines	550	488	62	113	31	56.4	14	2.5
Rural part	67	82	-15	(4/)	5	74.6	1	(5/)
Burlington	483	406	77	119	26	53.8	13	2.7
Dickinson	179	118	61	152	7	39.1	5	2.8
Dubuque	920	760	160	121	52	56.5	28	3.0
Rural part	232	140	92	166	16	69.0	6	2.6
Dubuque	688	620	68	111	36	52.3	22	3.2
Emmet	263	109	154	241	13	49.4	5	1.9
Fayette	465	268	197	174	24	51.6	13	2.8
Floyd	290	184	106	158	14	48.3	8	2.8
Franklin	265	141	124	188	12	45.3	7	2.6
Fremont	233	152	81	153	10	42.9	10	4.3
Greene	232	122	110	190	7	30.2	----	------
Grundy	144	91	53	(4/)	6	41.7	3	2.1
Guthrie	278	197	81	141	16	57.6	5	1.8
Hamilton	354	200	154	177	20	56.5	5	1.4
Hancock	204	112	92	182	17	83.3	3	1.5
Hardin	322	227	95	142	18	55.9	6	1.9
Harrison	342	188	154	182	21	61.4	14	4.1
Henry	229	303	-74	76	9	39.3	8	3.5
Howard	257	122	135	211	6	23.3	8	3.1

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
IOWA—Con.								
Humboldt	194	101	93	192	8	41.2	1	0.5
Ida	180	96	84	(4/)	7	38.9	5	2.8
Iowa	229	157	72	146	7	30.6	4	1.7
Jackson	308	207	101	149	21	68.2	13	4.2
Jasper	505	300	205	168	28	55.4	8	1.6
Rural part	237	171	66	139	14	59.1	2	0.8
Newton	268	129	139	208	14	52.2	6	2.2
Jefferson	196	161	35	122	5	25.5	10	5.1
Johnson	1,666	871	795	191	71	42.6	57	3.4
Rural part	177	148	29	120	4	22.6	5	2.8
Iowa City	1,489	723	766	206	67	45.0	52	3.5
Jones	287	205	82	140	12	41.8	8	2.8
Keokuk	204	154	50	132	11	53.9	5	2.5
Kossuth	562	195	367	288	24	42.7	15	2.7
Lee	698	544	154	128	27	38.7	22	3.2
Rural part	159	126	33	126	8	50.3	2	1.3
Fort Madison	190	180	10	106	7	36.8	9	4.7
Keokuk	349	238	111	147	12	34.4	11	3.2
Linn	1,193	941	252	127	98	48.6	29	2.4
Rural part	210	256	-46	82	9	42.9	1	0.5
Cedar Rapids	983	685	298	144	49	49.8	28	2.8
Louisa	146	102	44	143	9	61.6	6	4.1
Lucas	246	141	105	174	7	28.5	6	2.4
Lyon	267	108	159	247	10	37.5	5	1.9
Madison	220	151	69	146	6	27.3	2	0.9
Mahaska	405	237	168	171	19	46.9	9	2.2
Rural part	189	92	97	(4/)	8	42.3	6	3.2
Oskaloosa	216	145	71	149	11	50.9	3	1.4
Marion	346	244	102	142	15	43.4	7	2.0
Marshall	602	407	195	148	24	39.9	23	3.8
Rural part	181	136	45	133	3	16.6	4	2.2
Marshalltown	421	271	150	155	21	49.9	19	4.5
Mills	248	124	124	200	9	36.3	6	2.4
Mitchell	180	121	59	149	10	55.6	6	3.3
Monona	310	138	172	225	12	38.7	11	3.5
Monroe	253	164	89	154	14	55.3	6	2.4
Montgomery	221	188	33	118	11	49.8	4	1.8
Muscatine	488	423	65	115	22	45.1	11	2.3
Rural part	116	108	8	107	2	17.2	1	0.9
Muscatine	372	315	57	118	20	53.8	10	2.7
O'Brien	338	179	159	189	15	44.4	8	2.4
Osceola	175	107	68	164	12	68.6	5	2.9
Page	402	382	20	105	16	39.8	10	2.5
Palo Alto	337	120	217	281	14	41.5	9	2.7
Plymouth	463	231	232	200	30	64.8	11	2.4
Pocahontas	253	95	158	(4/)	11	43.5	5	2.0
Polk	3,133	2,106	1,027	149	133	42.5	91	2.9
Rural part	240	190	50	126	8	33.3	2	0.8
Des Moines	2,893	1,916	977	151	125	43.2	89	3.1
Pottawattamie	1,071	753	318	142	69	64.4	24	2.2
Rural part	280	162	118	173	10	35.7	5	1.8
Council Bluffs	791	591	200	134	59	74.6	19	2.4
Poweshiek	301	182	119	165	10	33.2	4	1.3
Ringgold	203	103	100	197	9	44.3	3	1.5
Sac	238	158	80	151	10	42.0	8	3.4
Scott	1,087	914	173	119	40	36.8	16	1.5
Rural part	119	134	-15	89	6	50.4	3	2.5
Davenport	968	780	188	124	34	35.1	13	1.3
Shelby	285	121	164	236	8	28.1	2	0.7
Sioux	599	210	389	285	20	33.4	16	2.7
Story	443	283	160	157	14	31.6	11	2.5
Rural part	263	188	75	140	6	22.8	5	1.9
Ames	180	95	85	(4/)	8	44.4	6	3.3
Tama	297	174	123	171	8	26.9	3	1.0
Taylor	209	136	73	154	15	71.8	6	2.9
Union	261	198	63	132	10	38.3	10	3.8
Van Buren	184	137	47	134	9	48.9	2	1.1
Wapello	787	548	239	144	41	52.1	21	2.7
Rural part	144	149	-5	97	3	20.8	4	2.8
Ottumwa	643	399	244	161	38	59.1	17	2.6
Warren	258	174	84	148	8	31.0	5	1.9
Washington	309	204	105	151	12	38.8	5	1.6
Wayne	218	134	84	163	7	32.1	7	3.2
Webster	746	458	288	163	58	77.7	24	3.2
Rural part	177	115	62	154	11	62.1	2	1.1
Fort Dodge	569	343	226	166	47	82.6	22	3.9
Winnebago	296	128	168	231	14	47.3	6	2.0
Winneshiek	348	207	141	168	10	28.7	12	3.4
Woodbury	1,986	1,166	820	170	127	63.9	56	2.8
Rural part	287	164	123	175	15	52.3	5	1.7
Sioux City	1,699	1,002	697	170	112	65.9	51	3.0
Worth	122	87	35	(4/)	5	41.0	4	3.3
Wright	308	148	160	208	8	26.0	8	2.6

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
KANSAS (total)	30,589	20,334	10,255	150	1,539	50.3	836	2.7
Allen	324	237	87	137	29	89.5	12	3.7
Anderson	205	136	69	151	12	58.5	8	3.9
Atchison	366	267	99	137	12	32.8	10	2.7
Rural part	68	88	-20	(4/)	2	29.4	2	(5/)
Atchison	298	179	119	166	10	33.6	8	2.7
White	281	155	126	181	9	32.0	7	2.5
Other races	17	24	-7	(4/)	1	58.8	1	(5/)
Barber	103	85	18	(4/)	6	58.3	2	1.9
Barton	421	201	220	209	17	40.4	11	2.6
Bourbon	353	371	-18	95	20	56.7	14	4.0
Rural part	128	102	26	125	6	46.9	5	3.9
Fort Scott	225	269	-44	84	14	62.2	9	4.0
Brown	291	194	97	150	16	55.0	10	3.4
Butler	500	273	227	183	20	40.0	17	3.4
Rural part	243	144	99	169	5	20.6	8	3.3
El Dorado	257	129	128	199	15	58.4	9	3.5
Chase	97	55	42	(4/)	4	41.2	2	(5/)
Chautauqua	177	83	94	(4/)	7	39.5	5	2.8
Cherokee	524	349	175	150	22	42.0	15	2.9
Cheyenne	132	62	70	(4/)	6	45.5	4	3.0
Clark	120	39	81	(4/)	3	25.0	4	3.3
Clay	205	149	56	138	11	53.7	4	2.0
Cloud	326	213	113	153	19	58.3	11	3.4
Coffey	212	131	81	162	10	47.2	4	1.9
Comanche	63	37	26	(4/)	2	31.7	2	(5/)
Cowley	734	507	227	145	31	42.2	23	3.1
Rural part	436	335	101	130	15	34.4	14	3.2
Arkansas City	298	172	126	173	16	53.7	9	3.0
Crawford	685	586	99	117	31	45.3	15	2.2
Rural part	487	414	73	118	26	53.4	12	2.5
Pittsburg	198	172	26	115	5	25.3	3	1.5
Decatur	151	80	71	(4/)	9	59.6	6	4.0
Dickinson	339	248	91	137	25	73.7	8	2.4
Doniphan	193	127	66	152	12	62.2	8	4.1
Douglas	348	279	69	125	9	25.9	12	3.4
Rural part	85	107	-22	79	4	47.1	3	(5/)
Lawrence	263	172	91	153	5	19.0	9	3.4
White	244	148	96	165	4	16.4	9	3.7
Other races	19	24	-5	(4/)	1	52.6	----	------
Edwards	94	64	30	(4/)	5	53.2	3	(5/)
Elk	120	84	36	(4/)	6	50.0	----	------
Ellis	521	221	300	236	34	65.3	10	1.9
Ellsworth	196	111	85	177	8	40.8	1	0.5
Finney	258	139	119	186	17	65.9	9	3.5
Ford	443	247	196	179	32	72.2	12	2.7
Rural part	163	74	89	(4/)	12	73.6	6	3.7
Dodge City	280	173	107	162	20	71.4	6	2.1
Franklin	355	264	91	134	14	39.4	5	1.4
Geary	249	145	104	172	7	28.1	10	4.0
Gove	135	63	72	(4/)	9	66.7	5	3.7
Graham	143	49	94	(4/)	5	35.0	----	------
Grant	37	17	20	(4/)	5	135.1	4	(5/)
Gray	116	27	89	(4/)	3	25.9	----	------
Greeley	49	14	35	(4/)	2	40.8	1	(5/)
Greenwood	287	157	130	183	16	55.7	8	2.8
Hamilton	88	35	53	(4/)	5	56.8	1	(5/)
Harper	281	158	123	178	18	64.1	4	1.4
Harvey	467	280	187	167	26	55.7	14	3.0
Rural part	132	133	-1	99	7	53.0	5	3.8
Newton	335	147	188	228	19	56.7	9	2.7
Haskell	75	22	53	(4/)	4	53.3	1	(5/)
Hodgeman	88	24	64	(4/)	2	22.7	1	(5/)
Jackson	174	136	38	128	13	74.7	2	1.1
Jefferson	154	91	63	(4/)	7	45.5	6	3.9
Jewell	201	136	65	148	10	49.8	5	2.5
Johnson	251	234	17	107	12	47.8	10	4.0
Kearny	63	35	28	(4/)	4	63.5	2	(5/)
Kingman	235	90	145	(4/)	7	29.8	3	1.3
Kiowa	96	35	61	(4/)	5	52.1	----	------
Labette	464	427	37	109	19	40.9	23	5.0
Rural part	309	238	71	130	12	38.8	10	3.2
Parsons	155	189	-34	82	7	45.2	13	8.4
White	143	164	-21	87	6	42.0	12	8.4
Other races	12	25	-13	(4/)	1	83.3	1	(5/)
Lane	50	17	33	(4/)	1	20.0	1	(5/)
Leavenworth	526	623	-97	84	21	39.9	18	3.4
Rural part	178	329	-151	54	5	28.1	4	2.2
White	165	278	-113	59	5	30.3	4	2.4
Other races	13	51	-38	(4/)	-----	------	----	------
Leavenworth	348	294	54	118	16	46.0	14	4.0
White	318	250	68	127	13	40.9	11	3.5
Other races	30	44	-14	(4/)	3	100.0	3	(5/)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
KANSAS—Con.								
Lincoln	116	72	44	(4/)	5	43.1	2	1.7
Linn	174	139	35	125	9	51.7	6	3.4
Logan	64	25	39	(4/)	6	93.8	1	(5/)
Lyon	497	308	189	161	23	46.3	12	2.4
Rural part	146	88	58	(4/)	6	41.1	2	1.4
Emporia	351	220	131	160	17	48.4	10	2.8
McPherson	347	208	139	167	16	46.1	12	3.5
Marion	358	182	176	197	13	36.3	3	0.8
Marshall	397	229	168	173	16	40.3	10	2.5
Meade	112	46	66	(4/)	8	71.4	1	0.9
Miami	244	275	-31	89	14	57.4	8	3.3
Mitchell	192	166	26	116	13	67.7	8	4.2
Montgomery	868	588	280	148	44	50.7	33	3.8
Rural part	309	228	81	136	16	51.8	15	4.9
Coffeyville	334	190	144	176	17	50.9	16	4.8
White	307	164	143	187	14	45.6	10	3.3
Other races	27	26	1	(4/)	3	111.1	6	(5/)
Independence	225	170	55	132	11	48.9	2	0.9
Morris	134	107	27	125	10	74.6	1	0.7
Morton	91	55	36	(4/)	12	131.9	----	------
Nemaha	370	165	205	224	13	35.1	11	3.0
Neosho	376	263	113	143	21	55.9	6	1.6
Rural part	193	96	97	(4/)	9	46.6	2	1.0
Chanute	183	167	16	110	12	65.6	4	2.2
Ness	108	60	48	(4/)	7	64.8	5	4.6
Norton	177	164	13	108	15	84.7	3	1.7
Osage	208	177	31	118	15	72.1	5	2.4
Osborne	181	102	79	177	12	66.3	4	2.2
Ottawa	149	77	72	(4/)	3	20.1	4	2.7
Pawnee	186	164	22	113	10	53.8	7	3.8
Phillips	169	110	59	154	3	17.8	10	5.9
Pottawatomie	214	148	66	145	9	42.1	3	1.4
Pratt	177	141	36	126	12	67.8	3	1.7
Rawlins	127	68	59	(4/)	5	39.4	4	3.1
Reno	963	468	495	206	32	33.2	26	2.7
Rural part	207	139	68	149	7	33.8	5	2.4
Hutchinson	756	329	427	230	25	33.1	21	2.8
Republic	221	160	61	138	13	58.8	6	2.7
Rice	287	181	106	159	7	24.4	4	1.4
Riley	269	185	84	145	10	37.2	10	3.7
Rural part	77	74	3	(4/)	3	39.0	2	(5/)
Manhattan	192	111	81	173	7	36.5	8	4.2
Rooks	139	83	56	(4/)	4	28.8	3	2.2
Rush	161	93	68	(4/)	18	111.8	7	4.3
Russell	151	75	76	(4/)	5	33.1	2	1.3
Saline	485	340	145	143	25	51.5	15	3.1
Rural part	80	51	29	(4/)	2	25.0	1	(5/)
Salina	405	289	116	140	23	56.8	14	3.5
Scott	112	42	70	(4/)	5	44.6	5	4.5
Sedgwick	2,287	1,492	795	153	124	54.2	53	2.3
Rural part	317	295	22	107	24	75.7	1	0.3
Wichita	1,970	1,197	773	165	100	50.8	52	2.6
Seward	163	116	47	141	16	98.2	3	1.8
Shawnee	1,364	1,289	75	106	76	55.7	43	3.2
Rural part	178	357	-179	50	8	44.9	3	1.7
Topeka	1,186	932	254	127	68	57.3	40	3.4
White	1,127	828	299	136	61	54.1	33	2.9
Other races	59	104	-45	57	7	118.6	7	(5/)
Sheridan	134	54	80	(4/)	10	74.6	1	0.7
Sherman	142	80	62	(4/)	3	21.1	5	3.5
Smith	184	120	64	153	4	21.7	3	1.6
Stafford	193	106	87	182	20	103.6	3	1.6
Stanton	28	12	16	(4/)	------	------	1	(5/)
Stevens	78	29	49	(4/)	3	38.5	----	------
Sumner	431	286	145	151	16	37.1	10	2.3
Thomas	152	63	89	(4/)	8	52.6	4	2.6
Trego	108	39	69	(4/)	6	55.6	2	1.9
Wabaunsee	117	81	36	(4/)	4	34.2	4	3.4
Wallace	48	23	25	(4/)	6	125.0	1	(5/)
Washington	241	120	121	201	12	49.8	4	1.7
Wichita	18	15	3	(4/)	1	55.6	----	------
Wilson	287	193	94	149	12	41.8	9	3.1
Woodson	132	76	56	(4/)	4	30.3	5	3.8
Wyandotte	2,573	1,820	753	141	131	50.9	79	3.1
Rural part	143	144	-1	99	4	28.0	2	1.4
White	135	110	25	123	4	29.6	1	0.7
Other races	8	34	-26	(4/)	-----	------	1	(5/)
Kansas City	2,430	1,676	754	145	127	52.3	77	3.2
White	2,090	1,336	754	156	110	52.6	61	2.9
Other races	340	340	-------	100	17	50.0	16	4.7

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
KENTUCKY (total)	57,715	29,370	28,345	197	3,388	58.7	1,915	3.3
Adair	421	142	279	296	23	54.6	19	4.5
Allen	309	172	137	180	12	38.8	10	3.2
Anderson	190	88	102	(4/)	12	63.2	2	1.1
Ballard	176	123	53	143	12	68.2	11	6.3
Barren	589	361	228	163	50	84.9	13	2.2
White	543	320	223	170	45	82.9	12	2.2
Other races	46	41	5	(4/)	5	108.7	1	(5/)
Bath	306	120	186	255	15	49.0	6	2.0
Bell	1,034	335	699	309	59	57.1	31	3.0
Rural part	722	167	555	432	35	48.5	21	2.9
Middlesborough	312	168	144	186	24	76.9	10	3.2
Boone	141	116	25	122	8	56.7	2	1.4
Bourbon	329	265	64	124	18	54.7	9	2.7
White	284	177	107	160	15	52.8	6	2.1
Other races	45	88	-43	(4/)	3	66.7	3	(5/)
Boyd	852	474	378	180	77	90.4	20	2.3
Rural part	245	82	163	(4/)	11	44.9	4	1.6
Ashland	607	392	215	155	66	108.7	16	2.6
Boyle	312	206	106	151	22	70.5	7	2.2
White	287	155	132	185	20	69.7	6	2.1
Other races	25	51	-26	(4/)	2	80.0	1	(5/)
Bracken	188	88	100	(4/)	12	63.8	8	4.3
Breathitt	722	129	593	560	18	24.9	24	3.3
Breckinridge	423	234	189	181	29	68.6	19	4.5
Bullitt	178	102	76	175	16	89.9	5	2.8
Butler	277	99	178	(4/)	15	54.2	6	2.2
Caldwell	277	164	113	169	18	65.0	23	8.3
White	266	137	129	194	18	67.7	20	7.5
Other races	11	27	-16	(4/)	-----	------	3	(5/)
Calloway	300	238	62	126	21	70.0	9	3.0
Campbell	733	733	-------	100	34	46.4	19	2.6
Rural part	437	393	44	111	21	48.1	15	3.4
Fort Thomas	37	61	-24	(4/)	1	27.0	1	(5/)
Newport	259	279	-20	93	12	46.3	3	1.2
Carlisle	145	113	32	128	9	62.1	2	1.4
Carroll	124	105	19	118	10	80.6	6	4.8
Carter	776	212	564	366	54	69.6	24	3.1
Casey	475	129	346	368	22	46.3	22	4.6
Christian	561	772	-211	73	49	87.3	17	3.0
Rural part	405	522	-117	78	28	69.1	10	2.5
White	319	383	-64	83	20	62.7	4	1.3
Other races	86	139	-53	62	8	93.0	6	(5/)
Hopkinsville	156	250	-94	62	21	134.6	7	4.5
White	108	125	-17	86	7	64.8	4	3.7
Other races	48	125	-77	38	14	291.7	3	(5/)
Clark	320	277	43	116	24	75.0	23	7.2
White	294	213	81	138	21	71.4	17	5.8
Other races	26	64	-38	(4/)	3	115.4	6	(5/)
Clay	616	86	530	(4/)	16	26.0	12	1.9
Clinton	256	67	189	(4/)	23	89.8	13	5.1
Crittenden	255	121	134	211	7	27.5	9	3.5
Cumberland	239	76	163	(4/)	19	79.5	13	5.4
Daviess	953	616	337	155	89	93.4	35	3.7
Rural part	383	180	203	213	31	80.9	7	1.8
Owensboro	570	436	134	131	58	101.8	28	4.9
White	533	362	171	147	52	97.6	23	4.3
Other races	37	74	-37	(4/)	6	162.2	5	(5/)
Edmonson	301	92	209	(4/)	13	43.2	12	4.0
Elliott	298	49	249	(4/)	15	50.3	13	4.4
Estill	509	161	348	316	34	66.8	13	2.6
Fayette	1,117	1,286	-169	87	72	64.5	41	3.7
Rural part	207	215	-8	96	8	38.6	5	2.4
White	172	171	1	101	7	40.7	3	1.7
Other races	35	44	-9	(4/)	1	28.6	2	(5/)
Lexington	910	1,071	-161	85	64	70.3	36	4.0
White	745	715	30	104	44	59.1	29	3.9
Other races	165	356	-191	46	20	121.2	7	4.2
Fleming	318	146	172	218	14	44.0	9	2.8
Floyd	1,336	245	1,091	545	71	53.1	31	2.3
Franklin	333	313	20	106	24	72.1	16	4.8
Rural part	166	101	65	164	15	90.4	8	4.8
Frankfort	167	212	-45	79	9	53.9	8	4.8
White	148	156	-8	95	9	60.8	8	5.4
Other races	19	56	-37	(4/)	-----	------	----	------
Fulton	303	196	107	155	14	46.2	15	5.0
White	266	146	120	182	13	48.9	10	3.8
Other races	37	50	-13	(4/)	1	27.0	5	(5/)
Gallatin	68	60	8	(4/)	1	14.7	2	(5/)
Garrard	202	119	83	170	12	59.4	7	3.5
White	183	87	96	(4/)	12	65.6	5	2.7
Other races	19	32	-13	(4/)	-----	------	2	(5/)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
KENTUCKY—Con.								
Grant	159	128	31	124	9	56.6	6	3.8
Graves	508	352	156	144	27	53.1	18	3.5
Grayson	412	143	269	288	14	34.0	17	4.1
Green	289	91	198	(4/)	9	31.1	7	2.4
Greenup	598	207	391	289	44	73.6	13	2.2
Hancock	110	80	30	(4/)	9	81.8	5	4.5
Hardin	457	251	206	182	21	46.0	13	2.8
Harlan	1,722	552	1,170	312	152	88.3	57	3.3
Harrison	248	207	41	120	13	52.4	7	2.8
Hart	354	130	224	272	16	45.2	11	3.1
Henderson	506	373	133	136	41	81.0	26	5.1
Rural part	298	170	128	175	26	87.2	11	3.7
White	250	149	101	168	21	84.0	8	3.2
Other races	48	21	27	(4/)	5	104.2	3	(5/)
Henderson	208	203	5	102	15	72.1	15	7.2
White	170	154	16	110	12	70.6	6	3.5
Other races	38	49	-11	(4/)	3	78.9	9	(5/)
Henry	236	137	99	172	10	42.4	4	1.7
Hickman	187	114	73	164	14	74.9	4	2.1
White	164	85	79	(4/)	11	67.1	3	1.8
Other races	23	29	-6	(4/)	3	130.4	1	(5/)
Hopkins	771	411	360	188	47	61.0	29	3.8
White	706	331	375	213	40	56.7	18	2.5
Other races	65	80	-15	(4/)	7	107.7	11	(5/)
Jackson	403	47	356	(4/)	11	27.3	15	3.7
Jefferson	5,500	5,126	374	107	293	53.3	191	3.5
Rural part	493	643	-150	77	24	48.7	16	3.2
Louisville	5,007	4,483	524	112	269	53.7	175	3.5
White	4,414	3,537	877	125	222	50.3	140	3.2
Other races	593	946	-353	63	47	79.3	35	5.9
Jessamine	229	109	120	210	8	34.9	4	1.7
White	206	86	120	(4/)	7	34.0	4	1.9
Other races	23	23	-------	(4/)	1	43.5	----	------
Johnson	589	256	433	269	48	69.7	18	2.6
Kenton	1,280	1,177	103	109	90	70.3	30	2.3
Rural part	202	230	-28	88	10	49.5	6	3.0
Covington	1,078	947	131	114	80	74.2	24	2.2
Knott	559	82	477	(4/)	27	48.3	11	2.0
Knox	920	220	700	418	52	56.5	31	3.4
Larue	206	92	114	(4/)	5	24.3	3	1.5
Laurel	499	141	358	354	25	50.1	13	2.6
Lawrence	470	157	313	299	29	61.7	12	2.6
Lee	241	46	195	(4/)	9	37.3	8	3.3
Leslie	479	81	398	(4/)	30	62.6	7	1.5
Letcher	1,318	283	1,035	466	77	58.4	62	4.7
Lewis	385	137	248	281	24	62.3	17	4.4
Lincoln	486	213	273	228	37	76.1	12	2.5
Livingston	173	89	84	(4/)	13	75.1	7	4.0
Logan	452	275	177	164	22	48.7	16	3.5
White	402	210	192	191	13	32.3	14	3.5
Other races	50	65	-15	(4/)	9	180.0	2	(5/)
Lyon	124	75	49	(4/)	2	16.1	4	3.2
White	121	54	67	(4/)	2	16.5	4	3.3
Other races	3	21	-18	(4/)	-----	------	----	------
McCracken	679	643	36	106	42	61.9	34	5.0
Rural part	183	114	69	161	12	65.6	18	9.8
Paducah	496	529	-33	94	30	60.5	16	3.2
White	436	377	59	116	23	52.8	14	3.2
Other races	60	152	-92	39	7	116.7	2	(5/)
McCreary	383	104	279	368	27	70.5	11	2.9
McLean	204	100	104	204	10	49.0	7	3.4
Madison	594	295	299	201	29	48.8	15	2.5
White	551	225	326	245	26	47.2	14	2.5
Other races	43	70	-27	(4/)	3	69.8	1	(5/)
Magoffin	543	84	459	(4/)	26	47.9	28	5.2
Marion	392	191	201	205	26	66.3	10	2.6
Marshall	267	129	138	207	14	52.4	11	4.1
Martin	358	75	283	(4/)	24	67.0	14	3.9
Mason	371	268	103	138	41	110.5	16	4.3
White	339	216	123	157	32	94.4	12	3.5
Other races	32	52	-20	(4/)	9	281.3	4	(5/)
Meade	215	83	132	(4/)	9	41.9	9	4.2
Menifee	156	41	115	(4/)	8	51.3	3	1.9
Mercer	196	157	39	125	16	81.6	9	4.6
White	187	129	58	145	14	74.9	8	4.3
Other races	9	28	-19	(4/)	2	222.2	1	(5/)
Metcalfe	220	99	121	(4/)	12	54.5	5	2.3
Monroe	375	116	259	323	18	48.0	14	3.7
Montgomery	247	157	90	157	16	64.8	16	6.5
White	229	116	113	198	13	56.8	13	5.7
Other races	18	41	-23	(4/)	3	166.7	3	(5/)
Morgan	454	127	327	357	19	41.9	13	2.9
Muhlenberg	973	459	514	212	84	86.3	39	4.0
Nelson	360	192	168	188	16	44.4	11	3.1
White	337	160	177	211	13	38.6	10	3.0
Other races	23	32	-9	(4/)	3	130.4	1	(5/)
Nicholas	175	111	64	158	11	62.9	5	2.9
Ohio	472	252	220	187	45	95.3	13	2.8
Oldham	119	95	24	(4/)	7	58.8	2	1.7
Owen	194	115	79	169	4	20.6	4	2.1
Owsley	214	41	173	(4/)	9	42.1	2	0.9
Pendleton	178	131	47	136	7	39.3	3	1.7
Perry	1,289	332	957	388	77	59.7	34	2.6
Pike	2,147	499	1,648	430	131	61.0	66	3.1
Powell	208	51	157	(4/)	4	19.2	13	6.3
Pulaski	933	298	635	313	37	39.7	36	3.9
Robertson	70	36	34	(4/)	2	28.6	1	(5/)
Rockcastle	474	94	380	(4/)	18	38.0	15	3.2
Rowan	345	95	250	(4/)	21	60.9	11	3.2
Russell	286	55	231	(4/)	6	21.0	8	2.8
Scott	270	206	64	131	13	48.1	9	3.3
White	247	157	90	157	11	44.5	9	3.6
Other races	23	49	-26	(4/)	2	87.0	----	------
Shelby	267	235	32	114	20	74.9	7	2.6
White	231	198	33	117	15	64.9	6	2.6
Other races	36	37	-1	(4/)	5	138.9	1	(5/)
Simpson	174	152	22	114	20	114.9	3	1.7
White	153	114	39	134	16	98.0	3	2.0
Other races	21	38	-17	(4/)	5	238.1	----	------
Spencer	144	69	75	(4/)	7	48.6	7	4.9
Taylor	304	156	148	195	17	55.9	11	3.6
Todd	262	153	109	171	13	49.6	7	2.7
White	215	98	117	(4/)	7	32.6	4	1.9
Other races	47	55	-8	(4/)	6	127.7	3	(5/)
Trigg	273	121	152	226	17	62.3	7	2.6
White	241	89	152	(4/)	13	53.9	4	1.7
Other races	32	32	-------	(4/)	4	125.0	3	(5/)
Trimble	99	55	44	(4/)	8	80.8	----	------
Union	381	182	199	209	15	39.4	15	3.9
White	334	151	183	221	14	41.9	13	3.9
Other races	47	31	16	(4/)	1	21.3	2	(5/)
Warren	647	441	206	147	34	52.6	26	4.0
Rural part	390	204	186	191	16	41.0	12	3.1
White	348	179	169	194	14	40.2	9	2.6
Other races	42	25	17	(4/)	2	47.6	3	(5/)
Bowling Green	257	237	20	108	18	70.0	14	5.4
White	227	186	41	122	15	66.1	11	4.8
Other races	30	51	-21	(4/)	3	100.0	3	(5/)
Washington	301	125	176	241	14	46.5	7	2.3
White	275	112	163	246	13	47.3	6	2.2
Other races	26	13	13	(4/)	1	38.5	1	(5/)
Wayne	506	118	388	429	24	47.4	24	4.7
Webster	395	200	195	198	22	55.7	20	5.1
White	375	171	204	219	21	56.0	19	5.1
Other races	20	29	-9	(4/)	1	50.0	1	(5/)
Whitley	895	262	633	342	44	49.2	23	2.6
Wolfe	272	28	244	(4/)	2	7.4	7	2.6
Woodford	202	130	72	155	11	54.5	8	4.0
White	169	101	68	167	10	59.2	8	4.7
Other races	33	29	4	(4/)	1	30.3	----	------
LOUISIANA (total)	42,270	23,711	18,559	178	2,933	69.4	2,087	4.9
Acadia	1,221	373	848	327	102	83.5	38	3.1
White	919	269	650	342	73	79.4	24	2.6
Other races	302	104	198	290	29	96.0	14	4.6
Allen	377	134	243	281	14	37.1	21	5.6
White	279	91	188	(4/)	9	32.3	14	5.0
Other races	98	43	55	(4/)	5	51.0	7	(5/)
Ascension	398	199	199	200	29	72.9	11	2.8
White	227	94	133	(4/)	12	52.9	3	1.3
Other races	171	105	66	163	17	99.4	8	4.7
Assumption	363	181	182	201	32	88.2	9	2.5
White	190	76	114	(4/)	7	36.8	5	2.6
Other races	173	105	68	165	25	144.5	4	2.3
Avoyelles	665	226	439	294	32	48.1	29	4.4
White	396	128	268	309	17	42.9	9	2.3
Other races	269	98	171	(4/)	15	55.8	20	7.4
Beauregard	267	74	193	(4/)	8	30.0	16	6.0
White	241	64	177	(4/)	6	24.9	14	5.8
Other races	26	10	16	(4/)	2	76.9	2	(5/)
Bienville	389	152	237	256	20	51.4	20	5.1
White	203	89	114	(4/)	11	54.2	10	4.9
Other races	186	63	123	(4/)	9	48.4	10	5.4

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
LOUISIANA—Con.								
Bossier	284	188	96	151	18	63.4	9	3.2
White	161	69	92	(4/)	4	24.8	1	0.6
Other races	123	119	4	103	14	113.8	8	6.5
Caddo	2,971	2,403	568	124	296	99.6	221	7.4
Rural part	714	411	303	174	57	79.8	63	8.8
White	197	133	64	148	16	81.2	11	5.6
Other races	517	278	239	186	41	79.3	52	10.1
Shreveport	2,257	1,992	265	113	239	105.9	158	7.0
White	1,283	960	323	134	120	93.5	56	4.4
Other races	974	1,032	-58	94	119	122.2	102	10.5
Calcasieu	1,067	483	584	221	86	80.6	53	5.0
Rural part	566	193	373	293	41	72.4	19	3.4
White	461	128	333	360	25	54.2	9	2.0
Other races	105	65	40	(4/)	16	152.4	10	9.5
Lake Charles	501	290	211	173	45	89.8	34	6.8
White	312	185	127	169	17	54.5	8	2.6
Other races	189	105	84	180	28	148.1	26	13.8
Caldwell	218	87	131	(4/)	12	55.0	14	6.4
White	133	56	77	(4/)	7	52.6	10	7.5
Other races	85	31	54	(4/)	5	58.8	4	(5/)
Cameron	88	25	63	(4/)	3	34.1	2	(5/)
Catahoula	252	69	183	(4/)	7	27.8	6	2.4
White	148	31	117	(4/)	5	33.8	3	2.0
Other races	104	38	66	(4/)	2	19.2	3	2.9
Claiborne	587	180	407	326	23	39.2	59	10.1
White	149	66	83	(4/)	4	26.8	11	7.4
Other races	438	114	324	384	19	43.4	48	11.0
Concordia	253	127	126	199	9	35.6	21	8.3
White	69	16	53	(4/)	2	29.0	1	(5/)
Other races	184	111	73	166	7	38.0	20	10.9
De Soto	673	226	447	298	27	40.1	28	4.2
White	213	85	128	(4/)	5	23.5	2	0.9
Other races	460	141	319	326	22	47.8	26	5.7
East Baton Rouge	1,254	718	536	175	78	62.2	68	5.4
Rural part	851	445	406	191	44	51.7	52	6.1
White	503	200	303	252	16	31.8	22	4.4
Other races	348	245	103	142	28	80.5	30	8.6
Baton Rouge	403	273	130	148	34	84.4	16	4.0
White	234	161	73	145	22	94.0	8	3.4
Other races	169	112	57	151	12	71.0	8	4.7
East Carroll	281	147	134	191	12	42.7	20	7.1
White	81	26	55	(4/)	5	61.7	1	(5/)
Other races	200	121	79	165	7	35.0	19	9.5
East Feliciana	330	384	-54	86	7	21.2	24	7.3
White	53	159	-106	33	1	18.9	----	------
Other races	277	225	52	123	6	21.7	24	8.7
Evangeline	359	82	277	(4/)	14	39.0	11	3.1
White	217	67	150	(4/)	9	41.5	5	2.3
Other races	142	15	127	(4/)	5	35.2	6	4.2
Franklin	794	194	600	409	31	39.0	28	3.5
White	498	126	372	395	24	48.2	10	2.0
Other races	296	68	228	(4/)	7	23.6	18	6.1
Grant	251	109	142	230	14	55.8	13	5.2
White	170	65	105	(4/)	7	41.2	9	5.3
Other races	81	44	37	(4/)	7	86.4	4	(5/)
Iberia	662	325	336	203	50	75.5	18	2.7
White	353	180	173	196	21	59.5	5	1.4
Other races	309	146	163	212	29	93.9	13	4.2
Iberville	466	276	190	169	41	88.0	28	6.0
White	220	107	113	206	14	63.6	8	3.6
Other races	246	169	77	146	27	109.8	20	8.1
Jackson	239	76	163	(4/)	9	37.7	9	3.8
White	143	55	88	(4/)	6	42.0	4	2.8
Other races	96	21	75	(4/)	3	31.3	5	(5/)
Jefferson	311	240	71	130	20	64.3	15	4.8
White	282	158	124	178	13	46.1	10	3.5
Other races	29	82	-53	(4/)	7	241.4	5	(5/)
Jefferson Davis	555	173	382	321	39	70.3	26	4.7
White	383	112	271	342	27	70.5	13	3.4
Other races	172	61	111	(4/)	12	69.8	13	7.6
Lafayette	823	350	473	235	68	82.6	37	4.5
Rural part	544	170	374	320	39	71.7	28	5.1
White	301	95	206	(4/)	15	49.8	22	7.3
Other races	243	75	168	(4/)	24	98.8	6	2.5
Lafayette	279	180	99	155	29	103.9	9	3.2
White	181	86	95	(4/)	8	44.2	3	1.7
Other races	98	94	4	(4/)	21	214.3	6	(5/)
Lafourche	830	321	509	259	67	80.7	9	1.1
White	695	233	462	298	49	70.5	4	0.6
Other races	135	88	47	(4/)	18	133.3	5	3.7
La Salle	221	67	154	(4/)	8	36.2	26	11.8
White	184	57	127	(4/)	6	32.6	12	6.5
Other races	37	10	27	(4/)	2	54.1	14	(5/)
Lincoln	447	177	270	253	20	44.7	17	3.8
White	234	109	125	215	12	51.3	4	1.7
Other races	213	68	145	(4/)	8	37.6	13	6.1
Livingston	277	97	180	(4/)	16	57.8	2	0.7
White	244	87	157	(4/)	14	57.4	1	0.4
Other races	33	10	23	(4/)	2	60.6	1	(5/)
Madison	235	139	96	169	11	46.8	25	10.6
White	58	34	24	(4/)	3	51.7	5	(5/)
Other races	177	105	72	169	8	45.2	20	11.3
Morehouse	575	245	330	235	39	67.8	40	7.0
White	236	81	155	(4/)	14	59.3	14	5.9
Other races	339	164	175	207	25	73.7	26	7.7
Natchitoches	981	398	583	246	54	55.0	55	5.6
White	444	153	291	290	20	45.0	10	2.3
Other races	537	245	292	219	34	63.3	45	8.4
Orleans, coextensive with:								
New Orleans	8,959	7,924	1,035	113	691	77.1	393	4.4
White	5,377	4,743	634	113	331	61.6	206	3.8
Other races	3,582	3,181	401	113	360	100.5	187	5.2
Ouachita	986	600	386	164	72	73.0	55	5.6
Rural part	378	128	250	295	17	45.0	11	2.9
White	228	72	156	(4/)	8	35.1	5	2.2
Other races	150	56	94	(4/)	9	60.0	6	4.0
Monroe	608	472	136	129	55	90.5	44	7.2
White	409	269	140	152	39	95.4	17	4.2
Other races	199	203	-4	98	16	80.4	27	13.6
Plaquemines	221	84	137	(4/)	21	95.0	7	3.2
White	82	28	54	(4/)	3	36.6	1	(5/)
Other races	139	56	83	(4/)	18	129.5	6	4.3
Pointe Coupee	442	213	229	208	40	90.5	31	7.0
White	158	59	99	(4/)	5	31.6	5	3.2
Other races	284	154	130	184	35	123.2	26	9.2
Rapides	1,259	968	291	130	64	50.8	79	6.3
Rural part	757	609	148	124	31	41.0	50	6.6
White	431	355	76	121	10	23.2	26	6.0
Other races	326	254	72	128	21	64.4	24	7.4
Alexandria	502	359	143	140	33	65.7	29	5.8
White	330	191	139	173	18	54.5	16	4.8
Other races	172	168	4	102	15	87.2	13	7.6
Red River	355	91	264	(4/)	14	39.4	9	2.5
White	175	28	147	(4/)	6	34.3	4	2.3
Other races	180	63	117	(4/)	8	44.4	5	2.8
Richland	606	193	413	314	35	57.8	40	6.6
White	349	63	286	(4/)	17	48.7	6	1.7
Other races	257	130	127	198	18	70.0	34	13.2
Sabine	362	140	222	259	17	47.0	12	3.3
White	316	110	206	287	13	41.1	5	1.6
Other races	46	30	16	(4/)	4	87.0	7	(5/)
St. Bernard	34	34	-------	(4/)	1	29.4	----	------
White	29	22	7	(4/)	----	------	----	------
Other races	5	12	-7	(4/)	1	200.0	----	------
St. Charles	194	79	115	(4/)	9	46.4	7	3.6
White	138	37	101	(4/)	5	36.2	6	4.3
Other races	56	42	14	(4/)	4	71.4	1	(5/)
St. Helena	146	46	100	(4/)	10	68.5	10	6.8
White	56	27	29	(4/)	7	125.0	3	(5/)
Other races	90	19	71	(4/)	3	33.3	7	(5/)
St. James	367	174	193	211	42	114.4	20	5.4
White	167	58	109	(4/)	5	29.9	3	1.8
Other races	200	116	84	172	37	185.0	17	8.5
St. John the Baptist	248	116	132	214	27	108.9	14	5.6
White	112	46	66	(4/)	8	71.4	4	3.6
Other races	136	70	66	(4/)	19	139.7	10	7.4
St. Landry	1,500	621	879	242	133	88.7	57	3.8
White	582	257	325	226	52	89.3	20	3.4
Other races	918	364	554	252	81	88.2	37	4.0
St. Martin	519	186	333	279	43	82.9	18	3.5
White	317	106	211	299	22	69.4	8	2.5
Other races	202	80	122	(4/)	21	104.0	10	5.0
St. Mary	628	305	323	206	44	70.1	42	6.7
White	284	126	158	225	17	59.9	12	4.2
Other races	344	179	165	192	27	78.5	30	8.7
St. Tammany	362	187	175	194	19	52.5	23	6.4
White	231	116	115	199	6	25.0	10	4.3
Other races	131	71	60	(4/)	13	99.2	13	9.9
Tangipahoa	643	296	347	217	35	54.4	22	3.4
White	425	180	245	236	15	35.3	10	2.4
Other races	218	116	102	188	20	91.7	12	5.5
Tensas	294	133	161	221	6	20.4	20	6.8
White	68	25	43	(4/)	3	44.1	4	(5/)
Other races	226	108	118	209	3	13.3	16	7.1
Terrebonne	827	291	536	284	81	97.9	43	5.2
White	577	159	418	363	45	78.0	19	3.3
Other races	250	132	118	189	36	144.0	24	9.6

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
LOUISIANA—Con.								
Union	332	149	183	223	11	33.1	15	4.5
White	215	96	119	(4/)	4	18.6	9	4.2
Other races	117	53	64	(4/)	7	59.8	6	5.1
Vermilion	700	309	391	227	61	87.1	28	4.0
White	574	256	318	224	45	78.4	15	2.6
Other races	126	53	73	(4/)	16	127.0	13	10.3
Vernon	332	85	247	(4/)	18	54.2	16	4.8
White	300	62	238	(4/)	15	50.0	12	4.0
Other races	32	23	9	(4/)	3	93.8	4	(5/)
Washington	689	306	383	225	49	71.1	38	5.5
Rural part	297	102	195	291	23	77.4	11	3.7
White	188	59	129	(4/)	10	53.2	5	2.7
Other races	109	43	66	(4/)	13	119.3	6	5.5
Bogalusa	392	204	188	192	26	66.3	27	6.9
White	307	124	183	248	18	58.6	17	5.5
Other races	85	80	5	(4/)	8	94.1	10	(5/)
Webster	488	157	331	311	24	49.2	23	4.7
White	219	81	138	(4/)	9	41.1	8	3.7
Other races	269	76	193	(4/)	15	55.8	15	5.6
West Baton Rouge	177	111	66	159	12	67.8	4	2.3
White	48	33	15	(4/)	3	62.5	----	------
Other races	129	78	51	(4/)	9	69.8	4	3.1
West Carroll	296	81	215	(4/)	18	60.8	12	4.1
White	230	54	176	(4/)	13	56.5	6	2.6
Other races	66	27	39	(4/)	5	75.8	6	(5/)
West Feliciana	195	103	92	189	11	56.4	16	8.2
White	20	17	3	(4/)	-----	------	2	(5/)
Other races	175	86	89	(4/)	11	62.9	14	8.0
Winn	145	83	62	(4/)	9	62.1	5	3.4
White	101	62	39	(4/)	7	69.3	3	3.0
Other races	44	21	23	(4/)	2	45.5	2	(5/)
MAINE (total)	15,723	11,024	4,699	143	990	63.0	531	3.4
Androscoggin	1,538	1,041	497	148	101	65.7	49	3.2
Rural part	252	202	50	125	17	67.5	9	3.6
Auburn	170	178	-8	96	10	58.8	5	2.9
Lewiston	1,116	661	455	169	74	66.3	35	3.1
Aroostook	2,594	998	1,596	260	245	94.4	101	3.9
Cumberland	2,267	2,009	258	113	127	56.0	65	2.9
Rural part	525	532	-7	99	23	43.8	20	3.8
Portland	1,550	1,243	307	125	93	60.0	39	2.5
South Portland	36	118	-82	31	2	55.6	1	(5/)
Westbrook	156	116	40	134	9	57.7	5	3.2
Franklin	363	223	140	163	19	52.3	18	5.0
Hancock	532	441	91	121	29	54.5	19	3.6
Kennebec	1,325	1,062	263	125	78	58.9	47	3.5
Rural part	613	510	103	120	30	48.9	26	4.2
Augusta	348	312	36	112	22	63.2	9	2.6
Waterville	364	240	124	152	26	71.4	12	3.3
Knox	407	403	4	101	10	24.6	13	3.2
Lincoln	252	221	31	114	19	75.4	7	2.8
Oxford	751	467	284	161	35	46.6	16	2.1
Penobscot	1,922	1,386	536	139	125	65.0	59	3.1
Rural	1,296	733	563	177	80	61.7	34	2.6
Bangor	626	653	-27	96	45	71.9	25	4.0
Piscataquis	383	238	145	161	20	52.2	9	2.3
Sagadahoc	319	267	52	119	18	56.4	13	4.1
Somerset	643	467	176	138	36	56.0	32	5.0
Waldo	361	323	38	112	22	60.9	9	2.5
Washington	670	498	172	135	36	53.7	18	2.7
York	1,396	980	416	142	70	50.1	56	4.0
Rural part	845	709	136	119	41	48.5	32	3.8
Biddeford	551	271	280	203	29	52.6	24	4.4
MARYLAND (total)	27,236	21,182	6,054	129	1,689	62.0	1,516	5.6
Allegany	1,702	885	817	192	111	65.2	118	6.9
Rural part	828	571	457	223	60	72.5	54	6.5
Cumberland	874	514	360	170	51	58.4	64	7.3
Anne Arundel	951	689	262	138	49	51.5	54	5.7
Rural part	615	492	123	125	30	48.8	40	6.5
White	363	252	111	144	11	30.3	10	2.8
Other races	252	240	12	105	19	75.4	30	11.9
Annapolis	336	197	139	171	19	56.5	14	4.2
White	267	126	141	212	9	33.7	10	3.7
Other races	69	71	-2	(4/)	10	144.9	4	(5/)
Baltimore	1,235	1,211	24	102	53	42.9	64	5.2
White	1,114	1,125	-11	99	43	38.6	54	4.8
Other races	121	86	35	(4/)	10	82.6	10	8.3
Baltimore (city)	13,705	11,149	2,556	123	774	56.5	681	5.0
White	10,363	8,353	2,210	126	519	49.1	435	4.1
Other races	3,142	2,796	346	112	255	81.2	246	7.8
Section B—Continued								
MARYLAND—Con.								
Calvert	234	110	124	213	21	89.7	31	13.2
White	99	50	49	(4/)	2	20.2	7	(5/)
Other races	135	60	75	(4/)	19	140.7	24	17.8
Caroline	305	200	105	153	21	68.9	9	3.0
White	229	152	77	151	11	48.0	6	2.6
Other races	76	48	28	(4/)	10	131.6	3	(5/)
Carroll	491	587	-96	84	22	44.8	23	4.7
Cecil	449	365	84	123	29	64.6	26	5.8
White	386	319	67	121	22	57.0	23	6.0
Other races	63	46	17	(4/)	7	111.1	3	(5/)
Charles	372	156	216	238	37	99.5	26	7.0
White	149	66	83	(4/)	5	33.6	5	3.4
Other races	223	90	133	(4/)	32	143.5	21	9.4
Dorchester	449	376	73	119	44	98.0	68	15.1
White	295	250	45	118	22	74.6	40	13.6
Other races	154	126	28	122	22	142.9	28	18.2
Frederick	983	845	138	116	78	79.3	50	5.1
Rural part	754	622	132	121	53	70.3	37	4.9
Frederick	229	223	6	103	25	109.2	13	5.7
White	214	198	16	108	21	98.1	12	5.6
Other races	15	25	-10	(4/)	4	266.7	1	(5/)
Garrett	488	198	290	246	32	65.6	19	3.9
Harford	482	409	73	118	23	47.7	16	3.3
White	406	334	72	122	20	49.3	14	3.4
Other races	76	75	1	(4/)	3	39.5	2	(5/)
Howard	250	118	132	212	11	44.0	11	4.4
White	183	83	100	(4/)	8	43.7	6	3.3
Other races	67	35	32	(4/)	3	44.8	5	(5/)
Kent	202	198	4	102	21	104.0	12	5.9
White	115	117	-2	98	7	60.9	7	6.1
Other races	87	81	6	(4/)	14	160.9	5	(5/)
Montgomery	882	618	264	143	43	48.8	31	3.5
White	722	506	216	143	31	42.9	23	3.2
Other races	160	112	48	143	12	75.0	8	5.0
Prince Georges	679	550	129	123	45	66.3	26	3.8
White	410	385	25	106	18	43.9	14	3.4
Other races	269	165	104	163	27	100.4	12	4.5
Queen Annes	215	182	33	118	23	107.0	7	3.3
White	133	106	27	125	9	67.7	4	3.0
Other races	82	76	6	(4/)	14	170.7	3	(5/)
St. Marys	386	186	200	208	36	93.3	20	5.2
White	250	93	157	(4/)	13	52.0	10	4.0
Other races	136	93	43	(4/)	23	169.1	10	7.4
Somerset	403	317	86	127	43	106.7	36	8.9
White	222	172	50	129	11	49.5	22	9.9
Other races	181	145	36	125	32	176.8	14	7.7
Talbot	346	315	31	110	23	66.5	30	8.7
White	217	205	12	106	10	46.1	22	10.1
Other races	129	110	19	117	13	100.8	8	6.2
Washington	1,203	728	475	165	65	54.0	78	6.5
Rural part	640	310	330	206	35	54.7	35	5.5
Hagerstown	563	418	145	135	30	53.3	43	7.6
Wicomico	528	513	15	103	53	100.4	49	9.3
Rural part	223	236	-13	94	26	116.6	17	7.6
White	145	173	-28	84	12	82.8	6	4.1
Other races	78	63	15	(4/)	14	179.5	11	(5/)
Salisbury	305	277	28	110	27	88.5	32	10.5
White	217	214	3	101	16	73.7	22	10.1
Other races	88	63	25	(4/)	11	125.0	10	(5/)
Worcester	296	277	19	107	32	108.1	31	10.5
White	141	157	-16	90	13	92.2	6	4.3
Other races	155	120	35	129	19	122.6	25	16.1
MASSACHUSETTS (total)	63,001	50,237	12,764	125	3,041	48.3	1,900	3.0
Barnstable	485	514	-29	94	22	45.4	12	2.5
Berkshire	1,866	1,318	548	142	74	39.7	66	3.5
Rural part	281	358	-77	78	11	39.1	5	1.8
Adams (town)	219	102	117	215	12	54.8	5	2.3
North Adams	454	259	195	175	22	48.5	24	5.3
Pittsfield	912	599	313	152	29	31.8	32	3.5
Bristol	5,448	4,338	1,110	126	303	55.6	197	3.6
Rural part	590	572	18	103	35	59.3	15	2.5
Attleboro	421	299	122	141	21	49.9	14	3.3
Fairhaven (town)	74	73	1	(4/)	3	40.5	1	(5/)
Fall River	2,012	1,460	552	138	114	56.7	74	3.7
New Bedford	1,737	1,267	470	137	97	55.8	73	4.2
North Attleborough (town)	69	78	-9	(4/)	3	43.5	----	------
Taunton	545	589	-44	93	30	55.0	20	3.7
Dukes	94	93	1	(4/)	6	63.8	----	------

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MASSACHUSETTS—Con.								
Essex	6,668	5,739	929	116	379	56.8	234	3.5
Rural part	472	709	-237	67	11	23.3	10	2.1
Amesbury (town)	156	124	32	126	4	25.6	6	3.8
Beverly	387	341	46	113	18	46.5	17	4.4
Danvers (town)	111	427	-316	26	1	9.0	4	3.6
Gloucester	332	284	48	117	15	45.2	5	1.5
Haverhill	732	560	172	131	26	35.5	25	3.4
Lawrence	1,291	949	342	136	77	59.6	59	4.6
Lynn	1,418	1,013	405	140	100	70.5	46	3.2
Methuen (town)	219	188	31	116	8	36.5	7	3.2
Newburyport	259	213	46	122	14	54.1	14	5.4
Peabody	358	221	137	162	19	53.1	12	3.4
Salem	688	513	175	134	75	109.0	22	3.2
Saugus (town)	103	118	-15	87	7	68.0	3	2.9
Swampscott (town)	142	79	63	(4/)	4	28.2	4	2.8
Franklin	689	591	98	117	30	43.5	24	3.5
Rural part	404	366	38	110	14	34.7	12	3.0
Greenfield (town)	285	225	60	127	16	56.1	12	4.2
Hampden	4,658	3,478	1,180	134	229	49.2	147	3.2
Rural part	443	463	-20	96	21	47.4	12	2.7
Chicopee	316	279	37	113	20	63.3	10	3.2
Holyoke	943	692	251	136	43	45.6	38	4.0
Springfield	2,555	1,747	808	146	134	52.4	72	2.8
Westfield	327	185	142	177	8	24.5	13	4.0
West Springfield (town)	74	112	-38	66	3	40.5	2	(5/)
Hampshire	919	892	27	103	39	42.4	35	3.8
Rural part	420	354	66	119	22	52.4	11	2.6
Easthampton (town)	65	66	-1	(4/)	1	15.4	5	(5/)
Northampton	434	472	-38	92	16	36.9	19	4.4
Middlesex	13,187	9,828	3,359	134	585	44.4	395	3.0
Rural part	1,045	1,699	-654	62	63	60.3	33	3.2
Arlington (town)	379	297	82	128	7	18.5	10	2.6
Belmont (town)	30	143	-113	21	-----	------	----	------
Cambridge	2,236	1,426	810	157	127	56.8	57	2.5
Everett	771	420	351	184	25	32.4	22	2.9
Framingham (town)	482	221	261	218	20	41.5	11	2.3
Lowell	1,699	1,316	383	129	115	67.7	54	3.2
Malden	742	512	230	145	26	35.0	25	3.4
Marlborough	290	159	131	182	8	27.6	10	3.4
Medford	894	475	419	188	27	30.2	23	2.6
Melrose	425	268	157	159	15	35.3	23	5.4
Natick (town)	233	156	77	149	77	30.0	6	2.5
Newton	826	620	206	133	33	40.0	18	2.2
Somerville	1,208	862	346	140	42	34.8	47	3.9
Stoneham (town)	291	153	138	190	11	37.8	9	3.1
Wakefield (town)	114	120	-6	95	6	52.6	2	1.8
Waltham	825	464	361	178	26	31.5	23	2.8
Watertown (town)	88	215	-127	41	3	34.1	2	(5/)
Winchester (town)	252	131	121	192	5	19.8	6	2.4
Woburn	357	171	186	209	19	53.2	14	3.9
Nantucket	51	56	-5	(4/)	4	78.4	----	------
Norfolk	2,813	3,302	-489	85	111	39.5	73	2.6
Rural part	502	1,123	-621	45	21	41.8	11	2.2
Braintree (town)	62	167	-105	37	5	80.6	----	------
Brookline (town)	174	513	-339	34	3	17.2	2	1.1
Dedham (town)	92	106	-14	87	5	54.3	5	(5/)
Milton (town)	88	164	-76	54	5	56.8	2	(5/)
Needham (town)	63	90	-27	(4/)	3	47.6	3	(5/)
Norwood (town)	443	169	274	262	16	36.1	10	2.3
Quincy	957	646	311	148	40	41.8	27	2.8
Wellesley (town)	11	64	-53	(4/)	1	90.9	1	(5/)
Weymouth (town)	421	260	161	162	12	28.5	12	2.9
Plymouth	2,009	1,887	122	106	69	34.3	54	2.7
Rural part	582	1,009	-427	58	23	39.5	12	2.1
Brockton	1,203	733	470	164	40	33.3	37	3.1
Plymouth (town)	224	145	79	154	6	26.8	5	2.2
Suffolk	16,834	12,305	4,529	137	848	50.4	424	2.5
Boston	15,848	11,469	4,379	138	814	51.4	385	2.4
White	15,455	11,040	4,415	140	782	50.6	375	2.4
Other races	393	429	-36	92	32	81.4	10	2.5
Chelsea	545	466	79	117	27	49.5	24	4.4
Revere	129	179	-50	72	-----	------	4	3.1
Winthrop (town)	312	191	121	163	7	22.4	11	3.5
Worcester	7,280	5,896	1,384	123	342	47.0	239	3.3
Rural part	1,231	1,791	-560	69	58	47.1	28	2.3
Athol (town)	130	102	28	127	3	23.1	4	3.1
Clinton (town)	212	153	59	139	11	51.9	6	2.8
Fitchburg	714	431	283	166	41	57.4	21	2.9
Gardner	417	270	147	154	22	52.8	13	3.1
Leominster	364	203	161	179	22	60.4	8	2.2
Milford (town)	349	178	171	196	9	25.8	19	5.4
Southbridge (town)	256	144	112	178	4	15.6	9	3.5
Webster (town)	266	121	145	220	12	45.1	8	3.0
Worcester	3,341	2,503	838	133	160	47.9	123	3.7

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MICHIGAN (total)	87,445	51,050	36,396	171	4,172	47.7	2,717	3.1
Alcona	115	56	59	(4/)	1	8.7	3	2.6
Alger	191	109	82	175	16	83.8	4	2.1
Allegan	639	473	166	135	29	45.4	13	2.0
Alpena	442	196	246	226	13	29.4	7	1.6
Rural part	139	42	97	(4/)	5	36.0	2	1.4
Alpena	303	154	149	197	8	26.4	5	1.7
Antrim	242	136	106	178	14	57.9	9	3.7
Arenac	139	108	31	129	10	71.9	2	1.4
Baraga	146	97	49	(4/)	13	89.0	2	1.4
Barry	343	263	80	130	12	35.0	8	2.3
Bay	1,434	785	649	183	75	52.3	52	3.6
Rural part	408	170	238	240	15	36.8	8	2.0
Bay City	1,026	615	411	167	60	58.5	44	4.3
Benzie	197	101	96	195	11	55.8	10	5.1
Berrien	1,297	903	394	144	68	52.4	45	3.5
Rural part	694	546	148	127	38	54.8	32	4.6
Benton Harbor	367	233	134	158	17	46.3	7	1.9
Niles	236	124	112	190	13	55.1	6	2.5
Branch	408	326	82	125	18	44.1	6	1.5
Calhoun	1,645	1,132	513	145	73	44.4	46	2.8
Rural part	686	550	136	125	27	39.4	22	3.2
Battle Creek	959	582	377	165	46	48.0	24	2.5
Cass	332	307	25	108	19	57.2	11	3.3
Charlevoix	233	152	81	153	16	68.7	8	3.4
Cheboygan	277	136	141	204	17	61.4	12	4.3
Chippewa	662	288	374	230	30	45.3	22	3.3
Rural part	210	85	125	(4/)	7	33.3	6	2.9
Sault Ste. Marie	452	203	249	223	23	50.9	16	3.5
Clare	183	111	72	165	6	32.8	4	2.2
Clinton	448	298	150	150	18	40.2	9	2.0
Crawford	106	62	44	(4/)	6	56.6	4	3.8
Delta	757	338	419	224	46	60.8	25	3.3
Rural part	269	135	134	199	15	55.8	4	1.5
Escanaba	488	203	285	240	31	63.5	21	4.3
Dickinson	522	234	288	223	23	44.1	12	2.3
Rural part	299	127	172	235	15	50.2	3	1.0
Iron Mountain	223	107	116	208	8	35.9	9	4.0
Eaton	552	390	162	142	21	38.0	24	4.3
Emmet	402	262	140	153	23	57.2	26	6.5
Genesee	4,437	1,826	2,611	243	207	46.7	146	3.3
Rural part	998	437	561	228	32	32.1	22	2.2
Flint	3,439	1,389	2,050	248	175	50.9	124	3.6
Gladwin	180	80	100	(4/)	8	44.4	5	2.8
Gogebic	567	326	241	174	27	47.6	18	3.2
Rural part	345	213	132	162	18	52.2	9	2.6
Ironwood	222	113	109	196	9	40.5	9	4.1
Grand Traverse	424	412	12	103	17	40.1	12	2.8
Rural part	149	113	36	132	6	40.3	1	0.7
Traverse City	275	299	-24	92	11	40.0	11	4.0
Gratiot	564	404	160	164	53	79.8	18	2.7
Hillsdale	442	399	43	111	21	47.5	8	1.8
Houghton	811	589	222	138	57	70.3	28	3.5
Huron	693	337	356	206	30	43.3	20	2.9
Ingham	2,479	1,152	1,327	215	121	48.8	58	2.3
Rural part	578	344	234	168	23	39.8	8	1.4
Lansing	1,901	808	1,093	235	98	51.6	50	2.6
Ionia	538	453	85	119	28	52.0	15	2.8
Iosco	174	81	93	(4/)	2	11.5	7	4.0
Iron	286	169	117	169	20	69.9	6	2.1
Isabella	524	291	233	180	26	49.6	23	4.4
Jackson	1,408	1,060	348	133	88	62.5	33	2.3
Rural part	376	327	49	115	19	50.5	10	2.7
Jackson	1,032	733	299	141	69	66.9	23	2.2
Kalamazoo	1,622	1,241	381	131	71	43.8	47	2.9
Rural part	401	348	53	115	16	39.9	14	3.5
Kalamazoo	1,221	893	328	137	55	45.0	33	2.7
Kalkaska	116	56	60	(4/)	1	8.6	3	2.6
Kent	4,096	2,597	1,499	158	204	49.8	132	3.2
Rural part	1,420	841	579	169	51	35.9	34	2.4
Grand Rapids	2,676	1,756	920	152	153	57.2	98	3.7
Keweenaw	82	42	40	(4/)	4	48.8	4	(5/)
Lake	81	49	32	(4/)	2	24.7	1	(5/)
White	74	40	34	(4/)	1	13.5	1	(5/)
Other races	7	9	-2	(4/)	1	142.9	----	------
Lapeer	463	381	82	122	17	36.7	17	3.7
Leelanau	165	84	81	(4/)	8	48.5	7	4.2
Lenawee	792	584	208	136	28	35.4	24	3.0
Rural part	512	388	124	132	19	37.1	17	3.3
Adrian	280	196	84	143	9	32.1	7	2.5
Livingston	272	238	34	114	8	29.4	7	2.6
Luce	189	195	-6	97	15	79.4	5	2.6
Mackinac	215	85	130	(4/)	11	51.2	5	2.3

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MICHIGAN—Con.								
Macomb	1,241	721	520	172	61	49.2	35	2.8
Rural part	935	513	422	182	46	49.2	24	2.6
Mount Clemens	306	208	98	147	15	49.0	11	3.6
Manistee	324	241	83	134	18	55.6	5	1.5
Marquette	765	555	210	138	58	75.8	31	4.1
Rural part	459	329	130	140	38	82.8	19	4.1
Marquette	306	226	80	135	20	65.4	12	3.9
Mason	338	215	123	157	13	38.5	11	3.3
Mecosta	350	200	150	175	14	40.0	8	2.3
Menominee	550	255	295	216	29	52.7	13	2.4
Rural part	244	122	122	200	10	41.0	2	0.8
Menominee	306	133	173	230	19	62.1	11	3.6
Midland	543	195	348	278	24	44.2	15	2.8
Missaukee	193	74	119	(4/)	6	31.1	4	2.1
Monroe	1,012	566	446	179	42	41.5	32	3.2
Rural part	519	322	197	161	14	27.0	9	1.7
Monroe	493	244	249	202	28	56.8	23	4.7
Montcalm	523	341	182	153	23	44.0	11	2.1
Montmorency	76	41	35	(4/)	4	52.6	----	------
Muskegon	1,675	839	836	200	73	43.6	49	2.9
Rural part	252	169	83	149	7	27.8	2	0.8
Muskegon	1,286	598	688	215	62	48.2	43	3.3
Muskegon Heights	137	72	65	(4/)	4	29.2	4	2.9
Newaygo	371	244	127	152	22	59.3	16	4.3
Oakland	3,545	1,743	1,802	203	164	46.3	121	3.4
Rural part	1,386	878	508	158	53	38.2	45	3.2
Pontiac	1,558	607	951	257	90	57.8	56	3.6
Ferndale	296	78	218	(4/)	13	43.9	11	3.7
Royal Oak	305	180	125	169	8	26.2	9	3.0
Oceana	263	180	83	146	13	49.4	8	3.0
Ogemaw	192	97	95	(4/)	11	57.3	5	2.6
Ontonagon	211	96	115	(4/)	14	66.4	4	1.9
Osceola	274	169	105	162	15	54.7	10	3.6
Oscoda	53	25	28	(4/)	4	75.5	1	(5/)
Otsego	160	56	104	(4/)	5	31.3	6	3.8
Ottawa	944	508	436	186	33	35.0	30	3.2
Rural part	689	380	309	181	25	36.3	20	2.9
Holland	255	128	127	199	8	31.4	10	3.9
Presque Isle	247	110	137	225	16	64.8	10	4.0
Roscommon	60	23	37	(4/)	3	50.0	1	(5/)
Saginaw	2,405	1,271	1,134	189	137	57.0	90	3.7
Rural part	610	330	280	185	31	50.8	22	3.6
Saginaw	1,795	941	854	191	106	59.1	68	3.8
St. Clair	1,243	817	426	152	66	53.1	62	5.0
Rural part	592	401	191	148	27	45.6	27	4.6
Port Huron	651	416	235	156	39	59.9	35	5.4
St. Joseph	585	413	172	142	24	41.0	20	3.4
Sanilac	546	330	216	165	25	45.8	20	3.7
Schoolcraft	195	111	84	176	12	61.5	10	5.1
Shiawassee	708	483	225	147	39	55.1	21	3.0
Rural part	303	265	38	114	14	46.2	12	4.0
Owosso	405	218	187	186	25	61.7	9	2.2
Tuscola	611	484	127	126	31	50.7	23	3.8
Van Buren	454	423	31	107	23	50.7	12	2.6
Washtenaw	1,296	1,652	-356	78	100	77.2	47	3.6
Rural part	283	395	-112	72	10	35.3	8	2.8
Ann Arbor	831	1,119	-288	74	85	102.3	34	4.1
Ypsilanti	182	138	44	132	5	27.5	5	2.7
White	168	121	47	139	5	29.8	5	3.0
Other races	14	17	-3	(4/)	-----	------	----	------
Wayne	31,646	16,971	14,675	186	1,374	43.4	965	3.0
Rural part	1,316	1,781	-465	74	45	34.2	44	3.3
Dearborn	757	203	554	373	20	26.4	15	2.0
Detroit	26,168	13,644	12,524	192	1,173	44.8	800	3.1
White	23,974	11,929	12,045	201	1,042	43.5	698	2.9
Other races	2,194	1,715	479	128	131	59.7	102	4.6
Ecorse	211	51	160	(4/)	10	47.4	7	3.3
White	190	46	144	(4/)	8	42.1	6	3.2
Other races	21	5	16	(4/)	2	95.2	1	(5/)
Grosse Pointe Park	32	62	-30	(4/)	4	125.0	----	------
Hamtramck	673	265	408	254	20	29.7	32	4.8
Highland Park	1,330	566	764	235	52	39.1	37	2.8
Lincoln Park	174	33	141	(4/)	6	34.5	3	1.7
River Rouge	259	69	190	(4/)	6	23.2	2	0.8
Wyandotte	726	297	429	244	38	52.3	25	3.4
Wexford	415	207	208	200	24	57.8	8	1.9
MINNESOTA (total)	45,962	26,247	19,715	175	2,053	44.7	1,263	2.7
Aitkin	314	114	200	275	12	38.2	5	1.6
Anoka	209	217	-8	96	9	43.1	4	1.9
Becker	594	263	331	226	42	70.7	15	2.5

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MINNESOTA—Con.								
Beltrami	604	229	375	264	36	59.6	18	3.0
Benton	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)
Rural part	225	80	145	(4/)	7	31.1	2	0.9
St. Cloud (part)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)
Big Stone	260	102	158	255	7	26.9	7	2.7
Blue Earth	660	371	289	178	38	57.6	20	3.0
Rural part	187	138	49	136	8	42.8	5	2.7
Mankato	473	233	240	203	30	63.4	15	3.2
Brown	592	281	311	211	28	47.3	6	1.0
Carlton	514	193	321	266	24	46.7	9	1.8
Carver	271	128	143	212	6	22.1	6	2.2
Cass	445	237	208	188	24	53.9	6	1.3
Chippewa	324	160	164	203	18	55.6	12	3.7
Chisago	125	134	-9	93	6	48.0	6	4.8
Clay	416	203	213	205	29	69.7	14	3.4
Clearwater	212	84	128	(4/)	9	42.5	8	3.8
Cook	26	23	3	(4/)	3	115.4	----	------
Cottonwood	343	120	223	286	12	35.0	8	2.3
Crow Wing	543	261	282	208	36	66.3	18	3.3
Rural part	255	105	150	243	12	47.1	6	2.4
Brainerd	288	156	132	185	24	83.3	12	4.2
Dakota	377	291	86	130	23	61.0	12	3.2
Rural part	324	259	65	125	19	58.6	10	3.1
South St. Paul	53	32	21	(4/)	4	75.5	2	(5/)
Dodge	184	108	76	170	6	32.6	1	0.5
Douglas	350	198	152	177	19	54.3	8	2.3
Faribault	416	189	227	220	12	28.8	14	3.4
Fillmore	345	192	153	180	10	29.0	9	2.6
Freeborn	533	226	307	236	15	28.1	12	2.3
Rural part	192	102	90	188	7	36.5	2	1.0
Albert Lea	341	124	217	275	8	23.5	10	2.9
Goodhue	458	324	134	141	13	28.4	18	3.9
Grant	179	75	104	(4/)	13	72.6	5	2.8
Hennepin	7,708	5,747	1,961	134	324	42.0	242	3.1
Rural part	353	626	-273	56	8	22.7	6	1.7
Minneapolis	7,355	5,121	2,234	144	316	43.0	236	3.2
Houston	247	136	111	182	13	52.6	4	1.6
Hubbard	212	100	112	212	16	75.5	11	5.2
Isanti	172	109	63	158	3	17.4	5	2.9
Itasca	572	257	315	223	35	61.2	15	2.6
Jackson	266	130	136	205	13	48.9	11	4.1
Kanabec	172	57	115	(4/)	12	69.8	3	1.7
Kandiyohi	426	260	166	164	20	46.9	10	2.3
Kittson	197	119	78	166	19	96.4	8	4.1
Koochiching	371	122	249	304	18	48.5	6	1.6
Lac qui Parle	240	136	104	176	12	50.0	8	3.3
Lake	89	84	5	(4/)	6	67.4	2	(5/)
Lake of the Woods	75	36	39	(4/)	6	80.0	4	(5/)
Le Sueur	280	149	131	188	11	39.3	7	2.5
Lincoln	235	100	135	235	10	42.6	3	1.3
Lyon	411	159	252	258	15	36.5	7	1.7
McLeod	376	186	190	202	9	23.9	16	4.3
Mahnomen	146	66	80	(4/)	13	89.0	3	2.1
White	118	52	66	(4/)	11	93.2	2	1.7
Other races	28	14	14	(4/)	2	71.4	1	(5/)
Marshall	354	146	208	242	18	50.8	7	2.0
Martin	460	187	273	246	17	37.0	9	2.0
Meeker	352	149	203	236	11	31.3	4	1.1
Mille Lacs	290	150	140	193	15	51.7	12	4.1
Morrison	592	237	355	250	32	54.1	14	2.4
Mower	688	294	394	234	32	46.5	18	2.6
Rural part	266	133	133	200	12	45.1	8	3.0
Austin	422	161	261	262	20	47.4	10	2.4
Murray	275	82	193	(4/)	12	43.6	4	1.5
Nicollet	214	294	-80	73	9	42.1	4	1.9
Nobles	445	169	276	263	14	31.5	16	3.6
Norman	303	118	185	257	12	39.6	8	2.6
Olmsted	851	1,026	-175	83	51	59.9	27	3.2
Rural part	216	104	112	208	5	23.1	4	1.9
Rochester	635	922	-287	69	46	72.4	23	3.6
Otter Tail	1,051	706	345	149	54	51.4	26	2.5
Pennington	287	138	149	208	11	38.3	7	2.4
Pine	347	160	187	217	12	34.6	10	2.9
Pipestone	259	124	135	209	11	42.5	7	2.7
Polk	563	379	284	175	35	62.8	17	2.6
Pope	203	110	93	185	12	59.1	9	4.4
Ramsey	4,840	3,235	1,605	150	179	37.0	140	2.9
Rural part	43	122	-79	35	2	46.5	1	(5/)
St. Paul	4,797	3,113	1,684	154	177	36.9	139	2.9
Red Lake	144	43	101	(4/)	12	83.3	3	2.1
Redwood	401	133	268	302	21	52.4	5	1.2
Renville	382	172	210	222	14	36.6	2	0.5

See footnotes at end of table.

SUMMARY AND RATE TABLE

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MINNESOTA—Con.								
Rice	536	312	224	172	17	31.7	15	2.8
Rural part	226	131	95	173	7	31.0	6	2.7
Faribault	310	181	129	171	10	32.3	9	2.9
Rock	189	73	116	(4/)	6	31.7	8	4.2
Roseau	367	104	263	353	14	38.1	10	2.7
St. Louis	3,009	1,870	1,139	161	117	38.9	95	3.2
Rural part	841	513	328	164	50	59.5	12	1.4
Duluth	1,668	1,157	511	144	48	28.8	67	4.0
Hibbing	332	114	218	291	11	33.1	5	1.5
Virginia	168	86	82	(4/)	8	47.6	11	6.5
Scott	229	128	101	179	13	56.8	3	1.3
Sherburne	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)
Rural part	135	54	81	(4/)	3	22.2	5	3.7
St. Cloud (part)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)
Sibley	225	114	111	197	8	35.6	7	3.1
Stearns	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)	(14/)
Rural part	1,041	351	690	297	46	44.2	19	1.8
St. Cloud 14/	620	290	330	214	32	51.6	20	3.2
Steele	319	169	150	189	21	65.8	10	3.1
Stevens	200	79	121	(4/)	10	50.0	7	3.5
Swift	290	123	167	236	18	62.1	6	2.1
Todd	570	190	380	300	31	54.4	20	3.5
Traverse	115	53	62	(4/)	6	52.2	2	1.7
Wabasha	299	163	136	183	12	40.1	5	1.7
Wadena	303	122	181	248	10	33.0	12	4.0
Waseca	265	132	133	201	13	49.1	7	2.6
Washington	260	212	48	123	11	42.3	7	2.7
Watonwan	252	107	145	236	11	43.7	5	2.0
Wilkin	242	89	153	(4/)	11	45.5	5	2.1
Winona	653	344	309	190	23	35.2	18	2.8
Rural part	173	99	74	(4/)	8	46.2	1	0.6
Winona	480	245	235	196	15	31.3	17	3.5
Wright	452	243	209	186	16	35.4	13	2.9
Yellow Medicine	276	117	159	236	8	29.0	7	2.5
MISSISSIPPI (total)	48,320	21,339	26,981	226	2,605	53.9	2,309	4.8
Adams	607	446	161	136	36	59.3	40	6.6
Rural part	383	237	146	162	26	67.9	24	6.3
White	131	59	72	(4/)	10	76.3	2	1.5
Other races	252	178	74	142	16	63.5	22	8.7
Natchez	224	209	15	107	10	44.6	16	7.1
White	138	83	55	(4/)	6	43.5	7	5.1
Other races	86	126	-40	68	4	46.5	9	(5/)
Alcorn	478	254	224	188	34	71.1	24	5.0
White	406	198	208	205	29	71.4	16	3.9
Other races	72	56	16	(4/)	5	69.4	8	(5/)
Amite	478	191	287	250	36	75.3	10	2.1
White	210	89	121	(4/)	18	85.7	2	1.0
Other races	268	102	166	263	18	67.2	8	3.0
Attala	675	230	445	293	26	38.5	26	3.9
White	341	120	221	284	11	32.3	4	1.2
Other races	334	110	224	304	15	44.9	22	6.6
Benton	309	61	248	(4/)	8	25.9	8	2.6
White	168	36	132	(4/)	2	11.9	3	1.8
Other races	141	25	116	(4/)	6	42.6	5	3.5
Bolivar	1,434	772	662	186	100	69.7	75	5.2
White	348	113	235	308	15	43.1	4	1.1
Other races	1,086	659	427	165	85	78.3	71	6.5
Calhoun	427	128	299	334	17	39.8	10	2.3
White	325	107	218	304	12	36.9	7	2.2
Other races	102	21	81	(4/)	5	49.0	3	2.9
Carroll	487	173	314	282	15	30.8	16	3.3
White	186	66	120	(4/)	4	21.5	4	2.2
Other races	301	107	194	281	11	36.5	12	4.0
Chickasaw	481	204	277	236	22	45.7	20	4.2
White	226	107	119	211	9	39.8	7	3.1
Other races	255	97	158	(4/)	13	51.0	13	5.1
Choctaw	282	94	188	(4/)	20	70.9	12	4.3
White	170	63	107	(4/)	9	52.9	6	3.5
Other races	112	31	81	(4/)	11	98.2	6	5.4
Claiborne	275	119	156	231	10	36.4	7	2.5
White	36	25	11	(4/)	1	27.8	----	------
Other races	239	94	145	(4/)	9	37.7	7	2.9
Clarke	452	165	287	274	17	37.6	19	4.2
White	217	99	118	(4/)	7	32.3	5	2.3
Other races	235	66	169	(4/)	10	42.6	14	6.0

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MISSISSIPPI—Con.								
Clay	446	162	284	275	21	47.1	26	5.8
White	115	64	51	(4/)	7	60.9	6	5.2
Other races	331	98	233	(4/)	14	42.3	20	6.0
Coahoma	1,012	510	502	198	43	42.5	52	5.1
Rural part	795	358	437	222	32	40.3	45	5.7
White	101	43	58	(4/)	7	69.3	2	2.0
Other races	694	315	379	220	25	36.0	43	6.2
Clarksdale	217	152	65	143	11	50.7	7	3.2
White	95	46	49	(4/)	2	21.1	----	------
Other races	122	106	16	115	9	73.8	7	5.7
Copiah	832	334	498	249	47	56.5	33	4.0
White	305	145	160	210	14	45.9	4	1.3
Other races	527	189	338	279	33	62.6	29	5.5
Covington	432	95	337	(4/)	16	37.0	9	2.1
White	282	62	220	(4/)	10	35.5	3	1.1
Other races	150	33	117	(4/)	6	40.0	6	4.0
De Soto	544	216	328	252	31	57.0	30	5.5
White	107	47	60	(4/)	-----	------	4	3.7
Other races	437	169	268	259	31	70.9	26	5.9
Forrest	630	318	312	198	23	36.5	41	6.5
Rural part	223	78	145	(4/)	6	26.9	10	4.5
White	164	59	105	(4/)	5	30.5	5	3.0
Other races	59	19	40	(4/)	1	16.9	5	(5/)
Hattiesburg	407	240	167	170	17	41.8	31	7.6
White	260	146	114	178	11	42.3	17	6.5
Other races	147	94	53	(4/)	6	40.8	14	9.5
Franklin	296	116	180	255	19	64.2	15	5.1
White	168	60	108	(4/)	8	47.6	3	1.8
Other races	128	56	72	(4/)	11	85.9	12	9.4
George	184	65	119	(4/)	10	54.3	10	5.4
White	156	54	102	(4/)	8	51.3	7	4.5
Other races	28	11	17	(4/)	2	71.4	3	(5/)
Greene	248	75	173	(4/)	8	32.3	5	2.0
White	195	58	137	(4/)	8	41.0	3	1.5
Other races	53	17	36	(4/)	-----	------	2	(5/)
Grenada	454	222	232	205	35	77.1	24	5.3
White	159	79	80	(4/)	10	62.9	4	2.5
Other races	295	143	152	206	25	84.7	20	6.8
Hancock	215	104	111	207	11	51.2	7	3.3
White	174	72	102	(4/)	7	40.2	6	3.4
Other races	41	32	9	(4/)	4	97.6	1	(5/)
Harrison	936	566	370	165	58	62.0	50	5.3
Rural part	285	200	85	143	14	49.1	15	5.3
White	220	158	62	139	8	36.4	12	5.5
Other races	65	42	23	(4/)	6	92.3	3	(5/)
Biloxi	376	180	196	209	27	71.8	20	5.3
White	328	148	180	222	24	73.2	14	4.3
Other races	48	32	16	(4/)	3	62.5	6	(5/)
Gulfport	275	186	89	148	17	61.8	15	5.5
White	216	135	81	160	10	46.3	7	3.2
Other races	59	51	8	(4/)	7	118.6	8	(5/)
Hinds	1,910	1,308	602	146	125	65.4	110	5.8
Rural part	1,075	383	692	281	47	43.7	54	5.0
White	140	82	58	(4/)	2	14.3	2	1.4
Other races	935	301	634	311	45	48.1	52	5.6
Jackson	835	925	-90	90	78	93.4	56	6.7
White	537	456	81	118	41	76.4	23	4.3
Other races	298	469	-171	64	37	124.2	33	11.1
Holmes	928	404	524	230	64	69.0	51	5.5
White	130	77	53	(4/)	9	69.2	5	3.8
Other races	798	327	471	244	55	68.9	46	5.8
Humphreys	605	244	361	248	41	67.8	41	6.8
White	145	41	104	(4/)	6	41.4	5	3.4
Other races	460	203	257	227	35	76.1	36	7.8
Issaquena	147	108	39	136	17	115.6	12	8.2
White	24	8	16	(4/)	-----	------	----	------
Other races	123	100	23	123	17	138.2	12	9.8
Itawamba	427	132	295	323	17	39.8	10	2.3
Jackson	366	184	182	199	25	68.3	16	4.4
White	294	127	167	231	21	71.4	7	2.4
Other races	72	57	15	(4/)	4	55.6	9	(5/)
Jasper	518	140	378	370	21	40.5	21	4.1
White	230	65	165	(4/)	9	39.1	6	2.6
Other races	288	75	213	(4/)	12	41.7	15	5.2
Jefferson	332	135	197	246	20	60.2	20	6.0
White	48	32	16	(4/)	2	41.7	----	------
Other races	284	103	181	276	18	63.4	20	7.0
Jefferson Davis	459	103	356	446	22	47.9	23	5.0
White	199	45	154	(4/)	10	50.3	6	3.0
Other races	260	58	202	(4/)	12	46.2	17	6.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MISSISSIPPI—Con.								
Jones	1,028	468	560	220	55	53.5	61	5.9
Rural part	592	160	432	370	17	28.7	22	3.7
White	449	130	319	345	12	26.7	15	3.3
Other races	143	30	113	(4/)	5	35.0	7	4.9
Laurel	436	308	128	142	38	87.2	39	8.9
White	306	173	133	177	28	91.5	25	8.2
Other races	130	135	-5	96	10	76.9	14	10.8
Kemper	529	159	370	333	25	47.3	22	4.2
White	187	76	111	(4/)	12	64.2	4	2.1
Other races	342	83	259	(4/)	13	38.0	18	5.3
Lafayette	488	227	261	215	19	38.9	28	5.7
White	265	123	142	215	15	56.6	9	3.4
Other races	223	104	119	214	4	17.9	19	8.5
Lamar	304	92	212	(4/)	17	55.9	12	3.9
White	238	77	161	(4/)	15	63.0	8	3.4
Other races	66	15	51	(4/)	2	30.3	4	(5/)
Lauderdale	1,223	903	320	135	90	73.6	62	5.1
Rural part	554	194	360	286	22	39.7	17	3.1
White	206	99	107	(4/)	12	58.3	4	1.9
Other races	348	95	253	(4/)	10	28.7	13	3.7
Meridian	669	709	-40	94	68	101.6	45	6.7
White	426	422	4	101	40	93.9	20	4.7
Other races	243	287	-44	85	28	115.2	25	10.3
Lawrence	332	125	207	266	15	45.2	14	4.2
White	207	75	132	(4/)	10	48.3	5	2.4
Other races	125	50	75	(4/)	5	40.0	9	7.2
Leake	635	137	498	464	19	29.9	23	3.6
White	321	85	236	(4/)	8	24.9	9	2.8
Other races	314	52	262	(4/)	11	35.0	14	4.5
Lee	753	324	429	232	40	53.1	35	4.6
White	522	183	339	285	28	53.6	15	2.9
Other races	231	141	90	164	12	51.9	20	8.7
Leflore	1,120	551	569	203	53	47.3	88	7.9
Rural part	933	380	553	246	43	46.1	77	8.3
White	131	49	82	(4/)	3	22.9	5	3.8
Other races	802	331	471	242	40	49.9	72	9.0
Greenwood	187	171	16	109	10	53.5	11	5.9
White	102	73	30	(4/)	5	48.5	1	1.0
Other races	84	98	-14	(4/)	5	59.5	10	(5/)
Lincoln	621	263	358	236	39	62.8	41	6.6
White	345	147	198	235	16	46.4	15	4.3
Other races	276	116	160	238	23	83.3	26	9.4
Lowndes	718	408	310	176	46	64.1	38	5.3
Rural part	409	181	228	226	23	56.2	19	4.6
White	100	51	49	(4/)	5	50.0	2	2.0
Other races	309	130	179	238	18	58.3	17	5.5
Columbus	309	227	82	136	23	74.4	19	6.1
White	124	93	31	(4/)	8	64.5	3	2.4
Other races	185	134	51	138	15	81.1	16	8.6
Madison	801	361	440	222	40	49.9	28	3.5
White	126	73	53	(4/)	5	39.7	3	2.4
Other races	675	288	387	234	35	51.9	25	3.7
Marion	497	196	301	254	33	66.4	6	1.2
White	294	120	174	245	23	78.2	4	1.4
Other races	203	76	127	(4/)	10	49.3	2	1.0
Marshall	640	299	341	214	45	70.3	36	5.6
White	132	70	62	(4/)	10	75.8	3	2.3
Other races	508	229	279	222	35	68.9	33	6.5
Monroe	824	347	477	237	29	35.2	39	4.7
White	388	167	221	232	9	23.2	13	3.4
Other races	436	180	256	242	20	45.9	26	6.0
Montgomery	416	171	245	243	23	55.3	16	3.8
White	202	90	112	(4/)	10	49.5	8	4.0
Other races	214	81	133	(4/)	13	60.7	8	3.7
Neshoba	680	175	505	389	32	47.1	24	3.5
White	491	124	367	396	20	40.7	14	2.9
Other races	189	51	138	(4/)	12	63.5	10	5.3
Newton	597	188	409	318	22	36.9	19	3.2
White	339	112	227	303	10	29.5	7	2.1
Other races	258	76	182	(4/)	12	46.5	12	4.7
Noxubee	781	262	519	298	43	55.1	47	6.0
White	112	54	58	(4/)	3	26.8	6	5.4
Other races	669	208	461	322	40	59.8	41	6.1
Oktibbeha	501	221	280	227	31	61.9	24	4.8
White	124	72	52	(4/)	4	32.3	2	1.6
Other races	377	149	228	253	27	71.6	22	5.8
Panola	780	299	481	261	43	55.1	43	5.5
White	212	109	103	194	13	61.3	10	4.7
Other races	568	190	378	299	30	52.8	33	5.8
Pearl River	438	139	299	315	24	54.8	18	4.1
White	353	92	261	(4/)	18	51.0	11	2.1
Other races	85	47	38	(4/)	6	70.6	7	(5/)
Perry	216	92	124	(4/)	12	55.6	10	4.6
White	148	59	89	(4/)	6	40.5	4	2.7
Other races	68	33	35	(4/)	6	88.2	6	(5/)
Pike	785	345	440	228	51	65.0	34	4.3
Rural part	582	217	365	268	39	67.0	24	4.1
White	193	89	104	(4/)	14	72.5	5	2.6
Other races	389	128	261	304	25	64.3	19	4.9
McComb	203	128	75	159	12	59.1	10	4.9
White	155	83	72	(4/)	8	51.6	7	4.5
Other races	48	45	3	(4/)	4	83.3	3	(5/)
Pontotoc	558	183	375	305	15	26.9	18	3.2
White	435	153	282	284	15	34.5	10	2.3
Other races	123	30	93	(4/)	-----	------	8	6.5
Prentiss	516	167	349	309	22	42.6	19	3.7
White	457	141	316	324	19	41.6	16	3.5
Other races	59	26	33	(4/)	3	50.8	3	(5/)
Quitman	574	245	329	234	28	48.8	27	4.7
White	192	61	131	(4/)	8	41.7	5	2.6
Other races	382	184	198	208	20	52.4	22	5.8
Rankin	575	452	123	127	23	40.0	31	5.4
White	192	191	1	101	5	26.0	5	2.6
Other races	383	261	122	147	18	47.0	26	6.8
Scott	536	162	374	331	35	65.3	16	3.0
White	264	81	183	(4/)	14	53.0	7	2.7
Other races	272	81	191	(4/)	21	77.2	9	3.3
Sharkey	355	138	217	257	20	56.3	17	4.8
White	80	30	50	(4/)	3	37.5	1	(5/)
Other races	275	108	167	255	17	61.8	16	5.8
Simpson	513	177	336	290	21	40.9	24	4.7
White	320	101	219	317	7	21.9	12	3.8
Other races	193	76	117	(4/)	14	72.5	12	6.2
Smith	507	80	427	(4/)	12	23.7	25	4.9
White	387	62	325	(4/)	7	18.1	19	4.9
Other races	120	18	102	(4/)	5	41.7	6	5.0
Stone	137	58	79	(4/)	7	51.1	3	2.2
White	102	34	68	(4/)	4	39.2	1	1.0
Other races	35	24	11	(4/)	3	85.7	2	(5/)
Sunflower	1,396	546	850	256	76	54.4	65	4.7
White	325	102	223	319	15	46.2	7	2.2
Other races	1,071	444	627	241	61	57.0	58	5.4
Tallahatchie	760	337	423	226	54	71.1	37	4.9
White	264	95	169	(4/)	19	72.0	11	4.2
Other races	496	242	254	205	35	70.6	26	5.2
Tate	435	152	283	286	20	46.0	18	4.1
White	152	46	106	(4/)	5	32.9	4	2.6
Other races	283	106	177	267	15	53.0	14	4.9
Tippah	486	137	349	355	15	30.9	22	4.5
White	381	109	272	350	11	28.9	16	4.2
Other races	105	28	77	(4/)	4	38.1	6	5.7
Tishomingo	430	133	297	323	28	65.1	19	4.4
Tunica	465	250	215	186	28	60.2	20	4.3
White	41	23	18	(4/)	3	73.2	1	(5/)
Other races	424	227	197	187	25	59.0	19	4.5
Union	497	203	294	245	27	54.3	13	2.6
White	411	150	261	274	25	60.8	11	2.7
Other races	86	53	33	(4/)	2	23.3	2	(5/)
Walthall	464	103	361	450	14	30.2	18	3.9
White	249	62	187	(4/)	7	28.1	8	3.2
Other races	215	41	174	(4/)	7	32.6	10	4.7
Warren	759	756	3	100	58	76.4	59	7.8
Rural part	216	172	44	126	16	74.1	11	5.1
White	46	19	27	(4/)	1	21.7	1	(5/)
Other races	170	153	17	111	15	88.2	10	5.9
Vicksburg	543	584	-41	93	42	77.3	48	8.8
White	303	209	94	145	14	46.2	8	2.6
Other races	240	375	-135	64	28	116.7	40	16.7
Washington	1,187	721	466	165	84	70.8	80	6.7
Rural part	782	378	404	207	49	62.7	52	6.6
White	101	44	57	(4/)	11	108.9	2	2.0
Other races	681	334	347	204	38	55.8	50	7.3
Greenville	405	343	62	118	35	86.4	28	6.9
White	210	119	91	176	18	85.7	7	3.3
Other races	195	224	-29	87	17	87.2	21	10.8
Wayne	423	133	290	318	12	28.4	10	2.4
White	274	83	191	(4/)	9	32.8	6	2.2
Other races	149	50	99	(4/)	3	20.1	4	2.7
Webster	330	101	229	327	15	45.5	13	3.9
White	238	71	167	(4/)	10	42.0	11	4.6
Other races	92	30	62	(4/)	5	54.3	2	(5/)
Wilkinson	403	203	200	199	22	54.6	17	4.2
White	101	49	52	(4/)	5	49.5	2	2.0
Other races	302	154	148	196	17	56.3	15	5.0

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MISSISSIPPI—Con.								
Winston	558	167	391	334	28	50.2	18	3.2
White	312	102	210	306	11	35.3	5	1.6
Other races	246	65	181	(4/)	17	69.1	13	5.3
Yalobusha	439	196	243	224	21	47.8	22	5.0
White	179	103	76	174	8	44.7	6	3.4
Other races	260	93	167	(4/)	13	50.0	16	6.2
Yazoo	1,004	409	595	245	59	58.8	57	5.7
White	255	118	137	216	12	47.1	11	4.3
Other races	749	291	458	257	47	62.8	46	6.1
MISSOURI (total)	57,299	43,201	14,098	133	3,262	56.9	2,206	3.8
Adair	371	300	71	124	21	56.6	5	1.3
Andrew	158	135	23	117	9	57.0	4	2.5
Atchison	193	102	91	189	8	41.5	2	1.0
Audrain	370	258	112	143	25	67.6	16	4.3
Barry	435	188	247	231	22	50.6	13	3.0
Barton	188	156	32	121	8	42.6	4	2.1
Bates	335	229	106	146	17	50.7	14	4.2
Benton	192	100	92	192	11	57.3	15	7.8
Bollinger	196	59	137	(4/)	2	10.2	7	3.6
Boone	530	398	132	133	29	54.7	23	4.3
Rural part	248	156	92	159	10	40.3	15	6.0
Columbia	282	242	40	117	19	67.4	8	2.8
White	247	185	62	134	16	64.8	7	2.8
Other races	35	57	-22	(4/)	3	85.7	1	(5/)
Buchanan	1,490	1,500	-10	99	68	45.6	61	4.1
Rural part	198	160	38	124	7	35.4	6	3.0
St. Joseph	1,292	1,340	-48	96	61	47.2	55	4.3
Butler	767	362	405	212	54	70.4	34	4.4
Caldwell	163	131	32	124	11	67.5	2	1.2
Callaway	261	359	-98	73	14	53.6	5	1.9
White	219	304	-85	72	11	50.2	3	1.4
Other races	42	55	-13	(4/)	3	71.4	2	(5/)
Camden	158	62	96	(4/)	5	31.6	4	2.5
Cape Girardeau	708	478	230	148	47	66.4	28	4.0
Rural part	274	119	155	230	8	29.2	8	2.9
Cape Girardeau	434	359	75	121	39	89.9	20	4.6
Carroll	298	266	32	112	20	67.1	11	3.7
Carter	106	46	60	(4/)	6	56.6	2	1.9
Cass	280	194	86	144	5	17.9	4	1.4
Cedar	192	134	58	143	8	41.7	5	2.6
Chariton	284	192	92	148	14	49.3	9	3.2
Christian	218	108	110	202	8	36.7	7	3.2
Clark	131	97	34	(4/)	5	38.2	2	1.5
Clay	354	405	-51	87	13	36.7	7	2.0
Clinton	173	144	29	120	9	52.0	3	1.7
Cole	473	388	85	122	24	50.7	25	5.3
Rural part	132	75	57	(4/)	5	37.9	7	5.3
Jefferson City	341	313	28	109	19	55.7	18	5.3
White	327	271	56	121	18	55.0	15	4.6
Other races	14	42	-28	(4/)	1	71.4	3	(5/)
Cooper	287	261	26	110	16	55.7	7	2.4
White	264	234	30	113	12	45.5	5	1.9
Other races	23	27	-4	(4/)	4	173.9	2	(5/)
Crawford	173	93	80	(4/)	15	86.7	6	3.5
Dade	131	105	26	125	3	22.9	10	7.6
Dallas	190	96	94	(4/)	1	5.3	8	4.2
Daviess	205	162	43	127	13	63.4	14	6.8
De Kalb	116	88	28	(4/)	7	60.3	1	0.9
Dent	161	118	43	136	13	80.7	6	3.7
Douglas	257	107	150	240	9	35.0	7	2.7
Dunklin	1,074	445	629	241	100	93.1	52	4.8
Franklin	606	381	225	159	29	47.9	25	4.1
Gasconade	156	117	39	133	9	57.7	8	5.1
Gentry	172	170	2	101	13	75.6	6	3.5
Green	1,363	1,140	223	120	99	72.6	54	4.0
Rural part	331	221	110	150	22	66.5	12	3.6
Springfield	1,032	919	113	112	77	74.6	42	4.1
Grundy	237	215	22	110	18	75.9	7	3.0
Harrison	231	198	33	117	11	47.6	18	7.8
Henry	379	243	136	156	12	31.7	11	2.9
Hickory	95	55	40	(4/)	4	42.1	3	(5/)
Holt	199	97	102	(4/)	5	25.1	8	4.0
Howard	153	133	20	115	4	26.1	8	5.2
White	126	101	25	125	2	15.9	7	5.6
Other races	27	32	-5	(4/)	2	74.1	1	(5/)
Howell	380	214	166	178	16	42.1	12	3.2
Iron	184	102	82	180	11	59.8	6	3.3

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding (stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MISSOURI—Con.								
Jackson	6,663	5,823	840	114	362	54.3	194	2.9
Rural part	519	545	-26	95	13	25.0	9	1.7
Independence	413	246	167	168	15	36.3	15	3.6
Kansas City	5,731	5,033	699	114	334	58.3	170	3.0
White	5,266	4,189	1,077	126	292	55.5	145	2.8
Other races	465	843	-378	55	42	90.3	25	5.4
Jasper	(15/)	(15/)	(15/)	(15/)	(15/)	(15/)	(15/)	(15/)
Rural part	654	550	104	119	31	47.4	24	3.7
Joplin 15/	644	577	67	112	50	77.6	32	5.0
Jefferson	321	226	95	142	14	43.6	12	3.7
Johnson	275	272	3	101	14	50.9	11	4.0
Knox	113	81	32	(4/)	7	61.9	4	3.5
Laclede	339	196	143	173	21	61.9	17	5.0
Lafayette	424	306	118	139	19	44.8	17	4.0
Lawrence	407	349	58	117	29	71.3	12	2.9
Lewis	155	137	18	113	12	77.4	5	3.2
Lincoln	198	151	47	131	11	55.6	12	6.1
Linn	302	291	11	104	18	59.6	6	2.0
Livingston	300	204	96	147	19	63.3	11	3.7
McDonald	282	137	145	206	20	70.9	2	0.7
Macon	289	272	17	106	17	58.8	14	4.8
Madison	176	101	75	174	10	56.8	4	2.3
Maries	151	68	83	(4/)	8	53.0	3	2.0
Marion	499	463	36	108	30	60.1	14	2.8
Rural part	93	125	-32	74	10	107.5	----	------
Hannibal	406	338	68	120	20	49.3	14	3.4
Mercer	151	97	54	(4/)	11	72.8	3	2.0
Miller	284	153	131	186	17	59.9	11	3.9
Mississippi	482	245	237	197	44	91.3	22	4.6
White	367	153	214	240	27	73.6	18	4.9
Other races	115	92	23	(4/)	17	147.8	4	3.5
Moniteau	191	161	30	119	9	47.1	4	2.1
Monroe	168	182	-14	92	7	41.7	7	4.2
Montgomery	187	142	45	132	3	16.0	6	3.2
Morgan	205	105	100	195	13	63.4	8	3.9
New Madrid	726	425	301	171	103	141.9	48	6.6
White	661	347	314	190	85	128.6	36	5.4
Other races	65	78	-13	(4/)	18	276.9	12	(5/)
Newton	(15/)	(15/)	(15/)	(15/)	(15/)	(15/)	(15/)	(15/)
Rural part	556	290	266	192	32	57.6	27	4.9
Joplin (part)	(15/)	(15/)	(15/)	(15/)	(15/)	(15/)	(15/)	(15/)
Nodaway	446	280	166	159	20	44.8	7	1.6
Oregon	236	99	137	(4/)	13	55.1	6	2.5
Osage	225	107	118	210	20	88.9	4	1.8
Ozark	268	71	197	(4/)	12	44.8	7	2.6
Pemiscot	636	465	171	137	82	128.9	32	5.0
White	508	335	173	152	63	124.0	23	4.5
Other races	128	130	-2	98	19	148.4	9	7.0
Perry	328	117	211	280	13	39.6	12	3.7
Pettis	462	449	13	103	35	84.4	12	2.6
Rural part	155	110	45	141	14	90.3	5	3.2
Sedalia	307	339	-32	91	25	81.4	7	2.3
White	281	299	-18	94	20	71.2	4	1.4
Other races	26	40	-14	(4/)	5	192.3	3	(5/)
Phelps	289	236	53	122	20	69.2	10	3.5
Pike	239	245	-6	98	7	29.3	11	4.6
White	212	210	2	101	5	23.6	8	3.8
Other races	27	35	-8	(4/)	2	74.1	3	(5/)
Platte	188	114	74	165	7	37.2	9	4.8
Polk	261	197	64	132	11	42.1	9	3.4
Pulaski	217	103	114	211	10	46.1	7	3.2
Putnam	200	139	61	144	11	55.0	6	3.0
Ralls	126	105	21	120	9	71.4	4	3.2
Randolph	345	339	6	102	20	58.0	9	2.6
Rural part	137	143	-6	96	9	65.7	4	2.9
Moberly	208	196	12	106	11	52.9	5	2.4
Ray	308	197	111	156	13	42.2	7	2.3
Reynolds	190	56	134	(4/)	14	73.7	11	5.8
Ripley	220	98	122	(4/)	13	59.1	5	2.3
St. Charles	391	284	107	138	14	35.8	15	3.8
Rural part	180	124	56	145	7	38.9	7	3.9
St. Charles	211	160	51	132	7	33.2	8	3.8
St. Clair	220	129	91	171	6	27.3	8	3.6
St. Francois	676	442	234	153	43	63.6	29	4.3
St. Louis	2,024	2,107	-83	96	109	53.9	48	2.4
Rural part	1,881	1,800	81	105	103	54.8	45	2.4
Maplewood	52	52	-------	(4/)	-----	------	----	------
University City	38	133	-95	29	4	105.3	1	(5/)
Webster Groves	53	122	-69	43	2	37.7	2	(5/)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
MISSOURI—Con.								
St. Louis (city)	12,829	10,533	2,296	122	666	51.9	631	4.9
White	10,995	8,837	2,158	124	563	51.2	455	4.1
Other races	1,834	1,696	138	108	103	56.2	176	9.6
Ste. Genevieve	207	115	92	180	12	58.0	2	1.0
Saline	396	339	57	117	20	50.5	15	3.8
Schuyler	109	79	30	(4/)	5	45.9	3	2.8
Scotland	96	81	15	(4/)	5	52.1	----	------
Scott	489	230	259	213	35	71.6	21	4.3
Shannon	204	59	145	(4/)	7	34.3	4	2.0
Shelby	148	143	5	103	5	33.8	3	2.0
Stoddard	641	306	335	209	51	79.6	36	5.6
Stone	250	89	161	(4/)	10	40.0	10	4.0
Sullivan	235	141	94	167	8	34.0	4	1.7
Taney	185	76	109	(4/)	6	32.4	2	1.1
Texas	412	213	199	193	23	55.8	14	3.4
Vernon	344	387	-43	89	9	26.2	12	3.5
Warren	76	77	-1	(4/)	4	52.6	4	(5/)
Washington	309	167	142	185	27	87.4	9	2.9
Wayne	217	86	131	(4/)	14	64.5	5	2.3
Webster	298	142	156	210	15	50.3	22	7.4
Worth	80	67	13	(4/)	5	62.5	6	(5/)
Wright	364	157	207	232	27	74.2	16	4.4
MONTANA (total)	10,029	6,291	3,738	159	602	60.0	232	2.3
Beaverhead	86	73	13	(4/)	1	11.6	1	(5/)
Big Horn	215	140	75	154	27	125.6	6	2.8
White	128	65	63	(4/)	9	70.3	----	------
Other races	87	75	12	(4/)	18	206.9	6	(5/)
Blaine	280	79	201	(4/)	7	25.0	5	1.8
White	191	43	148	(4/)	5	26.2	4	2.1
Other races	89	36	53	(4/)	2	22.5	1	(5/)
Broadwater	28	29	-1	(4/)	1	35.7	----	------
Carbon	200	88	112	(4/)	8	40.0	5	2.5
Carter	58	21	37	(4/)	2	34.5	1	(5/)
Cascade	833	448	385	186	40	48.0	20	2.4
Rural part	34	51	-17	(4/)	5	147.1	----	------
Great Falls	799	397	402	201	35	43.8	20	2.5
Chouteau	71	60	11	(4/)	5	70.4	----	------
Custer	260	162	98	160	14	53.8	1	0.4
Daniels	113	58	55	(4/)	11	97.3	----	------
Dawson	189	98	91	(4/)	8	42.3	5	2.6
Deer Lodge	179	410	-231	44	10	55.9	5	2.8
Rural part	5	241	-236	2	-----	------	----	------
Anaconda	174	169	5	103	10	57.5	5	2.9
Fallon	82	33	49	(4/)	3	36.6	1	(5/)
Fergus	289	163	126	177	7	24.2	5	1.7
Flathead	435	240	195	181	18	41.4	17	3.9
Gallatin	299	188	111	159	21	70.2	6	2.0
Garfield	59	31	28	(4/)	7	118.6	2	(5/)
Glacier	211	102	109	207	26	123.2	9	4.3
White	56	30	26	(4/)	-----	------	6	(5/)
Other races	155	72	83	(4/)	26	167.7	3	1.9
Golden Valley	13	13	-------	(4/)	1	76.9	2	(5/)
Granite	19	37	-18	(4/)	2	105.3	2	(5/)
Hill	351	197	154	178	31	88.3	7	2.0
Jefferson	38	51	-13	(4/)	3	80.3	2	(5/)
Judith Basin	16	22	-6	(4/)	3	187.5	----	------
Lake	523	321	202	194	30	48.2	12	1.9
Rural part	245	111	134	221	12	49.0	4	1.6
White	177	83	94	(4/)	7	39.5	4	2.3
Other races	68	28	40	(4/)	5	72.5	----	------
Helena	378	210	168	180	18	47.6	8	2.1
Lewis and Clark	28	116	-88	24	5	178.6	----	------
Liberty	25	8	17	(4/)	-----	------	----	------
Lincoln	117	79	38	(4/)	4	34.2	2	1.7
McCone	34	26	8	(4/)	3	88.2	1	(5/)
Madison	59	53	6	(4/)	2	33.9	3	(5/)
Meagher	26	24	2	(4/)	3	115.4	1	(5/)
Mineral	19	19	-------	(4/)	1	52.6	----	------
Missoula	467	319	148	146	16	34.3	10	2.1
Rural part	17	34	-17	(4/)	4	235.3	----	------
Missoula	450	285	165	158	12	26.7	10	2.2
Musselshell	76	68	8	(4/)	1	13.2	2	(5/)
Park	185	122	63	152	6	32.4	3	1.6
Petroleum	11	8	3	(4/)	-----	------	1	(5/)
Phillips	151	79	72	(4/)	11	72.8	5	3.3
Pondera	144	71	73	(4/)	10	69.4	3	2.1
Powder River	47	16	31	(4/)	1	21.3	----	------
Powell	76	71	5	(4/)	-----	------	1	(5/)
Prairie	57	19	38	(4/)	1	17.5	----	------
Ravalli	176	143	33	123	15	85.2	9	5.1
Richland	208	88	120	(4/)	17	81.7	9	4.3
Roosevelt	298	135	163	221	33	110.7	5	1.7
White	192	80	112	(4/)	15	78.1	4	2.1
Other races	106	55	51	(4/)	18	169.8	1	0.9
Rosebud	149	90	59	(4/)	15	100.7	----	------
White	88	57	31	(4/)	5	56.8	----	------
Other races	61	33	28	(4/)	10	163.9	----	------
Sanders	694	587	107	118	33	47.6	21	3.0
Rural part	79	57	22	(4/)	3	38.0	1	(5/)
Butte	615	530	85	116	30	48.8	20	3.3
Sheridan	122	64	58	(4/)	8	65.6	3	2.5
Silver Bow	95	177	-82	54	6	63.2	3	(5/)
Stillwater	101	53	48	(4/)	6	59.4	2	2.0
Sweet Grass	67	27	40	(4/)	2	29.9	3	(5/)
Teton	57	45	12	(4/)	5	87.7	----	------
Toole	111	48	63	(4/)	6	54.1	1	0.9
Treasure	23	9	14	(4/)	2	87.0	----	------
Valley	563	207	356	272	39	69.3	12	2.1
Wheatland	66	30	36	(4/)	3	45.5	2	(5/)
Wibaux	49	25	24	(4/)	9	183.7	----	------
Yellowstone	786	401	385	196	53	67.4	16	2.0
Rural part	218	99	119	(4/)	14	64.2	4	1.8
Billings	568	302	266	188	39	68.7	12	2.1
NEBRASKA (total)	23,327	13,181	10,146	177	960	41.2	644	2.8
Adams	452	353	99	128	25	55.3	9	2.0
Rural part	100	152	-52	66	6	60.0	2	2.0
Hastings	352	201	151	175	19	54.0	7	2.0
Antelope	284	132	152	215	10	35.2	5	1.8
Arthur	7	7	-------	(4/)	1	142.9	----	------
Banner	11	5	6	(4/)	1	90.9	----	------
Blaine	23	12	11	(4/)	3	130.4	1	(5/)
Boone	255	83	172	(4/)	11	43.1	15	5.9
Box Butte	278	136	142	204	14	50.4	5	1.8
Boyd	123	66	57	(4/)	3	24.4	3	2.4
Brown	130	61	69	(4/)	1	7.7	1	0.8
Buffalo	418	269	149	155	23	55.0	11	2.6
Burt	245	108	137	227	4	16.3	7	2.9
Butler	222	120	102	185	4	18.0	2	0.9
Cass	192	135	57	142	8	41.7	2	1.0
Cedar	299	90	209	(4/)	10	33.4	4	1.3
Chase	132	45	87	(4/)	-----	------	1	0.8
Cherry	169	69	100	(4/)	3	17.8	6	3.6
Cheyenne	188	73	115	(4/)	15	79.8	4	2.1
Clay	161	126	35	128	9	55.9	4	2.5
Colfax	179	77	102	(4/)	2	11.2	6	3.4
Cuming	244	119	125	205	7	28.7	5	2.0
Custer	483	209	274	231	20	41.4	16	3.3
Dakota	154	90	64	(4/)	9	58.4	6	3.9
Dawes	163	109	54	150	4	24.5	6	3.7
Dawson	350	161	189	217	12	34.3	8	2.3
Deuel	63	25	38	(4/)	1	15.9	2	(5/)
Dixon	199	90	109	(4/)	5	25.1	1	0.5
Dodge	410	276	134	149	12	29.3	17	4.1
Rural part	159	107	52	149	5	31.4	5	3.1
Fremont	251	169	82	149	7	27.9	12	4.8
Douglas	4,373	2,993	1,380	146	186	42.5	129	2.9
Rural part	82	115	-33	71	5	61.0	3	(5/)
Omaha	4,291	2,878	1,413	149	181	42.2	126	2.9
White	4,109	2,661	1,448	154	172	41.9	119	2.9
Other races	182	217	-35	84	9	49.5	7	3.8
Dundy	100	48	52	(4/)	4	40.0	7	7.0
Fillmore	158	80	78	(4/)	3	19.0	9	5.7
Franklin	120	63	57	(4/)	3	25.0	5	4.2
Frontier	113	55	58	(4/)	3	26.5	4	3.5
Furnas	150	150	-------	100	4	26.7	4	2.7
Gage	558	314	244	178	24	43.0	15	2.7
Rural part	230	167	63	138	10	45.5	6	2.7
Beatrice	328	147	181	230	14	41.4	9	2.7
Garden	90	31	59	(4/)	4	44.4	2	(5/)
Garfield	66	28	38	(4/)	-----	------	5	(5/)
Gosper	59	27	32	(4/)	4	67.8	----	------
Grant	42	6	36	(4/)	2	47.6	1	(5/)
Greeley	176	55	121	(4/)	7	39.8	3	1.7
Hall	544	311	233	175	28	51.5	20	3.7
Rural part	143	62	81	(4/)	1	7.0	6	4.2
Grand Island	401	249	152	161	27	67.3	14	3.5
Hamilton	152	101	51	150	6	39.5	5	3.3
Harlan	119	78	41	(4/)	3	25.2	1	0.8
Hayes	40	10	30	(4/)	-----	------	3	(5/)
Hitchcock	148	74	74	(4/)	4	27.0	5	3.4
Holt	354	162	192	219	18	50.8	14	4.0
Hooker	37	9	28	(4/)	4	108.1	2	(5/)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NEBRASKA—Con.								
Howard	142	79	64	(4)	6	42.0	3	2.1
Jefferson	249	144	105	173	15	60.2	3	1.2
Johnson	146	77	69	(4)	4	27.4	2	1.4
Kearney	112	88	24	(4)	8	71.4	----	------
Keith	166	63	103	(4)	8	48.2	8	4.8
Keyapaha	66	14	52	(4)	2	30.3	2	(5)
Kimball	123	44	79	(4)	11	89.4	3	2.4
Knox	273	131	142	208	7	25.6	9	3.3
Lancaster	1,400	1,156	244	121	59	42.1	32	2.3
Rural part	160	233	-73	69	4	25.0	3	1.9
Lincoln	1,240	923	317	134	55	44.4	29	2.3
Lincoln	498	248	250	201	24	48.2	12	2.4
Rural part	230	75	155	(4)	7	30.4	5	2.2
North Platte	268	173	95	155	17	63.4	7	2.6
Logan	27	11	16	(4)	-----	------	1	(5)
Loup	31	10	21	(4)	-----	------	2	(5)
McPherson	13	7	6	(4)	-----	------	----	------
Madison	480	334	146	144	21	43.8	12	2.5
Rural part	200	160	40	125	3	15.0	5	2.5
Norfolk	280	174	106	161	18	64.3	7	2.5
Merrick	132	66	66	(4)	2	15.2	2	1.5
Morrill	205	74	131	(4)	13	63.4	1	0.5
Nance	144	57	87	(4)	2	13.9	3	2.1
Nemaha	221	100	121	221	5	22.6	5	2.3
Nuckolls	181	91	90	(4)	12	66.3	7	3.9
Otoe	283	199	84	142	12	42.4	10	3.5
Pawnee	159	70	89	(4)	9	56.6	2	1.3
Perkins	78	27	51	(4)	3	38.5	----	------
Phelps	139	109	30	128	8	57.6	5	3.6
Pierce	180	74	106	(4)	6	33.3	2	1.1
Platte	480	204	276	235	19	39.6	15	3.1
Polk	145	65	80	(4)	5	34.5	4	2.8
Redwillow	245	113	132	217	6	24.5	6	2.4
Richardson	350	197	153	178	16	45.7	5	1.4
Rock	50	14	36	(4)	4	80.0	1	(5)
Saline	211	128	83	165	8	37.9	3	1.4
Sarpy	63	63	-------	(4)	1	15.9	1	(5)
Saunders	233	149	84	156	14	60.1	7	3.0
Scotts Bluff	747	298	449	251	54	72.3	26	3.5
Seward	275	124	151	222	6	21.8	9	3.3
Sheridan	186	80	106	(4)	8	43.0	9	4.8
Sherman	153	56	97	(4)	1	6.5	6	3.9
Sioux	52	22	30	(4)	3	57.7	2	(5)
Stanton	100	47	53	(4)	2	20.0	----	------
Thayer	182	104	78	175	5	27.5	6	3.3
Thomas	16	7	9	(4)	1	62.5	----	------
Thurston	243	116	127	209	21	86.4	6	2.5
White	150	59	91	(4)	8	53.3	2	1.3
Other races	93	57	36	(4)	13	139.8	4	(5)
Valley	146	63	83	(4)	4	27.4	3	2.1
Washington	128	104	24	123	3	21.7	11	8.0
Wayne	179	68	111	(4)	4	22.3	3	1.7
Webster	132	59	73	(4)	3	22.7	2	1.5
Wheeler	49	12	37	(4)	1	20.4	1	(5)
York	270	174	96	155	10	37.0	11	4.1
NEVADA (total)	1,423	1,324	99	107	101	71.0	31	2.2
Churchill	52	43	9	(4)	2	38.5	2	(5)
White	52	42	10	(4)	1	19.2	2	(5)
Other races	-------	1	-1	------	1	-----	----	------
Clark	314	200	114	157	29	92.4	2	0.6
White	303	187	116	162	28	92.4	2	0.7
Other races	11	13	-2	(4)	1	90.9	----	------
Douglas	12	17	-5	(4)	-----	------	----	------
White	8	14	-6	(4)	-----	------	----	------
Other races	4	3	1	(4)	-----	------	----	------
Elko	108	117	-9	92	11	101.9	2	1.9
White	99	93	6	(4)	9	90.9	2	(5)
Other races	9	24	-15	(4)	2	222.2	----	------
Esmeralda	8	22	-14	(4)	-----	------	----	------
Eureka	5	12	-7	(4)	-----	------	----	------
White	5	11	-6	(4)	-----	------	----	------
Other races	-------	1	-1	------	-----	------	----	------
Humboldt	52	48	4	(4)	4	76.9	3	------
White	49	47	2	(4)	4	81.6	3	(5)
Other races	3	1	2	(4)	-----	------	----	------
Lander	15	22	-7	(4)	-----	------	1	(5)
White	11	17	-6	(4)	-----	------	1	(5)
Other races	4	5	-1	(4)	-----	------	----	------
Lincoln	62	27	35	(4)	3	48.4	4	(5)
Lyon	50	43	7	(4)	7	140.0	3	(5)
White	43	37	6	(4)	2	46.5	3	(5)
Other races	7	6	1	(4)	5	(7)	----	------
Mineral	40	49	-9	(4)	5	125.0	1	(5)
White	21	20	1	(4)	-----	------	----	------
Other races	19	29	-10	(4)	5	263.2	1	------
Nye	48	101	-53	48	3	62.5	2	(5)
White	44	92	-48	(4)	3	68.2	2	(5)
Other races	4	9	-5	(4)	-----	------	----	------
Ormsby	49	46	3	(4)	3	61.2	1	(5)
White	37	29	8	(4)	1	27.0	1	(5)
Other races	12	17	-5	(4)	2	166.7	----	------
Pershing	24	30	-6	(4)	1	41.7	1	(5)
White	17	30	-13	(4)	1	58.8	1	------
Other races	7	------	7	(4)	-----	------	----	------
Storey	7	18	-11	(4)	-----	------	----	------
Washoe	421	453	-32	93	22	52.3	7	1.7
Rural part	179	221	-42	81	8	44.7	6	3.4
White	168	206	-38	82	7	41.7	5	3.0
Other races	11	15	-4	(4)	1	90.9	1	(5)
Reno	242	232	10	104	14	57.9	1	0.4
White Pine	156	76	80	(4)	11	70.5	2	1.3
NEW HAMPSHIRE (total)	7,768	6,532	1,236	119	419	53.9	265	3.4
Belknap	351	350	1	100	16	45.6	11	3.1
Rural part	66	133	-67	50	4	60.6	3	(5)
Laconia	285	217	68	131	12	42.1	8	2.8
Carroll	247	233	14	106	13	52.6	6	2.4
Cheshire	520	409	111	127	21	40.4	18	3.5
Rural part	241	228	13	106	10	41.5	6	2.5
Keene	279	181	98	154	11	39.4	12	4.3
Coos	768	435	333	177	40	52.1	31	4.0
Rural part	350	277	73	126	15	42.9	14	4.0
Berlin	418	158	260	265	25	59.8	17	4.1
Grafton	849	677	172	125	50	58.9	25	2.9
Hillsborough	2,370	1,830	540	130	146	61.6	94	4.0
Rural part	449	513	-64	88	31	69.0	21	4.7
Manchester	1,281	889	392	144	65	50.7	56	4.4
Nashua	640	428	212	150	50	78.1	17	2.7
Merrimack	865	1,079	-214	80	45	52.0	27	3.1
Rural part	396	455	-59	87	22	55.6	11	2.8
Concord	469	624	-155	75	23	49.0	16	3.4
Rockingham	735	718	17	102	39	53.1	22	3.0
Rural part	483	545	-62	89	25	51.8	13	2.7
Portsmouth	252	173	79	146	14	55.6	9	3.6
Strafford	678	511	167	133	27	39.8	17	2.5
Rural part	136	159	-23	86	7	51.5	5	3.7
Dover	324	198	126	164	8	24.7	7	2.2
Rochester	218	154	64	142	12	55.0	5	2.3
Sullivan	385	290	95	133	22	57.1	14	3.6
Rural part	180	157	23	115	10	55.6	7	3.9
Claremont (town)	205	133	72	154	12	58.5	7	3.4
NEW JERSEY (total)	54,514	43,284	11,230	126	2,520	46.2	1,857	3.4
Atlantic	1,603	1,950	-347	82	93	58.0	60	3.7
Rural part	512	683	-171	75	25	48.8	9	1.8
Atlantic City	982	1,140	-158	86	62	63.1	47	4.8
White	730	858	-128	85	42	57.5	27	3.7
Other races	252	282	-30	89	20	79.4	20	7.9
Pleasantville	109	127	-18	86	6	55.0	4	3.7
White	96	104	-8	92	5	52.1	3	(5)
Other races	13	23	-10	(4)	1	76.9	1	(5)
Bergen	3,679	3,037	642	121	163	44.3	129	3.5
Rural part	816	1,286	-470	63	29	35.5	28	3.4
Cliffside Park	52	77	-25	(4)	2	38.5	4	(5)
Englewood	841	340	501	247	33	39.2	24	2.9
White	789	309	479	255	29	36.8	22	2.8
Other races	53	31	22	(4)	4	75.5	2	(5)
Garfield	169	83	86	(4)	10	59.2	8	4.7
Hackensack	933	518	415	180	44	47.2	34	3.5
White	841	470	371	179	38	45.2	32	3.8
Other races	92	48	44	(4)	6	65.2	2	(5)
Lodi	92	49	43	(4)	5	54.3	3	(5)
Lyndhurst (twp.)	63	93	-30	(4)	2	31.7	5	(5)
Ridgefield Park	25	57	-32	(5)	1	40.0	----	------
Ridgewood	73	89	-16	(4)	3	41.1	1	(5)
Rutherford	9	116	-107	8	-----	------	----	------
Teaneck (twp.)	606	329	277	184	34	56.1	22	3.6

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NEW JERSEY—Con.								
Burlington	1,208	1,160	48	104	50	41.4	34	2.8
Rural part	1,079	1,073	6	101	45	41.7	32	3.0
Burlington	129	87	42	(4/)	5	38.8	2	1.5
White	107	76	31	(4/)	5	46.7	2	1.9
Other races	22	11	11	(4/)	-----	------	----	------
Camden	3,755	2,903	852	129	214	57.0	149	4.0
Rural part	581	981	-400	59	34	58.5	13	2.2
Camden	2,935	1,591	1,344	184	170	57.9	132	4.5
White	2,582	1,384	1,198	187	141	54.6	109	4.2
Other races	353	207	146	171	29	82.2	23	6.5
Collingswood	36	113	-77	32	-----	------	----	------
Gloucester	107	101	6	106	4	37.4	----	------
Pensauken (twp.)	96	117	-21	82	6	62.5	4	(5/)
Cape May	297	468	-171	63	13	43.8	11	3.7
Cumberland	1,122	949	173	118	65	57.9	44	3.9
Rural part	479	500	-21	96	26	54.3	13	2.7
Bridgeton	353	262	91	135	20	56.7	15	4.2
Millville	290	187	103	155	19	65.5	16	5.5
Essex	11,823	8,536	3,287	139	559	47.3	391	3.3
Rural part	690	920	-230	75	29	42.0	19	2.8
Belleville	122	249	-127	49	30	245.9	4	3.3
Bloomfield	96	190	-94	51	3	31.3	1	(5/)
East Orange	608	506	102	120	13	21.4	11	1.8
Irvington	418	398	20	105	24	57.4	11	2.6
Maplewood (twp.)	24	128	-104	19	2	83.3	1	(5/)
Montclair	466	350	116	133	13	27.9	14	3.0
White	437	301	136	145	12	27.5	12	2.7
Other races	29	49	-20	(4/)	1	34.5	2	(5/)
Newark	7,648	4,792	2,856	160	389	50.9	274	3.6
White	6,756	4,159	2,597	162	323	47.8	234	3.5
Other races	892	633	259	141	66	74.0	40	4.5
Nutley	78	94	-16	(4/)	-----	------	2	(5/)
Orange	1,615	685	930	236	55	34.1	50	3.1
White	1,468	583	885	252	40	27.2	47	3.2
Other races	147	102	45	144	15	102.0	3	2.0
South Orange	12	73	-61	(4/)	-----	------	1	(5/)
West Orange	46	151	-105	30	1	21.7	3	(5/)
Gloucester	883	677	206	130	36	40.8	20	2.3
Hudson	8,921	6,450	2,471	138	394	44.2	343	3.8
Rural part	46	505	-459	9	6	130.4	4	(5/)
Bayonne	724	589	135	123	28	38.7	25	3.5
Harrison	37	74	-37	(4/)	4	108.1	2	(5/)
Hoboken	563	583	-20	97	31	55.1	28	5.0
Jersey City	6,724	3,490	3,234	193	273	40.6	251	3.7
White	6,434	3,291	3,143	196	252	39.2	229	3.6
Other races	290	199	91	146	21	72.4	22	7.6
Kearny	212	255	-43	83	10	47.2	8	3.8
North Bergen (twp.)	132	193	-61	68	8	60.6	2	1.5
Union City	190	296	-106	64	10	52.6	10	5.3
Weehawken (twp.)	172	333	-161	52	17	98.8	7	4.1
West New York	121	132	-11	92	7	57.9	6	5.0
Hunterdon	344	387	-43	89	20	58.1	7	2.0
Mercer	2,886	2,472	414	117	141	48.9	94	3.3
Rural part	550	704	-154	78	14	25.5	17	3.1
Trenton	2,336	1,768	568	132	127	54.4	77	3.3
Middlesex	2,766	1,875	891	148	138	49.9	72	2.6
Rural part	641	595	46	108	29	45.2	21	3.3
Carteret	114	52	62	(4/)	5	43.9	5	4.4
New Brunswick	894	565	329	158	47	52.6	27	3.0
Perth Amboy	815	436	379	187	40	49.1	17	2.1
South River	113	75	38	(4/)	7	61.9	2	1.8
Woodbridge (twp.)	189	152	37	124	10	52.9	----	------
Monmouth	1,991	2,208	-217	90	84	42.2	74	3.7
Rural part	435	1,107	-672	39	17	39.1	10	2.3
Asbury Park	93	146	-53	64	4	43.0	2	(5/)
White	81	117	-36	69	1	12.3	1	(5/)
Other races	12	29	-17	(4/)	3	250.0	1	(5/)
Long Branch	837	476	361	176	29	34.6	35	4.2
Neptune (twp.)	459	349	110	132	25	54.5	23	5.0
White	366	302	64	121	19	51.9	18	4.9
Other races	93	47	46	(4/)	6	64.5	5	(5/)
Red Bank	167	130	37	128	9	53.9	4	2.4
White	157	116	41	135	7	44.6	4	2.5
Other races	10	14	-4	(4/)	2	200.0	----	------
Morris	1,430	1,686	-256	85	63	44.1	45	3.1
Rural part	452	1,166	-714	39	20	44.2	9	2.0
Dover	349	192	157	182	15	43.0	14	4.0
Morristown	629	328	301	192	28	44.5	22	3.5
Ocean	457	515	-59	89	30	65.6	16	3.5
Passaic	4,760	3,021	1,739	158	178	37.4	139	2.9
Rural part	283	373	-90	76	9	31.8	10	3.5
Clifton	198	199	-1	99	6	30.3	2	1.0
Hawthorne	67	76	-9	(4/)	-----	------	2	(5/)
Passaic	1,708	689	1,019	248	58	34.0	46	2.7
Paterson	2,504	1,684	820	149	105	41.9	79	3.2
Salem	529	389	140	136	30	56.7	26	4.9
White	437	327	110	134	25	57.2	17	3.9
Other races	92	62	30	(4/)	5	54.3	9	(5/)
Somerset	801	743	58	108	34	42.4	27	3.4
Sussex	462	363	99	127	24	51.9	21	4.5
Union	4,163	2,926	1,237	142	154	37.0	145	3.5
Rural part	134	279	-145	48	6	44.8	5	3.7
Cranford (twp.)	119	79	40	(4/)	2	16.8	1	0.8
Elizabeth	2,066	1,220	846	169	91	44.1	81	3.9
Hillside (twp.)	57	86	-29	(4/)	1	17.5	1	(5/)
Linden	140	91	49	(4/)	8	57.1	3	2.1
Plainfield	838	512	326	164	20	23.9	22	2.6
White	747	443	304	169	17	22.8	16	2.1
Other races	91	69	22	(4/)	3	33.0	6	(5/)
Rahway	317	176	141	180	13	41.0	14	4.4
Roselle	38	53	-15	(4/)	2	52.6	4	(5/)
White	30	51	-21	(4/)	2	66.7	1	(5/)
Other races	8	2	6	(4/)	-----	------	3	(5/)
Summit	341	204	137	167	5	14.7	10	2.9
Union (twp.)	71	102	-31	70	3	42.3	3	(5/)
Westfield	42	124	-82	34	3	71.4	1	(5/)
Warren	634	568	66	112	37	58.4	10	1.6
Rural part	338	350	-12	97	16	47.3	5	1.5
Phillipsburg	296	218	78	136	21	70.9	5	1.7
NEW MEXICO (total)	13,190	6,272	6,918	210	1,705	129.3	379	2.9
Bernalillo	1,602	1,046	556	153	234	146.1	64	4.0
Rural part	794	311	483	255	109	137.3	28	3.5
Albuquerque	808	735	73	110	125	154.7	36	4.5
Catron	148	49	99	(4/)	20	135.1	6	4.1
Chaves	575	233	342	247	32	55.7	22	3.8
Rural part	172	46	126	(4/)	8	45.5	3	1.7
Roswell	403	187	216	216	24	59.6	19	4.7
Colfax	440	247	193	178	47	106.8	15	3.4
Curry	462	172	290	269	25	54.1	16	3.5
De Baca	76	35	41	(4/)	11	144.7	2	(5/)
Dona Ana	936	359	577	261	137	146.4	41	4.4
Eddy	546	204	342	268	41	75.1	20	3.7
Grant	434	257	177	169	60	138.2	6	1.4
Guadalupe	247	96	151	(4/)	38	153.8	11	4.5
Harding	126	47	79	(4/)	10	79.4	1	0.8
Hidalgo	128	89	39	(4/)	13	101.6	4	3.1
Lea	236	90	146	(4/)	13	55.1	6	2.5
Lincoln	224	102	122	220	15	67.0	8	3.6
Luna	181	88	93	(4/)	14	77.3	5	2.8
McKinley	438	252	186	174	81	184.9	10	2.3
Mora	395	148	247	267	51	129.1	7	1.8
Otero	258	109	147	235	32	125.0	4	1.6
Quay	266	126	140	211	22	82.7	9	3.4
Rio Arriba	754	305	449	247	116	153.8	17	2.3
Roosevelt	265	100	165	265	16	60.4	7	2.6
Sandoval	399	131	268	305	55	137.8	2	0.5
San Juan	199	152	47	131	37	185.9	2	1.0
San Miguel	859	468	391	184	145	168.8	20	2.3
Santa Fe	782	422	360	185	132	168.8	20	2.6
Rural part	329	170	159	194	54	164.5	10	3.0
Santa Fe	453	252	201	180	68	150.1	10	2.2
Sierra	146	87	59	(4/)	17	116.4	2	1.4
Socorro	397	211	186	188	66	166.2	11	2.8
Taos	457	162	295	282	52	113.8	10	2.2
Torrance	287	97	190	(4/)	41	142.9	8	2.8
Union	271	129	142	210	30	110.7	13	4.8
Valencia	658	259	399	254	102	155.0	10	1.5
NEW YORK (State total)	184,344	148,462	35,882	124	8,852	48.0	7,326	4.0
New York City	100,575	75,080	25,495	134	4,807	47.8	4,754	4.7
White	93,749	69,064	24,685	136	4,212	44.9	4,147	4.4
Other races	6,826	6,016	810	113	595	87.2	607	8.9
Bronx Borough	15,826	11,429	4,397	138	718	45.4	637	4.0
White	14,850	10,799	4,051	138	638	43.0	583	3.9
Other races	976	630	346	155	80	82.0	54	5.5
Brooklyn Borough	40,096	25,798	14,298	155	1,818	45.3	1,821	4.5
White	38,190	24,532	13,658	156	1,644	43.0	1,637	4.3
Other races	1,906	1,266	640	151	174	91.3	184	9.7
Manhattan Borough	31,858	27,539	4,319	116	1,683	52.8	1,794	5.6
White	28,270	23,812	4,458	119	1,362	48.2	1,442	5.1
Other races	3,588	3,727	-139	96	321	89.5	352	9.8
Queens Borough	10,394	8,089	2,305	128	480	46.2	417	4.0
White	10,103	7,897	2,216	128	465	46.0	404	4.0
Other races	291	202	89	144	15	51.5	13	4.5
Richmond Borough	2,401	2,225	176	108	109	45.0	85	3.5
White	2,336	2,034	302	115	103	44.1	81	3.5
Other races	65	191	-126	34	5	76.9	4	(5/)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NEW YORK—Con.								
Albany	2,907	2,911	-4	100	140	48.2	57	2.0
Rural part	184	505	-321	36	10	54.3	4	2.2
Albany	2,309	2,016	293	115	109	47.2	42	1.8
Cohoes	328	268	60	122	15	45.7	10	3.0
Watervliet	86	122	-36	70	6	69.8	1	(5)
Allegany	663	572	91	116	37	55.8	13	2.0
Bronx, coextensive with:								
Bronx Borough	15,886	11,489	4,397	138	718	45.4	637	4.0
White	14,850	10,799	4,051	138	638	43.0	583	3.9
Other races	976	630	346	155	80	82.0	54	5.5
Broome	2,755	1,935	820	142	144	52.3	65	2.4
Rural part	377	406	-29	93	18	47.7	8	2.1
Binghamton	1,161	1,091	70	106	50	43.1	25	2.2
Endicott	616	212	404	291	36	58.4	17	2.8
Johnson City	601	226	375	266	40	66.6	15	2.5
Cattaraugus	1,396	1,039	357	134	87	62.3	40	2.9
Rural part	758	712	46	106	44	58.0	17	2.2
Olean	638	327	311	195	43	67.4	23	3.6
Cayuga	973	887	86	110	41	42.1	24	2.5
Rural part	298	400	-102	75	10	33.6	4	1.3
Auburn	675	487	188	139	31	45.9	20	3.0
Chautauqua	1,662	1,422	240	117	65	39.1	50	3.0
Rural part	618	705	-87	88	19	30.7	22	3.6
Dunkirk	288	168	120	171	8	27.8	10	3.5
Jamestown	756	549	207	138	38	50.3	18	2.4
Chemung	1,137	925	212	123	56	49.3	32	2.8
Rural part	133	239	-106	56	9	67.7	5	3.8
Elmira	1,004	686	318	146	47	46.8	27	2.7
Chenango	637	535	102	119	40	62.8	18	2.8
Clinton	1,126	582	544	193	75	66.6	46	4.1
Rural part	579	319	260	182	39	67.4	17	2.9
Plattsburg	547	263	284	208	36	65.8	29	5.3
Columbia	561	618	-57	91	31	55.3	17	3.0
Rural part	206	384	-178	54	17	82.5	9	4.4
Hudson	355	234	121	152	14	39.4	8	2.3
Cortland	620	506	114	123	36	58.1	21	3.4
Rural part	154	201	-47	77	9	58.4	4	2.6
Cortland	466	305	161	153	27	57.9	17	3.6
Delaware	668	543	125	123	34	50.9	31	4.6
Dutchess	1,367	2,181	-814	63	58	42.4	25	1.8
Rural part	573	1,421	-848	40	29	50.6	9	1.6
Beacon	165	212	-47	78	5	30.3	6	3.6
Poughkeepsie	629	548	81	115	24	38.2	10	1.6
Erie	12,155	9,033	3,122	135	629	51.7	424	3.5
Rural part	1,338	1,432	-94	93	57	42.6	32	2.4
Buffalo	10,080	7,187	2,893	140	524	52.0	361	3.6
White	9,744	6,911	2,833	141	505	51.8	350	3.6
Other races	336	276	60	122	19	56.5	11	3.3
Kenmore	27	108	-81	25	3	111.1	2	(5)
Lackawanna	617	212	405	291	42	68.1	28	4.5
White	587	203	384	289	40	68.1	27	4.6
Other races	30	9	21	(4)	2	66.7	1	(5)
Tonawanda	93	94	-1	(4)	3	32.3	1	(5)
Essex	691	512	179	135	37	53.5	23	3.3
Franklin	898	700	198	128	50	55.7	35	3.9
Fulton	629	661	-32	95	42	66.8	18	2.9
Rural part	150	153	-3	98	15	100.0	4	2.7
Gloversville	384	401	-17	96	21	54.7	11	2.9
Johnstown	95	107	-12	89	6	63.2	3	(5)
Genesee	678	618	60	110	33	48.7	15	2.2
Rural part	226	265	-39	85	10	44.2	5	2.2
Batavia	452	353	99	128	23	50.9	10	2.2
Greene	307	444	-137	69	17	55.4	6	2.0
Hamilton	43	51	-8	(4)	3	69.8	1	(5)
Herkimer	806	807	-1	100	33	40.9	21	2.6
Rural part	460	510	-50	90	20	43.5	10	2.2
Herkimer	147	137	10	107	6	40.8	4	1.7
Little Falls	199	160	39	124	7	35.2	7	3.5
Jefferson	1,452	1,207	245	120	69	47.5	42	2.9
Rural part	754	628	126	120	36	47.7	22	2.9
Watertown	698	579	119	121	33	47.3	20	2.9
Kings, coextensive with:								
Brooklyn Borough	40,096	25,798	14,298	155	1,818	45.3	1,821	4.5
White	38,190	24,532	13,658	156	1,644	43.0	1,637	4.3
Other races	1,906	1,266	640	151	174	91.3	184	9.7
Lewis	423	308	115	137	30	70.9	18	4.3
Livingston	413	538	-125	77	18	43.6	12	2.9
Madison	628	543	85	116	29	46.2	11	1.8
Rural part	416	376	40	111	10	24.0	6	1.4
Oneida	212	167	45	127	19	89.6	5	2.4

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NEW YORK—Con.								
Monroe	5,775	4,686	1,089	123	263	45.5	145	2.5
Rural part	715	970	-255	74	34	47.6	19	2.7
Rochester	4,968	3,640	1,328	136	229	46.1	123	2.5
Irondequoit (town)	92	76	16	(4)	-----	-----	3	(5)
Montgomery	763	714	49	107	34	44.6	10	1.3
Rural part	199	323	-124	62	10	50.3	3	1.5
Amsterdam	564	391	173	144	24	42.6	7	1.2
Nassau	3,869	2,859	1,010	135	159	41.1	113	2.9
Rural part	2,670	2,010	660	133	118	44.2	70	2.6
Floral Park	136	81	55	(4)	2	14.7	1	0.7
Freeport	184	156	28	118	8	43.5	6	3.3
Glen Cove	460	198	262	232	19	41.3	18	3.9
Hempstead	272	137	135	199	8	29.4	11	4.0
Lynbrook	64	87	-23	(4)	2	31.3	1	(5)
Rockville Centre	34	117	-83	29	1	29.4	4	(5)
Valley Stream	49	73	-24	(4)	1	20.4	2	(5)
New York, coextensive with:								
Manhattan Borough	31,858	27,539	4,319	116	1,683	52.8	1,794	5.6
White	28,270	23,812	4,458	119	1,362	48.2	1,442	5.1
Other races	3,588	3,727	-139	96	321	89.5	352	9.8
Niagara	2,354	1,453	901	162	96	40.8	76	3.2
Rural part	304	404	-100	75	18	59.2	9	3.0
Lockport	396	270	126	147	18	45.5	22	5.6
Niagara Falls	1,312	602	710	218	48	36.6	33	2.5
North Tonawanda	342	177	165	193	12	35.1	12	3.5
Oneida	2,909	3,047	-138	95	162	55.7	102	3.5
Rural part	466	924	-458	50	30	64.4	20	4.3
Rome	657	592	65	111	41	62.4	32	4.9
Utica	1,786	1,531	255	117	91	51.0	50	2.8
Onondaga	4,236	3,381	855	125	192	45.3	143	3.4
Rural part	635	953	-318	67	24	37.8	16	2.5
Syracuse	3,601	2,428	1,173	148	168	46.7	127	3.5
Ontario	868	760	108	114	37	42.6	17	2.0
Rural part	564	558	6	101	19	33.7	15	2.7
Geneva	304	202	102	150	18	59.2	2	0.7
Orange	1,976	1,923	53	103	94	47.6	59	3.0
Rural part	985	802	183	123	42	42.6	24	2.4
Middletown	357	511	-154	70	22	61.6	15	4.2
Newburgh	468	454	14	103	25	53.4	13	2.8
Port Jervis	166	156	10	106	5	30.1	7	4.2
Orleans	390	378	12	103	15	38.5	14	3.6
Oswego	1,126	929	197	121	62	55.1	31	2.8
Rural part	429	474	-45	91	20	46.6	8	1.9
Fulton	285	146	139	195	11	38.6	6	2.1
Oswego	412	309	103	133	31	75.2	17	4.1
Otsego	685	750	-65	91	48	70.1	22	3.2
Rural part	442	535	-93	83	25	56.6	13	2.9
Oneonta	243	215	28	113	23	94.7	9	3.7
Putnam	136	198	-62	69	11	80.9	5	3.7
Queens, coextensive with:								
Queens Borough	10,394	8,089	2,305	128	480	46.2	417	4.0
White	10,103	7,887	2,216	128	465	46.0	404	4.0
Other races	291	202	89	144	15	51.5	13	4.5
Rensselaer	1,593	1,882	-289	85	83	52.1	61	3.8
Rural part	242	467	-225	52	12	49.6	12	5.0
Rensselaer	38	100	-62	38	3	78.9	2	(5)
Troy	1,313	1,315	-2	100	68	51.8	47	3.6
Richmond, coextensive with:								
Richmond Borough	2,401	2,225	176	108	108	45.0	85	3.5
White	2,336	2,034	302	115	103	44.1	81	3.5
Other races	65	191	-126	34	5	76.9	4	(5)
Rockland	788	1,140	-352	69	40	50.8	27	3.4
St. Lawrence	1,648	1,373	275	120	82	49.8	63	3.8
Rural part	1,065	846	219	126	50	46.9	34	3.2
Massena	198	76	122	(4)	13	65.7	8	4.0
Ogdensburg	385	451	-66	85	19	49.4	21	5.5
Saratoga	744	854	-110	87	37	49.7	27	3.6
Rural part	529	592	-63	89	25	47.3	20	3.8
Saratoga Springs	215	262	-47	82	12	55.8	7	3.3
Schenectady	1,585	1,336	249	119	68	42.9	44	2.8
Rural part	160	248	-88	65	2	12.5	----	-----
Schenectady	1,425	1,088	337	131	66	46.3	44	3.1
Schoharie	260	305	-45	85	13	50.0	7	2.7
Schuyler	196	193	3	102	15	75.5	6	3.1
Seneca	321	563	-242	57	18	56.1	11	3.4
Steuben	1,389	1,252	137	111	80	57.6	47	3.4
Rural part	788	784	4	101	41	52.0	22	2.8
Corning	357	220	137	162	25	70.0	15	4.2
Hornell	244	248	-4	98	14	57.4	10	4.1
Suffolk	2,428	3,027	-599	80	103	42.4	73	3.0
Sullivan	440	539	-99	82	10	22.7	13	3.0
Tioga	392	451	-59	87	35	89.3	16	4.1

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NEW YORK—Con.								
Tompkins	640	541	99	118	17	26.6	24	3.8
Rural part	220	248	-28	89	5	22.7	6	2.7
Ithaca	420	293	127	143	12	28.6	18	4.3
Ulster	1,090	1,281	-191	85	54	49.5	50	4.6
Rural part	487	649	-162	75	14	28.7	16	3.3
Kingston	603	632	-29	95	40	66.3	34	5.6
Warren	629	554	75	114	47	74.7	30	4.8
Rural part	222	219	3	101	27	121.6	13	5.9
Glens Falls	407	335	72	121	20	49.1	17	4.2
Washington	727	621	106	117	30	41.3	21	2.9
Wayne	707	594	13	102	32	45.3	15	2.1
Westchester	6,759	4,944	1,815	137	235	34.8	215	3.2
Rural part	1,558	1,817	-259	86	69	44.3	46	3.0
Mamaroneck	28	56	-28	(4/)	-----	-----	2	(5/)
Mount Vernon	851	518	333	164	21	24.7	21	2.5
New Rochelle	642	428	214	150	15	23.4	36	5.6
Ossining	242	177	66	137	9	37.0	5	2.1
Peekskill	369	225	144	164	21	56.9	12	3.3
Port Chester	580	269	311	216	20	34.5	17	2.9
White Plains	738	343	395	215	19	25.7	22	3.0
Yonkers	1,750	1,111	639	158	61	34.9	54	3.1
Wyoming	494	405	89	122	22	44.5	13	2.6
Yates	257	271	-14	95	17	66.1	7	2.7
NORTH CAROLINA (total)	78,753	33,485	45,268	235	5,422	68.8	3,255	4.1
Alamance	1,052	575	477	281	50	47.5	38	3.6
White	805	290	515	278	41	50.9	26	3.2
Other races	247	85	162	(4/)	9	36.4	12	4.9
Alexander	333	118	215	282	19	57.1	12	3.6
Alleghany	147	59	88	(4/)	8	54.4	5	3.4
Anson	706	300	406	235	42	59.5	32	4.5
White	322	146	176	221	16	49.7	6	1.9
Other races	384	154	230	249	26	67.7	26	6.8
Ashe	536	164	372	327	34	63.4	19	3.5
Avery	449	82	367	(4/)	17	37.9	19	4.2
Beaufort	925	514	411	180	81	87.6	43	4.6
White	578	257	321	225	36	62.3	14	2.4
Other races	347	257	90	135	45	129.7	29	8.4
Bertie	743	337	406	220	91	122.5	47	6.3
White	247	111	136	222	20	81.0	12	4.9
Other races	496	226	270	219	71	143.1	35	7.1
Bladen	709	218	491	325	52	73.3	41	5.8
White	405	117	288	346	31	76.5	21	5.2
Other races	304	101	203	301	21	69.1	20	6.6
Brunswick	449	168	281	267	25	55.7	32	7.1
White	252	101	151	250	12	47.6	17	6.7
Other races	197	67	130	(4/)	13	66.0	15	7.6
Buncombe	1,983	1,291	692	154	128	64.5	70	3.5
Rural part	987	598	389	165	54	54.7	20	2.0
Asheville	996	693	303	144	74	74.3	50	5.0
White	796	480	316	166	51	64.1	22	2.8
Other races	200	213	-13	94	23	115.0	28	14.0
Burke	757	467	290	162	39	51.5	25	3.3
Cabarrus	974	338	636	288	49	50.3	22	2.3
Rural part	670	198	472	338	31	46.3	15	2.2
White	528	141	387	382	17	31.6	12	2.2
Other races	132	57	75	(4/)	14	106.1	3	2.3
Concord	304	140	164	217	18	59.2	7	2.3
White	245	105	140	233	15	61.2	4	1.6
Other races	59	35	24	(4/)	3	50.8	3	(5/)
Caldwell	912	313	599	291	52	57.0	29	3.2
Camden	105	58	47	(4/)	5	47.6	5	4.8
White	46	36	10	(4/)	2	43.5	1	(5/)
Other races	59	22	37	(4/)	3	50.8	4	(5/)
Carteret	385	214	171	180	19	49.4	12	3.1
White	309	184	125	168	15	48.5	10	3.2
Other races	76	30	46	(4/)	4	52.6	2	(5/)
Caswell	435	158	277	275	25	57.5	15	3.4
White	186	75	111	(4/)	6	32.3	5	2.7
Other races	249	83	166	(4/)	19	76.3	10	4.0
Catawba	1,088	402	686	271	62	57.0	32	2.9
White	973	343	630	284	53	54.5	26	2.7
Other races	115	59	56	(4/)	9	78.3	6	5.2
Chatham	410	201	209	204	32	78.0	8	2.0
White	225	117	108	192	12	53.3	2	0.9
Other races	185	84	101	(4/)	20	108.1	6	3.2
Cherokee	471	124	347	380	20	42.5	15	3.2
Chowan	265	108	157	245	19	71.7	10	3.8
White	131	60	71	(4/)	9	68.7	5	3.8
Other races	134	48	86	(4/)	10	74.6	5	3.7

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NORTH CAROLINA—Con.								
Clay	122	37	85	(4/)	9	73.2	1	0.8
Cleveland	1,342	349	993	385	61	45.5	46	3.4
Rural part	1,014	232	782	437	41	40.4	30	3.0
White	728	176	552	414	31	42.6	21	2.9
Other races	286	56	230	(4/)	10	35.0	9	3.1
Shelby	328	117	211	280	20	61.0	16	4.9
White	279	84	195	(4/)	13	64.5	7	2.5
Other races	49	33	16	(4/)	2	40.8	9	(5/)
Columbus	1,140	392	748	291	78	68.4	49	4.3
White	725	252	483	292	44	59.9	20	2.7
Other races	405	140	265	289	34	84.0	29	7.2
Craven	670	417	253	161	54	80.6	40	6.0
Rural part	446	195	251	229	26	58.3	19	4.3
White	220	88	132	(4/)	11	50.0	5	2.3
Other races	226	107	119	211	15	66.4	14	6.2
New Bern	224	222	2	101	28	125.0	21	9.4
White	112	84	28	(4/)	5	44.6	2	1.8
Other races	112	138	-26	81	23	205.4	19	17.0
Cumberland	1,152	639	513	180	92	79.9	48	4.2
Rural part	783	277	506	283	48	61.3	27	3.4
White	490	162	328	302	24	49.0	12	2.4
Other races	293	115	178	255	24	81.9	15	5.1
Fayetteville	369	362	7	102	44	119.2	21	5.7
White	240	217	23	111	30	125.0	8	3.3
Other races	129	145	-16	89	14	108.5	13	10.1
Currituck	126	55	71	(4/)	2	15.9	6	4.8
White	74	41	33	(4/)	2	27.0	5	(5/)
Other races	52	14	38	(4/)	-----	-----	1	(5/)
Dare	102	43	59	(4/)	1	9.8	3	2.9
Davidson	1,088	442	646	246	89	81.8	29	2.7
Rural part	843	328	515	257	57	67.6	20	2.4
Thomasville	245	114	131	215	32	130.6	9	3.7
White	190	83	107	(4/)	24	126.3	7	3.7
Other races	55	31	24	(4/)	8	145.5	2	(5/)
Davie	368	128	240	288	14	38.0	12	3.3
White	293	95	198	(4/)	7	23.9	11	3.8
Other races	75	33	42	(4/)	7	92.3	1	(5/)
Duplin	1,044	374	670	279	79	75.7	47	4.5
White	624	202	422	309	32	51.3	22	3.5
Other races	420	172	248	244	47	111.9	25	6.0
Durham	1,728	1,227	501	141	193	111.7	109	6.3
Rural part	329	156	173	211	8	24.3	13	4.0
White	220	90	130	(4/)	4	18.2	7	3.2
Other races	109	66	43	(4/)	4	36.7	6	5.5
Durham	1,399	1,071	328	131	185	132.2	96	6.9
White	867	629	238	138	119	137.3	41	4.7
Other races	532	442	90	120	66	124.1	55	10.3
Edgecombe	(16/)	(16/)	(16/)	(16/)	(16/)	(16/)	(16/)	(16/)
Rural part	1,112	424	688	262	119	107.0	66	5.9
White	398	176	222	226	53	133.2	14	3.5
Other races	714	248	466	288	66	92.4	52	7.3
Rocky Mount (part)	(16/)	(16/)	(16/)	(16/)	(16/)	(16/)	(16/)	(16/)
Forsyth	2,497	1,190	1,307	210	165	66.1	114	4.6
Rural part	816	289	527	282	39	47.8	18	2.2
White	716	234	483	307	33	46.1	14	2.0
Other races	100	56	44	(4/)	6	60.0	4	4.0
Winston-Salem	1,681	901	780	187	126	75.0	96	5.7
White	985	424	561	232	60	60.9	41	4.2
Other races	696	477	219	146	66	94.8	55	7.9
Franklin	669	240	429	279	37	55.3	23	3.4
White	335	113	222	296	13	38.8	10	3.0
Other races	334	127	207	263	24	71.9	13	3.9
Gaston	1,833	724	1,109	253	141	76.9	52	2.8
Rural part	1,363	494	869	276	90	66.0	33	2.4
White	1,205	396	809	304	79	65.6	24	2.0
Other races	158	98	60	(4/)	11	69.6	9	5.7
Gastonia	470	230	240	204	51	108.5	19	4.0
White	409	170	239	241	39	95.4	15	3.7
Other races	61	60	1	(4/)	12	196.7	4	(5/)
Gates	256	117	139	219	22	85.9	17	6.6
White	84	58	26	(4/)	6	71.4	6	(5/)
Other races	172	59	113	(4/)	16	93.0	11	6.4
Graham	169	37	132	(4/)	10	59.2	3	1.8
Granville	727	310	417	235	46	63.3	30	4.1
White	290	168	122	173	15	51.7	7	2.4
Other races	437	142	295	308	31	70.9	23	5.3
Greene	656	142	513	459	39	59.5	21	3.2
White	328	56	272	(4/)	15	44.4	4	1.2
Other races	316	87	229	(4/)	24	75.5	17	5.3

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NORTH CAROLINA—Con.								
Guilford	2,695	1,404	1,291	192	174	64.6	106	3.9
Rural part	856	373	483	229	42	49.1	29	3.4
White	698	293	405	238	33	47.3	26	3.7
Other races	158	80	78	(4/)	9	57.0	3	1.9
Greensboro	1,114	702	412	159	95	85.3	42	3.8
White	890	475	415	187	66	74.2	20	2.2
Other races	224	227	-3	99	29	129.5	22	9.8
High Point	725	329	396	220	37	51.0	35	4.8
White	616	238	378	259	31	50.3	18	2.9
Other races	109	91	18	(4/)	6	55.0	17	15.6
Halifax	1,562	504	1,058	310	115	73.6	70	4.5
White	514	183	331	281	28	54.5	20	3.9
Other races	1,048	321	727	326	87	83.0	50	4.8
Harnett	1,165	357	808	326	81	69.5	32	2.7
White	831	232	599	358	45	54.2	13	1.6
Other races	334	125	209	267	36	107.8	19	5.7
Haywood	862	266	596	324	39	45.2	21	2.4
Henderson	607	252	355	241	27	44.5	31	5.1
Hertford	433	175	258	247	30	69.3	19	4.4
White	133	55	78	(4/)	6	45.1	3	2.3
Other races	300	120	180	250	24	80.0	16	5.3
Hoke	281	154	227	247	23	60.4	22	5.8
White	88	62	26	(4/)	5	56.8	2	(5/)
Other races	293	92	201	(4/)	18	61.4	20	6.8
Hyde	194	52	142	(4/)	6	30.9	7	3.6
White	77	32	45	(4/)	3	39.0	1	(5/)
Other races	117	20	97	(4/)	3	25.6	6	5.1
Iredell	1,148	540	608	213	50	43.6	74	6.4
Rural part	910	343	567	265	36	39.6	57	6.3
White	715	240	475	298	22	30.8	30	4.2
Other races	195	103	92	189	14	71.8	27	13.8
Statesville	238	197	41	121	14	58.8	17	7.1
White	208	162	46	128	10	48.1	9	4.3
Other races	30	35	-5	(4/)	4	133.3	8	(5/)
Jackson	501	172	329	291	38	75.8	14	2.8
Johnston	1,584	591	993	268	125	78.9	78	4.9
White	1,257	441	816	285	94	74.8	57	4.5
Other races	327	150	177	218	31	94.8	21	6.4
Jones	293	94	199	(4/)	25	85.3	13	4.4
White	138	44	94	(4/)	10	72.5	3	2.2
Other races	155	50	105	(4/)	15	96.8	10	6.5
Lee	381	169	212	225	18	47.2	15	3.9
White	259	115	144	225	12	46.3	10	3.9
Other races	122	54	68	(4/)	6	49.2	5	4.1
Lenoir	959	517	442	185	101	105.3	42	4.4
Rural part	563	247	316	228	56	99.5	25	4.4
White	263	105	158	250	18	68.4	3	1.1
Other races	300	142	158	211	38	126.7	22	7.3
Kinston	396	270	126	147	45	113.6	17	4.3
White	287	165	122	174	35	122.0	5	1.7
Other races	109	105	4	104	10	91.7	12	11.0
Lincoln	558	208	350	268	34	60.9	19	3.4
White	472	168	304	281	26	55.1	18	3.8
Other races	86	40	46	(4/)	8	93.0	1	(5/)
McDowell	616	181	435	340	30	48.7	18	2.9
Macon	423	137	286	309	15	35.5	13	3.1
Madison	612	168	444	364	38	62.1	11	1.8
Martin	778	214	565	364	58	74.5	25	3.3
White	354	83	271	(4/)	16	45.2	10	2.8
Other races	425	131	294	324	42	98.8	16	3.8
Mecklenburg	2,443	1,405	1,038	174	157	64.3	104	4.3
Rural part	710	356	354	199	34	47.9	22	3.1
White	440	219	221	201	17	38.6	12	2.7
Other races	270	137	133	197	17	63.0	10	3.7
Charlotte	1,733	1,049	684	165	123	71.0	82	4.7
White	1,196	578	618	207	79	66.1	45	3.8
Other races	537	471	66	114	44	81.9	37	6.9
Mitchell	450	99	351	(4/)	21	46.7	11	2.4
Montgomery	338	133	205	254	27	79.9	13	3.8
White	268	96	172	(4/)	21	78.4	8	3.0
Other races	70	37	33	(4/)	6	85.7	5	(5/)
Moore	513	256	257	200	33	64.3	17	3.3
White	358	167	191	214	23	64.2	8	2.2
Other races	155	89	66	(4/)	10	64.5	9	5.8
Nash	(16/)	(16/)	(16/)	(16/)	(16/)	(16/)	(16/)	(16/)
Rural part	1,094	263	831	416	48	43.9	53	4.8
White	526	152	374	346	23	43.7	26	4.9
Other races	568	111	457	512	25	44.0	27	4.8
Rocky Mount 16/	511	452	59	113	63	123.3	49	9.6
White	325	236	89	138	29	89.2	19	5.8
Other races	186	216	-30	86	34	182.8	30	16.1
New Hanover	893	697	196	128	97	108.6	53	5.9
Rural part	48	105	-57	46	16	333.3	1	(5/)
White	29	54	-25	(4/)	10	344.8	1	(5/)
Other races	19	51	-32	(4/)	6	315.8	----	------
Wilmington	845	592	253	143	81	95.9	52	6.2
White	498	288	210	173	36	72.3	16	3.2
Other races	347	304	43	114	45	129.7	36	10.4
Northampton	604	180	424	336	34	56.3	18	3.0
White	141	67	74	(4/)	9	63.8	1	0.7
Other races	463	113	350	410	25	54.0	17	3.7
Onslow	462	153	309	302	29	62.8	15	3.2
White	318	102	216	312	17	53.5	11	3.5
Other races	144	51	93	(4/)	12	83.3	4	2.8
Orange	339	153	186	222	16	47.2	18	5.3
White	197	85	112	(4/)	8	40.6	8	4.1
Other races	142	68	74	(4/)	8	56.3	10	7.0
Pamlico	227	81	146	(4/)	16	70.5	10	4.4
White	120	43	77	(4/)	6	50.0	----	------
Other races	107	38	69	(4/)	10	93.5	10	9.3
Pasquotank	361	273	88	132	37	102.5	22	6.1
Rural part	173	83	90	(4/)	21	121.4	8	4.6
White	64	31	33	(4/)	6	93.8	3	(5/)
Other races	109	52	57	(4/)	15	137.6	5	4.6
Elizabeth City	188	190	-2	99	16	85.1	14	7.4
White	120	94	26	(4/)	12	100.0	5	4.2
Other races	68	96	-28	(4/)	4	58.8	9	(5/)
Pender	351	182	169	193	30	85.5	20	5.7
White	135	84	51	(4/)	9	66.7	8	5.9
Other races	216	98	118	(4/)	21	97.2	12	5.6
Perquimans	237	112	125	212	19	80.2	19	8.0
White	101	52	49	(4/)	7	69.3	1	1.0
Other races	136	60	76	(4/)	12	88.2	18	13.2
Person	665	192	473	346	29	43.6	25	3.8
White	350	115	235	304	15	42.9	5	1.4
Other races	315	77	238	(4/)	14	44.4	20	6.3
Pitt	1,536	574	962	268	125	81.4	65	4.2
White	713	270	443	264	56	78.5	22	3.1
Other races	823	304	519	271	69	83.8	43	5.2
Polk	214	106	108	202	23	107.5	8	3.7
White	188	86	102	(4/)	22	117.0	6	3.2
Other races	26	20	6	(4/)	1	38.5	2	(5/)
Randolph	828	318	510	260	45	54.3	15	1.8
White	749	281	468	267	40	53.4	14	1.9
Other races	79	37	42	(4/)	5	63.3	1	(5/)
Richmond	886	358	528	247	48	54.2	40	4.5
White	590	202	388	292	27	45.8	15	2.5
Other races	296	156	140	190	21	70.9	25	8.4
Robeson	2,165	643	1,522	337	136	62.8	129	6.0
White	882	308	574	286	59	66.9	46	5.2
Other races	1,283	335	948	383	77	60.0	83	6.5
Rockingham	1,249	485	764	258	61	48.8	55	4.4
White	1,010	318	692	318	35	34.7	35	3.5
Other races	239	167	72	143	26	108.8	20	8.4
Rowan	1,221	530	691	230	74	60.6	38	3.1
Rural part	865	299	566	289	46	53.2	25	2.9
White	684	232	452	295	38	55.6	15	2.2
Other races	181	67	114	(4/)	8	44.2	10	5.5
Salisbury	356	231	125	154	28	78.7	13	3.7
White	291	169	122	172	25	85.9	10	3.4
Other races	65	62	3	(4/)	3	46.2	3	(5/)
Rutherford	953	310	643	307	38	39.9	30	3.1
White	816	267	549	306	33	40.4	24	2.9
Other races	137	43	94	(4/)	5	36.5	6	4.4
Sampson	1,179	378	801	312	94	79.7	44	3.7
White	715	225	490	318	51	71.3	19	2.7
Other races	464	153	311	303	43	92.7	25	5.4
Scotland	495	234	261	212	48	97.0	26	5.3
White	220	97	123	(4/)	12	54.5	6	2.7
Other races	275	137	138	201	36	130.9	20	7.3
Stanly	650	263	387	247	35	53.8	18	2.8
White	587	215	372	273	29	49.4	15	2.6
Other races	63	48	15	(4/)	6	95.2	3	(5/)
Stokes	475	138	337	344	23	48.4	15	3.2
White	436	122	314	357	20	45.9	12	2.8
Other races	39	16	23	(4/)	3	76.9	3	(5/)
Surry	975	396	579	246	74	75.9	39	4.0
Swain	348	115	233	303	20	57.5	11	3.2
White	284	91	193	(4/)	15	52.8	9	3.2
Other races	64	24	40	(4/)	5	78.1	2	(5/)
Transylvania	271	84	187	(4/)	12	44.3	8	3.0
Tyrrell	137	62	75	(4/)	11	80.3	8	5.8
White	72	32	40	(4/)	4	55.6	2	(5/)
Other races	65	30	35	(4/)	7	107.7	6	(5/)

See footnotes at end of tacle.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
NORTH CAROLINA—Con.								
Union	967	304	663	318	55	56.9	23	2.4
White	709	196	513	362	35	49.4	17	2.4
Other races	258	108	150	239	20	77.5	6	2.3
Vance	622	340	282	183	71	114.1	31	5.0
White	287	181	106	159	36	125.4	11	3.8
Other races	335	159	176	211	35	104.5	20	6.0
Wake	1,985	1,220	765	163	149	75.1	100	5.0
Rural part	1,216	479	737	254	71	58.4	42	3.5
White	696	267	429	261	29	41.7	13	1.9
Other races	520	212	308	245	42	80.8	29	5.6
Raleigh	769	741	28	104	78	101.4	58	7.5
White	458	470	-12	97	38	83.0	23	5.0
Other races	311	271	40	115	40	128.6	35	11.3
Warren	703	258	445	272	73	103.8	33	4.7
White	143	66	77	(4/)	5	35.0	5	3.5
Other races	560	192	368	292	68	121.4	28	5.0
Washington	288	153	135	188	32	111.1	12	4.2
White	139	63	76	(4/)	13	93.5	3	2.2
Other races	149	90	59	(4/)	19	127.5	9	6.0
Watauga	366	102	264	359	21	57.4	6	1.6
Wayne	1,168	863	305	135	125	107.0	68	5.8
Rural part	864	584	280	148	71	82.2	33	3.8
White	493	192	301	257	43	87.2	12	2.4
Other races	371	392	-21	95	28	75.5	21	5.7
Goldsboro	304	279	25	109	54	177.6	35	11.5
White	163	117	46	139	24	147.2	13	8.0
Other races	141	162	-21	87	30	212.8	22	15.6
Wilkes	1,042	331	711	315	46	44.1	27	2.6
Wilson	1,345	617	728	218	140	104.1	66	4.9
Rural part	925	298	627	310	78	84.3	31	3.4
White	541	171	370	316	28	51.8	18	3.3
Other races	384	127	257	302	50	130.2	13	3.4
Wilson	420	319	101	132	62	147.6	35	8.3
White	203	139	64	146	26	128.1	12	5.9
Other races	217	180	37	121	36	165.9	23	10.6
Yadkin	417	136	281	307	19	45.6	6	1.4
Yancey	391	85	306	(4/)	21	53.7	9	2.3
NORTH DAKOTA (total)	13,655	5,860	7,795	233	811	59.4	350	2.6
Adams	134	41	93	(4/)	3	22.4	4	3.0
Barnes	331	162	169	204	14	42.3	7	2.1
Benson	230	99	131	(4/)	18	78.3	5	2.2
Billings	47	19	28	(4/)	4	85.1	----	------
Bottineau	267	106	161	252	8	30.0	8	3.0
Bowman	98	43	55	(4/)	7	71.4	1	(5/)
Burke	116	56	60	(4/)	14	120.7	3	2.6
Burleigh	570	291	279	196	27	47.4	21	3.7
Rural part	52	35	17	(4/)	5	96.2	1	(5/)
Bismarck	518	256	262	202	22	42.5	20	3.9
Cass	1,214	559	655	217	57	47.0	29	2.4
Rural part	268	185	83	145	10	37.3	2	0.7
Fargo	946	374	572	253	47	49.7	27	2.9
Cavalier	269	112	157	240	14	52.0	6	2.2
Dickey	173	73	100	(4/)	15	86.7	8	4.6
Divide	158	60	98	(4/)	4	25.3	3	1.9
Dunn	146	42	104	(4/)	14	95.9	----	------
Eddy	97	59	38	(4/)	6	61.9	1	(5/)
Emmons	300	84	216	(4/)	25	83.3	8	2.7
Foster	153	59	94	(4/)	7	45.8	1	0.7
Golden Valley	60	40	20	(4/)	5	83.3	3	(5/)
Grand Forks	759	397	362	191	35	46.1	17	2.2
Rural part	165	136	29	121	5	30.3	5	3.0
Grand Forks	594	261	333	228	30	50.5	12	2.0
Grant	181	52	129	(4/)	12	66.3	4	2.2
Griggs	91	44	47	(4/)	9	98.9	1	(5/)
Hettinger	269	51	218	(4/)	15	55.8	4	1.5
Kidder	156	42	114	(4/)	16	102.5	5	3.2
La Moure	214	67	147	(4/)	5	23.4	8	3.7
Logan	200	40	160	(4/)	18	90.0	6	3.0
McHenry	242	78	164	(4/)	19	78.5	7	2.9
McIntosh	210	49	161	(4/)	10	47.6	4	1.9
McKenzie	116	43	73	(4/)	9	77.6	3	2.6
McLean	353	88	265	(4/)	27	76.5	14	4.0
Mercer	227	57	170	(4/)	15	66.1	5	2.2
Morton	514	209	305	246	45	87.5	12	2.3
Mountrail	184	71	113	(4/)	12	65.2	1	0.5
Nelson	198	95	103	(4/)	15	75.8	6	3.0
Oliver	36	14	22	(4/)	----	------	1	(5/)
Pembina	253	124	129	204	13	51.4	9	3.6
Pierce	327	110	217	297	17	52.0	6	1.8
Ramsey	297	191	106	155	17	57.2	12	4.0
Ransom	172	85	87	(4/)	13	75.6	2	1.2
Renville	102	29	73	(4/)	3	29.4	1	1.0
Richland	283	162	121	175	14	49.5	4	1.4
Rolette	343	120	223	286	21	61.2	7	2.0
White	147	76	71	(4/)	5	34.0	3	2.0
Other races	196	44	152	(4/)	16	81.6	4	2.0
Sargent	125	64	61	(4/)	12	96.0	2	1.6
Sheridan	138	31	107	(4/)	11	79.7	6	4.3
Sioux	122	70	52	(4/)	15	123.0	3	2.5
White	48	10	38	(4/)	-----	------	1	(5/)
Other races	74	60	14	(4/)	15	202.7	2	(5/)
Slope	52	15	37	(4/)	5	96.2	2	(5/)
Stark	389	178	211	219	29	74.6	11	2.8
Steele	119	49	70	(4/)	5	42.0	4	3.4
Stutsman	429	336	93	128	26	60.6	18	4.2
Towner	145	44	101	(4/)	10	69.0	4	2.8
Traill	200	111	89	180	6	30.0	8	4.0
Walsh	446	179	267	249	15	33.6	7	1.6
Ward	819	374	445	219	38	46.4	24	2.9
Rural part	255	75	180	(4/)	14	54.9	7	2.7
Minot	564	299	265	189	24	42.6	17	3.0
Wells	197	92	105	(4/)	10	50.8	4	2.0
Williams	384	194	190	198	27	70.3	10	2.6
OHIO (total)	101,103	77,356	23,747	131	5,093	50.4	3,225	3.2
Adams	397	243	154	163	20	50.4	26	6.5
Allen	1,244	949	295	131	67	53.9	36	2.9
Rural part	434	367	67	118	24	55.3	9	2.1
Lima	810	582	228	139	43	53.1	27	3.3
Ashland	427	322	105	133	23	53.9	14	3.3
Rural part	212	177	35	120	11	51.9	4	1.9
Ashland	215	145	70	148	12	55.8	10	4.7
Ashtabula	959	875	84	110	57	59.4	33	3.4
Rural part	634	598	36	106	39	61.5	23	3.6
Ashtabula	325	277	48	117	18	55.4	10	3.1
Athens	839	580	259	145	53	63.2	36	4.3
Auglaize	401	297	104	135	14	34.9	13	3.2
Belmont	1,554	1,059	495	147	99	63.7	43	2.8
Rural part	983	628	355	157	59	60.0	31	3.2
Bellaire	276	171	105	161	18	65.2	6	2.2
Martins Ferry	295	260	35	113	22	74.6	6	2.0
Brown	309	270	39	114	13	42.1	7	2.3
Butler	1,957	1,236	721	158	102	52.1	73	3.7
Rural part	269	259	10	104	10	37.2	4	1.5
Hamilton	981	633	348	155	48	48.9	42	4.3
Middletown	707	344	363	206	44	62.2	27	3.8
Carroll	189	155	34	122	7	37.0	7	3.7
Champaign	395	317	78	125	14	35.4	15	3.8
Clark	1,273	1,104	169	115	65	51.1	34	2.7
Rural part	238	290	-52	82	10	42.0	6	2.5
Springfield	1,035	814	221	127	55	53.1	28	2.7
White	944	718	226	131	46	48.7	25	2.6
Other races	91	96	-5	(4/)	9	98.9	3	(5/)
Clermont	449	392	57	115	15	33.4	17	3.8
Clinton	318	290	28	110	15	47.2	7	2.2
Columbiana	1,518	1,065	453	143	66	43.5	46	3.0
Rural part	757	556	201	136	30	39.6	19	2.5
East Liverpool	509	327	182	156	23	45.2	18	3.5
Salem	252	182	70	138	13	51.6	9	3.6
Coshocton	520	385	135	135	27	51.9	20	3.8
Rural part	297	212	85	140	14	47.1	10	3.4
Coshocton	223	173	50	129	13	58.3	10	4.5
Crawford	492	415	77	119	26	52.9	15	3.0
Rural part	306	274	62	123	15	44.6	7	2.1
Bucyrus	156	141	15	111	11	70.5	8	5.1
Cuyahoga	15,860	12,352	3,508	128	696	43.9	488	3.1
Rural part	578	852	-274	68	15	26.0	13	2.2
Cleveland	14,489	9,986	4,503	145	640	44.2	451	3.1
White	13,239	8,763	4,476	151	548	41.4	373	2.8
Other races	1,260	1,233	27	102	92	73.0	78	6.2
Cleveland Heights	18	302	-284	6	3	166.7	----	------
East Cleveland	195	323	-128	60	12	61.5	5	2.6
Euclid	54	92	-38	(4/)	-----	------	1	(5/)
Garfield Heights	77	68	9	(4/)	4	51.9	1	(5/)
Lakewood	371	585	-214	63	15	40.4	15	4.0
Parma	77	69	8	(4/)	4	51.9	1	(5/)
Shaker Heights	1	75	-74	(4/)	3	(7/)	1	(5/)
Darke	587	440	147	133	25	42.5	16	2.7
Defiance	392	311	81	126	19	48.5	18	4.6
Delaware	380	342	38	111	9	23.7	12	3.2

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
OHIO—Con.								
Erie	551	524	27	105	19	34.5	18	3.3
Rural part	131	211	-80	62	3	22.9	4	3.1
Sandusky	420	313	107	134	16	38.1	14	3.3
Fairfield	787	555	232	142	48	61.0	21	2.7
Rural part	357	254	103	141	15	42.0	7	2.0
Lancaster	430	301	129	143	33	76.7	14	3.3
Fayette	346	255	91	136	22	63.6	8	2.3
Franklin	5,407	5,061	346	107	291	53.8	183	3.4
Rural part	575	655	-80	88	24	41.7	20	3.5
Columbus	4,832	4,406	426	110	267	55.3	163	3.4
White	4,284	3,765	519	114	222	51.8	129	3.0
Other races	548	641	-93	85	45	82.1	34	6.2
Fulton	357	299	58	119	11	30.8	11	3.1
Gallia	459	487	-28	94	39	85.0	23	5.0
Geauga	200	188	12	106	10	50.0	4	2.0
Greene	494	389	105	127	20	40.5	13	2.6
Rural part	313	237	76	132	10	31.9	5	1.6
Xenia	181	152	29	119	10	55.2	8	4.4
White	165	119	46	139	10	60.6	5	3.0
Other races	16	33	-17	(4/)	-----	------	3	(5/)
Guernsey	646	478	168	135	40	61.9	20	3.1
Rural part	370	266	104	139	19	51.4	7	1.9
Cambridge	276	212	64	130	21	76.1	13	4.7
Hamilton	8,783	8,181	602	107	506	57.6	297	3.4
Rural part	1,020	904	116	113	34	33.3	29	2.8
Cincinnati	7,645	7,105	540	108	468	61.2	267	3.5
White	6,724	6,000	724	112	398	59.2	207	3.1
Other races	921	1,105	-184	83	70	76.0	60	6.5
Norwood	118	172	-54	69	4	33.9	1	0.8
Hancock	(17/)	(17/)	(17/)	(17/)	(17/)	(17/)	(17/)	(17/)
Rural part	217	171	46	127	7	32.3	6	2.8
Findlay	346	288	58	120	26	75.1	12	3.5
Fostoria (part)	(17/)	(17/)	(17/)	(17/)	(17/)	(17/)	(17/)	(17/)
Hardin	444	361	83	123	25	56.3	19	4.3
Harrison	326	187	139	174	13	39.9	7	2.1
Henry	364	254	110	143	13	35.7	11	3.0
Highland	448	349	99	128	20	44.6	21	4.7
Hocking	386	230	156	168	19	49.2	14	3.6
Holmes	368	200	168	184	16	43.5	6	1.6
Huron	573	470	103	122	35	61.1	17	3.0
Jackson	523	330	193	158	48	91.8	12	2.3
Jefferson	1,593	958	635	166	86	54.0	61	3.8
Rural part	831	429	402	194	49	59.0	27	3.2
Steubenville	762	529	233	144	37	48.6	34	4.5
Knox	430	379	51	113	27	62.8	21	4.9
Lake	620	496	124	125	26	41.9	14	2.3
Rural part	246	277	-31	89	9	36.6	5	2.0
Painesville	374	219	155	171	17	45.5	9	2.4
Lawrence	931	531	400	175	92	98.8	40	4.3
Rural part	602	276	326	218	58	96.3	22	3.7
Ironton	329	255	74	129	34	103.3	18	5.5
Licking	828	791	37	105	51	61.6	34	4.1
Rural part	290	316	-26	92	12	41.4	13	4.5
Newark	538	475	63	113	39	72.5	21	3.9
Logan	423	377	46	112	25	59.1	18	4.3
Lorain	1,538	1,118	420	138	59	38.4	42	2.7
Rural part	367	403	-36	91	17	46.3	11	3.0
Elyria	467	333	134	140	17	36.4	10	2.1
Lorain	704	382	322	184	25	35.5	21	3.0
Lucas	5,143	3,940	1,203	131	264	51.3	148	2.9
Rural part	641	349	292	184	23	35.9	16	2.5
Toledo	4,502	3,591	911	125	241	53.5	132	2.9
White	4,240	3,368	872	126	222	52.4	115	2.7
Other races	262	223	39	117	19	72.5	17	6.5
Madison	336	243	93	138	20	59.5	6	1.8
Mahoning	(18/)	(18/)	(18/)	(18/)	(18/)	(18/)	(18/)	(18/)
Rural part	425	390	35	109	14	32.9	18	4.2
Youngstown 18/	2,772	1,841	931	151	117	42.2	119	4.3
White	2,528	1,591	937	159	93	36.8	100	4.0
Other races	244	250	-6	98	24	98.4	19	7.8
Campbell	205	69	136	(4/)	14	68.3	4	2.0
White	172	52	120	(4/)	9	52.3	1	0.6
Other races	33	17	16	(4/)	5	151.5	3	(5/)
Struthers	118	60	58	(4/)	6	50.8	2	1.7
Marion	730	560	170	130	33	45.2	10	1.4
Rural part	182	169	13	108	7	38.5	1	0.5
Marion	548	391	157	140	26	47.4	9	1.6
Medina	493	332	161	148	22	44.6	11	2.2
Meigs	358	235	123	152	22	61.5	17	4.7
Mercer	394	251	143	157	20	50.8	4	1.0
Miami	892	687	205	130	43	48.2	41	4.6
Rural part	559	440	119	127	27	48.3	24	4.3
Piqua	333	247	86	135	16	48.0	17	5.1
Monroe	327	200	127	164	15	45.9	7	2.1
Montgomery	4,056	3,502	554	116	175	43.1	116	2.9
Rural part	691	846	-155	82	16	23.2	15	2.2
Dayton	3,365	2,656	709	127	159	47.3	101	3.0
White	3,046	2,357	689	129	135	44.3	88	2.9
Other races	319	299	20	107	24	75.2	13	4.1
Morgan	232	203	29	114	8	34.5	7	3.0
Morrow	213	177	36	120	9	42.3	7	3.3
Muskingum	1,147	881	266	130	46	40.1	45	3.9
Rural part	397	328	69	121	10	25.2	10	2.5
Zanesville	750	553	197	136	36	48.0	35	4.7
Noble	246	151	95	163	10	40.7	9	3.7
Ottawa	332	261	71	127	5	15.1	7	2.1
Paulding	277	147	130	188	10	36.1	8	2.9
Perry	418	335	83	125	25	59.8	6	1.4
Pickaway	456	376	80	121	29	63.6	16	3.5
Pike	307	148	159	207	16	52.1	9	2.9
Portage	601	469	132	128	30	49.9	16	2.7
Preble	279	239	40	117	12	43.0	7	2.5
Putnam	416	235	181	177	14	33.7	6	1.4
Richland	1,165	741	424	157	62	53.2	30	2.6
Rural part	518	351	167	148	22	42.5	10	1.9
Mansfield	647	390	257	166	40	61.8	20	3.1
Ross	927	565	362	164	54	58.3	32	3.5
Rural part	576	308	268	187	37	64.2	14	2.4
Chillicothe	351	257	94	137	17	48.4	18	5.1
Sandusky	590	443	147	133	29	49.2	14	2.4
Rural part	462	288	174	160	18	39.0	10	2.2
Fremont	128	155	-27	83	11	85.9	4	3.1
Scioto	1,781	958	823	186	134	75.2	64	3.6
Rural part	971	333	638	292	52	53.6	26	2.7
Portsmouth	810	625	185	130	82	101.2	38	4.7
Seneca	(17/)	(17/)	(17/)	(17/)	(17/)	(17/)	(17/)	(17/)
Rural part	282	233	49	121	15	53.2	9	3.2
Fostoria 17/	248	160	88	155	16	64.5	9	3.6
Tiffin	256	256	--------	100	14	54.7	7	2.7
Shelby	385	292	93	132	24	82.3	19	4.9
Stark	3,421	2,597	824	132	186	54.4	87	2.5
Rural part	709	774	-65	92	36	50.8	17	2.4
Alliance	408	279	129	146	24	58.8	8	2.0
Canton	1,865	1,200	665	155	98	52.5	42	2.3
Massillon	439	344	95	128	28	63.8	20	4.6
Summit	5,094	2,921	2,173	174	221	43.4	156	3.1
Rural part	413	372	41	111	8	19.4	12	2.9
Akron	4,099	2,207	1,892	186	196	47.8	127	3.1
White	3,902	2,044	1,858	191	178	45.6	118	3.0
Other races	197	163	34	121	18	91.4	9	4.6
Barberton	441	200	241	221	16	36.3	15	3.4
Cuyahoga Falls	141	142	-1	99	1	7.1	2	1.4
Trumbull	(18/)	(18/)	(18/)	(18/)	(18/)	(18/)	(18/)	(18/)
Rural part	740	491	249	151	38	51.4	22	3.0
Niles	195	116	79	168	11	56.4	3	1.5
Warren	761	441	320	173	36	47.3	35	4.6
Youngstown (part)	(18/)	(18/)	(18/)	(18/)	(18/)	(18/)	(18/)	(18/)
Tuscarawas	1,081	825	256	131	61	56.4	42	3.9
Rural part	923	717	206	129	58	62.8	35	3.8
New Philadelphia	158	108	50	146	3	19.0	7	4.4
Union	257	244	13	105	14	54.5	10	3.9
Van Wert	348	285	63	122	18	51.7	15	4.3
Vinton	218	105	113	208	12	55.0	6	2.8
Warren	387	312	75	124	18	46.5	11	2.8
Washington	737	567	170	130	37	50.2	19	2.6
Rural part	443	319	124	139	19	42.9	11	2.5
Marietta	294	248	46	119	18	61.2	8	2.7
Wayne	720	523	197	138	35	48.6	27	3.8
Rural part	558	357	201	156	24	43.0	13	2.3
Wooster	162	166	-4	98	11	67.9	14	8.6
Williams	421	273	148	154	18	42.8	9	2.1
Wood	760	549	211	138	25	32.9	18	2.4
Wyandot	308	221	87	139	10	32.5	6	1.9
OKLAHOMA (total)	43,691	21,091	22,600	207	2,384	54.6	1,259	2.9
Adair	272	137	135	199	26	95.6	8	2.9
White	225	98	127	(4/)	15	66.7	6	2.7
Other races	47	39	8	(4/)	11	234.0	2	(5/)
Alfalfa	254	128	126	198	11	43.3	1	0.4
Atoka	370	137	233	270	20	54.1	14	3.8
White	350	120	230	292	20	57.1	14	4.0
Other races	20	17	3	(4/)	-----	------	----	------
Beaver	182	84	98	(4/)	10	54.9	1	0.5
Beckham	562	256	306	220	36	64.1	23	4.1

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
OKLAHOMA—Con.								
Blaine	445	173	272	257	23	51.7	14	3.1
White	404	139	265	291	17	42.1	12	3.0
Other races	41	34	7	(4/)	6	146.3	2	(5/)
Bryan	756	312	444	242	39	51.6	13	1.7
White	729	291	438	251	36	49.4	12	1.6
Other races	27	21	6	(4/)	3	111.1	1	(5/)
Caddo	931	352	579	264	46	49.4	17	1.8
White	870	290	580	300	36	41.4	13	1.5
Other races	61	62	-1	(4/)	10	163.9	4	(5/)
Canadian	591	284	307	208	37	62.6	24	4.1
Carter	702	450	252	156	47	67.0	28	4.0
Rural part	381	158	223	241	20	52.5	17	4.5
Ardmore	321	292	29	110	27	84.1	11	3.4
White	287	241	46	119	21	73.2	10	3.5
Other races	34	51	-17	(4/)	6	176.5	1	(5/)
Cherokee	336	141	195	238	13	38.7	10	3.0
White	264	102	162	259	10	37.9	9	3.4
Other races	72	39	33	(4/)	3	41.7	1	(5/)
Choctaw	479	198	281	242	28	58.5	13	2.7
White	398	161	237	247	26	65.3	10	2.5
Other races	81	37	44	(4/)	2	24.7	3	(5/)
Cimarron	70	42	28	(4/)	8	114.3	----	------
Cleveland	368	357	11	103	16	43.5	9	2.4
Coal	212	56	156	(4/)	7	33.0	2	0.9
White	202	53	149	(4/)	5	24.8	2	1.0
Other races	10	3	7	(4/)	2	200.0	----	------
Comanche	1,012	357	655	283	54	53.4	26	2.6
Rural part	488	133	355	367	18	36.9	11	2.3
Lawton	524	224	300	234	36	68.7	15	2.9
Cotton	316	80	236	(4/)	7	22.2	15	4.7
Craig	355	350	5	101	19	53.5	12	3.4
White	334	324	10	103	17	50.9	12	3.6
Other races	21	26	-5	(4/)	2	95.2	----	------
Creek	911	525	386	174	83	91.1	22	2.4
Rural part	700	380	320	184	59	84.3	16	2.3
White	663	324	339	205	50	75.4	15	2.3
Other races	37	56	-19	(4/)	9	243.2	1	(5/)
Sapulpa	211	145	66	146	24	113.7	6	2.8
White	201	116	85	173	19	94.5	3	1.5
Other races	10	29	-19	(4/)	5	(7/)	3	(5/)
Custer	514	331	183	155	26	50.6	5	1.0
Delaware	191	89	102	(4/)	9	47.1	9	4.7
White	173	82	91	(4/)	8	46.2	8	4.6
Other races	18	7	11	(4/)	-----	------	1	(5/)
Dewey	295	93	202	(4/)	15	50.8	10	3.4
Ellis	273	113	160	242	9	33.0	4	1.5
Garfield	699	486	213	144	42	60.1	31	4.4
Rural part	179	106	73	169	7	39.1	9	5.0
Enid	520	380	140	137	35	67.3	22	4.2
Garvin	825	219	606	377	27	32.7	17	2.1
Grady	964	384	580	251	43	44.6	31	3.2
Rural part	578	156	522	435	27	39.8	20	2.9
Chickasha	286	228	58	125	16	55.9	11	3.8
White	262	204	58	128	15	57.3	10	3.8
Other races	24	24	-------	(4/)	1	41.7	1	(5/)
Grant	139	78	61	(4/)	5	36.0	----	------
Greer	295	122	173	242	9	30.5	9	3.1
Harmon	316	112	204	282	10	31.6	15	4.7
Harper	105	55	50	(4/)	4	38.1	4	3.8
Haskell	313	87	226	(4/)	14	44.7	5	1.6
Hughes	575	193	382	298	22	38.3	9	1.6
White	543	159	384	342	13	23.9	7	1.3
Other races	32	34	-2	(4/)	9	281.3	2	(5/)
Jackson	488	179	309	273	21	43.0	10	2.0
Jefferson	348	143	205	243	17	48.9	13	3.7
Johnston	322	73	249	(4/)	8	24.8	9	2.8
White	300	70	230	(4/)	8	26.7	9	3.0
Other races	22	3	19	(4/)	-----	------	----	------
Kay	809	480	329	169	43	53.2	13	1.6
Rural part	496	265	231	187	21	42.3	10	2.0
Ponca City	313	215	98	146	22	70.3	3	1.0
Kingfisher	266	129	137	206	9	33.8	7	2.6
White	229	112	117	204	9	39.3	6	2.6
Other races	37	17	20	(4/)	-----	------	1	(5/)
Kiowa	503	190	313	265	25	49.7	16	3.2
Latimer	205	83	122	(4/)	11	53.7	6	2.9
Le Flore	686	278	408	247	42	61.2	17	2.5
Lincoln	906	230	376	263	34	56.1	15	2.5
White	589	209	380	282	27	45.8	13	2.2
Other races	17	21	-4	(4/)	7	411.8	2	(5/)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
OKLAHOMA—Con.								
Logan	465	301	164	154	28	60.2	21	4.5
White	374	222	152	168	15	40.1	14	3.7
Other races	91	79	12	(4/)	13	142.9	7	(5/)
Love	178	46	132	(4/)	5	28.1	7	3.9
McClain	541	120	421	451	18	33.3	13	2.4
McCurtain	576	225	351	256	36	62.5	27	4.7
White	441	169	272	261	25	56.7	19	4.3
Other races	135	56	79	(4/)	11	81.5	8	5.9
McIntosh	461	166	295	248	33	71.6	22	4.8
White	374	132	242	283	20	53.5	14	3.7
Other races	87	34	33	(4/)	13	149.4	8	(5/)
Major	241	84	157	(4/)	6	24.9	4	1.7
Marshall	205	82	123	(4/)	14	68.3	7	3.4
Mayes	329	158	171	208	24	72.9	8	2.4
White	321	143	178	224	24	74.8	7	2.2
Other races	8	15	-7	(4/)	-----	------	1	(5/)
Murray	289	144	145	201	9	31.1	8	2.8
Muskogee	988	1,032	-44	96	73	73.9	45	4.6
Rural part	357	363	-6	98	24	67.2	12	3.4
White	299	156	143	192	15	50.2	7	2.3
Other races	58	207	-149	28	9	155.2	5	(5/)
Muskogee	631	669	-38	94	49	77.7	33	5.2
White	519	433	86	120	34	65.5	26	5.0
Other races	112	236	-124	47	15	133.9	7	6.3
Noble	185	115	70	161	17	91.9	7	3.8
Nowata	252	145	107	174	20	79.4	5	2.0
White	231	115	116	201	13	56.3	5	2.2
Other races	21	30	-9	(4/)	7	333.3	----	------
Okfuskee	547	209	338	262	28	51.2	11	2.0
White	439	136	303	323	18	41.0	9	2.1
Other races	108	73	35	(4/)	10	92.6	2	1.9
Oklahoma	4,391	2,596	1,795	169	262	59.7	123	2.8
Rural part	618	342	276	181	20	32.4	10	1.6
Oklahoma City	3,773	2,254	1,519	167	242	64.1	113	3.0
White	3,477	1,986	1,491	175	218	62.7	94	2.7
Other races	296	268	28	110	24	81.1	19	6.4
Okmulgee	978	381	597	257	35	35.8	32	3.3
Rural part	622	211	411	295	19	30.5	20	3.2
White	516	173	343	298	15	29.1	18	3.5
Other races	106	38	68	(4/)	4	37.7	2	1.9
Okmulgee	356	170	186	209	16	44.9	12	3.4
White	294	123	171	239	16	54.4	8	2.7
Other races	62	47	15	(4/)	-----	------	4	(5/)
Osage	817	315	502	259	33	40.4	32	3.9
Ottawa	612	389	223	157	55	89.9	20	3.3
Pawnee	462	165	297	280	25	54.1	14	3.0
Payne	685	294	391	233	24	35.0	14	2.0
Pittsburg	817	413	404	198	29	35.5	23	2.8
Rural part	571	199	372	287	20	35.0	12	2.1
White	547	183	364	299	19	34.7	12	2.2
Other races	24	16	8	(4/)	1	41.7	----	------
McAlester	246	214	32	115	9	36.6	11	4.5
White	227	177	50	128	8	35.2	11	4.8
Other races	19	37	-18	(4/)	1	52.6	----	------
Pontotoc	760	324	436	235	41	53.9	27	3.6
Rural part	406	95	311	(4/)	14	34.5	16	3.9
Ada	354	229	125	155	27	76.3	11	3.1
Pottawatomie	1,128	482	646	234	51	45.2	30	2.7
Rural part	654	218	436	300	31	47.4	15	2.3
Shawnee	474	264	210	180	20	42.2	15	3.2
Pushmataha	440	147	293	299	30	68.2	20	4.5
White	408	127	281	321	26	63.7	20	4.9
Other races	32	20	12	(4/)	4	125.0	----	------
Roger Mills	238	63	175	(4/)	7	29.4	5	2.1
Rogers	505	236	269	214	28	55.4	11	2.2
White	364	195	169	187	22	60.4	8	2.2
Other races	141	41	100	(4/)	6	42.6	3	2.1
Seminole	1,038	453	585	229	81	78.0	24	2.3
Rural part	455	200	255	228	42	92.3	10	2.2
Seminole	583	116	217	287	17	51.1	7	2.1
Wewoka	230	117	113	182	22	86.0	7	2.8
White	215	88	127	(4/)	12	55.8	5	2.3
Other races	35	49	-14	(4/)	10	285.7	2	(5/)
Sequoyah	404	155	249	261	27	66.8	9	2.2
White	357	128	229	279	23	64.4	9	2.5
Other races	47	27	20	(4/)	4	85.1	----	------
Stephens	661	262	399	252	28	42.4	25	3.8
Texas	207	80	127	(4/)	11	53.1	----	------
Tillman	458	176	282	260	22	48.0	12	2.6
White	429	152	277	282	16	37.3	8	1.9
Other races	29	24	5	(4/)	6	206.9	4	(5/)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
OKLAHOMA—Con.								
Tulsa	2,958	1,717	1,241	172	185	62.5	103	3.5
Rural part	717	274	443	262	35	48.8	27	3.8
White	681	243	438	280	34	49.9	25	3.7
Other races	36	31	5	(4/)	1	27.8	2	(5/)
Tulsa	2,241	1,443	798	155	150	66.9	76	3.4
White	2,066	1,184	882	174	126	61.0	61	3.0
Other races	175	259	-84	68	24	137.1	15	8.6
Wagoner	450	200	250	225	35	77.8	25	5.6
White	336	119	217	282	28	83.3	16	4.8
Other races	114	81	33	(4/)	7	61.4	9	7.9
Washington	444	245	199	181	23	51.8	5	1.1
Rural part	184	93	91	(4/)	7	38.0	2	1.1
White	175	87	88	(4/)	7	40.0	2	1.1
Other races	9	6	3	(4/)	-----	------	----	------
Bartlesville	260	152	108	171	16	61.5	3	1.2
Washita	526	164	362	321	27	51.3	11	2.1
Woods	292	129	163	226	9	30.8	4	1.4
Woodward	275	292	-17	94	20	72.7	8	2.9
OREGON (total)	13,179	11,430	1,749	115	543	41.2	295	2.2
Baker	287	216	71	133	12	41.8	5	1.7
Benton	221	162	59	136	6	27.1	7	3.2
Clackamas	455	485	-30	94	17	37.4	10	2.2
Clatsop	305	239	66	128	8	26.2	9	3.0
Rural part	72	80	-8	(4/)	3	41.7	1	(5/)
Astoria	233	159	74	147	5	21.5	8	3.4
Columbia	231	132	99	175	9	39.0	2	0.9
Coos	480	287	193	167	18	37.5	13	2.7
Crook	47	29	18	(4/)	2	42.6	----	------
Curry	45	37	8	(4/)	-----	------	1	(5/)
Deschutes	252	140	112	180	12	47.6	7	2.8
Douglas	335	285	50	118	12	35.8	8	2.4
Gilliam	33	25	8	(4/)	3	90.9	----	------
Grant	72	72	-------	(4/)	9	125.0	----	------
Harney	99	60	39	(4/)	7	70.7	----	------
Hood River	169	92	77	(4/)	8	47.3	3	1.8
Jackson	475	386	89	123	21	44.2	9	1.9
Rural part	163	211	-48	77	9	55.2	6	3.7
Medford	312	175	137	178	12	38.5	3	1.0
Jefferson	15	12	3	(4/)	2	133.3	----	------
White	6	7	-1	(4/)	-----	------	----	------
Other races	9	5	4	(4/)	2	222.2	----	------
Josephine	218	194	24	112	7	32.1	6	2.8
Klamath	537	334	203	161	36	67.0	9	1.7
Rural part	155	122	33	127	9	58.1	3	1.9
Klamath Falls	382	212	170	180	27	70.7	6	1.6
Lake	87	46	41	(4/)	4	46.0	1	(5/)
Lane	813	621	192	131	37	45.5	22	2.7
Rural part	282	246	36	115	11	39.0	6	2.1
Eugene	531	375	156	142	26	49.0	16	3.0
Lincoln	180	138	42	130	6	33.3	2	1.1
Linn	389	324	65	120	25	64.3	6	1.5
Malheur	262	126	136	208	11	42.0	3	1.1
Marion	915	995	-80	92	28	30.6	24	2.6
Rural part	433	345	88	126	12	27.7	16	3.7
Salem	482	650	-168	74	16	33.2	8	1.7
Morrow	96	46	50	(4/)	7	72.9	----	------
Multnomah	4,257	4,390	-133	97	148	34.8	102	2.4
Rural part	82	370	-288	22	6	73.2	1	(5/)
Portland	4,175	4,020	155	104	142	34.0	101	2.4
Polk	187	136	51	138	8	42.8	8	4.3
Sherman	12	12	-------	(4/)	1	83.3	1	(5/)
Tillamook	179	88	91	(4/)	5	27.9	3	1.7
Umatilla	307	305	2	101	20	65.1	8	2.6
Union	257	187	70	137	14	54.5	6	2.3
Wallowa	126	55	71	(4/)	1	7.9	6	4.8
Wasco	203	187	16	109	7	34.5	3	1.5
Washington	343	300	43	114	15	43.7	4	1.2
Wheeler	25	11	14	(4/)	2	80.0	----	------
Yamhill	265	276	-11	96	15	56.6	7	2.6
PENNSYLVANIA (total)	161,166	108,555	52,611	148	8,194	50.8	5,212	3.2
Adams	707	413	294	171	27	38.2	13	1.8
Allegheny	21,212	15,114	6,098	140	1,087	51.2	686	3.2
Rural part	4,102	3,847	255	107	225	54.9	140	3.4
Bellevue	293	154	139	190	7	23.9	10	3.4
Braddock	439	269	170	163	31	70.6	26	5.9
White	368	218	150	169	21	57.1	24	6.5
Other races	71	51	20	(4/)	10	140.8	2	(5/)
Carnegie	144	92	52	(4/)	8	55.6	5	3.5

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
PENNSYLVANIA—Con.								
Allegheny—Continued								
Clairton	216	60	156	(4/)	9	41.7	6	2.8
White	180	50	130	(4/)	6	33.3	2	1.1
Other races	36	10	26	(4/)	3	83.3	4	(5/)
Coraopolis	127	65	62	(4/)	10	78.7	4	3.1
Dormont	17	82	-65	(4/)	1	58.8	1	(5/)
Duquesne	225	90	135	(4/)	10	44.4	8	3.6
Harrison (twp.)	377	171	206	220	19	50.4	14	3.7
Homestead	399	238	161	168	19	47.6	12	3.0
White	353	193	160	183	14	39.7	10	2.8
Other races	46	45	1	(4/)	5	108.7	2	(5/)
McKeesport	1,122	647	475	173	60	53.5	40	3.6
McKees Rocks	136	82	54	(4/)	8	58.8	7	5.1
Mount Lebanon (twp.)	18	82	-64	(4/)	-----	------	1	(5/)
Munhall	89	67	22	(4/)	2	22.5	2	(5/)
North Braddock	159	73	86	(4/)	2	12.6	5	3.1
Pittsburgh	12,292	8,404	3,888	146	614	50.0	370	3.0
White	11,228	7,536	3,692	149	527	46.9	317	2.8
Other races	1,064	868	196	123	87	81.8	53	5.0
Stowe (twp.)	282	118	164	239	14	49.6	9	3.2
Swissvale	92	104	-12	88	6	65.2	2	(5/)
Turtle Creek	107	60	47	(4/)	8	74.8	4	3.7
Wilkinsburg	576	409	167	141	34	59.0	20	3.5
Armstrong	1,533	688	845	223	84	54.8	35	2.3
Beaver	(19/)	(19/)	(19/)	(19/)	(19/)	(19/)	(19/)	(19/)
Rural part	1,413	896	517	158	63	44.6	55	3.9
Aliquippa	407	150	257	271	28	68.8	9	2.2
Ambridge	280	70	210	(4/)	4	14.3	4	1.4
Beaver Falls	304	186	118	163	14	46.1	9	3.0
Elwood City (part)	(19/)	(19/)	(19/)	(19/)	(19/)	(19/)	(19/)	(19/)
Bedford	801	474	327	169	52	64.9	32	4.0
Berks	3,483	2,862	621	122	191	54.8	117	3.4
Rural part	2,100	1,627	473	129	118	56.2	63	3.0
Reading	1,383	1,235	148	112	73	52.8	54	3.9
Blair	2,495	1,576	919	158	138	55.3	77	3.1
Rural part	1,057	637	420	166	56	53.0	31	2.9
Altoona	1,438	939	499	153	82	57.0	46	3.2
Bradford	935	780	155	120	54	57.8	45	4.8
Bucks	1,263	1,001	262	126	59	46.7	31	2.5
Rural part	1,026	901	125	114	48	46.8	24	2.3
Bristol	237	100	137	237	11	46.4	7	3.0
Butler	1,448	852	596	170	75	51.8	50	3.5
Rural part	1,173	663	510	177	61	52.0	40	3.4
Butler	275	189	86	146	14	50.9	10	3.6
Cambria	4,380	2,020	2,360	217	221	50.5	133	3.0
Rural part	2,619	1,140	1,479	230	138	52.7	85	3.2
Johnstown	1,761	880	881	200	83	47.1	48	2.7
Cameron	81	62	19	(4/)	3	37.0	4	(5/)
Carbon	885	599	286	148	38	42.9	24	2.7
Centre	1,147	587	560	195	70	61.0	47	4.1
Chester	2,167	1,516	651	143	125	57.7	61	2.8
Rural part	1,133	979	154	116	71	62.7	33	2.9
Coatesville	147	104	43	141	4	27.2	6	4.1
White	116	86	30	(4/)	2	17.2	3	2.6
Other races	31	18	13	(4/)	2	64.5	3	(5/)
Phoenixville	243	130	113	187	14	57.6	7	2.9
West Chester	644	303	341	213	36	55.9	15	2.3
White	556	251	305	222	30	54.0	11	2.0
Other races	88	52	36	(4/)	6	68.2	4	(5/)
Clarion	751	332	419	226	40	53.3	15	2.0
Clearfield	1,923	852	1,071	226	104	54.1	72	3.7
Rural part	1,597	678	919	236	86	53.9	60	3.8
Du Bois	326	174	152	187	18	55.2	12	3.7
Clinton	692	387	305	179	43	62.1	21	3.0
Columbia	846	593	253	143	44	52.0	25	3.0
Rural part	597	464	133	129	32	53.6	15	2.5
Berwick	249	129	120	193	12	48.2	10	4.0
Crawford	1,229	939	290	131	64	52.1	33	2.7
Rural part	669	603	66	111	32	47.8	22	3.3
Meadville	560	336	224	167	32	57.1	11	2.0
Cumberland	1,099	781	318	141	48	43.7	28	2.5
Rural part	719	500	219	131	29	40.3	13	1.8
Carlisle	380	281	149	160	19	50.0	15	3.9
Dauphin	2,504	2,176	328	115	121	48.3	94	3.8
Rural part	1,005	789	216	127	36	35.8	27	2.7
Harrisburg	1,363	1,295	68	105	83	60.9	56	4.8
Steelton	136	92	44	(4/)	2	14.7	1	0.7
White	116	74	42	(4/)	1	8.6	1	0.9
Other races	20	18	2	(4/)	1	50.0	----	------
Delaware	3,245	2,517	728	129	154	47.5	100	3.1
Rural part	1,676	1,379	297	122	77	45.9	43	2.6
Haverford (twp.)	69	143	-74	48	-----	------	2	(5/)
Upper Darby (twp.)	408	373	35	109	19	46.6	13	3.2
Chester	1,092	622	470	176	58	53.1	42	3.8
White	883	479	404	184	38	43.0	28	3.2
Other races	209	143	66	146	20	95.7	14	6.7

See footnotes at end of table.

BIRTHS, STILLBIRTHS, AND INFANT MORTALITY

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
PENNSYLVANIA—Con.								
Elk	701	364	337	193	38	54.2	15	2.1
Erie	2,864	1,949	915	147	130	45.4	80	2.8
Rural part	786	669	117	117	44	56.0	15	1.9
Erie	2,078	1,280	798	162	86	41.4	65	3.1
Fayette	3,917	1,759	2,158	223	207	52.8	180	4.6
Rural part	3,081	1,196	1,885	258	162	52.6	129	4.2
Connellsville	396	191	205	207	20	50.5	21	5.3
Uniontown	440	372	68	118	25	56.8	30	6.8
Forest	111	54	57	(4/)	5	45.0	4	3.6
Franklin	1,293	832	461	155	61	47.2	42	3.2
Rural part	697	480	217	145	34	48.8	16	2.3
Chambersburg	355	200	155	178	21	59.2	16	4.5
Waynesboro	241	152	89	159	6	24.9	10	4.1
Fulton	235	93	142	(4/)	12	51.1	8	3.4
Greene	878	396	482	222	56	63.8	34	3.9
Huntingdon	853	477	376	179	46	53.9	31	3.6
Indiana	1,629	666	963	245	57	35.0	61	3.7
Jefferson	1,091	587	504	186	63	57.7	32	2.9
Juniata	279	122	157	229	11	39.4	9	3.2
Lackawanna	5,220	3,534	1,686	148	314	60.2	199	3.8
Rural part	1,129	773	356	146	60	53.1	43	3.8
Carbondale	492	334	158	147	41	83.3	21	4.3
Dickson City	167	59	108	(4/)	8	47.9	5	3.0
Dunmore	227	220	7	103	41	180.6	11	4.8
Old Forge	153	103	50	149	10	65.4	3	2.0
Olyphant	107	58	49	(4/)	3	28.0	4	3.7
Scranton	2,725	1,878	847	145	143	52.5	98	3.6
Taylor	220	109	111	202	8	36.4	14	6.4
Lancaster	3,699	2,409	1,290	154	158	42.7	102	2.8
Rural part	2,086	1,307	779	160	73	35.0	50	2.4
Columbia	199	130	69	153	14	70.4	7	3.5
Lancaster	1,414	972	442	145	71	50.2	45	3.2
Lawrence	(19/)	(19/)	(19/)	(19/)	(19/)	(19/)	(19/)	(19/)
Rural part	454	295	159	154	23	50.7	9	2.0
Elwood City 19/	262	96	166	(4/)	4	15.3	3	1.1
New Castle	978	552	426	177	47	48.1	32	3.3
Lebanon	1,232	762	470	162	74	60.1	42	3.4
Rural part	630	355	275	177	39	61.9	22	3.5
Lebanon	602	407	195	148	35	58.1	20	3.3
Lehigh	(20/)	(20/)	(20/)	(20/)	(20/)	(20/)	(20/)	(20/)
Rural part	1,340	742	598	181	73	54.5	55	4.1
Allentown	1,733	1,407	326	123	97	56.0	78	4.5
Bethlehem (part)	(20/)	(20/)	(20/)	(20/)	(20/)	(20/)	(20/)	(20/)
Luzerne	7,974	4,565	3,409	175	376	47.2	244	3.1
Rural part	2,945	1,682	1,263	175	133	45.2	77	2.6
Hanover (twp.)	200	122	78	164	7	35.0	4	2.0
Hazleton	1,041	508	533	205	42	40.3	31	3.0
Kingston	436	261	175	167	19	43.6	11	2.5
Nanticoke	549	321	228	171	32	58.3	27	4.9
Pittston	245	198	47	124	19	77.6	6	2.4
Plains (twp.)	170	98	72	(4/)	8	47.1	5	2.9
Plymouth	204	126	78	162	16	78.4	7	3.4
Wilkes-Barre	2,184	1,249	935	175	100	45.8	76	3.5
Lycoming	1,623	1,158	465	140	78	48.1	40	2.5
Rural part	641	490	151	131	21	32.8	15	2.3
Williamsport	982	668	314	147	57	58.0	25	2.5
McKean	999	701	298	143	64	64.1	35	3.5
Rural part	586	423	163	139	40	68.3	19	3.2
Bradford	413	278	135	149	24	58.1	16	3.9
Mercer	1,683	1,118	565	151	90	53.5	43	2.6
Rural part	952	731	221	130	52	54.6	28	2.9
Farrell	153	68	85	(4/)	5	32.7	1	0.7
White	134	55	79	(4/)	4	29.9	1	0.7
Other races	19	13	6	(4/)	1	52.6	----	------
Sharon	578	319	259	181	33	57.1	14	2.4
Mifflin	947	467	480	203	51	53.9	42	4.4
Rural part	704	340	364	207	46	65.3	32	4.5
Lewistown	243	127	116	191	5	20.6	10	4.1
Monroe	491	381	110	129	21	42.8	20	4.1
Montgomery	3,665	3,101	564	118	193	52.7	113	3.1
Rural part	1,146	1,101	45	104	70	61.1	25	2.2
Abington (twp.)	686	381	305	180	31	45.2	30	4.4
Cheltenham (twp.)	20	115	-95	17	-----	------	2	(5/)
Conshohocken	90	68	22	(4/)	6	66.7	2	(5/)
Lower Merion (twp.)	542	374	168	145	24	44.3	20	3.7
Norristown	798	762	36	105	37	46.4	16	2.0
Pottstown	383	300	83	128	25	65.3	18	4.7
Montour	494	489	5	101	26	52.6	21	4.3
Northampton	(20/)	(20/)	(20/)	(20/)	(20/)	(20/)	(20/)	(20/)
Rural part	1,546	1,053	493	147	80	51.7	50	3.2
Bethlehem 20/	462	380	82	122	15	32.5	14	3.0
Easton	353	307	46	115	7	19.8	12	3.4
Northumberland	1,911	1,327	584	144	122	63.8	56	2.9
Rural part	1,201	756	445	159	83	69.1	33	2.7
Mount Carmel	201	129	72	156	11	54.7	4	2.0
Shamokin	217	184	33	118	14	64.5	7	3.2
Sunbury	292	258	34	113	14	47.9	12	4.1
Perry	378	273	105	138	14	37.0	13	3.4
Philadelphia, coextensive with:								
Philadelphia	29,944	24,118	5,826	124	1,453	48.5	894	3.0
White	25,469	20,634	4,835	123	1,118	43.9	683	2.7
Other races	4,475	3,484	991	128	335	74.9	211	4.7
Pike	57	93	-36	(4/)	5	87.7	4	(5/)
Potter	305	212	93	144	17	55.7	10	3.3
Schuylkill	4,399	2,727	1,672	161	249	56.6	147	3.3
Rural part	3,211	1,858	1,353	173	171	53.3	98	3.1
Mahanoy City	150	113	37	133	5	33.3	2	1.3
Pottsville	683	490	193	139	51	74.7	40	5.9
Shenandoah	262	158	104	166	16	61.1	2	0.8
Tamaqua	93	108	-15	86	6	64.5	5	(5/)
Snyder	356	201	155	177	13	36.5	11	3.1
Somerset	1,828	755	1,073	242	87	47.6	61	3.3
Sullivan	113	88	25	(4/)	12	106.2	3	2.7
Susquehanna	521	411	110	127	21	40.3	22	4.2
Tioga	622	479	143	130	45	72.3	25	4.0
Union	296	259	37	114	9	30.4	10	3.4
Venango	1,131	775	356	146	60	53.1	27	2.4
Rural part	585	393	192	149	31	53.0	16	2.7
Franklin	139	118	21	118	8	57.6	2	1.4
Oil City	407	264	143	154	21	51.6	9	2.2
Warren	637	659	-22	97	20	31.4	20	3.1
Rural part	236	470	-234	50	8	33.9	9	3.8
Warren	401	189	212	212	12	29.9	11	2.7
Washington	3,674	1,902	1,772	193	205	55.8	137	3.7
Rural part	2,438	1,249	1,189	195	134	55.0	88	3.6
Canonsburg	346	128	218	270	17	49.1	14	4.0
Charleroi	118	63	55	(4/)	3	25.4	6	5.1
Donora	191	70	121	(4/)	10	52.4	5	2.6
Washington	581	392	189	148	41	70.6	24	4.1
Wayne	413	378	35	109	16	38.7	11	2.7
Westmoreland	5,078	2,618	2,460	194	262	51.6	187	3.7
Rural part	2,969	1,607	1,362	185	147	49.5	98	3.3
Arnold	164	54	110	(4/)	8	48.8	6	3.7
Greensburg	524	311	213	168	26	49.6	27	5.2
Jeannette	193	99	94	(4/)	7	36.3	6	3.1
Latrobe	290	150	140	193	17	58.6	16	5.5
Monessen	309	100	209	309	16	51.8	12	3.9
New Kensington	482	229	253	210	33	68.5	18	3.7
Vandergrift	147	68	79	(4/)	8	54.4	4	2.7
Wyoming	250	189	61	132	9	36.0	7	2.8
York	3,017	1,852	1,165	163	147	48.7	97	3.2
Rural part	1,583	935	648	169	78	49.3	47	3.0
Hanover	363	176	187	206	19	52.3	9	2.5
York	1,071	741	330	145	50	46.7	41	3.8
RHODE ISLAND (total)	10,215	7,838	2,377	130	482	47.2	293	2.9
Bristol	218	167	51	131	8	36.7	6	2.8
Rural part	96	88	8	(4/)	4	41.7	3	(5/)
Bristol (town)	122	79	43	(4/)	4	32.8	3	2.5
Kent	489	475	14	103	19	38.9	18	3.7
Rural part	118	99	19	(4/)	2	16.9	3	2.5
Warwick	134	243	-109	55	10	74.6	5	3.7
West Warwick (town)	237	133	104	178	7	29.5	10	4.2
Newport	546	513	33	106	23	42.1	13	2.4
Rural part	121	167	-46	72	1	8.3	3	2.5
Newport	425	346	79	123	22	51.8	10	2.4
Providence	8,434	6,285	2,149	134	398	47.2	242	2.9
Rural part	231	331	-100	70	13	56.3	9	3.9
Central Falls	408	209	199	195	20	49.0	15	3.7
Cranston	272	872	-600	31	22	80.9	10	3.7
Cumberland (town)	91	83	8	(4/)	4	44.0	4	(5/)
East Providence (town)	183	208	-25	88	10	54.6	3	1.6
Lincoln (town)	90	84	6	(4/)	4	44.4	5	(5/)
North Providence (town)	56	67	-11	(4/)	2	35.7	1	(5/)
Pawtucket	1,070	764	306	140	56	52.3	28	2.6
Providence	5,192	3,166	2,026	164	213	41.0	137	2.6
Woonsocket	841	501	340	168	54	64.2	30	3.6
Washington	528	398	130	133	34	64.4	14	2.7
Rural part	253	230	23	110	21	83.0	10	4.0
Westerly (town)	275	168	107	164	13	47.3	4	1.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
SOUTH CAROLINA (total)	40,598	20,353	20,245	199	3,219	79.3	2,474	6.1
Abbeville	473	230	243	206	35	74.0	25	5.3
White	201	112	189	179	15	74.6	10	5.0
Other races	272	118	154	231	20	73.5	15	5.5
Aiken	917	541	376	170	75	81.8	40	4.4
White	471	256	215	184	39	82.8	16	3.4
Other races	446	285	161	156	36	80.7	24	5.4
Allendale	293	157	136	187	14	47.8	24	8.2
White	42	42	-------	(4/)	4	95.2	2	(5/)
Other races	251	115	136	218	10	39.8	22	8.8
Anderson	1,862	783	1,079	238	118	63.4	71	3.8
Rural part	1,260	445	815	283	69	54.8	46	3.7
White	834	268	566	311	39	46.8	27	3.2
Other races	426	177	249	241	30	70.4	19	4.5
Anderson	602	338	264	178	49	81.4	25	4.2
White	521	219	302	238	32	61.4	18	3.5
Other races	81	119	-38	68	17	209.9	7	(5/)
Bamberg	404	214	190	189	24	59.4	31	7.7
White	105	76	29	(4/)	6	57.1	6	5.7
Other races	299	138	161	217	18	60.2	25	8.4
Barnwell	474	181	293	262	27	57.0	35	7.4
White	110	54	56	(4/)	8	72.7	4	3.6
Other races	364	127	237	287	19	52.2	31	8.5
Beaufort	485	356	129	136	51	105.2	66	13.6
White	75	41	34	(4/)	2	26.7	3	(5/)
Other races	410	315	95	130	49	119.5	63	15.4
Berkeley	712	358	354	199	86	120.8	48	6.7
White	151	72	79	(4/)	10	66.2	6	4.0
Other races	561	286	275	196	76	135.5	42	7.5
Calhoun	490	243	247	202	60	122.4	47	9.6
White	69	30	39	(4/)	1	14.5	4	(5/)
Other races	421	213	208	198	59	140.1	43	10.2
Charleston	2,573	1,808	765	142	249	96.8	266	10.3
Rural part	765	576	189	133	95	124.2	76	9.9
White	130	101	29	129	3	23.1	4	3.1
Other races	635	475	160	134	92	144.9	72	11.3
Charleston	1,808	1,232	576	147	154	85.2	190	10.5
White	789	468	321	169	25	31.7	19	2.4
Other races	1,019	764	255	133	129	126.6	171	16.8
Cherokee	768	296	472	259	43	56.0	35	4.6
White	593	184	409	322	32	54.0	20	3.4
Other races	175	112	63	156	11	62.9	15	8.6
Chester	742	303	439	245	29	39.1	37	5.0
White	324	126	198	257	5	15.4	15	4.6
Other races	418	177	241	236	24	57.4	22	5.3
Chesterfield	859	294	565	292	59	68.7	40	4.7
White	457	141	316	324	19	41.6	14	3.1
Other races	402	153	249	263	40	99.5	26	6.5
Clarendon	727	370	357	196	96	132.0	28	3.9
White	153	64	89	(4/)	13	85.0	6	3.9
Other races	574	306	268	188	83	144.6	22	3.8
Colleton	614	328	286	187	39	63.5	45	7.3
White	190	153	37	124	7	36.8	13	6.8
Other races	424	175	249	242	32	75.5	32	7.5
Darlington	1,161	430	731	270	101	87.0	86	7.4
White	484	163	321	297	33	68.2	20	4.1
Other races	677	267	410	254	68	100.4	66	9.7
Dillon	736	281	455	262	58	78.8	27	3.7
White	344	117	227	294	28	81.4	8	2.3
Other races	392	164	228	239	30	76.5	19	4.8
Dorchester	484	240	244	202	37	76.4	51	10.5
White	167	88	79	(4/)	6	35.9	5	3.0
Other races	317	152	165	209	31	97.8	46	14.5
Edgefield	426	221	205	193	35	82.2	23	5.4
White	87	56	31	(4/)	4	46.0	4	(5/)
Other races	339	165	174	205	31	91.4	19	5.6
Fairfield	687	212	475	324	37	53.9	32	4.7
White	185	69	116	(4/)	8	43.2	9	4.9
Other races	502	143	359	351	29	57.8	23	4.6
Florence	1,647	981	666	168	202	122.6	136	8.3
Rural part	1,251	513	738	244	139	111.1	83	6.6
White	577	205	372	281	46	79.7	16	2.8
Other races	674	308	366	219	93	138.0	67	9.9
Florence	396	468	-72	85	63	159.1	53	13.4
White	243	254	-11	96	42	172.8	25	10.3
Other races	153	214	-61	71	21	137.3	28	18.3
Georgetown	615	253	362	243	46	74.8	39	6.3
White	162	51	111	(4/)	7	43.2	11	6.8
Other races	453	202	251	224	39	86.1	28	6.2
Greenville	2,281	1,271	1,010	179	180	78.9	102	4.5
Rural part	1,751	712	1,039	246	104	59.4	61	3.5
White	1,465	564	901	260	83	56.7	44	3.0
Other races	286	148	138	193	21	73.4	17	5.9
Greenville	530	559	-29	95	76	143.4	41	7.7
White	293	303	-10	97	48	163.8	19	6.5
Other races	237	256	-19	93	28	118.1	22	9.3

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
SOUTH CAROLINA—Con.								
Greenwood	626	384	242	163	30	47.9	19	3.0
Rural part	489	187	302	261	18	36.8	16	3.3
White	246	93	153	(4/)	6	24.4	5	2.0
Other races	243	94	149	(4/)	12	49.4	11	4.5
Greenwood	137	197	-60	70	12	87.6	3	2.2
White	106	102	4	104	6	56.6	1	0.9
Other races	31	95	-64	(4/)	6	193.5	2	(5/)
Hampton	356	250	106	142	35	98.3	30	8.4
White	95	69	26	(4/)	4	42.1	3	(5/)
Other races	261	181	80	144	31	118.8	27	10.3
Horry	1,467	429	1,038	342	88	60.0	78	5.3
White	1,101	287	814	384	54	49.0	34	3.1
Other races	366	142	224	258	34	92.9	44	12.0
Jasper	255	117	138	218	18	70.6	28	11.0
White	70	28	42	(4/)	2	28.6	3	(5/)
Other races	185	89	96	(4/)	16	86.5	25	13.5
Kershaw	578	215	363	269	27	46.7	30	5.2
White	172	103	69	167	14	81.4	8	4.7
Other races	406	112	294	363	13	32.0	22	5.4
Lancaster	750	253	497	296	32	42.7	27	3.6
White	508	140	368	363	18	35.4	14	2.8
Other races	242	113	129	214	14	57.9	13	5.4
Laurens	714	377	337	189	47	65.8	25	3.5
White	351	206	145	170	25	71.2	15	4.3
Other races	363	171	192	212	22	60.6	10	2.8
Lee	638	226	412	282	47	73.7	67	10.5
White	129	47	82	(4/)	5	38.9	8	6.2
Other races	509	179	330	284	42	82.5	59	11.6
Lexington	665	350	315	190	70	105.3	51	7.7
White	445	239	206	186	44	98.9	25	5.6
Other races	220	111	109	198	26	118.2	26	11.8
McCormick	289	120	169	241	13	45.0	14	4.8
White	54	34	20	(4/)	4	74.1	2	(5/)
Other races	235	86	149	(4/)	9	38.3	12	5.1
Marion	771	297	474	260	62	80.4	43	5.6
White	333	111	222	300	15	45.0	14	4.2
Other races	438	186	252	235	47	107.3	29	6.6
Marlboro	878	412	466	213	88	100.2	57	6.5
White	357	169	188	211	34	95.2	17	4.8
Other races	521	243	278	214	54	103.6	40	7.7
Newberry	704	320	384	220	54	76.7	33	4.7
White	332	157	175	211	22	66.3	12	3.6
Other races	372	163	209	228	32	86.0	21	5.6
Oconee	770	309	461	249	65	84.4	41	5.3
White	636	229	407	278	43	67.6	34	5.3
Other races	134	80	54	(4/)	22	164.2	7	5.2
Orangeburg	1,562	756	806	207	170	108.8	131	8.4
White	372	222	150	168	28	75.3	20	5.4
Other races	1,190	534	656	223	142	119.3	111	9.3
Pickens	916	297	619	308	30	32.8	30	3.3
White	793	232	561	342	24	30.3	23	2.9
Other races	123	65	58	(4/)	6	48.8	7	5.7
Richland	1,445	1,718	-273	84	123	85.1	90	6.2
Rural part	591	440	151	134	40	67.7	31	5.2
White	134	182	-48	74	10	74.6	4	3.0
Other races	457	258	199	177	30	65.6	27	5.9
Columbia	854	1,278	-424	67	83	97.2	59	6.9
White	534	687	-153	78	46	86.1	23	4.3
Other races	320	591	-271	54	37	115.6	36	11.3
Saluda	322	130	192	248	22	68.3	19	5.9
White	149	65	84	(4/)	10	67.1	13	8.7
Other races	173	65	108	(4/)	12	69.4	6	3.5
Spartanburg	2,375	1,105	1,270	215	171	72.0	108	4.5
Rural part	1,552	508	1,044	306	96	61.9	52	3.4
White	1,167	351	816	332	62	53.1	24	2.1
Other races	385	157	228	245	34	88.3	28	7.3
Spartanburg	823	597	226	138	75	91.1	56	6.8
White	526	360	166	174	53	84.7	26	4.2
Other races	197	237	-40	83	22	111.7	30	15.2
Sumter	1,232	663	569	186	127	103.1	71	5.8
Rural part	1,027	391	636	263	97	94.4	57	5.6
White	182	68	114	(4/)	13	71.4	3	1.6
Other races	845	323	522	262	84	99.4	54	6.4
Sumter	205	272	-67	75	30	146.3	14	6.8
White	95	112	-17	85	9	94.7	3	(5/)
Other races	110	160	-50	69	21	190.9	11	10.0
Union	655	242	413	271	27	41.2	18	2.7
White	399	172	227	232	22	55.1	7	1.8
Other races	256	70	186	(4/)	5	19.5	11	4.3
Williamsburg	1,078	408	670	264	91	84.4	73	6.8
White	280	103	177	272	19	67.9	14	5.0
Other races	798	305	493	262	72	90.2	59	7.4

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
SOUTH CAROLINA—Con.								
York	1,122	624	498	180	81	72.2	57	5.1
Rural part	874	416	458	210	58	66.4	49	5.6
White	473	196	277	241	34	71.9	14	3.0
Other races	401	220	181	182	24	59.9	35	8.7
Rock Hill	248	208	40	119	23	92.7	8	3.2
White	229	113	116	203	15	65.5	5	2.2
Other races	19	95	-76	(4/)	8	421.1	3	(5/)
SOUTH DAKOTA (total)	12,850	6,316	6,534	203	674	52.5	342	2.7
Armstrong	-----	------	-------	------	-----	-----	----	------
Aurora	78	44	34	(4/)	5	64.1	4	(5/)
Beadle	375	213	162	176	17	45.3	18	4.8
Rural part	113	50	63	(4/)	4	35.4	3	2.7
Huron	262	163	99	161	13	49.6	15	5.7
Bennett	96	31	65	(4/)	5	52.1	2	(5/)
White	86	15	71	(4/)	3	34.9	----	------
Other races	10	16	-6	(4/)	2	200.0	2	(5/)
Bon Homme	164	80	84	(4/)	14	85.4	5	3.0
Brookings	273	159	114	172	12	44.0	6	2.2
Brown	522	289	233	181	29	55.6	15	2.9
Rural part	95	58	37	(4/)	7	73.7	4	(5/)
Aberdeen	427	231	196	185	22	51.5	11	2.6
Brule	122	64	58	(4/)	4	32.8	4	3.3
Buffalo	45	26	19	(4/)	6	133.3	2	(5/)
White	6	1	5	(4/)	-----	------	----	------
Other races	39	25	14	(4/)	6	153.8	2	(5/)
Butte	235	99	136	(4/)	15	63.8	6	2.6
Campbell	116	34	82	(4/)	5	43.1	3	2.6
Charles Mix	277	116	161	239	14	50.5	8	2.9
Clark	147	56	91	(4/)	5	34.0	6	4.1
Clay	151	65	86	(4/)	8	53.0	3	2.0
Codington	399	192	207	208	23	57.6	18	4.5
Rural part	77	26	51	(4/)	3	39.0	2	(5/)
Watertown	322	166	156	194	20	62.1	16	5.0
Corson	163	86	77	(4/)	16	98.2	6	3.7
White	142	35	107	(4/)	7	49.3	6	4.2
Other races	21	51	-30	(4/)	9	428.6	----	------
Custer	95	62	33	(4/)	2	21.1	3	(5/)
Davison	448	252	196	178	18	40.2	18	4.0
Rural part	51	27	24	(4/)	----	------	2	(5/)
Mitchell	397	225	172	176	18	45.3	16	4.0
Day	297	115	182	258	12	40.4	6	2.0
Deuel	125	57	68	(4/)	7	56.0	1	0.8
Dewey	167	61	106	(4/)	11	65.9	2	1.2
White	78	23	55	(4/)	5	64.1	1	(5/)
Other races	89	38	51	(4/)	6	67.4	1	(5/)
Douglas	104	38	66	(4/)	5	48.1	4	3.8
Edmunds	199	55	144	(4/)	11	55.3	6	3.0
Fall River	208	169	39	123	8	38.5	10	4.8
Faulk	117	56	61	(4/)	5	42.7	2	1.7
Grant	193	83	110	(4/)	8	41.5	4	2.1
Gregory	187	85	102	(4/)	13	69.5	1	0.5
Haakon	63	32	31	(4/)	5	79.4	1	(5/)
Hamlin	134	69	65	(4/)	4	29.9	3	2.2
Hand	145	63	82	(4/)	4	27.6	3	2.1
Hanson	86	43	43	(4/)	3	34.9	1	(5/)
Harding	47	30	17	(4/)	4	85.1	3	(5/)
Hughes	233	133	100	175	14	60.1	6	2.6
Hutchinson	220	93	127	(4/)	12	54.5	10	4.5
Hyde	65	26	39	(4/)	2	30.8	3	(5/)
Jackson	40	8	32	(4/)	1	25.0	----	------
Jerauld	96	26	70	(4/)	2	20.8	1	(5/)
Jones	65	21	44	(4/)	1	15.4	1	(5/)
Kingsbury	155	85	70	(4/)	2	12.9	4	2.6
Lake	250	97	153	(4/)	11	44.0	9	3.6
Lawrence	432	228	204	189	25	57.9	6	1.4
Lincoln	216	104	112	208	7	32.4	5	2.3
Lyman	59	27	32	(4/)	1	16.9	1	(5/)
McCook	170	69	101	(4/)	6	35.3	5	2.9
McPherson	211	63	148	(4/)	15	71.1	8	3.8
Marshall	250	106	144	236	18	72.0	8	3.2
Meade	228	92	136	(4/)	4	17.5	6	2.6
Mellette	67	30	37	(4/)	7	104.5	3	(5/)
White	42	11	31	(4/)	-----	------	2	(5/)
Other races	25	19	6	(4/)	7	280.0	1	(5/)
Miner	127	86	41	(4/)	7	55.1	5	3.9
Minnehaha	1,029	562	467	183	50	48.6	17	1.7
Rural part	199	133	66	150	10	50.3	4	2.0
Sioux Falls	830	429	401	193	40	48.2	13	1.6
Moody	129	82	47	(4/)	7	54.3	2	1.6
Pennington	524	260	264	202	31	59.2	15	2.9
Rural part	123	64	59	(4/)	10	81.3	3	2.4
Rapid City	401	196	205	205	21	52.4	12	3.0
Perkins	135	58	77	(4/)	10	74.1	3	2.2
Potter	82	51	31	(4/)	6	73.2	2	(5/)
Roberts	306	137	169	223	17	55.6	6	2.0
Sanborn	65	37	28	(4/)	2	30.8	2	(5/)
Shannon	179	104	75	172	21	117.3	2	1.1
White	21	6	15	(4/)	4	190.5	----	------
Other races	158	98	60	(4/)	17	107.6	2	1.3
Spink	215	150	65	143	10	46.5	3	1.4
Stanley	18	17	1	(4/)	2	111.1	2	(5/)
Sully	49	16	33	(4/)	1	20.4	2	(5/)
Todd	176	57	119	(4/)	15	85.2	6	3.4
White	50	10	40	(4/)	3	60.0	2	(5/)
Other races	126	47	79	(4/)	12	95.2	4	3.2
Tripp	215	86	129	(4/)	16	74.4	3	1.4
Turner	229	72	157	(4/)	8	34.9	5	2.2
Union	187	62	125	(4/)	7	37.4	2	1.1
Walworth	158	67	91	(4/)	3	19.0	4	2.5
Washabaugh	39	22	17	(4/)	5	128.2	----	------
White	18	5	13	(4/)	-----	------	----	------
Other races	21	17	4	(4/)	5	238.1	----	------
Washington	23	14	9	(4/)	3	130.4	----	------
White	-----	------	-------	------	-----	------	----	------
Other races	23	14	9	(4/)	3	130.4	----	------
Yankton	343	324	19	106	20	58.3	7	2.0
Ziebach	87	20	67	(4/)	7	80.5	4	(5/)
White	72	15	57	(4/)	5	69.4	2	(5/)
Other races	15	5	10	(4/)	2	133.3	2	(5/)
TENNESSEE (total)	53,314	30,002	23,312	178	3,414	64.0	2,159	4.0
Anderson	679	192	487	354	47	69.2	25	3.7
Bedford	345	251	94	137	30	87.0	15	4.3
White	290	200	90	145	22	75.9	13	4.5
Other races	55	51	4	(4/)	8	145.5	2	(5/)
Benton	214	117	97	183	12	56.1	7	3.3
Bledsoe	163	39	124	(4/)	3	18.4	10	6.1
Blount	795	302	493	263	61	76.7	29	3.6
Bradley	648	258	390	251	39	60.2	28	4.3
Campbell	758	156	602	486	35	46.2	30	4.0
Cannon	176	92	84	(4/)	10	56.8	8	4.5
Carroll	418	255	163	164	20	47.8	9	2.2
White	356	198	158	180	15	42.1	4	1.1
Other races	62	57	5	(4/)	5	80.6	5	(5/)
Carter	624	249	375	251	44	70.5	26	4.2
Cheatham	168	66	102	(4/)	3	17.9	3	1.8
Chester	173	98	75	(4/)	10	57.8	3	1.7
White	160	75	85	(4/)	7	43.8	2	1.3
Other races	13	23	-10	(4/)	3	230.8	1	(5/)
Claiborne	405	111	294	365	24	59.3	8	2.0
Clay	192	51	141	(4/)	8	41.7	7	3.6
Cocke	543	250	288	213	39	71.8	27	5.0
Coffee	320	158	162	203	23	71.9	9	2.8
Crockett	324	138	186	235	10	30.9	15	4.6
White	286	100	186	286	6	21.0	12	4.2
Other races	38	38	-------	(4/)	4	105.3	3	(5/)
Cumberland	316	81	235	(4/)	11	34.8	5	1.6
Davidson	4,325	3,572	753	121	294	68.0	187	4.3
Rural part	995	839	156	119	42	42.2	24	2.4
White	915	632	283	145	36	39.3	19	2.1
Other races	80	207	-127	39	6	75.0	5	(5/)
Nashville	3,330	2,733	597	122	252	75.7	163	4.9
White	2,478	1,764	714	140	184	74.3	98	4.0
Other races	852	969	-117	88	68	79.8	65	7.6
Decatur	189	70	119	(4/)	7	37.0	3	1.6
De Kalb	290	142	148	204	20	69.0	12	4.1
Dickson	373	150	223	249	8	21.4	10	2.7
Dyer	649	412	237	158	50	77.0	30	4.6
White	605	333	272	182	45	74.4	28	4.6
Other races	44	79	-35	(4/)	5	113.6	2	(5/)
Fayette	597	261	336	229	38	63.7	33	5.5
White	138	81	57	(4/)	5	36.2	4	2.9
Other races	459	180	279	255	33	71.9	29	6.3
Fentress	264	46	218	(4/)	18	68.2	10	3.8
Franklin	446	218	228	205	29	65.0	17	3.8
White	406	184	222	221	23	56.7	16	3.9
Other races	40	34	6	(4/)	6	150.0	1	(5/)
Gibson	872	434	438	201	47	53.9	39	4.5
White	727	344	383	211	39	53.6	34	4.7
Other races	145	90	55	(4/)	8	55.2	5	3.4

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TENNESSEE—Con.								
Giles	579	290	289	200	36	62.2	22	3.8
White	439	193	246	227	22	50.1	11	2.5
Other races	140	97	43	(4/)	14	100.0	11	7.9
Grainger	275	110	165	250	17	61.8	8	2.9
Greene	823	342	481	241	50	60.8	34	4.1
Grundy	233	58	175	(4/)	13	55.8	13	5.6
Hamblen	362	183	179	198	38	105.0	18	5.0
White	335	155	180	216	32	95.5	16	4.8
Other races	27	28	-1	(4/)	6	222.2	2	(5/)
Hamilton	2,824	2,233	591	126	211	74.7	154	5.5
Rural part	572	346	226	165	25	43.7	17	3.0
Chattanooga	2,252	1,887	365	119	186	82.6	137	6.1
White	1,742	1,122	620	155	125	71.8	85	4.9
Other races	510	765	-255	67	61	119.6	52	10.2
Hancock	219	65	54	(4/)	11	50.2	4	1.8
Hardeman	454	396	58	115	23	50.7	10	2.2
White	286	229	57	125	11	38.5	9	3.1
Other races	168	167	1	101	12	71.4	1	0.6
Hardin	236	161	75	147	25	105.9	7	3.0
Hawkins	515	133	382	387	25	48.5	24	4.7
Haywood	483	329	154	147	44	91.1	21	4.3
White	173	116	57	149	12	69.4	6	3.5
Other races	310	213	97	146	32	103.2	15	4.8
Henderson	321	165	156	195	19	59.2	9	2.8
Henry	379	262	117	145	20	52.8	21	5.5
White	321	200	121	161	16	49.8	17	5.3
Other races	58	62	-4	(4/)	4	69.0	4	(5/)
Hickman	353	114	239	310	12	34.0	14	4.0
Houston	130	42	88	(4/)	3	23.1	5	3.8
Humphreys	266	109	157	244	16	60.2	11	4.1
Jackson	339	85	254	(4/)	17	50.1	16	4.7
Jefferson	363	204	159	178	32	88.2	18	5.0
Johnson	317	90	227	(4/)	17	53.6	10	3.2
Knox	2,989	1,995	994	150	205	68.6	113	3.8
Rural part	855	575	280	149	51	59.6	22	2.6
Knoxville	2,134	1,420	714	150	154	72.2	91	4.3
White	1,844	1,127	717	164	132	71.6	70	3.8
Other races	290	293	-3	99	22	75.9	21	7.2
Lake	275	99	176	(4/)	13	47.3	17	6.2
White	240	72	168	(4/)	10	41.7	16	6.7
Other races	35	27	8	(4/)	3	85.7	1	(5/)
Lauderdale	417	257	160	162	27	64.7	13	3.1
White	300	152	148	197	20	66.7	9	3.0
Other races	117	105	12	111	7	59.8	4	3.4
Lawrence	668	209	459	320	25	37.4	18	2.7
Lewis	109	35	74	(4/)	3	27.5	8	7.3
Lincoln	545	258	287	211	39	71.6	19	3.5
White	450	205	245	220	28	62.2	12	2.7
Other races	95	53	42	(4/)	11	115.8	7	(5/)
Loudon	447	196	251	228	27	60.4	24	5.4
McMinn	655	290	365	226	53	80.9	26	4.0
McNairy	388	197	191	197	24	61.9	4	1.0
Macon	322	138	184	233	23	71.4	8	2.5
Madison	793	562	231	141	58	73.1	38	4.8
Rural part	541	234	307	231	35	64.7	20	3.7
White	328	148	180	222	25	76.2	11	3.4
Other races	213	86	127	(4/)	10	46.9	9	4.2
Jackson	252	328	-76	77	23	91.3	18	7.1
White	211	211	-------	100	16	75.8	9	4.3
Other races	41	117	-76	35	7	170.7	9	(5/)
Marion	384	148	236	259	23	59.9	12	3.1
Marshall	223	182	41	123	12	53.8	12	5.4
White	190	145	45	131	11	57.9	10	5.3
Other races	33	37	-4	(4/)	1	30.3	2	(5/)
Maury	687	420	267	164	38	55.3	32	4.7
White	504	277	227	182	25	49.6	18	3.6
Other races	183	143	40	128	13	71.0	14	7.7
Meigs	136	46	90	(4/)	9	66.2	4	2.9
Monroe	540	192	448	333	38	59.4	28	4.4
Montgomery	587	374	213	157	39	66.4	29	4.9
White	411	235	176	175	25	60.8	18	4.4
Other races	176	139	37	127	14	79.5	11	6.3
Moore	98	43	55	(4/)	6	61.2	----	------
Morgan	294	101	193	291	7	23.8	11	3.7
Obion	568	368	200	154	37	65.1	30	5.3
White	519	302	217	172	32	61.7	28	5.4
Other races	49	66	-17	(4/)	5	102.0	2	(5/)
Overton	432	128	304	338	28	64.8	16	3.7
Perry	161	56	105	(4/)	6	37.3	2	1.2
Pickett	113	18	95	(4/)	5	44.2	4	3.5
Polk	379	108	271	351	26	68.6	8	2.1
Putnam	563	214	349	263	28	49.7	14	2.5
Rhea	338	139	199	243	13	38.5	14	4.1
Roane	595	251	344	237	43	72.3	12	2.0
Robertson	616	265	351	232	27	43.8	19	3.1
White	509	199	310	256	21	41.3	16	3.1
Other races	107	66	41	(4/)	6	56.1	3	2.8
Rutherford	726	341	385	213	26	35.8	33	4.5
White	539	248	291	217	18	33.4	23	4.3
Other races	187	93	94	(4/)	8	42.8	10	5.3
Scott	239	92	147	(4/)	16	66.9	8	3.3
Sequatchie	118	35	83	(4/)	7	59.3	3	2.5
Sevier	534	146	388	366	32	59.9	28	5.2
Shelby	5,549	5,066	483	110	463	83.4	274	4.9
Rural part	907	563	244	137	45	49.6	56	6.2
White	192	229	-37	84	7	36.5	6	3.1
Other races	715	434	281	165	38	53.1	50	7.0
Memphis	4,642	4,403	239	105	418	90.0	218	4.7
White	2,814	2,344	470	120	234	83.2	88	3.1
Other races	1,828	2,059	-231	89	184	100.7	130	7.1
Smith	248	168	80	148	12	48.4	8	3.2
Stewart	319	137	182	233	21	65.8	11	3.4
Sullivan	1,399	484	915	289	75	53.6	53	3.8
Rural part	679	212	467	320	38	56.0	18	2.7
Bristol	239	119	120	201	9	37.7	9	3.8
Kingsport	481	153	328	314	28	58.2	26	5.4
Sumner	640	358	282	179	26	40.6	18	2.8
White	555	291	264	191	24	43.2	16	2.9
Other races	85	67	18	(4/)	2	23.5	2	(5/)
Tipton	466	235	231	198	31	66.5	21	4.5
White	305	114	191	268	18	59.0	17	5.6
Other races	161	121	40	133	13	80.7	4	2.5
Trousdale	79	54	25	(4/)	8	101.3	4	(5/)
White	61	36	25	(4/)	6	98.4	4	(5/)
Other races	18	18	-------	(4/)	2	111.1	----	------
Unicoi	319	129	190	247	35	109.7	12	3.8
Union	192	50	142	(4/)	7	36.5	6	3.1
Van Buren	81	26	55	(4/)	6	74.1	2	(5/)
Warren	426	196	230	217	21	49.3	20	4.7
Washington	830	554	276	150	63	75.9	36	4.3
Rural part	416	214	202	194	29	69.7	17	4.1
Johnson City	414	340	74	122	34	82.1	19	4.6
Wayne	334	94	240	(4/)	19	56.9	14	4.2
Weakley	444	371	73	120	31	69.8	11	2.5
White	376	138	238	272	21	55.9	6	1.6
Williamson	470	211	259	223	20	42.6	23	4.9
White	344	133	211	259	9	26.2	14	4.1
Other races	126	78	48	(4/)	11	87.3	9	7.1
Wilson	366	283	83	129	23	62.8	9	2.5
White	301	236	65	128	17	56.5	7	2.3
Other races	65	47	18	(4/)	6	92.3	2	(5/)
TEXAS (total)	114,721	61,663	53,058	186	8,230	71.7	4,370	3.8
Anderson	604	373	231	162	44	72.8	26	4.3
Rural part	437	196	241	223	35	80.1	15	3.4
White	282	114	168	247	20	70.9	11	3.9
Other races	155	82	73	(4/)	15	96.8	4	2.6
Palestine	167	177	-10	94	9	53.9	11	6.6
White	136	121	15	112	8	58.8	3	2.2
Other races	31	56	-25	(4/)	1	32.3	8	(5/)
Andrews	24	7	17	(4/)	-----	------	2	(5/)
Angelina	568	281	287	202	26	45.8	22	3.9
White	524	241	283	217	24	45.8	19	3.6
Other races	44	40	4	(4/)	2	45.5	3	(5/)
Aransas	29	22	7	(4/)	4	137.9	1	(5/)
White	29	19	10	(4/)	4	137.9	1	(5/)
Other races	-----	3	-3	-------	-----	------	----	------
Archer	168	40	128	(4/)	8	47.6	5	3.0
Armstrong	56	17	39	(4/)	-----	------	1	(5/)
Atascosa	345	130	215	265	27	78.3	12	3.5
White	342	128	214	267	27	78.9	12	3.5
Other races	3	2	1	(4/)	-----	------	----	------
Austin	301	162	139	186	18	59.8	11	3.7
White	192	108	84	178	11	57.3	4	2.1
Other races	109	54	55	(4/)	7	64.2	7	6.4
Bailey	128	25	103	(4/)	8	62.5	6	4.7
Bandera	49	32	17	(4/)	4	81.6	----	------
Bastrop	458	235	223	195	24	52.4	21	4.6
White	267	138	129	193	12	44.9	8	3.0
Other races	191	97	94	(4/)	12	62.8	13	6.8
Baylor	186	72	94	(4/)	10	60.2	11	6.6
Bee	378	235	143	161	47	124.3	10	2.6
White	371	226	145	164	46	124.0	9	2.4
Other races	7	9	-2	(4/)	1	142.9	1	(5/)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Bell	794	602	192	132	48	60.5	23	2.9
Rural part	567	286	281	198	20	35.3	12	2.1
White	515	243	272	212	13	25.2	10	1.9
Other races	52	43	9	(4)	7	134.6	2	(5)
Temple	227	316	-89	72	28	123.3	11	4.8
White	215	263	-48	82	26	120.9	10	4.7
Other races	12	53	-41	(4)	2	166.7	1	(5)
Bexar	6,270	3,997	2,273	157	606	96.7	271	4.3
Rural part	745	746	-1	100	74	99.3	19	2.6
White	725	711	14	102	72	99.3	19	2.6
Other races	20	35	-15	(4)	2	100.0	----	------
San Antonio	5,525	3,251	2,274	170	532	96.3	252	4.6
White	5,301	2,969	2,332	179	516	97.3	241	4.5
Other races	224	282	-58	79	16	71.4	11	4.9
Blanco	38	25	13	(4)	-----	------	1	(5)
Borden	16	1	15	(4)	-----	------	3	(5)
Bosque	298	131	167	227	5	16.8	8	2.7
Bowie	836	484	352	173	36	43.1	36	4.3
Rural part	609	259	350	235	28	46.0	26	4.3
White	443	162	281	273	19	42.9	15	3.4
Other races	166	97	69	(4)	9	54.2	11	6.6
Texarkana	227	225	2	101	8	35.2	10	4.4
White	172	129	43	133	5	29.1	6	3.5
Other races	55	96	-41	(4)	3	54.5	4	(5)
Brazoria	322	219	103	147	18	55.9	14	4.3
White	247	139	108	178	12	48.6	7	2.8
Other races	75	80	-5	(4)	6	80.0	7	(5)
Brazos	500	284	216	176	31	62.0	17	3.4
White	276	134	142	206	15	54.3	8	2.9
Other races	224	150	74	149	16	71.4	9	4.0
Brewster	177	70	107	(4)	21	118.6	6	3.4
White	177	69	108	(4)	21	118.6	6	3.4
Other races	------	1	-1	------	-----	------	----	------
Briscoe	79	32	47	(4)	3	38.0	1	(5)
Brooks	215	69	146	(4)	26	120.9	5	2.3
White	215	69	146	(4)	26	120.9	5	2.3
Other races	------	------	------	------	-----	------	----	------
Brown	437	262	175	167	23	52.6	14	3.2
Rural part	196	80	116	(4)	6	30.6	5	2.6
Brownwood	241	182	59	132	17	70.5	9	3.7
Burleson	379	223	156	170	28	73.9	16	4.2
White	224	100	124	224	8	35.7	7	3.1
Other races	155	123	32	126	20	129.0	9	5.8
Burnet	156	95	61	(4)	7	44.9	3	1.9
Caldwell	686	323	363	212	79	115.2	27	3.9
White	588	267	321	220	68	115.6	21	3.6
Other races	98	56	42	(4)	11	112.2	6	(5)
Calhoun	158	32	126	(4)	3	19.0	3	1.9
White	152	31	121	(4)	1	6.6	1	0.7
Other races	6	1	5	(4)	-----	------	2	(5)
Callahan	248	92	156	(4)	9	36.3	8	3.2
Cameron	2,237	1,004	1,233	223	284	127.0	96	4.3
Rural part	1,045	424	621	246	113	108.1	33	3.2
White	1,038	423	615	245	113	108.9	33	3.2
Other races	7	1	6	(4)	-----	------	----	------
Brownsville	712	345	367	206	102	143.3	35	4.9
White	711	344	367	207	102	143.5	35	4.9
Other races	1	1	-------	(4)	-----	------	----	------
Harlingen	225	134	91	168	38	168.9	14	6.2
White	222	126	96	176	38	171.2	14	6.3
Other races	3	8	-5	(4)	-----	------	----	------
San Benito	255	101	154	252	31	121.6	14	5.5
White	255	99	156	(4)	31	121.6	14	5.5
Other races	------	2	-2	------	-----	------	----	------
Camp	142	79	63	(4)	8	56.3	14	9.9
White	100	44	56	(4)	6	60.0	8	8.0
Other races	42	35	7	(4)	2	47.6	6	(5)
Carson	71	22	49	(4)	2	28.2	----	------
Cass	413	207	206	200	19	46.0	19	4.6
White	282	125	157	226	15	53.2	11	3.9
Other races	131	82	49	(4)	4	30.5	8	6.1
Castro	102	31	71	(4)	1	9.8	1	1.0
Chambers	114	40	74	(4)	3	26.3	3	2.6
White	73	27	46	(4)	2	27.4	----	------
Other races	41	13	28	(4)	1	24.4	3	(5)
Cherokee	742	519	223	143	35	47.2	24	3.2
White	593	321	272	185	26	43.8	15	2.5
Other races	149	198	-49	75	9	60.4	9	6.0
Childress	323	133	190	243	16	49.5	9	2.8
Clay	280	112	168	250	18	64.3	4	1.4
Cochran	89	15	74	(4)	6	67.4	1	(5)
Coke	78	28	50	(4)	6	76.9	2	(5)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Coleman	366	195	171	188	13	35.5	8	2.2
Collin	798	402	396	199	38	47.6	21	2.6
Collingsworth	275	103	172	267	23	83.6	9	3.3
Colorado	277	218	59	127	20	72.2	22	7.9
White	179	129	50	139	14	78.2	9	5.0
Other races	98	89	9	(4)	6	61.2	13	(5)
Comal	257	161	96	160	18	70.0	6	2.3
White	251	151	100	166	18	71.7	6	2.4
Other races	6	10	-4	(4)	-----	------	----	------
Comanche	255	138	117	185	14	54.9	4	1.6
Concho	120	64	56	(4)	12	100.0	4	3.3
White	120	62	58	(4)	12	100.0	4	3.3
Other races	------	2	-2	------	-----	------	----	------
Cooke	476	192	284	248	14	29.4	14	2.9
Coryell	348	158	190	220	13	37.4	11	3.2
Cottle	213	77	136	(4)	16	75.1	4	1.9
Crane	42	14	28	(4)	3	71.4	----	------
Crockett	45	16	29	(4)	3	66.7	4	(5)
White	45	16	29	(4)	3	66.7	4	(5)
Other races	------	------	------	------	-----	------	----	------
Crosby	202	84	118	(4)	16	79.2	3	1.5
Culberson	30	14	16	(4)	2	66.7	1	(5)
White	30	14	16	(4)	2	66.7	----	------
Other races	------	------	------	------	-----	------	1	------
Dallam	156	99	57	(4)	13	83.3	2	1.3
Dallas	5,529	3,700	1,829	149	399	72.2	212	3.8
Rural part	395	552	-157	72	26	65.8	10	2.5
White	354	441	-87	80	21	59.3	8	2.3
Other races	41	111	-70	37	5	122.0	2	(5)
Dallas	5,134	3,148	1,986	163	373	72.7	202	3.9
White	4,270	2,364	1,906	181	253	59.3	118	2.8
Other races	864	784	80	110	120	138.9	84	9.7
Dawson	328	85	243	(4)	11	33.5	6	1.8
Deaf Smith	138	51	87	(4)	11	79.7	2	1.4
Delta	227	113	114	201	15	66.1	13	5.7
Denton	572	285	287	201	22	38.5	20	3.5
De Witt	515	346	169	149	56	108.7	16	3.1
White	446	289	157	154	50	112.1	12	2.7
Other races	69	57	12	(4)	6	87.0	4	(5)
Dickens	197	40	157	(4)	6	30.5	----	------
Dimmit	267	114	153	234	39	146.1	12	4.5
White	266	114	152	233	39	146.6	12	4.5
Other races	1	------	1	(4)	-----	------	----	------
Donley	230	59	171	(4)	8	34.8	8	3.5
Duval	429	144	285	298	41	95.6	16	3.7
White	429	144	285	298	41	95.6	16	3.7
Other races	------	------	------	------	-----	------	----	------
Eastland	772	341	431	226	49	63.5	23	3.0
Ector	114	41	73	(4)	5	43.9	3	2.6
Edwards	63	28	35	(4)	8	127.0	----	------
White	63	28	35	(4)	8	127.0	----	------
Other races	------	------	------	------	----	------	----	------
Ellis	903	573	330	158	57	63.1	36	4.0
White	731	385	346	190	37	50.6	27	3.7
Other races	172	188	-16	91	20	116.3	9	5.2
El Paso	3,598	1,883	1,715	191	400	111.2	130	3.6
Rural part	860	428	432	206	118	134.1	34	3.9
White	875	419	456	209	118	134.9	34	3.9
Other races	5	9	-4	(4)	-----	------	----	------
El Paso	2,718	1,455	1,263	187	282	103.8	96	3.5
White	2,681	1,399	1,282	192	281	104.8	93	3.5
Other races	37	56	-19	(4)	1	27.0	3	(5)
Erath	339	168	171	202	13	38.3	12	3.5
Falls	639	408	231	157	38	59.5	37	5.6
White	462	241	221	192	23	49.8	18	3.9
Other races	177	167	10	106	15	84.7	19	10.7
Fannin	784	385	399	204	34	43.4	45	5.7
White	721	335	386	215	31	43.0	40	5.5
Other races	63	50	13	(4)	3	47.6	5	(5)
Fayette	538	284	254	189	31	57.6	27	5.0
White	398	205	193	194	20	50.3	16	4.0
Other races	140	79	61	(4)	11	78.6	11	7.9
Fisher	344	85	259	(4)	16	46.5	11	3.2
Floyd	199	79	120	(4)	10	50.3	18	9.0
Foard	127	37	90	(4)	6	47.2	3	2.4
Fort Bend	443	339	104	131	55	124.2	15	3.4
White	306	205	101	149	36	117.6	10	3.3
Other races	137	134	3	102	19	138.7	5	3.6
Franklin	160	90	70	(4)	6	37.5	5	3.1
Freestone	384	190	194	202	12	31.3	11	2.9
White	260	93	167	(4)	7	26.9	3	1.2
Other races	124	97	27	(4)	5	40.3	8	6.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Frio	320	136	184	235	33	103.1	11	3.4
White	316	136	180	232	33	104.4	11	3.5
Other races	4	------	4	(4/)	-----	------	----	------
Gaines	57	12	45	(4/)	2	35.1	3	(5/)
Galveston	1,062	940	122	113	43	40.5	42	4.0
Rural part	149	89	60	(4/)	7	47.0	8	5.4
White	140	71	69	(4/)	6	42.9	7	5.0
Other races	9	18	-9	(4/)	1	111.1	1	(5/)
Galveston	913	851	62	107	36	39.4	34	3.7
White	712	590	122	121	26	36.5	19	2.7
Other races	201	261	-60	77	10	49.8	15	7.5
Garza	105	33	72	(4/)	4	38.1	3	2.9
Gillespie	201	96	105	(4/)	9	44.8	9	4.5
Glasscock	7	1	6	(4/)	-----	------	----	------
White	7	1	6	(4/)	-----	------	----	------
Other races	------	------	------	------	-----	------	----	------
Goliad	215	107	108	201	23	107.0	6	2.8
White	205	96	109	(4/)	21	102.4	3	1.5
Other races	10	11	-1	(4/)	2	200.0	3	(5/)
Gonzales	526	314	212	168	69	131.2	24	4.6
White	420	237	183	177	56	133.3	20	4.8
Other races	106	77	29	(4/)	13	122.6	4	3.8
Gray	442	203	239	218	35	79.2	11	2.5
Rural part	75	41	34	(4/)	5	66.7	1	(5/)
Pampa	367	162	205	227	30	81.7	10	2.7
Grayson	1,242	802	440	155	81	65.2	48	3.9
Rural part	682	325	357	210	36	52.8	18	2.6
Denison	239	214	25	112	15	62.8	13	5.4
White	196	161	35	122	9	45.9	7	3.6
Other races	43	53	10	(4/)	6	139.5	6	(5/)
Sherman	321	263	58	122	30	93.5	17	5.3
White	290	231	59	126	26	89.7	14	4.8
Other races	31	32	-1	(4/)	4	129.0	3	(5/)
Gregg	1,101	536	565	205	71	64.5	58	5.3
White	969	368	601	263	50	51.6	50	5.2
Other races	132	168	-36	79	21	159.1	8	6.1
Grimes	332	216	116	154	23	69.3	23	6.9
White	172	113	59	152	15	87.2	6	3.5
Other races	160	103	57	155	8	50.0	17	10.6
Guadalupe	467	296	171	158	48	102.8	13	2.8
White	403	252	151	160	44	109.2	11	2.7
Other races	64	44	20	(4/)	4	62.5	2	(5/)
Hale	387	173	214	224	25	64.6	12	3.1
Hall	266	116	150	229	19	71.4	6	2.3
Hamilton	237	106	131	224	8	33.8	10	4.2
Hansford	60	20	40	(4/)	5	83.3	3	(5/)
Hardeman	279	119	160	234	13	46.6	12	4.3
Hardin	268	116	152	231	9	33.6	4	1.5
White	225	85	140	(4/)	7	31.1	4	1.8
Other races	43	31	12	(4/)	2	46.5	----	------
Harris	6,345	4,153	2,192	153	358	56.4	222	3.5
Rural part	693	390	303	178	33	47.6	23	3.3
White	514	316	298	194	24	39.1	18	2.9
Other races	79	74	5	(4/)	9	113.9	5	(5/)
Houston	5,652	3,763	1,889	150	325	57.5	199	3.5
White	4,573	2,615	1,958	175	239	52.3	121	2.6
Other races	1,079	1,148	-69	94	86	79.7	78	7.2
Harrison	1,004	569	435	176	43	42.8	58	5.8
Rural part	728	270	458	270	33	45.3	38	5.2
White	206	77	129	(4/)	5	24.3	2	1.0
Other races	522	193	329	270	28	53.6	36	6.9
Marshall	276	299	-23	92	10	36.2	20	7.2
White	185	141	44	131	2	10.8	5	2.7
Other races	91	158	-67	58	8	87.9	15	(5/)
Hartley	18	14	4	(4/)	3	166.7	2	(5/)
Haskell	346	113	233	306	21	60.7	6	1.7
Hays	277	151	126	183	24	86.6	11	4.0
White	257	129	128	199	22	85.6	10	3.9
Other races	20	22	-2	(4/)	2	100.0	1	(5/)
Hemphill	100	40	60	(4/)	4	40.0	2	2.0
Henderson	571	236	335	242	30	52.5	22	3.9
White	460	164	296	280	22	47.8	16	3.5
Other races	111	72	39	(4/)	8	72.1	6	5.4
Hidalgo	2,025	958	1,067	211	277	136.8	79	3.9
White	2,015	953	1,062	211	277	137.5	79	3.9
Other races	10	5	5	(4/)	-----	------	----	------
Hill	693	363	330	191	39	56.3	17	2.5
White	618	297	321	208	27	43.7	12	1.9
Other races	75	66	9	(4/)	12	160.0	5	(5/)
Hockley	250	46	204	(4/)	8	32.0	4	1.6
Hood	122	53	69	(4/)	6	49.2	3	2.5
Hopkins	576	266	310	217	29	50.3	30	5.2
Houston	595	320	275	186	12	20.2	22	3.7
White	376	163	213	231	6	16.0	10	2.7
Other races	219	157	62	139	6	27.4	12	5.5

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Howard	434	162	272	268	33	76.0	20	4.6
Rural part	98	19	79	(4/)	3	30.6	2	(5/)
Big Spring	336	143	193	235	30	89.3	18	5.4
White	330	137	193	241	30	90.9	17	5.2
Other races	6	6	--------	(4/)	-----	-------	1	(5/)
Hudspeth	71	23	48	(4/)	5	70.4	2	(5/)
White	71	23	48	(4/)	5	70.4	2	(5/)
Other races	------	------	-------	------	-----	-------	----	------
Hunt	833	483	350	172	46	55.2	44	5.3
Rural part	658	294	364	224	35	53.2	34	5.2
White	588	249	339	236	27	45.9	31	5.3
Other races	70	45	25	(4/)	8	114.3	3	(5/)
Greenville	175	189	-14	93	11	62.9	10	5.7
White	139	139	--------	100	5	36.0	9	6.5
Other races	36	50	-14	(4/)	6	166.7	1	(5/)
Hutchinson	412	108	304	381	22	53.4	13	3.2
Irion	40	13	27	(4/)	5	125.0	3	(5/)
White	40	13	27	(4/)	5	125.0	3	(5/)
Other races	------	------	-------	------	-----	-------	----	------
Jack	172	89	83	(4/)	1	5.8	1	0.6
Jackson	196	89	107	(4/)	8	40.8	8	4.1
White	173	65	108	(4/)	8	46.2	5	2.9
Other races	23	24	-1	(4/)	-----	-------	3	(5/)
Jasper	357	153	204	233	20	56.0	14	3.9
White	264	116	148	228	14	53.0	4	1.5
Other races	93	37	56	(4/)	6	64.5	10	(5/)
Jeff Davis	56	28	28	(4/)	11	196.4	1	(5/)
White	55	28	27	(4/)	11	200.0	----	------
Other races	1	------	1	(4/)	-----	-------	1	(5/)
Jefferson	2,449	1,227	1,222	200	167	68.2	114	4.7
Rural part	482	188	294	256	22	45.6	15	3.1
White	380	116	264	328	10	26.3	7	1.8
Other races	102	72	30	(4/)	12	117.6	8	7.8
Beaumont	1,077	673	404	160	85	78.9	60	5.6
White	756	414	342	183	48	63.5	23	3.0
Other races	321	259	62	124	37	115.3	37	11.5
Port Arthur	890	366	524	243	60	67.4	39	4.4
White	743	273	470	272	46	61.9	20	2.7
Other races	147	93	54	(4/)	14	95.2	19	12.9
Jim Hogg	175	60	115	(4/)	14	80.0	10	5.7
White	175	60	115	(4/)	14	80.0	10	5.7
Other races	------	------	-------	------	-----	-------	----	------
Jim Wells	296	180	116	164	48	162.2	14	4.7
White	290	179	111	162	48	165.5	14	4.8
Other races	6	1	5	(4/)	-----	-------	----	------
Johnson	567	319	248	178	28	49.4	19	3.4
Rural part	377	193	184	195	19	50.4	16	4.2
Cleburne	190	126	64	151	9	47.4	3	1.6
Jones	561	274	287	205	43	76.6	21	3.7
Karnes	539	252	287	214	70	129.9	13	2.4
White	523	235	288	223	68	130.0	11	2.1
Other races	16	17	-1	(4/)	2	125.0	2	(5/)
Kaufman	721	557	164	129	47	65.2	24	3.3
White	519	422	97	123	27	52.0	11	2.1
Other races	202	135	67	150	20	99.0	13	6.4
Kendall	58	52	6	(4/)	3	51.7	2	(5/)
White	58	52	6	(4/)	3	51.7	2	(5/)
Other races	------	------	-------	------	-----	-------	----	------
Kenedy	11	4	7	(4/)	2	181.8	1	(5/)
White	11	4	7	(4/)	2	181.8	----	------
Other races	------	------	-------	------	-----	-------	1	(5/)
Kent	87	19	68	(4/)	1	11.5	8	(5/)
Kerr	184	213	-29	86	13	70.7	6	3.3
White	180	207	-27	87	13	72.2	6	3.3
Other races	4	6	-2	(4/)	-----	-------	----	------
Kimble	55	36	19	(4/)	4	72.7	1	(5/)
King	20	4	16	(4/)	-----	-------	----	------
Kinney	87	40	47	(4/)	4	46.0	6	(5/)
White	80	28	52	(4/)	-----	-------	5	(5/)
Other races	7	12	-5	(4/)	4	(7/)	1	(5/)
Kleberg	313	145	168	216	42	134.2	5	1.6
White	311	138	173	225	42	135.0	5	1.6
Other races	2	7	-5	(4/)	-----	-------	----	------
Knox	295	66	229	(4/)	9	30.5	8	2.7
White	293	66	227	(4/)	9	30.7	8	2.7
Other races	2	------	2	(4/)	-----	-------	----	------
Lamar	1,031	583	448	177	55	53.3	43	4.2
Rural part	684	242	442	283	27	39.5	28	4.1
White	558	182	376	307	21	37.6	21	3.8
Other races	126	60	66	(4/)	6	47.6	7	5.6
Paris	347	341	6	102	28	80.7	15	4.3
White	312	267	45	117	20	64.1	11	3.5
Other races	35	74	-39	(4/)	8	228.6	4	(5/)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
Lamb	459	98	361	(4)	14	30.5	13	2.8
Lampasas	156	106	50	147	11	70.5	3	1.9
La Salle	202	98	104	(4)	33	163.4	5	2.5
White	202	95	107	(4)	33	163.4	5	2.5
Other races	---	3	-3	---	---	---	---	---
Lavaca	501	261	240	192	25	49.9	20	4.0
White	439	214	225	205	20	45.6	17	3.9
Other races	62	47	15	(4)	5	80.6	3	(5)
Lee	302	122	180	248	16	53.0	17	5.6
White	192	71	121	(4)	8	41.7	9	4.7
Other races	110	51	59	(4)	8	72.7	8	7.3
Leon	297	122	175	243	12	40.4	9	3.0
White	154	64	90	(4)	6	39.0	3	1.9
Other races	143	58	85	(4)	6	42.0	6	4.2
Liberty	402	195	207	206	15	37.3	21	5.2
White	272	131	141	208	9	33.1	9	3.3
Other races	130	64	66	(4)	6	46.2	12	9.2
Limestone	574	329	245	174	33	57.5	39	6.8
White	430	207	223	208	21	48.8	22	5.1
Other races	144	122	22	118	12	83.3	17	11.8
Lipscomb	73	30	43	(4)	2	27.4	2	(5)
Live Oak	211	65	146	(4)	19	90.0	7	3.3
White	211	65	146	(4)	19	90.0	7	3.3
Other races	---	---	---	---	---	---	---	---
Llano	91	42	49	(4)	5	54.9	1	1.1
Loving	---	2	-2	---	---	---	---	---
Lubbock	809	435	374	186	74	91.5	30	3.7
Rural part	243	84	159	(4)	18	74.1	8	3.3
Lubbock	566	351	215	161	56	98.9	22	3.9
Lynn	260	48	212	(4)	10	38.5	6	2.3
McCulloch	281	136	145	207	22	78.3	8	2.8
White	274	134	140	204	22	80.3	8	2.9
Other races	7	2	5	(4)	---	---	---	---
McLennan	1,735	1,103	632	157	111	64.0	63	3.6
Rural part	772	336	436	230	33	42.7	17	2.2
White	550	238	322	235	23	41.1	13	2.3
Other races	212	98	114	(4)	10	47.2	4	1.9
Waco	963	767	196	126	78	81.0	46	4.8
White	803	585	218	137	58	72.2	36	4.5
Other races	160	182	-22	88	20	125.0	10	6.3
McMullen	15	7	8	(4)	2	133.3	---	---
White	15	7	8	(4)	2	133.3	---	---
Other races	---	---	---	---	---	---	---	---
Madison	263	141	122	187	19	72.2	4	1.5
White	152	96	56	(4)	12	78.9	2	1.3
Other races	111	45	66	(4)	7	63.1	2	1.8
Marion	174	112	62	155	6	34.5	21	12.1
White	80	43	37	(4)	3	37.5	5	(5)
Other races	94	69	25	(4)	3	31.9	16	(5)
Martin	106	37	69	(4)	13	122.6	10	9.4
Mason	83	38	45	(4)	5	60.2	---	---
Matagorda	397	162	235	245	20	50.4	16	4.0
White	307	107	200	287	15	48.9	11	3.6
Other races	90	55	35	(4)	5	55.6	5	(5)
Maverick	225	109	116	206	29	128.9	8	3.6
White	225	108	117	208	28	124.4	6	2.7
Other races	---	1	-1	---	1	---	2	(5)
Medina	343	159	184	216	50	145.8	7	2.0
White	337	157	180	215	50	148.4	7	2.1
Other races	6	2	4	(4)	---	---	---	---
Menard	51	39	12	(4)	6	117.6	1	(5)
White	49	36	13	(4)	6	122.4	1	(5)
Other races	2	3	-1	(4)	---	---	---	---
Midland	186	71	115	(4)	15	80.6	6	3.2
White	180	65	115	(4)	15	83.3	5	2.8
Other races	6	6	---	(4)	---	---	1	(5)
Milam	700	376	324	186	51	72.9	31	4.4
White	549	262	287	210	38	69.2	19	3.5
Other races	151	114	37	132	13	86.1	12	7.9
Mills	147	65	82	(4)	5	34.0	5	3.4
Mitchell	344	141	203	244	28	81.4	14	4.1
White	329	128	201	257	27	82.1	13	4.0
Other races	15	13	2	(4)	1	66.7	1	(5)
Montague	440	204	236	216	27	61.4	14	3.2
Montgomery	313	184	129	170	17	54.3	11	3.5
White	232	111	121	209	10	43.1	7	3.0
Other races	81	73	8	(4)	7	86.4	4	(5)
Moore	33	11	22	(4)	1	30.3	1	(5)
Morris	130	80	50	(4)	7	53.8	6	4.6
White	86	52	34	(4)	6	69.8	1	(5)
Other races	44	28	16	(4)	1	22.7	5	(5)
Motley	125	32	93	(4)	1	8.0	2	1.6
Nacogdoches	572	278	294	206	29	50.7	22	3.8
White	462	205	257	225	22	45.6	16	3.3
Other races	90	73	17	(4)	7	77.8	6	(5)
Navarro	949	555	394	171	71	74.8	46	4.8
Rural part	743	316	427	235	48	64.6	39	5.2
White	570	215	355	265	33	57.9	22	3.9
Other races	173	101	72	171	15	86.7	17	9.8
Corsicana	206	239	-33	86	23	111.7	7	3.4
White	189	153	36	116	16	84.7	5	2.6
Other races	17	76	-59	(4)	7	411.8	2	(5)
Newton	253	87	166	(4)	10	39.5	18	7.1
White	147	47	100	(4)	8	54.4	5	3.4
Other races	106	40	66	(4)	2	18.9	13	12.3
Nolan	389	154	235	253	31	79.7	9	2.3
Rural part	163	45	118	(4)	5	30.7	2	1.2
Sweetwater	226	109	117	207	26	115.0	7	3.1
White	210	102	108	206	24	114.3	6	2.9
Other races	16	7	9	(4)	2	125.0	1	(5)
Nueces	1,411	780	631	181	212	150.2	49	3.5
Rural part	715	349	366	205	112	156.6	17	2.4
White	708	338	370	209	110	155.4	17	2.4
Other races	7	11	-4	(4)	2	285.7	---	---
Corpus Christi	696	431	265	161	100	143.7	32	4.6
White	676	407	269	166	97	143.5	30	4.4
Other races	20	24	-4	(4)	3	150.0	2	(5)
Ochiltree	70	28	42	(4)	2	28.6	4	(5)
Oldham	26	10	16	(4)	1	38.5	1	(5)
Orange	298	159	139	187	28	94.0	11	3.7
White	255	116	139	220	15	58.8	6	2.4
Other races	43	43	---	(4)	13	302.3	5	(5)
Palo Pinto	370	209	161	177	19	51.4	14	3.8
Panola	299	127	172	235	19	63.5	18	6.0
White	184	83	101	(4)	13	70.7	13	7.1
Other races	115	44	71	(4)	6	52.2	5	4.3
Parker	264	184	80	143	13	49.2	11	4.2
Parmer	74	24	50	(4)	4	54.1	2	(5)
Pecos	188	55	133	(4)	14	74.5	2	1.1
White	188	54	134	(4)	14	74.5	2	1.1
Other races	---	1	-1	---	---	---	---	---
Polk	337	173	164	195	20	59.3	16	4.7
White	247	99	148	(4)	8	32.4	10	4.0
Other races	90	74	16	(4)	12	133.3	6	(5)
Potter	(21)	(21)	(21)	(21)	(21)	(21)	(21)	(21)
Rural part	54	32	22	(4)	1	18.5	1	(5)
Amarillo 21	824	467	357	176	51	61.9	26	3.2
Presidio	267	101	166	264	26	97.4	8	3.0
White	267	101	166	264	26	97.4	8	3.0
Other races	---	---	---	---	---	---	---	---
Rains	161	54	107	(4)	7	43.5	2	1.2
Randall	(21)	(21)	(21)	(21)	(21)	(21)	(21)	(21)
Rural part	55	36	29	(4)	1	15.4	2	(5)
Amarillo (part)	(21)	(21)	(21)	(21)	(21)	(21)	(21)	(21)
Reagan	46	21	25	(4)	6	130.4	1	(5)
Real	35	5	30	(4)	4	114.3	1	(5)
White	35	5	30	(4)	4	114.3	1	(5)
Other races	---	---	---	---	---	---	---	---
Red River	716	284	432	252	34	47.5	40	5.6
White	568	199	369	285	27	47.5	30	5.3
Other races	148	85	63	(4)	7	47.3	10	6.8
Reeves	185	98	87	(4)	16	86.5	12	6.5
White	181	96	85	(4)	14	77.3	12	6.6
Other races	4	2	2	(4)	2	(7)	---	---
Refugio	218	65	153	(4)	16	73.4	5	2.3
White	206	57	149	(4)	16	77.7	5	2.4
Other races	12	8	4	(4)	---	---	---	---
Roberts	10	1	9	(4)	---	---	---	---
Robertson	529	303	226	175	31	58.6	25	4.7
White	277	153	124	181	16	57.8	14	5.1
Other races	252	150	102	168	15	59.5	11	4.4
Rockwall	113	64	49	(4)	5	44.2	3	2.7
White	78	40	38	(4)	1	12.8	2	(5)
Other races	35	24	11	(4)	4	114.3	1	(5)
Runnels	432	203	229	213	29	67.1	11	2.5
Rusk	878	416	462	211	48	54.7	34	3.9
White	756	271	485	279	29	38.4	24	3.2
Other races	122	145	-23	84	19	155.7	10	8.2
Sabine	235	65	170	(4)	12	51.1	11	4.7
White	203	49	154	(4)	8	39.4	6	3.0
Other races	32	16	16	(4)	4	125.0	5	(5)
San Augustine	232	66	166	(4)	7	30.2	8	3.4
White	182	27	153	(4)	5	27.5	4	2.9
Other races	50	37	13	(4)	2	40.0	4	(5)

See footnotes at end of table.

SUMMARY AND RATE TABLE

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Con.								
San Jacinto	157	77	80	(4/)	10	63.7	11	7.0
White	74	30	44	(4/)	3	40.5	1	(5/)
Other races	83	47	36	(4/)	7	84.3	10	(5/)
San Patricio	625	273	352	229	80	128.0	15	2.4
White	611	266	345	230	79	129.3	15	2.5
Other races	14	7	7	(4/)	1	71.4	----	------
San Saba	225	58	167	(4/)	6	26.7	8	3.6
Schleicher	65	16	49	(4/)	5	76.9	3	(5/)
White	63	16	47	(4/)	5	79.4	3	(5/)
Other races	2	------	2	(4/)	------	------	----	------
Scurry	259	90	169	(4/)	10	38.6	13	5.0
Shackelford	81	43	38	(4/)	2	24.7	1	(5/)
Shelby	558	287	271	194	29	52.0	23	4.1
White	456	211	245	216	23	50.4	19	4.2
Other races	102	76	26	(4/)	6	58.8	4	3.9
Sherman	22	13	9	(4/)	-----	------	----	------
Smith	1,104	658	446	168	58	52.5	56	5.1
Rural part	722	374	348	193	38	52.6	42	5.8
White	483	192	291	252	21	43.5	18	3.7
Other races	239	182	57	131	17	71.1	24	10.0
Tyler	382	284	98	135	20	52.4	14	3.7
White	309	189	120	163	14	45.3	10	3.2
Other races	73	95	-22	(4/)	6	82.2	4	(5/)
Somervell	66	26	40	(4/)	2	30.3	3	(5/)
Starr	492	141	351	349	35	71.1	7	1.4
White	492	141	351	349	35	71.1	7	1.4
Other races	------	------	------	------	------	------	----	------
Stephens	170	102	68	167	10	58.8	8	4.7
Sterling	18	9	9	(4/)	1	55.6	----	------
Stonewall	143	31	112	(4/)	-----	------	5	3.5
Sutton	69	26	43	(4/)	6	87.0	3	(5/)
White	68	26	42	(4/)	6	88.2	3	(5/)
Other races	1	------	1	(4/)	-----	------	----	------
Swisher	149	53	96	(4/)	6	40.3	3	2.0
Tarrant	3,102	2,205	897	141	188	60.6	102	3.3
Rural part	361	292	69	124	12	33.2	10	2.8
Fort Worth	2,741	1,913	828	143	176	64.2	92	3.4
White	2,452	1,535	917	160	145	59.1	72	2.9
Other races	289	378	-89	76	31	107.3	20	6.9
Taylor	779	455	324	171	64	82.2	18	2.3
Rural part	305	177	128	172	16	52.5	7	2.3
Abilene	474	278	196	171	48	101.3	11	2.3
Terrell	42	29	13	(4/)	7	166.7	1	(5/)
White	42	29	13	(4/)	7	166.7	1	(5/)
Other races	------	------	------	------	------	------	----	------
Terry	282	65	217	(4/)	14	49.6	13	4.6
Throckmorton	78	27	51	(4/)	3	38.5	3	(5/)
Titus	302	143	159	211	14	46.4	15	5.0
White	269	115	154	234	12	44.6	13	4.8
Other races	33	28	5	(4/)	2	60.6	2	(5/)
Tom Green	798	446	352	179	44	55.1	27	3.4
Rural part	145	106	39	137	5	34.5	3	2.1
White	144	106	38	136	5	34.7	3	2.1
Other races	1	------	1	(4/)	-----	------	----	------
San Angelo	653	340	313	192	39	59.7	24	3.7
White	630	314	316	201	38	60.3	22	3.5
Other races	23	26	-3	(4/)	1	43.5	2	(5/)
Travis	1,464	1,236	228	118	127	86.7	57	3.9
Rural part	234	169	65	138	24	102.6	10	4.3
White	151	130	21	116	19	125.8	6	4.0
Other races	83	39	44	(4/)	5	60.2	4	(5/)
Austin	1,230	1,067	163	115	103	83.7	47	3.8
White	1,064	803	261	133	84	78.9	38	3.6
Other races	166	264	-98	63	19	114.5	9	5.4
Trinity	256	171	85	150	17	66.4	13	5.1
White	193	130	63	148	13	67.4	12	6.2
Other races	63	41	22	(4/)	4	63.5	1	(5/)
Tyler	211	109	102	194	11	52.1	8	3.8
White	169	91	78	(4/)	11	65.1	8	4.7
Other races	42	18	24	(4/)	-----	------	----	------
Upshur	529	202	327	262	20	37.8	17	3.2
White	386	136	250	284	16	41.5	8	2.1
Other races	143	66	77	(4/)	4	28.0	9	6.3
Upton	69	26	43	(4/)	4	58.0	2	(5/)
Uvalde	277	124	153	223	28	101.1	12	4.3
White	275	121	154	227	28	101.8	11	4.0
Other races	2	3	-1	(4/)	-----	------	1	(5/)
Val Verde	368	234	134	157	61	165.8	20	5.4
Rural part	4	10	-6	(4/)	-----	------	----	------
White	4	10	-6	(4/)	-----	------	----	------
Other races	------	------	------	------	------	------	----	------
Del Rio	364	224	140	163	61	167.6	20	5.5
White	356	221	135	161	60	168.5	20	5.6
Other races	8	3	5	(4/)	1	125.0	----	------
Van Zandt	695	233	462	298	33	47.5	21	3.0
Victoria	462	268	194	172	45	97.4	21	4.5
White	415	218	197	190	41	98.8	16	3.9
Other races	47	50	-3	(4/)	4	85.1	5	(5/)
Walker	272	173	99	157	9	33.1	13	4.8
White	129	99	30	(4/)	4	31.0	2	1.6
Other races	143	74	69	(4/)	5	35.0	11	7.7
Waller	197	150	47	131	13	66.0	9	4.6
White	91	43	48	(4/)	5	54.9	----	------
Other races	106	107	-1	99	8	75.5	9	8.5
Ward	94	48	46	(4/)	11	117.0	4	(5/)
White	93	48	45	(4/)	11	118.3	4	(5/)
Other races	1	------	1	(4/)	-----	------	----	------
Washington	451	317	134	142	26	57.6	23	5.1
White	252	167	85	151	13	51.6	5	2.0
Other races	199	150	49	133	13	65.3	18	9.0
Webb	1,222	663	559	184	162	132.6	78	6.4
Rural part	168	59	109	(4/)	24	142.9	5	3.0
White	165	58	108	(4/)	23	138.6	5	3.0
Other races	2	1	1	(4/)	1	(7/)	----	------
Laredo	1,054	604	450	175	138	130.9	73	6.9
White	1,051	603	448	174	138	131.3	73	6.9
Other races	3	1	2	(4/)	-----	------	----	------
Wharton	679	335	344	203	61	89.8	25	3.7
White	492	206	286	239	42	85.4	15	3.0
Other races	187	129	58	145	19	101.6	10	5.3
Wheeler	358	159	199	225	20	55.9	10	2.8
Wichita	1,369	724	645	189	65	47.5	36	2.6
Rural part	426	289	137	147	19	44.6	9	2.1
Wichita Falls	943	435	508	217	46	48.8	27	2.9
White	883	398	485	222	41	46.4	23	2.6
Other races	60	37	23	(4/)	5	83.3	4	(5/)
Wilbarger	428	189	239	226	24	56.1	11	2.6
Willacy	284	108	176	263	28	98.6	4	1.4
White	282	108	174	261	28	99.3	4	1.4
Other races	2	------	2	(4/)	-----	------	----	------
Williamson	727	419	308	174	58	79.8	29	4.0
White	609	337	272	181	50	82.1	22	3.6
Other races	118	82	36	(4/)	8	67.8	7	5.9
Wilson	414	168	246	246	43	103.9	20	4.8
White	405	164	241	247	43	106.2	20	4.9
Other races	9	4	5	(4/)	-----	------	----	------
Winkler	116	29	87	(4/)	7	60.3	7	6.0
Wise	339	145	194	234	13	38.3	7	2.1
Wood	425	201	224	211	14	32.9	16	3.8
White	378	155	223	244	10	26.5	14	3.7
Other races	47	46	1	(4/)	4	85.1	2	(5/)
Yoakum	20	2	18	(4/)	-----	------	----	------
Young	432	154	278	281	11	25.5	11	2.5
Zapata	88	42	46	(4/)	8	90.9	2	(5/)
White	88	41	47	(4/)	8	90.9	2	(5/)
Other races	------	1	-1	------	-----	------	----	------
Zavala	272	129	143	211	44	161.8	14	5.1
White	272	128	144	213	44	161.8	14	5.1
Other races	------	1	-1	------	-----	------	----	------
UTAH (total)	12,695	5,066	7,629	251	626	49.3	274	2.2
Beaver	136	36	100	(4/)	8	58.8	1	0.7
Box Elder	455	182	273	250	30	65.9	10	2.2
Cache	792	232	560	341	40	50.5	18	2.3
Carbon	423	145	278	292	25	59.1	9	2.1
Daggett	12	7	5	(4/)	3	250.0	----	------
Davis	189	94	95	(4/)	7	37.0	3	1.6
Duchesne	269	92	177	(4/)	22	81.8	9	3.3
Emery	188	55	133	(4/)	10	53.2	4	2.1
Garfield	136	35	101	(4/)	4	29.4	5	3.7
Grand	56	16	40	(4/)	2	35.7	----	------
Iron	276	80	196	(4/)	14	50.7	5	1.8
Juab	176	71	105	(4/)	9	51.1	3	1.7
Kane	76	14	62	(4/)	7	92.1	1	(5/)
Millard	250	67	183	(4/)	13	52.0	7	2.8
Morgan	44	20	24	(4/)	2	45.5	----	------
Piute	58	17	41	(4/)	3	51.7	----	------
Rich	42	10	32	(4/)	3	71.4	1	(5/)
Salt Lake	4,303	2,110	2,193	204	203	47.2	112	2.6
Rural part	842	304	538	277	29	34.4	25	3.0
Salt Lake City	3,461	1,806	1,655	192	174	50.3	87	2.5
San Juan	65	18	47	(4/)	3	46.2	3	(5/)
White	61	12	49	(4/)	2	32.8	3	(5/)
Other races	4	6	-2	(4/)	1	250.0	----	------
Sanpete	420	131	289	321	14	33.3	6	1.4
Sevier	341	106	235	322	15	44.0	3	0.9
Summit	263	81	182	(4/)	11	41.8	8	3.0

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
UTAH—Con.								
Tooele	166	75	91	(4/)	13	78.3	2	1.2
Uintah	321	141	180	228	28	87.2	7	2.2
Utah	1,388	557	831	249	57	41.1	24	1.7
Rural part	971	340	631	286	44	45.3	17	1.8
Provo	417	217	200	192	13	31.2	7	1.7
Wasatch	119	65	54	(4/)	10	84.0	2	1.7
Washington	255	87	168	(4/)	7	27.5	3	1.2
Wayne	86	16	70	(4/)	2	23.3	3	(5/)
Weber	1,390	506	884	275	61	43.9	25	1.8
Rural part	104	66	38	(4/)	4	38.5	----	------
Ogden	1,286	440	846	292	57	44.3	25	1.9
VERMONT (total)	6,591	4,777	1,814	138	320	48.6	189	2.9
Addison	303	220	83	138	12	39.6	8	2.6
Bennington	349	288	61	121	17	48.7	10	2.9
Caledonia	411	375	36	110	21	51.1	14	3.4
Chittenden	1,290	703	587	183	51	39.5	30	2.3
Rural part	351	250	101	140	17	48.4	8	2.3
Burlington	939	453	486	207	34	36.2	22	2.3
Essex	111	78	33	(4/)	5	45.0	1	0.9
Franklin	531	398	133	133	41	77.2	18	3.4
Grand Isle	47	47	-------	(4/)	2	42.6	1	(5/)
Lamoille	222	143	79	155	14	63.1	7	3.2
Orange	303	226	77	134	14	46.2	12	4.0
Orleans	459	287	172	160	20	43.6	13	2.8
Rutland	743	603	140	123	36	48.5	23	3.1
Rural part	352	311	41	113	14	39.8	8	2.3
Rutland	391	292	99	134	22	56.3	15	3.8
Washington	851	585	266	145	34	40.0	30	3.5
Rural part	568	433	135	131	19	33.5	21	3.7
Barre	283	152	131	186	15	53.0	9	3.2
Windham	510	411	99	124	28	54.9	13	2.5
Windsor	461	413	48	112	25	54.2	9	2.0
VIRGINIA (total)	51,487	30,358	21,129	170	3,583	69.6	2,182	4.2
Accomac	510	432	78	118	46	90.2	39	7.6
White	253	205	48	123	14	55.3	8	3.2
Other races	257	227	30	113	32	124.5	31	12.1
Albemarle	1,061	763	298	139	84	79.2	51	4.8
Rural part	830	598	232	139	66	79.5	39	4.7
White	611	437	174	140	49	80.2	26	4.3
Other races	219	161	58	136	17	77.6	13	5.9
Charlottesville	231	165	66	140	18	77.9	12	5.2
White	203	116	87	175	15	73.9	11	5.4
Other races	28	49	-21	(4/)	3	107.1	1	(5/)
Alleghany	695	332	363	209	52	74.8	27	3.9
Rural part	534	190	344	281	33	61.8	20	3.7
Clifton Forge 22/	161	142	19	113	19	118.0	7	4.3
White	133	104	29	128	15	112.8	5	3.8
Other races	28	38	-10	(4/)	4	142.9	2	(5/)
Amelia	190	115	75	165	19	100.0	5	2.6
White	69	34	35	(4/)	3	43.5	1	(5/)
Other races	121	81	40	(4/)	16	132.2	4	3.3
Amherst	396	245	151	162	22	55.6	12	3.0
White	243	179	64	136	12	49.4	8	3.3
Other races	153	66	87	(4/)	10	65.4	4	2.6
Appomattox	171	77	94	(4/)	11	64.3	7	4.1
White	98	42	56	(4/)	5	51.0	3	(5/)
Other races	73	35	38	(4/)	6	82.2	4	(5/)
Arlington	712	559	153	127	57	80.1	32	4.5
Rural part	188	191	-3	98	11	58.5	1	0.5
White	154	150	4	103	9	58.4	1	0.6
Other races	34	41	-7	(4/)	2	58.8	----	------
Alexandria	524	368	156	142	46	87.8	31	5.9
White	432	261	171	166	38	88.0	25	5.8
Other races	92	107	-15	86	8	87.0	6	(5/)
Augusta	981	749	232	131	66	67.3	18	1.8
Rural part	755	398	357	190	53	70.2	9	1.2
Staunton	226	351	-125	64	13	57.5	9	4.0
White	191	310	-119	62	12	62.8	8	4.2
Other races	35	41	-6	(4/)	1	28.6	1	(5/)
Bath	167	75	92	(4/)	10	59.9	3	1.8
White	160	65	95	(4/)	10	62.5	2	1.3
Other races	7	10	-3	(4/)	-----	------	1	(5/)
Bedford	557	311	246	179	31	55.7	13	2.3
White	390	221	169	176	18	46.2	6	2.1
Other races	167	90	77	(4/)	13	77.8	5	3.0
Bland	156	55	101	(4/)	7	44.9	6	3.8
Botetourt	357	148	209	241	19	53.2	12	3.4
White	320	120	200	267	18	56.3	10	3.1
Other races	37	28	9	(4/)	1	27.0	2	(5/)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
VIRGINIA—Con.								
Brunswick	489	192	297	255	22	45.0	23	4.7
White	153	76	77	(4/)	4	26.1	5	3.3
Other races	336	116	220	290	18	53.6	18	5.4
Buchanan	773	186	587	416	60	77.6	28	3.6
Buckingham	337	164	173	205	31	92.0	21	6.2
White	171	76	95	(4/)	12	70.2	10	5.8
Other races	166	88	78	(4/)	19	114.5	11	6.6
Campbell	1,397	836	561	167	96	68.7	70	5.0
Rural part	490	283	207	241	33	67.3	14	2.9
White	308	128	180	241	16	51.9	6	1.9
Other races	182	75	107	(4/)	17	93.4	8	4.4
Lynchburg	907	633	274	143	63	69.5	56	6.2
White	703	432	271	163	46	65.4	34	4.8
Other races	204	201	3	101	17	83.3	22	10.8
Caroline	322	167	155	193	30	93.2	13	4.0
White	112	74	38	(4/)	7	62.5	2	1.8
Other races	210	93	117	(4/)	23	109.5	11	5.2
Carroll	585	143	442	409	34	58.1	10	1.7
Charles City	133	54	79	(4/)	5	37.6	3	2.3
White	10	10	-------	(4/)	-----	------	----	------
Other races	123	44	79	(4/)	5	40.7	3	2.4
Charlotte	372	190	182	196	31	83.3	14	3.8
White	162	76	86	(4/)	9	55.6	6	3.7
Other races	210	114	96	184	22	104.8	8	3.8
Chesterfield	327	272	55	120	18	55.0	17	5.2
White	215	170	45	126	8	37.2	9	4.2
Other races	112	102	10	110	10	89.3	8	7.1
Clarke	110	70	40	(4/)	4	36.4	3	2.7
White	83	49	34	(4/)	2	24.1	1	(5/)
Other races	27	21	6	(4/)	2	74.1	2	(5/)
Craig	70	40	30	(4/)	5	71.4	4	(5/)
Culpeper	239	130	109	184	15	62.8	4	1.7
White	154	77	77	(4/)	8	51.9	1	0.6
Other races	85	53	32	(4/)	7	82.4	3	(5/)
Cumberland	200	105	95	190	24	120.0	14	7.0
White	46	39	7	(4/)	3	65.2	1	(5/)
Other races	154	66	88	(4/)	21	136.4	13	8.4
Dickenson	683	116	567	589	29	42.5	23	3.4
Dinwiddie	709	869	-160	82	62	87.4	39	5.5
Rural part	277	380	-103	73	16	57.8	6	2.2
White	79	48	31	(4/)	5	63.3	1	(5/)
Other races	198	332	-134	60	11	55.6	5	2.5
Petersburg	432	489	-57	88	46	106.5	33	7.6
White	239	200	39	120	22	92.1	12	5.0
Other races	193	289	-96	67	24	124.4	21	10.9
Elizabeth City	465	454	11	102	26	55.9	12	2.6
Rural part	267	291	-24	92	12	44.9	6	2.2
White	182	174	8	105	4	22.0	3	1.6
Other races	85	117	-32	73	8	94.1	3	(5/)
Hampton 22/	198	163	35	121	14	70.7	6	3.0
White	120	75	45	(4/)	6	50.0	3	2.5
Other races	78	88	-10	(4/)	8	102.6	3	(5/)
Essex	133	94	39	(4/)	12	90.2	5	3.8
White	45	36	9	(4/)	2	44.4	2	(5/)
Other races	88	58	30	(4/)	10	113.6	3	(5/)
Fairfax	313	232	81	135	9	28.8	12	3.8
White	251	186	65	135	5	19.9	6	2.4
Other races	62	46	16	(4/)	4	64.5	6	(5/)
Fauquier	384	260	124	148	26	67.7	15	3.9
White	254	175	79	145	12	47.2	9	3.5
Other races	130	85	45	(4/)	14	107.7	6	4.6
Floyd	287	115	172	250	23	80.1	8	2.8
Fluvanna	141	71	70	(4/)	9	63.8	10	7.1
White	73	39	34	(4/)	3	41.1	5	(5/)
Other races	68	32	36	(4/)	6	88.2	5	(5/)
Franklin	540	233	307	232	30	55.6	15	2.8
White	448	190	258	236	27	60.3	12	2.7
Other races	92	43	49	(4/)	3	32.6	3	(5/)
Frederick	508	341	167	149	40	78.7	21	4.1
Rural part	213	107	106	199	12	56.3	8	3.8
Winchester	295	234	61	126	28	94.9	13	4.4
Giles	326	131	195	249	21	64.4	12	3.7
Gloucester	153	132	21	116	5	32.7	7	4.6
White	90	61	29	(4/)	1	11.1	2	(5/)
Other races	63	71	-8	(4/)	4	63.5	5	(5/)
Goochland	161	117	44	138	11	68.3	10	6.2
White	63	51	12	(4/)	4	63.5	3	(5/)
Other races	98	66	32	(4/)	7	71.4	7	(5/)
Grayson	485	234	251	207	35	72.2	17	3.5
Greene	116	53	63	(4/)	5	43.1	5	4.3
White	106	39	67	(4/)	5	47.2	4	3.8
Other races	10	14	-4	(4/)	-----	------	1	(5/)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
VIRGINIA—Con.								
Greensville	369	150	219	246	28	75.9	14	3.8
White	94	41	53	(4)	3	31.9	4	(5)
Other races	275	109	166	252	25	90.9	10	3.6
Halifax	1,032	456	576	226	86	83.3	47	4.6
White	495	227	268	218	39	78.8	12	2.4
Other races	537	229	308	234	47	87.5	35	6.5
Hanover	320	197	123	162	25	78.1	19	5.9
White	156	112	44	139	11	70.5	7	4.5
Other races	164	85	79	(4)	14	85.4	12	7.3
Henrico	3,393	3,193	200	106	258	76.0	169	5.0
Rural part	349	252	97	138	18	51.6	14	4.0
White	219	185	34	118	11	50.2	7	3.2
Other races	130	67	63	(4)	7	53.8	7	5.4
Richmond	3,044	2,941	103	104	240	78.8	155	5.1
White	2,015	1,762	253	114	129	64.0	74	3.7
Other races	1,029	1,179	-150	87	111	107.9	81	7.9
Henry	966	325	641	297	47	48.7	22	2.3
Rural part	744	210	534	354	32	43.0	15	2.0
White	487	123	364	396	17	34.9	9	1.8
Other races	257	87	170	(4)	15	58.4	6	2.3
Martinsville 22/	222	115	107	193	15	67.6	7	3.2
White	156	71	85	(4)	11	70.5	6	3.8
Other races	66	44	22	(4)	4	60.6	1	(5)
Highland	121	51	70	(4)	7	57.9	3	2.5
Isle of Wight	303	157	146	193	19	62.7	17	5.6
White	112	56	56	(4)	2	17.9	3	2.7
Other races	191	101	90	189	17	89.0	14	7.3
James City	(23)	(23)	(23)	(23)	(23)	(23)	(23)	(23)
Rural part	87	62	25	(4)	7	80.5	4	(5)
White	27	23	4	(4)	1	37.0	2	(5)
Other races	60	39	21	(4)	6	100.0	2	(5)
Williamsburg 22/23/	53	157	-104	34	3	56.6	2	(5)
White	32	142	-110	23	-----	------	---	------
Other races	21	15	6	(4)	3	142.9	2	(5)
King and Queen	142	84	58	(4)	12	84.5	8	5.6
White	57	31	26	(4)	4	70.2	2	(5)
Other races	85	53	32	(4)	8	94.1	6	(5)
King George	71	60	11	(4)	6	84.5	3	(5)
White	29	25	4	(4)	1	34.5	1	(5)
Other races	42	35	7	(4)	5	119.0	2	(5)
King William	144	117	27	123	13	90.3	7	4.9
White	45	44	1	(4)	1	22.2	3	(5)
Other races	99	73	26	(4)	12	121.2	4	(5)
Lancaster	145	115	30	126	12	82.8	5	3.4
White	74	45	29	(4)	3	40.5	3	(5)
Other races	71	70	1	(4)	9	126.8	2	(5)
Lee	1,026	309	717	332	65	63.4	34	3.3
Loudoun	383	227	156	169	29	75.7	12	3.1
White	274	173	101	158	20	73.0	8	2.9
Other races	109	54	55	(4)	9	82.6	4	3.7
Louisa	281	157	124	179	22	78.3	5	1.8
White	122	83	39	(4)	7	57.4	1	0.8
Other races	159	74	85	(4)	15	94.3	4	2.5
Lunenburg	295	173	122	171	19	64.4	11	3.7
White	108	82	26	(4)	5	46.3	1	0.9
Other races	187	91	96	(4)	14	74.9	10	5.3
Madison	165	92	73	(4)	8	48.5	6	3.6
White	111	62	49	(4)	5	45.0	5	4.5
Other races	54	30	24	(4)	3	55.6	1	(5)
Mathews	100	88	12	(4)	6	60.0	1	1.0
White	73	71	2	(4)	4	54.8	1	(5)
Other races	27	17	10	(4)	2	74.1	-----	------
Mecklenburg	775	333	442	233	46	59.4	49	6.3
White	276	148	130	188	12	43.2	10	3.6
Other races	497	185	312	269	34	68.4	39	7.8
Middlesex	110	82	28	(4)	10	90.9	8	7.3
White	48	37	11	(4)	3	62.5	1	(5)
Other races	62	45	17	(4)	7	112.9	7	(5)
Montgomery	611	336	275	182	44	72.0	26	4.3
Rural part	489	284	205	172	38	77.7	17	3.5
White	463	248	215	187	35	75.6	16	3.5
Other races	26	36	-10	(4)	3	115.4	1	(5)
Radford 22/	122	52	70	(4)	6	49.2	9	7.4
White	107	46	61	(4)	6	56.1	9	8.4
Other races	15	6	9	(4)	-----	------	----	------
Nansemond	656	538	118	122	72	109.8	39	5.9
Rural part	457	303	154	151	52	113.8	24	5.3
White	86	63	23	(4)	2	23.3	----	------
Other races	371	240	131	155	50	134.8	24	6.5
Suffolk	199	235	-36	85	20	100.5	15	7.5
White	136	114	22	119	12	88.2	8	5.9
Other races	63	121	-58	52	8	127.0	7	(5)
Nelson	338	158	180	214	22	65.1	16	4.7
White	209	99	110	(4)	8	38.3	6	2.9
Other races	129	59	70	(4)	14	108.5	10	7.8
New Kent	68	51	17	(4)	7	102.9	5	(5)
White	15	19	-4	(4)	1	66.7	1	(5)
Other races	53	32	21	(4)	6	113.2	4	(5)
Norfolk	3,462	2,971	491	117	278	80.3	250	7.2
Rural part	487	352	115	133	48	102.8	21	4.5
White	163	151	12	108	14	85.9	1	0.6
Other races	304	201	103	151	34	111.8	20	6.6
Norfolk	2,048	1,851	197	111	147	71.8	155	7.6
White	1,322	956	366	138	60	45.4	59	4.5
Other races	726	895	-169	81	87	119.8	96	13.2
Portsmouth	833	690	143	121	77	92.4	68	8.2
White	492	280	212	176	30	61.0	15	3.0
Other races	341	410	-69	83	47	137.8	53	15.5
South Norfolk 22/	114	78	36	(4)	6	52.6	6	5.3
White	82	51	31	(4)	6	73.2	3	(5)
Other races	32	27	5	(4)	-----	------	3	(5)
Northampton	381	260	121	147	39	102.4	16	4.2
White	112	102	10	110	6	53.6	4	3.6
Other races	269	158	111	170	33	122.7	12	4.5
Northumberland	135	144	-9	94	18	133.3	7	5.2
White	49	85	-36	(4)	3	61.2	----	------
Other races	86	59	27	(4)	15	174.4	7	(5)
Nottoway	284	227	57	125	18	63.4	11	3.9
White	88	76	12	(4)	4	45.5	3	(5)
Other races	196	151	45	130	14	71.4	8	4.1
Orange	203	135	68	150	11	54.2	8	3.9
White	122	76	46	(4)	4	32.8	2	1.6
Other races	81	59	22	(4)	7	86.4	6	(5)
Page	342	136	206	251	26	76.0	9	2.6
Patrick	464	139	325	334	18	38.8	7	1.5
Pittsylvania	2,040	1,016	1,024	201	147	72.1	83	4.1
Rural part	1,333	486	847	274	83	62.3	44	3.3
White	771	283	488	272	44	57.1	19	2.5
Other races	562	203	359	277	39	69.4	25	4.4
Danville	707	530	177	133	64	90.5	39	5.5
White	561	317	244	177	42	74.9	22	3.9
Other races	146	213	-67	69	22	150.7	17	11.6
Powhatan	104	62	42	(4)	3	28.8	7	6.7
White	40	18	22	(4)	-----	------	2	(5)
Other races	64	44	20	(4)	3	46.9	5	(5)
Prince Edward	362	218	144	166	26	71.8	17	4.7
White	146	92	54	(4)	4	27.4	3	2.1
Other races	216	126	90	171	22	101.9	14	6.5
Prince George	346	204	142	170	32	92.5	22	6.4
Rural part	207	122	85	170	19	91.8	14	6.8
White	83	58	25	(4)	5	60.2	5	(5)
Other races	124	64	60	(4)	14	112.9	9	7.3
Hopewell	139	82	57	(4)	13	93.5	8	5.8
White	124	61	63	(4)	8	64.5	6	4.8
Other races	15	21	-6	(4)	5	333.3	2	(5)
Princess Anne	318	495	-177	64	30	94.3	26	8.2
White	122	198	-76	62	10	82.0	6	4.9
Other races	196	297	-101	66	20	102.0	20	10.2
Prince William	261	140	121	186	16	61.3	4	1.5
White	200	106	94	189	10	50.0	1	0.5
Other races	61	34	27	(4)	6	98.4	3	(5)
Pulaski	540	216	324	250	30	55.6	17	3.1
White	497	180	317	276	24	48.3	16	3.2
Other races	43	36	7	(4)	6	139.5	1	(5)
Rappahannock	167	73	94	(4)	9	53.9	4	2.4
White	128	54	74	(4)	9	70.3	1	0.8
Other races	39	19	20	(4)	-----	------	3	(5)
Richmond	122	82	40	(4)	15	123.0	5	4.1
White	63	51	12	(4)	7	111.1	2	(5)
Other races	59	31	28	(4)	8	135.6	3	(5)
Roanoke	1,826	1,195	631	153	125	68.5	66	3.6
Rural part	603	329	274	183	28	46.4	12	2.0
Roanoke	1,223	866	357	141	97	79.3	54	4.4
White	1,028	669	359	154	73	71.0	33	3.2
Other races	195	197	-2	99	24	123.1	21	10.8
Rockbridge	523	252	271	208	33	63.1	16	3.1
Rural part	411	211	200	195	27	65.7	10	2.4
White	367	175	192	210	25	68.1	8	2.2
Other races	44	36	8	(4)	2	45.5	2	(5)
Buena Vista 22/	112	41	71	(4)	6	53.6	6	5.4
Rockingham	843	463	380	182	41	48.6	22	2.6
Rural part	585	261	324	224	23	39.3	15	2.6
Harrisonburg 22/	258	202	56	128	18	69.8	7	2.7
White	239	181	58	132	16	66.9	6	2.5
Other races	19	21	-2	(4)	2	105.3	1	(5)

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
VIRGINIA—Con.								
Russell	824	211	613	391	34	41.3	25	3.0
Scott	647	239	408	271	33	51.0	23	3.6
Shenandoah	380	191	189	199	8	21.1	11	2.9
Smyth	755	328	427	230	37	49.0	26	3.4
Southampton	618	335	283	184	53	85.8	34	5.5
White	156	105	51	149	5	32.1	1	0.6
Other races	462	230	232	201	48	103.9	33	7.1
Spotsylvania	422	298	124	142	29	68.7	19	4.5
Rural part	203	103	100	197	13	64.0	5	2.5
White	119	66	53	(4/)	7	58.8	----	------
Other races	84	37	47	(4/)	6	71.4	5	(5/)
Fredericksburg 22/	219	195	24	112	16	73.1	14	6.4
White	192	156	36	123	14	72.9	11	5.7
Other races	27	39	-12	(4/)	2	74.1	3	(5/)
Stafford	154	76	78	(4/)	8	51.9	2	1.3
White	101	61	40	(4/)	4	39.6	1	1.0
Other races	53	15	38	(4/)	4	75.5	1	(5/)
Surry	136	99	37	(4/)	19	139.7	10	7.4
White	38	30	8	(4/)	3	78.9	1	(5/)
Other races	98	69	29	(4/)	16	163.3	9	(5/)
Sussex	280	163	117	172	27	96.4	21	7.5
White	45	36	9	(4/)	1	22.2	1	(5/)
Other races	235	127	108	185	26	110.6	20	8.5
Tazewell	1,187	312	875	380	64	53.9	36	3.0
Warren	180	98	82	(4/)	17	94.4	8	4.4
Warwick	767	590	177	130	36	46.9	45	5.9
Rural part	87	109	-22	80	4	46.0	3	(5/)
White	45	50	-5	(4/)	2	44.4	2	(5/)
Other races	42	59	-17	(4/)	2	47.6	1	(5/)
Newport News	580	481	199	141	32	47.1	42	6.2
White	422	226	196	187	21	49.8	21	5.0
Other races	258	255	3	101	11	42.6	21	8.1
Washington	1,277	568	709	225	88	68.9	40	3.1
Rural part	951	399	552	238	59	62.0	31	3.3
Bristol 22/	326	169	157	193	29	89.0	9	2.8
White	313	157	156	199	27	86.3	8	2.6
Other races	13	12	1	(4/)	2	153.8	1	(5/)
Westmoreland	216	145	71	149	33	152.8	10	4.6
White	82	73	9	(4/)	10	122.0	2	(5/)
Other races	134	72	62	(4/)	23	171.6	8	6.0
Wise	1,562	484	1,078	323	126	80.7	53	3.4
Wythe	532	178	354	299	33	62.0	20	3.8
York	(23/)	(23/)	(23/)	(23/)	(23/)	(23/)	(23/)	(23/)
Rural part	162	85	77	(4/)	8	49.4	10	6.2
White	69	39	30	(4/)	3	43.5	3	(5/)
Other races	93	46	47	(4/)	5	53.8	7	(5/)
Williamsburg(part)	(23/)	(23/)	(23/)	(23/)	(23/)	(23/)	(23/)	(23/)
WASHINGTON (total)	22,396	18,203	4,193	123	1,012	45.2	476	2.1
Adams	84	46	38	(4/)	6	71.4	3	(5/)
Asotin	64	51	13	(4/)	2	31.3	1	(5/)
Benton	94	82	12	(4/)	5	53.2	2	(5/)
Chelan	673	365	308	184	34	50.5	10	1.5
Rural part	173	168	5	103	10	57.8	1	0.6
Wenatchee	500	197	303	254	24	48.0	9	1.8
Clallam	354	226	128	157	25	70.6	12	3.4
Rural part	118	91	27	(4/)	9	76.3	2	1.7
Port Angeles	236	135	101	175	16	67.8	10	4.2
Clark	601	413	188	146	21	34.9	11	1.8
Rural part	187	175	12	107	10	53.5	2	1.1
Vancouver	414	238	176	174	11	26.6	9	2.2
Columbia	78	46	32	(4/)	3	38.5	----	------
Cowlitz	586	286	300	205	19	32.4	19	3.2
Rural part	245	212	33	116	11	44.9	8	3.3
Longview	341	74	267	(4/)	8	23.5	11	3.2
Douglas	57	63	-6	(4/)	1	17.5	4	(5/)
Ferry	72	37	35	(4/)	6	83.3	3	(5/)
White	38	23	15	(4/)	2	52.6	3	(5/)
Other races	34	14	20	(4/)	4	117.6	----	------
Franklin	129	94	35	(4/)	8	62.0	2	1.6
Garfield	65	30	35	(4/)	1	15.4	1	(5/)
Grant	84	61	23	(4/)	5	59.5	1	(5/)
Grays Harbor	706	504	202	140	33	46.7	20	2.8
Rural part	216	154	62	140	11	50.9	3	1.4
Aberdeen	330	233	97	142	14	42.4	11	3.3
Hoquiam	160	117	43	137	8	50.0	6	3.8
Island	79	50	29	(4/)	5	63.3	----	------
Jefferson	131	72	59	(4/)	6	45.8	1	0.8
King	5,713	5,456	257	105	225	39.4	125	2.2
Rural part	811	833	-22	97	22	27.1	13	1.6
Seattle	4,902	4,623	279	106	203	41.4	112	2.3
White	4,710	4,423	287	106	193	41.0	107	2.3
Other races	192	200	-8	96	10	52.1	5	2.6

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
WASHINGTON—Con.								
Kitsap	482	375	107	129	20	41.5	13	2.7
Rural part	134	248	-114	54	10	74.6	----	------
Bremerton	348	127	221	274	10	28.7	13	3.7
Kittitas	285	176	109	162	10	35.1	5	1.8
Klickitat	125	77	48	(4/)	5	40.0	4	3.2
Lewis	646	385	261	168	24	37.2	9	1.4
Lincoln	136	97	39	(4/)	4	29.4	1	0.7
Mason	158	109	49	145	5	31.6	4	2.5
Okanogan	462	200	262	231	25	54.1	8	1.7
Pacific	163	127	36	128	10	61.3	2	1.2
Pend Oreille	104	69	35	(4/)	4	38.5	2	1.9
Pierce	2,198	2,113	85	104	79	35.9	35	1.6
Rural part	364	677	-313	54	13	35.7	6	1.6
Tacoma	1,834	1,436	398	128	66	36.0	29	1.6
San Juan	29	35	-6	(4/)	-----	------	----	------
Skagit	451	487	-36	93	19	42.1	15	3.3
Skamania	53	35	18	(4/)	6	113.2	2	(5/)
Snohomish	1,162	875	287	133	58	49.9	20	1.7
Rural part	503	476	27	106	20	39.8	6	1.2
Everett	659	399	260	165	38	57.7	14	2.1
Spokane	2,234	2,348	-114	95	115	51.5	48	2.1
Rural part	158	627	-469	25	3	19.0	2	1.3
Spokane	2,076	1,721	355	121	112	53.9	46	2.2
Stevens	266	180	86	148	11	41.4	7	2.6
Thurston	439	315	124	139	18	41.0	20	4.6
Rural part	174	141	33	123	10	57.5	3	1.7
Olympia	265	174	91	152	8	30.2	17	6.4
Wahkiakum	26	30	-4	(4/)	1	38.5	----	------
Walla Walla	465	426	39	109	28	60.2	12	2.6
Rural part	32	154	-122	21	4	125.0	----	------
Walla Walla	433	272	161	159	24	55.4	12	2.8
Whatcom	862	646	216	133	29	33.6	14	1.6
Rural part	233	277	-44	84	13	55.8	1	0.4
Bellingham	529	369	160	170	16	25.4	13	2.1
Whitman	370	264	106	140	12	32.4	9	2.4
Yakima	1,710	952	758	180	124	72.5	31	1.8
Rural part	748	548	200	136	57	89.6	11	1.5
Yakima	962	404	558	238	57	59.3	20	2.1
WEST VIRGINIA (total)	41,774	18,340	23,434	228	2,533	60.6	1,645	3.9
Barbour	432	173	259	250	19	44.0	17	3.9
Berkeley	504	350	154	144	30	59.5	33	6.5
Rural part	206	85	121	(4/)	1	4.9	8	3.9
Martinsburg	298	265	33	112	29	97.3	25	8.4
Boone	797	168	629	474	46	57.7	20	2.5
Braxton	526	191	335	275	25	47.5	17	3.2
Brooke	390	175	215	223	19	48.7	17	4.4
Cabell	(24/)	(24/)	(24/)	(24/)	(24/)	(24/)	(24/)	(24/)
Rural part	448	154	294	291	17	37.9	10	2.2
Huntington 24/	1,497	1,072	425	140	88	58.8	70	4.7
Calhoun	290	88	202	(4/)	18	62.1	9	3.1
Clay	434	71	363	(4/)	15	34.6	13	3.0
Doddridge	220	80	140	(4/)	8	36.4	10	4.5
Fayette	2,122	781	1,341	272	143	67.4	73	3.4
White	1,851	601	1,250	308	124	67.0	64	3.5
Other races	271	180	91	151	19	70.1	9	3.3
Gilmer	275	76	199	(4/)	19	69.1	4	1.5
Grant	190	90	100	(4/)	18	94.7	4	2.1
Greenbrier	962	400	562	241	60	62.4	42	4.4
Hampshire	221	155	66	143	18	81.4	14	6.3
Hancock	514	206	308	250	25	48.6	29	5.6
Hardy	228	77	151	(4/)	13	57.0	12	5.3
Harrison	1,655	787	868	210	98	59.2	51	3.1
Rural part	989	400	589	247	54	54.6	35	3.5
Clarksburg	666	387	279	172	44	66.1	16	2.4
Jackson	383	142	241	270	10	26.1	15	3.9
Jefferson	341	199	142	171	25	73.3	11	3.2
White	286	156	130	183	23	80.4	8	2.8
Other races	55	43	12	(4/)	2	36.4	3	(5/)
Kanawha	3,887	1,837	2,050	212	269	69.2	173	4.5
Rural part	2,443	799	1,644	306	149	61.0	88	3.6
Charleston	1,444	1,038	406	139	120	83.1	85	5.9
White	1,353	879	474	154	113	83.5	75	5.5
Other races	91	159	-68	57	7	76.9	10	(5/)
Lewis	377	316	61	119	25	66.3	18	4.8
Lincoln	584	134	450	436	31	53.1	12	2.1
Logan	1,918	510	1,408	376	105	54.7	66	3.5
White	1,741	432	1,309	403	99	56.9	62	3.6
Other races	177	78	99	(4/)	6	33.9	6	3.4
McDowell	2,674	837	1,837	319	152	56.8	112	4.2
White	2,144	565	1,579	379	119	55.5	83	3.9
Other races	530	272	258	195	33	62.3	29	5.5

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
WEST VIRGINIA—Con.								
Marion	1,304	645	659	202	70	53.7	59	4.5
Rural part	880	305	575	289	39	44.3	35	4.0
Fairmont	424	340	84	125	31	73.1	24	5.7
Marshall	629	406	223	155	28	44.5	27	4.3
Rural part	388	243	145	160	17	43.8	19	4.9
Moundsville	241	163	78	148	11	45.6	8	3.3
Mason	524	253	271	207	32	61.1	11	2.1
Mercer	1,558	719	839	217	109	70.0	67	4.3
Rural part	1,157	374	783	309	79	68.3	35	3.0
White	1,074	324	750	331	71	66.1	32	3.0
Other races	83	50	33	(4/)	8	96.4	3	(5/)
Bluefield	401	345	56	116	30	74.8	32	8.0
White	352	267	85	132	27	76.7	29	8.2
Other races	49	78	-29	(4/)	3	61.2	3	(5/)
Mineral	475	244	231	195	31	65.3	25	5.3
Mingo	1,106	298	808	371	51	46.1	44	4.0
Monongalia	1,055	462	593	228	66	62.6	38	3.6
Rural part	706	249	457	284	43	60.9	31	4.4
Morgantown	349	213	136	164	23	65.9	7	2.0
Monroe	218	123	95	177	16	73.4	8	3.7
Morgan	137	87	50	(4/)	12	87.6	6	4.4
Nicholas	583	185	398	315	34	58.3	11	1.9
Ohio	1,396	1,152	244	121	82	58.7	46	3.3
Rural part	181	116	65	156	4	22.1	3	1.7
Wheeling	1,215	1,036	179	117	78	64.2	43	3.5
Pendleton	218	71	147	(4/)	8	36.7	6	2.8
Pleasants	137	57	80	(4/)	5	36.5	3	2.2
Pocahontas	299	173	126	173	26	87.0	11	3.7
Preston	687	324	363	212	54	78.6	24	3.5
Putnam	426	154	272	277	33	77.5	20	4.7
Raleigh	2,241	760	1,481	295	153	68.3	93	4.1
White	1,978	603	1,375	328	127	64.2	77	3.9
Other races	263	157	106	168	26	98.9	16	6.1
Randolph	681	319	362	213	46	67.5	31	4.6
Ritchie	289	145	144	199	17	58.8	7	2.4
Roane	463	315	148	147	28	60.5	26	5.6
Summers	472	222	250	213	29	61.4	24	5.1
Taylor	393	243	150	162	31	78.9	23	5.9
Tucker	286	112	174	255	24	83.9	14	4.9
Tyler	259	155	104	167	17	65.6	8	3.1
Upshur	403	183	220	220	26	64.5	9	2.2
Wayne	(24/)	(24/)	(24/)	(24/)	(24/)	(24/)	(24/)	(24/)
Rural part	818	231	587	354	45	55.0	24	2.9
Huntington (part)	(24/)	(24/)	(24/)	(24/)	(24/)	(24/)	(24/)	(24/)
Webster	512	115	397	445	33	64.5	26	5.1
Wetzel	458	237	221	193	28	61.1	21	4.6
Wirt	125	62	63	(4/)	9	72.0	6	4.8
Wood	1,151	679	472	167	73	64.5	46	4.1
Rural part	554	207	347	268	15	27.1	24	4.3
Parkersburg	577	472	105	122	58	100.5	22	3.8
Wyoming	622	140	482	444	21	33.8	27	4.3
WISCONSIN (total)	52,562	30,694	21,868	171	2,419	46.0	1,251	2.4
Adams	150	78	72	(4/)	5	33.3	3	2.0
Ashland	468	252	216	186	29	62.0	10	2.1
Rural part	155	62	93	(4/)	8	51.6	3	1.9
Ashland	313	190	123	165	21	67.1	7	2.2
Barron	634	358	276	177	27	42.6	13	2.1
Bayfield	188	125	63	150	6	31.9	4	2.1
Brown	1,502	846	756	189	75	45.8	32	2.0
Rural part	387	233	154	166	18	46.5	3	0.8
Green Bay	1,215	613	602	198	57	46.9	29	2.4
Buffalo	265	106	159	250	7	26.4	5	1.9
Burnett	176	107	69	164	4	22.7	4	2.3
Calumet	264	117	147	226	8	30.3	5	1.9
Chippewa	772	456	316	169	52	67.4	22	3.0
Clark	592	254	338	233	17	28.7	17	2.9
Columbia	530	425	105	125	21	39.6	20	3.8
Crawford	378	170	208	222	15	39.7	12	3.2
Dane	2,037	1,650	387	123	77	37.8	34	1.7
Rural part	505	619	-114	82	24	47.5	11	2.2
Madison	1,532	1,031	501	149	53	34.6	23	1.5
Dodge	(25/)	(25/)	(25/)	(25/)	(25/)	(25/)	(25/)	(25/)
Rural part	725	462	263	157	45	62.1	13	1.8
Watertown (part)	(25/)	(25/)	(25/)	(25/)	(25/)	(25/)	(25/)	(25/)
Door	381	178	203	214	16	42.0	5	1.3
Douglas	755	571	184	132	40	53.0	29	3.8
Rural part	119	133	-14	89	8	67.2	8	6.7
Superior	636	438	198	145	32	50.3	21	3.3

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
WISCONSIN—Con.								
Dunn	505	251	254	201	25	49.5	13	2.6
Eau Claire	938	518	420	181	48	51.2	24	2.6
Rural part	170	94	76	(4/)	9	52.9	3	1.8
Eau Claire	768	424	344	181	39	50.8	21	2.7
Florence	69	40	29	(4/)	5	72.5	----	------
Fond du Lac	1,039	663	376	157	62	59.7	23	2.2
Rural part	454	265	189	171	22	48.5	3	0.7
Fond du Lac	585	398	187	147	40	68.4	20	3.4
Forest	318	112	206	284	22	69.2	9	2.8
Grant	712	407	305	175	28	39.3	21	2.9
Green	354	231	123	153	12	33.9	8	2.3
Green Lake	175	154	21	114	7	40.0	6	3.4
Iowa	370	231	139	160	14	37.8	10	2.7
Iron	126	63	63	(4/)	11	87.3	6	4.8
Jackson	324	160	164	203	10	30.9	2	0.6
Jefferson	(25/)	(25/)	(25/)	(25/)	(25/)	(25/)	(25/)	(25/)
Rural part	319	292	27	109	18	56.4	7	2.2
Watertown 25/	245	172	73	142	10	40.8	4	1.6
Juneau	343	203	140	169	15	43.7	6	1.7
Kenosha	972	476	496	204	38	39.1	24	2.5
Rural part	111	104	7	107	4	36.0	6	5.4
Kenosha	861	372	489	231	34	39.5	18	2.1
Kewaunee	299	139	160	215	14	46.8	14	4.7
La Crosse	1,222	746	476	164	54	44.2	39	3.2
Rural part	167	119	48	140	7	41.9	3	1.8
La Crosse	1,055	627	428	168	47	44.5	36	3.4
Lafayette	285	163	122	175	14	49.1	5	1.8
Langlade	498	220	278	226	30	60.2	14	2.8
Lincoln	470	234	236	201	31	66.0	12	2.6
Manitowoc	1,018	537	481	190	54	53.0	22	2.2
Rural part	377	196	181	192	18	47.7	6	1.6
Manitowoc	424	245	179	173	24	56.6	9	2.1
Two Rivers	217	96	121	(4/)	12	55.3	7	3.2
Marathon	1,481	639	842	232	75	50.6	31	2.1
Rural part	837	286	551	293	38	45.4	21	2.5
Wausau	644	353	291	182	37	57.5	10	1.6
Marinette	586	367	219	160	30	51.2	11	1.9
Rural part	316	165	151	192	18	57.0	3	0.9
Marinette	270	202	68	134	12	44.4	8	3.0
Marquette	100	81	19	(4/)	1	10.0	2	2.0
Milwaukee	11,696	7,334	4,362	159	542	46.3	260	2.2
Rural part	1,833	1,850	-17	99	105	57.3	44	2.4
Cudahy	153	34	119	(4/)	4	26.1	4	2.6
Milwaukee	9,034	5,087	3,947	178	414	45.8	196	2.2
Shorewood	16	66	-50	(4/)	1	62.5	----	------
South Milwaukee	180	54	126	(4/)	7	38.9	7	3.9
Wauwatosa	181	110	71	165	1	5.5	2	1.1
West Allis	299	133	166	225	10	33.4	7	2.3
Monroe	584	316	268	185	36	61.6	10	1.7
Oconto	476	240	236	198	28	58.8	14	2.9
Oneida	403	190	213	212	21	52.1	9	2.2
Outagamie	1,438	639	799	225	57	39.6	36	2.5
Rural part	754	299	455	252	33	43.8	23	3.1
Appleton	684	340	344	201	24	35.1	13	1.9
Ozaukee	219	142	77	154	10	45.7	5	2.3
Pepin	173	82	91	(4/)	2	11.6	4	2.3
Pierce	325	205	120	159	9	27.7	5	1.5
Polk	533	278	255	192	25	46.9	18	3.4
Portage	697	344	353	203	32	45.9	16	2.3
Rural part	344	163	181	211	17	49.4	6	1.7
Stevens Point	353	181	172	195	15	42.5	10	2.8
Price	318	144	174	221	9	28.3	8	2.5
Racine	1,435	891	544	161	75	52.3	41	2.9
Rural part	217	272	-55	80	15	69.1	1	0.5
Racine	1,218	619	599	197	60	49.3	40	3.3
Richland	440	205	235	215	27	61.4	18	4.1
Rock	1,372	810	562	169	53	38.6	28	2.0
Rural part	359	283	76	127	7	19.5	8	2.2
Beloit	515	277	238	186	23	44.7	10	1.9
Janesville	498	250	248	199	23	46.2	10	2.0
Rusk	354	138	216	257	10	28.2	12	3.4
St. Croix	341	213	128	160	9	26.4	10	2.9
Sauk	605	359	246	169	22	36.4	13	2.1
Sawyer	253	93	160	(4/)	15	59.3	4	1.6
White	153	60	93	(4/)	9	58.8	3	2.0
Other races	100	33	67	(4/)	6	60.0	1	1.0
Shawano	698	298	400	234	31	44.4	16	2.3
Sheboygan	1,263	702	561	180	47	37.2	38	3.0
Rural part	386	301	85	128	18	46.6	14	3.6
Sheboygan	877	401	476	219	29	33.1	24	2.7

See footnotes at end of table.

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
WISCONSIN—Con.								
Taylor	406	154	252	264	24	59.1	6	0.5
Trempealeau	411	208	203	198	30	73.0	8	1.9
Vernon	477	261	216	183	25	52.4	10	2.1
Vilas	136	82	54	(4/)	11	80.9	2	1.5
White	119	65	54	(4/)	9	75.6	2	1.7
Other races	17	17	-------	(4/)	2	117.6	----	------
Walworth	398	372	26	107	15	37.7	6	1.5
Washburn	207	75	132	(4/)	8	38.6	4	1.9
Washington	467	272	195	172	21	45.0	7	1.5
Waukesha	824	596	228	138	26	31.6	18	2.2
Rural part	403	410	-7	98	11	27.3	4	1.0
Waukesha	421	186	235	226	15	35.6	14	3.3
Waupaca	535	375	160	143	24	44.9	17	3.2
Waushara	193	117	76	165	7	36.3	4	2.1
Winnebago	1,186	875	311	136	45	37.9	36	3.0
Rural part	508	410	98	124	14	27.6	10	2.0
Oshkosh	678	465	213	146	31	45.7	26	3.8
Wood	1,014	430	584	236	51	50.3	26	2.6
WYOMING (total)	4,362	2,284	2,078	191	223	51.1	86	2.0
Albany	211	126	85	167	12	56.9	3	1.4
Big Horn	293	101	192	290	9	30.7	4	1.4
Campbell	130	42	88	(4/)	1	7.7	5	3.8
Carbon	175	140	35	125	14	80.0	3	1.7
Converse	132	62	70	(4/)	7	53.0	4	3.0
Crook	83	34	49	(4/)	4	48.2	1	(5/)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, excluding stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths 1/	Births per 100 deaths	Number	Per 1,000 live births	Number	Per 100 live births
	Births	Deaths						
Section B—Continued								
WYOMING—Con.								
Fremont	282	175	107	161	27	95.7	3	1.1
White	186	125	61	149	17	91.4	2	1.1
Other races	96	50	46	(4/)	10	104.2	1	(5/)
Goshen	248	71	177	(4/)	13	52.4	3	1.2
Hot Springs	108	79	29	(4/)	6	55.6	4	3.7
Johnson	83	43	40	(4/)	1	12.0	3	(5/)
Laramie	462	324	138	143	24	51.9	7	1.5
Rural part	109	50	59	(4/)	3	27.5	1	0.9
Cheyenne	353	274	79	129	21	59.5	6	1.7
Lincoln	256	85	171	(4/)	13	50.8	7	2.7
Natrona	425	239	186	178	29	68.2	10	2.4
Rural part	74	18	56	(4/)	5	67.6	4	(5/)
Casper	351	221	130	159	24	68.4	6	1.7
Niobrara	93	57	36	(4/)	4	43.0	----	------
Park	191	76	115	(4/)	14	73.3	3	1.6
Platte	151	87	64	(4/)	9	59.6	7	4.6
Sheridan	336	193	143	174	9	26.8	3	0.9
Sublette	26	10	16	(4/)	1	38.5	2	(5/)
Sweetwater	287	147	140	195	15	52.3	7	2.4
Teton	45	22	23	(4/)	1	22.2	2	(5/)
Uinta	106	109	-3	97	4	37.7	3	2.8
Washakie	132	36	96	(4/)	4	30.3	1	0.8
White	131	35	96	(4/)	4	30.5	1	0.8
Other races	1	1	-------	(4/)	-----	------	----	------
Weston	105	24	81	(4/)	2	19.0	1	1.0
Yellowstone National Park (part) 26/	2	2	-------	(4/)	-----	------	----	------

1/ A minus sign (-) indicates an excess of deaths over births.
2/ Exclusive of 100 cities in 3 States (Georgia, Kentucky, and Vermont).
3/ Including 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).
4/ Figures not shown when the number of deaths is less than 100.
5/ Rate not computed when the number of births is less than 100.
6/ Including 49 cities of 2,500 to 10,000 population in 1930.
7/ Rate not computed.
8/ Including 40 cities of 2,500 to 10,000 population in 1930.
9/ Including 11 cities of 2,500 to 10,000 population in 1930.
10/ Figures for Phenix City in Russell County include those for that part of Phenix City in Lee County.
11/ Figures for Atlanta in Fulton County include those for that part of Atlanta in De Kalb County.
12/ Figures for Centralia in Marion County include those for that part of Centralia in Clinton County.
13/ Figures for Elgin in Kane County include those for that part of Elgin in Cook County.
14/ Figures for St. Cloud in Stearns County include those for the parts of St. Cloud in Benton and Sherburne Counties.
15/ Figures for Joplin in Jasper County include those for that part of Joplin in Newton County.
16/ Figures for Rocky Mount in Nash County include those for that part of Rocky Mount in Edgecombe County.
17/ Figures for Fostoria in Seneca County include those for that part of Fostoria in Hancock County.
18/ Figures for Youngstown in Mahoning County include those for that part of Youngstown in Trumbull County.
19/ Figures for Elwood City in Lawrence County include those for that part of Elwood City in Beaver County.
20/ Figures for Bethlehem in Northampton County include those for that part of Bethlehem in Lehigh County.
21/ Figures for Amarillo in Potter County include those for that part of Amarillo in Randall County.
22/ Population less than 10,000 in 1930; shown separately because independent of county in which located.
23/ Figures for Williamsburg in James City County include those for that part of Williamsburg in York County.
24/ Figures for Huntington in Cabell County include those for that part of Huntington in Wayne County.
25/ Figures for Watertown in Jefferson County include those for that part of Watertown in Dodge County.
26/ Figures relate to entire area.

GENERAL TABLES

GENERAL TABLES

TABLE 1.—BIRTHS, BY MONTHS: 1935

(Exclusive of stillbirths)

AREA AND SEX	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	2,155,105	186,051	171,058	185,375	172,177	174,705	178,786	191,888	192,449	185,218	177,945	167,643	171,810
Male	1,105,489	95,732	87,400	95,379	87,857	89,651	91,763	98,781	98,943	94,940	91,163	86,133	87,747
Female	1,049,616	90,319	83,658	89,996	84,320	85,054	87,023	93,107	93,506	90,278	86,782	81,510	84,063
Cities of 10,000 or more	997,332	85,814	78,390	84,639	78,141	81,262	83,877	89,361	88,673	83,783	82,260	79,371	81,761
Male	512,618	44,260	39,934	43,707	39,961	41,910	43,194	46,140	45,734	43,053	42,294	40,712	41,719
Female	484,714	41,554	38,456	40,932	38,180	39,352	40,683	43,221	42,939	40,730	39,966	38,659	40,042
Cities of 2,500 to 10,000	219,762	18,854	17,405	18,669	17,122	17,403	18,203	19,645	19,714	18,924	18,296	17,502	18,025
Male	112,624	9,765	9,007	9,616	8,775	8,951	9,301	10,031	10,138	9,627	9,343	8,903	9,167
Female	107,138	9,089	8,398	9,053	8,347	8,452	8,902	9,614	9,576	9,297	8,953	8,599	8,858
Rural	938,011	81,383	75,263	82,067	76,914	76,040	76,706	82,882	84,062	82,511	77,389	70,770	72,024
Male	480,247	41,707	38,459	42,056	39,121	38,790	39,268	42,610	43,071	42,260	39,526	36,518	36,861
Female	457,764	39,676	36,804	40,011	37,793	37,250	37,438	40,272	40,991	40,251	37,863	34,252	35,163
ALABAMA	62,239	5,332	5,066	5,576	5,245	4,788	5,013	5,223	5,565	5,517	5,054	4,823	5,037
Cities of 10,000 or more	11,837	1,067	985	1,034	902	873	937	999	1,068	1,017	990	941	1,024
Cities of 2,500 to 10,000	3,421	317	288	308	268	248	266	264	292	296	278	303	293
Rural	46,981	3,948	3,793	4,234	4,075	3,667	3,810	3,960	4,205	4,204	3,786	3,579	3,720
ARIZONA	9,139	864	651	762	765	651	745	891	811	748	792	666	793
Cities of 10,000 or more	2,898	270	217	246	258	176	222	261	261	262	246	207	272
Cities of 2,500 to 10,000	2,051	169	116	151	161	161	134	217	217	164	215	161	185
Rural	4,190	425	318	365	346	314	389	413	333	322	331	298	336
ARKANSAS	35,684	3,201	2,944	3,000	2,708	2,628	2,778	3,359	3,477	3,297	3,034	2,728	2,530
Cities of 10,000 or more	3,812	348	279	321	277	257	314	324	362	361	348	318	303
Cities of 2,500 to 10,000	3,221	274	293	299	216	206	258	327	273	292	269	259	255
Rural	28,651	2,579	2,372	2,380	2,215	2,165	2,206	2,708	2,842	2,644	2,417	2,151	1,972
CALIFORNIA	80,131	6,565	5,873	6,644	6,531	6,518	6,670	7,055	7,285	6,898	6,848	6,486	6,758
Cities of 10,000 or more	50,519	4,135	3,651	4,117	4,121	4,148	4,254	4,442	4,623	4,329	4,290	4,122	4,287
Cities of 2,500 to 10,000	10,841	874	825	876	867	838	912	980	972	974	907	850	966
Rural	18,771	1,556	1,397	1,651	1,543	1,532	1,504	1,633	1,690	1,595	1,651	1,514	1,505
COLORADO	18,837	1,653	1,507	1,631	1,619	1,576	1,618	1,636	1,618	1,615	1,506	1,475	1,384
Cities of 10,000 or more	8,177	720	659	712	713	661	722	708	699	673	625	645	640
Cities of 2,500 to 10,000	3,181	251	270	266	252	286	273	283	301	277	265	254	193
Rural	7,479	682	578	653	654	629	623	644	618	665	616	566	551
CONNECTICUT	22,258	1,894	1,801	1,984	1,780	1,892	1,931	1,954	1,988	1,817	1,764	1,733	1,720
Cities of 10,000 or more	18,608	1,549	1,477	1,627	1,459	1,548	1,641	1,647	1,665	1,547	1,520	1,462	1,466
Cities of 2,500 to 10,000	1,061	94	89	111	88	87	76	84	108	72	80	85	87
Rural	2,589	251	235	246	233	257	214	223	215	198	164	186	167
DELAWARE	4,036	359	322	338	317	336	354	388	350	346	317	297	312
Cities of 10,000 or more	2,269	186	171	195	174	190	195	206	205	199	198	163	187
Cities of 2,500 to 10,000	367	38	32	23	31	29	32	40	26	29	26	27	34
Rural	1,400	135	119	120	118	117	127	142	119	118	93	107	91
DISTRICT OF COLUMBIA	10,803	928	830	934	779	874	863	969	1,039	881	890	880	936
FLORIDA	28,051	2,682	2,433	2,358	2,019	1,986	1,917	2,160	2,395	2,459	2,610	2,462	2,570
Cities of 10,000 or more	10,377	965	861	834	685	709	733	812	925	919	974	967	993
Cities of 2,500 to 10,000	4,577	477	432	347	326	284	315	338	391	392	432	400	443
Rural	13,097	1,240	1,140	1,177	1,008	993	869	1,010	1,079	1,148	1,204	1,095	1,134
GEORGIA	63,260	5,482	5,040	5,538	5,238	5,009	5,037	5,362	5,673	5,568	5,206	4,894	5,213
Cities of 10,000 or more	13,692	1,222	1,183	1,196	1,030	1,024	1,049	1,135	1,234	1,189	1,144	1,074	1,212
Cities of 2,500 to 10,000	6,649	645	595	583	476	545	576	563	592	516	579	477	502
Rural	42,919	3,615	3,262	3,759	3,732	3,440	3,412	3,664	3,847	3,863	3,483	3,343	3,499
IDAHO	9,469	760	722	799	790	818	875	866	875	832	755	705	672
Cities of 10,000 or more	1,318	107	95	115	104	117	113	98	132	119	104	113	101
Cities of 2,500 to 10,000	4,122	330	292	348	343	379	386	397	351	345	349	308	294
Rural	4,029	323	335	336	343	322	376	371	392	368	302	284	277
ILLINOIS	111,884	9,533	8,833	9,301	8,370	8,334	9,457	10,706	10,257	9,718	9,671	8,822	8,882
Cities of 10,000 or more	76,708	6,407	6,022	6,445	5,870	5,765	6,493	7,327	6,855	6,563	6,573	6,098	6,290
Cities of 2,500 to 10,000	10,171	927	803	794	678	750	855	960	988	900	875	860	781
Rural	25,005	2,199	2,008	2,062	1,822	1,819	2,109	2,419	2,414	2,255	2,223	1,864	1,811
INDIANA	52,909	4,553	4,064	4,458	3,895	3,940	4,484	4,859	4,905	4,565	4,536	4,277	4,373
Cities of 10,000 or more	25,774	2,238	1,994	2,150	1,894	1,943	2,207	2,375	2,343	2,183	2,187	2,125	2,135
Cities of 2,500 to 10,000	5,900	475	451	483	436	441	477	540	552	509	506	505	526
Rural	21,235	1,840	1,619	1,825	1,565	1,556	1,800	1,944	2,010	1,874	1,843	1,647	1,712
IOWA	41,137	3,477	3,180	3,314	3,021	3,192	3,539	3,863	3,818	3,640	3,453	3,310	3,330
Cities of 10,000 or more	15,375	1,306	1,199	1,240	1,042	1,144	1,329	1,485	1,407	1,408	1,322	1,216	1,277
Cities of 2,500 to 10,000	6,091	459	462	469	447	498	532	557	594	567	493	522	491
Rural	19,671	1,712	1,519	1,605	1,532	1,550	1,678	1,821	1,817	1,665	1,638	1,572	1,562

TABLE 1.—BIRTHS, BY MONTHS: 1935—Continued

(Exclusive of stillbirths)

AREA AND SEX	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS	30,589	2,861	2,428	2,557	2,104	2,221	2,473	2,855	2,841	2,754	2,687	2,420	2,388
Cities of 10,000 or more	10,689	953	811	882	734	779	862	1,046	1,015	935	919	874	869
Cities of 2,500 to 10,000	4,398	362	324	360	312	322	383	437	425	385	399	349	340
Rural	15,502	1,536	1,293	1,315	1,058	1,120	1,228	1,372	1,401	1,434	1,369	1,197	1,179
KENTUCKY	57,715	5,178	4,905	5,188	4,712	4,674	4,748	4,843	4,904	5,081	4,756	4,356	4,370
Cities of 10,000 or more	10,064	870	818	839	773	760	843	919	950	875	825	796	796
Cities of 2,500 to 10,000	4,690	427	407	435	383	396	429	370	359	398	358	375	353
Rural	42,961	3,881	3,680	3,914	3,556	3,518	3,476	3,554	3,595	3,808	3,573	3,185	3,221
LOUISIANA	42,270	3,955	3,423	3,452	2,919	2,758	3,159	3,764	3,929	4,148	3,834	3,488	3,441
Cities of 10,000 or more	13,901	1,307	1,106	1,035	858	902	1,053	1,273	1,331	1,347	1,277	1,214	1,198
Cities of 2,500 to 10,000	5,450	505	439	475	382	342	447	460	516	541	474	433	436
Rural	22,919	2,143	1,878	1,942	1,679	1,514	1,659	2,031	2,082	2,260	2,083	1,841	1,807
MAINE	15,723	1,314	1,280	1,369	1,415	1,486	1,304	1,313	1,423	1,263	1,250	1,123	1,183
Cities of 10,000 or more	4,917	433	396	406	397	457	412	415	447	407	402	353	392
Cities of 2,500 to 10,000	2,046	174	170	184	167	178	173	168	184	169	158	167	154
Rural	8,760	707	714	779	851	851	719	730	792	687	690	603	637
MARYLAND	27,236	2,410	2,204	2,324	2,131	2,211	2,263	2,398	2,334	2,331	2,228	2,207	2,195
Cities of 10,000 or more	16,012	1,422	1,289	1,363	1,197	1,269	1,334	1,355	1,420	1,372	1,359	1,317	1,315
Cities of 2,500 to 10,000	1,576	127	134	136	139	121	133	138	130	129	113	143	133
Rural	9,648	861	781	825	795	821	796	905	784	830	756	747	747
MASSACHUSETTS	63,001	5,275	5,037	5,475	5,247	5,525	5,439	5,571	5,499	5,210	5,046	4,789	4,888
Cities of 10,000 or more	56,401	4,721	4,491	4,904	4,710	4,933	4,863	4,990	4,908	4,668	4,528	4,296	4,389
Cities of 2,500 to 10,000	3,614	297	301	315	311	324	290	320	334	312	269	277	264
Rural	2,986	257	245	256	226	268	286	261	257	230	249	216	235
MICHIGAN	87,446	7,261	7,061	7,603	7,403	7,649	7,521	7,910	7,461	7,121	6,826	6,664	6,966
Cities of 10,000 or more	54,542	4,611	4,460	4,777	4,594	4,785	4,685	4,947	4,542	4,332	4,292	4,130	4,387
Cities of 2,500 to 10,000	7,722	629	627	668	666	635	692	655	665	660	614	554	857
Rural	25,182	2,021	1,974	2,158	2,143	2,229	2,144	2,308	2,254	2,129	1,920	1,980	1,922
MINNESOTA	45,962	3,868	3,530	4,063	3,773	3,871	3,929	4,240	4,026	3,772	3,705	3,488	3,697
Cities of 10,000 or more	17,942	1,528	1,343	1,523	1,478	1,478	1,595	1,657	1,592	1,443	1,502	1,350	1,453
Cities of 2,500 to 10,000	6,228	472	486	573	473	520	538	589	572	508	510	453	534
Rural	21,792	1,868	1,701	1,967	1,822	1,873	1,796	1,994	1,862	1,821	1,693	1,685	1,710
MISSISSIPPI	48,320	4,188	3,918	4,141	3,871	3,508	3,811	4,370	4,449	4,564	4,181	3,605	3,714
Cities of 10,000 or more	5,085	496	433	392	337	347	392	435	453	498	423	430	450
Cities of 2,500 to 10,000	2,139	200	143	177	132	124	131	171	151	205	181	259	265
Rural	41,095	3,492	3,342	3,572	3,402	3,037	3,288	3,764	3,845	3,861	3,577	2,916	2,999
MISSOURI	57,299	5,225	4,730	4,582	4,037	3,995	4,733	5,441	5,417	5,124	4,919	4,502	4,594
Cities of 10,000 or more	24,273	2,158	1,938	1,809	1,596	1,680	2,071	2,315	2,360	2,142	2,149	2,024	2,031
Cities of 2,500 to 10,000	5,323	536	433	415	329	340	446	541	505	432	487	402	457
Rural	27,703	2,531	2,359	2,358	2,112	1,975	2,216	2,585	2,552	2,550	2,283	2,076	2,106
MONTANA	10,029	819	768	861	838	812	858	851	885	901	846	802	788
Cities of 10,000 or more	2,984	246	222	259	238	224	259	247	288	253	258	233	247
Cities of 2,500 to 10,000	1,772	167	135	146	135	132	158	145	140	159	158	157	140
Rural	5,273	406	411	456	465	456	441	459	457	489	420	412	401
NEBRASKA	23,327	2,089	1,902	1,953	1,720	1,801	1,940	2,160	2,052	2,032	1,913	1,853	1,912
Cities of 10,000 or more	7,421	652	595	568	517	551	645	697	662	633	659	607	635
Cities of 2,500 to 10,000	3,072	279	263	240	219	256	238	291	270	260	238	274	244
Rural	12,834	1,158	1,044	1,145	984	994	1,057	1,172	1,120	1,139	1,016	972	1,033
NEVADA	1,423	120	109	123	105	144	119	141	130	94	129	113	96
Cities of 10,000 or more	242	28	29	33	16	24	19	15	24	9	17	11	17
Cities of 2,500 to 10,000	383	27	35	25	21	38	31	47	46	22	42	29	19
Rural	798	65	45	64	68	82	69	79	60	63	70	73	60
NEW HAMPSHIRE	7,768	711	614	687	630	711	700	671	661	628	611	557	587
Cities of 10,000 or more	4,371	429	325	379	346	400	394	380	388	349	334	325	322
Cities of 2,500 to 10,000	833	80	75	73	59	74	78	86	63	69	59	58	59
Rural	2,564	202	214	235	225	237	228	205	210	210	218	174	206
NEW JERSEY	54,514	4,564	4,219	4,688	4,345	4,676	4,630	5,014	4,783	4,548	4,334	4,320	4,393
Cities of 10,000 or more	43,705	3,610	3,376	3,731	3,483	3,768	3,722	4,000	3,842	3,623	3,495	3,487	3,568
Cities of 2,500 to 10,000	4,664	397	372	435	357	378	438	439	352	384	344	387	371
Rural	6,145	557	471	522	505	530	470	575	579	541	495	446	454
NEW MEXICO	13,190	1,156	1,034	1,100	1,118	1,241	1,129	1,268	1,168	1,063	1,062	909	942
Cities of 10,000 or more	1,664	152	145	147	143	158	131	151	113	133	134	115	142
Cities of 2,500 to 10,000	2,378	198	184	196	224	199	196	217	225	188	207	176	168
Rural	9,148	806	705	757	751	884	802	900	830	742	721	618	632
NEW YORK	184,344	15,731	14,362	16,058	15,379	16,187	15,776	16,270	15,807	14,997	14,866	14,275	14,636
Cities of 10,000 or more	152,161	13,038	11,848	13,227	12,713	13,406	12,880	13,330	13,008	12,385	12,311	11,918	12,097
Cities of 2,500 to 10,000	9,555	779	697	816	805	824	869	905	818	755	800	699	788
Rural	22,628	1,914	1,817	2,015	1,861	1,957	2,027	2,035	1,981	1,857	1,755	1,658	1,751

TABLE 1.—BIRTHS, BY MONTHS: 1935—Continued

(Exclusive of stillbirths)

AREA AND SEX	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH CAROLINA	78,753	6,715	6,259	6,792	6,580	6,860	6,484	6,680	7,098	6,968	6,364	5,903	6,050
Cities of 10,000 or more	13,615	1,241	1,062	1,186	1,049	1,128	1,088	1,251	1,225	1,148	1,066	1,081	1,090
Cities of 2,500 to 10,000	6,269	547	509	535	495	507	483	548	573	550	520	502	500
Rural	58,869	4,927	4,688	5,071	5,036	5,225	4,913	4,881	5,300	5,270	4,778	4,320	4,460
NORTH DAKOTA	13,555	1,136	1,054	1,191	1,179	1,169	1,212	1,206	1,245	1,116	1,085	1,066	996
Cities of 10,000 or more	2,622	224	182	210	221	227	262	212	252	220	194	220	198
Cities of 2,500 to 10,000	1,712	124	150	122	137	144	156	170	168	135	137	135	134
Rural	9,321	788	722	859	821	798	794	824	825	761	754	711	664
OHIO	101,103	8,679	7,883	8,573	7,977	8,205	8,735	8,956	9,023	8,440	8,131	8,052	8,339
Cities of 10,000 or more	62,484	5,439	4,829	5,350	4,843	5,135	5,451	5,534	5,536	5,082	5,002	5,066	5,217
Cities of 2,500 to 10,000	8,440	676	682	723	684	549	704	704	752	748	701	712	705
Rural	30,179	2,564	2,372	2,600	2,450	2,421	2,580	2,728	2,735	2,610	2,428	2,274	2,417
OKLAHOMA	43,691	4,077	3,636	3,569	3,179	3,194	3,274	3,844	4,055	4,015	3,798	3,466	3,584
Cities of 10,000 or more	11,093	1,006	934	807	739	770	837	1,011	1,045	1,040	935	962	1,007
Cities of 2,500 to 10,000	7,974	840	593	609	546	596	583	734	721	718	703	534	697
Rural	24,624	2,231	2,109	2,153	1,894	1,828	1,854	2,099	2,289	2,257	2,160	1,870	1,880
OREGON	13,179	1,153	1,023	1,147	1,110	1,172	1,094	1,172	1,154	1,113	986	1,018	1,037
Cities of 10,000 or more	6,115	528	463	534	504	520	530	526	556	521	443	485	505
Cities of 2,500 to 10,000	2,894	236	202	246	221	275	238	260	268	243	241	215	249
Rural	4,170	389	358	367	385	377	326	386	330	349	302	318	283
PENNSYLVANIA	161,166	13,619	12,689	14,136	13,110	13,417	13,648	14,265	14,378	13,265	12,936	12,694	13,009
Cities of 10,000 or more	89,901	7,592	7,130	7,809	7,182	7,464	7,690	8,026	8,022	7,349	7,132	7,188	7,317
Cities of 2,500 to 10,000	20,953	1,719	1,648	1,818	1,721	1,761	1,764	1,852	1,849	1,752	1,683	1,637	1,749
Rural	50,312	4,308	3,911	4,509	4,207	4,192	4,194	4,387	4,507	4,164	4,121	3,869	3,943
RHODE ISLAND	10,215	893	803	891	847	889	883	902	903	806	811	783	804
Cities of 10,000 or more	9,396	801	738	828	776	827	805	829	829	742	752	725	744
Cities of 2,500 to 10,000	259	31	22	20	24	16	19	25	25	20	19	16	22
Rural	560	61	43	43	47	46	59	48	49	44	40	42	38
SOUTH CAROLINA	40,598	3,469	3,143	3,384	3,441	3,433	3,182	3,537	3,686	3,626	3,281	3,138	3,278
Cities of 10,000 or more	5,603	517	473	521	397	448	392	477	522	452	448	477	479
Cities of 2,500 to 10,000	3,077	247	264	282	232	231	218	264	291	259	275	243	271
Rural	31,918	2,705	2,406	2,581	2,812	2,754	2,572	2,796	2,873	2,915	2,558	2,418	2,528
SOUTH DAKOTA	12,850	1,077	961	1,094	1,038	1,099	1,123	1,194	1,143	1,096	1,057	968	1,000
Cities of 10,000 or more	2,639	205	200	228	213	220	233	244	210	229	248	208	200
Cities of 2,500 to 10,000	1,448	113	113	118	120	116	115	137	131	138	126	110	109
Rural	8,763	758	648	748	705	761	775	813	802	729	683	650	691
TENNESSEE	53,314	4,465	4,325	4,720	4,404	4,562	4,486	4,734	4,646	4,679	4,379	3,874	4,040
Cities of 10,000 or more	13,744	1,267	1,170	1,166	1,029	1,070	1,166	1,210	1,203	1,166	1,142	1,066	1,089
Cities of 2,500 to 10,000	4,105	330	340	366	353	331	336	346	369	374	286	320	354
Rural	35,465	2,868	2,815	3,188	3,022	3,161	2,984	3,178	3,074	3,139	2,951	2,488	2,597
TEXAS	114,721	10,601	9,361	9,865	8,640	8,274	8,550	10,047	10,536	10,448	10,045	9,111	9,443
Cities of 10,000 or more	37,536	3,473	3,041	3,052	2,669	2,606	2,711	3,250	3,526	3,440	3,329	3,099	3,340
Cities of 2,500 to 10,000	13,990	1,272	1,113	1,229	1,038	1,029	996	1,197	1,266	1,287	1,274	1,177	1,112
Rural	63,195	5,856	5,207	5,384	4,933	4,639	4,843	5,600	5,744	5,721	5,442	4,835	4,991
UTAH	12,695	1,067	924	1,182	1,026	1,086	1,062	1,052	1,104	1,110	1,034	1,008	1,040
Cities of 10,000 or more	5,164	445	368	512	405	458	437	415	449	454	422	384	415
Cities of 2,500 to 10,000	2,632	196	196	238	227	199	229	208	232	241	225	208	233
Rural	4,899	426	360	432	394	429	396	429	423	415	387	416	392
VERMONT	6,591	532	522	586	585	599	574	605	565	568	522	491	442
Cities of 10,000 or more	1,613	130	131	130	142	135	151	163	144	155	112	107	113
Cities of 2,500 to 10,000	1,270	115	92	126	124	117	125	102	87	103	108	85	86
Rural	3,708	287	299	330	319	347	298	340	334	310	302	299	243
VIRGINIA	51,487	4,349	4,265	4,712	4,206	4,370	4,253	4,423	4,527	4,398	4,085	3,890	4,009
Cities of 10,000 or more	11,488	1,044	906	964	849	904	957	1,012	1,035	969	922	936	990
Cities of 2,500 to 10,000	3,845	303	306	344	340	325	312	328	370	324	311	293	289
Rural	36,154	3,002	3,053	3,404	3,017	3,141	2,984	3,083	3,122	3,105	2,852	2,661	2,730
WASHINGTON	22,396	1,943	1,611	2,002	1,867	1,964	1,938	2,054	1,955	1,819	1,767	1,713	1,763
Cities of 10,000 or more	14,089	1,177	1,027	1,226	1,183	1,298	1,212	1,292	1,202	1,155	1,141	1,102	1,074
Cities of 2,500 to 10,000	2,371	220	172	213	199	197	200	221	222	177	167	195	188
Rural	5,936	546	412	563	485	469	526	541	531	487	459	416	501
WEST VIRGINIA	41,774	3,650	3,473	3,799	3,357	3,497	3,569	3,581	3,654	3,463	3,420	3,096	3,215
Cities of 10,000 or more	7,112	584	626	565	516	572	586	648	676	591	611	546	591
Cities of 2,500 to 10,000	3,609	352	290	305	305	298	323	313	288	307	287	270	291
Rural	31,053	2,734	2,557	2,929	2,536	2,627	2,660	2,620	2,690	2,565	2,522	2,280	2,333
WISCONSIN	52,562	4,268	4,016	4,572	4,442	4,514	4,564	4,856	4,563	4,383	4,235	4,022	4,137
Cities of 10,000 or more	23,872	1,963	1,807	2,055	1,917	2,063	2,085	2,237	2,017	1,960	2,000	1,859	1,909
Cities of 2,500 to 10,000	6,552	504	477	567	573	577	569	619	592	561	484	480	549
Rural	22,138	1,801	1,732	1,950	1,952	1,874	1,910	2,000	1,944	1,862	1,751	1,683	1,679
WYOMING	4,362	350	320	399	365	389	342	400	399	373	380	321	324
Cities of 10,000 or more	704	65	55	56	69	67	52	64	63	56	56	49	52
Cities of 2,500 to 10,000	866	63	63	80	80	78	71	88	88	79	64	57	55
Rural	2,792	222	202	263	216	244	219	248	248	238	260	215	217

TABLE 1.—BIRTHS, BY MONTHS: 1935—Continued

(Exclusive of stillbirths)

AREA AND SEX	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Cities having 100,000 or more inhabitants in 1930													
Birmingham, Ala.	4,952	444	410	428	374	378	394	430	446	402	411	378	457
Long Beach, Calif.	2,182	162	138	175	167	160	164	185	222	210	208	196	195
Los Angeles, Calif.	16,865	1,446	1,212	1,389	1,403	1,425	1,397	1,439	1,519	1,448	1,448	1,374	1,365
Oakland, Calif.	4,085	375	285	326	338	331	384	388	331	330	328	318	351
San Diego, Calif.	2,867	200	190	233	210	205	197	254	308	266	279	246	279
San Francisco, Calif.	7,116	538	493	589	618	583	660	651	649	613	586	562	574
Denver, Colo.	5,530	479	447	468	465	441	490	488	461	454	428	457	452
Bridgeport, Conn.	2,581	212	187	235	217	210	220	239	230	183	251	184	213
Hartford, Conn.	3,684	302	334	312	280	334	307	338	320	300	297	282	278
New Haven, Conn.	3,081	245	226	257	240	285	292	279	270	269	253	249	216
Wilmington, Del.	2,269	186	171	195	174	190	195	206	205	199	198	163	187
Washington, D. C.	10,803	928	830	934	779	874	863	969	1,039	881	890	880	936
Jacksonville, Fla.	2,590	254	214	200	156	178	180	175	238	247	252	266	230
Miami, Fla.	1,911	187	148	140	114	121	115	147	182	177	181	178	221
Tampa, Fla.	1,638	151	136	125	105	122	100	140	144	141	160	150	164
Atlanta, Ga.	5,549	478	473	462	411	455	446	487	492	491	447	443	464
Chicago, Ill.	49,426	4,148	3,896	4,218	3,928	3,738	4,225	4,671	4,356	4,159	4,214	3,848	4,025
Peoria, Ill.	1,925	179	135	140	129	116	158	190	182	197	176	157	166
Evansville, Ind.	1,574	150	117	115	100	110	100	157	157	141	145	132	150
Fort Wayne, Ind.	1,837	131	140	149	139	145	172	157	176	158	168	155	147
Gary, Ind.	1,873	173	138	152	128	138	181	181	178	140	165	142	157
Indianapolis, Ind.	5,866	525	445	494	435	430	550	547	523	495	484	468	470
South Bend, Ind.	1,581	129	112	146	113	141	146	146	143	132	126	121	126
Des Moines, Iowa	2,893	250	209	255	187	235	256	273	260	248	252	230	238
Kansas City, Kans.	2,430	241	194	199	154	166	212	264	230	203	190	191	186
Wichita, Kans.	1,970	172	142	167	137	148	170	176	187	175	157	166	173
Louisville, Ky.	5,007	454	378	389	359	387	429	481	476	455	404	397	398
New Orleans, La.	8,959	832	733	705	521	570	669	791	891	863	833	780	771
Baltimore, Md.	13,705	1,227	1,106	1,172	1,009	1,092	1,156	1,156	1,219	1,156	1,176	1,106	1,130
Boston, Mass.	15,848	1,317	1,244	1,432	1,309	1,359	1,357	1,396	1,393	1,306	1,300	1,204	1,231
Cambridge, Mass.	2,236	173	179	185	188	188	200	185	205	199	185	170	179
Fall River, Mass.	2,012	175	173	158	190	154	183	164	148	164	166	176	161
Lowell, Mass.	1,699	149	140	147	143	145	141	138	142	143	125	136	150
Lynn, Mass.	1,418	116	110	120	122	133	131	122	124	113	116	118	93
New Bedford, Mass.	1,737	144	156	158	154	146	160	155	153	133	115	121	142
Somerville, Mass.	1,208	98	82	108	113	114	100	94	91	98	112	79	119
Springfield, Mass.	2,555	229	201	216	222	233	238	234	202	219	195	200	175
Worcester, Mass.	3,341	261	250	300	303	305	302	284	302	263	270	256	245
Detroit, Mich.	26,168	2,235	2,191	2,317	2,166	2,326	2,221	2,339	2,185	2,018	2,055	2,025	2,090
Flint, Mich.	3,439	273	292	281	290	337	313	303	263	277	277	241	292
Grand Rapids, Mich.	2,676	243	229	238	212	210	246	246	204	260	218	186	184
Duluth, Minn.	1,668	150	112	154	163	152	141	150	142	131	139	114	120
Minneapolis, Minn.	7,355	636	565	637	605	607	650	648	637	606	628	555	581
St. Paul, Minn.	4,797	424	346	391	390	380	436	455	453	371	386	363	402
Kansas City, Mo.	5,731	524	427	425	360	412	473	533	556	542	496	479	504
St. Louis, Mo.	12,829	1,128	1,047	963	816	880	1,075	1,246	1,281	1,084	1,151	1,084	1,074
Omaha, Nebr.	4,291	396	360	309	307	332	374	353	387	372	376	363	362
Camden, N. J.	2,935	243	238	245	233	214	242	263	275	255	229	234	264
Elizabeth, N. J.	2,066	161	152	183	170	180	166	182	193	173	166	179	161
Jersey City, N. J.	6,724	566	516	585	490	585	570	649	619	572	512	526	534
Newark, N. J.	7,648	633	593	671	621	682	657	728	635	608	607	591	622
Paterson, N. J.	2,504	212	194	222	197	237	209	231	196	189	225	183	209
Trenton, N. J.	2,336	193	206	189	178	187	196	208	205	177	190	224	183
Albany, N. Y.	2,309	209	129	192	182	198	187	206	228	202	191	173	182
Buffalo, N. Y.	10,080	829	808	871	887	891	898	914	841	799	805	747	790
New York, N. Y.	100,575	8,635	7,854	8,735	8,325	8,888	8,433	8,747	8,515	8,096	8,228	7,969	8,150
Bronx Borough	15,826	1,365	1,255	1,353	1,352	1,413	1,379	1,335	1,286	1,291	1,296	1,250	1,251
Brooklyn Borough	40,096	3,392	3,136	3,491	3,354	3,584	3,373	3,433	3,408	3,255	3,304	3,167	3,199
Manhattan Borough	31,858	2,745	2,430	2,800	2,554	2,767	2,642	2,845	2,744	2,521	2,640	2,557	2,613
Queens Borough	10,394	924	849	882	866	911	821	934	867	830	817	805	888
Richmond Borough	2,401	209	184	209	199	213	218	200	210	199	171	190	199
Rochester, N. Y.	4,968	432	386	425	414	421	444	414	424	434	397	390	387
Syracuse, N. Y.	3,601	313	273	310	316	320	299	333	322	292	288	273	262
Utica, N. Y.	1,786	165	133	161	143	147	178	159	160	149	152	123	116
Yonkers, N. Y.	1,750	144	127	144	147	145	169	149	133	145	140	158	149
Akron, Ohio	4,099	351	304	356	333	355	359	396	341	320	309	331	344
Canton, Ohio	1,865	139	151	145	154	169	154	162	162	173	150	149	157
Cincinnati, Ohio	7,645	669	569	595	578	564	658	724	687	610	655	658	678
Cleveland, Ohio	14,489	1,289	1,093	1,273	1,226	1,298	1,306	1,200	1,270	1,153	1,139	1,137	1,105
Columbus, Ohio	4,832	428	371	391	330	398	408	459	453	396	385	400	413
Dayton, Ohio	3,365	287	272	324	235	237	287	297	314	280	257	273	302
Toledo, Ohio	4,502	406	351	365	372	369	403	414	360	372	339	351	400
Youngstown, Ohio	2,772	245	255	259	221	235	242	203	265	211	208	209	219
Oklahoma City, Okla.	3,773	324	309	303	223	232	304	350	325	335	336	315	357
Tulsa, Okla.	2,241	209	210	154	144	130	182	222	209	207	171	215	188
Portland, Oreg.	4,175	347	318	353	321	379	357	368	381	357	295	342	357
Erie, Pa.	2,078	189	155	199	181	170	200	175	183	156	147	179	144
Philadelphia, Pa.	29,944	2,501	2,384	2,604	2,326	2,402	2,549	2,661	2,527	2,390	2,517	2,518	2,465
Pittsburgh, Pa.	12,292	970	981	1,008	1,008	1,030	1,073	1,148	1,145	1,063	954	923	989
Reading, Pa.	1,383	123	94	118	110	130	114	115	142	117	110	109	101
Scranton, Pa.	2,725	213	202	257	233	257	229	249	235	218	214	217	201
Providence, R. I.	5,192	411	400	424	457	452	456	499	463	425	400	410	395
Chattanooga, Tenn.	2,252	228	225	195	173	172	177	181	192	206	174	170	159
Knoxville, Tenn.	2,134	189	197	179	155	184	183	161	165	174	200	148	198
Memphis, Tenn.	4,642	448	359	389	322	310	417	425	434	388	401	379	370
Nashville, Tenn.	3,330	299	272	286	257	276	270	323	273	290	257	266	261
Dallas, Tex.	5,134	512	425	375	331	343	371	450	496	502	444	428	457
El Paso, Tex.	2,718	247	214	226	242	229	227	239	221	228	223	209	213
Fort Worth, Tex.	2,741	259	211	210	184	184	162	279	248	243	269	236	256
Houston, Tex.	5,652	516	438	443	385	376	415	522	545	510	502	477	523
San Antonio, Tex.	5,525	533	427	495	413	399	395	464	514	496	472	446	471
Salt Lake City, Utah	3,461	313	248	325	286	295	279	284	291	299	294	267	280
Norfolk, Va.	2,048	185	166	167	172	149	164	188	184	170	150	165	188
Richmond, Va.	3,044	267	238	261	251	250	258	276	279	271	228	215	250
Seattle, Wash.	4,902	403	349	434	430	465	411	461	418	387	394	368	362
Spokane, Wash.	2,076	153	146	183	157	203	185	181	177	163	194	166	118
Tacoma, Wash.	1,834	152	136	161	180	149	163	179	149	164	139	134	128
Milwaukee, Wis.	9,034	768	679	748	733	747	791	847	729	726	787	696	783

TABLE 2.—BIRTHS, BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1935

(Exclusive of stillbirths)

AREA AND SEX	All births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
United States	2,155,105	1,888,012	1,596,642	105,263	1,021	153,060	30,736	1,290	267,093	255,124	8,355	970	1,960	684
Male	1,105,489	969,916	820,312	54,018	580	78,591	15,754	661	135,573	129,578	4,186	492	981	336
Female	1,049,616	918,096	776,330	51,245	441	74,469	14,982	629	131,520	125,546	4,169	478	979	348
Cities of 10,000 or more	997,332	908,562	697,947	81,797	290	110,080	17,433	1,015	88,770	85,732	607	859	1,133	439
Male	512,618	467,400	359,179	41,966	162	56,611	8,963	519	45,218	43,741	280	444	546	207
Female	484,714	441,162	338,768	39,831	128	53,469	8,470	496	43,552	41,991	327	415	587	232
Cities of 2,500 to 10,000	219,762	202,614	179,755	7,189	139	12,871	2,588	72	17,148	16,170	608	48	265	57
Male	112,624	103,958	92,288	3,700	80	6,539	1,321	30	8,666	8,152	326	21	137	30
Female	107,138	98,656	87,467	3,489	59	6,332	1,267	42	8,482	8,018	282	27	128	27
Rural	938,011	776,836	718,940	16,277	592	30,109	10,715	203	161,175	153,222	7,140	63	562	188
Male	480,247	398,558	368,845	8,352	338	15,441	5,470	112	81,689	77,685	3,580	27	298	99
Female	457,764	378,278	350,095	7,925	254	14,668	5,245	91	79,486	75,537	3,560	36	264	89
ALABAMA	62,239	38,364	37,381	44	14	182	742	1	23,875	23,862	9	1	-----	3
Male	31,825	19,806	19,300	27	5	89	384	1	12,019	12,013	4	------	-----	2
Female	30,414	18,558	18,081	17	9	93	358	-------	11,856	11,849	5	1	-----	1
Cities of 10,000 or more	11,837	7,463	7,068	32	4	123	235	1	4,374	4,371	1	1	-----	1
Male	5,097	3,894	3,689	19	2	60	123	1	2,203	2,202	1	------	-----	------
Female	5,740	3,569	3,379	13	2	63	112	-------	2,171	2,169	------	1	-----	1
Cities of 2,500 to 10,000	3,421	2,468	2,420	----------	4	6	38	-------	953	952	------	------	-----	1
Male	1,705	1,242	1,215	----------	2	3	22	-------	463	462	------	------	-----	1
Female	1,716	1,226	1,205	----------	2	3	16	-------	490	490	------	------	-----	------
Rural	46,981	28,433	27,893	12	6	53	469	-------	18,548	18,539	8	------	-----	1
Male	24,023	14,670	14,396	8	1	26	239	-------	9,353	9,349	3	------	-----	1
Female	22,958	13,763	13,497	4	5	27	230	-------	9,195	9,190	5	------	-----	------
ARIZONA	9,139	7,807	5,356	1,038	7	1,319	72	15	1,332	152	1,125	22	16	17
Male	4,655	3,993	2,742	535	7	657	42	10	662	76	560	9	7	10
Female	4,484	3,814	2,614	503	------	662	30	5	670	76	565	13	9	7
Cities of 10,000 or more	2,898	2,798	2,073	250	2	430	37	6	100	62	13	12	5	8
Male	1,490	1,430	1,051	133	2	219	21	4	60	39	8	5	2	6
Female	1,408	1,368	1,022	117	------	211	16	2	40	23	5	7	3	2
Cities of 2,500 to 10,000	2,051	1,999	1,263	340	3	382	11	-------	52	32	6	6	4	4
Male	1,037	1,018	644	178	3	187	6	-------	19	13	3	1	1	1
Female	1,014	981	619	162	------	195	5	-------	33	19	3	5	3	3
Rural	4,190	3,010	2,020	448	2	507	24	9	1,180	58	1,106	4	7	5
Male	2,128	1,545	1,047	224	2	251	15	6	583	24	549	3	4	3
Female	2,062	1,465	973	224	------	256	9	3	597	34	557	1	3	2
ARKANSAS	35,684	27,175	26,712	24	22	119	298	-------	8,509	8,502	4	3	-----	------
Male	18,457	14,129	13,893	15	15	62	144	-------	4,328	4,324	3	1	-----	------
Female	17,227	13,046	12,819	9	7	57	154	-------	4,181	4,178	1	2	-----	------
Cities of 10,000 or more	3,812	3,089	2,967	6	2	42	72	-------	723	723	------	------	-----	------
Male	1,941	1,594	1,532	3	1	21	37	-------	347	347	------	------	-----	------
Female	1,871	1,495	1,435	3	1	21	35	-------	376	376	------	------	-----	------
Cities of 2,500 to 10,000	3,221	2,456	2,405	5	------	22	24	-------	765	765	------	------	-----	------
Male	1,719	1,316	1,292	3	------	6	15	-------	403	403	------	------	-----	------
Female	1,502	1,140	1,113	2	------	16	9	-------	362	362	------	------	-----	------
Rural	28,651	21,630	21,340	13	20	55	202	-------	7,021	7,014	4	3	-----	------
Male	14,797	11,219	11,069	9	14	35	92	-------	3,578	3,574	3	1	-----	------
Female	13,854	10,411	10,271	4	6	20	110	-------	3,443	3,440	1	2	-----	------
CALIFORNIA	80,131	76,097	55,018	8,960	3	11,548	524	44	4,034	1,258	318	523	1,500	435
Male	41,166	39,152	28,370	4,592	3	5,898	270	19	2,014	629	161	260	752	212
Female	38,965	36,945	26,648	4,368	------	5,650	254	25	2,020	629	157	263	748	223
Cities of 10,000 or more	50,519	47,822	34,921	4,891	2	7,583	389	36	2,697	1,055	60	456	890	236
Male	25,934	24,592	17,994	2,498	2	3,880	205	13	1,342	528	35	232	434	113
Female	24,585	23,230	16,927	2,393	------	3,703	184	23	1,355	527	25	224	456	123
Cities of 2,500 to 10,000	10,841	10,502	7,681	1,362	------	1,424	34	1	339	40	25	30	200	44
Male	5,593	5,422	3,989	684	------	737	12	-------	171	16	14	13	106	22
Female	5,248	5,080	3,692	678	------	687	22	1	168	24	11	17	94	22
Rural	18,771	17,773	12,416	2,707	1	2,541	101	7	998	163	233	37	410	155
Male	9,639	9,138	6,387	1,410	1	1,281	53	6	501	85	112	15	212	77
Female	9,132	8,635	6,029	1,297	------	1,260	48	1	497	78	121	22	198	78
COLORADO	18,837	18,572	15,921	716	165	1,315	435	20	265	164	48	2	42	9
Male	9,651	9,512	8,170	375	85	653	219	10	139	92	25	------	18	4
Female	9,186	9,060	7,751	341	80	662	216	10	126	72	23	2	24	5
Cities of 10,000 or more	8,177	8,021	6,911	234	16	568	279	13	156	136	5	2	6	7
Male	4,148	4,064	3,511	124	8	275	140	6	84	77	3	------	1	3
Female	4,029	3,957	3,400	110	8	293	139	7	72	59	2	2	5	4
Cities of 2,500 to 10,000	3,181	3,155	2,729	124	59	197	43	3	26	11	1	------	14	------
Male	1,651	1,637	1,428	63	34	89	21	2	14	7	------	------	7	------
Female	1,530	1,518	1,301	61	25	108	22	1	12	4	1	------	7	------
Rural	7,479	7,396	6,281	358	90	550	113	4	83	17	42	------	22	2
Male	3,852	3,811	3,231	188	43	289	58	2	41	8	22	------	10	1
Female	3,627	3,585	3,050	170	47	261	55	2	42	9	20	------	12	1
CONNECTICUT	22,258	21,696	14,487	2,877	7	3,977	316	32	562	554	3	2	2	1
Male	11,398	11,121	7,480	1,443	2	2,026	158	12	277	272	3	------	1	1
Female	10,860	10,575	7,007	1,434	5	1,951	158	20	285	282	------	2	1	------
Cities of 10,000 or more	18,608	18,092	12,008	2,442	5	3,366	243	28	516	508	3	2	2	1
Male	9,526	9,275	6,196	1,212	1	1,732	123	11	251	246	3	------	1	1
Female	9,082	8,817	5,812	1,230	4	1,634	120	17	265	262	------	2	1	------
Cities of 2,500 to 10,000	1,061	1,050	740	123	------	181	6	-------	11	11	------	------	-----	------
Male	529	522	359	65	------	93	5	-------	7	7	------	------	-----	------
Female	532	528	381	58	------	88	1	-------	4	4	------	------	-----	------
Rural	2,589	2,554	1,739	312	2	430	67	4	35	35	------	------	-----	------
Male	1,343	1,324	925	166	1	201	30	1	19	19	------	------	-----	------
Female	1,246	1,230	814	146	1	229	37	3	16	16	------	------	-----	------

TABLE 2.—BIRTHS, BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1935—Continued

(Exclusive of stillbirths)

AREA AND SEX	All births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
DELAWARE	4,036	3,379	2,938	136	3	207	92	3	657	656	-------	1	------	-------
Male	2,079	1,748	1,526	69	1	105	44	2	331	331	-------	-------	------	-------
Female	1,957	1,631	1,412	67	2	101	48	1	326	325	-------	1	------	-------
Cities of 10,000 or more	2,269	2,009	1,652	122	2	169	61	3	260	259	-------	1	------	-------
Male	1,164	1,035	852	64	1	83	33	2	129	129	-------	-------	------	-------
Female	1,105	974	800	58	1	86	28	1	131	130	-------	1	------	-------
Cities of 2,500 to 10,000	367	322	292	7	-------	15	8	--------	45	45	-------	-------	------	-------
Male	201	174	158	3	-------	9	4	--------	27	27	-------	-------	------	-------
Female	166	148	134	4	-------	6	4	--------	18	18	-------	-------	------	-------
Rural	1,400	1,048	994	7	1	23	23	--------	352	352	-------	-------	------	-------
Male	714	539	515	2	-------	14	7	--------	175	175	-------	-------	------	-------
Female	686	509	478	5	1	9	16	--------	177	177	-------	-------	------	-------
DISTRICT OF COLUMBIA	10,803	7,162	6,249	266	40	481	118	8	3,641	3,617	1	12	2	9
Male	5,568	3,714	3,232	155	22	236	67	2	1,854	1,837	-------	10	------	7
Female	5,235	3,448	3,017	111	18	245	51	6	1,787	1,780	1	2	2	2
FLORIDA	28,051	19,579	18,196	237	25	740	375	6	8,472	8,448	13	3	3	5
Male	14,403	10,133	9,407	121	13	388	200	4	4,270	4,257	9	1	2	1
Female	13,648	9,446	8,789	116	12	352	175	2	4,202	4,191	4	2	1	4
Cities of 10,000 or more	10,377	7,610	6,766	164	3	518	155	4	2,767	2,756	2	2	2	5
Male	5,406	3,967	3,538	80	1	270	75	3	1,439	1,435	1	1	1	1
Female	4,971	3,643	3,228	84	2	248	80	1	1,328	1,321	1	1	1	4
Cities of 2,500 to 10,000	4,577	3,306	3,101	37	4	125	38	1	1,271	1,271	-------	-------	------	-------
Male	2,321	1,684	1,571	22	2	69	20	--------	637	637	-------	-------	------	-------
Female	2,256	1,622	1,530	15	2	56	18	1	634	634	-------	-------	------	-------
Rural	13,097	8,663	8,329	36	18	97	182	1	4,434	4,421	11	1	1	-------
Male	6,676	4,482	4,298	19	10	49	105	1	2,194	2,185	8	-------	1	-------
Female	6,421	4,181	4,031	17	8	48	77	--------	2,240	2,236	3	1	------	-------
GEORGIA	63,260	37,334	36,297	46	31	187	773	--------	25,926	25,919	1	6	------	-------
Male	32,299	19,276	18,740	23	17	100	396	--------	13,023	13,020	1	2	------	-------
Female	30,961	18,058	17,557	23	14	87	377	--------	12,903	12,899	-------	4	------	-------
Cities of 10,000 or more	13,692	8,637	8,219	37	13	130	238	--------	5,055	5,048	1	6	------	-------
Male	6,892	4,365	4,162	17	5	74	107	--------	2,527	2,524	1	2	------	-------
Female	6,800	4,272	4,057	20	8	56	131	--------	2,528	2,524	-------	4	------	-------
Cities of 2,500 to 10,000	6,649	4,334	4,266	1	1	11	55	--------	2,315	2,315	-------	-------	------	-------
Male	3,437	2,292	2,256	1	-------	2	33	--------	1,145	1,145	-------	-------	------	-------
Female	3,212	2,042	2,010	----------	1	9	22	--------	1,170	1,170	-------	-------	------	-------
Rural	42,919	24,363	23,812	8	17	46	480	--------	18,556	18,556	-------	-------	------	-------
Male	21,970	12,619	12,322	5	12	24	256	--------	9,351	9,351	-------	-------	------	-------
Female	20,949	11,744	11,490	3	5	22	224	--------	9,205	9,205	-------	-------	------	-------
IDAHO	9,469	9,344	8,658	106	-------	516	61	3	125	---------	109	2	14	-------
Male	4,838	4,773	4,429	48	-------	261	32	3	65	---------	55	1	9	-------
Female	4,631	4,571	4,229	58	-------	255	29	--------	60	---------	54	1	5	-------
Cities of 10,000 or more	1,318	1,316	1,223	13	-------	65	13	2	2	---------	1	1	------	-------
Male	650	649	599	7	-------	37	4	2	1	---------	-------	1	------	-------
Female	668	667	624	6	-------	28	9	--------	1	---------	1	-------	------	-------
Cities of 2,500 to 10,000	4,122	4,105	3,785	44	-------	251	25	--------	17	---------	4	1	12	-------
Male	2,123	2,111	1,953	24	-------	118	16	--------	12	---------	3	-------	9	-------
Female	1,999	1,994	1,832	20	-------	133	9	--------	5	---------	1	1	3	-------
Rural	4,029	3,923	3,650	49	-------	200	23	1	106	---------	104	-------	2	-------
Male	2,065	2,013	1,877	17	-------	106	12	1	52	---------	52	-------	------	-------
Female	1,964	1,910	1,773	32	-------	94	11	--------	54	---------	52	-------	2	-------
ILLINOIS	111,884	106,120	86,092	7,659	46	10,556	1,707	60	5,764	5,686	4	34	3	37
Male	57,294	54,336	44,091	3,876	28	5,410	903	28	2,958	2,916	4	16	2	20
Female	54,590	51,784	42,001	3,783	18	5,146	804	32	2,806	2,770	-------	18	1	17
Cities of 10,000 or more	76,708	71,493	53,713	7,065	39	9,298	1,321	57	5,215	5,138	4	33	3	37
Male	39,320	36,640	27,537	3,576	25	4,774	701	27	2,680	2,639	4	15	2	20
Female	37,388	34,853	26,176	3,489	14	4,524	620	30	2,535	2,499	-------	18	1	17
Cities of 2,500 to 10,000	10,171	9,977	9,114	231	2	495	133	2	194	193	-------	1	------	-------
Male	5,173	5,070	4,639	107	1	254	68	1	103	102	-------	1	------	-------
Female	4,998	4,907	4,475	124	1	241	65	1	91	91	-------	-------	------	-------
Rural	25,005	24,650	23,265	363	5	763	253	1	355	355	-------	-------	------	-------
Male	12,801	12,626	11,915	193	2	382	134	--------	175	175	-------	-------	------	-------
Female	12,204	12,024	11,350	170	3	381	119	1	180	180	-------	-------	------	-------
INDIANA	52,909	51,077	48,223	797	12	1,521	514	10	1,832	1,828	1	2	1	-------
Male	27,214	26,317	24,838	411	6	778	280	4	897	896	1	-------	------	-------
Female	25,695	24,760	23,385	386	6	743	234	6	935	932	-------	2	1	-------
Cities of 10,000 or more	25,774	24,102	21,868	700	6	1,189	331	8	1,672	1,669	-------	2	1	-------
Male	13,242	12,424	11,264	358	3	618	177	4	818	818	-------	-------	------	-------
Female	12,532	11,678	10,604	342	3	571	154	4	854	851	-------	2	1	-------
Cities of 2,500 to 10,000	5,900	5,850	5,690	21	2	94	43	--------	50	50	-------	-------	------	-------
Male	3,053	3,029	2,957	9	1	42	20	--------	24	24	-------	-------	------	-------
Female	2,847	2,821	2,733	12	1	52	23	--------	26	26	-------	-------	------	-------
Rural	21,235	21,125	20,665	76	4	238	140	2	110	109	1	-------	------	-------
Male	10,919	10,864	10,617	44	2	118	83	--------	55	54	1	-------	------	-------
Female	10,316	10,261	10,048	32	2	120	57	2	55	55	-------	-------	------	-------
IOWA	41,137	40,879	37,699	532	33	1,812	786	17	258	236	19	1	1	1
Male	21,106	20,972	19,345	270	20	936	394	7	134	124	9	1	------	-------
Female	20,031	19,907	18,354	262	13	876	392	10	124	112	10	-------	1	1
Cities of 10,000 or more	15,375	15,157	13,679	262	12	667	527	10	218	211	5	1	1	-------
Male	7,885	7,766	7,012	137	6	342	265	4	119	115	3	1	------	-------
Female	7,490	7,391	6,667	125	6	325	262	6	99	96	2	-------	1	-------
Cities of 2,500 to 10,000	6,091	6,083	5,726	39	10	216	91	1	8	7	-------	-------	------	1
Male	3,111	3,107	2,913	16	7	124	47	--------	4	4	-------	-------	------	-------
Female	2,980	2,976	2,813	23	3	92	44	1	4	3	-------	-------	------	1
Rural	19,671	19,639	18,294	231	11	929	168	6	32	18	14	-------	------	-------
Male	10,110	10,099	9,420	117	7	470	82	3	11	5	6	-------	------	-------
Female	9,561	9,540	8,874	114	4	459	86	3	21	13	8	-------	------	-------

TABLE 2.—BIRTHS, BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1935—Continued

(Exclusive of stillbirths)

AREA AND SEX	All births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
KANSAS	30,589	29,634	28,118	475	10	779	251	1	955	912	42	-------	------	1
Male	15,611	15,147	14,346	251	6	414	129	1	464	448	15	-------	------	1
Female	14,978	14,487	13,772	224	4	365	122	-------	491	464	27	-------	------	-------
Cities of 10,000 or more	10,689	9,987	9,314	240	10	276	147	-------	702	694	8	-------	------	-------
Male	5,480	5,132	4,784	125	6	137	80	-------	348	344	4	-------	------	-------
Female	5,209	4,855	4,530	115	4	139	67	-------	354	350	4	-------	------	-------
Cities of 2,500 to 10,000	4,398	4,311	4,125	66	------	90	29	1	87	83	3	-------	------	1
Male	2,226	2,182	2,083	34	------	50	14	1	44	41	2	-------	------	1
Female	2,172	2,129	2,042	32	------	40	15	-------	43	42	1	-------	------	-------
Rural	15,502	15,336	14,679	169	------	413	75	-------	166	135	31	-------	------	-------
Male	7,905	7,833	7,479	92	------	227	35	-------	72	63	9	-------	------	-------
Female	7,597	7,503	7,200	77	------	186	40	-------	94	72	22	-------	------	-------
KENTUCKY	57,715	54,918	54,305	40	3	203	367	-------	2,797	2,791	4	2	------	-------
Male	29,919	28,509	28,207	19	1	102	180	-------	1,410	1,410	------	-------	------	-------
Female	27,796	26,409	26,098	21	2	101	187	-------	1,387	1,381	4	2	------	-------
Cities of 10,000 or more	10,064	9,019	8,777	31	------	119	92	-------	1,045	1,043	------	2	------	-------
Male	5,176	4,654	4,531	15	------	58	50	-------	522	522	------	-------	------	-------
Female	4,888	4,365	4,246	16	------	61	42	-------	523	521	------	2	------	-------
Cities of 2,500 to 10,000	4,690	4,308	4,261	4	------	21	22	-------	382	382	------	-------	------	-------
Male	2,434	2,240	2,216	1	------	11	10	-------	194	194	------	-------	------	-------
Female	2,256	2,068	2,043	3	------	10	12	-------	188	188	------	-------	------	-------
Rural	42,961	41,591	41,267	5	3	63	253	-------	1,370	1,365	4	-------	------	-------
Male	22,309	21,615	21,458	3	1	33	120	-------	694	694	------	-------	------	-------
Female	20,652	19,976	19,809	2	2	30	133	-------	676	672	4	-------	------	-------
LOUISIANA	42,270	24,417	23,672	121	2	401	221	-------	17,853	17,782	64	4	1	2
Male	21,596	12,366	12,001	50	1	201	113	-------	9,230	9,196	30	3	------	1
Female	20,674	12,051	11,671	71	1	200	108	-------	8,623	8,586	34	1	1	1
Cities of 10,000 or more	13,901	8,433	7,919	80	------	286	148	-------	5,468	5,460	2	4	1	1
Male	7,109	4,277	4,033	29	------	141	74	-------	2,832	2,827	2	3	------	-------
Female	6,792	4,156	3,886	51	------	145	74	-------	2,636	2,633	------	1	1	1
Cities of 2,500 to 10,000	5,450	3,274	3,215	11	------	33	15	-------	2,176	2,173	3	-------	------	-------
Male	2,727	1,598	1,564	8	------	16	10	-------	1,129	1,127	2	-------	------	-------
Female	2,723	1,676	1,651	3	------	17	5	-------	1,047	1,046	1	-------	------	-------
Rural	22,919	12,710	12,538	30	2	82	58	-------	10,209	10,149	59	-------	------	1
Male	11,760	6,491	6,404	13	1	44	29	-------	5,269	5,242	26	-------	------	1
Female	11,159	6,219	6,134	17	1	38	29	-------	4,940	4,907	33	-------	------	-------
MAINE	15,723	15,681	11,953	888	------	2,532	291	17	42	15	26	1	------	-------
Male	8,022	8,000	6,084	427	------	1,344	137	8	22	7	14	1	------	-------
Female	7,701	7,681	5,869	461	------	1,188	154	9	20	8	12	------	------	-------
Cities of 10,000 or more	4,917	4,904	3,408	408	------	953	124	11	13	12	------	1	------	-------
Male	2,511	2,505	1,745	190	------	507	57	6	6	5	------	1	------	-------
Female	2,406	2,399	1,663	218	------	446	67	5	7	7	------	-------	------	-------
Cities of 2,500 to 10,000	2,046	2,038	1,511	128	------	362	37	-------	8	--------	8	-------	------	-------
Male	1,052	1,047	774	68	------	185	20	-------	5	--------	5	-------	------	-------
Female	994	991	737	60	------	177	17	-------	3	--------	3	-------	------	-------
Rural	8,760	8,739	7,034	352	------	1,217	130	6	21	3	18	-------	------	-------
Male	4,459	4,448	3,565	169	------	652	60	2	11	2	9	-------	------	-------
Female	4,301	4,291	3,469	183	------	565	70	4	10	1	9	-------	------	-------
MARYLAND	27,236	21,322	19,568	525	8	1,022	196	3	5,914	5,893	2	12	2	5
Male	13,928	10,947	10,041	260	3	533	109	1	2,981	2,970	1	5	1	4
Female	13,308	10,375	9,527	265	5	489	87	2	2,933	2,923	1	7	1	1
Cities of 10,000 or more	16,012	12,662	11,267	470	2	817	104	2	3,350	3,332	2	12	1	3
Male	8,206	6,520	5,793	235	2	430	59	1	1,686	1,677	1	5	1	2
Female	7,806	6,142	5,474	235	------	387	45	1	1,664	1,655	1	7	------	1
Cities of 2,500 to 10,000	1,576	1,350	1,267	16	------	48	19	-------	226	225	------	-------	------	1
Male	808	691	653	6	------	22	10	-------	117	116	------	-------	------	1
Female	768	659	614	10	------	26	9	-------	109	109	------	-------	------	-------
Rural	9,648	7,310	7,034	39	6	157	73	1	2,338	2,336	------	-------	1	1
Male	4,914	3,736	3,595	19	1	81	40	-------	1,178	1,177	------	-------	------	1
Female	4,734	3,574	3,439	20	5	76	33	1	1,160	1,159	------	-------	1	-------
MASSACHUSETTS	63,001	62,082	40,249	8,271	9	11,840	1,540	173	919	878	6	31	1	3
Male	32,398	31,956	20,739	4,296	4	6,073	757	87	442	421	4	15	------	2
Female	30,603	30,126	19,510	3,975	5	5,767	783	86	477	457	2	16	1	1
Cities of 10,000 or more	56,401	55,620	35,725	7,659	9	10,762	1,312	153	781	746	------	31	1	3
Male	29,024	28,644	18,412	3,966	4	5,542	640	80	380	363	------	15	------	2
Female	27,377	26,976	17,313	3,693	5	5,220	672	73	401	383	------	16	1	1
Cities of 2,500 to 10,000	3,614	3,594	2,559	364	------	608	59	4	20	20	------	-------	------	-------
Male	1,866	1,851	1,323	195	------	300	32	1	15	15	------	-------	------	-------
Female	1,748	1,743	1,236	169	------	308	27	3	5	5	------	-------	------	-------
Rural	2,986	2,868	1,965	248	------	470	169	16	118	112	6	-------	------	-------
Male	1,508	1,461	1,004	135	------	231	85	6	47	43	4	-------	------	-------
Female	1,478	1,407	961	113	------	239	84	10	71	69	2	-------	------	-------
MICHIGAN	87,446	84,377	66,200	5,963	31	10,567	1,525	91	3,069	2,883	155	12	------	19
Male	45,034	43,445	34,152	3,081	12	5,367	788	45	1,589	1,497	80	6	------	6
Female	42,412	40,932	32,048	2,882	19	5,200	737	46	1,480	1,386	75	6	------	13
Cities of 10,000 or more	54,542	51,792	37,510	4,997	25	8,057	1,124	79	2,750	2,691	30	12	------	17
Male	28,163	26,733	19,450	2,560	10	4,078	595	40	1,430	1,405	15	6	------	4
Female	26,379	25,059	18,060	2,437	15	3,979	529	39	1,320	1,286	15	6	------	13
Cities of 2,500 to 10,000	7,722	7,632	6,674	206	1	636	111	4	90	79	11	-------	------	-------
Male	4,041	3,993	3,491	118	------	330	52	2	48	41	7	-------	------	-------
Female	3,681	3,639	3,183	88	1	306	59	2	42	38	4	-------	------	-------
Rural	25,182	24,953	22,016	760	5	1,874	290	8	229	113	114	-------	------	2
Male	12,830	12,719	11,211	403	2	959	141	3	111	51	58	-------	------	2
Female	12,352	12,234	10,805	357	3	915	149	5	118	62	56	-------	------	-------

TABLE 2.—BIRTHS, BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1935—Continued

(Exclusive of stillbirths)

AREA AND SEX	All births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
MINNESOTA	45,962	45,364	39,401	1,081	6	3,823	1,029	24	598	102	481	7	-----	8
Male	23,563	23,263	20,188	566	1	1,976	520	12	300	48	248	3	-----	1
Female	22,399	22,101	19,213	515	5	1,847	509	12	298	54	233	4	-----	7
Cities of 10,000 or more	17,942	17,831	14,813	582	3	1,775	639	19	111	90	6	7	-----	8
Male	9,209	9,158	7,571	315	------	935	327	10	51	44	3	3	-----	1
Female	8,733	8,673	7,242	267	3	840	312	9	60	46	3	4	-----	7
Cities of 2,500 to 10,000	6,228	6,202	5,494	115	1	454	137	1	26	8	18	------	-----	------
Male	3,187	3,176	2,815	62	------	232	67	-------	11	1	10	------	-----	------
Female	3,041	3,026	2,679	53	1	222	70	1	15	7	8	------	-----	------
Rural	21,792	21,331	19,094	384	2	1,594	253	4	461	4	457	------	-----	------
Male	11,167	10,929	9,802	189	1	809	126	2	238	3	235	------	-----	------
Female	10,625	10,402	9,292	195	1	785	127	2	223	1	222	------	-----	------
MISSISSIPPI	48,320	21,977	21,633	41	5	96	202	-------	26,343	26,259	74	10	-----	------
Male	24,514	11,179	11,014	14	1	54	96	-------	13,335	13,291	39	5	-----	------
Female	23,806	10,798	10,619	27	4	42	106	-------	13,008	12,968	35	5	-----	------
Cities of 10,000 or more	5,086	3,201	3,099	17	1	45	39	-------	1,885	1,884	------	1	-----	------
Male	2,566	1,632	1,589	8	------	21	14	-------	934	934	------	------	-----	------
Female	2,520	1,569	1,510	9	1	24	25	-------	951	950	------	1	-----	------
Cities of 2,500 to 10,000	2,139	1,150	1,123	5	------	14	8	-------	989	958	30	1	-----	------
Male	1,125	598	585	2	------	7	4	-------	527	509	17	1	-----	------
Female	1,014	552	538	3	------	7	4	-------	462	449	13	------	-----	------
Rural	41,095	17,626	17,411	19	4	37	155	-------	23,469	23,417	44	8	-----	------
Male	20,823	8,949	8,840	4	1	26	78	-------	11,874	11,848	22	4	-----	------
Female	20,272	8,677	8,571	15	3	11	77	-------	11,595	11,569	22	4	-----	------
MISSOURI	57,299	53,724	50,394	657	7	1,266	1,385	15	3,575	3,550	8	8	4	5
Male	29,404	27,557	25,803	340	4	674	725	11	1,847	1,836	4	4	-----	3
Female	27,895	26,167	24,591	317	3	592	660	4	1,728	1,714	4	4	4	2
Cities of 10,000 or more	24,273	21,749	19,192	586	4	1,035	917	15	2,524	2,502	5	8	4	5
Male	12,549	11,196	9,852	300	3	547	483	11	1,353	1,344	2	4	-----	3
Female	11,724	10,553	9,340	286	1	488	434	4	1,171	1,158	3	4	4	2
Cities of 2,500 to 10,000	5,323	5,010	4,838	27	2	61	82	-------	313	312	1	------	-----	------
Male	2,707	2,567	2,480	16	1	35	35	-------	140	139	1	------	-----	------
Female	2,616	2,443	2,358	11	1	26	47	-------	173	173	------	------	-----	------
Rural	27,703	26,965	26,364	44	1	170	386	-------	738	736	2	------	-----	------
Male	14,148	13,794	13,471	24	------	92	207	-------	354	353	1	------	-----	------
Female	13,555	13,171	12,893	20	1	78	179	-------	384	383	1	------	-----	------
MONTANA	10,029	9,348	7,714	399	1	1,173	58	3	681	8	662	1	5	5
Male	5,103	4,767	3,927	202	1	599	37	1	336	5	324	1	2	4
Female	4,926	4,581	3,787	197	------	574	21	2	345	3	338	------	3	1
Cities of 10,000 or more	2,984	2,963	2,488	101	1	352	20	1	21	4	13	1	1	2
Male	1,470	1,460	1,216	50	1	183	10	-------	10	3	4	1	-----	2
Female	1,514	1,503	1,272	51	------	169	10	1	11	1	9	------	1	------
Cities of 2,500 to 10,000	1,772	1,764	1,517	50	------	187	10	-------	8	1	5	------	2	------
Male	883	878	760	28	------	83	7	-------	5	1	3	------	1	------
Female	889	886	757	22	------	104	3	-------	3	-------	2	------	1	------
Rural	5,273	4,621	3,709	248	------	634	28	2	652	3	644	------	2	3
Male	2,750	2,429	1,951	124	------	333	20	1	321	1	317	------	1	2
Female	2,523	2,192	1,758	124	------	301	8	1	331	2	327	------	1	1
NEBRASKA	23,327	22,996	21,126	463	------	1,156	246	5	331	207	111	4	8	1
Male	11,947	11,778	10,824	226	------	599	127	2	169	104	57	2	5	1
Female	11,380	11,218	10,302	237	------	557	119	3	162	103	54	2	3	------
Cities of 10,000 or more	7,421	7,223	6,411	229	------	457	122	4	198	193	------	4	1	------
Male	3,784	3,686	3,287	114	------	224	59	2	98	95	------	2	1	------
Female	3,637	3,537	3,124	115	------	233	63	2	100	98	------	2	-----	------
Cities of 2,500 to 10,000	3,072	3,061	2,844	58	------	131	27	1	11	8	------	------	3	------
Male	1,614	1,607	1,489	30	------	74	14	-------	7	6	------	------	1	------
Female	1,458	1,454	1,355	28	------	57	13	1	4	2	------	------	2	------
Rural	12,834	12,712	11,871	176	------	568	97	-------	122	6	111	------	4	1
Male	6,549	6,485	6,048	82	------	301	54	-------	64	3	57	------	3	1
Female	6,285	6,227	5,823	94	------	267	43	-------	58	3	54	------	1	------
NEVADA	1,423	1,325	1,097	75	1	138	13	1	98	6	85	2	4	1
Male	733	684	566	40	1	72	4	1	49	3	41	1	3	1
Female	690	641	531	35	------	66	9	-------	49	3	44	1	1	------
Cities of 10,000 or more	242	238	197	15	------	22	4	-------	4	1	3	------	-----	------
Male	124	123	101	8	------	13	1	-------	1	-------	1	------	-----	------
Female	118	115	96	7	------	9	3	-------	3	1	2	------	-----	------
Cities of 2,500 to 10,000	383	370	319	17	1	28	4	1	13	4	6	1	1	1
Male	186	181	153	11	1	13	2	1	5	2	1	------	1	1
Female	197	189	166	6	------	15	2	-------	8	2	5	1	-----	------
Rural	798	717	581	43	------	86	5	-------	81	1	76	1	3	------
Male	423	380	312	21	------	46	1	-------	43	1	39	1	2	------
Female	375	337	269	22	------	42	4	-------	38	-------	37	------	1	------
NEW HAMPSHIRE	7,768	7,761	5,760	487	5	1,278	214	17	7	6	1	------	-----	------
Male	3,943	3,941	2,924	238	3	643	121	12	2	2	------	------	-----	------
Female	3,825	3,820	2,836	249	2	635	93	5	5	4	1	------	-----	------
Cities of 10,000 or more	4,371	4,366	3,097	349	5	805	100	10	5	4	1	------	-----	------
Male	2,232	2,231	1,564	172	3	405	60	7	1	1	------	------	-----	------
Female	2,139	2,135	1,513	177	2	400	40	3	4	3	1	------	-----	------
Cities of 2,500 to 10,000	833	833	631	46	------	133	21	2	-------	-------	------	------	-----	------
Male	434	434	324	22	------	77	9	2	-------	-------	------	------	-----	------
Female	399	399	307	24	------	56	12	-------	-------	-------	------	------	-----	------
Rural	2,564	2,562	2,032	92	------	340	93	5	2	2	------	------	-----	------
Male	1,277	1,276	1,016	44	------	161	52	3	1	1	------	------	-----	------
Female	1,287	1,286	1,016	48	------	179	41	2	1	1	------	------	-----	------

TABLE 2.—BIRTHS, BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1935—Continued

(Exclusive of stillbirths)

AREA AND SEX	All births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
NEW JERSEY	54,514	50,304	35,979	5,882	17	7,773	607	46	4,210	4,183	1	19	7	------
Male	28,104	25,990	18,586	3,065	11	4,010	303	15	2,114	2,094	------	15	5	------
Female	26,410	24,314	17,393	2,817	6	3,763	304	31	2,096	2,089	1	4	2	------
Cities of 10,000 or more	42,705	40,276	28,016	5,087	8	6,660	470	35	3,429	3,407	------	17	5	------
Male	22,622	20,902	14,548	2,672	6	3,434	231	11	1,720	1,703	------	13	4	------
Female	21,083	19,374	13,468	2,415	2	3,226	239	24	1,709	1,704	------	4	1	------
Cities of 2,500 to 10,000	4,664	4,342	3,358	381	1	556	42	4	322	318	------	2	2	------
Male	2,364	2,207	1,699	190	1	293	23	1	157	154	------	2	1	------
Female	2,300	2,135	1,659	191	------	263	19	3	165	164	------	------	1	------
Rural	6,145	5,686	4,605	414	8	557	95	7	459	458	1	------	------	------
Male	3,118	2,881	2,339	203	4	283	49	3	237	237	------	------	------	------
Female	3,027	2,805	2,266	211	4	274	46	4	222	221	1	------	------	------
NEW MEXICO	13,190	12,600	11,117	458	11	690	309	15	590	32	552	1	5	------
Male	6,692	6,405	5,558	221	8	367	143	8	287	13	272	------	2	------
Female	6,498	6,195	5,459	237	3	323	166	7	303	19	280	1	3	------
Cities of 10,000 or more	1,664	1,656	1,519	27	2	61	47	-------	8	7	1	------	------	------
Male	876	873	812	11	2	31	17	-------	3	2	1	------	------	------
Female	788	783	707	16	------	30	30	-------	5	5	------	------	------	------
Cities of 2,500 to 10,000	2,378	2,358	2,049	83	------	161	60	5	20	16	1	------	3	------
Male	1,161	1,156	1,000	37	------	85	31	3	5	4	1	------	------	------
Female	1,217	1,202	1,049	46	------	76	29	2	15	12	------	------	3	------
Rural	9,148	8,586	7,549	348	9	468	202	10	562	9	550	1	2	------
Male	4,655	4,376	3,846	173	6	251	95	5	279	7	270	------	2	------
Female	4,493	4,210	3,703	175	3	217	107	5	283	2	280	1	------	------
NEW YORK	184,344	175,658	114,050	29,481	7	29,644	2,280	196	8,686	8,348	173	112	30	23
Male	94,620	90,212	58,645	15,056	3	15,233	1,181	94	4,408	4,243	87	51	19	8
Female	89,724	85,446	55,405	14,425	4	14,411	1,099	102	4,278	4,105	86	61	11	15
Cities of 10,000 or more	152,161	144,199	88,118	27,617	7	26,425	1,856	176	7,962	7,736	65	109	29	23
Male	78,262	74,219	45,438	14,119	3	13,618	956	85	4,043	3,939	27	51	18	8
Female	73,899	69,980	42,680	13,498	4	12,807	900	91	3,919	3,797	38	58	11	15
Cities of 2,500 to 10,000	9,555	9,389	7,488	685	------	1,079	132	5	166	155	10	1	------	------
Male	4,935	4,857	3,885	352	------	549	70	1	78	72	6	------	------	------
Female	4,620	4,532	3,603	333	------	530	62	4	88	83	4	1	------	------
Rural	22,628	22,070	18,444	1,179	------	2,140	292	15	558	457	98	2	1	------
Male	11,423	11,136	9,322	585	------	1,066	155	8	287	232	54	------	1	------
Female	11,205	10,934	9,122	594	------	1,074	137	7	271	225	44	2	------	------
NORTH CAROLINA	78,753	53,665	52,106	42	289	168	1,060	-------	25,088	24,357	726	2	------	1
Male	40,354	27,651	26,842	18	172	84	535	-------	12,703	12,319	382	2	------	------
Female	38,399	26,014	25,264	24	117	84	525	-------	12,385	12,038	346	------	------	1
Cities of 10,000 or more	13,615	9,378	8,938	32	2	97	309	-------	4,237	4,231	5	1	------	------
Male	7,092	4,910	4,669	14	1	51	175	-------	2,182	2,177	4	1	------	------
Female	6,523	4,468	4,269	18	1	46	134	-------	2,055	2,054	1	------	------	------
Cities of 2,500 to 10,000	5,269	4,904	4,787	5	25	20	67	-------	1,365	1,313	51	------	------	1
Male	3,140	2,439	2,416	2	13	7	31	-------	671	644	27	------	------	------
Female	2,129	2,465	2,371	3	12	13	36	-------	694	669	24	------	------	1
Rural	58,869	39,383	38,381	5	262	51	684	-------	19,486	18,813	672	1	------	------
Male	30,122	20,272	19,757	2	158	26	329	-------	9,850	9,498	351	1	------	------
Female	28,747	19,111	18,624	3	104	25	355	-------	9,636	9,315	321	------	------	------
NORTH DAKOTA	13,655	13,215	10,566	504	------	1,848	288	9	440	5	432	1	2	------
Male	7,018	6,806	5,496	243	------	924	136	7	212	3	207	1	1	------
Female	6,637	6,409	5,070	261	------	924	152	2	228	2	225	------	1	------
Cities of 10,000 or more	2,622	2,617	2,155	42	------	258	157	5	5	2	2	------	1	------
Male	1,404	1,401	1,170	15	------	141	70	5	3	1	2	------	------	------
Female	1,218	1,216	985	27	------	117	87	-------	2	1	------	------	1	------
Cities of 2,500 to 10,000	1,712	1,704	1,378	59	------	242	24	1	8	---------	6	1	1	------
Male	878	876	715	30	------	118	13	-------	2	---------	------	1	1	------
Female	834	828	663	29	------	124	11	1	6	---------	6	------	------	------
Rural	9,321	8,894	7,033	403	------	1,348	107	3	427	3	424	------	------	------
Male	4,736	4,529	3,611	198	------	665	53	2	207	2	205	------	------	------
Female	4,585	4,365	3,422	205	------	683	54	1	220	1	219	------	------	------
OHIO	101,103	95,878	63,779	3,849	6	6,316	1,886	42	5,225	5,196	7	21	------	1
Male	51,770	49,177	42,840	2,024	2	3,300	989	22	2,593	2,579	5	9	------	------
Female	49,333	46,701	40,939	1,825	4	3,016	897	20	2,632	2,617	2	12	------	1
Cities of 10,000 or more	62,484	57,991	48,183	3,291	5	5,238	1,233	41	4,493	4,467	5	20	------	1
Male	32,092	29,868	24,722	1,723	2	2,748	651	22	2,224	2,212	3	9	------	------
Female	30,392	28,123	23,461	1,568	3	2,490	582	19	2,269	2,255	2	11	------	1
Cities of 2,500 to 10,000	8,440	8,210	7,561	164	------	342	142	1	230	230	------	------	------	------
Male	4,264	4,161	3,831	91	------	168	71	-------	103	103	------	------	------	------
Female	4,176	4,049	3,730	73	------	174	71	1	127	127	------	------	------	------
Rural	30,179	29,677	28,035	394	1	736	511	-------	502	499	2	1	------	------
Male	15,414	15,148	14,287	210	------	384	267	-------	266	264	2	------	------	------
Female	14,765	14,529	13,748	184	1	352	244	-------	236	235	------	1	------	------
OKLAHOMA	43,691	40,360	39,082	123	70	364	719	2	3,331	1,965	1,364	1	------	1
Male	22,343	20,676	20,031	62	43	186	353	1	1,667	993	674	------	------	------
Female	21,348	19,684	19,051	61	27	178	366	1	1,664	972	690	1	------	1
Cities of 10,000 or more	11,093	10,081	9,622	62	8	134	253	2	1,012	742	269	1	------	------
Male	5,664	5,170	4,929	32	6	67	135	1	494	385	109	------	------	------
Female	5,429	4,911	4,693	30	2	67	118	1	518	357	160	1	------	------
Cities of 2,500 to 10,000	7,974	7,305	7,095	20	15	77	98	-------	669	318	351	------	------	------
Male	4,095	3,754	3,650	10	9	40	45	-------	341	154	187	------	------	------
Female	3,879	3,551	3,445	10	6	37	53	-------	328	164	164	------	------	------
Rural	24,624	22,974	22,365	41	47	153	368	-------	1,650	905	744	------	------	1
Male	12,584	11,752	11,452	20	28	79	173	-------	832	454	378	------	------	------
Female	12,040	11,222	10,913	21	19	74	195	-------	818	451	366	------	------	1

TABLE 2.—BIRTHS, BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1935—Continued

(Exclusive of stillbirths)

AREA AND SEX	All births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
OREGON	13,179	12,963	11,434	268	1	1,151	104	5	216	21	107	25	49	14
Male	6,825	6,718	5,903	155	1	599	57	3	107	10	48	15	26	8
Female	6,354	6,245	5,531	113	------	552	47	2	109	11	59	10	23	6
Cities of 10,000 or more	6,115	6,021	5,107	183	1	667	59	4	94	21	9	24	29	11
Male	3,160	3,114	2,626	106	1	346	33	2	46	10	4	14	13	5
Female	2,955	2,907	2,481	77	------	321	26	2	48	11	5	10	16	6
Cities of 2,500 to 10,000	2,894	2,879	2,631	24	------	210	13	1	15	--------	13	------	2	------
Male	1,470	1,462	1,335	12	------	107	7	1	8	--------	6	------	2	------
Female	1,424	1,417	1,296	12	------	103	6	--------	7	--------	7	------	------	------
Rural	4,170	4,063	3,696	61	------	274	32	--------	107	--------	85	1	18	3
Male	2,195	2,142	1,942	37	------	146	17	--------	53	--------	38	1	11	3
Female	1,975	1,921	1,754	24	------	128	15	--------	54	--------	47	------	7	------
PENNSYLVANIA	161,166	153,062	127,969	9,872	27	13,478	1,659	57	8,104	8,061	9	18	4	12
Male	82,698	78,506	65,635	5,089	18	6,897	838	29	4,192	4,166	5	12	1	8
Female	78,468	74,556	62,334	4,783	9	6,581	821	28	3,912	3,895	4	6	3	4
Cities of 10,000 or more	89,901	82,782	65,909	6,729	18	8,983	1,099	44	7,119	7,081	7	17	3	11
Male	46,139	42,448	33,771	3,490	14	4,599	552	22	3,691	3,667	5	11	1	7
Female	43,762	40,334	32,138	3,239	4	4,384	547	22	3,428	3,414	2	6	2	4
Cities of 2,500 to 10,000	20,953	20,686	17,641	1,177	1	1,678	180	9	267	266	------	1	------	------
Male	10,764	10,631	9,052	609	1	862	101	6	133	132	------	1	------	------
Female	10,189	10,055	8,589	568	------	816	79	3	134	134	------	------	------	------
Rural	50,312	49,594	44,419	1,966	8	2,817	380	4	718	714	2	------	1	1
Male	25,795	25,427	22,812	990	3	1,436	185	1	368	367	------	------	------	1
Female	24,517	24,167	21,607	976	5	1,381	195	3	350	347	2	------	1	------
RHODE ISLAND	10,215	9,980	6,436	1,199	1	2,049	269	26	235	230	4	1	------	------
Male	5,246	5,130	3,339	606	1	1,031	140	13	116	113	2	1	------	------
Female	4,969	4,850	3,097	593	------	1,018	129	13	119	117	2	------	------	------
Cities of 10,000 or more	9,396	9,187	5,863	1,131	------	1,918	249	26	209	207	1	1	------	------
Male	4,826	4,723	3,043	573	------	963	131	13	103	102	------	1	------	------
Female	4,570	4,464	2,820	558	------	955	118	13	106	105	1	------	------	------
Cities of 2,500 to 10,000	259	257	177	31	------	45	4	--------	2	2	------	------	------	------
Male	150	149	106	17	------	23	3	--------	1	1	------	------	------	------
Female	109	108	71	14	------	22	1	--------	1	1	------	------	------	------
Rural	560	536	396	37	1	86	16	--------	24	21	3	------	------	------
Male	270	258	190	16	1	45	6	--------	12	10	2	------	------	------
Female	290	278	206	21	------	41	10	--------	12	11	1	------	------	------
SOUTH CAROLINA	40,598	19,590	19,078	27	------	62	423	--------	21,008	20,989	18	------	------	1
Male	20,837	10,057	9,803	14	------	32	208	--------	10,780	10,770	10	------	------	------
Female	19,761	9,533	9,275	13	------	30	215	--------	10,228	10,219	8	------	------	1
Cities of 10,000 or more	5,603	3,436	3,268	22	------	31	115	--------	2,167	2,167	------	------	------	------
Male	2,900	1,777	1,690	11	------	16	60	--------	1,123	1,123	------	------	------	------
Female	2,703	1,659	1,578	11	------	15	55	--------	1,044	1,044	------	------	------	------
Cities of 2,500 to 10,000	3,077	1,952	1,900	3	------	4	45	--------	1,125	1,125	------	------	------	------
Male	1,606	1,016	988	1	------	2	25	--------	590	590	------	------	------	------
Female	1,471	936	912	2	------	2	20	--------	535	535	------	------	------	------
Rural	31,918	14,202	13,910	2	------	27	263	--------	17,716	17,697	18	------	------	1
Male	16,331	7,264	7,125	2	------	14	123	--------	9,067	9,057	10	------	------	------
Female	15,587	6,938	6,785	--------	------	13	140	--------	8,649	8,640	8	------	------	1
SOUTH DAKOTA	12,850	12,213	10,918	194	1	896	202	2	637	7	630	------	------	------
Male	6,604	6,261	5,597	86	------	462	115	1	343	3	340	------	------	------
Female	6,246	5,952	5,321	108	1	434	87	1	294	4	290	------	------	------
Cities of 10,000 or more	2,639	2,631	2,346	34	------	156	94	1	8	3	5	------	------	------
Male	1,355	1,353	1,204	14	------	83	51	1	2	1	1	------	------	------
Female	1,284	1,278	1,142	20	------	73	43	--------	6	2	4	------	------	------
Cities of 2,500 to 10,000	1,448	1,437	1,322	13	1	79	22	--------	11	3	8	------	------	------
Male	737	731	666	7	------	43	15	--------	6	2	4	------	------	------
Female	711	706	656	6	1	36	7	--------	5	1	4	------	------	------
Rural	8,763	8,145	7,250	147	------	661	86	1	618	1	617	------	------	------
Male	4,512	4,177	3,727	65	------	336	49	--------	335	--------	335	------	------	------
Female	4,251	3,968	3,523	82	------	325	37	1	283	1	282	------	------	------
TENNESSEE	53,314	44,981	43,697	41	6	202	1,034	1	8,333	8,329	4	------	------	------
Male	27,400	23,077	22,414	20	5	106	531	1	4,323	4,321	2	------	------	------
Female	25,914	21,904	21,283	21	1	96	503	--------	4,010	4,008	2	------	------	------
Cities of 10,000 or more	13,744	10,159	9,572	35	4	162	385	1	3,585	3,585	------	------	------	------
Male	7,050	5,172	4,881	18	3	80	189	1	1,878	1,878	------	------	------	------
Female	6,694	4,987	4,691	17	1	82	196	--------	1,707	1,707	------	------	------	------
Cities of 2,500 to 10,000	4,105	3,525	3,435	2	------	9	79	--------	580	580	------	------	------	------
Male	2,095	1,803	1,756	--------	------	6	41	--------	292	292	------	------	------	------
Female	2,010	1,722	1,679	2	------	3	38	--------	288	288	------	------	------	------
Rural	35,465	31,297	30,690	4	2	31	570	--------	4,168	4,164	4	------	------	------
Male	18,255	16,102	15,777	2	2	20	301	--------	2,153	2,151	2	------	------	------
Female	17,210	15,195	14,913	2	------	11	269	--------	2,015	2,013	2	------	------	------
TEXAS	114,721	100,766	84,353	6,573	37	7,740	1,804	259	13,955	13,876	38	20	9	12
Male	58,836	51,699	43,280	3,394	24	3,936	920	145	7,137	7,089	24	13	7	4
Female	55,885	49,067	41,073	3,179	13	3,804	884	114	6,818	6,787	14	7	2	8
Cities of 10,000 or more	37,536	33,426	25,521	3,173	11	3,537	1,010	174	4,110	4,067	9	20	6	8
Male	19,181	17,050	13,059	1,595	5	1,797	497	97	2,131	2,107	3	13	6	2
Female	18,355	16,376	12,462	1,578	6	1,740	513	77	1,979	1,960	6	7	------	6
Cities of 2,500 to 10,000	13,990	12,878	10,933	752	3	981	189	20	1,112	1,107	4	------	1	------
Male	7,180	6,615	5,643	385	2	484	94	7	565	563	2	------	------	------
Female	6,810	6,263	5,290	367	1	497	95	13	547	544	2	------	1	------
Rural	63,195	54,462	47,899	2,648	23	3,222	605	65	8,733	8,702	25	------	2	4
Male	32,475	28,034	24,578	1,414	17	1,655	329	41	4,441	4,419	19	------	1	2
Female	30,720	26,428	23,321	1,234	6	1,567	276	24	4,292	4,283	6	------	1	2

155010 O—37—7

TABLE 2.—BIRTHS, BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1935—Continued

(Exclusive of stillbirths)

AREA AND SEX	All births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
UTAH	12,695	12,585	11,303	295	1	911	72	3	110	6	65	4	33	2
Male	6,509	6,453	5,786	152	1	481	32	1	56	3	32	------	20	1
Female	6,186	6,132	5,517	143	------	430	40	2	54	3	33	4	13	1
Cities of 10,000 or more	5,164	5,148	4,426	182	------	494	43	3	16	5	------	1	9	1
Male	2,649	2,641	2,266	92	------	263	19	1	8	3	------	------	5	------
Female	2,515	2,507	2,160	90	------	231	24	2	8	2	------	1	4	1
Cities of 2,500 to 10,000	2,632	2,626	2,388	48	------	181	11	--------	4	--------	1	1	2	------
Male	1,341	1,340	1,209	31	------	96	4	--------	1	--------	1	------	------	------
Female	1,291	1,288	1,179	17	------	85	7	--------	3	--------	------	1	2	------
Rural	4,899	4,809	4,489	65	1	236	18	--------	90	1	64	2	22	1
Male	2,519	2,472	2,311	29	1	122	9	--------	47	--------	31	------	15	1
Female	2,380	2,337	2,178	36	------	114	9	--------	43	1	33	2	7	------
VERMONT	6,591	6,586	5,193	408	4	844	127	10	5	5	------	------	------	------
Male	3,360	3,356	2,627	216	3	444	61	5	4	4	------	------	------	------
Female	3,231	3,230	2,566	192	1	400	66	5	1	1	------	------	------	------
Cities of 10,000 or more	1,613	1,613	1,302	74	3	195	36	3	--------	--------	------	------	------	------
Male	819	819	655	35	3	109	15	2	--------	--------	------	------	------	------
Female	794	794	647	39	------	86	21	1	--------	--------	------	------	------	------
Cities of 2,500 to 10,000	1,270	1,269	981	63	------	204	19	2	1	1	------	------	------	------
Male	647	646	501	35	------	101	9	--------	1	1	------	------	------	------
Female	623	623	480	28	------	103	10	2	--------	--------	------	------	------	------
Rural	3,708	3,704	2,910	271	1	445	72	5	4	4	------	------	------	------
Male	1,894	1,891	1,471	146	------	234	37	3	3	3	------	------	------	------
Female	1,814	1,813	1,439	125	1	211	35	2	1	1	------	------	------	------
VIRGINIA	51,487	36,610	35,398	119	3	342	745	3	14,877	14,839	26	1	1	10
Male	26,275	18,698	18,103	47	2	169	376	1	7,577	7,555	14	1	1	6
Female	25,212	17,912	17,295	72	1	173	369	2	7,300	7,284	12	------	------	4
Cities of 10,000 or more	11,488	8,144	7,719	73	1	196	153	2	3,344	3,332	1	1	1	9
Male	5,851	4,146	3,942	30	------	95	78	1	1,705	1,697	1	1	1	5
Female	5,637	3,998	3,777	43	1	101	75	1	1,639	1,635	------	------	------	4
Cities of 2,500 to 10,000	3,845	3,243	3,146	12	------	24	61	--------	602	602	------	------	------	------
Male	1,993	1,688	1,643	5	------	11	29	--------	305	305	------	------	------	------
Female	1,852	1,555	1,503	7	------	13	32	--------	297	297	------	------	------	------
Rural	36,154	25,223	24,533	34	2	122	531	1	10,931	10,905	25	------	------	1
Male	18,431	12,864	12,518	12	2	63	269	--------	5,567	5,553	13	------	------	1
Female	17,723	12,359	12,015	22	------	59	262	1	5,364	5,352	12	------	------	------
WASHINGTON	22,396	21,713	17,928	734	7	2,824	202	18	683	65	347	33	202	36
Male	11,591	11,258	9,318	395	3	1,432	101	9	333	30	170	22	94	17
Female	10,805	10,455	8,610	339	4	1,392	101	9	350	35	177	11	108	19
Cities of 10,000 or more	14,089	13,800	11,159	527	3	1,962	134	15	289	61	40	30	128	30
Male	7,281	7,144	5,783	286	1	993	73	8	137	28	21	20	54	14
Female	6,808	6,656	5,376	241	2	969	61	7	152	33	19	10	74	16
Cities of 2,500 to 10,000	2,371	2,321	2,012	50	------	247	12	--------	50	--------	32	2	14	2
Male	1,226	1,199	1,046	29	------	119	5	--------	27	--------	18	1	6	2
Female	1,145	1,122	966	21	------	128	7	--------	23	--------	14	1	8	------
Rural	5,936	5,592	4,757	157	4	615	56	3	344	4	275	1	60	4
Male	3,084	2,915	2,489	80	2	320	23	1	169	2	131	1	34	1
Female	2,852	2,677	2,268	77	2	295	33	2	175	2	144	------	26	3
WEST VIRGINIA	41,774	39,512	36,553	523	20	837	1,577	2	2,262	2,259	2	------	------	1
Male	21,395	20,239	18,712	282	11	404	829	1	1,156	1,153	2	------	------	1
Female	20,379	19,273	17,841	241	9	433	748	1	1,106	1,106	------	------	------	------
Cities of 10,000 or more	7,112	6,799	6,177	116	7	229	270	--------	313	312	------	------	------	1
Male	3,725	3,568	3,230	65	5	112	156	--------	157	156	------	------	------	1
Female	3,387	3,231	2,947	51	2	117	114	--------	156	156	------	------	------	------
Cities of 2,500 to 10,000	3,609	3,422	3,122	82	1	105	131	1	187	186	1	------	------	------
Male	1,806	1,711	1,569	29	1	44	68	-------	95	94	1	------	------	------
Female	1,603	1,711	1,553	33	------	61	63	1	92	92	------	------	------	------
Rural	31,053	29,291	27,254	345	12	503	1,176	1	1,762	1,761	1	------	------	------
Male	15,864	14,960	13,913	188	5	248	605	1	904	903	1	------	------	------
Female	15,189	14,331	13,341	157	7	255	571	-------	858	858	------	------	------	------
WISCONSIN	52,562	52,017	45,548	1,609	13	3,860	967	20	545	157	374	3	------	1
Male	27,113	26,845	23,406	833	7	2,076	505	18	268	87	178	3	------	------
Female	25,449	25,172	22,142	776	6	1,784	462	2	277	80	196	------	------	1
Cities of 10,000 or more	23,672	23,762	19,871	1,095	4	2,246	534	12	110	84	22	3	------	1
Male	12,434	12,377	10,297	587	2	1,202	278	11	57	46	8	3	------	------
Female	11,438	11,385	9,574	508	2	1,044	256	1	53	38	14	------	------	1
Cities of 2,500 to 10,000	6,552	6,542	6,022	81	2	322	114	1	10	1	9	------	------	------
Male	3,393	3,387	3,122	40	1	167	56	1	6	1	5	------	------	------
Female	3,159	3,155	2,900	41	1	155	58	--------	4	--------	4	------	------	------
Rural	22,138	21,713	19,655	433	7	1,292	319	7	425	82	343	------	------	------
Male	11,286	11,081	9,987	206	4	707	171	6	205	40	165	------	------	------
Female	10,852	10,632	9,668	227	3	585	148	1	220	42	178	------	------	------
WYOMING	4,362	4,243	3,738	138	4	307	51	5	119	10	98	-----	9	2
Male	2,231	2,181	1,912	70	3	167	25	4	50	5	40	------	3	2
Female	2,131	2,062	1,826	68	1	140	26	1	69	5	58	------	6	------
Cities of 10,000 or more	704	697	622	17	------	41	16	1	7	6	------	------	1	------
Male	370	365	327	8	------	21	9	-------	5	4	------	------	1	------
Female	334	332	295	9	------	20	7	1	2	2	------	------	------	------
Cities of 2,500 to 10,000	866	859	739	27	------	80	13	-------	7	2	------	------	4	1
Male	436	433	370	12	------	46	5	-------	3	1	------	------	1	1
Female	430	426	369	15	------	34	8	-------	4	1	------	------	3	------
Rural	2,792	2,687	2,377	94	4	186	22	4	105	2	98	------	4	1
Male	1,425	1,383	1,215	50	3	100	11	4	42	--------	40	------	1	1
Female	1,367	1,304	1,162	44	1	86	11	-------	63	2	58	------	3	------

TABLE 3.—BIRTHS OF WHITE CHILDREN, BY SEX, AND COUNTRY OF BIRTH OF PARENTS, IN THE UNITED STATES: 1935

(Exclusive of stillbirths)

AREA, SEX OF CHILD, AND COUNTRY OF BIRTH OF MOTHER	All white births	COUNTRY OF BIRTH OF FATHER											
		United States	Foreign country										Country not stated
			Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries	
United States	1,888,012	1,647,374	208,438	11,461	18,291	9,475	11,988	11,807	14,484	42,250	13,767	16,729	58,186	32,200
Male	969,916	846,240	107,122	5,930	9,391	4,752	6,316	6,002	7,481	21,636	7,042	8,659	29,913	16,554
Female	918,096	801,134	101,316	5,531	8,900	4,723	5,672	5,805	7,003	20,614	6,725	8,070	28,273	15,646
United States—M	888,729	820,312	53,056	2,916	6,293	3,181	3,964	1,491	3,739	10,508	3,097	4,251	13,616	15,361
F	840,972	776,330	50,021	2,780	5,952	3,215	3,628	1,417	3,566	9,967	2,926	3,847	12,723	14,626
Total foreign—M	80,166	25,535	54,018	3,011	3,092	1,569	2,349	4,509	3,738	11,120	3,940	4,406	16,284	613
F	76,272	24,448	51,245	2,746	2,944	1,505	2,042	4,387	3,432	10,641	3,795	4,221	15,532	579
Austria, Hungary—M	4,653	1,367	3,266	2,394	16	12	27	6	189	50	119	268	185	20
F	4,201	1,194	2,990	2,186	11	17	21	3	173	61	95	271	152	17
Canada—M	10,163	6,604	3,427	27	2,678	46	250	54	37	58	34	74	169	132
F	9,761	6,366	3,241	27	2,522	70	185	49	47	54	34	96	157	154
Denmark, Norway, Sweden—M	2,432	1,006	1,412	4	11	1,306	25	6	25	5	4	5	21	14
F	2,291	961	1,310	6	15	1,195	18	5	31	5	3	7	25	20
England, Scotland, Wales—M	5,383	2,919	2,413	31	173	40	1,603	218	52	40	22	121	113	51
F	4,949	2,700	2,212	28	166	51	1,415	215	41	43	32	98	123	37
Ireland—M	6,388	1,685	4,650	8	64	26	221	4,179	41	32	7	3	69	53
F	6,184	1,593	4,536	10	77	29	218	4,059	36	29	8	4	66	55
Germany—M	5,235	1,507	3,702	110	15	53	32	11	3,180	46	31	36	188	26
F	4,903	1,513	3,363	95	34	54	25	10	2,874	44	31	36	160	27
Italy—M	12,867	1,977	10,852	17	21	1	11	7	21	10,580	2	3	189	38
F	12,436	1,987	10,416	17	9	7	17	9	23	10,138	2	5	189	33
Poland—M	5,557	1,366	4,166	103	20	4	25	2	33	23	3,302	473	181	25
F	5,215	1,252	3,938	96	21	7	12	5	38	28	3,176	391	164	25
Russia—M	5,971	1,855	4,099	188	33	13	76	2	39	19	317	3,190	222	17
F	5,790	1,791	3,984	176	28	4	56	2	52	15	311	3,140	200	15
Other foreign countries—M	21,517	5,249	16,031	129	61	68	79	24	121	267	102	233	14,947	237
F	20,542	5,091	15,255	105	61	71	75	30	117	224	103	173	14,296	196
Country not stated—M	1,021	393	48	3	6	2	3	2	4	8	5	2	13	580
F	847	356	50	5	4	3	2	1	5	6	4	2	18	441

TABLE 4.—BIRTHS BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1935

(Exclusive of stillbirths)

AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE													Other races
		Total	Country of birth of mother												
			United States	Foreign country										Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries		
United States	2,155,105	1,888,012	1,729,706	156,438	8,854	19,924	4,723	10,332	12,572	10,138	25,303	10,772	11,761	42,059	1,868	267,093
Male	1,105,489	969,916	888,729	80,166	4,653	10,163	2,432	5,383	6,386	5,235	12,867	5,557	5,971	21,517	1,021	135,573
Female	1,049,616	918,096	840,977	76,272	4,201	9,761	2,291	4,949	6,184	4,903	12,436	5,215	5,790	20,542	847	131,520
10 to 14 years—M	1,559	641	622	15	-------	2	1	1	------	1	1	------	------	9	4	918
F	1,594	678	660	13	-------	2	------	------	------	1	------	------	------	10	5	916
15 to 19 years—M	138,266	108,103	106,238	1,671	14	573	30	112	18	56	122	9	10	727	194	30,163
F	132,022	102,484	100,719	1,610	22	567	25	105	19	47	143	15	15	652	155	29,538
20 to 24 years—M	339,199	296,228	282,979	12,975	512	2,587	220	770	641	708	1,811	769	795	4,162	274	42,971
F	321,182	279,447	266,932	12,296	423	2,550	196	713	622	588	1,730	692	715	4,067	219	41,735
25 to 29 years—M	289,713	261,594	239,178	22,250	1,086	2,912	595	1,581	2,205	1,739	2,987	1,395	1,970	5,780	166	28,119
F	274,712	247,479	225,672	21,447	994	2,772	568	1,502	2,165	1,677	2,875	1,257	1,931	5,706	160	27,233
30 to 34 years—M	183,752	166,609	145,264	21,221	1,242	2,231	732	1,580	2,080	1,662	3,262	1,208	1,870	5,354	124	17,143
F	173,722	157,530	137,559	19,873	1,136	2,086	727	1,461	1,926	1,564	3,164	1,105	1,821	4,893	98	16,192
35 to 39 years—M	109,465	97,852	82,494	15,287	1,149	1,320	544	1,013	1,096	780	3,163	1,280	1,004	3,938	71	11,613
F	104,802	93,428	78,829	14,542	1,033	1,274	494	874	1,065	738	3,060	1,265	957	3,782	57	11,374
40 to 44 years—M	37,203	33,622	27,737	5,857	565	429	269	292	316	249	1,334	613	273	1,317	28	3,581
F	35,619	32,088	26,375	5,681	525	423	244	269	347	257	1,294	804	304	1,214	32	3,531
45 to 49 years—M	3,569	3,082	2,377	698	79	45	38	27	22	33	168	79	44	163	7	487
F	3,474	2,972	2,326	643	64	30	35	19	34	34	156	72	42	157	3	502
50 to 54 years—M	88	59	50	9	-------	2	1	-------	-------	-------	1	------	-------	5	-------	29
F	68	43	33	9	1	------	------	-------	------	1	------	3	1	3	1	25
Not stated—M	2,675	2,126	1,790	163	6	62	2	7	10	7	18	4	5	62	153	549
F	2,421	1,947	1,672	158	3	57	2	6	6	6	14	2	4	58	117	474

TABLE 4A.—BIRTHS BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1935

(Exclusive of stillbirths)

AREA, AND AGE OF MOTHER	All births	WHITE			Other races
		Total[1]	Mother native	Mother foreign-born	
ALABAMA	62,239	38,364	38,260	80	23,875
Male	31,825	19,806	19,750	45	12,019
Female	30,414	18,558	18,510	35	11,856
10 to 14 years	208	58	58	----	150
15 to 19 years	11,150	5,616	5,611	2	5,534
20 to 24 years	19,828	11,938	11,918	13	7,890
25 to 29 years	14,426	9,414	9,393	17	5,012
30 to 34 years	8,641	6,004	5,982	19	2,637
35 to 39 years	5,677	3,824	3,806	16	1,853
40 to 44 years	1,882	1,272	1,260	12	610
45 to 49 years	219	123	123	----	96
50 to 54 years	10	6	5	----	4
Not stated	198	109	104	1	89
ARIZONA	9,139	7,807	6,213	1,583	1,332
Male	4,655	3,993	3,183	802	662
Female	4,484	3,814	3,030	781	670
10 to 14 years	13	10	9	1	3
15 to 19 years	1,313	1,127	1,046	78	186
20 to 24 years	2,842	2,434	2,103	328	408
25 to 29 years	2,219	1,932	1,492	438	287
30 to 34 years	1,439	1,223	842	379	216
35 to 39 years	892	756	499	256	136
40 to 44 years	307	245	171	74	62
45 to 49 years	43	34	21	13	9
50 to 54 years	4	3	----	3	1
Not stated	67	43	30	13	24
ARKANSAS	35,684	27,175	27,045	61	8,509
Male	18,457	14,129	14,059	31	4,328
Female	17,227	13,046	12,986	30	4,181
10 to 14 years	111	40	40	----	71
15 to 19 years	6,482	4,428	4,417	2	2,054
20 to 24 years	10,965	8,467	8,442	13	2,498
25 to 29 years	8,099	6,380	6,357	17	1,719
30 to 34 years	5,118	4,042	4,024	11	1,076
35 to 39 years	3,180	2,502	2,483	11	678
40 to 44 years	1,138	917	907	6	221
45 to 49 years	122	86	85	1	36
50 to 54 years	3	2	2	----	1
Not stated	466	311	288	----	155
CALIFORNIA	80,131	76,097	63,154	12,928	4,034
Male	41,166	39,152	32,550	6,592	2,014
Female	38,965	36,945	30,604	6,336	2,020
10 to 14 years	63	55	49	6	8
15 to 19 years	8,913	8,429	7,863	561	484
20 to 24 years	26,331	25,037	22,129	2,905	1,294
25 to 29 years	22,334	21,451	17,841	3,605	883
30 to 34 years	13,259	12,531	9,471	3,060	728
35 to 39 years	7,057	6,621	4,471	2,150	436
40 to 44 years	1,973	1,798	1,227	569	175
45 to 49 years	161	139	80	59	22
50 to 54 years	7	6	3	3	1
Not stated	33	30	20	10	3
COLORADO	18,837	18,572	17,283	1,055	265
Male	9,651	9,512	8,844	542	139
Female	9,186	9,060	8,439	513	126
10 to 14 years	17	16	15	1	1
15 to 19 years	2,502	2,451	2,399	34	51
20 to 24 years	6,157	6,085	5,865	181	72
25 to 29 years	4,818	4,763	4,452	288	55
30 to 34 years	2,811	2,771	2,486	269	40
35 to 39 years	1,661	1,628	1,426	194	33
40 to 44 years	587	578	498	76	9
45 to 49 years	58	55	45	8	3
50 to 54 years	1	1	1	----	----
Not stated	225	224	96	4	1
CONNECTICUT	22,258	21,696	17,468	4,219	562
Male	11,398	11,121	8,992	2,126	277
Female	10,860	10,575	8,476	2,093	285
10 to 14 years	14	13	10	2	1
15 to 19 years	1,504	1,413	1,370	41	91
20 to 24 years	6,321	6,163	5,594	567	158
25 to 29 years	6,662	6,508	5,390	1,117	154
30 to 34 years	4,319	4,229	3,166	1,063	90
35 to 39 years	2,493	2,446	1,482	964	47
40 to 44 years	848	832	418	414	16
45 to 49 years	78	76	28	48	2
50 to 54 years	----	----	----	----	----
Not stated	19	16	10	3	3
DELAWARE	4,036	3,379	3,183	192	657
Male	2,079	1,748	1,643	104	331
Female	1,957	1,631	1,540	88	326
10 to 14 years	12	5	5	----	7
15 to 19 years	563	391	387	2	172
20 to 24 years	1,227	1,057	1,025	31	170
25 to 29 years	1,042	912	864	48	130
30 to 34 years	667	568	527	40	99
35 to 39 years	404	351	291	60	53
40 to 44 years	108	87	78	9	21
45 to 49 years	11	8	6	2	3
50 to 54 years	----	----	----	----	----
Not stated	2	----	----	----	2
DISTRICT OF COLUMBIA	10,803	7,162	6,664	457	3,641
Male	5,568	3,714	3,447	245	1,854
Female	5,235	3,448	3,217	212	1,787
10 to 14 years	27	2	2	----	25
15 to 19 years	1,625	730	711	12	895
20 to 24 years	3,355	2,169	2,082	72	1,186
25 to 29 years	2,953	2,160	2,017	136	793
30 to 34 years	1,708	1,281	1,141	139	427
35 to 39 years	852	626	553	72	226
40 to 44 years	212	164	141	22	48
45 to 49 years	12	5	5	----	7
50 to 54 years	----	----	----	----	----
Not stated	59	25	12	2	34
FLORIDA	28,051	19,579	19,055	478	8,472
Male	14,403	10,133	9,858	251	4,270
Female	13,648	9,446	9,197	227	4,202
10 to 14 years	130	28	28	----	102
15 to 19 years	5,151	3,010	2,981	24	2,141
20 to 24 years	8,931	6,428	6,328	85	2,503
25 to 29 years	6,700	4,940	4,784	143	1,760
30 to 34 years	3,956	2,938	2,818	116	1,018
35 to 39 years	2,342	1,643	1,555	82	699
40 to 44 years	667	491	466	24	176
45 to 49 years	73	48	44	3	25
50 to 54 years	3	----	----	----	3
Not stated	98	53	51	1	45
GEORGIA	63,260	37,334	37,165	100	25,926
Male	32,299	19,276	19,186	53	13,023
Female	30,961	18,058	17,979	47	12,903
10 to 14 years	226	45	43	----	181
15 to 19 years	11,867	5,572	5,558	2	6,295
20 to 24 years	20,672	11,850	11,809	21	8,822
25 to 29 years	14,452	9,291	9,246	30	5,161
30 to 34 years	8,390	5,638	5,605	24	2,752
35 to 39 years	5,540	3,583	3,561	18	1,957
40 to 44 years	1,759	1,174	1,166	5	585
45 to 49 years	209	106	104	----	103
50 to 54 years	7	4	4	----	3
Not stated	138	71	69	----	67
IDAHO	9,469	9,344	9,042	296	125
Male	4,838	4,773	4,626	143	65
Female	4,631	4,571	4,416	153	60
10 to 14 years	8	7	4	3	1
15 to 19 years	1,300	1,281	1,267	13	19
20 to 24 years	3,150	3,113	3,040	72	37
25 to 29 years	2,417	2,395	2,324	69	22
30 to 34 years	1,349	1,331	1,263	68	18
35 to 39 years	818	800	762	36	18
40 to 44 years	371	362	333	29	9
45 to 49 years	40	40	35	5	----
50 to 54 years	----	----	----	----	----
Not stated	16	15	14	1	1
ILLINOIS	111,884	106,120	95,322	10,736	5,764
Male	57,294	54,336	48,865	5,437	2,958
Female	54,590	51,784	46,457	5,299	2,806
10 to 14 years	73	40	40	----	33
15 to 19 years	11,395	10,073	9,939	121	1,322
20 to 24 years	33,549	31,821	30,301	1,503	1,728
25 to 29 years	31,257	30,066	28,967	3,087	1,191
30 to 34 years	20,314	19,459	16,338	3,112	855
35 to 39 years	11,290	10,799	8,754	2,042	491
40 to 44 years	3,657	3,529	2,752	776	128
45 to 49 years	281	273	187	86	8
50 to 54 years	5	4	2	2	1
Not stated	63	56	42	7	7
INDIANA	52,909	51,077	49,804	1,240	1,832
Male	27,214	26,317	25,658	641	897
Female	25,695	24,760	24,146	599	935
10 to 14 years	43	29	29	----	14
15 to 19 years	7,057	6,684	6,648	33	373
20 to 24 years	16,543	16,014	15,798	206	529
25 to 29 years	13,412	13,025	12,699	321	387
30 to 34 years	8,632	8,356	8,029	316	276
35 to 39 years	5,157	4,969	4,712	255	188
40 to 44 years	1,871	1,811	1,711	99	60
45 to 49 years	169	164	153	10	5
50 to 54 years	3	3	3	----	----
Not stated	22	22	22	----	----

1/ Includes "Country not stated."

TABLE 4A.—BIRTHS BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1935—Continued

(Exclusive of stillbirths)

AREA, AND AGE OF MOTHER	All births	WHITE			Other races
		Total[1]	Mother native	Mother foreign-born	
IOWA	41,137	40,879	39,763	1,026	258
Male	21,106	20,972	20,398	527	134
Female	20,031	19,907	19,365	499	124
10 to 14 years	27	25	25	----	2
15 to 19 years	4,062	4,009	3,973	25	53
20 to 24 years	12,353	12,266	12,107	131	87
25 to 29 years	10,905	10,859	10,584	254	46
30 to 34 years	7,203	7,162	6,879	272	41
35 to 39 years	4,526	4,508	4,296	205	18
40 to 44 years	1,608	1,601	1,482	113	7
45 to 49 years	130	129	111	18	1
50 to 54 years	3	3	3	----	----
Not stated	320	317	303	8	3
KANSAS	30,589	29,634	28,882	730	955
Male	15,611	15,147	14,753	380	464
Female	14,978	14,487	14,129	350	491
10 to 14 years	14	10	9	----	4
15 to 19 years	3,336	3,113	3,088	19	223
20 to 24 years	9,245	8,957	8,816	137	288
25 to 29 years	8,254	8,077	7,884	188	177
30 to 34 years	5,327	5,204	5,019	161	123
35 to 39 years	3,159	3,059	2,923	135	100
40 to 44 years	1,142	1,108	1,047	61	34
45 to 49 years	94	90	81	9	4
50 to 54 years	1	1	1	----	----
Not stated	17	15	14	----	2
KENTUCKY	57,715	54,918	54,831	77	2,797
Male	29,919	28,509	28,464	37	1,410
Female	27,796	26,409	26,367	40	1,387
10 to 14 years	120	91	91	----	29
15 to 19 years	9,072	8,396	8,396	----	676
20 to 24 years	17,465	16,663	16,650	11	802
25 to 29 years	13,330	12,776	12,756	20	554
30 to 34 years	8,814	8,460	8,434	23	354
35 to 39 years	6,194	5,921	5,897	23	273
40 to 44 years	2,354	2,255	2,255	----	99
45 to 49 years	267	262	262	----	5
50 to 54 years	5	5	5	----	----
Not stated	94	89	85	----	5
LOUISIANA	42,270	24,417	24,185	223	17,853
Male	21,596	12,366	12,262	100	9,230
Female	20,674	12,051	11,923	123	8,623
10 to 14 years	118	22	22	----	96
15 to 19 years	7,250	3,361	3,354	7	3,889
20 to 24 years	13,346	7,771	7,735	34	5,575
25 to 29 years	10,113	6,341	6,289	50	3,772
30 to 34 years	6,083	3,788	3,725	61	2,295
35 to 39 years	3,934	2,325	2,276	48	1,609
40 to 44 years	1,211	707	683	22	504
45 to 49 years	136	63	62	1	73
50 to 54 years	6	----	----	----	6
Not stated	73	39	39	----	34
MAINE	15,723	15,681	13,578	2,102	42
Male	8,022	8,000	6,955	1,044	22
Female	7,701	7,681	6,623	1,058	20
10 to 14 years	17	17	17	----	----
15 to 19 years	1,797	1,793	1,701	92	4
20 to 24 years	4,729	4,716	4,317	399	13
25 to 29 years	3,778	3,767	3,231	535	11
30 to 34 years	2,521	2,516	2,035	481	5
35 to 39 years	1,514	1,508	1,160	348	6
40 to 44 years	584	582	442	140	2
45 to 49 years	45	45	29	16	----
50 to 54 years	1	1	1	----	----
Not stated	737	736	645	91	1
MARYLAND	27,236	21,322	20,475	834	5,914
Male	13,928	10,947	10,517	426	2,981
Female	13,308	10,375	9,958	408	2,933
10 to 14 years	69	7	7	----	62
15 to 19 years	4,159	2,722	2,707	14	1,437
20 to 24 years	8,321	6,649	6,522	124	1,672
25 to 29 years	6,735	5,538	5,322	215	1,197
30 to 34 years	4,253	3,491	3,257	232	762
35 to 39 years	2,670	2,091	1,916	173	579
40 to 44 years	935	754	683	70	181
45 to 49 years	68	55	49	6	13
50 to 54 years	2	1	1	----	1
Not stated	24	14	11	----	10
MASSACHUSETTS	63,001	62,082	48,738	13,313	919
Male	32,398	31,956	25,092	6,852	442
Female	30,603	30,126	23,646	6,461	477
10 to 14 years	23	21	19	2	2
15 to 19 years	4,057	3,922	3,712	207	135
20 to 24 years	16,742	16,456	14,625	1,822	286
MASSACHUSETTS—Cont.					
25 to 29 years	18,458	18,276	14,610	3,659	182
30 to 34 years	13,157	13,010	9,372	3,631	147
35 to 39 years	7,687	7,562	4,836	2,724	125
40 to 44 years	2,482	2,444	1,326	1,117	38
45 to 49 years	167	167	79	88	----
50 to 54 years	4	4	3	1	----
Not stated	224	220	156	62	4
MICHIGAN	87,446	84,377	74,420	9,878	3,069
Male	45,034	43,445	38,351	5,058	1,589
Female	42,412	40,932	36,069	4,820	1,480
10 to 14 years	47	37	34	3	10
15 to 19 years	9,808	9,152	8,816	326	656
20 to 24 years	27,631	26,757	24,885	1,846	874
25 to 29 years	22,938	22,283	19,674	2,589	655
30 to 34 years	15,026	14,553	12,009	2,533	473
35 to 39 years	8,473	8,177	6,397	1,776	296
40 to 44 years	3,029	2,945	2,261	682	84
45 to 49 years	279	276	191	85	3
50 to 54 years	5	4	4	----	1
Not stated	210	193	149	38	17
MINNESOTA	45,962	45,364	43,120	2,231	598
Male	23,563	23,263	22,072	1,187	300
Female	22,399	22,101	21,048	1,044	298
10 to 14 years	16	13	13	----	3
15 to 19 years	3,333	3,246	3,193	48	87
20 to 24 years	12,850	12,649	12,286	359	201
25 to 29 years	12,842	12,718	12,225	492	124
30 to 34 years	8,915	8,821	8,259	561	94
35 to 39 years	5,589	5,517	5,064	453	72
40 to 44 years	2,195	2,182	1,905	277	13
45 to 49 years	211	207	168	39	4
50 to 54 years	3	3	2	1	----
Not stated	8	8	5	1	----
MISSISSIPPI	48,320	21,977	21,904	59	26,343
Male	24,514	11,179	11,151	23	13,335
Female	23,806	10,798	10,753	36	13,008
10 to 14 years	234	26	26	----	208
15 to 19 years	9,047	3,003	3,000	----	6,044
20 to 24 years	15,226	6,971	6,957	11	8,255
25 to 29 years	10,983	5,460	5,445	14	5,523
30 to 34 years	6,527	3,373	3,354	17	3,154
35 to 39 years	4,461	2,196	2,183	12	2,265
40 to 44 years	1,403	768	764	4	635
45 to 49 years	164	71	70	1	93
50 to 54 years	9	1	1	----	8
Not stated	256	108	104	----	158
MISSOURI	57,299	53,724	52,658	1,048	3,575
Male	29,404	27,557	26,998	547	1,847
Female	27,895	26,167	25,660	501	1,728
10 to 14 years	96	60	59	1	36
15 to 19 years	8,193	7,231	7,212	17	962
20 to 24 years	17,456	16,418	16,241	170	1,038
25 to 29 years	14,684	14,006	13,697	308	678
30 to 34 years	9,385	8,910	8,602	304	475
35 to 39 years	5,379	5,088	4,914	172	291
40 to 44 years	1,898	1,817	1,747	69	81
45 to 49 years	182	170	163	7	12
50 to 54 years	4	3	3	----	1
Not stated	22	21	20	----	1
MONTANA	10,029	9,348	8,539	806	681
Male	5,103	4,767	4,347	418	336
Female	4,926	4,581	4,192	388	345
10 to 14 years	2	2	2	----	----
15 to 19 years	1,097	992	957	35	105
20 to 24 years	3,464	3,237	3,053	183	227
25 to 29 years	2,639	2,475	2,260	215	164
30 to 34 years	1,514	1,427	1,267	158	87
35 to 39 years	908	841	699	142	67
40 to 44 years	360	330	269	61	30
45 to 49 years	41	40	29	11	1
50 to 54 years	1	1	----	1	----
Not stated	3	3	3	----	----
NEBRASKA	23,327	22,996	22,177	813	331
Male	11,947	11,778	11,363	410	169
Female	11,380	11,218	10,814	403	162
10 to 14 years	8	7	7	----	1
15 to 19 years	2,137	2,074	2,053	21	63
20 to 24 years	7,013	6,914	6,787	127	99
25 to 29 years	6,491	6,414	6,210	202	77
30 to 34 years	4,161	4,115	3,916	198	46
35 to 39 years	2,544	2,513	2,344	167	31
40 to 44 years	877	864	788	76	13
45 to 49 years	82	81	59	22	1
50 to 54 years	2	2	2	----	----
Not stated	12	12	11	----	----

1/ Includes "Country not stated."

TABLE 4A.—BIRTHS BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1935—Continued

(Exclusive of stillbirths)

AREA, AND AGE OF MOTHER	All births	WHITE			Other races
		Total[1]	Mother native	Mother foreign-born	
NEVADA	1,423	1,325	1,209	114	98
Male	733	684	620	62	49
Female	690	641	589	52	49
10 to 14 years	4	4	4	----	----
15 to 19 years	181	171	168	3	10
20 to 24 years	498	458	434	23	40
25 to 29 years	364	340	304	36	24
30 to 34 years	215	203	174	29	12
35 to 39 years	122	113	94	18	9
40 to 44 years	33	31	27	4	2
45 to 49 years	2	1	1	----	1
50 to 54 years	----	----	----	----	----
Not stated	4	4	3	1	----
NEW HAMPSHIRE	7,768	7,761	6,686	1,064	7
Male	3,943	3,941	3,410	524	2
Female	3,825	3,820	3,276	540	5
10 to 14 years	2	2	2	----	----
15 to 19 years	753	753	724	28	----
20 to 24 years	2,316	2,315	2,152	161	1
25 to 29 years	2,180	2,176	1,906	269	4
30 to 34 years	1,368	1,367	1,094	270	1
35 to 39 years	832	831	597	232	1
40 to 44 years	266	266	175	90	----
45 to 49 years	29	29	18	11	----
50 to 54 years	1	1	1	----	----
Not stated	21	21	17	3	----
NEW JERSEY	54,514	50,304	41,950	8,277	4,210
Male	28,104	25,990	21,664	4,288	2,114
Female	26,410	24,314	20,286	3,989	2,096
10 to 14 years	39	15	15	----	24
15 to 19 years	4,562	3,767	3,683	79	795
20 to 24 years	16,017	14,696	13,566	1,111	1,321
25 to 29 years	16,016	15,037	12,784	2,236	979
30 to 34 years	10,305	9,708	7,420	2,265	597
35 to 39 years	5,634	5,269	3,474	1,788	365
40 to 44 years	1,785	1,669	935	729	116
45 to 49 years	119	111	50	61	8
50 to 54 years	4	3	1	2	1
Not stated	33	29	22	6	4
NEW MEXICO	13,190	12,600	11,890	685	590
Male	6,692	6,405	6,049	341	287
Female	6,498	6,195	5,841	344	303
10 to 14 years	11	10	10	----	1
15 to 19 years	1,723	1,652	1,619	26	71
20 to 24 years	4,086	3,917	3,776	134	169
25 to 29 years	3,301	3,159	2,940	215	142
30 to 34 years	2,066	1,957	1,809	146	109
35 to 39 years	1,448	1,395	1,270	124	53
40 to 44 years	470	441	407	33	29
45 to 49 years	53	48	42	6	5
50 to 54 years	2	----	----	----	2
Not stated	30	21	17	1	9
NEW YORK	184,344	175,658	136,134	39,501	8,686
Male	94,620	90,212	70,054	20,147	4,408
Female	89,724	85,446	66,080	19,354	4,278
10 to 14 years	89	47	44	3	42
15 to 19 years	12,845	11,524	11,086	432	1,321
20 to 24 years	51,969	49,132	43,358	5,771	2,837
25 to 29 years	58,010	55,795	43,142	12,647	2,215
30 to 34 years	36,671	35,296	23,937	11,357	1,375
35 to 39 years	18,904	18,199	11,295	6,899	705
40 to 44 years	5,374	5,202	3,031	2,171	172
45 to 49 years	457	441	228	213	16
50 to 54 years	2	2	----	2	----
Not stated	23	20	13	6	3
NORTH CAROLINA	78,753	53,665	53,274	90	25,088
Male	40,354	27,651	27,432	42	12,703
Female	38,399	26,014	25,842	48	12,385
10 to 14 years	227	52	48	----	175
15 to 19 years	13,037	7,511	7,384	2	5,526
20 to 24 years	24,812	16,738	16,626	19	8,074
25 to 29 years	18,230	13,234	13,164	35	4,996
30 to 34 years	11,288	8,314	8,283	18	2,974
35 to 39 years	7,756	5,431	5,405	13	2,325
40 to 44 years	2,861	2,099	2,093	3	762
45 to 49 years	306	201	200	----	105
50 to 54 years	9	2	2	----	7
Not stated	227	83	69	----	144
NORTH DAKOTA	13,655	13,215	12,156	1,056	440
Male	7,018	6,806	6,280	524	212
Female	6,637	6,409	5,876	532	228
10 to 14 years	9	7	7	----	2
15 to 19 years	1,023	960	934	26	63
20 to 24 years	3,805	3,671	3,564	105	134
NORTH DAKOTA—Contd.					
25 to 29 years	3,778	3,693	3,514	178	85
30 to 34 years	2,536	2,460	2,200	260	76
35 to 39 years	1,727	1,674	1,362	312	53
40 to 44 years	677	652	508	144	25
45 to 49 years	70	68	40	28	2
50 to 54 years	2	2	2	----	----
Not stated	28	28	25	3	----
OHIO	101,103	95,878	90,153	5,699	5,225
Male	51,770	49,177	46,181	2,983	2,593
Female	49,333	46,701	43,972	2,716	2,632
10 to 14 years	90	47	46	1	43
15 to 19 years	11,493	10,314	10,239	71	1,179
20 to 24 years	30,825	29,269	28,386	878	1,556
25 to 29 years	27,472	26,415	24,873	1,535	1,057
30 to 34 years	17,308	16,558	15,115	1,440	750
35 to 39 years	10,063	9,567	8,385	1,179	496
40 to 44 years	3,476	3,345	2,810	532	131
45 to 49 years	319	309	249	60	10
50 to 54 years	3	3	2	1	----
Not stated	54	51	48	2	3
OKLAHOMA	43,691	40,360	39,962	248	3,331
Male	22,343	20,676	20,466	124	1,667
Female	21,348	19,684	19,496	124	1,664
10 to 14 years	67	46	46	----	21
15 to 19 years	7,234	6,525	6,483	8	709
20 to 24 years	14,341	13,332	13,246	49	1,009
25 to 29 years	10,471	9,752	9,654	69	719
30 to 34 years	6,251	5,790	5,712	56	461
35 to 39 years	3,696	3,414	3,359	45	282
40 to 44 years	1,345	1,249	1,225	16	96
45 to 49 years	147	137	133	3	10
50 to 54 years	6	5	5	----	1
Not stated	133	110	99	2	23
OREGON	13,179	12,963	12,252	704	216
Male	6,825	6,718	6,337	375	107
Female	6,354	6,245	5,915	329	109
10 to 14 years	6	5	5	----	1
15 to 19 years	1,510	1,482	1,444	36	28
20 to 24 years	4,443	4,381	4,231	148	62
25 to 29 years	3,602	3,561	3,361	198	41
30 to 34 years	2,039	2,001	1,841	159	38
35 to 39 years	1,138	1,105	993	112	33
40 to 44 years	386	375	332	43	11
45 to 49 years	40	39	31	8	1
50 to 54 years	1	1	1	----	----
Not stated	14	13	13	----	1
PENNSYLVANIA	161,166	155,062	139,791	13,213	8,104
Male	82,698	78,506	71,652	6,822	4,192
Female	78,468	74,556	68,139	6,391	3,912
10 to 14 years	131	83	83	----	48
15 to 19 years	17,914	16,115	15,995	115	1,799
20 to 24 years	48,886	46,509	44,815	1,678	2,377
25 to 29 years	42,581	40,806	37,881	2,914	1,775
30 to 34 years	27,526	26,355	23,021	3,327	1,171
35 to 39 years	16,913	16,195	13,024	3,162	718
40 to 44 years	6,291	6,114	4,353	1,759	177
45 to 49 years	603	583	346	237	20
50 to 54 years	11	11	11	----	----
Not stated	310	291	262	21	19
RHODE ISLAND	10,215	9,980	7,945	2,023	235
Male	5,246	5,130	4,093	1,030	116
Female	4,969	4,850	3,852	993	119
10 to 14 years	4	4	4	----	----
15 to 19 years	702	667	640	27	35
20 to 24 years	2,808	2,718	2,460	256	90
25 to 29 years	3,073	3,019	2,452	562	54
30 to 34 years	2,029	1,999	1,451	546	30
35 to 39 years	1,183	1,166	730	435	17
40 to 44 years	367	358	186	170	9
45 to 49 years	40	40	14	26	----
50 to 54 years	----	----	----	----	----
Not stated	9	9	8	1	----
SOUTH CAROLINA	40,598	19,590	19,543	43	21,008
Male	20,837	10,057	10,034	21	10,780
Female	19,761	9,533	9,509	22	10,228
10 to 14 years	100	17	17	----	83
15 to 19 years	7,538	2,786	2,784	----	4,752
20 to 24 years	13,872	6,327	6,316	10	7,545
25 to 29 years	9,079	4,883	4,871	12	4,196
30 to 34 years	5,018	2,928	2,915	13	2,090
35 to 39 years	3,600	1,938	1,931	6	1,662
40 to 44 years	1,144	630	628	2	514
45 to 49 years	156	53	53	----	103
50 to 54 years	3	----	----	----	3
Not stated	88	28	28	----	60

1/ Includes "Country not stated".

TABLE 4A.—BIRTHS BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1935—Continued

(Exclusive of stillbirths)

AREA, AND AGE OF MOTHER	All births	WHITE			Other races
		Total[1]	Mother native	Mother foreign-born	
SOUTH DAKOTA	12,850	12,213	11,764	446	637
Male	6,604	6,261	6,046	213	343
Female	6,246	5,952	5,718	233	294
10 to 14 years	3	3	3	----	----
15 to 19 years	1,088	1,030	1,020	10	58
20 to 24 years	3,679	3,487	3,430	57	192
25 to 29 years	3,496	3,347	3,250	96	149
30 to 34 years	2,374	2,262	2,143	117	112
35 to 39 years	1,539	1,452	1,353	99	87
40 to 44 years	594	566	509	57	28
45 to 49 years	53	50	40	10	3
50 to 54 years	1	----	----	----	1
Not stated	23	16	16	----	7
TENNESSEE	53,314	44,981	44,880	90	8,333
Male	27,400	23,077	23,028	43	4,323
Female	25,914	21,904	21,852	47	4,010
10 to 14 years	119	58	58	----	61
15 to 19 years	8,791	6,719	6,717	----	2,072
20 to 24 years	16,545	14,022	13,998	20	2,523
25 to 29 years	12,668	10,958	10,930	25	1,710
30 to 34 years	7,927	6,895	6,867	28	1,032
35 to 39 years	5,125	4,448	4,436	12	677
40 to 44 years	1,885	1,680	1,675	5	205
45 to 49 years	216	175	175	----	41
50 to 54 years	3	----	----	----	3
Not stated	35	26	24	----	9
TEXAS	114,721	100,766	91,204	9,450	13,955
Male	58,836	51,699	46,780	4,858	7,137
Female	55,885	49,067	44,424	4,592	6,818
10 to 14 years	223	112	107	4	111
15 to 19 years	17,081	13,738	13,270	455	3,343
20 to 24 years	36,819	32,476	30,262	2,177	4,343
25 to 29 years	28,585	25,745	22,957	2,760	2,840
30 to 34 years	17,676	15,952	13,873	2,065	1,724
35 to 39 years	10,552	9,426	7,892	1,527	1,126
40 to 44 years	3,174	2,796	2,431	362	378
45 to 49 years	316	274	212	61	42
50 to 54 years	7	4	3	1	3
Not stated	288	243	197	38	45
UTAH	12,695	12,585	11,920	663	110
Male	6,509	6,453	6,106	346	56
Female	6,186	6,132	5,814	317	54
10 to 14 years	1	1	1	----	----
15 to 19 years	1,372	1,352	1,335	16	20
20 to 24 years	3,873	3,841	3,738	103	32
25 to 29 years	3,372	3,353	3,176	176	19
30 to 34 years	2,170	2,156	1,988	168	14
35 to 39 years	1,324	1,304	1,168	136	20
40 to 44 years	510	507	452	55	3
45 to 49 years	64	62	53	9	2
50 to 54 years	2	2	2	----	----
Not stated	7	7	7	----	----
VERMONT	6,591	6,586	5,821	756	5
Male	3,360	3,356	2,955	396	4
Female	3,231	3,230	2,866	360	1
10 to 14 years	5	5	5	----	----
15 to 19 years	708	707	676	30	1
20 to 24 years	1,927	1,926	1,759	165	1
25 to 29 years	1,744	1,742	1,547	192	2
30 to 34 years	1,200	1,199	1,024	172	1
35 to 39 years	715	715	581	134	----
40 to 44 years	256	256	199	57	----
45 to 49 years	19	19	15	4	----
50 to 54 years	1	1	1	----	----
Not stated	16	16	14	2	----

AREA, AND AGE OF MOTHER	All births	WHITE			Other races
		Total[1]	Mother native	Mother foreign-born	
Virginia	51,487	36,610	36,387	214	14,877
Male	26,275	18,698	18,601	93	7,577
Female	25,212	17,912	17,786	121	7,300
10 to 14 years	179	42	42	----	137
15 to 19 years	8,254	5,004	4,997	6	3,250
20 to 24 years	15,577	10,934	10,895	34	4,643
25 to 29 years	11,945	9,069	9,011	57	2,876
30 to 34 years	7,883	5,936	5,865	70	1,947
35 to 39 years	5,359	3,917	3,886	31	1,442
40 to 44 years	2,006	1,516	1,500	15	492
45 to 49 years	251	173	172	1	78
50 to 54 years	3	2	2	----	1
Not stated	28	17	17	----	11
WASHINGTON	22,396	21,713	19,813	1,887	683
Male	11,591	11,258	10,261	994	333
Female	10,805	10,455	9,552	893	350
10 to 14 years	15	11	10	1	4
15 to 19 years	2,640	2,549	2,430	116	91
20 to 24 years	7,508	7,292	6,800	488	216
25 to 29 years	6,143	5,995	5,506	488	148
30 to 34 years	3,522	3,427	3,011	415	95
35 to 39 years	1,879	1,792	1,529	262	87
40 to 44 years	631	597	495	102	34
45 to 49 years	48	42	28	14	6
50 to 54 years	2	2	2	----	----
Not stated	8	6	2	1	2
WEST VIRGINIA	41,774	39,512	38,817	669	2,262
Male	21,395	20,239	19,876	350	1,156
Female	20,379	19,273	18,941	319	1,106
10 to 14 years	71	44	44	----	27
15 to 19 years	6,874	6,368	6,346	16	506
20 to 24 years	13,216	12,572	12,457	112	644
25 to 29 years	9,568	9,095	8,943	146	473
30 to 34 years	6,159	5,841	5,691	149	318
35 to 39 years	4,035	3,822	3,672	148	213
40 to 44 years	1,484	1,421	1,340	81	63
45 to 49 years	176	170	156	14	6
50 to 54 years	2	2	2	----	----
Not stated	189	177	166	3	12
WISCONSIN	52,562	52,017	49,222	2,758	545
Male	27,113	26,845	25,357	1,452	268
Female	25,449	25,172	23,855	1,306	277
10 to 14 years	20	16	16	----	4
15 to 19 years	4,216	4,110	4,075	30	106
20 to 24 years	15,379	15,220	14,836	375	159
25 to 29 years	14,725	14,612	13,871	735	113
30 to 34 years	9,776	9,684	8,970	706	92
35 to 39 years	5,953	5,901	5,308	589	52
40 to 44 years	2,191	2,177	1,897	279	14
45 to 49 years	201	201	165	35	----
50 to 54 years	2	1	----	1	1
Not stated	99	95	84	8	4
WYOMING	4,362	4,243	4,005	223	119
Male	2,231	2,181	2,053	117	50
Female	2,131	2,062	1,952	106	69
10 to 14 years	2	2	2	----	----
15 to 19 years	579	564	549	13	15
20 to 24 years	1,468	1,442	1,391	46	26
25 to 29 years	1,081	1,060	1,000	57	21
30 to 34 years	678	650	599	50	28
35 to 39 years	369	352	319	32	17
40 to 44 years	156	146	124	22	10
45 to 49 years	16	15	13	2	1
50 to 54 years	----	----	----	----	----
Not stated	13	12	6	1	1

1/ Includes "Country not stated."

TABLE 5.—BIRTHS, BY AGE OF PARENTS: 1935

(Exclusive of stillbirths)

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
United States	2,155,105	17	31,912	406,442	584,130	448,124	315,353	177,565	82,241	29,970	17,317	62,034
Male	1,105,489	7	16,451	208,869	299,647	230,249	161,788	90,680	41,880	15,239	8,874	31,605
Female	1,049,616	10	15,461	197,573	284,483	217,875	153,565	86,885	40,361	14,731	8,443	30,429
10 to 14 years—M	1,559	3	310	375	102	32	21	11	5	6	4	690
F	1,594	3	304	417	129	37	11	8	9	5	4	667
15 to 19 years—M	138,266	4	13,276	75,995	27,009	5,681	1,967	682	284	151	139	13,078
F	132,022	5	12,423	72,295	25,863	5,603	1,922	626	304	123	123	12,715
20 to 24 years—M	339,199	----	2,627	118,294	143,433	44,286	13,829	4,349	1,640	684	522	9,535
F	321,182	1	2,525	111,713	136,136	41,879	13,046	4,114	1,547	652	485	9,084
25 to 29 years—M	289,713	----	161	12,586	114,821	102,359	38,386	11,031	4,131	1,547	1,093	3,576
F	274,712	1	165	11,782	108,811	96,578	36,905	10,597	3,883	1,441	1,057	3,492
30 to 34 years—M	183,752	----	25	1,144	12,561	69,027	63,043	23,980	7,773	2,792	1,697	1,710
F	173,722	----	24	997	11,807	65,338	59,217	22,987	7,516	2,629	1,569	1,638
35 to 39 years—M	109,465	----	8	202	1,288	8,086	40,985	35,856	14,720	4,543	2,691	1,086
F	104,802	----	5	153	1,269	7,644	39,185	34,102	14,223	4,546	2,606	1,069
40 to 44 years—M	37,203	----	2	22	116	516	3,274	14,460	11,732	4,538	2,164	379
F	35,619	----	2	31	142	538	3,013	13,789	11,324	4,378	2,048	354
45 to 49 years—M	5,569	----	----	9	12	18	92	393	1,539	935	522	49
F	3,474	----	----	7	8	39	101	347	1,498	917	513	44
50 to 54 years—M	88	----	----	----	3	2	8	7	9	30	26	3
F	68	----	----	1	3	2	7	5	6	22	20	2
Not stated—M	2,675	----	22	240	302	242	183	111	47	13	16	1,499
F	2,421	----	13	177	295	217	158	110	51	18	18	1,364
ALABAMA	62,239	----	1,182	13,831	15,280	10,065	7,527	4,281	2,735	1,036	783	5,519
10 to 14 years	208	----	20	43	10	1	----	----	----	----	----	134
15 to 19 years	11,150	----	946	5,582	1,731	323	133	34	24	6	8	2,363
20 to 24 years	19,828	----	185	7,353	7,513	2,114	741	217	135	42	48	1,480
25 to 29 years	14,426	----	24	750	5,362	4,484	1,846	596	352	131	118	763
30 to 34 years	8,641	----	5	73	556	2,798	2,881	1,083	542	201	156	346
35 to 39 years	5,677	----	1	12	78	316	1,797	1,748	919	315	260	231
40 to 44 years	1,882	----	----	1	4	18	106	578	666	274	153	82
45 to 49 years	219	----	----	1	----	1	6	15	89	63	37	7
50 to 54 years	10	----	----	----	2	----	1	----	----	2	3	2
Not stated	198	----	1	16	24	10	16	10	8	2	----	111
ARIZONA	9,139	1	148	1,753	2,405	1,815	1,313	821	433	187	101	162
10 to 14 years	13	----	2	5	4	----	1	----	----	----	----	1
15 to 19 years	1,313	----	116	724	292	94	28	12	6	1	2	38
20 to 24 years	2,842	----	25	902	1,190	436	170	45	20	8	7	39
25 to 29 years	2,219	1	5	102	791	752	340	128	47	24	9	20
30 to 34 years	1,439	----	----	13	105	459	455	219	117	37	18	16
35 to 39 years	892	----	----	4	12	57	284	287	132	72	32	12
40 to 44 years	307	----	----	----	3	9	27	118	88	37	23	2
45 to 49 years	43	----	----	----	----	----	2	6	21	6	7	1
50 to 54 years	4	----	----	----	----	----	1	1	1	----	1	----
Not stated	67	----	----	3	8	8	5	5	1	2	2	33
ARKANSAS	35,684	1	1,009	8,236	9,264	6,072	4,482	2,947	1,633	668	519	853
10 to 14 years	111	1	24	48	15	4	1	2	----	1	----	15
15 to 19 years	6,482	----	836	3,635	1,270	282	113	50	22	15	11	248
20 to 24 years	10,965	----	123	3,995	4,536	1,294	507	174	99	35	35	167
25 to 29 years	8,099	----	8	462	3,031	2,678	1,102	398	197	79	70	74
30 to 34 years	5,118	----	4	44	322	1,617	1,690	798	351	142	106	44
35 to 39 years	3,180	----	1	10	35	156	969	1,107	523	196	150	33
40 to 44 years	1,138	----	1	1	5	9	65	382	388	164	111	12
45 to 49 years	122	----	----	----	2	----	5	14	43	32	26	----
50 to 54 years	3	----	----	1	----	----	----	----	----	1	1	----
Not stated	466	----	12	40	48	32	30	22	10	3	9	260
CALIFORNIA	80,131	1	738	14,064	23,706	18,792	12,101	5,978	2,861	1,078	489	323
10 to 14 years	53	----	12	21	6	4	1	2	2	1	1	13
15 to 19 years	8,913	1	634	5,146	2,258	547	160	31	22	3	6	105
20 to 24 years	26,331	----	82	8,111	11,716	4,342	1,428	374	119	41	15	103
25 to 29 years	22,334	----	10	706	8,728	8,113	3,303	966	330	92	48	38
30 to 34 years	13,259	----	----	65	888	5,069	4,403	1,768	708	238	94	26
35 to 39 years	7,057	----	----	10	95	663	2,594	2,104	1,023	388	160	20
40 to 44 years	1,973	----	----	----	8	46	201	711	594	264	143	6
45 to 49 years	161	----	----	1	1	2	6	20	62	49	20	----
50 to 54 years	7	----	----	----	----	1	1	----	1	2	2	----
Not stated	33	----	----	4	6	5	4	2	----	----	----	12
COLORADO	18,837	----	261	3,819	5,307	3,741	2,678	1,456	805	303	123	344
10 to 14 years	17	----	5	6	2	1	1	----	----	----	----	2
15 to 19 years	2,502	----	217	1,415	593	140	48	13	7	2	----	67
20 to 24 years	6,157	----	38	2,157	2,644	864	256	79	41	19	5	54
25 to 29 years	4,818	----	----	208	1,855	1,636	731	213	90	35	18	32
30 to 34 years	2,811	----	----	20	173	968	982	409	172	53	18	18
35 to 39 years	1,661	----	----	3	24	105	616	524	252	84	41	12
40 to 44 years	587	----	----	----	2	9	30	206	211	94	31	4
45 to 49 years	58	----	----	----	----	----	2	5	27	13	9	2
50 to 54 years	1	----	----	----	----	----	----	----	----	1	----	----
Not stated	225	----	1	10	14	20	12	7	5	2	1	153
CONNECTICUT	22,258	----	149	3,245	6,331	5,351	3,682	2,007	830	212	91	360
10 to 14 years	14	----	1	3	----	----	----	----	----	----	----	10
15 to 19 years	1,504	----	110	876	339	59	11	3	1	1	1	103
20 to 24 years	6,321	----	38	2,093	2,825	855	258	78	23	----	2	149
25 to 29 years	6,662	----	----	250	2,801	2,396	882	212	53	12	11	45
30 to 34 years	4,319	----	----	17	326	1,818	1,422	544	120	30	13	29
35 to 39 years	2,493	----	----	2	35	205	1,020	808	319	69	24	11
40 to 44 years	848	----	----	1	3	15	87	345	274	84	33	6
45 to 49 years	78	----	----	----	----	----	1	14	40	16	7	----
50 to 54 years	----	----	----	----	----	----	----	----	----	----	----	----
Not stated	19	----	----	3	2	3	1	3	----	----	----	7

TABLE 5.—BIRTHS, BY AGE OF PARENTS: 1935—Continued

(Exclusive of stillbirths)

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
DELAWARE	4,036	--	43	769	1,050	819	566	309	120	44	29	287
10 to 14 years	12	--	--	2	--	--	--	--	--	--	--	10
15 to 19 years	563	--	39	272	83	20	4	2	1	--	2	140
20 to 24 years	1,227	--	4	453	490	138	45	12	2	4	1	78
25 to 29 years	1,042	--	--	40	428	350	130	45	8	3	3	35
30 to 34 years	667	--	--	2	44	272	217	84	21	8	5	14
35 to 39 years	404	--	--	--	5	36	160	122	44	21	11	5
40 to 44 years	108	--	--	--	--	2	9	43	39	6	5	4
45 to 49 years	11	--	--	--	--	--	1	1	5	2	2	--
50 to 54 years	--	--	--	--	--	--	--	--	--	--	--	--
Not stated	2	--	--	--	--	1	--	--	--	--	--	1
DISTRICT OF COLUMBIA	10,803	--	184	2,009	3,073	2,277	1,436	681	237	83	36	787
10 to 14 years	27	--	5	1	--	--	--	--	--	--	--	21
15 to 19 years	1,625	--	168	780	231	55	23	3	2	1	1	361
20 to 24 years	3,355	--	7	1,108	1,418	427	139	34	9	2	2	209
25 to 29 years	2,953	--	1	105	1,275	982	351	109	18	13	2	97
30 to 34 years	1,708	--	--	9	130	723	534	184	60	16	7	45
35 to 39 years	852	--	--	--	15	73	361	260	84	25	18	16
40 to 44 years	212	--	--	--	1	5	24	87	58	22	6	9
45 to 49 years	12	--	--	--	--	--	2	--	6	4	--	--
50 to 54 years	--	--	--	--	--	--	--	--	--	--	--	--
Not stated	59	--	3	6	3	12	2	4	--	--	--	29
FLORIDA	28,051	--	500	5,652	7,142	5,026	3,693	2,103	1,113	465	413	1,944
10 to 14 years	130	--	13	26	9	2	2	--	--	1	--	77
15 to 19 years	5,151	--	451	2,476	982	243	90	43	19	6	6	855
20 to 24 years	8,931	--	51	2,794	3,595	1,238	468	178	76	22	30	479
25 to 29 years	6,700	--	1	315	2,253	2,129	1,064	366	196	73	67	236
30 to 34 years	3,956	--	2	25	251	1,210	1,321	581	244	89	108	125
35 to 39 years	2,342	--	--	7	39	172	689	711	361	152	108	103
40 to 44 years	667	--	--	--	2	14	49	212	186	110	74	20
45 to 49 years	73	--	--	--	1	--	1	9	28	11	17	6
50 to 54 years	3	--	--	--	1	--	--	--	--	--	2	--
Not stated	98	--	2	9	9	18	9	3	3	1	1	43
GEORGIA	63,260	1	1,487	14,757	15,785	9,970	7,524	4,385	2,259	1,220	909	4,963
10 to 14 years	226	--	30	47	7	4	--	--	--	--	--	138
15 to 19 years	11,867	1	1,239	5,879	1,772	328	124	42	20	13	13	2,436
20 to 24 years	20,672	--	206	7,905	7,813	2,120	744	291	126	73	55	1,339
25 to 29 years	14,452	--	4	813	5,540	4,464	1,940	569	287	154	132	549
30 to 34 years	8,390	--	5	78	556	2,705	2,781	1,121	461	254	189	240
35 to 39 years	5,540	--	2	15	70	316	1,821	1,741	771	363	298	143
40 to 44 years	1,759	--	1	3	7	17	103	595	529	295	161	48
45 to 49 years	209	--	--	--	2	--	2	15	62	64	55	9
50 to 54 years	7	--	--	--	--	--	1	1	--	1	4	--
Not stated	138	--	--	17	18	16	8	10	3	3	2	61
IDAHO	9,469	--	138	1,987	2,744	1,858	1,253	826	405	145	69	44
10 to 14 years	8	--	2	2	1	2	--	--	--	--	--	1
15 to 19 years	1,300	--	116	750	304	70	28	11	--	1	1	19
20 to 24 years	3,150	--	18	1,114	1,358	437	145	44	14	10	1	9
25 to 29 years	2,417	--	1	108	1,002	920	300	111	43	17	10	5
30 to 34 years	1,349	--	--	10	62	476	482	215	71	17	15	1
35 to 39 years	818	--	--	--	13	45	279	289	139	36	15	2
40 to 44 years	371	--	--	--	2	5	18	150	122	54	20	--
45 to 49 years	40	--	--	--	1	1	--	5	16	10	7	--
50 to 54 years	--	--	--	--	--	--	--	--	--	--	--	--
Not stated	16	--	1	3	1	2	1	1	--	--	--	7
ILLINOIS	111,884	--	1,233	18,623	31,670	25,732	17,493	9,256	3,900	1,158	544	2,275
10 to 14 years	73	--	17	12	3	1	1	--	1	--	--	38
15 to 19 years	11,395	--	1,027	6,441	2,297	460	124	50	21	8	7	960
20 to 24 years	33,549	--	177	11,100	15,156	4,388	1,367	379	112	40	21	809
25 to 29 years	31,257	--	9	976	12,854	11,672	4,018	1,033	311	87	53	244
30 to 34 years	20,314	--	--	71	1,245	8,298	7,040	2,577	677	195	99	112
35 to 39 years	11,290	--	2	10	96	850	4,598	3,657	1,464	358	181	74
40 to 44 years	3,657	--	--	4	6	56	331	1,529	1,172	389	147	23
45 to 49 years	281	--	--	--	--	--	5	23	139	78	34	2
50 to 54 years	5	--	--	--	--	--	--	1	1	1	2	--
Not stated	63	--	1	9	13	7	9	7	2	2	--	13
INDIANA	52,909	1	1,024	11,192	14,840	10,845	7,524	4,156	1,814	723	357	433
10 to 14 years	43	--	17	14	1	3	--	1	--	2	--	5
15 to 19 years	7,057	1	848	4,247	1,341	277	95	24	8	8	4	204
20 to 24 years	16,543	--	151	6,284	7,091	1,975	601	181	71	34	23	132
25 to 29 years	13,412	--	8	587	5,710	4,772	1,545	466	161	55	50	38
30 to 34 years	8,632	--	--	52	636	3,421	2,994	971	320	147	64	27
35 to 39 years	5,157	--	--	4	51	373	2,106	1,723	580	207	105	8
40 to 44 years	1,871	--	--	1	5	23	176	765	584	219	90	8
45 to 49 years	169	--	--	--	--	--	4	24	69	49	21	2
50 to 54 years	3	--	--	--	--	--	--	1	--	2	--	--
Not stated	22	--	--	3	5	1	3	--	1	--	--	9
IOWA	41,137	--	494	7,516	11,323	8,916	6,322	3,588	1,572	506	235	865
10 to 14 years	27	--	4	7	2	--	--	--	--	--	--	14
15 to 19 years	4,062	--	388	2,304	841	167	61	8	10	1	--	282
20 to 24 years	12,353	--	94	4,438	5,402	1,531	422	125	49	23	8	261
25 to 29 years	10,905	--	5	501	4,463	3,930	1,350	346	137	44	21	108
30 to 34 years	7,203	--	--	29	505	2,878	2,504	874	241	79	46	47
35 to 39 years	4,526	--	--	2	43	336	1,781	1,570	539	149	72	34
40 to 44 years	1,608	--	--	--	3	18	157	642	530	175	65	18
45 to 49 years	130	--	--	1	1	3	3	9	60	33	20	--
50 to 54 years	3	--	--	--	--	--	1	--	--	1	1	--
Not stated	320	--	3	34	63	53	43	14	6	1	2	101

TABLE 5.—PIRTHS, BY AGE OF PARENTS: 1935—Continued

(Exclusive of stillbirths)

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KANSAS	30,589	---	437	5,687	8,687	6,522	4,537	2,723	1,201	386	219	190
10 to 14 years	14	---	3	2	1	1	---	---	---	---	---	7
15 to 19 years	2,336	---	361	1,945	707	157	41	23	11	2	2	87
20 to 24 years	9,245	---	68	3,335	4,072	1,185	337	116	37	23	10	62
25 to 29 years	8,254	---	5	372	3,494	2,910	1,013	298	99	35	17	11
30 to 34 years	5,327	---	---	29	380	2,035	1,835	702	229	60	52	5
35 to 39 years	3,159	---	---	1	30	220	1,214	1,100	392	127	67	8
40 to 44 years	1,142	---	---	---	1	10	95	479	383	112	58	4
45 to 49 years	94	---	---	---	---	---	---	5	50	26	13	---
50 to 54 years	1	---	---	---	---	---	---	---	---	1	---	---
Not stated	17	---	---	3	2	4	2	---	---	---	---	6
KENTUCKY	57,715	1	1,423	12,536	14,564	10,650	8,201	5,272	2,611	1,103	821	533
10 to 14 years	120	---	38	54	10	6	3	---	1	---	1	7
15 to 19 years	9,072	1	1,043	5,215	1,888	388	163	77	42	22	16	217
20 to 24 years	17,465	---	294	6,333	7,028	2,251	826	306	125	83	73	146
25 to 29 years	13,330	---	43	779	4,285	4,671	1,881	617	274	118	108	54
30 to 34 years	8,814	---	3	122	610	2,949	3,005	1,256	461	215	167	26
35 to 39 years	6,194	---	1	18	120	432	2,085	2,088	895	309	221	25
40 to 44 years	2,354	---	1	6	13	42	222	895	716	276	179	4
45 to 49 years	267	---	---	---	1	---	10	30	94	77	52	3
50 to 54 years	5	---	---	---	---	---	---	---	---	3	2	---
Not stated	94	---	---	9	9	11	6	3	3	---	2	51
LOUISIANA	42,270	3	1,019	9,688	11,335	7,579	5,692	3,292	1,691	662	426	883
10 to 14 years	118	2	47	39	14	1	3	---	---	---	1	11
15 to 19 years	7,250	1	830	4,101	1,406	326	151	54	22	8	7	344
20 to 24 years	13,346	---	127	4,926	5,447	1,612	610	220	89	36	25	254
25 to 29 years	10,113	---	14	534	3,967	3,315	1,412	433	189	71	59	118
30 to 34 years	6,083	---	1	65	418	2,042	2,073	856	339	141	86	62
35 to 39 years	3,934	---	---	9	59	256	1,355	1,272	594	220	128	41
40 to 44 years	1,211	---	---	2	10	20	78	439	400	151	94	17
45 to 49 years	136	---	---	3	---	---	5	15	56	31	24	2
50 to 54 years	6	---	---	---	---	---	1	1	---	3	1	---
Not stated	73	---	---	9	14	7	4	2	2	---	1	34
MAINE	15,723	---	267	3,040	4,057	3,021	2,146	1,247	638	240	145	922
10 to 14 years	17	---	2	3	3	---	---	---	---	1	---	8
15 to 19 years	1,797	---	201	968	366	86	35	13	7	6	1	114
20 to 24 years	4,729	---	62	1,746	1,913	567	196	74	27	11	7	126
25 to 29 years	3,776	---	---	264	1,481	1,253	467	152	68	22	27	44
30 to 34 years	2,521	---	1	23	214	936	816	330	112	48	21	20
35 to 39 years	1,514	---	---	2	30	140	552	437	228	69	43	13
40 to 44 years	584	---	---	1	4	12	58	222	177	66	35	9
45 to 49 years	45	---	---	---	---	---	1	6	15	15	8	---
50 to 54 years	1	---	---	---	---	---	---	---	---	1	---	---
Not stated	737	---	1	33	46	27	21	13	4	1	3	588
MARYLAND	27,236	---	646	5,867	7,504	5,489	3,865	2,147	935	304	175	304
10 to 14 years	69	---	32	14	2	5	1	---	2	---	---	13
15 to 19 years	4,159	---	551	2,422	803	151	58	8	9	8	2	147
20 to 24 years	8,321	---	60	3,095	3,599	1,035	299	100	37	15	12	69
25 to 29 years	6,735	---	3	290	2,740	2,437	883	221	77	33	22	29
30 to 34 years	4,253	---	---	36	309	1,637	1,456	571	156	49	30	9
35 to 39 years	2,670	---	---	9	42	195	1,080	866	324	83	56	15
40 to 44 years	935	---	---	1	5	26	83	375	297	105	38	5
45 to 49 years	58	---	---	---	---	1	3	6	33	11	14	---
50 to 54 years	2	---	---	---	---	---	1	---	---	---	1	---
Not stated	24	---	---	---	4	2	1	---	---	---	---	17
MASSACHUSETTS	63,001	---	434	8,961	16,872	15,237	10,801	5,646	2,193	590	239	2,008
10 to 14 years	23	---	2	---	1	---	3	---	---	---	---	17
15 to 19 years	4,057	---	333	2,199	711	142	42	17	6	4	2	601
20 to 24 years	16,742	---	94	5,937	7,138	2,061	591	146	36	14	7	718
25 to 29 years	18,458	---	5	779	7,841	6,573	2,209	559	146	41	19	286
30 to 34 years	13,157	---	---	51	1,062	5,664	4,279	1,468	371	92	45	125
35 to 39 years	7,687	---	---	7	94	740	3,360	2,332	813	183	84	74
40 to 44 years	2,482	---	---	---	8	37	305	1,097	722	223	66	24
45 to 49 years	167	---	---	1	---	---	3	21	96	29	15	2
50 to 54 years	4	---	---	---	---	---	---	---	---	3	1	---
Not stated	224	---	---	7	17	20	9	5	3	1	---	161
MICHIGAN	87,446	---	1,063	15,629	24,652	19,554	13,176	7,308	3,080	958	381	1,645
10 to 14 years	47	---	7	11	2	2	---	1	---	---	---	24
15 to 19 years	9,808	---	867	5,445	2,166	454	138	37	13	10	6	672
20 to 24 years	27,631	---	179	9,245	12,187	3,955	1,089	326	85	28	16	521
25 to 29 years	22,938	---	9	849	9,188	8,533	2,959	859	258	72	38	173
30 to 34 years	15,026	---	---	49	1,006	5,856	5,260	1,953	561	194	57	90
35 to 39 years	8,473	---	---	7	62	679	3,421	2,743	1,114	275	113	59
40 to 44 years	3,029	---	---	4	9	39	289	1,323	908	319	116	22
45 to 49 years	279	---	---	---	---	1	6	46	132	59	34	1
50 to 54 years	5	---	---	---	---	1	1	1	1	---	1	---
Not stated	210	---	1	19	32	34	13	19	8	1	---	83
MINNESOTA	45,962	---	215	5,914	11,821	10,855	7,942	4,874	2,205	724	298	1,114
10 to 14 years	16	---	1	3	1	---	---	---	---	---	---	11
15 to 19 years	3,333	---	164	1,633	843	205	61	19	6	4	1	397
20 to 24 years	12,850	---	48	3,807	5,526	2,077	622	197	69	20	7	477
25 to 29 years	12,842	---	2	444	4,754	4,781	1,928	551	170	54	28	130
30 to 34 years	8,915	---	---	22	635	3,307	3,062	1,320	362	103	53	51
35 to 39 years	5,589	---	---	5	50	457	2,070	1,932	761	208	71	35
40 to 44 years	2,195	---	---	---	9	26	191	830	743	270	115	11
45 to 49 years	211	---	---	---	1	---	6	25	94	62	23	---
50 to 54 years	3	---	---	---	---	---	---	---	---	3	---	---
Not stated	8	---	---	---	2	2	2	---	---	---	---	2

TABLE 5.—BIRTHS, BY AGE OF PARENTS: 1935—Continued

(Exclusive of stillbirths)

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MISSISSIPPI	48,320	--------	1,215	11,395	11,993	7,860	6,220	3,588	1,893	996	880	2,280
10 to 14 years	234	--------	60	69	22	2	3	2	1	--------	1	74
15 to 19 years	9,047	--------	945	4,976	1,596	327	164	49	24	16	14	936
20 to 24 years	15,226	--------	184	5,593	5,853	1,744	729	265	114	56	70	618
25 to 29 years	10,983	--------	19	635	3,955	3,467	1,582	532	251	159	125	258
30 to 34 years	6,527	--------	2	79	437	2,016	2,214	906	367	208	173	125
35 to 39 years	4,461	--------	2	11	71	264	1,416	1,365	639	293	289	111
40 to 44 years	1,403	--------	--------	1	6	22	88	454	429	225	155	23
45 to 49 years	164	--------	--------	2	1	3	3	9	60	37	46	3
50 to 54 years	9	--------	--------	--------	1	--------	1	--------	2	1	4	--------
Not stated	266	--------	3	29	51	15	20	6	6	1	3	132
MISSOURI	57,299	1	1,002	11,356	15,462	11,718	7,856	4,511	2,230	792	474	1,897
10 to 14 years	96	--------	12	26	14	2	--------	--------	--------	--------	--------	42
15 to 19 years	8,193	1	848	4,415	1,513	346	111	37	19	11	6	886
20 to 24 years	17,456	--------	128	6,183	7,278	2,248	615	239	93	37	34	601
25 to 29 years	14,684	--------	11	646	5,977	5,106	1,847	541	226	94	51	185
30 to 34 years	9,385	--------	2	74	601	3,597	3,158	1,180	436	152	99	86
35 to 39 years	5,379	--------	1	9	63	392	1,969	1,783	735	225	139	63
40 to 44 years	1,898	--------	--------	1	9	24	150	716	641	228	112	17
45 to 49 years	182	--------	--------	1	--------	3	3	15	80	44	31	5
50 to 54 years	4	--------	--------	--------	--------	--------	1	--------	--------	1	2	--------
Not stated	22	--------	--------	1	7	--------	2	--------	--------	--------	--------	12
MONTANA	10,089	--------	104	1,697	2,840	2,086	1,425	951	583	202	86	55
10 to 14 years	2	--------	--------	1	--------	1	--------	--------	--------	--------	--------	--------
15 to 19 years	1,097	--------	78	551	306	91	29	8	5	3	--------	26
20 to 24 years	3,464	--------	24	1,035	1,498	557	207	76	33	10	3	21
25 to 29 years	2,639	--------	1	103	938	880	436	170	71	24	12	4
30 to 34 years	1,514	--------	1	4	86	500	466	284	120	40	11	2
35 to 39 years	908	--------	--------	2	10	54	261	296	193	61	30	1
40 to 44 years	360	--------	--------	1	2	3	24	115	138	51	26	--------
45 to 49 years	41	--------	--------	--------	--------	--------	1	2	22	12	4	--------
50 to 54 years	1	--------	--------	--------	--------	--------	--------	--------	1	--------	--------	--------
Not stated	3	--------	--------	--------	--------	--------	1	--------	--------	1	--------	1
NEBRASKA	23,327	--------	258	3,979	6,637	5,124	3,654	2,044	948	297	158	228
10 to 14 years	8	--------	1	4	--------	--------	--------	--------	--------	--------	--------	3
15 to 19 years	2,137	--------	209	1,249	448	91	32	13	4	--------	--------	91
20 to 24 years	7,013	--------	48	2,419	3,123	986	247	59	33	7	13	78
25 to 29 years	6,491	--------	--------	282	2,752	2,245	833	221	80	30	11	27
30 to 34 years	4,161	--------	--------	19	278	1,623	1,477	513	157	50	31	13
35 to 39 years	2,544	--------	--------	4	18	166	993	864	358	83	41	7
40 to 44 years	877	--------	--------	1	5	10	72	367	264	105	50	3
45 to 49 years	82	--------	--------	--------	--------	--------	--------	7	42	20	12	1
50 to 54 years	2	--------	--------	--------	--------	--------	--------	--------	--------	2	--------	--------
Not stated	12	--------	--------	1	3	3	--------	--------	--------	--------	--------	5
NEVADA	1,423	--------	7	243	412	295	223	134	53	32	5	19
10 to 14 years	4	--------	--------	1	--------	1	--------	--------	1	--------	--------	1
15 to 19 years	181	--------	5	93	51	17	8	2	--------	--------	--------	5
20 to 24 years	498	--------	1	133	234	69	35	14	4	3	--------	5
25 to 29 years	364	--------	1	13	107	134	57	36	9	3	1	3
30 to 34 years	215	--------	--------	1	18	60	78	31	15	11	--------	1
35 to 39 years	122	--------	--------	2	2	13	39	41	14	8	2	1
40 to 44 years	33	--------	--------	--------	--------	--------	5	10	9	6	2	1
45 to 49 years	2	--------	--------	--------	--------	--------	--------	--------	1	1	--------	--------
50 to 54 years	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
Not stated	4	--------	--------	--------	--------	1	1	--------	--------	--------	--------	2
NEW HAMPSHIRE	7,768	--------	85	1,405	2,137	1,730	1,152	573	275	126	74	211
10 to 14 years	2	--------	2	--------	--------	--------	--------	--------	--------	--------	--------	--------
15 to 19 years	753	--------	64	412	149	33	10	4	1	1	1	78
20 to 24 years	2,316	--------	18	844	932	303	109	30	9	3	6	62
25 to 29 years	2,180	--------	1	138	901	726	253	83	29	10	9	30
30 to 34 years	1,368	--------	--------	8	137	564	424	130	43	30	15	17
35 to 39 years	832	--------	--------	--------	15	91	312	233	105	45	21	10
40 to 44 years	266	--------	--------	--------	1	11	41	90	76	27	16	2
45 to 49 years	29	--------	--------	--------	--------	--------	1	3	12	10	3	--------
50 to 54 years	1	--------	--------	--------	--------	--------	--------	--------	--------	--------	1	--------
Not stated	21	--------	--------	3	2	2	2	--------	--------	--------	--------	12
NEW JERSEY	54,514	--------	437	8,367	16,030	13,155	8,793	4,555	1,746	503	195	733
10 to 14 years	39	--------	8	8	2	2	2	--------	--------	--------	--------	17
15 to 19 years	4,562	--------	376	2,673	958	175	46	20	7	3	4	300
20 to 24 years	16,017	--------	51	5,198	7,444	2,221	600	150	53	13	12	275
25 to 29 years	16,016	--------	1	446	6,891	5,925	2,036	458	134	34	24	67
30 to 34 years	10,305	--------	--------	33	659	4,366	3,541	1,259	297	82	30	38
35 to 39 years	5,634	--------	--------	4	63	433	2,368	1,897	643	157	52	17
40 to 44 years	1,785	--------	--------	2	3	25	196	752	554	177	64	11
45 to 49 years	119	--------	--------	--------	--------	1	2	17	57	35	7	--------
50 to 54 years	4	--------	--------	--------	--------	--------	1	--------	--------	1	2	--------
Not stated	33	--------	1	3	10	6	1	2	1	1	--------	8
NEW MEXICO	13,190	--------	137	2,376	3,332	2,505	1,985	1,361	683	250	175	386
10 to 14 years	11	--------	1	--------	5	--------	--------	--------	--------	--------	--------	5
15 to 19 years	1,723	--------	108	939	418	105	33	17	5	--------	4	94
20 to 24 years	4,086	--------	26	1,275	1,669	623	207	94	45	11	9	127
25 to 29 years	3,301	--------	2	135	1,097	1,124	575	194	75	23	17	59
30 to 34 years	2,066	--------	--------	18	124	550	718	405	126	49	39	36
35 to 39 years	1,448	--------	--------	7	16	96	421	489	244	89	59	27
40 to 44 years	470	--------	--------	--------	1	6	27	157	172	59	32	16
45 to 49 years	53	--------	--------	--------	--------	1	2	1	15	16	14	2
50 to 54 years	2	--------	--------	--------	--------	--------	--------	--------	1	--------	1	--------
Not stated	30	--------	--------	2	2	--------	2	3	--------	1	--------	20

TABLE 5.—BIRTHS, BY AGE OF PARENTS: 1935—Continued

(Exclusive of stillbirths)

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEW YORK	184,344	--	1,063	24,467	52,643	48,208	31,682	15,212	5,769	1,645	679	2,976
10 to 14 years	89	--	4	13	8	3	1	1	--	--	--	59
15 to 19 years	12,845	--	858	7,058	2,919	528	189	52	28	3	6	1,104
20 to 24 years	51,969	--	191	15,614	23,979	8,041	2,233	556	158	53	35	1,109
25 to 29 years	58,010	--	9	1,648	22,997	22,374	8,089	1,815	491	135	70	382
30 to 34 years	36,671	--	1	108	2,474	15,343	12,620	4,404	1,150	281	116	174
35 to 39 years	18,904	--	--	22	241	1,688	7,928	6,008	2,164	539	225	89
40 to 44 years	5,374	--	--	1	19	118	599	2,310	1,562	530	189	46
45 to 49 years	457	--	--	1	--	12	20	66	215	104	37	2
50 to 54 years	2	--	--	--	--	--	--	--	1	--	1	--
Not stated	23	--	--	2	6	1	3	--	--	--	--	11
NORTH CAROLINA	78,753	--	2,082	18,352	18,935	13,257	9,908	6,182	3,151	1,453	1,010	4,423
10 to 14 years	227	--	45	45	15	3	2	2	1	1	--	113
15 to 19 years	13,037	--	1,640	6,856	1,882	400	152	59	28	10	20	1,990
20 to 24 years	24,612	--	374	10,051	9,149	2,564	772	294	138	76	64	1,330
25 to 29 years	18,230	--	17	1,223	6,949	5,878	2,350	718	312	173	139	471
30 to 34 years	11,288	--	5	133	792	3,836	3,765	1,590	563	248	170	186
35 to 39 years	7,756	--	--	24	120	525	2,636	2,471	1,107	421	326	126
40 to 44 years	2,861	--	--	3	10	40	220	1,006	875	437	241	29
45 to 49 years	306	--	--	1	1	3	5	33	125	85	47	6
50 to 54 years	9	--	--	--	1	--	1	2	2	1	2	--
Not stated	227	--	1	16	16	8	5	7	--	1	1	172
NORTH DAKOTA	13,655	--	71	1,640	3,467	2,974	2,367	1,588	781	297	147	353
10 to 14 years	9	--	--	2	1	--	--	--	--	--	--	6
15 to 19 years	1,023	--	50	469	288	57	17	8	1	2	2	129
20 to 24 years	3,805	--	19	987	1,692	643	207	70	23	13	6	145
25 to 29 years	3,778	--	2	161	1,323	1,344	603	201	73	15	16	40
30 to 34 years	2,536	--	--	11	145	817	929	423	140	31	27	13
35 to 39 years	1,727	--	--	4	11	102	577	609	266	115	33	10
40 to 44 years	677	--	--	--	3	7	29	235	247	97	57	2
45 to 49 years	70	--	--	--	--	--	1	11	29	23	6	--
50 to 54 years	2	--	--	--	1	--	--	--	--	1	--	--
Not stated	28	--	--	6	3	4	4	1	2	--	--	8
OHIO	101,103	--	1,300	18,941	28,598	21,656	14,799	8,226	3,468	1,120	492	2,503
10 to 14 years	90	--	10	16	6	1	--	--	--	--	--	57
15 to 19 years	11,493	--	1,069	6,508	2,169	408	131	44	22	12	1	1,129
20 to 24 years	30,825	--	212	11,225	13,247	3,661	1,097	355	129	37	36	826
25 to 29 years	27,472	--	7	1,086	11,772	9,797	3,200	908	301	99	56	240
30 to 34 years	17,308	--	1	85	1,263	6,992	5,910	2,098	599	153	90	117
35 to 39 years	10,063	--	--	9	123	739	4,117	3,306	1,197	322	109	81
40 to 44 years	3,476	--	--	--	11	48	333	1,477	1,070	401	116	20
45 to 49 years	319	--	--	1	--	3	9	34	149	95	24	4
50 to 54 years	3	--	--	--	--	--	--	--	1	1	--	1
Not stated	54	--	1	11	7	7	2	4	--	--	--	22
OKLAHOMA	43,691	1	968	10,158	12,075	8,276	5,422	3,378	1,626	703	455	629
10 to 14 years	67	1	21	26	6	1	--	--	2	1	1	8
15 to 19 years	7,234	--	769	4,309	1,433	306	109	27	9	10	6	256
20 to 24 years	14,341	--	167	5,273	6,063	1,833	505	197	67	25	24	187
25 to 29 years	10,471	--	9	502	4,167	3,717	1,281	435	157	83	51	69
30 to 34 years	6,251	--	1	36	348	2,180	2,211	882	316	150	95	32
35 to 39 years	3,596	--	--	2	30	212	1,229	1,326	559	195	123	20
40 to 44 years	1,345	--	--	1	9	9	74	490	443	186	125	8
45 to 49 years	147	--	--	--	--	2	4	10	58	46	27	--
50 to 54 years	6	--	--	--	--	--	--	--	--	5	1	--
Not stated	133	--	1	9	19	16	9	11	5	2	2	59
OREGON	13,179	--	130	2,401	3,959	2,815	1,878	1,067	537	210	113	69
10 to 14 years	6	--	1	2	--	1	--	--	--	1	--	1
15 to 19 years	1,510	--	111	858	387	89	23	6	5	3	6	22
20 to 24 years	4,443	--	18	1,403	1,985	687	218	76	30	7	--	19
25 to 29 years	3,602	--	--	125	1,428	1,224	537	177	67	22	11	11
30 to 34 years	2,039	--	--	9	139	723	689	313	101	43	18	4
35 to 39 years	1,138	--	--	2	15	80	375	381	192	64	27	2
40 to 44 years	386	--	--	1	1	11	36	111	124	59	40	3
45 to 49 years	40	--	--	--	1	--	--	2	17	10	10	--
50 to 54 years	1	--	--	--	--	--	--	--	1	--	--	--
Not stated	14	--	--	1	3	--	--	--	1	1	1	7
PENNSYLVANIA	161,166	3	2,371	31,082	44,950	33,883	24,237	14,053	6,090	1,791	753	1,953
10 to 14 years	131	1	45	33	9	4	--	3	--	1	2	33
15 to 19 years	17,914	1	1,917	10,662	3,556	676	213	75	33	11	12	758
20 to 24 years	48,886	1	380	18,371	21,324	5,850	1,649	486	150	62	34	579
25 to 29 years	42,581	--	24	1,787	18,036	15,069	5,287	1,510	416	129	81	243
30 to 34 years	27,526	--	4	156	1,805	10,951	9,663	3,538	946	221	121	121
35 to 39 years	16,913	--	--	28	156	1,224	6,799	5,684	2,196	553	200	73
40 to 44 years	6,291	--	1	5	16	64	573	2,658	2,067	649	227	31
45 to 49 years	603	--	--	--	--	5	15	75	271	163	73	1
50 to 54 years	11	--	--	--	--	1	2	--	2	2	3	1
Not stated	310	--	--	40	49	39	36	24	9	--	--	113
RHODE ISLAND	10,215	--	96	1,524	2,819	2,459	1,634	875	379	85	32	312
10 to 14 years	4	--	--	1	--	--	--	--	--	--	--	3
15 to 19 years	702	--	75	356	128	21	9	3	--	--	--	110
20 to 24 years	2,808	--	21	984	1,194	368	88	20	7	2	--	124
25 to 29 years	3,073	--	--	173	1,303	1,063	359	96	35	3	2	39
30 to 34 years	2,029	--	--	8	185	874	644	207	65	20	4	22
35 to 39 years	1,183	--	--	--	6	126	485	381	140	24	15	6
40 to 44 years	367	--	--	--	2	7	44	161	111	27	10	5
45 to 49 years	40	--	--	--	--	--	2	5	20	9	1	2
50 to 54 years	--	--	--	--	--	--	--	--	--	--	--	--
Not stated	9	--	--	2	1	--	3	1	1	--	--	1

TABLE 5.—BIRTHS, BY AGE OF PARENTS: 1935—Continued

(Exclusive of stillbirths)

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
SOUTH CAROLINA	40,598	--------	773	9,964	9,497	5,830	4,715	2,896	1,535	601	482	4,305
10 to 14 years	100	--------	13	14	2	--------	1	1	--------	--------	--------	69
15 to 19 years	7,538	--------	630	3,751	802	153	68	29	11	2	6	2,086
20 to 24 years	13,872	--------	122	5,692	4,913	1,168	410	152	75	37	33	1,270
25 to 29 years	9,079	--------	7	455	3,432	2,841	1,220	360	175	72	61	456
30 to 34 years	5,018	--------	1	39	298	1,478	1,801	718	301	117	94	171
35 to 39 years	3,600	--------	--------	11	41	176	1,133	1,267	513	173	167	119
40 to 44 years	1,144	--------	--------	1	6	11	77	353	392	170	97	37
45 to 49 years	156	--------	--------	1	1	3	4	16	68	29	22	12
50 to 54 years	3	--------	--------	--------	--------	--------	--------	--------	--------	1	2	--------
Not stated	88	--------	--------	--------	2	--------	1	--------	--------	--------	--------	85
SOUTH DAKOTA	12,850	--------	89	1,815	3,240	2,898	2,262	1,311	665	227	91	252
10 to 14 years	3	--------	--------	--------	1	--------	--------	--------	--------	--------	--------	2
15 to 19 years	1,088	--------	59	544	295	66	22	7	1	1	1	92
20 to 24 years	3,679	--------	29	1,117	1,542	621	193	38	26	6	6	101
25 to 29 years	3,496	--------	1	140	1,199	1,285	600	169	51	15	10	26
30 to 34 years	2,374	--------	--------	10	189	806	864	353	101	27	10	14
35 to 39 years	1,539	--------	--------	--------	8	111	532	519	247	75	39	8
40 to 44 years	594	--------	--------	1	2	3	49	222	213	85	18	1
45 to 49 years	53	--------	--------	--------	--------	1	1	1	26	17	7	--------
50 to 54 years	1	--------	--------	--------	--------	--------	--------	--------	--------	1	--------	--------
Not stated	23	--------	--------	3	4	5	1	2	--------	--------	--------	8
TENNESSEE	53,314	2	1,227	11,647	13,785	9,355	6,996	4,205	2,019	1,073	703	2,302
10 to 14 years	119	--------	23	27	8	2	--------	--------	--------	--------	--------	59
15 to 19 years	8,791	2	976	4,604	1,611	348	104	43	18	12	10	1,063
20 to 24 years	16,545	--------	199	6,136	6,534	1,916	683	232	89	52	39	665
25 to 29 years	12,668	--------	25	774	4,946	4,068	1,659	530	204	103	98	261
30 to 34 years	7,927	--------	3	80	595	2,660	2,676	1,056	382	203	148	124
35 to 39 years	5,125	--------	1	22	81	523	1,722	1,664	708	314	210	80
40 to 44 years	1,885	--------	--------	3	8	36	143	671	539	318	149	18
45 to 49 years	216	--------	--------	--------	1	1	7	8	79	69	48	3
50 to 54 years	3	--------	--------	--------	--------	--------	--------	--------	--------	1	1	1
Not stated	35	--------	--------	1	1	1	2	1	--------	1	--------	28
TEXAS	114,721	--------	1,824	23,457	30,773	22,616	15,986	8,906	4,502	1,681	1,120	3,854
10 to 14 years	223	--------	19	68	15	5	2	1	1	--------	--------	112
15 to 19 years	17,081	--------	1,453	9,293	3,526	801	279	97	30	20	20	1,562
20 to 24 years	36,819	--------	325	12,505	15,427	5,029	1,604	510	198	88	58	1,075
25 to 29 years	28,585	--------	22	1,400	10,467	10,017	4,117	1,203	548	190	150	471
30 to 34 years	17,676	--------	2	136	1,163	6,025	6,157	2,424	926	356	207	290
35 to 39 years	10,552	--------	1	18	134	683	3,554	3,484	1,649	517	366	156
40 to 44 years	3,174	--------	--------	2	10	41	223	1,148	1,017	421	257	55
45 to 49 years	316	--------	--------	2	2	4	13	21	125	84	57	8
50 to 54 years	7	--------	--------	--------	--------	--------	--------	1	--------	3	3	--------
Not stated	288	--------	2	33	39	31	29	17	8	2	2	125
UTAH	12,695	--------	167	2,428	3,642	2,703	1,918	1,073	428	196	91	49
10 to 14 years	1	--------	--------	--------	--------	--------	--------	--------	1	--------	--------	--------
15 to 19 years	1,372	--------	142	856	275	52	14	7	2	--------	2	22
20 to 24 years	3,873	--------	24	1,438	1,773	455	115	41	11	3	1	12
25 to 29 years	3,372	--------	1	121	1,452	1,231	399	107	30	15	10	6
30 to 34 years	2,170	--------	--------	8	132	879	786	243	77	32	11	2
35 to 39 years	1,324	--------	--------	1	9	80	568	434	136	67	23	6
40 to 44 years	510	--------	--------	--------	--------	4	33	231	143	62	36	1
45 to 49 years	64	--------	--------	--------	--------	--------	2	10	28	16	8	--------
50 to 54 years	2	--------	--------	--------	--------	1	--------	--------	--------	1	--------	--------
Not stated	7	--------	--------	4	1	1	1	--------	--------	--------	--------	--------
VERMONT	6,591	--------	91	1,076	1,838	1,441	999	592	268	88	72	126
10 to 14 years	5	--------	2	1	--------	1	--------	--------	--------	--------	--------	1
15 to 19 years	708	--------	69	357	174	43	14	2	2	1	2	44
20 to 24 years	1,927	--------	19	522	821	276	83	39	15	3	7	42
25 to 29 years	1,744	--------	1	83	698	601	229	72	27	5	9	19
30 to 34 years	1,200	--------	--------	10	128	445	387	143	44	18	15	10
35 to 39 years	715	--------	--------	1	9	69	249	240	91	35	18	3
40 to 44 years	256	--------	--------	1	2	2	35	93	80	22	18	3
45 to 49 years	19	--------	--------	--------	1	--------	--------	3	9	4	2	--------
50 to 54 years	1	--------	--------	--------	--------	--------	1	--------	--------	--------	--------	--------
Not stated	16	--------	--------	1	5	4	1	--------	--------	--------	1	4
VIRGINIA	51,487	--------	1,043	10,960	12,679	9,244	7,098	4,335	2,222	1,015	735	2,156
10 to 14 years	179	--------	53	43	11	1	--------	1	1	1	1	67
15 to 19 years	8,254	--------	794	4,437	1,517	335	118	45	19	8	21	960
20 to 24 years	15,577	--------	172	5,666	6,109	1,902	657	216	100	64	47	642
25 to 29 years	11,945	--------	18	733	4,405	3,985	1,617	502	228	119	105	233
30 to 34 years	7,883	--------	5	58	550	2,623	2,710	1,140	359	192	124	122
35 to 39 years	5,359	--------	1	19	77	363	1,830	1,687	805	275	220	82
40 to 44 years	2,008	--------	--------	2	5	28	156	717	608	298	170	24
45 to 49 years	251	--------	--------	--------	1	6	10	23	102	57	47	5
50 to 54 years	3	--------	--------	--------	--------	--------	--------	2	--------	1	--------	--------
Not stated	28	--------	--------	2	4	1	--------	--------	--------	--------	--------	21
WASHINGTON	22,396	1	221	4,146	6,551	5,030	3,185	1,777	871	341	158	115
10 to 14 years	15	1	5	4	1	--------	2	1	--------	--------	--------	1
15 to 19 years	2,640	--------	184	1,509	677	143	60	7	8	2	3	47
20 to 24 years	7,508	--------	31	2,412	3,249	1,203	366	133	41	21	10	42
25 to 29 years	6,143	--------	1	204	2,363	2,215	927	276	106	30	14	7
30 to 34 years	3,522	--------	--------	14	243	1,299	1,128	535	190	66	40	7
35 to 39 years	1,879	--------	--------	2	17	159	658	598	291	114	36	4
40 to 44 years	631	--------	--------	--------	1	10	43	218	223	93	41	2
45 to 49 years	48	--------	--------	--------	--------	--------	1	8	12	14	13	--------
50 to 54 years	2	--------	--------	--------	--------	--------	--------	--------	--------	1	1	--------
Not stated	8	--------	--------	1	--------	1	--------	1	--------	--------	--------	5

TABLE 5.—BIRTHS, BY AGE OF PARENTS: 1935—Continued

(Exclusive of stillbirths)

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WEST VIRGINIA	41,774	--------	678	8,414	10,680	7,638	5,725	3,558	1,899	720	450	2,014
10 to 14 years	71	--------	5	23	6	2	1	--------	--------	--------	--------	34
15 to 19 years	6,874	--------	520	3,557	1,460	290	119	46	16	10	11	845
20 to 24 years	13,216	--------	145	4,300	5,414	1,820	598	212	81	36	38	578
25 to 29 years	9,568	--------	8	472	3,333	3,282	1,441	487	194	87	63	201
30 to 34 years	8,159	--------	--------	54	413	1,980	2,133	902	370	131	81	95
35 to 39 years	4,035	--------	--------	7	47	239	1,326	1,380	645	210	127	54
40 to 44 years	1,484	--------	--------	1	6	22	104	511	516	195	106	23
45 to 49 years	176	--------	--------	--------	1	--------	5	19	76	50	24	1
50 to 54 years	2	--------	--------	--------	--------	--------	--------	1	--------	1	--------	--------
Not stated	189	--------	--------	--------	--------	3	2	--------	1	--------	--------	183
WISCONSIN	52,562	--------	329	7,757	14,463	12,286	8,642	4,974	2,148	675	244	1,044
10 to 14 years	20	--------	--------	1	5	--------	1	--------	--------	--------	--------	13
15 to 19 years	4,216	--------	248	2,218	970	276	71	24	9	2	5	393
20 to 24 years	15,379	--------	81	4,877	6,809	2,255	694	180	57	24	9	393
25 to 29 years	14,725	--------	--------	605	5,892	5,415	1,926	527	160	47	21	132
30 to 34 years	9,776	--------	--------	43	689	3,799	3,405	1,308	358	91	36	47
35 to 39 years	5,953	--------	--------	6	68	495	2,321	2,009	766	190	75	23
40 to 44 years	2,191	--------	--------	--------	10	33	204	892	699	262	80	11
45 to 49 years	201	--------	--------	--------	--------	--------	8	25	94	56	17	1
50 to 54 years	2	--------	--------	--------	--------	--------	--------	--------	--------	2	--------	--------
Not stated	99	--------	--------	7	20	13	12	9	5	1	1	31
WYOMING	4,362	--------	50	800	1,281	896	638	367	201	56	41	32
10 to 14 years	2	--------	--------	1	--------	--------	--------	1	--------	--------	--------	--------
15 to 19 years	579	--------	37	325	160	33	13	3	2	1	--------	5
20 to 24 years	1,468	--------	12	423	557	220	99	31	7	4	3	12
25 to 29 years	1,081	--------	1	46	400	373	177	52	23	3	3	3
30 to 34 years	678	--------	--------	2	54	243	214	97	44	11	12	1
35 to 39 years	369	--------	--------	1	8	25	130	121	59	16	7	2
40 to 44 years	156	--------	--------	--------	--------	--------	5	61	57	17	13	3
45 to 49 years	16	--------	--------	--------	--------	--------	--------	1	8	4	3	--------
50 to 54 years	----------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
Not stated	13	--------	--------	2	2	2	--------	--------	1	--------	--------	6

TABLE 6.—BIRTHS, BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/ 1935

(Exclusive of stillbirths)

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born	
All births	2,084,336	1,818,169	1,674,282	142,061	266,167
12 years	29	17	17	--------	12
13 years	542	170	161	5	372
14 years	2,557	1,109	1,083	21	1,448
15 years	9,189	5,025	4,957	46	4,164
16 years	23,974	15,668	15,474	160	8,306
17 years	47,534	35,602	35,117	411	11,932
18 years	79,810	62,764	61,777	892	17,046
19 years	104,971	86,853	85,196	1,537	18,118
20 years	121,337	102,400	99,789	2,492	18,937
21 years	127,778	111,188	107,703	3,391	16,590
22 years	132,297	114,716	109,745	4,874	17,581
23 years	132,118	115,624	109,680	5,865	16,494
24 years	127,793	112,976	106,217	6,666	14,817
25 years	123,713	109,661	102,154	7,425	14,052
26 years	114,366	102,976	95,336	7,573	11,390
27 years	108,143	97,789	89,995	7,734	10,354
28 years	105,347	94,725	86,113	8,552	10,622
29 years	92,218	83,470	74,936	8,485	8,748
30 years	89,573	79,932	70,662	9,223	9,641
31 years	68,608	63,137	56,234	6,863	5,471
32 years	69,262	62,631	54,873	7,714	6,631
33 years	58,344	52,838	46,160	6,642	5,506
34 years	57,162	51,224	44,428	6,751	5,938
35 years	57,445	50,550	43,287	7,227	6,895
36 years	42,663	38,231	32,849	5,359	4,432
37 years	37,759	33,871	28,885	4,959	3,888
38 years	37,838	33,490	28,366	5,104	4,348
39 years	30,043	26,745	22,503	4,224	3,298
40 years	24,696	21,836	18,150	3,664	2,860
41 years	15,581	14,311	12,092	2,208	1,270
42 years	14,643	13,125	10,960	2,153	1,518
43 years	9,466	8,603	7,238	1,355	863
44 years	5,688	5,125	4,171	951	563
45 years	3,567	3,092	2,447	643	475
46 years	1,651	1,452	1,139	309	199
47 years	882	755	586	168	127
48 years	492	373	291	82	119
49 years	255	186	143	40	69
50 years	76	47	37	10	29
51 years	21	14	11	2	7
52 years	21	16	12	4	5
53 years	20	12	12	--------	8
54 years	13	8	7	1	5
Not stated	4,851	3,832	3,289	276	1,019
FIRST CHILD	729,019	650,413	614,913	34,790	78,606
12 years	29	17	17	--------	12
13 years	542	170	161	5	372
14 years	2,528	1,101	1,075	21	1,427
15 years	8,826	4,882	4,817	44	3,944
16 years	22,301	14,830	14,652	146	7,471
17 years	41,677	32,031	31,613	355	9,646
18 years	64,011	52,005	51,231	695	12,006
19 years	74,528	64,356	63,127	1,132	10,172
20 years	74,275	66,084	64,409	1,586	8,191
21 years	68,335	62,461	60,380	2,026	5,874
22 years	62,034	57,350	54,671	2,633	4,684
23 years	54,249	50,702	47,823	2,847	3,547
24 years	46,313	43,873	40,886	2,949	2,440
25 years	39,954	38,001	35,134	2,841	1,953
26 years	33,789	32,429	29,717	2,695	1,360
27 years	28,437	27,349	24,888	2,450	1,088
28 years	24,014	23,055	20,717	2,322	959
29 years	18,439	17,781	15,782	1,991	658
30 years	15,708	15,086	13,177	1,902	622
31 years	10,690	10,403	9,161	1,239	287
32 years	9,174	8,830	7,671	1,154	344
33 years	6,361	6,136	5,311	823	225
34 years	5,468	5,221	4,495	722	247

1/ Exclusive of Massachusetts and New Hampshire. 2/ Includes "Country not stated."

TABLE 6.—BIRTHS, BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/ 1935—Continued

(Exclusive of stillbirths)

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born	
FIRST CHILD—Contd.					
35 years	4,712	4,449	3,821	623	263
36 years	3,135	3,001	2,535	465	134
37 years	2,394	2,306	1,992	312	88
38 years	1,929	1,828	1,583	241	101
39 years	1,389	1,324	1,143	180	65
40 years	926	869	739	129	57
41 years	593	568	482	86	25
42 years	449	426	358	66	23
43 years	264	252	217	35	12
44 years	110	104	89	15	6
45 years	105	95	78	17	10
46 years	31	27	20	7	4
47 years	9	9	8	1	-------
48 years	9	8	8	--------	1
49 years	9	6	6	--------	3
50 years	4	2	2	--------	2
51 years	2	2	2	--------	-------
52 years	2	2	2	--------	-------
54 years	1	1	1	--------	-------
Not stated	1,264	981	912	35	283
SECOND CHILD	461,664	413,369	382,416	30,647	48,295
14 years	29	8	8	--------	21
15 years	344	139	136	2	205
16 years	1,558	798	782	14	760
17 years	5,351	3,317	3,262	47	2,034
18 years	13,761	9,650	9,475	159	4,111
19 years	24,805	19,006	18,693	292	5,799
20 years	33,953	27,541	26,901	620	6,412
21 years	38,285	32,970	32,054	891	5,315
22 years	39,711	34,563	33,178	1,353	5,148
23 years	38,703	34,726	33,070	1,637	3,977
24 years	36,215	32,981	31,085	1,870	3,234
25 years	33,974	31,494	29,263	2,212	2,480
26 years	30,543	28,804	26,512	2,274	1,739
27 years	28,068	26,688	24,368	2,303	1,380
28 years	25,899	24,691	22,186	2,490	1,208
29 years	21,594	20,745	18,347	2,389	849
30 years	19,263	18,428	15,872	2,551	835
31 years	14,289	13,851	12,096	1,746	438
32 years	12,757	12,304	10,458	1,842	453
33 years	9,655	9,259	7,949	1,305	396
34 years	8,158	7,829	6,651	1,172	329
35 years	7,053	6,714	5,674	1,038	339
36 years	4,666	4,484	3,820	660	182
37 years	3,756	3,606	3,056	548	150
38 years	2,967	2,852	2,453	398	115
39 years	2,013	1,948	1,654	293	65
40 years	1,405	1,344	1,139	204	61
41 years	759	732	622	110	27
42 years	607	577	487	90	30
43 years	314	299	261	38	15
44 years	168	163	137	26	5
45 years	87	79	65	14	8
46 years	44	39	30	9	5
47 years	18	16	12	4	2
48 years	10	7	5	2	3
49 years	10	9	8	1	1
50 years	4	4	4	--------	-------
51 years	5	3	3	--------	2
52 years	3	2	1	1	1
53 years	1	1	1	--------	-------
Not stated	859	698	638	42	161
THIRD CHILD	284,066	249,457	228,220	21,047	34,609
15 years	14	2	2	--------	12
16 years	98	32	32	--------	66
17 years	417	209	200	6	208
18 years	1,735	966	937	29	769
19 years	4,749	3,026	2,927	97	1,723
20 years	10,195	7,133	6,924	200	3,062
21 years	15,323	11,966	11,635	322	3,357
22 years	19,909	15,781	15,212	562	4,128
23 years	22,983	18,909	18,084	810	4,074
24 years	23,148	19,859	18,928	911	3,289
25 years	22,532	19,675	18,531	1,130	2,857
26 years	20,763	18,645	17,455	1,178	2,118
27 years	19,552	17,897	16,575	1,305	1,655
28 years	18,907	17,378	15,930	1,438	1,529
29 years	16,456	15,371	13,817	1,543	1,085
30 years	15,508	14,394	12,727	1,660	1,114
31 years	12,161	11,592	10,279	1,309	569
32 years	11,551	10,959	9,509	1,443	592
33 years	9,333	8,883	7,590	1,289	450
34 years	8,532	8,143	6,900	1,240	389
35 years	8,038	7,578	6,383	1,193	460
36 years	5,481	5,213	4,431	778	268
37 years	4,470	4,300	3,554	741	170
38 years	3,758	3,568	2,959	607	190
39 years	2,827	2,698	2,254	441	129
40 years	1,961	1,866	1,551	331	95
41 years	1,159	1,122	949	172	37
42 years	913	863	740	123	50
43 years	468	453	384	68	15

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born	
THIRD CHILD—Contd.					
44 years	235	221	190	31	14
45 years	134	126	105	21	8
46 years	62	58	44	14	4
47 years	33	28	23	5	5
48 years	19	16	8	8	3
49 years	5	5	5	--------	--------
50 years	5	4	3	1	1
51 years	2	1	----------	1	1
52 years	1	1	1	--------	--------
53 years	2	2	2	--------	--------
54 years	2	2	2	--------	--------
Not stated	625	512	458	40	113
FOURTH CHILD	187,049	160,270	145,612	14,533	26,779
16 years	11	4	4	--------	7
17 years	56	28	26	2	28
18 years	206	97	92	5	109
19 years	716	378	364	14	338
20 years	2,210	1,293	1,222	70	917
21 years	4,283	2,915	2,800	113	1,368
22 years	7,443	5,159	4,945	208	2,284
23 years	10,778	7,918	7,558	351	2,860
24 years	13,420	10,449	9,926	521	2,971
25 years	14,650	11,827	11,173	645	2,823
26 years	14,326	12,083	11,395	679	2,243
27 years	13,985	12,103	11,370	726	1,882
28 years	14,205	12,389	11,480	901	1,816
29 years	12,542	11,262	10,311	939	1,280
30 years	12,274	10,970	9,893	1,068	1,304
31 years	9,569	8,853	7,969	883	716
32 years	9,665	8,886	7,825	1,052	779
33 years	8,018	7,431	6,511	918	587
34 years	7,775	7,232	6,280	945	543
35 years	7,286	6,742	5,727	1,008	544
36 years	5,371	5,061	4,277	781	310
37 years	4,503	4,249	3,609	639	254
38 years	4,190	3,929	3,320	605	261
39 years	3,055	2,897	2,422	473	158
40 years	2,251	2,120	1,756	361	131
41 years	1,374	1,329	1,125	203	45
42 years	1,114	1,050	887	163	64
43 years	614	596	504	91	18
44 years	379	360	306	54	19
45 years	182	165	133	32	17
46 years	78	74	55	18	4
47 years	40	34	22	12	6
48 years	19	16	10	6	3
49 years	10	10	5	5	--------
50 years	2	1	1	--------	1
51 years	1	1	1	--------	--------
52 years	1	1	1	--------	--------
53 years	3	3	3	--------	--------
54 years	3	1	----------	1	2
Not stated	441	354	304	41	87
FIFTH CHILD	126,108	106,021	95,489	10,442	20,087
17 years	14	6	5	1	8
18 years	36	11	9	2	25
19 years	90	47	46	1	43
20 years	436	202	191	11	234
21 years	895	483	461	22	412
22 years	2,075	1,233	1,160	71	842
23 years	3,515	2,301	2,167	132	1,214
24 years	5,599	3,910	3,654	252	1,689
25 years	7,618	5,596	5,262	327	2,022
26 years	8,429	6,616	6,233	378	1,813
27 years	9,234	7,478	7,042	432	1,756
28 years	10,300	8,522	7,957	559	1,778
29 years	9,500	8,010	7,361	649	1,490
30 years	9,606	8,207	7,509	690	1,399
31 years	7,486	6,699	6,072	620	787
32 years	7,827	6,984	6,276	702	843
33 years	6,793	6,158	5,441	710	635
34 years	6,791	6,133	5,383	747	658
35 years	6,660	5,959	5,150	802	701
36 years	4,775	4,403	3,818	580	372
37 years	4,225	3,924	3,319	600	301
38 years	4,089	3,766	3,159	605	323
39 years	3,122	2,892	2,423	467	230
40 years	2,393	2,219	1,825	392	174
41 years	1,557	1,472	1,248	224	85
42 years	1,243	1,178	981	197	65
43 years	702	655	542	111	47
44 years	400	384	311	73	16
45 years	223	202	163	39	21
46 years	88	82	73	9	6
47 years	34	29	24	5	5
48 years	31	24	18	6	7
49 years	13	6	6	--------	7
50 years	6	5	4	1	1
51 years	2	----------	----------	--------	2
52 years	1	1	----------	1	--------
53 years	1	1	1	--------	--------
54 years	3	3	3	--------	--------
Not stated	296	220	192	24	76

1/ Exclusive of Massachusetts and New Hampshire. 2/ Includes "Country not stated."

TABLE 6.—BIRTHS, BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/ 1935—Continued

(Exclusive of stillbirths)

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born	
SIXTH CHILD	89,261	73,941	66,130	7,746	15,320
18 years	12	7	6	1	5
19 years	35	10	9	1	25
20 years	137	70	69	1	67
21 years	221	111	106	5	110
22 years	481	227	198	27	254
23 years	1,025	552	504	48	473
24 years	1,899	1,185	1,081	103	714
25 years	2,972	1,934	1,771	161	1,038
26 years	3,937	2,803	2,581	220	1,134
27 years	5,073	3,804	3,550	253	1,269
28 years	6,246	4,835	4,449	384	1,411
29 years	6,596	5,293	4,881	409	1,303
30 years	7,439	6,001	5,456	542	1,438
31 years	5,811	5,032	4,640	384	779
32 years	6,446	5,508	5,094	509	938
33 years	5,902	5,142	4,625	511	760
34 years	5,957	5,214	4,660	549	743
35 years	6,004	5,218	4,567	646	786
36 years	4,595	4,109	3,578	530	486
37 years	4,034	3,655	3,166	487	379
38 years	4,067	3,700	3,165	535	367
39 years	2,970	2,700	2,306	391	270
40 years	2,520	2,304	1,951	349	216
41 years	1,522	1,431	1,219	212	91
42 years	1,322	1,233	1,026	204	89
43 years	815	773	646	126	42
44 years	411	383	312	71	28
45 years	289	262	222	39	27
46 years	99	90	75	15	9
47 years	48	46	39	7	2
48 years	34	26	19	7	8
49 years	25	15	11	4	10
50 years	3	2	2	---	1
52 years	1	1	---	1	---
54 years	2	---	---	---	2
Not stated	211	165	146	14	46
SEVENTH CHILD	64,289	52,624	46,357	6,208	11,665
19 years	1	---	---	---	1
20 years	57	25	24	1	32
21 years	64	36	35	1	28
22 years	144	66	61	5	78
23 years	290	134	116	18	156
24 years	539	289	259	30	250
25 years	1,017	561	496	62	456
26 years	1,469	911	826	85	558
27 years	2,181	1,479	1,321	157	702
28 years	3,195	2,259	2,034	225	936
29 years	3,717	2,800	2,517	281	917
30 years	4,728	3,569	3,205	359	1,159
31 years	4,002	3,288	2,993	291	714
32 years	5,045	4,193	3,795	393	852
33 years	4,810	4,098	3,696	397	712
34 years	5,028	4,242	3,787	446	786
35 years	5,517	4,657	4,102	549	860
36 years	4,255	3,701	3,250	450	554
37 years	3,728	3,253	2,783	469	475
38 years	3,883	3,408	2,901	503	475
39 years	3,114	2,802	2,370	428	312
40 years	2,407	2,165	1,821	343	242
41 years	1,581	1,477	1,251	225	104
42 years	1,417	1,309	1,110	198	108
43 years	847	787	683	104	60
44 years	497	455	385	68	42
45 years	302	276	224	52	26
46 years	138	126	101	25	12
47 years	86	81	65	16	5
48 years	42	34	29	5	8
49 years	21	19	15	4	2
50 years	6	4	3	1	2
52 years	2	2	2	---	---
53 years	2	2	2	---	---
Not stated	157	116	95	17	41
EIGHTH CHILD	46,931	37,727	32,939	4,758	9,204
19 years	1	---	---	---	1
20 years	8	6	4	2	2
21 years	28	12	9	3	16
22 years	62	31	25	6	31
23 years	120	59	56	3	61
24 years	163	86	76	10	77
25 years	392	188	165	23	204
26 years	497	285	257	27	212
27 years	826	495	436	59	331
28 years	1,414	897	775	122	517
29 years	1,821	1,228	1,073	155	593
30 years	2,655	1,828	1,617	209	827
31 years	2,383	1,849	1,654	194	534
32 years	3,197	2,480	2,203	275	717
33 years	3,419	2,787	2,499	287	632
34 years	3,937	3,168	2,820	343	769
35 years	4,652	3,758	3,289	468	894
36 years	3,564	3,036	2,688	345	528
37 years	3,345	2,841	2,516	320	504
38 years	3,670	3,138	2,683	452	532
39 years	3,010	2,610	2,234	376	400
40 years	2,476	2,180	1,857	320	296
41 years	1,587	1,454	1,236	218	133
42 years	1,446	1,312	1,101	209	134
43 years	985	897	760	137	88
44 years	550	503	417	86	47
45 years	319	277	213	64	42
46 years	150	137	119	18	13
47 years	65	54	43	11	11
48 years	45	36	31	5	9
49 years	20	12	9	3	8
50 years	9	4	2	2	5
51 years	2	2	2	---	---
52 years	3	3	2	1	---
53 years	1	---	---	---	1
Not stated	109	74	68	6	35
NINTH CHILD	32,767	26,192	22,454	3,738	6,575
21 years	13	7	6	1	6
22 years	26	13	11	2	13
23 years	33	11	8	3	22
24 years	72	28	25	3	44
25 years	125	47	43	4	78
26 years	175	96	80	16	79
27 years	293	157	134	23	136
28 years	511	288	237	51	223
29 years	778	493	430	63	285
30 years	1,157	732	610	122	425
31 years	1,128	834	748	86	294
32 years	1,708	1,209	1,052	157	499
33 years	2,023	1,552	1,354	196	471
34 years	2,529	1,967	1,715	251	562
35 years	3,196	2,481	2,122	359	715
36 years	2,802	2,236	1,958	278	566
37 years	2,798	2,372	2,065	308	426
38 years	3,176	2,656	2,282	374	520
39 years	2,634	2,258	1,930	328	376
40 years	2,389	2,086	1,756	329	303
41 years	1,387	1,271	1,092	177	116
42 years	1,441	1,298	1,078	220	143
43 years	977	900	745	155	77
44 years	612	547	450	97	65
45 years	380	329	264	65	51
46 years	152	138	111	27	14
47 years	90	72	55	17	18
48 years	43	32	29	3	11
49 years	18	12	9	3	6
50 years	5	4	3	1	1
51 years	2	1	1	---	1
52 years	1	1	1	---	---
53 years	1	---	---	---	1
54 years	1	1	1	---	---
Not stated	91	63	49	14	28
TENTH CHILD	22,990	17,948	15,205	2,734	5,042
22 years	5	---	---	---	5
23 years	25	14	11	3	11
24 years	30	11	11	---	19
25 years	49	20	18	2	29
26 years	84	41	34	7	43
27 years	118	63	54	9	55
28 years	214	105	84	21	109
29 years	301	154	128	25	147
30 years	581	334	272	61	247
31 years	561	375	324	51	186
32 years	926	628	535	93	298
33 years	996	692	599	93	304
34 years	1,542	1,105	945	160	437
35 years	1,994	1,484	1,195	288	570
36 years	1,805	1,435	1,244	191	370
37 years	1,891	1,495	1,311	184	396
38 years	2,483	1,990	1,700	290	493
39 years	2,237	1,841	1,535	305	396
40 years	2,018	1,692	1,414	278	326
41 years	1,320	1,154	975	177	166
42 years	1,410	1,238	1,048	189	172
43 years	978	886	752	134	92
44 years	594	539	438	101	55
45 years	387	347	291	56	40
46 years	193	169	132	37	24
47 years	105	93	74	19	12
48 years	48	36	28	8	12
49 years	22	16	13	3	6
50 years	8	4	3	1	4
52 years	2	1	1	---	1
53 years	2	1	1	---	1
54 years	1	---	---	---	1
Not stated	60	45	35	8	15

1/ Exclusive of Massachusetts and New Hampshire. 2/ Includes "Country not stated."

TABLE 6.—BIRTHS, BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/ 1935—Continued

(Exclusive of stillbirths)

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born	
ELEVENTH CHILD	14,441	11,145	9,113	2,019	3,296
23 years	4	4		3	
24 years	27	17	17		10
25 years	25	15	13	2	10
26 years	25	17	15	2	8
27 years	39	18	13	5	21
28 years	86	45	34	11	41
29 years	121	67	60	6	54
30 years	248	129	109	20	119
31 years	210	133	107	24	77
32 years	372	231	192	39	141
33 years	487	321	267	52	166
34 years	702	489	400	88	213
35 years	1,130	800	633	167	330
36 years	1,013	752	612	140	261
37 years	1,163	874	720	154	289
38 years	1,560	1,180	980	200	380
39 years	1,491	1,192	987	205	299
40 years	1,535	1,235	999	236	300
41 years	1,036	915	763	151	121
42 years	1,114	932	766	166	182
43 years	796	707	597	109	89
44 years	523	458	362	96	65
45 years	337	290	210	79	47
46 years	184	154	123	31	30
47 years	90	81	64	17	9
48 years	45	36	30	6	9
49 years	22	19	14	5	3
50 years	8	4	4		4
51 years	1	1			
52 years	2	1	1		1
53 years	1	1	1		
Not stated	44	27	20	5	17
TWELFTH CHILD	9,000	6,786	5,475	1,305	2,214
24 years	1	1	1		
25 years	7	4	3	1	3
26 years	16	4	4		12
27 years	22	12	10	2	10
28 years	40	21	14	7	19
29 years	66	36	30	6	30
30 years	96	40	33	7	56
31 years	84	54	42	12	30
32 years	167	93	79	14	74
33 years	216	143	116	27	73
34 years	309	189	148	41	120
35 years	549	359	288	71	190
36 years	552	390	313	77	162
37 years	682	487	391	95	195
38 years	942	707	565	142	235
39 years	943	705	556	149	238
40 years	1,057	809	639	170	248
41 years	690	587	487	99	103
42 years	840	685	573	110	155
43 years	658	569	495	74	89
44 years	437	379	299	80	58
45 years	286	229	176	53	57
46 years	147	127	94	32	20
47 years	80	66	51	15	14
48 years	49	40	31	9	9
49 years	25	21	15	5	4
50 years	2	1	1		1
51 years	2	2	1	1	
53 years	2	1	1		1
Not stated	33	25	19	6	8
THIRTEENTH CHILD	5,191	3,813	3,005	803	1,378
25 years	1	1		1	
26 years	8	4	3	1	4
27 years	10	6	5	1	4
28 years	15	10	10		5
29 years	19	11	10	1	8
30 years	40	13	11	2	27
31 years	42	25	21	4	17
32 years	87	48	38	10	39
33 years	95	57	41	16	38
34 years	156	92	71	21	64
35 years	257	158	125	33	99
36 years	272	173	136	37	99
37 years	327	218	164	54	109
38 years	496	333	278	55	163
39 years	555	408	318	90	147
40 years	597	453	350	103	144
41 years	446	359	298	59	87
42 years	563	454	354	100	109
43 years	416	338	273	63	78
44 years	312	270	206	64	42
45 years	211	169	127	42	42
46 years	114	104	81	22	10
47 years	80	58	45	13	22
48 years	36	25	20	5	11

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born	
THIRTEENTH CHILD-Con.					
49 years	22	18	15	3	4
50 years	3	1		1	2
53 years	2				2
Not stated	9	7	5	2	2
FOURTEENTH CHILD	2,957	2,109	1,632	473	848
27 years	6	2	2		4
28 years	8	5	5		3
29 years	8	4	4		4
30 years	29	12	9	3	17
31 years	16	9	5	4	7
32 years	26	13	9	4	13
33 years	40	27	24	3	13
34 years	65	39	33	5	26
35 years	117	65	51	14	52
36 years	158	94	72	22	64
37 years	193	126	98	28	67
38 years	267	187	138	49	80
39 years	299	216	162	53	83
40 years	334	228	178	50	106
41 years	249	191	155	36	58
42 years	374	281	226	55	93
43 years	262	216	168	48	46
44 years	208	169	128	41	39
45 years	138	113	79	34	25
46 years	59	38	33	5	21
47 years	44	36	26	10	8
48 years	30	19	13	6	11
49 years	13	8	6	1	5
50 years	2	2	1	1	
51 years	2	1	1		1
53 years	1				1
Not stated	9	8	6	1	1
FIFTEENTH CHILD	1,476	1,007	764	240	469
28 years	7	2	2		5
29 years					
30 years	7	1	1		6
31 years	5	3	3		2
32 years	17	6	5	1	11
33 years	13	7	5	2	6
34 years	28	18	12	6	10
35 years	57	26	20	6	31
36 years	51	29	24	5	22
37 years	69	43	35	7	26
38 years	129	83	64	19	46
39 years	151	95	78	17	56
40 years	180	106	72	34	74
41 years	125	99	81	18	26
42 years	164	124	94	30	40
43 years	181	135	104	30	46
44 years	103	82	64	18	21
45 years	90	69	54	15	21
46 years	47	42	23	19	5
47 years	26	23	17	6	3
48 years	13	5	2	3	8
49 years	11	7	3	3	4
50 years	1	1		1	
Not stated	1	1	1		
SIXTEENTH CHILD	775	505	371	134	270
28 years	1				1
29 years	1	1	1		
30 years	8	4	4		4
31 years	5	2	1	1	3
32 years	6	2	2		4
33 years	12	5	3	2	7
34 years	15	8	5	3	7
35 years	27	16	14	2	11
36 years	23	8	6	2	15
37 years	38	20	15	5	18
38 years	56	38	27	11	18
39 years	72	46	35	11	26
40 years	82	44	35	9	38
41 years	67	50	35	15	17
42 years	106	77	61	16	29
43 years	84	60	46	14	24
44 years	76	55	41	14	21
45 years	36	28	18	10	8
46 years	28	20	8	12	8
47 years	16	14	8	6	2
48 years	7	5	4	1	2
49 years	4	1	1		3
50 years	3	1	1		2
52 years	1				1
Not stated	1				1
SEVENTEENTH CHILD	385	248	182	66	137
29 years	1				1
32 years	4	2	1	1	2
33 years	1	1		1	
34 years	8	6	4	2	2

1/ Exclusive of Massachusetts and New Hampshire. 2/ Includes "Country not stated."

155010 O—37——8

TABLE 6.—BIRTHS, BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/ 1935—Continued

(Exclusive of stillbirths)

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Other races
		Total 2/	Mother native	Mother foreign-born	
SEVENTEENTH CHILD—Con.					
35 years	15	9	9	----	6
36 years	17	9	8	1	8
37 years	24	13	11	2	11
38 years	26	15	10	5	11
39 years	45	25	18	7	20
40 years	43	29	23	6	14
41 years	37	26	19	7	11
42 years	35	24	19	5	11
43 years	41	28	20	8	13
44 years	29	21	14	7	8
45 years	31	19	10	9	12
46 years	12	9	8	1	3
47 years	8	7	4	3	1
48 years	2	2	1	1	----
50 years	4	3	3	----	1
53 years	1	----	----	----	1
Not stated	1	----	----	----	1
EIGHTEENTH CHILD	191	124	90	34	67
30 years	1	----	----	----	1
32 years	2	1	1	----	1
33 years	1	1	----	1	----
34 years	2	1	1	----	1
35 years	9	6	5	1	3
36 years	11	7	3	4	4
37 years	5	1	1	----	4
38 years	22	16	11	5	6
39 years	14	8	6	2	6
40 years	20	10	7	3	10
41 years	15	10	9	1	5
42 years	19	15	11	4	4
43 years	20	15	13	2	5
44 years	18	12	8	4	6
45 years	10	4	4	----	6
46 years	13	11	5	6	2
47 years	4	4	3	1	----
48 years	2	1	1	----	1
49 years	1	1	1	----	----
50 years	1	----	----	----	1
52 years	1	----	----	----	1
NINETEENTH CHILD	88	54	41	13	34
32 years	3	1	1	----	2
35 years	8	5	5	----	3
36 years	3	----	----	----	3
37 years	6	3	3	----	3
38 years	7	5	4	1	2
39 years	4	2	2	----	2
40 years	16	9	8	1	7
41 years	7	5	2	3	2
42 years	15	11	8	3	4
43 years	6	4	1	3	2
44 years	6	6	4	2	----
45 years	2	1	1	----	1
46 years	2	1	1	----	1
47 years	----	----	----	----	----
48 years	2	1	1	----	1
49 years	1	----	----	----	1
TWENTIETH CHILD	52	30	24	6	22
35 years	3	2	2	----	1
36 years	2	1	1	----	1
37 years	1	----	----	----	1
38 years	6	3	3	----	3
39 years	3	3	3	----	----
40 years	7	4	3	1	3
41 years	4	1	1	----	3
42 years	7	5	4	1	2
43 years	5	4	3	1	1
44 years	5	2	1	1	3
45 years	5	3	2	1	2
46 years	1	1	----	1	----
47 years	1	----	----	----	1
49 years	2	1	1	----	1
TWENTY-FIRST CHILD	32	23	18	5	9
36 years	1	----	----	----	1
37 years	1	1	1	----	----
38 years	6	4	4	----	2
39 years	3	3	2	1	----
40 years	1	----	----	----	1
41 years	5	4	2	2	1
TWENTY-FIRST CHILD—Continued					
42 years	----	----	----	----	----
43 years	5	5	4	1	----
44 years	4	3	2	1	1
45 years	2	----	----	----	2
46 years	2	2	2	----	----
48 years	1	1	1	----	----
49 years	1	----	----	----	1
TWENTY-SECOND CHILD	9	7	6	1	2
34 years	1	----	----	----	1
39 years	1	1	1	----	----
40 years	1	1	1	----	----
41 years	3	2	1	1	1
42 years	2	2	2	----	----
43 years	1	1	1	----	----
TWENTY-THIRD CHILD	5	2	1	1	3
41 years	1	----	----	----	1
42 years	1	----	----	----	1
43 years	1	----	----	----	1
45 years	1	1	1	----	----
46 years	1	1	----	1	----
TWENTY-FOURTH CHILD	4	3	1	2	1
41 years	1	1	1	----	----
44 years	2	2	----	2	----
46 years	1	----	----	----	1
TWENTY-FIFTH CHILD	4	4	3	1	----
38 years	1	1	1	----	----
39 years	1	1	1	----	----
40 years	1	1	1	----	----
42 years	1	1	----	1	----
TWENTY-SIXTH CHILD	3	2	2	----	1
39 years	1	1	1	----	----
40 years	1	----	----	----	1
43 years	1	1	1	----	----
TWENTY-SEVENTH CHILD	1	----	----	----	1
42 years	1	----	----	----	1
NUMBER OF CHILD NOT STATED	5,578	4,345	3,819	325	1,233
15 years	5	2	2	----	3
16 years	6	4	4	----	2
17 years	19	11	11	----	8
18 years	49	28	27	1	21
19 years	46	30	30	----	16
20 years	66	46	45	1	20
21 years	331	227	217	7	104
22 years	407	293	284	7	114
23 years	393	294	283	10	99
24 years	367	287	268	17	80
25 years	397	298	282	14	99
26 years	305	238	224	11	67
27 years	299	238	227	9	61
28 years	285	223	199	21	62
29 years	258	214	184	28	44
30 years	225	184	157	27	41
31 years	166	135	119	15	31
32 years	182	153	127	25	29
33 years	169	138	129	9	31
34 years	159	128	118	10	31
35 years	161	124	105	19	37
36 years	111	89	75	13	22
37 years	106	84	75	9	22
38 years	108	83	76	7	25
39 years	89	69	62	7	20
40 years	75	62	45	17	13
41 years	56	51	39	12	5
42 years	39	30	26	3	9
43 years	25	22	18	3	3
44 years	9	7	7	----	2
45 years	10	6	5	1	2
46 years	6	3	1	1	3
47 years	5	4	3	----	1
48 years	4	2	2	----	2
Not stated	640	536	341	21	104

1/ Exclusive of Massachusetts and New Hampshire. 2/ Includes "Country not stated."

TABLE 7.—BIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1935

(Exclusive of stillbirths)

AREA, AND NUMBER OF CHILD	All births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
United States	2,155,105	1,888,012	1,729,706	156,438	267,093
First child	731,766	653,160	617,415	35,031	78,606
Second child	463,392	415,095	383,933	30,855	48,297
Third child	285,145	250,535	229,157	21,187	34,610
Fourth child	187,772	160,992	146,215	14,651	26,780
Fifth child	126,577	106,490	95,869	10,530	20,087
Sixth child	89,562	74,240	66,355	7,820	15,322
Seventh child	64,528	52,863	46,549	6,255	11,665
Eighth child	47,080	37,875	33,043	4,800	9,205
Ninth child	32,875	26,300	22,530	3,759	6,575
Tenth child	23,080	18,018	15,253	2,756	5,042
Eleventh child	14,483	11,187	9,135	2,039	3,296
Twelfth child	9,040	6,826	5,501	1,319	2,214
Thirteenth child	5,209	3,831	3,021	805	1,378
Fourteenth child	2,967	2,119	1,638	477	848
Fifteenth child	1,485	1,016	768	245	469
Sixteenth child	779	509	375	134	270
Seventeenth child	388	251	185	66	137
Eighteenth child	191	124	90	34	67
Nineteenth child	88	54	41	13	34
Twentieth child	52	30	24	6	22
Twenty-first child	32	23	18	5	9
Twenty-second child	9	7	6	1	2
Twenty-third child	5	2	1	1	3
Twenty-fourth child	4	3	1	2	1
Twenty-fifth child	4	4	3	1	--
Twenty-sixth child	3	2	2	--	1
Twenty-seventh child	1	--	--	--	1
Not stated	68,608	66,456	52,578	13,646	2,152
ALABAMA	62,239	38,364	38,260	80	23,875
First child	19,412	12,487	12,461	19	6,925
Second child	11,876	7,711	7,686	18	4,165
Third child	8,255	5,118	5,104	11	3,137
Fourth child	6,400	3,842	3,837	5	2,558
Fifth child	4,541	2,678	2,665	11	1,863
Sixth child	3,360	1,920	1,917	3	1,440
Seventh child	2,531	1,499	1,495	3	1,032
Eighth child	1,970	1,136	1,134	2	834
Ninth child	1,300	765	762	3	535
Tenth child	963	492	491	--	471
Eleventh child	592	277	276	--	315
Twelfth child	340	141	141	--	199
Thirteenth child	233	97	95	2	136
Fourteenth child	121	44	44	--	77
Fifteenth child	73	21	19	2	52
Sixteenth child	41	8	8	--	33
Seventeenth child	21	9	9	--	12
Eighteenth child	13	5	4	1	8
Nineteenth child	3	1	1	--	2
Twentieth child	1	--	--	--	1
Twenty-first child	1	--	--	--	1
Twenty-third child	1	--	--	--	1
Twenty-sixth child	1	--	--	--	1
Not stated	190	113	111	--	77
ARIZONA	9,139	7,807	6,213	1,583	1,332
First child	2,872	2,480	2,225	249	392
Second child	1,767	1,551	1,356	195	216
Third child	1,236	1,084	893	191	152
Fourth child	862	715	522	191	147
Fifth child	631	508	357	151	123
Sixth child	468	384	255	126	84
Seventh child	375	304	183	121	71
Eighth child	273	226	135	91	47
Ninth child	185	158	81	77	27
Tenth child	143	128	52	76	15
Eleventh child	92	74	36	38	18
Twelfth child	66	60	35	25	6
Thirteenth child	40	34	15	19	6
Fourteenth child	24	22	13	9	2
Fifteenth child	13	13	6	7	--
Sixteenth child	4	4	2	2	--
Seventeenth child	4	4	2	2	--
Eighteenth child	2	2	--	2	--
Nineteenth child	1	1	1	--	--
Not stated	81	55	44	11	26
ARKANSAS	35,684	27,175	27,045	61	8,509
First child	11,248	8,800	8,765	15	2,448
Second child	7,072	5,564	5,542	13	1,508
Third child	4,783	3,704	3,691	8	1,079
Fourth child	3,505	2,665	2,654	8	840
Fifth child	2,625	1,934	1,924	4	691
Sixth child	1,915	1,406	1,399	--	509
Seventh child	1,412	1,017	1,008	2	395
Eighth child	954	685	680	2	269
Ninth child	715	507	503	4	208
Tenth child	492	322	320	2	170
Eleventh child	283	161	159	2	122
Twelfth child	161	87	86	1	74
Thirteenth child	111	66	66	--	45
Fourteenth child	56	28	28	--	28
Fifteenth child	18	5	5	--	13
Sixteenth child	10	4	4	--	6
Seventeenth child	6	2	2	--	4
Eighteenth child	2	1	1	--	1
Nineteenth child	1	--	--	--	1
Twenty-first child	1	--	--	--	1
Not stated	314	217	208	--	97
CALIFORNIA	80,131	76,097	63,154	12,928	4,034
First child	33,341	32,203	29,092	3,103	1,138
Second child	20,447	19,664	17,053	2,609	783
Third child	10,024	9,468	7,814	1,652	556
Fourth child	5,468	5,051	3,786	1,264	417
Fifth child	3,397	3,075	2,090	984	322
Sixth child	2,223	1,935	1,190	744	288
Seventh child	1,643	1,458	789	669	185
Eighth child	1,182	1,049	524	525	133
Ninth child	848	768	329	439	80
Tenth child	556	495	198	297	61
Eleventh child	392	357	120	237	35
Twelfth child	255	241	71	170	14
Thirteenth child	145	137	35	102	8
Fourteenth child	112	107	36	71	5
Fifteenth child	45	40	16	24	5
Sixteenth child	20	20	1	19	--
Seventeenth child	15	15	4	11	--
Eighteenth child	8	8	2	6	--
Nineteenth child	1	1	--	1	--
Twentieth child	1	--	--	--	1
Twenty-fourth child	1	1	--	1	--
Not stated	7	4	4	--	3
COLORADO	18,837	18,572	17,283	1,055	265
First child	6,584	6,526	6,341	145	58
Second child	4,225	4,159	3,981	155	66
Third child	2,551	2,526	2,367	153	25
Fourth child	1,579	1,550	1,453	89	29
Fifth child	1,076	1,053	953	91	23
Sixth child	774	764	654	105	10
Seventh child	518	503	410	86	15
Eighth child	379	364	301	59	15
Ninth child	266	254	211	43	12
Tenth child	207	204	160	42	3
Eleventh child	112	110	84	25	2
Twelfth child	99	98	71	27	1
Thirteenth child	54	54	43	10	--
Fourteenth child	31	29	19	10	2
Fifteenth child	10	10	10	--	--
Sixteenth child	6	6	6	--	--
Seventeenth child	1	1	1	--	--
Eighteenth child	2	2	1	1	--
Twenty-first child	1	1	1	--	--
Twenty-second child	1	1	--	1	--
Not stated	361	357	226	13	4
CONNECTICUT	22,258	21,696	17,468	4,219	562
First child	8,684	8,530	7,562	962	154
Second child	5,404	5,302	4,442	859	102
Third child	3,088	3,006	2,358	648	82
Fourth child	1,778	1,722	1,248	474	56
Fifth child	1,102	1,059	723	336	43
Sixth child	658	629	391	238	29
Seventh child	464	440	255	185	24
Eighth child	356	330	170	160	26
Ninth child	258	242	130	112	16
Tenth child	171	159	72	87	12
Eleventh child	94	87	40	47	7
Twelfth child	69	63	20	43	6
Thirteenth child	44	42	16	26	2
Fourteenth child	32	31	13	18	1
Fifteenth child	15	15	4	11	--
Sixteenth child	7	5	2	3	2
Seventeenth child	3	3	1	2	--
Eighteenth child	1	1	--	1	--
Not stated	30	30	21	7	--
DELAWARE	4,036	3,379	3,183	192	657
First child	1,485	1,281	1,237	41	204
Second child	875	768	730	38	107
Third child	564	470	437	33	94
Fourth child	363	291	262	29	72
Fifth child	222	181	173	8	41
Sixth child	152	118	110	7	34
Seventh child	110	93	84	9	17
Eighth child	84	60	52	8	24
Ninth child	53	32	27	5	21
Tenth child	35	29	23	6	6
Eleventh child	35	22	20	2	13
Twelfth child	16	9	6	3	7
Thirteenth child	10	7	7	--	3
Fourteenth child	9	4	4	--	5
Fifteenth child	4	3	1	2	1
Sixteenth child	4	2	2	--	2

1/ Includes "Country not stated."

TABLE 7.—BIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1935—Continued

(Exclusive of stillbirths)

AREA, AND NUMBER OF CHILD	All births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
DELAWARE—Continued					
Twentieth child	1	----------	----------	--------	1
Twenty-second child	1	1	1	--------	--------
Not stated	13	8	7	1	5
DISTRICT OF COLUMBIA	10,803	7,162	6,664	457	3,641
First child	4,570	3,402	3,221	153	1,168
Second child	2,499	1,808	1,675	131	691
Third child	1,436	920	836	82	516
Fourth child	787	427	380	47	360
Fifth child	485	224	207	17	261
Sixth child	291	130	120	10	161
Seventh child	205	80	75	5	125
Eighth child	136	50	46	4	86
Ninth child	79	30	26	4	49
Tenth child	72	16	15	1	56
Eleventh child	41	17	16	1	24
Twelfth child	15	3	3	--------	12
Thirteenth child	13	4	4	--------	9
Fourteenth child	11	3	3	--------	8
Fifteenth child	5	2	1	1	3
Seventeenth child	1	----------	----------	--------	1
Eighteenth child	2	----------	----------	--------	2
Not stated	155	46	36	1	109
FLORIDA	28,051	19,579	19,055	478	8,472
First child	10,207	7,571	7,403	155	2,636
Second child	5,871	4,358	4,232	117	1,513
Third child	3,717	2,635	2,549	79	1,082
Fourth child	2,457	1,642	1,600	39	815
Fifth child	1,785	1,116	1,092	20	669
Sixth child	1,272	793	786	23	479
Seventh child	876	501	484	15	375
Eighth child	623	349	342	7	274
Ninth child	446	250	242	8	196
Tenth child	271	139	134	4	132
Eleventh child	188	85	80	4	103
Twelfth child	129	52	48	4	77
Thirteenth child	62	21	19	2	41
Fourteenth child	34	16	15	1	18
Fifteenth child	13	----------	----------	--------	13
Sixteenth child	8	2	2	--------	6
Seventeenth child	5	2	2	--------	3
Eighteenth child	2	1	1	--------	1
Nineteenth child	2	1	1	--------	1
Not stated	83	45	43	--------	38
GEORGIA	63,260	37,334	37,165	100	25,926
First child	20,239	12,575	12,520	30	7,664
Second child	12,215	7,543	7,505	28	4,672
Third child	8,505	4,974	4,951	15	3,531
Fourth child	5,926	3,365	3,347	10	2,561
Fifth child	4,327	2,462	2,454	4	1,865
Sixth child	3,277	1,861	1,855	4	1,416
Seventh child	2,407	1,356	1,352	3	1,051
Eighth child	1,801	965	960	3	836
Ninth child	1,307	683	682	--------	624
Tenth child	874	448	446	1	426
Eleventh child	580	277	275	--------	303
Twelfth child	349	150	150	--------	199
Thirteenth child	214	81	81	--------	133
Fourteenth child	140	49	48	--------	91
Fifteenth child	79	20	18	1	59
Sixteenth child	43	11	11	--------	32
Seventeenth child	30	9	9	--------	21
Eighteenth child	19	7	7	--------	12
Nineteenth child	8	1	1	--------	7
Twentieth child	6	1	1	--------	5
Twenty-first child	3	----------	----------	--------	3
Twenty-third child	1	1	1	--------	--------
Twenty-fourth child	1	----------	----------	--------	1
Twenty-fifth child	1	1	1	--------	--------
Twenty-sixth child	1	1	1	--------	--------
Not stated	907	493	489	1	414
IDAHO	9,469	9,344	9,042	296	125
First child	3,227	3,199	3,129	67	28
Second child	2,222	2,206	2,142	64	16
Third child	1,354	1,332	1,286	45	22
Fourth child	938	920	879	41	18
Fifth child	528	524	500	23	4
Sixth child	380	374	360	14	6
Seventh child	274	267	254	12	7
Eighth child	211	200	195	5	11
Ninth child	134	131	127	4	3
Tenth child	75	69	60	9	6
Eleventh child	46	45	38	7	1
Twelfth child	34	33	30	3	1
Thirteenth child	19	19	19	--------	--------
Fourteenth child	9	9	7	2	--------
Fifteenth child	3	3	3	--------	--------
Sixteenth child	4	4	4	--------	--------
Seventeenth child	2	2	2	--------	--------
Twenty-second child	1	1	1	--------	--------
Not stated	8	6	6	--------	2

AREA, AND NUMBER OF CHILD	All births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
ILLINOIS	111,884	106,120	95,322	10,736	5,764
First child	43,564	41,794	38,854	2,902	1,770
Second child	27,478	26,334	23,738	2,587	1,144
Third child	15,220	14,391	12,656	1,730	829
Fourth child	8,954	8,390	7,320	1,067	564
Fifth child	5,476	5,060	4,308	750	416
Sixth child	3,693	3,356	2,868	488	337
Seventh child	2,556	2,322	1,939	381	234
Eighth child	1,744	1,569	1,325	244	175
Ninth child	1,180	1,075	881	194	105
Tenth child	804	722	576	146	82
Eleventh child	504	466	372	92	38
Twelfth child	276	252	188	64	24
Thirteenth child	159	144	107	37	15
Fourteenth child	72	64	53	11	8
Fifteenth child	39	34	23	11	5
Sixteenth child	24	20	14	6	4
Seventeenth child	15	12	9	3	3
Eighteenth child	4	4	2	2	--------
Nineteenth child	2	1	1	--------	1
Twentieth child	1	1	----------	1	--------
Twenty-first child	1	1	1	--------	--------
Twenty-third child	2	1	----------	1	1
Twenty-fourth child	1	1	1	--------	--------
Not stated	115	106	86	19	9
INDIANA	52,909	51,077	49,804	1,240	1,832
First child	18,151	17,671	17,407	254	480
Second child	11,769	11,435	11,194	237	334
Third child	7,471	7,228	7,019	205	243
Fourth child	4,689	4,689	4,530	156	200
Fifth child	3,270	3,121	3,013	101	149
Sixth child	2,312	2,211	2,139	72	101
Seventh child	1,627	1,524	1,457	65	103
Eighth child	1,268	1,192	1,138	53	76
Ninth child	813	757	727	29	56
Tenth child	569	526	505	21	43
Eleventh child	301	287	269	18	14
Twelfth child	206	192	177	15	14
Thirteenth child	121	112	106	5	9
Fourteenth child	48	45	41	4	3
Fifteenth child	28	28	27	1	--------
Sixteenth child	17	13	12	1	4
Seventeenth child	6	6	6	--------	--------
Eighteenth child	5	5	5	1	--------
Nineteenth child	2	2	2	--------	--------
Twentieth child	2	----------	----------	--------	2
Not stated	33	32	30	2	1
IOWA	41,137	40,879	39,763	1,026	258
First child	14,086	14,008	13,770	210	78
Second child	9,453	9,407	9,204	177	46
Third child	6,062	6,031	5,871	153	31
Fourth child	3,658	3,633	3,509	117	25
Fifth child	2,479	2,465	2,358	100	14
Sixth child	1,659	1,642	1,577	60	17
Seventh child	1,100	1,087	1,034	50	13
Eighth child	751	741	697	42	10
Ninth child	530	523	493	30	7
Tenth child	314	307	287	20	7
Eleventh child	229	224	196	27	5
Twelfth child	119	119	109	10	--------
Thirteenth child	64	63	57	5	1
Fourteenth child	25	25	23	2	--------
Fifteenth child	17	16	15	1	1
Sixteenth child	10	10	9	1	--------
Seventeenth child	1	1	1	--------	--------
Eighteenth child	1	1	1	--------	--------
Nineteenth child	1	1	1	--------	--------
Not stated	578	575	551	21	3
KANSAS	30,589	29,634	28,882	730	955
First child	10,474	10,176	10,064	101	298
Second child	7,080	6,892	6,804	82	188
Third child	4,430	4,311	4,215	95	119
Fourth child	2,823	2,742	2,655	87	81
Fifth child	1,866	1,794	1,720	73	72
Sixth child	1,250	1,187	1,123	61	63
Seventh child	891	858	791	67	33
Eighth child	641	608	561	47	33
Ninth child	436	417	373	44	19
Tenth child	286	262	241	21	24
Eleventh child	191	181	159	22	10
Twelfth child	106	98	89	9	8
Thirteenth child	55	51	41	10	4
Fourteenth child	27	26	20	6	1
Fifteenth child	10	10	7	3	--------
Sixteenth child	7	6	4	2	1
Seventeenth child	1	1	1	--------	--------
Not stated	15	14	14	--------	1
KENTUCKY	57,715	54,918	54,831	77	2,797
First child	17,573	16,673	16,648	22	900
Second child	11,136	10,588	10,570	17	548

1/ Includes "Country not stated."

TABLE 7.—BIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1935—Continued

(Exclusive of stillbirths)

AREA, AND NUMBER OF CHILD	All births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
KENTUCKY—Continued					
Third child	7,728	7,371	7,354	16	357
Fourth child	5,862	5,617	5,606	11	245
Fifth child	4,559	4,364	4,356	6	195
Sixth child	3,466	3,301	3,301	---	165
Seventh child	2,551	2,442	2,438	2	109
Eighth child	1,892	1,787	1,785	2	105
Ninth child	1,267	1,200	1,199	1	67
Tenth child	836	784	783	---	52
Eleventh child	390	370	370	---	20
Twelfth child	224	208	208	---	16
Thirteenth child	100	94	94	---	6
Fourteenth child	42	40	40	---	2
Fifteenth child	16	13	13	---	3
Sixteenth child	8	7	7	---	1
Seventeenth child	3	3	3	---	---
Nineteenth child	1	1	1	---	---
Twenty-first child	1	1	1	---	---
Not stated	60	54	54	---	6
LOUISIANA	42,270	24,417	24,185	223	17,853
First child	13,966	8,722	8,668	53	5,244
Second child	8,250	5,086	5,042	41	3,174
Third child	5,570	3,327	3,303	23	2,243
Fourth child	4,005	2,200	2,174	25	1,805
Fifth child	3,004	1,542	1,521	21	1,462
Sixth child	2,208	1,158	1,144	14	1,050
Seventh child	1,524	736	730	6	788
Eighth child	1,210	584	566	17	626
Ninth child	835	406	401	5	429
Tenth child	648	287	284	3	361
Eleventh child	365	155	149	6	210
Twelfth child	262	84	76	7	178
Thirteenth child	146	55	54	1	91
Fourteenth child	97	33	33	---	64
Fifteenth child	50	14	12	1	36
Sixteenth child	29	6	6	---	23
Seventeenth child	14	2	2	---	12
Eighteenth child	2	---	---	---	2
Nineteenth child	2	---	---	---	2
Twenty-first child	1	---	---	---	1
Twenty-second child	1	---	---	---	1
Not stated	71	20	20	---	51
MAINE	15,723	15,681	13,578	2,102	42
First child	4,786	4,778	4,356	421	8
Second child	3,350	3,343	2,982	361	7
Third child	2,205	2,198	1,904	294	7
Fourth child	1,526	1,520	1,294	226	6
Fifth child	1,077	1,072	872	200	5
Sixth child	772	769	627	142	3
Seventh child	562	561	433	128	1
Eighth child	389	388	313	75	1
Ninth child	298	295	230	65	3
Tenth child	226	226	178	48	---
Eleventh child	157	157	109	48	---
Twelfth child	124	123	91	32	1
Thirteenth child	80	80	64	16	---
Fourteenth child	65	65	43	22	---
Fifteenth child	34	34	27	7	---
Sixteenth child	15	15	10	5	---
Seventeenth child	10	10	7	3	---
Eighteenth child	5	5	2	3	---
Nineteenth child	2	2	1	1	---
Twentieth child	2	2	1	1	---
Twenty-first child	2	2	1	1	---
Not stated	36	36	33	3	---
MARYLAND	27,236	21,322	20,475	834	5,914
First child	9,236	7,702	7,479	221	1,534
Second child	5,792	4,793	4,614	178	999
Third child	3,629	2,863	2,731	130	766
Fourth child	2,459	1,827	1,750	75	632
Fifth child	1,748	1,265	1,194	71	483
Sixth child	1,222	851	819	31	371
Seventh child	942	632	604	28	310
Eighth child	656	436	410	26	220
Ninth child	482	314	288	24	168
Tenth child	376	243	225	18	133
Eleventh child	254	157	144	13	97
Twelfth child	169	87	82	5	82
Thirteenth child	105	65	58	7	40
Fourteenth child	64	31	27	4	33
Fifteenth child	33	18	15	3	15
Sixteenth child	20	10	10	---	10
Seventeenth child	10	4	4	---	6
Eighteenth child	4	1	1	---	3
Nineteenth child	3	1	1	---	2
Twentieth child	1	1	1	---	---
Twenty-first child	1	1	1	---	---
Twenty-fifth child	1	1	1	---	---
Not stated	29	19	16	---	10
MASSACHUSETTS 2/	63,001	62,082	48,738	13,313	919
Not stated	63,001	62,082	48,738	13,313	919

AREA, AND NUMBER OF CHILD	All births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
MICHIGAN	87,446	84,377	74,420	9,878	3,069
First child	30,278	29,435	26,942	2,461	843
Second child	20,006	19,492	17,255	2,223	514
Third child	12,397	12,012	10,505	1,496	385
Fourth child	8,153	7,826	6,740	1,076	327
Fifth child	5,245	4,960	4,241	716	285
Sixth child	3,569	3,355	2,831	522	214
Seventh child	2,391	2,250	1,857	390	141
Eighth child	1,604	1,499	1,221	277	105
Ninth child	1,152	1,075	870	205	77
Tenth child	771	713	568	145	58
Eleventh child	479	438	347	91	41
Twelfth child	313	290	215	75	23
Thirteenth child	171	161	129	32	10
Fourteenth child	89	83	60	23	6
Fifteenth child	64	62	47	15	2
Sixteenth child	32	30	18	12	2
Seventeenth child	8	7	3	4	1
Eighteenth child	2	2	1	1	---
Nineteenth child	2	2	1	1	---
Twentieth child	1	1	1	---	---
Twenty-first child	1	1	1	---	---
Not stated	718	683	567	113	35
MINNESOTA	45,962	45,364	43,120	2,231	598
First child	15,268	15,117	14,684	427	151
Second child	10,539	10,422	9,955	465	117
Third child	6,832	6,755	6,412	341	77
Fourth child	4,435	4,384	4,130	254	51
Fifth child	2,927	2,874	2,679	195	53
Sixth child	1,924	1,888	1,750	138	36
Seventh child	1,308	1,279	1,174	105	29
Eighth child	976	943	857	85	33
Ninth child	625	603	538	65	22
Tenth child	436	425	369	56	11
Eleventh child	297	286	252	34	11
Twelfth child	173	171	149	22	2
Thirteenth child	101	100	80	20	1
Fourteenth child	62	59	48	11	3
Fifteenth child	31	30	25	5	1
Sixteenth child	15	15	10	5	---
Seventeenth child	8	8	5	3	---
Eighteenth child	1	1	1	---	---
Not stated	4	4	2	---	---
MISSISSIPPI	48,320	21,977	21,904	59	26,343
First child	14,564	6,980	6,963	13	7,584
Second child	8,908	4,453	4,439	12	4,455
Third child	6,312	2,997	2,987	7	3,315
Fourth child	4,893	2,194	2,188	3	2,699
Fifth child	3,666	1,664	1,656	7	2,002
Sixth child	2,779	1,198	1,196	2	1,581
Seventh child	2,062	809	803	6	1,253
Eighth child	1,615	607	604	3	1,008
Ninth child	1,113	386	384	2	727
Tenth child	790	241	239	2	549
Eleventh child	524	171	169	2	353
Twelfth child	338	87	87	---	251
Thirteenth child	206	37	37	---	169
Fourteenth child	148	36	36	---	112
Fifteenth child	75	11	11	---	64
Sixteenth child	41	4	4	---	37
Seventeenth child	18	---	---	---	18
Eighteenth child	7	2	2	---	5
Nineteenth child	6	---	---	---	6
Twentieth child	7	---	---	---	7
Twenty-first child	4	3	3	---	1
Twenty-second child	1	1	1	---	---
Twenty-seventh child	1	---	---	---	1
Not stated	242	96	95	---	146
MISSOURI	57,299	53,724	52,658	1,048	3,575
First child	21,122	19,968	19,655	306	1,154
Second child	12,894	12,174	11,948	222	720
Third child	7,753	7,295	7,142	150	458
Fourth child	4,989	4,629	4,511	117	360
Fifth child	3,253	3,003	2,928	74	250
Sixth child	2,344	2,156	2,112	44	188
Seventh child	1,685	1,549	1,507	42	136
Eighth child	1,184	1,067	1,038	29	117
Ninth child	792	737	715	22	55
Tenth child	550	489	474	15	61
Eleventh child	327	301	286	15	26
Twelfth child	178	161	159	2	17
Thirteenth child	105	88	85	3	17
Fourteenth child	58	51	46	4	7
Fifteenth child	24	20	19	1	4
Sixteenth child	12	9	9	---	3
Seventeenth child	5	4	3	1	1
Eighteenth child	7	6	6	---	1
Nineteenth child	1	1	1	---	---
Not stated	16	16	14	1	---

1/ Includes "Country not stated." 2/ The birth certificate of this State does not require the number of child in order of birth.

TABLE 7.—BIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1935—Continued

(Exclusive of stillbirths)

AREA, AND NUMBER OF CHILD	All births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
MONTANA	10,029	9,348	8,539	806	681
First child	3,603	3,439	3,259	179	164
Second child	2,347	2,230	2,071	159	117
Third child	1,375	1,287	1,172	115	88
Fourth child	890	814	745	69	76
Fifth child	562	506	431	75	56
Sixth child	384	341	290	51	43
Seventh child	306	256	208	48	50
Eighth child	192	159	131	27	33
Ninth child	145	118	93	25	27
Tenth child	80	70	52	18	10
Eleventh child	56	51	36	14	5
Twelfth child	40	32	20	12	8
Thirteenth child	26	22	15	7	4
Fourteenth child	11	11	9	2	--------
Fifteenth child	4	4	2	2	--------
Sixteenth child	1	1	1	--------	--------
Seventeenth child	2	2	1	1	--------
Eighteenth child	1	1	----------	1	--------
Not stated	4	4	3	1	--------
NEBRASKA	23,327	22,996	22,177	813	331
First child	8,116	8,017	7,871	146	99
Second child	5,398	5,347	5,200	145	51
Third child	3,437	3,392	3,275	114	45
Fourth child	2,186	2,158	2,073	85	28
Fifth child	1,415	1,394	1,322	72	21
Sixth child	934	904	844	60	30
Seventh child	601	584	532	51	17
Eighth child	420	409	373	36	11
Ninth child	289	280	256	24	9
Tenth child	221	215	188	27	6
Eleventh child	123	118	103	15	5
Twelfth child	78	74	60	14	4
Thirteenth child	51	48	37	11	3
Fourteenth child	19	18	15	3	1
Fifteenth child	14	14	11	3	--------
Sixteenth child	7	6	5	1	1
Seventeenth child	4	4	2	2	--------
Eighteenth child	3	3	2	1	--------
Nineteenth child	3	3	1	2	--------
Not stated	8	8	7	1	--------
NEVADA	1,423	1,325	1,209	114	98
First child	568	549	523	26	19
Second child	329	307	283	24	22
Third child	199	183	162	19	16
Fourth child	125	115	107	8	10
Fifth child	78	65	57	8	13
Sixth child	33	30	23	7	3
Seventh child	34	31	24	7	3
Eighth child	22	17	13	4	5
Ninth child	12	10	5	5	2
Tenth child	6	6	5	1	--------
Eleventh child	10	7	4	3	3
Twelfth child	2	1	----------	1	1
Fourteenth child	2	2	1	1	--------
Not stated	3	2	2	--------	1
NEW HAMPSHIRE	7,768	7,761	6,686	1,064	7
First child	2,747	2,747	2,502	241	--------
Second child	1,728	1,726	1,517	208	2
Third child	1,079	1,078	937	140	1
Fourth child	723	722	603	118	1
Fifth child	469	469	380	88	--------
Sixth child	301	299	225	74	2
Seventh child	239	239	192	47	--------
Eighth child	149	148	104	42	1
Ninth child	108	108	76	31	--------
Tenth child	70	70	48	22	--------
Eleventh child	42	42	22	20	--------
Twelfth child	40	40	26	14	--------
Thirteenth child	18	18	16	2	--------
Fourteenth child	10	10	6	4	--------
Fifteenth child	9	9	4	5	--------
Sixteenth child	4	4	4	--------	--------
Seventeenth child	3	3	3	--------	--------
Not stated	29	29	21	8	--------
NEW JERSEY	54,514	50,304	41,950	8,277	4,210
First child	21,281	20,127	18,013	2,095	1,154
Second child	13,590	12,807	10,959	1,831	783
Third child	7,426	6,850	5,551	1,281	576
Fourth child	4,308	3,826	2,927	893	482
Fifth child	2,507	2,173	1,595	572	334
Sixth child	1,724	1,447	997	449	277
Seventh child	1,164	997	645	348	167
Eighth child	829	690	430	258	139
Ninth child	602	497	292	204	105
Tenth child	383	320	179	141	63
Eleventh child	244	197	117	79	47
Twelfth child	145	119	72	46	26
Thirteenth child	86	68	38	30	18
Fourteenth child	44	31	20	11	13
Fifteenth child	21	15	7	8	6
Sixteenth child	17	11	6	5	6
Seventeenth child	9	6	4	2	3
Eighteenth child	3	----------	----------	--------	3
Twentieth child	2	1	----------	1	1
Not stated	129	122	98	23	7
NEW MEXICO	13,190	12,600	11,890	685	590
First child	3,450	3,297	3,216	73	153
Second child	2,327	2,234	2,164	65	93
Third child	1,828	1,740	1,659	80	88
Fourth child	1,395	1,329	1,238	89	66
Fifth child	1,141	1,096	1,026	67	45
Sixth child	838	788	707	80	50
Seventh child	636	613	544	68	23
Eighth child	507	488	434	53	19
Ninth child	374	353	320	33	21
Tenth child	255	244	216	28	11
Eleventh child	157	151	136	15	6
Twelfth child	99	95	80	15	4
Thirteenth child	63	62	56	6	1
Fourteenth child	39	37	32	5	2
Fifteenth child	23	22	21	1	1
Sixteenth child	13	13	11	2	--------
Seventeenth child	5	5	4	1	--------
Eighteenth child	5	5	3	2	--------
Nineteenth child	1	1	1	--------	--------
Twentieth child	3	3	3	--------	--------
Twenty-fifth child	1	1	1	--------	--------
Not stated	30	23	18	2	7
NEW YORK	184,344	175,658	136,134	39,501	8,686
First child	71,980	69,336	57,321	12,003	2,644
Second child	48,630	46,679	35,972	10,703	1,951
Third child	25,730	24,418	18,203	6,214	1,312
Fourth child	14,050	13,149	9,528	3,620	901
Fifth child	8,373	7,744	5,543	2,201	629
Sixth child	5,339	4,900	3,432	1,468	439
Seventh child	3,516	3,220	2,193	1,026	296
Eighth child	2,256	2,096	1,349	746	160
Ninth child	1,614	1,491	971	520	123
Tenth child	1,142	1,048	672	376	94
Eleventh child	707	656	390	266	51
Twelfth child	394	368	218	150	26
Thirteenth child	248	229	146	83	19
Fourteenth child	152	140	83	57	12
Fifteenth child	74	68	45	23	6
Sixteenth child	34	33	22	11	1
Seventeenth child	17	16	7	9	1
Eighteenth child	7	7	6	1	--------
Nineteenth child	4	4	2	2	--------
Twentieth child	6	6	4	2	--------
Twenty-first child	2	2	1	1	--------
Twenty-second child	1	1	1	--------	--------
Twenty-fourth child	1	1	----------	1	--------
Twenty-fifth child	1	1	----------	1	--------
Not stated	56	45	25	17	11
NORTH CAROLINA	78,753	53,665	53,274	90	25,088
First child	24,551	17,238	17,007	31	7,313
Second child	14,871	10,482	10,402	24	4,389
Third child	10,309	7,271	7,241	16	3,038
Fourth child	7,766	5,269	5,270	10	2,497
Fifth child	5,586	3,718	3,709	2	1,868
Sixth child	4,274	2,867	2,859	2	1,407
Seventh child	3,372	2,192	2,189	1	1,180
Eighth child	2,614	1,616	1,614	1	998
Ninth child	1,860	1,121	1,119	1	739
Tenth child	1,374	809	807	1	565
Eleventh child	867	475	472	1	392
Twelfth child	568	287	287	--------	281
Thirteenth child	327	148	148	--------	179
Fourteenth child	162	62	62	--------	100
Fifteenth child	101	33	33	--------	68
Sixteenth child	44	16	16	--------	28
Seventeenth child	23	6	6	--------	17
Eighteenth child	13	4	4	--------	9
Nineteenth child	4	1	1	--------	3
Twentieth child	3	2	2	--------	1
Twenty-first child	2	1	1	--------	1
Not stated	42	27	25	--------	15
NORTH DAKOTA	13,655	13,215	12,156	1,056	440
First child	4,028	3,926	3,795	126	99
Second child	2,768	2,699	2,587	111	89
Third child	1,913	1,856	1,748	108	57
Fourth child	1,391	1,355	1,242	113	36
Fifth child	997	981	897	84	16
Sixth child	685	651	555	96	34
Seventh child	516	490	419	71	26
Eighth child	392	364	284	80	28
Ninth child	325	307	232	75	18

1/ Includes "Country not stated."

TABLE 7.—BIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1935—Continued

(Exclusive of stillbirths)

AREA, AND NUMBER OF CHILD	All births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
NORTH DAKOTA—Continued					
Tenth child	214	197	145	52	17
Eleventh child	161	153	110	43	8
Twelfth child	106	100	61	39	6
Thirteenth child	68	65	36	29	3
Fourteenth child	26	23	14	9	3
Fifteenth child	25	25	14	11	----
Sixteenth child	8	8	3	5	----
Seventeenth child	3	3	1	2	----
Eighteenth child	1	1	----	1	----
Not stated	11	11	10	1	----
OHIO	101,103	95,878	90,153	5,699	5,225
First child	37,778	36,165	34,834	1,320	1,613
Second child	23,042	22,052	20,819	1,228	990
Third child	13,880	13,226	12,320	902	654
Fourth child	8,523	8,031	7,447	581	492
Fifth child	5,595	5,194	4,767	426	401
Sixth child	3,869	3,556	3,238	317	313
Seventh child	2,717	2,490	2,212	278	227
Eighth child	1,915	1,739	1,555	184	176
Ninth child	1,414	1,276	1,119	157	138
Tenth child	971	891	777	114	80
Eleventh child	603	544	453	91	59
Twelfth child	342	315	276	38	27
Thirteenth child	189	164	133	31	25
Fourteenth child	106	94	78	16	12
Fifteenth child	46	39	31	8	7
Sixteenth child	23	19	16	3	4
Seventeenth child	12	11	11	----	1
Eighteenth child	4	2	2	----	2
Nineteenth child	6	6	6	----	----
Twentieth child	3	3	2	1	----
Twenty-first child	2	2	2	----	----
Twenty-second child	1	1	1	----	----
Not stated	62	58	54	4	4
OKLAHOMA	43,691	40,360	39,962	248	3,331
First child	14,957	13,905	13,800	57	1,052
Second child	9,659	9,035	8,965	38	624
Third child	6,148	5,727	5,672	36	421
Fourth child	4,136	3,769	3,727	28	357
Fifth child	2,750	2,510	2,473	27	240
Sixth child	1,866	1,683	1,669	10	183
Seventh child	1,376	1,259	1,235	15	117
Eighth child	995	895	881	10	100
Ninth child	648	582	570	11	66
Tenth child	474	418	413	5	56
Eleventh child	275	236	232	3	39
Twelfth child	174	144	139	3	30
Thirteenth child	79	69	66	2	10
Fourteenth child	46	39	37	2	7
Fifteenth child	22	17	17	----	5
Sixteenth child	13	9	9	----	4
Seventeenth child	1	1	1	----	----
Eighteenth child	2	2	2	----	----
Nineteenth child	2	2	2	----	----
Twentieth child	1	1	1	----	----
Not stated	67	57	51	1	10
OREGON	13,179	12,963	12,252	704	216
First child	5,564	5,501	5,286	211	63
Second child	3,333	3,299	3,112	186	34
Third child	1,743	1,714	1,598	115	29
Fourth child	957	928	867	61	29
Fifth child	560	548	514	34	12
Sixth child	344	334	306	27	10
Seventh child	237	222	203	19	15
Eighth child	156	150	136	14	6
Ninth child	104	95	84	11	9
Tenth child	82	74	64	10	8
Eleventh child	44	44	38	6	----
Twelfth child	19	18	15	3	1
Thirteenth child	9	9	5	4	----
Fourteenth child	5	5	5	----	----
Fifteenth child	4	4	3	1	----
Seventeenth child	1	1	1	----	----
Not stated	17	17	15	2	----
PENNSYLVANIA	161,166	153,062	139,791	13,213	8,104
First child	56,797	54,427	52,052	2,357	2,370
Second child	35,384	33,864	31,654	2,203	1,520
Third child	21,584	20,478	18,690	1,781	1,106
Fourth child	14,267	13,445	12,100	1,335	822
Fifth child	9,642	8,997	7,856	1,139	645
Sixth child	6,871	6,407	5,484	918	464
Seventh child	5,078	4,702	3,913	786	376
Eighth child	3,664	3,398	2,711	686	266
Ninth child	2,630	2,428	1,853	574	202
Tenth child	1,904	1,762	1,306	456	142
Eleventh child	1,324	1,243	857	386	81
Twelfth child	902	757	530	227	45
Thirteenth child	476	451	277	174	25
Fourteenth child	288	276	194	82	12
Fifteenth child	129	124	79	45	5
Sixteenth child	74	68	43	25	6
Seventeenth child	29	26	17	9	3
Eighteenth child	16	12	10	2	4
Nineteenth child	10	8	6	2	2
Twentieth child	4	3	3	----	1
Twenty-first child	1	1	----	1	----
Not stated	192	185	156	25	7
RHODE ISLAND	10,215	9,980	7,945	2,023	235
First child	3,751	3,687	3,224	459	64
Second child	2,404	2,360	1,945	412	44
Third child	1,385	1,349	1,068	280	36
Fourth child	908	886	648	237	22
Fifth child	572	553	377	176	19
Sixth child	358	349	233	115	9
Seventh child	248	235	137	98	13
Eighth child	196	185	105	79	11
Ninth child	135	123	68	55	12
Tenth child	98	94	53	41	4
Eleventh child	56	56	26	30	----
Twelfth child	42	42	24	18	----
Thirteenth child	22	22	12	10	----
Fourteenth child	9	9	3	6	----
Fifteenth child	14	14	10	3	----
Sixteenth child	2	2	1	1	----
Seventeenth child	2	2	----	2	----
Eighteenth child	1	1	----	1	----
Not stated	12	11	11	----	1
SOUTH CAROLINA	40,598	19,590	19,543	43	21,008
First child	12,954	6,407	6,385	19	6,547
Second child	7,982	3,995	3,988	8	3,985
Third child	5,453	2,690	2,682	8	2,763
Fourth child	3,887	1,881	1,879	1	2,006
Fifth child	2,878	1,372	1,369	3	1,506
Sixth child	2,146	1,036	1,036	----	1,110
Seventh child	1,593	718	717	1	875
Eighth child	1,233	535	533	2	698
Ninth child	810	330	329	1	480
Tenth child	642	261	261	----	381
Eleventh child	394	155	155	----	239
Twelfth child	264	95	95	----	169
Thirteenth child	149	47	47	----	102
Fourteenth child	93	32	32	----	61
Fifteenth child	42	11	11	----	31
Sixteenth child	25	2	2	----	24
Seventeenth child	12	1	1	----	11
Nineteenth child	2	----	----	----	2
Twentieth child	2	1	1	----	1
Twenty-second child	1	----	----	----	1
Not stated	35	20	20	----	15
SOUTH DAKOTA	12,850	12,213	11,764	446	637
First child	3,955	3,803	3,748	55	152
Second child	2,868	2,766	2,698	68	102
Third child	1,888	1,797	1,734	62	91
Fourth child	1,294	1,232	1,183	49	62
Fifth child	882	830	771	58	52
Sixth child	631	573	541	32	58
Seventh child	486	444	409	35	42
Eighth child	308	276	249	27	32
Ninth child	192	175	159	16	17
Tenth child	134	127	114	13	7
Eleventh child	79	68	60	8	11
Twelfth child	66	61	54	7	5
Thirteenth child	36	33	23	10	3
Fourteenth child	9	7	6	1	2
Fifteenth child	9	8	4	4	1
Sixteenth child	3	3	2	1	----
Seventeenth child	4	4	4	----	----
Eighteenth child	1	1	1	----	----
Nineteenth child	1	1	1	----	----
Not stated	4	4	3	----	----
TENNESSEE	53,314	44,981	44,880	90	8,333
First child	17,531	14,926	14,893	29	2,605
Second child	10,610	8,999	8,973	25	1,611
Third child	6,952	5,873	5,855	15	1,079
Fourth child	5,410	4,558	4,547	10	852
Fifth child	3,663	3,082	3,079	3	581
Sixth child	2,814	2,372	2,370	2	442
Seventh child	2,014	1,709	1,707	2	305
Eighth child	1,562	1,282	1,282	----	280
Ninth child	1,061	869	867	2	192
Tenth child	744	603	602	1	141
Eleventh child	422	324	324	----	98
Twelfth child	255	196	196	----	59
Thirteenth child	124	86	85	1	38
Fourteenth child	70	44	44	----	26
Fifteenth child	26	15	15	----	11
Sixteenth child	12	7	7	----	5
Seventeenth child	6	5	5	----	1

1/ Includes "Country not stated."

TABLE 7.—BIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1935—Continued

(Exclusive of stillbirths)

AREA, AND NUMBER OF CHILD	All births	WHITE			Other races
		Total 1/	Mother native	Mother foreign-born	
TENNESSEE—Continued					
Eighteenth child	8	5	5	--	3
Twentieth child	1	1	1	--	--
Not stated	29	25	24	--	4
TEXAS	114,721	100,766	91,204	9,450	13,955
First child	39,779	35,324	33,762	1,527	4,455
Second child	24,024	21,498	20,293	1,183	2,526
Third child	15,265	13,532	12,283	1,234	1,733
Fourth child	10,690	9,327	8,185	1,129	1,363
Fifth child	7,237	6,273	5,287	983	964
Sixth child	5,350	4,546	3,671	868	804
Seventh child	3,723	3,162	2,491	668	561
Eighth child	2,794	2,355	1,803	550	439
Ninth child	1,995	1,640	1,214	425	355
Tenth child	1,329	1,084	794	289	245
Eleventh child	847	685	447	238	162
Twelfth child	551	435	301	133	116
Thirteenth child	287	227	158	69	60
Fourteenth child	178	132	73	58	46
Fifteenth child	88	71	48	23	17
Sixteenth child	47	38	21	17	9
Seventeenth child	21	15	11	4	6
Eighteenth child	13	11	5	6	2
Nineteenth child	2	1	--	1	1
Twentieth child	3	2	2	--	1
Twenty-first child	3	3	1	2	--
Twenty-sixth child	1	1	1	--	--
Not stated	494	404	353	43	90
UTAH	12,695	12,585	11,920	663	110
First child	3,968	3,948	3,813	134	20
Second child	2,827	2,808	2,698	109	19
Third child	1,942	1,931	1,817	114	11
Fourth child	1,349	1,333	1,245	88	16
Fifth child	912	903	838	65	9
Sixth child	579	569	524	45	10
Seventh child	370	364	326	38	6
Eighth child	278	274	251	23	4
Ninth child	169	164	147	17	5
Tenth child	134	131	116	15	3
Eleventh child	73	72	66	6	1
Twelfth child	39	37	36	1	2
Thirteenth child	29	28	24	4	1
Fourteenth child	15	12	10	2	3
Fifteenth child	3	3	1	2	--
Sixteenth child	1	1	1	--	--
Not stated	7	7	7	--	--
VERMONT	6,591	6,586	5,821	756	5
First child	2,051	2,050	1,887	159	1
Second child	1,400	1,399	1,269	127	1
Third child	908	908	812	94	--
Fourth child	678	677	584	93	1
Fifth child	439	438	377	61	1
Sixth child	361	361	306	55	--
Seventh child	240	239	196	43	1
Eighth child	179	179	146	33	--
Ninth child	122	122	92	30	--
Tenth child	75	75	57	18	--
Eleventh child	45	45	34	11	--
Twelfth child	45	45	31	14	--
Thirteenth child	19	19	12	7	--
Fourteenth child	8	8	6	2	--
Fifteenth child	9	9	8	1	--
Sixteenth child	3	3	1	2	--
Seventeenth child	4	4	--	4	--
Nineteenth child	1	1	--	1	--
Not stated	4	4	3	1	--
VIRGINIA	51,487	36,610	36,387	214	14,877
First child	16,033	11,867	11,797	66	4,166
Second child	9,790	7,141	7,086	52	2,649
Third child	6,619	4,730	4,705	24	1,889
Fourth child	4,901	3,468	3,447	21	1,433
Fifth child	3,614	2,525	2,513	12	1,089
Sixth child	2,764	1,928	1,919	9	836
Seventh child	2,253	1,536	1,531	5	717
Eighth child	1,723	1,151	1,146	5	572
Ninth child	1,235	785	777	8	450
Tenth child	932	554	551	3	378
Eleventh child	646	376	373	3	270
Twelfth child	410	246	244	2	164
Thirteenth child	243	123	119	3	120
Fourteenth child	142	84	84	--	58
Fifteenth child	60	31	31	--	29
Sixteenth child	34	19	18	1	15
Seventeenth child	24	12	12	--	12
Eighteenth child	13	4	4	--	9
VIRGINIA—Continued					
Nineteenth child	8	4	4	--	4
Twentieth child	1	1	1	--	--
Twenty-first child	5	4	4	--	1
Twenty-second child	1	1	1	--	--
Twenty-third child	1	--	--	--	1
Not stated	35	20	20	--	15
WASHINGTON	22,396	21,713	19,813	1,887	683
First child	9,258	9,083	8,405	671	175
Second child	5,765	5,638	5,190	448	127
Third child	3,052	2,962	2,654	306	90
Fourth child	1,716	1,647	1,462	185	69
Fifth child	961	902	803	99	59
Sixth child	603	556	496	60	47
Seventh child	387	353	304	48	34
Eighth child	238	211	193	18	27
Ninth child	158	141	123	18	17
Tenth child	100	79	66	13	21
Eleventh child	48	42	39	3	6
Twelfth child	42	38	28	10	4
Thirteenth child	29	24	20	4	5
Fourteenth child	18	17	14	2	1
Fifteenth child	4	3	2	1	1
Sixteenth child	2	2	2	--	--
Not stated	15	15	12	1	--
WEST VIRGINIA	41,774	39,512	38,817	669	2,262
First child	12,688	12,036	11,937	94	652
Second child	7,913	7,544	7,449	91	369
Third child	5,538	5,246	5,163	78	292
Fourth child	4,238	4,024	3,946	78	214
Fifth child	3,005	2,818	2,754	64	187
Sixth child	2,257	2,126	2,069	55	131
Seventh child	1,814	1,694	1,656	37	120
Eighth child	1,376	1,282	1,233	49	94
Ninth child	1,012	953	913	40	59
Tenth child	726	668	639	29	58
Eleventh child	455	420	402	18	35
Twelfth child	278	262	248	14	16
Thirteenth child	152	139	132	7	13
Fourteenth child	81	70	65	5	11
Fifteenth child	38	35	31	4	3
Sixteenth child	17	16	15	1	1
Seventeenth child	12	12	12	--	--
Eighteenth child	6	6	6	--	--
Nineteenth child	1	1	--	1	--
Not stated	167	160	147	4	7
WISCONSIN	52,562	52,017	49,222	2,758	545
First child	17,873	17,724	17,132	577	149
Second child	12,251	12,155	11,614	538	96
Third child	7,757	7,681	7,224	454	76
Fourth child	4,833	4,776	4,452	319	57
Fifth child	3,216	3,178	2,941	233	38
Sixth child	2,091	2,065	1,904	160	26
Seventh child	1,475	1,440	1,314	124	35
Eighth child	1,116	1,093	989	103	23
Ninth child	692	675	593	81	17
Tenth child	468	457	404	52	11
Eleventh child	304	297	253	44	7
Twelfth child	205	199	161	38	6
Thirteenth child	112	110	97	13	2
Fourteenth child	54	52	42	10	2
Fifteenth child	17	17	14	3	--
Sixteenth child	13	13	12	1	--
Seventeenth child	7	7	6	1	--
Eighteenth child	4	4	3	1	--
Nineteenth child	4	4	4	--	--
Not stated	70	70	63	6	--
WYOMING	4,362	4,243	4,005	223	119
First child	1,571	1,553	1,504	46	18
Second child	994	977	936	40	17
Third child	613	600	557	40	13
Fourth child	422	412	388	20	10
Fifth child	234	223	207	15	11
Sixth child	178	166	153	12	12
Seventh child	119	107	96	11	12
Eighth child	57	48	44	4	9
Ninth child	55	49	39	10	6
Tenth child	37	35	24	11	2
Eleventh child	28	25	20	5	3
Twelfth child	13	11	8	3	2
Thirteenth child	9	8	7	1	1
Fourteenth child	4	4	3	1	--
Fifteenth child	4	3	2	1	1
Sixteenth child	4	4	2	2	--
Nineteenth child	1	1	--	1	--
Not stated	19	17	15	--	2

1/ Includes "Country not stated."

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1935

This year race could have been by race of child rather than by race of mother, as were all other years (at least after 1930) until 1939. For 1939 ff. it has always been race of child

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TWINS			
United States	25,218	21,297	3,921
2 males	8,678	7,385	1,293
Both living	7,560	6,563	997
1 living	655	492	163
Both stillborn	463	330	133
1 male, 1 female	8,397	6,983	1,414
Both living	7,606	6,458	1,148
1 living—M	258	190	68
1 living—F	299	209	90
Both stillborn	234	126	108
2 females	8,122	6,911	1,211
Both living	7,285	6,228	997
1 living	564	436	128
Both stillborn	333	247	86
Both unknown	21	18	3
Both stillborn	21	18	3
ALABAMA:			
2 males	259	159	100
Both living	211	135	76
1 living	28	15	13
Both stillborn	20	9	11
1 male, 1 female	243	148	95
Both living	209	137	72
1 living—M	9	2	7
1 living—F	16	6	10
Both stillborn	9	3	6
2 females	241	141	100
Both living	198	117	81
1 living	28	14	14
Both stillborn	15	10	5
ARIZONA:			
2 males	36	35	1
Both living	30	30	-------
1 living	5	4	1
Both stillborn	1	1	-------
1 male, 1 female	36	32	4
Both living	31	28	3
1 living—M	2	2	-------
1 living—F	1	-------	1
Both stillborn	2	2	-------
2 females	37	35	2
Both living	32	30	2
1 living	4	4	-------
Both stillborn	1	1	-------
ARKANSAS:			
2 males	189	143	46
Both living	166	127	39
1 living	19	13	6
Both stillborn	4	3	1
1 male, 1 female	193	136	57
Both living	164	119	45
1 living—M	6	5	1
1 living—F	10	7	3
Both stillborn	13	5	8
2 females	183	139	44
Both living	159	129	30
1 living	11	5	6
Both stillborn	13	5	8
CALIFORNIA:			
2 males	288	277	11
Both living	267	258	9
1 living	16	14	2
Both stillborn	5	5	-------
1 male, 1 female	252	241	11
Both living	235	225	10
1 living—M	7	7	-------
1 living—F	8	7	1
Both stillborn	2	2	-------
2 females	288	267	21
Both living	260	243	17
1 living	21	19	2
Both stillborn	7	5	2
COLORADO:			
2 males	73	72	1
Both living	67	66	1
1 living	2	2	-------
Both stillborn	4	4	-------
1 male, 1 female	65	65	-------
Both living	63	63	-------
1 living—M	1	1	-------
1 living—F	1	1	-------
2 females	58	58	-------
Both living	50	50	-------
1 living	5	5	-------
Both stillborn	3	3	-------
CONNECTICUT:			
2 males	85	85	-------
Both living	80	80	-------
1 living	2	2	-------
Both stillborn	3	3	-------
1 male, 1 female	65	62	3
Both living	61	58	3
1 living—M	2	2	-------
1 living—F	1	1	-------
Both stillborn	1	1	-------
CASES OF TWINS—Cont.			
CONNECTICUT—Continued			
2 females	65	63	2
Both living	61	60	1
1 living	3	2	1
Both stillborn	1	1	-------
DELAWARE:			
2 males	17	12	5
Both living	14	11	3
1 living	3	1	2
1 male, 1 female	14	10	4
Both living	14	10	4
2 females	20	15	5
Both living	20	15	5
DISTRICT OF COLUMBIA:			
2 males	37	19	18
Both living	35	18	17
Both stillborn	2	1	1
1 male, 1 female	42	25	17
Both living	34	22	12
1 living—M	4	1	3
1 living—F	4	2	2
2 females	32	19	13
Both living	32	19	13
FLORIDA:			
2 males	98	69	29
Both living	82	62	20
1 living	7	2	5
Both stillborn	9	5	4
1 male, 1 female	117	68	49
Both living	101	63	38
1 living—M	4	1	3
1 living—F	8	3	5
Both stillborn	4	1	3
2 females	111	69	42
Both living	96	62	34
1 living	7	4	3
Both stillborn	8	3	5
Both unknown	2	2	-------
Both stillborn	2	2	-------
GEORGIA:			
2 males	272	147	125
Both living	213	122	91
1 living	29	14	15
Both stillborn	30	11	19
1 male, 1 female	254	131	123
Both living	224	123	101
1 living—M	6	1	5
1 living—F	8	2	6
Both stillborn	16	5	11
2 females	239	122	117
Both living	205	109	96
1 living	19	4	15
Both stillborn	15	9	6
IDAHO:			
2 males	39	39	-------
Both living	36	36	-------
1 living	2	2	-------
Both stillborn	1	1	-------
1 male, 1 female	37	37	-------
Both living	36	36	-------
1 living—F	1	1	-------
2 females	37	37	-------
Both living	31	31	-------
1 living	3	3	-------
Both stillborn	3	3	-------
ILLINOIS:			
2 males	425	394	31
Both living	375	348	27
1 living	32	32	-------
Both stillborn	18	14	4
1 male, 1 female	374	346	28
Both living	344	319	25
1 living—M	6	4	2
1 living—F	20	19	1
Both stillborn	4	4	-------
2 females	387	371	16
Both living	339	326	13
1 living	31	30	1
Both stillborn	17	15	2
INDIANA:			
2 males	197	190	7
Both living	178	172	6
1 living	13	12	1
Both stillborn	6	6	-------
1 male, 1 female	202	190	12
Both living	187	175	12
1 living—M	7	7	-------
1 living—F	7	7	-------
Both stillborn	1	1	-------
2 females	198	191	7
Both living	183	177	6
1 living	12	11	1
Both stillborn	3	3	-------
CASES OF TWINS—Cont.			
IOWA:			
2 males	176	176	-------
Both living	158	158	-------
1 living	12	12	-------
Both stillborn	6	6	-------
1 male, 1 female	179	177	2
Both living	168	166	2
1 living—M	5	5	-------
1 living—F	4	4	-------
Both stillborn	2	2	-------
2 females	157	154	3
Both living	144	141	3
1 living	9	9	-------
Both stillborn	4	4	-------
KANSAS:			
2 males	91	88	3
Both living	94	81	3
1 living	3	3	-------
Both stillborn	4	4	-------
1 male, 1 female	110	108	2
Both living	104	103	1
1 living—M	4	4	-------
1 living—F	1	1	-------
Both stillborn	1	-------	1
2 females	106	104	2
Both living	96	95	1
1 living	7	7	-------
Both stillborn	3	2	1
KENTUCKY:			
2 males	243	232	11
Both living	207	200	7
1 living	20	18	2
Both stillborn	16	14	2
1 male, 1 female	238	225	13
Both living	208	198	10
1 living—M	8	7	1
1 living—F	15	15	-------
Both stillborn	7	5	2
2 females	202	187	15
Both living	181	166	15
1 living	16	16	-------
Both stillborn	5	5	-------
LOUISIANA:			
2 males	210	101	109
Both living	180	91	89
1 living	12	5	7
Both stillborn	18	5	13
1 male, 1 female	213	114	99
Both living	190	108	82
1 living—M	2	2	-------
1 living—F	11	1	10
Both stillborn	10	3	7
2 females	195	105	90
Both living	170	97	73
1 living	12	6	6
Both stillborn	13	2	11
MAINE:			
2 males	55	55	-------
Both living	46	46	-------
1 living	4	4	-------
Both stillborn	5	5	-------
1 male, 1 female	62	62	-------
Both living	59	59	-------
1 living—F	3	3	-------
2 females	52	52	-------
Both living	49	49	-------
1 living	2	2	-------
Both stillborn	1	1	-------
MARYLAND:			
2 males	112	87	25
Both living	87	70	17
1 living	12	7	5
Both stillborn	13	10	3
1 male, 1 female	98	74	24
Both living	90	69	21
1 living—M	2	-------	2
1 living—F	4	3	1
Both stillborn	2	2	-------
2 females	86	65	21
Both living	78	60	18
1 living	5	2	3
Both stillborn	3	3	-------
Both unknown	1	1	-------
Both stillborn	1	1	-------
MASSACHUSETTS:			
2 males	229	228	1
Both living	214	213	1
1 living	5	5	-------
Both stillborn	10	10	-------
1 male, 1 female	207	205	2
Both living	193	191	2
1 living—M	5	5	-------
1 living—F	7	7	-------
Both stillborn	2	2	-------
2 females	198	196	2
Both living	172	170	2
1 living	21	21	-------
Both stillborn	5	5	-------

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1935—Continued

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TWINS—Cont.			
MICHIGAN:			
2 males	328	310	18
Both living	310	296	14
1 living	9	5	4
Both stillborn	9	9	-------
1 male, 1 female	303	287	16
Both living	288	273	15
1 living—M	5	5	-------
1 living—F	2	2	-------
Both stillborn	8	7	1
2 females	305	293	12
Both living	289	278	11
1 living	8	7	1
Both stillborn	8	8	-------
MINNESOTA:			
2 males	202	201	1
Both living	179	178	1
1 living	15	15	-------
Both stillborn	8	8	-------
1 male, 1 female	219	212	7
Both living	202	196	6
1 living—M	8	8	-------
1 living—F	6	5	1
Both stillborn	3	3	-------
2 females	200	196	4
Both living	179	175	4
1 living	14	14	-------
Both stillborn	7	7	-------
MISSISSIPPI:			
2 males	215	69	146
Both living	168	61	107
1 living	27	4	23
Both stillborn	20	4	16
1 male, 1 female	264	105	159
Both living	222	99	123
1 living—M	15	-------	15
1 living—F	18	3	15
Both stillborn	9	3	6
2 females	263	122	141
Both living	223	110	113
1 living	30	12	18
Both stillborn	10	-------	10
Both unknown	1	1	-------
Both stillborn	1	1	-------
MISSOURI:			
2 males	223	198	25
Both living	194	177	17
1 living	14	10	4
Both stillborn	15	11	4
1 male, 1 female	236	222	14
Both living	208	194	14
1 living—M	13	13	-------
1 living—F	11	11	-------
Both stillborn	4	4	-------
2 females	210	196	14
Both living	185	175	10
1 living	17	13	4
Both stillborn	8	8	-------
Both unknown	5	5	-------
Both stillborn	5	5	-------
MONTANA:			
2 males	39	38	1
Both living	34	33	1
1 living	4	4	-------
Both stillborn	1	1	-------
1 male, 1 female	37	35	2
Both living	35	33	2
1 living—M	1	1	-------
Both stillborn	1	1	-------
2 females	24	23	1
Both living	22	21	1
1 living	1	1	-------
Both stillborn	1	1	-------
NEBRASKA:			
2 males	100	97	3
Both living	89	86	3
1 living	9	9	-------
Both stillborn	2	2	-------
1 male, 1 female	79	78	1
Both living	74	73	1
1 living—M	2	2	-------
1 living—F	3	3	-------
2 females	73	70	3
Both living	68	65	3
1 living	4	4	-------
Both stillborn	1	1	-------
NEVADA:			
2 males	7	6	1
Both living	6	5	1
1 living	1	1	-------
1 male, 1 female	8	7	1
Both living	8	7	1
2 females	6	5	1
Both living	6	5	1

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TWINS—Cont.			
NEW HAMPSHIRE:			
2 males	29	29	-------
Both living	24	24	-------
1 living	4	4	-------
Both stillborn	1	1	-------
1 male, 1 female	23	23	-------
Both living	22	22	-------
Both stillborn	1	1	-------
2 females	31	31	-------
Both living	28	28	-------
Both stillborn	3	3	-------
NEW JERSEY:			
2 males	233	210	23
Both living	201	184	17
1 living	16	13	3
Both stillborn	16	13	3
1 male, 1 female	164	145	19
Both living	149	132	17
1 living—M	4	4	-------
1 living—F	6	4	2
Both stillborn	5	5	-------
2 females	188	167	21
Both living	175	155	20
1 living	11	10	1
Both stillborn	2	2	-------
Both unknown	1	1	-------
Both stillborn	1	1	-------
NEW MEXICO:			
2 males	37	35	2
Both living	34	32	2
1 living	1	1	-------
Both stillborn	2	2	-------
1 male, 1 female	50	49	1
Both living	48	47	1
1 living—M	1	1	-------
Both stillborn	1	1	-------
2 females	41	38	3
Both living	40	37	3
Both stillborn	1	1	-------
NEW YORK:			
2 males	666	622	44
Both living	606	567	39
1 living	24	23	1
Both stillborn	36	32	4
1 male, 1 female	567	531	36
Both living	539	505	34
1 living—M	10	9	1
1 living—F	8	7	1
Both stillborn	10	10	-------
2 females	649	622	27
Both living	586	563	22
1 living	32	30	2
Both stillborn	32	29	3
Both unknown	8	6	2
Both stillborn	8	6	2
NORTH CAROLINA:			
2 males	331	214	117
Both living	289	191	98
1 living	25	14	11
Both stillborn	17	9	8
1 male, 1 female	386	226	160
Both living	337	211	126
1 living—M	14	6	8
1 living—F	14	5	9
Both stillborn	21	4	17
2 females	350	220	130
Both living	301	197	104
1 living	36	20	16
Both stillborn	13	3	10
NORTH DAKOTA:			
2 males	59	58	1
Both living	53	52	1
1 living	4	4	-------
Both stillborn	2	2	-------
1 male, 1 female	76	71	5
Both living	72	67	5
1 living—M	2	2	-------
1 living—F	2	2	-------
2 females	60	56	4
Both living	55	53	2
1 living	5	3	2
OHIO:			
2 males	397	378	19
Both living	345	330	15
1 living	32	29	3
Both stillborn	20	19	1
1 male, 1 female	388	366	22
Both living	356	336	20
1 living—M	9	9	-------
1 living—F	13	12	1
Both stillborn	10	9	1
2 females	397	370	27
Both living	365	341	24
1 living	23	22	1
Both stillborn	9	7	2

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TWINS—Cont.			
OKLAHOMA:			
2 males	184	167	17
Both living	161	148	13
1 living	18	16	2
Both stillborn	5	3	2
1 male, 1 female	195	178	17
Both living	177	163	14
1 living—M	5	5	-------
1 living—F	7	7	-------
Both stillborn	6	3	3
2 females	181	164	17
Both living	155	143	12
1 living	20	16	4
Both stillborn	6	5	1
OREGON:			
2 males	43	43	-------
Both living	40	40	-------
1 living	3	3	-------
1 male, 1 female	37	36	1
Both living	36	35	1
1 living—M	1	1	-------
2 females	47	44	3
Both living	41	38	3
1 living	5	5	-------
Both stillborn	1	1	-------
PENNSYLVANIA:			
2 males	609	580	29
Both living	528	508	20
1 living	61	45	6
Both stillborn	30	27	3
1 male, 1 female	532	481	51
Both living	490	446	44
1 living—M	17	13	4
1 living—F	13	10	3
Both stillborn	12	12	-------
2 females	544	520	24
Both living	479	459	20
1 living	39	37	2
Both stillborn	26	24	2
Both unknown	1	1	-------
Both stillborn	1	1	-------
RHODE ISLAND:			
2 males	30	30	-------
Both living	26	26	-------
1 living	3	3	-------
Both stillborn	1	1	-------
1 male, 1 female	32	32	-------
Both living	31	31	-------
1 living—F	1	1	-------
2 females	31	31	-------
Both living	28	28	-------
1 living	3	3	-------
SOUTH CAROLINA:			
2 males	193	91	102
Both living	156	78	78
1 living	20	6	14
Both stillborn	17	7	10
1 male, 1 female	209	77	132
Both living	167	68	99
1 living—M	11	5	6
1 living—F	5	1	4
Both stillborn	26	3	23
2 females	158	59	99
Both living	130	50	80
1 living	14	3	11
Both stillborn	14	6	8
SOUTH DAKOTA:			
2 males	52	46	6
Both living	45	41	4
1 living	6	4	2
Both stillborn	1	1	-------
1 male, 1 female	62	59	3
Both living	55	52	3
1 living—M	3	3	-------
1 living—F	1	1	-------
Both stillborn	3	3	-------
2 females	45	41	4
Both living	40	36	4
1 living	2	2	-------
Both stillborn	3	3	-------
TENNESSEE:			
2 males	287	241	46
Both living	236	203	33
1 living	33	26	7
Both stillborn	18	12	6
1 male, 1 female	237	201	36
Both living	203	173	30
1 living—M	16	14	2
1 living—F	11	11	-------
Both stillborn	7	3	4
2 females	219	183	36
Both living	196	163	33
1 living	16	14	2
Both stillborn	7	6	1

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1935—Continued

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TWINS—Cont.			
TEXAS:			
2 males	493	417	76
Both living	418	358	60
1 living	42	35	7
Both stillborn	33	24	9
1 male, 1 female	522	440	82
Both living	467	400	67
1 living—M	22	18	4
F	18	15	3
Both stillborn	15	7	8
2 females	467	403	64
Both living	400	348	52
1 living	32	26	6
Both stillborn	35	29	6
Both unknown	1	1	-------
Both stillborn	1	1	-------
UTAH:			
2 males	53	53	-------
Both living	47	47	-------
1 living	5	5	-------
Both stillborn	1	1	-------
1 male, 1 female	47	47	-------
Both living	47	47	-------
2 females	41	41	-------
Both living	37	37	-------
1 living	2	2	-------
Both stillborn	2	2	-------
VERMONT:			
2 males	23	23	-------
Both living	20	20	-------
1 living	3	3	-------
1 male, 1 female	21	20	1
Both living	19	19	-------
1 living—M	1	1	-------
Both stillborn	1	-------	1
2 females	19	19	-------
Both living	19	19	-------
VIRGINIA:			
2 males	233	153	80
Both living	195	138	57
1 living	26	10	16
Both stillborn	12	5	7
1 male, 1 female	256	159	97
Both living	222	146	76
1 living—M	9	5	4
F	15	4	11
Both stillborn	10	4	6
2 females	219	162	57
Both living	191	143	48
1 living	18	12	6
Both stillborn	10	7	3
Both unknown	1	-------	1
Both stillborn	1	-------	1
WASHINGTON:			
2 males	71	69	2
Both living	65	63	2
1 living	4	4	-------
Both stillborn	2	2	-------
1 male, 1 female	70	69	1
Both living	68	67	1
1 living—M	1	1	-------
F	1	1	-------
2 females	83	81	2
Both living	77	75	2
1 living	5	5	-------
Both stillborn	1	1	-------
WEST VIRGINIA:			
2 males	179	170	9
Both living	154	147	7
1 living	15	14	1
Both stillborn	10	9	1
1 male, 1 female	164	162	2
Both living	145	143	2
1 living—M	4	4	-------
F	12	12	-------
Both stillborn	3	3	-------
2 females	186	172	14
Both living	168	154	14
1 living	7	7	-------
Both stillborn	11	11	-------
WISCONSIN:			
2 males	220	218	2
Both living	196	195	1
1 living	15	15	-------
Both stillborn	9	8	1
1 male, 1 female	201	198	3
Both living	193	190	3
1 living—M	4	4	-------
F	2	2	-------
Both stillborn	2	2	-------
2 females	172	171	1
Both living	167	166	1
1 living	3	3	-------
Both stillborn	2	2	-------
CASES OF TWINS—Cont.			
WYOMING:			
2 males	11	11	-------
Both living	11	11	-------
1 male, 1 female	11	11	-------
Both living	11	11	-------
2 females	21	21	-------
Both living	20	20	-------
1 living	1	1	-------
CASES OF TRIPLETS			
United States	246	194	52
3 males	73	59	14
All living	55	47	8
2 living	4	4	-------
1 living	5	2	3
All stillborn	9	6	3
2 males, 1 female	51	42	9
All living	42	34	8
2 living—2M	3	2	1
1M,1F	5	5	-------
1 living—M	1	1	-------
1 male, 2 females	53	41	12
All living	40	33	7
2 living—2F	2	1	1
1M,1F	6	2	4
1 living—F	2	2	-------
All stillborn	3	3	-------
3 females	69	52	17
All living	56	42	14
2 living	6	6	-------
1 living	5	3	2
All stillborn	2	1	1
ALABAMA:			
3 males	2	-------	2
All living	2	-------	2
2 males, 1 female	2	2	-------
All living	2	2	-------
1 male, 2 females	2	1	1
All living	2	1	1
3 females	1	-------	1
1 living	1	-------	1
ARIZONA:			
1 male, 2 females	3	2	1
All living	2	1	1
2 living—1M,1F	1	1	-------
3 females	1	1	-------
All living	1	1	-------
ARKANSAS:			
3 males	1	-------	1
All stillborn	1	-------	1
2 males, 1 female	2	1	1
All living	1	-------	1
2 living—1M,1F	1	1	-------
3 females	1	1	-------
All living	1	1	-------
CALIFORNIA:			
3 males	2	2	-------
All living	2	2	-------
2 males, 1 female	1	1	-------
All living	1	1	-------
1 male, 2 females	2	2	-------
All living	2	2	-------
3 females	2	2	-------
All living	2	2	-------
COLORADO:			
3 males	1	1	-------
2 living	1	1	-------
CONNECTICUT:			
3 males	1	1	-------
All living	1	1	-------
2 males, 1 female	1	1	-------
All living	1	1	-------
FLORIDA:			
3 males	2	1	1
All living	2	1	1
2 males, 1 female	2	1	1
All living	2	1	1
1 male, 2 females	3	2	1
All living	1	1	-------
2 living—1M,1F	2	1	1
GEORGIA:			
3 males	1	-------	1
1 living	1	-------	1
1 male, 2 females	1	1	-------
All living	1	1	-------
3 females	3	-------	3
All living	1	-------	1
1 living	1	-------	1
All stillborn	1	-------	1
CASES OF TRIPLETS—Cont.			
ILLINOIS:			
3 males	5	5	-------
All living	4	4	-------
All stillborn	1	1	-------
2 males, 1 female	1	1	-------
All living	1	1	-------
1 male, 2 females	2	2	-------
2 living—2F	1	1	-------
All stillborn	1	1	-------
3 females	3	3	-------
All living	3	3	-------
INDIANA:			
3 males	2	2	-------
All living	2	2	-------
2 males, 1 female	2	2	-------
All living	1	1	-------
2 living—2M	1	1	-------
3 females	1	-------	1
All living	1	-------	1
IOWA:			
3 males	1	1	-------
All living	1	1	-------
2 males, 1 female	1	1	-------
All living	1	1	-------
3 females	3	3	-------
All living	3	3	-------
KANSAS:			
3 males	1	1	-------
All living	1	1	-------
2 males, 1 female	1	1	-------
2 living—1M,1F	1	1	-------
3 females	1	1	-------
2 living	1	1	-------
KENTUCKY:			
2 males, 1 female	2	1	1
All living	2	1	1
1 male, 2 females	2	2	-------
All living	2	2	-------
3 females	3	3	-------
All living	2	2	-------
2 living	1	1	-------
LOUISIANA:			
3 males	1	1	-------
All living	1	1	-------
2 males, 1 female	1	-------	1
All living	1	-------	1
1 male, 2 females	1	-------	1
All living	1	-------	1
3 females	4	2	2
All living	3	1	2
1 living	1	1	-------
MAINE:			
3 females	1	1	-------
All living	1	1	-------
MARYLAND:			
3 males	1	1	-------
1 living	1	1	-------
3 females	4	3	1
All living	4	3	1
MASSACHUSETTS:			
3 males	1	1	-------
2 living	1	1	-------
2 males, 1 female	3	3	-------
All living	3	3	-------
1 male, 2 females	3	3	-------
All living	1	1	-------
1 living—F	2	2	-------
MICHIGAN:			
3 males	1	1	-------
All living	1	1	-------
1 male, 2 females	1	1	-------
All living	1	1	-------
MINNESOTA:			
3 males	1	1	-------
All living	1	1	-------
1 male, 2 females	1	1	-------
All living	1	1	-------
3 females	1	1	-------
All living	1	1	-------
MISSISSIPPI:			
3 males	2	1	1
All living	2	1	1
2 males, 1 female	1	-------	1
All living	1	-------	1
1 male, 2 females	5	1	4
All living	2	-------	2
2 living—1M,1F	1	-------	1
2F	1	-------	1
All stillborn	1	1	-------
3 females	1	1	-------
All living	1	1	-------

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1935—Continued

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TRIPLETS—Cont.			
MISSOURI:			
3 males	2	1	1
All living	1	1	-------
1 living	1	-------	1
2 males, 1 female	2	2	-------
All living	2	2	-------
3 females	1	1	-------
All living	1	1	-------
MONTANA:			
3 males	1	1	-------
All living	1	1	-------
NEBRASKA:			
3 males	1	1	-------
All living	1	1	-------
1 male, 2 females	2	2	-------
All living	2	2	-------
3 females	1	1	-------
All living	1	1	-------
NEW JERSEY:			
3 males	3	3	-------
All living	2	2	-------
All stillborn	1	1	-------
2 males, 1 female	2	2	-------
All living	2	2	-------
3 females	2	2	-------
All living	1	1	-------
All stillborn	1	1	-------
NEW MEXICO:			
3 males	1	1	-------
All living	1	1	-------
NEW YORK:			
3 males	5	5	-------
All living	4	4	-------
All stillborn	1	1	-------
2 males, 1 female	3	3	-------
All living	3	3	-------
1 male, 2 females	4	4	-------
All living	3	3	-------
All stillborn	1	1	-------
3 females	6	6	-------
All living	6	6	-------
NORTH CAROLINA:			
3 males	6	3	3
All living	4	3	1
1 living	1	-------	1
All stillborn	1	-------	1
2 males, 1 female	5	3	2
All living	2	1	1
2 living--------2M--	1	-------	1
1M,1F--	2	2	-------
1 male, 2 females	1	-------	1
2 living-----1M,1F--	1	-------	1
3 females	5	2	3
All living	4	1	3
2 living	1	1	-------

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TRIPLETS—Cont.			
OHIO:			
3 males	1	1	-------
All living	1	1	-------
2 males, 1 female	3	3	-------
All living	2	2	-------
2 living---1M,1F--	1	1	-------
1 male, 2 females	3	2	1
All living	3	2	1
3 females	2	2	-------
All living	1	1	-------
2 living	1	1	-------
OKLAHOMA:			
3 males	1	1	-------
All living	1	1	-------
2 males, 1 female	2	2	-------
All living	2	2	-------
1 male, 2 females	1	1	-------
All living	1	1	-------
OREGON:			
1 male, 2 females	2	2	-------
All living	2	2	-------
PENNSYLVANIA:			
3 males	9	7	2
All living	8	7	1
All stillborn	1	-------	1
2 males, 1 female	2	2	-------
All living	1	1	-------
2 living------2M--	1	1	-------
1 male, 2 females	3	2	1
All living	2	2	-------
2 living---1M,1F--	1	-------	1
3 females	4	4	-------
All living	2	2	-------
2 living	2	2	-------
RHODE ISLAND:			
2 males, 1 female	1	1	-------
All living	1	1	-------
3 females	1	1	-------
All living	1	1	-------
SOUTH CAROLINA:			
3 males	1	1	-------
All living	1	1	-------
2 males, 1 female	2	1	1
All living	2	1	1
3 females	4	1	3
All living	4	1	3
SOUTH DAKOTA:			
3 males	1	1	-------
2 living	1	1	-------
TENNESSEE:			
3 males	3	2	1
All living	2	1	1
All stillborn	1	1	-------

AREA AND SEX	PLURAL BIRTHS		
	Total	White	Other races
CASES OF TRIPLETS—Cont.			
TENNESSEE—Continued			
2 males, 1 female	3	3	-------
All living	2	2	-------
1 living-------M--	1	1	-------
1 male, 2 females	1	-------	1
All living	1	-------	1
3 females	5	5	-------
All living	3	3	-------
1 living	2	2	-------
TEXAS:			
3 males	5	4	1
All living	4	3	1
1 living	1	1	-------
2 males, 1 female	2	1	1
All living	2	1	1
1 male, 2 females	4	4	-------
All living	4	4	-------
3 females	4	1	3
All living	4	1	3
VIRGINIA:			
3 males	1	1	-------
All living	1	1	-------
2 males, 1 female	1	1	-------
All living	1	1	-------
1 male, 2 females	1	1	-------
All living	1	1	-------
3 females	1	1	-------
All living	1	1	-------
WASHINGTON:			
3 males	1	1	-------
All living	1	1	-------
2 males, 1 female	1	1	-------
All living	1	1	-------
3 females	2	2	-------
All living	2	2	-------
WEST VIRGINIA:			
3 males	3	3	-------
All living	1	1	-------
All stillborn	2	2	-------
2 males, 1 female	1	1	-------
All living	1	1	-------
1 male, 2 females	3	3	-------
All living	3	3	-------
WISCONSIN:			
3 males	2	2	-------
All living	1	1	-------
2 living	1	1	-------
2 males, 1 female	1	1	-------
All living	1	1	-------
1 male, 2 females	1	1	-------
All living	1	1	-------
3 females	1	1	-------
All living	1	1	-------
WYOMING:			
1 male, 2 females	1	1	-------
All living	1	1	-------

TABLE 9.—NUMBER OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY RACE, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1935

LIVING OR STILLBORN	All plural births	WHITE														Other races
		Total	Country of birth of mother													
			United States	Foreign country											Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries		
NUMBER OF TWINS																
Total	50,436	42,594	38,776	3,794	218	410	138	264	354	250	586	272	252	1,050	24	7,842
Living	46,558	39,825	36,194	3,609	204	391	120	248	334	241	571	266	239	995	22	6,733
Stillborn	3,878	2,769	2,582	185	14	19	18	16	20	9	15	6	13	55	2	1,109
Both living	44,782	38,498	34,964	3,514	196	382	112	240	326	234	562	262	236	964	20	6,284
1 living	1,776	1,327	1,230	95	8	9	8	8	8	7	9	4	3	31	2	449
Both stillborn	2,102	1,442	1,352	90	6	10	10	8	12	2	6	2	10	24	-----	660
NUMBER OF TRIPLETS																
Total	738	582	525	57	------	3	3	3	9	3	12	6	------	18	-----	156
Living	644	516	462	54	------	3	3	3	9	3	11	6	------	16	-----	128
Stillborn	94	66	63	3	------	------	------	-----	------	------	1	------	------	2	-----	28
All living	579	468	420	48	------	3	3	3	9	3	9	6	------	12	-----	111
2 living	52	40	34	6	------	------	------	-----	------	------	2	------	------	4	-----	12
1 living	13	8	8	-------	------	------	------	-----	------	------	-----	------	------	-------	-----	5
All stillborn	42	30	30	-------	------	------	------	-----	------	------	-----	------	------	-------	-----	12

TABLE 10.—STILLBIRTHS, BY MONTHS: 1935

AREA AND SEX	All stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	77,119	6,823	6,230	6,751	6,508	6,542	6,455	6,558	6,418	6,203	6,379	6,230	6,022
Male	42,658	3,750	3,388	3,714	3,580	3,608	3,587	3,650	3,577	3,447	3,497	3,471	3,319
Female	32,845	2,902	2,717	2,905	2,778	2,719	2,721	2,775	2,711	2,630	2,757	2,633	2,597
Not stated	1,616	171	125	132	150	155	147	133	130	126	125	126	106
Cities of 10,000 or more	36,173	3,112	2,884	3,101	2,929	2,978	3,065	3,141	3,018	2,963	2,998	3,035	2,949
Male	19,599	1,681	1,536	1,677	1,552	1,641	1,637	1,713	1,608	1,608	1,601	1,680	1,605
Female	15,483	1,333	1,255	1,338	1,282	1,228	1,320	1,347	1,263	1,260	1,311	1,267	1,279
Not stated	1,091	98	93	86	95	109	108	81	87	95	86	88	65
Cities of 2,500 to 10,000	8,120	733	642	713	647	680	640	738	724	655	698	618	632
Male	4,647	424	363	406	386	381	374	427	415	374	409	347	344
Female	3,373	298	273	297	251	292	260	306	304	271	281	263	277
Not stated	100	11	6	10	10	7	9	5	5	10	8	8	11
Rural	32,826	2,978	2,704	2,937	2,932	2,884	2,750	2,679	2,676	2,585	2,683	2,577	2,441
Male	18,412	1,655	1,489	1,631	1,642	1,646	1,579	1,510	1,494	1,465	1,487	1,444	1,370
Female	13,989	1,271	1,189	1,270	1,245	1,199	1,141	1,122	1,144	1,099	1,165	1,103	1,041
Not stated	425	52	26	36	45	39	30	47	38	21	31	30	30
ALABAMA	3,003	251	259	293	281	253	258	248	260	207	215	247	221
Cities of 10,000 or more	663	56	67	43	54	55	56	50	58	49	54	69	52
Cities of 2,500 to 10,000	194	21	20	19	10	13	24	14	14	17	14	19	9
Rural	2,146	184	172	231	217	185	178	184	188	141	147	159	160
ARIZONA	255	25	24	18	23	22	22	16	24	24	22	16	19
Cities of 10,000 or more	98	12	10	5	7	6	7	5	10	12	11	5	8
Cities of 2,500 to 10,000	51	4	4	4	5	3	4	3	9	4	5	3	3
Rural	106	9	10	9	11	13	11	8	5	8	6	8	8
ARKANSAS	1,350	112	126	126	128	116	119	112	96	95	95	103	122
Cities of 10,000 or more	142	7	14	11	9	12	11	18	13	8	13	11	15
Cities of 2,500 to 10,000	150	8	10	20	17	12	7	9	12	11	7	16	15
Rural	1,058	97	96	95	102	92	101	85	71	76	75	76	92
CALIFORNIA	1,957	163	147	156	171	165	156	160	191	154	150	168	176
Cities of 10,000 or more	1,226	107	86	96	111	99	86	107	126	94	91	118	105
Cities of 2,500 to 10,000	260	27	11	24	22	22	18	19	24	22	24	18	29
Rural	471	29	50	36	38	44	52	34	41	38	35	32	42
COLORADO	539	53	44	44	47	41	50	45	47	45	47	48	28
Cities of 10,000 or more	251	26	20	19	24	14	26	23	21	24	19	21	14
Cities of 2,500 to 10,000	102	10	11	13	5	10	10	7	6	6	5	14	5
Rural	186	17	13	12	18	17	14	15	20	15	23	13	9
CONNECTICUT	587	42	46	60	50	51	39	58	52	44	54	48	43
Cities of 10,000 or more	501	39	40	51	47	41	31	48	45	40	44	41	34
Cities of 2,500 to 10,000	23	1	1	2	-----	6	2	2	1	1	3	1	3
Rural	63	2	5	7	3	4	6	8	6	3	7	6	6
DELAWARE	148	12	10	16	15	11	14	9	12	12	16	10	11
Cities of 10,000 or more	77	8	4	8	7	6	8	4	6	4	11	6	5
Cities of 2,500 to 10,000	22	3	1	2	2	1	2	2	1	4	1	1	2
Rural	49	1	5	6	6	4	4	3	5	4	4	3	4
DISTRICT OF COLUMBIA	409	30	33	37	28	37	32	38	29	29	38	35	43
FLORIDA	1,573	160	115	128	117	118	103	133	145	134	148	129	143
Cities of 10,000 or more	588	62	57	45	41	35	33	56	56	55	53	40	55
Cities of 2,500 to 10,000	237	22	12	26	19	22	10	18	21	18	23	18	28
Rural	748	76	46	57	57	61	60	59	68	61	72	71	60
GEORGIA	3,877	332	316	328	343	334	313	347	352	324	350	300	238
Cities of 10,000 or more	944	93	66	62	81	74	69	90	92	96	83	73	64
Cities of 2,500 to 10,000	402	34	36	42	25	26	36	40	35	45	40	21	22
Rural	2,531	205	214	224	237	234	208	217	225	184	227	204	152
IDAHO	217	19	14	18	10	25	31	20	14	20	20	17	9
Cities of 10,000 or more	32	-----	1	3	3	5	6	1	1	1	5	3	3
Cities of 2,500 to 10,000	93	11	5	8	2	8	14	9	5	11	7	10	3
Rural	92	8	8	7	5	12	11	10	8	8	8	4	3
ILLINOIS	3,308	267	245	263	256	252	265	323	288	308	297	276	268
Cities of 10,000 or more	2,249	182	168	183	172	176	183	211	193	209	211	186	175
Cities of 2,500 to 10,000	336	24	27	26	23	26	26	41	30	20	29	31	33
Rural	723	61	50	54	61	50	56	71	65	79	57	59	60
INDIANA	1,430	147	112	124	116	118	110	114	122	125	118	118	106
Cities of 10,000 or more	761	80	56	62	61	63	63	52	77	86	67	66	48
Cities of 2,500 to 10,000	192	22	19	11	20	15	14	21	13	14	14	16	13
Rural	477	45	37	51	35	40	33	41	32	45	37	36	45
IOWA	1,105	108	85	93	89	79	98	102	82	89	105	92	83
Cities of 10,000 or more	461	42	36	42	32	33	36	36	32	39	50	42	41
Cities of 2,500 to 10,000	201	17	18	14	16	14	16	21	20	20	19	13	13
Rural	443	49	31	37	41	32	46	45	30	30	36	37	29
KANSAS	835	86	54	76	61	62	68	78	88	66	83	64	51
Cities of 10,000 or more	333	36	23	34	32	17	31	24	32	29	31	25	19
Cities of 2,500 to 10,000	145	17	10	10	7	12	10	18	13	12	17	8	11
Rural	358	33	21	31	22	33	27	36	43	25	35	31	21

TABLE 10.—STILLBIRTHS, BY MONTHS: 1935—Continued

AREA AND SEX	All still-births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY	1,915	200	143	160	164	184	185	160	144	155	139	143	138
Cities of 10,000 or more	353	41	25	24	27	34	33	24	36	29	25	25	29
Cities of 2,500 to 10,000	101	8	6	6	12	7	10	9	7	11	10	11	4
Rural	1,461	151	112	130	125	143	142	127	101	115	104	106	105
LOUISIANA	2,087	178	160	192	183	162	162	185	173	196	183	158	155
Cities of 10,000 or more	710	52	57	66	56	50	57	64	54	55	70	55	74
Cities of 2,500 to 10,000	296	29	24	23	24	15	23	27	25	36	24	20	25
Rural	1,081	97	79	103	103	96	82	94	94	105	89	83	56
MAINE	531	49	53	49	48	43	51	46	42	32	44	42	32
Cities of 10,000 or more	155	8	14	15	15	11	13	13	9	13	18	13	7
Cities of 2,500 to 10,000	73	9	1	9	8	7	6	10	7	2	1	8	5
Rural	303	32	38	24	25	25	32	23	26	12	25	21	20
MARYLAND	1,516	147	125	113	125	151	118	122	100	127	117	117	154
Cities of 10,000 or more	847	87	66	68	65	81	61	72	47	67	66	76	91
Cities of 2,500 to 10,000	134	9	11	7	14	15	8	15	10	9	16	8	12
Rural	535	51	48	38	46	55	49	35	43	51	35	33	51
MASSACHUSETTS	1,900	163	140	157	159	181	166	148	172	158	167	146	143
Cities of 10,000 or more	1,739	153	131	152	146	167	159	125	155	145	147	134	125
Cities of 2,500 to 10,000	90	6	5	2	5	7	4	12	8	8	14	8	11
Rural	71	4	4	3	8	7	3	11	9	5	6	4	7
MICHIGAN	2,717	227	214	253	246	269	231	210	208	186	211	224	238
Cities of 10,000 or more	1,749	147	138	162	159	167	148	151	124	127	124	147	155
Cities of 2,500 to 10,000	249	14	22	24	19	33	19	17	23	15	22	17	24
Rural	719	66	54	67	68	69	64	42	61	44	65	60	59
MINNESOTA	1,263	98	97	96	106	105	111	110	105	111	105	108	111
Cities of 10,000 or more	576	49	49	39	48	50	52	60	42	50	46	45	46
Cities of 2,500 to 10,000	178	10	13	14	9	15	15	14	21	14	10	20	23
Rural	509	39	35	43	49	40	44	36	42	47	49	43	42
MISSISSIPPI	2,309	180	187	214	204	173	186	196	175	193	201	207	193
Cities of 10,000 or more	345	23	32	26	30	19	21	36	34	34	24	32	34
Cities of 2,500 to 10,000	99	17	6	5	10	11	5	8	6	7	13	8	3
Rural	1,865	140	149	183	164	143	160	152	135	152	164	167	156
MISSOURI	2,206	186	169	165	178	174	190	197	204	186	187	183	187
Cities of 10,000 or more	1,028	79	81	81	67	90	85	96	90	97	85	95	82
Cities of 2,500 to 10,000	194	24	12	12	21	15	16	14	21	7	15	13	24
Rural	984	83	76	72	90	69	89	87	93	82	87	75	81
MONTANA	232	18	23	21	23	21	18	18	19	19	16	13	23
Cities of 10,000 or more	75	6	9	8	7	5	4	10	2	6	8	4	6
Cities of 2,500 to 10,000	37	4	3	5	5	5	1	------	5	3	2	1	3
Rural	120	8	11	8	11	11	13	8	12	10	6	8	14
NEBRASKA	644	64	55	56	56	53	54	63	53	47	44	52	47
Cities of 10,000 or more	211	22	16	15	13	18	18	26	19	21	17	10	16
Cities of 2,500 to 10,000	112	12	12	10	17	11	8	4	11	8	3	11	5
Rural	321	30	27	31	26	24	28	33	23	18	24	31	26
NEVADA	31	2	1	3	4	2	4	4	3	1	4	2	1
Cities of 10,000 or more	1	-----	------	-----	-----	-----	1	------	------	------	-----	------	------
Cities of 2,500 to 10,000	5	-----	------	-----	1	-----	------	2	------	------	2	------	------
Rural	25	2	1	3	3	2	3	2	3	1	2	2	1
NEW HAMPSHIRE	265	25	23	25	25	15	24	19	21	26	20	19	23
Cities of 10,000 or more	154	17	12	13	16	8	16	8	13	13	15	8	15
Cities of 2,500 to 10,000	27	3	3	5	2	2	2	2	2	3	1	2	------
Rural	84	5	8	7	7	5	6	9	6	10	4	9	8
NEW JERSEY	1,857	156	155	155	165	151	164	150	136	165	159	146	155
Cities of 10,000 or more	1,534	129	129	128	137	121	137	125	112	140	125	123	128
Cities of 2,500 to 10,000	168	16	13	13	13	18	13	17	10	16	16	10	13
Rural	155	11	13	14	15	12	14	8	14	9	18	13	14
NEW MEXICO	379	18	41	30	33	40	29	30	36	38	30	25	29
Cities of 10,000 or more	65	5	5	5	5	7	3	9	4	7	7	2	6
Cities of 2,500 to 10,000	93	3	13	4	4	7	10	7	13	10	6	5	11
Rural	221	10	23	21	24	26	16	14	19	21	17	18	12
NEW YORK	7,326	636	641	633	596	594	654	634	631	526	592	634	555
Cities of 10,000 or more	6,397	546	547	573	514	512	586	540	554	458	515	563	489
Cities of 2,500 to 10,000	314	28	28	21	31	25	22	38	26	18	27	26	21
Rural	615	62	66	39	51	54	46	56	51	50	50	45	45
NORTH CAROLINA	3,255	306	276	326	312	303	282	275	276	234	272	213	180
Cities of 10,000 or more	784	77	61	81	66	62	81	76	68	52	56	48	56
Cities of 2,500 to 10,000	380	34	29	48	38	33	29	34	38	23	35	23	16
Rural	2,091	195	186	197	208	208	172	165	170	159	181	142	108

TABLE 10.—STILLBIRTHS, BY MONTHS: 1935—Continued

AREA AND SEX	All stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA	350	31	31	34	36	28	22	36	21	27	39	25	20
Cities of 10,000 or more	76	7	3	9	6	6	6	10	3	3	10	7	6
Cities of 2,500 to 10,000	51	3	6	5	7	6	1	7	2	5	3	2	4
Rural	223	21	22	20	23	16	15	19	16	19	26	16	10
OHIO	3,225	301	244	289	270	208	297	255	289	256	241	252	263
Cities of 10,000 or more	2,077	180	150	194	169	173	195	174	189	157	157	161	178
Cities of 2,500 to 10,000	330	29	23	30	33	25	31	26	30	29	30	24	20
Rural	818	92	71	65	68	70	71	55	70	70	54	67	65
OKLAHOMA	1,259	113	95	121	103	98	98	96	105	112	98	102	128
Cities of 10,000 or more	356	24	28	31	27	27	32	33	26	38	23	22	45
Cities of 2,500 to 10,000	259	28	13	25	22	13	20	18	27	20	24	21	28
Rural	654	61	54	65	54	58	46	45	52	54	51	59	55
OREGON	295	28	28	12	29	27	36	30	28	22	18	17	20
Cities of 10,000 or more	142	8	9	7	15	15	16	14	9	14	12	11	12
Cities of 2,500 to 10,000	77	12	12	2	8	9	5	7	8	4	1	4	5
Rural	76	8	7	3	6	3	15	9	11	4	5	2	3
PENNSYLVANIA	5,212	462	418	459	442	422	458	415	399	399	474	445	419
Cities of 10,000 or more	2,939	262	226	248	250	238	250	264	217	223	257	254	250
Cities of 2,500 to 10,000	710	63	60	59	58	52	65	57	56	62	76	53	49
Rural	1,563	137	132	152	134	132	143	94	126	114	141	138	120
RHODE ISLAND	293	19	22	28	34	24	15	26	33	28	20	22	22
Cities of 10,000 or more	265	18	20	26	28	21	14	25	30	23	19	21	20
Cities of 2,500 to 10,000	7	-----	------	1	2	1	------	------	1	1	-----	1	-------
Rural	21	1	2	1	4	2	1	1	2	4	1	------	2
SOUTH CAROLINA	2,474	211	190	232	224	239	193	192	203	227	190	181	192
Cities of 10,000 or more	449	43	33	41	40	31	40	36	45	44	34	32	30
Cities of 2.500 to 10,000	239	19	18	21	17	21	21	20	27	23	18	15	19
Rural	1,786	149	139	170	167	187	132	136	131	160	138	134	143
SOUTH DAKOTA	342	29	27	25	24	39	30	26	21	36	40	26	19
Cities of 10,000 or more	83	2	8	5	11	6	11	6	5	7	9	7	6
Cities of 2,500 to 10,000	41	3	4	4	1	5	4	2	2	5	7	2	2
Rural	218	24	15	16	12	28	15	18	14	24	24	17	11
TENNESSEE	2,159	209	179	211	160	171	180	180	160	179	185	165	160
Cities of 10,000 or more	681	55	55	71	44	50	57	52	50	74	60	58	55
Cities of 2,500 to 10,000	178	19	12	22	10	9	9	18	26	15	11	11	15
Rural	1,300	135	112	118	106	112	114	110	104	89	114	96	90
TEXAS	4,370	419	337	367	315	389	331	416	351	348	370	383	344
Cities of 10,000 or more	1,540	130	121	124	109	142	122	141	125	121	127	157	121
Cities of 2,500 to 10,000	548	56	42	47	33	50	42	61	43	40	54	42	38
Rural	2,282	233	174	196	173	197	167	214	183	187	189	184	185
UTAH	274	21	24	17	24	24	23	21	35	17	19	23	26
Cities of 10,000 or more	119	8	11	8	8	10	10	12	11	10	10	10	11
Cities of 2,500 to 10,000	62	6	3	4	8	3	7	6	11	2	1	4	7
Rural	93	7	10	5	8	11	6	3	13	5	8	9	8
VERMONT	189	16	17	11	11	19	20	18	10	19	18	12	18
Cities of 10,000 or more	46	2	2	4	3	6	5	6	1	4	6	2	5
Cities of 2,500 to 10,000	43	2	8	2	1	1	2	3	3	10	4	2	5
Rural	100	12	7	5	7	12	13	9	6	5	8	8	8
VIRGINIA	2,182	204	177	193	209	190	167	168	164	187	156	172	195
Cities of 10,000 or more	690	60	53	57	56	64	53	56	51	71	44	57	68
Cities of 2,500 to 10,000	157	6	13	22	10	15	10	10	15	9	12	15	20
Rural	1,335	138	111	114	143	111	104	102	98	107	100	100	107
WASHINGTON	476	47	39	41	31	38	42	44	41	43	32	45	33
Cities of 10,000 or more	332	33	27	29	21	23	28	30	27	32	18	34	30
Cities of 2,500 to 10,000	45	3	3	4	2	6	3	3	6	4	3	5	3
Rural	99	11	9	8	8	9	11	11	8	7	11	6	-------
WEST VIRGINIA	1,645	123	157	153	127	140	130	157	133	132	133	137	123
Cities of 10,000 or more	332	9	35	30	16	36	30	34	26	30	34	30	22
Cities of 2,500 to 10,000	207	16	19	18	13	20	19	25	13	17	16	21	10
Rural	1,106	98	103	105	98	84	81	98	94	85	83	86	91
WISCONSIN	1,251	115	103	121	101	110	99	102	95	90	93	115	107
Cities of 10,000 or more	576	50	48	57	45	53	43	49	47	39	49	47	49
Cities of 2,500 to 10,000	195	20	14	17	14	21	17	21	14	13	12	15	17
Rural	480	45	41	47	42	36	39	32	34	38	32	53	41
WYOMING	86	5	9	10	6	11	7	6	10	5	4	5	8
Cities of 10,000 or more	12	-----	2	2	1	2	------	1	2	-------	-----	1	1
Cities of 2,500 to 10,000	13	1	------	1	2	3	------	------	3	-------	1	1	1
Rural	61	4	7	7	3	6	7	5	5	5	3	3	6

TABLE 10.—STILLBIRTHS, BY MONTHS: 1935—Continued

AREA AND SEX	All stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Cities having 100,000 or more inhabitants in 1930													
Birmingham, Ala.	259	16	26	16	20	15	17	26	25	20	28	31	19
Long Beach, Calif.	56	5	2	3	7	2	1	4	7	5	7	9	4
Los Angeles, Calif.	413	33	29	28	35	35	30	35	35	35	43	40	35
Oakland, Calif.	109	7	9	10	10	11	6	8	15	5	8	15	5
San Diego, Calif.	91	10	3	7	8	9	6	9	11	8	3	6	11
San Francisco, Calif.	146	16	14	14	13	12	5	14	14	10	7	13	14
Denver, Colo.	167	13	14	12	18	9	17	14	15	18	14	15	8
Bridgeport, Conn.	71	5	6	6	13	5	6	8	6	4	6	3	3
Hartford, Conn.	99	8	11	8	9	10	6	10	7	8	6	8	8
New Haven, Conn.	64	5	1	8	11	5	8	3	3	4	5	5	6
Wilmington, Del.	77	8	4	8	7	6	8	4	6	4	11	6	5
Washington, D. C.	409	30	33	37	28	37	32	38	29	29	38	35	43
Jacksonville, Fla.	184	25	15	17	7	8	14	13	20	22	14	14	15
Miami, Fla.	89	7	6	3	9	5	5	12	8	10	8	8	8
Tampa, Fla.	77	6	14	7	10	6	4	5	5	2	6	2	10
Atlanta, Ga.	280	28	19	14	28	13	24	28	25	35	24	17	25
Chicago, Ill.	1,342	115	105	113	117	100	106	127	116	102	123	117	101
Peoria, Ill.	57	5	6	3	3	2	4	5	7	6	8	1	7
Evansville, Ind.	60	7	5	6	7	4	3	------	3	6	7	5	7
Fort Wayne, Ind.	47	8	3	2	4	3	5	2	5	4	3	6	2
Gary, Ind.	57	7	4	3	3	6	5	5	5	5	8	4	2
Indianapolis, Ind.	167	15	13	14	6	15	17	14	16	14	14	21	8
South Bend, Ind.	22	3	3	-----	2	2	4	2	------	3	1	2	------
Des Moines, Iowa	89	11	7	5	8	9	5	4	7	7	8	10	8
Kansas City, Kans.	77	7	6	4	7	3	10	6	6	5	10	8	5
Wichita, Kans.	52	7	3	7	6	2	4	3	4	7	2	5	2
Louisville, Ky.	175	21	11	13	10	21	10	16	23	11	9	14	16
New Orleans, La.	393	30	21	40	34	26	27	33	27	39	37	32	47
Baltimore, Md.	681	76	47	53	56	61	52	56	42	60	50	59	69
Boston, Mass.	385	38	34	30	30	34	40	23	30	28	34	33	31
Cambridge, Mass.	57	3	4	3	8	5	5	4	7	2	6	------	10
Fall River, Mass.	74	9	7	7	8	5	7	5	5	6	5	5	5
Lowell, Mass.	54	4	2	5	5	7	3	1	6	7	5	2	7
Lynn, Mass.	46	1	3	7	2	6	7	5	3	2	5	3	2
New Bedford, Mass.	73	6	6	3	3	6	5	1	4	13	10	9	7
Somerville, Mass.	47	2	2	4	3	8	5	5	1	5	6	2	4
Springfield, Mass.	72	7	7	7	1	7	5	7	9	8	5	5	4
Worcester, Mass.	123	10	12	16	7	11	10	11	14	10	5	8	9
Detroit, Mich.	800	65	65	73	70	82	70	75	51	62	59	68	60
Flint, Mich.	124	7	14	12	4	17	8	11	9	6	8	14	14
Grand Rapids, Mich.	98	9	8	6	11	9	10	8	7	5	6	9	10
Duluth, Minn.	67	3	5	3	9	7	10	6	5	3	4	9	3
Minneapolis, Minn.	236	21	25	19	17	22	22	24	16	18	17	13	22
St. Paul, Minn.	139	12	10	10	14	14	12	17	6	13	10	10	11
Kansas City, Mo.	170	9	19	17	12	15	5	13	13	19	20	14	14
St. Louis, Mo.	631	48	49	47	34	56	63	64	57	57	50	63	43
Omaha, Nebr.	126	8	8	7	8	11	14	20	8	13	12	7	10
Camden, N. J.	132	11	15	10	13	7	13	12	9	15	8	11	8
Elizabeth, N. J.	81	1	8	10	6	10	5	5	7	5	6	6	12
Jersey City, N. J.	251	24	22	18	18	14	20	21	23	25	21	19	26
Newark, N. J.	274	23	23	28	23	23	29	19	20	25	24	16	21
Paterson, N. J.	79	9	6	5	11	9	6	3	2	11	5	9	3
Trenton, N. J.	77	6	5	5	7	4	8	7	6	6	7	7	9
Albany, N. Y.	42	3	3	5	3	6	3	2	5	4	3	4	1
Buffalo, N. Y.	361	34	40	25	25	24	35	24	34	26	32	38	24
New York, N. Y.	4,754	410	407	436	398	384	431	412	394	346	385	397	354
Bronx Borough	637	53	65	56	56	50	63	47	49	40	59	54	45
Brooklyn Borough	1,821	148	149	176	171	155	159	171	149	125	126	154	138
Manhattan Borough	1,794	166	152	153	140	139	159	148	150	141	157	158	131
Queens Borough	417	34	33	42	28	34	45	43	33	30	39	26	30
Richmond Borough	85	9	8	9	3	6	5	3	13	10	4	5	10
Rochester, N. Y.	123	11	5	10	12	10	11	8	17	3	7	17	12
Syracuse, N. Y.	127	11	11	8	6	14	16	8	15	8	10	12	8
Utica, N. Y.	50	6	4	4	4	5	5	5	6	1	2	6	2
Yonkers, N. Y.	54	3	4	4	5	1	2	6	4	3	4	7	11
Akron, Ohio	127	10	10	10	9	8	21	15	10	6	10	11	7
Canton, Ohio	42	3	3	6	2	4	4	2	6	3	1	2	6
Cincinnati, Ohio	267	20	20	17	29	15	26	27	23	22	22	21	25
Cleveland, Ohio	451	37	31	47	33	42	48	36	34	27	36	39	41
Columbus, Ohio	163	13	15	17	10	15	14	15	11	14	12	13	14
Dayton, Ohio	101	9	9	15	11	5	6	6	11	8	4	9	8
Toledo, Ohio	132	8	10	17	17	16	11	11	16	5	9	3	9
Youngstown, Ohio	119	8	4	7	11	12	10	7	18	11	12	12	7
Oklahoma City, Okla.	113	7	10	8	13	6	8	16	7	9	7	12	10
Tulsa, Okla.	76	3	4	9	5	4	10	5	8	10	6	3	9
Portland, Oreg.	101	8	4	2	9	11	10	13	8	11	7	7	11
Erie, Pa.	65	4	1	11	4	3	2	5	5	3	8	9	10
Philadelphia, Pa.	894	77	80	68	60	68	76	92	72	61	73	83	84
Pittsburgh, Pa.	370	38	31	35	28	28	26	38	27	28	29	34	28
Reading, Pa.	54	4	3	2	9	1	4	4	4	6	9	3	5
Scranton, Pa.	98	12	7	9	10	21	9	2	4	10	5	6	3
Providence, R. I.	137	10	11	15	11	11	11	15	14	12	9	11	7
Chattanooga, Tenn.	137	19	9	20	10	7	9	13	9	9	12	11	9
Knoxville, Tenn.	91	4	6	14	4	6	11	7	10	6	13	6	4
Memphis, Tenn.	218	11	21	13	13	14	17	19	16	34	20	22	18
Nashville, Tenn.	163	13	10	19	11	17	11	10	14	20	10	8	20
Dallas, Tex.	202	20	10	14	14	16	20	17	16	17	20	24	14
El Paso, Tex.	96	6	14	14	7	7	8	12	5	4	5	7	7
Fort Worth, Tex.	92	9	5	11	8	10	6	7	3	7	7	8	11
Houston, Tex.	199	15	11	14	12	19	16	21	20	15	16	23	17
San Antonio, Tex.	252	24	24	24	16	18	19	24	19	22	20	23	19
Salt Lake City, Utah	87	7	7	6	6	10	8	9	6	6	8	9	5
Norfolk, Va.	155	16	10	12	10	13	13	16	10	14	9	14	18
Richmond, Va.	155	8	10	20	12	18	14	12	10	14	6	16	15
Seattle, Wash.	112	11	10	9	11	8	10	10	10	7	8	8	10
Spokane, Wash.	46	2	3	5	2	4	4	5	3	3	4	6	5
Tacoma, Wash.	29	4	4	-----	1	4	1	3	2	5	1	1	3
Milwaukee, Wis.	196	14	14	21	18	16	17	14	22	10	18	13	19

TABLE 11.—STILLBIRTHS, BY RACE, AND PARENT NATIVITY OF WHITE: 1935

AREA AND SEX	All stillbirths	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
United States	77,119	58,767	47,801	4,324	179	4,684	1,692	87	18,352	18,063	208	16	44	21
Male	42,658	32,407	26,526	2,299	109	2,542	890	41	10,251	10,102	109	5	24	11
Female	32,845	25,076	20,361	1,874	65	2,000	737	39	7,769	7,631	98	10	20	10
Not stated	1,616	1,284	914	151	5	142	65	7	332	330	1	1	------	-----
Cities of 10,000 or more	36,173	29,594	21,616	3,412	92	3,484	920	70	6,579	6,501	21	16	26	15
Male	19,599	15,961	11,736	1,799	55	1,880	458	33	3,638	3,607	8	5	13	5
Female	15,483	12,714	9,292	1,471	33	1,472	416	30	2,769	2,723	13	10	13	10
Not stated	1,091	919	588	142	4	132	46	7	172	171	------	1	------	-----
Cities of 2,500 to 10,000	8,120	6,707	5,850	303	19	360	171	4	1,413	1,380	27	-----	4	2
Male	4,647	3,824	3,337	168	13	201	104	1	823	803	15	-----	3	2
Female	3,373	2,798	2,438	130	6	157	64	3	575	562	12	-----	1	-----
Not stated	100	85	75	5	-----	2	3	-----	15	15	------	-----	------	-----
Rural	32,826	22,466	20,335	609	68	840	601	13	10,360	10,182	160	-----	14	4
Male	18,412	12,622	11,453	332	41	461	328	7	5,790	5,692	86	-----	8	4
Female	13,989	9,564	8,631	273	26	371	257	6	4,425	4,346	73	-----	6	-----
Not stated	425	280	251	4	1	8	16	-----	145	144	1	-----	------	-----
ALABAMA	3,003	1,297	1,222	1	4	11	59	-----	1,706	1,706	------	-----	------	-----
Cities of 10,000 or more	663	279	256	1	1	6	15	-----	384	384	------	-----	------	-----
Cities of 2,500 to 10,000	194	113	105	-----	1	-----	7	-----	81	81	------	-----	------	-----
Rural	2,146	905	861	-----	2	5	37	-----	1,241	1,241	------	-----	------	-----
ARIZONA	255	222	126	43	1	43	9	-----	33	11	21	1	------	-----
Cities of 10,000 or more	98	89	55	9	1	17	7	-----	9	8	------	1	------	-----
Cities of 2,500 to 10,000	51	47	27	12	-----	8	-----	-----	4	3	1	-----	------	-----
Rural	106	86	44	22	-----	18	2	-----	20	-----	20	-----	------	-----
ARKANSAS	1,350	785	759	-----	2	3	21	-----	565	565	------	-----	------	-----
Cities of 10,000 or more	142	87	83	-----	-----	-----	4	-----	55	55	------	-----	------	-----
Cities of 2,500 to 10,000	150	77	75	-----	1	-----	1	-----	73	73	------	-----	------	-----
Rural	1,058	621	601	-----	1	3	16	-----	437	437	------	-----	------	-----
CALIFORNIA	1,957	1,859	1,281	284	-----	269	23	2	98	37	9	7	33	12
Cities of 10,000 or more	1,226	1,162	812	146	-----	184	18	2	64	30	------	7	20	7
Cities of 2,500 to 10,000	260	252	176	40	-----	34	2	-----	8	1	3	-----	2	2
Rural	471	445	293	98	-----	51	3	-----	26	6	6	-----	11	3
COLORADO	539	533	402	27	21	48	33	2	6	5	1	-----	------	-----
Cities of 10,000 or more	251	246	179	7	17	21	21	1	5	5	------	-----	------	-----
Cities of 2,500 to 10,000	102	102	84	2	1	9	6	-----	-----	-----	------	-----	------	-----
Rural	186	185	139	18	3	18	6	1	1	-----	1	-----	------	-----
CONNECTICUT	587	564	351	116	-----	85	12	-----	23	23	------	-----	------	-----
Cities of 10,000 or more	501	479	302	100	-----	68	9	-----	22	22	------	-----	------	-----
Cities of 2,500 to 10,000	23	23	11	4	-----	6	2	-----	-----	-----	------	-----	------	-----
Rural	63	62	38	12	-----	11	1	-----	1	1	------	-----	------	-----
DELAWARE	148	101	86	3	-----	8	4	-----	47	47	------	-----	------	-----
Cities of 10,000 or more	77	59	46	3	-----	7	3	-----	18	18	------	-----	------	-----
Cities of 2,500 to 10,000	22	14	14	-----	-----	-----	-----	-----	8	8	------	-----	------	-----
Rural	49	28	26	-----	-----	1	1	-----	21	21	------	-----	------	-----
DISTRICT OF COLUMBIA	409	222	182	8	3	18	10	1	187	187	------	-----	------	-----
FLORIDA	1,573	721	666	8	1	21	24	1	852	852	------	-----	------	-----
Cities of 10,000 or more	588	261	228	4	-----	17	11	1	327	327	------	-----	------	-----
Cities of 2,500 to 10,000	237	114	108	3	1	-----	2	-----	123	123	------	-----	------	-----
Rural	748	346	330	1	-----	4	11	-----	402	402	------	-----	------	-----
GEORGIA	3,877	1,477	1,417	3	1	7	49	-----	2,400	2,399	------	1	------	-----
Cities of 10,000 or more	944	395	373	3	1	5	13	-----	549	548	------	1	------	-----
Cities of 2,500 to 10,000	402	182	175	-----	-----	2	5	-----	220	220	------	-----	------	-----
Rural	2,531	900	869	-----	-----	-----	31	-----	1,631	1,631	------	-----	------	-----
IDAHO	217	215	189	2	2	17	4	1	2	-----	2	-----	------	-----
Cities of 10,000 or more	32	32	27	-----	-----	5	-----	-----	-----	-----	------	-----	------	-----
Cities of 2,500 to 10,000	93	92	83	2	1	4	2	-----	1	-----	1	-----	------	-----
Rural	92	91	79	-----	1	8	2	1	1	-----	1	-----	------	-----
ILLINOIS	3,308	3,064	2,428	251	12	294	76	3	244	242	------	-----	------	2
Cities of 10,000 or more	2,249	2,037	1,467	229	10	273	56	2	212	210	------	-----	------	2
Cities of 2,500 to 10,000	336	324	292	15	1	9	7	-----	12	12	------	-----	------	-----
Rural	723	703	669	7	1	12	13	1	20	20	------	-----	------	-----
INDIANA	1,430	1,345	1,240	30	1	45	29	-----	85	85	------	-----	------	-----
Cities of 10,000 or more	761	680	599	29	1	35	16	-----	81	81	------	-----	------	-----
Cities of 2,500 to 10,000	192	190	181	1	-----	5	3	-----	2	2	------	-----	------	-----
Rural	477	475	460	-----	-----	5	10	-----	2	2	------	-----	------	-----
IOWA	1,105	1,092	982	17	1	46	44	2	13	13	------	-----	------	-----
Cities of 10,000 or more	461	451	393	8	1	18	30	1	10	10	------	-----	------	-----
Cities of 2,500 to 10,000	201	200	182	4	-----	10	4	-----	1	1	------	-----	------	-----
Rural	443	441	407	5	-----	18	10	1	2	2	------	-----	------	-----
KANSAS	836	778	712	18	4	24	16	4	58	58	------	-----	------	-----
Cities of 10,000 or more	333	287	257	11	1	5	10	-----	46	46	------	-----	------	-----
Cities of 2,500 to 10,000	145	143	135	1	2	2	2	1	2	2	------	-----	------	-----
Rural	358	348	320	6	1	14	4	3	10	10	------	-----	------	-----

TABLE 11.—STILLBIRTHS, BY RACE, AND PARENT NATIVITY OF WHITE: 1935—Continued

AREA AND SEX	All stillbirths	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
KENTUCKY	1,915	1,737	1,710	4	-----	4	19	-----	178	178	-----	-----	-----	-----
Cities of 10,000 or more	353	288	278	2	-----	2	6	-----	65	65	-----	-----	-----	-----
Cities of 2,500 to 10,000	101	82	81	1	-----	-----	-----	-----	19	19	-----	-----	-----	-----
Rural	1,461	1,367	1,351	1	-----	2	13	-----	94	94	-----	-----	-----	-----
LOUISIANA	2,087	830	785	6	5	15	18	1	1,257	1,254	2	-----	-----	1
Cities of 10,000 or more	710	331	304	5	3	5	13	1	379	379	-----	-----	-----	-----
Cities of 2,500 to 10,000	296	118	112	-----	-----	3	3	-----	178	178	-----	-----	-----	-----
Rural	1,081	381	369	1	2	7	2	-----	700	697	2	-----	-----	1
MAINE	531	530	402	26	-----	89	12	1	1	-----	1	-----	-----	-----
Cities of 10,000 or more	155	155	109	11	-----	33	2	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	73	72	57	5	-----	9	1	-----	1	-----	1	-----	-----	-----
Rural	303	303	236	10	-----	47	9	1	-----	-----	-----	-----	-----	-----
MARYLAND	1,516	1,022	916	28	-----	48	29	1	494	493	-----	-----	-----	1
Cities of 10,000 or more	847	585	501	26	-----	39	19	-----	262	261	-----	-----	-----	1
Cities of 2,500 to 10,000	134	100	93	-----	-----	3	4	-----	34	34	-----	-----	-----	-----
Rural	535	337	322	2	-----	6	6	1	198	198	-----	-----	-----	-----
MASSACHUSETTS	1,900	1,878	1,119	325	2	347	75	9	22	20	1	1	-----	-----
Cities of 10,000 or more	1,739	1,718	1,017	303	2	321	66	9	21	19	1	1	-----	-----
Cities of 2,500 to 10,000	90	89	55	14	-----	16	4	-----	1	1	-----	-----	-----	-----
Rural	71	71	47	9	-----	10	5	-----	-----	-----	-----	-----	-----	-----
MICHIGAN	2,717	2,565	1,935	227	3	341	56	3	152	145	7	-----	-----	-----
Cities of 10,000 or more	1,749	1,611	1,124	180	1	267	36	3	138	136	2	-----	-----	-----
Cities of 2,500 to 10,000	249	246	208	16	1	16	5	-----	3	3	-----	-----	-----	-----
Rural	719	708	603	31	1	58	15	-----	11	6	5	-----	-----	-----
MINNESOTA	1,263	1,249	1,018	50	1	127	50	3	14	3	10	-----	-----	1
Cities of 10,000 or more	576	573	433	32	-----	70	35	3	3	1	1	-----	-----	1
Cities of 2,500 to 10,000	178	177	154	4	-----	15	4	-----	1	1	-----	-----	-----	-----
Rural	509	499	431	14	1	42	11	-----	10	1	9	-----	-----	-----
MISSISSIPPI	2,309	675	664	-----	-----	1	10	-----	1,634	1,634	-----	-----	-----	-----
Cities of 10,000 or more	345	139	136	-----	-----	1	2	-----	206	206	-----	-----	-----	-----
Cities of 2,500 to 10,000	99	49	49	-----	-----	-----	-----	-----	50	50	-----	-----	-----	-----
Rural	1,865	487	479	-----	-----	-----	8	-----	1,378	1,378	-----	-----	-----	-----
MISSOURI	2,206	1,923	1,763	23	1	46	89	1	283	280	1	1	-----	1
Cities of 10,000 or more	1,028	811	691	22	1	36	60	1	217	214	1	1	-----	1
Cities of 2,500 to 10,000	194	176	170	1	-----	2	3	-----	18	18	-----	-----	-----	-----
Rural	984	936	902	-----	-----	8	26	-----	48	48	-----	-----	-----	-----
MONTANA	232	219	170	11	-----	32	6	-----	13	-----	12	-----	1	-----
Cities of 10,000 or more	75	75	57	5	-----	9	4	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	37	35	28	1	-----	6	-----	-----	2	-----	1	-----	1	-----
Rural	120	109	85	5	-----	17	2	-----	11	-----	11	-----	-----	-----
NEBRASKA	644	629	553	19	1	42	14	-----	15	8	7	-----	-----	-----
Cities of 10,000 or more	211	203	167	8	-----	19	9	-----	8	8	-----	-----	-----	-----
Cities of 2,500 to 10,000	112	112	100	5	-----	5	2	-----	-----	-----	-----	-----	-----	-----
Rural	321	314	286	6	1	18	3	-----	7	-----	7	-----	-----	-----
NEVADA	31	30	23	3	-----	3	1	-----	1	-----	1	-----	-----	-----
Cities of 10,000 or more	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	5	5	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rural	25	24	17	3	-----	3	1	-----	1	-----	1	-----	-----	-----
NEW HAMPSHIRE	265	265	186	12	-----	49	17	1	-----	-----	-----	-----	-----	-----
Cities of 10,000 or more	154	154	102	8	-----	34	9	1	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	27	27	24	1	-----	1	1	-----	-----	-----	-----	-----	-----	-----
Rural	84	84	60	3	-----	14	7	-----	-----	-----	-----	-----	-----	-----
NEW JERSEY	1,857	1,635	1,083	265	5	236	43	3	222	222	-----	-----	-----	-----
Cities of 10,000 or more	1,534	1,349	870	231	3	210	32	3	185	185	-----	-----	-----	-----
Cities of 2,500 to 10,000	168	148	108	22	-----	12	6	-----	20	20	-----	-----	-----	-----
Rural	155	138	105	12	2	14	5	-----	17	17	-----	-----	-----	-----
NEW MEXICO	379	378	321	14	-----	20	22	1	1	1	-----	-----	-----	-----
Cities of 10,000 or more	65	64	59	1	-----	3	1	-----	1	1	-----	-----	-----	-----
Cities of 2,500 to 10,000	93	93	72	6	-----	6	8	1	-----	-----	-----	-----	-----	-----
Rural	221	221	190	7	-----	11	13	-----	-----	-----	-----	-----	-----	-----
NEW YORK	7,326	6,629	3,949	1,415	42	1,026	171	26	697	682	9	3	1	2
Cities of 10,000 or more	6,397	5,740	3,246	1,343	42	940	143	26	657	647	4	3	1	2
Cities of 2,500 to 10,000	314	300	215	36	-----	38	11	-----	14	14	-----	-----	-----	-----
Rural	615	589	488	36	-----	48	17	-----	26	21	5	-----	-----	-----
NORTH CAROLINA	3,255	1,634	1,553	1	54	8	18	-----	1,621	1,596	25	-----	-----	-----
Cities of 10,000 or more	784	342	323	1	1	6	11	-----	442	442	-----	-----	-----	-----
Cities of 2,500 to 10,000	380	245	235	-----	9	1	-----	-----	135	128	7	-----	-----	-----
Rural	2,091	1,047	995	-----	44	1	7	-----	1,044	1,026	18	-----	-----	-----

TABLE 11.—STILLBIRTHS, BY RACE, AND PARENT NATIVITY OF WHITE: 1935—Continued

AREA AND SEX	All still-births	WHITE							OTHER RACES					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Minor races
			Native	Foreign	Unknown	Native and foreign	Native and unknown	Foreign and unknown						
NORTH DAKOTA	350	337	241	24	-----	58	14	-----	13	-----	13	-----	-----	-----
Cities of 10,000 or more	76	76	52	3	-----	13	8	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	51	51	39	-----	-----	11	1	-----	-----	-----	-----	-----	-----	-----
Rural	223	210	150	21	-----	34	5	-----	13	-----	13	-----	-----	-----
OHIO	3,225	2,903	2,472	162	-----	190	76	3	322	322	-----	-----	-----	-----
Cities of 10,000 or more	2,077	1,801	1,467	132	-----	161	38	3	276	276	-----	-----	-----	-----
Cities of 2,500 to 10,000	330	313	288	11	-----	6	8	-----	17	17	-----	-----	-----	-----
Rural	818	789	717	19	-----	23	30	-----	29	29	-----	-----	-----	-----
OKLAHOMA	1,269	1,100	1,068	4	1	7	20	-----	169	121	48	-----	-----	-----
Cities of 10,000 or more	356	291	281	1	1	3	5	-----	65	55	10	-----	-----	-----
Cities of 2,500 to 10,000	259	230	222	1	-----	3	4	-----	29	17	12	-----	-----	-----
Rural	654	579	565	2	-----	1	11	-----	75	49	26	-----	-----	-----
OREGON	295	286	248	11	-----	24	3	-----	9	3	3	1	2	-----
Cities of 10,000 or more	142	137	117	8	-----	11	1	-----	5	3	-----	1	1	-----
Cities of 2,500 to 10,000	77	76	67	2	-----	5	2	-----	1	-----	1	-----	-----	-----
Rural	76	73	64	1	-----	8	-----	-----	3	-----	2	-----	1	-----
PENNSYLVANIA	5,212	4,809	3,901	406	2	406	91	3	403	402	-----	-----	-----	1
Cities of 10,000 or more	2,939	2,591	2,014	256	1	270	49	1	348	347	-----	-----	-----	1
Cities of 2,500 to 10,000	710	697	576	50	-----	49	21	1	13	13	-----	-----	-----	-----
Rural	1,563	1,521	1,311	100	1	87	21	1	42	42	-----	-----	-----	-----
RHODE ISLAND	293	286	164	54	-----	59	9	-----	7	7	-----	-----	-----	-----
Cities of 10,000 or more	265	258	146	49	-----	56	7	-----	7	7	-----	-----	-----	-----
Cities of 2,500 to 10,000	7	7	5	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rural	21	21	13	3	-----	3	2	-----	-----	-----	-----	-----	-----	-----
SOUTH CAROLINA	2,474	722	692	-----	-----	1	29	-----	1,752	1,751	1	-----	-----	-----
Cities of 10,000 or more	449	139	132	-----	-----	1	6	-----	310	310	-----	-----	-----	-----
Cities of 2,500 to 10,000	239	95	92	-----	-----	-----	3	-----	144	144	-----	-----	-----	-----
Rural	1,786	488	468	-----	-----	-----	20	-----	1,298	1,297	1	-----	-----	-----
SOUTH DAKOTA	342	325	284	8	2	24	7	-----	17	-----	17	-----	-----	-----
Cities of 10,000 or more	83	83	73	2	-----	4	4	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	41	41	39	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----
Rural	218	201	172	6	2	19	2	-----	17	-----	17	-----	-----	-----
TENNESSEE	2,159	1,613	1,520	1	1	8	83	-----	546	546	-----	-----	-----	-----
Cities of 10,000 or more	681	397	363	1	-----	6	27	-----	284	284	-----	-----	-----	-----
Cities of 2,500 to 10,000	178	132	126	-----	-----	1	5	-----	46	46	-----	-----	-----	-----
Rural	1,300	1,084	1,031	-----	1	1	51	-----	216	216	-----	-----	-----	-----
TEXAS	4,370	3,346	2,648	296	5	284	101	12	1,024	1,024	-----	-----	-----	-----
Cities of 10,000 or more	1,540	1,191	821	165	1	146	48	10	349	349	-----	-----	-----	-----
Cities of 2,500 to 10,000	548	456	384	30	1	26	14	1	92	92	-----	-----	-----	-----
Rural	2,282	1,699	1,443	101	3	112	39	1	583	583	-----	-----	-----	-----
UTAH	274	273	243	8	-----	22	-----	-----	1	-----	1	-----	-----	-----
Cities of 10,000 or more	119	119	101	6	-----	12	-----	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	62	62	56	-----	-----	6	-----	-----	-----	-----	-----	-----	-----	-----
Rural	93	92	86	2	-----	4	-----	-----	1	-----	1	-----	-----	-----
VERMONT	189	189	148	14	-----	20	7	-----	-----	-----	-----	-----	-----	-----
Cities of 10,000 or more	46	46	34	4	-----	6	2	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	43	43	31	5	-----	7	-----	-----	-----	-----	-----	-----	-----	-----
Rural	100	100	83	5	-----	7	5	-----	-----	-----	-----	-----	-----	-----
VIRGINIA	2,182	1,166	1,105	4	-----	11	46	-----	1,016	1,016	-----	-----	-----	-----
Cities of 10,000 or more	690	341	321	2	-----	7	11	-----	349	349	-----	-----	-----	-----
Cities of 2,500 to 10,000	157	116	111	-----	-----	-----	5	-----	41	41	-----	-----	-----	-----
Rural	1,335	709	673	2	-----	4	30	-----	626	626	-----	-----	-----	-----
WASHINGTON	476	463	382	19	-----	58	4	-----	13	3	3	1	6	-----
Cities of 10,000 or more	332	322	264	13	-----	41	4	-----	10	3	2	1	4	-----
Cities of 2,500 to 10,000	45	44	37	2	-----	5	-----	-----	1	-----	-----	-----	1	-----
Rural	99	97	81	4	-----	12	-----	-----	2	-----	1	-----	1	-----
WEST VIRGINIA	1,645	1,534	1,374	26	1	30	102	1	111	111	-----	-----	-----	-----
Cities of 10,000 or more	332	312	279	8	-----	5	20	-----	20	20	-----	-----	-----	-----
Cities of 2,500 to 10,000	207	189	176	1	-----	5	7	-----	18	18	-----	-----	-----	-----
Rural	1,106	1,033	919	17	1	20	75	1	73	73	-----	-----	-----	-----
WISCONSIN	1,251	1,228	1,043	40	-----	106	37	2	23	11	12	-----	-----	-----
Cities of 10,000 or more	576	573	463	25	-----	65	19	1	3	3	-----	-----	-----	-----
Cities of 2,500 to 10,000	195	195	175	2	-----	13	5	-----	-----	-----	-----	-----	-----	-----
Rural	480	460	405	13	-----	28	13	1	20	8	12	-----	-----	-----
WYOMING	86	84	75	6	-----	3	-----	-----	2	-----	1	-----	1	-----
Cities of 10,000 or more	12	12	11	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Cities of 2,500 to 10,000	13	13	12	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rural	61	59	52	4	-----	3	-----	-----	2	-----	1	-----	1	-----

TABLE 12.—STILLBIRTHS OF WHITE CHILDREN, BY SEX, AND COUNTRY OF BIRTH OF PARENTS, IN THE UNITED STATES: 1935

COUNTRY OF BIRTH OF MOTHER	All white stillbirths	COUNTRY OF BIRTH OF FATHER											
		United States	Foreign Country										Country not stated
			Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries	
Total	58,767	49,405	7,482	466	550	339	380	460	453	1,693	535	564	2,042	1,880
Male	32,407	27,395	4,013	241	290	167	205	241	256	921	288	328	1,076	999
Female	25,076	21,034	3,236	207	253	158	164	191	175	712	239	210	927	806
Not stated	1,284	976	233	18	7	14	11	28	22	60	8	26	39	75
United States	52,573	47,801	3,144	161	361	212	215	119	214	671	190	233	768	1,628
Total foreign	5,937	1,540	4,324	303	189	127	165	341	237	1,020	344	327	1,271	73
Austria, Hungary	402	77	322	256	2	4	-----	-----	11	1	9	21	18	3
Canada	600	362	223	2	168	4	18	4	6	2	1	4	14	15
Denmark, Norway, Sweden	179	72	104	1	----	96	1	-----	2	1	----	3	-----	3
England, Scotland, Wales	366	192	166	2	9	5	116	15	1	1	----	6	11	8
Ireland	484	121	359	1	2	4	16	320	-----	1	----	----	15	4
Germany	339	93	242	10	----	6	2	1	206	2	1	2	12	4
Italy	1,140	133	1,002	1	----	----	-----	-----	2	983	----	----	16	5
Poland	466	87	374	11	1	----	4	-----	3	3	306	35	11	5
Russia	403	101	298	15	4	----	3	-----	1	5	18	242	10	4
Other foreign countries	1,558	302	1,234	4	3	8	5	1	5	21	9	14	1,164	22
Country not stated	257	64	14	2	----	----	-----	-----	2	2	1	4	3	179

TABLE 13.—STILLBIRTHS, BY SEX, AND AGE OF PARENTS, IN THE UNITED STATES: 1935

SEX OF STILLBIRTH AND AGE OF MOTHER	All stillbirths	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
Total	77,119	1	1,262	13,251	16,532	15,352	11,354	7,674	4,115	1,613	955	7,010
Male	42,658	-------	706	7,511	9,149	7,364	6,253	4,154	2,257	906	523	3,835
Female	32,845	1	535	5,539	7,040	5,668	4,827	3,349	1,768	685	421	3,012
Not stated	1,616	-------	21	201	343	320	274	171	90	22	11	163
10 to 14 years—Male	124	-------	27	24	8	2	2	1	1	1	--------	58
Female	84	1	14	17	3	-------	1	-------	-------	-------	--------	48
Not stated	3	-------	-------	-------	-------	-------	-------	-------	-------	-------	--------	3
15 to 19 years—Male	5,715	-------	548	2,930	918	231	86	28	15	4	4	951
Female	4,393	-------	412	2,205	721	180	66	19	11	3	8	768
Not stated	164	-------	13	78	22	2	-------	2	2	1	--------	44
20 to 24 years—Male	11,054	-------	123	3,998	4,177	1,229	458	168	65	30	30	776
Female	8,328	-------	102	2,886	3,203	967	351	97	51	24	18	629
Not stated	404	-------	8	111	170	50	14	7	1	1	--------	42
25 to 29 years—Male	9,173	-------	5	464	3,440	3,118	1,189	373	130	54	36	364
Female	7,145	-------	3	357	2,643	2,342	988	308	132	55	37	280
Not stated	358	-------	-------	11	136	121	47	20	4	2	--------	17
30 to 34 years—Male	6,952	-------	-------	57	502	2,361	2,395	887	339	141	84	186
Female	5,441	-------	2	46	376	1,854	1,811	740	264	89	78	181
Not stated	335	-------	-------	-------	12	133	114	45	18	1	--------	12
35 to 39 years—Male	5,500	-------	2	13	72	381	1,895	1,766	819	276	161	115
Female	4,265	-------	1	9	65	292	1,419	1,470	592	176	121	120
Not stated	214	-------	-------	-------	1	10	92	62	26	7	4	12
40 to 44 years—Male	2,356	-------	-------	3	10	26	195	885	730	305	141	61
Female	1,914	-------	-------	2	8	21	170	680	602	267	122	42
Not stated	88	-------	-------	-------	-------	2	5	35	31	10	5	-------
45 to 49 years—Male	361	-------	-------	-------	-------	2	11	31	150	91	64	12
Female	252	-------	-------	-------	2	-------	6	26	111	67	36	4
Not stated	9	-------	-------	-------	-------	-------	-------	-------	7	-------	2	-------
50 to 54 years—Male	8	-------	-------	-------	-------	1	1	-------	-------	3	3	-------
Female	5	-------	-------	-------	-------	-------	1	1	-------	2	1	-------
Not stated	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Not stated—Male	1,415	-------	1	22	22	13	21	15	8	1	--------	1,312
Female	1,018	-------	1	17	19	12	14	8	5	2	--------	940
Not stated	41	-------	-------	1	2	2	2	-------	1	-------	--------	33

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1/ 1935

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	All stillbirths	WHITE													Other races
		Total	Country of birth of mother												
			United States	Foreign country										Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries		
Total	75,219	56,889	51,169	5,465	399	484	168	344	411	334	1,052	436	384	1,453	255	18,330
Male	41,654	31,414	28,334	2,931	208	255	83	184	220	167	580	254	206	774	149	10,240
Female	31,958	24,200	21,780	2,321	173	216	73	146	162	145	432	169	156	649	99	7,758
Not stated	1,607	1,275	1,055	213	18	13	12	14	29	22	40	13	22	30	7	332
10 to 14 years	211	56	55	1	---	-----	-----	---	-----	1	-----	-----	-----	-----	-----	155
15 to 19 years	10,163	6,392	6,291	71	3	21	-----	7	1	-----	6	1	-----	32	30	3,771
20 to 24 years	19,421	14,123	13,513	556	25	86	10	42	34	27	91	33	32	176	54	5,298
25 to 29 years	16,220	12,788	11,671	1,098	58	111	31	78	112	87	147	83	84	307	19	3,432
30 to 34 years	12,316	10,000	8,625	1,355	82	113	48	95	136	111	241	76	134	319	20	2,316
35 to 39 years	9,634	7,780	6,393	1,380	110	86	40	79	87	59	316	136	76	391	7	1,854
40 to 44 years	4,205	3,551	2,766	774	96	54	34	37	36	38	199	80	41	159	11	654
45 to 49 years	602	493	347	145	23	3	4	4	2	7	42	22	9	29	1	109
50 to 54 years	13	10	7	3	---	-----	-----	-----	-----	-----	2	1	-----	-----	-----	3
Not stated	2,434	1,696	1,501	82	2	10	1	2	3	4	8	4	8	40	113	738
FIRST CHILD	27,279	21,770	20,350	1,272	68	163	38	139	132	126	157	82	101	266	148	5,509
Male	15,237	12,071	11,302	680	43	89	15	74	77	72	82	46	50	132	89	3,166
Female	11,574	9,333	8,723	555	24	69	21	62	53	48	71	32	47	128	55	2,241
Not stated	468	366	325	37	1	5	2	3	2	6	4	4	4	6	4	102
10 to 14 years	202	54	53	1	---	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	148
15 to 19 years	7,843	5,241	5,151	60	3	18	-----	7	1	-----	3	1	-----	24	30	2,602
20 to 24 years	9,865	8,141	7,793	308	18	56	4	29	22	15	50	18	24	72	40	1,724
25 to 29 years	5,101	4,598	4,170	419	22	46	9	42	46	48	50	38	45	73	9	503
30 to 34 years	2,354	2,114	1,824	283	16	25	14	32	38	37	32	15	24	50	7	240
35 to 39 years	940	849	707	141	7	13	8	20	22	19	12	7	5	28	1	91
40 to 44 years	250	226	189	35	1	4	2	6	2	5	4	1	2	8	2	24
45 to 49 years	21	18	14	4	1	-----	-----	1	-----	1	-----	-----	-----	1	-----	3
50 to 54 years	1	1	1	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	-----
Not stated	702	528	448	21	---	1	1	2	1	-----	3	2	1	10	59	17
SECOND CHILD	12,390	9,505	8,758	727	45	72	39	57	64	67	100	68	75	140	20	2,885
Male	6,882	5,311	4,919	381	25	36	19	35	26	27	60	29	39	75	11	1,571
Female	5,217	3,955	3,637	309	16	34	17	21	31	34	39	26	32	59	9	1,262
Not stated	291	239	202	37	4	2	3	1	7	6	1	3	4	6	-----	52
10 to 14 years	9	2	2	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	7
15 to 19 years	1,770	948	941	7	---	2	-----	---	-----	-----	-----	-----	-----	5	-----	822
20 to 24 years	4,566	3,252	3,124	118	5	14	5	9	8	6	20	10	4	35	10	1,314
25 to 29 years	3,167	2,721	2,504	213	17	16	11	18	18	19	30	22	18	44	4	446
30 to 34 years	1,746	1,581	1,327	241	12	22	12	20	30	24	26	22	44	29	3	165
35 to 39 years	807	718	606	112	9	14	7	8	6	8	17	12	8	23	-----	89
40 to 44 years	191	179	152	26	---	3	2	2	1	5	8	2	-----	3	1	12
45 to 49 years	12	11	8	3	1	-----	1	---	-----	-----	-----	-----	-----	1	-----	1
50 to 54 years	2	2	2	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	-----
Not stated	120	91	82	7	1	1	-----	---	1	3	-----	-----	1	-----	2	29
THIRD CHILD	8,291	6,201	5,539	654	52	62	19	44	64	38	105	39	64	167	8	2,090
Male	4,519	3,396	3,038	357	29	33	9	20	39	15	53	24	37	98	1	1,123
Female	3,538	2,601	2,332	263	20	27	8	22	20	20	49	13	20	64	6	937
Not stated	234	204	169	34	3	2	2	2	5	3	3	2	7	5	1	30
15 to 19 years	417	162	159	3	---	1	-----	---	-----	-----	-----	-----	-----	2	-----	255
20 to 24 years	2,511	1,533	1,469	63	1	9	1	2	3	-----	10	2	3	32	1	978
25 to 29 years	2,459	1,915	1,754	161	10	23	4	9	21	8	21	9	14	42	-----	544
30 to 34 years	1,683	1,490	1,270	217	13	16	8	16	25	16	35	15	30	43	3	193
35 to 39 years	899	813	653	159	19	10	4	11	10	11	32	11	14	36	1	86
40 to 44 years	252	234	187	46	9	3	2	6	5	2	5	2	1	11	1	18
45 to 49 years	15	14	13	1	---	-----	-----	---	-----	1	-----	-----	-----	-----	-----	1
Not stated	55	40	34	4	---	-----	-----	---	-----	-----	1	-----	2	1	3	15
FOURTH CHILD	6,301	4,721	4,141	573	42	49	20	34	51	33	129	37	41	137	7	1,580
Male	3,408	2,526	2,233	290	18	29	10	16	21	14	72	24	25	61	3	882
Female	2,708	2,050	1,801	246	19	19	7	15	24	15	52	10	12	73	3	658
Not stated	185	145	107	37	5	1	3	3	6	4	5	3	4	3	1	40
15 to 19 years	93	29	28	1	---	-----	-----	---	-----	-----	-----	-----	-----	1	-----	64
20 to 24 years	1,299	705	667	36	1	5	-----	2	1	2	7	-----	-----	18	2	594
25 to 29 years	1,937	1,439	1,311	125	4	15	3	4	16	6	18	8	5	46	3	498
30 to 34 years	1,533	1,297	1,112	185	10	17	6	10	22	16	38	11	18	37	-----	236
35 to 39 years	1,008	871	715	155	14	7	5	14	7	5	49	13	12	29	1	137
40 to 44 years	352	321	258	63	11	5	6	3	5	3	15	4	6	5	-----	31
45 to 49 years	28	24	18	6	2	-----	-----	1	-----	-----	2	1	-----	-----	-----	4
50 to 54 years	2	-----	-----	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	2
Not stated	49	35	32	2	---	-----	-----	---	-----	1	-----	-----	-----	1	1	14
FIFTH CHILD	4,664	3,420	2,978	438	24	36	11	19	27	17	115	27	22	138	4	1,244
Male	2,641	1,904	1,659	241	9	17	6	9	18	8	67	15	12	80	4	737
Female	1,911	1,427	1,251	176	11	20	4	7	9	7	42	11	10	55	-----	484
Not stated	112	89	68	21	4	1	1	3	-----	2	6	1	-----	3	-----	23
15 to 19 years	22	5	5	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	17
20 to 24 years	587	251	241	10	---	-----	-----	---	-----	1	1	-----	1	7	-----	336
25 to 29 years	1,375	917	837	78	1	8	2	---	6	1	11	2	1	46	2	458
30 to 34 years	1,290	1,030	903	127	8	14	4	9	8	6	41	-----	5	32	-----	260
35 to 39 years	962	829	688	140	7	10	3	6	8	5	41	16	7	37	1	133
40 to 44 years	359	333	260	72	7	5	2	4	5	4	17	7	6	15	1	26
45 to 49 years	36	30	22	8	1	-----	-----	---	-----	-----	3	2	1	1	-----	6
Not stated	33	25	22	3	---	1	-----	---	-----	-----	1	-----	1	-----	-----	8

1/ Exclusive of Massachusetts.

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1/ 1935—Continued

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	All stillbirths	WHITE													Other races
		Total	Country of birth of mother												
			United States	Foreign country										Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries		
SIXTH CHILD	3,604	2,603	2,249	351	31	20	11	21	28	13	93	25	15	94	3	1,001
Male	1,968	1,428	1,230	197	15	12	5	12	14	9	52	14	7	57	1	540
Female	1,544	1,102	967	133	16	7	6	7	7	4	34	11	8	33	2	442
Not stated	92	73	52	21	---	1	-----	2	7	-----	7	----	----	4	----	19
15 to 19 years	9	2	2	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	7
20 to 24 years	280	99	92	7	---	1	-----	---	-----	-----	1	----	----	5	----	181
25 to 29 years	859	499	461	38	2	----	1	3	2	2	7	2	1	18	----	360
30 to 34 years	1,084	828	742	85	10	4	-----	5	5	5	22	6	5	23	1	256
35 to 39 years	907	763	621	142	12	7	4	6	13	4	44	7	7	38	----	144
40 to 44 years	386	348	284	62	6	5	5	7	7	2	13	7	2	8	2	38
45 to 49 years	46	43	30	13	1	2	1	---	-----	-----	5	3	----	1	----	3
50 to 54 years	1	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	-----
Not stated	32	20	16	4	---	1	-----	---	1	-----	1	----	----	1	----	12
SEVENTH CHILD	2,816	2,034	1,733	298	19	15	7	6	15	9	80	28	13	106	3	782
Male	1,569	1,119	952	165	8	10	3	3	11	7	44	15	9	55	2	450
Female	1,187	869	743	125	10	5	3	3	3	2	33	13	4	49	1	318
Not stated	60	46	38	8	1	----	1	---	1	-----	3	----	----	2	----	14
20 to 24 years	95	21	17	4	---	----	-----	---	-----	-----	1	----	----	3	----	74
25 to 29 years	531	288	260	28	1	2	1	---	1	1	6	1	----	15	----	243
30 to 34 years	859	614	555	57	2	6	-----	1	3	-----	16	----	4	25	2	245
35 to 39 years	910	731	603	128	8	4	3	5	5	3	34	16	5	45	----	179
40 to 44 years	353	320	248	71	8	2	3	---	5	4	19	11	4	15	1	33
45 to 49 years	42	38	29	9	---	----	-----	---	1	1	4	----	----	3	----	4
Not stated	26	22	21	1	---	1	-----	---	-----	-----	-----	----	----	-----	----	4
EIGHTH CHILD	2,199	1,534	1,260	274	25	14	4	10	16	6	70	31	11	87	----	665
Male	1,218	850	700	150	18	8	3	6	6	4	41	16	7	41	----	368
Female	933	649	532	117	7	6	1	4	9	2	25	15	2	46	----	284
Not stated	48	35	28	7	---	----	-----	---	1	-----	4	----	2	-----	----	13
20 to 24 years	39	10	9	1	---	----	-----	---	-----	-----	-----	----	----	1	----	29
25 to 29 years	316	158	142	16	---	1	-----	---	1	-----	-----	----	----	14	----	158
30 to 34 years	523	404	347	57	2	4	-----	1	3	2	13	2	3	27	----	219
35 to 39 years	801	606	489	117	13	4	1	4	10	2	32	16	4	31	----	195
40 to 44 years	349	299	228	71	9	5	3	4	2	2	22	9	4	11	----	50
45 to 49 years	59	50	40	10	1	----	-----	1	-----	-----	3	3	----	2	----	9
50 to 54 years	1	1	-----	1	---	----	-----	---	-----	-----	-----	1	----	-----	----	-----
Not stated	11	6	5	1	---	----	-----	---	-----	-----	-----	----	----	1	----	5
NINTH CHILD	1,749	1,176	954	218	22	7	5	6	3	6	53	32	12	72	4	573
Male	963	637	525	110	8	2	4	3	2	2	28	20	6	35	2	326
Female	761	523	418	103	14	4	1	3	1	3	24	12	5	36	2	238
Not stated	25	16	11	5	---	1	-----	---	-----	1	1	----	1	1	----	9
20 to 24 years	32	12	10	2	---	----	-----	---	-----	-----	1	----	----	1	----	20
25 to 29 years	138	51	48	3	1	----	-----	---	-----	-----	-----	----	----	2	----	87
30 to 34 years	440	259	208	50	4	3	1	1	-----	1	12	----	1	27	1	181
35 to 39 years	680	500	423	76	5	3	2	2	2	-----	15	19	6	22	1	180
40 to 44 years	380	303	231	71	10	1	1	3	1	3	22	13	3	14	1	77
45 to 49 years	65	45	29	15	2	----	1	---	-----	2	3	----	2	5	1	20
Not stated	14	6	5	1	---	----	-----	---	-----	-----	-----	----	----	1	----	8
TENTH CHILD	1,290	884	731	152	13	7	4	1	5	4	37	15	5	61	1	406
Male	697	486	405	80	6	2	2	---	2	1	21	11	----	35	----	211
Female	577	388	317	70	7	5	2	1	3	3	14	4	5	25	1	189
Not stated	16	10	8	2	---	----	-----	---	-----	-----	2	----	----	-----	----	6
20 to 24 years	11	3	3	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	8
25 to 29 years	73	21	18	3	---	----	-----	---	-----	-----	1	----	----	2	----	52
30 to 34 years	244	143	126	17	2	1	-----	---	-----	-----	3	3	----	8	----	101
35 to 39 years	561	399	329	69	3	2	1	1	3	1	12	6	3	37	1	162
40 to 44 years	341	274	223	51	5	4	3	---	1	3	16	4	2	13	----	67
45 to 49 years	53	41	29	12	3	----	-----	---	1	-----	5	2	----	1	----	12
Not stated	7	3	3	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	4
ELEVENTH CHILD	862	592	469	123	21	6	4	1	-----	1	36	14	4	36	----	270
Male	466	324	258	66	9	3	2	1	-----	1	20	9	3	18	----	142
Female	384	263	206	57	12	3	2	---	-----	-----	16	5	1	18	----	121
Not stated	12	5	5	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	7
20 to 24 years	5	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	4
25 to 29 years	22	8	8	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	14
30 to 34 years	138	68	60	8	1	----	1	---	-----	-----	2	----	----	4	----	70
35 to 39 years	373	261	218	43	5	4	-----	---	-----	-----	12	4	2	16	----	112
40 to 44 years	265	203	147	56	11	2	2	1	-----	-----	18	8	2	12	----	62
45 to 49 years	55	49	33	16	4	----	1	---	-----	1	4	2	----	4	----	6
Not stated	4	2	2	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	2
TWELFTH CHILD	676	434	325	107	12	8	3	2	1	4	23	6	6	42	2	242
Male	363	238	179	57	9	----	2	2	-----	1	12	2	3	26	2	125
Female	301	186	138	48	3	8	1	---	1	3	9	4	3	16	----	115
Not stated	12	10	8	2	---	----	-----	---	-----	-----	2	----	----	-----	----	2
25 to 29 years	22	9	8	1	---	----	-----	---	-----	-----	-----	----	----	1	----	13
30 to 34 years	89	40	32	7	---	----	1	---	-----	-----	-----	1	----	5	1	49
35 to 39 years	275	164	133	31	4	1	-----	1	1	-----	6	----	2	16	----	111
40 to 44 years	235	181	129	51	4	5	2	1	-----	3	13	2	3	18	1	54
45 to 49 years	49	38	22	16	4	1	-----	---	-----	1	4	3	1	2	----	11
Not stated	6	2	1	1	---	1	-----	---	-----	-----	-----	----	----	-----	----	4

1/ Exclusive of Massachusetts.

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1/ 1935—Continued

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	All stillbirths	WHITE													Other races
		Total	Country of birth of mother												
			United States	Foreign country										Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries		
THIRTEENTH CHILD	470	277	191	86	9	7	1	---	1	-----	21	12	4	31	----	193
Male	263	154	106	48	3	4	1	---	1	-----	11	7	2	19	----	109
Female	199	119	81	38	6	3	-----	---	-----	-----	10	5	2	12	----	80
Not stated	8	4	4	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	4
25 to 29 years	6	2	2	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	4
30 to 34 years	53	15	11	4	---	----	-----	---	-----	-----	1	----	----	3	----	38
35 to 39 years	191	100	70	30	3	4	1	---	-----	-----	4	2	1	15	----	91
40 to 44 years	176	125	87	38	5	3	-----	---	1	-----	10	7	2	10	----	51
45 to 49 years	38	32	18	14	1	----	-----	---	-----	-----	6	3	1	3	----	6
50 to 54 years	2	2	2	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
Not stated	4	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	3
FOURTEENTH CHILD	265	150	101	48	8	3	-----	---	-----	-----	8	4	3	22	1	115
Male	150	87	61	25	5	1	-----	---	-----	-----	3	3	2	11	1	63
Female	113	63	40	23	3	2	-----	---	-----	-----	5	1	1	11	----	50
Not stated	2	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	2
25 to 29 years	4	1	------	1	---	----	-----	---	-----	-----	-----	----	----	1	----	3
30 to 34 years	23	6	4	2	---	----	-----	---	-----	-----	1	----	----	1	----	17
35 to 39 years	94	40	28	12	1	----	-----	---	-----	-----	-----	1	----	10	----	54
40 to 44 years	113	78	53	25	5	3	-----	---	-----	-----	5	2	2	8	----	35
45 to 49 years	29	24	16	8	2	----	-----	---	-----	-----	2	1	1	2	----	5
Not stated	2	1	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	1	1
FIFTEENTH CHILD	166	100	70	30	2	4	1	---	1	-----	5	6	3	8	----	66
Male	84	54	33	21	1	4	1	---	1	-----	4	4	----	6	----	30
Female	78	44	35	9	1	----	-----	---	-----	-----	1	2	3	2	----	34
Not stated	4	2	2	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	2
25 to 29 years	2	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	2
30 to 34 years	15	7	6	1	---	----	-----	---	-----	-----	-----	----	----	1	----	8
35 to 39 years	57	37	26	11	---	3	-----	---	-----	-----	1	2	----	5	----	20
40 to 44 years	72	43	32	11	2	1	1	---	1	-----	2	----	2	2	----	29
45 to 49 years	14	10	6	4	---	----	-----	---	-----	-----	1	2	1	-----	----	4
50 to 54 years	2	1	------	1	---	----	-----	---	-----	-----	1	----	----	-----	----	1
Not stated	4	2	------	2	---	----	-----	---	-----	-----	-----	2	----	-----	----	2
SIXTEENTH CHILD	103	54	41	13	---	2	-----	---	-----	-----	3	2	----	5	----	49
Male	57	28	21	7	---	----	-----	---	-----	-----	2	1	----	4	----	29
Female	43	23	18	5	---	2	-----	---	-----	-----	-----	1	----	2	----	20
Not stated	3	3	2	1	---	----	-----	---	-----	-----	1	----	----	-----	----	------
30 to 34 years	10	2	2	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	8
35 to 39 years	35	15	10	5	---	----	-----	---	-----	-----	2	2	----	1	----	20
40 to 44 years	46	28	22	6	---	2	-----	---	-----	-----	1	----	----	3	----	18
45 to 49 years	11	9	7	2	---	----	-----	---	-----	-----	-----	----	----	2	----	2
Not stated	1	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
SEVENTEENTH CHILD	57	28	21	7	1	----	-----	1	-----	-----	4	----	----	1	----	29
Male	29	16	14	2	---	----	-----	1	-----	-----	1	----	----	-----	----	13
Female	26	10	6	4	1	----	-----	---	-----	-----	2	----	----	1	----	16
Not stated	2	2	1	1	---	----	-----	---	-----	-----	1	----	----	-----	----	------
30 to 34 years	5	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	4
35 to 39 years	23	8	8	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	15
40 to 44 years	18	13	8	5	1	----	-----	---	-----	-----	3	----	----	1	----	5
45 to 49 years	10	5	4	1	---	----	-----	1	-----	-----	-----	----	----	-----	----	5
50 to 54 years	1	1	------	1	---	----	-----	---	-----	-----	1	----	----	-----	----	------
EIGHTEENTH CHILD	32	15	9	6	---	----	-----	---	-----	-----	2	1	1	2	----	17
Male	13	8	4	4	---	----	-----	---	-----	-----	1	1	1	1	----	5
Female	19	7	5	2	---	----	-----	---	-----	-----	1	----	----	1	----	12
30 to 34 years	2	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
35 to 39 years	11	1	------	1	---	----	-----	---	-----	-----	1	----	----	-----	----	10
40 to 44 years	11	8	5	3	---	----	-----	---	-----	-----	1	1	----	1	----	3
45 to 49 years	8	5	3	2	---	----	-----	---	-----	-----	-----	----	1	1	----	3
NINETEENTH CHILD	24	15	10	5	---	----	-----	---	-----	1	1	1	1	1	----	9
Male	12	7	5	2	---	----	-----	---	-----	1	-----	----	1	-----	----	5
Female	12	8	5	3	---	----	-----	---	-----	-----	1	1	----	1	----	4
30 to 34 years	1	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
35 to 39 years	5	4	3	1	---	----	-----	---	-----	-----	-----	1	----	-----	----	1
40 to 44 years	16	10	7	3	---	----	-----	---	-----	1	1	----	----	1	----	6
45 to 49 years	2	1	------	1	---	----	-----	---	-----	-----	-----	----	1	-----	----	1
TWENTIETH CHILD	4	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	3
Male	2	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
Female	1	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
Not stated	1	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
35 to 39 years	2	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	2
40 to 44 years	1	1	1	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	------
45 to 49 years	1	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
TWENTY-FIRST CHILD	4	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	4
Male	3	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	3
Female	1	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1
40 to 44 years	3	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	3
45 to 49 years	1	------	------	-----	---	----	-----	---	-----	-----	-----	----	----	-----	----	1

1/ Exclusive of Massachusetts.

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1/ 1935—Continued

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	All stillbirths	WHITE														Other races
		Total	Country of birth of mother													
			United States	Foreign country											Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries		
TWENTY-SECOND CHILD	3	1	------	1	---	-----	-----	---	-----	-----	1	-----	-----	-----	-----	2
Male	2	1	------	1	---	-----	-----	---	-----	-----	1	-----	-----	-----	-----	1
Female	1	------	------	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	1
35 to 39 years	1	------	------	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	1
40 to 44 years	2	1	------	1	---	-----	-----	---	-----	-----	1	-----	-----	-----	-----	1
TWENTY-THIRD CHILD	1	------	------	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	1
Female	1	------	------	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	1
40 to 44 years	1	------	------	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	1
TWENTY-FOURTH CHILD	3	3	2	1	---	-----	-----	---	-----	-----	-----	1	-----	-----	-----	------
Female	3	3	2	1	---	-----	-----	---	-----	-----	-----	1	-----	-----	-----	------
35 to 39 years	1	1	------	1	---	-----	-----	---	-----	-----	-----	1	-----	-----	-----	------
40 to 44 years	2	2	2	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	------
TWENTY-FIFTH CHILD	1	------	------	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	1
Female	1	------	------	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	1
40 to 44 years	1	------	------	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	1
NUMBER OF CHILD NOT STATED	1,965	1,371	1,236	81	5	7	1	3	3	9	9	5	3	36	54	594
Male	1,108	768	688	47	2	5	1	2	2	5	5	3	2	20	33	340
Female	825	577	523	34	3	2	-----	1	1	4	4	2	1	16	20	248
Not stated	32	26	25	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	1	6
15 to 19 years	9	5	5	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	4
20 to 24 years	131	95	87	7	---	1	-----	---	-----	1	-----	3	-----	2	1	36
25 to 29 years	208	161	148	12	---	-----	-----	2	1	2	3	1	-----	3	1	47
30 to 34 years	124	100	84	14	2	1	-----	---	2	4	-----	1	-----	4	2	24
35 to 39 years	91	70	63	6	---	-----	1	1	-----	1	1	-----	-----	2	1	21
40 to 44 years	30	21	13	7	2	1	-----	---	-----	1	3	-----	-----	-----	1	9
45 to 49 years	7	6	6	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	1
50 to 54 years	1	1	1	-----	---	-----	-----	---	-----	-----	-----	-----	-----	-----	-----	------
Not stated	1,364	912	829	35	1	4	-----	---	-----	-----	2	-----	3	25	48	452

1/ Exclusive of Massachusetts.

TABLE 15.—STILLBIRTHS, BY CAUSE, IN CERTAIN SPECIFIED STATES AND CITIES: 1935

CAUSE OF STILLBIRTH	Total	Connecticut	Illinois	New Jersey	New York	Oregon	Washington	West Virginia	District of Columbia	Baltimore, Md.
All causes	16,584	587	3,308	1,857	7,326	295	476	1,645	409	681
General diseases	505	10	99	46	211	6	12	54	19	48
Syphilis	331	4	54	35	135	5	6	33	16	43
Other general diseases	174	6	45	11	76	1	6	21	3	5
Extra-uterine pregnancy	36	-----	3	2	27	1	----	------	------	3
Albuminuria and other diseases incident to pregnancy	1,160	59	225	117	601	22	37	47	21	31
Albuminuria	35	1	14	4	7	----	9	------	------	------
Eclampsia	235	6	67	23	104	5	8	12	5	5
Nephritis	266	19	45	29	128	5	7	13	3	17
Toxemia	549	33	87	52	317	9	12	20	12	7
Other diseases incident to pregnancy	75	-----	12	9	45	3	1	2	1	2
Antepartum hemorrhage	5	-----	1	------	4	----	----	------	------	------
Hemorrhage of uterus	47	3	10	5	22	1	2	3	------	1
Inertia of uterus	42	-----	7	3	30	2	----	------	------	------
Prolapse of uterus	2	-----	------	------	2	----	----	------	------	------
Retroversion of uterus	15	-----	3	-----	12	----	----	------	------	------
Rupture of uterus	27	-----	2	7	13	1	----	2	------	2
Malformations	1,000	58	213	103	486	16	22	69	13	18
Hydrocephalus	282	17	58	25	144	3	5	19	5	6
Spina bifida	113	10	21	16	55	1	1	7	1	1
Other malformations	605	31	134	62	289	12	16	43	7	11
Diseases of the placenta and membranes	1,954	90	426	155	1,004	46	57	101	31	44
Placenta praevia	430	17	109	34	192	11	15	34	9	9
Separation of placenta	1,197	52	254	90	631	32	34	58	16	30
Diseases of the placenta	211	17	37	24	112	2	5	6	5	3
Premature rupture of membranes	116	4	26	7	69	1	3	3	1	2
Abortion, miscarriage, premature birth	1,525	30	147	142	1,054	12	22	99	28	91
Abortion, miscarriage, premature birth, induced, criminal	6	-----	------	2	3	----	----	------	------	1
Abortion, miscarriage, premature birth, induced, therapeutic	196	1	------	------	180	1	----	------	1	13
Abortion, miscarriage, premature birth, self-induced	12	-----	1	1	7	----	----	------	------	3
Abortion, miscarriage, premature birth, induced, unspecified	9	-----	------	2	5	1	----	------	1	------
Abortion, miscarriage, premature birth, spontaneous	165	-----	4	13	134	1	----	------	------	13
Other abortions and miscarriages	641	5	70	61	432	2	----	30	6	35
Other premature births	596	24	72	63	293	7	22	69	20	26
Prolapse and compression of cord	1,689	89	445	166	753	48	50	81	23	34
Compression of cord	347	12	118	29	134	19	12	13	3	7
Cord around neck	500	25	116	49	253	14	15	19	4	5
Knot in cord	135	3	31	13	72	2	4	7	2	1
Prolapsed cord	616	40	147	63	267	10	16	39	14	20
Twisted cord	91	9	33	12	27	3	3	3	------	1
Thrombosis of cord	55	1	15	4	32	----	----	1	2	------
Malpresentation	711	22	185	73	298	22	32	54	4	21
Breech	407	9	98	45	166	14	23	38	2	12
Foot	40	3	10	4	15	3	3	2	------	------
Brow	2	1	------	------	1	----	----	------	------	------
Face	32	2	10	2	12	2	1	2	------	1
Transverse	62	1	16	7	30	----	1	------	2	5
Shoulder	32	-----	11	4	9	----	1	7	------	------
Hand	17	-----	5	1	9	----	2	------	------	------
Other and unspecified	119	6	35	10	56	3	1	5	------	3
Difficult labor	1,355	39	370	164	523	31	51	111	17	49
Deformed pelvis	191	6	47	14	90	4	12	15	2	1
Instrumental delivery	134	4	34	14	57	2	8	8	3	4
Version	32	1	12	1	16	----	1	1	------	------
Other and unspecified	998	28	277	135	360	25	30	87	12	44
Asphyxia of child (cause not stated)	785	35	131	95	373	10	5	36	6	91
Hydramnios	76	2	6	17	37	4	2	5	2	1
Death in utero	1,055	30	370	215	288	14	39	10	17	72
Maceration	278	16	43	20	166	----	5	5	17	5
Other deaths in utero	777	14	327	195	122	14	33	5	------	67
Traumatism and overwork	371	13	70	39	156	6	10	50	2	23
Blow	6	-----	------	2	3	----	----	------	------	1
Fall	184	6	35	20	76	2	5	29	2	9
Shock	5	-----	2	1	1	----	----	1	------	------
Overwork	25	1	5	3	8	----	----	4	------	4
Other	151	6	28	13	70	4	5	16	------	9
Predisposition of mother to abortion	11	-----	1	------	7	2	1	------	------	------
Other diseases or conditions of mother	339	9	69	38	169	7	1	32	5	9
Other specified causes	378	26	119	37	146	9	11	21	1	8
Causes not specified and unknown	3,341	71	391	429	1,074	35	119	869	218	135

TABLE 16.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION. IN A SELECTED AREA: 1935

(Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.)

CAUSE AND SEX OF STILLBIRTH	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
All causes	16,584	147	305	495	820	1,347	1,693	2,211	3,712	4,854	121	879
Male	8,901	7	34	215	453	730	925	1,200	2,037	2,739	70	491
Female	6,837	5	20	73	240	560	744	997	1,666	2,102	49	381
Not stated	846	135	251	207	127	57	24	14	9	13	2	7
General diseases—Male	275	-----	4	12	16	25	49	61	46	48	1	13
Female	211	-----	-----	4	13	20	24	49	47	47	----	7
Not stated	19	2	7	4	3	-----	2	-----	-----	-----	----	1
Syphilis—Male	186	-----	1	7	9	10	34	45	32	37	1	10
Female	141	-----	-----	3	5	11	19	33	33	30	----	7
Not stated	4	1	-----	1	1	-----	1	-----	-----	-----	----	-----
Other general diseases—Male	89	-----	3	5	7	15	15	16	14	11	----	3
Female	70	-----	-----	1	8	9	5	16	14	17	----	-----
Not stated	15	1	7	3	2	-----	1	-----	-----	-----	----	1
Extra-uterine pregnancy—Male	6	-----	-----	1	1	-----	-----	-----	1	2	----	1
Female	4	-----	-----	-----	-----	-----	1	2	-----	-----	1	-----
Not stated	26	14	7	3	1	-----	1	-----	-----	-----	----	-----
Albuminuria and other diseases incident to pregnancy—Male	617	-----	1	4	10	38	90	141	160	145	6	22
Female	528	2	-----	-----	8	44	114	138	103	104	5	10
Not stated	15	3	4	4	-----	2	1	1	-----	-----	----	-----
Albuminuria—Male	16	-----	-----	-----	-----	1	5	5	3	-----	----	2
Female	19	-----	-----	-----	-----	1	1	6	8	2	----	1
Eclampsia—Male	136	-----	-----	-----	3	8	18	29	40	34	1	3
Female	98	-----	-----	-----	-----	10	21	24	22	20	1	-----
Not stated	1	-----	-----	-----	-----	-----	1	-----	-----	-----	----	-----
Nephritis—Male	124	-----	-----	-----	3	9	17	25	33	29	----	8
Female	141	1	-----	-----	2	9	41	40	21	22	2	3
Not stated	1	-----	1	-----	-----	-----	-----	-----	-----	-----	----	-----
Toxemia—Male	237	-----	1	3	4	16	44	70	74	74	4	7
Female	247	1	-----	-----	6	19	44	66	48	55	2	6
Not stated	5	-----	1	1	-----	2	-----	1	-----	-----	----	-----
Other diseases incident to pregnancy—Male	44	-----	-----	1	-----	4	6	12	10	8	1	2
Female	23	-----	-----	-----	-----	5	7	2	4	5	----	-----
Not stated	8	3	2	3	-----	-----	-----	-----	-----	-----	----	-----
Antepartum hemorrhage—Male	3	-----	-----	-----	-----	1	1	-----	1	-----	----	-----
Female	2	-----	-----	-----	-----	-----	-----	1	1	-----	----	-----
Hemorrhage of uterus—Male	30	-----	1	-----	3	7	4	2	6	3	1	3
Female	16	-----	-----	-----	2	4	2	4	3	1	----	-----
Not stated	1	-----	-----	-----	1	-----	-----	-----	-----	-----	----	-----
Inertia of uterus—Male	24	-----	-----	-----	1	1	1	-----	3	17	----	1
Female	18	-----	-----	-----	-----	1	-----	-----	2	15	----	-----
Prolapse of uterus—Male	1	-----	-----	1	-----	-----	-----	-----	-----	-----	----	-----
Not stated	1	-----	1	-----	-----	-----	-----	-----	-----	-----	----	-----
Retroversion of uterus—Male	8	-----	1	2	1	2	2	-----	-----	-----	----	-----
Female	3	-----	-----	-----	-----	-----	1	-----	2	-----	----	-----
Not stated	4	1	2	1	-----	-----	-----	-----	-----	-----	----	-----
Rupture of uterus—Male	16	-----	-----	-----	-----	-----	-----	2	7	7	----	-----
Female	10	-----	-----	-----	-----	-----	1	-----	1	8	----	-----
Not stated	1	-----	-----	-----	-----	1	-----	-----	-----	-----	----	-----
Malformations—Male	422	-----	-----	-----	1	6	29	82	117	169	6	12
Female	563	-----	1	1	1	19	53	108	151	203	6	20
Not stated	15	-----	-----	-----	-----	1	3	4	3	4	----	-----
Hydrocephalus—Male	150	-----	-----	-----	-----	4	5	21	35	81	2	2
Female	130	-----	-----	-----	-----	2	4	13	32	72	1	6
Not stated	2	-----	-----	-----	-----	-----	-----	-----	-----	2	----	-----
Spina bifida—Male	32	-----	-----	-----	-----	-----	1	7	10	12	----	2
Female	80	-----	1	-----	-----	3	11	16	21	27	----	1
Not stated	1	-----	-----	-----	-----	-----	-----	1	-----	-----	----	-----
Other malformations—Male	240	-----	-----	-----	1	2	23	54	72	76	4	8
Female	353	-----	-----	1	1	14	38	79	98	104	5	13
Not stated	12	-----	-----	-----	-----	1	3	3	3	2	----	-----
Diseases of the placenta and membranes—Male	1,112	1	2	11	56	97	148	231	260	272	2	32
Female	779	-----	-----	5	25	75	110	158	187	189	2	28
Not stated	63	-----	14	18	15	8	1	3	-----	1	1	2
Placenta praevia—Male	257	-----	1	-----	10	21	39	68	66	41	----	11
Female	167	-----	-----	1	7	19	31	36	29	38	----	6
Not stated	6	-----	1	-----	1	2	-----	1	-----	1	----	-----
Separation of placenta—Male	572	1	1	9	34	58	90	135	159	164	1	20
Female	479	-----	-----	3	14	42	65	99	126	112	----	18
Not stated	46	-----	10	16	14	3	-----	2	-----	-----	----	1
Diseases of the placenta—Male	112	-----	-----	-----	3	8	13	21	25	42	----	-----
Female	91	-----	-----	-----	3	8	8	19	24	25	2	2
Not stated	8	-----	1	1	-----	3	1	-----	-----	-----	1	1

TABLE 16.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION, IN A SELECTED AREA: 1935—Continued

(Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.)

CAUSE AND SEX OF STILLBIRTH	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
Diseases of the placenta and membranes—Continued												
Premature rupture of membranes—Male	71	-----	-----	2	9	10	6	7	10	25	1	1
Female	42	-----	-----	1	1	6	6	4	8	14	----	2
Not stated	3	-----	2	1	-----	-----	-----	-----	-----	-----	----	-----
Abortion, miscarriage, and premature birth—Male	676	2	12	70	106	154	155	97	45	8	----	27
Female	510	1	6	24	67	130	120	93	28	6	1	34
Not stated	439	88	157	104	54	26	4	-----	3	-----	----	3
Abortion, miscarriage, premature birth, induced, criminal—Male	1	-----	-----	-----	-----	-----	1	-----	-----	-----	----	-----
Female	2	-----	-----	-----	-----	1	-----	-----	-----	-----	----	1
Not stated	3	-----	2	1	-----	-----	-----	-----	-----	-----	----	-----
Abortion, miscarriage, premature birth, induced, therapeutic—Male	16	-----	1	2	8	4	1	-----	-----	-----	----	-----
Female	12	-----	-----	2	3	5	2	-----	-----	-----	----	-----
Not stated	168	53	71	30	9	1	2	-----	1	-----	----	1
Abortion, miscarriage, premature birth, self-induced—Male	7	-----	1	1	3	2	-----	-----	-----	-----	----	-----
Female	4	-----	1	1	1	1	-----	-----	-----	-----	----	-----
Not stated	1	-----	1	-----	-----	-----	-----	-----	-----	-----	----	-----
Abortion, miscarriage, premature birth, induced, unspecified—Male	5	-----	1	-----	1	1	-----	1	-----	-----	----	1
Female	2	-----	-----	1	-----	-----	1	-----	-----	-----	----	-----
Not stated	2	-----	-----	2	-----	-----	-----	-----	-----	-----	----	-----
Abortion, miscarriage, premature birth, spontaneous—Male	54	1	2	21	16	8	3	2	-----	1	----	-----
Female	24	-----	-----	6	7	6	2	1	1	-----	1	-----
Not stated	87	10	39	27	9	2	-----	-----	-----	-----	----	-----
Other abortions and miscarriages—Male	274	1	7	46	78	139	1	-----	-----	-----	----	2
Female	194	1	5	14	56	117	1	-----	-----	-----	----	-----
Not stated	173	25	44	44	35	23	-----	-----	-----	-----	----	2
Other premature births—Male	319	-----	-----	-----	-----	-----	149	94	45	7	----	24
Female	272	-----	-----	-----	-----	-----	114	92	27	6	----	33
Not stated	5	-----	-----	-----	1	-----	2	-----	2	-----	----	-----
Prolapse and compression of cord—Male	960	-----	-----	1	7	27	37	78	283	481	14	32
Female	724	-----	-----	-----	5	12	22	63	220	374	11	17
Not stated	5	-----	-----	-----	2	-----	1	-----	-----	2	----	-----
Compression of cord—Male	193	-----	-----	-----	-----	1	4	17	74	90	4	3
Female	153	-----	-----	-----	-----	2	2	15	57	71	3	3
Not stated	1	-----	-----	-----	-----	-----	1	-----	-----	-----	----	-----
Cord around neck—Male	258	-----	-----	1	3	6	6	17	69	141	7	8
Female	241	-----	-----	-----	-----	2	6	17	64	143	4	5
Not stated	1	-----	-----	-----	-----	-----	-----	-----	-----	1	----	-----
Knot in cord—Male	76	-----	-----	-----	-----	4	-----	12	21	32	----	7
Female	59	-----	-----	-----	1	-----	1	7	18	29	----	3
Prolapsed cord—Male	385	-----	-----	-----	4	14	21	19	106	206	3	12
Female	228	-----	-----	-----	4	5	11	18	66	115	4	5
Not stated	3	-----	-----	-----	2	-----	-----	-----	-----	1	----	-----
Twisted cord—Male	48	-----	-----	-----	-----	2	6	13	13	12	----	2
Female	43	-----	-----	-----	-----	3	2	6	15	16	----	1
Thrombosis of cord—Male	26	-----	-----	-----	-----	-----	4	4	7	11	----	-----
Female	28	-----	-----	-----	-----	1	1	3	8	13	1	1
Not stated	1	-----	-----	-----	-----	-----	1	-----	-----	-----	----	-----
Malpresentation—Male	408	-----	-----	-----	1	6	8	23	119	236	6	9
Female	302	-----	-----	-----	-----	1	7	15	107	162	3	7
Not stated	1	-----	-----	-----	-----	-----	-----	-----	-----	1	----	-----
Breech—Male	223	-----	-----	-----	1	3	3	12	70	125	5	4
Female	184	-----	-----	-----	-----	1	4	6	60	104	2	7
Foot—Male	14	-----	-----	-----	-----	-----	-----	1	2	9	1	1
Female	26	-----	-----	-----	-----	-----	1	4	11	10	----	-----
Brow—Male	1	-----	-----	-----	-----	-----	-----	-----	-----	1	----	-----
Female	1	-----	-----	-----	-----	-----	-----	-----	-----	1	----	-----
Face—Male	18	-----	-----	-----	-----	-----	-----	-----	7	11	----	-----
Female	14	-----	-----	-----	-----	-----	-----	-----	6	8	----	-----
Transverse—Male	42	-----	-----	-----	-----	2	2	2	10	25	----	1
Female	20	-----	-----	-----	-----	-----	1	1	8	10	----	-----
Shoulder—Male	22	-----	-----	-----	-----	-----	2	2	10	6	----	2
Female	10	-----	-----	-----	-----	-----	-----	1	4	5	----	-----
Hand—Male	11	-----	-----	-----	-----	-----	1	-----	2	8	----	-----
Female	6	-----	-----	-----	-----	-----	-----	-----	4	2	----	-----
Other and unspecified—Male	77	-----	-----	-----	-----	1	-----	6	18	51	----	1
Female	41	-----	-----	-----	-----	-----	1	3	14	22	1	-----
Not stated	1	-----	-----	-----	-----	-----	-----	-----	-----	1	----	-----

TABLE 16.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION, IN A SELECTED AREA: 1935—Continued

(Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.)

CAUSE AND SEX OF STILLBIRTH	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
Difficult labor—Male	844	-----	-----	1	1	3	16	20	258	505	12	28
Female	511	-----	-----	-----	-----	2	8	18	169	291	6	17
Deformed pelvis—Male	125	-----	-----	-----	-----	-----	3	1	32	86	----	3
Female	66	-----	-----	-----	-----	-----	-----	3	16	45	----	2
Instrumental delivery—Male	101	-----	-----	1	-----	1	1	1	29	63	2	3
Female	33	-----	-----	-----	-----	-----	-----	-----	12	18	1	2
Version—Male	23	-----	-----	-----	-----	-----	-----	-----	10	11	2	------
Female	9	-----	-----	-----	-----	-----	-----	-----	4	5	----	------
Other and unspecified—Male	595	-----	-----	-----	1	2	12	18	187	345	8	22
Female	403	-----	-----	-----	-----	2	8	15	137	223	5	13
Asphyxia of child (cause not stated)—Male	408	1	1	9	15	29	24	37	99	163	4	26
Female	348	-----	1	1	3	23	25	40	81	159	2	13
Not stated	29	2	5	12	5	1	2	1	1	-----	----	------
Hydramnios—Male	46	-----	-----	-----	-----	11	7	3	10	13	----	2
Female	28	-----	-----	-----	-----	3	3	6	11	4	1	------
Not stated	2	-----	-----	-----	-----	-----	-----	-----	-----	2	----	------
Death in utero—Male	562	-----	2	14	34	51	82	100	120	144	4	11
Female	448	1	-----	7	18	44	50	88	121	111	4	4
Not stated	45	5	13	10	9	2	3	-----	2	1	----	------
Maceration—Male	151	-----	-----	-----	7	7	14	29	31	56	3	4
Female	114	-----	-----	-----	3	5	12	19	29	42	1	3
Not stated	13	-----	2	2	2	2	3	-----	1	1	----	------
Other deaths in utero—Male	411	-----	2	14	27	44	68	71	89	88	1	7
Female	334	1	-----	7	15	39	38	69	92	69	3	1
Not stated	32	5	11	8	7	-----	-----	-----	1	-----	----	------
Traumatism and overwork—Male	210	-----	2	16	30	39	34	42	18	21	2	6
Female	136	1	2	4	17	19	27	31	18	15	----	2
Not stated	25	3	8	4	7	2	1	-----	-----	-----	----	------
Blow—Male	3	-----	-----	-----	1	1	-----	1	-----	-----	----	------
Female	2	-----	-----	-----	-----	-----	-----	2	-----	-----	----	------
Not stated	1	-----	1	-----	-----	-----	-----	-----	-----	-----	----	------
Fall—Male	101	-----	-----	5	10	18	20	26	8	11	1	2
Female	78	-----	2	3	7	9	17	19	12	8	----	1
Not stated	5	1	1	1	-----	1	1	-----	-----	-----	----	------
Shock—Male	2	-----	-----	-----	-----	1	-----	1	-----	-----	----	------
Female	2	-----	-----	-----	-----	-----	-----	1	1	-----	----	------
Not stated	1	-----	-----	1	-----	-----	-----	-----	-----	-----	----	------
Overwork—Male	16	-----	1	-----	2	5	3	2	1	1	1	------
Female	4	-----	-----	-----	1	1	-----	2	-----	-----	----	------
Not stated	5	-----	2	-----	3	-----	-----	-----	-----	-----	----	------
Other—Male	88	-----	1	11	17	14	11	12	9	9	----	4
Female	50	1	-----	1	9	9	10	7	5	7	----	1
Not stated	13	2	4	2	4	1	-----	-----	-----	-----	----	------
Predisposition of mother to abortion—Male	5	-----	-----	-----	-----	4	-----	-----	-----	-----	----	1
Female	4	-----	-----	-----	-----	1	-----	-----	2	1	----	------
Not stated	2	-----	1	-----	1	-----	-----	-----	-----	-----	----	------
Other diseases or conditions of mother—Male	186	-----	2	11	20	26	35	36	28	24	1	3
Female	132	-----	-----	3	4	16	29	27	31	16	----	6
Not stated	21	7	5	2	2	1	2	1	-----	1	----	------
Other specified causes—Male	210	-----	1	-----	11	9	15	24	66	74	3	7
Female	166	-----	1	2	2	5	10	20	51	64	2	9
Not stated	2	-----	1	-----	-----	-----	-----	-----	-----	1	----	------
Causes not specified and unknown—Male	1,846	3	5	62	139	194	184	217	383	396	8	255
Female	1,366	-----	9	22	75	140	136	133	322	319	4	206
Not stated	129	10	26	45	27	13	2	4	-----	-----	1	1

TABLE 17.—STILLBIRTHS, BY PERIOD OF UTEROGESTATION, IN CERTAIN SPECIFIED STATES AND CITIES: 1935

AREA	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Not stated
Total	16,584	147	305	495	820	1,347	1,693	2,211	3,712	4,854	121	879
Connecticut	587	------	1	------	9	22	58	88	96	289	8	16
Illinois	3,308	3	4	34	151	315	473	630	1,531	151	4	12
New Jersey	1,857	3	9	32	51	141	162	237	256	817	15	134
New York	7,326	116	238	361	472	667	706	832	863	2,918	84	69
Oregon	295	------	------	------	2	19	20	29	40	170	8	7
Washington	476	------	------	------	------	------	------	80	60	235	1	100
West Virginia	1,645	------	6	13	61	111	156	191	694	34	------	379
District of Columbia	409	------	------	------	3	28	53	75	54	154	1	41
Baltimore, Md.	681	25	47	55	71	44	65	49	118	86	------	121

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE, FROM IMPORTANT CAUSES, BY SEX AND RACE, IN THE UNITED STATES: 1935

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	DEATHS UNDER 1 YEAR OF AGE			
	Total	White	Negro	Other races
All causes	120,138	97,907	20,906	1,326
Male	68,805	56,380	11,665	760
Female	51,333	41,527	9,240	566
Measles (7):				
Male	460	373	67	20
Female	338	287	39	12
Scarlet fever (8):				
Male	66	66	------	-----
Female	43	42	1	-----
Whooping-cough (9):				
Male	1,489	1,110	298	21
Female	1,511	1,212	272	27
Diphtheria (10):				
Male	182	152	30	-----
Female	149	121	28	-----
Influenza (11):				
Male	1,845	1,424	392	29
Female	1,528	1,004	515	9
Dysentery (13):				
Male	430	338	84	8
Female	352	277	69	6
Erysipelas (15):				
Male	310	288	19	3
Female	262	245	15	2
Epidemic cerebrospinal meningitis (18):				
Male	160	144	14	2
Female	104	89	14	1
Tetanus (22):				
Male	95	57	38	-----
Female	56	39	17	-----
Tuberculosis of the respiratory system (23):				
Male	168	96	55	17
Female	142	89	44	9
Tuberculosis of the meninges, etc. (24):				
Male	144	110	23	11
Female	121	89	26	6
Other forms of tuberculosis (25-32):				
Male	76	47	22	7
Female	49	36	10	3
Syphilis (34):				
Male	839	420	396	23
Female	669	348	313	8
Convulsions (86):				
Male	373	269	99	5
Female	282	153	63	6
Bronchitis (106):				
Male	308	253	52	3
Female	249	193	52	4
Bronchopneumonia (107):				
Male	6,798	5,544	1,127	127
Female	5,156	4,145	916	95
Lobar and unspecified pneumonia (108,109):				
Male	2,714	1,958	698	58
Female	1,951	1,412	485	34
Diseases of the stomach (117,118):				
Male	320	228	86	6
Female	218	150	62	6
Diarrhea and enteritis (119):				
Male	5,988	4,897	1,018	73
Female	4,650	3,817	779	54
Intestinal obstruction (122b):				
Male	559	492	62	5
Female	343	289	52	2
Congenital malformations (157):				
Male	5,774	5,461	281	32
Female	4,569	4,311	235	23
Congenital debility, icterus, sclerema (156, 161 b, c):				
Male	2,604	1,976	601	27
Female	1,867	1,354	489	24
Premature birth (159):				
Male	18,861	16,267	2,507	87
Female	14,286	12,110	2,113	63
Injury at birth (160):				
Male	5,961	5,460	483	18
Female	3,685	3,352	310	21
Other diseases of early infancy (161 a, d):				
Male	2,340	1,975	337	28
Female	1,812	1,359	286	27
External causes (172-198, 201-216):				
Male	1,245	985	248	12
Female	1,003	776	211	16
Unknown or ill-defined diseases (199,200):				
Male	4,187	2,086	1,936	105
Female	3,161	1,505	1,573	75
All other causes:				
Male	4,649	3,924	692	33
Female	3,269	2,725	511	33

TABLE 19.—DEATHS, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, BY SEX AND RACE, IN THE UNITED STATES: 1935

(Exclusive of stillbirths)

AGE AND SEX	DEATHS UNDER 1 YEAR OF AGE			
	Total	White	Negro	Other races
Under 1 year	120,138	97,907	20,906	1,326
Male	68,805	56,380	11,665	760
Female	51,333	41,527	9,240	566
Under 1 day	32,237	27,902	4,198	137
Male	18,779	16,340	2,360	79
Female	13,458	11,562	1,838	58
1 day	7,945	6,705	1,196	44
Male	4,654	3,955	671	28
Female	3,291	2,750	525	16
2 days	5,250	4,341	847	62
Male	3,172	2,636	497	39
Female	2,078	1,705	350	23
3 to 6 days	9,445	7,640	1,701	104
Male	5,599	4,583	1,019	57
Female	3,846	3,117	682	47
1 week	6,759	5,318	1,368	73
Male	3,748	2,973	737	38
Female	3,011	2,345	631	35
2 weeks	4,396	3,522	834	40
Male	2,428	1,978	431	19
Female	1,968	1,544	403	21
3 weeks but under 1 month	3,802	3,011	751	40
Male	2,172	1,738	412	22
Female	1,630	1,273	339	18
Under 1 month	69,834	58,459	10,895	500
Male	40,552	34,145	6,127	280
Female	29,282	24,294	4,768	220
1 month	9,477	7,595	1,763	119
Male	5,454	4,389	997	68
Female	4,023	3,206	766	51
2 months	7,571	6,032	1,436	103
Male	4,259	3,407	789	63
Female	3,312	2,625	647	40
3 months	6,147	4,804	1,258	85
Male	3,473	2,736	683	54
Female	2,674	2,068	575	31
4 months	4,964	3,795	1,088	71
Male	2,784	2,143	598	43
Female	2,170	1,652	490	28
5 months	4,269	3,291	898	80
Male	2,354	1,802	507	45
Female	1,915	1,489	391	35
6 months	3,870	2,947	845	78
Male	2,175	1,664	466	45
Female	1,695	1,283	379	33
7 months	3,386	2,616	675	65
Male	1,877	1,479	363	35
Female	1,479	1,137	312	30
8 months	3,099	2,387	650	62
Male	1,705	1,319	353	33
Female	1,394	1,068	297	29
9 months	2,828	2,240	520	68
Male	1,630	1,277	310	43
Female	1,198	963	210	25
10 months	2,384	1,871	408	45
Male	1,340	1,010	226	24
Female	1,044	861	182	21
11 months	2,409	1,890	469	50
Male	1,282	1,009	246	27
Female	1,127	881	223	23

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 1 YEAR OF AGE													
All causes	120,138	12,418	11,122	11,555	10,090	10,017	9,541	9,442	9,178	8,574	9,073	9,035	10,093
Measles (7)	798	100	126	173	135	127	69	26	5	8	9	6	14
Scarlet fever (8)	109	13	9	15	16	6	6	4	3	6	10	6	15
Whooping-cough (9)	2,940	326	338	368	338	304	301	233	191	144	134	132	131
Diphtheria (10)	311	45	38	39	21	16	10	10	9	29	24	32	37
Influenza (11)	3,173	799	727	539	250	146	73	40	51	78	84	128	258
Dysentery (13)	782	24	8	16	25	77	118	129	126	95	68	56	20
Erysipelas (15)	572	59	50	72	64	59	45	24	27	29	38	48	57
Epidemic cerebrospinal meningitis (18)	264	30	25	31	22	17	22	18	10	18	22	20	29
Tetanus (22)	151	20	12	14	10	13	11	12	8	12	13	14	12
Tuberculosis of the respiratory system (23)	310	16	17	39	25	33	35	27	28	22	24	21	23
Tuberculosis of the meninges, etc. (24)	265	31	22	36	21	26	15	21	24	15	26	15	13
Other forms of tuberculosis (25-32)	125	7	9	13	9	12	15	14	14	4	10	10	8
Syphilis (34)	1,508	148	128	129	137	153	102	124	110	89	132	116	140
Convulsions (86)	595	63	54	61	57	49	38	37	42	48	36	47	63
Bronchitis (106)	557	91	85	69	49	39	35	15	17	27	34	39	57
Bronchopneumonia (107)	11,954	2,011	1,612	1,696	1,180	898	582	424	392	458	714	812	1,175
Lobar and unspecified pneumonia (108,109)	4,645	754	675	585	482	339	231	151	138	178	254	321	537
Diseases of the stomach (117,118)	538	47	43	41	40	54	43	43	39	46	51	36	55
Diarrhea and enteritis (119)	10,638	466	435	512	638	941	1,300	1,460	1,381	1,179	1,036	777	513
Intestinal obstruction (122b)	902	74	87	78	74	85	53	79	78	73	75	73	73
Congenital malformations (157)	10,343	980	870	914	876	817	808	923	823	803	836	809	884
Congenital debility, icterus, sclerema (158,161b,c)	4,471	384	330	349	372	369	349	384	407	354	388	414	371
Premature birth (159)	33,147	2,845	2,610	2,835	2,703	2,941	2,852	2,889	2,818	2,562	2,643	2,690	2,758
Injury at birth (160)	9,644	889	813	903	819	806	795	830	765	742	741	729	812
Other diseases of early infancy (161a,d)	3,952	359	355	368	324	316	327	303	339	311	329	290	331
External causes (172-198, 201-214)	2,248	248	194	189	167	148	158	178	159	175	176	160	276
Unknown or ill-defined diseases (199,200)	7,278	776	723	711	576	556	509	510	603	517	516	577	704
All other causes	7,918	811	727	760	660	670	639	534	571	552	630	637	727
UNDER 1 DAY													
All causes	32,237	2,706	2,477	2,773	2,622	2,875	2,866	2,964	2,793	2,484	2,594	2,508	2,575
Measles (7)	4	------	------	3	------	1	------	------	------	------	------	------	------
Scarlet fever (8)	------	------	------	------	------	------	------	------	------	------	------	------	------
Whooping-cough (9)	------	------	------	------	------	------	------	------	------	------	------	------	------
Diphtheria (10)	------	------	------	------	------	------	------	------	------	------	------	------	------
Influenza (11)	8	1	3	3	------	1	------	------	------	------	------	------	------
Dysentery (13)	------	------	------	------	------	------	------	------	------	------	------	------	------
Erysipelas (15)	------	------	------	------	------	------	------	------	------	------	------	------	------
Epidemic cerebrospinal meningitis (18)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tetanus (22)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	1	------	------	------	------	------	------	1	------	------	------	------	------
Tuberculosis of the meninges, etc. (24)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other forms of tuberculosis (25-32)	------	------	------	------	------	------	------	------	------	------	------	------	------
Syphilis (34)	249	16	13	15	23	36	21	27	21	10	15	26	26
Convulsions (86)	29	3	------	3	5	3	3	3	3	1	------	2	3
Bronchitis (106)	2	1	------	------	------	------	1	------	------	------	------	------	------
Bronchopneumonia (107)	36	4	3	3	2	4	2	5	4	4	3	1	1
Lobar and unspecified pneumonia (108,109)	22	2	6	2	3	1	2	2	------	1	3	------	------
Diseases of the stomach (117,118)	1	------	------	------	------	------	------	------	------	------	1	------	------
Diarrhea and enteritis (119)	17	3	2	------	1	------	------	2	3	------	4	------	2
Intestinal obstruction (122b)	2	1	------	------	1	------	------	------	------	------	------	------	------
Congenital malformations (157)	2,512	221	183	191	224	198	227	252	230	191	218	189	188
Congenital debility, icterus, sclerema (158,161b,c)	715	62	55	56	75	71	56	63	61	48	60	60	48
Premature birth (159)	19,961	1,581	1,517	1,744	1,599	1,838	1,725	1,849	1,722	1,563	1,585	1,593	1,575
Injury at birth (160)	5,008	451	385	432	405	414	444	459	416	385	390	396	431
Other diseases of early infancy (161a,d)	1,781	164	143	142	133	148	160	148	157	149	156	135	146
External causes (172-198, 201-214)	193	25	18	19	12	16	13	20	12	15	15	7	21
Unknown or ill-defined diseases (199,200)	1,435	147	132	138	117	119	116	114	143	99	116	86	105
All other causes	261	24	17	22	22	25	26	19	21	18	28	13	26
1 DAY													
All causes	7,945	703	665	703	671	625	632	672	694	643	665	591	681
Measles (7)	------	------	------	------	------	------	------	------	------	------	------	------	------
Scarlet fever (8)	------	------	------	------	------	------	------	------	------	------	------	------	------
Whooping-cough (9)	------	------	------	------	------	------	------	------	------	------	------	------	------
Diphtheria (10)	1	1	------	------	------	------	------	------	------	------	------	------	------
Influenza (11)	11	3	4	1	------	------	1	------	------	------	------	------	2
Dysentery (13)	------	------	------	------	------	------	------	------	------	------	------	------	------
Erysipelas (15)	------	------	------	------	------	------	------	------	------	------	------	------	------
Epidemic cerebrospinal meningitis (18)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tetanus (22)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	1	------	------	------	------	------	1	------	------	------	------	------	------
Tuberculosis of the meninges, etc. (24)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other forms of tuberculosis (25-32)	1	------	------	------	------	------	------	1	------	------	------	------	------
Syphilis (34)	62	4	5	4	6	11	4	8	5	2	5	2	6
Convulsions (86)	34	3	1	1	5	------	4	4	2	4	3	1	5
Bronchitis (106)	3	------	1	1	------	------	------	1	------	------	------	------	------
Bronchopneumonia (107)	67	6	4	9	3	2	7	6	6	8	6	5	5
Lobar and unspecified pneumonia (108,109)	25	5	2	2	2	1	1	------	4	2	2	3	1
Diseases of the stomach (117,118)	11	2	1	------	1	1	1	2	1	------	2	------	------
Diarrhea and enteritis (119)	10	------	1	1	------	1	------	2	2	1	------	1	1
Intestinal obstruction (122b)	4	1	------	------	1	2	------	------	------	------	------	------	------
Congenital malformations (157)	854	72	81	78	67	82	62	74	74	63	74	54	73
Congenital debility, icterus, sclerema (158,161b,c)	247	21	20	16	22	15	16	24	24	27	18	16	22
Premature birth (159)	3,690	345	308	311	326	323	316	314	360	307	327	326	325
Injury at birth (160)	1,394	121	116	139	112	105	121	132	103	120	123	95	107
Other diseases of early infancy (161a,d)	530	45	46	51	51	34	44	37	57	40	47	33	45
External causes (172-198, 201-214)	58	5	8	8	7	2	5	4	1	2	3	5	8
Unknown or ill-defined diseases (199,200)	555	49	48	64	48	39	36	44	43	45	39	35	65
All other causes	167	20	19	17	14	7	13	19	12	22	16	13	15

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
2 DAYS													
All causes	5,250	506	512	499	454	428	386	412	398	376	377	419	483
Measles (7)	------	------	------	------	------	------	------	------	------	------	------	------	------
Scarlet fever (8)	------	------	------	------	------	------	------	------	------	------	------	------	------
Whooping-cough (9)	1	1	------	------	------	------	------	------	------	------	------	------	------
Diphtheria (10)	2	------	------	------	1	------	------	------	------	------	------	------	1
Influenza (11)	13	1	6	2	1	------	1	1	------	1	------	------	------
Dysentery (13)	1	------	------	------	------	------	1	------	------	------	------	------	------
Erysipelas (15)	------	------	------	------	------	------	------	------	------	------	------	------	------
Epidemic cerebrospinal meningitis (18)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tetanus (22)	4	1	------	1	1	------	------	------	1	------	------	------	------
Tuberculosis of the respiratory system (23)	4	1	------	------	------	------	1	------	------	1	------	------	1
Tuberculosis of the meninges, etc. (24)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other forms of tuberculosis (25-32)	------	------	------	------	------	------	------	------	------	------	------	------	------
Syphilis (34)	37	3	1	4	5	2	1	3	7	1	------	3	7
Convulsions (86)	47	2	1	2	7	6	3	6	9	4	4	1	2
Bronchitis (106)	3	------	------	------	1	------	------	------	------	------	------	1	1
Bronchopneumonia (107)	120	18	7	8	5	7	8	12	6	12	13	8	16
Lobar and unspecified pneumonia (108,109)	48	7	10	4	2	5	3	2	3	3	2	6	1
Diseases of the stomach (117,118)	10	------	1	4	------	1	------	2	------	1	1	------	------
Diarrhea and enteritis (119)	18	1	1	2	1	2	1	2	1	4	1	1	1
Intestinal obstruction (122b)	17	------	2	2	3	2	2	1	2	1	1	------	1
Congenital malformations (157)	679	55	50	54	50	46	51	59	52	61	50	45	56
Congenital debility, icterus, sclerema (158,161b,c)	229	17	23	22	17	15	16	19	22	16	19	25	18
Premature birth (159)	1,929	199	173	161	164	175	148	144	129	126	138	175	197
Injury at birth (160)	998	86	91	106	90	92	81	80	85	64	64	81	78
Other diseases of early infancy (161a,d)	421	38	56	45	36	36	28	27	22	33	32	31	37
External causes (172-198, 201-214)	43	6	10	7	6	2	2	2	2	1	------	1	4
Unknown or ill-defined diseases (199,200)	403	35	46	49	46	24	18	28	37	26	27	27	40
All other causes	223	25	24	16	18	13	21	14	20	21	15	14	22
3 TO 6 DAYS													
All causes	9,445	1,033	878	931	820	725	698	691	718	692	706	735	818
Measles (7)	5	1	------	1	------	2	------	------	------	------	------	------	1
Scarlet fever (8)	------	------	------	------	------	------	------	------	------	------	------	------	------
Whooping-cough (9)	1	------	------	------	1	------	------	------	------	------	------	------	------
Diphtheria (10)	3	------	------	1	------	------	------	------	------	1	1	------	------
Influenza (11)	56	8	16	11	6	4	1	------	------	2	------	2	6
Dysentery (13)	5	------	------	------	------	1	------	------	------	1	1	2	------
Erysipelas (15)	5	------	1	------	------	1	1	------	------	------	1	------	1
Epidemic cerebrospinal meningitis (18)	1	1	------	------	------	------	------	------	------	------	------	------	------
Tetanus (22)	48	11	5	5	2	4	2	3	1	3	3	6	3
Tuberculosis of the respiratory system (23)	1	------	------	------	------	------	1	------	------	------	------	------	------
Tuberculosis of the meninges, etc. (24)	1	------	1	------	------	------	------	------	------	------	------	------	------
Other forms of tuberculosis (25-32)	3	------	------	------	------	1	------	------	2	------	------	------	------
Syphilis (34)	90	13	5	9	7	7	7	6	12	5	5	5	9
Convulsions (86)	105	7	10	14	10	7	8	6	8	10	10	7	9
Bronchitis (106)	14	------	------	3	1	------	4	------	------	1	2	1	2
Bronchopneumonia (107)	420	51	52	45	35	26	20	28	20	22	40	40	31
Lobar and unspecified pneumonia (108,109)	150	23	20	15	16	8	7	7	8	13	11	12	10
Diseases of the stomach (117,118)	45	5	3	4	5	5	4	3	1	5	4	2	4
Diarrhea and enteritis (119)	163	13	15	13	15	13	20	15	18	13	10	8	10
Intestinal obstruction (122b)	67	8	5	4	8	5	7	2	5	8	6	6	3
Congenital malformations (157)	1,362	157	125	134	127	92	99	112	102	93	97	104	120
Congenital debility, icterus, sclerema (158, 161b,c)	635	74	46	69	50	51	43	49	60	50	41	53	49
Premature birth (159)	2,662	271	224	224	230	207	221	190	212	191	212	240	260
Injury at birth (160)	1,452	155	143	140	142	127	92	120	107	109	101	102	114
Other diseases of early infancy (161a,d)	563	63	62	83	47	48	51	56	59	45	50	43	56
External causes (172-198, 201-214)	90	14	4	10	7	7	8	7	6	6	6	3	12
Unknown or ill-defined diseases (199,200)	839	93	88	93	66	57	56	59	64	64	68	60	71
All other causes	538	55	53	53	45	52	46	28	33	50	37	39	47
1 WEEK													
All causes	6,759	709	646	660	548	555	518	481	515	499	500	515	613
Measles (7)	12	2	3	2	2	------	1	------	------	1	------	------	1
Scarlet fever (8)	1	1	------	------	------	------	------	------	------	------	------	------	------
Whooping-cough (9)	16	4	------	4	1	3	------	1	1	1	------	1	------
Diphtheria (10)	6	------	1	1	------	2	1	------	1	------	------	------	------
Influenza (11)	104	31	23	20	8	4	2	1	2	------	4	3	6
Dysentery (13)	13	2	------	------	------	1	------	2	3	2	------	------	3
Erysipelas (15)	22	1	3	2	1	6	------	1	2	1	1	3	1
Epidemic cerebrospinal meningitis (18)	4	------	------	1	------	------	------	2	------	------	1	------	------
Tetanus (22)	72	6	6	6	3	7	8	6	5	5	8	6	6
Tuberculosis of the respiratory system (23)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the meninges, etc. (24)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other forms of tuberculosis (25-32)	------	------	------	------	------	------	------	------	------	------	------	------	------
Syphilis (34)	99	13	10	10	6	6	5	10	9	7	9	6	8
Convulsions (86)	70	7	9	8	7	3	3	3	4	6	4	6	10
Bronchitis (106)	30	5	5	4	1	------	------	------	------	1	2	------	2
Bronchopneumonia (107)	466	69	62	48	40	24	28	19	23	28	32	41	51
Lobar and unspecified pneumonia (108,109)	191	36	20	29	12	9	13	11	11	9	11	12	18
Diseases of the stomach (117,118)	36	3	3	3	2	4	4	2	5	2	4	1	3
Diarrhea and enteritis (119)	305	22	18	26	25	22	33	34	25	29	27	19	25
Intestinal obstruction (122b)	41	9	4	3	1	2	2	2	6	1	2	1	8
Congenital malformations (157)	896	80	77	91	70	74	76	73	69	67	64	78	77
Congenital debility, icterus, sclerema (158, 161b,c)	468	40	42	42	43	36	42	31	40	32	42	38	40
Premature birth (159)	2,056	189	177	190	177	191	156	167	166	161	145	166	171
Injury at birth (160)	474	51	46	50	39	39	35	31	34	30	38	27	54
Other diseases of early infancy (161a,d)	272	25	18	22	30	31	22	17	18	21	25	21	22
External causes (172-198, 201-214)	61	9	6	3	5	3	5	2	9	3	2	5	9
Unknown or ill-defined diseases (199,200)	568	58	65	56	36	42	43	33	41	59	38	49	48
All other causes	486	46	48	39	39	46	39	33	41	33	40	32	50

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
2 WEEKS													
All causes	4,396	520	446	473	379	328	302	287	330	289	313	336	393
Measles (7)	25	5	6	4	5	3	1	------	------	------	------	1	------
Scarlet fever (8)	5	------	1	1	1	1	------	------	------	------	------	------	1
Whooping-cough (9)	39	6	3	6	7	7	1	2	2	2	1	2	------
Diphtheria (10)	12	------	2	1	1	1	1	------	2	------	1	2	1
Influenza (11)	135	43	32	20	8	7	4	------	1	3	5	5	7
Dysentery (13)	12	------	------	------	2	1	------	2	------	1	3	1	2
Erysipelas (15)	48	3	3	7	4	3	3	1	1	3	2	10	8
Epidemic cerebrospinal meningitis (18)	4	------	1	------	1	------	------	------	1	------	------	------	1
Tetanus (22)	10	1	1	------	------	------	1	1	------	2	1	2	1
Tuberculosis of the respiratory system (23)	1	------	------	------	1	------	------	------	------	------	------	------	------
Tuberculosis of the meninges, etc. (24)	2	1	------	------	------	------	------	------	1	------	------	------	------
Other forms of tuberculosis (25-32)	1	------	------	------	------	------	------	1	------	------	------	------	------
Syphilis (34)	68	6	4	6	4	6	8	2	6	3	6	6	11
Convulsions (86)	30	5	4	2	1	2	1	1	2	3	2	2	5
Bronchitis (106)	29	6	3	5	2	------	1	1	2	1	2	3	3
Bronchopneumonia (107)	532	87	62	81	49	31	31	19	21	18	37	46	50
Lobar and unspecified pneumonia (108,109)	173	22	28	22	18	12	7	6	4	13	12	11	18
Diseases of the stomach (117,118)	29	1	7	3	1	5	1	2	3	------	1	4	1
Diarrhea and enteritis (119)	432	30	12	38	39	33	29	48	58	34	42	39	30
Intestinal obstruction (122b)	35	2	2	8	4	3	1	1	2	3	6	1	2
Congenital malformations (157)	529	46	48	56	42	40	44	37	45	32	39	43	57
Congenital debility, icterus, sclerema (158, 161b,c)	275	35	16	28	22	27	15	29	24	20	21	21	17
Premature birth (159)	937	92	98	83	80	72	81	80	72	72	66	62	79
Injury at birth (160)	118	13	10	11	8	12	6	4	7	16	10	10	11
Other diseases of early infancy (161a,d)	108	12	16	9	11	5	11	5	8	8	9	5	9
External causes (172-198, 201-214)	74	10	6	5	8	5	7	4	9	6	4	1	9
Unknown or ill-defined diseases (199,200)	355	44	40	47	35	24	22	19	23	19	16	36	40
All other causes	368	50	41	30	25	28	26	22	36	30	27	23	30
3 WEEKS BUT UNDER 1 MONTH													
All causes	3,802	494	400	339	324	275	262	275	230	281	285	292	345
Measles (7)	23	6	7	4	1	1	1	------	1	1	1	------	------
Scarlet fever (8)	1	------	------	1	------	------	------	------	------	------	------	------	------
Whooping-cough (9)	106	21	9	18	12	6	6	8	4	6	8	5	3
Diphtheria (10)	13	3	1	3	------	------	1	------	------	------	2	1	2
Influenza (11)	117	37	30	14	7	6	2	------	1	5	1	4	10
Dysentery (13)	18	1	------	1	1	2	1	1	3	3	3	1	1
Erysipelas (15)	49	4	3	5	6	2	3	5	1	4	5	7	4
Epidemic cerebrospinal meningitis (18)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tetanus (22)	4	------	------	1	------	------	------	1	------	1	------	------	1
Tuberculosis of the respiratory system (23)	4	------	------	------	------	------	1	------	------	1	------	1	1
Tuberculosis of the meninges, etc. (24)	1	------	------	------	------	------	------	------	------	------	1	------	------
Other forms of tuberculosis (25-32)	3	------	------	------	------	------	2	------	------	------	------	------	1
Syphilis (34)	67	10	5	2	8	7	4	2	2	9	7	5	6
Convulsions (86)	24	1	2	2	3	4	1	2	1	1	2	3	2
Bronchitis (106)	30	6	7	4	6	1	1	------	------	2	1	1	1
Bronchopneumonia (107)	562	110	86	69	50	39	17	28	20	29	31	38	45
Lobar and unspecified pneumonia (108,109)	184	38	31	17	16	11	4	12	3	11	11	9	21
Diseases of the stomach (117,118)	21	------	2	1	1	2	2	4	------	1	3	------	5
Diarrhea and enteritis (119)	447	39	24	32	33	35	45	37	44	48	45	33	32
Intestinal obstruction (122b)	40	8	2	1	3	3	1	3	5	3	3	7	1
Congenital malformations (157)	447	44	34	37	42	35	41	41	33	33	29	40	38
Congenital debility, icterus, sclerema (158, 161b,c)	226	21	23	13	18	19	18	14	16	17	16	19	32
Premature birth (159)	566	53	36	44	50	47	49	53	51	48	40	43	52
Injury at birth (160)	70	5	13	9	4	6	7	1	4	6	6	4	5
Other diseases of early infancy (161a,d)	68	4	8	6	4	8	5	4	5	5	4	10	5
External causes (172-198, 201-214)	79	10	8	9	6	4	8	7	3	3	6	5	10
Unknown or ill-defined diseases (199,200)	310	39	29	24	27	21	20	19	20	19	25	25	42
All other causes	322	34	40	22	26	16	22	33	13	25	35	31	25
UNDER 1 MONTH													
All causes	69,834	6,671	6,024	6,378	5,818	5,811	5,664	5,782	5,678	5,264	5,440	5,396	5,908
Measles (7)	69	14	16	14	8	7	3	------	1	2	1	1	2
Scarlet fever (8)	7	1	1	2	1	1	------	------	------	------	------	------	1
Whooping-cough (9)	163	32	12	28	21	16	7	11	7	9	9	8	3
Diphtheria (10)	37	4	4	6	2	3	3	------	3	1	4	3	4
Influenza (11)	444	124	114	71	30	22	11	2	4	11	10	14	31
Dysentery (13)	49	3	------	1	3	5	2	5	6	7	7	4	6
Erysipelas (15)	124	8	10	14	11	12	7	7	4	8	9	20	14
Epidemic cerebrospinal meningitis (18)	9	1	1	1	1	------	------	2	1	------	1	------	1
Tetanus (22)	138	19	12	13	6	11	11	11	7	11	12	14	11
Tuberculosis of the respiratory system (23)	12	1	------	------	1	------	4	1	------	2	------	1	2
Tuberculosis of the meninges, etc. (24)	4	1	1	------	------	------	------	------	1	------	1	------	------
Other forms of tuberculosis (25-32)	8	------	------	------	------	1	2	2	2	------	------	------	1
Syphilis (34)	672	65	43	50	59	75	50	58	62	37	47	53	73
Convulsions (86)	340	28	27	32	38	25	23	25	29	29	25	22	37
Bronchitis (106)	101	18	16	17	11	1	7	2	2	5	7	6	9
Bronchopneumonia (107)	2,203	355	276	263	184	133	113	117	100	121	163	179	199
Lobar and unspecified pneumonia (108,109)	793	133	117	91	69	47	37	40	33	52	52	53	69
Diseases of the stomach (117,118)	153	11	17	15	10	16	12	15	10	9	16	7	13
Diarrhea and enteritis (119)	1,392	108	73	112	114	106	128	140	151	129	129	101	101
Intestinal obstruction (122b)	206	29	15	15	21	17	13	9	20	16	18	15	15
Congenital malformations (157)	7,279	685	608	651	622	567	600	558	605	540	581	553	609
Congenital debility, icterus, sclerema (158, 161b,c)	2,795	270	225	246	253	234	206	229	247	210	217	232	226
Premature birth (159)	32,021	2,730	2,533	2,757	2,626	2,853	2,766	2,797	2,712	2,468	2,513	2,607	2,659
Injury at birth (160)	9,514	882	804	887	800	795	786	827	756	730	732	715	800
Other diseases of early infancy (161a,d)	3,843	351	349	358	312	310	321	294	326	301	323	278	320
External causes (172-198, 201-214)	598	79	60	61	51	39	48	46	42	36	36	27	73
Unknown or ill-defined diseases (199,200)	4,475	465	448	471	375	325	311	316	371	331	329	318	414
All other causes	2,385	254	242	199	189	187	193	168	176	199	198	165	215

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1 MONTH													
All causes	9,477	1,208	996	937	801	764	609	605	638	660	734	719	806
Measles (7)	68	10	10	14	11	9	6	3	------	2	1	------	2
Scarlet fever (8)	3	------	------	1	------	------	------	------	------	------	1	1	------
Whooping-cough (9)	477	53	56	55	59	41	48	41	32	26	19	27	20
Diphtheria (10)	25	3	2	2	3	2	2	1	------	3	2	1	4
Influenza (11)	413	121	98	75	25	15	6	4	5	9	6	16	32
Dysentery (13)	54	1	------	2	1	2	3	12	11	9	5	7	1
Erysipelas (15)	187	24	13	22	24	18	9	8	11	9	14	14	21
Epidemic cerebrospinal meningitis (18)	17	2	2	2	2	1	1	------	------	------	3	2	2
Tetanus (22)	3	------	------	1	------	1	------	1	------	------	------	------	------
Tuberculosis of the respiratory system (23)	8	1	------	1	1	------	1	------	2	------	1	1	------
Tuberculosis of the meninges, etc. (24)	11	3	2	1	3	1	------	------	------	1	------	------	------
Other forms of tuberculosis (25-32)	6	------	------	1	1	1	3	------	------	------	------	------	------
Syphilis (34)	227	24	18	16	14	28	12	15	16	19	30	19	16
Convulsions (86)	47	8	4	5	4	1	6	1	3	4	4	4	3
Bronchitis (106)	89	17	11	13	9	2	6	3	5	4	5	8	6
Bronchopneumonia (107)	1,604	299	239	233	163	131	66	47	52	61	94	90	129
Lobar and unspecified pneumonia (108,109)	548	90	83	58	58	40	27	14	16	24	31	43	64
Diseases of the stomach (117,118)	92	8	5	11	10	7	5	4	9	14	6	1	12
Diarrhea and enteritis (119)	1,291	78	65	74	84	113	116	156	137	151	136	105	76
Intestinal obstruction (122b)	94	8	13	5	7	5	4	8	12	10	7	8	7
Congenital malformations (157)	875	102	85	80	66	80	51	76	67	60	72	68	68
Congenital debility, icterus, sclerema (158, 161b,c)	558	45	38	31	34	46	44	45	58	50	61	58	48
Premature birth (159)	686	80	46	45	53	51	42	56	66	60	79	50	58
Injury at birth (160)	96	5	4	13	17	9	6	2	8	7	7	10	8
Other diseases of early infancy (161a,d)	72	6	3	9	7	4	3	7	8	6	4	10	5
External causes (172-198, 201-214)	276	35	32	24	20	16	13	14	15	19	16	29	43
Unknown or ill-defined diseases (199,200)	739	90	85	60	51	54	47	45	48	46	55	71	87
All other causes	911	95	82	82	74	86	82	42	57	66	75	76	94
2 MONTHS													
All causes	7,571	900	789	744	620	577	567	493	471	492	609	612	697
Measles (7)	46	10	10	9	8	7	1	------	------	------	------	------	1
Scarlet fever (8)	5	1	------	------	------	1	------	------	------	------	1	1	1
Whooping-cough (9)	397	31	32	28	42	48	54	33	23	29	31	20	26
Diphtheria (10)	18	1	3	1	2	------	1	1	2	3	1	1	2
Influenza (11)	374	99	93	59	21	11	10	3	8	6	8	21	35
Dysentery (13)	74	3	------	------	1	6	13	14	13	10	7	6	1
Erysipelas (15)	77	7	11	13	7	8	3	3	3	3	6	2	6
Epidemic cerebrospinal meningitis (18)	27	1	2	1	2	2	3	2	1	3	2	2	6
Tetanus (22)	1	------	------	------	------	------	------	------	------	------	------	------	1
Tuberculosis of the respiratory system (23)	22	2	4	------	1	3	2	2	2	1	1	2	2
Tuberculosis of the meninges, etc. (24)	12	------	1	2	2	1	------	------	2	1	2	------	1
Other forms of tuberculosis (25-32)	5	------	------	------	------	------	1	2	------	------	------	2	------
Syphilis (34)	210	21	29	17	29	17	10	14	9	15	16	16	17
Convulsions (86)	50	8	5	4	5	2	1	3	5	4	------	6	7
Bronchitis (106)	78	18	11	10	7	6	4	1	2	7	3	5	4
Bronchopneumonia (107)	1,461	266	203	237	149	99	51	38	31	52	102	100	133
Lobar and unspecified pneumonia (108, 109)	494	84	72	55	42	36	20	17	15	12	32	39	70
Diseases of the stomach (117,118)	66	8	3	2	3	7	4	5	4	5	8	8	9
Diarrhea and enteritis (119)	1,246	47	60	58	80	95	135	164	156	125	143	113	68
Intestinal obstruction (122b)	86	6	11	10	6	7	4	5	6	8	10	7	6
Congenital malformations (157)	551	61	43	39	52	41	39	45	43	56	46	37	49
Congenital debility, icterus, sclerema (158, 161b,c)	372	30	24	24	27	23	37	41	28	24	42	40	32
Premature birth (159)	242	17	20	16	14	21	25	20	22	19	29	18	21
Injury at birth (160)	34	2	5	3	2	2	3	1	1	5	2	4	4
Other diseases of early infancy (161a,d)	37	2	3	1	5	2	3	2	5	4	2	2	6
External causes (172-198, 201-214)	254	22	20	21	17	17	16	12	13	17	23	31	45
Unknown or ill-defined diseases (199, 200)	573	74	61	52	37	48	45	30	31	40	40	54	61
All other causes	759	79	63	82	59	67	77	35	44	43	52	75	83
3 MONTHS													
All causes	6,147	751	614	595	508	519	412	414	379	417	457	476	605
Measles (7)	47	6	9	12	7	7	2	2	------	1	1	------	------
Scarlet fever (8)	6	------	------	------	1	------	------	1	------	------	2	1	1
Whooping-cough (9)	347	46	45	42	42	40	38	23	21	7	12	16	15
Diphtheria (10)	24	6	2	3	------	1	------	1	------	3	2	2	4
Influenza (11)	296	91	62	50	26	14	2	1	2	8	6	14	20
Dysentery (13)	34	2	------	4	2	5	18	9	13	9	11	8	3
Erysipelas (15)	43	2	6	4	6	3	5	1	1	1	3	3	8
Epidemic cerebrospinal meningitis (18)	30	5	5	7	2	------	------	1	1	2	4	------	3
Tetanus (22)	3	1	------	------	------	1	------	------	1	------	------	------	------
Tuberculosis of the respiratory system (23)	22	3	1	3	2	3	------	1	1	------	1	5	2
Tuberculosis of the meninges, etc. (24)	16	4	------	3	2	------	1	------	3	------	1	------	2
Other forms of tuberculosis (25-32)	9	2	1	2	------	2	1	------	------	------	------	------	1
Syphilis (34)	122	14	5	13	22	7	6	10	7	3	17	10	8
Convulsions (86)	38	4	3	5	3	5	3	2	1	3	------	7	2
Bronchitis (106)	54	5	10	9	3	8	4	2	1	4	3	5	9
Bronchopneumonia (107)	1,321	216	187	174	124	91	59	45	28	50	69	91	177
Lobar and unspecified pneumonia (108, 109)	452	76	69	48	45	27	21	6	12	16	30	34	68
Diseases of the stomach (117, 118)	49	4	2	4	4	6	2	5	1	6	6	3	6
Diarrhea and enteritis (119)	1,157	52	49	54	65	119	123	143	149	137	119	87	60
Intestinal obstruction (122b)	73	5	10	5	5	4	6	8	6	4	5	9	6
Congenital malformations (157)	386	40	27	31	27	26	18	37	27	42	32	27	42
Congenital debility, icterus, sclerema (158, 161b,c)	239	12	17	13	24	23	19	15	24	22	20	24	25
Premature birth (159)	86	6	4	6	6	9	8	6	10	6	10	6	9
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a,d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-198, 201-214)	217	25	17	11	14	14	10	26	10	18	15	24	33
Unknown or ill-defined diseases (199, 200)	372	45	29	36	19	35	27	25	28	25	23	37	43
All other causes	644	78	54	56	57	59	39	43	32	40	65	63	58

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
4 MONTHS													
All causes	4,954	555	490	481	373	382	411	382	348	339	395	383	415
Measles (7)	55	9	8	16	8	3	4	------	------	------	3	2	2
Scarlet fever (8)	6	1	1	------	1	------	1	------	------	------	------	1	1
Whooping-cough (9)	245	36	24	34	21	19	20	18	19	16	15	10	13
Diphtheria (10)	17	2	5	3	1	------	------	------	------	3	1	1	1
Influenza (11)	255	58	51	38	26	8	7	3	8	5	7	12	32
Dysentery (13)	77	4	2	1	2	8	13	11	12	11	4	7	2
Erysipelas (15)	27	2	1	3	4	3	1	2	2	1	2	3	3
Epidemic cerebrospinal meningitis (18)	41	5	1	4	4	2	5	4	1	------	6	4	5
Tetanus (22)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	30	3	1	4	3	3	2	4	1	3	2	------	4
Tuberculosis of the meninges, etc. (24)	21	2	3	2	1	5	------	3	1	------	2	------	2
Other forms of tuberculosis (25-32)	11	1	1	------	------	1	1	------	2	------	2	2	1
Syphilis (34)	71	9	8	9	4	10	7	4	1	4	6	3	6
Convulsions (86)	33	8	6	------	2	2	1	2	------	2	3	3	4
Bronchitis (106)	42	2	7	6	3	4	2	1	------	3	6	3	5
Bronchopneumonia (107)	1,002	170	128	136	94	74	66	24	38	34	62	74	102
Lobar and unspecified pneumonia (108, 109)	367	57	58	51	32	26	16	10	12	15	18	33	39
Diseases of the stomach (117, 118)	48	3	6	------	2	4	4	7	4	4	5	2	7
Diarrhea and enteritis (119)	1,039	31	42	45	47	93	140	172	119	121	109	80	40
Intestinal obstruction (122b)	81	6	5	9	5	11	3	11	8	7	4	5	7
Congenital malformations (157)	297	24	21	26	28	23	25	18	15	23	31	38	25
Congenital debility, icterus, sclerema (158, 161b,c)	168	13	10	10	8	16	17	17	20	16	17	15	9
Premature birth (159)	52	6	2	5	3	1	5	6	4	2	9	5	4
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a,d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-198, 201-214)	156	12	18	14	7	11	9	14	13	10	23	12	13
Unknown or ill-defined diseases (199, 200)	280	37	37	15	19	15	19	18	29	21	19	20	31
All other causes	533	54	44	50	48	40	43	33	39	38	39	48	57
5 MONTHS													
All causes	4,269	485	441	452	335	335	319	326	337	268	274	326	371
Measles (7)	39	10	6	7	8	3	1	4	------	------	------	------	------
Scarlet fever (8)	6	------	1	2	1	------	------	1	------	1	------	------	------
Whooping-cough (9)	240	23	27	32	25	24	25	19	18	8	10	11	18
Diphtheria (10)	13	1	4	------	------	------	1	1	------	1	------	2	3
Influenza (11)	255	60	59	45	22	11	5	2	7	7	4	12	21
Dysentery (13)	74	4	2	2	4	8	8	7	12	8	15	3	1
Erysipelas (15)	27	4	5	5	1	5	1	1	1	1	1	1	1
Epidemic cerebrospinal meningitis (18)	33	3	3	2	4	3	2	3	2	3	1	2	5
Tetanus (22)	2	------	------	------	2	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	26	1	------	4	6	2	3	------	3	3	2	1	1
Tuberculosis of the meninges, etc. (24)	20	1	1	3	1	3	1	2	2	------	2	3	1
Other forms of tuberculosis (25-32)	16	------	4	1	2	------	1	1	2	2	------	2	1
Syphilis (34)	57	7	7	4	4	7	5	5	2	1	5	4	6
Convulsions (86)	12	1	2	3	1	1	------	1	1	------	1	1	------
Bronchitis (106)	32	7	4	2	1	3	3	2	2	1	2	------	5
Bronchopneumonia (107)	903	155	128	153	81	58	35	27	31	25	50	57	103
Lobar and unspecified pneumonia (108, 109)	355	63	51	41	37	25	13	13	13	13	18	26	42
Diseases of the stomach (117, 118)	29	4	2	------	2	1	4	3	1	2	3	6	1
Diarrhea and enteritis (119)	908	34	30	40	42	78	117	139	135	98	77	77	41
Intestinal obstruction (122b)	80	1	11	8	9	10	1	9	4	7	7	7	6
Congenital malformations (157)	255	23	21	21	18	12	25	27	20	20	20	25	23
Congenital debility, icterus, sclerema (158, 161b,c)	91	2	3	4	6	10	7	10	13	12	3	13	8
Premature birth (159)	18	1	1	3	------	2	1	------	2	4	1	1	2
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a,d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-198, 201-214)	135	22	16	4	9	15	9	3	9	10	10	6	22
Unknown or ill-defined diseases (199, 200)	179	14	14	20	10	20	11	9	22	14	6	21	18
All other causes	454	44	39	46	39	34	40	37	35	27	36	45	42
6 MONTHS													
All causes	3,870	407	430	424	316	320	316	333	283	242	268	249	282
Measles (7)	53	2	9	11	9	10	5	3	------	------	1	1	2
Scarlet fever (8)	12	1	2	1	3	2	1	------	------	------	1	------	1
Whooping-cough (9)	216	20	31	35	30	24	18	18	15	6	6	6	7
Diphtheria (10)	27	2	4	3	2	3	1	------	------	2	2	6	2
Influenza (11)	267	60	62	45	22	13	6	7	5	9	10	8	20
Dysentery (13)	85	1	1	------	3	10	15	17	10	13	8	6	1
Erysipelas (15)	22	6	------	3	1	2	5	2	1	------	------	2	------
Epidemic cerebrospinal meningitis (18)	27	3	4	6	1	2	1	------	2	2	2	4	------
Tetanus (22)	1	------	------	------	------	------	------	------	------	1	------	------	------
Tuberculosis of the respiratory system (23)	26	2	1	4	2	------	2	5	2	1	4	2	1
Tuberculosis of the meninges, etc. (24)	24	5	2	1	2	3	2	1	2	2	1	2	1
Other forms of tuberculosis (25-32)	12	------	1	2	1	1	1	------	2	------	2	1	1
Syphilis (34)	41	1	5	9	2	1	1	5	3	2	3	5	3
Convulsions (86)	15	------	2	2	1	3	1	1	1	------	1	1	2
Bronchitis (106)	36	7	9	3	------	3	1	2	1	------	1	4	5
Bronchopneumonia (107)	764	127	117	117	76	57	39	27	23	26	40	52	63
Lobar and unspecified pneumonia (108, 109)	339	56	46	55	32	22	14	11	8	10	15	28	42
Diseases of the stomach (117, 118)	21	2	3	2	------	4	1	2	4	1	1	1	------
Diarrhea and enteritis (119)	809	26	33	22	50	83	115	122	111	87	82	49	29
Intestinal obstruction (122b)	59	3	5	6	3	6	4	6	7	6	9	7	7
Congenital malformations (157)	163	11	24	9	15	11	16	13	10	15	14	13	11
Congenital debility, icterus, sclerema (158, 161b,c)	57	3	2	2	3	7	3	5	6	5	9	4	8
Premature birth (159)	11	2	2	1	------	1	1	------	------	1	1	------	2
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a,d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-198, 201-214)	108	6	7	14	4	6	11	10	15	8	11	2	14
Unknown or ill-defined diseases (199, 200)	174	13	10	23	15	9	11	29	18	11	11	11	13
All other causes	491	48	47	48	38	37	41	47	37	34	33	34	47

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
7 MONTHS													
All causes	3,356	338	310	389	333	290	277	271	260	230	202	210	246
Measles (7)	65	10	11	12	9	14	4	2	------	------	1	1	1
Scarlet fever (8)	12	2	1	2	2	------	2	1	------	------	1	------	1
Whooping-cough (9)	200	23	24	18	29	23	19	19	14	9	7	6	9
Diphtheria (10)	15	4	1	1	1	------	------	------	------	1	3	1	3
Influenza (11)	224	36	50	50	19	17	5	3	4	5	11	8	16
Dysentery (13)	63	------	------	2	1	6	12	10	13	10	5	3	1
Erysipelas (15)	20	1	1	4	2	3	3	------	1	1	1	1	2
Epidemic cerebrospinal meningitis (18)	19	3	1	1	2	1	1	2	1	4	2	1	------
Tetanus (22)	2	------	------	------	1	------	------	------	------	------	1	------	------
Tuberculosis of the respiratory system (23)	37	------	2	6	2	3	3	4	4	7	2	2	2
Tuberculosis of the meninges, etc. (24)	28	4	3	5	2	1	1	1	4	2	3	1	1
Other forms of tuberculosis (25-32)	9	------	------	2	2	------	------	2	1	------	1	------	1
Syphilis (34)	31	5	3	5	------	2	3	4	1	2	2	2	2
Convulsions (86)	14	1	1	4	2	2	1	------	------	1	------	1	1
Bronchitis (106)	21	1	4	2	5	3	2	------	1	------	1	1	1
Bronchopneumonia (107)	668	105	83	107	79	65	34	28	27	24	25	48	63
Lobar and unspecified pneumonia (108, 109)	283	49	32	45	30	25	21	7	5	4	12	14	39
Diseases of the stomach (117, 118)	18	1	2	1	4	1	2	------	1	1	------	2	3
Diarrhea and enteritis (119)	695	23	18	26	47	54	98	102	108	89	61	45	24
Intestinal obstruction (122b)	80	6	6	6	12	9	4	10	4	7	5	3	8
Congenital malformations (157)	138	8	13	17	10	8	6	14	9	13	9	11	20
Congenital debility, icterus, sclerema (158, 161b,c)	55	3	2	3	4	3	4	7	3	7	5	9	4
Premature birth (159)	15	3	1	1	------	1	3	2	------	1	------	2	1
Injury at birth (160)	--------	------	------	------	------	------	------	------	------	------	------	------	--------
Other diseases of early infancy (161a,d)	--------	------	------	------	------	------	------	------	------	------	------	------	--------
External causes (172-198, 201-214)	107	11	4	8	14	8	12	15	8	8	6	7	6
Unknown or ill-defined diseases (199, 200)	138	4	10	12	18	14	11	10	19	11	12	8	9
All other causes	379	35	37	49	36	27	26	28	32	23	25	33	28
8 MONTHS													
All causes	3,099	299	308	320	294	302	270	245	230	215	192	209	215
Measles (7)	77	8	11	17	15	15	7	2	------	1	------	------	1
Scarlet fever (8)	10	------	1	1	------	------	------	1	2	2	------	2	1
Whooping-cough (9)	206	17	32	30	19	19	26	20	12	7	7	14	3
Diphtheria (10)	32	7	5	6	3	2	------	1	1	1	2	2	2
Influenza (11)	181	41	40	27	17	13	6	3	2	5	6	7	14
Dysentery (13)	61	1	------	------	3	9	10	9	10	7	7	4	1
Erysipelas (15)	20	4	1	1	5	2	2	------	2	3	------	------	------
Epidemic cerebrospinal meningitis (18)	15	2	1	------	2	1	1	1	1	2	------	2	2
Tetanus (22)	--------	------	------	------	------	------	------	------	------	------	------	------	--------
Tuberculosis of the respiratory system (23)	29	------	3	3	4	6	4	3	1	------	2	2	1
Tuberculosis of the meninges, etc. (24)	35	2	2	7	2	4	2	3	3	4	3	1	2
Other forms of tuberculosis (25-32)	12	1	------	1	1	2	1	2	1	------	2	------	1
Syphilis (34)	22	2	5	1	1	------	3	2	------	2	2	1	3
Convulsions (86)	16	1	2	3	------	3	1	2	2	1	------	------	1
Bronchitis (106)	28	5	4	------	------	1	4	------	2	2	2	3	5
Bronchopneumonia (107)	568	88	85	79	68	48	28	20	16	17	23	39	57
Lobar and unspecified pneumonia (108, 109)	312	41	39	45	45	32	21	13	5	14	13	18	26
Diseases of the stomach (117, 118)	16	------	------	2	3	1	1	------	2	2	3	3	1
Diarrhea and enteritis (119)	660	19	16	26	36	67	98	103	92	86	52	41	24
Intestinal obstruction (122b)	46	4	7	4	2	3	3	5	5	3	4	3	3
Congenital malformations (157)	111	5	7	8	9	12	9	10	9	13	5	11	12
Congenital debility, icterus, sclerema (158, 161b,c)	40	1	2	2	3	4	5	5	1	2	2	8	5
Premature birth (159)	8	1	1	------	1	1	------	1	1	------	1	1	------
Injury at birth (160)	--------	------	------	------	------	------	------	------	------	------	------	------	--------
Other diseases of early infancy (161a,d)	--------	------	------	------	------	------	------	------	------	------	------	------	--------
External causes (172-198, 201-214)	80	4	2	7	12	5	5	4	7	14	9	8	3
Unknown or ill-defined diseases (199, 200)	137	12	9	9	12	16	4	11	15	7	11	15	16
All other causes	375	32	33	41	31	36	29	24	38	20	36	24	31
9 MONTHS													
All causes	2,828	265	274	306	276	294	273	225	205	170	173	168	199
Measles (7)	87	7	11	22	11	18	13	2	1	------	------	1	1
Scarlet fever (8)	9	------	------	2	2	1	1	------	------	1	1	------	1
Whooping-cough (9)	169	19	19	19	22	19	23	12	7	11	7	7	4
Diphtheria (10)	30	2	2	4	3	2	------	2	1	4	3	2	5
Influenza (11)	172	35	39	30	17	10	6	6	3	4	5	7	10
Dysentery (13)	64	1	1	2	2	5	14	11	12	5	4	5	------
Erysipelas (15)	10	------	1	1	1	1	2	------	1	1	1	1	------
Epidemic cerebrospinal meningitis (18)	18	------	2	2	1	------	5	2	------	1	------	2	3
Tetanus (22)	1	------	------	------	1	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	36	1	3	4	1	8	3	1	7	1	1	2	4
Tuberculosis of the meninges, etc. (24)	34	4	5	4	1	5	4	2	2	2	4	1	------
Other forms of tuberculosis (25-32)	11	------	1	1	1	1	1	2	1	------	2	1	------
Syphilis (34)	23	------	1	4	1	3	2	3	3	------	1	------	5
Convulsions (86)	14	------	2	2	1	3	------	------	------	1	2	2	1
Bronchitis (106)	28	2	5	3	4	5	1	------	------	------	2	3	3
Bronchopneumonia (107)	532	91	51	85	58	50	27	20	14	16	33	31	56
Lobar and unspecified pneumonia (108, 109)	277	31	48	33	38	29	16	9	10	8	10	11	34
Diseases of the stomach (117, 118)	15	4	------	------	2	1	1	1	1	2	1	1	1
Diarrhea and enteritis (119)	563	19	18	16	27	56	94	92	82	60	49	28	22
Intestinal obstruction (122b)	38	2	1	4	2	7	7	1	2	2	2	3	5
Congenital malformations (157)	134	11	14	12	17	11	13	8	8	9	8	12	11
Congenital debility, icterus, sclerema (158, 161b,c)	33	1	5	6	3	2	2	4	2	2	3	2	1
Premature birth (159)	1	------	------	------	------	------	------	------	------	------	------	------	1
Injury at birth (160)	--------	------	------	------	------	------	------	------	------	------	------	------	--------
Other diseases of early infancy (161a,d)	--------	------	------	------	------	------	------	------	------	------	------	------	--------
External causes (172-198, 201-214)	96	5	6	9	12	7	5	10	12	11	6	10	4
Unknown or ill-defined diseases (199, 200)	92	6	9	3	13	9	12	10	3	4	5	8	5
All other causes	341	24	30	39	35	40	21	27	28	24	23	28	22

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
10 MONTHS													
All causes	2,324	236	213	249	214	203	232	200	158	139	152	146	182
Measles (7)	95	6	9	23	19	20	11	1	2	2	1	------	1
Scarlet fever (8)	14	4	2	1	2	------	------	------	------	------	2	------	3
Whooping-cough (9)	137	11	17	22	16	8	11	11	13	10	4	5	9
Diphtheria (10)	27	5	2	7	------	2	1	1	------	4	------	4	1
Influenza (11)	138	29	30	26	13	7	3	4	3	2	3	3	15
Dysentery (13)	52	2	1	------	2	6	4	12	10	2	10	------	3
Erysipelas (15)	9	------	1	------	1	2	1	------	------	1	1	1	1
Epidemic cerebrospinal meningitis (18)	15	3	1	4	------	3	2	------	------	------	1	------	1
Tetanus (22)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	38	------	1	5	2	4	8	4	2	2	5	2	3
Tuberculosis of the meninges, etc. (24)	25	2	2	3	3	2	2	1	1	1	3	4	1
Other forms of tuberculosis (25-32)	11	1	------	1	1	------	3	------	2	1	1	------	1
Syphilis (34)	14	------	1	------	------	1	1	3	4	2	1	1	------
Convulsions (86)	9	2	------	------	------	1	1	------	------	3	------	------	2
Bronchitis (106)	22	4	3	------	4	2	------	1	------	1	2	1	4
Bronchopneumonia (107)	444	63	63	55	58	38	35	13	16	10	20	23	50
Lobar and unspecified pneumonia (108, 109)	200	37	31	27	25	14	12	4	2	6	12	10	20
Diseases of the stomach (117, 118)	17	2	1	3	------	2	4	1	------	------	1	2	1
Diarrhea and enteritis (119)	437	10	10	19	25	39	77	75	60	44	37	29	11
Intestinal obstruction (122b)	31	3	1	------	1	4	2	6	2	3	2	4	3
Congenital malformations (157)	86	3	5	11	4	9	2	11	3	7	11	11	9
Congenital debility, icterus, sclerema (158, 161b,c)	39	4	2	5	3	1	3	3	2	1	4	7	4
Premature birth (159)	1	------	------	------	------	------	------	------	------	------	------	------	1
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a,d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-198, 201-214)	110	12	4	7	1	6	13	17	10	11	7	14	8
Unknown or ill-defined diseases (199, 200)	65	6	7	7	5	7	8	3	4	3	3	9	3
All other causes	288	27	19	23	28	25	28	29	22	23	21	16	27
11 MONTHS													
All causes	2,409	303	233	280	202	220	191	166	191	138	177	141	167
Measles (7)	97	8	16	16	22	14	12	7	1	------	------	------	1
Scarlet fever (8)	19	3	------	3	3	1	1	------	1	2	1	------	4
Whooping-cough (9)	143	15	19	25	12	23	12	8	10	6	7	2	4
Diphtheria (10)	46	9	4	3	4	1	1	2	2	3	4	7	6
Influenza (11)	154	45	29	22	12	5	6	2	------	7	8	6	12
Dysentery (13)	45	2	1	2	1	6	6	12	4	3	5	3	------
Erysipelas (15)	6	1	------	2	1	------	1	------	------	------	------	------	1
Epidemic cerebrospinal meningitis (18)	13	2	2	1	1	2	1	1	------	1	------	1	1
Tetanus (22)	------	------	------	------	------	------	------	------	------	------	------	------	------
Tuberculosis of the respiratory system (23)	24	2	1	5	------	1	3	2	3	2	3	1	1
Tuberculosis of the meninges, etc. (24)	35	3	------	5	2	1	2	8	3	2	4	3	2
Other forms of tuberculosis (25-32)	15	2	1	2	------	3	------	3	1	1	------	2	------
Syphilis (34)	18	------	2	1	1	2	2	1	2	2	2	2	1
Convulsions (86)	7	2	------	1	------	1	------	------	------	------	------	------	3
Bronchitis (106)	16	4	1	4	2	1	1	1	1	------	------	------	1
Bronchopneumonia (107)	464	76	52	57	45	54	29	18	16	12	33	28	43
Lobar and unspecified pneumonia (108, 109)	225	37	29	36	29	16	13	7	7	4	11	12	24
Diseases of the stomach (117, 118)	12	------	2	1	------	2	3	------	2	------	1	------	1
Diarrhea and enteritis (119)	441	19	21	20	20	38	59	52	79	52	42	22	17
Intestinal obstruction (122b)	18	1	2	3	1	2	2	1	2	------	2	2	------
Congenital malformations (157)	68	6	2	9	7	7	4	6	7	5	7	3	5
Congenital debility, icterus, sclerema (158, 161b,c)	24	------	------	3	4	------	2	2	3	3	4	2	1
Premature birth (159)	6	------	------	1	------	1	1	1	1	1	------	------	------
Injury at birth (160)	------	------	------	------	------	------	------	------	------	------	------	------	------
Other diseases of early infancy (161a,d)	------	------	------	------	------	------	------	------	------	------	------	------	------
External causes (172-198, 201-214)	111	15	8	10	6	4	7	7	5	13	14	10	12
Unknown or ill-defined diseases (199, 200)	54	10	4	3	2	3	3	4	10	4	2	5	4
All other causes	348	41	37	45	26	32	20	21	31	15	27	30	23

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List of Causes of Death. Refer to this list for complete definition of each cause and for causes included in "All other causes." Washington, D. C., and cities having 500,000 inhabitants or more on April 1, 1930, are included, and those with a minimum of 25,000 inhabitants other than white are shown by race.)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES----------All causes	120,138	32,237	7,945	5,250	9,445	6,759	4,396	3,802	69,834	9,477	7,571	6,147	4,954	4,269	3,870	3,356	3,099	2,828	2,324	2,409
Measles----------7	798	4	----	----	5	12	25	23	69	68	46	47	55	39	53	65	77	87	95	97
Scarlet fever----------8	109	----	----	----	----	1	5	1	7	3	5	6	6	6	12	12	10	9	14	19
Whooping-cough----------9	2,940	----	----	1	1	16	39	106	163	477	397	347	245	240	216	200	206	169	137	143
Diphtheria----------10	311	----	1	2	3	6	12	13	37	25	18	24	17	13	27	15	32	30	27	46
Influenza----------11	3,173	8	11	13	56	104	135	117	444	413	374	296	255	255	267	224	181	172	138	154
Dysentery----------13	782	----	----	1	5	13	12	16	49	54	74	84	77	74	85	63	61	64	52	45
Erysipelas----------15	572	----	----	----	5	22	48	49	124	187	77	43	27	27	22	20	20	10	9	6
Epidemic cerebrospinal meningitis----18	264	----	----	----	1	4	4	----	9	17	27	30	41	33	27	19	15	16	15	13
Tetanus----------22	151	----	----	4	48	72	10	4	138	3	1	3	----	2	1	2	----	1	----	----
Tuberculosis of the respiratory system-23	310	1	1	4	1	----	1	4	12	8	22	22	30	26	26	37	29	36	38	24
Tuberculosis of the meninges, etc.----24	265	----	----	----	1	----	2	1	4	11	12	16	21	20	24	28	35	34	25	35
Other forms of tuberculosis---------25-32	125	----	1	----	3	----	1	3	8	6	5	9	11	16	12	9	12	11	11	15
Syphilis----------34	1,508	249	62	37	90	99	68	67	672	227	210	122	71	57	41	31	22	23	14	18
Convulsions----------86	595	29	34	47	106	70	30	24	340	47	50	38	33	12	15	14	16	14	9	7
Bronchitis----------106	557	2	3	3	14	20	29	30	101	89	78	64	42	32	36	21	28	28	22	16
Bronchopneumonia----------107	11,954	36	67	120	420	466	532	562	2,203	1,604	1,461	1,321	1,002	903	764	688	568	532	444	464
Lobar and unspecified pneumonia---108,109	4,645	22	25	48	150	191	173	184	793	548	494	452	367	355	339	283	312	277	200	225
Diseases of the stomach----------117,118	538	1	11	10	45	36	29	21	153	92	66	49	48	29	21	18	18	15	17	12
Diarrhea and enteritis----------119	10,638	17	10	18	163	305	432	447	1,392	1,291	1,246	1,157	1,039	908	809	695	660	563	437	441
Intestinal obstruction----------122b	902	2	4	17	67	41	35	40	206	94	86	73	81	80	69	80	46	38	31	18
Congenital malformations----------157	10,343	2,512	854	679	1,362	896	529	447	7,279	875	551	386	297	255	163	138	111	134	86	68
Congenital debility, etc.-------158,161b,c	4,471	715	247	229	635	468	275	226	2,795	558	372	239	168	91	57	55	40	33	39	24
Premature birth----------159	33,147	19,961	3,890	1,929	2,682	2,056	937	566	32,021	686	242	86	52	18	11	15	8	1	1	6
Injury at birth----------160	9,644	5,008	1,394	998	1,452	474	118	70	9,514	96	34	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	3,952	1,781	530	421	663	272	108	68	3,843	72	37	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	2,248	193	58	43	90	61	74	79	598	276	254	217	156	135	108	107	80	96	110	111
Unknown or ill-defined diseases---199,200	7,278	1,435	555	403	839	568	365	310	4,475	739	573	372	280	179	174	138	137	92	65	54
All other causes----------	7,918	261	187	223	538	486	368	322	2,385	911	759	644	533	464	491	379	375	341	288	348
WHITE----------All causes	97,907	27,902	6,705	4,341	7,640	5,318	3,522	3,011	58,439	7,595	6,032	4,804	3,795	3,291	2,947	2,616	2,387	2,240	1,871	1,890
Measles----------7	660	4	----	----	2	10	21	20	57	52	39	43	45	28	41	51	65	74	83	82
Scarlet fever----------8	108	----	----	----	----	1	5	1	7	3	5	6	6	6	12	12	9	9	14	19
Whooping-cough----------9	2,322	----	----	----	----	13	29	90	132	412	340	266	164	189	158	155	154	127	101	104
Diphtheria----------10	253	----	1	1	1	4	10	9	26	20	14	19	11	11	21	14	25	29	24	39
Influenza----------11	2,428	5	10	8	39	87	107	96	352	334	289	225	185	187	177	180	130	136	110	123
Dysentery----------13	615	----	----	1	5	9	9	11	35	42	60	67	56	61	69	49	46	50	46	34
Erysipelas----------15	533	----	----	----	3	21	41	45	110	174	72	41	24	25	22	20	20	10	9	6
Epidemic cerebrospinal meningitis----18	233	----	----	----	1	4	4	----	9	15	22	29	40	31	18	15	14	16	12	12
Tetanus----------22	96	----	----	2	29	49	6	2	88	1	----	2	----	2	----	2	----	1	----	----
Tuberculosis of the respiratory system-23	185	1	1	3	1	----	1	2	9	6	15	11	18	17	19	20	21	21	19	9
Tuberculosis of the meninges, etc.----24	199	----	----	----	1	----	2	1	4	8	9	11	17	18	21	20	25	23	19	24
Other forms of tuberculosis---------25-32	83	----	1	----	3	----	1	2	7	5	2	8	9	7	8	6	9	5	6	11
Syphilis----------34	768	113	32	19	37	49	28	31	309	135	127	67	28	26	24	16	11	14	5	6
Convulsions----------86	422	22	26	39	79	45	19	15	245	26	37	26	18	10	12	10	12	13	9	4
Bronchitis----------106	446	1	3	2	10	15	27	25	83	70	64	48	36	28	26	18	18	23	18	14
Bronchopneumonia----------107	9,689	29	57	105	360	374	457	469	1,851	1,352	1,205	1,053	778	691	595	527	451	431	371	384
Lobar and unspecified pneumonia---108,109	3,370	14	21	35	108	130	132	130	570	410	370	330	259	250	229	207	209	213	147	176
Diseases of the stomach----------117,118	378	1	6	7	35	28	22	18	117	50	49	33	37	19	17	14	13	10	11	8
Diarrhea and enteritis----------119	8,714	16	6	12	133	254	379	366	1,166	1,079	1,038	957	834	740	638	562	546	445	364	343
Intestinal obstruction----------122b	781	1	3	16	58	34	31	34	177	81	74	60	68	74	57	68	44	35	28	15
Congenital malformations----------157	9,772	2,393	817	645	1,288	847	506	418	6,914	815	527	362	272	234	150	131	101	125	75	64
Congenital debility, etc.-------158,161b,c	3,330	509	189	191	510	354	199	163	2,115	429	265	174	119	58	44	39	23	22	25	17
Premature birth----------159	28,377	17,546	3,346	1,590	2,192	1,658	722	459	27,513	526	188	65	38	13	10	12	8	1	----	3
Injury at birth----------160	8,812	4,585	1,282	913	1,335	418	107	59	8,699	82	31	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	3,334	1,573	459	350	527	202	61	55	3,247	55	32	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	1,761	140	43	28	61	48	56	56	434	217	203	164	129	107	81	88	68	83	96	91
Unknown or ill-defined diseases---199,200	3,589	714	233	175	361	250	214	167	2,114	402	321	196	153	81	86	67	60	45	37	27
All other causes----------	6,649	235	167	199	461	414	306	265	2,047	793	634	540	431	378	412	313	305	279	242	275
OTHER RACES----------All causes	22,231	4,335	1,240	909	1,805	1,441	874	791	11,395	1,882	1,539	1,343	1,159	978	923	740	712	588	453	519
Measles----------7	138	----	----	----	3	2	4	3	12	16	7	4	10	11	12	14	12	13	12	15
Scarlet fever----------8	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
Whooping-cough----------9	618	----	----	1	1	3	10	16	31	65	57	81	61	51	58	45	52	42	36	39
Diphtheria----------10	58	----	----	1	2	2	2	4	11	5	4	5	6	2	6	1	7	1	3	7
Influenza----------11	745	3	1	5	17	17	28	21	92	79	85	71	70	68	90	44	51	36	28	31
Dysentery----------13	167	----	----	----	----	4	3	7	14	12	14	17	21	13	16	14	15	14	6	11
Erysipelas----------15	39	----	----	----	2	1	7	4	14	13	5	2	3	2	----	----	----	----	----	----
Epidemic cerebrospinal meningitis----18	31	----	----	----	----	----	----	----	----	2	5	1	1	2	9	4	1	2	3	1
Tetanus----------22	55	----	----	2	19	23	4	2	50	2	1	1	----	----	1	----	----	----	----	----
Tuberculosis of the respiratory system-23	125	----	----	1	----	----	----	2	3	2	7	11	12	9	7	17	8	15	19	15
Tuberculosis of the meninges, etc.----24	66	----	----	----	----	----	----	----	----	3	3	5	4	2	3	8	10	11	6	11
Other forms of tuberculosis---------25-32	42	----	----	----	----	----	----	1	1	1	3	1	2	9	4	3	3	6	5	4
Syphilis----------34	740	136	30	18	53	50	40	36	363	92	83	55	43	31	17	15	11	9	9	12
Convulsions----------86	173	7	8	8	27	25	11	9	95	21	13	12	15	2	3	4	4	1	----	3
Bronchitis----------106	111	1	----	1	4	5	2	5	18	19	14	16	6	4	10	3	10	5	4	2
Bronchopneumonia----------107	2,265	7	10	15	60	92	75	93	352	252	256	268	224	212	169	161	117	101	73	80
Lobar and unspecified pneumonia---108,109	1,275	8	4	13	42	61	41	54	223	138	124	122	108	105	110	76	103	64	53	49
Diseases of the stomach----------117,118	160	----	5	3	10	8	7	3	36	42	17	16	11	10	4	4	5	5	6	4
Diarrhea and enteritis----------119	1,924	1	2	6	30	51	53	81	224	212	208	200	205	168	171	133	114	118	73	98
Intestinal obstruction----------122b	121	1	1	1	9	7	4	6	29	12	12	13	13	6	12	12	2	3	3	3
Congenital malformations----------157	571	119	37	34	74	49	23	29	365	59	24	23	25	21	13	7	10	9	11	4
Congenital debility, etc.-------158,161b,c	1,141	206	58	38	125	114	76	63	680	129	107	65	49	33	13	16	17	11	14	7
Premature birth----------159	4,770	2,415	544	339	490	398	215	107	4,508	160	54	21	14	5	1	3	----	----	1	3
Injury at birth----------160	832	423	112	85	117	56	11	11	815	14	3	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	618	208	71	71	136	70	27	13	596	17	5	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	487	53	15	15	29	13	16	21	164	59	51	53	27	28	27	19	12	13	14	20
Unknown or ill-defined diseases---199,200	3,589	721	322	228	478	318	151	143	2,361	337	252	176	127	98	88	71	77	47	28	27
All other causes----------	1,269	26	20	24	77	72	62	57	338	118	125	104	102	86	79	66	70	62	46	73

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CITIES OF 10,000 OR MORE IN 1930—All causes	53,839	16,066	4,008	2,420	4,028	2,734	1,873	1,616	32,745	3,844	3,096	2,542	2,059	1,780	1,604	1,484	1,397	1,256	991	1,041
Measles—7	201	-----	-----	----	----	1	3	4	8	10	6	11	17	6	20	13	25	28	27	30
Scarlet fever—8	31	-----	-----	----	----	----	----	----	-----	1	----	1	----	1	2	6	2	5	5	8
Whooping-cough—9	848	-----	-----	----	-----	1	4	15	20	131	108	107	69	73	69	63	72	48	47	41
Diphtheria—10	82	-----	-----	----	----	1	2	2	5	6	4	4	1	6	8	1	9	10	12	16
Influenza—11	842	2	----	1	9	14	26	19	71	98	95	77	61	78	83	64	58	61	48	47
Dysentery—13	212	-----	-----	----	2	4	6	6	18	13	15	26	20	16	26	14	24	17	7	16
Erysipelas—15	303	-----	-----	----	3	13	26	25	67	92	38	20	13	16	14	12	15	6	6	4
Epidemic cerebrospinal meningitis—18	201	-----	-----	----	-----	2	3	-----	5	14	18	24	29	28	20	15	12	15	10	11
Tetanus—22	31	-----	-----	1	6	14	3	----	24	1	----	2	----	2	----	2	----	----	----	----
Tuberculosis of the respiratory system-23	180	1	----	1	1	----	1	2	6	3	10	15	16	10	18	23	21	19	21	16
Tuberculosis of the meninges, etc.—24	144	-----	-----	----	----	----	----	----	-----	3	5	5	11	12	16	15	24	17	13	23
Other forms of tuberculosis—25-32	81	-----	-----	----	3	----	1	1	5	3	4	4	8	9	5	6	7	9	9	12
Syphilis—34	829	140	37	15	44	59	38	43	376	119	123	62	38	32	23	15	10	12	6	13
Convulsions—86	136	4	6	5	20	12	6	2	55	7	19	11	12	4	4	3	18	5	14	4
Bronchitis—106	230	1	----	2	1	3	14	18	39	28	29	26	24	12	12	15	13	14	10	8
Bronchopneumonia—107	6,088	23	37	68	205	204	270	305	1,112	762	711	697	532	477	373	361	309	285	226	243
Lobar and unspecified pneumonia—108,109	1,892	10	9	18	54	71	54	51	267	187	185	166	154	158	139	150	143	132	97	114
Diseases of the stomach—117,118	129	1	4	3	12	8	8	3	39	26	17	3	13	3	5	6	3	5	5	4
Diarrhea and enteritis—119	4,322	3	4	5	57	144	263	218	694	578	514	479	396	333	299	261	277	207	143	141
Intestinal obstruction—122b	505	2	2	8	31	17	16	23	99	47	43	44	46	44	44	54	32	21	22	9
Congenital malformations—157	5,437	1,236	397	319	662	468	277	259	3,618	534	325	223	168	149	90	95	69	82	46	38
Congenital debility, etc.—158,161b,c	1,309	160	80	88	191	128	78	69	794	170	119	80	51	18	16	24	9	13	11	4
Premature birth—159	16,660	10,123	2,117	949	1,265	962	438	281	16,135	333	112	30	21	5	4	9	5	1	1	4
Injury at birth—160	5,515	2,942	828	562	795	205	62	40	5,434	58	23	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	2,206	1,086	321	209	331	125	42	33	2,147	31	28	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	848	65	21	14	31	9	23	23	186	99	88	80	74	53	40	43	35	43	53	54
Unknown or ill-defined diseases—199,200	649	122	46	39	60	42	29	22	360	69	64	34	30	16	19	21	13	9	9	5
All other causes	3,928	145	99	113	245	227	180	152	1,161	421	392	311	253	219	255	193	202	192	153	176
WHITE—All causes	45,892	14,201	3,533	2,134	3,452	2,251	1,539	1,342	28,452	3,251	2,598	2,103	1,643	1,455	1,328	1,191	1,128	1,057	832	854
Measles—7	177	-----	----	----	----	1	3	3	7	8	6	10	15	5	13	13	21	24	27	28
Scarlet fever—8	30	-----	----	----	----	----	----	----	-----	1	----	1	----	1	2	6	1	5	5	8
Whooping-cough—9	711	-----	----	----	----	1	3	14	18	120	99	90	52	57	61	51	50	40	39	34
Diphtheria—10	70	-----	----	----	----	1	2	2	5	5	3	3	----	6	7	1	6	10	11	13
Influenza—11	675	1	----	1	8	14	19	16	59	77	79	63	49	65	63	52	40	48	40	40
Dysentery—13	175	-----	----	----	2	4	5	4	15	13	13	23	13	14	23	9	18	15	5	14
Erysipelas—15	283	-----	----	----	1	13	22	23	59	83	36	20	13	15	14	12	15	6	6	4
Epidemic cerebrospinal meningitis—18	178	-----	----	----	----	2	3	----	5	13	14	23	29	26	12	14	11	13	8	10
Tetanus—22	21	-----	----	1	4	8	2	----	15	-----	----	2	----	2	----	2	----	----	----	----
Tuberculosis of the respiratory system-23	113	1	----	1	1	----	1	2	6	1	10	6	13	6	15	11	16	13	10	6
Tuberculosis of the meninges, etc.—24	110	-----	----	----	----	----	----	----	-----	1	4	3	8	10	14	13	16	14	10	17
Other forms of tuberculosis—25-32	54	-----	----	----	3	----	1	----	4	2	1	4	6	5	3	5	7	4	4	9
Syphilis—34	451	64	19	8	20	31	19	20	181	77	83	34	16	20	15	7	5	7	2	4
Convulsions—86	112	4	6	4	20	10	2	2	48	5	16	8	9	4	3	3	5	5	4	2
Bronchitis—106	189	-----	----	1	1	3	14	16	35	23	25	20	21	10	8	12	7	12	9	7
Bronchopneumonia—107	4,927	17	32	62	178	159	218	237	903	633	592	564	415	367	305	270	249	239	187	203
Lobar and unspecified pneumonia—108,109	1,443	7	7	13	40	56	43	41	207	152	143	129	111	113	106	116	96	106	71	93
Diseases of the stomach—117,118	100	1	2	2	11	7	6	2	31	23	12	1	10	3	4	5	2	3	3	3
Diarrhea and enteritis—119	3,700	3	4	5	47	130	236	187	612	511	433	413	321	288	251	212	238	177	129	115
Intestinal obstruction—122b	446	1	2	8	26	16	14	20	87	42	39	38	36	41	40	48	30	20	19	6
Congenital malformations—157	5,174	1,186	387	301	629	442	269	240	3,454	505	312	215	155	135	85	91	64	78	43	37
Congenital debility, etc.—158,161b,c	1,013	119	65	78	160	95	54	52	623	131	91	55	39	13	14	18	5	9	11	4
Premature birth—159	14,315	8,905	1,838	819	1,034	755	331	229	13,911	258	86	23	14	4	4	7	5	1	-----	2
Injury at birth—160	5,024	2,690	759	517	722	174	55	35	4,952	49	23	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	1,896	949	279	182	282	101	32	26	1,851	22	23	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	703	51	17	9	24	8	20	19	148	80	70	65	63	48	30	35	31	40	48	45
Unknown or ill-defined diseases—199,200	332	65	24	15	18	15	12	14	163	39	41	19	17	10	11	10	10	4	5	3
All other causes	3,470	137	92	107	221	205	153	138	1,053	377	344	271	218	187	225	168	180	164	136	147
OTHER RACES—All causes	7,947	1,865	475	286	576	483	334	274	4,293	593	498	439	416	325	276	293	269	199	159	187
Measles—7	24	-----	----	----	----	----	----	1	1	2	----	1	2	1	7	----	4	4	----	2
Scarlet fever—8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Whooping-cough—9	137	-----	----	----	----	----	1	1	2	11	9	17	17	16	8	12	22	8	8	7
Diphtheria—10	12	-----	----	----	----	----	----	----	-----	1	1	1	1	----	1	----	3	----	1	3
Influenza—11	167	1	----	----	1	----	7	3	12	21	17	14	12	13	20	12	18	13	8	7
Dysentery—13	37	-----	----	----	----	----	1	2	3	-----	2	3	7	2	3	5	6	2	2	2
Erysipelas—15	20	-----	----	----	2	----	4	2	8	9	2	----	----	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	23	-----	----	----	----	----	----	----	-----	1	4	1	----	2	8	1	1	2	2	1
Tetanus—22	10	-----	----	----	2	6	1	----	9	1	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	67	-----	----	----	----	----	----	----	-----	2	----	9	5	4	3	12	5	6	11	10
Tuberculosis of the meninges, etc.—24	34	-----	----	----	----	----	----	----	-----	2	1	2	3	2	2	2	8	3	3	6
Other forms of tuberculosis—25-32	27	-----	----	----	----	----	----	1	1	1	3	----	2	4	2	1	----	5	5	3
Syphilis—34	378	76	18	7	24	28	19	23	195	42	40	28	22	12	8	8	5	5	4	9
Convulsions—86	24	-----	----	1	----	2	4	----	7	2	3	3	3	----	1	----	3	----	----	2
Bronchitis—106	41	1	----	1	----	----	----	2	4	5	4	6	3	2	4	3	6	2	1	1
Bronchopneumonia—107	1,161	6	5	6	27	45	52	68	209	129	119	133	117	110	68	91	60	46	39	40
Lobar and unspecified pneumonia—108,109	449	3	2	5	14	15	11	10	60	35	42	37	43	45	33	34	47	26	26	21
Diseases of the stomach—117,118	29	-----	2	1	1	1	2	1	8	3	5	2	3	----	1	1	1	2	2	1
Diarrhea and enteritis—119	622	-----	----	----	10	14	27	31	82	67	81	66	75	45	48	49	39	30	14	26
Intestinal obstruction—122b	59	1	----	----	5	1	2	3	12	5	4	6	10	3	4	6	2	1	3	3
Congenital malformations—157	263	50	10	18	33	26	8	19	164	29	13	8	13	14	5	4	5	4	3	1
Congenital debility, etc.—158,161b,c	296	41	15	10	31	33	24	17	171	39	28	25	12	5	2	6	4	4	----	----
Premature birth—159	2,345	1,218	279	130	231	207	107	52	2,224	75	26	7	7	1	----	2	----	----	1	2
Injury at birth—160	491	252	69	45	73	31	7	5	482	9	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	310	137	42	27	49	24	10	7	296	9	5	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	145	14	4	5	7	1	3	4	38	19	18	15	11	5	10	8	4	3	5	9
Unknown or ill-defined diseases—199,200	317	57	22	24	42	27	17	8	197	30	23	15	13	6	8	11	3	5	4	2
All other causes	458	8	7	6	24	22	27	14	108	44	48	40	35	32	30	25	22	28	17	29

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CITIES OF 2,500 TO 10,000 IN 1930 1/—All causes	12,145	3,448	830	562	967	637	379	343	7,166	938	759	586	489	463	390	327	293	269	242	223
Measles—7	80	-----	----	----	----	----	2	2	4	7	9	4	3	4	3	5	5	10	13	13
Scarlet fever—8	13	-----	----	----	----	1	----	----	1	-----	1	----	4	----	4	1	1	----	----	1
Whooping-cough—9	301	-----	----	1	----	1	2	10	14	51	43	29	20	32	24	23	23	22	10	10
Diphtheria—10	22	-----	----	----	----	----	----	----	-----	2	1	3	1	1	2	----	5	4	1	2
Influenza—11	354	1	3	1	3	14	9	14	45	51	45	36	29	27	22	25	18	21	19	16
Dysentery—13	108	-----	----	----	----	3	1	3	7	10	10	9	8	15	9	5	11	12	7	5
Erysipelas—15	44	-----	----	----	----	2	2	11	15	12	4	7	1	2	----	1	----	1	1	----
Epidemic cerebrospinal meningitis—18	16	-----	----	----	----	1	1	----	2	-----	4	3	4	2	----	----	----	----	----	1
Tetanus—22	19	-----	----	----	7	10	1	----	18	-----	----	----	----	----	----	----	----	1	----	----
Tuberculosis of the respiratory system—23	21	-----	----	----	----	----	----	----	-----	-----	2	1	3	4	2	1	2	4	2	----
Tuberculosis of the meninges, etc.—24	25	-----	----	----	----	----	1	----	1	2	2	1	3	1	1	2	1	6	4	
Other forms of tuberculosis—25-32	8	-----	----	----	----	----	----	----	-----	2	----	----	1	1	1	----	1	----	1	1
Syphilis—34	135	31	3	3	7	8	6	4	62	18	19	13	5	7	4	2	1	2	1	1
Convulsions—86	51	4	2	9	6	5	2	3	31	2	4	6	2	2	1	2	----	----	----	1
Bronchitis—106	53	-----	----	----	2	1	3	2	8	10	6	2	6	2	6	1	4	4	3	1
Bronchopneumonia—107	1,190	4	7	13	43	41	53	48	209	181	164	127	99	92	78	61	57	37	41	44
Lobar and unspecified pneumonia—108,109	416	-----	1	4	10	11	20	18	64	53	45	38	26	35	39	29	26	26	19	16
Diseases of the stomach—117,118	55	-----	----	1	3	2	5	7	18	7	6	8	3	----	3	3	4	----	2	1
Diarrhea and enteritis—119	1,132	1	----	2	12	17	34	36	102	127	132	119	116	122	93	90	69	60	53	49
Intestinal obstruction—122b	110	-----	----	2	6	5	5	6	24	14	11	3	12	11	7	9	7	4	6	2
Congenital malformations—157	1,068	289	98	85	155	83	47	38	795	86	57	29	23	22	12	10	8	7	14	5
Congenital debility, etc.—158,161b,c	492	70	32	23	74	44	16	25	284	62	46	34	20	11	11	7	7	2	4	4
Premature birth—159	3,546	2,179	421	209	285	202	82	54	3,432	62	24	12	9	1	3	1	1	----	----	1
Injury at birth—160	1,137	598	156	124	164	69	14	5	1,130	6	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	388	150	52	48	72	26	16	9	373	12	3	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	228	19	5	5	6	8	7	8	58	30	23	22	20	12	11	13	4	13	8	14
Unknown or ill-defined diseases—199,200	363	79	30	11	48	25	23	14	230	44	28	22	9	10	7	1	5	2	2	2
All other causes	770	23	20	21	64	58	27	26	239	87	69	58	62	47	47	36	31	36	29	29
WHITE—All causes	10,817	3,202	763	513	872	550	331	294	6,525	811	658	504	418	387	329	282	249	229	222	203
Measles—7	75	-----	----	----	----	----	2	2	4	7	9	4	2	4	2	3	5	9	13	13
Scarlet fever—8	13	-----	----	----	----	1	----	----	1	-----	1	----	4	----	4	1	1	----	----	1
Whooping-cough—9	272	-----	----	----	----	1	1	10	12	50	40	26	18	27	22	20	21	17	9	10
Diphtheria—10	19	-----	----	----	----	----	----	----	-----	2	1	2	1	1	1	----	4	4	1	2
Influenza—11	301	1	3	1	3	11	7	11	37	44	42	30	22	22	18	22	15	19	16	14
Dysentery—13	93	-----	----	----	----	3	1	1	5	8	10	7	7	13	8	5	9	10	7	4
Erysipelas—15	42	-----	----	----	----	1	2	11	14	12	4	7	1	1	----	1	----	1	1	----
Epidemic cerebrospinal meningitis—18	16	-----	----	----	----	1	1	----	2	-----	4	3	4	2	----	----	----	----	----	1
Tetanus—22	17	-----	----	----	7	8	1	----	16	-----	----	----	----	----	----	----	----	1	----	----
Tuberculosis of the respiratory system—23	14	-----	----	----	----	----	----	----	-----	-----	1	----	1	3	2	1	1	4	1	----
Tuberculosis of the meninges, etc.—24	23	-----	----	----	----	----	1	----	1	1	2	1	3	1	1	1	2	1	5	4
Other forms of tuberculosis—25-32	6	-----	----	----	----	----	----	----	-----	2	----	----	1	----	----	----	1	----	1	1
Syphilis—34	85	19	3	2	4	5	3	2	38	12	9	10	3	3	4	2	----	2	1	1
Convulsions—86	44	4	2	7	6	3	2	3	27	1	4	5	1	2	1	2	----	----	----	1
Bronchitis—106	45	-----	----	----	1	1	3	2	7	7	6	2	5	2	5	1	4	3	2	1
Bronchopneumonia—107	1,049	4	7	12	34	35	49	44	185	164	148	108	85	79	65	53	50	31	38	43
Lobar and unspecified pneumonia—108,109	333	-----	1	3	7	9	15	14	49	40	37	33	20	30	26	24	21	22	17	14
Diseases of the stomach—117,118	40	-----	----	1	3	1	3	6	14	5	2	7	3	----	3	2	1	----	2	1
Diarrhea and enteritis—119	986	1	----	2	9	15	29	32	86	113	117	105	100	102	84	74	63	49	49	42
Intestinal obstruction—122b	97	-----	----	1	6	4	4	6	21	10	11	3	11	11	4	6	7	3	6	2
Congenital malformations—157	1,024	277	92	82	154	78	46	38	767	81	55	26	21	21	11	10	8	7	12	5
Congenital debility, etc.—158,161b,c	421	58	26	23	65	40	14	21	247	56	34	29	16	10	10	7	5	2	2	3
Premature birth—159	3,282	2,048	393	186	264	179	72	41	3,183	52	21	10	9	1	3	1	1	----	----	1
Injury at birth—160	1,081	574	147	115	156	64	13	5	1,074	6	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	349	141	47	46	62	18	12	9	335	11	3	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	193	15	4	4	5	7	6	7	48	25	20	19	18	9	11	10	2	11	8	12
Unknown or ill-defined diseases—199,200	193	39	18	9	28	10	17	4	125	21	17	12	6	4	2	----	2	1	2	1
All other causes	704	21	20	19	58	55	27	25	225	61	59	55	56	39	42	34	26	32	29	26
OTHER RACES—All causes	1,328	246	67	49	95	87	48	49	641	127	101	82	71	76	61	45	44	40	20	20
Measles—7	5	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	1	2	----	1	----	----
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	29	-----	----	1	----	----	1	----	2	1	3	3	2	5	2	3	2	5	1	----
Diphtheria—10	3	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	1	----	1	----	----	----
Influenza—11	53	-----	----	----	----	3	2	3	8	7	3	6	7	5	4	3	3	2	3	2
Dysentery—13	15	-----	----	----	----	----	----	2	2	2	----	2	1	2	1	----	2	2	----	1
Erysipelas—15	2	-----	----	----	----	1	----	----	1	-----	----	----	----	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	2	-----	----	----	----	2	----	----	2	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	7	-----	----	----	----	----	----	----	-----	-----	1	1	2	1	----	----	1	----	1	----
Tuberculosis of the meninges, etc.—24	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	1	----
Other forms of tuberculosis—25-32	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	1	----	----	----	----	----
Syphilis—34	50	12	----	1	3	3	3	2	24	6	10	3	2	4	----	----	1	----	----	----
Convulsions—86	7	-----	----	2	----	2	----	----	4	1	----	1	1	----	----	----	----	----	----	----
Bronchitis—106	8	-----	----	----	1	----	----	----	1	3	----	----	1	----	1	----	----	1	1	----
Bronchopneumonia—107	141	-----	----	1	9	6	4	4	24	17	16	19	14	13	13	8	7	6	3	1
Lobar and unspecified pneumonia—108,109	83	-----	----	1	3	2	5	4	15	13	8	5	6	5	13	5	5	4	2	2
Diseases of the stomach—117,118	15	-----	----	----	----	1	2	1	4	2	4	1	----	----	----	1	3	----	----	----
Diarrhea and enteritis—119	146	-----	----	----	3	2	5	4	14	14	15	14	16	20	9	16	6	11	4	7
Intestinal obstruction—122b	13	-----	----	1	----	1	1	----	3	4	----	----	1	----	3	1	----	1	----	----
Congenital malformations—157	44	12	6	3	1	5	1	----	28	5	2	3	2	1	1	----	----	----	2	----
Congenital debility, etc.—158,161b,c	71	12	6	----	9	4	2	4	37	6	12	5	4	1	1	----	2	----	2	1
Premature birth—159	264	131	28	23	21	23	10	13	249	10	3	2	----	----	----	----	----	----	----	----
Injury at birth—160	56	24	9	9	8	5	1	----	56	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	39	9	5	2	10	6	4	----	38	1	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	35	4	1	1	1	1	1	1	10	5	3	3	2	3	----	3	2	2	----	2
Unknown or ill-defined diseases—199,200	170	40	12	2	20	15	6	10	105	23	11	10	3	6	5	1	4	1	----	1
All other causes	66	2	----	2	6	3	----	1	14	6	10	3	6	8	5	2	5	4	----	3

1/ Excluding 100 cities in 3 States (Georgia, Kentucky, and Vermont).

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day.	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
RURAL PART OF THE UNITED STATES[1]—All causes	54,154	12,723	3,107	2,268	4,450	3,388	2,144	1,843	29,923	4,695	3,716	3,019	2,406	2,026	1,876	1,545	1,409	1,303	1,091	1,145
Measles—7	517	4	----	----	5	11	20	17	57	51	31	32	35	29	30	47	47	49	55	54
Scarlet fever—8	65	----	----	----	----	----	5	1	6	2	4	5	2	5	6	5	7	4	9	10
Whooping-cough—9	1,791	----	----	----	1	14	33	81	129	295	246	211	156	135	123	114	111	99	80	92
Diphtheria—10	207	----	1	2	3	5	10	11	32	17	13	17	15	6	17	14	18	16	14	28
Influenza—11	1,977	5	8	11	44	76	100	84	328	264	233	183	165	150	152	135	105	90	71	91
Dysentery—13	462	----	----	1	3	6	5	9	24	31	49	49	49	43	50	44	26	35	38	24
Erysipelas—15	225	----	----	----	2	7	20	13	42	83	35	16	13	9	6	7	5	3	2	2
Epidemic cerebrospinal meningitis—18	47	----	----	----	1	1	----	----	2	3	5	3	8	3	7	4	3	3	5	1
Tetanus—22	101	----	----	3	35	48	6	4	96	2	1	1	----	----	1	----	----	----	----	----
Tuberculosis of the respiratory system-23	109	----	1	3	----	----	----	2	6	5	10	6	9	12	6	13	6	13	15	8
Tuberculosis of the meninges, etc.—24	36	----	----	----	1	----	1	1	3	6	5	10	7	7	7	12	9	16	6	8
Other forms of tuberculosis—25-32	36	----	1	----	----	----	----	2	3	1	1	5	2	6	6	3	4	2	1	2
Syphilis—34	544	78	22	19	39	32	24	20	234	90	68	47	28	18	14	14	11	9	7	4
Convulsions—86	408	21	26	33	80	53	22	19	254	38	27	21	19	6	10	9	8	9	5	2
Bronchitis—106	274	1	3	1	11	16	12	10	54	51	43	36	12	18	18	5	11	10	9	7
Bronchopneumonia—107	4,676	9	23	39	172	221	209	209	882	661	586	497	371	334	313	266	202	210	177	177
Lobar and unspecified pneumonia—108,109	2,337	12	15	26	86	109	99	115	462	308	264	248	187	162	161	104	143	119	84	95
Diseases of the stomach—117,118	354	----	7	6	30	26	16	11	96	59	43	38	32	26	13	9	11	10	10	7
Diarrhea and enteritis—119	5,184	13	6	11	94	144	135	193	596	586	600	559	527	453	417	344	314	296	241	251
Intestinal obstruction—122b	287	----	2	7	30	19	14	11	83	33	32	26	23	25	18	17	7	13	3	7
Congenital malformations—157	3,838	987	359	275	545	345	205	150	2,866	255	169	134	106	84	61	33	34	45	26	25
Congenital debility, etc.—158,161b,c	2,670	485	135	118	370	296	181	132	1,717	326	207	125	97	62	30	24	24	18	24	16
Premature birth—159	12,941	7,659	1,352	771	1,132	892	417	231	12,454	291	106	44	22	12	4	5	2	----	----	1
Injury at birth—160	2,992	1,468	410	312	493	200	42	25	2,950	32	10	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	1,358	545	157	164	260	121	50	26	1,323	29	6	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	1,172	109	32	24	53	44	44	48	354	147	143	115	62	70	57	51	41	40	49	43
Unknown or ill-defined diseases—199,200	6,266	1,234	479	353	731	501	313	274	3,885	626	481	316	241	153	148	116	118	81	54	47
All other causes	3,220	93	68	89	229	201	161	144	985	403	298	275	218	198	189	150	142	113	106	143
WHITE—All causes	41,198	10,499	2,409	1,694	3,316	2,517	1,652	1,375	23,462	3,533	2,776	2,197	1,734	1,449	1,280	1,143	1,010	954	817	833
Measles—7	408	4	----	----	2	9	16	15	46	37	24	29	28	19	26	35	39	41	43	41
Scarlet fever—8	65	----	----	----	----	----	5	1	6	2	4	5	2	5	6	5	7	4	9	10
Whooping-cough—9	1,339	----	----	----	----	11	25	66	102	242	201	150	114	105	75	84	83	70	53	60
Diphtheria—10	164	----	1	1	1	3	8	7	21	13	10	14	10	4	13	13	15	15	12	24
Influenza—11	1,452	3	7	6	28	62	81	69	256	213	168	132	114	100	96	106	75	69	54	69
Dysentery—13	347	----	----	1	3	2	3	6	15	21	37	37	36	34	38	35	19	25	34	16
Erysipelas—15	208	----	----	----	2	7	17	11	37	79	32	14	10	9	8	7	5	3	2	2
Epidemic cerebrospinal meningitis—18	39	----	----	----	1	1	----	----	2	2	4	3	7	3	6	1	3	3	4	1
Tetanus—22	58	----	----	1	18	33	3	2	57	1	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	58	----	1	2	----	----	----	----	3	5	4	5	4	8	2	8	4	4	8	3
Tuberculosis of the meninges, etc.—24	66	----	----	----	1	----	1	1	3	6	3	7	6	7	6	6	7	8	4	3
Other forms of tuberculosis—25-32	23	----	1	----	----	----	----	2	3	1	1	4	2	2	5	1	1	1	1	1
Syphilis—34	232	30	10	9	13	13	6	9	90	46	35	23	9	3	5	7	6	5	2	1
Convulsions—86	266	14	18	28	53	32	15	10	170	20	17	13	8	4	8	5	7	8	5	1
Bronchitis—106	212	1	3	1	8	11	10	7	41	40	33	26	10	16	13	5	7	8	7	6
Bronchopneumonia—107	3,715	8	18	31	148	180	190	188	763	555	465	381	278	245	225	204	152	161	146	138
Lobar and unspecified pneumonia—108,109	1,594	7	13	19	61	65	74	75	314	218	190	168	128	107	97	67	92	85	59	69
Diseases of the stomach—117,118	238	----	4	4	21	20	13	10	72	22	35	25	24	16	10	7	10	7	6	4
Diarrhea and enteritis—119	4,028	12	4	5	77	109	114	147	468	455	488	439	413	350	303	276	245	219	186	186
Intestinal obstruction—122b	238	----	1	7	26	14	13	8	69	29	24	19	21	22	13	12	7	12	3	7
Congenital malformations—157	3,574	930	338	262	505	327	191	140	2,693	230	160	122	96	78	54	30	29	40	20	22
Congenital debility, etc.—158,161b,c	1,896	332	98	90	285	219	131	90	1,245	242	140	90	64	35	20	14	13	11	12	10
Premature birth—159	10,780	6,593	1,115	585	894	724	319	189	10,419	216	81	32	15	8	3	4	2	----	----	----
Injury at birth—160	2,707	1,321	376	281	457	180	39	19	2,673	27	7	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	1,089	483	133	122	183	83	37	20	1,061	22	6	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	865	74	22	15	32	33	30	32	238	112	113	80	45	50	40	43	35	32	40	34
Unknown or ill-defined diseases—199,200	3,064	610	191	151	315	225	185	149	1,826	342	263	165	130	67	73	57	48	40	30	23
All other causes	2,475	77	55	73	182	154	126	102	769	335	231	214	157	152	145	111	99	83	77	102
OTHER RACES—All causes	12,956	2,224	698	574	1,134	871	492	468	6,461	1,162	940	822	672	577	586	402	399	349	274	312
Measles—7	109	----	----	----	3	2	4	2	11	14	7	3	7	10	4	12	8	8	12	13
Scarlet fever—8	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	452	----	----	----	1	3	8	15	27	53	45	61	42	30	48	30	28	29	27	32
Diphtheria—10	43	----	----	1	2	2	2	4	11	4	3	3	5	2	4	1	3	1	2	4
Influenza—11	525	2	1	5	16	14	19	15	72	51	65	51	51	50	66	29	30	21	17	22
Dysentery—13	115	----	----	----	----	4	2	3	9	10	12	12	13	9	12	9	7	10	4	8
Erysipelas—15	17	----	----	----	----	----	3	2	5	4	3	2	3	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	8	----	----	----	----	----	----	----	----	1	1	----	1	----	1	3	----	----	1	----
Tetanus—22	43	----	----	2	17	15	3	2	39	1	1	1	----	----	1	----	----	----	----	----
Tuberculosis of the respiratory system-23	51	----	----	1	----	----	----	2	3	----	6	1	5	4	4	5	2	9	7	5
Tuberculosis of the meninges, etc.—24	30	----	----	----	----	----	----	----	----	----	2	3	1	----	1	6	2	8	2	5
Other forms of tuberculosis—25-32	13	----	----	----	----	----	----	----	----	----	----	1	----	4	1	2	3	1	----	1
Syphilis—34	312	48	12	10	26	19	18	11	144	44	33	24	19	15	9	7	5	4	5	3
Convulsions—86	142	7	8	5	27	21	7	9	84	18	10	8	11	2	2	4	1	1	----	1
Bronchitis—106	62	----	----	----	3	5	2	3	13	11	10	10	2	2	5	----	4	2	2	1
Bronchopneumonia—107	963	1	5	8	24	41	19	21	119	106	121	116	93	89	88	62	50	49	31	39
Lobar and unspecified pneumonia—108,109	743	5	2	7	25	44	25	40	148	90	74	80	59	55	64	37	51	34	25	26
Diseases of the stomach—117,118	116	----	3	2	9	6	3	1	24	37	8	13	8	10	3	2	1	3	4	3
Diarrhea and enteritis—119	1,156	1	2	6	17	35	21	46	128	131	112	120	114	103	114	68	69	77	55	65
Intestinal obstruction—122b	49	----	1	----	4	5	1	3	14	4	8	7	2	3	5	5	----	1	----	----
Congenital malformations—157	264	57	21	13	40	18	14	10	173	25	9	12	10	6	7	3	5	5	6	3
Congenital debility, etc.—158,161b,c	774	153	37	28	85	77	50	42	472	84	67	35	33	27	10	10	11	7	12	6
Premature birth—159	2,161	1,066	237	186	238	168	98	42	2,035	75	25	12	7	4	1	1	----	----	----	1
Injury at birth—160	285	147	34	31	36	20	3	6	277	5	3	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	269	62	24	42	77	38	13	6	262	7	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	307	35	10	9	21	11	14	16	116	35	30	35	14	20	17	8	6	8	9	9
Unknown or ill-defined diseases—199,200	3,202	624	288	202	416	276	128	125	2,059	284	218	151	111	86	75	59	70	41	24	24
All other causes	745	16	13	16	47	47	35	42	216	68	67	61	61	46	44	39	43	30	29	41

1/ Including 100 cities of 2,500 to 10,000 inhabitants in 3 States (Georgia, Kentucky, and Vermont).

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALABAMA (white)----------All causes	1,980	597	110	98	147	113	81	58	1,204	136	109	84	73	65	68	50	51	52	42	46
Measles----------7	20	-----	----	----	----	----	2	----	2	2	----	3	2	2	----	1	1	3	2	2
Scarlet fever----------8	5	-----	----	----	----	----	----	----	-----	-----	1	2	----	----	----	1	1	----	----	----
Whooping-cough----------9	54	-----	----	----	----	----	----	4	4	12	4	7	5	5	3	6	2	1	3	2
Diphtheria----------10	10	-----	----	----	----	----	----	----	-----	-----	2	----	----	1	1	----	----	3	1	2
Influenza----------11	81	-----	2	1	----	1	6	3	13	9	8	8	6	7	6	4	3	4	6	5
Dysentery----------12	7	-----	----	----	----	----	----	----	-----	-----	1	----	----	2	----	----	1	1	1	1
Erysipelas----------15	11	-----	----	----	----	----	3	----	3	4	----	2	1	----	----	1	----	----	----	----
Epidemic cerebrospinal meningitis------18	2	-----	----	----	----	----	----	----	-----	1	----	1	----	----	----	----	----	----	----	----
Tetanus----------22	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Tuberculosis of the meninges, etc.------24	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	1	----	----	----
Other forms of tuberculosis---------25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	14	2	----	----	2	2	1	----	7	-----	2	2	----	----	----	2	----	1	----	----
Convulsions----------86	15	-----	3	2	7	1	2	----	15	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	7	-----	----	----	1	1	2	----	4	-----	2	----	----	----	1	----	----	----	----	----
Bronchopneumonia----------107	120	-----	----	4	5	11	3	8	31	13	10	14	10	8	6	5	7	3	9	4
Lobar and unspecified pneumonia---108,109	65	-----	----	1	3	1	5	1	11	6	2	8	6	6	7	3	5	7	2	2
Diseases of the stomach----------117,118	9	-----	1	1	1	----	----	1	4	-----	1	1	1	----	----	1	1	----	----	----
Diarrhea and enteritis----------119	172	-----	----	----	1	4	3	5	13	16	19	13	14	20	16	16	13	14	7	11
Intestinal obstruction----------122b	12	-----	----	----	1	----	----	2	3	1	2	----	----	2	1	1	----	----	1	1
Congenital malformations----------157	131	33	7	13	15	8	2	1	79	19	7	2	6	2	9	1	2	1	2	1
Congenital debility, etc.------158,161b,c	74	12	4	6	14	6	3	4	49	12	6	1	1	1	----	1	2	----	----	1
Premature birth----------159	620	404	48	27	43	38	23	16	599	10	4	3	2	----	2	----	----	----	----	----
Injury at birth----------160	157	77	26	20	17	12	3	----	155	1	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	41	19	5	4	9	1	2	----	40	-----	1	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	38	4	----	----	1	2	3	2	12	4	6	2	2	----	3	----	----	5	2	2
Unknown or ill-defined diseases---199,200	201	43	13	17	22	17	15	9	136	15	17	8	8	3	3	----	5	3	1	2
All other causes----------	110	3	1	2	5	8	2	2	23	11	12	7	9	6	8	7	7	5	5	10
ALABAMA (other races)----------All causes	1,930	452	101	82	181	134	82	64	1,096	128	115	112	82	94	66	58	52	39	39	39
Measles----------7	27	-----	----	----	----	1	1	1	3	2	1	2	2	4	----	1	3	3	1	5
Scarlet fever----------8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	33	-----	----	----	----	----	1	----	1	1	3	4	2	6	3	4	2	3	3	1
Diphtheria----------10	5	-----	----	----	----	1	----	----	1	1	----	----	----	----	----	----	1	----	1	1
Influenza----------11	70	-----	----	1	----	1	3	1	6	5	9	4	5	6	13	8	2	6	3	3
Dysentery----------13	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Erysipelas----------15	3	-----	----	----	----	----	----	----	-----	-----	1	----	1	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	10	-----	----	----	2	7	----	----	9	-----	----	----	----	----	1	----	----	----	----	----
Tuberculosis of the respiratory system-23	4	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	1	1	----	1	----
Tuberculosis of the meninges, etc.------24	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	3
Syphilis----------34	58	15	2	1	4	2	4	5	33	7	7	3	4	1	1	1	----	----	----	1
Convulsions----------86	27	-----	2	----	3	5	1	1	12	5	1	----	4	1	1	1	1	----	----	1
Bronchitis----------106	8	1	----	----	----	1	----	----	2	1	----	1	----	----	1	----	2	1	----	----
Bronchopneumonia----------107	111	-----	----	----	3	5	5	3	16	16	10	15	12	14	9	10	5	----	2	2
Lobar and unspecified pneumonia---108,109	101	1	1	----	5	6	3	3	19	11	10	5	11	11	7	6	10	4	4	3
Diseases of the stomach----------117,118	7	-----	----	----	2	----	----	----	2	-----	2	1	1	----	----	----	----	----	1	----
Diarrhea and enteritis----------119	131	-----	----	----	2	4	4	2	12	7	10	21	13	13	10	8	12	9	7	9
Intestinal obstruction----------122b	13	-----	----	----	----	----	1	2	3	1	1	1	1	1	1	2	1	----	----	1
Congenital malformations----------157	41	10	3	2	2	4	2	2	25	1	1	1	2	2	2	2	1	2	2	----
Congenital debility, etc.------158,161b,c	66	11	6	4	8	8	2	4	43	4	5	6	3	1	----	1	----	1	1	1
Premature birth----------159	407	235	30	29	47	21	18	9	389	12	5	1	----	----	----	----	----	----	----	----
Injury at birth----------160	40	21	8	4	5	2	----	----	40	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	43	15	6	4	12	2	3	1	43	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	55	4	2	2	5	2	1	5	21	3	7	8	2	4	4	1	3	----	2	----
Unknown or ill-defined diseases---199,200	587	139	41	34	76	59	26	22	397	42	36	30	17	17	10	9	11	5	8	5
All other causes----------	78	-----	----	1	5	3	7	3	19	9	6	9	2	11	3	3	6	4	3	3
ARIZONA----------All causes	1,021	150	42	22	53	46	44	29	386	90	75	80	60	58	49	50	53	43	46	31
Measles----------7	21	-----	----	----	----	----	----	----	-----	4	1	----	----	----	1	3	3	3	6	----
Scarlet fever----------8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Whooping-cough----------9	41	-----	----	----	----	----	1	2	3	6	2	4	2	3	1	4	8	4	2	2
Diphtheria----------10	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Influenza----------11	48	-----	----	----	----	----	----	1	1	10	6	6	----	5	4	9	2	----	4	1
Dysentery----------13	6	-----	----	----	----	----	----	----	-----	-----	----	2	1	----	1	2	----	----	----	----
Erysipelas----------15	6	-----	----	----	----	----	4	----	4	-----	----	1	----	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Tetanus----------22	1	-----	----	----	----	1	----	----	1	-----	----	----	----	----	----	----	----	----	1	----
Tuberculosis of the respiratory system-23	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.------24	5	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	2
Other forms of tuberculosis---------25-32	3	-----	----	----	----	----	----	----	-----	-----	----	1	1	----	----	1	1	1	----	----
Syphilis----------34	20	5	2	----	1	1	1	1	11	3	1	3	1	1	----	1	----	----	1	----
Convulsions----------86	4	1	----	----	1	----	----	----	2	2	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	5	-----	----	----	----	----	----	1	1	-----	----	----	2	----	1	----	----	----	----	1
Bronchopneumonia----------107	137	-----	----	----	5	4	6	8	23	21	16	11	11	12	14	6	3	5	10	5
Lobar and unspecified pneumonia---108,109	42	-----	----	----	----	2	2	1	5	7	2	6	----	2	2	1	9	3	1	4
Diseases of the stomach----------117,118	7	-----	----	----	1	----	----	----	1	-----	----	3	1	----	----	----	1	----	1	----
Diarrhea and enteritis----------119	201	-----	1	----	2	2	7	5	17	15	24	23	22	23	14	16	14	15	9	9
Intestinal obstruction----------122b	7	-----	----	----	1	1	----	----	2	-----	3	----	----	1	----	1	----	----	----	----
Congenital malformations----------157	40	11	8	2	5	2	3	1	32	2	2	2	----	----	1	----	----	----	1	----
Congenital debility, etc.------158,161b,c	42	4	----	1	----	2	1	----	8	5	7	6	6	3	1	----	----	2	2	2
Premature birth----------159	157	87	19	10	15	14	6	----	151	5	----	1	----	----	----	----	----	----	----	----
Injury at birth----------160	35	22	2	4	2	4	1	----	35	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	32	13	1	2	6	4	4	2	32	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	18	2	2	----	----	----	1	2	7	2	3	2	1	1	----	----	----	----	1	1
Unknown or ill-defined diseases---199,200	89	3	4	3	14	4	5	2	35	5	5	6	5	1	7	5	8	6	3	3
All other causes----------	47	2	3	----	----	5	2	3	15	3	3	2	6	4	2	1	4	2	4	1

compare cause certification by states. - % for each cause

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ARKANSAS (white)—All causes	1,268	306	85	56	100	83	52	32	714	100	74	63	55	38	51	38	38	38	28	31
Measles-7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever-8	1	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough-9	39	-----	-----	-----	-----	1	2		3	8	3	4	3	4	6	3	3	1	-----	1
Diphtheria-10	10	-----	-----	-----	-----	1	-----		1	-----	-----	1	-----	-----	2	2	-----	-----	1	3
Influenza-11	49	-----	-----	-----	3	4	5	2	14	6	7	5	1	2	4	1	3	-----	3	3
Dysentery-13	18	-----	-----	-----	-----	1	-----	1	2	-----	1	2	2	3	1	2	1	1	2	1
Erysipelas-15	6	-----	-----	-----	-----	-----	-----	1	1	3	1	-----	1	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis-18	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----
Tetanus-22	1	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.-24	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis-25-32	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----
Syphilis-34	8	2	-----	-----	-----	-----	-----	-----	2	2	2	1	-----	-----	-----	-----	1	-----	-----	-----
Convulsions-86	6	1	2	-----	2	1	-----	-----	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis-106	7	-----	-----	-----	-----	-----	-----	-----	-----	3	-----	2	-----	-----	1	1	-----	-----	-----	-----
Bronchopneumonia-107	104	-----	2	1	5	10	6	3	27	12	9	8	8	5	12	6	6	9	-----	2
Lobar and unspecified pneumonia-108,109	45	-----	-----	-----	2	1	3	-----	6	6	8	2	6	2	5	2	2	1	1	4
Diseases of the stomach-117,118	12	-----	-----	1	3	1	1	-----	6	4	-----	-----	1	1	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis-119	141	-----	-----	-----	5	5	4	2	16	14	8	15	12	6	11	16	9	15	8	11
Intestinal obstruction-122b	7	-----	-----	2	-----	-----	-----	1	3	-----	1	-----	-----	1	-----	-----	-----	-----	1	1
Congenital malformations-157	67	17	8	5	6	8	7	4	55	1	5	1	3	-----	1	-----	1	-----	-----	-----
Congenital debility, etc.-158,161b,c	60	11	3	7	9	11	1	3	45	5	2	3	4	1	-----	-----	-----	-----	-----	-----
Premature birth-159	321	204	35	18	21	19	8	6	311	3	3	2	1	1	-----	-----	-----	-----	-----	-----
Injury at birth-160	87	37	19	8	16	3	2	2	87	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy-161a,d	25	11	3	4	4	-----	2	-----	24	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes-172-198,201-214	16	3	-----	2	-----	-----	-----	-----	5	1	4	1	1	-----	-----	1	1	-----	2	-----
Unknown or ill-defined diseases-199,200	130	19	10	7	19	12	5	5	77	17	12	8	4	2	2	1	4	1	1	1
All other causes	103	1	3	1	5	6	5	-----	21	13	7	8	7	10	6	3	7	8	9	4
ARKANSAS (other races)—All causes	413	67	22	10	40	31	15	19	204	37	28	31	16	18	19	11	17	12	10	10
Measles-7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever-8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough-9	15	-----	-----	-----	-----	-----	1	-----	1	1	1	1	2	2	3	1	1	-----	1	1
Diphtheria-10	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	-----	-----	-----	1	-----	-----	-----
Influenza-11	23	-----	-----	1	2	1	-----	1	5	1	-----	2	3	3	1	2	3	-----	2	1
Dysentery-13	8	-----	-----	-----	-----	-----	2	-----	2	2	-----	1	-----	-----	1	-----	-----	1	1	-----
Erysipelas-15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis-18	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus-22	1	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----
Tuberculosis of the meninges, etc.-24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis-25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
Syphilis-34	6	1	-----	-----	2	-----	-----	-----	3	1	1	-----	-----	-----	-----	-----	-----	-----	1	-----
Convulsions-86	5	-----	-----	-----	2	1	-----	1	4	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis-106	1	-----	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia-107	37	-----	2	-----	1	1	-----	2	6	5	5	6	-----	5	2	2	-----	2	3	1
Lobar and unspecified pneumonia-108,109	26	-----	-----	-----	1	3	1	1	6	3	3	2	2	-----	5	-----	1	3	1	-----
Diseases of the stomach-117,118	3	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	1	-----	-----
Diarrhea and enteritis-119	36	-----	-----	1	1	1	-----	2	5	7	1	2	2	5	2	3	3	3	1	2
Intestinal obstruction-122b	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Congenital malformations-157	6	3	-----	-----	1	1	-----	-----	5	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Congenital debility, etc.-158,161b,c	19	4	1	-----	3	4	2	1	15	-----	-----	2	-----	-----	-----	-----	1	-----	-----	1
Premature birth-159	54	29	7	2	6	3	2	2	51	-----	2	1	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth-160	14	8	2	2	2	-----	-----	-----	14	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy-161a,d	7	1	-----	1	3	-----	-----	-----	5	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes-172-198,201-214	6	2	-----	-----	-----	-----	-----	-----	2	2	1	-----	-----	-----	-----	-----	-----	-----	-----	1
Unknown or ill-defined diseases-199,200	111	19	7	3	16	10	4	6	65	12	9	8	3	2	4	1	4	1	-----	2
All other causes	28	-----	3	-----	1	3	2	3	12	1	3	3	3	-----	1	2	2	-----	-----	1
CALIFORNIA—All causes	3,978	1,215	275	178	257	174	97	95	2,291	277	239	237	169	164	134	129	93	91	83	71
Measles-7	12	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	1	-----	-----	-----	4	3	2	1
Scarlet fever-8	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Whooping-cough-9	40	-----	-----	-----	-----	-----	-----	-----	-----	5	7	6	4	1	3	3	2	4	5	-----
Diphtheria-10	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	2	-----	-----	-----
Influenza-11	33	-----	-----	1	2	1	-----	-----	4	2	5	3	2	4	3	2	4	2	-----	2
Dysentery-13	29	-----	-----	-----	-----	1	1	-----	2	5	1	5	2	4	1	4	3	1	1	-----
Erysipelas-15	21	-----	-----	-----	-----	1	1	-----	2	5	6	2	1	1	1	2	-----	1	-----	-----
Epidemic cerebrospinal meningitis-18	9	-----	-----	-----	-----	-----	1	-----	1	1	5	-----	1	-----	1	-----	-----	-----	-----	-----
Tetanus-22	1	-----	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	28	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	2	3	2	3	2	1	3	7	2
Tuberculosis of the meninges, etc.-24	12	-----	-----	-----	-----	-----	1	-----	1	-----	1	-----	-----	4	-----	1	2	1	-----	2
Other forms of tuberculosis-25-32	9	-----	-----	-----	1	-----	1	-----	2	1	-----	-----	-----	2	1	-----	-----	-----	1	2
Syphilis-34	49	7	3	-----	1	-----	1	4	16	7	9	9	3	3	-----	-----	1	1	-----	-----
Convulsions-86	3	-----	-----	-----	2	-----	-----	-----	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis-106	13	-----	-----	-----	-----	-----	1	2	3	-----	2	2	-----	2	-----	-----	-----	3	1	-----
Bronchopneumonia-107	542	1	2	6	13	16	16	17	71	59	74	82	50	44	30	43	30	22	20	17
Lobar and unspecified pneumonia-108,109	130	1	-----	3	1	1	3	1	10	19	8	11	6	16	14	11	9	10	8	8
Diseases of the stomach-117,118	14	-----	1	-----	2	1	2	-----	6	1	1	1	2	1	-----	-----	1	1	-----	-----
Diarrhea and enteritis-119	365	1	-----	2	9	6	12	14	44	43	43	46	34	43	36	26	13	14	11	12
Intestinal obstruction-122b	47	-----	-----	-----	9	1	2	1	13	5	3	8	3	2	3	4	3	1	2	-----
Congenital malformations-157	413	99	48	27	54	33	18	18	297	42	14	12	11	9	5	9	4	7	2	1
Congenital debility, etc.-158,161b,c	119	13	7	10	10	11	3	4	58	15	13	9	11	1	3	4	1	-----	4	-----
Premature birth-159	1,211	804	129	69	82	66	19	15	1,184	19	5	1	1	-----	-----	1	-----	-----	-----	-----
Injury at birth-160	312	176	48	28	35	14	3	4	308	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy-161a,d	163	97	23	24	20	11	1	-----	176	1	6	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes-172-198,201-214	75	2	3	-----	1	2	-----	5	13	9	7	4	6	7	4	2	3	6	6	8
Unknown or ill-defined diseases-199,200	12	4	1	2	1	-----	-----	-----	8	-----	1	-----	-----	1	1	-----	-----	1	-----	-----
All other causes	292	10	10	6	13	9	10	10	68	33	25	34	28	16	25	15	10	10	13	15

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 Month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
COLORADO----------All causes	1,370	359	74	42	105	79	46	41	746	106	102	87	71	52	56	34	27	30	23	35
Measles----------7	25	-----	----	----	----	----	1	1	2	4	4	1	2	2	2	4	----	1	----	3
Scarlet fever----------8	3	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	1	----	----	1
Whooping-cough----------9	33	-----	----	----	----	1	----	1	6	5	3	5	3	3	2	1	2	----	----	2
Diphtheria----------10	3	-----	----	----	----	1	----	1	-----	----	----	----	----	----	1	----	----	----	----	1
Influenza----------11	48	-----	----	1	1	2	1	6	11	3	2	2	7	4	4	3	2	4	3	3
Dysentery----------13	7	-----	----	----	----	----	----	----	-----	1	----	1	1	1	2	----	----	1	----	----
Erysipelas----------15	18	-----	----	----	----	----	4	3	7	2	5	1	1	----	----	----	1	----	1	----
Epidemic cerebrospinal meningitis------18	2	-----	----	----	----	----	----	----	-----	1	----	----	1	----	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	4	-----	----	----	----	----	----	----	-----	-----	----	1	1	----	1	1	----	----	----	----
Tuberculosis of the meninges, etc.-----24	4	-----	----	----	----	----	1	----	1	-----	----	1	----	1	----	----	----	----	----	1
Other forms of tuberculosis---------25-32	3	-----	----	----	----	----	----	----	-----	----	----	1	1	----	----	----	----	----	----	----
Syphilis----------34	16	1	1	----	3	----	1	----	6	3	3	1	1	1	----	1	----	----	----	----
Convulsions----------86	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	7	-----	----	----	----	1	----	----	1	1	1	1	----	----	----	----	1	----	1	1
Bronchopneumonia----------107	140	-----	1	2	5	8	9	8	33	15	19	21	8	6	12	5	3	8	5	5
Lobar and unspecified pneumonia---108,109	59	-----	----	1	1	3	1	1	7	9	8	8	6	7	4	1	3	1	3	2
Diseases of the stomach----------117,118	8	-----	----	----	1	1	2	----	4	1	----	1	2	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	162	-----	----	1	1	4	5	7	18	17	22	24	18	9	17	13	9	7	3	5
Intestinal obstruction----------122b	17	-----	----	----	2	----	----	----	2	4	4	----	1	1	1	1	----	2	----	1
Congenital malformations----------157	91	26	6	6	15	6	1	5	65	7	4	2	3	4	2	----	3	----	1	----
Congenital debility, etc.------158,161b,c	55	9	----	4	4	10	----	1	28	10	4	4	4	2	1	----	----	----	1	1
Premature birth----------159	365	236	40	14	33	25	8	2	358	5	1	1	----	----	----	----	----	----	----	----
Injury at birth----------160	108	54	19	9	13	6	3	----	104	3	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	53	24	6	3	12	4	----	----	49	2	2	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	38	3	----	----	2	1	2	2	10	2	5	5	2	3	2	1	2	1	2	3
Unknown or ill-defined diseases---199,200	11	3	----	----	1	----	1	----	5	2	1	----	----	1	----	----	----	1	1	----
All other causes----------	89	3	1	1	10	8	4	5	32	8	11	6	6	6	4	2	1	2	2	7
CONNECTICUT----------All causes	951	345	82	47	82	49	23	21	649	47	46	38	34	20	22	24	18	16	15	22
Measles----------7	4	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	1	2
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	14	-----	----	----	----	----	----	----	-----	1	5	1	1	2	----	1	2	----	----	1
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	11	-----	----	----	----	----	----	----	-----	2	1	----	2	1	1	1	3	----	----	----
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	4	-----	----	----	----	----	1	1	2	-----	1	----	----	----	----	----	----	----	1	----
Epidemic cerebrospinal meningitis------18	3	-----	----	----	----	----	----	----	-----	-----	----	1	1	1	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.------24	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	1
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	5	-----	----	----	1	1	1	----	3	-----	1	----	----	1	----	----	----	----	----	----
Convulsions----------86	6	-----	1	1	1	1	----	----	4	-----	----	----	----	----	----	----	----	1	----	1
Bronchitis----------106	9	-----	----	----	----	----	----	----	-----	-----	2	----	----	1	1	2	2	----	----	1
Bronchopneumonia----------107	71	-----	----	----	1	4	----	4	9	10	6	7	9	3	4	10	1	4	3	5
Lobar and unspecified pneumonia---108,109	37	-----	----	1	1	----	2	1	5	4	6	1	2	3	2	1	1	4	2	6
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	27	-----	----	----	----	2	2	1	5	4	3	2	3	2	----	1	3	3	----	1
Intestinal obstruction----------122b	8	-----	----	----	----	----	----	1	1	1	----	3	----	1	1	----	----	----	1	----
Congenital malformations----------157	146	39	7	6	19	15	7	7	100	8	8	6	9	2	4	3	3	----	2	1
Congenital debility, etc.------158,161b,c	24	-----	2	2	6	5	1	----	16	2	1	2	1	----	1	----	----	1	----	----
Premature birth----------159	286	180	48	17	25	8	2	2	282	4	----	----	----	----	----	----	----	----	----	----
Injury at birth----------160	147	92	16	14	17	3	1	1	144	3	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	49	28	7	4	5	2	2	----	48	1	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	16	1	----	----	----	1	1	1	4	1	2	2	2	----	1	----	1	1	1	1
Unknown or ill-defined diseases---199,200	5	2	----	----	1	----	----	----	3	-----	----	----	----	1	----	----	----	----	1	----
All other causes----------	75	3	1	2	5	7	3	2	23	6	9	11	4	2	7	5	2	2	2	2
DELAWARE----------All causes	268	47	18	11	16	12	9	6	119	24	23	27	13	13	9	12	10	9	4	5
Measles----------7	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	2	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	1	----	----
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	7	-----	----	----	----	----	----	----	-----	2	----	----	2	----	----	1	1	1	----	----
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	2	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	1	----	----	----
Epidemic cerebrospinal meningitis------18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.------24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	8	2	----	----	1	1	----	----	4	2	2	----	----	----	----	----	----	----	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	4	-----	----	----	----	----	1	----	1	-----	----	1	1	----	----	----	----	----	1	----
Bronchopneumonia----------107	40	-----	----	----	1	1	----	3	5	5	4	4	5	3	5	2	2	3	1	1
Lobar and unspecified pneumonia---108,109	10	-----	----	----	----	1	----	----	1	2	----	1	1	1	2	----	----	1	1	----
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	43	-----	----	----	----	----	----	1	1	6	5	11	1	4	----	8	3	2	1	1
Intestinal obstruction----------122b	2	-----	----	----	----	1	----	----	1	1	----	----	----	----	----	----	----	----	----	----
Congenital malformations----------157	23	3	3	3	3	----	2	1	15	2	5	----	1	----	----	----	----	----	----	----
Congenital debility, etc.------158,161b,c	16	-----	1	1	3	2	----	----	7	2	3	2	----	1	----	----	1	----	----	----
Premature birth----------159	57	30	10	2	4	3	4	1	54	-----	1	----	----	1	----	----	1	----	----	----
Injury at birth----------160	16	9	1	3	2	1	----	----	16	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	8	2	2	1	1	----	1	----	7	1	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	9	1	----	----	----	1	----	----	2	1	----	1	----	2	1	1	1	----	----	----
Unknown or ill-defined diseases---199,200	1	-----	----	1	----	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	19	-----	1	----	1	1	1	----	4	-----	3	5	2	1	----	----	----	1	----	3

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
FLORIDA (white)—All causes	988	331	81	43	66	37	24	19	601	74	58	42	45	43	21	27	21	23	18	15
Measles—7	6	-----	-----	-----	-----	-----	-----	-----	-----	1	2	-----	-----	-----	-----	1	-----	1	-----	1
Scarlet fever—8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough—9	24	-----	-----	-----	-----	-----	-----	-----	-----	4	2	2	3	3	2	3	2	2	-----	1
Diphtheria—10	2	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
Influenza—11	27	-----	1	-----	1	1	-----	1	4	7	2	4	3	-----	1	-----	2	2	2	-----
Dysentery—13	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas—15	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	-----	-----	1	-----	-----	1	-----	-----	-----
Epidemic cerebrospinal meningitis—18	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Tetanus—22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.—24	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1
Other forms of tuberculosis—25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis—34	12	-----	2	1	-----	1	-----	1	5	4	1	2	-----	-----	-----	-----	-----	-----	-----	-----
Convulsions—86	6	-----	-----	-----	2	2	-----	1	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
Bronchitis—106	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	-----	-----	-----	1	-----	1	1	-----
Bronchopneumonia—107	56	1	1	-----	3	3	1	1	10	6	11	6	7	2	-----	6	1	4	2	1
Lobar and unspecified pneumonia—108,109	28	1	1	-----	4	-----	2	1	9	4	2	3	2	1	1	3	2	-----	1	-----
Diseases of the stomach—117,118	4	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	1	-----	-----	-----	1	-----	-----
Diarrhea and enteritis—119	96	-----	-----	-----	2	1	3	2	8	8	10	9	11	17	5	6	6	5	6	5
Intestinal obstruction—122b	9	-----	-----	1	-----	2	-----	-----	3	-----	1	2	1	2	-----	-----	-----	-----	-----	-----
Congenital malformations—157	90	29	6	10	11	6	2	1	65	7	4	2	3	4	1	1	2	-----	1	-----
Congenital debility, etc.—158,161b,c	33	11	-----	1	4	4	1	1	22	3	4	2	1	-----	-----	-----	-----	-----	-----	1
Premature birth—159	316	210	42	14	17	9	6	4	302	11	2	-----	1	-----	-----	-----	-----	-----	-----	-----
Injury at birth—160	85	50	16	5	8	4	2	-----	85	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy—161a,d	30	16	2	3	4	-----	1	2	28	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes—172-198,201-214	20	1	-----	-----	-----	-----	-----	-----	1	4	1	2	3	2	3	-----	-----	-----	2	2
Unknown or ill-defined diseases—199,200	51	11	8	5	8	2	2	-----	36	4	5	1	4	1	-----	-----	-----	-----	-----	-----
All other causes	78	1	2	3	2	2	4	4	18	7	5	5	6	9	7	6	5	5	2	3
FLORIDA (other races)—All causes	748	160	47	30	72	61	27	22	419	56	56	33	34	34	38	25	23	12	10	8
Measles—7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever—8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough—9	13	-----	-----	-----	-----	1	-----	-----	1	3	1	2	1	1	1	1	1	1	-----	-----
Diphtheria—10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza—11	30	-----	-----	-----	-----	-----	2	3	5	4	7	1	3	1	3	3	1	1	-----	1
Dysentery—13	10	-----	-----	-----	-----	-----	-----	1	1	-----	1	2	1	3	-----	-----	1	1	-----	-----
Erysipelas—15	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis—18	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus—22	4	-----	-----	-----	3	1	-----	-----	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	2	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Tuberculosis of the meninges, etc.—24	2	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Other forms of tuberculosis—25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
Syphilis—34	36	5	3	2	4	5	3	1	23	2	2	3	1	1	3	-----	-----	1	-----	-----
Convulsions—86	8	-----	-----	-----	1	3	-----	-----	4	2	-----	-----	1	1	-----	-----	-----	-----	-----	-----
Bronchitis—106	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	1	-----	1	-----
Bronchopneumonia—107	40	-----	-----	-----	2	2	1	-----	5	5	6	2	6	5	5	2	3	-----	1	-----
Lobar and unspecified pneumonia—108,109	46	1	-----	1	1	5	1	1	10	3	3	5	3	3	9	3	3	1	3	-----
Diseases of the stomach—117,118	9	-----	-----	-----	1	-----	2	-----	3	2	1	-----	1	-----	1	-----	1	-----	-----	-----
Diarrhea and enteritis—119	71	-----	-----	-----	2	2	3	3	10	6	9	7	6	7	9	8	1	1	1	6
Intestinal obstruction—122b	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	-----	1	-----	-----
Congenital malformations—157	18	5	-----	-----	2	3	1	1	12	1	3	-----	-----	1	-----	-----	1	-----	-----	-----
Congenital debility, etc.—158,161b,c	70	13	5	3	8	4	5	2	40	7	6	5	4	1	3	-----	2	-----	2	-----
Premature birth—159	171	95	22	12	15	17	3	4	168	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth—160	16	7	4	2	3	-----	-----	-----	16	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy—161a,d	28	4	-----	7	10	4	2	-----	27	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes—172-198,201-214	14	2	-----	1	-----	-----	-----	1	4	2	2	2	-----	3	-----	-----	1	-----	-----	-----
Unknown or ill-defined diseases—199,200	105	27	12	2	16	14	1	4	76	8	7	3	3	2	1	3	1	1	-----	-----
All other causes	45	1	1	-----	4	-----	3	1	10	5	8	1	3	5	1	2	4	3	2	1
GEORGIA (white)—All causes	2,229	642	166	97	176	110	81	80	1,352	177	124	115	84	68	64	60	56	46	39	44
Measles—7	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----
Scarlet fever—8	3	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----
Whooping-cough—9	50	-----	-----	-----	-----	-----	-----	4	4	9	8	9	2	3	4	2	5	1	1	2
Diphtheria—10	15	-----	-----	-----	-----	-----	2	-----	2	1	1	-----	-----	-----	2	-----	1	4	2	2
Influenza—11	54	1	-----	-----	1	5	5	1	13	4	8	4	4	2	2	4	3	1	5	4
Dysentery—13	18	-----	-----	-----	-----	-----	-----	-----	-----	1	1	1	3	2	4	1	2	1	1	1
Erysipelas—15	14	-----	-----	-----	-----	-----	-----	1	1	5	2	-----	-----	-----	5	-----	-----	1	-----	-----
Epidemic cerebrospinal meningitis—18	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	1	1	-----	-----	1	-----	-----	1
Tetanus—22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	2	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.—24	3	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	1
Other forms of tuberculosis—25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
Syphilis—34	13	2	-----	-----	1	1	-----	-----	4	3	2	1	-----	1	1	-----	-----	1	-----	-----
Convulsions—86	15	2	1	3	4	1	1	1	13	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----
Bronchitis—106	6	-----	-----	-----	-----	-----	-----	1	1	-----	2	-----	-----	1	-----	-----	-----	-----	1	1
Bronchopneumonia—107	146	-----	-----	1	6	5	2	9	23	24	12	23	15	9	8	10	6	10	2	4
Lobar and unspecified pneumonia—108,109	67	1	-----	-----	2	6	1	3	13	9	5	8	9	6	4	2	6	-----	1	4
Diseases of the stomach—117,118	10	-----	-----	-----	-----	-----	1	-----	1	2	-----	-----	2	-----	-----	2	-----	2	1	-----
Diarrhea and enteritis—119	230	1	-----	-----	3	6	5	7	22	20	23	30	24	22	16	20	17	15	10	11
Intestinal obstruction—122b	19	-----	-----	1	2	1	1	-----	5	-----	-----	2	1	2	2	4	1	-----	2	-----
Congenital malformations—157	102	23	10	5	15	9	5	3	70	7	6	1	5	6	-----	1	-----	3	1	2
Congenital debility, etc.—158,161b,c	95	19	5	3	12	3	8	5	55	20	5	8	1	3	-----	1	2	-----	-----	-----
Premature birth—159	690	421	86	40	60	39	19	9	674	13	2	1	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth—160	142	57	25	19	29	7	2	1	140	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy—161a,d	58	21	12	2	10	5	2	3	55	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes—172-198,201-214	59	7	2	1	-----	-----	-----	4	14	8	10	2	1	2	2	3	5	1	6	5
Unknown or ill-defined diseases—199,200	288	82	24	17	25	17	17	17	199	29	24	15	10	2	5	-----	1	1	2	-----
All other causes	121	5	1	5	6	5	8	11	41	17	9	9	4	6	7	8	5	5	4	6

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
GEORGIA (other races)----------All causes	2,091	440	130	88	193	137	73	81	1,142	172	154	127	98	84	63	55	59	49	53	35
Measles----------7	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	3	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	43	-----	-----	-----	-----	-----	1	2	3	3	1	8	5	1	4	3	4	4	4	3
Diphtheria----------10	12	-----	-----	-----	1	1	1	3	6	2	1	1	-----	-----	2	-----	-----	-----	-----	-----
Influenza----------11	57	-----	-----	-----	1	4	3	1	9	10	5	4	5	6	8	1	4	-----	3	2
Dysentery----------13	22	-----	-----	-----	-----	-----	-----	2	2	1	1	3	3	1	1	3	1	4	2	-----
Erysipelas----------15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis------18	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	1
Tetanus----------22	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	1	-----	-----	-----	-----
Tuberculosis of the meninges, etc.-----24	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----
Other forms of tuberculosis---------25-32	5	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	2	-----	-----	-----	-----	1	1
Syphilis----------34	59	12	3	2	4	3	4	2	30	9	8	3	3	2	-----	-----	2	1	-----	1
Convulsions----------86	22	2	-----	-----	4	1	2	2	11	1	3	2	2	-----	-----	2	1	-----	-----	-----
Bronchitis----------106	4	-----	-----	1	-----	-----	-----	-----	1	1	-----	-----	-----	1	-----	-----	1	-----	-----	-----
Bronchopneumonia----------107	151	-----	2	-----	3	5	4	5	19	11	18	19	16	18	9	13	6	9	7	6
Lobar and unspecified pneumonia---108,109	114	3	-----	2	6	8	4	8	31	12	11	8	6	11	3	5	9	7	6	5
Diseases of the stomach----------117,118	19	-----	1	-----	-----	1	2	-----	4	4	1	3	2	2	-----	-----	-----	-----	3	-----
Diarrhea and enteritis----------119	150	-----	-----	-----	3	2	3	4	12	14	25	10	16	15	13	7	9	10	10	9
Intestinal obstruction----------122b	9	-----	1	-----	-----	-----	-----	-----	1	1	-----	2	1	-----	1	1	-----	1	1	-----
Congenital malformations----------157	30	7	2	1	4	-----	2	2	18	3	-----	2	1	3	-----	-----	-----	1	2	-----
Congenital debility, etc.------158,161b,c	138	37	3	4	17	9	8	8	86	19	12	6	2	5	1	1	3	-----	3	-----
Premature birth----------159	425	222	46	23	47	39	11	14	402	12	6	2	1	1	-----	-----	-----	-----	-----	1
Injury at birth----------160	36	18	6	4	5	3	-----	-----	36	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	41	7	4	4	12	7	-----	3	37	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-198,201-214	63	7	1	4	5	1	4	3	25	6	6	11	4	3	4	1	2	-----	-----	1
Unknown or ill-defined diseases---199,200	561	118	58	43	77	46	20	17	379	50	40	27	17	8	12	10	8	6	2	2
All other causes----------	116	7	3	-----	4	7	4	4	29	8	15	15	13	5	4	5	9	5	5	3
IDAHO----------All causes	483	143	28	25	52	23	20	10	301	41	19	22	19	17	15	5	14	10	9	11
Measles----------7	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	-----
Scarlet fever----------8	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	33	-----	-----	-----	-----	-----	-----	-----	-----	7	2	2	3	4	3	2	2	3	2	3
Diphtheria----------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	23	-----	-----	-----	1	-----	2	2	5	5	2	3	2	1	-----	1	-----	2	-----	2
Dysentery----------13	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas----------15	2	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Epidemic cerebrospinal meningitis------18	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Tetanus----------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.-----24	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----
Other forms of tuberculosis---------25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis----------34	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Convulsions----------86	5	1	-----	-----	1	-----	-----	-----	2	-----	1	-----	-----	-----	-----	-----	-----	-----	1	1
Bronchitis----------106	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	1	-----	-----	-----	-----	-----	1
Bronchopneumonia----------107	46	-----	1	1	-----	1	4	1	8	14	2	6	3	3	3	1	3	1	1	1
Lobar and unspecified pneumonia---108,109	18	-----	-----	2	-----	-----	2	-----	4	2	1	2	1	4	1	-----	2	1	-----	-----
Diseases of the stomach----------117,118	2	-----	-----	-----	-----	-----	-----	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis----------119	15	-----	-----	-----	-----	-----	1	-----	1	3	3	1	3	-----	3	-----	-----	-----	1	-----
Intestinal obstruction----------122b	4	-----	-----	-----	-----	-----	1	-----	1	-----	1	-----	-----	-----	2	-----	-----	-----	-----	-----
Congenital malformations----------157	50	10	6	7	9	5	2	1	40	3	3	1	-----	1	-----	1	-----	-----	-----	1
Congenital debility, etc.------158,161b,c	15	1	2	-----	7	2	2	1	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Premature birth----------159	137	98	12	3	12	7	3	2	137	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth----------160	48	22	6	6	10	3	1	-----	48	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	20	8	1	4	4	1	1	1	20	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-198,201-214	8	-----	-----	-----	-----	-----	1	1	2	-----	-----	-----	2	-----	1	-----	-----	-----	1	2
Unknown or ill-defined diseases---199,200	12	1	-----	1	1	1	-----	-----	4	1	2	2	1	1	-----	-----	1	-----	-----	-----
All other causes----------	34	2	-----	1	7	3	-----	-----	13	3	2	4	1	2	2	-----	3	2	2	-----
ILLINOIS----------All causes	5,138	1,730	422	252	397	269	169	141	3,380	353	250	208	167	146	138	122	105	113	73	83
Measles----------7	32	-----	-----	-----	-----	1	1	-----	2	2	-----	1	4	2	3	2	3	5	6	2
Scarlet fever----------8	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	-----	-----	1	-----	2
Whooping-cough----------9	125	-----	-----	-----	-----	-----	2	2	4	29	20	18	6	11	6	7	9	8	3	4
Diphtheria----------10	10	-----	-----	-----	-----	1	-----	1	2	1	-----	2	-----	-----	1	-----	-----	1	2	1
Influenza----------11	79	1	-----	-----	-----	2	4	2	9	9	13	3	10	2	9	4	10	1	1	8
Dysentery----------13	9	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	3	1	-----	-----	-----	1	2
Erysipelas----------15	17	-----	-----	-----	-----	1	2	2	5	7	3	-----	1	-----	-----	-----	-----	-----	-----	1
Epidemic cerebrospinal meningitis------18	12	-----	-----	-----	-----	1	-----	-----	1	2	2	2	1	1	1	2	-----	-----	-----	-----
Tetanus----------22	2	-----	-----	1	-----	-----	1	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	12	1	-----	-----	-----	-----	-----	-----	1	1	1	1	-----	-----	1	2	2	1	-----	2
Tuberculosis of the meninges, etc.-----24	11	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	1	2	2	4
Other forms of tuberculosis---------25-32	8	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	2	-----	-----	-----	1	1	2	-----
Syphilis----------34	41	9	1	1	3	4	2	1	21	7	6	1	1	1	2	-----	-----	1	1	-----
Convulsions----------86	12	-----	1	1	3	1	-----	1	7	2	-----	1	-----	-----	-----	-----	-----	2	-----	-----
Bronchitis----------106	44	-----	-----	-----	1	-----	2	4	7	5	6	5	5	2	4	2	3	2	2	1
Bronchopneumonia----------107	562	3	1	10	18	22	29	26	109	81	65	61	48	45	35	35	23	24	19	17
Lobar and unspecified pneumonia---108,109	131	-----	-----	-----	2	5	4	4	15	12	9	19	8	9	13	10	6	18	6	6
Diseases of the stomach----------117,118	9	-----	-----	2	-----	1	1	-----	4	-----	1	-----	1	-----	3	-----	-----	-----	-----	-----
Diarrhea and enteritis----------119	273	-----	-----	2	7	10	20	15	54	36	32	30	21	21	18	21	17	9	7	7
Intestinal obstruction----------122b	44	-----	-----	2	4	2	2	2	12	2	7	5	4	4	-----	2	2	3	2	1
Congenital malformations----------157	588	165	60	41	77	48	21	28	440	51	19	17	11	16	9	8	7	8	1	1
Congenital debility, etc.------158,161b,c	125	9	8	5	30	16	11	7	86	14	13	-----	3	1	1	4	1	-----	1	1
Premature birth----------159	1,595	992	212	79	128	86	38	23	1,558	23	7	1	4	1	-----	1	-----	-----	-----	-----
Injury at birth----------160	702	413	106	70	71	27	6	1	694	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	201	104	23	26	26	8	3	3	193	6	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-198,201-214	93	11	3	1	3	1	-----	8	27	6	14	13	8	6	4	4	2	4	1	4
Unknown or ill-defined diseases---199,200	25	6	-----	1	-----	4	1	1	13	4	1	-----	3	2	-----	1	-----	-----	1	-----
All other causes----------	370	16	7	10	24	28	19	10	114	44	27	28	25	17	25	16	18	22	15	19

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
INDIANA—All causes	2,690	748	190	110	226	168	104	91	1,637	203	183	116	101	71	83	60	71	61	49	55
Measles—7	25	3	----	----	----	----	----	1	3	4	1	2	3	----	2	2	3	2	1	2
Scarlet fever—8	4	----	----	----	----	1	----	----	1	----	----	----	1	----	----	----	----	----	----	2
Whooping-cough—9	85	----	----	----	----	1	----	2	3	21	15	2	6	6	5	4	8	9	3	3
Diphtheria—10	9	----	----	----	----	----	2	----	2	2	----	----	----	----	1	1	1	1	----	1
Influenza—11	75	1	2	----	1	2	3	2	11	6	9	8	7	5	8	4	2	6	6	3
Dysentery—13	4	----	----	----	----	1	----	----	1	----	----	----	----	----	----	----	2	----	1	----
Erysipelas—15	11	----	----	----	----	----	----	2	2	6	1	1	----	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	8	----	----	----	----	----	----	----	----	2	1	1	1	1	----	----	1	----	----	1
Tetanus—22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	6	----	----	----	----	----	----	----	----	1	----	----	----	3	----	1	1	----	----	----
Tuberculosis of the meninges, etc.—24	10	----	----	----	----	----	----	----	----	1	----	----	2	----	4	1	1	----	1	----
Other forms of tuberculosis—25-32	2	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	1
Syphilis—34	38	3	1	1	2	----	3	1	11	9	6	4	2	1	2	----	1	----	2	----
Convulsions—86	11	1	1	2	4	1	1	----	10	----	----	----	----	----	----	----	----	1	----	----
Bronchitis—106	8	----	----	----	----	----	2	2	4	2	----	1	----	----	----	1	----	----	----	----
Bronchopneumonia—107	278	----	2	----	13	10	16	18	59	39	48	27	23	9	16	7	13	12	8	17
Lobar and unspecified pneumonie---108,109	98	2	----	1	4	2	3	5	17	10	15	9	7	7	5	8	5	4	6	5
Diseases of the stomach—117,118	18	----	----	----	3	2	----	2	7	3	2	1	2	----	----	----	2	1	----	----
Diarrhea and enteritis—119	222	----	----	2	2	9	10	10	33	24	28	25	16	18	16	17	18	11	7	9
Intestinal obstruction—122b	25	1	----	----	3	1	1	3	9	----	1	1	5	2	3	2	----	1	2	----
Congenital malformations—157	324	91	26	20	45	35	13	18	248	25	20	5	9	5	5	----	2	5	----	----
Congenital debility, etc.—158,161b,c	76	7	6	3	8	10	10	2	46	12	7	6	2	1	1	----	----	1	----	----
Premature birth—159	779	469	100	34	62	56	23	12	756	14	4	2	2	----	----	1	----	----	----	----
Injury at birth—160	226	106	31	22	46	15	1	2	223	2	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	108	49	14	16	19	8	----	----	106	1	1	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	59	6	----	1	----	2	2	2	13	5	8	5	5	4	5	3	2	3	5	1
Unknown or ill-defined diseases---199,200	6	3	1	----	----	----	----	----	4	1	1	----	----	----	----	----	----	----	----	----
All other causes—	174	7	6	8	14	12	14	7	68	13	14	16	8	8	9	8	9	4	7	10
IOWA—All causes	1,937	634	124	85	152	107	67	59	1,228	141	116	89	64	70	58	35	38	39	32	27
Measles—7	27	----	----	----	----	----	----	----	----	4	3	2	2	3	2	1	3	3	2	2
Scarlet fever—8	2	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	1
Whooping-cough—9	28	----	----	----	----	----	----	----	----	3	6	5	6	2	2	----	----	1	----	3
Diphtheria—10	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	1	----
Influenza—11	46	----	----	----	----	----	2	2	4	7	4	8	3	5	3	2	1	2	3	4
Dysentery—13	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	13	----	----	----	----	----	1	----	1	6	1	2	2	----	----	1	----	----	----	----
Epidemic cerebrospinal meningitis—18	7	----	----	----	----	----	----	----	----	2	----	1	----	----	----	2	----	1	1	----
Tetanus—22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	7	----	----	1	----	----	----	----	1	----	1	----	1	----	1	----	1	2	----	----
Tuberculosis of the meninges, etc.—24	5	----	----	----	----	----	----	----	----	----	----	----	1	----	----	2	----	2	----	----
Other forms of tuberculosis—25-32	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	10	2	----	1	----	1	----	----	4	3	2	1	----	----	----	----	----	----	----	----
Convulsions—86	4	----	----	----	----	----	1	1	2	----	----	1	----	1	----	----	----	----	----	----
Bronchitis—106	6	----	----	----	----	----	----	----	----	1	1	----	----	1	1	----	----	----	2	----
Bronchopneumonia—107	243	1	1	3	7	8	6	17	43	31	33	24	19	29	16	7	14	8	9	10
Lobar and unspecified pneumonie---108,109	66	----	----	----	2	3	3	4	12	10	12	1	2	6	4	6	3	5	3	2
Diseases of the stomach—117,118	2	----	----	----	1	----	----	----	1	----	----	----	----	----	----	1	----	----	----	----
Diarrhea and enteritis—119	88	----	----	----	3	3	10	6	22	11	8	15	5	6	4	3	2	6	3	3
Intestinal obstruction—122b	14	----	----	----	1	1	1	1	4	----	2	2	2	1	1	----	1	1	----	----
Congenital malformations—157	235	72	18	12	35	22	17	3	179	17	10	6	7	8	1	2	2	2	1	----
Congenital debility, etc.—158,161b,c	70	8	3	3	16	12	5	2	49	10	8	----	2	----	1	----	----	----	----	----
Premature birth—159	582	398	59	30	39	27	6	9	568	9	2	2	----	1	----	----	----	----	----	----
Injury at birth—160	210	109	31	20	29	11	8	1	209	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	69	39	6	7	8	4	1	1	66	3	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	30	2	1	1	1	----	----	----	5	5	5	4	2	1	2	2	1	1	2	----
Unknown or ill-defined diseases---199,200	28	2	1	4	4	3	1	3	18	2	4	3	----	----	----	----	----	----	1	----
All other causes—	143	1	4	3	6	12	5	9	40	16	14	12	10	6	19	6	9	5	4	2
KANSAS—All causes	1,539	456	95	68	124	95	40	47	925	109	104	63	66	51	49	38	30	39	27	38
Measles—7	44	----	----	----	----	----	3	2	5	2	2	4	2	----	3	6	3	4	6	7
Scarlet fever—8	3	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	1	----	----	1
Whooping-cough—9	33	----	----	----	----	----	----	3	3	7	7	3	3	3	4	3	----	----	----	----
Diphtheria—10	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----
Influenza—11	58	----	----	----	1	1	2	4	8	6	9	7	5	6	5	3	1	2	1	5
Dysentery—13	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----
Erysipelas—15	7	----	----	----	----	1	1	1	3	3	1	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	3	----	----	----	----	----	----	----	----	----	----	1	2	----	----	----	----	----	----	----
Tetanus—22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----
Tuberculosis of the meninges, etc.—24	1	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	13	2	----	----	2	----	----	1	5	5	1	1	1	----	----	----	----	1	----	----
Convulsions—86	7	----	----	1	----	2	----	----	3	1	1	----	----	----	----	----	1	----	1	----
Bronchitis—106	5	----	----	----	----	----	----	----	----	2	----	2	----	----	----	----	----	----	----	1
Bronchopneumonia—107	170	1	1	----	6	5	4	10	27	19	24	14	21	13	14	8	4	11	4	11
Lobar and unspecified pneumonie---108,109	43	----	----	----	----	2	----	1	3	6	7	2	2	6	3	4	2	4	1	3
Diseases of the stomach—117,118	3	----	----	----	1	----	----	----	1	----	----	----	----	----	1	----	1	----	----	----
Diarrhea and enteritis—119	111	----	----	1	4	6	6	4	21	8	13	10	9	11	6	8	9	5	5	6
Intestinal obstruction—122b	13	----	----	----	----	1	----	1	2	1	2	1	----	2	----	1	1	2	1	----
Congenital malformations—157	188	58	24	15	20	12	10	7	146	7	14	2	7	3	2	----	4	2	1	----
Congenital debility, etc.—158,161b,c	52	11	4	6	8	5	2	1	37	5	3	3	1	1	----	1	----	1	----	----
Premature birth—159	417	262	32	18	46	38	4	5	405	7	4	----	1	----	----	----	----	----	----	----
Injury at birth—160	158	91	18	14	20	10	1	1	155	2	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	42	21	8	5	3	2	2	1	42	----	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	30	1	2	1	1	2	2	1	10	2	3	2	2	2	3	1	----	1	1	3
Unknown or ill-defined diseases---199,200	19	5	1	3	3	1	1	----	14	3	----	1	----	----	----	----	----	----	1	----
All other causes—	115	4	5	4	9	7	2	4	35	22	10	10	9	4	8	3	3	6	4	1

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KENTUCKY (white)----------All causes	3,110	737	187	112	238	182	119	114	1,689	282	198	151	127	102	95	108	89	93	90	86
Measles----------7	67	1	----	----	1	6	4	3	15	8	6	4	4	1	2	6	4	5	4	8
Scarlet fever----------8	7	----	----	----	----	----	----	1	1	----	1	----	----	1	----	1	----	----	2	1
Whooping-cough----------9	143	----	----	----	----	2	5	10	17	24	17	16	14	12	5	9	10	7	4	8
Diphtheria----------10	26	----	----	1	----	1	2	----	4	2	2	2	5	1	1	----	1	1	3	4
Influenza----------11	92	----	1	----	3	8	8	2	22	10	11	3	7	----	2	9	8	8	3	9
Dysentery----------13	55	----	----	----	----	----	1	----	1	5	4	9	4	3	11	7	4	8	8	2
Erysipelas----------15	22	----	----	----	----	2	3	2	7	6	2	----	----	1	1	2	1	2	----	----
Epidemic cerebrospinal meningitis------16	8	----	----	----	----	----	----	----	----	1	----	1	2	2	1	----	----	----	1	----
Tetanus----------22	2	----	----	----	----	1	----	1	2	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	6	----	----	----	----	----	----	----	----	----	----	1	----	2	----	1	----	----	1	1
Tuberculosis of the meninges, etc.-----24	11	----	----	1	----	----	----	----	1	----	----	----	1	2	2	1	1	2	----	1
Other forms of tuberculosis---------25-32	3	----	1	----	----	----	----	----	1	----	----	1	----	----	1	----	----	----	----	----
Syphilis----------34	28	4	1	2	1	3	1	----	12	5	4	1	1	----	2	----	1	----	2	----
Convulsions----------86	13	----	2	2	1	2	1	----	8	2	1	1	----	----	1	----	----	----	----	----
Bronchitis----------106	6	----	----	----	----	1	----	----	1	3	1	1	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	227	1	3	----	13	10	9	15	51	51	15	13	11	11	13	11	12	13	18	8
Lobar and unspecified pneumonia---108,109	102	2	2	2	5	3	5	8	27	12	11	12	6	6	5	5	8	2	6	2
Diseases of the stomach----------117,118	17	----	1	----	1	1	----	----	3	4	2	1	2	1	2	1	----	----	----	1
Diarrhea and enteritis----------119	413	3	----	----	2	7	7	13	32	40	54	43	43	39	30	32	20	29	27	24
Intestinal obstruction----------122b	24	----	----	----	3	----	1	1	5	5	----	2	2	2	2	2	----	2	1	1
Congenital malformations----------157	190	49	16	10	30	16	14	7	142	11	15	6	7	3	----	3	1	2	----	----
Congenital debility, etc.------158,161b,c	124	15	9	3	15	20	13	10	85	15	6	4	5	1	2	1	----	1	1	3
Premature birth----------159	841	484	101	51	79	55	26	17	813	22	2	----	3	----	----	1	----	----	----	----
Injury at birth----------160	191	102	20	22	30	8	3	1	186	4	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	77	41	12	6	10	4	2	----	75	1	1	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	53	4	----	1	1	4	5	3	18	3	5	6	1	3	2	3	3	4	2	3
Unknown or ill-defined diseases---199,200	166	22	14	6	30	10	6	14	102	23	18	10	2	3	1	1	2	----	1	3
All other causes----------	185	9	4	6	12	18	3	6	58	25	19	14	7	8	9	12	13	7	6	7
KENTUCKY (other races)---------All causes	278	39	17	13	14	19	15	15	132	34	15	15	14	10	17	7	11	14	3	6
Measles----------7	6	----	----	----	----	1	1	----	2	----	----	----	----	1	1	----	----	1	----	1
Scarlet fever----------8	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	14	----	----	----	----	----	1	1	2	----	----	3	----	1	1	1	1	3	----	2
Diphtheria----------10	2	----	----	----	----	----	----	----	----	----	1	----	----	1	----	----	----	----	----	----
Influenza----------11	12	----	----	----	----	1	1	1	3	2	1	1	1	----	2	----	2	----	----	----
Dysentery----------13	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	----	----
Erysipelas----------15	1	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------16	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	3	----	----	----	----	----	----	----	----	----	----	----	2	----	----	----	----	1	----	----
Tuberculosis of the meninges, etc.-----24	2	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	1	----	----
Other forms of tuberculosis---------25-32	1	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----
Syphilis----------34	5	----	1	----	2	1	----	----	4	----	1	----	----	----	----	----	----	----	----	----
Convulsions----------86	7	1	1	----	----	1	2	----	5	1	----	1	----	----	----	----	----	----	----	----
Bronchitis----------106	2	----	----	----	1	----	----	----	1	1	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	29	----	----	----	----	3	2	2	7	6	----	4	1	1	2	1	1	4	2	----
Lobar and unspecified pneumonia---108,109	14	----	----	1	----	----	----	2	3	3	----	----	----	1	1	----	3	2	----	1
Diseases of the stomach----------117,118	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	40	----	----	----	----	----	----	2	2	8	3	5	5	3	6	2	3	1	1	1
Intestinal obstruction----------122b	1	----	----	----	1	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----
Congenital malformations----------157	10	2	----	2	----	1	2	1	8	----	1	----	1	----	----	----	----	----	----	----
Congenital debility, etc.------158,161b,c	26	2	----	----	2	3	2	----	9	7	5	1	2	----	1	1	----	----	----	----
Premature birth----------159	58	24	11	8	3	3	2	4	55	3	----	----	----	----	----	----	----	----	----	----
Injury at birth----------160	10	6	1	1	----	2	----	----	10	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	7	2	1	----	2	1	1	----	7	----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	3	----	----	----	----	----	1	1	2	1	----	----	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	8	1	----	1	1	----	----	1	4	----	----	----	2	----	2	----	----	----	----	----
All other causes----------	14	1	2	----	2	2	----	----	7	----	2	----	----	1	1	2	----	----	----	1
LOUISIANA (white)----------All causes	1,408	357	92	49	97	90	51	48	784	122	87	71	64	56	48	40	44	42	22	28
Measles----------7	16	----	----	----	----	----	1	1	2	----	----	1	----	1	3	4	1	2	1	1
Scarlet fever----------8	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----
Whooping-cough----------9	21	----	----	----	----	1	----	----	1	3	4	1	4	1	1	4	----	1	----	1
Diphtheria----------10	9	----	----	----	----	1	----	----	1	----	----	1	1	2	2	----	----	1	----	1
Influenza----------11	50	----	----	----	----	3	4	6	13	8	9	5	----	5	----	3	1	4	1	1
Dysentery----------13	12	----	----	----	----	----	----	----	----	----	----	3	----	2	2	1	3	1	----	----
Erysipelas----------15	3	----	----	----	----	----	----	----	----	1	1	1	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------16	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	10	----	----	----	2	7	1	----	10	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	3	----	----	----	----	----	----	----	----	----	----	----	----	----	1	1	----	----	----	1
Tuberculosis of the meninges, etc.-----24	4	----	----	----	----	----	----	----	----	1	----	----	1	1	----	----	1	----	----	----
Other forms of tuberculosis---------25-32	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	24	5	----	2	----	1	1	3	12	----	2	3	2	3	----	1	----	1	----	----
Convulsions----------86	2	----	1	1	----	----	----	----	2	----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	5	----	----	----	----	2	----	----	2	2	----	----	----	1	----	----	----	----	----	----
Bronchopneumonia----------107	160	1	1	2	7	5	7	4	28	27	19	13	12	10	8	5	14	10	7	7
Lobar and unspecified pneumonia---108,109	70	----	----	----	4	2	----	3	9	8	6	7	7	9	5	3	7	5	1	3
Diseases of the stomach----------117,118	5	----	----	----	----	----	----	1	1	1	----	1	----	----	----	2	----	----	----	----
Diarrhea and enteritis----------119	153	1	----	----	3	5	7	7	23	25	17	19	15	8	15	7	6	5	7	6
Intestinal obstruction----------122b	9	----	----	----	----	----	----	1	1	1	----	1	2	----	1	1	1	1	----	----
Congenital malformations----------157	90	13	8	4	17	10	6	3	61	6	3	3	4	4	1	2	2	3	1	----
Congenital debility, etc.------158,161b,c	41	8	1	1	9	1	----	4	24	8	1	3	3	----	----	1	----	1	----	----
Premature birth----------159	380	225	45	20	27	28	9	10	364	6	7	1	----	----	----	1	----	----	----	1
Injury at birth----------160	117	66	22	6	11	5	3	----	114	2	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	41	20	4	4	9	3	1	----	41	----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	22	1	2	----	----	2	----	----	5	4	2	2	2	1	1	1	----	1	2	1
Unknown or ill-defined diseases---199,200	43	14	3	3	1	5	4	----	30	7	5	1	----	----	----	----	----	----	----	----
All other causes----------	117	3	5	6	7	7	7	5	40	12	10	5	11	8	8	3	8	5	2	5

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
LOUISIANA (other races)--All causes	1,525	315	72	58	123	117	69	62	816	138	108	83	89	54	60	35	42	39	24	37
Measles-7	9	-----	----	----	----	----	1	2	3	-----	1	----	2	----	----	1	1	----	----	1
Scarlet fever-8	-----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-9	22	-----	----	----	----	----	----	3	3	3	1	2	5	1	1	1	1	2	1	1
Diphtheria-10	4	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	1	----	2
Influenza-11	59	-----	----	----	1	----	2	----	3	7	7	9	8	6	7	3	1	7	----	1
Dysentery-13	6	-----	----	----	----	----	----	----	----	----	----	1	----	1	2	----	1	1	----	----
Erysipelas-15	-----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis-18	1	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----
Tetanus-22	13	-----	----	----	6	5	1	----	12	-----	1	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	4	-----	----	1	----	----	----	----	1	-----	----	----	1	----	----	1	----	1	----	----
Tuberculosis of the meninges, etc.-24	1	-----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----
Other forms of tuberculosis-25-32	-----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Syphilis-34	87	18	6	3	9	5	6	4	51	12	7	5	4	2	3	----	1	2	----	----
Convulsions-86	4	-----	----	----	1	2	----	1	4	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis-106	6	-----	----	----	----	----	----	----	----	1	3	1	1	----	----	----	----	----	----	----
Bronchopneumonia-107	193	2	1	2	9	12	6	7	39	28	21	21	23	13	17	9	11	4	2	5
Lobar and unspecified pneumonia---108,109	60	-----	1	1	----	3	2	2	9	7	7	4	4	6	7	3	3	5	4	1
Diseases of the stomach----117,118	7	-----	----	----	----	1	----	----	1	3	3	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis-119	150	-----	----	----	2	----	8	9	19	18	20	15	16	7	13	10	9	6	7	10
Intestinal obstruction-122b	8	-----	----	----	1	----	1	----	2	1	2	2	1	----	----	----	----	----	----	----
Congenital malformations-157	51	14	2	4	2	4	4	1	31	7	2	3	2	2	3	----	1	----	----	----
Congenital debility, etc.------158,161b,c	83	15	3	6	8	9	3	8	52	10	6	2	7	2	2	1	1	----	----	----
Premature birth-159	378	164	33	21	44	47	29	14	352	17	6	1	----	1	----	----	----	----	1	----
Injury at birth-160	83	52	4	7	7	9	1	1	81	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	45	22	5	5	9	3	----	----	44	-----	1	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	25	3	2	----	2	1	----	1	9	3	3	3	1	----	1	1	----	2	----	2
Unknown or ill-defined diseases---199,200	114	20	13	8	16	10	3	6	76	12	9	4	4	2	----	----	2	----	3	2
All other causes----------	112	5	2	----	6	6	2	3	24	7	8	10	9	11	4	5	9	7	6	12
MAINE--All causes	990	234	112	47	90	59	30	34	606	79	81	51	39	25	21	18	17	19	17	17
Measles-7	21	-----	----	----	----	1	----	----	1	2	3	2	2	1	2	2	----	2	3	1
Scarlet fever-8	2	-----	----	----	----	----	----	----	----	-----	1	----	----	----	1	----	----	----	----	----
Whooping-cough-9	17	-----	----	----	----	1	1	2	2	3	2	----	3	1	1	1	1	----	1	----
Diphtheria-10	1	-----	----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	1	----
Influenza-11	19	-----	----	----	----	----	2	2	4	2	1	1	----	1	1	3	----	1	3	----
Dysentery-13	-----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Erysipelas-15	3	-----	----	----	----	1	1	2	-----	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis-18	-----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tetanus-22	-----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----
Tuberculosis of the meninges, etc.-24	4	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	1	1
Other forms of tuberculosis-25-32	-----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Syphilis-34	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Convulsions-86	10	-----	----	1	3	----	----	----	4	-----	2	2	2	----	----	----	----	----	----	----
Bronchitis-106	8	-----	----	----	----	----	----	----	----	1	4	1	1	1	----	----	----	----	----	----
Bronchopneumonia-107	68	-----	----	----	1	1	2	2	6	6	13	7	3	7	7	3	4	4	4	4
Lobar and unspecified pneumonia---108,109	29	-----	----	1	1	1	2	----	5	5	5	4	3	----	----	1	1	2	2	1
Diseases of the stomach----117,118	8	-----	----	----	1	----	----	----	1	2	3	----	1	----	----	----	----	1	----	----
Diarrhea and enteritis-119	93	-----	----	----	3	2	----	5	10	12	16	11	15	9	6	2	3	4	1	4
Intestinal obstruction-122b	6	-----	----	----	----	1	----	----	1	1	2	1	----	----	----	1	----	----	----	----
Congenital malformations-157	89	19	7	3	15	7	7	5	63	3	6	5	4	2	2	2	----	----	1	1
Congenital debility, etc.------158,161b,c	64	12	4	3	13	8	2	3	45	7	6	5	----	----	----	----	1	----	----	----
Premature birth-159	316	142	55	22	25	20	9	6	289	18	5	1	3	----	----	----	----	----	----	----
Injury at birth-160	93	40	23	8	12	6	1	1	91	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	45	19	8	8	4	4	----	2	45	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	11	-----	----	----	2	1	1	----	4	1	3	1	----	1	----	----	----	1	----	----
Unknown or ill-defined diseases---199-200	23	1	2	1	1	4	1	3	13	2	2	3	2	----	----	1	----	----	----	----
All other causes----------	58	1	3	----	9	3	2	3	21	11	4	5	2	1	1	4	4	2	2	
MARYLAND (white)--All causes	1,103	322	85	46	65	60	35	34	647	78	70	63	41	19	43	37	35	33	19	18
Measles-7	5	-----	----	----	----	----	----	----	----	-----	----	2	----	----	----	----	----	2	1	----
Scarlet fever-8	-----	-----	----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-9	16	-----	----	----	----	----	----	----	----	3	3	2	1	----	1	1	1	2	2	----
Diphtheria-10	1	-----	----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	1
Influenza-11	16	-----	----	----	----	----	----	----	----	2	1	3	2	1	2	1	1	2	----	1
Dysentery-13	13	-----	----	----	----	----	----	1	1	2	----	3	1	----	1	----	2	3	----	----
Erysipelas-15	5	-----	----	----	----	----	----	----	----	2	----	----	1	----	1	----	1	----	----	----
Epidemic cerebrospinal meningitis-18	2	-----	----	----	----	----	----	----	----	-----	----	----	1	----	----	----	1	----	----	----
Tetanus-22	-----	-----	----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	----	-----	1	----	----	----	1	----	----	----	----	----
Tuberculosis of the meninges, etc.-24	3	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	1	----	----	1
Other forms of tuberculosis-25-32	-----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Syphilis-34	8	1	----	1	----	----	----	----	2	3	2	1	----	----	----	----	----	----	----	----
Convulsions-86	8	-----	----	----	----	1	----	----	1	-----	5	----	2	----	----	----	----	----	----	----
Bronchitis-106	8	-----	----	----	1	1	----	----	2	-----	1	2	----	1	1	----	----	----	----	1
Bronchopneumonia-107	107	-----	1	3	3	4	6	5	22	15	13	13	7	3	7	8	7	4	4	4
Lobar and unspecified pneumonia---108,109	47	-----	----	----	3	----	1	3	7	3	4	7	1	4	3	5	7	2	2	2
Diseases of the stomach----117,118	2	-----	----	----	----	1	----	----	1	-----	----	----	----	----	1	----	----	----	----	----
Diarrhea and enteritis-119	111	-----	----	----	1	1	1	5	8	15	17	13	11	6	14	8	4	8	3	4
Intestinal obstruction-122b	10	-----	----	1	2	----	----	1	4	-----	1	----	----	1	----	1	2	----	1	----
Congenital malformations-157	149	30	15	5	17	21	6	5	99	13	6	7	4	3	4	3	3	4	2	1
Congenital debility, etc.------158,161b,c	28	4	1	3	5	----	----	1	14	4	6	2	----	----	2	----	----	----	----	----
Premature birth-159	337	209	43	19	16	19	11	10	327	5	1	1	2	----	1	----	----	----	----	----
Injury at birth-160	93	52	15	7	10	5	1	1	91	1	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	50	24	8	6	3	4	3	----	48	2	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	23	1	1	----	----	----	1	1	4	4	3	3	3	----	1	4	----	1	----	----
Unknown or ill-defined diseases---199,200	4	-----	1	----	----	----	1	----	2	1	----	----	----	----	1	----	----	----	----	----
All other causes----------	55	1	----	1	4	3	4	1	14	3	5	4	5	----	2	5	5	5	4	3

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MARYLAND (other races)---------All causes	586	102	28	22	36	28	18	20	254	56	42	39	34	39	26	27	21	23	6	19
Measles----------7	4	-----	----	----	1	----	----	----	1	1	----	----	----	1	----	----	----	1	----	----
Scarlet fever----------8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	11	-----	----	1	----	----	----	----	1	-----	----	3	1	1	2	1	1	1	----	----
Diphtheria----------10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	7	-----	----	----	----	----	1	1	2	-----	----	2	----	1	1	----	----	1	----	----
Dysentery----------13	7	-----	----	----	----	----	----	----	-----	1	1	1	----	1	----	----	2	1	----	----
Erysipelas----------15	3	-----	----	----	----	----	----	1	1	2	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	2	-----	----	----	----	----	----	----	-----	1	1	----	----	----	----	----	----	----	----	----
Tetanus----------22	3	-----	----	1	----	1	1	----	3	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	7	-----	----	----	----	----	----	----	-----	-----	1	1	----	1	----	1	----	----	1	2
Tuberculosis of the meninges, etc.------24	4	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	1	----	1	----	1	----
Other forms of tuberculosis---------25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	32	3	1	1	3	4	1	5	18	5	4	2	----	----	1	----	1	1	----	----
Convulsions----------86	3	-----	1	----	----	----	----	----	1	-----	----	1	----	----	----	1	----	----	----	----
Bronchitis----------106	4	-----	----	----	----	----	----	----	-----	1	----	1	----	1	----	----	----	----	----	1
Bronchopneumonia----------107	85	-----	----	----	2	2	4	1	9	10	9	6	9	10	8	8	3	8	1	4
Lobar and unspecified pneumonia---108,109	37	-----	----	----	1	1	1	1	4	4	2	5	4	1	2	4	6	----	1	4
Diseases of the stomach----------117,118	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	----
Diarrhea and enteritis----------119	88	-----	----	----	----	2	1	4	7	6	15	9	13	12	7	4	5	6	1	3
Intestinal obstruction----------122b	3	-----	----	1	----	----	----	----	1	-----	1	----	----	----	----	1	----	----	----	----
Congenital malformations----------157	22	4	2	1	3	1	----	----	11	5	----	1	3	----	----	----	----	1	1	----
Congenital debility, etc.------158,161b,c	23	4	1	----	1	1	2	----	9	7	3	1	----	1	----	1	----	1	----	----
Premature birth----------159	134	68	11	10	14	12	6	3	124	5	1	2	----	1	----	1	----	----	----	1
Injury at birth----------160	20	12	5	----	2	----	----	----	19	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	30	9	6	4	6	2	1	1	29	1	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	15	2	----	1	1	----	----	2	6	3	----	2	1	1	----	1	----	----	----	1
Unknown or ill-defined diseases---199,200	6	-----	1	1	----	----	----	----	2	1	2	----	----	1	----	----	----	----	----	----
All other causes----------	35	-----	----	1	2	2	----	1	6	2	1	2	3	5	4	5	2	2	----	3
MASSACHUSETTS----------All causes	3,041	896	205	155	257	157	97	83	1,850	219	169	141	116	112	80	79	84	58	67	66
Measles----------7	7	-----	----	----	----	----	----	----	-----	-----	----	----	3	----	1	1	----	----	----	2
Scarlet fever----------8	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	1	----	----	----	----
Whooping-cough----------9	47	-----	----	----	----	----	----	1	1	8	3	5	3	5	5	5	4	3	2	3
Diphtheria----------10	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Influenza----------11	23	-----	----	----	----	----	1	1	2	3	2	4	1	2	1	4	----	----	2	2
Dysentery----------13	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Erysipelas----------15	19	-----	----	----	----	1	1	----	2	6	6	2	1	----	----	1	1	----	----	----
Epidemic cerebrospinal meningitis------18	14	-----	----	----	----	1	1	----	2	1	1	2	2	3	1	----	----	----	1	1
Tetanus----------22	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Tuberculosis of the meninges, etc.------24	6	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	2	1	1	1	----
Other forms of tuberculosis---------25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Syphilis----------34	16	1	----	----	2	----	----	----	3	2	6	1	2	1	1	----	----	----	----	----
Convulsions----------86	11	-----	1	----	1	1	----	----	3	3	2	2	----	1	----	----	----	----	----	----
Bronchitis----------106	17	-----	----	----	----	----	----	3	3	5	1	----	3	4	----	----	----	----	1	----
Bronchopneumonia----------107	426	-----	2	3	16	10	17	14	62	49	51	44	33	43	26	22	26	20	29	21
Lobar and unspecified pneumonia---108,109	93	-----	----	1	----	3	4	1	9	8	5	3	5	9	5	10	15	6	7	11
Diseases of the stomach----------117,118	4	-----	----	----	----	----	----	----	-----	1	2	----	----	----	----	----	----	1	----	----
Diarrhea and enteritis----------119	203	-----	----	----	2	15	9	22	48	30	26	23	22	12	15	4	9	6	4	4
Intestinal obstruction----------122b	16	-----	----	----	----	----	1	1	2	1	4	2	----	----	----	3	----	1	----	3
Congenital malformations----------157	389	83	25	25	58	28	15	12	246	37	18	19	8	12	9	8	12	9	5	6
Congenital debility, etc.------158,161b,c	52	5	5	3	13	5	3	1	35	3	8	4	----	----	1	----	----	----	1	----
Premature birth----------159	887	524	107	60	57	57	29	20	854	26	4	----	1	----	----	1	----	1	----	----
Injury at birth----------160	342	184	46	34	52	14	4	----	334	6	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	176	84	16	21	38	8	4	2	173	2	1	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	58	4	----	----	2	1	1	----	8	5	8	7	8	7	1	2	4	1	6	1
Unknown or ill-defined diseases---199,200	10	2	----	----	----	----	----	1	3	1	3	1	1	----	----	----	1	----	----	----
All other causes----------	218	9	3	8	15	13	7	4	59	22	15	22	23	12	14	14	10	9	8	10
MICHIGAN----------All causes	4,172	1,217	354	220	348	202	118	101	2,560	301	239	203	160	126	125	97	103	101	81	76
Measles----------7	32	-----	----	----	----	----	1	1	2	-----	1	2	4	----	3	----	5	7	4	4
Scarlet fever----------8	3	-----	----	----	----	----	----	----	-----	----	----	----	----	----	1	1	----	----	----	1
Whooping-cough----------9	89	-----	----	----	----	----	1	----	1	19	9	8	8	10	6	5	4	7	8	4
Diphtheria----------10	2	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	2	----	----
Influenza----------11	75	-----	----	----	----	2	3	4	9	8	9	7	6	4	4	7	2	5	8	6
Dysentery----------13	5	-----	----	----	----	----	----	----	-----	1	----	----	----	1	2	1	----	----	----	----
Erysipelas----------15	18	-----	----	----	----	2	2	----	4	5	2	4	----	----	----	----	----	1	2	----
Epidemic cerebrospinal meningitis------18	7	-----	----	----	----	----	----	----	-----	-----	----	2	1	1	1	----	----	----	----	1
Tetanus----------22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	6	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	1	----	1	1	1
Tuberculosis of the meninges, etc.------24	10	-----	----	----	----	----	----	----	-----	-----	1	1	1	----	1	----	2	2	----	2
Other forms of tuberculosis---------25-32	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	2	----	1	----	----	----	----
Syphilis----------34	33	5	3	1	----	3	----	----	12	5	6	3	1	1	----	1	2	2	----	----
Convulsions----------86	18	-----	1	1	7	2	----	----	11	-----	1	1	1	----	1	----	1	----	2	----
Bronchitis----------106	28	-----	----	----	1	1	2	----	4	6	3	4	1	2	1	----	3	2	1	1
Bronchopneumonia----------107	449	-----	4	4	13	14	9	16	60	58	54	57	46	35	26	28	32	22	15	16
Lobar and unspecified pneumonia---108,109	160	-----	----	1	4	6	5	5	21	16	24	14	13	11	13	12	7	10	6	13
Diseases of the stomach----------117,118	16	-----	----	----	2	----	----	----	2	4	3	----	2	1	----	1	----	----	2	1
Diarrhea and enteritis----------119	181	-----	1	----	4	3	5	11	24	24	27	24	13	12	16	11	16	8	6	----
Intestinal obstruction----------122b	44	-----	----	----	5	4	1	----	10	3	1	2	5	5	5	4	3	1	4	1
Congenital malformations----------157	522	127	51	30	56	32	28	15	349	47	25	25	19	10	14	6	7	9	7	3
Congenital debility, etc.------158,161b,c	116	17	11	3	16	7	9	8	71	17	9	6	1	4	2	1	2	2	1	----
Premature birth----------159	1,361	805	192	92	101	80	30	17	1,317	23	13	1	3	1	2	----	----	----	----	1
Injury at birth----------160	368	180	59	46	63	11	1	3	363	4	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	140	56	17	20	30	7	1	5	136	3	1	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	89	5	1	3	5	2	1	1	18	14	10	10	9	5	6	4	2	6	1	4
Unknown or ill-defined diseases---199,200	21	4	1	1	4	1	2	1	14	3	3	----	1	----	---	----	----	----	----	----
All other causes----------	376	18	13	18	27	25	17	14	132	41	35	32	24	21	20	13	14	14	13	17

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MINNESOTA—All causes	2,053	707	133	107	191	93	75	65	1,371	141	124	98	66	50	38	30	41	27	35	32
Measles—7	14	-----	----	----	----	----	----	1	1	1	3	2	----	3	----	----	1	1	2	----
Scarlet fever—8	3	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	2	----
Whooping-cough—9	54	-----	----	----	----	----	----	4	4	7	9	10	3	4	4	1	3	5	3	1
Diphtheria—10	------	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Influenza—11	49	-----	----	----	1	1	2	1	5	11	12	3	4	1	2	3	1	4	1	2
Dysentery—13	5	-----	----	----	----	1	----	----	1	----	----	1	----	----	----	2	1	----	----	----
Erysipelas—15	6	-----	----	----	----	1	----	----	1	2	1	----	1	----	----	----	1	----	----	----
Epidemic cerebrospinal meningitis—18	3	-----	----	----	----	----	----	----	----	----	----	----	1	----	----	2	----	----	----	----
Tetanus—22	4	-----	----	----	1	1	----	1	3	1	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	5	-----	1	----	----	----	----	----	1	----	----	1	----	----	1	1	----	1	----	----
Tuberculosis of the meninges, etc.—24	2	-----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	1	----	----
Other forms of tuberculosis—25-32	3	-----	----	----	1	----	----	----	1	----	----	----	----	----	1	----	1	----	----	----
Syphilis—34	4	-----	----	1	----	----	----	1	2	----	----	2	----	----	----	----	----	----	----	----
Convulsions—86	15	2	2	1	3	----	1	----	9	1	----	2	----	----	----	1	----	----	1	1
Bronchitis—106	8	-----	----	1	----	----	----	----	1	----	4	1	1	----	----	----	----	----	1	----
Bronchopneumonia—107	181	-----	2	2	13	1	5	12	35	33	25	22	16	12	5	10	4	1	9	9
Lobar and unspecified pneumonia—108,109	58	-----	----	----	3	3	2	3	11	6	10	8	7	2	5	1	4	1	1	2
Diseases of the stomach—117,118	3	-----	1	----	----	----	----	1	2	----	----	1	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	99	-----	----	1	2	6	11	6	26	12	14	7	13	5	5	2	11	1	1	1
Intestinal obstruction—122b	17	-----	----	----	----	1	----	2	3	2	4	2	----	2	----	----	1	2	1	----
Congenital malformations—157	254	54	14	13	47	15	15	10	168	24	15	12	7	10	6	----	1	4	5	2
Congenital debility, etc.—158,161b,c	67	14	8	6	18	7	2	3	58	5	3	----	----	1	----	----	----	----	----	----
Premature birth—159	697	468	69	39	53	33	18	5	685	8	2	1	----	----	----	----	1	----	----	----
Injury at birth—160	218	122	24	27	32	7	1	2	215	1	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	67	29	9	9	10	5	5	----	67	----	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	49	6	----	1	1	2	4	2	16	5	4	4	3	----	4	3	3	1	4	2
Unknown or ill-defined diseases—199,200	24	9	2	2	2	----	----	2	17	1	3	2	----	----	----	----	1	----	----	----
All other causes	144	3	1	4	4	9	9	9	39	21	13	16	10	10	4	4	7	4	4	12
MISSISSIPPI (white)—All causes	1,050	303	85	48	81	64	36	32	649	80	76	44	25	32	34	30	30	18	17	15
Measles—7	2	-----	----	----	----	----	----	----	----	1	----	----	----	----	1	----	----	----	----	----
Scarlet fever—8	1	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1
Whooping-cough—9	27	-----	----	----	----	1	----	2	3	3	5	1	3	4	2	1	2	----	1	1
Diphtheria—10	5	-----	----	----	----	----	----	1	1	----	1	----	----	----	----	----	----	1	----	2
Influenza—11	45	-----	----	1	1	1	2	1	6	7	6	4	8	3	5	4	----	1	1	----
Dysentery—13	8	-----	----	----	----	----	----	----	----	----	3	----	----	1	----	1	2	----	1	----
Erysipelas—15	6	-----	----	----	----	----	----	1	1	2	1	2	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	4	-----	----	----	----	----	----	----	----	1	1	1	----	----	----	1	----	----	----	----
Tetanus—22	4	-----	----	1	----	3	----	----	4	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	1	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
Tuberculosis of the meninges, etc.—24	3	-----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	2	----	----	----
Other forms of tuberculosis—25-32	1	-----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
Syphilis—34	4	-----	----	----	----	----	1	----	1	----	2	----	----	1	----	----	----	----	----	----
Convulsions—86	5	-----	1	1	1	1	1	----	5	----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	4	-----	----	----	----	----	----	----	----	1	1	----	----	----	----	----	----	1	1	----
Bronchopneumonia—107	71	-----	1	2	2	5	4	5	19	7	11	6	2	4	5	5	3	2	1	6
Lobar and unspecified pneumonia—108,109	32	-----	----	1	----	4	1	3	9	4	5	3	1	1	5	1	2	----	1	----
Diseases of the stomach—117,118	4	-----	----	----	----	----	1	----	1	----	1	----	----	----	----	----	1	1	----	----
Diarrhea and enteritis—119	69	-----	----	----	----	1	1	3	5	7	11	9	2	4	2	7	8	6	6	2
Intestinal obstruction—122b	13	-----	----	----	1	----	1	1	3	1	1	1	----	3	2	1	1	----	----	----
Congenital malformations—157	64	13	7	5	10	3	3	1	42	11	2	3	1	----	2	2	----	----	----	1
Congenital debility, etc.—158,161b,c	40	9	1	2	4	5	1	2	24	5	3	3	2	1	1	----	----	----	----	1
Premature birth—159	305	189	34	17	25	19	10	3	297	8	----	----	----	----	----	----	----	----	----	----
Injury at birth—160	103	42	22	8	21	4	1	2	100	1	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	26	16	4	2	2	----	2	----	26	----	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	12	2	2	----	----	----	----	----	4	1	1	----	1	----	----	1	1	2	----	1
Unknown or ill-defined diseases—199,200	117	31	12	6	12	13	4	5	83	12	10	6	1	2	----	1	----	----	2	----
All other causes	74	1	1	2	2	4	3	2	15	8	8	5	4	7	8	5	7	4	3	----
MISSISSIPPI (other races)—All causes	1,555	275	118	69	138	111	59	44	814	122	104	102	81	58	81	51	52	41	19	30
Measles—7	2	-----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	1	----	----
Scarlet fever—8	------	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	42	-----	----	----	----	----	----	----	----	6	4	7	5	1	8	3	1	2	1	4
Diphtheria—10	------	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Influenza—11	77	-----	----	----	1	2	3	1	7	5	11	6	9	5	10	8	10	2	2	2
Dysentery—13	7	-----	----	----	----	----	----	----	----	1	----	1	1	----	1	1	----	1	----	1
Erysipelas—15	3	-----	----	----	----	----	----	----	----	----	1	2	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	3	-----	----	----	----	----	----	----	----	----	1	----	1	----	----	1	----	----	----	----
Tetanus—22	5	-----	----	1	3	1	----	----	5	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	3	-----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	1	1	----
Tuberculosis of the meninges, etc.—24	------	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	------	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	40	5	----	----	3	3	2	1	14	9	1	5	1	1	3	3	1	1	----	1
Convulsions—86	8	-----	1	1	1	2	----	----	5	----	1	2	----	----	----	----	----	----	----	----
Bronchitis—106	6	-----	----	----	----	----	----	----	----	----	4	----	----	----	1	----	1	----	----	----
Bronchopneumonia—107	87	-----	----	----	2	2	1	----	5	7	8	12	9	8	13	6	5	8	4	2
Lobar and unspecified pneumonia—108,109	62	-----	1	----	2	3	2	2	10	6	4	8	7	5	8	3	7	1	----	3
Diseases of the stomach—117,118	2	-----	----	----	----	1	----	----	1	----	1	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	97	-----	----	----	----	5	1	2	8	14	7	12	11	8	11	4	6	10	3	3
Intestinal obstruction—122b	9	-----	----	----	----	1	----	----	1	1	1	2	----	----	2	1	1	----	----	----
Congenital malformations—157	19	4	3	1	2	----	1	----	11	1	1	3	2	----	----	----	1	----	----	----
Congenital debility, etc.—158,161b,c	54	11	1	3	6	8	4	4	37	2	5	2	4	2	----	----	1	----	1	----
Premature birth—159	185	99	31	11	15	14	6	3	179	4	----	----	1	1	----	----	----	----	----	----
Injury at birth—160	40	20	6	5	7	2	----	----	40	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	28	6	2	2	10	3	3	1	27	1	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	37	3	----	3	1	----	4	----	11	4	1	4	1	1	6	1	2	3	2	1
Unknown or ill-defined diseases—199,200	676	126	72	41	81	62	30	29	441	57	46	30	22	21	15	17	12	9	1	5
All other causes	63	1	1	1	4	2	2	1	12	3	7	5	7	5	3	3	4	2	4	8

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MISSOURI----------All causes	3,262	789	186	127	280	213	155	130	1,880	306	172	151	120	129	118	97	91	68	70	60
Measles----------7	28	-----	----	----	----	1	----	1	2	2	----	----	3	4	4	1	3	1	5	3
Scarlet fever----------8	7	-----	----	----	----	----	1	----	1	1	1	----	----	----	1	1	----	----	2	----
Whooping-cough----------9	105	-----	----	----	----	2	3	2	7	21	10	11	6	7	10	7	6	7	7	6
Diphtheria----------10	10	-----	----	----	----	----	----	----	-----	2	1	----	----	----	1	2	2	----	2	----
Influenza----------11	93	-----	----	----	4	2	5	4	15	23	11	5	4	9	6	7	4	4	2	3
Dysentery----------13	21	-----	----	----	----	----	----	2	2	2	2	1	5	----	2	2	2	----	1	2
Erysipelas----------15	19	-----	----	----	----	2	1	6	9	3	2	2	1	----	----	----	1	----	1	----
Epidemic cerebrospinal meningitis------18	7	-----	----	----	----	----	----	----	-----	1	1	----	1	----	3	----	----	----	----	1
Tetanus----------22	5	-----	----	----	1	2	1	----	4	-----	----	----	----	----	----	1	----	----	----	----
Tuberculosis of the respiratory system-23	11	-----	----	----	----	----	----	----	-----	-----	2	1	----	3	1	2	1	----	----	1
Tuberculosis of the meninges, etc.-----24	5	-----	----	----	----	----	----	----	-----	-----	1	----	----	1	2	----	----	1	----	----
Other forms of tuberculosis---------25-32	4	-----	----	----	----	----	----	----	-----	-----	1	1	1	----	1	----	----	----	----	----
Syphilis----------34	38	6	----	----	1	2	2	1	12	8	7	3	2	2	----	2	----	1	----	1
Convulsions----------86	5	-----	----	1	2	----	----	----	3	-----	----	----	1	----	----	----	----	1	----	----
Bronchitis----------106	8	-----	1	----	----	----	1	1	3	2	1	----	----	----	2	----	----	----	----	----
Bronchopneumonia----------107	393	1	2	6	21	18	28	25	101	60	42	37	35	29	16	21	15	9	14	14
Lober and unspecified pneumonia---108,109	119	1	1	1	3	6	3	12	27	17	5	13	8	11	8	6	6	7	6	5
Diseases of the stomach----------117,118	14	-----	2	----	3	3	----	----	8	3	1	1	----	----	----	----	1	----	----	----
Diarrhea and enteritis----------119	357	4	----	----	6	12	33	19	74	49	26	38	27	28	29	19	24	20	15	8
Intestinal obstruction----------122b	34	-----	----	3	1	2	2	----	8	5	1	2	3	3	6	3	----	3	----	----
Congenital malformations----------157	331	78	25	25	55	30	12	19	244	23	18	9	6	8	9	7	2	2	1	2
Congenital debility, etc.------158,161b,c	98	14	2	4	20	16	11	6	73	6	7	7	----	2	----	1	----	1	1	----
Premature birth----------159	899	511	103	50	92	73	25	13	867	24	6	1	----	1	----	----	----	----	----	----
Injury at birth----------160	216	106	30	24	32	17	4	2	215	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	80	44	8	4	15	3	----	2	76	4	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	58	3	1	----	----	1	----	1	6	9	5	6	4	5	1	6	5	5	3	3
Unknown or ill-defined diseases---199,200	59	13	5	5	6	5	5	2	41	9	2	2	----	1	2	1	1	----	----	----
All other causes----------	238	8	6	4	18	16	18	12	82	31	19	11	13	15	14	8	18	6	10	11
MONTANA----------All causes	602	160	26	25	51	30	21	23	336	62	45	20	19	35	23	15	12	17	10	8
Measles----------7	9	-----	----	----	----	----	----	----	-----	2	1	----	1	2	----	1	----	----	1	1
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	14	-----	----	----	----	----	----	----	-----	2	7	2	----	1	----	----	----	1	1	----
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	20	-----	1	----	1	2	1	----	5	4	1	----	----	4	2	1	----	2	1	----
Dysentery----------13	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Erysipelas----------15	4	-----	----	----	----	----	----	----	-----	2	2	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	5	-----	----	----	----	----	----	----	-----	-----	2	----	----	----	2	1	----	----	----	----
Tuberculosis of the meninges, etc.-----24	5	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	3	----	1
Other forms of tuberculosis---------25-32	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Syphilis----------34	3	1	----	----	----	----	----	1	2	-----	----	----	----	----	----	1	----	----	----	----
Convulsions----------86	2	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	----	----	----	----	----
Bronchitis----------106	3	-----	----	----	----	----	----	----	-----	2	----	----	1	----	----	----	----	----	----	----
Bronchopneumonia----------107	76	1	1	----	3	4	5	4	18	16	3	3	9	9	5	2	5	4	1	1
Lober and unspecified pneumonia---108,109	32	-----	1	----	----	1	1	----	3	3	5	4	2	6	----	2	2	----	4	1
Diseases of the stomach----------117,118	2	-----	----	1	----	----	----	----	1	1	----	----	----	----	1	----	----	----	----	----
Diarrhea and enteritis----------119	39	-----	----	----	----	1	----	4	5	8	5	4	2	5	2	2	2	4	----	----
Intestinal obstruction----------122b	2	-----	----	----	1	----	----	----	1	-----	----	----	----	----	1	----	----	----	----	----
Congenital malformations----------157	62	10	7	3	9	5	5	3	42	10	2	2	----	1	3	1	----	1	----	----
Congenital debility, etc.------158,161b,c	25	6	----	2	3	2	1	3	17	3	3	----	----	1	----	1	----	----	----	----
Premature birth----------159	165	118	11	4	11	10	5	3	162	2	1	----	----	----	----	----	----	----	----	----
Injury at birth----------160	43	17	2	9	10	1	1	1	41	-----	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	16	4	1	2	5	2	1	1	16	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	16	-----	----	----	3	----	1	----	4	2	1	1	1	1	2	1	1	1	1	----
Unknown or ill-defined diseases---199,200	19	1	----	2	3	----	----	2	8	1	3	1	----	2	1	2	1	----	----	----
All other causes----------	37	2	2	2	2	2	----	1	11	4	5	1	2	3	4	----	1	1	1	4
NEBRASKA----------All causes	960	321	64	51	75	47	32	29	619	62	62	42	25	33	29	18	21	18	19	12
Measles----------7	12	-----	----	----	----	----	1	----	1	-----	----	----	----	1	1	2	----	2	3	2
Scarlet fever----------8	3	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	1	1
Whooping-cough----------9	8	-----	----	----	----	----	----	----	-----	2	----	3	----	2	----	----	1	----	----	----
Diphtheria----------10	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	2	----
Influenza----------11	27	-----	----	----	----	1	1	1	3	5	7	----	2	3	4	1	----	1	1	----
Dysentery----------13	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Erysipelas----------15	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	3	-----	----	----	----	----	----	----	-----	-----	----	1	1	----	----	----	----	1	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Tuberculosis of the meninges, etc.-----24	5	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	1	----	1	----	----	2
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	10	-----	----	1	----	2	1	----	4	3	2	1	----	----	----	----	----	----	----	----
Convulsions----------86	4	-----	----	----	----	----	----	----	-----	2	----	----	----	1	1	----	----	----	----	----
Bronchitis----------106	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	1	----
Bronchopneumonia----------107	91	-----	1	----	----	5	2	6	14	9	14	15	4	10	8	4	4	5	3	1
Lober and unspecified pneumonia---108,109	34	-----	1	2	----	2	3	2	10	5	6	2	1	1	----	2	1	1	3	2
Diseases of the stomach----------117,118	3	-----	----	----	1	----	----	----	1	-----	1	----	----	----	----	1	----	----	----	----
Diarrhea and enteritis----------119	48	1	----	----	1	2	1	2	7	9	2	4	7	6	4	3	3	1	1	1
Intestinal obstruction----------122b	6	-----	----	----	----	----	2	----	2	-----	1	----	1	----	1	----	----	1	----	----
Congenital malformations----------157	114	25	7	4	19	8	10	8	81	11	7	2	1	3	3	1	2	1	1	1
Congenital debility, etc.------158,161b,c	34	10	1	3	5	3	2	1	25	-----	----	5	1	1	----	----	2	----	----	----
Premature birth----------159	309	199	33	25	25	12	3	6	303	2	2	1	1	----	----	----	----	----	----	----
Injury at birth----------160	97	66	11	8	7	5	----	----	97	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	32	10	6	4	7	3	----	----	30	1	1	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	29	2	1	2	2	2	3	----	12	2	4	3	----	----	1	2	----	2	2	1
Unknown or ill-defined diseases---199,200	10	2	1	1	2	----	----	----	6	2	1	----	----	----	----	----	1	----	----	----
All other causes----------	73	6	2	1	6	2	3	3	23	8	13	3	6	5	5	2	4	2	1	1

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEVADA—All causes	101	44	5	3	5	7	5	6	75	6	1	5	2	----	3	1	2	2	2	2
Measles—7	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	2	----	----	----	----	----	----	1	1	----	----	----	----	----	----	----	----	----	----	1
Diphtheria—10	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Influenza—11	3	----	----	----	----	----	----	1	1	----	----	1	----	----	1	----	----	----	----	----
Dysentery—13	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	1	----	----	----	----	----	1	----	1	----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	2	1	----	----	----	----	----	1	2	----	----	----	----	----	----	----	----	----	----	----
Convulsions—86	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
Bronchopneumonia—107	8	----	----	----	1	----	----	1	2	3	----	1	----	----	----	1	----	1	----	----
Lobar and unspecified pneumonia—108,109	3	----	----	----	----	----	----	----	----	----	----	1	----	----	1	----	----	----	----	1
Diseases of the stomach—117,118	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	4	----	----	----	----	1	----	1	2	----	----	----	----	----	----	----	----	1	1	----
Intestinal obstruction—122b	2	----	----	----	1	----	----	1	2	----	----	----	----	----	----	----	----	----	----	----
Congenital malformations—157	11	5	----	2	----	----	1	----	8	----	1	1	1	----	----	----	----	----	----	----
Congenital debility, etc.—158,161b,c	8	2	----	----	2	2	----	----	6	1	----	----	1	----	----	----	----	----	----	----
Premature birth—159	38	33	----	1	----	3	1	----	38	----	----	----	----	----	----	----	----	----	----	----
Injury at birth—160	5	1	3	----	----	1	----	----	5	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	1	----	1	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----
Unknown or ill-defined diseases—199,200	3	2	----	----	----	----	----	----	2	1	----	----	----	----	----	----	----	----	----	----
All other causes	7	----	1	----	1	----	2	----	4	1	----	1	----	----	----	----	1	----	----	----
NEW HAMPSHIRE—All causes	419	125	51	22	39	18	8	13	276	34	23	13	16	13	6	10	12	7	4	5
Measles—7	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----
Scarlet fever—8	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	10	----	----	----	----	----	----	1	1	2	----	2	1	3	----	----	1	----	----	----
Diphtheria—10	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Influenza—11	10	----	----	----	----	----	----	1	1	3	2	----	----	----	3	1	----	----	----	----
Dysentery—13	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	1	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	2	----	----	----	----	----	----	----	----	----	1	----	----	----	1	----	----	----	----	----
Tetanus—22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Convulsions—86	2	----	----	1	----	----	----	----	1	----	----	----	1	----	----	----	----	----	----	----
Bronchitis—106	2	----	----	----	----	----	----	----	----	1	----	----	----	----	----	1	----	----	----	----
Bronchopneumonia—107	43	----	----	1	----	1	2	2	6	9	8	2	3	3	1	3	4	----	2	2
Lobar and unspecified pneumonia—108,109	14	----	----	----	----	----	----	2	2	2	----	1	1	3	----	1	1	2	----	1
Diseases of the stomach—117,118	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	13	----	----	----	1	----	----	----	1	5	1	1	1	----	----	1	1	1	----	1
Intestinal obstruction—122b	4	----	----	----	1	----	----	----	1	----	----	1	----	----	----	2	----	----	----	----
Congenital malformations—157	40	12	6	3	2	1	1	1	25	2	2	4	----	2	----	----	2	1	----	1
Congenital debility, etc.—158,161b,c	15	2	3	1	2	----	----	1	9	4	1	----	1	----	----	----	----	----	----	----
Premature birth—159	148	83	26	10	9	10	3	2	143	1	2	1	1	----	----	----	----	----	----	----
Injury at birth—160	54	20	9	4	15	3	1	2	54	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	24	8	7	2	6	1	----	----	24	----	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	14	----	----	----	----	----	----	----	----	2	3	1	3	2	----	1	1	----	1	----
Unknown or ill-defined diseases—199,200	2	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	1	----	----
All other causes	20	----	----	----	3	2	1	1	7	2	3	----	4	----	----	----	2	2	----	----
NEW JERSEY—All causes	2,520	801	168	138	181	119	75	73	1,555	212	144	95	76	71	80	76	63	56	43	49
Measles—7	7	----	----	----	----	----	----	----	----	----	----	----	----	----	3	----	1	----	1	2
Scarlet fever—8	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	1	----	----
Whooping-cough—9	57	----	----	----	----	----	----	1	1	14	9	5	1	6	5	4	6	2	4	----
Diphtheria—10	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
Influenza—11	26	----	----	----	----	3	----	----	3	3	4	1	2	5	3	1	1	2	1	----
Dysentery—13	1	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	13	----	----	----	----	1	----	2	3	5	1	----	----	----	----	2	1	1	----	----
Epidemic cerebrospinal meningitis—18	3	----	----	----	----	----	----	----	----	----	----	----	1	1	----	----	----	1	----	----
Tetanus—22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	8	----	----	----	----	----	----	----	----	----	----	----	1	----	----	1	1	2	2	1
Tuberculosis of the meninges, etc.—24	3	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	1	----	1	----
Other forms of tuberculosis—25-32	6	----	----	----	----	----	----	----	----	----	----	----	----	----	1	1	----	1	----	3
Syphilis—34	25	3	1	----	3	2	2	2	13	3	3	1	----	----	2	1	----	----	1	1
Convulsions—86	16	2	1	1	1	----	2	----	7	2	2	1	1	1	1	----	----	1	----	----
Bronchitis—106	9	----	----	----	----	----	----	1	1	2	----	2	1	----	----	2	1	----	----	----
Bronchopneumonia—107	298	----	4	2	11	3	8	10	38	43	34	30	27	24	24	26	18	14	8	12
Lobar and unspecified pneumonia—108,109	135	2	----	3	4	2	5	5	21	14	12	9	11	8	16	10	9	6	9	10
Diseases of the stomach—117,118	7	----	1	----	1	----	1	----	3	2	1	----	----	----	----	1	----	----	----	----
Diarrhea and enteritis—119	125	----	----	1	3	4	10	4	22	23	18	8	11	4	7	10	6	7	6	3
Intestinal obstruction—122b	18	----	----	----	----	----	----	3	3	2	1	----	3	2	1	2	2	----	1	1
Congenital malformations—157	267	71	17	20	27	26	4	20	185	28	16	9	4	9	2	4	1	4	3	2
Congenital debility, etc.—158,161b,c	77	5	----	8	11	9	5	4	42	14	6	5	----	1	2	2	----	2	1	2
Premature birth—159	772	500	84	47	43	41	21	9	745	19	5	1	1	----	----	----	1	----	----	----
Injury at birth—160	268	126	37	35	50	8	6	4	266	1	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	140	75	15	16	13	14	1	1	135	5	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	38	4	3	----	2	----	1	1	11	6	3	5	2	----	2	3	1	1	1	3
Unknown or ill-defined diseases—199,200	17	7	1	----	----	----	1	1	10	2	2	2	----	----	----	----	1	----	----	----
All other causes	181	6	4	5	12	6	8	5	46	23	25	16	10	10	11	6	10	11	4	9

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW MEXICO—All causes	1,705	259	54	46	88	77	65	56	645	150	168	130	120	103	81	78	68	62	46	54
Measles—7	10	-----	----	----	----	----	1	----	1	-----	1	----	----	1	1	2	1	1	1	1
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	65	-----	----	----	----	2	1	1	4	6	7	8	6	5	4	7	5	5	3	5
Diphtheria—10	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Influenza—11	41	-----	----	----	----	2	2	1	5	5	6	3	3	4	1	4	4	4	----	2
Dysentery—13	14	-----	----	----	----	----	----	1	1	-----	3	2	1	1	----	----	2	1	1	2
Erysipelas—15	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	5	-----	----	1	----	----	----	----	1	1	----	----	----	2	----	1	----	----	----	----
Tuberculosis of the meninges, etc.—24	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	29	5	1	1	1	2	3	1	14	2	7	2	1	1	1	1	----	----	----	----
Convulsions—86	2	-----	----	----	1	----	----	----	1	-----	1	----	----	----	----	----	----	----	----	----
Bronchitis—106	8	-----	----	----	----	----	----	----	-----	-----	----	1	1	----	2	1	----	----	1	2
Bronchopneumonia—107	118	-----	1	----	1	1	2	3	8	16	25	17	11	10	6	7	4	4	3	7
Lobar and unspecified pneumonia—108,109	51	-----	----	----	2	1	1	2	6	6	8	5	1	3	2	3	5	3	5	4
Diseases of the stomach—117,118	10	-----	----	----	1	----	----	1	2	3	----	2	----	1	2	----	----	----	----	----
Diarrhea and enteritis—119	268	-----	----	1	1	2	3	7	14	27	21	32	27	32	25	17	24	16	16	17
Intestinal obstruction—122b	6	-----	----	----	1	----	----	1	2	1	----	----	----	1	----	----	----	1	----	1
Congenital malformations—157	37	10	3	4	3	4	2	1	27	2	2	1	3	1	----	----	----	1	----	----
Congenital debility, etc.—158,161b,c	47	5	5	----	4	1	3	1	19	4	9	2	8	----	1	1	1	1	1	----
Premature birth—159	184	109	14	14	18	13	5	5	178	4	2	----	----	----	----	----	----	----	----	----
Injury at birth—160	37	19	3	3	9	2	----	----	36	----	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	32	11	3	3	8	2	3	1	31	1	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	15	-----	----	----	3	----	1	----	4	3	----	----	2	----	----	4	----	2	----	----
Unknown or ill-defined diseases—199,200	681	99	24	15	33	42	38	28	279	66	71	51	50	35	35	25	20	23	15	13
All other causes	43	1	----	4	2	3	----	2	12	3	4	3	6	6	1	5	----	1	1	1
NEW YORK—All causes	8,852	2,643	617	425	632	463	365	354	5,499	673	555	440	308	263	221	204	191	198	135	165
Measles—7	33	-----	----	----	----	----	----	----	-----	-----	----	1	2	2	1	2	6	7	6	6
Scarlet fever—8	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	1	----	----	----
Whooping-cough—9	214	-----	----	----	----	----	1	3	4	26	44	30	18	19	13	13	12	13	8	14
Diphtheria—10	4	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	1	1	1	----
Influenza—11	92	-----	----	----	1	2	----	2	5	8	14	9	6	11	7	7	7	11	6	1
Dysentery—13	6	-----	----	----	----	----	----	----	-----	2	----	----	----	----	----	----	1	1	1	1
Erysipelas—15	85	-----	----	----	1	3	5	6	15	24	12	5	2	8	11	1	4	1	1	1
Epidemic cerebrospinal meningitis—18	26	-----	----	----	----	----	----	----	-----	1	2	3	4	5	2	1	----	3	2	3
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	22	-----	----	1	----	----	----	1	2	-----	1	1	----	----	2	2	4	4	3	3
Tuberculosis of the meninges, etc.—24	10	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	1	----	1	3	3
Other forms of tuberculosis—25-32	13	-----	----	----	----	----	----	----	-----	1	1	1	----	2	----	----	1	1	2	4
Syphilis—34	81	8	5	1	4	3	2	5	29	16	16	10	3	----	2	2	----	----	2	1
Convulsions—86	14	-----	----	1	2	----	----	2	5	-----	3	1	2	----	2	1	----	----	----	----
Bronchitis—106	39	-----	----	----	1	----	4	1	6	8	4	3	7	4	1	2	----	4	----	----
Bronchopneumonia—107	1,139	10	8	13	34	46	69	77	257	151	129	127	90	76	61	55	58	58	36	41
Lobar and unspecified pneumonia—108,109	292	-----	1	3	14	6	12	10	46	15	26	23	28	19	26	27	24	26	12	20
Diseases of the stomach—117,118	13	-----	----	1	----	----	1	1	3	4	1	----	4	----	----	----	----	----	1	----
Diarrhea and enteritis—119	705	-----	1	----	7	46	90	60	204	144	86	73	41	35	33	27	25	13	9	15
Intestinal obstruction—122b	53	-----	----	2	2	6	2	2	14	11	7	2	6	7	6	4	----	3	3	----
Congenital malformations—157	1,050	225	60	63	119	97	57	70	691	96	60	62	34	29	15	19	10	14	8	12
Congenital debility, etc.—158,161b,c	178	25	9	16	30	20	10	10	121	23	18	4	5	2	1	----	1	1	2	----
Premature birth—159	2,588	1,543	323	166	197	144	67	59	2,499	44	30	9	3	1	----	1	1	----	----	----
Injury at birth—160	1,027	603	136	96	126	34	9	10	1,014	7	6	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	360	176	50	41	53	22	6	6	354	-----	6	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	134	24	7	----	5	----	1	6	43	13	10	18	12	9	3	5	9	3	3	6
Unknown or ill-defined diseases—199,200	21	9	2	1	1	1	----	----	14	1	3	1	1	----	----	----	----	----	1	----
All other causes	641	19	15	20	35	33	29	22	173	78	75	56	40	33	35	33	26	33	25	34
NORTH CAROLINA (white)—All causes	3,201	906	219	128	236	159	106	86	1,840	281	221	178	127	114	109	70	82	75	57	47
Measles—7	8	-----	----	----	1	----	----	----	1	-----	----	1	----	1	----	----	1	3	----	1
Scarlet fever—8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	----
Whooping-cough—9	88	-----	----	----	----	----	1	4	5	18	12	8	4	2	9	9	10	1	5	5
Diphtheria—10	16	-----	1	----	1	----	----	1	3	4	----	4	----	2	1	----	----	----	1	1
Influenza—11	74	-----	----	----	----	5	4	2	11	8	11	6	7	7	5	6	3	5	1	4
Dysentery—13	33	-----	----	----	----	----	1	----	1	2	3	3	3	----	7	2	5	2	3	2
Erysipelas—15	15	-----	----	----	----	----	2	----	2	7	1	1	----	1	----	1	----	----	1	1
Epidemic cerebrospinal meningitis—18	2	-----	----	----	----	----	1	----	1	-----	----	1	----	----	----	----	----	----	----	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	1	----	----	----
Tuberculosis of the meninges, etc.—24	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Syphilis—34	14	5	1	----	----	----	----	----	6	1	3	2	----	----	----	1	----	----	1	----
Convulsions—86	15	1	----	1	3	3	----	----	8	2	1	----	----	----	----	1	----	2	1	----
Bronchitis—106	12	-----	----	----	----	1	1	1	3	2	4	1	----	1	----	----	1	----	----	----
Bronchopneumonia—107	212	1	1	1	11	10	5	14	43	28	30	22	21	12	9	6	8	14	9	10
Lobar and unspecified pneumonia—108,109	106	1	2	1	3	6	5	4	24	15	15	7	10	6	9	3	3	7	3	4
Diseases of the stomach—117,118	13	-----	----	----	----	2	1	----	3	2	4	1	----	2	----	----	1	----	----	----
Diarrhea and enteritis—119	416	-----	----	----	1	1	6	3	11	51	51	58	44	44	46	22	37	23	16	13
Intestinal obstruction—122b	19	-----	----	----	1	----	----	----	1	4	2	1	2	2	1	3	1	1	1	----
Congenital malformations—157	247	71	15	24	31	16	10	15	182	15	18	10	2	6	2	5	----	4	2	1
Congenital debility, etc.—158,161b,c	145	29	11	9	18	17	8	6	98	18	6	11	6	3	----	1	1	----	----	1
Premature birth—159	984	587	130	51	84	52	27	13	944	23	9	6	----	1	----	1	----	----	----	----
Injury at birth—160	244	126	34	21	38	17	4	----	240	3	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	60	29	11	1	8	5	2	2	58	2	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	61	6	3	2	1	----	2	2	16	15	4	6	4	6	----	1	1	2	6	----
Unknown or ill-defined diseases—199,200	233	43	9	15	23	10	19	11	130	34	24	17	9	6	3	2	3	2	1	2
All other causes	180	7	1	2	12	12	7	8	49	27	22	12	14	11	17	6	6	9	5	2

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NORTH CAROLINA (other races)---All causes	2,221	414	119	91	156	135	105	84	1,104	221	166	147	116	104	72	79	72	50	40	50
Measles-----7	12	-----	----	----	----	----	----	----	-----	1	----	1	----	1	2	3	1	----	1	2
Scarlet fever-----8	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-----9	94	-----	----	----	----	----	3	2	5	14	8	11	4	10	8	7	7	5	8	7
Diphtheria-----10	9	-----	----	1	----	----	----	----	1	2	1	----	3	----	1	----	1	----	----	----
Influenza-----11	65	1	1	1	2	----	1	1	7	5	9	9	4	10	1	2	6	4	4	4
Dysentery-----13	19	-----	----	----	----	1	----	1	2	----	4	2	4	3	1	----	1	1	----	1
Erysipelas-----15	3	-----	----	----	----	----	----	----	-----	2	----	----	1	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis-----18	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	1	----	----	----	----	----
Tetanus-----22	1	-----	----	----	----	----	----	----	-----	----	----	1	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	6	-----	----	----	----	----	----	1	1	----	----	----	----	1	----	1	----	1	1	1
Tuberculosis of the meninges, etc.-----24	4	-----	----	----	----	----	----	----	-----	----	----	----	----	1	----	----	----	2	----	1
Other forms of tuberculosis----25-32	1	-----	----	----	----	----	----	----	-----	----	1	----	----	----	----	----	----	----	----	----
Syphilis-----34	50	16	4	1	2	2	1	3	29	4	7	3	3	2	----	----	2	----	----	----
Convulsions-----86	21	1	----	2	4	1	1	----	9	5	2	1	1	----	----	----	1	1	----	1
Bronchitis-----106	19	-----	----	----	1	3	----	----	4	5	2	6	----	----	----	----	----	1	1	----
Bronchopneumonia-----107	180	-----	1	3	8	5	5	4	26	20	16	20	22	19	13	12	15	7	4	6
Lober and unspecified pneumonia---108,109	130	1	----	2	3	7	7	10	30	14	19	17	5	11	8	11	8	3	4	----
Diseases of the stomach-----117,118	10	-----	1	----	----	----	----	1	2	----	----	1	----	1	1	2	2	----	----	1
Diarrhea and enteritis-----119	262	-----	1	----	4	5	6	8	24	28	31	32	34	24	19	19	12	18	8	13
Intestinal obstruction-----122b	9	-----	----	----	----	----	----	----	-----	----	1	2	2	1	1	2	----	----	----	----
Congenital malformations-----157	38	6	4	----	9	5	1	----	25	6	2	1	2	----	1	----	1	----	----	----
Congenital debility, etc.-----158,161b,c	159	24	12	1	13	18	15	11	94	20	13	10	4	8	3	3	2	1	----	1
Premature birth-----159	535	248	55	42	53	44	41	14	497	24	5	2	5	----	1	----	----	----	----	1
Injury at birth-----160	87	48	11	5	9	5	3	1	82	3	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	39	9	7	5	7	6	3	----	37	2	----	----	----	----	----	----	----	----	----	----
External causes-----172-198,201-214	55	4	2	2	1	3	1	4	17	10	8	7	2	2	2	1	1	----	3	2
Unknown or ill-defined diseases---199,200	281	55	19	23	33	21	11	11	173	41	21	9	12	7	2	6	4	2	1	3
All other causes-----	131	1	1	3	7	9	6	12	39	15	14	12	8	3	7	10	8	4	5	6
NORTH DAKOTA-----All causes	811	217	33	31	58	43	27	33	442	90	64	51	37	23	22	20	17	15	19	11
Measles-----7	9	-----	----	----	----	----	1	----	1	----	----	----	3	1	----	----	----	1	----	3
Scarlet fever-----8	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-----9	34	-----	----	----	----	----	----	----	-----	8	8	6	4	3	2	----	1	1	1	----
Diphtheria-----10	2	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	1	1	----	----
Influenza-----11	29	-----	2	1	1	----	2	2	8	7	1	4	3	----	2	2	----	----	1	1
Dysentery-----13	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Erysipelas-----15	7	-----	----	----	----	1	----	3	4	3	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis-----18	2	-----	----	----	----	----	----	----	-----	----	1	----	----	----	----	----	1	----	----	----
Tetanus-----22	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	----	----	----	1	----	----	----	----	1	----	----
Tuberculosis of the meninges, etc.-----24	2	-----	----	----	----	----	----	----	-----	----	1	----	----	----	----	----	----	----	1	----
Other forms of tuberculosis----25-32	3	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Syphilis-----34	6	-----	----	1	1	----	----	----	2	1	----	1	----	----	----	1	----	----	----	1
Convulsions-----86	16	-----	1	1	2	1	2	2	9	3	2	----	----	----	1	1	----	----	----	----
Bronchitis-----106	4	-----	----	----	----	----	1	----	1	----	----	1	----	1	----	----	----	----	1	----
Bronchopneumonia-----107	110	-----	----	1	1	7	2	5	16	19	21	14	15	5	1	5	3	4	5	2
Lobar and unspecified pneumonia---108,109	44	-----	----	----	1	----	5	2	8	9	4	4	3	3	7	1	2	2	1	----
Diseases of the stomach-----117,118	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	1	----
Diarrhea and enteritis-----119	65	-----	1	----	2	1	3	7	14	12	10	11	2	2	5	----	3	3	3	----
Intestinal obstruction-----122b	8	-----	----	----	----	1	----	1	2	1	----	1	1	1	----	1	----	----	1	----
Congenital malformations-----157	64	16	4	3	8	8	3	1	43	9	3	1	1	3	1	2	1	----	----	----
Congenital debility, etc.-----158,161b,c	35	10	1	2	4	3	----	1	21	5	3	1	2	1	----	----	1	----	1	----
Premature birth-----159	198	139	12	12	12	12	4	5	196	1	1	----	----	----	----	----	----	----	----	----
Injury at birth-----160	77	41	5	7	18	5	----	1	77	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	20	7	6	1	2	3	1	----	20	----	----	----	----	----	----	----	----	----	----	----
External causes-----172-198,201-214	7	-----	----	----	----	----	----	----	-----	----	2	----	----	1	1	----	----	----	1	2
Unknown or ill-defined diseases---199,200	20	4	1	1	4	----	2	1	13	3	----	2	1	----	----	----	1	----	----	----
All other causes-----	45	-----	----	1	2	1	1	2	7	8	7	5	1	2	2	5	2	2	2	2
OHIO-----All causes	5,093	1,536	366	242	462	266	191	141	3,204	372	246	215	176	177	137	144	115	129	82	95
Measles-----7	29	-----	----	----	----	----	----	----	-----	5	2	3	1	----	2	1	4	2	3	6
Scarlet fever-----8	9	-----	----	----	----	----	----	----	-----	----	----	1	----	----	----	3	----	1	2	2
Whooping-cough-----9	101	-----	----	----	----	----	----	4	4	14	15	10	5	11	11	8	7	7	6	3
Diphtheria-----10	9	-----	----	----	----	----	----	----	-----	1	----	1	1	1	----	1	----	2	----	2
Influenza-----11	150	-----	----	----	1	7	5	8	21	20	8	15	12	15	10	11	12	10	6	10
Dysentery-----13	6	-----	----	----	----	----	----	----	-----	----	----	1	1	1	1	----	----	2	----	----
Erysipelas-----15	19	-----	----	----	2	----	2	3	7	4	2	----	----	1	----	3	----	----	1	1
Epidemic cerebrospinal meningitis-----18	19	-----	----	----	----	----	----	----	-----	----	3	1	3	2	1	2	2	3	1	1
Tetanus-----22	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	15	-----	----	----	----	----	----	1	1	----	1	----	3	2	1	4	1	----	2	----
Tuberculosis of the meninges, etc.-----24	16	-----	----	----	----	----	----	----	-----	----	1	1	2	3	----	2	3	2	2	----
Other forms of tuberculosis----25-32	7	-----	----	----	----	----	----	1	1	1	----	----	2	----	----	----	2	1	----	----
Syphilis-----34	42	11	2	----	3	2	1	3	22	3	7	2	1	3	----	1	----	1	----	2
Convulsions-----86	17	1	----	----	4	4	----	1	10	2	----	----	2	----	----	2	----	1	----	----
Bronchitis-----106	17	-----	1	----	----	----	----	1	2	2	2	1	3	----	1	2	1	3	----	----
Bronchopneumonia-----107	571	4	4	7	35	24	19	19	112	69	57	69	37	41	43	38	25	33	22	25
Lober and unspecified pneumonia---108,109	133	-----	2	3	3	6	1	8	23	10	13	16	9	13	9	9	8	11	5	7
Diseases of the stomach-----117,118	18	-----	----	1	----	----	3	1	5	6	2	2	1	1	----	----	----	1	----	----
Diarrhea and enteritis-----119	339	1	2	----	5	15	23	17	63	46	33	27	34	33	19	17	28	20	10	9
Intestinal obstruction-----122b	50	-----	1	1	5	1	1	----	9	4	5	5	5	8	5	4	2	4	1	----
Congenital malformations-----157	557	137	52	40	72	45	38	17	401	42	33	18	16	13	8	7	7	3	4	5
Congenital debility, etc.-----158,161b,c	168	17	8	10	33	15	15	6	104	25	13	8	5	2	2	3	2	2	1	1
Premature birth-----159	1,635	1,024	174	96	128	85	45	28	1,580	42	9	3	----	1	----	----	----	----	----	----
Injury at birth-----160	462	211	72	51	94	19	6	3	456	3	3	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	201	94	32	17	33	15	4	2	197	2	2	----	----	----	----	----	----	----	----	----
External causes-----172-198,201-214	114	5	2	3	6	4	9	2	31	24	13	7	7	5	2	6	1	4	6	8
Unknown or ill-defined diseases---199,200	48	12	3	1	6	1	1	2	26	9	2	3	2	1	2	1	----	----	2	----
All other causes-----	341	19	11	12	32	23	18	14	129	38	22	22	24	20	20	19	10	16	8	13

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OKLAHOMA (white)----All causes	2,039	482	143	82	144	121	74	76	1,122	179	126	106	94	76	66	69	62	42	42	55
Measles----7	7	-----	----	----	----	----	----	1	1	-----	----	1	----	----	2	----	----	----	----	3
Scarlet fever----8	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	1
Whooping-cough----9	70	-----	----	----	----	1	1	3	5	14	13	5	8	4	----	8	6	2	2	3
Diphtheria----10	19	-----	----	----	----	1	----	----	1	2	1	----	1	1	----	2	5	2	----	4
Influenza----11	83	-----	----	----	4	2	4	5	15	11	10	12	2	5	6	5	6	6	3	2
Dysentery----13	37	-----	----	----	----	----	----	----	-----	3	3	4	5	7	3	5	1	2	2	2
Erysipelas----15	15	-----	----	----	----	----	----	4	4	5	1	----	1	----	----	1	1	1	1	----
Epidemic cerebrospinal meningitis----18	5	-----	----	----	----	----	----	----	-----	-----	----	----	1	2	----	----	1	----	----	1
Tetanus----22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.----24	5	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	2	2
Other forms of tuberculosis----25-32	3	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	1	----	----	----	1	----
Syphilis----34	12	-----	1	----	1	1	----	----	3	1	2	2	1	1	1	----	1	----	----	----
Convulsions----86	12	-----	2	1	2	2	1	----	8	1	----	----	2	----	----	----	----	----	----	1
Bronchitis----106	4	-----	----	----	1	----	----	----	1	-----	----	1	1	1	----	----	----	----	----	----
Bronchopneumonia----107	195	2	----	4	10	5	13	13	47	20	20	19	12	14	13	15	7	8	8	12
Lobar and unspecified pneumonia---108,109	79	-----	----	1	2	8	2	4	17	16	7	7	6	4	3	2	5	4	5	3
Diseases of the stomach----117,118	20	-----	----	1	----	3	----	2	6	3	3	----	1	3	3	----	----	----	1	----
Diarrhea and enteritis----119	199	-----	----	----	1	2	4	6	13	25	26	24	25	18	18	10	16	10	6	8
Intestinal obstruction----122b	18	-----	----	----	----	1	----	----	1	2	----	1	3	----	3	6	2	----	----	----
Congenital malformations----157	137	40	17	8	16	15	7	3	106	11	5	2	3	4	----	1	1	----	1	3
Congenital debility, etc.----158,161b,c	93	18	9	5	9	6	6	6	59	8	6	5	4	2	1	4	1	1	1	1
Premature birth----159	571	317	81	34	50	44	18	9	553	12	3	3	----	----	----	----	----	----	----	----
Injury at birth----160	122	59	19	13	20	6	1	1	119	3	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	51	21	7	5	7	4	2	3	49	-----	2	----	----	----	----	----	----	----	----	----
External causes----172-198,201-214	39	2	----	1	1	1	----	2	7	6	3	4	3	2	2	1	3	1	4	3
Unknown or ill-defined diseases---199,200	83	17	3	7	12	5	8	4	56	14	2	3	3	1	1	1	2	----	----	----
All other causes----	156	6	4	2	8	14	7	10	51	22	18	11	11	7	9	8	4	5	4	6
OKLAHOMA (other races)----All causes	345	31	20	19	22	34	19	10	155	27	33	15	33	16	21	13	12	4	8	8
Measles----7	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Scarlet fever----8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----9	23	-----	----	----	----	----	1	----	1	5	3	2	4	2	----	2	----	1	1	2
Diphtheria----10	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Influenza----11	19	-----	----	----	----	2	2	----	4	2	2	----	3	----	5	----	----	----	2	1
Dysentery----13	9	-----	----	----	----	----	----	1	1	1	----	----	3	----	1	1	2	----	----	----
Erysipelas----15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis----18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	2	----
Tuberculosis of the meninges, etc.----24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis----25-32	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	1	----	1	----	----	----
Syphilis----34	12	6	----	----	1	1	1	----	9	1	----	----	1	----	----	----	----	----	1	----
Convulsions----86	4	-----	----	1	1	----	----	----	2	1	1	----	----	----	----	----	----	----	----	----
Bronchitis----106	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----107	44	-----	----	3	2	6	2	----	13	4	8	2	2	4	2	5	1	----	1	2
Lobar and unspecified pneumonia---108,109	24	-----	----	1	----	2	----	----	3	3	2	----	8	----	4	----	2	1	----	1
Diseases of the stomach----117,118	5	-----	----	----	----	1	----	----	1	2	1	2	----	----	----	----	----	----	----	----
Diarrhea and enteritis----119	44	-----	----	----	1	1	1	3	6	3	5	5	7	3	5	3	5	1	----	1
Intestinal obstruction----122b	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Congenital malformations----157	5	2	1	----	----	----	----	----	3	2	----	----	----	----	----	----	----	----	----	----
Congenital debility, etc.----158,161b,c	22	-----	2	1	3	----	5	2	13	-----	3	2	2	1	----	----	----	----	1	----
Premature birth----159	44	16	10	3	4	9	----	2	44	-----	----	----	----	----	----	----	----	----	----	----
Injury at birth----160	8	2	1	4	----	1	----	----	8	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	10	2	1	2	2	2	1	----	10	-----	----	----	----	----	----	----	----	----	----	----
External causes----172-198,201-214	5	-----	----	----	1	----	1	----	2	1	----	----	----	----	----	1	----	----	----	1
Unknown or ill-defined diseases---199,200	39	3	5	2	5	8	4	2	29	-----	3	1	2	2	1	----	1	----	----	----
All other causes----	19	-----	----	2	2	1	1	----	6	1	5	1	1	2	1	1	----	1	----	----
OREGON----All causes	543	192	36	20	54	33	17	12	364	25	44	28	17	12	15	7	9	7	8	7
Measles----7	3	-----	----	----	----	----	----	2	2	-----	1	----	----	----	----	----	----	----	----	----
Scarlet fever----8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----9	11	-----	----	----	----	----	----	----	-----	2	5	2	----	----	1	1	----	----	----	----
Diphtheria----10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----11	11	-----	----	----	----	----	----	----	-----	-----	3	3	1	----	----	----	2	1	----	1
Dysentery----13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----15	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	1	----	----	----	----	----
Epidemic cerebrospinal meningitis----18	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Tetanus----22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	1	----	----	----	----	----	----
Tuberculosis of the meninges, etc.----24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis----25-32	2	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	1	----	----	----	----
Syphilis----34	3	2	----	----	1	----	----	----	3	-----	----	----	----	----	----	----	----	----	----	----
Convulsions----86	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	1	----	----	----
Bronchitis----106	3	-----	----	----	----	----	1	----	1	----	1	----	----	----	----	----	----	----	----	1
Bronchopneumonia----107	53	1	1	2	1	1	4	1	11	5	9	9	6	2	5	1	1	2	2	----
Lobar and unspecified pneumonia---108,109	15	-----	1	----	----	----	1	3	5	1	4	1	----	1	2	----	----	1	----	----
Diseases of the stomach----117,118	3	-----	1	----	----	1	----	----	2	-----	1	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----119	16	1	----	----	2	----	3	1	7	2	1	----	----	1	----	1	1	1	2	----
Intestinal obstruction----122b	10	-----	----	2	2	----	----	----	4	1	1	2	----	1	----	----	----	----	----	1
Congenital malformations----157	69	19	5	3	11	7	3	1	49	3	6	3	5	1	----	1	----	----	1	----
Congenital debility, etc.----158,161b,c	20	3	----	1	2	8	----	1	15	2	1	1	1	----	----	----	----	----	----	----
Premature birth----159	181	119	17	5	19	12	3	1	176	1	3	----	----	1	----	----	----	----	----	----
Injury at birth----160	46	30	5	3	7	----	1	----	46	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	24	12	4	2	2	1	----	1	22	2	----	----	----	----	----	----	----	----	----	----
External causes----172-198,201-214	18	2	----	----	----	----	----	1	3	3	1	3	1	2	----	1	----	----	1	3
Unknown or ill-defined diseases---199,200	8	2	1	1	3	----	----	----	6	1	----	----	----	----	1	----	----	----	----	----
All other causes----	40	1	1	1	5	3	1	----	12	2	5	3	2	1	5	1	4	2	2	1

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
PENNSYLVANIA----------All causes	8,194	2,148	644	419	701	436	298	243	4,889	648	528	417	303	279	224	227	208	169	154	148
Measles----------7	48	-----	----	----	----	----	1	----	1	5	3	2	1	----	2	7	8	8	6	5
Scarlet fever----------8	5	-----	----	----	----	----	1	----	1	1	----	----	2	----	----	----	----	----	----	1
Whooping-cough----------9	125	-----	----	----	----	1	2	3	6	22	16	15	11	12	11	6	7	8	7	6
Diphtheria----------10	4	-----	----	----	----	----	----	1	1	----	----	----	----	----	----	----	----	1	1	1
Influenza----------11	222	-----	----	----	1	6	3	4	14	28	30	18	15	22	19	21	12	13	18	12
Dysentery----------13	4	-----	----	----	----	----	----	----	----	1	----	----	----	----	1	1	----	----	----	1
Erysipelas----------15	42	-----	----	----	----	1	1	----	2	17	6	6	1	4	----	1	3	1	----	1
Epidemic cerebrospinal meningitis------18	25	-----	----	----	----	1	----	----	1	2	----	5	3	4	2	3	2	3	----	1
Tetanus----------22	3	-----	----	----	----	1	----	----	1	----	----	----	----	2	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	30	-----	----	----	1	----	----	----	1	1	2	5	2	1	3	2	4	----	7	2
Tuberculosis of the meninges, etc.-----24	27	-----	----	----	----	----	----	----	----	----	1	3	4	2	3	3	5	1	3	2
Other forms of tuberculosis---------25-32	5	-----	----	----	1	----	----	----	1	----	----	----	----	1	----	3	----	----	----	----
Syphilis----------34	81	12	2	1	3	6	2	3	29	13	18	6	4	3	4	----	2	1	----	1
Convulsions----------86	43	2	2	3	2	1	3	2	15	1	9	6	3	3	1	1	2	1	1	----
Bronchitis----------106	64	-----	1	----	1	4	5	3	14	10	10	7	5	3	5	3	2	3	2	----
Bronchopneumonia----------107	1,041	2	6	7	26	29	51	51	172	134	153	121	74	90	54	61	53	47	33	49
Lobar and unspecified pneumonia---108,109	421	1	2	1	3	14	12	7	46	47	42	54	44	34	33	32	27	24	22	16
Diseases of the stomach----------117,118	26	-----	----	----	3	1	2	----	6	5	3	2	6	1	1	----	----	----	----	2
Diarrhea and enteritis----------119	501	-----	----	2	17	14	24	29	86	77	73	45	45	37	29	27	27	17	17	21
Intestinal obstruction----------122b	59	-----	1	1	2	2	3	1	10	10	4	4	7	2	4	4	12	1	----	1
Congenital malformations----------157	986	205	92	81	141	84	53	44	700	99	58	38	23	15	12	11	8	10	7	5
Congenital debility, etc.-------158,161b,c	188	23	9	20	34	20	13	9	128	23	12	10	7	3	2	1	1	----	1	----
Premature birth----------159	2,385	1,406	338	143	187	138	61	40	2,313	47	9	10	2	----	----	2	2	----	----	----
Injury at birth----------160	781	348	114	104	150	43	10	5	774	6	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	330	124	54	37	66	25	9	8	323	5	2	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	108	8	1	----	6	3	5	2	25	15	14	10	6	6	5	5	3	9	7	3
Unknown or ill-defined diseases---199,200	45	3	3	1	2	1	5	1	16	8	7	2	3	1	3	3	1	----	1	----
All other causes----------	594	14	19	18	49	41	32	30	203	71	55	48	35	33	30	30	27	23	21	18
RHODE ISLAND----------All causes	482	152	44	24	51	21	16	10	318	34	23	18	22	12	11	16	11	8	4	5
Measles----------7	1	-----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----
Scarlet fever----------8	----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	3	-----	----	----	----	----	----	----	----	1	----	----	1	----	1	----	----	----	----	----
Diphtheria----------10	----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	8	-----	----	----	----	----	----	----	----	2	2	2	1	1	----	----	----	----	----	----
Dysentery----------13	----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	5	-----	----	----	----	2	2	1	5	----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.-----24	3	-----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	1	----	1
Other forms of tuberculosis---------25-32	1	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
Syphilis----------34	2	-----	1	----	----	1	----	----	2	----	----	----	----	----	----	----	----	----	----	----
Convulsions----------86	1	-----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----
Bronchitis----------106	4	-----	----	----	----	----	----	1	1	----	----	1	----	----	----	2	----	----	----	----
Bronchopneumonia----------107	48	-----	----	----	7	----	3	1	11	8	3	2	6	3	4	4	5	----	1	1
Lobar and unspecified pneumonia---108,109	15	-----	----	----	1	----	----	----	1	1	2	1	----	3	1	4	1	----	----	1
Diseases of the stomach----------117,118	1	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
Diarrhea and enteritis----------119	34	-----	----	----	----	1	----	1	2	9	3	5	5	2	3	2	----	1	1	----
Intestinal obstruction----------122b	3	-----	----	----	----	----	----	1	1	----	----	----	1	----	----	----	----	1	----	----
Congenital malformations----------157	72	13	7	2	9	8	5	2	46	7	8	2	1	----	1	3	----	2	1	1
Congenital debility, etc.-------158,161b,c	10	2	----	----	2	----	2	----	6	1	1	1	1	----	----	----	----	----	----	----
Premature birth----------159	140	76	23	11	16	4	2	2	134	4	1	1	----	----	----	----	----	----	----	----
Injury at birth----------160	72	46	8	7	11	----	----	----	72	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	27	14	3	1	5	3	1	----	27	----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	4	-----	----	2	----	----	----	----	2	----	----	----	1	1	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	3	-----	----	----	----	1	----	----	1	----	----	----	1	----	----	----	1	----	----	----
All other causes----------	24	1	2	1	----	1	1	1	7	1	2	2	2	2	----	1	2	3	1	1
SOUTH CAROLINA (white)----------All causes	1,206	276	75	45	88	64	49	35	632	114	89	70	49	45	49	36	38	35	27	22
Measles----------7	1	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1
Scarlet fever----------8	----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	39	-----	----	----	----	----	----	2	2	9	8	2	1	1	2	6	4	1	1	2
Diphtheria----------10	5	-----	----	----	----	----	----	----	----	1	----	----	----	----	1	1	----	1	----	1
Influenza----------11	68	-----	----	----	2	2	3	5	12	9	6	11	5	7	2	2	7	3	2	2
Dysentery----------13	9	-----	----	----	----	----	----	----	----	----	1	----	1	1	2	----	----	3	1	----
Erysipelas----------15	6	-----	----	----	----	1	----	1	2	2	----	----	----	1	----	----	----	----	----	1
Epidemic cerebrospinal meningitis------18	----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	3	-----	----	----	----	1	1	----	2	----	----	1	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	----	1	----	----	----	----	1	----	----	----	----	----
Tuberculosis of the meninges, etc.-----24	----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	9	2	1	----	1	1	----	1	6	1	----	1	----	----	----	----	1	----	----	----
Convulsions----------86	4	-----	----	----	1	1	----	1	3	----	1	----	----	----	----	----	----	----	----	----
Bronchitis----------106	2	-----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	1	----	----	----
Bronchopneumonia----------107	103	1	1	1	2	5	5	6	21	13	13	16	6	5	11	8	3	5	1	1
Lobar and unspecified pneumonia---108,109	44	-----	----	----	1	----	4	2	7	7	4	4	3	3	1	2	4	5	3	1
Diseases of the stomach----------117,118	1	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1
Diarrhea and enteritis----------119	159	-----	----	----	----	3	3	2	8	12	19	9	18	15	19	9	14	13	14	9
Intestinal obstruction----------122b	9	-----	----	----	1	1	----	----	2	2	2	----	1	1	1	----	----	----	----	----
Congenital malformations----------157	68	12	6	5	11	7	5	1	47	5	2	6	2	3	1	----	----	1	1	----
Congenital debility, etc.-------158,161b,c	36	5	----	----	6	2	1	1	15	9	4	2	3	2	1	----	----	----	----	----
Premature birth----------159	318	178	39	15	29	23	14	6	304	9	4	1	----	----	----	----	----	----	----	----
Injury at birth----------160	73	30	13	11	13	5	----	----	72	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	26	15	3	2	3	1	2	----	26	----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	16	-----	----	1	----	----	----	1	2	5	4	1	1	----	2	----	1	----	----	----
Unknown or ill-defined diseases---199,200	124	31	11	5	14	7	6	2	76	16	11	9	5	2	1	1	1	----	2	----
All other causes----------	81	2	1	5	4	4	5	4	25	12	9	7	3	4	4	7	2	3	2	3

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
SOUTH CAROLINA (other races)---All causes	2,013	320	105	75	172	123	69	75	939	208	179	143	115	82	94	69	57	46	28	53
Measles----------7	7	-----	----	----	----	----	----	----	-----	2	3	----	----	1	----	1	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	73	-----	----	----	1	1	1	4	7	10	6	11	8	6	9	3	5	6	----	2
Diphtheria----------10	5	-----	----	----	----	----	1	----	1	-----	1	2	----	----	----	----	----	----	----	1
Influenza----------11	94	1	----	1	3	3	1	6	15	7	15	11	6	12	10	4	5	4	2	3
Dysentery----------13	22	-----	----	----	----	1	----	----	1	-----	2	2	4	2	4	3	----	----	----	4
Erysipelas----------15	3	-----	----	----	----	----	1	----	1	1	----	----	----	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	4	-----	----	----	1	3	----	----	4	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	1	----	----	----
Tuberculosis of the meninges, etc.------24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Other forms of tuberculosis---------25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Syphilis----------34	74	8	----	1	6	3	4	2	24	8	10	8	7	5	4	4	1	1	1	1
Convulsions----------86	11	2	2	1	----	----	----	1	6	1	1	1	2	----	----	----	----	----	----	----
Bronchitis----------106	4	-----	----	----	----	----	----	----	-----	1	----	----	----	----	1	1	----	----	1	----
Bronchopneumonia----------107	118	-----	----	1	----	5	5	4	15	15	23	13	6	8	10	9	8	4	2	5
Lobar and unspecified pneumonia---108,109	158	1	----	1	7	2	4	7	22	25	22	21	11	11	12	11	7	4	5	7
Diseases of the stomach----------117,118	22	-----	----	----	1	----	----	----	1	2	3	7	3	2	1	----	----	1	----	2
Diarrhea and enteritis----------119	147	-----	----	----	2	3	----	3	8	24	17	11	18	11	12	12	8	8	5	13
Intestinal obstruction----------122b	7	-----	----	----	2	1	----	----	3	1	----	1	1	1	----	----	----	----	----	----
Congenital malformations----------157	23	-----	1	----	9	2	1	----	13	1	2	1	2	----	1	----	1	----	1	1
Congenital debility, etc.------158,161b,c	89	15	3	1	7	8	5	2	41	11	11	10	6	3	----	2	2	3	----	----
Premature birth----------159	268	127	38	24	30	18	8	5	250	10	4	3	1	----	----	----	----	----	----	----
Injury at birth----------160	16	10	----	1	2	1	1	1	16	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	37	11	3	1	4	12	3	2	36	1	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	23	2	3	----	1	----	1	----	7	4	2	----	1	3	----	1	----	1	1	3
Unknown or ill-defined diseases---199,200	666	140	55	41	88	55	27	31	437	82	41	29	26	11	19	9	15	9	5	3
All other causes----------	138	3	----	2	8	5	6	7	31	22	16	12	12	5	10	9	3	5	5	8
SOUTH DAKOTA----------All causes	674	169	48	29	60	32	32	24	394	50	38	37	30	25	19	16	14	26	10	15
Measles----------7	3	-----	----	----	----	----	----	1	1	-----	----	----	----	----	----	----	1	----	1	----
Scarlet fever----------8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Whooping-cough----------9	19	-----	----	----	----	----	----	----	-----	4	4	2	3	----	1	----	2	1	----	2
Diphtheria----------10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	20	-----	----	----	----	1	3	1	5	4	1	5	----	2	----	----	1	----	1	1
Dysentery----------13	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	1	----	----
Erysipelas----------15	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	8	-----	----	----	----	----	----	----	-----	-----	3	----	----	----	----	----	----	4	1	----
Tuberculosis of the meninges, etc.------24	5	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	1	1	----	----	----	2
Other forms of tuberculosis---------25-32	2	-----	----	----	----	----	----	----	-----	-----	----	1	----	1	----	----	----	----	----	----
Syphilis----------34	2	1	----	----	----	----	----	----	1	-----	1	----	----	----	----	----	----	----	----	----
Convulsions----------86	10	-----	----	----	3	1	1	2	7	1	2	----	----	----	----	----	----	----	----	----
Bronchitis----------106	5	-----	----	----	----	1	----	1	2	1	1	----	----	----	1	----	----	----	----	----
Bronchopneumonia----------107	74	-----	----	1	1	1	7	1	11	8	8	7	9	9	4	4	4	6	4	----
Lobar and unspecified pneumonia---108,109	35	-----	----	----	3	3	2	----	8	3	4	8	3	1	1	1	1	3	----	2
Diseases of the stomach----------117,118	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	58	-----	----	----	3	1	1	5	10	4	8	5	6	4	4	4	3	5	1	4
Intestinal obstruction----------122b	8	-----	----	----	2	----	----	1	3	-----	1	----	2	----	----	1	1	----	----	----
Congenital malformations----------157	57	14	3	5	6	8	7	7	50	6	1	4	2	1	1	----	----	1	----	1
Congenital debility, etc.------158,161b,c	19	2	2	1	4	3	2	1	15	4	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	172	112	23	9	11	7	5	2	169	2	1	----	----	----	----	----	----	----	----	----
Injury at birth----------160	57	28	12	3	9	4	1	----	57	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	24	9	5	2	6	----	1	----	23	-----	1	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	8	-----	----	----	1	----	----	----	1	1	----	1	----	----	1	----	1	2	----	1
Unknown or ill-defined diseases---199,200	37	2	3	5	4	1	----	1	16	4	1	1	3	3	3	3	----	1	1	1
All other causes----------	36	1	----	3	7	1	2	1	15	6	1	3	2	2	2	1	----	1	1	1
TENNESSEE (white)----------All causes	2,716	650	132	89	216	161	137	90	1,475	213	182	151	119	88	109	100	75	69	69	66
Measles----------7	9	-----	----	----	----	----	1	1	2	-----	----	2	----	----	----	----	1	----	2	2
Scarlet fever----------8	5	-----	----	----	----	----	----	----	-----	-----	----	----	----	2	----	----	----	----	1	2
Whooping-cough----------9	109	-----	----	----	----	1	4	5	10	17	13	16	6	6	8	10	7	3	8	5
Diphtheria----------10	12	-----	----	----	----	----	----	----	-----	-----	1	1	1	----	2	2	2	1	----	2
Influenza----------11	87	1	----	----	----	5	4	5	15	13	6	5	11	4	9	7	5	1	5	6
Dysentery----------13	46	-----	----	----	----	----	1	----	1	1	7	6	5	4	6	3	5	3	3	2
Erysipelas----------15	12	-----	----	----	----	----	----	1	1	6	1	1	2	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	17	-----	----	----	----	----	----	----	-----	-----	1	----	4	2	3	2	1	1	3	----
Tetanus----------22	4	-----	----	----	----	2	1	----	3	-----	----	----	----	----	----	----	----	1	----	----
Tuberculosis of the respiratory system-23	8	-----	----	----	----	----	----	----	-----	1	----	----	1	1	----	----	3	1	----	1
Tuberculosis of the meninges, etc.------24	9	-----	----	----	----	----	----	----	-----	1	----	1	1	----	2	1	1	1	----	1
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	17	1	3	2	1	1	2	----	10	1	2	2	----	----	----	----	----	1	1	----
Convulsions----------86	5	-----	----	----	1	1	----	----	2	-----	----	1	----	----	----	1	----	1	----	----
Bronchitis----------106	4	-----	----	----	1	----	----	1	2	-----	----	1	----	----	----	----	----	1	----	----
Bronchopneumonia----------107	194	-----	----	2	11	13	20	5	51	26	19	21	16	11	13	12	6	5	9	5
Lobar and unspecified pneumonia---108,109	83	-----	2	----	4	2	4	1	13	5	10	9	7	7	6	4	11	3	3	5
Diseases of the stomach----------117,118	10	-----	----	----	----	----	1	----	1	-----	1	2	1	----	2	----	1	----	2	----
Diarrhea and enteritis----------119	321	-----	----	----	3	4	12	9	28	27	40	34	31	27	19	30	18	27	18	22
Intestinal obstruction----------122b	12	-----	----	----	2	----	----	----	2	2	----	2	1	----	1	1	2	1	----	----
Congenital malformations----------157	160	32	11	7	25	14	12	7	108	12	11	10	1	6	1	4	----	3	2	2
Congenital debility, etc.------158,161b,c	114	19	9	5	15	11	6	7	72	16	10	2	3	----	4	2	1	2	----	2
Premature birth----------159	635	397	60	30	46	40	23	11	607	14	8	2	1	----	2	1	----	----	----	----
Injury at birth----------160	170	79	17	19	36	10	7	1	169	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	47	27	3	1	9	5	----	2	47	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	34	5	----	----	2	----	----	1	8	2	2	5	5	1	2	1	2	3	1	2
Unknown or ill-defined diseases---199,200	423	82	24	17	47	40	30	26	266	47	32	18	19	9	10	9	6	1	4	2
All other causes----------	169	7	3	6	13	12	9	7	57	21	18	10	3	7	19	7	5	10	6	6

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
TENNESSEE (other races)---All causes	698	146	28	29	62	42	22	26	355	55	45	45	37	31	30	25	21	23	16	15
Measles-7	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever-8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-9	25	-----	----	----	----	----	----	----	-----	2	3	5	3	5	3	1	2	1	----	----
Diphtheria-10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza-11	24	-----	----	----	----	1	----	----	1	4	2	4	3	----	3	2	1	2	1	1
Dysentery-13	5	-----	----	----	----	1	----	1	2	-----	----	----	1	----	----	1	----	----	----	1
Erysipelas-15	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis-18	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	1	----	----	----
Tetanus-22	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	8	-----	----	----	----	----	----	----	-----	-----	----	----	2	1	----	1	----	2	1	1
Tuberculosis of the meninges, etc.-24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Other forms of tuberculosis-25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis-34	28	8	1	1	1	1	1	2	15	2	----	3	4	1	----	1	----	----	----	2
Convulsions-86	4	-----	----	----	2	----	1	----	3	-----	----	----	1	----	----	----	----	----	----	----
Bronchitis-106	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Bronchopneumonia-107	77	-----	----	----	2	10	3	4	19	7	10	5	9	5	6	4	5	2	4	1
Lobar and unspecified pneumonia---108,109	35	1	----	----	2	3	----	1	7	2	2	4	3	3	2	2	3	3	3	1
Diseases of the stomach----------117,118	9	-----	----	----	2	----	----	1	3	-----	2	----	2	----	1	----	1	----	----	----
Diarrhea and enteritis----------119	67	-----	----	----	1	2	1	3	7	8	7	6	5	5	7	8	1	7	3	3
Intestinal obstruction----------122b	4	-----	----	----	1	1	----	----	2	-----	----	1	----	----	----	----	----	----	----	1
Congenital malformations----------157	19	5	1	1	4	1	1	2	15	-----	----	1	1	1	----	----	----	----	1	----
Congenital debility, etc.-------158,161b,c	33	10	2	----	8	1	3	----	24	3	2	3	----	----	----	----	----	----	1	----
Premature birth----------159	132	82	12	15	11	6	2	1	129	-----	2	----	----	----	----	1	----	----	----	----
Injury at birth----------160	32	12	5	6	3	4	----	2	32	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	11	5	1	2	1	1	----	1	11	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	12	3	----	----	----	----	1	----	4	1	1	1	----	1	----	3	1	----	----	----
Unknown or ill-defined diseases---199,200	130	20	6	4	20	8	8	6	72	17	11	8	3	6	4	----	3	2	2	2
All other causes----------	37	-----	----	----	4	2	1	2	9	7	2	4	----	3	3	1	3	3	----	2
TEXAS (white)---------All causes	7,076	1,555	369	240	544	403	226	208	3,545	587	475	444	368	319	269	249	230	213	186	191
Measles-7	37	-----	----	----	----	----	----	----	-----	2	2	3	3	1	1	5	3	4	8	5
Scarlet fever-8	9	-----	----	----	----	----	----	----	-----	-----	----	2	----	----	1	1	3	1	----	1
Whooping-cough-9	121	-----	----	----	----	----	----	8	8	22	13	11	16	16	5	4	8	8	5	5
Diphtheria-10	28	-----	----	----	----	----	----	2	2	1	2	3	1	1	3	2	3	2	4	4
Influenza-11	234	1	1	2	8	5	11	5	33	36	27	25	17	18	19	16	12	14	7	10
Dysentery-13	168	-----	----	1	3	2	2	4	12	10	18	19	12	19	15	12	9	14	16	12
Erysipelas-15	33	-----	----	----	2	1	2	2	7	11	5	3	3	1	----	1	1	1	----	----
Epidemic cerebrospinal meningitis-18	8	-----	----	----	1	----	----	----	1	-----	----	1	1	2	1	----	1	----	----	1
Tetanus-22	53	-----	----	----	23	28	1	----	52	-----	----	1	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	13	-----	----	----	----	----	----	----	-----	1	1	1	----	1	3	1	1	3	1	----
Tuberculosis of the meninges, etc.-----24	14	-----	----	----	----	----	----	----	-----	-----	----	----	2	----	3	3	2	2	1	1
Other forms of tuberculosis---------25-32	9	-----	----	----	----	----	----	----	-----	1	----	1	2	----	1	----	----	1	1	2
Syphilis----------34	90	19	3	1	3	8	3	4	41	17	7	9	5	3	3	2	1	1	----	1
Convulsions----------86	36	5	3	3	6	6	1	1	25	2	3	2	----	1	1	----	1	----	1	----
Bronchitis----------106	29	1	----	----	1	----	----	2	4	8	4	3	1	1	1	----	4	2	----	1
Bronchopneumonia----------107	598	1	2	5	28	27	29	30	122	87	68	61	48	41	42	27	28	23	24	27
Lobar and unspecified pneumonia---108,109	285	-----	2	4	16	18	14	16	70	41	30	19	24	13	9	13	15	20	10	21
Diseases of the stomach----------117,118	79	1	----	1	9	7	4	6	28	10	8	9	6	4	2	3	2	3	2	2
Diarrhea and enteritis----------119	1,315	3	1	----	21	35	29	33	122	117	146	160	146	118	97	105	97	73	73	61
Intestinal obstruction----------122b	49	1	1	----	3	3	3	4	15	6	4	2	4	6	3	5	2	1	----	1
Congenital malformations----------157	398	103	23	21	52	41	27	22	289	27	19	16	13	9	4	5	3	8	3	2
Congenital debility, etc.-------158,161b,c	365	51	25	11	39	29	16	19	190	53	33	28	18	10	10	9	3	5	5	1
Premature birth----------159	1,629	1,019	177	81	142	93	40	26	1,578	28	11	5	2	2	----	2	1	----	----	----
Injury at birth----------160	471	204	79	67	78	30	2	2	462	8	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	170	63	23	31	36	12	5	2	162	6	2	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	130	9	1	3	5	6	6	1	31	17	15	5	8	14	9	9	6	5	4	7
Unknown or ill-defined diseases---199,200	243	54	17	11	31	20	13	5	151	22	14	14	8	4	6	8	4	8	2	2
All other causes----------	462	20	11	8	37	32	18	14	140	54	42	41	28	34	30	16	20	14	19	24
TEXAS (other races)---------All causes	1,154	234	70	43	106	85	44	50	632	94	76	47	59	41	59	39	24	31	26	26
Measles-7	4	-----	----	----	1	----	----	----	1	-----	----	----	----	1	----	----	----	1	1	----
Scarlet fever-8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-9	21	-----	----	----	----	----	----	2	2	1	5	2	3	1	1	1	1	2	2	----
Diphtheria-10	10	-----	----	----	----	----	----	1	1	-----	----	----	1	1	2	1	1	----	1	2
Influenza-11	48	-----	----	1	3	2	4	----	10	8	5	2	4	4	5	3	3	1	1	2
Dysentery-13	18	-----	----	----	----	----	1	1	2	2	2	----	1	1	2	1	3	1	----	3
Erysipelas-15	1	-----	----	----	----	1	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis-18	1	-----	----	----	----	----	----	----	-----	----	1	----	----	----	----	----	----	----	----	----
Tetanus-22	7	-----	----	----	3	3	----	1	7	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	5	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	1	----	----	----	1	3
Tuberculosis of the meninges, etc.-----24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Other forms of tuberculosis---------25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Syphilis----------34	46	9	2	1	1	4	2	3	22	4	7	1	4	5	1	1	1	----	----	----
Convulsions----------86	10	1	----	----	2	5	1	----	9	-----	----	----	----	----	----	----	----	----	----	1
Bronchitis----------106	4	-----	----	----	1	----	1	----	2	-----	----	----	----	----	----	----	1	1	----	----
Bronchopneumonia----------107	76	-----	----	1	1	1	3	1	7	11	10	6	3	6	14	7	3	3	2	4
Lobar and unspecified pneumonia---108,109	90	-----	1	----	4	3	2	7	17	16	13	10	10	7	5	5	2	4	1	----
Diseases of the stomach----------117,118	14	-----	1	1	1	3	----	----	6	1	1	2	----	1	----	1	----	1	----	1
Diarrhea and enteritis----------119	120	1	1	2	4	6	4	8	26	9	12	7	12	4	14	8	7	7	10	4
Intestinal obstruction----------122b	14	-----	----	----	1	2	----	1	4	1	1	----	4	1	2	1	----	----	----	----
Congenital malformations----------157	23	4	4	1	2	2	----	2	15	1	----	2	1	----	----	1	----	1	1	1
Congenital debility, etc.-------158,161b,c	71	18	5	2	4	9	3	9	50	7	3	4	4	----	----	1	----	----	1	1
Premature birth----------159	288	140	34	19	37	24	13	3	270	16	1	1	----	----	----	----	----	----	----	----
Injury at birth----------160	44	20	7	4	5	3	1	3	43	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	38	11	4	6	10	3	1	1	35	1	1	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	44	8	4	1	4	----	2	1	20	-----	6	3	4	2	2	1	----	3	2	1
Unknown or ill-defined diseases---199,200	87	21	7	1	15	8	6	4	62	7	4	4	2	3	----	4	----	1	----	----
All other causes----------	67	1	----	3	7	6	----	2	19	8	4	3	5	4	9	3	2	5	3	2

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UTAH—All causes	626	220	33	25	48	59	30	15	430	30	26	24	21	15	16	12	9	11	17	13
Measles—7	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	2
Scarlet fever—8	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	1	----	----	----	----	----
Whooping-cough—9	26	-----	----	----	----	----	----	----	-----	4	3	5	6	1	2	----	----	1	2	2
Diphtheria—10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	13	-----	----	1	----	1	----	1	3	1	1	1	1	2	----	----	----	3	1	----
Dysentery—13	5	-----	----	----	----	3	1	1	5	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	9	-----	----	----	----	----	2	2	4	2	----	----	----	----	1	1	1	----	----	----
Epidemic cerebrospinal meningitis—18	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	5	-----	----	----	1	1	----	----	2	-----	1	----	----	1	----	----	----	----	----	1
Convulsions—86	1	-----	----	1	----	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	1	----
Bronchopneumonia—107	57	-----	----	1	2	3	4	2	12	6	11	6	5	4	3	7	----	----	1	2
Lobar and unspecified pneumonia—108,109	21	-----	----	----	----	3	1	----	4	4	4	2	----	----	1	2	1	----	3	----
Diseases of the stomach—117,118	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	22	-----	----	----	1	2	2	----	5	-----	2	4	1	1	2	----	1	2	3	1
Intestinal obstruction—122b	5	-----	----	----	----	----	----	----	-----	-----	----	----	1	2	1	----	----	1	----	----
Congenital malformations—157	59	25	7	2	2	8	2	3	49	5	1	1	2	1	----	----	----	----	----	----
Congenital debility, etc.—158,161b,c	17	3	----	2	5	3	1	----	14	1	----	----	----	----	1	----	----	----	1	----
Premature birth—159	222	149	17	8	16	19	7	3	219	2	----	----	----	1	----	----	----	----	----	----
Injury at birth—160	55	31	3	5	8	7	1	----	55	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	27	11	2	1	6	4	3	----	27	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	11	1	1	----	----	1	----	----	3	-----	----	1	2	----	2	----	----	----	2	1
Unknown or ill-defined diseases—199,200	24	-----	2	1	5	2	2	1	13	-----	3	1	----	1	1	----	2	3	----	----
All other causes	38	-----	1	3	2	2	3	2	13	5	----	3	2	1	2	2	4	1	1	4
VERMONT—All causes	320	116	19	13	23	14	18	8	211	22	19	18	12	7	7	6	2	7	4	5
Measles—7	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	1	----
Scarlet fever—8	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	7	-----	----	----	----	----	----	2	2	1	2	1	----	----	----	----	----	----	----	1
Diphtheria—10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	5	-----	----	----	----	----	1	----	1	1	----	----	----	----	1	1	----	----	----	1
Dysentery—13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	4	-----	----	----	----	----	----	----	-----	4	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	3	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	2	----	----	----	----	----
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.—24	2	-----	----	----	----	----	----	----	-----	1	----	1	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Syphilis—34	3	-----	----	----	----	----	----	----	-----	2	1	----	----	----	----	----	----	----	----	----
Convulsions—86	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	6	-----	----	----	----	----	1	----	1	-----	----	2	1	1	----	----	----	1	----	----
Bronchopneumonia—107	29	-----	----	----	----	----	3	1	4	3	5	5	1	3	1	1	1	4	1	----
Lobar and unspecified pneumonia—108,109	3	-----	----	----	----	----	----	1	1	-----	----	1	----	----	----	----	----	1	----	----
Diseases of the stomach—117,118	2	-----	----	----	----	----	----	----	-----	1	----	1	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	11	-----	----	----	----	1	1	1	3	1	1	1	1	2	----	1	----	----	1	----
Intestinal obstruction—122b	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	1
Congenital malformations—157	47	11	5	4	6	4	4	2	36	4	2	2	1	----	----	----	----	1	----	1
Congenital debility, etc.—158,161b,c	10	1	----	----	2	----	1	----	4	1	4	1	----	----	----	----	----	----	----	----
Premature birth—159	115	81	8	6	6	7	4	1	113	-----	2	----	----	----	----	----	----	----	----	----
Injury at birth—160	23	17	2	3	1	----	----	----	23	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	14	4	2	----	6	1	1	----	14	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	7	1	----	----	----	----	----	----	1	2	----	1	1	----	----	1	1	----	----	----
Unknown or ill-defined diseases—199,200	3	1	1	----	----	----	----	----	2	1	----	----	----	----	----	----	----	----	----	----
All other causes	19	-----	1	----	1	1	1	----	4	-----	2	2	4	1	2	2	----	----	1	1
VIRGINIA (white)—All causes	2,153	681	132	92	150	131	84	63	1,333	178	127	72	88	69	53	48	43	55	46	41
Measles—7	22	-----	----	----	----	1	----	4	5	3	1	1	1	----	2	1	3	2	----	3
Scarlet fever—8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Whooping-cough—9	65	-----	----	----	----	2	1	4	7	9	6	9	8	5	3	3	3	5	5	2
Diphtheria—10	11	-----	----	----	----	----	1	2	3	-----	----	----	1	----	1	1	----	1	----	4
Influenza—11	60	-----	----	----	2	2	3	4	11	6	7	2	4	3	7	5	7	3	3	2
Dysentery—13	24	-----	----	----	----	----	----	1	1	1	3	4	3	2	3	----	----	3	1	3
Erysipelas—15	7	-----	----	----	----	----	1	1	2	3	----	----	1	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	5	-----	----	----	----	----	----	----	-----	-----	1	----	2	1	----	----	1	----	----	----
Tetanus—22	2	-----	----	----	1	1	----	----	2	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	6	-----	----	----	----	----	----	----	-----	-----	----	----	3	1	----	----	----	2	----	----
Tuberculosis of the meninges, etc.—24	7	-----	----	----	----	----	----	1	1	-----	----	----	1	2	----	1	----	2	----	----
Other forms of tuberculosis—25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Syphilis—34	15	3	----	----	----	1	1	----	5	8	1	----	----	----	----	----	----	1	----	----
Convulsions—86	15	1	----	3	5	2	----	1	12	-----	----	1	----	----	----	----	1	1	----	----
Bronchitis—106	6	-----	----	----	----	----	3	1	4	-----	----	1	----	----	1	----	----	----	----	----
Bronchopneumonia—107	164	-----	----	1	2	10	10	5	28	26	22	11	11	11	9	9	6	9	13	9
Lobar and unspecified pneumonia—108,109	64	-----	----	2	1	7	3	1	14	13	7	2	6	3	4	3	2	4	2	4
Diseases of the stomach—117,118	12	-----	----	----	1	----	1	1	3	3	2	2	1	1	----	----	----	----	----	----
Diarrhea and enteritis—119	143	-----	----	----	----	1	3	4	8	16	21	10	22	16	10	7	6	6	12	9
Intestinal obstruction—122b	12	-----	----	----	----	----	1	----	1	-----	2	----	----	2	1	2	2	1	----	1
Congenital malformations—157	165	46	19	11	18	16	11	2	123	9	8	4	5	5	2	1	1	6	1	----
Congenital debility, etc.—158,161b,c	133	33	7	7	16	15	10	7	95	14	11	6	1	2	1	1	1	----	1	----
Premature birth—159	681	436	64	39	45	37	20	10	651	19	5	2	2	----	1	----	1	----	----	----
Injury at birth—160	164	88	26	11	24	12	2	----	163	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	47	30	2	4	6	2	----	2	46	1	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	43	5	2	2	3	4	----	1	17	3	7	3	1	3	1	4	----	2	----	2
Unknown or ill-defined diseases—199,200	165	37	11	9	20	12	9	5	103	28	14	5	8	1	----	6	----	----	----	----
All other causes	113	2	1	3	6	6	4	6	28	15	9	9	7	10	7	4	9	6	7	2

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
VIRGINIA (other races)---All causes	1,430	244	66	65	115	90	63	45	688	132	95	101	87	76	67	43	40	33	29	39
Measles---7	12	-----	----	----	----	----	----	----	-----	4	----	----	3	----	3	----	1	----	----	1
Scarlet fever---8	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough---9	68	----	----	----	----	----	----	2	2	8	6	8	4	2	6	10	6	4	4	8
Diphtheria---10	1	----	----	----	1	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----
Influenza---11	58	1	----	----	2	----	3	3	9	4	2	8	6	6	9	4	4	2	1	3
Dysentery---13	11	----	----	----	----	1	----	----	1	1	3	1	2	----	1	1	----	----	----	1
Erysipelas---15	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis---18	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----
Tetanus---22	3	----	----	----	----	2	----	1	3	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	7	----	----	----	----	----	----	1	1	----	----	----	3	----	----	2	----	1	----	----
Tuberculosis of the meninges, etc.---24	6	----	----	----	----	----	----	----	----	----	----	2	----	----	----	2	----	----	2	----
Other forms of tuberculosis---25-32	2	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	1	----	----
Syphilis---34	45	1	1	1	4	3	2	----	12	8	5	5	2	8	1	----	----	2	1	1
Convulsions---86	18	----	----	2	2	3	1	1	9	2	1	3	2	----	----	----	1	----	----	----
Bronchitis---106	13	----	----	----	----	1	1	1	3	2	2	2	----	1	2	----	1	----	----	----
Bronchopneumonia---107	131	----	----	----	5	6	2	6	19	17	15	18	12	9	9	5	6	7	6	8
Lobar and unspecified pneumonia---108,109	77	----	----	1	4	5	4	2	16	9	3	6	9	6	8	2	5	6	4	3
Diseases of the stomach---117,118	5	----	----	----	----	----	----	----	----	1	----	----	1	1	----	----	1	----	1	----
Diarrhea and enteritis---119	123	----	----	1	3	2	1	3	10	20	13	16	15	15	12	8	5	2	1	6
Intestinal obstruction---122b	10	----	----	----	1	----	1	1	3	2	2	----	----	----	2	----	----	----	----	1
Congenital malformations---157	37	3	3	5	6	2	1	2	22	7	----	3	1	1	1	1	----	1	----	----
Congenital debility, etc.---158,161b,c	150	24	9	7	18	18	13	6	95	16	13	6	7	5	----	3	1	1	2	1
Premature birth---159	335	152	26	28	39	30	21	8	304	13	11	4	2	1	----	----	----	----	----	----
Injury at birth---160	55	26	10	1	11	3	2	1	54	----	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	32	15	2	7	4	1	1	----	30	2	----	----	----	----	----	----	----	----	----	----
External causes---172-198,201-214	29	2	1	----	2	3	1	----	9	4	2	1	2	3	2	1	1	----	1	3
Unknown or ill-defined diseases---199,200	109	19	13	7	9	6	3	2	59	7	7	9	7	8	6	1	3	1	1	----
All other causes----	92	1	1	5	4	4	6	5	26	5	9	9	9	9	5	3	5	5	4	3
WASHINGTON---All causes	1,012	344	82	46	69	73	44	22	680	58	65	40	35	26	30	21	10	15	20	12
Measles---7	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	1
Scarlet fever---8	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough---9	17	----	----	----	----	----	----	----	----	1	2	2	3	3	1	----	2	1	1	1
Diphtheria---10	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----
Influenza---11	17	----	----	----	----	1	1	1	3	2	1	1	3	1	2	1	----	2	1	----
Dysentery---13	13	----	----	----	1	----	2	----	3	1	3	1	----	1	2	----	----	----	2	----
Erysipelas---15	3	----	----	----	----	----	1	----	1	----	1	----	1	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis---18	1	----	----	----	----	----	1	----	1	----	----	----	----	----	----	----	----	----	----	----
Tetanus---22	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	1	----	----
Tuberculosis of the meninges, etc.---24	4	----	----	----	----	----	----	----	----	1	----	----	----	----	----	1	1	----	1	----
Other forms of tuberculosis---25-32	2	----	----	----	----	----	----	1	1	----	----	----	----	----	----	----	----	----	----	1
Syphilis---34	4	1	----	1	----	----	----	----	2	1	----	1	----	----	----	----	----	----	----	----
Convulsions---86	5	----	----	1	----	1	1	----	3	----	----	----	1	----	----	----	1	----	----	----
Bronchitis---106	8	----	----	----	1	----	----	----	1	1	1	1	2	----	----	----	----	1	----	1
Bronchopneumonia---107	74	----	2	2	1	4	5	1	15	6	7	13	9	5	5	5	1	1	2	4
Lobar and unspecified pneumonia---108,109	24	1	----	----	1	----	2	----	4	6	4	2	1	2	3	----	----	1	1	----
Diseases of the stomach---117,118	4	----	----	----	----	----	----	----	----	1	1	----	----	----	----	1	----	----	1	----
Diarrhea and enteritis---119	57	----	----	----	1	6	3	3	13	9	8	2	4	4	8	1	1	3	3	1
Intestinal obstruction---122b	6	----	----	----	----	2	1	----	3	----	1	1	1	----	----	----	----	----	----	----
Congenital malformations---157	130	37	10	11	13	17	6	6	100	10	9	4	1	1	----	2	----	1	1	1
Congenital debility, etc.---158,161b,c	37	8	----	2	6	5	2	3	26	3	3	1	2	1	----	----	1	----	----	----
Premature birth---159	306	197	41	15	16	23	7	3	302	1	2	----	----	----	1	----	----	----	----	----
Injury at birth---160	115	66	14	9	17	5	2	----	113	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	46	28	8	1	4	2	2	1	46	----	----	----	----	----	----	----	----	----	----	----
External causes---172-198,201-214	39	----	2	----	1	1	1	----	5	5	7	5	3	3	2	3	----	1	5	----
Unknown or ill-defined diseases---199,200	16	1	2	2	1	1	----	----	7	3	3	----	----	----	1	2	----	----	----	----
All other causes----	79	5	3	2	6	5	7	3	31	5	11	6	4	5	5	2	3	3	2	2
WEST VIRGINIA---All causes	2,533	638	177	112	177	162	110	90	1,466	208	170	113	99	98	84	73	68	49	59	46
Measles---7	26	1	----	----	1	----	3	----	5	1	1	2	----	2	1	1	4	2	6	1
Scarlet fever---8	5	----	----	----	----	----	----	----	----	----	----	1	----	----	1	1	1	----	1	----
Whooping-cough---9	72	----	----	----	----	----	3	7	10	7	11	6	1	3	9	4	9	4	5	3
Diphtheria---10	16	----	----	----	----	----	1	1	2	2	1	2	----	----	1	----	3	2	3	2
Influenza---11	69	----	----	----	----	3	5	1	9	11	4	6	11	5	6	5	----	4	3	5
Dysentery---13	25	----	----	----	----	----	----	----	----	4	3	1	4	4	----	4	3	1	1	----
Erysipelas---15	12	----	----	----	----	----	1	----	1	5	1	2	2	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis---18	6	----	----	----	----	1	----	----	1	----	----	3	----	1	----	1	----	----	----	----
Tetanus---22	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	3	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	1	----	1	----
Tuberculosis of the meninges, etc.---24	8	----	----	----	----	----	----	----	----	1	----	1	1	----	2	1	1	----	1	----
Other forms of tuberculosis---25-32	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	----	----	----
Syphilis---34	39	6	3	3	1	2	2	3	20	5	5	----	4	----	3	----	1	1	----	----
Convulsions---86	15	2	----	3	1	3	----	----	9	----	1	2	1	----	1	----	1	----	----	----
Bronchitis---106	4	----	----	----	----	1	----	1	2	1	1	----	----	----	----	----	----	----	----	----
Bronchopneumonia---107	194	----	1	2	7	10	12	13	45	27	22	18	17	16	12	10	6	8	8	5
Lobar and unspecified pneumonia---108,109	95	1	2	2	----	2	7	4	18	13	12	9	5	9	4	7	6	5	4	3
Diseases of the stomach---117,118	16	----	----	----	1	3	1	1	6	4	3	----	----	2	----	1	----	----	----	----
Diarrhea and enteritis---119	254	----	1	----	2	9	6	6	24	22	33	26	27	22	18	26	17	9	15	15
Intestinal obstruction---122b	20	----	----	----	----	----	3	----	3	3	3	2	1	4	----	----	1	1	2	----
Congenital malformations---157	217	55	21	17	22	21	11	8	155	20	10	5	5	10	3	1	5	1	1	1
Congenital debility, etc.---158,161b,c	128	25	6	2	17	15	7	7	79	20	12	2	2	6	4	1	----	1	----	1
Premature birth---159	709	406	82	50	54	53	21	13	679	15	6	3	4	----	1	1	----	----	----	----
Injury at birth---160	161	77	30	11	28	11	----	3	160	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	56	26	8	7	7	4	2	1	55	1	----	----	----	----	----	----	----	----	----	----
External causes---172-198,201-214	37	2	----	----	4	2	----	3	11	5	6	5	1	2	2	----	----	----	2	3
Unknown or ill-defined diseases---199,200	202	35	20	8	19	18	15	13	128	16	21	11	5	2	7	4	4	3	----	1
All other causes----	140	2	3	7	13	4	10	5	44	24	14	6	7	9	9	5	3	7	6	6

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WISCONSIN----------All causes	2,419	848	168	117	213	123	75	74	1,638	168	131	100	77	61	47	57	46	34	29	31
Measles----------7	8	-----	----	----	----	----	----	----	-----	1	1	----	1	----	----	1	3	1	----	----
Scarlet fever----------8	3	-----	----	----	----	----	----	----	-----	----	----	----	----	----	1	----	----	1	1	----
Whooping-cough----------9	37	-----	----	----	----	----	1	2	3	5	4	5	4	1	1	3	5	2	2	2
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	48	-----	----	----	----	1	1	1	3	6	7	6	2	7	2	7	2	1	2	3
Dysentery----------13	3	-----	----	----	1	----	----	----	1	-----	1	----	----	----	1	----	----	----	----	----
Erysipelas----------15	6	-----	----	----	----	----	1	----	1	3	1	----	----	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	7	-----	----	----	----	----	----	----	-----	-----	2	----	1	1	----	----	----	2	1	----
Tetanus----------22	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	1	----	----	----	----
Tuberculosis of the respiratory system-23	4	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	1	2	----	1	----
Tuberculosis of the meninges, etc.-----24	2	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	1	1	----	----	----
Other forms of tuberculosis---------25-32	2	-----	----	----	----	----	----	----	-----	1	----	----	----	1	----	----	----	----	----	----
Syphilis----------34	10	1	----	----	----	1	----	----	2	2	2	----	----	----	----	3	----	----	----	1
Convulsions----------86	23	-----	1	2	2	3	2	1	11	-----	----	2	1	1	3	1	3	1	----	----
Bronchitis----------106	18	-----	----	1	----	1	----	----	2	4	3	3	2	----	2	----	----	1	----	1
Bronchopneumonia----------107	254	1	----	5	8	11	17	15	57	42	33	29	18	15	16	14	10	6	7	7
Lobar and unspecified pneumonia---108,109	63	-----	1	----	2	1	3	2	9	6	8	12	7	5	2	1	2	6	1	4
Diseases of the stomach----------117,118	5	-----	----	----	1	----	----	----	1	2	1	----	1	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	112	-----	----	1	4	6	2	12	25	27	11	10	6	13	3	2	6	6	1	2
Intestinal obstruction----------122b	15	-----	----	----	1	----	2	2	5	3	3	1	1	----	----	1	----	----	1	----
Congenital malformations----------157	355	91	21	23	48	35	10	10	238	30	22	9	15	8	8	7	5	3	6	4
Congenital debility, etc.-------158,161b,c	54	8	2	7	12	8	3	4	44	4	1	4	1	----	----	----	----	----	----	1
Premature birth----------159	776	503	88	40	67	31	18	9	756	10	7	1	1	----	----	----	----	----	----	----
Injury at birth----------160	275	167	37	19	36	10	2	2	273	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	127	63	29	11	14	4	3	1	125	-----	2	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	38	3	----	1	2	2	1	2	11	3	4	4	3	1	1	4	2	2	1	2
Unknown or ill-defined diseases---199,200	20	3	3	4	2	----	2	1	15	1	3	----	----	----	----	----	1	----	----	----
All other causes----------	153	8	6	3	13	9	7	10	56	16	15	14	13	7	7	10	4	2	5	4
WYOMING----------All causes	223	59	12	15	13	16	4	8	127	15	14	6	13	7	9	10	6	7	5	4
Measles----------7	7	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	1	----	1	2	1	1
Scarlet fever----------8	2	-----	----	----	----	----	----	----	-----	----	----	----	----	----	1	1	----	----	----	----
Whooping-cough----------9	8	-----	----	----	----	----	----	----	-----	1	3	----	----	----	----	1	2	----	----	1
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	10	-----	----	----	----	----	----	----	-----	2	1	1	----	----	3	2	1	----	----	----
Dysentery----------13	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	2	----	----	----	1	----
Erysipelas----------15	6	-----	----	----	----	----	1	----	1	3	----	----	----	----	1	1	----	----	----	----
Epidemic cerebrospinal meningitis------18	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	----	----	----	----	2	----	----	----	----	----	----
Tuberculosis of the meninges, etc.-----24	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	2	-----	----	----	----	1	----	----	1	-----	----	----	----	----	----	1	----	----	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	1	-----	----	----	----	----	----	----	-----	----	----	----	----	----	1	----	----	----	----	----
Bronchopneumonia----------107	27	-----	----	1	----	1	1	----	3	3	4	2	6	2	----	----	1	2	2	2
Lobar and unspecified pneumonia---108,109	10	-----	----	----	----	----	----	----	-----	1	3	----	1	----	----	2	1	2	----	----
Diseases of the stomach----------117,118	2	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	6	-----	----	----	----	1	----	----	1	2	----	1	----	----	----	2	----	----	----	----
Intestinal obstruction----------122b	1	-----	----	----	----	----	----	----	-----	----	----	----	1	----	----	----	----	----	----	----
Congenital malformations----------157	16	5	2	1	2	1	2	2	15	-----	----	1	----	----	----	----	----	----	----	----
Congenital debility, etc.-------158,161b,c	12	-----	----	1	3	2	----	2	8	-----	----	----	3	1	----	----	----	----	----	----
Premature birth----------159	74	47	7	7	4	6	----	2	73	1	----	----	----	----	----	----	----	----	----	----
Injury at birth----------160	10	4	1	4	----	----	1	----	10	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	7	2	1	1	2	1	----	----	7	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	4	1	----	----	----	----	----	----	1	-----	1	----	----	1	----	----	----	1	----	----
Unknown or ill-defined diseases---199,200	3	-----	1	----	----	----	----	----	1	1	1	----	----	----	----	----	----	----	----	----
All other causes----------	10	-----	----	----	2	3	----	1	6	1	----	----	----	1	1	----	----	----	1	----
LOS ANGELES, CALIF. (white)----All causes	826	256	69	32	58	26	22	21	484	54	65	43	44	22	25	28	16	15	14	16
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	10	-----	----	----	----	----	----	----	-----	2	4	----	----	----	----	1	1	2	----	----
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	1	----	----
Dysentery----------13	4	-----	----	----	----	----	1	----	1	-----	----	----	----	1	----	----	2	----	----	----
Erysipelas----------15	5	-----	----	----	----	----	----	----	-----	1	3	----	----	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	4	-----	----	----	----	----	----	----	-----	1	2	----	1	----	----	----	----	----	----	----
Tetanus----------22	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	8	-----	----	----	----	----	----	----	-----	-----	1	1	1	----	2	----	1	----	1	1
Tuberculosis of the meninges, etc.-----24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Other forms of tuberculosis---------25-32	3	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	1	1
Syphilis----------34	10	1	----	----	----	----	----	----	1	2	3	2	2	----	----	----	----	----	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Bronchopneumonia----------107	130	-----	1	1	2	5	7	5	21	14	19	21	13	11	7	9	6	3	1	5
Lobar and unspecified pneumonia---108,109	14	1	----	----	----	----	----	----	1	-----	----	1	1	1	2	3	2	----	1	2
Diseases of the stomach----------117,118	3	-----	----	----	1	1	----	----	2	-----	1	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	64	-----	----	----	5	1	4	3	13	9	8	6	6	4	7	4	2	2	1	2
Intestinal obstruction----------122b	13	-----	----	----	2	1	----	----	3	1	2	2	1	----	----	2	1	----	1	----
Congenital malformations----------157	86	19	10	4	11	5	3	6	58	10	3	3	6	----	1	4	----	1	----	----
Congenital debility, etc.-------158,161b,c	14	2	1	1	1	----	----	----	5	1	3	----	3	----	----	1	----	----	1	----
Premature birth----------159	256	173	27	15	19	11	4	2	251	3	2	----	----	----	----	----	----	----	----	----
Injury at birth----------160	66	34	17	6	9	----	----	----	66	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	38	20	9	4	4	----	----	----	37	-----	1	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	10	1	1	----	----	----	----	----	2	-----	2	----	----	----	----	----	----	1	2	3
Unknown or ill-defined diseases---199,200	3	1	1	1	----	----	----	----	3	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	80	4	2	----	3	2	2	5	18	10	10	7	10	4	6	4	1	5	4	1

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
LOS ANGELES, CALIF. (other races)—All causes	66	18	5	2	2	2	3	1	33	5	3	2	9	5	1	4	2	1	—	1
Measles—7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever—8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough—9	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diphtheria—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza—11	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Dysentery—13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas—15	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Epidemic cerebrospinal meningitis—18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus—22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of the respiratory system-23	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Tuberculosis of the meninges, etc.—24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other forms of tuberculosis—25-32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis—34	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Convulsions—86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis—106	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchopneumonia—107	9	—	—	—	—	—	—	—	—	—	1	1	4	1	—	1	1	—	—	—
Lobar and unspecified pneumonia—108,109	4	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—
Diseases of the stomach—117,118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhea and enteritis—119	4	—	—	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—
Intestinal obstruction—122b	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
Congenital malformations—157	6	2	—	—	—	—	—	1	3	1	—	—	—	—	—	1	1	—	—	—
Congenital debility, etc.—158,161b,c	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Premature birth—159	20	10	4	1	1	2	1	—	19	1	—	—	—	—	—	—	—	—	—	—
Injury at birth—160	3	2	1	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
Other diseases of early infancy—161a,d	5	3	—	1	1	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
External causes—172-198,201-214	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Unknown or ill-defined diseases—199,200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All other causes	5	—	—	—	—	—	1	—	1	1	—	—	2	—	—	—	—	—	—	1
SAN FRANCISCO, CALIF. (white)—All causes	235	94	24	12	22	16	5	7	180	11	7	9	7	4	3	2	2	4	2	4
Measles—7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever—8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough—9	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diphtheria—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza—11	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
Dysentery—13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas—15	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Epidemic cerebrospinal meningitis—18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus—22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of the respiratory system-23	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Tuberculosis of the meninges, etc.—24	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other forms of tuberculosis—25-32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis—34	3	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—
Convulsions—86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis—106	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchopneumonia—107	16	—	—	—	1	2	—	—	3	3	3	2	1	1	—	—	1	—	2	—
Lobar and unspecified pneumonia—108,109	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Diseases of the stomach—117,118	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Diarrhea and enteritis—119	4	—	—	—	—	1	1	—	2	—	—	—	1	—	—	—	—	—	—	1
Intestinal obstruction—122b	3	—	—	—	1	—	—	1	2	—	—	—	—	—	—	—	1	—	—	—
Congenital malformations—157	35	8	6	2	5	4	2	—	27	4	1	2	1	—	—	—	—	—	—	—
Congenital debility, etc.—158,161b,c	4	—	2	1	1	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
Premature birth—159	86	59	10	4	5	5	1	1	85	1	—	—	—	—	—	—	—	—	—	—
Injury at birth—160	32	17	3	2	4	3	1	1	31	1	—	—	—	—	—	—	—	—	—	—
Other diseases of early infancy—161a,d	18	8	3	1	4	1	—	—	17	—	1	—	—	—	—	—	—	—	—	—
External causes—172-198,201-214	7	—	—	—	—	—	—	2	2	1	1	2	1	—	—	—	—	—	—	—
Unknown or ill-defined diseases—199,200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All other causes	17	—	—	2	1	—	—	2	5	1	—	2	2	1	2	1	—	1	—	2
SAN FRANCISCO, CALIF. (other races)—All causes	17	9	2	—	—	—	—	—	11	1	—	—	3	1	—	—	1	—	—	—
Measles—7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Scarlet fever—8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough—9	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diphtheria—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza—11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery—13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epidemic cerebrospinal meningitis—18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus—22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of the respiratory system-23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of the meninges, etc.—24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other forms of tuberculosis—25-32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis—34	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Convulsions—86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis—106	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchopneumonia—107	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Lobar and unspecified pneumonia—108,109	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diseases of the stomach—117,118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhea and enteritis—119	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intestinal obstruction—122b	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Congenital malformations—157	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Congenital debility, etc.—158,161b,c	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature birth—159	6	5	1	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—
Injury at birth—160	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of early infancy—161a,d	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
External causes—172-198,201-214	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unknown or ill-defined diseases—199,200	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
All other causes	2	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WASHINGTON, D. C. (white)------All causes	292	115	15	14	11	11	9	9	184	15	15	15	10	13	9	8	4	10	3	6
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Diphtheria----------10	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Influenza----------11	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	1	----
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	1	----	----	----	----
Epidemic cerebrospinal meningitis------18	4	-----	----	----	----	----	----	----	-----	-----	----	1	----	1	1	----	1	----	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Tuberculosis of the meninges, etc.-----24	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	1	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	1	-----	----	----	----	----	----	1	1	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	38	-----	----	1	----	----	----	2	3	5	5	5	2	7	3	1	2	2	----	3
Lobar and unspecified pneumonia---108,109	9	-----	----	----	----	----	----	----	-----	1	2	1	----	1	1	----	----	2	----	1
Diseases of the stomach----------117,118	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Diarrhea and enteritis----------119	21	-----	----	----	----	----	3	1	4	1	2	2	3	3	2	----	1	1	1	1
Intestinal obstruction----------122b	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	1	----	----	----	----
Congenital malformations----------157	31	10	3	2	----	3	1	1	20	2	2	3	2	----	1	----	----	1	----	----
Congenital debility, etc.------158,161b,c	3	-----	----	1	----	1	----	----	2	1	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	100	72	4	6	4	6	3	4	99	-----	1	----	----	----	----	----	----	----	----	----
Injury at birth----------160	41	24	6	2	5	1	----	----	38	3	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	14	8	2	2	2	----	----	----	14	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	6	1	----	----	----	----	1	----	2	-----	1	----	2	----	----	----	----	1	----	----
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	11	-----	----	----	----	----	1	----	1	-----	1	1	1	1	----	5	----	1	----	----
WASHINGTON, D.C. (other races)-All causes	350	76	19	18	26	38	25	14	216	25	16	14	17	17	8	8	9	7	7	6
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diphtheria----------10	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	1	----	----	----
Influenza----------11	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Dysentery----------13	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Erysipelas----------15	3	-----	----	----	----	----	1	----	1	2	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	5	-----	----	----	----	----	----	----	-----	-----	----	1	----	1	2	----	----	----	1	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	3	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	1	1	----	----	----
Tuberculosis of the meninges, etc.-----24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	1	1
Syphilis----------34	20	1	----	----	1	4	2	----	8	4	5	----	1	----	----	----	1	----	----	1
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	49	-----	----	----	----	3	2	4	9	5	3	7	7	5	4	4	----	----	4	1
Lobar and unspecified pneumonia---108,109	12	-----	----	----	2	1	----	----	3	1	1	1	2	2	1	1	----	----	----	----
Diseases of the stomach----------117,118	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	36	-----	----	----	----	1	5	3	9	4	1	2	2	7	1	2	3	3	1	1
Intestinal obstruction----------122b	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Congenital malformations----------157	9	1	----	----	----	----	----	2	3	2	----	----	1	2	----	----	1	----	----	----
Congenital debility, etc.------158,161b,c	11	1	----	1	1	----	----	----	3	3	3	----	----	----	----	----	1	1	----	----
Premature birth----------159	142	58	17	12	16	25	12	1	141	1	----	----	----	----	----	----	----	----	----	----
Injury at birth----------160	19	9	1	3	3	2	----	1	19	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	12	6	1	1	3	1	----	----	12	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	7	-----	----	----	----	----	----	----	-----	2	1	2	1	----	----	----	----	----	----	1
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	15	-----	----	1	----	1	2	3	7	1	2	----	2	----	----	----	----	2	----	1
CHICAGO, ILL. (white)----------All causes	1,745	677	126	82	144	85	51	49	1,214	109	75	65	43	39	37	35	33	37	21	37
Measles----------7	4	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	2	1	1	----
Scarlet fever----------8	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	2
Whooping-cough----------9	22	-----	----	----	----	----	----	----	-----	11	4	1	2	----	1	2	----	----	1	1
Diphtheria----------10	3	-----	----	----	----	1	----	----	1	1	----	----	----	----	----	----	----	----	----	1
Influenza----------11	6	-----	----	----	----	----	----	----	-----	-----	1	----	2	----	1	----	2	----	----	----
Dysentery----------13	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	1
Erysipelas----------15	8	-----	----	----	----	1	----	2	3	3	1	----	----	----	----	----	----	----	----	1
Epidemic cerebrospinal meningitis------18	5	-----	----	----	----	----	----	----	-----	1	1	1	----	1	----	1	----	----	----	----
Tetanus----------22	1	-----	----	1	----	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	4	1	----	----	----	----	----	----	1	-----	----	----	----	----	1	----	----	1	1	----
Tuberculosis of the meninges, etc.-----24	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	1	1
Other forms of tuberculosis---------25-32	3	-----	----	----	----	----	----	----	-----	-----	1	----	1	----	----	----	----	----	1	----
Syphilis----------34	14	2	1	----	1	3	2	----	9	1	3	----	----	----	----	----	----	1	----	----
Convulsions----------86	2	-----	----	1	1	----	----	----	2	-----	----	----	----	----	----	----	----	1	----	----
Bronchitis----------106	17	-----	----	----	----	----	2	1	3	1	3	1	2	----	2	1	1	2	1	----
Bronchopneumonia----------107	206	1	----	6	6	10	12	11	46	35	26	25	14	12	8	11	5	8	8	8
Lobar and unspecified pneumonia---108,109	39	-----	----	----	1	3	1	2	7	3	1	3	4	2	3	4	1	7	----	4
Diseases of the stomach----------117,118	2	-----	----	1	----	----	----	----	1	-----	1	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	64	-----	----	1	1	3	6	5	16	6	8	7	4	4	3	5	5	1	1	4
Intestinal obstruction----------122b	19	-----	----	1	2	1	1	1	5	1	4	2	----	1	----	1	1	1	1	1
Congenital malformations----------157	220	56	15	10	32	21	7	13	154	19	9	10	4	5	7	4	4	2	1	1
Congenital debility, etc.------158,161b,c	21	2	1	1	8	3	2	2	19	1	----	----	1	----	----	----	----	----	----	----
Premature birth----------159	550	377	69	22	45	17	7	5	542	6	1	----	----	----	----	1	----	----	----	----
Injury at birth----------160	277	179	30	31	29	5	2	----	276	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	80	46	10	3	11	5	1	1	77	1	2	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	28	5	----	1	----	1	----	1	8	2	2	3	4	2	1	----	2	1	1	2
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	141	8	----	3	7	11	8	5	42	17	7	12	5	10	9	5	9	11	4	10

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CHICAGO, ILL. (other races)----All causes	249	83	12	6	15	12	11	7	146	18	12	9	15	9	11	7	6	9	4	3
Measles----------7	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Scarlet fever----------8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	7	-----	----	----	----	----	----	----	-----	-----	1	2	1	1	----	----	1	1	----	----
Diphtheria----------10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	3	-----	----	----	----	----	----	----	-----	1	2	----	----	----	----	----	----	----	----	----
Dysentery----------13	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	2	-----	----	----	----	----	----	----	-----	1	1	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Tetanus----------22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	2	----	----	----	----
Tuberculosis of the meninges, etc.-----24	5	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	1	1	----	2
Other forms of tuberculosis---------25-32	3	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	1	1	----
Syphilis----------34	10	4	----	----	----	1	----	1	6	1	1	1	----	----	----	----	----	----	1	----
Convulsions----------86	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	1	----	----	----	----	----
Bronchopneumonia----------107	59	2	----	----	3	2	6	3	16	7	4	5	8	6	6	1	3	1	1	1
Lobar and unspecified pneumonia---108,109	6	-----	----	----	----	----	----	----	-----	-----	1	----	----	1	----	----	1	2	1	----
Diseases of the stomach----------117,118	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	8	-----	----	----	1	----	2	2	5	-----	----	----	----	----	----	3	----	----	----	----
Intestinal obstruction----------122b	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Congenital malformations----------157	16	3	2	1	1	2	1	1	11	2	1	----	1	1	----	----	----	----	----	----
Congenital debility, etc.------158,161b,c	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	63	50	4	1	4	2	1	----	62	1	----	----	----	----	----	----	----	----	----	----
Injury at birth----------160	30	14	5	----	5	3	----	----	27	3	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	15	8	----	4	1	1	----	----	14	1	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	3	1	----	----	----	----	----	----	1	-----	1	----	----	----	----	----	----	1	----	----
Unknown or ill-defined diseases---199,200	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	12	1	1	----	----	1	1	----	4	-----	----	1	3	----	2	----	----	2	----	----
BALTIMORE, MD. (white)----------All causes	519	161	48	24	25	31	14	11	314	30	29	23	15	9	23	14	23	20	10	9
Measles----------7	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Scarlet fever----------8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	1	----
Diphtheria----------10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	5	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	1	----	1	1	----	1
Dysentery----------13	10	-----	----	----	----	----	----	1	1	1	----	2	1	----	1	----	2	2	----	----
Erysipelas----------15	4	-----	----	----	----	----	----	----	-----	1	----	----	1	----	1	----	1	----	----	----
Epidemic cerebrospinal meningitis------18	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	1	----	----	----
Tetanus----------22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Tuberculosis of the meninges; etc.------24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Other forms of tuberculosis---------25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	4	1	----	----	----	----	----	----	1	2	----	1	----	----	----	----	----	----	----	----
Convulsions----------86	4	-----	----	----	----	----	----	----	-----	-----	3	----	1	----	----	----	----	----	----	----
Bronchitis----------106	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	53	-----	----	1	3	3	4	3	14	4	5	4	3	3	3	4	5	4	2	2
Lobar and unspecified pneumonia---108,109	29	-----	----	----	1	----	----	1	2	1	2	2	1	3	2	4	6	2	2	2
Diseases of the stomach----------117,118	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	42	-----	----	----	----	1	----	1	2	8	5	5	3	2	8	1	1	3	3	1
Intestinal obstruction----------122b	4	-----	----	1	1	----	----	1	3	-----	1	----	----	----	----	----	----	----	----	----
Congenital malformations----------157	72	10	5	3	6	9	3	2	38	9	5	5	2	1	2	2	3	3	1	1
Congenital debility, etc.------158,161b,c	10	1	1	1	2	----	----	----	5	2	1	----	----	----	2	----	----	----	----	----
Premature birth----------159	163	102	27	10	5	10	5	2	161	-----	1	----	----	----	1	----	----	----	----	----
Injury at birth----------160	56	36	10	4	2	3	----	----	55	-----	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	23	10	4	3	3	3	----	----	23	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	6	1	1	----	----	----	----	----	2	-----	1	1	----	----	----	1	----	1	----	----
Unknown or ill-defined diseases---199,200	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
All other causes----------	26	-----	----	1	2	2	2	----	7	1	3	2	2	----	1	1	3	3	1	2
BALTIMORE, MD. (other races)---All causes	255	60	11	8	10	13	9	13	124	25	12	16	15	10	6	14	10	8	4	11
Measles----------7	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	3	-----	----	----	----	----	----	----	-----	-----	----	2	----	----	----	1	----	----	----	----
Diphtheria----------10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Dysentery----------13	4	-----	----	----	----	----	----	----	-----	-----	----	1	----	1	----	----	2	----	----	----
Erysipelas----------15	2	-----	----	----	----	----	----	----	-----	2	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	2	-----	----	----	----	----	----	----	-----	1	1	----	----	----	----	----	----	----	----	----
Tetanus----------22	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	5	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	1	----	----	1	2
Tuberculosis of the meninges, etc.------24	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	1	----	----	----
Other forms of tuberculosis---------25-32	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	17	3	1	----	1	2	1	4	12	2	2	1	----	----	----	----	----	----	----	----
Convulsions----------86	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Bronchitis----------106	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	38	-----	----	----	1	1	3	1	6	4	3	3	5	3	2	6	1	3	1	1
Lobar and unspecified pneumonia---108,109	22	-----	----	----	----	1	1	----	2	1	----	3	4	----	1	3	4	----	1	3
Diseases of the stomach----------117,118	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	24	-----	----	----	----	----	----	3	3	3	4	1	4	3	2	----	1	2	----	1
Intestinal obstruction----------122b	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Congenital malformations----------157	13	2	----	1	2	----	----	----	5	3	----	1	2	----	----	----	----	1	1	----
Congenital debility, etc.------158,161b,c	5	-----	----	----	----	----	1	----	1	3	----	----	----	----	----	----	----	1	----	----
Premature birth----------159	73	44	7	5	4	7	2	2	71	-----	1	----	----	----	----	----	----	----	----	1
Injury at birth----------160	11	8	1	----	1	----	----	----	10	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	11	3	2	2	1	1	----	1	10	1	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	5	-----	----	----	----	----	----	1	1	3	----	----	----	----	----	----	----	----	----	1
Unknown or ill-defined diseases---199,200	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	15	-----	----	----	----	1	----	1	2	1	----	2	----	3	----	3	1	1	----	2

155010 O—37——12

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
BOSTON, MASS.----All causes	814	221	62	44	56	35	33	38	489	72	50	45	33	22	25	22	16	11	13	16
Measles-7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever-8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-9	10	-----	----	----	----	----	----	----	-----	1	----	1	----	2	2	1	2	----	----	1
Diphtheria-10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza-11	4	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	1	----	----	----	1
Dysentery-13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas-15	5	-----	----	----	----	----	1	----	1	-----	4	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis-18	5	-----	----	----	----	1	----	----	1	-----	----	1	2	----	----	----	----	----	----	1
Tetanus-22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Tuberculosis of the meninges, etc.-24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Other forms of tuberculosis-25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Syphilis-34	7	1	----	----	1	----	----	----	2	1	2	----	1	1	----	----	----	----	----	----
Convulsions-86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis-106	3	-----	----	----	----	----	----	----	-----	1	----	----	2	----	----	----	----	----	----	----
Bronchopneumonia-107	117	-----	1	2	4	2	5	7	21	18	11	15	11	8	7	8	7	3	4	4
Lobar and unspecified pneumonia---108,109	29	-----	----	----	----	----	----	----	-----	6	2	2	3	3	4	2	1	1	4	1
Diseases of the stomach----117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----119	52	-----	----	----	----	----	----	10	10	11	9	9	5	1	3	----	----	2	1	1
Intestinal obstruction----122b	3	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	1	----	----	----	----
Congenital malformations----157	115	25	6	9	11	11	7	6	75	12	7	8	2	3	1	3	2	1	----	1
Congenital debility, etc.-----158,161b,c	5	-----	----	2	----	----	----	----	2	-----	3	----	----	----	----	----	----	----	----	----
Premature birth----159	243	120	36	16	16	16	12	14	230	11	1	----	----	----	----	----	----	1	----	----
Injury at birth----160	86	48	14	8	11	1	2	----	84	1	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	44	19	4	7	7	2	2	1	42	2	----	----	----	----	----	----	----	----	----	----
External causes----172-198,201-214	16	2	----	----	----	----	----	----	2	1	3	----	2	2	----	1	1	----	3	1
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----	67	6	1	----	6	2	4	----	19	7	5	7	5	2	8	5	2	2	1	4
DETROIT, MICH. (whits)----All causes	1,042	296	88	52	78	49	37	28	628	65	55	44	42	36	32	25	31	32	29	23
Measles-7	7	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	1	----	2	1	2	----
Scarlet fever-8	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	1
Whooping-cough-9	24	-----	----	----	----	----	1	----	1	3	2	1	2	2	2	2	2	3	1	3
Diphtheria-10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza-11	9	-----	----	----	----	----	----	----	-----	1	2	----	----	----	----	1	1	1	2	1
Dysentery-13	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	1	----	----	----	----	----
Erysipelas-15	7	-----	----	----	----	1	1	----	2	1	1	1	----	----	----	----	----	----	2	----
Epidemic cerebrospinal meningitis-18	6	-----	----	----	----	----	----	----	-----	-----	----	2	1	1	1	1	----	----	----	----
Tetanus-22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	1	1	----	----
Tuberculosis of the meninges, etc.-----24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Other forms of tuberculosis----25-32	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	1	----	----	----	----
Syphilis-34	12	2	1	1	----	2	----	----	6	1	1	1	1	1	----	----	----	1	----	----
Convulsions-86	3	-----	----	----	1	----	----	----	1	----	1	----	----	----	----	----	----	----	1	----
Bronchitis-106	6	-----	----	----	----	----	----	----	-----	-----	1	2	----	----	----	----	1	1	1	----
Bronchopneumonia-107	122	-----	----	2	4	3	1	5	15	14	15	11	17	12	5	4	9	9	7	4
Lobar and unspecified pneumonia---108,109	38	-----	----	----	1	----	3	----	4	6	8	3	1	1	3	3	1	3	2	3
Diseases of the stomach----117,118	2	-----	----	----	----	----	----	----	-----	2	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----119	40	-----	1	----	1	----	2	5	9	6	4	7	1	4	4	2	1	2	----	----
Intestinal obstruction----122b	13	-----	----	----	----	1	----	----	1	-----	----	1	----	1	2	3	1	1	3	----
Congenital malformations----157	118	23	8	5	13	6	8	6	69	10	5	7	6	5	2	2	4	3	4	1
Congenital debility, etc.-----158,161b,c	15	2	----	----	2	1	1	----	6	3	3	----	1	1	----	1	----	----	----	----
Premature birth----159	347	204	48	25	23	23	10	4	337	5	2	----	1	----	2	----	----	----	----	----
Injury at birth----160	103	45	24	7	19	2	1	2	101	1	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	33	14	4	6	6	1	1	1	33	-----	----	----	----	----	----	----	----	----	----	----
External causes----172-198,201-214	14	1	----	----	----	1	----	----	2	1	1	1	3	1	----	----	1	2	----	2
Unknown or ill-defined diseases---199,200	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
All other causes----	112	4	2	6	7	8	8	5	40	10	8	7	7	6	8	4	7	4	4	7
DETROIT, MICH. (other races)---All causes	131	43	14	4	11	4	4	1	81	7	5	9	3	6	5	5	6	1	3	----
Measles-7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever-8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-9	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	1	----	----	----
Diphtheria-10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza-11	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Dysentery-13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas-15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis-18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus-22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.-----24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Other forms of tuberculosis----25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	----
Syphilis-34	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Convulsions-86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis-106	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia-107	16	-----	----	----	----	----	1	----	1	1	2	3	1	1	2	1	2	----	2	----
Lobar and unspecified pneumonia---108,109	12	-----	----	----	----	----	----	1	1	-----	1	2	----	2	2	1	1	1	1	----
Diseases of the stomach----117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----119	6	-----	----	----	----	----	----	----	-----	1	----	----	1	----	1	2	1	----	----	----
Intestinal obstruction----122b	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Congenital malformations----157	4	2	----	----	1	----	----	----	3	-----	1	----	----	----	----	----	----	----	----	----
Congenital debility, etc.-----158,161b,c	2	-----	----	----	----	----	1	----	1	-----	----	1	----	----	----	----	----	----	----	----
Premature birth----159	54	31	13	2	4	4	----	----	54	-----	----	----	----	----	----	----	----	----	----	----
Injury at birth----160	16	8	1	2	4	----	----	----	15	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	2	1	----	----	1	----	----	----	2	-----	----	----	----	----	----	----	----	----	----	----
External causes----172-198,201-214	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----	11	1	----	----	1	----	2	----	4	3	1	1	1	1	----	----	----	----	----	----

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ST. LOUIS, MO. (white)---All causes	563	143	24	20	53	42	57	23	362	54	31	23	13	16	18	10	12	11	6	7
Measles-7	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----
Scarlet fever-8	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----
Whooping-cough-9	4	----	----	----	----	----	----	----	----	1	----	1	----	----	1	1	----	----	----	----
Diphtheria-10	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----
Influenza-11	3	----	----	----	----	1	----	----	1	----	1	1	----	----	----	----	----	----	----	----
Dysentery-13	4	----	----	----	----	----	----	----	----	1	----	1	----	----	1	----	----	----	----	1
Erysipelas-15	4	----	----	----	----	----	----	2	2	----	1	----	----	----	----	----	1	----	----	----
Epidemic cerebrospinal meningitis-18	1	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
Tetanus-22	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----
Tuberculosis of the respiratory system-23	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.---24	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----
Other forms of tuberculosis---25-32	1	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----
Syphilis-34	10	2	----	----	1	1	----	----	4	2	2	----	----	1	----	----	----	1	----	----
Convulsions-86	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Bronchitis-106	2	----	----	----	----	----	1	----	1	----	1	----	----	----	----	----	----	----	----	----
Bronchopneumonia-107	67	----	----	2	5	4	9	3	23	12	6	4	5	4	3	1	5	2	1	1
Lobar and unspecified pneumonia---108,109	11	----	----	1	----	1	----	1	3	1	----	3	----	1	1	----	----	1	----	1
Diseases of the stomach---117,118	2	----	----	----	----	1	----	----	1	1	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis---119	79	----	----	----	1	6	24	7	38	16	5	7	3	2	3	2	2	1	----	----
Intestinal obstruction---122b	4	----	----	----	1	1	----	----	2	----	----	----	----	----	----	----	----	2	----	----
Congenital malformations---157	68	17	3	2	11	2	6	3	44	4	2	2	4	4	3	4	----	1	----	----
Congenital debility, etc.---158,161b,c	12	2	----	----	2	4	3	----	11	----	1	----	----	----	----	----	----	----	----	----
Premature birth---159	175	90	16	9	24	17	7	4	167	5	3	----	----	----	----	----	----	----	----	----
Injury at birth---160	36	20	3	5	4	4	----	----	36	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	16	11	2	1	2	----	----	----	16	----	----	----	----	----	----	----	----	----	----	----
External causes---172-198,201-214	5	----	----	----	----	----	----	----	----	----	1	1	----	1	----	----	----	----	1	1
Unknown or ill-defined diseases---199,200	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
All other causes	53	1	----	----	2	----	7	3	13	11	6	2	1	3	5	1	4	2	2	3
ST. LOUIS, MO. (other races)---All causes	103	34	10	1	8	5	3	----	61	6	4	6	3	2	2	5	3	3	3	5
Measles-7	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Scarlet fever-8	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-9	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Diphtheria-10	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Influenza-11	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Dysentery-13	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Erysipelas-15	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis-18	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tetanus-22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	3	----	----	----	----	----	----	----	----	----	----	1	----	1	----	1	----	----	----	----
Tuberculosis of the meninges, etc.---24	1	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
Other forms of tuberculosis---25-32	2	----	----	----	----	----	----	----	----	----	1	----	1	----	----	----	----	----	----	----
Syphilis-34	5	2	----	----	----	1	1	----	4	----	----	----	----	----	----	----	----	----	----	1
Convulsions-86	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Bronchitis-106	1	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
Bronchopneumonia-107	17	----	1	----	----	----	1	----	2	2	1	2	2	1	----	2	----	1	2	2
Lobar and unspecified pneumonia---108,109	8	----	----	----	----	----	----	----	----	1	1	----	----	----	----	2	3	----	----	1
Diseases of the stomach---117,118	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis---119	2	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	1	----	----
Intestinal obstruction---122b	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Congenital malformations---157	5	1	----	----	2	----	----	----	3	2	----	----	----	----	----	----	----	----	----	----
Congenital debility, etc.---158,161b,c	2	1	----	----	1	----	----	----	2	----	----	----	----	----	----	----	----	----	----	----
Premature birth---159	41	24	8	1	3	3	1	----	40	----	----	1	----	----	----	----	----	----	----	----
Injury at birth---160	6	4	1	----	----	1	----	----	6	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	4	2	----	----	1	----	----	----	3	1	----	----	----	----	----	----	----	----	----	----
External causes---172-198,201-214	1	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
All other causes	5	----	----	----	1	----	----	----	1	----	1	----	----	----	----	----	----	1	1	1
BUFFALO, N. Y.---All causes	524	166	42	21	40	26	21	16	332	30	34	32	16	18	20	10	8	9	8	7
Measles-7	1	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----
Scarlet fever-8	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-9	18	----	----	----	----	----	1	----	1	2	3	6	1	1	1	----	----	1	1	1
Diphtheria-10	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Influenza-11	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Dysentery-13	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Erysipelas-15	5	----	----	----	----	1	----	----	1	3	----	----	----	1	----	----	----	----	----	----
Epidemic cerebrospinal meningitis-18	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----
Tetanus-22	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	----	----	----	----	----	----	1	1	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.---24	2	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	1	----
Other forms of tuberculosis---25-32	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Syphilis-34	3	----	1	----	1	----	----	----	2	1	----	----	----	----	----	----	----	----	----	----
Convulsions-86	1	----	----	----	1	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----
Bronchitis-106	8	----	----	----	----	----	2	----	2	----	----	----	2	2	----	1	----	1	----	----
Bronchopneumonia-107	70	1	1	----	1	1	1	3	8	8	7	9	3	6	10	6	5	3	3	2
Lobar and unspecified pneumonia---108,109	8	----	----	----	1	----	----	----	1	1	2	1	1	----	1	----	----	1	----	----
Diseases of the stomach---117,118	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis---119	51	----	----	----	1	1	9	5	16	6	10	7	2	3	3	1	1	1	----	1
Intestinal obstruction---122b	2	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	1	----
Congenital malformations---157	59	16	6	3	7	7	2	2	43	3	4	3	1	3	2	----	----	----	----	----
Congenital debility, etc.---158,161b,c	10	----	----	----	5	2	----	----	7	----	1	----	1	1	----	----	----	----	----	----
Premature birth---159	141	92	16	7	11	11	2	1	140	1	----	----	----	----	----	----	----	----	----	----
Injury at birth---160	78	46	15	9	7	1	----	----	78	----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy---161a,d	16	7	1	1	4	----	2	1	16	----	----	----	----	----	----	----	----	----	----	----
External causes---172-198,201-214	5	2	----	----	----	----	----	----	2	----	----	1	1	----	----	----	1	----	----	----
Unknown or ill-defined diseases---199,200	2	2	----	----	----	----	----	----	2	----	----	----	----	----	----	----	----	----	----	----
All other causes	42	----	2	1	1	2	2	3	11	5	5	5	3	----	3	2	1	2	2	3

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW YORK, N. Y. (white)--------All causes	4,212	1,140	292	209	292	219	224	207	2,583	366	260	204	139	123	93	102	102	95	63	82
Measles----------7	16	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	4	3	3	6
Scarlet fever----------8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	84	-----	----	----	----	----	----	----	-----	10	15	13	6	8	4	8	5	6	4	5
Diphtheria----------10	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	1	1	----
Influenza----------11	22	-----	----	----	----	----	----	----	-----	2	1	----	2	3	3	4	3	2	1	1
Dysentery----------13	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	1
Erysipelas----------15	55	-----	----	----	----	2	1	4	7	12	10	5	2	6	7	----	4	1	1	----
Epidemic cerebrospinal meningitis------18	19	-----	----	----	----	----	----	----	-----	1	1	2	2	4	2	1	----	2	1	3
Tetanus----------22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	12	-----	----	1	----	----	----	----	1	-----	----	----	----	----	2	2	2	2	2	1
Tuberculosis of the meninges, etc.-----24	4	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	1	----	2
Other forms of tuberculosis---------25-32	6	-----	----	----	----	----	----	----	-----	1	----	1	----	----	----	----	1	----	----	3
Syphilis----------34	35	-----	2	----	2	1	1	2	8	9	9	6	2	----	1	----	----	----	----	----
Convulsions----------86	4	-----	----	----	----	----	----	----	-----	-----	2	----	2	----	----	----	----	----	----	----
Bronchitis----------106	5	-----	----	----	----	----	1	----	1	1	1	----	1	----	----	----	----	1	----	----
Bronchopneumonia----------107	584	4	4	6	23	27	45	47	158	79	63	60	46	34	26	26	30	30	16	16
Lobar and unspecified pneumonia---108,109	155	-----	----	3	9	5	4	7	28	6	15	10	11	9	10	16	12	15	9	14
Diseases of the stomach----------117,118	2	-----	----	----	----	----	----	1	1	1	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	442	-----	1	----	4	31	66	43	145	97	51	40	26	20	15	13	17	5	7	6
Intestinal obstruction----------122b	32	-----	----	1	2	3	1	1	8	9	1	----	4	3	2	2	----	2	1	----
Congenital malformations----------157	482	90	27	26	52	42	29	37	303	60	29	33	14	13	5	8	4	5	3	5
Congenital debility, etc.------158,161b,c	66	5	3	8	10	8	8	5	47	9	8	1	1	----	----	----	----	----	----	----
Premature birth----------159	1,215	708	155	82	88	65	40	35	1,173	24	16	1	1	----	----	----	----	----	----	----
Injury at birth----------160	437	226	64	50	67	12	5	7	431	4	2	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	184	86	28	21	27	14	3	2	181	-----	3	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	56	11	3	----	2	----	----	3	19	5	3	8	3	7	----	2	5	----	2	4
Unknown or ill-defined diseases---199,200	5	-----	1	----	----	1	----	----	2	1	1	1	----	----	----	----	----	----	----	----
All other causes----------	283	10	4	9	6	8	20	13	70	34	29	23	16	15	16	19	15	19	12	15
NEW YORK, N. Y. (other races)--All causes	595	134	34	24	36	64	32	27	351	45	32	44	30	15	15	13	16	11	10	13
Measles----------7	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Scarlet fever----------8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Whooping-cough----------9	11	-----	----	----	----	----	----	----	-----	1	----	2	3	----	1	----	2	----	1	1
Diphtheria----------10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	3	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	1	----	1	----
Dysentery----------13	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	1	----
Erysipelas----------15	3	-----	----	----	1	----	----	----	1	2	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	2
Tuberculosis of the meninges, etc.-----24	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	4	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	1	2	----
Syphilis----------34	20	3	1	1	----	----	1	4	10	3	2	3	1	----	----	----	----	----	1	----
Convulsions----------86	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	1	----	----	----	----	----	----
Bronchitis----------106	2	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	116	2	----	----	1	9	8	9	29	12	13	19	10	8	4	6	6	5	1	5
Lobar and unspecified pneumonia---108,109	26	-----	----	----	----	1	3	2	6	-----	1	1	6	1	2	4	3	1	1	----
Diseases of the stomach----------117,118	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	50	-----	----	----	----	3	8	4	15	9	5	7	2	----	4	2	2	1	1	2
Intestinal obstruction----------122b	-----	-----	----	----	----	----	----	----	-----	----	----	----	----	----	----	----	----	----	----	----
Congenital malformations----------157	24	3	----	2	1	7	----	2	15	2	1	4	----	2	----	----	----	----	----	----
Congenital debility, etc.------158,161b,c	6	2	----	----	2	1	----	----	5	1	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	187	82	26	11	18	23	10	5	175	6	3	2	1	----	----	----	----	----	----	----
Injury at birth----------160	61	26	5	5	10	11	1	----	58	3	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	26	15	1	5	2	3	----	----	26	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	5	1	----	----	----	----	----	----	1	-----	----	1	2	1	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	39	-----	1	----	1	6	1	1	10	5	4	4	4	3	3	1	----	1	1	3
NEW YORK, N. Y., BRONX BOROUGH Total----------All causes	718	174	42	25	56	77	56	59	500	47	24	29	19	17	10	20	20	19	5	8
Measles----------7	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Scarlet fever----------8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	13	-----	----	----	----	----	----	----	-----	3	----	2	1	----	----	4	----	1	1	1
Diphtheria----------10	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Influenza----------11	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	1	----	----	----	----
Dysentery----------13	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus----------22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the meninges, etc.-----24	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Syphilis----------34	5	-----	1	----	1	----	----	----	2	-----	2	1	----	----	----	----	----	----	----	----
Convulsions----------86	2	-----	----	----	----	----	----	----	-----	-----	1	----	1	----	----	----	----	----	----	----
Bronchitis----------106	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia----------107	134	3	----	----	5	11	20	15	54	10	9	13	7	9	5	5	9	7	2	4
Lobar and unspecified pneumonia---108,109	30	-----	----	----	2	1	4	3	10	1	1	2	3	1	2	4	2	4	----	----
Diseases of the stomach----------117,118	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	97	-----	----	----	2	20	22	15	59	12	6	6	4	2	----	2	3	2	----	1
Intestinal obstruction----------122b	7	-----	----	----	2	1	----	----	3	2	----	----	1	1	----	----	----	----	----	----
Congenital malformations----------157	50	15	4	1	5	6	5	7	42	7	----	3	1	2	1	1	2	----	----	----
Congenital debility, etc.------158,161b,c	24	3	----	1	3	5	5	3	20	4	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	226	121	25	12	19	23	10	11	221	2	3	----	----	----	----	----	----	----	----	----
Injury at birth----------160	53	20	11	4	12	3	----	3	53	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	26	11	1	5	4	4	----	----	25	-----	1	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	2	-----	----	----	----	----	----	----	-----	----	----	1	1	----	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	1	-----	1	----	----	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	32	1	----	2	1	3	----	2	9	5	1	1	----	1	2	3	3	4	2	1

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW YORK, N. Y., BROOKLYN BOROUGH																				
White—All causes	1,644	414	130	82	126	61	62	65	940	154	111	87	60	58	44	44	40	38	32	36
Measles—7	8	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	2	----	----	6
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	34	-----	----	----	----	----	----	----	-----	3	3	9	3	5	2	1	1	5	2	----
Diphtheria—10	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	----
Influenza—11	8	-----	----	----	----	----	----	----	-----	2	1	----	1	1	1	----	----	1	----	1
Dysentery—13	2	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	1
Erysipelas—15	34	-----	----	----	----	1	1	1	3	8	5	4	1	3	6	----	3	----	1	----
Epidemic cerebrospinal meningitis—18	9	-----	----	----	----	----	----	----	-----	-----	----	1	1	2	1	----	----	2	1	1
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	7	-----	----	1	----	----	----	----	1	-----	----	----	----	----	2	1	1	----	2	----
Tuberculosis of the meninges, etc.—24	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	4	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	1	----	----	2
Syphilis—34	14	-----	1	----	----	1	----	----	2	5	3	3	1	----	----	----	----	----	----	----
Convulsions—86	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	216	2	1	1	11	8	5	10	38	31	23	26	19	16	13	15	13	13	5	4
Lobar and unspecified pneumonia—108,109	61	-----	----	1	7	----	----	1	9	2	5	2	5	5	3	8	4	6	7	5
Diseases of the stomach—117,118	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	181	-----	1	----	1	5	23	12	42	40	24	20	11	9	10	6	8	1	6	4
Intestinal obstruction—122b	10	-----	----	----	----	----	----	1	1	2	1	----	1	2	1	1	----	1	----	----
Congenital malformations—157	196	31	13	10	24	14	15	13	120	31	13	9	4	7	1	3	1	2	2	3
Congenital debility, etc.—158,161b,c	21	2	2	3	3	1	----	1	12	3	5	1	----	----	----	----	----	----	----	----
Premature birth—159	483	278	72	36	37	21	11	16	471	9	3	----	----	----	----	----	----	----	----	----
Injury at birth—160	135	65	23	17	24	3	----	2	134	-----	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	77	32	15	9	15	4	----	1	76	-----	1	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	13	-----	----	----	----	----	----	----	-----	2	1	----	2	2	----	1	2	----	1	2
Unknown or ill-defined diseases—199,200	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
All other causes	127	4	2	4	4	3	7	7	31	14	21	10	11	5	4	8	4	7	5	7
NEW YORK, N. Y., BROOKLYN BOROUGH																				
Other races—All causes	174	38	5	7	9	8	7	7	81	15	10	18	11	9	7	2	7	4	5	5
Measles—7	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Scarlet fever—8	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Whooping-cough—9	5	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	1	----	1	----	1	1
Diphtheria—10	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Dysentery—13	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Erysipelas—15	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Tuberculosis of the meninges, etc.—24	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	1	----
Syphilis—34	3	1	----	----	----	----	----	----	1	2	1	2	1	----	----	----	----	----	1	----
Convulsions—86	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis—106	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	35	-----	----	----	----	----	1	1	2	3	3	9	1	5	2	1	3	3	1	1
Lobar and unspecified pneumonia—108,109	9	-----	----	----	----	----	1	----	1	-----	----	----	4	1	----	1	2	----	----	----
Diseases of the stomach—117,118	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	17	-----	----	----	----	----	1	3	4	3	2	3	2	----	2	----	----	----	----	1
Intestinal obstruction—122b	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Congenital malformations—157	8	2	----	1	----	1	----	2	6	-----	1	----	----	1	----	----	----	----	----	----
Congenital debility, etc.—158,161b,c	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Premature birth—159	55	25	4	4	6	4	3	1	47	4	2	1	1	----	----	----	----	----	----	----
Injury at birth—160	10	6	1	1	1	----	----	----	9	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	5	4	----	1	----	----	----	----	5	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases—199,200	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes	15	-----	----	----	1	3	1	----	5	2	----	3	1	1	2	----	----	----	----	1
NEW YORK, N. Y., MANHATTAN BOROUGH																				
White—All causes	1,362	397	70	72	79	62	71	66	817	127	91	76	51	32	31	31	29	29	20	28
Measles—7	7	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	3	3	----
Scarlet fever—8	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	27	-----	----	----	----	----	----	----	-----	3	9	2	3	1	2	3	2	----	----	2
Diphtheria—10	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Influenza—11	10	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	2	3	2	1	1	----
Dysentery—13	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	18	-----	----	----	----	1	----	1	2	3	5	1	1	3	1	----	1	1	----	----
Epidemic cerebrospinal meningitis—18	9	-----	----	----	----	----	----	----	-----	1	1	1	1	2	1	1	----	----	----	1
Tetanus—22	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	1	----	1
Tuberculosis of the meninges, etc.—24	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	2
Other forms of tuberculosis—25-32	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Syphilis—34	14	-----	----	----	1	----	1	2	4	2	4	2	1	----	1	----	----	----	----	----
Convulsions—86	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Bronchitis—106	3	-----	----	----	----	----	1	----	1	1	----	----	----	----	----	----	----	1	----	----
Bronchopneumonia—107	194	1	3	6	6	9	18	19	62	31	21	19	18	7	5	4	8	6	8	5
Lobar and unspecified pneumonia—108,109	47	-----	----	1	----	3	1	3	8	2	6	5	2	2	5	2	3	4	1	7
Diseases of the stomach—117,118	1	-----	----	----	----	----	----	1	1	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	119	-----	----	----	----	1	12	12	25	36	19	9	9	6	4	4	4	2	----	1
Intestinal obstruction—122b	8	-----	----	----	----	1	----	----	1	2	----	----	1	----	1	1	----	1	1	----
Congenital malformations—157	173	32	9	12	15	15	7	14	104	16	11	18	8	3	2	4	1	3	1	2
Congenital debility, etc.—158,161b,c	14	-----	----	1	4	2	2	----	9	2	3	----	----	----	----	----	----	----	----	----
Premature birth—159	356	222	34	22	23	18	15	6	340	11	4	----	1	----	----	----	----	----	----	----
Injury at birth—160	161	94	16	21	20	5	3	----	159	1	1	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	64	34	8	6	7	5	2	1	63	-----	1	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	32	10	----	----	2	----	----	2	14	2	----	7	----	3	----	----	3	----	1	2
Unknown or ill-defined diseases—199,200	-----	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes	96	4	----	3	1	2	9	5	24	13	6	12	4	5	7	8	4	5	3	5

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW YORK, N. Y., MANHATTAN BOROUGH																				
Other races—All causes	321	69	23	12	23	42	19	14	202	25	20	20	11	4	6	10	7	3	5	8
Measles—7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	4	-----	----	----	----	----	----	----	-----	1	----	2	----	----	----	----	1	----	----	----
Diphtheria—10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	1	----
Dysentery—13	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Erysipelas—15	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Tuberculosis of the meninges, etc.—24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Syphilis—34	12	2	1	1	----	----	1	4	9	1	1	1	----	----	----	----	----	----	----	----
Convulsions—86	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Bronchitis—106	2	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	----	----	----	----	----
Bronchopneumonia—107	64	-----	----	----	1	6	6	6	19	8	8	7	7	1	2	5	1	2	----	4
Lobar and unspecified pneumonia—108,109	12	-----	----	----	----	1	----	1	2	-----	1	1	2	----	1	2	1	1	1	----
Diseases of the stomach—117,118	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	24	-----	----	----	----	1	4	1	6	5	3	2	----	----	2	2	2	----	1	1
Intestinal obstruction—122b	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Congenital malformations—157	13	1	----	1	1	5	----	----	8	1	----	3	----	1	----	----	----	----	----	----
Congenital debility, etc.—158,161b,c	4	1	----	----	1	1	----	----	3	1	----	----	----	----	----	----	----	----	----	----
Premature birth—159	94	37	17	4	9	15	7	2	91	1	1	1	----	----	----	----	----	----	----	----
Injury at birth—160	43	16	3	3	9	9	1	----	41	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	20	11	1	3	2	3	----	----	20	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	4	1	----	----	----	----	----	----	1	-----	----	1	1	1	----	----	----	----	----	----
Unknown or ill-defined diseases—199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes	17	-----	1	----	----	1	----	----	2	3	4	1	1	1	1	1	----	----	1	2
NEW YORK, N. Y., QUEENS BOROUGH																				
Total—All causes	480	146	45	28	25	28	25	22	319	37	28	15	15	15	9	7	14	10	4	7
Measles—7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	9	-----	----	----	----	----	----	----	-----	-----	2	----	1	2	----	----	2	----	----	2
Diphtheria—10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	3	-----	----	----	----	----	----	----	-----	-----	----	----	1	1	----	----	1	----	----	----
Dysentery—13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	2	-----	----	----	----	----	----	1	1	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Tuberculosis of the meninges, etc.—24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Other forms of tuberculosis—25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis—34	2	-----	----	----	----	----	----	----	-----	2	----	----	----	----	----	----	----	----	----	----
Convulsions—86	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Bronchitis—106	1	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	----	----	----
Bronchopneumonia—107	45	-----	----	1	1	2	2	5	11	6	10	5	2	2	2	1	2	3	----	1
Lobar and unspecified pneumonia—108,109	21	-----	----	1	----	1	1	1	4	1	3	1	1	1	1	3	3	1	1	1
Diseases of the stomach—117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	48	-----	----	----	----	7	11	4	22	10	----	5	2	3	1	1	2	1	1	----
Intestinal obstruction—122b	5	-----	----	----	----	1	1	----	2	2	----	----	1	----	----	----	----	----	----	----
Congenital malformations—157	47	11	1	2	6	6	2	3	31	6	4	3	1	1	1	----	----	----	----	----
Congenital debility, etc.—158,161b,c	9	1	1	3	1	----	1	1	8	-----	----	----	1	----	----	----	----	----	----	----
Premature birth—159	155	85	24	13	9	7	3	4	145	3	6	1	----	----	----	----	----	----	----	----
Injury at birth—160	75	43	11	6	7	2	2	2	73	2	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	13	5	3	2	1	1	1	----	13	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	9	-----	3	----	----	----	----	1	4	1	2	----	1	----	----	1	----	----	----	----
Unknown or ill-defined diseases—199,200	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
All other causes	31	1	2	----	----	1	1	----	5	2	1	----	3	5	3	----	4	4	2	2
NEW YORK, N. Y., RICHMOND BOROUGH																				
Total—All causes	108	36	10	7	10	5	6	1	75	6	8	3	2	3	1	1	1	3	2	3
Measles—7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever—8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough—9	3	-----	----	----	----	----	----	----	-----	1	1	----	----	----	----	----	----	----	1	----
Diphtheria—10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza—11	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Dysentery—13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas—15	1	-----	----	----	----	----	----	1	1	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis—18	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tetanus—22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system—23	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	1	----	----
Tuberculosis of the meninges, etc.—24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis—25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	1	----	----
Syphilis—34	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Convulsions—86	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Bronchitis—106	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchopneumonia—107	14	-----	----	----	----	----	1	----	1	2	2	----	2	1	1	1	----	1	1	2
Lobar and unspecified pneumonia—108,109	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Diseases of the stomach—117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis—119	6	-----	----	----	1	----	1	----	2	-----	2	2	----	----	----	----	----	----	----	----
Intestinal obstruction—122b	2	-----	----	1	----	----	----	----	1	1	----	----	----	----	----	----	----	----	----	----
Congenital malformations—157	9	1	----	1	2	2	----	----	6	1	1	1	----	----	----	----	----	----	----	----
Congenital debility, etc.—158,161b,c	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Premature birth—159	33	22	5	2	3	----	1	----	33	-----	----	----	----	----	----	----	----	----	----	----
Injury at birth—160	21	8	4	3	4	1	----	----	20	1	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy—161a,d	5	4	1	----	----	----	----	----	5	-----	----	----	----	----	----	----	----	----	----	----
External causes—172-198,201-214	3	1	----	----	----	----	----	----	1	-----	----	----	----	2	----	----	----	----	----	----
Unknown or ill-defined diseases—199,200	2	-----	----	----	----	1	----	----	1	-----	1	----	----	----	----	----	----	----	----	----
All other causes	4	-----	----	----	----	1	3	----	4	-----	----	----	----	----	----	----	----	----	----	----

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
CLEVELAND, OHIO (white)--------All causes	548	225	31	29	49	24	18	11	387	36	25	13	16	10	10	5	14	11	6	15
Measles----------7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----	1
Diphtheria----------10	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Influenza----------11	4	-----	-----	-----	-----	-----	2	-----	2	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Dysentery----------13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas----------15	4	-----	-----	-----	-----	-----	-----	-----	-----	2	1	-----	-----	-----	-----	-----	-----	-----	-----	1
Epidemic cerebrospinal meningitis-------18	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	1	1	-----	-----
Tetanus----------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the meninges, etc.------24	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis---------25-32	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Syphilis----------34	3	3	-----	-----	-----	-----	-----	-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Convulsions----------86	2	-----	-----	-----	1	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	2	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia----------107	58	-----	-----	-----	4	2	-----	5	11	4	8	6	3	4	4	1	5	6	3	3
Lobar and unspecified pneumonia---108,109	7	-----	-----	-----	-----	1	-----	-----	1	1	1	-----	1	-----	-----	-----	-----	-----	1	2
Diseases of the stomach----------117,118	1	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis----------119	24	1	-----	-----	-----	1	4	2	8	3	4	-----	2	1	-----	1	3	1	-----	1
Intestinal obstruction----------122b	6	-----	-----	-----	1	-----	-----	-----	1	-----	-----	1	-----	1	1	-----	1	1	-----	-----
Congenital malformations----------157	54	15	2	4	5	7	4	1	38	5	2	2	2	-----	-----	2	-----	-----	1	2
Congenital debility, etc.------158,161b,c	9	1	-----	1	2	2	-----	1	7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Premature birth----------159	211	145	16	14	16	6	5	1	203	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth----------160	67	35	10	7	11	2	1	-----	56	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	31	22	2	1	5	1	-----	-----	31	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-198,201-214	5	-----	-----	-----	1	-----	-----	-----	1	1	1	-----	-----	-----	1	-----	-----	-----	-----	1
Unknown or ill-defined diseases---199,200	5	1	1	-----	-----	-----	-----	-----	2	-----	2	-----	-----	-----	1	-----	-----	-----	-----	-----
All other causes----------	43	2	-----	1	3	2	2	1	11	8	4	4	3	2	1	1	4	2	1	2
CLEVELAND, OHIO (other races)--All causes	92	31	6	3	7	2	5	-----	54	8	4	3	5	3	5	2	3	3	1	1
Measles----------7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	4	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	1	1	-----	1	-----
Diphtheria----------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Dysentery----------13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas----------15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis-------18	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tetanus----------22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----
Tuberculosis of the meninges, etc.------24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other forms of tuberculosis---------25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
Syphilis----------34	3	2	-----	-----	-----	-----	-----	-----	2	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Convulsions----------86	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia----------107	15	-----	1	-----	-----	-----	2	-----	3	2	1	1	2	2	2	-----	-----	1	-----	1
Lobar and unspecified pneumonia---108,109	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	2	-----	1	1	-----	-----
Diseases of the stomach----------117,118	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
Diarrhea and enteritis----------119	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Intestinal obstruction----------122b	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Congenital malformations----------157	6	1	-----	-----	1	1	-----	-----	3	-----	1	-----	-----	1	1	-----	-----	-----	-----	-----
Congenital debility, etc.------158,161b,c	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Premature birth----------159	32	20	4	2	1	1	2	-----	30	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Injury at birth----------160	6	3	-----	-----	3	-----	-----	-----	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	3	2	-----	-----	1	-----	-----	-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-198,201-214	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Unknown or ill-defined diseases---199,200	8	2	1	1	1	-----	-----	-----	5	2	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
All other causes----------	3	1	-----	-----	-----	-----	1	-----	2	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
PHILADELPHIA, PA. (white)------All causes	1,118	258	75	52	74	75	56	46	636	98	73	60	43	43	35	30	38	25	18	19
Measles----------7	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
Scarlet fever----------8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----------9	13	-----	-----	-----	-----	1	-----	-----	1	2	1	4	-----	1	1	-----	1	-----	1	1
Diphtheria----------10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----------11	16	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	3	1	4	2	-----	-----	1	2	1
Dysentery----------13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas----------15	8	-----	-----	-----	-----	-----	-----	-----	-----	3	3	-----	1	-----	-----	1	-----	-----	-----	-----
Epidemic cerebrospinal meningitis-------18	7	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	2	-----	2	-----	1	-----	-----	-----	1
Tetanus----------22	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system-23	4	-----	-----	-----	1	-----	-----	-----	1	-----	-----	1	-----	-----	1	1	-----	-----	-----	-----
Tuberculosis of the meninges, etc.------24	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	1	1
Other forms of tuberculosis---------25-32	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Syphilis----------34	5	-----	-----	1	-----	-----	-----	-----	1	2	1	-----	-----	1	-----	-----	-----	-----	-----	-----
Convulsions----------86	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchitis----------106	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	-----	-----	-----	1	-----	1	-----	-----
Bronchopneumonia----------107	154	1	3	1	2	5	11	12	35	21	13	18	8	10	11	8	14	9	4	3
Lobar and unspecified pneumonia---108,109	61	-----	1	-----	-----	5	4	2	12	7	4	3	5	6	6	6	4	5	2	1
Diseases of the stomach----------117,118	3	-----	-----	-----	1	-----	1	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Diarrhea and enteritis----------119	90	-----	-----	1	2	6	4	6	19	16	18	5	7	5	3	3	5	2	1	6
Intestinal obstruction----------122b	12	-----	-----	-----	-----	1	1	-----	2	2	1	-----	-----	1	1	1	3	-----	-----	1
Congenital malformations----------157	161	33	9	8	17	16	8	7	98	21	15	8	6	2	2	2	2	3	2	-----
Congenital debility, etc.------158,161b,c	16	1	1	-----	-----	2	2	3	9	2	3	1	1	-----	-----	-----	-----	-----	-----	-----
Premature birth----------159	268	143	36	20	15	22	13	8	257	6	-----	2	1	-----	-----	1	1	-----	-----	-----
Injury at birth----------160	125	59	15	15	23	9	2	1	124	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other diseases of early infancy----161a,d	45	19	7	5	9	2	2	1	45	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
External causes----------172-198,201-214	15	-----	-----	-----	-----	-----	-----	1	1	1	2	3	2	1	1	-----	1	1	1	1
Unknown or ill-defined diseases---199,200	1	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
All other causes----------	101	2	3	1	4	6	7	5	28	13	8	7	11	7	7	5	6	3	4	2

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
PHILADELPHIA, PA.(other races)-All causes	335	80	17	7	26	11	16	10	167	21	20	22	24	16	10	13	18	5	9	10
Measles-----7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever-----8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-----9	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	1	----	1	----	----	----
Diphtheria-----10	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Influenza-----11	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	1	----	----	1
Dysentery-----13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas-----15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------16	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Tetanus-----22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	10	-----	----	----	----	----	----	----	-----	1	----	2	----	----	----	1	2	----	2	2
Tuberculosis of the meninges, etc.-----24	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis-----34	14	3	1	----	----	1	----	----	5	2	3	----	3	1	----	----	----	----	----	----
Convulsions-----86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis-----106	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	----
Bronchopneumonia-----107	69	-----	----	----	5	1	2	7	15	6	8	7	12	6	1	5	2	3	1	3
Lobar and unspecified pneumonia---108,109	33	-----	----	----	2	----	1	----	3	-----	2	4	4	----	3	3	7	1	4	2
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	18	-----	----	----	----	1	----	1	2	3	1	5	1	3	1	1	1	----	----	----
Intestinal obstruction----------122b	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Congenital malformations----------157	18	1	----	2	2	2	1	----	8	2	1	----	2	2	1	1	----	----	----	1
Congenital debility, etc.------158,161b,c	6	-----	----	----	3	----	----	----	3	2	----	----	----	----	1	----	----	----	----	----
Premature birth----------159	91	58	12	2	7	5	4	----	88	1	----	----	1	----	----	1	----	----	----	----
Injury at birth----------160	15	12	1	----	2	----	----	----	15	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	19	5	2	2	3	----	4	2	18	-----	1	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	2	1	----	----	----	----	----	----	1	1	----	----	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	29	-----	1	1	2	1	4	----	9	3	3	3	1	2	----	1	4	1	1	1
PITTSBURGH, PA. (white)--------All causes	527	168	50	28	44	19	16	16	341	33	27	30	18	17	7	14	7	14	9	10
Measles-----7	3	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	1	----	----	1	----	----
Scarlet fever-----8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-----9	3	-----	----	----	----	----	----	----	-----	-----	----	1	----	1	----	1	----	----	----	----
Diphtheria-----10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza-----11	9	-----	----	----	----	----	----	----	-----	1	1	----	2	1	1	----	1	----	1	1
Dysentery-----13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas-----15	1	-----	----	----	----	----	----	----	-----	1	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	3	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	1	1	----	----
Tetanus-----22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	2	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	1	----
Tuberculosis of the meninges, etc.-----24	2	-----	----	----	----	----	----	----	-----	-----	----	----	1	----	----	----	----	1	----	----
Other forms of tuberculosis---------25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Syphilis-----34	5	1	----	----	----	----	----	----	1	2	----	----	----	1	1	----	----	----	----	----
Convulsions-----86	2	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	1	----	----
Bronchitis-----106	3	-----	----	----	----	----	1	1	2	-----	1	----	----	----	----	----	----	----	----	----
Bronchopneumonia-----107	77	-----	----	1	2	2	4	2	11	8	10	17	5	5	2	6	2	3	2	6
Lobar and unspecified pneumonia---108,109	24	-----	----	----	----	1	1	----	2	2	2	4	3	1	1	----	2	4	3	----
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	8	-----	----	----	1	----	----	1	2	2	----	2	1	----	----	----	----	----	----	1
Intestinal obstruction----------122b	2	-----	----	----	----	1	----	----	1	1	----	----	----	----	----	----	----	----	----	----
Congenital malformations----------157	52	10	5	3	7	5	4	2	37	4	5	2	----	1	----	1	----	1	----	1
Congenital debility, etc.------158,161b,c	9	-----	----	----	1	2	1	1	5	2	1	----	----	1	----	----	----	----	----	----
Premature birth----------159	166	102	29	10	12	4	3	1	161	4	1	----	----	----	----	----	----	----	----	----
Injury at birth----------160	67	36	9	8	12	1	1	----	67	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	30	16	4	4	5	1	----	----	30	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	4	1	----	----	----	----	----	----	1	1	----	----	----	----	1	----	----	----	1	----
Unknown or ill-defined diseases---199,200	4	-----	----	----	----	----	----	1	1	-----	----	----	2	----	----	1	----	----	----	----
All other causes----------	50	2	2	2	4	2	1	7	20	5	4	3	3	6	----	4	1	2	1	1
PITTSBURGH, PA. (other races)--All causes	87	21	7	2	3	2	1	4	40	3	8	5	4	5	4	4	5	----	6	3
Measles-----7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever-----8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough-----9	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Diphtheria-----10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza-----11	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Dysentery-----13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas-----15	1	-----	----	----	----	----	1	----	1	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	----	----
Tetanus-----22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	3	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	1	----	----	----	2	----
Tuberculosis of the meninges, etc.-----24	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	1	----	----	----
Other forms of tuberculosis---------25-32	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Syphilis-----34	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Convulsions-----86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis-----106	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	1	----	----	----	----
Bronchopneumonia-----107	24	-----	----	----	----	----	----	4	4	1	5	5	2	3	1	1	1	----	1	----
Lobar and unspecified pneumonia---108,109	9	-----	----	1	----	----	----	----	1	1	----	----	----	2	1	1	1	----	----	2
Diseases of the stomach----------117,118	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	1
Intestinal obstruction----------122b	1	-----	----	----	----	----	----	----	-----	-----	1	----	----	----	----	----	----	----	----	----
Congenital malformations----------157	3	1	----	----	----	1	----	----	2	-----	----	----	1	----	----	----	----	----	----	----
Congenital debility, etc.------158,161b,c	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Premature birth----------159	18	14	3	----	1	----	----	----	18	-----	----	----	----	----	----	----	----	----	----	----
Injury at birth----------160	10	5	3	1	1	----	----	----	10	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	2	-----	1	----	1	----	----	----	2	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases---199,200	4	1	----	----	----	1	----	----	2	1	----	----	----	----	----	----	----	----	1	----
All other causes----------	5	-----	----	----	----	----	----	----	-----	-----	1	----	1	----	----	----	1	----	2	----

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MILWAUKEE, WIS. (total)--------All causes	414	161	44	16	42	21	8	9	301	19	16	10	11	10	9	8	8	9	4	9
Measles----------7	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Scarlet fever----------8	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Whooping-cough----------9	6	-----	----	----	----	----	----	1	1	-----	2	----	1	----	----	----	----	1	----	1
Diphtheria----------10	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Influenza----------11	2	-----	----	----	----	----	----	----	-----	-----	----	----	----	1	----	----	----	----	----	1
Dysentery----------13	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Erysipelas----------15	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Epidemic cerebrospinal meningitis------18	4	-----	----	----	----	----	----	----	-----	-----	1	----	1	----	----	----	----	2	----	----
Tetanus----------22	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system-23	1	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	1	----
Tuberculosis of the meninges, etc.-----24	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Other forms of tuberculosis---------25-32	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Syphilis----------34	3	-----	----	----	----	1	----	----	1	1	1	----	----	----	----	----	----	----	----	----
Convulsions----------86	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
Bronchitis----------106	3	-----	----	1	----	----	----	----	1	-----	----	----	----	----	1	----	----	----	----	1
Bronchopneumonia----------107	43	1	----	1	2	1	2	2	9	7	5	2	3	7	4	2	3	1	----	----
Lobar and unspecified pneumonia---108,109	12	-----	1	----	----	----	1	----	2	2	----	----	1	----	----	----	----	1	5	----	1
Diseases of the stomach----------117,118	1	-----	----	----	1	----	----	----	1	-----	----	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis----------119	14	-----	----	1	1	1	----	2	5	3	1	2	----	1	----	----	2	----	----	----
Intestinal obstruction----------122b	1	-----	----	----	----	----	----	----	-----	-----	----	1	----	----	----	----	----	----	----	----
Congenital malformations----------157	52	12	----	4	8	6	3	2	35	4	1	3	2	----	1	1	1	1	1	2
Congenital debility, etc.------158,161b,c	6	1	----	2	1	1	----	----	5	-----	1	----	----	----	----	----	----	----	----	----
Premature birth----------159	138	86	22	3	14	8	2	1	136	1	1	----	----	----	----	----	----	----	----	----
Injury at birth----------160	60	37	9	2	10	2	----	----	60	-----	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy----161a,d	35	22	9	2	2	----	----	----	35	-----	----	----	----	----	----	----	----	----	----	----
External causes----------172-198,201-214	5	-----	----	----	----	----	----	----	-----	-----	1	1	----	----	----	1	----	----	----	2
Unknown or ill-defined diseases---199,200	------	-----	----	----	----	----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----
All other causes----------	28	2	3	----	3	1	----	1	10	1	2	1	3	1	3	4	----	----	1	2

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those on the detailed International List)

CAUSE OF DEATH AND SEX	UNITED STATES				ALABAMA			ARIZONA			ARKANSAS			CALIFORNIA		
	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000 [1]	Rural [2]	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	120,138	53,839	12,145	54,154	888	249	2,773	276	207	538	260	162	1,259	2,277	561	1,140
Male	68,805	31,035	6,939	30,831	505	130	1,554	151	115	301	155	87	700	1,334	342	675
Female	51,333	22,804	5,206	23,323	383	119	1,219	125	92	237	105	75	559	943	219	465
Measles (7):																
Male	460	111	50	299	5	1	25	------	1	13	------	------	-----	2	1	4
Female	338	90	30	218	2	------	14	1	------	6	------	------	-----	1	1	3
Scarlet fever (8):																
Male	66	18	9	39	------	------	3	------	------	1	------	------	-----	------	------	1
Female	43	13	4	26	------	------	2	------	------	-----	------	------	1	------	------	-----
Whooping-cough (9):																
Male	1,429	408	149	872	7	2	38	3	1	10	3	1	19	10	3	7
Female	1,511	440	152	919	8	1	31	6	4	17	3	3	25	8	5	7
Diphtheria (10):																
Male	162	46	12	104	1	------	8	------	------	-----	3	1	7	2	------	-----
Female	149	36	10	103	2	------	4	------	------	1	------	------	3	1	------	-----
Influenza (11):																
Male	1,845	491	207	1,147	13	8	68	5	3	21	2	4	25	11	3	7
Female	1,328	351	147	830	17	5	40	3	5	11	4	5	32	9	1	2
Dysentery (13):																
Male	430	113	60	257	1	------	4	------	1	4	4	------	14	8	2	7
Female	352	99	48	205	------	1	2	1	------	-----	1	1	6	3	4	5
Erysipelas (15):																
Male	310	163	24	123	1	2	5	3	1	1	2	------	1	5	------	6
Female	252	140	20	102	1	1	4	------	------	1	------	------	3	5	1	4
Epidemic cerebrospinal meningitis (18):																
Male	160	119	12	29	------	------	-----	2	------	-----	1	------	-----	5	1	2
Female	104	82	4	18	2	------	-----	------	------	-----	------	------	1	1	------	-----
Tetanus (22):																
Male	95	17	11	67	1	------	3	------	------	-----	------	------	1	1	------	-----
Female	56	14	8	34	5	------	2	------	1	-----	------	------	1	------	------	-----
Tuberculosis of the respiratory system(23):																
Male	168	88	12	68	------	------	2	------	------	2	------	------	1	7	2	7
Female	142	92	9	41	2	------	1	------	------	1	------	------	1	8	1	3
Tuberculosis of the meninges, etc. (24):																
Male	144	70	15	59	2	------	-----	1	------	2	------	1	-----	3	1	3
Female	121	74	10	37	2	------	1	------	1	1	------	------	-----	2	1	2
Other forms of tuberculosis (25-32):																
Male	76	50	5	21	------	------	1	1	------	-----	------	------	3	3	1	3
Female	49	31	3	15	------	------	-----	------	1	1	------	------	-----	1	1	-----
Syphilis (34):																
Male	839	456	80	303	18	4	18	4	3	4	1	------	5	19	2	10
Female	669	373	55	241	11	3	18	3	2	4	4	2	2	11	1	6
Convulsions (86):																
Male	373	86	34	253	4	------	19	1	1	1	------	------	4	------	------	3
Female	222	50	17	155	2	1	16	------	------	1	------	------	7	------	------	-----
Bronchitis (106):																
Male	308	136	27	145	3	1	8	1	------	1	------	------	5	4	1	3
Female	249	94	26	129	------	1	2	2	------	1	1	------	2	2	1	2
Bronchopneumonia (107):																
Male	6,798	3,487	666	2,645	46	12	83	30	9	29	20	4	65	183	46	92
Female	5,156	2,601	524	2,031	22	8	60	26	10	33	8	11	33	118	23	80
Lober and unspecified pneumonia (108, 109):																
Male	2,714	1,114	224	1,376	25	5	73	6	2	16	4	3	32	37	15	31
Female	1,931	778	192	961	11	3	49	6	5	7	5	4	23	23	9	15
Diseases of the stomach (117, 118):																
Male	320	76	32	212	2	------	7	1	3	1	2	------	7	6	1	4
Female	218	53	23	142	1	------	6	------	1	1	2	------	4	2	------	1
Diarrhea and enteritis (119):																
Male	5,988	2,486	631	2,871	37	12	122	34	27	53	12	9	58	76	45	88
Female	4,650	1,836	501	2,313	30	8	94	27	21	39	11	10	77	62	24	70
Intestinal obstruction (122b):																
Male	559	314	71	174	3	2	7	2	------	3	2	------	3	21	3	5
Female	343	191	39	113	8	1	4	1	------	1	1	------	1	12	2	4
Congenital malformations (157):																
Male	5,774	3,032	590	2,152	31	4	72	9	5	13	9	5	33	139	41	51
Female	4,569	2,405	478	1,686	17	5	43	6	2	5	2	1	23	114	23	45
Congenital debility, icterus, sclerema (158,161 b, c):																
Male	2,604	765	291	1,548	12	8	65	1	6	15	12	1	32	27	13	24
Female	1,867	544	201	1,122	12	1	42	7	3	10	6	3	25	24	10	21
Premature birth (159):																
Male	18,861	9,526	1,997	7,338	148	32	359	22	29	32	34	28	135	447	88	173
Female	14,286	7,134	1,549	5,603	123	39	326	22	13	39	34	21	123	317	76	110
Injury at birth (160):																
Male	5,961	3,359	730	1,872	41	12	75	10	9	7	20	8	38	107	36	45
Female	3,663	2,156	407	1,120	30	6	33	4	2	3	10	3	22	83	15	26
Other diseases of early infancy (161 a, d):																
Male	2,340	1,294	226	820	21	3	25	4	3	10	4	1	13	77	15	21
Female	1,612	912	162	538	11	3	21	1	3	11	2	2	10	41	6	23
External causes (172-198, 201-214):																
Male	1,245	475	121	649	8	4	34	1	------	4	3	5	8	24	6	19
Female	1,003	373	107	523	8	5	34	2	7	4	1	------	5	11	5	10
Unknown or ill-defined diseases (199, 200):																
Male	4,127	381	197	3,549	39	14	372	3	4	43	7	10	129	2	2	4
Female	3,151	268	166	2,717	34	19	310	3	6	30	2	3	90	3	------	1
All other causes:																
Male	4,649	2,354	456	1,839	36	4	58	7	7	15	10	6	62	108	14	55
Female	3,269	1,574	314	1,381	22	8	60	4	5	9	8	6	39	81	9	25

1/ Excluding 100 cities in 3 States (Georgia, Kentucky, and Vermont).
2/ Including 100 cities of 2,500 to 10,000 inhabitants in 3 States (Georgia, Kentucky, and Vermont).

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those on the detailed International List)

CAUSE OF DEATH AND SEX	COLORADO			CONNECTICUT			DELAWARE			DISTRICT OF COLUMBIA	FLORIDA			GEORGIA	
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural		Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural [1]
All causes	538	230	602	776	37	138	133	38	97	642	648	245	843	1,100	3,220
Male	303	136	361	438	21	89	73	28	50	359	354	133	499	608	1,815
Female	235	94	241	338	16	49	60	10	47	283	294	112	344	492	1,405
Measles (7):															
Male	4	2	10	1	----	1	----	1	----	----	----	1	2	----	----
Female	3	----	6	1	1	----	----	----	----	----	----	1	2	----	6
Scarlet fever (8):															
Male	1	2	----	----	----	----	----	----	----	----	----	----	----	----	2
Female	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1
Whooping-cough (9):															
Male	3	4	10	3	----	2	1	----	1	----	7	1	14	6	44
Female	2	1	13	8	----	1	----	----	----	1	5	4	6	14	29
Diphtheria (10):															
Male	1	----	1	----	----	----	----	----	----	2	----	----	----	2	11
Female	----	----	1	----	----	----	----	----	----	1	1	----	1	2	12
Influenza (11):															
Male	4	3	25	8	----	----	3	2	----	1	9	7	16	10	54
Female	4	2	10	3	----	----	----	----	2	1	3	6	16	7	40
Dysentery (13):															
Male	----	3	1	----	----	----	----	----	----	----	----	3	3	1	19
Female	1	----	2	----	----	----	----	----	----	1	1	1	3	6	14
Erysipelas (15):															
Male	7	----	2	3	----	----	----	----	----	3	----	----	4	1	8
Female	5	2	2	1	----	----	2	----	----	2	1	1	----	2	3
Epidemic cerebrospinal meningitis (18):															
Male	1	----	----	3	----	----	----	----	----	3	----	----	----	2	2
Female	1	----	----	----	----	----	----	----	----	6	1	----	----	3	2
Tetanus (22):															
Male	----	----	----	----	----	----	----	----	----	----	1	----	2	1	----
Female	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----
Tuberculosis of the respiratory system (23):															
Male	1	----	1	----	----	----	----	----	----	----	1	1	----	3	----
Female	2	----	----	2	----	----	----	----	----	4	----	----	----	2	----
Tuberculosis of the meninges, etc. (24):															
Male	1	1	1	----	----	----	----	----	----	----	----	----	1	1	3
Female	----	----	1	2	----	----	----	----	----	2	3	----	----	2	----
Other forms of tuberculosis (25-32):															
Male	3	----	----	----	----	----	----	----	----	3	1	----	----	3	----
Female	----	----	----	----	----	----	----	----	----	----	----	----	----	3	----
Syphilis (34):															
Male	2	4	4	1	----	----	4	1	1	11	11	4	16	23	17
Female	4	1	1	4	----	----	2	----	----	10	11	3	3	17	15
Convulsions (86):															
Male	----	1	----	2	----	2	----	----	----	----	2	1	6	1	25
Female	----	----	----	2	----	----	----	----	----	----	2	----	3	----	11
Bronchitis (106):															
Male	2	----	3	3	----	2	1	1	1	1	4	1	1	2	3
Female	2	----	----	1	----	3	----	----	1	----	2	1	1	1	4
Bronchopneumonia (107):															
Male	30	12	43	29	1	4	3	3	6	47	31	4	21	62	96
Female	12	7	36	31	----	6	15	2	11	40	20	5	15	55	84
Lobar and unspecified pneumonia (108,109):															
Male	12	1	21	18	----	4	2	----	1	9	15	2	26	26	76
Female	10	4	4	14	----	1	4	----	3	12	13	3	15	20	59
Diseases of the stomach (117, 118):															
Male	1	----	2	----	----	----	----	----	----	2	3	1	----	1	13
Female	3	----	2	----	----	----	----	----	----	----	2	1	6	1	14
Diarrhea and enteritis (119):															
Male	30	19	30	13	1	5	8	7	7	33	25	19	49	86	153
Female	33	15	35	6	1	1	7	3	11	24	26	15	33	37	124
Intestinal obstruction (122b):															
Male	5	2	1	6	----	----	----	----	1	----	4	----	2	10	8
Female	3	3	3	1	----	1	----	----	1	2	7	----	----	3	7
Congenital malformations (157):															
Male	19	4	25	66	3	13	4	1	5	24	28	11	22	25	45
Female	18	5	20	50	2	12	7	2	4	16	20	9	18	17	45
Congenital debility, icterus, sclerema (158,161b,c):															
Male	10	2	19	9	1	5	5	1	5	8	14	11	34	17	112
Female	9	4	11	9	----	----	1	----	4	6	16	4	24	19	85
Premature birth (159):															
Male	86	45	83	125	7	24	25	7	10	138	118	28	115	202	435
Female	64	35	52	114	5	11	11	1	3	104	102	34	90	173	305
Injury at birth (160):															
Male	34	7	27	62	4	11	5	1	3	35	28	17	16	45	68
Female	21	6	13	45	2	3	2	1	4	25	20	7	13	31	34
Other diseases of early infancy (161 a, d):															
Male	13	2	18	22	1	3	1	----	3	16	10	5	21	21	39
Female	11	2	7	19	1	3	3	----	1	10	7	4	11	14	25
External causes (172-198, 201-214):															
Male	8	7	11	4	1	3	2	2	3	5	8	3	10	14	59
Female	5	3	4	3	1	4	1	1	----	8	3	2	8	10	39
Unknown or ill-defined diseases (199, 200):															
Male	----	1	5	2	----	----	1	----	----	----	6	8	81	28	425
Female	1	2	2	2	----	1	----	----	----	----	4	7	50	22	374
All other causes:															
Male	25	7	18	38	2	10	8	1	3	18	28	5	37	35	98
Female	21	2	16	20	3	2	5	----	2	8	23	4	26	31	73

1/ Including 49 cities of 2,500 to 10,000 inhabitants.

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	IDAHO			ILLINOIS			INDIANA			IOWA			KANSAS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	60	207	216	3,391	531	1,216	1,455	265	970	793	319	825	534	263	742
Male	31	122	112	1,970	287	701	883	144	588	467	210	453	308	152	436
Female	29	85	104	1,421	244	515	572	121	382	326	109	372	226	111	306
Measles (7):															
Male	------	------	-----	4	1	12	3	4	11	8	4	5	5	4	14
Female	------	2	-----	7	2	6	2	------	5	6	------	4	3	5	13
Scarlet fever (8):															
Male	------	1	-----	2	------	3	------	1	1	------	------	1	1	------	1
Female	------	------	-----	1	------	------	------	1	1	------	------	1	------	------	1
Whooping-cough (9):															
Male	------	9	9	26	7	23	19	5	23	6	3	2	1	4	5
Female	2	10	3	29	12	28	8	5	25	4	2	11	5	4	14
Diphtheria (10):															
Male	------	------	-----	4	------	1	6	------	1	------	------	-----	1	------	-----
Female	------	------	-----	4	------	1	2	------	-----	1	------	1	------	------	-----
Influenza (11):															
Male	2	6	7	20	5	21	15	8	22	4	5	20	7	5	20
Female	------	2	6	12	6	15	16	3	11	4	2	11	6	5	15
Dysentery (13):															
Male	------	------	1	4	------	3	1	1	2	------	------	-----	------	------	-----
Female	------	------	-----	1	------	1	------	------	-----	------	------	-----	1	------	-----
Erysipelas (15):															
Male	------	1	-----	8	1	2	4	------	3	4	------	2	3	------	1
Female	1	------	-----	5	1	-----	2	1	1	4	------	3	1	1	1
Epidemic cerebrospinal meningitis (18):															
Male	------	------	-----	7	1	-----	7	------	1	4	------	2	1	------	-----
Female	1	------	-----	4	------	-----	------	------	-----	1	------	-----	2	------	-----
Tetanus (22):															
Male	------	------	-----	------	------	-----	------	------	-----	------	------	-----	------	------	-----
Female	------	------	-----	1	------	1	------	------	-----	------	------	-----	------	------	-----
Tuberculosis of the respiratory system (23):															
Male	------	------	-----	4	------	1	------	------	2	2	------	1	1	------	-----
Female	------	------	-----	7	------	-----	4	------	-----	3	1	-----	------	------	-----
Tuberculosis of the meninges, etc. (24):															
Male	------	1	-----	7	------	-----	3	------	-----	1	------	1	------	------	1
Female	------	------	1	3	------	1	3	1	3	3	------	-----	------	------	-----
Other forms of tuberculosis (25-32):															
Male	------	------	-----	4	------	-----	------	------	1	------	------	-----	------	------	-----
Female	------	------	-----	4	------	-----	1	------	-----	------	------	-----	1	------	-----
Syphilis (34):															
Male	------	------	-----	17	3	1	12	2	3	1	1	2	6	------	2
Female	------	------	-----	14	2	4	16	3	2	5	------	1	3	1	1
Convulsions (86):															
Male	1	1	1	3	1	4	4	1	2	1	------	1	1	1	1
Female	------	------	2	1	------	3	2	------	2	------	1	1	2	------	2
Bronchitis (106):															
Male	1	1	-----	10	2	8	5	1	1	3	1	1	1	------	1
Female	------	1	1	11	2	11	------	------	1	------	------	1	1	1	1
Bronchopneumonia (107):															
Male	2	10	9	223	35	73	100	16	60	57	32	54	41	14	40
Female	4	7	14	160	22	49	62	8	32	40	9	51	28	15	32
Lobar and unspecified pneumonia (108, 109):															
Male	------	1	4	52	4	22	29	1	25	13	8	17	8	7	11
Female	1	4	8	30	5	18	22	5	16	8	4	16	4	5	8
Diseases of the stomach (117, 118):															
Male	------	------	-----	4	1	1	5	------	7	------	------	1	1	------	2
Female	------	2	-----	------	1	2	4	------	2	------	1	-----	------	------	-----
Diarrhea and enteritis (119):															
Male	------	5	3	89	17	60	76	13	45	16	10	26	19	9	29
Female	------	2	5	53	19	35	51	11	26	17	5	14	14	9	31
Intestinal obstructions (122b):															
Male	1	------	2	16	1	9	10	1	8	3	2	4	3	2	2
Female	1	------	-----	14	1	3	5	2	-----	2	1	2	3	1	2
Congenital malformations (157):															
Male	13	11	11	240	35	70	96	17	72	49	19	51	29	26	65
Female	1	5	9	161	24	58	59	17	63	34	13	69	24	10	34
Congenital debility icterus, sclerema (158, 161 b, c):															
Male	------	4	5	27	9	33	26	2	13	14	8	22	6	4	21
Female	------	2	4	22	11	23	15	4	16	8	3	15	5	3	13
Premature birth (159):															
Male	4	41	33	631	88	186	271	36	161	154	64	124	85	37	119
Female	10	22	27	477	78	135	192	31	88	110	38	92	78	21	77
Injury at birth (160):															
Male	2	14	11	294	43	63	74	21	42	55	24	57	45	21	38
Female	1	14	6	202	39	61	46	11	32	28	16	30	20	12	22
Other diseases of early infancy (161 a, d):															
Male	3	4	6	90	7	26	36	8	32	13	10	19	11	2	11
Female	2	2	3	61	3	14	12	4	16	11	5	11	9	4	5
External causes (172-198, 201-214):															
Male	1	------	2	28	3	17	18	------	15	8	2	8	7	4	10
Female	1	2	2	32	4	9	9	3	14	6	------	6	1	3	5
Unknown or ill-defined diseases (199, 200):															
Male	------	------	5	4	1	10	1	------	3	6	------	9	3	------	9
Female	1	1	5	1	1	8	2	------	-----	2	2	9	------	1	6
All other causes:															
Male	1	12	3	152	22	52	62	6	32	45	17	23	22	12	33
Female	3	7	8	104	11	29	37	11	26	29	6	23	15	10	23

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	KENTUCKY		LOUISIANA			MAINE			MARYLAND			MASSACHUSETTS			MICHIGAN		
	Cities of 10,000 or more	Rural 1/	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	667	2,721	1,152	308	1,473	310	139	541	926	96	667	2,730	137	174	2,641	397	1,134
Male	401	1,505	620	175	818	171	85	306	528	60	384	1,598	77	103	1,530	244	645
Female	266	1,216	532	133	655	139	54	235	398	36	283	1,132	60	71	1,111	153	489
Measles (7):																	
Male	12	32	1	1	14	1	1	7	1	1	6	2	------	2	12	1	5
Female	1	28	2	1	6	------	1	11	------	------	1	3	------	-----	4	2	8
Scarlet fever (8):																	
Male	1	3	------	------	-----	------	1	-----	------	------	-----	1	------	-----	1	------	-----
Female	2	1	1	------	-----	------	1	-----	------	------	-----	1	------	-----	2	------	-----
Whooping-cough (9):																	
Male	10	71	4	2	13	3	2	3	2	2	7	21	3	2	26	4	12
Female	4	72	10	------	14	1	1	7	4	1	11	21	------	-----	26	3	18
Diphtheria (10):																	
Male	------	15	------	1	5	------	------	-----	1	------	-----	1	------	-----	1	------	-----
Female	2	11	1	2	4	------	------	1	------	------	-----	------	------	-----	------	------	1
Influenza (11):																	
Male	11	40	9	4	49	1	3	8	6	------	9	11	1	2	23	8	17
Female	12	41	8	5	34	1	1	5	3	------	5	7	1	1	11	3	13
Dysentery (13):																	
Male	1	31	2	1	5	------	------	-----	7	1	3	1	------	-----	------	------	-----
Female	3	33	3	2	5	------	------	-----	7	1	1	------	------	-----	3	------	2
Erysipelas (15):																	
Male	5	9	1	------	-----	------	------	3	3	------	1	6	------	2	11	------	2
Female	1	8	1	------	1	------	------	-----	3	------	1	9	------	2	4	------	1
Epidemic cerebrospinal meningitis (18):																	
Male	2	2	1	------	-----	------	------	-----	1	------	-----	7	1	1	4	------	-----
Female	1	3	------	------	-----	------	------	-----	3	------	-----	4	------	1	3	------	-----
Tetanus (22):																	
Male	------	1	------	2	14	------	------	-----	------	------	2	------	------	-----	------	------	-----
Female	------	1	------	------	7	------	------	-----	1	------	-----	------	1	-----	------	------	-----
Tuberculosis of the respiratory system (23):																	
Male	1	4	3	------	-----	------	------	-----	4	------	3	1	------	-----	1	------	1
Female	1	3	------	1	3	1	------	-----	2	------	-----	------	------	-----	4	------	-----
Tuberculosis of the meninges, etc. (24):																	
Male	1	7	3	------	-----	------	1	2	1	------	2	2	------	1	3	1	3
Female	2	3	2	------	-----	------	------	1	3	------	1	2	1	-----	3	------	-----
Other forms of tuberculosis (25-32):																	
Male	------	2	------	------	-----	------	------	-----	------	------	-----	------	------	-----	3	------	-----
Female	------	2	------	------	-----	------	------	-----	------	------	-----	1	------	-----	------	------	-----
Syphilis (34):																	
Male	5	13	22	5	28	------	1	-----	12	1	9	6	1	2	18	1	1
Female	3	12	22	4	30	------	------	-----	12	1	5	6	1	-----	11	1	1
Convulsions (86):																	
Male	4	9	------	1	1	2	------	6	5	------	4	5	------	1	4	2	6
Female	2	5	------	------	4	------	1	1	1	------	1	4	------	1	1	------	5
Bronchitis (106):																	
Male	1	4	1	1	4	------	------	5	2	------	2	9	1	1	4	1	9
Female	1	2	2	------	3	------	1	2	2	1	5	5	------	1	9	2	3
Bronchopneumonia (107):																	
Male	39	102	78	17	84	10	8	19	54	5	55	207	8	18	157	25	63
Female	25	90	79	19	76	7	5	19	46	5	27	168	12	13	141	21	42
Lobar and unspecified pneumonia (108, 109):																	
Male	12	58	30	6	39	4	2	10	30	1	18	54	3	2	56	9	31
Female	9	37	21	9	25	3	1	9	22	1	12	31	------	3	40	2	22
Diseases of the stomach (117, 118):																	
Male	1	12	1	------	8	------	------	4	1	------	1	1	1	1	3	1	6
Female	1	4	------	1	2	2	------	2	------	------	1	1	------	-----	2	------	4
Diarrhea and enteritis (119):																	
Male	55	180	40	18	113	8	6	43	50	11	62	103	2	5	52	11	33
Female	44	174	36	16	80	3	2	31	34	4	38	81	4	8	48	9	28
Intestinal obstructions (122b):																	
Male	4	12	5	------	5	2	------	2	4	2	3	10	1	-----	23	3	4
Female	4	5	4	1	2	1	------	1	3	1	-----	4	1	-----	10	------	4
Congenital malformations (157):																	
Male	28	87	24	14	39	26	10	17	56	10	31	204	9	10	177	32	80
Female	15	70	26	5	33	12	9	15	42	2	30	150	8	8	147	22	64
Congenital debility, icterus, sclerema, (158, 161 b, c):																	
Male	10	77	28	7	32	6	6	24	11	3	15	30	3	2	28	10	33
Female	7	56	18	8	31	8	1	19	5	2	15	15	------	2	17	6	22
Premature birth (159):																	
Male	104	402	220	38	166	58	27	91	164	10	88	454	19	28	547	86	186
Female	70	323	176	34	124	54	15	71	130	8	71	356	15	15	363	47	132
Injury at birth (160):																	
Male	37	98	57	18	42	29	5	25	47	5	12	201	14	6	148	19	51
Female	19	47	42	5	36	20	8	6	33	6	10	107	8	6	101	13	36
Other diseases of early infancy (161 a, d):																	
Male	19	30	30	7	19	5	5	11	25	3	21	108	2	5	37	8	30
Female	9	25	22	3	5	11	3	10	18	1	12	57	2	2	39	9	17
External causes (172-198, 201-214):																	
Male	6	24	5	5	8	2	------	4	6	------	10	25	1	4	22	6	19
Female	4	22	9	3	17	2	1	2	7	1	14	23	3	2	17	4	21
Unknown or ill-defined diseases (199, 200):																	
Male	6	95	4	14	60	2	3	9	------	1	5	2	1	-----	5	1	7
Female	1	72	5	7	67	2	2	5	1	------	3	6	------	1	3	------	5
All other causes:																	
Male	26	85	51	13	70	12	4	13	35	4	15	126	6	8	164	15	46
Female	23	65	42	7	46	11	1	17	16	1	19	70	3	5	102	9	40

1/ Including 40 cities of 2,500 to 10,000 inhabitants.

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	MINNESOTA			MISSISSIPPI			MISSOURI			MONTANA			NEBRASKA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	749	311	993	388	175	2,042	1,349	363	1,550	144	82	376	338	173	449
Male	449	186	585	220	97	1,142	784	209	894	76	46	224	204	100	255
Female	300	125	408	168	78	900	565	154	656	68	36	152	134	73	184
Measles (7):															
Male	------	1	7	------	------	2	2	3	12	1	------	3	1	1	2
Female	3	------	3	------	------	2	3	2	6	------	------	5	1	3	4
Scarlet fever (8):															
Male	1	------	-----	------	------	-----	2	------	3	------	------	-----	------	------	1
Female	1	------	1	------	------	1	------	------	2	------	------	-----	------	------	2
Whooping-cough (9):															
Male	5	3	18	1	1	29	7	9	42	1	1	3	1	2	3
Female	4	2	22	2	1	35	9	8	30	2	------	7	------	1	1
Diphtheria (10):															
Male	------	------	-----	------	------	1	3	------	3	------	------	-----	2	------	1
Female	------	------	-----	2	------	2	------	------	4	------	------	-----	------	------	-----
Influenza (11):															
Male	4	4	22	4	3	60	18	5	31	3	2	8	4	3	8
Female	4	3	12	7	4	44	5	4	30	1	------	6	5	2	5
Dysentery (13):															
Male	------	1	3	3	------	6	4	2	5	------	------	-----	------	------	-----
Female	------	------	1	1	1	4	3	------	7	------	------	1	------	------	1
Erysipelas (15):															
Male	------	------	1	------	------	3	4	1	7	------	------	2	------	------	-----
Female	3	1	1	------	1	5	3	1	3	2	------	-----	------	------	1
Epidemic cerebrospinal meningitis (18):															
Male	1	------	-----	1	1	1	2	------	1	------	------	1	1	------	-----
Female	1	------	1	2	------	2	3	------	1	------	------	-----	1	------	1
Tetanus (22):															
Male	------	------	2	------	------	7	------	------	1	------	------	-----	------	------	-----
Female	------	------	2	------	------	2	1	------	3	------	------	-----	------	------	-----
Tuberculosis of the respiratory system (23):															
Male	3	------	2	1	1	-----	1	------	3	------	------	5	------	------	-----
Female	------	------	-----	1	------	1	5	------	2	------	------	-----	------	------	1
Tuberculosis of the meninges, etc. (24):															
Male	------	1	-----	------	------	1	2	1	1	------	------	4	2	------	1
Female	------	------	1	------	------	2	1	------	-----	------	------	1	1	------	1
Other forms of tuberculosis (25-32):															
Male	1	------	-----	------	------	1	2	------	-----	------	------	1	------	------	-----
Female	2	------	-----	------	------	-----	2	------	-----	------	------	-----	------	------	-----
Syphilis (34):															
Male	1	------	1	6	1	18	16	3	5	1	------	2	2	1	-----
Female	------	------	2	4	------	15	7	4	3	------	------	-----	4	1	2
Convulsions (86):															
Male	------	2	8	1	2	5	------	------	2	------	------	1	------	2	1
Female	------	1	4	------	1	4	1	1	1	------	------	1	------	------	1
Bronchitis (106):															
Male	1	1	2	2	------	4	2	------	4	1	------	-----	------	------	1
Female	------	------	4	------	------	4	1	------	1	------	------	2	------	1	-----
Bronchopneumonia (107):															
Male	44	12	52	12	7	90	94	23	100	6	8	30	15	10	31
Female	22	8	43	5	3	41	77	21	78	6	4	22	12	6	17
Lobar and unspecified pneumonia (108, 109):															
Male	10	3	22	6	5	45	31	6	42	3	------	10	8	4	8
Female	5	5	13	3	7	28	16	5	19	5	3	11	2	3	9
Diseases of the stomach (117, 118):															
Male	------	------	1	------	1	1	1	------	9	------	------	1	------	------	1
Female	------	1	1	------	------	4	1	------	3	------	------	1	------	1	1
Diarrhea and enteritis (119):															
Male	9	6	39	15	8	63	75	18	107	2	9	19	8	5	15
Female	8	5	32	14	6	60	56	18	83	2	------	7	3	6	11
Intestinal obstructions (122b):															
Male	7	4	2	2	2	7	11	5	3	------	------	1	1	1	3
Female	2	------	2	3	------	8	4	4	7	------	------	1	1	------	-----
Congenital malformations (157):															
Male	63	24	67	12	2	30	78	23	88	12	1	17	28	16	33
Female	42	18	40	4	3	32	61	17	64	12	8	12	12	8	17
Congenital debility, icterus, sclerema (158, 161 b, c):															
Male	7	6	31	------	5	40	14	10	30	3	1	11	6	5	11
Female	8	1	14	4	------	45	11	9	24	2	3	5	------	5	7
Premature birth (159):															
Male	163	70	166	58	19	188	253	44	218	25	15	46	68	29	81
Female	120	53	125	50	22	153	176	38	170	21	11	47	40	27	64
Injury at birth (160):															
Male	56	27	59	32	9	51	58	22	61	9	2	15	18	10	24
Female	40	14	22	17	4	30	46	5	24	6	2	9	27	6	12
Other diseases of early infancy (161 a, d):															
Male	17	7	15	3	3	33	22	7	19	2	1	6	6	3	10
Female	9	3	16	4	1	10	15	3	14	1	2	4	8	2	3
External causes (172-198, 201-214):															
Male	8	5	17	7	------	19	8	6	20	------	------	11	4	2	6
Female	9	1	9	1	1	21	7	4	13	1	------	4	7	1	9
Unknown or ill-defined diseases (199, 200):															
Male	3	1	13	33	21	386	2	3	24	1	1	14	2	1	3
Female	------	------	7	36	17	300	1	2	27	1	1	1	------	------	4
All other causes:															
Male	45	8	35	21	6	51	72	18	53	6	5	13	27	5	21
Female	17	9	30	8	6	45	50	8	37	6	2	5	10	------	10

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	NEVADA			NEW HAMPSHIRE			NEW JERSEY			NEW MEXICO			NEW YORK		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	14	35	52	232	43	144	2,028	217	275	217	230	1,258	7,288	459	1,105
Male	7	18	33	144	25	93	1,171	119	155	130	119	720	4,217	264	626
Female	7	17	19	88	18	51	857	98	120	87	111	538	3,071	193	479
Measles (7):															
Male	———	———	———	1	———	———	2	1	———	———	1	5	16	1	3
Female	———	———	———	———	———	———	4	———	———	1	———	3	11	———	2
Scarlet fever (8):															
Male	———	———	———	———	———	———	———	———	———	———	———	———	1	———	———
Female	———	———	———	———	———	———	1	———	1	———	———	———	1	———	———
Whooping-cough (9):															
Male	———	1	1	———	2	2	19	5	4	5	4	21	82	3	19
Female	———	———	———	4	———	2	21	3	5	6	8	21	76	8	26
Diphtheria (10):															
Male	———	———	———	———	———	———	1	———	———	———	———	———	3	———	———
Female	———	———	———	———	———	———	———	———	———	———	———	1	1	———	———
Influenza (11):															
Male	———	1	1	———	———	4	14	2	4	4	5	17	31	5	18
Female	1	———	———	3	1	2	4	2	———	3	1	11	23	2	13
Dysentery (13):															
Male	———	———	———	———	———	———	———	———	———	2	4	3	3	———	———
Female	———	———	———	———	———	———	———	———	1	3	———	2	3	———	———
Erysipelas (15):															
Male	———	———	1	1	———	———	9	———	———	———	———	1	36	1	3
Female	———	———	———	———	———	———	4	———	———	———	———	———	43	———	2
Epidemic cerebrospinal meningitis (18):															
Male	———	———	———	2	———	———	2	———	———	———	———	———	17	1	1
Female	———	———	———	———	———	———	1	———	———	———	———	———	6	———	1
Tetanus (22):															
Male	———	———	———	———	———	———	———	———	———	———	———	———	———	———	———
Female	———	———	———	———	———	———	———	———	———	———	———	———	———	———	———
Tuberculosis of the respiratory system (23):															
Male	———	———	1	———	———	———	6	———	———	———	1	2	12	———	———
Female	———	———	———	———	———	———	2	———	———	2	———	———	10	———	———
Tuberculosis of the meninges, etc. (24):															
Male	———	———	———	———	———	———	2	———	———	———	———	———	3	1	———
Female	———	———	———	———	———	———	1	———	———	———	———	———	4	1	1
Other forms of tuberculosis (25-32):															
Male	———	———	———	———	———	———	3	———	———	———	———	———	6	1	1
Female	———	———	———	———	———	———	3	———	———	———	———	———	5	———	———
Syphilis (34):															
Male	———	———	1	———	———	———	13	———	1	2	4	10	38	5	5
Female	———	———	1	———	———	———	9	———	2	3	2	8	29	1	3
Convulsions (86):															
Male	———	———	———	———	1	———	7	2	1	———	———	1	6	———	2
Female	———	———	———	———	———	1	3	1	2	———	———	1	5	———	1
Bronchitis (106):															
Male	———	———	1	———	———	———	4	1	———	1	———	2	13	1	7
Female	———	———	———	2	———	———	4	———	———	1	2	2	11	2	5
Bronchopneumonia (107):															
Male	———	———	4	17	1	15	128	15	23	20	8	42	561	18	72
Female	1	2	1	4	———	6	93	13	26	11	10	27	405	23	60
Lobar and unspecified pneumonia (108, 109):															
Male	———	———	1	7	———	2	56	6	9	4	5	22	124	12	23
Female	———	1	1	3	———	2	54	4	6	2	2	16	114	6	13
Diseases of the stomach (117, 118):															
Male	———	———	———	———	———	———	2	———	2	———	1	3	7	1	1
Female	———	———	———	———	———	———	2	———	1	———	2	4	2	1	1
Diarrhea and enteritis (119):															
Male	———	2	1	4	1	3	60	6	12	24	23	98	380	7	39
Female	———	———	1	2	2	1	38	4	5	19	29	75	251	9	19
Intestinal obstruction (122b):															
Male	———	———	———	2	———	———	12	———	1	———	2	2	37	3	4
Female	———	1	1	2	———	———	4	———	1	1	———	1	17	2	———
Congenital malformations (157):															
Male	———	1	6	14	1	10	127	9	13	3	4	12	437	29	91
Female	1	3	———	8	4	3	93	14	11	5	2	11	402	18	73
Congenital debility, icterus, sclerema (158,161 b, c):															
Male	———	2	2	7	2	4	31	5	6	4	8	13	72	9	28
Female	———	1	3	2	———	———	27	4	4	2	6	14	46	7	16
Premature birth (159):															
Male	4	9	11	52	8	25	368	36	42	23	21	57	1,225	91	156
Female	2	6	6	40	6	17	266	33	27	10	23	50	908	69	139
Injury at birth (160):															
Male	———	1	———	16	5	12	133	13	12	5	9	7	535	32	75
Female	1	3	———	11	1	9	95	5	10	5	2	9	325	18	42
Other diseases of early infancy (161 a, d):															
Male	1	———	———	12	3	3	70	5	10	5	2	18	173	15	14
Female	———	———	———	4	———	2	44	8	3	2	1	4	137	9	12
External causes (172-198, 201-214):															
Male	1	———	———	4	1	4	15	2	6	1	———	9	59	6	21
Female	———	———	———	1	———	4	14	———	1	———	1	4	35	4	10
Unknown or ill-defined diseases (199, 200):															
Male	———	———	1	———	———	2	7	2	2	22	13	358	8	2	3
Female	———	———	2	———	———	———	5	1	———	10	16	262	6	———	2
All other causes:															
Male	1	1	1	5	———	7	80	9	7	5	4	17	332	21	40
Female	1	———	3	2	4	2	65	6	14	1	4	12	195	15	38

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	NORTH CAROLINA			NORTH DAKOTA			OHIO			OKLAHOMA			OREGON			PENNSYLVANIA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	1,274	448	3,700	123	104	584	3,252	464	1,377	728	469	1,187	228	126	189	4,526	1,107	2,561
Male	751	254	2,096	71	57	313	1,818	258	770	419	253	651	137	68	106	2,648	617	1,466
Female	523	194	1,604	52	47	271	1,434	206	607	309	216	536	91	58	83	1,878	490	1,095
Measles (7):																		
Male	2	1	12	------	------	2	7	4	6	------	1	2	------	------	-----	6	5	13
Female	------	------	5	------	------	7	5	1	6	2	1	2	1	2	-----	12	2	10
Scarlet fever (8):																		
Male	------	------	-----	------	------	-----	3	1	2	------	------	-----	------	------	-----	1	------	2
Female	------	------	1	------	------	-----	1	------	2	------	1	1	------	------	-----	------	------	2
Whooping-cough (9):																		
Male	7	6	74	2	------	13	21	6	16	7	8	26	------	2	3	26	7	32
Female	21	5	69	------	------	19	21	8	29	13	6	33	2	1	3	23	11	26
Diphtheria (10):																		
Male	------	1	9	------	1	1	3	------	3	1	2	8	------	------	-----	2	------	-----
Female	3	------	12	------	------	-----	1	1	1	2	2	5	------	------	-----	1	1	-----
Influenza (11):																		
Male	22	2	51	1	2	15	31	13	42	15	13	27	2	------	7	46	18	60
Female	12	1	51	------	1	10	31	5	28	8	13	26	------	1	1	35	17	46
Dysentery (13):																		
Male	14	------	17	------	1	-----	3	1	1	6	4	13	------	------	-----	1	------	1
Female	6	3	12	------	------	-----	1	------	-----	9	3	11	------	------	-----	------	1	1
Erysipelas (15):																		
Male	1	------	8	1	1	3	5	1	3	2	3	4	1	------	1	13	4	6
Female	------	------	9	1	1	-----	7	------	3	3	1	2	------	------	-----	6	3	10
Epidemic cerebrospinal meningitis (18):																		
Male	2	------	-----	------	1	1	7	1	-----	2	1	1	------	------	-----	12	3	2
Female	1	------	-----	------	------	-----	10	------	1	------	1	-----	1	------	-----	8	1	-----
Tetanus (22):																		
Male	------	------	-----	------	------	-----	------	------	-----	------	------	-----	------	------	-----	2	------	1
Female	------	------	1	------	------	-----	------	------	-----	------	------	-----	------	------	-----	------	------	-----
Tuberculosis of the respiratory system (23):																		
Male	1	------	2	1	------	1	8	------	1	------	------	-----	------	1	-----	14	2	1
Female	------	------	5	------	------	-----	5	------	1	2	1	2	------	1	-----	10	1	2
Tuberculosis of the meninges, etc. (24):																		
Male	------	------	1	------	------	2	8	------	1	------	2	1	------	------	-----	7	3	2
Female	1	------	2	------	------	-----	6	1	-----	2	------	-----	------	------	-----	13	------	2
Other forms of tuberculosis (23-32):																		
Male	2	------	-----	------	------	1	2	------	-----	1	1	2	1	------	-----	2	------	-----
Female	------	------	-----	------	------	2	3	1	1	1	------	1	1	------	-----	2	------	1
Syphilis (34):																		
Male	16	6	17	------	------	3	15	2	3	6	2	6	1	------	-----	36	5	7
Female	8	3	14	------	------	3	18	------	4	6	1	3	1	1	-----	22	1	10
Convulsions (86):																		
Male	3	1	20	------	2	7	7	------	4	2	------	9	------	------	-----	10	2	16
Female	1	1	11	------	------	7	2	------	4	1	2	2	1	------	1	6	3	6
Bronchitis (106):																		
Male	3	1	11	1	------	1	9	------	1	1	1	1	1	1	-----	16	5	13
Female	3	2	3	------	------	2	5	------	2	------	------	1	------	------	1	11	4	15
Bronchopneumonia (107):																		
Male	61	30	140	12	4	32	203	33	82	49	27	55	13	3	16	351	67	186
Female	43	19	99	12	7	43	170	13	70	24	26	58	7	3	11	242	67	128
Lobar and unspecified pneumonia (108,109):																		
Male	18	12	116	2	2	20	50	2	42	18	19	35	3	2	4	149	22	66
Female	16	8	66	------	6	14	19	3	17	8	8	15	------	1	5	105	16	61
Diseases of the stomach (117, 118):																		
Male	1	------	14	------	------	1	1	1	6	2	3	12	------	------	-----	4	------	8
Female	1	------	7	------	------	-----	3	------	7	2	2	5	1	------	2	5	3	6
Diarrhea and enteritis (119):																		
Male	102	35	246	2	3	33	133	15	42	69	22	51	4	3	2	149	30	99
Female	69	27	199	1	5	21	84	17	48	44	15	42	3	2	2	120	24	79
Intestinal obstruction (122b):																		
Male	7	2	10	------	1	4	18	2	9	6	2	3	3	------	2	25	4	6
Female	7	1	1	1	1	1	13	------	8	2	2	3	2	1	2	15	4	5
Congenital malformations (157):																		
Male	55	10	99	5	5	21	179	29	85	22	6	44	16	8	16	268	64	201
Female	30	15	76	6	------	27	157	32	75	22	13	35	8	11	10	246	52	155
Congenital debility, icterus, sclerma (158, 161 b, c):																		
Male	28	12	136	2	1	20	47	12	43	20	9	38	5	3	1	56	8	49
Female	25	9	94	------	1	11	23	11	32	10	9	29	3	4	4	27	9	39
Premature birth (159):																		
Male	212	64	575	25	17	71	604	81	206	97	73	165	49	28	29	785	206	404
Female	149	47	472	14	14	57	505	75	164	84	65	131	34	18	23	535	159	296
Injury at birth (160):																		
Male	71	28	98	8	9	29	194	30	67	25	19	32	10	8	7	301	74	115
Female	52	16	66	10	1	20	127	4	40	15	12	27	13	2	6	175	53	63
Other diseases of early infancy (161 a, d):																		
Male	24	8	31	2	2	3	72	8	24	12	4	16	8	2	6	112	28	48
Female	9	6	21	2	4	7	76	5	16	7	6	16	4	4	-----	84	20	38
External causes (172-198, 201-214):																		
Male	16	5	38	2	------	4	37	5	20	4	6	14	5	2	4	32	7	17
Female	14	6	37	------	1	-----	29	13	10	6	6	8	2	------	5	18	6	28
Unknown or ill-defined diseases (199, 200):																		
Male	38	13	249	1	------	8	16	1	11	7	8	43	3	------	2	14	3	14
Female	23	13	178	------	1	10	11	2	7	8	9	41	------	1	2	9	------	5
All other causes:																		
Male	46	17	122	4	5	17	135	10	50	45	17	37	12	5	6	208	50	95
Female	29	12	85	5	4	10	101	14	31	28	11	37	7	5	5	148	32	61

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA			TENNESSEE			TEXAS			UTAH		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	441	10	31	565	224	2,430	134	77	463	1,104	299	2,011	3,054	1,143	4,033	244	120	262
Male	252	8	21	324	134	1,393	78	41	274	643	173	1,140	1,720	673	2,263	133	73	149
Female	189	2	10	241	90	1,037	56	36	189	461	126	871	1,334	470	1,770	111	47	113
Measles (7):																		
Male	------	------	-----	------	------	4	------	------	2	------	------	6	4	2	16	------	------	3
Female	1	------	-----	------	------	4	------	------	1	------	1	2	4	1	14	------	------	-----
Scarlet fever (8):																		
Male	------	------	-----	------	------	-----	------	------	1	------	------	2	1	------	6	------	1	1
Female	------	------	-----	------	------	-----	------	------	-----	1	------	2	1	------	1	------	------	-----
Whooping-cough (9):																		
Male	1	------	-----	7	3	55	2	2	6	12	6	39	11	14	39	5	3	3
Female	2	------	-----	9	2	36	4	2	3	14	3	60	14	15	49	5	2	8
Diphtheria (10):																		
Male	------	------	-----	1	------	6	------	------	-----	1	1	3	3	3	11	------	------	-----
Female	------	------	-----	1	------	2	------	------	-----	1	1	5	7	1	13	------	------	-----
Influenza (11):																		
Male	4	1	2	17	9	72	1	1	13	12	6	43	53	22	99	4	------	4
Female	1	------	-----	10	4	50	2	------	3	11	4	35	27	14	67	2	2	1
Dysentery (13):																		
Male	------	------	-----	2	4	12	------	------	1	16	2	13	19	24	61	1	------	-----
Female	------	------	-----	------	------	13	------	------	1	12	------	8	15	25	42	4	------	-----
Erysipelas (15):																		
Male	5	------	-----	4	------	1	------	------	-----	1	1	4	3	3	10	1	1	1
Female	------	------	-----	2	------	2	------	------	1	3	------	4	7	2	9	------	------	6
Epidemic cerebrospinal meningitis (18):																		
Male	------	------	-----	------	------	-----	------	------	-----	6	------	2	3	1	1	1	------	-----
Female	------	------	-----	------	------	-----	------	------	-----	9	1	1	3	------	1	------	------	-----
Tetanus (22):																		
Male	------	------	-----	2	2	2	------	------	-----	------	1	2	7	6	26	------	------	-----
Female	------	------	-----	1	------	-----	------	------	-----	------	------	2	4	6	11	------	------	-----
Tuberculosis of the respiratory system (23):																		
Male	1	------	-----	------	1	1	------	------	4	4	1	5	4	1	5	------	------	-----
Female	------	------	-----	------	------	2	------	------	4	2	------	4	5	2	2	------	------	-----
Tuberculosis of the meninges, etc. (24):																		
Male	1	------	-----	------	------	1	------	------	2	3	------	3	6	------	-----	------	------	-----
Female	2	------	-----	------	------	-----	1	1	1	1	1	2	6	1	2	------	------	-----
Other forms of tuberculosis (25-32):																		
Male	1	------	-----	------	------	-----	------	------	2	------	------	-----	5	1	2	------	------	-----
Female	------	------	-----	------	------	1	------	------	-----	------	------	-----	1	------	1	------	------	-----
Syphilis (34):																		
Male	------	------	-----	19	3	26	------	------	1	23	2	3	42	8	20	1	------	1
Female	2	------	-----	15	6	14	1	------	-----	10	1	6	42	7	17	3	------	-----
Convulsions (86):																		
Male	1	------	-----	------	1	7	------	------	5	1	------	7	5	5	24	------	1	-----
Female	------	------	-----	1	------	6	1	1	3	------	------	1	3	1	8	------	------	-----
Bronchitis (106):																		
Male	3	------	-----	2	------	2	------	------	2	1	------	2	7	1	12	------	------	1
Female	1	------	-----	------	------	2	1	------	2	------	------	2	7	1	5	------	------	1
Bronchopneumonia (107):																		
Male	22	2	1	36	12	75	6	1	37	71	10	76	156	56	155	6	7	19
Female	20	1	2	23	9	66	6	2	22	43	11	60	132	40	135	10	3	12
Lobar and unspecified pneumonia (108, 109):																		
Male	7	------	4	11	5	90	4	2	17	19	7	47	84	22	96	5	1	6
Female	4	------	-----	10	1	85	1	1	10	15	6	24	54	25	94	1	2	6
Diseases of the stomach (117, 118):																		
Male	------	------	-----	1	1	15	1	------	-----	3	2	7	10	9	35	1	------	-----
Female	1	------	-----	1	------	5	------	------	-----	1	1	5	10	4	25	------	------	-----
Diarrhea and enteritis (119):																		
Male	21	------	1	40	16	114	4	3	33	83	18	122	328	114	341	3	4	2
Female	12	------	-----	32	12	92	1	1	16	52	14	99	281	86	285	5	2	6
Intestinal obstruction (122b):																		
Male	3	------	-----	5	1	3	2	2	1	9	------	2	15	7	12	------	2	-----
Female	------	------	-----	2	------	5	------	1	2	4	------	1	12	7	10	2	------	1
Congenital malformations (157):																		
Male	35	------	1	12	1	41	9	2	29	33	7	57	98	36	102	14	6	15
Female	32	------	4	10	3	24	6	2	19	38	6	38	85	21	79	9	6	9
Congenital debility, icterus, sclerema (158, 161 b, c):																		
Male	5	1	1	22	6	37	1	1	10	15	11	61	61	46	159	2	2	3
Female	3	------	-----	26	3	31	3	1	3	12	7	41	42	30	98	2	1	7
Premature birth (159):																		
Male	82	2	5	84	29	220	29	13	55	171	53	204	452	156	482	59	27	62
Female	49	1	1	58	25	170	17	14	44	126	37	176	346	99	382	33	16	25
Injury at birth (160):																		
Male	34	1	5	15	12	28	10	8	15	58	11	55	142	54	139	13	6	11
Female	29	------	3	13	5	16	2	7	15	30	7	41	78	22	80	13	6	6
Other diseases of early infancy (161 a, d):																		
Male	7	1	1	12	6	26	1	1	12	18	1	14	50	15	50	5	2	3
Female	18	------	-----	3	3	13	5	1	4	12	1	12	40	11	42	6	------	11
External causes (172-198, 201-214):																		
Male	1	------	-----	5	1	17	1	------	2	9	1	17	23	15	60	3	------	1
Female	3	------	-----	2	1	13	1	------	4	7	------	12	18	6	52	3	2	2
Unknown or ill-defined diseases (199, 200):																		
Male	1	------	-----	10	13	440	1	------	14	39	22	270	27	13	142	1	3	8
Female	2	------	-----	5	8	314	------	------	22	22	15	185	21	11	116	2	5	5
All other causes:																		
Male	17	------	-----	17	8	98	6	5	10	35	10	74	101	39	158	8	7	5
Female	7	------	-----	17	8	71	4	2	9	35	9	43	69	32	130	11	------	7

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH AND SEX	VERMONT		VIRGINIA			WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING		
	Cities of 10,000 or more	Rural 1/	Cities of 10,000 or more	Cities or 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes	71	249	904	279	2,400	615	117	280	512	290	1,731	1,075	345	999	45	44	134
Male	36	153	490	155	1,377	361	61	156	297	165	1,035	644	197	574	24	21	62
Female	35	96	414	124	1,023	254	56	124	215	125	696	431	148	425	21	23	72
Measles (7):																	
Male	------	1	1	1	15	1	------	1	3	2	15	2	2	3	1	------	1
Female	------	1	2	------	15	------	------	-----	2	1	3	1	------	-----	1	------	4
Scarlet fever (8):																	
Male	------	------	------	------	1	------	------	-----	------	------	3	1	1	1	1	1	-----
Female	------	1	------	------	-----	------	------	-----	------	1	1	------	------	-----	------	------	-----
Whooping-cough (9):																	
Male	------	4	10	3	56	3	1	7	4	1	32	7	2	8	1	1	2
Female	------	3	6	3	55	1	------	5	3	3	29	9	4	7	------	------	4
Diphtheria (10):																	
Male	------	------	------	------	4	------	------	-----	1	2	5	------	------	-----	------	------	-----
Female	------	------	------	------	8	------	1	-----	------	1	9	------	------	-----	------	------	-----
Influenza (11):																	
Male	------	2	12	3	49	5	2	4	3	2	39	6	8	11	------	------	3
Female	------	3	11	4	39	3	1	2	4	1	20	5	6	12	2	2	3
Dysentery (13):																	
Male	------	------	3	------	14	1	------	3	4	5	6	1	------	1	------	------	-----
Female	------	------	4	1	13	4	1	4	1	3	6	1	------	-----	------	------	3
Erysipelas (15):																	
Male	1	1	2	1	1	------	------	1	2	1	5	------	------	3	1	1	1
Female	1	1	1	1	1	1	------	1	2	------	2	1	------	2	------	1	2
Epidemic cerebrospinal meningitis (18):																	
Male	2	1	------	------	4	1	------	-----	1	------	3	5	------	-----	------	------	-----
Female	------	------	1	------	1	------	------	-----	1	1	-----	1	------	1	------	------	-----
Tetanus (22):																	
Male	------	------	1	------	3	------	------	-----	------	------	-----	1	------	-----	------	------	-----
Female	------	------	------	------	1	------	------	-----	------	------	-----	------	------	-----	------	------	-----
Tuberculosis of the respiratory system (23):																	
Male	------	------	1	------	7	------	------	-----	1	1	-----	1	------	1	------	------	2
Female	------	------	2	------	3	1	1	-----	1	------	-----	2	------	-----	------	------	-----
Tuberculosis of the meninges, etc. (24):																	
Male	------	2	1	------	6	2	1	1	3	------	3	1	------	-----	------	------	-----
Female	------	------	------	1	5	------	------	-----	------	------	2	1	------	-----	------	------	-----
Other forms of tuberculosis (25-32):																	
Male	------	------	1	------	-----	1	------	1	------	1	-----	1	------	-----	------	------	-----
Female	------	1	------	------	2	------	------	-----	------	------	1	------	------	1	------	------	-----
Syphilis (34):																	
Male	------	2	11	3	18	3	------	-----	8	1	14	3	1	3	------	------	-----
Female	------	1	16	1	11	------	------	1	1	1	14	2	------	1	1	------	1
Convulsions (86):																	
Male	------	1	1	------	18	------	------	1	2	1	7	1	2	10	------	------	-----
Female	------	------	2	1	11	2	------	2	------	------	5	2	1	7	------	------	-----
Bronchitis (106):																	
Male	1	3	1	1	5	2	1	2	------	------	2	6	1	3	------	------	-----
Female	1	1	------	1	11	2	------	1	------	1	1	2	------	6	------	1	-----
Bronchopneumonia (107):																	
Male	1	17	50	15	102	22	1	18	23	11	82	58	20	71	1	4	6
Female	2	9	50	11	67	18	1	14	12	18	48	40	12	53	4	2	10
Lobar and unspecified pneumonia (108, 109):																	
Male	------	3	18	1	60	4	1	7	11	6	41	20	------	14	------	2	5
Female	------	------	7	3	52	7	3	2	8	5	24	10	4	15	------	------	3
Diseases of the stomach (117, 118):																	
Male	------	1	2	3	6	1	------	1	3	2	6	1	------	2	------	------	2
Female	------	1	------	1	5	1	------	1	------	------	5	1	------	1	------	------	-----
Diarrhea and enteritis (119):																	
Male	4	2	48	11	90	19	------	7	34	23	90	23	7	36	1	1	-----
Female	------	5	36	11	70	16	5	10	29	18	60	14	4	28	------	1	3
Intestinal obstruction (122b):																	
Male	------	1	7	3	7	3	------	1	1	5	3	4	4	6	------	------	-----
Female	1	------	2	------	3	2	------	-----	3	1	7	------	------	1	------	------	1
Congenital malformations (157):																	
Male	4	21	32	7	74	58	10	8	28	10	82	93	20	73	1	2	4
Female	9	13	33	8	48	31	11	12	23	11	63	80	25	64	2	3	4
Congenital debility, icterus, sclerema (158, 161 b, c):																	
Male	1	6	21	9	131	12	3	11	8	10	57	14	5	17	------	------	4
Female	1	2	12	7	103	7	------	4	8	6	39	8	1	9	1	1	6
Premature birth (159):																	
Male	17	51	151	50	369	113	24	36	102	41	278	206	75	164	12	6	22
Female	12	35	139	44	263	88	21	24	70	24	194	154	60	117	8	9	17
Injury at birth (160):																	
Male	------	14	53	19	68	50	8	17	24	15	61	92	20	57	1	------	3
Female	3	6	32	12	35	26	3	11	28	4	29	46	19	41	1	------	5
Other diseases of early infancy (161 a, d):																	
Male	------	8	14	1	34	24	2	4	8	4	20	48	8	25	------	1	4
Female	2	4	17	1	12	11	2	3	5	6	13	16	5	25	1	1	-----
External causes (172-198, 201-214):																	
Male	1	2	10	3	25	6	3	8	------	1	20	8	1	14	------	1	1
Female	2	2	12	3	19	12	1	9	------	1	15	6	1	8	------	------	2
Unknown or ill-defined diseases (199, 200):																	
Male	------	2	13	10	130	1	1	10	6	4	112	3	1	11	1	1	-----
Female	------	1	9	6	106	------	------	4	------	7	73	2	------	3	------	------	1
All other causes:																	
Male	4	8	26	11	80	29	3	7	17	16	49	38	19	40	3	------	2
Female	1	6	20	4	64	21	5	14	14	11	33	27	6	23	------	2	3

1/ Including 11 cities of 2,500 to 10,000 inhabitants.

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935

(Exclusive of stillbirths)

AGE AND SEX	UNITED STATES				ALABAMA			ARIZONA			ARKANSAS			CALIFORNIA			COLORADO		
	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000 [1]	Rural [2]	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	120,138	53,839	12,145	54,154	888	249	2,773	276	207	538	260	162	1,259	2,277	561	1,140	538	230	602
Male	68,805	31,035	6,939	30,831	505	130	1,554	151	115	301	155	87	700	1,334	342	675	303	136	361
Female	51,333	22,804	5,206	23,323	383	119	1,219	125	92	237	105	75	559	943	219	465	235	94	241
Under 1 day	32,237	16,066	3,448	12,723	270	64	715	46	32	72	65	44	264	761	177	277	152	71	136
Male	18,779	9,345	1,979	7,455	155	28	418	29	23	38	35	27	147	447	105	160	82	41	83
Female	13,458	6,721	1,469	5,268	115	36	297	17	9	34	30	17	117	314	72	117	70	30	53
1 day	7,945	4,008	830	3,107	47	11	153	13	14	15	18	9	80	191	31	53	38	8	28
Male	4,654	2,374	480	1,800	28	8	87	5	10	10	11	5	38	123	22	40	27	6	21
Female	3,291	1,634	350	1,307	19	3	66	8	4	5	7	4	42	68	9	13	11	2	7
2 days	5,250	2,420	562	2,268	41	14	125	9	6	7	16	9	41	94	34	50	18	7	17
Male	3,172	1,439	349	1,384	26	7	72	5	5	3	11	7	24	52	21	34	10	4	12
Female	2,078	981	213	884	15	7	53	4	1	4	5	2	17	42	13	16	8	3	5
3 to 6 days	9,445	4,028	967	4,450	63	25	240	9	10	34	18	15	107	152	42	63	38	19	48
Male	5,599	2,355	575	2,669	34	11	141	7	9	18	11	9	65	85	28	35	22	12	28
Female	3,846	1,673	392	1,781	29	14	99	2	1	16	7	6	42	67	14	28	16	7	20
1 week	6,759	2,734	637	3,388	42	9	196	12	11	23	18	7	89	96	27	51	27	12	40
Male	3,748	1,539	350	1,859	25	5	87	8	2	10	9	6	57	50	15	28	13	6	24
Female	3,011	1,195	287	1,529	17	4	109	4	9	13	9	1	32	46	12	23	14	6	16
2 weeks	4,396	1,873	379	2,144	26	9	128	10	10	24	15	5	47	53	13	31	23	4	19
Male	2,428	1,043	210	1,175	14	5	69	5	5	14	12	1	28	29	8	23	13	2	9
Female	1,968	830	169	969	12	4	59	5	5	10	3	4	19	24	5	8	10	2	10
3 weeks but under 1 month	3,802	1,616	343	1,843	30	10	82	13	4	12	6	2	43	58	9	28	14	7	20
Male	2,172	935	201	1,036	16	6	44	5	1	8	4	1	25	33	8	16	8	2	12
Female	1,630	681	142	807	14	4	38	8	3	4	2	1	18	25	1	12	6	5	8
Under 1 month	69,834	32,745	7,166	29,923	519	142	1,639	112	87	187	156	91	671	1,405	333	553	310	128	308
Male	40,552	19,030	4,144	17,378	298	70	918	64	55	101	93	56	384	819	207	336	175	73	189
Female	29,282	13,715	3,022	12,545	221	72	721	48	32	86	63	35	287	586	126	217	135	55	119
1 month	9,477	3,844	938	4,695	49	21	194	18	15	57	19	12	106	150	37	90	41	17	48
Male	5,454	2,268	541	2,645	32	13	107	9	7	31	11	6	53	89	20	47	20	10	30
Female	4,023	1,576	397	2,050	17	8	87	9	8	26	8	6	53	61	17	43	21	7	18
2 months	7,571	3,096	759	3,716	56	8	160	22	15	38	15	8	79	127	30	82	38	22	42
Male	4,259	1,727	434	2,098	27	5	100	12	5	23	8	3	44	75	18	52	18	16	24
Female	3,312	1,369	325	1,618	29	3	60	10	10	15	7	5	35	52	12	30	20	6	18
3 months	6,147	2,542	586	3,019	37	14	145	19	21	40	8	6	80	117	35	85	31	16	40
Male	3,473	1,472	330	1,671	22	7	71	8	11	24	6	2	51	71	22	50	21	8	27
Female	2,674	1,070	256	1,348	15	7	74	11	10	16	2	4	29	46	13	35	10	8	13
4 months	4,954	2,059	489	2,406	37	11	107	21	12	27	4	8	59	92	27	50	17	11	43
Male	2,784	1,185	271	1,328	22	8	64	13	7	17	3	3	32	57	17	31	7	8	23
Female	2,170	874	218	1,078	15	3	43	8	5	10	1	5	27	35	10	19	10	3	20
5 months	4,269	1,780	463	2,026	34	17	108	23	9	26	10	6	40	73	23	68	19	10	23
Male	2,354	980	242	1,132	22	9	55	12	5	13	5	1	20	45	12	30	14	5	14
Female	1,915	800	221	894	12	8	53	11	4	13	5	5	20	28	11	38	5	5	9
6 months	3,870	1,604	390	1,876	28	5	101	9	11	29	1	9	50	66	20	48	29	3	24
Male	2,175	935	217	1,023	12	3	62	6	6	18	5	4	30	38	9	27	18	3	12
Female	1,695	669	173	853	16	2	39	3	5	11	6	5	20	28	11	21	11	------	12
7 months	3,356	1,484	327	1,545	35	7	66	15	8	27	8	5	36	74	13	42	10	4	20
Male	1,877	824	191	862	14	4	35	8	4	15	4	3	17	42	7	25	6	2	9
Female	1,479	660	136	683	21	3	31	7	4	12	4	2	19	32	6	16	4	2	11
8 months	3,099	1,397	293	1,409	27	6	80	14	10	29	8	4	43	47	11	35	11	5	11
Male	1,705	798	142	765	15	1	47	6	5	11	5	1	19	28	9	16	4	3	9
Female	1,394	599	151	644	12	5	33	8	5	18	3	3	24	19	2	19	7	2	2
9 months	2,828	1,256	269	1,303	26	7	58	9	11	23	9	3	38	54	11	26	10	5	15
Male	1,630	728	160	742	15	4	34	6	6	17	7	3	17	32	8	13	7	3	6
Female	1,198	528	109	561	11	3	24	3	5	6	2	------	21	22	3	7	3	2	9
10 months	2,324	991	242	1,091	21	2	58	9	7	30	6	5	27	35	14	34	7	5	11
Male	1,260	532	131	597	14	1	35	5	4	17	3	4	18	21	7	23	3	2	8
Female	1,064	459	111	494	7	1	23	4	3	13	3	1	9	14	7	11	4	3	3
11 months	2,409	1,041	223	1,145	19	9	57	5	1	25	6	5	30	37	7	27	15	4	17
Male	1,282	556	136	590	12	5	26	2	------	14	5	1	15	17	6	18	10	3	10
Female	1,127	485	87	555	7	4	31	3	1	11	1	4	15	20	1	9	5	1	7

1/ Excluding 100 cities in 3 States (Georgia, Kentucky, and Vermont).

2/ Including 100 cities of 2,500 to 10,000 inhabitants in 3 States (Georgia, Kentucky, and Vermont).

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

AGE AND SEX	CONNECTICUT			DELAWARE			DISTRICT OF COLUMBIA	FLORIDA			GEORGIA		IDAHO			ILLINOIS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural		Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural[1]	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	776	37	138	133	38	97	642	648	245	843	1,100	3,220	60	207	216	3,391	531	1,216
Male	438	21	89	73	28	50	359	354	133	499	608	1,815	31	122	112	1,970	287	701
Female	338	16	49	60	10	47	283	294	112	344	492	1,405	29	85	104	1,421	244	515
Under 1 day	287	13	45	27	5	15	191	201	84	206	286	796	15	61	67	1,247	171	312
Male	159	8	32	20	3	12	106	106	42	119	156	462	6	36	39	721	96	183
Female	128	5	13	7	2	3	85	95	42	87	130	334	9	25	28	526	75	129
1 day	72	1	9	11	3	4	34	47	17	64	97	199	3	17	8	284	44	94
Male	38	1	7	5	3	1	22	25	11	31	53	115	3	11	4	168	20	53
Female	34	------	2	6	------	3	12	22	6	33	44	84	------	6	4	116	24	41
2 days	42	2	3	3	2	6	32	25	7	41	32	153	5	10	10	163	32	57
Male	30	------	3	2	1	3	16	15	3	28	20	87	4	6	7	101	21	36
Female	12	2	-----	1	1	3	16	10	4	13	12	66	1	4	3	62	11	21
3 to 6 days	65	------	17	10	------	6	37	48	15	75	78	291	6	26	20	261	41	95
Male	39	------	10	6	------	5	23	33	9	55	42	178	3	17	11	153	25	51
Female	26	------	7	4	------	1	14	15	6	20	36	113	3	9	9	108	16	44
1 week	36	2	11	7	3	2	49	32	9	57	62	185	4	8	11	159	23	87
Male	20	1	6	5	2	-----	27	16	4	31	30	99	3	7	8	90	11	54
Female	16	1	5	2	1	2	22	16	5	26	32	86	1	1	3	69	12	33
2 weeks	18	------	5	5	------	4	34	20	8	23	41	113	4	5	11	109	15	45
Male	10	------	3	4	------	1	19	13	4	11	22	67	2	3	4	64	10	22
Female	8	------	2	1	------	3	15	7	4	12	19	46	2	2	7	45	5	23
3 weeks but under 1 month	18	1	2	4	------	2	23	14	4	23	39	122	2	5	3	89	14	38
Male	10	1	-----	1	------	-----	14	5	2	14	21	63	2	3	1	57	8	18
Female	8	------	2	3	------	2	9	9	2	9	18	59	------	2	2	32	6	20
Under 1 month	538	19	92	67	13	39	400	387	144	489	635	1,859	39	132	130	2,312	340	728
Male	306	11	61	43	9	22	227	213	75	289	344	1,071	23	83	74	1,354	191	417
Female	232	8	31	24	4	17	173	174	69	200	291	788	16	49	56	958	149	311
1 month	34	7	6	9	4	11	40	40	18	72	83	266	4	25	12	215	39	99
Male	19	5	4	7	3	5	26	27	8	47	51	142	2	16	4	124	22	58
Female	15	2	2	2	1	6	14	13	10	25	32	124	2	9	8	91	17	41
2 months	35	3	8	9	4	10	31	40	15	59	66	212	1	5	13	145	29	76
Male	19	2	6	5	3	5	11	24	9	39	35	123	1	2	10	88	17	40
Female	16	1	2	4	1	5	20	16	6	20	31	89	------	3	3	57	12	36
3 months	29	------	9	13	2	12	29	30	9	36	59	183	3	6	13	129	17	62
Male	20	------	6	6	2	7	17	15	4	21	32	102	------	3	7	70	9	41
Female	9	------	3	7	------	5	12	15	5	15	27	81	3	3	6	59	8	21
4 months	29	2	3	4	2	7	27	29	6	44	47	135	1	11	7	97	21	49
Male	14	------	2	1	2	2	15	13	3	23	27	79	------	5	2	58	9	31
Female	15	2	1	3	------	5	12	16	3	21	20	56	1	6	5	39	12	18
5 months	14	1	5	7	2	4	30	34	14	29	37	115	3	4	10	86	19	41
Male	5	------	2	2	1	3	20	19	10	22	19	62	1	1	5	54	12	28
Female	9	1	3	5	1	1	10	15	4	7	18	53	2	3	5	32	7	13
6 months	17	2	3	3	2	4	17	25	5	29	37	90	3	7	5	89	18	31
Male	9	2	1	------	1	2	7	13	2	12	22	43	1	2	2	52	8	16
Female	8	------	2	3	1	2	10	12	3	17	15	47	2	5	3	37	10	15
7 months	20	1	3	4	5	3	16	19	6	27	36	79	------	3	2	74	16	32
Male	11	1	1	1	4	1	7	8	5	17	25	41	------	1	2	42	8	19
Female	9	------	2	3	1	2	9	11	1	10	11	38	------	2	-----	32	8	13
8 months	15	------	3	4	2	4	13	15	10	19	34	81	4	4	6	69	12	24
Male	9	------	1	2	1	1	7	8	7	10	20	41	2	2	1	29	6	12
Female	6	------	2	2	1	3	6	7	3	9	14	40	2	2	5	40	6	12
9 months	15	1	-----	7	2	-----	17	15	6	14	19	76	1	1	8	73	8	32
Male	8	------	-----	3	2	-----	10	8	2	8	11	43	------	1	2	44	4	15
Female	7	1	-----	4	------	-----	7	7	4	6	8	33	1	------	6	29	4	17
10 months	13	------	2	3	------	1	10	8	7	13	25	67	------	5	4	44	7	22
Male	8	------	2	1	------	1	5	3	5	7	9	34	------	3	-----	25	------	12
Female	5	------	-----	2	------	-----	5	5	2	6	16	33	------	2	4	19	7	10
11 months	17	1	4	3	------	2	12	6	5	12	22	57	1	4	6	58	5	20
Male	10	------	3	2	------	1	7	3	3	4	13	34	1	3	3	30	1	12
Female	7	1	1	1	------	1	5	3	2	8	9	23	------	1	3	28	4	8

1/ Including 49 cities of 2,500 to 10,000 inhabitants in 1930.

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

AGE AND SEX	INDIANA			IOWA			KANSAS			KENTUCKY		LOUISIANA			MAINE		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural[1]	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	1,455	265	970	793	319	825	534	263	742	667	2,721	1,152	308	1,473	310	139	541
Male	883	144	588	467	210	453	308	152	436	401	1,505	620	175	818	171	85	306
Female	572	121	382	326	109	372	226	111	306	266	1,216	532	133	655	139	54	235
Under 1 day	396	82	270	264	110	260	170	77	209	164	612	325	79	268	103	32	99
Male	238	53	171	150	67	142	95	49	127	103	364	174	52	157	53	23	49
Female	158	29	99	114	43	118	75	28	82	61	248	151	27	111	50	9	50
1 day	107	20	63	53	25	46	33	15	47	46	158	58	15	91	47	15	50
Male	66	9	41	33	16	31	21	11	28	29	82	32	7	52	28	7	31
Female	41	11	22	20	9	15	12	4	19	17	76	26	8	39	19	8	19
2 days	60	12	38	30	13	42	25	12	31	17	108	49	13	45	17	9	21
Male	38	6	19	21	11	25	16	6	21	14	68	27	9	21	9	4	17
Female	22	6	19	9	2	17	9	6	10	3	40	22	4	24	8	5	4
3 to 6 days	133	18	75	52	33	67	34	20	70	40	212	91	25	104	34	17	39
Male	84	7	44	30	25	37	20	11	48	26	125	52	12	61	14	9	24
Female	49	11	31	22	8	30	14	9	22	14	87	39	13	43	20	8	15
1 week	89	13	66	39	13	55	41	12	42	32	169	76	18	113	14	7	38
Male	52	7	30	23	9	32	23	8	25	22	87	48	12	54	10	7	18
Female	37	6	36	16	4	23	18	4	17	10	82	28	6	59	4	------	20
2 weeks	57	11	36	26	8	33	16	12	12	19	115	56	12	52	7	6	17
Male	37	3	21	16	2	22	7	4	9	10	56	31	5	26	3	3	14
Female	20	8	15	10	6	11	9	8	3	9	59	25	7	26	4	3	3
3 weeks but under 1 month	48	8	35	19	13	27	20	7	20	22	107	42	8	60	8	3	23
Male	29	5	25	9	10	15	13	4	11	13	57	24	3	30	4	1	11
Female	19	3	10	10	3	12	7	3	9	9	50	18	5	30	4	2	12
Under 1 month	890	164	583	483	215	530	339	155	431	340	1,481	697	170	733	230	89	287
Male	544	90	351	282	140	304	195	93	269	217	839	388	100	401	121	54	164
Female	346	74	232	201	75	226	144	62	162	123	642	309	70	332	109	35	123
1 month	110	17	76	61	19	61	28	22	59	69	247	74	29	157	14	11	54
Male	69	10	53	39	15	28	16	15	28	40	141	44	18	84	9	6	27
Female	41	7	23	22	4	33	12	7	31	29	106	30	11	73	5	5	27
2 months	96	15	72	52	11	53	31	18	55	36	177	52	24	119	18	10	53
Male	55	10	41	25	5	27	25	14	29	14	111	27	12	66	11	8	33
Female	41	5	31	27	6	26	6	4	26	22	66	25	12	53	7	2	20
3 months	55	14	47	40	13	36	24	7	32	43	123	53	15	86	11	7	33
Male	33	6	26	23	7	22	14	5	19	28	68	28	5	56	7	6	21
Female	22	8	21	17	6	14	10	2	13	15	55	25	10	30	4	1	12
4 months	53	11	37	25	7	32	26	12	28	31	110	56	16	81	9	5	25
Male	35	5	26	18	5	13	11	3	19	17	54	27	10	39	6	3	15
Female	18	6	11	7	2	19	15	9	9	14	56	29	6	42	3	2	10
5 months	36	6	29	31	16	23	17	9	25	18	94	38	13	59	5	3	17
Male	13	2	14	18	10	9	7	3	14	8	47	17	7	33	4	2	10
Female	23	4	15	13	6	14	10	6	11	10	47	21	6	26	1	1	7
6 months	48	7	28	30	9	19	13	7	29	25	87	34	11	63	5	3	13
Male	30	4	16	21	9	12	10	5	19	14	49	17	6	36	3	------	7
Female	18	3	12	9	------	7	3	2	10	11	38	17	5	27	2	3	6
7 months	32	6	22	16	6	13	11	10	17	28	87	23	13	39	6	1	11
Male	16	2	16	7	4	5	6	6	9	13	50	12	6	27	5	1	6
Female	16	4	6	9	2	8	5	4	8	15	37	11	7	12	1	------	5
8 months	38	7	26	17	6	15	10	4	16	19	81	46	7	33	4	3	10
Male	27	5	15	12	3	8	5	1	7	16	39	23	4	12	2	3	5
Female	11	2	11	5	3	7	5	3	9	3	42	23	3	21	2	------	5
9 months	33	10	18	16	6	17	16	7	16	26	81	32	4	45	3	4	12
Male	22	6	14	10	3	10	9	1	7	14	39	16	2	28	1	1	8
Female	11	4	4	6	3	7	7	6	9	12	42	16	2	17	2	3	4
10 months	33	3	13	16	5	11	9	4	14	13	80	19	3	24	2	1	14
Male	20	1	8	8	4	6	4	3	7	6	39	11	3	13	------	------	5
Female	13	2	5	8	1	5	5	1	7	7	41	8	------	11	2	1	9
11 months	31	5	19	6	6	15	10	8	20	19	73	28	3	34	3	2	12
Male	19	3	8	4	5	9	6	3	9	14	29	10	2	23	2	1	5
Female	12	2	11	2	1	6	4	5	11	5	44	18	1	11	1	1	7

1/ Including 40 cities of 2,500 to 10,000 inhabitants in 1930.

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

AGE AND SEX	MARYLAND			MASSACHUSETTS			MICHIGAN			MINNESOTA			MISSISSIPPI			MISSOURI		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	926	96	667	2,730	137	174	2,641	397	1,134	749	311	993	388	175	2,042	1,349	363	1,550
Male	528	60	384	1,598	77	103	1,530	244	645	449	186	585	220	97	1,142	784	209	894
Female	398	36	283	1,132	60	71	1,111	153	489	300	125	408	168	78	900	565	154	656
Under 1 day	268	24	132	819	36	41	784	116	317	307	101	299	97	47	434	373	74	342
Male	163	14	67	489	18	28	477	74	172	187	61	181	53	24	259	227	44	202
Female	105	10	65	330	18	13	307	42	145	120	40	118	44	23	175	146	30	140
1 day	68	4	41	184	11	10	248	35	71	43	25	65	43	13	147	79	26	81
Male	38	2	24	99	7	6	152	21	48	27	15	38	26	9	80	42	18	43
Female	30	2	17	85	4	4	96	14	23	16	10	27	17	4	67	37	8	38
2 days	39	6	23	143	7	5	128	28	64	39	24	44	23	2	92	52	15	60
Male	22	5	18	85	6	3	69	16	40	21	13	28	14	1	56	26	13	40
Female	17	1	5	58	1	2	59	12	24	18	11	16	9	1	36	26	2	20
3 to 6 days	43	13	45	233	18	6	202	36	110	55	41	95	32	10	177	111	29	140
Male	19	9	28	133	11	4	120	21	70	34	26	58	20	7	109	65	16	82
Female	24	4	17	100	7	2	82	15	40	21	15	37	12	3	68	46	13	58
1 week	53	2	33	143	7	7	130	18	54	29	12	52	17	15	143	75	18	120
Male	32	------	18	89	3	4	77	10	25	11	6	31	9	9	79	47	9	76
Female	21	2	15	54	4	3	53	8	29	18	6	21	8	6	64	28	9	44
2 weeks	33	2	18	90	4	3	76	4	38	21	10	44	11	8	76	81	12	62
Male	13	1	11	47	3	-----	46	4	20	13	7	24	8	4	38	36	5	34
Female	20	1	7	43	1	3	30	------	18	8	3	20	3	4	38	45	7	28
3 weeks but under 1 month	27	2	25	76	4	3	62	7	32	22	10	33	11	5	60	49	9	72
Male	15	2	15	40	4	-----	34	3	20	16	7	17	5	2	29	32	4	37
Female	12	------	10	36	------	3	28	4	12	6	3	16	6	3	31	17	5	35
Under 1 month	531	53	317	1,688	87	75	1,630	244	686	516	223	632	234	100	1,129	820	183	877
Male	302	33	181	982	52	45	975	149	395	309	135	377	135	56	650	475	109	514
Female	229	20	136	706	35	30	655	95	291	207	88	255	99	44	479	345	74	363
1 month	68	8	58	188	13	18	176	31	94	37	21	83	28	13	161	117	35	154
Male	35	7	34	114	9	10	85	19	56	22	11	47	18	8	86	73	19	90
Female	33	1	24	74	4	8	91	12	38	15	10	36	10	5	75	44	16	64
2 months	46	6	60	144	6	19	149	14	76	33	16	75	27	7	146	68	23	81
Male	32	2	40	82	3	13	87	8	40	13	12	47	10	5	71	40	13	43
Female	14	4	20	62	3	6	62	6	36	20	4	28	17	2	75	28	10	38
3 months	49	3	50	123	9	9	118	19	66	42	13	43	14	13	119	59	22	70
Male	29	3	24	81	4	6	65	14	39	28	7	25	9	7	53	29	12	39
Female	20	------	26	42	5	3	53	5	27	14	6	18	5	6	66	30	10	31
4 months	33	3	39	105	1	10	103	17	40	19	11	36	19	8	79	48	16	56
Male	21	1	20	67	------	7	55	9	20	12	5	22	14	5	45	27	7	37
Female	12	2	19	38	1	3	48	8	20	7	6	14	5	3	34	21	9	19
5 months	24	5	29	93	11	8	80	14	32	20	5	25	15	6	69	51	13	65
Male	12	2	19	50	4	5	47	10	20	14	3	16	7	3	41	31	9	37
Female	12	3	10	43	7	3	33	4	12	6	2	9	8	3	28	20	4	28
6 months	33	4	32	73	------	7	78	16	31	16	3	19	10	6	99	45	21	52
Male	13	4	19	48	------	3	36	8	16	10	2	12	5	3	64	28	10	23
Female	20	------	13	25	------	4	42	8	15	6	1	7	5	3	35	17	11	29
7 months	34	6	24	70	2	7	59	12	26	13	4	13	15	4	62	32	13	52
Male	18	3	13	42	2	3	39	9	13	11	3	7	7	3	30	17	5	28
Female	16	3	11	28	------	4	20	3	13	2	1	6	8	1	32	15	8	24
8 months	38	2	16	75	2	7	69	8	26	16	5	20	9	5	68	30	12	49
Male	22	------	11	43	------	5	43	4	14	8	3	10	6	3	43	19	8	27
Female	16	2	5	32	2	2	26	4	12	8	2	10	3	2	25	11	4	22
9 months	29	2	25	51	2	5	68	12	21	13	3	11	10	4	45	32	9	27
Male	21	1	15	30	2	3	41	8	11	10	1	6	5	------	25	20	7	15
Female	8	1	10	21	------	2	27	4	10	3	2	5	5	4	20	12	2	12
10 months	17	2	6	62	2	3	59	4	18	15	2	18	1	5	30	24	10	36
Male	8	2	3	33	------	1	30	1	11	7	1	8	1	1	17	15	6	25
Female	9	------	3	29	2	2	29	3	7	8	1	10	------	4	13	9	4	11
11 months	24	2	11	58	2	6	52	6	18	9	5	18	6	4	35	23	6	31
Male	15	2	5	26	1	2	27	5	10	5	3	8	3	3	17	10	4	16
Female	9	------	6	32	1	4	25	1	8	4	2	10	3	1	18	13	2	15

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

AGE AND SEX	MONTANA			NEBRASKA			NEVADA			NEW HAMPSHIRE			NEW JERSEY			NEW MEXICO		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	144	82	376	338	173	449	14	35	52	232	43	144	2,028	217	275	217	230	1,258
Male	76	46	224	204	100	265	7	18	33	144	25	93	1,171	119	155	130	119	720
Female	68	36	152	134	73	184	7	17	19	88	18	51	857	98	120	87	111	538
Under 1 day	44	25	91	133	57	131	7	14	23	76	14	35	657	69	75	34	49	176
Male	28	12	56	72	32	81	3	7	15	45	7	21	380	36	43	22	22	109
Female	16	13	35	61	25	50	4	7	8	31	7	14	277	33	32	12	27	67
1 day	6	4	16	17	19	28	1	4	-----	33	6	12	144	13	11	12	9	33
Male	2	3	9	13	10	20	1	1	-----	21	4	7	84	7	7	7	6	25
Female	4	1	7	4	9	8	------	3	-----	12	2	5	60	6	4	5	3	8
2 days	5	1	19	21	7	23	1	------	2	13	4	5	120	11	7	3	6	37
Male	1	------	8	13	5	10	1	------	2	8	2	3	72	10	3	1	5	24
Female	4	1	11	8	2	13	------	------	-----	5	2	2	48	1	4	2	1	13
3 to 6 days	10	10	31	22	9	44	1	2	2	23	4	12	147	19	15	9	13	66
Male	5	2	19	17	5	20	------	1	-----	15	2	7	88	9	10	6	9	36
Female	5	8	12	5	4	24	1	1	2	8	2	5	59	10	5	3	4	30
1 week	8	4	18	13	8	26	------	4	3	6	3	9	94	9	16	0	7	60
Male	3	2	7	7	3	14	------	3	1	4	2	6	53	4	10	6	6	36
Female	5	2	11	6	5	12	------	1	2	2	1	3	41	5	6	4	1	24
2 weeks	6	4	11	10	5	17	1	2	2	3	1	4	61	7	7	2	5	58
Male	4	3	8	8	2	11	1	2	1	1	1	3	36	5	6	2	3	41
Female	2	1	3	2	3	6	------	------	1	2	------	1	25	2	1	------	2	17
3 weeks but under 1 month	5	3	15	11	6	12	1	3	2	5	1	7	61	4	8	8	4	44
Male	2	2	11	7	5	6	------	2	1	4	1	6	41	1	3	4	2	23
Female	3	1	4	4	1	6	1	1	1	1	------	1	20	3	5	4	2	21
Under 1 month	84	51	201	227	111	281	12	29	34	159	33	84	1,284	132	139	78	93	474
Male	45	24	118	137	62	162	6	16	20	98	19	53	754	72	82	48	53	294
Female	39	27	83	90	49	119	6	13	14	61	14	31	530	60	57	30	40	180
1 month	19	10	33	15	12	35	------	1	5	15	3	16	169	17	26	23	15	112
Male	12	7	17	12	8	22	------	------	5	8	1	10	85	11	14	20	6	65
Female	7	3	16	3	4	13	------	1	-----	7	2	6	84	6	12	3	9	47
2 months	13	2	30	28	11	23	------	------	1	9	3	11	107	14	23	25	20	123
Male	5	2	18	13	9	12	------	------	1	7	2	6	58	9	13	17	9	71
Female	8	------	12	15	2	11	------	------	-----	2	1	5	49	5	10	8	11	52
3 months	4	2	14	12	7	23	------	4	1	6	------	7	72	12	11	20	18	92
Male	2	1	9	9	5	15	------	1	-----	3	------	6	46	8	8	12	8	42
Female	2	1	5	3	2	7	------	3	1	3	------	1	26	4	3	8	10	50
4 months	3	4	12	8	6	11	------	------	2	6	3	7	58	5	13	11	13	96
Male	1	4	6	6	2	6	------	------	1	4	3	5	35	1	6	8	4	48
Female	2	------	6	2	4	5	------	------	1	2	------	2	23	4	7	3	9	48
5 months	3	5	27	7	7	19	------	------	-----	7	------	6	57	8	6	16	15	72
Male	1	4	12	5	5	13	------	------	-----	4	------	5	36	4	4	10	10	35
Female	2	1	15	2	2	6	------	------	-----	3	------	1	21	4	2	6	5	37
6 months	7	3	13	13	6	10	1	------	2	3	------	3	57	8	15	7	12	62
Male	3	2	9	5	3	9	------	------	2	2	------	2	32	7	7	2	4	35
Female	4	1	4	8	3	1	1	------	-----	1	------	1	25	1	8	5	8	27
7 months	3	------	12	4	4	10	------	------	1	9	------	1	62	5	9	10	14	54
Male	2	------	7	2	2	4	------	------	1	6	------	-----	38	1	6	3	7	28
Female	1	------	5	2	2	6	------	------	-----	3	------	1	24	4	3	7	7	26
8 months	3	2	7	9	4	8	------	------	2	6	1	5	49	5	9	6	11	51
Male	3	1	6	5	2	5	------	------	1	5	------	3	27	------	3	2	6	24
Female	------	1	1	4	2	3	------	------	1	1	1	2	22	5	6	4	5	27
9 months	2	1	14	4	1	13	------	------	2	4	------	3	44	6	6	5	5	52
Male	1	1	11	2	1	7	------	------	1	2	------	3	27	3	3	3	2	36
Female	1	------	3	2	------	6	------	------	1	2	------	-----	17	3	3	2	3	16
10 months	1	2	7	6	4	9	1	1	------	4	------	-----	28	3	12	7	7	32
Male	------	------	6	5	1	6	1	1	-----	2	------	-----	11	2	6	1	6	21
Female	1	2	1	1	3	3	------	------	-----	2	------	-----	17	1	6	6	1	11
11 months	2	------	6	5	------	7	------	------	2	4	------	1	41	2	6	9	7	38
Male	1	------	5	3	------	3	------	------	1	3	------	-----	22	1	3	4	4	21
Female	1	------	1	2	------	4	------	------	1	1	------	1	19	1	3	5	3	17

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

AGE AND SEX	NEW YORK			NORTH CAROLINA			NORTH DAKOTA			OHIO			OKLAHOMA			OREGON		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	7,288	459	1,105	1,274	448	3,700	123	104	584	3,252	464	1,377	728	469	1,197	228	126	189
Male	4,217	264	626	751	254	2,096	71	57	313	1,818	258	770	419	253	651	137	68	106
Female	3,071	195	479	523	194	1,604	52	47	271	1,434	206	607	309	216	536	91	58	83
Under 1 day	2,138	168	337	333	101	886	47	28	142	1,053	147	336	138	113	262	86	42	64
Male	1,244	94	198	204	52	503	23	18	85	583	82	196	79	61	156	52	22	36
Female	894	74	139	129	49	383	24	10	57	470	65	140	59	52	106	34	20	28
1 day	508	37	72	89	35	214	8	5	20	243	34	89	63	31	69	23	10	3
Male	300	23	37	58	22	131	6	1	10	143	18	48	37	18	33	14	9	2
Female	208	14	35	31	13	83	2	4	10	100	16	41	26	13	36	9	1	1
2 days	342	26	57	45	15	159	2	3	26	159	21	62	25	18	58	10	6	4
Male	203	16	32	22	12	97	2	2	11	85	14	38	14	7	27	4	2	4
Female	139	10	25	23	3	62	------	1	15	74	7	24	11	11	31	6	4	------
3 to 6 days	509	38	85	82	38	272	7	9	42	269	32	161	46	24	96	22	11	21
Male	290	21	44	45	25	169	7	7	23	147	17	89	31	9	62	12	5	13
Female	219	17	41	37	13	103	------	2	19	122	15	72	15	15	34	10	6	8
1 week	395	24	44	61	16	217	7	6	30	153	27	86	39	33	83	12	14	7
Male	213	13	28	39	9	123	4	2	15	96	18	49	21	16	46	7	5	3
Female	182	11	16	22	7	94	3	4	15	57	9	37	18	17	37	5	9	4
2 weeks	324	8	33	40	12	159	1	5	21	121	13	57	26	14	53	8	2	7
Male	175	6	15	21	10	88	1	3	8	71	9	34	12	6	27	7	1	4
Female	149	2	18	19	2	71	------	2	13	50	4	23	14	8	26	1	1	3
3 weeks but under 1 month	307	9	38	30	19	121	3	4	26	79	20	42	24	21	41	5	2	5
Male	168	6	22	20	10	71	2	1	16	36	14	25	14	13	25	4	1	4
Female	139	3	16	10	9	50	1	3	10	43	6	17	10	8	16	1	1	1
Under 1 month	4,523	310	665	680	236	2,028	75	60	307	2,077	294	833	361	254	662	166	87	111
Male	2,593	179	376	409	140	1,182	45	34	168	1,161	172	479	208	130	376	100	45	66
Female	1,930	131	290	271	96	846	30	26	139	916	122	354	153	124	286	66	42	45
1 month	570	19	84	122	52	328	10	9	71	213	38	121	65	47	94	10	6	9
Male	343	11	50	73	29	177	8	6	45	128	15	72	41	29	46	5	4	6
Female	227	8	34	49	23	151	2	3	26	85	23	49	24	18	48	5	2	3
2 months	443	35	77	99	28	260	9	8	47	153	25	68	53	32	74	10	10	24
Male	266	17	41	51	13	153	5	4	22	83	12	33	29	17	41	5	7	14
Female	177	18	36	48	15	107	4	4	25	70	13	35	24	15	33	5	3	10
3 months	360	14	66	76	25	224	8	3	40	132	19	65	41	23	57	12	4	12
Male	209	7	35	48	16	121	1	1	21	64	14	33	29	13	22	11	2	5
Female	151	7	31	28	9	103	7	2	19	68	5	32	12	10	35	1	2	7
4 months	253	20	35	54	20	169	2	3	32	116	15	45	46	23	58	5	3	9
Male	147	13	19	33	11	94	------	1	9	58	8	24	21	15	31	4	2	4
Female	106	7	16	21	9	75	2	2	23	48	7	21	25	8	27	1	1	5
5 months	212	11	40	46	18	154	4	3	16	112	15	50	35	13	44	4	4	4
Male	115	7	22	24	7	81	2	1	6	58	9	27	20	6	30	2	2	2
Female	97	4	18	22	11	73	2	2	10	54	6	23	15	7	14	2	2	2
6 months	183	13	25	41	23	117	2	3	17	91	8	38	24	20	43	5	4	6
Male	106	6	14	30	13	64	2	2	8	58	4	19	12	12	24	3	2	2
Female	77	7	11	11	10	53	------	1	9	33	4	19	12	8	19	2	2	4
7 months	167	13	24	38	7	104	4	2	14	87	13	44	32	15	35	2	2	3
Male	101	9	15	16	2	61	2	1	10	45	6	22	18	9	20	1	1	1
Female	66	4	9	22	5	43	2	1	4	41	7	22	14	6	15	1	1	2
8 months	166	4	21	39	14	101	4	1	12	80	6	29	25	14	35	4	2	3
Male	107	1	16	22	6	52	1	------	7	44	1	14	13	4	22	2	------	2
Female	59	3	5	17	8	49	3	1	5	36	5	15	12	10	13	2	2	1
9 months	161	8	29	36	5	84	1	4	10	76	17	36	15	9	22	3	1	3
Male	91	6	18	22	5	49	1	3	5	40	10	21	10	6	13	------	1	1
Female	70	2	11	14	------	35	------	1	5	36	7	15	5	3	9	3	------	2
10 months	115	4	16	22	9	66	1	7	11	57	8	17	11	11	28	4	2	2
Male	61	3	9	12	5	33	1	3	9	37	5	7	7	7	13	2	1	2
Female	54	1	7	10	4	33	------	4	2	20	3	10	4	4	15	2	1	------
11 months	135	8	22	21	11	65	3	1	7	58	6	31	20	8	35	3	1	3
Male	78	5	11	11	7	29	3	1	3	31	2	19	11	5	13	2	1	1
Female	57	3	11	10	4	36	------	------	4	27	4	12	9	3	22	1	------	2

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

AGE AND SEX	PENNSYLVANIA			RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA			TENNESSEE			TEXAS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	4,526	1,107	2,561	441	10	31	565	224	2,430	134	77	463	1,104	299	2,011	3,054	1,143	4,033
Male	2,648	617	1,466	252	8	21	324	134	1,393	78	41	274	643	173	1,140	1,720	673	2,263
Female	1,878	490	1,095	189	2	10	241	90	1,037	56	36	189	461	126	871	1,334	470	1,770
Under 1 day	1,215	323	610	139	3	10	122	56	418	34	27	108	288	84	424	703	249	837
Male	724	190	349	76	2	9	72	34	249	18	13	69	174	48	245	411	152	490
Female	491	133	261	63	1	1	50	22	169	16	14	39	114	36	181	292	97	347
1 day	383	96	165	41	1	2	34	5	141	13	10	25	50	18	92	189	52	198
Male	213	51	100	26	1	1	19	3	94	7	6	10	29	11	50	110	29	117
Female	170	45	65	15	------	1	15	2	47	6	4	15	21	7	42	79	23	81
2 days	208	63	148	22	1	1	13	10	97	4	4	21	43	14	61	111	35	137
Male	139	39	97	11	1	-----	6	3	58	3	2	14	28	10	47	71	26	74
Female	69	24	51	11	------	1	7	7	39	1	2	7	15	4	14	40	9	63
3 to 6 days	379	89	233	46	------	5	45	12	203	15	6	39	84	22	172	211	75	364
Male	229	52	137	28	------	2	30	6	121	9	3	22	53	14	116	118	50	216
Female	150	37	96	18	------	3	15	6	82	6	3	17	31	8	56	93	25	148
1 week	220	60	156	21	------	-----	23	18	146	6	4	22	50	13	140	136	73	279
Male	120	30	75	10	------	-----	15	14	83	3	2	11	28	8	76	65	38	155
Female	100	30	81	11	------	-----	8	4	63	3	2	11	22	5	64	71	35	124
2 weeks	160	42	96	14	------	2	18	10	90	8	4	20	44	12	103	76	37	157
Male	86	20	53	10	------	1	11	5	49	6	2	11	27	6	45	39	27	82
Female	74	22	43	4	------	1	7	5	41	2	2	9	17	6	58	37	10	75
3 weeks but under 1 month	135	31	77	10	------	-----	15	12	83	1	5	18	30	5	81	94	29	135
Male	80	16	43	5	------	-----	6	7	57	1	2	10	19	4	36	58	16	80
Female	55	15	34	5	------	-----	9	5	26	------	3	8	11	1	45	36	13	55
Under 1 month	2,700	704	1,485	293	5	20	270	123	1,178	81	60	253	589	168	1,073	1,520	550	2,107
Male	1,591	398	854	166	4	13	159	72	711	47	30	147	358	101	613	872	338	1,214
Female	1,109	306	631	127	1	7	111	51	467	34	30	106	231	67	460	648	212	893
1 month	322	87	239	32	1	1	55	15	252	13	2	35	71	17	180	242	90	349
Male	188	42	137	18	1	1	36	10	137	9	1	18	42	10	104	141	49	202
Female	134	45	102	14	------	-----	19	5	115	4	1	17	29	7	76	101	41	147
2 months	288	66	174	20	2	1	39	17	212	6	4	28	74	20	133	195	93	263
Male	166	41	99	15	2	1	22	11	114	2	3	20	41	8	65	100	51	129
Female	122	25	75	5	------	-----	17	6	98	4	1	8	33	12	68	95	42	134
3 months	245	47	125	14	1	3	32	15	166	7	4	26	63	20	113	192	58	241
Male	144	21	78	12	1	2	13	9	80	3	2	19	39	12	70	102	38	139
Female	101	26	47	2	------	1	19	6	86	4	2	7	24	8	43	90	20	102
4 months	174	34	95	20	1	1	32	12	120	8	1	21	50	9	97	167	58	202
Male	103	19	52	8	------	1	17	8	66	4	1	12	30	4	60	90	32	107
Female	71	15	43	12	1	-----	15	4	54	4	------	9	20	5	37	77	26	95
5 months	151	26	102	10	------	2	25	12	90	5	1	19	42	15	62	129	64	167
Male	86	9	59	4	------	1	11	5	58	3	1	13	27	8	37	66	33	91
Female	65	17	43	6	------	1	14	7	32	2	------	6	15	7	25	63	31	76
6 months	118	29	77	10	------	1	23	7	113	6	------	13	41	14	84	142	46	140
Male	75	14	40	6	------	-----	16	6	67	4	------	7	23	11	46	87	25	65
Female	43	15	37	4	------	1	7	1	46	2	------	6	18	3	38	55	21	75
7 months	125	29	73	15	------	1	27	4	74	------	------	16	48	5	72	115	36	137
Male	71	21	43	9	------	1	14	3	41	------	------	7	20	4	49	71	23	71
Female	54	8	30	6	------	-----	13	1	33	------	------	9	28	1	23	44	13	66
8 months	124	22	62	11	------	-----	19	7	69	2	------	12	34	12	50	112	37	105
Male	72	12	43	5	------	-----	8	2	40	2	------	7	14	6	22	67	20	58
Female	52	10	19	6	------	-----	11	5	29	------	------	5	20	6	28	45	17	47
9 months	102	18	49	8	------	-----	20	3	58	2	2	22	32	7	53	89	43	112
Male	54	11	29	4	------	-----	14	2	33	2	1	14	21	5	23	48	23	63
Female	48	7	20	4	------	-----	6	1	25	------	1	8	11	2	30	41	20	49
10 months	86	23	45	4	------	-----	12	6	37	1	------	9	33	2	50	81	33	98
Male	48	13	16	2	------	-----	6	3	17	1	------	5	14	------	29	44	17	58
Female	38	10	29	2	------	-----	6	3	20	------	------	4	19	2	21	37	16	40
11 months	91	22	35	4	------	1	11	3	61	3	3	9	27	10	44	70	35	112
Male	50	16	16	3	------	1	8	3	29	1	2	5	14	4	22	32	24	56
Female	41	6	19	1	------	-----	3	------	32	2	1	4	13	6	22	38	11	46

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

(Exclusive of stillbirths)

AGE AND SEX	UTAH			VERMONT		VIRGINIA			WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural[1]	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	244	120	262	71	249	904	279	2,400	615	117	280	512	290	1,731	1,075	345	999	45	44	134
Male	133	73	149	36	153	490	155	1,377	361	61	156	297	165	1,035	644	197	574	24	21	62
Female	111	47	113	35	96	414	124	1,023	254	56	124	215	125	696	431	148	425	21	23	72
Under 1 day	91	39	90	26	90	280	87	558	233	46	65	155	58	425	400	138	310	16	11	32
Male	55	24	63	13	56	158	47	320	147	28	42	80	34	268	242	71	170	9	3	16
Female	36	15	27	13	34	122	40	238	86	18	23	75	24	157	158	67	140	7	8	16
1 day	15	9	9	4	15	54	19	125	60	10	12	53	18	106	98	25	65	3	1	8
Male	10	5	6	1	10	35	10	74	34	4	4	37	10	53	65	9	36	1	------	5
Female	5	4	3	3	5	19	9	51	26	6	8	16	8	53	33	16	29	2	1	3
2 days	13	5	7	4	9	39	17	101	30	4	12	24	10	78	57	14	46	4	3	8
Male	7	3	3	2	7	18	9	75	20	3	8	14	4	44	37	7	29	3	2	4
Female	6	2	4	2	2	21	8	26	10	1	4	10	6	34	20	7	17	1	1	4
3 to 6 days	12	14	22	9	14	56	26	183	41	9	19	28	21	128	108	27	78	2	4	7
Male	8	11	11	5	11	32	13	112	26	5	11	15	13	74	64	20	52	------	2	5
Female	4	3	11	4	3	24	13	71	15	4	8	13	8	54	44	7	26	2	2	2
1 week	27	7	25	4	10	46	13	162	41	11	21	25	21	116	52	14	57	3	2	11
Male	14	3	12	3	5	16	8	100	20	4	12	16	12	67	36	9	37	1	------	5
Female	13	4	13	1	5	30	5	62	21	7	9	9	9	49	16	5	20	2	2	6
2 weeks	11	5	14	2	16	24	11	112	26	3	15	13	7	90	23	12	40	------	------	4
Male	5	2	7	------	9	12	7	61	14	------	6	8	2	57	12	9	21	------	------	1
Female	6	3	7	2	7	12	4	51	12	3	9	5	5	33	11	3	19	------	------	3
3 weeks but under 1 month	7	2	6	2	6	18	5	85	15	1	6	9	8	73	24	15	35	1	2	5
Male	5	1	4	1	5	14	4	54	8	------	4	8	6	37	17	10	21	1	------	4
Female	2	1	2	1	1	4	1	31	7	1	2	1	2	36	7	5	14	------	2	1
Under 1 month	176	81	173	51	160	517	178	1,326	446	84	150	307	143	1,016	762	245	631	29	23	75
Male	104	49	106	25	103	285	98	796	269	44	87	178	81	600	473	135	366	15	7	40
Female	72	32	67	26	57	232	80	530	177	40	63	129	62	416	289	110	265	14	16	35
1 month	12	3	15	4	18	79	17	214	20	9	29	29	29	150	57	21	90	5	4	6
Male	7	1	7	1	13	48	12	118	10	5	15	20	17	96	29	17	52	3	2	4
Female	5	2	8	3	5	31	5	96	10	4	14	9	12	54	28	4	38	2	2	2
2 months	7	9	10	1	18	52	13	157	35	10	20	43	22	105	49	21	61	1	5	8
Male	3	6	5	------	11	27	9	80	17	3	10	23	11	71	28	11	38	------	5	3
Female	4	3	5	1	7	25	4	77	18	7	10	20	11	34	21	10	23	1	------	5
3 months	9	6	9	4	14	31	15	127	22	1	17	14	12	87	31	14	55	------	1	5
Male	3	3	5	3	7	13	5	64	17	1	6	9	8	49	18	9	26	------	1	3
Female	6	3	4	1	7	18	10	63	5	------	11	5	4	38	13	5	29	------	------	2
4 months	5	6	10	4	8	38	10	127	18	2	15	20	14	65	29	6	42	------	3	10
Male	2	6	4	3	4	21	7	74	9	2	11	13	6	38	18	5	21	------	2	2
Female	3	------	6	1	4	17	3	53	9	------	4	7	8	27	11	1	21	------	1	8
5 months	5	6	4	1	6	43	9	93	14	2	10	24	17	57	29	6	26	1	------	6
Male	1	3	2	1	3	21	6	56	6	1	4	13	8	35	17	2	14	1	------	3
Female	4	3	2	------	3	22	3	37	8	1	6	11	9	22	12	4	12	------	------	3
6 months	7	1	10	2	5	32	8	80	15	------	15	8	11	65	22	3	22	------	2	7
Male	2	------	5	1	3	20	5	38	12	------	8	4	6	35	12	3	11	------	1	2
Female	5	1	5	1	2	12	3	42	3	------	7	4	5	30	10	------	11	------	1	5
7 months	6	1	5	3	3	22	6	63	11	------	10	17	13	43	25	10	22	2	3	5
Male	2	------	3	2	2	11	3	34	4	------	6	8	9	27	14	5	13	2	2	------
Female	4	1	2	1	1	11	3	29	7	------	4	9	4	16	11	5	9	------	1	5
8 months	1	1	7	1	1	24	8	51	7	------	3	16	11	41	21	4	21	2	2	2
Male	------	1	-----	------	1	13	3	28	5	------	3	9	6	25	10	1	18	1	1	1
Female	1	------	7	1	------	11	5	23	2	------	-----	7	5	16	11	3	3	1	1	1
9 months	2	3	6	------	7	28	2	58	8	5	2	11	6	32	19	4	11	------	1	6
Male	2	3	3	------	4	14	------	35	3	3	1	5	5	18	12	4	6	------	------	3
Female	------	------	3	------	3	14	2	23	5	2	1	6	1	14	7	------	5	------	1	3
10 months	6	2	9	------	4	16	8	51	12	3	5	15	9	35	15	5	9	2	------	3
Male	2	1	6	------	------	10	4	26	6	2	2	11	7	19	7	2	6	1	------	1
Female	4	1	3	------	4	6	4	25	6	1	3	4	2	16	8	3	3	1	------	2
11 months	8	1	4	------	5	22	5	53	7	1	4	8	3	35	16	6	9	3	------	1
Male	5	------	3	------	2	7	3	28	3	------	3	4	1	22	6	3	3	1	------	-----
Female	3	1	1	------	3	15	2	25	4	1	1	4	2	13	10	3	6	2	------	1

1/ Including 11 cities of 2,500 to 10,000 inhabitants in 1930.

SUPPLEMENT

HAWAII

The Territory of Hawaii was admitted to the birth registration area of the United States in 1929. From this Territory, in 1935, 9,196 births were reported. Of these, 3,443, or 37 percent, were Japanese; 1,992, or 22 percent, were part Hawaiian; 1,577, or 17 percent, were Caucasian; 1,159, or 13 percent, were Filipinos; 521, or 6 percent, were Chinese; and 388, or 4 percent, were Hawaiian.

Deaths under 1 year occurring in Hawaii in 1935 numbered 622, indicating an infant mortality rate of 67.6 per 1,000 live births. One hundred and forty-nine or 24 percent of these deaths were caused by premature birth; 89, or 14 percent, by bronchopneumonia; and 66, or 11 percent, by diarrhea and enteritis. The rates for these 3 causes were 16.2, 9.7, and 7.2, respectively.

VIRGIN ISLANDS

The Virgin Islands—St. Croix, St. Thomas, and St. John—were admitted to the registration area of the United States in 1924.

In 1935, 656 births were reported in these islands and of this number the Negro births represented 75 percent. Deaths under 1 year numbered 112 and represent an infant mortality rate of 170.7. This was 73.3 per 1,000 higher than the rate (97.4) for 1934. Forty-nine percent of all deaths occurring among infants under 1 year of age were caused by diarrhea and enteritis, and 21 percent by premature birth and bronchopneumonia, the rates from these causes being 83.8, 19.8, and 15.2, respectively, per 1,000 live births. The infant mortality rate for Negroes was 183.7 or 76.6 higher than the corresponding rate (107.1) for 1934.

HAWAII

TABLE 1.—ENUMERATED POPULATION IN THE TERRITORY OF HAWAII: 1930

RACE	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County
All races	368,336	19,468	137,582	53,857	65,341	35,942	56,146
Hawaiian	22,636	1,155	9,675	3,709	2,428	1,363	4,306
Part Hawaiian	26,224	1,881	14,242	3,190	2,117	1,758	5,036
Caucasian-Hawaiian	15,632	986	8,283	1,537	1,213	996	2,617
Asiatic-Hawaiian	12,592	895	5,959	1,653	904	762	2,419
Caucasian	80,373	3,806	39,043	6,552	18,659	4,770	7,543
Portuguese	27,588	2,467	14,297	3,703	2,138	2,554	4,429
Puerto Rican	6,671	158	2,211	1,490	818	841	1,153
Other Caucasian	46,114	1,181	24,535	1,359	15,703	1,375	1,961
Chinese	27,179	897	19,334	1,201	2,734	1,201	1,812
Japanese	139,631	9,356	47,468	24,392	22,117	13,905	22,393
Korean	6,461	288	2,604	843	1,545	362	819
Filipino	63,052	2,055	4,776	13,901	15,614	12,562	14,144
All other	780	30	440	69	127	21	93

TABLE 2.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX, IN THE TERRITORY OF HAWAII: 1935

AREA AND SEX	Births[1]	Deaths[1]	Excess of births over deaths	Births per 100 deaths	DEATHS[1] OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 live births	Number	Per 100 live births
Territory of Hawaii	9,196	3,306	5,890	278	622	67.6	232	2.5
Male	4,704	2,069	2,635	227	344	73.1	134	2.8
Female	4,492	1,237	3,255	363	278	61.9	98	2.2
Hilo city	520	225	295	231	44	84.6	13	2.5
Male	269	146	123	184	23	85.5	4	1.5
Female	251	79	172	(2/)	21	83.7	9	3.6
Honolulu city	3,760	1,398	2,362	269	245	65.2	106	2.8
Male	1,907	818	1,089	233	129	67.6	61	3.2
Female	1,853	580	1,273	319	116	62.6	45	2.4
Hawaii County (exclusive of Hilo City)	1,350	446	904	303	81	60.0	39	2.9
Male	707	301	406	235	42	59.4	22	3.1
Female	643	145	498	443	39	60.7	17	2.6
Honolulu County (exclusive of Honolulu City)	1,247	399	848	313	85	68.2	21	1.7
Male	662	270	392	245	56	84.6	14	2.1
Female	585	129	456	453	29	49.6	7	1.2
Kauai County	771	286	485	270	55	71.3	14	1.8
Male	379	192	187	197	29	76.5	8	2.1
Female	392	94	298	(2/)	26	66.3	6	1.5
Maui County	1,548	552	996	280	112	72.4	39	2.5
Male	780	342	438	228	65	83.3	25	3.2
Female	768	210	558	366	47	61.2	14	1.8

1/ Exclusive of stillbirths. 2/ Figures not shown when the number of deaths is less than 100.

TABLE 3.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, IN THE TERRITORY OF HAWAII: 1935

RACE	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County
All races	9,196	520	3,760	1,350	1,247	771	1,548
Hawaiian	388	16	98	104	34	36	100
Part Hawaiian	1,992	123	1,040	239	155	80	355
Caucasian-Hawaiian	834	50	453	86	63	35	137
Asiatic-Hawaiian	1,158	73	577	153	92	45	218
Caucasian	1,577	92	842	161	159	132	191
Portuguese	218	21	71	33	19	25	49
Puerto Rican	260	4	97	59	19	28	53
Other Caucasian	1,099	67	674	69	121	79	89
Chinese	521	20	408	13	34	18	28
Japanese	3,443	218	1,171	615	529	291	618
Korean	102	4	54	7	21	5	11
Filipino	1,159	46	144	210	310	207	242
All other	14	1	3	--------	5	2	3

TABLE 4.—BIRTHS BY SEX AND MONTH, IN THE TERRITORY OF HAWAII: 1935

(Exclusive of stillbirths)

AREA AND SEX	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii	9,196	838	744	782	761	795	727	738	771	720	757	783	780
Male	4,704	423	394	390	383	424	374	375	379	360	394	400	408
Female	4,492	415	350	392	378	371	353	363	392	360	363	383	372
Hilo City	520	47	42	52	28	44	54	38	37	46	48	41	43
Male	269	22	21	26	16	22	24	20	14	26	27	26	25
Female	251	25	21	26	12	22	30	18	23	20	21	15	18
Honolulu City	3,760	330	304	301	287	325	281	305	346	293	321	363	304
Male	1,907	151	167	145	149	178	152	150	186	137	165	176	150
Female	1,853	179	137	155	138	147	129	155	160	156	156	187	154
Hawaii County (exclusive of Hilo City)	1,350	128	111	121	124	105	101	109	110	103	97	107	134
Male	707	68	64	56	66	53	55	48	54	52	49	63	79
Female	643	60	47	65	58	52	46	61	56	51	48	44	55
Honolulu County (exclusive of Honolulu City)	1,247	135	107	115	116	95	95	95	114	91	109	94	81
Male	662	80	56	61	55	47	54	55	47	48	61	55	43
Female	585	55	51	54	61	48	41	40	67	43	48	39	38
Kauai County	771	62	53	64	75	91	58	70	58	55	53	52	80
Male	379	34	22	33	34	51	28	39	30	27	19	26	36
Female	392	28	31	31	41	40	30	31	28	28	34	26	44
Maui County	1,548	136	127	129	131	135	138	121	106	132	129	126	138
Male	780	68	64	68	63	73	61	63	48	70	73	54	75
Female	768	68	63	61	68	62	77	58	58	62	56	72	63

TABLE 5.—BIRTHS, STILLBIRTHS, AND STILLBIRTHS PER 100 LIVE BIRTHS, BY LEGITIMACY, IN THE TERRITORY OF HAWAII: 1935

RACE	BIRTHS			STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
All races	9,196	8,730	466	232	204	28	2.5	2.3	6.0
Hawaiian	388	343	45	20	14	6	5.2	4.1	13.3
Part Hawaiian	1,992	1,761	231	33	28	5	1.7	1.6	2.2
Caucasian-Hawaiian	834	743	91	17	16	1	2.0	2.2	1.1
Asiatic-Hawaiian	1,158	1,018	140	16	12	4	1.4	1.2	2.9
Caucasian	1,577	1,527	50	45	40	5	2.9	2.6	10.0
Portuguese	218	209	9	8	7	1	3.7	3.3	11.1
Puerto Rican	260	242	18	10	8	2	3.8	3.3	11.1
Other Caucasian	1,099	1,076	23	27	25	2	2.5	2.3	8.7
Chinese	521	501	20	9	7	2	1.7	1.4	10.0
Japanese	3,443	3,384	59	78	75	3	2.3	2.2	5.1
Korean	102	97	5	3	3	-------	2.9	3.1	--------
Filipino	1,159	1,106	53	40	35	5	3.5	3.2	9.4
All other	14	11	3	4	2	2	28.6	18.2	66.7

TABLE 6.—BIRTHS BY RACE, AND AGE OF MOTHER BY AGE OF FATHER, IN THE TERRITORY OF HAWAII: 1935

(Exclusive of stillbirths)

RACE OF CHILD AND AGE OF MOTHER	All ages	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
All races	9,196	71	1,258	2,181	2,128	1,581	729	640	297	180	131
Age of mother:											
10 to 14 years	10	------	2	2	1	1	------	------	------	------	4
15 to 19 years	1,081	55	499	308	107	40	7	1	1	1	62
20 to 24 years	2,802	14	678	1,187	611	199	36	20	8	5	44
25 to 29 years	2,169	2	75	626	882	422	91	45	13	2	11
30 to 34 years	1,601	------	3	52	477	605	231	135	57	38	3
35 to 39 years	1,063	------	------	6	45	292	265	267	121	63	4
40 to 44 years	417	------	1	------	4	20	94	158	84	56	-----
45 to 49 years	49	------	------	------	------	2	5	14	13	15	-----
Not stated	4	------	------	------	1	------	------	------	------	------	3
HAWAIIAN	388	1	51	78	64	79	40	29	13	7	26
Age of mother:											
15 to 19 years	57	------	23	11	3	2	------	1	1	------	16
20 to 24 years	97	1	24	41	12	8	2	1	1	------	7
25 to 29 years	92	------	4	25	25	26	9	2	------	------	1
30 to 34 years	65	------	------	1	19	29	9	4	2	1	-----
35 to 39 years	49	------	------	------	4	12	13	13	4	1	2
40 to 44 years	22	------	------	------	1	2	6	6	3	4	-----
45 to 49 years	6	------	------	------	------	------	1	2	2	1	-----
CAUCASIAN-HAWAIIAN	834	18	205	207	163	117	58	24	11	6	25
Age of mother:											
10 to 14 years	1	------	------	------	------	------	------	------	------	------	1
15 to 19 years	156	13	84	32	10	5	------	------	------	------	12
20 to 24 years	290	4	107	104	41	15	5	5	1	------	8
25 to 29 years	186	1	13	65	63	26	11	4	2	------	1
30 to 34 years	119	------	1	4	44	49	14	3	1	2	1
35 to 39 years	60	------	------	2	4	21	18	5	5	4	1
40 to 44 years	19	------	------	------	1	1	9	7	1	------	-----
45 to 49 years	2	------	------	------	------	------	1	------	1	------	-----
Not stated	1	------	------	------	------	------	------	------	------	------	1

TABLE 6.—BIRTHS BY RACE, AND AGE OF MOTHER BY AGE OF FATHER, IN THE TERRITORY OF HAWAII: 1935—Continued

(Exclusive of stillbirths)

RACE OF CHILD AND AGE OF MOTHER	All ages	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
ASIATIC-HAWAIIAN	1,158	27	295	300	214	153	70	34	19	20	26
Age of mother:											
10 to 14 years	2	------	1	1	------	------	------	------	------	------	------
15 to 19 years	235	23	120	55	17	6	1	------	------	1	12
20 to 24 years	414	4	160	144	55	33	7	3	1	------	7
25 to 29 years	254	------	12	93	86	39	9	9	1	1	4
30 to 34 years	139	------	1	7	45	44	23	9	3	7	------
35 to 39 years	81	------	------	------	10	28	23	7	9	3	1
40 to 45 years	28	------	1	------	1	3	6	6	4	7	------
45 to 49 years	3	------	------	------	------	------	1	------	1	1	------
Not stated	2	------	------	------	------	------	------	------	------	------	2
PORTUGUESE	218	3	45	73	40	28	17	7	1	------	4
Age of mother:											
15 to 19 years	40	2	28	8	2	------	------	------	------	------	------
20 to 24 years	64	1	15	34	10	1	------	------	------	------	3
25 to 29 years	67	------	2	29	22	12	2	------	------	------	------
30 to 34 years	19	------	------	2	6	5	5	------	------	------	1
35 to 39 years	18	------	------	------	------	10	6	1	1	------	------
40 to 44 years	10	------	------	------	------	------	4	6	------	------	------
PUERTO RICAN	260	6	63	83	34	24	13	24	3	6	4
Age of mother:											
10 to 14 years	1	------	------	------	------	------	------	------	------	------	1
15 to 19 years	57	5	29	16	4	2	------	------	------	------	1
20 to 24 years	95	1	29	46	10	6	1	------	------	------	2
25 to 29 years	47	------	4	16	12	5	4	5	1	------	------
30 to 34 years	30	------	1	5	7	4	6	5	1	1	------
35 to 39 years	17	------	------	------	------	5	2	9	------	1	------
40 to 44 years	8	------	------	------	------	2	------	4	1	1	------
45 to 49 years	4	------	------	------	------	------	------	1	------	3	------
Not stated	1	------	------	------	1	------	------	------	------	------	------
OTHER CAUCASIAN	1,099	4	162	388	271	145	74	28	11	7	9
Age of mother:											
15 to 19 years	131	4	65	43	9	4	2	------	------	------	4
20 to 24 years	368	------	83	196	62	19	3	------	1	------	4
25 to 29 years	317	------	14	137	111	41	10	3	------	------	1
30 to 34 years	169	------	------	10	84	50	17	3	4	1	------
35 to 39 years	84	------	------	2	5	29	30	14	2	2	------
40 to 44 years	30	------	------	------	------	2	12	8	4	4	------
CHINESE	521	1	45	94	127	127	61	11	20	27	8
Age of mother:											
15 to 19 years	34	------	17	6	4	3	1	------	------	------	3
20 to 24 years	145	1	26	59	30	20	2	------	2	2	3
25 to 29 years	139	------	2	28	62	32	11	1	2	------	1
30 to 34 years	117	------	------	1	30	55	18	4	4	4	1
35 to 39 years	61	------	------	------	1	16	24	4	5	11	------
40 to 44 years	19	------	------	------	------	------	5	2	6	6	------
45 to 49 years	6	------	------	------	------	1	------	------	1	4	------
JAPANESE	3,443	11	295	699	866	600	254	427	178	96	17
Age of mother:											
10 to 14 years	2	------	1	------	------	------	------	------	------	------	1
15 to 19 years	197	8	77	69	29	6	1	------	------	------	7
20 to 24 years	1,035	2	198	445	303	60	7	7	2	2	8
25 to 29 years	764	1	19	175	380	152	17	13	5	1	1
30 to 34 years	655	------	------	9	144	265	94	92	34	17	------
35 to 39 years	523	------	------	------	9	113	96	194	73	38	------
40 to 44 years	242	------	------	------	1	4	37	111	57	32	------
45 to 49 years	25	------	------	------	------	------	2	10	7	6	------
KOREAN	102	------	13	15	9	6	5	10	29	11	4
Age of mother:											
15 to 19 years	12	------	5	3	1	------	------	------	------	------	3
20 to 24 years	20	------	7	7	2	1	1	------	------	1	1
25 to 29 years	13	------	1	3	4	2	------	2	1	------	------
30 to 34 years	21	------	------	1	2	2	3	2	6	5	------
35 to 39 years	29	------	------	1	------	1	1	6	17	3	------
40 to 44 years	7	------	------	------	------	------	------	------	5	2	------
FILIPINO	1,159	------	82	241	339	299	133	46	12	------	7
Age of mother:											
10 to 14 years	4	------	------	1	1	1	------	------	------	------	1
15 to 19 years	160	------	50	64	28	12	2	------	------	------	4
20 to 24 years	268	------	28	110	86	33	7	4	------	------	------
25 to 29 years	287	------	4	53	116	87	18	6	1	------	2
30 to 34 years	267	------	------	12	96	102	42	13	2	------	------
35 to 39 years	141	------	------	1	12	57	52	14	5	------	------
40 to 44 years	29	------	------	------	------	6	12	8	3	------	------
45 to 49 years	3	------	------	------	------	1	------	1	1	------	------
ALL OTHER	14	------	2	3	1	3	4	------	------	------	1
Age of mother:											
15 to 19 years	2	------	1	1	------	------	------	------	------	------	------
20 to 24 years	6	------	1	------	------	3	1	------	------	------	1
25 to 29 years	3	------	------	2	1	------	------	------	------	------	------
40 to 44 years	3	------	------	------	------	------	3	------	------	------	------

TABLE 7.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1935

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	Under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	622	139	37	23	33	22	13	19	286	64	50	34	19	28	37	33	28	17	14	12
Whooping-cough (9)	10	---	-	--	----	--	--	--	---	3	2	1	--	--	2	1	--	1	--	---
Influenza (11)	16	---	-	1	1	--	--	--	2	3	2	--	1	2	--	3	1	--	--	2
Erysipelas (15)	3	---	-	1	----	--	--	--	1	1	--	1	--	--	--	--	--	--	--	---
Epidemic cerebrospinal meningitis (18)	1	---	-	--	----	--	--	--	---	--	--	--	--	--	--	--	--	1	--	---
Tuberculosis of the respiratory system (23)	1	---	-	--	----	--	1	--	1	--	--	--	--	--	--	--	--	--	--	---
Tuberculosis of the meninges, etc. (24)	4	---	-	--	----	--	--	--	---	--	--	--	1	--	1	--	1	--	--	1
Other forms of tuberculosis (25-32)	1	---	-	--	----	--	--	--	---	--	--	--	--	--	--	1	--	--	--	---
Syphilis (34)	9	---	-	--	2	--	--	--	2	1	1	1	1	2	--	--	--	1	--	---
Convulsions (86)	3	---	-	--	----	--	--	--	---	1	1	1	--	--	--	--	--	--	--	---
Bronchitis (106)	9	---	-	--	----	--	2	1	3	3	1	2	--	--	--	--	--	--	--	---
Bronchopneumonia (107)	89	---	-	1	3	1	3	1	9	8	7	11	3	5	16	13	5	5	4	3
Lobar and unspecified pneumonia (108,109)	34	---	-	--	----	--	--	--	---	2	3	5	3	2	4	4	4	1	3	3
Diseases of the stomach (117, 118)	1	---	-	--	----	--	--	1	1	--	--	--	--	--	--	--	--	--	--	---
Diarrhea and enteritis (119)	66	---	-	1	----	3	--	3	7	11	11	3	4	7	8	2	4	1	6	2
Intestinal obstruction (122b)	3	---	-	--	----	--	--	--	---	--	2	1	--	--	--	--	--	--	--	---
Congenital malformations (157)	49	8	7	3	2	1	1	4	26	6	6	4	1	1	1	1	2	--	1	---
Congenital debility, icterus, sclerema (158, 161b,c)	17	1	1	--	3	3	--	2	10	4	--	--	--	1	--	1	--	1	--	---
Premature birth (159)	149	96	14	10	10	7	4	1	142	2	1	1	1	--	--	1	1	--	--	---
Injury at birth (160)	35	20	8	3	3	1	--	--	35	--	--	--	--	--	--	--	--	--	--	---
Other diseases of early infancy (161a,d)	27	9	6	2	6	1	--	2	26	1	--	--	--	--	--	--	--	--	--	---
External causes (172-198, 201-214)	9	1	-	--	----	1	--	1	3	1	2	--	--	--	--	1	2	--	--	---
All other causes	86	4	1	1	3	4	2	3	18	17	11	3	4	8	5	5	8	6	--	1

TABLE 8.—INFANT MORTALITY RATE (DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1929-1935

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	1935	1934	1933	1932	1931	1930	1929
All causes	67.6	75.3	72.1	76.1	76.1	82.3	100.8
Measles (7)	----	0.1	0.2	0.6	1.3	0.6	0.5
Whooping-cough (9)	1.1	4.2	2.8	-----	0.1	0.9	7.1
Diphtheria (10)	----	----	0.2	0.4	0.1	0.3	0.4
Influenza (11)	1.7	1.4	0.6	0.4	0.6	1.1	0.9
Dysentery (13)	----	0.1	0.2	-----	0.3	-----	0.1
Erysipelas (15)	0.3	0.1	0.4	0.2	0.2	0.6	0.3
Epidemic cerebrospinal meningitis (18)	0.1	----	----	0.2	0.1	0.1	----
Tetanus (22)	----	0.1	0.3	0.4	0.6	0.3	0.4
Tuberculosis of the respiratory system (23)	0.1	0.2	0.1	0.2	0.2	0.6	0.4
Tuberculosis of the meninges, etc. (24)	0.4	0.3	0.3	0.1	0.2	0.6	0.3
Other forms of tuberculosis (25-32)	0.1	0.3	0.1	0.2	----	0.1	0.2
Syphilis (34)	1.0	0.8	0.6	0.8	1.3	1.2	0.8
Convulsions (86)	0.3	0.2	0.5	1.4	0.5	0.6	1.1
Bronchitis (106)	1.0	1.2	1.6	2.0	1.4	2.2	3.5
Bronchopneumonia (107)	9.7	13.1	12.0	12.4	10.3	12.3	12.0
Lobar and unspecified pneumonia (108,109)	3.7	4.9	4.6	4.3	4.7	5.6	6.4
Diseases of the stomach (117, 118)	0.1	----	0.1	0.1	----	----	0.4
Diarrhea and enteritis (119)	7.2	10.4	11.6	14.1	15.1	19.6	26.3
Intestinal obstruction (122b)	0.3	0.4	0.2	0.3	0.9	(1/)	(1/)
Congenital malformations (157)	5.3	4.9	5.1	5.1	5.4	3.3	3.7
Congenital debility, icterus, sclerema (158, 161b,c)	1.8	1.8	2.9	3.1	3.0	4.9	2.8
Premature birth (159)	16.2	14.4	13.7	13.0	14.6	12.0	13.9
Injury at birth (160)	3.8	4.0	5.2	4.1	4.0	3.2	3.9
Other diseases of early infancy (161a,d)	2.9	1.7	1.5	2.6	2.7	3.4	2.6
External causes (172-198, 201-214)	1.0	0.9	0.7	0.7	1.1	0.8	0.6
Unknown or ill-defined diseases (199,200)	----	0.2	----	0.1	----	0.3	0.1
All other causes	9.4	9.4	6.5	9.4	7.6	7.6	12.1

1/ Included in "All other causes."

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION IN THE VIRGIN ISLANDS: 1930

AREA AND SEX	Total	White	Negro	Mixed	Other races
VIRGIN ISLANDS	22,012	2,010	17,243	2,719	40
Male	10,208	1,156	7,841	1,182	29
Female	11,804	854	9,402	1,537	11
ST. CROIX	11,413	414	9,597	1,386	21
Male	5,441	222	4,561	640	18
Female	5,972	192	5,031	746	3
ST. JOHN	765	18	653	94	--------
Male	395	15	338	42	--------
Female	370	3	315	52	--------
ST. THOMAS	9,834	1,578	6,998	1,239	19
Male	4,372	919	2,942	500	11
Female	5,462	659	4,056	739	8

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 2.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX AND RACE, IN THE VIRGIN ISLANDS: 1935

AREA, SEX, AND RACE	Births[1]	Deaths[1]	Excess of births over deaths[2]	Births per 100 deaths[3]	DEATHS[1] OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 births[1]	Number	Per 100 live births
VIRGIN ISLANDS	656	492	164	133	112	170.7	31	4.7
Male	329	237	92	139	59	179.3	20	6.1
Female	327	255	72	128	53	162.1	11	3.4
White—Male	21	21	--------	(3)	4	190.5	1	4.8
White—Female	19	26	—7	(3)	5	263.2	----	----------
Negro—Male	244	201	43	121	48	196.7	18	7.4
Negro—Female	246	187	59	132	42	170.7	9	3.7
Mixed—Male	63	14	49	(3)	7	111.1	1	1.6
Mixed—Female	62	42	20	(3)	6	96.8	2	3.2
Other—Male	1	1	--------	(3)	----	--------	----	----------
Other—Female	------	------	--------	------	----	--------	----	----------
ST. CROIX	333	278	55	120	58	174.2	15	4.5
Male	160	126	34	127	27	168.8	9	5.6
Female	173	152	21	114	31	179.2	6	3.5
White—Male	5	3	2	(3)	----	--------	----	----------
White—Female	2	8	—6	(3)	1	500.0	----	----------
Negro—Male	109	115	—6	95	23	211.0	8	7.3
Negro—Female	128	111	17	115	24	187.5	5	3.9
Mixed—Male	45	7	38	(3)	4	88.9	1	2.2
Mixed—Female	43	33	10	(3)	6	139.5	1	2.3
Other—Male	1	1	--------	(3)	----	--------	----	----------
Other—Female	------	------	--------	------	----	--------	----	----------
ST. JOHN	19	17	2	(3)	5	263.2	----	----------
Male	7	8	—1	(3)	1	142.9	----	----------
Female	12	9	3	(3)	4	333.3	----	----------
White—Male	------	1	—1	(3)	----	--------	----	----------
White—Female	------	------	--------	------	----	--------	----	----------
Negro—Male	7	5	2	(3)	----	--------	----	----------
Negro—Female	12	8	4	(3)	4	333.3	----	----------
Mixed—Male	------	2	—2	(3)	1	--------	----	----------
Mixed—Female	------	1	—1	(3)	----	--------	----	----------
ST. THOMAS	304	197	107	154	49	161.2	16	5.3
Male	162	103	59	157	31	191.4	11	6.8
Female	142	94	48	(3)	18	126.8	5	3.5
White—Male	16	17	—1	(3)	4	250.0	1	6.3
White—Female	17	18	—1	(3)	4	235.3	----	----------
Negro—Male	128	81	47	(3)	25	195.3	10	7.8
Negro—Female	106	68	38	(3)	14	132.1	4	3.8
Mixed—Male	18	5	13	(3)	2	111.1	----	----------
Mixed—Female	19	8	11	(3)	----	--------	1	5.3

1/ Exclusive of stillbirths.
2/ A minus sign (—) indicates an excess of deaths over births.
3/ Figures not shown when the number of deaths is less than 100.

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 3.—BIRTHS BY SEX, RACE, AND MONTH, IN THE VIRGIN ISLANDS: 1935

(Exclusive of stillbirths)

AREA, SEX, AND RACE	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGIN ISLANDS	656	57	48	55	47	50	41	61	59	56	52	66	64
Male	329	27	27	24	21	28	19	27	34	29	29	38	26
Female	327	30	21	31	26	22	22	34	25	27	23	28	38
White—Male	21	3	3	1	1	2	1	2	5	---	--	3	-----
Female	19	1	3	4	2	2	--	--	1	1	--	1	4
Negro—Male	244	18	23	19	17	21	16	19	22	22	19	29	19
Female	246	21	16	20	21	15	19	27	18	26	18	20	25
Mixed—Male	63	6	1	4	3	5	2	5	6	7	10	6	7
Female	62	8	2	7	3	5	3	7	6	---	5	7	9
Other—Male	1	--	--	--	--	---	--	--	1	---	--	--	-----
Female	---	--	--	--	--	---	--	--	--	---	--	--	-----
ST. CROIX	333	26	23	30	22	24	16	38	28	31	29	35	31
Male	160	12	13	15	7	12	5	16	15	16	17	19	13
Female	173	14	10	15	15	12	11	22	13	15	12	16	18
White—Male	5	1	--	--	--	---	1	--	1	---	--	2	-----
Female	2	--	1	1	--	---	--	--	--	---	--	--	-----
Negro—Male	109	9	12	11	7	8	4	10	10	9	9	13	7
Female	128	10	8	11	13	8	9	16	8	15	9	9	12
Mixed—Male	45	2	1	4	--	4	--	6	3	7	8	4	6
Female	43	4	1	3	2	4	2	6	5	---	3	7	6
Other—Male	1	--	--	--	--	---	--	--	1	---	--	--	-----
ST. JOHN	19	4	1	1	2	2	1	2	2	1	1	1	1
Male	7	2	1	--	2	1	--	1	--	---	--	--	-----
Female	12	2	--	1	--	1	1	1	2	1	1	1	1
Negro—Male	7	2	1	--	2	1	--	1	--	---	--	--	-----
Female	12	2	--	1	--	1	1	1	2	1	1	1	1
ST. THOMAS	304	27	24	24	23	24	24	21	29	24	22	30	32
Male	162	13	13	9	12	15	14	10	19	13	12	19	13
Female	142	14	11	15	11	9	10	11	10	11	10	11	19
White—Male	16	2	3	1	1	2	--	2	4	---	--	1	-----
Female	17	1	2	3	2	2	--	--	1	1	--	1	4
Negro—Male	128	7	10	8	8	12	12	8	12	13	10	16	12
Female	106	9	8	8	8	6	9	10	8	10	8	10	12
Mixed—Male	18	4	--	--	3	1	2	--	3	---	2	2	1
Female	19	4	1	4	1	1	1	1	1	---	2	--	3

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 4.—BIRTHS, STILLBIRTHS, AND STILLBIRTHS PER 100 LIVE BIRTHS, BY LEGITIMACY, IN THE VIRGIN ISLANDS: 1935

AREA AND RACE	BIRTHS			STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
VIRGIN ISLANDS	656	268	388	31	11	20	4.7	4.1	5.2
White	40	37	3	1	1	----	2.5	2.7	-------
Negro	490	153	337	27	9	18	5.5	5.9	5.3
Mixed	125	78	47	3	1	2	2.4	1.3	4.3
Other	1	----	1	-----	----	----	-----	----	-------
ST. CROIX	333	127	206	15	4	11	4.5	3.1	5.3
White	7	6	1	-----	----	----	-----	----	-------
Negro	237	67	170	13	4	9	5.5	6.0	5.3
Mixed	88	54	34	2	----	2	2.3	----	5.9
Other	1	----	1	-----	----	----	-----	----	-------
ST. JOHN	19	7	12	-----	----	----	-----	----	-------
Negro	19	7	12	-----	----	----	-----	----	-------
ST. THOMAS	304	134	170	16	7	9	5.3	5.2	5.3
White	33	31	2	1	1	----	3.0	3.2	-------
Negro	234	79	155	14	5	9	6.0	6.3	5.8
Mixed	37	24	13	1	1	----	2.7	4.2	-------

NOTE.—"Mixed" designates a mixture of white and Negro.

165010 O—37——14

TABLE 5.—BIRTHS BY AGE OF PARENTS, IN THE VIRGIN ISLANDS: 1935

(Exclusive of stillbirths)

AGE OF MOTHER	All ages	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
All births	656	13	101	118	90	69	37	39	15	7	167
10 to 14 years	4	2	----	----	----	----	----	----	----	----	2
15 to 19 years	137	9	40	16	14	3	2	1	----	----	52
20 to 24 years	202	2	46	60	24	8	3	4	2	2	51
25 to 29 years	132	----	13	33	26	14	9	5	2	----	30
30 to 34 years	84	----	2	8	22	21	7	5	3	----	16
35 to 39 years	66	----	----	1	4	20	11	13	3	4	10
40 to 44 years	26	----	----	----	----	3	5	10	4	1	3
45 to 49 years	3	----	----	----	----	----	----	1	1	----	1
Not stated	2	----	----	----	----	----	----	----	----	----	2

TABLE 6.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE VIRGIN ISLANDS: 1935

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	Under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	112	13	2	4	7	4	2	4	36	6	12	10	8	11	7	6	6	4	4	2
Tuberculosis of the respiratory system (23)	1	---	---	----	------	---	----	----	---	---	----	1	----	----	----	----	----	----	----	----
Syphilis (34)	6	1	---	----	1	---	1	----	3	1	----	1	----	----	----	----	1	----	----	----
Bronchopneumonia (107)	10	---	---	1	------	1	----	1	3	---	1	1	1	1	----	----	1	2	----	----
Lobar and unspecified pneumonia (108,109)	5	---	---	----	------	---	----	----	---	---	----	----	----	1	1	----	----	----	2	1
Diseases of the stomach (117, 118)	1	---	---	----	------	---	----	----	---	---	1	----	----	----	----	----	----	----	----	----
Diarrhea and enteritis (119)	55	---	---	----	1	1	----	2	4	3	8	7	7	8	4	5	4	2	2	1
Congenital malformations (157)	4	1	---	1	1	---	----	----	3	---	1	----	----	----	----	----	----	----	----	----
Congenital debility, icterus, sclerema (158,161b,c)	4	1	---	----	------	---	----	1	2	2	----	----	----	----	----	----	----	----	----	----
Premature birth (159)	13	7	1	1	3	1	----	----	13	---	----	----	----	----	----	----	----	----	----	----
Injury at birth (160)	1	1	---	----	------	---	----	----	1	---	----	----	----	----	----	----	----	----	----	----
Other diseases of early infancy (161a,d)	6	2	1	1	1	1	----	----	6	---	----	----	----	----	----	----	----	----	----	----
Unknown or ill-defined diseases (199, 200)	1	---	---	----	------	---	----	----	---	---	----	----	----	1	----	----	----	----	----	----
All other causes	5	---	---	----	------	---	1	----	1	---	1	----	----	----	2	1	----	----	----	----

TABLE 7.—INFANT MORTALITY RATE (DEATHS[1/] UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FROM IMPORTANT CAUSES, IN THE VIRGIN ISLANDS: 1924—1935

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	1935	1934	1933	1932	1931	1930	1929	1928	1927	1926	1925	1924
All causes	170.7	97.4	157.4	133.8	119.2	119.9	145.2	214.9	210.2	119.3	142.0	178.5
Measles (7)	------	------	1.7	------	------	------	------	------	------	------	------	---------
Whooping-cough (9)	------	------	3.5	7.2	------	------	------	16.0	------	------	------	---------
Dysentery (13)	------	------	1.7	------	------	------	------	5.3	1.8	3.3	9.5	3.0
Tetanus (22)	------	1.5	1.7	------	------	------	------	------	1.8	3.3	------	1.5
Tuberculosis of the respiratory system (23)	1.5	1.5	------	------	2.1	------	------	------	------	------	------	---------
Syphilis (34)	9.1	1.5	3.5	1.8	6.3	3.4	------	7.1	14.6	1.6	4.7	3.0
Convulsions (86)	------	------	------	1.8	------	------	------	1.8	1.8	------	1.6	1.5
Bronchitis (106)	------	1.5	5.2	10.8	------	3.4	4.0	3.6	3.7	4.9	1.6	4.5
Bronchopneumonia (107)	15.2	7.6	20.8	9.0	16.7	5.1	18.1	32.0	23.8	24.5	30.0	25.7
Lobar and unspecified pneumonia (108, 109)	7.6	1.5	10.4	3.6	2.1	------	2.0	1.8	1.8	1.6	1.6	1.5
Diseases of the stomach (117, 118)	1.5	------	1.7	------	------	------	------	------	------	1.6	1.6	---------
Diarrhea and enteritis (119)	83.8	28.9	45.0	27.1	39.7	65.9	52.4	79.9	64.0	14.7	33.1	42.4
Intestinal obstruction (122b)	------	1.5	------	------	------	------	------	------	------	------	------	---------
Congenital malformations (157)	6.1	4.6	10.4	5.4	------	5.1	6.0	1.8	7.3	8.2	1.6	4.5
Congenital debility, icterus, sclerema 2/ (158, 161b,c)	6.1	1.5	3.5	7.2	12.6	1.7	8.1	17.8	21.9	14.7	12.6	33.3
Premature birth (159)	19.8	24.4	24.2	28.9	18.8	16.9	20.2	19.5	29.3	24.5	17.4	33.3
Injury at birth (160)	1.5	1.5	3.5	1.8	2.1	8.4	4.0	5.3	3.7	1.6	3.2	3.0
Other diseases of early infancy (161a,d)	9.1	9.1	6.9	10.8	6.3	1.7	14.1	7.1	12.8	4.9	7.9	4.5
External causes 3/ (172-198, 201-214)	------	3.0	3.5	------	2.1	------	------	5.3	3.7	3.3	3.2	3.0
Unknown or ill-defined diseases (199, 200)	1.5	1.5	1.7	9.0	8.4	5.1	2.0	3.6	7.3	------	11.0	9.1
All other causes	7.6	6.1	8.7	9.0	2.1	3.4	14.1	7.1	11.0	6.5	1.6	4.5

1/ Exclusive of stillbirths.
2/ Includes lack of care, desertion, etc., previous to 1930.
3/ Excludes lack of care, desertion, etc., previous to 1930.

TABLE 8.—BIRTHS, DEATHS, AND STILLBIRTHS, IN THE VIRGIN ISLANDS: 1924—1935

CALENDAR YEAR AND SEX	BIRTHS[1]				ALL DEATHS[1]				DEATHS[1] UNDER 1 YEAR				STILLBIRTHS			
	White	Negro	Mixed	Other	White	Negro	Mixed	Other	White	Negro	Mixed	Other	White	Negro	Mixed	Other
1935																
Total	40	490	125	1	47	388	56	1	9	90	13	---	1	27	3	-----
Male	21	244	63	1	21	201	14	1	4	48	7	---	1	18	1	-----
Female	19	246	62	---	26	187	42	---	5	42	6	---	---	9	2	-----
1934																
Total	52	495	110	---	29	342	48	---	6	53	5	---	2	30	7	-----
Male	29	244	53	---	16	157	15	---	3	30	2	---	2	12	2	-----
Female	23	251	57	---	13	185	33	---	3	23	3	---	---	18	5	-----
1933																
Total	47	463	67	1	37	389	53	2	6	80	5	---	1	2/ 29	5	1
Male	24	240	28	---	19	183	24	2	3	43	4	---	---	11	2	-----
Female	23	223	39	1	18	206	29	---	3	37	1	---	1	17	3	1
1932																
Total	53	500	---	---	23	423	6	2	2	72	---	---	---	32	---	-----
Male	23	276	---	---	13	196	3	1	1	44	---	---	---	19	---	-----
Female	30	224	---	---	10	227	3	1	1	28	---	---	---	13	---	-----
1931																
Total	54	423	---	1	32	417	---	---	7	50	---	---	3	34	---	-----
Male	23	205	---	---	20	200	---	---	5	25	---	---	1	18	---	-----
Female	31	218	---	1	12	217	---	---	2	25	---	---	2	16	---	-----
1930																
Total	73	517	---	2	28	452	---	4	4	67	---	---	---	45	---	-----
Male	41	253	---	1	15	214	---	4	1	34	---	---	---	26	---	-----
Female	32	264	---	1	13	238	---	---	3	33	---	---	---	19	---	-----
1929																
Total	54	441	1	---	35	496	1	1	4	68	---	---	1	42	---	-----
Male	33	228	---	---	17	238	1	1	2	40	---	---	1	27	---	-----
Female	21	213	1	---	18	258	---	---	2	28	---	---	---	15	---	-----
1928																
Total	74	487	2	---	37	615	---	1	8	113	---	---	2	42	2	-----
Male	35	231	1	---	16	290	---	1	5	58	---	---	1	24	2	-----
Female	39	256	1	---	21	325	---	---	3	55	---	---	1	18	---	-----
1927																
Total	41	506	---	---	43	551	---	---	4	111	---	---	---	53	---	-----
Male	25	243	---	---	23	265	---	---	4	69	---	---	---	29	---	-----
Female	16	263	---	---	20	286	---	---	---	42	---	---	---	24	---	-----
1926																
Total	53	538	19	2	29	469	---	1	1	72	---	---	1	55	---	-----
Male	27	262	11	---	17	223	---	1	---	35	---	---	1	26	---	-----
Female	26	276	8	2	12	246	---	---	1	37	---	---	---	29	---	-----
1925																
Total	60	493	79	2	27	473	---	1	3	87	---	---	2	52	6	-----
Male	28	235	43	1	14	225	---	1	1	46	---	---	2	32	1	-----
Female	32	258	36	1	13	248	---	---	2	41	---	---	---	20	5	-----
1924																
Total	59	507	95	---	31	496	74	---	12	96	10	---	4	65	5	-----
Male	29	240	50	---	12	245	27	---	4	47	6	---	4	36	4	-----
Female	30	267	45	---	19	251	47	---	8	49	4	---	---	29	1	-----

1/ Exclusive of stillbirths.
2/ Includes 1 of unknown sex.

NOTE.—"Mixed" designates persons of mixed white and Negro.

0