

**Byssinosis: Number and percent of deaths by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999**

<b>NORA Industrial Sector</b>	<b>Number of Deaths*</b>	<b>Percent</b>
Manufacturing	50	61.7
Services <sup>§</sup>	9	11.1
Mining	4	4.9
Construction <sup>§</sup>	4	4.9
Healthcare and Social Assistance <sup>§</sup>	3	3.7
Agriculture, Forestry, and Fishing	2	2.5
Wholesale and Retail Trade <sup>†§</sup>	1	1.2
Transportation, Warehousing, and Utilities <sup>†§</sup>	0	0.0
Decedents with unclassified industry	8	9.9
<b>TOTAL</b>	<b>81</b>	<b>100.0</b>

NORA - National Occupational Research Agenda

\* The comparable number of byssinosis deaths in the entire United States for this same time period was 125.

† indicates that no industry (as defined by 3-digit Census Industry Code) within the specified sector was associated with at least two deaths with this condition in the specified time period.

§ indicates that, among decedents whose industry was within the specified sector, no occupation (as defined by 3-digit Census Occupation Code) was associated with at least two deaths with this condition in the specified time period.

NOTE: Percentages may not total to 100% due to rounding. See appendices for source description, methods, ICD codes, industry and occupation codes, industrial sector groupings, and list of selected states and years.

SOURCE: National Center for Health Statistics multiple cause-of-death data.