

2005Table 4-1. Byssinosis: Number of deaths by sex, race, and age, and median age at death, U.S. residents age 15 and over, 1993–2002

Year	No. of Deaths	Underlying Cause (%)	Sex		Race			Age Group (yrs)								Median Age (yrs)
			Male	Female	White	Black	Other	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85+	
1993	17	47.1	11	6	12	5	-	-	1	1	1	4	3	3	4	73.0
1994	17	58.8	11	6	15	2	-	-	-	1	1	3	4	5	3	72.0
1995	14	50.0	11	3	14	-	-	-	1	1	-	-	6	6	-	74.0
1996	9	33.3	4	5	9	-	-	-	-	-	1	2	2	4	-	71.0
1997	10	60.0	9	1	9	1	-	-	-	-	-	1	3	4	2	76.5
1998	6	66.7	5	1	6	-	-	-	-	-	-	1	1	3	1	77.0
1999	7	42.9	3	4	7	-	-	-	-	1	-	1	2	2	1	68.0
2000	10	40.0	8	2	10	-	-	-	1	-	-	2	1	3	3	78.0
2001	10	70.0	6	4	10	-	-	-	-	-	-	-	3	4	3	80.0
2002	9	77.8	5	4	9	-	-	-	-	-	2	1	1	3	2	78.0
TOTAL	109	54.1	73	36	101	8	-	-	3	4	5	15	26	37	19	75.0

- indicates no deaths listed.

NOTE: Slight variations in numbers may exist when compared to previous WoRLD Surveillance Reports. See appendices for source description, methods, and ICD codes.

SOURCE: National Center for Health Statistics multiple cause-of-death data