
Appendix 4

Bibliography of Industry-Funded Research

BIBLIOGRAPHY OF INDUSTRY FUNDED RESEARCH

1. Published Reports

Abood LG, Grassi S, Noggle HD. Comparison of the binding of optically pure (-)- and (+)-[3H]nicotine to rat brain membranes. *Neurochem-Res.* 1985;10(2):259-267.

Abood LG, Lu X, Banerjee S. Receptor binding characteristics of a 3H-labeled azetidine analogue of nicotine. *Biochem-Pharmacol.* 1987;36(14):2337-2341.

Abood LG, Grassi S, Junig J, Crane A, Costanzo M. Specific binding and metabolism of (-)- and (+)-[3H]-nicotine in isolated rat hepatocytes and hepatocyte membranes. *Arch-Int-Pharmacodyn-Ther.* 1985;273(1):62-73.

Abood LG, Lowy K, Tometsko A, Booth H. Electrophysiological, behavioral, and chemical evidence for a noncholinergic, stereospecific site for nicotine in rat brain. *J-Neurosci-Res.* 1978;3(5-6):327-333.

Abood LG, Lowy K, Tometsko A, MacNeil M. Evidence for a noncholinergic site for nicotine's action in brain: Psychopharmacological, electrophysiological and receptor binding studies. *Arch-Int-Pharmacodyn-Ther.* 1979;237(2):213-229.

Abood LG, Lowy K, Booth H. Acute and chronic effects of nicotine in rats and evidence for a non-cholinergic site of action. *NIDA-Res-Monogr.* 1979:136-149.

Abood LG, Grassi S, Costanzo M, Junig J. Behavioral and biochemical studies in rats after chronic exposure to nicotine. *NIDA-Res-Monogr.* 1984;54:348-355.

Abood LG, Grassi S. Tritiated Methylcarbamylcholine a new radioligand for studying brain nicotinic receptors. *Biochemical Pharmacology.* 1990;35(23):4199-4202.

Adem A, Nordberg A, Jossan SS, Sara V, Gillberg PG. Quantitative autoradiography of nicotinic receptors in large cryosections of human brain hemispheres. *Neurosci-Lett.* 1989;101(3):247-252.

Adem A, Jossan SS, d'Argy R, et al. Distribution of nicotinic receptors in human thalamus as visualized by 3H-nicotine and 3H-acetylcholine receptor autoradiography. *J-Neural-Transm.* 1988;73(1):77-83.

Andersson K, Fuxe K, Agnati LF, Eneroth P. Effects of acute central and peripheral administration of nicotine on ascending dopamine pathways in the male rat brain. Evidence for nicotine induced increases of dopamine turnover in various telencephalic dopamine nerve terminal systems. *Med-Biol.* 1981;59(3):170-176.

Andersson K, Eneroth P, Fuxe K, Mascagni F, Agnati LF. Effects of chronic exposure to cigarette smoke on amine levels and turnover in various hypothalamic catecholamine nerve terminal systems and on the secretion of pituitary hormones in the male rat. *Neuroendocrinology.* 1985;41(6):462-466.

Andersson K. Mecamylamine pretreatment counteracts cigarette smoke induced changes in hypothalamic catecholamine neuron systems and in anterior pituitary function. *Acta-Physiol-Scand.* 1985;125(3):445-452.

Andersson K, Siegel R, Fuxe K, Eneroth P. Intravenous injections of nicotine induce very rapid and discrete reductions of hypothalamic catecholamine levels associated with increases of ACTH, vasopressin, and prolactin secretion. *Acta-Physiol-Scand.* 1983;118(1):35-40.

Andersson K, Fuxe K, Eneroth P, Gustafsson JA, Agnati LF. Mecamylamine induced blockade of nicotine induced inhibition of gonadotrophin and TSH secretion and of nicotine induced increases of catecholamine turnover in the rat hypothalamus. *Acta-Physiol-Scand-Suppl.* 1980;479:27-29.

Andersson K, Hockey GRJ. Effects of cigarette smoking on incidental memory. *Psychopharmacology.* 1977;52:223-226.

Andersson K, Fuxe K, Eneroth P, Mascagni F, Agnati LF. Effects of acute intermittent exposure to cigarette smoke on catecholamine levels and turnover in various types of hypothalamic DA and NA nerve terminal systems as well as on the secretion of adenohypophyseal hormones and corticosterone. *Acta-Physiol-Scand.* 1985;124(2):277-285.

Andersson K, Fuxe K, Eneroth P, Agnati LF, Gustafsson JA. Interactions of nicotine and pentobarbitone in the regulation of telencephalic and hypothalamic catecholamine levels and turnover and of adenohypophyseal hormone secretion in the normal male rat. *Naunyn-Schmiedebergs-Arch-Pharmacol.* 1982;321(4):287-292.

Andersson K, Eneroth P, Agnati LF. Nicotine-induced increases of noradrenaline turnover in discrete noradrenaline nerve terminal systems of the hypothalamus and the median eminence of the rat and their relationship to changes in the secretion of adenohypophyseal hormones. *Acta-Physiol-Scand.* 1981;113:227-231.

Andersson K, Fuxe K, Eneroth P, Jansson A, Harfstrand A. Effects of withdrawal from chronic exposure to cigarette smoke on hypothalamic and preoptic catecholamine nerve terminal systems and on the secretion of pituitary hormones in the male. *Naunyn-Schmiedebergs-Arch-Pharmacol.* 1989;339(4):387-396.

Andersson K, Fuxe K, Agnati LF. Effects of single injections of nicotine on the ascending dopamine pathways in the rat. Evidence for increases of dopamine turnover in the mesostriatal and mesolimbic dopamine neurons. *Acta-Physiol-Scand.* 1981;112(3):345-347.

Andersson K, Fuxe K, Eneroth P, Agnati LF. Effects of acute central and peripheral administration of nicotine on hypothalamic catecholamine nerve terminal systems and on the secretion of adenohypophyseal hormones in the male rat. *Med-Biol.* 1982;60(2):98-111.

Andersson K, Fuxe K, Eneroth P, Agnati LF. Involvement of cholinergic nicotine-like receptors as modulators of amine turnover in various types of hypothalamic dopamine and noradrenaline nerve terminal systems and of prolactin, LH, FSH and TSH secretion in the castrated male rat. *Acta-Physiol-Scand.* 1982;116(1):41-50.

Andersson K, Fuxe K, Eneroth P, Harfstrand A, Agnati LF, et al. Involvement of D1 dopamine receptors in the nicotine-induced neuro-endocrine effects and depletion of diencephalic catecholamine stores in the male rat. *Neuroendocrinology.* 1988;48(2):188-200.

Armitage AK, Turner DM. Absorption of nicotine in cigarette and cigar smoke through the oral mucosa. *Nature.* 1970;226:1231-1232.

Armitage AK, Hall GH, Morrison CF. Pharmacological basis for the tobacco smoking habit. *Nature.* 1968;217(126):331-334.

Armitage AK, Houseman TH, Turner DM. The transfer of endogenous and exogenous radioisotopically labelled nicotine to mainstream cigarette smoke and its absorption into the blood of anaesthetized cats. *Q-J-Exp-Physiol-Cogn-Med-Sci.* 1974;59(1):55-61.

Armitage AK, Hall GH. The effects of nicotine on the electrocorticogram and spontaneous release of acetylcholine from the cerebral cortex of the cat. *J-Physiol-Lond.* 1967;191(2):115P-116P.

Armitage AK, Dollery C, Houseman T, Kohner E, Lewis PJ, Turner D. Absorption of nicotine from small cigars. *Clin-Pharmacol-Ther.* 1978;23(2):143-151.

Armitage AK, Dollery CT, Houseman TH, Kohner EM, Lewis PJ, Turner DM. Absorption of nicotine by man during cigar smoking [proceedings]. *Br-J-Pharmacol.* 1977;59(3):493P.

Armitage AK, Hall GH. Nicotine, Smoking and cortical activation. *Nature*. 1968;219(159):1179-1180.

Armitage AK, Hall GH, Sellers CM. Effects of nicotine on electrocortical activity and acetylcholine release from the cat cerebral cortex. *Br-J-Pharmacol*. 1969;35:152-160.

Armitage AK, Hall GH. Further evidence relating to the mode of action of nicotine in the central nervous system. *Nature*. 1967; 214(92):977-979.

Armitage AK, Milton AS, Morrison CF. Effects of nicotine and some nicotine-like compounds injected into the cerebral ventricles of the cat. *Br-J-Pharmacol*. 1966;27(1):33-45.

Armitage AK, Dollery CT, George CF, Houseman TH, Lewis PJ. Absorption and metabolism of nicotine from cigarettes. *Br-Med-J*. 1975;4:313-316.

Armitage AK. Some recent observations relating to the absorption of nicotine from tobacco smoke. In: Dunn WL. *Smoking Behavior: Motives and Incentives*. 1973:83-92.

Ashton H, Marsh VR, Millman JE, Rawlins MD, Telford R, Thompson JW. The use of event-related slow potentials of the brain as a means to analyse the effects of cigarette smoking and nicotine in humans. In: Thornton RE. (ed) *Smoking Behaviour -- Physiological and Psychological Influences*. 1978:54-68.

Balfour DJ, Morrison CF. A possible role for the pituitary-adrenal system in the effects of nicotine on avoidance behaviour. *Pharmacol-Biochem-Behav*. 1975;3(3):349-354.

Battig K. The effect of pre- and post-trial application of nicotine on the 12 problems of the Hebb-Williams-test in the rat. *Psychopharmacologia*. 1970;18(1):68-76.

Battig K, Buzzi R, Nil R. Smoke yield of cigarettes and puffing behavior in men and women. *Psychopharmacology-Berl*. 1982;76(2):139-148.

Becker RF, King JE. Studies on nicotine absorption during pregnancy. II. The effects of acute heavy doses on mother and neonates. *Am-J-Obstet-Gynecol*. 1966;95(4):515-522.

Beckett AH, Gorrod JW, Jenner P. Effect of smoking on nicotine metabolism in vivo in man. *J-Pharm-Pharmacol*. 1971;23:62S-67S.

Beckett AH, Triggs EJ. Buccal absorption of basic drugs and its application as an in vivo model of passive drug transfer through lipid membranes. *J-Pharm-Pharmacol*. 1967;19:Suppl:31S-41S.

Beckett AH, Gorrod JW, Jenner P. Analysis of nicotine-1-N-oxide in urine, in the presence of nicotine and cotinine, and its application to the study of in vivo nicotine metabolism in man. *J-Pharm-Pharmacol.* 1971;23:55S-61S.

Bhagat B, Wheeler N. Effect of nicotine on the swimming endurance of rats. *Neuropharmacology.* 1973;12(12):1161-1165.

Bhagat B. Influence of chronic administration of nicotine on the turnover and metabolism of noradrenaline in the rat brain. *Psychopharmacologia.* 1970;18(4):325-332.

Bhagat B, Rana MW. Effect of chronic administration of nicotine on the concentrations of adrenal enzymes involved in the synthesis and metabolism of adrenaline. *Br-J-Pharmacol.* 1971;43(1):250-251.

Bhagat B. Effects of chronic administration of nicotine on storage and synthesis of noradrenaline in rat brain. *Br-J-Pharmacol.* 1970;38(1):86-92.

Bhagat B, Kramer SZ, Seifter J. The effects of nicotine and other drugs on the release of injected ³H-norepinephrine and on endogenous norepinephrine levels in the rat brain. *Eur-J-Pharmacol.* 1967;2(3):234-235.

Bhattacharya IC, Goldstein L, Pfeiffer CC. Influence of acute and chronic nicotine administration on EEG reactivity to drugs in rabbits. I. Nucleosides and nucleotides. *Res-Commun-Chem-Pathol-Pharmacol.* 1970;1(1):99-108.

Biber A, Scherer G, Hoepfner I, Adlkofer F, Heller WD, Haddow JE, Knight GJ. Determination of nicotine and cotinine in human serum and urine: an interlaboratory study. *Toxicol-Lett.* 1987;35(1):45-52.

Binnie CD, Comer AK. The effect of cigarette smoking on the contingent negative variation (CNV) and eye movement. In: Thornton RE (ed). *Smoking Behaviour -- Physiological and Psychological Influences.* 1978:69-75.

Bjercke RJ, Langone JJ. Anti-idiotypic antibody probes of neuronal nicotinic receptors. *Biochem-Biophys-Res-Commun.* 1989;162(3):1085-1092.

Bosse R, Garver AJ, Glynn RJ. Age and addiction to smoking. *Addict-Behav.* 1980;5(4):341-351.

Bowman ER, McKennis H. Studies on the metabolism of (-)-cotinine in the human. *J Pharmacol Exp Ther.* 1962;135:306-311.

Bowman ER, Hansson E, Turnbull LB, McKennis H, Schmieder CG. Disposition and fate of (-)-cotinine-H₃ in the mouse. *J Pharmacol Exp Ther.* 1964;143:301-308.

Bradley PB, Wolstencroft JH. Effects of acetylcholine, nicotine, and muscarine on brain stem neurons. The effects of nicotine and smoking on the central nervous system. *Annals of the New York Academy of Sciences.* 1967;142:15-20.

Brazell MP, Mitchell SN, Gray JA. Effect of acute administration of nicotine on in vivo release of noradrenaline in the hippocampus of freely moving rats: a dose-response and antagonist study. *Neuropharmacology.* 1991;30(8):823-833.

Britto LR, Keyser KT, Lindstrom JM, Karten H. Immunohistochemical localization of nicotinic acetylcholine receptor subunits in the mesencephalon and diencephalon of the chick (*Gallus gallus*). *J-Comp-Neurol.* 1992;317(4):325-340.

Bush LP, Fannin FF, Chelvarajan RL, Burton HR. Biosynthesis and metabolism of nicotine and related alkaloids. In: Gorrod JW (ed). *Nicotine and Related Alkaloids--Absorption, Distribution, Metabolism and Excretion.* 1993:1-29.

Byrd GD, Chang KM, Greene JM, deBethizy JD. Evidence for urinary excretion of glucuronide conjugates of nicotine, cotinine, and trans-3'-hydroxycotinine in smokers. *Drug-Metab-Dispos-Biol-Fate-Chem.* 1992;20(2):192-197.

Caldwell WS, Green JM, Byrd GD, et al. Characterization of the glucuronide conjugate of cotinine: a previously unidentified major metabolite of nicotine in smokers' urine. *Chem-Res-Toxicol.* 1992;5(2):280-285.

Caldwell WS, Greene JM, Dobson GP, deBethizy JD. Intragastric nitrosation of nicotine is not a significant contributor to nitrosamine exposure. *Ann-N-Y-Acad-Sci.* 1993;686:213-227; discussion 227-228.

Castro A, Monji N, Ali H, Yi JM, Bowman ER, McKennis H.Jr. Nicotine antibodies: comparison of ligand specificities of antibodies produced against two nicotine conjugates. *Eur-J-Biochem.* 1980;104(2):331-340.

Castro A, Monji N. Nicotine enzyme immunoassay. *Res-Commun-Chem-Pathol-Pharmacol.* 1986;51(3):393-404.

Castro A, Malkus H. Radioimmunoassays of drugs of abuse in humans: a review. *Res-Commun-Chem-Pathol-Pharmacol.* 1977;16(2):291-309.

Chance WT, Kallman MD, Rosecrans JA, Spencer R. A comparison of nicotine and structurally related compounds as discriminative stimuli. *Br-J-Pharmacol.* 1978;63(4):609-616.

Chang PL, Bhagat B, Taylor JJ. Effect of chronic administration of nicotine on acetylcholinesterase activity in the hypothalamus and medulla oblongata of the rat brain. An ultrastructural study. *Brain Res.* 1973;54:75-84.

Chiou CY, Long JP, Potrepka R, Spratt JL. The ability of various nicotinic agents to release acetylcholine from synaptic vesicles. *Arch-Int-Pharmacodyn-Ther.* 1970;187(1):88-96.

Cholerton S, McCracken NW, Idle JR. Sources of inter-individual variability in nicotine pharmacokinetics. In: Gorrod JW. (ed) *Nicotine and Related Alkaloids -- Absorption, Distribution, Metabolism and Excretion.* 1993:219-254.

Collins AC, Bhat RV, Pauly JR, Marks MJ. Modulation of nicotine receptors by chronic exposure to nicotinic agonists and antagonists. In: Bock G, Marsh J. (eds). *The Biology of Nicotine Dependence Ciba Foundation Symposium 152.* 1990:68-82.

Collins AC, Bhat RV, Papuly JR, Marks MJ. Modulation of Nicotine Receptors by Chronic Exposure to Nicotinic Agonists and Antagonists. In: *The Biology of Nicotine Dependence.* 1990.

Copeland JR, Adem A, Jacob P, Nordberg A. A comparison of the binding of nicotine and nornicotine stereoisomers to nicotinic binding sites in rat brain cortex. *Naunyn-Schmiedebergs-Arch-Pharmacol.* 1991;343(2):123-127.

Creighton DE, McGillivray LM. Relative contributions of nicotine and carbon monoxide to human physiological response. British-American Tobacco Co., Southampton, England, 1971.

Cronan T, Conrad J, Bryson R. Effects of chronically administered nicotine and saline on motor activity in rats. *Pharmacol-Biochem-Behav.* 1985;22(5):897-899.

Davies BD, Hoss W, Lin JP, Lionetti F. Evidence for a noncholinergic nicotine receptor on human phagocytic leukocytes. *Mol-Cell-Biochem.* 1982;44(1):23-31.

Davis RA. The determination of nicotine and cotinine in plasma. *J-Chromatogr-Sci.* 1986;24(4):134-141.

deBethizy JD, Borgerding MF, Doolittle DJ. Chemical and biological studies of a cigarette that heats rather than burns tobacco. *J-Clin-Pharmacol.* 1990;30(8):755-763.

deBethizy JD, Robinson JH, Davis RA, et al. Absorption of nicotine from a cigarette that does not burn tobacco. *Pharmacology*. 1988;37(5):328-332.

Deneau GA, Inoki R. Nicotine self-administration in monkeys. In: Murphree HB, Pheiffer CC. The Effects of Nicotine and Smoking on the Central Nervous System. *Annals of the New York Academy of Sciences*. 1967;142:277-279.

DeNoble VJ, Dragan VP, Carron L. Behavioral effects of intraventricularly administered (-)-nicotine on fixed ratio schedules of food presentation in rats. *Psychopharmacology-Berl*. 1982;317-321.

Domino EF. Electroencephalographic and behavioral arousal effects of small doses of nicotine: A neuropsychopharmacological study. The Effects of Nicotine and Smoking on the Central Nervous System. *Annals of the New York Academy of Sciences*. 1967;142:216-244.

Domino EF, Lutz MP. Tolerance to the effects of daily nicotine on rat bar pressing behavior for water reinforcement. *Pharmacol-Biochem-Behav*. 1973;1(4):445-448.

Driscoll P, Battig K. Effects of nicotine on the shuttlebox behavior of trained guinea pigs. *Psychopharmacologia*. 1974;38(1):47-54.

Edwards JA, Warburton DM. Smoking, nicotine and electrocortical activity. *Pharmacol-Ther*. 1982;19(2):147-164.

Edwards JA, Wesnes K, Warburton DM, Gale A. Evidence of more rapid stimulus evaluation following cigarette smoking. *Addict-Behav*. 1985;10(2):113-126.

Erwin VG, Cornell K, Towell JF. Nicotine alters catecholamines and electrocortical activity in perfused mouse brain. *Pharmacol-Biochem-Behav*. 1986;24(1):99-105.

Essman WB. Changes in cholinergic activity and avoidance behavior by nicotine in differentially housed mice. *Int-J-Neurosci*. 1971;2(4):199-205.

Essman WB. Drug effects and learning and memory processes. *Adv-Pharmacol-Chemother*. 1971;9:241-330.

Falkeborn Y, Larsson C, Nordberg A. Chronic nicotine exposure in rat: a behavioural and biochemical study of tolerance. *Drug-Alcohol-Depend*. 1981;8:51-60.

Finnegan JK, Larson PS, Haag HB. The role of nicotine in the cigarette habit. *Science*. 1945;102:94-96.

Fuxe K, Agnati LF, Jansson A, von Euler G, Tanganelli S, Andersson K, Eneroth P. Regulation of endocrine function by the nicotinic cholinergic receptor. *Ciba-Found-Symp.* 1990;152:113-27; discussion 127-130.

Fuxe K, Andersson K, Harfstrand A, Agnati LF. Increases in dopamine utilization in certain limbic dopamine terminal populations after a short period of intermittent exposure of male rats to cigarette smoke. *J-Neural-Transm.* 1986;67(1-2):15-29.

Fuxe K, Andersson K, Eneroth P, Harfstrand A, Nordberg A, Agnati LF. Effects of Nicotine and exposure to cigarette smoke on discrete dopamine and noradrenaline nerve terminal systems of the telencephalon and diencephalon of the rat: Relationship to reward mechanisms and neuroendocrine functions and distribution of nicotinic binding sites in brain. In: Martin WR, Van Loo GR, Iwamoto ET, Davis L. (eds). *Tobacco Smoking and Nicotine: A Neurobiological Approach.* 1987:225-262.

Fuxe K, Andersson K, Eneroth P, et al. Neurochemical mechanisms underlying the neuroendocrine actions of nicotine: focus on the plasticity of central cholinergic nicotinic receptors. *Prog-Brain-Res.* 1989;79:197-207.

Fuxe K, Andersson K, Eneroth P, Harfstrand A, Agnati LF. Neuroendocrine actions of nicotine and of exposure to cigarette *Psychoneuroendocrinology.* 1989;14(1-2):19-41.

Fuxe K, von Euler G, Finnman UB, Agnati LF. Reduction of [³H]nicotine binding in hypothalamic and cortical membranes by dopamine D₁ receptors. *Acta-Physiol-Scand.* 1989;136(2):295-296.

Fuxe K, Everitt BJ, Hokfelt T. On the action of nicotine and cotinine on central 5-hydroxytryptamine. *Pharmacol-Biochem-Behav.* 1979;10(5):671-677.

Gilbert DG, Robinson JH, Chamberlin CL, Spielberger CD. Effects of smoking/nicotine on anxiety, heart rate, and lateralization of EEG during a stressful movie. *Psychophysiology.* 1989;26(3):311-320.

Golding JF. Effects of cigarette smoking on resting EEG, visual evoked potentials and photic driving. *Pharmacol-Biochem-Behav.* 1988;29(1):23-32.

Golding J, Mangan GL. Arousing and de-arousing effects of cigarette smoking under conditions of stress and mild sensory isolation. *Psychophysiology.* 1982;19:449-456.

Golding JF, Mangan GL. Effects of cigarette smoking on measures of arousal, response suppression, and excitation/inhibition balance. *Int-J-Addict.* 1982;17(5):793-804.

Grenhoff J, Janson AM, Svensson TH, Fuxe K. Chronic continuous nicotine treatment causes decreased burst firing of nigral dopamine neurons in rats partially hemitransected at the meso-diencephalic junction. *Brain-Res.* 1991;562(2):347-351.

Grenhoff J, Svensson TH. Selective stimulation of limbic dopamine activity by nicotine. *Acta-Physiol-Scand.* 1988;133(4):595-596.

Grenhoff J, Aston Jones G, Svensson TH. Nicotinic effects on the firing pattern of midbrain dopamine neurons. *Acta-Physiol-Scand.* 1986;128(3):351-358.

Haag HB, Larson PS. Studies on the fate of nicotine in the body. I. The effect of pH on the urinary excretion of nicotine by tobacco smokers. *J. Pharmacol. Exp. Ther.* 1942;76:235-239.

Haines CF Jr, Mahajan DK, Miljkovic D, Miljkovic M, Vesell ES. Radioimmunoassay of plasma nicotine in habituated and naive smokers. *Clin-Pharmacol-Ther.* 1974;16(6):1083-1089.

Hall GH. Effects of nicotine and tobacco smoke on the electrical activity of the cerebral cortex and olfactory bulb. *Br-J-Pharmacol.* 1970;38(2):271-286.

Hall GH, Morrison CF. New evidence for relationship between tobacco smoking, nicotine dependence, and stress. *Nature.* 1973;243:199-201.

Hammond DK, Bjercke RJ, Langone JJ, Strobel H. Metabolism of nicotine by rat liver cytochromes P-450. Assessment utilizing monoclonal antibodies to nicotine and cotinine. *Drug-Metab-Dispos-Biol-Fate-Chem.* 1991;19(4):804-808.

Harfstrand A, Adem A, Fuxe K, et al. Distribution of nicotinic cholinergic receptors in the rat tel- and diencephalon: a quantitative receptor autoradiographical study using [³H]-acetylcholine, [^{alpha-125I}]bungarotoxin and [³H]nicotine. *Acta-Physiol-Scand.* 1988;132(1):1-14.

Harsing LG, Sershen H, Vizi SE, Lajtha A. N-type calcium channels are involved in the dopamine releasing effect of nicotine. *Neurochem-Res.* 1992;17(7):729-734.

Harsing LG, Sershen H, Lajtha A. Dopamine efflux from striatum after chronic nicotine: evidence for autoreceptor desensitization. *J-Neurochem.* 1992;59(1):48-54.

Hasenfratz M, Pfiffner D, Pellaud K, Battig K. Post-lunch smoking for pleasure seeking or arousal maintenance? *Pharmacol-Biochem-Behav.* 1989;34(3):631-639.

Hasenfratz M, Nil R, Battig K. Development of central and peripheral smoking effects over time. *Psychopharmacology-Berl.* 1990;101(3):359-365.

Hasenfratz M, Michel C, Nil R, Battig K. Can smoking increase attention in rapid information processing during noise? Electrocortical, physiological and behavioral effects. *Psychopharmacology-Berl.* 1989;98(1):75-80.

Hasenfratz M, Battig K. Psychophysiological reactions during active and passive stress coping following smoking cessation. *Psychopharmacology-Berl.* 1991;104(3):356-362.

Hasenfratz M, Battig K. Action profiles of smoking and caffeine: Stroop effect, EEG, and peripheral physiology. *Pharmacol-Biochem-Behav.* 1992;42(1):155-161.

Hasenfratz M, Jacober A, Battig K. Smoking-related subjective and physiological changes: pre- to postpuff and pre- to post cigarette. *Pharmacol-Biochem-Behav.* 1993;46(3):527-534.

Hatchell PC, Collins AC. The influence of genotype and sex on behavioral sensitivity to nicotine in mice. *Psychopharmacology-Berl.* 1980;71(1):45-49.

Heimstra NW, Fallesen JJ, Kinsley SA, Warner NW. The effects of deprivation of cigarette smoking on psychomotor performance. *Ergonomics.* 1980;23(11):1047-1055.

Heimstra NW, Bancroft NR, DeKock AR. Effects of smoking upon sustained performance in a simulated driving task. In: Murphree HB, Pheiffer CC. (ed). *The Effects of Nicotine and Smoking on the Central Nervous System.* *Annals of the New York Academy of Sciences.* 1967;142:295-307.

Hibberd AR, Gorrod JW. Enzymology of the metabolic pathway from nicotine to cotinine, in vitro. *Eur-J-Drug-Metab-Pharmacokinet.* 1983;8:151-162.

Hibberd AR, Gorrod JW. Nicotine delta 1 '(5)' iminium ion: a reactive intermediate in nicotine metabolism. *Adv-Exp-Med-Biol.* 1981;1121-1131.

Hirschhorn ID, Rosecrans JA. Studies on the time course and the effect of cholinergic and adrenergic receptor blockers on the stimulus effect of nicotine. *Psychopharmacologia.* 1974;40(2):109-120.

Hoff EC, Hockman CH. Neurophysiological aspects of the action of nicotine. *The Effects of Nicotine and Smoking on the Central Nervous System.* *Annals of the New York Academy of Sciences.* 1967;142:121-125.

Hucker HB, Larson PS. Studies on the metabolism of nornicotine in the dog. *J Pharmacol Exp Ther.* 1958;123:259-262.

Huganir RL, Delcour AH, Greengard P, Hess GP. Phosphorylation of the nicotinic acetylcholine receptor regulates its rate of desensitization. *Nature*. 1986;321:774-776.

Isaac PF, Rand MJ. Blood levels of nicotine and physiological effects after inhalation of tobacco smoke. *Eur-J-Pharmacol*. 1969; 8(3):269-283.

Isaac PF, Rand MJ. Cigarette smoking and plasma levels of nicotine. *Nature*. 1992;236:308-310.

Jarvik ME. Conference Overview. In: Thornton RE. *Smoking Behaviour -- Physiological and Psychological Influences*. 1978;389-398.

Jenner P, Gorrod JW, Beckett AH. Factors affecting the in vitro metabolism of R-(+)- and S-(-)-nicotine by guinea-pig liver preparations. *Xenobiotica*. 1973;3(9):563-572.

Jenner P, Gorrod JW, Beckett AH. Species variation in the metabolism of R-(+)- and S-(-)-nicotine by alpha-C- and N-oxidation in vitro. *Xenobiotica*. 1973;3(9):573-580.

Joseph MH, Grigoryan G, Hodges H, Gray JA. Possible mechanisms underlying beneficial effects of nicotine in cognitive function. In: Clarke PBS, Quik M, Thurau K, Adlkofer F (eds). *International Symposium on Nicotine*. 1994:S45.

Jusko WJ. Role of tobacco smoking in pharmacokinetics. *J-Pharmacokinet-Biopharm*. 1978;6(1):7-39.

Kallman WM, Kallman MJ, Harry GJ, Woodson PP, Rosecrans JA. Nicotine as a discriminative stimulus in human subjects. Drug Discrimination: Applications in CNS. *Pharmacology*. 1982;211-218.

Kawamura H, Domino EF. Differential actions of m and n cholinergic agonist on the brainstem activating system. *Int-J-Neuropharmacol*. 1969;8(2):105-115.

Kershbaum A, Bellet S. Cigarette, cigar, and pipe smoking. Some differences in biochemical effects. *Geriatrics*. 1968;23(3):126-134.

Knapp DE, Domino EF. Action of nicotine on the ascending reticular activating system. *Int. J Neuropharmacol*. 1962;333-351.

Knott VJ. Reaction time, noise distraction and autonomic responsivity in smokers and non-smokers. *Percept-Mot-Skills*. 1980;50:1271-1280.

Knott VJ. Noise and task induced distraction effects on information. *Addict-Behav.* 1984;9(1):79-84.

Knott VJ. Effects of cigarette smoking on subjective and brain evoked responses to electrical pain stimulation. *Pharmacol-Biochem-Behav.* 1990;35(2):341-346.

Kramer HK, Sershen H, Lajtha A, Reith ME. The effect of nicotine on catecholaminergic storage vesicles. *Brain-Res.* 1989;503(2):296-298.

Kyerematen GA, Taylor LH, DeBethizy JD, Vesell ES. Radiometric high performance liquid chromatographic assay for nicotine and twelve of its metabolites. *J-Chromatogr-Biomed-Appl.* 1987;419:191-203.

Kyerematen GA, Taylor LH, deBethizy JD, Vesell ES. Pharmacokinetics of nicotine and 12 metabolites in the rat. Application of a new radiometric high performance liquid chromatography assay. *Drug-Metab-Dispos-Biol-Fate-Chem.* 1988;16(1):125-129.

Kyerematen GA, Morgan ML, Chattopadhyay B, deBethizy JD, Vesell ES. Disposition of nicotine and eight metabolites in smokers and nonsmokers. *Clin-Pharmacol-Ther.* 1990;48(6):641-651.

Langone JJ, Bjercke RJ. Idiotype-anti-idiotype hapten immunoassays: assay for cotinine. *Anal-Biochem.* 1989;182(1):187-192.

Lapin EP, Maker HS, Sershen H, Hurd Y, Lajtha A. Dopamine-like action of nicotine: lack of tolerance and reverse tolerance. *Brain-Res.* 1987;407(2):351-363.

Lapin EP, Maker HS, Sershen H, Lajtha A. Action of nicotine on accumbens dopamine and attenuation with repeated administration. *European Journal of Pharmacology.* 1989;160(1):53-59.

Larson PS, Silvette H. *Tobacco -- Experimental and Clinical Studies -- A Comprehensive Account of the World Literature -- Supplement II.* 1971.

Larson PS, Silvette H. *Tobacco -- Experimental and Clinical Studies -- A Comprehensive Account of the World Literature -- Supplement I.* 1968.

Larson PS, Haag HB, Silvette H. *Tobacco -- Experimental and Clinical Studies.* 1961.

Larson PS, Finnegan JK, Haag HB. Studies on the fate of nicotine in the body. VI. Observations on the relative rate of elimination of nicotine by the dog, cat, rabbit and mouse. *J. Pharmacol Exp Ther.* 1949;95:506-508.

Larson PS, Haag HB, Finnegan JK. Studies on the fate of nicotine in the body. IV. Observations on the chemical structure of an end product of nicotine metabolism. *J Pharmacol Exp Ther.* 1946;86:239-241.

Larson PS, Haag HB. Studies on the fate of nicotine in the body. II. On the fate of nicotine in the dog. *J Pharmacol Exp Ther.* 1942;76:240-244.

Larson PS, Haag HB. Studies on the fate of nicotine in the body. III. On the pharmacology of some methylated and demethylated derivatives of nicotine. *J Pharmacol Exp Ther.* 1943;77:343-349.

Larson PS, Silvette H,: *Tobacco -- Experimental and Clinical Studies -- A Comprehensive Account of the World Literature --Supplement III.* 1975.

Larsson C, Nilsson L, Halen A, Nordberg A. Subchronic treatment of rats with nicotine: effects on tolerance and on [³H]acetylcholine and [³H]nicotine binding in the brain. *Drug-Alcohol-Depend.* 1986;17(1):37-45.

Larsson C, Nordberg A. Comparative analysis of nicotine-like receptor-ligand interactions in rodent brain homogenate. *J-Neurochem.* 1985;45(1):24-31.

Larsson C, Lundberg PA, Halen A, Adem A, Nordberg. In vitro binding of ³H-acetylcholine to nicotinic receptors in rodent and human brain. *J-Neural-Transm.* 1987;69(1-2):3-18.

Lindstrom J, Schoepfer R, Conroy WG, Whiting P. Structural and functional heterogeneity of nicotinic receptors. In: Bock G, Marsh J. (eds.) *The Biology of Nicotine Dependence.* Ciba Foundation Symposium 152. 1990:23-42.

Lippiello PM, Sears SB, Fernandes KG. Kinetics and mechanism of L-[³H]nicotine binding to putative high affinity receptor sites in rat brain. *Mol-Pharmacol.* 1987;31(4):392-400.

Lippiello PM, Fernandes KG. Identification of putative high affinity nicotinic receptors on cultured cortical neurons. *J-Pharmacol-Exp-Ther.* 1988;246(1):409-416.

Lippiello PM. Properties of putative nicotine receptors identified on cultured cortical neurons. *Prog-Brain-Res.* 1989;79:129-135.

Lippiello PM, Fernandes KG. The binding of L-[3H]nicotine to a single class of high affinity sites in rat brain membranes. *Mol-Pharmacol.* 1986;29(5):448-454.

Lippiello PM, Mencherif M, Prince RJ. The Role of Desensitization in CNS Nicotinic receptor function. In: International Symposium on Nicotine: *The Effects of Nicotine on biological systems II*. 1994:S11.

Lippiello PM, Fernandes KG, Langone JJ, Bjercke RJ. Characterization of Nictotinic Receptors on Cultured Cortical Neurons using Anti-idiotypic Anitibodies and Ligand Binding. *Journal of Pharmacology & Experimental Therapeutics.* 1991;257(3):1216-1224.

London ED. Glucose metabolism: An index of nicotine action in the brain. In: Adlkofer F, Thurau K. (eds) *Effects of Nicotine on Biological Systems*. 1991:239-248.

Lowy K, Abood ME, Drexler M, Abood LG. Antagonism by cholinergic drugs of behavioural effects in cats of an anticholinergic psychotomimetic drug and enhancement by nicotine. *Neuropharmacology*. 1977;16(6):399-403.

Lukas RJ. Pharmacological distinctions between functional nicotinic acetylcholine receptors on the PC12 rat pheochromocytoma and the TE671 human medulloblastoma. *J-Pharmacol-Exp-Ther.* 1989;251(1):175-182.

Lukas RJ. Heterogeneity of high-affinity nicotinic [3H]acetylcholine binding sites. *J-Pharmacol-Exp-Ther.* 1990;253(1):51-57.

Mangan G, Colrain IM. Relationships between photic driving, nicotine and memory. In: Adlkofer F, Thurau K.(eds.) *Effects of Nicotine on Biological Systems*. 1991:537-545.

Mangan GL. The effects of cigarette smoking on vigilance performance. *J-Gen-Psychol.* 1982;106(1st half):77-83.

Mangan GL, Golding JF. The effects of smoking on memory consolidation. *J-Psychol.* 1983;115(1st half):65-77.

Marks MJ, Collins AC. Characterization of nicotine binding in mouse brain and comparison with the binding of alpha-bungarotoxin and quinuclidinyl benzilate. *Mol-Pharmacol.* 1982:554-564.

Marks MJ, Grady SR, Collins AC. Downregulation of nicotinic receptor function after chronic nicotine infusion. *J-Pharmacol-Exp-Ther.* 1993;266(3):1268-1276.

Marks MJ, Burch JB, Collins AC. Genetics of nicotine response in four inbred strains of mice. *J-Pharmacol-Exp-Ther.* 1983;226(1):291-302.

Martin BR, Aceto MD. Nicotine binding sites and their localization in the central nervous system. *Neurosci-Biobehav-Rev.* 1981;5:473-478.

Martin WR, Van Loo GR, Iwamoto ET, Davis, L. *Tobacco Smoking and Nicotine: A Neurobiological Approach.* New York: Plenum Press; 1987.

Marty MA, Erwin VG, Cornell K, Zgombick J M. Effects of nicotine on beta-endorphin, alpha MSH, and ACTH secretion by isolated perfused mouse brains and pituitary glands, in vitro. *Pharmacol-Biochem-Behav.* 1985;22(2):317-325.

McKennis H, Turnbull LB, Bowman ER, Wada E. Demethylation of cotinine in vivo. *J Amer Chem Soc.* 1959;81:3951-3954.

McKennis H, Bowman ER, Turnbull LB. The isolation and structure of a ketoamide formed in the metabolism of nicotine. *J Amer Chem Soc.* 1960;82:3974-3976.

McKennis H, Bowman ER, Horvath A, Bederka JP. Metabolic release of methyl groups from a series of N-methylpyridinium compounds. *Nature.* 1964;202:699-700.

McKennis H, Turnbull LB, Wingfield HN, Dewey LJ. Metabolites of nicotine and a synthesis of nornicotine *J Amer Chem Soc.* 1958; 80:1634-1636.

McKennis H. The excretion and metabolism of nicotine. *Annals of the New York Academy of Sciences.* 1960;90:36-42.

McKennis H, Turnbull LB, Schwartz SL, Tamaki E, Bowman EB. Demethylation in the metabolism of (-)-nicotine. *J Biol Chem.* 1962;237(2):541-546.

McKennis H, Turnbull LB, Bowman ER. Metabolism of nicotine to (+)-gamma-(3-pyridyl)-gamma- methylaminobutyric acid. *J Amer Chem.* 1958;80:6597-6600.

McKennis H, Turnbull LB, Bowman ER. Gamma-(3-pyridyl)-gamma-methylaminobutyric acid as a urinary metabolite of nicotine. *J Amer Chem Soc.* 1957;79:6342-6343.

McKennis H Jr, Sorell L, Schwartz SL, et al. The Metabolic Formation of Gamma-(3-Pyridyl)-Gamma- Hydroxybutyric Acid and Its Possible Intermediary Role in the Mammalian Metabolism of Nicotine. *Journal of Biological Chemistry.* 1964;239(11):3981-3989.

- McKennis H, Wada E, Bowman ER, Turnbull LB. Demethylation in the metabolism of (-)-nicotine in vivo. *Nature*. 1961;190:910-911.
- McKennis H, Bowman ER, Turnbull LB. Mammalian degradation of (-)-nicotine to 3-pyridylacetic acid and other compounds. *Proc Soc Exp Bio Med*. 1961;107:145-148.
- McKennis H Jr, Lennox B, Turnbull LB, et al. N-methylation of nicotine and cotinine in vivo. *Journal of Biological Chemistry*. 1963;238(2):719-723.
- McManus KT, deBethizy JD, Garteiz DA, Kyerematen GA, Vesell ES. A new quantitative thermospray LC-MS method for nicotine and its metabolites in biological fluids. *Journal of Chromatographic Science*. 1990;28(10):510-516.
- McNiven NL; Raisinghani KH; Patashnik S; Dorfman RI. Determination of nicotine in smokers' urine by gas chromatography *Nature*. 1965;208:788-789.
- Meacham RH; Bowman ER; McKennis H. Additional routes in the metabolism of nicotine to 3-pyridylacetate. The metabolism of dihydrometanicotine. *J-Biol-Chem*. 1972;247(3):902-908.
- Miller AW, Larson PS. Observations on the metabolism of nicotine by tissue slices. *J Pharmacol Exp Ther*. 1953;109:218-222.
- Mitchell SN, Brazell MP, Schugens MM, Gray JA. Nicotine-induced catecholamine synthesis after lesions to the dorsal or ventral noradrenergic bundle. *European Journal of Pharmacology*. 1990; 179(3):383-391.
- Mitchell SN, Smith KM, Joseph MH, Gray JA. Increases in tyrosine hydroxylase messenger RNA in the locus coeruleus after a single dose of nicotine are followed by time- dependent increases in enzyme activity and noradrenaline release. *Neuroscience*. 1993; 56(4):989-997.
- Mitchell SN. Role of the locus coeruleus in the noradrenergic response to a systemic administration of nicotine. *Neuropharmacology*. 1993;32(10):937-949.
- Mitchell SN, Brazell MP, Joseph MH, Alavijeh MS, Gray JA. Regionally specific effects of acute and chronic nicotine on rates of catecholamine and 5-hydroxytryptamine synthesis in rat brain. *Eur-J-Pharmacol*. 1989;167(3):311-322.
- Monji N, Castro A. Plasma nicotine pharmacokinetics in dogs after intravenous administration: determination by radioimmunoassay. *Res-Commun-Chem-Pathol-Pharmacol*. 1979;23(2):267-277.

Morrison CF, Goodyear JM, Sellers CM. Antagonism by antimuscarinic and ganglion-blocking drugs of some of the behavioural effects of nicotine. *Psychopharmacologia*. 1969; 15(5):341-350.

Morrison CF, Lee PN. A comparison of the effects of nicotine and physostigmine on a measure of activity in the rat. *Psychopharmacologia*. 1968;13(3):210-221.

Morrison CF, Stephenson JA. The occurrence of tolerance to a central depressant effect of nicotine. *Br-J-Pharmacol*. 1972; 46(1):151-156.

Morrison CF. Effects of nicotine on motor co-ordination and spontaneous activity in mice. *J-Pharm-Pharmacol*. 1969;21(1):35-37.

Morrison CF. The effects of nicotine on punished behaviour. *Psychopharmacologia*. 1969;14(3):221-232.

Morrison CF, Stephenson JA. Nicotine injections as the conditioned stimulus in discrimination learning. *Psychopharmacologia*. 1969;15(5):351-360.

Murphree HB; Pheiffer CC; Price LM. Electroencephalographic changes in man following smoking The Effects of Nicotine and Smoking on the Central Nervous System. *Annals of the New York Academy of Sciences*. 1967;142:245-260.

Naftchi NE, Maker H, Lapin E, et al. Acute reduction of brain substance P induced by nicotine. *Neurochem-Res*. 1988;13(4):305-309.

Nakayama H, Kita T, Nakashima T, Imaoka S, Funae Y. The roles of cytochrome P450 in nicotine metabolism. In: Gorrod JW (ed). *Nicotine and Related Alkaloids -- Absorption, Distribution, Metabolism and Excretion*. 1993:45-60.

Nelsen JM, Pelley K, Goldstein L. Protection by nicotine from behavioral disruption caused by reticular formation stimulation in the rat. *Pharmacol-Biochem-Behav*. 1975;3(5):749-754.

Nelsen JM, Goldstein L. Improvement of performance on an attention task with chronic nicotine treatment in rats. *Psychopharmacologia*. 1972;26(4):347-360.

Nelsen JM, Pelley K, Goldstein L. Chronic nicotine treatment in rats. 2. Electroencephalographic amplitude and variability changes occurring within and between structures. *Res-Commun-Chem-Pathol-Pharmacol*. 1973;5(3):694-704.

Nelsen JM, Goldstein L. Improvement of performance on an attention task with chronic nicotine treatment in rats. *Psychopharmacologia*. 1972;26(4):347-360.

Nisell M, Nomikos GG, Svensson TH. Systemic nicotine-induced dopamine release in the rat nucleus accumbens is regulated by nicotinic receptors in the ventral tegmental area. *Synapse*. 1994;16(1):36-44.

Nordberg A, Romanelli L, Sundwall A, Bianchi C, Beani. Effect of acute and subchronic nicotine treatment on cortical acetylcholine release and on nicotinic receptors in rats and guinea-pigs. *British Journal of Pharmacology*. 1989;98(1):71-78.

Nordberg A, Sundwall A. Assessment of cholinergic neuronal activity in the brain. *Acta-Physiol-Scand-Suppl*. 1980;479:7-12.

Nordberg A, Bergh C. Effect of nicotine on passive avoidance behaviour and motoric activity in mice. *Acta-Pharmacol-Toxicol-Copenh*. 1985;56(4):337-341.

Nordberg A, Wahlstrom G, Arnelo U, Larsson C. Effect of long-term nicotine treatment on [³H]nicotine binding sites in the rats brain. *Drug-Alcohol-Depend*. 1985;16(1):9-17.

Nordberg A, Larsson C. Studies of muscarinic and nicotinic binding sites in brain. *Acta-Physiol-Scand-Suppl*. 1980;479:19-23.

Nordberg A, Sundwall A. Pharmacodynamic effects of nicotine and acetylcholine biosynthesis, in mouse brain. *Acta-Pharmacol-Toxicol-Copenh*. 1983;52(5):341-347.

Olds ME, Domino EF. Comparison of muscarinic and nicotinic cholinergic agonists on self-stimulation behavior. *J-Pharmacol-Exp-Ther*. 1969;166(2):189-204.

Owen FB, Larson PS. Studies on the fate of nicotine in the animal body. VIII. Observations on the number and chemical nature of nicotine metabolites in the dog and cat. *Arch Int Pharmacodyn*. 1958;115:402-407.

Owman C, Fuxe K, Janson AM, Kahrstrom J. Chronic nicotine treatment eliminates asymmetry in striatal glucose utilization following unilateral transection of the mesostriatal dopamine pathway in rats. *Neurosci-Lett*. 1989;102(2-3):279-283.

Perez de la Mora M, Mendez FJ, Salceda R, Aguirre JA, Fuxe K. Neurochemical effects of nicotine on glutamate and GABA mechanisms in the rat brain. *Acta-Physiol-Scand*. 1991;141(2):241-250.

Pilotti A, Enzell CR, McKennis H Jr, Bowman ER, Dufva E, Holmstedt B. Studies on the Identification of Tobacco Alkaloids, Their Mammalian Metabolites and Related Compounds by Gas Chromatography- -Mass Spectrometry. *Beitrage zur Tabakforschung.* 1976;8(5):339-349.

Pradhan SN. Effects of nicotine on several schedules of behavior in rats. *Arch-Int-Pharmacodyn-Ther.* 1970;183(1):127-138.

Pradhan SN, Bowling C. Effects of nicotine on self-stimulation in rats. *J-Pharmacol-Exp-Ther.* 1971;176(1):229-243.

Prince RJ, Lineberry JW, Lippiello PM. Actions of the general anesthetic propofol (2,6-diisopropylphenol) on the binding of [³H] nicotine to rat cortical membranes. *Drug Dev. Res.* 1994;31(2):102-107.

Pritchard WS, Robinson JH, Guy TD. Enhancement of continuous performance task reaction time by smoking in non-deprived smokers. *Psychopharmacology.* 1992;108:437-442.

Pritchard W. Electroencephalographic effects of cigarette smoking. *Psychopharmacology.* 1991;104:485-490.

Pritchard WS, Gilbert DG, Duke DW. Flexible effects of quantified cigarette-smoke delivery on EEG dimensional complexity. *Psychopharmacology.* 1993;113(1):95-102.

Rama Sastry BV, Chance MB, Singh G, Horn JL, Janson VE. Distribution and retention of nicotine and its major metabolite cotinine in the rat as a function of time. In: Clarke PBS, Quik M, Thurau K, Adlkofer F (eds). *International Symposium on Nicotine.* 1994:P125.

Read GA, Anderson IGM, Chapman RE, *Nicotine Studies: A Second Report: Estimation of Whole Body Nicotine Dose by Urinary Nicotine and Cotinine Measurement.* BATCO Group Research and Development Centre, Southampton, England. 1981.

Read GA, Anderson IGM. *Method for Nicotine and Cotinine in Blood and Urine.* BATCO Group Research and Development Centre, Southampton, England. 1980.

Robinson JH, Pritchard WS, Davis RA. Psychopharmacological effects of smoking a cigarette with typical "tar" and carbon monoxide yields but minimal nicotine. *Psychopharmacology-Berl.* 1992;108(4):466-472.

Robinson JH, Pritchard WS. The meaning of addiction: reply to West. *Psychopharmacology.* 1992;108:411-416.

Robinson JH, Pritchard WS. The role of nicotine in tobacco use. *Psychopharmacology-Berl.* 1992;108(4):397-407.

Rosecrans JA. Nicotine as a discriminative stimulus: a neurobehavioral approach to studying central cholinergic mechanisms. *J-Subst-Abuse.* 1989;1(3):287-300.

Rosecrans JA. Noncholinergic mechanisms involved in the behavioral and stimulus effects of nicotine, and relationships to the process of nicotine dependence. In: Martin WR, Van Loo GR, Iwamoto ET, Davis L (Eds) *Tobacco Smoking and Nicotine: A Neurobiological Approach* 1987:125-139.

Rosecrans JA, Schechter MD. Brain area nicotine levels in male and female rats of two strains. *Arch-Int-Pharmacodyn-Ther.* Mar 1972;196(1):46-54.

Rosecrans JA. Effects of nicotine on behavioral arousal and brain 5-hydroxytryptamine function in female rats selected for differences in activity. *Eur-J-Pharmacol.* 1971;14(1):29-37.

Rosecrans JA. Brain area nicotine levels in male and female rats with different levels of spontaneous activity. *Neuropharmacology,* 1972;(11)6:863-870.

Roth N, Lutiger B, Hasenfratz M, Battig K, Knye M. Smoking deprivation in "early" and "late" smokers and memory functions. *Psychopharmacology-Berl.* 1992;106(2):253-260.

Rubin RP, Warner W. Nicotine-induced stimulation of steroidogenesis in adrenocortical cells of the cat. *Br-J-Pharmacol.* 1975;53(3):357-362.

Sahley TL, Berntson GG. Antinociceptive effects of central and systemic administrations of nicotine. *Psychopharmacology-Berl.* 1979;65(3):279-283.

Schaeppi U. Nicotine treatment of selected areas of the cat brain: effects upon EEG and autonomic system. *Int-J-Neuropharmacol.* 1968;7(3):207-220.

Schechter MD, Rosecrans JA. C.N.S. effect of nicotine as the discriminative stimulus for the rat in a T-maze. *Life-Sci-I.* 1971;10(14):821-832.

Schechter MD, Rosecrans JA. Nicotine as a discriminative cue in rats: inability of related drugs to produce a nicotine-like cueing effect. *Psychopharmacologia.* 1972;27(4):379-387.

Schechter MD, Rosecrans JA. Nicotine as a discriminative stimulus in rats depleted of norepinephrine or 5-hydroxytryptamine. *Psychopharmacologia.* 1972;24(3):417-429.

Schechter MD, Rosecrans JA. Behavioral evidence for two types of cholinergic receptors in the C.N.S. *Eur-J-Pharmacol.* 1971;15(3):375-378.

Schechter MD, Rosecrans JA. Effect of mecamylamine on discrimination between nicotine- and arecoline-produced cues. *Eur-J-Pharmacol.* 1972;17(1):179-182.

Schechter MD, Rosecrans JA. Behavioral tolerance to an effect of nicotine in the rat. *Arch-Int-Pharmacodyn-Thér.* 1972;195(1):52-56.

Schievelbein H, Armitage AK, McKennis H, Boyland E, Gorrod JW. *Nicotine Workshop.* Beitraege zur Tabakforschung. 1976;8(5):286-292.

Schmieder CG, Hansson E, Andersson G, Appelgren LE, Hoffman PC. Distribution of Nicotine in the Central Nervous System. The Effects of Nicotine and Smoking on the Central Nervous System. *Annals of the New York Academy of Sciences.* 1967;142:2-14.

Schmieder CG; Hansson E. Tissue distribution of C14-nicotine. In: S Von Euler US.(ed) *Tobacco Alkaloids and Related Compounds.* 1965:75-86.

Schwartz SL, McKennis H. Mammalian degradation of (-)-demethylcotinine. *Nature.* 1964;202:594-595.

Schwartz SL, McKennis H. Studies on the degradation of the pyrrolidine ring of (-)-nicotine in vivo. Formation of gamma-(3-pyridyl)-gamma-oxobutyric acid. *J Biol Chem.* 1963;238(5):1807-1812.

Sershen H, Reith ME, Lajtha A, Gennaro J Jr. Noncholinergic, saturable binding of (+/-)-[3H]nicotine to mouse brain. *J-Recept-Res.* 1981;1-15.

Sershen H, Mason MF, Reith ME, Hashim A, Lajtha A. Effect of nicotine and amphetamine on the neurotoxicity of N-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine (MPTP) in mice. *Neuropharmacology.* 1986;25:1231-1234.

Sershen H, Lajtha A. Nicotinic Binding Sites in the brain: properties, regulation, and putative endogenous ligands. In: Martin WR, Van Loo GR, Iwamoto ET, Davis L. *Tobacco Smoking and Nicotine: A Neurobiological Approach.* 1987:481-491.

Siegel RA, Andersson K, Fuxe K, et al. Rapid and discrete changes in hypothalamic catecholamine nerve terminal systems induced by audiogenic stress, and their modulation by nicotine-relationship to neuroendocrine function. *Eur-J-Pharmacol.* 1983;91:49-56.

Silvette H, Hoff EC, Larson PS, Haag HB. The actions of nicotine on central nervous system functions. *Pharmacol Rev.* 1962;14:137-173.

Slotkin TA. Developmental Effects of Nicotine. In: Clarke PBS, Quik M, Thurau K, Adlkofer F (eds). *International Symposium on Nicotine*. 1994:S15.

Slotkin TA, Cho H, Whitmore WL. Effects of prenatal nicotine exposure on neuronal development: selective actions on central and peripheral catecholaminergic pathways. *Brain-Res-Bull.* 1987 May; 18(5):601-611.

Smith KM, Mitchell SN, Joseph MH. Effects of chronic and subchronic nicotine on tyrosine hydroxylase activity in noradrenergic and dopaminergic neurones in the rat brain. *J-Neurochem.* 1991;57(5):1750-1756.

Sorenson EM, Gallagher JP. The reducing agent dithiothreitol (DTT) does not abolish the inhibitory nicotinic response recorded from rat dorsolateral septal neurons. *Neursci. Lett.* 1993;152(1-2):137-140.

Stadnicki SW, Schaeppi UH. Nicotinic changes in EEG and behavior after intravenous infusion in awake unrestrained cats. *Arch-Int-Pharmacodyn-Ther.* 1972;197(1):72-85.

Stadnicki SW, Schaeppi U. Nicotine infusion into the fourth ventricle of unrestrained cats: changes in EEG and behavior. *Arch-Int-Pharmacodyn-Ther.* 1970;183(2):277-288.

Stepney R. Behavioural regulation of nicotine intake in cigarette smokers presented with a 'shortened' cigarette [proceedings] *Br-J-Clin-Pharmacol.* 1977;4(5):653P.

Stitzer M, Morrison J, Domino EF. Effects of nicotine on fixed-interval behavior and their modification by cholinergic antagonists. *J-Pharmacol-Exp-Ther.* 1970;171(2):166-177.

Sugiyama H, Hagino N, Moore G, Lee JW. [³H]Nicotine binding sites in developing fetal brains in rats. *Neurosci-Res.* 1985;2(5):387-392.

Svensson TH, Grenhoff J, Engberg G. Effect of nicotine on dynamic function of brain catecholamine neurons. In: Bock G, Marsh J. (ed). *The Biology of Nicotine Dependence*. Ciba Foundation Symposium 152. 1990:169-180.

Svensson TH, Engberg G. Effect of nicotine on single cell activity in the noradrenergic nucleus locus coeruleus. *Acta-Physiol-Scand-Suppl.* 1980;479:31-34.

Szuts T, Olsson S, Lindquist NG, et al. Long-term fate of [14C]nicotine in the mouse: retention in the bronchi, melanin-containing tissues and urinary bladder wall. *Toxicology*. 1978;10(3):207-220.

Toth E, Vizi ES, Lajtha A. Effect of nicotine on levels of extracellular amino acids in regions of the rat brain in vivo. *Neuropharmacology*. 1993;32(8):827-832.

Toth E, Sershen H, Hashim A, Vizi ES, Lajtha A. Effect of nicotine on extracellular levels of neurotransmitters assessed by microdialysis in various brain regions: role of glutamic acid. *Neurochem Res*. 1992;17(3):265-271.

Tung CS, Ugedo L, Grenhoff J, Engberg G, Svensson, T H. Peripheral induction burst firing in locus coeruleus neurons by nicotine mediated via excitatory amino acids. *Synapse*. 1989;4(4):313-318.

Vezina P, Herve D, Glowinski J, Tassin JP. The effect of acute and repeated nicotine injections on brain dopamine activation: Comparisons with morphine and amphetamine. In: Adlokfer F, Thurau K. *Effects of Nicotine on Biological Systems*. 1991:351-353.

Vincek WC, Martin BR, Aceto MD, et al. Synthesis of 4,4-ditritio-(+)-nicotine: comparative binding and distribution studies with natural enantiomer *J-Pharm-Sci*. 1981;70(11):1292-1293.

Warwick KM, Eysenck HJ. Experimental Studies of the Behavioural Effects of Nicotine. *Pharmakopsychiatrie Neuro-Psychopharmakologie*. 1968;1(3):145-169.

Weatherby JH. Rate of elimination of nicotine by the rabbit. *Proc Soc Exp Biol Med*. 1939;42:593-596.

Wenzel DG, Azmeh N, Clark IJ. Studies on the acute and chronic depressor actions of nicotine in the rat. *Arch-Int-Pharmacodyn-Ther*. 1971;193(1):23-36.

Wesnes K, Revell A. The separate and combined effects of scopolamine and nicotine on human information processing. *Psychopharmacology-Berl*. 1984;84(1):5-11.

Wesnes K, Warburton DM. Effects of scopolamine and nicotine on human rapid information processing performance *Psychopharmacology-Berl*. 1984;82(3):147-150.

Wesnes K, Warburton DM. The effects of cigarettes of varying yield on rapid information processing. *Psychopharmacology-Berl*. 1984;82(4):338-342.

Wesnes K, Warburton DM. Smoking, nicotine and human performance. *Pharmacol-Ther.* 1983;21(2):189-208.

Wesnes K, Warburton DM. The effects of cigarette smoking and nicotine tablets upon human attention. In: Thornton RE.(eds) *Smoking Behaviour -- Physiological and Psychological Influences*. 1978:131-147.

Wesnes K, Warburton DM. Effects of smoking on rapid information processing performance. *Neuropsychobiology*. 1983;9(4):223-229.

Wesnes K, Warburton DM, Matz B. Effects of nicotine on stimulus sensitivity and response bias in a visual vigilance task. *Neuropsychobiology*. 1983;9(1):41-44.

Westfall TC, Brase DA. Studies on the mechanism of tolerance to nicotine-induced elevations of urinary catecholamines. *Biochem-Pharmacol.* 1971;20(7):1627-1635.

Westfall TC. Effect of nicotine and other drugs on the release of 3H-norepinephrine and 3H-dopamine from rat brain slices. *Neuropharmacology*. 1974;13(8):693-700.

Westfall TC, Fleming RM, Fudger MF, Clark WG. Effect of nicotine and related substances upon amine levels in the brain. *Annals of the New York Academy of Sciences*. 1967;142:83-100.

Westfall TC, Anderson GP. Influence of nicotine on catecholamine metabolism in the rat. *Arch-Int-Pharmacodyn-Ther.* 1967; 169(2):421-428.

Westfall TC, Brasted M. Specificity of blockade of the nicotine-induced release of 3H-norepinephrine from adrenergic neurons of the guinea-pig heart by various pharmacological agents. *J-Pharmacol-Exp-Ther.* 1974;189(3):659-664.

Westfall TC, Brasted M. Effect of 4,4'-biphenylenebis-((2-oxoethylene)-bis-(2,2-diethoxyethyl))dimethylammonium dibromide (DMAE) on accumulation and nicotine-induced release of norepinephrine in the heart. *J. Pharmacol Exp Ther.* 1973;184:198-204.

Whiting PJ, Schoepfer R, Conroy WG, et al. Expression of nicotinic acetylcholine receptor subtypes in brain and retina. *Brain-Res-Mol-Brain-Res.* 1991;10(1):61-70.

Williams JS, Crumpacker DW, Krier MJ. Stability of a factor-analytic description of smoking behavior. *Drug-Alcohol-Depend.* 1980;5(6):467-478.

Wilson KL Jr, Chang, RS, Bowman ER, McKennis H. Nicotine-like actions of cis-metanicotine and trans- metanicotine. *J-Pharmacol-Exp-Ther.* 1976;196(3):685-696.

- Wong LA, Gallagher JP. Pharmacology of nicotinic receptor-mediated inhibition in rat dorsolateral septal neurones. *J-Physiol-Lond.* 1991;436:325-346.
- Wong LA, Gallagher JP. A direct nicotinic receptor-mediated inhibition recorded intracellularly in vitro. *Nature.* 1989;341(6241):439-442.
- Wonnacott S, Drasdo AL. Presynaptic actions of nicotine in the CNS. In: Adlkofer F, Thurau K.(eds). *Effects of Nicotine on Biological Systems.* 1991:295-305.
- Woodson PP, Baettig K, Etkin MW, et al. Effects of nicotine on the visual evoked response. *Pharmacol-Biochem-Behav.* 1982;17(5):915-920.
- Yamamoto KI, Domino EF. Nicotine-induced EEG and behavioral arousal. *Int-J-Neuropharmacol.* 1965;4(6):359-373.
- Yanagita T, Ando K, Wakasa Y, Takada K. Nicotine-seeking behavior in rhesus monkeys. In: Adlkofer F, Thurau K. (ed). *Effects of Nicotine on Biological Systems.* 1991:433-442.
- Zhang XG, Ze-Hui, Nordberg A., Agneti LF. Effects of chronic treatment with (+)- and (-)-nicotine on nicotinic acetylcholine receptors and N-methyl-D-aspartate receptors in rat brain. *Brain Res.* 1994;644(1):32-39.

2. Unpublished Reports

Ayres C. Notes from the GR & DC Nicotine Conference. July 9-12, 1984.

Backhurst JD. Further Work on Extractable Nicotine. September 30, 1966. BATCO Group R&D.

Brotzge RF, Kennedy JE. Human Smoking Studies: Acute Effect of Cigarette Smoke on Brain Wave Alpha Rhythm - First Report. October 31, 1974.

Cohen AJ, Roe FJC. Monograph on the Pharmacology and Toxicology of Nicotine and its Role in Tobacco Smoking. Draft. 1979.

Comer AK, Thornton RE. Interation of Smoke and the Smoker Part 3: The Effect of Cigarette Smoking on the Contigent Negative Variation. December 12, 1974. BATCO Group R&D.

Creighton DE, Watts BM. Further Studies on the Effect of Nicotine on the Human Physiological Response. June 5, 1973. BATCO Group R&D.

DeNoble manuscript: Brain Sites Involved in the Mediation of the Behavioral Effects of Intraventricularly Administered (-)-nicotine.

DeNoble manuscript: Nicotine as a Positive Reinforcer for Rats: Effects of Infusion Dose and Fixed Ratio Size.

DeNoble manuscript: Development of Behavioral Tolerance following Chronic Nicotine Administration.

Evelyn SR. Absorption of Nicotine via the Mouth: Studies Using Animal Models. May 9, 1968. BATCO Group R&D.

Evelyn SR. Retention of Nicotine and Phenols in the Human Mouth. 1968. BATCO Group R&D.

Evelyn SR. Transfer of Nicotine from Smoke into Blood Using a Perfused Canine Lung. 1967. BATCO Group R&D.

Geissbuhler H, Haselbach C. The Fate of Nicotine in the Body. May 1963. Report prepared by Batelle for BATCO.

Haselbach C, Libert O. A Tentative Hypothesis on Nicotine Addiction. May 30, 1963. BATCO Group R&D.

Haselbach C, Libert O. Final Report on Project HIPPO II. March 1963. Batelle Memorial Institute.

Hersch J, Libert O, Rogg-Effront C. Final Report on Project HIPPO I. January 1962. Batelle Memorial Institute.

Isaac PF. The Absorption and Effects of Nicotine from Inhaled Tobacco Smoke. 1970.

Libert O. Report No 1 regarding Project HIPPO II. 1962.

Thornton RE. Some "Benefits" of Smoking. January 26, 1977. BATCO Group R&D.

Wiley LC, Kellett ND. Effects of Nicotine on the Central Nervous System. 1971. Huntington Research Centre.