DEPARTMENT OF COMMERCE

International Trade Administration

[A-337-806]

Individual Quick Frozen Red Raspberries from Chile: Notice of Extension of Time Limit for 2003–2004 Administrative Review

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

EFFECTIVE DATE: February 14, 2005.

FOR FURTHER INFORMATION CONTACT: Yasmin Bordas or Cole Kyle, AD/CVD Operations, Office 1, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230; telephone (202) 482–3813 or (202) 482– 1503, respectively.

SUPPLEMENTARY INFORMATION:

Statutory Time Limits

Section 751(a)(3)(A) of the Tariff Act of 1930, as amended ("the Act"), requires the Department of Commerce ("Department") to issue the preliminary results of an administrative review within 245 days after the last day of the anniversary month of an order for which a review is requested and final results of review within 120 days after the date on which the preliminary results are published. If it is not practicable to complete the review within the time period, section 751(a)(3)(A) of the Act allows the Department to extend these deadlines to a maximum of 365 days and 180 days, respectively.

Background

On August 30, 2004, the Department published a notice of initiation of administrative review of the antidumping duty order on individual quick frozen red raspberries from Chile, covering the period July 1, 2003, through June 30, 2004. See Initiation of Antidumping and Countervailing Duty Administrative Reviews and Requests for Revocation in Part, (69 FR 52857). The preliminary results for this review are currently due no later than April 4, 2005.

Extension of Time Limits for Preliminary Results

We are currently analyzing sales information provided by the respondents in this review. Because the Department requires additional time to review, analyze, and possibly verify the sales information and to issue supplemental questionnaires, if necessary, it is not practicable to complete this review within the originally anticipated time limit (*i.e.*, by April 4, 2005). Therefore, the Department is extending the time limit for completion of the preliminary results to not later than July 29, 2005, in accordance with section 751(a)(3)(A) of the Act.

We are issuing and publishing this notice in accordance with sections 751(a)(1) and 777(i)(1) of the Act.

Dated: February 8, 2005.

Barbara E. Tillman,

Acting Deputy Assistant Secretary for Import Administration.

[FR Doc. E5–597 Filed 2–11–05; 8:45 am] BILLING CODE 3510–DS–S

DEPARTMENT OF COMMERCE

International Trade Administration

A-475-824

Final Results of Antidumping Duty Administrative Review: Stainless Steel Sheet and Strip in Coils From Italy

AGENCY: Import Administration, International Trade Administration, Department of Commerce. SUMMARY: On August 9, 2004, the U.S. Department of Commerce (the Department) published the preliminary results of the administrative review of the antidumping order covering stainless steel sheet and strip in coils from Italy. See Preliminary Results of Antidumping Duty Administrative Review: Stainless Steel Sheet and Strip in Coils from Italy, 69 FR 48205 (August 9, 2004) (Preliminary Results). The period of review (POR) is July 1, 2002, through June 30, 2003. We invited parties to comment on our Preliminarv *Results*. Based on our analysis of the comments received, we have made a change to the margin calculation. Therefore, the final results differ from the Preliminary Results. The final weighted-average dumping margin for the reviewed firm is listed below in the section entitled "Final Results of Review."

EFFECTIVE DATE: February 14, 2005. **FOR FURTHER INFORMATION CONTACT:** Angelica Mendoza at (202) 482–3019, AD/CVD Operations, Office 7, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230. **SUPPLEMENTARY INFORMATION:**

Background

This review covers ThyssenKrupp Acciai Speciali Terni S.p.A. and its U.S. affiliate, ThyssenKrupp AST USA, Inc. (TKAST USA) (collectively, TKAST or respondent).

In response to our *Preliminary* Results, on September 8, 2004, we received case briefs from TKAST and Allegheny Ludlum, AK Steel Corporation, Butler Armco Independent Union, J&L Specialty Steel, Inc., North American Stainless, United Steelworkers of America, AFL-CIO/ CLC, and Zanesville Armco Independent Organization (collectively, petitioners). Both parties submitted rebuttal briefs on September 15, 2004. However, on September 22, 2004, the Department rejected and returned TKAST's September 15, 2004, rebuttal brief as it contained untimely new factual information. Pursuant to the Department's request, TKAST filed a revised version of its rebuttal brief on September 24, 2004. Parties did not request a public hearing.

On November 26, 2004, the Department extended fully the time limit, from December 7, 2004, until no later than February 7, 2005, for the final results of the instant administrative review. See Stainless Steel Sheet and Strip in Coils from Italy: Extension of Time Limit for Final Results of Antidumping Duty Administrative Review, 69 FR 70124 (December 2, 2004).

Scope of the Order

For purposes of this review, the products covered by the order are certain stainless steel sheet and strip in coils. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject sheet and strip is a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness, and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be further processed (e.g., cold-rolled, polished, aluminized, coated, etc.) provided that it maintains the specific dimensions of sheet and strip following such processing.

The merchandise subject to this order is currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) at subheadings: 7219.13.0031, 7219.13.0051, 7219.13.0071, 7219.1300.81,¹ 7219.14.0030, 7219.14.0065, 7219.14.0090, 7219.32.0005, 7219.32.0020, 7219.32.0025,

¹Due to changes to the HTSUS numbers in 2001, 7219.13.0030, 7219.13.0050, 7219.13.0070, and 7219.13.0080 are now 7219.13.0031, 7219.13.0051, 7219.13.0071, and 7219.13.0081, respectively.

Excluded from the scope of this order are the following: (1) sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled, (2) sheet and strip that is cut to length, (3) plate (i.e., flat-rolled stainless steel products of a thickness of 4.75 mm or more), (4) flat wire (*i.e.*, cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm), and (5) razor blade steel. Razor blade steel is a flat–rolled product of stainless steel, not further worked than cold–rolled (cold– reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used in the manufacture of razor blades. See Chapter 72 of the HTSUS, "Additional U.S. Note" 1(d).

Flapper valve steel is also excluded from the scope of this order. This product is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35 percent molybdenum, and between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper valve steel has a tensile strength of

between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors.

Also excluded is a product referred to as suspension foil, a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01 microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm, and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection, and flatness of 1.6 mm over 685 mm length.

Certain stainless steel foil for automotive catalytic converters is also excluded from the scope of this review. This stainless steel strip in coils is a specialty foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of between 19 and 22 percent, aluminum of no less than 5.0 percent, phosphorus of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of less than 0.002 or greater than 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron.

Permanent magnet iron-chromiumcobalt alloy stainless strip is also excluded from the scope of this order. This ductile stainless steel strip contains, by weight, 26 to 30 percent chromium, and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This product is most commonly used in electronic sensors and is currently available under proprietary trade names such as "Arnokrome III."2

Certain electrical resistance alloy steel is also excluded from the scope of this order. This product is defined as a nonmagnetic stainless steel manufactured to

American Society of Testing and Materials (ASTM) specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36.⁷³

Certain martensitic precipitationhardenable stainless steel is also excluded from the scope of this order. This high-strength, ductile stainless steel product is designated under the Unified Numbering System (UNS) as S45500–grade steel, and contains, by weight, 11 to 13 percent chromium, and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging, and will exhibit yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4 mm. This product is most commonly used in the manufacture of television tubes and is currently available under proprietary trade names such as "Durphynox 17."4

Finally, three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments are also excluded from the scope of this order. These include stainless steel strip in coils used in the production of textile cutting tools (e.g., carpet knives).⁵ This steel is similar to American Iron and Steel Institute (AISI) grade 420 but containing, by weight, 0.5 to 0.7 percent of molybdenum. The steel also contains, by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less, and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 Mo."⁶

^{7219.32.0035, 7219.32.0036,} 7219.32.0038, 7219.32.0042, 7219.32.0044, 7219.33.0005, 7219.33.0020, 7219.33.0025, 7219.33.0035, 7219.33.0036, 7219.33.0038, 7219.33.0042, 7219.33.0044, 7219.34.0005, 7219.34.0020, 7219.34.0025, 7219.34.0030, 7219.34.0035, 7219.35.0005, 7219.35.0015, 7219.35.0030, 7219.35.0035, 7219.90.0010, 7219.90.0020, 7219.90.0025, 7219.90.0060, 7219.90.0080, 7220.12.1000, 7220.12.5000, 7220.20.1010, 7220.20.1015, 7220.20.1060, 7220.20.1080, 7220.20.6005, 7220.20.6010, 7220.20.6015, 7220.20.6060, 7220.20.6080, 7220.20.7005, 7220.20.7010, 7220.20.7015, 7220.20.7060, 7220.20.7080, 7220.20.8000, 7220.20.9030, 7220.20.9060, 7220.90.0010, 7220.90.0015, 7220.90.0060, and 7220.90.0080. Although the HTSUS subheadings are provided for convenience and customs purposes, the Department's written description of the merchandise is dispositive.

² "Arnokrome III" is a trademark of the Arnold Engineering Company.

³ "Gilphy 36" is a trademark of Imphy, S.A.

⁴ "Durphynox 17" is a trademark of Imphy, S.A. ⁵ This list of uses is illustrative and provided for descriptive purposes only.

⁶ "GIN4 Mo" is the proprietary grade of Hitachi Metals America, Ltd.

The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight, carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per 100 square microns. An example of this product is "GIN5"⁷ steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for example, "GIN6."8

Analysis of Comments Received

All issues raised in case and rebuttal briefs submitted by parties to this administrative review are addressed in the "Issues and Decision Memorandum" (Decision Memo) from Barbara E. Tillman, Acting Deputy Assistant Secretary for Import Administration to Joseph A. Spetrini, Acting Assistant Secretary for Import Administration, dated February 7, 2005, which is hereby adopted by this notice. A list of the issues which parties have raised and to which we have responded, all of which are in the Decision Memo, is attached to this notice as an appendix. Parties can find a complete discussion of all issues raised in this review and the corresponding recommendations in this public memorandum which is on file in room B–099 of the main Department building. In addition, a complete version of the Decision Memorandum can be accessed directly on the internet at www.ia.ita.doc.gov. The paper copy and electronic version of the Decision Memo are identical in content.

Change Since the Preliminary Results

Based on our analysis of comments received, we have made a change to TKAST's margin calculation by deducting rather than adding billing adjustments to TKAST's home market price.

Final Results of Review

As a result of our review, we determine that the following weighted– average dumping margin exists for the POR:

Manufacturer/Exporter	Weighted–Average Margin (percent)
ThyssenKrupp Acciai Speciali Terni S.p.A.	3.72

Assessment

The Department shall determine, and U.S. Bureau of Customs and Border Protection (CBP) shall assess, antidumping duties on all appropriate entries. In accordance with 19 CFR 351.212(b)(1), we have calculated exporter/importer-specific assessment rates. To calculate these rates, we divided the total dumping margins for the reviewed sales by the total entered value of those reviewed sales for each importer. The Department will issue appropriate assessment instructions directly to CBP within 15 days of publication of these final results of review. We will direct CBP to assess the appropriate assessment rate against the entered CBP values for the subject merchandise on each of the importer's entries under the relevant order during the POR.

Cash Deposit Requirements

The following deposit requirements will be effective upon publication of this notice of final results of administrative review for all shipments of SSSS in coils from Italy entered, or withdrawn from warehouse, for consumption on or after the date of publication, as provided by section 751(a)(1) of the Tariff Act of 1930, as amended (the Act): (1) the cash deposit rate for the reviewed company will be the rate shown above; (2) for previously reviewed or investigated companies not listed above, the cash deposit rate will continue to be the company-specific rate published for the most recent period; (3) if the exporter is not a firm covered in this review, a prior review, or the original less-than-fair-value (LTFV) investigation, but the manufacturer is, the cash deposit rate will be the rate established for the most recent period for the manufacturer of the merchandise; and (4) the cash deposit rate for all other manufacturers or exporters will continue to be 11.23 percent. This rate is the "All Others" rate from the amended final determination in the LTFV investigations. See Amended Final Determination of Sales at Less Than Fair Value and Antidumping Duty

Order; Stainless Steel Sheet and Strip in Coils From Italy, 64 FR 40567 (July 27, 1999).

These deposit requirements shall remain in effect until publication of the final results of the next administrative review.

Notification to Interested Parties

This notice also serves as a final reminder to importers of their responsibility under 19 CFR 351.402(f) to file a certificate regarding the reimbursement of antidumping or countervailing duties prior to liquidation of the relevant entries during this review period. Failure to comply with this requirement could result in the Secretary's presumption that reimbursement of antidumping or countervailing duties occurred and the subsequent assessment of doubled antidumping duties.

This notice also serves as a reminder to parties subject to administrative protective orders (APO) of their responsibility concerning the return or destruction of proprietary information disclosed under APO in accordance with 19 CFR 351.305. Timely written notification of the return or destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and terms of an APO is a violation which is subject to sanction.

These final results are issued and published in accordance with sections 751(a)(1) and 777(i)(1) of the Act.

Dated: February 7, 2005.

Joseph A. Spetrini,

Acting Assistant Secretary for Import Administration.

APPENDIX

List of Issues

1. Treatment of Premiums Paid by ThyssenKrupp AG to Repurchase Shares Held by the Islamic Republic of Iran (Iran)

2. Application of Partial Adverse Facts Available for Certain Components of ThyssenKrupp Acciai Speciali Terni S.p.A.'s Reported Standard Costs

3. Deduction of Technical Service Expenses from U.S. Price

4. Treatment of Non–Dumped Sales

5. Ministerial Error Relating to the Addition of Billing Adjustments to Home Market Price

[FR Doc. E5–598 Filed 2–11–05; 8:45 am] BILLING CODE 3510–DS–S

⁷ "GIN5" is the proprietary grade of Hitachi Metals America, Ltd.

⁸ "GIN6" is the proprietary grade of Hitachi Metals America, Ltd.