# Corrections

Federal Register Vol. 70, No. 170 Friday, September 2, 2005

This section of the FEDERAL REGISTER contains editorial corrections of previously published Presidential, Rule, Proposed Rule, and Notice documents. These corrections are prepared by the Office of the Federal Register. Agency prepared corrections are issued as signed documents and appear in the appropriate document categories elsewhere in the issue.

## ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 136

[OW-2004-0014; FRL-7952-7]

RIN 2040-AE68

Guidelines Establishing Test Procedures for the Analysis of Pollutants; Analytical Methods for Biological Pollutants in Wastewater and Sewage Sludge; Proposed Rule

#### Correction

In proposed rule document 05–16195 beginning on page 48256, in the issue of

# TABLE IG.-LIST OF APPROVED MICROBIOLOGICAL METHODS FOR AMBIENT WATER

Parameter and units	Method <sup>1</sup>	EPA	Standard methods 18th, 19th, 20th ed.4	Standard methods on- line <sup>4</sup>	AOAC, ASTM, USGS	Other
* *	*	*	*		*	*
7. Enterococci, number per 100 mL	MTF <sup>68</sup> multiple tube multiple tube/multiple well.		9230B	9230B–93	 D6503–99 <sup>.9</sup> .	Entero- lert ® <sup>12 22</sup>
	MF <sup>25678</sup> two step, single step, or Plate count.	1106.1 <sup>23</sup> 1600 <sup>24</sup> , p. 143 <sup>3</sup> .	9230C	9230C–93	D5259–92 <sup>9</sup>	
Protozoa:						
8. Cryptosporidium	Filtration/IMS/FA	1622 <sup>25</sup> , 1623 <sup>26</sup> .				
9. Giardia	Filtration/IMS/FA	1623 <sup>26</sup>				

[FR Doc. C5–16195 Filed 9–1–05; 8:45 am] BILLING CODE 1505–01–D Tuesday, August 16, 2005, make the following corrections:

### §136.3 [Corrected]

1. On page 48264, in 136.3(a), in the table, under the heading Method<sup>1</sup>, in the eighth line, "MF<sup>12</sup><sup>16</sup>" should read "MF<sup>2</sup><sup>16</sup>".

2. On page 48267, in the same section, the table is corrected in part to read as follows: