

public comment will be provided a maximum of five minutes to present their comments. This notice is being published less than 15 days before the date of the meeting due to programmatic issues that had to be resolved.

**Minutes:** The minutes of this meeting will be available for public review and copying at the U.S. Department of Energy's Freedom of Information Public Reading Room, 1E-190, Forrestal Building, 1000 Independence Avenue, SW., Washington, DC 20585 between 9 a.m. and 4 p.m., Monday through Friday, except Federal holidays. Minutes will also be available by writing to Robert L. Pence, Federal Coordinator, at the address and phone number listed above.

Issued at Washington, DC, on May 7, 2007.

**Rachel Samuel,**

*Deputy Advisory Committee Management Officer.*

[FR Doc. E7-9084 Filed 5-10-07; 8:45 am]

BILLING CODE 6450-01-P

## ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OECA-2006-0711; FRL-8313-3]

### Agency Information Collection Activities; Submission to OMB for Review and Approval; Comment Request; NSPS for Sewage Sludge Treatment Plants (Renewal), EPA ICR Number 1063.10, OMB Control Number 2060-0035

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice.

**SUMMARY:** In compliance with the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*), this document announces that an Information Collection Request (ICR) has been forwarded to the Office of Management and Budget (OMB) for review and approval. This is a request to renew an existing approved collection. The ICR that is abstracted below describes the nature of the collection and the estimated burden and cost.

**DATES:** Additional comments may be submitted on or before June 11, 2007.

**ADDRESSES:** Submit your comments, referencing Docket ID Number EPA-HQ-OECA-2006-0711, to (1) EPA online using <http://www.regulations.gov> (our preferred method), or by e-mail to [docket.oeca@epa.gov](mailto:docket.oeca@epa.gov), or by mail to: EPA Docket Center (EPA/DC), Environmental Protection Agency, Enforcement and Compliance Docket and Information Center, mail code 2201T, 1200 Pennsylvania Avenue, NW.,

Washington, DC 20460, and (2) OMB at: Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), Attention: Desk Officer for EPA, 725 17th Street, NW., Washington, DC 20503.

**FOR FURTHER INFORMATION CONTACT:** John Schaefer, Office of Air Quality Planning and Standards, Sector Policies and Programs Division (D243-05), Measurement Policy Group, Environmental Protection Agency, Research Triangle Park, North Carolina 27711; telephone number: (919) 541-0296; fax number: (919) 541-3207; e-mail address: [schaefer.john@epa.gov](mailto:schaefer.john@epa.gov).

**SUPPLEMENTARY INFORMATION:** EPA has submitted the following ICR to OMB for review and approval according to the procedures prescribed in 5 CFR 1320.12. On October 5, 2006 (71 FR 58853), EPA sought comments on this ICR pursuant to 5 CFR 1320.8(d). EPA received no comments. Any additional comments on this ICR should be submitted to EPA and OMB within 30 days of this notice.

EPA has established a public docket for this ICR under docket ID number EPA-HQ-OECA-2006-0711, which is available for public viewing online at <http://www.regulations.gov>, or in person viewing at the Enforcement and Compliance Docket in the EPA Docket Center (EPA/DC), EPA West, Room 3334, 1301 Constitution Avenue, NW., Washington, DC. The EPA Docket Center Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is (202) 566-1744 and the telephone number for the Enforcement and Compliance Docket is (202) 566-1752.

Use EPA's electronic docket and comment system at <http://www.regulations.gov> to submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the docket that are available electronically. Once in the system, select "docket search," then key in the docket ID number identified above. Please note that EPA's policy is that public comments, whether submitted electronically or in paper, will be made available for public viewing at <http://www.regulations.gov>, as EPA receives them and without change, unless the comment contains copyrighted material, CBI, or other information whose public disclosure is restricted by statute. For further information about the electronic docket, go to <http://www.regulations.gov>.

**Title:** NSPS for Sewage Sludge Treatment Plants (Renewal).

**ICR Numbers:** EPA ICR Number 1063.10, OMB Control Number 2060-0035.

**ICR Status:** This ICR is scheduled to expire on September 30, 2007. Under OMB regulations, the Agency may continue to conduct or sponsor the collection of information while this submission is pending at OMB. An Agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control numbers for EPA's regulations in title 40 of the CFR, after appearing in the **Federal Register** when approved, are listed in 40 CFR part 9, and displayed either by publication in the **Federal Register** or by other appropriate means, such as on the related collection instrument or form, if applicable. The display of OMB control numbers in certain EPA regulations is consolidated in 40 CFR part 9.

**Abstract:** This Information Collection Request (ICR) renewal is being submitted for the NSPS for Sewage Sludge Treatment Plants (40 CFR part 60, subpart O), which were promulgated on February 28, 1974. These standards apply to each incinerator which combusts wastes containing more than 10 percent of sewage sludge (dry basis) produced by municipal sewage treatment plants, or each incinerator which charges more than 1000 kg (2205 lb.) per day municipal sewage sludge (dry basis), and any facility that commenced construction, modification or reconstruction after June 11, 1973. Owners and operators of facilities subject to NSPS must notify EPA of construction, reconstruction, anticipated and actual startup dates, and results of performance tests. Records of performance test results, shutdowns, and malfunctions must be maintained. These notifications, reports, and records are essential in determining compliance; and are required, in general, of all sources subject to NSPS.

**Burden Statement:** The annual public reporting and recordkeeping burden for this collection of information is estimated to average 55 hours per response. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any

previously applicable instructions and requirements which have subsequently changed; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information.

*Respondents/Affected Entities:*

Sewage sludge treatment plants.

*Estimated Number of Respondents:* 54.

*Frequency of Response:* Initially and semiannually.

*Estimated Total Annual Hour Burden:* 6,209.

*Estimated Total Annual Cost:* \$2,382,804, which comprises \$100,000 in annualized capital/start-up costs, \$1,890,000 in Operating & Maintenance costs and \$392,804 in labor costs.

*Changes in the Estimates:* There is a slight reduction in the annual hour burden by 5 hours due to a correction in the Agency Burden Tables. There is no change in the total annual capital or O&M costs currently identified in the OMB Inventory of Approved ICR Burdens.

Dated: April 30, 2007.

**Sara Hisel-McCoy,**

*Acting Director, Collection Strategies Division.*

[FR Doc. E7-9112 Filed 5-10-07; 8:45 am]

**BILLING CODE 6560-50-P**

## ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OECA-2006-0931; FRL-8313-5]

### Agency Information Collection Activities; Submission to OMB for Review and Approval; Comment Request; Performance Evaluation Studies on Water and Wastewater Laboratories (Renewal); EPA ICR No. 0234.09, OMB Control No. 2080-0021

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice.

**SUMMARY:** In compliance with the Paperwork Reduction Act (PRA)(44 U.S.C. 3501 *et seq.*), this document announces that an Information Collection Request (ICR) has been forwarded to the Office of Management and Budget (OMB) for review and approval. This is a request to renew an existing approved collection. The ICR, which is abstracted below, describes the nature of the information collection and its estimated burden and cost.

**DATES:** Additional comments may be submitted on or before June 11, 2007.

**ADDRESSES:** Submit your comments, referencing Docket ID No. EPA-HQ-

OECA-2006-0931 to (1) EPA online using [www.regulations.gov](http://www.regulations.gov) (our preferred method), by e-mail to [docket.oeca@epa.gov](mailto:docket.oeca@epa.gov), or by mail to: EPA Docket Center, Environmental Protection Agency, Enforcement and Compliance Docket and Information Center, Mail Code: 28221T, 1200 Pennsylvania Ave., NW., Washington, DC 20460, and (2) OMB by mail to: Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), Attention: Desk Officer for EPA, 725 17th Street, NW., Washington, DC 20503.

**FOR FURTHER INFORMATION CONTACT:** Patrick Yellin, Office of Compliance, Agriculture Division, Laboratory Data Integrity Branch, 2225A, Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460; telephone number: 202-564-2970; fax number: 202-564-0029, e-mail address: [yellin.patrick@epa.gov](mailto:yellin.patrick@epa.gov).

**SUPPLEMENTARY INFORMATION:** EPA has submitted the following ICR to OMB for review and approval according to the procedures prescribed in 5 CFR 1320.12. On January 3, 2007 (72 FR 130), EPA sought comments on this ICR pursuant to 5 CFR 1320.8(d). EPA published a second notice on January 22, 2007 (72 FR 2684), to make a correction to the first notice. EPA received 1 comment during the comment period, which is addressed in the ICR. Any additional comments on this ICR should be submitted to EPA and OMB within 30 days of this notice.

EPA has established a public docket for this ICR under Docket ID No. EPA-HQ-OECA-2006-0931, which is available for online viewing at [www.regulations.gov](http://www.regulations.gov), or in person viewing at the Enforcement and Compliance Docket in the EPA Docket Center (EPA/DC), EPA West, Room 3334, 1301 Constitution Ave., NW., Washington, DC. The EPA/DC Public Reading Room is open from 8 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is 202-566-1744, and the telephone number for the Enforcement and Compliance Docket is 202-566-1752.

Use EPA's electronic docket and comment system at [www.regulations.gov](http://www.regulations.gov), to submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the docket that are available electronically. Once in the system, select "docket search," then key in the docket ID number identified above. Please note that EPA's policy is that public comments, whether submitted electronically or in paper,

will be made available for public viewing at [www.regulations.gov](http://www.regulations.gov) as EPA receives them and without change, unless the comment contains copyrighted material, CBI, or other information whose public disclosure is restricted by statute. For further information about the electronic docket, go to [www.regulations.gov](http://www.regulations.gov).

*Title:* Performance Evaluation Studies on Water and Wastewater Laboratories (Renewal).

*ICR numbers:* EPA ICR No. 0234.09, OMB Control No. 2080-0021.

*ICR Status:* This ICR is scheduled to expire on July 31, 2007. Under OMB regulations, the Agency may continue to conduct or sponsor the collection of information while this submission is pending at OMB. An Agency may not conduct or sponsor, and a person is not required to respond to, a collection of information, unless it displays a currently valid OMB control number. The OMB control numbers for EPA's regulations in title 40 of the CFR, after appearing in the **Federal Register** when approved, are listed in 40 CFR part 9, are displayed either by publication in the **Federal Register** or by other appropriate means, such as on the related collection instrument or form, if applicable. The display of OMB control numbers in certain EPA regulations is consolidated in 40 CFR Part 9.

*Abstract:* Discharge Monitoring Report-Quality Assurance (DMR-QA) participation is mandatory for major and selected minor permit holders under the Clean Water Act's National Pollution Discharge Elimination System (NPDES), Section 308. The DMR-QA study is designed to evaluate the entire process used by permittees to routinely report monitoring results in Discharge Monitoring Reports (DMRs). The study addresses the analytic ability of the laboratories that perform chemical, microbiological and whole effluent toxicity (WET) analyses required in the NPDES permits and the ability to properly report these results in the DMRs. Under DMR-QA, the permit holder is responsible for obtaining ungraded results of analyses of test samples performed by in-house and/or contract laboratories, and submitting these results to the appropriate federal or state NPDES regulatory authority and the commercial proficiency testing (PT) provider that supplies the test samples. Permit holders are responsible for submitting corrective action reports to the appropriate regulatory authority.

*Burden Statement:* The annual public reporting and recordkeeping burden for this collection of information is estimated to average 6.3 hours per response. Burden means the total time,