

Acquired Immunodeficiency Syndrome (AIDS)
Weekly Surveillance Report - United States

AIDS Activity
Center For Infectious Diseases
Centers For Disease Control
December 22, 1983

United States Cases Reported To CDC

1. <u>Primary Disease*</u>	<u>Cases</u>	<u>Percent Of Total</u>	<u>Deaths</u>	<u>Percent Dead</u>
KS without PCP	794	25.9	176	22.2
PCP without KS	1569	51.2	739	47.1
Both KS and PCP	212	6.9	129	61.0
OI without KS or PCP	<u>489</u>	<u>16.0</u>	<u>248</u>	<u>50.7</u>
<u>Total</u>	3064	100.0	1292	42.2

*KS = Kaposi's sarcoma
PCP = Pneumocystis carinii pneumonia
OI = Other opportunistic infections

2. <u>Age</u>	<u>Cases</u>	<u>Percent Of Total</u>	3. <u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent Of Total</u>
Under 20	15	0.5	White, not Hispanic	1776	58.0
20-29	683	22.3	Black, not Hispanic	787	25.7
30-39	1417	46.3	Hispanic	435	14.2
40-49	661	21.6	Other	10	0.3
Over 49	277	9.1	Unknown	56	1.9
Unknown	11	0.4			
<u>Total</u>	3064	100.0	<u>Total</u>	3064	100.0

4. <u>Patient Characteristics**</u>	<u>Males</u>		<u>Females</u>		<u>Total</u>	
	<u>Cases</u>	<u>Percent Of Males</u>	<u>Case</u>	<u>Percent Of Females</u>	<u>Cases</u>	<u>Percent Of Total</u>
Homosexual or Bisexual	2187	76.5	0	0.0	2187	71.4
Intravenous (IV) Drug User	418	14.6	110	54.2	528	17.2
Haitian	119	4.2	19	9.4	138	4.5
Hemophiliac	19	0.7	0	0.0	19	0.6
None Apparent/Unknown	117	4.0	74	36.4	192	6.3
<u>Total</u>	2860	100.0	203	100.0	3064	100.0

** Patient characteristics listed are ordered hierarchically; causes with multiple characteristics are tabulated only in the group listed first.

5. <u>Residence</u>	<u>Cases</u>	<u>Percent Of Total</u>
New York State	1373	44.8
California	686	22.4
Florida	213	7.0
New Jersey	191	6.2
Texas	105	3.4
Illinois	56	1.8
Pennsylvania	53	1.7
Massachusetts	46	1.5
Georgia	37	1.2
Connecticut	28	0.9
Maryland	27	0.9
Virginia	27	0.9
Colorado	26	0.8
District of Columbia	22	0.7
Louisiana	18	0.6
Puerto Rico	18	0.6
Ohio	15	0.5
Michigan	12	0.4
South Carolina	11	0.4
Washington	10	0.3
Arizona	09	0.3
<u>Other, States (23)</u>	<u>81</u>	<u>2.6</u>
TOTAL -USA	3064	100.0

AIDS Activity, CID, CDC, Atlanta, GA

AIDS Cases Reported To CDC - Page 3

**Reported Cases of AIDS And Case-Fatality Rates by Half-Year Of Diagnosis,
1979 to December 22, 1983, United States**

	<u>Number of Cases</u>	<u>Number of Deaths</u>	<u>Case-Fatality Rate</u>
1979 Jan. - June	1	1	100%
July - Dec	7	6	86%
1980 Jan. - June	19	14	74%
July - Dec	26	26	100%
1981 Jan. - June	77	64	83%
July - Dec	159	122	77%
1982 Jan. - June	329	211	64%
July - Dec	603	304	50%
1983 Jan. - June	1027	355	35%
1983 July - Dec. 22	<u>802</u>	<u>182</u>	<u>23%</u>
<u>Totals*</u>	3064	1292	42%

* Table totals include 7 cases diagnosed prior to 1979, and 7 cases with unknown date of diagnosis. Seven of these 14 cases are known to have died.

AIDS Cases Per Million Population (from the 1980 Census), by Standard Metropolitan Statistical Area (SMSA) of Residence, Reported from June 1, 1981 to December 22, 1983 - United States

<u>SMSA Of Residence</u>	<u>Cases</u>	<u>Percentage Of Total</u>	<u>Cases Per Million Population</u>
New York, NY	1275	41.6	139.8
San Francisco, CA	368	12.0	113.2
Miami, FL	131	4.3	80.6
Newark, NJ	90	2.9	45.8
Los Angeles, CA	245	8.0	32.8
Elsewhere (irrespective of SMSA)	955	31.2	4.7
Total United States	3064	100.0	13.5

