

Acquired Immunodeficiency Syndrome (AIDS)
Weekly Surveillance Report* - United States
AIDS Activity
Center For Infectious Diseases
Centers For Disease Control
December 31, 1984

United States Cases Reported To CDC

1. Primary Disease†	Adult/Adolescent				Pediatric††				Total			
	Cases	(%)	Deaths	(%)	Cases	(%)	Deaths	(%)	Cases	(%)	Deaths	(%)
KS without PCP	1724	(23)	520	(30)	4	(4)	4	(100)	1728	(22)	524	(30)
Both KS and PCP	462	(6)	299	(65)	2	(2)	2	(100)	464	(6)	301	(65)
PCP without KS	4157	(55)	2094	(50)	63	(70)	46	(73)	4220	(55)	2140	(51)
OI without KS or PCP	1266	(17)	691	(55)	21	(23)	9	(43)	1287	(17)	700	(54)
<u>Total</u>	<u>7609</u>	<u>(100)</u>	<u>3604</u>	<u>(47)</u>	<u>90</u>	<u>(100)</u>	<u>61</u>	<u>(68)</u>	<u>7699</u>	<u>(100)</u>	<u>3665</u>	<u>(48)</u>

2. Age	Cases (%)		3. Race/Ethnicity	Adult/Adolescent		Pediatric††		Total	
	Cases	(%)		Cases	(%)	Cases	(%)	Cases	(%)
Under 13	90	(1)	White, not Hispanic	4466	(59)	20	(22)	4486	(58)
13 - 19	39	(1)	Black, not Hispanic	1898	(25)	50	(56)	1948	(25)
20 - 29	1662	(22)	Hispanic	1111	(15)	18	(20)	1129	(15)
30 - 39	3608	(47)	Other	31	(0)	0	(0)	31	(0)
40 - 49	1618	(21)	<u>Unknown</u>	<u>103</u>	<u>(1)</u>	<u>2</u>	<u>(2)</u>	<u>105</u>	<u>(1)</u>
Over 49	681	(9)	<u>Total</u>	<u>7609</u>	<u>(100)</u>	<u>90</u>	<u>(100)</u>	<u>7699</u>	<u>(100)</u>
<u>Unknown</u>	<u>1</u>	<u>(0)</u>							
<u>Total</u>	<u>7699</u>	<u>(100)</u>							

4. Patient Groups**

	Adult/Adolescent				Total	
	Males	(%)	Females	(%)	Cases	(%)
Homosexual or Bisexual Men	5541	(78)	----	(-)	5541	(73)
Intravenous (IV) Drug User	1042	(15)	275	(55)	1317	(17)
Haitian	221	(3)	42	(9)	263	(3)
Hemophilia	49	(1)	0	(0)	49	(1)
Heterosexual Contact***	5	(0)	54	(11)	59	(1)
Transfusions with Blood/Blood Products	49	(1)	41	(8)	90	(1)
<u>None of the Above/Other</u>	<u>206</u>	<u>(3)</u>	<u>84</u>	<u>(17)</u>	<u>290</u>	<u>(4)</u>
<u>Total</u>	<u>7113</u>	<u>(100)</u>	<u>496</u>	<u>(100)</u>	<u>7609</u>	<u>(100)</u>

	Pediatric††				Total	
	Males	(%)	Females	(%)	Cases	(%)
Parent with AIDS/or at increased risk for AIDS	34	(64)	30	(81)	64	(71)
Hemophilia	4	(8)	0	(0)	4	(4)
Transfusion with Blood/Blood Products	10	(19)	2	(5)	12	(13)
<u>None of the above/Other</u>	<u>5</u>	<u>(9)</u>	<u>5</u>	<u>(14)</u>	<u>10</u>	<u>(11)</u>
<u>Total</u>	<u>53</u>	<u>(100)</u>	<u>37</u>	<u>(100)</u>	<u>90</u>	<u>(100)</u>

* These data are provisional

† KS = Kaposi's sarcoma; PCP = Pneumocystis carinii pneumonia; OI = Other opportunistic infections

†† Includes patients under 13 years of age at time of diagnosis

** Patient groups listed are ordered hierarchically; cases with multiple characteristics are tabulated only in the group listed first.

*** With a person with AIDS or at risk for AIDS

AIDS Cases Reported To CDC - Page 2

5.	<u>Residence</u>	<u>Adult/Adolescent</u>	<u>(%)</u>	<u>Pediatric††</u>	<u>(%)</u>	<u>Total</u>	<u>(%)</u>
	New York State	2960	(39)	39	(43)	2999	(39)
	California	1722	(23)	8	(9)	1730	(22)
	Florida	529	(7)	14	(16)	543	(7)
	New Jersey	467	(6)	12	(13)	479	(6)
	Texas	344	(5)	1	(1)	345	(5)
	Illinois	157	(2)	2	(2)	159	(2)
	Pennsylvania	143	(2)	4	(4)	147	(2)
	Massachusetts	134	(2)	1	(1)	135	(2)
	District of Columbia	112	(1)			112	(1)
	Georgia	93	(1)	1	(1)	94	(1)
	Puerto Rico	94	(1)			94	(1)
	Connecticut	84	(1)	2	(2)	86	(1)
	Maryland	82	(1)			82	(1)
	Louisiana	73	(1)			73	(1)
	Virginia	68	(1)	1	(1)	69	(1)
	Washington	68	(1)			68	(1)
	Colorado	64	(1)			64	(1)
	Ohio	44	(1)			44	(0)
	Michigan	43	(1)			43	(1)
	Missouri	32	(0)	1	(1)	33	(0)
	Arizona	30	(0)			30	(0)
	Indiana	28	(0)	1	(1)	29	(0)
	North Carolina	24	(0)	1	(1)	25	(0)
	Oregon	21	(0)			21	(0)
	Hawaii	20	(0)			20	(0)
	Minnesota	20	(0)			20	(0)
	South Carolina	20	(0)			20	(0)
	Oklahoma	15	(0)			15	(0)
	Kentucky	14	(0)			14	(0)
	Wisconsin	12	(0)			12	(0)
	Nevada	11	(0)			11	(0)
	Rhode Island	11	(0)			11	(0)
	Alabama	10	(0)			10	(0)
	<u>Other States (14)</u>	<u>60</u>	<u>(1)</u>	<u>2</u>	<u>(2)</u>	<u>62</u>	<u>(1)</u>
	Total - USA	7069	(100)	90	(100)	7699	(100)

AIDS Cases Reported To CDC - Page 3

6. All AIDS Cases Per Million Population (from the 1980 Census), by Standard Metropolitan Statistical Area (SMSA) of Residence, Reported from June 1, 1981 to December 31, 1984 - United States

<u>SMSA Of Residence</u>	<u>Cases</u>	<u>Percentage Of Total</u>	<u>Cases Per Million Population</u>
New York, NY	2795	36	306.5
San Francisco, CA	899	12	276.6
Miami, FL	304	4	187.0
Newark, NJ	214	3	108.9
Los Angeles, CA	635	8	84.9
Elsewhere (Irrespective of SMSA)	2852	37	14.0
Total - United States	7699	100	33.8

7. All Reported Cases of AIDS And Case - Fatality Rates by Half-Year of Diagnosis, 1979 - December 31, 1984, United States

	<u>Number of Cases</u>	<u>Number of Deaths</u>	<u>Case-Fatality Rate</u>
1979 Jan. - June	1	1	100%
July - Dec.	9	7	78%
1980 Jan. - June	19	15	79%
July - Dec.	27	27	100%
1981 Jan. - June	82	71	87%
July-Dec.	169	139	82%
1982 Jan. - June	348	259	74%
July - Dec.	628	427	68%
1983 Jan. - June	1154	704	61%
July - Dec.	1474	823	56%
1984 Jan. - June	2093	822	39%
July - Dec. 31	1687	366	22%
Totals*	7699	3665	48%

*Table totals include 8 cases diagnosed prior to 1979. Of these 8 cases, 4 are known to have died.