

# CONTENTS

- Abstract..... 1
- Introduction ..... 2
  - Purpose and Scope..... 2
  - Description of Study Area ..... 3
  - Acknowledgments ..... 3
- Study Approach ..... 3
  - Hydrology and Sediment Transport..... 3
  - Sediment Deposition..... 3
  - Numerical Simulations ..... 5
    - Streamflow Distribution ..... 5
      - Model Setup and Requirements..... 5
      - Model “Spin Down” ..... 8
    - Sediment Transport and Deposition ..... 9
      - Data Setup and Requirements..... 12
      - Development of Simulation Sedigraphs ..... 14
- Simulation of Streamflow Distribution ..... 16
  - RMA2-WES Sensitivity Analyses..... 16
    - Velocities ..... 17
    - Water-Surface Elevation/Water Depths ..... 17
  - Model Verification ..... 17
    - Velocities ..... 17
    - Water-Surface Elevations ..... 20
    - Inundated Area ..... 20
    - Conservation of Mass ..... 20
  - Sources of Error..... 20
  - Comparison of 2-, 5-, 10-, and 25-yr Floods ..... 22
    - Graphical Comparisons ..... 22
      - Velocities ..... 22
      - Water Depths ..... 22
      - Water-Surface Elevations ..... 26
    - Quantitative Comparisons ..... 26
      - Simulated Velocities and Coarse Woody Debris ..... 33
- Simulation of Sediment Transport and Deposition ..... 33
  - SED2D-WES Sensitivity Analyses ..... 33
  - Model Verification ..... 40
  - Sources of Error..... 43
  - Comparison of 2-, 5-, 10-, and 25-yr Floods ..... 44
    - Graphical Comparisons ..... 44
    - Quantitative Comparisons ..... 44
      - Temporal Variability ..... 52
      - Spatial Variability ..... 55
      - Simulation of Floodplain Vegetation Modification ..... 55
- Summary..... 57
- References Cited..... 59

## FIGURES

1.	Map showing location of study reach .....	4
2.	Finite-element mesh of Long Branch Creek model reach and focus area .....	6
3.	Model mesh elevations.....	7
4. –6.	Graphs showing:	
4.	Input hydrographs and sedigraphs for approximate 2-year recurrence interval (April 4, 1997); approximate 5-year recurrence interval (July 4, 1998); and estimated 10- and 25-year recurrence interval floods .....	10
5.	Relation between peak water-surface elevations at the upstream continuous gaging station and the downstream crest-stage gage in the study reach .....	12
6.	Variability in sand content of depositional material with flood magnitude at selected sediment disk monitoring sites.....	14
7.	Mesh showing location of selected simulation observation sites used in study .....	15
8.–10.	Graphs showing:	
8.	Linear regression used in estimating sediment concentrations for 10- and 25-year interval floods .....	16
9.	Summary of RMA2-WES sensitivity analyses at selected stream and floodplain locations.....	18
10.	Inflow and simulated outflow streamflow hydrographs for 2-, 5-, 10-, and 25-year recurrence interval floods .....	21
11.	Spatial distribution of velocities in the model reach at peak-flow conditions for 2-, 5-, 10-, and 25-year recurrence interval floods.....	23
12.	Spatial distribution of velocities in the focus area at peak-flow conditions for 2-, 5-, 10-, and 25-year recurrence interval floods.....	24
13.	Spatial distribution of water depths in the focus reach at peak-flow conditions for 2-, 5-, 10-, and 25-year recurrence interval floods.....	25
14.	Location of major floodplain streamflow control points and identified stream bend.....	26
15.	Spatial distribution of water-surface elevations in the model reach at peak-flow conditions for 2-, 5-, 10-, and 25-year recurrence interval floods .....	27
16.	Boxplots showing maximum velocity and water depth distribution, by landform type, for 2-, 5-, 10-, and 25-year recurrence interval floods .....	28
17.–20.	Graphs showing:	
17.	Temporal variability in velocity and water depth values at selected clay pad observation points for 2-, 5-, 10- and 25-year recurrence interval floods.....	31
18.	Comparison of simulated maximum velocities and water depths with meander bend characteristics at inside and outside meander bend observation points for 2-, 5-, 10-, and 25-year recurrence interval floods .....	34
19.	Detailed view of outside meander bend simulated maximum velocities for 2-year recurrence interval flood and bend characteristics (fig. 18) showing possible sub-reach correlations .....	35
20.	Distribution of measured in-channel coarse woody debris pieces by velocity category for simulated 5-year flood peak flow .....	36
21.	Boxplots showing measured sediment deposition distributions and simulated velocity, water depth, and inundation period distributions for 2- and 5-year recurrence interval floods .....	38
22.	Graphs showing measured and simulated sediment deposition at selected observation points (classified by landform type) for the 2- and 5-year recurrence interval floods .....	40
23.	Spatial distribution of suspended sediment concentrations in the model reach at peak-flow conditions during 2-, 5-, 10-, and 25-year recurrence interval floods .....	42
24.	Spatial distribution of cumulative bed change in the model reach at peak-flow conditions during 2-, 5-, 10-, and 25-year recurrence interval floods .....	45
25.	Spatial distributions of cumulative bed change in the focus area at peak flow and final simulation steps for 2-, 5-, 10- and 25-year recurrence interval floods .....	46
26.	Spatial distribution of bed shear stress in the model reach at peak-flow conditions during 2-, 5-, 10-, and 25-year recurrence interval floods.....	49

FIGURES—Continued

27.–31. Graphs showing:

- 27. Summary of selected sediment budget components by flood magnitude..... 52
- 28. Temporal variation of cumulative bed changes at selected clay pad points representing different landform types for 2-, 5-, 10-, and 25-year recurrence interval floods..... 53
- 29. Temporal incremental variation in selected sediment budget components for 2-, 5-, 10-, and 25-year recurrence interval floods ..... 54
- 30. Comparison of event deposition and simulated maximum bed shear stress by landform type and proximity to primary/secondary channels for the 2-, 5-, 10-, and 25-year recurrence interval floods ..... 56
- 31. Temporal variability in floodplain sediment deposition (excluding oxbows and artificial sumps) for simulations using different floodplain roughness coefficients..... 57

TABLES

- 1. Streamflow and peak water-surface elevation characteristics of 2-, 5-, 10-, and 25-year recurrence interval floods..... 9
- 2. Selected input parameters used in SED2D-WES simulations ..... 13
- 3. Proportion of samples with mean particle size ( $d_{50}$ ) in selected particle size classes by flood ..... 16
- 4. Change in peak water-surface elevation at the upstream crest-stage indicator location as a result of parameter modifications during RMA2-WES sensitivity analyses..... 19
- 5. Comparison of measured and simulated stream channel and floodplain velocities and water depths..... 19
- 6. Maximum inundation area for 2-, 5-, 10-, and 25-year recurrence interval flood simulations..... 33
- 7. Summary of SED2D-WES sensitivity analyses results ..... 37
- 8. Summary of sediment budget information for 2-, 5-, 10-, and 25-year floods ..... 50

## FILMS ON COMPACT DISK

### 1.-36. Films showing:

1. Velocities in full model mesh area for 2-year recurrence interval flood
2. Velocities in full model mesh area for 5-year recurrence interval flood
3. Velocities in full model mesh area for 10-year recurrence interval flood
4. Velocities in full model mesh area for 25-year recurrence interval flood
5. Velocities in focus area for 2-year recurrence interval flood
6. Velocities in focus area for 5-year recurrence interval flood
7. Velocities in focus area for 10-year recurrence interval flood
8. Velocities in focus area for 25-year recurrence interval flood
9. Water depths in full model mesh area for 2-year recurrence interval flood
10. Water depths in full model mesh area for 5-year recurrence interval flood
11. Water depths in full model mesh area for 10-year recurrence interval flood
12. Water depths in full model mesh area for 25-year recurrence interval flood
13. Water depths in focus area for 2-year recurrence interval flood
14. Water depths in focus area for 5-year recurrence interval flood
15. Water depths in focus area for 10-year recurrence interval flood
16. Water depths in focus area for 25-year recurrence interval flood
17. Water surface elevations in full model mesh area for 2-year recurrence interval flood
18. Water surface elevations in full model mesh area for 5-year recurrence interval flood
19. Water surface elevations in full model mesh area for 10-year recurrence interval flood
20. Water surface elevations in full model mesh area for 25-year recurrence interval flood
21. Cumulative bed changes in full model mesh area for 2-year recurrence interval flood
22. Cumulative bed changes in full model mesh area for 5-year recurrence interval flood
23. Cumulative bed changes in full model mesh area for 10-year recurrence interval flood
24. Cumulative bed changes in full model mesh area for 25-year recurrence interval flood
25. Cumulative bed changes in focus area for 2-year recurrence interval flood
26. Cumulative bed changes in focus area for 5-year recurrence interval flood
27. Cumulative bed changes in focus area for 10-year recurrence interval flood
28. Cumulative bed changes in focus area for 25-year recurrence interval flood
29. Bed shear stress in full model mesh area for 2-year recurrence interval flood
30. Bed shear stress in full model mesh area for 5-year recurrence interval flood
31. Bed shear stress in full model mesh area for 10-year recurrence interval flood
32. Bed shear stress in full model mesh area for 25-year recurrence interval flood
33. Suspended sediment concentrations in full model mesh area for 2-year recurrence interval flood
34. Suspended sediment concentrations in full model mesh area for 5-year recurrence interval flood
35. Suspended sediment concentrations in full model mesh area for 10-year recurrence interval flood
36. Suspended sediment concentrations in full model mesh area for 25-year recurrence interval flood