## VITAL STATISTICS OF THE UNITED STATES

1973

VOLUME II—MORTALITY
PART A



# U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

HEALTH RESOURCES ADMINISTRATION NATIONAL CENTER FOR HEALTH STATISTICS

Rockville, Maryland: 1977 (HRA) 77-1101

#### NATIONAL CENTER FOR HEALTH STATISTICS

DOROTHY P. RICE, Director

ROBERT A. ISRAEL, Deputy Director

JACOB J. FELDMAN, Ph.D., Associate Director for Analysis

GAIL F. FISHER, Associate Director for the Cooperative Health Statistics System

ELIJAH L. WHITE, Associate Director for Data Systems

JAMES T. BAIRD, JR., Ph.D., Acting Associate Director for International Statistics

ROBERT C. HUBER, Associate Director for Management

MONROE G. SIRKEN, Ph.D., Associate Director for Mathematical Statistics

PETER L. HURLEY, Associate Director for Operations

JAMES M. ROBEY, Ph.D., Associate Director for Program Development

PAUL E. LEAVERTON, Ph.D., Associate Director for Research

ALICE HAYWOOD, Information Officer

#### **DIVISION OF VITAL STATISTICS**

JOHN E. PATTERSON, Director
ALICE M. HETZEL, Deputy Director
T. N. E. GREVILLE, Ph.D., Actuarial Adviser
ROBERT J. ARMSTRONG, M.S., Chief, Mortality Statistics Branch
ROBERT L. HEUSER, M.A., Chief, Natality Statistics Branch
ALICE M. HETZEL, Chief, Marriage and Divorce Statistics Branch
LOREN E. CHANCELLOR, Chief, Registration Methods Branch
WILLIAM F. PRATT, Ph.D., Chief, Family Growth Survey Branch
MARVIN C. TEMPLETON, Chief, Data Control Branch
MICHAEL J. ZUGZDA, Chief, Statistical Resources Branch
RITA U. HOFFMAN, Chief, Programming Branch

#### VITAL STATISTICS OF THE UNITED STATES, 1973

#### **VOLUME II — MORTALITY**

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

#### PART A

#### Section 1. General Mortality

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality; and deaths for the 50 largest standard metropolitan statistical areas. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, month, date of death, and report of autopsy.

#### Section 2. Infant Mortality

Tabulations of infant deaths and infant mortality rates by age, color, sex, and cause of death, and by State and the 50 largest standard metropolitan statistical areas. Additional frequency tables by month of death and by population-size groups in metropolitan and nonmetropolitan counties.

#### Section 3. Fetal Mortality

Tabulations of numbers of deaths and ratios by color, age of mother, legitimacy status, geographic areas, and population-size groups; and fetal-death rates by plurality and sex. Numbers of deaths by additional categories—month, birth order, attendant, period of gestation, and birth weight.

#### Section 4. Accident Mortality

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accidents and by person injured. Data shown by cause of death, age, color, and sex for the United States and by color and sex for each State. Deaths from accidental poisoning by age, color, and sex.

#### Section 5. Life Tables

Abridged life tables and interpolated values of the  $l_x$  and  $\hat{e}_x$  by single years of age for the national population by color and sex.

#### Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics published in Volume II. Includes population tables for computing vital rates.

#### PART B

#### Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

#### Section 8. Guam, Puerto Rico, and Virgin Islands (U.S.)

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

[All data are for deaths occurring in the United States. Exclude fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents. Data for 1972 are based on a 50-percent sample of death certificates]

occurrence include	e de	ath	S 1	to	пог	ıre	sid	ent	ş.	Data	a ro	r 19	/2 a:	re ba	ased	on	a 50	-per	cent	sam	ple	o£ d	eath	cer	tific	ates]		, e., (			
TABLE: 1	7	<u> </u>	2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	- 25	-26	-27	- 28	- 29	-30
PAGE: 1	2	-	3 -	-4	-6	- 6	-6	-7	-8	-26	-45	-46	-47	-48	-60	-72	-73	-73	-74	-75	-78	-79	-87	-88	-168	-176	-184	-250	-354	-355	-35
Geographic area: Divisions		İ									101	11	12	13	14			17													
50 largest standard metropolitan statistical areas,	ì														-	-			L8												
States			Ī			-						11	12	13	14			17		192	20 <sup>1</sup>	21	22					27			
United States	13	2	3 3	3	4	5	6	7	8	9	103	11	12	13	14	15	164	17		19	20	21	22	23	24	25	26	27	28	29	30
Years: 1900-1973	1	2		j							105																				
1915-73	L		1					<u> </u>									16 <sup>6</sup>														
1964-73			3	3								11																			
1968-73	L							7	_						. :																
1971-73	L	_	1	_														177													
1973 only				_ .	4	5	6	ļ	8	9			12	13	14	15			18	19	20	21	22	23	24	25	26	27	28	29	30
Type of entry: Age-adjusted rates-		2					6																								
Number of deaths	1				4								12	13		15			1-8	19	20	21	22	23	24	25	26	27		29	30
Percent distribu- tion of deaths by cause						5						-																			
Death rates	1	+	3	;	-	5		7	8	9	10	11	12		14	15	16	17	18					23					28 <sup>8</sup>	29 <sup>8</sup>	
Characteristics:	-	-	3	,	4				8	9			12			15				·							26		28		
10-year age groups			3	+				-		9																	50		28		
5-year age groups			ľ	1					8			- "	-			15											26				
Single years of age after 84					4																								ar ren		
Cause of death: Each cause																								23							
Selected causes							6																								30
281 selected causes	L										-														24	25	26	27			
69 selected causes								7	8	9				13	14									.						<b>Z</b> 9	
15 leading causes						5	,																								
Maternal causes only											·					15	16	17													
Color	19	29	3	4	1		6	-	8	9	]	]	]			15	16 <sup>9</sup>	17				21		23				27	28		
Race																							22			25	26				
Sex	11	0 2	3	4	1		6 -	-	8	9												21	22	23		<b>2</b> 5	26	Z7	28		
Month		1	ŀ	$\perp$		_					ļ									$\Box$	20	21			24						30
Day of month	<u> </u>	4	ļ.	4	$\downarrow$	_			Ŀ																						30
Day of week		$\perp$	+	$\bot$	4	_	_		_			ļ	_					_				.					[	[			30
Autopsy	<u> </u>		$\downarrow$	_	_	_																							28	29	
Autopsy findings used															.	ı								İ		ĺ	- 1			29	

¹Deaths by place of occurrence.
²Deaths by place of occurrence and place of residence.
³Entire United States for 1933-73, death-registration States for 1900-1932.
¹Entire United States for 1933-73, birth-registration States for 1915-32.
¹Data by 5-year averages for 1900-1959 and by single years for 1960-73.
¹Data by 5-year averages for 1915-39 and by single years for 1940-73.
¹Data by 5-year average.
²Number of autopsies per 100 deaths.
³Number of autopsies per 100 deaths.
³New Jersey did not require the reporting of color or race in 1962 and 1963.
¹Ofor death rates only.

[All data are for infant deaths occurring in the United States. Exclude fetal deaths. Data for geographic areas within the United States are by place of residence. Data for 1972 are based on a 50-percent sample of death certificates]

		_				<del>,</del>		·	<u> </u>						<del>-</del>
TABLE: 2	-1	-2	-3	- 4	-5	-6.	-7	-8-	-9	-10	-11	-12	-13	-14	-15
PAGE: 2	-3	-3	-3	-4	-5	-6	-7	-8	-10	-28	-37	-38	-44	-50	-68
Geographic area: Divisions						6	7								
50 largest standard metropolitan statistical areas, 1973								8							
Metropolitan and nonmetropolitan counties									·				13		
Population-size groups													13		
States						6	7		9	10					15
United States	11	2	3	4	5	6	7		9	10	11	12	13	14	15
Years: 1915-73	1		,									_			
1964-73				4											
1969-73						6	7			-					
1968-73											11				
1973 only		2	3		5			8	9	10		12	13	14	15
Type of entry: Number of infant deaths			3					8	9	10		12	13	14	15
Infant mortality rates (per 1,000 live births)	1		3			6	7	8							
Infant mortality rates (per 100,000 live births)		2		4	5					,	11				
Characteristics:												· .			
Age: Under 1 year	1	2	3	4	5	6		8	9	10	11	12	13	14	15
Under 28 days	1	Z	3 .	4			7	8	9	10	•	12	13	14	15
28 days to 11 months			3								-	12		14	15
Detailed age groups (under 1 day-11 months)		2		4					9	10 <sup>2</sup>				14	_
Cause of death (65 selected causes)					5						11	12	13	14	15
Color	13	2		4	5	6	7			10			13	14	15
Month			_	1						10		12			
Race			3						9	$\neg \uparrow$					
Sex		2	3						9	10 <sup>2</sup>				14	

<sup>&</sup>lt;sup>1</sup>Entire United States for 1933-73; birth-registration States for 1915-32. <sup>2</sup>For the United States only. <sup>3</sup>New Jersey did not require the reporting of color or race in 1962 and 1963.

[All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 3	-1	-2	-3	-4	-5	6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17
PAGE: 3	-3	-4	-4	- 5	-5	-б	-8	-9	-12	-16	-18	-22	-26	- 29	-30	-31	-34
Geographic area: Divisions						6	7		·								
Metropolitan and non- metropolitan counties						6								-			
Population-size groups						6 <sup>1</sup>											
Selected areas			3 <sup>2</sup>	43													<u> </u>
States	14						7	85	9		11	12	13			16	17
United States	1	2			5	6	7	8	9	10	11	12	13	14	15	16	17
Years: 1942-73		2															
1969-73							7										
1973 only	1		3	4	5	6		8	9	10	11	12	13	14	15	16	17
Type of entry: Number of fetal deaths	1	2	3	4	5	6		8	9	10	11	12	1.3	14	15	16	17
Percent distribution			3												•		
Rates (per 1,000 live births and fetal deaths					5			77	٠								
Ratios (per 1,000 live births)-		2		4		6	7										
Minimum period required for reporting	1													,			
Characteristics: Age of mother			3	4						10	11						
Attendant												•••	13				
Color		26		4	5	6	7		9	10	11	12	13	14	15	16	17
Legitimacy status	-			4							-						-
Month									9								
Period of gestation	1		3	f		6							13		15		17
Plural births					5									14	15		
Sex					5					10				14	15	16¹	17 <sup>1</sup>
Total-birth order										10		12	·				
Weight at birth			.											14		16	

<sup>&</sup>lt;sup>1</sup>For the United States only.

<sup>2</sup>Combined totals for 6 States which report all periods of gestation.

<sup>3</sup>Combined totals for 40 areas which report legitimacy status.

<sup>4</sup>Fetal deaths by place of occurrence.

<sup>5</sup>Fetal deaths by place of occurrence and place of residence.

<sup>6</sup>New Jersey did not require the reporting of color or race in 1962 and 1963.

[Frequencies only. All data are for accidental deaths occurring in the United States during 1973. Data for geographic areas within the United States are by place of residence]

TABLE: 4	-1	- 2	-3	- 4	~ 5	-6	-7
PAGE: 4	-2	-4	-12	-17	- 21	-32	-36
Geographic area: States			3		V.		7
United States	1	2	3	4	5	6 .	7
Subject matter: Accidental poisoning		·		4			
Motor vehicle accidents by person injured	1	2	3				
Nontransport accidents by place of accident					5	6	7
Characteristics: Age (5-year age groups)		2		4	,	6	
Color	1		3	4	5		7
Motor vehicle accidents by exact cause of death	1	_			,		
Nontransport accidents by exact cause of death					5		
Race		2				6	
Sex	1	2	3	4	5	6	7

[Life tables. Data for 1972 are based on a 50-percent sample of death certificates]

-1	-2	- 3	-4	- 5
-4	-7	- 8	-9	-11
				51
1	2	3		
			42	
1				
1	2		4	
1				
1				
1		3	4	
				5
	2	3		
1			4	
1	2	3	4	53
1	2	3		5
1	2	3		53
1	2	3		5
	1 1 1 1 1 1 1	1 2 1 2 1 2 1 2 1 2 1 2 1 2	1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 2 3 1 2 3 1 2 3	1 2 3 4 1 2 3 4 1 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4

<sup>&</sup>lt;sup>1</sup>Entire United States for 1929-73; death-registration States for 1900-1928.

<sup>2</sup>Entire United States for specified years from 1929 to 1973; death-registration States for specified years from 1900 to 1921. 3New Jersey did not require the reporting of color or race in 1962 and 1963.

[Population tables. Populations exclusive of Armed Forces stationed outside the United States and estimated as of July 1 unless otherwise noted]

	<del>,</del>		
TABLE: 6	-1	-2	-3
PAGE: 6	-22	-23	- 24
Geographic area:			
Divisions		j	3
States	11	i	3
United States	11,2	2	3
Guam			3
Puerto Rico			3
Virgin Island			. 3
Years: 1900-1973 <sup>3</sup>	1		
1973		2	3
Characteristics:			
Age		2	3 <sup>4</sup>
Race		2	
Sex		2	

<sup>&</sup>lt;sup>1</sup>Entire United States for 1900-1973; birth- and death-registration States for 1900-1932.

<sup>2</sup>Populations both inclusive and exclusive of Armed Forces stationed outside the United States.

<sup>3</sup>Population enumerated as of April 1, 1940, 1950, 1960, and 1970, and estimated as of July 1 for other years. all other years.

4For United States only.

[All data are for deaths occurring in the United States during 1973. Exclude fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 7	-1	-2	-3	-4	- 5	-6	-7	-8	- 9
PAGE: 7	- 2	-75	-93	-111	-150	-168	-474	-484	- 520
Geographic area: Counties	11								9
Metropolitan and nonmetropolitan counties		2	3						9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	11	2	3			6	72		9
United States	1	2	3		5		7		9
Population-size groups		2							y
Type of entry: Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Fetal-death ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live binths)		2							
Neonatal mortality rates (per 1,000 live births)-	:	2							
Characteristics: Age: 5-year age groups					5	6			
10-year age groups			3	4					
Cause of death: 34 selected causes									9
69 selected causes					5	6	7	8	
Color		2	3	4	5	6			
Race	1								
Sex			3	4	5	6			

 $<sup>^{1}\</sup>mbox{Deaths}$  by place of occurrence and place of residence.  $^{2}\mbox{Deaths}$  by place of occurrence.

[All data are for deaths occurring in Guam, Puerto Rico, or the Virgin Islands. Data are by place of residence unless otherwise noted]

		<del></del>	T	T		·	_==-					
TABLE: 8	-1	- 2	-3	-4	- 5	-6	-7	-8	-9	-10	-11	-12
PAGE: 8	- 3	- 3	-4	-8	-12	-17	-17	-18	-18	-19	-19	-20
Geographic area: Guam	1	2	3			6	7		9	1,0	11	12
Puerto Rico	1	2		4		6	7	8		10	11	12
Municipios								8				
Virgin Islands	1	2			5	6	7		9	10	11	12
Islands								<del>-</del>	9	-		
Specified urban place									9			
Years: 1940-73	1											
1973 only		2	3	4	5	6	7	8	9	10	11	12
Type of entry: Number of deaths	1	2	3	4	5	6	7	81	91			
Death rates	1					_						
Number of infant deaths			3	4	5			8	9	10	11	12
Number of neonatal deaths								8	9	1.0	11	12
Number of postneonatal deaths											11	12
Characteristics: Age of decedent			3	4	5						11	
Cause of death: 65 selected causes of infant mortality-						-						12
69 selected causes			3	4	5							
Motor vehicle accidents						6						
Nontransport accidents							7					
Person injured						6						
Color (for Virgin Islands only)		2			5	6.	7		9	10	11	12
Month		2								10		
Place of accident							7					
Sex		2	3	4	5	6	7				11	

 $<sup>^{1}\</sup>mbox{Deaths}$  by place of occurrence and place of residence.

### 

## Section 1. General Mortality

Table		Page
1-1.	Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-73	1-2
1-2.	Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-73	1-3
1-3.	Death rates by age, color, and sex: United States, 1964-73	1-4
1-4.	Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1973	1-6
1-5.	Mortality from 15 leading causes of death: United States, 1973	1-6
1-6.	Age-adjusted death rates for selected causes, by color and sex: United States, 1973	1-6
1-7.	Death rates for 69 selected causes: United States, 1968-73	1-7
1-8.	Death rates for 69 selected causes, by 5-year age groups, color, and sex: United States, 1973	1-8
1-9.	Death rates for 69 selected causes, by 10-year age groups, color, and sex: United States, 1973	1-26
1-10.	Death rates for geographic divisions by place of occurrence: United States, 1900-1973	1-45
1-11.	Death rates: United States, each division and State, 1964-73	1-46
1-12.	Deaths and death rates by age: United States, each division and States, 1973	1-47
1-13.	Deaths from 69 selected causes: United States, each division and State, 1973	1-48
1-14.	Death rates for 69 selected causes: United States, each division and State, 1973	1-60
1-15.	Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1973	1-72
1-16.	Maternal mortality rates by color: Birth-registration States or United States, 1915-73	1-73
1-17.	Maternal mortality rates by color: United States, each division and State, 1971-73 (3-year average)	1-73
1-18.	Deaths and death rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1973	1-74
1-19.	Deaths by State of occurrence, distributed according to State of residence: United States and each State, 1973	1-75
1-20	Deaths by month and State of occurrence: United States and each State, 1973	1-78
1-21.	Deaths by month, color, and sex: United States and each State, 1973	1-79
1-22.	Deaths by specified race or national origin and sex: United States and each State, 1973	1-87
1-23.	Deaths and death rates for each cause, by color and sex: United States, 1973	1-88
1-24.	Deaths from 281 selected causes, by month: United States, 1973	1-168
1-25.	Deaths from 281 selected causes, by specified race or national origin and sex: United States, 1973	1-176
l-26.	Deaths from 281 selected causes, by age, race, and sex: United States, 1973	1-184
1-27.	Deaths from 281 selected causes, by color and sex: United States and each State, 1973	1-250
l-28 <b>.</b>	Percent of deaths for which autopsies were reported, by age, color, and sex: United States, 1973	1-354
l-29 <b>.</b>	Deaths from 69 selected causes, by number and percent for which autopsies were reported and item "findings used" was on certificate, by number and percent for which autopsy findings were used: United States, 1973	1-355
l-30 <b>.</b>	Deaths occurring in the United States from selected causes, by date of death: 1973	1-356

Table 1-1. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-73

[Rates per 1,000 population residing in area for specified group]

Prof.   Prof				per 1,000 pop	namon resi	arug ur area	TOT Specifi	eu groupj			<del></del>		
Prof.   Prof		·	mmoer	<del></del>		m-4-7	<del></del> 7	<del>,                                     </del>				A11 ather	
Color   Colo	Area and year	Total	White	All other	77-41	TOURT		<u></u>				T. COLLECT	
1.79   1.79   1.79   1.70						Male	Female		Mala	Female		Male	Penale
1.00		-											
1,000	1972 <sup>1</sup> , <sup>2</sup>	1,963,944	1,721,468	242,476	9.4	10.8	8.1	9.5	10.8	8.2	9.2	11.0	7.6
1.   1.   1.   1.   1.   1.   1.   1.	1969	1,921,031	1,682;096	258,935	9.5		8.1			8.1	9.4		7.8
1.66    1.66	1967	1,851,323	1,627,151	224,172	9.4	10.8	8.0	9.4	10.8	8.0	9.4	10.9	7,9
1501   1,701,762   1,669,860   150,769   150	1964	1,828,136	1,605,498	222,638									8.2
1989	1961	1,756,720	1,488,113	206,583	9.5	10.9	8.1	9.4	10.8	8.0	9.8	11.2	6,5
1.65.   1.65	1959	1,711,982	1,505,535	206,647									8.7
1.505    1.50	1957	1,633,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10,5	11.9	9.1
1985	1955	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.B	10.0	11.3	B.8
1,465, 97   1,769, 98   176, 98   9.6   11.1   0.2   9.5   10.0   0.0   11.2   12.5   9.9	1952	1,496,839	1,315,022	181,816	9.6	11.1	8.1.	9.4	11.0	8.0	11.0	12.5	9.6
1845	1950	1,452,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1865	1947	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	12.4	B.5	11.4	12.5	10.3
1848	1945	1,401,719	1,233,889	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13,5	10.5
1340	1942	1,385,187	1,209,944	175,245	10.3	11.7	9.0	10.1	114	8.7	12.7	14.0	11.4
1837		1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1,395,903   1,397,197   198,706   11.1   12.1   10.0   10.5   11.7   9.6   14.8   15.0   15.5	1936	1,450,427 1,479,228	1,254,787	195,640	11.3	12.5	10.01	10.8	12.0	9.6	14.9	16.4	13,4 13,9
DEATH-REDISTRATION STATES**   1,235,869	1934	1,392,752 1,396,903	1,207,359	185,393 189,706	11,1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1951	DEATH-REGISTRATION STATES <sup>4</sup>	, , , , , ,											
1929	1931	1,307,273	1,125,377 1,136,884	181,89 <i>6</i>	11.1	12.0	20.1	10.6	11.5	9.6	15.5	16.5	14,5
1,287,256		1,369,757	1,175,490	194,267								18.0	15.8
1922	1926	1,257,256 1,191,809	1,093,850	163,406	12,1	12.9 12.4	11.3	11.6 11.1	12.3	10.8	17.8	38.7	16.9
1920	1923	1,174,065		145,964		12.3 12.7		11.7		10.3 11.0	17.1 16.5		
1,430,079	1921	1,009,673	695,593	114,080 127,211	11.5	11.9	11.0 12.6	11.1	11.6	10.6	15.5	15.7	15.4 17.5
1916	1918	1,430,079	1,282,533	147,546		13.5 19.8	12.3 16.4	12.4 17.5	13.0 19.3	11.B 15.B	17.9 25.6	18.1 26.7	17.8 24.4
1914	1916	924,971 815,500	642,597	82,374 53,211	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4
1911	1913	810,914	758,600	52,314									19.4
1909	1911	749,918	713,244	36,674	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1806	1909	630,057	603,551.	26,506	14.2)	15.1	13.4	14.0}	14.9	13.2	21.8	22.3	21.2
1904	1906	531,005	506,553	24,452	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1902	1904	349,855	338,301	11,554	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
	1902	318,636   332,203	308,550 321,948	10,086 10,255	15.5 16.4	16.4 17.3	14.6 15.6	15.3 16.2	16.2 17.1	14.4 15.4	23.6 24.3	24.8 25.6	22,3 23.1

<sup>&</sup>lt;sup>1</sup>Excludes deaths of nonresidents of the United States.

<sup>2</sup>Deaths based on a 50-percent sample.

<sup>3</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

<sup>4</sup>Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

Table 1-2. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-73

[Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix]

	<u></u>	Total			White			All other	
Area and year	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1973 <sup>1</sup>	6.9 7.0	9.1 9.2	5.1 5.2	6,6 6.7	8.7 8.8	4.8 4.9 4.9	9.5 9.7 9.6	12.1 12.3 12.1	7.4 7.5
1970 <sup>1</sup>	7.0 7.1 7.3	9.2 9.3 9.5	5.2 5.3 5.5	6.7 6.8 6.9	8.8 8.9 9.0	5.0 5.2	9.8 10.5	12.3 13.0	7.5 7.7 8.3
1968	7.5	9.6	5.5	7.1	9.2	5.3	10.8	13.3	8.6
1967	7.3 7.5	9.4 9.5	5.5 5.7	6.9 7.1	9.0 9.2	5.2 5.3	10.2 10.5	12.4 12.7	8.2 8.6
1964	7.4 7.4	9.4 9.4	5.7 5.7	7.1 7.1	9.1	5.3 5.3	10.3 10.3	12.4 12.2	8.5 8.6
1963 <sup>9</sup>	7.6 7.5	9.6 9.4	5.8 5.8	7.2 7.1	9.2	5.5 5.4	10.6 10.3	12.5 12.0	8.9 8.7
1960	7.4 7.6	9.2 9.5	5.7 5.9	7.0	8.9 9.2	5.4 5.6	10.0	11.6 12.1	8.6 8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1957	7.7 7.8	9.4 9.6	6.0 6.1	7.3 · 7.4	9,1 9,2	5.7 5.8	10.6 10.8	12.2 12.4	9.2 9.4
1956	7.6 7.7	9.4 9.3	6.0 6.1	7.3 7.4	9,1 9,1	5.7 5.7	10.5 10.4	11.9 11.9	9.1 9.1
1953	7.6 8.0	9.3 9.8	6.1 6.4	7.3	9.0	5.8 6.1	10.6	12.0	9.2 9.9
1951	8.1 8.3	9.8	6.6	7.8 7.9	9.5	6.2 6.3	11.7 11.9	13.2 13.3	10.2 10.5
1950	8.4 B.5	10.0 10.1	6.9 7.0	8.0 8.1	9.6 9.7	6.5 6.6	12.3 12.3	13.6 13.5	10.9 11.1
1947	8.8	10.3	7.3	8.3	10.0	6.8	12.5 12.5	13.8	11.2
1946	9.0 9.1 9.5	10.5 10.6 11.1	7.5 7.7 8.0	8.6 8.8 9.1	10.1 10,2 10,7	7.1 7.3 7.5	12.4 13.1	13.6 13.5 14.5	11.4 11.3 11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1942	10.2 9.9	11.6 11.4	8.7 8.5	9.7 9.4	11.2 10.9	8.2 8.0	14.5 14.5	15.7 15.8	13.4 13.3
1940	10.3 10.8	11.7 12.1	8.9 9.4	9.7 10.2	11.2 11.6	8.3 8.8	15.6 16.3	16.9 17.6	14.3 15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1936	10.9° 11.7 12.2	12.1 13.1 13.5	9.7 10.3 10.8	10.3 11.1 11.5	11.5 12.4 12.8	9.1 9.7 10.1	16.6 17.8 18.5	17.7 19.2 20.1	15.5 16.3 17.0
1935	11.6	12.9 13.1	10.4	11.1	12.3 12.5	9.8 10.0	17.3 17.9	18.5 19.0	16.1 16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES   1932	11.9	12.9	30.8	11.3	12.3	10.2	17.8	18.6	17.0
1930	12.1 12.5	13.2 13.5	11.0	11.4 11.7	12.5 12.8	10.5 10.6	19.0 20.1	19.9 21.0	18.1 19.2
1929	13.2	14.2 14.4	12.1 12.3	12.4 12.6	13.5 13.6	11.4 11.5	21.0 20.9	21.9 21.7	20.0 20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1925	13.5 13.0 12.9	14.3 13.8 13.7	12.5 12.2 12.1	12.7 12.3 12.2	13.6 13.2 13.1	11.8 11.4 11.3	21.4 20.9 20.5	22.1 21.4 21.1	20.8 20.4 20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1921	13.0 12.7	13.7 13.2	12.4 12.1	12.6 12.2	13.3 12.7	11.8 11.6	18.3 18.2	18.4 18.0	18.4 18.6
1929	14.2 14.0	14.7 14.6	13.8 13.4	13.7 13.4	14.2 14.1	13.1 12.8	20.6 20.5	20.4 20.3	21.0 20.8
1917	19.0	20.9	17.3 14.0	18.4	20.2	16.6 13.4	28.0	28.9 24.1	27.1
1915	15.1 14.4	16.2 15.4	13.9 13.4	14.7 14.1	15.8 15.1	13.4 13.0	22.2	22.6 23.5	21.6 22.6
1913	14.5 15.0	15.6 16.1	15.4 13.7	14.1 14.6	15.2 15.8	13.0 13.4	22.6 22.7	23.3 23.3	21.9 22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2 15.8 15.3	16.2 16.9	14.1 14.6	14.9 15.6	15.9 16.7 16.1	13.8 14.4 14.0	23.7 24.1 24.1	24.4 24.8 24.8	22.9 23.2
1908	15.8	16.3 16.8	14.2 14.6	15.0 15.5	16.1	14.4	24.7	25.3	23.3 24.1
1907	17.1 16.7	18.4 17.9	15.7 15.4	16.8 16.4	18.2 17.6	15.4 15.1	26.6. 26.2	27.5 27.0	25.7 25.5
1904	16.7 17.3	17.8 18.4	15.7 16.2	16.5 17.1	17.6 18.1	15.4 16.0	28.3 29.1	29.7 30.7	26.9 27.4
1903	16.5 16.2	17.4	15.5	16.2	17.2 17.0	15.3 14.9	27.2 25.9	28.5 27.5	25.9
1901	17.2 17.8	17.2 18.2 18.6	15.1 16.2 17.0	16.0 17.0 17.6	18.0 18.4	16.0 16.8	25.9 26.9 27.8	27.5 28.4 28.7	24.5 25.5 27.1
			L	Д	<u> </u>			LL	

Excludes deaths of nonresidents of the United States.

Pleaths based on a 50-percent sample.

Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1964-73

[Rates per 1,000 population residing in area for specified group]

	tes per 1,	ooo popula	uon resid	ing in are	a for spec	ified group	면		, <del>i</del>	<del>                                     </del>		····
Year, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1973 <sup>2</sup>	9.4	18.1	0.8	0.4	1.3	1.5	3.0	7.0	16.1	34.4	79.3	174.3
19712	9.4	18.3	0.8	0.4	1.3	1.5	3.0	7.1	16.3	35,3	79.7	174.3 173.5
1970 <sup>2</sup>	9.3 9.5	19.0 21.4	8.0 8.0	0.4	1.3 1.3	1.6 1.6	3.1 3.1	7.1 7.3	16.2 16.6	34.9 35.8	78.7 80.0	174.3 163.4
1969	9.5	21.5	0.9	0.4	1.3	1.6	3.2	7.3	16.8	37.4	79.0	190.8
1967	9.7	22.3 22.3	0.9	0.4	1.2 1.2	1.6 1.5	5.2 3.1	7.5	17.2 16.7	38.5 37.5	80.8 79.0	195,1 19 <b>4,</b> 2
1966	9.5	23.3	0.9	0.4	1.2	1.5	3.1	7.4	17.0	39.4	81.7	200,5
1964	9.4	24.1 24.6	0.9 1.0	0.4 0.4	1.1	1.5 1.5	3.1 3.1	7.4 7.4	16.9 17.0	37.9 37.8	81.9 81.8	200.2
· ·		"""	0	0.4	31-	1.3	3.1	1.4	17.0	37.0	9710	200.6
MATE		1										
1973 <sup>2</sup>	10.7	20.3	0,9	0.5	1.9	2.1	3.8	9.2	22.1	47.3	101.1	196.1
1972-7	10.8	20.6 21.4	0.9	0.5 0.5	1.9 1.9	2.1 2.1	3.9 3.9	9.4 9.3	22.5 22.3	48.2 47.6	101.2	196.0 197.5
19702	10.9	24.1	0.9	0.5	1.9	2.2	4.0	9.6	22.8	48.7	100.1	178.2
1968	11.0	24.2 25.2	0.9	0.5 0.5	1.9 1.8	2.2 2.1	4.1	9.6	23.1	50,3	97.6	195,5
1967	10.8	25.2	1.0	0.5	1.7	2.0	4.1 3.9	9.8 9.6	23.7 23.0	51.9 50.2	96.8 96.2	203.9 203.8
1965	11.0	26.3	1.0	0.5	1.7	2.0	3.9	9.8	23.3	51.2	98.5	ZO9,3
1964	10.9 10.8	27.1 27.7	1.0	0.5 0.5	1.6 1.5	2.0 2.0	3.9 3.8	9.7 9.7	23.1 23.0	50.5 49.9	98.2 97.1	212.8 210.4
PEMALE									2010	-2.0	V	11011
1973 <sup>2</sup>												
19722,3	8.1 8.1	15.7 15.9	0.7	0.3	0.7	0.9	2.2	4.9 5.0	10.8 10.8	24.5 25.3	65.6 65.8	162,3 162.0
1971 <sup>2</sup>	8.0	16.6	0.7	0.3	0.7	1.0	2.3	5.0	10.8	25.0	65.3	162,2
1969	8.1 8.1	18.6 18.6	0.8 0.8	0.3	0.7	1.0 1.0	2.3 2.4	5.2 5.1	11.0 11.1	25.8 27.1	66.8 66.3	155,2 188.0
1968	8.2	19.2	0.8	0.3	0.7	1.0	2.4	5.3	11.4	27.8	68.3	191,7
1965	8.0	19.4	0.8	0.3	0.6	1.0	2.3	5.1	11.2	27,3	66.9	168.6
1965	8.1 8.0	20.3	0.8 0.8	0.3	0.6	1.1	2.3 2.3	5.2 5.2	11.2 11.3	28.1 27.7	69.5	195,1 195,3
1964	8.0	21.4	0.9	0.3	a.o	1.1	2.3	5.2	11.4	27.8	70.0 70.4	193,8
white												
19732	9.4	15.7	0.7	0.4	1,2	1.3	2.5	6.3	15.3	33.4	79.8	179,3
1972 <sup>2</sup> , <sup>3</sup>	9.5	15.8	0.7	0.4	1.2	1.3	2.6	6.5	15.5	34.3	80.2	178.6
19702	9.4 9.5	16.6 18.7	0.7	0.4	1.1	1.3	2.6	6.5 6.7	15.4 35.8	33.9 34.9	79.1	179.1
1969	9.5	19,2	8.0	0.4	1.2	1.3	2.7	6.6	15.8	35.8	80.4 79.8	168.9 202.2
1967	9.6	19.8	8.0	0.4	1.1	1.3	2.7	6.8	16.2	36.9	81.6	205.9
1966	9.4 9.5	19.6 20.2	8.0 8.0	0.4	1.1	1.3 1.3	2.7	6.8	15.9 16.1	36.1 37.0	80.0 82.6	203,8 208,9
1965	9.4	20.9	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82,9	209.8
1964	9.4	21.5	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	62.7	207.0
WHITE, MALE			•		j		ļ	i	1	l		
1973	10.7	17.8	0.8	0.5	1.8	1.8	3.2	8.4	21.2	46.5	102.1	204.4
1972 <sup>2</sup> , <sup>3</sup>	10.B	18.0	0.8	0.5	1.7	1.7	3.3	8.6	21.6	47.5	102.3	202.7
19702	10.7	18.8 21.1	8.0 8.0	0.5	1.7 1.7	1.7 1.8	3.3 3.4	8.6 8.8	21.5	47.0 48.1	100.3	204.2 185.5
1969	10.9	21.9	0.8	0.5	1.8	1.8	3.5	8.9	22.2	48.9	98.8	208.9
1967	11.1	22.7	8.0 8.0	0.5	1.7 1.6	1.7	3.5 3.4	9.1 9.0	22.7	50.3	100.0 97.6	215.6
1966	10.9	23.0	0.9	0.5	1.6	1.7	3.4	9.1	22.5	48.9 49.8	99.9	215.1 216.6
1964	10.8	23.7	0.9	0.5	1.5	1.7	3.4	9.0	22.2	49.3	99.7	222,4
	اا"ها	24.4	0.9	0.5	1.5	1.7	3.4	9.0	22.1	48.9	98.6	218,2
WHITE, FEMALE	_ [			ŀ			l	1	1	l	-	
1975 <sup>2</sup>	8.2	13.4 13.4	0.6	0.3 0.3	0.6	8.0 8.0	1.8	4.4	10.0	23.2	65.8 66.2	166.9
19712	8.1	14.2	0.7	0.3	0.6	0.8	1.9	4.5	10.0	23.9	65.6	166,6 166,3
1970 <sup>2</sup>	8.1 8.2	16.1	0.7 0.7	0.3	0.6	8.0	1.9	4.6	10.1	24.7	67.0	159,8
1968	8.2	16.4 16.8	0.7	0.3	0.6	0.8 0.8	2.0	4.5	10.1 10.4	25.5 26.2	66.9 68.9	196,0 200,1
1965	8.0	16.7	0.7	0.3	0.6	0.8	1.9	4.6	10.1	25.9	67.6	197.0
1965	8.1	17.3 17.9	0.7	0.3	0.6	0.9	1.9	4.6	10.2	26.7 26.4	70.Z	202.7 202.1
1964	8.0	18.5	8.0	0.3	0.6	0.9	1.9	4.6	10.3	26.7	71.1	200,D
ALL OTHER	][		1				ł		ŀ			
1973 <sup>2</sup>	9.1	30.2	1.2	0.5	1.9	3.3	6.1	12.4	24.0	44.7	74.2	121.4
1972 <sup>2</sup> ,3	9.2	31.3	1.2	0.5	0.5	3.5	6.4	12.6	24.1	44.9	73.4	118.5
19702	9.2 9.4	32.5 36.0	1.3 1.3	0.5	2.1	3.6 3.5	6.5	12.4 12.9	23.8 24.3	44.1 44.9	72.7 75.1	119.9
1969	9.6	32.0	1.3	0.6	2.1	3.7	7.1	13.2	26.2	55.6	69.3	107.5 99.6
1968	9.9	33.6	1.4	0.6	1.9	3.B	7.2	13.5	27.3	57.7	71.2	111.5
1965	9.4	35.4 38.8	1.4	0.6	1.7	3.5 5.5	6.7 6.8	12.9	25.5 26.4	53.7 55.2	67.3 71.2	108.5 120.0
1964	9.6	40.2	1.5	0.6	1.6	3.4	6.6	13.0	26.6	52.6	70.Z	125,5
1964	9.7	40.6	1.6	a.o	1.6	3.3	6.6	13.2	27.1	50.6	69.8	128.0
ALL OTHER, MALE			İ									
1975 <sup>2</sup>	10.В	33.4	1.4	0.7	2.8	5.0	8.2	15.9	30.7	54.6	89.7	136.1
19712	11.0 10.9	34.4 36.1	1.3 1.4	0.6	3.0 3.1	5.1 5.2	8.7 8.5	16.4 15.7	30.7	54.9	89.4	133,3
19702	11.2	40.2	1.4	0.7	3.0	5.0	8.5	16.5	30.1 30.5	53.8 54.7	87.5 89.8	133.5 114.1
1969	11.3	35.4	1.4	0.7	3.0	5.2	9.4	16.9	32.5	66.5	84.1	101.7
1967	10.9	36.9 38.8	1.5 1.5	0.7	2.8	5.2 4.8	9.2 8.5	17.0 16.1	33.8 30.9	69.8 65.0	85 .1 79 .7	115.6 114.3
1966	11.3	42.6	1.6	0.7	2.4	4.6	8.5	16.3	31.8	66.9	1.58	1.27.0
1964	11.1	44.5 45.1	1.6 1.7	0.7	2.2	4.4	8.1	15.9	31.3	63.8	81.3	130.7
		40°T	J ( )	0.7	2.1	4.3	8.1	15.7	31.5	61.4	79.2	134,3

See footnotes at end of table.

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1964-73-Con.

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
. ALL OTHER, FEMALE												
1975 <sup>2</sup> 1972 <sup>2</sup> 1970 <sup>2</sup> 1960 1968 1968	7.6 7.6 7.6 7.8 8.0 8.3 7.9 8.3	27.0 28.2 29.0 31.7 28.6 30.2 32.0 35.0	1.1 1.1 1.2 1.2 1.2 1.2 1.2	0.4 0.4 0.4 0.4 0.4 0.4	1.0 1.1 1.1 1.1 1.1 1.0 1.0	1.9 2.1 2.2 2.4 2.5 2.5 2.5	4.4 4.6 4.9 5.5 5.1 5.3	9.3 9.5 9.8 10.0 10.3 10.1 10.4	18.2 18.3 18.3 18.9 20.6 21.5 20.6 21.4	36.6 36.8 36.3 36.8 46.1 47.6 44.1 45.2	62.9 61.8 62.0 63.9 58.5 60.9 57.4 62.2	111.2 109.4 112.7 102.9 98.1 109.9 104.1 114.6
1984	8.2 8.3	35.9 36.1	1.4 1.5	0.5 0.5	1.0 1.0	2.5 2.5	5.4 5.3	10.4 10.9	22.2 23.0	42,9 41.4	60.9 61.3	117.9 123.3

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

<sup>2</sup>Excludes deaths of nonresidents of the United States.

<sup>3</sup>Deaths based on a 50-percent sample.

Table 1-4. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1973

		Total		What	ite	All c	other
Age	Both sexes	Male	Female	Male	Female	Male	Female
85 years and over-	284,100	107,981	176,139	100,750	166,357	7,211.	9,782
85 years	43,036	18,425	24,611	17,279	23,371	1,146	1,240
86 years	37,980	15,700	22,280	14,774	21,215	926	1,067
87 years	35,297	14,2BL	21,016	13,435	19,952	846	1,064
88 years	31,914	12,330	19,584	11,576	18,609	754	975
89 years	27,919	10,593	17,326	9,950	16,439	643	887
90 years	23,843	8,665	15,178	8,106	14,405	559	773
91 years	19,059	6,959	12,100	6,475	11,416	464	684
92 years	16,203	5,584	10,619	5,198	10,048	3B6	571.
93 years	13,223	4,569	8,654	4,233	8,162	336	492
94 years	9,528	2,957	6,571	2,751	6,217	206	354
95 years	7,493	2,386	5,107	2,208	4,828	178	279
96 years	5,671	1,777	3,894	1,626	3,639	151	255
97 years	4,313	1,262	3,051	1,116	2,813	146	238
98 years	2,911	833	2,078	733	1,885	100	193
99 years	1,873	587	1,286	512	1,148	75	138
100 years	1,317	371	946	309	813	62	133
101 years	890	235	655	194	562	41	93
102 years	542	144	398	106	330	38	68
107	412	175	297	72	219	42	78
103 years		115		72		43	
104 years	221	63	158	3B	116	25	42
105 years	1.50	46	104	23	64	25	40
106 years	104	24	80	19	49	5	37
107 years	63	16	47	5	26	17	21
108 years	38	10	28	5	9	5	19
109 years	27	7	20	3	9	4	11
130 years	19	4	15	1	7	3	8
111 years	8	2	6	_	1	2	5
112 years	7	3	4	1	-	2	4
113 years	7	3,	4	2		1	4
11.4 years	6		4	-	'-	2	4
115 years	4	2	2		1	2	1
116 years	~~	l ā	5	I -	2	2	3
117 years	- 3	Ĭ	ž	I -	2	ī	-
118 years	4	1 -	4	1 [			4
119 years	t	1 [1	ì	1 [			Ιŧ
120 years	2	-	ž	-	1	_	î
121 years		[	į			_	
122 years	[]	_		[		_	l -
	-	ī	ī	I -	ī	ī	ı -
123 years				1 -			ı -
124 years	3	ž	1	-	-	2	;
125 years	3	2	1	L		z	1

Table 1-5. Mortality From 15 Leading Causes of Death: United States, 1973

[Rates per 100, 000 population, Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965, For method of ranking, see Technical Appendix]

Rank order	Cause of death	Rate	Percent of total deaths
	All causes	940,2	100,0
1.	Diseases of heart	360.8	38.4
2	Malignant neoplasms, including neoplasms of lymphatic		İ
	and hematopoietic tissues140-209	167.3	17.8
3	Cerebrovascular diseases430-439	102.1	10.9
4	AccidentsE800-E949	55,2	5.9
	Motor vehicle accidentsE810-E823	26,5	2,8
	All other accidents	28.7	3.1
5	Influenza and pneumonia470-474,480-486	29.8	3.2
6	Diabetes mellitus250	18.2	1.9
7	Cirrhosis of liver571	15.9	Lai
8	Arteriosolerosis440	15.5	1.7
9	Certain causes of mortality in		l
	early infancy760-769,2,769,4-772,774-778	14.5	1.5
10	Bronchitis, emphysema, and asthma490-493	14,2	1.5
11.	SuicideE950-E959	12.0	La
12	Homicide	9.8	1.0
13	Congenital anomalies740-759	6.7	0.1
14	Nephritis and nephrosis580-584	4,0	0.4
15	Peptic ulcer531-533	3,7	0,4
	All other causesResidual	110.6	11.6

Table 1-6. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1973

[Based on age-specific death rates per 100,000 population in specified group. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

	Total			White			All other	
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
692.9	911.7	513.1	659.3	874.1	483.7	953.1	1,206.7	738.9
325.9 244.4 2.4 63.7 8.0	434.2 339.3 2.9 70.4 8.9	240.6 167.4 2.0 58.5 7.3	317.9 239.9 1.9 59.6 8.0	428.7 338.1 2.4 66.3 9.0	228.8 160.3 1.5 54.5 7.2	402.0 279.8 6.4 99.7 7.8	477.0 344.7 7.1 106.7 8.5	339.5 225.8 5.9 93.8 7.2
130.7 51.7 26.4	160.1 77.4 39.3	108.7 27.4	127.7 49.5 26.0	156.2 73.6 38.4	106.8 26.4	156.4 67.5	195,9 106.8	124,3 33,2 14,4
25.3 20,1	38.0 26.6	13.3	23.5 18.5	35.2 24.6	12.4 14.0	37.6 31.4	59.0 42.3	18.8 22.5 18.0
13.2 12.0 10.5 10.4	12.9 18.0 16.7 18.2	13.3 6.6 4.5 4.5	11.8 12.6 5.7 10.6	12.0 18.7 8.7 18.8	11.6 7.1 2.8 4.6	25.3 7.2 44.4 7.5	21.1 11.6 77.1 12.0	28.6 3,3 16.0 3.8 2.7
	\$25.9 325.9 244.4 2.4 63.7 8.0 130.7 51.7 26.4 25.5 20.1 15.0 13.2 12.0 10.5	Both sexes   Male	Both sexes Male Female  692.9 911.7 513.1  326.9 434.2 240.6 359.5 167.4 2.4 2.9 2.0 63.7 70.4 58.5 8.0 8.9 7.3  130.7 160.1 108.7 77.4 26.4 39.3 14.0 25.3 38.0 13.5  20.1 26.6 15.2 15.0 20.9 9.9 13.2 12.0 18.0 6.6 10.5 16.7 4.5 16.6	Both sexes         Male         Female         Both sexes           692.9         911.7         513.1         659.3           325.9         434.2         240.6         317.9           244.4         359.3         167.4         239.9         2.0           63.7         70.4         58.5         59.6           8.0         8.9         7.3         8.0           130.7         160.1         108.7         127.7           51.7         77.4         27.4         49.5           26.4         39.5         14.0         28.0           25.5         38.0         13.3         23.5           20.1         26.6         15.2         10.5           15.0         20.9         9.9         13.7           13.2         12.9         13.5         11.8           10.4         18.0         6.6         12.6           10.4         18.2         4.5         10.6	Both sexes         Male         Female         Both sexes         Male           692.9         911.7         513.1         659.3         874.1           325.9         434.2         240.6         317.9         428.7           244.4         339.5         167.4         239.9         356.1           63.7         70.4         58.5         59.6         66.3           8.0         8.9         7.5         8.0         9.0           130.7         160.1         108.7         127.7         156.2           26.4         39.3         14.0         26.0         38.4           25.5         38.0         13.3         23.5         35.2           20.1         26.6         15.2         18.5         24.6           15.0         20.9         9.9         13.7         19.3           13.2         12.9         13.5         11.8         12.0           12.0         18.0         6.6         12.6         18.7           10.4         18.2         4.5         5.7         8.7	Both sexes         Male         Female         Both sexes         Male         Female           692.9         911.7         513.1         659.5         874.1         483.7           326.9         434.2         240.6         317.9         428.7         228.8           244.4         339.5         167.4         239.9         338.1         160.3           63.7         70.4         58.5         59.6         66.3         54.5           8.0         8.9         7.5         8.0         9.0         7.2           130.7         160.1         108.7         127.7         156.2         106.8           51.7         77.4         27.4         49.5         73.6         26.4           26.4         39.3         14.0         26.0         38.4         14.0           25.5         38.0         13.5         23.5         35.2         12.4           20.1         26.6         15.2         18.5         24.6         14.0           15.0         20.9         9.9         13.7         19.3         8.7           13.2         12.9         13.5         11.8         12.0         11.6           10.4         18.0 </td <td>Both sexes         Male         Female         Both sexes         Male         Female         Both sexes           692.9         911.7         513.1         659.5         374.1         483.7         955.1           326.9         434.2         240.6         317.9         428.7         228.8         402.0           244.4         339.3         167.4         239.9         358.1         160.5         279.8           63.7         70.4         58.5         59.6         66.3         54.5         99.7           8.0         8.9         7.5         8.0         9.0         7.2         7.8           130.7         160.1         108.7         127.7         156.2         106.8         156.4           51.7         77.4         27.4         49.5         73.6         26.4         67.5           26.4         39.5         14.0         26.0         38.4         14.0         30.0           25.5         38.0         13.3         23.5         35.2         12.4         37.6           20.1         26.6         15.2         19.5         24.6         14.0         30.4           15.0         20.9         9.9         13.7</td> <td>Both sexes         Male         Female         Both sexes         Male         Page 14         &lt;</td>	Both sexes         Male         Female         Both sexes         Male         Female         Both sexes           692.9         911.7         513.1         659.5         374.1         483.7         955.1           326.9         434.2         240.6         317.9         428.7         228.8         402.0           244.4         339.3         167.4         239.9         358.1         160.5         279.8           63.7         70.4         58.5         59.6         66.3         54.5         99.7           8.0         8.9         7.5         8.0         9.0         7.2         7.8           130.7         160.1         108.7         127.7         156.2         106.8         156.4           51.7         77.4         27.4         49.5         73.6         26.4         67.5           26.4         39.5         14.0         26.0         38.4         14.0         30.0           25.5         38.0         13.3         23.5         35.2         12.4         37.6           20.1         26.6         15.2         19.5         24.6         14.0         30.4           15.0         20.9         9.9         13.7	Both sexes         Male         Female         Both sexes         Male         Female         Both sexes         Male         Female         Both sexes         Male         Female         Both sexes         Male         Female         Both sexes         Male         Page 14         <

Table 1-7. Death Rates for 69 Selected Causes: United States, 1968-73

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	1973 <sup>1</sup>	19721,2	1971 <sup>1</sup>	1970 <sup>1</sup>	1969	1968
All causes	940.Z	943.2	934.7	945.3	951.9	965.7
Banillary dysentery and ambiasis	0.0	0.0	0.0	0.0	0.0	0.1
	1.1	1.1	1.2	1.3	1.3	1.5
	1.8	2.1	2.2	2.6	2.8	3.1
	1.4	1.7	1.7	2.0	2.2	2.5
	0.4	0.4	0.4	0.5	0.5	0.6
Whooping cough         -053           Streptococcal sore throat and coarlet fever         -034           Mentageococal infections         -036           Septicemia         -038	0.0	0.0	0.0	0.0	0,0	0.0
	0.0	0.0	0.0	0.0	0.0	0.0
	0.2	0.2	0.2	0.3	0.4	0.4
	2.2	2.0	1.9	1.7	1,5	1.5
Acute policuyalitis	0.0 0.0 0.2 1.9	0.0 0.0 0.2 1.9	0.0 0.0 0.2 2.0	0.0 0.2 2.0	0.0 0.0 0.3 2.0	0.0 0.0 0.3 2.0
Malignant neoplasms of buccal cavity and pharynx       140-209         Malignant neoplasms of buccal cavity and pharynx       140-149         Malignant neoplasms of function of present send peritoneum       150-159         Malignant neoplasms of respiratory system       160-163         Malignant neoplasms of breast       174         Malignant neoplasms of genital organs       180-197         Mulignant neoplasms of urinary organs       198-198         Malignant neoplasms of all other and unspecified sites       170-175,190-198         Leukemia       204-207         Other neoplasms of lymphatic and hematopoietic tissues       200-203,208,209	167.3	166.0	163.6	162.8	160.0	159.4
	3.7	3.6	3.7	5.7	3.7	3.6
	46.0	46.0	46.0	46.6	46.5	46.8
	37.8	37.0	35.4	34.2	32.7	31.8
	15.3	15.1	14.7	14.7	14.4	14.6
	20.3	20.3	20.4	20.3	20.3	20.5
	7.6	7.6	7.4	7.6	7.4	7.4
	20.3	20.0	19.7	19.2	18.7	18.6
	6.9	6.9	7.0	7.1	7.2	7.2
	9.3	9.4	9.3	9.2	9.0	8.9
Benign neoplasms and neoplasms of unspecified nature	2.4	2.4	2.4	2.4	2.3	2.5
	18.2	18.6	18.6	18.9	19.1	19.2
	1.2	1.2	1.2	1.2	1.3	1.3
	1.6	1.6	1.7	1.7	1.6	1.7
	0.7	0.7	0.8	0.8	0.9	0.9
Major cardiovascular diseases	494.4 560.8 560.8 3.5 2.6 526.0 156.2 0.1 2.4 19.7 3.5 102.1 16.2 27.0 0.5 58.5 15.4	497.1 363.0 6.8 5.7 2.8 328.7 171.9 2.2 2.7 18.3 3.7 102.5 17.6 27.6 0.1 15.6 12.5 15.6	493.3 560.5 7.1 3.8 3.0 327.0 173.5 2.0 151.5 0.1 3.0 16.6 3.8 101.4 18.7 27.8 18.7 27.8 19.5 1	496.0 362.0 7.3 4.1 3.2 328.1 175.8 2.1 190.1 5.3 3.3 15.9 4.1 101.9 20.4 28.5 0.4 52.7 15.6 12.5	501.7 566.1 7.6 4.4 3.6 331.7 179.1 2.5 150.2 0.1 3.7 15.0 4.2 102.6 221.4 29.1 0.5 51.6 16.4	512.1 572.6 8.2 4.9 5.9 537.6 184.9 2.5 105.8 105.8 23.5 30.2 0.1 15.8 23.5 16.8 21.5 16.8
Acute bronchitis and bronchiclitis	0.4	0.6	0.6	0.6	0.6	0.7
	29.8	30.1	27.7	30.9	33.9	36.8
	2.4	2.4	0.7	1.8	3.0	3.5
	27.4	27.7	27.0	29.0	30.9	33.2
Bromchitis, emphysems, and astimes	14.2 2.5 10.6 0.9 3.7 0.5 3.2 15.9 1.6 4.0 0.7 3.2	14.8 2.8 10.8 1.1 3.8 0.5 3.3 15.6 1.8 4.1 0.7 3.4	14.7 2.7 10.9 1.0 3.9 0.6 3.4 15.4 1.8 4.1	15.2 2.9 11.2 1.1 4.2 0.7 3.6 15.5 2.0 4.4 0.7 3.7	15.4 2.9 11.4 1.2 4.6 0.7 3.7 14.8 2.1 4.7 0.7	16.6 3.1 12.1 1.3 4.7 0.7 3.9 14.6 2.2 4.7 0.6 4.0
Infections of kidney	2.9 0.8 0.2 0.0 0.2	3.3 0.9 0.3 0.0	3.7 0.9 0.3 0.0	4.0 1.1 0.4 0.1 0.3	4.3 1.2 0.4 0.1	4.7 1.3 0.4 0.1 0.4
Congenital anomalies————————————————————————————————————	6.7	7.1	7,7	8.3	8.4	8.4
	14.5	16.2	18.7	21.3	21.4	21.9
	8.1	9.0	10,2	11.2	10.9	11.1
	6.5	7.2	8.5	10.0	10.5	10.9
	14.5	13.2	12.9	12.7	13.0	11.8
	54.7	53.2	50.8	49.8	48.5	48.7
Accidents	55.2	55.4	55.0	56.4	57.6	57.5
	26.5	27.0	26.4	26.9	27.6	27.5
	28.7	28.4	28.6	29.5	30.0	30.0
	12.0	12.0	11.7	11.6	11.1	10.7
	9.8	9.4	9.1	8.3	7.7	7.3
	2.4	2.4	2.5	2,7	2.5	2.2

<sup>&</sup>lt;sup>1</sup>Excludes deaths of nonresidents of the United States.
<sup>2</sup>Deaths based on a 50-percent sample.

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year [Rates per 100,000 population in specified group, Numbers after causes of death are category

=			[ Nates per 10	w,ww popula	con in specif	ieu group, Nu	moers after ca	uses of death	are category
- <del>-</del>	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>1</sup>	UNDER 1 YEAR	1–4 Years	5–9 YEARS	10-14 YEARS	15-19 YEARS	20-24 Years	25-29 YEARS
1	ALL CAUSES	940.2	1.805.2	79.5	41.5	40.6	111.9	146.8	143.5
2 3 4 5 6 7 8	MALE	1,072.9 814.2 944.2 1,071.2 823.0 912.6 1,084.6 755.4	2,032.1 1,568.8 1,565.1 1,776.5 1,342.8 3,020.1 3,335.4 2,697.2	88.8 69.9 71.4 79.8 62.5 121.1 135.6	48.4 34.4 39.0 45.2 32.6 54.5 65.5 43.5	51.5 29.2 38.5 48.6 28.1 51.7 67.9 35.3	161.4 61.1 108.0 156.6 57.9 134.7 190.2 79.6	222.6 72.3 130.4 198.6 62.4 251.9 384.6 132.4	207.3 81.0 121.1 173.3 69.1 306.0 474.7 161.6
10 11 12 13 14 15 16 17	BACILLARY DYSENTERY AND AMESIASIS	0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.0	0.3 0.1 0.5 0.2 0.1 0.2 0.8 -	0.0 0.0 0.1 0.0 0.0 0.1 0.1 0.1	0.0 0.0 0.1 0.0 0.0 0.0 0.1	0.0 	111111111111111111111111111111111111111	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0
19 20 21 22 23 24 25 26 27	ENTERITIS AND OTHER DIARRHEAL DISEASES008,009 MALE FEMALE WHITE	1.1 1.0 1.2 1.0 0.9 1.1 1.9 2.1	22.4 25.0 19.7 15.1 17.1 12.8 59.6 65.0 54.2	1_0 1_2 0.8 0.9 1_0 0.7 1.7 2.1	0.2 0.1 0.2 0.2 0.1 0.2 0.2 0.2 0.1	0-1 0-1 0-0 0-1 0-1 0-1 0-0	0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.1 0.2 0.1 0.1 0.1 0.1 0.2 0.1	0.1 0.1 0.1 0.1 0.1 0.1 0.2
28 29 30 31 32 33 34 35 36	TUBERCULOSIS, ALL FORMS	1.8 2.6 1.1 1.5 2.1 0.9 4.5 6.7 2.5	0.4 0.6 0.2 0.2 0.4 0.1 1.2 1.6	0.1 0.1 0.1 0.1 0.1 0.1 0.3 0.2	0.0 0.0 0.1 0.0 0.0 0.0 0.1	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.1 0.0 0.0 0.1 0.0 0.0 0.1	0.1 0.1 0.1 0.1 0.1 0.1 0.5 0.4	0-2 0-3 0-2 0-1 0-1 1-2 1-9
37 38 39 40 41 42 43 44	TUBERCULOSIS OF RESPIRATORY SYSTEM	1.4 2.1 0.8 1.1 1.6 0.6 3.6 5.6	0.2 0.3 0.1 0.1 0.2 - 0.6 0.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.0 - 0.0 - - 0.0 - 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.1 0.1 0.0 0.1 0.0 0.4 0.3	0.1 0.1 0.0 0.0 0.0 0.7 0.9
46 47 48 49 50 51 52 53	TUBERCULOSIS, OTHER FORMS	0.4 0.5 0.3 0.3 0.4 0.3 0.9	0.2 0.3 0.1 0.1 0.2 0.1 0.6 0.8	0-1 0-1 0-1 0-1 0-1 0-0 0-2 0-1 0-3	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.1 0.0 0.0 0.0 0.2 0.2	0.1 0.1 0.0 0.0 0.0 0.5 0.5
55 56 57 58 59 60 61 62 63	MHDOPING COUGH	0.0 0.0 0.0 0.0 0.0 0.0	0.2 0.1 0.2 0.2 0.2 0.2 -	111111111111111111111111111111111111111	-			-	111111111111111111111111111111111111111
64 65 66 67 68 69 70 71 72	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-034 MALE WHITE	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0-1 0-1 0-1 0-1 0-1 0-1 0-1	-	0.0 0.0 0.0 - 0.0 -	-	0.0 0.0 0.0 0.0 0.0	0.0 0.0 - - - 0.0 0.1	111111111111111111111111111111111111111
73 74 75 76 77 78 79 80 81	MENINGOCOCCAL INFECTIONS O36  MALE FEMALE MHITE MALE FEMALE ALL OTHER MALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE MALE MALE MALE MALE MALE MALE MALE	0.2 0.2 0.1 0.1 0.2 0.1 0.2 0.3	2-9 3-5 2-3 2-8 3-3 2-3 3-5 4-7 2-4	0.5 0.5 0.5 0.6 0.6 0.5 0.1 0.2	0.2 0.2 0.2 0.1 0.2 0.1 0.4 0.1	0-1 0-1 0-1 0-1 0-1 0-2 0-2 0-2	0.1 0.2 0.1 0.1 0.1 0.1 0.2 0.3	0.1 0.1 0.0 0.1 0.1 0.1 0.0 0.2 0.2	0-0 0-0 0-0 0-0 0-0

<sup>l</sup>Figures for age not stated included in "Total" but not distributed among age groups.

#### SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1973

,		<del>-</del>			<del> </del>			<del></del>					
	30~34 YEARS	35-39 YEARS	40-44 YEARS	45–49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65–69 YEARS	70-74 YEARS	75–79 YEARS	80-84 YEARS	85 YEARS AND OVER	
	165.7	235•1	355•2	563.3	832.8	1,314.5	1,943.9	2,804.7	4,302.7	6,722,4	9,777.4	17,429,4	1
	223.1 110.2 136.8 182.7 91.5 366.4 526.1 230.9	304.5 169.3 195.5 252.1 140.7 512.8 705.4 354.7	454.2 260.9 306.8 394.3 221.8 707.7 925.6 525.7	732.8 404.4 503.9 660.4 355.9 1.048.8 1,354.1 785.7	1,103.0 582.1 763.6 1,020.7 523.6 1,434.3 1,842.6 1,076.2	1,779.0 889.8 1,237.5 1,692.0 819.9 2,073.5 2,663.0 1,561.7	2.695.5 1.287.5 1.857.5 2.609.4 1.199.3 2.743.6 3.500.7 2.094.1	3,933.5 1,901.7 2,723.6 3,870.5 1,806.0 3,549.5 4,509.0 2,781.1	5,871.9 3,155.6 4,153.1 5,763.8 2,988.3 5,930.4 6,922.2 5,080.3	8.813.5 5.339.4 6.692.5 8.829.7 5.292.7 7,101.7 8,636.6 5,932.6	12,239.5 8,343.2 9,938.0 12,500.0 8,460.6 7,896.5 9,491.5 6,806.7	19,809.4 16,234.0 17,926.6 20,436.1 16,685.8 12,137.9 13,605.7 11,115.9	2 3 4 5 6 7 8 9
		0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.2	0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.1	0.D 0.1 0.0 0.1	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.1 0.1 0.1 0.1 0.0 0.3 0.6	0-1 0.1 0.0 0-1 0-1 0-0	0.2 0.3 0.1 0.1 0.2 0.0 0.7 0.8	0-1 0-2 0-1 0-1 0-2 0-1	0.1 0.2 0.1 0.1 0.2 0.1	10 11 12 13 14 15 16 17
	0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.2 0.1 0.2 0.1 0.1 0.2 0.3 0.3	0.2 0.2 0.2 0.2 0.1 0.2 0.7 0.9	0.3 0.4 0.4 0.2 0.2 0.3 1.0 1.3	0.5 0.5 0.5 0.5 0.5 0.4 0.8 0.9	0.7 0.6 0.8 0.7 0.6 0.8 0.7 0.9	1.1 1.0 1.2 1.1 1.0 1.1 1.5 0.7	1.6 1.7 1.6 1.5 1.6 2.5 2.1 2.9	2.7 2.7 2.8 2.6 2.7 2.6 4.0 2.8 5.0	6.2 5.8 6.4 6.1 5.5 6.5 6.9 9.9 4.7	9.1 9.4 8.9 9.1 9.2 9.0 8.9 11.0	19.4 18.7 19.8 19.6 19.5 19.7 17.9 11.3 21.6	19 20 21 22 23 24 25 26 27
	0.5 0.5 0.4 0.2 0.2 0.1 2.7 3.2 2.4	0.9 1.2 0.6 0.4 0.5 0.2 4.9 6.7 3.4	1.5 2-1 1-0 0.7 0.8 0.6 7.8 12-2 4.1	2.1 2.9 1.2 1.2 1.5 0.9 9.1 14.9	3.0 4.6 1.5 1.8 2.8 1.0 13.3 21.5	4.0 6.2 2.0 3.1 4.8 1.6 12.5 20.2 5.8	5.0 8.2 2.2 3.9 6.5 1.6 15.0 24.1 7.1	6.4 10.6 3.0 5.3 8.8 2.5 16.2 27.5 7.2	8.6 14.4 4.3 7.0 11.8 3.6 25.3 40.3 12.7	10.7 18.6 5.5 9.4 16.2 4.9 26.4 44.3 12.8	12.8 22.1 7.4 12.0 20.9 6.9 22.3 34.1	15.2 26.6 9.5 14.0 24.9 8.5 28.6 41.5 20.5	28 29 30 31 32 33 34 35 36
	0.3 0.5 0.2 0.1 0.2 0.1 1.8 2.8	0.7 1.0 0.4 0.3 0.4 0.4 3.6 5.5	1.3 1.8 0.8 0.5 0.6 0.4 7.0 11.2	1.6 2.4 0.9 0.9 1.2 0.6 7.7 12.7 3.3	2-4 3-8 1-0 1-4 2-2 0-6 11-0 18-4 4-6	3.2 5.3 1.3 2.4 4.0 0.9 11.0 18.2 4.8	3.9 6.6 1.5 3.0 5.1 1.1 12.2 20.0	4.8 8.6 1.8 4.1 7.2 1.5 12.1 21.3 4.8	6.7 11.4 3.2 5.4 9.2 2.7 20.3 32.9 9.7	8.3 14.2 4.4 7.1 12.2 3.8 21.8 35.9 11.0	10.1 17.4 5.7 9.6 16.9 5.5 14.9 23.2	12.3 22.0 7.4 11.0 20.1 6.5 25.7 39.6 17.0	37 38 39 40 41 42 43 44
	0-1 0-2 0-0 0-0 0-0 0-9 0-4 1-4	0.2 0.2 0.2 0.1 0.1 0.0 1.2 1.1	0.2 0.3 0.2 0.2 0.2 0.2 0.1 0.8 0.9	0.4 0.5 0.3 0.3 0.3 1.5 2.2	0.6 0.8 0.5 0.5 0.5 0.4 2.2 3.2	0.8 0.9 0.7 0.7 0.8 0.7 1.5 2.1	1.1 1.6 0.7 0.9 1.4 0.5 2.6 4.1 1.7	1.5 2.0 1.1 1.2 1.5 1.0 4.1 6.3 2.4	1.9 3-1 1.1 1.6 2.6 0.9 5.1 7.4 3.1	2.5 4.4 1.1 2.3 4.1 1.1 4.6 8.4	2.8 4.6 1.7 2.4 4.0 1.4 7.4 11.0	2.9 4.6 2.1 3.0 4.9 2.0 2.9 1.9	46 47 48 49 50 51 52 53
	1111111111		1111111			- - - - -	-	-	1	11			55 56 57 58 59 60 61 62 63
	0.0	11111111	0.0 0.0 0.0 0.0 0.0 - 0.1		0.0 0.0 0.0	0.0 0.0 0.0 0.0 - 0.0 -		0.1 0.1 0.0 0.1 0.1 0.1		0.0 0.0 0.0 - 0.0	0.0 0.1 	0.1 	64 65 66 57 68 69 70 71
	0.0 0.1 - 0.0 0.1 - 0.1	0.1 0.1 0.0 0.1 0.1 0.0	0.1 0.0 0.1 0.0 0.0 0.1 0.1	0.1 0.0 0.1 0.1 0.0 0.1	0.1 0.1 0.1 0.1 0.1 0.2 0.2	0.1 0.1 0.1 0.1 0.1 0.1	0.1 0.1 0.1 0.1 0.2 0.1	0.1 0.0 0.1 0.1 0.1 0.0 0.1	0-1 0-0 0-2 0-1 0-2 0-4 0-5 0-4	0.0 0.1 0.0 0.1 -	0.3 0.4 0.2 0.3 0.3 0.2 0.5	0-1 0-2 0-1 0-1 0-2 - 0-7 1-1	73 74 75 76 77 78 79 80

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year [Rates per 100,000 population in specified group. Numbers after causes of death are category

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
123456789	SEPTICEMIA	2.2 2.4 2.0 1.9 2.1 1.8 3.8 4.3	26. 1 29. 8 22. 3 21. 7 24. 7 18. 5 48. 8 56. 0 41. 4	0.6 0.6 0.5 0.5 0.5 0.4 1.0 1.2	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2	0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.1	0.2 0.2 0.2 0.2 0.2 0.3 0.3	0.2 0.2 0.2 0.2 0.2 0.2 0.4 0.4	0.2 0.2 0.3 0.2 0.1 0.2 0.7
10 11 12 13 14 15 16 17	ACUTE POLIONYELITIS	0-0 0-0 0-0 0-0 0-0 0-0 -	-	-	-	-		1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
19 20 21 22 23 24 25 26 27	MEASLES	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.3 - 0.1 0.2 - 0.2 0.4	0.1 0.1 0.0 0.0 0.1 0.0 0.1 0.2	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	
28 29 30 31 32 33 34 35 36	SYPHILIS AND ITS SEQUELAE	0.2 0.3 0.1 0.1 0.2 0.1 0.7 0.9	0.3 0.3 0.3 0.2 0.2 0.1 1.0 0.4	-	-	0.0 0.0 0.0 0.0 - - -	1	0.0	1111111
37 38 39 40 41 42 43 44 45	OTHER INFECTIVE AND PARASITIC DISEASESREMAINDER OF DDD-136 MALE FEMALE WHITE	1-9 2.0 1.8 1.9 1.7 3-1 3-1	10.1 11.5 8.6 8.8 10.4 7.1 16.7 17.1	1.4 1.6 1.1 1.3 1.5 1.0 1.7 1.7	0.9 1.0 0.8 1.0 1.0 0.6 0.9	0.6 0.5 0.6 0.6 0.6 0.5 0.7	0.7 0.7 0.7 0.6 0.7 0.6 0.8 0.7 1.0	0.7 0.7 0.7 0.6 0.6 0.5 1.7 1.5	9.9 1.0 0.9 0.7 0.7 2.8 2.8 7.9
46 47 48 49 50 51 52 53	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES140-209 MALE FEMALE MHITE	167.3 187.1 148.4 170.9 189.6 153.0 142.8 170.1	4.4 4.3 4.4 4.5 4.5 4.5 3.5 3.6	6.4 7-4 5.3 6.6 7.6, 5.5 5.4 6.2 4.7	6.0 6.7 5.3 6.2 6.9 5.4 5.3 5.4	4.8 5.4 4.2 4.8 5.5 4.9 4.9 5.0	6.7 8.0 5.5 6.8 8.1 5.4 6.4 7.0 5.8	8-4 10-4 6-4 8-5 10-6 6-4 7-8 9-3 6-4	11.9 13.1 10.8 11.9 13.4 10.5 11.9 11.0
55 56 57 58 59 60 61 62 63	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX————————————————————————————————————	3.7 5.4 2.1 3.7 5.4 2.2 3.7 5.8 1.8	-	0.0 0.0 0.0 0.0 0.0 -	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.1 0.1	0.1 0.1 0.1 0.1 0.1 0.0 0.2 0.1	0.1 0.2 0.0 0.1 0.2 0.1 0.2 0.3	0.1 0.1 0.1 0.1 0.0 0.3 0.3
64 65 66 67 68 69 70 71 72	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	44.0 50.0 42.3 46.8 50.2 43.5 40.8 40.8	0.5 0.6 0.3 0.5 0.7 0.3 0.4 0.4	0.1 0.2 0.1 0.2 0.2 0.1 0.1	0.1 0.1 0.1 0.1 0.0 0.1 0.3	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1	0.2 0.2 0.1 0.2 0.2 0.1 0.3 0.3	0.6 0.8 0.5 0.5 0.6 0.4 1.2 1.6 0.8	1.1 1.0 1.3 1.1 0.9 1.2 1.4 1.2 2.0
73 74 75 76 77 78 79 80 81	MALIGNANT NEOPLASMS OF RESPIRATORY  SYSTEM	37.8 61.3 15.4 38.7 62.4 16.0 31.9 54.2 11.5	0.1 0.1 0.2 0.2 0.2 0.1 0.2	0.0 0.1 0.0 0.0 0.1 	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.1 0.1 0.1 0.1 0.1 0.0 0.1	0.1 0.1 0.1 0.1 0.1 0.1 0.3	0-2 0-2 0-2 0-2 0-2 0-1 0-3 0-3	0.5 0.4 0.5 0.5 0.5 0.5 0.5

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973—Con.

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55~59 YEARS	60-64 Years	65-69 YEARS	70-74 Years	75-79 YEARS	80-84 Years	85 YEARS AND OVER	
0.4 4.0 4.0 9.0 2.0 2.0 2.1 2.1 6.9	0.5 0.6 0.5 0.4 0.3 0.4 1.8 2.9	0.7 0.8 0.6 0.5 0.6 0.4 2.2 2.5 2.0	1.2 1.3 1.1 0.9 1.1 0.8 3.5 3.6	1.8 2.2 1.5 1.4 1.8 1.1 5.3 6.0	2.3 2.6 2.1 2.0 2.3 1.7 5.8 5.7	3.8 4.8 3.0 3.3 4.2 2.5 8.6 10.0	5.7 7.5 4.3 5.1 6.8 3.7 11.7 14.7 9.4	8.6 11.1 6.8 7.6 9.8 6.0 19.6 24.1	14.1 17.9 11.5 13.0 16.2 10.8 27.4 35.9 20.9	18.0 24.8 14.0 17.1 23.6 13.4 27.7 37.8 29.8	27.7 32.8 25.2 26.4 30.8 24.2 42.1 50.9 36.4	3 4 5 6 7 8
0.0 0.0 0.0 0.0 - -	- - - - -	0.0 0.0 0.0 0.0 -	0.0 0.0 0.0 - 0.0 -	0.0 0.1 0.0 0.1		0.0 0.0 - 0.0 0.0 - -	0.0 0.0 0.0	111111111111111111111111111111111111111	- - - - - -	-		10 11 12 13 14 15 16 17
	-		-			111111111		-	-	11111	-	19 20 21 22 23 24 25 26 27
0.0 - 0.0 	0.0 0.0 0.0 	0.0 0.0 0.0 0.0 0.0 0.0 0.0 - 0.1	0.0 0.0 0.0 - - 0.2 0.3 0.1	0.2 0.2 0.1 0.1 0.1 1.0 1.8	0.3 0.5 0.2 0.1 0.1 2.6 4.4	0.6 1.0 0.4 9.5 0.7 0.3 2.5 3.9	0.9 1.6 0.4 0.6 1.0 0.2 4.4 7.2 2.2	1.3 2.2 0.7 0.9 1.4 0.5 6.5 10.6 3.1	1.6 2.5 0.9 1.1 1.8 0.7 6.9 10.7 4.1	1.1 1.9 0.6 0.7 1.5 0.2 5.9 6.1 5.8	1.4 2.0 1.1 0.8 1.4 0.5 7.9 7.5 8.0	34 35
C.9 1.0 0.8 0.6 0.7 0.5 3.1 3.2	1.0 1.0 1.0 0.8 0.8 2.2 2.4	1.5 1.4 1.5 1.2 1.1 1.2 3.7 3.8	1.7 1.6 1.8 1.4 1.4 1.5 4.5 4.5 4.1	2-1 2-1 2-2 1-8 1-9 1-8 4-0 5-5	2.9 3.4 2.4 2.9 2.0 7.4 8.5	3-3 3-9 2-7 2-9 3-7 2-2 7-0 6-6	4.1 4.8 3.6 4.3 3.5 9.3 4.3	5.2 6.5 4.3 5.0 6.1 4.1 8.2 10.6	7.7 9.9 6.3 7.6 9.7 6.2 9.6 12.2 7.6	9.4 13.2 7.2 9.4 13.3 7.1 9.4 12.2 7.5	12.1 9.4	38 39 40 41 42 43
20.0 18.4 21.5 19.4 18.1 20.7 23.6 19.9 26.7	39.7 35.5 43.7 38.2 34.5 41.8 50.6 43.6 56.3	72.0 65.7 78.0 68.0 62.1 73.7 100.9 94.0 106.7	139.9 135.5 143.9 131.8 125.6 137.7 205.5 220.7	222.4 232.1 213.3 211.0 216.1 206.2 321.4 376.0 273.6	359.7 408.7 314.9 345.9 388.6 306.7 495.2 612.9 393.0	508-4 633-0 399-6 497-1 614-3 394-5 613-4 807-8 446-7	679.5 901.1 502.3 671.8 888.0 498.8 751.0 1,020.7 535.0	888.5 1,223.2 643.8 869.9 1.201.2 630.2 1.092.0 1,436.6 800.4	1,133,4 1,579,7 838,1 1,130,5 1,573,5 840,5 1,171,3 1,648,1 808,1	1,271.1 1,807.3 958.2 1,289.1 1,834.2 974.8 1,059.4 1,523.2 742.5	1,435.3 2,018.0 1,142.7 1,468.0 2,062.5 1,174.0 1,087.9 1,566.0 787.5	46 47 48 49 50 51 52 53
0.2 0.3 0.2 0.2 0.2 0.2 0.7 1.1	0.5 0.7 0.3 0.4 0.6 0.3 1.1 1.7	1.6 2.3 0.9 1.2 1.7 0.7 4.5 7.1 2.4	3.9 5.8 2.0 3.1 4.7 1.7 9.8 16.1	6.9 10.3 3.7 6.2 9.1 3.4 13.1 21.0 6.1	11.0 16.3 6.1 10.3 15.3 5.8 17.1 26.2	13.7 21.6 6.9 13.6 21.0 7.1 14.9 26.8 4.6	16-1 26-5 7-9 16-1 26-1 8-0 16-8 29-6	17.1 30.7 7.2 16.9 30.4 7.1 19.8 33.8 8.1	17.2 30.1 8.7 17.6 30.7 9.0 13.2 23.7 5.2	20.9 37.8 11.1 21.4 39.3 11.0 15.8 22.0	28.9 48.5 19.2 8.6 11.3	56 57
2-7 3-1 2-2 2-4 2-8 2-0 4-3 5-2 3-5	6.1 6.6 5.5 5.6 6.0 5.2 9.6 11.4 8.1	12.0 13.9 10.3 10.9 12.4 9.3 20.4 25.0	26.6 31.6 21.9 24.1 28.2 20.2 47.2 60.9 35.4	47.9 56.9 39.4 44.0 52.2 36.4 81.1 99.3 65.1	85=6 103-6 69-2 80-2 97-0 64-8 138-9 171-3	132.2 165.9 102.8 126.7 157.7 99.5 183.0 242.2	188-9 240-3 147-7 184-1 232-5 145-3 233-0 310-8 170-7	269.8 342.2 217.0 262.5 332.4 211.9 350.0 438.4 274.9	373.5 465.9 312.4 371.5 464.6 310.4 399.3 480.2 337.8	449.3 562.5 383.3 457.5 575.1 389.6 353.5 429.3 301.7	460.4	64 65 66 67 68 69 70 71
1.5 2.0 1.2 1.5 1.8 1.2 2.0 3.1	6.5 9.3 3.8 6.1 8.7 3.7 8.9 13.8 4.9	15.8 22.3 9.6 14.7 20.4 9.1 23.6 36.7 12.7	37.1 54.6 20.7 34.6 50.3 19.7 57.9 91.9 28.6	62.2 97.2 29.6 58.0 89.0 29.1 98.2 171.5 33.9	105.1 170.1 45.7 101.0 161.7 45.2 145.7 255.9 50.1	148.4 257.2 53.4 147.2 253.1 54.5 159.9 296.1 43.1	182.8 340.7 56.5 184.6 343.5 57.4 166.7 315.3 47.7	206.9 408.7 59.3 206.2 410.6 58.5 213.9 387.5 68.3	209.8 427.8 65.6 211.2 433.1 66.0 194.4 370.2 60.5	174-1 365-8 62-1 177-2 374-8 63-3 137-6 270-7 46-7	279.3 65.0	82

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year [Rates per 100,000 population in specified group. Numbers after causes of death are category

_			[Hates per	ron'ngo bobir	lation in speci	ined group. N	umbers after	causes of death	are category
	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	I-4 Years	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
1 2 3 4 5 6 7 8 9	HALIGNANT NEOPLASHS, INCLUDING NEOPLASHS OF LYMPHATIC AND HEMATOPOLETIC TISSUES—CON.  HALIGNANT NEOPLASH OF BREAST————————————————————————————————————	15.3 0.3 29.6 16.0 0.3 31.0 10.7 0.3 20.3	-	111111111	0.0 0.0 - - 0.0 0.1	0.0 0.0 0.0 0.0	0.0 0.0 0.0 - 0.0	0.2 0.3 0.2 0.3 0.2 0.3	D.7 1.5 0.7 1.4 1.3 2.4
10 11 12 13 14 15 16 17	MALIGNANT NEOPLASMS OF GENITAL ORGANS180-187  MALE FEMALE FEMALE ALL OTHER FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE	20.3 19.4 21.1 19.9 18.9 20.9 22.9 23.1 22.8	-	0-1 0-1 0-0 0-1 0-1 0-0 0-1	0.0 0.1 0.0 0.1 0.0 0.1	0.1 0.0 0.1 0.1 0.0 0.1 0.1	0.5 0.6 0.4 0.5 0.7 0.4 0.4 0.1	1.2 1.6 0.7 1.2 1.8 0.6 0.9 0.7	1.7 1.8 1.6 1.7 2.0 1.4 1.9 0.3
19 20 21 22 23 24 25 26 27	MALIGNANT NEOPLASMS OF URINARY ORGANS188,189 MALE FEMALE WHITE	7.6 10.4 4.9 8.0 11.0 5.1 4.7 6.0 3.6	0.2 0.3 0.1 0.2 0.2 0.1 0.6 0.8	0.4 0.4 0.3 0.4 0.4 0.3 0.5 0.5	0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3	D.1 0.1 0.1 0.1 0.1 0.1 0.2 0.1	0.0 0.1 0.0 0.0 0.0 0.0 0.0	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-2 0-1	0-1 0-2 0-1 0-2 0-2 0-1 0-1
29 30 31 32 33 34 35 36	MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES	20.3 21.9 18.9 20.9 22.3 19.5 16.9 18.8 15.1	2.0 1.8 2.1 2.2 2.1 2.2 1.0 0.4 1.6	2.8 2.9 2.6 2.9 3.0 2.7 2.4 2.8 2.1	1.9 1.9 2.0 1.9 1.9 1.8 2.3	1.9 1.9 1.8 1.8 1.9 1.7 2.1 1.8 2.4	2.5 2.9 2.1 2.5 3.0 2.0 2.5 2.1 2.9	2.7 3.3 2.1 2.8 3.6 2.1 1.9 1.9	3.3 4.1 2.5 3.4 4.2 2.6 2.8 3.4 2.3
37 38 39 40 41 42 43 44	LEUKEMIA	6.9 8.1 5.8 7.2 8.4 6.1 4.6 3.7	1.3 1.3 1.2 1.1 1.4 1.6 1.9	2.4 2.9 1.9 2.5 3.0 2.0 2.0 2.3 1.6	3.1 3.6 2.6 3.4 3.8 2.9 1.8 2.5 1.0	1.9 2.3 1.5 1.9 2.3 1.5 1.7 1.7	2.2 2.8 1.7 2.3 2.8 1.8 2.7	1.6 2.0 1.2 1.6 1.9 1.3 1.5 2.1	1.9 2.2 1.7 1.9 2.1 1.8 2.8 1.7
46 47 48 49 50 51 52 53	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES200-203,208,209 MALE FEMALE MHITE	9.3 10.4 8.3 9.7 10.7 8.8 6.5 7.8	0.2 0.2 0.3 0.3 0.3 0.2 0.3	0.5 0.6 0.3 0.5 0.7 0.3 0.3 0.3	0.5 0.7 0.3 0.5 0.8 0.2 0.6 0.6	0.6 0.9 0.3 0.7 1.0 0.4 0.5 0.7	1.1 1.2 0.9 1.1 1.2 0.9 1.0 1.3	1.8 2.3 1.8 2.3 1.4 1.5 2.2	2.3 3.1 1.5 2.4 3.2 1.6 1.5 2.0
55 57 58 59 60 61 62 63	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED  NATURE	2.4 2.4 2.4 2.4 2.4 2.5 2.5 2.3	1.6 1.1 2.0 1.6 1.3 1.9 1.4 0.4	0.5 0.5 0.4 0.4 0.5 0.4 0.5	0.4 0.4 0.4 0.4 0.4 0.2 0.2	0.4 0.4 0.3 0.4 0.3 0.3 0.3 0.5	0.3 0.4 0.3 0.3 0.4 0.3 0.2 0.2	0.3 0.4 0.3 0.4 0.3 0.4 0.4	0.5 0.4 0.5 0.4 0.5 0.6 0.5
64 65 66 67 68 69 70 71 72	DIABETES MELLITUS	18.2 15.3 20.9 17.4 14.9 19.9 23.4 18.2 28.2	0.5 0.7 0.3 0.4 0.5 0.3 1.0 1.6	0.1 0.1 0.1 0.1 0.2 0.1 0.0 -	0.1 0.2 0.1 0.2 0.1 0.1 0.2 0.1 0.1	0.2 0.2 0.3 0.3 0.3 0.2 0.3 0.2 0.1	0.3 0.3 0.3 0.3 0.3 0.3 0.5 0.5	0.7 0.7 0.7 0.6 0.7 0.6 1.1 1.0	1.6 1.9 1.3 1.4 1.6 1.2 3.0 4.2 2.1
73 74 75 76 77 78 79 80	AVITAMINOSES AND OTHER NUTRITIONAL  DEFICIENCIES — 260-269  MALE — FEMALE — MHITE — MALE — FEMALE — FEMALE — ALL OTHER — NALE — FEMALE — F	1-2 1-1 1-4 1-2 1-0 1-4 1-5 1-6	3.4 3.7 3.1 2.4 2.8 1.9 8.5 8.2	0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.1 0.1 0.1 0.1	0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973—Con. numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 Years	70-74 Years	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
2-9 0-1 5-7 2-8 0-1 5-5 3-8 0-1 6-9	7.3 0.0 14.1 6.9 0.0 13.6 9.8	12.4 0.2 24.1 11.9 0.2 23.3 15.9 0.2 29.0	22.9 0.3 44.1 22.6 0.3 43.6 26.0 0.3 48.2	31-2 0-4 59-8 31-1 0-3 59-8 32-0 0-9 59-3	40-6 0.8 77-1 40-6 0-7 77-3 40-9 1-6 75-0	45.7 0.9 84.8 46.7 0.8 86.8 36.7 1.5 66.9	53.3 1.1 95.0 53.9 1.1 96.2 47.3 83.9	63.8 1.9 109.0 64.2 1.9 109.2 .59.1 1.4 106.9	75.5 2.6 123.7 77.6 2.6 126.6 50.5 3.1 86.6	85.7 2.5 134.4 88.8 2.8 138.5 49.0 82.5	113.8 3.1 169.4 117.5 2.6 174.3 74.3 755 113.6	123456789
2.9 1.3 4.4 2.6 1.5 3.8 4.7 0.5 8.2	5.0 1.4 8.4 4.5 1.6 7.3 8.6 0.3 15.5	8.3 1.3 15.0 7.5 1.3 13.6 13.9 1.3 24.5	14-5 1.9 26.3 13.3 1.7 24.3 24.7 4.1 42.6	22-2 5.4 37-7 20-6 4-7 35-4 11-2 57-6	32.6 14.4 49.2 30.7 12.5 47.4 51.5 34.0 66.7	50.2 35.8 62.7 45.7 31.0 58.6 91.4 81.2	75.2 76.4 74.2 70.1 68.9 71.1 121.2 144.9	111.9 147.1 86-2 103.3 133.3 81.6 205.7 283.8 139.8	165.9 261.1 102.9 156.8 243.8 100.0 274.3 450.4 140.1	208.8 388.6 103.8 205.1 382.7 102.7 252.5 451.2 116.7	244.1 514.3 108.4 240.9 508.3 108.7 277.9 560.4 104.5	10 11 12 13 14 15 16 17
0.3 0.4 0.2 0.3 0.5 0.2 0.3 0.3	0.8 1.1 0.5 0.8 1.1 0.5 0.6 0.8	1.6 2.3 0.9 1.6 2.4 0.9 1.3 1.9	3.9 5.5 2.4 3.9 5.6 2.2 4.5 5.5 3.6	6.9 10.0 4.0 6.7 9.9 3.7 8.7 11.6 6.1	13.3 19.9 7.3 12.9 19.6 6.9 16.8 23.4	21.0 31.5 11.8 21.3 32.2 11.7 18.0 25.1	31.3 49.5 16.7 31.4 50.2 16.3 30.4 42.8 20.4	44.5 73.6 23.2 44.8 75.5 22.6 41.4 53.7 30.9	63.8 105.3 36.4 65.3 108.5 37.0 46.5 71.0 27.9	75.4 125.8 46.0 78.1 131.8 47.1 44.6 62.2 32.5	93.1 153.2 62.9 97.4 163.5 64.7 47.9 54.7 43.2	19 20 21 22 23 24 25 26 27
4.7 5.5 3.9 4.8 5.6 3.9 4.0 4.5 3.5	7.5 8.9 6.2 7.6 8.9 6.3 6.7 8.9 4.9	12.1 13:3 11.0 11.9 13.3 10.5 13.7 13.6	19.3 21.9 16.8 18.8 21.2 16.5 23.0 27.2	28.1 31.5 24.8 27.5 30.7 24.5 33.0 39.2 27.5	43.7 50.2 37.7 42.7 48.9 37.1 53.1 63.7 43.9	58-2 70-8 47-2 57-0 69-5 46-0 69-3 82-4	74.4 92.3 60.1 73.6 90.8 59.8 82.0 106.0 62.8	93.1 117.1 75.6 90.5 114.7 73.0 121.3 140.7	118.0 141.9 102.1 118.3 141.7 102.9 114.2 143.5 91.9	135.7 160.6 121.2 136.2 160.6 122.2 129.7 161.0 108.3	171.5 200.9 156.8 174.6 205.1 159.5 139.3 158.5 126.1	28 29 30 31 32 33 34 35
2-1 2-4 1-8 2-1 2-3 1-8 2-4 2-7 2-1	2.7 3.0 2.5 2.8 3.1 2.4 2.4 2.2 2.6	3.2 3.9 2.4 3.2 4.0 2.4 2.7 2.8 2.5	4.4 5.3 3.5 4.4 5.4 3.5 4.1 4.3 3.9	5.9 6.8 5.1 5.9 6.8 5.2 5.6 7.0 4.3	9.6 11.9 7.5 9.5 11.9 7.3 10.7 12.2 9.4	13.7 17.6 10.3 13.7 17.5 10.4 13.9 18.3 10.0	20.6 27.8 14.8 20.7 28.1 14.8 18.9 24.6 14.4	31.3 42.3 23.3 31.5 43.0 23.1 29.7 35.2 25.1	46.4 65.9 33.5 47.6 68.1 34.1 32.7 42.7 25.0	56.4 82.0 41.4 58.2 84.0 43.3 35.6 61.0 18.3	69.6 99.3 54.7 72.8 104.3 57.3 35.0 50.9 25.0	37 38 39 40 41 42 43 44
2.6 3.3 2.0 2.6 3.4 2.2 1.5 2.5	3.4 4.4 2.4 3.4 4.4 2.5 2.9 4.4	5.0 6.2 3.8 5.0 6.3 3.7 4.9 5.5 4.4	7.3 8.6 6.0 7.1 8.3 6.0 8.4 10.4	11.3 13.5 9.1 11.0 13.5 8.6 13.9 14.4	18-1 21-5 15-1 17-9 21-2 14-9 20-5 24-6 17-0	25.3 31.6 19.8 25.2 31.4 19.9 26.4 34.1	37-1 46-6 29-5 37-4 46-8 29-8 34-8 45-2 26-4	50.1 59.7 43.1 50.0 59.4 43.2 51.1 62.0 41.7	63.3 79.0 52.9 64.8 80.5 54.5 46.2 63.4 33.1	64.7 81.6 54.8 66.7 83.1 57.2 41.1 65.9 24.2	58.7 71.7 52.1 60.6 74.6 53.7 37.9 43.4 34.1	46 47 48 49 50 51 52 53
0.8 C.7 1.0 0.8 0.7 0.9 1.1	1.3 1.4 1.4 1.2 1.2 1.2 1.9 1.1	1.6 1.4 1.8 1.5 1.3 1.6 3.0 2.7	2.7 2.5 2.8 2.5 2.4 2.5 4.1 2.8 5.2	3.0 3.1 2.9 2.8 3.1 2.5 5.0 3.7 6.1	4.6 5.0 4-2 4.4 4.7 4.0 6.6 7.8 5.6	6.2 7.2 5.4 6.0 7.0 5.1 8.2 8.5 7.9	7.9 9.5 6.6 7.7 9.3 6.5 9.7 11.4 8.4	10.2 12.9 8.2 9.4 11.9 7.6 18.4 22.7 14.7	13.2 15.3 11.9 13.0 15.0 11.8 15.5 18.3	15.4 17.8 14.0 15.6 18.4 14.1 12.9 12.2 13.3	19.6 21.8 18.4 19.9 22.7 18.5 16.4 13.2	55 56 57 58 59 60 61 62 63
2.5 2.7 2.3 2.0 2.1 2.0 5.4 7.3	3.8 4.5 3.1 3.2 3.9 2.5 8.1 9.2 7.3	5.3 5.9 4.8 4.2 4.9 3.5 13.8 13.9	8.7 9.2 8.3 6.9 7.8 6.0 23.9 21.0 26.4	14.8 15.6 14.0 11.8 13.4 10.3 40.7 35.7 45.0	26.7 27.1 26.3 22.3 23.8 20.9 70.1 60.5 78.4	42.3 41.2 43.2 36.1 37.5 34.8 99.7 75.6 120.3	67.5 66.7 68.2 60.8 62.7 59.3 128.9 103.0 149.6	109.7 102.3 115.0 99.2 96.1 101.4 223.0 163.9 271.4	162.1 150.2 169.9 157.4 147.9 163.5 218.5 175.6 251.2	206-6 194-6 213-7 206-3 196-0 212-3 209-9 180-5 230-0	248.3 242.8 251.1 220.0	64 65 66 67 68 69 70 71 72
0-1 0-1 0-1 0-1 0-1 0-1 0-3	0-2 0-2 0-2 0-1 0-1 0-2 0-6 0-5	0.3 0.2 0.3 0.2 0.2 0.3 0.7 0.8	0.3 0.4 0.2 0.3 0.3 0.2 0.6 1.3	0.5 0.5 0.6 0.5 0.4 0.6 1.1 1.8	0.9 0.8 0.7 0.8 0.6 2.8 2.8	1.4 1.5 1.4 1.3 1.3 1.2 2.9 2.7 3.1	2.7 3.3 2.2 2.4 2.9 2.0 5.3 6.9 4.1	4.3 4.7 4.0 3.9 4.1 3.7 9.1 10.6 7.7	8.7 10.0 7.8 8.1 9.7 7.1 15.5 13.0	17.7 19.4 16.7 17.1 18.3 16.4 24.8 31.7 20.0	44.2	79 80

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[kates per 100,000 population in specified group. Numbers after causes of death are category

===	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>2</sup>	UNDER I	1-4	5-9	10-14	15-19	20-24	25-29
		·	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1 2 3 4 5 6 7 8	ANEMIAS — — — — 280—285 MALE — — — — — — — — — — — — — — — — — — —	1.6 1.5 1.6 1.4 1.4 1.5 2.6 2.8 2.5	1.8 2.2 1.4 0.9 1.0 0.7 6.7 8.6 4.8	0.6 0.7 0.6 0.3 0.3 2.4 2.7	0.3 0.4 0.3 0.2 0.2 1.2 1.4	0-3 0-4 0-2 0-2 0-3 0-2 0-7 0-7	0.3 0.4 0.4 0.2 0.2 0.2 1.1 0.9	0.6 0.6 0.5 0.3 0.3 2.1 2.7	0.5 0.5 0.2 0.2 0.2 2.6 2.7 2.5
10 11 12 13 14 15 16 17	MENINGITIS	0.7 0.8 0.6 0.6 0.6 0.5 1.8 2.0	16.0 17-6 14.3 12.4 13.9 10.8 34.3 36.6 31.9	1.6 1.8 1.5 1.4 1.5 1.2 3.0 3.4 2.5	0.4 0.4 0.3 0.4 0.5 0.3 0.3 0.3	0.1 0.2 0.1 0.1 0.1 0.1 0.2 0.2	0-1 0-2 0-1 0-1 0-1 0-4 0-3	0.1 0.2 0.1 0.1 0.1 0.4 0.5	0.1 0.2 0.1 0.1 0.1 0.1 0.3 0.5
19 20 21 22 23 24 25 26 27	MAJOR CARDIOVASCULAR DISEASES	494.4 539.4 451.7 509.4 555.7 465.1 392.2 425.4 361.7	28.4 31.3 25.3 21.3 23.1 19.4 64.2 73.2 55.0	3.2 3.5 3.0 2.7 2.9 2.5 5.8 6.5	1.5 1.5 1.4 1.3 1.3 2.3 2.6 2.0	1.9 2.0 1.9 1.7 1.7 1.7 3.0 3.3 2.8	3.6 4.1 3.2 3.2 3.5 2.8 6.3 7.2	5.8 6.8 4.8 4.7 5.7 12.7 14.0 11.6	10.2 11.8 8.7 8.1 9.4 6.8 25.2 30.0
28 29 30 31 32 33 34 35	DISEASES OF HEART390-398,402,404,410-429 MALE WHITE MALE FEMALE FEMALE ALL OTHER FEMALE FEMALE FEMALE FEMALE FEMALE	360.8 415.2 309.1 373.9 430.9 319.4 271.3 305.9 239.7	23.0 25.8 20.1 16.7 18.4 14.9 54.7 63.4 45.8	2.1 2.3 1.8 1.7 1.9 1.5 4.2 4.7	0.9 1.0 0.8 0.8 0.8 0.7 1.7 2.0	1.1 1.2 1.0 1.0 1.0 1.0 1.7 2.1	2.2 2.6 1.8 1.8 2.2 1.5 4.1 4.9 3.4	3.6 4.5 2.8 2.8 3.7 2.0 8.7 9.7	6,5 8,3 4,7 5,0 6,6 3,5 17,1 21,9 13,0
37 38 39 40 41 42 43 44 45	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	6.5 6.0 7.0 6.8 6.2 7.5 4.5 4.5 4.5	0.1 0.1 0.1 0.1 0.1 0.2 -	0.1 0.2 0.1 0.1 0.2 0.0 0.2 0.2	0.1 0.2 0.1 0.1 0.1 0.1 0.4 0.3	0-2 0-2 0-2 0-2 0-2 0-5 0-5	9.4 0.4 0.3 0.3 0.2 1.1 1.0	D.7 D.9 O.5 D.5 O.7 O.3 1.9 1.9	1-0 1-1 0-9 0-8 0-9 0-7 2-6 3-0 2-3
46 47 48 49 50 51 52 53	HYPERTENSIVE HEART DISEASE	3.5 2.9 4.0 3.1 2.4 3.7 6.0 5.7	0.1 0.1 - 0.0 0.1 - 0.2 0.4	0.0 0.0 0.0 - 0.0 -	0.0 	0.0 	0.0 0.0 	0.0 0.1 0.0 0.0 0.0 0.0 0.2 0.3	0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.8 0.7
55 56 57 58 59 60 61 62 63	HYPERTENSIVE HEART AND RENAL DISEASE	2.6 2.5 2.7 2.5 2.4 2.7 3.2 3.4	-	- - - - - - - -	-	0.0 0.0 0.0 0.0 0.0 0.0 - 0.0	0.0 0.0 0.0 0.0 - - -	0.0 0.1 - 0.0 0.0 - 0.2 0.3	0.0 0.0 0.0 0.0 0.0 0.0 0.1
64 65 66 67 68 69 70 71	ISCHEMIC HEART DISEASE	326.0 378.5 276.0 340.5 396.1 287.3 227.0 255.8 200.7	0.9 1.1 0.7 0.8 0.9 0.7 1.6 2.3 0.8	0.1 0.0 0.1 0.1 0.0 0.1 0.0 -	0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.3	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2	0.3 0.4 0.2 0.3 0.4 0.2 0.4 0.5	0.8 1.1 0.4 0.6 0.9 0.3 1.9 2.3	2.4 3.5 1.4 2.0 3.0 1.1 5.3 7.6 3.3
73 74 75 76 77 78 79 80	ACUTE MYOCARDIAL INFARCTION	167.6 215.7 121.8 177.8 229.9 128.1 97.5 116.6 80.1	0-6 0-8 0-5 0-7 0-7 1-0 1-2	0.0 0.0 0.0 0.0 - 0.0	0.0 0.0 0.1 0.0 0.0 0.0 0.1 0.1	0.0 0.1 0.0 0.1 0.1 0.0 0.0 0.0	0.2 0.3 0.1 0.2 0.2 0.1 0.3 0.3	0.5 0.8 0.3 0.4 0.6 0.2 1.3 1.7	1.6 2.3 0.9 1.4 2.0 0.8 3.0 4.5

 $<sup>^{1}</sup>$ Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973—Con.

					es, Adapted, 19	T			·			Π
30-34 Years	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 Years	75–79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0-5 0-6 0-5 0-2 0-2 0-2 2-7 3-2 2-3	0.5 0.5 0.5 0.2 0.2 0.2 2.6 2.9 2.3	0.6 0.6 0.6 0.3 0.3 2.8 3.3	0.8 0.7 0.9 0.6 0.5 0.7 2.7 2.8	0.8 0.9 0.6 0.6 0.6 2.9 2.1	1.3 1.4 1.2 1.1 1.3 2.7 3.4	2.4 3.0 1.8 2.1 2.6 4.8 6.3 3.6	3.7 3.9 3.4 3.8 3.0 6.1 5.1	6.0 6.7 5.5 5.7 6.5 5.2 9.1 8.8 9.3	11.7 13.7 10.4 11.9 14.0 10.5 9.6 10.7	17.5 19.5 16.4 17.8 20.1 16.5 14.4 13.4	33.6 40.4 30.2 34.9 41.8 31.5 20.0 26.4	1 2 3 4 5 6 7 8 9
0-1 0-2 0-1 0-1 0-1 0-5 0-8 0-2	0.3 0.3 0.3 0.2 0.2 0.2 0.9 1.1	0-3 0-3 0-3 0-2 0-2 0-2 0-9 0-8	0.6 0.9 0.4 0.4 0.6 0.3 2.1 3.1	0.5 0.7 0.4 0.4 0.6 0.2 1.9 1.8	0.7 0.8 0.6 0.5 0.6 0.5 2.5 3.2 1.8	0.7 0.9 0.5 0.6 0.8 0.4 2.1 2.7	1.1 1.2 1.0 0.9 1.0 0.9 2.9 3.3 2.6	1.4 1.8 1.1 1.0 1.5 0.7 5.1 5.1	1.4 1.3 1.5 1.2 1.2 1.4 4.0 5.3 2.9	1.6 1.9 1.4 1.3 1.6 1.1 5.0 4.9	1.7 2.2 1.5 1.5 2.4 1.1 3.6 - 5.7	10 11 12 13 14 15 16 17 18
21.4 26.4 16.6 16.9 21.4 12.4 52.9 63.3 44.1	49.6 67.3 32.9 40.4 57.7 23.7 114.3 141.2 92.2	105.6 153.0 60.4 92.8 140.6 46.3 198.8 250.2	202.9 304.9 107.4 182.8 285.3 85.9 367.5 473.7 276.0	342.9 516.0 182.4 316.3 491.7 152.5 574.5 734.5	593.8 889.0 323.9 560.2 860.7 284.0 925.2 1,177.0 706.6	954.8 1.396.3 569.2 911.1 1.367.6 511.4 1.359.8 1.664.6 1.098.3	1.488.1 2.132.7 972.4 1.443.6 2.115.5 906.1 1.896.0 2.289.8 1.580.6	2,505.2 3,371.3 1,872.1 2,418.1 3,324.0 1,763.0 3,453.0 3,453.0 3,127.4	4,241.7 5,334.8 3,518.8 4,238.6 5,377.9 3,492.0 4,293.1 4,864.1 3,858.1	6,648.8 7,898.8 5,921.7 6,780.1 8,107.1 6,014.9 5,111.9 5,702.4 4,708.3	12,812,1 13,750,3 12,340,8 13,227,9 14,257,6 12,718,8 8,386,4 8,771,7 8,059,1	19 20 21 22 23 24 25 26 27
14-3 19-6 9-1 11-6 16-5 6-7 33-0 42-8	36.8 54.6 19.9 31.5 48.8 14.8 73.5 98.6	83.6 130.5 39.0 76.0 123.5 30.0 138.8 185.6	165.7 265.4 72.2 153.7 254.1 58.6 263.8 361.9 179.2	283-8 449-3 130-3 268-1 436-9 110-5 420-6 561-1 297-4	493.2 766.7 243.1 474.5 754.8 217.0 677.2 888.5 493.8	774.3 1,169.4 429.2 751.5 1,161.3 392.7 985.8 1,244.4 764.0	I+161.2 1+709.3 722.6 1+142.2 1+714.4 684.5 1+335.4 1+662.9 1+073.1	1,869.6 2,581.1 1,349.5 1,824.5 2,569.4 1,285.8 2,361.6 2,686.1 2,081.9	3,010.2 3,897.0 2,423.6 3,023.6 3,946.9 2,418.9 2,859.4 3,352.7 2,483.7	4,523.1 5,544.4 3,928.5 4,621.3 5,703.1 3,997.4 3,373.3 3,869.5 3,034.2	8,382.1 9,308.6 7,916.8 8,655.0 9,664.1 8,156.1 5,477.9 5,826.4 5,205.7	28 29 30 31 32 33 34 35 36
1.7 1.9 1.5 1.4 1.7 1.1 3.8 3.6 4.1	2.6 2.8 2.5 2.4 2.5 2.5 2.4 4.4 5.2 3.8	4.6 4.9 4.4 4.5 4.2 6.8 7.7	6.9 7.3 6.5 6.8 7.3 6.4 7.5 7.9 7.2	9.8 9.9 9.7 9.9 10.0 9.9 8.8 9.6	15.3 15.5 15.2 15.5 15.7 15.3 13.6 13.3	21.7 22.4 21.1 22.2 22.3 22.0 17.3 22.9 12.6	26.2 26.3 26.1 27.2 27.0 27.4 16.5 20.1	30.9 29.6 31.9 32.0 30.1 33.5 19.0 24.5	34.8 34.3 35.2 36.4 35.7 36.8 16.5 19.1 14.5	36.7 36.4 36.9 37.8 37.2 38.1 24.3 28.0 21.7	41.8 37.1 44.2 43.2 37.5 45.9 27.9 32.1 25.0	37 38 39 40 41 42 43 44
0.2 0.2 0.2 0.1 0.1 0.1 1.2 1.2	0.5 0.4 0.3 0.4 0.2 2.2 2.7	0.9 0.9 0.5 0.5 0.5 3.7 3.6	1.8 2.0 1.6 1.2 1.5 1.0 6.8 7.0	3-0 3-6 2-4 2-1 2-6 1-5 11-1 12-8 9-7	4.8 5.6 4.1 3.4 4.2 2.7 19.0 20.0 18.2	7.0 7.7 6.5 5.5 6.2 4.9 21.6 21.7 21.5	10.9 11.9 10.1 8.5 9.4 7.7 33.2 34.7 31.9	17.8 17.7 17.9 14.7 14.9 51.1 50.5	29.3 28.8 29.6 27.0 26.1 27.6 56.4 58.8 54.7	43.2 34.1 48.5 42.2 33.1 47.5 54.5 45.1 60.8	77.2 52.5 89.7 76.7 49.9 90.0 82.9 75.5 86.4	47 48 49 50 51 52 53
0.1 0.1 0.0 0.0 0.1 0.0 0.3 0.4	0.1 0.1 0.1 0.1 0.1 0.1 0.5 0.5	0.2 0.2 0.3 0.1 0.1 0.1 1.2 0.6	0.6 0.7 0.5 0.2 0.2 0.2 4.0 4.8 3.3	1.0 1.3 0.8 0.7 0.8 0.5 4.3 5.3	1.7 2.2 1.4 1.3 1.7 1.0 6.1 7.1	3.4 4.3 2.6 2.3 2.8 1.8 13.7 18.3	5.9 7.2 4.8 4.9 6.1 3.8 15.3 17.1	11.3 13.8 9.5 9.7 11.9 6.2 28.1 31.9	23.4 27.4 20.8 22.1 26.7 19.1 38.9 35.1 41.9	42.6 53.6 36.1 42.7 53.9 36.3 40.6 51.2 33.3	103.1 114.3 97.4 106.7 118.5 100.9 64.3 73.6	56 57 58 59 60 61 62
8.3 13.0 3.8 7.3 11.7 3.0 15.5 22.7 9.4	27.6 43.9 12.2 24.7 40.9 8.9 48.4 66.9 33.2	68.4 112.4 26.5 63.8 108.9 20.1 101.8 140.1 69.8	141.6 235.2 53.9 133.8 229.0 43.7 205.5 288.2 134.1	248.7 404.6 104.1 237.4 397.6 87.8 347.1 468.0 241.2	438.2 697.5 201.3 425.9 692.3 181.0 560.3 749.7 395.8	694.8 1.067.9 368.9 679.5 1.068.3 339.1 836.8 1.063.7 642.3	1,053.3 -1,569.8 640.2 1,043.5 1,586.0 609.4 1,144.9 1,422.2 922.8	1,713.7 2,387.3 1,221.3 1,681.7 2,390.5 1,169.2 2,063.3 2,344.0 1,821.2	2.768.7 3.604.3 2.216.0 2.791.8 3.666.9 2.218.6 2.502.3 2.922.1 2.182.6	4,168.4 5,130.3 3,608.3 4,272.5 5,297.0 3,681.7 2,949.5 3,372.0 2,660.8	7,692.6 8,564.6 7,254.6 7,960.7 8,920.7 7,486.0 4,839.3 5,090.6 4,633.0	65 66 67 68 69 70
5.8 9.3 2.4 5.4 8.8 2.0 8.9 13.6	19.1 31.3 7.6 18.2 30.5 6.2 26.0 37.2 16.8	48.1 81.6 16.2 47.7 82.7 13.8 50.6 72.5 32.3	98.5 168.1 33.3 97.2 169.3 28.9 109.5 157.5 68.1	170.8 285.2 64.7 170.3 289.7 58.8 175.5 245.5	295.8 483.8 123.9 297.5 493.6 117.3 279.1 385.3 186.8	450.5 712.6 221.4 455.1 731.8 212.9 407.2 532.9	643.8 991.8 365.4 658.6 1.027.9 363.2 509.3 662.3 386.8	953.0 1,386.4 636.2 962.4 1,423.4 629.1 853.4 1.011.6 718.1	1,368.3 1,881.3 1,028.9 1,402.7 1,946.6 1,046.6 962.7 1,170.2 804.7	1,723.1 2,273.9 1,402.0 1,781.7 2,373.4 1,440.5 1,037.6 1,224.4 910.0	2,418-4 3,004-4 2,124-1 2,503-2 3,138-7 2,189-7 1,515-7 1,698-1 1,388-6	74. 75 76 77 78 79

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year [Rates per 100,000 population in specified group. Numbers after causes of death are category

_			Hates per	100,000 popu	lation in spec	ified group. N	lumbers after	causes of deat	h are category
	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>1</sup>	UNDER 1 YEAR	1-4 Years	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
1 2 3 4 5 6 7 8 9	MAJOR CARDIOVASCULAR DISEASES—CON.  DISEASES OF HEART—CON.  OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE——————————————————————————————————	2.1 2.8 1.5 2.1 2.8 1.5 2.2 3.0 1.5	0.0 0.1 - - - 0.2 0.4		1111	0.0 	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.1 0.0 0.0 0.1 0.0 -	0.1 0.1 0.0 0.1 0.1 0.0 0.1
10 11 12 13 14 15 16 17	CHRONIC ISCHEMIG HEART DISEASE	156.2 159.9 152.6 160.4 163.3 157.7 127.2 136.2	0.3 0.3 0.3 0.3 0.2 0.3 0.2	0.1 0.0 0.1 0.1 0.0 0.1 0.0 -	0.0 0.1 0.0 0.0 0.1 0.0 0.1	0-1 0-1 0-0 0-0 0-0 0-0 0-1 0-1	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2	0.2 0.3 0.2 0.2 0.2 0.1 0.6 0.6	0.7 1.1 0.4 0.5 0.8 0.2 2.2 3.0
19 20 21 22 23 24 25 26 27	ANGINA PECTORIS	0.1 0.1 0.1 0.1 0.1 0.1 0.0 0.0			-		-	-	0.0 0.0 0.0
29 30 31 32 33 34 35 36	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY — 424,428 MALE — FEMALE— WHITE— MALE — FEMALE— ALL OTHER— MALE — FEMALE— FEMALE —	2-4 2-5 2-6 2-4 2-5 2-8 2-3	1.1 1.2 1.1 0.7 0.6 3.5 3.9 3.2	0.3 0.3 0.2 0.2 0.3 0.1 0.7 0.6	0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.3	0.1 0.2 0.1 0.1 0.1 0.1 0.2 0.2	0.2 0.3 0.2 0.2 0.2 0.2 0.3 0.5 0.5	0.3 0.2 0.3 0.2 0.2 0.2 0.5 0.6	0.3 0.3 0.2 0.2 0.1 1.0 1.2 0.8
37 38 39 40 41 42 43 44 45	ALL OTHER FORMS OF HEART  DISEASE	19.7 22.9 16.7 18.5 21.4 15.7 28.0 33.3 23.2	20.8 23.3 18.2 15.1 16.7 13.4 49.4 56.8 41.8	1.6 1.8 1.5 1.3 1.4 1.3 3.2 3.9 2.5	0.6 0.6 0.5 0.5 0.5 0.5 0.9 1.2	0.7 0.6 0.7 0.6 0.6 0.7 0.9 1.2 0.6	1.3 1.5 1.0 1.1 1.3 0.9 2.3 2.7 1.9	1.8 2.1 1.5 1.5 1.8 1.1 4.0 4.3 3.7	2.6 3.2 2.1 2.0 2.4 1.6 7.4 9.4 5.7
46 47 48 49 50 51 52 53	HYPERTENSION	3.5 3.6 3.4 3.3 3.1 5.9 6.1	0-0 0-1 0-0 0-1 -	0.0 0.0 0.0 - 0.0 0.0 0.0	-	0-0 0-0 0-0 0-0 0-0 0-0	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.1 0.1 0.1 0.1 0.0 0.3 0.3	0.2 0.2 0.3 0.1 0.1 1.0 0.8
55 56 57 58 59 60 61 62 63	CEREBROVASCULAR DISEASES	102.1 91.8 111.9 102.7 91.2 113.7 98.1 96.1	4.3 4.4 4.3 3.6 3.6 7.9 8.2 7.6	1.0 1.0 1.0 1.0 0.9 1.0 1.5 1.7	0.5 0.5 0.5 0.5 0.4 0.5 0.6 0.6	0.7 0.7 0.7 0.6 0.7 0.6 1.1 0.9 1.2	1-2 1-1 1-2 1-0 1-0 1-1 1-9 2-2 1-7	1.7 1.6 1.4 1.5 1.4 3.1 3.2	2.9 2.6 3.1 2.4 2.1 2.7 6.4 6.6
64 65 66 67 68 69 70 71	CEREBRAL HEMORRHAGE	16.2 15.2 17.0 15.8 14.7 16.8 18.9 19.2	1.9 1.8 2.0 1.5 1.2 1.8 3.9 4.7	0-3 0-3 0-2 0-2 0-3 0-2 0-4 0-6 0-3	0.2 0.1 0.2 0.1 0.1 0.2 0.2 0.2 0.2	0-2 0-2 0-2 0-2 0-2 0-2 0-3 0-3	0.4 0.4 0.4 0.3 0.3 0.3 0.7 0.9	0.4 0.4 0.3 0.3 0.4 0.9 1.0	0.7 0.8 0.7 0.5 0.5 0.6 2.0 3.0
73 74 75 76 77 78 79 80 81	CEREBRAL THROMBOSIS	27.0 23.8 30.0 27.8 24.2 31.2 21.8 21.5	0-2 0-2 0-2 0-2 0-1 0-4	0.1 0.1 0.0 0.1 0.1 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.1	0.0 0.0 0.0 0.0 0.0 0.0	0-1 0-0 0-1 0-1 0-0 0-1 0-1	0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2	0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.5

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed emong age groups.

Age Groups, Color, and Sex: United States, 1973—Con.

30-34	35-39	40-44	45-49	50-54	55-59	60-64	6569	70-74	75-79	80-84	85 YEARS	Ī
YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	AND OVER	
0.1 0.2 0.1 0.1 0.2 0.1 0.3 0.1	0.4 0.6 0.2 0.3 0.5 0.1 0.9 1.1	1.0 1.5 0.5 0.8 1.3 0.3 2.3 3.3	1.8 3.1 0.7 1.7 2.9 0.5 2.9 4.3 1.7	2-9 4-8 1-2 2-6 4-4 0-9 5-6 7-7 3-7	4.2 6.8 1.8 3.8 6.3 1.6 7.8 12.4	6.0 9.0 3.3 5.6 8.6 3.0 9.1 12.2	7.4 12.1 3.6 7.1 12.0 3.3 9.3 12.9	10.7 16.0 6.9 9.8 14.5 6.3 20.7 30.1 12.7	13.4 19.9 9.1 13.2 19.7 8.8 16.5 21.4	19.8 27.3 15.4 20.0 27.2 15.9 16.8 29.3 8.3	35.3 40.4 32.7 35.9 40.0 33.9 28.6 43.4	123 45 67 89
2-4 3-5 1-3 1-8 2-8 0-9 6-3 9-0 4-0	8.1 12.0 4.3 6.1 9.9 2.5 21.5 28.5 15.7	19=3 29-2 9-8 15-2 24-8 5-9 48-9 64-3 36-0	41.2 64.0 19.9 34.9 56.7 14.3 93.0 126.3 64.3	74.9 114.5 36.1 64.4 103.4 26.1 166.0 214.7 123.3	138.1 206.7 75.5 124.4 192.4 61.9 273.3 351.7 205.2	238.2 346.1 144.0 218.6 327.7 123.1 420.2 518.3 336.0	401.9 565.5 271.6 377.4 545.6 242.8 625.8 747.0 528.8	749.6 984.2 578.1 709.1 951.8 533.6 1,189.0 1,302.3 1,090.0	1,386.4 1,702.3 1,177.4 1,375.3 1,699.7 1,162.7 1,523.1 1,730.5 1,365.1	2,424.4 2,827.0 2,190.4 2,469.6 2,894.2 2,224.8 1,895.0 2,118.3 1,742.5	5,237.0 5,517.1 5,096.3 5,419.7 5,739.1 5,261.7 3,292.9 3,347.2 3,222.7	10 11 12 13 14 15 16 17
0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 - -	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.0 0.1 0.1 0.0 0.1	0-1 0-1 0-0 0-1 0-1 0-0 0-1 -	0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.2 0.3 0.1 0.2 0.3 0.1 0.3 0.2	0.3 0.5 0.2 0.3 0.5 0.2 0.4 -	0.4 0.7 0.2 0.4 0.7 0.2 0.2 -	0.6 0.8 0.5 0.6 0.6 0.8	1.1 2.0 0.5 1.1 2.2 0.5	1.9 2.8 1.5 1.9 2.8 1.4 2.1 1.9 2.3	19 20 21 22 23 24 25 26 27
0.5 0.5 0.5 0.4 0.4 1.2 0.9	0.6 0.6 0.5 0.5 0.5 1.1 1.1	0.9 1.1 0.7 0.8 0.9 0.6 1.9 2.5	1.3 1.5 1.2 1.1 1.2 1.1 3.0 3.8 2.3	1.9 2.3 1.6 1.7 2.1 1.3 3.9 4.0 3.8	2.8 3.5 2.1 2.6 3.3 1.9 4.8 5.5	4.2 5.8 2.8 4.0 5.7 2.5 5.6 6.6	5.8 7.3 4.6 5.5 6.8 4.4 8.9 12.3 6.2	8.7 11.4 6.7 8.2 10.7 6.4 14.1 18.1	17.3 20.3 15.3 16.7 19.9 14.7 23.8 25.2	30.2 33.5 28.2 29.8 33.1 27.9 34.7 37.8	75.3 74.9 75.5 77.2 75.7 77.9 55.0 66.D 47.7	32
3.5 3.9 3.0 2.4 2.6 2.1 11.0 14.0	5.3 6.5 4.2 3.7 4.5 2.8 16.9 22.2	8.6 11.0 6.2 6.5 8.5 4.5 23.5 31.0	13.4 18.6 8.5 10.5 14.9 6.3 37.0 50.2 25.7	19.3 27.5 11.7 16.3 23.8 9.4 45.3 61.5 31.2	30.3 42.5 19.1 25.9 37.5 15.2 73.5 92.9 56.7	43.2 61.3 27.3 38.0 56.0 22.3 90.7 111.2 73.0	59.1 86.8 36.9 52.8 79.2 31.6 116.6 156.6 84.7	87.2 121.4 62.2 78.1 111.7 53.7 186.1 217.1	136.7 181.8 106.8 129.6 171.7 102.1 221.5 292.4 167.4	202-0 256-4 170-4 196-2 248-9 165-9 269-8 335-4 225-0	392.1 465.3 355.4 390.6 461.9 355.4 408.6 488.7 355.7	37 38 39 40 41 42 43 44
0.5 0.5 0.5 0.1 0.1 0.2 2.9 3.3 2.5	0.9 1.0 0.7 0.4 0.4 0.3 4.4 5.5 3.5	1.4 1.5 1.3 0.7 0.8 0.7 6.3 7.3	1.8 2.0 1.6 1.0 1.2 0.8 8.4 8.9	2-5 2-9 2-1 1-5 2-0 1-0 11-1 10-5 11-7	3.8 4.2 3.4 2.5 2.6 2.3 16.7 20.5	6.0 7.1 5.0 4.3 5.3 3.4 21.3 23.4	9.3 11.5 7.6 7.6 10.2 5.6 24.9 23.4 26.1	15.9 20.6 12.5 13.7 18.4 10.2 40.3 41.7 39.0	28.8 37.8 22.8 27.1 36.1 21.1 49.2 55.7 44.2	50.3 65.6 41.4 49.0 63.5 40.7 65.3 87.8 50.0	97.4 120.6 85.8 98.9 121.9 87.6 81.4 105.7 65.9	21
5.8 5.4 6.2 4.3 4.0 4.7 15.8 15.8	10-2 9-8 10-5 7-0 6-7 7-2 32-8 33-1 32-5	17.7 17.8 17.6 13.3 13.4 13.3 49.2 52.0 46.8	30-2 30-1 30-3 23-4 23-3 23-6 85-6 88-6 83-1	47.4 51.8 43.3 38.2 41.6 35.0 127.2 143.3 113.1	78.5 90.6 67.5 65.7 76.5 55.7 205.1 233.6 180.4	138.7 166.4 114.5 120.0 146.8 96.6 311.3 349.0 278.9	251.3 309.9 204.4 227.7 286.6 180.6 467.4 522.8 423.0	496.1 589.6 427.8 459.3 555.7 389.5 895.8 924.5 868.3	966.0 1,080.8 890.0 949.7 1,070.0 870.7 1,163.0 1,199.2 1,135.5	1,641.6 1,762.7 1,571.7 1,663.5 1,793.5 1,588.5 1,384.7 1,437.8 1,348.3	3,197.9 3,133.8 3,230.1 3,292.7 3,228.6 3,324.4 2,189.3 2,192.5 2,162.5	55 56 57 58 59 60 61 62 63
1.6 1.7 1.4 1.0 1.1 0.9 5.7 6.6 5.0	3.2 3.5 2.9 1.7 1.9 1.6 13.6 16.0	5.9 6.1 5.7 3.9 4.3 3.6 20.3 20.9	9.9 10.9 8.9 7.2 8.3 6.2 32.0 33.9 30.4	15.2 16.2 14.2 12.2 13.1 11.3 41.5 44.3	22.9 26.9 19.3 19.5 23.4 16.1 56.4 63.4 50.3	34.0 39.9 28.9 30.3 35.7 25.7 68.2 79.8 58.4	50.0 60.0 42.0 46.4 56.3 38.4 83.5 93.4 75.5	83.2 95.4 74.3 78.5 91.4 69.1 134.6 135.2	135.5 151.7 124.8 135.2 151.8 124.2 139.9 150.4	189.6 195.4 186.3 192.7 200.1 188.5 153.0 145.1 158.3	316.9 297.8 326.5 325.8 306.5 335.4 222.1 211.3 226.1	69 70 71 72
0.2 0.2 0.3 0.2 0.1 0.2 0.6 0.5	0.4 0.5 0.3 0.3 0.4 1.3 1.6	1.1 1.3 1.0 0.8 0.9 0.8 3.3 4.4 2.4	2.7 3.0 2.4 2.1 2.3 2.0 7.3 9.1 5.7	6.2 7.6 4.8 4.7 5.8 3.7 19.1 24.0	13.3 16.4 10.5 11.0 13.4 8.8 36.1 47.4 26.3	29.0 36.7 22.2 25.1 32.7 18.5 64.6 73.7 56.9	61.7 77.7 48.9 55.9 72.1 42.9 115.0 129.0 103.8	134.4 160.2 115.4 125.8 151.6 107.1 227.6 245.8 211.6	277.9 307.7 258.2 274.9 307.6 253.3 314.9 308.4 319.8	486.2 520.5 466.5 495.9 534.2 473.7 373.8 375.6	976.7 997.9 973.0 1.010.2 607.9 615.1	76 77 78 79 80

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group, Numbers after causes of death are category

_	CAUSE OF DEATH: COLOR: AND SEX	TOTAL <sup>2</sup>	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
			IEAR	IEARS	TEAS	TEARS	TEARS	FEARS	1EAR3
	MAJUR CARDIUVASCULAR DISEASES—CON. CEREBROVASCULAR DISEASES—CON.							1	
1 2 3 4 5 6 7 8	CEREBRAL EMBOLISM	0.5 0.4 0.5 0.5 0.4 0.5 0.3 0.3	0.0  0.1 0.0  0.1  -	1	-	0.0 0.0 0.0 0.0	-	0.0 0.0 0.0 - - 0.1 0.1 0.2	0.0 0.1 0.0 0.1 0.1
10	ALL OTHER CEREBROVASCULAR DISEASES430, 432, 435-438	58.5	2.2	0.7	0.3	0.4	0.7	1.2	2.0
11 12 13 14 15 16 17	MALE	52-3 64-4 58-7 51-9 65-2 57-1 55-1 58-9	2.4 2.0 1.9 2.2 1.7 3.5 3.5	0.6 0.8 0.6 0.5 0.8 1.0 1.1	0.3 0.3 0.3 0.3 0.3 0.3 0.4 0.2	0.4 0.4 0.4 0.4 0.4 0.7 0.6 0.8	0.7 0.7 0.6 0.6 0.7 1.1 1.1	1.3 1.1 1.0 1.2 0.9 1.9 1.9	1.7 2.4 1.7 1.5 2.0 4.1 3.1
19 20 21 22 23 24 25 26 27	ARTERIOSCLEROSIS	15.5 13.1 17.9 16.5 13.8 19.1 8.9 8.5	-	1	, 1	-	0.0 0.0 0.0 - 0.0	0.0 0.0 - - 0.0 0.0	0.0 
28	OTHER DISEASES OF ARTERIES+ ARTERIOLES+ AND CAPILLARIES441-448	12.4	1.0	0.1	0.1	0.1	0.3	0.4	0.6
29 30 31 32 33 34 35 36	MALE FEMALE HHITE MALE FEMALE ALL OTHER FEMALE FEMALE FEMALE	15-6 9-4 13-1 16-6 9-7 8-0 8-8 7-2	1.1 0.9 0.9 1.0 0.8 1.6 1.6	0.1 0.0 0.1 0.1 0.0 0.1 0.1	0.1 0.1 0.1 0.1 0.1 0.1	0.1 0.1 0.1 0.1 0.1 0.2 0.2	0.3 0.2 0.3 0.4 0.2 0.2 0.2 0.1	0.5 0.3 0.4 0.4 0.3 0.5 0.7	0.6 0.5 0.6 0.5 0.6 0.7 0.6
37 38 39 40 41 42 43 44	ACUTE BRONCHITIS AND BRONCHIOLITIS	0.4 0.5 0.4 0.5 0.5 0.4 0.5 0.6 0.6	5.5 6.2 4.9 4.8 5.3 4.2 9.3 10.5	0.5 0.6 0.5 0.5 0.5 0.4 0.9 0.9	0.1 0.1 0.0 0.1 0.1 0.1 0.0 0.1 0.1	0.0 0.1 0.0 0.1 0.1 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.0 0.0 0.1 0.0 0.0 0.0 0.1 0.1	0-1 0-1 0-1 0-1 0-1 0-1 0-2 0-2 0-2
46 47 48 49 50 51 52 53	INFLUENZA AND PNEUMONIA	29-8 33-5 26-3 29-6 32-6 26-7 31-5 39-7 24-1	115.7 128.3 102.6 87.5 99.1 75.3 258.5 277.4 239.0	5.9 6.2 5.5 4.9 5.0 4.8 10.7 12.5	1.4 1.5 1.4 1.4 1.5 1.3 1.7 1.8	1.4 1.3 1.4 1.3 1.3 1.4 1.7	1.8 2.1 1.5 1.7 2.1 1.3 2.8 2.5 3.0	2.2 2.7 1.7 1.9 2.4 1.4 4.2 4.7 3.8	2.7 3.2 2.3 2.5 1.9 6.8 8.9 5.0
55 56 57 58 59 60 61 62 63	INFLUENZA	2.4 2.4 2.5 2.6 2.5 2.7 1.6 1.6	1.7 1.8 1.5 1.2 1.5 0.8 4.3 3.5	0.2 0.2 0.1 0.2 0.2 0.2 0.2 0.3 0.1	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	0-1 0-2 0-1 0-1 0-2 0-1 0-2 0-2 0-1	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.2 0.2 0.1 0.2 0.2 0.1 0.2 0.2 0.2	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2
64 65 66 67 68 69 70 71 72	PNEUHONT A	27-4 31-1 23-8 27-0 30-1 24-0 30-0 38-1 22-5	114-0 126-4 101-1 86-3 97-6 74-5 254-1 273-9 233-9	5.7 6.0 5.4 4.7 4.7 10.6 12.2 8.9	1.3 1.4 1.3 1.3 1.4 1.2 1.6 1.7	1.2 1.2 1.3 1.2 1.1 1.3 1.5 1.5	1.7 2.0 1,4 1.6 1.9 1.2 2.7 2.5 2.9	2.0 2.5 1.6 1.7 2.2 1.2 4.1 4.6 3.6	2.6 2.1 2.0 2.3 1.7 6.6 8.7
73 74 75 76 77 78 79 80	BRONCHITIS, EMPHYSEMA, AND ASTHMA	14.2 22.2 6.5 15.2 23.9 6.9 7.0 10.7	3.1 4.3 1.9 2.5 3.3 1.8 6.1 9.7 2.4	0.5 0.6 0.4 0.4 0.5 0.3 1.0 1.3	0.2 0.2 0.2 0.1 0.1 0.1 0.2 0.4 0.5	0.3 0.3 0.2 0.2 0.3 0.1 0.5 0.5	0.3 0.2 0.2 0.3 0.2 0.3 0.3 0.4 0.7	0.5 0.4 0.5 0.3 0.2 0.4 1.3 1.6 1.0	0.5 0.6 0.4 0.5 0.3 1.4 1.4

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973—Con.

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 Years	50-54 Years	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 Years	85 YEARS AND OVER	
0.0 0.0 0.0 - 0.0 -	0-1 0-1 0-1 0-1 0-1 0-1 0-2	0.1 0.1 0.1 0.1 0.1 0.2 0.3	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.7	0.5 0.4 0.5 0.5 0.5 0.5 0.5	0.9 0.9 0.8 0.9 0.9 0.8 0.9 0.7	1.3 1.4 1.9 1.3 1.3 1.5 1.5	2.3 3.0 1.8 2.2 2.9 1.6 3.4 3.7	4.4 5.1 3.9 4.5 4.1 3.6 5.3 2.3	7-0 8-0 6-4 7-2 8-1 6-7 4-5 7-3 2-5	11-1 10-5 11-4 11-8 11-0 12-2 3-6 5-7 2-3	123456789
3.9 3.5 4.4 3.1 2.8 3.5 9.5 8.6 10.2	6-5 5-8 7-1 4-8 4-5 5-2 17-8 15-4	10.5 10.2 10.8 8.5 8.2 8.8 25.3 26.4 24.4	17.5 16.0 18.8 14.0 12.6 15.3 46.1 45.2 46.9	25.8 27.8 24.0 21.2 22.6. 19.9 66.0 74.3 58.7	41.8 46.7 37.2 34.6 39.3 30.4 112.1 122.3	74.8 88.9 62.5 63.7 77.5 51.6 177.5 194.9 162.6	138.3 170.8 112.2 124.1 156.8 98.0 267.4 298.8 242.2	276.3 331.0 236.3 252.9 309.9 211.7 530.2 539.8 520.1	548.2 616.3 503.1 535.2 605.4 489.1 704.6 735.1	958.7 1,038.9 912.4 967.7 1,051.1 919.6 853.5 909.8 815.0	1,885.5   1,915.5   1,957.1   1,938.1   1,966.5   1,355.7   1,360.4   1	10 11 12 13 14 15 16 17
0.0 0.0 0.0 0.0 0.0 0.0 0.1	0.1 0.1 0.1 0.1 0.2 0.1 0.1	0.2 0.2 0.2 0.2 0.2 0.2 0.4 0.2	0.7 1.0 0.5 0.7 0.9 0.4 1.0 1.5	1.5 2.0 1.1 1.3 1.7 1.0 2.9 4.6	3.7 5.0 2.6 3.4 4.6 2.3 7.4 9.4 5.6	8.5 11.5 6.0 7.9 11.2 5.0 14.5 14.6	19.5 25.9 14.4 18.3 24.8 13.1 30.9 36.2 26.6	49.8 60.3 42.1 46.8 57.5 39.0 82.7 88.4 77.6	125.6 145.7 112.3 124.2 144.5 110.9 142.6 159.5	289.8 322.3 271.0 298.2 333.8 277.7 191.6 201.2	890.2 890.1 890.3 928.6 930.6 927.6 482.1 496.2 468.2	19 20 21 22 23 24 25 26 27
0.9 0.8 0.9 0.8 0.8 0.8 1.2 1.2	1.7 1.8 1.6 1.5 1.3 3.4 4.0	2.7 3.1 2.3 2.5 2.8 2.2 4.1 5.2 3.2	4.5 6.4 2.8 4.0 5.7 2.5 8.7 12.7	7.7 10.1 5.6 7.2 9.5 5.0 12.7 15.1	14.5 22.5 7-3 14.1 22.2 6.7 18.8 25.1	27.3 42.0 14.5 27.3 42.9 13.7 26.9 33.2 21.5	46.7 76.1 23.2 47.8 79.5 22.3 37.4 44.6 31.7	73.7 119-7 40.1 73.9 123.0 38.4 72.6 86.6 60.6	111.2 173.4 70.0 114.0 180.5 70.4 78.9 96.9 65.1	144.1 203.9 109.1 148.1 213.2 110.5 97.0 106.1 90.8	297.2 2 217.8 3 252.7 3 312.4 3 223.2 3 155.7 3	28 29 30 31 32 33 34 35 36
0.1 0.0 0.0 0.1 0.1 0.0 0.1	0.1 0.1 0.1 0.1 0.1 0.1 0.3 0.3	0.1 0.1 0.1 0.1 0.2 0.1 0.1	0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.5	0.3 0.4 0.2 0.3 0.4 0.2 0.4 0.5	0.6 0.5 0.6 0.5 0.4 0.6 0.7 1.4	0.5 0.7 0.3 0.5 0.7 0.3 0.6 1.0	0.8 1.2 0.6 0.8 1.1 0.6 0.8 1.2	1.5 2.2 1.0 1.5 2.3 0.9 1.5 1.4	2.0 3.1 1.2 2.1 3.4 1.3 0.3 0.8	3.5 4.9 2.7 3.6 5.2 2.6 2.5 1.2	1.9 4	97 38 39 40 41 42 43 44
3.6 4.3 2.9 2.6 3.0 2.1 10.4 13.6 7.7	5.7 6.8 4.7 4.2 4.8 3.7 16.0 22.0	8.2 9.7 6.7 6.0 7-1 5.0 23.5 30.0	12.3 16.0 8.7 9.5 12.2 6.9 34.7 48.7 22.7	16.8 21.8 12.2 14.1 17.8 10.6 40.8 57.6 26.1	24.8 32.9 17.4 21.7 28.8 15.3 54.7 74.7	39.3 56.6 24.1 36.1 51.2 22.8 68.9 107.6 35.8	60.6 89.2 37.8 56.4 83.0 35.2 99.1 145.8 61.6	111.2 163.1 73.3 105.7 156.5 68.9 171.7 228.2 123.9	227.6 330.9 159.3 225.2 327.4 158.3 257.4 369.5 172.1	399-3 555-2 308-3 408-2 567-2 316-6 294-6 429-3 202-5	1,124.0 4 803.0 4	46 47 48 49 50 51 52 53
0.2 0.2 0.3 0.2 0.1 0.3 0.4 0.3	0.6 0.5 0.6 0.5 0.6 0.9 0.6	0.5 0.5 0.5 0.4 0.4 0.5 1.1 1.6	0.7 0.7 0.6 0.6 0.7 0.6 1.0 0.7	1.4 1.4 1.3 1.2 1.3 2.1 2.6	1.9 2.1 1.8 1.9 2.1 1.6 2.6 1.6	3.1 4.0 2.4 3.1 3.9 2.3 3.8 4.6	5.2 7.4 3.5 5.2 7.3 3.5 5.9 8.4 3.8	10.3 13.1 8.2 10.0 12.9 8.0 12.7 14.8 10.8	20.8 26.2 17.1 21.4 27.2 17.6 13.2 16.0	35.1 40.0 32.2 36.6 42.1 33.4 17.8 18.3	80.2   5 87.7   9 96.1   5 83.6   6 43.6   6 45.3   6	55 56 57 58 59 61 62 63
3.3 4.1 2.6 2.4 2.9 1.9 10.0 13.3 7.1	5.1 6.3 4.0 3.7 4.3 3.1 15.1 21.4	7.6 9.2 6.2 5.6 6.7 4.5 22.4 28.4	11.6 15.4 8.1 8.9 11.6 6.4 33.7 48.0 21.4	15.5 20.5 10.9 12.8 16.6 9.3 38.7 55.0	22.8 30.8 15.6 19.9 26.7 13.6 52.1 73.1 33.9	36.1 52.7 21.7 33.0 47.3 20.5 65.1 102.9 32.6	55.4 81.8 34.2 51.3 75.7 31.7 93.2 137.4 57.8	101.0 150.0 65.1 95.6 143.6 60.9 159.1 213.4 113.1	206.8 304.7 142.1 203.8 300.2 140.6 244.2 353.4 161.0	364.2 515.2 276.1 371.7 525.1 283.2 276.7 411.0 185.0	1,032.7 6 722.9 6 857.6 6 1,071.6 6 495.0 7 650.9 7	64 65 66 67 68 69 70 71
0.6 0.5 0.6 0.4 0.3 0.5 1.8 1.9	1.2 1.2 1.0 1.1 0.9 2.7 2.1	2.8 2.7 2.4 2.4 2.5 5.5 4.9	5.1 6.1 4.2 4.7 5.6 3.9 8.4 10.4	10.2 14.5 6.2 10.0 14.0 6.2 12.4 19.4 6.3	22.9 33.9 12.7 23.1 34.0 13.0 20.8 32.6 10.6	40.9 67.7 17.4 42.1 69.6 18.1 29.1 49.8 11.3	66.6 119.8 24.1 70.3 126.2 25.7 32.9 61.4	96.7 185.5 31.7 101.3 195.7 33.1 46.6 82.9 16.2	122.8 251.8 37.5 127.7 264.0 38.6 64.7 118.3 23.8	131.3 277.4 46.0 137.8 292.8 48.5 55.0 114.6	277.8 7 60.6 7 139.9 7 293.5 1 63.9 7	73 74 75 76 77 78 79 80 81

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

=			Rates per	100,000 popul	lation in speci	fied group. N	umbers after (	causes of deat	are category
	CAUSE OF DEATH: COLOR: AND SEX	TOTAL <sup>2</sup>	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10~14 Years	15-19 YEARS	20-24 Years	25-29 YEARS
	BRONCHIYIS, EMPHYSEMA, AND ASTHMACON.	-							
1 2 3 4 5 6 7 8 9	CHRONIC AND UNQUALIFIED BRONCHITIS	2.6 3.8 1.5 2.8 4.1 1.7 1.3 2.0	2.2 3.1 1.2 1.8 2.4 1.1 4.1 6.6	0.3 0.4 0.3 0.3 0.3 0.3 0.6 0.8	0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.1 0.1 0.0 0.1 0.1 0.0 0.1 0.1	0.1 0.1 0.0 0.1 0.1 0.0 0.1	0.0 0.0 0.1 0.0 0.0 0.1 0.1 0.1	0-1 0-1 0-0 0-1 0-1 0-0 0-2 0-3
10 11 12 13 14 15 16 17	EMPHYSEMA	10.6 17.6 3.9 11.6 19.1 4.3 4.0 7.1	0.6 0.7 0.4 0.5 0.5 0.4 1.0	0.0 0.0 - 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 - 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0-1 0-1 0-1 0-1 0-0 0-1 0-2 0-3	0.1 0.1 0.1 0.1 0.1 0.0 0.2 0.3
19 20 21 22 23 24 25 26 27	ASTHMA	0.9 0.8 1.0 0.8 0.7 0.9 1.7 1.7	0.4 0.5 0.3 0.3 0.3 0.2 1.0	0.1 0.2 0.1 0.1 0.1 0.3 0.4 0.2	0-1 0-1 0-2 0-1 0-0 0-1 0-3 0-3	0.2 0.2 0.1 0.1 0.2 0.1 0.4 0.4	0.2 0.2 0.2 0.1 0.1 0.5 0.7	0.4 0.3 0.4 0.2 0.2 0.3 1.1 1.2	0.3 0.3 0.3 0.2 0.3 0.2 1.1 0.7
28 29 30 31 32 33 34 35 36	PEPTIC ULCER————————————————————————————————————	3.7 4.9 2.5 3.8 5.0 2.7 2.8 4.2 1.5	1.2 1.6 0.7 0.7 0.9 0.5 3.5 5.1 2.0	0.0 0.1 0.0 0.1 0.1 0.1 0.0 -	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.1 0.0 0.1 0.1 0.1 0.1	0.2 0.2 0.1 0.1 0.1 0.1 0.4 0.7	0.2 0.2 0.1 0.1 0.1 0.5 0.7
37 38 39 40 41 42 43 44 45	APPENDICITIS	0.5 0.6 0.4 0.5 0.6 0.3 0.8 1.1	0.4 0.4 0.4 0.3 0.3 0.3 0.8 0.8	0-1 0-1 0-0 0-1 0-1 0-0 0-1 0-2	0-1 0-1 0-1 0-1 0-1 0-2 0-3 0-2	0.1 0.1 0.1 0.1 0.1 0.1 0.3 0.3	0.1 0.2 0.1 0.1 0.2 0.1 0.2 0.1 0.2	0.1 0.2 0.1 0.1 0.1 0.0 0.3 0.4	0-1 0-1 0-1 0-1 0-1 0-0 0-2 0-2 0-2
46 47 48 49 50 51 52 53 54	HERNIA AND INTESTINAL OBSTRUCTION550-553,560 MALE FEMALE HHITE	3.2 2.9 3.5 2.9 3.5 3.3 3.5 3.1	15-5 18-2 12-7 14-8 17-1 12-4 18-9 23-3 14-3	0-3 0-4 0-2 0-2 0-3 0-1 0-6 0-8	0-1 0-2 0-1 0-1 0-2 0-1 0-2 0-1 0-3	0-1 0-1 0-1 0-1 0-1 0-1 0-1	0.1 0.2 0.1 0.1 0.2 0.1 0.1 0.1	0.2 0.2 0.2 0.2 0.2 0.1 0.5 0.5	0.3 0.3 0.3 0.2 0.3 0.2 0.3 0.42 0.6 0.6
55 56 57 58 60 61 62 63	CIRRHOSIS OF LIVER — 571  MALE—— FEMALE—  MHITE — MALE—— FEMALE—— ALL OTHER—— FEMALE—— FEMALE—— FEMALE——	15.9 21.3 10.7 15.2 20.5 10.1 20.6 26.6 15.2	1.2 1.1 1.4 1.1 0.8 1.4 2.2 2.7	0-1 0-1 0-1 0-1 0-1 0-2 0-2 0-2	0-1 0-1 0-0 0-1 0-1 0-1 0-1 0-1	0-1 0-0 0-1 0-1 0-0 0-1 -	0-2 0-2 0-2 0-1 0-1 0-1 0-4 0-4	0.6 0.7 0.4 0.3 0.4 0.2 2.4 3.0	2.2 2.9 1.5 1.2 1.7 0.7 9.3 12.3 6.8
64 65 66 67 68 69 70 71 72	CHOLELITHIASIS, CHOLECYSTITIS AND  CHOLANGITIS  MALE— FENALE— WHITE—  NALE—— FEMALE— FEMALE— ALL OTHER— FEMALE—— FEMALE—— FEMALE——	1.6 1.5 1.8 1.7 1.6 1.8 1.0 0.9	0.0 0.1 0.0 0.1 	0.0 0.0 - 0.0 0.0	0.0 0.0 0.0 - 0.0 -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0-0 0-0 0-0 0-0 0-1 0-1	0-1 0-0 0-1 0-1 0-0 0-1 0-0	0-1 0-0 0-1 0-1 0-0 0-1 0-1 0-1
73 74 75 76 77 78 79 80 81	NEPHRITIS AND NEPHROSIS	4.0 4.4 3.6 3.3 3.7 2.9 8.5 8.8	0.6 0.7 0.6 0.6 0.7 0.6 0.8 0.8	0.2 0.2 0.1 0.1 0.2 0.1 0.2 0.3	0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.4 0.2	0-2 0-1 0-2 0-1 0-1 0-5 0-4	0.4 0.4 0.3 0.3 0.3 0.2 0.2 0.9 1.4	0.6 0.8 0.4 0.5 0.7 0.3 1.0 1.1	0.8 1.0 0.5 0.6 0.7 0.4 2.1 3.2 1.2

 $<sup>^{1}\!\</sup>text{Figures}$  for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973-Con.

PE-OE SAABY	35-39 Years	40-44 YEARS	45–49 YEARS	50-54 Years	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 Years	7579 YEARS	80-84 YEARS	85 YEARS AND OVER	<del>-</del>
0.1 0.2 0.1 0.1 0.1 0.3 0.5	0.2 0.3 0.2 0.3 0.1 0.5 0.5	0.5 0.5 0.4 0.4 0.5 1.6 0.5	0.9 0.8 0.9 0.8 0.8 1.5 1.5	1.7 2.2 1.2 1.6 2.1 1.2 2.9 3.0	3.7 5.3 2.8 5.5 2.3 2.5 3.4	7.0 10.8 3.6 7.1 10.8 3.7 6.1 10.2	11.0 18.9 4.6 11.8 20.2 5.0 3.9 7.5 1.0	16.0 27.5 7.6 16.9 29.2 8.0 6.8 10.6	22-7 43-4 9-0 23-3 44-9 9-2 15-2 27-5 5-8	27.9 53.3 13.0 29.5 56.6 13.8 8.9 18.3 2.5	17.9 34.0	1 2 3 4 5 6 7 8 9
0-1 0-1 0-1 0-1 0-1 0-3 0-3	0.4 0.5 0.3 0.4 0.5 0.3 0.7 1.1	1.3 1.6 0.9 1.3 1.6 1.0 1.2 1.9	3.2 4.5 2.0 3.2 4.3 2.1 3.2 5.5	7.1 11.0 3.6 7.2 10.9 3.8 6.7 11.9	17.1 26.7 8.3 17.5 27.1 8.8 12.9 22.8	31.8 55.2 11.4 33.2 57.3 12.1 19.6 35.9	52.8 97.9 16.7 56.0 103.5 18.0 23.8 47.0	77.2 153.8 21.2 81.2 162.7 22.3 34.2 64.4 8.9	96.1 203.6 25.0 100.5 214.6 25.9 43.6 83.2	98.9 219.4 28.4 103.6 231.2 30.1 43.1 95.1	90.5 1 205.3 1 32.8 1 95.3 1 217.4 1 34.9 1 39.3 1 88.7 1	10 11 12 13 14 15 16 17
0-3 0-2 0-5 0-2 0-1 0-3 1-2 1-1	0.5 0.3 0.7 0.4 0.3 0.5 1.5 0.5	1.0 0.5 1.5 0.7 0.4 1.0 3.2 1.4	1.1 0.8 1.3 0.7 0.5 0.9 3.7 3.5 3.9	1.4 1.4 1.1 1.0 1.2 3.8 4.6	2.0 2.0 2.1 1.7 1.5 1.9 5.4 6.4	2.1 1.7 2.3 1.9 1.5 2.3 3.4 3.7	2.8 2.9 2.7 2.6 2.6 2.6 5.2 6.9 3.8	. 3.5 4.1 3.0 3.3 3.8 2.9 5.7 7.9	4.0 4.7 3.6 3.9 4.5 3.5 7.6 4.7	4.6 4.6 4.6 4.7 5.0 4.6 3.0 1.2	5.1 1 5.0 5.2 2 5.1 2 5.1 2 5.1 2 5.1 2 5.0 2 3.8 2	9 1 2 3 4 5 6 7
0-6 0-7 0-5 0-5 0-5 1-3 2-1 0-7	1.0 1.3 0.6 0.8 0.9 0.6 2.2 4.1	1.5 2.1 1.0 1.3 1.8 0.9 2.9 4.6 1.5	2.5 3.5 1.6 2.3 3.2 1.5 3.8 6.1	4.0 5.9 2.3 3.9 5.7 2.1 5.4 7.9	6.4 9.6 6.4 9.3 5.4 9.9	9.1 14.4 4.3 8.9 14.2 4.4 10.0 16.8	13.4 22.3 6.3 13.5 22.2 6.6 12.4 23.7	18.9 29.9 10.9 18.9 30.2 10.8 19.2 26.9	26.9 42.3 16.8 27.2 42.7 17.1 23.4 37.4	36.6 56.1 25.3 37.7 57.6 26.3 23.8 40.2	54-2 2 74-3 2 44-1 3 56-4 3 78-3 3 45-6 3 30-7 3 35-8 3 27-3 3	8 9 0 1 2 3 4 5 6
0-1 0-0 0-1 0-1 0-1 0-0 0-2 0-4	0.2 0.3 0.1 0.2 0.2 0.1 0.6 1.3	0.2 0.2 0.2 0.1 0.1 0.2 0.9 1.3	0.3 0.4 0.2 0.2 0.3 0.1 1.3 1.7	0.5 0.7 0.3 0.5 0.7 0.2 1.0	0.9 1.2 0.6 0.8 1.1 0.5 2.2 2.5 2.0	1.1 1.6 0.6 0.9 1.2 0.6 2.8 4.9	1.7 2.5 1.0 1.6 2.4 1.0 2.5 3.9	2-3 3-7 1-3 1-9 3-2 1-0 6-3 8-6	2.9 4.5 1.9 2.8 4.3 1.8 4.3 6.9	4.3 6.4 3.1 4.2 6.1 5.9 9.8 3.3	6.0 3 7-3 3 5-3 3 6-1 4 7-5 4 5-4 4 5-0 4 5-7 4	7 8 9 0 1 2 3 4 5
0.4 0.5 0.3 0.3 0.4 0.3 0.8 1.1	0.6 0.5 0.7 0.5 0.4 0.6 1.3 1.6	0.9 0.7 1.0 0.7 0.6 0.9 1.9 1.9	1.4 1.4 1.4 1.2 1.1 1.2 3.1 3.3	2.0 2.1 1.9 1.7 1.7 4.3 5.4	3.5 3.5 3.5 3.0 3.1 2.9 8.5 8.3	5.1 5.7 4.6 4.5 5.0 4.2 10.4 12.2 8.8	8.3 9.1 7.6 7.6 8.4 7.0 14.2 15.6	14-1 15-0 13-4 13-5 14-3 12-9 20-7 21-8 19-7	24.6 26.5 23.3 24.4 26.1 23.3 26.4 30.5 23.3	40.5 40.8 40.3 41.5 40.9 41.9 28.2 39.0 20.8	75-4 4-81-7 4-72-3 4-77-4 5-53-6 5-60-4 5-60	6 7 8 9 0 1 2 3
6.6 8.8 4.5 4.2 5.9 2.5 23.4 30.6	14.0 18.3 9.9 10.1 13.4 6.8 41.5 55.8 29.8	24.7 32.5 17.2 19.7 26.4 13.3 60.7 80.9 43.9	36.0 48.0 24.8 31.9 43.3 21.1 69.5 87.9 53.7	42.2 56.3 29.1 39.3 52.6 26.9 67.5 89.7 48.1	50.5 69.6 33.0 48.9 67.4 31.8 66.5 91.5	54-7 80.4 32.3 54.4 80.3 31.7 57.7 81.0	48.9 76.4 26.8 49.7 77.9 27.1 41.5 62.6 24.7	38.9 58.7 24.4 39.5 60.5 24.3 32.7 40.7 25.9	31.9 49.2 20.4 32.4 50.3 20.6 26.1 37.4	24-0 36-7 16-6 24-9 38-3 17-1 14-4 20-7	19.9 5: 33.2 5: 13.3 5: 20.5 5: 32.9 5: 14.3 6: 14.3 6: 35.8 6:	6 7 8 9 0 1 2
0.1 0.1 0.2 0.1 0.1 0.2 0.2 0.2 0.3	0.2 0.2 0.3 0.2 0.2 0.2 0.4	0.3 0.2 0.3 0.2 0.1 0.2 0.9 0.9	0.6 0.5 0.6 0.6 0.6 0.5 0.5	0.9 0.9 0.9 0.9 0.9 0.8 1.4 1.2	1.6 1.7 1.5 1.5 1.8 1.3 2.1 0.7	2.5 2.9 2.1 2.4 3.0 1.9 2.9 2.2 3.6	4.5 5.1 4.0 4.6 5.3 4.0 3.9 3.3	8-6 10-0 7-7 8-6 9-9 7-7 9-3 11-1 7-7	15.3 19.3 12.7 15.4 19.7 12.7 14.2 15.3	23.8 25.9 22.7 24.5 27.1 23.0 16.3 13.4 18.3	44.1 45.7 43.3 64.3 67.7 47.7 45.6 620.7 726.4 77.7 26.4 77.7	6 7 8 9 0 1
1.2 1.2 1.1 0.8 0.9 0.7 3.7 3.6 3.7	1.5 1.7 1.3 0.9 1.0 0.8 5.3 6.8 4.0	2.2 2.4 2.1 1.4 1.6 1.2 8.4 8.7 8.2	3.0 3.5 2.6 1.9 2.4 1.4 12.1 12.7	4.2 4.7 3.8 2.9 3.4 2.4 16.3 17.0	6.5 7.2 6.0 4.9 5.7 4.1 23.2 22.3 24.0	8.7 9.7 7.8 6.4 7.5 5.4 30.6 31.0	12.8 16.2 10.1 9.8 12.8 7.4 40.1 47.0 34.5	18.6 24.6 14.3 14.9 20.9 10.5 59.5 62.0	27.1 37.7 20.2 24.1 34.5 17.3 63.4 72.5 56.4	36.8 49.9 29.1 34.3 48.0 26.5 65.3 70.7 61.7	62.1 73 88.6 74 48.8 75 57.9 76 81.5 77 46.2 76 106.4 73 152.8 80	6 7 8 9

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year [Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX TOTAL<sup>1</sup> 15-19 YEARS UNDER 1 20~24 YEARS 25-29 YEARS 5-9 YEARS 10-14 YEARS 1-4 YEARS YEAR NEPHRITIS AND NEPHROSIS--CON. ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581 0.6 0.7 0.6 0.7 0.8 0.6 0.7 0.8 0.6 1.2 1.3 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.0 FEMALE-0.0 0.1 0.1 0.0 0.1 0.1 0.1 0.1 WHITE 456789 MALE----ALL OTHER HALE----0.2 0.3 0. 0.2 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL 10 582-584 3.2 3.5 3.0 2.6 2.9 2.4 7.3 0.1 0.3 0.3 0.2 0.2 0.2 0.8 1.1 0.5 0.7 0.4 0.5 0.6 0.3 0.9 1.1 11 12 13 MALE----0.1 0.1 0.1 0.1 0.8 0.5 0.5 0.6 0.4 0.1 0.1 0.1 0.1 0.2 WHITE-14 15 16 17 18 MALE---ALL OTHER 0.3 MALE---7.5 7.1 19 20 21 22 23 INFECTIONS OF KIDNEY 0.0 0.0 0.0 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.3 0.2 0.1 0.3 0.2 0.4 MALE----WHITE-2.8 2.4 3.2 3.5 3.4 3.7 0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.3 0.3 0.0 MALE 24 25 26 27 FEMALE-ALL OTHER MALE----0.1 26 HYPERPLASIA OF PROSTRATE--600 MALE 30 31 32 33 WHITE-MALE ALL OTHER-MALE 34 --630-678 FEMALE--0.2 0.4 0.1 0.3 0.0 0.1 0.0 0.0 0.2 0.3 0.4 0.7 0.2 0.3 1.5 3.0 0.6 1.1 0.4 0.8 1.5 2.8 0.7 1.5 0.6 1.2 1.8 3.4 35 36 37 38 FEMALE-ALL OTHER FEMALE-ABORTIONS-0.0 0.1 0.0 0.1 0.2 0.3 0.1 0.1 0.0 0.1 0.3 0.5 40 41 --640-645 FEMALE---0.0 0.0 0.1 0.2 42 43 44 45 WHITE FEMALE-ALL OTHER 0.4 45 0.2 0.4 0.1 0.3 0.7 0.0 47 0.1 0.0 0.0 0.2 0.3 0.6 0.1 0.3 1.3 2.6 1.0 0.4 0.8 1.3 48 49 50 FEMALE--1.1 1.6 2.9 ALL OTHER-FEMALE --CONGENITAL ANOMALIES-290.8 309.4 271.5 290.1 52 53 54 55 56 57 58 59 --740-759 MALE----9.6 9.7 9.4 9.5 9.7 9.3 1.5 1.5 1.3 1.5 1.6 1.9 3.0 FEMALE --6.0 6.5 7.2 5.8 8.3 9.0 7.6 2.8 1.6 1.7 1.5 2.2 2.4 2.1 1.6 1.3 1.5 1.7 1.3 1.8 2.1 WHITE 1.8 MALE 310.3 268.8 294.3 303.5 FFMAI F--1.6 ALL OTHER 9.9 61 CERTAIN CAUSES OF MORTALITY IN EARLY 14.5 17.4 11.8 12.1 14.6 9.7 31.0 987.0 1,126.8 841.4 760-769-2,769-4-772,774-778 0.1 0.2 0.0 0.0 0.0 0.0 62 63 64 65 FEMALE ---0.0 0.0 0.0 0.0 0.1 0.2 0.0 0.1 0.2 859.7 989.5 723.3 WHITE-0.0 66 67 68 69 FEMALE-0.0 0.1 0.1 0.1 ALL OTHER-0.0 0.0 1,631.3 1.826.8 1,431.1 0.1 0.1 70 BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANDXIC AND HYPOXIC CONDITIONS-764-768, 768,772,770 MALE----FEMALE---8.1 10.0 6.2 6.9 8.6 5.2 548.3 649.5 442.8 487.3 0.1 0.1 0.0 0.0 71 72 73 74 75 76 77 78 0.0 0.0 0.0 0.0 WHITE-0.1 0.1 0.0 0.0 MALE----582.1 387.5 0.0 ALL OTHER 0.0 0.1

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973—Con.

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	5559 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 Years	85 YEARS AND OVER	T
0.2 0.1 0.2 0.1 0.1 0.4 0.5	0.2 0.2 0.1 0.1 0.1 0.8 1.1	0.4 0.4 0.4 0.3 0.3 0.2 1.4 1.6	0.4 0.4 0.4 0.3 0.3 0.2 1.5 1.5	0.6 0.8 0.5 0.5 0.7 0.4 1.6 1.8	1.1 1.2 1.0 1.1 0.9 2.8 3.0 2.6	1.7 1.9 1.5 1.4 1.6 1.3 3.9 4.6	2.6 3.4 1.9 2.2 3.1 1.5 5.7 6.0 5.5	3.4 5.0 2.3 2.9 4.4 1.9 9.1 11.1 7.3	5.6 8.5 3.7 5.3 8.2 3.5 8.9 11.5	7.2 10.7 5.3 6.8 10.5 4.7 11.9 12.2	10.0 15.8 7.1 9.7 15.0 7.1 12.9 22.6 6.8	123456789
1.0 1.1 0.9 0.7 0.8 0.5 3.2 3.1	1.3 1.5 1.1 0.8 0.9 0.7 4.5 5.7 3.5	1.8 2.0 1.7 1.1 1.3 1.0 7.0 7.1 6.9	2.6 3.1 2.2 1.6 2.1 1.2 10.6 11.3	3.6 3.9 3.3 2.3 2.7 2.0 14.7 15.2	5.4 5.9 4.9 3.9 4.6 3.2 20.4 19.3 21.4	7.0 7.8 6.3 4.9 5.8 4.1 26.7 26.3	10.2 12.8 8.2 7.6 9.7 5.9 34.4 41.0 29.0	15-2 19-6 12-0 11-9 16-5 8-7 50-4 50-9 49-8	21.5 29.2 16.4 18.8 26.3 13.8 54.5 61.1 49.4	29.5 39.3 23.8 27.5 37.5 21.7 53.5 58.5 50.0	52.1 72.8 41.7 48.2 66.5 39.1 93.6 130.2	10 11 12 13 14 15 16 17
0.2 0.2 0.3 0.2 0.2 0.2 0.6 0.7	0.3 0.4 0.3 0.2 0.3 0.8 0.8	0.9 0.6 1.2 0.7 0.4 0.9 2.4 1.7 3.0	0.9 0.7 1.1 0.7 0.6 0.8 2.5 1.5	1.4 1.1 1.7 1.0 0.8 1.2 5.1 4.2	2-7 2-2 3-1 2-2 1-9 2-5 6-8 4-4 9-0	4.9 4.6 5.2 3.9 3.6 4.2 14.0 13.7	8-3 8-2 8-4 7-4 7-9 16-9 19-8	15.0 16.3 14.0 13.5 14.9 12.4 31.2 30.1 32.0	25.1 28.8 22.7 23.9 26.7 22.1 39.6 51.9 30.2	43.0 49.6 39.2 43.0 48.7 39.8 42.6 59.8 30.8	81.6 93.0 75.9 82.1 93.9 76.3 75.7 83.0	19 20 21 22 23 24 25 26 27
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			- - - -	0-1 0-1 0-1 0-1 0-2 0-4	0.1 0.3 0.1 0.2 0.4	0.6 1.3 0.5 1.1 1.4 2.9	1-6 3-5 1-3 3-0 3-6 8-1	3.8 9.1 3.5 8.5 7.0 15.3	8.4 21.1 8.2 20.7 11.2 26.0	14.1 38.2 13.8 37.8 17.3 42.7	29.8 89.2 30.3 91.5 25.0 66.0	28 29 30 31 32 33
0.7 1.5 0.5 1.0 2.6 4.7	0.5 1.0 0.3 0.6 2.0 3.6	0.2 0.4 0.1 0.3 0.8 1.5	0.0 0.0 0.0 0.0 0.1	-	111111	11111	11111	-	-	0.0 0.1 - - 0.5 0.8	-	34 35 36 37 38 39
0.0 0.1 0.0 0.0 0.1 0.2	0.0 0.1 0.0 0.0 0.2 0.4	0.0 0.1 0.0 0.0 0.1 0.1	- - - - -	11111	111111	1	- -	-	·	-	-	40 41 42 43 44 45
0.7 1.4 0.5 C.9 2.4 4.5	0.5 0.9 0.3 0.5 1.8 3.3	0.2 0.4 0.1 0.2 0.7 1.3	0.0 0.0 0.0 0.0 0.0 0.1	- 1	11111	11111	1	-	-	0.0 0.1 - 0.5 0.8	- - - -	46 47 48 49 50
1.4 1.6 1.3 1.4 1.6 1.3 1.3	1.5 1.9 1.1 1.5 2.0 1.1 1.6 1.6	1.7 1.9 1.5 1.7 1.8 1.5 1.6 1.9	1.9 2.0 1.8 1.8 1.9 1.8 2.2 2.5 2.0	2.0 2.1 2.0 2.0 2.0 1.9 2.5 2.8	2.4 2.5 2.3 2.4 2.5 2.3 2.6 3.2 2.0	2.3 2.6 2.0 2.3 2.6 2.1 2.0 2.4	2.6 3.1 2.2 2.6 2.9 2.3 2.9 4.5 1.7	2-8 3-2 2-5 2-7 3-0 2-5 4-0 5-1 3-1	2.9 3.5 2.5 2.9 3.6 2.4 3.0 1.5	2.9 3.6 2.5 3.0 3.8 2.6 1.5 1.2	3.6 4.2 3.3 3.8 4.5 3.4 2.1 1.9 2.3	52 53 54 55 56 57 58 59 60
0.0 0.0 0.0 0.0	a.o 0.0 0.0 0.0 0.0 0.0 - - -	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	0.0 0.0 0.0 0.0 0.0 0.1	0-1 0-1 0-1 0-1 0-1	0.1 0.1 0.1 0.1 -	1	0.3 0.4 0.3 0.3 0.4 0.3	61 62 63 64 65 66 67 68 69
0.0 0.0 0.0 0.0 - - -	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0  - - 0.1 0.2	0.0 0.0 - 0.0 0.0 - -	-	-		0.0 0.0 0.0 0.0 0.0 0.0	-	0.1 	-	0.1 0.2 0.1 0.1 0.2 0.1	70 71 72 73 74 75 76 77

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year [Rates per 100,000 population in specified group. Numbers after causes of death are category

Rates per 100,000 population in specified group. Numbers after causes									
	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>1</sup>	UNDER 1 YEAR	1-4 Years	5–9 YEARS	10-14 Years	15-19 Years	20-24 Years	25–29 Years
1	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—CON.  OTHER CAUSES OF MORTALITY IN EARLY INFANCY————————————————————————————————————	<b>6.</b> 5	438.7	<b>0.0</b>	a.a	Q <b>.</b> 0	0.0	-	3.0
2 3 4 5 6 7 8 9	MALE—— FEMALE—— WHITE————————————————————————————————————	7-4 5-6 5-3 6-0 4-5 14-7 16-8 12-8	477-3 398-7 372-5 407-4 335-8 774-2 834-2 712-7	0.1 0.0 0.1 - 0.0 0.1	0.0 0.0 0.0 - - -	0.0 0.0 - - - 0.1 0.1	0.0 		0.0 0.0 0.0
10 11 12 13 14 15 16 17	SYMPTOMS AND ILL-DEFINED CONDITIONS780-796 MALE FEMALE WHITE	14.5 17.8 11.3 11.6 14.3 9.0 34.4 42.5 27.0	136.7 158.8 113.6 102.8 122.2 82.5 307.9 346.3 268.5	2.7 3.0 2.4 1.8 2.1 1.5 7.2 7.3	0.6 0.7 0.6 0.5 0.5 1.4 1.4	0.6 0.8 0.5 0.5 0.6 0.4 1.4 1.7	2.9 3.9 1.9 2.3 3.1 1.4 6.5 8.4 4.5	5.1 7.1 3.1 3.8 5.3 2.4 13.0 19.2 7.5	4.8 6.5 3.1 3.4 4.7 2.2 14.4 20.2 9.5
19 20 21 22 23 24 25 26 27	ALL OTHER DISEASES——RESIDUAL MALE—FEMALE— WHITE——MALE—FEMALE— ALL OTHER——MALE——FEMALE—FEMALE—	54.7 62.8 47.0 53.6 61.2 46.4 61.9 73.8 51.0	65.3 73.8 56.4 56.4 64.6 47.6 110.4 120.6	7.9 8.1 7.7 7.5 7.6 7.5 9.9 11.1 8.7	4.0 4.0 4.0 3.9 4.2 4.0 4.6 3.5	3.6 3.8 3.5 3.5 3.7 3.4 4.3 4.6 3.9	6.7 8.3 5.0 6.0 7.7 4.1 10.9 11.6	9.9 12.1 7.8 8.1 10.0 6.3 21.2 26.1 16.8	11.3 13.0 9.6 8.6 9.7 7.6 30.5 38.8 23.4
28 29 30 31 32 33 34 35	ACCIDENTS — — — — — — — — — — — — — — — — — — —	55.2 78.7 32.8 53.8 75.9 32.7 64.6 98.5 33.6	54.9 61.9 47.7 44.8 52.1 37.0 106.3 111.7 100.8	31.9 37.5 26.0 28.6 34.1 22.9 48.4 55.1 41.5	20.5 26.3 14.5 18.8 24.0 13.4 29.5 38.5 20.3	21.0 29.8 11.9 20.4 28.4 11.9 24.6 37.5	66.6 102.4 29.9 69.0 105.8 31.2 52.3 82.5	71.4 117.7 25.9 70.2 115.6 24.9 79.4 131.8 32.1	54.3 88.9 20.4 51.2 83.3 19.3 76.4 132.9 27.9
37 38 39 40 41 42 43 44 45	HOTOR VEHICLE ACCIDENTS — E010-E023 MALE — FEMALE— WHITE — MALE — FEMALE— ALL OTHER — MALE — FEMALE— FEMALE — FEMALE — FEMALE —	26.5 39.1 14.5 26.2 38.4 14.5 28.1 43.5 14.0	10.6 10.9 10.3 10.5 11.4 9.5 11.2 8.2 14.3	12-3 14-2 10-3 11-2 12-6 9-6 17-9 22-2 13-5	11-1 13-4 8-7 10-4 12-5 8-2 14-6 17-8	10.1 13.5 6.7 10.5 13.8 7.1 8.3 11.8 4.8	45.5 66.8 23.6 48.8 71.6 25.3 26.0 38.3	48.2 77.9 19.0 48.6 78.3 19.0 45.8 75.3	33.0 52.5 13.9 31.9 50.3 13.6 41.1 70.0
46 47 48 49 50 51 52 53	ALL OTHER ACCIDENTSE800-E807; E825-E949  MALE	28.7 39.6 18.4 27.6 37.4 18.2 36.5 55.0 19.6	44.3 51.0 37.4 34.3 40.7 27.5 95.1 103.5 86.5	19.6 23.3 15.7 17.5 21.5 13.3 30.5 32.9 28.0	9.4 12.9 5.8 8.4 11.5 5.2 14.8 20.7 8.9	10.9 16.3 5.2 9.9 14.7 4.9 16.3 25.7	21.1 35.6 6.3 20.2 34.2 5.9 26.3 44.2 8.6	23.2 39.8 6.9 21.5 37.3 5.9 33.6 56.5 13.0	21.2 36.3 6.4 19.3 33.0 5.7 35.3 62.9
55 56 57 58 59 60 61 62 63	SUICIDE	12.0 17.7 6.5 12.8 18.8 7.0 6.4 10.0			0.0 0.0 - - - - 0.0 0.1	0-7 1-1 0-4 0-8 1-2 0-4 0-3 0-5	7.0 10.7 3.1 7.4 11.4 3.2 4.7 6.8 2.7	14.8 24.1 5.6 14.9 24.3 5.5 14.1 23.3 5.8	15.0 22.5 7.7 15.0 22.1 8.0 15.2 25.8 6.2
64 65 66 67 68 69 70 71 72	HOMICTOE	9.8 15.5 4.3 5.5 8.3 2.8 39.1 65.8 14.6	5.2 5.1 5.3 3.9 4.0 3.7 12.2 10.9	2.5 2.7 2.3 1.7 1.8 1.6 6.7 7.3 6.1	0.8 0.9 0.6 0.6 0.6 0.5 1.8 2.3	1.4 1.7 1.0 0.9 1.0 0.8 3.7 5.4 2.1	9.1 13.5 4.6 5.1 7.1 3.1 32.2 51.5	18.4 29.1 7.8 9.4 14.4 4.5 75.4 128.2 27.8	19.5 32.2 7.1 10.0 16.0 4.0 88.6 159.4 27.9
73 74 75 76 77 78 79 80 81	OTHER EXTERNAL CAUSES	2.4 3.4 1.5 2.0 2.8 1.3 4.8 7.3 2.6	2.9 3.4 2.3 2.6 2.0 6.1 7.8	1.1 1.3 0.9 0.8 0.9 0.7 2.6 3.3 2.0	0.3 0.4 0.2 0.2 0.2 0.1 1.2 1.6 0.8	0.5 0.8 0.2 0.4 0.7 0.2 1.0 1.6 0.4	1.8 2.6 0.9 1.5 2.3 0.7 3.2 4.3 2.2	3.4 5.0 1.8 2.8 4.2 1.4 7.1 10.3 4.1	2.9 4.5 1.3 2.3 3.6 1.1 7.1 12.2 2.7

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973-Con. numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35–39 Years	40-44 Years	45-49 YEARS	50-54 YEARS	55–59 YEARS	60-64 YEARS	65-69 Years	70-74 YEARS	75–79 YEARS	80-84 YEARS	85 YEARS AND OVER	
1111111	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	111111111111111111111111111111111111111	10		111111111111111111111111111111111111111	0.0 0.0 0.0 0.0 0.0	0.1 0.1 0.1 0.1 0.1	-	1111111	0.2 0.2 0.2 0.2 0.2 0.2	1 2 3 4 5 6 7 8
5.1. 6.4 3.9 3.6 4.2 2.9 16.0 22.7	6.8 8.7 5.0 4.4 5.5 3.4 23.6 33.6	9.7 12.3 7.2 6.8 8.5 5.1 30.9 42.3 21.4	11.8 15.8 8.1 8.9 11.9 6.0 35.8 49.2 24.2	14.8 20.3 9.8 11.4 15.7 7.3 45.1 61.3 30.9	20.4 29.0 12.6 16.2 23.4 9.6 61.6 86.0 40.5	26.8 40.4 15.0 21.4 33.5 10.9 76.7 105.4 52.1	33.2 48.5 20.9 26.2 39.5 15.5 97.1 130.5	46.2 67.1 30.9 35.5 53.8 22.3 161.4 199.1 129.3	61.9 86.3 45.7 50.0 70.5 36.6 204.0 258.8 162.2	87.1 116.6 69.9 73.8 97.9 59.9 242.1 313.4	199.9 244.6 1770.9 205.9 153.7 507.9 600.0	10 11 12 13 14 15 16 17 18
15.2 17.4 13.0 11.1 12.2 10.0 43.7 56.6 32.7	21.6 24.9 18.5 16.3 18.1 14.5 59.1 76.5 44.7	31.6 36.7 26.8 25.4 29.0 21.9 76.6 97.0 59.6	43.2 50.8 36.0 36.5 42.5 30.8 98.1 122.2 77.3	57.8 69.8 46.8 51.1 61.3 41.7 116.2 146.1 90.0	84.3 104.3 66.0 76.2 96.9 60.9 144.6 179.3	124.5 165.2 88.9 118.8 158.1 84.5 176.8 231.7 129.7	175.3 238.4 124.9 170.8 233.8 120.3 217.0 279.9 166.7	253.2 347.8 184.1 246.9 343.7 176.8 322.6 387.0 267.6	365.7 511.8 269.1 363.8 511.6 267.0 389.8 514.5 294.8	471.3 639.3 373.3 478.0 650.8 378.3 393.1 518.3 307.5	694.9 892.5 595.7 709.5 913.8 608.5 539.3 677.4 450.0	19 20 21 22 23 24 25 26 27
46.4 75.0 18.7 43.6 70.3 17.4 65.5 110.2 27.5	45.6 72.7 19.9 41.8 65.8 18.5 72.4 125.2 29.1	45.3 69.8 22.0 41.4 62.9 20.5 73.8 123.7 32.1	47.8 72.8 24.3 44.2 66.5 23.2 76.6 126.7 33.3	49.9 75.3 26.3 45.9 68.6 24.7 84.4 135.6 39.5	56.0 84-5 29.9 53.3 79.0 29.6 82.7 140.5	63.2 92.6 37.5 59.9 86.0 37.1 93.5 154.1 41.4	68.3 97.9 44.7 66.0 93.2 44.1 90.0 140.1 49.9	90.0 125.3 64.1 86.5 119.9 62.3 127.6 177.8 85.3	133.9 179.3 103.9 133.6 177.9 104.6 138.0 193.9	201.2 252.5 171.3 205.1 256.6 175.3 155.9 208.5 129.0	404-2 474-7 368-8 419-9 492-9 383-9 237-1 296-2 198-9	28 29 30 31 32 33 34 35 36
27-0 42-2 12-4 25-9 40-3 11-7 34-7 56-3 16-4	24.4 37.7 11.8 22.7 34.7 11.2 36.3 61.2	23.0 34.2 12.4 21.6 31.3 12.2 33.6 56.9 14.2	22.9 34.0 12.5 21.7 31.9 12.0 32.9 51.7	22.8 33.4 13.0 21.0 30.3 12.4 38.2 61.5	23.9 35.1 13.8 22.9 33.1 13.6 33.8 55.2	25.7 36.2 16.5 24.7 33.6 16.9 35.1 60.7 13.2	26.8 37.9 17.9 25.8 35.5 18.1 35.3 59.3	33.1 47.2 22.7 32.5 45.7 23.0 39.2 62.5	40.6 62.2 26.3 41.0 62.3 27.1 35.0 60.3	41.0 67.9 25.3 42.2 69.6 26.4 27.2 50.0	34.7 68.4 17.8 36.0 71.4 18.5 21.4 39.6 10.2	37 38 39 40 41 42 43 44 45
19-4 32-8 6-4 17-7 30-0 5-6 30-8 54-0 11-2	21.2 35.0 8.1 19.0 31.2 7.3 36.1 64.0	22-2 35-6 9-5 19-8 31-6 8-3 40-1 66-8 17-8	24-8 38-7 11-8 22-5 34-5 11-2 43-7 75-0 16-6	27.0 41.9 13.3 24.8 38.3 12.3 46.2 74.1 21.7	32.0 49.4 16.1 30.3 45.9 16.0 48.9 85.3 17.4	37.5 56.4 21.0 35.2 52.4 20.2 58.3 93.4 28.2	41.6 60.0 26.8 40.1 57.7 26.0 54.7 80.8 33.8	56.9 78.0 41.4 54.0 74.3 39.3 88.4 115.3 65.6	93.4 117.1 77.6 92.6 115.6 77.5 103.0 133.6 79.7	160-2 184-6 146-0 162-9 187-1 148-9 128-7 158-5 108-3	365.4 215.7	46 47 48 49 50 51 52 53
14.7 21.1 8.5 15.2 21.4 9.1 11.1 18.9 4.4	15.7 21.2 10.5 16.3 21.7 11.2 11.6 18.1 6.4	17.1 22.4 12.1 18.5 23.9 13.2 7.3 10.6 4.5	19.4 26.2 12.9 20.7 27.6 14.2 8.1 14.2 2.9	19.6 27.5 12.2 20.9 29.2 13.2 7.7 12.4	21.0 30.4 12.4 22.3 32.1 13.2 8.7 12.6	19.6 30.7 9.9 20.9 32.8 10.6 7.3 11.7	19.5 33.1 8.6 21.0 35.5 9.3 6.0 11.1	20.2 36.6 8.2 21.4 39.0 8.7 7.4 12.5 3.1	22.2 43.7 8.0 23.4 46.4 6.3 8.3 13.7	20.1 43.2 6.6 21.2 46.1 6.9 6.9 12.2 3.3	50.3 4.6 21.0 54.6 4.4 7.9 9.4	55 56 57 58 59 60 61 62 63
18.4 30.1 7.1 9.1 14.5 3.8 82.8 146.5 28.7	17.1 27.2 7.5 9.1 13.9 4.4 73.5 129.0 28.0	14.7 23.6 6.3 7.6 11.5 3.9 66.7 119.0 23.1	12-3 20-2 4-9 6-6 10-4 3-0 58-9 104-3 19-7	9.8 16.3 3.8 5.8 9.3 2.6 44.7 79.7 14.0	8.8 15.0 3.1 5.6 9.2 2.2 40.3 73.6 11.4	6.9 11.7 2.7 4.6 7.6 2.0 27.8 49.3 9.4	6.0 9.9 2.8 4.1 6.5 2.3 22.6 41.6 7.4	5.5 9.1 2.9 3.9 6.1 2.3 23.0 38.4 10.0	5-4 8-0 3-6 4-4 5-9 3-4 17-2 31-3 6-4	4.6 6.3 3.6 4.1 5.4 3.3 10.9 15.9 7.5	5.5 2.3 3.1 5.1 2.1 6.4 9.4	64 65 66 67 68 69 70 71
3.0 4.0 2.0 2.4 3.1 1.7 7.4 11.4	3.3 4.6 2.1 2.4 3.3 1.6 9.6 14.7	3.3 4.5 2.2 2.8 3.7 2.0 7.0 10.6 4.0	3.4 4.3 2.5 2.8 3.4 2.3 7.8 12.3 3.9	3.2 4.2 2.4 2.9 3.5 2.3 6.1 10.3 2.5	3.3 4.7 2.0 3.0 4.1 1.9 6.6 11.3	3.1 4.6 1.8 2.8 4.0 1.7 5.7 9.5	2.8 4.1 1.7 2.6 3.8 1.7 4.1 7.5	3.1 4.7 1.9 2.9 4.3 2.0 5.1 9.3	3.0 5.6 1.4 2.9 5.4 1.2 5.3 7.6	3.4 5.3 2.3 3.1 4.9 2.1 6.9 9.8	6.8 2.1 3.4 5.7 2.3 6.4 17.0	73 74 75 76 77 78 79 80 81

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

==			cates per 100,000 popular	zon in opeence group	Trumpero miter chaper	o by acath are eategory
	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>1</sup>	UNDER 1 YEAR	1-4 YEARS	5–14 Years	15-24 YEARS
1	ALL CAUSES	940 <b>.</b> Z	1,805.2	79.5	41.0	128.3
23456789	MALE——FEMALE—— WHITE———  MALE——— FEMALE——  ALL OTHER——  MALE—— FEMALE—— FEMALE—— FEMALE——	1,072-9 814-2 944-2 1,071-2 823-0 912-6 1,084-6 755-4	2,032.1 1,568.8 1,565.1 1,776.5 1,342.8 3,020.1 3,335.4 2,697.2	88.8 69.9 71.4 79.8 62.5 121.1 135.6 106.5	50.0 31.6 36.8 47.0 30.2 53.0 66.8 39.2	176.2 60.0 187.4 275.2
10 11 12 13 14 15 16 17	BACILLARY DYSENTERY AND AMEBIASIS	0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.3 0.1 0.5 0.2 0.1 0.2 0.8	0.0 0.0 0.1 0.0 0.0 0.1 0.1	0.0 0.0 0.0 0.0 0.0 0.1	0.0 0.0 0.0
19 20 21 22 23 24 25 26 27	ENTERITIS AND OTHER DIARRHEAL DISEASES	1-1 1-0 1-2 1-0 0-9 1-1 1-9 2-1	22.4 25.0 19.7 15.1 17.1 12.8 59.6 65.0 54.2	1.0 1.2 0.8 0.9 1.0 0.7 1.7 2.1	0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2
28 29 30 31 32 33 34 35	TUBERCULOSIS, ALL FORMS	1.0 2.6 1.1 1.5 2.1 0.9 4.5 6.7 2.5	0.4 0.6 0.2 0.2 0.4 0.1 1.2 1.6	0.1 0.1 0.1 0.1 0.1 0.3 0.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.1 0.0 0.0 0.1 0.0 0.3 0.2
37 38 39 40 41 42 43 44	TUBERCULOSIS OF RESPIRATORY SYSTEM	1-4 2-1 0-8 1-1 1-6 0-6 3-6 5-6 1-8	0.2 0.3 0.1 0.1 0.2 - 0.6 0.8 0.4	0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0-1 0-0 0-0 0-0 0.0 0.2 0-2
46 47 48 49 50 51 52 53 54	TUBERCULOSIS+ OTHER FORMS	0.4 0.5 0.3 0.3 0.4 0.3 0.9 1-1	0-2 0-3 0-1 0-1 0-2 0-1 0-6 0-8	0.1 0.1 0.1 0.1 0.0 0.2 0.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.1 0.0
55 56 57 58 59 60 61 62	WHOOPING COUGH	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0-2 0-1 0-2 0-2 0-2 0-2			111111111
64 65 66 67 68 69 70 71	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER034 MALE FEMALE WHITE FEMALE FEMALE ALL OTHER FEMALE FEMALE FEMALE FEMALE	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0-1 0-1 0-1 0-1 0-1 0-1		0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.2 0.0 0.0
73 74 75 76 77 78 79 80 81	MENINGOCOCCAL INFECTIONS 036  MALE—— FEMALE—  WHITE—  MALE—— FEMALE—  ALL OTHER—  HALE—— FEHALE—  FEHALE——	0.2 0.2 0.1 0.1 0.2 0.1 0.2 0.3	2.9 3.5 2.3 2.8 3.3 2.3 3.5 4.7 2.4	0.5 0.5 0.6 0.6 0.6 0.5 0.1	0.1 0.2 0.1 0.1 0.1 0.3 0.2	0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.4

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

## SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1973

25–34 YEARS	35-44 Years	45–54 Years	\$5-64 YEARS	65-74 Years	75–84 YEARS	85 YEARS AND OVER	T
153.6	295.9	697.4	1,611.9	3,440.0	7,932.1	17,429.4	ı
214-5 94-4 128-2 177-6 79-3 334-2 498-6 194-1	380.4 215.6 252.0 324.4 181.8 609.9 815.7 439.6	916.6 493.1 633.6 839.7 439.9 1,235.4 1,591.5 926.0	2,206.6 1,079.8 1,529.5 2,118.2 1,000.7 2,399.7 3,069.5 1,821.7	4.731.5 2.445.5 3.335.2 4.653.9 2.324.7 4.470.8 5.456.7	10+108+1 6+562+5 7+976+7 10+214+3 6+502-2 7+419+6 8+965-7 6+291-8	19.809.4 16.234.0 17.926.6 20.436.1 16.685.8 12.137.9 13.605.7	23456789
0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.0 0.1 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 -	0.1 0.1 0.0 0.1 0.1 0.2 0.2	0.1 0.2 0.1 0.2 0.1 0.4 0.5	0-1 0-2 0-1 0-1 0-2 0-1	11 12 13 14
0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	0-2 0-2 0-2 0-2 0-1 0-2 0-5 0-6 0-4	0.4 0.4 0.4 0.3 0.4 0.9 1.1	0.9 0.8 1.0 0.9 0.9 1.1 0.8	2-1 2-1 2-1 2-0 2-1 2-0 3-1 2-4	7.3 7.2 7.4 7.3 6.9 7.5 7.7 10.3 5.8	19-4 18-7 19-8 19-6 19-5 19-7 17-9 11-3 21-6	19 20 21 22 23 24 25 26 27
0.3 0.4 0.3 0.1 0.1 1.9 2.5	1.2 1.7 0.8 0.5 0.7 0.4 6.3 9.4 3.7	2.5 3.8 1.4 1.5 2.1 0.9 11.1 18.1 5.0	4.5 7.2 2.1 3.5 5.6 1.6 13.7 22.1 6.4	7-3 12-2 3-5 6-0 10-0 3-0 19-8 32-5 9-3	11.6 19.9 6.3 10.4 18.0 5.7 24.8 40.4	24.9	28 29 30 31 32 33 34 35 36
0.2 0.3 0.2 0.1 0.1 0.1 1.2 1.8	1.0 1.4 0.6 0.4 0.5 0.3 5.3 8.4 2.8	2.0 3.1 1.0 1.1 1.7 0.6 9.3 15.5	3.5 5.9 1.4 2.7 4.5 1.0 11.6 19.1	5-6 9-8 2-4 4-6 8-1 2-0 15-3 25-8 6-7	9.0 15.4 4.9 8.1 14.0 4.5 19.0 31.0	22.0 7.4	37 38 39 40 41 42 43 44 45
0.1 0.1 0.1 0.0 0.0 0.0 0.7 0.7	0.2 0.2 0.2 0.1 0.1 0.1 0.1 1.0	0.5 0.6 0.4 0.4 0.3 1.8 2.6	1.0 1.3 0.7 0.8 1.1 0.6 2.1 3.1	1.7 2.4 1.1 1.4 2.0 1.0 4.5 6.7 2.7	2.6 4.5 1.4 2.3 4.1 1.2 5.7 9.4 3.1	2.9 4.6 2.1 3.0 4.9 2.0 2.9 1.9 3.4	46 47 48 49 50 51 52 53
		111111111111111111111111111111111111111	1111111111	1111111			55 56 57 58 59 60 61 62 63
0.0 0.0 - 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 - 0.0 -	0.0 0.0 0.0 - 0.0	0.0 	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0		64 65 66 67 68 69 70 71
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.1 0.1 0.1 0.1 0.1 0.0	0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.1 0.1 0.1 0.1 0.1 0.1	0.1 0.0 0.1 0.1 0.0 0.1 0.2 0.2	0.1 0.2 0.1 0.1 0.1 0.2 0.1 0.2 0.5	0.1 0.2 0.1 0.1 0.2 0.7 1.1	73 74 75 76 77 78 79 80 81

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

=	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>1</sup>	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
1 2 3 4 5 6 7 8 9	SEPTICEMIA	2.2 2.4 2.0 1.9 2.1 1.8 3.8 4.3 3.3	26-1 29-8 22-3 21-7 24-7 18-5 48-8 56-0 41-4	0.6 0.5 0.5 0.5 0.4 1.0 1.2	2-1 9-1 0-1 0-1 0-1 0-2 0-1 0-2	0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.4 0.3 0.5
10 11 12 13 14 15 16 17	ACUTE POLIOMYELITIS	0.0 0.0 0.0 0.0 0.0 0.0 0.0	- - - - - - - -	- - - - - - -		111111111111111111111111111111111111111
19 20 21 22 23 24 25 26 27	MEASLES	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.3 - 0.1 0.2 - 0.2 0.4	0.1 0.1 0.0 0.0 0.1 0.0 0.1 0.2	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0
28 29 30 31 32 33 34 35 36	SYPHILIS AND ITS SEQUELAE	0.2 0.3 0.1 0.1 0.2 0.1 0.7 0.7	0.3 0.3 0.2 0.2 0.1 1.0 0.4		0.0 0.0 0.0 0.0 -	0.0 
37 38 39 40 41 42 43 44	OTHER INFECTIVE AND PARASITIC DISEASES	1.9 2.0 1.8 1.8 1.9 1.7 3.1 3.1	10.1 11.5 8.6 8.8 10.4 7.1 16.7 17.1	1.4 l.6 1.1 1.3 1.5 1.0 1.7 1.7	0.7 0.8 9.7 0.8 0.7 0.7 0.7	0.7 0.7 0.6 0.6 0.6 1.2 1.0
46 47 48 49 50 51 52 53 54	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES140-209 MALE FEMALE WHITE	167.3 187.1 148.4 170.9 189.6 153.0 142.8 170.1	4.4 4.3 4.4 4.5 4.5 4.5 3.5 3.5 3.6	6.4 7.4 5.3 6.6 7.6 5.5 - 5.4 6.2 4.7	5-4 6-0 4-7 5-4 6-2 4-6 5-1 5-1	7.5 9-1 5.9 7.6 9.3 5.9 7.0 8.0 6.1
55 56 57 58 59 60 61 62 63	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX  MALE FEMALE  WHITE  MALE FEMALE  ALL OTHER FEMALE FEMALE FEMALE FEMALE	3.7 5.4 2.1 3.7 5.4 2.2 3.7 5.8 1.8		0.0 0.0 0.0 0.0 0.0 0.0 	2.9 0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.1 0.1 0.1 0.1 0.1 0.0 0.2 0.2
64 65 66 67 68 69 70 71 72	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM MALE FEMALE WHITE FEMALE ALL OTHER FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE	46.0 50.0 42.3 46.8 50.2 43.5 40.8 48.4 33.8	0.5 0.6 0.3 0.5 0.7 0.3 0.4 0.4	0.1 0.2 0.1 0.2 0.2 0.1 0.1	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2	0.4 0.5 0.3 0.4 0.7 0.7 0.9
73 74 75 76 77 78 79 80 81	MALIGNANT NEOPLASHS OF RESPIRATORY  SYSTEM — — — — — — — — — — — — — — — — — — —	37.8 61.3 15.4 38.7 62.4 16.0 31.9 54.2	0.1 0.1 0.2 0.2 0.1 0.2	0.1 0.1 0.0 0.0 0.1 	0.1 0.0 0.1 0.1 0.1 0.0 0.1	0.1 0.2 0.1 0.1 0.1 0.1 0.2 0.3

<sup>&#</sup>x27;Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973-Con.

25-34 Years	35–44 Years	45-54 YEAR S	55 <b>–</b> 64 Years	65-74 YEARS	75-84 YEARS	85 YEARS And Over	
0.3 0.3 0.3 0.2 0.2 1.0 1.2	0-6 0-7 0-5 0-4 0-4 2-0 2-7	1.5 1.8 1.3 1.2 1.4 0.9 4.4 4.8	3.0 3.6 2.5 2.6 3.2 2.1 7.1 7.8 6.5	6.9 9.0 5.4 6.1 8.0 4.7 14.8 18.4	15.6 20.5 12.5 14.6 19.0 11.9 27.5 36.6 20.9	27.7 32.8 25.2 26.4 30.8 24.2 42.1 50.9 36.4	1 2 3 4 5 6 7 8 9
0.0 0.0 0.0 0.0 	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 	0.0 0.0 - 0.0 0.0 - - -	0.D 0.0 0.0 0.0 - -			10 11 12 13 14 15 16 17 18
	-			1111111			19 20 21 22 23 24 25 26 27
0.0 	0.0 0.0 0.0 0.0 0.0 0.0 - 0.1 0.1	0.1 0.1 0.1 0.0 0.0 0.0 0.6 1.0	0.5 0.7 0.3 0.3 0.4 0.2 2.5 4.1	1.1 1.9 0.5 0.7 1.2 0.3 5.2 8.5	1.4 2.3 0.0 0.9 1.7 0.5 6.5 8.9	1-4 2-0 1-1 0-8 1-4 0-5 7-9 7-5	28 29 30 31 32 33 34 35
0.9 1.0 0.9 0.7 0.6 3.0 3.0	1.2 1.2 1.2 1.0 1.0 2.9 3.1 2.8	1.9 1.9 2.0 1.6 1.6 4.6 4.6 4.1	3-1 3-6 2-5 2-6 3-2 2-1 7-2 7-6	4.6 5.5 3.9 4.3 5.1 3.8 7.2 9.8 5.0	8.4 11.1 6.7 8.3 11.0 6.6 9.5 12.2 7.5	16.7 17.2 16.4 17.1 18.1 16.6 12.1 9.4	37 38 39 40 41 42 43 44
15.6 15.7 15.7 15.3 15.5 15.2 17.4 15.2	56.1 50.8 61.0 53.3 48.5 58.0 75.7 68.8 81.3	180.9 183.5 178.6 171.4 170.6 172.0 261.6 296.2 231.8	430.0 513.3 355.4 417.1 493.4 348.6 552.7 707.5 419,2	768-1 1-033-7 563-7 756-5 1-017-6 556-5 882-9 1-184-0	1,187.9 1,665.7 887.0 1,193.3 1.671.8 895.2 1,126.5 1,600.0 781.2	1,435.3 2,016.0 1,142.7 1,468.0 2,062.5 1,174.0 1,087.9 1,566.0	.46 47 48 49 50 51 52 53
0.2 0.2 0.1 0.1 0.1 0.5 0.7	1.1 1.5 0.6 0.8 1.2 0.5 2.8 4.4	5.4 8.0 2.9 4.6 6.8 2.6 11.4 18.5 5.3	12.3 18.7 6.5 11.9 17.9 6.4 16.0 26.5	16.5 28.2 7.6 16.4 27.9 7.6 18.0 31.3 7.1	18.7 33.0 9.7 19.1 33.9 9.8 14.3 23.0 7.9	11.3	55 56 57 58 59 60 61 62 63
1.8 1.9 1.7 1.7 1.8 1.6 2.9 3.0 2.7	9.1 10.3 7.9 8.3 9.3 7.3 15.3 18.2 12.3	37-2 44-2 30-7 34-0 40-1 28-3 63-6 79-6	107.6 132.7 85.2 102.1 125.2 81.4 160.4 205.7	223.2 282.2 177.8 217.6 273.9 174.5 278.3 360.9 210.7	403.5 502.4 341.3 405.5 506.3 342.7 381.0 460.6 322.9	455.3 536.6 670.4 470.5	64 65 66 67 68 69 70 71 72
1.0 1.2 0.8 1.0 1.1 0.8 1.2 1.9	11.2 15.9 6.7 10.5 14.7 6.4 16.2 25.2 8.8	49.6 75.8 25.2 46.3 69.5 24.4 77.4 130.6	125.6 210.8 49.4 122.8 204.1 49.7 152.6 275.4	193.0 368.7 57.7 193.8 371.3 57.9 185.0 343.6	195.7 404.4 64.2 197.7 411.1 64.9 171.7 331.9 54.8	279.3 65.0 138.7 285.2 66.2	76 77 78 79 80

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>1</sup>	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
1 2 3 4 5 6 7 8 9	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—CON.  MALIGNANT NEOPLASM OF BREAST————————————————————————————————————	15.3 0.3 29.6 16.0 0.3 31.0 10.7 0.3 20.3	- - - - - - - - -	- - - - - - - -	0.0 0.0 0.0 - 0.0 0.0 0.0	0.1 
10 11 12 13 14 15 16 17	MALIGNANT NEOPLASMS OF GENITAL ORGANS180-187 MALE HHITE	20.3 19.4 21.1 19.9 18.9 20.9 22.9 23.1 22.8	- - - - - - -	0-1 0-1 0-0 0-1 0-1 0-0 0-1 0-1	0-1 0-0 0-1 0-1 0-0 0-1 0-1 0-1	0.8 1.1 0.8 0.8 1.2 0.5 0.6 0.3
19 20 21 22 23 24 25 26 27	MALIGNANT NEOPLASMS OF URINARY ORGANS188,189  MALE HHITE	7.6 10.4 4.9 8.0 11.0 5.1 4.7 6.0 3.6	0.2 0.3 0.1 0.2 0.2 0.1 0.6 0.8	0-4 0-3 0-4 0-4 0-3 0-5 0-5	0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.1	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2
29 30 31 32 33 34 35 36	MALIGNANT NEOPLASHS OF ALL OTHER AND UNSPECIFIED SITES	20.3 21.9 18.9 20.9 22.3 19.5 16.9 18.8	2.0 1.8 2.1 2.2 2.1 2.2 1.0 0.4 1.6	2+8 2-9 2-6 2-9 3-0 2-7 2-4 2-8 2-1	1.9 1.9 1.8 1.9 1.7 2.2 1.8 2.6	2.6 3.1 2.1 2.7 3.3 2.1 2.2 2.0 2.4
37 38 39 40 41 42 43 44 45	LEUKEMIA	6.9 8.1 5.8 7.2 8.4 6.1 4.6 5.6	1.3 1.3 1.2 1.1 1.4 1.6 1.9	2.4 2.9 1.9 2.5 3.0 2.0 2.0 2.3 1.6	2-5 2-9 2-0 2-0 2-0 2-2 1-8 2-2	1.9 2.4 1.5 2.0 2.4 1.6 1.7 2.4
46 47 48 49 50 51 52 53	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES — 200-203,208,209 MALE — FEMALE — WHITE — MALE — FEMALE — FEMALE — ALL OTHER — HALE — FEMALE	7-3 10-4 8-3 9-7 10-7 8-8 6-5 7-8 5-3	0.2 0.2 0.3 0.3 0.2 0.3 -	0.5 0.6 0.3 0.5 0.7 0.3 0.3 0.3	0.6 0.8 0.3 0.6 0.9 0.3 0.5	1.4 1.7 1.1 1.4 1.7 1.1 1.2 1.7
55 56 57 58 59 60 61 62 63	BENIEN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	2.4 2.4 2.4 2.4 2.4 2.5 2.3 2.6	1.6 1.1 2.0 1.6 1.3 1.9 1.4 0.4	0.5 0.4 0.4 0.5 0.5 0.4 0.5	0.4 0.4 0.4 0.4 0.4 0.3 0.4	0.3 0.4 0.3 0.3 0.4 0.3 0.3
64 65 66 67 68 69 70 71	DIABETES MELLITUS	18.2 15.3 20.9 17.4 14.9 19.9 23.4 18.2 28.2	0.5 0.7 0.3 0.4 0.5 0.3 1.0 1.6	0.1 0.1 0.1 0.2 0.1 0.0 -	0.2 0.1 0.2 0.1 0.1 0.1 0.1	0.5 0.5 0.5 0.5 0.5 0.4 0.8 0.7
74 75 76 77 78 79 80 81	AWETAMINOSES AND OTHER NUTRITIONAL  DEFFICIENCIES————————————————————————————————————	1.2 1.1 1.4 1.2 1.0 1.4 1.5 1.6	3.4 3.7 3.1 2.8 1.9 8.5 8.2 8.8	0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.4	0.0 0.0 0.0 0.0 0.0 0.0 0.1	0.0 0.0 0.0 0.0 0.0 0.1 0.0

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973—Con.

25-34. YEARS	35-44 YEARS	45-54 Years	55 <b>~</b> 64 YEARS	65–74 Years	75-84 Years	85 YEARS AND OVER
1.7 0.0 3.4 1.6 0.0 3.2 2.5 0.1 4.5	9.9 0.1 19.2 9.5 0.1 18.5 12.8 0.1 23.4	27.0 0.3 51.9 26.8 0.3 51.8 28.9 0.6 53.6	43.0 0.8 80.8 43.5 0.8 81.8 38.9 1.5 71.1	57-7 1-4 101-1 58-3 1-4 101-9 51-8 1-5 92-8	79.5 2.6 128.0 82.0 2.7 131.4 49.9 1.9 84.9	113.8 3.1 169.4 117.5 2.6 174.3 74.3 7.5 113.6
2.3 1.6 2.9 2.1 1.8 2.5 3.2 0.4 5.6	6-7 11-4 11-7 6-0 1-4 10-5 11-3 0-8 20-0	18.3 3.6 32.0 16.9 3.2 29.8 30.2 7.6 49.9	40.9 24.4 55.6 37.7 21.1 52.7 70.9 56.9 83.0	90.7 105.5 79.4 84.3 95.5 75.7 153.9 199.5	182.9 309.3 103.3 175.9 296.2 101.1 265.5 450.7 130.5	244.1 1 514.3 1 108.4 1 240.9 1 108.7 1 277.9 1 560.4 1 104.5 1
0-2 0.3 0.2 0.3 0.2 0.3 0.2 0.2	1.2 1.7 0.7 1.2 1.8 0.7 0.9 1.3	5.4 7.8 3.2 5.3 7.7 3.0 6.5 8.4 4.8	16.9 25.3 9.4 16.9 25.4 9.2 17.4 24.3 11.4	36.9 59.4 19.5 37.1 60.7 19.0 34.6 47.1 24.4	68.4 113.0 40.3 70.3 117.3 41.1 45.7 67.6 29.8	93.1 1 153.2 2 62.9 2 97.4 2 163.5 2 64.7 2 47.9 2 54.7 2
3.9 4.8 3.1 4.0 4.9 3.2 3.3 3.9	9.8 11.2 8.6 9.8 11.2 8.5 10.2 11.2 9.4	23.6 26.7 20.8 23.1 25.9 20.5 27.8 33.0 23.3	50.5 55.8 42.2 49.4 58.5 41.3 61.0 72.8 50.8	82-3 102-5 66-8 80-8 100-7 65-6 97-2 119-6 78-8	125.0 149.0 109.9 125.4 148.8 110.8 120.4 150.2 98.6	171.5 2 200.9 2 156.8 3 174.6 3 205.1 3 159.5 3 139.3 3 158.5 3 126.1 3
2.0 2.3 1.8 2.0 2.2 1.8 2.1 2.7	2.9 3.5 2.4 3.0 3.6 2.4 2.5 2.5	5-1 6-0 4-3 5-2 -6-1 4-3 4-8 5-6 4-1	11.6 14.6 8.9 11.5 14.5 8.8 12.2 15.1	25.1 33.8 16.5 25.3 34.3 18.5 23.1 20.7 18.5	50.4 72.0 36.7 51.8 74.1 37.9 33.9 49.8 22.3	69.6 3 99.3 3 54.7 3 72.8 4 104.3 4 57.3 4 35.0 4 50.9 4 25.0 4
2.4 3.2 1.7 2.6 3.3 1.9 1.5 2.2	4.2 5.3 3.1 4.2 5.4 3.1 3.9 5.0 2.9	9.3 11.0 7.6 9.0 10.9 7.3 11.1 12.3	21.5 26.2 17.4 21.4 25.9 17.3 23.4 29.2 18.3	42.6 52.0 35.4 42.8 52.0 35.7 41.1 51.8	63.8 80.0 53.7 65.5 81.5 55.6 44.2 64.3 29.5	58.7 4 71.7 4 52.1 4 60.6 5 53.7 5 37.9 5 43.4 5
0.6 0.5 0.7 0.6 0.5 0.7 0.8 0.6 1.1	1.5 1.3 1.6 1.3 1.2 1.4 2.5 1.9 2.9	2.8 2.9 2.6 2.7 2.5 4.5 3.2	5.3 6.0 4.7 5.1 5.8 4.5 7.4 8.2 6.7	8.9 10.9 7.3 8.5 10.4 7.0 13.1 15.8 10.8	14.1 16.2 12.8 14.1 16.3 12.7 14.5 16.0	19.6 5 21.8 5 18.4 5 19.9 5 22.7 6 16.5 6 13.2 6
2-0 2-2 1-7 1-7 1-8 1-6 4-1 5-6 2-9	4-6 5-2 4-0 3-7 4-4 3-0 11-0 11-6 10-5	11.8 12.4 11.1 9.4 10.6 8.2 32.0 28.2 35.4	34.1 33.7 34.4 28.8 30.2 27.5 84.5 67.8 98.9	85.4 81.4 88.5 77.2 76.5 77.8 165.3 126.9 196.3	179-7 167-0 187-8 176-7 166-0 183-4 215-0 177-5 242-5	245.9 6 234.9 6 251.4 6 248.3 6 242.8 6 251.1 6 220.0 7 156.6 7 255.7 7
0-1 0-1 0-1 0-1 0-1 0-2 0-3 0-1	0.2 0.3 0.2 0.2 0.2 0.2 0.7	0.4 0.5 0.4 0.3 0.4 0.8 1.5	1.1 1.2 1.1 1.0 1.0 0.9 2.9 2.7 3.0	3.4 3.9 3.0 3.4 2.8 6.8 8.4	12.3 13.6 11.4 11.7 13.0 10.9 19.2 20.2 18.5	47.9 7 44.2 7 49.7 7 47.5 7 43.6 7 49.4 7 51.4 7 49.1 8 52.3 8

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

=		[x	cates per 100,000 popul	ation in specified group	up. Numbers after causes of death are category		
-	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>1</sup>	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15–24 Years	
1 2 3 4 5 6 7 8 9	ANEMIAS	1.6 1.5 1.6 1.4 1.5 2.6 2.8 2.5	1.8 2.2 1.4 0.9 1.0 0.7 6.7 8.6	0.6 0.7 0.6 0.3 0.3 0.3 2.4 2.7	0.3 0.4 0.3 0.2 0.2 0.2 0.9 1.0	0.4 0.5 0.4 0.3 0.3 0.2 1.6 1.7	
10 11 12 13 14 15 16 17	MENINGITIS	0.7 0.8 0.6 0.6 0.5 1.8 2.0	16.0 17.6 14.3 12.4 13.9 10.8 34.3 36.6 31.9	1.6 1.8 1.5 1.4 1.5 1.2 3.0 3.4 2.5	0.2 0.3 0.2 0.2 0.3 0.2 0.3 0.3	0-1 0-1 0-1 0-1 0-1 0-1 0-4 0-4	
19 20 21 22 23 24 25 26 27	MAJOR CARDIOVASCULAR DISEASES	494.4 539.4 451.7 509.4 555.7 465.1 392.2 425.4 361.7	28-4 31-3 25-3 21-3 23-1 19-4 64-2 73-2 55-0	3-2 3-5 3-0 2-7 2-9 2-5 5-8 6-5 5-1	1.7 1.8 1.7 1.5 1.5 1.5 2.7 3.0 2.4	4.6 5.3 4.0 3.9 4.6 3.2 9.2 10.2 8.3	
28 29 30 31 32 33 34 35 36	DISEASES OF HEART390-398,402,404,410-429 MALE FEHALE MHITE FEMALE ALL OTHER FEMALE FEMALE FEMALE FEMALE FEMALE	360.8 415.2 309.1 373.9 430.9 319.4 271.3 305.9 239.7	23.0 25.8 20.1 16.7 18.4 14.9 54.7 63.4 45.8	2-1 2-3 1.8 1.7 1.9 1.5 4.2 4.7 3.6	1.0 1.1 0.9 0.9 0.9 0.9 1.7 2.1	2.9 3.5 2.3 2.3 2.9 1.7 6.2 7.0 5.4	
37 38 39 40 41 42 43 44	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	6.5 6.0 7.0 6.8 6.2 7.5 4.5 4.9	0-1 0-1 0-1 0-1 0-1 0-2 -	0.1 0.2 0.1 0.1 0.2 0.0 0.2 0.2	0.2 0.2 0.2 0.1 0.1 0.4 0.4 0.5	0.5 0.6 0.4 0.4 0.5 0.3 1.4 1.5	
46 47 48 49 50 51 52 53	HYPERTENSIVE HEART DISEASE	3.5 2.9 4.0 3.1 2.4 3.7 6.0 5.7	0-1 0-1 0-0 0-1 0-2 0-4	0.0 0.0 0.0 0.0 -	0.0 0.0 , _ 0.0 0.1	0.0 0.0 0.0 0.0 0.0 0.1 0.2 0.0	
55 56 57 58 59 60 61 62 63	HYPERTENSIVE HEART AND RENAL DISEASE404 HALE FEMALE WHITE	2.6 2.5 2.7 2.5 2.4 2.7 3.2 3.4 3.0		-	0.0 0.0 0.0 0.0 0.0 0.0 - 0.0	0.0 0.0 0.0 0.0 0.1 0.2	
64 65 66 67 68 69 70 71 72	ISCHEMIC HEART DISEASE	326-0 378-5 276-0 340-5 396-1 287-3 227-0 255-8 200-7	0.9 1.1 0.7 0.8 0.9 0.7 1.6 2.3	0-1 0-0 0-1 0-1 0-0 0-1 0-0	0.1 0.1 0.1 0.1 0.1 0.2 0.2 0.2	0.5 0.7 0.3 0.4 0.6 0.2 1.1 1.3	
73 74 75 76 77 78 79 80 81	ACUTE MYOCARDIAL INFARCTION — — — — — — — — — — — — — — — — — — —	167.6 215.7 121.8 177.8 229.9 128.1 97.5 116.6 80.1	0.6 0.8 0.5 0.7 0.4 1.0 1.2	- 0-0  0-0  0-0 - -	0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.3 0.5 0.2 0.3 0.4 6.1 0.7 0.9	

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973-Con.

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65–74 Years	75-84 Years	85 YEARS AND OVER
0.5 0.5 0.5 0.2 0.2 0.2 2.6 2.9	0.5 0.6 0.5 0.2 0.2 0.2 2.7 3.1 2.4	0.8 0.9 0.6 0.6 2.8 2.5 3.0	1.8 2.1 1.6 1.6 1.8 1.4 3.7 4.9	4-7 5-1 4-3 4-4 4-9 4-0 7-3 6-5 7-8	14-0 15-9 12-8 14-2 16-3 12-9 11-5 11-7 11-3	33.6 1 40.4 2 30.2 3 34.9 4 41.8 5 31.5 6 20.0 7 26.4 8
0.1 0.2 0.1 0.1 0.1 0.1 0.4 0.6 0.2	0.3 0.3 0.2 0.2 0.2 0.9 0.9	0.6 0.8 0.4 0.4 0.6 0.2 2.0 2.6	0.7 0.9 0.6 0.5 0.7 0.4 2.3 3.0	1.2 1.5 1.0 1.0 1.2 0.8 3.8 4.0	1.5 1.6 1.4 1.2 1.2 1.2 4.4 5.2 3.8	1.7 10 2.2 11 1.5 12 1.5 13 2.4 1.1 15 3.6 17 5.7 18
15.3 18.4 12.3 12.1 14.9 9.4 38.1 45.5	78.0 110.8 46.8 67.0 99.8 35.2 156.4 195.8 123.8	272.6 409.7 144.8 249.5 388.0 119.3 467.7 600.4 352.4	764.4 1.125.7 441.1 725.4 1.096.2 392.4 1.136.8 1.413.6 897.9	1,919-4 2,642-6 1,362-5 1,860-6 2,615-5 1,282-0 2,498-4 2,893-6 2,173-2	5,194.8 6,303.7 4,497.2 5,244.2 6,407.5 4,519.0 4,620.6 5,186.9 4,207.5	12,812.1 19 13,750.3 20 12,340.8 21 13,227.9 22 14,257.6 23 12,718.8 24 8,386.4 26 8,771.7 26 8,059.1 27
10.0 13.5 6.7 8.0 11.1 5.0 24.5 31.6 18.4	60.5 93.1 29.5 54.1 86.7 22.5 106.1 142.2 76.2	224.5 356.7 101.2 210.8 345.1 84.6 339.7 458.7 236.3	626.0 954.6 332.0 605.0 943.7 300.8 827.5 1,061.2 625.7	1.461.6 2.068.2 994.5 1.434.2 2.068.2 948.3 1.732.5 2.064.7 1.459.6	3,609-2 4,519.5 3,036.4 3,655.8 4,609.4 3,061.4 3,065.0 3,551.6 2,709.9	8,382.1 28 9,308.6 29 7,916.8 30 8,655.0 31 9,664.1 32 8,156.1 35 5,477.9 34 5,826.4 35
1.3 1.5 1.2 1.1 1.2 0.9 3.2 3.3	3.7 3.9 3.5 3.4 3.5 3.2 5.6 6.5	8.3 8.6 8.1 8.4 8.6 8.1 8.2 8.8	18.3 18.7 18.6 18.6 18.8 18.5 15.4 18.0	28-2 27-6 28-6 29-3 28-2 30-1 17-5 21-8 13-9	35.6 35.1 35.9 36.9 36.9 36.3 37.3 19.6 22.5	41.8 37 37.1 38 44.2 39 43.2 40 37.5 41 45.9 42 27.9 43 32.1 44 25.0 45
0.2 0.2 0.2 0.1 0.1 0.0 1.0	0.7 0.8 0.7 0.4 0.5 0.3 2.9 3.2 2.8	2.4 2.8 2.0 1.6 2.0 1.3 8.9 9.8	5.9 6.6 5.3 4.4 5.1 3.7 20.3 20.8 19.8	13,8 14,3 13,4 11,1 11,5 10,9 40,1 40,9 39,3	34.8 30.8 37.3 33.0 28.7 35.7 55.6 53.5 57.2	77.2 46 52.5 47 89.7 48 76.7 49 99.0 51 82.9 57 75.5 53 86.4 54
0.0 0.1 0.0 0.0 0.0 0.0 0.2 0.2	0.2 0.1 0.2 0.1 0.1 0.1	0.8 1.0 0.7 0.4 0.5 0.3 4.1 5.0 3.3	2.5 3.2 2.0 1.8 2.2 1.4 9.8 12.5 7.5	8.2 9.9 6.8 6.9 8.5 5.7 20.2 22.9 18.0	31.0 37.3 27.0 30.3 36.9 26.1 33.6 41.3 38.4	103.1   55 114.3   56 97.4   57 106.7   57 118.5   59 100.9   60 64.3   62 58.0   63
5-1 7-8 2-5 4-4 6-9 1-9 10-1 14-7 6-1	48.3 78.6 19.4 44.5 75.4 14.6 75.0 103.6 51.3	194.9 319.3 78.9 185.5 312.9 65.8 274.1 379.6 185.8	559-5 870-3 281-4 545-3 867-0 256-4 694-9 902-0 516-1	1,333.4 1,906.3 892.2 1,316.6 1,518.9 855.0 1,500.2 1,784.2 1,267.0	3,322.9 4,181.0 2,782.9 3,377.7 4,281.8 2,814.2 2,681.2 3,095.3 2,379.1	7,692.6 64 8,564.6 65 7,254.6 66 7,960.7 68 7,486.0 69 4,839.3 70 5,090.6 71 4,633.0 72
3.5 5.5 1.6 3.2 5.1 1.3 5.8 8.7	33.8 56.8 12.0 33.2 57.0 10.1 38.3 54.9	134.5 226.2 49.0 133.7 229.2 43.9 141.4 200.3	368.9 590.6 170.5 371.7 604.3 162.9 341.4 456.9 241.8	774-9 1-154-2 482-8 788-6 1-191-5 479-8 642-4 799-5	1,508.8 2,029.7 1,1800.9 1,552.7 2,107.6 1,206.9 992.7 1,191.1	2,418.4 73 3,004.4 74 2,124.1 75 2,503.2 76 3,138.7 72 1,189.0 78 1,515.7 79 1,698.1 80 1,388.6 81

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

_			[Rates per 100,000 population in specified group. Numbers after causes of death are category				
	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>I</sup>	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 Years	
1 2 3 4 5 6 7 8 9	MAJOR CARDIOVASCULAR DISEASES—CON.  DISEASES OF HEART—CON.  OTHER ACUTE AND SUBACUTE FORMS OF  ISCHEMIC HEART DISEASE  WALE—FEMALE—  ALL OTHER  HALE—FEMALE—	2.1 2.8 1.5 2.1 2.0 1.5 2.2 3.0	0.0 0.1 		0-0 	0.0 0.0 0.0 0.0 0.0 0.0	
10 11 12 13 14 15 16 17	CHRONIC ISCHEMIC HEART DISEASE	156.2 159.9 152.6 160.4 163.3 157.7 127.2 136.2	0.3 0.3 0.3 0.2 0.2 0.4 0.4	0-1 0-0 0-1 0-1 0-0 0-1 0-0	0-1 0-1 0-0 0-0 0-0 0-0 0-1 0-2 0-0	0.2 0.2 0.1 0.1 0.2 0.1 0.3 0.4 0.3	
19 20 21 22 23 24 25 26 27	ANGINA PECTORIS————————————————————————————————————	0.1 0.1 0.1 0.1 0.1 0.1 0.0 0.0		- - - - - - -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
28 29 30 31 32 33 34 35 36	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYGCARDIAL INSUFFICIENCY 424,428 NALE	2.4 2.4 2.5 2.4 2.5 2.5 2.5 2.5 2.8 2.3	1.1 1.2 1.1 0.7 0.7 0.6 3.5 3.9 3.9	0.3 0.2 0.2 0.2 0.3 0.1 0.7 0.6	0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.3	0.2 0.3 0.2 0.2 0.2 0.2 0.4 0.5 0.4	
38 39 40 41 42 43 44	ALL OTHER FORMS OF HEART DISEASE	19.7 22.9 16.7 18.5 21.4 15.7 28.0 33.3 23.2	20.8 23.3 18.2 15.1 16.7 13.4 49.4 56.8 41.8	1.6 1.8 1.5 1.3 1.4 1.3 3.2 3.9 2.5	0.6 0.6 0.6 0.5 0.5 0.9 1.2	1.5 1.8 1.3 1.3 1.5 1.0 3.0 3.4 2.7	
46 47 48 49 50 51 52 53	HYPERTENSION	3.5 3.6 3.4 3.2 3.1 5.9 6.1	0.0 - 0.1 0.0 - 0.1 - -	0.0 	0.0 0.0 0.0 0.0 0.0 0.0 -	0.1 0.1 0.0 0.0 0.0 0.0 0.1 0.1	
55 56 57 58 59 60 61 62 63	CEREBROVASCULAR DISEASES	102.1 91.8 111.9 102.7 91.2 113.7 98.1 96.1	4.3 4.4 4.3 3.6 3.6 7.9 8.2 7.6	1.0 1.0 1.0 0.9 1.0 1.5 1.7	0.6 0.6 0.6 0.5 0.5 0.6 0.8 0.8	1.4 1.4 1.2 1.2 1.2 2.5 2.6 2.3	
64 65 66 67 68 69 70 71 72	CEREBRAL HEMORRHAGE MALE FEMALE HHITE HALE FEMALE ALL OTHER FEMALE FEMALE FEMALE FEMALE FEMALE	16.2 15.2 17.0 15.8 14.7 16.8 18.9 19.2	1.9 1.8 2.0 1.5 1.2 1.8 3.9 4.7	0.3 0.3 0.2 0.2 0.3 0.2 0.4 0.6	0-2 0-2 0-2 0-2 0-2 0-2 0-3 0-3	0.4 0.4 0.4 0.3 0.3 0.3 0.8 1.0	
73 74 75 76 77 78 79 80 81	CEREBRAL THROMBOSIS	27.0 23.8 30.0 27.8 24.2 31.2 21.8 21.5 22.0	0-2 0-2 0-2 0-2 0-2 0-1 0-4	0-1 0-1 0-0 0-1 0-1 0-0 0-0 0-0	0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.1 0.1 0.1 0.0 0.1 0.1 0.1 0.2	

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in <sup>n</sup>Total<sup>n</sup> but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973-Con.

25-34 YEARS	35-44 YEARS	45~54 YEARS	55-64 YEAR S	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0-1 0-1 0-1 0-1 0-0 0-2 0-1	0.3 0.6 0.9 0.2 1.6	2.4 3.9 0.9 2.2 3.7 0.7 4.2 6.0 2.7	5.0 7.8 2.5 4.7 7.4 2.3 8.4 12.3	8.8 13.7 5.0 8.3 13.0 4.6 13.7 19.6 8.9	15.9 22.7 11.7 15.9 22.5 11.7 16.6 24.4	35, 3 40, 4 32, 7 35, 9 40, 0 33, 9 28, 6 43, 4	123456789
1.5 2.2 0.8 1.1 1.7 0.6 4.1 5.8 2.6	13.7 20.8 7-1 10.8 17.4 4.3 35.1 46.4	58.0 89.1 29.0 49.6 79.9 21.2 128.4 169.3 92.8	185.4 271.7 108.2 168.8 255.3 91.1 344.8 432.5 269.1	549.3 737.9 404.1 519.3 713.7 370.4 843.8 965.1 743.8	1,797.4 2,127.3 1,589.9 1,808.3 2,150.3 1,595.0 1,671.9 1,879.8 1,520.2	5,237,0 5,517.1 5,096.3 5,419.1 5,739.1 5,261.7 3,292.9 3,347.2 3,222.7	10 11 12 13 14 15 16 17 18
0.0 0.0 0.0 0.0 0.0 -	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.1 0.0 0.1 0.1 0.0 0.1 0.1	0-1 0-2 0-1 0-1 0-2 0-1 0-2 0-2	0.4 0.6 0.2 0.4 0.6 0.2 0.3 -	0.8 1.2 0.5 0.8 1.4 0.5 -	1.9 2.8 1.5 1.9 2.8 1.4 2.1 1.9	19 20 21 22 23 24 25 26 27
0.4 0.4 0.3 0.3 0.3 0.2 1.1 1.1	0.7 0.9 0.6 0.6 0.7 0.5 1.5 1.8	1.6 1.9 1.4 1.7 1.2 3.4 3.9 3.0	3.4 4.6 2.4 3.3 4.4 2.2 5.2 6.0 4.5	7-0 9-0 5-5 6-6 8-4 5-3 10-9 14-5 8-0	22-4 25-3 20-5 21-9 24-9 20-1 28-1 30-0 26-7	75.3 74.9 75.5 77.2 75.7 77.9 55.0 66.0 47.7	28 29 30 31 32 33 34 35
3.0 3.5 2.5 2.2 2.2 1.8 9.1 11.5	7.0 8.8 5.2 5.1 6.5 3.7 20.2 26.6 14.9	16.3 23.0 10.1 13.4 19.3 7.9 41.0 55.7 28.3	36.4 51.3 23.0 31.6 46.1 18.6 81.9 101.8 64.7	71.0 101.0 47.9 63.6 92.6 41.3 143.5 180.4	162-6 210-0 132-7 156-0 200-8 128-0 240-8 308-9	392.1 465.3 355.4 390.6 461.9 355.4 408.6 488.7 355.7	37 38 39 40 41 42 43 44
0.3 0.3 0.4 0.1 0.1 1.9 2.0	1-1 1.3 1.0 0.5 0.6 0.5 5.4 6.4 4.5	2.1 2.4 1.9 1.2 1.6 0.9 9.7 9.7 9.8	4.8 5.6 4.1 3.3 3.9 2.8 18.9 21.9	12.1 15.2 9.7 10.2 13.6 7.6 30.9 30.5 31.1	37.3 48.3 30.4 35.8 46.4 29.1 55.6 68.1 46.6	85.8 98.9 121.9 87.6 81.4	46 47 48 49 50 51 52 53 54
4.2 3.9 4.5 3.3 3.0 3.6 10.9 10.7	14.0 13.8 14.1 10.2 10.1 10.3 41.0 42.6 39.6	38.8 40.9 36.8 30.8 32.4 29.3 105.7 115.1 97.6	106.9 125.9 90.0 91.3 109.2 75.2 256.8 289.6	355.1 425.0 301.3 326.8 397.9 277.2 633.1 680.5 593.6	1,233.5 1,338.5 1,167.6 1,232.2 1,342.9 1,162.9 1,251.7 1,291.1 1,222.9	3,292,7 3,228.6 3,324.4 2,189.3 2,192.5 2,162.5	55 56 57 58 59 60 61 62 63
1.1 1.2 1.0 0.7 0.7 0.7 3.8 4.7 3.0	4.6 4.9 4.3 2.9 3.1 2.6 17.0 18.4 15.8	12.5 13.6 11.6 9.7 10.7 8.7 36.6 39.0	28.2 33.0 23.9 24.6 29.1 20.6 62-2 71.4	64.1 74.6 56.0 60.1 70.8 51.9 103.3 109.8 97.8	156.9 168.2 149.8 157.9 170.0 150.4 145.1 148.4	326.5 325.6 306.5 335.4 222.1 211.3 226.1	64 65 66 67 68 69 70 71
0.2 0.2 0.2 0.1 0.1 0.2 0.4 0.5	0.8 0.9 0.7 0.6 0.6 0.6 2.3 3.0	4.4 5.3 3.6 3.4 4.0 2.8 13.0 16.3	20.7 25.9 16.1 17.7 22.4 13.4 50.0 60.1 41.3	92.5 111.7 77.8 85.8 105.0 71.1 158.6 174.9	360.4 388.1 343.0 362.3 393.1 343.0 338.4 334.3	976.7 997.9 973.0 1,010.2 607.9	73 74 75 76 77 78 79 80

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

=		L*	ates per 100,000 popul	ation in specified group	. Numbers after cause	s of death are category
٠	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>1</sup>	UNDER 1 YEAR	1-4 YEARS	5-14 Years	15-24 YEARS
	MAJOR CARDIOVASCULAR DISEASESCON. CEREBROVASCULAR DISEASESCON.					
1 2 3 4 5 6 7 8	CEREBRAL EMBOLISM	0.5 0.4 0.5 0.5 0.4 0.5 0.3 0.3	0.0 - 0.1 0.0 - 0.1 - -		0.0 0.0 0.0 0.0 -	0.0 0.0 0.0 - - - 0.1 0.0
10 11 12 13 14 15 16 17 18	ALL OTHER CEREBROVASCULAR DISEASES	58.5 52.3 64.4 58.7 51.9 65.2 57.1 55.1	2-2 2-4 2-0 1-9 2-2 1-7 3-5 3-6	0.7 0.6 0.8 0.5 0.5 1.0 1.1	0-4 0-4 0-3 0-3 0-3 0-5 0-5	0.9 1.0 0.9 0.8 0.9 0.8 1.5 1.5
19 20 21 22 23 24 25 26 27	ARTERIOSCLEROSIS	15.5 13.1 17.9 16.5 13.8 19.1 8.9 8.5		-	-	0.0 0.0 0.0 0.0
28 29 30 31 32 33 94 35 36	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	12.4 15.6 9.4 13.1 16.6 9.7 8.0 8.8 7.2	1.0 1.1 0.9 0.9 1.0 0.8 1.6	0-1 0-1 0-0 0-1 0-1 0-0 0-1 0-1	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-2	0.3 0.4 0.3 0.3 0.4 0.2 0.4 0.4
37 38 39 40 41 42 43 44	ACUTE BRONCHITIS AND BRONCHIOLITIS466  MALE FEMALE WHITE MALE FEMALE ALL OTHER MALE FEMALE  0.4 0.5 0.4 0.5 0.5 0.5 0.5	5.5 6.2 4.9 4.8 5.3 4.2 9.3 10.5 8.0	0.5 0.6 0.5 0.5 0.5 0.4 0.9 0.9	0.0 0.1 0.0 0.1 0.1 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1	
46 47 48 49 50 51 52 53	INFLUENZA AND PNEUMONIA	29.8 33.5 26.3 29.6 32.6 26.7 31.5 39.7 24.1	115.7 128.3 102.6 87.5 99.1 75.3 258.5 277.4	5-9 8-2 5-5 4-9 5-0 4-8 10-7 12-5 9-0	1.4 1.4 1.4 1.4 1.4 1.3 1.7 1.7	2.0 2.4 1.6 1.8 2.2 1.3 3.4 3.5 3.4
55 56 57 58 59 60 61 62 63	INFLUENZA	2.4 2.4 2.5 2.5 2.7 1.6 1.6	1.7 1.8 1.5 1.2 1.5 0.8 4.3 3.5	0.2 0.2 0.1 0.2 0.2 0.2 0.2 0.2	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2	0.1 0.2 0.1 0.1 0.2 0.1 0.1 0.1
64 65 66 67 68 69 70 71	PNEUMONIA 480-486  HALE - FEMALE - MALE - FEMALE - ALL OTHER - MALE - FEMALE - F	27.4 31.1 23.8 27.0 30.1 24.0 30.0 38.1 22.5	114.0 126.4 101.1 86.3 97.6 74.5 254.1 273.9 233.9	5-7 6-0 5-4 4-7 4-7 10-6 12-2 8-9	1.3 1.3 1.3 1.2 1.2 1.3 1.5	1.9 2.2 1.5 1.6 2.0 1.2 3.3 3.4
73 74 75 76 77 78 79 80 81	BRONCHITIS, EMPHYSEMA, AND ASTHMA 490-493  MALE FEMALE MALE FEMALE ALL OTHER MALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE	14.2 22.2 6.5 15.2 23.9 6.9 7.0 10.7	3-1 4-3 1-9 2-5 3-3 1-8 6-1 9-7	0.5 0.6 0.4 0.4 0.5 0.3 1.0	0.2 0.2 0.2 0.2 0.1 0.5 0.5	0.4 0.4 0.4 0.3 0.3 0.3 0.9 1.1

 $<sup>^{1}\</sup>mathrm{Figures}$  for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973-Con.

25-34 YEÀRS	35~44 YEARS	45-54 YEARS	55-64 YEARS	65-74 Years	75-84 YEARS	85 YEARS AND OVER
0.0 0.0 0.0 0.0 0.0 0.0 0.0	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-2	0-2 0-2 0-2 0-2 0-2 0-4 0-5 0-2	0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.6 0.8	1.7 2.0 1.5 1.7 2.0 1.4 2.2 2.4 2.1	5-4 6-2 5-0 5-6 6-2 5-2 4-0 6-1 2-4	11.1 10.5 11.4 11.8 11.0 12.2 3.6 5.7 2.3
2.9 2.5 3.3 2.4 2.1 2.7 6.6 5.7	8.5 8.0 9.0 6.7 6.4 7.0 21.5 20.9 22.1	21.6 21.8 21.4 17.6 17.6 17.6 55.7 59.3 52.6	57.4 66.4 49.3 48.3 57.1 40.5 143.9 157.5 132.2	196.8 236.7 166.0 179.2 220.1 147.9 369.1 393.5 348.7	710-7 776-0 669-8 706-3 775-5 664-3 764-2 802-3 736-3	1,905.5 1.885.5 1,915.5 1,957.1 1,938.1 1,966.5 1,355.7 1,360.4 1,337.5
0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.2 0.2 0.2 0.2 0.2 0.1 0.3 0.1	1.1 1.5 0.8 1.0 1.3 0.7 1.9 3.0	6.0 8.0 4.2 5.5 7.6 3.6 10.9 12.0 9.9	32.4 40.1 26.4 30.5 38.3 24.5 50.9 56.7 46.2	190.6 212.5 176.9 193.0 215.9 178.8 162.2 175.6	890.2 890.1 890.3 928.6 930.6 927.6 482.1 496.2 468.2
0-7 0-7 0-7 0-7 0-7 0-7 0-9 0-9 0-9	2-2 2-4 1-9 2-0 2-2 1-8 3-8 4-6 3-1	6-1 8-2 4-2 5-6 7-6 3-7 10-6 13-9 7-8	20.6 31.6 10.7 20.3 31.8 10.0 22.8 29.0	58.2 94.0 30.6 58.9 97.5 29.4 51.0 61.1 42.8	124.2 185.0 86.0 127.5 192.8 86.8 86.1 100.5 75.7	244.4 297.2 217.8 252.7 312.4 223.2 155.7 150.9 156.8
0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2	0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2	0.3 0.3 0.2 0.3 0.2 0.2 0.4 0.5	0.5 0.6 0.5 0.5 0.6 0.5 0.7 1.2	1.1 1.6 0.7 1.1 1.6 0.7 1.1 1.3	2.6 3.8 1.8 2.7 4.1 1.8 1.2 0.9	5.9 6.1 5.8 6.1 6.5 5.9 3.6 1.9
3-1 3-7 2-6 2-4 2-7 2-0 8-5 11-1 6-2	6-9 8-2 5-7 5-1 6-0 4-4 19-7 26-0	14-5 18-9 10-5 11-8 15-0 8-8 37-7 53-0 24-3	31.6 43.9 20.6 28.5 39.2 18.9 61.6 90.7 36.6	82-1 119-6 53-2 77-5 113-4 50-0 127-2 178-2 85-5	295.6 415.7 220.0 297.6 417.8 222.7 272.3 392.5 184.6	910.4 1,124.0 803.0 945.3 1,167.7 835.3 538.6 696.2 437.5
0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.2	0.5 0.5 0.6 0.5 0.4 0.5 1.0 1.1	1.0 1.0 1.0 0.9 0.9 0.9 1.5 1.6	2.5 2.9 2.1 2.4 2.9 2.0 3.2 3.1	7.4 9.7 5.6 7.3 9.6 5.5 8.5 10.9 6.5	26.4 91.4 23.3 27.4 92.8 24.0 15.0 16.9	83.9 91.4 80.2 87.7 96.1 83.6 43.6 45.3 42.0
2.9 3.5 2.3 2.2 2.6 1.8 6.2 10.8 5.9	6.4 7.8 5.1 4.7 5.5 3.8 18.7 24.9 13.6	13-5 17-9 9-5 10-9 14-1 7-8 36-1 51-4 22-8	29.1 41.0 18.5 26.1 36.2 16.9 58.4 87.6 33.3	74.7 109.9 47.6 70.2 103.8 44.5 118.7 167.3 79.0	269.2 384.2 196.7 270.2 385.0 198.7 257.2 375.6 170.9	826.4 1,032.7 722.9 857.6 1,071.6 751.8 495.0 650.9 395.5
0.5 0.5 0.5 0.4 0.4 1.6 1.6	2.0 1.9 2.0 1.7 1.7 1.7 4.1 3.5 4.6	7-7 10.3 5-2 7-3 9-8 5-0 10.4 14.8 6-5	31.4 49.7 15.0 32.0 50.6 15.4 24.8 40.9 10.9	79.4 146.9 27.4 83.6 155.0 28.9 38.2 69.8 12.4	126.2 261.5 40.9 131.7 274.9 42.6 60.8 116.9	133.2 7 277.8 7 60.6 7 139.9 7 293.5 7 63.9 7 62.1 7 126.4 8 22.7 8

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

		иј	ates per 100,000 popul	and in specified group	Numbers after cause	s ot death are category
	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>2</sup>	UNDER 1 YEAR	1-4 Years	5–14 YEARS	15-24 YEARS
1 2 3 4 5 6 7 8 9	BRONCHITIS, EMPHYSEMA, AND ASTHMA—CON.  CHRONIC AND UNQUALIFIED BRONCHITIS490,491 MALE FEMALE FEMALE ALL OTHER FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE	2-6 3-8 1-5 2-8 4-1 1-7 1-3 2-0 0-7	2.2 3.1 1.2 1.8 2.4 1.1 4.1 6.6	0-3 0-4 0-3 0-3 0-3 0-6 0-8	0-1 0-1 0-1 0-1 0-1 0-1 0-2	0-1 0-1 0-0 0-1 0-1 0-1 0-1
10 11 12 13 14 15 16 17	EMPHYSEMA	10.6 17.6 3.9 11.6 19.1 4.3 4.0 7.1	0.6 0.7 0.4 0.5 0.5 0.4 1.0 1.6	0-0 0-0 0-0 0-0 0-0 0-1	0.0 0.0 0.0 0.0 0.0 0.0 - -	0.0 0.0 0.0 0.0 0.0 0.1 0.2
19 20 21 22 23 24 25 26 27	ASTHMA	0.9 0.8 1.0 0.8 0.7 0.9 1.7 1.7	0.4 0.5 0.3 0.3 0.2 1.0 1.6	0-1 0-2 0-1 0-1 0-2 0-1 0-3 0-4	0-1 0-1 0-1 0-1 0-1 0-4 0-3	0.3 0.3 0.2 0.2 0.2 0.8 0.9
28 29 30 31 32 33 34 35	PEPTIC ULCER	3-7 4-9 2-5 3-8 5-0 2-7 2-8 4-2	1.2 1.6 0.7 0.7 0.9 0.5 3.5 5.1 2.0	0.0 0.1 0.0 0.1 0.1 0.0 - -	0.0 0.0 0.0 0.0 0.0 0.0	0-1 0-1 0-1 0-1 0-1 0-1 0-2 0-4 0-1
37 38 39 40 41 42 43 44	APPENDICITIS — — — — 540-543 MALE — — — — FENALE — — — — — — — — — — — — — — — — — — —	0.5 0.6 0.4 0.5 0.6 0.3 0.8 1.1	0.4 0.4 0.3 0.3 0.3 0.8 0.8	0.1 0.1 0.0 0.1 0.1 0.0 0.1 0.2	0.1 0.1 0.1 0.1 0.1 0.3 0.3	0.1 0.2 0.1 0.1 0.1 0.1 0.2 0.2
46 47 48 49 50 51 52 53	HERNIA AND INTESTINAL OBSTRUCTION550-553+560 MALE FEMALE WHITE HALE FEMALE ALL OTHER FEMALE FEMALE FEMALE FEMALE FEMALE	3.2 2.9 3.5 3.2 2.9 3.5 3.3 3.5	15.5 18.2 12.7 14.8 17.1 12.4 18.9 23.3 14.3	0.3 0.4 0.2 0.2 0.3 0.1 0.6 0.8	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.2 0.2 0.1 0.1 0.2 0.1 0.3 0.3
55 56 57 58 59 60 61 62 63	CIRRHOSIS OF LIVER	15.9 21.3 10.7 15.2 20.5 10.1 20.6 26.6 15.2	1.2 1.1 1.4 1.1 0.8 1.4 2.2 2.7	0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2	0-1 0-1 0-1 0-1 0-1 0-1 0-0 0-0	0.4 0.3 0.2 0.3 0.2 1.3 1.5
65 66 67 68 69 70 71 72	CHOLELITHIASIS; CHOLECYSTITIS AND CHOLANGITIS	1.6 1.5 1.8 1.7 1.6 1.8 1.0 0.9	0.0 - 0.1 0.0 - 0.1 - -	0.0 0.0 0.0 0.0 - - -	0.0 	0.0 0.0 0.1 0.0 0.0 0.1 0.1 0.0 0.1
73 74 75 76 77 78 79 80 81	NEPHRITIS AND NEPHROSIS	4-0 4-4 3-6 3-3 3-7 2-9 8-5 8-8	0-6 0-7 0-6 0-6 0-7 0-6 0-8 0-8	0.2 0.2 0.1 0.1 0.2 0.1 0.2 0.3	0.2 0.2 0.1 0.1 0.1 0.4 0.4	0.5 0.6 0.3 0.4 0.5 0.3 1.0

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973-Con.

25-34 YEARS	35-44 Years	45-54 YEARS	55-64 Years	65-74 YEARS	75~84 YEARS	B5 YEARS AND OVER
0.1 0.1 0.1 0.1 0.1 0.2 0.4	0.4 0.4 0.3 0.3 0.3 0.3 0.8 1.0	1.3 1.5 1.0 1.2 1.4 1.0 1.7 2.2	5.2 7.8 2.9 5.4 8.0 3.0 4.2 6.7 2.0	13-1 22-5 5-9 14-0 23-9 6-3 5-0 8-7 1-9	24.7 47.2 10.6 25.7 49.3 11.1 12.7 23.9 4.5	37.6 1 67.5 2 22.6 3 39.5 4 71.0 5 23.9 6 17.9 7 34.0 8
0.1 0.1 0.1 0.1 0.1 0.0 0.3 0.3	0.8 1.1 0.6 0.8 1.0 0.6 1.0 1.5	5.2 7.7 2.8 5.2 7.6 2.9 4.9 8.6	24.1 40.0 9.8 24.9 41.1 10.3 16.2 29.1	63.2 120.9 18.7 66.8 128.0 19.9 27.8 53.8 6.7	97.2 209.6 26.4 101.8 220.9 27.6 43.4 87.8 11.0	90.5 205.3 32.8 95.3 217.4 4 34.9 15 39.3 16 88.7 9.1
0.3 0.3 0.4 0.2 0.2 0.2 1.1 0.9	0.8 0.4 1.1 0.5 0.4 0.7 2.4 0.9	1.2 1.1 1.3 0.9 0.8 1.1 3.8 4.0	2.1 1.8 2.2 1.8 1.5 2.1 4.4 5.1 3.9	3-1 3-4 2-8 2-9 3-0 2-7 5-4 7-3 3-8	4.3 4.7 4.0 4.2 4.7 3.9 5.2 4.5	5-1 19 5-0 20 5-2 21 5-1 22 5-1 23 5-1 24 5-0 25 3-8 26 5-7 27
0.4 0.4 0.3 0.3 0.3 0.9 1.4	1-2 1.7 0.8 1-1 1.4 0.8 2.5 4.4	3-3 4-7 1.9 3-1 4-4 1.8 4-6 7-0 2-5	7-6 11-7 4-0 7-6 11-6 4-0 8-2 13-3 3-8	15.8 25.5 8.3 15.8 25.5 8.4 15.0 24.9	30.8 47.5 20.2 31.4 48.3 20.8 23.6 38.5 12.7	54-2 28 74-3 29 44-1 30 56-4 31 78-3 32 45-6 33 30-7 34 35-8 35 27-3 36
0.1 0.1 0.0 0.1 0.1 0.0 0.2 0.3	0-2 0-3 0-2 0-2 0-2 0-7 1-3	0-4 0-6 0-2 0-3 0-5 0-2 1-1 1-4	1.0 1.4 0.6 0.8 1.2 0.5 2.5 3.7 1.5	2-0 3-0 1-2 1-8 2-7 1-0 4-0 5-8 2-5	3.5 5.2 2.4 3.3 5.0 2.3 8.0 2.7	6.0 37 7.3 38 5.3 39 6.1 40 7.5 41 5.4 42 5.0 43 5.7 44
0.3 0.4 0.3 0.3 0.3 0.2 0.7 0.8	0.7 0.6 0.8 0.5 0.5 0.7 1.6 1.7	1.7 1.7 1.5 1.4 1.5 3.7 4.3	4-3 4-5 4-0 3-7 3-9 3-5 9-4 10-2 8-8	10.7 11.5 10.1 10.1 10.8 9.6 16.7 18.0	30.9 31.9 30.2 31.7 30.7 27.1 33.8 22.3	75.4 81.7 72.3 48 77.4 9 83.8 50 74.3 51 53.6 52 60.4 53 48.9 54
4.2 5.6 2.9 2.6 3.6 1.6 15.9 20.8	19-4 25-5 13-6 15-0 20-0 10-1 51-1 68-4 36-8	39.1 52.1 26.9 35.6 47.9 24.0 68.5 88.8	52.5 74.6 32.7 51.5 73.4 31.8 62.2 86.4	44.6 69.1 25.8 45.3 70.7 25.8 38.1 54.0 25.1	28.8 44.5 18.9 29.4 45.7 19.2 21.4 31.0	19.9 55 33.2 56 13.3 57 20.5 58 32.9 59 14.3 60 14.3 61 35.8 62 1.1 63
0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2	0.3 0.2 0.3 0.2 0.2 0.2 0.2 0.6 0.5	0.7 0.7 0.7 0.7 0.7 0.7 1.0 0.6	2.0 2.3 1.8 2.3 1.5 1.5 1.5	5.3 7.1 5.6 6.3 7.2 5.6 6.4 5.6	18.7 21.8 16.8 19.0 22.5 16.9 15.0 14.6	44-1 45-7 43-3 66 46-3 47-7 47-7 68 45-6 69 20-7 70 26-4 71
0.9 1.1 0.8 0.7 0.8 0.5 2.9 3.4 2.4	1.9 2.0 1.7 1.2 1.3 1.0 6.8 7.8 6.1	3.6 4.1; 3.2 2.4 2.9 1.9 14.1 14.8	7-6 8-4 6-9 5-6 6-5 4-7 26-8 26-5 27-1	15.3 19.7 11.9 12.0 16.2 8.8 47.6 52.9 43.2	31.0 42.3 23.8 28.2 39.6 21.0 64.2 71.8 58.6	62.1 173 88.6 174 48.8 175 57.9 176 81.5 177 46.2 78 106.4 79 152.8 80 77.3 81

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

=			men her voolone hoher	more in phermon stont	. Numpers alter cause	or ceam are caregory
	CAUSE OF DEATH, COLOR, AND SEX	TOTAL <sup>1</sup>	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
	NEPHRITIS AND NEPHROSISCON.	·				
1 2 3 4 5 6 7 8 9	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME580,581  NALE FEMALE WHITE HALE FEMALE ALL OTHER FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE	0.7 0.8 0.6 0.7 0.8 0.6 1.2 1.3	0-6 0-7 0-6 0-6 0-7 0-6 0-8 0-8 0-2	0-1 0-1 0-0 0-1 0-1 0-1 0-2	0.1 0.1 0.1 0.0 0.0 0.0 0.1 0.2	0.1 0.1 0.1 0.1 0.1 0.0 0.1 0.2
10 11 12 13 14 15 16 17	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	3.2 3.5 3.0 2.6 2.9 2.4 7.3 7.5	-	0-1 0-1 0-1 0-1 0-1 0-1 0-1	0-1 0-1 0-1 0-1 0-1 0-1 0-2 0-2	0.4 0.5 0.3 0.4 0.4 0.2 0.8 1.1
19 20 21 22 23 24 25 26 27	INFECTIONS OF KIDNEY	2.9 2.5 3.3 2.8 2.4 3.2 3.5 3.4 3.7	0.2 0.1 0.3 0.2 0.1 0.3 0.2 0.4	0.0 0.0 0.0 0.0 0.0 - 0.0 -	0.0 0.1 0.0 0.0 0.0 0.0 0.1 0.1	0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2
28 29 30 31 32 33	HYPERPLASIA OF PROSTRATE	0.8 1.6 0.8 1.6 0.7 1.4	- - - - - -	- - - -	- - - - -	- - - - -
34 35 36 37 38 39	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM————————————————————————————————————	0.2 0.4 0.1 0.3 0.8 1.5		- - - - -	0.0 0.0 0.0 0.0 0.1 0.2	0.5 0.9 0.3 0.6 1.5 2.9
40 41 42 43 44 45	ABORTIONS	0.0 0.0 0.0 0.0 0.0 0.1 0.1	- - - - -	-	-	0.0 0.1 0.0 0.0 0.2 0.4
46 47 48 49 50 51	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	0.2 0.4 0.1 0.3 0.7 1.3	- - - - -		0.0 0.0 0.0 0.0 0.1 0.1	0.4 0.8 0.3 0.5 1.3 2.5
52 53 54 55 56 57 58 59	CONGENITAL ANDMALIES	6.7 7.4 6.0 6.5 7.2 5.8 8.3 9.0 7.6	290-8 309-4 271-5 290-1 310-3 268-8 294-3 303-5 284-9	9.6 9.7 9.4 9.5 9.7 9.3 10.0 9.9	2.2 2.2 2.1 2.1 2.2 2.1 2.3 2.4 2.3	1.7 1.9 1.5 1.7 1.9 1.4 1.7 1.8
61 62 63 64 65 66 67 68	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY————————————————————————————————————	14.5 17.4 11.8 12.1 14.6 9.7 31.0 36.8 25.7	987.0 1,126.8 841.4 859.7 989.5 723.3 1,631.3 1,826.8 1,431.1	0-1 0-2 0-0 0-1 0-2 0-0 0-1	0-0 0-0 0-0 0-0 0-0 0-1 0-1 0-1	0-0 0-0 0-0 0-0 0-0 0-0 0-0
70 71 72 73 74 75 76 77 78	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANDXIC AND HYPOXIC CONDITIONS-764-768,772,776  MALE FEMALE WHITE	8.1 10.0 6.2 6.9 8.6 5.2 16.3 20.0	548.3 649.5 442.8 487.3 582.1 387.5 857.1 992.6 718.3	0-1 0-1 0-0 0-1 0-1 0-0 0-0	0.0 0.0 0.0 0.0 0.0 - 0.0 -	0.0 0.0 0.0 0.0 0.0

<sup>&#</sup>x27;Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973—Con.

25-34 Years	35–44 Years	45–54 Years	55-64 Years	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.1 0.1 0.1 0.1 0.1 0.4 0.5 0.3	0.3 0.3 0.2 0.2 0.2 1.1 1.3 0.9	0.5 0.6 0.4 0.4 0.5 0.3 1.5	1.4 1.5 1.3 1.2 1.3 1.1 3.3 3.8	2.9 4.0 2.1 2.5 3.6 1.7 7.0 8.0 6.2	6.3 9.3 4.4 5.9 9.1 4.0 10.1 11.7	10.0 15.8 7-1 9.7 15.0 7-1 12.9 22.6 6.8	1 2 3 4 5 6 7 8 9
0.8 1.0 0.7 0.6 0.7 0.4 2.5 2.9	1.6 1.7 1.4 1.0 1.1 0.8 5.7 6.4 5.2	3.1 3.5 2.8 2.0 2.4 1.6 12.6 13.2	6.2 6.8 5.6 4.4 5.2 3.6 23.5 22.7 24.1	12.3 15.6 9.8 9.5 12.5 7.1 40.6 44.9	24.7 33.0 19.4 22.2 30.5 17.0 54.1 60.1 49.7	52.1 72.8 41.7 48.2 66.5 39.1 93.6 130.2 70.5	10 11 12 13 14 15 16 17 18
0.2 0.1 0.2 0.1 0.1 0.2 0.3 0.4	0.6 0.4 0.8 0.5 0.3 0.6 1.6 1.3	1.1 0.9 1.4 0.8 0.7 1.0 3.8 2.8 4.6	3.7 3.3 4.1 3.0 2.7 3.3 10.3 8.9 11.5	11.1 11.5 10.8 10.0 10.2 9.8 22.4 23.8 21.3	32.2 36.7 29.4 31.5 35.0 29.3 40.8 54.9 30.5	81.6 93.0 75.9 82.1 93.9 76.3 75.3 83.0	19 20 21 22 23 24 25 26 27
-	- - -	0.0 0.1 0.0 0.1 0.1 0.2	0.4 0.8 0.3 0.7 0.9	2.5 5.8 2.3 5.3 4.9 10.9	10.7 27.6 10.4 27.1 13.7 32.4	29.8 89.2 30.3 91.5 25.0 66.0	28 29 30 31 32 33
0.7 1.5 0.5 1.1 2.2 4.0	0.4 0.7 0.2 0.4 1.4 2.6	0.0 0.0 0.0 0.0 0.0 0.0	<u>:</u>	-	0.0 0.0 - - 0.2 0.3	·	34 35 36 37 38 39
0.0 0.1 0.0 0.0 0.0 0.2	0.0 0.1 0.0 0.0 0.0 0.1			1	111	- - - -	40 41 42 43 44 45
0.7 1.4 0.5 1.0 2.0 3.6	0.3 0.6 0.2 0.4 1.3 2.3	0-0 0-0 0-0 0-0 0-0 0-1	1	1	0.0 0.0   2.0 E-0	1 1 1 1	46 47 48 49 50
1.5 1.7 1.3 1.4 1.6 1.3 1.6 2.3	1.6 1.9 1.3 1.6 1.9 1.3 1.6 1.7	1.9 2.0 1.9 1.9 1.9 2.4 2.6 2.2	2.4 2.6 2.2 2.4 2.5 2.2 2.3 2.8 1.8	2.7 3.1 2.3 2.6 3.0 2.4 3.3 4.7 2.2	2-9 3.5 2-5 3.0 3.7 2.5 2.4 1.4 3.1	3.6 4.2 3.3 3.8 4.5 3.4 2.1 1.9 2.3	52 53 54 55 56 57 58 59 60
0.0 0.0 0.0 0.0 -	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1	0.0 0.0 0.0 0.0 -	-	0.1 0.1 0.1 0.1 0.1 0.1 -	0.0 0.1 0.0 0.1	0.0 4.0 6.0 6.0 4.0 6.0 -	61 62 63 64 65 66 67 68
0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0		0.0 0.0 0.0 0.0 0.0 0.0	0.0 - 0.1 0.0 - 0.1	0.1 0.2 0.1 0.1 0.2 0.1	70 71 72 73 74 75 76 77

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year [Rates per 100,000 population in specified group. Numbers after causes of death are category

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5~14 YEARS	15-24 Years
	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—CON.					
1 2 3 4 5 6 7 8	OTHER CAUSES OF MORTALITY IN EARLY INFANCY——REMAINDER OF 760-778 HALE——FEMALE—— WHITE————————————————————————————————————	6.5 7.4 5.6 5.3 6.0 4.5 14.7 16.8 12.8	438.7 477.3 398.7 972.5 407.4 335.8 774.2 834.2	0.0 0.1 0.0 0.1 - 0.0 0.1	0.0 0.0 0.0 0.0 0.0 - 0.0 0.1	0.0
10 11 12 13 14 15 16 17	SYMPTOMS AND ILL-DEFINED CONDITIONS780-796 MALE FEMALE WHITE	14.5 17.8 11.3 11.6 14.3 9.0 34.4 42.5 27.0	136.7 158.8 113.6 102.8 122.2 82.5 307.9 346.3 268.5	2.7 3.0 2.4 1.8 2.1 1.5 7.2 7.3 7.1	0.6 0.7 0.6 0.5 0.6 0.4 1.4 1.6	3.9 5.4 2.5 3.0 4.1 1.9 9.4 13.2
19 20 21 22 23 24 25 26 27	ALL OTHER DISEASES RESIDUAL MALE— FEMALE— WHITE— MALE—— FEMALE— ALL OTHER MALE—— FEMALE— FEMALE—— FEMALE——	54.7 62.8 47.0 53.6 61.2 46.4 61.9 73.8 51.0	65.3 73.8 56.4 56.4 64.6 47.6 110.4 120.6	7.9 8.1 7.7 7.5 7.6 7.5 9.9 11.1 8.7	3.8 3.9 3.7 3.8 3.7 4.2 4.6	8.2 10.1 6.3 7.0 8.8 5.1 15.5 17.9
28 29 30 31 32 33 34 35 36	ACCIDENTSE800-E949  MALE FEMALE HALE FEMALE ALL OTHER FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE	55.2 78.7 32.8 53.8 75.9 32.7 64.6 98.5	54.9 61.9 47.7 44.8 52.1 97.0 106.3 111.7	31.9 37.5 26.0 28.6 34.1 22.9 48.4 55.1	20.8 28.2 13.1 19.6 26.4 12.6 26.9 38.0	68.9 109.5 28.0 69.6 110.4 28.2 64.5 104.1 26.8
37 38 39 40 41 42 43 44 45	MOTOR VEHICLE ACCIDENTS	26.5 39.1 14.5 26.2 38.4 14.5 28.1 43.5	10.6 10.9 10.3 10.5 11.4 9.5 11.2 8.2 14.3	12.3 14.2 10.3 11.2 12.6 9.6 17.9 22.2	10.6 13.4 7.6 10.4 13.2 7.6 11.3 14.7	46.8 72.0 21.4 48.7 74.8 22.3 34.9 54.5 16.2
46 47 48 49 50 51 52 53	ALL OTHER ACCIDENTS	28.7 39.6 18.4 27.6 37.4 18.2 36.5 55.0	44.3 51.0 37.4 34.3 40.7 27.5 95.1 103.5 86.5	19.6 23.3 15.7 17.5 21.5 13.3 30.5 32.9 28.1	10.2 14.8 5.5 9.2 13.2 5.0 15.6 23.3	22.1 37.5 6.6 20.9 35.6 5.9 29.6 49.5
55 56 57 58 59 60 61 62 63	SUICIDE	12-0 17-7 6-5 12-8 18-8 7-0 6-4 10-0			0.4 0.6 0.2 0.4 0.7 0.2 0.2 0.3	10.6 17.0 4.3 10.9 17.4 4.3 8.9 14.0 4.1
64 65 66 67 68 69 70 71	HONICIDE	9.8 15.5 4.3 5.5 8.3 2.8 39.1 65.8 14.6	5-2 5-3 3-9 4-0 3-7 12-2 10-9 13-5	2.5 2.7 2.3 1.7 1.8 1.6 6.7 7.3 6.1	1-1 1-3 0-9 0-8 0-8 0-7 2-8 3-9 1-7	13.4 20.7 6.1 7.2 10.5 3.8 51.6 85.1
73 74 75 76 77 78 79 80 81	OTHER EXTERNAL CAUSES	2.4 3.4 1.5 2.0 2.8 1.3 4.8 7.3	2.9 3.4 2.4 2.3 2.6 2.0 6.1 7.8	1.1 1.3 0.9 0.8 0.9 0.7 2.6 3.3	0.4 0.6 0.2 0.3 0.5 0.1 1.1 1.6	2.5 3.7 1.3 2.1 3.1 1.0 5.0 6.9 3.1

<sup>&#</sup>x27;Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973-Con.

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 Years	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.0 0.0 - 0.0 0.0	0-0 0-0 0-0 0-0 0-0	-		0.0 0.0 0.1 0.1 0.0 0.1	-	0.2 0.2 0.2 0.2 0.2 0.2	1 2 3 4 5 6 7 8 9
4.9 6.4 3.5 3.5 4.5 2.5 15.2 21.4	8.3 10.5 6.1 5.6 7.0 4.3 27.2 38.0	13.3 18.0 8.9 10.1 13.8 6.7 40.3 55.1	23.5 34.3 13.7 18.7 28.1 10.3 69.0 95.4 46.2	38.7 56.2 25.2 30.2 45.4 18.5 122.0 157.5 92.9	71.9 97.8 -55.6 59.4 80.9 46.1 219.2 279.8	199.9 244.6 177.4 170.9 205.9 153.7 507.9 600.0	15 16
13.1 15.0 11.2 9.8 10.8 8.7 36.7 47.1	26.7 30.8 22.7 20.9 23.6 18.3 67.8 86.8 52.1	50.5 60.2 41.4 43.8 51.8 36.2 106.9 133.8 83.5	103-3 132-7 76-9 97-3 125-3 72-2 160-3 204-7 121-9	208.4 283.4 150.5 203.3 219.3 145.1 257.9 322.0 205.3	407.5 560.0 311.5 409.0 564.1 312.3 391.1 516.0 300.0	694.9 892.5 595.7 709.5 913.8 608.5 539.3 677.4 450.0	19 20 21 22 23 24 25 26 27
50.7 82.6 19.6 47.8 77.4 18.4 71.3 122.4	45.4 71.2 20.9 41.6 64.3 19.5 73.1 124.4 30.6	48.8 74.0 25.3 45.1 67.5 24.0 80.3 131.0 36.3	59.4 88.3 33.5 56.4 82.3 33.2 87.9 147.1	77.5 109.1 53.1 74.7 104.3 52.1 104.6 154.9 63.5	160.6 206.9 131.4 161.9 207.6 133.4 145.1 199.5	404.2 474.7 368.8 419.9 492.9 383.9 237.1 296.2 198.9	28 29 30 31 32 33 34 35 36
30.3 47.8 13.2 29.2 45.8 12.7. 38.1 63.6 16.3	23.7 35.9 12.1 22.1 33.0 11.7 35.0 59.0	22.9 33.7 12.8 21.4 31.1 12.2 35.5 56.4 17.2	24.8 35.6 15.1 23.8 33.3 15.2 34.4 57.9 14.2	29.4 41.7 20.0 28.7 39.7 20.3 36.8 60.5	40.7 64.3 25.9 41.5 65.1 26.8 31.9 56.3	34.7 68.4 17.8 36.0 71.4 18.5 21.4 39.6 10.2	37 38 39 40 41 42 43 44
20.4 34.7 6.4 18.6 31.6 5.7 33.2 58.8 11.4	21.7 35.3 8.8 19.4 31.4 7.8 38.1 65.4 15.5	25.9 40.3 12.5 23.7 36.4 11.7 44.9 74.6 19.1	34.6 52.7 18.4 32.6 48.9 18.0 53.5 89.2 22.7	48.1 67.4 33.1 46.0 64.6 31.9 67.8 94.4	119.8 142.6 105.5 120.4 142.6 106.6 113.3 143.2 91.4	369.5 406.2 351.1 384.0 421.5 365.4 215.7 256.6 188.6	46 47 48 49 50 51 52 53 54
14.9 21.9 8.1 15.1 21.8 8.5 13.3 22.6 5.3	16.4 21.8 11.3 17.4 22.8 12.2 9.5 14.3 5.4	19.5 26.9 12.6 20.8 28.4 13.7 7.9 13.4 3.2	20.3 30.5 11.2 21.6 32.4 12.0 8.0 12.2	19.8 34.5 8.5 21.2 37.0 9.1 6.5 11.6 2.4	21.4 43.5 7.4 22.5 46.3 7.7 7.7 13.1	19.9 50.3 4.6 21.0 54.6 4.4 7.9 9.4 6.8	55 56 57 58 59 60 61 62 63
19.0 31.2 7.1 9.6 15.3 3.9 85.9 153.4 28.3	15.9 25.4 6.9 8.3 12.7 4.1 70.1 124.0 25.5	11.1 18.3 4.3 6.2 9.8 2.8 52.0 92.3 16.9	7.9 13.4 2.9 5.1 8.5 2.1 34.2 61.8 10.4	5.8 9.6 2.8 4.0 6.3 2.3 22.8 40.4 8.4	5-1 7-4 3-6 4-3 5-7 3-4 14-7 25-4 6-8	3.4 5.5 2.3 3.1 5.1 2.1 6.4 9.4	64 65 66 67 68 69 70 71 72
3.0 4.3 1.6 2.4 3.3 1.4 7.2 11.8	3.3 4.5 2.2 2.6 3.5 1.8 8.3 12.7 4.6	3.3 4.3 2.4 2.9 3.5 2.9 7.0 11.3 3.2	3.2 4.6 1.9 2.9 4.1 1.8 6.2 10.4	2.9 4.4 1.8 2.8 4.0 1.8 4.5 8.2 1.5	3.2 5.5 1.8 3.0 5.2 1.6 5.9 8.5	3.7 6.8 2.1 3.4. 5.7 2.3 6.4 17.0	73 74 75 76 77 78 79 80 81

Table 1-10. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900-1973

Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the death-registration area. Data by place of occurrence include deaths of nonresidents

	United				Geog	raphic divisi	.on			
Year	States	New England <sup>1</sup>	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
1975	9.4	9.6	10.0	9.2	. 10.0	9.7	10.2	9.2	8.0	8.4
19722	9.4	9.6	10.1	9.3	10.1	9.7	10.1	9.2	7.9	8.3
1971	9.4	9.6	10.2	9.2	10.0	9.4	10.0	8.9	8.2	8.4
1970	9.5	9.8	S.OI	. 9.3	10.1	9.6	10.1	9.1	8.2	8,4
1969	9.5	10.1	10.2	9.4	10.3	9.5	9.9	9.0	8.2	8.6
1968	9.7	10.4	10.7	9.7	10.3	9.5	9.8	9,1	8.2	8.4
1967	9.4	10.3	10.2	9.5	10.1	9.1	9.4	8.6	7.9	8.3
1966	9.5	10.3	10.3	9.6	10.4	9.3	9.7	8.7	8.0	8.5
1965	9.4	10.5	10.2	9.5	10.2	9.2	9.6	8.6	8.0	. 8.4
1964	9.4	9.8	10.3	9.5	10.2	9.1	9.5	8.6	8.1.	8.5
1963	9.6	10.4	10.5	9.8	10.4	9.3	9.9	6.6	8.1	8.5
1962	9.5	10.5	10.4	9.5	10.2	9.1	9.6	8.7	7.9	8.4
3961	9.3	10,4	10.3	9.3	9.9	8.8	9.3	8.4	7.9	8-4
1960	9.5	10,6	10.4	9.5	30.2	9.2	9.6	8.7	8.2	8.7
1955-59	9.4	10.6	10.4	9.5	10.0	8.9	9.3	B.4	8.2	.8.7
1950-54	9.5	10.5	10.3	9.8	10,2	8.8	9,1	8.3	8.7	9.2
1945-49	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39	11,0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1950-34	11.0	11.8	11.3	10,9	10.4	11.4	10.8		11.1	11.2
1925-29	11.7	12.4	12.4	11.6			11.7			11.6
1920-24	12.0	15,0	12.8	11.5						12.0
1915-19	14.5	16,0	15.8	·						
1910-14	3.8	15,4	15.0	i						
1905-09	15,2	16.2								
1900-1904	16.2	1.6.8						'		

<sup>&</sup>lt;sup>3</sup>Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts; see Technical Appendix. <sup>2</sup>Deaths based on a 50-percent sumple.

## SECTION 1 - GENERAL MORTALITY

Table 1-11. Death Rates: United States, Each Division and State, 1964:73 [Rates per 1,000 population in each area]

	[Rat	es per 1,00	0 population	ın each are	aj					
Division and State	1973 <sup>1</sup>	1972 <sup>1,2</sup>	1971. <sup>1</sup>	1970 <sup>1</sup>	1969	1968	1967	1966	1965	1964
United States	9.4	9.4	9.5	9.5	9.5	9.7	9.4	9.5	9.4	9.4
Geographic divisions:										
w' w. v33	9.6	9.6	9.6	9.8	10.1	10.4	10.3	10.3 10.4	10,5 10,3	9,8 10,4
New England	10.0	10.2	10.2	10.3	10.3		10.2	9.7	9.6	9,6
East North Central	9.3 9.9	9.4 10.1	9.2 9.9	9.4 10.1	9.5 10.3	9.7 10.3	9.5 10.1	10.3	10.2	10.2
	9.6	9.6	9.3	9.5	9.4	9.5	9.1	9.2	9,1	9.0
Proct 0 12 0 12-2	10.1	10.0	9.9	10.0	9.8	9.8	9.4	9,6	9,5	9.5
No L. Courble Combine?	9.2	9.1	8.9	9.1	9.0	9.1	8.6	8.7	8.6	8,6
Mantain	7.9	7.8	8.0	á.0	8.1	8.2	7.9	7.9	7.8	7,9
Pacific	8.4	8.3	8.4	8.3	8.5	8.4	8,3	8.5	8,4	8,5
New England:										
Madaa	10.6	10.9	10.7	11.1	11.2	11.4	11.4	11.1	11.0	11,0
New Hampshire	9.6	9.7	9.8	10.0	10.5	10.6 10.7	10.6 10.9	10.5 11.1	10.9 11.4	10.8 11.4
Vermout	9.7	9.4	9.6 9.9	10.0 10.1	10.1 10.6	10.9	10.7	10.7	11,0	9.6
m 2 - T-3 3	9.9 9.8	9.9 9.8	9.7	10.0	10.2	10.6	10.4	10.5	10.9	10,5
Connecticut	8.7	8.6	8.5	8.6	8.7	9.0	8.9	9,1	9.1	9,1
Middle Atlantic:	9.9	10.1	10.1	10.3	10.3	10.7	10.2	10.3	10,2	10,3
	9.3	9.4	9.4	9.5	9.5	9.7	9.4	9.6	9.6	9.6
Pennsylvania	10.6	10.7	10.7	10.8	10.8	11.2	10.8	11,0	10.9	10.8
East North Centrals										
Ohio	. 9.5	9.5	9.3	9.4	9.4	9.7	9.4	9.6	9,6	9,5
T-31	9.3	9.3	9.3	9.3	9.7	9.8	9.6	9.9	9,8	9,7
T111-1-	9.8	9.9	9.8	10.0	10.1	10.3	10.1	10.4	10.2	10.1
	8.7	8.7	8.6	8.6	8.8	8.9	8.8	8.9	8.9	8.8
Wisconsin	9.0	9.3	9.0	9.2	9.7	9.8	9.5	9.7	9.7	9,5
West North Central:										
Minnesota	8.7	8.9	8.7	8.9	9.1	9.3	9.2	9,3	9,1	9,4
Town	10.1	10.4	10,4	10.4	10.6	10.8	10.5	10.8	10.7	10.5
Missouri	10.9	11.1	10.7	11.1	11.3	11.3	11.0	11,5	11.2	11.1
North Dakota	9.0	8.9	9,0	9.1	9.1	8.9	8.5	8.9	8.5	8.6
North DakotaSouth Dakota	9.7	10.3	10.0	9.9	10.3	10.0	9.5	9.7	9.5	9.4
Nebraska	9.7	10.2 9.9	10.0 9.8	10.1 9.7	10.3 9.8	10.4 9.8	10.1 9.6	10.2 9.8	10.2	10.1
South Atlantic:	8.5	8.7	8.6	9.0	8.8	9.2	8.8	9,3	9.0	8.7
Maryland	8.0	8.3	8.1	8.4	8.6	8.7	8.4	8.8	8.7	8.5
District of Calembia	10.8	11.3	11.6	11.7	11.0	10.9	10.9	11.4	11.2	11.5
TIT would a	8.8	8.5	8.4	8.4	8.4	8.7	8,2	8.3	8.4	8.4
Wast Virginia	11.1	11.5	11.2	11.5	1.0.9	11.0	10.7	10.8	10.6	10,3
North Caraling	9.I.	9.1	8.7	8.8	8.6	8.7	8.4	8.5	8.4	6,3
South Carolina	9,1	8.9	8.8	B.6	8.5	B₄B	8.4	8.6	8.5	8,5
Changia	9.2	9.1	8.9	9.1	8.9	9.1	B.5	B.6	8.7	9.0
Florida	11.5	11.3	10.9	11.0	12.4	11.3	10.6	10.5	10.3	10,1
East South Central:										
Kentarkur	10.3	10.3	10.2	10.3	10.2	10.3	10.0	9.9	9.8	9.7
Tennessee	9.6	9.7	9.5	9.7	9.5	9,4	9.2	9.3	9,1	9.2
Alebama	10.0	9.8	9.7	9.8	9.6	9.4	9.0	9.4	9.3	9.5
Mississippi	10.5	10.5	10.5	10.5	10.1	10.2	9.6	10.0	9,8	\$.8
West South Central:										
Anisonaaa	10.9	10.9	10.7	10.7	10.4	10.5	9.9	9.9	9.9	10.3
Louisiana	9.3	9.2	9.0	9.2	9.0	9.2	8.7	9.0	9.0	9,0
Oklahoma Texas	10.3 B.6	10.2 8.6	9.9 8.3	10.5 8.4	10.1 8.4	10.2 8.5	10.0 8.0	10,1 8,1	9.7 7.9	8.0 8.0
± ******					-7-					
Mountain:	9.5	9.6	9.7	9.5	9.7	9.5	9.4	9.8	9.4	9,8
MontanaIdahoIdaho	8.4	8.4	8.6	8.6	8.6	8.6	8.4	9.6	8.6	8.5
Triving vic	8.7	8.9	9.0	8.8	9.2	9.4	8.8	8.1	8.5	8,5
Golorado	7.7	7.5	7.8	7.9	a.z	8.7	8.3	8.3	8.3	8.5
New Meyico	7.3	7.4	7.4	7.3	7,3	7.1	6,9	6.8	6.7	8.5
Arizone	8.2	8.1	8.5	8.4	8.3	8.3	7.9	7.9	7.6	7.8
Utah	6.6	6.5	6.6	6.7	6.5	6.7	5.4	6.8	.5.7	6.6
Neyada	7.8	7.7	7.9	7,9	8.1	7.9	7.5	7.2	7.4	7.5
Pacific:			]							
Weight not the	9.0	8.7	8.8	8.8	9.0	9.5	9.5	9.8	9.2	9.5
Opening the second seco	9.4	9.2	9.5	9.3	9,6	9,5	9.5	9.7	9.4	9.6 8.4
California	8.4	8.3		8.3		8.3	8.2 4,7	8.3	8,3 5,0	5.8
Alaska	4.4	4.4	4.7	4.8	4.6 5.1	4.9 5.3	5.2	4.8 5.2	5,1	5.1
Hawaii	5.3	5.3	5.3	5.2	ا ع <i>ن</i> د	l <sup>5,5</sup>	3.2	2,6	l 2,7	017

<sup>&</sup>lt;sup>1</sup>Excludes deaths of nonresidents of the United States.

Deaths based on a 50-percent sample.

Stigure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts, primarily to residents of Massachusetts; see Technical Appendix.

Table 1-12. Deaths and Death Rates by Age: United States, Each Division and State, 1973

[Rates per 100,000 population in each area]

	T				pop	ulation in e	acu areal		· · · · ·				
Distriction on Victoria				Number					· · · · · · · · · · · · · · · · · · ·	Rat	e 		
Division and State	Total.	Under 5 years	5-19 years	20–44 years	45-64 years	65 years and over	Not stated	Total <sup>1</sup>	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States	1,973,003	66,424	36,690	137,553	476,593	1,252,997	546	940.2	397.4	65.4	198.6	1,106.5	5,874.6
Geographic divisions: New England	116,498 376,606 381,345 165,279 311,266 133,658 186,191 71,905 230,255	2,860 9,864 13,264 4,653 11,633 5,509 8,064 3,345 7,232	1,798 5,717 7,512 3,135 6,715 3,027 4,263 2,060 4,663	6,017 23,092 25,553 8,586 25,788 10,040 14,379 6,610 17,488	26,594 92,619 91,094 32,519 84,144 32,953 44,742 16,958 55,170	79,408 245,172 243,894 116,527 182,861 82,087 114,703 42,904 145,641	21 142 28 59 125 42 40 28 61	958.8 1,003.5 932.5 989.5 959.0 1,005.1 919.1 765.9 839.8	519.6 358.8 398.2 362.9 444.5 498.0 456.1 410.9 340.3	52.9 56.4 63.1 65.3 73.7 78.7 72.3 74.7 61.4	152.1 190.7 190.6 162.1 257.4 252.6 214.6 214.6 183.2	1,022.2 1,092.1 1,097.9 974.2 1,283.1 1,253.0 1,148.4 985.4 990.5	6,006.7 6,062.6 6,163.6 5,863.3 5,531.2 6,000.5 5,758.2 5,514.7 5,651.6
New England: Maine	10,870 7,583 4,504 57,318 9,509 26,714	305 220 124 1,325 246 640	197 115 90 848 124 424	512 395 248 2,933 485 1,444	2,309 1,696 956 12,771 2,231 6,431	7,545 5,157 3,084 39,433 6,422 17,767	2 2 8 1 8	1,057.4 958.7 970.7 985.2 977.3 868.5	572.0 349.2 517.9 317.0 346.5 288.3	66.6 51.1 65.7 52.5 47.1 49.2	160.5 150.8 163.2 154.2 154.0 143.5	1,099.5 1,087.2 1,098.9 1,036.6 1,032.9 944.3	6,235.5 6,139.3 6,168.0 6,048.0 5,891.7 5,806.2
Middle Atlantic:  New York New Jersey Pennsylvania	181,287 68,687 126,632	4,820 1,922 3,122	2,757 1,042 1,918	12,187 4,189 6,716	43,374 17,420 31,825	118,039 44,094 93,039	110 20 12	992.5 933.1 1,064.0	357.0 354.8 364.3	56.6 51.2 59.3	202.6 176.5 180.6	1,074.4 1,040.0 1,149.3	5,940.6 6,007.4 6,276.6
East North Central: Ohio	101,510 49,671 110,510 78,359 41,295	3,291 1,826 3,988 3,069 1,090	1,840 1,026 2,042 1,753 851	6,266 3,205 7,816 6,134 2,132	24,639 11,482 26,923 19,742 8,308	65,467 32,128 69,731 47,656 28,912	7 4 10 5 2	946.0 934.4 983.5 866.4 903.8	376.5 411.3 442.6 402.8 311.4	59.4 66.2 64.3 64.5 62.3	178.1 162.4 212.1 205.0 146.5	1,117.4 1,091.4 1,145.2 1,106.6 918.0	6,313.1 6,262.8 6,198.3 6,055.4 5,840.8
West North Central: Minnesota	33,851 29,255 51,976 5,767 6,643 14,998 22,789	985 729 1,469 1,83 257 461 591	685 501 969 139 153 249 439	1,727 1,531 2,919 309 374 777 1,149	6,602 5,468 11,127 1,145 1,252 2,661 4,284	23,835 21,225 35,462 3,990 4,647 10,846 16,322	17 2 31 1 - 4 4	868.6 1,007.4 1,092.6 901.1 969.8 972.6 1,000.0	323.0 332.4 403.3 366.0 438.9 384.2 347.6	58.5 60.0 73.4 71.3 74.3 56.5 69.2	137.1 148.1 193.1 156.1 184.2 158.9 156.1	897.0 920.5 1,138.9 901.6 692.8 675.3 927.3	5,608.2 5,945.4 6,082.7 5,700.0 5,598.8 5,738.6 5,892.4
South Atlantic:  Delaware- Maryland- District of Columbia- Virginia- West Virginia- North Carolina- Bouth Carolina- Georgia- Florids-	4,920 32,712 8,069 41,151 19,955 47,755 24,896 43,871 87,938	159 1,007 306 1,557 620 2,192 1,311 1,972 2,529	114 706 119 814 340 1,216 679 1,118 1,609	377 2,639 947 3,458 1,150 4,355 2,659 4,470 5,685	1,327 9,219 2,531 11,706 4,935 13,553 7,730 12,718 20,447	2,941 19,127 4,164 25,624 12,865 26,435 12,511 23,556 57,640	2 14 1 12 9 24 6 29 28	854.2 803.7 1,081.5 855.4 1,112.3 905.7 913.3 916.7 1,145.3	345.7 320.7 527.6 399.2 453.6 493.7 539.5 457.5 457.3	66.7 59.2 63.3 59.0 69.7 80.8 82.4 79.6 82.1	191.4 186.8 338.2 204.3 213.6 238.9 284.7 271.1 245.8	1,164.0 1,118.8 1,710.1 1,224.5 1,227.1 1,295.0 1,509.8 1,419.4 1,231.0	6,257.4 5,867.2 5,864.8 5,935.7 6,305.4 5,797.1 5,901.4 5,859.7 4,843.7
East South Central: Kentucky————————————————————————————————————	34,434 39,794 35,408 24,022	1,075 1,525 1,513 1,396	71.6 660 828 623	2,346 2,914 2,927 1,853	8,162 10,043 9,114 5,634	22,129 24,439 21,011 14,508	6 13 15 8	1,030.3 964.5 1,000.5 1,053.1	388.1 458.0 499.3 646.3	74.7 74.8 79.9 88.6	216.0 209.6 256.8 264.3	1,225.5 1,194.2 1,294.6 1,344.6	6,233.5 5,903.1 5,885.4 5,995.0
West South Central: Arkansas Louisiana Oklahona Toxas	22,156 35,039 27,349 101,647	782 1,636 842 4,804	429 916 494 2,424	1,311 3,015 1,653 8,400	4,854 9,257 5,889 24,742	14,779 20,210 18,455 61,259	. 1 5 16 18	1,087.7 930.9 1,027.0 661.9	468.3 481.2 402.9 456.7	75.4 77.8 68.2 70.7	209.8 247.1 192.2 210.2	1,158.5 1,326.2 1,074.6 1,109.0	5,728.3 6,142.9 5,749.2 5,651.2
Mountain: Montan	6,867 6,479 3,070 10,674 8,119 16,847 7,585 4,264	270 300 153 765 512 740 437 188	179 188 76 441 328 492 234 124	515 452 258 1,650 1,044 1,630 620 441	1,552 1,369 739 4,075 1,961 4,248 1,649 1,365	4,346 4,168 1,862 11,743 4,272 9,728 4,642 2,143	5 4 2 2 9 5 3	952.4 841.4 869.7 766.3 734.1 818.6 655.6 778.1	473.7 484.8 443.3 384.4 497.1 402.2 344.1 417.8	82.5 80.2 73.1 62.0 91.4 61.1 63.4 79.0	225.9 186.8 222.4 187.9 286.0 242.2 161.5 227.3	1,055.8 900.7 1,026.4 907.6 990.4 1,067.3 863.4 1,197.4	6,121.1 5,632.4 5,818.8 5,871.5 5,209.8 4,963.3 5,461.2 5,639.5
Pacific: Washington	50,812 20,906 172,710 1,459 4,368	942 569 5,324 157 240	590 402 3,476 93 102	1,851. 1,255 13,620 347 415	7,211 4,717 41,595 441 1,206	20,209 13,953 108,654 420 2,405	9 10 41 1	898.6 939.6 638.4 442.1 525.0	356.8 340.7 335.9 448.6 324.3	60.9 65.7 61.4 84.5 41.6	159.3 171.7 188.7 264.9 136.5	1,046.6 1,003.6 988.5 958.7 768.2	5,874.7 5,695.1 5,632.7 5,250.0 4,715.7

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973 [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

		<u> </u>			GEO GR	APHIC DIVISION	<u> </u>			
CAUSE OF DEATH	UNITED STATES	NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST North Central	SOUTH ATLANTIC	EAST SOUTH CENTRAL	HEST SOUTH CENTRAL	MOUNTAIN	PACIFIC
ALL CAUSES	1,973,003	116,498	376,606	381,345	1654 279	311,266	133,658	186,191	71,905	230+255
BACILLARY DYSENTERY AND AMEDIASIS	64	1	9	3	3	5	8	13	8	14
	2,322	126	334	363	213	403	212	335	115	221
	3,875	163	860	641	203	756	335	418	150	349
	3,009	126	711	485	140	602	268	329	102	246
	866	37	149	156	63	154	67	89	48	103
WHOOPING COUGH	5 20 330 4,560 10	1 1 13 281	- 2 50 994 3	1 2 53 741 1	1 25 301 1	2 2 58 834 2	- 4 29 339 -	1 1 54 555	- 2 13 187	1 5 35 328 3
MEASLES	23	1	2	6	2	5	4	1	-	2
	393	6	53	61	32	96	32	43	14	56
DITHER INFECTIVE AND PARASITIC DISEASESREMAINDER OF 000-136	4,067	221	701	655	337	705	307	465	198	478
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES140-209 MALIGNANT NEOPLASMS OF BUILDAL CAVITY AND PHARYNX	351,055	22,629	72,140	68,095	28,807	53,580	20,848	31•350	11, 246	42,360
	7,822	568	1,562	1,381	558	1,342	483	707	193	1,028
	96,549	6,771	21,739	18,900	7,892	13,699	5,347	7•843	3, 016	11,342
SYSTEM	79,335	4,895	15,414	14,965	5,924	13,165	5,049	7,814	2, 293	9,816
	32,143	2,220	7,248	6,468	2,551	4,555	1,701	2,471	976	3,953
	42,591	2,559	8,125	8,336	3,879	6,713	2,713	3,837	1, 449	4,980
	15,877	I,091	3,287	3,242	1,380	2,269	821	1,264	571	1,952
UNSPECIFIED SITES170-173, 190-199 LEUKEMIA204-207 OTHER NEOPLASHS OF LYMPHATIC AND HEMATOPOIETIC TISSUES200-203, 208, 209	42,693	2,545	8,302	7+932	3,369	7,010	2,662	4,244	1,582	5,047
	14,478	815	2,629	3+002	1,357	2,063	945	1,388	504	1,7 <b>7</b> 5
	19,567	1,165	3,834	3+869	1,897	2,764	1,127	1,782	662	2,467
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239 DIABETES MELLITUS250	5,013	354	1,165	800	345	785	296	449	203	616
	38,208	2,305	7,722	8•250	3,138	5,906	2 <sub>1</sub> 493	3,668	1,232	3,494
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES260-269 ANEMIAS28D-285 MENINGITIS320	2,576	107	369	470	295	431	134	262	116	392
	3,318	213	593	627	252	604	220	363	<b>124</b>	322
	1,523	52	270	252	99	293	106	226	66	159
MAJOR CARDIOVASCULAR DISEASES390-448 DISEASES OF HEART390-398,402,404,410-429 ACTIVE RHEUMATIC FEVER AND CHRONIC	1,037,492	62,365°	202,634	207,582	90+315	158,370	69,996	94,895	33, 132	118,203
	757,075	46,363	156,068	153,510	64+059	113,362	48,200	67,103	23, 746	84,664
ACTIVE RHEUMATIC FEVER AND CHRUNIC RHEUMATIC HEART DISEASE	13,739	963	3,066	2.666	1, 125	1,863	554	729	719	2,054
	7,268	519	1,251	1.772	578	999	427	724	202	796
	5,515	207	767	1.637	594	893	352	439	151	475
	684,066	42,144	144,348	138.206	57, 781	102,203	42,784	58,374	20, 724	77,502
	351,662	21,467	69,907	71.397	31, 928	52,731	25,988	32,527	11, 095	34,622
ISCHEMIC HEART DISEASE411 CHRONIC ISCHEMIC HEART DISEASE412 ANGINA PECTORIS413	4,503	925	795	599	235	1,212	128	554	220	435
	327,722	20,339	73,627	66,174	25, 576	48,242	16,653	25•273	9,406	42,432
	179	13	19	36	42	18	15	20	3	13
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYDCARDIAL INSUEFICIENCY——————424,428 ALL OTHER FORMS OF HEART DISEASE———————420–423,425–427,429	5,137	269	672	985	579	819	434	594	191	594
	41,350	2,261	5,964	8,244	3,402	6,585	3,649	6+243	1,759	3,243

SECTION 1 - GENERAL MORTALITY

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.
[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

	after causes of des	are caregory no	mean or me tile.							
· ·					G FOGR	APHIC DIVISION	S			
CAUSE OF DEATH	UNITEO STATES	NEW England	MIDDLE Atlantic	FAST North Central	WEST North Central	SOUTH ATLANTIC	EAST SOUTH Central	WEST SDUTH CENTRAL	MOUNTAIN	PACIFIC
MAJDR CARDIOVASCULAR DISEASESGON-		·		'						
HYPERTENSION	7,428 214,313 33,909 56,648 967	389 11,898 2,410 3,857 68	1,222 35,054 6,016 10,252 203	1,650 40,504 7,086 11,240 186	675 19•969 2•993 4•774 125	1,282 35,029 5,536 9,411 117	613 17,571 2,540 4,406 41	696 21,708 3,117 4,158 96	215 6,892 975 1,363 35	686 25,688 3,236 7,187 96
DISEASES	122,789 32,617	5,563 2,014	18,583 5,397	21,992 6,959	12+077 3+345	19,965 4,578	10,584 2,095	14,337 3,154	4,519 1,286	15,169 3,789
CAPILLARIES	26, 059	1,701	4,893	4,959	2,267	4,119	1,517	2,234	993	3,376
ACUTE BRONCHITIS AND BRONCHIOLITIS466 INFLUENZA AND PNEUMONIA470-474,480-486 INFLUENZA470-474 PNEUMONIA480-486	905 62,559 5,131 57,428	55 4,342 229 4,113	151 11,955 435 11,520	168 10,893 766 10,127	54 5, 614 626 4, 988	127 9,601 629 8,972	60 3,998 377 3,621	82 5•736 429 5•307	38 2,721 328 2,393	170 7,699 1,312 6,387
BRONCHITIS, EMPHYSENA, AND ASTHMA	29,708 5,547 22,249 1,912 7,688 1,066 6,746 33,350	1,595 384 1,104 1,07 459 65 388 2,214	4,468 881 3,273 314 1,611 207 1,270 7,422	6,023 1,103 4,551 369 1,507 216 1,322 6,158	2,524 476 1,910 138 607 81 627 1,711	4,494 817 3,375 302 1,124 156 1,027 5,544	1,940 355 1,441 144 450 91 428 1,355	2,792 464 2,149 179 577 99 661 2,262	1,623 278 1,245 100 319 38 300 1,265	4,249 789 3,201 259 1,034 113 723 5,419
CHOLANGITIS 574,575 NEPHRITIS AND NEPHROSIS 580-584 ACUTE NEPHRITIS AND NEPHROTIC SYNDROME 580,581 CHRONIC AND UNOUALIFIED NEPHRITIS AND RENAL SCLEROSIS 582-584	3,422 8,336 1,536 6,800	205 409 86 323	623 1,571 314 1,257	668 1,596 284 1,312	348 648 139 509	474 1,552 275 1,277	257 629 92 537	324 967 179 788	185 282 48	338 682 119 563
INFECTIONS OF KIDNEY	6,134 1,589	289 72	975 285	1.106 313	468 179	1,113 234	611 141	761 134	187 49	624 182
THE PUERPERIUM630-678 ABORTIONS640-645	477 36	9 -	82 . 11	75 8	28 1	91 6	50 1	78 7	. 1B	46 1
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	441	9	'n	67	27	85	49	.71	. 17	45
CONGENITAL ANOMALIES740-759 CERTAIN CAUSES OF MORTALITY IN EARLY	14,962	714	2 <sub>1</sub> 252	2,799	1,045	2,294	937	1,514	699	1,808
INFANCY	30,503 . 16,933	1,367 695	, 4,801 2,692	6,372 3,587	2,130 1,179	5,373 2,788	2,478 1,327	3,629 2,105	1,387	2,966 1,727
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778 SYMPTOMS AND ILL-DEFINED CONDITIONS——780-796 ALL OTHER DISEASES——RESIDUAL	13,570 30,399 114,751	672 1,052 7,024	2,109 5,794 21,636	2.785 4.177 20.555	951 2+511 9+320	2,585 5,424 19,265	1+151 4+470 7+407	1,524 4,080 11,192	554 1,602 5,428	1,239 1,289 12,924
ACCIDENTS—	115,821 55,511 60,310 25,118 20,465 5,050	5,549 2,250 3,299 1,178 477 197	15,193 6,953 8,240 3,317 3,362 1,730	19,993 9,815 10,178 4,527 3,534 740	. 9, 994 4, 914 5, 080 1, 815 828 378	20,545 10,021 10,524 4,373 4,897	9,546 4,893 4,653 1,734 250	12,945 6,245 6,700 2,329 2,685 245	6,558 3,493 3,065 1,454 702 244	15,498 6,927 8,571 4,662 2,246

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

· .			NEW ENGLAND	DIVISION	· · · · · · · · · · · · · · · · · · ·		MIDDL	E ATLANTIC DIVIS	ION
CAUSE OF DEATH	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTIGÚT	NEW YORK	NEW JERSEY	PENNSYLVANTA .
ALL CAUSES	10,070	7,503	4,504	57 <b>+</b> 318	9,509	26,714	181,287	68,687	126,632
BACILLARY DYSENTERY AND AMEBIASIS	20 14 12 2	1855	- 3 6 5 1	56 93 71 22	- 6 13 11 2	1 33 32 22 10	5 151 424 352 72	4 74 171 136 35	109 265 223 42
WHOOPING COUGH	1 17	- - 9 -	- 1 14	1 8 155 -	1 21	- 2 65	25 509 3	- 9 164	2 16 321
MEASLES	- 1 22	-  7	  5	- 3 112	- - 27	. 1 2 48	- 26 335	1 3 . 137	1 24 229
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES140-209 NALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	1 <sub>1</sub> 949 37 572 453 174 230 200 101 214 73	1,393 37 406 315 140 172 70 134 55	816 18 239 161 96 97 48 88 23	11.075 289 3.329 2.385 1.100 1.234 521 1.296 360	1,939 61 630 420 176 211 86 182 76	5,457 126 1,595 1,161 534 615 265 631 228 302	35,485 754 11,002 7,526 3,653 3,913 1,596 3,809 1,293	14,004 353 4,224 3,091 1,480 1,616 650 1,429 491 670	22,651 455 6,513 4,797 2,113 2,596 1,041 3,064 845
NATURE	32 182 8 18 5	15 170 9 25 2	15 90 2 14	173 1,083 55 97 29	33 261 8 20 4	86 519 25 39 12	617 3+631 150 299 145	173 1,532 69 99 51	375 2,559 150 195 74
MAJOR CARDIOVASCULAR DISEASES	6,037 4,393 73 55 40 3,967 2,421 7 1,536	4,004 2,833 59 25 28 2,577 1,425 6 1,145	2,324 1,713 35 13 14 1,559 675	30,539 22,924 497 315 80 20,910 10,362 52 10,491 5	5,137 4,032 68 28 13 3,776 1,879 236 1,661	14,324 10,468 231 83 32 9,355 4,705 20 4,630	95,415 74,280 1,474 619 245 69,252 31,030 441 37,771	37,514 29,094 607 220 114 27,141 12,906 142 14,090 3	69.705 52,694 985 412 408 47.955 25.971 212 21.766
MYGCARDIAL INSUFFICIENCY————————————————————————————————————	44 214	24 120	11 81	141 981	10 137	39 728	233 2,457	81 931	358 2,576

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973—Con.
[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

			NEW ENGLAND	DIVISION		-	MIDDL	E ATLANTIC DIVIS	ION
CAUSE OF DEATH	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNFCTICUT	NEW YORK	NEW JERSEY	PENNSYLVANTA
MAJOR CARDIOVASCULAR DISEASESCON.						-	÷		
HYPERTENSION	49 1,196 257 316 5	29 811 127 255 2	24 427 53 136	179 5•744 1•339 1•891 42	30 838 163 250 6	78 2.882 471 1.001 13	607 15,977 2,928 4,220	220 6,519 1,053 2,226 34	395 12,558 2,035 3,806 79
DISEASES	618 222	427 203	238 87	2,472 885	411 121	1,397 496	8,739 2,368	3 <sub>7</sub> 20 6 808	6,638 2,221
CAPILLARIES	177	128	73	807	116	400	2,183	873	1.837
ACUTE BRONCHITIS AND BRONCHIOLITIS466 INFLUENZA AND PNEUMONIA	8 339 35 304	5 175 17 158	2 152 9 143	28 2•537 99 2•438	306 17 289	12 833 52 781	69 6,489 154 6,335	32 1,905 61 1,844	50 3+561 220 3+341
BRONCHITIS, EMPHYSENA, AND ASTHMA	165 43 110 12 40 9 34 162	163 36 122 5 32 2 2 2 23 150	80 18 57 5 18 	782 171 548 63 232 40 176	95 22 65 8 35 1 30	310 94 202 14 102 13 106 530	2,185 459 1,547 179 861 106 650 4,102	841 187 610 44 278 30 221 1,370	1,442 235 1,116 91 472 71 999 1,950
CHDLANGITIS	20 36 7	13 25 2	14 11 3	102 203 51	21 35 8	35 99 15	291 808 158	133 263 58	199 500 98
SCLEROSIS582-584	29	23	8	152	27	84	650	205	402
INFECTIONS OF KIDNEY590 HYPERPLASIA OF PROSTRATE600 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND	31 12	24 11	. 9 4	151 29	15 3	59 13	485 168	161 51	500 98 402 329 66
THE PUERPERIUM630-678 ABORTIONS640-645	<u>-</u> [	-	-	3 -	1 -	5	47 7	13 1	22 3
OTHER COMPLICATIONS OF PREGNANCY: CHILOBIRTH: AND THE PUERPERIUM630-639:650-678	<b>-</b> [	- {	-	. 3	1	5	40	12	22 3 3 (
CONGENITAL ANDMALIES740-759	- 69	54	33	328	66	164			2
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769-2-769-4-772-774-778	144	109	49	650	116	299	1,111 2,342	414 924	727 } 1,535 ~
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANDXIC AND HYPOXIC CONDITIONS764-768,772,776	76	62	25	336	50	146	1,312	520	86D
OTHER CAUSES OF MORTALITY IN EARLY INFANCY————————————————————————————————————	68 69 668	47 255 384	24 48 327	314 420 3,454	66 49 550	153 211 1,641	1,030 2,463 10,234	404 598 3, 346	675 2,733 8,056
ACCIDENTS	567 236 331 150 27	392 144 248 95 10	308 123 185 57 7 10	2,702 1,043 1,659 512 283 45	430 154 276 80 37 25	1,150 550 600 284 113 89	6,846 3,083 3,763 1,417 2,021 1,372	2+887 1+321 1+566 576 515	5,460 2,549 2,911 1,324 826 234

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

		EAST NORTH C	ENTRAL DIVISION					WEST NOR	TH CENTRAL	DIVĪSION		
CAUSE OF DEATH	DHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNE SOTA	AMDI	MISSOURI•	NORTH DAKUTA	SOUTH DAKOTA	NEBRASKA	KANSAS
ALL GAUSES	101,510	49,671	110,510	78,359	41,295	33,851	29,255	51,976	5,767	6, 643	14,998	22,789
BACILLARY DYSENTERY AND AMEBIASIS	- 102 132 103 29	- 37 92 70 22	3 110 235 176 59	72 143 112 31	42 39 24•	- 43 26 16 10	1 40 19 12 7	1 57 86 62 24	1 10 8 5 3	- 11 9 7 2	16 22 16 6	- 36 33 22 11
WHOOPING COUGH	- 15 214 -	1 3 106	13 176	1 16 166 1	- 6 79 -	 3 63 -	1 4 32	- 7 139	- 3 14	3 8	- - 3 11	 2 34 1
MEASLES	1 19 174	1 11 93	2 14 177	2 12 152	- 5 59	- 5 65	- 3 62	1 15 99	- 1 17	1 1 17	- 1 29	- 6 48
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPDIETIC TISSUES14D-209 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARWX	18,463 402 5,110 4,110 1,691 2,331 884 2,067 811 .1,057 223 2,273 124 159 57	8,463 153 2,185 1,979 738 1,025 394 1,124 403 462 105 1,048	19,646 387 5,537 4,345 1,932 2,392 916 2,259 832 1,046 219 2,015	14,129 292 3,859 3,175 1,320 1,674 685 1,616 644 864 202 2,062	7,394 147 2,209 1,356 787 914 363 866 312 440 51 852 71 65	6,172 119 1,800 1,084 599 839 291 703 288 449 72 542 47	5,212 90 1,417 1,082 447 731 262 607 247 329 75 540 58	8,856 199 2,274 2,055 762 1,130 415 1,117 363 541 91 1,080	940 12 274 169 73 132 50 112 44 74 11 96	1, 141 18 332 189 114 172 59 113 60 88 22 120	2,628 47 783 495 240 338 111 285 148 181 291 291	3,858 73 1,012 850 316 537 196 432 207 235 42 469
MAJOR CARDIOVASCULAR DISEASES	55,194 40,531 787 406 700 36,780 17,640 18,923	27,226 18,946 . 332 181 407 16,932 9,469 59 7,400	61,684 47,276 700 671 295 41,792 21,926	58 40+257 29+861 542 336 135 27-405 14-748 91 12+554	29, 221 16, 896 305 178 100 15, 297 7, 614	18,429 12,964 2,59 99 64 11,854 6,054 85 5,711	16,389 11,526 166 97 123 10,411 6,179 35 4,193	27.871 20,115 364 216 221 17,882 9,420 46 8,386 8,386	2 3.196 2.261 50 19 9 2.023 1.277	3,570 2,577 37 8 1,55 2,376 1,474	7 8,223 5,689 108 62 88 5,106 2,936 2,145	15 12,637 8,927 141 77 74 8,129 4,588 28 3,511
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYGCARDIAL INSUFFICIENCY424,428 ALL QTHER FORMS OF HEART DISEASE427,429	196 1,662	165 929	322 3,496	171 1•272	131 885	86 602	150 579 (	149 1 <sub>1</sub> 283	19 141	17 124	62 263	96 <b>41</b> 0

SECTION 1 - GENERAL MORTALITY

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.
[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

	EAST NORTH CENTRAL DIVISION WEST NORTH CENTRAL DIVISION											
CAUSE OF DEATH	онто	TNDIANA	TLLTNOTS	MICHIGAN	WISCONSIN	M INNE SOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA	NEBRASKA	KANSAS
MAJOR CARDIOVASCULAR DISEASESCON.					_							<u>.                                      </u>
HYPERTENSION	418 10,908 1,833 3,013 53	203 6,124 1,095 1,453 16	580 10,844 2,209 3,241 51	266 7,933 1,216 2,422 44	183 4,695 733 1,111 22	113 4+225 653 870 15	121 3,598 510 897 15	238 5,946 834 1,626 63	21 697 114 119 2	29 730 118 139 4	70 1,944 311 468 10	83 2,829 453 655 16
DISEASES430,432,435-438 ARTERIOSCLEROSIS440 UTHER DISEASES OF ARTERIES, ARTERIOLES, AND	6,009 1,907	3,560 1,255	5,343 1,752	4.251 1,172	2.829 873	2.687 639	2•176 719	3,423 935	462 133	4A9 115	1,155 311	1,705 493
CAPILLARIES	1,430	698	1,232	1,025	574	488	425	637	, 84	. 119	209	. 305
ACUTE BRONCHITIS AND BRONCHIGHTIS	56 2, 846 229 2, 617	22 1,432 132 1,300	51 3,368 159 3,209	27 2,084 134 1,950	12 1,163 112 1,051	7 1,284 170 1,114	1+035 102 933	18 1,554 128 1,426	. 4 251 31 220	1 246 33 213	8 491 65 426	10 753 97 656
BRUNCHITIS, EMPHYSEMA, AND ASTHMA	1,606 326 1,194 86 348 80 339 1,498	848 142 659 47 191 27 190 612	1,582 281 1,192 109 507 57 351 1,852	1,411 230 1,093 88 296 33 270 1,689	576 124 413 39 165 19 172 507	466 100 326 40 129 12 143 401	523 103 396 24 93 18 118 277	737 115 595 27 182 23 174	85 18 63 4 23 4 20	95 91 81 5 26 4 25 71	259 64 179 16 68 10 52 161	359 67 270 22 86 10 95 222
CHOLARITHIASIS, CHOLECYSTITIS AND CHOLANGITIS574,575 NEPHRITIS AND NEPHROSIS580-584 ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-580,581 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL	181 445 65	70 211 50	201 497 88	126 300 60	90 143 21	82 86 16	54 109 20	97 248 51	17 18 5	13 24 7	44 58 16	41 105 24
SCLEROSIS582-584	380	161	409	240	122	70	89	197	13	17	. 42	81
INFECTIONS OF KIDNEY590 HYPERPLASTA OF PROSTRATE	341 88	147 32	336 109	180 37	102 47	71 42	82 30	173 54	13 6	12	35 21	82 24
THE PUERPERIUM630-678 ABORT IONS640-645	17 1	9	24 3	22 2	3 1	4	1 -	13	3 1	2	1 -	4 -
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM630-639,650-678	16	8	21	20	2	4	1	13	2	2	1	4
CONGENITAL ANOMALIES740-759 CERTAIN CAUSES OF MORTALITY IN EARLY	752	384	756	623	284	252	157	331	33	49	96	127
INFANCY760-769.2.769.4-772.774-778 BIRTH INJURY, DIFFICULT LABOR, AND OTHER	1,595	861	1,978	1,463	475	447	348	642	88	104	218	283
ANDXIC AND HYPOXIC CONDITIONS764-768.772.776 OTHER CAUSES OF MORTALITY IN EARLY	807	491	1,277	788	224	240	172	376	48	61	112	170
INFANCY	788 1,246 5,563	370 411 2,816	701 1,563 5,299	675 667 4•552	251 290 2,325	207 264 1,907	176 158 1,606	266 1,661 2,895	40 50 321	43 67 365	106 108 885	113 203 1,341
ACCI DENTS	4,982 2,340 2,642 1,311 905 161	2,962 1,569 1,393 594 374	5,109 2,469 2,640 1,028 929 287	4,637 2,282 2,355 1,073 1,180	2,303 1,155 1,148 521 146 49	2,120 1,048 1,072 410 98	1,731 853 878 314 55	2,941 1,453 1,488 561 454 163	399 219 180 53 9	514 268 246 51 36	,920 425 495 159 67	1,369 648 721 267 109 47

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973—Con. [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

				· so	UTH ATLANTIC DIVI	SION -			
CAUSE OF DEATH	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGI A	FLORIDA
ALL CAUSES	4, 920	32,712	8+068	41,151	19.955	47,755	24,896	43,871	87, 938
BACILLARY DYSENTERY AND AMEBIASIS	 2 8 4 4	- 32 90 84 6	- 9 97 32 5	- 53 93 71 22	_ 23 51 42 9	. 1 72 109 85 24	1 53 70 58 12	1 71 96 72 24	Z 88 202 154 48
WHODPING COUGH	- 1 9 -	- 1 120	1 26	- - 7 120	- 1 4 50	1 - 11 123 -	1 1 6 64	10 135 -	17 187 2
MEASLES055 SYPHILIS AND ITS SEQUELAE090-097 OTHER INFECTIVE AND PARASITIC DISFASESREMAINDER OF 000-136	- 1 9	1 8 79	_ 1 26	1 13 79	 7 49	_ 16 125	- 9 66	1 16 127	2 25 145
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS DF LYMPHATIC AND HEMATOPOIETIC TISSUES——————————————————————————————————	928 20 245 224 97 105 32 134 31	6,567 166 1,773 1,591 595 752 300 850 220	1, 534 64 449 334 135 198 56 176 47	7,245 149 1,838 1,844 645 879 272 961 276	3,254 56 829 815 263 412 133 470 128	7,400 178 1,746 1,672 613 1,018 283 1,115 352 423	3,662 76 894 881 299 542 140 461 148	6,498 180 1,597 1,563 515 855 259 923 283	16,492 453 4,328 4,241 1,393 1,952 794 1,920 578
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	14 144 8 7 4	131 779 51 56 40	29 176 13 23 15	119 722 46 84 39	45 342 · 34 42 8	120 890 62 74 53	50 545 21 43 31	93 779 75 79 48	184 1,529 121 196 55
MAJOR CARDIOVASCULAR DISEASES390-448 DISEASES OF HEART390-398,402,404,410-429 ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	2,585 2,031 41 16 11 1,885 930	16,439 12,857 218 86 97 11,750 5,256	3,460 2,440 43 43 2,169 582	20,833 14,970 209 130 142 13,458 6,669	10,704 7,991 126 71 52, 7,129 3,999	24,670 17,319 230 127 164 15,711 9,109	12,562 8,788 120 103 106 7,719 4,438	22, 131 14, 921 216 208 138 12, 817 7, 662	44,986 32,045 660 215 160 29,555 14,086
CHRONIC ISCHEMIC HEART DISEASE	952 - 11 67	6,429 1 120 586	1,580 - 14 148	6.012 2 211 820	3,106 4 48 569	6,504 2 2 99	3,246 2 68	5, 100 4 95 1,447	153 15,313 3 153 1,292

SECTION 1 - GENERAL MORTALITY

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con. [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

				sou	UTH ATLANTIC DIVI	SION			
CAUSE OF DEATH	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST Virginia	NORTH CAROLI NA	SOUTH CAROLINA	GEORGI A	FLOR IDA
HAJOR CARDIOVASCULAR DISEASESCON-							j		
HYPERTENSION	16. 400 62 106 3	94 2,633 429 559 11	46 650 122 182 6	175 4,407 690 1,104 11	. 84 2.017 396 561	231 5,868 862 1,555 19	102 3•096 542 851 5	199 5,867 1,097 1,477 17	335 10,091 1,336 3,016 41
DISEASES	229 70 68	1,634 419 436	340 235 89	2,602 712 569	1-056 322 290	3,432 701 551	1,698 285 291	3,276 613 531	5,698 1,221 1,294
ACUTE BRONCHITIS AND BRONCHIOLITIS466 INFLUENZA AND PNEUMONIA470-474,480-486 INFLUENZA470-474 PNEUMONIA480-486	2 116 3 113	11 744 34 710	1 309 9 300	20 1.504 102 1.402	6 737 54 683	24 1,508 149 1,359	12 693 57 636	20 1,640 137 1,503	31 2,350 84 2,266
### BRONCHITIS, EMPHYSE MA, AND ASTHMA	65 11 52 2 16 1 9	325 57 245 23 117 17 128 798	88 17 56 15 32 7 35 416	564 125 380 59 149 16 142 687	371 58 294 19 75 4 57 249	578 139 397 42 140 16 172 735	330 51 256 23 93 14 86 277	566 106 412 48 153 31 120 636	1,607 253 1,283 71 349 50 278
CHOLANGITIS	4 33 6 27	42 166 32 134	7 61 10 51	52 166 21 145	30 81 23 58	72 242 43 199	39 156 23 133	61 289 42 247	167 358 75 283
INFECTIONS OF KIONEY	8	63 25	30 7	138 23	54 16	211 41	110 . 19	216 27	2я3 73
THE PUERPERIUM		6	2 - 2	10 1 9	5 1 4	13 1 12	18 1 17	17 1 16	20 1 19
CONGENITAL ANOMALIES740-759 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-718	33 93	220 474	50 176	303 751	134 307	426 1,049	215 588	352 828	561 1,107
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANDXIC AND HYPOXIC CONDITIONS764-768,772,776 OTHER CAUSES OF MORTALITY IN EARLY INFANCY	54 39 24	233 241 295	60 116 109	387 364 502	157 150 503	544 505 573	292 296 789	468 360 707	593 514 1 <sub>1</sub> 922
ACC IDENTS	294 289 125 164 79 41	2,116 1,747 854 893 421 471 132	617 363 99 264 87 260 61	2,642 2,792 1,238 1,554 663 538 35	1,246 1,110 469 641 212 97 47	3, 015 3, 622 1, 879 1, 743 685 793 113	1,433 2,030 ' 968 1,062 305 446 58	2,861 3,509 1,810 1,699 631 1,001	5,041 5,083 2,579 2,504 1,290 1,252

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973—Con.
[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH		EAST SOUTH C	ENTRAL DIVISION			WEST SOUTH CEN	TRAL DIVISION	
CAUSE OF DEATH	KENTUCKY	TENNESSEE	ALABAHA	MISSISSIPPI	APKANSAS	LDUISIANA	OKLAHOMA	TEXAS
ALL CAUSES	34, 434	39,794	3 5, 408	24.022	22,156	35,039	27,349	. 101,647
BACILLARY DYSENTERY AND AMEBIASIS	 39 80 63 17	2 49 118 97 21	- 63 101 75 26	6 61 36 33 3	34 56 44 12	1 49 89 73 16	1 36 52 39 13	11 216 221 173 48
WHOOPING COUGH	  8 94 	· _ 2 8 85 -	2 7 90 -	- 6 70	- 4 63	- 7 135	- - 6 69	1 1 37 288
MEASLES	1 7 68	1 15 94	1 4 82	1 . 6 63	2 42	11 87	- 6 64	1 24 272
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPDIETIC TISSUES140-209 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	5,546 144 1,502 1,382 482 655 234 630 233	6,490 176 1,609 1,560 523 858 263 845 297	5,430 110 1,361 1,302 442 730 206 744 250	3,382 53 875 805 254 470 118 443 165	3.647 61 900 891 235 464 147 588 152	5.822 161 1.462 1.472 466 661 263 836 242	4,730 108 1,174 1,153 335 602 179 681 209	17, 151 377 4, 307 4, 308 1, 435 2, 110 675 2, 139 785
HEMATOPOIETIC TISSUES200-203,208,209 BENIGN NEDPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	284 73 650 37 66 19	359 77 600 35 44 30	285 104 792 31 57	199 42 451 31 53 23	219 58 419 29 36 26	259 115 900 40 84 46	289 57 460 43 40 23	1,015 219 1,889 150 203 131
NAJUR CARDIOVASCULAR DISEASES	19,080 13,621 153 109 88 12,214 7,580	21,508 14,912 189 83 93 13,790 8,438	17,623 11,646 113 130 106 9,873 5,913	11.785 8.021 99 105 65 6.907 4.057	11.869 8.082 87 92 69 6.973 4.236	18,031 13,159 120 146 88 11,745 5,985	14,656 10,413 127 108 82 9,330 5,534	50,339 35,458 395 378 200 30,326 16,772
TSCHENIC HEART DISEASE	43 4,584 7 107	27 5,323 2 135 622	28 3,930 2 122 1,302	30 2,816 4 70 775	16 2.718 3 49	22 5,736 2 137 914	385 3,408 3 72 694	131 13,411 12 336 3,823

SECTION 1 GENERAL MORTALITY

Table 1-13.	Deaths From 6	9 Selected Cause	s: United Stat	es, Each	Division and	l State, 1973-Con.	
[Numbers :	after causes of death are	e category numbers of the	: Eighth Revision Int	ernational Cl	assification of Dise	eases, Adapted, 1965]	

		EAST SOUTH CE	ENTRAL DIVISION			WEST SOUTH CENT	RAL DIVISION	
CAUSE OF DEATH	KENTUCKY	TENNESSEE	AL ABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	GKEAHOMA	TEXAS
MAJOR CARDIOVASCULAR DISEASESCON.			-		-			:
HYPERTENSION	146 4,283 669 1,043	172 5,305 636 1,394	170 4,898 771 1,285	125 3,085 464 684 8	86 3+077 419 567 7	117 3,830 541 807 11	11.2 3,301 479 683 35	381 11,500 1,678 2,101 43
ALL CTHER CEREBROVASCULAR  OISEASES — 430,432,435-438 ARTERIOSCLEROSIS — 440 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND	2,564 638	3,260 630	2+831 533	1,929 294	. 2,084 327	2,471 555	2,104 450	7,678 1,822
CAPILLARIES	392	489	376	260	297	379	380	1,178
ACUTE BRONCHITIS AND BRONCHIOLITIS	13 1,079 91 988	23 1,204 128 1,076	15 1,025 93 932	9 690 65 625	10 627 43 584	15 947 91 856	8 793 61 732	49 3,369 234 3,135
BRONCHITIS, EMPHYSEMA, AND ASTHMA	550 107 402 41 128 28 104 355	658 135 475 48 136 20 119	474 73 372 29 113 19 100	258 40 192 26 73 24 105 183	302 53 231 18 60 14 65	469 72 355 42 104 25 120 398	394 50 323 21 110 13 92 309	1,627 289 1,240 98 303 47 384 1,363
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS NEPHRITIS AND NEPHROSIS ACUTE NEPHRITIS AND NEPHROTIC SYNDRUME—580,581 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS SCLEROSIS SCLEROSIS	76 143 25	78 162 15 147	60 182 26 156	43 142 26 116	37 135 29 106	54 215 31 184	59 131 22 109	174 486 97 389
INFECTIONS OF KIDNEY590 HYPERPLASIA OF PROSTRATE600	148 26	193 58	155 40	115 17	85 . 22	133 15	144 27	399 70
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	10	17	12	11	8	12	7	51 5
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	9	. 17	12	11	7	11	7	46
CONGENITAL ANOMALIES740-759 CERTAIN CAUSES OF MORTALITY IN EARLY	235	297	230	175	139	314	184	877
INFANCY760-769.2,769.4-772,774-778 BIRTH INJURY, DIFFICULT LABOR, AND OTHER	479	728	663	608	367 201	773 431	359	2,130 1,261
ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776 OTHER CAUSES OF MORTALITY IN EARLY INFANCY————————————————————————————————————	247 232 187 2,005	397 331 567 2 <sub>1</sub> 105	364 299 1,979 2,016	289 1,737 1,281	166 773 1-130	342 291 2,146	147 363 1,792	869 2,653 6,124
ACCIDENTS	2, 281 1,128 1,153 424 326 69	2,699 1,433 1,266 494 550 88	2,654 1,399 1,255 341 508 24	1,912 933 979 204 350 69	1,448 676 772 212 188 57	2,543 1,132 1,411 391 624 33	1,707 787 920 354 220 40	7,247 3,650 3,597 1,372 1,653 115

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

				MOUNTAIN	DIVISION			<u> </u>		PAC	IFIC DIVISIO	N	
CAUSE OF DEATH	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	AR I ZONA	UTAH	NEVADA	WASHI NGTON	OREGON	CALIFORNIA	ALASKA	HAWATI
ALL CAUSES	61867	6,479	3+070	18,674	8,119	16,847	7,585	4,264	30,812	20,906	172,710	1,459	4,368
BACILLARY DYSENTERY AND AMEBIASIS	2 4 11 10 1	· 77	3 2 2	- 24 27 19 8	4 28 29 19	1 30 59 35 24	1 15 9 8	- 4 6 3 3	1 31 40 26 14	1 13 27 19 8	12 170 267 191 76	- 2 4 3	- 5 11 7 4
##HOOPING COUGH	1 2 14	2 2 -	- 1 7 -	- - 4 56 -	- 1 23 -	- 3 59	- - 20 -	- 1 - 6 -	- - 4 5 -	- 3 28	1 5 26 243 3	- - 2 4 -	- - 8 -
MEASLES	- 18	1 1	3	40	- 3 24	- 3 58	- 1 22	- 2 16	- 5 72	- 1 32	2 47 364	- - 3	- 3 7
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	1,054 17 297 220 83 138 55 122 61	1,009 20 277 189 87 127 63 129 58	448 3 107 103 41 58 28 62 19	2,849 47 777 520 275 400 144 389 128	1.192 17 343 247 84 155 53 190 47	2.831 52 719 645 233 339 139 420 116	1,058 17 292 167 110 147 53 150 46	204 204 202 63 85 36 120 29	5,652 123 1,505 1,317 496 726 203 651 256	3,657 72 919 882 306 446 163 434 180	31,948 798 8,563 7,373 3,083 3,699 1,453 3,821 1,294	202 7 48 51 18 20 8 38 4	901 28 307 193 50 89 45 103 41
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED  NATURE	11 124 5 13 7	24 116 7 14 1	9 60 5 6 1	50 289 28 35 12	34 144 21 12 14	45 269 30 18 13	20 155 16 21 13	10 75 4 5 5	72 541 6D 47 13	50 328 50 30 21	474 2,498 259 239 119	8 12 5 1 2	12 115 18 5 4
MAJOR CARDIOVASCULAR DISEASES	3, 310 2, 301 77 22 13 1, 932 1, 162	3,244 2,290 49 17 31 2,019 1,195	1,456 1,083 24 5 7 960 581	9,246 6,693 190 40 53 5,922 3,165	3.094 2.146 73 16 9 1.838 1.059	7,434 5,457 140 59 13 4,849 2,177	3.496 2.478 125 33 20 2.062 1.125	1,852 1,298 41 10 5 1,142 631	16,015 11,461 263 109 128 10,170 4,979	10,990 7,536 162 36 89 6,895 2,837	88, 836 63, 984 1, 583 634 254 58, 947 26, 020	403 277 8 4 - 214 148	1,959 1,406 38 13 4 1,276 638
CHRONIC ISCHENIC HEART DISEASE	756 - 35 222	817 1 24 150	378 - 4 83	2,730 44 444	772 - 18 - 192	2•524 1 32 364	927 1 25 213	502 - 9	5+061 3 89 702	4+038 - 49 305	32,637 9 445 2,121	65 1 4 47	63 <u>1</u> 7 68

SECTION 1 - GENERAL MORTALITY

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.
[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

				MOUNTAIN	DIVISION					PAC	IFIC DIVISIO	N	
CAUSE OF DEATH	ANATRON	IDAHD	WYDMING	COLORADO	NEW MEXICO	AR I ZONA	HATU	NEVADA	WASHINGTON	DREGON	CALIFORNIA	ALASKA	HAWAII
MAJOR CARDIOVASCULAR DISEASES—CON.										_			
HYPERTENSION	24 708 87 155 2	9 740 88 145 1	8 292 45 38 2	67 1,778 236 388 7	23 698 141 123 3	52 1, 451 224 273 10	20 784 91 175 6	12 441 63 66 4	93 3,413 417 792 11	49 2,579 305 732 13	535 19,147 2,393 5,555 70	2 94 20 8 -	7 455 101 100 2
ALL OTHER CEREBROVASCULAR  OISEASES	464 167	506 109	207 39	`1,147 427	431 132	944 253	512 119	308 40	2•193 600	1,529 510	11, 129 2, 642	66 14	252 23
CAPILLAGIES	110	96	34	281	95	221	95	.61	448	316	2,528	16	68
ACUTE BRONCHITIS AND BRONCHIOLITIS466 INFLUENZA AND PNEUMONIA470-474,480-486 INFLUENZA470-474 PNEUMONIA480-486	7 279 42 237	258 58 200	1 111 26 85	9 746 71 675	4 393 · 45 348	12 621 53 568	4 220 18 202	1 93 15 78	23 1,156 251 905	11 781 143 638	128 5,535 897 4,638	2 65 9 56	6 162 12 150
BRONCHITIS, EMPHYSEMA, AND ASTHMA————————————————————————————————————	171 32 137 2 28 2 32 96	144 23 116 5 28 5 25 79	76 8 65 3 19 3 17	416 65 327 24 84 9 74 267	136 26 104 6 45 7 7 34 193	448 82 331 35 70 9 51 341	135 29 91 15 32 3 47	97 13 74 10 13 - 20 128	590 97 463 30 125 11 100 567	411 86 301 24 88 9 69	3,169 590 2,390 189 890 535 4,405	16 - 10 6 9  9 27	63 16 37 10 12 4 10 67
CHOLELITHIASIS CHOLECYSTITIS AND CHOL ANGITIS	13 27 3	23 26 3	5 8 1	59. 63 17	19 .41 5	36 73 12	18 32 4	12 12 3	54 68 7	27 53 6	250 529 100	1 5 1	6 27 5
SCLEROSIS582-584	24	23	7	46	. 36	61	28	9	61	47	429	4	22
INFECTIONS OF KIDNEY590 HYPERPLASIA OF PROSTRATE	15 1	9	5 2	41 14	19 5	67 12	20 8	11 1	· 71 20	49 11	484 145	- '3	20 3
THE PUERPERIUM	-	-	2 1	3	- <b>3</b>	4	<del>4</del> -	2 -	3 -	_	41 1	-[	2 -
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM630-630,650-678	-	-	1	3	. 3	4	4	2	3 ر	-	40	-	2
CONSENITAL ANOMALIES759 CERTAIN CAUSES OF MORTALITY IN EARLY	57	65	26	166	100	153	106	26	229	148	1,350	20	61
INFANCY	112	136	73	347	183	270	174	92	391	232	2, 150	70	123
ANOXIC AND HYPOXIC CONDITIONS-764-768,772,776 OTHER CAUSES OF MORTALITY IN EARLY	54	777	· 44	224	123	164	94	53	243	125	1,268	40	51
INFANCY	58 212 445	59 86 420	29 26 240	123 268 1,440	60 347 637	106 314 1,308	80 287 630	39 62 308	148 202 1,926	107 312 1,224	882 698 9+412	30 36 116	72 41 244
ACCIDENTS	622 320 302 106 44 22	583 320 263 97 27	321 157 164 62 12	1,367 663 704 424 168 45	1.000 571 429 178 134 18	1,583 892 691 329 207 86	695 358 337 136 40 31	387 212 175 122 70 16	1,948 87D 1,078 506 172 50	1,364 661 703 358 106	11,544 5,189 6,355 3,654 1,903	340 72 268 56 27	302 135 167 88 38 41

Table I-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973
[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

					GEOGR	APHIC DIVISION	S			
CAUSE OF DEATH	UNITED STATES	NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC
ALL CAUSES	940.2	958.8	1,003.5	932.5	989.5	959.0	1,005.1	919-1	785.9	839.8
BACILLARY DYSENTERY AND AMEBIASIS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0-1
	1.1	1.0	0.9	0.9	1.3	1.2	1.6	1.7	1.3	0-8
	1.8	1.3	2.3	1.6	1.2	2.3	2.5	2.1	1.6	1-3
	1.4	1.0	1.9	1.2	0.8	1.9	2.0	1.6	1.1	0-9
	0.4	0.3	0.4	0.4	0.4	0.5	0.5	0.4	0.5	0-4
HHOOPING COUGH	0.0 0.0 0.2 2.2 0.0	0.0 0.1 2.3	0.0 0.1 2.6 0.0	0.0 0.0 0.1 1.8 0.0	0.0 0.1 1.8 0.0	0.0 0.0 0.2 2.6 0.0	0.0 0.2 2.5	0.0 0.0 0.3 2.7	0.0 0.1 2.0	0.0 0.0 0.1 1.2 0.0
MEASLES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
	0.2	0.0	9.1	0.1	0.2	0.3	0.2	0.2	0-2	0.2
	1.9	1.8	1.9	1.6	2.0	2.2	2.3	2.3	2-2	1.7
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	167.3	186•2	192.2	166.5	172.5	165.1	156.8	154.8	122.9	154,5
PHARYNY	3•7 46•0	4•7 55•7	4.2 57.9	3.4 46.2	3.3 47.2	4.1	3.6 40.2	3.5 38.7	2.1 33.0	3.7 41.4
SYSTEM	37.8	40.3	41.1	36.6	35.5	40.6	38.0	38.6	25.1	35.8
	15.3	18.3	19.3	15.8	15.3	14.0	12.8	12.2	10.7	14.4
	20.3	21.1	21.7	20.4	23.2	20.7	20.4	18.9	15.8	18.2
	7.6	9.0	8.8	7.9	8.3	7.0	6.2	6.2	6.2	7.1
UNSPECIFIED SITES	.20.3	20.9	22.1	19.4	20.2	21.6	20.0	21.0	17.3	18.4
	6.9	6.7	7.0	7.3	8.1	6.4	7.1	6.9	5.5	6.5
	9.3	9.6	10.2	9.5	11.4	8.5	8.5	8.8	7.2	9.0
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239 DIABETES MELLITUS250 AVITAMINDSES AND OTHER NUTRITIONAL	2.4 18.2	2.9 19.0	3.1 20.6	2.0 20.2	2-1 18-8	2.4 18.2	2.2 18.7	2.2 18.1	2.2 13.5	2.2 12.7
DEFICIENCIES260-269 ANEMIAS280-205 MENINGITIS320	1.2	0.9	1.0	1.1	1.8	1.3	1.0	1.3	1.3	1.4
	1.6	1.8	1.6	1.5	1.5	1.9	1.7	1.8	1.4	1.2
	0.7	0.4	0.7	0.6	0.6	0.9	0.8	1.1	0.7	0.6
MAJOR CARDIOVASCULAR DISEASES390-448 DISEASES OF HEART390-398,402,404,410-429 ACTIVE RHEUMATIC FEVER AND CHRONIC	494.4	513.2	540.0	507.6	540.7	487.9	526.4	468 <sub>+</sub> 5	362.1	431.1
	360.8	381.6	415.9	375.4	383.5	349.2	362.5	331 <sub>+</sub> 3	259.5	308.8
RHEUMATIC HEART DISEASE390-398 HYPERTENSIVE HEART DISEASE	6.5	7.9	8.2	6.5	6.7	5.7	4.2	3.6	7.9	7.5
	3.5	4.3	3.3	4.3	3.5	3.1	3.2	3.6	2.2	2.9
	2.6	1.7	2.0	4.0	3.6	2.8	2.6	2.2	1.7	1.7
	326.0	346.8	384.6	337.9	345.9	314.9	321.7	2BB.2	226.5	282.7
	167.6	176.7	186.3	174.6	191.1	162.5	195.4	160.6	121.3	126.3
ISCHEMIC HEART DISEASE	2.1	2.7	2.1	1.5	1.4	3.7	1.0	2.7	2.4	1.6
	156.2	167-4	196.2	161.8	153.1	148.6	125.2	124.8	102.8	154.8
	0.1	0-1	0.1	0.1	0.3	0.1	0.1	0.1	0.0	0.0
MYOCARDIAL INSUFFICIENCY424,428 ALL CTHER FORMS OF HEART DISEASE420-423,425-427,429	2.4 19.7	2.2	1.8	2.4	3.5 20.4	2.5	3.3 27.4	30.8	2.1 19.2	2.2 11.8

CAUSE OF DEATH	UNITED STATES	GEOGPAPHIC DIVISIONS								
		NEW ENGLAND	MI DDLE ATLANT IC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	FAST SOUTH CENTRAL	WEST South Central	40UNT AIN	PACIFIC
MAJOR CARDIOVASCULAR DISEASESCON.										
HYPERTENSION	3.5 102.1 16.2 27.0 0.5	3.2 97.9 19.8 31.7 0.6	3.3 93.4 16.0 27.3 0.5	4.0 99.0 17.3 27.5 0.5	4.0 119.5 17.9 28.6 0.7	3.9 107.9 17.1 29.0 0.4	4.6 132.1 19.1 13.1 0.3	3.4 107.2 15.4 20.5 0.5	2.3 75.3 10.7 14.9 0.4	2.5 93.7 11.8 26.2 0.4
	58.5 15.5	45.8 16.6	49.5 14.4	53.8 17.0	72.3 20.0	61.5 14.1	79.6 15.8	70.8 15.6	49.4 14.1	55.3 13.8
	12.4	14.0	13.0	12.1	. 13.6	12.7	11-4	11.0	10.9	12.3
ACUTE BRONCHITIS AND BPONCHIDLITIS466 INFLUENZA AND PNEUMONIA470-474,480-486 INFLUENZA470-474 PNEUMONIA480-486	0.4 29.8 2.4 27.4	0.5 35.7 1.9 33.8	0.4 31.9 1.2 30.7	0.4 26.6 1.9 24.8	0.3 33.6 3.7 29.9	0-4 29-6 1.9 27.6	0-5 30-1 2-8 27-2	0.4 28.3 2.1 26.2	0.4 29.7 3.6 26.2	0.6 28.1 4.8 23.3
BRONCHITIS, EMPHYSEMA, AND ASTHMA	14.2 2.6 10.6 0.9 3.7 0.5 3.2 15.9	13.1 3.2 9.1 0.9 3.8 0.5 3.2 18.2	11.9 2.3 8.7 0.8 4.3 0.6 3.4 19.8	14.7 2.7 11.1 0.9 3.7 0.5 3.2 15.1	15.1 2.8 11.4 0.8 3.6 0.5 3.8 10.2	13.8 2.5 10.4 0.9 3.5 0.5 3.2 17.1	14-6 2-7 10-8 1-1 3-4 0-7 3-2 10-2	13.8 2.3 10.6 0.9 2.8 0.5 3.3	17.7 3.0 13.6 1.1 3.5 0.4 3.3 13.8	15.5 2.9 11.7 0.9 3.8 0.4 2.6 19.8
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS———————————————————————————————————	1.6 4.0 0.7 3.2	1.7 3.4 0.7	1.7 4.2 0.8 3.3	1.6 3.9 0.7 3.2	2.1 3.9 0.8 3.0	1.5 4.8 0.8 3.9	1.9 4.7 0.7 4.0	1.6 4.8 0.9	2.0 3.1 0.5 2.6	1.2 2.5 0.4 2.1
INFECTIONS OF KIDNEY590 HYPERPLASIA OF PROSTRATE600 COMPLICATIONS OF PREGNANCY, CHILOBIRTH, AND THE PUERPERIUM630-678 ABORTIONS640-645	2.9	2-4 0-6	2.6 0.8	2.7 0.8	2.8 1.1	3.4 0.7	4.6 1.1	3.8 0.7	2.0 0.5	2.3 0.7
	0.2 0.0	0.1 -	0.2 0.0	0.2 0.0	0.2 0.0	0.3	0.4 0.0	0.4 9.0	0-2 3-0	0-2 0-0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	0.2	0.1	0.2	0.2	0.2	0.3	0.4	0.4	0.2	0.2
CONGENITAL ANDMALIES740-759	6.7	, 5.9	6.0	6.8	6.3	. 7-1	7+0	7.5	7.6	6.6
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	14.5	11.3	12.8	15.6	12.8	16.6	18.6	17.9	15.2	10.8
ANOXIC AND HYPOXIC CONDITIONS-764-768,772,776 OTHEP CAUSES OF MORTALITY IN EARLY	8.1	5.7	7.2	6.8	7.1	8.6	10.0	10.4	9-1	6.3
INFANCY	6,5 14,5 54,7	5.5 8.7 57.8	5.6 15.4 57.7	6.8 10.2 50.3	5.7 15.0 55.8	8.0 16.7 59.4	8.7 33.6 55.7	7.5; 20.1 . 55.3	6.1 17.5 59.3	4.5 4.7 47.1
ACCIDENTS	55.2 26.5 28.7 12.0 9.8 2.4	45.7 18.5 27.2 9.7 3.9 1.6	40.5 18.5 22.0 8.8 9.0 4.6	48.9 24.0 24.9 11.1 8.6	59.8 29.4 30.4 10.9 5.0 2.3	63.3 30.9 32.4 13.5 15.1 2.2	71.8 36.8 35.0 11.0 13.0	63.9 30.8 33.1 11.5 13.3	71.7 38.2 33.5 15.9 7.7 2.7	56.5 25.3 31.3 17.0 8.2 2.0

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.
[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

			MIDDL	F ATLANTIC DIVIS	TON				
CAUSE OF DEATH	MAINE	NEW HAMP SHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA
ALL CAUSES	1,057.4	958.7	970.7	985.2	977.3	868.5	992.5	933.1	1,064.0
BACILLARY DYSENTERY AND AMEBIASIS——————————————————————————————————	- 1.9 1.4 1.2 0.2	1.0 0.6 0.6	0.6 1.3 1.1 0.2	1.0 1.6 1.2 0.4	0.6 1.3 1.1 0.2	0.0 1.1 1.0 0.7 0.3	0.0 0.8 2.3 1.9 0.4	0.1 1.0 2.3 1.8 0.5	0.9 2.2 1.9 0.4
WHOOPING COUGH	0.1 1.7	1.1	0.2 3.0	- 0.0 0.1 2.7 -	0.1 2.2	- 0.1 2.1	- 0.1 2.8 0.0	0.1 2.2	0.0 0.1 2.7
MEASLES	0.1 2.1	- - 0.9	1.1	0.1 1.9	  2.8	0.0 0.1 1.6	- 0-1 1.8	0.0 0.0 1.9	0.0 0.2 1.9
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS DF LYMPHATIC AND HEMATOPDIETIC TISSUES————140—209 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX————————————————————————————————————	189.6 3.6 55.6 44.1 16.9 22.4 9.8 20.8 7.1	176.1 4-7 51.3 39.8 17.7 21.7 8.8 16.9 7.0	175.9 3.9 51.5 34.7 20.7 20.9 10.3	190.4 5.0 57.2 41.0 18.9 21.2 9.0 22.3 6.2	199.3 6.3 64.7 43.2 18.1 21.7 8.8 18.7 7.8	177.4 4-1 51.9 37.7 17.4 20.0 8.6 20.5 7.4	194.3 4.1 60.2 41.2 20.0 21.4 8.7 20.9 7.1	190+2 4+8 57-4 42+0 20+1 22+0 8+8 19+4 6+7	190.3 3.8 54.7 40.3 17.8 21.8 8.7 25.7
#EMATOPOIETIC TISSUES200-203,208,209  BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239 DIABETES MELLITUS	9.2 3.1 17.7 0.8 1.8 0.5	1.9 21.5 1.1 3.2 0.3	3.2 19.4 0.4 3.0	9.6 3.0 18.6 0.9 1.7 0.5	3.4 26.8 0.8 2.1	9.8 2.8 16.9 0.8 1.3 0.4	10-6 3.4 19.9 0.8 1.6 0.8	2.4 20.8 0.9 1.3 0.7	3.2 21.5 1.3 1.6 0.6
MAJDR CARDIOVASCULAR DISEASES	587.3 427.3 7.1 5.4 3.9 385.9 235.5 0.7 149.4 0.3	506.2 358.2 7.5 3.2 3.5 325.8 180.2 0.8 144.8 0.1	500.9 369.2 7.5 2.8 3.0 336.0 145.5 0.9	524-9 394-0 8-5 5-4 1-4 359-4 176-1 0-9 180-3 0-1	528.0 414.4 7.0 2.9 1.3 388.1 193.1 24.3 170.7	465.7 340.3 7.5 2.7 1.0 304.1 153.0 0.7 150.5	522.4 406.7 8.1 3.4 1.3 379.2 169.9 2.4 206.8	509.6 395.2 8.2 3.0 1.5 360.7 175.3 1.9 191.4	585.7 442.7 8.3 3.5 3.4 402.9 218.2 1.8 182.9 0.1
NYOCARDIAL INSUFFICIENCY	4.3 20.8	15.2	2.4 17.5	2•4 16•9	1.0	23.7	1.3	1.1 12.6	3.0 21.6`

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973—Con.
[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

			NEW ENGLAND		MIODL	E ATLANTIC DIVIS	ION		
CAUSE OF DEATH	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA
									-
MAJOR CARDIOVASCULAR DISEASESCON.		i							
HYP ER TENSION	4.8	3.7	5.2	3.1 98.7	3.1 86.1	2.5 93.7	3.3 87.5	3.0 88.6	3.3 105.5
CEREBROVASCULAR DISEASES430-438   CEREBRAL HEMORRHAGE431	116-3 25-0	102.5 16.1	92.0 11.4	23.0	16.8	15.3	16.0	14.3 30.2	17-1 32-0
HYPERTENSION 400, 401, 403 CEREBROVASCULAR DISEASES 430-438 CEREBRAL HEMORHAGE 431 CEREBRAL THROMBOSIS 433 CEREBRAL EMBOLISM 434	30.7 0.5	32.2 0.3	29.3	32.5 0.7	26.5 0.6	32.5 0.4	23.1 0.5	0.5	0.7
ALL OTHER CERFBROVASCULAR DISEASES430,432,435-438	60.1	54.0	51.3	42.5	42.2	45.4	47.8	43.6	55.8
ARTERIOSCLEROSIS	21.6	25.7	18.8	15.2	12.4	16.1	13.0	11.0	18.7
CAPILLARIES441-448	17.2	16.2	15.7	13.9	11.9	13.0	12.0	11.9	15.4
ACUTE BRONCHITIS AND BRONCHIBLITIS466	0.8	. 0.6	0.4	0.5	_	0.4	0.4	0.4	0.4
NOTE BRONCH 113 MM DRONCH 1113	33.0 3.4	22.1 2.1	32.8 1.9	43.6 1.7	31.4 1.7	27.1 1.7	35.5 0.8	25.9 0.8	29.9 1.8
PNE UMONIA	29.6	20.0	30.8	41.9	29.7	25.4	34.7	25.1	28.1
BRONCHITIS, EMPHYSEMA, AND ASTHMA490-493	16.1	20.6	17.2	13.4	9.8	10.1	12.0	11.4	12.1
CHRONIC AND UNQUALIFIED BRONCHITIS490,491	4.2 19.7	4.6 15.4	3.9 12.3	2.9 9.4	2.3 6.7	3.1 6.6	2.5 8.5	2.5 8.3	2.0 9.4
ASTHMA 493	1.2 3.9	0.6 4.0	1.1 3.9	1.1 4.0	0.8 3.6	0.5 3.3	1.0 4.7	0.6 3.8	0.aB 4.aD
BRONCHITIS, EMPHYSEMA, AND ASTHMA	0.9	0.3 2.9	4.1	0.7 3.0	0-1 3-1	0.4 3.4	0.6 3.6	0.4 3.0	0.6 3.4
CIRRHOSIS OF LIVER571	3.3 15.8	19.0	14.2	20.0	14.8	17.2	22.5	18.6	16.4
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS574,575 NEPHRITIS AND REPHROSIS580-584	1.9	1.6	3.0	1-8	2.2	1.1 3.2	1.6 4.4	1.8 3.6	1•7 4•2
ACOLE MEANKILLS WAS MEAUKOLLC SINGWONG300430F	3.5 0.7	3.2 0.3	2.4 0.6	3.5 0.9	3.6 0.8	0.5	0.9	0.8	0.8
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS———————————————————————————————————	2-8	2.9	1.7	2.6	2 . B	2.7	3.6	2.8	3.4
TNEEC TIONS OF KIDNEY	3.0	3.0	1.9	2.6	1.5	1.9	2.7	2.2	2.8
INFECTIONS OF KIDNEY	1.2	1.4	0.9	0.5	0.3	0.4	0.9	0.7	0.6
THE PUERPERIUM	_	-	-	` 0.1	0-1	0.2	0.3 0.0	0.2 0.0	0.2 0.0
OTHER COMPLICATIONS OF PREGNANCY, CHILDRIRTH, AND THE PUERPERIUM	_		_	0.1	0-1	0.2	0.2	0.2	0.2
								,	
CONGENITAL ANOMALIES740-759 CERTAIN CAUSES OF MORTALITY IN EARLY	6.7	6.8	7.1	5.6	6.8	5.3	6.1	5.6	6.1
INFANCY	14.0	13.8	10.6	11.2	11.9	9.7	12.R	12.6	12.9
ANOXIC AND HYPOXIC CONDITIONS764-768,772,776	7.4	7.8	5.4	5.8	5.1	4.7	7.2	7.1	7.2
INFANCY	6.6 6.7	5.9 32.2	5.2 10.3	5.4 7.2	6.8 5.0	5.0 6.9	5.6 13.5	5.5 8.1	5.7 23.0
ALL OTHER DISEASES	65.0	48.5	70.5	59.4	56.5	53.3	56.0	45 <b>.</b> 5	67.7
ACC 1 DENTSE800-E949	55.2	49.6	66.4	46.4	44.2	37.4	37.5	39-2	45.9
MOTOR VEHICLE ACCIDENTSE810-F823	23.0 32.2	18.2 31.4	26.5 39.9	17.9 28.5	15.8 28.4	17.9 19.5	16.9 20.6	17.9 21.3	21.4 24.5
ACCIDENTS	14.6	12.0 1.3	12.3 1.5	8.8 4.9	8.2 3.8	9.2 3.7	7.8 11.1	7.8 7.9	11.1 6.9
THER EXTERNAL CAUSES	1.4	1.8	2.2	0.8	2.6		7.5		

SECTION 1 · GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973—Con.

[Rates per 100, 000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

		EAST NORTH C	ENTRAL DÍVISION					WEST NOR	TH CENTRAL.	DIVISION		
CAUSE OF DEATH	онів	INDTANA	ILLINOIS	MICHIGAN	WISCONSIN	M INNE SOTA	TOWA	MI SSOURI	NORTH DAKOTA	SOUTH DAKOTA	NEBRASKA	KANSAS
ALL CAUSES	946.0	934•4	983.5	866.4	903.8	868.6	1,007.4	1,092,6	901.1	969.8	972.6	1,000.0
BACILLARY DYSENTERY AND AMEBIASIS	- 1.0 1.2 1.0 .0.3	0.7 1.7 1.3 0.4	9.0 1.0 2.1 1.6 0.5	0.8 1.6 1.2 0.3	0.9 0.9 0.5 0.3	1.1 0.7 0.4 0.3	0.0 1.4 0.7 0.4 0.2	0.0 1.2 1.8 1.3 0.5	0.2 1.6 1.3 0.8 0.5	1.6 1.3 1.0 0.3	1.0 1.4 1.0 0.4	1.6 1.4 1.0 0.5
#HOOPING COUGH	- 0.1 2.0	0.0 0.1 2.0	0.1 1.6	0.0 0.2 1.8 0.0	0.1 1.7	0-1 1-6	0.0 0.1 1.1	0.1 2.9	0.5 2.2	0.4 1.2	0.2 0.7	 0.1 1.5 0.0
MEASLES	0.0 0.2 1.6	0.0 0.2 1.7	0.0 0.1 1.6	0.0 0.1 1.7	0.1	0.1	0.1	0.0 0.3	0.2	0.1 0.1	0.1	0.3
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES140-209	172.1	159.2	174.8	156.2	161.8	1.7 i	2.1 179.5	2.1 186.2	2.7 146.9	2.5 166.6	1.9	2.1 169.3
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.————————————————————————————————————	3.7	2.9	3.4	3.2	3.2	3-1	3.1	4.2	1.9	2.6	3.0	3.2
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	47.6 38.3 15.8	41.1 37.2 13.9	49.3 38.7 17.2	42.7 35.1 14.6	48.3 29.7 17.2	46.2 27.8 15.4	48.8 37.3 15.4	47.8 43.2 16.0	42.8 26.4 11.4	48.5 27.6 16.6	50.8 32.1 15.6	44.4 37.3 13.9
MALIGNANT NEOPLASMS OF GENITAL ORGANS180-187 MALIGNANT NEOPLASMS OF URINARY ORGANS188,189 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIFO SITES	21.7 8.2 19.3	19.3 7.4 21.1	21.3 8.2 20.1	18.5 7.6 17.9	20.0 7.9 19.0	21.5 7.5 18.0	25.2 9.0 20.9	23.8 8.7 23.5	20.6 7.8 17.5	25.1 8.7 16.5	21.9 7.2 18.5	23.6 8.6 19.0
LEUKENIA204-207 OTHER NEDPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES200-203,208,209	7.6 9.8	7.6 8.7	7.4 9.3	7.1 9.6	6.8 9.6	7.4 11.5	8.5	7.6 11.4	6.9	12.8	9.6	9.1
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	2.1 21.2	2.0 19.7	1.9 17.9	2.2 22.8	1.1 18.6	1.8 13.9	2.6 18.6	1.9 22.7	1.7 15.0	3.2 17.5	2.1 18.9	1.8 20.6
DEFICIENCIES260-269 ANEMIAS280-285 MENINGITIS320	1.2 1.5 0.5	1.2 1.8 0.8	0.9 1.4 0.7	1.3 1.7 0.6	1.6 1.4 0.4	1.2 1.1 0.4	2.0 1.7 0.6	2.2 1.6 0.8	2.2 0.8 0.3	1.3 1.5 0.4	2.1 1.6 0.5	1.3 1.8 0.7
MAJOR CARDICVASCULAR DISEASES390-448 DISEASES OF HEAPT390-398,402,404,410-429 ACTIVE PHEUMATIC FEVER AND CHRONIC	514.3 377.7	512.2 356.4	549.0 420.8	445.1 330.2	508.2 369.8	472. 9 332. 7	564.4 396.9	585.9 422.9	499.4 353.3	521.2 376.2	533.3 368.9	554.5 391.7
RHEUMATIC HEART DISEASE	7.3 3.8 6.5 342.7 164.4	6.2 3.4 7.7 318.5 178.1	6.2 6.0 2.6 371.9 195.1	6.0 3.7 1.5 303.0 163.1	6.7 3.9 2.2 334.8 166.6	6.6 2.5 1.6 304.2 155.4	5.7 3.3 4.2 358.5 212.8	7.7 4.5 4.6 375.9 198.0	7.8 3.0 1.4 316.1 199.5	5.4 1.2 2.2 346.9 215.2	7.0 4.0 5.7 331.1 190.4	6.2 3.4 3.2 356.7 201.3
ISCHENIC HEART DISEASE	1.9 176.3 0.1	1.1 139.2 0.1	1.3 175.4 0.1	1.0 138.8 0.1	2.0 166.0 0.1	2.2 146.5 0.1	1.2 144.4 0.1	1.0 176.3 0.6	1.3 115.2 0.2	1.3 130.4	1.6 139.1 0.1	1.2 154.1 0.1
MYOCARDIAL INSUFFICIENCY424,428 ALL OTHER FORMS OF HEART DISFASE427,429	1.8	3.1 17.5	2.9 31.1	1.9 14.1	2.9 19.4	2.2 15.4	5.2 19.9	3.1 27.0	3.0 22.0	2.5 18.1	4.0 17.1	4.2 18.0

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

		EAST NORTH C	ENTRAL DIVISION	l	<del>-</del>		<del></del>	WEST NOR	TH CENTRAL	DIVISION		
CAUSE OF DEATH	онто	INDIANA .	ILLINOIS	MICHIGAN	WISCONSIN	M INNE SOTA	1 OWA	, MI SSOURI	NORTH ĐAKOTA	SOUTH DAKOTA	NEBRASKA	KANSAS
MAJOR CARDIOVASCULAR DISEASESCON.		·									-	
HYPERTENSION	3.9	3.8	5.2	2.9	4.0	2.9	4.2	5.0	3.3	4.2	4.5	3.6
	101.6	115.2	96.5	87.7	102.8	108.4	123.9	125.0	108.9	106.6	126.1	124.1
	17-1	20.6	19.7	13.4	16.0	16.8	17.6	17.5	17.8	17.2	20.2	19.9
	28-1	27.3	28.8	26.8	24.3	22.3	30.9	34.2	18.6	20.3	30.4	28.7
	0.5	0.3	0.5	0.5	0.5	0.4	0.5	1.3	0.3	0.6	0.6	0.7
OTSEASES	56.0	67.0	47.6	47.0	61.9	69.0	74.9	72.0	72.2	68.5	74.9	74.8
	17.8	23.6	15.6	13.0	19.1	16.4	24.8	19.7	20.8	16.8	20.2	21.6
	13.3	13.1	11.0	11.3	12.6	12.5	14.6	13.4	13.1	17.4	13.6	13.4
ACUTE BRONCHITIS AND BRONCHIOLITIS	0.5	0-4	0.5	0.3	0.3	0.2	0.2	0.4	0.6	0-1	0.5	0.4
	26.5	26-9	30.0	23.0	25.5	32.9	35.6	32.7	39.2	35-9	31.8	33.0
	2.1	2-5	1.4	1.5	2.5	4.4	3.5	2.7	4.8	4-8	4.2	4.3
	24.4	24-5	28.6	21.6	23.0	28.6	32.1	30.0	34.4	31-1	27.6	28.8
BRONCHITIS, EMPHYSEMA, AND ASTHMA————————————————————————————————————	15.0 3.0 11.1 0.8 3.2 0.7 3.2	16.0 2.7 12.4 0.9 3.6 11.5	14.1 2.5 10.6 1.0 4.5 0.5 3.1	15.6 2.5 12.1 1.0 3.3 0.4 3.0 18.7	12.6 2.7 9.0 0.9 3.6 0.4 3.8 11.1	12.0 2.6 8.4 1.0 3.3 0.3 3.7	18.0 3.5 13.6 0.9 3.2 0.6 4.1 9.5	15.5 2.4 12.5 0.6 3.8 0.5 3.7	13.3 2.8 9.8 0.6 3.6 0.6 3.1 7.7	13.9 1.3 11.8 0.7 3.8 0.6 3.6	16.8 4.2 11.6 1.0 4.4 0.6 3.4	15.8 2.9 11.8 1.0 3.8 0.4 4.2 9.7
CHOLANGITIS	1.7	1.3	1.8	1.4	2.0	2.1	1.9	2.0	2.7	1.9	2.9	1.8
	4.1	4.0	4.4	3.3	3.1	2.2	3.8	5.2	2.8	3.5	3.8	4.6
	0.6	0.9	0.8	0.7	0.5	0.4	0.7	1.1	0.8	1.0	1.0	1.1
		3.0	3.6	2.7	2.7	1.8	3.1	4.1	2.0	2.5	2.7	3.6
INFECTIONS OF KIBNEY	3.2 0.8 0.2 0.0	2-8 0-6 0-2 0-0	3.0 1.0 0.2 0.0	2.0 0.4 0.2 0.0	2.2 1.0 0.1 0.0	1.8 1.1 0.1	2.8 1.0 0.0	3.6 1.1 0.3	2.0 0.9 0.5 0.2	1.8 0.3 0.3	2.3 1.4 0.1 -	3.6 1.1 0.2 -
CONGENITAL ANOMALIES740-759 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769-2,769-4,-772,774-778 BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANDXIC AND HYPDXIC CONDITIONS764-768,772,776 OTHER CAUSES OF MORTALITY IN EARLY	7.0	7•2	6.7	6.9	6.2	6.5	5.4	7.0	5.2	7.2	6-2	5.6
	14-9	16•2	17.6	16.2	10.4	11.5	12.0	13.5	13.8	15.2	14-1	12.4
	7.5	9•2	11.4	8.7	4.9	6.2	5.9	7.9	7.5	8.9	7-3	7.5
INFANCY	7.3	7-0	6.2	7.5	5.5	5.3	6.1	5.6	6.3	6.3	6.9	5.0
	11.6	7-7	13.9	7.4	6.3	6.8	5.4	34.9	7.8	9.8	7.0	8.9
	51.8	53-0	47.2	50.3	50.9	48.9	55.3	60.9	50.2	53.3	57.4	58.8
ACCIDENTS	46.4 21.8 24.6 12.2 8.4 1.5	55.7 29.5 26.2 11.2 7.0 1.7	45.5 22.0 23.5 9.1 8.3 2.6	51.3 25.2 26.0 11.9 13.0	50.4 25.3 25.1 11.4 3.2	54.4 26.9 27.5 10.5 2.5	59.6 29.4 30.2 10.8 1.9	61.8 30.5 31.3 11.8 9.5 3.4	62.3 34.2 28.1 8.3 1.4 0.5	75.0 39.1 35.9 7.4 5.3	59.7 27.6 32.1 10.3 4.3	60-1 28-4 31-6 11-7 4-8 2-1

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con. [Rates per 100, 000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

				SO	UTH ATLANTIC DIVI	SION			
CAUSE OF DEATH .	DELAWARE	HARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NDRTH CAROLINA	SOUTH CAROLINA	GEORGIA .	PLOR IDA
ALL CAUSES	854.2	803.7	1,081.5	855.4	1,112,3	905.7	913.3	916.7	1,145.3
BACILLARY DYSENTERY AND AMEBIASIS004,006 ENTERITIS AND DIHER DIARRHEAL DISEASES008,009 TUBERCULOSIS, ALL FORMS010-012 TUBERCULOSIS, OTHER FORMS013-019	0.3 1.4 0.7 0.7	0.8 2.2 2.1 0.1	1.2 5.0 4.3 0.7	- 1.1 1.9 1.5 0.5	1.3 2.8 2.3 0.5	0.0 1.4 2.1 1.6 0.5	0.0 1.9 2.6 2.1 0.4	0.0 1.5 2.0 1.5 0.5	0.0 1.1 2.6 2.0 0.6
###DOPING COUGH	0.2 1.6	 0.0 2.9	- 0.1 3.5	0.1 2.5	- 0.1 0.2 2.8	0.0 0.2 2.3	0.0 0.0 0.2 2,3	 0.2 2.8 -	 0.2 2.4 0.0
MEASLES	0.2 1.6	0.0 0.2 1.9	- 0.1 3.5	0.0 0.3 1.6	0.4	0.3 2.4	0.3	0.0	0.0
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF						2.4	2.4	2,7	1.9
LYMPHATIC AND HEMATOPDIETIC TISSUES140-209 MALIGNANT NEDPLASMS OF BUCCAL CAVITY AND PHARYNX140-149	161.1 3.5	161.4 4.1	205.6 8.6	150.6 3.1	181.4 3.1	140.3	134.3	135.8	214.8
MALISMANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	42.5	43.6	60.2	38.2	46.2	33.1	32.8	3 <sub>4</sub> 8	5.9 56.4
SYSTEM	38.9 16.8 18.2 5.6	39.1 14.6 18.5 7.4	44.8 18.1 26.5 7.5	38.3 13.4 18.3 5.7	45.4 14.7 23.0 7.4	31.7 11.6 19.3 5.4	32.3 11.0 19.9 5.1	32.7 10.8 17.9 5.4	55.2 18.1 25.4 10.3
UNSPECIFIED SITES	23.3 5.4	20.9 5.4	23.6 6.3	20.0 5.7	26.2 7.1	21.1 6.7	16.9 5.4	19.3 5.9	25.0 7.5
HEMATOPOIETIC TISSUES200-203,208,209 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED	. 6.9	7.9	10.1	7.9	8.2	8.0	8.1	6.7	10.8
NATURE210-239 DIADRETES MELLITUS250 AVITAMINOSES AND OTHER NUTRITIONAL	2•4 25•0	3.2 19.1	3, 9 23, 6	2.5 15.0	2.5 19.1	2.3 16.9	1.8 20.0	1.9 16.3	2.4 19.9
AVITAMINOSES AND OTHER NUTRITIONAL  DEFICIENCIES	1.4 1.2 0.7	1.3 1.4 1.0	1.7 3.1 2.0	1.0 1.7 0.8	1.9 2.3 0.4	1.2 1.4 1.0	0.8 1.6 1.1	1.6 1.7 1.0	1.6 2.6 0.7
MAJOR CARDIOVASCULAR DISEASES390-448 DISEASES OF HEART390-398,402,404,410-429 ACTIVE RHEUMATIC FEVER AND CHPONIC	448.8 352.6	403.9 315.9	463.8 327.1	433.0 311.2	596.7 445.4	467 <b>.</b> 9 328.4	460•8 322•4	462.4 311.8	585 <b>.9</b> 417.4
######################################	7.1 2.8 1.9 327.3 161.5	5.4 2.1 2.4 288.7 129.1	5.8 5.8 3.1 290.8 78.0	4.3 2.7 3.0 279.7 138.6	7.0 4.0 2.9 397.4 222.9	4.4 2.4 3.1 298.0 172.7	4.4 3.8 3.9 283.2 162.8	4.5 4.3 2.9 267.8 160.1	8.6 2.8 2.1 385.1 183.5
ISCHEMIC HEART DISEASE	0.5 165.3 -	1.6 158.0 0.0	0.9 211.8	16.1 125.0 0.0	1.1 173.1 0.2	1.8 123.3 0.0	1.2 119.1 0.1	1.1 106.6 0.1	2.1 199.4 0.0
MYOCARDIAL INSUFFICIENCY424,428 ALL CTHER FORMS OF HEART DISEASE420-423,425-427,429	1.9 11.6	2.9 14.4	1.9 19.8	4.4 17.0	2.7 31.5	1.9 18.7	24.7	2.0 30.2	2.0 16.8

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

	SOUTH ATLANTIC DIVISION								
CAUSE OF DEATH	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGI A	FLORIDA
MAJOR CARDIOVASCULAR DISEASESCON.	_			,					
HYPERTENSION	2.8 69.4 19.8 18.4 0.5	2.3 64.7 10.5 13.7 0.3	6-2 87-1 16-4 24-4 0-8	3.6 91.6 14.3 22.9 0.2	4.7 112.4 22.1 31.3 0.2	4-4 111-3 16-3 29-5 0-4	3.7 113.6 19.9 31.2 0.2	4-2 122-6 22-9 30-9	4.4 131.4 17.4 39.3 0.5
ALL CTHER CEREBROVASCULAR DISEASES430,432,435-438 ARTERIOSCLEROSIS440	39.8 12.2	40.1 10.3	45.6 31.5	54.1 14.6	58.9 17.9	65.1 13.3	62.3 10.5	68.4 12.8	74.2 15.9
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES 441 448	11.8	10.7	11.9	11.8	1.6.2	10.4	10.7	. 11.1	16.9
CUTE BRONCHITIS AND BRONCHIOLITIS466 NFLUENZA AND PNEUMONIA470-474,480-486 INFLUENZA470-474 PNEUMONIA480-486	0.3 20.1 0.5 19.6	0.3 18.3 0.8 17.4	0.1 41.4 1.2 40.2	0.4 31.3 2.1 29.1	0.3 41.1 3.0 38.1	0.5 28.6 2.8 25.8	0.4 25.4 2.1 23.3	0.4 34.3 2.9 31.4	0.4 30.6 1.1 29.5
RONCHITIS, EMPHYSEMA, AND ASTHMA — 490-493 CHRONIC AND UNDUALIFIED BRONCHITIS — 490,491 EMPHYSEMA — 492 ASTHMA — 531-533 EPTIC ULCER — 531-533 PPENDICITIS — 540-543 ERNIA AND INTESTINAL OBSTRUCTION — 550-553,560 IRRHOSIS OF LIVER — 571	11.3 1.9 9.0 0.3 2.8 0.2 1.6	8.0 1.4 6.0 0.6 2.9 0.4 3.1 19.6	11.8 2.3 7.5 2.0 4.3 0.9 4.7 55.8	11.7 2.6 7.9 1.2 3.1 0.3 3.0 14.3	20.7 3.2 16.4 1.1 4.2 0.2 3.2 13.9	11.0 2.6 7.5 0.8 2.7 0.3 3.3	12.1 1.9 9.4 0.8 3.4 0.5 3.2 10.2	11.8 2.2 6.6 1.0 3.2 0.6 2.5 13.3	20.9 3.3 16.7 0.9 4.5 0.7 3.6 21.7
IOLELITHIASIS, CHOLECYSTITIS AND HOLANGITIS574,575 PHRITIS AND NEPHROSIS580-584 ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-580,581 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL	0.7 5.7 1.0	1.0 4.1 0.8	0.9 8.2 1.3	1.1 3.5 0.4	1.7 4.5 1.3	1.4 4.6 0.8	1.4 5.7 0.8	1.3 6.0 0.9	2.2 4.7 1.0
SCLEROSIS582-584	4.7	3.3	6.B	3.0	3.2	3.8	4.9	. 5.2	3.7
FECTIONS OF KIONEY590 PERPLASIA OF PROSTRATE600 MPLICATIONS OF PREGNANCY, CHILDBIRTH, AND	1.4 0.5	· 0.6	4.0 0.9	· 2.9 0.5	3.0 0.9	4.0 0.8	4.0 0.7	4.5 0.6	3.7 1.0
HE PUERPERIUM	-	0.1	0.3	0.2 0.0	0.3 0.1	0.2 0.0	0.7 0.0	0.4	0.3 0.0
AND THE PUERPERIUM	-	0.1	0.3	0.2	0.2	0.2	0.6	0.3	0.2
NGENITAL ANOMALIES740-759 RTAIN CAUSES OF MORTALITY IN EARLY	5•7	5.4	6.7	6.3	7.5	8.1	7.9	7.4	7.3
NFANCY760-769.2.769.4-772.774-778 BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-764-768.772.776	16.1 9.4	11.6 5.7	23.6	15.6 8.0	17.1	19.9 10.3	21.6	17.3 9.8	14.4 7.7
OTHER CAUSES OF MORTALITY IN EARLY INFANCYREMAINDER OF 760-778 MPTOMS AND ILL-DEFINED CONDITIONS780-796 L OTHER OISEASESRESIOUAL	6.8 4.2 51.9	5.9 7.2 52.0	15.5 14.6 82.7	7.6 10.4 54.9	8.4 28.0 69.5	9.6 10.9 57.2	10.9 28.9 52.6	7.5 14.8 59.8	6.7 25.0 65.7
CIDENTS	50.2 21.7 28.5 13.7 7.1	42.9 21.0 21.9 10.3 11.6	48.7 13.3 35.4 11.7 34.9 8.2	58.0 25.7 32.3 13.8 11.2	61.9 26.1 35.7 11.8 5.4 2.6	68.7 35.6 33.1 13.0 15.0 2.1	74.5 35.5 39.0 11.2 16.4 2.1	73.3 37.8 35.5 13.2 20.9	66.2 33.6 32.6 16.8 16.3 2.9

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

CAICE DE BEATU		EAST SOUTH C	ENTRAL DIVISION	ı		WEST SOUTH CEN	TRAL DIVISION	
CAUSE OF DEATH	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA	TEXAS
ALL CAUSES	1,030.3	964.5	1,000.5	1,053,1	1,087.7	930.9	1,027.0	861.9
BACILLARY DYSENTERY AND AMEBIASIS	- 1.2 2.4 1.9 0.5	0.0 1.2 2.9 2.4 0.5	- 1-8 2-9 2-1 0-7	0.3 2.7 1.6 1.4	1.7 2.7 2.2 0.6	0.0 1.3 2.4 1.9	0.0 1.4 2.0 1.5	0,1 1.8 1.9 1.5 0.4
### WHOOPING COUGH	- - 0.2 2.8 -	 0.0 0.2 2.1	0.1 0.2 2.5	0.3 3.1	 0.2 3.1	- 0.2 3.6	0.2 2.6	0.0 0.0 0.3 2.4
MEASLES	0.0 0.2 2.0	0.0 0.4 2.3	0.0 0.1 2.3	0.0 0.3 2.8	0.1 2.1	- 0.3 2.3	0.2 2.4	0.0 0.2 2.3
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES140-209 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND	165.9	157.3	. 153,4	148.3	179.0	154.7	177.6	145.4
PHARYNX	44.9	4.3 39.0	3.1 38.5	2.3 38.4	3.0 44.2	4 <b>.</b> 3 38.8	4-1 44-1	3.2 36.5
SYSTEH	41.4	37.8	36.8	35.3	43.2	39.1	43.3	36.5
	14.4	12.7	12.5	11.1	11.5	12.4	12.6	12.2
	19.6	20.8	20.6	20.6	22.8	17.6	22.6	17.9
	7.0	6.4	5.8	5.2	7.2	7.0	6.7	5.7
UNSPECIFIED SITES	18.9	20.5	21.0	19.4	26.9	22.2	25.6	18.1
	7.0	7.2	7.1	7.2	7.5	6.4	7.8	6.7
	8.5	8.7	8.1	8.7	10.8	6.9	10.9	8.6
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	2.2	1.9	2.9	1.8	2.8	3.1	2.1	1.9
	19.4	14.5	22.4	19.8	20.6	23.9	17.3	16.0
DEFICIENCIES	1.1	0.8	0.9	1.4	1.4	1.1	1.6	1.3
	2.0	1.1	1.6	2.3	1.8	2.2	1.5	1.7
	0.6	0.7	1.0	1.0	1.3	1.2	0.9	1.1
MAJOR CARDIOVASCULAR DISEASES	570.9	521.3	498.0	516.7	582•7	479.0	550.4	426 • 8
	407.6	361.4	329.1	351.6	396•8	349.4	391.0	300 • 6
RHEUMATIC HEART DISEASE	4.6	4.6	3.2	4.3	4.3	3.2	4.8	3.3
	3.3	2.0	3.7	4.6	4.5	3.9	4.1	3.2
	2.6	2.3	3.0	2.8	3.4	2.3	3.1	1.7
	365.5	334.2	279.0	302.8	342.3	312.0	350.4	257.1
	226.8	204.5	167.1	177.9	208.0	159.0	207.8	142.2
ISCHEMIC HEART DISEASE 411 CHRONIC ISCHEMIC HEART DISEASE 412 ANGINA PECTORIS 413 CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	1.3	0.7	0.8	1.3	0.8	0.6	14.5	1.1
	137.2	129.0	111.0	123.5	133.4	152.4	128.0	113.7
	0.2	0.0	0.1	0.2	0.1	0.1	0.1	0.1
ALL CTHER FORMS OF HEART DISEASE	3.2	3.3	3.4	3.1	2.4	3.6	2•7	2.8
	28.4	15.1	36.8	34.0	39.9	24.3	26.1	32.4

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1986]

		EAST SOUTH C	ENTRAL DIVISION	·		WEST SOUTH CENT	TRAL DIVISION	
CAUSE OF DEATH	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSA S	LOUISIANA	OKLAHOMA	TEXAS
JDR CARDIOVASCULAR DISEASESCON-								•
•			[		,	·		
HYP ER TENSION	4.4 128.2	4.2 128.6	4.8 138.4	5.5 135.2	4.2 151.1	3.1 101.8	4.2 124.0	3.2 97.5
C EREBRAL HEMORRHAGE431	20-0	15.4	21.8	20.3	20.6	14.4	18.0	14.2
CEREBRAL THROMBOSIS433	31.2	33.8	36.3	30.0	27.8	21.4	25.6	17.8.
C EREBRAL EMBOLISM434	0.2	0.4	0.3	0.4	0-3	0.3	1.3	0-4
ALL DIMER CEREBROVASCULAR	1				ا ممد			
DISEASES	76.7 19.1	79.0 15.3	80.0 15.1	84.6 12.9	102.3	65.6	79.0 16.9	65.1 15.4
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND	17*1	1503	19.1	12.7		14.7	10.7	1944
CA PILLARIES441-448	11.7	11.9	. 10.6	11.4	14.6	10.1	14.3	10.0
UTE BRONCHITIS AND BRONCHIOLITIS466		1	ا م		0.5	اء	0.3	
FILLENZY YNU DMEIMUNTY	0.4 32.3	0.6 29.2	0.4 29.0	0.4 30.2	30.B	0-4 25-2	29.8	0.4 28.6
INF LUEN ZA	2.7	3.1	2.6	2.8	2.1	2.4	2.3	2.0
FLUENZA AND PNEUMONIA470-474,480-486 INFLUENZA470-474 PNEUMONIA480-486	29.6	26.1	26.3	27.4	28.7	22-7	27.5	26.6
•			· [		ľ			
ONCHITIS, EMPHYSEMA, AND ASTHMA490-493	16.5	15.9	13.4	11.3	14-8	12.5	14.8	13.8
CHRONIC AND UNQUALIFIED BRONCHITIS490-491	3.2	3.3	2.1	1.8	2.6	1.9	1.9	2.5
MP HYSEMA492	12.0	11.5	10.5	8.4	11.3	9.4	12.1	10.5
CHRONIC AND UNOUALIFIED BRONCHITIS490,491 EMPHYSEMA492 ASTHMA492	1.2	1.2	0.8	1.1	0.9	1.1	0.8	0.8
PTIC ULCER531-533 PENDICITIS540-543	3.8	3.3	3.2	3.2	2.9	2.8	4.1	2.6
PEN DICITIS540-543	0.8	0.5	0.5	1.1	0.7	0.7	0.5	0.4
RNIA AND INTESTINAL OBSTRUCTION550-553,560 RRHOSIS OF LIVER571	3.1 10.6	2.9 10.7	2.8 10.7	4.6 8.0	3.2 9.4	3.2 10.6	3.5 11.6	3.3 11.6
GLELITHIASIS, CHOLECYSTITIS AND	10.0	1041	10.7	. "	. 2*7	10.0	****	. 11.0
HOLANGITIS574,575 PHRITIS AND NEPHROSIS580-584	2.3	1.9	1.7	. 1.9	1.8	1.4	2.2	1.5
PHRITIS AND NEPHROSIS580-584	4.3	3.9	5-1	6.2	6.6	5.7	4.9	4.1
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME580,581	0.7	0.4	0.7	1.1	1.4	. 0.8	0.8	0.8
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS582-584	3.5	3.6	أما	5.1	5.2	4.9	4.1	3.3
3CEERO313	3,0	3.0	4.4	3.1	3.2	4.9	4.1	3.3
				·	1		i	
FECTIONS OF KIDNEY590 PERPLASIA OF PROSTRATE600	4.4 0.8	4.7	4-4	5.0	4.2	3.5	5.4	3.4
MPLICATIONS OF PREGNANCY, CHILDBIRTH, AND	U• 0.	1.4	1.1	0.7	1.1	0.4	1.0	0.6
HE PUERPERIUM630-678 ABO RT IONS640-645	0.3	0.4	0.3	0.5	0.4	0.3	0.3	0.4
ABO RT IONS640-645	0.0	-	-		0.0	0.0	-	0.0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH,							ا۔۔	· .
AND THE PUERPERIUM630-639,650-678	0.3	0.4	0.3	0.5	0.3	0.3	0.3	0.4
•					į.		]	
NGENITAL ANDMALIES740-759	7.0	7.2	6.5	7.7	6.8	8.3	6.9	7.4
RTAIN CAUSES OF MORTALITY IN EARLY					.			•
NFA NCY760-769-2-769-4-772-774-778	14.3	17.6	19.7	26.7	18.0	20.5	13.5	18.1
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS764-768,772,776	7.4	9.6	10.3	14.0	9.9	11.5	8.0	10.7
OTHER CAUSES OF MORTALITY IN EARLY	7.64	7.0	. 10.5	14.0	3.9		8.0	1041
IN FANCYREMAINDER DF 760-778	6,9	8.0	8,4	12.7	8.1	9.1	5.5	7.4
MPTOMS AND ILL-DEFINED CONDITIONS780-796	5.6	13.7	55.9	76.2	37.9	7.7	13.6	22.5
OTHER DISEASESRESIDUAL	60.0	51.0	57.0	56.2	55.5	57.0	67.3	51.9
				. ]	[			
CID ENTSE800-E949	68.3	65.4	75.0	83.8	71.1	67.6	64.1	61.4
WITOR VEHICLE ACCIDENTS————————————————————————————————————	33.8	34.7	39.5	40.9	33.2	30-1	29.6	30.9
ALL OTHER ACCIDENTS	34.5	30.7	35.5	42.9	37.9	37.5	34.5	30.5
ALL GTHER ACCIDENTSE800-E807,E825-E949 ICI DE	12.7	12.0	9.6	8.9	10.4	10.4	13.3	11.6
915 1D5F9AA-F978	9.8	13.3	14.4	15.3	9.2	16.6	8.3	14.0

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

				MDUNTAIN	DIVISION					PAC	IFIC DIVISIO	N	
CAUSE OF DEATH	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	AR I ZONA	UTAH -	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWATT
ALL CAUSES	952.4	841.4	869. 7	766.3	734.1	818.6	655.6	778-1	898.6	939.6	838.4	442.1	525.0
BACILLARY DYSENTERY AND AMEBIASIS004,006 ENTERITIS AND OTHER DIARRHEAL DISEASES008,009 TUBERCULDSIS, ALL FORMS	0.3 0.6 1.5 1.4 0.1	0.9 0.9 0.8 0.1	- 0.8 0.6 0.6	- 1.0 1.1 0.8 0.3	0.4 2.5 2.6 1.7 0.9	0.0 1.5 2.9 1.7 1.2	0.1 1.3 0.8 0.7 0.1	0.7 1.1 0.5 0.5	0.0 0.9 1.2 0.8 0.4	0.0 0.6 1.2 0.9 0.4	0.1 0.8 1.3 0.9 0.4	0.6 1.2 0.9 0.3	0.6 1.3 0.8 0.5
##DOPING COUGH	0.1 0.3 1.9	0.3 0.3	0.3 2.0	0.2 2.3	0.1 2.1	0.1 2.9	1.7	0.2 1.1	0.1 1.3	0.1 1.3	0.0 0.0 0.1 1.2 0.0	0.6 1.2	1.0
MEASLES	2.5	0•1 2•2	- 0+8	0.2 1.6	0.3 2.2	0.1 2.8	- 0.1 1.9	0•4 2•9	0.1 2.1	0.0 1.4	0.0 2.2 8.1	- - 0.9	0.4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES140-209 MALIGNANT NEOPLASMS OF BUCCAL CAYITY AND PHARYNX	146.2 2.4 41.2 30.5 11.5 19.1 7.6 16.9 8.5 8.5	131.0 2.6 36.0 24.5 11.3 16.5 8.2 16.8 7.5 7.7	126.9 0.8 30.3 29.2 11.6 16.4 7.9 17.6 5.4 7.6	116.9 1.9 31.9 21.3 11.3 16.4 5.9 16.0 5.3 6.9	107.8 1.5 31.0 22.3 7.6 14.0 4.8 17.2 4.2 5.1	137.6 2.5 34.9 31.3 11.3 16.5 6.8 20.4 5.6	91.4 1.5 25.2 14.4 9.5 12.7 4.6 13.0 4.0	146.9 3.6 37.2 36.9 11.5 15.5 6.6 21.9 5.3 8.4	164.8 3.6 43.9 38.4 14.5 21.2 8.3 19.0 7.5 8.6	164.4 3.2 41.3 39.6 13.8 20.0 7.3 19.5 8.1 11.5	155.1 3.9 41.6 35.8 15.0 18.0 7.1 18.5 6.3	61.2 2.1 14.5 5.5 6.1 2.4 11.5 1.2 2.4	108.3 3.4 36.9 23.2 6.0 10.7 5.4 12.4 4.9 5.4
DIABETES MELLITUS	17.2 0.7 1.8 1.0	15.1 0.9 1.8 0.1	17.0 1.4 1.7 0.3	11.9 1.1 1.4 0.5	13.0 1.9 1.1 1.3	13.1 1.5 0.9 0.6	13.4 1.4 1.8 1.1	0.7 0.9 0.9	15.8 1.7 1.4 0.4	14.7 2.2 1.3 0.9	12.1 1.3 1.2 0.6	3.6 1.5 0.3 0.6	13.8 2.2 9.6 0.5
MAJOR CARDIOVASCULAR DISEASES390-448 DISEASES OF HEART390-398,402,404,410-429 ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE	459.1 319.1 10.7 3.1 1.8 268.0 161.2	421.3 297.4 6.4 2.2 4.0 262.2 155.2 0.8 106.1	412.5 306.8 6.8 1.4 2.0 272.0 164.6	379.4 274.6 7.8 1.6 2.2 243.0 129.9	279.7 194.0 6.6 1.4 0.8 166.2 95.8 0.6	361.2 265.2 6.8 2.9 0.6 235.6 105.8 7.1 122.6	302-2 214-2 10-8 2-9 1-7 178-2 97-2 0-8 80-1	338.0 236.9 7.5 1.8 0.9 208.4 115.1	467.0 334.2 7.7 3.2 3.7 296.6 145.2 3.7 147.6	493.9 338.7 7.3 1.6 4.0 309.9 127.5 0.9 181.5	431.2 310.6 7.7 3-1 1.2 286.1 126.3 1.4 158.4	122-1 83-9 2-4 1-2 64-8 44-8 19-7	235.5 169.0 4.6 1.6 0.5 153.4 76.7
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY424,428 ALL OTHER FORMS OF HEART DISEASE423,425-427,429	4.9	3.1 19.5	1.1 23.5	1.8 18.2	1.6 17.4	1.6	2•2 18•4	1.6 16.6	2.6	2.2 13.7		1.2 14.2	0.8 8.2

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

			·	MOUNTAIN D	IV IS ION					PAC	IFIC DIVISIO	N .	
CAUSE OF DEATH	NONTANA	IDAHO	WYDMING	COLORADO	MEXICO MEM	AR I ZONA	нати	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	IIAWAH
AAJOR CARDIOVASCULAR DISEASESCDN.													
HYPERTENSION	3.3 98.2 12.1 21.5 0.3	1.2 96.1 11.4 18.8 0.1	2.3 82.7 12.7 10.8 0.6	2.7 73.0 9.7 15.9	2.1 63.1 12.7 11.1 0.3	2.5 70.5 10.9 13.3 0.5	1.7 67.8 7.9 15.1 0.5	2.2 80.5 11.5 12.0 0.7	2.7 99.5 12.2 23.1 0.3	2.2 115.9 13.7 32.9 0.6	2.6 92.9 11.6 27.0 0.3	0.6 28.5 6.1 2.4	0. 54. 12. 12. 0.
UISEASES	64.4 23.2	65.7 14.2	58.6 11.0	47.1 17.5	39.0 11.9	45.9 12.3	44.3 10.3	56.2 7.3	64.0 17.5	68.7 22.9	54.0 12.8	20.0	30. 2.
CAPILLARIES,441-448	15.3	12.5	9.6	11.5	8.6	10.7	8.2	11.1	13.1	14.2	12.3	4-8	8.
ACUTE BRONCHITIS AND BRONCHIDLITIS	1.0 38.7 5.8 32.9	33.5 7.5 26.0	0.3 31.4 7.4 24.1	0.4 30.6 2.9 27.7	0.4 35.5 4.1 31.5	0.6 30.2 2.6 27.6	0.3 19.0 1.6 17.5	0.2 17.0 2.7 14.2	0.7 33.7 7.3 26.4	0.5 35.1 6.4 28.7	0.6 26.9 4.4 22.5	0.6 19.7 2.7 17.0	19-9 1-4 18-0
RRONCHITIS, EMPHYSEMA, AND ASTHMA	23.7 4.4 19.0 0.3 3.9 0.3 4.4 13.3	18.7 3.0 15.1 0.6 3.6 0.6 3.2 10.3	21.5 2.3 18.4 0.8 5.4 0.8 4.8	17-1 2-7 13-4 1-0 3-4 0-4 3-0	12.3 2.4 9.4 0.5 -4.1 0.6 3.1	21.8 4.0 16.1 1.7 3.4 0.4 2.5	11.7 2.5 7.9 1.3 2.8 0.3 4.1	17.7 2.4 13.5 1.8 2.4 - 3.6	17-2 2-8 13-5 0-9 3-6 0-3 2-9 16-5	18.5 3.9 13.5 1-1 4.0 0.4 3.1	15.4 2.9 11.6 0.9 3.9 0.4 2.6 21.4	4.8 - 3.0 1.8 2.7 - 2.7 8.2	7.0 1.1 4.4 1 1 1 8
HOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS. — 574,575 HEPHRITIS AND NEPHROSIS — 580-584 ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581 CHRONIC AND UNQUALIFIED NEPHRITIS AND REPAR	1.8 3.7 0.4	3.0 3.4 0.4	1.4 2.3 0.3	2.4 2.6 0.7	1.7 3.7 0.5	1.7 3.5 0.6	1.6 2.8 0.3	2.2 2.2 0.5	1.6 2.0 0.2	1.2 2.4 0.3	1.2 2.6 0.5	0.3 1.5 0.3	0. 3. 0.
SCLEROSIS	3.3	3.0	2.0	1.9	3.3	3.0	2.4	1.6	1.8	2.1	2.1	1.2	2.
NFECTIONS OF KIDNEY590 YPERPLASIA OF PROSTRATE600 DMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND	2.1 0.1	1.2 0.8	1.4 0.6	1.7 0.6	1.7 0.5	3.3 0.6	1.7 0.7	2.0 0.2	2.1 0.6	2.2 0.5	2.3 0.7	0.9	2. 0.
THE PUERPERIUM			0.6 · 0.3	0-1	0.3 -	0.2	0.3	0.4	0.1	· =	0.2 0.0	-	0.
DTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPEPIUM630,659,650-678	-	-	0-3	0.1	0.3	0.2	0.3	0.4	0-1	-	0.2	-	0.
DINGENITAL ANDMALIES740-759	7.9	8.4	7.4	86	9.0	7.4	9.2	4.7	6.7	6.7	6.6	6.1	7.
ERTAIN CAUSES OF MORTALITY IN FARLY INFANCY	15.5	17.7	20.7	14.2	16.5	13.1	15.0	16.8	11.4	10.4	10.4	21.2	14.
ANOXIC AND HYPOXIC CONDITIONS764-768,772,776 OTHER CAUSES OF MORTALITY IN EARLY	7.5	10.0	12.5	9.2	11.1	8.0	8.1	9.7	7.1	5.6	6.2	12.1	6.
INFANCY	8.0 29.4 61.7	7.7 11.2 54.5	8.2 7.4 68.0	5.0 11.0 59.1	5.4 31.4 57.6	5.2 15.3 63.6	6.9 24.8 54.5	7.1 11.3 56.2	4.3 5.9 56.2	4.8 14.0 55.0	4.3 3.4 45.7	9.1 10.9 35.2	8. 4. 29.
ACCIDENTS	86.3 44.4 41.9 14.7 6.1 3.1	75.7 41.6 34.2 12.6 3.5	90.9 44.5 46.5 17.6 3.4	56-1 27-2 28-9 17-4 6-9	90.4 51.6 38.8 16.1 12.1	76.9 43.3 33.6 16.0 10.1 4.2	60.1 30.9 29.1 11.8 3.5 2.7	70.6 38.7 31.9 22.3 12.8 2.9	56.8 25.4 31.4 14.8 5.0	61.3 29.7 31.6 16.1 4.8 3.1	56.0 25.2 30.8 17.7 9.2	103.0 21.8 81.2 17.0 8.2 2.7	36- 16- 20- 10- 4-

Table 1-15. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1973

[Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperium, category numbers 630-678 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group]

of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group													
Cause of death and color	Total.	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over					
NUMBER OF DEATHS													
Complications of pregnancy, childbirth, and the puerperium (630-678)	477	78	102	116	97	56	25	3					
White	27 <u>4</u> 203	28 50	65 <b>36</b>	.82 <b>34</b>	55 42	28 28	14 11	1 Z					
Ectopic pregnancy (631)		4 1	12 7	15 11	6 2	7 3	1 1	1 2					
All other- Toxemias of pregnancy and the puerperium, except abortion with toxemia (636-639)-	111	3 28	5 28	4 21	4 18	13	2						
WhiteAll other-	57	117	16 12	14 7	10 8	5 8	1 1	ī					
Hemorrhage of pregnancy and childbirth (632,651-653)		6 2 4	8 6 2	15 12 3	12 10 2	10 7 3	9 3 5	1 =					
Abortions (640-845) White	36	7	9	9	4 2	4	3 2	-					
All other-	21	6	4	4 5	2	3	1	=					
Abortion induced for legal indications (640,641) WhiteAll other-	8 5 5	2 1 1	5 5	1 1	1 1	2 2	1, 1	] =					
Abortion induced for other reasons (642)	- 11 - 2	3 -	2	4 1	1	1	-	] :					
All other- Spontaneous abortion (643)		3	1	3 1	1	1	- 1	-					
White All other-	1	2	1	ī	-	-	1	-					
Other and unspecified abortions (644,645)	7	2	4 2	4 2	2	1	1	=					
All other- Sepsis of childbirth and puerperium (670,671,673)	98	2 15	20	2 26	1 27	6	4	-					
WhiteAll other-		7 B	15 5	21, 5	15 12	4 2	2 2	-					
All other complications of pregnancy, childbirth, and the puerperlum (630,633-635,654-662,672,674-678)	124 72	18 6	24 17	29 19	30 16	16 8	<b>6</b>						
All other- Delivery without mention of complications (650)————————————————————————————————————		12	7	10 1	14	8	ĭ						
White All other-	1	=	ī	i -	=	1		=					
RATE FER 100,000 LIVE HIRTHS													
Complications of pregnancy, childbirth, and the puerperfum (630-678)		12.6	9.3	13.1	26.2	44.2	78.5	154.5					
White All other- Ectopic pregnancy (631)	34.6	6.5 26.7	7.3 18.2	10.6 29.8	17.5 74.2	27.2 117.5	55.3 167.6	66.9 447.4					
Ectopic pregnancy (631)		0.6 0.2 1.6	1.1 0.8 2.5	1.7 1.4 3.5	1.6 0.6 7.1	5.5 2.9 16.8	3.1 4.0	223.7					
Poxemias of pregnancy and the pnerperium, except abortion with toxemia (636-639) White	3.5 2,2	4.5 2.6	2.5 1.8	2.4 1.8	4.9 3.2	10.3 4.9	6.3 4.0	51.5					
All other- Hemorrhage of pregnancy and childbirth (632,651-653)	9.2 1.9	9.1 <sub>.</sub>	6.1 0.7	6.1 1.7	14.1 3.2	33.6 7.9	15.2 28.2						
White All other-	1.6	0.5	0.7	1.5 2.6	3.2 3.5	6.8 12.6	11.9 91.4	-					
Abortions (640-645)	1.1 0.6 3.6	1.1 0.2 3.2	8.0 6.0 0.2	1.0 0.5	1.1 0.6	3.2 1.0 12.6	9.4 7.9 15.2	-					
Abortion induced for legal indications (640,641)	0.3	0.3	0.2	4.4	3.5 0.3	1.6	3.1	_					
White	- 0.5	0.2 0.5	0.2	-	0.3	8.4	4.0	] =					
Abortion induced for other reasons (642)	0.4 0.1 1,5	0.5 - 1.6	0.2 0.1 0.5	0.5 0.1 2.6	0.3 1.8	0.8 - 4.2	1 1 1	]					
Spontaneous abortion (643)	0.1 0.0	<u> </u>	0.1	0.1 0.1	-	-	3.1	]					
Other and unspecified abortions (644,645)		0.3	0.5 0.4	0.5	- 0,5	- 0,8	15.2 3,1	-					
Other and unspecified abortions (644,645/	- 0.3	1.1	0.2 1.0	0.5 0.3 1.8	0.5 0.3 1.8	1.0	4.0	] =					
Sepsis of childbirth and puerperium (670,671,673)		2.4 1.6	1.8 1.7	2.9 2.7	7.3 4.8	4.7 3.9	12.6 7.9	-					
All other complications of pregnancy, childbirth, and the		4.3	2.5	4.4	21.2	8.4	30.5						
puerperium (630,633-635,654-662,672,674-678)		2.9 1.4	2.2 1.9	3.3 2.5	8.1 5.1	12.6 7.8	18.8 19.8	66.9					
All other- Delivery without mention of complications (650)————————————————————————————————————	0.1	6.4	3.5 0.1	8.8 0.1	24.7 -	33.6	15.2	-					
WhiteAll other-	0.0 0.2		0.5	0.1	=	-	-						

<sup>&</sup>lt;sup>1</sup>Hates computed by relating deaths to women 45 years and over to live births to women 45-49 years.

Table 1-16. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-73

[Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Classification of Diseases in use at the time]

	1		· ·	T		<del></del>	1
Year	Total.	White	All other	Year	Total.	White	All other
							<u> </u>
19731	15.2	10.7	34.6	1953	61.1	44.1	166.1
19721,2	18.8	14.3	3B.5	1952	67.8	48.9	188.1
19711	18.8	13.0	45.3	1951	75.0	54.9	201.3
19701	21.5	14.4	55.9	1950	83.3	61.1	221.6
1969	22.2	15.5	55.7	1949	90.3	68.1	234.8
7000	ا م. حا			1			
1969	24.5	16.6	63.6	1948	116.6	89.4	3010
1967	28.0	19.5	69,5	1947	134.5	108.6	334.6
1966	29.1	20.2	72.4	1946	156.7	130.7	358.9
1965	31.6	230	83.7	1945	207.2	172.1	454.8
1964	33.3	22.3	89.9	1944	227.9	189.4	506.0
1963 <sup>9</sup>	35.8	24.0	96.9				ļ
19628	35.2	23.8	95.9	1943	245.2	210.5	509.9
				1942	258.7	221.8	544.0
1961	36.9	24.9	101.3	1941	316.5	266.0	678.1
1960	37.1	26.0	97.9	1940	376.0	319.8	773.5
1959	37.4	25.8	102.1	1935-39	493.9	439.9	875.5
1958	37.6	26.3	101.8		]	1	3.010
1957-4	41.0	27.5	118.3	1930-34*	636.0	575.4	1.080.7
1956	40.9	28.7	110.7	1925-29	668.6	615.0	1,163,7
1955	47.0	32.8	130.3	1920-24	689.5	649.2	1,134.5
1954	52.4	37.2	143.8	1915-19	727.9	700.3	1,253.5
**************************************	52.4	_ 57.2	140.0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	121.9	1 ,00.3	1,200.0

Table 1-17. Maternal Mortality Rates by Color: United States, Each Division and State, 1971-73 (3-Year Average)

[Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperlum, category numbers 630-678 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group, 1971-73. Deaths for 1972 are based on a 50-percent sample. Asterisk indicates rate based on a frequency of less than 20]

on a frequency of less than 20]					<del></del>	<del></del>	·
Division and State	Total	White	All other	Division and State	Total.	White	All other
United States	17.7	12.7	39,6	South Atlantic:	*18.5	*23.6	
Geographic divisions:			<del></del>	Delaware	15.2	*7.6	*37.4
New England	9.7	9.3	*14.6	District of Columbia	*27.0		*31.0
Middle Atlantic	17.9	12.6	42.5	Virginia	13.5	*6.8	*35.7
East North Central	15.4	11.5	35.9	West Virginia	*12.5	*10.7	*52.3
West North Central	12.5	11.2	*25.6	North Carolina	19.6	11.7	37.7
South Atlantic	20.4	10.8	43.9	South Carolina	35.5	*13.9	70.2
East South Central	29.0	16.1	63.3	Georgia	23.6	11.3	47.9
West South Central	24.2	20.0	39.7	Florida	20.3	12.1	43.6
Mountain	13.8	31.4	*36.3		i	,	
Pacific	1.3.3	1.2.4	18.1	East South Central:			
New England:	i			Kentucky	J 20.0 J	15.6	*64.3
Maine	*12.1	*12.2	_ [	Tennessee	22.8	*12.0	61.7
New Hampshire	*13.5	*13.6	_	Alabama	.37.2	19.5	71.1
Vermont	*15.5	*15.6	-	Mississippi	38.1	*20.8	56.7
Maskachusetta		*8.6	*12.4		l i		
Hhode Island	8.9 *4.9	*5.3	*12.4	West South Central:			
Connecticut	*12.2	*11.1	*21.0	Arkansas	27.1	*15.6	*61.5
OORHIGGGIGGG	*10.6	,17.7	-21.0	Louisiana	17.8	*7.1	34.8
Middle Atlantic:				Oklahoza	20.2	*15.0	*40.0
		34.3	39.7	Texas	26.6		38.1
New York	19.2	14.1		Texas	60.0	24.4	20.1
New Jersey	17.1	10.1	45.9				
Pennsylvania	16.3	11.8	45.8	Mountain:		,	
The selection of the se	·			Montana	*5.7	*6.3	_
East North Central:			<b>*</b> ~	Idaho	*6.9	*7.1	_
Ohio	13.6	12.0	*24.3	Wyoning	*11.0	*11.5	
Indiana	17.6	13.8	*50.2	Colorado	*9.4	*10.0	_
Illinois	17.9	13.2	33.4	New Mexico	*18.8	*11.1	*60.5
Michigan	17.1	10.1	48.2	Arizona	17.6	*11.5	*50.3
Wisconsin	*7.0	*6.5	*13.9	Utah	*15.8	*15.0	*39.8
West North Central:				Nevada	*22.0	*21.7	*23.8
Minnesota	13.9	12.0	*64.1	1			
IOM			*64.X	Pacific:			
Missouri	*6.4	*6.6	*27.2	Washington	*9.9	*8.6	*24.B
	16.4	14.2 *10.7			*8.4	*8.8	*Z4.6
North Dakota	*13.3		*45.0	Oregon			
South Dakota	*12.1	*10.4	*23.3		14.8	13.3	23.2
Nebraska	*9.7	*10.4		Alaska			-
Kansas	*10.8	*10.8	*11.3	Heweii	*10.7	*37.5	-

<sup>&</sup>lt;sup>1</sup>Excludes deaths of nonresidents of the United States.

\*Deaths based on a 50-percent sample.

\*Pigures by color exclude data for residents of New Jersey; see Technical Appendix.

\*For 1952-34, Mexicans are included with "All other."

Table I-18. Deaths and Death Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1973

[Standard metropolitan statistical areas are those defined by the Office of Management and Budget for 1973 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1973. For further explanation of areas, see Technical Appendix. Rates per 1,000 population]

So largest U.S. SMSA's   SSIA's   SSI	9,928	10.6 6.7 7.3 10.0 12.4 10.0 12.4 10.0 12.4 10.0 12.4 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10
Name   Name	9,928	10.6 6.7 7.3 10.0 12.4 10.0 12.4 10.0 12.4 10.0 12.4 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10
	9,928	10.6 6.7 7.3 10.0 10.0 12.4 10.0 12.4 10.0 12.4 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10
Albany—Schenectaly—Troy, N.Y.	1,461 5,094 48,282 23,395 2,248 5,762 2,268 4,365 4,365 4,365 4,365 2,268 1,451 1,451 1,978 2,365 1,971 1,169 1,169 1,169 1,169 1,169	7,3 9,3 9,3 12,4 10,0 12,4 12,4 12,4 13,6 13,6 13,6 13,6 14,6 14,6 14,6 14,6 14,6 14,6 14,6 14
Albary	5,094 48,252 23,395 3,036 2,248 5,762 2,266 4,365 4,365 4,365 2,574 4,365 2,574 2,266 4,365 1,451 2,976 2,365 3,711 3,711 3,166 4,1168 1,169 1,169 1,169 1,169	9,3 10,0 5,12,4 6,9 7,8 8,7 9,6 9,2 9,2 10,8 10,8 11,2 9,3 11,2 9,3 11,2 11,2 11,4 11,4 11,4 11,4 11,4 11,4
Schemeckady	22,395	5 12.4 6.93 7.8 9.6 9.6 9.6 6.9 9.6 8.0 10.8 10.8 10.8 10.8 10.8 10.8 10.8
Montgemery	22,395	6.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7
Anaheim-Senta Ana-Garden Grove, Calif- Orange 9,651 6.2 Atlanta, Ga 15,315 7.7 De Kalb 2,794 6.0 Fulton 6,012 10.1 Butts 110 9.9 Cherokee 276 7.9 Chayton 576 4.8 Douglas 248 6.7 Fayette 97 7.1 Forsyth 190 9.1 Guimett 518 5.8 Henry 248 9.7 Reviton 336 11.1 Reviton 536 Na. Rendolph 568 8.4 Revitord 2,463 8.2 Davidson 905 8.1 Rendolph 668 8.4 Forsyth 668 8.4 Forsyth 658 8.2 Davidson 905 8.1 Revitord 2,463 8.2 Revitors 988 Purlington, N.J. 610 Revitors 7,062 8.6 Revitord 7,062 8.6 Revito	2,248 5,769 5,769 2,228 4,365 1,451 8,932 2,574 17,520 1,970 2,365 3,711 10,106 6,311 1,169 1,169 1,169	7.8 9.6 9.2 9.2 6.9 9.2 8.0 8.0 8.0 9.3 11.2 9.3 11.2 9.3 11.4 9.5 11.4
Anahem-Santa Ana-Garden Grove, Califord Creage   9,651   6.2     Atlanta, Ga	5,762 5,762 2,226 1,451 1,451 8,932 2,557 1,752 1,978 2,365 3,711 1,169 1,169 1,169 1,169 1,179 1,178	9.6 9.2 6.9 7.2 8.0 8.0 8.0 8.0 11.2 9.3 9.3 11.4 9.8 9.5 11.4 10.6
Atlanta, Ga	\$,769 \$,225 \$,365 \$,365 \$,375 \$,371 \$,165 \$,165 \$,175 \$,275 \$,175	6,9 9,2 8,0 8,0 8,0 11,0 8,1 11,0 9,8 11,0 11,0 11,0 11,0 11,0 11,0 11,0 11
De Kalb	4,365	5 9,2 8,0 8,0 8,0 10,8 9,3 11,0 9,8 9,3 11,0 9,8 9,1 11,4
Fulton	1,451 8,932 8,932 25,574 17,520 2,365 3,711 10,106 6,311 1,169 1,169 1,189	8.0 8.0 8.0 10.8 11.2 9.3 11.0 9.8 9.5 11.4
Dutts	8,932 17,526 11,976 2,365 3,711 10,106 6,311 1,489 1,168 1,189	8.0 1 10.8 11.2 9.3 11.0 9.3 11.0 9.8 11.4 8.0
Chayton	25,574 17,520 1,978 2,365 3,711 10,106 6,311 1,489 1,158 1,159	10.8 11.2 9.3 11.0 9.8 9.5 11.4 11.4
Cobi	17,520 1,976 2,365 3,711 	11.2 9.3 11.0 1 9.8 9.5 11.4 0 0.0
Douglas	1,978 2,365 3,711 10,106 6,511 1,489 1,169 1,189	9.3 11.0 9.8 9.5 11.4 8.0
Fayette	2,365 3,711 10,106 	11.0 9.8 9.5 11.4 0.0
String	10,106 6,311 1,489 1,169 1,139 1,139	9.5 11.4 0 8.0
Henry	6,311 1,480 1,168 1,139 , R.I 8,165	11.4
Newton	6,311 1,480 1,168 1,139 , R.I 8,165	0.6
Rockdale	1,168 1,139 , R.I 8,166	
Walton	. R.I 1,139	
Baltimore   Md	R.I 8,166	
Baltimore (city)		
Anne Arundel		8.9
Garroll		
Garroll	í	8.7
Hosard 412 5.1 Morgan 395 8.4 Riverside	rio, 11,102	9.3
	5,157	
Jefferson	,	1
St. Clair	6-133	
Shelby	432	2 7.6
Walker	782	
220 11.3 Warma	377 741	
Essex 5.782 10.5 Johnson, Kans 1,270 5.5		
Middlesex	5,148	
Norfolk 5,518 9.0   Los Angeles-Long Beach, Calif 61.471 8.9   Placer		
Bridgenort, Conn		
Fairfield	23,512	8.6
Buffalo, N.Y	8.568	8 15.1
Jana   Ja	639 760	
Miagara	612	
Cock	7.239	
Du Page 3 041 5 8 1	260	0 8.9
Name	2,363 201	
7 cool 2   Pinton Term	2,870	
	, i	
Will	3,362	
Hemilton, Ohio	956	
Clarmont Objection   769   7.5   Dada   15.071   11.0   Davis	397	
Warren, Ohio		ı
Commobal Ky   978   17 1   Milwaukee   10,082   9.5   San Antonio, Tex	7,472	
Kenton, Kv		
Deardorn, Ind.		
Cleveland, Ohio	11.244	
Cuyahoga	11,244	4 7.7
Lake	27,772	2 8,9
Medina 594 3.4 Alameda 625 7.0 Anoka, Minn 594 3.4 Alameda	9,440	0 8,7
Chisago Minn		9 12.6 4 7.0
Delnoware	1,483	3 7.I
	4,166	
Madison	6,790	
Pickaway 31.7 7.3 Wright, Minn 384 8.7 Sent obset, Galli 314 8.4 Sent Clara 314 8.4		
	11,749	
Tarment 5,000 0.0 Marses 1,000 0.0 King	9,742	8.6
11,007 8.4 Snohanish Snoha	2,007	7 7.8
Denton 566 6.2 Tappa-St. Petersburg, Fla	17,908	
	5,398	
Johnson534 10.2		
Kaufman 378 10.6 New Orleans, is 10,535 9.6 Folde Objective or 10,505 9.6	,	1
Jefferson 2 429 6 4 Incas, Ohio	5.128	
Wickman, 405 7.2 Fulton, Onio	307	7 8.5
St. Temmany 629 9 2 Ottawa, Ohio	435	5 11.0
Montgomery	744 1,009	
Greene		
Miami 761 8.7 Bronx 14,678 10.1 District of Columbia	8,068	
Preble	285	
Denver-Roulder, Colon 9.671 7.11 Manhattan 20.201 13.81 Mentagana Ma	3,355	6.0
Boulder	3.301	L 4.7
4.5   1   1   2   2   2   2   2   2   2   2	987 1,173	
Arapahoe	2.036	
Gilmin 8.334 9.41 Tendom Va	322	2 7.7
Jefferson	493	3,8

<sup>&</sup>lt;sup>1</sup>Figures are included for cities of Fairfax and Falls Church.

Table 1-19. Deaths by State of Occurrence, Distributed According to State of Residence: United States and Each State, 1973

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Unit of residence is defined as the county or county equivalent of which decedent was a resident]

	All	Deaths of	Total	Deaths			•	Death	s of int	erstate	nonresid	ents by	State of	residen	ce		-	
State of occurrence	deaths occurring in State	residents occurring in county of residence	deaths of non- residents of county	of intra- state non- residents	Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	.D.C.	Fla.	Ga.	Hawaii	Idaho
United States	1,975,126	1,595,250	379,876	304,726	73,027	1,286	104	762	1,410	2,328	. 521,	1,011	324	935	3,108	1,514	47	559
AlabanaAlaskaArizonaArkansas	35,257 1,442 17,245 21,961 173,075	28,718 1,100 14,844 16,471 154,357	6,539 342 2,401 5,490 18,718	5,404 255 1,241 4,275 16,025	1,128 81 1,044 1,214 2,356	 2 6 7	 2 18	2  4 221	12	16 19 251 24	1 57 5 72	4 - 4 5 18	1 - 1 - 4	2 - 1 - 4	280 2 14 9 56	276 1 1 5 18	- 29	1 - 12 - 32
Colorado Comecticut Delaware District of Columbia- Florida	19,244 26,804 5,139 9,843 90,045	14,091 23,300 4,159 7,133 75,903	5,153 3,504 980 2,710 14,142	4,062 2,403 437 8,927	1,079 1,090 541 2,695 4,902	5 1 - 5 175	1 2 -	33 2 1 1 9	8 - - 4 9	7B 14 4 13 38	1 - 2 5	4  4 4 140	2 2  3 16	1 2 2  16	21 60 9 25	4 2 2 18 369	- - - 3	7 - 1 2
Georgia Hayaii Idaho Ilinois Indiana	44,460 4,591 6,293 107,868 49,737	31,497 4,182 4,931 94,046 39,350	12,963 409 1,362 13,920 10,387	10,860 139 989 11,732 8,187	2,079 211 369 2,061 2,189	428 - - 5 16	1 1 1	3 6 19 8	7 1 20 12	6 63 34 67 30	1 3 8 12 6	7 1 7 2	6 - 2 1	4 1 1 1	399 3 2 148 66	2 - 8 6	<u>-</u>	
TowaKansasKansasKentucky	29,091 22,143 34,309 35,307 10,891	22,276 16,910 25,944 26,618 8,799	6,835 5,233 8,365 8,689 2,092	5,532 4,100 6,757 7,632 1,670	1,280 1,125 1,601 1,032 380	3 2 11 40	1 1 1 1	11 14 4 - -	3 15 6 119 1	39 38 18 37 4	10 43 3 7 1	2 1 2 2 41	1	1 1 4 2	8 4 42 57 26	1 2 12 14 -	- - 1	1 1 - -
Maryland Massachusetts Michigan Minnesota Mississippi	31,816 57,698 77,398 34,367 23,577	23,161 46,917 62,356 26,189 17,642	8,655 10,781 15,042 8,178 5,935	6,605 8,884 13,809 6,359 5,031	2,027 1,850 1,170 1,776 896	2 2 11 1 272	- - 3	5 2 9 13 1	1 8 3 47	18 26 43 35 17	1 6 3 13 1	10 249 7 1 2	102 4 - -	664 5 - 1	70 136 131 37 44	13 6 11 4 22	-	1 1 3 3
Miesouri Montana Nebraska New Hampshire	53,047 6,759 15,051 4,556 7,611	36,762 5,331 11,479 3,609 5,966	16,265 1,428 3,572 947 1,645	13,273 1,167 2,799 304 855	2,995 252 771 625 782	8 2 1	2 2 1	11 2 9 39 1	1.72 1 - 3	52 31 21, 334 6	12 3 30 12	5 - 2 4 22	1	4 2 - 1	33 5 2 11 28	· 2 1 -	3	1 14 4 9
New Jersey New Mexico New York North Carolina North Dakota	67,410 8,129 180,103 47,950 5,996	53,676 6,283 157,550 35,521 3,891	13,734 1,846 22,553 12,429 2,105	11,089 1,240 18,770 10,847 1,494	2,609 582 3,583 1,568 596	7 1 13 17		3 155 11 1 1	2 3 3	20 66 54 12 11	1 61 5 2 1	35 2 232 7	21, 1 7 3	9 14 14	139 9 368 128	8 2 14 59	- 1 1	1 2 - -
Ohio Oklahoma Oregon Pennsylvania Rhode Island	101,214 26,588 20,866 126,079 9,507	84,257 21,432 16,830 105,684 7,711	16,957 5,156 4,036 20,415 1,796	14,183 4,480 3,251 17,186 1,300	2,741 673 760 3,200 491	10 3 1 3	1 6 . 1	11 9 7 7	7 70 - 2	42 41, 209 27 1	4 8 6 3	9 - 18 97	4 1 123 -	5 1 16	165 5 3 142 14	10 3 - 9	- 3 1	1 94 
South Carolina South Dakots Tennessee Texas Utah	24,472 6,602 42,239 103,118 7,834	19,173 4,513 51,917 82,369 6,193	5,299 2,089 10,322 20,729 1,641	4,491 1,620 6,696 17,694 1,151	800 466 3,618 2,680 485	14. 165 30 1	1 - 8 1	1 3 45 39	1 2 589 252	11 15 27 160 74	5 2 38 31.	6 2 6	4 1 1 5	7 - 7 4	45 3 66 132 6	139 - 419 31 1	2	1 - 3 134
Vermont	4,524 40,396 30,911 20,110 41,410 3,043	3,437 23,669 26,771 14,142 33,800 2,388	1,087 16,727 4,140 5,966 7,610 655	642 14,994 3,133 4,223 6,182 547	428 1,712 970 1,744 1,421 299	9 3 2 2	48 - 2	1 5 17 - 8 4	2 1 2 2	2 11 106 6 28 29	1 7 1 2 45	27 14 1 2 2 1	1 4 2 -	111 1 24 1	10 73 4 22 40 6	7 1 3	3	214 - 1 1

Table 1-19. Deaths by State of Occurrence, Distributed According to State of Residence: United States and Each State, 1973-Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Unit of residence is defined as the county or county or county equivalent of which decedent was a resident]

	···				oney or	ocanej (	- querato	at Oz Will	TECE	ACIAL WAL	. 4 7 501								
						Dea	ths of i	nterstat	e nonres	Idents b	y State	of resid	enceCo	n.					
State of occurrence	111.	Ind.	Lown	Kans.	Ky.	Tel.	Maine	Mđ.	Mess.	Mich.	Minn.	Miss.	Мог	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
United States	4,730	2,134	1,447	1,779	1,733	789	401.	2,946	1,517	2,194	1,303	1,349	1,941	369	720	351	762	3,922	596
Alabama	26 - 66 36 134	11 21 20 33	- 41 8 50	20 23 32	12 5 5 11	28 1 3 47 16	1 1 7	2 2 3 4 15	4 1. 6 55	15 - 47 15 77	- 4 40 3 62	177 2 47 2	2 1 20 262 45	1 11 - 37	1 23 27	1 35 2 191	1 - 2 1 6	8 1 6 -	2 59 40
Colorado	30 4 1 10 278	11 1 2 8 178	20 - 1 42	133 1 1 2 12	1 1 9 54	3 1 - 7 28	20 - 50	3 2 169 1,792 73	10 170 3 4 215	11 2 10 454	12 1 - - 49	- 1 2 19	36 3 - 8 30	22 1 - - 5	128 - 2 4	2	1 12 1 1 1 44	8 58 133 26 296	90 - 2 2
Georgia	38 21 4 911	23 1 2 601	5 1 1 117 11	6 3 13	22 2 - 65 219	8 1 - 9 5	3 1 - 1	13 2 5	10 3 2 8 2	29 7 2 120 3 <del>6</del> 0	6 3 3 30 11	10 1 - 11 2	13 4 1 319 23	1 29 2 1	3 - 4 11 2	2 16 2	3 - 1 1	21 8 2 15 6	2 1 2 4 3
Icws Kensas Kentucky Louisiana Maine	572 27 123 16 1	7 6 448 7	19 3 4 1	10 	7	2 3 6 	2	1 4 2 5	2 1 5 4 116	8 39 10 2	83 3 2 5	1 2 215	141 598 10 5	- 2 1	213 60 4	- - 1	- 1 79	2 5 5 26	1 6 1 1
Maryland	14 12 131 131 32	13 6 155 31 5	1 3 6 332 4	3 1 4 8 1	7 2 15 3 14	6 5 2 - 248	2 99 4 1 1	17 5 3	11 6 2 1	5 12 57 12	3 5 7 	2 5 -	7 5 18 22 10	1. 3 4 27	1 2 36 3	5 3 2 3 1	1 415 1	56 62 10 5	1 2
Missouri	1,117 3 15 11 2	40 3 5 1 1	90 1 386 4	1,086 2 126 3	34 - - - 2	8 - 2 3	- - - 152	6 1 1 3 1	3 - 2 6 246	22 2 5 8 -	14 16 9 6	10 1 1	 4 21 11 -	2  5 8	18 4  2	1 1 2	ī ī	8 1 8 12	3 3 8 -
New Jersey	18 10 37 9 2	3 4 17 12 1	3 12 2 2 4	1 18 1 2 1	2 1 7 9	4 6 6	11 13 5	42 1 44 37	45 1 124 9	15 9 33 8 3	7 3 2 401	2 1 2	6 9 12 5 1	31.	4 5 1 2	1 2 2 - 1	8 1 16 6	7 1,586 54	2  5
Ohio	74 13 2 18	297 5 1 17	2 6 2 4 1	6 145 2 3 -	514 2 - 5 -	3 6 - 4 1	5 - 2 2	22 1 1 250 5	322 20 1 1 1	392 11 4 24	9 8 9 7 1	2 4 1	10 56 3 6 1	1 16 -	4 5 3 1	1 3 10 -	2 1 3 3	24 1 2 1,262 9	5
South CarolinaSouth DakotaTemesseeUtah	9 6 53 68 5	2 3 40 37 2	1 91 7 25 4	1 1 3 84 1	3 - 470 23 3	2 18 280 1	- - 2 1	- 3 1 3 6	4 - 3 15 1	13 3 59 54 3	1 138 2 42 1	1 765 49	2 2 126 58 1	11 1 9 29	- 74 4 15	1 13 41	3 - 5 - 5 -	19 10 28 3	2 1 331 4
Vermont	2 16 11 11 598 2	2 8 7 3 31	4 3 118 5	6 2 1	28 1 170 4	5 2 5	6 8 - 1	1 173 3 200 2	38 15 1 2 4	1 12 4 11 200 3	4 8 272	2 - 1 5	1. 4 8 1. 5 3	1 68 1 37	5 7 5 5 37	1	137 2 1 	12 42 3 6 14	117149

Table 1-19. Deaths by State of Occurrence, Distributed According to State of Residence: United States and Each State, 1973-Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Unit of residence is defined as the county or county equivalent of which decedent was a resident]

	T										ent was		<del></del>							
			· 		r		Deaths	of inter	state n	onresider	its by 51	tate of :	residenc	eCon.						Non- resi-
State of occurrence	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	s.c.	S. Dak	Tenn.	Теж.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	dents of United States
United States	4,967	1.,387	382	3,070	1,457	825	3,782	498	1,232	510	1,181	1,564	241	425	2,488	908	1,590	1,515	335	2,123
AlabamaAlaskaAlaskaArizonaArizona	26 3 46 4 165	17 5 4 11	- 6 - 9	19 - 35 14 64	6 12 427 50	- 6 15 3 195	9 1 34 4 79	31316	9 1 1 2 6	3 1 11	120 6, 64 10	20 2 35 151 93	1 28 - 41	- 3 -	7 5 2 16	2 30 29 1 146	2 3 2 7	2 1 15 3 41	- 5 -	7 6 116 1 337
Concationt  Comecticut  Delaware  Natrict of Columbia  Florida	26 626 8 46 997	3 5 4 28 71	7 1 - 4	17 7 2 14 408	17 3 1 1	9 5	11 26 161 46 353	39 1 1 30	1 2 15 36	33 - 1 2	8 - 12 62	63 4 1. 9 50	30 1 2	7 - 16	5 7 5 526 86	16 1 1 1	1 1 31 56	17 1 - - 85	115 - - - 2	12 11, 2 15 313
Georgia	40 12 2 45 12	129 1 1 4	2 - 5 4	65 8 1 66 331	2 2 1 6	1 8 89 4 2	33 7 2 26 29	5.1	516 3 - 2 3	1 1 6 1	163 1 - 19 24	17 6 5 29 15	2 27 1	1	22 2 1 5	3 13 96 7 5	. 4 1 - 5 16	5 6 3 203 16	1 14 4 2	24 59 4 27 11
Icas Kansas Kentucky Kentucky Icui diana Maing	6 9 13 12 33	2 1 5 7	3 2 1 -	9 3 276 8 6	4 174 5 7	7 - 2	3 9 16 11 8	- - 2 6	2 6 2	46 4 - -	1 5 241 15 2	8 38 5 381 1	- - -	1 - - 8	5 2 64 8 1	4 9 3 3	2 206 2	61. 7. 4. 4. 2.	1 4 1 -	3 8 7 25 42
Maryland Masachusetts Michigon Minesota Minesota	76 245 25 11 7	38 6 7 4 2	2 - 239 -	22 19 242 10 6	2 1 4 5 6	2 4 9 1	320 39 30 7 3	343 - - 1	13 4 3 1 8	1 1 173	7 4 16 1 74	14 8 17 12 24	- 1 - 1	2 75 2 - 1	317 9 8 5	3 1 7 12 2	181, 1 8 4 2	3 4 191 505	1 2 1	25 47 63 43 8
Missouri	15 5 3 11 34	3 1 2	1 23 1 1	29 4 3 4 1	77 6 2 5	3 10 1 20 -	5 4 8 11	1 - - 7	1 - 1	3 4 64 1 -	28 1 1	40 8 6 14	6 1 33	- - - 251	3 2 1 3	10 38 2 12	2 - 1	. 8 3 2 7	1 37 28 1	17 9 2 18 8
New Jersey	1,179 8 75 2	19 3 31  18	1 1	18 12 83 24	21 3 7 1	2 4 3 3	920 3 650 35 1	7 2 17 1	6 1 12 488 1	5 1 1 91	5 1 9 98 -	8 103 27 15 4	10 - 1	1 3 45 1	24 - 36 376 1	1 3 8 3 9	12 2 10 19	3 7 10 3 4	2 - 1	36 24 200 . 14 15
Ohio	66 10 5 594 20	17 3 2 14	2 2 1 -	5 3 390 2	10 3 3	2 8  4 -	407 15 9  2	1 8	5 1 8 2	1 2 -	28 4 - 8 1	17 198 7 11 1	11 1 1	2 - 2 1	22 4 1 49 2	3 4 323 1 1	496 - - 122 -	15 3 4 6 1	1	33 3 25 29 5
South Carolina	59 18 69 3	361 2 93 20	42 - .5 1	10 5 56 54 2	2 1 16 497	1 1 - 11 5	23 1 13 28 4	- 2 2 -	23 12	1 1 14 2	. 2  26 -	6 1 30	1 4	- - 1 -	21, 2 51,7 19 1	11 3 18 9	5 15 4 -	2 2 4 29 6	- 35 1 5 54	8 3 8 355 5
Vermont	166 96 9 14 10 2	418 3 10 1	- 5 - 7 5	2 23 4 663 18 3	- 6 - 1 3	370 B 6	5 70 5 271 3 2	4 6 1 - -	25 2 6 -	- 8 - 4 11	1 95 3 3 -	1 20 8 2 9 10	2 3 - - 33	1	6  3 275 2 1	1 5 18 6 . 12	365 - 1	4 6 4	2 2 1	17 21 37 1 7 9

## SECTION 1 - GENERAL MORTALITY

Table 1-20. Deaths by Month and State of Occurrence: United States and Each State, 1973

[Deaths by place of occurrence include deaths to nonresidents]

			focum of	Place or o	CCMIBICE		па ф поптес						
AREA	TOTAL	JAN.	FEB.	MAR.	APR.	МАУ	JUNE	JULY	AUG.	SEPT.	oct.	NOV.	DEC.
UNITED STATES	1,975,126	191,752	163,815	166,064	159,998	163,042	157,586	161,032	159,073	155,216	162,718	161,765	173,065
ALABAMA	35,257	3,470	3,117	3,011	2,823	2,964	2,821	2,835	2.778	2,651	2,834	2,853	3,100
ALASKA	1,442	116	101	115	96	123	115	154	145	122	109	120 1,421	126 1,603
ARI ZONA	17+245 21+961	1,697 2,013	1,461	1,493 1,831	1,414	1,429 1,875	1,389 1,755	1,349 1,776	1,324 1,800	1,249 1,659	1,880	1,770	1.911
ALASKA	173,075	18,781	13,856	14,181	13,923	14,068	13.716	13,786	13,730	13,583	14,217	13,992	15,242
COLORADO	19,244	1,837	1,678	1,612	1,627	1,564	1,510	1,598	1,618	1,483	1,583	1,491	1,643
CONNECTICUT	26,804	2,625	2,137	2,239	2,089	2-260	2, 135	2,195	2,196	2-124	2,187 466	2,240 435	2,377 449
DELAWARE	5,139	460 923	357 790	392 845	409 815	452 838	421 780	427 791	411 757	782	803	843	876
FLORIDA	9+843 90+045	8,876	8,422	8,250	7,291	7,341	6,752	7,075	6,727	6,795	7,117	7,185	8,214
GEORGIA	44,460	4,291	3,937	3,844	3,498	3,662	3,530	3,572	3,613	3,327	3,525	3,668	3,993 370
HAWAI I	4,591	463	426	393	370 536	357 540	345 542	386 522	388 523	337 489	382 498	374 519	510
IDAHO	6,293 107,868	601 10,611	8,737	517 8,928	8,799	8,870	8,603	8,929	8,621	8,436	8,820	8,869	9,645
INDIANA	49,737	4,612	4,143	4,222	4,103	4,287	3,941	4.054	3,998	3,788	4,140	3,998	4,451
16WA	29,091	2,774	2,295	2,388	2,407	2,418	2,313	2,338	2+336	2,248	2,435	2,492	2,647
KANSA S	22,143	2,049	1,808	1,790	1,937	1,851	1,772	1,833	1,719 2,728	1,681 2,692	1,854 2,790	1,869 2,859	1,980 2,93Z
KENTUCKY	34,309	3,208 3,645	2,862 3,073	2,918 3,017	2,784 2,896	2,878 2,908	2,877 2,765	2,781 2,852	2,679	2,684	2.842	2.751	3,195
I GWA	35,307 10,891	963	898	839	836	888	897	933	948	868	974	881	966
	31,816	3,078	2,447	2,620	2,271	2,645	2,618	2,613	2,665	2,639	2,713	2,700	2,806
MASSACHUSETTS	57,698	5,781	4,689	4,605	4,578	4,777	4,617	4.730 6.483	4,790 6,598	4,592 6,329	4,879 6,514	4,682 6,263	6,614
MICHIGAN	77,398 34,367	7,182 3,192	6,234 2,986	6,365 2,892	6,091 2,789	6,429 2,892	6.296 2.731	2,787	2,762	2,609	2,798	2,867	3,062
MARYLAND	23,577	2,306	2,020	2,011	1,901	1.982	1,811	1,856	1,867	1,796	1+878	1,964	2,185
MISSOURI HONTANA NEBRASKA	53,047	5,214	4,479	4,498	4,340	4,397	4,153	4,418	4,194	4 + 054	4,229	4,386	4,685
MONTANA	6,759	610	593	1,254	551 1,223	554 1,294	507 1,218	565 1,183	536 1,216	547 1,182	593 1,233	590 1,219	539 1,334
NEBRASKA	15,051 4,556	1,478 449	1,217 339	379	369	413	380	407	393	334	358	345	390
NEW HAMPSHIRE	7,611	708	631	628	590	718	611	657	612	627	636	588	605
NEW JERSÉY	67,410	6,563	5,207	5,663	5,449	5,475	5,529	5,631	5,406	5,423	5,610	5,497	5,957 694
NEW MEXICO	8,129	824	680 14,313	697 14,921	618	652 14,908	686 14,684	613 14,979	689 14,841	626 14,701	708 14,934	14,694	15,718
NEW YORK	180,103 47,950	16,974 4,529	4,114	3,975	3,923	3,972	3,764	3,824	3,843	3,702	4+024	4,035	4, 245
NORTH DAKOTA	5,996	459	507	488	519	523	498	525	493	494	495	496	499
онго	101,214	9,409	8,238	8,461	8,359	8,188	8,207	8,335	8+344	8 • 100 2 • 125	8,399 2,171	8,441 2,287	8,733 2,302
OKLAHOMA	26,588 20,866	2,419 2,071	2,286 1,766	2,316	2,149 1,683	2,214	2,084 1,661	2,215 1,740	2 • 020 1 • 634	1,635	1,786	1,714	1,716
DEMNEY! VANTA	126,079	12,290	10,135	10,754	10,233	10,242	10.309	10,168	10,138	9,992	10,519	10,501	10,798
OHIO	9,507	976	795	720	770	746	776	812	768	751	788	798	807
	24,472	2,340	2,125	2,064	2,022	1,990	1,879	1,978	1,938	1,930	1,994	2,023	2,189 582
SOUTH DAKOTA	6,602	598	516 3,682	577 3,704	528 3,505	547 3,518	503 3₁286	552 3,478	560 3,346	512 3,404	579 3.438	548 3,457	3,625
TEXA S	42,239 103,118	3,796 10,436	8,766	8,889	8,529	8,382	8,072	8,346	8,374	7,886	8,240	8,223	8,975
SOUTH CAROLINASOUTH DAKOTATENNESSEETEXASUTAH	7,834	757	620	735	626	595	611	673	649	617	657	653	641
VERMONT	4,524	410	382	346	373	347	360	354	385	379	396	363	429
VIRGINIA	40,396	3,832	3,377	3,367	3,301	3,328 2,576	3,256 2,416	3,289 2,434	3,141 2,517	3,213 2,371	3,393 2,520	3.386 2.479	3,513 2,682
WASHINGTON	30,911 20,110	2,949 1,937	2,864 1,785	2,578 1,775	2,525 1,675	1,613	1,579	1,515	1,651	1,576	1,685	1,652	1,667
WI SCONSIN	41,410	3,898	3,284	3,414	3,329	3,558	3,276	3,419	3,423	3,383	3,411	3,394	3,621
WYOMING	3,043	272	272	256	271	246	229	267	241	229	268	248	244

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973

		<del></del>											
AREA, COLOR, AND SEX	TOTAL.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ост.	NOV.	DEC.
UNITED STATES	1,973,003	191,543	163,628	165,855	159,831	162.897	157, 424	160,851	158,864	155,056	162.550	161,617	172,887
MALE Female <del>-</del>	1,096,795 876,208	105,612 85,931	90,301 73,327	92,204 73,651	89,430 70,401	90,997 71,900	88+029 69+395	89,737 71,114	88,914 69,950	85,848 69,208	90,354 72,196	89,519 72,098	95,850 77,037
WHITE	1,728,405	167,130	143,172	145,614	140,248	142,790	138,154	140,593	139,072	135,708	142,605	142,051	151,268
MALE	957,918	91,846	78,791	80.654	78,279	79,565	77,106	78,160	77,598	74,806	78,968	78,493	83,652
FEHALE ALL OTHER	770,487 244,598	75,284 24,413	64,381 20,456	64,960 20,241	61,969 19,583	63, 225 20, 107	61,048 19,270	62,433 20,258	61,474 19,792	60,902 19,348	63,637 19,945	63,558 19,566	67,616 21,619
MAL E	138,877	13,766	11,510	11,550	11,151	11,432	10,923	11,577	11,316	11,042	11,386	11,026	12,198
FEMALE	105,721	10,647	8,946	8,691	8,432	8,675	B•347	8+681	8,476	8,306	8,559	8,540	9,421
ALABAMA	35,408	3,487	3,150	3,003	2,618	2, 992	2,830	2,843	2,787	2,652	2,856	2,870	3,120
MALE Female <del></del>	20,144 15,264	1,984 1,503	1,760 1,390	1,754 1,249	1,609 1,209	1,721 1,271	1,592 1,238	1,623 1,220	1,616 1,171	1,503 1,149	1,684 1,172	1,573 1,297	1,725 1,395
WHI TE	24,611	2,370	2,187	2,105	1,989	2.107	1,968	1,957	1,958	1,820	2,004	1.981	2,165
MALE Female	14,215	1,380 990	1,245 942	1,246 859	1,139 850	1,232 875	1-112 856	1,145 812	1,170 788	1,042 778	1,198 806	1,084 897	1,222 943
ALL OTHER	10,396	1,117	963	898	829	885	862	886	829	B32	852	889	955
MALE	5,929	604	515	50B	470	489	480	478	446	461	486	489	503
FEMALE	4,868	513	448	390	359	396	382	408	383	371	366	400	452
ALASKA	1,459	125	107	121	97	· 125	117	151	141	117	113	126	119
MALE Female	973 486	80 45	66 41	80 41	64 33	73 52	77 40	105 46	101 40	82 35	78 35	83 43	84 35
WHITE	962	85	69	73	60	85	79	95	97	70	78	95	76
FEMALE	672 290	56 29	46 23	50 23	42 18	52 33	53 26	69 26	73 24	53 17	51 27	65 30	62 14
ALL OTHER	497	40	38	48	37	40	38	56	44	47	35	31	43
MALE Female	301 196	24 16	20 18	30 18	22 15	21 19	24 14	36 20	28 16	29 18	27 8	18 13	22 21
·	1	1	"-								_		
AR I ZONA	16,847	1,647	1,348	1,393	1,370	1,409	1,368	1+382	1,345	1,236	1,401	1,385	1,563
MALE Female	10,176 6,671	1,004 643	808 540	832 561	830 540	828 581	826 542	866 516	824 521	734 502	884 517	824 561	916 647
WHITE	15,311	1,499	1,210	1,279	1,254	1,279	1,236	1,251	1,210	1.119	1,274	1,284	1,416
MALE FEMALE	9+225 6+086	917 582	729 481	760 519	761 493	752 527	743 493	787 464	730 480	655 464	802 472	757 <b>527</b>	832 584
ALL OTHER	1,536	148	138	114	116	130	132	131	135	117	127	101	147
MALE Female	951 585	87 61	79 59	72 42	69 47	76 54	83 49	79 52	94 41	79 38	82 45	67 34	84 63
I CINCL		"	′′	, "-	<b>,</b>	21	77	72	'*		~	-	-
ARKANSAS	22,156	2,042	1,890	1,854	1,818	1,883	1,778	1,799	1,818	1,672	1,876	1,793	1,933
MALE Female	12,905 9,251	1,170 872	1,106 784	1,089 765	1,065 753	1.118 765	1,026 752	1+058 741	1,083 735	962 710	1,058 818	1,056 737	1,114 819
WHITE	17,789	1,607	1,496	1,494	1,455	1,529	1,445	1,417	1,486	1,317	1,545	1,432	1,566
MALE Female	10,436 7,353	933 674	893 603	882 612	854 601	904 625	. 831 614	847 570	890 596	770 547	872 673	845 587	915 651
ALL OTHER	4,367	435	394	360	363	354	333	382	332	355	331	361	367
MALE FEMALE	2,469 1,898	237 198	213 181	207 153	211 152	214 140	195 138	211 171	193 139	192 163	186 145	211 150	199 168
FEMALE	1,090	190	101	123	152	140	136	1,1	124	163	145	150	100
CALIFORNIA	172,710	18,597	13,744	14,038	13,891	14+117	13,736	13,855	13,774	13,585	14,236	13,988	15,149
MALE Female	94,633 78,077	10,060 8,537	7,389 6,355	7,803 6,235	7,732 6,159	7+812 6+305	7,590 6,146	7,576 6,279	7,623 6,151	7,306 6,279	7,960 6,276	7,552 6,436	8,230 6,919
HHI TE	158,490	17,096	12,637	12,905	12,767	12,901	12,567	12,693	12,651	12,448	13,027	12,840	13,958
HALE Female	86,138 72,352	9,162 7,934	6,750 5,887	7,113 5,792	7,055 5,712	7+066 5+835	6,927 5,660	6.896 5.797	6,936 5,715	6,621 5,827	7,208 5,819	6+885 5 <b>+9</b> 55	7,539 6,419
ALL OTHER	14,220	1,501	1,107	1,133	1,124	1,216	1,169	1,162	1,123	1,137	1,209	1,148	1,191
MALE	8+495	898	639	690	677	746	683	680	687	685	752	667	691
FEMALE	5,725	603	468	443	447	470	486	462	436	452	457	481	500
COLURADO	18,674	1,811	1,640	1,576	1,567	1,526	1,473	1,521	1,540	1,422	1,523	1,452	1,623
MALE Female	10,441 8,233	1,014 797	899 741	882 694	861 706	852 674	851 622	840 681	895 645	804 618	862 661	781 671	900 723
HHITE	18,036	1,765	1,581	1,512	1,516	1,481	1,419	1,477	1,481	1,361	1,467	1,404	1,572
MALE	10,073	992	861	843	836	831	818	810	85B	770	831	752	871 701
FEMALE	7,963 638	7†3 46	720 59	669 64	680 51	650 45	601 54	667 - 44	623 59	591 61	636 56	652 48	51
MALE Female	368 270	22 24	38 21	39 25	25 26	21 24	33 21	30 14	37 22	34 27	31 25	29 19	29 · 22
remale=-	2101	1 24	. «1	, 49	1 40			, 17	,	,	, 27	1 17	

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

***	,	, ,						<del></del>		<u> </u>	T		===
AREA, COLÒR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
CONNECTICUT	26,714	2,602	2,151	2,257	2,078	24247	2, 117	2, 182	2,184	2,110	2,191	2,224	2,371
MALE Female	14,491 12,223	1,432 1,170	1,197 954	1,221 1,036	1,136 942	1,226 1,021	1,160 957	1,197 985	1,185 999	1,128 982	1,168 1,023	1+144 1+089	1,297 1,074
WHI TE	25,447 13,752	2,481 1,359	2,049 1,142	2,139 1,151	1,977 1,079	2, 130 1, 153	2,032 1,115	2,080 1,129	2,063 1,114	2,011 1,069	2,078 1,104	2,134 1,096	2,273 1,241
FEMALE	11,695 1,267	1,122 121	907 102	988 118	898 101	977 117	917 85	951 102	949 121	942 99	974 113	1,038 90	1,032 98
MALE Female	739 528	73 4B	55 47	70 48	57 44	73 44	45 40	68 34	71 50	59 40	64 49	· 48 42	56 42
DELAWARE	4,920	442	339	369	404	433	394	400	401	435	457	410	436
MALE Female	2,726 2,194	248 194	184 155	206 163	229 175	256 177	210 184	219 181	216 185	247 188	241 216	231 179	239 197
WHITE	4,120 2,270	360 201	282 155	304 167	348 197	369 213	326 174	329 182	343 183	361 198	395 210	332 189	371 201
FEMALE	1,850 800	159 82	127 57	137 65	151 56	156 64	152 68	147 71	160 58	163 74	185 62	143 78	170 65
MALE Female	456 344	47 35	29 28	39 26	32 24	43 21	36 32	37 34	33 25	49 25	31 31	42 36	38 27
DISTRICT OF COLUMBIA	B≠068	763	621	683	705	686	648	637	638	645	673	674	695
MALE Female	4,319 3,749	403 360	333 288	368 315	376 329	380 306	334 314	350 287	337 301	352 293	360 313	346 328	380 315
WHITE	2,891 1,339	266 122	207 86	252 113	265 128	253 132	230 102	234 110	223 102	228 107	254 117	230 95	249 125
FEMALE	1,552 5,177	144	121 414	139 431	137 440	121 433	128 418	124 403	121 415	121 417	137 419	135 444	124 446
MALE FEMALE	2,980 2,197	281 216	247 167	255 176	248 192	248 185	232 186	240 163	235 180	245 172	243 176	251 193	255 191
FLORIDA	87,938	8,298	7,694	7,579	6,977	7,267	6,817	7,185	6+890	7,003	7,178	7,094	7,956
MALE	51,059	4,813	4,438	4,401	4,016	4.308	4,021	4,164 3,021	3,991 2,899	4,103 2,900	4,079 3,099	4,103 2,991	4,622 3,334
WHITE	36,879 76,282	3,485 7,125	3,256 6,642	3,178 6,592	2,961 6,069	2,959 6,338	2,796 5,917	6,220	5,994	6,109	6,227	6,227	6,822
MALE Female	44,425 31,857	4,133 2,992	3,838 2,804	3,840 2,752	3,501 2,568	3,751 2,587	3, 494 2, 423	3,609 2,611	3,492 2,502	3,594 2,515	3,553 2,674	3+642 2+585	3,978 2,844
ALL OTHER	11,656 6,634	1,173 680	1,052 600	987 561	908 <del>5</del> 15	929 557	900 527	965 555	896 499	894 509	951 526	867 461	1,134 644
FEMALE	5,022	493	452	426	393	372	373	410	397	385	425	406	490
GEORGIA	43,871	4, 250	3,901	3,732	3,473	. 3,600	3,503	3,519	3,543	3,297	3,506	3,617	3,930
MALE Female	24,705 19,166	2,360 1,890	2,195 1,706	2,098 1,634	_1,964 1,509	1,984 1,616	1,966 1,537	2,002 1,517	1,966 1,577	1,830 1,467	Z,015 1,491	2,051 1,566	2,274 1,656
WHI TE	30,811 17,686	2,900 1,619	2,718 1,567	2,636 1,511	2,422 1,431	2,535 1,421	2,489 1,434	2,485 1,427	2,477 1,382	2+329 1+326	2,500 1,463	2,592 1,504	2,728 1,601
FEMALE	13,125 13,060	1,281 1,350	1,151 1,183	1,125 1,096	991 1,051	1,114 1,065	1,055 1,014	1,058 1,034	1,095 1,066	1,003 968	1,037 1,006	1,088	1,127 1,202
MALE Female	7,019 6,041	741 609	628 555	587 509	533 518	563 502	53Z 482	575 459	584 482	504 464	552 454	547 478	673 <b>52</b> 9
HAWAII	4,368	450	399	366	351	341	328	364	379	320	367	358	345
MALE Female	2,669 1,699	270 180	251 148	228 138	210 141	212 129	209 119	209 155	226 153	186 134	240 127	214 144	214 131
WHITE	1,355 808	132 77	113 67	110 61	108 64	112 65	102 63	116 58	129 79	95 55	109 72	118 74	111
FEMALE-	547 3,013	55 318	46 286	49 256	44 243	47 229	39 226	58 248	50 250	40 225	37 258	44 240	111 73 38 234 141
MALE FEMALE	1,861 1,152	193 125	184 102	167 89	146 97	147 82	146	151 97	147 103	131 94	168 90	140 100	141 93
I DAHO	6,479.	626	519	550	563	565	545	530	507	498	512	542	522
MALE Female	3,790 2,689	341 285	314 205	327 223	313 250	341 224	309 236	317 213	313 194	314 184	281 231	330 212	290 232
WH! TE	6,352	614	504	541	548	556	534	519	499	490	502	529	516
MALE FEMALE	3,702 2,650	331 283	303 201	319 222	307 241	333 223	302 232	310 209	310 189 8	307 183 8	275 227 10	321 208	284 232 6
ALL OTHER	127 88	12 10 2	15 11 4	9 8 1	15 6 9	9 8 1	11 7 4	11 7 4	3 5	7	6	13 9 4	6
FEMALE	39	. 41	, +		, ,		. *	, +	, ,			, 7	, –

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

					<del></del>	<del>- 1</del>		<u> </u>		T	ı	ŀ	
AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DCT.	MOA.	DEC.
ILLINOIS	110,510	10,818	8,985	9,170	8,989	9,102	8,797	9,198	8,867	8,664	9,014	91052	9,854
MALE Female	60,557 49,953	5,934 4,884	4,875 4,110	5,047 4,123	4,915 4,074	5,072 4,030	4,805 3,992	5+036 4 <b>-</b> 162	4,907 3,960	4,728 3,936	4,952 4,062	4,948 4,104	5,338 4,516
WHITE	96,166 52,379	9, 407 5, 126	7,855 4,225	8,033 4,403	7,801 4,263	7,909 4,367	7,658 4,154	8+020 4•364	7,705 4,217	7,445	7,856 4,292	7,916 4,301	8,561 4,628
FEMALE	43,787 14,344	4, 281 1, 411	3,630 1,130	3,630 1,137	3,538 1,188	3,542 1,193	3,504 1,139	3,656 1,178	3,488 1,162	3,406 1,219	3,564 1,158	3,615 1,136	3,933 1,293
MALE FEMALE	8,178 6,166	808 603	650 480	644 493	652 536	705 488	651 488	672 506	690 472	689 530	660 498	647 489	710 583
I ND I ANA	49,671	4, 657	4,141	4, 266	4,111	4,251	3,910	4,035	3,997	3,795	4,120	3,974	4,414
MALE Female	27+194 22+477	2,517 2,140	2,237 1,904	2,370 1,896	2,285 1,826	2,296 1,955	2, 195 1, 715	2.241 1.794	2,180 1,817	2,108 1,687	2,224 1,896	2,130 1,844	2,411 2,003
WHI TE	46,193	4,317	3,870	3.996	3,835 2,140	3.977	3.611	3,743	3,707	3,502 1,932	3,823 2,076	3,714 1,987	4,098 2,227
MALE FEMALE ALL OTHER	25,237 20,956 3,478	2,313 2,004 340	2,082 1,788 271	2,222 1,774 270	1,695	2,139 1,838	2,017 1,594 299	2,081 1,662 292	2,021 1,686 290	1,570	1,747	1,727	1,871
MALE	1,957	204 136	155 116	148 122	145 131	274 157 117	178 121	160 132	159 -131	176 117	14B 149	143 117	184 132
r Gnass—	1,521	150	110		250	***						1.7.	
I OWA,	29,255	2,805	2,310	2,407	2,407	2,444	2,320	2,365	2,342	2,274	2,453	2,476	2,652
MALE Female	15,965 13,290	1,514 1,291	1,290 1,020	1,340 1,067	1,318 1,089	1,357 1,087	1,251 1,069	1,296 1,069	1,278 1,064	1,232	1,335 1,118	1,323 1,153	1,431 1,221
WHITE	28,920 15,777	2,777 1,499	2,285 1,272	2,380 1,325	2,380 1,304	2,413 1,339	2,297 1,237	2,336 1,274	2,318 1,266	2,246 1,219	2,420 1,318,	2,443 1,303	2,625 1,422
ALL OTHER	13,143 335	1,278 28	1,013 25	1,955 27	1,076 27	1,075 31	1,060 23	1,062 29	1,052 24	1,027 28	1.102 33	1,140	1,203 27
MALE Female	188 147	15 13	18 7	15 12	14 13	19 12	14	22	12 12	13 15	17 16	20 13	9 18
KANSAS	221789	2, 124	1,869	1,844	1,972	1,914	1,852	1,867	1,770	1,731	1,901	1,933	2,012
MALE Female	12,478 10,311	1,122 1,002	1,015 854	991 853	1.088 884	1,077 837	1.039 813	1.012 855	985 785	975 756	1.013 888	1,078 855	1,083 929
WHITE	21,636	2,007	1,784	1,737	1,883	1,809	1,767	1,772	1,668	1,642	1,610	1,842	1,915
MALE FEMALE	11,844 9,792	1,067 940	973 811	932 895 107	1,027 856 89	1,018 791	990 777	963 809 95	927 741 102	929 713 89	962 848 91	1,024 818 91	1,032 883 97
ALL OTHER	1,153 634 519	117 55 62	85 42 43	59 48	. 61	105 59 46	85 49 36	49 46	58 44	46	51 40	54 37	51 46
						:			40				
KENTUCKY	34,434	3, 220	2,898	2,929	2,801	2,909	. 2,884	2,794	2,726	2,661	2,766	2,890	2,956
MALE Female	19,513 14,921	1,792 1,428	1,647 1,251	1,655 1,274	1,628 1,173	1,665 1,244	1,630 1,254	1,621 1,173	1,558 1,168	1,501 1,16D	1,546 1,220	1.608 1.282	1,662 1,294
WHITEMALE	31,419 17,875	2,938 1,658	2,613 1,501	2,693 1,525	2,579 1,501	2,639 1,524	2,620 1,481	2,542 1,470	2,487 1,425	2,423 1,369	2,532 1,419	2,641 1,479	2,712 1,523
FEMALE	13,544 3,015	1,280 282	1,112 285	1,168 236	1,078 222	1,115 270	1,139 264	1,072 252	1,062 239	1,054 238	1,113 234	1,162 249	1,189 244
MALE Female	1,638 1,377	134 148	146 139	130 106	127 95	141 129	149 115	151 101	133 106	132 106	127 107	129 120	139 105
LOUISIANA	35,039	3,601	3,041	2,979	2,891	2,886	2,747	2,832	2,681	2,664	2,806	2,733	3,178
MALE Penale	19,689 15,350	1,984 1,617	1,677 1,364	1,692 1,287	1,669 1,222	1,565 1,321	1.537 1,210	1,613 1,219	1,532 1,149	1,544 1,120	1,566 1,240	1,542 1,191	1,768 1,410
WHITE	23.279	2,335	2,011	1,997	1,969	1.922	1.803	1,882	1.831	1,778	1,861	1,818	2,072
MALE FEMALE	13,214 10,065	1,328 1,007	1,102 909	1.139 858	1,147 822	1,051 871	1,018 785	1.070 812	1,064	1 1020 758	1,067 794	1,052 766	1,156 916
ALL OTHER MALE	11,760 6,475	1,266 656	1,030 575	982 553 429	922 522 400	964 514	944 519	950 543	850 468 382	886 524 362	945 499 446	915 490 425	1,106 612 494
FEMALE	5,285	610	455	429	400	450	425	407	302	302	440	1 42	177
MA INE	10,870	989	918	855	.849	888	911	886	898	846	960	879	991
HALE Female	5,992 4,878	551 438	510 408	498 357	476 373	· 495 393	509 402	495 391	475 423	455 391	539 421	473 406	516 475
WHITE	10,829 5,973	985 550	913 508	848 492	847 475	883 493	907 507	885 495	897 474	841 452	958 539	877 473	988 515
FEMALE	4,856 41	435 4	405 5	356 7	372 2	390 5	400 4	390 1	423 1	389 5	419 2	404	473 3
MALE Female-	19 22	1 3	2 3	6	1	2 3	2 2	- <u>1</u>		3	2		. 1
						-		-					

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

		-				_ <del>_</del>							
AREA, COLOR, AND SEX	TOTAL	.NAL	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
MARYLAND	32,712	3, 162	2,551	2,724	2,306	2,715	2,699	2,686	2,701	2,725	2,758	2,783	2,902
MALE Female	18,114 14,598	1,730 1,432	1,422 1,129	1,484 1,240	1,289 1,017	1,533 1,182	1,500 1,199	1,509 1,177	1,500 1,201	1,504 1,221	1,501 1,257	1,551 1,232	1,591 1,311
WHITE	26,290 14,315	2,540 1,367	2,055 1,126	2,204 1,175	1,836 1,015	2,162 1,199	2,179 1,184	2, 162 1, 188	2,154 1,184	2,189 1,196	Z+221 1+183	2,274 1,247	2,314 1,251
FEMALE	11,975 6,422	1,173	929 496	1,029	821 470	963 553	995 520	974 524	970 547	993 536	1,038 537	1,027 509	1,063 588
MALE FEMALE	3,799 2,623	363 259	296 200	309 211	274 196	334 219	316 204	321 203	316 231	308 228	318 219	304 205	340 248
MASSACHUSETTS	57,318	5,772	4,691	4, 593	4,577	4,761	4,568	4,632	4,744	4,552	4,825	4,639	4,964
MALE Female	30,227 27,091	3,041 2,731	2,447 2,244	2,417 2,176	2,462 2,115	2,494 2,267	2,470 2,098	2,456 2,176	2,455 2,289	2,396 2,156	2,531 2,294	2,461 2,178	2,597 2,367
WHITE	55,718 29,286	5,610 2,943	4,573 2,377	4,467 2,343	4,441 2,373	4,631 2,424	4,426 2,396	4,506 2,376	4,632 2,393	4,404 2,300	4,680 2,447	4,523 2,394	4,825 2,520
FEMALE	26,432 1,600	2,667 162	2,196 118	2,124 126	2,068 136	2,207 130	2,030 142	2,130 126	2,239 112	2,104 148	2,233 145	2,129 116	2,305 139
MALE	941 659	98 64	70 48	74 52	89 47	70 60	74 68	80 46	62 50	96 52	84 61	67 49	77 62
MICHIGAN	78,359	7,323	6,423	6,540	6,199	6,474	6,313	6,483	6,635	6,367	6,558	6,338	6,706
MALE Female	44,376 33,983	4, 146 3, 177	3,616 2,807	3,666 2,874	3,530 2,669	3,717 2,757	3,597 2,716	3,665 2,818	3,798 2,837	3,538 2,829	3,757 2,801	3,578 2,760	3,768 2,938
WHITE	68,532 38,524	6,335 3,552	5,633 3,153	5,693 3,178	5,472 3,100	5,691 3,260	5.547 3.140	5,646 3,188	5,785 3,264	5,565 3,061	5,703 3,217	5,583 3,127	5,879 3,284
FEMALE	30+008 9+827	2.783 988	2,480 790	2,515 847	2,372 727	2,431 783	2,407 766	2+458 837	2,521 850	2,504 802	2,486 855 540	2,456 755 451	2,595 827 484
.MALE Female	5,852 3,975	594 394	463 327	488 359	430 297	457 326	457 309	477 360	534 316	477 325	315	304	343
MINNESOTA	39+851	3, 165	2,957	2,878	2,732	2,828	2,699	2,720	2,674	2,541	2,785	2,838	3,034
MALE Female	19,080 14,771	1,786 1,379	1,594 1,363	1,611 1,267	1,559 1,173	1,599 1,229	1,536 1,163	1,577 1,143	1,512 1,162	1,410 1,131	1,568 1,217	1,613 1,225	1,715 1,319
WHITE	33,365 18,784	3, 123 1, 765	2,918 1,562	2,848 1,591	2,692 1,538	2,794 1,580	2,653 1,506	2,671 1,549	2,644 1,496	2,500 1,384	2,736 1,538	2,791 1,589	2,995 1,686
FEMALE	14,581 486	1,358 42	1,356 39 32	1,257 30 20	1,154 40 21	1,214 34 19	1,147 46 30	1,122 49 28	1,148 30 16	1,116 41 26	1,198 49 30	1,202 47 24	1,309 39 29
MALE FEMALE	296 190	21 21	7	. 10	19	15	16	21	14	15	19	23	ĩó
MISSISSIPPI	24,022	2,336	2,034	2,061	1,925	2,024	1,840	1,891	1,906	1,841	1,923	2,020	2,221
MALE FEMALE	13,672 10,350	1,322 1,014	1,154 880	1,145 916	1,116 809	1,143 881	1•063 777	1,075 816	1,093 813	1,033 808	1,118 805	1,143 877	1,267 954
WHITE	14,470 8,445	1,336 802	1,218 695	1,266 722	1,182 707	1,223 704	1,108 645	1.148 673	1,174 693	1,110 636	1,199 719	1,231 701	1,275 748
ALL OTHER	6,025 9,552	534 1,000	523 816	544 795	475 743	519 801	463 732	475 743 402	481 732 400	474 731 397	480 724 399	530 789 442	527 946 519
MALE Female	5,227 4,325	520 480	459 357	423 372	409 334	439 362	418 314	341	332	334	325	347	427
MISSOURI	51,976	. 5,097	4,385	4,430	4,292	4,277	4.065	4,307	4,079	3,961	4,164	4,302	4,617
MALE	28,679 23,297	2,794 2,303	2,441 1,944	2,424 2,006	2,422 1,870	2,360 1,917	2,230 1,835	2,360 1,947	2,267 1,812	2,141 1,820	2,333 1,831	2,353 1,949	2,554 2,063
WHITE	46,644 25,625	4,574 2,495	3,973 2,211	3,978 2,163	3,872 2,153	3+830 2+120	3,660 1,997	3,829 2,103	3,616 1,990	3,570 1,931	3,713 2,071	3,868 2,107	4,161 2,284
FEMALE	21,019 5,332	2,079 523	1,762 412	1,815 452	1,719 420	1,710 447	1,663 405	1,726 478	1+626 463	1,639	1,642	1,761 434	1,877 456
MALE Female	3,054 2,278	299 224	230 182	261 191	269 151	240 207	233 172	257 221	277 186	210 181	262 189	246 188	270 186
MONTANA	6,867	654	598	606	565	560	511	570	525	535	585	606	552
MALE FEMALE	4,064 2,803	400 254	363 235	355 251	348 217	309 251	308 203	341 229	312 213	316 219	334 251	364 242	314 238
WHITEBTIHW	6,542	624	566 338	576 335	541 337	534 297	483 288	538 323	496 294	509 300	554 321	589 355	532 304
MALE FEMALE ALL OTHER	3.876 2.666 325	384 240 30	228 32	241 30	204 24	237 26	195 28	215 32	202 29	209 26	233 31	234 17	228 20
MALE FEMALE	188	]] 16	25 7	20 10	11	12 14	20	18 14	18	16	13 18	8	10 10

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

		<del></del>				<u> </u>							
AREA, COLOR, AND SEX	JATOT	JAN.	FE8.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	0CT.	NOV.	DEC.
NEBRASKA	14,998	1,492	1,209	1,253	1,224	1,279	1,217	1,168	1+207	1,177	1,220	1,222	1,330
MALE	8+287	815	677	694	693	724	668	629	642	659	649	699	738
Female	6+711	677	532	559	531	555	549	539	565	518	571	523	<b>5</b> 92
WHI TE	14,575	1, 451	1,184	1,220	1,189	1, 241	1,193	1,145	1,173	1,129	1,180	1,181	1,289
	8,045	797	661	673	675	705	653	613	622	632	627	678	709
FEMALE	6,530	654	523	547	514	536	540	532	551	497	553	503	580
	423	41	25	33	35	38	24	23	34,	48	40	41	41
MALE	242	18	16	21	18	19	15	16	20	27	22	21	29
	181	23	9	12	17	19	9	7	14	21	18	20	12
NEVADA	4,264	418	322	359	339	389	355	372	357	306	330	345	372
MALE	2,646	254	193	233	206	231 <sub>.</sub>	221	242	243	183	200	222	218
FEMALE	1,618	164	129	126	133	158	134	130	114	123	130	123	154
WHI TE	3,962	395	309	326	316	355	323	355	329	289	305	315	345
	2,447	238	184	210	194	211	201	233	220	171	185	201	199
ALL DTHER	1,515	157	125	116	122	144	122	122	109	118	120	114	146
	302	23	13	33	23	34	32	17	28	17	25	30	27
MALE	199	16	9	23	12	20	20	9	23	12	15	21	19
Female	103	7		10	11	14	12	8	5	5	10	9	8
NEW HAMPSHIRE	7,583	699	634	666	611	714	586	644	'581	617	633	595	603
MALE	4,128	364	349	381	341	396	326	326	321	336	352	305	331
Female-	3,455	335	285	285	270	318	260	318	260	281	281	290	272
WHITE	7,563	697	634	664	607	712	583	641	580	615	633	594	603
	4,119	362	349	380	340	396	325	324	321	335	352	304	331
FEMALE ALL OTHER MALE	3,444 20 9	335 2 2	285	284 <sup>1</sup> 2 1	267 4 1	316 2	258 3 1	317 3 2	259 1	280 2 1	281 - -	290 1 1	272
FEMALE	ıí	= 1	-	i	3	2	. 2	ī	1	i	- 1	- 1	-
NEW JERSEY	684687	6,684	5,395	5,816	5,555	5,578	5,625	5,694	5+478	5,443	5,712	5,636	6+071
MALE	37,064	3,580	2,861	3,151	3,060	3,006	3,045	3,124	2,991	2,943	3,065	2,992	3,246
Pemale	31,623	3,104	2,534	2,665	2,495	2,572	2,580	2,570	2,487	2,500	2,647	2,644	2,825
WHITE	61,668	6,029	4,848	5,260	4,998	4,992	5,057	5,105	4+890	4,857	5,106	5,067	5,459
	33,170	3,222	2,557	2,838	2,724	2,695	2,739	2,803	2+668	2,598	2,730	2,679	2,917
ALL OTHER	28,498 7,019	2,807 655	2,291 547	2,422 556 313	2,274 557 336	2,297 586 311	2,318 568 306	2,302 589 321	2•222 588 323	2,259 586 345	2+376 606 335	2,388 569 313	2,542 612 329
MALE Female	3,894 3,125	358 297	304 243	243	221	275	262	268	265	241	271	256	283
NEM NEXICO	8,119	830	670	694	629	662	693	617	666	623	697	632	706
MALE	4,973	508	419	425	408	409	426	382	410	363	421	374	42 B
Female	3,146	322	251	269	221	253	267	235	256	260	276	258	27 8
WHITE	7,217	736	617	625	571	589	609	535	589	553	613	557	623
	4,362	444	381	381	368	358	369	329	363	317	363	322	367
FEMALE ALL OTHERMALE	2,855	292	236	244	203	231	240	206	226	236	250	235	256
	902	94	53	69	58	73	84	82	77	70	84	75	83
	611	64	38	44	40	51	57	53	<del>4</del> 7	46	58	52	61
FEMALE	291	30	15	25	18	22	27	29	30	24	26	23	22
NEW YORK	181,287	17,199	14,534	15,146	14,591	14,957	14,670	15,047	14,894	14,731	14,939	14,766	15,813
MALE	97,292	9,212	7,725	8,11B	7,767	8,023	7,949	8, 087	8,143	7,900	7,923	7,950	8,495
Female	83,995	7,987	6,809	7,028	6,824	6,934	6,721	6, 960	6,751	6,831	7,016	6,816	7,318
WHITE	161,783	15,347	12,997	13,555	12,995	13,300	13,195	13,363	13,265	13,110	13,378	13,226	14,052
	86,249	8,162	6,890	7,206	6,876	7,090	7,113	7,132	7,193	6,979	7,036	7,074	7,498
ALL OTHER	75,534	7,185	6,107	6,349	6,119	6,210	6,082	6,231	6,072	6,131	6,342	6,152	6,554
	19,504	1,852	1,537	1,591	1,596	1,657	1,475	1,684	1,629	1,621	1,561	1,540	1,761
	11,043	1,050	835	912	891	933	836	955	950	921	887	876	997
FEMALE	8,461	802	702	679	705	724	. 639	729	679	700	674	664	764
NORTH CAROLINA	47,755	4,532	4,095	3,952	3,941	3,950	3,770	3,811	3,778	3,667	3,991	4,039	4,229
MALE	27,355	2,613	2,336	2,248	2,285	2,257	2,151	2,219	2,153	2,083	2,270	2,348	2,401
Female	20,400	1,919	1,759	1,704	1,656	1,693	1,619	1,601	1,625	1,584	1,721	1,691	1,828
WHITE	35,209	3,317	2,983	2,929	2,918	2,919	2,776	2,773	2,761	2,709	2,982	3,022	3,120
	20,269	1,911	1,717	1,662	1,716	1,656	1,587	1,606	1,594	1,560	1,711	1,779	1,770
ALL OTHER	14,940 12,546	1,406 1,215	1,266 1,112 619	1,267 1,023 586	1,202 1,023 569	1,263 1,031 601	1,189 994 564	1,167 1,038 604	1,167 1,017 559	1,149 958 523	1,271 1,009 559	1,243 1,017 569	1,350 1,109 631
FEMALE	7,086 5,460	702 513	493	437	454	430		434	458		450	448	478

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

Tuble	1 21. 2	Codding D	VIOLIT	1, 00101	, dire b	CA. OIII	ed blate	S UNC LI		5, 1373	COII.		
AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	НАУ	JUNE	JULY	AUG.	SEPT.	ост.	NOV.	DEC.
NORTH DAKOTA	5,767	456	501	469	511	486	471	508	466	469	461	477	492
MALE- <del></del> Female	3,401 2,366	265 191	297 204	254 215	310 201	290 196	285 186	310 198	277 189	285 184	282 179	263 214	283 209
WHITE	5,608 3,310 2,298	449 263 186	474 280 194	460 250 210	503 303 200	472 282 190	456 275 181	491 296 195	449 269 180	458 278	456 281	466 256	474 277
ALL OTHER	159 91 68	7 2 5	27 17 10	9 4 5	.8 .7 1	14 8 6	15 10 5	17 14 3	17 8	180 11 7 4	175 5 1 4	210 11 7	474 277 197 18 6 12
OHIO	101,510	9:480	8,312	8,549	8,426	8.182	8, 248	8,331	9 8•343	8,078	8,397	8,422	8,742
MALE Female	55,417 46,093	5, 164 4, 316	4,453 3,859	4,628 3,921	4,612 3,814	4,470 3,712	4,638 3,610	4,570 3,761	4,606 3,737	4,363 3,715	4,603 3,794	4,532 3,890	4,778 3,964
WHITE	91.748 49.819	8.564 4.631	7•523 4•017	7.782 4.183	7,593 4,146	7,421 4,033	7,417 4,160	7,500 4,100	7,521 4,104	7,300 3,919	7,594 4,133	7,663 4,103	7,870 4,290 3,580
ALL OTHER	41,929 9,762 5,598	3,933 916 533	3,506 789 436	3,599 767 445	3,447 833 466	3,388 761 437	3, 257 831 478	3,400 831 470	3,417 822 502	3+381 778 444	3,461 803 470	3,560 759 429	3,580 872 488
FEMALE	4,164	383	353	322	367	324	353	361	320	334	333	330	384
OKLAHOMA	27,349	2, 491	2,364	2,369	2,214	2,257	2.135	2, 283	2,094	2,179	2,225	2,36D	2,378
MALE Female	15,482 11,867	1,410 1,081	1,338 1,026	1,362 1,007	1+219 995	1,353 904	1,228 907	1,267 1,016	1,157 937	1,228 951	1,264 961	1,340 1,020	1,316 1,062
WHITE	24,688 13,976 10,712	2,256 1,271 985	2,112 1,199 913	2,161 1,241 920	1,986 1,093 893	2,054 1,228 826	1,925 1,111 814	2,045 1,142 903	1,905 1,045 860	1,950 1,093 857	1,995 1,144 851	2,151 1,226 925	2,148 1,183 965
ALL OTHER	2,661 1,506 1,155	235 139 96	252 139 113	208 121 87	228 126 102	203 125 78	210 117 93	238 125 113	189 112 77	229 135 94	230 120 110	209 114 95	230 133 97
OREGON	20,906	2,076	1,784	1,739	1,700	1,758	1,675	1.716	1,635	1,620	1,771	1,713	1,719
. MALE Female	11,865 9,041	1,135 941	997 787	1,000 739	972 728	1+0D4 754	926 749	1,000 716	935 700	927 693	1,012 759	962 751	995 724
WHITE	20,454 11,577	2,052 1,127	1,749 972	1,704 976	1,666 950	1,707 967	1,636 900	1,677 971	1,595 911	1,589 912	1,719 982	1+685 944	1,675 965
ALL OTHER	8,877 452 288	925 24 8	777 35 25	728 35 24	716 34 22	740 51 37	736 39 26	706 39 29	684 40 24	677 31 15	737 52 30	741 28 18	710 44 30 14
FEMALE	164	16	10	11	12	14	13	10	16	16	22	10	14
PĘNNSYLVANI A	126,632	12,391	10,220	10,842	10,239	10,249	10,341	10,234	10,223	10,045	10,519	10,493	10,836
MALE Female	69,326 57,306	6,727 5,664	5,546 4,674	5,858 4,984	5+662 4,577	5.615 4.634	5,696 4,645	5,624 4,610	5,583 4,640	5,456 4,589	5,786 4,733	5,799 4,694	5,974 4,862
WHITE MALE FEMALE	115,008 62,704 52,304	11,199 6,065 5,134	9,293 5,017 4,276	9,820 5,278 4,542	9,315 5,128 4,187	9,265 5,062 4,203	9,440 5,185 4,255	9,305 5,093 4,212	9,256 5,055 4,201	9,151 4,939 4,212	9,550 5,228 4,322	9,521 5,232 4,289	9,893 5,422 4,471
ALL OTHER	11,624 6,622 5,002	1,192	927 529 398	1,022 580 442	924 534 390	984 553 431	901 511 390	929 531 398	967 528 439	894 517 377	969 558 411	972 567 405	943 552
RHODE ISLAND	9,509	981	811	739	761	739	768	813	772	740	792	791	802
MALE PEMALE	5,060	511	438	387	409	379	410	433	421	410	419	420	423
WHITE	9-293	470 958	373 793	352 717	352 748	360 725	358 748	380 794	351 744	330 724	373 773	371 777	379 792
ALL OTHER	4,927 4,366 216	494 464 23	423 370 18	373 344 22	402 346 13	371 354 14	398 350 - 20	420 374 19	407 337 28	401 323 16	411 362 19	410 367 14	417 375 10
FEMALE	133 83	17	15 3	14 8	. 7	8 6	12	13 6	14 14	7	8 11	10 4	6 4
SOUTH CAROLINA	24,896	2,33B	2,161	2, 122	2,053	2,052	1,918	2,003	1,950	1.965	2,040	2,064	2, 230
MALE FEMALE	14.096 10.800	1,248 1,090	1,218 943	1,226 896	1,211 842	1,161 391	1,100 818	1,142 861	1.137 813	1•076 889	1,153 887	1,156 908	1+268 962
WHITE	16,197 9,348 6,849	1,452 798 654	1,353 781 572	1,379 810 569	1,323 786 537	1,384 814 570	1.291 762 529	1,294 747 547	1 •291 762 520	1,337 744 503	1,318 746	1,350 767	1,425 831
ALL OTHER MALE FEMALE FEMALE	8,699 4,748 3,951	886 450 436	808 437 371	743 416 327	730 425 305	668 347 321	627 338 289	709 395 314	529 659 375 284	593 628 332 296	572 722 407 315	583 714 389 325	594 805 437 368

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	аст.	NOV.	DEC.
SOUTH DAKDTA	6,643	606	541	579	525	553	499	550	554	515	587	549	585
MALE Female	3,911 2,732	348 258	308 233	352 227	299 226	327 226	293 206	325 225	. 327 227	297 218	352 235	330 219	353 232
WHITE	6,265 3,684	573 324	518 298	556 339	492 282	524 307	472 276	516 301	513 303	485 283	539 317	526 - 320	551 334
ALL OTHER	2,581 378 227	249 33 24	220 23 10	217 23 13	210 33 17	217 29 20	196 27 17	215 34 24	210 41 24	202 30 14	222 48 35	206 23 10	217 34 19
FEMALE	151	9	13	10	16	9	10	10	17	16	13	13	15
TENNESSEE	39,794	3,573	3,477	3,510	3,298	3,303	3,103	3,263	3,128	3,217	3,250	3,241	3,431
MALE FEMALE	22,473 17,321	2,017 1,556	1,962 1,515	1,930 1,580	1,887	1,876 1,427	1,703 1,400	1,841	1,780 1,348	1,851	1,833	1,869	1,924 1,507
WHITE	32,403 18,419 13,984	2,860 1,623 1,237	2,827 1,598 1,229	2,838 1,561 1,277	2,679 1,545 1,134	2,721 1,571 1,150	2,536 1,413 1,123	2,659 1,513 1,146	2.576 1.483 1.093	2,643 1,515 1,128	2,673 1,502 1,171	2,602 1,523 1,079	2,789 1,572 1,217
ALL OTHER MALE FEMALE	7,391 4,054 3,337	713 394 319	650 364 286	672 369 303	619 342 277	582 305 277	567 290 277	604 328 276	552 297 255	574 336 238	577 331 246	639 346 293	642 352 290
TEXAS	101,647	10,257	8,577	8,767	8,400	8,294	7, 956	8, 254	8,267	7,797	8,140	8,083	8,855
MALE	57,609 44,038	5,780 4,477	4,851 3,726	4,960 3,807	4,742 3,658	4,714 3,580	4,476 3,480	4,726 3,528	4+741 3+526	4,480 3,317	4,546 3,594	4,587 3,496	5,006 3,849
WHITE	86,995 49,366 37,629	8,715 4,891 3,824	7,351 4,169 3,182	7,571 4,275 3,296	7,232 4,081 3,151	7,107 4,038	6,783 3,831 2,952	7,035 4,023 3,012	7+041 4+063 2+578	6,635 3,821 2,814	6,972 3,884 3,088	6,906 3,946 2,960	7,647 4,344 3,303
ALL OTHER MALE FEMALE	14,652 8,243 6,409	1,542 989 653	1,226 682 544	1,196 685 511	1,168 661 507	3,069 1,187 676 511	1,173 645 528	1,219 703 516	1,226 678 548	1,162 659 503	1,168 662 506	1,177 641 536	1,208 662 546
UTAH	7,585	731	619	728	602	567	576	639	634	599	628	632	630
MALE FEMALE	4,306 3,279	412 319	358 261	414 314	347 255	324 243	333 243	346 293	368 266	326 273	368 260	360 272	350 280
WHITE	7,395 4,179	713 402	596 341	708 400	586 335	550 313	568 327	620 334	615 356	587 319	620 362	622 352	610 338
ALL OTHER	3,216 190 127	311 18 10	255 23 17	308 20 14	251 16 12	237 17 11	241 8 6	286 19 12	259 19 12	268 12 7	258 8 6	270 10 8	272 20 12 8
FEMALE	63 4,504	423	393	343	4	6	2	7	7 378	5 364	2 382	2 359	8 424
MALE	2,461	217	219	175	366 188	351 188	358 186	363 207	209	202	214	212	245
FEMALE	2,043	206	174 393	168	178	163	172 357	156	170 378	162	168	147	179 422
MALE FEMALE ALL OTHER	2,455 2,042 7	217 206	219 174	174 168	188 178	188 163	185 172	207 156	208 170	202 162	212 167 3	212 147	243 179
MALE Female	6	-	-	ī   -			<u> </u>	-	_	- i	. 1	Ξ	2 2 -
VIRGINIA	41,151	3,926	3,447	3,419	3,338	3,388	3,289	3,365	3+241	3,255	3,448	3,433	3,602
MALE Female	23,297 17,854	2,180 1,746	1,899 1,548	1,924 1,495	1,957 1,381	1.916 1.472	1,855 1,434	1,936 1,429	1,849 1,392	1,824 1,431	1,903 1,545	1,968 1,465	2,086 1,516
WHITE	31,594 17,854 13,740	2,969 1,637 1,332	2,681 1,459 1,222	2,598 ( 1,482 ) 1,116	2,542 1,484 1,058	2.604 1.474	2,576 1,467 1,109	2,547 1,439 1,108	2,456 1,403 1,053	2,531 1,414 1,117	2,666 1,475 1,191	2,650 1,510 1,140	2,774 1,610 1,164
ALL OTHERFEMALE	9.557 5.443 4.114	957 543 414	766 440 326	821 442 379	796 473 323	1,130 784 442 342	713 388 325	818 497 321	785 446 339	724 410 314	782 428 354	783 458 325	828 476 352
WASHINGTON	30,812	2,938	2,863	2,561	2,504	2,559	2,372	2,419	2,489	2 +387	2,563	2,468	2,689
MALE FEMALE	17,318 13,494	1,610 1,328	1,593 1,270	1,453 1,108	1,369 1,135	1,444 1,115	1,370 1,002	1,323 1,096	1.453 1.036	1.357 1.030	1,458 1,105	1,371 1,097	1,517 1,172
WHITE	29,614 16,553	2,824 1,538	2,762 1,534	2,469 1,405	2,418 1,306	2,454 1,378	2,280 1,313	2,326 1,264	2,379 1,387	2,285 1,288	2,476 1,404	2,374 1,309	2,567 1,427
FEMALE MALE FEMALE	13,061 1,198 765 433	1,296 114 72 42	1,228 101 59 42	1+064 92 48 44	1,112 86 63 23	1,076 105 66 39	967 92 57 35	1,062 93 59 34	992 110 66 44	997 102 69 33	1,072 87 54 33	1,065 94 62 32	1,140 122 90 32

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

						<del></del>							
AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	ŅQV •	DEC.
WEST VIRGINIA	19,955	1,921	1,772	1,736	1,652	1,615	1,569	1,505	1,625	1,590	1,646	1,656	I,66B
MALE Female	11,692 8,263	1,120 801	1,048 724	996 740	950 702	967 648	941 628	866 639	949 676	933 657	957 689	975 681	990 678
MHITE	18,843 11,049 7,794 1,112 643 469	1,816 1,049 767 105 71 34	1,653 983 670 119 65 54	1,650 947 703 86 49 37	1,563 899 664 89 51 38	1.535 920 615 80 47 33	1.489 890 599 80 51 29	1+412 824 588 93 42 51	1,525 894 631 100 55 45	1,491 866 625 99 67 32	1,565 910 655 81 47 34	1,562 917 645 94 58 36	1,582 950 632 86 40 46
WISCONSIN	41,295	3,954	3,343	3,429	3,344	3,533	3, 224	3,366	3,377	3,307	3,399	3,394	3,625
MALE	22,901 18,394	2, 145 1, 809	1,833 1,510	1,893 1,536	1,856 1,488	1,971 1,562	1,811 1,413	1,854 1,512	1+844 1+533	1,806 1,501	1,934 1,465	1,907 1,487	2+047 1+578
NHITE	40,377 22,382 17,995 918 519 399	3,851 2,091 1,760 103 54 49	3,289 1,805 1,484 54 28 26	3,360 1,853 1,507 69 40 29	3,257 1,815 1,442 87 41 46	3,467 1,936 1,531 66 35	3,152 1,770 1,382 72 41 31	3,294 1,811 1,483 72 43 29	3,283 1,792 1,491 94 52 42	3,227 1,760 1,467 80 46 34	3,321 1,890 1,431 78 44 34	3,322 1,859 1,463 72 48 24	3,554 2,000 1,554 71 47 24
HYONING	3,070	284	280	265	280	258	236	252	235	216	273	251	240
MALE Female	1,804 1,266	165 119	155 125	158 107	170 110	159 99	151 85	144 108	148 87	128 88	163 110	125 126	138 102
MALE ALL OTHER	2,989 1,760 1,229 81 44 37	276 158 118 8 7	271 150 121 9 5	262 156 106 3 2	277 169 108 3 1 2	249 153 96 9 6	229 148 81 7 3	245 139 106 7 5	233 148 85 2 - 2	207 125 82 9 3	266 158 108 7 5	245 122 123 6 3	229 134 95 11 4

Table 1-22. Deaths by Specified Race or National Origin and Sex: United States and Each State, 1973

Total			Whi	te	Neg	ro	Ind	ian¹	Chir	iese	Japanese		Other races		
Area	Both sexes	Male	Female	Male	Female .	Male	Female	Male	<b>Female</b>	Male	Female	Male	Female	Male	Female
United States	1,975,003	1,096,795	876,208	957,918	770,487	129,647	100,463	3,927	2,454	1,609	. 689	1,501	1,129	2,193	986
Alabama	35,408 1,459 16,847 22,156 172,710	20,144 973 10,176 12,905 94,633	15,264 486 6,671 9,251 78,077	14,215 672 9,225 10,436 86,138	10,396 290 6,086 7,353 72,352	5,922 17 284 2,466 6,362	4,866 10 177 1,896 4,737	2 267 644 - 221	1 186 389 - 117	16 16 1 646	10 299	1 1 1 567	- 7 1 389	4 15 6 1 699	1 2 1 183
Colorado	18,674 26,714 4,920 8,068 87,938	10,441 14,491 2,726 4,319 51,059	8,233 12,225 2,194 3,749 36,879	10,073 13,752 2,270 1,339 44,425	7,963 11,695 1,850 1,552 31,857	309 725 453 2,946 6,596	227 519 338 2,184 5,010	29 5 1 13	19 3 1 2 3	6 - 27 ·17	5 2 8 4	19 5 1 -	14 1 - - 1	5 6- 3 5 8	5 5 3 4
Georgia	43,871 4,368 6,479 110,510 49,671	24,705 2,669 3,790 60,557 27,194	19,166 1,699 2,689 49,953 22,477	17,686 808 3,702 52,379 25,237	13,125 547 2,650 43,787 20,956	7,014 21 17 8,003 1,943	6,036 7 3 6,062 1,514	1 4 59 47 7	2 1 34 23 4	2 177 1 60 2	107 27 1	1 721, 10 30	2 551 1 28	<sup>2</sup> 938 1 38 5	1 <sup>3</sup> 486 1 26 2
Towa	29,255 22,789 34,434 35,039 10,870	15,965 12,478 19,513 19,689 5,992	13,290 10,311 14,921 15,350 4,878	15,777 11,844 17,875 13,214 5,973	13,143 9,792 13,544 10,065 4,856	175 603 1,630 6,456 6	129 490 1,376 5,277 8	9 28 3 11 12	13 24 - 3 14	- 6 -	2 1 - 4 -	1 1	· 1	3 1 4 2 1	2 4 1 1
Maryland	32,712 57,318 78,359 53,651 24,022	18,114 30,227 44,376 19,080 13,672	14,598 27,091 33,983 14,771 10,350	14,315 29,286 38,524 18,784 8,445	11,975 26,432 30,008 14,591 6,025	3,767 860 5,740 171 5,208	2,599 622 3,909 105 4,304	5 20 72 117 13	2 7 52 74 14	8 55 22 5 5	9 23 7 2 5	2 3	3 - 1 4 -	17 16 15 3 1	10 7 6 5 2
Missouri.————————————————————————————————————	51,976 6,867 14,998 4,264 7,583	28,679 4,064 8,287 2,646 4,128	23,297 2,803 6,711 1,619 3,455	25,625 3,876 8,045 2,447 4,119	21,019 2,666 6,530 1,515 5,444	3,023 12 197 135 7	2,251 2 150 77 7	11 169 40 47	11 133 26 24 2	8 1  8 1		2 3 2 2	. 4 - 2 1	10 3 3 7 1	12 2 1 1 2
New Mexico	68,687 8,119 181,287 47,755 5,767	37,064 4,973 97,292 27,355 3,401	51,623 3,146 83,995 20,400 2,366	33,170 4,362 86,249 20,269 3,310	28,498 2,855 75,534 14,940 2,298	3,785 110 10,505 6,863 3	3,047 59 8,227 5,318	12 498 88 217 88	228 76 135 65	25 2 339 2	13 104 1	7 1 17 1	5 1 9 4	65 - 94 3	56 3 45 2 3
Ohio	101,510 27,349 20,906 126,632 9,509	55,417 15,482 11,865 69,326 5,060	46,093 11,867 9,041 57,306 4,449	49,819 13,976 11,577 62,704 4,927	41,929 10,712 8,877 52,304 4,366	5,541 1,073 151 6,573	4,136 860 84 4,975 79	431. 80	8 289 44 2 4	29 24 20 3	4 14 8	3 14 2 -	5 3 15 5	13 2 19 24 4	11, 3 7 12
South Carolina South Dakota Tennessee Texas Utah	39,794 101,647	14,096 3,911 22,473 57,609 4,306	10,800 2,732 17,321 44,038 3,279	9,348 3,684 18,419 49,366 4,179	6,849 2,581 13,984 37,629 3,216	4,736 5 4,044 8,201 35	3,949 4 3,332 6,371 25	8 220 5 9 61	· 1 145 - 8 26	- 3 16 2	2 13	1 - 3 22	- - 2 10	4 1 4 14 7	1 2 3 15 2
Verment	30,812 19,955	2,461 23,297 17,318 11,692 22,901 1,804	2,043 17,854 13,494 6,263 18,394 1,266	2,455 17,854 16,553 11,049 22,382 1,760	2,042 13,740 15,061 7,794 17,995 1,229	5 5,419 337 638 424 10	1 4,095 198 469 328 14	- 9 218 2 84 32	- 3 142 - 65 23	- 4 54 1 7		2 54 1 -	4 55 -	1. 9 102 1 4	10 26 - 6

Includes deaths among Aleuts and Eskimos.

Includer 386 deaths mong Hawaiians and Part-Hawaiians. (In addition there were 33 deaths among Hawaiians and Part-Hawaiians residing in other States.

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CHOLERA	.152	876.208 1,325
01 ALL CAUSES	.152	876.208
I. INFECTIVE AND PARASITIC DISEASES	.152	
02 INTESTINAL INFECTIOUS DISEASES		1,325
03 CHOLERA		1 1 4 1 1
OF   EL TOR-	31	1 4
08     PARATYPHOID FEVER	1 -	
11 PARATYPHOID FEVER C002.2 -	-	- 1
12 PARATYPHOID FEVER, UNSPECIFIED 1	1	=
13 OTHER SALMONELLA INFECTIONS	41	34 
	11	22
16 BACILLARY DYSENTERY	-	ĩ
22   Ulher Specified Bactitary	2 -	11
	5	19
24 FOOD POISONING (BACTERIAL)	3	1 3 ~
28 OTHER SPECIFIED BACTERIAL FOOD POISONING	1 23	7 2 8
31 WITH LIVER ABSCESS	15	7
33 OTHER PROTOZOAL INTESTINAL DISEASES	=	1 1 1
36 CUCCIDIOSIS	-	-
38 ENTERITIS DUE TO OTHER SPECIFIED ORGANISHS	101	129 5 -
SECTION   SECT	7 ~	19 10 1
44 OTHER ORGANISM NOT ELSEWHERE CLASSIFIABLE	967	103
45 DIARRHEAL DISEASES	141 823	5 134 986
	-	<b>-</b> ∸
50 TUBERCULOSIS	113	1.168 2
52 PULMONARY TUBERCULOSIS	, 885 1 21	641
SILICOTUBERCULOSIS	372 212 23	106 84 12
58 RADIOLOGIC EVIDENCE ALONE	256	435
60 OTHER RESPIRATORY TUBERCULOSIS	184	184 2 8
02   PLEURIST SPECIFIED AS TUBERCULOUS	165	174
66 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	52 50	38 34
69 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS	2 14	12
70 TUBERCULOSIS OF BONES AND JOINTS	21 18	14 13 
73 OF KNEE	1 2	- - 1
76 TUBERCULOSIS OF GENITOURINARY SYSTEM	17 16	16 13
76 TUBERCULOSIS OF GENITOURINARY SYSTEM————————————————————————————————————	- 1	1 1

by Color and Sex: United States, 1973

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Interdentified by an asterisk; see Technical Appendix

16 12 1 4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	NUMBER								RATE				
957,918 T76,487 136,877 105,721 946.2 1,672.9 614.2 1,671.2 625.0 1,684.6 755.4 16.9 16.9 200 200 200 1.2 1.1 1.2 1.0 15.1 2.2 1.0 15.1 2.2 1.0 1.0 15.1 2.2 1.0 15.1 2	1	WHITE		ALL O	THER		TOTAL	·	WHIT	re .	ALL O	THER	
	MALE		FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
1	957+9	18	770,487	138,877	105,721	940.2	1,072.9	814.2	1,071.2	823.0	1,084.6	755.4	91
						- ' .							
1	В	64	1,059	288	269	1.2	1.1	1.2	1.0	1.1	2.2	1.9	02
1		-	-	-					· -	<u>-</u> .		- -	93 04
1		- 2		_ `	_	_	-	· -	- 1	- - 0.0	. ~	. 0.0	05 06 07
29   30   12   4   0.0   0.0   0.0   0.0   0.0   0.1   0.0	,	-	-	-	- -	0.0	0.0		0.0	-		-	08
29   30   12   4   0.0   0.0   0.0   0.0   0.0   0.1   0.0		-	-		· -	0.0	0.0		0.0		. ~	-	10 11 12
29   30   12   4   0.0   0.0   0.0   0.0   0.0   0.1   0.0	:		30	12			1			0.0	0.1	0.0	
	:	29	30			0.0	0.0	0.0	0.0	0.0	0.1	0.0	13 14 15
T		9	-	-	_	0.0	0.0	- []	-	-	~	0.1	16 17
T		- 2	1	- 1	_	0.0	0-0	0.0	-	0.0	-	- 0-0	16 17 18 19 20 21 22 23
S		-	-	_	_	] [	- =	<i>-</i> []	· [	-	-	_	21 22
1							1 1					0.1	
T		3	1	- 1	_	0.0	0.0	0.0	0.0	0.0	-	٠	25 26
T		- 1.	- - 2		-		1	-	- 1	-		_	27 28 29
R44		7 1	-	1 1	2· 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24 25 26 27 28 29 30 31 32
84		- 1	6	ŀ		0.0	0.0	. 11	ł	0.0	ł	0.0	1
84				=	-	.=		- !!	-	- 1	-	=	33 34 35 36 37
1		-		=	=	=	-	-	= [		-		36
4	8	1	3	- 1	2	0.1 0.0	0.1	0.0	0.1 0.0	0.1 0.0	-	0.1	38 39
Total   Tota		5 4	8	- 3	2				0.0	0.0	-		38 39 40 41 42 43 44
1,849		- 1	1	-	-	0.0	-	0.0	-	0.0	-	· -	43 44
1,849	71	15 3		252	230 2	1.0	0.9	1.0	0.8	1.0	2.0	I-6 0-0	45 46 47
95	9 61	8	93		41	0.1	0.1	0.1	0.1 0.7	0.1		0.3	48
95		-	-	-		_	•	-	-	-		-	49
150		- 1	i	1		l I		11					50
150	1,22	1	415 -	663	226	0.0	1-8	a-6	1.4	. 0.4	5.2	1-6	52 53
150	21	6	63	156	43	0.2	0.4	0.1	0,2	0.1	1.2	0.3	54 55
150		- 1	6 -	- <u>B</u>	.6 -	0.0		0.0	0-0	0.0	0.1	0-0	57 58
32   20   20   18   0.0   0.1   0.0   0.0   0.0   0.2   0.1   0.0   0.0   0.0   0.2   0.1   0.0   0.0   0.0   0.0   0.2   0.1   0.0   0.0   0.0   0.0   0.0   0.2   0.1   0.0   0.		- 1	• 1			1	1	. 11				1.1	59
32   20   20   18   0.0   0.1   0.0   0.0   0.0   0.2   0.1   0.0   0.0   0.0   0.2   0.1   0.0   0.0   0.0   0.0   0.2   0.1   0.0   0.0   0.0   0.0   0.0   0.2   0.1   0.0   0.	1	- 1	1 1	- (	1 2	0.0	- 1	0.0 11	0.0	0.0	-	0.0	61
32   20   20   18   0.0   0.1   0.0   0.0   0.0   0.2   0.1   0.0   0.0   0.0   0.2   0.1   0.0   0.0   0.0   0.0   0.2   0.1   0.0   0.0   0.0   0.0   0.0   0.2   0.1   0.0   0.	13	19	146	-	26	0.2	0.2	0.2	0.2	-	~ {	0.2	63 64
14 10 7 4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.0 12 9 6 4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0			1	20	18	0.0	0.1	0.0	. 0-0	0.0	0.2		
14 10 7 4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.0 12 9 6 4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	3	2	3	20	1	0.0	0.0	0.0	0.0	0.0	-	0.1 0.0	66 67 68 69
		- 1	10	7	4	. 0.0	0.0	c. o	0.0	. 0.0	0.1	0.0	1
	1	2	9	6	4	0.0	0.0	C.0	0.0	0.0	0.0	· 0.0	70 71 72 73 74 75
		- 2	_ 1 .	1	Ē		0.0		-	<b>-</b>	0.0	=	74 75
		- 1	12		4 2	1 0-0 I	0.0	0.0	0.0	0.0		0.0	76 77
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	•	-	1 J	=	- 1 1	0.0 0.0 0.0	- 1	C.0 0.0 . 0.0	-	0.0	-	0.0	78 79

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected (ournational Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL	
	BOTH SEXES	MALE	FEMALE
TUB ERCULOSISCON.		ĺ	
TUBERCULOSIS OF OTHER ORGANS	40 12	14	26 12 2
0 F PERIPHERAL LYMPHATIG GLANDS	-	2	-
6 OF OTHER ORGANS	24	12	12
77 DISSEMINATED TUBERCULOSIS	165	101	64
DISSEMINATED TUBERCULOSIS	163 477	99 306	64 171
RESPIRATORY TUBERCULOSIS	471 -	305	166
5 OF VERTEBRAL COLUMN	4	1	3
7 OF KNEE	1	-	1
	. *	٦	1
O ZOUNOTIC BACYERIAL DISEASES020-027	44	22	22
1   PLAGUE	- 1	=	
4 UNSPECIFIED	- 4	z	ž
6 ANTHRAX	-	_	- 1
8 BRUCELLA MELITENSIS	-	-	-
D BRUCELLA SUIS	<u> </u>	-	1
2 GLANDERS		=	-
STREPTOBACILLUS MONILIFORMIS	-11	=	-
7 UNSPECIFIED	39 38	20 19	19 19
BRUCELLOSIS—  BRUCELLA MELITENSIS —	1	1	
OTHER BACTERIAL DISEASES030-039	5.580	2,984	2,596
3 LEPROSY	1 1	1	-
TUBERCULOID	-	1	•
BORDERLINE	37	_ _ 28	
LEPROSY	33 4	26 2	:
2 DIPHTHERYA	10 5	В 2	2
BORDETELLA PERTUSSIS		-	-
### OTHER AND UNSPECIFIED ### 033.9    STREPTOCOCCAL SORE THROAT AND SCARLET FEVER ### 034.0   STREPTOCOCCAL SORE THROAT ### 034.0   SCARLET FEVER ### 034.0   SCARLET FEVER ### 034.0	20 14	8 6	1
	6	2	
RYSIPELAS	11 330 158	185 85	14! 73
MENINGOCOCCEMIA WITHOUT MENTION OF MENINGITIS	169	99	70
DETANUS	3 40	16	24
7 SEPTICEMIA	4.560 65	2,433 30	2•127 35
STAPHYLOCOCCAL	188 43 275	111 22 156	71 21 11'
UNSPECIFIED	3+989 566	2,114 299	1 • 875 267
GAS GANGRENE	93   - 473	50 L	43 224
	187	107	80
A ACLITE PARALYTIC DOLLANGE ITTS SPECIFIED AS BILLBAD	4	3	
ACUTE POLIOMYELITIS WITH OTHER PARALYSIS	3	3	-
ACUTE POLIOMYELITIS, UNSPECIFIED	83	45 45	1 38

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Interidentified by an asterisk; see Technical Appendix

NUMBER			=			<del></del>	RATE				Ī
ині т	E	ALL OT	HER		TOTAL		WHIT	TE .	ALL O	THER	1
NALE	FEMALE	MALE	FEMALE	BOTH SEXES	HALE	FEMALE	MALE	FEMALE	MALE	FEMAL E	
			-		<u>-</u>		·				
9 - 1	18 9 2	5 - 1 -	8 3 -	0.0 0.0 0.0	0.0 	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0	0.1 0.0 -	01 02 03 04 05
- 8	7	- 4	- 5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	05 06
50	24	51 -	40 -	0-1	0-1	C-1	0.1	0.0	0.4	0.3	07 08
1 49 252 252	24 154 149	1 50 54 53	- 40 17 17	0.0 0.1 0.2 0.2	0.0 0.1 0.3 0.3	0.1 0.2 0.2	0.0 0.1 0.3 0.3	0.0 0.2 0.2	0.0 0.4 0.4 0.4	0.3 9.1 0.1	08 09 10 11 12 13 14 15 16 17 18
-	- 3	- - 1	=	- 0.0	0.0	0.0	- - -	0.0	0.0	Ξ	13 14 15
	-	=	=	0.0	-	0.0	- -	0.0		Ξ	16 17 18
-	1	-	-	0.0	_	0.0	-	0.0	-	-	
18	18	4	4 -	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20
] [	<u> </u>	=	- - -	-		- - -	=	=	- =	=	21 22 23 24 25 26
-	2 -	2 -	-	0.0	0.0	0.0	_	0.0	0.0	<del>-</del>	25 26
=	<u>1</u>	] =	-	0.0	_	0.0	-	0-0	=	Ξ	27 28
1	- 1	- -	- -	0.0		- - 0.0	- - -	0.0	-	=	28 29 30 31 32 33 34
- 1	=		-	- - -	1-1-1-1		- - -	-	-	-	32 33 34
-	=	-	=		-	-		-	=	=	35 36
18 18	15 15	2 1	4	0.0	0.0	0.0	0.0 0.0	0.0	0.0	0.0	37 38 39
=	] =	1	· -	0.0	0.0	-	-	-	0.0	Ξ	40 41
2,335	2,042	649	554	2.7	2.9	2.4	2.6	2.2	5.1	4.0	42
1 1 -	=	}	_	0.0 0.0 -	0.0 0.0 -	-	0.0 0.0 -	=	-	=	43 44 45
=	=	=	=	<u> </u>	=	=	l	-	<u>-</u>	·	46 47 48
26 24 2	6 4 2	2 2	3 3 -	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 -	0.0 0.0	48 49 50 51
6 2	2 3	2 -	_	0.0	. 0.0	0.0 0.0	0.0 0.0	0.0	0*0	, <del>-</del>	52 53
2 7 5	- - 3		- - -	0.0	0.0	0.0	0.0	0.0	=	, [	54 55 56
7 5 2	11 8 3	1 1 -	1 1	0.0 0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 -	0.0	52 53 54 55 56 57 58 59
3 151 66	7 120 58	1 34 19 15	25 15	0.0 0.2 0.1	0.0 0.2 0.1	0.0 0.1 0.1	0.0 0.2 0.1	0.0 0.1 0.1	0-0 0-3 0-1	0.2 0.1 0.1	60 61 62 63 64 65
84 1	60 - 2	1 =	25 15 10 -	0.1	0.1	0.1 - 0.0	0-1	0.1	0.1	=	65
11	1,665	5 551	9 462 7	0.0 2.2	2.4	Q.O 2.0	0.0 2.1	0.0 1.8	0.0 4.3	0.1 3.3	66 67
22 100 13	28 61 12	8 11 9	7 16 9	0.0 0.1 0.0	0.0 0.1 0.0	0.0 0.1 0.0	0.0 0.1 0.0	0.0 0.1 0.0	0.1 0.1 0.1	3.3 0.1 0.1 0.1 0.2 2.9	68 69 70
123	95 1,469	33 490	24 406 54 9	0-1 1-9	0.2 2.1	Q.1 1.7	0.1 1.8	0.1 1.6	0.3 3.8	0.2 2.9	71 72
246 39 - 207	213 34 - 179	53 11 - 42	9 - 45	0.3 0.0 - 0.2	0.3 0.0 - 0.2	0.2 0.0 - 0.2	0.3 0.0 - 0.2	0.2 0.0 - 0.2	0.4 0.1 - 0.3	3-3 0-1 0-1 0-2 2-9 0-4 0-1 0-3	74 75 76
87	68	20	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1	777
3 3	1 -	=	] =	0.0 0.0	0.0	a.a - -	/ 0.0 0.0 -	0.0	-	=	78 79
- 2 41	1 36	- 4	- - 2	0.0	0.0	a.o a.o	i	0.0	0.0	0.0	78 79 80 81 82

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MAGE	FEMALE
01	POLIOMYFLITIS AND OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM—CON.  ASEPTIC MENINGITIS DUE TO ENTEROVIRUS————————————————————————————————————	49	31	18
02 03 04 05	ASEPTIC MENINGITIS DUE TO ENTEROVIRUS	1 - 48 45	- - 31 23	1  17 22
06	VIRAL DISEASES ACCOMPANIED BY EXANTHEMS	374	191	183
07 08 09 10 11	SMALLPOX— -050 VARIOLA MAJOR— -050,3 VARIOLA MINUR— -050,1 UNSPECIFIED— -050,9 COMPIX— -051 CHICKENPOX— -052	- - - - 138	77	61
13 14 15 16	HERPES ZOSTER	95 3 - - 92	44 1 - - 43	51 2 
18 19 20 21 22 23	HERPES ZOSTER	101 23 16 1 -	46 16 8 -	55 7 8 1
24 25	OTHER	1	-	1 -
26	ARTHROPOD-BORNE VIRAL DISEASES	351	188	163
27 28 29 30	YELLOW FEVER	- - - -	111	1111
31 32 33 34 35 36 37 38	DENGUE	- 1 - 1	111111111111111111111111111111111111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
39 40 41 42 43 44 45	TICK-BORNE VIRAL ENCEPHALITIS	320	169	151
47 48 49 50 51 52 53 54 55 57 58	ARTHROPOD-BORNE HEMORRHAGIC FEVER	29 	18	11
59 60	OTHER VIRAL DISEASES	1,244	586	658
	INFECTIOUS HEPATITIS	656 1 12 1	289 1 4 -	367 - 8 1
65 66 67 68 69 70	SPECIFIC DISEASES DUE TO COXSACKIE VIPUS	9 - 7 2 25	6 - - 5 1 15	3 - 2 1 10
71 72 73 74 75 76 77 78	TRACHOMA, ACTIVE	- - - - -	1	•

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Classification of Diseases, Adapted, 1965 (ICDA).

NUMBER					·		RATE			
WHIT	TE	ALL OT	HER		TOTAL		WHI	re	ALL 0	THER
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
22	14	9 -	4 1	0.0 0.0	0.0	0.0 0.0	0.0	0.a	0.1	0.0
22 16	14 16	9 7	3 6	0.0 0.0	0.0 0.0	0.0 -	0.0 0.0	0.0 0.0	0.1 0.1	0.0 0.0 0.0 0.0
167	159	24	24	0.2	0.2	0.2	0.2	0.2	0-2	0.2
_	_	_	-	-	<u>.</u>	- -		_		-
-	- - -	- -	- -			<u>-</u>	-			
68	51	9	- 10	0.1	0.1	0.1	0.1	0.1	0.1	1.
43 1 -	49 2 -	1 - -	2 - - -	0.0	0.0	0.0 0.0 -	0.0 0.0 -	0.1 0.0 -	0.0 - -	- -
42 38 13 5 - -	47 47	1 8	2 8	0.0 0.0 0.0	0.0	0.0 0.1	0.0	0-1 0-1	0-0 9-1	0.0 1 0.1
13 5 -	6 -	3 3 -	1 2 1	0.0 0.0	0.0 0.0 -	0.0 0.0 0.0	0.0 0.0 -	0.0 0.0	0.0 0.0	0.0 0.0 0.0
-	=	-	- 1	0.0	-	c.0				0.0 - - 0.0 0.1 0.0 0.0 0.0
160	142	28	21	0.2	0.2	0.2	0.2	0.2	0.2	0.2
160	142		-	-	0.2	-			-	
-	=		=	=			-		# #	-
=		=		0.0	=	- D-0		0.0	· -	1
=		-	=	0.0		0.0	{ =	0.0		
=	] =	-	- -			-		-	- -	-   -   -
-	=	=	_	l l	_	- -	-	_	. 1 1	· i
- -	=	=	Ξ	1111	_	- - -				- 4 - 4
143 16	130 11	26 2	21	0.2 0.0	 0.2 0.0	0.1 0.0	0.2 0.0	0-1 0-0	0.2 0.0	- 3 - 4 - 4 - 4 0.2
=	=	-	<u> </u>	-	-	=				-
Ē	<u> </u>	=	- -	-	-			- -	111	-
- - - - 1	=	=	_		<u> </u>	-			=	-
1 - 1	-	] [	-	0.0	0.0	111111111111111111111111111111111111111	0.0	111111111111111111111111111111111111111	-	
=	=	-	=	-	. =	-	0.0 - -		-	-
489	545	97	113	D.6	0.6	0.6	0.5	0.6	0.8	0.8
233 1	282 - 7	. 56	85 -	0.3 0.0	0.3	0.3	0.3	0.3	0.4	0.6 - 0.0 -
3 -	1	1	1 -	0.0	0.0	0.0	0.0	0.0	0.0	
4	2 - 1 1 10	2 ~	1 - -	0.0	0.0	0.0	0.0	0.0	0.0	0.0   6 
14	1 1 10	1 1 1	1 - -	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0   6 -   6 -   7
1		=	=	1 1	- 1	1 1		· -	<u>-</u> - -	
-	_		-	111111111111111111111111111111111111111	_		-	-	-	· - 7
] =	] =	] =	J E	] =	-			-	- - -	-   7 -   7 -   7

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

	·			
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
	OTHER VIRAL DISEASESCON.			
01 02	OTHER VIRAL DISEASES	540	271	269
03 04 05	107.0   107.	5	-	1
06 07 08	CYTOMEGNIC INCLUSION DISEASE	- 25	16	9
09	OTHER————————————————————————————————————	503	250	253
10	RICKETTSIDSES AND OTHER ARTHROPOD-BORNE DISEASES	48	30	18
11 12 13	EP IDEMIC LOUSE-BORNE TYPHUS	1	=	1
14 15 16	EPIDEMIC LOUSE-BORNE TYPHUS			1
17 18	TICK-BORNE RICKETTSIOSES	38	23	15
19 20	BOUTONNEUSE FEVER	38	23 - -	15 2
21 22 23	BOUTONNEUSE FEVER	- 1 -	<u>ī</u>	-
24 25 26		=	- [	<u> </u>
27	### ### ##############################	1	1	-
29 30	MALARIA	4	5 2 -	2
31 32 33		-	-	-
34 35 36	BLACKMATCK FEVEN	7 - 3		=
37 38	LEISHMANIASIS	-	-	-
39 40	CUTANEOUS (ORIENTAL SDRE)	=	=	3
41 42 43	MUCUCUIAND	=	=	7
44 45		-		7
46 47 48	OTHER TRYPANOSOMIASIS——————————————————————————————————	<u> </u>	1 -	-
49 50	AFRICAN TRYPANOSOMIASIS, UNSPECIFIED 087.8 TRYPANOSOMIASIS, UNSPECIFIED 087.9	1	1	-
51 52	RELAPSING FEVER	-	= 1	-
53 54 55	TICK-BORNE	=	=	-
56 57	UNSPECIFIED — — — — — — — — — — — — — — — — — — —	-		-
58	SYPHILIS AND OTHER VENERAL DISEASES090-099	407	271	136
59 60	CONGENITAL SYPHILIS	13 2	5	8 1
61 62 63	EARLY LUNGENLIAL SYPHILIS, LATENT	3	1	z
64 65 66	JUVENILE NEUROSYPHILIS	1	=	1 -
67 68	LATE CONGENITAL SYPHILIS, UNSPECIFIED	7	3	- 4
69 70	EARLY SYPHILIS, SYMPTOMATIC	-	-	-
71 72 73	EAIRADERLIAL CHANGE	=	=	=
74 75 76	### SECONDARY SYPHILIS OF SKIN AND MUCOUS MEMBRANES	218	146	72
77 78	OTHER CARDIOVASCULAR SYPHILIS093.9	29 189	16 130	13 59
79 80 81	SYPHILIS OF CENTRAL NERVOUS SYSTEM	128 26	90 23	38 3
82 83	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 094.9 OTHER FORMS OF LATE SYPHILIS WITH SYMPTOMS	26 76 5	13 54 3	13 22 2

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Internitied by an asterisk; see Technical Appendix

NUMBER							RATE				
MHI	TE	ALL O	THER		TOTAL		МНІ	TE	ALL O	THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
234	243	37	2 <u>6</u>	0-3	0.3	0.2	0.3	0.3	0.3	0.2	02
3	- -	_ 1	1	0-a	0.0	0.0	0.0	. =	. 0.0	a. <u>a</u>	05
15	- 9 6	<u></u>	-	0.0 0.0	0.0 0.0	0.0 0.0	0-0	0.0 0.0	0.0	-	06 07 08
215	228	35	25	0.2	0.2	0.2	0.2	0.2	0.3	0.2	
25	16	5 -	2	g_0'	0.0	0.0	0.0	0+0 - -	-	0-0 - 0-0	111
=	-	=	1 1 -	0.0 0.0 -	[ -	0.0 0.0 -	-		<u>-</u>	0.0	
	-	=	=	-	0.0	0.0	0.0	0.0	- 040	. 0.0	16
21 21 -	14 14 	2 2 -	1 -	a.o a.o	0.0	0.0	0.0	0.0	0.0	0-0	18 19 20
-	= =	=	= = =	0.0	0.0	1	. 0.0	_	-	<u>-</u>	21 22 23
-	=	- -	- -	-	-	-	-	- - -	-	-	21 22 23 24 25 26 27
1	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	<u>-</u>	
2	2 2 -	3 2 —	- - -	0.0	0.0	0.0	-	9.0	0.0	- - -	28 29 30 31 32 33 34
=	=	Ξ	_	. =	=		-	. [	- l - l	=	32. 33 34
- - 2	=	- 1		0-0	0-0	-	. 0.0	· -	0.0	Ξ	35 36
=	=	=	-		=		-	- - -	-	- -	37 38 39
_	=	-	= =	-	-	-		- - -	<u>-</u> -	<u>-</u> -	40 41 42
	=	=		-	= = = = = = = = = = = = = = = = = = = =	= =	-	-	- - -	- -	43
1 -	=	-		0.0	0.0		0-0	_	=	_	46
1		=	=	0.0	0.0	-	- 0-0	-	-	<del>-</del>	47 48 49 50
	<u> </u>		_			-	=	-	-	_ _	
-	_	-	-				-	-	1	_ _ _	54
	= =	=	= = = = = = = = = = = = = = = = = = = =	-	=	=	=	-		- -	56 57
151	71	120	65	0.2	0.3	0.1	0.2	0.1	0.9	0.5	
4 L	2 - - 1	1 - -	6 1 -	0.0	0.0	0.0	0-0 0-0	0.0	0.0 - 0.0	0.0 0.0 - 0.0	61
-	1		1 - - -	0.0	0.0	0-0	- -	0.0	_ _	- - -	63 64
- - 3	-		-	-	=	-	-	-	1.1.1	- -	66 67
1	-		4 -	0.0	0.0 -	0.0	0.0 - -	ļ	-	0.0 	
-	=	=	-	-		=	-		- 1	<u> </u>	71 72
=	=	71	- - 35 7	0.1			-		-	- 43	69 70 71 72 73 74 75 76 77
- - - - - 75 75 68	37 6 31	71 9 62	35 7 28	0.1 0.0 0.1	0.1 0.0 0.1	0.0 0.1	0.1 0.0 0.1	0.0 0.0 0.0	0.6 0.1 0.5	0.3 0.1 0.2	
57 20 9	24 2 10	33 3	14	0.1	0.1 0.0	0.0	0.1 0.0	0.0	0.3 0.0 0.0 0.2 0.0	0.1	79 80 81 82 83
28 2	10 12 2	26 1	10	0.0 0.0 0.0	0.0 0.1 0.0	0.0 0.0 0.0 0.0	D=0 0=0 0=0	0.0 0.0 0.0	0.2	0.1	82

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
01 02 03 04 05 06 07 28 09 10 11 12 13 14	SYPHILIS AND OTHER VENERAL DISEASES—CON.  OTHER SYPHILIS, UNSPECIFIED———————————————————————————————————	29 15 14 11 6 2 - 1 2 3 - 2	21 12 9 5 2 1	835641111211121111
16	DTHER SPIROCHETAL DISEASES	7 61 51	6 51141111111111111111111111111111111111	1 1111111111111111111111111111111111111
53	NYCOSES	530  - - - - - - - - - 173	332 	198
54 55 57 58 59 61 62 64 65 66 67 68	ACTINOMYCASIS	8 37 53 129 125 - 4 130 - 1 - 55 - 20 54	6 30 43 69 66 - - 3 85 - 1 - 39 - 13	2 7 10 60 59 - 1 45 - - 16 - 7 22
70 71 72 73 74 75 76 77 78 79 80	HELMINTHIASES	22	12	19
81 82 83 84	OTHER TREMATODE INFESTATIONS   121		-	-

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix

NUNBER				RATE						
WHITE		ALL OTHER		TOTAL .		WHITE .		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMAL É
8 4 4 2 1 - - 1 1 -	2 2	13 8 5 1 - -	6 1 5 3 2 - - 1 1 - 1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 - - - 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.1 0.0 0.0 - 0.0	0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 - 0 - 0 - 0 - 1 0.0 1 - 1 0.0 1
5	1	1		0.0	0.0	0.0 0.0 	0.0 0.D 0.0 0.0 0.0 	0.0	0.0	- 11 - 11 - 11 - 12 - 21 - 22 - 22 - 22
268	156	64	42	0.3	0.3	0.2	0.3	0.2	0.5	- 40 - 41 0-3 42 - 43 - 44 - 45 - 48 - 49 - 50 - 51
85 5 23 35 54 51 - 3 66 - 1 - 29 - 8 28	1 6 8 44 43 - 1 36 - 1 4 1 4 18	17 8 15 15 19 ~ 10 ~	13 1 2 16 16 - - - - - 2	0.0 0.0 0.1 0.1 0.0 0.1 0.0 0.1 0.0 0.1 0.0	0.0 0.0 0.0 0.1 0.1 0.1 0.0 0.1 	0.0 0.0 0.0 0.1 0.1 0.1 0.0 0.0 0.0	0.0 0.0 0.0 0.1 0.1 0.1 0.0 0.1 0.0 0.1 0.0 0.0	0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.0	0.1 S3 0.0 55 0.0 56 0.1 57 0.1 58 - 59 - 60 - 61 0.1 62 - 63 - 64 - 65 0.0 66 67 0.0 66 69
10		2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0 70 - 71 - 72 - 73 - 74 - 75 - 76 - 77 - 78 - 80 - 81 - 82 - 83

Table 1-23. Deaths and Death Rates for Each Cause,

ļ	CAUSE OF DEATH		JATOT.	
		BOTH SEXES	MALE	FEMALE
	NEL HYNTUYACCCCON	·		
01	HELMINTHIASESCON.  HYDATIDUSIS	4	1	3
02	##UATIDUS15		<b> </b>	-
04 05 06	OF UNSPECIFIED SITE	4	1 2	3
07	OF LUNG	3	2	- i
10	TAENIA SAGINATA INFESTATION	-		-
11 12 13	DIPHYLLOBOTHRIASIS, INTESTINAL       123.4         SPARGMOSTIS (LARVAL DIPHYLLOBOTHRIASIS)	[ <u> </u>	] [	-
14			-	- )
15 1 16 1	TRICHINIASIS	1	Ĩ	-
18 19	RUGISA FILARIASIS	-		-
20 21	ONCHOCERCOSIS	<u>-</u>	_ [	- [
22 23 24	ONCHOCERCOSIS	-	[	- [
		l (	_	_
26	ANCYLOSTOMIASIS	-	[ -	- 1
28 29	UNSPECIFIED	-		-
30	127   ASCARIASIS	B 5	4 3	4 2
32 33 34	STRUNGTUIUIASIS		1 -	- [
35 36	OTHER INTESTINAL NEMATODE INFESTATION	- 1	ا _ ا	1
37 38 39	INTESTINAL HELMINTHIASIS, UNSPECIFIED	1	=	1
40 41	ENTEROBIASIS		[	-
42	UNSPECTIVED————————————————————————————————————	1	1	- ]]
43	OTHER INFECTIVE AND PARASITIC DISEASES	520	228	292
	TO XOPLA SMOSIS130	13	10	3 -
46 47 48	CONGENITAL, ACTIVE	- 4	8 - 2	1
49 50	CONGENITAL, ACTIVE	1	1	17 1
51	ACARIASIS	-	-	-
52 53 54 (	35.601E3		]	-
55 56	### UHER ### ### ### ### ### ### ### ### ### #	-	-	-
57 58	OTHER ARTHROPOD INFESTATIONS	=	[ ]	
59 60 61	SARCOIDOSIS	271 234	1 104 104 112	167 122
	II. NEOPLASMS			
62	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	7,822	5,553	2,269
64	MALIGNANT NEOPLASM OF LIP	181 5 48	161 3 43	20 2 5
65 66 67	LOWER LIP	1 1 127	1 1 114	13
68 1	MALIGNANT NEOPLASM OF TONGUE	1,873	1,305	568
69 70 71	DORSAL SURFACE OF TONGUE	199 1 2	153 - 1	46 1 1
72 73	DORSAL SURFACE OF TONGUE	1,671	1,151	520
74 1 75	MALIGNANT NEOPLASM OF SALIVARY GLAND	581 451	345 272	236 179
76	OTHER SPECIFIED SALIVARY GLAND	59 71	39 34	25 37
78 1 79	MALIGNANT NEOPLASH OF GUM	126 8 24	74 2 17	52 6 7
80   81	GUM UNSPECIFIED	94	55	39

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Internidentified by an asterisk; see Technical Appendix

MBER							RATE			
WHET	E	ALL OT	HER		TOTAL		мнт	re	ALL O	THER
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
1	1 1	_	2 -	o.o	0.0	0.0	0.0	0.0	<u>-</u>	0.0
~	=	-		- 1		-	-		<i>-</i> !	_
1	1 1	=	, 2	0.0	0.0	0.0 0.0	0.0 0.0	0.0 0.0	1	0.0 -
2	<u> </u>	=	=	0.0	0.0	0.0	0.0	0.0	- -	
-	=	Ξ	] =	<u> </u>	-	=		-	·	<u> </u>
=	=	- -	=		-	- [	-	- -		
_	1	_	-	0.0	_	0.0	_ '	0.0	_	_
1 -	<u>-</u>	- -	- -	0.0 - -	0.0	-	0.0		=	-
= -				= = = = = = = = = = = = = = = = = = = =	-				-	-
_	_	-	- - ,	[ - [	-		<u>-</u>			- 1
ī	<u> </u>	-	_ <u>-</u> ;	0.0	0.0		0.0	-	_ = }	-
=	_	<del></del> -	- :	<u> </u>	-		-	-	-	
_	[	=	<u> </u>	_	-		-	<del>-</del>	-	- - - - -
-	- 2	- 2	- 2	-	-	-	-		-	
2	2 -	1 1	1 2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	0.0 0.0	0.0	0.0 0.0 0.0	0.0
-		-	<u> </u>	-	1	-	-	<u>-</u>	-	=
2		-	1	0.0	-	0.0	-	_	-	0.0
=	1 1	-		a.a a.o	-	0.0		0.0 0.0	- - -	- -
-	=	• _	-	-	<u> </u>	-	=		= =	0.0
1		-	-	0.0	0.0	- [	0.0	- [	-	-
146	173	82	119	0.2	0.2	с.з	0.2	0.2	0.6	0.9
9	2 -	1 -	1 -	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7  2	1 -	1 -	- - 1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	1	=	-	0.0	0-0	0.0	0-0 - 0-0	0-0	=	-
_	_ ]	-			i <u>-</u>	-		-	• • -	-
-	=	- -	-	- - 0.0	0.0	<u> </u>	- a.a	=	<u>-</u>	0.7
-	-		-	=	-	-			=	-
- - 1 39	- 1	- -		-		<u> </u>		-	-	-
39 96	69 102	65 16	98 20	0.0 0.1 0.1	0.0 0.1 0.1	0.2 0.1	0.0 0.0 0.1	0.1 0.1	0.5 0.1	0.7 0.1
,-					"	"				-
4.810	2,018	. 743	251	3-7	5.4	2.1	5.4	2.2	5.8	1.8
157 3	16 1	4	4 1	. 0.1 0.0	0.2 0.0	0.0	0.2 0.0	0.0	0.0	0.0
43	5	_ 1	-	0.0	0.0	0.0	0.0	0.0	0.0	= [
111	10	3	3	0.1	0.1	c.0	0.1	0.0	. 0.0	
1+120 127	506 38 -	185 26 -	62 8 1	0.9 0.1 0.0	1.3 0.1	0.5 0.0 0.0	1.3 0.1	0.5	1.4 0.2	0.4 0.1 0.0 -
1 -	1 -	-	- 1	0.0	0.0	0-0	0.0	0.0	-	-
992	. 467	159	53	0.8	1.1	Q•5	1.1	0.5	1.2	0.4
309 248 35	218 166 17	36 24 4	18 13 3	0.3 0.2	0.3 0.3 0.0	0.2 0.2 0.0	0.3 0.3 0.0	0.2 0.2 0.0	0.3 0.2 0.0	. 0.1 0.1
26 64	35 47	8 10	3 2 5	0.0 0.0 0.1	0.0 0.1	a.a a.a	0.0 0.1	0.0	0.1	0-1 0-0 0-0 0-0 0-0 0-0 0-0
2 16 46	5 6 36	- 1 9	1 1 3	0.0 0.0 0.0	0.0	a.a a.a a.a	0.0 0.0 0.1	0.0	0.0 0.1	0.0

Table 1-23. Deaths and Death Rates for Each Cause,

CAUSE OF DEATH		TOTAL	
	BOTH SEXES	MALE	FEMALE
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—CON•  MALIGNANT NEOPLASMS OF GTHER AND UNSPECIFIED PARTS OF MOUTH————————————————————————————————————	.0 89 .1 261 .8 18 .9 713 46 979 .0 712 .8 34 .9 233 47 599 .48 529 .0 1 .1 174	· 394 694 50 165 14 465 725 519 29 177 412 430 1 146	122 387 39 96 4 248 254 193 5 5 187 95
MALIGNANT NEOPLASMS OF DIGESTIVE DRGANS AND PERITONEUM  MALIGNANT NEOPLASM OF STOMACH—  CARDIA—  PYLORUS—  15 OTHER SPECIFIED PARTS—  PART UNSPECIFIED—  MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM—  15 DUODENUM—	59 96.549 50 6.491 51 15.198 .0 238 .1 33 .8 88 .9 14.839 52 635 .0 222 .1 82 .2 76 .9 255 53 37.745 53 4.462 .1 1.86 .2 97 .1 1.86 .2 97 .1 1.82 .2 93 4.442 .3 8 25,103 .9 1.780 .9 1.780 .1 1.539 .1 8.219 .2 63 .5 2.270 .0 2.106 .1 1.64 .5 4.273 .0 2.494 .1 1.160 .2 343 .9 276 .0 1.72 .3 8.381 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093 .9 16.093	51,070 4,768 9,178 187 22 8,918 330 110 46 41 133 17,285 1,796 526 463 2,094 11,601 1,805 5,424 791 4,604 29 1,465 1,379 8,945 183 1119 10,380 1,196 239 8,945	45.479 1.722 6.022 5.022 5.022 3.02 112 3.02 20.466 666 666 2.344 13.502 975 4.397 7.48 3.611 2.726 1.83 5.72 1.83 5.72 1.83 5.72 1.83 6.72 7.74 1.83 8.72 1.44 1.77 1.44 3.84 2.14
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM————————————————————————————————————	63 79,335 60 605 .0 112 .1 32 .2 335 .8 77 .9 49 61 3,044 .0 40 .8 148 .9 2,856 62 74,933 .0 145 .1 77,788 63 753 .0 272 .1 326 .9 155	62,717  381 62 19 216 55 29 2,656 35 117 2,504 59,187 105 59,082 493 180 215 98  4,957	16.61t  224 50 11: 11: 22: 238 35: 35: 35: 35: 35: 35: 35: 36: 40 15:706 266 92 111 577
LOWER JAW BONE	.2 264 .3 60 .4 80 .5 2 .6 139 .7 241	117 154 36 45 1 70 141	6 11 2 3 6

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Classification of Diseases, Adapted, 1965 (ICDA).

NUMBER		· ·					RATE				=
HHIT	E	ALL OT	HER		TOTAL		MHI.	TE	ALL O	THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMAL E	
337 598 42 133 11 412 619 440 27 152 348 378 - 129 - 249 880	113 355 36 85 4 230 213 162 4 47 162 83 24 1 158	57 96 8 32 33 106 79 2 25 64 52 1 17 - 34	9 32 3 11 	0.2 0.5 0.0 0.1 0.3 0.5 0.3 0.0 0.1 0.3 0.0 0.1 0.0	0.4 0.7 0.0 0.2 0.5 0.7 0.5 0.0 0.2 0.4 0.4 0.0 0.1	0.1 0.4 0.0 0.1 0.0 0.2 0.2 0.0 0.1 0.0 0.1	0.4 0.7 0.0 0.1 0.5 0.7 0.5 0.0 0.2 0.4 0.4 0.4	0.T 0.4 0.0 0.1 0.2 0.2 0.2 0.0 0.1 0.2 0.1 0.2 0.1	0.4 0.7 0.1 0.2 0.0 0.4 0.8 0.6 0.0 0.2 0.5 0.4 0.0	0.2 (0.3 (0.3 (0.3 (0.3 (0.3 (0.3 (0.3 (0.3	01 02 03 04 05 06 07 08 09 11 12 13 14 15 16
44,875	40,748	6,195	4,731	46.0	50+0	42.3	50.2	43.5	48.4	- 1	18
3,577 7,701 173 20 47 7,461 302 98 41 41 41 122 15,899 1,659 484 422 10,634 752 4,963 742 4,192	1,333 5,161 48 9 30 5,074 257 96 34 28 99 18,720 2,291 605 470 2,184 12,257 913 3,994 688 3,276	1,191 1,477 14 2 4 1,457 28 12 5 - 11 1,386 137 42 35 152 967 53 461 49 412	390 859 3 2 7 847 48 16 2 7 23 1,740 175 55 9 164 1,245 62 403 60 339	3.1 7.2 0.1 0.0 0.0 7.1 0.3 0.1 18.0 0.0 0.1 12.0 0.6 2.1 12.0 0.8	4.7 9.0 0.2 0.0 0.0 8.7 0.3 0.1 16.9 1.69 1.8 0.5 0.5 2.0 11.3 0.8 5.3 0.8	1.6 5.6 0.0 0.0 0.0 5.5 0.3 0.1 0.0 0.1 19.0 2.3 0.6 0.5 2.2 12.5 0.9 4.1	4.0 8.6 0.2 0.0 0.1 8.3 0.3 0.1 0.0 0.0 0.1 17.8 1.9 0.5 2.2 11.9 0.5 2.2 11.9 0.8 5.5 0.8	1.4 5.5 0.1 0.0 0.0 5.4 0.3 0.1 0.0 0.1 20.0 0.1 2.4 0.6 0.5 2.3 13.1 1.0 4.3 0.7	9.3 11.5 0.1 0.0 0.0 11.4 0.2 0.1 10.8 1.1 0.3 1.2 7.6 0.4 3.6	6.1 0 2 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0	19 20 21 22 23 24 25 26 27 29 30 31 33 34 35 36 37 38 39 40
1,153 1,085 68 1,433 614 542 165 112 5,259 1,045 208 8,006 328 226 102 260	695 625 70 2,520 1,692 533 145 150 7,393 847 137 6,409 345 188 157 330	312 294 18 112 44 43 18 7 1,121 151 31 939 40 31	110 102 8 208 144 42 15 7 880 129 12 739 39 26 13	1.1 1.0 0.1 2.0 1.2 0.6 0.2 0.1 8.9 1.0 0.2 7.7 0.4 0.2	1.4 1.3 0.1 1.5 0.6 0.6 0.2 0.1 10.2 1.2 0.2 8.7 0.4 0.3	0.7 0.7 0.1 2.5 1.7 0.5 0.1 0.1 7.7 0.9 0.1 6.6 0.4	1-3 1-2 0-1 1-6 0.7 0.6 0.2 0-1 10.4 1.2 0.2 9-0 0.4 0.3 0-1	0.7 0.1 2.7 1.8 0.6 0.2 0.2 7.9 0.9 0.1 6.8 0.4 0.2 0.2	2.4 2.3 0.1 0.9 0.3 0.1 8.8 1.2 0.2 7.3 0.3 0.1	0.7 4 1.5 4 1.0 4 0.3 4 0.1 4 6.3 4 0.9 5 0.1 5 5.3 0.2 5	41 42 44 44 45 46 47 49 55 55 55 55 55 55
55,783	15,007	6,934	1,611	37.8	61.3	15.4	62.4	16.0	54.2		57
325 60 18 172 49 26 2.290 31 96 2.163 52,721 93 52,628 447 165 200 82	198 47 13 101 18 19 338 5 27 306 14,239 38 14,201 232 84 96 52	56 2 1 44 6 3 366 4 21 341 6,466 12 6,454 46 15 15	26 3 - 18 4 1 50 - 4 46 1,507 21,505 28 8	0-3 0-1 0-0 0-2 0-0 1-5 0-1 1-4 35-7 0-1 35-6 0-4	0.4 0.1 0.0 0.2 0.1 0.0 0.0 0.1 2.4 57.9 0.1 57.8 0.5 0.2	0.2 C.0 0.0 0.1 0.0 0.0 0.0 0.0 0.3 14.6 0.0 14.6 0.2 0.1	0.4 0.1 0.0 0.2 0.1 0.0 0.1 2.6 0.0 0.1 2.4 59.0 0.1 58.9 0.5 0.2 0.2	0.2 0.1 0.0 0.1 0.0 0.0 0.0 0.0 15.2 0.2 0.1	0.4 0.0 0.3 0.0 0.0 0.0 0.2 2.9 0.0 0.2 2.7 50.5 0.1 50.4 0.4 0.1 0.1	0-2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	61
4,623	32,285	334	3,099	19.2	4.8	32.9	5.2	34.5	2.6	1	75
962 137 104 142 33 44 1 66 125 1 309	686 90 51 99 24 30 1 65 91 2 233	107 28 13 12 3 1 - 4 16	85 17 9 11 - 5 - 4 9 1 29	0-9 0-1 0-1 0-0 0-0 0-0 0-0 0-1 0-1 0-0	11 0.0	0.7 0.1 0.1 0.0 0.0 0.0 0.0 0.1 0.1	1.1 0.2 0.1 0.0 0.0 0.0 0.1 0.1 0.0	0.7 0.1 0.1 0.0 0.0 0.0 0.1 0.1	0.8 0.2 0.1 0.1 0.0 0.0 0.0 0.0	0.6 7 7 0.1 7 0.1 7 0.0 8 0.0	

Table 1-23. Deaths and Death Rates for Each Cause,

		,		
	CAUSE OF DEATH		TOTAL	
		вати ѕехеѕ	MÁLE	FEMALE
01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST—CON.  MALIGNANT NEOPLASMS OF CONNECTIVE AND OTHER SOFT TISSUE	1.519 40 219 60 242 958 3.430 1 3 21 68 85 1 256 126 204 2.665 1,409 23 11 70	783 23 123 37 128 472 1,965 1 1 2 15 42 52 1 162 78 77 1,535	736 17 96 23 114 486 1.465 
22 23 24 25 26 27 28 29 30	OTHER AND UNSPECIFIED PARTS OF FACE  SCALP AND NECK	544 226 9 224 55, 59 188 32,143 58,468	344 158 9 87 32 30 116 293	200 68 - 137 23 29 72 31.850 28.903
31 33 35 35 37 38 39 40 41 44 44	CHORIONEPITHELIOMA   181	47 5,686 2,231 3,455 10,002 9,885 114 3 951 336 536 79		47 5.686 2.231 3.455 10,002 9.885 114 3 951 336 536
45 46 47 48 49 50 51 52 53 54 55 56	MALIGNANT NEOPLASM OF PROSTATE	18,830 798 236 208 10 18 9,179 6,698 6,270 64 207 157	16,830 798 236 208 10 18 6,410 4,191 3,970 34 116 71	2,769 2,567 2,507 2,300 30 91 86
58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75	MALIGNANT NEOPLASM OF EYE———————————————————————————————————	320 6,297 2,014 15 52 137 1 151 282 1,376 972 466 292 23 755 36 16 21	147 3,509 1,141 9 29 83 - 81 165 774 315 258 159 14 44 11	173 2 • 788 873 56 23 54 1 70 117 602 657 209 133 9 31 21 2
77 78 79 80 81 82 83 84 85 86 87	MALIGNANT NEOPLASMS OF ILL-DEFINED SITES	2,899 1,667 369 863 164 48 9 6 9 8 5 11 68	1,226 597 60 569 108 37 5 2 8 2 2 6	1.673 1.4070 309 294 56 11 4 4 1 6 3

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Internidentified by an asterisk; see Technical Appendix

NUMBER		<del></del>			- 11.5	·	RATE		<u>=</u>	
WHIT	re	ALL 01	HER		TOTAL		MHI	те	ALL O	THER
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMAL É
702		-				2.7		0.7	2.6	0.7.0
702 22 113 33 116 418 1,917	643 11 91 21 102 418 1,425	81 10 4 12 54 48	93 6 5 12 68 40	0-7 0-0 0-1 0-0 0-1 0-5 1.6	0-8 0-0 0-1 0-0 0-1 0-5 1-9	0-7 0-0 C-1 0-0 0-1 0-5 1-4	0.8 0.0 0.1 0.0 0.1 0.5 2.1	0.7 0.0 0.1 0.0 0.1 0.4 1.5	0.6 0.0 0.1 0.0 0.1 0.4 0.4	0.7   0 0.0   0 0.0   0 0.1   0 0.5   0 0.3   0
2 15 40 52 161 78 69	1 6 25 33 - 93 48 123 1,096	- 2 - 1 - 9 9	- 1 - 1 - 1 - 34	0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.0 0.0 0.1 0.0 0.2 0.1 0.1	0.0 0.0 0.0 0.0 0.1 0.1 0.0 0.1	0.0 0.0 0.0 0.1 0.0 0.2 0.1 0.1	0.0 0.0 0.0 0.0 0.1 0.1 0.1	0.0 	- 0 0 1 0.0 1 - 1 0.0 1 0.0 1 0.0 1 0.0 1 0.0 1 0.0 1 0.0 1
787 18	522 5	60	40	0.7 0.0	0.8 0.0	0.5	0.9 0.0	0.6	0.5	Į.
8 45 327 149 6 71 31 24 108	3 23 197 65 - 119 23 24 63	- 17 9 3 16 1 6 8 8 38	- 23 3 - 18 - 5 9 2,1841	0.0 0.0 0.3 0.1 0.0 0.1 0.0 0.0 0.0	0.0 0.0 0.3 0.2 0.0 0.1 0.0 0.0	0.0 0.0 0.1 0.1 0.0 0.0 0.0	0.0 0.1 0.4 0.2 0.0 0.1 0.0 0.0	0.0 0.2 0.1 - 0.1 0.0 0.0 0.0 0.1	0.1 0.1 0.0 0.1 0.0 0.0 0.0	0.3 1 - 2 0.0 2 0.0 2 0.0 2 - 2 0.1 2 0.1 2 0.1 2 0.1 2
26,740	24,315	3,725	3,688	27.9	29.8	26.0	29.9	26.0	29-1	26.4 3
	4,613 34 4,846 1,944 2,902 9,212 9,108 101 3 833 292 483 -58		1,428 13 840 287 553 790 777 13 - 118 44 53	2.9 0.0 2.7 1.1 1.6 4.8 4.7 9.1 0.0 0.5 0.2		5.6 0.0 5.3 2.1 3.2 5.3 9.2 0.1 0.0 0.9 0.3 0.5		4.9 0.0 5.2 2.1 3.1 9.8 9.7 0.1 0.0 0.9 0.3		10-2 3 0-1 3 6-0 2-1 3 4-0 3 5-6 3 5-6 0-1 3 0-1 4 0-3 4 0-4 4 0-2 4
15,970 766 175 156 8 11 5,956 3,873 2,675 31 113	2,457 2,320 2,134 29 85 72	2,860 32 61 52 2 7 454 318 295 3 3	312 187 166 1	9.0 0.4 0.1 0.0 0.0 0.0 4.4 3.2 3.0 0.0	18.4 0.8 0.2 0.2 0.0 0.0 6.3 4.1 3.9 0.0 0.1	2-6 2-3 2-1 0-0 0-1	17.9 0.9 0.2 0.2 0.0 0.0 6.7 4.3 4.1 0.0 0.1	2.6 2.5 2.3 0.0 0.1	22.3 0.2 0.5 0.4 0.0 0.1 3.5 2.5 2.3 0.0 0.1	2-2 1-3 1-2 0-0 0-1 5
15,561	14,961	2,117	1,856	16.4	17.3	15.6	17.4	16.0	16.5	13.3 5
134 2,289 1,040 7 24 67 	164 2,603 800 5 19 50 1 43 101 561 593 192 126 8 28 18 2	13 222 101 2 5 16 - 9 18 51 36 26 12 4 6 2	9 185 73 1 4 4 7 16 41 64 16 7 1 3 3	0.2 3.0 1.0 0.0 0.1 0.1 0.1 0.7 0.5 0.2 0.1 0.0 0.0	0.1 3.4 1.1 0.0 0.0 0.1 0.1 0.2 0.8 0.3 0.3 0.3 0.2 0.0 0.0	0.2 2.6 0.8 0.0 0.1 0.0 0.1 0.6 0.6 0.2 0.1 0.0 0.0 0.0	0.1 3.7 1.2 0.0 0.1 0.2 0.8 0.3 0.3 0.2 0.0 0.0 0.0	0.2 2.8 0.9 0.0 0.1 0.1 0.1 0.6 0.6 0.6 0.0 0.0	0.1 1.7 0.8 0.0 0.1 0.1 0.1 0.4 0.3 0.2 0.1 0.0 0.0 0.0	0-1 5 1-3 6 0-5 6 0-0 6 0-0 6 0-1 6 0-1 6 0-5 6 0-1 6 0-1 7 0-0 7 0-0 7 0-0 7 0-0 7
1,086 57 57 510 93 33 5 2 5 1 2 6	1,458 926 268 264 49 11 4 1 4 1 9 19 19	140 78 3 59 15 4 - - 1 1 - 7	215 144 41 30 7 - - - 2 2 3	1-4 0-8 0-2 0-4 0-1 0-0 0-0 0-0 0-0 0-0	1.2 0.6 0.1 0.6 0.1 0.0 0.0 0.0 0.0 0.0 0.0	1.6 1.0 0.3 0.3 0.1 0.0 0.0 0.0 0.0 0.0 0.0	1-2 0-6 0-1 0-6 0-1 0-0 0-0 0-0 0-0 0-0 0-0	1.6 1.0 0.3 0.3 0.1 0.0 0.0 0.0 0.0 0.0 0.0	1.1 0.6 0.0 0.5 0.1 0.0 	1.5 7 1.0 7 0.3 7 0.2 8 0.1 8 - 8 - 8 0.9 0 0.0 8 0.0 8

Table 1-23. Deaths and Death Rates for Each Cause,

	······································			canco (xob) ax
	CAUSE OF DEATH		TOTAL	
		 	1	
		BOTH SEXES	MÁLE	FEMALE
	THE TOUGHT APPROVABLE OF CHIEF AND INCOMPRESSION COMP			
01	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITESCON. SECONDARY NALIGNANT NEOPLASMS OF RESDURATORY AND DIGESTIVE SYSTEMS	6,376	3,390	2.986
02	LUNG SPECIFIED AS SECONDARY	878 28	471 18	407 12
04 05	SECONDARY MALIGNANT NEOPLASMS OF RESPIRATORY AND DIGESTIVE SYSTEMS	187 31	75 19	112 12
07	SMALL INTESTINE, INCLUDING DUODENUM, SPECIFIED AS SECONDARY	9 50	6 19	3 31
08 09 10	UHER PESPIRATORY UNGANS SPECIFIED AS SECONDARY - 197.3  SMALL INTESTINE, INCLUDING DUOGENUM, SPECIFIED AS SECONDARY - 197.5  LARGE INTESTINE, AND RECTUM SPECIFIED AS SECONDARY - 197.5  PERITOREUM SPECIFIED AS SECONDARY - 197.7  LIVER, UNSPECIFIED - 197.8	2.153	40 1,154	77 999
11	OTHER DIGESTIVE OFGANS SPECIFIED AS SECONDARY	2+859 62	1,548	1,311 22
12 ( 13	198	2.010 14	1,057	953 6
14 15	OTHER URINARY ORGANS SPECIFIED AS SECONDARY	10 26	4 20	6
TI }	BRAIN SPECIFIED AS SECONDARY————————————————————————————————————	713 46	419 25	294 21
18 19 20	OTHER SITES SPECIFIED AS SECONDARY————————————————————————————————————	434 767	267 314	167 453
21 22	OTHER SITES SPECIFIED AS SECONDARY	12,977 11,243	6,527 5,567	6,450 5,676
		1.734	960	774
23	NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	34,045	18,880	15,165
24 I 25	YMPHDSARCOMA AND RETICULUM CELL SARCOMA200 RETICULUM CELL SARCOMA200 RETICULUM CELL SARCOMA200	6+846 2-650	3,629 1,365	3,217 1,285
26 27	RETICULU CELL SARCOMA	4. 196 2. 920	2,264 1,732	1,932
28 E 29 30	### ### ##############################	3, 375 39	1,845	1.530 19
31	MYCOSIS FUNGOIDES	95 3, 240	1.759	1.481
33   1 34   L	1 OTHER PRIMARY MALIGNANT NEOPLASMS OF LYMPHOID TISSUE	4, 968 4, 653	2.579 2.817	2.389 1.836
35 36	YMPHATIC LEUKENTA     204       ACUTE     204.0       CHRONIC     204.0       JUNSPECIFIED     204.0       IYELDID LEUKENTA     205	1.620 2.328	992 1,410	628 918
37 38 N	UNSPECIFIED	705 6,321	415 3,469	290 2 <sub>1</sub> 852
40	COUNTY	4.052 1.706	2•216 961	1 • 836 745
41		563	292	271
43 44	OND CYTIC LEUKENTA	488 343 21	277 187 12	211 156
45	CHRONIC	124 3,016	78 1,699	44 1,317
47 48	LEUKEMIA, ACUTE	1,558 156	873 81	685 75
49 50	ERYTHREMIA, ACUTE       -207.2         LEUKEMTA, UNSPECIFIED       -208         0t YCYTHEMIA YERA       -208         YELOFI BROSIS       -209	164 1, 138	107 638	57 500
51 P 52 M	0EYCYTHEMIA VERA	502 956	282 551	220 405
53	BENIGN NEOPLASMS	[]		
- 1	SENIGN NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	1,723	727	996 8
55 56	210.0		3	<u>.</u>
57 58	SAL IVARY GLAND	7	3	4
59 60	TLUM UF MUDITS————————————————————————————————————	-1	1	3 -
61 62 63	NASOPHARYNX	-11	-	-
aa l		1	[]	1
66 67	ENIGN NEOPLASMS OF OTHER PARTS OF DIGESTIVE SYSTEM	215 4 18	102 2 7	113 2 11
68 69	SMALL INTESTINE	22 120	10	12 56
70 71	ARBE INTESTINE, EXCEPT RECTUM	24	5	15 3
72 73 74	PRITONEUM AND RETROPERITONEAL TISSUE	14	2	12
	ENIGN NEODI ASMS, DE BESDI BATIDA SAZIEM	87	60	27
76 77	NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY STNUSES212.0 LARYNX	1	1 2	3
78 79	TRACHEA	62	1 45	ž 17
80 81	RAL HEA	5	4	1
82 83 B 84	UNSPECIFIED SITE————————————————————————————————————	11	7 3	4 3
85 86		2	1	1 -
87	OTHER AND UNSPECIFIED	2 2	1	1 1

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Interdentified by an asterisk; see Technical Appendix

 NUMBER	sterisk; see Tech	•	-				RATE			
WHIT	TE	ALL O	THER		TOTAL		WHIT	re	ALL D	THER
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
2,918 417 16 67 17 5 17 36 1,010	2,663 361 10 100 11 3 29 75 893 1,160	472 54 2 8 2 1 2 4 144 249 6	323 46 - 12 1 - 2 4 106 151	3.0 0.4 0.0 0.1 0.0 0.0 0.1 1.0 1.4	3.3 0.5 0.0 0.1 0.0 0.0 0.0 1.1 1.5	2.8 0.4 0.0 0.1 0.0 0.0 0.0 0.1 0.9 1.2	3.3 0.5 0.0 0.1 0.0 0.0 0.0 1.1 1.5	2.8 0.4 0.0 0.1 9.9 0.0 0.0 0.1 1.0	3.7 0.4 0.0 0.1 0.0 0.0 0.0 0.0 1.1 1.9	2.3 0.3 - 0.1 0.0 - 0.0 0.0 0.8 1.1
929 7 3 20 378 21 234 266 5,561 4,774	869 5 6 5 273 20 148 412 5,570 4,954 616	128 1 1 - 41 4 33 48 966 793 173	84 1 - 1 21 1 19 41 880 722	1.0 0.0 0.0 0.0 0.3 0.0 0.2 0.4 6.2 5.4 0.8	1.0 0.0 0.0 0.0 0.0 0.3 0.3 6.4 0.4	0.9 0.0 0.0 0.3 0.3 0.2 0.4 6.0 5.3	1.0 0.0 0.0 0.0 0.4 0.3 0.3 6.2 5.3	0.9 0.0 0.0 0.0 0.3 0.2 0.4 5.9 5.3	1.0 0.0 0.0 - 0.3 0.0 0.3 0.4 7.5 6.2	0.6 0.0 0.0 0.2 0.0 0.1 0.3 6.3 5.2
17,152 3,386 1,270 2,116 1,594 1,682 20 52 1,609 1 2,177 2,594 902 1,303 3899 2,171 2,040 867 264	13,901 3,050 1,211 1,839 1,124 1,433 18 26 1,389 2,004 1,675 573 636 266 2,609 1,993 664 252	1,728  243 95 148 138 163 - 13 150 - 402 223 90 107 26 298 176 94 28	1,264 167 74 93 64 97 1 4 92 385 161 55 82 243 243 143	16.2 3.3 1.3 2.0 1.4 1.6 0.0 0.0 1.5 0.0 2.4 2.2 0.8 1.1 0.3 3.0 1.9 0.8	18.5 3.5 1.3 2.2 1.7 1.8 0.0 0.1 1.7 0.0 2.5 2.8 1.0 0.4 2.2 0.9	14.1 3.0 1.2 1.8 1.1 1.4 0.0 1.4 -2.2 1.7 0.9 0.9 0.3	19.2 3.8 1.4 2.4 1.8 1.9 0.0 0.1 1.8 0.0 2.4 2.9 1.5 0.4 3.5 2.3 1.0 0.3	14.8 3.3 1.3 2.0 1.2 1.5 0.0 0.0 1.5 - 2.1 1.8 0.6 0.9 0.3 2.8 1.8 0.7	13.5 1.9 0.7 1.2 1.1 1.3 0.1 1.7 0.7 0.8 0.2 2.3 1.4 0.7	9.0 1.2 0.5 9.7 9.5 0.7 0.0 0.0 0.7 - 2.8 1.2 0.4 0.6 0.2 1.7 1.0
245 166 11 68 1,529 804 77 96 552 265 509	199 145 8 46 1,214 624 72 54 464 211 382	32 21 10 170 69 4 11 86 17 42	12 11 103 61 3 3 36 9	0.2 0.2 0.0 0.1 1.4 0.7 0.1 0.1 0.5 0.2	0.3 0.2 0.0 0.1 1.7 0.9 0.1 0.1 0.6 0.3	0.2 0.1 0.0 0.0 1.2 0.6 0.1 0.1 0.5 0.2	0.3 0.2 0.0 0.1 1.7 0.9 0.1 0.6 0.6	0.2 0.2 0.0 0.0 1.3 0.7 0.1 0.1 0.5 0.2	0.2 0.2 0.0 0.1 1.3 0.5 0.0 0.1 0.7 0.1	0.1 0.1 0.0 0.7 0.7 0.4 0.0 0.0 0.0 0.3 0.1
625 4 3 - 1 88 2 4 9 5 5 8 5 2 1 2 5 6 1 1 1 4 2 4 7 3 1	99 2 11 10 48 13 10 11 11 23 -3 11 14 -4 3 14	102	1666 2	0.8  0.0	0.7 0.0	0.9 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.7 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.9 0.0	0.8 	1.2 0.0

Table 1-23. Deaths and Death Rates for Each Cause,

BENIGN NEOPLASHS—CON.  1 LIPONA————————————————————————————————————	FEMALE 2.	3 13	MALE 55 20 3 3	9  9 48 6   5 1 91 2  1 63 4 53	BENIGN NEOPLASMS—CON.  LIPOMA————————————————————————————————————
BENIGN NEOPLASMS—CON.	2	3 13	MALE 55 20 3 3	9  9 48 6   5 1 91 2  1 63 4 53	BENIGN NEOPLASMS—CON.  LIPOMA————————————————————————————————————
BENTIGN NEOPLASMS—CON.	2	3 13	MALE 55 20 3 3	9  9 48 6   5 1 91 2  1 63 4 53	BENIGN NEOPLASMS—CON.  LIPOMA————————————————————————————————————
BENIGN NEOPLASMS—CON.  1 LIPUNA————————————————————————————————————	2	3 13	5 20 3 3	9  9 48 6   5 1 91 2  1 63 4 53	LIPOMA— — — — — — — — — — — — — — — — — — —
SET   SET	6.55	3 13	3 3 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1 91 2 - 1 63 4 53 -	LIPOMA— — — — — — — — — — — — — — — — — — —
Description   Control	6.55	3 13	3 3 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1 91 2 - 1 63 4 53 -	LIPOMA— — — — — — — — — — — — — — — — — — —
SKIN AND SUBCUTANEOUS TISSUE	6.55	3 13	3 3 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1 91 2 - 1 63 4 53 -	SKIN AND SUBCUTANEOUS TISSUE   #214.0   #214.1   #214.1   #214.1   #214.1   #214.1   #214.1   #214.1   #214.1   #214.1   #214.1   #214.1   #214.1   #214.1   #214.1   #214.1   #214.1   #214.9
2   SENIGN NEOPLASM OF BREAST	6.55	3 13	3 3 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1 91 2 - 1 1 63 4 53 -	BENIGN NEOPLASM OF BREAST
RENIGN NEOPLASM OF BREAST	6.55	3 13	3 3 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1 91 2 - 1 1 63 4 53 -	BENIGN NEOPLASM OF BREAST
RENIGN NEOPLASM OF BREAST	6.55			1 91 2 - 1 1 63 4 53 -	BENIGN NEOPLASM OF BREAST
RENIGN NEOPLASM OF BREAST	6.55			1 91 2 - 1 1 63 4 53 -	BENIGN NEOPLASM OF BREAST
RENIGN NEOPLASM OF BREAST	6.55			1 91 2 - 1 1 63 4 53 -	BENIGN NEOPLASM OF BREAST
RENIGN NEOPLASM OF BREAST	5			1 91 2 - 1 1 63 4 53 -	BENIGN NEOPLASM OF BREAST
Triangle   Triangle	5			53 - 6	CYSTADENOMA AND BENIGN OVARIAN CYST
Triangle   Triangle	5		•••	53 - 6	CYSTADENOMA AND BENIGN OVARIAN CYST
Triangle   Triangle	53			53 - 6	CYSTADENOMA AND BENIGN OVARIAN CYST
Triangle   Triangle	55		•••	53 - 6	CYSTADENOMA AND BENIGN OVARIAN CYST
SENIGN NEOPLASMS OF OTHER FEMALE GENITAL ORGANS			:::	[ ]	FIBRONA
BENIGN NEOPLASMS OF OTHER FEMALE GENITAL ORGANS	1 1 1 1 1 1 1		:::	3	· I
BENIGN NECPLASMS OF KIDNEY AND OTHER URINARY ORGANS	1 1 1 1 1 1 1	•			BENIGN NEOPLASMS OF OTHER FEMALE GENITAL ORGANS
BENIGN NECPLASMS OF KIDNEY AND OTHER URINARY ORGANS	1 1 1 1 1 1 1				FALLOPIAN TUBE AND BROAD LIGAMENT221.0
Senign Necretains of Kidney and Other Urinary Organs   11   6   123.0   5   4   136   14   15   15   15   15   15   15   15		-	11	1	VULVA
Senign Necretains of Kidney and Other Urinary Organs   11   6   123.0   5   4   136   14   15   15   15   15   15   15   15		=	:::	2	UNSPECIFIED SITE221.9 BENIGN NEOPLASMS OF MALE GENITAL ORGANS
Senign Necretains of Kidney and Other Urinary Organs   11   6   123.0   5   4   136   14   15   15   15   15   15   15   15		<u> </u>	-	] = []	TESTIS222.0
Senign Necretains of Kidney and Other Urinary Organs   11   6   123.0   5   4   136   14   15   15   15   15   15   15   15	••	- 1	-	] -[]	OTHER SPECIFIED SITES
38 BLAUDER — — — — — — — — — — — — — — — — — — —			[ ]	] "[[	222.7
38 BLAUDER — — — — — — — — — — — — — — — — — — —	i	4	4	15	KIDNEY, EXCEPT PELVIS————————————————————————————————————
39 OTHER SPECIFIED SITES	]	Ξ1	ł <u>E</u> 1	]	URETER
41 BENIGN NEOPLASM OF EYE224 -	-	-	<sup>2</sup>		0   OTHER SPECIFIED SITES
		-	i =	-	ONSPECIFIED SITE————————————————————————————————————
42 BENIGN NEOPLASMS OF BRAIN AND OTHER PARTS OF NEPVOUS SYSTEM	456			761	
44 CRANIAL NERVES (INCLUDING OPTIC)	87 51	9	29	150 80	CRANIAL NERVES (INCLUDING OPTIC)
45 CEREBRAL MENINGES	178	3	113	291	SPINAL CORD225.2 SPINAL CORD225.3
47 SPINAL MENINGES	:	- 1		6   19	SPINAL MENINGES225.4 PERIPHERAL NERVES225.5
49 SYMPATHETIC NERVOUS SYSTEM————————————————————————————————————	119	1	1	202	SYMPATHETIC NERVOUS SYSTEH225.6 UNSPECIFIED SITE225.9
51 BENIGN NEOPLASMS OF ENDOCRINE GLANDS	112	1		1 11	BENIGN NEOPLASMS OF ENDOCRINE GLANDS
	1	.0	10	24	SUPRARENAL GLAND
SUPRARENAL GLAND	7	6	76	155	PITUIYARY GLAND AND CRANIOPHARYNGEAL DUCT (POUCH) 226.2 PINEAL GLAND 226.2
56   CAROTID BODY*226.4 57   OTHER SPECIFIED ENDUCRINE GLANOS	-	-	-	-	CAROTID BODY
58 UNSPECIFIED SITE————————————————————————————————————	34	1	1	1 1	THE MANGIGMA AND I VMPHANGICMA
	4	7	7	11	
62 LYMPHANGIONA	16 14	6	16	30	LYMPHANGIONA OF OTHER AND INSOCITETED ORGANS AND TISSUES
	43		67	1	
45 NEON ASHE OF INCRESTELLA MATURE OF PROFESTIVE COMME	1,567	- 1		3, 290	
66 ESOPHAGUS————————————————————————————————————		3	1,723	III	ESOPHAGUS————————————————————————————————————
67 STOMACH————————————————————————————————————	155	9	149 3		JIUMAUM
70   RECTUM	4 28 2	9 3 1 4	149 3 21 4	7 49 6	SWALL INTESTINE SECTION DECTINATION OF THE SECTION OF T
71 LIVER AND BILIARY PASSAGES	6 25 2 52 6	9 3 1 4 5	149 3 21 4 35 7	7 49 6 87 13	LARGE INTESTINE, EXCLUDING RECTUM
73 PERITONEUM	24 25 52 6 24 22	3 9 3 1 4 5 7 4 8	149 3 21 4 35 7 34 18	7 49 6 87 13 58 40	LARGE INTESTINE, EXCLUDING RECTUM
75 NEOPLASMS OF UNSPECIFIED NATURE OF RESPIRATORY ORGANS	28 28 52 6 24	3 9 3 1 4 5 7 4 8	149 3 21 4 35 7 34 18	7 49 6 87 13 58 40 29	LARGE INTESTINE, EXCLUDING RECTUM
77   IAPVAIV	24 25 52 6 24 22	3 9 3 1 4 5 7 4 8 8 8 9 2	149 3 21 4 35 7 34 18 18 9	7 49 6 87 13 58 40 29 15	LARGE INTESTINE, EXCLUDING RECTUM
70   BDDMCNUS AND LUNC	28 28 52 6 24 22 11 6	3 9 3 1 4 5 7 4 8 8 8 9 2	149 3 21 4 35 7 34 18 18 9	7 49 6 87 13 58 40 29 15	LAPGE INTESTINE, EXCLUDING RECTUM
	28 28 52 6 24 22 11 6	3 93145574889 24112	149 3 21 4 35 7 34 18 18 9 272 4	7 49 6 87 13 58 40 29 15 384 5	LARGE INTESTINE, EXCLUDING RECTUM
80 PLEURA — — — — — — — — — — — — — — — — — — —	27 28 52 6 24 22 11 6 112 1	3 93145774889 241203	149 3 21 4 35 7 34 18 18 9 272 4 1 2 210	7 49 6 87 13 58 40 29 15 384 5 1 6 295	LARGE INTESTINE, EXCLUDING RECTUM
80 PLEURA————————————————————————————————————	24 22 52 6 24 22 11 6 112 1 4 85 17	3 931145774889 241220320	149 3 21 4 35 7 34 18 18 2 2 272 4 1 2 210 3 42 10	7 49 6 87 13 58 40 29 15 384 5 1 6 295 3 3 5 3 15	LARGE INTESTINE, EXCLUDING RECTUM   -230.3   RECTUM   -230.4   LIVER AND BILLIARY PASSAGES   -230.5   PANCHEAS   -230.6   PANCHEAS   -230.6   PANCHEAS   -230.6   PANCHEAS   -230.6   PANCHEAS   -230.6   PANCHEAS   -230.7   UNSPECIFIED SITE   -230.7   UNSPECIFIED SITE   -230.9   NEOPLASMS OF UNSPECIFIED NATURE OF RESPIRATORY ORGANS   -231.0   LARYNX   -231.0   LARYNX   -231.1   PANCHEAS   -231.2   PANCHEAS   -231.3   PANCHEAS   -231.3   PANCHEAS   -231.4   PANCHEAS   -231.5   PANCH
80 PLEURA	28 28 52 64 22 11 6 112 1 4 85	3 9314574889 241120320 0	149 3 21 4 35 7 34 18 18 9 272 4 1 210 3 42 20	7 49 6 87 13 58 40 29 15 384 5 1 6 295 9 15	LARGE INTESTINE, EXCLUDING RECTUM   -230.3   RECTUM   -230.4   LIVER AND BILLIARY PASSAGES   -230.5   PANCREAS   -230.5   PANCREAS   -230.6   PERITONEUM   -230.7   UNSPECIFIED SITE   -230.7   UNSPECIFIED SITE   -230.9   NEDPLASMS OF UNSPECIFIED NATURE OF RESPIRATORY ORGANS   -231.0   LARYNX   -231.1   TRACHEA   -231.2   REDNAME OF MANUAL STATES   -231.3   PLEURA   -231.3   PLEURA   -231.4   MEDIASTINUM   -231.5   UNSPECIFIED SITE   -231.5   UNSPECIFIED SITE   -231.5   NEOPLASMS OF UNSPECIFIED NATURE OF SKIN AND MUSCULOSKELETAL SYSTEM   -232
## PIEURA	4 25 25 25 25 26 24 22 21 11 6 6 112 1 - 4 4 85 5 - 17 7 20 20	3 931455748889 244120320 0008	149 3 21 4 35 7 34 18 18 9 272 4 1 2210 3 42 10 20 10 8	7 49 6 87 13 58 40 29 15 384 5 1 6 295 3 59 15 40 20 16	LARGE INTESTINE, EXCLUDING RECTUM   -230.3     RECTUM   -230.4     LIVER AND BILIARY PASSAGES   -230.5     PARCREAS   -230.6     PERTIONEUM   -230.7     UNSPECIFIED SITE   -230.7     NOSE, NASAL CAVITIES, MIDDLE FAR, AND ACCESSORY SINUSES   -231.0     LARYNX   -231.1     TRACHEA   -231.2     BRONCHUS AND LUNG   -231.3     PLEURA   -231.4     MEDIASTINUM   -231.5     UNSPECIFIED SITE   -231.5     UNSPECIFIED SITE   -231.5     NEOPLASHS OF UNSPECIFIED NATURE OF SKIN AND MUSCULOSKELETAL SYSTEM   -232.0     MUSCULAR AND CONNECTIVE TISSUE   -232.1

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Interidentified by an asterisk; see Technical Appendix

NUMBER						-	RATE			· · · · · · · · · · · · · · · · · · ·	T
MH(I.	TE	ALL O	THER		TOTAL		инт:	TE	ALL O	THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMAL E	
5 - - 5 19 2 - - - -	3 - 3 22 3 - - 2 1	1	1 - - 6 - - - - - - - -	0.0  0.0 0.0 0.0   0.0 0.0 0.0	0.0 - - 0.0 0.0 - - - - -	0.0 - 0.0 0.0 0.0 0.0 - - - 0.0 0.0 0.0	0.0 - 0.0 0.0 0.0 - - 0.0	0.0 - 0.0 0.0 0.0 0.0 - - - 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0 - - - - - - 0.3	01 02 03 04 05 06 07 08 09 10 11
	1 1 58 4 50 - 4	•••	5 3 2	0.0 0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.1 0.0 0.0	•••	0.0 0.0 0.1 0.0 0.1		0.0	12 13 14 15 16 17 18 19 20 21 22
	1 - 2	···· ···· ··· -	::	0.0		a.a (		0.0		- - - - - - - - - -	23 24 25 26 27 28 29 30 31 32 33
250	4  1 3   397	- - - - - - - - - - - - - - - - - - -	1 1 59	0.0 0.0 0.0 0.0 	0.0 0.0 	0.0 0.0 0.0 0.0	0.0 0.0 - 0.0 - - - -	0.0 	0.4	0.0 0.0 - - - - - - -	34 35 36 37 38 39 40 41
250 52 26 94 3 1 10 	76 48 155 5 5 7 2	11 3 19 1 - 1 1 1	11 3 23 1 - 1 - 20	0.1 0.0 0.1 2.0 0.0 0.0 0.0 0.0	0-1 0-0 0-1 0-0 0-0 0-0 0-0	0-1 0-0 0-2 0-0 0-0 0-0 0-0	0-1 0-0 0-1 0-0 0-0 0-0 0-0	0.1 0.1 0.2 0.0 0.0 0.0 0.0	0.1 0.0 0.1 0.0 	0.1 0.0 0.2 0.0 - 0.0 -	43 44 45 46 47 48 49 50
92 10 7 60 12 - 2 1 36 6 16 14 64	95 13 66 8 - 27 2 14 11 40	23 - 5 16 2 - - 3 1 1 - 2 1	17 1 13 1 - 7 2 2 3 3	0.1 0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.0 0.1 0.0 - 0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0	0.2 0.0 0.1 0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.0 0.1 0.0 - 0.0 0.1 0.0 0.0 0.0	55 56 57 58 59 60 61
125 2 15 4 31 5 29 16	132 4 22 2 46 6 23 16	24 1 6 - 4 2 5 2 1 3	23 - 6 - 1 6 2 2	0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0-1 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0-1 0-0 0-0 0-0 0-0 0-0 0-0 0-0	0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0-2 0-0 0-0 0-0 0-0 0-0 0-0	0.0 - 0.0 - 0.0 0.0 0.0 0.0	65 66 67 68 69 70 71 72 73
238 3 1 1 185 3 36	98 1 - 4 73 - 16 4	34 1 - 1 25 - 6 1	14   12  1	0.2 0.0 0.0 0.1 0.1 0.0 0.1	0.3 0.0 0.0 0.0 0.2 0.0 0.0	0.1 0.0 0.0 0.1 - 0.0 0.0	0.3 0.0 0.0 0.0 0.2 0.0 0.0	0.1 0.0 0.0 0.1 - 0.0 0.0	0.3 0.0 - 0.0 0.2 - 0.0 0.0	0.1 - - 0.1 0.0 0.0	
17 9 6 2	18 9 7 2 1	3 1 2 -	2 1 1 -	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 0.0 -	0.0 0.0 0.0	83 84 85 86 87

## SECTION 1 - GENERAL MORTALITY ·

Table 1-23. Deaths and Death Rates for Each Cause,

			<del></del>	
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
12 13 14 15 16 17 18 19	NEOPLASMS OF UNSPECIFIED NATURE—CON.  NEOPLASM OF UNSPECIFIED NATURE OF UTERUS————————————————————————————————————	11 3 6 17 1 1 - 1 103 2 1 47 - 445 4 2,161 3 2,102 3 - 46 - - 7 267 24 23 220	55 20 - 20 - 29 3 1,124 1,095 - 23 - 3 102 14 8 80	11.337 1.007 1.007 1.007 1.007 1.007 1.007 1.007 1.007 1.007 1.007 1.007 1.007
35 367 389 4123 445 447 447 449 55152	DISEASES OF THYROID GLAND————————————————————————————————————	782 35 	159 7 	623 28 28 6 6 237 23 12 202 7 329 4 2 2 12
55 56 57 58 59 60 62 63 64 65 66	DISEASES OF OTHER ENDOCRINE GLANDS — — 250-258  DIABETES MELLITUS — — 250 WITH HENTION OF ACIDOSIS OR COMA — #250-0 WITHOUT MENTION OF ACIDOSIS OR COMA — #250-0 DISORDERS OF PANCREATIC INTERNAL SECRETION OTHER THAN DIABETES MELLITUS — 251 DISEASES OF PANCHAPHYROID GLAND — 252 HYPER PARATHYROID IS M — 252-1 OTHER AND UNSPECIFIED — 253-1 CHPOMOPHOBE ADENDMA, PITUITARY GLAND — 253-1 CHPOMOPHOBE ADENDMA, PITUITARY — 253-1 CHPOMOPHOBE ADENDMA, PITUITARY — 253-2 DISEASES OF THYNUS GLAND — 255-2 DISEASES OF THYNUS GLAND — 255-2 DISEASES OF THYNUS GLAND — 255-2 DISEASES OF THYNUS GLAND — 255-2 DISEASES OF HYPORE ADENDMA, PITUITARY — 253-2 DISEASES OF HYPORE ADENDMA, PITUITARY — 253-2 DISEASES OF THYNUS GLAND — 255-2 DISEASES OF THYNUS GLAND — 255-2 DISEASES OF ADRENAL GLANDS — 255-2 DISEASES OF ADRENAL GLANDS — 255-2 DISEASES OF ADRENAL GRANDS — 255-2 DISEASES OF THYNUS GLAND — 255-2 DISEASE OF THYNUS GLAND — 255-2 DISEASES OF ADRENAL GRANDS — 255-2 DISEA	39, 502  38, 208  4, 042  34, 166  232  75  67  7  1  230  21  55  77  77  28  400  12  137  52  199  7  5  -	16,273 15,669 1,601 14,068 136 19 17 1 1 1 1 125 10 25 45 45 15 157 3 44 21 89	23,229 22,539 2,441 20,098 96 56 56 6 105 11 30 32 32 32 13 243 9 93 31 110 7 5 - 2

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Internidentified by an asterisk; see Technical Appendix]

NUMBER							RATE				
. W	IITE	ALL OT	THER		TOTAL		WHI	TE	ALL O	rher .	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
	. [	•••	3 2 -	0.0	•••	0.0	:::	0.0	•••	0.0 0.0	01 02 03
•••	7		1 5	0.0	:	0.0	:::	0.0	•••	0.0 0.0	03 04 05 06 07 08 09 10
•••	.   -	•••	=	0.0	•••	0.0 - -	•••	0.0 - -	•••		07
•	:   =		· -	·-	•••			-	•••	Ξ	09 10
		5	 6	. 0.0	0.1	0.0	0.1	0.0	0.0	0.0	1
		_	:::	0.0	6∙ō	•••	0.0	•••		•••	12 13 14 15 16 17 18
18	3   23	2	4 -	0.0	0.0 0.0 -	0.0	0.0	0.0	0.0	0.0	16
26	3 15	3	1 1 -	0-0 0-0 0-0	0.0 0.0	-0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0-0	0.0 0.0 -	19 20
1.016	-   1	108	115	1.0	1.1	1.0	1.1	1.0 0.0 1.0	0.8 0.0 0.8	0.8	21 22 23 24 25 26 27 28 29 30 31 32 33
992	901	103	106	0.0	1.1 0.0	0.9 0.0 	0.0	0.0	-	-	24 25
19	-   -	-	. 7.	0.0	0.0	0.0	0.0	0.0	0.0	0.1	26 27 28
	. }		_ 1	0.0	0.0	0.0	0.0	. 0.0	- 0.1	0.0	29 30
83	137	19	28 1 2	0.1	0-1 0-0 0-0	0.2 0.0 0.0	0.1 0.0 0.0	0.1 0.0 0.0	0.1 .0.0 0.0	0.2 0.0	31 32 33
66	13	3 14	25	0.0	0.1	0.1	0.1	0.1	0.1	0.2	34
138	535	21	88	0.4	0.2	0.6	0-2	0.6	0.2	0.6	35
9	.   -	1 -	7	0.0	0-0	. 0-0	0.0	0.0	0.0	0.1	36 37
		1 1	7 2	0.0	0.0	0.0	0.0	0.0	0.0 0.0	0.1 0.0	39 40
1	: \	· -		-	<u> </u>					_ =	42
4-	I	. 1	2 45	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.3	43
4	? l 10	=	45 4 2 39	0.0	0.0	0.0 0.0	0.1 0.0 0.0 0.0	0.0 0.0 0.2	- - 0-1	0.0 0.0 0.3	45 46 47
70	163 7 5 299	12 - 7	30	0.1 0.0 0.2	. 0.1 . 0.0 0.1	0.2 · 0.0 0.3	0.0 0.1	0.0 0.3	0.1	0.2	46 47 48 49 50 51
1		=	]	0.0	0.0	0-0	0.0	0.0		=	50 51 52
	2 2 3 8	=	4	0.0	0.0	0.0	0.0 0.0	0.0	-	a.o	53
13,83	19,160	2,435	4,069	18.8	15.9	21.6	15.5	20.5	19.0	29.1	1
13,343	3 <b>j 1,8</b> 06	2,326 413	3,950 635	18.2 1.9	15.3 1.6 13.8	20.9 2.3 18.7	14.9 1.3 13.6	19.9 1.9 17.9	18.2 3.2 14.9	28.2 4.5 23.7	57
12,15: 9: 1:	2 68	1,913 44 4	3,315 28 11	16.3 0.1 0.0	0.1	0.1 0.1	0.1	0.1	0.3	0.2 0.1	59 60
14	39	3 -	11	0.0 0.0	0.0	0.0	0.0	0.0 0.D	0.0	0.1	61 62 63
100		1 25	29	0.0	0.0	0.1	0.1	0.1	0.2	0.2	64
2:	11 21	2 3	- 9	0.0	0.0	0.0	0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.1	0.1 0.1	65 66 67
3: 3:	3.   22	8 12 4	10 10 6	0.0 0.0 0.0	0-0 0-0 0-0	0.0 0.0 0.0	0.0 0.0 0.0	0.0	0.0	0.1 0.0	68
14	215	15	28	0.2	0.2	0.2 0.0	0.2 0.0	0.2 0.0	0.1 -	0.2	71
20	1 87 3 25	3	6	0.1	0.0	0-1 0-0	0.0	0.1 0.0	0.0 0.0 0.1	0.0 0.0 0.1	73
70	5   7	11	16 - -	0.1 0.0 0.0	0.1	0.1 0.0 0.0	0.1	0.1 0.0 0.0	•••	·	75
•••	<u>-</u> 2	•••		0.0		0.0	•••	0.0	** <u>:</u>	-	77 78 79
		=			∥ :	***	<u>-</u>		=	•••	80 81
1 .	- 1	·-	1	ı -	II -		II -		- 1	•••	182

Table 1-23. Deaths and Death Rates for Each Cause,

CAUSE OF DEATH		TOTAL	,
	BOTH SEXES	MALE	FEMALE
DISEASES OF OTHER ENDOCRINE GLANDSCON.  POLYGLANDULAR DYSFUNCTION AND OTHER DISEASES OF ENDOCRINE GLANDS	322 39 6	152 13 2	179 26 4
OTHER AND UNSPECIFIED DISEASES OF ENDOCRINE SYSTEM	277	137	140
4VITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES260-269	2.576	1,083	1,493
VITAMIN A DEFICIÊNCIES	; -]:   	1 1 1 1	13111
1 United Villaria D Weilliania	5 3 21 	3 1 12 -	2 2 9
5 VITAMIN 86 DEFICIENCY	5 16	2 10	3 6
8 ASCORBIC ACID DEFICIENCY — 264 9 VITAMIN D DEFICIENCIES — 265-0 1 PICKETS, LATE EFFECT — 265-1 2 OSTEDMALACIA — 265-2 3 UNSPECIFIED — 265-9 4 OTHEP VITAMIN DEFICIENCY STATES — 266-0 5 VITAMIN K DEFICIENCY — 266-0 6 OTHER — 266-8	- 4 1 3	2 1 1	2 2 2 2
UNSPECIFIED	11 1 1 9	6 1 7	5 - 1 4
9 NUTRITIONAL MARASMUS	557	224 829	333 1,135
NUTRITIONAL MARASMUS	1.964 14 124 1.826	7 7 52 770	72 1,056
OTHER METABOLIC DISEASES	3,672	1,874	1,798
CONGENITAL DISORDERS OF AMING-ACID METABULISH	34 4 1 2	23 1. - 2. 3	11 3 1 -
CYSTINURIA	1 - 17 1	2 1 13 1	4
CONSENTAL DISOPDERS OF CARBOHYDRATE METABOLISM	34 3 28 2 - 1	16 15 1	18 2 13 1 -
CONGENITAL DISORDERS OF LIPIO METABOLISM————————————————————————————————————	93 55 - 33 5	60 37 - 19 4	33 18 - 14 1
OTHER AND UNSPECIFIED CONGENITAL DISORDERS OF METABOLISM	816 519 19 138 13	434 246 4 97 7	382 273 15 41 6
OTHER DISORDERS INVOLVING METABOLISM UP MINERALS   273.5	5 2 5 105 10 297	1 2 64 8 220	1 3 41 2 77
PLASMA PROTEIN ABNORMALITIES	318 24 48	159 15 36	165 9 12
ANALBUMINEMIA	- 5 83 158 284	1 36 65 153	4 47 93 131
OBESITY NCT SPECIFIED AS OF ENDOCRINE ORIGIN	1,247 9 - -	492 6 - -	755 3 -
CAROTINEMIA   278-1   1   HYPER VITAMINOSIS D	9 540	6 317	3 223

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix.

NUMBER				. f.			RATE				
#HI	TE	ALL C	THER		TOTAL		IHW	TE	ALL O	THER	
MALE	FEMALE	MALE	FEMALE	. BOTH SEXES	MALE	FEMALE	MALE	PEMALE	MALE	FEMALE	
135	153	17	17	9•0	0-1	0.2 0.0	0.2	0+2	0.1	0.1	01
135 13 1 121	23 3 127	1 16	3 1 13	0.2 0.0 0.0 0.1	0.0 0.0 0.1	0.0 0.0 0.1	0.2 0.0 0.0 0.1	0.0 0.0 0.1	0.0 0.1	0.0 9.0 9.1	03
884	1,282	199	211	1.2	1.1	1.4	1.0	1.4	1.6	1.5	05
			- -	-	-	-	-	-	= = = = = = = = = = = = = = = = = = = =	-	06 07 08 09 10 11 12 13 14 15 16
3 - 8	1 1 6 -	1	1 1 3 -	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	11 12 13 14
2 6	- 3 3	4 - - - 4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
1 - 1	2 -	1 1 -	=	0.0 0.0	0.0	0.0	0.0	0.0	0.0 0.0	=======================================	18 19 20 21 22 23 24
1 4	2 - 5	- - - 2	= =	0.0 	0.0 - 0.0 0.0	0.0 - 0.0	0.0  0.0 0.0	0.0	0.0	- - -	22 23 24 25
3 5	1 4 4	2   2 1	- - 1	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0	26 27 28
173 690 7 42	279 984 7 65	51 139 - 10	54 151 - 7	0.3 0.9 0.0 0.1	0.2 0.8 0.0 0.1	0.3 1.1 0.0 0.1	0.2 0.8 0.0 0.0	0.3 1.1 0.0 0.1	0.4 1.1 - 0.1	0.4 1.1 - 0.1	29 30 31 32
1,681	912	129 193	144 250	0.9	0.8	1.7	1.9	1.7	1.0	1.0	33
19	9 3	4 -	2 - 1	0.0 0.0 0.0	0.0	0.0 C.0 O.0	0.0	0.0	0.0	0.0 _ 0.0	35 36 37
. 2 3 1 1	2 1 -	- 1	=	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	. 0.0 0.0 0.0	0.0	0.0	- - -	38
10	3	3	1	0.0 0.0 0.0	0.0 0.0	a.o	0.0 - 0.0 0.0	0.0	0.0	0.0	40 41 42 43 44
9 -	15 3 10 1	7 - 6 1	3 - 3 -	0.0 0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0 0.0	0.0 - 0.0	0.0 0.0 0.0	0.1 0.0 0.0	0.0	45 46 47 48 49 50
= =	1 -	-	· -	0.0	=	0.0		0.0	=	=	51
58 36 - 18 4	32 17 - 14 1	2 1 - 1	1 1 - -	0.0 0.0 - 0.0 0.0	0.1 0.0 - 0.0 0.0	0.0 0.0 - 0.0 0.0	0.1 0.0 - 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 - 0.0	0.0 0.0 - -	52 53 54 55 56
410 236 4	362 268 12	24 10	20 5 3	0.4 0.2 0.0	0.4 0.2 0.0	0.4 0.3 0.0	0.5 0.3 0.0 0.1	0.4 0.3 0.0 0.0	0.2 0.1 -	0.1 0.0 0.0 0.0	1
96 6 5	39 5 - 1	1 1 - 1	20 5 3 2 1 - - 9	0.1 0.0 0.0 0.0	0.1 0.0 0.0	0.0 0.0 - 0.0	0.0	0.0	0.0 0.0 - 0.0	0.0 0.0 -	60 61 62
- 1 54 8 182	3 32 2 55	1 10 - 38	9 -	0.0 0.1 0.0 0.1	0.0 0.1 0.0 0.2	0.0 0.0 0.0 0.0	0.0 0.1 0.0 0.2	0.0 0.0 0.0 0.0	0.0 0.1 0.3	0-1	57 58 59 60 61 62 63 64 65 66
141 14 33	153 8 11	12 1 3	12 1 1	0.2 0.0 0.0	0•1 . 0•0 0•0	0.2 0.0 0.0	0.2 0.0 0.0	0.2 0.0 0.0	0.1 0.0 0.0	9.1 0.0 0.0	68 69 70
1 32 61	4 4 42 88	- - 4 4	5 5 5	0.0 0.0 0.0 0.1	0.0 0.0 0.1	0.0 0.0 0.1	0.0 0.0 0.1	0.0 0.0 0.1	0.0	- - 0.0 0.0 0.2	68 69 70 71 72 73 74 75 76
128 443 5	110 616	25 49 1	21 139 3	0.1 0.6	0-1 0-5 0-0	0.1 0.7 0.0	0.1 D.5 0.0	0.1 0.7 -	0.4 0.4		1
- - - 5	-	- - 1		0.0	0.0	- - 0.0	0.0	-	0.0	1.0 0.0 - - 0.0 0.2	79 80 81 82
286	196	1 31	1 27	0.3	0.3	0.2	ll 0.3	0.21	0.2	0.2	

Table 1-23. Deaths and Death Rates for Each Cause,

				4
	CAUSE OF DEATH	-:-	TOTAL	
		BOTH SEXES	MALE	FEMALE
	IV. DISEASES OF THE BLOOD AND BLOOD—FORMING ORGANS	_		
01	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	5, 251	2, 542	2,709
02 03 04	IRON DEFICIENCY ANEMIAS	104 366	35 147	69 219
05 06	OTHER VITAMIN BIZ DEFICIENCY ANEMIAS	250 - 32	92 - 14	158
97 98 99	VITAMIN 86 DEFICIENCY ANEMIA281.3 PROTEIN DEFICIENCY ANEMIA281.4 GTHER AND UNSPECIFIED DEFICIENCY ANEMIAS281.4	1 83	- - 41	1 42
10 11	HEREDITARY HEMOLYTIC ANEMIAS282 FAMILIAL ACHOLURIC JAUNDICE282.0	606	295 4	311
12 13 14	HEREDITARY ELLIPTOCYTOSIS	-	1 - 1	
15 16 17	### ARENIAS DE 10 GLOCUSE G-PHISPHAT PINTURGENASE DE-ILENCY ### 282.2 OTHER HEREDITARY NONSPHERDCYTIC HEMOLYTIC ANEMIAS ### 282.4 HEMOGLIBINDPATHIES ### 282.5 OTHER #### 282.5	42 357 199	24 194 73	18 163
29 19	COURTED HEMOLYTIC ANEMIAS   283.0	97 17	39	126 58 13
21		1+090	35 567	45 523
22 23 24	OTHER AND UNSPECIFIED ANEMIAS	1.055 66 11	486 35 3	569 31 8
25 26 27	HYPOCHROMIC ANEMIA WITH IRON LOADING	978 724 42	448 406 41	530 318
. 28 29 30	CHPISTMAS DISEASE286.1 PLASMA THROMBOPLASTIN ANTECEDENT DEFICIENCY286.2 VASCULAR HEMOPHILIA	6 - 9	6	-
31 32 33	PLASMA THROMBOPLASTIN ANTECEDENT DEFICIENCY	2 3 662	1 355	2 2 307
34 35	PURPURA AND OTHER HEMORRHAGIC CONDITIONS	568	255	313
36 37 38	THROMBOCYTOPENTA287.1 HEMORRHAGIC THROMBOCYTHEMIA287.2	43 447	24 190	19 257
39 40	THRUMSDCYTIPPENTA	74 316	2 39 130	2 35 186
41 42 43	QTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS       289         POLYCYTHEMIA, SECONDARY       289,0         CHPONIC LYMPHADENITIS       289,1         NONSPECIFIC MESENTERIC LYMPHADENITIS       289,2	325 20	18Z 14	143
44 45 46	NONSPECIFIC MESENTERIC LYMPHADENITIS	18 9 32	9 3 18	6
47 48	NONSPECIFIC MESENTERIC LYMPHADENITIS	105 141	63 75	14 42 66
	V. MENTAL DISORDERS			
49	PSYCHOSES290-299	1, 522	893	629
50 51 52	SENILE AND PRESENTE DEMENTIAS         290           SENILE DEMENTIA         ————————————————————————————————————	731 377 354	305 147 158	426 230 196
53 54 55	DELIR IUM TREMENS 291.0	517 469 26	469 428 23	48 41 3
56 57 58	OTHER ALCOHOLIC HALLUCINOSIS — — — — — — — — — — — — — — — — — —	6	4	2
59 60	PSYCHOSES ASSOCIATED WITH OTHER PHYSICAL CONDITIONS	- 6	14	4
61 62 63	SCHIOPHRENIA————————————————————————————————————	6 114	2 50	64
64 65	HEBEPHRENIC TYPE	3 25	2 8	17
66 67 68	ACURANULU   TPE	11	-	-
69 70 71	SCHIZOPHRENIA	- 1 22	10	1 12
72 73		5Z 30	23 14	29 16
74 75 76	AFFECTIVE PSYCHOSES	5 1 17	1 8	1 - 9
77 78 79	MANIC-DEPRESSIVE PSYCHOSIS, MANIC TYPE	=	=	-
80 81 82	PARANOI A	7 5	1	6 5
83	OTHER	1	-	1 4

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Appendix

_	NUMBER							RATE			
L	WHI 1	TE	ALL O	THER		TOTAL		· WHI	TE	ALL C	THER
L	MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
			16								
	2,033	2,231	509	478	2.5	. 2,5	2.5	2.3	2.4	4.0	3.4 0
	30 134 89	60 205 151	5 13 3	9 14 7	0.0 0.2 0.1	0.0 0.1 0.1	0.1 0.2 0.1	0.0 0.1 0.1	0.1 0.2 0.2	0.0 0.1 0.0	0-1 0 0-1 0 0-1 0
	10	16	- 4 -	_ 2 _	0.0	0.0	0_0	0.0	0.0	0.0	0.0 0 0.0 0
	35	1 37	6	5	0.0	0.0	0.0 0.0	0.0	0.0	0.0	0.0
	. 91 3 -	130 3 -	204 1 —	181 1	0.3 0.0	0.3 0.0	0.3 0.0	0-1 0-0	0.1 0.0	1.6 0.0	1.3 1 0.0 1 7 1 - 1
	20 3	_ 14	- 4	- - 4	0.0	a.a	- a-a	0.0	0.0	0.0	0.0 1 1
	65 33 4	113 49 9	191 8 6	163 13 9	0.2 0.1 0.0	0.2 0.1 0.0	0.2 0.1 0.1	0.0 0.1 0.0	0.1 0.1	1.5 0.1 0.0	0.0 1 1.2 1 0.1 1 0.1 1
	29 521	40 486	6 46	5 37	0.0 0.0 0.5	0.0 0.0 0.6	0.0 0.0 0.5	0.0 0.0 0.6	0.0 0.0 0.5	0.0 . 0.4	0.0 20 0.3 2
	400 31 3	471 30 8	86 4	· 98	0.5 0.0	0.5 0.0 0.0	0.5	0.4	0.5	0.7 0.0	0.7 2: 0.0 2:
	366 325	433 258	82 81 8	97 60 1	0.0 0.5 0.3 0.0	0.4 0.4 0.0	0.0 0.5 0.3 0.0	0.0 0.4 0.4 0.0	0.0 0.5 0.3	0.6 0.6	0.7 29 0.4 20
	33 5 - 3	- - 6	1 -	- - -	0-0	0.0	0.0	0.0	-	0.1 0.0 -	0.7 2: 0.0 2: - 2: 0.7 2: 0.4 2: 0.0 2: - 2: - 3: - 3:
	284	6 2 2 248	- 1 71	59	0.0 0.0 0.0 0.3	0.0	0.0 0.0 0.3	0.0 - 0.3	0.0 0.0 0.0	0.0 0.6	- 30 - 31 - 32 0.4 33
	226 21	269 16	29 3	44. 3	0.3 0.0	0.2	0.3	0.3	0.3	0.2	0.3 34 0.0 35
l	172	224 - 2	18 1	33 - -	0.2	0.2	0.2	0.2	0.0	0.1	0.2 36 - 37 - 38
	32 117 156	27 171 132	7 13 26	8 15 11	0.0 0.2 0.2	0.0 0.1 0.2	0.0 0.2 0.1	0.0 0.1 0.2	0.0 0.2 0.1	0.1 0.1 0.2	0.1 39 0.1 40 0.1 41
	11 - 7 3	6 - 8 5	3 - 2 -	 1	0.0 - 0.0 0.0	0.0	0.0	0.0 - 0.0	0.0	0.0	- 43 - 43 0.0 44
	18 53 64	13 40 60	- 10 11	1 1 2 6	0.0 0.1 0.1	0.0 0.0 0.1 0.1	0.0 0.0 0.0 0.1	0.0 0.0 0.1 0.1	0.0	- 0.1	0.0 45 0.0 46 0.0 47
	-		11			0.1		0.1	0.1	0.1	0.0 48
	720	570	173	59	0.7	0.9	0.6	0.8	0.6	1.4	0-4 49
	274 127 147	398 210 188	31 20 11	28 20 8	0.3 0.2	1. 0.3 0.1	0.4 0.2	. 0.3 0.1	0.4 0.2	0.2 0.2	0.2 50 0.1 51
	346 312 21	39 32 3	123 116 2	9 .	0.2 0.2 0.2 0.2 0.2 0.0	0-2 0-5 0-4 0-0	0.2 0.0 0.0 0.0	0.2 0.4 0.3	0.2 0.0 0.0	0.1 1.0 0.9	0.2   50 0.1   51 0.1   53 0.1   53 0.1   54 -   55 -   56
	4 - 9	2 2	- - 5	- ! - !	0.0	0.0	0.0	0.0	0.0	0.0	- 55 - 56 - 57
	2	2	-	2 .	0.0	0.0	g.g	0.0	0.0	0.0	- 58 0.0 59
	2 44 -	2 52 -	6 -	2 ! 12 ·	0.0	0.0	0.0	0.0	0.0	0.0	0.0 59 - 60 0.0 61 0.1 62 - 63 - 64 0.0 65 0.0 66
	2 6 7	1 12 3	2 1	- : 5 : 1 :	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0	0.0	0.0	- 63 - 64 0.0 65
	=	=	-	1	-	-		0.0	0.0	=	- 68
	9 20	1 11 24	- I 3	' 1 5	0.0	0.0	0.0 0.0 0.0	0.0	0.0	0.0	- 69 - 70 0.0 71 0.0 72
	12 4	14	2	2	0.0	0-0	0-0	0.0 0.0 0.0	0.0	0.0 0.0	
	i 6 - -	. 7	2	- - 2 -	0.0	0.0	0-0	0.0	0.0	0.0	0.0 75 - 74 - 75 0.0 76 - 77
	1	6 4	- - -	- - 1	0.0	0.0	0.0 0.0	0.0	0.0 0.0	- - -	- 78 - 79 0-0 80
	=	- 1 3	- - -	= 1	0.0	-	0.0	-	0.0	=	- 81 - 82 0.0 83

Table 1-23. Deaths and Death Rates for Each Cause,

<u>-</u>				
	CAUSE OF DEATH	•	TOTAL	
		BOTH SEXES	MALE	FEMALE
91 02 03 04 05 06	P SYCHOSES—CON.  OTHER P SYCHOSES———————————————————————————————————	11 2 8 - 1	1 - 1 - - - 52	10. 2. 7. 1. 56
08	NEUROSES, PERSONALITY DISORDERS, AND OTHER MONPSYCHOTIC MENTAL DISORDERS300-309	7, 058	5,023	2,035
09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 30 31 32 33	NEUROSE S	12 3 1 1	211211111111111111111111111111111111111	10 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
34 35 36 37 38 39 40 41	SEXUAL DEVIATIONS		111111	1 2 2 2
43 44 45 46 47 48 49 51 52 53 55 56 57	ALCOHOL ISM—— — — — — — — — — — — — — — — — — — —	4,650 - 2,567 2,083 1,019 81 8 5 5 5 1	3.611 	1,039 550 489 227 23 2 1
58 59 601 62 63 64 65 66 67 70 77 77 77 77 77 77 77 77 80 81 82	### PRESUMABLY PSYCHOGENIC ORIGIN—### 305-305-305-305-305-305-305-305-305-305-	908 17 	713 10 	195 7 
83	MENTAL RETARDATION	280	140	140
84 85 86 87	BORDERLINE MENTAL RETARDATION	-	1 2	1111

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Interdentified by an asterisk; see Technical Appendix]

 NUMBER							RATE				
WHIT	·E	ALL O	THER		TOTAL		THM	TE	ALL (	THER	
MALE	FENALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
 - - - - - 42	10 2 - 7 - 1 51	1 - - 1 - 10	- - - - - - - 5	0.0 0.0 0.0 0.0 0.0	0.0 - - 0.0 - - 0.1	0.0 0.0 0.0 0.0 0.0 0.0	0.0	0.0 0.0 0.0 0.0 0.0	0.0 - 0.0 - 0.1	     0.0	01 02 03 04 05 06 07
3,490	1,479	1,533	556	3.4	4.9	1.9	3.9	1.6	12.0	4.0	08
2,535	10 3 1	1,076	337	0.0	0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0	0.0			09 10 11 12 13 14 15 16 17 18 20 21 22 24 25 26 27 28 29 30 31 32 33 40 41 42 43
1,387 1,148 425 32 4 3 4 1 - - 1 - 6	369 333 84 11 2 1 - - - 2 67	6307 446 367 26 2 - - - 1 338	181 156 143 12 1 - - - - - - 2 128	1.2 1.0 0.5 0.0 0.0 0.0 0.0 0.0		0.5 0.5 0.2 0.0 0.0 0.0 0.0 0.0 0.0	1.6 1.3 0.5 0.0 0.0 0.0 0.0 0.0 0.0	0.4 0.4 0.0 0.0 0.0 0.0 0.0 - - - - 0.0	4.9 3.5 2.9 0.2 0.0 - - - - 0.0 2.6	1.3 1.1 1.0 0.1 0.0 	44 45 46 47 48 49 50 51 52 53 55 57
10	5 	- - - - 3 - - - 2 - - - 1 - - - - - - - - - - - -	2 	0.0 	0.0 	0.0	0.0 	0.0 	0.0	0.0 	
109 - - -	117	31 - - -	23 - - - -	0.1	0.1 - - - -	0.1 - - -	0.1	0.1 - - -		}	

Table 1-23. Deaths and Death Rates for Each Cause,

	· CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
01 02 03 04 05 26 07 08 09 10 11 12 13 14 15 16 17 18	MENTAL RETARDATION——CON.  MILD MENTAL RETARDATION — -311.9  FOLOWING INFECTIONS AND INTOXICATIONS	1 - - - 63 - - 63 - - - 32 - 184	32 - 32 - 32 17 - 17 91	1 1 1 31 31 15 93
21 22 23 24 25 26 27 28 29 30 31 32 44 45 44 45 44 44 45 44 47 48 49	VI. DISEASES OF THE MERVOUS SYSTEM AND SENSE DRGANS    INFLAMMATORY DISEASES OF CENTRAL NERVOUS SYSTEM	2,249 1,523 198 301 154 870 45 305 317 59 743 155 26 108 484 5 282 269 9 1 3 444 38 8 3 190	1,225 842 103 158 83 498 18 136 146 33 820 552 9 16 87 377 4 139 129 7 -3 3 26 19 6 11 103	1.024 681 95 143 71 277 119 171 26 439 191 6 46 10 21 107 1 143 140 2 1 - 18 14 2 2 87 17 27
50 51 52 53 55 55 55 57 58 59 60 64 66 66 66 67 70	### OTHER DISEASES OF CENTRAL NERVOUS SYSTEM	12.858 1.574 75 3.283 681 2 533 854 266 165 109 314 1.821 5.364 5.85	6,846 5711 40 1,763 393 3 86 1 303 480 - 130 110 76 164 1,086 4 218 343	43 6+012 1+023 35 1+520 283 2 55 1 230 374 136 55 33 150 735 1
71 72 73 74 75 76 77 78 79	345.2   345.	2 6 859 1 2• 440 369 2 <sub>7</sub> 071	1,335 204 1,131	2 1 343 1 1•105 165 940

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER							RATE	<del> </del>			Ī
MHI	MHITE ALL OTHER  MALE FEMALE MALE FEMALE				TOTAL'		MHI	те	ALL O	THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
											1
=	=		1	0-0	-	0.0	-	-	-	- 0.0	1 02
=======================================	=	-	_ 1	0.0	= = = = = = = = = = = = = = = = = = = =	0.0		2 1	- - -	0.0	03
] =	] =	-	-	-	=	-	7	. [		<u>-</u>	1 06
25	24	- 7	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1	10
25	24	7	7	0.0	0.0	0.0	. 0.0	0.0	0.1	0.1	
14	12	3 -	3 - -	0.0	0.0	0.0	0.0	0.0	0.0	0.0 - 0.0 0.1 -	13 14 15
14 70	12 81 -	3 21 -	12 - -	0-0 0-1	0.0 0.1	0.0 0.1	0.0 0.1 -	0.0 0.1	0.0	0.0 0.1 -	16 17 18
70	81	21	12	0-1	0.1	0.1	0.1	0.1	0.2	0.1	1 17
887	745	338	279	1.1	1.2	1.0	1.0	0-8	2.6	2.0	21
581 84 97	462 65 91	261 19 61	219 30 52	0.7 0.1	0.8 0.1	0.6 0.1	0.6 0.1	0.5 0.1	2.0	1.6 0.2	22 23
62 338	55 251	21 160	16 121 5	0.1 0.1 0.4	0.2 0.1 0.5	0.1 0.1 0.3	0.1 0.1 0.4	0.1 0.1 0.3	0.1 0.5 0.2 1.2 0.0	0.4 0.1 0.9	25 26
12 148 119 27	22 99 139 23	6 38 27 6	20 32 3	0.0 0.1 0.2 0.0	0.0 0.2 0.1 0.0	0.0 0.1 0.2 0.0	0.0 0.2 0.1 0.0	0.0 0.1 0.1 0.0	0.0 0.3 0.2 0.0	0.0 0.1 0.2 0.0	29
766	412	54	27	0.6	0.8	C-4	0.9	0-4	0.4	0.2	31
511 8 51	172 5 39	41 1 8	19 1 7	0-4 0-0	0.5 0.0	0.2 0.0 0.0	0.6 0.0 0.1	0.2 0.0 0.0	0.3 0.0 0.1	0.1 0.0 0.1	32 33
14 81	9 21	2 6	1 -	0.1 0.0 0.1	0-1 0-0 0-1	0.0 0.0	0.0	0.0 0.0	0.0	0.0	35 36
354 3 135	97 1 137 134	23 1 4	10 - 6	0.2 0.0 0.1	0-4 0-0 0-1	0-1 0-0 0-1	0.4 0.0 0.2	0.1 2.0 0.1	0.2 9.0 0.0	0.1 - 0.0	38 39
126	2	3 -	-	0.1 0.0 0.0	0-1 0-0 -	0.1 0.0 0.0	0.1	0.1 0.0 0.0	0.0	0.0	42
25	16	1	-	0.0	0.0	0.0	0.0	0.0	0.0	- - -	43 44 45
18 6 1	14 2 2	- -		0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	0.0	_	46 47
95 20 33	85 17 26	8 4 -	2	0.1 0.0 0.0 0.0	0-1 0-0 0-0	0-1 0-0 0-0	0.1 0.0 0.0	0.1 0.0 0.0	0.1	0.0	49 50
42 5,911	5,353	935	1 659	0.0 6.1	6.7	0.0 5.6	6.6	5.7	7.3	0.0 4.7	
541 34	912 30	30 6	91 5		0.6	0-0 0-8	0.6	1.0	0.2 0.0	0.7	53 54
1,692 329 2	1,480 237 2	71 64 1	40 51 	0.8 0.0 1.6 0.3 0.0	1.7 0.4 0.0	1.4 0.3 0.0	1.9 0.4 0.0	1.6 0.3 0.0	0.6 0.5 0.0	0.3 0.4	55 56 57
74 - 253	45 1 189	12 1 50	10 - 41	0.1 0.0 0.3	0-1 0-0 0-3	0.1 0.0 0.2	0.1	0.0 0.0 0.2	0.1 0.0 0.4	0.1 0.3	58. 59 60
387	321	93	5 <u>3</u>	0.4	0.5	0.3	0.4	0-3	0-7	0.4 - 0.1	i .
108 78 52	117 40 26	22 32 24	19 15 7	0.1 0.1	0.1 0.1 0.1	0-1 0-1 0-0	0.1 0.1 0.1	0.1 0.0 0.0	0.2 0.2 0.2	0.1 0.1 0.1	61 62 63 64 65 66
149	138	15	12	0.1 0.1	0.2	0.1	0.2	0.1	2.9	0.1	1
	551 1 118 171	46 136	184 - 28 71	0.9 0.0 0.2	1.1 0.0 0.2	0.7 0.0 0.1	0.8 0.0 0.2 0.2	0.0 0.1 0.2	0.4 1.1	0.2 0.5	1 6B
172 207 - - 4	- 1		, 1 - -	0.3	0.3	0.2 0.0 -		-	0.0	0.0	71 72 72
330	260	1 186	83 -	0.0	0.0 0.5	0.0	0.0	0.0	1.5	0.6	74 75
1,125	941	210	164	0.0	1.3	1.0	1.3	1.0	1.6 0.2 1.5	1.2	76
184 941	154 787	20 190	11 153	0.2 1.0	0.2 1.1	0.2 0.9	0.2 1.1	0.2 0.8	1.5	0.1 1.1	79

Table 1-23. Deaths and Death Rates for Each Cause,

	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
	OTHER DISEASES OF CENTRAL NERVOUS SYSTEM—CON.			
01 02 03	MOTOR NEURONE DISEASES	1,935 1,736 82	1,065 971 33	870 765 49
04 05 06	OTHER PROGRESSIVE MUSCULAR ATROPHY	57 60 194	29 32 113	28 28 81
97 08 09	SYRINGOMYELIA AND SYRINGOBULBIA	34	20	14
10 11	SPINAL PARALYSIS, PARAPLESIC	1 1	1 1	
12 13 14	PROGRESSIVE BULBAR PALSY OTHER PROGRESSIVE MUSCULAR ATROPHY OTHER PROGRESSIVE MUSCULAR ATROPHY OTHER DISEASES OF SPINAL CORD SYNINGOMYELIA AND SYRINGOBULBIA SYRINGOMYELIA AND SYRINGOBULBIA SPINAL PARALYSIS, MONOPLEGIC SPINAL PARALYSIS, HEMIPLEGIC \$349.1 SPINAL PARALYSIS, PARAPLEGIC \$349.2 SPINAL PARALYSIS, OUADRIPLEGIC \$349.2 SPINAL PARALYSIS, OUADRIPLEGIC \$349.2 SPINAL PARALYSIS, OTHER AND UNSPECIFIED \$349.4 OTHER AND UNSPECIFIED \$349.4  \$349.5 OTHER AND UNSPECIFIED \$349.6	18 131	12 73	3 6 58
15	DISEASES OF NERVES AND PERIPHERAL GANGLIA350-358	317	162	155
16 17 18	FACIAL PARALYSIS	11 13	7	9
20 21	SCIATICA353 POLYNEURITIS AND POLYRADICULITIS354 THER AND PROPERTIES OF MEMBALETA AND MEMBALETS 354	218	123	1 95
22 23	CRANTAL NOT ELSEWHERE CLASSIFIABLE*355.1	-	2	1
24 25 26	POLYNEURITIS AND POLYRADICULITIS   354	8 6 53	2 1 21	6 5 32
27 28 29	CERVICAL AND BRACHIAL PLEXUS*357.0  **A357.1  **HFITAN NERVE*357.2  **HFITAN NERVE*357.2	1	-	1
30 31	ULNAR NERVE	52 52	21	31
32 33 34	DISEASES OF PERIPHERAL AUTONOMIC NERVOUS SYSTEM	6   2   3	1 3	1
35		1	-	1
36 37	INFLAMMATORY DISEASES OF EYE	9	5	4
38 39	BLEPHARITIS361 HORDEOLUM362	-	-	-
40 41 42	#ITH ULCERATION	.1	-	1
43 44 45	RITIS	1	-	1
46 47	INFLAHMATION OF DPTIC NERVE AND RETINA	2	2	-
48 49 50	CONJUNCTIVITIS AND OPHTHALHIA   360   SEPHARITIS   361   HORDEOLUM   362   KERATITIS   363.0   MITH ULCERATION   363.0   MITHOUT MENTION OF ULCER   363.9   HITHOUT MENTION OF ULCER   364.9   CHOROIDITIS   365.0   OTHER INFLAMMATION OF LACRIMAL GLANDS AND DUCTS   366.0   OTHER INFLAMMATORY DISEASES OF EYE   368.0   OTHER AND UNSPECIFIED   369.9	3	1	2
51	OTHER DISEASES AND CONDITIONS OF EYE370-379	67	29	36
52 53 54	REFRACTIVE ERRORS		-	-
55 56 57	PRESBYOPIA *370,2 ASTIGMATISM *570,3 OTHER AND INVERSE COLUMN		=	-
58 59	CORNEAL OPACITY	-11	-[	- 1
60 61 62	PTERYGIUM	-	-	-   -   5
63 64 65	ESOTROP IA	2	-	2
66 67 68	#373-2  #373-9  #374-0  #374-0	3 40	1 19	21
69 70	SECONDARY————————————————————————————————————	-		
71	CLAUCOMA 375	40   3	19	21
73 74 75	PRIMARY, ACUTE	-	1 -	=
76 77 78	SECONDARY	2 4	2	2
79 30	OTHER DISEASES OF RETINA AND DPTIC NERVE	-	=	=
81 82 83	AMBLYOPTA	<u>-  </u>	-	=
84 85 86	PAPILLEDEMA	-	=	-
20 1		-11	-1	~ 11

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asteriok; see Technical Appendix]

NUMBER							RATE			,
WHI	TE	ALL OT	HER		TOTAL		WHIT	re	ALL OT	THER
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	HALE	FEMAL E
997 909 33 25 30 89 16 - - 1 1 1 4	807 716 44 25 22 73 11 - - - - 3 6	68 62 - 4 2 24 4 - - - - 2 2	63 49 5 3 6 8 3 	0.9 0.8 0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0	1.0 0.9 0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0	C.8 0.7 0.0 0.0 0.1 0.0 - - - 0.0 0.0	1.1 1.0 0.0 0.0 0.0 0.1 0.0 0.0 0.0 0.0	0.9 0.8 0.0 0.0 0.1 0.0 - - - 0.0 0.0	0.5 0.5 0.0 0.0 0.2 0.0 -	0.5 0.4 0.0 0.0 0.0 0.1 0.0 -
146	137	16	18	0.2	0.2	0.1	0.2	0.1	0.1	0+1
7 2 - 112 2 18 18 4 4 1 3	3 9 1 85 6 - 1 5 26 1 - 25 21 1	11	1010	0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 	0.0 
1 - - - - 1 2 - 1 1	1 1	-	1 11 11 11 11 11 11 11 11 11 11 11 11 1	0.0 0.0 - 0.0 0.0 0.0 0.0 0.0 0.	0.0 0.0 - - - - 0.0 0.0 0.0	0.0 	0.0 0.0 - - - - - 0.0 0.0	0.0 - - 0.0 - 0.0 - 0.0 - 0.0 0.0		-
25 	30 	3	8	0.0	0.0	0.0 	0.0	0.0	0.0	0.1 :

Table 1-23. Deaths and Death Rates for Each Cause,

	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
01 02 03 04 05 06 07 08 09 10 11 12 13 14	### DISEASES AND CONDITIONS OF EYE—CON.    DTHER DISEASES OF EYE—	7 1 1 1 2 - 2 7	111111111111111111111111111111111111111	311 - 11211351511
17 18 19 20 21 22 23 24 25 26	0ISEASES OF EAR AND MASTOID PROCESS       -380-389         OTITIS EXTERNA       -381         OTITIS MEDIA MITHOUT MENTION OF MASTOIDITIS       -381         ACUTE       -381.0         CHRON IC       -381.1         UNSPECIFIED       -381.9         ACUTE       -382         ACUTE       -382.1         UNSPECIFIED       -382.1         UNSPECIFIED       -382.0         CHRONIC       -382.1         UNSPECIFIED       -382.0         MASTOIDITIS MITHOUT MENTION OF OTITIS MEDIA       -383	130 2 101 14 82 7 2 1 4	60 1 46 1 8 37 37 31	70 1 55 4 45 45 41 1
27 28 29 30 31 32 34 35 36 37 38 40 41 42 43	MASTOIDITIS WITHOUT MENTION OF CITTIS MEDIA—  ACUTE————————————————————————————————————	13 6 6 6 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	226111111111111111111111111111111111111	511111111111111111111111111111111111111
44 45 46	OTHER DEAFNESS—  OTHER DEAFNESS, BOTH EARS—  OEAFNESS, BOTH EARS—  OEAFNESS IN ONE EAR AND PARTIAL DEAFNESS IN OTHER—  DEAFNESS, ONE FAR—  OTHER DEAFNESS ONE FAR—  OTHER DEAFNESS ONE FAR—  OTHER DEAFNESS ONE FAR—  OTHER DEAFNESS—  389.9  VII. DISEASES OF THE CIRCULATORY SYSTEM	2	94	2
47 48 49 50 51 52 53 54 55 56	ACTIVE RHEUMATIC FEVER	183 34 147 107 8 4 28 2	96 16 80 60 5 15	18 67 47 3 4 13 2
57 58 59 60 61	CHRONIC RHEUMATIC HEART DISEASE	13,556 74 3,666 2,155 1,511	6,076 42 1,281 669 612	7,480 32 2,385 1,486 899
62 63 64 65 66 67 68 69 70	DISEASES OF ADRIIC VALVE	3,950 880 3,070 1,211 809 402 599 43 556 4,056	2,478 518 1,960 561 350 211 232 25 207 1,482	1,472 367 1,119 650 459 191 367 18 349 2,574
72 73 74 75 76 77 78	HYPERTENSIVE DISEASE	20.211 1.038 74 70 434 182 278	9,204 567 39 35 223 107	11,c07 471 35 35 211 75 115

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Interidentified by an asterisk; see Technical Appendix]

NUMBER					,		RATE				<u> </u>
МН	ITE	ALL 0	OTHER		TOTAL		инз	TE	ALL O	THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
3 - 1 1 - - - 1 2 - 2	3 	1		1	0.0 	0.0	0.0 0.0 0.0 - - - 0.0 0.0	0.0 	0.0	0.0	01 02 03 04 05 06 07 08, 09 10 11 12 13 14 15
53	53	7	17	0.1	0.1	C-1	0.1	0.1	0.1	0.1	17
1 40 1 7 32 2 2 2 1 1 9 2 6 6 1 1 1 1	1 42 2 5 35 2 2 - 1 1 1 - 3 1 1 2 2 2	6	13 2 1 10 2 2 1 1 10 2 2 1 1 1 1 1 1 1 1 1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0	0.1 0.0 0.0 0.1 0.0 0.0 0.0	18 19 20 21 22 23 42 25 26 27 82 930 31 32 33 44 45 46
88	72	8	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	47
15 73 56 4 - 13 -	16 54	1 7 4 1 - -	2 13 6 2 3 2 -	0.0 0.1	0.0 0.1 0.1 0.0 -	0.0 0.1 0.0 0.0 0.0 0.0 0.0 -	0.0 0.1 0.1 0.0 - 0.0	0.0 0.1 0.0 0.0 0.0 0.0	0.0 0.1 0.0 0.0 - 0.0	0.0 0.1	48 49 50 51 52 53 54 55 56
5,456	6,906	620	574	6.5	5.9	7.0	6.1	7.4	4.8	4.1	57
31 1,162 615 547	28 2,229 1,403 826	11 119 54 65	4 156 83 73	0.0 1.7 1.0 0.7	D.0 1.3 0.7 0.6	0.0 2.2 1.4 0.8	0.0 1.3 0.7 0.6	0.0 2.4 1.5 0.9	0.1 0.9 0.4 0.5	0.0 1.1 0.6 0.5	58 59 60 61
2,225 480 1,745 500 320 180 210 17 193 1,328	1,931 332 999 606 430 176 343 13 330 2,369	253 38 215 61 30 31 22 8 14	141 30 111 44 29 15 24 5 19	1.9 0.4 1.5 0.6 0.2 0.3 0.0	2-4 0-5 1-9 0-5 0-3 0-2 0-2 1-4	1.4 0.3 1.0 0.6 0.4 0.2 0.3 0.0	2.5 0.5 2.0 0.6 0.4 0.2 0.2 0.0	1.4 0.4 1.1 0.6 0.5 0.2 0.4 0.0	2.0 0.3 1.7 0.5 0.2 0.2 0.2 0.1 0.1	1.0 0.2 0.8 0.3 0.2 0.1 0.2	62 63 64 65 66 67 68 69 70
7,255	8+903	1,949	2, 104	9.6	9.0	10.2	8.1	9.5	15.2	15.0	72
337 20 22 146 48 101	34	230 19 13 77 59 62	197 18 9 84 41 45	0.5 0.0 0.0 0.2 0.1	0.6 0.0 0.0 0.2 0.1 0.2	0.4 0.0 0.0 0.2 0.1 0.1	0-4 0-0 0-0 0-2 0-1	0.3 0.0 0.0 0.1 0.0 0.1	1.8 0.1 0.1 0.6 0.5	1.4 0.1 0.1 0.6 0.3 0.3	73 74 75 76 77 78

Table 1-23. Deaths and Death Rates for Each Cause,

-				
	CAUSE OF DEATH		TOTAL	
	·	BOTH SEXES	MALE	FEMALE
	HYPERTENSIVE DISEASECON.			
01		1,143	457	686
02	HYPERTENSIVE HEART DISEASE	7, 268 5, 247	2,920 2,702	4+348
D4 05	HYPERTENSIVE HEART AND RENAL DISEASE	5, 515 684, 066	2,558 386,978	2.957 297.088
06	ACUTE MYCCARDIAL INFARCTION	351,662	220,543	131-119
07 08	WITH HYPERTENSIVE DISEASE	31,360 320,302	15,934 204,609	15-426 115-693
09 10	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	4•503 272	2,882 140	1+621
11	ESSENTIAL BENIGN HYPERTENSION—	4, 231	2.742	1+489
12 13	CHRONIC ISCHEMIC HEART DISEASE WITH OR WITHOUT CARDIOVASCULAP DISEASE WITH HYPERTENSIVE	327,722	163.444	164-278
14	OISEASE*412.1 CAROLOVASCULAR DISEASE WITHOUT MENTION OF CHRONIC ISCHEMIC HEART DISEASE WITH HYPERTENSIVE DISEASE*412.2	20, 859	9,764	11.938
15	CHRONIC ISCHEMIC HEART DISEASE WITH OR WITHOUT CARDIOVASCULAR DISEASE WITHOUT MENTION OF HYPERTENSIVE DISEASE		118,081	11
16	L CARDIOVASCULAR DISEASE WITHOUT MENTION DE CHRONIC ISCHEMIC HEART DISEASE WITHOUT MENTION	229, 783		111,702
17	ANGINA PECTORIS	54, 148 179	26,678 109	27,470
18 19	### OF HYPERTENSIVE DISEASE	23 156	101	15 55
20	OTHER FORMS OF HEART DISEASE	46, 487	25, 827	20+660
21	ACUTE PERICAROITIS, NONRHEUMATIC420	57	30	27
22 23	ACUTE AND SUBACUTE ENDOCARDITIS421  ACUTE AND SUBACUTE BACTERIAL ENDOCARDITIS421.0	622 608	401 391	221 217
24 25	OTHER ACUTE ENDOCARDITIS	14	10	4
26	CHRONIC DISEASE OF PERICARDIUM, NONRHEUMATIC	413 503	214 286	199 217
27 28	OFF MITTAL VALVE. NONRHEUMATIC	1,107	515 13	592 48
29 30	OF ADRIC VALVE, NONRHEUMATIC24.1	185 861	125 397	80 464
31 32	ACUTE PERICARDITIS, NONRHEUMATIC   420	2,378 1,322	1,622 709	756 613
33	SYMPTOMATIC HEAPT DISEASE	27, 057	14-137	12.920
34 35	LEFT VENTRICULAR FAILURE	14, 499) 318	7,050 166	7,449 152
36 37	CARDIAC ARREST NOT OTHERNISE SPECIFIED	8.627 614	5,016 320	3,611 294
38 39	ATRIAL FIBRILLATION OF FLUTTER	1, 180 47	510 28	670
40 41	VENTRICULAR FIBRILLATION OR FLUTTER———————————————————————————————————	607 1,165	344 703	263 462
42	OTHER MYOCARDIAL INSUFFICIENCY	4,030	1,947	2,083
43 44 45	SYMPTOMATIC HEAPT DISEASE——————————————————————————————————	8•998 340 8•658	5.966 237 5.729	3+032 103 2+929
46	CEREBROVASCULAR DISEASES	214,313	93,838	120-475 5-389
47 48	SUBARACHNOID HEMORRHAGE————————————————————————————————————	9, 191 1, 536	3.802 620	916
49 50	CEREBRAL HEMORRHAGE	7, 655 33, 909	3,182 15,561	4,473 18,348
51 52	CEREBRAL HEMORRHAGE	9,557 24,352	4,261 11,300	5+296 13+052
53 54	OCCLUSION OF PRECEREBRAL ARTERIES	3.177 264	1.798 140	1.379
55 56	WITHOUT MENTION OF HYPERTENSION	2,913 56,648	1,658 24,374	1 - 255
57 58	#11HOUT MENTION OF HYPERIENSION	4,019	1,558	2,461
59		52,629	22,816	29,813
60	WITH HYPERTENSION (BENIGN)	967 62	429 28	538] 34
61 62	TRANSIENT CEREBRAL ISCHEMIA	905 61	401 27	504 34
63 64		3   58	26	32
65 66	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	67•730 8•988	30,147 3,714	37+581 5+274
67 68	ACUTE BUT ILL-DEFINED CEREBROVASCULAR UISEASE	58,742 39,261	26,433 16,141	32,309
69 70	WITH HYPERTENSION (BENIGN) 437.0	1,859	729	1,130
71	TOTHER AND THE OCCURED CERCOROUSCHIES STEESEC	37,402 3,369	15,412 1,559	1,810
72 73	WITH UPPERTENSION (BENIEGH) 438.9	387 2,982	163 1,396	224 1,586
74	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	58,676	29.376	29.300
75	ARTERIOSCLEROSIS	32,617	13,402	19,215
76 77	OF PENAL ARTERY	75 19	52 10	23
78 79	OF ARTERIES OF THE EXTREMITIES	114	61	53 16
80	GENERALIZED AND UNSPECIFIED	32, 378	13,264	19,114

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Interdentified by an asterisk; see Technical Appendix

NUMBER						,	RATE				T
WHIT	TE	ALL OT	HER		TOTAL		МНЕТ	ī E	ALL D	THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMAL E	
366 2,188 2,238	533 3,472 2,090	91 732 464	153 876 455	0.5 3.5 2.5	0.4 2.9 2.6	0.6 4.0 2.4	0.4 2.4 2.5	0.6' 3.7 2.2	0.7 5.7 3.6	1.1 6,3 3.3	01 02 03
2,126 354,222 205,614 14,072 191,542 2,494	2,534 268,995 119,903 13,355 106,548 1,406	432 32,756 14,929 1,862 13,067 388 25	423 28,093 11,216 2,071 9,145 215 23	2.6 326.0 167.6 14.9 152.6 2.1 0.1	2.5 378.5 215.7 15.6 200.1 2.8 0.1	2.7 276.0 121.8 14.3 107.5 1.5 0.1	2.4 396.1 229.9 15.7 214.2 2.8 0.1	2.7 287.3 128.1 14.3 113.8 1.5	3.4 255.8 116.6 14.5 102.0 3.0 0.2	3.0 200.7 80.1 14.8 65.3 1.5	04 05 06 07 08 09
2,379 146,009	1,297 147,625	363 17,435	192 16,653	2.0 156.2	2.7 159.9	1.4	2.7 163.3	1.4	136.2	119.0	11
7,698	10,414	Ĺ, 223	1,524	9.9	8.7	11-1	8.6	11.1	9.6	10.9	13
6,884	9,707	2.880	3,461	10.9	9.6	12.2	. 7.7	10.4	.22.5	24.7	14
108,591	103,415	9,490	8;287	109.5	115.5	103.8	121.4	110.5	74.1	59.2	15
22,836 105 7 98	24,089 61 12 49	3+842 4 1 3	3,381 9 3 6	25.8 0.1 0.0 0.1	26.1 0.1 0.0 0.1	25.5 0.1 0.0 0.1	25.5 0.1 0.0 0.1	25.7 0.1 0.0 0.1	30.0 0.0 0.0 0.0	24.2 0.1 0.0 0.0	18
21,209	17,091	4,618	3,569	22.2	25.3	19-2	23.7	10.3	36.1	25.5	20
26 309 301 8 172 238 456 13 97	21 172 169 3 162 182 520 45 77 398	4 92 90 2 42 48 59 8 51	6 49 48 1 37 35 72 3 3	0.0 0.3 0.3 0.0 0.2 0.2 0.2 0.5 0.0	0.0 0.4 0.4 0.0 0.2 0.3 0.5 0.0 0.1	0.0 0.2 0.2 0.0 0.2 0.2 0.6 0.0	0.0 0.3 0.0 0.2 0.3 0.5 0.0	0.0 0.2 0.2 0.0 0.2 0.2 0.6 0.0	0.0 0.7 0.7 0.0 0.3 9.4 0.5	0.0 0.4 0.3 0.0 0.3 0.3 0.5 0.0 0.0	21 22 23 24 25 26 27 28 29 30
1,214 637 11,901	585 536 10+922	408 72 2,236	171 77 1,998	1.1 0.6	1.6 0.7	0.7 0.6 12.0	1.4 0.7 13.3	0.6 0.6 11.7	3.2 0.6 17.5	1-2 0-6 14-3	31 32 33 34
6,034 148 4,002 292 464 308 629 1,652 4,604 166 4,438	6,444 133 2,801 262 625 19 233 405 1,827 2,164 76 2,088	1,016 18 1,014 28 46 46 74 295 1,362 71	1,005 19 810 32 45 57 256 868 27 841	6-9 0-2 4-1 0-3 0-6 0-0 0-3 0-6 1-9 4-3 0-2 4-1	6.9 0.2 4.9 0.3 0.5 0.0 0.3 0.7 1.9 5.8 0.2	6.9 0.1 3.4 0.3 0.6 0.0 0.2 0.4 1.9 2.8 0.1 2.7	6.7 0.2 4.5 0.3 0.5 0.0 0.3 0.7 1.8 5.1 0.2	6.9 0.1 3.0 0.3 0.7 0.0 0.2 0.4 2.0 2.3 0.1 2.2	7.9 0.1 7.9 0.2 0.4 0.0 0.3 10.6 0.6 10.1	7-2 0-1 5-8 0-2 0-3 - 0-2 0-4 1-8 6-2 0-2	35 36 37 38 39 40 41 42 43 44 45
81,530	106,494	12,308	13,981	102.1	91.B	111.9	91.2	113.7	96.1	99.9	46
3,151 450 2,701 13,104 3,291 9,813 1,634 116 1,518 21,624 1,241	4,484 669 3,815 15,735 4+157 11,578 1,248 104 29,117 2,074 27,117	651 170 481 2.457 970 1.487 164 140 2.750 317 2.433	905 247 658 2,613 1,139 1,474 131 20 111 3,083 387 2,696	4.4 0.7 3.6 16.2 4.6 11.6 1.5 0.1 1.4 27.0 1.9 25.1	3.7 0.6 3.1 15.2 4.2 11.1 1.8 0.1 1.6 23.8 1.5	5.0 0.9 4.2 17.0 4.9 12.1 1.3 0.1 1.2 30.0 2.3	3.5 0.5 0.5 0.0 14.7 3.7 11.0 1.8 0.1 1.7 24.2 1.4 22.8	4.8 0.7 4.1 16.8 4.4 12.4 1.3 0.1 1.2 31.2 2.2 29.0	5.1 1.3 3.8 19.2 7.6 11.6 1.3 0.2 1.1 21.5 2.5	6.5 1.8 4.7 18.7 8.1 10.5 0.9 0.1 0.8 22.0 2.8	50 51 52 53 54 55
385 26 359 23 1 22 25,537 2,734 22,803 14,788 629 14,159 1,284 125 1,159	500 30 470 27 25 32,196 4,056 28,140 21,560 983 20,577 1,553 176 1,377	44 2 42 4 4,610 9,80 3,630 1,353 100 1,253 275 38 237	38 4 34 7 7 5,387 1,218 4,169 1,469 1,413 257 48 209	0.5 0.0 0.4 0.0 0.0 0.0 32.3 4.3 28.0 18.7 0.9 17.8 1.6 0.2	0.4 0.0 0.4 0.0 0.0 0.0 29.5 3.6 25.9 15.8 0.7 15.1 1.5 0.2	0.5 0.0 0.5 0.0 0.0 0.0 0.0 34.9 30.0 21.5 1.0 20.4	0.4 0.0 0.4 0.0 0.0 0.0 28.6 3.1 25.5 16.5 0.7 15.8 1.4 0.1	0.5 0.0 0.5 0.0 0.0 0.0 34.4 4.3 30.1 23.0 1.0 22.0	0.3 0.0 0.3 0.0 0.0 7.7 28.3 10.6 0.8 9.8 2.1 0.3	0.3 0.0 0.2 0.1 0.1 38.5 8.7 29.8 11.1 10.1 10.1	61 62 63 64 65 66 67 68 69 70 71 72
27,158	27,006	2,218	2,294	28.0	28.7	27.2	30.4	28.8	17.3	16.4	74
12,315 46 10 56. 15 12,188	17,927 21 9 49 13	1,087 6 - 5 - 1,076	1,288 2 - 4 3 1,279	15.5 0.0 0.0 0.1 0.0 15.4	13.1 0.1 0.0 0.1 0.0 13.0	17.9 0.0 0.0 0.0 0.0 0.0	13.8 0.1 0.0 0.1 0.0 13.6	19-1 0-0 0-0 0-1 0-0 19-0	8.5 0.0 - 0.0 - 8.4	9.2 0.0  0.0 0.0 9.1	79

Table 1-23. Deaths and Death Rates for Each Cause,

=				
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16	DISEASES OF ARTERIES, ARTEFIOLFS, AND CAPILLARIES—CON.  AORTIC ANEUPYSM (MONSYPHILITIC)———————————————————————————————————	14, 210 2, 924 1, 154 6, 653 3, 479 1, 286 652 19 36 3 - 594 5, 773 219 232 3, 830	10,189 1,910 700 5,107 2,472 697 357 8 30 2 - 317 2,627 125 1,656	4,021 1,014 454 1,546 1,007 589 295 11 6 1 - 277 3,146 94 100 2,174
17 18	OF PENAL ARTERY— 4444-7  OF ARTERIES OF THE EXTREMITIES— 4444-0  OF OTHER AND UNSPECIFIED ARTERIES	79 698 . 715	46 324 344	33 374 371
20 21 22 23 24 25 26 27 28 29 30 31 32 33	CANGRENE	2.867 2.112 755 626 207 53 53 89 25 84 5110 603 42	1,422 1,048 374 300 98 27 19 50 7 23 1 75 357 25	1,445 1,064 381 326 109 26 34 39 18 61 4 35 246
3 3 3 3 3 3 4 4 4 2 3 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM————————————————————————————————————	17-704 11-664 2-483 1-308 1-175 42 1-611 277 56 55 216 25 500 438 1 61 23 1-079 148 18 913	8,754 5,827 1,120 614 506 19 746 111 16 3 92 15 332 298 1 33 14 570 86 11 473	8.950 5.837 1.363 694 669 23 865 166 40 2 124 10 168 140 28 9 9 9 62 7 440
55 56 57 58 59 60 61 62 63 64 65	ACUTE RESPIRATORY INFECTIONS, EXCEPT INFLUENZA	1,358  20 3 1 1 41 41 35 130 224 905	734 15 2 - 1 16 20 84 104 493	624 5 1 1 1 25 15 46 120 412
66 67 68 69 70 71	INFLUENZA UNOUALIFIED	5, 131 1, 988 2, 931 157 40 15	2,408 911 1,390 79 16 12	2.723 1.077 1.541 78 24 3
72 73 74 75 76 77 78 79 80	PNEUMONIA————————————————————————————————————	57. 428 1. 604 4. 978 1. 619 356 16 38 425 784	31,816 799 2,964 1,047 245 9 24 252 517	25,612 805 2,014 572 111 7 14 173 267

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Diseases, Adapted, 1965 (ICDA).

NUMBER							RATE	·			Ī.
WHIT	r <del>e</del>	ALL OT	HER		TOTAL		WHI	re	ALL O	THER	
MALE	FEMALE	MALE	FENALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	NALE	FEMALE	]·
9,633 1,692 622 4,963 2,356 623 311 8 30 2 - 271 2,428 117 125 1,540 40 292	3,635 888 391 1,439 917 488 256 9 5 1 - 241 2,941 2,941 2,040 30 351	556 218 78 144 116 74 46 	386 126 63 107 90 101 39 2 1 - 36 205 5 4 134 3	6.8 1.4 0.5 1.7 0.6 0.3 0.0 0.0 0.0 0.3 2.8 0.1 0.1 0.1	10.0 1.9 0.7 5.0 2.4 0.7 0.3 0.0 0.0 0.0 0.3 2.6 0.1 0.1	3.7 0.9 0.4 1.4 0.9 0.3 0.0 0.0 0.3 2.9 0.1 0.1 0.1 0.0	10.8 1.9 0.7 5.5 2.6 0.7 0.3 0.0 0.0 - 0.3 2.7 0.1 1.7 0.0 0.3	3.9 0.9 0.4 1.5 1.0 0.5 0.0 0.0 0.0 0.0 0.3 3.1 0.1 2.2 0.0 0.4	4.3 1.7 0.6 1.1 0.9 0.4 	1.5 0.0	01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18
1,227 930 297 272 89 21 16 45 7 7 20 1 73 326	1,244 933 311 288 100 24 28 35 18 47 4 32 212	195 118 77 28 .9 6 3 5 - 3 - 2 31	201 131 70 38 9 2 6 4 - 14 - 3 34 2	1.4 1.0 0.4 0.3 2.1 0.0 0.0 0.0 0.0 0.0 0.0	1.4 1.0 0.4 0.3 0.1 0.0 0.0 0.0 0.0 0.0 0.0	1.3 1.0 0.4 0.3 0.1 0.0 0.0 0.0 0.0 0.1 0.0 0.0	1.4 1.0 0.3 0.1 0.0 0.1 0.0 0.1 0.0	1.3 1.0 0.3 0.3 0.1 0.0 0.0 0.1 0.0 0.1 0.0 0.2 0.0	1.5 0.9 0.6 0.2 0.1 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.1 -	20 21 22 23 24 25 26 27 28 29 30 31 32 33
7,413 4,890 987 543 444 17 636 88 14 2 72 15 288 257 1 300 11 481 68 7 406	7,599 4,911 1,205 628 577 23 743 144 32 2 110 7 148 124 24 9 409 48 5	1+341 937 133 71 62 2 110 23 2 1 20 - 44 41 - 3 3 89 18 4	1,351 926 158 66 92 122 22 8 14 3 20 16 4 100 14 2 84	8.4 5.6 1.2 0.6 0.0 0.0 0.1 0.0 0.1 0.0 0.2 0.0 0.0 0.0 0.0 0.0 0.0	8.6 5.7 1.1 0.6 0.5 0.0 0.1 0.0 0.3 0.3 0.0 0.3 0.0 0.0	8.3 5.4 1.3 0.6 0.0 0.8 0.2 0.0 0.1 0.0 0.2 0.1 0.0 0.2 0.1 0.0 0.2 0.1 0.0 0.2 0.1 0.0 0.2 0.1 0.0 0.2 0.0 0.1 0.0 0.2 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0	8.3 5.5 1.1 0.6 0.5 0.0 0.7 0.1 0.0 0.3 0.3 0.0 0.0 0.5 0.0 0.5	8.1 5.2 1.3 0.7 0.6 0.0 0.8 0.2 0.0 0.1 0.0 0.2 0.1 0.0 0.2 0.1 0.0 0.4	10.5 7.3 1.0 0.6 0.5 0.0 0.9 0.2 0.0 0.2 0.3 0.3 0.3 0.0 0.7 0.1 0.0 0.5	9.7 6.6 6.1 10.5 0.7 0.9 0.1 0.1 0.0 0.1 0.0 0.1 0.0 0.1 0.0 0.7 0.7 0.1 0.0 0.6	34 35 37 38 39 44 42 43 44 45 47 48 49 51 52 53 54
611 12 1 - - 1 14 13 67 67 82 422	520 2 - - 20 9 35 99 355	123 3 1 - 1 2 7 17 22 71	104 3 1 1 - - 5 6 11 21 57	0-6 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.1	0.7 0.0 0.0 0.0 0.0 0.0 0.1 0.1 0.5	0.6 0.0 0.0 0.0 - - 0.0 0.0 0.0 0.1	0.7 0.0 0.0 - - 0.0 0.0 0.0 0.1 0.1	0.6 0.0   0.0 0.0 0.0 0.0 0.1	1-0 0.0 0.0 - 0.0 - 0.0 0.1 0.1 0.2 0.6	0.7 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.2	55 56 57 58 59 60 61 62 63 64
2,205 836 1,274 71 13	2,508 997 1,416 72 21 2	203 75 116 8 3 1	21.5 80 125 6 3 1	2.4 0.9 1.4 0.1 0.0 0.0	2.4 0.9 1.4 0.1 0.0 0.0	2.5 1.0 1.4 0.1 0.0	2.5 0.9 1.4 0.1 0.0	2.7 1.1 1.5 0.1 0.0	1.6 0.6 0.9 3.1 0.0	1.5 0.6 0.9 0.0 0.0	66 67 68 69 70 71
26,936 676 2,384 859 191 8 21 210 429	22,456 693 1,679 508 92 6 12 151 247	4,880 123 580 188 54 1 3 42 88	3,156 112 335 64 19 1 2 2 20	27-4 0-8 2-4 0-8 0-2 0-0 0-0 0-2 0-4	31.1 0.8 2.9 1.0 0.2 0.0 0.0 0.2 0.5	23.8 0.7 1.9 0.5 0.1 0.0 0.0 0.2	30.1 0.8 2.7 1.0 0.2 0.9 0.0 0.2	24.0 0.7 1.8 0.5 0.1 0.0 0.0 0.2	38.1 1.0 4.5 1.5 0.4 0.0 0.0	22.5 0.8 2.4 0.5 0.1 0.0 0.0 0.2	72 73 74 75 76 77 78 79 80

Table 1-23. Deaths and Death Rates for Each Cause,

司				
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
91 02 03	PNEUMCNIA—CON.  PNEUMONIA DUE TO OTHER SPECIFIEO DRGANISMS———————————————————————————————————	184 832 22, 946	119 467 12,641	65 365 10+305
74	PNEUMONIA, UNSPECIFIED———————————————————————————————————	25, 265	13,779	11,486
05	BRONCHITIS, EMPHYSEMA, AND ASTHMA	29,708	22,740	6,968
06 07 08 09	## 8FONCHITIS, UNQUALIFIED	768 4.779 22,249 1,912	399 3,512 18,010 819	369 ( 1,267 4,239 1,093
10	OTHER DISEASES OF UPPER RESPIRATORY TRACT	492	285	207
11 12 13 14 15	HYPERTROPHY OF TONSILS AND ADENDIDS	-  -  -	16 7 - - 36	20 9 7
17 18 19 20 21 22	MAXILLARY SINUSITIS (CHRONIC)	44 2 2 7	1 6 29 1 2 3	1 15 1
23 24 25 26 27 28 29 30	HAY FEVER—	7 372 20 2 71 181 5	1 217 13 1 38 109 5	1 155 7 1 33 72 - 42
31 32	OTHER DISEASES OF RESPIRATORY SYSTEM	23,420 317	16,735 221	6 - 685
33 34 35 36 37 38 39 40 41 42 43 44	### EMPYENA	256 263 807 1•135	165 45 - 120 166 561 551 1,705 274 1,032 42 357	175 39 136 97 246 584 40 4 6
45 46 47 48 49 50 51 52 53 54 55	### CTHER PNEUMCCONIOSES AND RELATED DISEASES	17 5 12 - 3.250 843 14.703 391 385 1.845 11.334 748	14 3 11 2,045 443 10,864 204 212 1,252 8,805 391	3 2 1 1 - 1,205 400 3,839 187 173 593 2,529 357
	IX. DISEASES OF THE DIGESTIVE SYSTEM			
57	DISEASES OF DRAIL CAVITY, SALIVARY GLANDS, AND JAWS520-529 DISDRDERS OF TOOTH DEVELOPMENT AND ERUPTION520-520	143	60	83
58 59 60 61 62	DISORDERS OF TOOTH DEVELOPMENT AND ERUPTION520.0  ANDONTIA520.0  SUPERNUMERARY TEETH520.1  ARNORMALITIES OF SIZE AND FORM		- - -	1 1 1 1 1
63 64 65 66 67	ENAMEL HYPOPLASIA	-	1	1111
68 69 70 71 72 73	DISEASES OF HARD TISSUES OF TEETH	3 3 - -	3 1 - -	11711
74 75 76 77 78	#ESUPYICH====================================		1111	1111

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix

NUMBER			-				RATE				Γ
WHIT	rE	ALL OT	THER		TOTAL		MHI.	re	ALL (1	THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE.	FEMALE	MALE	FEMALE	MALE	FEMALE	1
			•								
104 352 10,903 11,658	52 264 9,245 10,015	15 115 1,738 2,121	13 101 1,060 1,471	0.1 0.4 10.9 12.0	0.1 0.5 12.4 13.5	0.1 0.3 5.6 10.7	0.1 0.4 12.2 13.0	0.1 0.3 9.9 10.7	0.1 0.9 13.6 16.6	0.1 0.7 7.6 10.5	01 02 03 04
21,365	6,464	1,375	504	14-2	22.2	6.5	23.9	6.9	10.7	3.6	05
326 3,332 17,100 607	333 1,212 4,069 850	73 180 910 212	36 55 170 243	0.4 2.3 10.6 0.9	0.4 3.4 17.6 0.8	0.3 1.2 3.9 1.0	0.4 3.7 19.1 0.7	0.4 1.3 4.3 0.9	0.6 1.4 7.1 1.7	0.3 0.4 1.2 1.7	06 07 08 09
232	161	53	46	0.2	0.3	0.2	0.3	0.2	0.4	0.3	10
16 5 -	17 8 - -	2 - -	3 1 -	0.0 0.0 - -	0.0	C.O O.O	0.0 0.0 - -	0.0 0.0 - -	0-0 0-0 - - -	0.0	11 12 13 14 15
28 1 4 23 - 2	14 - 1 13 1 - 3	B - 2 6 1	3 1 - 2 - 1	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 -	0.0 0.0 0.0 0.0  0.0	0.0 0.0 0.0 0.0	0.1 - 0.0 9.0 0.0	0.0 	16 17 18 19 20 21 22
1 177 13	118 6 1	- 40 - 1	1 37 1	0.0 0.2 0.0 0.0	0.0 0.2 0.0 0.0	0.0 0.1 0.0 0.0	0-0 0-2 0-0	0.1 0.0 0.0	0.3	0.0 0.3 0.0	23 24 25 26 27
31 87 4 42	23 52 - 36	7 22 1 9	10 20 - 6	0.0 0.1 0.0 0.0	0.0 0.1 0.0 0.0	0.0 0.1 - 0.0	0-0 0-1 0-0 0-0	0.0 0.1 - 0.0	0.1 9.2 0.0 0.1	0.1 0.1 - 0.0	28 29
15,130	6,013 78	1,605 45	672 18	11.2	16.4 0.2	6.2 0.1	16.9 0.2	6.4 0.1	12.5 0.4	4.8 0.1	31 32
176 141 39 102 123 399 449 1,625 244 1,009 40	147 31 116 74 196 505 39 4 6	24 6 - 18 43 162 102 80 30 23 2 25	28 8 - 20 23 50 79 1  1	0.2 0.0 0.1 0.1 0.4 0.5 0.8 0.1 0.5	0.2 0.0 0.1 0.2 0.5 1.7 0.3	0.2 0.0 0.1 0.1 0.2 0.9 0.0 0.0	0.2 0.0 0.1 0.1 0.4 0.5 1.8 0.3 1.1	0.2 0.0 0.1 0.1 0.2 2.5 0.0 0.0	0.2 0.0 0.1 0.3 1.3 0.8 0.6 0.2 0.2	0.2 0.1 0.1 0.2 0.4 0.6 0.0	33 34 35 36 37 38 39 40 41 42
14 3 11 1,877 399 9,927 164 169 1,084 8,177 333	3 2 1,118 369 3,484 162 150 513 2,369 290	  168 44 937 40 43 168 628 58	87 31 355 25 23 80 160	0.0 0.0 0.0 0.0 0.2 0.2 0.2 0.9 5.4	0-0 0-0 0-0 0-4	0.0 0.0 0.0 0.0 - 1.1 0.4 3.6 0.2 0.2 0.2 0.6 2.3	0-0 0-0 0-0 0-0 2-1 0-4 41-1 0-2 0-2 1-2 9-1 0-4	0.0 0.0 0.0 - 1.2 0.4 3.7 0.2 0.2 0.5 2.5	- 1.3 0.3 7.3 0.3 0.3 1.3 4.9		48
· 44	70	16	13	0-1	0.1	0.1	0.0	0.1	0.1	0.1	1 .
-		-	-	-		-		- - - - -	111111	- - - - - -	58 59 60 61 62 63 64 65 66
-	= =		-	-		-		- -	0.0		
22	-	1 1 - - -		0.0	0.0 0.0 - - -		0.0	- - - - -	· 0.0		68 69 70 71 72 73 74
			=	= = = = = = = = = = = = = = = = = = = =	-	- - -			=======================================	· <u>-</u> - -	175

Table 1-23. Deaths and Death Rates for Each Cause,

-	CAUSE OF DEATH		TOTAL	N-3-43-70-11
		BOTH SEXES	MALE	FEMALE
DISEASES (	DF ORAL CAVITY, SALIVARY GLANDS, AND JAWSCON.			
DISFASES OF PI	ULP AND PERIAPICAL TISSUES522  THE PULP	15	6	
NECROSIS OF	THE PULP	-	-}	,
ABNORMAL HAS	RD TISSUE FORMATION IN PULP522.3	<u>-</u>	=[	
PERIAPICAL A	ABSCESS522.5	8	3	•
FISTULA FROM	CAL PERIODONTITIS	-[	=	:
PADICULAR CY OTHER AND UN	YST	<u> </u>	타	
PERTODONTAL DI	SEASES	5	1	
ACUTE GINGIN	VITIS	[	=	•
GINGIVAL REC	CESSION523.2	-	<u>-</u> }	
CHRONIC PERI	IODONTITIS——————————————————————————————————	<u> </u>	=	
ACCRETIONS (	N TEETH523.6	-	-1	
DENTOFACIAL AN	VOHALIES, INCLUDING MALOCCLUSION524	2 2	1)	
MAJOR ANOMAL ANOMALIES OF		2	ī	
ANDMALIES OF ANOMALIES OF	DENTAL ARCH RELATIONSHIP524.2 TOOTH POSITION524.3	[]	=	
MALDCCLUSION DENTREACTAL	Na UNQUALIFIED524.4	l <u>-  </u>		
OTHER AND UN	ISPECIFIED524.9	-	-	
OTHER DISEASES	S AND CONDITIONS OF THE TEETH AND SUPPORTING STRUCTURES	18	8	1
ATROPHY OF E	DENTULOUS ALVEOLAR RIDGE525.1	] []	<u> </u>	_
DISEASES OF TH	ISPECIFIED	18   18     11	8	:
DEVELOPMENTA FISSURAL CYS	NL DENTAL CYSTS526.0	[ [	-	
OTHER CYSTS	OF JANS526.2	! _[	-1	
INFLAMMATORY	CONDITIONS526.4	2	1 5	
OTHER AND UN	S AND CONDITIONS OF THE TEETH AND SUPPORTING STRUCTURES	<u>                                   </u>	-1	
ATROPHY	SPECIFIED	60	15	,
STAL DADENITI	S27.1	43	11	•
FISTULA		16	-	
SIALOLITHIAS MUCOCELE	57.3 57.3 57.3 57.3 57.3		=	
DICTIODANCEC	: OF SALIVARY SECRETION	_[	-	
		-	~	
DISEASES OF TH STOMATITIS—	GRAL SOFT TISSUES, EXCLUDING GINGIVA AND TONGUE	27	19	
CANCRUM ORIS	SUICERATIONS528.1	1 1	51	
CELLULITIS A	NO ABSCESS	7	5	
			=1	
OTHER DISTUR	DE DRAL MUCUSA	-[]	=1	
OTHER AND UN	ISPEC IFI ED528.8	16	11	
DISEASES OF TH	E TONGUE AND OTHER ORAL CONDITIONS	2	1	
GLDSSITIS GEDGRAPHIC T	## TONGUE AND OTHER GRAL CONDITIONS ——529    529.0	2	-1	
MEDIAN RHOMB HYPERTROPHY	DID GLOSSITIS529.2  DF TONGUE PAPILLAE529.3	-11	-1	
PLICATED TON	UNGUE PAPILLAE529.4  GUE529.5	<u> </u>		
GLOSSODYNIA-	AND OTHER DISTURBANCES OF KERATINIZATION OF THE TONGUE	-[]	<u> </u>	
OTHER AND UN	SPECIFIED529.9	-[[	- j	
DISEASES O	F ESOPHAGUS, STOMACH, AND DUODENUM530-537	10,880	6,917	3,96
DISEASES OF ES	OPHAGUS530	1, 134	687	44
	ISORDERS OF ESOPHAGUS	69 319	209 209	1
OBSTRUCTION	OF ESOPHAGUS, ACQUIRED*530.2 OF ESOPHAGUS*530.3	28 262	16 127	13
RUPTURE OF E	DF ESOPHAGUS	190 266	136 164	16
IN CER DE STOMA	CV	3, 289 1, 949	1,949	1.3
WITH PERFORA	AGE ONLY	730	411	31
OTHER AND UN	AGE AND PERFORATION #531.2 SPECIFIED #531.9 SPECIFIED #531.9 SPECIFIED #531.9	138 472	80 271	20
WITH HEMODOU	ACE OU V	3,385 1,716	2,352 1,230	1 • 03 48
WITH PERFORA	AGE AND PERFORATION	1.098	713	31

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Interidentified by an asterisk; see Technical Appendix]

NUN	4BER				RATE							
	WHI	TE	ALL C	THER		TOTAL		ині	TE	ALL O	THER	
	IALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMAL E	
	5	3	1	6	0.0	0.0	0.0	0-0	0.0	. 0.0	0.0	
	-		_	_	] [	] []			1		-	
	-		<u> </u>	-	_				0.0	0.0		
	2 3	2 1		2 4	0.0 0.0	0.0	0.0 0.0	0.0	0.0	-	0.0 0.0	
	-		_	_	_		-		-		-	
	- '		-	_	] -	-	-	-		-	-	
	1_	4	_	_	0.0	0.0	0.0	0.0	D.O		_	
	=	1 -			0.0	_	0.0			J - J	-	
		1	- -	=	0.0		0.0 0.0	= =	0.0		-	
	- - 1	- 1	Ξ	=	0.0	0.0	0.0	0.0	 0•0	-	<u>-</u>	
	ĩ	-	-	1	0.0	0.0	0.0	0.0			0.0	
	1	· <u>-</u> '	_	1 -	0.0	0.0	0.0	0.0	-	-	0.0	
	_ :	_	_		[ -			-	-	-	-	
	_	]	<u> </u>	] , -	-	] -	-	]		-	-	
	5	8	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	=		-		] [	-	-		\	-		
	5 5	8 5	3	2 -	0.0	0.0	0.0 0.0	0.0	0.0	0.0	0.0 - -	
	-	-	=	\ <u>-</u>		[	Ξ.	1.1-1			, <u>-</u>	
	-	- 1			0.0	0.0	0.0	0.0	0.0		<u>-</u>	
	1 4	3	1		0.0	0.0	0.0 0.0	0-0	0.0 0.0	0.0	· -	
	14	45	1	-	0.0	0.0	0-0	0.0	0.0	.0.0		
	11 3	1 32	-	-	0.0	0.0	0.0 0.0	0.0	0.0 0.0	~	·	
	3 	12	1 -	] -	0.0	0.0	0.0	0.0 -	0.0	0-0	_	
	_	-		[ -	-	=	-		-	-	=	
	=		=		- -		-	1	=		=	
		4	9	4	0.0:	0.0	0.0	0.0	0.0	0.1		
	10 3 -	1			0.0	0.0	0.0	0.0	0.0	~	0.0 - 0.0	
	 3	=	2	2	0.0	0.0	0.0	0.0	· · -	0.0	0.0	
	=	<u>-</u>	-	_			-			-		
	-	i -		[ [	[ -	-			_	-	0.0	
	4	3	7	2	0.0	0-0	0.0	0.0	0.0	0.1	0.0	
	1	1 1	=	] =	0.0	0.0	0.0 0.0	0.0	0.0		_	
	=	=	[ -	[ -		-		=	=		_	
	-	-		=	111111			- ·				
	=	-	<u>-</u> -	=		-		-		-	·	
	=	=	=	[ ]				<u> </u>	_	] [		
	6,178	3,638	739	325	5.2	6.8	3.7	6.9	3.9	5.8	2.3	
	618	415	69	32	0.5	0.7	0.4	0.7	0.4	0.5	0.2	
	30 192	30 104	5 17	6	0.0	0.0	0.0	0.0	0.0 0.1	0.0 0.1	0.0	
	16 117 123	.12 128 50	10 13	7	0.0 0.1 0.1	0.0 0.1 0.1	0.0 0.1 0.1	0.0 0.1 0.1	0.0 0.1 0.1	0.1	0-1	
	140 14692	91 1,240	24 257	11 100	0.1 1.6	0.2 1.9	0.1 1.2	0.2 1.9	0.1 1.3	0.2 2.0	0.1 0.7	
	1,03B 348	703 292	149 63	59 27	0.9	1.2	0.7	1.2	0.8 0.3	1.2	0.4	
	71 235	56 189	9 36	12	0.1 0.2	0.1 0.3	0.1 0.2	0.1 0.3	0.1 0.2	0-1 0-3	0.0 0.1	
	2.161	956 452	201 94	77	1.6 0.8	2.3	-/ 1.0 0.5	2.4 1.3	1.0 0.5	1.6 0.7	0-2 0-0 0-0 0-1 0-1 0-7 0-4 0-2 0-0 0-1 0-2 0-2	
	1,136 639 142 234	356 44 104	74 16 17	29 5 9	0.5	0.7	0.4 0.0	0.7	0.4 0.0	0.6 0.1 0.1	0.2 0.0	

Table 1-23. Deaths and Death Rates for Each Cause,

<u></u>		national Clas	sification of Dis	cases (ICD) are
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
	DISEASES OF ESOPHAGUS, STOMACH, AND DUGDENUMCON.			
01 02 03 04 05	PEPTIG ULCER, SITE UNSPECIFIED—	1,014 462 552 765 689 36	673 303 370 500 447 25	341 159 182 265 242 11
07 08 09 10	NITH   HEMORRHAGE AND PERFORATION	14 26 598 107 5	20 349 54 3	6 6 249 53 2 36
12 13 14 15 16	OTHER DISEASES OF STOHACH AND DUODENUM————————————————————————————————————	27 588 113 475	12 353 67 286	15 235 46 189
17	APPENDICITIS	1,066 985	663 619	403 366
18 19 20 21 22 23	ACUTE APPENDICITIS	932 932 53 78 1	507 32 43 -	345 21 35 1
24	HERNIA OF ABOOMINAL CAVITY	2, 533	1,250	1 .283
25 26 27 28 29 30	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION	110 1-172 7 103 130 763	104 579 5 46 43 374	593 2 57 87 389
31 32 33 34 35	OF OTHER SPECIFIED SITE	16 153 304 947 147	7 104 243 324 31	9   49   61   623   116
36 37 38 39 40	TINGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION   -550    -551   TINGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION   -551    -551   TEMORAL   -551    -551   VENTRAL   -551    -551   VENTRAL   -551    -551   OF OTHER SPECIFIED SITE   -551    -551   OF UNSPECIFIED SITE   -553    -552   OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION   -553    -553   VENTRAL   -553    -553   OF OTHER SPECIFIED SITE   -553    -553   OF OTHER SPECIFIED SITE   -553    -553   OF UNSPECIFIED SITE   -553    -554   OF UNSPECIFIED SITE   -553    -555   OTHER SPECIFIED SITE   -553    -555   OTHER	140 228 96 89 247	37 48 44 38 126	103 180 52 51 121
41 42 43 44 45	OTHER DISEASES OF INTESTINE AND PERITONEUM	15•812 4•213 60 297 890	7,234 1,756 35 143 438	8+578 2+457 25 154
46 47 48 49 50	1	138 460 2,368 53 3,314	41 173 926 20 1,267	452 97 287 1.442 33 2.047
52 53 54 55 56	COLON	3, 268 1, 084 356 655 73	1, 245 453 160 269 24	2-023 631 196 386 49
57 58 59 60	FUNCTIONAL DISORDERS OF INTESTINES	109 23 63 23 5	43 10 23 10 5	66 13 40 13
62 63 64 65 66 67 68	AMAL FISSURE	2 3 95 1,160 308 852 126	2 3 55 579 169 410 47	40 581 139 442 79
69 70	OTHER DISEASES OF INTESTINES AND PERITONEUM	5•653 9	3, 009 5	2.644
71 72 73 74 75	PROLAPSE OF RECTUM————————————————————————————————————	17 190 234 660 4,543	5 81 110 315 2,493	12 109 124 345 2+050
76	DISEASES OF LIVER, GALLBLAODER, AND PANCREAS570-577	44,660	27,651	17,009
77 76 79 80 81 82	ACUTE AND SUBACUTE NECROSIS OF LIVER	587 33, 350 12, 624 5, 341 15, 385	263 21,782 8,817 3,092 9,873	324 11 • 568 3 • 807 2 • 249 5 • 512

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix

=	NUMBER	WHITE ALL OTHER					RATE			,	=	
Γ	WHIT	re	THER		TOTAL		MHZ	TE	ALL OT	THER		
	MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMAL E	
	599 264 335 451 401 23 7 20 300 49 3 35 11 310 54	307 144 163 238 215 11 6 6 221 47 2 31 14 214 41	74 39 35 49 46 2 1 - 4 1 5 - 4 1 43 13 30	34 15 19 27 27 - - 28 6 6 - 5 1 21 21 5	0.0 0.0 0.0 0.3 0.1 0.0	0.7 0.3 0.4 0.5 0.0 0.0 0.0 0.3 0.1 0.0 0.3 0.1	0.3 0.1 0.2 0.2 0.0 0.0 0.0 0.0 0.0 0.0	0.7 0.3 0.4 0.5 0.6 0.0 0.0 0.3 0.1 0.0 0.0 0.0	0.3 D.2 0.2 0.3 0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0,6 0.3 0.3 0.4 0.4 0.0 0.0 0.0 0.3 0.0 0.0 0.0 0.0 0.0	0.2 0.1 0.1 0.2 0.2 0.2 0.0 0.0 0.0 0.0 0.0	01 02 03 04 05 06 07 08 09 10 11 12 13 14 15
	524	323	139	80	1 1	0.6	0.4	0.6	0.3	1.1	0.6	l .
	488 462 26 35 -	293 274 19 29	131 125 6 8 -	73 71 2 6 1	0.5 0.4 0.0 0.0 0.0	0.6 0.6 0.0 0.0 -	0.3 0.3 0.0 0.0 0.0	0.5 0.5 0.0 0.0	0.0 0.0 0.0	1.0 1.0 0.0 0.1	0.5 0.5 0.0 0.0	18 19 20 21 22 23
	1,104	1,152	146	131	1.2	1.2	1.2	1.2	1.2	1.1	0.9	24
	90 517 4 37 38 344 5 89 199 298 24 44 43 33	4 537 2 42 73 364 9 47 58 553 112 79 159 49 46	14 62 1 9 5 30 2 15 44 26 3 3 3 4 1 1	2 566 - 15 14 25 - 2 2 3 3 70 4 24 21 3 5	0.0 0.1 0.1 0.5 0.1 0.1	0.1 0.6 0.0 0.0 0.0 0.1 0.2 0.3 0.0 0.0 0.0 0.0	0-1 0-4 0-0 0-0 0-1 0-6	0.1 0.6 0.0 0.0 0.4 0.1 0.2 0.3 0.0 0.0 0.0	0.0 0.6 0.0 0.0 0.1 0.4 0.0 0.1 0.1 0.1 0.1 0.1 0.1 0.1	0.1 0.5 0.0 0.1 0.2 0.0 0.1 0.3 0.2 0.0 0.0 0.0 0.0	0.0 0.4 	25 26 27 28 29 30 31 32 33 34 35 36 37 38 39
	6,239	7,656	995	922	7.5	7.1	8.0	7.0	8.2	7.8	6.6	41
	1,448 24 117 370 36 138 763 12 1,160 22 1,138 429 156 255	2,157 20 134 399 91 252 1,261 23 1,906 22 1,884 588 183 360 42	308 11 26 68 5 35 163 8 107 - 107 24 4	300 5 20 53 6 35 181 10 141 2 139 46 13	0-4 0-1 0-1 0-0 1-6 0-0 1-6 0-5 0-2	1.7 0.0 0.1 0.4 0.0 0.2 0.9 0.0 1.2 0.0 1.2 0.0	0.0 0.1 0.4 0.3 1.3 0.0 1.9 0.0 1.9 0.6 0.2	1.6 0.0 0.1 0.4 0.0 0.2 0.9 0.0 1.3 0.0 1.3 0.5 0.2	2.3 0.0 0.1 0.4 0.1 0.3 1.3 0.0 2.0 0.0 0.6 0.2	2.4 0.1 0.2 0.5 0.0 0.3 1.3 0.1 0.8 0.8 0.2 0.0	2-1 0.0 0.1 0.4 0.0 0.3 1.3 0.1 1.0 0.0 0.3 0.1	44 45 46 47 48 49 50 51 52 53 54 55
	31 5 17 9 3 1 2 43 476 138 338	60 9 38 13  - 32 504 116 388 72	12 5 6 1 2 1 1 12 103 31 72 9	6 4 2 - - - - 8 77 23 54 7	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.6 0.2 0.4	0.0 0.0 0.0 0.0 0.0 0.5 0.1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.5 0.2 0.4	0.1 0.0 0.0 0.0 0.0 - - 0.0 0.5 0.1	0.1 0.0 0.0 0.0 0.0 0.0 0.1 0.8 0.2 0.5	0.0 0.0 0.0 - - - 0.1 0.6 0.2 0.4	58 59 60 61 62 63 64 65 66
	2,599 4 5 63 91 277 2,159	2,317 3 11 95 107 309 1,792	410 1 19 19 38 334	327 1 1 1 14 17 36 258	0.0 0.0 0.1 0.1 0.3	2.9 0.0 0.0 0.1 0.1 0.3 2.4	0.0 0.0 0.1 0.1 0.3	0.0 0.1 0.1	2.5 0.0 0.0 0.1 0.1 0.3 1.9	3.2 0.0 0.1 0.1 0.3 2.6	2.3 0.0 0.0 0.1 0.1 0.3	70 71 72 73 74
	23,360	14,113	4,291	2,896	21.3	27.0		26.1	15.1	33.5	20.7	
	202 18,372 7,234 2,444 8,694 76	255 9,444 2,943 1,802 4,699	61 3,410 1,583 648 1,179	69 2,124 864 447 813	15.9 6.0 2.5 7.3	0.3 21.3 8.6 3.0 9.7 0.1	10.7 3.5 2.1 5.1	8.1	0.3 10.1 3.1 1.9 5.0	0.5 26.6 12.4 5.1 9.2 0.2	5.8	78

Table 1-23. Deaths and Death Rates for Each Cause,

ı	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
01 02 03 04 05 96 07 08 09 10 11 12 13 14 15	DISEASES OF LIVER, GALLBLADDER, AND PANCREAS—CON.  OTHER DISEASES OF LIVER————————————————————————————————————	2.662 514 2.148 1.817 241 723 853 1.605 1.420 594 42 784 3.063 2.594 280 189	1,482 235 1,247 786 92 314 380 745 653 272 16 365 1,843 1,541 181 121	1-180 279 901 1.031 149 409 473 860 767 322 26 419 1.720 1.053 99 68
17	NEPHRITIS AND NEPHPOSIS580-584	84336	4,460	3.876
18 19 20 21 22	ACUTE NEPHRITIS	1.224 312 5.914 780 106	709 157 3,142 398 54	515 155 2,772 382 52
23	OTHER DISEASES OF URINARY SYSTEM	15, 573	7, 837	7,736
24 25 26 27 28	INFECTIONS OF KIDNEY	6, 134 3, 513 2, 415 105 101	2,589 1,507 990 44 48	3+545 2+006 1+425 61 53
29 30 31 32 33 34 35	UTHER DISEASES OF UNINARY SYSTEM	152 627 4.805 1 332 4.324	92 288 2•717 - 200 2•426 83	60 339 2,088 1 132 1,898
36 37 38	OTHER DISEASES OF URETER——————————————————————————————————	13 72	3 5 39	3 B 33
39 40 41 42 43 44 45	CYSTITIS	320 345 59 13 90 4 179	162 237 30 8 83 2 114	158 108 29 5 7 2 65
46 47 48 49 50 51 52	UP FTHRITIS (NONVENEREAL)	7 126 2,985 2,724 5 - 256	6 120 1.587 1.366 5 - 216	1 6 1.398 1.358 
53	DISEASES OF MALE GENITAL DRGANS	2,303	2,303	
54 55 56 57 58 59 60	HYPFRPLASIA OF PROSTATE	1,589 142 372 8 16	1,589 142 372 8 16 1	**** *** *** ***
61 62 63 64	### DISEASES OF MALE GENITAL ORGANS	175	175	
65 66 67 68	BALANITIS	1 - 48 -	1 48 7	•••
70 71	TORSTON OF TESTIS	125	125	***
72 73	DISEASES OF BREAST, OVARY, FALLOPIAN TUBE, AND PARAMETRIUM	269	-	269
74 75 76 77 78	OTHER DISEASES OF BREAST	37 4 1 - 32	1 -	37   1 1 -

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Internitient by an asterisk; see Technical Appendix

-	NUMBER							RATE		- 1	· [
	WHIT	E	ALL DI	HER		TOTAL		WHIT	TE .	ALL O	THER
İ	MALE	FEHALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE_	MALE	FEMAL E
	1,223 204 1,019 744 84 298 362 678 599 244 15 340 1,466 1,232 136 98	921 223 698 944 138 378 428 781 693 291 23 379 1,027 886 79	259 31 228 42 8 16 18 67 54 28 1 25 377 309 45 23	259 56 203 87 11 31 45 79 74 31 3 40 193 167 20 6	1.3 0.2 1.0 0.9 0.1 0.3 0.7 0.3 0.0 0.4 0.5 1.5	1.4 0.2 1.2 0.8 0.1 0.3 0.4 0.7 0.6 0.3 0.0 0.4 1.8 1.5 0.2	1.1 0.3 0.8 1.0 0.1 0.4 0.6 0.7 0.3 0.0 0.4 1.1 1.0	1.4 0.2 1.1 0.8 0.1 0.3 0.7 0.3 0.0 0.4 1.6 1.4 0.2	1.0 0.2 0.7 1.0 0.1 0.5 0.8 0.7 0.3 0.0 0.4 1.1	2.0 0.2 1.8 0.3 0.1 0.1 0.5 0.4 0.2 2.9 2.4 0.2	1.9 01 0.4 02 1.5 03 0.6 04 0.1 05 0.2 06 0.3 07 0.6 08 0.5 10 0.0 11 0.3 12 1.4 13 1.2 14 0.0 16
	3.331 569 125 2.271 319 47	2,727 391 129 1,867 297 43	1,129 140 32 871 79 7	1,149 124 26 905 85 9	4.0 0.6 0.1 2.8 0.4	4.4 0.7 0.2 3.1 0.4	3.6 0.5 0.1 2.6 0.4 0.0	3-7 0-6 0-1 2-5 0-4 0-1	2.9 0.4 0.1 2.2 0.3 0.0	8.8 1.1 0.2 6.8 0.6 0.1	8.2 17 0.9 18 0.2 19 6.5 20 0.6 21 0.1 22
l	6,471	6+497	1,366	1,239	7.4	7.7	7.2	7.2	6.9	10.7	8.9 23
	2.159 1.249 832 38 40 79 2.60 2.158 - 167 1.919 66 1 5 36	3+032 1,684 1,253 51 44 51 300 1+637 1 11B 1,469 39 2,8	430 258 158 6 8 13 28 559 - 33 507 17 2 - 3	513 322 172 100 9 9 39 451 	2.9 1.7 1.2 0.1 0.0 0.1 0.3 2.3 0.0 0.2 2.1 0.1 0.0	2-5 1.5 1.0 0.0 0.1 0.3 2.7 0-2 2-4 0-1 0.0 0.0	3.3 1.9 1.2 0.1 0.0 0.1 1.9 0.0 0.1 1.8 0.0	2-4 1-4 0-9 0-0 0-1 0-3 2-4 - 0-2 2-1 0-1 0-0	3.2 1.8 1.3 0.1 0.0 0.1 0.3 1.7 0.0 1.6 0.0 0.0	3.4 2.0 0.1 0.1 0.2 4.4 0.3 4.0 0.1	3.7 24 2.3 25 1.2 26 9.1 27 0.1 28 0.1 29 0.3 30 3.2 31 - 32 0.1 33 0.1 34 0.1 35 0.0 36 0.0 36
	145 198 25 7 69 2	147 97 23 5 6 2	17 39 5 1 14 -	11 11 6 - 1	0.2 0.2 0.0 0.0 0.0 0.0	0.2 0.2 0.0 0.0 0.1	0-1 0-1 0-0 0-0 0-0 0-0 0-1	0.2 0.2 0.0 0.0 0.1 0.0	0.2 0.1 0.0 0.0 0.0 0.0	0.1 0.3 0.0 0.0 0.1 -	0.1 39 0.1 40 0.0 41 - 42 0.0 43 - 44 0.0 45
	5 82 1,349 1,173 2 - 174	1 6 1,196 1,164 - - 32	1 38 238 193 3 - 42	- 202 194 - - 8	0.0 0.1 1.4 1.3 0.0 -	0.0 0.1 1.6 1.3 0.0 -	0.0 0.0 1.3 1.3 -	0.0 0.1 1.5 1.3 0.0	0.0 0.0 1.3 1.2 - 0.0	0.0 0.3 1.9 1.5 0.0	- 46 - 47 1.4 48 1.4 49 - 50 - 51
	2,024 1,407 119 334 7 14 1	•••	279 182 23 38 1 2		1.1 0.8 0.1 0.2 0.0 0.0	2-3 1-6 0-1 0-0 0-0 0-0		2.3 1.6 0.1 0.4 0.0 0.0	•••	2.2 1.4 0.2 0.3 0.0 0.0	53 54 55 56 56 57 57 58 58 60
	142 - - 1 - 37 - 1 103		33 - - - - 11 - - - 22		0.1 	0.2 		0.2 		0.3 - - - 0.1 - - - 0.2	61 62 63 64 64 65 66 67 68 69 69
	_	178 2	-	91	0-1	· <u>-</u>	0.2 0.0	-	0.2 0.0	-	0.7 72 0.0 73
	1111	32 3 1 - 28	- - -	5 1 - - 4	0-0		0.0		0.0 0.0 0.0 -	11111	0.0 73 0.0 74 0.0 75 - 76 - 77 0.0 78

Table 1-23. Deaths and Death Rates for Each Cause,

=		HALIONAL CIA	SHCALION OF DI	Beases (ICD) are
				· · · · · · · · · · · · · · · · · · ·
	CAUSE OF DEATH		TOTAL	[]
		BOTH SEXES	MALE	FEMALE
	DISEASES OF BREAST, DVARY, FALLOPIAN TUBE, AND PARAMETRIUM—CON.		1	
01	ACHTE SALDINGTES AND GODGOTTES			_
02	CHRONIC SALPINGITIS AND GOPHORITIS———————————————————————————————————	<u> </u>	:::	. Ell
04	OTHER DISEASES OF OVARY AND FALLOPIAN TUBE	42 11		42 11
05 06	PROLAPSE OF DVARY	-		<u> </u>
97 08	OVARIAN CYST, RETENTION	3 8	:::	3
09 10	DISEASES OF PARAMETRIUM AND PELVIC PERITONEUM (FEMALE)	176 167	•••	176 167
11	PELVIC PERITONEAL ADMESTONS, FEMALE	5	***	5
13	ACUTE SALPINGITIS AND OOPHORITIS———————————————————————————————————	1	:::	1
14	DISCASES OF STEDUS AND OTHER PENALE CENTEN PROMP	للمدي		429
15	INFECTIVE DISEASES OF CERVIX UTERI — 620 CHRONIC CERVICITIS — 620.9 OTHER DISEASES OF CERVIX — 621.0 ERYTHROPLASIA OF CERVIX — 621.1 HYPERPLASIA OF CERVIX — 621.1 HYPERPLASIA OF CERVIX — 621.2 CHRONIC EROSION AND ULCERATION OF CERVIX — 621.3 JILD LACERATION OF CERVIX — 621.4 STRICTURE OF CERVIX — 621.5 ATROPHY OF CERVIX — 621.5 INFECTIVE OF CERVIX — 621.5 INFECTIVE OF CERVIX — 621.6  ATROPHY OF CERVIX — 621.6  INFECTIVE OF CERVIX — 621.6  ATROPHY OF CERVIX — 621.6  INFECTIVE OF CERVIX — 621.6	2		2
16 17	CHRONIC CERVICITIS ———————————————————————————————————			=
18	OTHER DISEASES OF CENTY.	6	•••	6
19 20	ERYTHROPLASIA OF CERVIX		***	=11
21 22	HYPERPLASTIC ENDOMETRITIS OF CERVIX621.? CHRONIC EROSION AND ULCERATION OF CERVIX621.3	=11	***	<u>-  </u>
23 24	GLO LACERATION OF CERVIX621.4  STRICTURE OF CERVIX621.5	7[]	•••	- 1
25 26	ATROPHY OF CERVIX	- 11		=
27	OTHER			31
28 29	INFECTIVE DISEASES OF UTERUS, EXCEPT CERVIX622.d	19 12	:::	19 12
30 31	UTEROVAGINAL PROLA "SE	50 22	• • •	50 22
32 33	### 1510UELE		:::	[2]
34	0623-2 VASTINAL ENTEROCELE	2		z
35 36	VAGINAL ENTEROCELE	21	***	21 5
37	NAL PORT TICK OF INTERIER	ړ		اله
38 39	RETROVERSION AND RETROFLEXION	2		ż
40 41	OTHER	2		2
42	ATROPHY OF UTERUS	177	•••	177
43 44	UVDEORI ACTA OC CAMONUCTOTAN	-	:::	
45	ENDOMERRIOSI S — — — — — — — — — — — — — — — — — —	14 159	:::	14 159
47 48	DISIRDERS OF MENSTRUATION626	16		16
49 50	CCLUTY	-11	•••	=11
51 52	SCAN   T -	1	:::	1
53	1REGULAR————————————————————————————————————	-11	:::1	-11
54 55	1NTER MENSTRUAL BLEEDING	<u>-  </u>	***	6
56 57	### ##################################	6	***	6
58 59	STERILITY, FEMALE GENITAL ORGANS	142		142
60 61	THER DISEASES OF FEMALE GENITAL GREANS			77211
62	EPYTHEOPLASIA OF VAGINA AND VULVA — 629.1  KRAURDSIS OF VULVA — 629.2  LEUKORRHEA — 629.3	1		1
64	UNSPECIFIED INFECTION629.4	92	***	92
65 66	VAGINAL BLEEDING	8	:::	ß
67 68	LEUKORRHEA - 629.3 LEUKORRHEA - 629.3 LEUKORRHEA - 629.4 VAGINAL BLEEDING - 629.4 VAGINAL BLEEDING - 629.5 OLD LACENATION - 629.6 STRICTURE OR ATRESIA OF VAGINA AND HYMEN - 629.7 RECTUVAGINAL FISTULA - 629.9 OTHER - 629.9	1   15		1 15
69	OTHER	25	:::	25
l		11		[]
	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	- 11	-	[]
70	COMPLICATIONS OF PREGNANCY	91		91
71	INFECTIONS OF CENTAL TRACT DIDING PRECIONARY	[]		2
72	### COUNTY   CONTROL   CON	46	***	46
73 74	TURAL PREGNANCY WITH SEPSIS	1		1
75 76	OTHER OR UNSPECIFIED ECTOPIC PREGNANCY WITH SEPSIS	-	:	2
77 78	OTHER OR UNSPECIFIED ECTOPIC PREGNANCY WITH SEPSIS	1 18	:::	1
79			***	18
80	OTHER OR UNSPECIFIED ECTOPIC PREGNANCY WITHOUT MENTION OF SEPSIS	24 11	***	24 11
82 83		~ 3	•	3
84 85	HEMORRHAGE FROM MARGINAL SINUS	-11	***	- 1
86 87	DUE TO AFIBRI NOGENEMI A	1	:::	<u>i</u>
94.1	632.9	111		7

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Appendix

NUMBER							RATE				<u></u>
WHI	TE	ALL O	THER		TOTAL		MH1.	ΓE	ALL O	THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
	21 5 118 115 1 1 1 344 2 - 2 6		21 6 - 3 3 58 52 4 2 - 85 - - - - - 10 7	0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.0 0.0 0.0	MALE	0.0 0.0 0.0 0.0 0.0 0.2 0.2 0.0 0.0 0.0	MALE	0.0 0.0 0.0 0.1 0.1 0.1 0.0 0.0 0.0 0.0	MALE	0.2 0.0 0.0 0.0 0.0 0.4 0.4 0.0 0.0 0.0	06 07 08 99 10
•••	9 44 19 - 1 1 19 5		3 6 3 - 1 2 -	0.0 0.0 0.0 	•••	0.0 0.0 0.0 - - 0.0 0.0	•••	0.0 0.0 0.0 - - 0.0 0.0	•••	0.0 9.0 0.0  0.0	29 30 31 32 33 34 35 36
	3 2 1 1 1 3 9 1 3 1 2 3 1 1 1 1 2 1 1 1 8 1 7 9 5 - 1 1 1 5 1 7		1 38 - 1 36 - 1 1 24 - 13 3 - 13 8	0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.1 0.0 0.1 0.0 0.0 0.1 0.0 0.0		0.0 0.0 0.3 0.0 0.0 0.0 0.3 0.0 0.0 0.0	37 38 34 44 44 44 44 44 45 45 55 55 55 56 66 66 66 66 66 66 66 66 66
	57 1 25 - - - 2 - 8 - 15 6 - - 2 - 2		34 1 21 1  - 1 10  9 5  1 1  1 3	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		0-1 0-0 0-0 0-0 0-0 0-0 0-0 0-0		0.1 0.0 0.0 		0.2 0.0 0.2 0.0 - 0.0 0.1 0.1 0.0 - 0.0 0.0	70 71 72 74 75 76 77 80 81 82 83 84 85 86 87

Table 1-23. Deaths and Death Rates for Each Cause,

			· · · · · · · · · · · · · · · · · · ·
CAUSE OF DEATH		TOTAL	
	BOTH SEXES	MALE	FEMALE
COMPLICATIONS OF PREGNANCYCON.			
ANEMIA OF PREGNANCY  MACROCYTIC ANEMIA OF PREGNANCY  SIGN DEFICIENCY ANEMIA OF PREGNANCY  OTHER AND UNSPECIFIED ANEMIAS OF PREGNANCY  OTHER COMPLICATIONS OF PREGNANCY  THE COMPLICATION OF PREGNANCY  THE COMPLICATION O	2	•••	2
O3 IRON DEFICIENCY ANEMIA OF PREGNANCY	=		
05 OTHER COMPLICATIONS OF PRESNANCY 634 06 HYDATIOIFORM MOLE 534.0	30	:::	ο̈́Ε
07 PLACENTAL ABNORMALITIES NOT ELSEWHERE CLASSIFIABLE	1	•••	1
09 HYDRAHNIOS	-		
11 RH INCOMPATIBILITY	Ē		-
13 FALSE LABOR	- 3		3
15 OTHER————————————————————————————————————	22		22
16 URINARY INFECTIONS AND TOXEMIAS OF PREGNANCY AND THE PUERPERIUM	111		111
17 URINARY INFECTIONS ARISING DURING PREGNANCY AND THE PUERPERIUM————————————————————————————————————	_	•••	-
19 CYSTITIS	<u>-</u>		_
17 URINARY INFECTIONS ARISING DURING PREGNANCY AND THE PUERPERIUM	2 104	•••	2 104
23 PREECLAMPSIA	15 62		15 62
25 TOXEMIA, UNSPECIFIED———————————————————————————————————	27		27
27 WITH NEURITIS	<u>-</u> [		: <u> </u>
28 WITHOUT MENTION OF NEURITIS	5 4		5
31 OTHER————————————————————————————————————	i		i
ABORTIONS	36		36
33 ABORTION INDUCED FOR MEDICAL INDICATIONS	7 2	:::	7 2
35 WITH TOXEMIA	=	:::	1
37 WITHOUT MENTION OF SEPSIS OR TOXEMIA	5	:::	5 1
39 WITH SEPSIS	=	:::	=
41 WITH SEPSIS AND TOXEMIA 641_2 42 WITHOUT MENTION OF SEPSIS OR TOXEMIA 661_9 43 ADDITION INDUCED FOR OTHER REASONS 664_9	<u>.</u>	:::	1
44 WITH SEPSIS	19	:::	11 9
642.2 47 WITH LACERATION OF PELVIC ORGAN LWITH OR WITHOUT MENTION OF SEPSIS OR HEMORRHAGE1 662.3	=	:::	
WITHOUT MENTION OF SEPSIS, HEMORRHAGE, OR LACERATION — — — — — — — — — — — — — — — — — — —	2	:::	2
50 WITH SEPSIS	2		2
52 WITH SEPSIS AND TOXEMIA	-	:::	
54 ABORTION NOT SPECIFIED AS INDUCED OR SPONTANEOUS	14		.,
	10	:	io
57 HITH SEPSIS AND TOXENIA	1 3	:::	1
645.0  WITH SEPSIS		•••	3
61 WITH TOXENIA		***	
63 WITHOUT MENTION OF SEPSIS OR TOXEMIA		***	
64 DELIVERIES	116	•••	116.
65 DELIVERY MITHOUT MENTION DE COMPLICATION	2 27		2 27
67 PLACENIA PREVIA	5 20		5 20
69 OTHER ANTEPARTUM HEMDRRHAGE +651.9 70 DELIVERY COMPLICATED BY RETAINED PLACENTA	2 4	***	2 4
71 DELIVERY COMPLICATED BY CTHER POSTPARTUM HEMDRRHAGE 653 72 DELIVERY COMPLICATED BY ABNORMALITY OF BONY PELVIS 654	18 -	•••	18
DELIVERY COMPLICATED BY CHER POSTPAFUM HEMORRHAGE   553   DELIVERY COMPLICATED BY ABNORMALITY OF BONY PELVIS   654.0     ANDROID   +654.0     ANTHROPOID   +654.1     FLAT   +654.2     COMBINED TYPE   +654.2     OTHER AND UNSPECIFIED   +654.9     DELIVERY COMPLICATED BY ETTOSLAVE MEMORRHAGE   653   654   654.2     DELIVERY COMPLICATED BY ETTOSLAVE MEMORRHAGE   653   654   654.2     DELIVERY COMPLICATED BY ETTOSLAVE MEMORRHAGE   653   654   654.2     DELIVERY COMPLICATED BY ETTOSLAVE MEMORRHAGE   654.3     Compliance   654.2     DELIVERY COMPLICATED BY ETTOSLAVE MEMORRHAGE   654.3     Compliance   654.2     Compl	-		-
75 FLAT		•••	-1
77 OTHER AND UNSPECIFIED	6	•••	6
79 DELIVERY COMPLICATED BY MALPRESENTATION OF FETUS————————————————————————————————————	3 2	***	3 2
81 TRANSVERSE PRESENTATION +4656-1 82 BROW PRESENTATION +4656-2	1 -	•••	1 -
OTHER AND UNSPECTFIED   +654.9	-		- 1
95 OTHER SPECIFIED	- ] ]	:::	=

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix

NUMBER						· · · · · ·	RATE			
WHI	WHITE ALL OTHER		HER		TOTAL			TE .	ALL D	THER
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
	1		1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
	-	•••					•••	-	•••	
	67 1 20 5 13 2 2 3 11 		49 1 7 7 1 1 7 7 - - - - 5 1 1 1	0-1 0-0 0-0 0-0 0-0 0-0 0-0 0-0		0-1 0-0 0-0 0-0 0-0 0-0 0-0 0-0 0-0 0-0		0-1 0-0 0-0 0-0 0-0 0-0 0-0 0-0 0-0 0-0		0-4 6 0-0 6 0-1 6 0-1 6 0-1 7 0-0 7 0-1 7 0-1 7 0-0 7 0-0 7 0-0 7 0-0 7 0-0 8

Table 1-23. Deaths and Death Rates for Each Cause,

	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FFMALE
01 02 03 04 05 06	DELIVERIES—CON.  DELIVERY COMPLICATED BY PROLONGED LABOR OF OTHER ORIGIN — 657.0  MULTIPLE PREGNANCY— *657.0  UTERINE INERTIA — *657.1  CERVICAL DYSTOCIA — *657.2  OTHER AND UNSPECIFIED — 657.9  DELIVERY WITH LACERATION OF PERINEUM WITHOUT MENTION OF OTHER LACERATION — 658.0	8 1 4 - 3 1	*** *** *** ***	8 14 3 11
08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23	DELIVERY COMPLICATED BY PROLONGED LABOR OF OTHER ORIGIN  DELIVERY COMPLICATED BY PROLONGED LABOR OF OTHER ORIGIN  MULTIPLE PREGNANCY	1 1 1 1 1 1 1		13 5 7 3 2 27 2 7 1 1 21 21
25 26 27 28 29 30 31 32 33 34 35 36 37 40 41 42	COMPLICATIONS OF THE PUERPERIUM————————————————————————————————————	123 9 10 		123 9 10 - 10 79 1 51 27 7 7 13 1
44 45 46 47 48 49 50 51 52	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	482 7 - 1 - 1 1 1	237	245 4 
54 55 56 57 58 59 61 62 64 65 66 67 68 70	CELLULITIS OF FINGER AND TOE—	1 339 22 106 18 5 98 21 69 3 1 2 2 129 20 26	165 13 51 9 4 43 10 35 2 1 1 66 7 16 4	1 174 9 55 9 1 55 11 34 1 1 1 63 13 10 -
71 72 73 74 75 76 77 78 79 80 81 82 83 84	### OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE———————————————————————————————————	447 - 1 38 1 1 3 - 1 3 - 2	149 1 24 1 2 2 1 2 2 21	298

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix

NUMBER								RATE			•	T
	WHIT	E	ALL O	HER		TOTAL		WHE	TE	ALL D	THER	
MALE		FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
									. •			] .
1 -		4 - 1		4 1 3	0.0 0.0 0.0	•••	0.0 0.0 0.0	•••	0.0	•••	0.0 0.0 0.0	02 03
	•••	- 3 -	•••	- - 1	0.0 0.0	•••	0.0 0.0	•••	0.0		- 0.0	
] :		=	•••	1 -	0.0	•••	0.0	•••	-	•••	0.0	07 08,
:	•••	10 2	•••	- 3 3	0.0 0.0	•••	0.0 0.0		0.0 0.0		0.0 0.0	10 11
:	•••	1	•••	- 2 1	0.0	•••	0.0	:::	0.0	- :::	0.0	13 14
:		13	***	14 2	0.0 0.0 0.0	•••	0.0 0.0 0.0		0.0 0.0 -	•••	0.0 0.1 0.0	16 17
-		- 1 -	***	- - -	0.0	•••	a.o	•••	0-0	•••	Ξ	18 19 20
:	•••	1 11	•••	2 10 2	0.0 0.0 0.0	•••	0.0 0.0 0.0	•••	0.0	***	0.0 0.1 0.0	
		78		45	0.1		0.0	•••	0.1		0.3	24
		5 6	•••	4 4	0.0		0.0	•••	0.0	•••	0.0	25 26 27
:	::	6	•••	4	0.0	•••	0.0	•••	0.0	•••	0.0	£ 28
-		53 -	•••	26 I	0.0	•••	6.1 0.0	•••	0.1		0-2 0-0	29 30 31
-	•••	40 13 6	•••	11 14 1	0.0 0.0 0.0	***	0.0 0.0 0.0	•••	0.0 0.0 0.0	•••	0.1 0.1 0.0	32 33 34
:	:::	. 2	•••	3 - 7	0-0	•••	0.0 	***	0.0 ~	•••	, 0. <u>0</u>	35 36 37
1 -	•••	=	•••	1 -	0.0 0.0	:::	0.0 0.0	•••	0.0 - -	•••	0.1 0.0	38 39
•	•••	2 4 -	•••	6	0.0 0.0		0.0 0.0	***	0.0 0.0	•••	0.0	40 41 42
			-									
1	191	204	46	41	0.2	0.2	0.2	0.2	0.2	0.4	0.3	43
	3 -	4_	=	=	0.0	. " 0.0	0.0	0.0	0.0	=	. =	44 45
	-	1	-	- -	0.0		0.0	-	D.D	<u>-</u>	=	46 47 48
	-	1 1	1 1 1	- -	0.0		0.0		 0.D 0.0	-	<u>-</u>	49 50 51
	3	1	=	=	0.0	0.0	9.0 - 0.0	. 0.0	0.0	- -	Ξ	52 53
1	.3B	,142 5	- 27 1	1 32 4	0.0 0.2 0.0	0.2 0.0	0.0 0.2 0.0	0.2 0.0	0.2 0.0	0.2 0.0	0.0 0.2	54 55
	12 42 8	43 8	9	12 1	0.1	0.0	0.1 0.0	0.0	0.0	0.1	0.0 0.2 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	57 58
	2 38 10 26	1 45 9	1 2 5	10 2	0.0 0.0 0.0	0.0 0.0	0.0 0.1 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 - 0.1	0.1 0.0	60 61
	26 1 -	31 1 1	9 1 -	3 - -	0.0 0.0 0.0	0.0	0.0 0.0 0.0	0.0	0.0 0.0 0.0	0.0	. 0-0	62 63 64
	1 48 6	1 55 11	- - 18 1	- - 8 2	0.0 0.1 0.0	0.0 0.1 0.0	0.0 0.1 0.0	0.0 0.1 0.0	0.0 0.1	0.1	2.1	65 66 67
	12	10	4 -	_	0.0	0.0	0.0 - 0.0	0.0	0.0	. 0.0		68 69
	30 .26	34 231	13 23	6 6 <u>7</u>	0.0	0.0	0.0	0.0	0.0	0.1	0.5	71
	-	_	_ 1		0.0	0.0	-		_	0.0	-	72 73
	22 - -	11 - -	2 - 2	3 - -	0.0	0.0	0.0 - - -	0.0 - -	0.D -	0.0	0.0	75 76
	-	1	-	- -	0.0 0.0	0-0	0-0	0.0	0.0 0.0	<u>-</u>	- - -	77 78
	2	1 -	-	-	0-0	0.0	0.0	l 0.0 l	- 1	-	=	80 81
	_ _ 19	- - 9	- 2	1 2	0.0	0.0	0.0	0.0	0.0	- - - - - - 0	0.0	83 84

Table 1-23. Deaths and Death Rates for Each Cause,

$\neg$		-	<del></del>	
	CAUSE OF DEATH	•	TOTAL	
		BOTH SEXES	MALE	FEMALE
	OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE-CON.		_	
01 02	DERMATITIS HERPETIFORMIS	2 87	1 33	1 54
03 04 05	FRYTHEMATOUS CONDITIONS	295 - 48	73 17	222 31
06 07 08	PEMPHIGUS       694         FRYTHEMATOUS CONDITIONS       595         TDXIC ERYTHEMA       695.0         ER YTHEMA MULTIFORME       695.1         ERYTHEMA NODOSUM       695.2         ROSACEA       695.3         LUPUS ERYTHEMATOSUS       695.4         OTHER AND UNSPECIFIED       695.9	214	- - 39	- 175
09 10 11	PORTACL AND STRICK DISCRUESS	1 41	17 15 1	16 7
12 13 14	OTHER PSDRIASIS——————————————————————————————————	20	13) 1	7
15 16 17	PARAFOUNTAISIS——————————————————————————————————	1-	-	1
18 19			-	- -
20 21 22	NITIOUS	- 2	- - 2	7 7 1
23 24 25	LICHEN		1 1 1	111
26   27   28	LICHEMIFICATION AND LICHEN SIMPLEX CHRONICUS	1 1 -	1 1	1 = 1
29	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE	1,093	404	689
30 31	CORNS AND CALLOSITIES	- - 4	_ 3	ī
32 33 34	CORNS AND CALLOSITIES		ī ī	1
35 36 37	DITHER HYPERINOPHIC AND AIRDPHIC CONDITIONS OF SKIN	2	2 2	1 1
38 39 40	OISEASES OF MAIL		-	1 1
41 42 43	DISEASES OF SHEAT GLANDS705	3	3	1
44 45	OTHER705.9	3	3	]
46 47 48	DISEASES OF SEBACEOUS GLANDS	1	2	1
9 50 51	SEBACEOUS CYST	-	-	
52 53 54 55	SEBACEOUS CYST-	1.076 912 85	394 325 26 43	682 587 59 36
	URTICARIA	7	2 2	5 5
8 9 0	### URTICARIA	1	1	1
51	TATTOQ	ī		ī
	XIII. DISEASES OF THE MUSCULDSKELETAL SYSTEM AND CONNECTIVE TISSUE			
3	ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER	2,274	745	1,529
54   55 56	#710.0  OF SPINE	36	21	15
8 9	ACUTE ARTHRITIS DUE TO PYOGENIC ORGANISMS	6 7 23	4 4 13	10
12	RHEUMATOID ARTHRITIS AND ALLIED CONDITIONS712	1,400	457 1	943 1
13 14 15	JUVENILE RHEUMATOID APTHRITIS	24 - 1,343	10 419	924
16 17		31	27	4
/8 /9 30 31	USTEDARTHRITIS AND ALLIED CONDITIONS	358 316 42	110 87 23	248 229 19

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Appendix]

NUMBER							RATE			
WHIT	MBER			TOTAL.			WHITE		ALL OT	нея
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	, MALE	FEMALE	MALE	FEMALE .	MALE	FEMALE
1 31 57 - 12 - 33 12 13 1 12 - - - - -	50 163 20 - 133 10 7 7	- 2 16 - 5 - 6 5 2 - 1 1 1	1 4 59 11 - 42 6 - - - - - -	0.0 0.0 0.1 0.0 0.1 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.1 - 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.1 0.2 0.0 0.0 0.0 0.0	0-0 0-1 0-0 0-0 0-0 0-0 0-0 0-0 0-0	0.1 0.2 0.0 - 0.1 0.0 0.0 0.0 - - - - -	0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.4 0.1 - - 0.3 0.0
309	524	95	165	0.5	. 0-4	0.6	0.3	0.6	0.7	1.2
1 2 1 1 2 301 248 19 34 2 2	519 440 46 33	2 - 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	- 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.6 0.5 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.7 0.6 0.1	0.0 0.0 0.0 
666 16	1,391 15	79 5	138	1.1	0.7 0.0	î.4 0.0	0.7	1.5	D-6 D-0	1.0
- 3 4 9	15 - - 2 3 10	1 - 4	-	0.0 0.0 0.0	0.0 - 0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0	- - -
417 1 10 - 361 25	889 1 14 - 870 4	40 - - - 38 2	54 - - 54 -	0.7 0.0 0.0 0.0 - 0.6	0.4 0.0 0.0 0.0 - 0.4 0.0	0.9 0.0 0.0 0.0 - 0.9 0.0	0.5 0.0 0.0 - 0.4 0.0	0.9 0.0 0.0 - 0.9	0.3 - - 0.3 0.0	0.4
97 79 18	223 206 17	13 8 5	25 23 2	Į.	0.1 0.1 0.0	0.2 0.2 0.0	0.1 0.1 0.0	0.2 0.2 0.0	0.1 0-1	0.2 0.2 0.0

Table 1-23. Deaths and Death Rates for Each Cause,

CAUSE OF DEATH	<u> </u>	TOTAL	
	BOTH SEXES	MALE	FEMALE
ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER—CON.			
OTHER SPECIFIED FORMS OF ARTHRITIS	11	3	8 4
	10 238	Z 78	8 160 141
06 DERMATOMYOSITIS — — — — — — — — — — — — — — — — — — —	212 102 110	71 32 39	70 71
08 OTHER NONARTICULAR RHEUMATISM	17	4	13
SCAPULCHUMERAL MYCFIBROSIS	1 16	-	1 12
13 RHEUMATISM. UNSPECIFIED718	2	1	1
14 OSTEOMYELITIS AND OTHER DISEASES OF BONE AND JOINT729-729	875	361	514
15 OSTEOMYELITIS AND PERIOSTITIS	168	.86 2	82
17 CHRONIC OSTEOMYELITIS	22 142	15 69	77
17   CHRONIC USTEDITECTION   1720-2   18   UNSPECIFIED GSTEORYELITIS   7720-2   19   PFRIOSTITIS WITHOUT MENTION OF OSTEOMYELITIS   720.3   20   OSTEITIS DEFORMANS   720.3	97	46	51
21   OSTEOCHONDROSIS	1 1	1	킈
23   JUVENILE OSTEOCHONDROSIS OF HIP	1 1	1	3
26 ADPHYSTITS, CALCANEAL	[ :]		-
28 OTHER AND UNSPECIFIED FORMS OF OSTEOCHONDROSIS	309	83	226
729 UTHER DISCASES UP BONE	202	43 1	159
32 SPONTANEOUS FRACTURE **723.2 33 CYST OF BONE, EXCEPT JAM ***********************************	56	20	36
34   HYPEROSTOSIS OF SKULL	8	3	5
OTHER DISEASES OF BONE	41	- 16	25
39 INTERNAL DERANGEMENT OF JOINT	2	2 -	-
40 RECURRENT DISCUCATION OF SHOULDER	]	Ξ	-
44 RECURRENT DISLOCATION OF KNEE**724-4 45 OTHER KNEE DERANGEMENTS**724-5	2	- 2	= ]
46 DERANGEMENTS OF OTHER JOINTS	48	31	17
48 CERVICAL	10 15	8 8	2 7
CERVICAL	22	14	8
53 ANKYLOSIS CF JOINT	3 2	1	2 2
54 OF SPINE		-1	
57 OF WRIST	[ -[]		- [
59   TF HIP	<u>-  </u>	-	7
62 OF OTHER AND MULTIPLE SITES	- 1	ĩ	-
64 VERTEBROGENIC PAIN SYNDROME	11	3	5
66 CERVICOGRANIAL SYNDROME	<u>  -  </u>		
68 RADICULAR SYNDROME OF UPPER LIMES	8	1	7
71 THOPACIC MYELOPATHY	] []	3	
73 RADICULAR SYNDROME OF LOWER LIMBS728.8 74 OTHER AND UNSPECIFIED728.9	3	- 2	ī
64       VERTEBROGENIC PAIN SYNDROME       728-6         65       CERVICALGIA—       728-1         66       CERVICOGRANIAL SYNDROME       728-1         67       DIFFUSE CERVICOBRACHIAL SYNDROME       728-2         68       RADICULAR SYNDROME OF UPPER LIMBS       728-3         69       CERVICAL MYELOPATHY       728-4         70       ANI NI THOPACIC SPINE       728-5         71       THOPACIC MYELOPATHY       728-6         72       LUMBALGIA       728-7         73       RADICULAR SYNDROME OF LOMER LIMBS       728-8         74       OTHER AND UNSPECIFIED       728-9         75       OTHER DISEASES OF JOINT       729-8         76       PSEUDARTHROSIS OF SPINE FOLLOWING FUSION       *729-1         76       OTHER DISEASES OF SPINE NOT ELSEWHERE CLASSIFIABLE       *729-1	236	108	128
77 OTHER DISEASES OF SPINE NOT ELSEWHERE CLASSIFIABLE	7	-	1 -
79 0TSEASE OF ELBON NOT ELSENHERE CLASSIFIABLE	196	- - 86	110
92 LOOSE BOOY IN KNEE		-	
84   QISEASE OF KNEE NOT ELSEWHERE CLASSIFIABLE**729-8 85   DISEASE OF JOINT NOT ELSEWHERE CLASSIFIABLE**7729-9	26	15	11 6

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER							RATE			·
WHITE ALL		ALL BT	HER	TOTAL			WHI	TE	ALL O	THER
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
2 1 70 60 32 28 3	6  6 140 108 59 49 9	1 - 1 8 11 - 11 1 -	2 - 2 20 33 11 22 4 -	0.0 0.0 0.1 0.1 0.0 0.1 0.0	0-0 0-0 0-1 0-1 0-0 0-0	0.0 0.1 0.1 0.1 0.1 0.0	0.0 0.0 0.1 0.1 0.0 0.0	9.0 0.1 0.1 0.1 0.1 0.0	0.0 0.1 0.1 0.1 0.1	0.0 0.1 0.1 0.2 0.1 0.2
3 1	8 1	1 -	4 -	0.0 0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	. D.O	0.0
324	472	37	42	0.4	0.4	0.5	0.4	0.5	0.3	0.3
73 1 14 58 - 42	72 2 6 64 - 43	13 1 1 11 -	10 1 9 - 8	0.1 0.0 0.0 0.1 - 0.0	0.1 0.0 0.0 0.1 -	0.1 0.0 0.0 0.1 - 0.0	0.1 0.0 0.0 0.1 -	0.1 0.0 0.0 3.1 - 0.0	0.1 0.0 0.0 0.1 - 0.0	0.1 0.0 9.1 0.1
1 1 - - -	-	- - - - - -	-	9-0 0-0 - - -	0.0	-	0.0 0.0 	- 1 1 1 1 1 1 1		`.
77 41 1 18 -	213 154 - 33 - 1 3	6 2 - 2 - - 1	13 5 - 3 - - 2	0.1 0.1 0.0 0.0 0.0 - 0.0	0.1 0.0 0.0 0.0 -	0.2 6.1  0.0  0.0	0.1 0.0 0.0 0.0 -	0.2 0.2 0.0 0.0 0.0	0.0 0.0 0.0 -	0.1 0.0 - 0.0 - - 0.0
15 2 -	22	1	3	0.0 \ 0.0 \ - -	0.0	0.0	a.a e.a -	0.0	0.0	0.0
- - 2 - 25 6 7	12	- - - 6 2 1	- - 5 2 1	0.0 - 0.0 0.0 0.0 0.0	0.0 - 0.0 0.0 0.0 0.0	0.0 0.0 0.0	0.0 - 0.0 0.0 0.0	0.0	0.0 0.0 0.0	0.0 0.0 0.0
11	6 - 2 2 - -	3 - - - -	2 -	0.0	0.0	0.0 - 0.0 0.0	0.0	0.0 0.0 0.0	0.0 - - - -	
1	-	-		0.0	0.0	11111	0.0	·	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
2	7		1	0.0	0.0 - - - 0.0	-0.0     0.0	0.0	0.0	0.0	0.0 - - 0.0 - - - -
- - 1 101 - 6	1 123	- 1 7	5	0.0		0.0	0-0 0-1	0.0	0.0 0.1	
6 - 82 -	107	- - - - 4	- - - - 3	0.0	0.0 - - 0.1	0.0 - - 0.1	0.0 - - 0-1	0.0 - - 0.1 -	0.0	0.0 - - - - 0.0 - 0.0
13	10	2 1	1 1	0.0	0.0	0.0	0.0	0.0 0.0	0.0	0.0

Table 1-23. Deaths and Death Rates for Each Cause,

•				
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MÅLE	FEMALE
01	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM	1,931	509	1,422
02 03 04 05 06	BUNION730 SYNOVITIS, BURSITIS, AND TENOSYNOVITIS731 OF SPINE	2 4	- 2 - -	2 2 2 -
07 08 09 10 11	#731.2 OF HAIST #731.3 OF HAND AND FINGER #731.3 OF HIP AND BUTTOCK #731.5 OF KNEE #731.6 OF ANKLE #731.7 OF OOT AND TOE #731.6 OF OTHER AND UNSPECIFIED SITES #731.8	1	1	1
13		2	1	11
15 16 17 18 19 20	INFECTIVE MYOSITIS AND OTHER INFLAMMATORY DISEASES OF TENDON AND FASCIA - 732   OTHER DISEASES OF MUSCLE, TENDON, AND FASCIA - 733   MYASTHENIA GRAVIS - 733.1   MYOSITIS OSSIFICANS - 733.2   CALCIUM DEPOSIT IN TENDON - 733.4   SHORT ACHILLES TENDON - 733.5   RESIDUAL FOREIGN BODY IN TISSUE OR BONE - 733.5   OTHER AND UNSPECIFIED DISEASES OF MUSCLE, TENDON, AND FASCIA - 733.9	275 202 13 2	133 90 12	142 112 1
21 22 23	CONTRACTURE OF PALMAR FASCIA	- 1 57	1 29	24
24 25 26 27	DIFFUSE DISEASES OF CONNECTIVE TISSUE———————————————————————————————————	1•487 632 753 102	318 152 136 30	1-169 480 617 72
28 29 30 31 32	CURVATURE OF SPINE       -735         SCOLIOSIS       -*735.0         KYPHOSIS       *735.1         KYPHOSOCOLIOSIS       *735.2         OTHER AND UNSPECIFIED CURVATURE OF SPINE       *735.2	135 17 22 95	45 7 7 30	90 10 15 65
36	FLAT FOOT	-     -     -	-	1 1 1
40	OTHER DEFORMITIES       738         OF NASAL BONE       *738.0         OF HEAD       *738.1         OF FOREARM, EXCLUDING FINGERS       *738.2         OF FINGERS       *738.2         OF HIP       *738.4         OF LEG NOT ELSEWHERE CLASSIFIABLE       *738.4	11 - - -	5 	6
42 43 44 45 46 47	UF HIP	1     -   1 1   8 1	- - 4 1	1 1 4 -
	XIV. CONGENITAL ANOMALIES			<u> </u>
48	CONGENITAL ANOMALIES740-759	14,062	7,559	6+503
	ANENCEPHALUS	795 592 359 233 706	353 254 159 95 382	442 338 200 139 324
	### CONSENTIAL ANOMALIES OF NERVOUS SYSTEM	670 94 182 99 5	332 39 84 55	338 55 98 44
60 61		227	28 5 117	26 4 117
63 64 65 66 67	CONCENTAL ANOMALIES OF EYE	3 1 - 1	1	1 1 1
68 69 70 71 72	OTHER SPECIFIED ANOMALIES OF EYE	- - 1	- - 1	1111
73 74 75 76 77 78	CONGENITAL ANOMALIES OF EAR, FACE, AND NECK————————————————————————————————————	2	1	1
79 80 81	WEBBING OF NECK	-	- - 1	1

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Internitited by an asterisk; see Technical Appendix

NUMBER							RATE			
WHITE ALL OTHER					TOTAL		WHI	re	ALL D	THER
MALE	PEMALE	HALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
412	1,127	97	295	0.9	0.5	1.3	0.5	1.2	0.8	2.1 0
1	2 2	ī	. =	0.0 0.0	0.0	0.0 0.0	0.0	0.0	0.0	- 0 - 0
=	= 1	=	- - -	= =	= = = = = = = = = = = = = = = = = = = =	=			. [	- }0 - 0
=	1	1 - -		0.0	0.0	c.o	=	0.0	0.0	- 0 - 0 - 0 - 0 - 0 - 0 - 1 - 1
=	- -	=	Ξ	Ξ	= =	=	<u> </u>		<u>-</u>	-   i
ī	1	=	=	0.0	0.0	0.0	0.0	0.0	-	- 1
117	5 132	3 16	- 6 10	0.0 0.1	0.0 0.1	0.0 0.1	0.0	0.0 0.1	0.0 0.1	0.0   1 0.1   1 0.1   1 -   1 -   1 -   2 -   2 -   2 0.0   0
81 10 1	104 1 1	9 2 -	8 - -	0.1 0.0 0.0	0-0 0-1	0.1 0.0 .0.0	0.1 0.0 0.0	0.1 0.0 0.0	0.1 0.0 -	0.1   1 -   1 -   1
] =			_	] [		_	]	_ <u>-</u>	- 1	- 1 - 2
25	- - 26	1 4	- - 2	0.0	0.0	- 0-0	0.0		0.0	0.0 2
244 113 107 24	896 400 434 62	74 39 29 6	273 80 183 10	0.7 0.3 0.4 0.0	0.3 0.1 0.1 0.0	1.1 0.4 0.6 0.1	0.3 0.1 0.1 0.0	1.0 0.4 0.5 0.1	0.6 0.3 0.2 0.0	2.0 2 0.6 2 1.3 2 0.1 2
ł	84	2	. 6	0-1	. 0.0	G.I	0.0	0.1	0.0	0.0 2
43 7 7 28	10 15 59	- - 2	- 6	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.1	0.0 0.0 0.0	0.0 0.0 0.1	0.0	- 2 - 3 0.0 3 - 3
1		_		0.0	a_a	-   -	0.0	. <del>-</del>	-	- 1
] =	=		<u>-</u>	] =	- 	<u>-</u>	-	- -	_	- 3- - 3:
4	6	1	-	0.0	0.0	0.0	-0.0	- 0.0	0.0	3
	=	-		-	] =	<u>-</u>		-	-	- 3: - 3:
_		=	- - -	0.0	-	0.0	-	0.0	-	-   4 -   4 -   4
- - - - - - - - - - - - - - - - - - -	=	- -	l –						<u>-</u>	- 4: - 4:
4 -	4 -	- 1	-	0-0 0-0 0-0	0.0 0.0	0.0 0.0 -	0.0	0.0 0.0 -	0.0	- 3 - 3 - 4 - 4 - 4 - 4 - 4 - 4 - 4
6:404	5,446	1,155	1,057	6.7	7-4	6.0	7.2	5.8	9.0	7.6 4
318	407	35	35	0.4	0.3	0-4	.0.4	0.4	0.3	0.3 4
226 143	314 186	29 16	24 14	0.3 0.2 0.1	0.2	0.3 0.2	0.3	0.3 0.2	0.2 0.1	0.2 50 0.1 5
83 313	128 271	12 69	10 53	0.1 0.3	0.1 0.4	0.1 0.3	0.1 0.4	0.1	0.1 0.5	0-1 5: 0-4 5:
283	283 49	49 6	55 6	0.3 0.0	0.3	0.3 0.1	0.3 0.0	0.3 0.1	0.4 0.0 0.1	0.4 54 0.0 51 0.1 51
66 43 4	81 37 1	18 12 -	17 7	0.1 0.0 0.0	0.1 0.1 0.0	0.1 0.0 0.0	0.1 .0.0 0.0	0.1 0.0 0.0	0.1	0-1 5 - 5
25 5 107	23 1 91	3 - 10	3 3 19	0.0 0.0 0.1	0.0 0.0 0.1	0.0 0.0 0.1	0.0 0.0 0.1	0.0 0.0 0.1	0.0 - 0.1	0.0   5 0.0   6 0.1   6
1	1	_	1	0.0	0.0	0.0	0.0	0.0	_	0.0 6
=	<u> </u>	- -	<u> </u>	0.0 - -	- -	0.0 - -		0.0 - -	<u>-</u>	- 5: - 5: - 6:
_			1_	0.0		<b>a•o</b> −	_			0.0 6: - 6:
. =	= '	1	<u>-</u>			<u>-</u>	- -,	=	- -	- 6°
1 -	Ξ	Ξ		0-0	0-0	Ξ	0.0	. =	-	= 7
1 -	1 -	=	_	0.0	0-0	ō-0	0.0	0.0	. <del>-</del>	- 70 - 74 - 71
	-	- -	=	1		-	= =	-	- -	- 70 - 70 - 70 - 70 - 70
-	=	- - -	_	-		_		-		-   7/ -   7/ -   7/ -   7/ -   8/ -   8
ī	ī	] =	,=	0.0	0.0	0.0	ا م ما	0.0	=	-   7' -   8' -   8

Table 1-23. Deaths and Death Rates for Each Cause,

_				
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
01 02 03 04 05 06 07 09 10 11 12 13 14 15 16 17 18 19 20 21	CONGENITAL ANOMALIES OF HEART	5.841 142 380 394 600 348 79 810 171 461 2.456 1.123 215 186 77 149 118 1 184 185 8	3.195 79 250 226 297 148 31 509 96 262 1.297 625 102 118 45 82 74 1 1,06 93	2+646 63 130 168 303 200 43 301 75 199 1+159 498 113 68 32 67 44 78
22 23 24 25 26 27 8 29 30 1 32 33 34 5 38 9 40 1 42 43 44 5 6 47 8 49	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM————————————————————————————————————	8 3 1 183 74	410 410 417 118 47 18 215 26 13 9 4 85 -5 311 18 30 1 268 17 21 35 17 21 35 37 37 37 37 37 37 37 37 37 37	248 4 3 1 65 27 13 125 - 10 10 5 1 4 62 - 2 18 15 24 3 255 17 22 16 8 64 105
50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65	CONGENITAL ANDMALIES OF GENITAL ORGANS752 INDETERMINATE SEX 752.0 UNDESCENDED TESTICLE 752.0 UNDESCENDED TESTICLE 752.0 HYPOSPADIAS 752.2 EPISPADIAS 752.2 GONGENITAL HYDROCELE 752.4 ANOMALIES OF OVARY, FALLOPIAN TUBE, AND UTERUS 752.5 ANOMALIES OF VAGINA AND EXTERNAL FEMALE GENITALIA 752.7 OTHER SPECIFIED ANOMALIES OF GENITAL ORGANS 752.8 UNSPECIFIED ANOMALIES OF GENITAL ORGANS 752.8 UNSPECIFIED ANOMALIES OF GENITAL ORGANS 752.8	36 5 4 10 9 -1 2 - - 1 - 2 3	15 2 2 6 8 1 2 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	21 3 2 4 1 1
81 82 83 84 85 86	CONGENITAL ANDMALIES OF URINARY SYSTEM—	151 581 32 19 2 5 12 2 64 4 - 2 15	110 303 24 7 3 8 2 42 1	41 278 8 12 2 2 4 4 - 22 3 - 2 1
87 88 89 90 91	OTHER ANOMALY OF UPPER LTMB (INCLUDING SHOULDER GIRDLE)	2 2 3 7 -	2 1 1 4	1 2 3

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Classification of Diseases, Adapted, 1965 (ICDA).

NUMBER							RATE				
WH3	TE	ALL O	THER		TOTAL		MHI	TE	ALL O	THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
2,730 69 214 195 254 129 27 451 71 220 1,100 516 73 105 38 67 66 1	2.185 58 122 133 246 172 42 263 56 162 931 411 92 55 27 57 38 66 73	465 10 36 31 43 19 4 58 25 42 197 109 29 29 13 7 15 8	461 5 8 35 57 28 6 38 19 37 228 87 21 13 5 . 10 6 - 12	2.8 0.1 0.2 0.2 0.3 0.2 0.0 0.4 0.1 0.2 0.5 0.1 0.0 0.1	3.1 0-1 0.2 0.2 0.3 0.1 0.0 0.1 0.3 1.3 0.6 0.1 0.1 0.1 0.1	2.5 0.1 0.2 0.3 0.2 0.0 0.3 0.1 0.2 1.1 0.5 0.1 0.1 0.0	3.1 0.1 0.2 0.2 0.3 0.1 0.0 0.5 0.1 0.2 0.6 0.1 0.1 0.1 0.1 0.0	2.3 0.1 0.1 0.3 0.2 0.0 0.3 0.1 0.2 1.0 0.4 2.1 0.1 0.0	3.6 0.1 0.3 0.2 0.3 0.1 0.0 0.5 0.2 0.3 1.5 0.9 0.2 0.1 0.1 0.1	0.6 0.2 0.1 0.0 0.1	
343 4 - - 100 39 17 175 2 6 11 7 - 4 73 - 17 27 17 27 17 27 17 27 17 27 17 27 17 27 17 27 17 27 17 27 17 27 17 27 17 27 17 27 27 27 27 27 27 27 27 27 2	195 1 3 1 53 20 128 98 3 1 4 55 - 2 15 14 21 3 195 107 114 7 44 80 17	67 	53 3  12 7 1 1 27  3 2 2  7  3 1 3  2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 4 4 1 1 3 1 1 3 1 1 2 1 1 1 1 2 1 1 1 1 1 1	0.3 0.0 0.0 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0	0.4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.2 0.0 0.0 0.0 0.1 0.0 0.1 0.0 0.0 0.0 0.0	0.4 0.0 0.1 0.1 0.0 0.2 0.0 0.0 0.0 0.0 0.0 0.0	0.2 0.0 0.0 0.1 0.0 0.1 0.0 0.1 0.0 0.0 0.0	0.5 	0.4 0.0 - 0.1 0.1 0.2 - 0.0 0.0 - 0.1 - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	2234526789012334567890442 44467489512
11	1 4 	1 1		0.0 0.0 0.0 - 0.0 - - 0.0 - - 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 - - - - - 0.0 - - -	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0	0.0	- - - - -	53 54 55 56 57 58 59 60 61 62 63 64
77	321 34 246 8 9 2 2 4 - 16 3 - - 1 4 - - 1 1	73 13 47 3 1 - 2 2 2 5 1 - - 1	48 7 32 - 3 - - 6 - - - - 3 - - 1 2	0.4	0.0 0.1 0.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.3 0.0 0.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.5 0.1 0.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.6 0.1 0.4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.3 0.1 0.2 0.0 - - 9.0 - - - - - - - - - - - - - - - - - - -	656676697017737457777980 812 833 845 886 877 889 91

Table 1-23. Deaths and Death Rates for Each Cause,

=				
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
01 02 03 04 05 06 07 08 09 10	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM— -756.0  OTHER CUNGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM— -756.0  ANOMALIES OF SKULL AND FACE BONES -756.0  ANOMALIES OF LUMBOSACRAL JOINT -*756.1  OTHER ANOMALIES OF SPINE -*756.2  CERVICAL RIB— *756.3  OTHER ANOMALIES OF RIBS AND STERNUM— *756.5  DITHER ANOMALIES OF RIBS AND STERNUM— *756.5  OSTEDGENESIS I POERFECTA— *756.5  OTHER GENERALIZED ANOMALIES OF SKELETIN— *756.7  OTHER SPECIFIED ANOMALIES OF MUSCULOSKELETAL SYSTEM— *756.8  UNSPECIFIED ANOMALIES OF MUSCULOSKELETAL SYSTEM— 756.8  CONGENITAL ANOMALIES OF SKIN, HAIR, AND NAILS— -757	382 63 1 43 - 29 33 37 20 129 27	211 40 - 16 - 24 14 14 10 72 19	171 23 1 25 -5 19 23 10 57 8
13 14 15 16 17 18 19 20 21 22 23 24 25	CONGENITAL ANDMALIES OF SKIN, HAIR, AND NAILS—  HEREDITARY EDEMA OF LEGS——  PIGHENTED NEVUS—  OTHER SPECIFIED ANDMALIES OF SKIN—  SPECIFIED ANDMALIES OF HAIR—  SPECIFIED ANDMALIES OF HAIR—  SPECIFIED ANDMALIES OF NAILS—  SPECIFIED ANDMALIES OF NAILS—  SPECIFIED ANDMALIES OF SKIN, HAIR, AND NAILS—  OTHER AND UNSPECIFIED CONGENITAL ANDMALIES—  ANDMALIES OF SPLEEN—  ANDMALIES OF ADRENAL GLAND—  ANDMALIES OF THYROID GLAND—  ANDMALIES OF THYROID GLAND—  ANDMALIES OF THYROID GLAND—  ANDMALIES OF THYROID GLAND—  ANDMALIES OF THYROID GLAND—  ANDMALIES OF THYROID GLAND—  ANDMALIES OF THYROID GLAND—  ANDMALIES OF THYROID GLAND—  ANDMALIES OF THER ENDOCRINE GLANDS  OTHER SPECIFIED CONGENITAL ANDMALIES—  T58.9  UNSPECIFIED CONGENITAL ANDMALIES—  758.8	1 2 18 3 246 9 21 - 7 96 113	1. 12. 2. 3 135. 5. 9. - 3. 55. 63.	1111 4 12 4 41 50
26 27 28 29 30 31 32 33 34 35	CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	1.428 13 22 226 253 7 20 107 767	759 7 7 9 123 94 2: 11 68 438	669 6 131 103 159 5 9 39
36 37 38 39 40 41 42 43	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	30,503 9 	17, 806 	12,697
445 447 449 449 449 55 55 55 55 55 55 61	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY - 761.0   SYPHILIS - 761.0   DIABETES MELLITUS - 761.1   INFLUENZA - 761.2   RUBELLA - 761.3   TOXOPLASMOSIS - 761.4   INJURY - 761.5   OPERATION - 761.5   CHEMICAL SUBSTANCES TRANSMITTED THROUGH PLACENTA - 761.7   OTHER MATERNAL CAUSES - 761.9   TOXEMIA OF PREGNANCY - 762.0   RENAL DISEASE ARISING DURING PREGNANCY - 762.1   ECLAMPSIA OF PREGNANCY - 762.2   TOXEMIA, UNSPECIFIED - 762.2   HYP REMESIS GRAVIDARUM - 762.3   HYP REMESIS GRAVIDARUM - 762.5   OTHER MATERNAL DE PREGNANCY - 762.5   OTHER TOXEMIA OF PREGNANCY - 762.5   OTHER TOXEMIA OF PREGNANCY - 762.5   OTHER TOXEMIA OF PREGNANCY - 762.5   OTHER TOXEMIA OF PREGNANCY - 762.5   OTHER TOXEMIA OF PREGNANCY - 762.5   OTHER TOXEMIA OF PREGNANCY - 762.5	290 1 143 7 11 11 19 3 14 91 139 10 42 27 55 1	159 1 81 2 8 1 12 2 9 43 75 6 21 16 29	131 -2 5 3 -7 1 5 48 64 4 21 11 26
663 666 667 667 677 677 677 777 777 777	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—	190 4 18 168 26 3 - 1 13 9 27 3	111 11 11 199 16 16 1 1 1 8 6 19 2 2 - 13 4 141 26 8 8 8 8	79 3 769 10 2 10 3 8 8 1 103 25 103 25 103

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Interidentified by an asterisk; see Technical Appendix]

NUMBER							RATE		· .	
WHITE ALL OTHER				TDTAL			WHIT	re ·	ALL OT	THER
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE .
179 30 - 14  20 10 13 9 68 15 1 1 1 1 10 2 2 113 3 8	151 19 1 24 - 4 17 19 9 50 8 7 - 1 5 1 - 9	4 1 1 4 4 4 4 7 7 1 22 22 2	20 4 - 1 2 4 1 7 - 1 - - 21	0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.0 0.0 0.0	0.2 0.0 0.0 0.0 0.0 0.0 0.1 0.0 0.0 0.0 0.0	0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.2 0.0 - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.2 0.1 - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 - - 0.0 - 0.0 0.0	0.1 0.0 0.0 0.0 0.0 0.0 0.1 0.0 0.1 0.0 0.0
3 42 57 633 6 7 106 79 2 10 62 354	2 34 41 543 3 4 10 85 136 5 9 36 255	13 6 126 1 - 2 17 15 - 1 6 84	2 7 9 126 3 2 3 18 23 - - 3 74	0.0 0.0 0.1 0.7 0.0 0.0 0.0 0.1 0.1 0.0 0.0	0.0 0.1 0.1 0.0 0.0 0.0 0.1 0.1 0.0 0.1	0.0 0.0 0.6 0.0 0.0 0.0 0.1 0.1 0.0 0.0 0.0	0.0 0.0 0.1 0.7 0.0 0.0 0.0 0.1 0.1 0.0 0.0 0.1	0.0 0.0 0.6 0.0 0.0 0.0 0.1 0.1 0.1 0.3	0-1 0-0 0-0 0-0 0-1 0-1 0-0 0-0 0-7	0-0 0-1 0-1 0-9 0-0 0-0 0-1 0-2 - - 0-5
13,089	9,097	4,717	3,600	14.5	17.4	11.8	14.6	9.7	36.8	25•7
5 - 2 2 1	3 - - 1 2 -	1	-	0.0 - - 0.0 0.0 0.0	0.0 	0.0 	0.0 - 0.0 0.0 0.0	0.0 - 0.0 0.0	0.0 - - 0.0 - -	- - - - -
127 1 72 2 8 1 7 7 - 1 35 54 55 17 11 19 -	111 	9 5 2 8 8 21 1 4 5 5 10 - 1	20 	0.1 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.0 0.0	0.2 0.0 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.1 	0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.1 0.0 0.0	0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.2 0.1 0.0 0.0 0.1 0.1 0.2 0.0 0.0 0.0 0.0	0.1 
82 1 8 73 13	47 8	3 26 3	25 1 2 22 22 1	0-1 0-0 0-0 0-1 0-0	0.1 0.0 0.0 0.1 0.0 0.0	0.1 0.0 0.0 0.1 0.0 0.0	0-1 0-0 0-0 0-1 0-0	0.1 0.0 0.0 0.1 0.0 0.0	0.2 - 0.0 0.2 0.0	0.2 0.0 0.0 0.0 0.0 0.0
- 7 5 16 2	4 3 6 -	1 1 3	- - - 2 1	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	- 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 - 0.0 0.0 -
12 2 117 23	6 - 83 21	1 2 24 3	20 4	0.0 0.0 0.1 0.0 0.0	0.0 0.0 0.1 0.0	0-0 0-1 0-0 0-0	0.0 0.0 0.0 0.1 0.0	0.0 0.1 0.0	0.0 0.0 0.2 0.0	0.0 0.1 0.0 0.0 0.0 0.0 0.1
5 72 17	1 51 10	1 16	1 9 5	0.1	0.0 0.1 0.0	0.0 0.1 0.0	0.0	0.0 0.1 0.0	0.0 0.1 0.0	0.0 0.1 0.0

Table 1-23. Deaths and Death Rates for Each Cause,

			······································	·····
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
01 02 03	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—CON.  DIFFICULT LABOR WITH ABNORMALITY OF FORCES OF ŁABOR—	43 11 -	23 4 -	20
04 05 06 07	WITH SIRTH INJUST TO BUNE OR NEXT	1 15 16	1 10 8	5 8
08 09 10 11 12 13	DIFFICULT LABOR WITH OTHER AND UNSPECIFIED COMPLICATIONS	113 43 - 6 58	66 23 - - 5 34 4	47 20 - 1 24 2
15 16 17 18 19 20 21 22 23	OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	3.471 223 591 94 2.515 - 48 1.322 201	1.941 125 329 57 1.402 - 28 753 128	1,530 98 262 37 1,113 - 20 569 73 425
24 25 26 27 28	PREVIA	976 12 46 87 297	551 5 25 44 161	7 21 43 136
29 30 31 32 33 34 35 36	CONDITIONS OF UMBILICAL CORD	43 119 135 1,854 1,738 2 13	26 60 75 1,094 1,021 10 63	17 59 60 760 717 2 3 38
37 38 39 40 41	HEMDLYTIC DISEASE OF NEWBORN, WITH KERNICTERUS -774.0 WITH RH INCOMPATIBILITY -774.0 WITH ABO INCOMPATIBILITY -774.1 WITH DITHER OR UNSPECIFIED BLOOD INCOMPATIBILITY -774.2 WITHOUT MENTION OF CAUSE -774.9	12 3 - - 9	51115	7 3  4
42 43 44 45 46	HEMOLYTIC DISEASE OF NEWBORN, WITHOUT MENTION OF KERNICTERUS	366 84 7 7 268	197 43 2 3 149	169 41 5 4 119
47 48 49 50 51 52 53	ANDXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	14.626 483 4.481 4.101 76 88 5.397	8,892 265 2,781 2,603 46 47 3,150	5,734 218 1,700 1,498 30 41 2,247
54 55 56 57 58 59 60	IMMATURITY; UNQUALIFIED	5,396 2,078 1 1 454 - 1,622	2+995 1+152 - 260  892	2,401 926 1 1 194 
	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS			
61	SYMPTEMS REFERABLE TO SYSTEMS OR ORGANS	3+288	1.832	1,456
62 63 64 65	CERTAIN SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES	172 25	85 11 -	87 14
66 67 68 69 70	CONVOLSTING	144 1 1 1 -	73	71 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
72 73 74 75 76 77	### OTHER SYMPTOMS RFFEPABLE TO NERVOUS SYSTEM AND SPECIAL SENSES	58 - - -	32	26 - - -
78 79 80 81	DISTURBANCE OF SPEECH	58	32	26

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Subcategory numbers which do not correspond exactly with the International Classification of Diseases, Adapted, 1985 (ICDA). Subcategory numbers which do not correspond exactly with the International Classification of Diseases, Adapted, 1985 (ICDA).

NUMBER				RATE							
WHIT	ŕε	ALL O	THER		TOTAL		WHI	WHITE		THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
17 4	11 3	6	9 4	0.0 0.0	0.0	0.0 0.0	0.0	0.0 0.0	0.0	0.1 0.0	
- - 7 6	T ~ 15 m	1 3 2	- - - 5	0.0 0.0 0.0	0.0 0.0 0.0	- - 0.0 0.0	0-0 0-0	- - 0-0 0-0	0.0 0.0 0.0	- - - 0.0	
54 18 -	36 14 ~	12 5 	11 6 -	0-1 0-0 -	0.1	0.0 0.0 -	0.1 0.0 -	0.0 0.0 -	0.1 0.0 -	0.1 0.0 -	
- 4 28 4	1 19 2	- 1 6 -	5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0	0.0 0.0 0.0	0.0	- 0-0 -	
1,436 100 240 53 1,020	1,117 74 187 33 805	505 25 89 4 382	413 24 75 4 308	1.7 0.1 0.3 0.0 1.2	1.9 0.1 0.3 0.1 1.4	1.4 0.1 0.2 0.0 1.0	1.6 0.1 0.3 0.1 1.1	1.2 0.1 0.2 0.0 0.9	3.9 0.2 0.7 0.0 3.0	3.0 0.2 0.5 0.0 2.2	
23 600 99 440 5 22 34	18 452 55 336 7 16	- 5 153 29 111 - 3	2 117 18 89 -	0.0 0.6 0.1 0.5 0.0 0.0	0.0 0.7 0.1 0.5 0.0 0.0	0.0 0.5 0.1 0.4 0.0 0.0	0.0 0.7 0.1 0.5 0.0	0.0 0.5 0.1 0.4 0.0 0.0	0.0 1.2 0.2 0.9 0.0 0.1	0.0 0.8 0.1 0.6	
129 24 51 54 768 719	109 16 46 47 541 511 2	32 2 9 21 326 302 -	27 1 13 13 219 206	0-1 0-0 0-1 0-1 0-9 0-8 0-0	0.2 0.0 0.1 0.1 1.1 1.0	0.1 0.0 0.1 0.1 0.7 0.7 0.0	0.1 0.0 0.1 0.1 0.9 0.8	0.1 0.0 0.0 0.1 0.6 0.5 0.0	0.2 0.0 0.1 0.2 2.5 . 2.4	0.2 0.0 0.1 0.1 1.6 1.5	
44   3   - -	26 5   3 -	19 2 - -	12 - - -	0.0 0.0 0.0 - -	0.1 0.0 - -	0.0 0.0 0.0	0.0 0.0 -	0.0 0.0 0.0	0.1 0.0 - -	0.1 0.0 - -	
3 179 39 2 2 2 136	2 143 35 3 4 101	2 18 4 - 1 13	.26 6 2  18	0.0 0.2 0.0 0.0 0.0	0.0 0.2 0.0 0.0 0.0 0.0	0.0 0.2 0.0 0.0 0.0 0.0	0.0 0.2 0.0 0.0 0.0	0.0 0.2 0.0 0.0 0.0 0.1	0.0 0.1 0.0 0.0 0.0	0.0 0.2 0.0 0.0 0.0	
6,706 178 2,216 2,007 23 34 2,248	4,189 154 1,933 1,097 19 33	2+186 87 565 596 23 13	1,545 64 367 401 11 8	7.0 0.2 2.1 2.0 0.0 0.0	8-7 0-3 2-7 2-5 0-0 0-0 3-1	5.3 0.2 1.6 1.4 0.0 0.0	7.5 0.2 2.5 2.2 0.0 0.0	4.5 0.2 1.4 1.2 0.0 0.0	17-1 0-7 4-4 4-7 0-2 0-1 7-0	11.0 0.5 2.6 2.9 0.1 0.1	
2,008 775 - 191 - 584	1,593 593 1 1 134  457	987 377 - - 69 - 308	808 333 - 60 - 273	2.6 1.0 0.0 0.0 0.0 0.2 	2.9 1.1 - 0.3 - 0.9	2.2 0.9 0.0 0.0 0.2 0.2	·2.2 0.9 - 0.2 0.7	1.7 0.6 0.0 0.0 0.1 - 0.5	7.7 2.9 - 0.5 - 2.4	5.8 2.4 - - 0.4 2.9	
1,517	1,167	315	289	1.6	1-8	1.4	1.7	1.2	2.5	2.1	
58 7 50 1	58 9  48  1 	27 4 - 23 - - -	29 5 - 23 - 1	0-1 0-0 0-1 0-0 0-0 0-0	0.1 0.0 - 0.1 0.0 -	0-1 0-0  0-1  0-0 0-0	0.1 0.0 - 0.1 0.0 - -	0.1 0.0 0.1 - 0.0	0.2 0.0 - 0.2 - - - - -	0.2 0.0 - 9.2 - 0.0 -	
27	23 - - - - - - - 23	5 - - - - - - - - -	3 - - - - -	0.0	0.0	0.0 - - - - - - - - - - -	0.0 - - - - - - 0.0	0.0 - - - - - - - - - -	0.0 	D.D	

Table 1-23. Deaths and Death Rates for Each Cause,

SYMPTICES REPERABLE TO SYSTEMS ON DROMS—COM.  SYMPTICES REPERABLE TO SYSTEMS ON DROMS—COM.  SYMPTICES REPERABLE TO CANDOWASCOLLAR AND LYAPPATIC SYSTEMS.  TRANSPORT OF CANDOWASCOLLAR AND LYAPPATIC SYSTEMS.  TRANSPORT OF COLLAPSE.  TRANSPORT OF TALONE, UNDEFILED.  T	
Symbols   Primary   Symbols   Symb	FEMALE
### PRECORDIAL PAIN	
INCORPORATION TO STATE AND ADDRESS AND ADD	1,
ACCUPT HARD FALLOW, NUCEFIED	
ACUTE BEAST FALLUSE, UNDER 1800—  ACUTE BEAST FALLUSE, UNDER 1800—  BEAST FALUSE, UNDER 1800—  BEAST FALUS FALUS FALUS FALUS FALUS FALUS FALUS	
SINCE WITCH PRITOR DET FARMA    100   99	1.
SINCE WITCH PRITOR DET FARMA    100   99	
SELECTORECLY MENTION OF FRAUNA  ***PAYENDIAN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYEN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYEN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYEN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYEN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYEN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYEN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYENDIAN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYENDIAN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYENDIAN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYENDIAN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYENDIAN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYENDIAN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYENDIAN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYENDIAN SEPERALE TO REPAYLABUPT SYSTEM  ***PAYENDIAN	
SYMPLIDS REPERALE TO RESPIRATORY YSTER————————————————————————————————————	
COMMENS OF SOUTHWEST  COMMENS AND VOICE  COMMENS AN	
COMMENT OF VOICES - 783.5 - 1	
COMMENT OF VOICES - 783.5 - 1	
SYMPTOMS REFERALLE TO UPPER GASTROLIVESTIMAL TRACT  78-0 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  MAJOS	
SYMPTOMS REFERALLE TO UPPER GASTROLIVESTIMAL TRACT  78-0 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  MAJOS	
SYMPTOMS REFERALLE TO UPPER GASTROLIVESTIMAL TRACT  78-0 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  78-1 MAJOSEA AND VURITIME  MAJOS	
HISCOURS   1982   1992	
HISCOURS   1982   1992	
HISCOURS   1982   1992	
HITCOURS AS A CONTRIBUTION TO THE PROPERTY OF	
HIECOUSING ————————————————————————————————————	
SYMPTONS REFERABLE TO ABDOMEN AND LOPER GAST BOTHYSTINAL TRACT	
FLONTINEME   781.	
FLANTISME   781.   1	
FLANTISME   781.   1	
FLANTISME   781.   1	
INCONTINENCE OF FECES.	
Symptoms Reservante To Gent Tous Inlandy System	
Symptoms of December   10 can tour inner years   10 can tour inner y	
REGUENCY OF MICTURITION	
REGUENCY OF MICTURITION	
READURITY OF MICTURITION	
POLITURIA AND ANUPIA (NOT OF NEWBORN)	
PAIN REFERABLE TO GENITAL GREAMS, INCLUDING DYSPAREUNIA 786.7  SYMPTOMS REFERRABLE TO LIMBS AND JOINTS 797  1 TRANSIENT PARALYSIS OF LIMB, CAUSE UNKNOWN— 787.0  PAIN IN LIMB— 787.1  SWELLING OF LIMB. 787.1  SHELLING OF LIMB. 787.1  OTHER GENERAL SYMPTOMS 787.5  CHORNMALITY OF GAIT— 788.2  OTHER GENERAL SYMPTOMS 788.1  ELECTROLYTE OISORDERS 788.1  ELECTROLYTE OISORDERS 788.2  ELECTROLYTE OISORDERS 788.3  CHORN OF REIGHT 788.4  ICHARLY FOR UNKNOWN ORIGIN— 788.5  LOSS OF REIGHT 788.5  LOSS OF REIGHT 788.5  LOSS OF REIGHT 788.5  LOSS OF REIGHT 788.5  CHORN OF UNKNOWN ORIGIN— 788.5  ABOURDAL SHAMP CONSTITUENTS OF UNSPECIFIED CAUSE— 789.0  ALBUMINUS IAAM CONSTITUENTS OF UNSPECIFIED CAUSE— 789.2  ALBUMINUS IAAM CONSTITUEN	
PAIN REFERABLE TO GENITAL ORGANS, INCLUDING DYSPAREUNIA 786.7  TRANSIENT PARALYSIS OF LIMB, CAUSE UNKNOWN— 787.0  TRANSIENT PARALYSIS OF LIMB, CAUSE UNKNOWN— 787.1  SWELLING DE LIMB 787.1  SWELLING DE LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  SWELLING OF LIMB 787.1  ABOURMALITY OF GAIT 787.1  SWELLING OF LIMB 787.1  SWELLI	
TRANSIENT PARALYSIS OF LIMB, CAUSE UNKNOWN	
PAIN IN LIMB	
DIFFICULTY IN WALKING	
DIFFICULTY IN WALKING	
ABAGRMALITY OF GAIT  OTHER GENERAL SYMPTOMS  ELECTROLYTE DISORDERS  TOBA:  ELECTROLYTE DISORDERS  TOBA:  TO	
SASI- SUBCUTANEOUS NODULES	
SASI- SUBCUTANEOUS NODULES	
SASI- SUBCUTANEOUS NODULES	
LOSS OF MEIGHT	
TETANY————————————————————————————————————	
PYREXIA OF UNKNOWN DRIGIN—	
PYURIA AND BACTEFIURIA———————————————————————————————————	
PYURIA AND BACTEFIURIA———————————————————————————————————	
CHYLURIA————————————————————————————————————	
HEMGGLOBINURIA————————————————————————————————————	
GLYCOSURIA————————————————————————————————————	
SENILITY AND ILL-DEFINED DISEASES	
SENILITY AND ILL-DEFINED DISEASES	
NERVOUSNESS AND DEBILITY———————————————————————————————————	
NERVOUSNESS	10.7
NERVOUSNESS	
DEPRESSION	
UREMIA	
SENILITY WITHOUT MENTION OF PSYCHOSIS	- 1
SUDDEN DEATH SYNDROME. ONE YEAR OF ACE	1
SUDDEN DEATH SYNDROME. ONE YEAR OF ACE	1 ,4 1 ,3
ALL DIVIDED COMPAND DELITA LEE TOO VELOC AND OVER	
ALL OTHER SUDDEN DEATH, AGE THO YEARS AND OVER	8,1
OTHER ILL-DEFINED CONDITIONS796.0   2+154   1+321	ε
FOUND DEAD (CAUSE UNKNOWN)	3,1

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Internidentified by an asterisk; see Technical Appendix]

NUMBER		-		-			RATE			_
WHIT	WHITE ALL OTHER				TOTAL		WHIT	re .	ALL OTHER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
		017	193				1.6	1.0	1.7	1.4
1,210 - -	903 - -	217	_	1.2	1.4	, 1.0 - -	1.4	-	-	
		205		- <u>-  </u>		-	1.3	- - 0.9	1.6	1.3
1,147 13 2	845 5 4	205 - 1	2	1.1 0.0 0.0	0.0 0.0	1.0 0.0 0.0	0.0	0.0	0.0	0.0
<i>-</i>	1 -	_	<del>-</del>	0-0	-	0.0	-	0.0	· · · 🚣	
48 66 6 51 5	48 33 -	11 11 -	9 10 -	0.1 0.1 0.0	0.1 0.1 0.0	0-1	0.1 0.1 0.0	0.1 0.0	0.1 0.1	0.1 0.1
51 5	28 5	10 1	8 2	0.0	0.1	0.0	0.1 0.0	0.0	0.1	0.1 9.0
	-	111	-		=	-	-	-	-1	
- - 4	-	-	,	0.0	0.0	-	0.0			
58	38	5	5	0.1	0.1	0.0	0.1	0.0	0.0	0-0
5	3		2	0.0	0.0	0.0	0.0	0.0	-	0.0
	ī	111		0.0		0.0		0.0	-	-
53 -	34 - -	5 - -	3 -	0.0	0.1	0.0	0.1	0.0	0.0	0.0
10	14	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2 4	1 3	1 - -	1 1	0.0	0.0 0.0	0.0 0.0 0.0	0.0 0.0	0.0 0.0 - 0.0	0,0	0.0 0.0
4	3 - 7	- 2	1	0.0 0.0	- 0.0	0.0	0.0	0.0	0.0	0.0
- 1	-	=		_	=		· -	-	=	=
4	3	1	_	0.0	0.0	0.0	0.0	0.0	0.0	_
<u>.</u> 3	Ξ.		=	0.0	0.0	-	0.0	-		·
=	-	- - -	=	=		-		=	-	=
L -	3	1		0-0	0.0	0.0	0.0	0.0	0.0 -	-
ī	-	- -	]	0.0	0.0		0.0	=1	. []	=
<u>ī</u>	=	-	=	0.0	0.0	-	0.0	7. I	<u>-</u>	Ξ
=		- -	·	[ ]			-	· · · -		
-	-	-	_	-	-	-	-	-	-	• -
83 54	95 79	46 35	45 · 39	0.1 0.1	0.1 0.1	0.1 0.1	0.1 0.1	0.1 0.1	0.4	0.3 0.3
=	- -	=	_	-	-	-	, [	-	- - -	Ξ
-	=	= = =	1	0.0		0.0	-	-	0.1	0.0 0.0
22 7 -	14 2	7 4 -	5 -	0.0	0.0	0.0	0.0 0.0 -	0.0	0-0	-
- -	Ξ.		=	<u>-</u>	1.1	. =	1 1		=	. =
- -	-	- -	-		11.	-		-  -		
-	<u>-</u>	_	=	-			· =		=	- -
_	-	-	-	-	-			-	-	•
11,244	7,246	5,127	3,494	12.9	16.0	10.0	12.6	7.7	40.0	25.0
13 - 13	30 - 29	6 - 6	5 - 5	0.0	0.0 - a.a	0.0	0.0 - 0.0	0.0	0.0 - 0.0	0.0
-	1 -			0.0		0.0	- 1	0.0	=	_
209 404	196 719	68 115 744	51 148 561	0.2	0.3 0.5	0.2 0.8	0.2 0.5 1.7	0.2 0.8 1.0	0.5 0.9 5.8	0.4 1.1 4.0
1,484 1,305 27	915 820 16	746 653 17	486 15	1.8 1.6 0.0	2.2 1.9 0.0	1.4 1.2 0.0	1.5 0.0	0.9	5.1 0.1	3.5 0.1
152 9,134	79 5,386 557	76 4,192	60 2,729	10.2	0.2 13.0	0.1 7.5	0.2 10.2	0.1 5.8 0.6	0-6 32-7 3-6	0.4 19.5 2.0
861 33 4-478	557 7 2,373	460 11 1•862	276 12 1•338	1.0 0.0 4.8	1.3 0.0 6.2	0.8 0.0 3.4	1.0 0.0 5.0	0.0	0.1 14.5	0.1
4,478 3,762	2,449	1,659	1,338 1,103	4.4	6.2 5.5	3.4 3.3	4.2	2.6	14.5	9.6 7.9

Table 1-23. Deaths and Death Rates for Each Cause,

CAUSE OF DEATH		TOTAL	
	BOTH SEXES	MALE	FEMALE
E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE			
01 RAILWAY ACCIDENTS	789	697	52
02 RAILWAY ACCIDENT INVOLVING COLLISION WITH ROLLING STOCK	0 25	24 22	1
05 PEDESTRIAN	2 -	1 -	1 -
07 OTHER SPECIFIED PERSONS	8 - 9 1	- 1	<b></b>
09 RAILWAY ACCIDENT INVOLVING COLLISION WITH OTHER QBJECTE801. 10 RAILWAY EMPLOYEEE801. 11 PASSENGER ON RAILWAY	1 21	17	4
11 PASSENGER ON RAILHAY	1 - 2 - 3 11	- - 8	אור ו
13 PEDAL CYCLIST	8 6 4	6 3	1
PEDESTRIAN	2 15 0 13	15 13	1
19 PEDESTRIAN	2 -	1	1
22 UNSPECIFIED PERSONE802.	3	2 -	17
23 RAILWAY ACCIDENT INVOLVING EXPLOSION, FIRE, OR BURNING	0 1	4 1 1	111
27   PEDAL CYCLIST	3 -	-	11
29 UNSPECIFIED PERSONE803.	9 2	2 59	- - 2
31 RAILWAY EMPLOYFE	0 12	12 6	1
33   PEDESTRIAN	3 - 5	1 - 5	-
		35 539 t	1
38 RATLWAY EMPLOYEE	1	60	1 1
ACCOUNT   ACCO	2 510 3 2 8 2	435 1 2	75 1
		41 g	8 ~
45 RAILWAY EMPLOYEE	0 3 2	3 2	
47 PEDESTRIAN————————————————————————————————————	2   - 3   - 8   2	- - 2	1 1
		2	-
52 RAILWAY EMPLOYEE	0 14 1	14 I	-
54     PEDESTRIAN     — E807.       55     PEDAL CYCLIST     — E807.       56     OTHER SPECIFIED PERSONS     — — — — — — — — — — — — — — — — — — —	2 1 -	1	1 1 1
UNSPECIFIED PERSON————————————————————————————————————	9 15	14	1
MOTOR VEHICLE TRAFFIC ACCIDENTSE810-E81		39,052	. 15,295
MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN	0 1,194 1 - 2 20,521	843 - 13,824	351 6-697
62   MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH OTHER VEHICLE	3 1,003 4 8,991	788 6 <sub>1</sub> 274	215 21717
64 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISIONS	5 5,883 6 8,944 7 15	4,703 7,086	1,180 1,858
NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING————————————————————————————————————	8 814 9 6.982	607 4,918	207 2 • 064
MOTOR VEHICLE NUNTRAFFIC ACCIDENTS	3 1,164	889	275
MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH MOVING ORJECT		453 71	186 12
71 MOTOR VEHICLE NONTRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING	3 433	3 362	71
74 OTHER ROAD VEHICLE ACCIDENTSE825-E82		177	116
TREETCAR ACCIDENT	5 1 1	1 1	-
77 PEDAL CYCLIST	1 -   2 -   8 -	- - -	5
UNSPECIFIED	ş i - III	21	21

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Appendix

NUMBER	·		-		·		RATE				
MHI	TE	ALL C	THER		TOTAL		WHI	TE	ALL O	THER	
MALE	FEMALE	MALE	FFMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE .	
549	71	148	21.	0.4	. 0.7	0.1	0.6	0.1	1.2	0.2	01
21 19	1	3	_	0-0	0.0	0.0	0.0	0-0	0.0		l
19	1	3 -	· -	0.0	0.0	0.0	0.0	0.0	0.0 - -	-	02 03 04 05 06
- 1	-	=	=	- D.0	0.0	 -		-	=	- -	06. 07 08
16	4	1	_	0.0	0.0	0.0	0.0	0.0	0.0 ~		109
=	=	=	=	-	] =	1 - 1	=	<u>-</u>	-	- -	10 11 12
7 6 3	3 - 1	1 -	- - -	0.0 0.0 0.0	0.0	0.0	0.0 0.0 0.0	0.0	0.0	=	13 14 15 16
13	=	2 2 -	- -	0.0	0.0	-	0.0 0.0	-	0.0 0.0	=	17
=	=	_	} -	_ _ _	=		] -		· _	Ξ	19 20 21 22
2 -	] =	=	= =	0.0	0-0	=	0.0	-	=	=	1
1 1	=	=		0.0	0.0	-	0.0 0.0	-	-	=	23 24 25 26 27 28
	=	] =	] =	0.0	0.0	=	]  =	-	, <u>-</u>	=	26 27
2 52	1	- 7	- 1	0.0 0.0	0.0 0.1	0.0	0.0 0.1	0.0	0.1	0.0	1 29
52 12 6 1	=	=	1	0.0	0.0	0.0	0.0 0.0 0.0		- - -	0.0	30 31 32 33
4	-		=	0.0	0.0	_	0.0		0.0	- - -	34 35
29 408	64	131	20	0.0	. 0.5	0.0	0.0	0.0	0.0 1.0	0.1	37
52 320	- - 57	8 -	- 18	0.0	0.1	0.1	0.1 - 0.4	0.1	0.1 - 0.9	- - 0.1	39
1 2	1 -	- 8	- 2	0.0	0.0 0.0	0.0	0.0 0.0 0.0	0.0	0.1	0.0	41 42 43
33	. 6	3	_	0.0	0.0	0.0	0.0	_	0.0	_	1
1 -	-	1 1	= =	0.0	0.0	=	0.0	=	0.0 0.0 -	- -	46 47
. 1 2	] =	1		0.0	0.0 0.0	] =	0.0		. 0.0	=	48 49 50
29 14	1	1		0.0	0.0	0.0	0.0	0.0	0.0	-	51 52
1 1	=	=	=	0.0 0.0 0.0	0.0 0.0 0.0	=	0.0	ļ ·	=		51 52 53 54 55
13	- 1	- 1	=	0.0		0.0	0.0	0.0	0.0	=	56 57
33,587	13,368	5,465	1,927	25.9	38.2	14.2	37.6	14.3	42.7	13.8	58
762	310	81_	41	0.6	0.8	0.3	0.9	0.3	0.6	. 0.3	1.60
12,267 699	6,042 203	1,557	655 12	9.8 0.5	13.5 0.8	6.2 0.2	13.7 0.8	6.5 0.2	12.2	4.7 0.1	61 62
4,795 4,166 6,114	2+216 1+037 1+574	1,479 537 972	501 143 284	4.3 2.8 4.3	6.1 4.6 6.9	2.5 1.1 1.7	5.4 4.7 6.8	2.4 1.1 1.7	11.6 4.2 7.6	3.6 1.0 2.0	64
8 534 4,242	172 1,808	73 676	35 256	0.0 0.4 3.3	D.0 0.6 4.8	0.0 0.2 1.9	0.0 0.6 4.7	0.0 0.2 1.9	0.0 0.6 5.3	0.3	66 67 68
ļ			3,					0.3	0.8	0.2	
783 394	243 169	106 59	17	0.6	0.9	0.3	0.9	0.2	0.5	0.1	70
66 3 320	11 6 57	5 - 42	1 - 14	0.0 0.0 0.2	0.1 0.0 0.4	0.0 0.0 0.1	0.1 0.0 0.4	0.0 0.0 0.1	0.0	0.0	72
163	109	14	7		0.2	0.1		0.1	0.1	0.1	74
· 1			=	0.0	0.0	=	0.0	` =	_	_	1
] =	-		=			] =	=		-	-	75 76 77 78 79 80
=	] =	=	=	=	] =	] =		] =	1 =	! -	180

Table 1-23. Deaths and Death Rates for Each Cause,

		1		
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
01 02 03 04	OTHER ROAD VEHICLE ACCIDENTS—CON.  PEDAL CYCLE ACCIDENT————————————————————————————————————	122 9 94	92 5 65	40 4 29
05 06 07 08 09	PEDAL CYCLE ACCIDENT       =826.0         PEDESTRIAN       -6826.1         PEDAL CYCLIST       -6826.1         OTHER SPECIFIED PERSONS       -6826.1         UNSPECIFIED PERSON       -6827.0         OTHER NONMOTOR ROAD VEHICLE ACCIDENTS       -6827.0         OTHER SPECIFIED PERSONS       -6827.8         UNSPECIFIED PERSON       -6827.9	19 170 7 162 1	12 94 6 88	7 76 1 74 1
10	WATER TRANSPORT ACCIDENTSE830-E838	1,725	1,561	164
11 12 13 14 15 16 17	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION	874 824 44 3 - 1	783 736 43 1 1 1	91 88 1 2
18 19 20 21 22 23 24	ACCIDENTS TO WATERCRAFT CAUSING OTHER INJURIES	41 38 2 - - 1	24 22 2 7	17 16 - 1
25 26 27 28 29 30 31	ACCIDENTS TO WATERCRAFT CAUSING OTHER INJURIES —— 8831.  OCCUPANT OF SMALL BOAT —— 8831.0  OCCUPANT OF DITHER WATERCRAFT, CREW —— 8831.2  DOCKER, STEVEDORE —— 8831.2  OTHER SPECIFIED PERSON —— 8831.3  OTHER ACCIDENTAL SUBMERSION OR DROWNING IN WATER TRANSPORT —— 8831.9  OCCUPANT OF OTHER WATERCRAFT, CREW —— 8832.0  OCCUPANT OF OTHER WATERCRAFT, CREW —— 8832.0  OCCUPANT OF OTHER WATERCRAFT, NOT CREW —— 8832.0  OCKUPANT OF OTHER WATERCRAFT, NOT CREW —— 8832.0  OCKUPANT OF OTHER WATERCRAFT, SEW —— 8832.0  OCKUPANT OF OTHER WATERCRAFT, SEW —— 8832.0  OCKUPANT OF OTHER WATERCRAFT, SEW —— 8832.0  OCKUPANT OF OTHER WATERCRAFT, SEW —— 8832.0  OCKUPANT OF OTHER WATERCRAFT, SEW —— 8832.0  OCKUPANT OF OTHER WATERCRAFT, SEW —— 8832.0  OCKUPANT OF OTHER WATERCRAFT, SEW —— 8832.0	699 655 33 1 1 4 5	660 617 33 1 1 1 3	39 36 
32 33 34 35 36 37 38	FALL ON STAIRS OR LADDER IN MATER TRANSPORT	1	11 11 11 11 11 11 11 11 11 11 11 11 11	1111111
39 40 41 42 43 44 45	OTHER FALLS FROM ONE LEVEL TO ANOTHER IN WATER TRANSPORT	3 1 1	3 1 1 1	111111
46 47 48 49 50 51	OTHER AND UNSPECIFIED FALLS IN WATER TRANSPORT	8 4 1 1 1	7 4 1 1	11111
54 55 56 57 58 59	MACHINERY ACCIDENT IN WATER TRANSPORT       ————————————————————————————————————	4 1 3 - - -	4 1 3	נויוויוו
60 61 62 63 64 65 66	EXPLOSION, FIRE, OR BURNING IN WATER TRANSPORT	21 8 12 1 - -	17 4 12 1	44-1111
67 68 69 70 71 72 73	OTHER AND UNSPECIFIED WATER TRANSPORT ACCIDENTS	74 40 12 1 3 9	62 32 12 1 3 6 8	12 8    3 1
74	AIR AND SPACE TRANSPORT ACCIDENTSE840-E845	1.668	1,407	261
75 76 77 78 79 80 81 82 83	ACCIDENT TO POMERED AIRCRAFT AT TAKEOFF OR LANDING	147 - 3 14 86 43 1 -	100 3 11 46 39 1	47 3 40 4

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Subcategory numbers which do not correspond exactly with the International Appendix

NUMBER							RATE				T
WHI:	TE	ALL O	THER		TOTAL.		MHI.	re l	ALL O	THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMAL E	
75 58 - 12 87 6	33 4 23 - 6 76 1 1 74	7 7 - 7 7	7 - 6 - 1 -	0.1 0.0 0.0 0.0 0.0 0.1	0.1 0.0 0.1 0.0 0.1 0.0	0.0 0.0 0.0 0.0 0.0 0.1	0.1 0.0 0.1 - 0.0 0.1	0.0 0.0 0.0 0.0 - 0.0 0.1	0.1 0.1 0.1 0.1	0.1 - 0.0 - 0.0	02 03 04 05 06 07 08
1,290 625 609 12 1 1	1 147 81 76 1 2	271 158 127 31 -	17 10 10 	0.0 0.8 0.4 0.4 0.0 0.0 -	1.5 0.8 0.7 0.0 0.0	0.0 0.2 0.1 0.1 0.0 0.0	1-4 0.7 0.7 0.0 0.0	0.0 0.2 0.1 0.1 0.0 0.0	2.1 1.2 1.0 0.2	0.1 0.1 0.1 -	10 11 12 13 14 15 16 17
22 20 2 - - - 561 524 30 1 1	17 16  1 33 32 	2 2 2 - - 99 93 3 - - 2 1	- - - - - - - - - - - - - - - - - - -	0.0 0.0 0.0 - - 0.0 0.3 0.3 0.0 0.0	0.0 0.0 0.0 - - 0.6 0.6 0.0 0.0		0-0 0-0 0-0 - - - - 0-6 0-6 0-0 0-0	0.0 0.0 - - 0.0 - 0.0 0.0	0.0 0-0 - - - 0.8 0.7 0.0	0-0	18 19 20 21 22 23 24 25 26 27 28 29
1 1 				0.0 0.0 - 0.0 - - - 0.0	0.0 0.0 - 0.0 - - - 0.0		0.0 0.0 - 0.0 - - - 0.0 - 0.0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.0		31 32 33 34 35 36 37 38 39 40 41 42 43 44
1 1 6 4 1 1 1	1	1	-	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 	0.0 0.0 0.0 0.0 0.0 0.0	0.0	0.0		46 47 48 49 50 51
4 1 3 - - - 14 2 11	3 3	3 2 1	1	0.0 0.0 0.0  - - - 0.0 0.0	0.0 0.0 0.0 - - - - - - 0.0	0.0	0.0 0.0 0.0 - - - - 0.0 0.0	0.0		0.0	53 54 55 56 57 58 59 60 61 62
14 2 11 1 	12 8 	8 1 3 - 1	1	0.0 0.0 0.0 - - - 0.0 0.0 0.0 0.0	0.0 0.0 - - - 0.1 0.0 0.0 0.0	0.0 0.0	0.1 0.0 0.0 0.0 0.0	0.0 0.0 0.0	G.1 0.0 0.0 		60 61 62 63 64 65 66 67 68 69 70 71 72 73
1,376 100  3 11 46 39 1	252 46  3 39 4 	31	9	0.0 0.8 0.1 	0-0 1-4 0-1 0-0 0-0 0-0 0-0 0-0	0.0 0.2 0.0 - - 0.0 0.0 0.0	0.0 1.5 0.1 0.0 0.0 0.1 0.0 0.0	0.0 0.3 0.0 - 0.0 0.0 0.0	0.0	0.1	73 74 75 76 77 78 79 80 81 82 83

Table 1-23. Deaths and Death Rates for Each Cause,

_				
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
	AIR AND SPACE TRANSPORT ACCIDENTSCON.			
91 02	ACCIDENT TO OTHER AND UNSPECIFIED POWERFD AIRCRAFT	1,446	1,240	206 -
03 04	CCUPANT OF MILITARY AIRCRAFT	109 29 49	109 27 39	2 10
05 06 07	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT	1,239	1.048	191
08 09	OTHER SPECIFIED PERSONS	7 13	4	3 _
10 11	CCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT	8 -	8	 -
12	DCCUPANT OF MILITARY AIRCRAFT.  DCCUPANT OF COMMERCIAL AIRCRAFT, CREW	-	-	- 1
14 15 16	OTHER DCCUPANTS OF COMMERCIAL AIRCRAFT  OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT  E842.4  CROUND CREW AIRCRAFT  E842.4	6	6	
17	OTHER SPECIFIED PERSONS	- 2	2	-
19	FALL IN, CN, ON FROM AIRCRAFT	11	в	3
20 21	OCCUPANT OF SPACECRAFTE843.0 OCCUPANT OF WILITARY AIRCRAFTE843.1	-	- 2	- -
22 23	OCCUPANT OF SPACECRAFT	[ <u>[</u> ]	7	1
24 25	GCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT	1	1	-
26 27 28	UNSPECIFIED PERSONS———————————————————————————————————	56	51	-
29 30	QCCUPANT OF SPACECRAFT	5	5	3
31	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW		-	-
33 34	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFTE844.4 GROUND CREW, AIRLINE EMPLOYEE	6 2	6 2	-
35 36	UNSPECIFIED PERSON  OTHER SPECIFIED AIR TRANSPORT ACCIDENTS  CCUPANT OF SPACECRAFT  OCCUPANT OF MILITARY AIRCRAFT  CEMPANT OF SPACECRAFT  OCCUPANT OF MILITARY AIRCRAFT, CREW  OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT, CREW  OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT  CEMPANT OF OTHER AND UNSPECIFIED AIRCRAFT  ORDING CREW, AIRLINE EMPLOYEE  OTHER SPECIFIED PERSONS  E844.4  UNSPECIFIED PERSON  E844.9	35   8	32 6	3 2
37 38	ACCIDENT INVOLVING SPACECRAFT	-	-	-
39 40	OCCUPANT OF MILITARY AIRCRAFT	-	-	-
41 42	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT	<u>-</u>		
43 44	OTHER OCCUPANTS   F COMMERCIAL ATRCRAFT	-	-	1 T
45 46	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTSE850-E859	2.444	1.526	918
47	ACCIDENTAL POISONING BY ANTIBIOTICS AND OTHER ANTI-INFECTIVES	21	13	8
48 49	PENICILLIN, ANYE850.0 ANTIFUNGAL ANTIBIOTICSE850.1	1 2	1 2	- 1
50 51	CHLORAMPHENICOL————————————————————————————————————	<u> </u>	-	1
52 53 54	ACCIOENTAL PDISONING BY ANTIBIOTICS AND OTHER ANTI-INFECTIVES	<u> </u>	-	1
55 56	SILVER AND ITS COMPOUNDS	- 3	2	ī
57	OTHER ANTI-INFECTIVES	6	3	3
58 59	ACCIDENTAL POISONING BY HORMONES AND SYNTHETIC SUBSTITUTES	23	9 -	14
61	ANDROGENS AND ANABOLIC CONGENERS	21	- - 9,	12
62 63 64	ESTROGENS	i		
65 66	PROGESTOGENS	1 1	-	1.
67 68	ANTITHYROID AGENTSE851.8 OTHER HORMONES AND SYNTHETIC SUBSTITUTESE851.9	- 1	=	ī
69	ACCIDENTAL PDISONING BY PRIMARILY SYSTEMIC AND HEMATOLOGIC AGENTSE852.  ANTIHISTAMINIC AND ANTIEMETIC DRUGS	44	24	20
70 71 72		12 5	1 5 4	7 1
73 74	VITANINSF852.3	[ [	]	1
75 76	### FECTROLYTIC CALORIC, AND WATER BALANCE AGENTS	11 11	7 7	4
77 78	VITAMIN K PRODUCTS	-	=	1
79	UTHER PRIMARILY HEMATULUGIC AGENIS	827	635	192
90 81 82	ACCIDENTAL POISONING BY ANALGESICS AND ANTIPYRETICS	656 95	549 48	192 107 47
83 84		1	1	
85 86	ANILINF DERIVATIVES	1 3	1	Í 2
87		71	36	35

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Classification of Diseases, Adapted, 1965 (ICDA).

IMBER HHIYE. ALL OTHER				RATE							Τ
нніт	re.	ALL O	THER		TOTAL		MHITE ALL OTHE  .E MALE FEMALE MALE  0.2 1.4 0.2 0.2			THER	1
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
	!			]							
1,212	198 -	28 -	8 -	0.7	1.7	0.2	-		0.2	0.1	000
102 27 38	- 2	7	-	0.1 0.0	0.1 0.0	0.0	0.0	0.0	-1	=	10
1,028	185	1 20 -	2	0.0 0.6	0.0 1.0	0.0 0.2	0.0 1.1	0.0	0.0 0.2	0-0 0-0	0
4 13	3 - -	-	Ξ	0.0	0.0	0.0	0.0		3	=	0
13 8 -	- 1	-	<u>-</u>	- 0.0	0.0	-	0.0	-	_	=	0 0 1 1 1 1 1 1
-	-	-	-	` <del>-</del>	- -			=	_	, <u>-</u>	1
6		1	-	0.0	0.0	-		-		-	1
- - 2	= [	-		0.0	0.0	=	-		=	=	11
8	3	_	· _	0.0	0.0		ř		_[		l,
2	=	-	- -	0.0	0.0	-	-	-	-	-	2
-	- 1	-	-	0.0	[ -	0.0	=	0.0	-	-	1222222222222
- - 4 1	1 -	_ :	-	0.0 0.0	0.0	· - {	0.0	-	-		2 2
- 1	1 - 5	- - 3	· -	0.0.	0.0	- 11	-	-!	-		2
4B 4		1	_	0.0 - 0.0	0.0	-	-	- 1	-	=	2 3
-	-	-	=	_		-	-	=	·-	<u>-</u>	3
6		- 2 -	-	0.0	0.0	-	0.0	=	0.0	_	3
32 6	3 2	-	-	0.0 0.0	0.0	0.0	0.0 0.0	0.0	-		3
-	-	-	<u>-</u>		-	-	- -	-	_}		3
-	-	-	-	· -	- 1	-		-	-	=	3
-		-	-			-	=		=	-	4
-	-	-	-		<u>-</u>	-    -	=	=	=	- -	3 34 4 4 4 4 4
1,222	751	304	167	1.2	1.5	0.9	1.4	0.8	2.4	1.2	
5	5	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	4
<u>.</u>	-	2	-	0.0	0.0	-	0.0		0.0	-	4 5 5 5 5
-	- 1	-	- -	0.0		0.0		0.0		· <del>-</del>	5
4	1 1	1 -	1 - -	0.0	0-0	0.0	0.0	0.0		0.0 - -	5
<u> </u>	- 1	_ 2	-	a.o	0.0	0.0	=	0.0	0.0	=	5
~	1	3	2	0.0	0.0	0.0	-	0.0	0.0		
6	11  -	3	3 -	0.0	0.0	0.0	0.0	0.0	0.0	0. D - - -	5
	- 9	- - - 3	- - - 3		I -· I	-	-	-	-	-	5 6 6 6 6 6 6 6
= 1		-	_	0.0	0.0 - -	0.0	0.0 - -	0.0	0.0	· 0.0	6
=	1	=	· · · · · · · · · · · · · · · · · · ·	0.0		0.0	=	0.0			6
	- 1	-	, <u>-</u>	0.0		0.0	-	0.0	- - - -	-	6
17	18	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0 0.0	1
5	3 7	- - 2	1 -	0.0 0.0	0.0	0.0	0.0	0.0	_ =	0.0	7
-	1 - -	-		0.0 - -		0.a - -	0.0	0.0	0.0	. =	7:
5 4	3 4	- 2 3	1	0.0	0.0	0.0 0.0	0.0	0.0	0.0	9.0	65 76 77 77 77 76 77 76 77
1 5 2 - 5 4 -	-	1	1111	-	-	- =		-		9.0 - - -	7
480	133	- 155	- 59	0.4	-	0.2	0.5		-		
410 40	6B 3B	139 8	39 9	0.4 0.3 0.0	0.6 0.5 0.0	0.1	0.5	0.1 9.1 0.0	1.2 1.1 0.1	0.4 0.3 0.1 - - 0.0 0.1	8:
1	=	-	_	0.0	0.0	<u> </u>	0.0	_	_	=	8:
1 28	1 1 25	- - 8	- 1 10	0.0 0.0 0.0	0.0	0.0 0.0	- 0.0 0.0	0.0 0.0 0.0	0.1	. 0.0	8:

Table 1-23. Deaths and Death Rates for Each Cause,

==				
	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
	ACCIDENTAL POISONING BY DRUGS AND HEDICAMENTS-CON.			
01 02	ACCIDENTAL POISONING BY OTHER SEDATIVES AND HYPNOTICS	596 362	341 179	255 183
93 94	CHLOR AL HYDRATE	6	4 2 2	2
05 06 07	ACUTE NARCOTISM NOT OTHERWISE SPECIFIED	73 151	61 93	12 58
08	ACCIDENTAL POISONING BY AUTONOMIC NEPVOUS SYSTEM AND PSYCHOTHERAPEUTIC DRUGSE855	139	62	77
09 10 11	ANTOPPRESSANTS	36 87 2	13 40 2	23 47
12	PARASYMPATHOLYTICS (CHOLINERGICS)E855.3 PARASYMPATHOLYTICS (ANTIGHOLINERGICS)E855.4	1 4	2	1 2
14 15	ACCIDENTAL POISONING BY AUTONOMIC NEPVOUS SYSTEM AND PSYCHOTHERAPEUTIC DRUGS	3	2	1   -
16 17	ACCIDENTAL POISONING BY OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS AND STIMULANTS	36	22	14
18 19	ACCIDENTAL POISONING BY OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS AND STIMULANTS	4	22 2 1	2
20 21	ANESTHETIC GASES	6	3	3
22 23	AMPHETAMINE	21	14	7
24		2		2
25 26	CARDIAC DEPRESSANTS	123 4 118	46 1	77 3 73
27 28 29	CANDIAC UNILSE857.1 CHDLESTEROL LOWERING AGENTSE857.2	-	45	-
3D 31	VASDD IL ATORS	-	-	ĩ
32 33	ACCIDENTAL PRISUNING BY CARDIOVASCULAR DPUGS	-	-	-
34	ACCIDENTAL POISONING BY GASTROINTESTINAL DRUGSE858	9	3	6
35 36	ANTACIDS AND ANTIDIARRHEA AGENTS	5 1	3 -	2
37 38	SALINE CATHARTICSE858.2 SALINE CATHARTICSE858.3	<u> </u>	=	=1
39 40	FECAL SUPTEMENTS	1	-	ī
41 42	ACCIDENTAL POISONING BY GASTROINTESTINAL DRUGS	1	= =	i
43 44	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS	626 14	971 11	255 3
45 46	MERCURIAL DIURFTICS	- 2	ž	-
47 48	OTHER DIVRETICSE859.3 AGENTS ACTING DIRECTLY ON MUSCULOSKELETAL SYSTEME859.4	1 2	-	1 2
49 50 51	LINIMENTSEBS9.5 OINTNENTS	- 8	1 - 6	- 2
52 53	OTHER SPECIFIED DRUGS	17 581	12 339	242
54	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCESF860-E869	1, 239	828	411
55	ACCIDENTAL POISONING BY ALCOHOLE860	333	234	99
56 57 58	ACCIDENTAL POISONING BY ALCOHOL	1.0	5 2 1	-
59 60	ACCIDENTAL POISONING BY PETROLEUM PRODUCTS AND OTHER SOLVENTS	41 32	33 25	8 7
61	ACCIDENTAL POISONING BY HEAVY METALS AND THEIR FUMES ————————————————————————————————————	21 15	17	4
63 64	ACCIDENTAL POISONING BY CORROSIVES AND CAUSTICS NOT ELSEWHERE CLASSIFIABLE	781	3 499	282
65	ACCIDENTAL POISONING BY GASES AND VAPORSE879-F877	1,652	1,217	435
66	ACCIDENTAL POISONING BY GAS DISTRIBUTED BY PIPELINEE870	108	78	30
68 68	ACCIDENTAL POISONING BY GAS DISTRIBUTED BY PIPELINE—	25 12 792	21 9 580	4 3 212
70 71	ACCIDENTAL POISONING BY CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF DOMESTIC FUELS	127 127 330	81 241	46 89
72 73	ACCIDENTAL POISONING BY CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF DOMESTIC FUELS	225 33	180 27	45
74	ACCIDENTAL FALLS	16,506	8+307	8-199
75	FALL ON OR FROM STAIRS OR STEPSE880	1, 505	888	617
76 77	FALL ON OR FROM STAIRS OR STEPS	406 734	384 626	22 108
78 79 80	FALL INTO HOLE OR OTHER OPENING IN SUFFACE	183 1,442	170 924	13 518
81		638   24   11 - 574	279 17 5-019	359 7 6-555
02	OTHER AND UNSPECIFIED FALLS	11, 574	5,019	6,555

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix

_	NUMBER							RATE				=
	MHI.	TE	ALL O	THER	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	TOTAL		THM	TE	ALL O	THER	
	HALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
	282 163 4 2 1 44 68	210 149 2 - 7 7 52	59 16 - 1 17 25	45 34 - - 5 6	0.3 0.2 0.0 0.0 0.0 0.0	0.3 0.2 0.0 0.0 0.0 0.0	C.2 0.2 0.0 - 0.0 C.1	0.3 0.2 0.0 0.0 0.0 0.0	0.2 0.2 0.0 - - 0.0	0.5 0.1 - - 0.0 0.1	0.3 0.2 - - 0.0	01 02 03 04 05 06 07
ł	51 10 34 2 - 2 - 3	69 19 45 - 1 2 - -	11 3 .6 - - 2	8 4 2 - - 1	0.1 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.0 0.0 0.0 - 0.0	0.1 0.0 0.0 0.0 0.0 0.0	0.1 0.0 0.0 - - - 0.0		08 09 10 11 12 13 14 15
	20 2 1 3 - 12 2	12 1 - 3 6 - 2	2 - 2 -	1	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 - 0.0 - 0.0 -	0.0 0.0 0.0 0.0 0.0 - 0.0 0.0	0.0 0.0 0.0 0.0 0.0	0.0 - - - 0.0 -	0.0 0.0 - - - 0.0	17 18 19 20 21 22 23 24
	38 1 37 	64 2 61 - - 1	8 . 8	13 : 12 :	0.1 0.0 0.1  - 0.0	0.0 0.0 0.0	0.1 0.0 0.1 - - - 0.0	0.0 0.0 0.0	9.1 0.0 0.1 - 0.0	0.1	0.1 0.0 0.1 - - - - - - -	25 26 27 28 29 30 31 32 33
	3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 2 1 - - 1 1	-	1 - - - - - 1	0.0 0.0 0.0  - 0.0 0.0	0.0 0.0 - - - - - -	0.0 0.0 0.0 - - 0.0 0.0	0.0 0.0 - - - - - -	0.0 0.0 0.0 - - 0.0		. []	34 35 36 37 38 39 40 41 42
	320 9 - 2 - 1 - 6	224 3 - 1 2 - - - 2	51 2 1	31	0.3 0.0 0.0 0.0 0.0 0.0	0.4 0.0 0.0 - 0.0 - 0.0	C.2 0.0 - - 0.0 0.0 - - 0.0	0-4 0-0 - 0-0 - - 0-0 - 0-0	0.2 0.0 0.0 0.0	0.4		43 44 45 46 47 48 50 51 52 53
	291 659 151 2 1 23 15 13 7	213 330 67 3 - - 4 6	48 169 83 3 - - 10 10	29 81 32 2 - 4 1 2 5	0.3 0.6 0.2 0.0 0.0 0.0 0.0	0.3 0.8 0.2 0.0 0.0 0.0 0.0	0.2 0.4 0.1 0.0 0.0	0.3 0.7 0.2 0.0 0.0 0.0 0.0	0.4 0.1 0.0 - - 0.0	0.4 1.3 0.6 0.0 - - 0.1 0.1	0.6 0.2 0.0 -	54 55 56 57 58 59
	1,042	2 1 247 352	57 175	5 - 35 83	0.0 0.0 0.0 0.4 0.8	0.0 0.0 0.0 0.5	0.0 0.0 - 0.3	0.0 0.0 0.0 0.5	0.0	0.0		60 61 62 63 64
	60 18 8 503 67 200 161 25	23 4 3 171 39 71 36 5	18 3 1 77 14 41 19 2	7  41 7 18 9 1	0.1 0.0 0.0 0.4 0.1 0.2 0.1 0.0	0-1 0-0 0-0 0-6 0-1 0-2 0-2 0-0	0.0 0.0 0.0 0.2 0.0 0.1 0.0 0.0	0-1 0-0 0-0 0-6 0-1 0-2 0-2 0-0	0.0 0.0 0.0 0.2 0.0 0.1 0.0 0.0	0.1 0.0 0.0 0.6 0.1 0.3 0.1	0.3 0.1 0.1 0.1	66 67 68 69 70 71 72 73
	747 353 515 145 807 258 15	574 21 79 12 464 344 6	141 31 111 25 117 21 2 511	43 1 29 1 54 15 1 337	0.7 0.2 0.3 0.1 0.7 0.3 0.0	0.9 0.4 0.6 0.2 0.9 0.3 0.0	0.6 0.0 0.1 0.5 0.3 0.0 6.1	0.8 0.4 0.6 0.2 0.9 0.3 0.0 5.0	0.6 0.0 0.1 0.0 0.5 0.4 0.0	1.1 0.2 0.9 0.2 0.9 0.2 0.0 0.0 0.0	0.3 0.0 0.2 0.0	75 76 77 78

Table 1-23. Deaths and Death Rates for Each Cause,

20					
ACCIDIATE CAUSED BY FINES AND PLANES   \$1.000		CAUSE OF DEATH		JATOT	
20 ACCIDENT CAUSED OF CONTRACT ON DIVINE MULTICADE STRUCTURE			BOTH SEXES	MALE	FEMALE
ACCIDENTS DUE TO HATURAL AND ENVIRONMENTAL FACTORS	01	ACCIDENTS CAUSED BY FIRES AND FLAMESE890-E899		3,895	2+608
ACCIDENTS DUE TO HATURAL AND ENVIRONMENTAL FACTORS	02 03 24	ACCIDENT CAUSED BY CONFLAGRATION IN PRIVATE DWELLING	4,286 269 62	221 54	48
ACCIDENTS DUE TO HATURAL AND ENVIRONMENTAL FACTORS	06 07	ACCIDENT CAUSED BY IGNITION OF HIGHLY INFLAMMABLE MATERIAL	517 254 76	224 203 37	51
13   EXCESSIVE MEAT	09 10 11	ACCIDENT CAUSED BY CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE	25 414 589	290	
THE ACCIDENTS.  OTHER ACCIDENT	12	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS	1,348	Į	346
THE ACCIDENTS.  OTHER ACCIDENT	13 14 15	EXCESSI VE CRID————————————————————————————————————	181 381 13		
THE ACCIDENTS.  OTHER ACCIDENT	17 18	HUNGER, THRST, FXPOSURE, AND NEGLECT	240 49	40	57 9
25   COLDENTAL MOUNTING AND SUMMERSTON   -900   2,10   1,900   2,200   2,200	20 21 22	LIGHTNING E907 CATACLYSM E908 ACCIDENTS DUE TO OTHER NATURAL AND ENVIRONMENTAL FACTORS E909	124 123 193 3	110	14
STRIKUM ACCIONTALLY BY FALLING GAISETS	23	OTHER ACCIDENTSE910-E929	21,936	l l	
STRIKUM ACCIDENTALLY BY FALLING GBJECTS	25 26	ACCIDENTAL URDINING AND SUBMENSION	7, 152 2, 210 4, 942	1.994 3.989	216 953
STRIKUM ACCIDENTALLY BY FALLING GBJECTS	28 29 30	INHALATION AND INSESTION OF OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION — E912 ACCIDENTAL MECHANICAL SUFFOCATION — E913 TN BED OR CRADIF —	803 1-109 287	467 830	336 279
STRIKUM ACCIDENTALLY BY FALLING GBJECTS	31 32 33	OTHER AND UNSPECIFIEDE913.9  FOREIGN BODY ACCIDENTALLY ENTERING EYE AND ADNEXA	822 - 61	678 -	144
ACCIDENT CAUSED BY EXPLOSIVE OF PRESSURE VESSEL	34 35 36	STRUCK ACCIDENTALLY BY FALLING OBJECTS	1,196 882 598	775	62 107 23
ACCIDENT CAUSED BY EXPLOSIVE OF PRESSURE VESSEL	37 38 39	OVEREXERTICN AND STRENUGUS MOVEMENTS	6 133 7	6	1 34 1
ACCIDENT CAUSED BY EXPLOSIVE OF PRESSURE VESSEL	41 42	OTHER HAND TOOLS	18 18 67 23	18 48	-1
STACKORNT CAUSED BY EXPLOSIVE NATERIAL	44 45	ACCIDENT CAUSED BY EXPLOSION OF PRESSURE VESSEL	73 19	67 16	6
STACKORNT CAUSED BY EXPLOSIVE NATERIAL	47 48	GAS LYLINDER————————————————————————————————————	14 40 2•618	2,269	349
DTHER	50	ACCIDENT CAUSED BY EXPLOSIVE NATERIALF923	2,102	1,788	314
Section   Sect	52 53 54	### ### ### ### ### ### ### ### ### ##	5 21 234	4 17	1
ACCIDENT CAUSED BY RADIATION————————————————————————————————————	55 56		187	152	35
ACCIDENT CAUSED BY RADIATION————————————————————————————————————	5B 59	ACCIDENT CAUSED BY HOT SUBSTANCE, FORROSIVE LIQUID, AND STEAM	279 1,149 232	1.085 193	64
TONIZING	61 62		181 564 172	549	15 10
VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE   158   158   157   158	63 64 65		1	=	
COMPLICATIONS AND MISADVENTURES IN OPERATIVE THERAPEUTIC PROCEDURES	66 67 68	VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE————————————————————————————————————	884	853	31
73   IN INFUSION OF TRANSFUSION DURING OPERATIVE TREATMENT	69		3,525	1,861	1,664
73   IN INFUSION OF TRANSFUSION DURING OPERATIVE TREATMENT	70 71 72	COMPLICATIONS AND MISADVENTURES IN OPERATIVE THERAPEUTIC PROCEDURESF930 IN SURGICAL TREATMENT, EXCLUDING EFFECTS OF AMESTHETIC MANAGEMENT	2,562	1,381	1,181
80 IN DIHEK HEKAPEDITU PROCEDUKES	73 74	IN INFUSION OF TRANSFUSION DURING OPERATIVE TREATMENT	- 1	-	-1
80 IN DIHEK HEKAPEDITU PROCEDUKES	75 76 77	COMPLICATIONS AND MISADVENTURES IN OTHER AND UNSPECIFIED THERAPEUTIC PROCEDURES	646 29 353	11 156	18 197
B1   IN UNSPECIFIED THERAPEUTIC PROCEDURE	78 79 80 81	IN INFUSION AND TRANSFUSION	89	- 49	40

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Internidentified by an asterisk; see Technical Appendix

	NUMBER	•						RATE		. ,	•	T
ſ	WHIT	TE .	ALL OT	HER		TOTAL		MHI.	re	ALL D	THER	1
Ĺ	MALE	FEMALE	MALE	FEMAL E	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
ſ	2,870	1,910	1,025	698	3.1	3.8	2.4	3.2	2.0	8.0	5.0	01
	1,768	1,318	716	484	2.0	2.4	1.7	2.0	1.4	5.6	3.5	02 03
1	183 49	39 8	38 5		0.1 0.0	0.2 0.1	0.0	0.2 0.1	0.0	0.3 0.0	0-1	04 05
1	162 166	216 37	62 37 ·	75 14	0.2	0.2 0.2	0.3 0.0	0.2 0.2	0.2	0.5 0.3	, 0.1	06
l	23 7	27 1	14 2	12 1	0.0	0.0	0.0	0.0	0.0	0.1 0.0	0.1 0.0	06 07 08
	1 <del>4</del> 231 267	7 109 146	59 88	15 88	0.0 0.2 0.3	0.0 0.3 0.3	0.0 0.1 0.2	0.0 0.3 0.3	0.0 0.1 0.2	0.0 0.5 0.7	0.1 0.6	09 10 11
	741	265	261	81	0.6	1.0	0.3	B•0	0•3	2.0	0.6	12
	100	50	18	13	0.1	0.1	0.1	0.1	0.1 0.1	0.1 1.1	0.1	13
	159 8	53 	139 1	30 4 	0.2	0.3	0.1 0.0	. 0.2	-	0.0	0.0	14 15 16 17 18
ĺ	124	41	59 2	16	0.1	0.2	0.1 0.0	0.1	0.0 0.0	0.5 0.0	0.1 0.0	17
l	38 112	6 42	8	2	0.0	0-1	0.0	0.1	0.0	0.1 0.1	0.0	19
	93 105 2	14 58 1	17 17 -	13	0-1 0-1 0-0	0-1 0-1 0-0	0.0 0.1 0.0	0.1 0.0	0.1 0.0	0.1	0 <u>-1</u>	20 21 22
	14,253	3,450	3,378	855	10.5	17.2	4.0	15.9	3•7	26.4	6.1	23
١	4,471 1,461	932 163	1,512 533	237 53	3.4 1.1	5.9 2.0	1.1 0.2	5.0 1.6	1.0 0.2	11.8 4.2	1.7 0.4	24 25 26 27 28 29 30
l	3,010 1,091	769 731	979 222	184 166	2.4	3.9 1.3	0.9 C.8	3.4 1.2	0.8 0.8	7.6 1.7	1.3 1.2	26 27
l	369 690	260 221	98 140	76	0.4	0.5	0.3 0.3	0.4 0.8	0.3 0.2	0.8 1.1	0.5 0.4	28
l	106 584	97 124	46 94	58 38 20	0.1 0.4	0.1 0.7	0.1 0.1	0.1	0.1 0.1	0.4 0.7	0.3 0.1	30 31
	30	20	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0-0	32 33
	997	53	137	.9	D.6	1.1	0.1	1.1	0.1 0.1	1.1 0.7	0.1 0.1	34 35
l	689 500	93 19	86 75	14	0.4	0.8	0.1 0.0	. 0.6	0.0	0.6	0.0	36
l	4 72	22	1 27	1 12	0.0 0.1	0.0 0.1	0.0	0.0	0-0	0.2	0.1	38
	4 72 5 7 13	1 4	1 5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39 40
Ì	13 36 11	13 4	5 12 4	- 6 4	0.0 0.0 0.0	0.0 0.0 0.0	0.0	0.0 0.0 0.0	0-0 0-0	0.0 0.1 0.0	0.0	41 42 43
	54	6	13	_	0.0	0.1	0.0	0.1	0.0	0.1	_	44
	13 11	3 -	3	=	0.0	0.0	0.0	0.0	0.0	0.0	=	45 46 47
l	30 1,754	3 254	515	95	0.0 1.2	2.2	0.0	0.0 2.0	0.0	0.1 4.0 0.7	0.7 0.1	48 49
	30 1,754 397 1,357	28 226	84 431	88	0.2 1.0	0.5 1.7	0.0 0.3	0.4 1.5	0.0. 0.2	3.4	0.6	50
ļ	358 4	76 1	56 -	22	0.0	0.4 0.0	0.1 0.0	0.4 0.0	0.1 0.0	0.4	0.2	51 52
	17 155	3 45	26	8	0.0 0.1	0.0	0.0	. 0.2	0.0	0.2	0.0 0.1	53 54
ļ	51 131	5 22	9 21	13	D.O 0.1	0.1 0.1	0.0 0.0	0.1 0.1	0.0	0.1 0.2	. 0.1	55 56
	129 1,018	83 56	39 67	28	0.1 0.5	0.2 1.1	0.1 0.1	0.1 1.1	0.1 0.1	0.3 0.5	0.2 0.1	57 58.
	163 168	33	10 13	. 8 6 -	0.1	0.2	0.0	0.2	0.0	0.1 0.1	0.0	59 60
	515 152	14 9	34 10	1 1	0.3 0.1	0.5 0.2	0.0 0.0	0.6 0.2	0.0	0.3 0.1	0.0 0.0	61 62
ŀ	=		_		_		. =			-	-	63 64
	142	13	16		0.1	0.2	0.0	0.2	0.0	0.1	-	64 65 66 67
	775 1,110	30 581	78 290	1 119	0.4 1.0	0.8 1.4	0.0	0.9 1.2	0.0 0.6	0.6 2.3	0.9	68
	. 1,627	1,457	234	207	1.7	1.8	1.5	1.8	1.6	1.8	1.5	69
	1,221 1,206	1,069 1,041	177 175	145 140	1.2 1.2	1.4 1.4	1.1 1.1	1.4 1.3	1.1	1.4 1.4	1.0 1.0	71
	15	28	175 2 -	4	9.0	0-0	0.0	0.0	0.0	0.0	0.0	73
	-	-	-	1 42	0.0		0.0	0-3	0.3	0.3		
	277 10 134	289 17 170	37 1 22	43 1 27	0.3 0.0 0.2	0.3 0.0 0.2	0.3 0.0 0.2	0.3 0.0 0.1	0.0	0.0	0.0	76 77
1	24 -	22	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78 79
1	44 65	33 47	5 5	7 6	0.0	0.0	0.0	0.0	0.0	0.0 0.0	0.1 0.0	79 80 81

Table 1-23. Deaths and Death Rates for Each Cause,

SAMELIAL PROCESSING, EXCLUDING SPETTS OF AMERICAL MARGINATE   543,				J	
### AMAJE   PERALE    ### SUPPLICATIONS AND NISONATURES IN PROMOTED   1000    ### SUPPLICATIONS AND NISONATURES IN PROMOTED   1000    ### SUPPLICATIONS AND NISONATURES IN PROMOTED   1000    ### SUPPLICATIONS AND NISONATURES IN PROMOTED   1000    ### SUPPLICATIONS AND NISONATURES IN PROMOTED   1000    ### SUPPLICATIONS AND NISONATURE SITE PROMOTED   1000    ### SUPPLICATION AND NISONATURES IN P					
DOWN CONTINUES AND WINDOWS TO ADMINIST TO MARKETTE PROCEDURES   100		CAUSE OF DEATH		TOTAL	
CONSTITUTION AND MISSAMPHINES IN PROCESSING PROCESSIN			BOTH SEXES	MÁLE	FEMALE
		SUPGICAL AND MEDICAL COMPLICATIONS AND MISADENTURESCON.			
	01 CDMP	PLICATIONS AND MISADVENTURES IN DIAGNOSTIC PROCEDURESE932	251 144	94	105 50
RABLES WECKING.	03 IN	ANESTHESIA	6 8	6	5 2 18
	96 . IN	I OTHER DIAGNOSTIC PROCEDURES	62		29 1
RABLES WECKING.	08 CUMP 09 BC	PRICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH BACTEPIAL VACCINES	- - -	-	1
RABLES WECKING————————————————————————————————————	11 CF 12 PL	OLERA VACCINE	-	- -	=
	13 TE 14 DI 15 PE	TANUS VACCINE	_ 1		=
RABLES WECKING————————————————————————————————————	16 OT 17 M1	HER AND UNSPECIFIED BACTERIAL VACCINESE933.8 XED BACTERIAL VACCINES, EXCEPT COMBINATIONS WITH A PERTUSSIS COMPONENTE933.9	-	-	-[
The first of the process of the pr	18 COMP	PLICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH OTHER VACCINES	-	 	 
The first and unspecified vaccines   1	20 R A	BIES VACCINE	-	- -	-
The first of the	23 ME 24 PO	LLUM FEVER VACCINE	-	-	-
20   COMPLICATIONS AND MISADVENTURES IN CUTTER NORTHERAPEUTIC PROCEDURES   -E936.1   1   -	25 OT 26 MI	HER AND UNSPECIFIED VIRAL AND RICKETTSIAL VACCINES	_	-	-
20   COMPLICATIONS AND MISADVENTURES IN CUTTER NORTHERAPEUTIC PROCEDURES   -E936.1   1   -	28 COMP	LICATIONS AND MISADVENTURES IN OTHER PROPHYLACTIC PROCEDURES — — — — — — — — — — — — — — — — — — —	5 4	1 1	4 3
20   COMPLICATIONS AND MISADVENTURES IN CUTTER NORTHERAPEUTIC PROCEDURES   -E936.1   1   -	30 IN	ANESTHESIA DUFING PROPHYLACTIC PROCEDURES — E935.1 USE OF X-RAYS AND RADIDACTIVE SUBSTANCES — E935.2 ADMINISTRATION OF DRIES AND BIOLOGICALS — E935.2	1 -		1
LATE EFFECTS OF ACCIDENTAL INJURIES	33 IN	OTHER AND UNSPECIFIED PROCEDURES	-	-	
LATE EFFECTS OF ACCIDENTAL INJURIES	34 CGMP 35 IN 36 IN	LICATIONS AND MISADVENTURES IN OTHER NONTHERAPEUTIC PROCEDURES	10	1 - -	1 1
12	37 IN	OTHER AND UNSPECIFIED PROCEDUPES	8	1	7
SUICIDE	38	LATE EFFECTS (IF ACCIDENTAL INJURIES	l l		263
SUICIDE	39 LATE 40 LATE 41 LATE	FFFECT OF MOTOR VEHICLE ACCIDENT	152 8 9	115 5 6	37 3 3
SUICIDE	42 LATE	EFFECT OF ACCIDENTAL FALL	190 4	92 3	98 1
SUICIDE	45 LATE	EFFECT OF SURGICAL OPERATION————————————————————————————————————			43 60
SUICIDE	47 LATE	EFFECT OF IRRADIATION	18	9	9
SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE   #6950.0   1,4600   530   88   21   23   24   24   25   25   25   25   25   25		SUIC IDE	25,118	18,108	7 • 910
PSYCHIOTHERAPEUTICA AGENTS   PSYCHIOTHERAPEUTICA AGENTS   PSYCHOTHERA NOU UNSPECIFIED DRUGS   PSYCHOTHERA NOU UNSPECIFIED DRUGS   PSYCHOTHERA NOU UNSPECIFIED DRUGS   PSYCHOTHERA NOU UNSPECIFIED SOLID AND LIQUID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED SOLID AND LIQUID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED SOLID AND LIQUID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED SOLID AND LIQUID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED SOLID AND LIQUID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED SOLID AND LIQUID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED SOLID AND LIQUID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED SOLID AND LIQUID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED SOLID AND LIQUID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED SOLID AND LIQUID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED SOLID AND LIQUID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED SOLID SUBSTANCES   PSYCHOTHERA NOU UNSPECIFIED GASES AND VAPORS   PSYCHOTHERA NOU UNSPECIFIED GASES AND VAPORS   PSYCHOTHERA NOU UNSPECIFIED GASES AND VAPORS   PSYCHOTHERA NOU UNSPECIFIED GASES AND VAPORS   PSYCHOTHERA NOU UNSPECIFIED GASES AND VAPORS   PSYCHOTHERA NOU UNSPECIFIED GASES AND VAPORS   PSYCHOTHERA NOU UNSPECIFIED GASES AND VAPORS   PSYCHOTHERA NOU UNSPECIFIED GASES AND VAPORS   PSYCHOTHERA NOU UNSPECIFIED GASES AND VAPORS   PSYCHOTHERA NOU UNSPECIFIED SERVING INSTOUMENT   PSYCHOTHERA NOU UNSPECIFIED MEANS   P	50 SUIC	TDE FROM POISONING BY SOLID OR LIQUID SUBSTANCEE950 RBITURIC ACID AND DERIVATIVES*E950.0	1,400	530	2 -324 870
SECTION   SECT	53 PS	YCHOTHERAPITIC AGENTS	272	89	62 183 890
OTHER AND UNSPECIFIED SQLID AND LIQUID SUBSTANCES   FEGO. 9   584   299   2	55 CO	RROSIVE AROMATICS	15 19	8 12	7 7 11
OTHER AND UNSPECIFIED SQLID AND LIQUID SUBSTANCES   FE950.9   584   299   2	58 AR 59 FL	E AND POLASH CLAUSITE ALRALIT			5 4
65 CTHER AND UNSPECIFIED GASES AND VAPORS #E952.9 2 16 65 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION #E953 3,548 2,671 8* 67 SUICIDE BY SUBMERSION OR DRUMING #E954 525 254 2* 68 SUICIDE BY FIREARM AND EXPLOSIVE #E955 13,317 11,057 2,26 69 SUICIDE BY CUTTING AND PIERCING INSTPLIMENT #E956 398 291 11 70 SUICIDE BY UNDPING FROM HIGH PLACE #E957 686 411 2* 71 SUICIDE BY OTHER AND UNSPECIFIED MEANS #E958 385 273 11 72 LATE EFFECT OF SELF-INFLICTED INJUPY #E959 3 2 73 HOMICIDE #E959 20,089 15,471 4,63 74 FIGHT, BRAML, OR RAPE #E960 151 122 6 75 ASSAULT BY CORROSIVE OR CAUSTIC SUBSTANCE, EXCEPT POISONING #E961 — #E962 31 19 76 ASSAULT BY POISONING #E962 31 19 77 ASSAULT BY POISONING #E962 573 244 44	60 OT	HER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCESE950.9			285 15
65 CTHER AND UNSPECIFIED GASES AND VAPORS #E952.9 2 16 65 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION #E953 3,548 2,671 8* 66 SUICIDE BY SUBHERSION OR DRUMNING #E954 525 254 2* 67 SUICIDE BY FIREARM AND EXPLOSIVE #E955 13,317 11,057 2,26 68 SUICIDE BY CUTTING AND PIERCING INSTPUMENT #E956 398 291 11 69 SUICIDE BY UNDFING FROM HIGH PLACE #E957 686 411 2* 71 SUICIDE BY OTHER AND UNSPECIFIED MEANS #E958 385 273 11 72 LATE EFFECT OF SELF-INFLICTED INJUPY #E959 3 2 73 HOMICIDE #E959 20,089 15,471 4,63 74 FIGHT, BRAML, OR RAPE #E960 151 122 6 75 ASSAULT BY CORROSIVE OR CAUSTIC SUBSTANCE, EXCEPT POISONING #E961 — #E962 31 19 76 ASSAULT BY POISONING #E962 31 19 77 ASSAULT BY POISONING #E962 573 244 44	62 SUIC 63 MD	TOE FROM POISONING BY OTHER GASES	2,428 2,003	1,660 1,372	768 631
67 SUICIDE BY SUBHERSION OR DROWNING — — — — — — — — — — — — — — — — — — —			20	16	133 4 877
73 HOMICIDE			525	254	271
73 HOMICIDE	68   SUIC 69   SUIC 70   SUIC	IDE BY FIREARM AND EXPLOSIVE	398	291	2,260 107 275
74 FIGHT, BRAWL, OR RAPE————————————————————————————————————	71 SUIC 72 LATE	IDE BY OTHER AND UNSPECIFIED MEANSE958 EFFECT OF SELF-INFLICTED INJUPYE959		273 2	112 1
75 ASSAULT BY CORROSIVE OR CAUSTIC SUBSTANCE, EXCEPT PDISONING			20,089	15,471	4.618
76   ASSAULT BY POISONING	74 FIGH 75 ASSA	T, BRAWL, OR RAPE	151	122	29 -
78 ASSAULT BY SUBMERSION OR DROWNING	76 ASSA	ULT BY POISONING	673	249	12 424 26
70 ASSAULT BY ETREADU AND EVOLUCIUS	79   ASSA 80   ASSA	ULT BY CUTTING AND PIERCING INSTRUMENT	13, 752 3, 254	11,168 2,510	26 2,584 744
81 ASSAULT BY PUSHING FROM HIGH PLACEF967 21 14	ASSA S8 ASSA S8	ULT BY PUSHING FROM HIGH PLACE————————————————————————————————————	21 2, 131	14 1,346	7 785 7

by Color and Sex: United States, 1973-Con.

digit subcategories of the Righth Bevision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Classification of Diseases, Adapted, 1965 (ICDA).

NUMBER	•		• .	-			RATE			
WHIT	re .	ALL O	HER		TOTAL		инт	rE	ALL O	THER
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMAL E
									-	•
128	90	· 18	15 7	0.1 0.1	0.1 0.1	0.1 0.0	0.1 0.1	0-1 0-0	0.1 0.1	0.1 0.1
82 1 5	43 3 2 17	ī	2 -	0.0	. 0.0	0.0 0.0	0.0	0.0	0.0 0.0	0.0 0.0
10 30	17 24 1	3	1 5 -	0.0 0.0 0.0	0.0 0.0	0.0 0.0	0.0	0.0	0.0	0.0
1 -	<u> </u>	_	-	0.0	0.0	· -	0.0	-	. =	=
=	<u> </u>	=	=	= = = = = = = = = = = = = = = = = = = =	-	- - -	- 1	- 3	- - -	
- - -	Ξ.	=		!	·			-	 - -	-
1 - -	=	=	<u>-</u>	0.0	.0.0	-	0.0	-	-	=
_	_	_		_		·	-	-	_	_
=	] =	-	=	-	=	- -		<u>-</u>	. =	·
=	=	=		1	-	-	- 1 - 1	_	· -	. =
-	-	Ξ			- 1	-	=	-	=	
- - - -	- - 2	- - 1	- - 2	0.0	0.0	0.0	1,1 1 1 1	0.0	· 0•0	0.0
-	2 -	. 1	1 1	0.0 0.0	0.0	0.0	-	0.0	0.0	0.0
=	<u> </u>	=	. <u>-</u>	<u> </u>		·		1 1 1		-
-	7	1	2	0.0	0.0	0.0	_	0.0	0.0	0.0
=	1 1 5	- 1	- - 2	0.0 0.0 0.0	.0.0	0-0 0-0 0-0	Ξ.·	0.0 0.0 0.0	0.0	0.0
343	227	76	36	G.0	0-4	0-2	0_4	0.2	0.6	0.3
96 4	31 3	19 1	6	0.1 0.0	0.1 0.0	0.0 0.0	0.1 0.0	0.0	0.1	0.0
3 77	89 89	3 15 3	9	0.0	0.0 0.1 0.0	0.0 0.1 0.0	0.0	0.0 0.1 0.0	0.0 0.1 0.0	0.0 0.1
1 125	32	29	11	0-0 0-0 0-1	0.0 0.2	0.0	0.0 0.1	. 0.0	0.2	0.1
29 - 8	53 8 8	5 - 1	7 1 1	0.0 0.0	0.0	0.1 0.0 0.0	0.0	0.1 0.0 0.0	0.0	0.1 0.0 0.0
16,823	6,589	1,285	421	12.0	17.7	6.5	18.8	7•Q	- 10.0	3.0
1,379 514	2,196 834	80 16	128	1.8 0.7	1.4 0.5	2.2 C.8	1.5 0.6	2.3 0.9	0.6 0.1	0.9 0.3
21	59 172	- 6	3 11	0.0 0.1	0.0	0.1 0.2 0.8	0.0 0.1 0.5	0.1 0.2 0.9	0.0 0.2	0.0 0.1 0.4
83 442 8 12	839 4 7	29 _ _	51 3 -	0.6 0.0 0.0	0.5 0.0 0.0	0.0	0.0	0.0	-	0.0
12 11 14 1	10	1 - 2	1 2 1	0.0	0.0	0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0	0.0 0.0 0.0
273	3 265	26	20	0-0	0.0	0.0	0.3	0.3	0.2	0.1
29 1,630	14 762	1 30	6	1.2	0.0	0.0	0.0 1.8 1.5	0.0 0.8 0.7	0.0 0.2 0.2	0.0 0.0 0.0
1,347 267 16	628 130 4	25 5 	3 3 -	0.2 0.0	1.3 0.3 0.0	0.6 0.1 0.0	0.0	. 0.1 0.0	0.0	0.0
2,426	827	245	50	1.7	2.6	C.8	2.7	0.9	1.9	0.4
222 10,275 268	248 2,100 100	32 782 23 59	23 160 7	0.3 6.3 0.2	0.2 10.8 0.3	0.3 2.1 0.1	0.2 11.5 0.3	2.2 0.1	6.1 0.2 0.5	1.1 0.1
352 240 2	242 100 -	59 33 -	33 12 1	0.3	0.4 0.3 0.0	0.3 0.1 0.0	0.4 0.3 0.0	0.3 0.1	0.5 9.3	0.2 0.1 0.0
7,225	2,573	8,246	2,045	9.6	15.1	4.3	8.1	2.7	64.4	14.6
93 —	17	29	12	0-1	0.1	. ó• o	0+1 	0.0	0.2	0.1
15 163	10 318	86	106	0.3	0.0	0.0	0.0 0.2	0.0 0.3	0.0 0.7 0.1	0.0 0.8 0.1
15 5,001 1,087	18 1,352 382	16 6,167 1,423	1, 232 362	6.6	0.0 10.9 2.5	0.0 2.4 0.7	0.0 5.6 1.2	0.0 1.4 0.4	48.2 11.1	l 8-8
1,087 3 843 5	1 470 5	1,423 11 503 7	6 315 2	1 0.0	0.0 1.3 0.0	0.0 0.7 0.0	0.0 0.9 0.0	0.0 0.5 0.0	0.1 3.9	2.6 2.0 2.3 0.0

Table 1-23. Deaths and Death Rates for Each Cause,

	CAUSE OF DEATH		TOTAL	
		BOTH SEXES	MALE	FEMALE
01	LEGAL INTERVENTION	376	369	7
02	INJURY DUE TO LEGAL INTERVENTION BY FIREARM	372	365	7
03 04	INDURY DUE 10 LEGAL INTERVENTION BY EXPLUSIVE————————————————————————————————————	[	<u> </u>	
05	INJURY DUE TO LEGAL INTEPVENTION BY BLUNT OBJECTF973	1 2	2	- 1
96	INJURY DUE TO LEGAL INTERVENTION BY CUTTING AND PIERCING INSTRUMENT		_	
07	INJURIES DUE TO LEGAL INTERVENTION BY OTHER SPECIFIED MEANS	2 ]	2	-
80 90	INJURY DUE IO LEGAL INTERVENTION BY UNSYECIFIED MANS			<u> </u>
10	INJURY DUE TO LEGAL INTERVENTION BY FIREARM———————————————————————————————————	-	-	-
11	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E980	5,030	3,423	1,607
12	POISONING BY SOLID OR LIQUID SUBSTANCE, UNDETERMINED WHETHER ACCIDENTALLY OF PURPOSELY INFLICTEDE980	1,099	539	560
13	BARBITURIC ACID AND DEPIVATIVES	238	92	146
14 15	SALICYLATES AND CONGENERS	40	13	27 37
16	THER AND INSPECTED DRICK	52 523	15 280	243
17	CORROSIVE AROMATICS	1		1
18	STRYCHNINE*E980.5	3	1	2
19	LYE AND POTASH (CAUSTIC ALKALI)*F980.6	2	1	1
21 21	ARSENIC AND ITS COMPOUNDS	3 1	2 1	1
22	POISONING BY SOLID OR LIQUID SUBSTANCE, UNDETERMINED WHETHER ACCIDENTALLY OP PURPOSELY INFLICTEDE980 BARBITURIC ACID AND DEPIVATIVES	236	134	102
23	POISONING BY GAS IN DOMESTIC USE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	1	1 1	1
24	POISONING BY OTHER GASES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE982	~277	207	70
25 26	HANGING, STRANGULATION, OR SUFFOCATION, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE983 SUBMERSION OR DROWNING, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	115 505	90 386	25 119
27 28	INJURY BY FIREAW AND EXPLOSIVE, UNDETERMINED HARTHER ACCIDENTALLY OR PURPOSELY INFLICTED	965	770	195
	I INC. 17.150	46	35	11
29	FALLING FROM HIGH PLACE, UNDETERMINED WHETHER ACCIDENTALLY OR SURPOSELY INFLICTED	472	289	183
30 31	INJURIES BY OTHER AND UNSPECIFIED MEANS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED——F988 LATE EFFECT OF INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED————————————————————————————————————	1.536	1.096 10	440 4
32	INJURIES RESULTING FROM OPERATIONS OF WARE990-E999	20	20	-
33	INJURY DUE TO HAR OPERATIONS BY FIPE AND CONFLAGRATION————————————————————————————————————	- 1	_	_
34	INJURY DUE TO MAP OPERATIONS BY BULLETS AND FRAGMENTS	3 (	] 3	-
35	INJURY DUE TO WAR OPERATIONS BY EXPLOSION OF MAPINE WEAPONS	-	] -	
36 37	INJURIES DUE 10 WAR DEFRAITONS BY DITHER EXPLOSIONS	-		
38	INJURES DUE TO WAR OPERATIONS BY OTHER AND UNSPECTFIED FORMS OF CONVENTIONAL WARFARE	2	2	]
39	INJURY DUE TO WAR OPERATIONS BY NUCLEAR WEAPONS	1 51	] = ]	_
40	INJURIES DUE TO WAR OPERATIONS BY OTHER FIRMS OF UNCONVENTIONAL WAR FARE	-	-	-
41	INDUKA ONE IN MAK GAGKAITONS ROL OCCORKING WALLER CESPALION OF MOSTETILES	15	15	, -

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				_			RATE		·		
WHIT	TE	ALL O	THER		TOTAL		MHI	TE	ALĻ C	THER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
186	2	183	5	0.2	0.4	0.0	0.2	0.0	1.4	0.0	01
183	2	182	5	0.2	0.4	0.0	0.2	0.0	1.4	0.0	02
- 2	-	=			-	=		į i į	=	] =	1 ~ .
- 1		-		0.0	0.0		0.0		0.0	_	96
[ ]	=	[ -	-	0.0	0.0		0.0	11	-	·	80
] = {	-	] -	] -	] [	} -[		-	-	=	· <u>-</u>	
2.487	1,246	936	361	2.4	3.3	1.5	2.8	1.3	7,3	2.6	ıı
445	479	94	81	0.5	0.5	0.5	0.5	0.5	0.7	0.6	1.
86	129 23	6 4	17 4	0.1 0.0	0.1	0.1 0.0	0.1 8.0	0.1 2.0	0.0	0.1	13
15 217	34 201	63	3 42	0.0 0.2	0.0	0.0 0.2	0.0 0.2	0.0 0.2	0.5	0.0	115
1 1	1 2		[	0.0	. 0.0	0.0 0.0	0.0	0.0			17 18
1 2	i 1	i -		0.0	0.0	0.0	0.0	0.0		<u>-</u>	19
1 113	- 87	21	15	0.0 0.1	0.0	0.1	0.0	0.1	0.2	- 0.1	21
1	_ '			0.0	0.0	_	0.0	_	_		23
189 76	69 19	18 14	1 6	0.1	0.2	0.1 0.0	0.2	0.1 0.0	0.1 0.1	0.0 0.0	24
254 574	92 151	132 196	27 44	0.2 0.5	0.4	0.1 0.2	0.3	0.1	1.0	9.2 0.3	26
29	5	6	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
207 705	130 298	82 391	53 142	0.2 0.7	0.3	0.2 0.4	0.2	0.1 0.3	0.6	0.4 1.0	29
7	3	3	i	.0.0	0.0	0.0	0.0	0.0	0.0	0.0	
18	-	2	_	0.0	0.0	-	0.0	-	0.0	-	32
-	-	-	-	<u> </u>	-	_		· <del>-</del>	<u>-</u>	_	33
2 -	-	1 -	-	0.0	0.0	-	0.0	_	0.0	-	34 35
	-		-		[ [	-	[ ]	-	-	· =	36 37
1 -	_	1 -	-	0.0	0-0	-	D-0	-	0.0	-	39
= [	- -	-	-	-	[	-	[ ]		-	_	38 39 40 41 42
15				0.0	0.0		0-0		· -		42

Table 1-24. Deaths From 281 Selected

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

l					
	CAUSE OF DEATH	TOTAL	JANUARY	FEBRUARY	MARCH
01	ALL CAUSES	1,973,003	191,543	163,628	165,855
02	I. INFECTIVE AND PARASITIC DISEASES	15,669	1,622	1,317	1,342
03 04	CHOLERA	7	- 1	- 1	-
05 06	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS	76 64	5	6 7	3 7
07	BACILLARY DYSENTERY AND AMEBIASIS	11	2 2 255	- 198	183
09	TUBERCULOSIS OF RESPIRATORY SYSTEM	2,322 3,875	433	332	348
10 11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	3,009 90	344	261 7	267
12 13	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS	26 35		~ 3	2 2
14 15	DISSEMINATED TUBERCULOSIS	165 550	14	15 46	9 62
_		950			02
16 17	PLAGUE	} <u>-</u> }	] -		5}
18 19	BRUCELLOSIS		] [	. [	
20	DIPHTHERIA	10		1 -	1
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	20 11	2 3	3	2
23 24	MENINGOCOCCAL INFECTIONS	330	35	30	51
25	TETANUS	40	3 405	343	2 368
27 28	### ### ##############################	646	49	51 1	46
	LATE EFFECTS OF ACUTE POLIOMYELITIS	83	آ ۽	11	3
30	SMALLPOX	] -		1-1	21
32	MEASLES	23	3 -	-1	2
33 34	VIRAL ENCEPHALITIS	321 29	36	31	33 1
35	LATE EFFECTS OF VIRAL ENCEPHALITIS	656	64	53	67
36 37	RABIES	1.033	164	115	100
38   39	TYPHUS AND OTHER RICKETTSIOSES	40			
40 41	TRYPANOSOMIASIS	1 -	<u> </u>	=	-1
42	SYPHILIS AND ITS SEQUELAE090-D97	393	42	42	40
43 44	CONGENITAL SYPHILIS	13		<u> </u>	<u>-</u> -
45 46	ANEURYSM OF AORTA+ SPECIFIED AS SYPHILITIC	29 189	2 19	4   19	3 25
47	TABES DORSALIS	26	5	3	2
48 49	GENERAL PARESIS	26 76	3 8	2 8	5
50 51	ALL OTHER SYPHILIS	34	5	5 1	2 2
52	SCHISTOSOMIASIS	3	1		- - 1
54	######################################	1	i -l	1	-1
55 ) 56	ANCYLOSTOMIASIS	14	3	ī	ī
57	OTHER HELMINITHIASES	1,060	99	85	78
58 59	11. NEOPLASMS	356.068	31,320	27•427	29,318
39	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES140-209	351,055	30,861	27,001	28,895
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX140-149 OF LIP140	7.822 181	717 15	615 14	655 26
62	CF TONGUE141	1,873 2,304	172 212	168 183	156 196
64	GF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY	3.464	318	250	277
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	96,549	8,443	7,452	8,048
66	OF ESOPHAGUS150 OF STOMACH151	6,491 15,198	540 1,303	508 1.146	511 1,296
68 69	OF SMALL INTESTINE. INCLUDING DUDDENUM	635 37•745	58 3.342	54   2,879	56   3,108
70 71	CECUM, APPENDIX, AND ASCENDING COLON	4,262 1,186	408 106	336 88	358 102
72	DESCENDING COLON153-2	972	88	74	69
73 74	SIGMOID COLON	4,442 25,103	415   2.150	400 1.842	373 2,069
75 76	INTESTINAL TRACT: PART UNSPECIFIED	1.780 9.821	175 887	139 829	137 814
77	CF LIVER AND INTRAHEPATIC BILE DUCTS: SPECIFIED AS PRIMARY155	2+270	192	198	185
78 79	OF GALLBLADDER AND BILE DUCTS	4, 273 18, 653	369 1.619	314 1,421	352 1,608
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS	1,463	133	103	118
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM160-163	79,335	6,972	5.910	6,439
82   83	OF LARYNX	3.044 74.933	275 6,567	239 5•561	273 6,050
84 85	OF OTHER PARTS OF RESPIRATORY SYSTEM	1,358 40,341	130 3,575	110 3,139	116
86	CF 80NE	1-840	152	141	3,420 150
87 88	OF CONNECTIVE AND OTHER SOFT TISSUE171 OF SKIN	1,519 4,839	136 433	101 366	124 392
89	OF BREAST174	32, 143	2,854	2,531	2,754

Causes, by Month: United States, 1973

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

APRIL	YAM	JUNE	JULY	AUGUST	SEPTEMBER	CCTOBER	NOVEMBER	DECEMBER
159,831	162,897	157,424	160,851	158.864	155,056	162,550	161,617	172,887
1,283	1,253	1,177	1,308	1,312	1,215	1,228	1,256	1,356
1 8 5 - 171 329 258 8	- 5 7 1 180 311 239	1 5 3 2 175 313 238	- 9 9 2 202 311 233	- 1 7 3 - 183 307 247 9		1 5 8 2 168 298 227 1	8 5 190 293 236 3	- 0 9 0 8 0 229 0 322 0 253 1
2 3 14	5 5 11	2 1 18	3 5 15	2 4 13	2 - 15	3 4 16	2 3 11	3   1 4   I 14   1
44 - - 1 1 1 - - 3 - 41 3 367	47 	43 - - - - - 2 - 23 7 318	43 - - - 1 1 14 2 391	32 - - 1 - 1 1 20 3 425	44 	47   3  1  25 1 388	38 	39 1 - 1 - 1 1 2 1 2 1 2 29 2 399 2
51 1 7 - 1 - 23 2 59	46 1 9 -7 -7 -6 1 48	59 - 7 - 2 - 25 1 49	65 1 6 - 2 - 31 2 63	60 -	54 1 6 - 1 .~ 20 1 43	54 10 - 26 3 45	46 1 6 1 20 4 45	1 2 2 3 2 3 17 3 5 3 68 8 3
94 3 1 - -	74 9 9 31	70 7 7 - - 32	65 10 1 - - 31 2	76 10 1 -	66 - 2 - -	. 70 1 - - - 17	72 - 1 - 27	67 3 - 3 - 3 - 4 - 4
1 3 11 5 1 8 - 1	31 3 4 16 2 2 1 3 2	12013	- 2 16 1 1 5 4 	3 19 1 4 5 4 1 1 1 1	1 16 16 13 6 6 1	1134135111	1 12 1 1 10 10 11 11 11 11 11 11 11 11 11 11	1 4 -2 4 4 4 16 4 -4 5 -5 5 5 5 2 5 2 5 2 5 2 6 3 6 -3
- 2 79	 102	75	1 88	. 2 78	2 85	102	103	-   5 2   5 86   5
28,667	29,997	29,032	29,988	30.349	28.984	30,433	29,749	30,804 5
28,259 649 14 147 207 281	29,581 660 16 165 190 289	28,637 629 20 151 168 290	29,580 664 11 180 188 285	29.556 647 16 148 196 287	28,577 603 9 138 179 277	30,002 669 17 159 193	29,322 646 9 141 192 304	30,384 5 668 6 14 6 148 6 200 6 306 6
7,806 535 1,217 52 3,027 320 101 71 373 2,011 151 814 189 354	8,187 487 1,328 56 3,176 357 116 79 360 2,119 145 828 191 382	7,877 522 1,226 45 3,155 351 112 95 370 2,104 123 770 185 373 1,478	7,974 566 1,262 46 3,063 344 85 86 335 2,092 121 796 182 360 1,570	8, 288 557 1, 295 49 3, 266 355 91 90 378 2, 170 182 841 200 331	8,035 571 1,293 3,104 333 95 68 353 2.097 158 777 191 405 1,511	8,139 576 1,265 71 3,208 92 75 374 2,175 141 841 197 228 1,532	8,064 543 1,229 48 3,220 392 101 90 338 2,152 147 817 178 351	8,236 6: 575 6: 1,338 6: 47 6: 3,200 6: 97 7: 87 7: 373 7: 2,122 7: 161 7: 807 7: 182 7: 354 7: 1,615 7:
6.485 245 6.129 111 3.242 148 126 419 2.549	6,664 258 6,288 118 9,405 179 117 427 2,682	123 6,580 251 6,222 107 3,249 139 126 398 2,586	129 6,648 227 6,309 1,12 3,414 153 140 4,10 2,711	127 6,725 278 6,329 118 3,341 146 130 379 2,686	130 6,389 231 6,076 82 3,290 166 126 400 2,598	124 6,833 252 6,459 122 3,464 149 140 392 2,783	134 6,657 247 6,304 106 3,332 155 125 379 2,673	118 86 7,033 8. 268 86 6,639 126 84 126 84 1462 86 128 87 444 87 2,736 86

Table 1-24. Deaths From 281 Selected

	CAUSE OF DEATH	TOTAL	JANUARY	FEBRUARY	MARCH
İ	HALIGNANT NEOPLASMS, ETCCON.		ĺ		
01	MALIGNANT NEOPLASMS DF GENITAL DRGANS180-187	42,591	3,870	3,369	3,493
02 03	OF CERVIX UTERI	6,041	549 519	492 461	461 499
04	QF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT	5, 733 10,002	885	758	834
05 06	OF DROSTATE184	951 18,830	92 1,731	68 1,504	67 1,531
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS	1,034	94	86 (	101
08 09	MALIGNANT NEOPLASMS OF URINARY DRGANS	15.877 9.179	1,318 771	1,265 728	1,316 773
ĭó	OF BLADDER	6+698	547	537	543
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES190-199	34,495	2,834	2,554	2,765
12 13	OF EYE190 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM191,192	320	29   691	25   645	23 L 650
14	OF THYROTO CLAND	8,311 972	68	65	78 [
15	07HER	24,892 14,478	2.046 1.336	1,819 1,131	2,014 1,206
17	LYMPHATIC LEUKEMIA	4,653	482	365	408
18 19	WYELOID LEUKEMIA	6.321 488	548 49	484 40	517   45
20	OTHER AND UNSPECIFIED LEUKEMIA207	3.016	257	242	236
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPDIETIC TISSUES200-203,208,209	19.567	1,796	1,566	1,553
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA	6+846 2+920	638 259	562 225	572 231
24	MULTIPLE MYELOMA	4,968	460	426	406
25 26	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES202,208,209 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	4, 833 5, 013	439 459	353 426	344 423
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS	159	15 78	11 67	16
28 29	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM224,225 OTHER BENIGN NEOPLASMS216-217,222,223,226-228	761 803	68	67	60
30 d	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS234-236 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF	29	3		1
	NERVOUS SYSTEM	2-161	185	179	192
32	·	1,100	110	102	94
33	' III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	46,532	4,747	3,888	3,976
34 35	NONTOXIC GOITER	43 296	5 24	3	5 25
36	ALL OTHER DISEASES OF THYROID GLAND243-246	443	50	28 39	41
37 38	DIABETES MELLITUS	38,208 230	3,940 16	3,211 18	3,265
39	ATSPASES OF THYMIS GLAND	28	1	1	15 (
40 41	DISEASES OF ADRENAL GLAND	400 3	44 2	36 1	32
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES260,261,263-269	2+573	264	205	212
43	CYSTIC FIBROSIS273.0 ALL CTHER ENDOCRINE AND METABOLIC DISEASES251,252,256-258,270-272,273.1-279	519 3•789	43 358	35 311	52 325
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	5, 251	498	409	449
46	ANEMIAS	3+318	322	249	303
47 48	DEFICIENCY ANEMIAS	470 703	46 86	34 55	33
49	APLASTIC ANEMIA	1,090	92	80	73 85
50 51	OTHER AND UNSPECIFIED ANEMIAS	1 <b>-</b> 055 568	98 52	80 49	112
52	ALL CTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS286,288,289	1,365	124	177	<del>9</del> 7
53	V. MENTAL DISORDERS	8+860	853	778	685
54 55	SENILE AND PRESENILE DEMENTIAS	731 517	75	61	58
56	ALCOHOLIC PSYCHOSES	274	64 25	51 24	55 19
57 58	ALCOHOLISM	4•650	450	402	358
59	MENTAL DISORDERS300-302,304-309 MENTAL RETARDATION310-315	2-408 280	214 25	209 31	178 20
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	16, 889	1,661	1,419	1,352
61	MENINGITIS	1,523	1		
62	HEREDITARY NEUROMUSCULAR DISORDERS	743	150 79	139 63	140 59
63	MULTIPLE SCLEROSIS	1.574 3.283	174 298	135 282	12B 241
65	CEREBRAL SPASTIC INFANTILE PARALYSIS343	681	74	57	68
66	EPILEPSY345 INFLAMMATORY DISEASES OF EYE360-369	1• 821 9	181	156	151 1
68   69	CATARACT	40	4	3	Z
70	OTITIS MEDIA AND MASTOIDITIS	3   123	12	8	1 10
71	ALL CTHER DISEASES OF MERVOUS SYSTEM AND SENSE ORGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389	7, 089	689	576	551
72	VII. DISEASES OF THE CIPCULATORY SYSTEM	1.055.196	103,813	88,228	89,572
73	ACTIVE RHEUMATIC FEVER390-392	183	29	19	12
74	CHRONIC RHEUMATIC HEART DISEASE393-398	13.556	1,361	1,201	1.273
75 76	DISEASES OF HITRAL VALVE	3,666 3,950	347   397	350 333	347   343
	DISEASES OF OTHER ENDOCARDIAL STRUCTURES	599 5•341	57 560	56 462	44 489
77		3:371			
77 78 79	HYPERTENSIVE DISEASE400-404	20,211	2+091	1,777	1 • 703
77 78	HYPERTENSIVE DISEASE	20,211 1,038	120	78	98
77 78 79 80	HYPERTENSIVE DISEASE	20,211			

Causes, by Month: United States, 1973-Con.

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	CCTOBER	NOVEMBER	DECEMBER
					•			
3,444 477	3 <sub>1</sub> 572 542	3, 366 496	3, 644 527	3+660 486	3,377 475	3,590 542	3,535 490	3,671 504 473
469 786	457 838	470 800	524 855	531 860	420 813	454 839	454 851	883 (
61 1•566 85	75 1,578 82	80 1,446 74	83 1,567 88	85 1,613 85	1,508 78	86 1,585 82	83 1,564 93	88 1,637 86
1,275 720 555	1,297 761 536	1,232 719 513	1, 362 817 545	1,375 804 571	1,295 724 571	1,353 755 598	1,390 802 588	1,399 805 594
2,722 32 655	2,935 33 698	2,880 29 705	2,962 30	2•997 22 749	2,930 31	3,095 22	2,899 26	2,922
655 83 1,952	698 91 2,113	66 2,080	693 78 2₁161	749 92 2•134	719 92 2,088	709 85 2 • 279	717 87 2,069	680 87 2,137
1,154 398	1,210 351	1,186 370	1,210 366	1,305 416	1,134 337	1,178 378	1,193 384	1,235   1 398   1
496 42 218	544 45 270	495 39 282	535 38 271	570 43 276	515 36 246	518 31 251	557 36 216	542 1 44 1 251 1
1,482 544	1,651 562	1,638 591	1,702 581	1+618 589	1,524 530	1,681 566	1,606 544	. 1,750   567
218 345	276 389	260 365	265 424	233 396	233 378	232 458	228 423	260 498
375 408 11	424 416 18	422 395 14	432 408 11	400 393 13	383 407 11	425 431 16	411 427 15	425 420 8
59 68 1	57 76 4	62 73 1	51 72 4	63 65 4	6B 67 4	62 55 2	62 66 2	1,750 567 260 498 425 420 8 72 66 3
185 84	176 85 (	174 71	177 93	157 91	166 91	197 . 99	191 91	182 89
3,642	3,929	3,711	3,698	3,698	3,575	3+696	3,763	4,209
- 24	3 28	3 15	4 28	4 22	4 20	3 \ 23 \	4 31 23	5 28 46 3,433 26 3 30 4 254 4
32 2,987 23	33 \ 3,234   13	41 3,027 23	45 3,028 21	39 3,063 16	28 2•944 20	26 3,010 18	3,066 21	3,433 3 26 3
3 33	2 32	3 30	3 29	3 28	I 39	3 34	1 33	26 3 30 4
198	213	193 46	204 34	- 202 34	198 36	201 59	229 53	- 4 254 4 52 4
34 308	41 330	330	302	287	285	319	302	332 ) 4
388	442	. 400	411 246	449	407	472	455 298	471 4 298 4
231 35 45	271 40 45	265 35 55	48 39	286 42 58	246 32 54	303 45 57	40 62	298   4 40   4 74   4 98   4 86   5
45 79 72	97 89	92 83	75 84	99 87	94 66	102 99	97 99	98   4 86   5
37 118	47 124	39 96	51 114	48° 115	50 111	120	48 109	47 126
694	. 677	726	691	720	698	744	757	834   5
55 38 25	42 ) 45   21 )	67 54 23	63 34 ! 23	57 53 18	51 34 28	72 24 17	- 67 35 26	63   5 30   5 25   5
379	388	368	357	374	354	- 386	378 226	456 5
173 24	164 17	191 23 (	193 21	201 17	206 25	224 21	25	31 5
1,306	1,328	1,316	1,424 107	1,431   115	1,325 96	1 •430   125	1,387	1,510   6
64   111	50 119	54 130	59 145	64 136	61 110	55 120	61	144   6 74   6 134   6
229 57 136	275   48   142	262 55 155	274 50 141	294 44 174	270 67 148	293 60 135	132 270 45 142	134 6 295 6 56 6 160 6
1 1 3 1 3 1	1 3	5	1 3	5	1 3	1 5	1	144   6 74   6 134   6 295   6 160   6 2   3   6 1   6 7   7
12	_ 14	11		- B	- 8	1 15	12	1   6 7   7
543	564	532	638	591	561	620	590	634 7
86,879	87,672	83,361	83,839	82,400	81,530	86+090	86,998	94,814 7
12 1,138 281	16 1,140 312	12 1,117 296	11 1,004 272	16   1,032   283	15 1,039 269	20 1,047 296	10 1,171 317	11 \ 7 1,083 \ 7 296 \ 7
364 44	334 55	295 58	301 46	305 37	341 46	307 41	328 62	11 7 1,083 7 296 7 302 7 432 7
449 1,720	439 1,680 98	468 1,597 79	385   1,597 78	407 1,550	383 1,514 80	403 1,633 94	464 1,606 65	432   7 1,743   7 90   8
96 95 602	74 643 )	89 598	90 555	62 96 575	95 523	97 585	105 592	1,743 7 90 8 105 8 643 8 432 8
463 464	435 430	384 447	393 481	382 435	397 419	423   434	423 421	432   8 473   8

Table 1-24. Deaths From 281 Selected

=	CAUSE OF DEATH	TOTAL.	JANUARY	FEBRUARY	MARCH
01 02 03 04 05 06 07 08 09 10 11 12 15 16 17 18 19 20 21 22 22 23 24	ISCHEMIC HEART DISEASE	684,066 75,446 608,620 351,662 4,503 327,722 179 46,487 470 622 1,107 61 185 861 27,057 4,030 13,201 214,313 26,675 187,638 9,191 33,909 56,648	67,804 7,507 60,297 34,056 446 33,289 13 4,633 51 56 99 4 19 76 2,630 408 1,389 20,561 2,608 17,953 897 3,336 5,500	56,996 6,253 50,743 28,702 410 27,871 13 3,801 43 41 94 6 21 67 2,235 326 1,062 17,858 2,215 15,643 741 2,952 4,859 87	58.241 6,475 51,766 30,044 305 27,790 12 3,965 41 50 108 8 92 2,271 342 1,153 17,950 2,258 15,692 780 2,888 4,771
25 26 27 28	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES	3,238 67,730 42,630	274 6,391 4,071	261 5•504 3•454	257 5,678 3,506
29 30 31 32 33 34 35	ARTERIOSCLEROSIS	58,676 32,617 14,210 2,867 8,982 17,704 15,800 1,904	5,632 3,310 1,282 253 787 1,702 1,504 198	5,050 2,891 1,178 237 744 1,526 1,364 162	4,988 2,781 1,194 256 757 1,490 1,322 168
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM	117,537	17,118	13,447	10,353
37 38 39 40 41 42 43 44	ACUTE UPPER RESPIRATORY INFECTIONS	453 905 5.131 57.428 1.604 6.597 832 22.946 25.449	83 178 2,261 8,340 384 985 130 3,397	57 123 1,862 6,416 268 755, 85 2,467 2,841	49 98 448 5.038 150 556 73 2,100 2,159
46 47 48 49 50 51 52 53 54 55	BRONCHITIS, EMPHYSEMA, AND ASTHMA	29,708 768 4,779 22,249 1,912 38 1,124 340 3,250 843 18,317	3-696 130 616 2-712 238 2 104 26 364 95	2+899 86 4499 2+172 192 4 4 7 29 313 74 1,573	2,629 72 460 1,925 172 2 102 33 324 80 1,550
57	IX. DISEASES OF THE DIGESTIVE SYSTEM	75+094	6,760	6,024	6,318
58 59 60 61 62 63 64 65	01SEASES OF TEETH AND SUPPORTING STRUCTURES	43 7-688 3-289 3-385 1-014 598 1-066 6-746	2 678 271 392 105 50 103 621	6 662 280 294 88 51 88 542	2 654 268 302 84 55 90 563
66 67 68 69 70 71 72 73	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, DF NONINFECTIOUS DRIGIN	53 3,314 1,084 33,350 12,624 5,341 15,385 3,422 17,730	4 317 97 3.062 1.141 473 1.448 277 1.549	3 262 90 2,619 987 413 1,219 276 1,425	4 310 89 2,751 981 451 1,319 305 1,495
75	X. DISEASES OF THE GENITOURINARY SYSTEM	26,910	2,730	2,250	2,351
76 77 78 79 80 81 82 83 84	NEPHRITIS AND NEPHROSIS	8, 336 1, 224 312 6, 800 6, 134 699 8, 740 1, 589 40 1, 372	889 138 33 718 637 75 839 152 631	704 113 16 575 518 55 729 130 4 110	753 109 29 615 500 52 752 147 3
86 87	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	477	46	38	47
88	HEMCRPHAGE OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA636-639 HEMCRPHAGE OF PREGNANCY AND CHILDBIRTH	46   111   60	6	3 10 6	2 9 5

Causes, by Month: United States, 1973-Con.

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
71.112					·-:			
56,571 6,360 50,211 29,532 371	56,996 6,376 50,620 29,713 365	54,248 5,910 48,338 28,154 349	54,389 5,830 48,559 27,921 365	53+109 5,851 47,258 27,270 360	52,237 5,686 46,551 26,857	55,719 5,943 49,776 28,938 363	56,175 6,309 49,866 29,052 343	61,581 01 6,946 02 54,635 03 31,423 04
26,659 9 3,776	26,902 16 3,776	25•733 12 3•646	26,085 18 3,712	25,469 10 3,743	25,029 21 3,577	26,399 19 3,790	26,766 14 3,855	29,730 00 22 0° 4,213 00
39 52	28 51	46 55	30 53	46 51	41 52	, 41 56	34 47 82	30 09 58 10 112 11
92 4 20	96 5 10	93 3 19	71 4 15	82 3 16	96 8 14	82 5 9	5 13	6   12 21   13
68 2,168 332	81 2,183 345	71 2,103 342	52 2,192 326	63 2,205 332	74 2,091 298	68 2,244 336	64 2,321 297	85 14 2,414 15 346 16
1,093	1,073	1,007	1,040 17,054	1,027	999 16,928	1,031 17,546	1,074 17,840	1,253   17 19,554   18
17,534 2,203 15,331	17,859 2,258 15,601	2,076 14,622	2,065 14,989	16,931 2,097 14,834	1,961 14,967	2.212 15.334	2,272 15,568	2,450   19 17,104   20
798 2,872 4,547	822 2,945 4,803	695 2,551 4,481	723 2,674 4,424	691 2,680 4,437	629 2,578 4,422	772 2,684 4,627	762 2,764 4,696	881 23 2,985 22 5,081 23 76 24 315 25
96 289 5,503	77 247 5,491	92 254 5,414	75 280 5,444	94 248 5, 392	68 256 5,460	85 290 5,563	55 267 5,617	76   26 315   25 6,273   26
3,429	3,474	3,211	3,434	3,389	3,515	3,525	3,679	3,943 27
4,739 2,591 1,171	4,772 2,561 1,211	4,677 2,604 1,085	4,565 2,587 1,004	4,579 2,521 1,082	4,755 2,602 1,147	4,842 2,624 1,289	4,909 2,743 1,249	5,168 28 2,802 29 1,318 30
245 732 1,389	232 768 1,433	239 749 1,366	237 737 1,507	244 732 1,440	220 786 1,465	233 696 1,493	228 689 1,432	243   31 805   32 1,461   33
1,223 166	1,294 139	1,225 141	1,362 145	1,290 150	1+305 160	1,329 164	1,276 156	1,306 34 155 35
8,871	8,313	7,921	8,181 17	8,043	8,073 16	8 •864 25	8,715 49	9,638 36 55 37
26 49 108	29 58 44	53 29	50 17	24 37 26	50 46	· 68	64 107	77   38 100   39
4.316 94 513	3,863 74 447	3,691 57 401	3,977 87 470	3,929 83 436	4•079 77 448	4,433 99 512	4•399 99 482	4,947   40 132   43 592   42
62 1,703 1,944	65 1,521 1,756	56 1,488 1,689	52 1,563 1,805	67 1,596 1,747	50 1,716 1,788	64 1.737 2.021	61 1,743 2,014	67   43 1,915   44 2,241   45
2,463	2,386	2,351	2, 282 49	2,138	2,080	2,238	2,165 57	2,381 46 75 47
53 386 1,880	67 384 1,785	40 378 1,772	353 1,738	42 358 1,592	44 323 1,596	370 1,666	336 1,619	366 48 1,792 49
144 3 99	150 3 92	161 4 98	142 3 79	146 3 86	117 3 77	149 4 130	153 5 93	148   50 2   51 97   52
32 271 66	29 275 69	21 238 70	35 233 55	23 243 65	25 211 67	27 262 66	27 235 75	33 53 281 54 61 55
1,438	1,465	1,343	1,433	1,469	1,419	1,558	1,496	1,604 56 6,559 57
6,185	6,141	5,993	6,120	6, 205 4	6,198 7	6,271	6,320	2 58
670 280 306	643 264 289	553 253 235	620 266 283	633 271 293	628 254 287	639 283 264	628 296 254	680 59 303 60 276 61
84 44 90	90 48 84	65 50 103	71 40 85	69 38 87	87 57 94	92 46 74	78 56 83	101 62 63 63 85 64
576	534 10	516	512	568 4	586 5	560	596 3	572 65 2 66
7 306 107	266 78	269 87	259 91	255 95	260 85	275 72	276 86	259 67 107 68 3,780 69 1,201 70
2,659 1,010 416	2,745 1,023 467	2.701 1.022 455	2,652 1,010 455	2.706 1.063 402	2,694 1,047 431	2,815 1,085 436	2,866 1,054 456	486   73
1,233 255	1,255 292 1,439	1,224 284 1,423	1,187 297 1,558	1,241 390 1,515	1,216 309 1,473	1,294 262 1,520	1,356 282 1,441	1,393 73 283 73 1,426 74
1,466	2,180	2,079	2,208	2,140	2, 152	2,205	2,188	2,293 75
674 76	693 87	637 89	674 96	620 95	643 103	. 649 110	696 106	704 76 102 77 30 78
30 568 507	29 577 534	24 524 461	26 552 506	23 502 503	26 514 461	17 522 497	29 561 471	704 77 102 77 30 77 572 75 539 80 70 81 748 81 18
54 665	53 647	55 694	59 744	- 49 710	58 729	65 736 135	54 747 128	70   81 748   82 126   83
119 2 113	136 5 112	125 6 101	119 1 105	134 3 121	138 2 121	117	126 1 91	1 84 105 85
31	34	39	42	38	. 35	53	38	36 86
3 6 5	4 4	3 10 2	5 12 5	5 5	2 8 7	8 19 3	. 8 7	3 87 9 88 5 89

Table 1-24. Deaths From 281 Selected

	CAUSE OF DEATH	TOTAL	JANUARY	FEBRUARY	MARCH
	. CAUSE OF BEATT	TUIAL	JANUARY	FEORUARI	HANGH
01	ABORTIONS	36 8	6 2	2	.4
02 03	ABERTION INDUCED FOR OTHER REASONS	11	3	1	Ž
04 05	SPONTANEOUS ABORTION	3 14	1	1	1
06 07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH,	98	9	7	13
08	AND THE PUERPERIUM	124	8 -	10	14
			1		
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	2,022	190	149	179
10 11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	482 1,540	42 148	34 115	49 130
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	5.080	460	462	426
13 14	ARTHRITIS AND SPONDYLITIS710-715 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED716-718	2+043 231	181 23	184 14-	173 21
15 16	OSTEOMYELITIS AND PERIOSTITIS	168 149	17 13	15 17	14 10
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE721-726,728-734	2,489	226	232	208
18	XIV. CONGENITAL ANDMALIES	14.062	1,298	1,147	1.241
19 20	SPINA BIFIDA	592	40	57	61
21	SYSTEM	2•171 5•841	200 529	157 489	202 512
22 23	CLEFT PALATE AND CLEFT LIP	1,123 23	123 1	95	95 3
24	ALL OTHER CONGENITAL ANOMALIES744,745,748,750-759	4.312	405	354	368
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	30,503	2.598	2,268	2,498
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	30•399	2,739	2,474	2,446
27	SENILITY WITHOUT MENTION OF PSYCHOSIS794	1.386	121	107	120
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS	29,013	2,618	2,367	2,326
29	E XVII. ACCIDENTS, PDISONINGS, AND VIOLENCE	166-454	13,090	11,903	13,299
30	ACCIDENTSE800-E949	115,821	9,007	8,106	8,928
31 32	RAILHAY ACCIDENTSE800-E807	789 55•511	46 3.932	58 3,559	48 4,429
33 34	POTOR VEHICLE TRAFFIC ACCIDENTS	54.347 1.194	3,864 121	3,505 94	4+348 87
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE	20,521	1,422	1,393	1,691
36 37	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIANE814 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISIONE811,E813,E815	8,991 6,886	788 495	621 392	803 569
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTSE816-E818 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATUREE819	9,773 6,982	549 489	54D 465	679 519
39 40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	1.164	68 10	54 6	81 14
41 42	WATER TRANSPORT ACCIDENTS	1.725	48 105	52 125	110 117
43		1,668			475
44 45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS	5,335 2,444	518 163	467 172	191
46 47	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES	1.239 1.652	106 249	101 194	107 177
48 49	ACCIDENTAL FALLSE880-E887 FALL FROM ONE LEYEL TO ANOTHER	16,506 4,270	1.586 339	1,258 271	1,325 310
50 51	FALL ON SAME LEVELE885,E886 @THER AND UNSPECIFIED FALLSE887	662 11,574	89 1,158	51 936	75 943
52 53	ACCIDENTS CAUSED BY FIRES AND FLAMES	6•503 7•152	903	829 217	583 329
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	3,013	294	257	239
55 56	ACCIDENT CAUSED BY FIREARM MISSILEE922 ACCIDENTS HAINLY OF INDUSTRIAL TYPE	2,418 5,883	202 375	161 360	182 428
57 58	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT	133 512	7 38	5 41	8 43
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION	279	24	25	28
60 61	ACCIDENT CAUSED BY ELECTRIC CURRENT	1.149 3.810	45 261	44 245	66 283
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES	3,525 5,300	290 468	289 468	259 387
64	SUICIDE	25,118	1,988	1,919	2,152
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE	3,783 2,473	269 204	303 205	327 233
66 67	SUICIDE FROM POISONING BY GASES	3,548 13,317	260 1,121	274 1,008	294 1,118
68 69	SUICIDE BY ALL OTHER MEANS	1,997	134	129	180
70	HOWICIDEE960-E578	20,465	1,650	1,509	1,768
71 72	ASSAULT BY FIREARM AND EXPLOSIVE	13,752 3,254	1,062	1,024 230	1,177 292
73 74	ASSAULT BY OTHER MEANS	3,083 -	270	234	255
75	l ·	376	38	21	44
76 77	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE982-E989 INJURIES RESULTING FROM OPERATIONS OF MAR	5+030 20	444	369	446 5
		L	L	L	I

Causes, by Month: United States, 1973-Con.

· APRIL	НАЧ	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	<u> </u>
5 1  1 3	4 - 1 - 3	3 1 1 - 1	1 1 - -	3	2 1 -	2 -	2 1 1	2  1 1	01 02 03 04 05
6	7	6	8	2 8	1 3	2 8	13	10	06
6 -	11_	14	11	13	12	13 -	5 	7 -	07 08
146	155	163	155	171	169	184	175	186	09
34 112	33 122	34 129	37 118	34 137	44 125	45 139	54 121	42 144	10 11
406	406	379	415	402	451	418	382	473	12
173	171 15	145 16	157 18	161 19	175 19	175 16	160 20	186 28	13
22 9 13	15 12 9	16 12 12	16 15	19 11	17	13	11 9	13 12	14 15 16 17
189	199	194	209	192	228	198	182	232	17
1,112	1,141	1,196	1,203	1.133	1,091	1,173	1,147	1,180	18
58	45	42	54	37	51	45	45	57	19
160 460	195 475	204 502	198 465	150 510	161 457	170 496	188 475	186	20
99 2	78 3	86	88	510 92 2	99	87	93 2	471 93 3	20 21 22 23 24
333	345	361	395	342	321	. 374	344	1	
2,513	2,706	2,565	2,878	2,745	2,620	2,510	2,331	j	25
2,270	2,307	2,351	2,473	2,470	2,585	2,539	2,655		26
107 2,163	124 2,183	106 2,245	132 2,341	100 2•370	95 2,490	109 2,430	125 2,530	140 2,950	27 28
13,304	14,216	15,015	15,817	15, 158	13,948	14,240	13,301	13,163	29
9,137 70	10,017 77	10,826 67	11,317 94	10,744 73	9,713 79	9,938 71	9,161 55	8,927 51	30 31
4,492 4,407 83	4,963 4,837 100	5,150 5,037 88	5,228 5,100 81	5,260 5,145 74	4.960 4.805 93	5+167 5+061 117	4,453 4,373 113	3,918 3,865 143	32 33 34
1,713 727 572	1,829 742 615	1,842 750 711	. 1,947 764 702	1+990 730 658	1,775 704 594	1,940 862 603	1,626 753 511	1,353 747	35 36
776 536	914 637	928 718 113	975 631 128	1,065 628	973 666	895 644 106	820 550	499	38 39 40 41
85   13	126 38.	l 25 I	42	115 59	155 37	106 28	80 11	53 10	40 41
162 146	246 112	241 115	237 286	177 128	118 151	146 123	79 146	109	42 43
435 ( 191 107	381 182 102	358 191 100	411 238 109	434 243 116	415 230 92	408 211 88	493 220 96	540 212 115	44 45 46 47
137 1,282	97 1+354	67 1,334	64	75	93	109	. 177	213 1,474	47 48
304 43	379 60	408 50	1,414 404 47	1,392 411 46	1,306 394 42	1,420 387 55	1,358 340 45	323	49
935 576	915 444	876 357	963 309	935 335	870 294	978 489	973 539	59 1,092 845	50 51 52 53
474	728	1,449	1,497	994	580	286	192		
223 173	235 166	244 199 546	227 195	255 207	242 206	256 270	279 362	262 295	54 55
452 13 42	550 11 : 40	17 35	614 13 63	660 15 45	538 12 41	548 10 55	408 8 31	14	56 57 58
21 66	22 115	27 133	17 175	28	16	1.5	22	34	59
[ 310	362	334	346 294	167 405	126 343	97 371	67 280	270 l	61
278 361	294 429	291 450	469	306 464	341 446	305 421	. 315 471	263 466	62 63
2,097 300	2,173 325	2,083 301	2,196 305	2, 231 341	2,094 344	2,174 357	2,018 296	1,993 315	64 65
221 286	208 300	196 305	200 342	220 318	196 319	217 304	188 271	185	66 67
1.115 175	1,161 179	1,100 181	1, 177 172	1, 153 199	1,075	1,124 172	1,099 164	1,066	68 69
1.635	1,639 1,078	1,682 1,088	1,856 1,271	1.746	1.727 1.177	1.688 1.152	1,711	1,854 1,305	70
1,635 1,118 246	287	294	302 253	1, 133 270	270	251	1,167 254 245	1,305 ) 278 247	70 71 72 73
233  38	250 - 24	263 - 37	255 - 30	306 - 37	249 - 31	258 - 27	265   - 25	-	73 74 75
430	387	424	447		414	439	411	Į.	
5			1	432 5	-	i		387 2	76 77

Table 1-25. Deaths From 281 Selected Causes, by Specified Race [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases Adapted, 1965 (ICDA). Four-digit

	·		Total			White	
	CAUSE OF DEATH	Both sexes	Male	Female	Both sexes	Male	Female
91	ALL CAUSES	1,973,003	1.096.795	876,208	1,728,405	957,918	770,487
02	I. INFECTIVE AND PARASITIC DISEASES	15,669	8.816	6+853	11,844	6.574	5,270
03 04 05 06 07 08 09 10 11 12 13	CHOLERA	7 76 64 11 2.322 3.875 3.009 90 26 35 165 550	3 42 34 5 1.068 2,707 2.182 52 14 21 101 337	34 34 30 6 1.254 1.168 827 38 12 14 64 213	3 60 46 11 1,803 2,663 2,036 52 16 24 74 461	2 30 28 5 799 1,849 1,467 32 14 50 277	19 18 6 1.004 814 569 20 7 10 24 184
16 17 18 19 20 21 22 23 24 25 26 27 28	PLAGUE	- 1 1 10 5 20 11 330 40 4,560 646 10	18 8 2 8 4 185 16 2,433 349 8	1 2 3 12 7 145 24 2,127 297 2	1 1 8 8 5 18 10 271 26 3,547 526	1 6 2 7 3 151 11 1,882 290	1 2 3 11 7 120 15 1,645 236
29 31 32 33 34 35 36 37 38 39 40	LATE EFFECTS OF ACUTE POLIOMYELITIS	83 	45 16 16 18 289 1 526 24 5	38 -7 -152 11 367 -7 507 16 2	77 19  274 27 515 1 894 36 4	143 16 233 1 448 22 2	36 6 131 11 282 - 446 14 2
423 444 45 444 45 444 45 55 55 55 55 55 55	SYPHILIS AND ITS SEQUELAE       090-097         CONGENITAL SYPHILIS       090         EARLY SYPHILIS, SYMPTOMATIC       091         AMEURYSM OF AORTA, SPECIFIED AS SYPHILITIC       093.0         OTHER CARDIOVASCULAR SYPHILIS       094.9         TABES DORSALIS       094.9         GENERAL PARESIS       094.1         OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM       094.9         ALL OTHER SYPHILIS       095.097.0.097.9         GONOCOCCAL INFECTIONS       099         SCHISTOSIONIASIS       120         HYDATIDOSIS       122         FILARIAL INFESTATIONS       125         ANCYLOSTORIASIS       125         ANCYLOSTORIASIS       125         OTHER HELMINTHIASES       121,123,124,127-129         OTHER INFECTIVE AND PARASITIC DISEASES       REMAINDER OF 000-136	393 13 - 29 189 26 26 76 34 11 3 4 1 1 1 1,060	265 5 16 130 23 13 54 24 24 5 3 1 1 1	128 - - - - - - - - - - - - -	213 6 - 13 99 22 19 40 14 7 3 2 1	146 4 7 68 20 9 28 10 4 3 1 1	67 2 6 31 2 10 12 4 3 - 1
58 59 60 61 62 63 64	II. NEOPLASMS	356,068 351,055 7,822 181 1,873 2,304 3,464	193,770 191,320 5,553 161 1,305 1,507 2,580	159,735 2,269 20 568 797 884	317,135 312,779 6,828 173 1,626 2,041 2,988	171.699 169.544 4.810 157 1.120 1.308 2.225	145,436 143,235 2,018 16 536 733 763
65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	96.549 6.491 15.198 635 37.745 4.262 1.186 972 4.442 25.103 1.780 9.821 2.270 4.273 18.653	51.070 4.768 9.178 330 17.285 1.796 526 463 2.094 11.601 805 5.424 1.465 1.545 10.380	45,479 1,723 6,020 305 2C,460 660 509 2,348 13,502 4,397 805 2,728 8,273	85,623 4,910 12,862 559 34,619 3,950 1,089 a98 4,126 22,891 1,665 8,997 1,848 2,953 16,652	44.875 3.577 7.701 302 15.899 1.659 484 428 1.942 10.634 752 4.963 1.153 1.433 9.259	40,748 1,333 5,161 257 18,720 2,291 470 2,184 12,257 913 3,994 695 2,520 7,393
81 82 83 84 85 86 87 88	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	79,335 3,044 74,933 1,358 40,341 1,840 1,519 4,839 32,143	62,717 2,656 59,187 874 4,957 1,069 783 2,812 293	16,612 388 15,746 484 35,384 771 736 2,027 31,850	70.790 2.628 66.960 1.202 36.908 1.648 1.345 4.651 29.264	55,783 2,290 52,721 772 4,623 962 702 2,704 255	15,007 338 14,239 430 32,285 686 643 1,947 29,009

or National Origin and Sex: United States, 1973

	Negro			Indian	· · · · · ·	Chinese Japanese				Other					
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
230,110	129,647	100,463	6,381	3,927	2,454	2,298	1,609	689	2,630	1,501	1,129	3,179	2,193	986	01
3,556	2,074	1,482	156	91	65	.41	34	7	26	10	16	46	33	13	02
- 4 14	1 10	- 3 4	- 1	- 1	=	1	1	=	<u>-</u>	-	=	-	-	-	03 04 05
12 - 482	5 - 247	7  235	5 - 28	16	5 - 12	1	1	- -	3	- 2	1		3	- 2	06 07 08
1,112 901 35	787 664 19	325 237 16	54 35 3	36 23 1	18 12 2	21 18 -	20 17 -	1 1 -	13 9 · –	6	7 5 -	12 10 -	9 7 -	3	09 10 11
10 10 80	5 6 43	5 4 37	1 8	1 5	- 3	- 1	-  1	=	- - 1 3	- 1 1	_ · _ _ 2	- 1 1	- 1 1	-	12 13 14
76 -	50 ~	26 	7   -	. 6	1 -	2 - -	2	=		=			· -		16 16
- -	. 1 1 1	1 1 1 1	-	= ;	=	=	- -	=		= =	· 2	, -	-	-	18
- 2		1	. 2	2	= =	=	=	=	= = =		= = .	-	111	-	21 22 23
1 55 14	1 33 5	22 9 444	3	1 - 19	2 - 9	- - 7	- - 5	 - z	- - 5	- - 2	- 3	1 15		1 - 4	19 20 21 22 23 24 25 26 27
958 112 -	514 57 -	55	28 5 -	2	3 -	2 -		2	-	=	-	1	-	i -	27 28
6 - 4	4 - 3	2 - 1	<u>-</u>	-		-		· -	- - -	=	-		· · · -	- - -	29 30 31
46	26	20	1		1	-	=	=		- -	-	=		<u>-</u>	32
128	51 - 69	77 - 54	9 - 7	3 - 3	6 - 4	1 - 2	1 -	- - 1	1 - 2	=	1 - 2	2 - 5	1 - 5	1 -	33 34 35 36 37
3	3	2		= =	<u> </u>		. =	=		=	-	_ [	-	-   -	38 39 40
174	116	 58	3	- 1	_ 2	- 1	1	-	-   -	_	-	- 2	- 1	- 1	41
15	1 - 8	6 - 7		=	=	- - 1	- -	-			, i	-	1 1 1 1	-	42 43 44 45
89 3 7	61 2 4	28 I 3	1 - -	1 -	<u>-</u> .							1	- 1	-	46 47 48
34 19 4	26 14 1	8 5 3	1 1 -	- - -	1 1 -	 	=	=			! - !	1 - -	-	1 - -	49 50 51 52
1	-	1	- 1	-	1		=	<u> </u>	- - -	-	<b>.</b> - 1	- -	-	=	53 54
- 3 292	- 2 134	1 158	- - 9	- - - 7	- - 2	- - 4	- - 3	- - 1	, - 1 1	-	1 1	- - 3	- 3		55 56 57
36,752	20,762	15,990	539	268	271	506	343	163	591	333	258	545	365	180	58
36,136 941	20,490 700	15,646 241	524 8	261 6	263 2	496 21 -	338 . 17	158 4	588 5 -	332 3 -	256 2 -	532 19	355 17	177 2 -	59 60
241 251 441	4 179 191 326	4 62 60 115	1 2 5	1 - 5	2	2 19	2 15	- - 4	1 4	- - 3	_ 1 1	5 7 7	5 6 6	1	60 61 62 63 64
10,151	5,697 1,148	4,454 386	160 4	82	78 1	153 16	109 16	44	277 11	169	108 2	185 16	138 15	47	65
2,119 70 2,942	1,340 25 1,274	779 45 1,668	37 1 38	28 - 16	9 1 22	25 1 45 5	31	8 1 14	109 2 60	66 2 34	43 26	46 2 41	26 1 31	47 1 20 1 10	66 67 68 69 70 71
299 89 70	128 38 32	171 51 38	1 1 -	- -	1	4	4 3 1	1 1 - -	6 2 3	4 - 2	2 2 1	1 1 -	1	1 -	70 71 72
294 2,082 108	13B 889 49	156 1, 193	5 29 2	2 12 1	3 17	1 3 30 2 11	19 1	11 1	9 40 -	5 23 -	17 -	5 31 3	4 24 2	7	73 74 75
800 348 273	413 252 96	59 387 96 177	14	10 5 4	1 4 3 19	25 6	8 21 4	3 4 2	20 19 11	14 15 4	6 4. 7	19 22 7	16 19 4	- 1 7 1 3 3 6	72 73 74 75 76 77 78 79
1,879	1,052	827 89	23 28 7	12	16	21	10	11	44 1	24	20	29 3	23		79 80
8+116 402	6+611 352	1,505 50	77	57 3	20	150 5	112	38	.104 2	·77 2	27	98 4	77	. 21	81 82
7,568 146 3,306	6.164 95 318	1,404 51 2,988	72 2 36	53 1	19 1 31	142 3 25	105 2 4	37 1 21	99 3 33	73 2 1	26 1 32	92 2 33	71 2 6	2 <u>1</u> 2 <u>7</u>	83 84 85 86 87
186 169 176	105 78 99	81 91 77	4 2 3	5 1 2 2	3  1	- 4	- - 4	=	- 2 2	- 1	2	2 1 3	1 1 2 2	1 1 25	86 87 88 89
2,775	1 36	2,739	! 27 l	I -	27	21	! -!	. 21	] 29	l <del>-</del>	29	27	1 2	25	89

Table 1-25. Deaths From 281 Selected Causes, by Specified Race [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases Adapted, 1965 (ICDA). Four-digit

			Tota	11		White	
	CAUSE OF DEATH	Both sexes	Male	Female	Both sexes	Male	Fema1e
	MALIGNANT NEOPLASMS, ETCCON.						
01 02 03 04 05 06 07 08 09	MALIGNANT NEOPLASMS OF GENITAL ORGANS	42,591 6,041 5,733 10,002 951 18,830 1,034 15,877 9,179 6,698	19,864  18,830 1,034 10,601 6,410 4,191	22,727 6,041 5,733 10,002 951  5,276 2,769 2,507	36,449 4,613 4,880 5,212 833 15,970 941 14,606 8,413 6,193	16,911  15,970 941 9,829 5,956 3,873	17,538 4,613 4,880 9,212 833  4,777 2,457 2,457
11 12 13 14 15 16 17 18 19	MALIGNANT NEOPLASMS OF DITHER AND UNSPECIFIED SITES	34,495 320 8,311 972 24,892 14,478 4,653 6,321 488 3,016	17,678 147 4,650 315 12,566 8,262 2,817 3,469 277 1,699	16,817 173 3,661 657 12,326 6,216 1,836 2,852 211 1,317	30,522 . 298 7,732 872 21,620 13,236 4,269 5,780 444 2,743	15.561 134 4.329 279 10.819 7.539 2.594 3.171 245 1.529	14,961 164 3,403 593 10,801 5,697 1,675 2,609 199 1,214
21 22 23 24 25 26 27 28 29 30 31	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPDIETIC TISSUES	19,567 6,846 2,920 4,968 4,833 5,013 159 761 803 29 2,161 1,100	10.618 3,629 1,732 2,579 2,678 2,450  305 422 	8,949 3,217 1,188 2,389 2,155 2,563 159 456 381 29 1,037 501	17,817 6,436 2,718 4,181 4,482 4,356 107 647 701 21	9,613 3,386 1,594 2,177 2,456 2,155  250 375 	8,204 3,050 1,124 2,004 2,026 2,201 107 397 326 21
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	46,532	19,389	27-143	35,066	16,541	22,525
34 35 36 37 38 39 40 41 42 43	MONTOXIC GQITER	43 296 443 38,208 230 28 400 3 2,573 519 3,789	9 59 91 15,669 125 157 1,082 246	34 237 352 22,539 105 13 243 2 1,491 273 1,854	32 239 402 31,932 176 18 357 1 2,165 504 3,240	7 47 84 13,343 100 11 142 884 236 1,687	25 192 318 18,589 76 7 215 1 1,281 268 1,553
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	5,251	2,542	2,709	4,264	2,033	2,231
46 47 48 49 50 51	ANEMIAS	3,318 470 703 1,090 1,055 568 1,365	1,569 182 334 567 486 255 718	1.749 288 369 523 569 313 647	2,610 429 303 1,007 871 495 1,159	1,209 164 124 521 400 226 598	1,401 265 179 486 471 269 561
53	Y. MENTAL DISORDERS	8,860	6+056	2,804	6,485	4,319	Z+166
54 55 56 57 58	SENILE AND PRESENILE DEMENTIAS	731 517 274 4,650	305 469 119 3,611	426 48 155 1,039	672 385 233 3,237	274 346 100 2,535	398 39 133 702
59	MENTAL RETARDATION310-315	280	140	140	226	109	117
60 61 62 63 64 65 66 67 68 69 70	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	16,889 1,523 743 1,574 3,283 681 1,821 9 40 3 123	9,147 842 552 571 1,763 393 1,086 5 19	7,742 681 191 1,003 1,520 289 735 4 21 2 65	14,527 1,043 683 1,453 3,172 566 1,268 1,268 2,99	7,793 581 511 541 1,692 329 717 5 16 1 51	6,734 462 172 912 1,480 237 551 4 18 18
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE DRGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389	7,089	3,857	3,232	6,198	3,349	2+849
72	VII. DISEASES OF THE CIRCULATORY SYSTEM	1,055,196	560,149	495,047	947,397	504+331	443,066
73 74 75 76 77 78 79 80 81 82	ACTIVE RHEUMATIC FEVER	183 13,556 3,666 3,950 599 5,341 20,211 1,038 1,143 7,268	96 6.076 1.281 2.478 232 2.085 9.204 567 457 2.920	87 7,480 2,385 1,472 367 2,256 11,007 471 686 4,348	160 12,362 3,391 3,556 553 4,862 16,158 611 899 5,660	5,456 1,162 2,225 210 1,859 7,255 337 366 2,188	72 6,906 2,229 1,331 343 3,003 8,903 274 533 3,472
83 84	HYPERTENSIVE RENAL DISEASE	5+247 5+515	2•702 2•558	2,545 2,957	4,328 4,660	2:238 2:126	2,090 2,53,

or National Origin and Sex: United States, 1973-Con.

	Negro			Indian	=		Chinese	-	of are meno	Japanese			Other		F
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Fuale	Both sexes	Male	Female	
5,938 1,369 828 746 118 2,794 83 1,180 723 457	2,877  2,794 83 708 427 281	3,061 1,369 828 746 118  472 296 176	78 23 10 12  28 5 25 8 17	33 2B 5 16	45 23 10 12 -	32 9 4 7 - 10 2 17 11	12  10 2 13 8	20 9 4 7	42 6 6 15 13 2 30 18 12	15  13 2 20 111	27 6 6 15  10 7	52 21 5 10 - 15 1 19 6	16  15 1 1 15 5	36 21 5 10 -	01 02 03 04 05 06 07 08 09
3,728 19 547 90 3,072 1,140 359 492 37 252	1,975 10 305 30 1,630 665 206 274 28 157	1,753 9 242 60 1,442 475 153 218 9	87 1 12 2 72 26 7 12 1 6	32 1 4 1 26 12 4 4 1 3	55 B 1 46 I 4 3 8	52 1 3 2 46 26 5 12 1	43 1 2 2 38 19 4 7 1	9 - 1 8 7 1 5 - 1	47 1 5 2 39 22 4 13 3	25 1 4  20 9 2 6 1	22  1 2 15 13 2 7 2	59 - 12 4 43 28 9 12 2	42 - 6 3 33 18 7 7 1	17 6 1 10 10 2 5 1	11 12 13 14 15 16 17 18 19
1,636 365 193 757 321 616 52 104 90	939 217 132 387 203 272 50 38	697 148 61 370 118 344 52 54 52 8	27 6 4 12 5 15 	18 4 3 8 3 7	9214281221	20 7 2 4 7 10 - 2	9 3 1 5 5 1	11 4 1 4 2 5 - 2	28 11 1 7 9 3 - 1	13 5 1 3 4 1	15 6 - 4 5 2 - 1 -	39 21 2 7 9 13 	26 14 1 4 7 10	13 7 1 3 2 3 -	21 22 23 24 25 26 27 28 29 30
215 147	104 80	111 67	2 6	1 3	3	5 2	3	2 1	ī	=	1	. 1 2	1	1	31 32
7,014	2,617	4,397 8	201	95	106	58 1	32	26 1	89	45	-	104	59 -	45	33 34
51 37 5,919 49 9	11 6 2,135 22 4 15	40 31 3,784 27 5 24	1 3 165 3 - 2	1 81 2 -	2 84 1 - 2	2 - 46 - 1	27	2 19 - - 1	1 64 1 -	34 1 -	1 1 30 - 1	2  82 1 1 	- 49 - - -	33 1 1	35 36 37 38 39 40 41 42
2 363 14 521	175 10 236	188 4 285	15 1 11	4 -	11 1 5	7 1	- 4 - 1	3 -	15	9 -	6 - 5	8 - 10	6 -	2	42 43 44
951	489	462	16	11	5	4	1	3	3	1	2	13	7.	6	45
698 40 396 80 182 66	354 18 208 44 84 25	344 22 168 36 98 41 77	6 1 2 1 2 1 9	5 - 2 1 2 1 5	1 1 4	1 - 1 - 1 2	1 - - 1 - -	- - - 1 2	1 - 1 - 1 1	- - - - 1	1 1 - - - 1	2 - 1 1 - 4 7	2	2 - 1 1 - 2 2	46 47 48 49 50 51
2,183	1,608	575	179	121	58	3	.1	2	4	1	3	6	6	-	53
57 125 39 1,248	29 119 19 961	28 6 20 287	2 6 161	2 3 - 111	3 - 50	- 1 -	. 1	- 1 -	- 1 1	- - 1	- 1 -	1 - 3	1 3	-	54 55 56 57
665 49	452 28	213 21	7	4 1	3 2	1	1	1 -	2 -	_	2 -	1	1	=	58 59
2,223	1,266 249	957 215	58 11	39 8	19	11	6	5	38 1	20	18	32	23	9	60
464 54 114 93 108 537	37 29 60 60 357	17 85 33 48 180	2 - 2 3 11	1 2 1 9	3 1 	- 2 - 1	1 -	- 1 - -	3 5 11	2 1 6 1	1 4 5 1 -	· 2 3 2 4 —	1 2 2 2	1 2 1 - 2 -	61 62 63 64 65 66 67 68 69 70
6 1 21	3 - 7	3 1 14	- - 1			- - 1	-	1	2 - - - -	<u> </u>	-	- [	-	- - 1	68 69 70
825	464	361	28	18	10	7	4	3	16	9	7	15	13	z	71
102,519	52,451	50,068	1,642	951	691	1,108	782	326	1.223	695	528	1,307	939	368	72 73
22 1,087 249 366 45 427 3,945 420 238 1,567 887 833	7 563 107 232 22 202 1,891 227 89 713 444 418	15 524 142 134 23 225 2,054 193 149 854 443 415	1 41 7 12 - 22 37 1 3 14 13 6	1 22 3 9 - 10 18 1 1 8 5	19 4 3 12 19 2 6 8	15 4 6 - 30 - 12 10 8	5 - 5 - 17 - 6 6 5	-010 4 1 -05 13 -06 4	- 13 7 3 - 18 2 1 10 4	952 - 26 24 -	1 1 12 2 1 2 1 8	38 8 7 1 22 23 4 2 5 7	21 4 5 - 12 17 2 1 3 5	17 4 2 1 10 6 2 1 2	74 75 76 77 78 79 80 81 82 83

Table 1-25. Deaths From 281 Selected Causes, by Specified Race Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases Adapted, 1965 (ICDA). Four-digit

=	Numbers after causes of death are category numbers of the Eighth Revision 1	nternational	Ciassification	or Disease	s Adapted, 190	oo (ICDA).	rour-digit
			Total			White	
	CAUSE OF DEATH	Both sexes	Female	Male	Both sex <del>e</del> s	Male	Female
01 02 03 04 05 06	ISCHEMIC HEART DISEASE	684.066 75.446 608.620 351.662 4.503 327.722 179	386,978 34,767 352,211 220,543 2,882 163,444	297,088 40,679 256,409 131,119 1,621 164,278	623,217 62,373 560,844 325,517 3,900 253,634	354,222 28,776 325,446 205,614 2,494 146,009	33,597 235,398 119,903 1,406 147,625
08 09 10 11 12 13 14 15	OTHER FORMS OF HEART DISEASE	46.487 470 622 1.107 61 185 861 27.057 4.030	25,827 244 401 515 13 105 397 14,137	20,660 226 221 592 48 80 464 12,920 2,083	166 38,300 381 481 976 58 174 744 22,823 3,479	105 21,209 198 309 456 13 97 346 11,901 1,652	61 17,091 183 172 520 45 77 398 10,922 1,827
17 18 19 20 21 22 23 24 25 26 27	ALL OTHER FORMS OF HEART DISEASE. 423,425,429  CEREBROVASCULAR DISEASES 430-438  MITH HYPERTENSION (BENIGN) (.0)  MITHOUT MENTION OF HYPERTENSION (.9)  SUBARACHNOID HEMDRRHAGE 430  CEREBRAL THROMBOSTS 431  CEREBRAL THROMBOSTS 433  CEREBRAL EMBOLISM 434  OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES 432,435  ACUTE BUT ILL—DEFINED CEREBROVASCULAR DISEASES 432,435  OTHER CEREBROVASCULAR DISEASES 437,438	13,201 214,313 26,675 187,638 9,191 33,909 56,648 967 3,238 67,730 42,630	8,583 93,838 11,214 82,624 3,802 15,561 24,374 429 1,825 30,147 17,700	4,618 120,475 15,461 105,014 5,389 18,348 32,274 538 1,413 37,583 24,930	10,160 188,024 20,864 167,160 7,635 28,839 50,815 885 2,932 57,733 39,185	6.693 81,530 8,613 72,917 3,151 13,104 21,624 385 1,657 25,537 16,072	3,467 106,494 12,251 94,243 4,484 15,735 29,191 500 1,275 32,196 23,113
28 29 30 31 32 33 34 35	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	58,676 32,617 14,210 2,867 8,982 17,704 15,800 1,904	29,376 13,402 10,189 1,422 4,363 8,754 7,712 1,042	29.300 19.215 4.021 1.445 4.619 8.950 8.088 862	54,164 30,242 13,268 2,471 8,183 15,012 13,412 1,600	27+158 12+315 9+633 1+227 3+983 7+413 6+530 883	27+006 17+927 3+635 1+244 4+200 7+599 6+882 717
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM	117.537	74-718	42,819	104,601	66,479	38,122
37 38 39 40 41 42 43 44 45	ACUTE UPPER RESPIRATORY INFECTIONS	453 905 5,131 57,428 1,604 6,597 832 22,946 25,449	241 493 2,408 31,816 799 4,011 467 12,641 13,898	212 412 2,723 25,612 805 2,586 365 10,305 11,551	354 777 4,713 49,392 1,369 5,430 616 20,148 21,829	189 422 2,205 26,936 676 3,243 352 10,903 11,762	165 355 2,508 22,456 693 2,187 264 9,245 10,067
46 47 48 49 50 51 53 54 55 56	BRONCHITIS, EMPHYSEMA, AND ASTHMA	29.708 768 4.779 22.249 1.912 38 1.124 340 3.250 843 18,317	22,740 399 3,512 18,010 819 18 782 165 2,045 2,045	6+968 369 1+267 4+239 1+093 20 342 175 1+205 400 4+750	27,829 659 4,544 21,169 1,457 33 849 288 2,995 768 16,603	21,365 326 3,332 17,100 607 16 575 141 1,877 399 12,354	6,464 333 1,212 4,069 850 17 274 147 1,118 369 4,249
57	IX. DISEASES OF THE DIGESTIVE SYSTEM	75,094	43.775	31,319	64,401	37,449	26,952
58 59 60 61 62 63 64 65	DISEASES OF TEETH AND SUPPORTING STRUCTURES	43 7-688 3-289 3-385 1-014 598 1-066 6-746	19 4,974 1,949 2,352 673 349 663 3,006	24 2,714 1,340 1,033 341 249 403 3,740	29 6,945 2,932 3,107 906 529 847 5,861	14 4,442 1,692 2,151 599 308 524 2,552	15 2,503 1,240 956 307 221 323 3,309
66 67 68 69 70 71 72 73 74	GASTRGENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN	53 3,314 1,084 33,350 12,624 5,341 15,385 3,422 17,730	20 1,267 453 21,782 8,817 3,092 9,873 1,531 9,711	33 2,047 631 11,568 3,807 2,249 5,512 1,891 8,019	35 3,066 1,014 27,816 10,177 4,246 13,393 3,147 15,112	12 1,160 429 18,372 7,234 2,444 8,694 1,422 8,214	23 1 y 906 585 9 y 444 2 y 943 1 y 802 4 y 699 1 y 725 6 y 898
75	X. DISEASES OF THE GENITOURINARY SYSTEM	26,910	14,600	12,310	21,572	11,826	9,746
76 77 78 79 80 81 82 83 84	NEPHRITIS AND NEPHROSIS	8,336 1,224 312 6,800 6,134 699 8,740 1,589 40	4,460 709 157 3,594 2,589 327 4,921 1,589	3,876 515 155 3,206 3,545 372 3,819 	6.058 960 254 4.844 5.191 626 7.151 1.407 34 1.105	3,331 569 125 2,637 2,159 296 4,016 1,407	2,727 391 129 2,207 3,032 330 3,135
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	477		477	274		274
87 88 89	ECTOPIC PREGNANCY	46 111 60		46 111 60	25 57 40	***	25 57 40

or National Origin and Sex: United States, 1973-Con.

	Negro			Indian			Chinese	<del></del>		Japanese		see Tecnnic	Other	
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
57,741 12,575 45,166 24,634 576 32,521 10 7,855 81	30,653 5,697 24,956 13,876 366 16,409 2 4,421	27,088 6,878 20,210 10,758 210 16,112 8 3,434	870 79 791 467 18 382 3 188	536 45 491 309 14 211 2	334 34 300 158 4 171 1 78	708 129 579 322 1 385 - 41	530 86 444 247 1 282 	178 43 135 75 - 103 -	720 142 578 333 5 382  43	428 63 365 199 4 225 - 28	292 79 213 134 1 157 - 15	810 148 662 389 3 418 - 60	609 100 509 298 3 308 - 33	201 01 48 02 153 03 91 04 - 05 110 06 - 07 27 08 - 09
137 124 3 11 110 4,039 523 2,951	89 54 - 8 46 2,134 277 1,825	48 70 3 64 1,905 246 1,126	1 5 - 5 112 17 47	3 - 3 61 11 33	1 2 - 2 51 6 14	1 - - 25 - 15	1 - - - 13 - 12	12	1 - 1 23 6	- 1 - 1 12 5	- - 11 1	2 1 - 1 35 5	2 1 - 1 16 2 11	- 10 - 11 - 12 - 13 - 14 19 15 3 16 5 17
25.018 5,538 19,480 1,429 4,796 5,580 78 277 9,611 3,247	11,566 2,453 9,113 592 2,322 2,580 42 146 4,382 1,502	13,452 3,085 10,367 837 2,474 3,000 36 131 5,229 1,745	361 555 306 31 68 54 2 6 150	192 24 168 16 27 30 1 5 82 31	169 31 138 15 41 24 1 68	247 61 186 28 49 59 1 6 63 41	155 37 118 14 22 42 1 5 43	92 24 68 14 27 17 1 20 13	365 80 285 33 71 80 - 6 106	187 37 150 11 29 53 - 3 52	178 43 135 22 42 27 - 3 54 30	298 77 221 35 86 60 1 11 67	208 50 158 18 57 45 - 9 51	90 18 27 19 63 20 17 21 29 22 15 23 1 24 2 25 16 26 10 27
4,248 2,270 849 379 750 2,603 2,324 279	2,055 1,025 490 187 353 1,295 1,151	2,193 1,245 359 192 397 1,308 1,173	95 58 7 7 23 49 35	45 29 2 3 11 27 18	50 29 5 4 12 22 17 5	55 13 31 3 8 12 9	42 10 25 2 5 7 5	13 6 1 3 5 4	56 21 22 4 9 8 6	33 13 13 2 5 4 3	23 8 9 2 4 3	58 13 33 · 3 9 20 14 6	43 10 26 1 6 8 5	15 28 3 29 7 30 2 31 3 32 12 39 9 34 3 35
94 118 361 7,433 220 1,082 195 2,617 3,319	7,560 49 63 170 4,484 114 709 102 1,612 1,947	4,359 45 55 191 2,949 106 373 93 1,005 1,372	466 1 3 28 302 8 48 12 50 184	278 1 2 17 176 4 27 6 30 109	188 - 1 11 126 4 21 6 20 75	157 - 3 6 78 3 7 1 43 24	123 - 3 3 62 7 1 35	34 - - 3 16 1 - - 8 7	188 2  15 108 2 11 4 45 46	129 2 - 7 72 1 9 3 27	59 - - 8 36 1 2 1 18 14	206 2 4 8 115 2 19 4 43 47	149 3 6 86 2 16 3 34 31	57 36 2 37 1 38 2 39 29 40 - 41 3 42 1 43 9 44 16 45
1,724 103 196 992 433 5 265 46 224 57	1,252 68 148 834 202 2 200 20 148 33	472 35 48 158 231 3 65 26 76 24 453	50 4 13 26 7 - 4 2 12 11 53	38 4 9 21 4 - 3 2 6 5	12 - 4 5 3 - 1 - 6 6 25	32 - 7 23 2 - 2 - 7 1	28 -6 21 1 - 1 - 4 1 21	4 1 2 1 3 7	35 1 11 20 3 - 1 1 9 3	27 	8 1 1 4 2 - 1 - 1 - 5	38 1 8 19 10 - 3 3 3 3 27	30 1 7 18 4 - 3 1 2 2	8 46 - 47 1 48 1 49 6 50 - 51 - 52 2 53 1 55 11 56
9,821 13 673 319 253 101 64 207 847	5,789 4 474 225 180 69 39 130 431	4,032 9 199 94 73 32 25 77 416	594 1 21 13 5 3 4 6 24	339 1 16 10 4 2 1 4	255 - 5 3 1 1 3 2 11	91 21 10 9 2	71 19 10 7 2 - 1	20	78 14 8 4 2 - 2 6	46 11 6 4 1 - 1 2	32 - 3 - 1 - 1 4	109 - 14 7 7 - 1 3	81 - 12 6 6 - 1 3 5	28 57 - 58 2 59 1 60 1 61 - 62 - 63 - 64 - 65
17 235 61 5,057 2,173 1,053 1,831 221 2,426	7 99 20 3,120 1,418 625 1,077 79 1,386	10 136 41 1,937 755 428 754 142 1,040	3 7 381 249 27 105 28 119	218 146 146 14 58 16	3 3 163 103 13 47 12	1 1 30 6 4 20 13 21	1 - 24 5 2 17 8 15	- 1 6 1 2 3 5 6	- 6 1 26 8 5 13 9	- 5 - 18 5 4 9 4 5	- 1 1 8 3 1 4 5 9	1 3 - 40 11 6 23 4	1 2 - 30 9 3 18 2 25	- 66 1 67 - 68 10 69 2 70 3 71 5 72 2 73 13 74
2,180 250 55 1,875 897 68 1,504 173 6 261	2,633 1,071 130 31 910 412 27 855 173 - 95	2,456 1,109 120 24 965 485 41 649 6 166 197	117 44 6 2 36 16 1 49 3 - 4	58 23 3 1 19 4 1 26 3 -	59 21 3 1 17 12 - 23 - 3 4	46 23 4 1 18 3  16 2  2	15 3 - 12 1 1 - 12 2 - 1	15	32 13 2 - 11 12 2 4 1 - -	12 7 2 -5 1 1 1 	20	54 18 2 - 16 15 2 16 3 - -	13 2 - 11 12 1 11 3 -	14 75 5 76 - 77 - 78 5 79 3 80 1 81 5 82 - 83 - 84 - 85 2 86 - 87 - 88

Table 1-25. Deaths From 28I Selected Causes, by Specified Race [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases Adapted, 1965 (ICDA). Four-digit

			Total			White	
	CAUSE OF DEATH	Both sexes	Male	<b>Female</b>	Both sexes	Male	Female
01 02 03 04 05 06 07	ABORTIONS	36 8 11 3 14 98		36 8 11 3 14 98	15 5 2 1 7 64		15 5 2 1 7 64
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	2.022	790	1.232	1,585	626	959
10 11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	482 1,540	237 553	245 987	395 1,190	191 435	204 755
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	5+080	1,615	3,465	4,392	1,402	2,990
13 14 15 16 17	ARTHRITIS AND SPONDYLITIS	2.043 231 168 149 2.489	669 76 86 51 733	1.374 155 82 98 1.756	1+875 182 145 140 2+050	602 64 73 48 615	1,273 118 72 92 1,435
18 19	X1V. CONGENITAL ANOMALIES	14•062 592	7,559 254	6,503 338	11.850 540	6,404 226	5,446 314
20 21 22 23 24	SYSTEM	2.171 5.841 1.123 23 4.312	1.067 3.195 625 13 2.405	1.104 2.646 498 10 1.907	1,875 4,915 927 19 3,574	914 2,730 516 11 2,007	961 2,185 411 8 1,567
25	XV. CERTAIN GAUSES OF MORTALITY IN EARLY INFANCY	30,503	17,306	12,697	22,186	13,089	9,097
26 27	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	1,386	18,203 519	12,196	1.123	12,761	8,413 719
28		29,013	17,684	11,329	20,051	12,357	7,694
30 31 32 33 34	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	166,454 115,821 789 55,511 54,347 1,194	80,469 697 39,941 39,052 843	48.594 35.352 92 15.570 15.295 351	135,652 58,503 620 47,981 46,955 1,072	94,592 67,853 549 34,370 33,587 762	41,060 30,650 71 13,611 13,368 310
35 37 38 39 40 41 42 43	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER  MOTOR VEHICLE  MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIANE814  OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISIONE811,E813,E815  NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS ACCIDENTS E816-E818  MOTOR VEHICLE TRAFFIC ACCIDENT DF UNSPECIFIED NATUREE819  MOTOR VEHICLE NONTRAFFIC ACCIDENTS	20,521 8,991 6,886 9,773 6,982 1,164 293 1,725 1,668	13,824 6,274 5,491 7,702 4,918 889 177 1,561	6,697 2,717 1,395 2,071 2,064 275 116 164 261	18,309 7,011 6,105 8,408 6,050 1,026 272 1,437 1,628	12.267 4.795 4.865 6.656 4.242 783 163 1.290 1.376	6.042 2,216 1,240 1,752 1,608 243 109 147 252
44 45 46 47 49 51 52 53 54	ACCIDENTAL POISONING	5,335 2,444 1,239 1,652 16,506 4,270 662 11,574 6,503 7,152	3,571 1,526 828 1,217 8,307 2,992 296 5,019 3,895 5,983	1.764 918 411 435 8,199 1.278 366 6.555 2,608 1,169	4,356 1,973 989 1,394 15,066 3,717 623 10,726 4,780 5,403	2,923 1,222 659 1,042 7,348 2,567 273 4,508 2,870 4,471	1.433 751 330 352 7.718 1.150 350 6.218 1.910
55 56 57 58	OR SUFFOCATION	3+013 2+618 5+883 133 512	1,780 2,269 5,333 99 414	1,233 349 550 34 98	2,451 2,008 5,189 94 434	1.460 1.754 4.738 72 358	991 254 451 22 76
60 61 62 63	OR RADIATION	279 1.149 3.810 3.525 5.300	168 1,085 3,567 1,861 3,687	111- 64 243 1-664 1-613	212 1,074 3,375 3,084 4,228	129 1,018 3,161 1,627 2,914	83 56 214 1,457 1,314
64 65 66 67 68	SUICIDE	25.118 3.783 2.473 3.548 13.317 1.997	18,108 1,459 1,690 2,671 11,057	7,010 2,324 783 877 2,260 766	23,412 3,575 2,435 3,253 12,375 1,774	16,823 1,379 1,659 2,426 10,275 1,084	6,589 2,196 776 827 2,100 690
70 71 72 73 74 75	HOMICIDE	20.465 13.752 3.254 3.083	15,840 11,168 2,510 1,793	4.625 2.584 744 1.290 7	9,986 6,353 1,469 1,976 - 188	7.411 5.001 1.087 1.137	2.575 1.352 362 839
76 77	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989 INJURIES RESULTING FROM OPERATIONS OF WAR	5,030 20	3•423 20	1.607	2,733 18	2,487 18	1,246

or National Origin and Sex: United States, 1973-Con.

	Negro			Indian			Chinese			Japanese			Other		
Both sexes	Male	Female-	Both sexes	Male	Fema <b>le</b>	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
20 3 8 2 7 34		20 3 8 2 7 34	1 1 - -	:::	1 - 1		:::	11111			- - - -			. :	01 02 03 04 05
50 -	:::	50 -	1 -	:::	1 -	<u>-</u>		-	-	:::	=	1 1	:::	1 1	07 08
412 75	149	263 37	14	7 4	7	3	1	2	2	2	-	6 4	5	· 1	09 10
337	111	226	6	3	3	. 3	I	2	2	2	-	2	1	1	11
630 151 47 21 7 404	192 57 12 12 3 108	438 94 35 9 4 296	29 11 1 1 2 14	5 - - - 6	18 6 1 1 2 8	9 1 - - - 8	1 - - 1	7	10 3 1 - - 6	2 - - 1	7 1 1 - - 5	10 2 - 1 - 7	5 2 - 1 - 2	5 - - - - 5	13 14 15 16 17
2,000	1,055	945	86	39	47	19	9	10	32	14	18	75	38	37	18
260 835 176 3 682	24 133 426 100 1 371	20   127   409   76   2   311	3 12 34 9 - 28	1 4 19 2 -	8   15   7   15	1 2 10 3 - 3	1 2 4 2 -	- 6 1 - 3	2 6 14 2 8	1 4 - - 5	1 2 10 2 -	16 33 6 1 17	10 12 5 1	6 21 1 - 8	20 21 22 23 24
8,852	4,476 5,208	3,431 3,644	173 282	104	69 101	17	11	6	38 ( 27	27 13	11	182	29	83 18	25
230 8,622	100 5,108	130 3,514	26 256	11 170	15 86	1 16	11	1 5	5 22	3 10	2 12	1 46	1 28	18	27 28
28,085	21,318	6,767	1,825	1,334	491	208	151	57	249	150	99	435	315	120	29
15,332 144 6,435 6,319 104	11.162 123 4.808 4.716 69	4.170 21 1.627 1.603 35	1,405 24 816 800 13	1,031 24 579 570 9	374 237 230 4	114 - 58 54 2	92 - 45 42 1	22 13 12 1	155 1 68 67 1	100 1 41 40 1	55 - 27 27 -	912 153 152 2	231 - 98 97 1	61 - 55 55 1	30 31 32 33 34
1,687 1,732 687 1,131 778 116 16 233 28	1.351 1.304 558 867 567 92 216 23	536 428 129 264 211 24 7 17	215 198 69 194 120 16 4 17	140 142 46 147 86 9 4 17	75 56 14 47 34 7 -	16 14 9 10 3 4 - 12	13 11 6 9 2 3 - 12	3 3 1 (1 - -	32 15 5 8 6 1 - 2	18 9 4 5 3 . 1  2	14 6 1 3 3 - - 1	62 21 20 22 25 1 1 24	35 13 12 18 18 1 1 24	27 8 8 4 7 - - 2	35 36 37 38 39 40 41 42 43
890 437 222 231 1,292 491 29 772 1,644 1,587	597 286 153 158 844 372 18 454 967	293 151 69 73 448 119 11 318 677 215	68 21 25 22 73 30 6 37 61	37 8 15 14 56 27 3 26 45	31 13 10 8 17 3 3 11 16	2 2 - - 11 3 1 7 5	2 2  10 3 1 6 4	1 1 3	10 4 2 4 29 12 1 16 3	5 3 - 2 20 9 - 11 2 8	5 1 2 2 9 3 1 5 1	9 7 1 35 17 2 16 10	7 5 1 1 29 14 1 14 7 30	2 2 - 6 3 1 2 3	44 45 46 47 48 49 50 51 52 53
511 571 630 35 73	295 482 534 24 51	216 89 96 11 22	37 35 37 2 4	17 31 36 2 4	20 4 1 -	1 1 1 -	1 1 -	1 - -	7 - 12 1	5 10 -	2 - 2 1 -	6 3 14 1 1	2 2 14 1 1	4 1 - - -	54 55 56 57 58
64 70 388 409 942	36 62 361 216 676	28 8 27 193 266	1 2 28 15 109	1 2 27 8 81	- 1 7 26	1 - 6 3	1 - - 3 3	- - 3 -	1 2 8 5 8	1 2 7 2 4	- 1 3 4	- 1 11 6 10	1 11 5 9	- { -   1 1	59 60 61 62 63
1,383 149 32 199 819 184	1,075 62 26 179 684 124	308 87 6 20 135 60	160 19 4 32 94 11	123 5 4 31 76 7	37 14 - 1 18 4	53 12 - 25 7	27 7 - 12 4 4	26 5  13 3 5	67 17 2 28 10 10	31 4 1 13 7 6	36 13 1 15 3 4	43 11 - 11 12 9	29 2 - 10 11 6	14 9 - 1 1 3	64 65 66 67 68 69
10,181 7,256 1,719 1,023	8,216 6,053 1,379 606 -	1,965 1,203 340 417 -	208 95 50 58 - 5	147 76 34 32 -	61 19 16 26	23 13 6 4	16 9 3 4	7 4 3 - -	17 10 4 3	13 8 3 2 -	4 2 1 1 -	50 25 6 19	37 21 4 12 -	13 4 2 7 -	70 71 72 73 74 75
1,188	864 1	324	51 1	32 1	19	18	16	2 -	10	6 -	4 -	. 3a	18	ſ	76 77

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL GAUSES	1,973,003	55•581	3,944	2,867	2,170	1.862	66.424	7.514	8,468	22,908
02 03 04 05 06 07 08	MALE FEMALE WHITEMALE FEMALE NEGROMALE FEMALE OTHER RACESMALE FEMALE FEMALE	1,096.795 876.208 957.918 770.487 129.647 100.463 9,230 5,258	31, 986 23, 595 23, 414 16, 825 8, 043 6, 368 529 402	2.181 1.763 1.567 1.278 570 450 44	1.607 1.260 1.237 937 341 296 29	1+302 868 1+004 670 275 184 23	1.088 774 850 596 227 167 11	38.164 28.260 28.972 20.306 9.456 7.465 636 489	4,462 3,052 3,510 2,425 899 570 53 57	5, 480 2, 988 4, 389 2, 425 1, 034 518 57 45	16,723 6,105 13,865 4,987 2,574 1,084 264 114
10 11 12 13 14 15 16 17	I. INFECTIVE AND PARASITIC DISEASES	15.669 8.816 6.853 6.574 5.270 2.074 1.482 168	1+ 936 1+ 119 817 746 520 336 279 37	236 133 103 97 73 35 29	122 68 54 55 46 13 8	74 48 26 40 22 8 4	69 35 25 29 19 6 5	2,428 1,403 1,025 967 680 398 325 38 20	277 139 138 120 111 19 24	191 106 85 87 67 18 15	235 124 111 102 88 20 21 2
19 20 21 22 23 24 25 26 27	CHOLERA	- - - - - - -	-	111111111	1111111	111111111111111111111111111111111111111		-		111111111	111111111111111111111111111111111111111
28 29 30 31 32 33 34 35 36	TYPHOID FEVER	7 3 4 2 1 1 3	-	11111111	-	1 1 1 1 1 1 1		111111111111111111111111111111111111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1111111	111111111
37 38 39 40 41 42 43 44	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS	76 42 34 30 30 10 4 2	12 6 6 3 4 3 2 -	2 1 1 	2 2 1 1 1		11111111	16 9 7 4 4 5 3	1 1 - 1	11111111	11111111
46 47 48 49 50 51 52 53 54	BACILLARY DYSENTERY AND AMEBIASIS	64 34 30 28 18 5 7 1	8 1 7 1 3 - 2	1 1	2 - 2	1 1	2 - 1 1	14 3 11 2 6 1 2 -	9 3 6 3 3 -	2 2 1 1 1 1 1 1 1	1111111
55 56 57 58 59 60 61 62 63	FOOD PDISONING (BACTERIAL)	11 56 5 6	-	-		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111111111111111111111111111111111111			111111111111111111111111111111111111111	111111111
64 65 66 67 68 69 70 71 72	ENTERITIS AND OTHER DIARRHEAL DISEASES	2,322 1,068 1,254 799 1,004 247 235 22 15	690 393 297 226 161 154 131 13	82 47 35 31 27 16 7 -	27 15 12 11 9 4 3 -	15 11 4 9 2 2 2 -	11 8 3 6 2 2 1	825 474 351 283 201 178 144 13	30 12 18 10 15 2 3	11 6 5 5 1 -	18 11 7 9 5 2 2
73 74 75 76 77 78 79 80 81	TUBERCULOSIS, ALL FORMS	3,875 2,707 1,168 1,849 814 787 325 71	12 9 3 5 1 3 2 1	6 3 3 1 - 2 -	6 4 2 2 1 2 1	3 1 2 1 - 1 -	1 1	28 18 10 12 4 5 6	7 2 5 2 7 3 -	3 1 2 1 2 	9 6 3 5 3 1 
82 83 84 85 86 87 88 89	TUBERCULOSIS OF RESPIRATORY SYSTEM	3,009 2,182 827 1,467 569 664 237 51	6 5 1 3 - 1 1 1	2 1 1 1 1 -	3 2 1 1 1 1		111111111111111111111111111111111111111	11 8 3 5 1 2 2 1	1	1 - 1	4 3 1 2 1 1 1

Age, Race, and Sex: United States, 1973

				,														
20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	_
26,549	22+205	21,512	26+374	40,913	67,349	98,667	133,604	176,973	213,495	241,166	263,251	250,985	176,146	81,856	22,261	3,837	548	01
19,956 6,593 15,495 4,888 4,093 1,544 368 161	6,333 11,775 4,707 3,740	7,268 10,288 5,222 3,694	9,742 12,181 7,014 4,174	15,385 19,669 11,400	42,387 24,962 34,208 19,486 7,725 5,231 454 245	62,884 35,783 52,363 28,777 9,996 6,695 525 311	86,353 47,251 74,769 39,427 11,032 7,466 552 358	114,423 62,550 100,070 52,540 13,573 9,677 780 333	133.071 80.424 118.011 68.827 14.109 11.229 951 368	138,988 102,178 124,036 89,020 13,926 12,695 1,026 463	137,402 125,849 126,088 115,645 10,449 9,660 865 544	115,908 135,077 108,125 126,909 7,115 7,745 668 423	71,329 104,817 67,014 99,584 3,847 4,907 468 326	28,734 53,122 26,763 50,248 1,732 2,700 239 174	6,845 15,416 6,195 14,313 575 1,037 75 66	1,053 2,784 778 2,212 258 540 17 32	357 189 234 125 112 61 11	02 03 04 05 06 07 08
233 114 119 80 73 34 44	114 72 71 45	136 115 75 56 55	300 167 133 89 80 75 48 3	469 262 207 137 126 120 73 5	649 364 285 216 194 142 87 6	925 567 358 371 244 189 108 7	1.050 650 400 477 302 168 93 5	1,275 811 464 625 344 172 116 14	1.445 896 549 691 440 186 101 19	1.495 879 616 687 504 169 105 23	1.585 858 727 709 640 134 81 15	1.303 683 620 599 553 71 62 13	862 380 482 337 429 39 48 4	349 123 226 110 206 12 18 1	91 27 64 20 54 6 9 1	16 3 13 2 7 1 5	5 2 1 1 1 1 1 1 1 1	10 11 12 13 14 15 16 17 18
	- - - - - -		- - - - - -	-			-	1 1 1 1 1 1		-	-		-	11111111	1111111	1111111	-	19 20 21 22 23 24 25 26 27
-	1 1 - - - 1	-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 - 1 - 1	1 1	1 1 - 1 - - -	. 1	1 1	-	111111	-	1 - - - 1 - -	-		1111111	11111111	1	28 29 30 31 32 33 34 35 36
1	11	-	2 1 1 1 1 -	-	2 1 1 1 1 - -	7 4 3 3 3 - - 1	1 1	1 1	4 4 3 - 1 -	10 55 4 5 - 1	11 5 6 4 6 1	10 5 5 5 4 - 1 -	4 2 2 2 2 2 -	4 2 2 1 2 1 -	-			37 38 39 40 41 42 43 44
211111111111111111111111111111111111111	211111111111111111111111111111111111111		2 2	2	4 3 1 2 1 1	3 3	1 1 - 1	2 1 1 1 	6 5 1 3 1 1	3 2 1 2 1 -	6 4 2 3 1 1 - -	3 2 1 2 1 -	2 1 1 1 1	-		111111111		46 47 48 49 50 51 52 53
	1	1 - 1	-	1 1 - 1	2 1 1 1 -	1 - 1	-	3 1 2 1 2	1 1 1	1	-				-	111111	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	55 56 57 58 59 60 61 62 63
24 10 14 9 11 1 3	15 8 7 6 7	2	6 8 2 2	12 14 6 10 6	38 16 22 8 17 7 5	60 31 29 26 24 5 4	69 29 40 25 37 4 3	102 43 59 40 49 3 10	124 56 68 49 56 6 11	154 64 90 58 77 4 10 2	242 91 151 78 143 11 8 2	233 89 144 80 135 8 8	188 62 126 59 113 3 .12	97 32 65 30 61 2 3 -	25 7 18 7 18 - -	7 1 6 - 4 1 1	2 1 1 1 1 - -	64 65 66 67 68 69 70 71
21 9 12 4 4 5 6	- 1	35 28 11 7 23	66 37 24 11 40 23	118 60 41 29 76 28	246 169 77 79 48 87 26 3	358 265 93 142 54 119 36 4	407 302 105 214 76 86 28 2	455 349 106 250 72 90 33 9	484 359 125 267 95 81 26 11	481 342 139 255 106 69 31 18	420 290 130 232 108 50 20 8	329 209 120 181 103 22 15 6	190 121 69 105 61 14 7 2	45 1.8 27 14 20 3 6 1	11 5 6 3 4 1 1	2 1 1 1 - - 1	2 1 1 1 - 1 -	73 74 75 76 77 78 79 80 81
1.5 8 7 4 2 4	19 11 8 3	44 30 14 9 5 20 9	56 25 21 9 33	102 49 31	197 141 56 64 33 77 21	282 219 63 114 33 102 27 3	324 257 67 178 43 77 23 2	353 279 74 197 48 76 26 6	369 292 77 221 57 62 17 9	373 269 104 198 79 58 24 13	324 221 103 174 84 40 17 7	258 165 93 146 82 17 9 2	149 100 49 84 44 14 2	40 15 25 12 18 2 6 1	9 4 5 2 3 1 1 1	2 1 1 1 - 1	2 1 1 1 - - 1	82 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

=								<u>-</u> -			
	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	TUBERCULOSIS, ALL FORMSCON-										
01 02 03 04	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	90 52 38 32	4 3 1 2	4 2 2 2	3 2 1 1	3 1 2 1	1 1 - 1	15 9 6	6 2 4	2 1 1	4 2 2 2 2
05	WHITEFEMALE	20	1	-	1	1	-	7 3	2 2	1 1	2
06 07	NEGROMALE FEMALE	19 16	<u>1</u>	2	1 -	ī	_	3 2 3	2		-
08 09	OTHER RACESMALE FEMALE	1 2	_	_	_	=		] :	_	_	
10 11	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS014 MALE	26 14	_	-	-		-	-	-	-	1 1
12 13	FEMALEMAITEMALE.	12		_	_	_	_	_	=		ī
14 15	FEMALE NEGROMALE	7 5			-	-	-	]	l <u>-</u>	=	
16	FEMALE	5	-	-	-	ļ -	-	-	_		] - ]
17 18	OTHER RACES HALE FEMALE	-	Ξ	-	=	=	=	1 =	<u>-</u>	-	=
19 20 21	TUBERCULOSIS OF BONES AND JOINTS	35 21 14	- -	=	=	=	-	=	=	-	=
22	WHI TEMALE	14	-	-	j -	-	-	-	-	-	l I
23 24	FEMALE NEGROMALE	10	=		_	=		=	=	=	=
25 26	FEMALE OTHER RACESMALE	1	_	-	-	-	_	-	] =	_	
27	FEMALE	-	-	-	-	-	-	-	-	-	-
2B 29	DISSEMINATED TUBERCULOSIS	165 101	2 1	=	_	_	=	2	=	1	=
3D 31	FEMALE	64 50	1	<u> </u>	j -		`	ī	-	-	
32	FEMALE	24	-	-	_	-	_	=	-	] [	
33	NEGROMALE Female	43 37	1		=	=		1 1	] =	_	_ [
35 36	OTHER RACESMALE FEMALE	· 8	<u>-</u>	<b>-</b>	=	=	=	-	= :	=	=
37	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS016,017,019	550	_	_	_	_	_	_	_	_	
38 39	MALE Female	337 213	_	_	_	=	=			1	5
40 41	WHITEMALE FEMALE.	277 184	_	<u> </u>	=	_	=	:		5	_
42	NEGROMALE	50	Ξ	<u> </u>	_	_	-	<u> </u>	-	-	=
44	FEMALE OTHER RACESMALE	26 10	_	-	<u>-</u>		_ =	- :	-		=
45	FEMALE	3	-	-	-	-	-	-	-	-	-
46	PLAGUE	- i	-	-	_	_	-	-			
47 48	MALE Female		-	-	=	=	=	_ [		1	=
49 50	WHITEMALE FEMALE	-	-	-	-	-	1 -		1 -	1 1	- 1
51 52	NEGRO MALE FEMALE	-			<u> </u>	-		-	7 -	-	
53 54	OTHER RACESMALE FEMALE	-	_	_	-	-	-	-	-	-	
55	ANTHRAX	_1	_	_	_	_	_		_	_	
56 57	MALE Female	- []		-	-		1.	-			
58 59	WHITEFEMALE	-	_	-		=	-	-			-
60	NEGROMALE			-	=	·-	-	_	-	-	<b>[</b> ]
61 62	FEMALE OTHER RACESMALE	-		-		- -	-	<u>-</u>	-		=
63	FEMALE	-	-	-	-	-	-	-	-	-	
64 65	BRUCELLDSIS023	1	=	-	-	-	=	_	- ]	-	=
66 67	FEMALE WHITEMALE	1	-	-		-		- 1	_	-	
68 69	FEMALE NEGROMALE	1		-	- ,	-	-	-	=	-	=
70 71	FEMALE	Ξ1	= =	-	- 1	- 1	Ξ		=		-
72	OTHER RACESMALE FEMALE	<u> </u>	=		-	=	=	Ξ	-		=
73	LEPROSY030	1	-	<u>.</u>	,-	_	-		_	-	- 1
74 75	MALE Female	<u>1</u>	<u>-</u>	-		=	<u> </u>	<u> </u>		=	=
76 77	WHITEMALE FEMALE	1	=	-	-	-	<u>-</u>	<u> </u>	=	<u> </u>	<u> </u>
78 79	NEGROMALE FEMALE	-	-	-	-	-	1	[	-	-	
80	OTHER RACESMALE	-	-	-	-	- l		- 1	-	=	=
81	FEMALE.	-	- [	-	-	-	-	- 1	-	-	-
82 83	DIPHTHERIA	10    8	=	-	-	2	-	2 1	1	=	=
84 85	FEMALE WHITEMALE	2	-	=	_	1 1	<u> </u>	1	- 1	=	-
86 87	FEMALE NEGROMALE	2	-	=	-	<u>ī</u>	<u> </u>	1	=	-	= ]
8B 89	FEMALE.	-	-	- [	- 1	-	-	- 1	- 1	-	-
90	OTHER RACESMALE FEMALE	2	-	-	-	<u> </u>	-	= 1	= 1	<u> </u>	=
	•	• • • • • • • • • • • • • • • • • • • •	•	-	•	•	•		•	•	•

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35~39 years	40-44 years	45-49 years	50~54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	!
	<u> </u>						-									ม		
3 1 2 1 1	642123 - 1	3 2 1 1 1 1	4 3 1 1 - 2 1	5 2 1 2 -	528211211	8 4 2 1 2 1	9634122-	5 2 3 2 1   2 -	5 3 2 1 1 2 1	4 3 1 3 1 -	6 5 1 2 1 3	111111111111111111111111111111111111111	1 1 1 1 1 1 1	-	111111	11111111	111111111111111111111111111111111111111	01 02 03 04 05 06 07 08 09
11111111111	1 1	2 1 1 1 1	2 1 1 - 1 1	2 2 2	2 2 1 2 1 2 1 1	1	3 - 3 - 2 - 1	1	2 - 1 - 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 4 1 3 1 1	3 1 2 1 2 -	1 1 - - -	-		1111111111		10 11 12 13 14 15 16 17 18
111111111	1 1		1	1 - 1 - 1 - 1 - 1	111111	1 2 -	2 1 1 1 1	6 5 1 4 1 1	6 4 2 3 1 2 -	7 5 2 3 2 1 -	2 - 2	2 1 1 1 1 -	4 1 3 1 1 - 2	1 - 1 - 1 - 1 - 1	1 1			19 20 21 22 23 24 25 26 27
2 - 1	5321	9 1 8 - 1 8	4 1 3 - 1 3 -	5 4 1 2 - 2 1 -	13 5 8 1 5 3 2 1	21 12 9 5 4 7	12 11 1 5 1 6 -	9 7 2 3 - 2 2 2 C	20 15 5 7 2 8 3	22 16 6 10 2 4 3 2	15 11 4 7 1 4 3	16 10 6 7 3 1	7 3 4 3 3 - 1	3 1 2 - 2 1 -	- - - - - - -	11111111		28 29 30 31 32 33 34 35 36
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1	5 1 4 1 1 - 3	11 4 7 1 2 3 4 -	15 9 6 7 5 2 1	29 19 10 12 9 5 1	43 27 16 20 14 7 2	57 27 30 26 28 1 2	81 55 26 43 22 11 3 1	82 45 37 35 34 8 2 2	75 49 26 41 22 6 4	68 49 19 46 19 2 -	50 32 18 26 15 4 3 2	29 16 13 16 13 -	22 - 21	1 1 - 1	111111111	1111111	37 38 39 40 41 42 43 44 45
	1111111				-	-	1	1111111	-	1111111	111111111	111111111111111111111111111111111111111	1111111111	14111111	-	11111111	111111111	46 47 48 49 50 51 52 53
	111111111111111111111111111111111111111	-			-	-	-	11111111	1	-	-	-	1111111		- - - -	11111	11111111	55 56 57 58 59 60 61 62 63
1111111	111111111	-	-	-	-	1 1 - 1 - -	-		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-		111111111	111111111111111111111111111111111111111	1	man mann minm	1111111111	64 65 66 67 68 69 70 71 72
11111111	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1		111111111111111111111111111111111111111	-	111111111111111111111111111111111111111	- - - - -		1 1	marana mangan		1111111		-		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	73 74 75 76 77 78 79 80 81
111111111	11111111	1 1 1 1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.1	-	1 1	1 1 1 1 - -		1 1 - 1 - -	1111111	1 1 		-		-			82 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

- 1	Numbers after causes of death are category numbers	<del></del>	1						,	<del></del>	_
	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-1 year
Ι,	PHOOPING COUGH	5	5	_	Ì _	_	_	5	_	_	Ι.
	MALE	2	2		-	=	-	2 3	-	=	
١.	FEMALE HHITEHALE	3 2	3 2	-	l –	_	_	2	] [	-	
	FEMALE NEGROMALE	3	3 -	_	=	] =	-	3		=	
	FEMALE OTHER RACESMALE		<u>-</u>	-	<u>-</u>	[ ]	- -	<u>-</u>			
ļ	FEMALE.	- [	-	-	-	-	- :	-	-	-	
5	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER034	20	2	-	-	-	-	2	3	-	
i	MALE	8 12	1 1	_	-	-	_	1	3	=	
	HHITEMALE	7	1 1	=	-	=	_	1	3	=	1.
	NEGROMALE Female.	1	\ <u>-</u>	-	<u> </u>	<u>-</u>	-	-	_	=	1
	OTHER RACESMALE {	=		_	=		_	_	1 -		
	FEMALE					1	_	_	i -		
•	RYSIPELAS	11 4	_	1 1		[ -	=	1 1	[ ]	=	
	FEMALE WHITEMALE	7 3	_	_	-	-	_			-	
	FEMALE NEGROMALE	7	=	1		Ξ	-	- 1	=	=	
	FEMALE	-	<u> </u>	=	-	-	_	-	=	] =	
	OTHER RACESMALE FEMALE		] -	] =	=	-	_	_	] =	] =	1
										1	1
۲	RENINGOCOCCAL INFECTIONS	330 185	90 55	30 17	20 12	13	4 2	157 91	35 18	23 12	2
	FEMALE HHITEMALE	145 151	35 43	13	8	5 8 5	4 2 2 2 2	66 77	18 17 16	11	
	FEMALE	120	29	13	7	8	2	59	6	9	j
	NEGROMALE	33 22	11 6	Ι Ξ	2	=	=	13 7	9	3	
	OTHER RACESMALE FEMALE	1 3	1 -	-	-	-		1 -	_ 	ī	}
•	ETANUS	40	3	! _	-	l _	_	3		1	
•	MALE FEMALE	16 24	3	_	-	_	=	3	l <u>-</u>	1	
	WHITEMALE	11	-	-	-	-	- 1	_		-	l
	NEGROMALE	15 5	] =	Ì -	-	] =				ī	
	FEMALE OTHER RACESMALE	9	3	_	=	-	-	3 -	] =	-	
	FEMALE	-	-	-	-	-	-	-	-	_	
S	EPTIGEMIA038   MALE	4.560 2.433	805 469	41 21	19 10	7 2	7	881 511	24 12	24 13	}
	FEMALE	2+127 1+882	336 325	20 15	9	2	3.	370 354	12 10	11	
	WHITEMALE FENALE	1,665	232	12	8	5 2	2 3 2	257	9	7	] :
	NEGROMALE FEMALE FEMALE	514 444	130 98	8	3	2 -	_	143 107	2 3	2 4	
	OTHER RACESMALE FEMALE	37 18	14	-	Ξ	-		14 6	] =	=	
	•								l	ļ	l
0	THER BACTERIAL DISEASES	646 349	40 17	2	1	1	1 1	44 20	3	3 1	
	FEMALE	297 290	23 15	1 1 1	1	1	=	24 18	. 2	1 1	1
	FEMALE [	236 57	15		=			16	2	1	ŀ
	NEGROFEMALE	55	7	{ =	-	-	- 1	7	-	1	l
	OTHER RACESMALE	6	2	-	_	-	-	2 1	-	] = '	
	CUTE POLIOMYELITIS040-043	10	- 1	_	_	_ :	_		_ ا		
	MALE FEMALE	8 (	=		-	-	<u>-</u>		=	_	
	WHITEMALE	8	-	=	<b> </b> -	-	-	- '	-	]	1
	FEMALE NEGROMALE	2	-	-	=	- 1	- 1	_	=	=	
	FEMALE  OTHER RACESMALE	-	_	=	=	-	-	_	<i>-</i>		Ì
	FENALE	- [	-	-		-	-	_	-	-	
	ATE ECCEPTS OF ACUTE BOLTOWER TITE				_					.	
	ATE EFFECTS OF ACUTE POLIOMYELITIS	83 45	ļ. <u>-</u>	-	=					-	
L	FEMALE WHITEMALE	38 41	_		-	-	-	=		:	[
L	FEMALE	36	-		_				-	] [	
L	FEMALE  GTHER RACESNALE	2	-		=	-	=		-	=	
L	FEMALE	<b>-</b>	-	-	- [	=	=	=	=	=	
L	·	_	-	-	-	_ {	- 1	-	-	-	
				_		- 1	- 1	-	-	-	
	MALLPOX	-	-	_	I	- 1	1		- 1	- 1	
	MALL POX	=	-	-	-	-	=	<u> </u>	-	-	
	MALL POX	- - -	111	111	=	Ξ	Ξ	1111		=	: :
	MALLPOX	- - -	111	=	-	=	=	11111	-	=	

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	_ 	=	- -	=	- -	7111		1 - 1		1	î 1 1	-	-	=	= =	=	- 0 - 0; - 0;
		1	-	-	11111	11111	11111	1111			11111		-	-	1.	1	- 04 - 05 - 07 - 07 - 08
1 1 -	-	1 1 - 1	= =	2 1 1 1	- - -	1 1	1 1 -	1111	4 2 2 2		- 1 1	1 1 - 1	1 1 -	1 -	, <u>-</u> - - -	<u>-</u>	- 10 - 11 - 12 - 13
1 -	11111	- - -	-	1 -	1111	1	1 - -		2	1	1 -	111	1 - -	1 - - -	-	1.1.1	- 14 - 15 - 16 - 17
	1111	- - -	- - -	- - - -	1111	1111	11111	1111	1 1	1 1 1	1 1 -	2 1 1 1	5 1 4 1 4	-	-	11111	- 15 - 20 - 21 - 22 - 23 - 25 - 25 - 25
-		-	-	- - -	1111	1111	111	111	-	- - -	- - -	111		-	-	1111	- 24 - 25 - 26 - 27
13 11 2 6 2	2 1 1 1	4 4 3	6 4 2 4 2	6 2 4 1 4	6 2 4 2 4	10 6 4 5 3	7 4 3 4 3	10 6 4 6 4	6 1 5 1 4	7 1 6	1 1 1	7 4 3 3	1 1 1	1 -	-	Li fa t.	- 26 - 29 - 30 - 31 - 32 - 33
5 1	- 2	-	- - - 1	1 - - 2	3	1	4	5	1 -	1 1 - 6	- - - 5	1 - - 1	- - 1,	1 - -	- - - 1	1111	- 33 - 34 - 35 - 36
1 - - 1	1 1 - 1	- - -	1 - 1	2 - 2	1 2 - 2 1	1 - - 1	2 2 1	5 - 2	1 1 -	2 4 2 4	3 2 3 2	1 1 -	1 1	1 - 1	1 -	1111	- 38 - 39 - 40 - 41 - 42
39	1 - - 37	- - - 48	- 60	82	142	217	237	3 - - 349	- - 436	482	- - - 551	461	296	124	1 - - 29	3	- 49 - 49 - 46
18 21 13 12 5	17 20 10 13 7 7	26 22 14 14 9 8	33 27 15 20 17 7	45 37 29 22 15 14	77 65 55 42 21 23	125 92 91 61 33	125 112 100 83 25 29	203 146 162 111 39 34	255 181 206 142 47 39	262 220 210 179 51 40	279 272 232 236 44 34	235 226 204 201 26 23	125 171 107 151 16	45 79 40 74 5	8 21 4 16 4 5	1 2 1 - 2	~ 47 ~ 48 ~ 49 ~ 50 ~ 51 ~ 52 ~ 53
4 2	-	10		1 1 21 10	1 - 25	1 1 37	74	70 46	79	63	3 2 66	5 2 58	2 3 54	15	.1	-	~ 54 ~ 55
1 2	5 2 5 2 1	5 5 3 2 2 3	3 6 3 5 - 1	11 8 9 2	16 9 13 8 3	20 17 14 9 6 7	45 29 34 23 11 4	24 39 15 7	47 32 40 27 7 5	37 26 28 22 9	32 34 29 29 3 5	33 25 31 23 2	19 35 16 33 3	11 4 9 -	1 1 - -	1111	- 56 - 57 - 58 - 59 - 60 - 61
] = [		- 2 2	-	1 1 1	- - 2 -	1 3 3	2	1 1 - 1	- 1 1	- 1 -	- -	-	ī, ī	11 11	111	-	~ 62 ~ 63 ~ 64 ~ 65
	1111111	2 2 - 2	1111111	1	2 - 2	38181111		1 - -	1 1		11111111		111111111111111111111111111111111111111		111111111	111111111	- 64 - 65 - 66 - 67 - 68 - 70 - 71 - 72
İ																	J
5 4 1 3 1 1 1	8 5 3 1	5 5 4 1 1	3	11 4 7 4 7	5 1 5 - -	8 5 3 5 3 1 1 1 1	7 6 1 5 1 1	52323111	6 2 4 2 4 - - -	4 2 2 2 2 1	52323111	4 3 1 3 1 -	11111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		111111111	73 74 75 76 77 77 77 79 80
			7 7 7		1 1 1					٠.				ł 1			
	111111	11111111	633331111 1111111111	111111111	61515	111111		111111111	111111111	1.111111	1111111	111111111111111111111111111111111111111		111111111	1.11111.1	111111111	- 82 - 83 - 84 - 85 - 86 - 87 - 88 - 89

Table 1-26. Deaths From 281 Selected Causes, by [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06 07 08	MEASLES	23 16 7 13 6 3	4 4 - 3 - 1	5 4 1 2 - 2 1 -	1 1	1111111	1 - 1 - 1	11 9 2 6 1 3	4 2 2 2 2	3 3	3 1 2 1 2
10 11 12 13 14 15 16 17	YELLOW FEVER				111111111111111111111111111111111111111	1111111	11111111		13111111	1111111	111111111
19 20 21 22 23 24 25 26 27	VIRAL ENCEPHALITIS	321 169 152 143 131 26 20 -	25 17 8 13 5 4 3	13 6 7 5 6 1 1	15 8 7 8 6 	7 4 3 2 3 2 	6 3 2 1 1 2 -	66 38 28 30 21 8 7	45 21 24 20 23 1 1	45 26 19 20 18 6	31 17 14 16 11 1
28 29 30 31 32 33 34 35 36	LATE EFFECTS OF VIRAL ENCEPHALITIS	29 18 11 16 11 2		2 1 1 1		111218111	111111111	2 1 1 1 - -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	33131111	49121111
37 38 39 40 41 42 43 44	INFECTIQUS HEPATITIS	656 289 367 233 282 51 77 5	10 6 4 3 1 1	2 2 - 2	1 1	1 1	22 - 2 - 1 - 1	16 12 4 10 3 1 1	8 5 3 3 2 - 1 -	12 7 5 3 4 2	46 14 32 11 22 3 9
46 47 48 49 50 51 52 53	RABIES	1	11(11)111		111111111	111111111	111111111	111111111	11111111	111111111	11111111
55 56 57 58 59 60 61 62 63	OTHER VIRAL DISEASES045,046,051-054,056,057,061,067,068,072-079  MALE FEMALE FEMALE NEGROALE FEMALE OTHER RACESMALE	1.033 526 507 448 446 69 54 9	177 107 70 80 54 23 13 4	42 24 18 17 11 6 7	20 10 10 9 10 1	18 13 5 11 4 2 1	19 9 10 8 8 1 2	276 163 113 125 87 33 23	87 49 38 42 36 7 1	40 19 21 19 16 -	32 20 12 18 12 2 2
64 65 66 67 68 69 70 71	TYPHUS AND OTHER RICKETTSIDSES	40 24 16 22 14 2 2	111111	1111111	32121	1 1	3 2 1 2 1	75252171	10 6 4 4 2 -	52323111	22121111
73 74 75 76 77 78 79 80 81	MALARIA	7 5 2 2 2 3	- - - - -	11111111	111111111	1111111	11111111	11171111	111111111	111111111	1111111111
82 83 84 85 86 87 88 89	TRYPANDSOMIASIS	1	111111111111111111111111111111111111111			17711711	11111111	11111111	1111111	1111111	1111111111

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
2 1   1	<u>-</u>	· -	<u>-</u>	- -	-	-	-	- -	_	- -	·	<u>-</u>	- -	-	=	1111	- C
1 1 1	Ξ	- -	=	=	-	.1	-	1 1 1 1	= =	1 - I	-	-	Ι Ξ	=	=	1 –	-   6
<u>-</u>	<u>-</u>	=	= =	- I	1	-		11	=		<u> </u>		-	1 1	=	= = = = = = = = = = = = = = = = = = = =	-   C
-	=	=	=	=	-	_	- -	- 1	=	-	_	=	= =	=	-	_	- 0 - 1
=	- -	=	=	= :	1 1	111			=	; <u>-</u>	1111	-	- -	=		<u>-</u>	- 1 - 1 - 1
-	=	=	=	<u> </u>	-	-	- -	-	=	1 1 1	· ·	-	-	=	<u> </u>	-	-  1 -  1
9	16	9	- 6	13	14	11	11	16	11	7	8	- 1	1	1	. <del>-</del>		- 1 - 1
3 6 3 4	5 11 4 9	3 6 3 5	5 1 4 1	9 4 7 4	9 5 7 5	4 7 4	2 9 1 8	10 6 9 6	3 8 3 7	6 1 5	5 3 4 3	1 - 1	1	.1	-	-	- 2 - 2 - 2
2	2	1	=	2	ž -	5 - 2 -	1		<u>.</u> 1	1	1 -	-	=	-	=	-	- 2 - 2 - 2 - 2
-1	-	-	-	-	-	<b>-</b> .	-	-	· -	+.	-	-	-	-	-	-	- 2
3 1 2 -	1 -	Ē	1 1	-	1 1 -	3 1 2 1	-	4 3 1	2 2	2 1 1	1 -	.1	=	3	=	=	- 2 - 3
2	1 -		1 - -	1 1 1	1 - -	2	· _	3 1 -	2	1 1 -	1 - -	1' - -	111				- 3 - 3 - 3 - 3
-[	=	-	=	-	<u>-</u> -	Ξ	-	-	-	-	-	-	-	=	Ξ	-	- 3 - 3
36 15 21	48 23 25 17 12	30 16 14	24 10 14	38 15 23	50 17 33	57 25 32	44 22 22 19	60 28 32	56 27 29	51 19 32	43 21 22	22 9 13	12 3 9	' 2 1 1	1 1	_ _	- 3 - 3
36 15 21 12 14 3	6	11 3 5	11 4	12 15 3	12 26 4	22 26 2	16 2	26 27 2	21 27 6	18 30 1	19 22 2	7 11 1	3	1 1 1	<u>ī</u>	-	- 4 - 4
-	12 1	10	2 - 1	7 - 1.	6 1 1	6 1 -	5 1 1	· 5	1	2	11	. 1		-	_ =	- 	- 4 - 4
1	-	-	-	-	-	<u>-</u>	_ _ _	- -	- !	_ 	- : <b>-</b>		- -	-	-		- 4 - 4
1	-	=	=	1			- -	-	-	-		- - -	-	1 1 +	-	<u> </u>	- 4
=	=	=	=	=	=	= 1	- -	1 -	<u>-</u>	, _	111	<u>-</u> ·	Ξ	-	-	=	1 5 - 5 - 5
29	21	17	13	26	28	32	41	40	47 27	54 30	64 27	79	58	31	14 3	3	1  5
15 14 14	. 10 11 7 10	9 8 7 7	5 8 5 8	11 15 7 12	14 14 10 9	15 17 15 14	25 16 20 12	22 18 20 17	20 23 18	24 27 21	37 26 35	34 45 34 43	21 37 21 37	6 25 6 · · · 25	11 2 11	3 - 3	1 5 - 5 - 5 - 5
14 14 13 1	1	2 	=	3 2 1	5	3	5 3 -	1 1 1	4 2 -	3 3 -	1 2 -	2	- - -	-	1 - -	- -	- 6 - 6 1 6
-	-	1 -	2	. 1		2	1 -	- 1	2	- 3	- 2 .	-	· -	-	 1	-	- 6: - 6:
1	111111	-	22 - 2 - 1	1 1 - 1	1	1 1		1 1	1 1 1	32121 - 1	1 1 1	1111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 - 1	1111111111	- 66 - 66 - 66 - 66 - 67 - 77
=	-	=	<u> </u>	=	1	-	- -	 1 - -	-		- -	<u> </u>	-	-	1		- 61 - 70
=	=	=	-	] <u>-</u>	-	=		•	-		Ξ			Į Į	=	- 1	=  7
3 2 1	-	=	=	= =		1 1 -	1 1 -	· -	=	111111111	.1	- <u>-</u>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1		<u> </u>	-  71 -  74 -  75
3 1 1 2	1111111	1111111	1111111		1 1 -	1	1 1 - 1			=	1	111111111	=	1	111111111	1111111	77 77 77 77 77 77 77 78 80 80
=	-	=	] =	]	1		-	-	-	=		-		=	= = =	=	
=	-[	1 1	=		<u>-</u>	. <u>-</u>	<u>-</u> [	-   -	-	. <u>-</u> [	-	-   -	=	<u>-</u>	<u> </u>	<u>-</u>	- [83 - [83
-	•	1 1	1	11111111	111111111111111111111111111111111111111	1111111	-	1111111	1111111	- - - - - -				111111111			- 83 - 84 - 84 - 84 - 86 - 86 - 86 - 86
-	. =	=	=		=		- -	=	-	. <u>-</u>	-	=	=	-	=	=	- 86 - 89

Table 1-26. Deaths From 281 Selected Causes, by

_	Endmoers after Causes of death are category intimoers	or the English		1	1	TITLE LIVE	UI DISCI	aco, nuap		(ICDA).	FOUT-MET
	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	RELAPSING FEVER	_	_	· _	_	_	_	_	İ _	<u> </u>	l <u> </u>
02 03	MALE Female	<u>-</u>	-	-	_	<u>-</u>	-	-	-	-	-
04	WHITEMALE	=	-	=	=	=	-	=	-	-	-
05 06 07	FEMALE NEGROMALE FEMALE	<u> </u>	] <u>-</u>	=	<u>-</u>	=	- -	=	=		-
08	OTHER RACESMALE	=		=	=	-	ļ <u>-</u>	=	-	-	] =
09	FEMALE		_	_			1	_	-		l - l
10 11	SYPHILIS AND ITS SEQUELAE	393 265	9	-	_	_	-	9	-	2 2	:
12 13	FEMALE WHITEMALE	128 146	5 3 1	<u> </u>	_	_	=	5 3	=		-
14 15	FEMALE NEGROMALE	67 116	1	=		_	=	1	] =	=	-
16 17	FEMALE OTHER RACESMALE	58 3	4 -	_	_	_	=	4 -	_ =	=	-
18	FEMALE	3	-	-	-	-	-	-	-	-	-
19 20	CONGENITAL SYPHILIS	13 5	9		_	<u> </u>	_	9		1 1	<u> </u>
21 22	FEMALE	8	5 3	_	=	-	Ξ,	5 3	-	1	
23	FEMALE	2	1	=	-	-	· -	1	-	-	-
24 25	NEGROMALE FEMALE	1 6	4	-	-	_	_	4			
26 27	OTHER RACESMALE FEMALE	-	-	_	-	-	=	=	=	] =	_ [
			1		1				1	1	[
28 29	EARLY SYPHILIS, SYMPTOMATIC091	_ [			<u>-</u>	-	j <u>-</u>	-			=
30 31	FEMALE WHITEMALE		=	-	-		-		=		:
32	FEMALE NEGROMALE	-	_	-	=	_	=	-	l <u>-</u>		
34	FEMALE.	-	_	ļ -	-	· -	-	<u> </u>	<u>-</u>	-	-
35 36	OTHER RACESMALE FEMALE	-		Ξ	=	-	<u> </u>		] =		=
37	ANEURYSM OF ADRTA, SPECIFIED AS SYPHILITIC	29	-	-	-	<i>-</i>	-	-	-	1	-
38 39	MALE Female	16 13	=	_	_	_	] =	-	] =	1	] [
40 41	WHITEMALE Female	7	_	-	=	_	_ =	Ξ	Ξ	1_	-
42 43.	NEGROMALE FEMALE	8 7			_	_		-	-	-	-
44 45	OTHER RACESMALE FEMALE	1		-	_	-	_	_	_		:
46	OTHER CARDIOVASCULAR SYPHILIS	189	_	l <u>-</u>	_	_	_	_	_		_
47 48	MALE Female	130 59	-			_		_ [	=	-	:
49 50	WHITE	68 31	=	<u>-</u>	_	<u> </u>	<u>-</u>	_	-	-	:
51 52	NEGRO MALE FEMALE	61 28		-	=	=	-	1 .	-		l <u>-</u> 1
53 54	OTHER RACESHALE FEMALE	1	_	-	_	-	-	-		-	- 1
24	FCMALE**	-	_	_	_	_	_		_	_	-
55 56	TABES DORSALIS094.0	26 23	-	=	=	_	-	-	-	-	-
57 58	FEMALE	3 20	=	=	=	=	=	=			31
59	FEMALE	. 2		-	-	-		-	-		
60 61	NEGROMALE FEMALE	1		=	Ξ.		-	-	_		
62	DTHER RACESMALE FEMALE	1 -	_	_		-	-	-	-		
64	GENERAL PARESIS094-1	26	-	-	_		-	_	- ;	~	
65 66	MALE FEMALE	13 13	_	=	-	-	-	-	_ [	1 -	
67 68	WHITEMALE FEMALE	9 10		-	-	-	-	=			
69 70	NEGROMALE Female	3	-	_	Ξ	-	-	=	_	1	_ [
71 72	OTHER RACESMALE FEMALE	-	_	=	-		-		-		
-		1									
73 74	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM	76 54	=	_	-	-	=		-		=
75 76	· FEMALE NHITEMALE	22 28	Ξ	-	-	ΞΙ	ΞΙ	ΞΙ	=	Ē	<u> </u>
77 78	NEGRUMALE	12	-	=	-	-	=	=	-	- 1	-
79	FEMALE	26 8	[	-		=	. <i>-</i>	- 1	-	-	3
80 81	OTHER RACESMALE	2		=	=	<i>-</i>	-	-	=	=	=
82	ALL OTHER SYPHILIS	34	-	-	_		-		_		- 1
83 84	MALE Female	24 10		-	-	-	=	=			=
85 86	WHITEMALE FEMALE	10		• =	-	-		: l	<u>-</u>		-
87 88	NEGRO	14	-	=	-	-	, <u>-</u>	<u> </u>		=	
89	OTHER RACESMALE	5 - 1	=		-	=	· <u>-</u>	<u> </u>	=		=
	renace	T   1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65≁69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
111111111111111111111111111111111111111		-		11,11,111	11111111	-	1111111	1111111	111111111		1114111	1111111	,	111111111	111111111111111111111111111111111111111	11111111	- 0 - 0 - 0 - 0 - 0
1 1 -	-	1 - 1 - 1 - 1 1	3 1 2 - 1 1 - 1	3 1 2 1 -	321 - 21	19 13 6 3 4 10 2	35 25 10 6 5 18 5	59 41 18 25 12 15 5	71 55 16 31 7 24 9	75 53 22 30 14 23 8	- 61 39 22 25 15 13 6	28 18 10 13 3 5	17 10 7 7 1 3 6	4 1 3 - 2 1	2 - 2	i filjiti.	- 0 - 1: - 1: - 1: - 1: - 1: - 1:
1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 - 1	-		1111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111	111111111	1111111	11111111	111111111		1 - 1	111111111	1111111	11111111	- 19 - 20 - 21 - 23 - 23 - 25 - 25 - 26 - 27
1111111	1111111			111111111111111111111111111111111111111	111111111		111111111		111111	1111111	11111111		. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11111111	11111111		- 25 - 29 - 31 - 33 - 33 - 34 - 35 - 36
11111111	11111111	-	-			1 1 - 1	2 1 1 - 1 1	2 - 1 - 1	9632241	4 2 1 1 1	4 2 2 1 1 1	2 2 - 2 - 2	2 1 1 1 1	1	11111111	111111111	- 31 - 36 - 35 - 40 - 41 - 43 - 44 - 45
11111111	111111111	111111	1 - 1	2 - 2 - 2	2	9 6 3 2 2 4 1	17 14 3 3 2 10 1	28 22 6 13 5 9	33 25 8 13 2 12 6	41 26 15 14 8 12 7	92 19 13 11 9 8 4	17 12 5 9 1 3 4	5 1 3 1 1	1	1	111111111111111111111111111111111111111	- 46 - 47 - 48 - 49 - 51 - 52 - 53
11111111	1111111111	11811811		11111111	3,11111111		2 1 1 1 - -	2 2 1 1 1	6 4 2 4 1. -	661611111	7 - 6 - 1 -		22 2	1 1 - 1		11111	- 55 - 57 - 58 - 59 - 60 - 61 - 62 - 63
111111111	11111111	111111111111111111111111111111111111111		11111111	1 - 1 - 1	1	4 4 2 - 2 -	642222	4 3 1 	2 2 2 1 1 1	3 2 1 2 1 	2 2 - 2	2 2 1 1	1 - 1	11(11111	111111111111111111111111111111111111111	- 64 - 65 - 66 - 67 - 68 - 69 - 70 - 71 - 72
	- - - - - -	111111111111111111111111111111111111111	2 1 1 - 1 - 1	1 1 - - -	11111111	5 4 1 4 -	8 4 - 2 4 2	15 10 5 6 3 4 1 -	12 10 2 5 1 5	18 16 2 8 2 8	7 3 4 3 1	6 4 2 4 - 2 - - -	211111111111111111111111111111111111111	11111111	11111111	1	- 73 - 74 - 75 - 76 - 77 - 78 - 79 - 80 - 81
1111111	11111111	1111111	111111	111111111111111111111111111111111111111	11111111111	2 2 - 2 2	2 1 - 1 1	63331-2-1	7 7 4 3	4 3 1 1 2 -	8 6 2 2 1 4 -	1 1 - 1 - 1	321   21   -		1 - 1	-	- 82 - 83 - 84 - 85 - 86 - 87 - 88 - 89 - 90

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	Total	Under I year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06 07	GONOCOCCAL INFECTIONS	11 5 6 4 3	1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 111111	1 1	-	11111	1 1
08 09 10 11 12	OTHER RACESMALE FEMALE SCHISTOSOMIASIS120 MALE FEMALE	3	. <u>.</u>	-	- -	-	-	1 1 1 1 1 1	- - -	11 111	111
13 14 15 16 17 18	WHITEALE FEMALE NEGROALE FEMALE OTHER RACESAMALE FEMALE	3-	17.11	-	-			11111	1131	111111	1111
19 20 21 22 23	HYDATIOOSIS	4 1 3 1	1 1 1	1 <del>-</del> -		1111		11311		11111	11111
24 25 26 27	NEGROMALE FEMALE OTHER RACESMALE FEMALE	1 1	1111		-			1 1 1 1	111	111	4113
28 29 30 31 32 33 34 35 36	FILARIAL INFESTATIONS	1 1	1111111	111111111	11111111	11111111	111111111	111111111	111111111		1117117111
37 38 39 40 41 42 43	ANCYLDSTOMIASIS	111111	1111111	1111111	11111111	11111111	11111111	1111111	111111111111111111111111111111111111111		1111111
45 46 47 48 49 50 51 52 53	FEMALE.  OTHER HELMINTHIASES	14 7 7 5 5 2	2 1 1 1 1	2 1 1 - 1 1 1 1	111111111	- 1 1 1 -	1 1 - 1	7 4 3 3 2 1 1	1 111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 111111111
55 56 57 58 59 60 61 62 63	OTHER INFECTIVE AND PARASITIC DISEASESREMAINDER DF QOO-136 MALE FENALE PENALE FENALE FENALE FENALE FORDMALE FENALE FENALE FENALE FENALE FENALE FENALE FENALE FENALE	1.060 567 493 420 331 134 158 13	41 26 15 20 7 5 7 1	5 3 2 3 1 -	5 2 3 2 2 1	1 1	3 3 - 3	55 35 20 29 10 5 9 1	9 7 2 6 1 1	13 10 3 8 1 1	16 11 5 9 5 1
64 65 66 67 68 69 70 71 72	II. NEOPLASMS	356,068 193,770 162,298 171,699 145,436 20,762 15,990 1,309	182 86 96 76 81 9 12 1	197 109 88 94 75 14 10	233 122 111 100 94 21 14	237 149 88 135 70 13 17 1	264 165 .99 142 89 19 10 4	1.113 631 482 547 409 76 63 8	1,162 653 509 571 431 77 73 5	1,078 623 455 537 373 82 76 4	1,445 866 579 757 489 103 83 6
73 74 75 76 77 78 79 80 81	HALIGNANT NEOPLASHS, INCLUDING NEOPLASHS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	351.055 191.320 159.735 169.544 143.235 20.490 15.646 1.286 854	134 68 66 59 57 8 7	180 100 80 86 67 13 10	217 116 101 96 86 19 12 1	221 139 82 126 68 12 14	251 157 94 135 84 18 10	1,003 580 423 502 362 70 53	1,089 617 472 538 398 75 69 4	1,003 578 425 500 345 74 74 6	1,377 824 553 720 465 99 81 5
82 83 84 85 86 87 88 89	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	7,822 5,553 2,269 4,810 2,018 700 241 43 10	-	2 1 1 1	1 - 1		1 - 1	4 2 2 2 2	5 3 2 2 2 1	10 4 6 3 4 1 2	16 10 6 8 2 2 4

Age, Race, and Sex: United States, 1973-Con.

	т———			7	<del></del>							<del></del>	<del> </del>		Appendix	<del></del>		
20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 уелгэ	75~79 years	80-84 years	85~89 years	90-94 years	95-99 years	100 years and over	Not stated	
1	1	1	_	1	_	1	_	_	2	1	_	1	_	_	_	_	_	01
_ ī	ī	-			_	1 -	] =	] =	2	ī	] =.	1 -	-	_	-	ľ :	-	02 03
ī	ī	-	] =	1	_	1	-		2	_	=	=	=	· -	_ =	-	<u> </u>	04 05
=	_ =	1	] =	_	] =	] =	· =	[ =	<u>-</u>	ī	[ =	1 -	[ =	=	[ ]	= 1	=	06
=	] =	] =	] =	] =	=	] =	] .=	=	_	] =	] =	_	] =	] -	] :			08
1 1	-	1 1	1 1	_	_	_	_		-	-	-	-	-	-	_	_	-	10
1	=	- 1	1	-	=	_	<u> </u>	<u>-</u>	=	=	ÌΞ	=	}	] E	=	·-	=	11 12 13
	<u>-</u>	=	]	-	_	-	_	=	_	_	<u> </u>		] =	=			_	14 15 16
	i <u>-</u>	_	-	=	_	! =	_	-	=	1 =	<u> </u>	_	=	-	-	-	-	16
] -	-	-	-	-	-	] -	-	] -	-	-	] -	_	-	-	] -	-	-	iá
-	=	1 1	-	] =	_	1 -	=		1 -	1 -		=	=	] =		_	=	1.9 20
] -	-	ī	] =	] =	_	1 -	_	] =	1 -	1 -	] =		] =	] =	] =		_	19 20 21 22 23 24 25 26 27
<u> </u>	<u>-</u>	=	=	=	=	1 - -	-	-	=		=	_	] =	-		_	=	23
-	=	ļ <u>-</u>		=	=	=	<u> </u>	=	- 1	1 - -	-	=	=	=	_	-	=	25
	_	]	_	_	_	_	_	_		_	_	1	-	_	_	_		]
	- 1	<u> </u>	-	-	_	=	-		_	-		<u>i</u>	-	-	-	Ξ.	=	28 29 30 31 32 33 34
[ -	=	_	=	_	=	[ -	=	_	=	[ ]		r	[ -	-		-	-	31
] -]		} =	l -	] =	j -	] =	_ =	_	-	  -	] =	=	_	] =	_	]	_	33
[ = [	_		[ =	[ ]	[ -	=	} =	=	=	[ =	_	-	{ -	-	-	=	-	35 36
-	=	-	-	<u>-</u>	-	_	-	-	_		-	`-	-	-	-	-	-	37
	_ :	-	=	]	=	=	=	]	=	=	-	=	=	=	1.1	=	=	38 39 40
=	- 1	-	=	-	-	-	=	=	}		=	<u>-</u>	=	-	-	=	-	41
-	_	_		-	-	_	-			-	=	<u> </u>	<u> </u>	-		_	-	41 42 43 44
-	- !	-	- :	-	- :	-	-	-	-	-	-	-	[ -	- 1	- [	-	-	45
[ -	1	1 1	=	=	Ξ	1 1	2 1 1	=	1 1		=	-	=	=	=	=	-	46 47 48
] =1	1	ī		-	=	1	- i			-	Ξ,	-	=	· -	=	=		49 50
:	7 1	=	-	-	=	_	ĩ -	_	_	-	-	_	=	-	-	1	-	51 52 53
-		=	_ :	-	-	-	-	- 1	- 1	-	=	-	=	_	_	]	-	53 54
35 16	38 20	40 21	43 22	52 28	75 33	88 40	104 57	91 54	97 45	89 51	95 55	60 35	32 13	21	6	1	-	55 56
19 19	18 8	19 8	21 12	24 16	42 24	48 28	47	37 39	52 32	38 43	40 47	25 30	19 13	11 10 11	3 3 3	1	= =	57 58
7 6	7 1	9 12	10	11 11	23 9	31	44 33 12	20 14	46	33	34 7	24	15	10	2	-	=	59 60
12	12 11 ~	9 1	12	13 1	19	12 17	14 1	16 1	9 6 4	5 1	6 1	1 -	4 -	-	1.	1 1	-	61 62
-	-	1	-	•	-	•	-	1	_	_	-	-	-	-	-	-	-	63
1,582	1,916	2,700 1,218	4,598 2,003	8,481 3,775	17.041 7,983	26,704 13,410	37,021 20,079	46,851 27,173	52,329 30,807	50+370 29+258	44, 901 . 24, 866	33,024 17,284	17,179 8,377	5,402 2,310	1,000 380	134 ·		64 65
612 857	883 936	1,482 1,061	2,595 1,721	4,706 3,163	9,058 6,633	13,294 11,242	16,942 17,379	19,678 23,826	21,522 27,360	21, 112 26, 106	20, 035 22, 683	15,740 16,025	8,802 7,794	3,092 2,123	620 332	84 31	16	66 67
524 102	746 92	1, 234 137	2,142 267	3,872 579	7,679 1,281	11,473 2,067	14,945 2,583	17,505 3,189	19, 256 3, 214	191001 21956	18,622 2,045	14,833 1,155	8+347 527	2,910 166	567 41	65 17	13 (	68 69
80	126 5	230 20	416 15	780 33	1,315 69	1,739 101	1,886 117.	2,099 158	2,169 233	2,022 196	1,319 138	848 104	426 56	167 21	51 7	19 2	-	70 71
8	41	18	37	54	64	82	111	74	97	89	94	59	29	15	2		ľ	72
1,519 936 583	1,846 1,003 843	2,591 1,172 1,419	4,455 1,940	8,292 3,694 4,598	16,724 7,840 8,884	26,346 13,232 13,114	36,557 19,837 16,720	46,287 26,869 19,418	51.725 30.484	49,800 28,953	44, 383 24, 628	32,628 17,115 15,513	16,961 8,291	5,326 2,283	977 375	132 49	20	73 74
828 501	908 715	1,022	2,515 1,665 2,082	3+099 3+789	6,507 7,541	11,085	17,171 14,751	23,557	21,241 27,075 19,010	20,847 25,850 18,774	19,755 22,469 18,365	15,866	8,670 7,713 8,227	3,043 2,097 2,864	602 328 550	83 30 64	14	75 76 77
98 74	90 117	131	260 399	563 756	1,265	2,047	2,549 1,859	3,155 2,062	3,180 2,134	2,912	2,025	1,147	522 415	165 164	40 50	17 19	6	78 79
10	11	19 18	15 34	32 53	68 63	100	117 110	157 73	229 97	191 87	134	102 58	56 28	21 15	7 2	2 -	- i	80 81
20	14	30 17	58 39	186	462 338	814 585	1,114 789	1,249 916	1,228 895	959 727	674 469	537 358	301 171	113	25	3	<u>-</u> [	82
16 4 12	8 6 5	13	19 28	132 54 87	338 124 241	229 465	325 675	333 806	333 796	232 654	469 205 438	358 179 340	171 130 166	61 52 60	13 12 13	3	- J	83 84 85
4 3	3 3	9·	15 9	36 44	93 91	189 116	279 112	311 108	306 90	211	196	165	125	51	12	3	- [	86 87
1	3	3 4	3 2	17 1	31 6	40 4	45 2	21 2	25 9	21 11	8 -	13 1	. 4	<u> </u>	-	=	= l	88 89
-1	- I	il	1	1 1	I	- 1	1	īj	ž l	1	1 1	ĩ l	1	- }	<b>–</b> J	- 1		90

Table 1-26. Deaths From 281 Selected Causes, by

Cause of death, race, and sex	†otal	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15- yea
MALIGNANT NEOPLASMS, ETCCON. MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNXCON.				-						
OF LIP140	181	_	-	_	-	_	-	-	_	
MALE FEMALE	161 20	-		-		-	-	_	-	ŀ
WHITEFEMALE	157 16	_	<u>-</u>		_	-	5		=	
NEGRO MALE FEMALE	4	] -	] -	-	=	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	-	=	-	}
OTHER RACESMALE	] [	<u> </u>	<u> </u>	-	_		-		-	
FEMALE	1			-	-			ļ	_	1
OF TONGUE	1,873 1,305	_	_	_	] =	=	=	[ =	[ -	
FEMALE WHITEMALE	568 1.120	-	_	_	=		-		=	
FEMALE NEGROMALE	506 179	-		_	=	-	1 1		٠, ٠	
FEMALE	62	-	:	<b>}</b> -	] -	-	-	-	· -	{
OTHER RACESMALE Female	6 -	=	-	-	] =	_ =		=	=	
OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY142-145	2,304	-	1	-	-	-	1	-	4	
MALE FEMALE	1,507	_	1 -	_	=		1 -	]	3	
WHITEFEMALE	1.308 733	-	1 -	=	_		1	] [	2	
NEGRONALE	191	1 -	-	<u>-</u>	_			-	1	1
FEMALE OTHER RACESMALE	60	-	· -	=	۱ -	\ - '	_	_	] =	-
FEMALE	4	-	-	-	-	-	_	-	-	ļ
OF PHARYNX	3,464 2,580	_	1 -	1		1 -	3 1	5 3	6	
FEMALE	884 2,225	-	1	1	=	1 -	2	2 2	5	ł
WHIYEFEMALE	763	-	1	-	-	1	2	2	3	
NEGROMALE	326 115	<u> </u>	=	=			] [	1 -	z	
DTHER RACESMALE FEMALE	29 6	=	_	_		-	:	:	] =	1
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM150-159 MALE	96+549 51+070	15 10	12	3	3	2 I	35 26	12 7	14 8	
FEMALE WHITEMALE	45,479 44,875	5 9	3	3	2	1	23	5 3 5	6	
FEMALE	40,748	4	3	=	1	1	8	5	1 4	
NEGRO	5,697 4,454	1	1 -	] -	-	=	3 1	1 -	1 2	
OTHER RACESMALE FEMALE	498 277	-	-	-	_	_	5		[ ]	ŀ
OF ESOPHAGUS150	6,491	_	] _	] _	Ì -	] _	] _	] _	] _	1
MALE Female	4,768 1,723	_ =	_		_				_ =	ŀ
WHITE MALE FEMALE	3,577 1,333	=		-		] -		_		
NEGRO MALE	1,148	i –	l -	=		=	3	=	_	1
FEMALE OTHER RACESMALE	386 43	=	-	-		-	-	-	_	
FEMALE	4	-	-	-	_	_	-	-	-	
GF STOMACH	15,198 9,178	] =	] =	1 1	] =	] =	1 1	] =	2	}
FEMALE WHITEMALE	6,020 7,701	_	=	ī	=	=	ĩ		1 1	
FEMALE NEGROMALE	5,161 1,340	_	-	=	=	-	-	_	1	ł
FEMALE	779	_	=	-		<u>-</u>	-		-	
OTHER RACESMALE FEMALE	137 80	] =	] =	-	=	] =	] =	-	] =	
OF SMALL INTESTINE, INCLUDING DUODENUM152	635	-	-	-	-	-	-	-	1	1
MALE Female	330	] =	] =	] =	-	] <u>-</u>	=		] -	
WHITEMALE Female	302 257	_	_	-	-	-			1	
NEGROMALE FEMALE	25 45	=	=	=	=		] =	=	[ =	1
OTHER RACESMALE	3 3	=	=	=	=	_	]	-	-	
FEMALE	l				] -	-	ĺ		ŀ	
DF LARGE INTESTINE, EXCEPT RECTUM	37,745 17,285	3 2	=	=	[ -	-	3 2	1 ~	3 2 1	1
FEMALE WHITEMALE	20,460 15,899	2 1 1	_	] =	] =		I 1	1 -	1 2	1
FEMALE NEGROMALE	18,720 1,274	1	_			<u>-</u>	1 1	1 -	1 -	
FEMALE OTHER RACESMALE	1,668	-	_			-	11	~	-	
UTHER RACESMALE FEMALE	72	=	=		[ =	-	-	-	[ =	[
	4,262	_	-	-	_	_	-		1	
CECUM, APPENDIX, AND ASCENDING COLON	1,796	_	_		=	_	1	-	ī	1
MALE				i .	١ –	\ <b>-</b> '	-		[ ]	1
HALE FEMALE WHITEMALE	2,466	ነ -	) <u> </u>	] _			_			
MALE FEMALE WHITEMALE FEMALE NEGRONALE	2,466 1,659 2,291 128	] =	=	_	:	_		-	1 -	
MALE FEMALE WHITEMALE FEMALE	2,466 1,659 2,291	<u> </u>	_	-	-	' - I				<u>.</u>

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
1 1 - 1	1 - 1 - 1 1	1 1	1 1	2 2 2 2 1 1 1 1 1 1	3 3 - 2 - 1	10 10 	11 10 1 10 - - 1	26 24 2 23 2 1 -	28 27 1 26 1 1	25 20 5 19 4 1	30 26 4 26 4 	22 19 3 19 3 	9 7 2 7 1 -	9 8 1 8 1 -	2 2 - 2		11111	01 02 03 04 05 06 07 08
211111	2 1 1 1	7 2 5 2 4 - 1 -	853322L-	47 30 17 20 9 10 8	101 77 24 56 14 21 10	217 153 64 119 54 33 10	267 187 80 154 70 31 10 2	323 238 85 209 76 29 9	283 209 74 186 71 21 3 2	217 161 56 142 51 18 5	163 117 46 108 45 9 1	139 78 61 74 58 4 3	69 37 32 36 32 1	22 7 15 7 15 - -	4 1 3 1 - -	1 - 1	-	10 11 12 13 14 15 16 17
55   5     1   1	4 2 1 2 1 -	9 4 5 2 3 2 1	13 7 6 5 5 2 -	52 35 17 26 13 9 4	109 74 35 50 29 24 6	194 134 60 105 51 28 9	281 186 95 156 87 30 8 -	328 238 90 212 88 26 2	358 231 127 200 115 28 11 3	323 234 89 211 81 19 8	226 135 91 126 87 9 3	195 114 BI 105 74 9	135 69 66 67 65 2 1	51 27 24 26 24 1 -	15 8 7 8 7 - -	1 - 1 - - -	-	19 20 21 22 23 24 25 26 27
12 9 3 5 3 1	7 5 2 3 1 2 1	13 10 3 4 2 2 1 4	36 26 10 19 8 5 2 2	85 65 20 39 14 25 5 1	249 184 65 133 50 45 15	393 288 105 231 84 55 21	555 406 149 355 122 51 26 -	572 416 156 362 145 52 10 2	559 428 131 384 119 40 11 4	394 312 82 282 75 24 7 6	255 191 64 178 60 13 4	181 147 34 142 30. 4 3	88 58 30 56 27 2 2	31 19 12 19 11 - 1	4 2 2 2 2 2	1 1 - - - -		28 29 30 31 32 33 34 35 36
114 69 45 50 35 17 6 2	174 74 100 64 80 9 19	346 199 147 160 116 34 29 5	680 361 319 269 257 68 57 4	1,384 779 605 621 479 147 114 11	3,182 1,828 1,354 1,460 1,107 345 228 23	5,670 3,246 2,424 2,679 2,000 527 403 40 21	8,703 5,030 3,673 4,285 3,118 701 524 44	12,035 7,042 4,993 6,049 4,361 930 606 63 26	14.376 8.128 6.248 7.090 5.536 939 678 99	15, 125 8, 100 7,025 7, 153 6, 313 877 685 70 27	14, 627 7, 263 7, 364 6, 634 6, 783 570 530 59 51	11,533 5,327 6,206 4,975 5,844 311 335 41	6+207 2,709 3,498 2,530 3,325 154 165 25	1,893 710 1,183 663 1,128 40 46 7	349 115 234 102 218 9 16 4	40 15 25 10 20 5	10 1 8 1 2	37 38 39 40 41 42 43 44 45
111111	5 3 2 3 1 1	8 3 5 2 1 4 -	31 20 11 9 3 11 7 -	109 82 27 37 10 44 17	318 250 68 135 28 113 40 2	673 494 179 328 112 165 65	884 668 216 453 145 209 71 6	1,128 858 270 630 206 221 64 7	1+053 809 244 638 201 165 43 6	839 615 224 505 184 103 40	665 479 186 412 169 60 16 7	426 283 143 248 130 33 13	263 160 103 138 100 19 3	74 36 38 33 37 2 1	9453517	3 1 2 1 1 -	3 - 2 - 1	46 47 48 49 50 51 52 53
13 5 8 2 5 2 1 1	33 14 19 13 15 - 3 1	77 39 38 26 27 11 10 2	145 83 62 65 48 16 12 2	248 159 89 129 67 27 19 3	542 352 190 271 138 76 46 5	838 553 285 430 225 111 55 12	1,261 842 419 684 320 145 99	1,708 1,172 536 936 437 223 91	2.151 1.416 735 1.167 606 226 121 23 8	2,340 1,432 908 1,192 776 222 124 18	2,379 1,351 1,028 1,181 918 151 94 19	1.955 1.028 927 937 853 76 67 15	1,136 579 557 532 520 39 35 8	308 129 179 117 168 11 10	50 16 34 13 33 2 1	6332211-	1 1 1 -	55 56 57 58 59 60 61 62 63
3 1 2 1 1 - - 1	4 4 1 1 1 1	6 3 3 3 1 - 2	8 5 3 5 2 1	21 12 9 10 8 2 1	35 19 16 19 11 - 4	41 20 21 19 18 1 3	72 35 37 30 32 5	61 35 26 32 22 2 4 1	119 67 52 60 43 6 9	86 47 39 41 33 5 6	81 40 41 37 35 3	60 26 34 25 30 1 3	29 17 12 17 12 - -	4 1 3 1 2 -	1 - 1	11111111	1.1 1 1 1 1	64 65 66 67 68 69 70 71 72
50 30 20 20 16 10 3 -	82 35 47 39 38 2 9	138 80 58 66 49 13 8	259 123 136 100 118 22 17	486 228 258 200 217 25 37 3	1,119 501 618 449 533 49 78 3	1,959 914 1,045 823 890 84 149	3,082 1,490 1,592 1,361 1,417 123 168 6	4,403 2,242 2,161 2,048 1,944 179 208 15	5+413 2+631 2+782 2+405 2+501 204 272 22	5, 970 2, 891 3, 079 2, 646 2, 834 225 241 20	6, 065 2, 665 3, 400 2, 485 3, 172 168 215 12	4,994 2,061 2,933 1,944 2,775 105 153 12	2,674 1,040 1,634 989 1,551 45 79 6	842 281 561 268 544 12 16 1	169 51 118 46 107 2 11 3	14 3 11 2 9 1 2	3	73 74 75 76 77 78 79 80 81
8 2 6 2 5 - 1 -	8 1 7 1 5 - 2 -	9 5 4 4 1 -	22 12 10 10 7 1 3	40 20 20 18 19 2 1	97 57 40 51 34 6 5 -	173 86 87 77 75 8 11	274 141 133 130 117 11 16	424 203 221 191 203 12 17	543 263 280 237 247 25 33	729 320 409 285 388 32 21 3	750 290 460 270 435 18 25 2	649 234 415 227 394 7 21	391 124 267 122 257 2 10	120 30 90 28 86 2 3	24 8 16 6 14 1 2 1	11111111		82 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	Ţotal	Under 1 year	l year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
н	ALIGNANT NEOPLASMS, ETCCON. OF LARGE INTESTINE, EXCEPT RECTUMCON.										
	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES153.1	1,186	-	-	_	_	_	-	-	_	1
	MALE FEMALE	526 660		=	=	=	<u>=</u>	=	=	=	1 -
	WHITEMALE	484 605	-	-	ļ -	-	-		-	_	1
	NEGROMALE Female	38 51	=	_			_		_ =	=	_
	OTHER RACESMALE FEMALE	4.	=	=	-	=	=	_ =	=	=	_
	DESCENDING COLON153.2 MALE FEMALE	972 463 509	=	-	=	=	= =	=	=	] :	_ =
	WHITEMALE	428	l –	-	-	=	<u> </u>	<u> </u>	=	1 -	]
	FEMALE NEGROMALE	470 32	_ =	-	-	-	-	-	] -	] =	] =
	FEMALE OTHER RACESMALE FEMALE	38 3 1	=	=	= =	<u>=</u>	<u> </u>	<u>-</u>	=	=	] =
	SIGNOID COLON	4,442	=	_	- -	-	-	=	-	1 1	1 1
	FEMALE	2,348	-	-	_		l –	-	_	-	-
	WHITEMALE FEMALE NEGROMALE	1.942 2.184	] =	=	=	=	-	=	=	1 -	1
	FEMALE	138 156	:	_	_	_	-	=	-	-	_
İ	OTHER RACESMALE	14 8	_	_	_		=	=	=	] [	=
	LARGE INTESTINE (INCLUDING COLDN), PART UNSPECIFIED153.8	25,103	3	-	_	-		3	-	1	12
1	MALE FEHALE	11,601	2	_	ľ <u>-</u>	-	<u> </u>	2 1	=	1	9
	WHITEMALE FEMALE	10,634 12,257	1 1	_ =	=	-		l ī	l <u>-</u>	1	5
	NEGROMALE	889	1	-	_	-	-	1	-	_	4
	FEMALE OTHER RACESMALE	1,193 78	=	=	<u> </u>	=	<u>=</u>	=	=	] =	1
	INTESTINAL TRACT, PART UNSPECIFIED153.9	52 1,780 805	=	-	=	=	<u> </u>	=	1 -		-
	FEMALE	975 752	_	_	-	-	] [	<u> </u>	1		
	FEMALE	913	_	-	-	-	1 -	-	1	-	-
	NEGROMALE FEMALE	49 59	- '	=	=	_	=	-			7
	OTHER RACESMALE FEMALE	3	_	<i>=</i>	=	] =	=	=	] =	<i>-</i>	=
	OF RECTUM AND RECTOSIGMOID JUNCTION154	9,821 5,424	_	_	<u> </u>	=	=	=			1 1
	FEMALEWHITEMALE	4,397	<u> </u>	-	=	=	_	_	-	_	
	FEMALE	3,994		_	-	-	_	] [	=		:
	NEGROMALE	413 387	l –		=	=	=	=	=	=	'
	OTHER RACESMALE FEMALE	48 16	_	-	<u> </u>	<i>-</i>	= 1	=	=	=	:
	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY	2,270.	11	11	1	. 3	2	28	10	6	
	MALE FEMALE	1,465 805	8 3	8	1 1	3	2 1 1	21 7	7 3	4 2	
	WHITEMALE FEMALE	1,153 695	8	3 7 3	<u>ī</u>	2	1 1 1	19 7	1 3	3	
	NEGROMALE	252 96	=	3 1 -		1	-	2	3 4 	1 2	
	OTHER PACESMALE FEMALE	60	_	-	-	_	-	-	-		-
	OF GALLBLADDER AND BILE DUCTS	14 4,273	1			_	_	1			
	MALE FEMALE.	1,545	_	_	=	=	-		<u>-</u>		
	WHITEMALE	1,433	1 - -	=	-	=		1 ~	=	_	
	FEMALE NegroMale	2,520 96	-	-	=	-	<u>-</u>		-	:	
	FEMALE OTHER RACESMALE	177 16	1 -	_	_	_	- -	1	<u>-</u>		:
	FEHALE	31	_	-	-	-	-	-	-	-	
	OF PANCREAS	18,653 10,380		= .	<u> </u>			_ :	1		
	FEMALE	8,273 9,259		_				-	1 -	1 -	1
	FEMALE NEGROMALE	7,393 1,052	- 1		-	7			1	-	-
	FEMALE OTHER RACESMALE	827	=	-	- +	-	-	5		-	
	OF PERITONEUM, RETROPERITONEAL TISSUE; AND UNSPECIFIED	53	= ]	-	-	-	_			t 1	-
	DIGESTIVE ORGANS158,159	1,463	-	1	1	-	-	2	-	2	
	MALE FEMALE	695   768	-	1 -	1 -	-		2 -	-	1 1	
1	WHITEMALE	588 675	_	1	1	-	=	2		î 1	
	NEGRO MALE FEMALE	97 89	_	-	_	=	-	=	-	-	-
	OTHER RACESMALE	10				[		<u> </u>			_
	FEMALE	4		-							

Age, Race, and Sex: United States, 1973—Con.

20-24 years	25~29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	-65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
1	3 1 2 1 1	8 7 1 7 1 	844341	22 10 12 8 12 1	30 14 16 13 12 1	47 22 25 19 21 3 4	110 50 60 46 53 4 6	133 69 64 65 54 4 9	160 77 83 67 76 10 7	167 70 97 67 96 2 1	183 73 110 67 101 5 8	167 74 93 70 88 3 5	106 43 63 40 59 3 3	35 10 25 10 24 -	4 1 3 - 2 1	1	- - - - -	01 02 03 04 05 06 07 08
3 3 - 1 - 2	3 2 1 2 1 	6 3 3 3 3	4 2 2 2 2 -	13 6 7 6 6 1	33 13 20 12 17 1 2	47 20 27 19 24 1 3	89 45 44 41 40 3 4	111 54 57 50 53 4 4	157 78 79 73 71 5 8	150 74 76 67 70 7 6	140 61 79 56 74 4 5	128 61 67 58 65 3 2	59 26 33 23 30 2 3 1	23 13 10 13 10 -	6 2 4 2 4 - -	111111	- - - - -	10 11 12 13 14 15 16 17
4 2 2 1 2 1 -	3 1 2 1 1	14 4 10 4 9 - 1	23 9 14 8 13 1 1	46 16 30 15 27 1 3	122 47 75 41 66 4 7	225 104 121 92 100 9 20	334 162 172 150 156 12 16	503 255 248 236 229 17 19	665 319 346 295 316 23 28 1	722 374 348 346 320 26 27 2	755 337 418 317 409 19 13	580 271 309 253 295 16 14 2	321 136 185 128 181 7 4	102 46 56 44 54 2 2	20 9 11 9 11 -	1 - 1		19 20 21 22 23 24 25 26 27
33 22 11 15 8 7 2 -	60 28 32 26 28 2 4	92 55 37 44 30 10 6	190 90 100 73 86 17 13	342 167 175 144 142 21 29 2	790 351 439 315 378 35 59	1,391 639 752 578 641 58 107	2,137 1,017 1,120 923 990 89 124	3,046 1,571 1,475 1,421 1,318 137 150 13	3,675 1,779 1,896 1,631 1,703 130 186 18	3, 938 1, 936 2, 002 1, 773 1, 821 150 178 13	3, 931 1, 788 2, 143 1, 662 1, 980 119 155 7	3.189 1.300 1.889 1.220 1.780 71 104	1,654 655 999 620 939 31 57 4	506 159 347 152 337 6 10	100 26 74 25 67 7 1	10 3 7 2 6 1 1	3 - -	28 29 30 31 32 33 34 35
1 1	5 2 3 2 1	9634221 	12 6 6 4 6 2	23 9 14 9 11 - 3 -	47 19 28 17 26 2 1	76 43 33 38 29 5 4	138 75 63 71 61 4 2	186 90 96 85 87 5	213 115 98 102 88 11 10	264 117 147 108 139 8 8	306 116 190 113 179 3 9	281 121 160 116 153 5 7	143 56 87 56 85  2	56 23 33 21 33 2	15 5 10 4 9 - 1 1	2 - 2 - 2 - -		37 38 39 40 41 42 43 44
12 6 3 5 1	11 4 7 1 5 3 2	36 20 16 17 14 3 2	62 31 31 26 26 5 5	135 79 56 68 46 10 10	285 161 124 146 111 13 12 2	523 297 226 259 195 35 31 3	883 519 364 470 313 46 51	1,192 710 482 657 436 47 44 6	1,462 855 607 764 540 79 65 12	1,528 850 678 772 610 72 63 6	1+466 825 641 771 590 47 46 7	1,242 619 623 590 593 26 29	694 335 359 317 342 16 17 2	237 94 143 87 138 4 5	44 15 29 12 26 3 3	5 2 3 1 3 1 -	1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	46 47 48 49 50 51 52 53
13 8 5 8 5	13 5 8 5 4 - 4	14 9 5 5 5 2 - 2	30 17 13 9 7 4	40 24 16 15 16 8 -	93 59 34 37 30 18 2 4 2	153 107 46 69 39 29 6 9	262 184 78 128 60 46 13	324 216 108 161 92 46 16	389 266 123 214 108 40 12 12	347 221 126 192 105 20 20 9	270 159 131 138 105 18 6	179 113 66 107 59 6 5	67 27 40 24 37 3	19 12 7 10 6 2 1	63333111			55 56 57 58 59 60 61 62
3 2 1 1 1 1 -	2 2 2 - 2	11 5 6 5 6 -	8 2 6 2 5 1	49 23 26 19 20 4 5 -	85 34 51 28 43 47 2	222 89 133 80 110 8 19 1	308 135 173 126 156 7 13 2	494 198 296 185 265 12 30 1	590 224 366 204 341 15 20 5	764 269 495 255 455 12 35 2	797 288 509 268 475 10 29 2	550 168 382 159 370 9 11	299 91 208 85 203 5 4 1	70 14 56 14 51 - 2	17 2 15 1 15 1 -	2 1 1 1 1 - -	- 6 - 6 - 6 - 7	64 65 66 67 68 69 70 71
10 8 2 6 2 1 1	17 10 7 7 7 7 3	42 33 9 30 7 3	121 74 47 67 37 7 9 -	266 157 109 130 82 25 24 2	659 423 236 354 198 64 37	1,185 734 451 637 380 91 68 6	1;823 1;087 736 971 622 112 109 4	2,546 1,517 1,029 1,326 890 181 133 10	2,987 1,763 1,224 1,555 1,099 191 119 17 6	3,019 1,661 1,358 1,459 1,213 198 141 4	2,727 1,385 1,342 1,283 1,225 95 106 7	1+948 944 1+004 890 944 47 51	951 426 525 396 504 25 20 5	300 131 169 122 159 8 7 1	42 21 21 21 21 	7 4 3 2 1 1	1   7 -   7 -   7 -   7 -   8	73 74 75 76 77 78 79 80
10 9 1 9 -	7 3 4 2 4 1	14 7. 6 6 1	16 6 10 6 9  1	30 15 15 13 13 2 1	46 29 17 21 15 8 2	76 96 38 34 31 3 7	128 70 58 62 53 8 5	179 94 85 74 69 19 16	212 97 115 83 97 13 17	232 114 118 91 103 20 15	177 71 106 59 94 10 12 2	179 95 94 75 90 8 3 2	94 64 32 56 2 4 -	39 12 27 11 23 1	11 3 8 3 7 -	3 1 2 - 2 1	- 8 - 8 - 8 - 8	82 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	†otal.	Under 1	1 year	2 years	3 years	4 years	Under 5	5-9 years	10-14 years	15-19 years
			year	<u> </u>	-	<u> </u>		years			
01	MALIGNANT NEOPLASMS, ETCCON.  MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	79,335	4	3	1	1	į	10	5	17	21
02 03 04 05 06 07	MALE FEMALE WHITEMALE FEMALE NEGROMALE NEGROMALE	62,717 16,618 55,783 15,007 6,611	1 3 1 3	3 -	1 -	1 - -	1 -	6 4 6 3	2 3 2 2	11 6 9 4 2	13 8 9 8 3
08 09	FEMALE OTHER RACESMALE FEMALE	1.505 323 106	= =	=	=	=	-	1 - -	. 1	-	1
10 11 12 13 14 15	OF LARYNX	3,044 2,656 388 2,290 338 352 50	-	111111	-		111111		377	-	111111
17	OTHER RACESMALE FEMALE	14	=	=	-	=	=	=	=	] =	=
19 20 21 22 23 24 25 26 27	OF TRACHEA; BRONCHUS, AND LUNG	74,933 59,187 15,746 52,721 14,239 6,164 1,404 302	4 1 3 1 3 - -	1	1	1 1	1 1 - - - - -	8 4 4 3 - 1 -	2 1 1 1 - -	7 5 2 4 2 1	16 11 5 6 5 2 1
28 29 30 31 32 33 34 35 36	OF OTHER PARTS OF RESPIRATORY SYSTEM	1+358 874 484 772 430 95 51 7	1111111	2 2	111111111		111111111	2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1 2 1 1 	10 6 4 5 2 1 2	52313111
37 38 39 40 41 42 43 44 45	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE YISSUE, SKIN, AND BREAST	40.341 4.957 35,384 4.623 32,285 318 2,988 16	12 8 4 7 3 1 	6: 1 5: 1 4 - 1	10. 4 6 2 6 2	8 3 5 3 5 1 1 1	12 5 7 5 7	48 *21 27 18 25 3	56 23 33 23 23 23 - 9	150 75 75 71 58 4 15	259 161 98 144 82 17
46 47 48 49 50 51 52 53	DF BONE	1,840 1,069 771 962 686 105 81 2	1	1 1		2   2   2   1   1	1	1 8 2 6 2 6	27 15 12 15 10 10	110 55 55 52 43 3 10	1 178 114 64 101 55 13 8
55 56 57 58 59 60 61 62 63	OF CUNNECTIVE AND OTHER SOFT TISSUE	1,519 783 736 702 643 78 91	85353111	5 1 4 1 3 -	64222211	1. 1. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 4 7 4 7	35 16 19 14 18 2 1	27 8 19 8 12 - 7	33 17 16 16 11 1 5	56 32 24 28 19 4
64 65 66 67 68 69 70 71	OF SKIN	4,839 2,812 2,027 2,704 1,947 99 77 9	3 2 1 1 - 1	11111111	1	1	1.	5 3 2 2 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	582821111	23 15 8 15 6 -
73 74 75 76 77 78 79 80 81	OF BREAST	32,143 293 31,850 255 29,009 36 2,739 2	-	11111111		1111111		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1	1 2 1 2 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2 2 1 1 1 1
82 83 84 85 86 87 88 89	MALIGNANT NEOPLASMS OF GENITAL ORGANS	42,591 19,864 22,727 16,911 19,538 2,877 3,061 76	-	53232	33 3	3 2 1 1 1 1	1 1	12 9 3 8 2 1	95452-2	16 4 14 3 12 1 2	103 607 43 599 32 1

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
32 18 14 15 10 2 4	79 45 34 37 32 8 - - 2	201 125 76 102 67 21 8 2	727 507 220 420 102 85 36 2	1,818 1,252 566 1,020 470 224 93 8 3	4, 439 3, 160 1,279 2,605 1,080 536 192 19	7,365 5,543 1,822 4,564 1,601 952 212 27 9	10,684 8,258 2,426 7,145 2,175 1,077 234 36	13,514 10,919 2,595 9,705 2,389 1,164 198 50 8	13.913 11.525 2.388 10.472 2.189 995 186 58	11,594 9+674 1,920 8,837 1,743 791 163 46	8, 216 6, 670 1, 546 6, 185 1, 442 455 92 30	4,469 3,464 1,005 3,242 949 196 47 26	1,726 1,225 501 1,146 477 69 19	418 253 165 225 148 23 14 5	68 36 32 31 29 4 2	15 - 8 7 4 6 3 1 -	4 01 3 02 1 03 2 04 1 05 1 06 - 07 - 08 - 09
1111111	1111111111	4 4 3 1 -	15 9 6 7 6 2 - -	71 52 19 38 11 14 8	151 132 19 103 14 29 5	288 244 44 187 33 55 11 2	465 387 78 324 68 60 10	542 476 66 408 61 65 5	512 446 66 400 62 44 4 2	412 376 36 331 30 43 6 2	288 262 26 241 25 19 1	189 172 17 159 17 13	91. 83 8 77 8 6 - -	14 11 3 11 3 - -	2 2 - 1 - 1'	11111111	- 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18
18 12 6 9 2 2 4 1	50 29 21 22 19 7 - 2	185 112 73 92 64 19 8 1	692 483 209 401 171 80 36 2	1,702 1,172 530 958 445 206 83 8	4,201 2,972 1,229 2,457 1.041 497 182 18	6,969 5,224 1,745 4,315 1,538 884 198 25	10,059 7,755 2,304 6,720 2,070 1,004 217 31	12,797 10,325 2,472 9,189 2,280 1,089 184 47	13.233 0.958 2.275 9.963 2.085 939 177 56	11.015 9,185 1,830 8,407 1,665 736 152 42	7.785 6,329 1.456 5,874 1.358 427 86 28	4.180 3,231 949 3,023 897 182 43 26	1.569 1,113 456 1,041 433 62 18	371 226 145 200 130 21 12 5	57 31 26 28 23 2 2	13 6 7 3 6 3 1	4 19 3 20 1 21 2 22 1 23 1 24 - 25 - 26 - 27
14 6 8 6 8 - -	29 16 13 15 13 1	12 9 7 3 1 	20 15 5 12 5 3 -	45 28 17 24 14 4 2	87 56 31 45 25 10 5	108 75 33 62 30 13 3	160 116 44 101 37 13 7	175 118 57 108 48 10 9	168 121 47 109 42 12 5	167 113 54 99 48 12 5	143 79 64 70 59 9 5	100 61 39 60 35 1 4	66 29 37 28 36 1	33 16 17 14 15 2 2	936261	2 2 1 - - 1	28 - 29 - 30 - 31 - 32 - 33 - 34 - 35 - 36
232 135 97 126 88 9	321 140 181 128 151 12 29	618 158 460 148 394 10 63	1,060 151 909 146 765 5 134	1,830 220 1,610 202 1,381 18 217	3,290 328 2,962 397 2,608 19 344 2	4,345 412 3,933 380 3,522 29 392 3	4.898 478 4,420 440 4,021 36 382 2	4,935 492 4,443 462 4,093 30 341	4.950 545 4.405 498 4.030 44 365 3	4, 359 517 3, 842 483 3, 541 31 291 3	3, 745 461 3, 284 435 3, 119 25 164	2,793 315 2,478 301 2,365 14 110	1,642 226 1,416 217 1,361 9 54	645 81 564 77 532 3 32	139 17 122 16 108 -	26 1 25 1 18 - 7	- 37 - 38 - 39 - 40 - 41 - 42 - 43 - 44
103 74 29 70 28 4 1	38 26 12 21 10 5 2	29 20 9 17 7 3 2	23 17 6 15 5 2 1	43 21 22 18 17 3 5	67 39 28 33 24 6 4	97 53 44 44 33 9 11	132 93 39 80 31 13 8	157 98 59 90 54 8 5	211 115 96 102 90 13 6	207 123 84 113 79 9 5	190 90 100 85 94 5 6	124 58 66 51 63 7 3	66 43 23 41 22 2 1	26 12 14 11 13 -	4 3 1 2 -	1 1 1 1 1 1 1	- 46 47 - 48 - 49 - 50 - 51 - 52 - 53 - 54
37 22 15 17 12 5	48 37 11 32 8 5	42 33 9 28 9 5	57 32 25 31 22 1 3	61 24 37 19 35 5 2	101 51 50 46 42 4 8 1	125 59 66 53 55 6 11	151 75 76 66 70 8 5	140 75 65 69 55 6	165 81 84 70 71 11 13	144 82 62 72 52 9 9	127 61 66 59 63 2 3	102 45 57 44 55 1 2	52 26 26 24 26 2	15 7 8 6 7 1 1	1	1111111	- 55 - 56 - 57 - 58 - 59 - 60 - 61 - 62 - 63
63 39 24 39 24	119 77 42 75 41 2	168 100 68 99 65 1	165 100 65 98 62 2 1	297 166 131 157 129 9 2	381 222 159 214 153 7 6 1	426 278 148 266 145 9 3	484 273 211 264 202 8 9	478 281 197 271 162 10 15	519 311 208 293 202 16 6 2	433 268 165 257 156 10 9	472 269 203 254 196 14 7	367 188 179 182 170 6 9	275 147 128 144 126 3 2	119 59 60 58. 58 1 2	36 13 23 13 23 -	3 - 3	- 64 - 65 - 66 - 67 - 68 - 70 - 71 - 72
29 	116 116 92 23	379 5 374 4 313 1 58	815 2 813 2 676 - 129	1,429 . 9 1,420 8 1,200 1 208	2,741 16 2,725 14 2,389 2 326 -	3,697 22 3,675 17 3,289 5 367	4.131 37 4.094 30 3.718 7 360	4.160 38 4.122 32 3.802 6 311	4.055 38 4.017 33 3.667 4 340	3,575 44 3,531 41 3,254 3 268	2, 956 41 2, 915 37 2, 766 4 148	2,200 24 2,176 24 2,077 - 96 - 3	1,249 10 1,239 8 1,187 2 51	485 482 2 454 1 28	98 3 95 2 82 - 13	23 1 22 1 15 - 7 -	- 73 - 74 - 75 - 76 - 77 - 78 - 79 - 80 - 81
209 147 62 139 47 5 14	268 141 127 138 94 1 30	374 86 288 82 215 3 65 1	563 79 484 77 365 2 110	956 72 884 64 698 7 172 1	1,737 112 1,625 87 1,328 24 284 1	2,626 307 2,319 243 1,944 64 361	3,312 699 2,613 551 2,279 142 318 6	4,567 1,521 3,046 1,188 2,567 329 465 4	5.721 2.585 3.136 2.101 2.710 472 411 12	6, 273 3, 481 2, 792 2, 868 2, 430 600 354 13	6, 496 4, 071 2, 425 3, 481 2, 184 578 234 12	5,361 3,680 1,681 3,310 1,541 359 139	2,892 2,046 846 1,846 785 196 59	898 627 271 560 244 62 26 5	163 113 50 91 48 22 1	26 17 9 9 7 7 2	7 82 2 83 5 84 1 85 4 86 1 87 1 88 - 89

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	Total	Under 1 year	l year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	MALIGNANT NEOPLASMS, ETC.—CON. MALIGNANT NEOPLASMS OF GENITAL ORGANS—CON.		ļ								
01 02 03 04	OF CERVIX UTERI180  WHITEFEMALE NEGROFEMALE OTHER RACESFEMALE	6,041 4,613 1,369 59	=	- - -	-	- -	111	- - -	1 1 -		7711
05 06 07 08	OF OTHER PARTS OF UTERUS	5,733 4,880 828 25	= =	1 1 -		-	1111	1 1 -	1111	117	5 5
09 10 11 12	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT	10,002 9,212 746 44	- - -	1 1 -	-	1	111	2 1 1	3 1 2	13 11 2	37 26 10 1
13 14 15 16	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS184 WHITEFEMALE NEGROFEMALE OTHER RACESFEMALE	951 833 118	· - -		- - -	-		1	1111	1 1 -	1 1 -
17 18 19 20	OF PROSTATEMALE  NEGROMALE OTHER RACES., MALE	18,830 15,970 2,794		- - -	=	111		1111	2 2 -	2 1 1	5 5 - 1
21 22 23 24	DF ALL OTHER AND UNSPECIFIED MALE GENITAL DRGANS186,187  WHITEMALE  NEGROMALE OTHER RACESMALE	1,034 941 83	- - -	3 - -	3 3 -	2 1 1	1 1 -	9 8 1	3 3 1 1	5	55 54 1
25 26 27 28 29 30 31 32	MALIGNANT NEOPLASHS OF URINARY ORGANS	15.877 10.601 5.276 9.829 4.777 708 472 64 27	7523121	11 9 2 7 2 2	14 6 8 5 5 1 3	13 5 8 5 6 2	16 11 5 8 4 3	61 36 25 28 18 8 7	54 26 28 23 21 3 7	25 12 13 11 8 1 5	10 6 4 4 2 -
34 35 36 37 38 39 40 41 42	OF BLADDER	9.179 6.410 2.769 5.956 2.457 427 296 .27	1	1 1	1 1	1 1	1	5 - 3 - 2	44141111	111111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
43 44 45 46 47 48 49 50	OF DTHER AND UNSPECIFIED URINARY ORGANS	6.698 4.191 2.507 3.873 2.920 281 176 37	6 4 2 3 1 1 1	10 8 2 7 2 1	13 5 8 4 5 1 3	12 4 8 4 6 - 2	15 10 5 7 4 3	56 31 25 25 18 6 7	50 22 28 19 21 3 7	25 12 13 11 8 1	963432
52 53 54 55 56 57 58 59 60	MALIGNANT NEDPLASMS OF OTHER AND UNSPECIFIED SITES190-199  MALE FEMALE FEMALE NEGROMALE PEMALE OTHER RACESMALE OTHER RACESMALE	34,495 17,678 16,817 15,561 14,961 1,975 1,753 1,42	49 21 28 21 25 	69 38 31 32 26 5	101 50 51 40 43 9 6	91 58 33 51 31 7 2	83 45 38 39 31 6 7	393 212 181 183 156 28 23	294 152 142 126 110 24 30 2	239 126 113 101 92 23 19 2	256 138 118 123 91 15 24
61 62 63 64 65 66 67 68	OF EYE	320 147 173 134 164 10 9	111111111	1111111	97242211	2 1 1 1 -	5 1 4 1 2 - 2	16 9 7 6 5 2 2	7 5 2 3 2 1 -	211111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
70 71 72 73 74 75 76 77	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	8,311 4,650 3,661 4,329 3,403 305 242 16 16	38 19 19 19 18 -	60 35 25 29 22 6 3	81 39 42 33 34 6 -	82 52 30 46 28 6 2	72 43 29 37 25 6 4	333 188 145 164 127 24 16	256 128 128 108 98 19 28	198 102 96 83 80 18 15	182 95 87 88 66 7 18
79 80 81 82 83 84 85	DF THYRDID GLAND	972 315 657 279 593 30 60 6	-	-				111111111111111111111111111111111111111	11111111	1111111	1111111111

Age, Race, and Sex: United States, 1973-Con.

		<u> </u>		1	,						<del></del>	<del>_</del>	<del></del>	<del></del>		-		_
20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	. 55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
15 10 5	57 36 20	187 130 50 7	275 194 76 5	413 289 116 8	633 466 161 6	765 567 190 8	678 542 131	742 559 178 5	634 487 142 5	574 438 133 3	450 364 82 4	352 298 54	186 165 20	61 51 9	13 12 1	2 1 1 -	3 3	01 02 03 04
21 12 8	22 18 3	31 24 7	49 38 10	90 68 19	194 140 53 1	353 286 65 2	558 471 80	785 628 155	925 779 143 3	908 784 123	777 702 73 2	597 542 54	291 269 22	104 92 12	16 16	5 4 1	1	05 06 07 08
24 23 1	44 37 6 1	65 57 7 1	149 128 18 3	365 333 29 3	769 702 61 6	1,143 1,045 94 4	1,323 1,221 98 4	1,431 1,308 116 7	1,459 1,339 113 7	1,183 1,091 88 4	1+026 966 59 1	594 573 21	279 262 16 1	80 77 3 -	12 11 -		1 1 -	09 10 11 12
2 2 -	4 3 1	5 4 1	11 5 6	. 16 8 8	. 29 20 9	58 46 12	54 45 9 -	88 72 16	118 105 13	127 117 10	172 152 20	138 128 10 -	90 89 1 -	26 24 2 -	9 9 - -	2 2 - -	- - -	13 14 15 16
2 1 1 	1 1 -	3 3 - -	4 - -	10 8 2 -	61 42 19 -	245 188 57	645 502 138 5	1,474 1,154 316 4	2,527 2,053 462 12	3,419 2,815 591 13	4, 025 3, 442 571 12	3,639 3,275 354 10	2,015 1,820 191 4	621 555 61 5	112 90 22	16 9 6 1	2 1 1.	17 18 19 20
145 136 4 3	140 138 - 2	83 79 3	75 73 2 -	62 56 5	51 45 5 1	62 55 7	54 49 . 4	47 34 13	58 48 10 -	62 53 9 -	46 39 7 -	41 35 5 1	31 26 5 -	6 5 1 -	1 - -	1 -	1111	21 22 23 24
18 9 7 8 2 1	23 13 10 12 10 1	43 28 15 26 12 2 3 -	88 60 28 55 25 5 3	185 131 54 119 48 10 6	469 321 148 288 123 30 23	815 572 243 506 203 59 39 7	1,352 966 386 864 331 98 50 4	1,908 1,337 571 1,234 514 98 57	2,379 1,674 705 1,531 620 131 81 12	2, 493 1, 741 752 1, 625 672 105 76 11	2,499 1,642 857 1,549 809 85 45 8	1.936 1.191 745 1.140 706 44 35 7	1+077 622 455 602 431 16 21 4	371 183 188 175 176 7 11	62 26 36 26 35 -	8 4 3 · 3 1 1	1	25 26 27 28 29 30 31 32 33
4 2 2 1 2 1	4 3 1 3 1	10 5 5 5 4 - 1	19 14 5 13 4 1 1	44 31 13 29 12 1	119 87 32 79 22 7 9	298 203 95 178 69 23 25	575 412 163 360 135. 52 27	913 679 234 621 205 56 29	1.363 1.029 334 939 275 87 57	1,549 1,147 402 1,064 344 77 56 6	1,668 1,175 493 1,104 459 65 31 6	1,433 944 489 905 458 36 29	801 490 311 476 290 12 18 2	314 159 155 151 144 7 10	49 19 30 19 29 - 1	5 1 4 1 3 - 1	1	34 35 36 37 38 39 40 41 42
14 7 7 6 6 1 1	19 10 9 9 1 - -	33 23 10 21 8 2 2	69 46 23 42 21 4 -2	141 100 41 90 36 9 5	350 234 116 209 101 23 14 2	517 369 148 328 134 36 14	777 554 223 504, 196 46 23 4	995 658 337 613 309 42 28 3	1.016 645 371 592 345 44 24 9	944 594 350 561 328 28 20 5	831 467 364 445 350 20 14	503 247 256 235 248 8 6 4	276 132 144 126 141 4 3	57 24 33 24 32 - 1	13 7 6 7 6	3 3 - 2 1 -	11111	43 44 45 46 47 48 49 50
288 165 123 152 103 13 18	310 177 133 160 116 17 16	368 198 170 173 144 24 25	596 338 258 287 227 49 29 29	995 539 456 470 360 64 92 5	1,754 952 802 807 685 134 110	2,677 1,408 1,269 1,211 1,115 185 148	3,673 1,997 1,676 1,751 1,479 234 183 12	4,522 2,551 1,971 2,237 1,724 297 238 17	4.768 2.614 2.154 2.302 1.917 292 229 20 8	4, 435 2, 299 2, 136 2, 026 1, 889 250 234 23 13	3,830 1,792 2,038 1,626 1,896 153 130 13	2+891 1-230 1-661 1-112 1-545 110 107 8	1,564 583 981 531 913 41 63 11	528 176 352 158 332 16 19 2	99 25 74 22 61 3 13	8352312	7 3 4 1 3 2 1	52 53 54 55 56 57 58 59 60
2 1 1 1 1 - -	3 2 1 1 1 1	41312-1-	6 7 7 7 7 1 1 1 1 6 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	6 7 1 7 1 - -	19 10 9 10 9 - - -	16 4 12 4 9	27 15 12 12 10 2 2 1	35 15 20 14 20 1 - -	42 18 24 17 23 1 1	29 10 19 10 19 - - -	48 21 27 21 27 - -	27 12 15 11 15 1	17 7 10 7 10 - -	8 4 4 	3 1 2 1 2		111111	61 62 63 64 65 66 67 68
178 102 76 94 63 8 12	186 109 77 102 74 7 3	215 123 92 114 85 9	294 182 112 170 107 12 5	423 267 156 249 144 17 12	626 361 265 328 246 31 18 2	903 510 393 472 375 36 16 2	1,106 627 479 584 450 42 27 1	1,127 658 469 627 445 28 24	986 530 456 501 438 28 18	712 374 338 363 322 9 15 2	386 203 183 195 178 7 4	146 70 76 68 73 1	46 19 27 17 26 2 1	624241+1-	1		ſ	70 71 72 73 74 75 76 77 78
4 1 3 1 3	6 5 1 4 1	42222111	15 9. 6 9 4 - 2	19 . 8 . 11 . 7 . 10 . – . 1 . 1	38 11 27 10 22 1 5	49 20 29 17 27 2 2 1	87 37 50 33 43 4 7	120 52 68 47 62 5 5	134 43 91 37 80 6 11	151 52 99 44 89 6 10 2	131 22 109 21 100 - 7 1	126 34 92 32 87 2 4°	60 12 48 12 45 - 3 -	26 7 19 3 18 3 1	2 - 2 - 2			79 80 81 82 83 84 85 86 87

Table 1-26. Deaths From 281 Selected Causes, by

=	[ Numbers after causes of death are category numbers	or the righti	1007152011 111	rev merio	mi CMSS	mication	or Disea	ises, Auap	ran' 1203	(ICDA).	- Out - Digit
	Cause of death, race, and sex	Ţotal	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15~19 years
	MALIGNANT NEUPLASMS, ETCCON. MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITESCON.	·		-							
01 02 03 04 05 06 07	OTHER	24,892 12,566 12,326 10,819 10,801 1,630 1,442	11 2 9 2 7 - 2	9 3 6 3 4 - 2	11 4 7 3 7 1	7 5 2 4 2 1 -	6 1 5 1 4 -	44 15 29 13 24 2 5	31 19 12 15 10 4	39 23 16 18 11 4 4	73 42 31 34 25 8
09 10 11 12 13 14 15 16 17 18	FEMALE  LEUKEMIA	83 14.478 8.262 6.216 7.539 5.697 665 475 58	- 40 20 20 15 17 4 2 1	61 31 30 27 23 3 4	75 41 34 34 31 7 2	79 50 29 47 22 2 7	113 79 34 67 33 8 1	368 221 147 190 126 24 16 7	561 331 230 295 215 34 14 2	397 240 157 209 132 31 24	455 285 170 245 156 34 12
19 20 21 22 23 24 25 26 27	LYMPHATIC LEUKEMIA	4,653 2,817 1,836 2,594 1,675 206 153 17 8	17 11 6 11 4 - 1	20 10 10 9 5 1 3	26 12 14 10 13 2	44 34 10 33 8 - 2	67 47 20 43 19 2 1	174 114 60 106 49 5 7	368 216 152 198 143 16 8 2	211 141 70 124 63 17 7	174 118 56 107 51 10 4
28 29 30 31 32 33 34 35 36	NYELOID LEUKENTA	6,321 3,469 2,852 3,171 2,609 274 218 24 25	7 6 1 5 -	25 12 13 11 11 1 1	21 12 9 11 8 1	13 9 4 8 3 1	15 12 3 10 3 1	81 46 35 41 30 4 4 1	64 42 22 32 21 10 1	88 45 43 38 38 7 5	175 98 77 82 70 15 6 1
37 38 39 40 41 42 43 44 45	MONDCYTIE LEUKEMIA	488 277 211 245 199 28 9 4	32121	1 - 1	22 - 2	1 1		761511	422211211	64242	853431111
46 47 48 49 50 51 52 53	OTHER AND UNSPECIFIED LEUKEMIA	3,016 1,699 1,317 1,529 1,214 157 95 13	13 6 7 1 7 4 -	15 8 7 6 7 1	26 15 11 11 10 4 1	21 6 15 6 11 4	31 20 11 14 11 5	106 55 51 38 46 14 5	125 71 54 63 51 8 3	92 50 42 43 29 7 12 1	98 64 34 52 32 10 2
55 56 57 58 59 60 61 62 63	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	19,567 10,618 8,949 9,613 8,204 939 697 66 48	7 3 4 3 4 - -	11 5 6 4 6 1	9 7 2 7 1 -	23 18 5 17 4 1	22 14 8 13 7 1	72 47 25 44 22 3	93 68 25 59 18 9 6	133 98 35 86 31 10 2	218 127 91 108 80 19 11
64 65 66 67 68 69 70 71 72	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA	6,846 3,629 3,217 3,386 3,056 217 148 26	2 - 2 - - - -	42222	22 - 21 - 1 - 1	16 12 4 11 3 1 1	12 8 4 7 4 1 -	36 24 12 22 11 2 1	56 41 15 36 12 5 3	75 55 20 51 16 4 1	83 55 28 44 25 11 3
73 74 75 76 77 78 79 80 81	HDDGKIN'S DISEASE	2,920 1,732 1,188 1,594 1,124 132 61 6	1 - 1	1111111111		1	1 1	3 2 1 2 1 	12 7 5 5 3 2 1	23 18 5 15 4 2 1 1	85 44 41 42 37 2 4
82 83 84 85 86 87 88 89	MULTIPLE NYELOMA	4,968 2,579 2,389 2,177 2,004 387 370 15		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-			-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1111111	1

Age, Race, and Sex: United States, 1973-Con.

	<del>-</del>	<u> </u>	<del>                                     </del>	ı			attoriat Cta		Of Disease	,		l by an aste		1			<del></del>	П
20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
104 61 43 56 36 5 6 1 286	115 61 54 53 40 8 13 - 1	145 72 73 56 55 15 17 1 1	281 144 137 105 113 37 22 2 2 2 305 164	545 257 288 207 205 47 79 3 4	1,071 570 501 459 408 102 87 9 6 523	1,709 874 835 718 704 147 127 9 4	2,453 1,318 1,135 1,122 976 186 147 10 12 977,	3,240 1,826 1,414 1,549 1,197 263 209 14 8	3,606 2,023 1,583 1,747 1,376 257 199 19 8	3,543 1,863 1,680 1,609 1,459 235 209 19 12 1,755 1,002	3, 265 1, 546 1, 719 1, 389 1, 591 146 119 11	2,592 1,114 1,478 1,001 1,370 106 100 7 8	1,441 545 896 495 832 39 59 11 5	488 163 325 149 306 13 18 1 1	93 24 69 21 58 3 11 - - 46 19	8352311261	63312211	01 02 03 04 05 06 07 08 09
111 151 99 21 11 3	132 144 120 22 10	121 131 102 15 18 5	141 150 121 11 16 3	144 202 125 15 16 3	217 280 190 26 24 -	313 347 285 38 26 2	399 525 352 51 42 2	502 673 454 69 47 6	625 858 565 78 57 4	753 926 688 67 62 9	789 972 746 53 40 3	671 727 649 47 19 3	418 374 401 20 16	143 122 141 5 2	27 17 25 2 2	5 1 4 - 1 -	. <u>1</u>	12 13 14 15 16 17
76 49 27 45 24 4 3	43 28 .15 25 13 2 2	28 19 9 15 8 3 1	28 16 12 14 11 1 1	36 22 14 20 13 2 1	76 48 28 45 22 3 6	131 80 51 75 46 5 5	250 165 85 150 73 15 12	370 244 126 226 112 17 14	477 305 172 273 149 30 23	515 321 194 294 165 24 28 3	651 370 281 345 268 23 13	576 323 253 306 244 17 9	320 171 149 162 142 9 6	124 56 68 53 67 3	22 11 11 10 - 1	3 - 3 - 2 - 1		19 20 21 22 23 24 25 26 27
141 82 59 70 50 9 8 3	194 107 87 92 78 15 7	181 99 82 84 69 11 12 4	211 109 102 100 88 8 13 1	241 146 95 136 79 8 14 2	327 186 141 168 129 18 12	407 216 191 191 174 24 15 1	502 281 221 255 196 25 21 1	576 320 256 297 229 21 27	722 423 299 290 270 31 26 2	794 427 367 395 347 28 19 4	730 412 318 400 298 12 17	522 264 258 241 250 21 5 2	274 126 148 119 143 7 5	78 36 42 36 41 -	11 4 7 4 7 - -	1 1 1 -	1	28 29 30 31 32 33 34 35 36
4 4 - 3 - 1	13 7 6 5 1 1	94545	11 6 5 5 4 1 	19 14 5 13 4 1 -	24 15 9 14 9 1	28 15 13 14 11 1 2	29 17 12 14 12 2 - 1	42 26 16 20 14 5 1	49 29 20 27 19 2 1	70 36 34 32 33 3 1	79 46 33 41 32 5 1	39 22 17 22 17 -	33 12 21 9 21 3	11 6 5 6 5 -	3 1 2 1 2		1111111	37 38 39 40 41 42 43 44
65 40 25 33 25 7	50 26 24 22 24 4 -	54 29 25 28 20 1 5	55 33 22 31 18 1 2	68 38 30 33 29 4 1	96 57 39 53 30 4 6 -	134 76 58 67 54 8 4	196 115 81 106 71 9 9	262 158 104 130 99 26 5	317 183 134 168 127 15 7	376 218 158 205 143 12 14 1	357 200 157 186 148 13 9	311 168 143 158 138 9 5	185 85 100 84 95 1	57 29 28 27 28 2	10 3 7 1 6 2 1	2 1 1 1 -	11111111	46 47 48 49 50 51 52 54
320 202 118 176 107 26 11	357 237 120 220 109 17 10	339 210 129 191 123 18 5	378 241 137 213 125 26 11	574 349 225 314 192 34 29 1	868 495 373 432 327 60 44 3	1,334 772 562 690 474 77 81	1,844 1,042 802 935 717 98 81	2,307 1,343 964 1,203 870 130 89 10	2.825 1.578 1.247 1.427 1.137 139 102 12	2,807 1,412 1,395 1,278 1,287 129 100 5	2,479 1,232 1,247 1,149 1,190 75 55 8 2	1,660 773 887 719 858 49 28 5	740 315 425 301 409 12 14	190 65 125 57 112 8 13	26 11 15 10 14 -	1111111	3 1 2 1 2	55 56 57 58 59 60 61 62 63
77 54 23 49 21 5 2	88 56 32 53 29 3 2	92 58 34 51 32 7	116 60 56 53 54 7. 2	219 124 95 111 83 13 10	338 192 146 177 136 14 10	504 281 223 262 201 16 18 3	701 394 307 366 291 24 15 4	817 467 350 435 337 26 11 6	982 542 440 509 416 28 19 5	943 462 481 437 454 24 24 1	820 388 432 374 419 11 13	576 252 324 238 314 12 10 2	245 98 147 95 146 3	68 22 46 20 45 2 1	7 3 4 2 4 - 1		3 1 2 1 2 -	64 65 66 67 68 69 70 71 72
195 115 80 103 74 12 6	219 149 70 139 64 10 6	193 120 73 110 72 9 1	172 116 56 107 52 9 4	173 116 57 111 48 5 9	176 104 72 88 66 16 5 -	205 136 69 119 67 17 2	253 161 92 146 87 13 5	268 165 103 150 99 ~ 13 4 2	291 166 125 152 120 14 5	235 119 116 119 111	223 117 106 112 103 5 2	124 45 79 44 79 1	57 27 30 25 30 2 	11 4 7 4 6 - 1 -	2 1 1 1 - -	1		73 74 75 76 77 78 79 80 81
1	3 2 2 1	6 4 2 4 1	18 13 5 11 4 2 1	67 41 26 32 16 8 9 1	148 81 67 66 48 14 19	319 171 148 145 97 25 49	487 253 234 210 182 41 51 2	680 389 291 321 231 67 58	861 473 388 405 319 65 66	901 439 462 352 400 85 57 2	737 361 376 316 346 42 30	477 240 237 211 226 28 11	203 85 118 82 106 3 11	51 20 31 15 25 5 6	8 4 4 3 -	- - - - -		82 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

==-	Cause of death, race, and sex	Total	Under 1	1 year	2 years	3 years	4 years	Under 5	5-9 years	10~14 years	15-19 years
		,	year	,	,	,	,	years	,	,	,
	MALIGNANT NEOPLASMS. ETC CON. OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES CON.										
01 02	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	4.833 2.678	4 2	7 3	7 5	6	9 5	33 21	25 20	35 25	49 27
03 04	FEMALE WHITEMALE	2,155 2,456	2 2	4 2	2 5	- 6	4 5 3	1,2	5 18	10	22 21
05 06	FEMALE NEGROMALE	2,026 203	-	4	1			20 10 1 2	3 2	9 4	18
07 08 09	FEMALE OTHER RACESMALE	118 19 11	=	=	-	- T	1 -		2 - -	1 1	4
10 11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239 MALE	5,013	48	17	16	16	13	110	73	75	68
12 13	FEMALE	2,450 2,563 2,155	18 30 17	9 8 8	10 4	10 6 9	8 5 7	51 59 45	36 37 33	45 30 37	42 26 37
14 15	FEMALE NEGROMALE	2,201 272	24	8	8 2	2	5	47	33 2 4	28	24
16 17	FEMALE OTHER RACESMALE	344 23	5 -	_	2	3	_	10	1	z	2
18 19	FEMALE  BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS218-221	18	1	_	_	1 -	-   -	2		1	
20 21	WHITEFEMALE NEGROFEMALE.	107 52	1 1	=	=	<u>=</u>	=	1 1	=	i	=
22 23	OTHER RACES. FEMALE BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS	-	-	_	-	-	-	_	_	-	
24 25	OF NERVOUS SYSTEM224, 225  MALE FEMALE	761 305	<u> </u>	1	1	-	2	5 3	1	5 2 3	5 1
26 27	WHITEFEMALE	456 250 397	$\frac{1}{1}$	1	=	-	1 1 1	2 2 2	2 1 2	2 3	5
26 29	NEGRO	50 54		=	1 -	-	_	1 1		] =	] =
30 31	OTHER RACESMALE FEMALE	5 5	_	i -	=	_	[ ]		-		
32 33 34	OTHER BENIGN NEOPLASMS210-217,222,223,226-228 MALE FEMALE	803 422	34 12	2	3 - 3	1	2	42 14	15 6	20 10	19 14
35 36	WHITEFEMALE	381 375 326	22 . 11 17	2 - 2	2	<u>=</u>	1 1 1	28 12 22	9 5 7	10 7 8	5 14 5
37 38	NEGROMALE FEMALE	38 52	1 4		1	1 -	-	2 5	1 2	3 2	-
39 40	OTHER RACESMALE FEMALE	9	ī	_	=	=	-	ī	-	=	
41 42	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS234-236 WHITEFEMALE.	29 21	=	<u> </u>	· -	] =		_	_	=	
43 44	NEGROFEMALE OTHER RACESFEMALE	8 -	=	=	=	<u> </u>	_	] =	[ ]	=	_
45 46	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM238 NALE	2,161	5 3	11 6	10	13	9	48 26	52	44 29	38 20
47 48	FEMALE WHITEMALE	1,124 1,037 1,016	2 3	5 5 5	3 7 2	5	3 5	22 23	28 24 26	15 24	18 16
49 50 51	FEMALE NEGROMALE	922 104	2 - -	1	6	1 1	3 1	17 3 4	22 1 2	15 5	16 4 2
52 53	FEMALE OTHER RACESHALE FEMALE	111	=	]	-	3 - 1	-	1	1 -	=	-
54	OTHER NEOPLASMS OF UNSPECIFIED NATURE230-233,237,239	1,100	7	١,	2	2	_	14	3	5	5
55 56 57	HALE Female White	599 501	3 4	2	2	1	=	8 6	1 2	1	3 2 2
58 59	. FEMALE NEGROMALE	514 428 80	3	2 1 -	2	1 1	=	8 5 -	1 2 -	1 1	2 -
60 61	FEMALE OTHER RACESMALE	67	1	_	_	_	_	1.		-	
52	FEMALE	6	-	-	_	-	-		-	-	-
63 64 65	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES MALE FEMALE	46,532 19,389 27,143	392 235 157	59 33 26	50 25 25	42 19 23	34 17	577 329	185 84 101	208 99 109	221 114 107
66 67	WHITEMALE FEMALE	16,541	175 117	26 20	21 21	17	17 15	248 254 196	80 96	91 100	101
68 69	NEGRO	2+617 4+397	57 36	6	4	22 2 1	16 2 1	71 48	4 5	8 9	12 18
70 71	OTHER RACESMALE FEMALE	231 221	3 4	1 -	_	=	_ = 1	4			1 -
72 73	NONTOXIC GUITER240, 241	43	<u>-</u>	<u> </u>	=	<u>-</u>	_		:	-	1
74 75	FEMALE WhiteMale	34	=	=	] =	-		- 1	=		1
76 77	FEMALE NEGROMALE	25 2	= -			-	=	:-			
78 79 80	FEMALE OTHER RACESMALE FEMALE	8 - 1	-	-	-	-	· -	1 1 1	111	=	1
81	THYROTOXICOSIS WITH OR WITHOUT GOITER242	296	1	_	-	_		1	_	1	6
82 83 84	MALE Female White	59 237	1 -	Ξ	-	1.1	=	1 ~	-	1	-
85 86	- WALI IE	47 192 11	- - 1	-		-	=	- 1	-	1	4
87 88	FEMALE OTHER RACESMALE	40	-	=	-	-	=		-	-	2
89	FEMALE	5	-	l –	l _	-	_	<b>-</b>	-	- i	ı -

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 'years	100 years and over	Not stated
47 32 15 24 12 6 3	47 29 18 26 16 3 2	48 28 20 26 18 2	72 52 20 42 15 8 4 2	115 68 47 60 45 8 1	206 118 89 101 77 16 10	306 184 122 164 109 19 12	403 234 169 213 157 20 10	542 322 220 297 203 24 16	691 397 294 361 282 32 12	728 392 336 370 322 20 14 2	699 366 393 347 322 17 10 2	483 236 247 226 239 7 2	235 105 130 99 127 4 2 2	60 19 41 18 36 1	936361.1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 01 - 02 - 03 - 04 - 05 - 06 - 07 - 08
63 34 29 23 4 6	70 30 40 28 31, 2 9 -	109 46 63 39 52 6 11 1	143 63 80 56 60 7 17	189 81 108 64 83 16 24 1	317 143 174 126 138 16 35	358 178 180 157 140 20 37 1	464 242 222 208 194 34 27	564 304 260 269 222 34 37 1	604 323 281 285 246 34 35 4	570 305 265 256 227 44 36 5	518 238 280 214 257 20 21 4	396 169 227 159 211 8 15 2	218 86 132 81 120 5 11	76 27 49 26 46 1	23 5 18 4 17 1 1	2 1 1 1 1 - -	3 10 1 11 2 12 1 13 1 14 - 15 1 16 - 17 - 18
4 3 1 -	2 2 -	6 5 1	12 4 8 -	17 12 5 -	22 12 10 -	16 10 6 -	7 4 3 	10 4 6	9 8	15 11 4 	14 13 1	9 6 1 -	9 7 2 -	5 4 1 -	- - -	= =	- 19 - 20 - 21 - 22
16 11 59 5 1 - 1 - 15 96 86 1 - 1	61515   11473413   -	23 7 16 6 6 13 1 3 - 15 8 7 6 7	25 10 15 8 8 12 2 2 - 1 1 11 8 3 8 1 -	29 12 17 8 14 4 2 - 1 32 14 18 12 12 6 -	59631194 232194 53228 124 1	74 25 49 41 2 6 - 2 44 26 18 21 15 4	88 40 48 29 40 11 8 	91 40 513 44 77 - 84 440 40 40 40 40 40 40 40 40 40 40 40 4	115 46 69 36 58 9 11 1 95 53 48 38 4 4 1	94955948.862188538442.363-	77 243 24 50 3 - 89 50 9 44 3 3 1 3 1	31 8 23 8 22 - 1 - 61 29 27 31 - 2	12 48 47 1 30 128 111 112	21 11 11 11 15 64 55 11	31222	1,1111111111111111111111111111111111111	- 23 - 24 - 25 - 26 - 27 - 28 - 39 - 31 1 34 - 33 1 34 - 37 - 38 - 39 - 38 - 39 - 40
] <u>=</u> =	- -	1 1 - -	1 -	- - -	2 2 -	3 3 -	5 2 3 	2 -	3	1 1 -	3 3 -	. 1 1 -	5 4 1	2 2 -	- -		- 41 - 42 - 43 - 44
26 12 14 11 9 1 5	43 21 22 20 19 1	60 29 31 25 24 4 7	79 38 41 35 36 3 4 1	103 52 51 43 41 8 10	145 69 76 64 67 5 9	185 114 71 106 57 8 14	239 125 114 116 106 9 8	287 160 127 144 118 16	264 146 118 134 109 11 9	232 121 111 105 100 16 10	163 77 86 68 78 8 8	112 44 68 43 64 1 4	32 10 22 10 19 - 3	83534-1-	1 - 1 - 1 - -	-	- 45 - 46 - 47 - 48 - 50 - 51 - 51 - 53
1 1	8 4 4 3 	4 2 2 2 2 	15 7 8 5 7 2 -	8 3 5 1 4 2 1 -	36 18 18 13 10 5 8	36 13 23 7 17 6 6	61 42 19 31 16 11 2 -	90 60 30 52 22 7 8	118 78 40 67 30 10	140 95 45 78 35 17 10	172 87 85 78 75 9 8	182 88 94 81 85 5 B 2	130 60 70 56 67 4 2 -	48 18 30 18 30 - -	19 4 15 3 14 1 1	2 1 1 1 1 - -	2 54 1 55 1 56 1 57 - 58 - 60 - 61 - 62
249 121 128 107 107 14 19 - 2	330 193 137 148 108 41 26 4	454 239 215 168 161 69 49 2	588 326 262 247 184 75 73 4	882 474 408 357 268 108 135	1,372 703 669 547 455 143 209	2,236 1,133 1,103 889 762 229 330 15	3,300 1,599 1,701 1,297 1,252 288 424 14 25	4,577 2,103 2,474 1,739 1,822 333 623 31 29	5,963 2,642 3,321 2,625 371 671 29 25	7,008 2,775 4,233 2,386 3,464 349 739 40 30	7, 198 2, 689 4, 509 2, 423 4, 021 234 464 32 24	6+136 2+167 3+969 1+981 3+654 168 295 18 20	3,483 1,124 2,359 1,050 2,177 63 164 11	1,226 375 851 350 790 22 —56 3	294 83 211 72 174 10 34 1	41 15 26 11 19 4 5	4 63 2 64 2 65 1 66 1 67 1 68 1 69 - 70
111111111111111111111111111111111111111		-	-	-	2 - 2 - 1 - 1	211	2 2	3 2 1 1 1 -	7 3 3 - 1	4 4 3 - 1	7 2 5 2 3 - 2	8 17 17 	2 - 2 - 1 - 1	5 - 5 - 4 - 1 -	-	11111	- 72 - 73 - 74 - 75 - 76 - 77 - 78 - 79 - 80
3 2 1 1 1	1 1 1	2. 1	10 5 3 3 2 2	12 2 10 2 5 - 5 -	19 6 13 4 8 2 4	22 20 1 16 1 - 4	20 5 15 4 9 1 6	25 6 19 5 15 1 4	31 5 26 5 22 - 4	47 9 38 8 34 1 4	46 40 5 35 - 4 1	34 55 29 5 28 	10 3 7 3 7 - -	3 3			- 81 - 82 - 83 - 84 - 85 - 86 - 87 - 88

Table 1-26. Deaths From 281 Selected Causes, by

<del></del>	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06 07 08	ALL OTHER DISEASES OF THYROID GLAND	443 91 352 84 318 6 31 1	3 3	111111		11111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 3	11111111	1311111	11111111
10 11 12 13 14 15 16 17	DIABETES MELLITUS	38.208 15.669 22.539 13.343 18.589 2.135 3.784 191 166	16 11 5 7 4 1	5 4 1 4 -	2 2 - 2	6 3 3 3	1	30 20 10 16 8 4	22 8 14 7 12 1 2	52 19 33 17 29 2 4	66 33 33 26 26 6 7
19 20 21 22 23 24 25 26 27	DISEASES DF PITUITARY GLAND	230 125 105 100 76 22 27 3 2	2 - 2 - 2 -	1		1		64222,1 12 1	1 1	1111111	4 2 2 2 1 1 - 1
28 29 30 31 32 33 34 35	DISEASES OF THYMUS GLAND	28 15 13 11 7 4 5	20 12 8 8 6 4 2	11111111	1 1	1	1 1	23 14 9 10 6 4 3	11111111111	111111	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
37 38 39 40 41 42 43 44 45	DISEASES OF ADRENAL GLAND	400 157 243 142 215 15 24 -	16 10 6 7 4 3 2	1 - 1	3 1 2. - 1 1 1	111131111	1 1 - 1	21 12 9 8 6 4 3	3 2 1 1	4 3 1 3 1 -	5 2 3 1 2 1 1
46 47 48 49 50 51 52 53	NIACIN DEFICIENCY	3 12 1 1		1111111111	1111111			1111111111	1111111111	1111111111	1111111111
55 56 57 58 59 60 61 62 63	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES260,261,263-269 MALE FEMALE HHITEALE FEMALE FEMALE FEMALE FEMALE OTHER RACESHALE FEMALE	2,573. 1,082 1,491 884 1,281 175 188 23 22	104 58 46 37 24 20 20	8 2 6 1 3 1	6421131-	2111111111	1	121 66 55 40 29 25 24 1	4 2 1 1 1 	8315NN1811	844341111
64 65 66 67 68 69 70 71 72	CYSTIC FIBROSIS	519 246 273 236 268 10 4	77 97 40 32 38 5 2	95434211	22 9 13 9 13 -	20 8 12 8 12 - -	15 7 8 7 8 - -	143 66 77 59 75 7 2	113 46 67 46 66 	94 44 50 42 49 2	91 51 45 50 40 1
73 74 75 76 77 78 79 80 81	ALL OTHER ENDOCRINE AND METABOLIC OISEASES	3,789 1,935 1,854 1,687 1,553 236 285 12	151 102 49 82 38 20 9 -	35 22 13 18 11 3 2 1	16 9 7 9 6 - 1	12 6 6 4 5 2 1	15 7 8 6 7 1	229 146 83 119 67 26 14	42 27 15 25 15 2 -	49 30 19 27 18 3 1	38 21 17 16 12 3
82 83 84 85 86 87 88 89	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	5,251 2,542 2,709 2,033 2,231 489 462 20 16	236 139 97 93 70 43 24 3	51 30 21 10 8 20 13	29 19 10 12 4 7 6	27 15 12 8 9 7 3	11 5 6 3 2 2 4	354 208 146 126 93 79 50 3	80 46 34 23 18 23 15	84 49 35 34 23 15 10	101 50 51 31 27 18 23 1

Age, Race, and Sex: United States, 1973-Con.

anneateRo													1136, 500 1					_
20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
1	2 2 2 1 1	. 2 1 1 1 -	3 - 3 - 2 - 1	5 1 4 1 2 - 2	14 3 11 3 11	18 4 14 3 10 - 4	44 8 36 8 33 - 3	45 9 36 8 30 1 5 -	61 13 48 10 44 3 3	77 14 63 14 59	66 16 50 16 48 - 2 -	60 9 51 9 47 - 4	25 7 18 6 16 1 1	12 1 11 11 11 -	3 2 1 1 1 1			01 02 03 04 05 06 07 08
126 64 62 52 47 12 15	243 143 100 107 79 33 20 3	320 171 149 116 116 54 31 1	427 247 180 189 124 54 54 4	616 330 286 242 182 81 100 7	1,046 533 513 406 329 115 180	1,752 892 860 688 567 190 284 14	2,715 1,316 1,399 1,053 1,006 250 370 13	3,847 1,749 2,098 1,439 1,523 283 549 27 26	5,139 2,256 2,883 1,912 2,259 319 607 25	6, 146 2, 422 3, 724 2, 068 3, 021 317 677 37 26	6.347 2.342 4.005 2.112 3.573 202 413 28	5,303 1,843 3,460 1,695 3,184 135 261 13	2,902 947 1,955 890 1,804 52 136 5	908 276 632 256 586 19 43 1	180 51 129 47 104 4 25	18 6 12 4 9 2 3	3 1 2 1 1 - 1	10 11 12 13 14 15 16 17
32121	2 - 1 - 1	10 4 6 3 3 1 2 -	15 11 4 9 4 2 - -	10 5. 5 4 - 1 -	10 3 7 3 4 - 3	23 15 8 11 5 4 3	30 16 14 11 9 5 5	23 13 10 8 4 5 6	35 14 21 12 18 2 2	27 15 12 15 9 - 3	22 13 9 10 9 3 	6 5 1 4 1 - 1	3 2 1 2 1 - -		11111111	เมาันเน	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	19 20 21 22 23 24 25 26 27
11111111	2 2 1 1	1	-	-		1111111	11111111		1111111		111111111		1111111	. 1111111	1111111	311111111	-	28 29 30 31 32 33 34 35 36
8 2 6 2 4 - 1	4 1 3 1 3 	12 6 6 5 5 1 1	10 1 9 1 8 - 1	21 9 12 9 11 - 1	17 9 8 8 7 1	23 6 17 5 15 1 2	34 14 20 12 19 2	40 14 26 13 24 1 2	53 22 31 20 27 2 2	46. 16 30 15 27 1 3	46 16 30 16 29 - 1	38 18 20 18 19 - 1	14 6 8 5 5 1 3 -	1 1 - 1 - -		111111111	-	37 38 39 40 41 42 43 44
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		11111111	1	- - - - -	1111111	11111111	1 - 1		11111111	111111111	111111111.		1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1111111	111111111		46 47 48 49 50 51 52 53
9 4 5 4 5 - -	15 8 7 5 6 2 1	11 7 4 5 4 2 - -	22 8 14 6 8 2 4 -	33 14 19 9 14 4 5	38 26 12 18 12 8 -	63 28 35 18 32 10 3	87 46 41 34 28 11 13	131 62 69 51 54 10 15	205 110 95 87 78 21 14 2	243 112 131 89 111 20 19	341 156 185 139 155 16 26	454 184 270 158 246 23 22 3	394 118 276 103 257 9 17 6	261 87 174 84 161 1 11 2	102 27 75 21 64 5 9	22 9 13 7 10 2 1	1 - - 1 -	55 56 57 58 59 60 61 62 63
53 23 30 23 30  	17 12 5 12 4 - - 1	4 1 3 1 3 - -	2 2 2 - - - -	1 - 1 - -		11 11 11 11 11 11 11 11 11 11 11 11 11	1111111111	1 1 - 1		111111111	mana	111111111	1111111		1 1 1 1 1 1 1 1	118111811	-	64 65 66 67 68 69 70 71 72
46 23 23 22 20 1 2	41 26 15 20 13 6 2	90 48 42 37 28 10 14	98 51 47 37 35 14 11	184 113 71 89 49 23 21 1	226 123 103 105 83 17 20	333 • 185 148 163 117 22 29 -	367 194 173 175 146 19 26	462 247 215 213 171 31 42	432 219 213 193 174 24 38 2	418 187 231 177 200 10 29	323 138 185 123 169 13 16	233 102 131 91 122 10 7	132 41 91 41. 85 - 6	36 11 25 9 24 2 1	9 3 6 3 5 1	.1 - - - 1		73 74 75 76 77 78 79 80 81
139 69 70 33 42 35 28	115 50 65 25 36 25 28	105 55 50 29 21 25 28 1	97 52 45 29 22 22 22 1	148 72 76 46 43 26 31	184 84 100 60 69 24 . 30	197 99 98 77 68 22 29	297 149 148 119 126 30 22	384 216 168 177 144 37 24	468 236 232 202 196 33 36 1	516 253 263 223 229 26 33 4	684 323 361 299 343 21 18	606 252 354 237 334 15 20	458 189 269 182 259 6 9	174 73 101 68 98 4 3	50 14 36 12 33 2 3	8 2 6 1 6 1 -	1 - 1 -	82 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

-	Gause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06 07 08	ANEMIAS	3.318 1,569 1,749 1,209 1,401 354 344 6	56 35 21 13 9 21 12	39 23 16 7 4 16 12	20 11 9 5 3 6 6	18 10 8 3 6 7 2	6 2 4 1 1 3	139 81 58 29 23 51 35	62 34 28 14 13 20 14	62 38 24 26 15 12 8	71 35 36 21 16 14 20
10 11 12 13 14 15 16 17	DEFICIENCY ANEMIAS	470 182 288 164 265 18 22 -	3 - 2 - 1	4 2 2 2 1 1	2 1 1 1 1		11111111	9 3 6 3 4  2	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
19 20 21 22 23 24 25 26 27	HEMOLYTIC ANEMIAS282,283  MALE FEMALE MHITEMALE NEGROMALE FEMALE OTHER RACESHALE FEMALE FEMALE FEMALE	703 334 369 124 179 208 188 2	27 17 10 2 3 14 7	24 14 10 - 14 10	13 6 7 - 1 6 6	11 8 3 1 1 7 2	4 1 3 - 1 3	79 46 33 3 5 42 28 1	33 22 11 3 1 19 10	21 13 8 5 3 8 4	37 15 22 5 10 17
28 29 30 31 32 33 34 35	APLASTIC ANÉMIA	1,090 567 523 521 486 44 36 2	5 4 1 4 1 - -	. 64242	5 4 1 - -	5 1 4 1 4 - -	1 1 1	23 14 9 14 9 	27 12 15 11 12 1 2	38 24 14 20 12 4 2	28 18 10 14 9 4 1
37 38 39 40 41 42 43 44 45	OTHER AND UNSPECIFIED ANEMTAS285  MALEFEMALE FEMALE NEGROMALE FEMALE OTHER PACES. MALE FEMALE FEMALE FEMALE	1,055 486 569 400 471 84 98 2	21 14 7 7 3 7 4 -	5 3 2 1 1 2 1	, , , , ,	1 1 1 - -	1	28 10 9 5 9 5 -	1 - - - 1 -	2 1 1 1 - - 1	4131211
46 47 48 50 51 52 53	PURPURA AND OTHER HEMORRHAGIC CONDITIONS287  MALE FEMALE FEMALE NEGROMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE	568 255 313 226 269 25 41 4	34 14 20 10 18 4 2	3 1 2 1 2 	3 3 2 1	312211	1 1	44 20 24 15 21 5 3	63333	9 5 4 5 3 - 1 -	93614311
55 56 57 58 59 60 61 62 63	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS286,288,289  #ALE  FEMALE  MAITEMALE  NEGROMALE  FEMALE  OTHER RACESMALE  FEMALE  FEMALE  FEMALE	1,365 718. 647 598 561 110 77 10	146 90 56 70 43 18 10 2	9 6 3 2 2 4 1	65151	6 4 2 4 2 -	4 2 2 1 1 1 1	171 107 64 82 49 23 12 2	12 9 3 6 2 3 1 -	13 67 3 5 3 1	21 12 9 10 7 1 2 1
64 65 66 67 68 69 70 71	V. MENTAL DISORDERS	8,860 6,056 2,804 4,319 2,166 1,608 575 129 63	16 10 6 8 4 2 1	7 4 3 3 1 -	10 2 8 2 7 - 1	10 6 4 3 4 3	10 6 4 5 4 1 -	53 28 25 21 22 7 2	42 16 26 10 20 5 5	45 25 20 17 13 7 7	207 162 45 103 25 55 20 4
73 74 75 76 77 78 79 80	SENILE AND PRESENILE DEMENTIAS	731 305 426 274 398 29 28 2		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	13111111	11111111	пидин	111111111111111111111111111111111111111	11111111	111111111
82 84 85 86 87 88 89	ALCOHOLIC PSYCHOSES	517 469 48 346 39 119 6 4	111111	1		-	11111111	1	111111111	111111111111111111111111111111111111111	111111

Age, Race, and Sex: United States, 1973-Con.

		<del></del>	<del> </del>	<del></del>						<del></del>					1	<del></del>	, — —
20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	.60-64 years	65-69 Tears	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
100 57 43 26 23 30 20	76 36 40 13 15 23 25	67 37 30 13 10 24 20	55 29 26 11 8 18 18	67 34 33 13 15 21 18	97 43' 54 26 36 17 18	100 45 55 33 32 12 22	135 62 73 47 63 15 10	214 127 97 101 70 26 17	278 133 145 116 116 17 29	337 159 178 140 154 18 24	\$59 214 245 200 230 12 15	450 185 265 174 247 11 18	358 150 208 143 199 6 8 1	140 59 81 55 79 4 2	44 10 34 8 31 2 3	6 1 5 - 5 1 -	1 0 - 0 1 0 - 0 1 0 - 0 - 0
11111111	1 1	2 1 1 1 - -	-	5 1 4 1 3 - 1	414131111	7525	14 8 6 6 2	23 12 11 9 9 3 2	40 19 21 16 18 3 3	48 28 20 25 16 3 4	72 32 40 29 39 3	102 30 72 28 71 2	95 35 60 33 58 2 2	34 5 29 5 29 - -	82626	1 1 - 1 -	1 1 - 1 1 1 1 1 - 1 - 1 - 1
51 29 22 5 4 24 18	44 22 22 2 4 20 18	37 21 16 3 1 18 15	35 17 18 2 3 15 15	37 21 16 5 3 16 13	32 12 20 5 7 15	21 11 10 2 2 9 8	27 10 17 6 14 4 3	40 15 25 8 15 7 10	37 15 22 14 16 1 6	37 13 24 10 20 3 4	47 16 31 15 30  1	52 22 30 20 27 2 3	30 10 20 9 19 1 - -	4 3 1 2 1 1	1	1	- 1' - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2
43 25 18 19 16 5 2	20 11 9 8 8 3 1	21 12 9 8 7 4 2	12 7 5 7 4 - 1	10 3 7 2 6 1 1	34 19 15 16 14 3	43 19 24 18 18 1	49 25 24 23 24 2	84 51 33 46 31 52	102 51 51 47 47 4	121 55 66 53 61 2 5	191 104 87 100 83 3 4	124 56 68 54 68 2 - -	80 42 38 42 38  -	29 16 13 16 13 - -	11 3 8 3 6 - 2	11111111	- 2 2 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3
633231	11 3 8 3 3 	7 3 4 1 2 3	85321321:	15 9 6 3 4 3	27 12 15 5 14 7 1	29 10 19 8 12 2 7	45 19 26 12 19 7 7	67 49 18 38 15 11 3	99 48 51 39 35 9 16	131 63 68 52 57 10 11 1	149 62 87 56 78 6 9	172 77 95 72 81 5 14	153 63 90 59 84 3 6	73 35 38 32 36 3	24 5 19 3 18 2 1	4 - 4 - -	- 3: - 3: - 4: - 4: - 4: - 4: - 4:
12 4 8 3 6 1 2	10 2 8 2 6 - 1	11 6 5 1 1 4	17 8 9 6 6 1 3	23 7 16 6 8 1 7	16 6 10 6 7 - 3 -	25 13 12 10 9 3 3	41 23 18 22 13 1 5	47 20 27 16 26 3 1	59 27 32 25 29 2 3	50 23 27 22 25 1 2	76 42 34 39 33 3	55 22 33 22 33 - - -	34 14 20 14 20 	21 5 16 4 15  1	2 1 1 1 -	111111	1 44 1 47 - 44 - 55 - 55 1 55 - 54
27 8 19 - 4 13 4 6 	29 12 17 10 15 2 -	27 12 15 11 10 - 4 1	25 15 10 12 8 3 1	58 31 27 27 20 4 6 ~	71 35 36 28 26 7 9	72 41 31 34 27 7 4	121 64 57 50 50 14 7	123 69 54 60 48 8 6	131 76 55 61 51 14 4	129 71 58 61 50 7 7 7	149 67 82 60 80 6 2	101 45 56 41 54 4 2	66 25 41 25 40 1	13 9 4 9 4 -	4 3 1 3 1	2 1 1 1 1	- 55 - 55 - 55 - 60 - 60 - 63
488 384 104 243 46 135 58	381 299 82 155 35 138 44 6	360 276 84 138 32 127 45 11	459 353 106 185 57 154 40 14	652 474 178 265 99 195 71 14	853 643 210 424 141 193 62 26	912 677 235 487 173 180 54 10	846 621 225 481 180 125 38 15	872 649 223 520 192 123 28 6	683 478 205 421 174 52 28 5	515 310 205 260 182 45 21 5	434 243 191 213 172 29 17 1	473 213 260 185 244 26 15 2	332 121 211 115 199 5 11	187 61 126 60 121 1 5	52 17 35 12 39 4 2	7 1 6 1 4 - 2 -	7 64 5 65 2 66 3 67 2 68 2 69 - 70 - 71
1	; ;	111111111111111111111111111111111111111	1 1 - 1 - -	22 - 2	11 9 2 7 2 2 2	18 8 19 8 10 	62 25 37 23 32 2 5	94 41 53 40 51 1 2	103 43 60 42 57 1 3	101 42 59 34 56 8 3	101 47 54 42 51 5	91 32 59 24 56 7 3	81 30 51 28 46 1 5	49 22 27 21 26 1 1	15 3 12 2 10 1 2 -	1 - 1 - 1 -	- 73 - 74 - 75 - 75 - 77 - 78 - 79 - 80 - 81
1 1	9 9 1 - 8	20 18 2 7 1 11	30 29 1 15 1 14 -	52 47 5 28 2 19 2	77 64 13 47 10 15 3 2	76 67 9 50 8 17 1	78 76 2 60 2 15	70 65 5 53 5 12 ~	55 50 55 44 5 5	29 25 4 24 4 1	14 13 1 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2	2 2 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2 1 1 1 1 -			- 82 - 83 - 84 - 86 - 87 - 88 - 89

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	ţotal	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06 07	ALL OTHER PSYCHOSES	274 119 155 100 133 19 20	-	111111	1 1 1 1 1 1 1	1111111	11111111	11111111	11111111	1111111	22 2 1 1 1 1
10 11 12 13 14 15 16 17	FEMALE  ALCOHOLISM	4,650 3,611 1,039 2,535 702- 961 287 115	-	-	1 11111111	1 1 - 1		1 1 - 1	. 1111111111111111111111111111111111111	3 1 1 1 1	45 42 3 36 1 3 2
19 20 21 22 23 24 25 26 27	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS	2,408 1,412 996 955 777 452 213 5	2 2	1	1 1	11111111	22 1 1 1	6 6 5 1	431211	633331111	131 104 27 57 11 47 16
28 29 30 31 32 33 34 35 36	HENTAL RETARDATION	280 140 140 109 117 28 21 3	14 8 6 6 4 2 1 -	633231	9 1 8 1 7 -	954342:1	8444	46 21 25 16 22 5 2	38 13 25 8 19 4 5	35 19 16 13 9 6 7	29 14 15 8 13 5 2
37 38 39 40 41 42 43 44	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	16.889 9.147 7.742 7.793 6.734 1,266 957 88 51	909 519 390 376 265 130 118 13	308 164 144 125 105 33 36 6	191 111. 80 80 62 30 17	145 74 71 54 59 19 10	108 57 51 48 43 7 8 2	1,661 925 736 683 534 219 189 23	396 215 181 174 151 39 27 2	372 210 162 175 129 33 31 2	573 415 158 350 117 62 37 3
46 47 48 49 50 51 52 53	MENINGITIS	1,523 842 681 581 462 249 215 12	492 277 215 183 135 87 78 7	104 58 46 37 34 21 12	58 33 25 25 17 8 8	38 21 17 14 9 7 7	.20 11 9 9 1	712 400 312 268 204 124 105 8	67 41 26 36 ,22 5 4	30 16 14 13 10 3 4	27 16 11 11 5 6
55 56 57 58 59 60 61 62 63	HEREDITARY NEUROMUSCULAR DISORDERS	743 552 191 511 172 37 17 4	82 50 32 43 27 6 4	12 6 6 4 5 2 1	10 6 4 6 3 -	1	422121	109 64 45 54 38 9 6	16 12 4 11 3 1	50 40 10 35 10 5	164 157 7 147 7 9
64 65 66 67 68 69 70 71 72	MULTIPLE SCLEROSIS	1,574 571 1,003 541 912 29 85 1	11111111	111111111	111111111	111111111111111111111111111111111111111		1111,1111	111111111	1 1	4 2 2 2 1 1 1 1 1 1 1
73 74 75 76 77 78 79 80 81	PARALYSIS AGITANS342  MALE FEMALE WHITEMALE FEMALE NEGROMALE FEMALE FEMALE OTHER RACESFEMALE	3.283 1.763 1.520 1.692 1.480 60 33 11	13111111		1111111	1111111	1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111111	וננונווו	1111111111
82 83 84 85 86 87 88 89	CEREBRAL SPASTIC INFANTILE PARALYSIS	681 393 288 329 237 60 48 4	59 30 29 26 20 4 9	37 19 18 14 14 3 2 2	19 15 4 11 3 4	22 13 9 10 7 3 1	20 11 9 11 6 - 3	157 88 69 72 50 14 16 2	75 42 33 29 28 12 5	73 48 25 41 17 7 8	99 65 34 55 28 10 6

Age, Race, and Sex: United States, 1973-Con.

	<del></del>						,				e identified							
20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	.55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
2 1 1 1 1 - -	5 14 2 1 2	3 1 2 1 2	6 4 2 3 1 1 1	4 2 2 2 2 1 1 1 -	13 8 5 5 4 3 1	21 8 13 7 12 1	16 6 10 6 7 - 3	32 18 14 15 10 3 3	34 16 18 13 16 3 2	41 16 25 16 21 - 4	34 19 15 17 13 2 2	44 10, 34 6 33 4 -	10 5 5 5 7 	5 1 4 1 3 -	2 1 1 - 1 1	1111111	11111111	01 02 03 04 05 06 07 08
72 60 12 39 6 16 5	131 102 29 54 9 42 17 6	209 171 38 89 16 72 18 10 4	333 255 78 138 37 104 32 13	524 377 147 211 83 152 57 14	689 521 168 343 110 154 51 24	754 571 183 406 128 155 47 10	633 488 145 371 115 104 24 13 6	587 478 109 380 90 92 17 6	373 302 71 264 57 34 12 4	182 148 34 123 30 20 2 5	60 50 10 46 9 4	35 31 4 26 3 4 1	8 5 3 4 3 1 	2 2 2	2 2 - 1 - 1 -	ninnin	6423321	10 11 12 13 14 15 16 17
384 305 79 190 27 114 52	217 175 42 90 20 85 22	124 83 41 39 12 43 27	77 55 22 20 15 35 7	58 41 17 17 6 24 11	54 34 20 15 13 19 7	31 21 10 14 6 7 4	42 20 22 16 15 3 6	84 44 40 29 34 15 6	111 62 49 53 37 9 11	156 76 80 60 68 16 12	223 113 110 95 98 17 11	301 138 163 127 152 11	230 79 151 76 144 3 6 -	129 37 92 37 89 -	33 11 22 9 22 1 -	6 1 5 1 4 - 1	1 1 - 1 -	19 20 21 22 23 24 25 26 27
28 16 12 12 12 4 	19 12 7 10 4 2 3	4 3 1 2 1 1	12 10 2 9 2 - 1	12 5 7 6 -	97272	12 2 10 2 9 - 1	15 6 9 5 1 	532321-11	75252111	63331111	2 1 1 1 1	11111111	1 - 1	1 1 1 1 1 1 1	1 1 111111			28 29 30 31 32 33 34 35 36
480 910 170 236 133 73 35	465 263 202 208 157 51 45	423 259 164 170 133 87 29 2	468 236 232 169 184 66 47	622 353 269 264 216 85 50 4	870 449 421 351 347 92 70 6	1,087 551 536 450 454 93 81 8	1,202 639 563 557 512 76 51 6	1,461 809 652 715 597 90 50	1,725 959 766 873 688 80 77 6	1,649 893 756 828 695 60 5	1,547 815 732 774 698 36 31	1,164 540 624 519 593 17 27 4	514 238 276 232 264 4 11 2	167 54 113 51 107 3 6	32 11 21 11 19 - 1	6 1 5 1 4 - 1	5 2 3 2 2 - 1	37 38 39 40 41 42 43 44
24 10 14 4 10 6 4 -	23 13 10 9 9 4	16 10 6 4 6 2 -	31 16 15 9 10 6 5	33 15 18 10 10 5 8	72 50 22 31 14 19 7	65 41 24 30 12 11 12 -	71 39 32 25 23 13 9	65 40 25 29 17 11 8 -	85 41 44 30 33 10 11 1	77 43 34 32 21 10 13	56 21 35 14 30 7 5	40 18 22 14 16 4	22 8 14 8 9 - 5 -	53232	1 1 - - - -			46 47 48 49 50 51 52 53 54
88 87 1 82 1 5 - -	33 28 . 5 28 4  1	20 14 6 13 5 1	17 9 8 9 7 -	22 18 4 16 4 2 -	27 13 14 12 11 - 2 1	41 19 22 17 21 1 1 1	46 25 21 25 20 - 1 -	30 18 12 18 11  1	33 17 16 15 15 2 1	24 18 6 17 6 1	16 10 6 9 6 1 -	73433.L.	111111111	11111111		-	- 1	55 56 57 58 59 60 61 62 63
18 4 14 3 8 1 6	42 10 32 9 25 1 7	55 16 39 13 34 3 4	82 30 52 25 45 5 6	141 55 84 52 73 3 11	218 71 147 67 126 4 19	250 74 176 66 163 7 13	225 84 141 82 136 2 5 -	210 84 126 82 126 2 -	166 79 87 79 80 - 7	87 31 56 31 53 -	46 20 26 19 25 1 1	22 7 15 7 14 - 1	3 2 1 1 -	3 1 2 1 2 - -			1 1	64 65 66 67 68 69 70 71
1 1 1 1 1 1	- - - - - - -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 2 1 2 - 1 1	4 2 2 1 1	14 6 8 6 8 	34 20 14 18 13 1 1	95 55 40 50 40 5 -	196 112 84 106 81 6 2	440 260 180 242 168 15 12 3	682 378 304 359 292 17 11 2	816 460 356 449 352 9 3 2	647 313 334 308 331 5 1	274 130 144 128 143 - - 2	67 22 45 21 44 1 1	9 2 7 2 6 - - 1	1 1		73 74 75 76 77 78 79 80 81
67 34 33 28 29 6	50 27 23 25 19 2 4	20 16 4 15 4 1	13 9 4 9 3 -	18 .10 . 8 7 8 3 ~	15 9 6 8 6 1 -	17 7 10 7 7 - 3 -	14 7 7 5 7 1 -	18 11 7 9 7 2 -	10 4 6 4 5 - 1	10 7 3 7 3 -	9 2 7 2 7 - -	12 6 6 5 6 1 -	4 1 3 1 3 -			1111111		82 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

_	Examples after causes at death are category numbers		Under	1	2	3	4	Under	5-9	10-14	15-19
	Gause of death, race, and sex	Total	1 year	year	years	years	years	5 years	years	years	years
01 02 03 04 05 06 07 08	EPILEPSY	1,821 1,086 735 717 551 357 180	15 10 5 7 4 3 1	· 10 5 5 5 5 3 2	11 5 6 3 5 2 1	10 7 3 4 2 3 1	13 4 9 3 6 1 3	59 31 28 22 20 9 8	35 20 15 14 11 5 4	46 22 24 14 17 8 6	118 72 46 54 34 18 11
09 10 11 12 13 14 15 16 17	FEMALE  INFLAMMATORY DISEASES OF EYE	4 9 5 4 5 4 - - -	-	1 1 - 1	-			1 1 1	-	1	1 11111
19 20 21 22 23 24 25 26 27	CATARACT	40 19 21 16 18 3	111111	1	-		11111111	111111111111111111111111111111111111111	11111111	11111111	1111111
28 29 30 31 32 33 34 35	GLAUCOMA	3 1 2 1 1 - 1		-	-	-	111111111		111111111	111111111	
37 38 39 40 41 42 43 44	OTITIS MEDIA AND HASTOIDITIS	123 58 65 51 48 7 14 -	13 6 7 6 4  2 -	9 4 5 4 2 - 2	2 1 1 1 -	2 1 1 1 1	1	27 12 15 12 9 - 4 - 2	3 1 2 1 2 1 - 1 -	52323   177	10 64 62 72 7
46 47 48 49 50 51 52 53 54	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389 HALE FEMALE HHITEMALE FEMALE NEGRO	7.089 3.857 3.232 3.349 2.849 464 361 44 22	248 146 102 111 75 30 24 5	135 71 64 60 47 7 17	91 51 40 34 33 16 6	72 32 40 25 39 6	49 28 21 23 19 4 2 1	595 328 267 253 213 63 50 12	200 99 101 83 85 16 13	167 82 85 70 72 10 12 2	151 97 54 75 40 20 11 2
55 56 57 58 59 60 61 62 63	VII. DISEASES OF THE CIRCULATORY SYSTEM	1,055,196 560,149 495,047 504,331 443,066 52,451 50,068 3,367 1,913	906 510 396 316 255 187 135 7	175 104 71 73 45 29 23 2	126 60 66 41 50 17 15	78 48 30 35 20 12 10	70 35 35 24 29 11 6	1,355 757 598 489 399 256 189 12	266 139 127 101 96 37 27	415 216 199 162 154 50 41	801 444 357 328 260 109 94 7
64 65 66 67 68 69 70 71 72	ACTIVE RHEUMATIC FEVER	163 96 87 88 72 7 15 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		;11111111	) †	2 1 1 1 - - 1	3 1 2 1 1	72522 - 3 - 1	8 3 5 2 3 - 2 1	3 1 2 1 1 1
73 74 75 76 77 78 79 80 81	CHRONIC RHEUMATIC HEART DISEASE	13,556 6,076 7,480 5,456 6,906 563 524 57	2 1 1 1 1 - -	7 7 6 - 1	3 - 1	3 1 2 1 - 2 -	. 1	17 13 4 11 2 1 2	19 12 7 8 3 4 4	39 21 18 14 12 7 6	75 43 32 27 18 14 12 2
82 83 84 85 86 87 88 89	DISEASES DF MITRAL VALVE	3,666 1,281 2,385 1,162 2,229 107 142 12			3 3 2 1	1		4 3 1 2 - 1 1 1	1 -	11 4 7 3 5 1 2	21 9 12 6 6 3 5 1

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
153 93 60 60 48 33 11	113 77 82 56	163 118 45 65 29 52 15	141 80 61 46 48 34 13	163 112 51 65 36 46 15	161 88 73 52 52 35 21 1	160 97 63 65 48 31 15	122 69 53 43 41 25 12	97 57 40 42 34 14 6	66 40 26 28 22 12 4 -	49 28 21 23 14 4 7 1	42 20 22 18 18 2 4	37 19 18 17 13 1 5	12 4 8 4 7 1 -	4 2 2 2 2 - -	2 1 1 1 1		1	02
	-		2  2   	111111111111111111111111111111111111111	1111111	111111111111111111111111111111111111111	111111111111111111111111111111111111111		1 1 - -	2 1 1 1 1 - -	2 2 - 2	1 1	-			-	-	10 11 12 13 14 15 16 17
				1 1 1	11111111	21111111	11111111	. 2 2 1 1	8 5 3 1 2 2	6 3 3 3 3	4 1 3 1 3 - -	93635	2 1 1 1 - -	63333	11111	1	11111111	19 20 21 22 23 24 25 26 27
	-			111111111111111111111111111111111111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111111	111111	,	1111111	-	1 - - - 1	1	1	1 1 - - -	111111	111111	.1111111	28 29 30 31 32 33 34 35 36
6 6 - 4  2 	1	2 1 1 1 	3 1 1 1 -	6 3 1 2 2 1 1 - 1	2 1 1 1 1	6 1 5 1 3 - 2 -	4 1 3 1 3 	10 6 4 6 3 -	9634221	12 4 8 4 6 - 2	5 2 3 2 2	6 1 5 1 5 -	3 2 1 2 1 	2 1 1 1 - 1 -	111111	1		37 38 39 40 41 42 43 44 45
124 76 48 55 37 20 10	126 72 54 55 43 16 11	147 84 63 59 56 24 7	176 88 88 68 68 20 20	234 138 96 113 80 23 15 2	361 211 150 174 129 33 21 4	512 291 221 245 186 42 34 4	625 359 266 326 242 30 24 3	833 479 354 422 318 54 33 3	907 507 400 468 361 37 38 2	700 380 320 351 296 28 24 1	550 277 273 258 255 16 16 3	383 169 214 160 200 6 12 3	193 89 104 85 99 4 5	79 22 57 20 53 2 4	20 7 13 7 13 - -	4 1 3 1 3 	211111111111111111111111111111111111111	46 47 48 49 50 51 52 53
1,183 656 527 477 349 167 170 12	1,737 971 - 766 686 522 264 227 21	3,005 1,777 1,228 1,279 795 480 404 18	5, 857 3, 823 2, 034 2, 886 1, 270 896 738 41 26	12,605 8,827 3,778 7,190 2,538 1,562 1,196 75	24,985 18,029 6,956 15,081 4,950 2,809 1,935 139 71	41,627 29,976 11,651 25,669 8,727 4,110 2,835 197 89	61,638 43,860 17,778 38,608 14,109 5,035 3,548 217 121	88.811 60.382 28,429 53,391 23,038 6,640 5,258 351 133	115.558 73.379 42.179 65.538 35.423 7.401 6.613 440 143	142, 965 81,040 61,925 72,606 53,622 7,906 8,046 528 257	168, 592 84, 375 84, 217 77, 856 77, 462 6, 066 6, 450 453 305	172,881 75,758 97,123 70,996 91,386 4,400 5,468 362 269	128.240 48,957 79,283 46,215 75,481 2,473 3,594 269 208	62,329 20,881 41,448 19,530 39,308 1,189 2,026 162 114	17,291 5,069 12,222 4,622 11,407 401 774 46 41	2+894 746 2+148 569 1+724 166 407 11	161 87 74 52 46 34 28 1	55 56 57 58 59 60 61 62 63
4 3 1 3 1 -	6 4 2 4 1 	53232 - 1	5 2 2 1 1 1 -	97272	16 6 10 6 9 - 1 -	14 9 5 7 4 2 1	16 12 4 12 3 - 1	24 12 12 11 11 1 1	17 8 9 8 9 - -	16 7 9 7 9 - -	17 7 10 5 8 2 2	94545	4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	1111111	11111111	111111111	64 65 66 67 68 69 70 71 72
125 76 49 54 25 22 21	149 82 67 56 45 25 18 1	217 118 99 91 63 26 32 1	290 150 140 118 112 28 27 4	526 267 259 218 214 46 42 3	808 418 390 370 341 44 43	1,148 557 591 504 539 47 49 6	1,541 740 801 682 733 50 61 8	1,950 938 1,012 845 953 86 57 7	1,975 881 1,094 814 1,037 60 54 7	1,718 693 1,025 640 988 45 34 8	1,347 528 819 505 796 22 21	934 341 593 318 567 22 22	508 164 344 150 331 12 12	136 30 106 27 99 2 6	31 3 28 3 26 - 1 -	31212	111111111	73 74 75 76 77 78 79 80 81
31 11 20 8 8 3 11 -	42 14 28 10 19 4 7 -	58 24 34 20 30 4 3	86 30 56 25 46 4 9	150 54 96 44 82 10 13 -	227 91 136 78 127 12 7 1	346 113 233 102 220 9 12 2	469 170 299 161 277 8 20 1	576 203 373 189 356 12 16 2	548 206 342 191 331 13 11 2	413 131 282 122 276 8 5	301 99 202 95 192 3 10	216 74 142 67 137 7 5	116 34 82 30 79 4 3	35 6 29 4 28 1 1	11 2 9 2 9 	1 - 1		82 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06	CHRONIC RHEUMATIC HEART DISEASE—CON.  DISEASES OF AGRTIC VALVE	3.950 2.478 1.472 2.225 1.331 232 134	2 1 1 1 1	3 3 2	1 1	1 1 - 1	1 - 1	8 6 2 5 2	35131-	11 10 1 8 1	20 15 5 13 3 2
08 09 10 11 12 13 14 15 16 17	DTHER RACESMALE  FEMALE  DISEASES OF OTHER ENDOCARDIAL STRUCTURES	21 7 599 232 367 210 343 22 23	11 111111111	1 1 1 - 1	111111111111111111111111111111111111111			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 111111111	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	11 422121
19 20 21 22 23 24 25 26 27	OTHER RHEUMATIC HEART DISEASES	5.341 2.085 3.256 1.859 3.003 202 225 24 28	1111111111	3 3	11111111	1	11111111	4 3 1 3 - 1 1 - 1	12 7 5 3 2 4 3	15 7 8 3 6 4 2	30 17 13 7 7 8 5 2
28 29 30 31 32 33 34 35 36	HYPERTENSIVE DISEASE	20.211 9,204 11,007 7,255 8,903 1.891 2,054 58	3 2 1 1 1 - -	1 - - - - - 1	2 - 2	-	1 - 1	7 2 5 1 4 1	1 - 1	52321727	7432221
37 38 39 40 41 42 43 44	MALIGNANT HYPERTENSION	1.038 567 471 337 274 227 193 3	11111111			1111111	1 - 1	1	111111111	211111111111111111111111111111111111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
46 47 48 49 50 51 52 53	ESSENTIAL BENIGN HYPERTENSION	1+143 457 686 366 533 89 149 2	1 1 1 1 1 1 3	* 11111111		111131111	11111111	1 - 1	11111111	131111111	2 2 1 1 1 1 1 1 1
55 56 57 58 59 60 61 62 63	HYPERTENSIVE HEART DISEASE	7,268 2,920 4,348 2,188 3,472 713 854 19	1	11111111	2 - 2	11111111	11111111	4 2 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	2 2 1 1 2 1 1 2 1 1 7
64 65 66 67 68 69 70 71 72	HYPERTENSIVE RENAL DISEASE	5+247 2+702 2+545 2+238 2+090 444 443 20	111111111	1 1		11111111		1 1	11111111	11111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
73 74 75 76 77 78 79 80 81	HYPERTENSIVE HEART AND RENAL DISEASE	5,515 2,558 2,957 2,126 2,534 418 415 14		1111111	11111111		111111111	111, [111, 111, 111, 111, 111, 111, 111	1111111	21111	1 1
82 83 84 85 86 87 88 89	ISCHEMIC HEART DISEASE	684,066 386,978 297,088 354,222 268,995 30,653 27,088 2,103 1,005	29 18 11 12 9 6 2	31212	4	1	1111111	37 19 18 13 15 6 3	16 9 7 5 4 4 3	22 13 9 10 8 3 1	64 41 23 34 18 7 5

Age, Race, and Sex: United States, 1973—Con.

20-24 years	25-29 years	30-34 years	35-39 years	40–44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
36 26 10 20 7 6 3	44 30 14 19 9 11 4 -	51 43 8 36 4 6	53 46 7 37 5 8 2	100 75 25 64 19 11 5	192 148 44 124 33 22 10	286 219 67 197 54 20 13 2	383 295 88 268 77 24 10 3	546 397 149 355 135 40 14 2	555 340 215 310 196 26 19	550 319 231 291 213 24 17 4	486 257 229 243 220 14 8	350 158 192 147 178 10 13	207 75 132 70 125 5 7	53 15 38 14 35 1	14 1 13 1 13 -	2 - 2 - 1 - 1		01 02 03 04 05 06 07 08
10 6 4 5 1 2	7341222	11 4 7 3 5 1 2	14 7 7 7 7 - -	27 12 15 10 14 2 1	40 14. 26 11 24 3 2	52 25 27 24 24 1 3	T0 25 45 24 41 1 4	78 30 48 26 45 4 - 3	90 39 51 35 51 4 -	71 26 45 25 43 1 2	49 13 36 13 96 - -	48 17 31 17 30 - -	17 7 10 6 10 1	8 1 7 1 7 - -	-	313114131	11111111	10 11 12 13 14 15 16 17
48 33 15 21 8 12 5	56 35 21 26 15 8 5	97 47 50 32 24 15 23 -	137 67 70 49 54 16 16	249 126 123 100 99 23 23 3	349 165 184 157 157 7 24 1	464 200 264 181 241 17 21 2	619 250 369 229 338 17 27 4	750 308 442 275 417 30 24 3	782 296 486 278 459 17 24	684 217 467 202 456 12 10 3	511 159 352 154 348 5 3	320 92 228 87 222 5 4	168 48 120 44 117 2 2 2	40 8 32 8 29 - 2 - 1	6 - 6 - 4 - 1	11111111		19 20 21 22 23 24 25 26 27
28 21 7 9 3 12 4	58 24 34 11 12 12 22	99 52 47 15 13 35 33 2	169 97 72 42 27 55 45	290 143 147 70 65 72 81 1	505 273 232 148 107 123 122 2	772 443 329 280 168 161 157 2	1,053 584 469 377 285 205 181 2	1,494 808 686 548 443 258 241 2	1,988 1,035 953 784 653 242 293 9	2.522 1.232 1.290 964 992 259 291 9	3,190 1,465 1,725 1,269 1,483 187 233 9	3,493 1,452 2,041 1,301 1,868 139 168 12	2,728 959 1,769 887 1,668 69 97	1,366 473 893 426 841 46 49	374 117 257 108 234 7 23 2	59 17 42 10 33 6 9	3 1 2 1 1	28 29 30 31 32 33 34 35 36
10 8 2 5 1 3 1	21 9 12 5 4 4 8	39 20 19 3 8 16 10 1	70 39 31 15 10 24 21	106 59 47 27 23 31 23	113 56 57 24 27 32 30	145 94 51 60 20 34 30 -	132 80 52 47 35 33 17	125 77 48 49 -35 28 13	109 55 54 44 38 11 15	62 33 29 27 19 5 10	58 21 37 16 27 5 10	29 11 18 10 15 1 3	11 10 1 9 - 1 -	2 1 1 - - 1 -	2 1 1 1 - -	11111111		37 38 39 40 41 42 43 44
4 2 1 1 1	5 1 4 1 2 - 2	6 2 4 2 - 4 -	9 4 5 1 3 3 2 -	19 9 10 7 4 2 6	41 24 17 17 5 7 11 -	52 27 25 18 11 9 14 -	74 32 42 22 26 10 15 -	98 56 42 40 31 16 11 -	127 65 62 55 37 10 25 -	141 68 73 59 54 9 19	153 66 87 56 68 9 18 1	174 58 116 48 104 9 12	142 26 116 23 112 3 3	70 13 57 13 54 - 3	21 3. 18 2 16 1 2 -	4 ± 3 ± 3 =		46 47 48 49 50 51 52 53
7521141	20 9 11 3 2 5 9	27 14 13 5 3 8 10	57 35 22 18 8 17 14	104 50 54 27 26 23 28	217 118 99 76 53 41 45 1	354 206 148 133 85 72 61 1	492 273 219 186 128 86 91 1	641 325 316 236 213 89 102	829 403 426 287 293 112 128 4	997 419 578 310 445 105 128 4	1, 146 449 697 372 603 75 93 2	1,108 323 785 286 712 36 70 1	782 176 606 154 563 22 42 -	376 85 291 73 270 11 18	86 20 66 18 58 1 8	15 5 10 1 6 3 4 1	2 1 1 1 - -	55 56 57 58 59 60 61 62 63
. 2	734-232	18 10 8 2 1 8 7	19 12 7 4 3 8 4 -	35 16 19 4 7 12 12 -	61 35 26 20 12 14 13 1	99 44 55 27 24 17 31	178 94 84 48 50 45 33 1	320 168 152 116 83 51 68 1	475 268 207 211 139 55 67 2	689 386 303 311 231 72 70 3	916 502 414 444 367 55 43 3	1,089 552 537 491 492 54 44 7	801 371 430 344 405 26 25	394 177 217 159 202 18 15	121 56 65 51 60 4 5	20 7 13 5 11 2 2	1	64 65 66 67 68 69 70 71 72
55; L   4	52322-1	9633132	14 7 7 4 3 3 4	26 9 17 5 5 4 12 -	73 40 33 11 10 29 23	122 72 50 42 28 29 21 1	177 105 72 74 46 31 25	310 182 128 107 81 74 47	448 244 204 187 146 54 58 3	633 326 307 257 243 68 64	917 427 490 381 418 43 69 3	1,093 508 585 466 545 39 39	992 385 607 365 579 18 26 2	524 197 327 180 315 17 12	144 37 107 36 99 1 8	20 4 16 3 13 1 3	-	73 74 75 76 77 78 79 80 81
139 98 41 71 21 22 18	375 268 107 202 74 63 32 3	1,083 830 253 659 170 164 81 7	3.097 2.396 701 1,974 446 402 250 20	7.878 6,317 1.561 5.430 1.032 839 521 48	16,933 13,605 3,328 11,864 2,393 1,643 908 98	29,467 23,069 6,398 20,397 4,828 2,538 1,536 134 34	44,543 33,855 10,688 30,594 8,705 3,107 1,921 154 62	63,259 45,332 17,927 40,971 14,857 4,134 2,988 227 82	80.180 53.107 27.073 48.357 23.225 4.464 3,772 286 76	96.053 56.507 39.546 51,444 34.829 4.733 4,567 330 150	108, 421 56, 191 52, 230 52, 363 48, 476 3, 551 3, 567 277 187	107,003 48,584 58,419 45,819 55,226 2,543 3,036 222 157	76,739 30,331 46,408 28,767 44,260 1,413 2,035 151 113	36,891 12,833 24,058 12,061 22,822 673 1,169 99 67	10,131 3,065 7,066 2,799 6,602 234 438 32 26	1,628 448 1,180 352 951 87 223 9	107 60 47 36 33 23 14	82 · 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

								<del>-</del>	,	<del>` ` ` ` ` `</del>		_
	Cause of death, race, and sex	Total	Under 1 year	l year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	
	ISCHEMIC HEART DISEASE—CON.											1
01 02 03 04 05	WITH HYPERTENSIVE DISEASE (.0)	75,446 34,767 40,679 28,776 33,597	4 3 1 2 1			- - -	- - -	4 3 1 2 1	2 1 1 - 1	2 - 2 -	5 3 2 2 1	
06 07 08 09	NEGRO MALE FEMALE OTHER RACES. MALE FEMALE	5,697 6,878 294 204	- - -	=	111	-		1 - -	-	=	1 -	
10 11 12 13 14 15 16 17	HITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	608,620 352,211 256,409 325,446 235,398 24,956 20,210 1,809 801	25 15 10 10 8 5 2	3 1 2 1 2 -	4	1		33 16 17 11 14 5 3	14 8 6 5 3 3	20 11 9 8 8 3 1	59 38 21 32 17 6 4	
19 20 21 22 23 24 25 26 27	ACUTE MYOCARDIAL INFARCTION	351,662 220,543 131,119 205,614 119,993 13,876 10,758 1,053 458	19 12 7 9 5 3 2		1		11111111	20 12 8 9 6 3 2	7 2 5 1 2 1 3	10 7 3 6 3 1	40 26 14 22 10 4 4	
28 29 30 31 32 33 34 35 36	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	4.503 2.882 1.621 2.494 1.406 366 210 22	1 1	-	1111111		1 1 7 1 1 1 1	1	1111111	1 1	31 21 2	
37 38 39 40 41 42 43 44 45	CHRONIC ISCHEMIC HEART DISEASE	327,722 163,444 164,278 146,009 147,625 16,409 16,112 1,026	9543 42	3 1 2 1 2 - -	3 . 3	1 - 1 - 1		16 6 10 4 9 2 1	972 423 	11 6 5 4 2 1	21 14 7 11 6 3	
46 47 48 49 50 51 52 53	ANGINA PECTORIS	179 109 70 105 61 2 8 2		-	111111111111111111111111111111111111111	1111111	111111111	1111111	-	11111111	ונווווווו	
55 56 57 58 59 60 61 62 63	OTHER. FORMS OF HEART DISEASE	46,487 25,827 20,660 21,209 17,091 4,421 3,434 197 135	674 385 289 229 176 149 108 7	106 61 45 40 24 20 20	66 36 30 23 22 11 8	49 33 16 22 11 10 5	38 19 19 13 17 6 2	933 534 399 327 250 196 143 11	121 68 53 47 44 21 8	158 85 73 62 62 21 11	302 180 122 133 91 44 31	
64 65 66 67 68 69 70 71	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS420,422  MALE FEMALE WHITEMALE FEMALE NEGROMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE	470 244 226 198 183 42 39 4	38 24 14 17 7 6 5	14 5 9 4 5 1 4	4 3 1 2 1 - 1	3 1 2 - 2 1	4 3 1 2 1	63 36 27 25 16 9 2	15 8 7 5 5 3 2	16 7 9 6 9	23 13 10 12 10 1	
73 74 75 76 77 78 79 80	ACUTE AND SUBACUTE ENDOCARDITIS	622 401 221 309 172 89 48 3	1	1 1 - 1	11111111	1111111	1111111	3 1 2 1 	4 3 1 3 1	3 1	16 7 9 3 5 4 4	
82 83 84 85 86 87 88 89	CHRONIC DISEASE OF ENDOCARDIUM	.+107 515 -592 456 520 54 70 5	1111111111	11111111	1 - 1	1 - 1		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	42221111	3 2 1 1 1	5 4 3 1 1	

Age, Race, and Sex: United States, 1973-Con.

20-24	25-29	30-34	35-39	40-44	45-49	50-54	. 55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 years	Not	Τ
years	years	years	years	years	years	years	years	years	'years	years	years	years	years	years	years	and over	stated	'] 
16 10 6 8 2 2 4	47 27 20 12 9 14 10	103 61 42 31 16 30 26	364 223 141 125 62 96 79	850 516 334 308 146 204 186 4	1,934 1,257 677 892 343 355 329	3,528 2,312 1,216 1,728 710 565 499 19	5,292 3,336 1,956 2,634 1,315 677 626 25	7,753 4,619 3,134 3,752 2,236 833 883 34	9,960 5,356 4,604 4,428 3,541 885 1,050 43	11,597 5,446 6,151 4,555 5,010 842 1,109	12, 268 4, 824 7, 444 4, 240 6, 605 540 793 44	11,174 3,783 7,391 3,395 6,738 358 615 30	7,065 2,085 4,980 1,877 4,565 187 397 21	2,752 736 2,016 653 1,833 76 174 7	633 141 492 119 417 17 72 5	88 22 66 13 44 9 22	9 4 5 2 4 3 -	01 02 03 04 05 06 07 08
123 88 35 63 19 20 14	328 241 87 190 65 49 22 2	980 769 211 628 154 134 55 7	2,733 2,173 560 1,849 384 306 171 18	7,028 5,801 1,227 5,122 886 635 335 44 6	14,999 12,348 2,651 10,972 2,050 1,288 579 88 22	25,939 20,757 5,182 18,669 4,118 1,973 1,037 115 27	39,251 30,519 8,732 27,960 7,390 2,430 1,295 129 47	55,506 40,713 14,793 37,219 12,621 3,301 2,105 193 67	70.220 47.751 22.469 43.929 19.684 3.579 2.722 243 63	84,456 51,061 33,395 46,889 29,819 3,891 3,458 281 118	96, 153 51, 367 44, 786 48, 123 41, 871 3, 011 2, 774 233 141	95,829 44,801 51,028 42,424 48,488 2,185 2,421 192 119	69,674 28,246 41,428 26,890 39,695 1,226 1,638 130 95	34,139 12,097 22,042 11,408 20,989 597 995 92 58	9,498 2,924 6,574 2,680 6,185 217 366 27 23	1,540 426 1,114 339 907 78 201	98 56 42 36 31 19 11	10 11 12 13 14 15 16 17
94 68 26 48 14 16 11	250 178 72 139 54 38 18	753 595 158 493 114 99 42 3	2,146 1,707 439 1,472 310 226 125 9	5,540 4,586 954 4,127 709 425 243 34 2	11,778 9,722 2,056 8,771 1,581 890 458 61	20,238 16,262 3,976 14,860 3,234 1,324 724 78	30,065 23,486 6,579 21,810 5,643 1,590 900 86 36	41,010 30,250 10,760 28,065 9,329 2,044 1,391 141 40	49,005 33,552 15,453 31,340 13,840 2,071 1,568 141 45	53,417 32,817 20,600 30,632 18,740 2,016 1,792 169 68	53,582 29,330 24,252 27,797 22,868 1,392 1,297 141 87	44,233 21,534 22,699 20,530 21,607 924 1,032 80 60	26,170 11,359 14,811 10,825 14,148 477 621 57	10,427 4,058 6,369 3,811 5,993 214 349 33 27	2,460 841 1,619 752 1,495 79 117 10	363 116 247 86 188 26 57 4	54 35 19 18 15 16 4	19 20 21 22 23 24 25 26 27
6 5 1 5 1	11 8 3 7 3 1 -	18 11 7 10 3 1 4	45 33 12 26 7 6 5	114 86 28 65 17 19 11 2	218 177 41 151 29 26 11 -	346 272 74 228 50 42 24	428 331 97 277 78 52 18 2	542 380 162 330 131 49 30 1	560 408 152 365 125 40 27 3	600 378 222 313 189 61 32 4	525 310 215 282 193 26 22 2	508 259 249 235 239 22 10 2	333 129 204 115 195 12 8 2	180 67 113 63 110 3 3	52 21 31 17 29 4 2	10 3 7 2 4 1 3	2 2	28 29 30 31 32 33 34 35 36
39 25 14 18 6 7 1	113 81 32 55 17 24 14	311 223 88 155 53 64 35	904 656 248 476 127 170 120	2,222 1,644 578 1,237 305 395 267 12	4,930 3,701 1,229 2,938 781 727 439 36	8,673 6,528 2,345 5,302 1,542 1,172 787 54	14,040 10,033 4,007 8,503 2,979 1,464 1,003 66 25	21,689 14,691 6,998 12,566 5,392 2,040 1,565 85 41	30.590 19.131 11.459 16.636 9.254 2.353 2.174 142 31	42,014 23,296 18,718 20,483 15,895 2,656 2,742 157 81	54, 291 26, 539 27, 752 24, 272 25, 404 2, 133 2, 248 134 100	62,235 26,772 35,463 25,035 33,372 1,597 1,994 140 97	50,214 18,833 31,381 17,818 29,907 924 1,405 91	26,275 8,703 17,572 8,182 16,715 456 817 65 40	7,619 2,203 5,416 2,030 5,078 151 319 22	1,255 329 926 264 759 60 163	51 23 28 16 18 7 10	37 38 39 40 41 42 43 44 45
111111111111111111111111111111111111111	1	1 1	2 2 2 - - -	2 1 1 1 - -	7 5 2 4 2 - 1	10 7 3 7 2  1 	10 5 4 5 1	18 11 7 10 5 1 2	25 16 9 16 6 - 3 -	22 16 6 16 5 -	23 12 11 12 11 -	27 19 8 19 8  -	22 10 12 9 10 - 1 1	95454	111111	111111111	11111111	46 47 48 49 50 51 52 53
376 214 162 158 106 53 55	452 272 180 181 115 82 57 9	510 281 229 169 142 109 76 3	660 389 271 242 166 139 101	1,090 684 406 472 264 206 135 6	1,762 1,163 599 837 404 316 192 10	2,520 1,702 818 1,328 590 364 222 10	3,359 2,233 1,126 1,805 821 417 298 11	4,311 2,850 1,461 2,367 1,089 469 367 14	4,938 3,184 1,754 2,620 1,375 545 370 19	5.375 3.143 2.232 2.635 1.791 487 425 21	6,030 3,152 2,878 2,736 2,551 391 317 25	5.960 2.745 3.215 2.439 2.906 287 296 19	4,437 1,851 2,586 1,692 2,399 143 178	2,315 820 1,495 731 1,396 82 91 7	708 227 481 196 442 31 35	159 46 113 31 83 15 23 7	11 47 1433 -	55 56- 57 58 59 60 61 62 63
17 9 8 9 7 - 1	25 11 14 6 12 3 2	23 13 10 8 8 5 2	24 15 9 13 7 2 2	27 12 15 8 9 4 4 -	30 15 15 12 12 3 3	45 24 21 22 19 2 2	26 12 14 10 12 2 2	34 20 14 16 11 4 3	35 14 21 12 17 2 4 -	22 12 10 12 9 	23 13 10 12 9 1	1257 57	4 1 2 - 1	53232	1	11111111	11111111	64 65 66 67 68 69 70 71 72
19 12 7 11 4 1 3	29 19 10 12 5 7	20 14 6 3 3 11 3	23 20 3 8 - 11 3	28 17 11 10 8 7 3	37 27 10 14 7 13 3	49 35 14 26 8 9 6	72 52 20 48 17 4 3	67 46 21 41 17 5 4	71 46 25 42 21 4 -	58 37 21 32 19 5	62 33 29 27 29 4	45 22 23 19 20 3	11 5 6 5 - 1 -	2 1 1 1 - -	2 2 2 1 1 1	111111111	11111111	73 74 75 76 77 78 79 80 81
7 3 4 3 4	4 2 1 1 1	11 4 7 3 4 1 3	9 4 5 4  1 	21 15 6 13 6 2 -	38 20 18 13 13 7 5	66 33 33 25 21 8 12	70 42 28 37 21 3 7 2	104 65 39 61 33 3 6	124 58 66 54 58 4 8	135 76 59 64 54 11 4	179 75 104 67 94 7 10	150 53 97 52 90 1 6	104 39 65 37 64 2 1	57 15 42 13 39 2 3	12 3 9 3 8 - 1	2 2 2 - 2		82 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	OTHER FORMS OF HEART DISEASE—CON. CHRONIC DISEASE OF ENDOCARDIUM—CON.	•									
1 2	OF MITRAL VALVE, NONRHEUNATIG424.0	61 13	_	=	<u>-</u>	=	-	-	=		:
4	FEMALE WHITEMALE FEMALE	48 43 45	<u> </u>	=	<u>=</u>	=	=	- -	=	=	=
7	NEGROMALE OTHER_RACESMALE	3	-	=	=	-	=	=	=	=	1
9	OF ADRIIC VALVE, NONRHEUMATIC424_1	- 185	-	_	-	-	-	_	-	-	-
1 2 3	MALE FEMALE WHITEWHE	105 80 97	=	=	=	=	- -	] =	1 1 -	=	1 1
<u> </u>	FEMALE NegrgMale	77	_	=	=	_	_	_ =	-	-	1
5	FEMALE OTHER RACESALE FEMALE	3 - -	=	=	=	-	=	<u>-</u>	=	=	1 -
3	OF DYHER ENDOCARDIAL STRUCTURES424.9	861 397	=	=	1 -	1 1	Ξ	2	3 1	3 2	3
	FEMALE WHITEALE. FEMALE	464 346 398	-		1 - 1	1 - 1	-	2 - 2	1 1	1 1	3
	NEGROMALE FEMALE OTHER RACESMALE	46 64 5	= =	] =	=	=	=	=	1	-	-
	FEMALE  SYMPTOMATIC HEART DISEASE427	27,057	335	37	35	27	- 25	- 459	 59	61	107
	MALE Female WhiteMale	14,137 12,920 11,901	184 151 126	23 14 16	19 16 15	19 8	11 14 8	256 203 176	34 25	32 29	66
	FEMALE NEGROMALE	10,922 2,134	111 54	11 7	14	11 7 7	13 3	156 74	23 19 11	24 26 6	52 29 12
	FEMALE OTHER RACESMALE FEMALE	1,905 102 93	37 4 3	3 - -	2 1 -	1 1 -	1 - -	44 6 3	5	3 2 -	12
	OTHER MYOCARDIAL INSUFFICIENCY428	4.030 1.947	35 19 16	16 9 7	9 7 2	5 4 1	3	68 42	13 8 5	19 14	40 25 15
	FEMALE WHITEHALE FEMALE	2,083 1,652 1,827	16 9 8	7 6 1	2 5 1	3	2	26 25 10	5 4 5	11 4	15 19 13
	NEGRO MALE TEMALE OTHER RACESMALE	277 246 18	10 8 -	2 6 1	2 1 -	1 1	1 -	16 16	4	3 1	2
	FEHALE ALL OTHER FORMS OF HEART DISEASE423,425,426,929	10	-	' -	-	-	-	1 -	-	-	-
	MALE Female	13,201 8,583 4,618	265 158 107	37 23 14	17 7 10	13 9 4	6 2 4	338 199 139	26 13 13	55 26 29 17	111 65 46
	HHITEMALE Female NegroMale	6,693 3,467 1,825	77 50 79	13 7 10	1 5 6	8 1	1 3 1	100 66 97	10 13 3	17 22 9	44 34 20
	FEMALE OTHER RACESMALE	1,126 65 25	57 2 -	6 - 1	5	3 -	1 -	72 2 1	171	7 -	12
	CEREBROVASCULAR DISEASES430-438	214,313 93,838	133 69	52 32	44 16	23 13	24 12	276 142	87 42	145	237 116
	FEMALE WHITEMALE FEMALE	120,475 81,530	64 48	20 24	28 11	10 11	12 8	134 102	45 33	74 71 59	119 85
	NEGROMALE Female	106,494 11,566 13,452	45 21 19	17 8 2	20 5 7	8 2 2	10 4 2	100 40 32	36 8 5	52 15 17	94 31 25
	OTHER RACESMALE FEMALE	742 529	=	ī	1	Ξ		2	1 2	2	-
	WITH HYPERTENSION (BENIGN) (-0)	26,675 11,214 15,461	1 -	2 - 2	-	-		3 - 3	1 1	3 2 1	7 5 2
	MHITEMALE FEMALE NegroMALE	8,613 12,251 2,453	1	2	-	=	=	3	1	2	3 Z 2
Į	FEMALE DTHER RACESMALE	3.085 148 -	1	-	-	-	=	=	<u>-</u>	1	=
	WITHOUT MENTION OF HYPERTENSION (.9)	125 187,638	132	50	44	23	24	273	86	142	230
	FEMALE WHITEMALE	82,624 105,014 72,917	69 63 48	32 18 24	16 28 11	13 10 11	12 12 8	142 131 102	41 45 32	72 70 57	113 117 82
	FEMALE NegroMale Female	94,243 9,113 10,367	44 21 19	15 8 2	20 5 7	8 2 2	10 4 2	97 40 32	38 8 5	52 15 16	92 29 25
	OTHER RACESMALE FEMALE	594 404	- 1	1	1	=	-	2	I 2	- 2	2
	SUBARACHNDID HEMORRHAGE430 HALEFEMALE.	9,191 3,802 5,389	22 12 10	4 3 1	2 1 1	1	3 2 1	32 19	11 5 6	55 26 29	85 38
	WHITEWALE FEMALE NEGROWALE	3,151 4,484	10 7	2 -	1 -	1 -	1	13 15 8	5	21 19	47 27 34
	RECRUSSION FEMALES OTHER RACESSIMALES FEMALES	592 837 59	2 3 -	1 - -	1	=	1 -	4	1 1	10	10 13 1

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	<u> </u>
1111	131111	. 1 . 1 1	-	1 1 1 -	2 - 1	1 1 -	2 - 2 - 2	· 3 2 1 2	5 1 4 1 4	7 1 6 1 6	12 3 9 3 7	11 2 9 2 9	8 1 7 1 7	7 1 6 1 6	1 - 1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1111	01 02 03 04 05
1	-	-	- - - 1		1 - 4	10	-	12	- 24	27	2 -	31	19	-	- -	-	- -	06 07 08 09
1 -		- - - -	1	1	1 1 -	8 2 6 2 2 -	4 2 3 2 1 - -	11 11 11 - - -	13 11 13 10 -	19 8 18 8 1	17 13 17 19 - -	12 19 12 18 - 1	13 6 13 -	14 7 7 6 7 1 -	1 - 1	1 - 1	1111111	10 11 12 13 14 15 16 17
6 3 3 3 3	2 2 1 1 1 1	10 6 3 3 1 3	8 3 5 3 4 1	19 13 6 12 6 1 -	32 16 16 10 12 6 4	55 24 31 18 19 6	62 38 24 34 17 2 7 2	89 52 37 48 31 3 6	95 44 51 40 44 7 -	101 56 45 45 40 10 4	137 55 82 47 74 7 8 1	108 39 69 38 63 1 5 -	77 32 45 30 44 2 1	36 7 29 6 26 1 3	10 3 7 3 6 - 1	1	111111111	19 20 21 22 23 24 25 26 27
146 75 71 54 49 19 22 2	163 93 70 70 45 21 20 2	195 94 101 64 28 32 2	264 139 125 87 70 49 52 3	404 222 182 162 114 59 63 1	718 427 291 313 190 110 100	1,086 693 393 541 286 148 104 4	1,616 993 623 797 448 193 171 3	2,247 1,419 828 1,172 625 238 200 9	2.758 1.750 1.008 1.455 790 289 212 6	3,305 1,843 1,462 1,554 1,178 273 272 16 12	3,991 2,052 1,939 1,794 1,732 246 198	4,137 1,886 2,251 1,691 2,050 182 192 13	3,128 1,305 1,823 1,200 1,702 94 114 11	1,602 562 1,040 513 977 45 55 4	490 158 332 137 306 21 22	113 35 78 21 60 14 11	8 3 5 1 4 2 1	28 29 30 31 32 33 34 35
41 19 22 13 14 6 8	39 24 15 15 8 7 6	50 25 25 19 16 7	55 28 27 21 20 7 7	84 48 36 34 25 14 11	123 66 57 50 46 15 10	163 99 64 84 51 14 13	213 128 85 109 71 18 14	276 181 95 158 78 22 16	318 189 129 152 111 35 18 2	353 194 159 167 136 27 22	498 242 256 217 227 23 28 2	624 264 360 234 328 28 30 2	556 194 362 182 344 10 17 2	359 117 242 104 233 10 9	111 32 79 27 74 5	26 8 18 7 13 1	1 - 1 - 1	37 38 39 40 41 42 43 44 45
146 96 50 68 28 27 21 1	192 123 69 77 44 43 23 3	211 131 80 72 45 58 29 1	285 183 102 109 65 70 36 4	526 370 156 245 102 120 54	816 608 208 435 136 168 71 5	1,111 818 293 630 205 183 85 5	1,362 1,006 356 804 252 197 101	1,583 1,119 464 919 325 197 138	1,632 1,127 505 905 378 211 124 11	1,502 981 521 806 395 171 125 4	1,277 737 540 619 460 110 80 8	992 515 477 438 411 73 65 4	634 307 327 267 282 37 44 3	290 122 168 97 144 25 24	92 33 59 28 52 5 7 -	18 3 15 3 8 - 7	. 1]	46 47 48 49 50 51 52 53
302 153 149 116 109 34 40	447 201 246 144 183 52 61 5	751 345 406 226 266 116 133 3 7	1, 142 535 607 326 357 205 235 4 15	2,035 998 1,037 669 682 313 337 16	3,612 1,741 1,871 1,206 1,292 520 554 15 25	5,613 2,954 2,659 2,136 1,923 787 701 31 35	7,981 4,376 3,585 3,380 2,681 982 868 34 36	12,626 7,062 5,564 5,631 4,231 1,355 1,301 76	19,129 10,484 8,645 8,738 6,881 1,641 1,724 105 40	27,809 13,956 13,853 11,959 11,604 1,875 2,181 122 68	97, 828 16, 850 20, 978 15, 279 19, 025 1, 458 1, 877 113 76	42.139 16,693 25,446 15,514 23,828 1,095 1,545 84	32,558 11,327 21,231 10,630 20,195 617 977 80 59	15,138 4,578 10,560 4,252 9,990 288 544 38 26	3,840 1,044 2,796 946 2,601 89 186 9	590 130 460 89 358 40 100	5 9 -	55 56 57 58 59 60 61 62 63
14 7 7 4 4 3 3	45 22 23 9 13 13 9	107 50 57 24 25 26 30 -	267 121 146 52 56 67 86 2	498 246 252 131 115 110 135 5	962 475 487 284 244 186 234 5	1,561 795 766 519 447 265 301 11	2,061 1,115 946 799 619 301 316 15	2,815 1,495 1,320 1,097 913 372 397 26 10	3,455 1,718 1,737 1,327 1,308 356 413 35	4,014 1,727 2,287 1,375 1,813 331 454 21 20	4.164 1.564 2.600 1.332 2.307 219 281 13	3,609 1,150 2,459 1,012 2,221 133 228 5	2,145 528 1,617 474 1,501 46 110 8	782 157 625 142 559 13 62 2	145 31 114 23 96 8 18	12 2 10 1. 5 1	3 2 - 1 2	64 65 66 67 68 69 70 71
288 146 142 112 105 31 37 3	402 179 223 135 170 39 52 5	644 295 349 202 241 90 103 3	875 414 461 274 301 138 149 2	1,537 752 785 538 567 203 202 11 16	2,650 1,266 1,384 922 1,048 334 320 10 16	4,052 2,159 1,893 1,617 1,476 522 400 20	5,920 3,281 2,639 2,581 2,062 681 552 19 25	9,811 5,567 4,244 4,534 3,318 983 904 50 22	15,674 8,766 6,908 7,411 5,573 1,285 1,311 70 24	23, 795 12, 229 11, 566 10, 584 9, 791 1, 544 1, 727 101 48	33, 664 15, 286 18, 378 13, 947 16, 718 1, 239 1, 596 100 64	38,530 15,543 22,987 14,502 21,607 962 1,317 79 63	30,413 10,799 19,614 10,156 18,694 571 867 72 53	14.356 4.421 9.935 4.110 9.431 275 482 36 22	3,695 1,013 2,682 923 2,505 81 168 9	578 128 450 88 353 39 95	12 11 8 4 7	73 74 75 76 77 78 79 80 81
132 71 61 56 44 13 17	227 93 134 72 97 19 37 2	377 165 212 130 151 34 59	514 220 294 162 199 57 90 1	789 351 438 273 336 73 95 5	1,103 421 682 333 543 81 127 7	1,201 524 677 430 578 84 88 10	1,104 463 641 395 551 63 79 5	1,057 451 606 387 531 56 72 8	850 361 489 317 442 38 42 6 5	641 254 387 217 326 31 56 6	511 177 334 164 304 12 26	323 110 213 101 196 8 16 1	141 44 97 38 95 3 2	33 7 26 7 22 - 3 -	5 2 3 2 3		111111111111111111111111111111111111111	82 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	CEREBROVASCULAR DISEASESCON.										
01 02 03 04 05 06	CEREBRAL HEMOR®HAGE431  MALE FEMALE WHITEHALE FEMALE NEGROHALE HALE HALE	33,909 15,561 18,348 13,104 15,735 2,322 2,474	58 28 30 16 22 12	13 10 3 8 3 2	14 6 8 4 6 2 2	5 5 4 - 1	6 3 1 2 2 1	96 52 44 33 33 19	28 12 16 9 12 3	48 26 22 21 16 5	78 42 36 28 28 14
08	OTHER RACESMALE FEMALE	135 139	=	=	=	<u>-</u> :	-	=	_ 2	ž	=
10 11 12 13 14 15 16 17 18	CEREBRAL THROMBOSIS	56,648 24,974 32,274 21,624 29,191 2,580 3,000 170 83	6 3 3 1  2	4 3 1 3 - 1	1 1	2 2 2	1 - 1	14 8 6 8 3 - 3	6 2 4 2 4	7 4 3 4 3 	13 4 9 2 9 2
19 20 21 22 23 24 25 26 27	GEREBRAL EMBOLISM	967 429 538 385 500 42 36 2	1 - 1		:	11111111	11111111	1 - 1	11111111	1 71	1111111
28 29 30 31 32 33 34 35	OTHER SPECIFIED ACUTE CEREBROVASCULAP DISEASES	3,238 1,825 1,413 1,657 1,275 146 131 22	-	1 1 - 1		11111111	111111111	. 1	111111111	2 2 2	8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
37 38 39 40 41 42 43 44 45	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	67,730 30,147 37,583 25,537 32,196 4,382 5,229 228 158	7 43 31 12	3 2 1 2 1	4 3 1 2 1 1		(11111111	14 9 5 7 3 2 2	4 3 1 3 1 -	9 5 4 3 1 1	8 3 5 2 3 2 1
46 47 48 49 50 51 52 53	OTHER GEREBROVASCULAR DISEASES	42,630 17,700 24,930 16,072 23,113 1,502 1,745 126 72	39 22 17 16 13 4 -	27 13 14 8 13 5	23 6 17 4 12 2 4	15 5 10 . 4 8 1	14 7 7 6 6 1	118 53 65 38 52 15 12	38 20 18 15 16 4 2 1	23 11 12 9 10 2 2	45 27 18 22 16 5 2
55 56 57 58 59 60 61 62 63	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	58,676 29,376 29,300 27,158 27,006 2,055 2,193 163 101	31 17 14 13 10 4	2 1 1 1 1 -	3 3 - 3	2 1 1 1 1 	3 2 1 2 - 1 - 1	41 24 17 19 12 5	12 6 6 4 - 2	25 12 13 8 10 3 2	54 34 20 32 15 2 4
64 65 66 67 68 69 70 71	ARTERIOSCLEROSIS	32,617 13,402 19,215 12,315 17,927 1,025 1,245 62	- - - - -	11111111		1111111111	111111111	1111111	11111111	111111111	1
73 74 75 76 77 78 79 80 81	ADRTIC ANEURYSM (NOMSYPHILITIC)	14,210 10,189 4,021 9,633 3,635 490 359 66 27	1111111111	11111111	1	11111111	1111111	1 1 2 2 1 1	2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 4 1 2 1 1	18 14 4 14 4
82 83 84 85 86 87 88 89	GANGRENE	2.867 1,422 1,445 1,227 1,244 187 192 8	11111111	1 - 1	7	1	31111111	2 1 1 1	111111111	1	2 1 1 1 1

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
71 32 39 20 28 11 11	110 58 52 92 40 25 11	206 111 95 61 51 49 42 1	361 193 168 92 78 99 82 2	683 345 338 213 187 126 144 6	1,182 633 549 428 201 205 4	1,799 925 874 672 620 245 237 8	2,332 1,308 1,022 1,032 772 264 240 12	3,099 1,695 1,404 1,368 1,125 299 265 28	3.807 2.029 1.778 1.717 1.463 294 305 18	4,663 2,258 2,405 1,966 2,059 269 330 23 16	5,306 2,365 2,941 2,168 2,714 187 212 10	4,867 1,850 3,017 1,791 2,827 107 175 12	3.408 1.124 2.284 1.054 2.168 65 110	1,419 405 1,014 374 954 29 57 2	311 86 225 76 210 8 13 2	28 · 8 20 7 12 1 8	7 4 3 2 1 2 2	01 02 03 04 05 06 07 08
18 7 11 5 9 22 -	19 10 9 6 9 4	32 12 20 8 14 4 5	49 23 26 13 18 10 8	130 73 57 45 39 27 18	321 172 149 117 109 55 39	730 432 298 295 201 135 96 2	1,355 798 557 592 425 198 131 8	2,637 1,556 1,081 1,254 809 291 269 11	4.698 2.630 2.068 2.199 1.635 410 428 21	7,531 3,793 3,738 3,262 3,190 501 533 30	10,882 4,797 6,085 4,393 5,535 371 529 33	12,482 4,929 7,553 4,621 7,106 286 432 22	9,792 3,398 6,394 3,207 6,105 164 277 27	4.581 1.381 3.200 1.285 3.033 85 162 11	1.161 304 857 280 813 21 41 3	186 40 146 25 121 14 25 1	4 1 3 1 1 - 2 -	10 11 12 13 14 15 16 17
1 2  1 2 	5 4 1 . 4 - 1	2 - 2 - - -	7 4 3 3 3 1 -	9 5 4 3 3 2 1 -	20 10 10 8 10 2	28 14 14 10 11 4 3	48 21 27 19 24 2 3 -	80 39 41 36 36 3 5	100 46 54 41 48 5 - 1	128 71 57 63 49 8 8	173 80 93 73 89 5 4 2	180 76 104 70 101 6 2 -	121 36 85 34 84 2 1	46 18 28 17 28 1 - -	12 3 9 3 9 	2  2  1  1 	1 1 - - - -	19 20 21 22 23 24 25 26 27
13 30 10 3 9 - 1	10 2 8 1 7 1 1	13 5 8 3 4 1 4	25 11 14 9 9 2 5	44 32 12 27 11 3 1	102 70 32 59 27 11 5	180 126 54 113 42 13 12	268 179 89 163 77 15 11 1	380 255 125 224 107 27 18 4	483 311 172 283 154 22 18 6	491 269 222 244 203 23 17 2	489 254 235 239 217 11 16 4	397 178 219 172 205 6 14	229 86 143 78 136 7 6	82 30 52 27 49 2 2 1	19 7 12 7 12 - -	2 - 2		28 29 30 31 32 33 34 35 36
17 8 9 5 3 4 -	36 13 23 10 17 3 6	74 34 40 14 25 20 15	149 65 84 35 38 30 44	287 145 142 77 72 67 68 1	726 351 375 198 217 149 153	1+357 728 629 471 389 249 236 8	2,260 1,256 1,004 892 661 357 335 7	4,115 2,341 1,774 1,767 1,215 554 549 20	6,522 3,580 2,942 2,881 2,204 664 722 35	9,503 4,831 4,672 4,038 3,711 755 940 38 21	12,600 5,668 6,932 4,990 6,145 633 767 45	13,858 5,590 8,268 5,095 7,591 466 648 29	10,303 3,705 6,598 3,421 6,183 257 388 27	4,557 1,433 3,124 1,307 2,901 116 214 10	1,160 338 822 292 730 43 89 3	158 34 124 24 80 10 42	13 7 6 4 2 3 4 -	37 38 39 40 41 42 43 44
48 31 17 27 14 4 3	40 21 19 19 13 - 5 2	47 18 29 10 19 8 8	37 19 18 12 12 6 6	34 15 10	158 84 74 63 49 21 25	318 205 113 145 82 57 29 3	614 371 243 287 171 83 69 1	1,258 725 533 595 408 125 123 5	2.669 1.527 1.142 1.300 935 208 204 19	4, 852 2, 480 2, 372 2, 169 2, 066 288 297 23	7,867 3,509 4,358 3,252 4,021 239 323 18	10.032 3.960 6.072 3.724 5.802 216 258 20	8,564 2,934 5,630 2,798 5,424 119 193 17	4,420 1,304 3,116 1,235 3,003 55 106 14 7	1,172 304 868 286 824 17 43 1	214 48 166 33 142 15 24	3 1 2 - 1	46 47 48 49 50 51 52 53 54
75 43 32 35 26 7 5	6	115 54 61 44 50 9 10	205 107 98 82 -73 23 24 2	25	630 431 199 345 159 83 38	1,096 685 411 573 332 103 75 9	1,858 1,334 524 1,184 429 145 92 5	3v264 2v270 994 2v074 822 177 167	5+044 3+450 1+594 3+180 1+351 260 237 10 6	6,925 4,261 2,664 3,883 2,306 343 348 35	9+273 4+976 4+297 4+640 3+962 313 316 23	11,137 4,983 6,154 4,731 5,823 230 316 22	9,989 3,839 6,150 3,645 5,889 180 243 14	6,002 1,967 4,035 1,869 3,880 84 146 14	2,075 566 1,509 529 1,424 34 84	428 99 329 85 280 14 48	7 3 4 2 4 1 -	55 56 57 58 59 60 61 62 63
1	1 - -	1 1 1 1	16 8 8 6  2 	11 12 10 8 1 4	86 58 28 49 24 9 4	179 112 67 86 57 25 10	380 243 137 202 109 41 27	778 488 290 428 221 57 66 3	1.487 876 611 755 500 120 109 1	2,792 1,428 1,364 1,237 1,163 180 199 11	4,918 2,272 2,646 2,063 2,423 199 217 10	7,439 3,052 4,387 2,887 4,165 153 213 12	7.467 2,735 4,732 2,590 4,546 137 175 8	4,908 1,555 3,353 1,475 3,237 66 108 14	1.767 475 1,292 445 1,225 28 67 2	369 86 283 78 240 8 42 -	2 1 1 1 1 -	64 65 66 67 68 69 70 71
20 17 3 15 3 2	12 8 10 8	10 15 9	45 31 14 27 10 3 4	31 76 28 20 3	240 191 49 143 35 47 13	453 946 107 292 78 49 25 5	839 702 137 640 105 59 31	1,485 1,227 258 1,156 218 60 39 11	2,222 1,782 440 1,702 376 73 64 7	2,677 2,054 623 1,964 556 72 62 18	2.643 1.858 785 1.791 735 56 42 11	1.934 1.161 773 1.127 738 28 32 6	1,035 528 507 515 476 11 28 2	338 128 210 125 199 3 10	69 14 55 13 51 1 4 -	8 3 5 - - -	1	73 74 75 76 77 78 79 80 81
33	5 - 4	2 1 2 1	4 2 3 1 1	6 1	19 13 6 8 4 5 2	30 22 8 17 7 5	70 42 28 30 20 11 8	120 76 44 58 27 18 16 -	210 136 74 113 53 23 21	311 175 136 135 101 37 35 3	419 215 204 190 177 24 24 1	555 274 281 249 252 23 28 2	609 273 336 251 911 22 22 22	342 131 211 122 193 9 18.	119 39 80 37 69 2 10	30 7 23 3- 18 4 5	3 2 1 1 1 1 -	82 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of death, race, and sex	Total	Under I year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIESCON-	,		-					-		
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND  CAPILLARIES	8.982 4.363 4.619 3.983 4.200 353 397 27	31 17 14 13 10 4 4	1 1	2 2	1 - 1	3 2 1 2 - 1	38 22 16 .17 11 5	10 4 6 4 4 -	19 7 12 5 10 2 1	33 19 14 17 10 2 3
DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	22 17,704 8,754 8,950 7,413 7,599 1,295 1,308 46 43	33 18 15 12 12 6 2 -	- 4 2 2 2 1 - 1	3 1 2 1 2	111111111111111111111111111111111111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-41 22 19 15 15 7 3	3 3 1 1	1 13 6 7 5 6 1	59 23 36 15 21 8 15
VENOUS THROMBOSIS AND EMBOLISM	15,800 7,712 8,088 6,530 6,882 1,151 1,173 31	8 5 3 2 2 1 -	14111111	2 - 2	111111111		10 5 3 4 2 1	1	12 5 7 6 1	52 19 33 12 20 7 13
OTHER DISEASES OF CIRCULATORY SYSTEM	1,904 1,042 862 883 717 144 135 15	25 13 12 9 10 4 1 -	4 2 2 2 1 - 1	1 1		1	31 17 14 12 11 5 2	2 - - - 1	1 1	74 33 11 2
VIII- DISEASES OF THE RESPIRATORY SYSTEM	117,537 74,718 42,819 66,479 38,122 7,560 4,359 679 338	4,484 2,561 1,923 1,693 1,192 808 685 60 46	569 307 262 191 185 111 70 5	302 164 138 122 105 39 31 3	167 94 73 72 56 22 16	121 66 55 55 40 11 13	5,643 3,192 2,451 2,133 1,578 991 815 68 58	403 215 188 170 156 41 30 4	420 227 193 179 156 47 36	559 330 229 263 159 64 66
ACUTE UPPER RESPIRATORY INFECTIONS	453 241 212 189 165 49 45 3	121 74 47 53 25 20 21 1	34 18 16 19 12 5 4	17 10 7 9 7 1 -	94544-11	5 2 3 2 1 - 2	-186 108 78 81 49 26 28	18 11 7 8 6 2 1 1	10 6 4 4 4 2	13 9 4 8 2 1
ACUTE BRONCHITIS AND BRONCHIGLITIS	905- 493 412 422 355 63 55 8	170 97 73 70 53 24 19 3	39 21 18 13 15 7 3	18 10 8 8 5 2 3	8 6 2 6 - 2	93635	244 137 107 100 78 33 27 4	10 6 4 5 3 1 1	6 3 6 3	33
INFLUENZA	5,131 2,408 2,723 2,205 2,508 170 191 33 24	52 29 23 20 10 7 12 2	12 7 5 4 2 1	6 5 1 4 1 1	7 3 4 3 4	-	77 44 33 32 19 10 13 2	18 8 10 6 9 2 1	25 17 8 14 6 3 2	11
PNEUMONIA	57,428 31,816 25,612 26,936 22,456 4,484 2,949 396 207	3,510 1,990 1,520 1,286 933 662 551 42 36	382 204 178 123 126 77 48	195 100 95 71 68 26 25 3	109 62 47 44 37 18 9	87 48 39 39 29 9	4,283 2,404 1,679 1,563 1,193 792 642 49	244 132 112 108 90 21 20 3	260 125 135 101 111 23 23	35 20 14 17 10 3
VIRAL PNEUMONIA	1,604 799 805 676 693 114 106 9	304 186 118 129 73 54 42 3	24 10 14 7 14 3	27 9 18 5 14 4 4	17 11 6 9 4 2 2	8 5 5 7 7 1	380 221 159 155 107 63 49 3	13 3 10 3 9 - 1	14 7 7 6 5 1 2	2 1/ 1: 1: 1:

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	-
51 23 28 18 23 4 4	64 32 32 29 27 3 5	81 32 49 26 39 5	137 65 72 45 54 19 17	174 75 99 63 78 12 18	285 169 116 145 96 22 19	434 205 229 178 190 24 39	569 347 222 312 195 34 26 1	·881 479 402 432 356 42 46 5	1+125 656 469 610 422 44 43 2	1. 145 604 541 547 486 54 52	1, 293 631 662 596 627 34 33 1	1,209 496 713 468 668 26 43 2	878 303 575 289 556 10 18 4	414 153 261 147 251 6 10	120 38 82 34 79 3 3	21 3 18 1 17 2 1	1 -	01 02 03 04 05 06 07 08
134 48 86 31 58 17 27	160 71 89 45 57 25 30 1	225 94 131 72 89 21 39	289 146 143 100 88 43 55 3	446 228 218 175 159 52 55 1	719 392 327 305 245 80 77 7	997 557 440 444 343 108 94 5	1,287 706 581 574 452 129 126 3	1,883 1,110 773 944 632 160 136	2+287 1+230 1+057 1+037 892 189 163 4	2,547 1,241 1,306 1,074 1,103 164 200 3	2,486 1,206 1,280 1,059 1,161 142 117 5	2,206 956 1,250 870 1,163 84 85 2	1,277 482 795 440 739 39 52 3	481 180 301 164 280 14 21 2	132 47 85 41 78 6 7	27 5 22 1 17 4 4	5 4 1 2 - 2	10 11 12 13 14 15 16 17
126 41 85 26 57 15 27	145 60 85 37 55 22 29 1	195 80 115 61 79 18 33 1	243 114 129 82 79 32 50	382 191 191 147 140 44 48 - 3	597 309 288 239 218 65 65 5	864 472 392 372 305 97 85	1,113 598 515 484 401 112 112	1,674 972 702 825 576 143 123 4	2.071 1.096 975 919 824 174 149 3	2, 323 1, 132 1, 191 980 1, 007 150 181 2	2,279 1,104 1,175 954 1,066 137 108	2,015 880 1,135 799 1,056 79 77 2	1.142 429 713 393 665 33 45 3	423 158 265 144 247 12 18 2	110 41 69 37 64 4 5	19 3 16 1 12 2 3 -	1 1 - 2 1	19 20 21 22 23 24 25 26 27
8 7 1 5 1 2	15 11 4 8 2 3 1	30 14 16 11 10 3 6 -	46 32 14 18 9 11 5	64 37 27 28 19 8 7 1	122 83 39 66 27 15 12	133 85 48 72 36 11 9	174 108 66 90 51 17 14 1	209 138 71 119 56 17 13 2	216 134 82 118 68 15 14	224 109 115 94 96 14 19	207 102 105 95 95 5 7	191 76 115 71 107 5 8	135 53 82 47 74 6 7	58 22 36 20 33 2 3 -	22 6 16 4 14 2 2 -	826 - 521	1 - - -	28 29 30 31 32 33 34 35 36
648 385 263 288 184 93 74 5	655 381 274 269 195 104 77 8	691 387 304 237 199 146 97 4	965 536 429 347 294 176 130	1,617 895 722 616 504 269 203 10	2,739 1,682 1,057 1,229 802 431 242 22	4,373 2,842 1,531 2,257 1,258 569 255 16	6,703 4,530 2,173 3,911 1,870 584 286 35	10,115 7,395 2,720 6,548 2,431 792 265 55	13,258 9,759 3,499 8,839 3,134 849 341 71 24	15,672 11,323 4,349 10,431 3,907 813 415 79 27	17, 478 11, 922 5, 556 11, 111 5, 172 703 345 108 39	16,338 9,782 6,556 9,239 6,255 472 275 71 26	11,463 5,806 5,657 5,493 5,450 247 185 66	5,732 2,400 3,332 2,252 3,174 116 141 32 17	1,732 626 1,106 582 1,050 36 49 8	312 88 224 72 189 15 31 1	1.5 6 13 5 2 1	37 38 39 40 41 42 43 44
5 3 2 2 1 1	7 6 1 4 - 1 1	9 6 3 4 3 2 -	5 2 3 1 2 1 1	6 2 4 1 3 1 -	10 4 6 2 4 2 7	10 5 5 3 3 2 2 1	21 10 11 7 9 3 2 -	16 8 8 7 6 1 1	14 6 8 6 6  2 -	25 13 12 12 12 1- -	28 17 11 15 10 2 1	24 10 14 10 14 - -	33 10 23 9 22 1	8 4 4 	4 1 3 1 3	1 - 1	1111	46 47 48 49 50 51 52 53
94533121	14 7 7 5 6 2 1	8 6 2 5 2 1	14 6 8 4 6 2 2	15 8 7 8 5 - 2	26 12 14 9 13 3	37 22 15 19 13 . 3	57 25 32 19 31 5 1	46 31 15 27 14 4 1	64 39 25 35 23 3 2	83 52 31 49 27 2 4	77 49 28 48 28	89 46 43 45 39 - 4	57 22 35 21 34 1	29 7 22 7 19 - 3 -	10 4 6 4 6 			55 56 57 58 59 60 61 62
29 16 13 14 11 2 1	30 16 14 14 12 2 2	30 10 20 8 15 2 5	64 27 37 23 28 4 8	59 28 31 18 26 9 5	78 38 40 34 31 3 8 1	161 77 84 62 73 14 9	196 100 96 93 79 6 16	285 168 117 149 102 14 11 5	399 250 149 222 133 25 16 3	575 309 266 277 238 28 27 4	813 409 404 388 385 17 16 4	901 379 522 364 501 13 18 2	755 300 455 290 443 7 8 3	428 136 292 124 274 7 16	158 55 103 54 99 1 4	27 7 20 6 17 - 3 1	11111	64 65 66 67 68 69 70 71
366 223 143 170 96 50 44 3	395 230 165 155 117 69 -47 6	433 263 170 163 107 98 60 2	575 344 231 209 155 125 72 10	880 515 365 335 233 174 125 6	1,388 890 498 600 349 274 141 16 8	1,834 1,166 668 852 509 304 149 10	2,322 1,496 826 1,178 656 301 158 17	3,289 2,235 1,054 1,813 898 395 147 27	4.216 2.768 1.448 2.309 1.207 422 227 37 14	5, 659 3, 551 2, 108 3, 090 1, 815 418 278 43 15	8, 100 4, 750 3, 350 4, 287 3, 073 406 249 57 28	9,349 4,879 4,470 4,542 4,248 293 207 44 15	7,589 3,412 4,177 3,209 4,022 163 145 40 10	4,273 1,686 2,587 1,592 2,472 78 105 16	1+355 462 893 427 843 29 43 6	254 68 186 555 158 13 25 	10 3 8 3 2	73 74 75 76 77 78 79 80 81
24 10 14 8 11 2 2 -	24 11 13 9 7 2 6	25 10 15 8 12 2 3	24 12 12 8 8 4 4	35 13 22 10 18 3 4	43 22 21 16 17 6 4	56 34 22 32 17 2 5	77 41 36 34 30 7 6 -	79 44 35 39 33 5 2 -	102 55 47 49 43 5 4	124 55 69 49 64 5	144 75 69 72 64 2 4 1	168 77 91 75 89 1 1	142 57 85 54 83 2	67 27 40 25 40 1 -	31 11 20 11 19 -	5   5   7   1		82 83 84 85. 86 87 88

Table 1-26. Deaths From 281 Selected Causes, by

	[ Numbers after causes of death are category numbers	or the regular	rtearon in	ter natio	MI CEISE	incation	or Disea	ises, Adapi	eu, 1909	(ICDA).	our-aign
	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	PNEUMONI ACON.										
01 02 03 04 05 06 07 08	BACTERIAL PNEUHONIA	6+597 4+011 2+586 3+243 2+187 709 373 59 26	173 97 76 67 47 28 28 2	25 11 14 8 9 3 4	16 7 9 5 5 2 3 -	8 2 6 2 3 - 3	7 4 3 4 3	229 121 108 86 67 33 38 2	22 16 6 12 5 3 1	32 15 17 13 13 2 4	45 28 17 21 13 7 4 -
10 11 12 13 14 15 16 17	ACUTE INTERSTITIAL PNEUMONIA	832 467 365 352 264 102 93 13 8	516 309 207 215 135 83 66 11	38 19 19 13 13 5 5	14 7 7 6 3 1 4	2 1 1 - 1 1	5 2 3 1 3	575 338 237 235 154 91 76 12	7 1 6 1 4 - 2	5231211-	63331122
19 20 21 22 23 24 25 26 27	BRONCHOPNEUMONIA, DRGANISM UNSPECIFIED	22,946 12,641 10,305 10,903 9,245 1,612 1,005 126 55	882 493 389 300 221 188 161 5	136 77 59 46 41 31 18	62 41 21 31 14 9 6	42 23 19 17 17 6 1	31 16 15 13 11 3 3	1,158 650 503 407 304 237 189 6	97 53 44 41 39 11 5	92 52 40 44 33 7 1	119 68 51 54 34 13 16
28 29 30 31 32 33 34 35 36	PNEUMONIA DUE TO OTHER AND UNSPECIFIED DRGANISMS483,486  MALE  HHITEMALE  FEMALE  NEGROMALE  OTHER RACESMALE  FEMALE  FEMALE	25,449 13.898 11.551 11,762 10.067 1.947 1.372 189 112	1. 635 905 730 575 457 309 254 21	159 87 72 49 49 35 21 3	76 36 40 24 32 10 8 2	40 25 15 16 13 9 2	36 21 15 16 10 5 5	1+946 1+074 872 680 561 368 290 26 21	105 59 46 51 33 7 11 1	117 49 68 37 58 12 9	154 94 60 79 41 13 19 2
37 38 39 40 41 42 43 44	BRONCHITIS, EMPHYSEMA, AND ASTHMA	29,708 22,740 6,968 21,365 6,464 1,252 472 123 32	96 68 28 43 22 21 6 4	33 21 12 12 8 9 4	25 16 9 10 7 6 2	96363	3 2 1 2 - 1	166 113 53 73 40 36 13	33 14 19 7 14 7 5	53 35 18 27 10 8 8	55 34 21 23 14 11 5
46 47 48 49 50 51 52 53	BRONCHITIS, UNQUALIFIED	768 399 369 326 333 68 35 5	56 42 14 29 11 11 3 2	18 8 10 2 7 6 3 -	13 6 7 5 6 1 1	33 3 1 1 1 1 1	1 1	91 60 31 40 24 18 7	10 6 4 3 4 3	10 6 4 5 3 1 1	12 10 2 9 1
55 56 57 58 59 60 61 62	CHRONIC BRONCHITIS	4,779 3,512 1,267 3,332 1,212 148 48 32 7	11 7 4 3 2 1 2	7 6 1 5 1 -	1 - 1	1 1	2 1 1 - 1	23 17 6 11 4 4 2 2	2 1 1 1	10 9 1 8 1 1 - -	1
64 65 66 67 68 69 70 71	EMPHYSEMA	22,249 18,010 4,239 17,100 4,069 834 158 76	17 11 6 7 5 4 1	1	2 2 - 1		11111111	20 14 6 9 5 1 -	1 - 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
73 74 75 76 77 78 79 80 81	ASTHMA	1,912 819 1,093 607 850 202 231 10	12 8 4 3 4 1	7 6 1 4 2 1	8 6 2 3 1 3 1	523231111		32 22 10 13 7 19	20 6 14 2 9 4 5	32 20 12 14 5 6 7	40 23 17 13 11 10 4
82 83 84 85 86 87 88 89	HYPERTROPHY OF TONSILS AND ADENOIDS	38 18 20 16 17 2 3		1111111111	3 2 1 2 1 	1	2 - 2	6 2 4 2 4 - -	17 9 8 8 7 1 1	4 2 2 2 2 2	42222

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over.	Not stated
35 19 13 12 3 6 - 1	73 42 31 21 23 10 8	66 43 . 23 . 23 15 20 8	120 76 44 43 26 31 16 2	174 98 76 61 42 35 32 2	281 195 86 117 55 72 28 6	299 195 104 130 78 62 22 3	364 229 135 159 104 68 28 28	509 366 143 284 115 73 27	587 402 185 322 160 73 25 7	661 440 221 379 190 56 30 5	892 553 339 488 316 59 22 6	960 564 396 520 368 41 25	740 381 359 346 336 30 23	367 175 192 156 178 16 13 3	116 47 69 42 62 5 7	22 6 16 4 9 2 6	3 01 3 02 - 03 3 04 - 05 - 06 - 07 - 08 - 09
15 B 7 7 5 1 2	9 5 4 4 1 -	8 1 7 - 6 1 1 -	7 6 1 4 1 2 -	14 6 8 5 7 1 - -	12 4 8 3 6 1 2	20 10 10 10 8 - 2	22 13 9 13 7 - 2 -	16 9 7 9 6 - 1 -	27 19 8 16 7 3 1	30 14 16 13 15 - 1	27 14 13 14 13 - -	18 9 9 9 - -	10 3 7 3 7 - -	3 1 2 1 2 -	-	1	- 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18
135 87 48 63 31 24 17	133 73 60 46 41 25 18 2	148 96 52 67 35 29 16	219 135 84 81 60 51 24	334 209 125 134 81 73 42 2	538 337 201 234 145 98 54 5	741 473 268 353 209 116 56 4	958 653 305 522 249 124 54 7	1,290 867 423 714 372 146 49 7	1.647 1.088 559 923 475 152 81 13	2. 342 1, 466 876 1, 299 774 152 97 15	3, 360 1, 990 1, 370 1, 812 1, 264 156 95 22	4,043 2,086 1,957 1,954 1,882 111 70 21	3,117 1,362 1,755 1,298 1,706 54 48 10	1,803 683 1,120 656 1,077 22 41 5	558 183 375 176 357 6 15	116 29 87 24 75 5 11	3 19 1 20 2 21 1 22 2 23 - 24 - 25 - 26 - 27
157 102 55 79 37 20 17 3	156 99 57 75 42 23 15	186 113 73 65 39 46 32 2	205 115 90 73 60 37 28 5	323 189 134 125 85 62 47 2	514 332 182 230 126 97 53 5	718 454 264 327 197 124 64	901 560 341 450 266 102 68 8	1,395 949 446 767 372 171 68 11	1.853 1,204 649 999 522 189 116 16	2, 502 1, 576 926 1, 350 772 205 145 21	3.677 2,118 1.559 1.901 1.416 189 128 28	4.160 2.143 2.017 1.984 1.900 140 111 19	3,580 1,609 1,971 1,508 1,890 77 72 24	2,033 800 1,233 754 1,175 39 51 7	650 221 429 198 405 18 20 5	110 32 78 26 69 6	7 28 6 29 1 30 4 31 1 32 2 33 - 34 - 35
85 38 47 19 34 18 12	78 44 34 32 19 12 15	74 32 42 18 26 13 15	133 64 69 51 44 12 25	319 150 169 119 124 30 41	614 355 259 292 212 62 46	1,210 829 381 718 340 107 39 4	2,323 1,646 677 1,504 624 132 53 10	3,719 2,874 845. 2,670 791 190 51 14	5,073 4,053 1,020 3,848 978 189 37	5,419 4,391 1,028 4,212 986 165 40	4, 809 3, 925 884 3, 770 843 128 39 27	3,371 2,627 744 2,533 727 83 15 11	1,585 1,152 433 1,109 421 33 8 10	484 293 191 273 183 13 5 7	91 62 29 58 29 3	11 7 4 7 4 -	3 37 2 38 1 39 2 40 1 41 - 42 - 43 - 44 - 45
6 1 5 1 4 - 1	7 6 1 3 1 3	5 - 3 - 2 - -	11 8 3 8 1 - 2	15 8 7 6 4 2 3	26 10 16 4 10 6 6 -	32 19 13 16 11 3 2 -	47 27 20 20 19 7 1	59 31 28 26 23 4 5	65 37 28 31 28 6 - -	86 44 42 40 41 3 -	71 36 35 31 31 4 4	79 34 45 33 44 1 1	87 33 54 31 54 2 - -	31 12 19 11 18 1 1	15 5 10 4 10 1 - -	3 1 2 1 2 - -	- 46 - 47 - 48 - 49 - 50 - 51 - 52 - 53 - 54
3 1 1 1 1	6 4 2 4 2 - -	12 6 6 4 5 2 1 -	16 9 7 6 5 2 2 1	42 21 21 13 20 8 1	79 39 40 36 35 3 5	166 107 59 93 55 14 4	330 229 101 221 94 8 7	575 427 148 390 141 35 5 2	772 604 168 585 164 18 4	812 608 204 589 196 16 7 3	817 641 176 610 170 21 6	636 471 165 457 163 10 2 4	315 224 91 217 87 5 1 2	136 75 61 70 59 - 1 5	24 17 7 15 7 1 - 1	2 1 1 1 - -	- 55 - 56 - 57 - 58 - 59 - 60 - 61 - 62 - 63
12 7 5 3 5 4 	14 10 4 7 3 1	14 8 6 3 2 3 -	47 30 17 23 14 7 3	146 91 55 79 50 11 4	382 258 124 225 115 33 9	847 625 222 557 208 64 13 4	1,738 1,295 443 1,196 421 91 22 8	2,898 2,343 555 2,196 528 137 26 10	4,021 3,313 708 3,156 686 143 19 14	4, 327 3, 641 686 3, 502 663 131 23 8	3,769 3,174 589 3,065 566 95 21 14	2,538 2,078 460 2,000 451 71 7 7	1,123 874 249 842 245 24 4	297 202 95 188 91 12 2 2	50 39 11 38 11 1 -	5 4 1 4. 1 - -	3 64 2 65 1 66 2 67 1 68 - 69 - 70 - 71 - 72
64 28 36 14 24 14 11	51 24 27 18 13 6 44	43 13 30 5 18 7 11 1	59 17 42 14 24 3 18	116 30 86 21 50 9 · 33	127 48 79 27 52 20 26 1	165 78 87 52 66 26 20	208 95 113 67 90 26 23 2	187 73 114 58 99 14 15	215 99 116 76 100 22 14 1	194 98 96 81 86 15 10	158 74 -84 64 76 8 8	118 44 74 43 69 1 5	60 21 39 19 35 2 3 -	20 4 16 4 15 - 1	2 1 1 1 - -	1 1 - - -	- 73 - 74 - 75 - 76 - 77 - 78 - 79 - 80 - 81
2 - 2	1 1 - - - 1 - -	1 1 -	-		-	- - - - - - -	-	1 1	- - - - - - -	11111111	1111111		 - - - - - -		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		- 82 - 83 - 84 - 85 - 86 - 87 - 88 - 89 - 90

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06 07 08	EMPYEMA AND ABSCESS OF LUNG	1,124 782 342 575 274 200 65 7	7 5 2 2 - 3 2	2 1 1 1	1	1	1	11 8 3 3 1 5 2	3 1 2 1 2	7 4 3 1 2 3 1	19 14 5 11 2 3 2
10 11 12 13 14 15 16 17	PLEURISY	340 165 175 141 147 20 26 4	20 10 10 9 7 2 1	1	1 - 1	1	1 1 - 1	24 12 12 11 8 - 3 1	1	4 4 3 1 1	5 3 2 1 2 2 -
19 20 21 22 23 24 25 26 27	OTHER CHRONIC INTERSTITIAL PNEUMONIA	3,250 2,045 1,205 1,877 1,118 148 76 20	38 27 11 22 10 5 1	6 - - - -	1 - 1	2 2 - 1 - 1 -	1 1	48 36 12 27 11 9	13 9 4 6 3 3	5 1	85 M 3 M 2 N 1 1 1
28 29 30 31 32 33 34 35	BRONCHIECTASIS	843 443 400 399 369 33 24 11	3 2 1 2 1		-	111111111	11111111	3 2 1 2 1	3 1 2 1 2 	5414-11-	954431177
37 38 39 40 41 42 43 44 45	OTHER DISEASES OF RESPIRATORY SYSTEM	18,317 13,567 4,750 12,354 4,249 1,139 453 74 48	467 259 208 186 131 66 71 7	60 29 31 22 19 7 9	35 19 16 16 15 3 1	20 10 10 8 6 2 4	13 9 4 7 3 2 1	595 326 269 239 174 80 86 7	43 23 20 19 20 4	37 22 15 15 15 7 -	65 33 32 25 20 8 12
46 47 48 49 50 51 52 53	IX. DISEASES OF THE DIGESTIVE SYSTEM	75.094 43.775 31.319 37,449 26.952 5,789 4,032 537 335	861 498 363 353 268 139 92 6	53 31 22 20 17 10 5	38 20 18 13 16 5 2	26 14 12 11 8 3 4	24 15 9 12 4 3 4 -	1.002 578 424 409 313 160 107	101 56 45 45 32 11 13	110 59 51 46 40 13 9	225 123 102 105 75 17 26 1
55 56 57 58 59 60 61 62 63	DISEASES OF TEETH AND SUPPORTING STRUCTURES	43 19 24 14 15 4 9	111111111111111111111111111111111111111	11(3111)	11111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1111111	1	1111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11111111
64 65 66 67 68 69 70 71 72	PEPTIC ULCER	7,688 4,974 2,714 4,442 2,503 474 199 58 12	36 25 11 12 6 12 5	3 - 3	3 1 2 1 2	111111111	11111111	42 29 13 16 8 12 5	3 1 2 1 2	64242 - 1 - 1	11 7 4 5 4 2
73 74 75 76 77 78 79 80 81	ULCER OF STOMACH	3.289 1.949 1.340 1.692 1.240 225 94 32	24 16 8 6 4 9 4	1 1	1 1	1111111	111111111	26 18 8 8 4 .9 4	2 1 1 1 -	54141111	95444E
82 83 84 85 86 87 88 89	ULCER OF DUGGENUM	3+385 2+352 1+033 2+151 956 180 73 21	862422	1 1 - 1	2 - 2	1111111	11111111	11 7 4 5 4 2 -	111111111	1	22 1 1 1

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
23 14 9 13 5 1 4	15 7 8 4 3 3 5	21 15 6 7 5 8	29 20 9 11 7 9 2	46 32 14 18 11 14 3	75 56 19 24 13 30 6	95 70 25 41 17 29 8	122 96 26 74 24 22 2	122 93 29 70 22 22 6 1	165 111 54 89 44 22 9	111 82 29 68 24 12 5	120 77 43 65 36 11 7	90 53 37 50 37 3 -	37 19 18 17 16 1 2	11 9 2 7 2 2	2 1 1 1	111111111111111111111111111111111111111	- 0 - 0 - 0 - 0 - 0
73432 - 21 -	4 3 1 3 1 -	4 2 2 2 2 	9542232	8 3 5 3 4 - 1 -	24 9 15 4 12 4 3 1	31 14 17 11 16 3 1	29 14 15 10 12 4 2	31 16 15 16 13 - 2 -	33 20 13 17 11 3 2	30 18 12 18 10 - 2	35 15 20 14 18 - 2 1	35 12 23 12 21 - 2	17 9 8 8 7 - 1	7 4 3 4 3 -	2 2 - 1 - 1	111111111111111111111111111111111111111	- 1 - 1 - 1 - 1 - 1 - 1 - 1
14 8 6 8 6	15 8 7 6 7 2 -	20 8 12 5 7 3 - 2	20 7 13 5 12 1 1	54 28 26 24 19 4 7 -	76 49 27 43 24 5 3	131 82 49 71 39 11 8	209 117 92 102 84 15 7	310 193 117 172 104 19 12 2	469 310 159 282 148 25 11 3	566 384 182 359 172 24 7 1	526 339 187 330 181 7 6 2	434 268 166 250 162 12 3 6	232 139 93 132 91 4 2	81 41 40 39 36 1 3	16 7 9 7 9 - -	2 1 1 1 - 1	- 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
8 2 6 2 6	3 3 2 1	10 3 7 2 3 1 3	9 4 5 3 4 1 1 -	14 7 7 6 5 1 1	34 19 15 16. 11 3 4 -	48 22 26 17 24 4 2	67 38 29 37 29 1 -	82 42 40 42 36 - 2	90 43 47 40 43 3 3	126 72 54 63 52 4 2	135 68 67 64 66 2  2	107 54 53 46 50 8 3	63 38 25 34 23 3 1 1	21 14 7 13 7 - - 1	4 2 2 1 2 - - 1	1	1 2 2 2 1 3 1 3 - 3 - 3 - 3 - 3
100 74 26 54 18 20 8	93 56 37 44 30 11 6 1	80 41 39 22 29 18 9	107 57 50 38 34 18 16	215 122 93 84 74 36 16 2	414 250 164 205 133 45 28 -	816 555 261 463 224 92 35	1,357 988 369 887 322 95 45 6	2,214 1,734 480 1,581 445 147 32 6	2,735 2,159 576 1,991 541 157 32 11	3,078 2,451 627 2,283 571 159 50 9	2, 835 2, 273 562 2, 130 532 129 25 14 5	1.938 1.454 484 1.387 456 60 29 7	1.095 705 390 664 371 34 16 7	390 206 184 189 174 15 9 2	90 30 60 28 58 2 2 -	16 5 11 3 8 2 2 1	4 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
416 234 182 150 117 83 61	745 450 295 262 179 161 111 27	1,435 912 523 553 311 328 188 31 24	2, 342 1, 479 863 968 539 466 286 45 38	4,036 2,506 1,530 1,806 1,064 661 426 39	6,055 3,816 2,239 3,044 1,709 718 497 54	7,374 4,651 2,723 3,888 2,230 702 450 61	8,156 5,194 2,962 4,567 2,543 587 393 40 26	8,783 5,773 3,010 5,112 2,630 607 360 54	8.347 5.331 3.016 4.830 2.681 455 310 46 25	7,205 4,102 3,103 3,744 2,809 315 282 43	6.812 3.555 3.257 3.292 3.016 226 223 37	5,883 2,629 3,254 2,456 3,097 146 142 27	3.947 1.623 2.324 1.525 2.224 82 84 16	1,669 561 1,108 525 1,060 32 43 4	367 112 255 102 241 9 12	70 22 48 15 40 6 1	14 44 44 55 45 55 55 55 55 55 55
4 1 3 1 1 2	4 1 3	4 13 1 2 - 1	3 1 2 1 1	2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1	5 4 1 3 1 1 -	2 - 2	111111111	53232 - 1 - 1	3 1 2 1 - -	4 2 1 1 1 1	1	1	1 1	11111111	11111111	- 55 - 55 - 55 - 66 - 66 - 66
29 18 11 10 9 8 2	29 16 13 10 10 6 3	74 42 32 26 26 14 6 2	108 71 37 45 32 25 5	175 118 57 89 46 28 10	298 201 97 164 84 34 12 3	477 338 139 293 118 42 19	649 456 193 413 176 42 16 1	824 613 211 544 191 60 20	1,022 756 266 677 252 71 13 8	1, 062 708 354 650 321 52 31 6	2+ 054 659 395 610 373 43 21 6	940 531 409 498 394 20 13 13	617 300 317 287 303 11 13	221 85 136 80 127 9	43 18 25 18 24 - 1	3 2 1 1 1 -	1 64 1 65 - 66 1 67 - 66 - 77 - 77
1.2 7 5 6 3 1 2	II 4 7 3 6 1 1	37 24 13 14 11 8 2 2	51 32 19 21 18 11 1	77 45 32 29 27 15 4 1	113 72 41 54 34 17 6	197 122 75 108 65 12 10 2	279 172 107 153 96 18 10 1	349 245 104 219 95 22 9	427 297 130 254 128 38 2 5	462 295 167 264 150 28 17 3	458 262 196 235 185 24 10 3	379 184 195 168 189 10 4 6	265 115 150 106 143 7 7	106 37 69 34 64 2 5	21 6 15 6 15 -	3 2 1 1 1 - -	- 72 - 74 - 75 - 76 - 77 - 78 - 78 - 80 - 81
11 7 4 3 4 -	12 9 3 6 1 3 2	25 11 14 8 11 3 -	42 28 14 19 11 8 3	68 55 13 47 9 8 4	142 ·99 43 85 39 13 4	203 157 46 133 39 23 5	280 219 61 200 56 19 5	362 280 82 248 75 28 7	465 356 109 331 100 22 9	471 325 146 304 135 19 9	473 325 148 308 139 14 9	447 283 164 269 159 8 5 6	259 144 115 140 112 4 3 -	90 34 56 33 52 1 4	21 11 10 11 9 - 1	111111111111111111111111111111111111111	- 82 - 83 - 84 - 86 - 87 - 88 - 89 - 90

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06 07 08	PEPTIC ULCER, SITE UNSPECIFIED	1,014 673 341 599 307 69 32 5	3 1 2 1 1	1 1	1811111	111111	1111111	5 4 1 3 1	1 1	111111111	111111111
10 11 12 13 14 15 16 17	GASTRITIS AND DUODENITIS	598 349 249 308 221 39 25 2	6 3 3  3 3 	-				6 3 3 3 3	111111111111111111111111111111111111111	3 2 1 - 1 2 -	2 2 2
19 20 21 22 23 24 25 26 27	APPENDICITIS	1,066 663 403 524 923 130 77 9	12 6 6 4 2 2 -	2 1 1 1 	3 3 - 3	2 2 1 1 -	4 3 1 2 1 1	23 15 8 11 5 4 3	21 12 9 8 6 4 3	27 15 12 10 8 5 3	28 17 11 16 7 1
28 29 30 31 32 33 34 35	HERNIA AND INTESTINAL OBSTRUCTION	6.746 3.006 3.740 2.552 3.309 431 416 23	477 286 191 226 155 58 36 2	17 11 6 7 5 4 1	7 5 2 3 2 2	7 5 2 4 1 1	7 5 2 3 - 2 2	515 312 203 243 163 67 40 2	24 16 8 15 4 1 4	15 8 7 7 5 1 2	22 16 6 14 5 2 1
37 38 39 40 41 42 43 44 45	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE OF  NONINFECTIOUS ORIGIN	53 20 33 12 23 7 10	33 17 16 10 9 6 7		1111111		1111111	33 17 16 10 9 6 7	111111111	1111111	1111111
46 47 48 49 50 51 52 53	DIVERTICULA OF INTESTINE	3,314 1,267 2,047 1,160 1,906 99 136 8 5	2 2 - 2 - - -	-		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1111111	2 2 - 2	1111111	1 1	1111111
55 56 57 58 59 60 61 62	CHRONIC ENTERITIS AND ULCERATIVE COLITIS	1,084 453 631 429 585 20 41 4	10 3 7 1 3 2 4	2 2 1 1 - - 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11111111	13 5 8 2 4 2 4	33 3 1 7 7 1 7	6 3 2 2 1 1	22 9 19 9 10 3
64 65 67 68 69 70 71 72	CIRRHOSIS OF LIVER	33,350 21,782 11,568 18,372 9,444 3,120 1,937 290 187	38 17 21 10 17 7 3 -	7 3 4 2 3 1 1	523131	1	53231 1	56 25 31 16 25 9 4	10 6 4 5 3 1	15 4 11 4 11 	35 18 17 12 12 6 5
73 74 75 76 77 78 79 80 81	ALCOMOLIC	12,624 8,817 3,807 7,234 2,943 1,418 755 165	-		-	-	111111111		11111111	111111111	32 1 1 1 1
82 83 84 85 86 87 88 89	OTHER SPECIFIED	5,341 3,092 2,249 2,444 1,802 625 428 23	19 8 11 3 9 5 2 -	5 3 2 2 2 1	3 3	111111111111111111111111111111111111111	2 1 1 1 1	29 12 17 6 15 6 2 -	1 - 1	5 - 5	63312221

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	. 55-59 years	60-64 years	65-69 years	70~74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
6 4 2 1 2 3	633132	12 7 5 4 3 1	15 11 4 5 3 6	30 18 12 13 10 5	43 30 13 25 11 4 2	77 59 18 52 14 7	90 65 25 60 24 5	113 · 88 25 77 21 10 4	130 103 27 92 24 11 2	129 88 41 82 36 5	123 72 51 67 49 5	114 54 50 61 46 2 4	93 41 52 41 48 - 3	25 14 11 13 11 -	1 1	111111111111111111111111111111111111111	1 01 1 02 - 03 1 04 - 05 - 06 - 07 - 08
7432221-	10 6 4 5 4 1	15 8 7 6 1 2 5	15 12 3 11 2 1	18 10 8 7 6 3 1	31 20 11 18 8 1 3	39 24 15 21 13 3 2	55- 43 12 40 11 - -	59 34 25 30 22 4 3	62 42 20 38 19 4 1	69 36 33 30 31 6 2	67 44 23 41 22 2 1	55 30 25 30 25	57 20 37 19 35 1 1	21 - 8 - 13 - 7 13 	6 1 5 1 5 - -	1	- 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18
19 14 5 9 2 5 3	16 11 5 9 3 2 2	10 8 2 5 2 3	26 19 7 11 7 8 -	27 14 13 6 9 6 4 2	37 26 11 16 4 10 7	61 42 19 36 13 5 6	92 59 33 48 23 11 10	97 67 30 47 25 20 5	130 86 44 73 38 12 5	129 87 42 68 31 17 11 2	114 70 44 61 40 8 4	111 61 50 53 46 7 4	62 26 36 23 35 2 1	27 10 17 10 15 - 2 -	9 4 5 4  1 	-	- 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27
37 20 17 14 10 6 6	46 23 23 18 16 4 7	49 29 20 21 15 8 5	67 28 39 18 31 10 8	98 40 58 28 44 12 14	168 79 89 59 68 17 20	234 119 115 88 94 31 20	356 171 185 135 141 35 42 1	465 240 225 190 183 50 41	629 307 322 255 267 48 53 4	789 354 435 307 384 43 50 4	962 413 549 373 509 38 38 2	1,039 386 653 354 628 31 25	766 306 460 286 435 16 21 4	378 114 264 107 252 6 12	67 19 48 16 45 3 3	18 6 12 4 9 2 3	2 28 2 29 2 30 31 1 32 - 33 1 34 - 35 - 36
111111	1111111	111111	11111111	1	1	1 1 - 1 -	2 2 1 1		2 - 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 - 2	3 1 2 - 1 1	3 1 2 1 2 -	3   3   -   -	1 1 4 -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 37 - 38 - 39 - 40 - 41 - 42 - 43 - 45
4 4 3 - 1	541311	1	17 14 3 11 1 3 2	27 20 7 16 6 4 1	70 45 25 37 18 8 6 -	127 71 56 61 49 10 7	165 85 80 78 68 7 12 -	252 126 126 112 113 14 13	363 160 203 147 181 12 22	428 183 245 167 226 13 19	598 216 382 204 354 10 25 2	603 173 430 163 415 8 15	425 110 315 104 307 6 8	170 38 132 37 128 1 3	49 12 37 12 35 - 2	7 2 5 1 4 1 1	- 46 - 47 - 48 - 49 - 50 - 51 - 52 - 53 - 54
41 22 19 22 18 - 1	43 18 25 18 21 - 4	37 21 16 20 16 - - 1	38 17 21 16 17 1 3 -	57 23 34 22 32 1 2	73 34 39 31 36 3	75 39 36 35 35 4 1	93 39 54 38 54 1 -	85 30 55 28 53 2 1	105 47 58 46 57 - 1	129 51 78 47 71 3 7	129 47 82 46 73 1 8	73 23 50 22 49 1	50 17 33 17 31 	12 5 7 5 6 - 1	11111111	11111111	- 55 - 56 - 57 - 58 - 59 - 60 - 61 - 62 - 63
106 65 41 30 18 35 21	342 223 119 117 51 87 63 19	859 562 297 332 144 210 132 20	1,568 998 570 646 341 312 201 40 28	2+844 1+829 1+015 1+317 682 482 303 30	4,303 2,775 1,528 2,244 1,154 494 348 37 26	5,002 3,211 1,791 2,699 1,478 471 281 41 32	5,131 3,378 1,753 2,980 1,529 366 206 32 18	4,983 3,413 1,570 3,081 1,390 305 173 27	3.719 2.584 1.135 2.375 1.032 190 93 19	2,179 1,389 790 1,301 723 76 65 12	1.248 767 481 718 451 41 28 8	617 348 269 331 257 14 10 3	266 158 108 140 107 16 1	53 21 32 20 32 1 -	51414	1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	8 64 6 65 2 66 2 67 - 68 4 69 2 70 - 71 - 72
41 32 9 23 7	143 105 38 49 10 40 24 16	386 261 125 140 53 108 58 13	757 515 242 331 139 152 84 32	1,328 874 454 625 297 229 138 20	1,894 1,281 613 1,055 457 205 139 21	2,138 1,442 696 1,181 566 237 111 24	2+032 1+386 646 1+204 555 169 82 13	1,818 1,337 481 1,199 414 129 63 .9	1, 158 890 268 811 242 72 24 7	553 409 144 372 128 32 16 5	246 181 65 168 59 10 5	86 67 19 62 17 4 1	35 31 4 24 3 6 1	3 1 3 1 - -	111111111	11111111	2 73 1 74 1 75 - 76 - 77 1 78 1 79 - 80 - 81
32 13 19 6 8 7 9	116 62 54 32 27 30 27 .	206 129 77 82 34 42 41	294 166 128 96 70 69 55	448 272 176 181 111 89 63 2	719 411 308 300 220 108 87 3	756 454 302 348 248 103 50 3	751 458 293 401 267 56 24 1	747 453 294 386 259 63 35 4	531 311 220 282 203 27 15 2	336 173 163 163 153 9 10	182 90 92 82 86 7 6	121 57 64 53 60 4 3	44 22 22 22 22 - -	11 2 9 1 9	2 2 2	111111111	4 82 4 83 - 84 2 85 - 86 2 87 - 88 - 89

Table 1-26. Deaths From 281 Selected Causes, by [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55~59 years	60-64 years	65~69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
33 20 13 15 8 5	83 56 27 36 14 17 12 3	267 172 95 110 57 60 33 2	517 317 200 219 132 91 62 7	1,068 683 385 511 274 164 102 8	1,690 1,083 607 889 477 181 122 13	2,108 1,315 793 1,170 664 131 120	2,348 1,534 814 1,375 707 141 100 18	2,418 1,623 795 1,496 717 113 75	2.030 1.383 647 1.282 587 91 54	1 • 290 807 483 766 442 35 39 6	820 496 324 468 306 24 17 4	410 224 186 216 180 6 6	187 105 82 94 82 10	38 16 22 16 22	3 1 2 1 2	1 1 - 1	2 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1
11 4 7 3 7 1	9 3 6 2 5 - 1 1	18 7 11 5 9 2 2	26 11 15 11 9 	31 13 18 7 12 4 5 2	66 30 36 30 29 - 7	108 53 55 46 45 7	162 82 80 79 63 3 17	224 123 101 114 84 7 14 2	343 173 170 162 152 8 14 3	484 236 248 212 228 17 18 7	601 301 300 281 277 11 20 9	612 245 367 234 345 . 9 18 2	444 177 267 168 259 6 8 3	220 62 158 57 153 4 4 1	41 7 34 7 33 - 1	14 3 11 3 10 	- 1 - 1 - 1 - 1 - 1 - 1 - 1
158 82 76 57 50 24 25	241 146 95 80 67 60 28 6	368 233 135 136 96 89 37 8	474 308 166 199 98 106 63 3	756 439 317 314 226 121 84 4	1,007 604 403 443 308 151 91	1,245 750 495 606 383 128 105 16	1,449 879 570 754 477 119 88 6 5	1,794 1,127 667 966 569 145 90 16	1,967 1,173 794 1,054 679 110 108	1, 932 1, 056 876 960 792 88 79 8	2,033 1,036 997 957 914 71 77 8	1,829 831 998 771 936 55 55	1,256 508 748 480 709 24 31 4	563 218 345 202 330 16 12 -	146 50 96 43 90 6 4	26 8 18 5 15 2 2 1	3 1 2 1 2 1 2 1 2 2 1 - 2 2 2 2 2 2 2 2 2
204 119 85 94 58 25 26	223 120 103 79 75 40 28 1	293 134 159 82 89 51 69	365 154 211 90 133 63 76 1	572 261 311 168 183 85 125 8	742 367 375 241 209 122 159 4	1,026 510 516 330 317 175 190 5	1,476 756 720 564 477 182 235 10	2,077 1,107 970 812 662 287 296 8	2.847 1.615 1.232 1.210 919 385 302 20	3,501 2,010 1,491 1,611 1,152 375 328 24	4, 144 2, 371 1, 773 2, 035 1, 541 324 216 12	4,201 2,324 1,877 2,092 1,701 213 170 19	3,102 1,686 1,416 1,523 1,300 151 108 12	1,284 632 652 572 588 57 60	384 184 200 161 178 20 20 3	54 32 22 20 13 12 8	7 3 4 2 3 3 4 2 3 3 4 1 3 3 4 1 3 3 4 1 3 3 4 1 3 3 4 1 3 3 4 1 3 3 4 1 3 3 4 1 4 1
106 68 38 55 27 13 11	118 76 42 48 30 27 12	150 79 71 52 38 27 32 -	163 91 72 48 41 42 31	259 136 123 81 61 50 60	359 201 158 124 77 76 79 1	503 269 234 172 132 94 98 3	665 348 317 251 197 94 115	794 413 381 286 236 122 142	974 548 426 391 282 149 139	1.045 583 462 449 314 123 144	1.063 588 475 493 378 89 91 6	944 473 471 415 397 56 71 2	639 320 319 271 285 44 34	274 116 158 96 134 19 22	84 39 45 31 40 6 5	15 8 7 4 2 4 4 -	2 1 1 1 4 4 4 4 4 4
10 5 5 4 1	13 8 5 6 4 1 1	12 7 5 4 2 3 -	15 9 6 3 2 6 4	35 17 18 10 10 7 8	40 22 18 13 10 9 8	58 37 21 30 13 7 8	91 48 43 39 30 9 12	190 68 62 53 49 14 13	162 97 65 79 47 16 17 2	165 103 62 82 47 19	176 111 65 98 53 13 11 -	150 81 69 72 57 9 11	91 50 41 44 36 5 5	33 18 15 14 15 3 -	734142	1 1	1 4 1 4 - 4 - 5 - 5 1 5
1 1	49111-211-	8 2 6 1 6 1 -	6 2 4 1 4 1	12 8 4 5 2 3 2	8 2 6 2 3 - 3	16 8 8 5 7 3 1	24 12 12 8 12 4 -	24 13 11 9 8 4 2	33 17 16 15 11 2 4	28 15 13 12 9 3 4	44 21 23 19 23 2	36 20 16 19 14 1	18 9 9 9 	8 4 4 4 	31212	2 1 1 -	
95 63 32 50 23 13	101 65 36 41 26 24 10	130 70 60 47 30 23 29	142 80 62 44 35 35 27	212 111 101 66 49 40 50	311 177 134 109 64 67 68 1	429 224 205 137 112 84 89 3	550 288 262 204 155 81 103 3	640 332 308 224 179 104 127 4	779 434 345 297 224 131 118 6	852 465 387 355 258 101 125	843 456 387 376 302 74 80 6	758 372 386 324 326 46 58 2	530 261 269 218 240 39 29	233 94 139 78 115 16 22	74 35 39 29 34 4 5	12 7 5 3 1 4 3	1 6 1 6 1 6 1 6 1 7 - 7
24 13 11 9 7 4 3	15 7 8 6 7 1 1	32 14 18 9 13 5 5	37 15 22 10 16 5 6	101 31 70 20 47 10 22 1	105 39 66 30 42 9 23 -	168 64 104 40 66 24 36 -	271 105 166 86 121 19 43 -	445 194 251 138 183 56 64	635 278 357 212 296 63 60 3	838 385 453 320 370 60 80	983 449 534 381 482 68 49 -	1,104 470 634 421 597 42 36	855 344 511 317 477 26 29 1	348 122 226 113 211 9 13	114 37 77 30 68 7 8	13 4 9 3 5 1 4 -	1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
3 - 3 - - -	1 1	4 1 1 1 - 2	10 5 4 4 1 1	11 5 6 5 5 1 -	8 2 6 1 5 1 1	33 19 14 17 13 2 1	49 22 27 22 23 - 4	66 42 24 38 20 3 4	92 45 47 37 38 7 9	100 50 50 44 48 6 2	119 50 69 48 63 2 6	114 47 67 42 60 3 6 2	57 20 37 19 34 1 3	24 13 11 12 10 1	6 1 5 1 5 - -	1111111	

Table 1-26. Deaths From 281 Selected Causes, by

=	Cause of death, race, and sex	Total	Under 1 year	l year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06 07 08	OTHER DISEASES OF URINARY SYSTEM	8,740 4,921 3,819 4,016 3,135 855 649 50 35	88 50 38 30 28 16 7 4	835152	53232111	3 1 2 2 1	1	105 57 48 34 38 19 7 4	17 8 9 6 7 2 2	21 6 15 5 13 1 2	26 17 9 11 7 5 2 1
10 11 12 13	HYPERPLASIA DF PROSTATE	1,589 1,407 173	- - -	-	-	= =	1111	. =	1111	1	=
14 15 16 17 18 19 20 21	DISEASES OF BREAST	40 	111111111111111111111111111111111111111	11111111		1111111	111111111	111111111	111111111	1111111	111111111
23 24 25 26 27 28 29 30	OTHER DISEASES OF GENITAL ORGANS	1,372 714 658 617 488 95 166 2	3 2 1 2 1 - -	111111			1 8 11 11 11	3 2 1 2 1	11111111	32 1 2 1	7 1 6 1 2 - 4
32 33 34 35	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM WHITEFEMALE NEGROFEMALE DTHER RACESFEMALE	477 274 197 6	-	- - -	= =	-	- - -	- -	1 1	6 1 5	72 27 44 1
36 37 38 39 40 41 42	ECTOPIC PREGNANCY	46 25 21 - 111 57 52	1	111111111111111111111111111111111111111	-	-	-		1111	3 1 2	4 1 3 - 25 10 15
43 44 45 46 47	OTHER RACESFEMALE  HEMORRHAGE OF PREGNANCY AND CHILDBIRTH	2 60 40 20	-	-		-	- 1	-	1 1	3	6 2 4
48 49 50 51 52 53 54 55	ABORTIONS	36 15 20 1 8 5					1111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1111111	11111111	7 1 6 2 1 1 1
56 57 58 59 60 61 62 63	ABORTION INDUCED FOR OTHER REASONS	11 2 8 1 3 1 2	1111111	1 1 1 1 1 1 1		111111111111111111111111111111111111111	111111	1111111	1 1 2 1 1 1 1	11111111	3
64 65 66 67	OTHER AND UNSPECIFIED ABORTIONS	14 7 7	1 1 1	1111		-	1111	- - -	=======================================		2 - 2
68 69 70 71 72	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM	98 64 34 	1111	-	= = = = = = = = = = = = = = = = = = = =	-	1111	-	1	2 2	13 7 6 -
73 74 75	AND THE PUERPERIUM630,633-635,654-662,672,674-678 HHITEFEMALE NEGROFEMALE OTHER RACESFEMALE	124 72 50 2	1111	-	=======================================	- - -		1111	1111	1	17 6 10 1
76 77 78 79	DELIVERY WITHOUT MENTION OF COMPLICATIONSFEMALE  MEGROFEMALE OTHER RACESFEMALE	2 1 1		1 - 1	-	111	1.1.	1111	1111	1111	-
80 81 82 83 84 85 86 87 88	X11. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	2.022 790 1,232 626 959 149 263 15	41 25 16 19 10 5 4 1	3 1 2 1 2	1 1 2 - 1	1111111	11111111	48 27 21 21 14 5 5	5 2 1 1 1	6 3 2 1 - 2 1	23 11 12 9 10 2 2

Age, Race, and Sex: United States, 1973-Con.

20-24	25-29	30-34	35-39	40-44	45-49	50-54	. 55-59	60-64	65-69	70-74	75-79	80~84	85-89	90-94	95-99	100 years	Not	Ī
years	years	years	years	years	years	years	years	years	years	years	years	years	years	years	years	and	stated	
49 32 17 25 12 7 5	59 33 26 22 22 11 4	67 39 28 20 19 18 9	96 43 53 28 34 15 18	143 86 57 59 37 25 20 2	213 115 98 78 57 34 38 3	262 139 123 87 80 50 41 2	412 244 168 175 105 63 62 6	613 353 260 269 183 82 72 2	894 551 343 420 258 124 80 7	1,136 668 468 526 370 135 95 7	1,438 816 622 694 550 115 65 7	1,481 834 647 758 589 72 57 4	1,081 570 511 517 469 49 39 4	474 234 240 211 216 21 24 2	131 61 70 59 62 2 7	20 14 6 9 6 5 -	2 1 1 1 1 -	01 02 03 04 05 06 07 08
	=	- - -	- -	- - -	-	· 8 6 2 -	14 10 4 -	56 44 12	119 92 26 1	215 182 32 1	329 295 33 1	362 327 31 4	329 304 24 1	114 111 3	37 32 4 1	6 4 2 -		10 11 12 13
		2 - 2 - 1 - 1	1 - 1 - - -	1	-	5 - 5 - 3 - 2 -	2 2 - 2 - -	6 - 5 - 1	7 7 5 2	6   6   6   1   1	41414111	3   3   3   1   1	3   3   3   1   1		1111111	111111111	_	14 15 16 17 18 19 20 21 22
22 3 19 2 12 1 7	30 3 27 2 16 1	38 1 37 - 17 1 20 -	58 - 58 - 37 - 20 - 1	57 3 54 3 32 - 22 -	57 10 47 8 28 2 18	47 11 36 8 23 3 12	63 23 40 20 29 2 11	97 49 48 37 35 12 13	126 74 52 58 40 16 12	161 109 52 90 44 19 7	208 139 69 122 64 17 5	193 138 55 129 55 9 -	138 103 35 95 32 7 3	50 33 17 29 17 4	12 9 3 6 3 1	1111,11111	1	23 24 25 26 27 28 29 30 31
102 66 34 2	116 82 33 1	97 55 40 2	56 28 28 -	25 14 11 -	2 1 1 -	. =	- - -	7777	- - - -	- - -	1111	1 - 1 -	1 1 1		-	1111	-	32 33 34 35
12 7 5 -	15 11 4	6 2 4 	7 3 4	1 1 -	-	- - -	-	~ ~	- - -	- - -	111	1 1 -	1 1 1	-	- - -	1111	-	36 37 38 39
28 16 11 1	21 14 7	18 10 7 1	13 5 8 -	. 1 1 -	1 1 -	-	- -		- - -	<u>-</u>	- - -	- - -	111	~		111	1111	40 41 42 43
8 6 2 -	15 12 3 -	12 10 2	10 7 3	9 3 6 -	-	- } -   -	<u>-</u>	1111	- - -	- - -	111	. 11	1111		1 1 1	- - -	-	44 45 46 47
9 5 4 - 2 2 -	9 4 1 -	4 2 2 1 1	4 1 3 - 2 - 2	3 1 1 1 1	1	1	-	11111111	11111	,		11111	11111111	11111111	11111111	1111	- - - -	48 49 50 51 52 53 54 55
2 1 1 - 1	4 1 2 1 1 1	1 1 - - - -	1	- - 1 -	1111111		111111	111111111111111111111111111111111111111	- 1 - 1 - 1			1111111	1111111	1111111	1111111	111111	- - -	56- 57 58 59 60 61 62 63
4 2 2	4 2 2	2 1 1	1 1 -	1 1 - -	1111	- - -	=	 	- - - -	- - -	- - -	- - -		111	- -	- - -	- 1	64 65 66 67
20 15 5 -	26 21 5	27 15 12	6 4 2 -	4 2 2 -	77	- - -	- - -	-	- - - -	-		- - -	111	111	1111			68 69 70 71
24 17 7 -	29 19 10	30 16 13 1	16 8 8 -	6 5 1 -	1 1 -	- - - -	-	) <u></u> .	- - -	= =	- - - -	-	. 1	1 : 1 1	1111	-		72 73 74 75
1 - 1	1 -1 -	-	1111	- - -	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		- - - -	- -	- - -	- - - -	· -	- - -	-	1 1 1	1 1 1 1	- - -	- - -	76 77 78 79
29 8 21 5 15 3 5	23 20 21 10 1	24 7 17 5 10 2 7 -	37 16 21 9 11 6 9 1	53 27 26 16 21 10 5	58 24 34 16 24 7 10	84 30 54 22 37 7 17	121 53 68 36 47 17 19 -	149 70 79 54 57 16 22 -	161 76 85 57 63 17 21 2	237 110 127 92 86 17 41 1	316 119 197 101 162 16 33 2	300 100 200 86 170 14 30	221 67 154 60 145 5 9	98 23 75 21 61 1 13	25 12 13 10 12 1	4 1 3 - 2 1 1 -		80 81 82 83 84 85 86 87

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	Total	Under 1 year	I year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06 07 08	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	482 297 245 191 204 38 37	29 17 12 13 7 3 3	1 1	2 - 2 - 1 - 1	1111111	111111111	32 18 14 14 8 3 4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 3 - 2 - -	5 4 1 3 1
10 11 12 13 14 15 16 17	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE	1,540 553 987 435 755 111 226 7	2 12 8 4 6 3 2 1 -	2 - 2	2 1 1 1 1		111111111	2 16 9 7 7 6 2 1 -	4 2 2 1 1 1	3 - 3 - 1 - 2	18 7 11 6 9 1 2
19 20 21 22 23 24 25 26 27	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	5,080 1,615 3,465 1,402 2,990 192 438 21	7 4 3 2 3 - 2 - 2 -	3 1 2 1 2	1 1 - 1	2 - 2	111111111111111111111111111111111111111	14 6 8 3 8 1 -	14 5 9 4 7 1 2	40 9 31 6 22 2 6 1	75 18 57 14 28 4 23
28 29 30 31 32 33 34 35 36	ARTHRITIS AND SPONDYLITIS	2,043 669 1,374 602 1,273 57 94 10	1 1 - - - -	111111111	1	1111111111	1111111	2 1 1 1 - -	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	211111
37 38 39 40 41 42 43 44	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED716-718  MALE FEMALE WHITEMALE FEMALE NEGROMALE FEMALE OTHER RACESMALE FEMALE FEMALE	231 76 155 64 118 12 35 -	1	1	11111111	111111111	111111111	1	2 1 1 1	523231111	8 2 6 1 3 1 2
46 47 48 49 50 51 52 53	OSTEOMYELITIS AND PERIOSTITIS	168 86 82 73 72 12 9 1	2 1 1 - 1	1 1 1 1 1 1 1 1 1	1111111	1111111111	11111111	2 1 1 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	211111111111111111111111111111111111111
55 56 57 58 59 60 61 62 63	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES727,735-738  MALE FEHALE HALE FEMALE FEMALE FEMALE FEMALE FEMALE OTHER RACESFALE FEMALE FEMALE	149. 51. 98. 48. 92. 3. 4. -	11111111	1711111111	11111111	1 - 1	11111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 1 1 1 1	61514	43131-1-1
65 66 67 68 69 70 71 72	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	2.489 733 1.756 615 1.435 108 296 10	. 4 2 2 1 2 - - 1	1111		1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 4 4 2 4 1 -	7 2 5 2 4 - 1	27 4 23 2 15 1 6	59 11 48 8 23 3 20 - 5
73 74 75 76 77 78 79 80 81	XIV- CONGENITAL ANOHALIES	14.062 7.559 6.503 6.404 5.446 1.055 945 100	8, 953 4, 870 4, 083 4, 090 3, 368 TD4 635 76 80	596 303 293 251 239 46 52 6	314 168 146 143 116 23 29 2	196 105 91 89 80 15 11	200 102 98 84 81 18 17	10,259 5,548 4,711 4,657 3,884 806 744 85	493 246 247 212 210 34 30	349 188 161 150 128 35 30 3	368 208 160 185 135 21 21 21
82 83 84 85 86 87 88 89	SPINA BIFIDA	592 254 338 226 314 24 20 4	445 189 256 168 236 17 16 4	32 16 16 14 15 2	21 12 9 11 9 1	12 9 2 9 1	8 2 6 2 6 -	518 222 296 197 275 21 17 4	30 11 19 10 18 1	11 5 6 3 4 2 2	7 3 4 3 4

Age, Race, and Sex: United States, 1973-Con.

	<del></del>	,—	<del> </del>	<del></del>	· · · · ·							by an aste		i econoccax	Appendix	-	т
20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50~54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
7 3 4 2 4 1 -	5 1 5 . 2 . 3	5 2 3 1 1 2	15 8 7 4 3 3	18 14 4 11 4 3 	20 11 9 7 8 3 1	28 12 16 9 12 3	25 12 13 8 11 4 2	44 23 21 18 16 5	42 26 16 20 13 4 2 2	56 30 26 28 23 2	68 27 41 25 37 1 4	45 17 28 14 25 3	31 11 20 9 20 1	25 11 14 11 13 -	6 4 2 4 2	1 - 1 - -	- 0 - 0 - 0 - 0 - 0
22 5 17 3 11 2 5 -	18 3 15 2 8 1 7	19 5 14 4 9 1 5 -	22 8 14 5 8 3 6	35 13 22 5 17 7 5	38 13 25 9 16 4 9	56 18 38 13 25 4 13	96 41 55 28 36 13 17 -	105 47 58 36 41 11 17	119 50 69 37 50 13 19	181 80 101 64 63 15 38	248 92 156 76 125 15 29 1	255 83 172 72 145 11 27	190 56. 134 51 125 4 9	73 12 61 10 48 1 12 1	19 8 11 6 10 1 1	3 1 2 - 1 1 1	- 1 - 1 - 1 - 1 - 1 - 1 - 1
84 24 60 16 40 7 17 17	98 19 79 15 51 3 28 1	114 27 87 15 56 12 28	131 35 96 22 70 10 25 3	170 46 124 36 81 10 42	265 76 189 66 138 10 48	351 132 219 100 172 31 44	424 158 266 131 231 24 33 3	517 185 332 164 296 20 31	636 240 396 215 359 24 35 1	623 211 412 193 385 13 24 5	578 178 400 168 376 9 22 1	477 128 349 122 336 6 13	305 77 228 73 221 3 7	116 37 79 35 73 2 6	38 35 3 32 - 3 -	91818 1 -	1 1 - 2 1 2 - 2 - 2 1 2 - 2 - 2
1 - 1	6 - 4 - 2 -	13 5 8 3 8 2 -	12 7 5 4 5 - 3	18 6 12 5 8 1 4 -	60 25 35 22 29 3 4 -	108 45 63 37 57 7 5	141 52 89 46 79 5 10	230 78 152 73 137 5 13	309 119 190 109 174 9 16	349 117 232 104 215 10 16 3	308 86 222 79 209 7 12 -	251 68 183 64 178 4 5	152 39 113 36 112 2 1	57. 15 42 14 39 1 3	16 15 1 12 - 3	5 - 5 	- 2 - 3 - 3 - 3 - 3 - 3
3 1 2 1 2 - -	52321.21.	3 2 1 1 - 1 1	8 1 7 5 1 2	10 2 8 2 5 - 3	13 1 12 1 9 - 2 - 1	33 9 24 7 13 2 11 -	24 10 14 8 9 2 5 -	20 5 15 4 13 1 2	39 17 22 13 19 4 3	18 7 11 7 11 - - -	23 9 14 9 13 - 1 -	11 4 7 4 6 - 1 -	3 1 2 1 2 - -	1	1	- - - -	- 3 - 3 - 4 - 4 - 4 - 4 - 4 - 4
6 4 2 2 2 2 	2 1 1 1 - -	2 - 2	3 - 1 - 2	2 1 1 - -	3 1 2 1 1 - 1	7 3 4 2 4 1 -	16 13 3 12 3 1 -	23 14 9 12 9 2 -	20 11 9 9 2 - -	23 12 11 12 8 - 2 -	18 8 10 8 10 - -	15 3 12 2 11 1 1	17 8 9 8 8 - 1 -	3 2 1 2 1	2 - 2		- 4 - 4 - 4 - 5 5 5 5 5 5
74343	31212	7 4 3 3 3 1	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 1 1 1 1	7 4 3 - - -	14 6 8 4 8 2 -	936.36	9 1 8 1 7 - 1	14 5 9 5 9 7 -	15 3 12 3 12 - -	17 4 13 4 13 - - -	16 6 10 6 10 - -	7 2 5 2 4 - 1 -	5 1 4 1 3 - 1 -			- 5: - 5: - 5: - 5: - 6: - 6:
67 14 53 8 33 5 17 1	82 15 67 11 43 3 24 1	89 14 75 8 45 6 27	104 25 81 16 59 9 21 -	136 36 100 27 66 9 34	182 45 137 38 96 7 41	189 69 120 50 90 19 28 -	234 80 154 62 134 16 18 2	235 87 148 74 130 12 15 1	254 88 166 79 148 9 16 -	218 72 146 67 139 3 6 2	212 71 141 68 131 2 9	184 47 137 46 131 1 6	126 27 99 26 95 1 4 -	50 19 31 18 29 1 2	19 2 17 2 17 - -	4 1 3 1 3	1 66 - 66 1 66 - 66 - 66 - 77 - 77
280 160 120 136 101 23 17 1	234 134 100 108 90 25 8 1	183 99 84 88 74 11 9	170 105 65 95 53 10 10	192 104 88 92 78 10 10	224 113 111 98 97 13 13 2	239 117 122 101 107 15 14 1	245 123 122 109 112 13 8 1	209 111 98 101 90 10 7 -	197 104 93 89 86 14 7	158 76 82 65 74 11 8 -	114 54 60 52 53 2 6 -	75 34 41 33 39 1 2	43 19 24 18 23 - 1 1	9 1 8 1 . 7 	6 3 3 3	1	14 7: 12 7: 11 7: 11 7: 1 7: 1 7: - 8: 1 8:
52323	6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2 1 1 1	53232	1	- 1 - 1 	3 1 2 1 2 -		1 1	1 - 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						1 83 - 1 83 - 84 - 86 - 87 - 88 - 89

Table 1-26. Deaths From 281 Selected Causes, by

	[ Numbers after causes of death are category numbers	Of the English	Kevision in	(CI INCIO	nai Cias:	ameanor	or Disea	ises, Adap	1903	(ICDA).	rour-aigit
	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06 07 08	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES  OF NERVOUS SYSTEM	2+171 1+067 1+104 914 961 133 127 20	1,559 749 810 644 714 88 84 17	83 45 38 36 32 8 6	56 23 33 19 27 3 6	38 19 19 16 16 3 3	33 18 15 18 13 - - 2	1,769 854 915 733 802 102 101 19	100 52 48 43 39 9 6	61 35 26 28 24 7 2	60 28 32 25 27 3 5
10 11 12 13 14 15 16 17	CONGENITAL ANDMALIES OF HEART	5+841 3+195 2+646 2+730 2+185 426 409 39	3,354 1,881 1,473 1,574 1,175 280 261 27	329 170 159 147 128 19 30 4	164 94 70 82 56 11 13	117 71 46 60 40 11 6	127 64 63 52 49 12 14	4;091 2,280 1,811 1,915 1,448 333 324 32 39	287 144 143 126 120 18 20	188 98 90 79 70 17 18 2 2	203 113 90 100 79 11 9
19 20 21 22 23 24 25 26 27	OTHER CONGENITAL ANDHALIES OF CIRCULATORY SYSTEM	1.123 625 498 516 411 100 76 9	642 364 278 299 228 58 44 7	22 11 11 9 10 2 1	10 8 2 6 2 2 -	7 5 2 4 2 - 1 - 1	6 3 3 2 3 1 +	687 391 296 320 245 63 45 8	15 8 7 8 5 	44 26 10 21 14 5 3	28 20 8 17 6 3 2
28 29 30 31 32 33 34 35	CLEFT PALATE AND CLEFT LIP	23 13 10 11 8 1 2	19 12 7 10 5 1 2	11111111	1 - 1	2 1 1 1	111111111	22 13 9 11 7 1 2	111111111	111111111	11111111
37 38 39 40 41 42 43 44	ALL OTHER CONGENITAL ANOMALIES	4+312 2+405 1+907 2+007 1+567 371 311 27 29	2,934 1,675 1,259 1,395 1,010 260 228 20	130 61 69 45 54 15 14	62 31 31 25 21 6 10	20 6 14 6 12 - 2	26 15 11 10 10 5	3+172 1+788 1+384 1+481 1+107 286 255 21	61 31 30 25 28 6 2	45 24 21 19 16 4 5	70 44 26 40 19 4 5
46 47 48 49 50 51 52 53	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	30,503 17,806 12,697 13,089 9,097 4,476 3,431 241 169	30, 391 17, 736 12, 655 13, 041 9, 063 4, 455 3, 426 240 166	9 8 1 6 1 2 -	3 2 1 2 1 - -	1	111111111	30,404 17,747 12,657 13,050 9,065 4,457 3,426 240 166	4 3 1 3 - 1 - 1	3 2 1 - 1 1	1 1 - 1
55 56 57 58 59 60 61 62 63	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	30, 399 18, 203 12, 196 12, 761 8, 413 5, 208 3, 644 234	4,208 2,500 1,708 1,610 1,034 839 640 51	214 116 98 68 53 44 42 4	88 49 39 30 18 18 21	38 23 15 15 10 7 5	30 19 11 12 3 7 8	4.578 2.707 1.871 1.735 1.118 915 716 57	115 62 53 41 34 21 13	135 81 54 53 36 27 18 1	590 401 189 275 121 121 121 65 5
64 65 66 67 68 69 70 71 72	SENILITY WITHOUT MENTION OF PSYCHOSIS	1,386 519 867 404 719 100 130 15	11111111		-	11111111	111111			1111111111	11111111
73 74 75 76 77 78 79 80 81	SYMPTOMS AND OTHER ILL-DEFINED CUNDITIUNS780-792,795,796 MALE FEMALE HHITEMALE PEMALE FEMALE OTHER RACESMALE FEMALE FEMALE FEMALE FEMALE	29,013 17,684 11,329 12,357 7,694 5,108 3,514 219	4,208 2,500 1,708 1,610 1,034 839 640 51	214 116 98 68 53 44 42 4	88 49 39 30 18 18 21	38 23 15 15 10 7 5	30 19 11 12 3 7 . 8	4,578 2,707 1,871 1,735 1,118 915 716 57	115 62 53 41 34 21 13	135 61 54 53 36 27 18	590 401 189 275 121 121 65 5
82 83 84 85 86 87 88 89	E XVII. ACCIDENTS, PDISONINGS, AND VIOLENCE	166,454 117,860 48,594 94,592 41,060 21,318 6,767 1,950 767	1,942 1,109 833 774 535 311 272 24 26	1,447 831 616 598 439 217 164 16	1,346 790 556 610 391 163 146 17	1+119 700 419 520 306 162 103 18 10	924 563 361 419 264 139 90 5	6,778 3,993 2,785 2,921 1,935 992 775 80 75	3,913 2,550 1,363 1,932 1,039 578 299 40 25	4,938 3,554 1,384 2,831 1,155 686 213 37	17,287 13,385 3,902 11,219 3,297 1,940 526 226

Age, Race, and Sex: United States, 1973-Con.

																			_
	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
	43 25 18 20 14 4	20 12 8 10 8 2	18 7 11 7 9 - 1	14 11 3 11 3	11 47 25 2 2	20 10 10 9 8 1 2	16 5 11 4 9 1 2	12 7 5 6 5 1 -	62424	8 4 3 4 1 	4 3 1 3 - 1	2 1 1 1 -		1 1		11111111	111111111	3	01 02 03 04 05 06 07 08
	142 70 64 67 56 11 8	138 75 63 62 56 12 5	95 53 42 50 37 3	75 44 31 40 28 4 2	87 44 43 43 38 - 5	93 48 45 41 41 6 4	84 44 40 42 37 2	90 48 42 46 40 2 1 -	69 36 33 35 31 1 1	82 40 42 36 40 4 2	48 18 30 16 28 2 2	38 20 18 20 17 - -	22 7 15 7 15 -	7 3 4 3 4	1184444	1 1 - - -		1 - -	10 11 12 13 14 15 16 17
	29 16 13 13 11 3 2	35 20 15 14 13 6 2	32 15 17 12 15 3 2 -	33 19 14 18 9 1 4	41 23 18 20 16 2 2 1	28 12 16 11 12 1 3	36 21 15 17 12 4 2 1	35 15 20 12 17 3 3	27 17 10 16 8 1 2	23 9 14 6 14 3	19 8 11 6 10 2 1 -	51414	3 2 1 2 - 1	1 - 1		11111111		22 - 2	19 20 21 22 23 24 25 26 27
	11111111	1 1 1 1 1 1 1	-		1 - 1	-	1111111	1111111111	111111111	11111111		11111111	111111111		. 1 1 1 1 1 1 1	1111111	1111111	=	28 29 30 31 32 33 34 35
	61 39 22 34 17 5	35 24 11 19 10 5 1	36 23 13 18 12 5	43 28 15 23 11 5 4	51 32 19 26 18 6 1	82 43 39 37 35 5 4	100 46 54 37 47 8 7	108 53 55 45 50 7 4 1	106 55 51 47 47 4 4	83 51 32 44 27 6 5	87 47 40 40 36 7 4 -	69 32 37 30 32 2 5	47 22 25 21 24 1	34 15 19 14 19 - - 1	9 1 7 - - 1	52323111	1 - 1	4 1 - -	37 38 39 40 41 42 43 44
•	31.31.31.31	1	1	32121	1 1	1 1 - 1 - - -	11111	1111111	11111111	3122	523231111	2 2	11,1111111	1	2 - 2	1 - 1	1 -	41 24 25 19 16 4	46 47 48 49 50 51 52 53
	919 636 283 413 187 215 94 8	739 494 245 320 149 168 93 6	666 407 259 236 168 168 88 3	764 477 287 265 169 208 113 4	1,117 692 425 424 263 260 155 8	1,412 913 499 616 330 282 163 15	1,758 1,155 603 805 402 338 194 12	2,076 1,409 557 1,035 464 364 195	2,443 1,715 728 1,283 479 415 244 17	2,526 1,641 885 1,205 592 424 291 12	2,587 1,588 999 1,158 664 408 327 22 8	2,424 1,346 1,078 1,007 799 323 268 16	.2,235 1,104 1,131 847 899 242 225 15	1,713 764 949 606 785 147 160	988 384 604 292 493 87 105	379 124 255 87 185 33 66 4	178 61 117 30 69 29 44 2	42 15 28 7 13	55 56 57 58 59 60 61 62 63
	1111111	11 11 11 11 11 11		-			1 1 1	3 - 1 - 2 -	14 5 9 5 6 - 3 -	25 7 18 6 12 1 6	54 26 28 20 16 6 12 -	171 78 93 47 72 30 19	243 95 148 73 124 19 22 3	323 121 202 101 177 15 21 5	334 111 223 94 194 15 25 2	142 51 91 44 80 5 9 2	76 24 52 13 37 9 11 2		64 65 66 67 68 69 70 71
	919 636 283 413 187 215 94 0	739 494 245 320 149 168 93 6	666 407 259 236 168 168 3 3	764 477 287 265 169 208 113 4	1,117 692 425 424 263 260 155 8	1+412 913 499 616 330 282 163 15	1,757 1,154 603 804 402 338 194 12	2,073 1,409 664 1,035 463 364 193 10	2,429 1,710 719 1,278 473 415 241 17	2,501 1,634 867 1,199 580 423 285 12	2,533 1,562 971 1,138 648 402 315 22	2, 253 1, 268 985 960 727 293 249 15	1,992 1,009 983 774 775 223 203 12	1,390 643 747 505 608 132 139 6	654 273 381 198 299 72 80 3	237 73 164 43 105 28 57 2	102 37 65 17 32 20 33	42 15 28 7 13 7	73 74 75 76 77 78 79 80 81
	19,510 15,766 3,744 12,360 2,844 3,084 782 322 118	14, 192 11, 340 2, 852 8, 489 2, 201 2, 582 569 269 82.	10,710 8,310 2,400 6,151 1,828 1,996 503 163 69	9,174 6,868 2,306 5,057 1,777 1,680 476 131	9,270 6,758 2,512 5,088 2,030 1,553 424 117 58	9,897 7,140 2,757 5,585 2,341 1,458 390 97 26	9,774 7,034 2,740 5,675 2,353 1,269 355 90	9,049 6,533 2,516 5,498 2,257 956 235 79	8+449 5+924 2+525 5+003 2+253 842 254 79	7.349 4.907 2.442 4.238 2.189 604 227 65	6,660 4,158 2,502 3,644 2,243 463 244 51	6,442 3,688 2,754 3,365 2,566 281 167 42	5,888 2,910 2,978 2,708 2,815 169 152 33	4,283 1,900 2,383 1,790 2,280 95 90 15	2,124 819 1,305 773 1,250 40 51 6	519 180 339 166 324 12 12 2	102 29 73 23 61 6 11	32 76 22 32 10 6	82 83 84 85 86 87 88 89

Table 1-26, Deaths From 281 Selected Causes, by

MALE... FEMALE... FEMALE... MALE

OTHER RACES..MALE....

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	. 55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
12,913 10,549 2,364 9,020 1,950 1,299 341 230 73	8,398 6,805 1,593 5,658 1,312 958 225 189 56	6,022 4,786 1,236 3,957 992 719 207 110	5, 114 3, 970 1, 144 3, 180 920 702 192 88 32	5, 216 3, 921 1, 295 3, 138 1, 052 693 206 90 37	5+711 4,208 1,503 3,443 1,271 697 211 68	5,907 4,293 1,614 3,519 1,357 707 232 67 25	5+688 4+102 - 1+586 3+491 1+423 557 155 54 8	5,753 3,930 1,823 3,298 1,625 569 184 63 14	5,201 3,311 1,890 2,843 1,682 421 186 47	5,042 2,965 2,077 2,581 1,856 337 210 47	5, 244 2, 795 2, 449 2, 541 2, 285 219 149 35	5,165 2,391 2,774 2,220 2,630 144 137 27	3,951 1,646 2,305 1,552 2,210 83 87 11	2,029 743 1,286 699 1,232 38 50 6	510 172 338 158 324 12 11 2	99 26 73 21 61 5 11	82 66 16 43 11 18 5	01 02 03 04 05 06 07 08
79 75 4 56 3 16 1	60 56 4 41 3 14 1	43 40 32 35 - 3	38 35 3 24 2 9 1 2	49 47 2 32 1 11 1 4	64 56 8 41 5 9 3 6	65 57 8 48 6 8 2	67 58 9 49 6 9 3	56 50 6 40 5 10 1	36 34 2 25 2 9 -	29 20 9 16 7 3 2	17 11 6 10 5 1 1	15 11 4 11 4 - -	9 9 8 1 -	5 5 . 3 - 1 - 1	2 2	1. 1. - 1. -	6 6 4 - 1 - 1	10 11 12 13 14 15 16 17
8,723 6,966 1,737 6,112 1,491 716 189 158	5,113 4,023 1,090 3,419 926 493 122 111 42	3,507 2,692 815 2,269 670 364 119 59	2,738 2,060 678 1,674 556 341 102 45	2,655 1,922 733 1,562 625 322 83 38 25	2,741 1,967 774 1,655 658 290 -99 22	2,703 1,904 799 1,553 683 314 99 37	2,433 1,702 731 1,462 655 213 70 27	2,339 1,536 803 1,287 740 216 59 33	2,038 1,281 757 1,083 690 176 53 22	1,854 1,118 736 983 685 122 47 13	1,588 969 619 890 592 64 19	1+053 643 410 602 396 32 12 9	448 294 154 277 149 16 5	109 75 34 72 31 2 3	8 4 3 3 1 - - 1	1 - 1	29 21 8 14 6 6, 2 1	19 20 21 22 23 24 25 26 27
8.612 6.884 1.728 6.018 1.483 708 189 158	5,050 3,963 1,087 3,366 923 487 122 110 42	3,438 2,631 807 2,213 663 359 118 59 26	2,694 2,023 671 1,648 550 330 101 45	2,613 1,885 728 1,529 620 319 83 37	2,699 1,933 766 1,625 651 287 99 21	2,643 1,855 788 1,508 673 310 98 37	2,386 1,661 725 1,423 650 211 69 27	2,283 1,488 795 1,247 733 212 59 29	1,997 1,254 743 1,059 676 173 53 22 14	1.816 1.089 727 956 676 120 47 13	1,568 955 613 878 587 62 18 15	1,030 634 396 593 382 32 12 9	437 288 149 271 144 16 5	103 71 32 68 29 2 3	7 4 3 3 2 1 -	1	29 21 8 14 6 6 2 1	28 29 30 31 32 33 34 35 36
173 135 38 113 29 17 8 5	110 81 29 69 27 7 1 5	83 57 26 57 21 	71 55 16 48 12 7 3 -	60 51 9 47 9 4 - -	61 45 16 43 15 2 1	69 53 16 49 15 4 - 1	68 45 23 40 20 5 3 -	65 41 24 32 24 9	52 36 16 35 13 1 3	51 35 16 31 14 3 2	37 25 12 23 12 2	11 4 7 4 6 - 1	7 5 2 5 1 1	1 1 1 - - - -	-	-		37 38 39 40 41 42 43 44 45
3,192 2,426 766 2,160 685 228 61 38	1,949 1,424 525 1,241 458 150 30	1,324 962 362 835 316 104 40 23	1,076 765 311 646 261 105 40 14	1,046 686 360 574 315 101 31 11	1,088 703 385 609 334 91 41 3	1,045 665 380 563 336 89 35 13	1+074 696 378 627 347 59 29 10	990 588 492 512 377 68 23 8	892 519 373 462 352 48 17 9	779 440 339 386 322 51 16 3	660 388 272 366 258 19 10 3	401 243 158 235 149 5 8	162 105 57 101 54 3 3	40 28 12 28 10 - 2	1		6 3 2 3 1 -	46 47 48 49 50 51 52 53
580 458 122 330 69 95 25 25	405 314 91 234 65 63 17	327 251 76 180 49 59 21 12 6	338 265 73 184 54 72 15		416 312 104 226 82 80 21 6	463 340 123 228 95 100 26 12 2	417 324 93 243 77 73 13 8	495 361 134 266 117 80 17	482 315 167 240 138 68 24 7	529 322 207 276 190 39 16 7	501 305 196 267 186 27 6 11	399 253 146 229 144 19	174 119 55 109 54 10 1	43 29 14 26 13 2 1	4 3 1 3 - - 1	1	15 12 3 9 2 2 1 1	55 56 57 58 59 60 61 62 63
1,347 1,146 201 1,040 174 84 18	764 636 128 554 112 74 13 8	476 391 85 325 73 61 11	307 245 62 205 51 36 9	51 37 9 2	302 243 59 201 54 41 5	267 207 60 170 51 37 9	203 159 44 137 41 19 3	164 121 43 112 36 8 7	125 99 26 83 26 14 -	87 58 29 52 29 5 1	68 45 23 39 23 5 -	34 21 13 21 12 1	13 8 5 8 5 	3 1 2 1 2 -	111111		2 2 1 1 - -	64 65 66 67 68 69 70 71 72
2,096 1,770 326 1,549 279 176 98 45	1,122 955 167 798 138 128 23 29	739 623 116 523 89 91 18	577 459 118 370 94 77 23 12	467 377 90 313 71 57 15	489 382 107 342 86 34 18 6	443 341 102 286 82 48 16 7	339 250 89 213 73 31 16 6	262 187 75 161 65 24 10 2	171 126 45 110 41 14 3 2	140 91 49 83 44 7 5	95 66 29 61 29 5 -	63 44 19 41 19 2 -	30 18 12 18 12 	97 2 7 2	-		5 4 1 2 - 2 1 -	73 74 75 76 77 78 79 80 81
1,224 949 275 818 227 108 39 23	700 553 147 470 122 65 18 18	489 347 142 293 115 44 24 10	325 234 91 195 78 33 11 6	241 112 201 103 34	343 248 95 204 80 39 13 5	356 249 107 212 94 32 12 5	285 187 98 163 92 24 5	307 190 117 164 114 23 2 3	2	230 143 87 128 77 15 6 - 2	207 126 81 122 79 4 2	122 69 53 63 52 6	51 33 18 30 18 3 -	752552	1 -		1 1 1 - 1	82 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	ACCIDENTSCON. MOTOR VEHICLE ACCIDENTSCON.								,		
01 02 03 04 05 06 07 08	MOTOR VEHICLE NONTRAFFIC ACCIDENTSE820-E823  MALE FEMALE HITEAALE NEGROAALE FEMALE OTHER RACESAALE OTHER PEMALE	1,164 889 275 789 243 92 24 14	8 3 5 2 3 1 1 -	108 61 47 52 37 9 9	66 31 35 23 32 7 2 1	28 19 9 13 7 5 2	32 18 14 18 11 	242 132 110 108 90 22 16 2	59 37 22 27 20 7 2 3	55 47 8 40 6 6 1	134 115 19 110 19 4 -
10 11 12 13 14 15 16 17 18	OTHER ROAD VEHICLE ACCIDENTS	293 177 116 163 109 9 7 5		2 - 2	2 1 1 1 1 -	2 1 1 1 - - 1	**! **! !!!!	9 7 2 7 1 - 1 -	34 28 6 25 6 3 -	52 25 27 24 24 24	44 20 24 16 23 4 1
19 20 21 22 23 24 25 26 27	WATER TRANSPORT ACCIDENTS	1,725 1,561 164 1,290 147 216 17 55	1 1 - 1 -	3 2 1 2 1	5 3 2 3 2 -	7 6 1 6 1	1 1	18 12 6 11 6 1	42 36 6 31 5 3 1 2	85 66 19 51 19 14 -	172 149 23 126 22 18 1
28 29 30 31 32 33 34 35 36	AIR AND SPACE TRANSPORT ACCIDENTS	1,668 1,407 261 1,376 252 23 5	3 3 - 2 - 1 -	61515	3 3	3 2 1 2 1 -	22 - 2	17 8 9 7 9 1 -	16 8 8 8 	50 · 29 21 29 21 -	91 74 17 72 16 1
37 38 39 40 41 42 43 44 45	ACCIDENTAL POISONINGE850-E877  MALE FEMALE WHITEMALE FEMALE NEGROMALE FEMALE OTHER RACESMALE	5,335 3,571 1,764 2,923 1,433 597 293 51	38 19 19 14 8 4 10	80 49 31 28 19 20 11 1	41 24 17 15 16 8 1	20 8 12 6 8 2 4	11 7 4 6 2 1 2	190 107 83 69 53 35 28 3	29 19 10 14 9 5	88 55 33 43 26 9 5	592 409 183 362 133 43 42 48
46 47 48 49 50 51 52 53	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTSE850-E859 MALE WHITEWHITEWHITEMALE FEMALE NEGRUMALE FEMALE OTHER RACESWALE	2,444 1,526 918 1,222 751 286 151 18	12 5 7 2 5 3 2	46 26 20 17 14 8 5 1	23 8 15 5 14 3	16 7 9 6 7 1 2	52322 - 1	102 48 54 32 42 15 11	6 4 2 3 2 1	17 9 8 6 4 3 4	264 195 69 168 49 26 18
55 56 57 58 59 60 61 62 63	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES	1,239 828 411 659 330 153 69 16	4 1 3 1 - - 2 - 1	28 18 10 7 4 11 6	10 9 1 6 1 2	3 1 2 1 1 1 -	2 1 1 -	47 30 17 15 6 14 10 1	6 3 2 3 1	17 15 2 11 1 3	72 53 19 49 15 3
64 55 66 67 68 69 70 71 72	ACCIDENTAL POISONING BY GASES AND VAPORSEB70-E877, HALE FEMALE WHITEMALE FEMALE NEGROHALE FEMALE FEMALE OTHER RACESMALE FEMALE	1,652 1,217 435 1,042 352 158 73 17	22 13 9 11 3 1 6	6 5 1 4 1	8 7 1 4 1 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 4 - 3 - 1 -	41 29 12 22 5 6 7	17 12 5 11 5	54 31 23 26 21 3 1 2	256 161 95 145 69 14 21 2
73 74 75 76 77 78 79 60 81	ACCIDENTAL FALLS	16,506 8,307 8,199 7,348 7,718 844 448 115	94 60 34 31 17 26 15 3	79 47 32 33 21 14 10	42 21 21 18 12 3 8 -	38 23 . 15 17 10 6 5	22 11 11 6 8 5	275 162 113 105 68 94 41 - 3	74 57 17 52 14 5 2	91 69 22 61 18 8 4 -	242 217 25 198 24 16 1 3
82 83 84 85 86 87 88 89	FALL FROM ONE LEVEL TO ANOTHER	4,270 2,992 1,278 2,567 1,150 372 119 53	52 30 22 13 10 14 12 3	59 36 23 24 14 12 8	33 16 17 14 10 2 6	18 12 6 8 4 4 2	15 11 4 6 3 5	177 105 72 65 41 37 29	55 41 14 39 11 2 2 -	57 41 16 39 12 2 4	166 154 12 145 11 7 1

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
111 102 9 94 8 8 - 1	63 60 3 53 3 6 - 1 - 22 7	69 61 8 56 7 5 1 -	44, 37, 7, 26, 6, 11, 1, -	427 35 35 35 35 35 35 35 35	42 34 8 30 7 3 - 1 1	60 49 11 45 10 4 1	47 41 6 39 5 2 1	56 48 8 40 7 4 -	41 27 14 24 14 3 -	38 29 9 27 9 2 - -	20 14 6 12 5 2 1	23 9 14 9 - 14 -	11 6 5 6 5 - - -	6 4 2 1	1 - 1		- 0 - 0 - 0 - 0 - 0 - 0 - 0
23 10 13 10 13 -	7 15 7 14 - 1 -	10 7 9 6 1 1	8 5 	10 5 9 5 1	8 2 8 2 1 1 1	4343111	10 1 9 1 - 1	8 1	4 1 3 1 - 1	6161111	9 4 4 - 1	55-41-	1 1 - - - - -	1 1 - - -	-	111111	- 1 - 1 - 1 - 1 - 1 - 1 - 1
246 229 17 201 15 20 2 8	208 192 16 155 14 26 2	168 153 15 127 14 17 1	133 127 6 95 6 24 - 8	116 106 10 81 7 23. 3 2	119 103 16 88 12 13 4	116 109 7 92 5 14 2 3	107 100 7 84 6 14 1 2	82 78 4 60 4 18	59 53 6 49 6 4	31 27 4 24 4 3 -	13 13 - 10 - 3 -	5 4 1 3 1 1 	1	1		11111111	3 12 3 2 1 2 - 2 - 2 2 2 2 2 2 2
227 181 46 171 49 7 1 3	247 220 27 219 25 - 1 1	234 213 21 209 21 4 -	192 169 23 163 22 5 - 1	151 136 15 134 15 1 1	160 136 24 133 22 2 2 2 1	121 108 13 108 13 - -	90 76 14 75 14 1 -	38 30 8 29 -8 1 -	20 13 7 13 7 - -	7 3 4 3 4 -	2 2 - 2	41313	1 - 1	11111111	111111111	1111111	- 21 - 25 - 31 - 33 - 33 - 34 - 34
867 688 179 546 117 133 55 9	615 478 137 374 106 94 28 10	392 280 112 212 88 64 22 4	325 212 113 168 91 40 18 4	347 215 132 180 111 30 18 5	343 197 146 159 131 38 15 -	317 186 131 155 114 31 15 -	306 192 114 167 105 24 7 1	292 171 121 153 107 14 13 4	207 120 87 103 75 15 10 2	146 91 55 82 50 7 5 2	128 70 58 65 54 5 4	103 58 45 53 40 55	33 15 18 11 16 4 2	13 6 7 5 7	1	11111111	1 3' 1 38 - 39 1 40 - 43 - 44 - 44
565 439 126 344 80 90 40 5	370 278 92 212 68 61 22 5	200 137 63 101 52 36 11	157 88 69 73 55 15 12 -	136 81 55 69 47 10 7 2	114 50 64 42 60 8 4	89 28 61 25 57 3 3	96 41 55 38 52 3 2 -	95 41 54 36 52 3 2 2	74 28 46 24 40 3 6	40 16 24 13 21 2 3 1	50 17 33 16 30 1	47 21 26 18 24 3 2	15 3 12 1 11 2 1	7 2 5 1 5 1 	1111111		- 46 - 45 - 45 - 50 - 55 - 55 - 55
87 72 15 53 11 16 4	88 73 15 57 11 15 3	78 53 25 40 16 11 7 2	77 51 26 35 20 15 5	109 55 54 41 42 11 10 3	129 75 54 58 48 17 6	117 76 41 58 34 18 6	111 72 39 56 35 15 3	114 70 44 63 38 5 6 2	70 46 24 42 21 4 2	57 42 15 41 13 1 2	33 23 10 22 10 1 -	20 14 6 14 5 -	4  3  1	3 1 2 1 2	111111		- 55 - 56 - 57 - 58 - 60 - 61 - 62 - 63
215 177 38 149 26 27 11	157 127 30 105 27 18 3	114 90 24 71 20 17 4	91 73 18 60 16 10 1	102 79 23 70 22 9 1	100 72 28 59 23 13 5	111 82 29 72 23 19 6	99 79 20 73 18 6 2	83 60 23 54 17 6 5	63 46 17 37 14 8 2	49 33 16 28 16 4 -	45 30 15 27 14 3 1	36 23 13 21 11 2 2	14 8 6 7 5 1 1	3 - 3	1 1 - - -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 64 1 65 - 66 1 67 - 68 - 69 - 70 - 71 - 72
256 228 28 206 22 20 5 2	211 183 28 146 22 33 5 4	218 188 30 134 21 45 7 9	274 223 51 162 40 55 9 6	348 274 74 196 55 70 19 8	470 365 105 269 87 86 18 10	606 450 156 350 129 91 26 9	681 490 191 420 181 64 10 6	817 544 273 465 243 70 28 9	1.008 602 406 544 368 49 38	1,323 691 632 616 573 64 55 11	2,048 900 1,148 851 1,101 44 44 5	2,731 1,021 1,710 983 1,659 29 49	2,731 965 1,766 935 1,715 23 46 7	1,588 521 1,067 508 1,035 9 30 4	425 134 291 127 284 6 5	83 20 63 17 57 5 5	6 73 3 74 3 75 3 76 2 77 - 78 1 79 - 80
181 168 13 154 11 12 2	143 131 12 116 9 13 3	139 125 - 14 97 11 23 2	141 121 20 92 17 25 2 4	194 164 30 120 24 40 6 4	224 186 38 135 33 46 5	275 223 52 180 41 36 11	283 222 61 191 57 29 4	313 242 71 208 62 29 8 5	310 229 81 207 73 20 8 2	323 221 102 191 93 26 8 4	379 211 168 199 159 10 9	349 167 182 154 179 10 3 3	350 165 185 162 177 2 8 1	164 61 103 59 99 2	37 13 24 13 23	10 2 8 1 7 1	- 62 - 63 - 84 - 85 - 86 - 87 - 88 - 89

Table 1-26. Deaths From 281 Selected Causes, by

<u> </u>			<del> </del>							(,	
Cause of death, race, and	sėx	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTSCON. ACCIDENTAL FALLSCON.											
FALL ON SAME LEVEL	E885,E886	662	1	_	_	l _	_	1	,	4	1
	MALE Female	296 366	 1	=	1 -	=	_	ī	i	4	1:
	WHITE	273	. –	<b>}</b> –	-	-	-	_	1	3	
•	FEMALE	350 18	] =	-	_	_	-		=	ī	
	FEMALE OTHER RACESMALE	11 5	=	<u>-</u>	_	_	_	_	_	] =	
•	FEMALE	5	1	=	-	=	=	1	=	] [	
OTHER AND UNSPECIFIED FALLS	MALE	11,574 5,019	41 30	20 11	9	20 11	7	97 57	18 15	30 24	6: 5:
	FEMALE	6,555 4,508	11 18	9	4	9	7	40 40	3 12	19	1:
•	FEMALE	6,218 454	7 12	7 2	2	6 2	5	27 17	3	6	1:
	FEMALE	318	3	2	2	3	2	12	3	5 -	
	OTHER RACESMALE FEMALE	57 19	ī	_		<u>-</u>	_		=		,
ACCIDENTS CAUSED BY FIRES AND FLAMES	E890-E899 MALE	6,503 3,895	154 83	184 101	190 106	173 99	145 67	846 456	328 153	198 94	20°
	FEMALE	2+608 2+870	71 51	83 55	84 63	74 59	78 42	390 270	175	104	7:
	· FEMALE	1,910	32	50	43	46	45	216	103 112	67 80	10
	NEGROMALE FEMALE	967 677	32 37	45 32	40 38.	39 25	24 33	180 165	48 63	27 24	2
	OTHER RACESMALE FEMALE	58 21	- 2'	1	3	1, 3	1	6	2	}	
ACCIDENTAL ODOLOTO AND CHOCKER COO.			, ,			i .			-	Į.	١
ACCIDENTAL DROWNING AND SUBMERSION	MALE	7,152 . 5,983	77 49	237 138	253 176	212 163	143 102	922 628	660 517	806 661	1,43
	FEMALE	1,169	28	99	77	49	41	294	143	145	1.1
	FEMALE	4+471 932	34 24	123 81	165 65	142 43	89 33	553 246	362 113	431 98	1,00
	NEGROMALE FEMALE	1.372 215	13 4	10 14	9 11	17 5	13 8	62 42	140 27	221 43	29
	OTHER RACES	140	2	5	2	4	-	13	15	9	2
INHALATION AND INGESTION OF FOOD OR OTHER OB	JECT CAUSING FEMALE	. 22	-	4	1	1	-	6	3	4	
OBSTRUCTION OR SUFFOCATION	E911,E912 MALE	3,013 1,780	485 282	107 61	59 35	. 32 15	16 8	699 401	58 40	66 37	10
	FEMALE	1,233	203	46	24	17	В	298	18	29	7 2
	WHITE MALE	1,460 991	202 124	42 33	22 16	12 13	5	283 190	35 15	24 22	6 3
	NEGRDMALE FEMALE	295 216	78 76	17 12	13 3	2 4	3	1113	5	13	
	OTHER RACESMALE	25	2	2	-	1	-	99 5	3 -	5	
	FEMALE	26	. 3	ι	5	-	-	9	_	2	
ACCIDENT CAUSED BY FIREARM MISSILE	MALE	2.618 2.269	8 7	12 8	20 13	: 17	21 15	78 54	118 85	345 300	49 45
	FEMALE	349	1	4	7	6	6	24	33	45	4
	WHITE MALE	1,754 254	3 -	5 4	11 5	9 5	11 5	39 19	58 24	239 37	34
	NEGROMALE FEMALE	,482 89	-	3 -	1 2	2 1	1	14	. 25 . 8	59 8	10 1
	OTHER RACESMALE FEMALE	33	- 1	-	1	=	-	ĭ	2	2	ŀ
10010-000 00100 00 00000000000000000000	·	-		_	_ i	_		1	1		
ACCIDENTS MAINLY OF INDUSTRIAL TYPE	E916-E921,E923-E928	5,883 5,333	32 24	71 41	69 38	54 35	43 31	269 169	162 116	207 175	52 49
•	FEMALE	550 4,738	8 15	30 31	31 32	35 19 32	12 30	100 140	46 100	32	2
	FEMALE	451	4	21	22	15	10	72	37.	151 29	44
• • • • • • • • • • • • • • • • • • • •	NEGRO MALE FEMALE	534   96	9	10 9	5 8	1 4	1 2	26 27	13 9	24 3	4
	OTHER RACESMALE	61 3		<u>-</u>	1	2	1	3 1	3		
ACCIDENT CANCER BY CUTTING OR RESPONSE THE						_ [	_ [ ]			<b>-</b>	
ACCIDENT CAUSED BY CUTTING OR PIERCING INS	MALE	133   99	_	1	1 -	3 2	2	7 3	17 11	8 6	
· ·	FEMALE	34 72	_	1	1 -	1	2	4	6	2 4	
	FEMALE	22		- 1	1	1	2	2 4	9	2 2	
	NEGROMALE FEMALE	24 11	_ [		=	· -		-	2 3	2	
		3	-	- 1	- 1	1	- 1	1		~ }	
	OTHER RACESMALE			- 1	-	-		-	-	~	
	FEMALE	1		ł					!		,
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	FEMALE	^ 1   512	1_	7	.7	3 2	3 2	2I 15	7 5	10	
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	FEMALE FEMALE FEMALE	512 414 98		6	5 2	2 1	2	15	5	8 (	34
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	FEMALE	512 414	- 1	- 6	5	2	2	15	5 2 3		3: 3:
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	FEMALE  HALE FEMALE  HHITE NEGRO  HALE HALE  HALE  HALE	512 414 98 358 76 51	ī -	6 1 4 1 2	5 2 5 1	2 1 2 -	1 2 1 -	15 6 13 4 ;2	5 2 3 2 1	8 2 7 - 1	3
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	FEMALE  MALE  HHITEMALE  FEMALE  NEGROMALE  OTHER RACESMALE	512 414 98 358 76 51 22	1 1 - -	6 1 4 1	5 2 5 1 1	2 1 2 - 1	2 1 2 1	15 6 13 4	5 2 3 2	8 2 7 1 2	3
ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIV	FEMALE  MALE  FEMALE  MHITE  MALE  FEMALE  MALE  FEMALE  OTHER RACES  EMALE  FEMALE  FEMALE  FEMALE  FEMALE  FEMALE  FEMALE  FEMALE  FEMALE  FEMALE  FEMALE  FEMALE  FEMALE	51.2 41.4 98 358 76 51	ī -	6 1 4 1 2	5 2 5 1	2 1 2 - 1	1 2 1 -	15 6 13 4 ;2	5 2 3 2 1	8 2 7 1 2	3
	FEMALE  HALE  FEMALE  HHITE	512 414 98 358 76 51 22 5	1	6 1 4 1 2 - - -	5 2 5 1 - 1 -	2 1 2 - 1 - 7	2 1 2 1 3	15 6 13 4 ;2 2 - -	5 2 3 2 1 - 6	8 27 - 1 2	3
ACCIDENT CAUSED BY HOT SUBSTANCE, CORRUSIVE	FEMALE  HALE  HALE  HALE  MALE  FEMALE  NEGRO  OTHER RACES  ELIQUID,  E924-E926  NALE  FEMALE  FEMALE  FEMALE  FEMALE  FEMALE  FEMALE  FEMALE	512 414 98 358 76 51 22 5 279 168 111	1	6 1 4 1 2 - -	5 2 5 1 1	2 1 2 - 1 -	1 2 1	15 6 13 4 ;2 2 -	5 2 3 2 1 -	8 2 7 1 2	3
ACCIDENT CAUSED BY HOT SUBSTANCE, CORRUSIVE	FEMALE  FEMALE  WHI TE	1 512 414 98 358 76 51 22 5 279 168 111 129	1 1 - - - - 14 10 4 6	6 1 4 1 2 - - - 30 18 12 10	5 2 5 1 - 1 - 1 6 7 9 5	2 1 2 - 1 - 7 1 6	2121 312-	15 6 13 4 ;2 2 - 70 37 37 33 22	5 2 3 2 1 1 6 5 1 3	827 12	3
ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVI STEAM, OR RADIATION	FEMALE.  FEMALE.  WHI TE	1 512 414 98 358 76 51 22 5 7 279 168 111 129 03 36	1 1 - 1 - - - 14 10 4 6 1	6 1 4 1 2 - - 30 18 12 10 9	5251 1 1 - 167954	2 1 2 - 1 - 7 1 6 1 3	2121 312-1	15 6 13 4 .2 2 2 - 70 37 33 22 18	52321 1 6513 1	827 12	3
ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVI STEAM, OR RADIATION	FEMALE.  FEMALE.  MALE.  FEMALE.  MALE.  FEMALE.  NALE.  FEMALE.  OTHER RACES.  FEMALE.  E LIQUID,  E 24:E226  MALE.  FEMALE.  MALE.  HHITE.  MALE.  FEMALE.	1 512 414 98 358 76 51 22 5 5 79 168 111 129 83	1 - 1 - - - 14 10 4 6	6 1 4 1 2 - - 30 18 12 10 9	5 2 5 1 - 1 - 1 6 7 9 5	2 1 2 - 1 - 7 1 6 1 3	2121 312-	15 6 13 4 ;2 2 - 70 37 37 33 22	52321-1-6513-	827 12	3

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	B0-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
		 				:				-								
6 4 2 3 1	1 1 - 1	3 3 -	9 5 4 4	10 7 3 6 1	10 5 5 5	17 12 5 10	25 20 5 17 5	27 14 13 13	39 18 21 18 21	66 24 42 24 39	81 30 51 26 51	145 54 91 51 91	116 49 67 47 63	73 28 45 27 .45	11 5 6 5	2 - 2 - 2	2 - 2 - 1	05
1 - 1	-	=	1 2 - 1	1 2 -	111	1 1 -	3	1 1 -	1111	1 m l t	- - -	1 2 -	2 2 2	- 1	. =.	-	1 -	06 07 08 09
69 56 13 49 10 7 3	67 51 16 29 13 20 2 2	76 60 16 34 10 22 5 4	124 97 27 66 22 29 5	144 103 41 70 30 29 11 4	236 174 62 129 49 40 13	314 215 99 160 83 54 15	373 248 125 212 119 32 6 4	477 288 189 244 169 40 19 4	659 355 304 319 274 29 30 7	934 446 488 401 441 38 44 7	1,588 659 929 626 891 30 35 3	2,237 800 1,437 778 1,389 18 46 4	2,265 751 1,514 726 1,475 19 36 6	1,351 432 919 422 891 7 27 3	377 116 261 109 255 6 5	71 18 53 16 48 2 4	4 3 1 3 1 - -	10 11 12 13 14 15 16 17
307 222 85 175 62 39 23	281 208 73 159 59 45 14	210 149 61 111 46 36 13 2	233 165 68 116 48 47 19 2	299 206 93 150 62 54 29 2	368 245 123 186 96 53 26 6	395 257 138 196 120 57 18	450 281 169 217 146 62 23 2	509 338 171 261 142 74 28 3	439 248 191 191 146 55 44 2	417 236 181 181 132 52 49 3	371 190 181 146 138 39 41 5	347 164 183 124 135 37 47 3	199 95 104 77 84 17 20 1	67 35 32 21 22 14 10	20 10 10 8 6 2 4	7 3 4 2 - 1 4	5 4 1 1 - 3 1 -	19 20 21 22 23 24 25 26 27
793 720 73 530 54 174 18 16	448 416 32 289 23 105 9 22	295 265 30 193 22 64 7 8	270 234 36 171 28 58 8	235 200 35 143 26 52 7 5	245 205 40 140 35 59 5	226 185 41 143 35 39 5 3	209 183 26 146 24 33 2	158 125 33 101 27 21 6 3	137 108 29 88 28 18 1	118 86 32 74 25 10 6 2	75 55 20 41 19 13 1	52 34 18 32 17 2 1	30 18 12 16 11 2 1	10 5 5 4 4 1 - 1	4 2 2 1 2 1 -	2 1 1 - 1 -	20 17 3 12 2 4 1 1	28 29 30 31 32 33 34 35 36
104 70 34 56 26 13 7 1	106 62 44 51 29 10 11	90 60 30 42 23 17 7	94 51 43 41 36 7 7	124 82 42 65 36 13 5	151 101 50 84 43 16 5 1	211 127 84 110 69 15 12 2	213 130 83 110 74 18 9	216 125 91 114 83 11 7 -	175 104 71 93 66 11 4	164 88 76 79 63 8 13	170 89 81 80 74 7 7 2	138 76 62 72 57 4 4 1	83 45 38 40 34 5 4	30 14 16 14. 15 - 1	12 7 5 6 4 - 1 1	2 - 2		37 38 39 40 41 42 43 44 45
350 298 52 213 34 79 17 6	233 206 27 150 21 51 5 5	171 154 17 123 12 25 4 6	141 115 26 83 19 31 7	143 118 25 92 18 25 7 1	122 102 20 81 16 18 4 3	112 99 13 80 8 19 5	97 88 9 77 6 11 3	75 67 8 57 6 10 2	60 55 5 50 3 5 2	34 31 37 27 3 4 -	26 25 1 24 1 -	10 9 1 8 1 1 -	6 6 - 5 - 1 -	1 1 - - 1	1		1 1 - - 1 -	46 47 48 49 50 51 52 53
602 574 28 524 22 42 6 8	546 522 24 464 18 47 6	420 405 15 362 12 39 3 4	382 363 19 327 15 32 4	398 373 25 324 18 40 7	444 418 26 370 25 46 1 2	443 416 27 365 20 49 6 2	402 386 16 339 14 45 2	3T7 353 24 315 20 35 4 3	256 222 34 204 32 17 2 1	163 132 31 116 28 13 3	127 100 27 91 20 8 6 1	95 70 25 65 22 5 3	50 30 20 28 18 2	15 8 7 7 7 1 -	4 2 2 1 2 1	-		55 56 57 58 59 60 61 62 63
9 7 2 5 1 2 1	8 7 1 3 - 3 1 1	3 - 3	5 5 2 3 -	5 4 1 4  1 	11 10 1 7 - 3 1	14 8 6 3 2 2 -	9 8 1 5 1 3	8 5 3 5 1 - 2 -	6 3 3 3 	3 2 1 2 1 -	5 4 1 3 1 - - 1	2 1 1 1 	1 1 - - - -			-	111111111111111111111111111111111111111	64 65 66 67 68 69 70 71 72
48 99 95 64 3	53 44 9 32 6 10 - 3 2	33 30 3 29 2 1 1	30 23 7 21 5 1 2	52 44 8 38 7 6 1	37 29 8 27 8 2 -	41 53 8 30 7 3 1	34 31 3 28 3 3 -	25 23 2 20 1 3 1	23 16 7 14 7 2 -	20 16 4 11 4 4 - 1	15 9 6 6 3 3 -	8 4 3 1 1	9 45 4 - 1 -	2 2 - 2				73 74 75 76 77 78 79 80 81
6 5 1 5 1 -	12 10 2 8 1 2 1	5	3 1 1 2 -	11 9 2 8 2 1	19 12 7 10 7 2 -	13 11 2 8 1 3 1	14 12 2 10 2 2 - -	15 6 8 5 1 1	20 9 11 8 9 1 2	17 7 10 5 9 1	20 10 10 9 7 1	19 10 9 9 8 1 1	16 9 7 8 6 1 1 -	7 3 4 2 4 1 -	1 1 -	-	-	82 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex	Total	Under 1 year	I year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-1 year
ACCIDENTS—CON. ACCIDENTS MAINLY OF INDUSTRIAL TYPE—CON.										ĺ
ACCIDENT CAUSED BY ELECTRIC CURRENTE925	1.149	4	В	11	5	2	30	22	45	14
MALE	1+085	3	3 5	5	4	2	17 13	16	37 8	14
WHITEFEMALE	1,018 56	1 1	3 2	3 6	1	2	13 10	14	35 8	13
NEGROMALE	62	2	i -	2	-	_	4	ž	2	
FEMALE OTHER RACESMALE	8 5	_	3 -	=		=	3 -	_ =	-	
OTHER ACCIDENTS MAINLY OF INDUSTRIAL	-	-	-	-	_	-	-	-	-	
TYPE	3,810 3,567	13 11	25 13	34 21	36 26	33 26	141 97	110 79	144 124	32 31
FEMALE	243	2	12	13	10	7	44	31	20	1
HHITEMALE	3,161 214	8 1	13 9	19	24 10	26 6	90 36	71 26	105 19	27
NEGROMALE FEMALF	361 27	3 1	- 3	1 2	1 1	- 1	5 7	7 5	19 1	1
OTHER RACESMALE	45		-	L	L	-	2	í	-	ľ
FEMALE  SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES6930-6936	2 515	-		1 -	_	-	1		-	_
MALE	3,525 1,861	55 32	14 10	5 2	8 6	6 3	88 53	21 11	14 9	2
FEMALE WHITEMALE	1.664 1.627	23 26	4 9	3	2 4	. 3	35 43	10 10	. 5	
FEMALE NEGROMALE	1.457 216	18	4	3	2 2	2	29	8	9 5	
FEMALE	193	5		-	-	-	10 5	1 2	l –	
OTHER RACESMALE FEMALE	18 14	-	-		-	1	ī	_		
ALL OTHER ACCIDENTSE900-E909,E913-E915,E929,E940-E949	5,300	418	83	51	34	33	619	143	221	3
MALE FEMALE	3,687 1,613	244 174	49 34	30 21	15 19	25 8	363 256	106 37	180 41	2
WHITEMALE	2,914	159	42	23	13	21	258	83	159	2
FEMALE NegroMale	1-314 676	117 81	23 6	15 6	11 2	7	173 99	32 23	36 19	
FEMALE.	266	50	11	6	7	1	75	5	5	
OTHER RACESMALE FEMALE	97 33	7	1 -	<u>1</u>	1	Ξ	6 8	] [	2 -	ŀ
UICIDEE950-E959 MALTa	25.118 18,108	•••	•••		•••		•••	1	156 119	1,4
FEMALE	7,010	•••	•••		***	•••	•••	_	37	3
WHITEMALE Female	16,823 6,589	•••	•••	***	***	•••	***	] =	111	110
NEGROMALE FEMALE	1,075 308	•••	•••	•••	•••		•••	1	7	1
OTHER RACESMALE	210	***	***	:::	***	. ***	•••	-	2	
FEMALE.	113	•••	•••		•••	•••	***	_	1	
SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCEE950 MALE	3,783 1,459	•••	***	•••	***	•••		_	7	1
FEMALE WHITEMALE	2,324	•••	444	•••	•••	•••	***	-	6	1
FEMALE	2,196	•••			***	•••	•••	-	6	
NEGROMALE FEMALE.	62 87				:::	•••	•••		[ ]	Ι.
OTHER RACESMALE FEMALE	18 41	• • • •	***	***	• • • •	•••		_	-	'
SUICIDE FROM POISONING BY GASES	2,473								_	i
MALE	1.690				***	• • • •	•••	-	-	
FEMALE	783 1,659	•••	•••	:::	•••	***	•••	5	=	
FEMALE NEGROMALE	776	***	***	***	***	•••	***	_		İ
FEMALE OTHER RACESMALE	6 5	***			•••	•••	•••	-	-	
FEMALE.	í	•••	•••			•••	***	-	=	
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATIONE953	3,548			•••	•••			1	71	2
MALE FEMALE	2,671 877	:::	•••	:::	•••	:::	•••	1 ~	60 11	2
WHITEFEMALE	2,426 827		•••	•••			•••	-	54	2
NEGROMALE	179	:::	•••	•••	:::		•••	1	10 5	
FEMALE OTHER RACESMALE	20 66	•••	•••	***	***	***	•••	_	- 1	
FEMALE	30	•••	•••	•••	•••		•••	- 1	ī	}
SUICIDE BY FIREARM AND EXPLOSIVE	13,317 11,057		•••	•••		:::	***	1 1	73 56	6
FEMALE WHITEMALE	2,260 10,275	•••	•••	•••	•••		•••	-	17	1:
FEMALE	2,100	•••	***	•••	***	:::	:::	-	54 16	10
NEGROMALE FEMALE	684 135	***	***	***	•••	::: [	-1-	<b>-</b>	2 1	4
OTHER RACESMALE FEMALE	98 25	•••					:::	<u> </u>	=	1
SUICIDE BY ALL OTHER MEANSE954.E956-E959	1,997				I			_	5	
. MALE	1.231			•••	***	***	:::	- [	. 2	
FEMALE WHITEMALE	766 1.084	:::	:::			•••	:::	<u> </u>	3 2	4
FEMALE NEGROMALE	699 124	:::		•••	:::	• • •	[	=	2	2
FEMALE OTHER RACESMALE	60	::: ]	•••	:::			:::	- 2	1	
					***					

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
196 191 5 183 4 7 1	171 166 5 158 6 	108 104 4 99 4 -	85 83 2 79 2 4	81 76 5 72 3 2 2 2	82 81 1 77 1 4 -	62 61 1 54 1 6	44 42 2 40 1 1	44 41 35 36 	17 15 2 13 2 2	8 6 2 6 1	752521	4 3 1 2 1 1	1	1 1		, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	- - - - - -	91 02 03 04 05 06 07 08
343 332 11 296 10 29 1	302 295 7 263 6 24 1 8	267 259 8 226 6 31 2	259 250 9 225 7 22 2 3	249 240 9 202 6 31 3	295 286 9 249 9 35 -	313 303 10 267 8 35 2	301 293 8 256 7 35 1 2	285 275 10 247 10 25 -	190 179 11 166 11 12	115 101 14 92 13 8 1	80 72 8 68 7 4 -	62 52 10 50 9 2 1 -	24 16 8 15 8 1 -	5 2 3 2 3 	2 1 1 1 1		-	10 11 12 13 14 15 16 17
53 27 26 21 18 5 8	61 30 31 29 18 6 12 1	58 24 34 15 23 9 10	62 28 34 17 26 11 7	93 41 52 35 39 6 11	152 80 72 59 58 19 14 2	247 140 107 113 84 26 23	282 156 126 143 113 13 13	399 227 172 191 151 35 19	433 249 184 226 162 20 19 3	434 248 186 228 172 16 12 4	389 208 181 190 167 17 14 1	378 179 199 165 188 12 11 2	192 78 114 74 112 2 2 2	99 41 58 37 54 4 4	19 7 12 7 12 - -		1 1 - 1 - -	21
283 241 42 199 30 35 9 7	247 202 45 161 34 34 8 7	199 153 46 119 31 29 13 5	219 180 39 131 26 42 10 7	243 191 52 135 34 45 16	322 225 97 170 81 48 15	338 251 87 202 68 44 19	340 250 90 193 78 50 12 7	386 278 108 217 88 54 17 7	328 218 110 171 96 42 13 5	316 188 128 146 110 35 18 7	281 158 123 137 110 17 12 4	229 116 113 97 107 16 5	167 90 77 80 69 10 5 -	90 30 60 26 57 4 2  1	15 3 12 3 12 -	3 1 2 1 1 - 1	10 9 1 6 1 3 -	32 33 34 35 36
2,671 2,164 507 1,894 432 225 54 45	2,329 1,724 605 1,501 543 189 52 34	1,908 1,347 561 1,205 522 118 30 24	1,766 1,160 606 1,046 557 97 37 17	1,973 1,260 713 1,193 679 53 23 14	2,315 1,516 799 1,430 779 78 19	2,319 1,570 749 1,499 726 59 20 12	2,135 1,474 661 1,419 635 44 14	1,786 1,305 481 1,257 464 43 15 5	1,484 1,120 364 1,083 356 29 5 8	1.133 866 267 839 259 25 5 5 2	869 681 188 663 181 18 2 - 5	516 409 107 399 103 7 - 3	242 203 39 198 33 4 1 1	74 63 11 63 11 -	7 7 7	1 1 - 1 - -	6 5 1 4 1 - -	37 38 39 40 41 42 43 44 45
353 181 172 167 142 12 19 2	498 203 205 182 189 19 12 2	356 167 189 156 183 7 3 4	304 115 189 105 170 7 17 3	351 114 237 110 226 2 7 2 4	399 124 275 119 270 4 5	365 111 254 110 250 1 1	286 98 188 96 182 2 2 - 4	228 86 142 84 140 1 2 1	185 61 124 60 123 - 1 1	149 44 105 42 104 2 1 -	11.2 48 64 48 62 - - 2	57 19 38 19 38 - - -	24 12 12 12 10 - - 2	5 3 2 3 2	-	111111111111111111111111111111111111111		46 47 48 49 50 51 52 53
209 187 22 183 22 4 -	213 166 47 162 45 4 1	208 143 65 140 61 2 4	239 159 80 156 79 3 1	276 156 120 149 120 5 - 2	324 190 134 184 134 4 - 2	267 161 106 160 106 1	219 133 86 132 86 1 -	134 90 44 89 44 1	116 85 31 85 31 - -	76 57 19 57 19 - - -	57 48 9 48 9 	29 27 2 27 2 - -	8 7 1 7 1 - -	2 2 - 2	-	-		55 56 57 58 59 60 61 62 63
428 375 53 316 51 46 2	297 252 45 203 43 41 2 8	225 180 45 154 40 18 5	167 124 43 110 40 10 1 4	207 149 58 139 54 7 - 3	252 181 71 172 68 6 2 3	273 193 80 180 79 10	304 198 106 186 98 5 3 7	284 182 102 173 99 6 1	233 155 78 151 75 1 1 3	181 128 53 125 50 2 - 1 3	154 107 47 106 44 1 	130 90 40 88 36 1	52 40 12 39 8 1 1 -	22 18 4 18 4 	1 1	- - - - - -	1 1	64 65 66 67 68 69 70 71 72
1,466 1,253 213 1,091 177 137 28 25	1,209 958 251 832 220 105 28 21	974 766 208 680 192 77 14 9	928 693 235 629 218 63 13 7	1,000 761 239 727 228 30 10 4	1, 196 942 254 886 248 54 6 2	1,237 1,005 232 961 222 35 10	1,146 943 203 907 194 33 7	980 859 121 827 115 31 6 1	811 733 78 706 77 25 1 2	627 582 45 560 43 21 2	460 430 30 416 29 14	246 239 7 232 7 6	128 124 4 122 4 2 -	37 35 2 35 2 	5 - 5	-	4 3 1 3 1 -	73 74 75 76 77 78 79 80 81
215 168 47 137 40 26 5 5	202 145 57 122 46 20 9 3	145 91 54 75 46 14 4	128 69 59 52 50 14 5	139 80 59 68 51 9 6	144 79 65 69 59 10 6	177 100 77 88 69 12 8	180 102 78 98 75 3 2 1	160 88 72 84 66 4 6	139 86 53 81 50 3 2 2	100 55 45 55 43 - 2	86 48 38 45 37 3 1	54 34 20 33 20 - 1	30 20 10 18 10 1	B 5 3 5 3 T 1 1 T	1 1	1 1	1 1	82 83 84 85 86 87 88 89

Table 1-26. Deaths From 281 Selected Causes, by [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit

_	Numbers after causes of death are category numbers	of the Eighth	REVISION III	LETHALIOI	MI CIASS	mication	or Disea	ses, Auapi	eu, 1905	(ICDA).	e our -uigr
	Cause of death, race, and sex	Total	Under l year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01 02 03 04 05 06 07 08	HOMICIDE	20,465 15,840 . 4,625 7,411 2,575 8,216 1,965 213	161 81, 80 53 46 25 33 3	126 73 53 40 28 31 24 2	104 59 45 36 20 21 23 2	60 30 30 14 18 16 12	52 24 28 14 22 9 5 1	503 267 236 157 134 102 97 8 5	139 82 57 48 38 33 19	286 179 107 93 73 86 33	1,867 1,396 467 627 270 747 190 22
10 11 12 13 14 15 16 17	ASSAULT BY FIREARM AND EXPLOSIVEE965 MALEFEMALE HHITEMALE FEMALE NEGR9MALE FEMALE OTHER RACESMALE TEMALE TEMALE TEMALE TEMALE TEMALE	13,752 11,168 2,584 5,001 1,352 6,053 1,203 114	11 7 4 5 3 1 1 1	7 4 3 3 1 -	15 9 6 6 3 2 3 1	10 3 7 2 5 1 2	17 8 9 3 7 5 2	60 31 29 19 21 10 8 2	51 32 19 20 15 12 4	181 132 49 59 34 73 14	1,283 1,033 250 430 124 595 124 8
19 21 22 23 24 25 26	ASSAULT BY CUTTING AND PIERCING INSTRUMENTE966  MALE	3,254 2,510 744 1,087 382 1,379 340 44 22	8 4 2 2 2 2 2	3 2 1 1 1 1	3 3	2 1 1 1 -	6 3 3 2 3 1	22 13 9 6 4 3	21 12 9 7 5 4 4 1	32 14 18 8 10 6 8	312 215 97 110 53 96 41 9
18 19 10 11 12 13 14 15	ASSAULT BY OTHER MEANS	3+083 1+793 1+290 1+137 839 606 417 50	141 70 71 46 41 22 29 2	116 67 49 36 25 29 23 2	86 47 39 27 17 19 20	48 26 22 11 12 15 10	29 13 16 9 12 3 3	420 223 197 129 107 88 85 6 5	67 38 29 21 16 17 11	71 31 40 24 29 7 11	216 98 118 67 93 27 23 4
17 18 19 10 12 13 14 15	LEGAL EXECUTIONF978  MALE FENALE WHITEMALE FEMALE NEGROMALE FEMALE OTHER RACESMALE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111111111111111111111111111111111111		11111111	111111111111111111111111111111111111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111111111111111111111111111111111111	111111111111111111111111111111111111111	111111111	1111111
678901234	OTHER LEGAL INTERVENTION	376 369 7 186 2 178 5	1 1 - - 1	1 2 2 1 1 1 1 1 1	11111111			1 - - - -		22 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	52 50 2 20 - 29 2
56 57 58 59 50 51 52	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OP PURPOSELY INFLICTED	5,030 3,423 1,607 2,487 1,246 864 324 72 37	90 54 36 34 25 16 9 4	59 37 22 21 14 16 8	50 30 20 17 12 13 6	25 12 13 8 8 4 4	14 9 5 5 4 4 1	298 142 96 85 63 53 28 4	59 41 18 18 6 22 12	108 87 21 61 15 26 6	360 265 95 201 62 58 28 65
4 5 6 7 8 9 1 1 2	INJURIES RESULTING FROM OPERATIONS OF WAR	20\ 20\ - 18 - 1	-	-		-	111111111111111111111111111111111111111	111111111111111111111111111111111111111		11111111	111111

Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
3,319 2,609 710 1,122 352 1,449 341 38	3,016 2,464 552 1,088 271 1,337 269 39	2,388 1,919 469 817 215 1,079 238 23 16	1,920 1,487 433 673 218 796 209 18	1.698 1.325 373 572 198 744. 166	1,469 1,167 302 537 165 612 134 18	1,163 931 232 476 141 444 88 11	891 728 163 408 106 311 53 9	628 495 133 293 88 195 45 7	453 336 117 197 86 134 30 5	310 215 95 132 69 81 25	210 125 85 84 74 38 11 3	119 60 59 47 50 13 9	44 22 22 19 20 3 2	8 6 2 5 1 1 1 -	2 1 1 1 - -	1 1 - - 1 -	35 25 10 15 6 10 4 -	01 02 03 04 05 06 07 98
2,397 1,977 420 794 192 1,159 223 24	2,228 1,874 354 801 167 1,044 184 29	1,748 1,443 305 615 143 814 152 14	1,401 1,112 289 512 139 587 148 13	1,208 967 241 420 122 542 115 5	964 776 188 365 97 401 91	767 621 146 307 93 308 52 6	553 456 97 259 67 196 29 1	369 294 75 166 45 128 30	244 200 44 109 28 90 16 1	159 122 37 61 28 60 9	79 57 22 34 21 23 1 -	35 23 12 16 11 7 1	9 5 4 5 4 - -	. 3 2 1 2 - 1 	1111111	111111111	13 11 2 7 1 4 1	10 11 12 13 14 15 16 17 18
549 415 134 200 58 204 69 11	478 382 96 165 45 212 49 5	377 305 72 108 27 193 43 4	309 245 64 89 30 152 32 4	270 223 47 81 22 140 23 2	264 219 45 82 22 134 21 3	176 146 30 62 17 84 13	150 119 31 50 15 67 14 2	113 87 26 48 20 37 6 2	73 49 24 24 21 24 3	46 33 13 22 9 11 4 -	33 18 15 13 10 5 5	18 7 11 5 10 2 1	6 3 3 2 - 1 -	1 1 - - 1	1		33 3	19 20 21 22 23 24 25 26 27
276 120 156 79 102 39 49 2	228 127 101 84 58 39 36 4	218 127 91 68 45 55 42 4	168 109 79 61 48 47 29 1	201 117 84 63 54 52 27 2	222 153 69 83 46 65 22	204 148 56 95 31 48 23 5	178 143 35 92 24 46 10 5	143 111 32 76 23 30 9	133 84 49 62 37 19 11 3	104 59 45 48 32 10 12	96 48 48 37 43 8 5 3	65 29 36 26 29 3 7	29 14 15 11 14 3 1	4 3 1 3 1 -	1 - - 1 -	1111111	19 11 8 8 5 3 -	28 29 30 31 32 33 34 35 36
	1111111	-		11111		-	-	1111111		711111111111111111111111111111111111111	-	-	- - - - - -	- - - - - -	11111111	111111111111111111111111111111111111111	- - - - -	37 38 39 40 41 42 43 44
97 97  49  47  1	82 81 1 38 1 42 - 1	45 44 1 26 - 17 1	22 21 1 11 10 -	19 18 1 8 - 10 1	19 19 - 7 - 12 -	16 16 - 12 - 4 -	10 10 - 7 - 2 - 1	33	3 3 2 - 1	1 1	2 - 2	1 1	- - - - - -	-	1111111	1 1 - - 1 -		46 47 48 49 50 51 52 53
606 443 163 323 110 111 46 9	443 341 102 237 75 97 23 7	391 257 134 172 99 60 28 5	373 250 123 157 82 85 38 8	383 252 131 185 101 63 29 4	400 247 153 173 126 71 26 3	382 237 145 178 129 59 15	333 227 106 178 93 44 13 5	280 192 88 153 76 35 10 4	211 140 71 115 65 20 6	174 111 63 91 59 20 4	11.9 87 32 77 26 6 5 4	87 49 38 41 32 5 6	46 29 17 21 17 5 - 3	13 7 6 6 1		1 - 1	23 18 5 14 4 3 1	55 56 57 58 59 60 61 62 63
1 1	5 1	1	1 1 - 1 - - -		2	3	2 2 - 2 - - -	2 2 - 2		1 1	4	1	-	-		-		64 65 66 67 68 69 70 71 72

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit UNITED STATES CAUSE OF DEATH Total White All other Both Male Female Male Female Male Female 01 ALL CAUSES.... 1.973.003 1.096.795 876,208 957,918 770 487 105.721 02 I. INFECTIVE AND PARASITIC DISEASES..... 15.669 B+816 6,853 6.574 5.270 2.242 1,583 3 4 12 34 30 12 30 1, 254 1, 168 827 38 12 14 64 799 1+849 1+467 32 1,004 1.068 250 354 258 18 5 4 40 29 2,707 2,182 52 14 21 814 569 20 3.875 3,009 90 26 35 10 24 184 5 Ì 60 213 PLAGUE......020 11 7 120 15 1,665 236 10 3 12 7 145 24 2,127 297 20 330 40 560 646 10 151 11 1.882 293 25 34 462 61 551 59 83 45 38 41 36 2 7 23 16 13 6 169 18 289 321 29 656 152 11 367 143 26 21 16 233 11 282 2 56 85 36 37 38 39 40 41 1 1,033 507 61 2 78 448 446 16 22 67 2 128 8 61 6 119 1 16 130 23 13 54 24 5 13 59 3 13 22 10 68 20 9 26 76 34 11 3 4 10 12 4 3 28 10 6 -E 1 2 1,060 7 567 493 420 331 147 162 58 II. NEOPLASMS..... 356.068 193,770 162.298 171,699 59 159, 735 2, 269 20 568 797 169,544 4,810 157 1,120 1,308 21,776 743 16,500 251 62 64 2,304 3,464 1.507 2,580 884 2.225 763 355 121 45,479 1,723 6,020 305 20,460 2,466 660 509 96.549 6,195 1,191 1,477 28 1,386 137 51-070 44-875 40.748 4.731 4,768 9,178 330 3,577 3,577 7,701 302 635 37,745 302 15+899 1+659 484 428 1+942 257 18•720 2•291 605 470 37,745 4,262 1,186 972 4,442 25,103 1,780 9,821 2,270 526 463 2,094 11,601 35 152 967 53 461 312 2,184 12,257 13,502 975 4,397 805 10,634 805 5•424 1•465 62 403 110 752 4.963 913 1.153 1.433 9.259 1,545 Z,728 8,273 2.520 7.393 18,653 ORGANS.....158,159 1,463 695 768 588 675 107 93 79,335 3,044 74,933 1,358 40,341 62.717 2,656 59,187 16,618 388 15,746 484 35,384 771 736 55,783 2,290 52,721 15,007 6,934 366 1.611 1,597 338 14,239 366 6,466 102 334 107 81 108 38 772 4,623 962 702 2,704 255 874 4,957 1,069 430 32,285 686 643 54 3,099 85 93 1.519

and Sex: United States and Each State, 1973

		ALABAMA					ALASKA			a by an asie		ARIZONA			$\overline{\Gamma}$
Total	Whi	te	All o	ther	Total	Whi	te	A11 c	other		Whi	te	A11 o	ther	
	Male	Female	Male	Female	TOLAI	Male	Female	Male	Female	Total	Male	Female	Male	Female	
35,408	14,215	10,396	5,929	4,86B	1,459	672	290	301	196	16, 847	9, 225	6,086	951	585	01
350	108	83	104	55	15	2	3	7	3	213	92	79	28	14	02
2	1	1	1	-	1	=	- -	- 1	=	- 1		=	=	-	03 04 05
- - 63 101	13 35	- 10 13	 19 38	21 15 19	- 2 4	1	- 1	- -	- -	30	- 8	13	- 5	1 - 4	06 07 08
75	25	B	33 1	1 -	3	-	- -	4 3 - -	- -	59 35 2	30 15 1	15 10 1	10 6 - -	4 4 -	10
10 12	- 1 7	_ 2 3	2 2	- .5 -	- - 1	-	-	-	=	1 3 18	1 1 1 12	- 1 3	1 3	=	06 07 08 09 10 11 12 13 14
1 -1	-	1		<u>-</u> -	_		- -	=	=	-	-	· -	-	_	16
=	=	-	1111	1 1	- - -	=	-		=	-	-	= = = = = = = = = = = = = = = = = = = =	=	=	17 18 19 20 21 22 23 24 25 26 27 28
2 1 7	-	<u>.</u>	ī	-	-	-	<u>-</u>	-	-	- (	=	-	-	=	21
7 1 90	1 4 - 24	2 1 31	- - 24	1 - 11	2 - 4	- 1	1 ~	- - 2	1 - 1	3 - 59	2 - 23	1 - 24	- - 9	-	24
13	6	1	3	. 3	- -	-	-	-	=	13	6	6 -	-	3 1 -	27 28
-	- 1		i 1 1	1 1	. <u>-</u>	-	-	1.1	- - -	1 - -	-	1 - -	-	-	29 30
	2 2	- 1	- 1	-	-	-	-	-	- -	3	2	- 1	- - -		29 30 31 32 33 34 35
11 24	2 - 10	6 10	3  4	-		-	-	1 1 1	- -	7 - 8	1 - 4	4 - 4	1 - -	- 1	36
3 -	2 - -	=	1 - -		-	-	- - -	- -	-	- - -	-	- - -	-	-	37 38 39
4	1	-	- 2	- 1	-	- 1	-		-	-	-	- z	- -		40 41 42
1		= {	=	- 1	- -	-   -	- -	 -	111	- 2	- - -	- - 2		=	42 44 45 45 47 48
	1 - -	=	=	=		<u> </u>	-	- -		=		-	_ 	=	46 47 48
1 1	-	=	1 1 -	-	-	- -	-	- - -	1 1 1	1	1	. <u>-</u>	- [	_	49 50 51
] []	= ]	= = = = = = = = = = = = = = = = = = = =	- - -	=	<u>.</u>	=	=	. [	1	ī		1	<del>-</del>		52 53 54
22-	. 5	6	8	- 3	1	=	- 1	= [	= =	- 24	14	- 7.	3	=	55 56 57
5,534	2,268	1,833	805	628	210	81	64	34	31	2+876	1,544	1,186	81	65	58
5+430 110 3 19 37 51	2,236 55 1	1.790 33 B	795 15 2 1	609 7	202 7 -	76. 3 - 1	64 1 -	33 2 - -	29 1 -	2:831 52 -	1,525 34 - 7	1+165 17 - 6 5	79 - - -	62 1	59 60 61
19 37 51	10 13 31	8 17 8	1. 4 8	- 3 4	2 2 3	1 1 1	1 - -	- - 2	<u>ī</u>	13 17 22	7 12 15	6 5 6	=	62 1 - - 1	59 60 61 62 63 64
1,361 101	485 37 82	487 15	223 39 62	166 10	48 4	15 2 2	16	10 1 2	7 -	719 37 116	389 24 69	285 11 33	33 2		
1,361 101 234 9 475 48 10 11 49 350 7 101 48	82 4 146 13 3	15 54  232	62 ' 1 40	10 36 4 57 6	6 - 12	2 - 4 -	1	2 - 1	1 2 -	2 285	69 2 131 11		13 - 6	12 - 1 - 4	67 68 69
10 11	3 5 11	232 27 3 5 26	40 2 1	3	i	1 [	1 - - 4	=		33 7 4	1 2	144 22 5 2	=	1 1	70 71 72
350 7	112 2 2 33	166 5	6 30 - 16	6 42	1 1 7 2 9 2	- 1 2 3	4 -	1 - - 1 - 4 -	1 1 -	23 205 13 66	8 104 5 38	13 95 7 25 6	1, 4	1 2 -	73 74 75
48 46 331	16 19 142	166 5 38 13 20 109	13 2 46	14 6 5 34	2 3 11	- - 4	2 1 2 4	- - 2	1	25    41	38 16 21 83	25 6 16 46	33 2 13 - 6 - 1 4 1 3	2 - - 3	65 66 67 68 69 70 71 73 74 75 76 77 78
16	6	6	4	-	1	- ]	- ]	-	1	136	83 5	46	2	l l	79 80
1,302 36 1,249	831 28 796	197 1 191	230	44 1 40	51 4 47	32 3 29	13 13	5 1 4	. <u>1</u>	645 15 623	486 13 469	135 1 132	19 1 17	5	B1 B2 R3
1,302 36 1,249 17 583 18 21	28 796 7 66 8 6	1 191 5 386 6 10 37 333	2 12 2	119 2	- 19 1	ī	14	1 1	-	623 7 292 10	4 41 5	1 132 2 241 5	1 1	9	84 85
21 102 442	51 1	10 37 333	222 2 12 2 1 8 1	4 6 107	- 19 1 - - 18	-   -   1	- - 14	=	3 - - 3	13 36 233	8 26 2	4 10 222	1 17 1 1 -	5 - 5 - 9 	81 82 83 84 85 86 87 88
[]	ŧ	l	ı		11	-		- 1	-		-		I	٦ [	

Table 1-27. Deaths From 281 Selected Causes, by Color. [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				UNIT	ED STATES			
*	CAUSE OF DEATH	•	Total		Whi	.te	A11 c	ther
		Both sexes	Male	Female	Male	Female	Male	Pemale
MALIGNANT NEO	PLASMS, ETC.—CON.							
02 OF CERVIX 03 OF OTHER 04 OF OVARY.	EUPLASMS DF GENITAL ORGANS	42,591 6,041 5,733 10,002	19,864	22,727 6,041 5,733 10,002	16,911	19,538 4,613 4,880 9,212	2,953	1,428 853
05 I DE DIMER	AND UNSPECIFIED FEMALE GENITAL ORGANS	951 18,830 1,034 15,877 9,179	18,830 1,034 10,601 6,410	951 5,276 2,769	15.970 941 9,829 5,956	4,777 2,457	2,860 93 772 454	499 312
L1 MALIGNANT N	EOPLASMS OF OTHER AND UNSPECIFIED SITES190-199	6,698 34,495	4,191 17,678	2,507 16,817	3,873 15,561	2,320 14,961	318 2,117	1,856
12 OF EYE 13 OF BRAIN 1 14 OF THYRO!! 15 OTHER 16 LEUKEMIA	AND OTHER PARTS OF NERVOUS SYSTEM	320 8,311 972 24,892	147 4,650 315 12,566	173 3,661 657 12,326	134 4,329 279 10,819	164 3,403 593 10,801	13 321 36 1,747	258 64 1,525
LT LYMPHATIC  LS MYELOID LI  S MONDCYTIC  OTHER AND	AND OTHER PARTS OF NERVOUS SYSTEM	14,478 4,653 6,321 488 3,016	8,262 2,817 3,469 277 1,699	6,216 1,836 2,852 211 1,317	7,539 2,594 3,171 245 1,529	5,697 1,675 2,609 199 1,214	723 223 298 32 170	161 243
21 OTHER NEOPLA 22 LYMPHOSARO	ASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	19,567 6,846 2,920	10,618 3,629 1,732	8,949 3,217 1,188	9,613 3,386 1,594	8,204 3,050 1,124	1,005 243 138	745 167 64
MULTIPLE!  MULTIPLE!  ALL OTHER  BENIGN NEOPLAS	YELDMA	4,968 4,833 5,013	2,579 2,678 2,450	2,389 2,155 2,563 159	2,177 2,456 2,155	2,004 2,026 2,201 107	402 222 295	385 129 362 52
28 BENIGN NEOPI 29 OTHER BENIGN 30 NEOPLASMS OF	ASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM224,225 N NEOPLASMS	761 803 29	305 422	456 381 29	250 375	397 326 21	55 47	59 55 8
NERVOUS SYS	STEM	2,161 1,100	1,124 599	1,037	1+016 514	922 428	108 85	115 73
NONTOXIC GOITE	WITH OR WITHOUT GOITER	46+532 43 296 443	19,389 9 59	27•143 34 237 352	16,541 7 47	22,525 25 192	2,848 12	4+618 9 45
9 IDISEASES OF TH	ASES OF THYROID GLAND	36,208 230 28	91 15,669 125 15	22,539 105 13	13,343 100 11	318 18,589 76 7	2,326 25 4	34 3,950 29 6
2 OTHER AVITAMIN 3 CYSTIC FIBROSI	DRENAL GLAND	400 3 2+573 519	157 1 1,082 246	243 2 1,491 273	142 884 236	215 1 1,281 268	15 1 198 10	28 1 210 5
**	CRINE AND METABOLIC DISEASES251,252,256-258,270-272,273.1-279 (SEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	3,789 5,251	1,935 2,542	2,709	1,687 2,033	1,553 2,231	248 509	301 478
7 DESTRICKTY 6		3,318 470 703 1,090	1,569 182 334 567	1,749 288 369 523	1,209 164 124 521	I,401 265 179 486	360 18 210 46	346 23 190 37
O OTHER AND UN 1 PURPURA AND OT 2 ALL OTHER DISE	1847,281   284,281   284,283   284,283   284   284   284   284   285,285   286,286,286,289   286,286,289   286,286,289	1,055 568 1,365	486 255 718	569 313 647	400 226 598	471 269 561	86 29 120	75 44 66
	ITAL DISORDERS	8,860 731	6 • 056 305	2,804	4+319 274	2,166 398	1,737 31	638 28
6 ALL OTHER PSYC 7 ALCOHOLISH	HOSES	517 274 4,650	469 119 3,611	48 155 1,039	346 100 2,535	39 133 702	123 19 1,076	22 337
MENTAL DISORD	IERS300-302,304-309 ΤΙΟΝ310-315	2,408 280	1,412 140	996 140	955 109	777 117	457 31	219 23
I MENINGITIS	SEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	16,889	9,147 842	7,742 681	7,793 581	6.734 462	1,354 261	1+008 219
3   MULTIPLE SCLER 4   PARALYSIS AGIT 5   CEREBRA1 SPAST	REMNISCULAR DISORDERS	743 1,574 3,283 681	552 571 1,763 393	1,003 1,520 288	511 541 1,692 329	172 912 1,480 237	41 30 71 64	19 91 40 51
FILEPSY INFLAMMATORY D CATARACT GLAUCOMA	345 15EASES OF EYE	1,821 9 40 3	1.086 5 19 1	735 4 21 2	717 5 16 1	551 4 18 1	369 3	184
AND SENSE ORG	ND MASTOIDITIS381-383 ASES OF NERVOUS SYSTEM ANS321-324, 331-333,341,344,346-358,370-373,376-380,384-389	123 7.089	58 3,857	- 11	51 - 3,349	48 2,849	7 508	17 383
1	ISEASES OF THE CIRCULATORY SYSTEM	1,055,196	560+149 96	495,047 87	504+331 88	443.066	55•818 8	51,981 15
CHRONIC RHEUMA DISEASES OF	TIC HEART DISEASE	13,556 3,666 3,950 599	6,076 1,281 2,478 232	7,480 2,385 1,472 367	5,456 1,162 2,225 210	6,906 2,229 1,331 343	620 119 253 22	574 156 141 24
		5,341 20,211 1,098 1,143	2,085 9,204 567 457	3, 256 11, 007 471 686	1,859 7,255 337 366	3,003 8,903 274 533	226 1,949 230 91	253 2,104 197 153
HYPERTENSIVE HYPERTENSIVE HYPERTENSIVE	SEASE	7,268 5,247 5,515	2,920 2,702 2,558	4.348 2,545 2,957	2.188 2.238 2.126	3,472 2,090 2,534	732 464 432	876 455 423

and Sex: United States and Each State, 1973-Con.

	-	ALABAMA					ALASKA					ARIZONA		:
	Whi	te	A11 o	ther		Whi	te	A11 c	ther		Whi	.te	A11 a	ther
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
730	. 225	230	148	127	2D 3	5	10 2	2	, 3 1	339 52	150	, 163 41	8	18 0 11 0 4 0
138 77 133 9 362 11 206 112	216 9 108 57	72 50 103 5 5 58 25	146 2 27 21	66 27 30 4 •••	1 B 1 6 1 8	*** *** 5 - 5 4	1	  1 1 3	:: :::	42 80 7 147 11 139 84	141 9 92 63	38 77 7 40 18	6 2 3 3	3 0 - 0: 0: 0 4 0: - 0:
603 5 129 16 493 250 104 84 15 47	51 244 2 63 175 100 50 31 5	33 201 2 51 7 141 97 35 34 7	6 72 - 9 1 62 33 12 9	4 86 1 6 4 75 20 7 10	3 37 1 8 - 28 4 2 1	1 11 1 3 -7 1	7 4 3 2 1 1	2 6 - 6 1 1 -	13 - 12 - - -	55 361 2 73 11 275 116 27 51 7	29 181 - 40 3 138 61 18 26 1	22 168 2 33 8 125 46 7 22 4	5 	4 11 7 1: - 1: - 1: - 1: - 1: 1 1: 1 1: 2 1: 1 2:
285 99 38 89 59 104 4 10	122 46 22 27 27 32	101 41 10 29 21 43 1 5	35 6 3 18 8 10	27 6 3 15 3 19 3 4	8 2 5 1 8 - 2 2	3 - 2 1 5 • • • • 2 1	1	1 2 1	1 - 1 - 2 - - 1	168 41 20 64 43 45 - 6 9	91 26 12 31 22 19	70 14 7 28 21 21 21 - 2	5 1 1 3 - 2	2 2: - 2: - 2: 2 2: - 2: 3 2: - 2: 1 2: - 3:
55 20	18	26 5	6 3	5 4	3	1	-	1	- 1 7	27	11	14 2 158	2  18	- 31 - 32 24 33
913 1 5 3 792 8	240 - 2 - 201 2	310 - - 2 272 3	115 1 1 - 102	248 - 21 217 2 1.	21 - - 12	5 4	6 - - 5	- 2	- - 1 -	366 2 4 6 269 3	166 - 1 2 110 2	2 3 3 120	- - - 18 -	- 34 - 35 1 36 21 37 - 38
1 7 - 31 12 53	2 - 11 7 15	3 	- 1 - 4 1 4	1 -7 -7 17	1 - 5 - 3	1	1	- - - 1 2	- - 4 - 2	3 - 30 9 40 30	1 - 20 4 26	1 - 9 5 14	- - - - - 2	1 44 - 4 1 44 - 44 - 44 2 44
57 8 13 19 17 8 24	11 - 1 8 2 1 14	20 3 7 7 5 4	15 3 4 3 5 3	11 2 5 1 3 2 3	1 - 1 - - 2	1 1 1 1 1 1	3	1 - 1 - - 1 16	- - - 1	18 5 5 4 4 3 9	3 - 1 - 2 2 5	12 4 3 3 2 1 3	1 - 1 - 1 19	2 44 1 4' 1 44 - 44 - 5: - 5:
161 10 10 3 92	73 2 6 2 43	28 2 - - 6	47 4 4 - 33	13 2 - 1 8	43 1 3 1 35	14 - 2 - 10	1 - T 1	1 - 14	10	7 7 7 4 69 36	3 4 3 31.	3 1 1 14	1 1 1 - 14	- 54 1 55 - 56 10 5
42 4 278 34 16 12	1 111 7 8	85 8 4 6	5 1 48 14 3 1	34 5	13	5 -	- 2 - -	1 2 -	- 4 2 -	156 13 6	68 5 6	1 71 6 - 10	- 10 2 -	- 51 2 51 7 61 - 61 - 62 - 63
34 16 12 55 17 28 - 2	29 7 9 1 1	21 5 4 - 1 -	3 1 2 2 9 - -	1 4 3 5 - -	2 2 1	1 - 1 - -	1 - - - -	- - - - - - - -	- 2 - - - -	19 7 18 - -	9 3 7 - -	10 4 6  - -	2 -	- 6: - 6: - 6: - 6: 3 6: - 6: - 6: - 6: - 7:
113 17,957	48 7,124 - 42	36 5,821 - 36	17 2,502 - 16	12 2,510 1 18	6 412 - 8	3 236 - 5	1 87 - 1	2 55 - -	34 - 2	7,579	32 4,227 - 63	35 3,022 - 68	6 191 - 6	4 7: 139 7: - 7: 3 74
112 25 43 8 36 406 24 50 130 96	11 18 1 12 86 2 5 26 19	10 7	10 - 4 100 10 13	2 8 4 4 131	- 3 2 3 6 1 1 4 -	2 2 1 4 4 1 - 3	1 - 1 - 1 1			49 36 9 46	16 22 4 21 61 3 1 22 25	29 12 5 22 49 1 2 29 14 3	1 2	-   7: 3   7: 1   7: 1   7: 1   7: 5   7: 1   8: 2   8: 2   8: 3   8:

Table 1-27 Deaths From 281 Selected Causes, by Color

				UNITE	D STATES		<del></del>	
	CAUSE OF DEATH		Total		Whi	te	A11 o	ther
		Both sexes	Male	Female	Male	Female	Male	Pemale .
01 02 03 04 05 06	ISCHEMIC HEART DISEASE	684,066 75,446 608,620 351,662 4,503 327,722	386,978 34,767 352,211 220,543 2,882 163,444	40,679 256,409 131,119 1,621 164,278	2,494 146,009 105	268,995 33,597 235,398 119,903 1,406 147,625 61 17,091	32,756 5,991 26,765 14,929 388 17,435 4	28.093 7.082 21.011 11.216 215 16.653
08 09 10 11	OTHER FORMS OF HEART DISEASE	46,487 470 622 1,107	25,827 244 401 515	20,660 226 221 592	21,209 198 309 456	183 172 520	46 92 59	43 49 72
12 13 14 15 16 17	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS	61 185 861 27,057 4,030 13,201	13 105 397 14,137 1,947 8,583	48 80 464 12,920 2,083 4,618	13 97 346 11,901 1,652 6,693	45 77 398 10,922 1,827 3,467	51 2,236 295 1,890	3 66 1,998 256 1,151
18 19 20 21 22 23 24 25	CEREBROVASCULAR DISEASES	214,313 26,675 187,638 9,191 33,909 56,648 967 3,238	93.838 11.214 82.624 3.802 15.551 24.374 429 1.825	120,475 15,461 105,014 5,389 18,348 32,274 538 1,413	81,530 8,613 72,917 3,151 13,104 21,624 385 1,657	12,251 94,243 4,484 15,735 29,191 500 1,275	12,308 2,601 9,707 651 2,457 2,750 44 168	13,981 .3,210 10,771 905 2,613 3,083 38 138
26 27 28	DISTANCE OF ADTROLES ADTROLOGISS AND SADILIABLES	67,730 42,630 58,676	30,147 17,700 29,376	37.583 24.930 29.300	25,537 16,072 27,158	32,196 E11,62 27,006	4,610 1,628 2,218	5,387 1,817 2,294
29 30 31 32 33 34 35	ARTERIOSCLEROSIS	32,617 14,210 2,867 8,982 17,704 15,800 1,904	13,402 10,189 1,422 4,363 8,754 7,712 1,042	19,215 4,021 1,445 4,619 8,950 8,088 862	12,315 9,633 1,227 3,983 7,413 6,530 883	17,927 3,635 1,244 4,200 7,599 6,882 717	1,087 556 195 380 1,341 1,182	1,288 386 201 419 1,351 1,206
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM	117,537	74,718	42,819	66,479	38,122	8,239	4,697
37 38 39 40 41 42 43 44 45	ACUTE UPPER RESPIRATORY INFECTIONS	453 905 5,131 57,428 1,604 6,597 82 22,946 25,449	241 493 2,408 31,816 799 4,011 467 12,641 13,898	212 412 2,723 25,612 805 2,586 365 10,305 11,551	189 422 2,205 26,936 676 3,243 352 10,903 11,762	165 355 2,508 22,456 693 2,187 264 9,245 10,067	52 71 203 4,880 123 768 115 1,738 2,136	47 57 215 3,156 112 399 101 1,060 1,484
46 47 48 49 51 52 53 55 55 56	BRONCHITIS, EMPHYSEMA, AND ASTHMA	29,708 768 4,779 22,249 1,912 38 1,124 340 3,250 8843 18,317	22,740 399 3,512 18,010 819 18 782 165 2,045 443	6,968 369 1,267 4,239 1,093 20 342 175 1,205 4,750	21,365 326 3,332 17,100 607 16 575 141 1,877 399	1,212 4,069 850 17 274 147 1,118 369	1,375 73 180 910 212 2 207 24 168 44 1,213	170 243 3 68 28 87 31
57	1x. DISEASES OF THE DIGESTIVE SYSTEM	75,094	43,775	31,319	37,449	26+952	6,326	41367
58 59 60 61 62 63 64 65	DISEASES OF TEETH AND SUPPORTING STRUCTURES	7,688 3,289 3,385 1,014 598 1,066 6,746	19 4,974 1,949 2,352 673 349 663 3,006	1,340 1,033 341 249 403	14 4,442 1,692 2,151 599 308 524 2,552	2,503 1,240 956 307 221 323	5 532 257 201 74 41 139 454	211 100 77 34 28 80
66 67 68 69 70 71 72 73	CASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN	53 3,314 1,084 33,350 12,624 5,341 15,385 3,422 17,730	20 1,267 453 21,782 8,817 9,092 9,873 1,531 9,711	2.047 631 11.568 3.807 2.249 5.512 1.891	12 1,160 429 18,372 7,234 2,444 8,694 1,422 8,214	1,906 585 9,444 2,943 1,802 4,699 1,725	8 107 24 3,410 1,583 648 1,179 109 1,497	141 46 2+124 864 447 813 166
75	X. DISEASES OF THE GENITOURINARY SYSTEM	26,910	14,600	1	11,826		2,774	1 1
76 77 78 79 80 61 82 83 84	NEPHRITIS AND NEPHROSIS	8.336 1.224 312 6.800 6.134 6.99 8.740 1.589 40	4,460 709 157 3,594 2,589 327 4,921 1,589	515 155 3,206 3,545 272 3,819	3,331 569 125 2,637 2,159 296 4,016 1,407	39I 129 2,207 3,032 330 3,135	1+129 140 3Z 957 430 31 905 182 -	124 26 999 513 42 684
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	477	<b></b>	ţ	11	·'		1 1
87 88 89	ECTOPIC PREGNANCY	46 111 60		111		57		

and Sex: United States and Each State, 1973—Con.

		ALABAMA					ALASKA					APIZONA		
Total	Whi	te	A11 o	ther	Total	Whi	te	All o	ther		Whi	te .	A11 a	ther
Total	Male	Female	Male	Female	iotat	Male	Female	Male	Female	Total	Male	Female	Male	Female
9,873 1,405 8,468 5,913 28	4,469 351 4,118 3,103	3,082 396 2,686 1,656	1+232 303 929 640 5	1,090 355 735 514 11	214 13 201 148	144 8 136 110	33 2 31 18	31 1 30 18	6 2 4 2	4,849 353 4,496 2,177 147	2,933 181 2,752 1,422 117	1,772 156 1,616 705 23	84 8 76 34 4	60 01 8 02 52 03 16 04 3 05
3,930 2 1,424 8 6 27	1,358 2 629 2 - 9	1,420 : 334 : 3 : 2 : 6 : -	587 269 1 2 6	565 201 2 2 6	65 1 51 - 1	33 1 24 - - 1	15 - 12 - - -	13 7 - -	4 8 - -	2,524 1 396 6 8 11	1,394 199 1 3 2	1,043 1 150 3 5 8	46 31 1 -	41 06 - 07 16 08 1 09 - 10 1 11 - 12
4 23 545 95 743 4,898	1 8 197 36 385	2 4 160 37 126	1 5 90 12 149 736	- 6 98 10 83 903	1 33 3 14	1 14 2 7	- 10 - 2	3 1 3 10	- 6 - 2	1 9 259 21 91	- 1 132 7 54	1 7 96 11 27 715	21 21 2 7	- 13 1 14 10 15 1 16 3 17
594 4,304 154 771 1,285 11 30 1,989 658	121 1.324 47 208 421 2 16 547 204	155 1,659 58 259 487 5 8 680	129 607 24 136 183 3 3 329 58	189 714 25 168 194 1 3 433 79	16 78 17 20 8 - 1 39	4 36 4 7 6 - 1 17 5	6 27 10 9 1 - - 12	2 8 2 1 1 - 4 2	4 7 1 3 - - 6 1	157 1,294 81 224 273 10 19 513 331	66 595 36 98 139 2 14 227 145	78 637 39 110 126 6 4 255	77 33 5 4 2 1 18 7	6 19 29 20 3 21 11 22 4 23 - 24 - 25 13 26 4 27
909 533 167 54 155 334 290 44	328 155 97 13 63 125 107 18	360 245 39 22 54 106 97	110 79 14 7 19 48 40 8	111 63 17 12 19 55 46	30 14 5 5 6 9 7 2	16 9 2 3 2 3 2 1	5 1 2 - 2 2 1 1	5 3 1 - 1 2 2 -	4 1 2 1 2 2	474 253 128 14 79 145 132	241 96 97 10 38 69 61	206 143 26 4 33 62 60 2	15 8 2 - 5 6 4 2	12 28 6 29 3 30 - 31 3 32 8 33 7 34 1 35
1,912 14 15 93 932 29 116 10 278 499	942 2 11 32 370 16 43 2 117 192	463 7 1 34 254 7 23 3 87 134	341 3 3 11 196 4 35 2 49 106	166 2 16 112 2 15. 3 25 67	104 1 2 9 56 8 9 - 8 31	1 2 4 19 2 6 - 4	16 - 1 6 3 1 - 2	27 - 1 17 - 2 - 3 12	22 - 3 14 3 - 1 10	1,436 4 12 53 568 19 66 3 156 324	915 2. 4 21 305 12 40 3 98 152	395 1 7 27 176 7 19 - 45 105	61 1 3 39 - 2 - 7	65 36 - 37 - 38 2 39 48 40 - 41 5 42 - 43 6 44 37 45
474 17 56 372 29 10 3 56 10 305	324 8 32 279 5 - 2 2 2 6 169	79 6 15 51 7 1 3 18 4 62	53 2 6 37 8 - 10 - 62	18 1 3 5 9 - 4 - 2 - 12	16  10 6  1 1 1 1  17	6 - - 5 1 1 1 - - 5 1	33333777	2 	2 1 1 1 3 3	448 7 75 331 35 - 15 1 28 33 274	343 60 268 12 - 12 - 15 15 198	92 3 12 57 20 - 3 - 11 15 63	9 1 2 4 2 - 1 1 6 60	4 46 - 47 1 48 2 49 1 50 - 50 1 53 1 54 2 55 7 56
- 113 40 52 21 7 19 100	- 60 22 28 10 3 6	33 11 13 9 2 4	12 5 6 1 2 5	- 8 2 5 1 - 4 23	- 9 5 3 1 1 - 9	- 4 1 2 1 - - 2	2 1 1 - - 2	221 - 1 - 2	1 1 - 1 3	1 70 36 22 12 9 9	50 23 18 9 5 6 24	- 18 11 4 3 4 2	1 2 2 - - - I	- 58 - 59 - 60 - 61 - 62 - 63 1 64 3 65
1 44 18 377 90 59 228 60	1 17 5 1BB 41 27 120 24	17 13 97 25 15 57 21 103	45 11 10 24 7 45	- 6 - 47 13 7 27 8 37	1 27 19 2 6 1	10 8 2 - 3	1851314	32 1 2	- 6 4 2 - 1 2	26 11 341 174 42 125 36 201	11 4 187 94 19 74 11	14 5 91 32 22 37 16 82	- 1 37 30 - 7 4	- 66 1 67 1 68 26 69 18 70 1 71 7 72 5 73 8 74
589 182 20 6 156 155 23 155 40 34 12	184 57 10 22 45 36 6 48 24 13	154 29 4 23 64 10 46  5	130 42 3 2 37 26 38 16 8	121 54 3 51 29 7 23	15	3 2 -	2 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 - 2 - 2 1 1	1	271 73 10 2 61 67 3 110 12 6 4	126 35 3 2 30 23 1 56 10 1	106 21 5 -16 40 1 39	22 7 1 6 3 1 1 9 2	17 75 10 76 1 77 - 78 9 79 1 80 - 81 6 82 - 83 84 - 85 2 86 - 87 - 88

Table 1-27. Deaths From 281 Selected Causes, by Color.

-				UNITE	D STATES		, ,	
	CAUSE OF DEATH		Total		Whi	te	A11 o	ther
٠		Both sexes	Male	Female	Male	Female	Male	Female
01	ABORTIONS	36	•	36		15		21
02 03	ABORTION INDUCED FOR OTHER REASONS	8 11	•••	8 11	***	5 2	•••	3
04 05	ADDRION INDUCED FOR OTHER REASONS	3 14		3 14		7		7
06 07		98	•••	98	•••	64		34
D8	AND THE PUERPERIUM	124 2		124 2	***	72 1	•••	52
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	2,022	790	1,232	626	959	164	273
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	482	237 553	245 987	191 435	204 755	46 118	41 232
11		1.540						
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	5,080 2,043	1,615	3,465 1,374	1,402	2,990 1,273	213 67	475 101
14	ARTHRITIS AND SPONDYLITIS	231	76	155	64	118	12	37   ]
15 16	TANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMATIES	168 149	86 51	82 98	73 48	92	13 3	6
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE721-726,728-734	2,489	733	1,756	615	1,435	118	321
18	X1V. CONGENITAL ANOMALIES	14,062	7,559	6,503	6,404	5,446	1+155	1,057
19 20	SPINA BIFIDA	592	254	338	226	314 961	28 153	143
21	SYSTEM	2,171 5,841	1,067 3,195	1,104 2,646	914 2,730	2,1B5	465	461
22 23	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	1,123 23	625 13	498 10	516 11	411 8	109 2	87
24	l	4,312	2,405	1,907	2,007	1,567	398	340
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	30,503	17,806	12,697	13,089	9,097	4,717	3,600
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	30,399	18,203	12.196	12,761	8,413	5,442	3,783
27 28	SENILITY WITHOUT MENTION OF PSYCHOSIS	1,386 29,013	519 17,684	867 11,329	12,357	719 7 <sub>9</sub> 694	115 5,327	148 3,635
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	.166,454	117,860	48,594	94,592	41,060	23,268	7,534
30 31	ACCIDENTSE800-E949 RAILWAY ACCIDENTSE800-E807	115,821 789	80,469 697	35,352 92	67,853 549	30,650 71	12,616 148	4,702 21
32	MOTOR VEHICLE ACCIDENTSE810-E823 MOTOR VEHICLE TRAFFIC ACCIDENTSE810-E819	55,511 54,347	39,941 39,052	15,570 15,295	34.370 33.587	13,611 13,368	5,571 5,465	1,959
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAINE010 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER	1,194	843	351	762	310	81	41
	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER.  MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIANE814	20,521	13,824	6,697	12,267	6,042	1,557	655
36 37	OTHER MOTOR VEHICLE TRAFFIG ACCIDENTS INVOLVING COLLISIONE811,E813,E815	8,991 6,886	6,274 5,491	2,717 1,395	4,795 4,865	2,216 1,240	1,479 626	501 155
38 39	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTSE816-E818 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATUREE819	9,773 6,982	7,702 4,918	2,071	6,656 4,242	1,752 1,808	1,046 676	319 256
. 40 41	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	1,164 293	889 177	275 116	783 163	243 109	106 14	32
42 43	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	1,725	1,561 1,407	164 261	1,290 1,376	147 252	271 31	17
44	ACCIDENTAL POISONINGE850-E877	5,335	3,571	1,764	2,923	1,433	648	331
45 46	ACCIDENTAL POISONING BY ORUGS AND MEDICAMENTS	2,444	1,526 828	918 411	1,222	751 330	304 169	167
47	ACCIDENTAL PUBLISHING BY GASES AND VAPORS	1,652	1,217	435	1,042	352	175	83
48 49	FALL DN SAME LEVEL TO ANOTHER	16-506 4-270	8.307 2.992	8,199 1,278	7.348 2.567	7,718 1,150	959 425	481 128
50 51	DTHER AND UNSPECIFIED FALLS	662 11,574	296 5,019	366 6,555	273 4,508	350 6,218	23 511	16 337
52 53	ACCIDENTS CAUSED BY FIRES AND FLAMES	6,503 7,152	3,895 5,983	2,608 1,169	2.870 4.471	1,910 932	1.025 1.512	698 237
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	,3,013	1,780	1,233	1,460	991	320	242
55 - 56	ACCIDENT CAUSED BY FIREARM MISSILE	2.618 5.883	2,269 5,333	349 550	1,754 4,738	254 451	515 595	95 99
57 58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	133   512	99 414	34 98	72 358	22 76	27 56	12 22
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIGUID, STEAM, OR RADIATIONF924,E926	279	168	111	129	83	39	28
60 61	ACCIDENT CAUSED BY ELECTRIC CURRENT. E925 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE	1,149 3,810	1,085 3,567	64 243	1,018 3,161	56 214	67 406	8 29
62 63	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURESE930-E936 ALL OTHER ACCIDENTSE900-E909,E913-E915,E929,E940-E949	3,525 5,300	1,861 3,687	1,664 1,613	1,627 2,914	1,457 1,314	234 773	207 299
64		25,118	18,108	7,010	16,823	6,589	1,285	421
65 66	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE	3, 783 2, 473	1,459 1,690	2,324 783	1,379	2,196 776	80 31	128
67 68	SUICIDE FROM POISONING BY GASES. E951,E952 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION E953 SUICIDE BY FIREARM AND EXPLOSIVE. E955	3,548	2,671 11,057	877	2,426 10,275	827	245 782	50 160
69	SUICIDE BY ALL OTHER HEANS	13,317 1,997	1+231	2+260 766	1,084	2,100 690	147	76
70	HDHICIDEE960-E978	20+465	15,840	4,625	7,411	2,575	8,429	2,050
71 72	ASSAULT BY FIREARM AND EXPLOSIVEE965 ASSAULT BY CUTTING AND PIERCING INSTRUMENTE966	13,752 3,254	11,168 2,510	2,584 744	5,001 1,087	1,352 382	6,167 1,423	1,232 362
73 74	1 ACCANIT BY OTHER MEANS	3,083	1,793	1-290	1.137	839	656	451
75	LEGAL EXECUTION	376	369	7	186	2	183	5
76 77	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989 INJURIES RESULTING FROM OPERATIONS OF WARE990-E999	. 5•030 20	3,423 20	1,607	2,487 18	1+246	936	361

and Sex: United States and Each State, 1973—Con.

		ALABAMA					ALASKA	A. Pari P				AR1ZONA			Ī
Total	Whi	te	A11 o	ther	Para 1	Whi	te	All o	ther		Whi	te	A11 c	ther	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
	•••	1111	•••	1.14.1	- - - -	•••	1	•••	- - 1	. 1111		-		, I	01 02 03 04 05
4	•••	1	***	3	- [		.7	•••		,1		1		-	06
3 -	:::	1 -	:::	2	_	***	-	***	=	2 -	:::	-1	•••	1	07 08
55 17	14 5	23 7	6 2	12 3	2	-	- -	. 1	1 -	18 B	9	5 1	2 1	2 1	09 10
36	9	16	4	9	2	_	_	1	1	10	4	4	î	ī	îï
103 37	24 10	53 19	11 4	15 4	1	1	1	1	1	73 33	16	4.9 24	3	5 2	12 13
6 3 2	1	3 1 2	<u>i</u>	2 1	- 1	1			- - 1	4 1 2	1 1	2 1 1	1		14 15 16
55 230	13 87	28 75	6 37	8 31	1 1 20	- 8	1	- 2	3	33 153	68	21 64	2 12	. 3	17 18
8	3	5	-	-	1	-	1	_	-	3	-	. з	. <u>-</u>	-	19
37 110 3 1 71	17 45 2 1 19	13 34 1 - 22	3 17 - 17	4 14 - 13	1 11 - 7	5 - - 3	1 3 - 2	1 - 1	- 2 - 1	11 69 17 53	6 32 11 -	2 26 6 - 27	. 6 - - 4	1 5 - 3	20 21 22 23 24
663	235	145	141	142	70	32	20	13	5	270	123	99	26	22	25
1,979	557	330	605	487	36	9	10	.8	9	314 17	126	80 7	. 70 1	38 2	26
1,923	11 546	28 302	601	13 474	9 27	1 8	8	7	5 4	297	119	73	69	36	27 28
3,527	1,750	641	889	247	432	216	50	116	50	2,205 1,583	1,275 918	468 329	346 255	116 81	29 30
2,454 26 1,399 1,369 36	1,339 15 781 762 16	526 1 272 263 15	610 10 279 277 3	179 - 67 67 2	340 - 72 72 -	169 38 38 -	37 16 16	96 12 12	38 6 6	15 892 869 9	918 9 485 471 7	192 187 1	255 6 154 151 1	·	31 32 33 34
473 194 100 307 259 30 5 40 25	267 87 63 189 140 19 4 24 23	116 25 20 44 43 9	70 66 16 60 62 2 1	20 16 1 14 14 - -	5 5 6 9 47 - - 23 44	3 1 4 26 - 14 38	2 1 - 13 - 1 1	- 3 2 1 6 B 2	- - 4 2 - - 1	364 156 87 187 66 23 11 2	214 68 58 111 13 14 7 2 46	94 28 14 39 11 5 1	35 45 12 27 31 3 -	21 15 3 10 11 1 -	35 36 37 38 39 40 41 42 43
80 25 27 28 252 40 6	29 5 10 14	18 8 4 110 6 2	22 7 9 6 36	11 5 2 4 17	21 9 2 10 16 5	9 2 1 6 7 2	3 2 - 1	2 1 1 5	7 4 1 2 3	61 26 24 9 104 33 2	42 21 15 6 56 20	12 6 6 - 35 3	6 - 9 3 12 9	-	44 45 46 47 48 49
206 182 174	26 1 62 47 80	2 102 32 16	36 7 2 27 58 68	1 15 45 10	11 24 48	- 5 4 18	1 1 3	- 2 14 24	- 3 5 3	2 69 49 111	1 35 27 70	35 3 1 31 11 22	12   9   - 3 8 18		48 49 50 51 52 53
41 131 127 4 8	14 70 93 1 5	11 9 3 -	10 44 27 3 1	6 8 4 - 2	13 20 19 - 2	4 8 9 	2 1 3 -	3 10 7 - 2	4 1 - -	42 42 84 2 21	19 33 74 2 19	15 5 6 - 1	4 3 3 - 1	4 1 1 - - - 1 2 6	54 55 56 57 58
5 28 82 37 135	2 23 62 15	1 1 1 17 32	1 4 18 3 39	1 - 1 2 9	1 16 1 1 39	1 8 	1 . 1 - 9. 1	- 5 1 8	, <del>1</del>	4 17 40 35	2 17 34 12 36	2 - 3 18	- 2 3 34		59 60 61 62 63
		32 71 15		9 6 1	56	20 30 2	3. 6	. 14	6 1	82 329 41	f ' (	6 70 ° 21	30 1		ſ
341 23 8 25 270 15	235 5 7 18 199 6	1 3 47 5	29 2 - 3 21 3	1 3 1	3 1 4 46 2	2 1 1 25 1	1 4 1	12	5	329 41 15 27 227 19	220 15 12 17 162 14	70 · 21 3 6 38 2	- 4 23 2		65 66 67 68 69
508 386 75 41  6	164 127 18 16 - 3	42 27 5 9	243 185 47 9  2	59 47 5 7	27 18 6 3 -	14 11 2 1	4 3 1	4 3 1	5 1 2 2 -	207 128 35 43 -	93 65 15 12 -	42 21 6 15 - -	53 32 11 10 -	19 10 3 6	70 71 72 73 74 75
24	12	2	7		9	l i	.3	2	1		44	27	. 7		76 77

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				ARKANSAS		
	CAUSE OF DEATH	Total	Whi	te	A11 c	ther
			Male	Female	Male	Fema1e
01	ALL CAUSES	22,156	10,436	7,353	2,469	1,898
02	I. INFECTIVE AND PARASITIC DISEASES	201	96	54	35	16
03 04 05	CHOLERA	-		=	-	1
06 07	RACTILARY DYSENTERY AND AMERIASIS	1 - -	1 -	-	=	
08 09 10	FOOD PDISONING (BACTERIAL)	34 56	13 29	12 12	4 11	5
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	44 2	24	7 -	1	2
13 14	TUBERCULOSIS OF BONES AND JOINTS	- 3	- 2	ī	<u> </u>	3
15 16	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	7	2	4	1	-
17 18	ANTHRAX	1 1	<u> </u>	=		]
19 20	LEPROSY	-	<u> </u>	5	-	
21 22	MHODPING COUGH	_	-	-		
23 24 25	STRETTOGGGGGG STRETTOGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	-	- 3	-	-	-
26	TETANUS	2 63	31	2 15	14	- 3
27 28	UTHER BACTERIAL DISEASES049 ACUTE POLIOMYELITIS049-043	9	3 -	-4	- <u>;</u>	3
29 30	LATE EFFECTS OF ACUTE POLIOMYELITIS	-	-	-	-	-
31	MEASLES	= 1	] []	=	=	=
33	VIRAL ENCEPHALITIS	4	3	ī		
35 36	INFECTIOUS HEPATITIS	2	[	= {	[ ]	ĩ
37 38	RABIES. 071 OTHER VIRAL DISEASES. 045,046,051-054,056,057,061,067,068,072-079 TYPHUS AND OTHER RICKETTSIOSES. 080-083	10	7	2	=	1
39 40	! MALARI A	1 -	1 1	=	=	7
41	TRYPANOSOMIASIS	-	<u>-</u>	-	5	-
42 43	SYPHILIS AND ITS SEQUELAE090-097 CONGENITAL SYPHILIS	2	- [	1	1	
44 45	CONGENITAL SYPHILIS. 090 EARLY SYPHILIS, SYMPTOMATIC. 091 ANEURYSM OF ADRIA, SPECIFIED AS SYPHILITIE. 093.0	=	] []	-1	- 1	
46 47	OTHER CARDIOVASCULAR SYPHILIS		[	-1	-	-
48	GENERAL PARESIS	-	] []	-1		-
50 51	ALL OTHER SYPHILIS	2	[ <u>-</u> [	1	1	=
52 53	SCHISTOSONI ASIS	=		<u> </u>		=
54 55	HYDAT I I OSSIS	Ē	l <u>-</u> [	Ξ1		
56 57	OTHER HELMINTHIASES	- 13	- 4	- 4	- 3	2
58	II. NEOPLASMS	3,705	1,840	1,244	355	266
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATDPDIETIC TISSUES	3,647	1,813	1,222	349	263
60 61	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	61	31	20	6	4
62 63	OF TONGUE	10	5 9	2 9	2	1
64	OF PHARYNX146-149	28	16	9	1	1 2
65 66	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM150-159 DF ESDPHAGUS150	900 47	382 21	346 10	93 12	79
67 68	OF STOMACH	172	72 2	49	31	20 1
69 70	OF LARGE INTESTINE, EXCEPT RECTUM	328 32	122	160	14	32 2
71 72	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES	8	4	20	1 -	í
73 74	SIGMOID COLON	6 27 247	12 91	12	3	ات ا
75 76	INTESTINAL TRACT, PART UNSPECIFIED	8 78	3	120 2	10	26
77 78	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY	20	38 13	25 5	11	3 4 2
79 80	OF PANCREAS	36 196	10 100	23 67	2 18	11
	ORGANS	17	4	4	5	4
81 82	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	881	661	122	88	10
83 84	OF LARYNX	30 839	631 631	119	81	1 6
85 86	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST170-174!	12 338	72	226	3	37
87 88	OF BONE	23 7	16	2	1 -	1
89	OF BREAST	73 235	49	19 201	2	31

and Sex: United States and Each State, 1973—Con.

	C	ALIFORNIA					COLORADO	<del></del>			c	ONNECTICUT		` .	T
Total	Whi	te	A11 o	ther	Total	Whi	te	A11 o	ther		Whi	te	A11 o	ther	1
	Male	Female	Male	Female	Local	Male	Female	Male	Female	Total	Male	Female	Male	Female	
172,710	86,138	72,352	8+495	5•725	18,674	10,073	7,963	368	270	26,714	13. 752	11,695	739	528	01
1,140	529	429	103	79	155	79	64	7	5	184	79	90	В	7	02
	- 2	2	1	-		-		-	1 1 1	- - 1	1	- -	-		03 04 05
12 1 170 267 191	5 1 72	5 - 81	1 - 6	1 11	- 1 24	1 11	11	1	- 1	1 - 33	1  9	- - 21	- - 2	- 1	06 07 08 09
1 911	142 108 4	81 48 2 1	31 24 3	11 13 11 -	24 27 19 1	12 8 -	10 7 -	3 2 -	2 2 -	32 22 3	19 16 1	9 5 1	2 1 1	2 - -	10 11
2 3 10	1 2 4	1 4	- 1	- 1	1	1 - 1 - 1	-	- 1	-	- 3	2	-	-	1	10 11 12 13 14
52	23 -	25	3 -	1	6	3 -	3 - -	-	-	4	-	3	-	1 -	15
2 1 5 -	-	-		-	<u>-</u>	=		-	-		=	- -	- -	=	17 18 19
1 1 5	2 1 1	4	1	-	- - - 1 4		-	-	- -	- - -	=	1 - 1	1111	=	20. 21 22
26	10	7	- 5 -	- 4 -	1 4	2	1 2 -	=	<u>-</u>	- 2 1	1 1	- 1 -		=	23 24 25
243 42 3	126 21 2	88 15 1	12 3 -	17 9 -	56 2 -	30 - -	23 2 -	2 - -	1 - -	65 9 -	25 6 -	34 ! 3	3 - -	3 - -	16 17 18 19 20 21 22 23 24 25 26 27 28
5	2	3	=	=	1 - - -	1_	=	Ξ	<u>-</u>	-		11	-	2	29 30
2 - 25 2 92	1 13 1 27	1 - 8	- 2	- 2	- 2 -	- - 2	-	- -	-	1 6	- 3	1 3	-	<u>-</u>	29 30 31 32 33 34 35 36 37 38
1 -11	-1	1 4B -	10	7	3	1	- 2 -	- -	1 1	1 5 -	1 2 -	1 31		=	34 35 36
84	30 1	41 3 -	- 9 -	4 - -	18 - - (	11 - -	6 - -	-	1 - -	15 - -	6	9 - 1	-	<u>-</u> -	37 38 39
=	-	-	<u>-</u> [	=	-	-	=	=	-	-	-	-	-	-	40 41
47   1   1   1   1   1   1   1   1   1	27	1 1	9	4 - -	<u>-</u>	1 - -	3 - -	=	1 1	. <del></del>	1 - -	111	1 - -	=	42 43 44
19	1 12 4	3 2	2 3 1	2	1 3	1	1 2	-		- 2 -	1	111	- 1 -	-	45 46 47 48 49
5 4 8 4	12 4 3 5 2	- 1	î	- 1 1	- - -	- - -	-	-	- -	<u> </u>		7.1		-	48 49 50
2	2	<u>-</u>	=	= {	1 -	-   -	1	=			-	1 1 1	- -	=	51 52 53
- 1	- -	· -	= =	=	-	<u>-</u>		<u>-</u>	-		- 1	111	-	Ξ	51 52 53 54 55
100	40 15,639	32 -14,197	15	13 1,078	11 2,899	7 1,484	3 1,334	1	32	10 5,543	3 2•874	6 2,421	140	108	57
]  }		J	1,482			1,467			31	5,457	2,822	2,389			59 60
31,948 798 16 214	15,424 460 15 123	13,988 264 1 72	57 13	1,054 17 - 6	2,849 47 1 12	28 1 6	1,303 17 - 5	48 2 - 1	12	126 1 30	91 1 19	32 - 9	140 2 - 2	_	61
234 334	129 193	83 108	16 28	5	13 21	7 14	6	1		37 58	25 46	12 11	-	ī	62 63 64
8,563 607 1,477	4,076 340 773	3,675 152 523	470 78 120	342 37 61	777 39 122	392 24 69	360 12 46	19 3 4	· 6	1,595 118 256	807 86 144	718 24 94	36 5 10	34 3 8	65 66 67
77 3,188 404	1,369 167	37 1,593 202	112 19	2 114 16	5 317 33	1 141 13	. 170 18	- 4 2	2	10 636 70	6 284 30	. 4 331 38	- 9 1	12 1	68 69 70
104 84 378	36 35 157	58 40 198	4 6 13	6 3 10	19 7 38	5 2 21	8 5 17	-	=	17 16 77	10 29	9 6 44		- - 2	71 72 73
2,067 151 821	894 80 445	1,030 65 325	67 3 32	76 3 19	216 10 58	97 3 32	115 7 24	2 - 2	2 -	406 50 179	183 24 98	209 25 78	5 1	34 38 - 21 12 29 - 3 - 26	66 67 68 69 70 71 72 73 74 75 76 77 78
247 364 1,671	120 125 829	75 215 694	35 8 76	17 16 72	22 41 162	11 18 94	9 23 63	2 - 4	- - 1	22 70 287	13 24 144	6 43 128	1 1 9	- 2 6	77 78 79
111	42	61	4	4	11	2	9	-	-	17	8	8	ı	_	80 .
7,373 277 6,981	5.041 199 4.772	1,767 51 1,679	452 24 422	113 3 108	520 14 488	382 12 361	124 2 115	11 - 9	3 - 3	1, 161 31 1, 122	890 26 860	215 2 211	47 3 43	9 - 8	81 82 83
3.918	4•772 70 480 86	37 3,221 67	6 23	194 3	18 371	9 45 9	318 9	9 2 2 2	6	647 23	4 60 9	559 12	1 1 1	8 1 27 1 1	82 83 84 85 86
162 162 511 3,083	85 292 17	69 205 2+880	6 4 9	4 5 182	20 21 55 275	11 25	10 30 269	-	- - 6	23 67 534	13 35	9 32 506	=	1 - 25	87 88 89

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

					ARKANSAS		
	CAUSE OF DEATH		Total	Whi	te	A11 a	ther
			TOTAL	Male	Female	Male	Fema1e
	MALIGNANT NEOPLASMS, ETC.—CON.						
01 02 03 04 05	MALIGNANT NEOPLASMS OF GENITAL ORGANS	0 2 3	464 71 62 87	177  	160 45 40 70 5	62	65 26 22 17
06 07 08 09 10	OF PROSTATE	5 7 9 8	230 9 147 86 61	169 8 83 47 36	43 26 17	61 1 12 5 7	*** 9 8 1
11 12 13 14 15 16	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES		485 3 86 8 388 152 45	214 	175 3 36 2 134 47 12	48 - 7 1 40 13	48 - 2 - 46 4
18 19 20	MYFLUID LEUKEMIA		66 6 35	39 5 20	24 1 10	3 ~ 5	-
21 22 23 24 25 26 27	LYMPHOSARCOMA AND RETIGULUM CELL SARCOMA	0 1 3 9	219 70 32 64 53 58	105 30 18 30 27 27	83 31 10 20 22 22	24 8 3 9 4 6	7 1 1 5 
28 29 30 31	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM	6.	4 10 - 31 13	1 7 ···· 12 7	3 2 - 14 3	- - *** 4 2	1 1 1
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES		. 491	150	218	49	74
34 35 36 37 38 39 40 41	NONTOXIC GOITER.	2 6 0 3 4	- 2 2 419 2 - 1	129	1 2 186 2 - 1	43	61
42 43 44	CYSTIC FIBRASIS	0	29 3 33	8 2 11	11 1 14	3 3,	<u>7</u> 5
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS		53	24	14	10	5
46 47 48 49 50 51	ANEMIAS	7	36 5 8 9 14 7	16 1 7 7 3	10 3 -1 6 3	7 - 5 1 1	3 1 2 
53	V. MENTAL DISORDERS		56	27	14	6	9
54 55 56 57 58	SENILE AND PRESENTLE DEMENTIAS	9 .	2 2 2 29	1 1 17 7	1 1 - 3		 1 3 3
59 60	MENTAL RETARDATION	- 1	156	74	46	- 21	2 15
61 62 63 64	MENINGITIS	0 0 0 2	26 9 10 22	8 7 4 8	5 1 5 12	6 1 - 1	7 - 1
65 66 67 68 69 70	CEREBRAL SPASTIC INFANTILE PARALYSIS	5 9 4 5 3	13 20 - 1 - 1	9 7	15	2 7	1 2
72	VII. DISEASES OF THE CIRCULATORY SYSTEM		12,098	5,546	4,352	1,169	1,031
73 74 75 76 77 78 79	ACTIVE RHEUNATIC FEVER	8 4 5 7 8	1 86 17 25 4 40 247	- 39 7 15 - 17 65	1 33 6 7 3 17 92	- 8 - 3 1 4 50	6 4 2 2 40
80 81 82 83 84	MALIGNANT HYPERTENSIGN	1	15 10 92 61 69	1 2 19 16 27	4 2 31 26 29	5 2 21 13	40 5 4 21 6 4

and Sex: United States and Each State, 1973—Con.

		CALIFORNIA			ne internation		COL ORADO			<u> </u>		ONNECTICUT			Ė
Total	Whi	te	A11 o	ther	W-+-1	Whi	te	A1.1 c	ther		Whi	te	A11 c	ther	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Ţotal	Male	Female	Male	Female	
3,699 494 490 946	1,530	1,862 425 453 906	154	1.53 69 37 40	400 39 44 89	220	171 37 43 87	3	6 2 1	615 54 81	280	304 51 76	16	15 3 5	01 02 03 04 05
85 L,587 97 1,453 879 574	1,437 93 914 582 332	78 450 249 201	150 4 60 32 28	29 16 13	5 210 19 144 73 71	207 13 91 48 43	4 49 23 26	3 3 1 2	2 1  1	167 17 282 14 265 159 112	266 14 173 100 73	162 15 82 45 37	16 - 7 6	3 2	05 06 07 08 09
2,986 32 824 105 2,025 1,294 372 643 28 251	1,308 16 403 27 862 711 211 352 12	1,431 15 363 70 983 497 135 247 10	145 1 32 3 109 49 15 23 3	102 26 5 71 37 11 21 3	293 3 75 13 202 128 40 63 4	147 2 40 6 99 74 28 35 1	136 1 35 7 93 49 11 26 3	3 - 3 4 1 1 - 2	7 - 7 1 - 1	518 4 112 11 391 228 66 104 8	249 61 4 184 119 40 45 4	244 3 47 7 187 103 22 57 4 20	17 1 3 - 13 4 4 - -	8 - 1 - 7 2 - 2	11 12 13 14 15 16 17 18 19
1,864 682 228 455 499 474 16 98 88	904 328 132 199 245 215 	821 308 86 205 222 209 11 44 36	72 25 9 23 15 26	67 21 1 28 17 24 5 6	169 64 22 48 35 50 1 11 8	88 30 14 22 22 17 	79 33 8 25 13 31 1 7	1	1	302 101 47 80 74 86 - 8 11	153 51 28 39 35 52 • • • • • • • • • • • • • • • • • • •	132 42 17 37 36 32 -	10 4 22 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	21 22 23 24 25 26 27 28 29 30
197 74 3,257	98 38 1,243	88 29 1,597	5 4 184	6 3 233	19 10 380	4 5 158	15 4 208	7	1 7	44 23 626	26 14 - 252	17 9 343			31 32 33
2 17 26 2,498 28 3 30 	1 2 7 937 10 2 13 - 93 19	12 18 1,217 12 13 - 142 18 165	150 2 - 1 16 - 14	1 2 1 194 4 1 3 - 8 -	1 6 289 1 2 5 - 28 6 41	- 1 126 - 1 2 - 8 2 18	1 1 5 151 1 1 20 4 21	5 - 1 - 1 - 2	1	5 9 519 5 - 4 - 25 10 49	203 2 3 - 10 8 26	4 8 291 3 - 1 - 15 2	10	-	34 35 36 37 38 39 40 41 42 43
404 239 30 59 94 56 41 124	153 92 12 13 52 15 14 47	195 114 17 22 37 38 21 60	32 22 1 14 4 3 3	24 11  10 1  3 10	64 35 7 5 16 7 6 23	30 14 5 1 4 - 4 5 11	30 18 2 2 11 3 1	1 1 - 1	2 2 1 1 1 - 2	65 39 9 6 18 6 9	21 12 3 7 2 2 7	35 22 6 2 10 4 6 7	8 4 -3 1 -1 3	1	45 46 47 48 49 50 51 52
825 78 50 30 387 262	455 30 35 8 240	262 44 8 18 96	79 1 7 1 38 29	29 3 - 3 13	118 10 5 6 76	71 3 5 3 52 6	41 7 - 3 18	2 - - 2	4 - - 4	170 12 9 2 113	99 5 7 1 72	43 4 1 21 21	22 2 1 	1 - - 3	53 54 55 56 57 58
18 1,548 119 69 144 378 54	791 52 44 48 203 30	8 641 45 17 82 164	3 85 14 6 2 7	1 71 8 2 12 4	2 245 12 14 20 53	2 123 5 12 6 25	- 115 6 2 14 28	3	4	234 12 9 21 65	2 125 7 8 5 39	1 95 3 - 13 26	10 2 1 1	1   -   -   -   -	59 60 61 62 63 64 65 66 67 68
136 1 2 - 13 672	30 62 1 5 346 43,527	17 40 1 1 - 6 269 40,410	6 21 - 1 - 1 - 27 27 3,390	1 13 - 1 30 2,592	13 16 - 1 1 116	10 8 - - - - - - 57 4,904	3 8 - - I 53 4,306	- - - - - 2	4	100	5 6 - - - - 55 7,302	3 7	5 	-   1 -   7 1   7	69 70 71
20 1,563 458 491 54 560 1,423 86 65 634 384	13 633 153 249 21 210 545 29 23 215 174	6 836 284 202 33 317 688 29 38 329 167	1 64 13 33 - 18 98 13 2 37 28		190 61 38 10 81 160 8 16 40 43	76 18 23 4 31 62 2 6 13 20	- 109 41 14 6 48 92 6 9 25 20	1 4 - 1 1 2 -	1 1 2 2 1 1 1	14+576 2 229 47 67 13 102 193 9 6 63 63 63	2 87 14 34 3 36 84 6 45 37	131 31 28 10 62 94 2 1 46 24	254 5 1 1  3 10 10 1 1 5 2	-614-15-1888-1888-1888-1888-1888-1888-1888	72 73 74 75 76 77 78 79 80 81 82 83

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				ARKANSAS		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
		IOCAL	Male	Female	Male	Female
01 02 03 04	ISCHEMIC HEART DISEASE	6,973 751 6,222 4,236	3,548 241 3,307 2,399	2,327 246 2,081 1,246	597 120 477 339	501 144 357 252
05 06 07 08 09	CHRONIC ISCHEMIC HEART DISEASE	16 2.718 3 861	7 1,140 2 386	2 1,078 1 256	254 130	246 89
10 11 12 13	ACUTE AND SUBACUTE ENDOCARD ITIS	3 3 8 1	2 1 2 - 1	1 1 1 -	1 2 -	1 3 -
15 16 17	OTHER MYOCARDIAL INSUFFICIENCY	6 473 41 333	1 193 15 173	173 13 68	2 62 7 58	3 45 6 34
18 19 20 21 22	CEREBROVASCULAR DISEASES	3,077 283 2,794 57 419	1,136 74 1,062 15 141	1,301 94 1,207 30 181	312 52 260 4 49	328 63 265 8
23 24 25 26 27	CEREBRAL THROMBOSIS	567 7 37 1,481 509	204 4 20 536 216	232 1 14 611 232	57 1 2 170 29	46 74 1 1 164 32
28 29 30 31	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	624 327 145 37	276 130 92	247 145 32 15	49 27 13	52 25 8
33 34 35	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES442-444.446-448 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM. 450-458 VENOUS THROMBOSIS AND EMBOLISM	115 229 198 31	44 96 81 15	55 95 86 9	3 23 18 5	13 15 13 2
36 37	VIII. DISEASES OF THE RESPIRATORY SYSTEM	1,202	711	315	119	57
38 39 40 41 42 43	ACUTE BRONCHITIS AND BRONCHIOLITIS	3 10 43 584 22 58 7	1 4 15 282 7 3 32	1 3 17 184 9 19	1 2 5 76 2 7	1 6 42 4
44 45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS	139 358	73 167	43 110	20 46	3 35
46 47 48 49 50	BRONCHITIS, EMPHYSEMA, AND ASTHMA	302 4 49 231 18	224 2 40 172 10	54 I 8 40 5	20 1 1 16 2	4 - 3 1
52 53 54 55	AS IRMA HYPERTROPHY OF TONSILS AND ADENGIOS	5 - 32 8 215	20 20 2160	10 6 40	2 - 11	11114
57	IX. DISEASES OF THE DIGESTIVE SYSTEM	584	285	194	65	40
. 59 60 61	DISEASES OF TEETH AND SUPPORTING STRUCTURES	- 60 28 25 7	39 15 17 7	16 10 6	- 4 2 2	1 1
64	PEPTIC ULCER, SITE UNSPECIFIED	4 14 65	1 5 21	3 2 29	- 5 8	z 7
67	DIVERTICULA OF INTESTINE	26 11 192 55 27 110	10 9 107 37 14 56	13 58 10 10 38	13 5 1	14 3 2
74 75	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	175 345	124	111	3 30 61	1 14 49
76 77 78 79 80	NEPHRITIS AND NEPHROSIS	135 22 7 106	46 7 3 36	36 9 2 25	23 3 - 20	30 3 2 25
81 82 83	107E-11UNS UP AIDNET   592,594	85   3 88 22 12	26 2 33 14	39 1 30	14 15 8	10
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	. 8		5 1		7
88	ECTOPIC PREGNANCY	- 2 1	:::	-	***	- 2 1

and Sex: United States and Each State, 1973—Con.

		ALIFORNIA					COLORADO				cisa, see re	ONNECTICUT			=
	Whi	te	All o	ther		Whi	te	All o	ther		Whi	.te	All o	ther	
'Yotal	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
58,947 6,519 52,428 26,020 281	31,045 2,642 28,403 15,411 16,401	24,226 3,133 21,093 9,269 120 14,834	2,198 363 1,835 821 12 1,364	1,478 381 1,097 519 6 951	5,922 495 5,427 3,165 27 2,730	3,339 224 3,115 2,031 16 1,292	2,440 258 2,182 1,070 10 1,360	80 4 76 41 -	63 9 54 23 1 39	9, 355 912 8, 443 4, 705 20 4, 630	5, 051 388 4, 663 2, 895 14 2, 142	4.052 482 3.570 1.706	138 19 119 69	91 35 1	01 02 03 04 05
32,637 9 2,566 79 80 103 10	15,488 3 1,169 30 40 44 1	1,107 40 19 44 8	1 170 5 16 5	120 4 5 10	488 5 8 14 2	254 1 3 4	207 9 4 10 2	16	11 1	767 2 9 10	413 5 4	288 2 3 6	34	32 1 -	07 08 09 10 11 12
66 1,313 342 649	29 602 134 319	23 612 161 231	5 50 28 66	9 49 19 33	6 344 30 87	186 10 50	3 136 20 34	13	9 - 1	7 650 29 67	3 350 16 38	244 12 21	30 1 3	26	14 15 16 17
19,147 2,260 16,887 929 2,393 5,555 70 353 4,723 5,124	7,209 757 6,452 308 929 2,027 27 160 1,868 1,890	10,590 1,178 9,412 509 1,215 3,153 40 164 2,531 2,978	655 156 499 40 133 177 - 15 164	693 169 524 72 116 198 3 14 160	1,778 161 1,617 70 236 388 7 26 617 434	705 61 644 28 99 174 1 16 245	1,013 90 923 39 123 201 6 10 353 281	27 3 24 2 6 5 - 10 4	33 7 26 1 8 8 - 9	2,882 320 2,562 137 471 1,001 13 34 700 526	1,131 122 1,009 40 190 407 3 17 285 189	1,639 177 1,462 254 566 10 15 383 322	53 11 42 5 13 11 - - 18 6	10 49 3 14 17 - 2	18 19 20 21 22 23 24 25 26 27
5,170 2,642 1,562 228 738 1,083 963 120	2,439 949 1,068 101 321 474 409 65	2,466 1,588 399 110 369 491 452 39	143 51 63 7 22 61 51 10	122 54 32 10 26 57 51 6	708 427 152 29 100 238 212 26	343 170 111 12 50 125 107 18	346 247 34 16 49 99 92 7	11 5 4 1 6 5 1 27	8 5 3 - 8 8 - 13	896 496 211 32 157 252 231 21	426 195 146 14 71 108 93 15	446 291 59 15 81 136 131 5	10 4 3 1 2 4 3 1	5 3 2 3 4 4	28 29 30 31 32 33 34 35
42 128 897 4,638 199 543 194 1,852	17 62 360 2,155 75 278 77 850 875	20 52 487 2,064 103 209 63 878 811	3 7 27 257 9 40 29 79 100	2 7 23 162 12 16, 25 45 64	3 9 71 675 21 92 8 207 347	2 5 34 363 10 54 3 105	1 4 36 291 9 34 5 94 149		1 7 1 3	2 12 52 781 17 104 6 274 380	2 7 22 416 7 50 3 155 201	- 5 29 313 9 43 3 112 146	1 31 1 8 - 5	- 1 21 4 - 4 3 4 2 4	37 38 39 40 41 42 43 44
3,169 81 509 2,390 189 6 115 29 325 93 1.555	2,152 39 325 1,728 60 2 55 12 182 44 1,008	841 35 163 552 91 3 39 14 124 43 452 2,988	132 4 17 90 21 1 16 11 4 65	44 3 4 20 17 5 2 8 2 30 284	416 9 56 327 24 10 4 39 270	327 641 205 15 - 7 27 27 202	80 2 15 55 8 - 3 4 11 3 61	8 1 - 6 1 - - 1 4	1 3	310 9 85 202 14 1 16 4 41 10 260	239 62 166 7 1 6 2 23 171 604	64 4 21 32 7 - 8 2 17 3 77	1 1 1 1 1 0 46	1 44 - 48 - 1 55 - 55 - 55 - 55 - 55 - 55 - 55 -	46 47 48 49 51 52 53 54 55 56
5 800 350 363 87 87 89 535	2 428 156 229 43 52 44 195	3 304 165 106 33 31 35 304	57 26 23 8 3 7	- 11 3 5 3 1 3 13	- 84 34 42 8 10 9 74	 47 17 28 2 4 2 33	- 35 16 13 6 6 5 40	1,	1 1 2 1	102 49 41 12 7 13	- 59 26 26 7 4 6	- 37 19 13 5 2 6	- 3 2 1 - 1 4	3 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	58 59 60 61 62 63 64
7 315 9 4,405 2,288 818 1,299 250 1,350	3 98 38 2,529 1,380 447 702 93 678	195 1402 1,402 651 280 471 133 528	12 105 164 61 80 11	1 10 69 93 30 46 13 57	21 10 267 123 33 111 59	8 4 153 71 13 69 26	13 6 101 47 17 37 30 88	- 10 3 2 5 - 5	- - 3 2 1 - 3 4	43 16 530 211 42 277 35 264	16 6 318 138 22 158 16	- 24 9 165 45 18 102 17	26 18 17 1	- 6 1 6 21 6 10 7 1 7 10 7	66 67 68 69 70 71 72 73
1,887 529 80 20 429 484 51 568 145 2 108 41 5	922 244 42 8 194 187 22 287 135 47	740 194 28 9 157 253 24 224  1 44 32 4 8	100 66 	125 51 44 3 44 27 30 11 13	199 63 14 3 46 41 - 72 14 9 3	106 35 7 3 25 14 - 43 14 -	89 26 7 19 22 27 27 8 3	2 2 2 2 1 1 - 1 1	3	309 99 13 2 84 59 9 102 13 1 26	148 41 5 1 35 24 2 52 13 16	39 6 1 32 30 7 45	13	10 77 77 93 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	75 76 77 78 79 80 81 82 83 84 85 86 87

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

=				ARKANSAS		
	CAUSE OF DEATH		Wiri	te	A11 o	ther
		Total	Male	Female	Male	Female
01 02	ABORTIONS	1 _	• • • •	=		1
03	ABORTION INDUCED FOR OTHER REASONS	.1	:::	-{	•••	ĩ
05 06 07	ABORTION INDUCED FOR OTHER REASONS	2	:::	ī	•••	ī
08	AND THE PURPPERIUM	. <u>2</u>	:::		•••	2
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	18	7	8	3	-
10 11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	3 15	. 6	1 7	1 2	1
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	. 55	29	14	5	7
13 14 15	ARTHRITIS AND SPONDYLITIS	25 3 1	13	7	1	1
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	ž 24	1 14	1 5	- 2	
18	XIV. CONGENITAL ANOHALIES	139	56	42	21	20
19	SPINA BIFIDA	2	-	1	-	1
20 21	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	24	6	11	4	3
22	CONGENITAL ANOMALIES OF HEART	53 6	24 3	14	5 2	10
24	ALL OTHER CONGENITAL ANOMALIES744,745,748,750-759	54	. 23	15	10	6
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	367	146	98	70	53
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	773	283	200	160	130
27 28	SENILITY WITHOUT MENTION OF PSYCHOSIS	92 681	13 270	23 177	26 134	100
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	1,935	1,038	428	320	119
30 31	ACCIDENTSE800-E949 RAILHAY ACCIDENTSE800-E807	1,448 12	792	346	215	95
32 33 34 35	MOTOR VEHICLE ACCIDENTS	676 668 17	390 385 13	156 153 4	83 83 -	47 47
36	MOTOR VEHICLEE812 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIANE814	147 76	90 39	34 10	14 18	9
37 38	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLUTING COLLISIONE811,E813,E815 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS	30 69	. 18 . 46	7 7	4 8	1 8
39 40	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATUREE819 MOTOR VEHICLE NONTRAFFIC ACCIDENTSE820-E823	. 329 8	179 5	91 3	39	20
41 42 43	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	. 6 33 22	5 26 19	1 Z 2 Z	- 2 1	3
44 45	ACCIDENTAL POISONINGE850-E877 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS	55	23	17	10	5
46 47	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES	24 10 21	8 4 11	10 3	1	2
48 49	ACCIDENTAL FALLSE880-E887   FALL FROM ONE LEVEL TO ANOTHER	145	58 10	74	10	3
50. 51	FALL ON SAME LEVEL E885,E886 OTHER AND UNSPECIFIED FALLS. ACCIDENTS CAUSED BY FIRES AND FLAMES. E890-E899	4 122	2 46	. 2 67	- 6	3
52 53	ACCIDENTS CAUSED BY FIRES AND FLAMES	110 102	36 59	32 10	23 31	19 2
54 55	OR SUFFOCATION	39 56	20 40	11	& 10	2 2
56 57	ACCIDENTS MAINLY OF INDUSTRIAL TYPEE916-E921-E923-E928	67	47	6	9	5
58 59	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM,	5	5	-	-	-
6D	OR RADIATION	3 17	1 9	1 2	1 2	4
62 63	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE	41 28 97	32 14 48	2 10 21	6 2 23	1 2 5
64	SUICIDEE950-E959 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCEE950	212 11	153 4	47 5	12 2	=
66	SUICIDE FROM PDISONING BY GASES	11 20	6	3 2	2 2	-1
68 69	SUICIDE BY FIREARM AND EXPLOSIVE	160 10	123	31	5	=
70 71	HOMICIBEE960-E978 ASSAULT BY FIREARM AND EXPLOSIVE	188 159	68 58	21 17	77	22 19
72 73	ACCAMIT DV CHTTING AUG DYEDCING INCTOMENT	14 13	4 5	1 3	7	2
74 75	ASSAULT BY UTHER MEANS	_ 2	1	=	ī	<u> </u>
76 77	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	56 1	24 1	14	16	2

and Sex: United States and Each State, 1973-Con.

		ALIFORNIA		with the	ile Miterialite		CLORADO	SESS (ICD)	are mentals	u by an asse	risk; see Te	CNNECTICUT		<u> </u>	T
	Whi	te	All o	ther	,	Whi	te	Al1 c	other		Whi	te	All o	ther	1
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
1		=		1 1			=		·	<u>-</u>		=	•••	=	01
	•••	] =	•••	<u>-</u>		:::	=	***	_	=		= =	***	] =	02 03 04 05
- 8	***	7		- 1	- 2		2	•••	-	_		] =	***	-	05 06
14	•••	11_	:::	3 -	<u>-</u>	] :::	× 1		=	3 -	] :::	3 -	:::	=	07 08
141	46	76	10	9	13	5	. 7	1	_ '	27	10	. 16	. 1	-	09
44 97	15 31	23 53	6	2 7	. 4	. 3	6	1 -	-	7 20	2 8	5 11	1	=	10 11
476	121	303	1.7	35	93	25	64	1	- з	60	16	41	2	1	12
193 15	50 7	133 6	4	6 2	43 5	18	24 5	=	1	15 2	4	11	=	- 1	13 14 15
13 14	7 3	5 11	1 -	=	2	-	. 2	-		3 3	ī	3 2	-	=	16
1.350	54 670	148 518	12 84	27 78	40 166	7 76	30 84	1	2	37 164	11 79	24 64	13	8	17 18
38	16	19	2	1	10	6	- 4	_	_	9	4	4	1	_	19
211	93	98	13	7	ì7	9	. 8	, <u>-</u>	-	28	9	15	. z	. 2	20
564 137	284 61	211 59	33 6	36 11	78 16 1	27 8	48 7 1	2 1 -	1 - -	67 12	42 6	15 5	1	· <del>-</del>	21 22 23
398	215	130	30	23	44	26	16	1	. 1	48	18	25	3	. 2	24
2,150	1,031	684	272	163	347	183	135	18	11.	299	128	114	31	26	25
698	341	245	eá	44	268	142	91	22	13	211	93	94	13	. 11	26
25 673	7 334	18 227	68	44	12 256	138	8 83	22	. 13	5 206	91	3 91	13	11	27 28
17,477	10,461	4,896	1,533	587	2,004	1.339	580	57	28	1+636	1,027	46B	115	26	29
11,544 52	7,072 43	3,260 4	850 5	362 -	1•367 10	920 10	405	25	17	1+150 7	735 7	333	67	15	30 31
5,189 5,044 72	3,408 3,300 52	1,288 1,259 13	341 335 5	152 150 2	663 644 24	464 446 15	177 176 8	13 13	9 9 1	550 549 -	384 383	129 129	32 32	.5 5 -	32 33 34
2,037 857	1,283 524	581 222	110 79	63 32	200 85	131 58	59 25	· 6 2	4	160 102	. 106 63	48 32	5 <sup>.</sup>	1 -	35 36
904 979	629 685	177 213	73 56	25 25	39 114	24 84	13 26	1 3	1 1 2	132 50	102 35	16	13 4	1 2	37 38
195 145	127 108 24	53 29 17	12 6	3 2 2	182 19 8	134 16 6	45 1 '2	1 -	-	105 1 3	77 1 1	24 - 2	3 -	1	39 40 41
43 133 259	103 207	12 12 49	17	1	17 34	15 28	2 6	-	-	15 18	12	1 3	2	111	42 43
1,268	723	331	139	75	58	30	25	2	1	32	18	12	2		44
897 281	500 155 68	220 97 14	117 17 5	60 12 3	29 9 20	13 3 14	14 5 6	1	- 1	10 3 19.	3 11	5 - 7	1 1	-	45 46 47
90 1,407 358	691 225 32	626 96	60 27	. 30 10	202 58	101 41	100 16	1		226 60	109 38	111 18	2 2		
986	1 434	28 502	1 32	2 18 16	6 138	5 55 22 .	1 83	_	- -	6 160 74	6 <u>7</u>	91	ļ <u> </u>	4 2 - 2 5	48 49 50 51 52 53
495 675	252 453	182 117	45 87	18	73	60	10 10 17	- 3	_ _	65	35 42	23 10 13	11 12 3		1
327 201 375	163 114 311	137 25 37	17 50 22	10 12 5	45 30 75	24 24 68	3 7	2	. 1	34 11 42	16 9 37		. 2		54 55 56 57
11 57	6 44	3 7	5	1 ž	a	6	2	-	-	3	2 3			· _	57 58
21	12	8	-	ı	3	1 12	2	-		2	12	2	'	_	59
51 235 724	49 200 353	19 300	2 15 42	I 29	12 52 44	49 17	3 26		_	13 22 31	20 16	1 2 15		-	60 61 62
396	227	135	22	12	76	51	20	3	1.	42	32	. 9	1		63
3,654 1,118	2,270 433	1,173 629	127 18	84 38	424 63	290 : 15 41	120 44	LI 2	2	284 35	187	91 24	5 :	<u>1</u>	65
240 459 1,532	169 301 1,184	67 113 262	2 32 65	2 13 21	67 41 240	35 192	23 3 45	. 3 2 3	1	66 71 96	34 51 81	32 18 11	. 2 3	1 - - 1	64 65 66 67 68
305	183	102	10	10	13	7	5	1	-	16	10	. 6	-	_	69
1,903 1,100 350	924 534 174	341 147 56	520 353 100	118 66 20	168 122 11	105 78 6	39 23 2	18 16 2	6 5 . 1	113 51 32	46 20 13	22 6 7	35 21 10	10 4 2 4	70 71 72 73
350 416 -	189	138	57	92	30	16	14	• =		. 28	11	9 -		-	73 74 75
37	27	-	10	- 1	5	5.			2	2	2	- 22	. 8		•
373	192	122	36	23	45	24	16	. 3	1	89	59	22		-	76 77

A Samuel Land to A same

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

===	[Mullibers after causes of death are category numbers of the Edgini Rev	<u> </u>		DELAWARE		
	CAUSE OF DEATH	Total	Whi	.te	A11 c	ther
		TOTAL	Male	Female	Male	Female
ĐĮ	ALL CAUSES	4,920	2,270	1,850	456	344
02	1. INFECTIVE AND PARASITIC DISFASES	30	10	13	5	2
03 04	CHOLERA	- [	_	_	-	-
05 06 07	DACILLARY DYSENTERY AND AMEBIASIS	1 -	-	1	3	#
08	ARATIFIDID TO THE WARD AND AREBIASIS	2 8	- 4	1	1 3	-
10 11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	4	2 -	_	ž -	
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS	-	-	-	=	 
14 15	TUBERCULOSIS OF BONES AND JOINTS	3	2		1	1 4
16 17	PLAGUE	-	-	_		- 1
18 19	BRUCELLOSIS	-	-	-	<u>-</u>	<u>-</u> [
41		-	Ī.	_	-	<u>-</u> }
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER		<del>-</del>	1	-	- [
24 25 26	MENINGUCUCAL INFECTIONS	1 -	1 -		-	-
27	### ##################################	-	-	6	Ξ	= [
		_	_		_	ار
30 31	LAIE EFFECIS OF ACINE POLIDMYLINS	-		1 1		_
32	YELLDW FEVER			11	-	
34 35 36	INFECTIOUS HEPATITIS	1 1		1 1	-	-
37 38	RABIES 071 OTHER VIRAL DISEASES 072-079 TYPHUS AND DTHER RICKETISIOSES 080-083	4	1	2	1	-
39 40	MALÁRRA 984 TRYPANOSOMIASIS 986,087 RELAPSING FEVER 988		-	-	-	<u> </u>
41	RELAPSING FEVER	-	-	-	-	-
42 43 44		1 -	-	. 7		- 1
45 46	ANEURYSH OF AORTA, SPECIFIED AS SYPHILITIC	Ē	<u> </u>	-	= = 1	ΞI
47 48	TABES DORSALIS		-	-	=	
49 50	CONGENITAL SYPHILIS	1 -	_	-	-	1.
51 52 53	6UNUULLAL INFELTIONS	-	_	7		<u> </u>
54 55	FILARTAL INFESTATIONS	Ξ (	=		ΞΙ	-
56 57	OTHER HELMINTHIASES	2	- I	1		
58	11. NEOPLASMS	942	417	375	92	58
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPDIETIC TISSUES140-209	928	411	368	92	57
60 61	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	20	14	3		
62 63	OF TDNGUF	3 11	2 8	1	2	-
64 65	OF PHARYNX	6	4 99	1	1	-
66 67	OF ESDPHAGUS	245 20 37	99 9 19	98 1 9	25 8 6	23 2 3
68 69	OF SMALL INTESTINE, INCLUDING DUODENUM	101	42	43	- 6	10
70 71	CECUM, APPENDIX, AND ASCENDING COLON	14	8	4	-	2
72 73 74	DESCENDING COLON	1 17	- 10	1 5	ž	=1
75 76	INTESTINAL TRACT, PART UNSPECIFIED	60 6	21	28	-	7
77 78	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY	29 4 9	12 2 1	16 2 8		1
79 80	OF PANCREAS	41	12	18	5	6
	ORGANS158,159	4	2	1	-)	I
81 82 83	HALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	224	15I 3	33	34	<del>6</del>
84 85	OF OTHER PARTS OF RESPIRATORY SYSTEM	212	141 7	32 1	33	6
86 87	OF BONE	115 5 6	9 3 1	92 1 3	3 1 2	11 =
88 89	OF SKIN	7 97	4	3 85	-	11

and Sex: United States and Each State, 1973-Con.

	,, , , ,						FLORIDA	<u>, , , , , , , , , , , , , , , , , , , </u>				GEORGIA			T
Total	Whi	.te	All o	ther .	Total	Whi	te	A11 o	ther	m1	Whi	ite	A11 c	ther	1
100	Male	Female	Male	Female	10tax	Male	Female	Male	Female	Total	Male	Female	Male	Female	
8,068	1,339	1,552	2,980	2, 197	87,938	44,425	31,857	6,634	5,022	43,871	17,686	13,125	7,019	6,041	01
100	14	2	49	35	670	268	183	148	71	457	136	111	116	94	02
		=	-	-	4 2	1	- 3 1	-	1	2 1	- - 1	1	1	=	03 04 05
- 9 37	1 4		3 19	- - - 4 14	2 88 202	24 89	- 37	- 19 77	8 14	1 71	15 40	16	- 22 30	16 17 9	07
32 1 1	3	=	17	12 - 1	154 4 1	62	22 19	60 4	13	96 72 2 1	33	6 -	24	9 2	04 05 06 07 08 09 10 11 12 13
2	1	= = = = = = = = = = = = = = = = = = = =	1	1 1 1	3 9 31	- 2 3 22	1 - - 2	1 6 6	- - 1	1 8 12	5	- - 3	- 4 2	- 4 2	13 14 15
-	_	<u>-</u>	<u>-</u>	<u>-</u>	- -		-	- -		<u>-</u>	-	<u>-</u>	-		1
=	-	-	=	-	- - 1	=	- 1	-		-	] =	=	=	-	19 20
	14 1	-	-	- -	- 17	3	- - 13 1 55	- - 1	- - 1 23	- - 10	4	- - 3	3		22
26	4 2		14 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	187 23	81	1 55 11	1 28 3	1 23	135 18	3 36 5	34 9	30 2	- 1 35 2	16 17 18 19 20 21 22 23 24 25 26 27 28
1	1	-	-	-	2	2 2	-	<u>-</u> -	-	1	-	- -	1		ı
- -	-	1	-	2	2	-    -	- 1	- -	- - 1	1	1 - 4	- -	1 1	=======================================	29 30 31 32 33 34 35 36 37 38 40 41
2 2	1	= = = = = = = = = = = = = = = = = = = =	-	2	10 4 31	4 1 14	5 2 9	- 1 5	3	11 1 29	1 6	4 - 10	3 # 8	5 - 5	34 35
2	1	-	1 - -	<u>-</u>	30 2 -	14 1 1 -	10 1	2 -	4 - -	29 1 1	6 1 -	13 - 1	· -	5 - -	37 38 39
= -		-	-	-	-	-	-	-		Ξ	-	-	-	_	1
1	1	1 - -		- -	25 1 -	9 1	2 - - -	9 -	5 1 -	16 1 -	3 -	- - -	6	7 1 -	42 44 45 44 45 47 49 51 52 53 55
- - 1	1	- - 1	-	-	6 14	1 7 - 1	1 -	2 6 - -	3 - -	2 8 - 1	1 -	, [	2 3 - -	4	46 47
	-	-		1 1 1	3 1 2	1 -	1 - -	1 -	1 - 2	3	2 -	- -	1	<u>i</u>	49 50
	=	- 1	-	-	14  3 1 2  	-	111	=			] = :		-	=	52 53 54
- 15	- - 1	- -	- - 9	- - 5	 2 31	- 1 12	- - 9	- - 2	- 1 8	- - 30	10	- - 9	- 5	- - 6	55 56 57
1.563	255	310	588	410	16,676	8,622	6,330	989	735	6, 591	2,779	2,124	907	781	58
1,534 64 1	252 15	307 7 1	578 34	397 8	16,492 453 4	8,552 284 3	6,244 119	977 40	719 10 1	6,498 180 6	2,742 95 4	2,093 45 1	897 27	766 13	59 60
12 21 30	3 4 8	1 1 4	7 12 15	1 4 3	108 115 226	70 63 148	26 39 54	8 12 20	4 1 4	40 54 80	18 25 48	11 18 15	9 5 13	13 1 2 6 4	60 61 62 63 64
449 79	79 10	73 2	185 58	112 9	4,328 287	2,162 156	1,748 72	235 46	183 13	1,597 150	618 60	549 25	224 53	206 12	1
63 2 148 19	8 2 35 2	6 - 33 7	33 ~ 36 5	16 - 44 5	629 29 1,750 192	336 16 828 83	207 9 805 91	55 3 47 8	31 1 70 10	254 6 562 57	201 19	73 2 245 28	58 1 36 1	37 3 80	68 69
3 3 15	35 2 2 - 5	- 2	3	1 - 4	51 36 182	23 24 99	23 10 71	3 - 6	2 2 6	10 15 54	4 4 23	28 2 7 24	2 1 1	12 37 3 80 9 2 3	71 72 73
106 2 43	26 - 7	24  9	24 - 14	32 2 13	1,221 68 440	564 35 222	580 30 180	29 1 23	48 2 15	406 20 131	145 6 56	173 11 42	30 1 18	58 2 15 5 7	65 66 67 68 69 70 71 72 73 74 75 76
18 8 80	1 1 15	1 5 16	12 - 29	4 2 20	96 168 843	55 65 442	28 90 321	10 2 44	3 11 36	41 49 384	21 16 173	11 24 119	4 2 48	5 7 44	77 78 79
334	- 80	1 32	3 173	49	86 4,241	42 2,972	36 856	5 352	3 61	20 1,563	5 1.033	8 220	4 258	3 52	80 81
24 302 8	6 73 1	3 29 -	13 155 5	2 45 2	172 4,006 63	119 2,817 36	26 810 20	23 326 3	4 53 4	79 1,460 24	53 966 14	7 208 5	17 238 3	52 2 48 2 140 6 8 4	82 83 84 85 86
153 5 4	8	71 1	6	68 3 1	1,750 85 45	209 47 22	1,391 30 19	12	138	690 . 37 27	88 18 8	443 8 7	19 5 4	140 6 8	85 86 87
135	1 5 1	2 68	2 2	64	1,393	132 8	82 1,260	1 6 1	124	111 515	58 4	41 387	8 2	.4 122	87 88 89

Table 1-27. Deaths From 281 Selected Causes, by Color

				DELAWARE		
	CAUSE OF DEATH	Total	Whi	te	A11 c	ther
			Male	Female	Male	Female
	MALIGNANT NEDPLASMS, ETCCON.			****		
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS180-187	105	38	49	10	
02 03	OF CERVIX UTERI	19 14		14 12	••••]	ž
04 05	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT	22		21		í
06	OF PROSTATE185	2 46	36	2	10	
07 08	MALIGNANT NEOPLASMS OF URINARY ORGANS	2 32	2 22	***7	- 1	2
09 10	OF PROSTATE. 185  OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS. 186,187  MALIGNAMY NEOPLASMS OF URINARY ORGANS. 188,187  OF BLADDER. 188  OF GITHER AND UNSPECIFIED URINARY ORGANS. 199	19 13	13 9	4	1 _	1
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES190-199	116	41	58	12	5
12 13	OF EYE190 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM191,192	1 23	1 8	-  я	-	- 1
14 15	DF THYROID GLAND	2		ĭ	î]	
16 17	DF THYROID GLAND	90 31	32 12	49 18	-	î
18	MYELOID LEUKEMIA	9 13	5	5 7	=1	ī
19 20	MONGCYTIC LEUKEMIA	2 7	3	2 4	2	긔
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES200-203,208,209	49	25	10		
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA	9	5	3 2	i	=1
24 25	MULTIPLE NYELOMA203 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES202,208,209	13	10	2	= 1	ī
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	9 14	6	7	-1	ī
27 28	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS218-221 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEN224,225	-	***	-	***	
29 30	OTHER BENIGN NEOPLASMS234-228 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS234-236	1 -	-	1		<u>-</u> ]
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM	9	4	5	_	_}
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE230-233,237,239	4	2	í	-	1
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	163	61	70	12	20
34 35	NONTOXIC GOITER249,241 THYROTOXICOSIS WITH OR WITHOUT GOITER242	- 1		=		-
36 37	ALL OTHER DISEASES OF THYROID GLAND249—246	2. 144	_ 52	63	1 10	19
38 39	DISEASES OF PITUITARY GLAND	-1-	[ ]	-	-2	1-1
40	DISEASES OF ADRENAL GLAND	-	- 1	=}	-	7
41 42	NIACIN DEFICIENCY	- 8	4	3	ī	=
43 44	CYSTIC FIBROSIS	7	I 4	3	=	=1
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	11	6	3	ī	1
46 47	ANEMIAS	7 1	3 1	2	1	1
48 49	APLASTIC ANEMIA	2 1	l ;[	=	1	1
50 51	OTHER AND UNSPECIFIED ANEMIAS285 PURPURA AND OTHER HEMORRHAGIC CONDITIONS287	3 3	1 2	2	=	<u>:</u>
52 53	ALL OTHER DISEASES OF BLOOD AND BLDDD-FORMING ORGANS286,288,289  V. MENTAL DISDRDERS	1	i	=	-	-
54	SENILE AND PRESENTLE DEMENTIAS	29	16	. ]	ា	ž
55	ALCOHOLIC PSYCHOSES	3	] i	=	2	-
57	ALCOHOLISM	- 25	14	5	- 4	2
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS	1	] 1	_	_]	_
59 60	MENTAL RETARDATION	-	-	-	-	-
61	MENINGITIS	32	11	14	2	5
62	HEREDITARY NEUROMUSCULAR DISORDERS	4 1	1 1	2	1	=
64	PARALYSIS AGITANS	4	2	2		=
66	CEREBRAL SPASTIC INFANTILE PARALYSIS	1 4	انا	1 2	<u> </u>	īl
67 68	INFLAMMATORY DISEASES OF EYE	- 1	] - []	31	-[	=
69 70	GLAUCDMA375 OTITIS MEDIA AND MASTDIDITIS381-383	= [	l <u>=</u>		=	=
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389	18	أها	7	1	4
72	VII. DISEASES OF THE CIRCULATORY SYSTEM	2,646	1,199	1,079	193	175
73	ACTIVE RHEUMATIC FEVER390-392	1	1			_[
74 75	CHRONIC RHEUMATIC HEART DISEASE	40 11	17 2	20	1	2
76 77	DISEASES OF ADRITIC VALVE	9	7	-1	1	1
78 79	OTHER RHEUMATIC HEART DISEASES	16	2 6	10		1
80	HALIGNANT HYPERTENSION490	43	15 1	16	5 1	7
81 82	ESSENTIAL BENIGN HYPERTENSION401 HYPERTENSIVE HEART DISEASE402	2 16	1 2	9	3	1 2
83 84	HYPERTENSIVE RENAL DISEASE	12	5	5 2	<u> </u>	1 3

and Sex: United States and Each State, 1973-Con.

	DISTR	ICT OF COL	JMBTA			_	FLORIDA					GEORGIA			T
Total	Whi	te	All o	ther	Manc <sup>1</sup>	Whi	.te	A11 o	ther		Whi	.te	A11 c	other	-
TOLAL	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
198 32 30 52 57	17   17	49 8 13 21 1	62 ••• ••• 62	76 24 17 31 4	1,952 234 240 405 51 979	975 ••• ••• 840	759 166 193 362 38	147   139	171 68 47 43 13	855 182 106 157 19	243   227	284 94 61 119 10	148	186 81 45 34	8 0: 5 0: 8 0:
56 35 21	10 8 2	20 12 8	- 16 7 9	10 B 2	49 794 483 311	35 519 320 195	212 118 94	8 43 28 15	24 17 7	23 259 149 110	16 123 68 55	78 46 32	7 38 26 12	20	. 07 0 08 9 09
158 21 1 136 47 10 25 1	26 4 1 21 5 1 3	28 - 3 - 25 11 2 3 1 5	62 - 5 - 57 17 4 11	42 - 9 - 33 14 3 8 - 3	1,563 21 474 35 1,033 578 187 247 11	779 744 10 518 316 113 129 4	617 14 186 23 394 205 61 91 7	91 - 22 - 69 30 7 16 - 7	76 - 22 2 52 27 6 11 -	748 5 172 14 557 203 85 128	266 3 81 4 178 129 43 64 1 21	268 2 60 7 199 90 24 40 2	111 - 17 2 92 35 8 13 2 12	103 14 10 86 29 10 11	- 12 4 13 1 14 8 15 9 16 0 17 1 16
75 18 14 23 20 29 1 4	12 2 1 3 6 3	22, 7 6 5 3 1 1	23 1 8 7 7 10  1	18 8 1 7 2 13 1 2	833 296 109 219 209 184 .14 32 37	440 161 55 106 118 70  8	337 125 49 84 80 86 7 19 13	27 5 3 13 6 12  2 3	29 5 3 16 5 16 7 3 2	323 91 50 -99 83 93 6 14	147 44 31 90 42 37	116 34 16 38 28 31 3 6	37 9 2 20 6 10	23 4 11 11 7 15 3 2	22 1 23 1 24 7 25 5 26 3 27 2 28
14 6 210	2 - 17	- 1 33	7 1 59	5 4 101	62 37 1,901	26 17 683	31 14 824	5 2 149	 4 245	47 15 986	22 8 251	17 2 334	3 3 146	5 2 255	33
176 - 2 2	12	1 1 27 - - - - 4	1  46  1 1	91 	12 18 1,529 19 1 16 2	549 7 1 3 - 38	7 15 650 6 - 11 -	112 3 2 1 1	218 3 	3 5 9 779 1 - 6 - 75	- 2 183 - 1 - 22	3 3 5 270 - 2 - 2 - 2 2 2	115 115	- 2 2 211 - - 3 - 15	37 38 39 40 41
23 23 10	2 1	- - 4: 3 1: 1:	17 12 17 7	6 6	19 166 293 196 27 55	38 5 74 117 70 13 7	14 64 101 64 12 7 27	16 30 22 1	45 45 40 . 1 28	8 100 123 79 8 23	5 38 32 20 5 3 7	2 27 38 16 9 1	1 13 17 16 10	22 36 27 9	43 44 45 46 47 48
82	12	- 1 - 4 1	55 1	3 2 2 11	56 58 36 61 429	23 27 18 29 214	18   14   23   124	3 5 1 7 65	8 3 2 26	33 11 33 314	10 119	8 6 16 39	5 1 - 96	3 15 2 7 60	51 52 53
61	- 1 - 9	- 1 - 2	3 - 43 7	1 - 8 2	41 13 236	10 -31 -4 124 41	16 1 8 49 46	1 9 1 48 5	1 - 15	14 12 10 245	5 7 3 93	7 1 3 20 8	- 4 2 83	2 2 49 6	55 56 57 58
70	10	13	1 25 4	 22 7	671 55	326 18	226	72	47 10	5 378 48	2 142 10	109	.67	1 60 16	60
15 1 5 14 5 8	2 4 1 -	5 2 -	- 5 1 5	1 3 - 1 3	31 60 143 18 75 - 1 - 5	20 24 82 7 27	.6   32   58   9   17	13 3 1 1 - 25	10 2 3 2 2 2 6	22 17 60 28 43	15   9   27   12   10	5 2 27 9 9	2 2 5 14	16 2 4 2 10 -	61 62 63 64 65 66 67 68 69 70
22	3	- - 2	- - 10	- - 7	1 - 5 283	- 1 147	3 . 86	- - I 20	22	- 3 157	59	2	29	1 21	68 69 70
3,586	679 - 4	881 - 13	1,039	987 - 15	45,646 8 652	23,273 3 290	17,713 4 308	2,358	2,302 1 26	22,585 6 210	8,859 2 67	7,428 3 79	3.041 1 28	3,257 _ 36	72 73 74
43 12 14 3 14 112 11 8 43 27	2 - 2 18 1 1 4 5 7	3 1 6 22 1 11 5 5	11 6 4 1 37 4 3 17 6	15 3 5 2 5 35 6 3 11 11	652 162 206 34 250 710 41 62 215 232	58 127 14 91 280 11 25 63	308 99 56 18 135 251 8 24 86 67	28 1 14 1 12 77 11 5 27 22	1 12 102 11 8 39 24	61 77 4 68 545 50 38 208	67 15 37 1 14 125 9 11 31	29 21 3 26 134 6 11 53 25	14 9 119 15 3 53 27 21	19 167 20 13 71 31	73 74 75 76 77 78 79 80 81 82 83

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

	[Mumbers after causes of death are category numbers of the Eighth Rev			DELAWARE	apted, 1903 (ICE	MJ. Four-digit
	CAUSE OF DEATH		Whi	te	A11 o	ther
		Total	Male	Female	Male	Female
01 02 03	ISCHEMIC HEART DISEASE	1,885 316 1,569	897 111 786	725 133 592	141 29 112	122 43 79
04 05 06 07	ACUTE MYOCARDIAL INFARCTION	930 3 952	518 1 378	299 1 425	67 1 73	46 76
08 09 10 11 12	OHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	78 2 1 4	38 2 1 3	26 - - -	8 - 1	6
13 14 15 16 17	OF AORTIC VALVE, NONRHEUMATIC	2 2 50 7	2 1 25 2	- 16 3	- 1 4 2	5
18 19 20	CEREBROVASCULAR. DISEASES	14 400 47 353	145 20 125	7 205 17 188	1 26 5 21	1 24 5 19
21 22 23 24 25	SUBARACHNOID HEMORRHAGE	20 62 106 3	6 21 41 1	11 33 57 2	5 5 1	2 3 3 ~
26 27 28	ACUTE BUT ILL-DEFINED LEERBROVASCULAR DISEASES	12 114 83	3 45 28	7 50 45	10 5	2 9 5
29 30 31 32	ARTENIOSCLEPOSIS. 440 AORTIC ANEURYSM (NONSYPHILITIC). 440 AORTIC ANEURYSM (NONSYPHILITIC). 445 ANTERIOLES, AND CAPILLARIES. 442-444,446-448 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM. 450-458	138 70 42 6 20	66 26 26 4 10	61 39 11 2	4 2 2 -	7 3 -
33 34 35	VENOUS THROMBOSIS AND EMBOLISH	61 56 5	20 18 2	26 24 2	8 7 1	1 7 7
36 37 38	VIII. DISEASES OF THE RESPIRATORY SYSTEM	248 2 2	127 1 1	67 1 1 -	35	19
39 40 41 42 43	ACUTE UPPER RESPIRATORY INFECTIONS	3 113 - 8	2 44 - 1	1 41 	17 - 2	11
44 45 46	BRONCHOPNEUMONIA, DRGANISM UNSPECIFIED	3 65 37 65	2 22 19	1 26 9	11 4 7	6 5
47 48 49 50	BRONCHITIS, EMPHYSENA, AND ASTHMA	52 2	46 1 5 40	1 1 7	1 1 4 1	1 1 1
51 52 53 54	HYPERTROPHY OF TONSILS AND ADENDIOS	6 - 4	- 1 - 4	- 1 -	2	7
55 56 57	BRONCHIECTASIS	4 49 159	28 80	2 12 48	1 7 21	10
58 59 60 61	DISEASES OF TEETH AND SUPPORTING STRUCTURES	- 16 8	- 13 5	- 2 2	- 1 1	-
62 63 64 65	ULCER DF STOMACH	6 2 2 1 9	6 2 2 1 4		-	-
66 67 68 69	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN561 DIVERTICULA OF INTESTINE	5 3 82	- 1 - 39	- 3 3 22	1 - 13	
70 71 72 73 74	ALCOHOLIC	27 19 36 4	15 8 16 2	3 6 13 2	6 2 5	3 3 2
75	X. DISEASES OF THE GENITOURINARY SYSTEM	37 72	18 32	12 24	6 5	11
76 77 78 79 80	NEPHRITIS AND NEPHROSIS	33 5 1 27	11 3 - 8	13 2 1 10	3	6
81 82 83 84	CALCUL OF URINARY SYSTEM	8 2 22 3 -	3 1 13 2 -	5	1	1 3 
85 86 87	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	<b>4</b> -	2	1		1 -
88	ECTOPIC PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA636-639 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH	=		=	:::	-

and Sex: United States and Each State, 1973—Con.

	DISTR	ICT OF COLU		and the same of th		- CIASSING	FLORIDA	aoea (ICD)	are menune	at by all aste	1166, 866 16	GEORGIA	:nuix]		T
Total	What	White All other  Male Female Male Femal				Whi	te	A11 o	ther		Whi	te	A11 c		1
IOCAL	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	1
2,169 392 1,777 582 7 1,580	451 38 413 166 2283	461 171 2 355	638 148 490 119 2 517	552 139 413 126 1 425	29,565 3,136 26,429 14,086 163 15,313	16,282 1,259 15,023 8,654 83 7,543	10,718 1,271 9,447 4,568 55 6,095	1,350 273 1,077 483 16 851	1,215 333 882 381 9 824	12+817 1+945 10+872 7+662 51 5+100	5,830 575 5,255 4,001 27 1,801	3,945 595 3,350 2,131 14 1,798	1,564 359 1,205 852 7	1,478 416 1,062 678 3 796	02 03 04 05 06
162 8 5	25 - 1 - 1	2	75 4 2	39  4  	1.445 31 23 49 2	685 7 11 24 1 6	495 14 7 19 1 4	142 6 2 2	1:23 4:3 4:4 -	1.542 11 13 28 -	566 2 5 9 -	412 4 1 11 -	290 2 4 6 - 1	274 3 3 2 -	10
106 9 34	13 6 5	3	2 45 2 22	31 4	36 876 104 362	17 404 42 197	14 311 44 100	2 89 7 36	72 11 29	23 962 67 461	8 317 20 213	8 291 22 83	5 172 15 91	182 10 74	17
650 131 519 49 122 182 6 15 173 103	104 6 98 2 15 41 2 3 15	10 17 77 2 4 29	155 40 115 9 45 26 1 6	209 60 149 28 45 38 1 2 72	10,091 1,218 8,673 495 1,336 3,016 41 178 2,683	4,118 399 3,719 163 526 1,282 15 82	4,679 492 4,187 246 553 1,431 19 83	595 147 • 448 36 127 156 4 9	599 180 519 50 130 147 3 4 269	5,867 992 4,875 199 1,097 1,477 17 78 2,130	1,692, 222 1,470 50 298 467 5 42	2,218 282 1,936 80 340 597 7 25	859 202 657 30 221 179 1 7 342	1,098 286 812 39 238 234 4 4	19 20 21 22 23 24 25 26
324 235 48 15 26 126 118 8	63 44 16 1 2 14 12 2	93 71 8 3 11 20 19	11 78 49 13 6 10 45 43	23 90 71 11 5 3 47 44	2,342 2,515 1,221 799 117 378 660 573 87	975 1,308 490 589 46 183 307 265 42	1,187 998 617 171 46 164 260 227 33	84 114 62 22 14 16 52 46	96 52 17 11 15 41 35 6	869 1,144 613 240 86 205 454 400 54	258 423 178 144 25 76 154 134	429 481 296 59 36 90 156 143	79 120 57 24 17 22 60 53 7	103 120 82 13 8 17 84 70	28 29
490 2 1 9 300 1 41	109 1 5 58 - 5	81 1 - 4 44 1	192  - 132  27	108 1 - - 66	5,060 16 31 84 2,266	2,973 2 15 29 1,112 39	1,425 7 7 7 43 750 22	432 3 5 6 245	230 4 4 6 159 10	2,788 12 20 137 1,503	1, 323 6 5 38 583 7	742 - 8 50 445 13	454 5 3 26 280 9	269 1 4 23 195	36 37 38 39 40 41
138 120 88	28 25 25	. 21	62 43 23	8. 27 31 19	394 47 1,177 567	192 17 569 295	127 .7 415 179	40 20 129 46	35 3 64 47 26	179 38 304 944 566	74 11 123 368 378	41 9 110 272 112	40 11 41 179 58	24 7 30 125	41 42 43 44 45
12 56 15 12 1 18 5 64	1 5 19 - - - 2 1 1	1 1 1 7 2 1 - 3 9 4	3 2 15 3 7 7	4 5 10 - 4 1 3 -	30 223 1,283 71 61 17 183 50 745	9 156 964 22 - 26 7 105 26 500	18 56 259 20 10 6 62 20 167	77 2 9 54 12 - 20 2 10 3	1 2 6 17 5 2 6	15 91 412 48 - 28 6 66 17	7 63 296 12  12 5 37 8	5 18 79 10 - 5 - 21 6	3 10 31 14 - 10 - 7 2	- 6 12 - 1 1 1	46 47 48 49 50 51 52 53 54 55
631	90	76	287	178	3,514	1,719	1,301	275	17 219	433 1,515	251 633	95 458	63 214	24 210	56 57
32 16 15 1 4 7	5 2 3 - 2 5	5 1 4 - - 12	11 7 4 - 2 5 7	11 6 4 1 2	1 349 140 161 48 14 50 278	215 79 106 30 8 26	99 45 44 10 4 14 127	26 12 10 4 1 6 26	1 9 4 1 4 1 19	5 153 69 62 22 8 31 120	80 33 36 11 3 16	1 43 22 15 6 3 2	1 19 8 9 2 1 9	3 11 6 2 3 1 4 23	58 59 60 61 62 63 64 65
10 2 416 214 91 111 7	- 1 - 61 30 14 17 2 14	3 1 39 14 6 19 1	- 3 - 205 125 39 41 1 53	3 1 111 45 32 34 3	2 158 49 1,664 622 301 741 167 782	50 15 837 335 114 388 87 375	1 97 30 573 183 129 261 67 289	- 6 3 148 66 28 54 3 56	1 5 1 106 38 30 38 10 62	3 58 24 636 218 153 265 61 416	- 21 8 304 113 54 137 26	1 30 13 152 41 33 78 27 137	2 3 87 35 23 29 2 76	2 93 29 43 21 62	66 67 68 69 70 71 72 73 74
163 61 9 1 51 30 3 51 7	17 5 1 4 3 1 3 4	30	53 29 4 - 25 6 1 11 3	63 20 3 1 16 14 - 24	1,286 358 61 14 283 283 41 468 73 3	594 128 28 6 94 102 19 257 61	102 18 5 79 135 17 139	137 57 9 1 47 19 1 41 12	144 71 6 2 63 27 4 31	289 35 7 247 216 25 263 27 -	226 57 14 - 43 56 9 76 18 -	232 60 9 2 49 91 10 67	203 74 5 4 65 37 1 75 9	4 4 4	75 76 77 78 79 80 81 82 83 84
2 - 1	•••	-	•	2	20 3 5 3	***	9 1 3 2		11 2 2 1	17 1 3 3	•••	4 - -		13	86 87 88 89

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				DELAWARE		
	CAUSE OF DEATH		Whi	te	A11 c	ther
-		Total	Male	Female	Male	Female
01 02 93 04 05	ABORTIONS	-	•••	11111	* * * * * * * * * * * * * * * * * * *	111111
07 08	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	<u>-</u>	:::	 -	•••	-
09 10 11	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	3 2 1	1 1	2 1	 	-
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	18	6	10	-	2
13 14 15 16 17	ARTHRITIS AND SPONOYLITIS	8 3 - 1 6	2 1 - 1 2	5 2 - - 3	- - -	1
18 19 20	XIV- CCNGENITAL ANOMALIES	33 1	15	13 1	3 -	2
21 22 23 24	SYSTEM	8 8 <u>5</u> 11	6 2 2 - 5	1 6 1 -	1 - 2 -	7
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	93	35	23	21	14
26 27 28	XVI. SYMPTONS AND ILL-DEFINED CONDITIONS	24 3 21	7 - 7	8 3 5	4	5
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	417	247	<del>9</del> 6	56	16
30 31 32 33 34 35	ACCIDENTS	289 4 125 122 -	172 3 81 79 -	68 - 25 24 -	38 1 16 16 -	11 3 3
36 37 38 39 40 41 42 43	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN	24 20 8 12 58 3  3	12 14 7 8 38 2 - 1	8 1 2 13 1	4 6 - 2 4 - 3 2 - 3 2 - 3	11181111
44 45 46 47 48 49 51 52 53	ACCIDENTAL POISONING	15 4 2 9 43 16 2 25 25 22	10 4 1 5 17 7 1 9 12	5 - 1 1 4 22 6 1 15 4 4 3	33 - 26	111111111111111111111111111111111111111
55 56 57 58 59	INHALATION AND INGESTION DE FOOD OR OTHER OBJECT CAUSING OBSTRUCTION UR SUFFOCATION	6 8 12 — 1	2 6 11 - 1	2 - - - -	1 2 1	1
60 61 62 63	ACCIDENT CAUSED BY ELECTRIC CURRENT. E925 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE. E916-E919,E921,E927,E928 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES. E930-E936 ALL OTHER ACCIDENTS. E930-E949	3 8 9 19	3 7 5 11	- 4 3	1 7	- - 1
64 65 66 67 68 69	SUICIDE	79 13 12 17 32 5	54 6 7 10 27 4	21 6 5 7 2	4 1 - 3	1 1 1 1 1
70 71 72 73 74 75	HOMICIDE	41 22 10 7 - 2	16 9 3 2 - 2	5 2 1 2 -	14 7 5 2	6 4 1 1
76 77	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989 INJURIES RESULTING FROM OPERATIONS OF WAR	8	5	2	-1	1

and Sex: United States and Each State, 1973-Con.

aubcategory		CT OF COLU			-		FLORIDA					GEORGIA			T
	Whi	te '	All o	ther		Whil	te	A11 a	ther		Whi	.te	A11 c	ther	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	]
_				_	1		-	•••	'n	1		-	•••	1	01
	***	-	•••	-	-	:::	=	•••		1	•••	<u> </u>		. 1	02 03 04
	:::	1 1	•••	-	1 4		- 1	•••	- 1 3	- 5		2		3	05 06
	***	-	•••	=	4	:::	2 -		. 2	4	***	2 -	***	2 -	07 08
12	2	1	2	7	108	32	- 48	11	17	79	20	23	. 10	26	09
4 8	- 2	1	2 -	1 6	26 82	12 20	10 38	2 9	2 15	16 63	. 8 12	5 18	2 8	. 1 25	10
21	1	4	2	14	230	6i	137	11	21	110	38	44	4	24	12
7	1	2	2	2	98 8	27	60 5	7 -	4	46 4	20 2	20 -	2 -	4 2	13 14 15
1 1	-	-	=	1 -	5	3 2	1	=	<u>-</u>	5	1 15	23	1	2 - 16	15 16 17
12 50		2	. 51	10	. 116 561	29	69 201	4 66	14 63	55 352	118	128	53	53	18
~		-	_	_	33	8	18	5	2	-21	8	ii	. 1	1	19
10	l i	1 3	5	3	78	33	26	13	. 6	53 143	. 15 52	26 -	. g	4 <sup>.</sup> 21	20
10 23 3	6	-	8 2	I I	250 39 1	102 16	92 13 1	27 4	29 6	36	15	52 7 -	- 18	8 -	20 21 22 23 24
14	2	2	6	. 4	160	72	รโ	17	20	99	28	32	20	19	}
176	9	9	88	70	1,107	403	299	236	169	828	293	185	,192	158	25
109	7	13	54	35	1,922	824	536	318	244	707 70	215	152 23	188 14	. 152 . 16	26
108	7	12	- 54	35	68 1,854	801	32, 504	5 313	236	637	198	129	174	136	28
771	105	85	449	132	7,844	4,085	1,989	1,337	433	5,187 3,509	2,502 1,798	974 720	1,311 749	400 242	29 30
363 1 99 97 2	57 17 17	51 8 8	190 1 54 52 1	65  20 20 1	5,083 25 2,579 2,527 77	2,747 15 1,453 1,415 47	1,971 2 698 693 21	711 7 310 303 5	254 1 118 116 4	18 1,810 1,748 57	1,011 975 31	367 354 15	5 339 328 10	2 93 91 1	31
24 27 22 4	3	4	14 16	3 8	1,049 511	573 239	330 137	105 103	41 32	748 264	428 110	202 44	85 79	33 31	35 36
22	3 3 5	1	15 1 5	8 3 - 5	292 334 264	198 198 160	50 80 75	33 41 16	11 15 13	128 475 76	75 289 42	23 50 20	26 115 13	21 1	37 38 39
18 2 1	-	3	2	-	52 11	38	5 4	7	2	62	36 2	13	11	2	40 41 42 43
6	1 3 -	1 -	1	1 -	107 80	76 64	14 14	16	1	49 53	36 40	11	10 2	1 -	1
15 7	1	1	9	1	187 97	105 55 23	53 34	14 1	15	123 51 36	53 18 15	36 22 11	22 5 9	12	44
4 4 98	1 21	1 - 29	1 2 42	1 2 1 6	44 46 626	23 27 267	12 7 309	6 7 29	3 5 21	36 325	20.	3	51	5 18	47 48
33	6	4	21	1 2	125	76	30	14	21 .5 1	104 17	54	122 20 10	2 <u>8,</u>	: 2	49 50
65 47 17	15 3 3	25 5 1	21 25 12	4 14 1	26 475 232 528	182 96 265	16 263 48 70	15 53 169	15 35 24	204 228 245	75 70 120	92 58 17	23. 57 91	18 18 2 2 14 43	51 52 53
12	2 -	2 -	4	4	109 100	54 63	- 36	6 27	13	108 153	33 93	. 27 18 16	29 36	19 6 6 2	54 55
5 7 -	1 -	=	4	2 -	198 8 18	143 4 10	12	41	1 2 - 2	202 10 20	121 2 9	16 2 7	59 4 3	6 2 1	54 55 56 57 58
2	_	_	1	. 1	12	4	. 5	6	ļ. <u>-</u>	8	4 36	2	2 6	_	1
1 3 18 37	1 2 3	- 1 3	2 10 24	. I 5 7	70 90 133 168	61 64 58 82	61 41	6 .22 7 30	- 7 15	. 43 121 72 120	70 23 - 53	27 16	44 10 38	- 3 12 13	59 60 61 62 63
87	33	21	26	7	1+290	860	372 151	46	12	631 58	414 18	157 37	43 1		64
16 3 15	2 1 8	9 2 2	4	_	256 68 111	99 52 76	16 29	4	5  2	31 · 38	23 30	B 4	-, 3	17 2 - 1 12 2	64 65 66 67 68 69
23 30	11 11	3 5	8 10	1 1 4	737 118	563 70	131 45	· 38	5	480 24	330 13	103 5	35 4		68 69
260 158	8 5	10	· 192 134	50 19	1+250 896	379 286	183 97	533 415	155 98	1.001 788	. 268 . 208	82 62	513 418 60	138 100 14 24	70 71
43 54	1 2	3 7	28 25	11 20	164 175	37 52	25 61	415 79 29	23 33	101 92	21 33	14 -	60 21	14 24	70 71 72 73 74 75
5	=	=	5	] =	15	4	=.	10	į.	20		-	14	_	
61	. 7	3	41	10	218 3	96 3	.63	47	12	.46	. 22	15	6 -	.3	76 77

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				IIAWAH		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
		Tot#1	Male	Female	Male	Female
01	ALL CAUSES	4,368	808	547	1,861	1,152
02	I. INFECTIVE AND PARASITIC DISEASES	34	7	1	15	11
03 04	CHOLERA	-		=	-	=
05 06 07	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS	=	]	-	]	3
08 09	ENTERTITS AND OTHER DIARRHEAL DISEASES	5 1 <u>1</u>	2 -	=	2 7	1
10 11 12	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	7 - -	] [	-	[ ]	2
13 14 ·15	TUBERCULOSIS OF BUNES AND JOINTS	- 2 2	_[	-	- 2 1	-
16	PLACINE	-	_	-	-	_
17 18 19	ANTHRAX	=	] - [	- -	-	-
20 21	DI PHTHERI A	-	-	-	<u>-</u>	7
22 23	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	=	=	=
24 25 26	ISPPT ICPMI 4	- (	-	-		-
27 28	OTHER BACTERIAL DISEASES	1 -	1 -	-	Ė	
29 30	LATE EFFECTS OF ACUTE POLIGMYELITIS044 SMALLPOX	.5		_	2	-
31 32	MEASLES	<u>-</u>	-		<u> </u>	-
33 34	VELLOW FEVER	-	_	<u>-</u>	_	=
35 36 37	TREE 1005 HEPAIT15	1 - 2	- 1	1	-	-
38 39	TYPHUS AND OTHER RICKETTSIOSES		] = [	<u> </u>	]	-
40 41	TRYPANDSDMIASIS	_	]	-	-	-
42 43	SYPHILIS AND ITS SEQUELAE090-097 CONGENITAL SYPHILIS	3 -	1 -	5	<u>1</u>	1
44 45 46	EARLY SYPHILIS, SYMPTOMATIC	- - 1	=	-	- -	=
47 48	TABES DORSALIS			1	-	=
49 50 51	TABES DURSALIS	2 -	_ _	-	-	1
52 53	DUNISTUDENTASIONAL CONTRACTOR OF THE PROPERTY OF THE CONTRACTOR OF	_	] = [			3
54 55	FILARIAL INFESTATIONS. 125 ANCYLOS TOMIASIS. 126 OTHER HELMINTHIASES. 122,123,124,127-129		[ ]	-	=	=
56 57	OTHER INFECTIVE AND PARASITIC DISEASES	1 2	2	-	-	-
58	MALIGNANT REOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND	913	164	116	393	240
60	HEMATOPOIETIC TISSUES140-209 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX140-149	901 28	160	115 3	388 15	238 2
61 62 63	OF LIP	- 8	2	ī	5	=
64	OF PHARYNX146-149	16	6	1	3 7	2
65	HALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	307 26	42	34 4 5	150 17	81 1
67 68 69	OF SMALL INTESTINE, INCLUDING DUODENUM	87 4 71	11 1 10	11	41 2 27	30 1 23
70 71	CECUM, APPENDIX, AND ASCENDING COLON	8	3	2	2 -	1 1
72 73	DESCENDING COLON	1 6	1 2	1	ī	3
74 75 76	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED	55 ( - 25	4   -   3	9 - 6	24 10	18
77 78	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY	26 10	3 -	- 3	19	4
79 80	OF PANCREAS	55	9	5	28	13
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	3 193	40	13	2 104	36
82 83	OF LARYNX	183	1 38	13	5 96	36
84 85 86	OF OTHER PARTS OF RESPIRATORY SYSTEM	64	1 8	17	3 4	35
87 88	OF CONNECTIVE AND OTHER SDFT TISSUE	3 2 . 9	1 7	=	1 1 2	1
89	OF BREAST174	50	1	17	= 1	33

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

	<del>_</del>	IDAHO					ILLINDIS		<del></del>		A lab, ave Xe	INDTANA			Ī
Total	Whi	White All other  Male Female Male Femal			Total	Whi	te	All o	ther		Whi	.te	All o	ther	
10001	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
6,479	3,702	2,650	88	39	110,510	52,379	43,787	8,178	6,166	49,671	25•237	20,956	1,957	1,521	OI
36	19	16	1	-	730	316	236	107	71	344	168	. 116	34	26	02
	=	=		1 1 1	- 2	-	- 2	-	-	1 -	ī	=			03 04 05
7	- 4	- - 3	111	- -	2 3 2 110	2 - 38	- 2 51	10	1 - 11	1 37	1 14 57	17	- - 3	- - 3 4	04 05 06 07 08 09 10 11 12 13 14
. 7	3	3		- -	235 176 4	117 94 1	41 25 1	54 43 1	23 14 1	92 70 4	- 57 45 2	21 15 	10 8 -	4 2 2	10
	=	<u>-</u>		-	- 3 16	7	1	- 1	- 1 4	- 1	=	=	- - 1	-	12
1	1	-	~	-	36	15	13	4 5	à	17	10	6	î _		)
]	=	-	-	=	=		-	-	-	-		_		=	16 17 18 19 20 21 22 23 24 25 26 27 28
-	] =	-	-	-	1111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	=	- - -	-	-	1 1 1	-	-	-	20 21
- 2	21	- -	7	-	1 13	1 B	- 2	- - 3	-1	1 - 3 2	1 - 2	-	- 1 1	=	22 23 24
2	1	- 1 1	-	- -	3 176 24	- 74 10	2 65 10	21 1	1 16 3	2 106 15	- 44 6	1 41 7	11	10 2	25 26 27
1		1	- I		-	1	3		_	2	_	2	-		l
1 =1	-	-	-	-	4 - 2	1	= =	1	-	1	1	1111		-	29 30 31 32 33 34 35 36 37 38 39 40
4	2	2	7	-	17	5	8	3	1	14 • 3	7 1 5	4 2 6		3	33 34
3 4	2 2	1 - 2	-	-	22 - 45	9 - 21 2	8 - 21	1 - 3	4	12 _ 19	11	7	- 1	-	36 37
	[ =		, , ,	-	4 2 -	2 - -	2 - -	- 2 -	-	1	1 -	111		=	38 39 40
-		-   1	-	l	- - 14	- 6	1	- 6	1	- 11	5	1	- 5		l
	-	-	-	=	-	-	=	- 1	-	- 1	- - 1	1 1	- - -	<u>-</u>	43 44 45
=		-	-	· -	1 6 -	2 -	- - 1	3	1 -	2 . 1	- -	- - 1	1 - -	-	46
1	] <u> </u>	- i	-	- - -	1 4 2 -	3 1	-	1 1	=	5 2 1	3 -	_	2 2	. <u>-</u>	49 50
] =	-	- -	-	-	<u>-</u>	-	-	-	-		1 - -	-	· <u> </u>	- -	52 53
]	=		-	-	=	-	=	=	=	- -	= =	- ( -	-	-	42 44 45 44 47 49 55 55 55 55 57
1,033	2 575	448	1	- 4	51 19,865	9,349	18 8,182	1,274	10 1,060	22 8•568	10 4, 239	3,692	2 352		57 58
1,009	565	434	6	4	19,646	9,270	- 1	ľ			ł l		349	279	59
1,009 20 - 8 3	565 9 -	434 11 - 4 2	<u>-</u>	-	19,646 387 10 101 110 166	9,270 252 10 61 73	8,072 84 - 25	1,258 39 - 13	1+046 12 - 2 4	8,463 153 7 29	4,196 102 7 21	3,639 ° 39 - 6	9	279 3 - 1 2	59 60 61 62 63 64
3 9	- 4 1 4	2 5	-[	-	110 166	73 108	25 26 33	13 7 19	4	44 73	23 51	18 15	- 2 2 5	1 2	63 64
277	148 9 34	127 5 7	2	-	5,537 362	2,553 192 404	2,317 67 293 9 1,067 147	360 71 95 1 76	307 32	2,185 147 281	980 93 151	1,028 27 107	95 15 15	62 12	65 66
14 41 1 86	38	1 46 8	=	=]	29 2, 191 264 102 77	11 933 97	1,067	1 76	2 115	10 937 101	6 343 47	3 934 50	24 1	1 36	68 69
2 - B	38 11 1	1	. [	-	102 77	44 30 150	39	4	~ 17 6 4	29 25	9 11 27	17 13		3	71 72
52 5	23 3	8 29 2	-	-	315 1,365 68 627 162	577 35 309	137 667 30 267	14 46 1	75 2	90 642 50 234 43	228 21 133 25	56 373 25 84	3 18 2	23 2	74 75
52 5 32 3 16 76	3 15 3 7	16 9	1 -	1	250 [	89 84	40 153	29 27 4 50	307 32 55 2 115 14 6 4 14 75 2 22 6 9	110	33	13 68	10 5 4	82 2 8 1 9 3 3 3 1 4 3 2 7 . 5 1 1	65 66 67 68 69 70 71 72 73 74 75 76 77 78
76 8	36 4	37	1	-	987 88	495 36	381 40	50 7	61 5	388 <sub>.</sub> 35	179 17	178 14	20		79 80
189	161	26	2		4 245		772	433	134	1,979	1.452	371	123		
183	6 155 -	26	5		181 4,082 82 2,351	2,825	13 730 29 1,925 46 35	404 5	123	78 1,868 33	55 1,379 19 91 25	12 348 11 767	11. 109 3 7 4	32 ==	83 84 85
122 2 7	15 1 1 1 13	106 1 6	-	- - - 1 - - - 1	116 80 223	3,006 2,825 45 224 59 33 117	46	24 404 5 17 6 6 3	123 3 185 5 6 7 167	920 55 29	25 11	11 767 26 16	- 1	32 32 55  2  53	81 82 83 84 85 86 87 88
26 87	13	13 86	-1	īl	1,932	117-	96 1,748	2	167	98 738	1 48 1	47 678	3	53	89 89

!:

-

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				HAWAII	·	
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
			Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETCCON.	- ;				
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS	89	15	21	19	34
02 03		13 17	•••	6	•••	11
04 05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS184	25 ~	***	12	•••	13
06	OF PROSTATE185 OF ALL OTHER AND UNSPECIFIED HALE GENITAL ORGANS	31 3	14		17	***
08 09	MALIGNANT NEOPLASMS OF URINARY ORGANS	45 23	10	4 2	23	8
10	OF OTHER PARTS OF UTERUS.  OF OYARY, FALLOPIAN TUBE, AND BROAD LIGAMENT	22	2	2	14	4
11	MAI TOMANT MENDI ASMS OF OTHER AND HINSDESTEED STIES	89	24	10	36	19
12 13	OF EYE	17	- 6	ī	1 6	4
14 15	OF THYROID GLAND	6 65	1 17	-   9	3 26	2 13
16	LEUKEMIA	41	5	á	16	11
17 18	HYELGID LEUKEMIA	12 17	3 2	3	5	2 6
19 20	CARPHAIL LEUKEMIA	6		3 1	1 4	ž 1
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES200-203,208,209	45	8	ايرا	21	12
22	LVMCHOCADCOMA AND DETICIBLIN CELL SARCOMA	21	ĭ	į	12	12 7
23 24	HODGKIN'S DISEASE	3 11	3	i i	5	2 2
25 26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	10 12	4	1	<b>4</b> 5	1 2
27 28	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS218-221 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM224,225	- 3	•••i	, i	i	-
29	DTHER BENIGN NEOPLASMS	3	1	i -1	ž	-
30 31	NEOPLASHS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS	_				
32	NERVOUS SYSTEM238 OTHER NEOPLASMS OF UNSPECIFIED NATURE230-233,237,239	2	2 -	=	1	1
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	148	11	26	59	52
34	NONTOXIC GOITER240,241	_ '	_	_ [	_	· 
		2	-	1	-	1
37	DIABETES MELITUS259	1 115	9	21	46	39
38 39	THYROTOXICOSIS WITH OR WITHOUT GOLTER	1 -		_	1 -	2
40 41					- 1	1
42 43	OTHER AVITAMINDSES AND NUTRITIONAL DEFICIENCIES	18 2	2	- 2	9	7
44	CYSTIC FIBROSIS273.0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES251,252,256-258,270-272,273.1-279	. 9	] =	í	3.	5
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	10	1	4	3	ż
46	ANEMI AS280-285	5	_	4	_	1
47 48	DEFICIENCY ANEMIAS	- 1				- īl
49 50	APLASTIC ANEHIA284	2 2	ll <u>-</u>	2 2	-	= =
51 52	PURPURA AND OTHER HEMORRHAGIC CONDITIONS	-		-	=	5
	Y. MENTAL DISORDERS	2	1	_	3	
53		8	3	_	•	1
54 55	SENTLE AND PRESENTLE DEHENTIAS	- 1	]		-	
56 57	ALL OTHER PSYCHOSES294-299 ALCOHOLISM303		- 2		_	
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC NENTAL DISORDERS300-302,304-309		,		1	
59	MENTAL RETARDATION310-315	. 3	1 1	=	<u> </u>	1
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	48	9	5	21	13
61	MENINGITIS320	4	1	1	2	
62 63	HEREDITARY NEURONUSCULAR DISORDERS	i	( î	-	2	-
64	PARALYSIS AGITANS	5 8	ī	1 1	3	3
65 66	FPTLEPSY3444444444444444444444444444444	1 1	=	_	1 1	
67 68	INFLAMMATORY DISEASES OF EYE				-	
69 70	GLAUCONA	= 1	] = [	=		
71	ALL OTHER DISEASES OF NERVOUS SYSTEM	1		-	-	1
72	AND SENSE ORGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389  VII. DISEASES UF THE CIRCULATORY SYSTEM	27 1,985	366	2 247	14 827	545
73	ACTIVE RHEUMATIC FEVER390-392	.,,,,,				[]
74. 75	CHRONIC RHEUMATIC HEART DISEASE	3B	5	4	19	10
76	DISEASES OF ACCTIC VALVE	9	2 2	1 2	4	1
77 78	DISEASES OF OTHER ENDOCARDIAL STRUCTURES397 OTHER RHEUMATIG HEART DISEASES393,396,398	1 19	1	-	11	1 6
79 BD	HYPERTENSIVE DISEASE	24	3	6	5	10
61 82	MALIGNANT HYPERTENSION	3 13	1	1 5	- 2	į
83	HYPERTENSIVE RENAL DISEASE	3	2		1	1
84	HYPERTENSIVE HEART AND RENAL DISEASE404	4 !	u	· - l	ž i	. 2

and Sex: United States and Each State, 1973—Con.

	<del></del>	IDAHO				-	ILLINDIS					1 NO I ANA	•		T
Total	White All other  Male Female Male Fem				Total	Whi	te	All c	ther		Whi	Lte	A11 c	other	1
	Male	Female	Male	Female		Male	Female	Male	Female	Total	Male	Female	Male	Female	1
127 99 16 121 175 53 325 289 94 -199 758 262 29 77 155 20 117 157 21 116 11 23 21 14 44 44 44 44 44 44 44 44 44 44 44 44	79	46 9 16 20 1 20 9 13 24 9 3 8 4 4 1 3 1 - 5 4 78 - 2 - 2 2 2 1 4 2 2 9 9 1 3 2 9 9 1 3 2 9 1 1 4 2 9 9 1 1 4 2 9 1 1 4 2 9 1 1 4 2 9 1 1 4 2 1 1 1 4 2 1 1 1 4 2 1 1 1 1	1 17 1 17 1 17 1 17 1 17 1 17 1 17 1 17 1 17 1 17 17	10 11 11 11 11 11 11 11 11 11 11 11 11 1	2, 392 333 327 598 500 1,040 44 916 531 385 1,840 16 441 1,332 267 348 39 178 1,046 225 27 27 24 2,409 21 2,409 21 25 27 27 24 27 27 27 27 27 27 27 27 27 27 27 27 27	930  •••  •••  •••  •••  •••  •••  •••	1,121 244 278 555 44 278 806 140 136 806 10 186 806 110 186 10 186 10 186 10 186 10 186 10 186 10 186 10 186 10 186 10 186 10 186 186 19 19 10 10 110 12 12 12 12 11 17 18 19 10 10 10 11 10 10 10 10 10 17 679 23 10 10 10 177 679 23 10 10 10 177 679 23 10 10 10 177 679 23 10 10 10 177 679 23 10 10 10 177 679 23 10 10 10 177 679 23 10 10 10 177 679 23 20 10 10 10 177 679 23 20 10 10 10 177 679 23 20 10 10 10 177 679 23 20 10 10 10 177 679 23 20 10 10 10 177 679 23 20 10 10 10 10 177 679 23 20 10 10 10 10 177 679 23 20 10 10 10 10 177 679 23 20 10 10 10 10 10 177 679 23 20 10 10 10 10 10 177 679 23 20 10 10 10 10 10 10 10 10 10 10 10 10 10	154 109 - 15 134 169 11 8 512 26 12 153 17 109 2 3 2 - 8 11 109 2 3 2 - 8 12 109 2 3 2 - 8 12 109 2 3 2 - 8 13 109 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	187 89 49 49 6. 328 108 116 388 300 101 22 6 51 8 8 37 13 4 4 19 12 11 13 14 15 11 17 12 4 19 11 11 12 11 12 11 12 11 12 11 11 12 12	1.025 168 157 218 428 394 223 171 940 182 394 210 182 394 210 182 313 154 82 101 105 313 118 1.264 120 64 119 117 293 117 293 117 293 117 293 117 293 117 293 117 293 117 293 117 293 294 295 295 295 295 295 295 295 295 295 295	408 375 33 247 157 90 462 1 104 9 348 224 96 82 13 33 229 49 44 67 43 28 5 460 - 3 2 382 1 - 5 - 19 7 41 103 8 8 2 61 19 5 219 23 16 15 48 10 10 36 5 3 14 14 3 11 10 3 8 8 13 7 7 11 13 7 7 56 179	504 141 137 16 130 59 76 22 329 159 49 57 44 205 831 555 38 10 25 77 40 84 86 84 811 15 13 97 12 49 149 15 16 16 16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	555 21 15 6 20 - 2 18 15 5 1 - 1 8 4 2 8 4 3 1 29 1 - 2 2 6 - 17 21 - 1 1 4 8 793 - 8 1 1 - 6 1 6 2 6 7 10	5870 9 2 · · · · 6 2 4 4 6 - 1 2 - 3 - 7 4 - 6 8 5 - 4 1 - 1 2 2 1 5 1 1 2 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	00000000000000000000000000000000000000

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

			•	HA WA I I	<del></del>	
	. CAUSE OF DEATH	Total	Whi	te	All o	ther
			Male	Female	Male	Fema1e
01 02 03 04	ISCHEMIC HEART DISEASE	1,276 268 1,008 638	261 33 226	155 30 125	543 115 426	317 90 227
05 06 07	ACUTE MYOCARDIAL INFARCTION	631 631	132 3 126	71 - 84	288 4 251	170
08 09 10	OTHER FORMS OF HEART DISEASE420-429	75 - -	18	7	24	26
11 12 13 14	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE 4YOCARDITIS	2 - - 2		-	2 - - 2 14	# 1 1 1
15 16 17	SYMPTOMATIC HEART DISEASE	55 5 13	14 1 3	<del>6</del> 1	14 3 5	21 1 4
18 19 20 21	CEREBROVASCULAR DISEASES	455 109 346 53	58 8 50 5	54 12 42	195 45 150	148 44 104
22 23 24	CEREBRAL HEMORNHABE	101 100 2	8 19	18	18 41 44 1	24 43 19 1
25 26 27	CEREBRAL EMBOLISM. 434 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES. 432, 435 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASES. 436 OTHER CEREBROVASCULAR DISEASES. 437,438	12 126 61	2 13 11	2 10 9	59 28	4 44 13
28 29 30 31	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	91 23 40 10	14 4 6 2	16 8 4	35 7 19	26 4 11
32 33 34 35	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES442-444,446-448 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM450-458 VENOUS THRUMBUSIS AND EMBULISM	18 26 20	2 7 7	3 5 4	2 7 6 3	5 6 8 6
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM	6 294	50	30	138	2 76
37 38 39 40	ACUTE UPPER RESPIRATORY INFECTIONS	1 6 12 150	- - 1 16	- 2 2 16	1 3 3 76	1 6
41 42 43 44	PNEUMONIA	4 21 3 65	1 - 1 8	1 3 1 6	1 14 1 35	42
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS	57 63	18	5	25	16 21
47 48 49 50	BRONCHITIS, UNQUALIFIED	2 14 37	15 - 1 17	2	28 1 9 16	12 1 2 3 6
51 52 53	HYPERTROPHY OF TONSILS AND ADENGIDS 500 EMPYEMA AND ABSCESS OF LUNG 510,513 PLEURISY 511	10 - 2 2	- 1	2 1	2 - 1	6
54 55 56	DEURISY   1.0	12 5 41	2 - 12	. 1	8 4 14	2 12
57 58	IX. DISEASES OF THE DIGESTIVE SYSTEM	143	36	23	57	27
59 60 61	PEPTIC ULCER	12 5 7	3 2 1	1	7 3 4	1
62 63 64 65	PEPILG ULLER, SITE UNSPELIFIED	1 4 10	- 1 3	1 -	2	- 1 3
66 67 68	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS DRIGIN561 DIVERTICULA OF INTESTINE	- 3		-	- 1	- 2
69 70 71	CIRRHOSIS OF LIVER	67 24 8	22 12 1	14 6 2	26 5 4	5 1 1
72 73 74	UNSPECIFIED	35 6 40	7	- 7	17 4 13	3 2 13
75 76	X. DISEASES OF THE GENITOURINARY SYSTEM	73 27	6 1	10	34 14	23 8
77 78 79 80	ACUTE NEPHRITIS	5 - 22 20	- 1	3	10	- 8
81 82 83 84	CALCULI OF URINARY SYSTEM	20 4 18 3	4	4	9 3 6 2	10 1 4
85 86	DISEASES OF BREAST	ī     2	-	ī	=	-
87 88	ECTOPIC PREGNANCY	-	•••	2	***	
	HENORRIAGE OF PREGNANCY AND CHILDSIRTH	=	:::	=1	:::	-1

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

		OHADI					ILLINOIS				risk; see Tec	INDIANA			
m-1-1	- Whd	te	A11 o	ther	Total	Whi	te	All o	ther	Total	Whi	te	A11 o	ther	
Total	Male	Female	Male	Female	lotai.	Male	Female	Mal.e	Female	10car	Male	Female	Male	Female	
2,019 179 1,840 1,195 6 817	1,239 91 1,148 802 5 431	768 86 682 385 1 382	8 2 6 5	4 4 3 1	41,792 4,116 37,676 21,926 147 19,711	21,021 1,696 19,325 12,597 77 8,344	17,308 1,962 15,346 7,605 52 9,647	1,790 205 1,585 996 7	1,673 253 1,420 728 11 933	16+932 1+739 15+193 9+469 59 7+400	9,191 706 8,485 5,805 22 3,360	6,873 807 6,066 3,304 35 3,534	468 104 364 209 - 259	400 122 278 151 2 247	01 02 03 04 05 06 07
174 1 2 9 1 2 6 84	95 1 - 4 - 1 3 43 4	75 - 2 5 1 1 3 40	1 2	1111111	3,818 30 51 71 5 10 56 980	1,611 17 28 36 - 5 31	1,014 11 10 32 4 5 23 404	721 1 9 - - - 80	472 1 4 3 1 - 2 52	1,094 11 13 20 1 1 18 699	536 8 8 7 - 1 6	487 3 4 11 1 - 10 318	35 - 1 - - - 21	- 2 - 2 2 24	10 11 12 13 14
740 97 643 18 88 145	43 334 36 298 41 62	9 19 397 60 337 12 43 82	4 - 4 - 1 1	5 1 4 - 3	251 2,435 10,844 1,550 9,294 435 2,209 3,241	112 974 4,107 514 3,593 149 841 1,177	5,524 748 4,776 1,079 1,079	11 620 550 123 427 33 133 147	16 396 663 165 498 54 156	145 206 - 6,124 700 5,424 173 1,095 1,453	58 119 2,445 242 2,203 56 463 582	79 72 3,316 367 2,949 95 552 809	4 9 187 47 140 7 40 36		16 17 18 19 20 21 22 22 23 24 25 27
1 9 324 155 205 109	- 6 141 78 114 53 40	1 3 179 77 90 55 16	- 2 - -	- 2 - 1	51 176 2,818 1,914 2,984 1,752 694	20 101 1,059 760 1,389 663 473	27 62 1,405 1,013 1,415 994 176	3 9 159 66 85 41 26	1 4 195 75 95 54 19	16 77 2+101 1+209 1+953 1+255 371	5 40 868 431 889 486 263	11 36 1,098 715 985 723 94	74 30 36 24 7		1
56 6 34 63 58 5	4 17 32 29 3	2 17 31 29 2	- - - - - 9	-	160 378 978 888 90	86 167 422 382 40	63 182 387 348 39	5 12 80 76 4 511	5 17 89 82 7 273	94 233 394 345 49	35 105 173 150 23	52 116 186 164 22	1 4 18 14 4	17	28 29 30 31 32 33 34 35
2 58 200 9 17 2 50	- 26 114 9 10 1 27 67	82 - 7 1	- 3 4 - - - 4	1 	29 51 159 3,209 83 331 49 1,858	14 18 75 1,502 30 146 29 878 419	9 23 75 1,166 30 112 17 655 352	4 3 5 357 11 49 1 212 84	2 7 4 184 12 24 2 113 33	18 22 132. 1+300 43 131 27 483 616	8 13 63 654 19 71 6 245 313	8 7 65 . 510 22 42 10 188 248	1 2 2 78 - 9 3 33 33	2 58 2 9 8 17	37 38 39 40 41 42 43 44
146 1 22 116 5 - 4 - 7 2	124 - 19 104 1 - 4 - 4 1	1 3 10 4 - - 2	1	1 	1,582 46 235 1,192 109 1 65 13 177 46 576	1,138 20 161 926 31 1 37 3 105 15	325 18 57 204 46 - 18 7 61 22 142	81 5 13 47 16 7 1 5 5 43	38 3 4 15 16 - 3 2 6 4 23	848 27 115 659 47 - 18 8 113 14	620 10 76: 517 17 - 11 5 67 7	190 10 33 121 26 - 5 1 43 6	31 6 6 18 1 - - 2 2	7 1 3 3 2 2 1 1 15	46 47 48 49 50 51 52 53 54 55
252 28 11 14 3 4 5	133 	106 - 6 2 2 2 2 1	10 - 1 - - 1 -	3    1	4, 184 507 211 229 67 31 57	2,076 1 297 115 143 39 17 25 139	1,501 2 168 77 67 24 11 15	391 - 31 16 13 2 2 2 9	216 - 11 3 6 2 1 8	1,664 1 191 74 84 33 10 27	.891 124 44 62 18 5 17	626 1 58 27 19 12 5 7	93 - 9 3 3 - 3 5	=	57 58 59 60 61 62 63 64 65
- 17 1 79 34 5 40 23	- 6 1 38 19 1 1 18 10 37	11 - 33 10 4 19	- - 6 3 - 3 1 2	- - 2 2 - -	3 189	1 59 26 1,034 259 110 665 83	2 118 30 520 111 94 315 100 371	- 7 1 205 72 22 111 10	5 5 93 23 6 64 8 61	79 24 612 166 93 353 70 460	25 11 378 112 52 214 30 226	. 50 12 163 30 31 102 39	- 3 1 48 16 5 27 - 24	i .	66 67 68 69 70 71 72 73
65 26 1 2 23 9 3	34 9 - 1 8 3 3	29 16 1 1 14 6 -	1 	1 1 - 1	1,386 497 65 23 409 336	617 188 34 12 142 124 20 168 98	489 169 19 7 143 158 19 122	133 59 5 - 54 28 - - 33	147 81 7 4 70 26 2 28	624 211 40 10 161 147 14 182 32	314 97 22 6 69 56 8 97 31	243 83 13 4 66 82 5 61	31 12 2 - 10 4 1 13	36 19 3  16 5  11	75 76 77 78 79 80 81 82 83 84 85
-			- -	- - -	24	19	16 3 2 3	- 2	1 9 8 - 1 1	38 9	25	12 7 1		2	84 85 86 87 88

•

i

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

==				HAWAII		
	CAUSE OF DEATH	Total	Whi	te	A11 c	ther
		1002	Male	Female	Male	Fema1e
01 02 03 04 05 06 07	ABORTIONS	- - - 2		2	•••	
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	5	-	-	4	1
10 11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	. 2	] [	-	2 2	1
12 13 14 15 16 17	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	11 1 - 1		1 - - -	4 - 1 - 3	6
18	XIV. CONGENITAL ANDMALIES	61	10	6	26	19
19 20 21 22 23 24	SPINA BIFIDA	2 10 23 8 1 17	1 2 2 1 -	- 1 3 1	- 5 8 5 1 7	1 2 10 1 -
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	123	21	17	46	39
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	41	6	4	16	15
27 28	SENILITY WITHOUT MENTION OF PSYCHOSIS	5 36	6	. 4	2 14	12
29	E XVII. ACCIDENTS, PDISONINGS, AND VIOLENCE	.469	118	55 32	214	82 50
30 31 32 33 34 35	ACCIDENTS	302 135 132 1	71 32 32 1	15 15 15 -	149 59 56	29 2 <del>9</del>
36 37 38 39 40 41 42 43	MOTOR VEHICLE	44 20 18 21 28 3 - 1	8 5 6 7 5 12	3 1 4 - - 3	16 57 12 16 3	13 7 4 2 3 3 1
44 45 46 47 48 49 50 51 52 53	ACCIDENTAL POISONING	7 4 1 2 44 22 3 19 13 27	1 - 5 4 - 1 2 9	1 1 2 3 -	3 2 -1 32 16 2 14 5	21142722222
55 56 57 58 59	OR SUFFOCATION FIREARM MISSILE	10 1 24 1 -	311,11	1 1 1 -	3 19 1 -	3
61 62 63 64 65	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES	19 9 14 88 22	3 2 2 29	1 3 1 12 5	14 3 7 27 3	1 1 4 20 10
66 67 68 69	SUICIDE FROM PUISONING BY GASES SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION	4 23 25 14	2 3 17 3	1 2 - 4	11 8 5	1 7 - 2
70 71 72 73 74 75	HOMICIDE	38 22 4 12 -	5 24	2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	12 1 8 -	3 1
76 77	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989 INJURIES RESULTING FROM OPERATIONS OF WAR	41	7 -		17	8

subcategory	IOAHO White All other					iat Classific	ILLINOIS		HI C I COMMITTE	,	,	INDIANA		· · · · · · · · ·	T
	Whi	te	A11 o	ther	1	Whi	te	·All a	ther	_1. 4	Whi	te	All c	ther	7
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Tdtal	Male	Female	Male	Female	
	•••			111111 13	3 	•••	5		3 - 1 1 1 1 2	1 1 2		1 1 2 3 -		-	04 05 06 1 07
7 1 6	3 3	4 1 3	1 .1	- - -	95 23 72	29 9 20	50 10 40	3 1 2	13 3 10	40 10 30	15 6 9	21 4 17	2	2	2 09 10 11
25 14 1 - 10	6	17 8 1 - - 8	-	2	255 83 7 10 7 148	18 3 3 4 34	16Z 61 4 6 3 88	9 1 1 7	22 3 - - - 19	147 61 6 2 2 76	41 24 1 - 16	96 33 5 2 2 54	1	4 - - 5	13 14 15 16 17
65  12 33 8  12	36 	29 - 7 14 2 - 6	- - - - -		756 26 126 303 62 - 239	328 8 67 122 23 -	249 13 39 104 18 - 75	94 2 8 39 11  34	85 .3 12 38 10 -	384 '20 59 165 19 2	188 10 20- 80 13 1 64	166 10 36 67 6 1	16  10  6	14 - 3 8 - - 3	19 3 20 21 22 22 23 3 24
136 86 9 77	72 47 4 43	59 35 4 31	4 4 1 3	1 - -	1,978 1,563 16 1,547	760 590 3 587	534 334 13 321	390 477 - 477	294 162 - 162	861 411 63 348	433 187 20 167	264 182 40 142	90 22 . 20	74 20 1	26
718 583 6 320 316	473 378 5 198 196	202 178 105 104 3	31 19 1 10 9	12 8 - 7 7	7,353 5,109 59 2,469 2,436 94	4,179 3,069 43 1,560 1,538 70	1,770 1,333 7 654 646 22	1,089 532 9 193 190	315 175 62 62 62 2	4.022 2.962 21 1.569 1.536 61	2.483 1.877 14 1.030 1.005	1,149 908 7 469 463 16	304 132 54 53 1	86 45 16 15	30 31 32 33
61 24 15 52 153 4 2 9	43 10 12 35 89 2 1 7 7	18 11 14 57 1 1 2	- 2 1 2 4 1 - 1	1 1 1 3 -	1,033 391 350 282 286 33 11 78 57	627 212 260 195 174 22 7 58 42	312 102 54 66 90 8 4 8	68 59 29 17 17 3 - 10	26 18 7 4 5 - 2	536 164 168 138 469 33 4 31	320 111 121 98 312 25 1 27 25	193 40 40 34 140 6 3	17 9 7 5 14 1 - 3	6 4  1 3 1	36 37 38 39 40 41 42
18 9 3 6 58 8 7 43	18 12	33 2 6 25 7	1  1  1  3	-	280 93 39 148 712 225 13 474 335	161 49 15 97 334 123 9 202 153 211	71 27 14 30 285 46 3 236 92 46	38 11 10 17 66 39 1 26 65	10 6  4 27 17  10 25 8	88 28 18 42 422 87 6 329 158	53 13 13 27 197 60 4 133 82	24 9 4 11 211 25 2 184 51	8 4 1 3 7 1 6 16	2 - 1 7 1 - 6 9	46 47 7 48 49 - 50 5 51 9 52
30 9 16 45 -	23 6 14 43 -	3 2 2 - 1	- - - -	- - - - -	122 91 258 . 3 17	64 54 210 1 13	35 4 19 1 3	15 27 20 - 1	8 6 9 1	65 49 166 2 13	36 38 145 1	22 3 17 1 2	5 8 4 -	, 2 - - -	54 55 56 57 58
9 31 6 26	9 30 4 15 75	9	- - - 2 7	1	14 59 165 119 201 1,028	4 52 140 49 123 687 46	3 3 9 51 46 257 58	3 4 12 12 22 63 3	4 7 10 21	9 58 84 79 143 594 55	6 56 71 35 90 413 14 62	3 2 9 38 38 153 39 36 20	4 1 13 20	- - 5 2 8	
10 7 9 68 3 27	75 4 6 4 59 2		- 5 2 - 5 3	3 1	1,028 107 169 219 430 103 929 655	106 150 337 48	62 47 51 39 111 57 16	1 18 32 9 445 352 55	- 4 10 7 98 64 11	55 99 76 319 45 374 254	53 257 27 137 86	44 14 68 41	1 3 16 - 141 107	- 2 4	67
27 15 3 7 2	11 6 2 3 - - 9	=	2	- 2 - -	124 134 - 16	275 182 42 43 - 8 148	16 38 - - 69	55 30 - 8 49 -	11 23 - - 21	42 65  13 92	11 32 - 8 56	13 14 	15 14 - 5	28 20 3 5 - - 5	1

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

=				IOWÁ		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
		IOCAL	Male	Female	Male	Female
Oİ	ALL CAUSES	29,255	15,777	13,143	188	147
02	I. INFECTIVE AND PARASITIC DISEASES	162	81	76	4	1
03 04 05	CHOLERA	-   -			-	-
06 07	DACTULADY DYCENTERY AND AMERICANTE COA. COA.	1 1		1		=
08 09	#FOOD POISONING (BACTERIAL)	40 19	17	22 11	1	-
10 11 12	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	12 1	4 -	7	1	
13 14 15	TUBERCULOSIS OF BONES AND JOINTS	- 1 5	- 1 2	- - 3	-	=
16 17	PLAGUE	-		-		-
19 19	BRUCELLOSTS	-	_		-	-
20 21 22	DIPHTHERIA	- 1	- - 1	=	-	
23 24 25	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	4	3	ī	=	-
25 26 27	TETANUS	32 10	19	12	- 1	Ĩ.
28		-	_	-	-	-
29 30 31	LATE EFFECTS OF ACUTE POLIOMYELITIS	2 - -	1 - -	1 -	=	-
32 33	YELLOW FEVER	3	1	- 2	5	-
34 35 36	{	6	3.	- Z	1	=
37 38	OTHER VIRAL DISEASES	28 -	13	15	=	=
39 40 41	MALARIA TRYPANDSOMIASIS	-	-	-		1
42 43	SYPHILIS AND ITS SEGUELAE	3 	z 	1	-	-
44 45	ARRLY SYPHILIS, SYMPTOMATIC	-	-		-,	-
46 47 48	TARES DODGALTS	1 1 -	1 1	-	-	7
49 50 51	GENERAL PARESIS	1	]	1	=	=
52 53	SCHISTOSOMIASIS	-	] [	=	-	31
54 55 56	FILARIAL INFESTATIONS	<u>-</u>		=	ĩ	-
57	DIMER INFECTIVE AND PARASTILL DISEASES	12	7	5		=
58 59	II. NEOPLASMS	5,287	2.851	2,387	25	24
60	HEMATOPOIETIC TISSUES140-209 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX140-149	5,212 90	2, 813 59	2 <sub>1</sub> 352 31	25	22
61 62 63	OF LIP. 140  OF TUNGUE. 141  OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY. 142-145	3 8 42	2 3 24	1 5 18	=	-
64	DF PHARYNX146-149	37	30	7		-
65 66 67	MALIGNANT NEOPLASMS OF DIGESTIVE OPGANS AND PERITONEUM	1,417 61 192	716 44 121	692 17 70	4 - 1	5
68·	OF SMALL INTESTINE, INCLUDING DUGDENUM	7 626	4 279	3 344	- 1	z
70 71 72	CECUM, APPENDIX, AND ASCENDING COLON	83 18 12	27 6 5	56 12 7		-
73 74	SIGMOID COLON	92 388	48 179	44 206	- i	- 2
75 76 77	INTESTINAL TRACT, PART UNSPECIFIED	33 135 18	14 79 9	19 55	Ξ	ĩ
78 79 80	OF GALLELADDER AND BILE DUCTS	66 289	20 149	45 138	<u>i</u>	2
	ORGANS158,159	23	11	11	1	
81 82 83	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEH	1.082 36	893 32	175	11	3
84 85	OF OTHER PARTS OF RESPIRATORY SYSTEM	1,032 14 562	852 9 65	166 5 494	11	3 3
86 87 88	OF BONE	25 25	16 13	9 12	=	3
89	OF SKIN	65 447	34 2	31 442	<b>5</b> k	3

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

		KANSAS	21 coporte ca	motify with the	ie internatio	- Oldobitt	KENTUCKY	ases (ICI)	are menune	u by an aste	risk; see Te	LOUISTANA	enaix1		T
Total	Whi	te	A11 o	ther	Total	Whi	te	All o	ther	Tpta1	Whi	te	A11 o	ther	] .
	Male	Female	Male	Female		Male	Female	Male	Female	IDLAI	Male	Female	Male	Female	
22,789	11,844	9,792	634	519	34,434	17,875	13,544	1,638	1,377	35•039	13,214	10,065	6,475	5,285	01
160	77	69	10	4	297	136	120	21	20	379	113	92	94	BD	ł
-	-	<u>-</u>	- -	-	- 1	-	-	1	-	3	1 1	1	1		03 04 05 06
36 33 22	- 13 20 14	22 9 6	- - 4	1	2 39 80	1 12 40	1 20 24 19	2 11	5 5	49	16 33	14 11	10 33	· 9	07 08 09
22	14 - -	- 1	2 - -	<u>-</u>	63 2 2	31 1 2	1	· -	4	89 73 2 	29 -	8	28 1 -	12 8 -	07 08 09 10 11 12 13 14 15
1 9	1 5	- 2	- - 2	-	- 5 8	- 3 3	1 3	1 1	ī	7 1 3 10	- - 4	-  2	1 1 2	2 2	13 14 15
-	1 1	- -	- -	-	- -	- -	-	=	111	- -	<u>-</u>	- -		· -	16 17
-	1 1 1	-	-	. 1	-	- -	- 	=		-	- -	- ; -	-	· <u>=</u>	19 20 21
2	- - 1	- - -	 1	=	- - B	-   -   5	. 1	. =	2		- 1	- - 3	- - . 2	- 1	22 23 24
34 7	20 3	12 2	1 1	1 1	94 8	37 4	· 47	. 6	4 1	135 17	36	35 4	90 4	2 34 3	16 17 18 19 20 21 22 23 24 25 26 27 28
1	-	1	-	. <b>.</b> .	3 - 1	3	<u>-</u>	<u>.</u>	-	2	-	1_	1	=	1
- - 2	- 1	- - 1	- -	- -	6	1 - 2	- - 4	- -	=	- 6	2	- - 3	=	- 1	29 30 31 32 33 34 35 36 37 38
4 25	1 - 10	.2 15	-	1 - -	1 11 1 16 2 -	1 4 1 9	- 7 -		1	19 15	- 6 - 5	8	- 2 - 2	3	34 35 36
	-	-	- -	=	2	1 - -	7 1 - -	=	-	-	-	6 - -	- - -		38 39 40
6	- 4	1	- 1	<del>-</del> .	- 7	3	1	≟ 1	- 2 1	11	-	- 1	5	- 5	40 41 42
	-	- - 1	-	-	1 -	-		=	1 -	1 4	-	1 -	- - - 3	- 1	42 44 45 46 47 48 49 51 55 55 55 57
i   2	1 - 2	-	- -	- -	1 1 - 4	1 - 2	=	-	-	2 2		- - -	- 2	2	47 48 49
2 2 -	1 -	1	1 - -	- -	-	-	=	=		1	-	-	-	1 1	50 51 52
1	1	-	<u>-</u>	-   -   -	-	- - -	- - -	-	. ~	-	<u>-</u>	=	=	-	53 54 55
3.900	2:098	4 1,596	2 105	101	5,619	12	2,288	273	1 222	1 21 5,937	6 2,323	1 4 1,800	- 4 . 1,071		56 57 58
3,850	2,084 53		102	100		2,802	2,257	270	217	5 • 822	2,287	1,759	1,052	743 724	59
73 4 21 21	2 14 16	1,572 16 2 4 4	3 2 1	1	5, 546 144 4 31 46	98 3 19 30	34 1 8 14	10 - 4 2 4	2	161 3 37	80 . 3 17	33 - 10	37	11	60 61 62 63 64
1-012	21	6		-1	63	46 733	637	68	2 64	33 88 1,462	14 46 494	. 10 13 476	5 23 275	4 6 217	
56 143 4	526 38 85 4	432 12 49 -	24 5 4 -	30 1 5 -	1,502 101 208 13	63 108 4	12 85 7	18 13 1	64 '8 2 1	1,462 108 291 12	35 88 5	16 70 4	44 79 2 72 5	13 54 1	66 67 68
431 56 12	199 15 6 6	217 41 6 7	- 5 - - -	- 10	592 59 24 14	257 20 8 5	291 34 13 9	15 2 1	29 3 2	485 46 5	137 10 2	207 26 3	J	69 5 -	69 70 71
431 56 12 13 52 286 12	22 143 7	28   131	5	- 2 7 1	14 65 406 24 139	29 187 8	190		3 19	20 37 357	8 16 96	6 14 151	1 4 56	5 3 54	72 73 74
93 12 53 206	55 8 20	4 35 3 30	5 - 1 - 2 6	2 1 1	56    73	68 34 25	13 61 17 45	10 1 4 3	2 6 2 3	20 126 35 46	5 41 19 12	7 37 6	6 24 7 5	217 134 695 - 53 542 2432 125	65 66 67 68 69 70 71 72 73 74 75 76 77 78
206 14	109	81 5	6	- 10 	290	162 12	104	13	3 11 2	338 21	156	ıîi   . 8	36 6	35	79 80
850 27	663 22	147 2	32 3	8 -	1,382	996 49	250 7	113	23 1 22	1,472	859 39	201	339 18		1 -
27 416 24	625 16 67 12	135 10 333   12	28 1 1 - 1	8 - 15 -	1,296 22 629 35	931 16 85 18 14	237 6 493 13 11	106	22 - 48 4	60 1,390 22 610	808 12 54 10	2 192 7 409 14 7	319 2 23 10 8	73 1 . 71 1 124 . 4 . 6 . 3	81 82 83 84 85 86 87 88
796 27 416 24 16 60 316	67 12 8 43 4	6 17 298	1 -	- 1 - 14	25 87 482	49	11 36 433	2	44	38 30 76 466	. 9 33 2	7 36 352	8 4 1	6 3 111	87 88 89

.

:

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

-				AWOI		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
		Iotai	Male	Female	Male	Fema1e
HALI	GNANT NEOPLASMS, ETCCON.					
	LIGNANT NEOPLASMS OF GENITAL ORGANS	731 67	366	357 66	3	
	OF OTHER PARTS OF UTERUS	90 185	•••	88 183		
	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	20 342	339	20	3	• •
MA	LIGNANT NEOPLASMS OF URINARY ORGANS	27 262	27 168	·91	2	•
	OF BLADDER	146 116	103 65	40 51	2	
MA	LIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES190-199 OF EYE	492 7	236 1	25I 6	3	
	OF EYE. 199 QF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM. 191, 192 OF THYROID GLAND. 193	99 10	55 3	44 7	_	
	OTHER	376 247	177 137	194 108	3 1	
	UNEMIATIC LEUKENIA	98 . 97	. 55   53	41 44	1 -	
	NONOCYTIC LEUKENIA	10 42	6 23	19	-	
OT	HER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIG TISSUES	329 103	173 59	· 153	1 1	
	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA	39	23 50	16 47	[ ]	
	ALL OTUGO MEDDIAGNO DE L'ANDMATTO AND HEMATOROTETTO TÍSSIES	89 75	41 38	46 35	1 1	
8E	GN NEDPLASMS AND NEDPLASMS OF UNSPECTFIED NATURE	1 7	2	1 4		
OT NE	HER BENIGN NEOPLASMS25-228  OPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS234-236	10 -	2	8 -		
N	OPLASHS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF ERVOUS SYSTEM	31 26	18 16	12 10		
	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	679	269	401	3	
NONT	OXIC GOITER240,241	2	_	2		
ALL	OTOXICOSIS WITH OR WITHOUT GOITER242 OTHER DISEASES OF THYROID GLAND	2 10	3	2 6	_	
DIAB	ETES MELLITUS	540 1	212 1	321	3 -	
DISE	EFES MELLITUS	10	5	5	= =	
OTHE	R AVITAMINUSES AND NUTRIFIONAL DEFICIENCIES260,261,263-269	58 5	20 3	37 2	<u>-</u>	
ALL	OTHER ENDOCRINE AND METABOLIC DISEASES251,252,256-258,270-272,273-1-279	51	25	26	· ·	
	1V. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	81	42	39		
DE	IIAS	49 13 5	23 6	26 7 4	-	
AP	HOLYTIC ANEMIAS	19 12	1 12 4	7 8	]	
PURP	URA AND OTHER HEMORRHAGIC CONDITIONS	10 22	7 7 12	3 10	-	: 
	V. MENTAL DISORDERS	76	42	33	- ;	
SENI	LE AND PRESENTLE DEMENTIAS290	18	7	10	- 1	
ALL	HOL IE PSYCHOSES	4 4	2	2	-	
ATUE	MOLISM	30 16	23	7 12		
MENT	AL RETARDATION	4	2	Z	-	
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE DRGANS	272	135	136	1	
HEBE	NGITIS	17 13	10 9	7	1	
PARA	IPLE SCIEROSIS	34 76	9 32	25 44	-	
EPIL	BRAL SPASTIC INFANTILE PARALYSIS	21	13	2 8	[	
CATA	RACT	=	_ :	-		
OTIT	IS MEDIA AND MASTOIDITIS	3	2	1	-	
AND	SENSE ORGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389	101	55	46	-	
	VII. DISEASES OF THE CIRCULATORY SYSTEM	16.607	8,593	7,856	87	
CHDO	VE RHEUMATIC FEVER	162	3 70	90	ĩ	
IO	SEASES OF ACTIC VALVE	49 49 8	17 29 2	32 20 5	] [	
OT	HER RHEUMATIC HEART DISEASES	56 341	22 141	33 197	1	
MA	LIGNANT HYPERTENSION	12 12	5 3	7	-	
HY	PERTENSIVE HEART DISEASE	97 97	36 45	60 52	] [	

and Sex: United States and Each State, 1973-Con.

	numbers wi	KANSAS					KENTUCKY					LOUISIANA	indix)	
Total	Whi	te	All o	ther	Total	Whi	te	All o	ther	m-4-1	Whi	ite :	A11 c	other
	Male	Female	Male	Female	iotai	Male	Female ·	Male	Female	Total	Male	Female	Male	Female
537 68 61 112 8 256 109 109 87 332 3 100 12 217 207 90 74 5	254 254 12 124 76 76 75 92 106 477 37	248 611 74 105 8  54 26 150 1 19 7 103 88 36 35	14 23 10 10 10 9 8 5	21 7777 2 4 2 2 14 1 1 1 1 1 5 2 2 2 1	655 148 91 138 19 240 19 234 126 108 483 11 149 16 307 233 68 98	234 	360 130 82 130 18  86 45 41 202 6 63 10 123 86 21 41	25 23 2 2 2 1 1 20 3 - 17 11 15	36 18 9 8 1 7 4 3 17 13 6 4	661 108 77 107 11 345 13 263 149 114 692 1 104 104 107 242 73 92	190  181 9 134 80 54 268 268 103 25 36	180 50 45 78 7  72 35 37 207 1 32 31 171 28 30	168 164 4 35 200 15 105 11 3 91 35 13	123 58 32 29 4  22 14 8 112 -9 4 99 23 7
5 38 235 68 25 61 42 2 9 11	3 19 123 47, 18 26 32 14  4	2 15 104 38 6 31 29 24 7 7	36611144	1	8 59 284 101 54 76 53 73 5 9 20 -	5 30 150 63 29 27 31 34 34	2 2 2 109 33 19 40 17 31 4 4 10	18 35 6 43 	7219151, 1 22	14 63 259 74 29 69 87 115 1 9 9	9 33 105 31 11 22 41 36  3 3	30 100 33 112 211 34 41 1 2 1 2 1	35 65 14 10 19	19 12 12 19 12 12 19 12 14 12 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16
573 	222 	320 - 2 9 262 1 - 13 6 25	10	21 	792 1 3 9 650 5 12 - 37 13 62	276 1	417  3 8 8 352 2  4  22 6 20 43	34 	65 	1,022 	239 - 2 - 197 3 1 4 - 12 4 16	323 - 4 - 286 1 1 - 12 2 18	139   127 1    1   7	321 2 - 2 2 3 2 290 3 2 4 - 4 12 4 10 4 24 4
42 6 10 16 10 19 74 5 3 1	25 2 5 9 9 3 4 37 2 3	15 4 4 6 1 5 15 32 32 3	2 11 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2	66 8 11 24 23 5 27 132 5 16 6	26 4 1 15 6 3 16 73 3 12 2 42	31 3 7 8 13 2 10 40 2 - 4	1 11 -4 -6	7 1 1 4 - 8	84 11 25 17 31 12 26 137 2 10 7	24 5 2 10 7 2 13 61  6 1 30	25 4 3 4 14 6 4 25 2 7	15 1 10 1 3 2 7 33 - 4 1	20 4 1 4 10 4 2 7 5 2 2 5 18 5 - 5 1 7 5 5
26 3 229 15 6 25 44 44 40 	106 8 6 5 20 4 10	17 3 111 4 17 23 23 2 8	8 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	35 3 258 19 13 18 54 16 27 1	13 1 120 9 9 4 23 10 14 -	17 2 115 5 3 13 30 5 8 - 1	16 3 - 1 1 4	7 2 1 1 1	44 18 312 46 23 16 29 10 54 - 1	17 7 105 7 12 3 14 4 12	7 5 92 5 6 10 14 1 11 11	13 3 65 18 2 1 1 2 2 23 -	7 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
113 12.831 5 136 44 40 10 42 234 6 16 77 61	53 6,440 3 41 18 25 3 15 25 15 22 30 27	57 5,842 1 67 24 11 6 26 129 4 10 50 27 38	1 274 1 2 - 2 - 12 - 5 1 1 6	2 275  6 2 2 1 1 8 1 1  3 3	110 19,404 3 150 34 30 13 73 343 19 109 114 88	51 9,767 1 59 8 20 4 27 137 3 4 43 50 37	50 8 <sub>1</sub> 025 2 82 24 8 9 41 147 6 12 49 46 34	7 807 7 1 2 - 4 27 2 2 8 11	2 805 - 2 1 - - 1 32 2 1 9 7	129 18,410 	52 6+736 	43 5,720 - 42 13 10 2 17 96 3 3 44 15 31	18 2,971 - 20 5 7 1 7 80 11 4 30 19	2,983 7 2,983 7 - 7. 18 7 7 7 1 7 7 7 10 9 7 8 48 48 48 23 8

í

i

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

•			, <u></u>	1 DWA	<del></del>	
	CAUSE OF DEATH	Total	Whi	.ce	A11 c	ther
		10041	Male	Female	Male	Female
01 02 03	ISCHEMIC HEART DISEASE	10,411 961 9,450	5,890 410 5,480	4,429 543 3,886	59 5 54	33 3 30
04 95	ACUTE MYOCARDIAL INFARCTION419	6•179 35	3,864 · 23	2,259 12	37	19
06 07	CHRONIC ISCHEMIC HEART DISEASE	4 <b>,</b> 193 4	2,001 2	2,156 2	22	14
08 09	ANGINA PECTORIS	729 5 7	355 1	364 4	7	3
10 11 12	CHRONIC DISEASE OF ENDOCARDIUM	28 3	13 13	1 15 2		=1
13 14	### ### ##############################	23	2 10	13	<b>-</b>	-[
15 16	SYMPTOMATIC HEART DISEASE427 OTHER MYOCARDIAL INSUFFICIENCY428	457 122	224 51	226 70	4	3
17		110	61	48	1	- [
18 19 20	CEREBROVASCULAR DISEASES. 430-438 WITH HYPERTENSION (BENIGN) (.0). WITHOUT MENTION OF HYPERTENSION (.9).	3,598 350	1,493 131	2,071 211	11 3	23 5
21 22	WINDOW   TENTON   1	3,248 122 510	1,362 47 203	1,860 73 299	B	18
23	CEREBRAL THROMBOSIS	897 15	.383	509 9	4 3	Ž
25 26	CEREBRAL EMBGLISM	50 1,265	26 519	24 734	- 2	10
27		739	309	423	2	5
28 29	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	1+144 719	522 292	610 420	8 5 3	4 2
30 31		242 40	149 16	90 24	3 -	-
32 33 34	ALL-OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES442-444,446-448 DISEASES OF VEINS AND LYMPHATICS AND DIHER DISEASES OF CIRCULATORY SYSTEM450-458 VENOUS THROMBOSIS AND EMBOLISM	143 218	65 119	76 94	ī	4
35	OTHER DISEASES OF CIRCULATORY SYSTEM	196 22	110 9	82 12	1 -	1
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM	1,892	1,185	686	12	9
37 38	AGUTE UPPER RESPIRATORY INFECTIONS	6	6 3	- 3	-	5
39 40	INFLUENZA	102 933	54 469	47 449	7	1 8
41 42	VIRAL PNEUMONIA	23 64	10 44	11 19	1 1	1 -
43 44 45	ACUTE INTERSTITIAL PNEUMONIA	9 295 542	150 259	3 142 274	1	2
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA490-493	523	416	104	3	2
47 48	BRONCHTOIS, UNQUALIFIED	14 89	69	7 20	-	-
49 50	EMPHY SEMA492 ASTHMA493	396 24	330 10	63 14	3	-
51 52 53	BRONCHITIS, EMPHYSEMA, AND ASTHMA	8	3	4	1	
54 55	OTHER CHRONIC INTERSTITIAL PNEUMONIA	2 62 16	40 11	22 4	-	-1
56	OTHER DISEASES OF RESPIRATORY SYSTEM501-508,512,514-516,519	234	182	52	-	=
57	IX. DISEASES OF THE DIGESTIVE SYSTEM	911	492	398	8	13
58 59 60	DISEASES OF TEETH AND SUPPORTING STRUCTURES	2 93	2 53	38	ī	ī
61 62	ULCER OF DUDDENUM	41 36 16	25 18 10	15 17 6	-	ī
63	GASTRITIS AND DUQDENITIS535 APPENDICITIS	8 18	5 12	3	1	ī
65	HERNIA AND INTESTINAL OBSTRUCTION550-553,560	118	46	69	2	î
66 67	GASTRGENTERITIS AND COLITIS, EXCEPT ULCEPATIVE, OF NONINFECTIOUS ORIGIN561 DIVERTICULA OF INTESTINE	60	21	1 39	<u> </u>	-
68 69 70	CIRRHOSIS OF LIVER	16 277 82	191 59	12 78 18	2	1 6
71 72	OTHER SPECIFIED*571.8 UNSPECIFIED*571.9	46 149	30 102	15 45	2	3 1 2
73 74	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS574,575 OTHER DISEASES OF DIGESTIVE SYSTEM526-530,534,536,537,564-570,572,573,576,577	54 264	21 138	33 121	ž	3
75	X. DISEASES OF THE GENITOURINARY SYSTEM	374	217	152	4	i
76. 77:	NEPHRITIS AND NEPHROSIS	109 17	62	45	2	_
78 79	NEPHROTIC SYNOROME581 CHRONIC AND UNGUALIETED NEPHRITIS AND RENAL SCIENCES582	3 89	2 51	1 36	- 2	-
80 81	INFECTIONS OF KIDNEY	82 12	41 6	40	1	1
82	### DISEASES OF URINARY SYSTEM	116 30	63 30	52	1 -	***
84 85	OTHER DISEASES OF GENITAL ORGANS	1 24	15	8	-	ī
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	1		1	•••	-
67 66	ECTOPIC PREGNANCY	- 1		- 1	:::	z)
89		= 1	ı l	21	:::1	<b>-</b> 1

and Sex: United States and Each State, 1973—Con.

	KANSAS White All other Total Male Female Male Fema					. 1	KENTUCKY		`		1	DUI SIANA		
m1	Whi	.te	A11 o	ther	Total.	Whi	te	Al.1. o	ther	m1	Whi	te	A11 o	ther
TOCAL	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
8+129 835 7+294 4+588 28 3+511	4,418 326 4,092 2,811 12 1,595	3+388 446 2+942 1+607 11 1+769	179 34 145 103 4 72	144 29 115 67 1 75	12,214 1,150 11,064 7,580 43 4,584	6,594 452 6,142 4,563 24 2,002	4,663 550 4,113 2,445 18 2,198	498 51 447 331 1 166	459 97 362 241 - 218	11.745 1.566 to.179 5.985 22 5.736	4, 754 378 4, 376 2, 892 12 1, 849	3,445 439 3,006 1,653 6	1,817 315 1,502 801 2 1,013	1,729 434 1,295 639 2 1,088
506 3 2 13 2	238 2 1 3	1 243 - 1 9 2	11 - - -	1 14 1 - 1 -	7 1,057 3 6 17 -	5 550 1 3 8 - -	401 2 1 9 -	58 - - -	48 - 2 - - -	2 1,051 9 6 13 -	1 306 2 - 4 -	319 1 2 5	206 5 2 1	220 1 2 3 - - - 171 26
11 304 83 101 2,829	3 135 34 63	7 155 47 31 1,506	5 2 4	1 9 - 3 82	16 666 90 275 4,283	8 310 38 190 1,776	8 280 39 70 2,115	- 42 5 11	34 8 4	13 774 124 125 3+830	4 225 39 36 1,093	5 237 42 32 1+355	1 141 17 40	17
280 2•549 82 453 655 16 65	108 1.082 38 191 245 9 31	155 1+351 41 242 377 7 29 481	6 45 1 6 16 - 2 19	11 71 2 14 17 - 3 29	338 3,945 124 669 1,043 7 62 1,647	126, 1,650 44 303 422 3 25 687 292	147 1,968 66 293 549 3 33 782 389	27 141 3 31 38 - 2 74 20	38 186 11 42 44 1 2 104 30	464 3,366 156 541 807 11 40 1,678	85 1,008 47 147 248 4 18	112 1,243 49 170 328 6 12 522	121 541 22 114 110 1 4 327	720 146 574 38 110 121 - 6 385 60
612 798 493 174 26 105 194 178	259 364 177 124 16 47 81 77	329 407 298 44 10 55 101 90	7 8 5 2 - 1 10 9 1	19 13 4 - 2 2 2 2	731 1,030 638 175 67 150 324 276 48	493 264 124 30 75 157 134 23	482 343 42 29 68 133 112 21	28 20 4 3 1 21 19 2	27 11 5 5 6 13 11 2	597 934 555 180 43 156 379 312 67	185 355 178 109 12 56 122 108	268 341 220 35 16 70 122 99 23	112 66 22 7 17 74 58 16	126 91 14 8 13 61 47 14
1 v412 5 10 97 656 29 52 7 265 303	922 3 5 38 312 8 90 5 138 131	536 1 4 58 306 14 17 1 115	37 1 1 - 25 5 4 - 10 6	17 - 1 13 2 1. 12 7	2,156 10 13 91 988 26 85 9 273 595	1,302 4 41 489 11 36 6 137 299	706 4 9 48 404 9 40 2 108 245	97 - 1 62 5 7 - 17 33	51 2 - 1 33 1 2 1 11	1.841 8 15 91 856 25 94 21 207 509	827 2 5 288 288 8 32 57 77 166	455 3 6 33 251 5 22 10 57 157	363 1 2 18 194 5 31 3 46 109	196   2   2   2   12   123   7   4   27   4   27   4   7   7   4   7   7   7   7   7
359 12 55 270 22 3 9 4 43 10 216	269 9 39 214 7 25 3 25 6 154	84 3 13 53 15 1 4 1 1 27 4 56	6 - 3 3  - - - 4 23	- - - - - 1 1 - 2	550 11 96 402 41 1 18 3 69 27 386	404 68 321 11 10 1 46 15 287	125 5 26 73 21 - 4 2 21 11 78	11 1 2 6 2 - 4 - 2 - 17	10 1 - 2 7 - - - 1 4	469 25 47 355 42 18 7 40 6 331	322 11 32 273 6 - 5 2 15 5 155	69 8 6 46 9 - 2 3 19 - 69	57 4 7 32 14 - B 2 5 - 76	21 4 2 4 4 13 5 - 1 1 1 31 1
86 35 39 12 9	574 52 19 27 6 2 5	31 16 9 6 7 3 49	3 3 - 1 2	- - - - 1 2	2 128 51 56 21 5 28	1 79 28 36 15 5 19	1 41 22 16 3 - 5	- 7 1 4 2 - 3	1 - 1 - 1 - 1 8	104 39 40 25 9 25 120	- 55 15 22 18 6 9	25 14 10 1 2 5	18 8 6 4 - 6 23	- 6 2 2 2 1 5 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9
1 43 14 222 90 27 105 41 195	- 19 5 135 65 12 58 24	1 23 8 70 18 11 41 16 93	- 1 8 5 2 1 1 7	1 - 92 2 5 - 5	50 17 355 124 62 169 76 293	24 5 219 90 32 97 32 149	24 12 106 23 24 59 40	2 17 7 2 8 1	13 4 4 5 3	1 46 17 398 98 73 227 54	16 3 200 54 25 121 21 161	1 20 11 111 21 26 64 22 104	1 58 15 15 28 2 64	- 5 2 29 8 7 14 9
331 105 16 81 82 7 99 24 - 14	182 59 10 6 43 32 1 58 24 8	125 38 6 2 30 41 6 35  5	13 7 - 7 1 1 - 4 - 1	11	481 143 20 5 118 148 148 9 135 26 - 20 10	231 68 11 3 54 54 54 3 73 21 12	184 46 5 2 39 79 5 47 	37 15 2 - 13 8 - 9 5 - -	29 14 2 	598 215 23 8 184 133 12 188 15 1 1 34 12	169 55 6 1 48 36 3 53 10 	187 57 6 3 48 58 1 6 55 1 10 2	130 47 8 2 37 21 3 48 5 - 6	112 56 3 2 51 18 - 32 - 6 10

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

=				IOWA		
	CAUSE OF DEATH	Tosal	Whi	te	A11 o	ther
		10881	Male	Female	Male	Female .
01 02	ABORTIONS	<u>-</u> .	•••	=		= 1
03	ABORTION INDUCED FOR OTHER REASONS	Ξ		=1		
05 06	OTHER AND UNSPECIFIED ABORTIONS	=	:::	=	••• ]	= [
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	-	•••		***	- 1
80	DELIVERY WITHOUT MENTION OF COMPLICATIONS		***		***	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	21	6	15	_ [	` _
10 11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	7 14	2 4	5 10	-	1
				-		
-12 13	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	91 37	. 33	55 23	1	2
14	NONARTIGULAR RHEUMATISM AND RHEUMATISM. UNSPECIFIED716-718	6	3	3	-	= 1
15 16	OSTEOMYELITIS AND PERIOSTITIS	1 4	2	1 2	Ξ	Ē
17		43	15	26 	_	2
18	XIV. CONGENITAL ANDMALIES	157	77	77	1	2
19 20	SPINA BIFIDA	6	2	4	~	-
21	SYSTEM 74C THOROCOPHIA AND ALLES OF HEART 746 OTHER CONGENITAL ANOMALIES OF HEART 746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM 747 CLEFT PALATE AND CLEFT LIP 749	20 64	15 29	5 35	<u> </u>	
22 23	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM747	14	5	8	1.	1
24	ALL STHER CONGENITAL ANOMALIES	53	26	25	-	2
.25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	348	210	128	7	3
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	158	82	70	. 3	3
27 28	SENILITY WITHOUT NENTION OF PSYCHOSIS794 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS	15 143	5 77	9 61	- 3	1 2
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	2,138	1,462	633	32	11
30	ACCIDENTSE800-E949 RAILWAY ACCIDENTSE800-EB07	1,731	1,177	530	18	6
31 32 33 34	MOTOR VEHICLE ACCIDENTS	4 853 837 29	2 612 600 24	2 <sup>1</sup> 233 229 5	5 5	3
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN	457	312	139	4	2
36 37		63 94	41 71	22 23	=	-
38	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE,	170 24	139 13	30 10	1 1	·
40 41	OTHER MOTOR VEHICLE TRAFFIG ACCIDENTS INVULYING CULLISION	16	12	<u> </u>	=	1 1
42 43	HATER TRANSPORT ACCIDENTSE830-E838 AIR AND SPACE TRANSPORT ACCIDENTSE840-E845	16 22	14 21	1		1 1
44 45	ACCIDENTAL POISONINGE850-E877	47 10	33 6	13 3	1	
46	ACCIDENTAL POISONING BY OTHER SDLIB AND LIQUID SUBSTANCESE860-E869	7 30	5 22	2 8	= 1	= 1
48 49	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS	281	136	144 15	1 1	= :
50	FALL ON SAME LEVEL	58 .10	42 2	`8	= =	- 1
51 52	ACCIDENTS CAUSED BY FIRES AND FLAMESE890-E899	213 73	92 40	12 I 32	ī	-
53 54	ACCIDENTAL DROWNING AND SUBMERSIONE910 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION	81	59	20	2	
55	OR SUFFOCATIONE911,E912 ACCIDENT CAUSED BY FIREARM MISSILEE922	36 34	20 27	15 3	1 2	ž
56 57	ACCIDENTS MAINLY OF INDUSTRIAL TYPE	125 4	120	5 -	=	1
58 59	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	4	3	1	-	4
60	OR RADIATION	2 19	2 18	- 1	-	- ]
61 62	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPEE916-E919,E921,E927,E928 SURGICAL AND HEDICAL COMPLICATIONS AND MISADVENTURESE930-E936	96	93	3 38	- 2	
63	ALL OTHER ACCIDENTS	80 79	40 53	22	3	ī
64	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCEE950	314	237	72	3	2
65 66	SUICIBE FROM POISONING BY SOLID OR LIQUID SUBSIANCE	27 52	10 35	15 17	1 -	1 1
67 68	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION	59 162	45 141	13 19	2	1
69	i I	14	6	8	~	-
70 71	HOMICIDEE960-E978 ASSAULT BY FIREARM AND EXPLOSIVEE965	55 39	22 15	19 12	11 10	3 2
72 73	ASSAULT BY FIREARM AND EXPLOSIVE	5 11	4 3	1 6	1	
74 75	LEGAL EXECUTION		-		<u>-</u>	-
76	TALUERTES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989	37	25	12	_ [	_]
77	INJURIES RESULTING FROM OPERATIONS OF WAR	"i l	1 1	· - 1	- I	

		KANSAS		y ,,,,,,,			KENTUCKY				risk; see Te	LOUISIANA			Ī
	Whi	te	A11 o	ther		Whi	te	All o	ther		Whi	.te	A11 o	ther	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	]
1			•••		1 - - 1 3		1 - - 1 3	*** *** *** ***	2	1	•••		•••	1 - 4	01 02 03 04 05 06
27	7	16	1	- 3	40	9	24	2	5	61	11	19	12	19	09
8 19	3 4	5 11		- 3	3 37	9	2 22	1	5	6 55	. 11	3 16	_ 12	3 16	10 11
58 25 1 - 3 29	15 8 - - - 7	39 15 1 3 20 58	1 1 2	3 1 - - . 2 7	88 41 3 2 7 35	22 10 1 1 10	51 26 1 1 5 18	2 - - 1 1 6	13 5 2 6 9	84 27 2 2 1 52 314	22 9 - 1 - 12	40 10 1 1 1 27 95	6 - - 1 65	16 3 1  12 48	12 13 14 15 16 17
2 20 41 9 - 55 283	10 18 6 - 26	2 10 19 2 - 25	- 1 - 1	3 1 - 3 14	15 42 86 13 ~ 79 479	6 . 16 . 43 2 - 37	23 36 10 - 38	- 2 3 - 1 1	1 4 1 2 3 24	°12 49 142 23 - 68 773	3 12 56 4 - 31 243	5 21 38 6 - 25	3 13 20 8 - 21 203		20 21 22 23 24 25
203 41 162	113 17 96	70 18 52	9 2 7	11 4 7	187 23 164	90 9 81	70 13 57	13 1 12	14 	291 31 260	93 9 84	74 13 61	63 5 58	61 4 57	26 27 28
1,792	1,114	534	117	27	3,100	2,048	776	219	57	3,591	1,622	592	1+059		29
1,369 11 648 630 25	855 7 437 424 20	437 179 176 4	57 1 23 21	20 3 9 9	2,281 22 1,128 1,083	1,500 18 770 735 16	615 1 282 274 7	124 2 57 55 2	42 1 19 19	2,543 26 1,132 1,113	1,218 12 560 550	454 1 216 211	659 12 279 276 1		
275 49 85 93 103 18 3 14	170 32 64 75 63 13 1 11	93 13 15 18 33 3 2	9 3 5 - 4 2 2	3 1 1 - 3 - - 1	396 166 103 351 42 45 5 45	223 107 82 274 33 35 3 39	142- 42- 15- 60 8 8 1 6 3	24 12 4 13 - 2	752411-2	426 165 94 179 232 19 5 116	219 66 52 101 102 10 3 83 24	97 30 11 19 51 5 2 4	88 49 26 47 65 3 - 29	22 20 5 12 14 1 -	35 36 37 38 39 40 41 42 43
43 17 9 17 222 48 7 167 63 62	26 6 6 14 96 33 2 61 29 40	2	2 1 1 - 3 1 - 2 4	- - - 2 - 2 1	72 20 21 31 318 91 12 215 121	47 8 16 23 154 65 5 84 62 90	21 10 4 7 151 23 7 121 49	3 2 - 1 6 1 - 5 12 16	1 7 2 5 4	65 31 7 27 232 43 4 185 186	29 12 4 13 88 22 1. 65 65	16 14 - 2 84 6 3 75 30 26	10 1 3 6 40 13 - 27 48 93	10 4 - 6 20 2 - 18 43 14	44 45 46 47 48 49 50 51 52 53
24 30 107 11	11 22 98 - 9	12 6 5 - 2	- 2 4 - -	 - - -	47 65 177 16	20 49 161 15	18 10 11 - 1	7 6 4 - -	2 71 -	63 193 132 1 1	20 55 87 - 8	21 9 7 - 2	10 61 33 1 2	12 8 5  2	54 55 56 57 58
24 69 41 79 267	1 23 65 20 38 188	67	2 1 1 2 4	 - 2 1	4 37 120 50 81 424 35	333 110 19 46 310	3 7 25 26 98 25	1 3 3 8 11	1 - - 3 1 5	7 28 82 70 108 391 31	2 20 57 27 48 244 10	2 1 2 13 25 90 18	- 7 23 19 24 45	11 11 12	59 60 61 62 63 64 65
267 31 28 30 161 17	18 18 24 133 5		- 8 2	- 1 5 4	424 35 14 36 315 24 326	10 28 250 13	4 7 53 9 48 34	- 1 9 1 79 62 10	- 3 1	31 14 20 294 32 624 472	10 12 197 15 148 114	4 54 10	3 36 5		64 65 66 67 68 69
109 76 17 15 - 1 47	42 27 8 6 - 1 29		43 33 7 3 - - - 7	- - -	251 31 42 - 2 69	151 14 23 - 2 48	15	10 7 - - 5	9432	85 60 - 7	114 17 15 - 2 12	22 3 14 - - 9	267 54 19 - 5	92 69 11 12 - - 2	70 71 72 73 74 75 76 77

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

		1		MAINE		
	CAUSE OF DEATH	Total	Whi	.te	All o	ther
			Male	<b>Female</b>	Male	Female
01	ALL CAUSES	10,870	5,973	4,856	19	22
02	I. INFECTIVE AND PARASITIC DISEASES	75	40	35	-	-
03 04 05	CHOLERA	-	-	=	-	-
06 07		-		=	=	-
08 09 10	ENTERITIS AND OTHER DIARRHEAL DISEASES	20 14 12	7 10 9	13 4	-	-
11 12	FOOD POISONING (BACTERIAL)	-	<u> </u>	-	-	3
13 14 15	TUBERCULOSIS OF BONES AND JOINTS	- - 2	- 1	- 1	=	=
16 17	ANTHRAY	-			_	-
18 19	BRUCELL OS IS	-	-	-	듸	-
20 21 22	O32 HHODPING COUGH		-	-	-1	=
23	REYSTPELAS	-	- 1	=	3	-
25 26	TETANUS037	17	10	- 7	=1	3
27 - 28	OTHER BACTERIAL DISEASES	1 -	= = =	: <u>i</u>	=	-
29 30	LATE EFFECTS OF ACUTE POLIONYELITIS			-		-
31 32	MEASLES		-	-	-	-
33 34 35	VIRAL ENCEPHALITIS	-	2 -	2 -	-	1
36 37	MARIES	- 5	1 7	z -	= = = = = = = = = = = = = = = = = = = =	- 1
38 39	TYPHUS AND OTHER RICKETTSIOSES			_		-
40 41	TYPHUS AND OTHER RICKETISIOSES	-	<u>-</u>	=	-	-
42 43	SYPHILIS AND ITS SEQUELAE	1 -	1	_	-1	-
44 45	CONGENITAL SYPHILIS	=		-		-
46 47 48	UTHER CARDIOVASCULAR SYPHILIS	1 -	1 -	-[	= 1	-
49 50	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM	=	] []	]	=1	- 1
51 52	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM	-		_	=	-
53 54	HYDATIOGSIS		] [	-	-	-
55 56	OTHER HELMINTHIASES		] [	. =	[]	-
57 58	OTHER INFECTIVE AND PARASITIC DISEASES	10 1,981	1.080	5 897	2	2
59.	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND	1.000	1 1 1			
60 61	HALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX	37	1, D62 32 3	883 5 	-	2
62 63	OF TONGUE141 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY142-145	8 7	6 5	2 2	Ē	3
64 65	OF PHARYNX	19 572	18 302	1 268	-	1
66 67	OF ESOPHAGUS	29 82	18 45	10 37	1	-
68 69 70	OF LARGE INTESTINE, EXCEPT RECTUM, PROPERTY OF LARGE INTESTINE, EXCEPT RECTUM, PROPERTY OF LARGE INTESTINE, EXCEPT RECTUM, PROPERTY OF LARGE INTESTINE, EXCEPT RECTUM, PROPERTY OF LARGE INTESTINE, EXCEPT RECTUM, PROPERTY OF LARGE INTESTINE, PROPERTY OF LARGE INTESTINE, EXCEPT RECTUM, PROPERTY OF LARGE INTESTINE, PROPERTY OF LARGE INTE	243	102	140	=	ī
71	CECUM, APPENDIX, AND ASCENDING COLON	36 18 6	15 6 2	21 12 4	<u> </u>	
72 73 74	SIGMOID COLON	42 114	20 50	22 63	3)	1
75 76	INTESTINAL TRACT, PART UNSPECIFIED	27 76	9 51	18 25	-	-
77 78 79	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY155 OF GALLBLADDER AND BILE DUCTS156	10 17	8 11	2 6	=	-
80	OF PANCREAS	102	60 3	42 6	-	-[
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	453	353	100	_	ار.
82 83 84	OF LARYNX	13 433	10 337	3 96	-	
85 86	OF OTHER PARTS OF RESPIRATORY SYSTEM	215 12	6 23 6	191	-	ī
87 88	OF CONNECTIVE AND OTHER SOFT TISSUE	8 21	2	6		=
89	DF_BREAST172,173	174	14	172	<u> </u>	<u> </u>

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

.

ļ

!

.

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

		1		MAINE		
	CAUSE OF DEATH	Total	Whi	te	A11 a	ther
		10001	Male	Female	Male	Female
	MALIGNANT NEOPLASHS, ETCCON.					
01 02	MALIGNANT NEOPLASMS OF GENITAL ORGANS	230 35	113	117	-	-
03	OF OTHER PARTS OF UTERUS	27 47		27 47		<b>:</b>
05 06	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	8	•••	. 8		-
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS	105	105	•••	Ξ}	***
08 09	OF BLADDER	101 50	57 33	44 17		= {
10	HALIGNANT NEDPLASMS OF OTHER AND UNSPECIFIED SITES190-199	51	24	27		
11 12	DE EVE	173 1	93	79 1		
13 14	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	44 -	31	13	= [	2
15 16	OTHER	128 73	62 43	65 30	1	-
17 18	LEUKEMIA. 204—207 LYMPHATIC LEUKEMIA. 204 MYELOID LEUKEMIA. 205 HONDCYTIC LEUKEMIA. 205	23 35	. 14 19	9 16	<u> </u>	-
19 20	MONOCYTTC LEUKEMIA296 DTHER AND UNSPECIFIED LEUKEMIA207	1 14	10	1 4		-
21	OTHER NEOPLASHS OF LYMPHATIC AND HEMATOPOIETIC TISSUES200-203,208,209	95		·		
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA	39	46 19	49 20	= 1	- 1
23 24 25	MILTIPLE MYELOMA	21 14	8.	13		-
26	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES202,208,209 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	21 32	11 18	10 14	2	-
27 28	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS218-221 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM224,225	-	•••	5	***	1 1
29 30	OTHER BENIGN NEOPLASMS210-217,222,223,226-228 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS234-236	5	3	2	<b></b>	-
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM238	15	11	4		٠,
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE230-233,237,239	5	2	3	_	-
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	224	96	1,27	1	-
34	NONTOXIC GOITER	= 1	) - i	- 1	- '	, a
35 36	ALL OTHER DISEASES OF THYROID GLAND	3 4	=	3 4		[ ]
37 38	DISEASES OF PITUITARY GLAND253	182	80	101	1 -	1 1
39 40	NONTOXIC GOTTER	- 6	- ī	5	-	
41 42	NIACIN DEFICIENCY	- 8	2		Ξ'	
43	CYSTIC FIBROSIS	4	3 9	1	=	-
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	27	14	13	-	-,
46	ANEMIAS280-285	18	10	8	-	
47 48	DEFICIENCY ANEMIAS280,281 HENGLYTIC ANEMIAS282,283	3 1	1 1	2	-	1 1
49 50	HENGLYTIC ANEMIAS	6 8	2 6	4 2	-	
51 52	PURPURA AND OTHER HEMORRHAGIC CONDITIONS287 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS286,288,289	2 7	1 3	1 4	5	1
53	V. MENTAL DISORDERS	58	37	21	_	_
54	SENILE AND PRESENILE DEMENTIAS	12	7	5	-	
55 56	ALL OTHER PSYCHOSES 294-299	2 4	2	3	-	1
57 58	ALCOHOLISM	27	22	5 ]	-	1
59	MENTAL DISORDERS300-302,304-309 MENTAL RETARDATION310-315	12 1	1	8 -	7	
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	91	58	33	-	-
61 62	MENINGITIS	· 5	4 3	1 [	5	- ]
63	MULTIPLE SCLEROSIS	4	2	2	-	3
64 65	CEREBRAL SPASTIC INFANTILE PARALYSIS343	25 3	16 2	9		
66 67	EPILEPSY	11	7	-		Ξ.
6B 69	GATARACT	<u> </u>	[ _ [	=	<u> </u>	= 1
70 71	OTITIS MEDIA AND HASTOIDITIS	-	-	-	-	- ]
•	AND SENSE ORGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389	40	24	16	-	إند
72	VII. DISEASES OF THE CIRCULATORY SYSTEM	6,136	3, 232	2,886	8	10
73 74	ACTIVE RHEUMATIC FEVER	1 72	1 29	43	-	<u>.</u>
75	DISEASES OF MITTAL VALVE	18	5	13	- [	-
76 77	DISEASES OF OTHER EMOCARDIAL STRUCTURES	20	8	12		ا ت
78 79	HYPERTENSIVE DISEASE400-404	32 144	15 63	17 81	<u> </u>	=
8.0 81	MALIGNANT HYPERTENSION	8 9	4 3	4 6	-	-1
82 83	HYPERTENSIVE HEART DISEASE	55 32	25 17	30 15	-	<u>-</u> l
84	HYPERTENSIVE RENAL DISEASE	40	14	26	- 1	

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Buocategory		MARYLAND		, , , , , , , , , , , , , , , , , , ,			S SACHUSETT	<del></del>	- Audital			MICHIGAN	attack]	****	T
Tab -1	Total White All other  Male Female Male Fem					Whi	te	All c	ther		Whi	ite	All o	other	1
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Ţotal	Male	Female	Male	Female	
752 123	238	327 90	112	75 33	1,234 149	552	650 146	20	12	1,674 257	665	763 193	116	130	01 02 03
123 105 154 20		87 135 15	***	18 19 5	181 311	:::	177 306 21	•••	3 4 5	216 377 43	***	191 343 36	***	64 25 34 7	03 04 05
20 342 8 300	233 5 185	***	109 3 19		21 540 32 521	521 31 316 203	196	19 1 5		727 54 685	615 50 446	194	112 4	20	04 05 06 07 08 09
179 121	111 74	41 40	14 <sup>1</sup> 5	15 13 2	306 215	113	97 99	3 2	3 1	385 300	263 183	95 99	25 15 10	12 8	09 10
709 6 119	286 2 50	296 4 54	· 67	60 - 8	1,033 10 217	490 6 110	516 4 103	15 - 1	12 - 3 - 9	1,338 12 315	606 6 166	585 5 113	81 1 22	66  14 	11 12 13
13 571 220	6 228 113	232 79	60 15	1 51 13	26 780 360	369 201	21 388 154	14 3	9	41 970 644	12 422 345	25 442 249	1 57 30	- 3 49 20 3	14 15 16
60 90 5	33 47 3	20 32 1	5 3 1	2 8 - 3	99 163 11 87	62 79 7	35 81 4	1 2 -	2 1 1 -	170 260 21	99 151 12	56 110 9	12 10 -	9 -	11 12 13 14 15 16 17 18 19 20
65 320	30 161	26 118	6 22 7		561	53 282	34 266	9	4	173 864	83 427 158	74 361	8 42	8 34	1
104 59 78 79	47 40 31	48 14 27 29	3 8	19 2 . 2 12	212 91 125	105 42 67	103 48 55	4 1 1	- 2 2 4	318 151 183	82 82	361 139 57 72	13 7 13	8 5 16 5	21 22 23 24 25 26 27 28 29 30
131	43 54	51	9	3 17 1	133 173 2	68 83	60 86 1	3	1	212 202 1	105 93	93 81 1	9 15	13	25 26 27
12 17 1	8	7 8 ~	1 	1 1	21 22 -	10	11 12 -	- -	1 - -	21 27 3	10 13	10 10 3		. <u>1</u> -	28 29 30
64 36	26 16	23 13	5 3	10 4	86 42	46 18	39 23	-	1 1	108 42	52 18	42 15	7 4	7 5	31 32
940	259	441	93	147 1	1,281	507	725 1	19	30 -	2,464 1	910	1,234	138 1	182	33
779	212	2 7 366	1 - 73	128	9 21 1,083	3 4 422	6 17 618	17	- - 26	11 27 2• 062	4 14 731	7 11 1,060	115	2 156	34 35 36 37
4 - 2	2	=	1	1 -	7 -	4 - 2	3 - 12	=	-	12 2 27	5 2 14	3 - 12	_	4 -	13B
51 20	10	- 28	6	- 7 -	55 14	22	32 5		- 1	113 113 18	41 9	1 60 9	- - 4	8 -	39 40 41 42 43
73 92	29 37	13 25 30	9 14	10 11	77 156	41 63	31 85	2	3 5	190 239	90	71 98	18 19	11 . 27	44
56 3 8	25 ~	17	7	7	97 23	38 5	53 16	2 1	4 1	150 15	57 \$	. 59 7	13 1		i
8 25 20 7	1 13 11	- 8 6	3 2 2 2	4 2 1	12 28 34	2 16 15	8 12 17	1 - -	1 1 - 2 -	27 60 48	3 31 18	4 26 22 13	. 8 1 3	21 2 12 2 5	46 47 48 49 50
29	11 2 10	3 10	5	4	18 41	7 18	11 21	1	1	19 70	32	26	6	6	51 52
192	70 2 4	38	65	19 -	172   39	102	58 27	9 - 1	3 - -	455 18	194 .7	82 B	140 2	39 1 -	53 54 55
15 8 82	37	2 5 11	9 1 26	1 8	15 7 85	12 5 57	2 1 18	1 7	3	19 10 177	11 3 102	2 3 26	6 2 40	2 9	56 57
69 B	24 2	10	26 2	9 1	24 2	15 1	9 1	-	=	212 19	62 9	. 35 B	88 2	27	58 59
325 40	128 14	111	50 14	36 5	442 29	21.7 15	207 10	11 2	7 2	752 58	351 20	· 305 24	56 8		60
13  [	9 6 29	i 21 21	2 1 2	1 9 2	17 52	13 20	4 32 52	- - - 3		31 75 145	. 23 26 81	5 43 57	3 1 7	5	62
37 54 15 42	B 9	11	16	6	94 5 43 1	42 2 24 1	3 15	· 3 -	1	23 83	11 25	7 36	11	5 11	65 66 67
- 2	- 2	-	<u>-</u>	-	3	- 1	- - 2	-		2 - 7	- - 4	1 - 2	1 -	5 - 5 11 -	61 62 63 64 65 66 67 68 69
122	51	44	14	13	198	99	89	6	4	328	161	130	25	12	71
16,705	7,355 1	6 <b>,</b> 660	1,502	1,188	31,191	15,333 2	15,283 2	309	266	40,916 6	20,135	16,931 4	2,091	_	72 73
213 61 57	87 19 32	96 36 14	14 3 6	16 3 5	493 125 141	163 31 72	316 90 64	- 7 2 3	7 2 2	536 135 143	218 43 85	250 78 35	37 6 18	31 8 5	74 75 76
9 86 277 14 19	2 34 88	5 41 119	1 4 29	1 7 41	15 212 574	6 54 234	7 155 314	1 1 12	1 2 14	24 234 737	6 84 269	15 122 312	10 77	- 18 79	77 78 79
14 19 86	4 ) 5	- 1	5	5 3 13 8	26 24 315	12 12 114 60	11 12 183	- - 9 2 1	3 - 9	43	14 16 104	12 19	9 5 32	18 79 8 2 39 20 10	74 75 76 77 78 79 80 81 82 83
86 61 97	21 21 37	42 24 44	10 8 4	12	129 80	60 36	66 42	1	1	336 181 135	83 52	161 58 62	20 11	20 10	83 84

!

ı

:

:

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

				MATNE		
	CAUSE OF DEATH	Total	Whi	te	A11 a	ther
			Male	Female	Male	Female
01 02 03	ISCHEMIC HEART DISEASE	3,967 402 3,565	2,250 184 2,066	1,706 218 1,488	5	6
04 05 06	ACUTE MYDGARDIAL INFARCTION410	2,421 7 1,536	1,506 4 738	907 3 795	4	4 - 2
07 08 09	CHRONIC ISCHEMIC HEART DISEASE	258 -	2 130 -	1 127 -	1	= = = = = = = = = = = = = = = = = = = =
11 12 13	I CUDDNIC DISEASE DE ENDOCADDIUM	. 7 - -	1 2 -	3 5 -	- 1	=   =
14 15 16 17	OF MITRAL VALVE. NONRHEUMATIC	7 154 37 56	2 79 22 26	5 74 15 30	1	111
18 19 20 21	CEREBROVASCULAR DISEASES	1,196 143 1,053	515 43 452	675 79 596	2 1 1	4
22 23 24	MITH HYPERTENSION (BENIGN) (-0)	62 257 316 5	24 110 147 3	36 145 169 2	1 1 -	1
25 26 27	THE GENERAL DISERSES SEES SEES SEES SEES SEES SEES SE	25 282 249	10 121 100	15 161 147	1	- z
28 29 30 31	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	399 222 97 25	202 91 64 15	197 131 33 10	1 7	1111
32 33 34 35	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES442-444,446-448 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM450-458 VENOUS THROMBOSIS AND EMBOLISM	55 99 90	32 42 39 3	23 57 51	-	111
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM	677	430	244	-	3
37 38 39 40	ACUTE UPPER RESPIRATORY INFECTIONS	2 8 35	1 6 17	1 2 18	-   -   -	11
41 42 43	ACUTE UPPER RESPIRATORY INFECTIONS	304 14 25 3	157 5 9 3	. 147 9 16		-
44 45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED DRGANISMS	127 135	64 76	63 59	<u>.</u>	=
46 47 48 49	BRONCHITIS, ENPHYSEMA, AND ASTHMA	165 3 40 110	134 1 33 94	31 2 7 16	1 1 1	
50 51 52	HYPERTROPHY OF TONSILS AND ADENDIDS	12	6 - 3	6   -   1	-	1
53 54 55	PLEURISY 511 OTHER CHRONIC INTERSTITIAL PNEUMONIA 517 BRONCHIECTASIS 518 OTHER DISEASES OF RESPIRATORY SYSTEM 501-508,512,514-516,519	3 14 8	2 9 6	1 5 2	-	3
56 57	IX. DISEASES OF THE DIGESTIVE SYSTEM	133 395	95 233	36 159	- -	3
58 59 60	DISEASES OF TEETH AND SUPPORTING STRUCTURES	- 40	- 2 <u>7</u>	1 <u>3</u>		=
61 62 63	ULCER OF DUDDENOM	14 22 4 4	17 3 2	7 5 1 2	-	3
64 65	GASTRITIS AND OUODENITIS	9 34	6 15	3 19	-	3
66 67 68 69	BASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN561 DIVERTIEULA OF INTESTINE	15 7 162	- 5 5 100	10 2 59	- -	
70 71 72	ALCOHOLIC	72 17 73	52 7 41	17 10 32	=	3 -
73 74 75	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	20' 104	13 60	7 44	=	=
76 77	X. DISEASES OF THE GENITOURINARY SYSTEM	134 36	73 18	61 18	- [	-
78 79 80	ACUTE NEPHRITIS	6 1 29 31	6 12 14	1 17	-	111
81 82 83	INFECTIONS OF KTONEY	31 7 35 12	14 3 19 12	17 4 16		-
84 85 86	DISEASES OF BREAST	13	7	6	-	=
87 88	ECTOPIC PREGNANCY			- -	:::	=

and Sex: United States and Each State, 1973—Con.

Buocategory		MARYLAND					A S SACHUSET					MICHIGAN			Ī
	Whi	te	A11 o	ther	m	Whi	te	All o	ther	m_4_1	Whi	te	All o	ther	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
11.750 1.607 10.143 5.256	5,517 529 4,988 2,945	4,482 659 3,823 1,800	1,019 217 802 308	202 530	1,584 19,326	11,103 637 10,466 6,138	9,480 911 8,569 4,058	188 16 172 101	139 20 119 65	27, 405 2, 913 24, 492 14, 748 91	14,464 1,142 13,322 8,744	10,543 1,309 9,234 4,980 36	1,364 242 1,122 595	1.034 220 814 429	01 02 03 04 05
64 6,429 1 706 11 13	2,538 2,538 278 4 5	24 2,657 1 264 4 4	707 	l -	10,491 5 1,122 11 21	4,925 2 576 7 6	5,405 3 494 4 14	87 - 27 - 1 1	74 25 - -	12,554 12 1,443 19 33 47	5,661 10 664 6 16 21	5,526 1 591 11 4 25	767 111 9	600 1 77 2 4	06 07 08 09 10
- 1 12 462 107 100	1 1 4 173 53	- 6 177 43 30	- 62 9	1 2	- 6 16 741	- 3 5 383 62 110	325 51	1 1 13 4 8	- - 20 2 3	4 8 35 942 124 278	1 7 13 429 53 139	3 1 21 396 61 94	- 1 65 6	52 4 15	12 13 14 15 16 17
2,633 405 2,228 173 429 559 11 36	910 123 787 54 152 194 3 14	1,228 143 1,085 74 150 293 6 15	252 77 175 17 17 17 1 37 2 5	104	738 5,006 253 1,339 1,891 42 77	2,201 268 1,933 99 562 695 21 38	3,438 447 2,991 147 749 1,165 21 36 833	46 .8 .38 .4 .12 .16 	15 44 3 16 15 - 3	44	3,171 407 2,764 1,32 504 969 18 74 942 532	3,957 533 3,424 176 569 1,223 20 41 1,198	391 99 292 27 81 110 3 6 108	414 113 301 34 68 120 3 7 122 60	18 19 20 21 22 23 24 25 26 27
487 855 419 240 54 142 266 239 27	195 380 145 160 19 56 94 84	61 96 87	25 53 14 15 11 13 41 33 8	35	1,692 885 477 77 253 652	274 768 292 318 32 126 286 252	487 891 579 149 42 121 348 326	8 19 5 7 2 5 10 9	14 9 .3 1	2,197 1,172 605 101 319 659	1,086 498 399 42 147 262 234	792 627 173 46 146 282 237 45	50 16 19 4 11 60 52	69 31 14 9 15 55 54	28 29 30 31 32 33 34 35
1,524 10 11 34 710 11 79 77 270	795 3 4 7 295 4 20 3 3	5 5 26 277 6	147 2 2 - 87 1 11 1 36	1 51 - 12 - 20	9 28 99 2,438 58 236 16	2,354 4 16 .52 1,208 31 129 5	45 1,130 23 98 11 521	87 - - - 59 3 5- 35	56  2 41 1 4  22	40 535	2,447 7 16 58 869 20 82 15 246	1+327 7 8 68 730 14 58 13	351 - 1 3 206 1 21 6 49	200 2 2 5 145 3 12 6 26	40 41 42 43 44
343 325 .4 .53 245 245 23         	141 212 1 32 177 2 15 4 19 6 230	3 18 56 10 - 5 4 8 3	36 17 	9 - 1 1 7 - 4 -	782 25 146 548 63 1 28 14 81	513 587 13 117 433 24 - 22 7 52 12 394	33 1 6 7 27 12	16 11 1 1 6 3 - - 1 1 15	14 4 1 - - 3 - - 1 - 8	1,164 - 199 1,093 88 2 51 16 149 30 539	506 1,003 8 126 834 25 1 23 10 97 12 351	431 310 17 56 200 37 1 12 5 38 17	129 76 6 12 47 11 - 9 - 10 1 45	22 - 5 12 5 - 7 1 4 -	45 46 47 48 49 50 51 52 53 54 55 56
1,547 - 117 55 45 17 8 17	643 66 30 26 10 4 5	32 21 9 2 3 5	4	- 4 - 3 1 - 2	232 103 100 29 19	1,374	95 47 39 9 7	55 - 5 4 - 1 1 7	_	139	1,701 - 187 77 82 28 10 17 119	1,101 - 84 49 22 13 8 10	343.  18 9 7 2 - 5 16	202 - 7 4 1 2 4 1 15	57 58 59 60 61 62 63 64 65
1 47 24 798 207 260 331 42 365		14 194 52 51 91	1 1 1 176 39 89 50	5 1 81 17 37 27	309 156 697 102	43 18 729 195 89 445 445 314	13 394 99 62 233 56	- - - 23 8 4 11 1	- 2 - 16 7 1 8 - 8	149 45 1.689 445 432 812 126 717		76 25 431 114 110 207 67 280	- 6 1 234 51 99 84 3 60	5 4 113 25 42 46 8 45	66 67 68 69 70 71 72 73 74
488 166 27 5 134 63 12 200 25 22	191 56 6 2 48 23 4 78 21	42 14 1 27 21 5 64	32 	36 7 1 28 13 	203 44 7 152 151 18 334 29 1	388 104 26 4 74 67 8 155 29 2	3 69 79 8	22 7 - - 7 3 2 10	3  2 2  12	876 300 42 18 240 180 21: 27: 37 3 63	386 115 21 6 88 59 10 135 36 -	319 103 14 9 80 91 10 90 	88 42 3 1 38 15 1 26 1	83 40 4 2 34 15 - 21 1 6	86 -
1 -	]]	=	***				1 1		- -	. 2	:::	1 4	:::	3 2	87 88 89

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

-		-		MAINE		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
			Male	Female	Male	Female
01 02 03 04 05	ABORTIBNS	1111	***	11111	:::	1 1 1 1
07 08	SEPSIS OF CHILDBIRTH AND THE PUERPERTUM	-	•••	· -	•••	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	8	4	4	-	-
10 11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	7	4	1 3	-	=
12 13	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	24 11	4	20 10	-	-
14 15	ARTHRITIS AND SPONDYLITIS	2 1	1 -	1	-	1
16 17	ANNYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	1 9	. 1	8	-	7
18 19	XIV. CONGENITAL ANOMALIES	69 3	39	29 `3	-	1
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	19	12	6	_	1
21 22 23	CONGENITAL ANOMALIES OF HEART	24 3	13 1	11 2 -		=
24	CLEFT PALATE AND CLEFT LIP	- 20	13	7	-	-
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	144	79	64	1	1
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	69 7	43	26	-	_
28	SENILITY WITHOUT MENTION OF PSYCHOSIS	62	40	22	-	-
29 30	E XVII. ACCIDENTS, POISONINGS, AND VIGLENCE	758 567	511 378	237 182	7	3
31 32 33 34 35	ACCIDENTS	3 236 233 1	163 160 . 1	68 68 -	4	1
36 37 38 39 40 41 42 43	MOTOR VEHICLE	73 40 42 63 14 3 2 20 6	52 21 29 48 9 3 1 19	20 18 12 14 4 	. 1 1 1 1	1
44 45 46 47 48 49 50 51 52 53	ACCIDENTAL POISONING	22 7 5 10 81 26 50 52 40	16 4 3 9 37 17 3 17 28 34	6 3 2 1 44 9 2 33 23 6	1	1
55 56 57 58 59	ACCIDENT CAUSED BY FIREARM MISSILE	15 8 30 1 3	10 8 28 1 2	5 - 2 - 1		
60 61 62 63	ACCIDENT CAUSED BY ELECTRIC CURRENT	2 3 21 30 22	2 20 15 12	1 15 9	. =	1
64 65 66 67 68 69	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE	150 , 9 - 24 24 78 15	107 2 17 15 66 7	43 7 7 9 12 8	- - -	11111
70 71 72 73 74 75	HOMICIDE	27 17 3 6 -	15 11 1 2 -	10 5 1 4 -	1 1 - -	1
76 77	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLIETEDE980-E989 INJURIES RESULTING FROM OPERATIONS OF WAR	14	11	2	1	=

	subcategory	numbers wn	MARYLAND	rrespona ez	kacily with t	ne internatio	<del> </del>	A SSACHUSET		are identification	ed by an aste		MICHIGAN	enoix)		$\overline{T}$
	<del></del>	tal					Whi	te	All o	ther		Whi	te .	All o	other	1.
-   -   -   -   -   -   -   -   -   -	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	1
	_				_	_				-	2				2	01
1	] -[	***		•••	-		•••	_	•••	Ξ		ļ		•••	2	02
1	1 -1	***	=	•		=		=		]		•	_		- 2	05
10		J :	1	ļ	l .	1	l .	J .	}	-	i l	[	1	i '	2	06
13	-	•••		•••					•••	-					-	ОВ
1	ľ	] .	]	]		J .	Į.	ļ	-	1	<b>}</b>	ſ	į į	ľ	10	10
22	33	11		-	6	47		32	-	2		15		5	ā	ii
2		1				j j	j .	ļ	2			ł			25	12
31	2	-		-	_	4	] 1	2	1	-	10	1	7	2 -	2	13 14 15
220	3	1 -		1	- 5	50	} -	2	Ţ	-	7	2 2	5	Ţ	19	16 17
30	1		ļ	1		j j	1	J	13	J	1 1	ì	1	ł .	51	18
24	11	4	5	2	-	10	7	3		-	29	15	.11	2	1	19
24	31	9		3	2		24			- 3		41	42	,2	·9 14	20
476	24	_	6	2 -	3	31	25	6	l	-		21			5	20 21 22 23 24
295	l i	;		1		l l	ł	ł	ŀ	ľ	[	ſ			22	
10		) ]					]				1.463	595	394	261	213	25
285	1 1	1	1	1	l .	] ]	1		!			ł	1	. 29	85	26
1.7477		101	76	64	44		235	161		12	647		208	79	84	27 28
12			Į.	1	l .	1 )	1		1	ļ	j.		Į i	1	329	29
2	12 854	8 492	163	125		12 1,043	.11 728	1 280	26	· -	12	10	609	2	172	30 31 32 33 34
182	2	2	i -	-		4	3	1	-	_	2,243				67	1
124	182	85	36	42	19	244	150	81	12	3 1	365	203	103	46	25 13 7	35 36 37 38 39 40 41 42 43
18	110	68	21 33		3	] 137 ]	108	25	2	2 2	408	285 113	82	28	13	38
12	18	1 2	î	2	=	15 4	1. 1	6	Ī	ī	39	22 3	15	2 -	] =	40
14	33 12	20	1	11	1		32 23		-		56 65	41	11	9 -	1	43
14	65 26	36 10	9	5	4 2	102 47	30	14	j · 3	-	230 86	127 37	53 20	. 35 . 21	15 B 1	44 45 46
11	18 21		( 4 )	2	1 1	19 36	15 23	10	3	[ -	111	70		11	1 6	46
163     56     72     19     16     505     216     281     4     4     473     178     249     37       131     79     15     32     5     159     120     26     12     1     292     111     71     39       56     18     22     7     9     104     60     39     2     3     128     67     38     15       16     12     2     2     -     27     22     2     3     -     83     58     12     11       79     60     4     14     1     74     64     7     3     -     199     164     19     15       1     1     -     -     -     -     3     2     -     11     -     49 <td< td=""><td>87</td><td>46</td><td>25</td><td>14</td><td>Ž</td><td>165</td><td>107</td><td>55 33</td><td></td><td>  2</td><td>152</td><td>93</td><td>38</td><td>17</td><td>14 4 1</td><td>49 50</td></td<>	87	46	25	14	Ž	165	107	55 33		2	152	93	38	17	14 4 1	49 50
56         18         22         7         9         104         60         39         2         3         128         67         38         15           16         12         2         2         2         -         27         22         2         3         -         83         15         183         15         12         11         15         15         15         12         11         15         10         7         2         1         1         -         44         33         1         -         44         33         1         -         44         33         1         -         44         36         3         2         1         -         44         36         3         2         1         -         44         1         36         3         2         1         -         44         1         <	163 112	56 44	72 45	10	16 13	505 169	· 216	281 65	<b>j</b> 9	2	473 254	178 111	249 71	37 39	. 9 33 9	47 48 49 50 51 52 53
1     1     1     -     -     -     2     2     -     -     -     -     4     3     1     - <td>5.</td> <td>18</td> <td></td> <td>7</td> <td>9</td> <td>1 704</td> <td>. 60</td> <td>39</td> <td></td> <td>3</td> <td>128-</td> <td>67</td> <td>38</td> <td>15</td> <td></td> <td></td>	5.	18		7	9	1 704	. 60	39		3	128-	67	38	15		
6         5         1         -         -         8         5         2         1         -         10         7         2         1           52         39         2         11         -         47         41         5         1         -         41         36         3         2         1         10         8         10         36         3         2         12         110         8         10         36         3         2         12         110         8         10         36         3         2         12         110         8         10         36         3         2         12         12         110         8         10         36         3         2         12	79	60		14	1 1	74	64	7		] -	199 4	164	19 1	15	8 2 1 -	54 55 56 57 58
16	6	5		i _	_	8	5	2					į.	,		
421 253 120 33 15 512 353 140 15 72 263 71 70 18 48 1 3 81 35 44 1 1 1 1 159 56 94 6 43 43 49 18 3 1 1 18 85 28 4 1 1 172 115 45 11 1201 145 24 25 7 1 158 131 19 7 1 1 75 43 19 9	16 52 34	12 39 12	- 2	3 11 3	-	14	14 41 42	5	1 4	- - 3°	41	36	3 8	1 2	- 1 5 15	59 60 61 62 63
201   145   24   25   7   158   131   19   7   1   499   398   51   41   43   34   2   1   75   43   19   9		41	17	33	15			140	t	ľ	244	143	59	l		
201   145   24   25   7   158   131   19   7   1   499   398   51   41   43   34   2   1   75   43   19   9	70 43	18 29	13	1 1	<u> </u>	81 75	35 59	15	1	1 -	168	56 110	94 54	6	Ě	65 66
	1 201 )	39 145 22	18 24 17	25 3	1 7 4	118 158	131	28 19 34	7 2	1	172 499	115 398	45 51	41	17 3  1 9	64 65 66 67 68 69
ן אַטען אַין אַן 169 באַן 148ן 175ן 126ן 144ן 15ן 185ן 185ן 185ן 185ן 185ן 185ן	471	129	43	249	50	283	140	59	71	13	1.180	273	1111	668		
90 12 8 58 12 67 32 15 17 3 165 33 17 85 69 26 15 18 10 61 27 18 9 7 154 47 91 53	90	12	8	58	28 12 10	148 67 61	75 32 27	26 15 18	17	3 3 7	1 630 i	185 33	63 17	508 85	74 30	71 72
67 26 15 18 10 61 27 18 9 7 154 47 31 53 53 6 2 7 6 2 7 31 8 7 22	{ <b>-</b>	-	-	ł· –		1		=	1 1	-		1 -		! -	128 74 30 23 - 1	70 71 72 73 74 75
132 48 23 43 18 45 26 16 3 - 151 70 28 41	132	48	23		18		i I	16		-	]	J			12	

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				MINNESOTA		
	CAUSE OF DEATH	Total	Whi	te	All o	ther
			Male	Female	Male	Female
01	ALL CAUSES	33,851	18,784	14,581	296	190
02	1. INFECTIVE AND PARASITIC DISEASES	205	108	92	3	2
03 04	CHOLERA	-	-	-	=	=
05 06	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS	1 -	-	1	=	=
08	FOOD POISONING (BACTERIAL)	43	17	24	ī	ĩ
09 10 11	TUBERCULOSIS OF MESPIRATORY SYSTEM. NERVOUS SYSTEM	26 16 1	17 10 1	6	=1	=
12 13	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS	ī	] - [	1	=	=
14 15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	7	1 5	2	]	=
16 17	PLAGUE	_	<u>-                                    </u>	-		=
18	LEPROSY	<u>-</u>		=	=1	= =
20 21	DIPHTHERIA	-	-	=	-	-
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	1		1		-
24 25 26	MENINGOCOCCAL INFECTIONS	3 - 63	1 - 39	2 - 23		<u> </u>
27 28	OTHER BACTERIAL DISEASES	5	4	1		7
29	LATE EFFECTS OF ACUTE POLICHYELITIS	3	2	ī	-	-
30 31 32	SMALLPOX	-	\		=	=1
33 34	VIRAL ENCEPHALITIS	4	2	2	=	<u> </u>
36	KAB  E3	B -	3 -	1 Š	-	-
37 38	TYPHUS AND OTHER RICKETTSIOSES045,046,051-054,056,057,061,067,068,072-079 TYPHUS AND OTHER RICKETTSIOSES	29	15	13	- 1	1
39 40 41	MALARIA	=	<u>-</u>	=	-	=
42	SYPHILIS AND ITS SEQUELAE	5		2	1	_
43 44		= [	[ [	=	-	-
45 46	CONGENTIAL SYPHILIS	1 2	1 <u>1</u>	ī	ĩ	-
47 48 49	UIMER STRUCTO OF CENTRAL NERVOUS STSTEMS	-	1 -	= }	_	31
50 51	ALL OTHER SYPHILIS	1 -		1 -	-	-
52 53	SCHISTOSOMIASTS	-		-		-
54 55 56	HYDATIDOSIS		] [	=	Ξ	= 1
57	UTHER INFECTIVE AND PARASITIC DISEASES	14	6	8	-	-
58	II. NEOPLASMS	6,744	3,342	2,841	43 (	18
60	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATDPOIETIC TISSUES	6,172 119	3,310 72	2,802 45	43 2	17
61 62	0F LIP140 OF TONGUE141	7 28	6 14	1 14	-	-
63 64	OF OTHER AND UNSPECIFIED PARTS OF BUCGAL CAVITY	37 47	24 28	13 17	- 2	5
65 66	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM150-159 OF ESOPHAGUS150	1,800	979 76	803 29	12 3	
67 68	OF STOMACH	310 11	195	115	=	<b>=</b>
69 70	OF LARGE INTESTINE. EXCEPT RECTUM	698 94	342 49	345 44	6	5
71 72 73	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES	26 12	16	10	-	=
74 75	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED	81 451 34	41 216 13	40 225 21	6	4
76 77	OF RECTUM AND RECTOSIGNOID JUNCTION	175 40	96 23	78 15	1 2	=
78 79 80	OF PARCREAS	109 326	41 186	67 140		1
au	DRGANS	23	11	12	-	-
81 82	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	1.084 42	852 37	217 5	14	1
83 84	OF TRACHEA, BRONCHUS, AND LUNG	1+022 20	801 14	206	14	1
85 86 87	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST170-174 OF BONE- OF CONNECTIVE AND OTHER SOFT TISSUE	733 26	74   13	658 13	=	1
88 89	OF SKIN	31 77 599	12 43 6	19 34 592	. []	

- sourcegury	numbers wh	41551SS1PPI		matty will b	- Incipalio		MISSOURI	LAUGO (IOD)	ar e treugiti	a by an abte	and one te	MONTANA	, ,		T
	Whi	te	A11 o	ther		Whi	te	A1.1 c	ther		Whi	Lte	All c	ther	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
24,022	8,445	6+025	5,227	4,325	51,976	25.625	21,019	3,054	2,278	6.867	3,876	2+666	188	137	01
249	65	41	77	66	405	179	150	43	33	52	30	14	5	3	02
-	-	- -	1 1	- - 1	. 3	1	- 1 -	1 -	-	-	=	=	- -		03 04 05
6	1	- - 14	1 - 19	1 4	1 -	1 20	- -	- - - 8		2	2	=	-	=	106
61 36 33 2	9 14 14	14 2 1 1	16 14	19 4 4	57 86 62 2	47 35	27 25 15	8 6	2 6 6	4 11 10	- 3 5 5	3 2	1 2 2 - -	1	07 08 09 10 11 12 13 14
2 -	]	1	1 - 1	-	2 - 1 2		2 - -	1	=		=	-	- -	=	11 12
=	=	-	-	- -	2 19	1 1 10	1 7	- - 2	-	ī	=	- 1	<u>-</u>	-	14 15
<u> </u>		=	1.1	=	_	-	=	<u>-</u>	=	<u> </u>	_ 	_	<u>-</u>	_	16
	[ -	-	-		- - -	1 1	-	-	-	-		=	=	=	18
	] =		-!	_	- - 7	[ [	-	- - 1	7 -	I		1	-	=	21 22
6	<u> </u>	- - 4	111	1	- 7 1	2	3		1	- 2 -	1	1	-	- - 1	23 24 25
1 70 12	18	12 2	24 2	16 4	1 139 14	1 56 9	56 4	13 1	14 	14 3	9 2	3 1	1 - -	1 <sup>1</sup>	16 17 18 19 20 21 22 23 24 25 26 27 28
1	,		~	_	3	1	1	1	_	-	_	-	- -		l
1	) =	-	111	1	- 1	-	1	- - 1		-	] =	-			30 31
10	5	2 -	2	1 -	12	5 - 7	5 -	1 - 2	1	.1	2 1		-	1 -	29 30 31 32 33 34
B - 12	3 -	1 - 3	1 - 3	9 - 2	20 - 18	7 - 8	10 ) - 7	1	2	1 - 7	- 4	2		 1	36 37
12	] =	-	7 7 7	- 1	- - - -	-	-		• • •	-	-	111	i	=	36 37 38 39 40
		-	-	<b>-</b> .		-	-	<u> </u>	~	=	-		-	-	41
6 - - I	1 -	-	3	2 -	15	5 -	5 	4 - -	1 -	- -		-	111	1 1 1	42 43 44 45 46
I 2		1	- 2 1	1 - 1	- 6	- - 2 1	2	- - 2	11111	<u>-</u>	=	11111	1111	11111	46
2 3 - 1	1 - -	-	~	[ - ]	1 6	- 1	- 3	2	ī	=	[ -	~ 1		-	47 48 49
1	=	-	1	-	1 _	1 -	-		111	<u>-</u>	- -		1 1	-	49 50 51 52 53 54
=	[ -	-	-	-	6 1 1 6 1	1.1	- - -	1 1	1 7 4	= [	[ =	[ ]	<u>-</u>		53 54
16	3	1	5	7	_ 28	16	5	- 2	5	- - 4	1	~ - 2	- 1	-	55 56 57
3,424	1,319	931	644	530	8,947	4,414	3,616	527	390	1,065	575	461	11	18	58
3,382 53	1,304 24	922 12	634 11	522 6	8,856 199	4,375 126	3,574 46	524 23	383 4	1,054 17	568 11	458 6	11_	17	59 60
8	4 5	- 1	2	- 1	. 10 . 47	10 29	- 14	_ 4		1 4	1 3	1	-	=	60 61 62
16 29	15	5 6	6 3	5	59 83	32 55	15 ) 17	10 9	2	5 7	3 4	3	-		63 64
875 51 137	295 18 45	259 9 29	166 19 35	155 5 28	2,274 140 275	1,037 80 138	997 23 102	138 29 23	192 8 12	297 9 41	130 3 23	156 6 16	<del>4</del> -	7 - 2	65 66 67 68 69 70 71 72 73 74 75 76 77 78
1 61	93	3 108 12	43	2 59	: 993	7 436	9 478	40	2 39	3 114	23 2 46	1 64	- 2 1	2	68 69
303 25 5	93 7 2 2 9	2 2	1 1 5 5	. 5	108 36 33	45 9 22	60 21 11	1 4 - 7	2 2	14 3 3	5 1 1	8 2 2 6	- } - }	=	71 72
224	9 71 2	12 77 3	30	6 46 2	97 687 32	47 298 15	38 333 15	27	5 29 1	3 3 10 76 8	1 4 32 3	6 42 4	1	2 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	73 74
8 65 27	71 2 12 13 9	22 7	1 12 5	19 2	225 54	109 25	98   16	1 9 10	· 3	39 6	18 4	1 20 1	- - 1 1	i -	76 77
21 26 244	100	13 64	3 48	1 32	125 413	37 191	. 80 177	1 24	7 21	11 71	3 29	2 5 41	1	·	
16 805	4 479	4 102	1 185	7 39	2,055	14 1,497	14 360	2 164	1 34	3 220	2 175	1 40			80 81
26 763	14 455 10	2 99	10 172 3 6	37	68 1,953	58 1,421	3 344	7 154	34	5	5 166	39	5. 5	- - - - 4	82 83
16 334 21	10 43 12	1 193 6	3 6 3	92 -	34 974 55 40	18 128 31	13 750 17	3 3 1	93 6	5 101 2	4 9 -	1 88 2	- - -	- 4 -	84 85 86
334 21 14 45 254	43 12 9 22	1 18 168	3 1 2	3 3 86	40 117 762	23 69	750 17 15 45 673	3 1 - 2	2 1 84	210 5 101 2 5 11 83	2 7	2 3 4 79	5	- - 4.	81 82 84 85 86 87 88
. 429 1		108	- '	80 1	102 '	. 5'	919	- 1	091	83 '	- '		- '	4 -1	07

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision Liternational Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

	-	<del>,</del>		MINNESDTA	<u> </u>	
	CAUSE OF DEATH	Total	Who	Lte	A11 c	ther
			Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.—CON.					
01 02 03 04 05 06 07 08 09	MALIGNANT NEOPLASMS OF GENITAL DRGANS	839 62 101 207 17 426 26 291 156	446  421 25 199 115 84	386 61 101 207 17  89 39	6 	1 1
11 12 13 14 15 16 17 18 19 20	MALIGNANT NEOPLASMS OF DTHER AND UNSPECIFIED SITES	569 7 182 15 365 288 95 146 9	272 4 97 4 167 170 63 79 6	289 3 82 10 194 115 30 66 3	5 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1 2 2 2 1 1
21 22 23 24 25 26 27 28 29 30 31	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	449 159 68 98 124 72 - 14 18 1	246 88 35 56 67 32  5 7	200 70 32 42 56 39 - 9 11 1	1	1
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	698	331	354	5	8
34 35 36 37 38 39 40 41 42 43	NONTOXIC GOITER. 240, 241 THYROTOXICOSIS WITH OR WITHOUT GOITER 242 ALL OTHER DISEASES OF THYROID GLAND. 243-246 DIABETES HELLITUS. 250 DISEASES OF PITUITARY GLAND. 253 DISEASES OF, THYMUS GLAND. 254 DISEASES OF ADRENAL GLAND. 255 NIACIN DEFICIENCY. 262 OTHER AVITAMINOSES AND NUTRIFIGNAL DEFICIENCIES. 260, 261, 263-269 CYSTIC FIBROIS. 260, 261, 263-269 CYSTIC FIBROIS. 273, 1-279	2 7 14 542 6 - 4 - 47	- 2 3 258 4 - 1 - 18	2 10 275 2 3 - 29	2	111111111111111111111111111111111111111
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	67 76	43   29	21 46	3.	1
46 47 48 49 50 51	ANEMIAS	44 10 7 13 14 10 22	29 21 4 7 6 3 5	23 6 3 6 8 6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111111111111111111111111111111111111
53	V. MENTAL DISORDERS	132	73	52	3	4
55 56 57 58	SENILE AND PRESENILE DEMENTIAS	21 8 7 48	8 7 3 32 21	12 1 4 11 22	1 - 2	3
J	MENTAL RETARDATION	4	2	2	-	-
62 63 64 65 66 67 68 69	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.       320         HEREDITARY NEUROMUSCULAR DISORDERS.       330         MULTIPLE SCLERUSIS.       340         PARALYSIS AGITANS.       342         GEREBRAL SPASTIG INFANTILE PARALYSIS.       343         EPILEPSY.       345         INPLANMATORY DISEASES OF EYE       360-369         CATARACT.       374         GLAUCOMA.       375         OTITIS MEDIA AND MASTOIDITIS       381-383	370 16 14 34 101 9 32	208 11 12 16 59 8 18	153   4   1   18   42   1   13	1	1
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389	2 161	83	72	-	-
72	VII. DISEASES OF THE CIRCULATORY SYSTEM	18,717	10-192	8,347	96	2 82
74 75 76 77 78 79 80 81 82	ACTIVE RHEUMATIC FEVER. 390–392 CHRONIC RHEUMATIC HEART DISEASE 993–398 DISEASES OF MITRAL VALVE. 394 DISEASES OF AORTIC VALVE. 395 DISEASES OF AORTIC VALVE. 395 OTHER RHEUMATIC HEART DISEASES. 393,396,398 HYPERTENSIVE DISEASE. 400–404 HALIGNANT HYPERTENSION. 400 ESSENTIAL BENIGN HYPERTENSION. 401 HYPERTENSIVE HEART DISEASE. 402	254 81 88 9 76 276 29	3 109 27 47 4 31 124 3 11	2 141 54 40 5 42 150 2 17	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1
81 82 83 84	ESSENTIAL BENIGN HYPERTENSION	29		2 17 62 33 36		

		HISSISSI PPI					MISSOURI			ed by an aste		MONTANA		
Total	Total White All other Male Female Male Fema					Whi	te	All o	ther		Whi	te	All o	ther
	Male	Female .	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
470 89 60 64 8 242 7 118 68	133   127 6 56 33 23	109 34 28 44 3 3 32 18	113   115 1 25 14	112 55 32 20 5 5  5 3 2	1,130 179 147 254 20 505 25 415 225 190	460   438 22 252 148 104	522 139 131 234 18  131 59	70  67 3 19	78 40 16 20 2 13 7 6	138 15 9 24 4 86 - 55 26 29	84  84 - 36 19	50 14 9 23 4  18 6	2	2 0 1 0 - 0 - 0 1 0 1 0
363 4 94 9 256 165 65 71 1 28	116 1 47 2 66 75 26 33 1 15	1 35 5 74 40 22 11	65 1 7 1 56 28 9 15	67 1 5 1 60 22 8 12 -	905 10 187 16 692 363 128 143 17	412 5 99 4 304 187 68 77 12 30	398 371 10 314 148 54 57 4	58 2 12 2 42 19 2 7 -	37 - 32 9 4 2 1	104 - 24 4 76 61 23 26 1	52 - 15 2 35 40 17 15 1	50 - 9 2 39 20 6	11111111111	2 1 - 1 - 1 2 1 1 1 - 1 1 - 1 - 2
199 57 35 66 41 42 2 4 8	83 25 14 23 21 15	60 20 12 16 12 9 - - 2	32 9 7 12 4 10	24 3 2 15 4 8 2 - 2	541 146 67 152 176 91 8 23 28 -	276 73 37 69 97 39 10 11	222 64 26 67 65 42 5 10 16	30 7 4 10 9 3	13 2 6 5 7 3 1 1	61 18 15 13 11 - 1 3	31 9 6 7 9 7 - 3	30 9 8 4 3 - 1 -		- 2 - 2 - 2 - 2 1 2 - 2 - 2 - 2 - 2 - 3
552 1 7 1 451 3	4 119 - - - 89 2 - 2	152 - 1 1 123 1 - -	2 85 - 69 - - -	196 1 6 - 170 -	14 1,931 I B 15 1,080 6	6 468  3 387 2  3	7 676 1 6 7 548 3 		1 119 - 2 5 90 - - 2	2 145 - 1 2 124 - -	53 	78 - 1 2 67 - -	-	1 3 3 3 4 3 3 4 3 3 4 4 3 4 4 4 4 4 4 4
31 12 43 69 53 2 19 12 20 6	2 6 7 13 15 8	12 3 11 16 13 2 1 5 5	5 1 10 24 19 - 13 1 5	8 1 9 14 13 - 5 2 6	106 13 87 125 77 10 12 34 21	38 5 30 48 26 1 2 13 10	51 8 42 62 41 8 2 21 10	7 6 -	10 10 5	18 13 - 5	8 5 1	1 2 5 10 8 2 	-	- 44 - 44 - 44 - 45 - 55
90 7 8 6 37	32 32 3 3 18	18 2 - 4 2 8	29 - 5 1 14 6 3	11 2 11 3	15 33 165 17 8 4 81	6 16 92 9 6 3 52	7 14 34 6 1 9	1 2 31 1 2 - 16 11 1	1 8 1 - - 4 2 1	2 36 4 3 1 24	20 20 23 1 12 2	2 2 1	- 9 - - 9	- 53 3 53 - 54 - 55 - 56 3 57
23 9 5 21 9 35 -	64 9 8 2 12 1 5	43 3 -2 7 2 4 	37 4 1 2 5 15	36 7 - 1 - 1 11 -	419 39 11 24 99 24 54 1	194 18 8 6 48 11 21	175 11 2 17 48 12 18	33 6 1 1 1 1	17 4  2 1 4 	1 64 7 5 10 9 1 6	37 4 4 6 4 1 2	1 25 2 1 4 5 - 4	1	- 58 - 59 - 61 - 62 - 63 - 63 - 63 - 63 - 63 - 63 - 65 - 67 - 68 - 67 - 70
73	1 26 4,256  24 2 16	24 3,492 - 33 11 9	10 2,169 - 25 9	2 13 2,116 - 17 6	161 28,340 6 358 116 98	79 13,520 3 154 37 59	1 2 64 12,476 1 175 67 33	13 1,216	1,128 2 16 6 2	26 3,398 - 77	16 1,904 38 10	9 1.423 - 39 16 8	41	1 71 30 72
99 28 37 5 29 295 15 14 105 96 65	1 59 1 4 14 25 15	9 67 2 1 24 24	91 91 5 3 38 25 20	6 78 7 6 29 22 14	18   126   675   28   53   216   157   221	7 51 264 14 24 71 77 78	67 33 9 66 308 7 25 102 59	6 4 1 2 51 4 1 15 15	1 7 52 3 2 28 6	26 22 8 21 59 5 22 14	6 8 29 3 1 9 8	2 13 29 2 3 13 6 5	1	- 73 - 74 - 75 - 76 - 77 - 78 - 79 - 80 - 81 - 82 - 83 - 84

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

NUMBER   SHEAT PLEASE   1.1, 1.2, 1.2, 1.2, 1.2, 1.2, 1.2, 1.2,	-			<u> </u>	MINNESOTA		
		CAUSE OF DEATH	Total	Whi	te	A11 c	ther
Comment   Comm				Male	Female	Male	Female
00 AUTH STOCKAPOLA INSECTION OF STATE AND STAT	02	WITH HYPERTENSIVE DISEASE (.0)				4	50 3
ON CONTROL ESCRIPTION AND ADMINISTRATION OF CONTROL STATE	04	ACUTE MYOCARDIAL INFARCTION	6.054			20	3 47 19
10	06	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE					31
10	08	ANGINA PECTORIS413 DTHER FORMS OF HEART DISEASE420-429	4 688				9
10	10	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYGCARDITIS420,422 ACUTE AND SUBACUTE ENDOCARDITIS421	12	8	4		
10   CHERROYACOULAR DISASES   1,954   2,226   14   1   1   2   2   2   3   3   4   4   4   2   2   2   3   3   4   4   4   2   2   2   3   3   4   4   4   2   2   2   3   3   4   4   4   2   2   2   3   3   4   4   4   4   4   4   4   4	12	OF MITRAL VALVE, NONRHEUMATIC424.0	2	i - I	1	-	1 1
10   CHEMICAN COLLAR DISARS:   1,954   2,226   14   1   1   1   1   1   1   1   1	14	OF OTHER ENDOCARDIAL STRUCTURES424-1	27	14	13	-	-
10   CHEMICAN COLLAR DISARS:   1,954   2,226   14   1   1   1   1   1   1   1   1	16	SYMPTOMATIC HEART DISEASE	54	22	32	-	5
### WITH MYDERTERING LEGRICODE LEGRICODY COLORS   10					•	<u> </u>	3
STANDAROUND DERBRANGE	19	HITH HYPERTENSION (BENIGN) (.G)	541	212	323	. 41	9 2
The contract of the contract	21	SUBARACHNOID HEMORRHAGE430	176	`70	102	2	7 2
The contract of the contract	23	CEREBRAL THROMBOSTS431	870				1 1
27	25	CEREBRAL EMBOLISM434 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES432.435					
### ATTECOSCLEROIS SUBSTREAM   490   274   344   340		ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE436 OTHER CEREBROVASCULAR DISEASES437+638					1 4
### ALL OTHER DISSASS OF ARTERIES, ANY CAPILLARIES		DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES440-448				2	3
\$2 ALL OTHER DISEASES OF ARTESIES, ARTORICES, AND CAPILLARIES		ARTERIOSCLEROSIS					1 -
39   DISSASS OF VEIRS AND INVERDINITS AND OTHER DISSASS OF CREATION SYSTEM.		ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES				- I	2
VIII. DISEASES OF THE RESPIRATORY SYSTEM   1,216   809   19   37   ACUTE UPPER RESPIRATORY INFECTIONS.	33	IDISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM450-458	288	130	150	ı l	7 5
ACUTE UPPER RESPIRATORY INVECTIONS	35	l i				=	Ž
AGUITE INTERSTITIAL PREUMENNIA	36			1,276	809	19	10
AZUTE INTERSTITIAL PREUMONIA.  AZUTE INTERSTITIAL PREUMONIA.	38	ACUTE UPPER RESPIRATORY INFECTIONS460-465 ACUTE BRONCHITIS AND BRONCHIOLITIS466	7	4	3		-
AGUITE INTERSTITIAL PREUMENNIA	40	INFLUENZA470-474 PNEUMONIA480-486				2 10	6
### ABRONCHIOPNEUMONIA OUET O THER MO UNSPECIFIED ORGANISMS		VIRAL PNEUMONIA480  BACTERIAL PNEUMONIA481,482					- 1
BROWNITTIS. EMPINYEMA, AND ASTHMA.	43	ACUTE INTERSTITIAL PNEUMONIA	10	7	3		- 1
EMPHYSENA   190   21							7
EMPHYSENA   190   21		BRONCHITIS, EMPHYSEMA, AND ASTHMA490-493 BRONCHITIS, UNQUALIFIED490					
ASTHHA	48	CHRONIC BRONCHITIS	79	59	20	-	
ST   ST   ST   ST   ST   ST   ST   ST	50	ASTHMA			21		
ST   ST   ST   ST   ST   ST   ST   ST	52 53	EMPYEMA AND ABSCESS OF LUNG510,513 PLEURISY511			6		=
ST   ST   ST   ST   ST   ST   ST   ST		OTHER CHRONIC INTERSTITIAL PNEUMONIA517 BRONCHIECTASIS518					-
DISEASES OF TEETH AND SUPPORTING STRUCTURES.   520-525   7	56	DTHER DISEASES OF RESPIRATORY SYSTEM	248	169		5	2
61 ULCER OF DUDDENUM			1,132	643	459	10	20
Output   Color   Col		DISEASES OF TEETH AND SUPPORTING STRUCTURES	129	- 78	- 50	ī	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN		III CED OF DIODENIN				1	
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN		PEPTIC ULCER, SITE UNSPECIFIED533 GASTRITIS AND DUODENITIS535			3 2		1
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN		APPENDICITIS540-543 HERNIA AND INTESTINAL OBSTRUCTION550-553,560			6	-	1 1
69 CTRRHOSIS OF LIVER		GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN561					-
ALCOHOLIC	68	DIVERTICULA DF INTESTINE	20	9	11	- j	1 -
VARIABLE   VARIABLE	70	ALCOHOLIC					10 4
75 X. DISEASES OF THE GENITUUFINARY SYSTEM		UNCOUNTED #671 0			32 58	- i	1 5
76 NEPHRITIS AND NEPHROSIS		CHOLELITHIASTS, CHOLECYSTITIS AND CHOLANGITIS574,575					1 6
77 ACUTE NEPHRITIS.	75	X. DISEASES OF THE GENITOURINARY SYSTEM	349	213	128	4	4
78 NEPHROTIC SYNDROME							-
80 INFECTIONS OF KIDNEY	78	NEPHROTIC SYNDROME581	3	ĺĺĺ	<b>,</b>	- 1	<u> </u>
83 HYPERPLASIA OF PROSTATE	80	INFECTIONS OF KIDNEY	71	24	45	1 [	ī
84 DISEASES OF BREAST	82	OTHER DISEASES OF URINARY SYSTEM	126	85	37	1	3
	84	DISEASES OF BREAST	1	- 1	1		**:
			-			-	- 1
ST SEVENTE BESCHAMOV	86 97		4	···	3		I.
87 ECTOPIC PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA632.651	88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA636-639	]	:::	-		5

and Sex: United States and Each State, 1973—Con.

	MISSISSIPPI					MISSOURI						MONTANA					
	Whi	te	A11 o	ther	W-4-1	Whi	te	All o	ther	m1	Whi	.te	All o	ther			
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Tocal	Male	Female	Male	Female			
6,907 1,185 5,722 4,057	2•756 248 2•508 1•927	1,988 292 1,696 1,073	1,099 300 799 559	1,064 345 719 498	17,882 1,864 16,018 9,420	9,098 682 8,416 5,527	7,449 896 6,553 3,357	720 137 583 306	615 149 466 230	1.932 137 1.795 1.162	1,163 58 1,105 785	733 79 654 356	22 - 22 13	-   ( 14   ( 8   (	01 02 03 04		
2,816	811	909	532	2 564	46 8,386 30	23 3,532 16	21 4,057 14	1 413	384	14 756	370 -	7 371	9	6 (0	05 06 07		
845 5	276	181	225 2	163	1,432 13	666 11	589 1	101 1	76 	257 2 1	150 1 1	95 1	7 - -	5 0	08 09 10		
10	2 2	5 -	2 -	1 1 -	7 34 3	13 1	17 2	3 -	1 -	5	2 -	3	-	-   1	11 12 13		
1 9 429 60 336	2 116 16 140	1 98 22 55	2 117 11 92	1 98 11 49	8 23 918 115 345	3 9 413 51 173	4 11 390 59 120	1 2 65 4 28	1 50 1 24	5 126 30 93	2 60 18 68	3 57 11 23	- 5 1 1	-   3 4   1 -   3	14 15 16 17		
3,085 446	847 81	962 94	605 118	671 153	5 <sub>1</sub> 946 639	2,404 206	3,016 330	255 36	271 <sup>,</sup> 67	708 62 646	321 21 300	373 40 333	7 1 6	] <b>-</b> [:	18 19 20		
2 + 639 90 464	766 34 134	868 26 132	487 15 83	518 15 115	5,307 204 834	2,198 79 338	2,686 106 432	219 9 24	204 10 40	28 87	12 39	16 42	2	- 4	21 22 23		
684 8 41	204	222 - 12	122 4 9	136 1 3	1,626 63 86	661 26 47	798 35 29	84 - 8	83 2 2	155 2 11	71 2 6	83 - 4	1	-	24 25		
1,337 461	316 139	393 177	294 78	934 67	1,914 1,219	763 490	967 649	91 39	. 93 · 41	266 159	124 67	138 90	3 1		26 27		
554 294	214 87	182 122	85 45	73 40 9	1,572 935 325	735 365 228	738 518 77	46 24 13	53 28 7	277 167 62	. 150 81 45	124 84 17	2 2 -	-  2	28 29 30		
126 31 103	84 10 33	15 4 41	18 10 12	17	89 223	40 102	35 108	6 3 30	8 10 43	17 31 88	9 15 53	B 15 30	- - 2	- 1	31 32 33		
248 215 33	80 67 13	79 73 6	39 33 6	50 42 8	469 410 59	196 167 29	200 176 24	28	39 4	64 24	36 17	25	1	2  3	34 35		
1,176	525	273	219	159	2,944	1,729	956	162	97	558	341	184	21		36		
12 9 65	2 3 24	1 4 19	1 1 11	8 1 11	13 18 128	6 9 54	5 7 70	- 1 2 3	1 1	1 7 42	1 4 16	2 23	_ _ 2	1 1	37 38 39		
625	202 3	161	145 1 12	117 3	1,426 31 164	708 14 87	567 17 52	80 - 11	71 - 14	237 7 15	127 2 6	89 5 6	14 - 1	- 14	40 41 42		
64 8 163	24 4 53	16 1 45	2 39	12. 1 26	12 397 822	5 188	3 160 335	2 27 40	2 22 33	2 83 130	1 49 69	28 50	1 3 9	3 4	43 44 45		
379 258	118 18B	95 32	91 27	75 11	737	558 558	143	29	7	171	127	42 1	2	_	46 47		
31 192	5 20 156	2 6 19	2 4 15	1 2	11 104 595	7 67 478	2 35 92	2 2 22	- 3	29 137	22 103	7 32	- 2	_ [	48 49		
26 1 8	7 - 2	5 1 1	6 - 4	8 -	27 1 29	6 - 19	14 1 3	3 - 5	4 - 2	1	-	2 - -	- - 1	_ [	50 51 52		
3 37 9	17 2	1 15 6	4	1 1	9 62 20	3 35 7	23 12	2 4 -	1 - 1	14 5	10 1	4 2	- 2	<u> </u>	53 54 55		
149 667	83 227	32 241	26 100	99	501 1,575	780	122 590	36 126	13 79	80 255	55 121	97	15	1 1	56 57		
-	-	_	_	_	2	1 113	1 57	-	- 6	1 28	1 14	13	-	-	58 59		
73 29 36 8	30 10 17 3	25 12 9	10 4 5	8 3 5	182 88 88	1) 41	30	2	4 2 - 1	11 12 5	5	5 7	1 -	- 1	60		
2 24	3 7	6	1 1 5	- 6	88 6 14 23 174	70 2 6 13	4	2 5	1	2 2	5 4 1 2	1 -	_	-	61 62 63 64 65		
105	16	46	20 <sub>.</sub>	29	_	69	86	10	9 -		15	16	1 -	1			
35 14	12 5 88	21 6 49	2 - 27	3 19	70 33 530	30 14 290	34 17 143	2 1 65	4 1 32	14 5 96	5 2 49	2 22 7	1 8	 17 9 3 5	66 67 68 69 70 71 72 73 74		
58 22	30 15	10	10 2 15	8 2 9	164 52 314	290 96 26 168	143 34 23 .86	25 1 39	9 2	37 12 47 13	ll 16	7 4 11	5 - 3 2 2	9 3	70 71 72		
183 58 22 103 43 187	43 13 56	36 16 71	15 - 34	14 26	97 450	37 207	54 189	3 32	21 3 22	13 62	5 28 2 30	. 26	2 2	1 4	73 74		
429	108	110	116	95	768	371	267	80	50	79	43	25	5	!!!	75		
142 21 5	32 7 1	29 4 -	40 4 3	41 6 1	248 39 12	107 21 2	88 10 6	31 6 3	22 2 1	27 2 1	14 1 1	12 1 -	=	1 - 1 1	77 78		
116 115	24 21 6	25 47 4	33 26	34 21	197 173	84 62	72 89 9	22 9 1 31	19 13	2 1 24 15 1 26	12 9 -	11 5 1		1 1	76 77 78 79 80 81 82		
21 5 116 115 10 125 17	32 11	. 27	38 6 -	28	21 242 54	11 127 47	73	7	11	1	14 1 -	5		3	82 83 84 85		
	6	3	6	5	30	17	8	ī	4 5	9	5	2	1	! !	85 86		
11		-		-	13		-		1 3	-	∥ . <i>.</i>	=		i 1	87 88 89		
2 -	∥ຸ :::	=	:::	2.	1 7 2	II :::	4	:::	ا ا	1 -	:::	1 -	:::	l - [	89		

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

=				MINNESOTA		
	. CAUSE OF DEATH	Total	What	ite	AI1	other
			Male	Female	Male	Female
01 02 03 04 05 06 07	ABORTIONS	- - - 3		- - - 2	•••	11111
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	20	5	15		_
10 11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	4 16	1 4	3 12	7 1	=
12 .13 14	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE  ARTHRITIS AND SPONDYLITIS	100 47 5	29 17	70 30 4	1	1 1 1
15 16 17	USTEUNTELITIS AND PERIOSITIES (20) ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	3 2 43	2 1 8	1 1 34	ī	=
18	XIV. CONGENITAL ANOMALIES	252	124	118	6	4
19 20 21	SPINA BIFIDA	9 48	10	35	3	-
22 23 24	CONGENITAL ANOMALIES OF HEART	88 27 -	51 16	35 10	111	1
. 25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	80 447	42 229	34 203	3 11	4
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	264	144	105	12	3
27 28	SENILITY WITHOUT MENTION OF PSYCHOSIS	13 251	1 143	12 93	12	3
.29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	2,727	1,838	786	77	26
30 31 32 33 34 35	ACCIDENTS	2,120 17 1,048 1,022 30	1,430 .13 708 688 21	624 2 305 299 9	48 2 24 24 	18 11 11
36 37 38 39 40 41 42 43	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIANE812 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIANE814 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISIONE811.E813-E815 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE	478 152 82 243 37 26 5 27	299 88 61 190 29 20 3 23	167 53 17 45 8 6 2 4	8736	4 1 2
44 45 44 45 46 47 48 55 55 55 55	ACCIDENTAL POISONING	97 32 10 55 354 95 21 238 90 89	62 14 5 43 186 70 11 105 56 78	30 16 4 10 164 25 10 129 29	42   24	1
55 56 57 58 59	OR SUFFOCATION	51 40 129 5 6	37 37 116 4 4	10 2 12 1 2	1 1 	3
60 61 62 63	ACCIDENT CAUSED BY ELECTRIC CURRENT. OTHER ACCIDENTS ANAINLY OF INDUSTRIAL TYPE	14 99 70 84	13 90 35 59	1 8 32 21	1 1 4	2 2
64 65 66 67 68	SUICIDE	410 49 56 92 189 24	303 16 40 70 166 11	93 30 16 20 17 10	10 2 	4 1 7 2 1
70 71 72 73 74 75	HOMICIDE	98 54 18 25 -	52 33 8 10 -	31 12 7 12 -	12 8 2 2	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
76 77	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989 INJURIES RESULTING FROM OPERATIONS OF WAR	. 99	53	38	7	1

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

			<del>"</del>	NEBRASKA		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
			Male	Female	Male	Female
01	ALL CAUSES	14,998	8,045	6,530	242	181
02	I. INFECTIVE AND PARASITIC DISEASES	82	42	38	-1	2
03 04 05	CHOLERA	-	<u>-</u>	-  -	=	=
06 07 08	BACILLARY DYSENTERY AND AMEBIASIS	16	- - 5	11	=	=
09 10 11	TUBERCULOSIS, ALL FORMS	22 16	14 10	8 6	=	=
12 13	TIDEDCID GCIC DE INTERTANEC DEDITONEIM AND MECCNIEDIC CLANDE 014	- 1	<u>-</u>	1	-	-
14 15	TUBERCULOSIS OF BONES AND JOINTS	5	4	ī	-	-
16 17	PLAGUE	-	-	=	-	-
18 19 20	BRUCELLOSIS	= ]	=	]		-
21	WHOOPING COUGH033 STREPTUCOCCAL SORE THROAT AND SCARLET FEVER	=	=	3	=	3
23 24	RYSIPELAS	3	- 3	=	 	-[
25 26 27	SEPTICEMIA	11	- 5	6	-	-
28		3 -	-	-	7	-
29 30	LATE EFFECTS OF ACUTE POLIONYELITIS	2	. 1	1 -	-	-
31 32 33	YELLOW FEVER	<u>-    </u>			-	
34 35	VELLOW FEVER	2	1	1	=	4
36 37	OTHER VIRAL DISEASES	- 8 8	- 4	- 4	-	-
39	TYPHUS AND OTHER RICKETTSIOSES		-	=	=	-
40 41	RELAPSING FEVER	-	-	=	-	-
42 43	SYPHILIS AND ITS SEQUELAE	1	_	1		_
44	EARLY SYPHILIS, SYMPTOMATIC091 ANEURYSM GF ADRTA, SPECIFIED AS SYPHILITIC	-	-	=	-	-
46 47 48	TABES DORSALIS	-	-	-[	= 1	-
49 50	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM	- 1	=		=	]
51 52	GONOCOCCAL INFECTIONS	-	-	=	-	-
53 54 55	SCHISTOSOMIASIS	.=	-	=	=	-
56 57	ANCYLOSTDMIASIS	-	-		=	=
58	II. NEOPLASMS	2,660	1,391	1.197	37	35
59 60	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	2,628 47	1,374 32	- 1.185 11	37 2	32 2
61 62	OF LIP	4	4	-	-	1
63 64	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY	17 19	10 12	5 6	2	ī
65 66	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	783 37	363 27	395 5	11 3	14 2 2
67 68 69	OF STONACH	111	63	44	2	-1
70 71	CECUM, APPENDIX, AND ASCENDING COLON	330    54    14	128 17 4	196 36	1 -	2
72 73	DESCENDING COLON	10	23	5 37	<u>-</u> ]	3
74 75	LARGE INTESTINE (INCLUDING CDLON), PART UNSPECIFIED	180 12	75 4	101 8	3	1
76 77 78	OF RECTUM AND RECTOSIGNOID JUNCTION	82 24 39	39 11	40 12	1	2
79 80	OF PANCREAS	140	15 70	23 66	-	1
	ORGANS158,159	15	.7	7	-	1
81 82 83	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	495 12 472	405 9	77 2	11	2
84 85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST170-174	11 293	390 .6 31	70 5 258	10	2 4
86 87	OF BONE	14	8 7	6 2	-	
88   89	OF SKIN	30    240	15 1	15 235	=1	

Juniare Bory		NEVADA	· · ·				EW HAMPSHIF					IEW JERSEY			T
	Whi	te	A11 o	ther		Whi	te	A11 o	ther		Whi	te	All c	ther	1
Total.	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	1
4,264	2,447	1,515	199	103	7,583	4,119	3,444	9	11	68,687	33, 1,70	28,498	3,894	3,125	01
35	11	16	5	3	29	13	16	-	-	563	230	201	76	56	02
	-	-	=	-	<u>-</u>	=	=	_	=	- 9	3	5	=	- 1	03 04 05
-	1	- 2	l Z	1	8	- 2	- 6	- ,	= = = = = = = = = = = = = = = = = = = =	74	31	- 29	6	- В	06 07 08
3 2	2	- 1	1	1 2 1 1	5 5 -	2 4 4 -	- 6 1 1	=	<u> </u>	171 136 3	71 56	44 35 	41 33 2 1	15 12 1	10 11
[ - i]	-	-	1	-	-	-	- -	-	-	1 - 5	1	- 2 7	- 1	. <u>-</u> 1 1	09 10 11 12 13 14
	-	_	-	-	- -	-		. 1	-	26 -	14	_	4	1 -	ì
	<u>-</u>	-	-	-	-	-	1111111115	-	-			1 1 1 1 1 1	- -	=	17 18 19
	- -	- - 1	-	-	_ 	- -	-	1	. 1	- -	=	-	- - -	-	20 21 22
- - 6	-	1 - - 2	- -	- 1	- - 9	-	- 1	-	, -	- 9 2	7	- 1 2	1	1	23 24 25
6	3 - -	2	1 -	-	2	4 -	5 2 -	- -		164 20 -	62 10 -	72 7 -	13 2	17 1	16 17 18 19 20 21 22 23 24 25 26 27 28
-	_	-	- ·	-	1 _	1	- -	  -	·	1 -		1 -	- -		1
3	=	- - - 3	- ! - !	-	- 1			- -	1.1.1.1.1	1 - 12	- 3	1 - 6	- - 2	-	31 32 33
6	2	- 4 - 3	- -	- - -	- - 2	-	2 - 2 - 2	- -	-	1 27 -	7	1 12 -	5	3	34 35 36
6	3 - -	3 - -	- -	-	2 -	-	2 -	_ _ _	-	30 - 1	15	10 - 1	-	5  -	29 30 31 32 33 34 36 37 38 39 40 41
-	-	= '	- '	 ,	-	-	-	-[	-	<u>-</u>	=	1	-	-	4D 41
2   -	1 -	- -	1 - -	- -	-	-		<u>-</u>		3 -	1 - -		1 - -		42 43 44
1 -	<u>-</u> 1	-	_ 	-	1	-	11311		- - -	- 1 -	-	1 1 1	1	=	45 46 47
-	<u>-</u> }	-	- - 1	- -	-			-	1 1 1	- - 2	- 1	1	1 - 1	- -	48 49 50
-11	-	-	-		-	-	_	-	_	1	1		111111	=	51 52 53
	<u>-</u>	-	-	-	111		1   1	• =		- - 1	-	- 1	-	=	42 44 45 46 47 48 49 55 55 55 55 57
1 815	- 421	1 354	- 26	- 14	1,408	1 761	646	-	1	32 14, 177	15 6,854	8 6,060	6 700	3 5 <b>63</b>	57
1 {{	416	350	25	14	1,393	752	640	_	1	14,004	6,780	5,983	689		59
805 20 1 3	16 1 3	3	1 - -	-	37	26 - 9	11	-	- - -	353 6 95	228 6 62	77	31 - 6	17 - 1 5	60 61 62 63 64
7 7	5 7	2 1	1	-	10	5 12	5 4	=	-	93 159	51 109	28 23	9 16	5 11	63 64
204 17 28	106 8 17	84 6 9	8 2 1	6 1 1	406 36 64	227 28 42	179 8 22	<u>-</u>	-	41 224 272 689	2,023 150 354	1+854 63 259	192 48 41	155 11 35	65 66
1 84 14	1 37 5	- 43 9	1	3	4 167 24	3 73 11	1 94 13	-	- -	_24 1,708 183	13 752 68	9 850 104	2 53 3	53	68
1 2 6	1 1 4	- 1 2	- - - 1	- -	10 6 32	5 2	5 4	-	- 1	77 47	40 27	35 20		2	71
59	24 2 11 4 2	30 1 4	. <u>1</u> 1	3	R1 14	16 36 3	16 45 11	- - - - - -	1,111,1	243 1,058 100	104 477 36	125 514 52	8 35 7	32 5	74
3 16 5 5 45	4 2 25	1 3 16	- - 3	- - 1	46 3 16 68	28 2 6 44	18 1 10 24	<u>-</u>		503 83 180 700	255 49 61 363	215 26 109	14 3 4 26	155 11 35 - 53 8 2 - 6 32 5 19 6 23	65 66 67 68 69 70 71 72 73 74 75 76 77
3	1	2	-	-	5	1	1	-	_	65	26	288 35	1	3	80
202	133 6	60 1	7	2 -	315 11	248 10	67 1	-	-	3,091 114	2,191 92	610 11	222 10	. 68 1	81 82
1 611		3			158	1 1	1	]	-	1.790	30 191	17 1,468	6 18	63 4 113	84 85
-	5	-	=		3 9	2	1 1	=	=	48 191	27 110	20 72	6	1 3	87 88
7 189 6 76 4		1 56 3 71 4		- 2	11 302 2 158 6	10 237 1 15 4 2	1 65 1 143 2 1	-	-	114 2,920 57 1,790 71 48	92 2,069 30 191 36 27	11 582 17 1+468	10 <sup>°</sup> 206 6 18 8	6	8 1 3 4 3 2 1 3 7

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

_				NEBRASKA		
	CAUSE OF DEATH	Total	Whi	te	All o	other
	{ .		Male	Female	Male	Female
	Act y					
	MALIGNANT NEOPLASMS, ETC.—CON.					1
01 02	MALIGNANT NEOPLASMS OF GENITAL ORGANS	338 31	161	169 31		3
03 04	OF CERVIX UTERI	50 B7		49 85	:	1 2
05 06	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	4 156	151	4	***	
07 DB	UF UITHER AND UNSPECIFIED FERALE GENITAL DROAMS	10 111	10 72	35	-	**:
09 10	OF BLADDER	56 55	44 28	9 26	3 1	=1
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES190-199	232	125	103	2	z
12 13	OF EYE190 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM191,192	5 71	3 43	. 2 27	ī	=
14 15	OF THYROID GLAND193 OTHER194-199	8 148	3 76	5 69	ī	z
16 17	LEUKEMIA	148 71	83 39	60 29	2 2	3
18 19	MYELOTD LEUKENTA	57 2	29 1	26 1		2
20	1	18	14	4	-	-
21 22	DTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES200-203,208,209 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA200	181 54	102 33	77 21		2
23 24	HODGKIN'S DISEASE	32 54	18	14 21	=1	z
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIG TISSUES202,208,209 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	41 32	20 17	21 12		3
27 28	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS218-221 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM224,225	1 12		- 6		į
29	OTHER BENIGN NEOPLASHS	7	5	2	-1	= 1
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM	10	5	4	_	,
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE230-233,237,239	2	2		-	-
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIG DISEASES	379	172	194	7	6
34 35	NONTOXIC GOITER	- 1	- 1	_	~	<u>-</u>
36 37	ALL OTHER DISEASES OF THYROID GLAND	5 291	130	4 150	6	5
38	DISEASES OF PITUITARY GLAND	4	2	2	-	-
40 41	NUMI US   L GUIL EK   270/21   THYROTOSIC SITE   NUMI US   L GUIL EK   270/21   THYROTOSIC SITE   NUMI US   270/21   2745   27	4	2	2	<i>-</i>	=
42 43	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES	32	16	15	ī	Ξ
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES251,252,256-258,270-272,273.1-279	33	6 14	3 18		ī
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	37	17	19	-	1
46 47	ANEMIAS	25	B	16	-	1
48 49	HEMOLYTIC ANEHIAS282;283	5 2	2 -	3 2		
50 51	APLASTIC ANEHIA 284 UTHER AND UNSPECIFIED ANEHIAS 285 PURPURA AND OTHER HEMORRHAGIC COMDITIONS 287	12	2	8	- [	1
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS286,288,289	3 9	3 6	3	<i>[</i> ]	=
53	V. MENTAL DISORDERS	79	42	36	-	1
54 55	SENILE AND PRESENTLE DEMENTIAS	7	<u>,</u>	6	- ]	-
56 57	ALCDHOLIG PSYCHOSES	6 7	1	6	=	= 1
58	DITHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS	23 35	20 14	20	_ [	
59	MENTAL RETARDATION310-315	ĩ	1 1	20	=	-
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	140	71	66	3	-
61 62	MENINGITIS	7 8	3 7	3 1	1	
63	MULTIPLE SCLEROSTS	13 37	5 20	8 17	-	Ξ1
65	CEREBRAL SPASTIG INFANTILE PARALYSIS	4 20	1 12	3 7	ī	31
67 68	INFLAMMATORY DISEASES OF EYE360-369	1		i	=	= 1
69 70	GLAUCOMA	$\frac{1}{i}$	]	ī		=1
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389	48	22	25	1	
72	VII. DISEASES OF THE CIRCULATORY SYSTEM	8,339	4,295	3,873	89	82
73	ACTIVE RHEUMATIC FEVER390-392			-	_	
74 75	CHRONIC RHEUMATIC HEART DISEASE	108 25	59 12	46 13	2	1
76 77	DISEASES OF AORTIC VALVE	37	24 2	12	1	ات
78 79	HYPERTENSIVE DISEASE	42 220	2 <u>1</u> 91	19 119	1 5	i 5
80 81 -	MALIGNANT HYPERTENSION	6	2 2	3 2	-	1
82 83	HYPERTENSIVE HEART DISEASE	. 62	23 28	31 31	4	4
84	HYPERTENSIVE HEART AND RENAL DISEASE404	88 1	36	52	21	_ <b> </b>

subcategory :	NEVADA						W HAMPSHIR					EW JERSEY		- 1	=
	Whi	te	All o	ther		Whi	te	All o	ther		Whi	.te	A11 c	ther	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total.	Male	Female	Male	Female	
85 12 11 20 3 37 2 2 36 21	35  33 2 30 19	45 11 11 20 3  5 2	4	1 1 - - - 1	172 29 24 49 6 61 3 70 44 26	64  61 3 47 34 13	107 29 24 48 6  23 100	•••	1	1,616 185 244 454 30 673 30 650 410 240	620  594 26 417 287	808 153 217 409 29  192 96	83  79 4 22 15	105 ( 32 ( 27 ( 45 ( 1 ( 19 ( 19 (	01 02 03 04 05 06 07 08 09
107 1 27 27 27 77 29 10 13 -	54  16 1 37 15 5 7  3	49 1 10 1 37 11 3 5	3  1  2 1 	1 - 1 22	116 1 31: 1 83 55 17 23 1	57 1 14 1 41 30 10 13 - 7	59  17  42 25 7 10 1			327 41 739 491 148 204 14 105	526 4 167 14 341 252 96 98 10	503 7 148 24 324 195 55 94 2	53 1 8 - 44 31 14 10 2 5		11 12 13 14 15 16 17 18 19 20
46 14 7 10 15 10  1 2	22 6 4 3 9 5	22 8 3 6 5 4 - 1	1	1	64 19 9 19 17 15  2 3	38 14 6 10 8 9	26 5 3 9 6 - 1 1	:11	- - - - - -	670 261 109 143 157 173 9 33 30	332 126 58 67 81 74 15	276 122 43 52 59 77 8 13 14	37 8 5 13 11 11 2	-   3	21 22 23 24 25 26 27 28 29 30
3	2 1	2 1	1	-	5 5	3	2 2	-	-	61 39	31 17 656	23 18 878	3 3 90	. 1 3	31 32 33
90 - 1 75 - - 1 - 4 - 9	35 - - 29 - - - - 6	43 - - - - - - - 1 - - - - - - - - - - -	4  -3 3-   1	1 6	207 - - 6 170 - - - 9 3 19	63 - - - - - - - 2 2 10	129 	1		1,765 1 8 17 1,532 12 2 11 - 69 13	2 2 564 5 1 2 - 30 5 45	1 4 11 774 5 - 6 - 31 8 38	75 2 1 - 1 - 6 - 5	- 2 1 2 119 2 1 2 2 4 - 4 2 4 12 4	34 35 36 37 38 39 40 41 42 43 44
9 5 1 1 2 1 4	6 4 1 1 1 2 -	1 		1. 11111111	36 25 2 3 5 15 2 9	19 10 1 1 2 6 2 7	17 15 1 2 3 9 - 2		1 1 1 1 1	151 99 11 26 32 30 14 38	74 48 6 13 17 12 6 20	54 33 5 5 10 13 8 13	15 12 - 7 4 1 - 3	6 4 4 4 1 4 4 5 5	45 46 47 48 49 50 51 52
3 - 36	1 - 25	 2 - 9	- - - 2	111	10 2 2 9	2 2 1 7	8 - 1 2	1111	- - -	19 15 3 78	10 13 1 42	B  - 2 B	1 2 - 23	·5 5	54 55 56 57
8 -	6	2 -	-	-	2 -	- 5	<u>-</u> 	<u>-</u>	-	27 · 7	10 3	6 1	9 1		58 59
45 5 4 1 2 7 - - - 22 1,893	24 3 2 2 1 2 2 - - - 1 12 1,108	14 2 2 - - - - - - - - - - - - - - - - -	5 1 - - - - - - - - - - - - - - - - - -	1 39	71 2 5 10 7 4 7 - - 1 35	39 - 2 4 4 3 5 1 20 2,117	32 2 3 6 3 1 2 - - - 15 1,941	1 11 11 11 11 11 11 11 11 11 11 11 11 1		533 51 22 75 108 19 58 - 1 - 5 194 38,107	247 19 15 30 58 10 23 - - 1 91	215 12 7 41 47 9 15 - 1 - 3 80	10 -3 3 -15 	10 6 1 6 - 6 - 6 - 6 - 7 10 7 1,496 7	60 61 62 63 64 65 66 67 68 69 70 71
1 40 16 13 2 9 27 27 2 10 8 5	1 21 5 9 2 5 17 2 1 6 6 6	- 18 10 4 - 4 9 - 1 3 2 3	,	1	- 59 13 22 2 2 22 82 6 7 25 16 28	20 4 8 - 8 32 2 1 11 6 6	39 9 14 2 14 50 4 6 14 10	1	111111111111111111111111111111111111111	8 599 136 150 19 294 554 32 37 220 151	4 238 39 92 5 102 207 11 10 71 60 55	3 319 90 43 9 177 260 11 20 114 71	24 4 10 3 7 41 7 3 12 11 8	1 7 18 7 5 7 2 7 46 7 3 8 4 8 2 9 8 7	73 74 75 76 77 78 80 81 62 83

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

=			, , , , , , , , , , , , , , , , , , ,	NEBRASKA		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
		IOCAL	Male .	Female	Male	Fema1e
01 02 03	ISCHEMIC HEART DISEASE	5-106 387 4-719	2,865 153 2,712	2,150 219 1,931	50 8 42	41 7 34
04 05 06	ACUTE MYOCARDIAL INFARCTION	2,936 24 2,145	1,801 10 1,054	1,105 13 1,031	17 1 32	13
07 08 09 10	ANGINA PECTORIS	325 3 5	183 1 4	1 133 2 1 1 15	6	3
11 12 13 14	NORRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYDCARDITIS	20 1 4 15 163	1 2 2 2 91	2 13 65	-	-
15 16 17	OTHER MYDCARDIAL INSUFFICIENCY 428 ALL OTHER FORMS OF HEART DISEASE	42 92	20 62	22 28	2	1
18 19 20	CEREBROVASCULAR DISEASES430-438	1,944 190 1,754 56	789 80 709 26	1,111 100 1,011 28	16 2 14 1	28 8 20
21 22 23 24 25	#ITH HYPERTENSION (BENIGN) (-0) #ITHOUT HENTION OF HYPERTENSION (-9) SUBARACHNOID HEMORRHAGE	311 468 10 18	140 178 4 8	164 282 6 10	2 2 -	56
26 27	CEREBRAL THROMBOSIS	666 415	265 168	378 243	8 3	15
28 29 30 31	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	520 311 116 24	257 133 74 15	254 173 39 9	7 3 3	2 2 -
32 33 34 35	ALL OTHER DISEASES OF ARTERIES, ARTERIDLES, AND CAPILLARIES442-444,446-448 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM450-458 VENOUS THROMBOSIS AND EMBOLISM	69 116 96 20	35 51 42 9	33 60 49 11	1 3 3 -	2 2 2
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM	973	580	364	21	8
37 38 39 40	ACUTE UPPER RESPIRATORY INFECTIONS	4 8 65 426 15	1 5 24 217 6	3 3 40 195 8	- 1 9	1 1 1 5 1
41 42 43 44 45	INFLUENZA	38 5 154 214	27 3 85 96	11 1 62 113	1 5 2	- 2 3
46 47 48 49	BRONCHITIS, EMPHYSEMA, AND ASTHMA	259 6 58 . 179	200 2 45 147	54 4 11 30	4 - 2 2	1
50 51 52 53	HYPERTROPHY OF TONSILS AND ADENDIDS	16 1 8	6 1 6	9 - 2	-	1 -
54 55 56	PLEURISY OTHER CHRONIC INTERSTITIAL PNEUMONIA	26 6 170	17 109	8 5 54	1 6	1
57 E0	IX. DISEASES OF THE DIGESTIVE SYSTEM	494 1	268	193 1	21	12
58 59 60 61	PEPTIC ULCER	68 25 39	42 16 24	24 7 15	2 2 ~	-
62 63 64 65	### PEPTIC ULCER, SITE UNSPECIFIED	4 6 10 52	2 4 3 28	2 1 5 23	1 1 1	1
66 67 68	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN561 DIVERTICULA OF INTESTINE562 CHRONIC ENTERITIS AND ULCERATIVE COLITIS	23 15 161	 10 5 97	23 9 45	- - 13	- - 1 6
69 70 71 72 73	ALCOHOLIC	108 10 43 44	67 .4 26 18	26 5 14	11 1 1 1	4 2 1
74 75	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	104 181	61 109	38 62	2 5	3 5
76 77 78	NEPHRITIS AND NEPHROSIS	58 14 2	33 9 1	20 5 1	3 -	2
79 80 81 82	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	42 35 4	23 17 3 29	14 18 1 1	3 - - 2	2 - - 2
82 83 84 85	OTHER DISEASES OF URINARY SYSTEM	21 15	21 - 6	8	-	1
86 87	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	1 -	•••	1 -		-
88 89	TUXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA636-639 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH	= !		=		-

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

. . . .

i

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

		<u>-</u>		NEBRA SKA		
	CAUSE OF DEATH	Total	Whi	te	A11 c	ther
			Male	Female	Male	Fema1e
01 02 03 04 05	ABORTIONS		:::	111111111111111111111111111111111111111	***	-
06 07 08	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM	1 - -	:::	1	•••	1 1
09 10	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	15 5	3	8	2	z 1
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE690-709	10	2	5	2	1
12 13 14 15	ARTHRITIS AND SPONDYLITIS	33 16 2	8 2 2	24 14	1	-
16 17	ANRYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES727-735-738 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE721-726-728-734	15	4	10	- 1	-
18 19 20	XIV. CONGENITAL ANDHALIES	96 3	55 1	40 2	וי	-
	SYSTEM	19 39 9	6 27 5	12 12 4	1 1	1 
23 24 25	ALL OTHER CONGENITAL ANOMALIES	26 218	16 131	10 74	- 8	- 5
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	108	66	33	ß	1
27 28	SENILITY WITHOUT MENTION OF PSYCHOSIS	99	5 61	4 29	- 8	ī
29	E XVII. ACCIDENTS, POISDNINGS, AND VIOLENCE	1,163	795	308	40	20
30 31 32 33 34 35	ACCIDENTS	920 8 425 416 34	625 7 304 296 20	267 1 109 108 12	18 8 8	10 4 4
36 37 38 39 40	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIANE814 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISIONE811,E813,E815 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS	194 52 47 81 8	137 33 39 63 4	55 17 6 14 4	12131	1 1 -
41 42 43	MOTOR VEHICLE NONTRAFFEL ACCIDENTS	6 15 22	4 12 17	2 3 5	111	3
44 45 46 47 48	ACCIDENTAL POISONING	42 17 9 16 172	24 7 6 11 88	14 7 2 5	2 1 1 -	2 2
49 50 51 52 53	FALL FROM ONE LEVEL TO ANOTHER	38 23 111 29 31	25 13 50 18 23	11 10 60 10 6	1 1 1 1	i - - 1
55 56 57 58 59	OR SUFFOCATION	. 25 25 64 1 3	14 20 56 1 2	10 3 7 1	2 1 1	1 7 7
60 61 62 63	GR RADIATION	4 9 47 18 38	3 9 41 8 30	1 - 5 9 7	ī ī	- - 1
64 65 66 67 68 69	SUICIDE	159 11 24 29 83 12	126 3 17 21 76 9	29 8 6 7 6 2	4 1 1 1	11111
70 71 72 73 74 75	HOMICIDE	67 45 12 7 -	32 22 5 2 -	85131:	18 13 5 -	9 5 N 2 1 1
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989 INJURIES RESULTING FROM OPERATIONS OF WAR	17	12	4 _	-	1

and Sex: United States and Each State, 1973—Con.

·		NEVADA					W HAMPSHIR			u by an asce		EW JERSEY	<del></del> ;		T
	Whil	.te	All o	ther		Whi	te	A11 o	ther		Whi	.te	All o	ther	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Femalė	Male	Female	
- - - - 1	***	1	•••		1.1	•••	11111	•••	111111	1 - - 1 2	•••	- - - 1	***	1 - - 1 1	01 02 03 04 05 06
1	:::	1_	:::	= ;	-	:::	Ξ	:::	Ξ	2 -	:::	2	•••	Ξ	07 08
1 1 -	1 1 -	- -	<u>.</u> <u>-</u> .		3 2 1		3 2 1	-	- - -	80 14 66	21 4 17	44 6 38	· 5	10 3 7	09 10 11
15	5	7	1	2	. 20 8	5 4	15		- -	148 50	36 10	91	5 1	16	12
7 1 - 7	1 1 - r	1 6			1 1 1 9	1 -	1 1 9	1111	<u>.</u>	6 9 6 77	3 6 2 15	3 · 3 43	- - 4	1 1 15	13 14 15 16 17
26 1 6 9 4 -	16 - 4 6 2 - 4	7 - 2 2 2 2 1	1 - - - 1	1 1	54 2 12 15 1 - 24	30 1 7 7 1	24 1 5 8 -	- 1111	1 1 1111	. 414 19 66 184 18 2 125	182 7 30 90 10 1 44	164 11 28 61 7 1 56	39 1 5 21 - 12	29 - 3 12 1 1 -	19 20 21 22 23 24
92 62	45 40	33 15	8	6	109 255	61 157	47 95	- 2	1	924 598	382 263	234 166	173 99	135 70	25 26
62	40	15	- 6		7 248	155	5 90	- 2	- 1	21 577	. 5 258	13 153	99	3 67	27 28
595 387 2 212 212 211	376 256 2 134 133	160 100 57 57	47 24 16 16	12 7 - 5 5	511 392 1 144 141	341 247 1 104 101	163 141 - 38 38	4. 2 - - -	3 2 2 2	4,102 2,887 23 1,321 1,292 3	2, 200 1, 578 16 790 772 2	1,095 829 4 341 338 1	592 338 2 136 129	215 142 1 54 53	30 31 32 33 34
69 36 11 55 40 1 - 3 5	38 21 7 42 25 1 - 3	26 7 4 9 11 - -	4 5 3 4 	1 3 - 1 - -	44 27 32 26 12 3 - 9	25 23 26 17 10 3 - 8 21	17 4 6 9 2 - 1		2	497 309 178 249 56 29 10 22 23	302 153 127 161 27 18 6 17	139 103 29 51 15 3 3	39 42 16 27 5 7 - 3	17 11 6 10 9 1 1	35 36 37 38 39 40 41 42 43
19 8 9 2 39 15 2 22 22 19	12 5 5 27 11 1 15 11	6 3 3 12 4 1 7 7	1 1 - - - 1 2	-	10 2 1 7 84 19 5 60 30 29	8 2 1 5 39 12 3 24 13 23	2 - - 2 45 7 2 36 16 6	- - - - - 1		110 69 16 25 563 170 25 368 215	57 33 7 17 223 87 6 130 100	18 11 6 1 276 54 17 205 57 21	27 21 1 5 39 17 1 21 37 43	8 4 2 25 12 1 1 12 21 7	44 45 46 47 48 49 50 51 52 53
10 13 19 - 4	3 10 17 - 4	5 2 1 -	2 - - -	1 1. 	6 3 12 1 1	8 1	2 1 4 - 1	- - -		86 23 120 1 22	39 19 84 1 17	31 12 2	8 3 23 - 3	8 1 1 -	54 55 56 57 58
2 2 11 15 13	2 11 9	1 - - 5 2	- - 1 1		1 2 7 8 23	1 6 5 11	1 1 3 11	- - - -	-	14 20 63 76 121	5 16 45 40 67	5 2 3 32 26	3 2 15 2 15	1 - - 2 13	59 60 61 62 63
122 20 11 8 80 3	80 .12 5 6 54 3	38 6 6 2 24	2 - - 2	2 2  	95 9 11 21 47 7	74 4 10 17 37 6	20 4 1 4 10	1 1 - -	- - -	576 69 85 176 176 70	385 31 59 120 138 37	156 38 26 40 24 28	32 	3 - - 2 1	64 65 66 67 68 69
70 51 7 10 - 2	34 25 3 4 2	13 6 2 5 - - 9	. 20 17 2 1 -	3 3 	10 5 1 2 - 2 14	8 . 3 1 2 - 2	2	1 1	1 1 - - -	515 256 148 108 - 3	177 96 44 35 - 2	70 25 15 30 - - 40	205 112 68 24 - .1		70 71 72 73 74 75 76

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

=				NEW MEXICO		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
			Male	Female	Male	Female
01	ALL CAUSES	8,119	4,362	2,855	611	291
02	I. INFECTIVE AND PARASITIC DISEASES	112	45	35	18	. 14
03 04 05	CHOLERA	- - 2	- - 2	-	= =	1
06 07 08 09	BADILLARY DISENTENT AND AMEDIASIS	4 - 28	1 - 12	6	- 6	3 4
10 11 12	TUBERCULOSIS OF RESPIRATORY SYSTEM	29 19 1 1	12 8 - 1	8 5 -	4	2
13 14 15	TUBERCULDSIS OF BONES AND JOINTS	- 2 6	1 2	- 3		1
16 17	PLAGUE	=	=		-	
18 19 20	BRUCELLOS IS	- - 2	<u> </u>	<b>-</b>	- 2	=
21 22	THUUTING COUGHESS SAME AND AND AND AND AND AND AND AND AND AND	-	]	-	-	-
23 24	STREPTOCUCAL SORE THROAT AND SCARLET PEVEN	- 1	<u>-</u>	1	-	=
25 26 27	SEPTICEMIA	23	9	11 2	2	1
28 29		-		7.		3
30 31	LATE EFFECTS OF ACUTE POLICHYELITIS	-	[ _ [	=	_	=
32 33 34	MEASLES	2	1 1	1	-	=]
35	INFFE:   HIIIS   HFPAI     135	4	2	1	<u> </u>	1
37 38	RABIES. 071 OTHER VIRAL DISEASES. 045,046,051-054,056,057,061,067,068,072-079 TYPHUS AND OTHER RICKETISIOSES. 080-083	6	1 1	<u> </u>	1	-[
39 40 41	MALARIA	<u>-</u>	<u> </u>	=	-	
42	SYPHILIS AND ITS SEQUELAE09D-097	3	2	1	_	_[
43 44	CONGENITAL SYPHILIS	-	-	-	-	=
45 46 47	EARLY SYPHILIS, SYMPTOMATIC	1	1 1	-	-	-
48 49	GENERAL PARESIS	1	<u>-</u>	ī	- -	=
50 51	ALL OTHER SYPHILIS		l <u>-</u> ì	-	-	=1
52 53	SCHISTOSOMI ASIS	-		-	-	-
54 55	FILARIAL INFESTATIONS125 ANCYLOSTOMIASIS126	=	=	-	7	=
56 57	OTHER HELMINTHIASES	4	1	-	2	i
58	II. NEOPLASMS	1,226	610	550	38	28
60	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	1,192 17	598 11	53Z 4	37 2	25
61 62	0F TONGUE	-	Ξ	3	1	-
63 64	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY	2 11	2 9	- 1	- 1	2
65 66	MALIGNANT NEDPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	343 13	166	154	11	12
67 68	OF STOHACH	78	32 2	36 1	9	1 1
69 70	OF LARGE INTESTINE, EXCEPT RECTUM	117	53 3	62 8		2
71 72	TRANSVERSE COLON: INCLUDING HEPATIC AND SPLENIC FLEXURES	5 1	2 1	3 -	-	-
73 74 75	SIGNOID COLON	99	1 46	7 43	-	1 1
76 77	OF RECTUM AND RECTOSIGNOID JUNCTION	27 · 9	16	1 9	1	1
7B 79	GF GALLBLADDER AND BILE DUCTS	21 70	6 40	2 12 26	1 -	2 4
80	@RGANS158,159	5	3	1	-	1
81 82	MALIGNANT NEOPLASHS OF RESPIRATORY SYSTEM	247 5	184 4	54 1	7	z -
83 84	OF TRACHEA, BRONCHUS, AND LUNG	236	, 177 , 3	51 2	7 -	1 1
85 86	MALIGNANT NEOPLASHS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST170-176 OF BONE	125 10	24 4	98 6	-	3 -
87 88 89	OF SKIN	8 23 84	16 -	4 7 81		-

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

		NEW YORK			<u>-</u>	NOR	TH CAROLIN	Α	<u>.                                    </u>		NO	RTH DAKOTA		
otal	Whi	te	All o	ther	Total	. Whi	te	All o	ther	mar at	Whi	.te	A11 c	ther
	Male	Female	Male	Female	10001	Male	Female	Male	Female	Total	Male	Female	Male	Female
81,287	86,249	75,534	11,043	8,461	47,755	20,269	14,940	7,086	5,460	5,767	3,310	2,298	91	68
1,478	607	536	208	127	458	126	136	105	91	54	31	20	1	ź
- 1 10	 - 4	~ 4	- 1	1	-   - 1	-	1 1 1	- - 1	-	=	=	-	=	
5	2	2	1 -	- 1	1	=	7	1	<u>-</u>	1	-	1 1	1	-
151 424 352	55 190 160	79 83 65	12 105 89	- 5 46 38	72 109 85	15 37 31	26 17 11	15 31 27	16 24 16	10 8 5	5 6 5	5 1 -	<u>.</u>	=
9	5 1	65 1 1	2	3 -	2 2		1	ī	1 1	=	:		=	
15 40	- 3 21	2 4 10	2 5 7	3	2 6 12	- - 6!	1 1 3	3	1 2 3	1 2	- 1	- 1	1	-
-	<u>-</u>	-	_	-	-	'	-	2	_	<u>-</u>	-		_	
-	<u>-</u>	~	-	-		-	- 1		-	= =	-		- -	_
Ell	_		i 1 1	-	1		1	-	-	-	-		- -	-
25 1 509	11	11	 2	1	11	- 3	- - 7	=	- 1	3	2	=	_	3
509 67	1 199 30	220 24	56 7	 34 6	123 22	- 35 8	40 7	29 2	19 5	14 2	6	- 8 2	-	
3	3 (	~	<u>-</u>	-	-	-	-	-	-	-	-	-	-	-
4]	1 -	3	1 1	=	2 - -	1 -	1 -	-	Ξ		1 -	<u>-</u>	-	-
- 11	10	- 1	- - 6	-	- - - 9	3	- - 3	ž	_ 1	3	3	-	Ξ	_
22 2 78	27	12 1 33	6	12	15	4	6	ī	4	_ 1	1	-	-	=
56	26	26.	3 -	1 -	30 7	5 4	12 2	8 1	5 -	4 - 1	3	1 -	-	-
1	1	=	-	-	=	_	=	آڌ	-	-	1	· -		-
26	11	7	<u>,                                    </u>	1	16	2	. 2	6	6	1	1		_	
3	1 - 2	Ī	1 - 1	1	1 - -	- -	-	=	1 -	-		<u>-</u>		=
10 3 2 4	4 2	4 1 2	2 2 -	-	9	1 -	1	3	<del>4</del>	-	-	. <u>-</u>		=
4	2	-	2.	<u>-</u>	1 4 -	1	-	2	1	-   -	ĩ	=	-	-
1	1	=		=	1111		_	-	=	=	~	-	<u>-</u> ]	-
- [	1 -	-	-	=		-	-	~	=	=	7.		=	-
90	32	31	- B	19	39	9	12	- 8	- 10	- 4	2	- 1	[7]	1
102	17,007	15,731	1,819	1,545	7,520	3,159	2,564	1,001	796	951	522	412	. 5	12
5 , 485    754	16,725 458	15,466 191	1•788 72	1,506 33	7,400 178	3,115 81	2,517 52	990 32	778 13	940 12	515 ' 9	408 3	5	12
12 211	10 127	1 54	 21	1 9	5 41	3 14	11	2 10	- 6	ī	- 1	-	-	-
218 313	12B 193	64 72	19 32	. 7 16	58 74	25 39	27 14	3 17	· 3 4	5	3 5	3	-	_
1,002    733 1,765	5,163 397 937	4,829 166 635	564 112 123	446 58 90	1+746 153 290	687 67 118	612 18 70	262 60 66	165 8 36	274 18 55	152 14 32	119 4 23	2 -	1
67	1,900	28 2,163	136	6 148	12 615	5 218	283	43	71	2 90	1 44	45	- 1	1
470 156 128	186 60 55	253 83 67	14 8 3	17 5 3	59 15 11	18 5 3	27 8 6	4 1	10 2 1	16 2 2	5 - 2	11 2 -	-	-
537   2,879	221 1,308	291 1,371	13 94	12 106	63 440	21 165	31 198	3 29	8 48	8 56	4 30	25	- 1	
177 1,222 222	70 602 110	98 525 69	52 34	5 43 9	27 132 33	6 49 14	13 48 10	20 6	2 15 3	6 24 9	15 5	3 9 3	1	
464 L+989	149 975	285 866	9 84	21 64	61 428	15 192	32 138	5 60	9 38	13 62	4 36	9 26	-	-
173	64	92	10	7	22	9	7	2	4	1.	. 1	-	-	-
7 • 526 331	5,194 253	1.605 37	580 37	147	1,672 55	1,102 .42 1,041	220 2	301	49	169	135	29	1	
7+069 126 ++422	4+882 59 430	1,519   49   3,642	535 8 32	133 10 318	1,580 37 843	1,041 19 121	205   13   554	291 1 13	43   4   155	162 4 97	129 3 16	28 1 79	1	4 ~ 2 1 ~
175 162 430	88 67 240	67 78 178	14 8 6	6 9	52 42 136	29 15 73	15 19 51	4 3 5	5 7	3 8 13	1 5 8	1 3 5	-	ĩ

: :

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

		- Miyu		NEW MEXICO		
	CAUSE OF DEATH		Whi	te	All c	ther
		Total	Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETCCON.					
01 02 03 04 05 06 07 08 09	MALIGNANT NEOPLASMS OF GENITAL ORGANS	155 28 21 39 6 57 4 53 28 25	54  50 4 35 18	91 26 21 38 6  15 9	7	1 1 1 1 1
11 12 13 14 15 16 17 18 19 20	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES	149 1 34 6 198 47 10 15 2 20	67 - 17 46 24 7 8 1	77 1 17 2 57 20 3 5 1	3 1 1 7 1	2 2 2 1 1
21 22 23 24 25 26 27 28 29 30 31	OTHER NEOPLASMS OF LYMPHATIC AND HEMATDPDIETIC TISSUES	56 13 11 12 20 34 2 6 6 6	33 7 8 6 12 12  4	19 63 55 18 25 1 - 82	1 3 1	1
33	III. ENDOCRINE, NUTRIFIONAL, AND METABOLIC DISEASES	194	84	97	5	8
34 35 36 37 38 39 40 41 42 43	NONTOXIG GOITER	- 1 1 144 2 - - 5 - - 21 4	- - 62 1 - 3 - 6	- 1 75 - 2 - 14 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	22	8	11	1	2
46 47 48 49 50 51 52	ANEMIAS	12 2 2 4 4 2 8	3 - - 1 2 1 4	7 2 1 3 1 1 3	1 - 1 -	1
53	V. MENTAL DISORDERS	101	52	11	29	9
54 55 56 57 58	SENILE AND PRESENILE DEMENTIAS	6 2 1 83 . 7 2	1 2  41 7 1	4 1 6	1  28 	8
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	86.	44	32	7	3
61 62 63 64 65 66 67 68 69 70	HEREDITARY NEUROMUSCULAR DISORDERS	14 2 18 5 9 - 1 - - 35	5 1 1 12 3 5 - - - - 17	6 1 1 5 2 2 1	2 - 1 - 2 - 2	111111111111111111111111111111111111111
72	VII. DISEASES OF THE CIRCULATORY SYSTEM	3+162	1,725	1,262	120	55
73 74 75 76 77 78 79 80 81 82 83 84	ACTIVE RHEUMATIC FEVER	1 72 20 13 1 38 48 4 2 16 17	1 24 5 8 1 10 20 1 2 6 9	38 15 3 20 26 3 - 9 8	1 4 2 2 1	5 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

	-	NEW YORK		The state of			TH CAROLIN			ed by an aste		RTH DAKOTA	nuix]	
Total	Whi	.te	All o	ther	Total	Whi	te	A11 o	ther		Whi	te	A11 c	ther
	Male	Female	Male	Female	iotai	Male	Female	Male	Female	Total	Male	Female	Male	Female
3,913	1,486	1,968	188	271	1,018	314	356	164	184	132	69	60		. 3
533 598 1,023 85		410 520 960 78		123 78 63 7	190 109 218 23		92 67 180	•••	98 42 38	10 13 37	:::	9 13 35	::-	1 - 2 -
1,580 94 1,596	1,401 85 1,035	459	179 9 55	47	453 25 283	294 20 140	17  94	159 5 22	6  27	67 2 50	67 2 30	20	-	<u>-</u>
943 653	632 403	247 212	31 24	33 14	159 124	81 59	56 38	10 12	12 15	26 24	17 13	11	-	<b>-</b> .]
3,042 22 694	1,350 11 343	1,391 10 303	164 1 27	137 21	885 6 196	345 2 104	334 3 75	105 1 12	101 - 5	88 1 27	42 - 9	44 1 17	1 - 1	1 - -
105 2,221 1,293	31 965 677	67 1,011 533	1 135 48	6 110 35	14 669 352	2 237 147	7 249 134	- 92 44	5 91 27	7 53 44	2 31 27	5 21 17		- - 1
391 605 26	222 296 18	145 266 8	13 28	11 15	109 150 7	46 64 1	45 50 4	13 18 1	5 1 18 1	21 17 -	13 11	8 6 		_ [
1,937	141 932	114 848	7 85	9 72	86 423	36 178	35 161	12 47	37	6 74	3 35	3 37	1	1
904 297 433 403	386 154 192 200	385 127 168 168	21 8 35 21	12 8 38 14	117 61 136 109	52 31 53 42	49 21 40 51	8° 5 21 13	8 4 22 3	33 10 14 17	15 4 7	18 4 7	1 -	1 1 - -
617 13 72	282 ••• 13	265 8 50	31	39 5 3	120 - 14	44	47 - 5	11	18 - 4	11 1 1 2	9 7 •••	8 4 1 1		- - -
66	34	25 3		3	16 1	4	6		4	. 4	4			-
294 167	143 92	126 53	10 11	15 11	64 25	29 8	23 12	5 2	7	4 -	2 -	2 -		
4,234	1,546	2,085 2	252 -	351 1	1,100 2	339	386 	144	231 2	126	47 -		-	2
36 35 3,631	1,322	29 32 1,770	2 225 2	1 - 314	5 8 890	273	2 7 311	119	2 1 187	96	36	2 - 59	- - -	1
15 1 27	6 1 9	6 17	=	1 1	1 8	1 - 3	4	1	- -	1 2	1 - -	- - 2	- -	_
150 46 289	63 10 127	71 33 125	7 2 14	- 9 1 23	62 10 114	13 3 45	26 6 30	- 9 1 14	14 - 25	14 1 10	3 - 7	10 1 3		-   4 -   4 -   4
474	202	203	35	34	125	41	35	16	33	15	~ s	6	-	1
299 36 66	118 15 16	133 20 19	25 _ 16	23 1 15	74 5 24	19 1 4	20 2 2	13 1 9	22 1 9	5 - 1	4  1	1 - -	-	- 4 - 4 - 4
88 109 62	39 48 26	45 49 28	4 5 4	- 7 4	23 22 16	8 6 4	10 6 4	2 1 1	3 9 7	2 2 2	. 2 1 - 4	1 2	-	- 4 - 4 - 5 1
998	58 387	42 165	6 329	7 117	35 397	18 178	11 86	2 102	· 31	43	23	3 13	5	. 1 5
50 29 17	16 19 4	26 3 9	4 7 1	4 - 3	28 27 11	11 14 6	14 2 4	2 11	1 1	6 5 1	4 4 1	2 - -	- 1.	E
392 497	164 178	48 73	142 175	38 71	260 56	127 15	29 31	79 6	25 4	20 9	11 2	3	4	2
13 1,380	6 604	6 584	112	1 80	15 426	5 157	6 136	4 85	48	2 52	1 34	1 18	-	-   5 -   6
145 42	56 26	51 10	25 3	13 3	53 22	15 14	15 6	13	10	2 3	2	- -	-	-  e
136 296 47 161	42 163 22 56	84 122 20	1 6 1	9 5 4	27 49 26	6 27 7 17	14 15 6	1 6 7	6 1 6	13 3	2 9 1	3 4 2	-	- 6 - 6 - 6 - 6 - 6 - 6
1 8	- - 4 -	46 1 4	42 - -	17 - -	66	-   -	14 - - -	26 - - -	9 -	6 - -	3 -	3 - -	=	-   6 -   6
11 533	6 229	3 243	1 33	1 28	2 181	1 70	- 66	. 1 29	- 16	1 19	1	- 6	-	- 1 - 1
97,186	46,178	43 1682	3,635	3,691	25,129	10,609	8,517	3,119	2,884	3, 233	1,870	1,325	26	12 7
19 1,455 376	9 549 119	9 787 228	- 52 10	1 67 19	6 224 49	2 94 17	3 78 22	- 29 5	1 23 5	- 50 10	- 25 2	- 25 8	· <u>-</u>	-   7 -   7 -   7
370 48 661	207 16 207	130 29 400	19 1 22	14 2 32	79 11 85	50 4 23	10 5 41	13 - 11	6 2 10	21 2 17	12 1 10	9 1 7	<u>-</u> .	-  7 -  7 -  7
1,471 96 71	554 46 22	710 17 37	87 19 2 40	120 14 10	522 30 34	154	148 3 9	113 11 11	107 10 8	49 1 3	19 1 2	29 - 1 12	1 -	-   7 -   7 -   7 -   7 -   7 -   8 -   8 -   8
619 440 245	189 195 102	319 210 127	16 10	71 19 6	127 167 164	3B 53 51	35 48 53 l	21 35 35	33 31 25	19 17 9	7 5 4	12 12 4		-  8 -  8 -  8

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

=				NEW WEXICO		A). Four-digit
	CAUSE OF DEATH		Whi	Ľe	A11 o	ther
		Total	Male	Female	Male	Yemals
01 02	ISCHEMIC HEART DISEASE410-413 WITH HYPERTENSIVE DISEASE (.0)	1,83B 149	1,097 79	660 62	55 3	26
03 04	ACUTE MYOCARDIAL INFARCTION410	1,689 1,059	1,018 702	598 312		5 21 10
05 06	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	7 772	391	3 345	20	16
07 08 09	OTHER FORMS OF HEART DISEASE420-429	210	102	89	15	4
10 11	ACUTE AND SUBACUTE ENDOCARDITIS AND RESTER HEARDITIS AND SUBACUTE ENDOCARDITIS	3 3	2	2 - 2	-	1
12 13	OF MITTAL VALVE, NONRHEUMATIC424.0 OF ADRTIC VALVE, NONRHEUMATIC424.1	1	<u>-</u>	1		=
15	OF OTHER ENDOCARDIAL STRUCTURES424.9 SYMPTOMATIC HEART DISEASE	137	62	60	-	1 2
16 17	NOWRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYBICARDITIS	15 50	31	17	2	=
18 19	CEREBROVASCULAR DISEASES	698 82	319 32	333 42	32 6	14
20 21 22	#ITH diff entersor (	616 29	287 · 14	291 12	26 1	14 2 12 2 6
23	CEREBRAL THRUMBUSIS	141 123	62 60	64 63	9 -	6
24 25 26	GEREBRAL EMBOLISM	11	1 6	2	[	=
27	OTHER CEREBROVASCULAR DISEASES437,438	255 136	116 60	119 69	17 4	3
2B 29	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	227 132	128 66	91 61	6 4	2
30 31	ADRIC ANEURYSH (NONSYPHILITIC)	51 11	39 5	12 5	ī	-
32 33 34	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES442-444,446-448 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM450-458 VENGUS THROMBOSIS AND EMBOLISM	33 68 59	18 34 30	13 25 23	1 5	1 5
35	OTHER DISEASES OF CIRCULATORY SYSTEM454-458	9	4	2	3 2	3
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM	671	386	228	36	21
37 38 39	ACUTE UPPER RESPIRATORY INFECTIONS	4 4	2 2	2 2		<b></b>
40 41	PNEUMONI A	45 348 9	23 182 3	21 128 5	1 25	13
42 43	BACTERIAL PNEUMONIA481,482 ACUTE INTERSTITIAL PNEUMONIA484	38 8	16	11	7	1 4
44 45	ACUTE REGINCHTIS AND BEGINCHTOLITIS	96 197	62 97	32 76	Z 16	- 8
45 47	BRONCHITIS, EMPHYSEMA, AND ASTHMA	136	100	34	2	-
48 49	CHRONIC BRONCHITIS	3 23 104	17 17 78	- 4 26	2	
50 51	L ACTUMA ACO	6	2	4		=
52 53	EMPYEMA AND ABSCESS OF LUNG510,513 PLEURISY511	2 4	2 1	1		
54 55 56	HYPERTROPHY OF TONSILS AND ADENDIDS	27 10	15 6	9	آ آ	3
57	IX. DISEASES OF THE DIGESTIVE SYSTEM	91 428	53 213	28 134	5 55	5 26
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES	-		-	[	-
59 60	PEPTIC ULCER531-533 ULCER OF STOMACH531	45 25	23 12	19 10	2 2	1 1
62 63	ULCER OF DUDDENUM	16 4	10 1	6 3		7
64 65	APPENDICITIS	3 7 34	1 2 16	- 4 16	1 1	1
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN561	-		10		
67 68	DIVERTICULA OF INTESTINE	13 5	3 2	1:0 3	[ ]	-
69 70	CIRRHOSIS OF LIVER	193 110	108 59	39 14	31 26	15 11
71 72	OTHER SPECIFIED	28 55	19 30	7 18	1 4	1 3
73 74	OTHER DISEASES OF DIGESTIVE SYSTEM526-530,534,536,537,564-570,572,573,576,577	19 109	7 51	7 36	17	5
75	X. DISEASES OF THE GENITOURINARY SYSTEM	116	49	50	8	9
76 77	NEPHRITIS AND NEPHROSIS	41	14	21	3 -	3 ~
78 79 80	NEPHROTIC SYNDROME	2 36	1 10	1 20	3	3
81 82	CALGULI OF URINARY SYSTEM	19 5 44	11 - 18	6 5 18	1 - 4	1 7
83 84	HYPERPLASIA OF PROSTATE	5	5 -	18	1 2	
85	OTHER DISEASES OF GENITAL DRGANS	2	1	-	-	t l
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	3	•	. 2	•••	1
88 89	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA	1 -	:::	1 1 1		1

and Sex: United States and Each State, 1973—Con.

		NEW YORK					TH CAROLIN			en by an aste		RTH DAKOTA	-		Ī
	Whi	te	A11 o	ther	<b>6</b> -1-3	Whi	te	All o	ther	<b>m</b> _4-3	Whi	te	All o	ther	
rotal	Male	Female	Male	Female	Total.	Male	Female	Male	Female	Total	Male	Female	Male	Female	
69,252 7,235 62,017 31,030	34,978 2,837 32,141 17,469	29,612 3,549 26,063 12,064	2.396 364 2.032 795	2,266 485 1,781 702	15,711 2,333 13,378 9,109	7,438 764 6,674 4,920	4,947 713 4,234 2,540	1,791 391 1,400 972 22	1:535 465 1:070 677	2,023 195 1,828 1,277	1.251 94 1,157 857	750 99 651 404	15 1 14 13	. 7 6 3	01 02 03 04 05
37,771 10	259 17•244 6	158 17,386 4	13 1,588 -	11 1,553	96 6,504 2	51 2,466 1	12 2,394 1	797 -	847	737 1	389 -	3 342 1	2	4	06 07
2,690 26 73	1,215 10 36	1,097 11 22	205 4 11	173 1 4	1,087 15 13	448 5 4	317 2 6	189 4 3	193 4 -	160 1 -	94 - -	64 1 -	1 - -	1 - -	08 09 10
64 2 11	22 - 4	33 2 5	Z - -	7 - 2	23 2 4	7 - 1	10 2 2	2 - 1	- - -	8 1 3	1 1	- 2	-	=	11 12 13
51 1,808 169 550	18 802 79 266	26 792 77 162	2 101 6 81	5 113 7 41	17 626 76 334	6 240 29 163	6 200 22 77	1 104 13 63	4 82 12 31	111 11 29	2 59 6 25	2 50 5 4	1 -	1 -	14 15 16 17
15,977 2,623 13,354	6,079 836 5,243	8.451 1.294 7.157	650 200 450	797 293 504	5,868 799 5,069	1,804 180 1,624	2,403 242 2,161	781 169 612 42	880 208 672 40	697 70 627	933 32 301	352 36 316	8 1 7	4 1 3	18 19 20 21
945 2,928 4,220	306 1,083 1,626	. 446 1,499 2,384	84 161 92	109 185 118	237 862 1,555	65 261 481	90 303 670	143 185	155 219 2	114 119	65 57	13 48 61	1 1 1	=	22 23 24
90 249 4,430 3,115	32 128 1,714 1,190	53 96 2,228 1,745	1 10 207 95	4 15 281 85	19 104 2,020 1,071	48 589 356	12 36 813 479	1 11 287 112	9 331 124	. 15 . 288 . 137	2 8 135 59	7 147 76		2	25 26 27
4,551	2,101 889	2,163 1,361	147 51	140 67	1,252 701	506 231	483 320	128 68	135 82 25	217 133	131 71	85 61 9	1 1	<u>-</u>	28 29 30
1+174 242 767	792 103 317	307 112 383	50 17 29	25 10 38	257 63 231 459	161 19 95 163	52 23 88 138	19 11 30 88	10 18 70	49 B 27 37	40 5 15 17	3 12 20		=	31 32 33
1,771 1,599 172	693 616 77	853 784 69	98 87 11	127 112 15	410 49	136 27	124 14	85 3	65 5	29 8	13	16	=	-	34 35
10,532	5,686	3,711	699	436	2,689	1,350	749 3	369 5	221 2	390	234	148	5	3	36 37
38 69 154	19 34 69	13 27 80 2,635	3 3 3 479	3 5 2 319	13 24 149 1,359	3 10 64 571	53 431	2 15 218	6 17 139	2 4 31 220	2 16 103	2 2 15 112	- - 2	_ _ _ 3	38 39 40
6,335 93 1,057	2,902 39 533	42 363	7 112	5 49	30 158	14 67	8 39	3 31 2	5 21 2	8 23	6 15	8 1	= =	=	41 42 43
40 4.041 1,104	17 1,790 523	15 1,755 460	2 286 72	6 210 49	12 375 784	158 328	124 256	54 128	39 72	130 55	2 56 24	72 29	- 2	1 2 -	44 45
2,185 58	1,546 26 286	504 26 100	89 3 8	46 3 7	578 18 121	396 5 88	111 8 19	51 1 12	20 4 2	85 3 15	73 2 14	12 1 1	=	=	46 47 48
401 1,547 179	1,173 61	300 78	62 16 1	12 24 1	397 42	290 13	. 69 15	32 6	6 8	63	56 1	7 3	=	] =	49 50 51
126 43 239	2 61 19 137	32 17 88	26 2 6	7 5 8	29 7 97	13  47	2 5 33	13 2 10	1 - 7	2 -	- - 4	1 - -	1 - 1	=	52 53 54
57 1,282	32 865	19 296	5 82	1 39	10 423	1 245	9 96	53	29	1 40	1 35	4	1		55 56
8,091	3,966	2,635	931	559	1,664	674	501	265	224	179	105	61	6	7	57 58
861 374	1 491 209	1 280 118 135	1 59 32 22	31 15 11	140 47 67	75 19 41	27 13 11	28 11 11	10 4 4	11	16 7 8	7 4 3	<u>-</u>	=	59 60 61
391 96 70	209 223 59 35 51	27 25 34	5 9 12	5 1 9	26 8 16	15 3 7	3 3 1	6 2 6	2 - 2	1 1 4	1 - 3	1	=		62
106 650 3	257	327 2	31	35	172	51	60	9 <del>7</del> -	24	20	14	6	-	_	64 65 66
358 106 4,102	118 46 2,155	205 56 942	15 2 653	20 2 352	62 21 735	19 7 326	26 10 178	6 3 115	11 11 116	· 5 49	4 2 28	7 3 10	- 4	- 7 7	67
1,897 581 1,624 291 1,541	1,011 249 895	314 180 448	395 94 164	177 58 117	354 84 297	158 25 143	60 31 87	69 11 35	67 17 32	33	19 2 7	4 1 5	1	7	68 69 70 71 72 73 74
291 1,541	111 701	161 602	111	. 100	72 438	25 161	35 161	63	7 53	12 17 49	11 27	5 21	1	=	1
2,548 808	1,152	978 267	225 112	193 94	798 242	273 83	262 _59	146 51	117	68 18	39	26 7	1 1	1	75 76 77
137 21 650	64 8 263	45 9 213	11 4 97	17	29 14 199	10 4 69	5 47	9 3 39	3 2 44	3 2 13	2 1 6	1 1 5 5	-	- 1	78
485 55 904	182 20 401	250 32 379	25 1 69	28 2 55	211 23 241 41	56 10 80	103 10 77	29 - 51	44 23 3 33	13 3 24	8 2 13	1 10		- 1	80 81 82
168 7 121	154	7 43	14	· •• <u>•</u>	41 2 38	30 14	1 12	11 - 4	1 8	6	6 -	3	=		79 80 81 82 83 84 85
47		26		21	13	•••	8		5	3	•••	3		-	В6
6 8 5	:::	4 6 3	:::	2 2 2	2 2 1	•••	1 1 1	:::	1 1	<b>.</b>		-	:::	=	87 88 89

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				NEW MEXICO	<del> </del>	
	CAUSE OF DEATH	Total	Whi	te	All c	ther
			Male	Female	Ma1e	Yema Le
01 02 03 04 05 06 07	ABORTIONS	- - - - - - -	•••			111111
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS650	-	***	-	•	-
09 10 11	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	11 3 8	5 1 4	4 -	1 1 -	1
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	27	8	15	1	3
13 14 15 16 17	ARTHRITIS AND SPONDYLITIS	7 2 2 2 14	. 3 	4 2 1 2 6	- - - 1	1 2
18	XIV. CONGENITAL ANOMALIES	100	38	47	6	9
20 21 22	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	1 16 39 12	8 12 5	1 6 21 5	4	2 2 1
23 24 25	CLEFT PALATE AND CLEFT LIP749 ALL OTHER CONGENITAL ANOMALIES	32 183	13 99	14 55	16	4
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	347	193	88	44	22
27 28	SENIEITY WITHOUT MENTION OF PSYCHOSIS794 SYNPTOMS AND OTHER ILL-DEFINED CONDITIONS	22 325	3 190	5 83	96	6 16
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	1,330	803	234	226	67
30 31 32 33 34 35	ACCIDENTS	1,000 5 571 557 4	589 1 328 318 2	182 - 1 98 96 -	180 3 110 108 1	49 35 35 1
36 37 38 39 40 41 42 43	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN	183 108 37 197 28 14 5 14	106 47 28 120 15 10 3 9	44 13 6 32 1 2 1 2 2	23 38 2 36 8 2 1 3	10 10 1 9 4
44 45 46 47 48 49 51 52 53	ACCIDENTAL POISONING	52 20 7 7 25 73 24 4 4 26 57	36 14 4 18 47 20 3 24 14	6 3 3 19 1 1 1 17 8 9	8 1 3 4 4 6 3 7 3 3 12	1 1 1 2
55 56 57 58 59 60 61 62	OR SUFFOCATION	36 28 47 2 2 2 5 36 20	15 18 39 2 2 2 5 30 11	12 5 1 - 1	6 6 6 - 1	1
63 64 65 66 67 68 69	ALL OTHER ACCIDENTS	178 23 12 18 117 8	11 19 118 4 9 11 91 3	6 13 37 17 2 1 13	1 15 17 1 1 5 9	2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
70 71 72 73 74 75	HOMICIDE	134 85 25 23 - 1	86 62 15 8 -	13 8 1 4 -	25 13 5 7	10 2 4 4
76 77	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989 INJURIES RESULTING FROM OPERATIONS OF WARE990-E999	18	10	2	4	2

Buocategory	•	NEW YORK					TH CAROLIN		-			RTH DAKOTA			Ī
m1	Whi	te	All o	ther	Total	Whi	te	A11 o	ther	Taka1	Whi	te	A11 (	other	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
7 4 1 1 1 8	::	4 3 1 2	•••	3 1 1 - 1 6	1 - 1 - - 4		- - - - 4		1	1 - - 1	•••	1 - - 1	•••	-	01 02 03 04 05 06
12		7 -	:::	5 1		:::	-		2 -	1 -		- 1	•••		07 08
227	60	118	16	33	47	15	16	7	9	7	4	2	1		09 10
47 180	19 41	22 96	3 13	30 3	11 36	11	. 14	3 4	27	2 5	4	i i	-	-	iĭ
418	114	233	20	51	128	35	- 56	12	25	11 7	2	8	1	_	12
135 26 22 18 217	37 10 8 4 55	88 10 9 13 113	4 1 3 - 12	1 37	50 5 2 3 68	14 2 - 2 17	27 1 1 27	- 1 - 8	1 16	2 2 33	- 14	2 2 2	-	=======================================	14 15 16 17
1,111	'516 19	410	87	98	426 30	162	155 16	56 1	53 .3		-		_	_	19
170 457 98 3 347	67 213 45 1 171 957	80 159 28 1 128	8 42 13 - 23 420	15 43 12 1 25 286	66 172 28 1 129	23 75 11 - 43 357	25 58 7 - 49 259	6 20 7 1 21	12 19 3 - 16 200	3 16 1 - 13 88	3 5 - 6 44	- 10 1 - 5	5	1 - - 2 5	20 21 22 23 24 25
2,463	1,051	778	387	247.	573	185	143	146	99	50	24	21	į	. 4	26
17 2+446	1,045	11 . 767	- 387	247	31 542	6 179	15 128	5 141	5 94	12 38	5. 19	6 15	· 1	1 3	27 28
11,656	6,216	2,980	1,868	592	5,213	2,609	931	1,280	393	464	309	108	34	13	29
6,846 78 3,083 3,043	3,866 53 1,867 1,847	2,115 6 826 811 6	604 15 292 288 2	97	3,622 19 1,879 1,829 57	1,799 . B 949 919 30	693 1 341 334 19	841 8 453 446 3	289 2 136 130 5	399 5 219 214 7	267 2 148 144 4	90 2 49 48 3	29 1 15 15	1	30 31 32 33 34
863 873 520 411 361 40 18 76 34	507 463 345 287 239 20 9 59	282 238 102 91 92 15 9	52 128 63 22 21 4 - 7 2	44 10 11 9 1 1 -	732 329 103 536 72 50 5 41 47	370 125 61 298 35 - 30 3 31 41	186 46 16 58 9 7 1 -	129 122 21 150 21 7 7 1	47 36 5 30 7 6 -	99 15 25 66 2 5 1 11	63 6 21 48 2 4 - 8	29 3 4 9 - 1 1 1	6 4 5 - - 2	1 2 4	35 36 37 38 39 40 41 42 43
220 102 32 86 1,360 361 44 955 376 367	126 59 17 50 588 207 19 362 175	65 26 10 29 663 106 22 535 140 47	18 10 3 5 60 30 27 31 69	7 2 2 49 18 - 31 30	169 34 106 29 391 84 5 302 254	77 17 45 15 169 50 3 116 99	28 11 14 3 157 22 2 133 52	45 36 6 42 9 - 33 56 87	23	17 1 2 14 46 15 8 23 3 20	8 1 -7 26 12 4 10 .1	4 - 2 2 19 3 13 - 1	3 - 3 1 2	2 - 2 1 - 1 1	44 45 46 47 48 49 50 51 52 53
235 59 226 8 18	116 47 170 4 13	79 7 28 2 1	23 2 20 - 2	3 8 2	74 86 195 3 14	28 55 134 1 2	18 11 6 -	14 16 49 1 8	14 4 6 1 4	5. 10 28 -	3 7 23 - -	3 -	3 2 -	1 - -	55 56 57 58
17 33 150 287 427	5 30 118 134 248	7 3 15 115 121	3 - 15 20 45	2	8 36 134 78 159	4 31 96 32 65	1 1 4 22 31	2 4 34 9 49	15 14	1 2 25 5 17	2 21 1 1 15	1 - 2 4 2	2 -	111111111111111111111111111111111111111	59 60 61 62 63
1,417 194 168 396 408 251	900 63 115 273 329 120	396 117 47 87 45 100	92 3 6 31 29 23	11 5 5	483	489 35 26 46 363 19	137 30 7 15 78 7	51 1 6 39 4	1 3	53 - 8 7 36 2	38 - 2 5 30 1	13 - 6 2 4 1	2 - - 2 -	-	64 65 66 67 68 69
2,021 1,023 637 313 -	805 449 235 101 - 20	57 51 75	854 454 293 80 	63 58 57 -	596 102 85	267 208 21 33 - 5	78 56 8 14 -	359 275 55 24 - 5	1	-	2 1 - 1	4 3 1 -	3 2 1 - -		70 71 72 73 74 75
1.372	645		318	123	112	53 1	23	29	1 . 1	. 3	2	1 1	·. =	=	76 77

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

		· · · · · · · · · · · · · · · · · · ·	15.	OHIO		
	CAUSE OF DEATH		Whi	te	A11 o	ther
		Total	Male	Female	Male	Yema1e
01	ALL CAUSES	101,510	49,819	41,929	51598	4,164
02	I. INFECTIVE AND PARASITIC DISEASES	657	283	240	70	64
03 04 05 06 07	CHOLERA	1 2 -	- 1 - -	- 1 -	- - -	1
08 09 10 11 12	ENTERITIS AND OTHER DIARRHEAL DISEASES	102 132 103 5	37 64 49 3	45 32 23 1	9 20 19	11 16 12 1
13 14 15	TUBERCULOSIS OF BONES AND JOINTS	2 4 18	1 2 9	1 1 6	-	1 2
17 18 19 20	PLAGUE	- - -	-	-	-	
21 22 23 24 25	STREPTOLOCULAL SORE LINGUAL AND SCARLE   FEVER	- 1 15	- - 7	- 1 7	1	-
26 27 28	038   OTHER BACTERIAL DISEASES   039   ACUTE POLIONYELITIS   040-043   040	214 19	100 8 -	81 9 -	20 - -	13 2 -
29 30 31 32 33 34	LATE EFFECTS OF ACUTE POLIGNYELITIS	4   - 1   - 22	4 - 1 - 8 2	- - - 8	- - - 3	13
35 36 37 38 39	NABLESS	30 - 48 2 -	15  22 1 	10 - 20 1 -	4	5 2 -
40 41 42 43	TRYPANDSDMIASIS	19	-   6	- - 7	- 4	z
44 45 46 47 48	EARLY SYPHIEIS, SYMPTOMATIC	1 1 12 2 2	- - 3 2	5	3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
49 50 51 52 53	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM	- - -		<u>i</u> - -	1	111
54 55 56 57	U90   SCHISTOSOMIASIS   120   HYDAXIDOSIS   125   FILARIAL INFESTATIONS   125   ANCYLOSTOMIASIS   126   OTHER HELMINTHIASES   126   OTHER INFECTIVE AND PARASITIC DISEASES   126   OTHER INFECTIVE AND PARASITIC DISEASES   126   OTHER INFECTIVE AND PARASITIC DISEASES   127   OTHER INFECTIVE AND PARASITIC DI	- - 2 39	- - - 7	- 1 16	1 8	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
58 59	11. NEOPLASMS	18,686	9,068	7,862	1,022	734
60 61 62 63	HEMATOPO LET IG TISSUES.   140-209	18,463 402 1 108 135	8, 968 252 1 65 83	7,758 101 - 27 43	1.014 39 11 9	723 10 5
64 65 66 67	OF PHARYNX	158 5,110 339 698	2.361 204 365	31 2,247 53 257	19 274 57 44	226 25 32
68 69 70 71 72 73	OF SHALL INTESTINE, INCLUDING DUODENUM	37 2,067 240 53 57 280	17 855 90 20 34 106	17 1,054 135 30 21 160	1 73 8 2 1	2 85 7 1
74 75 76 77 78 79 80	SIGNDID COLON	1, 322 115 603 . 101 253 932	559 46 306 48 79 457	648 60 251 39 157 381	51 4 20 12 7 53	7 64 5 26 2 10 41
81 82 83 84 85 86 87 88	HALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	4+110 163 3+876 71 2+128 96 91 250	2,913 125 2,745 43 254 58 44 135	794 21 752 21 1,720 31 35 104	336 15 316 5 19 3 6	67 2 63 2 135 4 6

		OKLAHOHA					OREGON					NN SYLVANIA		<u>.</u>	7
	Wi	ite	All o	ther		Whi	te.	All o	ther		Wh	<u> </u>	All o	other	1
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Tota1	Male	Female	. Male	Female	1
27.3	49 13,976	10,712	1,506	1,155	20,906	11,577	8,877	288	164	126,632	62,704	52,304	6+622	5,002	01
2	34 104	88	26	14	105	56	42	3	4	967	451	316	114	86	02
	2	- - -	=	=	- -	=	-	· - 1	-	- 5	- 4	- 1	= =	<u> </u>	03 04 05
	1 36 52 33	1 23	3 7	- 3	1 1 2 13 27 19	1 4	1		-	- 109	- - 43	- - 55	6	- - 5	06 07 08
	1 26	6	5 1	3 2 -	19 - -	18 14	4 2 -	2 1 -	3 2	265 223 4	139 120 2 1	53 40 1	54 50 -	19 13 1	03 04 05 06 07 08 09 10 11 12 13
	1   3	1	1	- - 1	3 5	1 3	1 2	l	1	1 2 4	1 1	1	- 2	1	12 13 14
	-11 -	_		<u>-</u>					_	31	14 - -	11	2,	-	15
	=   =		= '	-		3		1111	() 11	111	=	-	111	=	16 17 18 19
	<u> </u>	=	- - 2	-	3 - 1 3	1 2		1	·	- 2 1	1	- 1 1	-		19 20 21 22 23 24 25 26 27 28
1.	9 [[ 36	21	2 - 9	1 - 3	3 - 28	15	1 - 13			16 3 321	8 1 146	6 2	2 - 26	- 26	24
1	9 4	_	-	-	1 -	-	1	=	-	59	27	114 21	-	35 7 -	ı
}	3 1 3	1 -	11111	-	-	111	-	-	-	3 1	2 - 1	1 -		. :	30 31
	3 1	1 - 2	1111	- 1 -	3 ,	ī.	5	-	- -	10	5	- 3 -	2	=	32 33 34
1 2	o(( a	7	4	- 1	7	4 - 2	1 ~ 4	- -	- 1	71	9 - 32	7 - 34	1 - 2	3 - 3	35 36 37
1	3   2 -   -	1 -	111	- -	=		=	-	<u>-</u>		-	- -		=	32 34 35 36 37 38 39 40 41
ł	6 2	2	- -	-: 2	-   1	1	~	-	-	24	- 8	3	9	- 4	
	2 2	-	-	=	-	-	-	- -	. <u>-</u>	1 -	1 -	-	=	- - -	42 43 44 45 46 47 48 49 50 51 52 53
	i	1 1	-	- - 1	1 -	1 ~ ~	-	<u>-</u>	 - - -	20	5	3 - -	8 - -	<del>4</del> 	46 47 48
	1   - -   -	- 1	-	i	-		=	=	-	2 1 - 1	2 - - 1	-	- -	Ξ	50 51
	<u> </u>	-	=		-   -		-	-	-	=	-  -  -	- - -	<u>-</u>	Ξ	154
1	- //	10	1	-	9	4	5	=	=	- 56	_ 24	14	- 8	10	55 56 57
4,78	(1	1,875	258	174	3,707	2,040	1,594	41	32	23,026	11,197	9,745	1,213	871	58
4•73 LO	7   1   7	1,848 28	254 15 -	174 3 -	3,657 72 1	2,021 44 1	1,565 26	40	31 2	221651 455 7	11+028 299 6	9+581 90	1,194 50	848 16 1 5	59 60
2 3 4	2    9 5    17	7 14 7	6 3 6	1 2	20 19 32	11 10 22	8 ( 9 9	=[	<u>i</u> - I	115 137 196	74 83 136	26 33 31	10 17 23	5 4 6	60 61 62 63 64
1,17 5 17	540	498 11	. 73 12	63 3	919 50	479 34	415	14	11	6.513	3,074	2,836 97	359 69		1
1 49	1 198	11 55 1 252 30	12 17 1 17	13 1 24	131 2 364	78 2 163	13 47 193	3 2 - 5	4	422 1,008 42 2,680	235 559 19 1,138	337 20 1•332	78 1 103	244 21 34 2 107	67 68 69
1	3 7	5 6	-	1	33 15 6	13 4 9	19 10 3	1 1 -	=	289 80 55	115 39 17	152 ) 34   34	9 3 3	107 13 4 1	70 71 72
36 1 9	146 1 6	14 188 9 37	3 11 3	19	58 235 17 83	32 102 9	26 127. 8	3 -	3	293 1,774 189 763	138 745 84	129 886 97	17 68 3	9 75 5	73 74 75
24 44 26	) [[ 12	37 9 28 101	4 3 4	3 - 5	14 34	47 6 16	35 B 18	-	1 -	89 329	406 41 103	97 315 31 208	23 13 4	75 5 19 4 14	65 66 67 68 69 70 71 72 73 74 75 76 77
10	lí	4	14	12	14	124	98 3	3 1	1	1,098 82	539 34	453 43	63	43 -	79 80
1,15: 2: 1,10	19	223 3 214	52 3 47	12 - 12	882 33 837	679 25 645	182 8 171	16	5 -	4,797 177	3.406 136	889 17	407 22 377	95 2	81 82
24 483 23	16	3.6	2 5 1	20	12 384 14	9 56 12	3 320 2	16	5 - 7 -	4,526 94 2,557 122	136 3,217 53 270 72	842 30 2,114 43	377 8 14 3	95 2 90 3 159 4 13	84 85 84
48: 23: 25: 10: 33:	14 13 55	8 8 44 312	2 2	- 1 19	19 45 306	10 32 2	8 13 297	- - 1	1 - 6	87 235 2,113	38 138 22	30 93 1,948	6	13 4 138	81 82 83 84 85 86 87 88 89

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

A	·		· · · · · · · · · · · · · · · · · · ·	OHID		
	CAUSE OF DEATH	Total	Whi	te	A11 6	other .
		10201	Male	Female	Male	Female
	MALIGNANT NEOPLASMS. ETCCON.					
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS180-187	2,331	893	1,191	126	121
02 03	OF OTHER PARTS OF UTERUS181,182	331 347	:::	272 316	•••	59 31
04 05	OF OVARY, FALLOPIAN TUBE, AND BRDAD LIGAMENT	574 60		544 59	•••	30 1
06 07	OF PROSTATE	959 60	837 56	242	122 4	:::
08 09 10	MALIGNANT NEOPLASMS OF URINARY ORGANS	884 519	571 348	130	47 24	24 17
11	HALTCHANT NEON ACHE OF OTHER AND INCORPORTED CITES	365 1,630	765	112 696	23 84	7
12 13	OF EYE	9 445	3 247	5 170	13	85 1
14	OF THYROID GLAND	59 1,117	23 492	31 490	1 1 70	15 4 65
16 17	LEUKENIA	811 268	415 145	343 106	39 13	14
18 19	MYELOID LEUKEMIA	344 69	164	156 31	16	8
20	OTHER AND UNSPECIFIED LEUKEMIA207	130	75	50	4	î
21 22	OTHER NEOPLASMS OF LYMPHATIC AND HEMATDPDIETIC TISSUES200-203,208,209 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA200	1,057 383	544 193	424 170	50 10	39 10
23 24	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA	168 248	98 106	59 100	7 23 10	19
25 26	DENIGN MENTERSW2 WAD MENTERSW2 OF AND ACTIVITIES NOT THE STATES OF STATES	258 223	147 100	95 104	10 8	11
27 28	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS	10 42	14	9 25	1	1 2 3
29 30 31	OTHER BENIGN NEOPLASMS	36 2	19	14 2	•••	3
32	NERVOUS SYSTEM	75 58	36 31	33 21	3	3
33	111. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	2,703	1,002	1,398	125	178
34	NONTOYIC COITED	2		2	-	
35 36	THYRUTOXICUSIS WITH OR WITHOUT GOITER	13 24	2 3	8 16	2 1	1 4
37 38	DISEASES OF PITUITARY GLAND	2,273 10	820 6	1,202	99	152
39 40	DISEASES OF THYMUS GLAND	16	- 5	7	3	1
41 42 43	NIACIN DEFICIENCY	124	52 52	58	8	ž.
44	CYSTIC FIBROSIS	21 220	106	13 91	12	11
45	1V. DISEASES OF THE BLOOD AND BLOOD-FORMING DRGANS	267	103	118	25	21
46	ANEMIAS	159 32	64 16	69 16	13	13
48 49 50	DEFICIENCY ANEMIAS	39 41	5 21	16 18 19	10	8 2
51 52	PURPURA AND OTHER HEMORRHAGIC CONDITIONS	47 29 79	22 5 34	19 20 29	3 1	3
53	V. MENTAL DISORDERS	305	132	96	11 59	18
54	SENILE AND PRESENILE DEMENTIAS290	48	12	34	1	1
55 56	SENILE AND PRESENILE DEMENTIAS	21 16	9	1 5	8 2	3
57 58	ALCOHOLISM OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC	133	67	19	37	10
59	MENTAL DISORDERS300-302,304-309 MENTAL RETARDATION310-315	76 11	31 4	32 5	10 1	3 1
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	952	458	385	55	54
61 62	MENINGITIS	57 39	19 27	21 11	7	10
63 64	MULTIPLE SCLEROSIS340   PARALYSIS AGITANS342	99 169	35 91	58 70	i	5
65 66	CEREBRAL SPASTIC INFANTILE PARALYSIS343	36 100	18 43	11	2 14	10
67 68	INFLAMMATORY DISEASES OF EYE360-369	3	- 2	[-]	1	=
69 70	GLAUCOMA375 OTITIS MEDIA AND MASTOIDITIS381-383	- i	- 3	3	5)	=
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389	443	220	178	25	20
72	VII. DISEASES OF THE CIRCULATORY SYSTEM	56,073	27.107	24,618	2,245	2,103
73 74	ACTIVE RHEUMATIC FEVER	6 781	4 306	2 412		أت
75 76	DISEASES OF AURTIC VALVE	210 228	67 132	137	29	34
77 78	DISEASES OF OTHER ENDOCARDIAL STRUCTURES	38 305	12 12 95	71 23 181	15 3 11	10
79 80	HYPERTENSIVE DISEASE	1,524 52	590 21	660	154	18 120
81 82	ESSENTIAL BENIGN HYPERTENSION	64 406	19 129	20 37 212	6 3 38	5 5
83 84	HYPERTENSIVE RENAL DISEASE	302 700	140	118 273	23 84	27 21 62
		11	TOT	21-13	07	021

and Sex: United States and Each State, 1973-Con.

		OKLAHOMA			he Internation	<u>.</u>	GREGON			<u> </u>		NNSYLVANI A			T
Total	Whi	.te	A11 o	ther	Total	Whi	te	All o	ther	Total	Whi	te	A11 o	ther	
Total	Male	Female	Male	Female	IULAL	Male	Female	Male	Female	totat	Male	Female	Male	Female	
602	270	256	43	33	446	233	210	1		2,596	1,029	1,282	142	143	01
83 78	***	256 72 67 105		11 11	44 49 111		42 49 111		· 2	303 385 66B		255 342 620	•••	48 43 48	01 02 03 04 05 06 07 08 09
14 302 11	259 11	12	43	9 2 •••	8 224 10	223 10	B	••• 1	::-	69 1,116 55	976 53	65 313	140		05 06 07
14 302 11 179 94 85	114 64 50	51 24 27	11 3 8	3	163 98 65	105 68 37	55 28 27	3 2 1		1+041 647 394	658 420 238	313 180 133	41 - 26 15	29 21 8	08 09 10
533	254 1	226 2 52 7	30 2 	23 1 1	356 5 113	170 2 60	181	2 - -	3	2,620 16 476	1+225 7 267	1,172 9 181	116 13	107 15	11. 12
122 13 392 209	69 4 180 120	7 165 76	2 26 7	21 6	14 224 180	106 107	53 12 113 72	2	- - 3	59 2,069 845	17 934 460	37 945 338	1 102 27	88 20 8	14 15
82 74 8 45	54 41 4 21	25 26 4 21	3 - 1	4 2	54 83 14 29	35 47 7 18	73 19 36 7 11	- - -	- - -	276 379 22 168	161 189 9 101	99 171 11 57	8 11 2 6	8 - 4	11. 12 13 14 15 16 17 18 19 20
289 97	142 48	118 40	18 3	. 11 6	255 86	148 41	103 43	3 1	1 1	1,227 474	607 238	547 213 79	38 12	35 11	Z1 22
37 80 75 57 2	23 35 36 26	12 31 35	2 10 3	4	42 60 67	32 32 43 19	9 28 23	1 - 1	- - 1	186 275 292 375	98 127 144 169	120 135 164	4 14 8 19	35 11 5 14 5 23 2	24 25
2 6 11	2 5	31 35 27 2 3 5		i i i	60 67 50 2 8 12	4	28 23 29 2 4 7	1  1		7 35 43 4	11 20	5 17 19	4 1	2 3 3 3	21 22 23 24 25 26 27 28 29 30
23 15	11 8	12 5	- 2	-	- 18 10	7	- 11 5	-	- 1	190 96	93 45	82 40	7 7	•	31 32
584	206	295	37 -	46	471	184	· 274	7 -	6	3,049	1+105 1	1,639 2	141	164	33 34
3 3 460	1 164	3 1 226	- 1 28	- - 42	1 3 5 328	1 2 124	3 198	- - 4	. 2 - 2	21 26. 2,559	5 8 915	14 17 . 1,397	1 - 114	1 1 133	35
2 - 5	2 - 1	-	=	- - - 4	1 ~	1 - 2	- - 4		- -	10 1 29	? 14	6 1 13	- 1 - -	133 1 2	38 39 40
43 8	10 4 24	- 24 4 33	5 - 3	4	*50 9 68	19 4 31	29 5 . 34	- - 3	- - - 2 -	150 22 228	50 11 99	77 10 102	13 - 12	10 · 1 15	36 37 38 39 40 41 42 43
60 65	22	32	7	4	38	15	23	-	_	316	127	142	20	27	45
40 4 4	14 1 1	16 3 1	5 - 1	. 3 - 1	30 5 3	11 3	19 2 3 9			195 32 34	73 8 9	90 21 8	12 - 5 1	20 3 12 1	46 47 48
19 13 11	10 2 3	1 8 6 8	4	1 1	3 15 7 4	6 2 2	5 · 2	-		63 66 33	27 29 16	34 27 14	6 2	1 4 1	46 47 48 49 50 51 52
14	96	6 48	23	1 14	4 122	63	2 50	- 7	2	88 280	38 139	38 70	. 6. 50	21	53
12 8 10	4 6 2	7 1 6	1 -	- 1 2	24 5 4	. 11	13 2 4	1 - 1	- -	32 19 13 140	9 11 6	20 3 4	2 4 1	1 1 2 7	54 55 56 57
10 120 17	73 4 7	16 10	20 1 1	9 2	53 33	. 34 14	  18	7 - -	1. 1	68	78 32	16 22	39 4		57 58 59
246	128	102	7	9	3 221	1114	2 103	2	, <del>-</del> 2	949	3 459	389	64	37	60
23 10	8 6 11	11 4 6	1 - -	3  -	21 6 27	13 3 7	8 3 20			74 39 116	35 28 45	25 11 64	11 - 4	3 - 3	61 62
23 10 17 46 15 17	27 8 5	18 6 9	1 2	· 1 1	45 5 17	26 4 9	16 1 7	1	- -	178 33 97	87 20 45	86 6 34	3 6 12	- 3 2 1 6 - -	64 65 66
	=	=	=	-	45 5 17	=	-	-	- -	1 3 1	2	· - 1 1	= =	=	61 62 63 64 65 66 67 68 69
116	62	- 1 - 47	3	- 4	1 99	- 50	1 47	-	2	5 402	194	160	27	1 21	70
14,912	7,485 3	6,166	668	593 -	11,111	5,962	4,963 1	119	67	71,131 13	34, 532 6	31,964 6	2,349 1	2,286	72 73
124 43 39	53 17 21	59 22 13	8 2 4	4 2 1	161 40 67	82 14 43	76 25 23	2 1 -	1	972 <sup>-</sup> 263 257	389 - 77 152	537 - 175 94	20 5 8.	<b>26</b> 6 3	74 75 76
6 36 302 13	1 14 114	5 19 142	- 2 - 22	- 1 24	9	43 2 23 67	7 21 103	- 1 2	_	58 394 1,215	17 143 441	38 230 655	1 6 53	2 15 66	77 78 79
13 22 108 77 82	4 6 39	5 12 51	4 1 6 7	3 12 7 2	174 7 7 7 36	3 1 11	6 23	- 1	2 - 1 1	50 61 412	21 24 96	13 35 248	7 - 29	26 6 3 2 15 66 9 2 39 5	73 74 75 76 77 78 79 80 81 82 83
82	32 33	31 43	7 4	7 2	35 89	18 34	23 15 55	<u>1</u>	1 1	284 . 408	137 163	130 229	12 5	11	84

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

=				онго		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
		10241	Male	Female	Male	Female
01 02 03 04 05	ISCHEMIC HEART DISEASE	36,780 4,866 31,914 17,640	19,067 1,944 17,123 10,497	15+101 2+256 12+845 6+218	1,386 319 1,067 526	1,226 347 879 399
06 07 08	CHRONIC ISCHEMIC HEART DISEASE	209 18•923 8 1•858	130 8•435 5 835	67 8,813 3 817	8 852 - 100	823 106
10 11 12 13 14 15	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS	19 25 35 3 7 25 1,284 161	8 16 10 - 5 5 5 556 77	7 4 23 2 18 595 69	2 3 1 - 1 65 5	2 2 1 - 1 68 10
17 18 19		10, 908 1,397	168 4•380 481	5,645 733	24 434 81	23 449 102
20 21 22 23 24 25 26 27	CEREBROVASCULAR DISEASES 430-438 HITH HYPERTENSION (BENIGNI (-0) WITHOUT MENTION OF HYPERTENSION (-9) SUBARACHNOID HEMDRRHAGE 430 CEREBRAL HEMORRHAGE 431 CEREBRAL HEMORRHAGE 432 CEREBRAL HEMORRHAGE 433 CEREBRAL HEMORRHAGE 434 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES 432,435 ACUTE BUT ILL—DEFINED CEREBROVASCULAR DISEASES 432,000 OTHER CEREBROVASCULAR DISEASES 437,438	9,511 457 1,833 3,013 53 200 3,254	3,899 166 749 1,193 22 106 1,336	4,912 220 898 1,599 23 81 1,645	353 26 85 109 5 7	347 45 101 112 3 6 128
28 29 30 31 32 33	DISFASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	2.098 3,337 1,907 746 138 546 879 791	808 731 513 57 257 367 335	1,179 1,600 1,084 203 70 243 381 338	57 84 40 16 6 22 58	54 95 52 14 5 24 73 65
35 36	VIII. DISEASES OF THE RESPIRATORY SYSTEM	88 5,573	32 3, 182	43 1,877	350	164
37 38 39 40 41 42 43 44 45	ACUTE UPPER RESPIRATORY INFECTIONS	39 56 229 2,617 83 277 54 1,133	15 27 97 1,254 38 151 28 526	9 24 125 1,076 38 91 11 476	9 3 1 185 5 24 7 83	6 2 6 102 2 11 8 48
46 47 48 49 50 51 52 53 54 55	BRONCHITIS, EMPHYSEMA, AND ASTHNA	1,070 46 280 1,194 86 6 39 15 190	511 1.155 22 189 920 24 1 19 3	460 349 18 80 203 48 5 13 10 62	66 77 4 8 58 7 7	33 25 2 3 13 7 1 2 2
56 57	TX. DISEASES OF THE DIGESTIVE SYSTEM	35 741 3,585	18 484 484 1,806	16 188 1,347	52 256	17 176
58 59 60 61 62 63 64 65	DISEASES OF TEETH AND SUPPORTING STRUCTURES	4 348 156 143 49 21 80	1 197 78 91 28 10	1 113- 61 36 16 8 29	25 11 10 4 1	2 13 6 1 2 4
66 67 68 69 70 71 72 73 74	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, DF NONINFECTIOUS ORIGIN	339 2 174 61 1,498 471 295 732 181	146 	170 1 103 31 448 114 101 233 91	11 1 2 1 144 58 35 51	12 12 12 182 35 23 24 6
75 76	X. DISEASES OF THE GENITOURINARY SYSTEM	1,396 445	672 203	352 499 152	63 124 51	101 39
77 78 79 80 81 82 83 84 85	ACUTE NEPHRITIS	50 15 380 341 32 412 88 1	22 4 177 140 18 192 82 	14 8 130 153 8 155	3 39 20 40 6	34 28 4 25
86 87 88	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	17 1 1 4 3	***	11 1 2 2		6 2 1

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				OHIO		
	CAUSE OF DEATH	Total	Whi	ite	All. o	ther
		10141	Male	Female	Male	Female
01 02 03	ABBRTIONS	1 - 1		- -		1
04 05 06 07	SPONTANEOUS ABORTION	5		- - 5	***	
ОВ	AND THE PUERPERIUM	. 3	•••	1	•••	
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	89	35	37	7	10
10 11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	27 62	13 22	10 27	3 4	1
12 13	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	255	75	152	13	15
14 15 16 17	ARTHRITIS AND SPONDYLITIS	117 9 7 11	37 2 3 5	73 6 2 5	4 - 2 -	3 1 - 1
18	XIV- CONGENITAL ANDHALIES	111 752	. 28	66 321	7 37	10 30
19 20	SPINA BIFIDA	30	16	14	_	-
21 22 23 24	3749,742,743   1740,742,7743   1740,742,7743   1740,742,7743   1740	108 310 52 1	50 145 26	48 127 24 1	6 20 2	4 18 -
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	251 1,595	127 740	107	211	. 154
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	1,246	624	409	134	79
27 28	SENILITY WITHOUT MENTION OF PSYCHOSIS	35 1,211	. 11 613	23 386	134	1 78
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	7,359	4,168	2,069	865	257
30 31 32 33 34 35	ACCIDENTS	4,982 30 2,340 2,282 63	2,967 22 1,540 1,494 42	1,509 . 7 605 597 14	367 1 145 141 5	139 - 50 50 2
36 37 38 39 40 41 42	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN6814  MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION6814  OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION6811,6813,6815  MOTOR VEHICLE TRAFFIC ACCIDENTS	830 348 382 259 400 58 12 52	526 181 286 203 256 46 7 7	252 108 71 37 115 8 . 5	37 44 21 16 18 4 -	. 15 15 4 3 . 11 -
45 45 47 46 47 49 49	AIR AND SPACE TRANSPORT ACCIDENTS	253 88 57 108 958 250 44	40 123 33 31 59 391 141	75 32 15 28 509 84 30	2 38 15 6 17 37 18	17 8 5 4 21 7
51 52 53 54	OTHER AND UNSPECIFIED FALLS	664 239 254	236 113 172	395 79 39	19 32 36	14 15 7
55 56 57 58	ACCIDENT CAUSED BY FIREARM MISSILE	128 88 257 6 21	63 56 209 4 16	43 11 32 1 2	13 15 15 1 1 2	9 6 1 - 1
59 60 61 62 63	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM,  OR RADIATION	20 61 149 127 200	13 52 124 69 120	6 8 15 43 53	1 1 10 7 22	  8 5
64 65 66 67 68	SUIGIDE	1,311 181 187 179 672 92	829 53 114 108 504 50	373 116 69 57 103 28	82 4 3 12 53 10	27 8 1 · 2 12 4
70 71 72 73 74	HOMICIDE	905 666 69 147 - 23	291 202 25 52 -	133 73 12 48	397 332 23 31	84 59 9 16
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY DR PURPOSELY INFLICTEDE980-E989 INJURIES RESULTING FROM OPERATIONS OF WAR	158	78	54	19	7

·	OKLAHOMA					OREGON						PENN SYLVANI A				
	Whi	te	All o	ther		Whi	te	A11 o	ther	m.+1	Whi	te	<b>A</b> 11 o	ther.		
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female		
9,330 811 8,519 5,534 385 3,408 3 766 5 3 19	5+145 312 4+833 3+347 253 1,543 960 5	2 4 1	415 50 365 223 27 164 1 44 -	321 72 249; 166: 8 147 - 47 - 1 1	1 2	4,062 279 3,783 1,813 12 2,237 - 192 4 3 12	2,713 339 2,374 8 995 8 1,710 - 150 2 2 10	79 13 66 18 - 61 - 6	41 8 33 11 - 30 - 6	47, 955 5, 191 42, 764 25, 971 212 21, 766 2, 934 21 30 86 3 31	24,930 2,113 22,817 15,183 110 9,634 3 1,277 9 15 39	20,405 2,582 17,823 9,486 91 10,825 3 1,270 10 43 3 4	1,382 228 1,154 726 7649 202	1+238 268 970 576 658 - 185 3 2	01 02 03 04 05 06 07 08 09 10 11 12 13	
17 590 53	12 276 19	249 23	1 35 3 5	1 30 8	27	10 121 13	92 12	3	5 1	2+057 272	28 880 99	887 155	153 9	137 9 31	15 16 17	
96 3,301 2,940 121 479 683 35 40 1,337	47 1,308 123 1,185 47 197 250 18 18 545 233	185 1,528 60 239 381 14	132 17 115 6 16 23 2 1 1 68 16	7 148 36 112 8 27 29 1 2 67	73 2,579 239 2,340 102 305 732 13 60 717 650	39 1.074 84 990 33 141 300 7 31 313	32 1,468 150 1,318 67 158 419 6 29 397 392	2 21 2 19 5 8 -	16 3 13 2 1 5 - 4	468 12,558 1,506 11,052 495 2,035 3,806 79 168 3,628 2,347	235 5,004 534 4,470 182 844 1,488 31 104 1,428 927	166 6.486 784 5.702 245 997 2.016 45 54 1.846	36 512 96 416 32 102 141 3 5 162 67	556 92 464 36 92 161 5 192 70	18 19 20 21 22 23 24 25 26 27	
830 450 184 45 151 256 230 26	379 166 123 23 67 123 110 13	76 103	29 20 3 1 5 18 17 1	37 24 6 4 3 12 10 2	· 121	428 231 124 20 53 57 53 4	391 274 39 19 59 61 53 8	6 4 1 - 1 3 2 1	-	1,005 192 640 1,426 1,301	1,875 802 683 86 304 610 551 59 4,751	1,958 1,326 253 88 291 647 602 45	98 40 38 5 15 81 71 10	127 53 31 13 30 88 77 11	28 29 30 31 32 33 34 35	
5 8 61 732 15 63 13 175 466	3 5 33 381 5 38 9 93 236		- 1 3 48 2 6 - 8 32	- 2 32 - 1 2 7 22	11 143 638 16 62 3	2 66 340 9 33 1 142 155	- 5 76 289 7 26 2 119	- 1 6 - 1 - 4	2	220 3,341 123 367 21 1,163	6 22 107 1,681 57 174 13 645 792	8 25 103 1,305 59 144 7 413 682	2 3 3 207 6 31 - 60 110	7 148 1 18 1 45 83	37 38 39 40 41 42 43 44 45	
394 3 47 323 21 - 15 3 44 16 303	288 1 28 252 7 6 2 21 9 207	1 15 62 12 - 5 1 21	11 1 2 7 1 1 - 3 - - 11	2	10 76 301 24 - 12 2 39 8 266	313 55 53 244 11 - 8 1 23 4 194	97 5 23 56 13 -4 1 16 4 72	1 - 1		197 1,116 91 3 65 17 163 45 2,072 4,630	1,063 100 136 887 30 1 40 8 107 22 1,694	302 24 56 179 43. 1 15 5 38 18 265	53 2 2 42 7 6 2 12 3 87 280	24 23 3 8 11 1 4 2 6 2 26 199	50 51 52 53 54	
110 38 58 14 7 13	-66 16 38 12 3 6	21 17 2 3 4	- 4 1 3 - 1 1 3	- - - 2 8	69	- 60 22 33 5 5 6 31	27 9 13 5 2 2 2	1	1	213 195 64 41 71 399	283 110 134 39 23 42 153	158 85 53 20 16 18 212	1 25 15 6 4 1 7	1 6 3 2 1 1 1 4 18	59 60 61 62 63 64	
-0 18 309 100 34 175 59 274	11 5 152 50 15 87 28 136	10 106 31 15 60 25 106			i i	1 10 3 226 139 28 59 13 87	117 9 102 58 12 32 14 81	17 13 2 2 2 1	- 8 5 2 1 - 2	1,587	1 85 31 1,200 380 142 678 75 581	36 34 499 99 88 312 110 500	150 69 19 62 5 69	1 8 2 101 31 22 48 9 48	66 67 68 69 70 71 72 73 74	
131 17 5 109 144 13 179 27 - 15	48 5 2 41 49 4 84 25	42 9 3 30 81 6 72	15 1 14 4 - 14 2 - 2	26 2 - 24 10 1 9	53 5 1 47 49 3 50 11 2	311 3 - 28 22 - 29 11 - 3	211 188 277 3 200 208	1	1	66 61	224 39 7 178 143 16 280 63 - 22	184 26 7 151 150 17 225 24	51 12 1 38 14 	41 6 - 35 22 2 45 - 11 8	86	
2	∥ :::	1 2	:::	=	=	:::	=	:::	=	4 5	:::	- 2 5	:::	1 2	87 88 89	

and Sex: United States and Each State, 1973—Con.

	OKLAHOMA					OREGDN						PENNSYLVANIA				
	Whi	te	All o	ther		Whi	te	All o	ther		Whi	.te	A11 c	ther	1.	
Tota1	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female		
-		11111	*** *** *** ***	- -	1 - 1 - 1 - 1			•••	- - - -	3 2 1 		1 1 4		2 1 1 - - 1	02	
4 -	:::	3 -	:::	1 -	=	:::			=	4 -	:::	. 2	•••	. <b>2</b> -	07. 08	
20	7	6	2	5	14	i	7		-	139	41	78	.8	12	09	
17	2 5	1 5	z	5	3 11	6	2 5	=	= =	29	33	19 59	2 6	12	10	
74	20	49	1	4	52 29	21 7	31 22	-	- -	263 92	73	167 65	1	. 17 4	12 13	
30 4 2 2 38	8 2 1 - 9	21 2 1 25	- - - 1	1 - - 3	27 3 - 1 19	1 1 10	- - 9			12 14 - 6 - 139	7 1 39	6 7 5 84	- - 5	2 - - 11	14 15 16 17	
184	94	71 5	9	10	148	77 5	67 2	2	2	. 727 -27	325 6	321 16	39 5	42 -	18	
28 84 17 - 46 359	12 41 10 28	12 35 5 14	1 5 1 - 2 42	3 3 1 2 2	21 61 18 - 41	8 34 9 - 21	13 25 6 19	1 9	1 1 -	115 308 49 1 227	49 148 18 - 104 721	57 127 25 1 95	6 10 . 4 - 14	3 23 2 - 14 151	20 21 22 23 24 25	
363	166	154	29	14	312	161	138	12	1	2,733	1,001	584	729	420	26	
38 325	12 154	26 128	_ 29	- 14	22 290	156	17 121	12	ū	47 2,686	991 .	37 547	728 :	420	27	
2,321 1,707 12 787 769 22	1,380 1,024 6 468 457 14	630 469 215 209 5	221 147 6 80 79 2	90 67 - 24 24 1	1,897 1,364 14 661 645 10	1,257 918 13 437 427 9	560 397 1 200 195	55 35 - 14 14	25 14 - 10 9	7,844 5,460 38 2,549 2,517 25	4,559 3,305 25 1,708 1,684 22	2.026 1.59n 7 625 620 3	939 394 6 149 146	320 171 67 67	30 31 32 33 34	
185 106 45 67 344 18 3 12	105 59 28 45 206 11 2 11	60 26 12 13 93 6 1	14 17 5 6 35 1 -	5 4 3 10 - -	221 92 68 100 154 16 6 29 27	145 61 53 62 97 10 3 23 24	53 53 53 53 53 5	3 4 2 1 4 - 1 1	1	873 505 356 293 465 32 20 43	558 309 255 225 315 24 13 34	259 131 56 47 124 5 7 3	43 44 35 12 12 3 - 4	13 21 10 9 14 - -	35 36 37 38 39 40 41 42 43	
75 21 28 26 224 41 9 174 103	39 8 16 15 100 29 5 66 62 57	24 8 9 7 113 9 3 101 30	5 2 1 2 4 1 - 3 6 13	7 3 2 7 2 7 2 1 4 5 4	48 17 21 10 183 57 16 110 62 86	30 7 15 8 98 40 10 48 31	15 9 4 2 84 17 6 61 29	312 28	1	221 84 25 112 1,012 363 19 630 352 248	116 33 13 70 449 204 12 233 145	70 33 9 28 485 116 6 363 111	26 14 3 9 61 37 	6 1 10 41 9	50 51 52 53	
32 55 108 2 6	14 41 93 1 5	7 6 7 -	6 8 1 1	5 2 - -	23 26 107 1 1	14 20 98 - 1	9 5 5 1	1 3 -	1	147 85 289 4 15	79 71 247 2 10	52 7 21 1 4	12 6 13 1	4 1 8 -	58	
7 18 75 59 123	1 17 69 34 73	4 1 2 19 30	2 - 4 2 11	- - 4 9	1 8 96 38 54	1 8 88 21 39	4 15 14	- 3 1 1	 1 1 -	15 52 203 187 236	8 48 179 81 128 919	4 2 10 91 69	1 9 9 30 70	2 1 5 6 9	59 60 61 62 63	
354 50 30 35 223	15 15 22 164 12	34 14 9 51 4	- 4 5	1 1 - 2 -	58 49 27 205 19	249 15 34 18 172 10	42 15 7 28 9	1 5 -	1 1 -	1+324 227 140 276 545 136	102 194 .457 75	126 37 65 50 35	4 1 15 34 16	22 6 - 2 4 10	65 66 67 68 69	
220 140 29 48 - 3	107 71 13 21 2	37 17 5 15 -	59 41 10 7 - 1	17 11 1 5 -	106 59 20 25 - 2	52 31 11 9 1	39 16 7 15 - 1	9	6 3 N 1 1 1 8	477 182 141 - 26	226 132 47 41 - 6	44 14 32 - - -	253 100 40 - 20	97 48 21 28 -	70 71 72 73 74 75	
38 2	19 2	12	5	2	69	38	23	5 -	3	234	109	33	. 62	3(	<u>a</u>	

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

			R	HQDE ISLAND		
	CAUSE OF DEATH	Tana!	Wh1	te	A11 c	ther
		Total	Male	`Female	Male	Fema1e
01	ALL CAUSES	9,509	4,927	4,366	133	83
02	1. INFECTIVE AND PARASITIC DISEASES	68	37	30	1.	-
03 04 05	CHOLERA	<u>-</u>	[	-		=
06 07	PARATYPHOID FEVER AND DIMER SALMUNELLA INFELTIUNAS	-	<u>-                                    </u>	-	-	<u>-</u> [
08 09 10	TUBERCULOSIS, ALL FORMS	6 13 11	3 9 9 8	3 4		=
11 12	TUDERCULOSIS OF MATRICETAINE AND CENTRAL MENTUOS 3131EASTA CLAMPE			-	<u> </u>	3
13	TUBERCULOSIS OF INTESTINES, PERTURBOR, AND RESERVERTS CLAUDS	-		=		-
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS	2	1	1	-	-
16	PLAGUE		[ <u>-                                   </u>	-	-	=
18	LEPROSY	=.	[ ]	=	=	3
20 21 22	WHODPING COUGH.	ΞΙ	<u> </u>	. ]		3
23	ERYSIPELAS	1	ļ Ēi		=	=
25	TETANUS	21	14		-	3
27 28	032   032   033   033   034   034   035	7	2	5	=	=
29	LATE EFFECTS OF ACUTE POLICHYELITIS044	_	_	_	<u>.</u> .	_
30 31	LATE EFFECTS OF ACUTE POLICHYELITIS	=			=	=
32 33	MEASLES	. 2		- 1	-	-1
34 35	LATE EFFECTS OF VIRAL ENCEPHALITIS066 INFECTIOUS HEPATITIS	1 2	1 2	-1	-	-
36 37	RABIES071 OTHER VIRAL DISEASES045,046,051-054,056,057,061,067,068,072-079	8	] · ī]	. 7	5	=
38 39	MALARIA	.=:	' = [	-	-	-1
40 41	INFECTIOUS HEPATITIS	- 1	=	-	-	=
42 43	SYPHILIS AND ITS SEQUELAE090-097	_	- 1	-		-1
44	CONGENITAL SYPHILIS	Ξ.	<u>-</u>	ΞΙ	= =	<u> </u>
46 47	OTHER CARDIBVASCULAR SYPHILIS093.9 TABES DORSALIS	-	<u>-</u>	-		. 2
48 49	GENERAL PARESIS	_ {	- 1	<u>-</u>	-	-
50 51	ALL OTHER SYPHILIS	=			-	
52 53	SCHISTOSONIASIS	=		_ :		=
54 55		=		-		
56 57	OTHER HELMINTHIASES	1 6	1 3	3		=
58	. II. NEOPLASMS,	1,972	1,036	. 897	21	18
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPMATIC AND HEMATOPOIETIE TISSUES140-209	1,939	1,021	880	21	17
60 61	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX140-149	61 2	47	13	1	-
62 63	OF TONGUE	16 ·   15	13 12	3	-1	-
64	· · · · · · · · · · · · · · · · · · ·	26	21	6	1	-
65 66	MALIGNANT NEOPLASMS OF DIGESTIVE DRGANS AND PERITUREUM	630 33	303 25	31,2 6	6	9
67 68	OF SHALL INTESTINE, INCLUDING DUODENUM	90	47	39. 3	3 }	-1
69 70	CECUM, APPENDIX, AND ASCENDING COLON	270 40	115 20	153 , 20	-	2
71 72 73	DESCENDING COLON	4 8 35	1 13	3 7 22	<u> </u>	Ξĺ
74 75	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED	159 24	71 9	86 15	=	2
76 <sup>.</sup> 77	OF RECTUM AND RECTOSIGNOID JUNCTION154 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY155	72 12	39	32 3	ī	1
78 79	OF GALLBLADDER AND BILE DUCTS	29 108	10 53	17 52	- -	2 2
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS	12	5	7	-	-1
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	420	334	78	8	-
82 83	OF LARYNX	24 39 <u>1</u>	19 312	72	1 7	<b>-</b>
84 85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST170-174	5 213	3 26	182	=	5
86 87 88	OF BONE	. 8 8 . 21	5 5 16	3 3 5	Ξ	=
89	GF SKIN	176	1 - 1	171	Ξi	<u>.</u> [

		JTH CAROLIN		- Total Walter			UTH DAKOTA		TENNESSEE					Ī	
	Whi	te	All o	ther		Whi	te	All o	ther		Wbi	te	All o	ther	<u> </u>
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
24+896	9,348	6,849	4,748	3 <b>,</b> 951	6,643	3,684	2,581	. 227	151	39,794	18,419	13,984	4,054	3,337	01
271	66	49.	B2	- 74	50	27	11	. 9	3	374	154	108	67	45	02
- - 1	-	=	- - - 1	-	- - -	[ [	=	- -	=	1	2	- 2	-	1	03 04 05
1 1 - 53	12	- - 9	1 - 14 33		- 11	- 5	- - 4	- - - 2	-	2 - 49	18	13	1 - 9 21	1 - 9	06 07 08
53 70 58 2 - - - 6	18	9 6 4 1	33 29	13 11 1	11 9 7 - - 2	4	-	3 2 -	2 1 -	118 97 1	58 49	32 24 1	20	7 4 -	08 09 10 11 12 13 14 15
			- 4	-		- -	- -	- - 1	- - 1	- - 5	-	1	-	- - 3	12 13 14
1 *	3	1	-	_			-		-	15 	6	6	1	_	1
- - - 1 1 1 6 2 64	=	=	<u> </u>	=	= =	= =	-	-	<u>-</u>	[ - [	=	- -	-		16 17 18 19 20 21 22 23 24 25 26 27 28
	-	=	=	-	<u>-</u>	=	=	-	-	=	] =	l <u> </u>	=	- -	20 21
1 1 6	- 2	1 1 1	- - 1	- - 2	- - 3 - 8	- - 3	=	- - - 1	- -	2 - 8	- 4	1 1 1	2 1	1 1	23 24
2 64	18	12 2	1 16 1	1 18 2	. 8 3	6	1 1	1 2	-	2 85 13	26 10	26 2	. 18	15	25 26 27
1 1		1	<u>-</u>	1	-	-	_		-	. 2	-	- 2	-	-	I
2 -	=	=	=	= =	- - 1	1	=		_ 	1	1	1.7.	1 1	-	29 30 31 32 33 34 35 36 37 38
6	1 -	3	=	2	3	3	l -	<u> </u>	-	5 1	4 1 5	1 -	-	_ _ 2	33
6 - 16	2 2	2 - 6	- 3	5 1	2 - 4	2	- - 2	-,	1 - -	13 - 20	5	6 - 9	4	2	36 37
6  16 3 		2 - -	-	- 1	- 2 - 4 - -	=	=	- ·	-	1 - -	=		1111	=	39 40 41
-	2		- 4	 3	1	1	-	-	-	- 15	4	3	6	2	1
9 -	=	· =		=	=	. =	· <u>-</u>	- - -	=	-	1	1 1	-	-	42 44 45 46 47 48 50 51 52 53 54
1 % 1	1	=	2	3 -	-	7	=	-	<u>-</u>	111	. 1 . 1	2 - -	5 - -	2 -	46 47 48
1 2	1 -	=	1 1	=		1 -	-	_		1 1 2 - 1	-	1 - 1	1	=	49 50
2 1	* -	=	· =	=	] []	-	=	- - -	-	<u>                                   </u>	-		1111	1	52 53
1 1	-	=	- 1 7	<u> </u>		-	1 1	-	=	· <u>-</u>	-		-	=	56
19 3,712	3 1,444	1,128	579	6 561	1,163	611	3 <sub>.</sub> 524	1 15	- 13	30 6,567	3,013	7 2,362	5 694	2 498	57 58
	1,426	1,115	571	550	1	597	516	1.5	13	6,490	2,989	2,326	685	490	59
3,662 76 4	37 3 7	22 1 5	11 - 5 2 4	6 - 3	1,141 18 2 4 7 5	597 13 2 4	5 - -	- -	- 	6,490 176 12 40	2,989 101 10 25 16 50	2,326 43 2 8	24 - 6	8 - 1	59 60 61 62 63 64
20 24 28	13 14	7 9	4	1	7 5	6	1 4	Ξ	-	41 83		19 14	3 15	3	i
894 79	307 23 40 2 103	291	149 34 46	147 15 24	332 13 60	166 9.	155 4 23	6  4	5 - -	1,609 102 265	679 45 126	593 19 67	195 27 45	142 11 27	65 66 67
309	2 103	24 131	29	46 3	4 134 16	9. 33 3 56 7	1 77 9	-	- 1	19 576 72 15	212 26 5	7 276 35 9	39 7	3 49 4	68 69 70
27 4 3	2	1	4 2 -	1	16 4 5 13	2 2 9	2 3 4		-	1 24 1	5 10	11	1	1 2	71 72
894 79 134 2 309 27 4 3 25 243 7	9 82 3 31 7	105 3	. 2 20 1 7	6 36 -	89	32 4	l 56	1	ī -	63 388 14	135	24 191 6	28	142 11 27 3 49 4 1 2 6 34 2 11 6 3	74 75
74 19 26 234	1 6	23 10 11 79	- 2	13 2 7	28 5 20 62	32 4 21 2 7	3 5 2 11 29	1 - - 1	1 2	126 53 63	10 30 135 6 58 19 24 175	43 12 30	14 16 6	6 3	65 66 67 68 69 70 71 72 73 74 75 76 77 78
234	90 5	79 6	29 2	36 4	62 6	32	29	1 -	-	378 27·	11	132	43 5	28	80
991	554	115	165 8 153	47 1	189	154	32	1	2	1,560 45	1,104 35	214 5	194 41	48 1	1
22 846 13 386	10 538 6 41	3 110 2 226	1 4	45	11 173 5 141	11 139 4 16	31 1 124	1 -	2	45 1,488 27 720	1,054 15 103	201 8 517	107	46 1 83	83 84 85-
24 13 50 299	10 4 27	6 2 16	13 4 4 5	106 4 3 2	141 6 6	16 3 5 6 2	124 2 1 9	1111	2 - 1 1 -	720 33 38 126	1,104 35 1,054 15 103 18 16 67	8 16 49 444	3 17 3 5	48 1 46 1 83 4 1 2 76	81 82 83 84 85 86 87 88
299	27	202	l -	97	15 114	1 2	112	· -	-	523	l ź	1 444	ı į	. 76	89

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

			Ri	HODE ISLAND		
	CAUSE OF DEATH	Total	Whí	te	A11 o	ther
			Male	Female	Male	Fema Le
	MALIGNANT NEOPLASMS, ETC					
01	MALIGNANT NEGPLASMS OF GENITAL ORGANS180-187	211	94	114	2	1
02	OF CERVIX UTERI	24 32 55	:::	24 31 55	***	1
04 05	DF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	91	89	. 34		-[
06 07	OF PROSTATE	5 86	5	27	2	•••
08 09 10	OF BLADDER	46 40	58 34 24	27 11 16	=	il
11	MALIGNANT NEOPLASHS OF OTHER AND UNSPECIFIED SITES190-199	145	71	71	а	-
12 13	OF EYE	49	24	2 24	ī	-
14 15	OTUCO :	6 88	2 45	4	2	
16 17	LEUKEMIA	76 24	42 17	34 7	-	
18 19	LYMPHATIC LEUKEMIA	33 3	19 1	15 2	=	=
20	· · · · · · · · · · · · · · · · · · ·	16	6	10	_	-
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES200-203,208,209 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA200	97 32	46 16	49 16	1 ~	1
23 24	HODGKIN'S DISEASE201 MULTIPLE MYELOMA	13 26	10	7 14	ī	ĩ
25 26	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES202,208,209 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	26 33	14 15	12 17	-	ī
27 28	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS	1 8	4	1	***_	-
29 30	OTHER BENIGN NEOPLASMS	5 2	3	2 2	•••	=
31 32	NEOPLASHS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM	12 5	6 2	5	-	1
33	III. ENDOCRINE: NUTRITIONAL; AND METABOLIC DISEASES	305	127	169	4	5
34	MONTGYTC COTTED	_	_		-	_
35 36	THYNOTOXICOSIS WITH OR WITHOUT GOITER	- 8		6	ĩ	
37 38	DIABETES MELLITUS250 DISEASES OF PITUITARY GLAND253	261 1	105 1	148	3 -	5
39 40	DISEASES OF THYMUS GLAND255 DISEASES OF ADRENAL GLAND255	ī		ī	-	[ ]
41 42	HYMOTOXICUSIS WITH OK WITHOUT BUILEN	В.	5	3	-	=
43 44	CYSTIC FIBROSIS273.0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES251,252,256-258,270-272,273.1-279	22 22	13	2 9	-	2
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	29	15	14	-	-
46 47	ANEHI AS	20 2	12	8 2	-	
48	HEMOLYTIC ANEMIAS282,283	. 6	3 5	3 1	- 1	
50 51	OTHER AND UNSPECIFIED ANEMIAS	6	4	. 2	" =	=
52	PURPURA AND OTHER MEMORRHAGIC CONDITIONS	9	3	6	٠	- [
53	V. MENTAL DISORDERS	24	12	10	1	1
54 55 56	SENILE AND PRESENILE DEMENTIAS	· 5	2 1	-	-	-
57 58	ALCOHOLISM	14	5	7	ī	1
59	MENTAL DISORDERS	4	4	-		-
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	74	29	41	3	1
61	MENINGITIS	4	1	3	-	_
62 63	HEREDITARY NEUROMUSCULAR DISORDERS	7 12	6 5	1 7	-	-
64 65	PARALYSIS AGITANS342 CEREBRAL SPASTIC INFANTILE PARALYSIS343	14 4	7 -	7 )	ī	= ]
66 67	EPILEPSY	6	. 5	<u> </u>	1 -	- [
68 69	CATARACT	1 _	]. [	1 -	-	= [
70 71	OTITIS MEDIA AND MASTOIDITIS381-383 ALL OTHER DISEASES OF NERVOUS SYSTEM	1	-	7	~	-
7.	AND SENSE ORGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389	25	5	18	1	1
72	VII. DISEASES OF THE CIRCULATORY SYSTEM	5,228	2,665	2,476	42	45
73 74 75	ACTIVE RHEUMATIC FEVER	68 19	22 7	44	=	2
76 77	DISEASES OF ADRIIC VALVE	15	6	12 7 1		2
78 79	OTHER RHEUMATIC HEART DISEASES	33 71	9 31	24 36	3	
80 81	MALIGNANT HYPERTENSION	3	31 - 3	2 3	1	-
82 83	HYPERTENSIVE RENAL DISEASE	28 21	8 13	19 6	- 2	1
84	HYPERTENSIVE HEART AND RENAL DISEASE404	13	17	ا هُ	5	21

and Sex: United States and Each State, 1973—Con.

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

			RF	IODE I SLAND		
	CAUSE OF DEATH	Total	Whit	:e	All of	ther
		IVEAL	Male	Female	Male	Female
01 02	ISCHEMIC HEART DISEASE410-413 WITH HYPERTENSIVE DISEASE (.D)	3,776 381	2+055 161	1,670 210	29	22
03 04	WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	3,395 1,879	1,894 1,105	1,460 751	5 24 15	5 17 8
05 06	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE411 CHRONIC ISCHEMIC HEART DISEASE412	236 1,661	168 782	62 857	10	2 12
97 ° 08 09	ANGINA PECTORIS	147	74	71	2	-
10	NDNRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYDCARDITIS	$\frac{1}{2}$	1 1	1	=	=
12 13		- 1	[ -[	1	=	=
14	OF AORTIC VALVE, NONRHEUMATIC	1 116	57	57	2	-
16 17	ALL OTHER FORMS OF HEART DISEASE428,429	20	14	6	=	=
18 19	CEREBROVASCULAR DISEASES	838 144	323 58	496 79	5	14
20 21	NITHOUT MENTION OF HYPERTENSION (-9)	694 59	265 24	417 32	4	8
22 23 24	GEREBRAL HEMORRHAGE	163 258	73 92	88 162	3	2 1
25 26	CEREBRAL EMBOLISM 433 CEREBRAL EMBOLISM 434 DIHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES 432,435 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE 434 OTHER CEREBROVASCULAR DISEASE 437,438	6 15 219	2 8 81	7 131	- 2	
27	OTHER CEREBROYASCULAR DISEASES	118	43	72	-	ã
28 29	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	237 121	122 51	111	1	3
30 31	GANGRENE	58 13	6	17 6	-	ĩ
32 33 34	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES442-444.446-448 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM450-458 VENOUS THROMBOSIS AND EMBOLISM	45 91 81	24 38 32	19 48 44	1 2 2	3
35	OTHER DISEASES OF CIRCULATORY SYSTEM454-458	10	6	74	-}	3
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM	512	314	186	10	z
37 38	ACUTE UPPER RESPIRATORY INFECTIONS	<u>-</u>	-	.=	-	-
39 40	INFLUENZA	17 289 10	147 5	12 135	7	=
41 42 43	BACTERIAL PREUMUNIA	20	14	6		Ξ(
44 45	BRONCHOPMEUMONIA, ORGANISH UNSPECIFIED	175 84	87 41	82 43	6	
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA490-493	95	77	16	z	-
47 48 49	BRONCHITIS, EMPHYSEMA, AND ASTHMA	22 65	20 52	2 12	1	
50 51	ASTHMAD 493 ASTHMAD 510 510 510 510 510 510 510 510 510 510	8	5	2	1	=
52 53	PLEURISY	3 1	2 -	1 1	-	-
54 55	OTHER CHRONIC INTERSTITIAL PNEUMONIA	10 3	5 2	5 1		-
56 57	IX. DISEASES OF THE DIGESTIVE SYSTEM	94 346	76 158	15 175	1 B	2 5
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES520-525	-	-	-	-	[]
59 60	PEPTIC ULCER531-533 ULCER DF STONACH531	35 19	17	17 7		1
61 62	ULCER OF DUODENUM	13	-	7 3	-	-
63 64 65	APPENDICITIS	2 1 30	_ _ 10	2 1 19	-	3
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN	_	_	-	-	-
67 68	DIVERTICULA OF INTESTINE	25 3	8	17 2	=	=
69 70 71	ALCOHOLIC	144 51 26	70 31 10	64 17 13	6 1 2	2
72 73	UNSPECIFIED	67 21	29	34 13	3 -	i
74		85	44	40	1	-
75 76	X. DISEASES OF THE GENITOURINARY SYSTEM	118 35	48 14	18	1	3
77 78	ACUTE NEPHRITIS	35 8 -	3	5	=	2
79 80	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	27 15	11 6	13	1 -	2 -
81 82	CALCULI OF URINARY SYSTEM	3 55	1 21	2 33	-	ī
83 84 85	HYPERPLASIA UP PRUSIALE	3 1 6	3 - 3	1 2	-	**:
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	1		1		_
87	ECTOPIC PREGNANCY	-		-1	•••	-1
88 89	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA636-639 HEMORRMAGE OF PREGNANCY AND CHILDBIRTH	1	ا ::: ا	- [	:::	21

subcategory		JTH CAROLIN		with the	TO AMOUNTAIN		UTH DAKOTA					TENNESSEE			=
Total	Whi	te	A11 o	ther	Total	Whi	te	All o	ther	m1	Whi	te	All c	ther	
	Male	Female	Male	Female	10041	Male	Female	Male	Female	Total	Male	Female	Male	Female	
7,719 1,292 6,427 4,438 33	3,262 339 2,923 2,210 14 1,037	2,230 324 1,906 1,124 7	1,162 -281 881 619	1,065 348 717 485 6	2,376 204 2,172 1,474	1,426 103 1,323 977 6	903 '97 806 471 3	· 22 - 22 15	25 4 21 11	13,790 1,603 12,187 8,438 27	6,828 531 6,297 4,807	4,735 607 4,128 2,589	1,138 193 945 571	272 0 817 0 471 0 - 0	01 02 03 04
3+246 2 740	278	1,098 1 174	537 - 153	574 135	893  141	443 75	429 - 59	7	14 	5• 323 2 757	2,005 1 293	2,134 1 263	566 - 104	- 0 97 0	06 07 08
8 9 18 - 2	2 4 6	1 3 2 -	2 2 4 - 1	3  6 	2 1 4 1	2 -	1 1 2 1	1 - -	1111	8 3 22 2 2	5 1 11 1 1	1 2 8 1	1 1 -	- 11 2 1 - 1	09 10 11 12 13
16 408 50 247	1 5 134 14 118	2 118 16 34	3 72 10 63	- 6 84 10 32	3 88 13 33	2 47 8 18	1 36 5 14	5 - 1	-	18 446 113 165	9 153 39 84	6 165 52 35	1 65 10 27	2 1 63 1 12 1 19 1	L4 L5 L6
3,096 385 2,711 134 542 851	844 80 764 34 144 254	1,079 77 1,002 54 147 302	543 116 427 19 133 123	630 112 518 27 118 172 1	730 68 662 27 118 139	367 23 344 11 69 68 2	350 43 307 14 45 70 2	6 6 1 2 -	7 2 5 1 2 1	5,305 569 4,736 182 636 1,394	1,827 158 1,669 65 237 475	2,405 202 2,203 71 263 654	507 104 403 21 84 128	105   1 461   2 25   2 52   2 137   2 1   2	L8 L9 20 21 22 23
1,040 481	19 256 134	12 345 218	5 208 55	7 231 74	6 273 163	5 131 81	1 137 81	2	3	1,922 1,102	24 668 352	17 857 536	8 173 92	5 2 224 2 122 2	26
576 285 153 27 111 210 179	221 74 95 7 45 72 59	200 123 26 7 44 67 61	79 42 21 8 8 41 33 8	76 46 11 5 14 30 26	234 115 68 13 38 44 38	117 48 45 6 18 22 18	114 67 22 7 18 17 16	111111	3 - 1 - 2 5 4 1	1+119 630 191 59 239 284 252 32	456 220 116 21 99 117 102 15	495 314 51 24 106 101 88 13	88 47 14 8 19 40 36 4	80 2 49 2 10 3 6 3 15 3 26 3 26 3	29 30 31 32 33
1,300	559	358	225	158	416	243	130	29	14	2.361	1.306	731	215	109 3	36
9 12 57 636 38 91 12 164 331	3 4 17 193 6 42 3 54	2 4 17 199 15 15 1 55	1 10 141 11 25 3 25 77	3 13 103 6 9 5 30	1 33 213 3 37 5 60 108	- 19 107 3 19 - 32 53	1 13 75 - 9 2 22 42	- 19 - 5 1 4	1 12 - 4 2 2 2	9 23 128 1,076 20 108 7 412 529	5 8 58 491 46 2 204 235	2 8 56 412 10 34 3 158 207	1 6 9 104 3 16 2 30 53	1 3 5 3 69 4 12 4 20 4 34 4	38 39 10 12 13
330 13 38 256 23 1	212 3 23 180 6 - 5	64 4 10 43 7 1	41 5 5 25 6 -	13 1 - 8 4 - 1	95 1 8 81 5 - 4	71 6 63 2 -	21 12 25 3 -	3 - 3	111111111	658 16 119 475 48 1 20	481 6 89 967 19 -	125 9 24 76 16 1	38 - 5 27 6 - 5	14 44 1 44 5 7 - 1 2 5 5 5 5	.0
5 49 11 178 817	1 20 7 97	1 21 2 45 236	2 1 2 23	1 7 1 13	2 7 2 59 211	2 3 1 38 108	3 1 14	1 - 6	- - 1 15	9 84 35 318 1,213	3 51 14 184 557	3 26 19 76 435	1 5 2 44	2 [5	54 55 6
2 93 39 32 22 22 9	- 41 15 15 11 2 7	22 11 6 5 2 -	21 9 7 5 3 4	2 9 4 1 1 3	26 10 12 4 1 4	13 4 9 - 1	10 5 2 3 - 2 14	- 3 1 1 1 1	1	1 136 47 65 24 7 20	- 82 26 42 14 3 11	35 11 16 8 3 4	1 14 8 6 - 1 2 16	- 5 5 5 2 6 1 6 2 6 - 6 3 6 16 6	5B 59
1 30 13 277 116 26 135 39 253	1 6 4 145 65 14 66 16	- 15 8 69 19 8 42 18 71	4 	5 1 30 12 3 15 3	- 9 5 71 42 7 22 13 57	7 1 42 21 4 17 5	- 2 4 13 7 3 3 8 21	- - 8 7 - 1	- 8 7 1 - 6	10 73 14 440 155 55 230 78 315	2 30 5 239 95 23 121 31	4 36 7 118 30 21 67 41	4 1  45 18 5 22 2 28	- 6.66 6.78 6.79 20 7.47 7.33 7.	67 89 10 12 13
439 156 17 6 133 110 17 119 19 1	125 31 6 2 23 26 6 45 13	116 25 2 1 22 47 9 31	100 53 4 1 48 10 - 29 6 - 2	98 47 5 22 40 27 21 14	71 24 3 4 17 12 1 27 2 1 4	37 12 1 2 9 4 - 15 2 - 4	27 8 2 1 5 8 1 7	2 - 2	2 - 1 1 - - 1	612 162 9 6 147 193 18 146 58 -	229 60 5 3 52 53 55 46 -	227 48 3 . 3 42 98 11 50	80 29  29 15 1 21 12 	25 77 1 77 24 7 27 8 1 8 20 8 8	
16 - 7 2	:::	3 - 2 -		15 5 2	2 - - 1		2 - - 1	•••	-	17 - 7 3		7 - 3 2	•••	10 8 - 8 4 8 1 8	

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

_		=					
	CAUSE OF DEATH	Total	Whi	te	A11 0	other	
		,	Male	Female	Male	Female	
01 02 03 04 05	ABORTIONS		:::	1111	*** *** ***	11771	
06 07 08	SEPSIS OF CHILOBIRTH AND THE PUERPERIUM	- - -		-	:	1 1 1	
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	5	-	5	-	-(	
10 11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	1 4	-	1 4	1,1	11	
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	24	7	16	1		
13 14 15 16 17	ARTHRITIS AND SPONOVLITIS	8 3 1 1 1	1 1 1 1	4   2 - - 10	1	11111	
18	XIV. CONGENITAL ANOMALIES	66	36	29	1	-	
19 20	SPINA BIFIDA	4	1	3	بد	-	
21 22	344,742,743   344,742,743   344,742,743   345,743   346,742,743   346,742,743   346,742,743   346,742,743   346,742,743   346,742,743   346,742,743   346,742,743,750,759   346,742,743,744,745,748,750,759   346,744,745,748,750,750,750,750,750,750,750,750,750,750	11 21 4	13 2	8 2			
23 24		1 25	1 15	g	ī	=	
. 25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	. 116	66	40	9	1	
26 27	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	49	27	19	3		
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS780-792,795,796	49	27	19	3	-	
29 30	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	572	350	193	27	2	
31 32 33 34	ACCIDENTS	430 1 154 151	247 1 107 105	162 34 34	19 11 10	2 2 2 -	
36 37 38 39 40 41 42 43	MOTOR VEHICLE	37 30 27 9 48 3 1 17	23 20 19 8 35 2 2 - 16	7 9 6 1 11 1	5 1 2 2 1	ווווווא	
44 45 46 47	ACCIDENTAL POISONING	36 23 5	23 16 4 3	10 6 ~	3 1 1	11 11 11 11 11 11 11 11 11 11 11 11 11	
48 49 50	FALL FROM ONE LEVEL TO ANOTHER	119 16 1	43 9 1	75 7	1	=	
51 52 53	OTHER AND UNSPECIFIED FALLS	102 20 20	33 5 14	68 15 2	1 4	ا ا	
54 55	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	13 1	6 1	7	-		
56 57 58 59	ACCIDENTS MAINLY OF INDUSTRIAL TYPE	13	12	1	-	1	
60 61 62 63	OR RADIATION	7 · 3 19 14	7 3 9 8	- - 10 6	111111111111111111111111111111111111111	1111	
64 65 66 67 68 69	SUICIDE SUICIDE FROM POISONING BY SOLID DR LIQUID SUBSTANCE	80 16 10 19 22 13	64 8 9 17- 21 9	16 8 1 2 1 4	1011	11111	
70 71 72 73 74 75	HOMICIDE	37 20 5 11 -	21 13 2 6	9 4 2 3	7 3 1 2	1111	
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989 INJURIES RESULTING FROM OPERATIONS OF WAR	1 25	18	6	1 1		

and Sex: United States and Each State, 1973—Con.

Subcategoxy	SOUTH CAROLINA				SOUTH DAKOTA						TENNESSEE				
	Whil	.te	All o	ther		Whi	te	All o	ther		Whi	te	A11 c	ther	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Topal,	Male	Female	Male	Female	]
1 -			•••	1 -	· -			•••				1 1	•••	- -	03
1 4		- - 1	•••	- 1 3	- 1		_ 		-	- - 3		111		- 3	04 05 06
4 -	:::		•••	4		:::	-		-	4 -	•••	2 -			07 08
28	5	9	3	11	8	5	3	-	-	27 6	8	8	. 4	1	
24	3	1 8	3	1 10	2 6	2 3	3	=	-	21	7		3	3	ii
64	17	21	13	13	13	1	11	-	1	123	34.	71	· 3	15	1
21 10 2	2	9 3 -	1 4 2	1 -	 	=	8 - -	, <u>-</u>	=	56 5 3 2	14 2 2	36 2 1		1 -	14
30	7	9	6	8	5	1	3	-	1	57	15	32	3	1 7	1
215	75	84 12	35 _	21	49 1	22	22	-	1 -	297	129	119	26		1B 19
34 80	15 27	14 30	2 14	3 9	8 15	3 5	5 9		- 1	43 123	16 54	.22 45	2 16	3 8	21
22 -	5 - 23	13 - 15	4 - 15		5 - 20	2 - 12	2 - 5	1 - 3	-	22 2 87	12 2 36	8 - 33	1 - 7	11	22 23 24
588	172	124	161	131	104	50	36	9	9	728	294	212	133	89	25
789	223	128	238	200	67	38	14	7	a	567	244	177	80	66	26
11 778	2 221	3 125	2 236	4 196	67	- 38	14	7	9	11 556	5 239	1 176	78 78	63	27 28
2,839	1,275	470	827	267	612	367	131	82	32	3,831	2,249	830	547	205	29
2,030 16 968 951 23	910 9 465 458 11	350 - 163 162 4	573 7 259 250 6	197 - 81 81 2	514 2 268 266 2	314 1 159 157	110 - 57 57 2	65 1 35 35 -	25 - 17 17	2,699 18 1,433 1,407 33	1,629 14 926 915 21	649 - 315 304 8	288 3 137 134 3	133 1 55 54 1	30 31 32 33 34
305 167 60	171 43 31	69 21 10 32	55 73 15 67	10 30 4 25	123 22 25 86	69 8 18 58	34 4 2 12	15 6 3 11	5 4 2 5	597 176 91 427	360 103 64 318	154 35 16 69	52 35 10 26	31 3 1 14	35 36 37 38
255 141 17 6 56	131 71 7 4 38	26 1 1	34 9 1 17	10 - -	8 2 5 8	4 2 5 7	3 -	-	1 - -	83 26 4 35	49 11 - 30	22 11 3 1	. 8 3 - 4	1 1	39 40 41 42
56 14 56	12 18	1 2	16	5	6 20	10	4	3	3	23 85	20 53	22	8	2	44
56 16 25 15	5 8 5	10 4 3	9	4	5 5 10	1 2 7	1	1 2 -	1 2	32 23 30	20 12 21	9 8 5	3 2 3	1	44 45 46 47
195 59 1	81 27	71 7	27 16	16 3 1	~ 69 16 8 45 16	33 8 4	30 7 2 21 2	5 1 1	1 1	314 72 16	126 44 5 77	151 14 10	19 8 1	18 6 - 12 18 4	48 49 50 51 52 53
195 59 1 141 172 133	54 53 54	64 21 8	11 59 63	12 39 8	45 16 27	21 10 14	21 2 3	1 1 3 3 9	- 1 1	314 72 16 226 165 144	83 95	14 10 127 43 15	8 1 10 21 30	ł	1
52 69 105 2 8	17 34 62 1 5	15 9 5 -	11 22 32 1 2	9 4 6 - 1	6 14 36 1 2	3 12 34 1 2	2 - 2 -	2 -	- - -	58 78 159 5 7	20 56 121 3 1	20 4 19 1 4	12 12 17 - 2	6 6 2 1	54 55 56 57 58
7	14	1	3	2 1 2 7	- 2	- 2	- - 2 1	:-	- - -	6 37 104 59	3 29 . 85	2 3 9 24 29	1 5 9 4 21	- 1 8 12	59 60 61 62 63
19 69 38 150	14 42 10 53	2 1 2 16 21	3 23 5 54	7 22	31 6 31	29 5 15	1 8	- - 7	ī	59 124	23 62			i .	
305 22	191 14	75 6	33	6 2	51 5	37 1	10	. 4	=	494 42 20	351 15 11	113 25 9	. 24 . 1	1	64 65 66
305 22 9 22 241 11	6 17 149 5	2 3 62 2	1 2 27 3	- 3 1	5 5 8 31 2	2 7 26 1	3 - 2 1	1 3	- - - -	31 373 28	23 290 12	6 61 12	- 2 19 2	6 1 - - 3 2	64 65 66 67 68 69
446 357 39	145 120	37	208	56	36	11	8	12	5	550	11	49		1	
46	8 15	23 5 9	175 20 11	39 6 11	17 6 11	1	5 3	3 3 4	2 3	417 51 74	217 171 12 28	28 9 12	· 221 179· 24 16	63 39 6 18	70 71 72 73 74 75
4	2	=	2	-	2	=	-	2.	-	87	6 51		- 2 14		ŧ
57 1	28 1	8 -	13	8 -	9 2	1	3	1	2 -	1 1	%	. 19	-	3 -	76 77

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

_				TEXAS		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
		Iotal	Male	Female	Male	Fem#le
01	ALL CAUSES	191,647	49,366	37,629	8,243	6,409
02	1. INFECTIVE AND PARASITIC DISEASES	1,072	476	370	135	91
03 04	CHOLERA	-	-	-	]	=
05 06 07	BACILLARY DYSENTERY AND AMEBIASIS	5 11 -	1 5 -	3	1	
80	ENTERITIS AND OTHER DIARRHEAL DISEASES	216 221	76 118	95 56	24 35	21 12
10 11	TUBERCULOSIS OF RESPIRATORY SYSTEM	173 5	93 3	40 1	29	11
12 13	TUBERCULOSIS OF INTESTINES, PERITONEUH, AND MESENTERIC GLANDS	2	1 -	1	1 -	آ ۽
14 15	TUBERCULOSIS OF BONES AND JOINTS	2 38	. 1 20	14	4	-
16 17	PLAGUE	-	· -	-	-	-
18 19	BRUCELLOSIS	1 1	- 1	1	-	-
20	ANT HRAX  BRUC ELLOS IS  LEPROSY  DIPHTHER IA  MHOOP ING COUGH  3 STREPTO COCCAL SORE THROAT AND SCARLET FEVER  034	1	=	ī	-	3
22 23 24 25	CKTSIPELASee+eeceeece4ce4ce4ce4ce4ce4ce4ce4ce4ce4ce4c	1 2 37	1 7	1 1 12	1 6	-
24 25 26	MENINGOCOCCAL INFECTIONS	5 288	17 2 123	97	1 36	2 32
27 28	SEPTICEMIA 038 UTHER BACTERIAL DISEASES - 007,021,024-027,031,039 ACUTE POLI ONYELITIS 040-043	43	24	16	3	
29	LATE EFFECTS OF ACUTE POLIOMYELITIS044	6	2	2	1	<u>i</u>
30 31	SMALLPDX	- 1	ī	-	-	=
32 33	VERLOW FEVER	14	5	- 7	1	1
34 35 36		50	26	18	3	3
37 38	TRABLES 077  GTHER VIRAL DISEASES 045,046,051-054,056,057,061,067,068,072-079  TYPHUS AND OTHER RICKETTSIOSES 080-083  MALARIA 084	71 2	34 1	27 -	4 -	6
39 40	KYPANUSUM1ASISaaaaaaaaaaaaaaaaaaaaaaaaa		-	=1	=	-
41	RELAPSING FEVER	-	-	-	_	-
42 43 44	SYPHILIS AND ITS SEGUELAE	24	11 2	1 -	9 -	3
45 46	ANEURYSM OF ADRIA'S SPECIFIED AS SYPHILITIC	- 12	- 5	- 1	- 5	-
47 48	l didda diddinia		4 -	]	-	-
49 50	TABES DURSALIS	3		-	3 1	z
51 52	GONOCOCCAL INFECTIONS	=	] = [	=		=
53 54	FILARIAL INFESTATIONS	=	] = ]	=]	-	-
55 56 57	ANCYLOSTOMIASIS	2 70	1 27	1 26	10	-
58	II. NEDPLASMS	17,370	8,368	6,732	1,288	982
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES140-209	17,151	8,291	6,621	1,272	967
60 61	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX140-149 OF LIP140	377	238 9	103 - 27	30	- 6
62 63	OF TONGUE	88 99 181	53 60 116.	30 46	6 9 15	
64 65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	4,307	1,970	1,722	354	261
66 67	OF ESOPHAGUS	280 700	154 325	56 238	55 92	15 45
68 69	OF SHALL INTESTINE, INCLUDING DUODENUM	32 1,583	616	14 787	75	105
70 71 72	CECUM, APPENDIX, AND ASCENDING COLON	156 42 35	65 18 10	76 19 20	8 1 2	7
73 74	DESCENDING COLON	141 1,176	65 451	68 583	57	3 85
75 76	INTESTINAL TRACT, PART UNSPECIFIED	33 311	7 141	21 12B	2 22	3 20
77 78	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY	215 169	106 61	71 93	29 5	10
79 80	OF PANCREAS	953 64	522 31	313 22	67 8	51
81	MAN TENANT NEGRI ASMS OF RESPIRATORY SYSTEM	4,308	3.015	789	418	86
82 83	OF TRACHEA, BRONCHUS, AND LUNG	159 4,075	125 2,847	16 748	17 396	1 84
84 85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST	74 1,935 99	43 285 45	1,455	5 13	182
86 87 88	### OF BONE 170  OF CONNECTIVE AND OTHER SOFT TISSUE 171  OF SKIN 172,173	71 330	36 196	41 27 126	6 2 3	7 6 5
89	OF, BREAST174	1,435		1,261	ž	164

68 36 28 2 2 2 29 34 15 - 366 122 100 78 - 366 120 120 120 120 120 120 120 120 120 120				VIRGINIA					VERMONT					HATU	-	
Male   Female   Male   Femal		ther	All o	te	Whi		ther	A11. c	te	Whi	Total	ther	All o	te	Whi	Total
68 36 28 2 2 2 29 14 15 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 122 100 78 - 366 12 100 78 - 366 122 100 78 - 366 12 100 78 - 366 12 100 78 - 366 122 100 78 - 366 12 100 78 - 3	ale.	Femal	Male	Female .	Male	Total,	Female	Male	Female	Male	TOTAL	Female	Male	Female	Male	Total
1	,114 01	4,1	5•443	13.740	17•854	41.151	. 1	6	2,042	2,455	4, 504	63	127	3,216	4,179	7,585
1	66 02		78	100	1	1	-	-	15		29	2	2	28	36	68
15	- 03 - 04 1 05		2	- 1	=		=	<u>-</u>	- -				-	=	-	-
1	- 05 - 07 9 08 17 09		- 4	20	20	53	=	=	1	2	3	-	1	6	- B	
1	12 10 - 11 1 12		-	_	26 1	1 1	-	-	1	-	5 -	-	-	2	5	8 -
	- 04 1 05 - 06 - 07 9 08 17 09 12 10 - 11 1 12 - 13 3 14 1 15	•	- 2		1 -	1 5 16	-	-	-		- - 1	-	-	- - 1	-	-  
1	ſ		_		_	( I	-	-		1	1 1		Ξ		-	-
1	- 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 1 24 - 25 23 26 4 27 - 28		Ξ	-			-	-	-		-	=	<u>-</u>	<u>-</u>	-	=
10   9   -   1   14   5   9   -   120   37   35   25   1   1   1   1   1   1   1   1   1	- 21 - 22 - 23			-			-	-		-	=	=	-	-		<u> </u>
1	1 24 - 25 23 26		_	1	- 1	7 1 120	-		1 - 9	] [	i I		-	- 9	10	20
	4 27 - 28		-	7	2	13	-	-	1 -	=	<u>1</u>	2	=	1		5 -
	- 29 - 30 - 31		-	-	í - l	- 1	_	=	-	-				1 - -	] =	í -í
	- 29 - 30 - 31 - 32 - 33 - 34 3 35 - 36 1 37 - 38 - 40 - 41		1	3		5 5	-	-	- -	ī	- - 1	_		-	=	-
	3 35 - 36 1 37		1 - 1	- 6	-	5 - 17	-	- -	- - 1	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1 1	=	_ 	3	5	=
	- 38 - 39 - 40		1 1	-	-	4		· -	=	-	-		-	-	-	=
				1	4	13	_	-			[ [	-			1	1 (
	- 43 - 44 - 45		- 1	-		l - (	-	-	-	-	-	-				
	1   46 -   47 -   48		-	-	] [	1	-		<u> </u>	1			-	-	- -	
	- 50 - 51		2			3	-	<u>-</u>		-	. <u>-</u>		<u>-</u>	1 1	1 -	1 -
/ "	2 42 - 43 - 45 1 46 - 47 - 48 1 - 50 - 51 - 53 - 55 - 55 5 57		_	=	=	l - l		-	<u>-</u>	- 1	=	:	- 1 -	1	-	=
	- 56 5 57		- 1	- 1	1 -1	- 1	- 1	-	-	-	-	-	- 1		2	
	667 58		Į		í í	ĺ	-	1	381	. 1	' i	7			<b>[</b>	<b>(</b>
1,058   554   489   9   6   816   441   374   1   -   7,245   3,075   2,580   937   65   17   14   3   -     -     18   13   5     -     -     149   81   33   25   3   3   -     -     3   3   3   -     -     3   3	653   59 10   60 -   61 2   62 2   63 6   64	6	25	33	81	149	_	<u>1</u>	5	13	18	_	_	3 -		1 - 1
$egin{array}{ c c c c c c c c c c c c c c c c c c c$	10 60 - 61 2 62 2 63 6 64		8 14	1 B 13	26 39.	. 54 72	·-	=	1 2	4 5	5 7	-	Ξ'	1	1 1	, ,
292	176 65 17 66 27 67	. 1	276 53 72	658 19 69	728 71 105	1.838 160 278	-	-	119 2 11	120 10 22	239 12 33	1	3 1	142 4 26	144 5 30	292 9 58
292	176   65 17   66 27   67 1   68 79   69 8   70 1   72 6   73 61   74 3   75 16   76 - 77 8   78 21   79		6 1	5 309 25	251 26	10 705 65	-	=	1 53 11	1 38	1 91 17	-	1		2 48 2	2 107 5
107	- 71 1 72 6 73		2 - 1	9 10 31	5 5 28	16 16 66	-		- 1 8	1 2 9	1 3 17		- -	2 2 3	- 1 7	2 3 10
$ \begin{bmatrix} 3 \\ 100 \\ 76 \\ 135 \\ 140 \\ 35 \\ 8 \\ - \\ - \\ 2 \\ 2$	61 74 3 75 16 76	1	. 56 1 13	225 9 76	178 9 69	520 22 174	-	-	31 2 17	20 - 17	51 2 34	-	1 - -	40 8 8	35 1 3 8	76 11 16
16   8   8   -   -   34   17   17   -   -   174   69   76   13   1	176   65 17   66 27   67 1   68 79   69 8   70 1   72 6   73 61   75 16   76 - 77 8   78 21   79	,	4 7 56	10 36 121	19 27 172	33 78 370	-	-	6 23	4 3 25	4 9 48	1	- 1	2 10 33	6 2 41	13 76
3 2 1 7 1 1 6 35 11 13 4	7 80			13	. 11	35.	l		6							
167   131   34   2   -   161   136   25   -   -   1,844   1,147   328   306   68   1   -     77   49   7   17   155   122   31   2   -   148   126   22   -     -   1,732   1,077   313   285   5   4   2   2   -     -   35   21   8   4	63   81 4   82 57   83	. (	17	7	1+147 49 1+077	77	-	-	1	8	ا م	_ 1	- 1		122	8
8 7 1 1 9 8 126 22 177 49 7 117 313 285 5 122 31 2 4 2 2 1732 11,077 313 285 5 142 13 126 - 3 107 10 97 802 83 590 13 11 5 7 20 7 1 3 3 3 2 2 1 28 12 13 3 11 4 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 12 13 13 14 14 14 14 14 14 14 14 14 14 14 14 14	63 81 4 82 57 83 2 84 116 85 - 86 4 87 3 88 109 89	11	4 13 3	8 590 13	83 12	35 802 28		-	97 -	2 10 2	107 2	3	- -	126 1	1 เจไ	142 5
142	4   87 3   88 109   89	. 10	4 2	11 41 525	13 49 9	32 97 645	- 	<u>-</u>	1 3 93	2 3 3	3 6 96	. 3	-	13 107	7 -	20 110

Table 1-27. Deaths From 28I Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

			· · · · · · · · · · · · · · · · · · ·	TEXAS		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
			Male	Female	Male	Female
	MALIGNANT NEOPLASHS, ETCCON-					
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS180-187	2,110	791	912	192	215
02 03	OF CERVIX UTERI	362 272	•••	266 207	***	96 65
04 05	OF OVARY FALLOPIAN TUBE, AND BROAD LIGAMEN	449 44	***	405 34	***	10
06 07 08	DE ALL OTHER AND UNSPECIFIED MALE GENITAL DRGANS	920 63 675	731 60 406	196	189 3 41	***
09 10	HALIGNANT NEOPLASHS OF URINARY ORGANS	356 319	219 187	97 99	25 16	32 15 17
11 12	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES	1,639 15	748	687 10	107	97
13	OF EYE 190 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM 191,192 OF THYROID GLAND	475 55	258 12	186 34	14	17 5 75
15 16	OTHER	1+094 785	473 372	457 329	89 47	75 37
17	LYMPHATIC LEUKEMIA204 MYEL DID LEUKEMIA	250 333	120 160	99 143	15 16	37 16 14
19 20	LYMPHATIC LEUKEMIA	16 186	9 83	6 81	1 15	7
21 22	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES200-203,208,209 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA200	1,015 328	466 160	428 148	70 14	51 6
23	HODGKIN'S DISEASE	158 293	75 118	66 108	13 31	6 4 36
25 26	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES202,208,209 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	236 219	113	106 111	12 16	15
27 28	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS218-221 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM224,225	11 40	•••	7 28	•••i	2
29 30	OTHER BENIGN NEOPLASMS210-217,222,223,226-228 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL DRGANS234-236	46	20	20 -		1
31 32	NEGPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF MERVOUS SYSTEM	80 42	. 29 19	42 14	6	3 2
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIG DISEASES	2,336	811	1,134	133	258
34 35	NONTOXIE GOITER	1	1	_ 5	<u></u>	7
36 37	THYROTOXICOSIS WITH OR WITHOUT GOITER	18 1,889	5 651	13 916	99	223
38 39	DISEASES OF PITUITARY GLAND	14	7	3 2	i	3
40 41	DISEASES OF THYMUS GLAND	28	8 -	18	1 _	1
42 43	UIHER AVITAMINUSES AND NUTRITIONAL DEFICIENCIES	150 31	53 14	72 16	15 ~	10
44 45	ALL OTHER ENDOCRINE AND METABOLIC DISEASES251,252,256-258,270-272,273.1-279  IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	193 301	71	89 121	17   36	16
46	ANEMI AS	203	76	75	25	27
47 48	DEFIGIENCY ANEMIAS280,281 HENOLYTIC ANEMIAS282,283	25 41	11 5	8 8	11	17
49 50	#HEHOLYTIC ANEMIAS	62 75	32 28	25 34	3 7	6
51 52	PURPURA AND DIHER HEMORRHAGIC CONDITIONS	26 72	10 24	12 34	10	3
53	V. MENTAL DISORDERS	383	203	97	60	23
54 55	SENILE AND PRESENTLE DEMENTIAS	33 22	15 16	15 2	1	-
56 57 58	ALL OTHER PSYCHOSES. 294-299 ALCOHDLISH. 303 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC	10 198	118	29	40	11
59	MENTAL DISORDERS300-302,304-309 NENTAL RETARDATION310-315	107 13	43 5	44 6	11	1
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	901	387	365	81	68
61 62	MENINGITIS	131 33	52 21	39 9	19	21
63 64	PARALYSIS AGITANS	47 138	13 61	27 71	2 3	5 3
65 <b>66</b>	CEREBRAL SPASTIG INFANTILE PARALYSIS	60 67	24 31	25 20	6 10	5
67 68	INFLAMMATORY DISEASES OF EYE	- 2	ī	ī	듸	=
69 70	CATARACT	6	3	- 2	1	=
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-324,331-333,341,344,346-358,370-373,376-380,384-389	417	181	171	37	28
72	VII. DISEASES OF THE CIRCULATORY SYSTEM	51+258	24, 202	20+217	3,530	3,309
73 74	ACTIVE RHEUMATIC FEVER	393	174	2 176	20	23
75 76	DISEASES OF AORTIC VALVE395	121 143	43 82	68 45	2 11	8 5
77 78	DISEASES OF OTHER ENDOCARDIAL STRUCTURES397 OTHER RHEUMATIC HEART DISEASES393, 396, 398	117 117	7 42	5 58	7	10
79 80	DTHER RHEUMATIG HEART DISEASES	959 59	315 20	412 10	107 16	125 13 13
81 · 82	ESSENTIAL BENIGN HYPERTENSION	68 378	16 113	32 173	39	53 i
83 84	HYPERTENSIVE RENAL DISEASE	254 200	99 67	105 92	22 23	28 16

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

		UTAH		Track Co	- Contract	-	VERMONT	(102)				VIRGINIA			Ī
	Whi	.te	All o	ther		Whi	te	All o	ther		Whi	ite	All c	other	1
Total	Male Male	Female	Male	Female	Total	Male	remale	Male	Female	Total	Male	Female	Male	Female	1
147	79	, 67	1		97	48	48	. 1		879	250	365	125	139	01
147 9 20 37		9 20 37	•••	- - -	97 11 7 26	•••	48 11 7 26	•••	-	165 125 191	***	98 77 172		67 48 19	02 03 04
76	75 4	1	•••• i	-	4 46 3	45 3	4	1	-	23 357 18	237 13	18	120 5	19 5 	05 06 07
53 25 28	38 17 21	15 8 7	- -		48 28 20	33 24 9	15 4 11	· -	- 1,	272 148 124	151 72 79	68 38 30	31 21 10	22 17 5	01 02 03 04 05 06 07 08 09
118	63	53	2	-	77 - 2	39 1	38 1		-	804 12	348	280 2	99 -		1
20 5 93	13 2 48 30	7 3 43	- - 2	111111111111	16 1 58	10 _ 28	6 1 30 9	1111	111111111	172 18 602	89 3 247 127	61 10 207 102	14 - 85	8 5 63	11 12 13 14 15 16 17 18 19 20
46 10 29	18	43 16 1 11	-	-	23 4 13	14 2 8	9 2 5	-	- -	276 87 131	46 60	31	85 28 7	5 63 19 3 13	16 17 18
1 6	1 2	4	=		- 6·	4	2	-		5 53	20	22	3 9	l	ì
76 30 10 16 20 20	42 16 7 8	33 11 3 8 11 7 -	1 1 -	1	46 10 4	28 8 4 11	18 2 - 7 9 7	-		381 135 63	160 64 24	156 52 31 39 34 42 2	34 9 4	31 10 4	21 22 23 24 25 26 27 28 29 30
20 20	11	8 11 7	- 1	- 1	4 18 14 15 	5 8	7 9 7	-	=	109 74 119	24 41 31 55	39 34 42	4 15 6 8	4 14 3 14	24 25 26
2 2 -	1 2	1	-	-	1	1		-	- -	3 20 20	11	2 7 6 -	3 1	6 2 1	28 29
11 5	5 3	5	1	1	10 4	6 1	4		-	54 21	25 15	23 4	3 1		31 32
199	84	- 108	4	3	115	48	66	. 1	-	870	. 259	355	99		33
= = = = = = = = = = = = = = = = = = = =	=	- - 1	<u>-</u>	- -	- - 4	- 1	3	<u>-</u> -	<u>-</u>	1 9 10		. 1 7 8	 1	<u>.</u>	34 35 36
1 155 2 -	60 2 -	89 - -	4 -	2 - - - -	90	35 - -	54	1 - - -		722 6 -	218 3	293 - -	1 74 2 -	137 1	34 35 36 37 38 39 40 41 42 43
16	10	1 - 6	- - -	-	- 3 - 2	- 2	3 - -		1 1 1	 46 5	2 - 10	5 - 16	11	2 - 9	40 41 42
21	1 9	11	-	1	2 1 15	10	1 5	-	-	62	22	2 23	10		l
27 21 4	10	16 14	1	-	17 14	8	7	-	- -	125 84	43 25	35 23	28 22	19 14	45 46
1 12	- 4	4 - 8	1	11111	1 7	- 4	1 3	- - -	1111	7 20 25 32	2 1 11 11	2 2 9	· 2 11 3 · 6	1 6 2	46 47 48 49 50 51
1 12 4 2 4	- 4 2 2 2 2	2 - 2	-	-	1 7 6 2 1	4 3 - 1	3 2 -	- -	-	32 15 26	11 8 10	10 3 9	. 6 1 5	. 5 3 2	50 51 52
81	53	25	3	-	26	18	8	,_	-	241	106	47	66		53
3 1 2 60	1 1 2	-	- - 3	-	1 2 2 15	1 2	- 2 1	-	- - -	12 19 2 158	3 8 1 75	7 2 1 14	1 9 - 52	1 - 17	54 55 56 57
10	44 3 2	13 7 3	-	-	6	14	5	-	-	43 7	17 2	18 5	4		58 59
115	54	60	1	-	45	21	24	-	-	350	135	126	47		60
13 6 15 27 5 9	7 2 6	6 4	-	-	- 6	5	1	=	-	39 16	10 12 7	14 4 12	8 - -	. 7	61 62 63
27	2 5 17 1 3	10 10 4 6		-	8 2	1 3 1	1 5 1	=	- -	16 22 51 11 56	24 4 14	26 4 9	1 - 22	3 11	64 65
[ <u> </u>	]	1 1 2 4	=		- 6 2 8 2 1 -	-	1	- - - -		1 -	1 -	<u>-</u>	-	7 - 3 11 - -	61 62 63 64 65 66 67 68 69 7,0
39	1 18	20.	1	-	1 25	- - 11	1 14	-	- 1	1 153	63	 57	1 15		7,0 71
3,576	1,887	1+630	38	21	2,376	1,236	1,138	2	-	21,279	9,148	7,549	2,455	2,127	72
125 40	- 48 10	- 74 29	- 2 1	1	- 35 13	- 14 4	21 9	<u>-</u>		5 204 49	1 82 25	- 89 27	1 18 1	3 15 6	73 74 75
40 21 5 59 73	16 2 20	4 3 38	2 1 1 - 1	- - 1	13 7 4 .11	5	2 3 7	-		55 7 93	34 2 31	13 3 46	4 1 12	4 1 4	76 77 78
2	10 16 2 20 25 1 5 7	45 1 4	· - 1	1 2 - - 1 1	11 51 - 3 13 21	1 25 - 8 9	26			447 32 36 130 107 142	116	150 4 12	93	3 15 6 4 1 4 88 4 10 27 22 25	73 74 75 76 77 78 79 80 81 82 83
33 9 20	7 4 8	26 4 10		1 1	13 21 14	8 9 B	3 5 12 6	-	ΞΙ	130 107 142	10 29 30 38	12 47 33 54	27 22 25	27 22 25	82 83 84

!

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

-		<del></del>	<del></del>	TEXAS		
	CAUSE OF DEATH	Total	Whi	te	All c	ther
			Male	Female	Male	Fema1e
01 02 03 04 05	ISCHEMIC HEART DISEASE	30,326 3,209 27,117 16,772 131	15,650 1,229 14,421 9,639 56	11,018 1,245 9,773 5,542	1,987 317 1,670 905	1,671 418 1,253 686
06 07 08 09 10	ACUTE NYOCARDIAL INFARCTION	13,411 12 4,159 26 26	5,947 8 2,007 8 11	5,417 3 1,446 11	1,073 418 5	10 974 1 288 2 4 1
11 12 13 14 15 16	CHRONIC DISEASE OF ENDOCARDIUM	40 3 34 34 1•925 296	12 1 1 2 9 814 110	22 2 1 19 801 144	5 - - 5 171 27	1 1 139 15
17 18 19	ALL OTHER FORMS OF HEART DISEASE	1,846 11,500 1,226	1,052 4,301 404	462 5,427 502	205 808 152	127 964 168
20 21 22 23 24	HITHOUT HENTION OF HYPERTENSION (.9)   430   430   430   430   430   431   4	10, 274 496 1, 678 2, 101 43	3,897 172 673 776	4,925 232 742 1,038	656 39 118 130 2	796 53 145 157
25 26 27 28	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES	149 4.606 2.427 3.000	92 1,691 877 1,359	43 2,104 1,250	381 132 119	8 430 165 158
29 30 31 32 33 34 35	ARTERIOSCLEROSIS	1,822 595 145 438 919 819	687 404 60 208 396 345	982 141 54 187 372 334	60 23 16 20 71 69	93 27 15 23 80 71
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM	100 6,329	51 3,463	2,096	2 489	281
37 38 39 40 41 42 43	ACUTE UPPER RESPIRATORY INFECTIONS	28 49 234 3,135 67 312 35	13 18 111 1,439 30 157 13	10 21 105 1,213 26 78 13	1 8 9 291 3 48	4 2 9 192 8 29 5 46
44	BRONCHDENEUMONIA, ORGANISH UNSPECIFIED	920 1,801	427 812	374 722	73 163	104
46 47 48 49 50	BRONCHITIS, ENPHYSEMA, AND ASTHMA	- 1,627 43 246 1,240 98	1,142 17 166 941 18	358 20 68 218 52	93 4 8 68 13	34 2 4 13 15
51 52 53 54 55	HYPERIKUPHY UF TUNSILS AND AURANDOS	1 62 19 164 40 970	1 35 9 86 13 596	14 7 68 25 275	10 2 7 - 68	3 1 3 2 31
57	IX. DISEASES OF THE DIGESTIVE SYSTEM	3,559	1.807	1,331	237	184
58 59 60 61 62 63 64	DISEASES OF TEETH AND SUPPORTING STRUCTURES	.303 112 133 58 39 47	180 55 85 40 17 21	87 38 35 14 14	28 15 9 4 3	8 4 4 
65 66 67	HERNIA AND INTESTINAL OBSTRUCTION	384 4 145	135 - 48	177 2 90	38 1 3	34 1 4
68 69 70 71 72 73 74	CHRUNIC EMERITIS AND ULCERATIVE COLITIS	53 1.363 396 226 741 174 1,047	19 815 260 102 453 69 503	32 410 89 90 231 95 405	86 31 26 29 2 70	2 52 16 8 28 8
75	X. DISEASES OF THE GENITOURINARY SYSTEM	1,646	660	620	209	157
76 77 78 79 80 81 82	NEPHRITIS AND NEPHROSIS	486 77 20 389 399 49 542	185 30 5 150 136 20 218	150 17 13 120 204 25 202	82 18 2 62 26 26 80	69 12 57 33 1 42
83 84 85	HYPERPLASTA OF PROSTATE 600 DISEASES OF BREAST 6104611 OTHER DISEASES OF GENITAL ORGANS 601-607-612-629	70 3 97	62 - 39	3 36	8 - 10	12
86 · 87	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	51 5		37 3	•••	14
98	TOXENTAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXENTA	19 5		11 4		8

and Sex: United States and Each State, 1973-Con.

Bubcategory		HATU					VERMONT					VIRGINIA ,			Γ
	Whi	te	All o	ther	m3	Whi	te	A11 o	ther		Whi	te	A11 o	ther	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	
2,062 257 1,805 1,125 9	1,202 103 1,099 761 7 434	837 153 684 353 1 482	16 - 16 8 - 8	7 1 6 3 1 3	1,559 157 1,402 675 4 876	858 69 789 422 2 432 2 50	700 87 613 253 2 443	1 1 - - 1	- - - - - -	13,458 1,650 11,808 6,669 775 6,012	6,461 538 5,923 3,679 346 2,434	4+420 568 3+852 1+881 147 2+392	1,435 236 1,199 649 193 593	1+142 308 834 460 89 593	01 02 03 04 05 06
230 1 3 3 - - 3	119 - 2 1 - -	112 1 1 2 -	- - - - - - -	7 16 3 13 	92 1 1 4 - 1	50 1 1 - - 1 29	41 - 3 - 1	1		1,031 11 12 28 - 7 21 658	379 8 9 - 2 7 239	313 2 3 9 - 3 6 217	215 - 6 - 2 4 132	124 1 - 4 - - - 70	08 09 10 11 12 13 14
120 22 89 784 95 689 27	56 8 50 355 35 320	60 14 34 412 59 353 16	12	5 1 4	55 7 24 427 50 377 23	186 19 167	26 3 9 241 31 210	1		183 139 4,407 517 3,890 244	1,415 124 1,291	41 41 1,877 171 1,706 114	47 30 539 103 436 28	70 34 15 576 119 457 25	16 17 18 19
91 175 6 10 301 174	10 41 71 4 2 157 70	46 103 2 6 139 100	4 1 - 2 2 3	3	53 136 - 10 118 87	23 59 - 3 59 33	30 77 - 7 59 54			1,104 11 91 1,447 820	196 374 3 45 471 249	248 473 5 29 597 411	118 127 2 12 189 63	25 128 130 1 5 190 97	20 21 22 23 24 25 26 27
214 119 52 11 32 80 72 8	99 40 41 5 13 39 35 4	110 77 10 6 17 40 37	3 2 - 1 - -	2 1 1 1 1	160 87 44 7 22 52 46 6	81 36 32 4 9 22 19	79 51 12 3 13 30 27		17(11111	1, 281 712 311 68 190 446 410 36	229 203 29 87 155 139	364 - 76 24 70 166 155	49 18 5 19 63 56 7	117 14 10 14 62 60 2	29 30 31 32 33 34 35
490 1 4 18 202 7 20	324 - 3 11 103 4 16	148 1 1 7 87 1 1	14 - - 9 2	3	322 2 9 143 3	199 2 2 1 72 1 8	123      8 71 2 4	- - - - -	- - - - - - -	2,628 2 20 102 1,402 21 149	1,276 - 30 577 7 63	812 - 9 51 476 10 32	344 2 2 9 211 2 39	196 - 3 12 138 2 15 4	37 38 39 40 41 42
2 51 114 135 4 25 91	22 61 108 1 19 81	1 26 49 24 2 6	3 1 2 2 1 1	1 2	- 44 84 80 - 18 57	20 43 64 12 51	24 41 16 - 6	-	-	18 511 703 564 20 105 380	4 246 257 343 7 69 255	6 164 264 147 7 27 91	4 64 102 52 2 7 31	4 37 80 22 4 2 3	42 43 44 45 46 47 48 49
15 7 13 2 108	7 6 12 1 80	7 1 1 1 1 25	1 - - - - 2	- - - 1	5 2 1 6 3 74	1 5 3 49	2 - 1 - 25	-	-	59 31 6 74 12 415	12 13 1 42 6 258	22 - - - - - - - - - - - - - - - - - -	12 - 8 1 7 2 50	13 2 1 3 - 15	49 50 51 52 53 54 55 56
328 1 322 15 14 3 4 4 3	185 1 19 11 7 1 3 -	128 - 12 4 6 2 1 3 23	1 1 	7    1	18 7 9 2 1		7 5 2 - - - - - -	, - - - - -	-	149 73 52 24 6 16	77 32 32 13 4 4 3	41 25 12 4 2 8 58	- 23 9 7 - - 4 28	- 8 7 1 - 1 22	58 59 60 61 62 63 64 65
- 9 5 116 67 8 41 18	 2 1 74 47 5 22 8 54		7755	2 2 2 1 3	66 23 12 31 14 45	- 3 1, 40 13 6 21 6	26 10 6 10 8 28		- - - - - -	3 48 23 687 264 110 313 52	1 13 9 349 138 48 163 19	23 11 189 68 30 91 26	- 4 - 77 32 16 29 4 67	2 8 3 72 26 16 30 3	66 67 68 69 70 71 72 73 74
102 32 2 28 20 2 34 8	57 17 1 2 14 7 1 19 8	14 14 1- 13	1 1	-	45 11 3 - 8 9 3 15 4	25 6 2 - 4 4 2 8 4	20 5 1 - 4 5	-		607 166 19 2 145 138	209 46 7 1 38 38	185 44 7 - 37 68	112 35 3 - 32 15 2 45 7	101 41 2 1 38 17 1 37	75 76 77 78 79 80 81 82 83 84 85
4	1 19 6 - 5	13 1 15  1	= = = = = = = = = = = = = = = = = = = =	-	3	2 8 4 1	7 		-	138 15 227 23 - 38	89 16 14	6 56 ••• 11 2	8	8	86
1 1 1		1 1	:::	=	Ξ.	:::	<u> </u>	:::	=	.2 2 1	:::	1	:::	2 1 1	87 88 89

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision Liternational Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				TEXAS		
	CAUSE OF DEATH	W1	Whi	te	A11 c	ther
		Total	Male	Female	Male	Female
01 02 03 04	ABORTIONS	5 - 3 -	•••	4 - 2 -	***	1 - 1
05 06 07 08	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM	2 9 .8		9	•••	2
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	101	37	48	6	10
10 11	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	30 71	14 23	13 35	1 5	2 8
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND COMMECTIVE TISSUE	293	73	171	13	36
13 14 15 16 17	ARTHRITIS AND SPONDYLITIS	118 12 6 7 150	39 2 3 4 25	66 6 1 3 95	3 1 1 - 8	10 3 1 - 22
18	XIV. CONGENITAL ANDMALIES	877	437	320	70	50
19 20 21	SPINA BIFIDA	36 135 355	14 58 182	21 54 135	12 18	1 11 20
22 23 24	ALL WHER CUNGERIAL ANUMALIES	67 1 283	35 1 147	21 - 89	5 1 35	12
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	2,130	964	702	255	209
26 27 28	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	2,653 145 2,508	1¢278 46 1,232	822 77 745	316 9 307	237 13 224
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	10,387	 6•090	2,446	1,385	466
30 31 32 33 34 35	ACCIDENTS	7,247 42 3,650 3,580 108	4,346 33 2,250 2,203 57	1,850 3 929 913 42	744 6 346 343 8	307 125 121 1
36 37 38 39 40 41 42 43	NOTOR VEHICLE	1,694 536 480 619 143 70 14 112	984 291 355 432 84 47 8 91	496 128 77 124 46 16 5 7	144 88 41 52 10 3 1 12 5	70 29 7 11 3 4
44 45 46 47 48 49 50 51 52 53	ACCIDENTAL POISONING	238 114 44 80 788 155 53 580 390 516	122 54 24 44 338 100 18 220 157	68 34 18 16 394 45 32 317 123 56	30 14 2 14 30 7 3 20 59 111	18 12 - 6 26 9 - 23 51 22
54 55 56 57 58 59	INHALATION AND INCESTION OF FOOD OR OTHER OBJECT CAUSING DESTRUCTION OR SUFFOCATION	211 214 442 8 76	114 165 366 6 54	54 17 29 1	22 29 39 1 9	21 3 8 -
60 61 62 63	DR RADIATION	14 107 237 173 318	4 100 202 83 175	5 5 8 68 80	1 1 27 9 45	4 1 13 15
64 65 66 67 68 69	SUICIDE	1,372 142 76 137 962 55	945 56 44 91 722 32	360 80 32 32 198 18	52 4 - 12 33 3	15 2 - 2 9 2
70 71 72 73 74 75	HONICIDE	1,653 1,228 207 193	741 544 96 88 -	200 115 22 63	575 478 67 20 -	137 91 22 22 22
76 77	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989	115	58 -	36	14	7

Subcategory .		HATU					VERMONT					VIPGINIA			
	Whi	te .	A11 o	ther		Whi	te	All o	ther		Whi	.te	A11 c	ther	
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Pemale .	Male	Female	
-		-		111111111111111111111111111111111111111			-			1 - - 1 1	:::	-		1 - - 1 1	02 03 04 05 06
-	•••	-	•••	-	-	-	-	•••	-	-		-	•••	-	08
7 3 4	3 1	3 - 3	- -	-	1 1 -	1 1	- -	- -	- - -	49 8 - 41	15 3 12	17 3 14	9 2 7	8 - 8	10 11
41	15	26	-	-	15	9	6		-	108	32	49	8	19	12
20 1 2 - 18	7 - 2 - 6	13 1 - 12	-	-	5 - 1 3 6	2 - 1 2 4	3 - - 1 2		-	39 8 2 2 57 303	14 1 - 2 15	22 3 2 - 22	2 1 - - 5	1 3 - 15 30	13 14 15 16 17
106	58 1	44	_	1	2	21	-	-	_	19	4	14	i	-	19
15 38 15 1 31	9 19 7 1 21 98	18 8 - 10 72	- - - - 2	2 1 2	4 13 2 - 12 49	2 8 2 7 26	2 5 - 5 23	- - -	- - - - -	40 131 19 1 93 751	16 63 7 - 42 304	14 40 8  27 204	3 15 3 - 16 132	7 13 1 1 8 111	20 21 22 23 24 25
287	149	124	10	4	48	26	22	-	-	502	169	161	. 91	81	26
47 240	18 131	29 95	10	-	2 46	. 24 24	22	<u>-</u>	=	35 467	10 159	16 145	4 87	5 76	27 28
902 695 6 358 345 9	600 461 6 230 220 6	260 205 109 106 3	33 21  13 13	8 - 6 - 6	382 308 - 123 121 3	264 212 91 89	115 93 - 29 29	2 2 2 2 2	1 1 - 1 1	4,028 2,792 14 1,238 1,207	2,100 1,430 8 695 674 6	859 646 1 239 234 3	784 517 4 230 228	285 199 1 74 71 3	29 30 31 32 33 34
162 40 24 97 13 13 2 2 3	89 19 18 78 10 10 2	64 17 5 14 3 2 1	5 3 1 4 - -	1	33 27 11 14 33 2 - 8 28	24 16 8 12 29 2 - 8 16	9 11 3 2 4 - - 12	-	111111	281 195 95 126 498 31 6 37	151 94 66 76 281 21 2 23 23	79 29 14 21 88 5 2 6	39 56 13 22 98 2 1 8	12 16 2 7 31 3 1	35 36 37 38 39 40 41 42 43
16 6 6 95 97 6 52 16 47	10 4 3 47 25 3 19 8	5 1 3 1 45 11 2 32 7 6	- - - 3 1 1 1	1 1 1	9 2 1 6 37 10 3 24 26 19	6 1 1 4 17 8 3 6 15	1 2 20 20 18 11 6	-		129 29 82 18 469 97 13 359 198	61 14 36 11 175 44 4 127 80	19 8 8 3 223 31 5 187 41 22	28 3 22 3 42 18 3 21 48 66	21 4 16 1 29 4 1 24 29 11	44 45 46 47 48 49 50 51 52 53
19 19 44 - 2	13 17 40 - 2	6 1 4 - -	1 -	-	6 8 17 - 1	8 16 - -	2 1 1	-	- - -	64 83 138 7 13	26 47 107 3 7	18 13 12 1 3	12 20 17 3 . 2	ī	54 55 56 57 58
2 10 30 18 32	2 8 28 13 19		-	-	- 2 14 14 13	2 14 7 11	7 2	=	- - - -	6 24 88 49 133	2 21 74 17 57	2 2 4 19 29	2 1 9 7 33		59 60 61 62 63
136 20 12 13 84 7	98 9 10 11 64 4	34 11 2 1 17 3	1 3	-	57 13 8 5 28 3	39 6 7 4 20 2	18 7 1 1 8	-	-	663 76 44 56 457 30	462 20 33 40 354 15	147 45 10 13 66	44 6 - 3 34	10 5 1 - 3 1	64 65 66 67 68 69
40 21 5 12 - 2	21 11 2 6 - 2 19	11 7 - 4 -	7 2 3 2 - -	11	10	4 3 - 1 - - 9	3 2 - 1 - -	= =		538 404 72 54 - 8	191 146 22 20 - 3	58 40 8 10 - - 8	219 166 32 16 - 5		70 71 72 73 74 75

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				WASHINGTON	***	
	CAUSE OF DEATH	Total	Whi	te	A11 c	other
		Iocar	Male	Female	Male	Female
01	ALL CAUSES	30,812	16,553	13,061	765	433
02	I. INFECTIVE AND PARASITIC DISEASES	198	105	75	11	7
03 04 05	CHOLERA	-		-	- -	. ]
06 07	BACILLARY DYSENTERY AND AMEBIASIS	1 -	<u>i</u>	-	1	=
08 09 10	ENTERITIS AND OTHER DIARRHEAL DISEASES	31 40 26	12 28 20	17 6 3	1 5	1
11 12	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	1 1	_ [	1	1	1
13 14 15	TUBERCULOSIS OF BONES AND JOINTS	3 2 7	2 1 5	1 - 1	1 1	-
16	•	_	-	-	-	-\
17 18 19	PLAGUE		-	-		-
20 21	DIPHTHERIA	1 _	1 -	<u>-</u>	1	-
22 23	EDVCTDETAC	=	=	-	7	1 1
24 25	MENINGOCOCCAL INFECTIONS	4 [	1 1	3	7	-
26 27	SEPTICEMIA038 OTHER BACTERIAL DISEASES039	45 3	20 2	21	3	1 1
28	ACUTE POLIOMYELITIS040-043	1	_ [	-	_	
29 30	SHALLPOX		]	-	=	3
31 32	MEASLES	- - 6	- 6	Ξ	=	=
33 34 35	LATE EFFECTS OF VIRAL ENCEPHALITIS	1 13	5	1 6	-	- 7
36 37	RABIES07I OTHER VIRAL DISEASES	29	16	10	2	1
38	TYPHUS AND OTHER RICKETTSIOSES		<u> </u>		-	3
40 41	TRYPANOSOMIASIS	=		_	-	-
42	SYPHILIS AND ITS SEQUELAE090-097	5	4	1	-	-
43 44	CONGENITAL SYPHILIS	= [	=	-	=	-
45 46	ANEUKYSM UF AURIA; SPELIFIED AS SYMHLIILU	2	2	-	-	3
47 48 49	GENERAL PARESIS	1 2	1 - 1	=	-	3
50 51	ALL OTHER SYPHILIS	- 1	l <u>-</u> 1	1	-	
52 53	SCHI STOSOMI AS IS	= = = = = = = = = = = = = = = = = = = =		-	-	
54	FILARIAL INFESTATIONS	= 1	<u>-</u> [	_		-
55 56 <b>57</b>	HYDATLOUSIS  FILARIAL INFESTATIONS  125 ANCYLOSTOMIASIS  07HER HELMINTHIASES  121,123,124,127-129 OTHER INFECTIVE AND PARASITIC DISEASES	- 17	- 9	- 8	1	-
58	II. NEOPLASMS	5,724	3,051	2,512	100	61
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND			2 (7)		
60 61	HEMATOPOIETIC TISSUES	5,652 123 3	3,018 75 1	2,476 46 2	99	29
62 63	OF TONGUE	32 44	21 27	11 17	~	-
64	OF PHARYNX146-149	44	26	16	2	_
65 66	MALIGNANT NEOPLASHS OF DIGESTIVE DRGANS AND PERITONEUM150-159 OF ESOPHAGUS150	1,505 80	797 53	662 20	30 5	16
67 68	OF STOMACH	217 12	136 6	69 6	8	1
69 70	OF LARGE INTESTINE, EXCEPT RECTUM	581 74	268 31	299 42	5 -	1
71 72	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES	18 13	11 5	7	-	ī
73 74	SIGNOID COLON	62 382	39 174	28 197	5	6
75 76	INTESTINAL TRACT, PART UNSPECIFIED	32 152 32	14 92 18	18 57 12	2 2	1
77 78 79	OF GALLBLADDER AND BILE DUCTS	69 338	29 179	39 152	1 7	-
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS	24	16	8		
81	MALIGNANT NEOPLASMS DE RESPIRATORY SYSTEM	1,317	991	278	42	6
82 83	DF TRACHEA BRONCHUS, AND LUNG	32 1,261	26 951	3 267	3 37	6
84 85	OF OTHER PARTS OF RESPIRATORY SYSTEM	24 630	14 80	8 538	2 -	12
86 87	OF BONE	35 19	20 8	15 11	1 -	=
88 89	OF SKIN172,173 OF. Breast174	80 496	47 5	33 479	=1	12

succategory		EST VIRGINI					WI SCONSIN					WYDMING			T
Total	Whi	te	All o	ther	Total	Whi	te	A11 o	ther		Whi	te	A11 c	ther	
- Iocar	Male	Female	Male	Fems1e	iotai	Male	Pemale_	Male	Female	Total	Male	Female	Male	Female	
19,955	11,049	7,794	643	469	41,295	22,382	17,995	519	399	3,070	1.760	1,229	; 44	37	01
185	98	71	12	4	230	119	100	· 6	5	16	11	5	-	-	02
	=	=	=	1	1	-	1	- -	- -	-		- - -		=	03 04 05
23	- 8 33	12	- 2 3	1	42 39 24	15	25 13	1 2 1	1 2 2	- - 3	2 1	1	=		04 05 06 07 08 09 10 11 12 13 14
23 51 42 1 2	27	11 -	3 -	1 2 1 -	24	22 14 - -	7 - 1	1 -		3 2 2 -	1	1 - -	=	-	10 11 12
2	2 3	-	=	-	- 2 12	- 2 6	- 5	- - 1	-	-	-	-	-	-	13 14 15
]	=	=			=		-	=	=	<u>-</u>	=	-		=	
=	=	-	-	11111111111111	- -		- -		- - -		=	-	=	=	16 17 18 19 20 21 22 23 24 25 26 27 28
1	1	_	-	1 1	-	-	<u>-</u>	- - -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	- -	] [	=	=	21 22 23
4 1 50	1 - 27	3 1 21	- - 2	-	79	5 - 42	1  36	-	- - 1	1 - 7	1 - 5	- - - 2	=-	-	24 25 26
6	4 -	-	1	- -	8 -	5	3	-	=	i -	=	2 1 -	=	-	
5	3		- -	111	2 -	1 -	<u>1</u> -	-	1 1 1		=	-	=	-	29 30 31 32
3 7	3	- - -	-	-	- - 5 -		3	-	- -	- - 1	= 1	-		_	32 33 34
7	- - a	 6 - 8	1 - 1	-	6 - 18	- 4 - 10	- 2 - 7	- 1	_		1 -	-	1111	=	35 36 37
=	-	-	<u>-</u>	111111111111111111111111111111111111111	- ]	-	1 1 1 1	-	1111	11111	=	- - -	-	=	33 34 35 36 37 38 39 40 41
7	4	2	1	_	5	3	1	1	- -	-	-	-	-	-	l
-	-	- - 1	- - 1	-	- - 4 1	-		<u>-</u>	-	1 1 1		1 1 1	11111	· -	42 44 45 47 48 49 50 50 50 50 50 50 50 50 50 50 50 50 50
[ -]	-	[ -]	1	1 1 1	- 4 - 1	3 -	_	- 1	- -	=	[ - ]	=	-	=	46 47 48
-	-	1 -	-	-	-	-	-	-	-	-	-			Ξ	50 51
] =	=	-	-	' -	-	-	- 1	=	-	<u>-</u>	-	-		=	52 53 54
10	] - 6,	- 2	- 1	- - 1	19	10	- - 7	1	- - 1	- 1	- 1	, <u>-</u>		=	55 56 57
3,299	1,738	1,380	94	87	7,445	3,860	3,435	75	75	457	241	212	. 1	3	58
3+254 56	1,714 33	1,362 20	93 1	85 2	7,394 147 8	3,835 106	3,409 36	75 5	75 - -	448 3	236 3.	208 - -	1	3 - -	59 60
56 1 12 21	1 7 9	4 11	ī -	- 1	28 46	7 18 34	1 10 9	3	-	- 1 2	1 2	-	-	-	60 61 62 63 64
829 50 137	16 405	5 374 10	28 5	1 22	2,209	47 1,139 109 211	16 1,029 34 159	2 20 9	 21 -	107 3	45 3	60	-	1	ı
137	405 29 77 1 139	47	8 - 5	6 5 - 4 1 1	2,209 152 384 19 808 107 33 21	211 9 375	159 10 424	5	9 - 6	19 1 42	9 1 11	10 - 30		2 - - 1	67 68 69
31 13 12 46	10 5 4	174 18 7	2 -	1	107 33	50 18 9	10 424 57 15 12	=	111	5 3	1	4 3 -		-	70 71
46 205	26 89 5	20 111 10 47	3	- 2 		47 227 24		3	1 5 - -	1 30 3	- 9 1	21 2		1	73 74 75
205 15 103 12 33	52 5 12	47 7 20	- 3 - 1	1  -	497 43 242 46 148 381	138 29 49	262 19 103 17 96	1	- - 3	8 - 7	- 2	4 - 4	-	1	65 66 67 68 69 70 71 72 73 74 75 76 77 78
149	83	57 9	5	4 2	381	203	173 13	2	3	25	14	11	, <u></u>	-	79 B0
815 39	621	153 2	27 4	14	1.356	1,059 54	267 3	21 2 18	9 1	103	80 2	22	1		
1 765 13	32 582 7 44	148	23 - 2	1 12 1 19	1,265 31 920	984 21 81	255 9 824	18	8  13	97 4 53	76 2 7	20 2 46	1	<u>-</u> [	83 84 85
11 332 18 11 40	44 13 5 24	4 6 15	1 - 1	- 1	920 35 27 71	19 10 41	14 15 30	1 1 1 -	11 1 11	9 2 7	3 1 3	1 4 41	1 1 1		81 82 83 84 85 86 87 88
263	1 21	242	11	18 İ	787	11 (	765	- I.	. 111	41	- 1	41	- 1	- 1	89

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

				WASHINGTON	<del>, ,</del>	
	CAUSE OF DEATH	Tota1	Whi	te	A11 c	ther
			Male	Female	Male	Female
	MALIGNANT NEOPLASMS, ETC.—CON.	·				
01 02 03 04 05 06 07 08	MALIGNANT NEOPLASMS OF GENITAL ORGANS	726 83 96 200 16 306 25 283 170	924  300 24 190 126	384 78 94 197 15	7  6 1 3 2	11 5 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
11 12 13 14 15 16 17 18 19 20	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES	113 517 5 153 15 344 256 81 115 11	64 267 3 97 5 162 139 45 63 3	46 239 1 55 9 174 110 33 50 8 19	5 1 - 1 3 5 1 2	N 6111255111
21 22 23 24 25 26 27 28 29 30 31	OTHER NEOPLASMS OF LYMPHATIC AND HEMATDPDIETIC TISSUES	295 98 39 90 68 72 2 20 8 1	155 48 25 46 36 33  7 4	133 49 13 43 28 36 2 12 12	3	1
32 33	OTHER NEOPLASMS OF UNSPECIFIED NATURE	11 723	288	5 398	18	19
34 35 36 37 38 39 40 41 42 43 44	NONTOXIG GOITER	5 6 541 5 - 4 - 60 13	- 1 1 211 3 - 2 2 - 21 6 43	- 4 5 300 1 - 1 - 38 7 42	15	15 L
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	80	36	40	2	2
46 47 48 49 50 51	ANEMIAS	47 8 6 21 12 13 20	21 2 - 12 7 5 10	24 6 4 9 5 6	1	1
53	V. MENTAL DISGRDERS	184	109	53	16	6
57 58	SENILE AND PRESENILE DEMENTIAS	15 4 4 118 34	7 3 4 79	8 - - 20 20	- - 15	1 4
59 60	MENTAL RETAROATION	308	146	5 151	7	-
61 62 63 64 65 66 67 68 69 70	MENINGITIS	13 10 38 61 6 35 - - 4	6 7 10 28 3 19 - - 2	7 2 28 33 2 15	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1, 3
72	VII. DISEASES OF THE CIRCULATORY SYSTEM	16,209	8,545	7,252	248	164
73 74 75 76 77 78 79 80 81 82 83	ACTIVE RHEUMATIG FEVER	4 259 62 106 14 75 330 10 21 109 62 128	3 122 20 62 64 140 2 10 38 38	1 130 39 42 10 39 180 8 11 65 23	5 3 1 1 3 - 2 1	1 7 - 4 - 3

- do de la company		ST VIRGINI					WISCONSIN			ed by an aste		MACWINE		
	Whi	te	All o	ther	1	Whi	te	All a	ther	m 1	Whi	te	A11 a	ther
Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
412 76 41 81 11 189 14 133 82 51	186  172 14 86 56	201 73 40 77 11  41 23	17  17 3 1 2	8 3 1 4 - 3 2 1	914 94 112 234 25 433 16 363 199 164	446  431 15 242 138	452 86 1100 231 25  118 60 58	3  2 1 3 1	13 8 2 3 	58 6 5 14 - 20 5 28 14 14	33  28 5 19 11 8	24 65 13 		1 0 - 0 - 0 1 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -
401 1 58 11 331 128 55 47 2	189 30 4 155 67 30 22 1	193 1 25 5 162 56 23 23 1 9	10 - 3 - 7 2 1 - - 1	2 -	733 6 194 20 513 312 109 125 11 67	357 5 103 5 244 165 61 58 6 40	348 1 86 15 246 144 48 65 4 27	14 - 5 - 9 1 - 1	14  - 14 2  1	50 1 11 2 35 19 7 6 1	23 - 5 - 18 12 5 4 1	1 6 3 17 7 2 2 - 3	-	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 2
24 148 46 24 435 35 45 3 3 6 6 2 3 11 427 3 427 3 5 7 35 66 422 10 10 19 9 9 8 8 2 3 3 11 11 10 10 10 10 10 10 10 10 10 10 10	14 83 837 17 24  16 14 7 166  1 1 15 4 4 17 3 2 16 1 1 15 8 4 12 8 8 4 12 8 12 8 13 14 15 15 15 16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	9 577 17 18 18 18 1 3 3 - 7 4 223 1 1 1 8 3 1 5 2 4 1 1 5 2 4 1 1 8 8 8 8 8 8 9 1 8 1 8 1 8 1 8 1 8 1	1 13	51	440 440 68 114 110 51 10 12 12 1,071 	240 75 400 57 686 25 6 9 9 446 4 4 2 355 1 1 20 8 52 27 7 11 11 11 8 7 11 13 9 9 9 5 4 4 12 12 13 14 14 15 16 16 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	191 72 277 514 416 21 477 77 596 479 3		10	2775969212- 31 74 260 +525 16 6113119 18 2213	14 43 33 45 5 1 1 1 34 7 28 7 28 8 2 2 2 2 7 6 9 7 7	13 3 2 6 2 4 2 1 1 37 2 30 - 3 2 8 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3	2222222223 33 3 33333344444 4 4444555 5 55553
11 143 8 8 9 9 11 24 7 7 18 1	70 2 5 6 11 2 9 -1 1  34 5,854 1 57 12 23 9 -1 2 23 9 1 8 9 9		317	1 236	7 364 19 23 45 89 12 35 1 1 2 136 23,572 7 298	3 197 9 15 17 46 10 20 - 2 1 1 76 12,465 5 138 23 63 7 5 191 9 6	3 161 7 8 20 43 2 13 1 - - 59 10,733 2 153 47 32 10 64 241 10	193	181	27 1 1 5 7 - 5 - 1 7 1,487	- 15 1 1 2 3 3 - 2	11	99	- 6

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit

				WASHINGTON		
	CAUSE OF DEATH	Total	Whi	te	A11 o	ther
		TOTAL	Male	Fema1e	Mæle	Female
01 02 03 04 05 06 07 08	ISCHEMIC HEART DISEASE	10,170 1,050 9,120 4,979 127 5,061	5,785 471 5,314 3,167 80 2,538	4,148 543 3,605 1,710 41 2,395 2	156 20 136 64 4 88 	81 16 65 38 2 40 1 11
09 10 11 12 13 14 15 16	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS	6 13 32 1 8 23 516 57 167	2 6 14 1 6 7 272 32 99	4 4 17 - 2 15 227 24 56	3 1 1 2 10	1 1 1 8 1 2
18 19 20 21 22 23 24 25 26 27	CEREBROVASCULAR DISEASES	3,413 373 3,040 142 417 792 11 62 1,217	1,446 142 1,304 56 176 334 3 37 538 302	1.877 215 1.662 76 223 445 8 24 649	44 8 36 4 10 8 - 1 11 10	46 8 38 6 8 5  19 8
28 29 30 31 32 33 34 35	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	1.048 600 272 37 139 194 171 23	529 267 186 17 59 95 84 11	498 326 79 19 74 86 76	9 4 4 1 8 7 1	12 3 - 6 5 4
36 37 38 39 40 41 42 43 44 45	VIII. DISEASES OF THE RESPIRATORY SYSTEM	2,258 3 251 905 50 90 19 269	1,349 2 5 108 472 24 44 9 144 251	836 116 136 397 26 38 6 117 210	47 1 3 22 5 3	26 1 4 14 3 1 3 7
46 47 48 49 51 52 53 55 55	BRONCHITIS, EMPHYSEMA, AND ASTHMA	590 12 85 463 30 2 14 12 66 11	432 4 63 354 11 1 10 7 39 9	141 7 19 98 17 1 4 5 26 2	14 3 10 1 - -	3 1 1 1 1
57 58 59 60 61 62 63 64 65	IX. DISEASES OF THE DIGESTIVE SYSTEM	1,230 3 125 64 47 14 12 11 100	640 1 72 29 33 10 4 7	497 2 47 32 12 13 7 4 53	56  4 1 1 1 1	37 2 2 -
66 67 68 69 70 71 72 73 74	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN	58 19 567 265 62 240 54 281	21 9 324 156 28 140 19	33 10 189 81 28 80 35	2 34 20 2 12 12	2 20 8 4 5 12
75 76 77 78 79 80 81 82 83 84	X. DISEASES OF THE GENITOURINARY SYSTEM	287 68 3 4 61 71 9 90 20 29	146 28 1 2 25 27 5 5 5 5 27 18	123 34 1 1 32 41 4 33	11 5 1 1 1 2 2 2	1 2 3
86 87 88 89	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUEPPERIUM	3 - 1		2	***	1

subcategory numbers which do not correspond exactly with the international Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

	<del></del>	ST VIRGINI					WISCONSIN			ed by an aste	•	WYOMING			Ī
Total	Whi	te	A11 c	ther	Total	. Whi	te	A11 o	ther	Total	Whi	.te	All o	ther	
	Male	Female	Male	Female		Male	Female	Male	Female	IVLAI.	Male	Female	Male	Female	
7,129 819 6,310	4,001 327 3,674	2,799 414 2,385	190 38 152	139 40 99	15,297 1,681 13,616	8,635 733 7,902	6,443 901 5,542	122 21 101	97 26 71	960 90 870	587 41 546	362 48 314	2 - 2 1	9 1 8	0.00
3,999 20 3,106	2,520 11 1,466	1,325 6 1,468	89 3 98	65 - 74	7,614 93 7,586	4,806 53 3,772	2,730 39 3,674	43 - 79	. 1 61	581 1 378	391 1 195	184 - 178	1 1	- - 4	0:
4 613 6	330 3	241 2	24	18	1+016 10	607 4	392	15	12 -	87 1	51	34 1	2		01
2 8 -	2 6 	1	=	1	18 31 I	15 14	2 15 I	- 1	1	1 1 -	1 - -	1	=	=	1:
1 7 459	1 5 235	- 1 190	- - 20	- 1 14	1 29 483	1 13 280	14 192	- 1 5	- 1 6	1 64	- - 36	1 26	- 2	. =	1:
40 98	16 68	20 28	3 1	1 1	100 374	49 245	-48 120	7	2 2	17	12	1 5	-	=	1
2,017 255 1,762	920 110 810	996 126 870	52 8 44	49 11 38	4,695 564 4,131	2,012 216 1,796	2,607 326 2,281	33 8 25	43 14 29	292 42 250	127 13 114	159 27 132	3 - 3	3 2 1	1: 1: 2:
91 396 561	41 192 250	44 185 283	44 3 9 14	3 10 14	182 733 1,111	68 313 474	103 409 618	25 5 4 8	6 7 11	14 45 38	2 16 25	11 27 12	- 2 1	1 - -	21 22 22 22 22
4 25 635	2 18 290	2 7 309	20	- - 16	22 67 1,458	10 35 658	12 30 779	- - 9	- 2	2 2 115	1 2 50	1 - 64	111	- 1	25 25 27 27
305 612	127 340	166 239	6 24	6	1,122 1,447	454 711	656 725	7	12 5 6	76 73	31 40	. 44	1	1 -	28
322 160 29	154 122 16	149 32 13	13 4 	6 2 -	873 298 67	378 211 35	486 85 32	.4 1 -	5 1	39 19 2	20 13 1	19 6 1	-		30 31 32 33 34
101 241 218	48 112 99	45 109 100	7 16 15	1 4 4	209 351 317	87 166 150	122 180 162	- 2 2	- 3 3	13 31 29	6 17 16	6 13 12	1 1 1	-	32 33 34
1,474	13 980	9 41B	60	16	34 2,211	16	18 716	37	22	2 261	181	1 76	4	-   -	35
2	1 5	1	=	_	10 12	6	4	Ξ	-	1	- 1	-	- - :	-	37
54 683 20	31 390 10	21 263 9	1 18 1	1 1 12 -	112 1,051 30	58 602 18	51 411 10	23 2	15 15	26 85 5	11 53 2	15 31 3	1	-	39 40 41
65 10 232	41 5 137	23 3 85	1 1 5	- 1 5	78 9 392	47 5 224	30 4 158	2 1 - 7	- - 3	8 3 27	7 1 17	1 2 9	- - 1	Ξ	42 43 44
356 371	197 280	143 76	10 13	6	542 576	308 450	209 122	13 4	12	42 76	26 63	16 13	- -		45
.7 51 294	3 39 228	4 9 56	2 10	1	7 117 413	4 80 348	2 37 63	1 2		- 8 65	5 5 56	- 3 9	-	=	46 47 48 49
19	10	77	1 -	1 	39 1 18	18 1 6	20	1 - 3	- - 1	3 - 1	2	1 - -		1 1	50 51 52
4 26 7	16	4 9 1	1		7 56 23	3 30 12	4 23 10	3	- - 1	- 7 1	3	- 3 1	- 1	- -	53 54 55
315 604	245 335	43 233	27 21	- - 15	345 1,388	262 795	77 566	4 17	2 10	64 129	49 67	13 54	2	-	56 57
_ 75	- 44	25	-	- 2	1 165	102	1 62	- 1	-	_ 19	_ 13	- 6		<u>-</u>	58 59
32 25	17	11 8 6	3	1 1	80 68 17	50 42 10	29 26 7	1	- -	3 12 4 1	2 9 2 1 3	1 3 2	1111	=	60 61 61
32 25 18 3 4	11 2 2 26	1 2 27	- - 2	- - - 2	12 19 172	6 11 75	6 8 94	- - 1	- 2	1 3 17	1 3 6	_ _ 10	1,1	- - - 1	61 62 63 64 65
- 26	-	19	_	- 1	1 81	1	- 48	_	=	 6	- 2	- 4	_		ı
8	162 53	5 68 12	10 7	9 7	19 507 176	33 7 331 117	12 164	- - 7 4	- 5 1	. 45 . 21	2 2 23 12	1 19 7	- 2 1	- 1 1 - - 2	66 67 68 69 70 71 72 73
79 22 148 30	100 14	13 43 16	3		63 268 90	34 180 44	54 28 82 46	3	· 1	8 16 5	8 2	5 7 3	1	=	71 72 73
152 256	76 143	70 100	5 5	- 1 8	32I 513	185 287	125 215	- 8 · 5	3 6	. 30 29	15 17	11 11	2	2	74
Al	45 9	31 11	2	3 -	143 15	74 10	63 4		. 4	8 ~	5	3	-		l
2 58 54	2 34 20 2 52	20 33	1 1	- 3 -	6 122 102	1 63 41	5 54 60	2 - 2 1	3	1 7 5	- 5 2	1 2 2		- 1	78 79 80
21 2 58 54 3 89 16	52 52 15	1 34	1	2	15 - 177 - 47	8 104 47	7 70	2	1	11 2	2 - 6 2	5	=	1	76 77 78 79 80 81 82 83 84 85
13	9	1	. =	3	1 28	. 13	1 14	-	1	3	2	1.	_ =	-	84 65
5	•••	5	•••	· -	3		3	•••	-	2			•••	-	86 87
- 2	:::	- 2	•••	-	- 1 1		1		-	· <u>-</u>	:::		•••	=	87 88 89

Table 1-27. Deaths From 281 Selected Causes, by Color [Numbers after causes of death are category numbers of the Eighth Revision International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAME OF DEATH				WA'SHI	NGTEN		<u> </u>
Machine   Mach		CAUSE OF DEATH	Total	Whi	te	A11	other
			IOLAL	Male	Female	Male	Female
	01	ABORTIONS			_		_
	02 03	ABORTION INDUCED FOR LEGAL INDICATIONS	-	I t	=	***	-
Section   Comparison   Compar	04	SPUNIANEUUS ABUKIIUN**********************************			Ξ		_
OF ALL CONTINE CONFLICATIONS OF RECEMBACY, COLIGISTISTS, 100 000 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	06	SEPSIS DF CHILDBIRTH AND THE PUERPERIUM	ī	<b>:::</b>	- 1	1	] :
STATE   STATE   STATE   STATE   ADDITION   STATE   STATE   ADDITION   STATE   STATE   ADDITION   STATE   A	07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH,	<del>-</del>		-	***	
DESTRICTIONS OF SIXTA MORE SUBCOTANGUES INSUES.	80	DELIVERY WITHOUT MENTION OF COMPLICATIONS	-		=		1 1
1	09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	22	10	10	ı	1
The property of the property		INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE			10	ī	ī
1	12	XIII. DISEASES OF THE MUSCULDSKELETAL SYSTEM AND CONNECTIVE TISSUE	88	31	51	2	4
1		ARTHRITIS AND SPONDYLITIS710-715	45	13	30	1	1 1
NUT   COMESTITA ADMINISTRATE AND CONSECUTAL ANDMALES OF MENUOUS   T-T0-T0-T0-T0-T0-T0-T0-T0-T0-T0-T0-T0-T0		NDNARTICULAR RHEUNATISH AND RHEUNATISH. UNSPECIFIED	2	1	-	] =	ī
STATE   STAT	16	ANKYLOSIS AND ACQUIRED HUSCULOSKELETAL DEFORMITIES727,735-738	2	1	ī	] [	] = =
Conception   12   2   0   -   1		·	37	15	19	1	2
STRICK   TOOL	18	XIV- CONGENITAL ANOMALIES	229	110	101	9	9
STRICK   TOOL		SPINA BIFIDA741	12	2	9	_	1 1
10	20	SYSTEM	30	13	16	_	,
29   21   20   21   20   21   20   21   20   21   22   21   22   21   22   21   23   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   20	21	CONGENITAL ANOMALIES OF HEART	100	49	43		1 4
29   21   20   21   20   21   20   21   20   21   22   21   22   21   22   21   23   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   27   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   21   20   20	23	CLEFT PALATE AND CLEFT LIP	-	- B	-	1 1	=
25 XVI. SYMPTOMS AND ILL-DEFINED COMDITIONS. 202 113 71 1Z 6 27 SERLITTY UTHNOT NEWTON DEPSYCHESIS. 80-772.795,790 13 16 6 17 6 28 SYMPTOMS AND OTHER ILL-DEFINED COMDITIONS. 80-772.795,790 13 16 6 17 6 29 E XVII. ACCIDENTS. 80-772.795,790 13 16 8 7 74 196 50 20 ACCIDENTS. 80-772.795,790 120 120 120 120 120 120 120 120 120 12	24	ALL OTHER CONGENITAL ANDMALIES744,745,748,750-759	74	38	31	4	1
### SYMPTIMS AND OTHER ILL-DEPINED CONDITIONS. ### 196   50   12   6   63   63   63   63   63   63   63	25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	391	206	135	29	21
EXVII. ACCIDENTS. POISONINGS, AND VIOLENCE	26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS	202	113	71	12	6
SACIDENTS   1,948   1,215   556   134   39		SENILITY WITHOUT MENTION OF PSYCHOSIS				12	- ē
NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER   NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER   NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN	29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	2.676	1,668	754	196	58
NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER   NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER   NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN	30	ACCIDENTS	1.948	1.219	556	136	30
NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER   NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER   NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN		MOTOR VEHICLE ACCIDENTS	19	15	1	3	-
NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER   NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER   NOTION VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN	33	MOTOR VEHICLE TRAFFIC ACCIDENTSE810-E819					
### ACCIDENTAL POISONING BY DRUGS AND REDICAMENTS. ### E890-887   10   10   10   10   10   10   10   1		MOTOR AGUICE LEAFLIC ACCIDENT INANCATING COFFIZION MITH LEGIN********E810	17	11	3		-
OTHER NOTION VEHICLE INAFFIC ACCIDENTS INVOLVING COLLISION.	20	MOTOR VEHICLE					7
MONTOLLEDIO BUT NEW PRICE DE PRICE CACCIDENTS   159   108   40   8   3   40   40   6   1   41   41   42   56   1   41   41   42   56   1   41   41   42   56   1   41   41   41   42   56   1   41   41   41   42   56   1   41   41   41   42   56   1   41   41   41   42   56   1   41   41   41   42   56   1   41   41   41   42   56   1   41   41   41   42   57   58   51   7   7   33   -4   44   44   44   44   44   44	37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISIONEB11,E813,E815.					3 2
## ACCIDENTAL POISONING. ## ACCIDENTAL POISONI		MOTOR VEHICLE TRAFFIC ACCIDENT DE LINSPECIFIED NATURE				В	3
## ATER TRANSPORT ACCIDENTS. ## ATER AND SPACE TRANSPORT ACCIDENTS. ## E830-E835 ## ACCIDENTAL POISONING. ## E850-E855 ## ACCIDENTAL POISONING BY DRUGS AND REDICAMENTS. ## E850-E855 ## ACCIDENTAL POISONING BY DRUGS AND REDICAMENTS. ## E850-E859 ## ACCIDENTAL POISONING BY ORDER SOLID AND LIQUID SUBSTANCES. ## E850-E859 ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL POISONING BY GRESS AND VARDORS. ## ACCIDENTAL AUGUST AND POISON A	40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	16	11	3		
ACCIDENTAL POISONING.  ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.  E850-E877  ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.  E850-E8679  ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.  E850-E8679  ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.  E850-E8679  ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.  E850-E8670  ACCIDENTAL FALLS.  E850-E8677  ACCIDENTAL FALLS.  E850-E8677  ACCIDENTAL FALLS.  E850-E8677  ACCIDENTAL FALLS.  E850-E8677  ACCIDENTAL FALLS.  E850-E8677  ACCIDENTAL FALLS.  E850-E8677  ACCIDENTAL PROVING EVEL TO AMOTHER.  E850-E8679  ACCIDENTAL PROVING EVEL TO AMOTHER.  E850-E8679  ACCIDENTAL ORGANIC LEVEL.  E860-E8679  ACCIDENTAL ORGANIC LEVEL.  E860-E8679  ACCIDENTAL ORGANIC LEVEL.  E860-E8679  ACCIDENTAL ORGANIC LEVEL.  E860-E8679  ACCIDENTAL ORGANIC AND AND AND AND AND AND AND AND AND AND		WATER TRANSPORT ACCIDENTSE830-E838				_	] _
ACCIDENTAL POISONING BY DAUGA AND REDICAMENTS.	43	AIR AND SPACE TRANSPORT ACCIDENTSE840-E845				] ==	_
ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES		ACCIDENTAL POISONINGE850-E877				8	g
ACCIDENTAL FALLAS	46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCESEB60-EB69		15 19	2 <u>1</u>	6	4
TALL ON SAME LEVEL		ACCIDENTAL POISONING BY GASES AND VAPORSEB70-EB77.		17	3	i	Ĭ
TALL ON SAME LEVEL	49	FALL FROM ONE LEVEL TO ANOTHER	94	66	18		6 2
ACCIDENTS CAUSED BY FIRES AND FLAMES		OTHER AND UNSPECIFIED FALLS					1 1
SA   SUICIDE		ACCIDENTS CAUSED BY FIRES AND FLAMES	118	72	39	6	1
ACCIDENT CAUSED BY FIREARM ATISTLE		INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION	122	91	17	13	1
ACCIDENT GAUSED BY CUTTING UP PIERCING INSTRUMENT	55	ACCIDENT CAUSED BY FIREARM MISSILEE922					
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL		ACCIDENTS MAINLY OF INDUSTRIAL TYPE	116	101		5	l <b>-</b>
OR RADIATION	58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL			ĩ		
ACCIDENT CAUSED BY ELECTRIC CURRENT.  10 DIFFER ACCIDENTS MAINLY OF INDUSTRIAL TYPE	59	ACCIDENT CAUSED BY HOT SUBSTANCE, COPROSIVE LIQUID, STEAM,	•	_	-		
SUICIDE   SUICIDE   FROM POISONING BY SOLID OR LIQUID SUBSTANCE   1950		ACCIDENT CAUSED BY ELECTRIC CURRENT	11	11	-	→	-
ALL OTHER ACCIDENTS	62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES					
SUICTDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE   E950   72   28   40   2   4   6   50   120   6   6   50   120   6   6   50   120   6   6   50   6   6   50   6   6   50   6   6   50   6   6   5   6   6   5   6   6   6   5   6   6	63	ALL OTHER ACCIDENTS					ĩ
SUICIDE FROM POISONING BY GASES   E951, E952   72   50   21   1   1   1   1   1   1   1   1		SUICIDEE950-E959					
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION	66	SUICIDE FROM POISONING BY GASES	7 <del>4</del> 72				4
69 SUICIDE BY ALL OTHER MEANS		SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION	56	41	13	i	1
TO HOMICIDE		SUICIDE BY ALL OTHER MEANS					
71 ASSAULT BY FIREARR AND EXPLOSIVE	70	HOMICIDEF960-F978	179	72		_	
75 DIHER LEGAL INTERVENTION	71	ASSAULT BY FIREARM AND EXPLOSIVE	110	48	26	33	
75 DIHER LEGAL INTERVENTION	73	ASSAULT BY OTHER MEANSE960		8	7	3	2
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989 50 22 21 5		LEGAL EXECUTION	-	- }	-		 
TO INJUNIES UNDEFERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED			•				-
77 INJURIES RESULTING FROM OPERATIONS OF WAR		INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTEDE980-E989 INJURIES RESULTING FROM OPERATIONS OF WAR	50 	22	21	. 5	2

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

	HE	ST VIRGINI	<b>4</b>				WISCONSTN					WYOMING			T
Total	Whi	te	A11 c	ther	Total	Whi	.te	A11 c	other		Whi	.te	A11 o	ther	1
	Male	Female	Male	Female	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female	1
ıj		1		_	i		1		_	1		1		_	]
Ξ [		=		[ =	i - - 1	•••	- -	:::		= =	:::	-	***		
1 -		1 -			1		1 1	•••	<u> </u>	1		1 -	•••	_	
2		2		·	~	:::	-	:::	_	1	•••	1_	•••	_	۱,
17	9	8	_	_	32	15	14	_	3	. 3	2	1	•••	· · -	
5 12	3 6	2 6	-	_	11 21	6	4	· -	1 2	- 3	2	1	-		.   :
41	15	24	2		120	37	82	-	1	16	2	14		· · -	
16	5	9	2	-	53	19	34 5		_	8	2	6	_		- 1 -
1 4	3	1	_	-	8 4	3	1	-	- -	-	] [		-	= =	
2 18	7	2 11	-	-	· 5 50	11	<b>4</b> 38	=	1	8	] -]	- 8	=		ŀ
134	69	56	4	5	284	153	116	7	8	26	11	. 13		2	- 1
5	2	3		-	9	5	4	-	-	-	-	-		-	J
21 57	12 30	8 22	1 2	3	50 118	24 63	23 50	1 3 1	2 2	6 7	3 2	2 5	<u>-</u>	1	
9	2	7	-	-	22	10	11	-	-	4 -	2 2	5 1 -	-	. 1	
42 307	23 167	16 118	1 14	2 8	85	51	28	2	4	9	4	5	_	Ξ.	
					475	256	172	32	15	73	39	32	1	1	
503   12	294 7	16B 5	23,	18	290 47	158 17	112 29	13	7	*26 3	15	11	· -	-	1
491	'287	163	23	18	243	141	83	. 13	. 6	23	1 14	9		-	
,466	1,025	340	65	36	3,019	2,013	B58	106	42	410	268	111	21	10	
110 8 469	783 5 330	265	37 2 15 15	25 1	2,303 13	1,552 10	676 2	50 1	25	321 2	206 2	91 -	16	8	ľ
462	324 2	118 117 2	15 15 3	6 6 	1,155 1,134 29	816 800 24	299 295 5	27 26	13 13 -	157 155 4	99 98 3	42 41 1	12 12 -	4 4 -	100 000 000 000
67 70	41 44	24 23	1 2	1	482 135	311 88	159 35	5 7	7 5	32 22	18 11	12 6	2	- 1	7. 7. 7. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
18 59	15 48	2 7	1 3	- 1	180 251 57	136 198	41 42	3 10	- 1	5 56	4 35	. 17	1 3 2	1	
241	174	59 L	5 -	3 -	21	43 16	13 4	1		36 2 2	27	5 1		2 -	ľ
2 9 12	1 9 10	1 - 2	=		5 35 20	3 29 12	2 4 B	2	<u>-</u>	10 8	8 7	2 2 1	= =		ľ
70 27	43 13 6	23 12 2	2 1	2 1	113 24	70 9	36 13	2 1	5 1	16	10	- 1	= [	1	1
8 35	74	9	1	- i	29	20 41	6	î	3	16 3 4 9	2 1 7	5 1 2 2	-	·1	1
131 32 2 97	81 27 2 52	46 4 	1	9 -	378 114	188 78	17 163 34 10	7 2	<u>-</u>	43 7 -	20	21 3	1	- 1	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
97 80	52 42	42	- - B	3 5 1	378 114 19 245 94	. 101 . 49	139 40 20	7 2 5 2 3		36 12 15	17	18	- - 1	1 -	١
60	46	25 10	3	í	131	105	20	3	3	15	8 11	3	ī	Ξ	,
19 40	13 32 109	6 5	3	_ ]	50 34	31 31	18 3	1		. 5 8	2 8 13	2 -	-	1	15
40 111 1 4	109 1 3	2 - 1	<u>-</u>	-	137 2 7	122 2 5	15 - 2		-	13 - 2	13 ~ 2	<u>-</u>	=	- - -	
1 18	1 18	-	-	-	1 17	1 16 98 27	- 1	-	-	l I		-	-	-	
18 87 35 64	86 16 46	- 1 17 10	. 3	- - 2 5	110 52 86	98 27 .59	12 23 23	1 4	· <u>ī</u>	1 3 7 9 21	1 3 7 3 15	- 5 4	- - - 2	- - 1	6
212	160	43	6	3	521	PAR	140		2	62		13	3		
212 8 10 17 169	4 7 13 132 4	4 3 4 28 4	- - 6 -	=	62 90 80	21 61 53 214 20	3B 29 25 35 13	10 2 - 2 6	1 - -	4 7 3 47 1	44 3 5 2 33	1 2 -	- 1 2	. 2 - - 2	66666
B		1		3 -	256 33			- ;	-			10	-		
97 62 8	56 37 4	22 14 1	12 8 1	7 3 2	146 97 16	65 43 6	28 13 4	41 32 4 3	12 9 2	12 8 2 2	6 4 2	4 2 -	2 2 - -	- - - -	14 14 14 14 14
25	14	1 7 -	1 2 -	3 2 2 -	16 30 -	15	11	3	1 -	2	4 2 -	2	=	=	
2	ī	-	1		3	1	-	2	-	-		-	-		
47	26 -	10	10 -	1	49 -	27	14	5	3	15 -	12	3 -	= }	- =	1

Table 1-28. Percent of Deaths for Which Autopsies Were Reported, by Age, Color, and Sex: United States, 1973
[Autopsies per 100 deaths in specified group]

Exemplanes for 100 mentis in spectmen \$100B													
Color and sex	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
Total	18.7	45.4	47.0	39.8	49.4	52.4	41.4	30.9	22.7	15.6	9.9	4.8	
Male Female	21.8 14.9	46.2 44.4	47.4 46.6	39.1 41.1	49.0 50.7	53.6 49.7	43.5 38.1	32.4 28.3	23.9 20.6	16.8 13.8	11.8 B.1	6,2 3,9	
White Male Female	17.9 20.8 14.4	46.0 46.8 45.0	46.7 47.1 46.1	39.7 38.7 41.3	46.6 46.1 48.3	50.0	40.7 42.0 38.4	31.2 32.2 29.3	23.3 24.2 21.5	16.0 17.0 14.4	9.9 11.8 8.1	4,8 6,2 3.9	
All other NaleFemale	24.4 28.3 19.2	43.8 44.5 43.0	48.1 48.0 48.1	40.4 40.5 40.1	60.2 60.7 58.9	59.9 63.2 52.6	43.8 48.1 37.1	29.9 33.6 24.4	19.5 22.0 15.8	12.8 15.0 10.1	.10.0 12.6 7.5	5.6 7.0 4.6	

<sup>&</sup>lt;sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-29. Deaths From 69 Selected Causes, by Number and Percent for Which Autopsies were Reported and Item "Findings Used" was on Certificate, by Number and Percent for Which Autopsy Findings were Used: United States, 1973
[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

			oxted paies	Item "F	indings Us ertificate	sed" on
Cause of death	Total deaths	liumber	Percent	Number		findings sed
					Number	Percent
A3.1 causes	1,975,003	369,655	18.7	284,954	207,283	72,7
Bacillary dysentery and amediasis004,005		36	56.3	27	22	81.5
Enteritis and other diarrheal diseases	2,322 3,875 3,009	1,240 953	36.5 32.0 31.7	640 888 669	461, 655 506	72.0 73.8 75.6
Tuberculosis, other forms013-019	866	287	33.1	219	149	68,0
Whooping cough	5	2	40.0	1	1	100.0
	20	6	30.0	4	1	25.0
	330	209	63.3	149	102	68.5
Menilagococcal infections — — — — — — — — — — — — — — — — — — —	4,560	1,430	31.4 40.0	1,016	589 4	58.0 100,0
Measlea	23	10	43.5	9	8	88.9
	393	64	16.3	51	30	58.8
	4,067	1,704	41.9	1,287	841	65.3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	351,055	57,393	16.3	43,474	28,759	66.2
Malignant neoplasms of buccal cavity and pharynx	7,822 96,549	1,112	14.2 14.7	820 10,791	579 7,432	70.6 68.9
Malignant neoplasms of digestive organs and peritoneum	79,335	14,067	17.7	10,717	7,449	59.5
	32,143	3,919	12.2	2,929	1,760	50.1
Malignant neoplasms of grantary organs	42,591 15,877	5,014 2,459	11.8 15.5	3,794 1,906	2,525	66.6 67.3
Malignant neoplasms of all other and unspecified sites ====================================	42,693	7,145	16.7	5,365	3,276	61.1
	14,478	4,061	28.0	3,092	1,920	62.1
	19,567	5,412	27.7	4,060	2,535	62.4
Benign neoplasms and neoplasms of unspecified nature250	5,013	1,377	27.5	1,040	681	65.5
Avitaminoses and other mutritional deficiencies	38,208	3,989	10.4	3,048	1,984	65.1
	2,576	378	14.7	299	215	71.9
	3,318	822	24.8	623	403	64.7
Anenias	1,523	790	51.9	572	369	64.5
Major cardiovascular diseases	1,037,492	120,528	11.6	95,246	69,607	73.1
	757,075	91,215	12.0	72,556	53,861	74.3
Active rheumatic fover and chronic rheumatic heart disease	13,739	4,834	35.2	3,822	2,779	72,7
	7,268	784	10.8	624	440	70.5
Inchemic heart disease	5,515	415	7.5	335	251.	74.9
	684,066	77,478	11.3	61,888	46,746	75.5
Acute myocardial infarction————————————————————————————————————	351,662	45,548	13.0	36,297	27,087	74.6
	4,503	542	12.0	389	328	84.3
Chronic ischemic heart disease	327,722	31,371	9.6	25,193	19,326	76.7
	179	12	6.7	9	S	55.6
Chronic disease of endocardium and other myocardial insufficiency	5,137	890	17.1	682	526	77.1
	41,350	6,829	16.5	5,205	3,139	60.3
Hypertension	7,428	992	13.4	765	51.9	67.8
	214,313	17,471	8.2	13,431	9,079	67.6
Cerebral henorrhage	33,909	5,047	14.9	3,863	2,721	70.4
	56,648	3,456	6.1	2,680	1,887	70.4
Cerebral empolism	967	104	10.8	72	43	59.7
	122,789	8,864	7.2	6,816	4,428	65.0
Arteriosclerosis	32,617	1,660	5.1	1,303	904	69.4
	26,059	9,190	35.3	7,191	5,224	72.6
Acute bronchitis and bronchiolitis	905	447	49.4	356	280	78.7
	62,559	15,195	24.3	11,027	8,408	76.2
Influenza	5,131	442	8.6	364	269	73.9
	57,428	14,753	25.7	10,663	8,139	76.3
Bronchitis, emphysems, and asthms490-493	29,708	5,657	19.0	4,582	3,460	75.5
Chronic and unqualified bronchitis490,491	5,547	1,111	20.0	901	684	75.9
Emphysens	22,249	4,118	18.5	3,377	2,552	75.6
	1,912	· 408	21.3	304	224	73.7
Peptic ulcer531,533	7,686	3,351	43.6	2,588	2,014	77.8
Appendictus	1,066 6,746	450 2,190 11,938	42.2 32.5	334 1,713 9,309	1,222	77.8 71.5
Cholelithiasis, cholecystitis and cholengitis	33,350 3,422 8,336	1,174	35.8 34.3 19.7	943 1,246	7,060 678 782	75.8 71.9 62.8
Acute neghritis and neghrotic syndrome	1,536 6,800	1,645 391 1,254	25.5 18.4	300 946	163 619	54.3 65.4
Infections of kidney	6,134	1,137	18.5	678	670	78.5
Hyperplasia of prostate	1,589	286	18.0	230	1.79	77.8
	477	287	60.2	202	146	72.3
Abortions	36 441	27 260	75.0 59.0	14 188	137	64.3 72.9
Gongenital anomalies	14,062	7,276	51.7	5,592	5,439	61.5
	30,503	10,546	34.6	8,061	4,396	54.5
Birth injury, difficult labor, and other anoxic and hypoxic conditions764-768,772,776 Other causes of mortality in early infancy	15,935	7,251	42.8	5,502	3,217	58.5
	13,570	3,295	24.3	2,559	1,179	46.1
Symptoms and ill-defined conditions	30,399	B,808	29.0	6,333	3,251	51.3
	114,751	33,431	29.1	25,200	17,772	70.5
Accidents	115,821	43,635	37.7 36.2	35,242	29,706	84.3
Motor vehicle accidents	55,511	20,106	20.21	10.4.4	14,0161	87.2
Motor vehicle accidents	55,511 60,510 25,118	23,529 10,074	39.0 40.1	16,477 18,765 8,356	14,372 15,334 7,275	81.7 87.1

<sup>&</sup>lt;sup>1</sup>For several reporting areas, this item does not appear on all death certificates. For further discussion, see Technical Appendix.

Table 1-30. Deaths Occurring in the United States Deaths include those to nonresidents of the United States. Numbers after causes of death are

Cause of death and month 1 3 4 5 6 7 10 8 12 13 15 ALL CAUSES 1,975,126 191,752 163,815 166,064 159,998 163,042 157,586 161,032 159,073 155,216 M5,999 T6,060 T5,462 S5,320 T5,291 F5,169 S5,203 W5,057 S5,588 M4,968 T5,295 S5,457 T5,947 F6,264 F5,825 M5,420 W5,186 S5,324 M5,305 T4,842 S5,861 T5,013 F5,300 S5,182 W5,991 S6,166 S5,774 T5,149 T5,066 S5,227 T5,394 F5,014 M5,420 W5,134 S5,622 M5,317 T5,071 S6,005 S5,546 W5,329 F5,034 M5,360 W5,402 S5,135 T5,449 T4,999 S5,444 T5,294 F6,088 M6,037 M5,644 T5,285 S5,500 T5,280 T5,280 E5,217 W5,243 F5,115 M5,512 W5,296 56,169 T5,875 T5,495 F5,238 S5,431 W5,258 F5,108 M5,212 T5,078 S5,328 T5,337 T5,248 \$5,915 W5,803 W5,364 \$5,528 M5,389 T5,276 \$5,385 T5,222 F5,065 \$5,345 W5,377 F5,197 T6,088 F5,937 F5,355 M5,416 W6,230 96,071 S5,593 T5,312 T5,306 S5,362 T5,485 F5,318 M5,032 W5,110 S5,678 M5,365 T6,255 \$5,961 \$5,227 W5,408 F5,361 M5,878 W5,209 \$5,328 \$5,083 T5,067 \$5,618 T5,473 F6,287 M5,936 M5,301 T5,272 S5,434 T5,600 T5,005 S5,136 W5,069 F5,102 M5,663 W5,382 M6,320 T5,808 T5,346 S5,399 T5,197 F5,256 S5,468 W5,259 S5,123 M5,263 T5,320 S5,665 \$6,447 T5,855 T6,212 F5,429 65,100 W5,271 F5,096 M5,183 T4,965 85,299 T5,631 T5,420 \$6,426 W5,992 W5,220 \$5,612 M5,225 T5,138 \$5,401 T4,863 F5,081 \$5,164 W5,483 F5,443 M6,534 T5,023 T5,236 S5,387 T5,068 F5,166 S5,220 W4,986 S5,172 M5,116 T5,433 S5,647 F5,937 F5,355 M5,416 W5,258 S5,416 M5,748 T5,258 S5,138 T5,157 F5,357 E5,444 August--Septembe October-10 11 162,718 161,765 173,065 12 13 MOTOR VEHICLE ACCIDENTS (E810-E823) 55,759 M 159 T 117 T 126 S 174 T 124 F 183 S 200 W 146 S 247 M 119 T 117 S 218 15 16 17 18 19 20 21 22 23 24 3,954 3,569 4,447 4,515 4,979 5,168 5,258 5,366 4,981 5,187 4,467 3,928 122 148 173 131 209 150 155 204 115 175 168 103 177 201 107 138 204 163 162 183 119 267 124 110 161 170 124 156 142 199 241 128 166 184 106 129 100 126 120 242 146 156 238 135 169 146 107 171 124 124 177 225 125 162 171 139 256 120 100 146 89 126 211 117 150 199 133 169 201 157 129 91 96 120 191 122 190 183 136 212 142 129 157 TFFMWSMTSTFS W S S T T S T F M W S M 90 140 155 121 117 211 142 153 174 134 175 138 111 188 221 105 121 215 121 174 123 113 192 89 100 134 176 126 178 149 141 251 102 135 176 TSSWEMWSTTST FMM TSTTSWFMW STTFSWEMTSTT 5 W W S M T S T F S W F MTTSTFSWSMTS T F F M W S M T S T F S 121 107 105 107 266 135 140 201 118 192 119 104 177 100 98 170 190 133 163 165 140 230 129 116 144 120 110 227 104 153 251 127 198 229 115 135 154 120 117 185 133 135 202 129 235 122 103 178 W S S H T S H F M W S M TESWEMWETTET Phutsttswemw July-----August---September SUICIDE (E950-E959) 27 28 29 30 31, 32 33 34 35 36 37 38 39 1,990 1,919 2,154 2,099 2,174 2,085 2,197 2,231 2,095 2,175 2,023 1,995 67 81 64 73 74 84 76 57 66 79 52 65 62 55 80 74 62 57 75 67 69 57 55 W S S T T S T F M W S M 70 90 67 79 81 68 85 69 67 109 73 47 66 81 60 77 72 76 72 78 80 75 62 84 73 64 58 68 72 78 68 90 68 54 72 62 66 69 79 81 101 80 75 64 73 73 69 64 71, 74 64 66 88 79 70 78 69 67 59 63 61, 62 62 66 72 58 63 54 78 TSEWFMWSTTST 79 75 69 66 61 71 78 66 57 60 76 83 61 81, 70 55 62 67 60 69 79 T F F M W S M T S T F S 58 61 85 75 75 81 88 86 61 67 69 66 57 68 63 72 83 79 70 87 76 61 61 62 TMMTSTTSWEMW STERSWEMESTE SWWSMTSTFSWF MTTSTFSWEMTS W S S T T S T F M W S M TSSWFMWSTTST 72 68 73 65 64 67 78 84 73 67 82 62 53 66 86 89 78 66 61 79 74 73 68 67 71 72 79 74 73 82 76 84 77 54 FMMTSTTSWEMV May---June-July-' HOMICIDE (E960-E978) 40 20,500 51.69 48 53 46 75 59 47 95 64 59 78 41 43 44 45 46 47 48 49 50 51 1,651 1,769 1,636 1,642 1,686 1,858 1,748 1,731 1,692 1,718 76 39 44 58 45 59 84 61 77 26 45 82 W S S T T S T F M W S M 42 90 65 61 54 66 70 42 67 46 89 48 43 69 75 38 43 58 66 106 47 72 55 56 47 67 73 59 68 72 55 53 51, 37 78 54 46 47 40 62 50 46 46 42 70 44 56 81 48 55 84 45 60 74 43 50 52 34 35 54 50 52 67 48 66 44 50 90 45 56 64 40 39 70 63 54 64 55 53 68 28 77 95 55 40 73 55 47 58 33 107 51 50 86 54 41, 55 51, 48 88 62 51, 73 53 TEFMWSMTSTES TSSWEMWSTTST F M M T S T T S W F M W 52 55 69 35 82 38 42 61 46 46 49 39 STIFSWEMPSTI SWWSMTSTFSWR MITSIFSWSMIS TTFMWSMTSTES WSSTTSTEMWSM TSSWEMWSTTST 92 39 49 52 71 39 54 69 30 97 31, 58 SWWSMISIFSWF 69 36 56 65 52 28 96 49 63 52 52 MTTSTFSWSMTS 28 39 45 75 56 52 61 42 76 46 71 69

letter preceding number of deaths indicates day of week. (S-Sunday, M-Monday, etc., to S-Saturday.)

From Selected Causes, by Date of Death: 1973

category nu	mbers of t	he Eighth F	Revision Int	ernational	Classifica	tion of Disc	ases, Ada	pted, 196	<b>6</b> ],			·····				
							Day of m	onthCon-	•							
16	17	18	19	20	ST	22	23	24	25	26	27	28	29	30	31	Unknown
•••		•••		•••	•••		•••	•••			•••		***	. •••	•••	
T6,401. F5,877 F5,221. M5,428 W5,004 S5,509 M5,115 T4,952 S5,026 T5,158 F5,368 S5,461	W6,198 S5,946 S5,472 T5,443 T5,176 S5,392 T5,053 M4,986 W5,231 S5,460 M5,840	T6,390 S5,800 S5,328 W5,458 F5,351 M5,259 W4,994 S5,144 T5,047 T5,263 S5,437 T5,565	F6,315 M5,905 M5,395 T5,213 S5,554 T5,069 T5,042 W5,088 F5,481 M5,314 W5,738	S6,214 T5,791 T5,241 F5,462 S5,562 W5,154 F5,159 M4,998 T5,009 S5,544 T5,430 T5,935	56,202 W5,776 W5,101 S5,355 M5,263 M5,263 T5,223 S5,274 14,862 F5,155 S5,265 S5,265 S5,265 S5,265	M6,403 T5,733 T5,178 S5,254 T5,188 F5,092 S5,173 V4,792 S5,400 M5,476 T5,354 S5,989	T6,154 F5,705 F5,358 M5,259 W5,254 S5,163 M5,077 T4,790 S5,272 T5,274 F5,358 S5,779	W5,968 85,772 S5,467 T5,146 T5,039 S5,106 T5,009 F4,903 M5,216 W5,249 S5,542 M5,868	T6,025 85,614 85,331, W5,064 F6,202 M5,234 W5,037 T5,201, T5,201, T5,210 T5,245 T5,882	F6,200 M5,430 M5,292 F5,212 F5,122 F5,123 F5,1318 W5,119 F5,875 M5,316 W5,975	\$6,265 T5,503 T5,226 F5,321 S5,167 W5,104 F5,069 M5,364 T5,025 S5,552 T5,200 T5,815	\$6,143 W5,448 W5,265 \$5,456 M5,569 T5,044 \$5,151 T5,394 F5,088 \$5,355 W5,161 F5,698	M6,212 T5,100 S5,168 T5,310 F4,920 S5,043 W5,417 S5,297 M5,449 T4,978 S5,592	T5,960 F5,172 M5,220 W5,098 S5,254 M4,958 T5,348 S5,101 15,336 F5,083 S5,404	W5,916 S5,510 T5,017 T4,977 F5,395 W5,320 M5,695	19 32 7 15 14 20 11 6 19 10 10 15
,.,	•••		•••		•••	•••	•••	•••	•••	•••			•••	•••	•••	1
T 130 F 135 F 185 M 117 W 129 S 250 M 131 T 162 E 194 E 171 B 112	W 111 S 159 S 185 T 139 T 132 T 145 F 194 W 148 S 221 M 89	T 104 S 141 S 155 W 118 F 171 M 145 W 156 E 214 T 156 S 205 T 96	F 154 M 126 M 107 T 152 S 255 T 133 T 136 S 197 W 114 F 215 M 123 W 95	S 202 T 100 T 99 F 189 S 236 W 145 F 170 M 166 T 147 S 248 T 129 T 109	W 877 W 104 S 210 M 148 F 161 S 241 T 158 S 213 W 145 F 176	M 116 - T 107 T 112 S 164 T 143 F 196 S 234 W 126 S 232 M 148 T 185 S 192	T 95 F 126 F 145 M 134 W 130 S 239 M 144 T 135 S 198 T 130 F 132 S 121	W 88 8 169 8 222 T 114 T 111 S 205 T 116 F 188 M 124 W 149 S 210 M 138	T 110 S 195 S 195 W 110 F 199 M 143 W 143 S 257 T 107 T 154 S 137 T 130	F 148 M 95 T 135 S 263 T 144 T 151 S 183 W 142 F 194 M 95 W 127	S 190 T 117 T 138 F 157 6 169 W 147 F 197 M 129 T 135 6 270 T 90 T 101	S 155 W 99 W 100 S 210 M 155 T 145 S 231 F 137 S 199 W 109 F 141	M 91 T 105 S 168 T 126 F 178 S 200 W 152 S 260 M 122 T 89 S 144	T 95 F 152 M 119 W 125 S 244 M 151 T 149 F 124 S 92	W 95 S 191 T 125  T 160 F 177 W 158 M 107	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
T 55 F 76 F 77 M 90 W 64 S 69 M 70 T 69 F 71 S 51	W 70 S 55 S 57 T 86 G 74 T 61 F 65 M 70 W 78 S 64 M 58	T 57 S 64 S 62 W 56 F 78 M 69 S 67 T 67 E 67	F 72 M 76 M 76 T 65 S 64 T 67 T 71 S 64 W 92 F 70 M 82 W 73	S 60 T 72 T . 64 F 66 S 62 W 65 F 60 M 91 T 74 S 88 T 62 T 52	S 62 W 60 S 61 M 76 T 78 S 67 T 62 S 62 W 57 F 62	M 64 T 62 T 59 S 64 T 70 F 68 S 59 W 69 S 55 M 90 T 55 S 68	T 64 F 67 F 83 M 65 W 53 S 75 M 77 T 65 S 57 T 91 F 52 S 55	W 78 S 51, S 58 T 72 T 59 S 57 T 62 F 74 M 63 W 68 S 58 M 59	T 77 S 64 S 62 W 70 F 55 M 73 S 55 T 79 T 61, S 87 T 57	F 55 M 83 M 77 T 90 S 52 T 67 S 75 W 76 W 72	S 63 T 72 T 55 F 54 S 69 W 59 F 67 M 71 T 78 S 63 T 62	5 52 W 53 S 75 M 662 T 73 F 57 W 59 F 60	M 54 T 79 S 69 T 78 S 76 W 72 S 64 M 81 T 54 S 64	T 63 F 68 M 66 W 71. S 74 M 64 T 71. S 67 T 60 F 65 S 66	W 68 S 62 T 71. T 74 F 71. W 69	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
15.0.1 55.2 55.2 55.2 55.2 55.2 55.2 55.2 55	W 48 8 79 8 67 T 37 T 46 8 70 T 56 M 41 8 91 8 42	T 38 6 60 S 76 W 36 F 58 M 48 W 36 S 78 T 42 T 56 8 69 T 32	F 48 . M 42 M 39 T 33 S 68 T 50 T 35 S 74 W 37 F 58 M 47	S 78 T 27 T 32 F 66 S 54 W 34 F 53 M 59 T 48 S 97 T 42 T 55	S 64 W 33 S 75 M 53 T 42 T 47 F 55 S 41 F 66	M 57 T 52 T 41 S 72 T 46 F 47 S 74 W 37 S 79 M 39 T 69 S 90	T 39 F 58 F 66 M 49 W 45 S 77 M 60 T 45 S 60 T 28 F 75 8	W 32 S 64 S 108 T 45 S 55 T 51 F 47 M 53 W 31 S 57 M 78	T 55 57 57 58 67 W 56 66 W 46 66 W 47 47 55 5T 66	F 63 M 58 M 52 T 44 S 70 T 56 T 60 S 83 W 45 F 56 M 47 W 49	S 79 55 45 55 8 50 F 46 M 41 S 93 H 45 F 45	S 50 W 32 W 43 S 93 M 51. T 54 S 91 T 32 F 64 S 70 W 44 F 55	M 30 T 50 S 65 T 49 F 46 S 65 W 49 S 70 M 38 T 41 3 74	T 37 F 56 M 41 W 36 S 90 M 48 S 66 T 42 F 43 S 667	W 48 S 86 T 56 T 50 F 53 W 54	2 4 1 4 1 4 1 1 4 1 1 1 1 1 1 1 1 1 1 1

## Section 2. Infant Mortality

· · · · · · · · · · · · · · · · · · ·	able
tal mortality rates, by color: Birth-registration States or 1915-73	2-1.
rates by age, color, and sex: United States, 1973	2-2.
and postneonatal deaths and rates by specified race or and sex: United States, 1973	2-3.
cates by age and color: United States, 1964-73	2-4.
cates for 65 selected causes by color: United States, 1973	2-5.
rates by color: United States, each division and State,	2-6.
ty rates by color: United States, each division and State,	2-7.
statistical areas in the United States and their component	2-8.
year, by age, race, and sex: United States and each State,	2-9.
year and under 28 days, by month and color, for the United a State; and by age and sex for the United States: 1973 2	-10.
rates for 65 selected causes: United States, 1968-73 2	-11.
year, under 28 days, and 28 days to 11 months, from 65 seby month: United States, 1973 2	-12.
year and under 28 days, from 65 selected causes, by color, -size groups in metropolitan and nonmetropolitan counties: 1973	-13.
ear from 65 selected causes, by age, color, and sex: United	-14.
year, under 28 days, and 28 days to 11 months, from 65 se- by color: United States and each State, 1973 2	-15.

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-73 [Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group]

	Infant	mortality	rate	Neonati	al mortalit	y rate		Infan	t mortality	rate	Neonata	l mortality	rate
Year	Total	White	All other	Total.	White	All other	Year	Total	White	All other	Total	White	All
19731	17.7	15.8	26.2	13.0	11.8	7 17.9	1953	27.8	25.0	44.7	19.6	18.3	27.
19721,2	18.5	16.4	27.7	13.6	12.4	19.2	1952	28.4	25.5	47.0	19.6	18.5	28.
19711	19.1	17.1	28.5	14.2	13.0	19.6	1951	28.4	25.8	44.8	20.0	18.9	27.
19701	20.0	17.8	30.9	15.1	13.8	21.4	1950	29,2	26.8	44.5	20.5	19.4	27.
1.969	20.9	18.4	32.9	15.6	14.2	22.5	1949	31.3	28.9	47.3	21.4	20.3	28.
1968	21.8	19.2	34.5	16.1	14.7	23.0	1948	32.0	29.9	46.5	22.2	21.2	29.
1967	22.4	19.7	35.9	16.5	15.0	23.8	1947	32.2	30.1	48.5	22.8	21.7	31.
1966	23.7	20.6	38.8	17.2	15.6	24.8	1946	33.8	31.8	49.5	24.0	23.1	31.
1965	24.7	21.5	40.3	17.7	1.6.1	25.4	1945	38.3	35.6	57.0	24.3	23.3	32.
1964	24.8	21.6	41.1	17.9	16.2	26.5	1944	39.8	36.9	60.3	24.7	23.6	32.
19633	25.2	82.8	41.5	. 18*5	16.7	26.1	1943	40.4	37.5	62.5	24.7	23.7	32.
1962*	25.3	22.3	41.4	18.3	16.9	26.1	1942	40.4	37.3	64.6	25.7	24.5	34.
1961	25.3	22.4	40.7	18.4	16.9	26.2	1941	45.3	41.2	74.B	27.7	26.1	39.
1960	26.0	82.9	43.2	18.7	17.2	26.9			1		1		
1959	26.4	23.2	44.0	19.0	17.5	27.7	1940	47.0	43.2	73.8	28.8	27.2	39.
1958	27.1	8.85	45.7	19.5	17.8	29.0	1935-39	53.2	49.2	81.3	31.0	29.5	41.
1957	26.3	23.3	43.7	19.1	17.5	27.8	1930-344	60.4	55.2	98.6	34.4	32.5	48.
1956	26.0	23.2	42.1	18.9	17.5	27.0	1925-29	69.0	65.0	105.4	37.2	36.0	47.
1955	28.4	23.6	42.8	19.1	17.7	[ 27.2 ]	1920-24	76.7	73.3	1.15.3	39.7	38.7	51.
1954	26.6	23.9	42.9	19.1	17.8	27.0	1915-19	95.7	92.8	149.7	43.4	42.3	58.

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1973 [Rates per 100,000 live births in specified group]

	ten per ree;						<u> </u>		
Age		Total,			White			All other	•
ngc	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	1,771.8	1,988.8	1,543.5	1,577.4	1,785.9	1,356.9	2,618.4	2,883.3	2,345.5
Under 28 days  Under 1 day  Under 1 hour  1-25 hours  2 days  3 days  4 days  5 days  6 days  7-13 days	1,296.3 721.8 161.1 560.7 173.7 113.2 55.0 35.0 26.4 20.0 77.3	1,463.3 817.8 176.1 641.7 196.0 132.4 62.6 57.4 29.8 21.5	1,120.5 620.8 145.4 475.5 150.1 93.1 47.0 28.3 22.8 18.5 69.5	1,183.9 652.7 150.1 502.6 161.5 109.3 50.6 31.0 24.2 17.5 71.3	1,346.0 741.9 163.8 578.1 183.5 128.1 58.4 36.7 27.7 18.9 79.9	1,012.4 558.3 138.5 422.8 138.2 69.4 42.3 24.9 20.6 16.0 62.2	1,785.7 1,022.8 209.2 813.6 226.6 130.4 74.4 41.6 35.8 30.9 103.4	1,980.5 1,152.4 230.1 922.3 251.3 151.0 81.1 40.4 33.4 52.6	1,585.0 689.3 187.8 701.6 201.3 109.1 67.6 43.0 32.2 29.1 100.8
14-20 days21-22-27 days	41.8 34.1	44.3 36.9	39.2 31.2	36.8 29.1	39.5 31.3	33.9 26.7	63.7 56.0	65.3 61.2	62.0 50,6
28-59 daya	120.8 92.7 68.3 47.0 54.4 27.6 21.4 17.2 15.5 15.2	131.9 105.6 76.5 51.5 37.1 31.0 24.1 19.7 15.6 16.0	109.2 79.1 59.5 42.3 31.5 23.9 18.5 14.7 15.4 14.4	98.5 75.9 56.6 38.5 28.5 23.1 17.8 14.4 13.8 12.9	109.7 87.6 65.1 42.2 31.4 25.6 20.4 16.6 14.1 12.7	86.6 63.5 47.7 34.6 25.3 20.4 14.9 12.2 13.4 13.6	218.3 165.7 119.0 84.1 60:2 47.1 37.0 29.5 23.0 25.6	229.7 185.0 127.1 92.8 62.2 54.6 40.0 33.6 22.2 30.6 24.6	206.5 145.9 110.5 75.2 58.2 39.1 34.0 25.3 23.9 20.4 21.5

Table 2-3. Infant, Neonatal, and Postneonatal Deaths and Rates by Specified Race or National Origin and Sex: United States, 1973

[Infant (under 1 yea	[Infant (under 1 year), neonatal (under 28 days), and postneonatal (28 days to 11 months) mortality rates per 1,000 live births in specified group]														
		Total		Wh	<u>ite</u>	Neg	gro	Indien¹		Chinese		Japanese		Other races	
Age	Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Malle	Female
UNDER 1 YEAR															-
Rate	55,581 17.7	31,986 19.9	23,595 15.4	23,414 17.9	16,825 13.6	8,043 30.9	6,368 25,2	279 21.1	222 16.8	25 6.5	14 3.9	45 11.5	28 7.6	180 11.0	136 6.9
UNDER 28 DAYS	ĺ														
Muloer	40,664 13.0	23,535 14.6	17,129 11.2	17,647 13.5	12,554 10.1	5,558 21.4	4,340 17.2	137 10.4	99. 7 <b>.</b> 5	17 4.4	9 2,5	35 8.9	16 4.4	141 8.6	111 7.2
20 DAYS TO 11 MONTHS		l 1	}												}
NumberRate	14,917 4.8	8,451 5.3	6,466 4.2	5,767 4.4	4,271 3.4	2,485 9.6	2,028 8.0	142	123 9,3	2.1	5 1,4	10 2,6	12 3,3	39 2.4	27 1.8

<sup>&</sup>lt;sup>1</sup>Includes deaths among Aleuts and Eskimos.

<sup>&</sup>lt;sup>1</sup>Excludes deaths of nonresidents of the United States.

<sup>2</sup>Deaths based on a 50-percent sample.

<sup>3</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

<sup>4</sup>For 1932-34, Mexicans are included with "All other."

Table 2-4. Infant Mortality Rates by Age and Color: United States, 1964-73

[Rates per 100,000 live births in specified group]

	inates p	er 100,000	live births i	n specified	groupj					
Age and color	1973 <sup>1</sup>	19721,2	1971 <sup>1</sup>	1970 <sup>1</sup>	1969	1968	1967	1966	1965	1964
TOTAL	-									
Under 1 year	1,771.8	1,847.0	1,911.7	2,001.1	2,085.2	2,178.0	2,244.5	2,371.3	2,469.6	2,477,5
		-,			2,00012	8,21010		2,012.0	2,40010	
Under 28 days	1,296.3	1,363.6	1,420.0	1,508.3	1,557.8	1,612.3	1,650.9	1,717.6	1,766.3	1,788.4
1 day	721.8 173.7	786.8 181.9	819.7 200.1	882.0 212.9	918.1	951.1	964.6	994.7	1,016,5	1,022.6
2 days	113.2	111.6	126.5	127.6	221.8 131.9	232.8 136.8	239.9 143.7	254.2 151.3	258.3   158.9	263.2 160.2
5 days	55.0	57.5	59.3	58.0	58.6	61.3	62.7	67.0	66.4	72.2
4 days	33.0	35.9	34.8	36.1	34.7	35.7	35,2	38.3	37.4	40.0
5 days	26.4	22,4	24.7	26.4	24.2	27.2	26.4	27,3	28.9	28.4
6 days	20.0	18.5	16.6	19.1	19.0	19.3	20.7	20.7	20.7	21.4
7-13 days	77.3	75.7	70.9	72.9	74.9	70.2	74.4	78.4	83.2	85.5
14-20 days	41.8 34.1	39.8 33.6	36.4 31.1	39.2 34.2	40.1 34.5	41.5 i 36.3	42.8   38.4	45.4 40.3	53.2 42.9	51.3 43.5
28-59 days										
2 months	120.8 92.7	119.4 90.4	122.9	124.9	129.9	134.8	149.9	1617	170,1	165.4
3 months	68.3	69.9	93.1 71.0	95.4 69.3	98.9 76.4	108.4 84.5	113.9 82.4	119.9 92.2	130.4 103.5	128.7
4 months	47.0	49.4	49.7	50.0	54.9	58.7	59.5	68.3	74.3	95.9 69.7
5 months	34.4	35.2	36.1	37.0	40.6	42.0	45.9	49.9	52,1	53.4
6 months	27.6	30.3	29.2	28.5	31.5	34.3	37,6	39.1	41.7	43.4
7 months	21.4	23.9	23.9	23.4	24.7	26.8	27.5	31.6	33.B	34.9
8 months9 months	17.2	20.7	19.2	18.2	21.6	20.9	23.5	27.B	28.1	29.1
9 months	15.5 15.2	16.5	16.9	16.0	17.8	21.6	19.5	22.5	25.6	26.1
11 months	15.4	14.3 13.3	15.1 14.6	15.1 14.9	16.1 15.0	16.8 16.8	17.4	21.0	21.6	21.9
•		20.0	14.0	14.5	15.0	16.6	16.4	19.7	21.8	20.6
WHITE	3 577 1									
Under 1 year	1,577.4	1,636.6	1,707.1	1,775.2	1,840.9	1,919.6	1,968.6	2,063.0	2,151,1	2,158.6
Under 28 days	1,183.9	1,236.8	1,302.3	1,376.9	1,416.6	1,473.2	1,501.8	1,560.8	1,608.3	1,620,4
Under 1 day	652.7	709.9	747.6	798.5	827.7	868.9	871.8	903.6	930.1	929.3
2 days	161.5	169.2	187.3	197.7	208.8	218.7	8.455	236.8	240.0	244.9
3 days	109.3 50.6	105.1 52.9	121.9	123.4	129.2	129.3	139.6	145.8	152.9	152.4
4 days	31.0	33.2	56.0 31.2	54.7 32.8	55.3 31.1	57.1	58.4	63.4	61.9	66.8
5 days	24.2	20.7	21.6	24.1	21.5	31.1 24.8	31.0 25.1	35.1 24.7	33.0 24.3	36,3 24,8
6 days	17.5	16.5	14.9	17.2	16.9	17.0	18.6	17.6	17,7	19.0
7-13 days	71.3	68.0	64.3	66.3	64.9	62.4	65.7	65.9	69,4	72.8
14-20 days	36.8	33.6	31.5	34.0	33.9	34.6	35.8	36.0	43.8	41.2
21-27 days	29.1	27.6	36.0	28.3	28.4	29.2	30.9	31.8	35.2	32.8
28-59 days	98.5	97.8	101.5	101.9	104.2	108-8	118.8	125.7	130.0	130.6
2 months	75.9	76.7	76.0	76.5	79.2	85.8	90.0	91.4	100,9	99.4
3 months4 months	56.6	58.6	59.7	56.1	61.6	66.4	64.5	70.5	80.5	74.8
5 months	38.5	38.6	40.8	40.2	43.5	45.9	45.1	51.2	56.1	52.3
6 months	28.5 23.1	27.9	28.4	28.6	31.6	31.7	35.3	37.7	39,3	40.2
7 months	17.8	25.7 20.5	23.5	22.9 18.4	24.9	26.5	29.4	29.5	32.1	33.8
8 months	14.4	16.8	15.8	15.2	17.9	21.1 16.6	22.1 19.1	24.5 21.9	26.0 21.7	27.8
9 months	15.8	14.5	13.5	13.3	14.8	16.9	15.6	17.9	20.9	22.8 21.7
10 months	12.9	11.7	15.2	12.7	13.9	13.2	13.8	16.0	17.4	17.8
11 months	13.6	11.0	12.4	12.5	12.2	13.6	13.0	15.9	17.9	17.2
ALL OTHER						İ				
Under 1 year	2,619.4	2,773.8	2,851.0	3,091.8	3,291.3	3,454.9	3,591.7	3,876.9	4,032,7	4,109.6
Under 28 days	1,785.7	1,922,2	1,960.2	9 1/0 7						
Under 1 day	1,022.8	1,125.3	1,150.7	2,142.7 1,285.2	2,254.7 1,364.0	2,299.5	2,379.0	2,483.3	2,541.6	2,648.1
1 day	226.6	237.5	258.9	286.5	285.7	302.7	513.6	1,439.7	1,440.5 348.3	1,500.0 357.0
2 days	150.4	140.0	147.3	147.8	150.3	173.6	163.6	178.3	188.1	200.2
3 days	74.4	77.3	74.2	73.9	75.3	82.0	83.9	84.3	88.3	99.8
4 days	41.6	47.8	512	52.0	52.6	58.7	56.0	53.5	58.9	59.4
5 days	35.8	29.9	38.8	37.3	37.9	39.4	44.4	40.5	51.2	46.6
6 days	30.9	27.2	24.4	28.3	29.3	30.7	30.7	35.9	35.5	33.9
7-13 days	103.4	109.8	101.4	105.1	124.0	108.4	116.B	139.3	150.8	150,5
21-27 days	63.7 56.0	67.0 60.4	58.6 54.7	64.I 62.5	70.9 64.6	75.3 71.3	76.7 75.2	91.0 81.6	99.1 80.8	102,7
-			ľ	i	1					9840
2 months	218.3 165.7	215.0	221.1 171.5	236.0 187.0	256.7	263.5	301.6	337.7	367.0	343.6
3 months	119.0	119.8	122.6	133.1	196.0 149.4	220.1	230.8	259.4	275.3	. 276.9
4 months	84.1	96.9	8.09	97.3	111.6	173.8 122.0	170.1 129.7	198.0	216.3	204.0
5 months	60.2	67.D	71.5	77.5	84.7	93.2	97.6	151.7 109.6	163.9	158.9 121 <b>.4</b>
6 months	47.1	50.4	55.0	55.6	64.1	73.0	77.7	86.0	115.2 89.1	121.4
7 months	37.0	39.1	41.8	47.6	46.2	55.1	53.6	66.6	72.5	71,1
8 months	29.5	38.2	35.1	32.5	39.6	42.3	45.1	56.4	59.4	61.5
9 months	23.0	25.5	32.5	29.2	33.0	44.8	38.3	44.5	48.7	48,9
10 months	25.6	25.5	24.0	26.7	26.9	34.8	35.3	45.2	43.4	42.8
11 months	23.0	23.6	24.8	26.4	28.5	32.9	33.1	38.5	40.7	38,3

 $<sup>^{1}\</sup>mbox{Excludes}$  deaths of nonresidents of the United States,  $^{2}\mbox{Deaths}$  based on a 50-percent sample.

Table 2-5. Infant Mortality Rates for 65 Selected Causes by Color: United States, 1973

Rates are deaths under 1 year per 100,000 live births in specified group. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	Total	White	All other
All causes	1,771.8	1,577.4	2,618.4
Diarrheal diseases	20.7 *0.2	14.3	48.5
MENUTURE CONTROL CONTR	2.9	*0.2 2.8	*3.1
Totampa	*0.1	-	*0.5
Septicania	25.7	21.8	42.5
Viral diseases	6.9 *0.3	6.4 *0.2	9.2 *0.9
Other infective and parasitic diseasesRemainder of 000-156	5.1	4.0	9.9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4.3 1.5	4.5 1.6	*3.1 *1.2
Diseases of thymus gland	0.6	*0.5 2.7	*1.0 *1.2
Discases of the blood and blood-forming organs	2.5 l 7.5 l	6.4	12,5
Meningitis	15.7	12.5	29.7
Other diseases of nervous system and sense organs321-389	13.3	12.7	16.0
Acute upper respiratory infections460.465  Bronchitis and bronchiolitis466,490,491	3.9 7.6	3.1 6.6	7.3 11.6
Influenza and pneumonia	113.5	88.2	224.1
Influenza	11.7	1.2 87.0	3.8 220.3
Other chronic interstitial pneumonia	1.2	1.3	*1.0
All other diseases of requiratory system	16.8	14.0	28.8
Hernia and intestinal obstruction	15.2 1.6	14.9 0.9	16.4 4.4
Other diseases of digestive system520-534,536,537,540-543,562,564-577	10.7	8.5	20.1
Congenital anomalies	285.4	292.4	255.1
Spins, bifida	25.0 14.2	28.1 15.8	11.6 7.0
Congenital, hydrocephalus742	14.0	13.9	14.5
Other congenital anomalies of central nervous system and eye	10.8	11.3 107.8	8.4 103.3
Other congenital enomalies of circulatory system747	20.5	20.7	19.6
Congenital angualies of respiratory system749 Congenital angualies of digestive system749-751	18.3	18.4	17.7
Covernited anomalics of parity-mutual market	14.8 10.3	14.3 11.0	17.2 7.5
Congenital angualies of musculoskeletal system754-756	9.7	10.2	7.9
Down's disease	3.0 ( 31.7	3.1 31.9	*2.7 30.9
Other and unspecified congenital anomalies745,757,758	6.2	6.1	6.8
Gertain causes of mortality in early infancy	968.8	866.5	1,414.3
Other meternal conditions uprelated to pregnancy	*0.3 9.1	*0.3 9.3	*0.2 8.7
Syphiis	*0.0	*o.o`	_
Diabetes	4.6 *0.3	4.8 *0.4	3.6
All other maternal conditions unrelated to pregnancy	4,2	4.0	5.1
Toxemia of pregnancy762	4.4	3.8	7.2
Maternal antegarium and intraparium intection	6.1 14.3	5.3 14.0	9.2 15.7
Tokenia of pregnancy	4.1 10.2	3.8 10.1	. 5.1 10.6
All other complications of pregnancy and childhirth	110.1	99.7	155.6
Conditions of unbilical cord	42.0	41.1	45.9
Conditions of unbilical cord771 Birth injury without mention of cause772	9.4	9.3	9.9
Hemolytic disease of newborn	59.0 11.9	51.3 12.8	92.8 8.2
Hyaline membrane discase776.1	142.4	138.7	158.4
Respiratory distress syndrome776.2	130.4	121.4	169.5
Amphyxia of newhorn, unspecified776.9 All other anoxic and hypoxic conditions not elsewhere classifiable776.9	171.5 20.5	148.5 17.2	2717 35.0
Immaturity, unqualified —	171.2	140.3	305.3
Postnaturity	*0.0 14.4	*0.0 12.7	22.0
Hemorrhagic disease of newborn	51.6	40.7	99.0
Symptoms and ill-defined conditions780-796	134.1	103.6	266.9
Accidents	53,9 15.5	45,1 12.8	92.2 27.1
Accidental mechanical suffocation	10.7	9.0	18.3
Other accidental causes	27.7	23.4	46.8
icmicate	5.1 46.9	3.9 37.9	10.6 86.4

Table 2-6. Infant Mortality Rates by Color: United States, Each Division and State, 1969-73

Rates are deaths under 1 year per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20

kates are deaths	<u></u>	1973 <sup>1</sup>			19721,2			1971 <sup>1</sup>			1970 <sup>1</sup>			1969	
Division and State	Total	White	All other	Total	White	All other	Total.	White	All other	Total	White	All other	Total	White	A11 other
United States	17.7	15.8	26.2	18.5	16.4	27.7	19.1	17.1	28.5	20.0	17.8	30.9	20.9	18.4	32.9
Geographic divisions: New England Middle Atlantic East North Central West North Central South Atlantic East South Central West South Central West South Central West South Central Pacific	15.5 17.0 18.1 16.4 19.4 21.1 19.1 16.5 14.9	14.8 15.1 15.9 15.5 16.3 17.3 17.3 15.9 14.3	24.9 25.5 29.2 25.2 26.9 31.1 25.0 22.3 17.9	16.0 17.6 18.5 17.6 20.1 21.7 20.4 17.3 16.0	15.5 15.3 16.2 16.6 16.6 17.8 18.6 18.7	23.6 28.3 30.0 27.5 28.6 51.8 27.1 23.2 19.9	16.8 18.4 19.1 18.4 20.9 22.1 20.2 18.4 16.8	16.1 16.2 17.0 17.5 17.3 18.3 18.2 17.7 16.4	26.4 28.8 30.4 27.9 30.0 32.5 27.9 25.2 19.4	17.6 19.7 19.8 18.4 22.1 23.1 22.0 18.9 17.4	16.8 17.3 17.8 17.3 18.0 18.7 19.6 18.1	30.3 31.7 31.0 31.4 32.6 35.2 31.4 27.0 21.9	16.9 20.9 20.4 18.8 22.9 24.8 21.9 20.6 18.3	18.3 18.2 18.4 17.5 18.6 20.2 19.0 19.3 17.6	27.8 35.0 32.8 32.9 34.1 37.3 33.4 33.7 23.0
New England: Maine- New Hampshire- Vermont- Massachusetts- Khode Island- Connecticut-	16.3 16.5 16.1 15.3 17.0 14.7	16.4 16.4 16.2 14.4 17.0 13.3	*4.5 *28.3 - 27.2 17.3 24.9	18.4 16.6 13.6 14.7 19.2 16.7	18.5 16.7 13.7 14.2 18.2 15.6	*9.4 *15.0 21.6 33.5 25.1	18.0 17.4 14.8 16.7 19.5 15.6	18.1 17.5 14.9 16.1 18.9 14.0	*13.2 *7.1 - 25.9 28.0 28.0	21.0 18.0 17.6 16.8 19.8 17.1	21.0 18.0 17.6 18.0 19.3 15.5	*25.0 *20.5 *19.2 31.4 27.7 30.4	20.2 20.5 20.0 18.3 19.8 18.7	20.3 20.6 19.9 17.9 18.9 17.1	*11.5 *17.4 *27.8 24.3 35.6 51.5
Middle Atlantic: New York	17.0 15.7 17.0	15.2 14.0 15.7	24.2 27.6 25.9	17.6 17.4 17.5	15.2 14.4 15.8	27.5 29.6 29.0	18.3 18.6 18.4	16.2 15.6 16.6	27.2 31.4 30.2	19.4 19.9 20.2	16.9 16.9 18.2	30.2 33.0 34.2	21.2 20.0 21.0	18.3 16.7 18.7	34.0 35.3 37.1
East North Central: Orto Indiana Dlinois Michigan Wisconsin	17.5 18.3 20.1 18.2 14.4	15.9 16.8 17.0 15.4 13.8	26.5 31.2 30.5 30.0 22.6	18.4 18.7 20.2 18.4 14.1	16.5 17.7 16.8 15.6	30.5 26.3 31.2 30.7 19.9	16,2 18.8 21.1 19.4 15.9	15.6 17.4 17.9 17.2 15.4	29.1 31.6 32.0 30.1 23.4	18.7 19.4 21.5 20.5 16.8	17.2 18.5 18.3 18.6 16.0	28.7 27.8 33.6 30.4 29.8	19.3 20.5 22.4 20.5 17.3	18.0 19.2 19.2 18.3 16.6	29.3 33.3 35.4 32.6 29.0
Went North Central: Minnesota-  Iowa-  Missouri-  North Dakota-  South Dakota-  Nebranka-  Kansas	15.2 15.9 17.8 16.4 18.4 16.1 15.5	15.0 15.8 15.9 15.6 16.3 15.8	18.9 17.7 27.2 *25.6 31.5 - 20.6 23.1	17.6 17.6 18.0 14.8 19.8 16.7	17.5 17.5 15.7 14.6 17.6 15.5	21.4 22.5 29.2 *17.9 35.9 34.4 22.2	17.1 17.5 20.1 15.3 18.2 18.1 19.2	16.8 17.2 18.5 14.7 16.5 17.3 18.4	27.1 26.5 27.8 *24.3 30.0 30.0 28.0	17.4 18.7 19.5 14.3 19.1 19.4 17.6	17.3 18.3 17.0 14.3 16.7 18.5 16.7	24.0 31.4 33.4 *14.3 37.3 34.6 27.5	16.9 18.9 21.1 16.7 20.0 17.1 18.3	16.7 18.7 18.5 *16.5 18.7 15.8 17.3	22.0 29.8 35.7 *20.2 29.9 39.2 30.1
South Atlantic:  Delaware— Maryland— District of Columbia— Virginia— West Virginia— North Carolina— South Carolina— Georgia— Florida—	15.9 15.5 25.5 18.3 19.0 21.6 22.7 19.1	13.5 13.6 25.5 15.8 18.4 18.1 17.8 15.5	24.6 21.0 25.5 26.6 32.6 29.4 30.3 25.9 26.6	19.1 16.0 27.4 20.5 19.3 23.2 22.5 19.5 18.4	13.3 13.8 19.2 17.5 18.7 19.3 16.9 15.3	40.1 22.3 28.5 30.2 31.9 32.0 31.5 27.5 26.0	15.5 18.1 28.1 20.5 21.0 21.9 21.8 21.1 20.7	12.7 14.6 17.7 17.9 20.6 17.7 16.4 17.8	26.1 28.7 29.8 29.7 29.1 31.9 30.8 28.0 30.8	19.6 19.4 29.1 20.6 23.0 24.2 22.9 22.1 21.5	16.3 16.4 26.3 17.0 22.8 19.3 18.2 17.2	31.6 29.0 29.5 33.3 27.7 36.1 31.1 32.9 33.2	22.6 19.6 29.8 22.1 23.0 25.0 24.1 22.7 22.6	18.2 16.3 24.1 18.9 22.4 19.9 18.8 17.5 18.3	39,3 20.4 20.8 33.2 35.5 37.5 33.3 33.9 35.6
East South Gentral: Kentucky	16.8 20.3 22.1 25.9	16.3 18.1 17.5 17.0	22.5 28.0 30.6 35.6	17.7 21.0 22.8 26.0	17.2 17.4 17.6 20.3	22.6 33.7 32.4 32.1	18.9 20.5 23.2 27.0	18.1 18.8 17.8 18.4	26.9 27.1 33.8 36.2	19.6 21.3 24.3 28.5	18.8 18.8 18.6 18.7	27.8 30.6 36.0 39.2	20.9 21.9 26.2 32.1	20.5 18.9 20.7 21.9	25.3 33.4 37.3 42.7
West South Central: Arkansas	19.6 20.6 16.3 19.2	16.7 17.1 16.3 17.6	27.8 25.9 16.4 27.7	17.6 22.0 19.1 20.6	17.0 18.5 18.2 18.9	19.4 27.5 23.1 29.4	20.5 22.1 18.4 20.0	18.2 18.0 17.8 18.3	27.7 28.8 21.2 28.7	21.6 24.5 21.3 21.4	18.3 19.8 20.3 19.6	31.1 32.3 26.3 31.8	21.1 24.6 20.4 21.4	18.2 18.2 19.7 19.2	30.0 35.2 24.5 34.5
Mountain:  Montana	19.5 17.0 18.4 16.7 20.1 15.4 12.7 19.0	18.7 16.9 18.7 16.2 19.0 14.2 12.4 19.6	26.0 *21.6 *13.0 23.2 25.7 21.6 *20.5	21.2 16.9 25.4 17.1 18.3 17.1 14.0 16.4	20.3 16.2 24.9 17.1 17.6 15.6 13.9 16.0	29.5 *42.6 *33.6 17.7 22.5 24.6 *17.2 18.7	21.3 16.9 24.5 18.2 20.6 18.3 13.8 22.7	21.3 16.8 24.0 18.3 18.9 17.0 13.7 20.4	21.4 *19.7 *36.3 17.2 30.3 24.9 *16.1 36.2	21.5 17.1 20.0 19.9 21.0 17.7 14.9 24.0	21.2 17.3 19.6 19.7 19.5 16.0 14.9 22.2	24.7 *11,6 *27,6 23,5 28.9 28.0 *17.5	21.0 19.0 27.3 20.4 24.0 21.6 16.0 18.7	20.5 18.4 26.5 19.8 21.4 19.3 15.4 18.4	26.2 *42.7 *43.0 *30.6 33.7 34.2 39.2 20.2
Pacific: Washington: Oregon. California. Alaska. Hawaii.	16.4 15.1 14.5 19.8 13.5	15.8 15.0 13.9 18.8 12.4	22.6 17.6 18.3 22.0 13.9	17.1 16.6 15.6 18.2 16.9	16.7 16.4 14.8 17.2 14.7	21.1 20.8 20.2 20.6 17.7	18.5 18.4 16.4 18.2 15.9	17.8 18.3 15.8 18.7 19.2	24.3 19.4 20.2 16.8 14.4	18.7 15.9 17.2 22.6 18.6	18.1 16.0 16.5 20.3 17.8	26.4 14.1 22.1 29.0 18.9	18.9 17.5 18.3 18.5 19.2	18.1 17.3 17.5 14.1 21.0	28.9 22.7 23.1 34.1 18.4

<sup>&</sup>lt;sup>1</sup>Excludes deaths of nonresidents of the United States. <sup>2</sup>Deaths based on a 50-percent sample.

Table 2-7. Neonatal Mortality Rates by Color: United States, Each Division and State, 1969-73

[Rates are deaths under 28 days per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

įraitės are dealiis		1973 <sup>1</sup>			19721,2			19711			1970¹			1969	
Division and State	Total	White	All. other	Total.	White	All other	Total	White	All other	Total	White	All other	Total .	White	All other
United States	13.0	11.8	17.9	13.6	12.4	19.2	14.2	13.0	19.6	15.1	13.8	21.4	15.6	14.2	22.5
Geographic divisions: New England Middle Atlantic East North Central West North Central South Atlantic East South Central Hest South Central Mountain Pacific	11.8 12.8 13.5 12.2 13.9 14.9 14.1 11.6 10.5	11.3 12.1 11.9 12.2 12.9 13.1 11.5 10.2	18.3 18.4 20.8 15.5 17.9 20.2 17.7 12.5	12.0 13.3 13.8 13.5 14.7 15.6 15.0 12.2	11.6 11.8 12.3 12.8 12.8 13.5 13.9 12.1	17.4 20.2 21.3 20.1 19.5 21.2 19.1 12.9	15.0 13.9 14.4 14.3 15.3 15.9 15.0 13.1 12.0	12.5 12.5 13.2 13.8 13.3 13.8 13.8 13.1	19.9 20.5 21.4 19.9 20.2 21.7 19.4 13.5	13.7 15.3 15.1 14.3 16.2 16.7 16.5 13.9 12.7	13.2 13.6 13.9 13.7 14.2 14.5 15.1 15.3	22.6 23.5 22.3 21.7 21.7 22.9 22.0 14.9 15.2	15.0 15.9 15.5 14.6 16.5 17.8 16.1 14.9	14.7 14.0 14.2 14.0 14.4 15.3 14.6 14.6	20.8 25.7 24.0 22.8 22.2 24.5 22.1 18.2 16.2
New England: Maing- New Hampshire- Vermont- Massachmsetts- Rhode Island- Connecticut-	11.6 12.6 11.5 11.8 13.6 11.1	11.7 12.7 11.6 11.1 13.6 10.3	*4.5 *9.4 - 21.3 *15.9 - 16.8	13.4 12.0 9.8 11.2 14.6 12.4	13.6 12.2 9.9 10.7 13.8 11.6	17.0 24.6 17.9	13.2 13.4 10.9 13.0 15.6 12.3	13.2 13.4 10.9 12.6 14.9 11.2	*13.2 *7.1 19.2 .25.8 20.3	16.1 13.3 14.2 13.1 15.3 13.7	16.1 13.2 14.2 12.5 15.0 12.5	*12.5 *20.5 *19.2 22.8 19.8 25.5	15.8 15.6 16.4 14.8 15.3 14.7	15.9 15.8 16.4 14.6 14.7 13.6	*11.5 27.8 18.6 25.8 23.5
Middle Atlantic: New York	12.7 12.6 13.0	11.5 10.9 12.0	17.7 19.5 19.1	13.2 13.5 13.3	11.6 11.6 12.2	19.6 21.4 20.4	13.6 14.3 14.2	12.2 12.4 13.1	19.3 22.4 21.5	14.9 15.8 15.8	13.1 13.8 14.3	22.1 24.8 26.0	16.0 15.2 16.3	14.0 13.1 14.7	25.1 24.9 27.9
East North Central: Ohio- Indiana Illinois- Michigan Wisconsin-	13.0 13.7 15.1 13.5 10.5	11.9 12.7 13.1 11.7 10.3	19.7 22.1 21.6 21.3 13.5	13.3 14.6 15.0 13.9 9.9	12.1 14.1 13.0 11.9 9.5	21.1 19.0 21.6 22.9 14.5	13.8 14.5 15.8 14.8 11.6	12.9 13.6 13.9 13.3 11.4	19.8 23.2 22.4 21.8 15.2	14.3 14.9 16.5 15.6 12.9	13.4 14.3 14.5 14.5 12.4	20.6 20.6 24.2 21.7 20.2	15.0 15.5 17.0 15.6 12.8	14.1 14.6 15.0 14.0 12.3	22.1 23.7 25.2 24.4 20.1
West North Central: Minnesota	11.4 12.1 12.9 11.5 13.5 12.9 11.7	11.5 12.1 11.9 11.3 13.2 13.1 11.4	9.7 *12.6 17.8 *14.8 15.4 *10.3	13.4 14.2 13.8 10.5 12.3 12.9 13.8	15.5 14.1 12.0 10.7 12.1 12.1	15.8 17.3 22.3 *7.7 *13.5 26.1 18.2	13.2 13.7 15.7 12.4 13.1 14.0 15.3	12.9 13.6 14.7 12.4 13.0 13.7	20.2 19.0 20.7 *12.9 14.3 18.0 21.9	13.7 15.1 14.8 11.6 13.1 15.4 13.8	13.6 14.9 13.1 11.8 13.0 15.0	17.1 23.7 23.9 *10.0 *13.4 21.9 21.0	13.4 14.9 16.3 13.3 14.9 13.5 14.2	13.4 14.7 14.6 13.5 15.3 12.6 13.5	14.1 20.5 25.8 10.1 11.9 28.3 21.9
South Atlantic: Delaware. Maryland. District of Columbia. Virginia. West Virginia. North Carolina. South Carolina. Florida.	13.1 11.2 19.2 13.9 13.9 15.5 15.4 12.6 13.6	10.8 9.9 19.1 12.3 13.6 13.6 13.3 11.3	21.3 15.0 19.2 19.0 21.5 19.7 18.7 15.6 17.8	13.8 11.5 20.1 16.0 16.0 16.8 15.2 13.6 13.7	10.1 10.2 15.1 13.8 15.5 14.9 12.6 11.8 11.9	27.4 15.6 20.8 23.3 27.3 21.3 19.5 17.0 18.9	12.1 13.5 21.1 15.7 16.2 16.1 15.0 14.6 15.5	10.2 11.2 14.1 13.8 15.9 13.9 12.9 13.5	19.0 20.4 22.2 21.8 23.1 21.3 18.4 17.0 21.8	14.9 14.5 22.7 16.1 17.6 17.9 15.2 15.3 16.1	12.3 12.6 22.9 13.8 17.5 15.3 14.1 13.4 15.9	24.6 20.3 22.7 24.3 20.0 24.3 17.3 19.3 23.1	18.1 14.6 23.3 16.7 17.3 17.3 15.3 15.8 16.9	15.7 12.6 22.3 14.7 17.0 15.1 13.6 14.3	27.5 21.0 23.5 23.5 22.4 22.9 16.2 20.5 24.8
East South Central: Kentucky	12.4 15.0 15.0 17.8	12.0 13.6 12.9 13.1	16.1 19.9 18.8 22.9	13.1 15.2 15.9 18.6	12.8 12.8 13.4 16.7	15.8 24.6 20.5 20.8	13.7 15.2 16.4 19.2	13.1 14.0 13.7 15.2	20.4 19.5 21.7 23.5	13.9 16.2 17.5 19.7	13.5 14.8 14.9 15.1	18.7 21.3 22.9 24.8	15.3 16.2 18.2 22.6	15.2 14.1 15.5 18.2	17.3 24.0 23.6 27.2
West South Central: Arkannas	14.4 15.3 11.6 14.2	12.9 13.6 11.9 13.3	19.0 17.8 10.0 18.9	13.0 16.7 13.5 15.1	12.7 14.4 13.4 14.1	13.7 20.3 14.0 20.6	14.9 16.7 13.3 14.8	14.1 14.3 13.2 13.8	17.4 20.6 13.9 20.2	15.5 18.6 16.1 16.1	14.3 15.7 15.8 14.9	19.1 23.5 17.5 22.6	14.2 17.9 15.7 15.9	13.1 14.8 15.5 14.6	17.6 23.1 17.0 23.4
Mountain:  Montana  Idaho  Wyuning  Colorado  New Mexico  Arizona  Utah  Neyada	14.2 12.5 14.3 12.1 12.7 10.3 9.0 13.1	14.3 12.5 14.7 11.8 12.7 10.1 8.9 13.6	*13.4 *13.5 *6.5 16.0 12.7 11.4 *12.1 *10.7	15.4 11.0 20.0 12.8 13.5 11.1 9,7 11.5	14.7 10.7 20.0 12.7 14.1 10.8 9.9 11.3	22.1 *21.3 *20.1 13.3 10.0 12.8 *4.9	14.7 12.4 18.5 13.4 14.9 11.7 10.6 16.5	15.1 12.4 18.4 13.5 14.7 11.9 10.6 15.2	*11.1 *14.0 *20.2 12.4 16.2 10.5 *10.4	15.9 13.1 15.4 15.0 14.8 12.4 11.1 18.2	15.9 13.3 15.1 15.1 14.3 12.3 11.2	*15.9 *5.8 *20.7 13.7 17.2 13.0 *6.2 25.8	15.6 14.1 22.8 15.3 16.3 15.0 11.6 13.5	15.5 13.8 22.1 14.9 15.6 14.7 11.5	*16.1 *27.4 *36.4 22.6 19.0 16.6 *13.6 12.9
Pacific: Washington Oregon California Alaska Hawaii	11.6 10.7 10.3 13.6 10.9	11.2 10.7 9.9 14.4 10.5	15.6 *11.5 12.4 12.0 11.1	12.2 10.7 11.3 11.0 13.6	12.3 10.8 10.9 10.8 12.0	11.8 *9.1 13.7 11.3 14.3	12.4 12.4 11.8 12.9 12.2	12.2 12.5 11.5 13.3 15.8	14.8 *11.1 13.7 11.7 10.7	13.4 10.9 12.7 14.6 14.7	13.3 11.1 12.2 14.6 14.5	13.9 *7.7 15.7 14.5 14.8	13.5 12.1 13.6 12.7 15.1	13.0 12.0 13.2 9.9 16.7	19.7 14.4 16.2 22.7 14.5

<sup>&</sup>lt;sup>1</sup>Excludes deaths of nonresidents of the United States. <sup>2</sup>Deaths based on a 50-percent sample.

Table 2-8. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1973

Metropolitan areas are those defined by the Office of Management and Budget for 1973 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1973. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births]

Area.	Under :	l year	Under 2	28 days	A	Under :	l year	Under 20	days
Alox	Number	Rate	Number	Rate	Ares.	Number	Rate	Number	Rate
50 largest U.S. SMSA's	23,953	17.0	17,617	12.5	Dayton, Chio	203	16.1	149	11.8
Albany-Schenectady-Troy, N.Y	165	15.8	124	11.9	Montgomery	149 29	16,7 15,6	108 22	12.1 11.8
Albany	61. 38	17.9	47	13.8	Mismi	19 6	14.3 12.9	15 4	11.3 8.6
5chenectadv	27	17.7 13.6	31 22	14.5 11.1	Denver-Boulder, Colo	322	15.8	232	11.4
Montgomery	15 24	20.5 11.2	. 10 . 14	13.6 6.5	Boulder	31	15.0	22	10.6
Anaheim-Santa Ana-Garden Grove, Calif	314	13.5	252	10.0	Adams	108 68	14.2 18.3	81 52	10.6 14.0
Orange	51.4	13.5	232	10.0	ArapshoeGilpin	56	20.4	37	13,5
Atlanta, Ga	508 103	17.0 14.7	367 81	12.3 11.6	Jefferson	59	14.2	40	9,6
FultonButts	211 6	21.3 26.8	149 4	15.1 17.9	Detroit, Mich	1,360 911	19.8 21.6	1,022 661	14.9 15.8
Cherokee	9	13.3	. 6	8.9	Lapeer	14	14.4	7	7,2
ClaytonCobb	34 54	13.8 14.3	24 41	9.7 10.8	hivingston	15 168	12.6 17.8	9 136	8.7 14.4
Payette	5	7.7 12.7	4 2	5.1 8.5	OaklandSt. Clair	221 33	16.7 16.2	178 31	13.5 15.2
Forsyth	11	31.3	9	25.6			10,0	-	20,2
Gwinnett	21. 13	10.3 28.1	1.7 6	8.3 13.0	Greensboro-Winston-Salem-High Foint,	224	20.9	171	16.0
NewtonPaulding	18	29.5 8.6	12 2	19.7 5.7	ForsythGuilford	63 104	20.1 25.7	53 76	16.9 18.7
Rockdale	7	16.8	4	9.6	Davidson	26	16.9	19	12.3
Walton	9	17.0	6	11.4	Stokes	21. 8	17.0 19.2	15 6	12.2 14.4
Baltimore, Md	436 254	15.9 21.3	304 177	11.1 14.9	Yadkin	2	6.2	2	6.2
Anne Arundel	53	11.5	33	7.2	Hartford, Conn	139	14.0	103	10.4
BaltimoreCarroll	69 11	10.0 11.7	51. 7	7.4 7.4	Hartford	139	14.0	103	10.4
Harford	34 15	17.8 13.7	24 12	12.6 10.9	Houston, Tex	690 593	17.6	498	12.7
Birmingham, Ala	243		1.70		Brazoria	38	17.3 20.6	424 30	12.3 16.3
Jefferson	189	20.6	131	14.4 13.9	Fort Bend	28 10	22.0 16.4	22 8	17.3 13.1
St. Clair	10   20	18.3 27.6	5 14	9.2 19.3	Montgomery	19	17.8	13	12.1
Walker	24	21.7	20	18.1	Waller	2	11.1	1	5.6
Boston, Mass	630	15.6	493	12.2	Indianapolis, Ind	210	16.0 16.5	201. 140	11.1 11.0
Suffolk Bssex	211. 119	22.9 15.0	168 99	18.2 12.5	Boone	5	11.2	4	8.9
Middlesex	224	13.3	163	9.7	Hamilton	10	12.2 15.5	8 7	6.9 10.9
Norfolk	76	12.0	63	10.0	HendricksJohnson	14	16.0	11	12.6
Bridgeport, Conn	135 135	14.6	100	10.8 10.8	Morgan Shelby	15 11	13.8	10	10.1 13.6
Buffalo, N.Y	279	16.7	210	12.6		1,4	22.5	10	16.1
KrieNiagara	227 52	16.7 16.9	170	12.5 13.0	Kansas City, MoKens	323 40	16.5 20.9	213 22	10.9 11.5
-					Jackson, Mo	167	16.8	109	11.0
Cook	2,284 1,885	21,1 22,4	1,713	15.8 15.7	Cass, Mo	13 9	19.3 15.9	8 6	11.2 10.6
Du PageKane	101 83	13.4 19.1	77 72	10.3 16.5	Ray, Mo	4 35	15.8 11.2	2 29	7.9 9.3
Lake	83	34.1	58	.9.9	Wyandotte, Kans	55	17.6	37	11.6
McHenryWill	31 101	18.3 21.7	20 BO	11.8 17.2	Los Angeles-Long Beach, Calif	1,510	14.5	1,046	10.6
Cincinnati, Chio-KyInd	340	16.2	249	11.9	Los Angeles	1,510	14.5	1,045	10,0
Hamilton, Ohio	212	15.8	162	12.1	Louisville, KyInd	230	16.4	170	12,2
Clermont, Ohio	32 18	19.1 12.7	23   12	13.8 8.5	Jefferson, Ky	1.77	16.0	132	11.9
Boone, Ky	8 20	11.6	3 13	4.3 10.4	Oldhem, Ky	10	17.3 9.9	6 2	10.4 9.9
Kenton, Kv	42	20.4	29	14.1	Floyd, Ind	24 17	18.2	17 13	12.9 15,7
Dearborn, Ind	8	17.8	7	15.6	' '	- 1		i	
Cleveland, Ohio	465 407	17.1 18.7	341 303	12.6 13.9	Shelby, Tenn	338 293	22.3	256 231.	16.9 18.1
Geauga	14	13.4	8	7.7	Tipton, Tenn	B 24	16.5 22.8	7	14.4
Lake Medina	50 14	10.4 9.8	23 7	8.0 4.9	De Soto, Miss	13	15.1	8	9,5 9,3
Columbus, Chio	286	17.1	196		Miami, Fla	283	16.0	194	11.0
Franklin	239	17.5	166	11.7 12.2	Dade	283	16.0	194	11.0
Fairfield	7 25	9.8 20.0	5 17	7.0 13.6	Milwaukee, Wis	298 226	15.1 15.2	220 160	11.2
MadisonPickaway	5 10	11.3 13.8	2 6	4.5	Ozaukee	14	19.4	1.3	10.5 18.0
·				8.3	WashingtonWaukesha	25 33	21.0	19 28	16.0 9.5
Dallas-Fort Worth, Tex	806 447	19.2 18.3	586 31.8	14.0 13.0	Minneapolis-St. Paul, MinnWis	416	14.7	301	10.7
Terrarit	235 32	20.4	174 19	15.1 12.0	Hennepin, Minn	188	15.8	128	10.8
Denton	13	9.7	1.1.	8.2	Anoka, Minn	97 37	15.1 12.7	73 29	11.3 10.0
Hood	28 2	33.7 20.4	21.	25.3 20.4	Carver, Minn	8 6	16.2	8	16.2 13.9
Johnson	20	24.9	18 9	22.4	Dakota, Minn	36	13.2	28	10.3
Parker	6	18.2 14.9	4	16.4 9.9	Scott, Minn	10 18	17.1 12.0	10	17.1 7.3
Wise	2 11	18.5 36.2	1 9	9.3 29.6	Wright, Minn	12	14.8	7 3	8.7

Table 2-8. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1973—Con.

[Metropolitan areas are those defined by the Office of Management and Budget for 1973 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1973. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births]

	Under :	). year	Under 2	8 days	A	Under :	L year	Under 2	3 days
Area	Number	Rate	Number	Rate	Area	Number	Rate	Number	Rate
Nassau-Suffolk, N.Y	431	13.8	512	10.5	Sacramento, Calif	159	13.5	120	10.2
Naseau	188	14.6	146	11.3	Sacramento	130	13.7	97	10.2
Suffalk	223	13.1	166	9.8	Placer	13 16	12.5 12.4	11. 12	10.6 9.3
New Hayen-West Hayen, Conn	141.	15.4	1.04	11.3					
New Haven	141	15.4	104	11.3	St. Louis, MoIll	562 250	18.6 27.3	475 172	13.3 18.8
New Orleans, La	423	21.8	310	16.0		17	16.5	13	12.6
Orleans.	257	24.1	184	17.2	Jefferson, Mo	19	9.6	14	7.1
Jefferson	11.7	17.5	87	1,5.0	St. Charles, Mossessessessessesses	31	16.4	26	13.7
8t. Bernard	13	14.3	12	13.2	II St. Louis Mo	169	13.9	125	10.3
St. Termeny	36	30.5	27	22.9	Clinton, Ill	8	16.5	5	10.3
			[		Madison, Ill-	54 1	14.7	38 1.	10.3
New York, N.YN.J	2,309	18.0	1,712 1,503	13.3	Monroe, Ill	113	4.7 22.7	81	4.7 16.3
New York (city), N.Y	2,026	19.1 11.6	1,505	14.1 9.3	ot. Clair, III	ш.	66.1		10.0
Putnam, N.Y	28	9.3	19	6.3	Salt Lake City-Ogden, Utah	220	. 12.7	155	8.9
Westchester, N.Y	141	14.7	106	11.0	Salt Lake	140	12.3	100	8.8
Bergen, N.J	104	12.0	76	8.8	Weber	46	15.5	37	12.5
	. ]		1		Davis	25	10.3	14	5.7
Newark, M.J	481	18.4	362	15.9	Topele	9	17.3	4	7.7
Essex	287	21.8	217	1.6.5		700	17.0		37.4
Morris	57	11.4	44	8.8	San Antonio, Tex	326 312	17.6 17.8	· 249 238	13.4 13.6
Scaerset	28 109	13.5 18.5	24 77	11.5 13.0	Consl	31Z 4	9.5	236	7.1
Union	108	18.5	· '' }	J. 6.1.	Guadalupe	10.	15.0	š	12.0
Philadelphia, PaN.J	1,154	17.9	881.	13.7		-			
Philadelphia, Pa	587	22.7	448	17.4	San Diego, Calif	319	14.6	216	9.9
Bucks, Paraner	82	13.1	63	10.1	San Diego	319	14.6	21.6	9.9
Chester, Passessessessessessessessessessessessesse	. 55	14.5	48	12,7					
Dolorman Do	85	12.1	64	9.1	San Francisco-Oakland, Calif	538	14.2	386	10.2
Montgomery, Pa	3,04	14.5	84	11.7	Alameda	214 125	15.0 16.1	149 88	10.5 11.3
Burlington, N.JCamden, N.J	77 127	15.7 18.4	59 91	12.0 13.2	Contra Costa	95	13.5	71	10.1
Gloucester, N.J.	37	15.0	24	9.7	Merin	28	12.5	19	8.5
Gradenor, Ho	J 7	20.0		· · · ·	San Mateo	76	11.7	59	9.1
Phoenix, Ariz	285 أ	14.7	207	10.7	! <b> </b>				
Maricopa	265	14.7	207	10,7	Son Jose, Calif	216	13.4	154	9.5
					Senta Clara	21.6	13.4	1.54	9.5
Pittsburgh, Pa	464	17.3	359	13,4	ll		•		
Allegheny	284	16.8	223	13.2	Seattle-Everett, Wash	254	14.8	189	11.0
Beaver	53 52	21.3	37	14.9	King 9nohomish	196 58	14.7 15.3	146 43	11.0 11.3
Westmoreland	75	18.7 16.2	41 58	14.7 12.5	SHOROHISH	. 30	10.5	, <sub>20</sub>	11.0
NGS CHICL CLIMIC			50		Tempa-St. Petersburg, Fla	295	18.6	214	13.5
Portland, OregWash	201	14.0	141	9.9	Hill charangh	165	18.9	123	14.1
Multnomah, Oreg	. 98	13.9	63	8.9	Pasco	22	17.9	16	13.0
Clackens, Oreg	32	12.9	25	10.1	Pinellas	108	18.2	75	12.6
Washington, Oreg	35	13.7	29	11.3	l				
Clark, Wash	36	16.1	24	10.7	Toledo, Ohio-Mich	220 140	17.4	162 102	12.8 12.9
The could be a second at the s	7.01	37.0	132	77.0	Fulton, Ohio	120	17.7 19.4	102	16.2
Providence-Warwick-Pawtucket, R.I	1.64 28	17.2 15.1	23	13.8 12.4	Ottawa, Ohio	17	27.8	12	19.6
Providence	125	17.3	99	13.7	Wood, Ohio	18	12.1	12	8.1
Bristol	11	22.4	10	20.3	Monroe, Mich	33	16.5	26	13.0
					-			<u></u>	
Riverside-San Bernadino-Ontario, Calif	287	15.9	218	12.1	Washington, D.CMdVa	721	16.8	555	12.9
Riverside	115	15.7	.88	12.0	District of Columbia	276	25.5	208	19.2
San Bernardino	172	16.0	1.30	12.1	Cherles, Md Montgomery, Md	11 74	11.7 11.5	8 58	8.5 9.0
Dealerston M. W.	186	14.4	143	11.1	Prince Georges, Md	146	14.1	113	10.9
Monroe	141	15.2	108	11.7	II Monardaio (offer Ve	53	28.1	39	20.7
Livingston	141	8.4	5	7.0		32	15.6	26	12.7
Ontario	. 16	14.4	1.3	1.17	Fairfax, Va'	73	10.6	57	. 8.3
Orleans	7	11.6	5	8.4	Loudoun, Va	11	15.0	9	12.3
Wayne	16	13.3	12	10.0	Prince William, Va	45	16.1	37	13.2

<sup>&</sup>lt;sup>1</sup>Figures are included for the cities of Fairfax and Falls Church.

Table 2-9. Deaths Under 1 Year, by Age, Race,

-	AREA, RACE, AND SEX	TOTAL.	UNDER 1	1-23 HOURS	I DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
		1 YEAR	HOUR							
1	UNITED STATES	55,581	51054	17,589	5,448	3,552	1.726	1.034	828	628
2   3 4 5	MALE FEMALE WALE	31,986 23,595 40,239 23,414	2,832 2,222 3,828 2,148	10,321 7,268 12,822 7,579	3, 153 2, 295 4, 120 2, 406	2,129 1,423 2,788 1,680	1,007 719 1,290 766	601 433 790 481	480 348 618 363	345 283 447 248
6 7 8	NEGRO	16,825 14,411 8,043	1,680 1,141 634	5, 243 4, 525 2, 600	1,714 1,264 709	1,108 719 421	524 405 225	309 232 112	255 200 108	199 171 91
10 11 12	OTHER RACES	6,368 931 529 402	507 85 50 35	1+925 242 142 100	555 64 38 . <b>2</b> 6	298 45 28 17	180 31 16 15	120 12 8 4	92 10 9 1	80 10 6 4
13	ALABAMA	1,314	99	329	163	93	43	22	18	16
14 15	MALE FEMALE	746 568	53 46	· 203	94 69	46 47	23 20	10 12	11 7	8
16 17 18	WHITE	680 413 267	55 34 21	199 127 72	93 57 36	54 32 22	22 12 10	16 8 8	9 5 4	5
19 20 21	NEGRO	634 333 301	44 19 25	130 76 54	70 37 33	39 14 25	10 21 11 10	6 2 4	9 6 3	10 3 7
22 23 24	OTHER RACES	-	, <u>-</u>	<u>-</u>	- '	- - -	-	-	1 1 1	
25	ALASKA	131	11	43	12	5	. 3	3	1	-
26 27 28	MALE FEMALE	73 58 85	6 5 7	23 20 33	8 4 9	4 1 2	2 1 2	2 1 1	- 1 1	1 1 1
29 30 31	MALE FEMALE NEGRO	51 34 3	3 4 1	17 16	6 3 -	2	1 1 -	1	1	7 7 7
32 33 34	OTHER RACES	2 1 43	1 - 3	- 10	- - 3	- - 3	-   ī	- 2	111	1 1
35 36	HALE FEMALE	20 23	1	6 4	2	2	<u>i</u>	1	- 1	 
37	ARIZONA	584	48	137	39	42	21	15	10	9
38 39	MAL E FEMAL E	329 255	28 20	78 59	22 17	23 19	9 12	6	6	7 2
40 41 42	WHITE	454 251 203	38 22 16	112 62 50	31 18 13	36 21 15	17 8 9	13 5 8	8 4 4	5 4 1
43 44 45	NEGRO	39 22 17	4 2 2	11 5 6	1 1	1 - 1	1 1	2 1 1	1	3 1
46 47 48	OTHER RACES	91 56 35	6 4 2	14 11 3	7 4 3	5 2 3	3 1 2	-	1	=
49	ARKANSAS	658	. 51	204	70	57	19	. 5	17	7
50 51	MALE	371 287	31 20	114 90	36 34	41 16	7 12	3 2 4	12 5	4 3
52 53 54	MALE	418 238 180	31 17 14	132 75 57	34 49 26 23	44 33 11	11 5 6	3	11 10 1	4 3 1
55 56 57	NEGRO	239 132 107	20 14 6	71 38 33	21 10 11	13 8 5	. 2 6	1 1	6 2 4	3 1 2
58 59 60	OTHER RACES	1	-	1 1 -	- -	-	- - -	=	111	111
61	CALIFORNIA	4,333	414	1,227	349	265	146	90	65	47
62 63	MALE Female	2,546 1,787	235 179	744 483	207 142	152 113	95 51	58 32	39 26	25 22
64 65 66	MALE	3,515 2,063 1,452	344 196 148	981 584 397	289 175 114	214 121 93	125 80 45	74 49 25	26 56 34 22	38 19 19
67 68 69	NEGRO MALE FEMALE	693 405 288	57 30 27	210 138 72	52 27 25	47 28 19	18 13 5	14 7 7	8 4	6 4
	OTHER RACES	125 78 47	13 9	36 22 14	8 5 3	4 3 1	3 2 1	2 2	1 1	6 4 2 3 2 1

and Sex: United States and Each State, 1973

UNDER 7 DAYS	7-13 DAYS	14-20 Days	21-27 DAY\$	UNDER 28 DAYS	28-59 DAYS	2 Months	E 2HTNOM	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
35,859	21424	1,311	1,070	40+664	3,791	2,908	2,141	1+475	1,079	865	670	541	486	478	483	1
20,868 14,991 26,703 15,671 11,032 8,657 4,900 3,757 499 297 202	1,362 1,062 1,818 1,047 771 570 300 270 36 15	712 599 938 516 420 356 182 174 17	593 477 742 411 331 315 176 139 13 6	23,535 17,129 30,201 17,647 12,554 9,898 5,558 4,340 565 330 235	2,121 1,670 2,512 1,438 1,074 1,209 643 566 70 40	1,699 1,209 1,937 1,149 788 914 511 403 57 39	1,231 910 1,444 853 591 642 354 288 55 24	829 646 982 553 429 441 251 190 52 25	597 482 726 412 314 324 172 152 29 13	499 366 589 336 253 254 149 105 22 14	387 283 453 268 185 197 109 88 20 10	317 224 368 217 151 155 90 65 18 10	251 235 351 185 166 116 56 60 19 10	258 220 328 167 161 140 85 55 10 6	262 221 348 189 159 121 65 56 14 8	2 3 4 5 6 7 8 9 10 11 12
783	51	31	25	890	101	71	58	54	33	16	30	25	12	12	12	13
448 335 454 280 174 329 168 161	29 22 27 19 8 24 10 14	22 9 11 9 2 20 13 7	11 14 9 5 4 16 6 10	510 380 501 313 188 389 197 192	56 45 46 27 19 55 29 26	36 35 31 19 12 40 17 23	33 25 21 9 12 37 24 13	33 21 21 14 7 33 19 14 -	16 17 15 7 8 18 9 9	12 4 2 1 1 14 11 3	15 15 15 9 6 15 6 9 -	14 11 9 6 3 16 8 8 -	758444 4444	8 4 4 1 3 8 7 1	66734532	14 15 16 17 18 19 20 21 22 23 24
78	5	4	3	90	10	8	4	2	4	1	· 3	3	3	3	-	25
45 33 55 30 25 1 1 - 22 14 8	4 1 5 4 1 - -	3 3 1 1 1	2 1 2 2 - - 1	55 35 65 39 26 1 1 - 24	3755321 1-14-4	4 4 6 6 3 . 3 2 1 1	3 1 2 2 2 - - - 2 1	11 1 2 11 1	2 - 2 - 2 - 2 - 2	11 1	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	12111	2111	2111	1111111111	26 27 28 29 30 31 32 33 34 35
321	39	18	L. 13	391	45	39	21	15	19	12	13	6	8	9	6	37
179 142 260 144 116 25 12 13 36 23	17 22 35 15 20 2 1 1 2 1	7 11 15 5 10 1 - 1 2 2	7 6 12 7 5 - - 1	210 181 322 171 151 28 13 15 41 26	25 20 36 18 18 3 3 - 6 4	28 11 30 23 7 - - 9 5	9 12 16 8 8 1 - 1 4 1	7 8 8 4 1 1 - 6 2	12 7 11 8 3 - - 8 4.	9374311-444-	9 4 9 7 2 4 2 2	6 - 3 3 - 2 2 - 1 1 -	53633 222	54312321321	4231233	38 39 40 41 42 43 44 45 46 47
430	26	15	14	485	40	25	31	19	12	12	15	5	6	6	2	49
248 182 286 172 114 143 75 68 1	12 14 17 9 8 9 3 6	10 5 10 5 5 5 5	958 4465 1	279 206 321 190 131 163 88 75 1	18 22 22 9 13 18 9 9	15 10 17 10 7 8 5 3	16 15 14 7 7 17 9 8	11 8. 11 4 7 8 7 1	57835422 	84651633	9 6 10 6 4 5 3 2	51331881111	242 - 2422	24312312	1 1 1 1 1	50 51 52 53 54 55 56 57 58 59 60
2,603	227	138	90	3,058	308	270	186	123	89	72	53	50	43	38	43	61
1,555 1,048 2,121 1,258 863 412 251 161 70 46 24	124 103 190 105 85 33 18 15 . 4	83 55 118 73 45 14 5 9 6 5	48 42 74 40 34 12 6 4 2	1,810 1,248 2,503 1,476 1,027 471 280 191 84 54	191 117 237 149 88 64 36 28 7 6	156 114 213 121 92 49 29 20 8 6	104 82 148 82 66 32 20 12 6	70 53 92 49 43 23 15 8 8	51 38 70 43 27 17 8 9 2	44 28 59 37 22 11 6 5 2	31 22 43 27 16 9 4 5 1	28 22 40 24 16 7 3 4 3 1	18 25 38 17 21 5 1	24 14 32 21 11 4 2 2 2 1	19 24 40 17 23 1 1 - 2	62 63 64 65 66 67 68 69 70 71 72

Table 2-9. Deaths Under 1 Year, by Age, Race,

	AREA, RACE, AND SEX	TOTAL, UNDER 1 YEAR	UNDER I HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 Days	5 DAYS	6 DAYS
1	COLORADO	642	60	200	59	28	24	10	10	6
2 3 4 5 6 7 8 9	MALE FEMALE WHITE	366 276 587 331 256 44 27 17	34 26 54 30 24 6 4 2	111 89 185 102 83 12 7 5	37 22 57 36 21 2	14 14 25 11 14 2 2	12 12 23 12 11 1 -	7 3 10 7 3	6 4 8 4 1 1 1	3 5 3 2 1 1 1 1
11 12	MALE FEMALE	8 3	-	2	-	i -	<u>-</u>	- 1	1	-
13	CONNECTICUT	551	53	206	40	24	19	4	10	5
14 15 16 17 18 19 20 21 22 23 24	MAL E FEMAL E NEGRO	304 247 440 244 196 105 57 48 6 3	27 26 44 22 22 8 4 4 1 1	112 94 163 87 76 39 23 16 4 2	21 19 37 19 18 3 2 1	14 , 100 20 11 9 4 3 1 -	11 8 15 9 6 4 2 2	224221111	6 4 10 6 4	323211211111111111111111111111111111111
25	DELAWARE	131	9	48	20	10	8	z	. 4	i
26 27 28 29 30 31 32 33 34 35	MALE FEMALE NEGRO	82 49 87 55 32 44 27 17	6 M 4 M 11 5 M N 1 1 1	31 17 33 20 13 15 11 4	12 8 12 8 4 8 4	6 4 10 6 4 - - - -	3552331211	2 - 1 1 1 - -	3111132111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
37	DISTRICT OF COLUMBIA	276	19	108	21	9	6	11	5	6
38 39 40 41 42 43 44 45 46 47	MALE FEMALE  WHITE	1.53 1.23 36 19 17 2.39 1.33 1.06 1	12 7 1 1 1 18 11 7	60 48 10 4 6 97 55 42 1 1	10 11, 6 3 15 7 8	5 4 4 2 2 5 3 2	5 1 	4 7 - - 11 4 7 -	3 2 1 1 4 2 2 1 1 1	331 [ 1633 [ ] ]
49	FLORIDA	2+047	151	619	196	148	62	38	30	23
50 51 52 53 54 55 56 57 58 59 60	MALE FEMALE  MALE FEMALE NEGRO	1,157 890 1,295 738 557 749 417 332 3	83 68 97 51 46 54 32 22 -	365 254 395 293 162 223 132 91 1	116 80 144 85 59 52 31 21 -	88 60 101 59 42 47 29 18 	34 28 32 19 13 29 14 15 1	16 22 27 13 14 11 3 8	20 10 22 15 7 7 4 3 1	16 7 15 11 4 8 5 3
61	GEORG I A	1,628	134	463	182	91	38	23	17	8
62 63 64 65 66	MALE FEMALE WHITE	918 710 866 495 371 762	79 55 77 42 35 57	277 186 264 165 99 199	104 78 114 68 46 68	46 45 57 31 26 34	20 18 25 14 11 13	10 13 13 6 7	6 11 10 6 4 7	35 4 2 2 4 1 3
68 69 70 71 72	MALE FEMALE MALE FEMALE MALE FEMALE	423 339 - - -	37 20 - - -	112 87 - - -	36 32 - - -	15 19 - - -	6 7 - -	4 6 - -	7 - -	1 3 -

and Sex: United States and Each State, 1973-Con.

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MDNTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
397	37	18	13	465	40	41	23	20	18	10	6	5	3	3	8	1
224 173 367 205 162 25 15 10 5	19 18 35 18 17 2 1 1	8 10 17 7 10 1 1 -	58895528111	256 209 427 233 194 33 19 14 5 4	27 13 39 26 13 1	21 20 34 17 17 4 1 3 3	14 9 17 10 7 4 4 - 2	12 8 18 10 8 1 1 1	14 4 17 13 4 1 1	7 3 10 7 3 - - -	5 1 6 5 1 - -	3253211111	1 2 3 1 2 - - -	2 1 3 2 1	4 4 8 4 4	2 3 4 5 6 7 8 9 10 11 12
361	25	15	14	415	29	39	18	13	8	5	3	6	5	6	4	13
196 165 296 158 138 60 35 25 5	16 9 20 14 6 5 2 3	7 8 12 5 7 3 2 1	6 8 12 6 6 2 -	225 190 340 183 157 70 39 31 5	16 13 22 13 9, 7 3 4	23 16 28 17 11 11 6 5	10 8 13 9 4 1 1 3 1	76844532	4 4 6 3 3 2 1 1 -	4 1 4 3 1 1 1 -	1 2 2 1 1 1 1 1	2 4 1 3 2 1 1	5   5 5   1	42532111	3132111	14 15 16 17 18 19 20 21 22 23 24
102	-	5	1	108	3	6	4	1	3	3		2	-	1	-	25
64 38 67 42 25 35 22 13	-	2 3 1 1 3 1 2	1	66 42 70 43 27 38 23 15 -	2 1 1 1 1 1 1	425 411 1-	2242211111	1	2 1 2 1 1 1 1	3 2 2 1 1	1111111111	1	111111111	1	111111111	26 27 28 29 30 31 32 33 34 35 36
185	14	4	5	208	18	16	14	4	6	1	4	2	_	3	-	37
102 83 22 11 11 162 90 72 1	10 4 3 1 10 7 3	1 3 1 2	3 2 - 5 3 2 -	116 92 27 14 13 180 101 79 1	8 10 3 2 1 15 6 9 -	10 6 1 1 1 15 9 9	11 3 2 2 - 12 9 3	2 1 1 3 2 1	331163311	1	2 2 4 2 2	- 2 1 1 1 - 1	11111111111	31 1 2 2 2	11111111111111	38 39 40 41 42 43 44 45 46 47 48
1,267	114	52	34	1,467	148	106	76	44	48	37	39	15	21	15	31	49
738 529 833 486 347 431 250 181 3	62 52 82 46 36 37 16 16	26 26 33 18 15 19 8 11 -	13 21 16 5 11 18 8 10 -	839 628 964 555 409 500 282 218 3 2	82 66 92 51 41 56 31 25 -	62 44 54 32 22 30 22	44 32 53 34 19 23 10 13 -	25 19 25 12 13 19 13 6	25 23 21 10 11 27 15 12	18 19 18 8 10 19 10 9	22 17 21 13 8 18 9 -	9 6 8 4 4 7 5 2	11 15 9 6 2 4	6 9 8 3 5 7 3 4	14 17 16 7 9 15 7 8 -	50 51 52 53 54 55 56 57 58 59 60
956	66	36	33	1,091	137	93	77	66	33	35	20	15	16	24	21	61
545 411 564 334 230 392 211 181	32 34 35 14 21 31 18 13 -	20 16 16 10 6 20 10 10	19 14 18 11 7 15 8 7	616 475 633 369 264 458 247 211	71 66 62 33 29 75 38 37	56 37 38 22 16 55 34 21 -	38 39 36 17 19 41 21 20 -	41 25 31 18 13 35 23 12	18 15 11 6 5 22 12 10	26 .9 11 7 4 24 19 5	9 11 11 5 6 9 4 5	10 5 6 3 3 9 7 2	97 95 47 43	13 11 8 4 4 16 9 7	11 10 6 4 11 5 6	62 63 64 65 66 67 68 69 70 71

-----

. i

Table 2-9. Deaths Under 1 Year, by Age, Race,

_						. Dog				
	AREA, RACE, AND SEX	TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 Hours	1 DAY	2 DAYS	3 Days	4 Days	5 Days	6 Days
1	HAWAII	207	31	82	23	11	7	3	í	-
2 3 4 5 6 7 8 9 10 11	HALE FEMALE  MALE FEMALE  NEGRO	119 88 53 30 23 3 3 - 151 86 65	15 16 6 4 2 - - 25 11 14	46 36 24 11 13 	15 8 3 2 1 1 1 1 2 7	9 2 4 3 1 - - 7 6	2 5 2 1 1 - - - 5 1 4	3 1 1 1 - 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111111
13	10AHO	247	32	61	31	17	6	3	4	5
14 15 16 17 18 19 20 21 22 23 24	MALE—— FEMALE—  NALE—— FEMALE—  NEGRO————  MALE———  FEMALE——  OTHER RACES——  MALE———  FEMALE——  FEMALE——	145 102 239 138 101 3 3 - 5 4	20 12 32 20 12 - - - -	31 30 58 28 30 2 2 - 1 1	19 12 29 18 11 1 1 - 1	9 8 17 9 8 - - - -	5 1 6 5 1	21321	2242211111	N35 N3 1 1 1 1 1 1
25	ILLINOIS	3,410	319	1,211	322	192	85	75	50	40
26 27 28 29 30 31 32 33 34 35 36	MALE FENALE  MALE FEMALE NEGRO	1,986 1,424 2,197 1,301 896 1,185 671 514 28 14	178 141 218 122 96 98 56 42 3 -	712 499 811 479 332 389 225 164 11 8	180 142 209 124 85 111 56 55 2	118 74 136 86 50 54 30 24 2	50 35 54 32 22 30 18 12 1	48 27 47 33 14 28 15 13 -	27 23 33 17 16 17 10 7	20 24 13 11 15 7 8 1
37	INDIANA	1,536	139	501	174	105	42	14	21	18
38 39 40 41 42 43 44 45 46 47	MALE FEMALE NEGRO HALE OTHER RACES HALE FEMALE HALE FEMALE FEMALE FEMALE	894 642 1,258 743 515 275 150 125 3 1	66 73 108 48 60 29 18 11 2	301 200 412 255 157 89 46 43 -	104 70 145 86 59 29 18 11 -	75 30 90 64 26 15 11 4 - -	23 19 37 22 15 5 1 4 -	12 2 14 12 2 	8 13 20 8 12 1	8 10 18 8 10 
49	IONA	619	65	212	55	32	21	11	11	10
50 51 52 53 54 55 56 57 58 59 60	#ALE FEMALE  NEGRO #ALE  OTHER RACES	383 236 598 369 229 17 11 6 4 3	40 25 63 39 24 1 1 - 1	135 77 208 133 75 4 2 2 2	34 21 52 32 20 3 2 1	22 10 31 21 10 1 	11 10 20 11 9 1 -	8 3 11 8 3 - -	5 6 11 5 6	7 3 10 7 3
61	KANSAS	498	45	172	51	46	16	6	4	4
62 63 64 65 66 67 68 69 70 71	MALE—— FEMAL E—  NEGRO————————————————————————————————————	282 216 433 248 185 62 32 30 3	24 21 40 22 18 5 2 3	99 73 152 89 63 18 9 9	36 15 46 33 13 5 3 2	23 23 43 20 23 3	6 10 14 4 10 2 2 2 -	4 2 5 4 1 1	31431	2242211177

and Sex: United States and Each State, 1973-Con.

UNDER 7 DAYS	7-13 DAYS	14-20 Days	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	B	9 MONTHS	10 MONTHS	11 MONTHS	Ī
158	5	3	2	168	8	9	3	5	3	3	3	2	3		_	1
88 70 41 22 19 1 1 1- 116 65 51	3 2 2 1 1 - 1 3 2 1	31.11; 11; 22;	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	95 73 45 25 20 1 1 1 - 122 69 53	532111 - 642	7 2 1 1 1 6 5 1	2 1 1 2 1 1 1	4 1 1 	- 3 1 - 1 - - 2	- 3 1 1 1 - 2 2 -	1 2 1 2	1 1 1 - 1	12 312	11111111111111	12111111111	2 3 4 5 6 7 8 9 10 11
159	13	8	2	182	14	11	11	7	. 3	. 3	6	з	3	2	2	13
90 69 154 86 68 3 3 - 2	9 4 13 9 4 - - - - -	7 1 B 7 1	2 2 2	108 74 177 104 73 3 3 - 2 1	8 6	5 6 10 4 6 - 1 1	8 3 11 8 3	43743	333	12312	6   44   - 1   22	21321	21321	222	1 1 2 1 1	14 15 16 17 18 19 20 21 22 23 24
2 • 294	136	63	57	2,550	256	183	116	84	56	32	28	29	27	25	. 24	25
1.333 961 1.532 906 626 742 417 325 20 10	83 53 90 59 31 43 23 20 3	35 28 40 23 17 23 12 11 -	34 23 28 17 11 29 17 12 -	1,485 1,065 1,690 1,090 685 837 469 368 23 11	141 115 147 84 63 107 56 51 2	104 79 114 64 50 69 40 29	69 47 63 39 24 53 30 23 -	51 33 49 28 21 32 21 11 3	34 22 33 22 11 23 12 11	19 13 18 11 7 14 6 6	18 10 19 14 5 9 4 5 -	14 15 19 9 10 10 5 5	17 10 13 7 6 14 10 4	19 6 14 8 6 11 11 	15 9 18 10 8 6 5	26 27 28 29 30 31 32 33 34 35
1.014	83	26	27	1,150	91	74	61	38	29	31	13	23	11	11	4	37
597 417 844 503 341 168 94 74 2	49 34 67 42 25 16 7 9 -	11 15 24 10 14 2 1 1	16 11 18 10 8 9 6 3	673 477 953 565 388 195 108 87 2	54 37 77 46 31 14 8 6	41 33 54 32 22 20 9 11	36 25 47 28 19 13 7 6	23 15 28 18 10 10 5 5	13 16 23 10 13 6 3	18 13 23 15 8 8 - 3	4 9 12 3 9 1 1 -	17 6 19 14 5 4 3 1	6 5 5 4 2 1 1	8 3 6 3 2 2 - -	- J	38 39 40 41 42 43 44 45 46 47 48
417	28	14	14	473	33	33	24	19	10	4	11	3	5.	-	4	49
262 155 406 256 150 10 6 4 1	17 11 25 14 11 2 2 2 1	6 8 14 6 8 - - -	10 4 13 9 4 1 1 -	295 178 458 285 173 13 9 4 2	15 18 30 14 16 2 - 2 1	25 8 33 25 8 - - -	14 10 22 12 10 1 1 -	11 B 19 11 8 	7739663111	3 1 4 3 1	6 5 11 6 5 - - -	2 1 3 2 1	4 1 5 4 1 - - -		1 3 4 1 3	50 51 52 53 54 55 56 57 58 59
344	18	10	3	375	32	17	11	13	13	. 13	. 5	3	7	2	7	61
197 147 308 177 131 34 19 15 2	9 17 8 9 1 1 - -	46 B 35 22 11 —	2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	212 163 335 190 145 38 21 17 2	16 16 26 14 12 6 2 4	11 6 14 10 4 2 - 2 1 1	65743422	8 5 12 7 5 1 1 -	9 4 9 6 3 4 3 1	7 .6 10 6 4 3 1 2	3 2 5 3 2	3 2 2 1 1	437 43	1 1 - 1	1	62 64 65 66 67 68 69 70 71 72

----

:

:

Table 2-9. Deaths Under 1 Year, by Age, Race,

					Tubic 2	2-9. Deat	iis onde	1 1 1601	, Dy mg	c, mace,
	AREA, RACE, AND SEX	TOYAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 Days	3 DAYS	4 DAYS	5 DAYS	6 DAYS
ı	KENTUCKY	903	83	279	103	62	21	16	13	12
2 3 4 5 6 7 8 9 10 11	MALE FEMALE NEGRO	510 393 791 447 344 111 62 49 1	46 37 71 38 33 11 7 4 1	171 108 242 146 96 37 25 12	50 53 96 48 48 7 2 5	39 23 57 36 21 5 3 2	11 10 18 10 8 3 1 2	8 8 15 7 8 1 1	6 7 11 6 5 2 - 2	7 5 11 6 5 1 1
13	LOUISIANA	1,368	101	477	146	80	43	19	17	12
14 15 16 17 18 19 20 21 22 23 24	MALE FEMALE NEGRO	777 591 687 392 295 679 384 295 2	62 39 44 21 23 57 41 16	273 204 253 151 102 223 122 101	80 66 92 52 54 28 26	46 34 49 29 20 31 17 14	27 16 27 17 10 16 10 16	12 7 11 7 4 8 5 3	986 42 11 56	57734523
25	HATNE	255	20	91	26	14	6	5	1	5
26 27 28 29 30 31 32 33 34 35	MALE FEMALE  NEGRO	144 111 254 143 111 - - 1 1	10 10 20 10 10 	50 41 91 50 41	18 8 26 18 8 - - -	7 7 13 6 7 - - 1 1	3 3 6 3 3 - - -	41541	111111111111111111111111111111111111111	145
37	MARYLAND	834	77	269	68	53	22	10	17	11
38 39 40 41 42 43 44 45 46 47 48	MALE—— FEMALE—  MALE—— FEMALE——  NEGRO————————————————————————————————————	459 375 537 302 235 291 153 138 6 4 2	31 46 54 20 34 22 10 12 1	169 100 164 109 55 103 58 45 2	38 30 48 26 22 20 12 8	24 29 40 18 22 13 6 7 -	14 8 13 9 4 9 5 4 - -	6473433	7 10 12 5 7 4 2 2 1 1	6 5 10 6 4 1
49	MASSACHUSETTS	1,106	116	377	116	71	24	23	14	10
50 51 52 53 54 55 56 57 58 59 60	MALE—— FEMALE—  MALE—— NEGRO————————————————————————————————————	658 448 967 585 382 134 68 66 5	66 50 96 57 39 18 7 11 2 2	228 149 325 204 121 50 22 28 2	66 50 102 59 43 14 7 7	38 33 63 33 30 8 5	15 9 24 15 9 - - - -	16 7 21 14 7 2 2 2	9 5 12 7 5 2 2 2	5 10 5 1
61	MICHIGAN	2,569	256	892	242	161	69	46	33	24
62 63 64 65 66 67 68 69 70 71 72	MALE FEMALE NEGRO	1,472 1,097 1,761 1,032 729 797 431 366 11	139 117 176 100 76 78 37 41 2	506 386 612 345 267 277 158 119	140 102 170 102 68 72 38 34	102 59 132 84 48 28 17 11 1	43 26 50 31 19 18 11 7 1	29 17 32 22 10 14 7 7	21 12 20 13 7 13 8 5	12 12 18 10 8 6 2 4

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	MONTHS	6 MONTHS	7 MONTHS	8 NONTHS	9 MONTHS	10 HONTHS	11 HONTHS	
589	35	23	19.	666	. 59	56	. 29	20	15	13	13	6	. 8	10	8	1
338 251 521 297 224 67 40 27	22 13 30 19 11 5 3 2	12 11 19 9 10 4 3 1	9 10 16 7 9 3 2 1	381 285 586 332 254 79 48 31	34 25 47 29 18 12 5	31 25 50 29 21 6 2 4	20 9 26 19 7 3 1 2 -	7 13 18 7 11 2 -	5 10 13 4 9 2 1 1	5 8 11 4 7 2 1 1	11 2 11 9 2 2 2 -	2 4 5 2 3 1 - 1	6 2 8 6 2 - - -	3 7, 10 3 7 	5363322	2 3 4 5 6 7 8 9 10 11 12
895	56	32	32	1,015	80	54	55	<b>37</b>	36	19	25	13	.9	14	. 11	13
514 381 489 284 205 405 230 175	34 22 26 18 8 30 16	15 17 13 7 6 19 8 11	14 18 18 7 11 14 7 7	577 438 546 316 230 468 261 207 1	45 35 26 13 13 54 32 22	36 18 20 13 7 34 23 11	32 23 20 11 9 34 20 14 1	12 25 16 6 10 21 6 15	21 15 17 9 8 19 12 7	12 7 7 3 4 12 9 9	14 11 7 3 4 18 11 7	9 4 6 5 1 7 4 3	3 6 5 2 3 4 1 3	10 4 10 6 4 4 4 -	65752413	14 15 16 17 18 19 20 21 22 23 24
168	7	3	4	182	20	12	10	9	5	.1	8	3	3	1	į	25
94 74 167 93 74 - - 1 1	347734	2113211	4	103 79 181 102 79 - - 1	8 12 20 8 12 -	8 4 12 8 4 	8 2 10 8 2 - - -	3693611111	41541	1 1	6 2 B 6 2	3	1551511111	11 1	1 1 1	26 27 28 29 30 31 32 33 34 35 36
527	35	17	23	602	47	45	35	23	14	23	11	8	9	5	12	37
295 232 348 196 152 175 96 79 4	22 13 20 14 6 15 8 7	7 10 8 5 3 9 2 7	14 9 14 8 6 8 5 3 1 1	338 264 390 223 167 207 111 96 5 4	29 18 33 22 11 14 7 7	26 19 25 15 10 20 11 9	17 18 19 10 9 15 7 8 1	12 11 13 7 6 10 5 5	77945532	10 13 17 6 11 6 4 2	567524-4	6264222111	27624313111	145141111	66734532111	38 39 40 41 42 43 44 45 46 47
751	52	29	23	855	62	52	44	. 19	16	13	8	5	11	12	9	49
443 308 653 394 259 94 45 49 4	35 17 47 32 15 4 2 2 1	18 11 26 15 11 3 3	13 10 20 11 9 2 2 1	509 346 746 452 294 104 52 52 55	31 31 51 25 26 11 6 5	30 22 48 29 19 4 1	30 14 42 28 14 2 2	15 4 17 13 4 2 2	7 9 12 7 5 4 - -	9 4 11 8 3 2 1 1 -	53 7 4 3 1 1 - -	# N 5 # N 1   1   1   1	7495422111	7 5 11 7 4 1 -	5484411	50 51 52 53 54 55 56 57 58 59 60
1,723	93	61	38	1,915	176	146	79	52	43	38	32	16	25	30	17	61
992 731 1,210 707 503 506 278 228 7	57 36 67 42 25 26 15 11	36 25 39 26 13 22 10 12	21 17 25 18 7 13 3 10	1,106 809 1,341 793 548 567 306 261 7	96 80 107 57 50 69 39 30	84 62 93 55 38 53 29 24	43 36 53 34 19 25 25 16	33 19 29 17 12 22 17 1	26 17 30 21 9 13 5	24 14 25 15 10 13 9 4	19 13 22 11 11 10 8 2	10 6 13 8 5 3 2 1 7 7 7	13 12 13 7 6 10 5 2 1	12 18 22 8 14 8 4	6 11 13 6 7 4 - 4	62 63 64 65 66 67 68 69 70 71

Table 2-9. Deaths Under 1 Year, by Age, Race,

	AREA, RACE, AND SEX	TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	I DAY	2 DAYS	3 Days	4 DAYS	5 DAYS	6 Days
1	MINNESOTA	816	116	217	60	62	38	22	14	7
2 3 4 5 6 7 8 9 10 11	MALE—— FEMALE—  MALE—— NEGRO————————————————————————————————————	455 361 777 429 348 27 19 8 12 7	61 55 115 61 54 1 -	105 112 208 97 111 9 8 1	33 27 59 33 26 1 - 1	42 20 59 40 19 3/ 2 1	28 10 37 27 10 1 1	13 9 21 12 9 1	10 14 4 10	6176111111
13	MISSISSIPPI	1,157	81	335	140	70	33	13	16	10
14 15 16 17 18 19 20 21 22 23 24	MALE FEMALE- NEGRO MALE FEMALE OTHER RACES MALE FEMALE FEMALE FEMALE FEMALE FEMALE	651 506 394 227 167 761 422 339 2 2	43 38 23 14 9 58 29 29	190 145 140 76 64 195 114 81	84 56 54 32 22 86 52 34 -	45 25 37 24 13 93 21 12 - -	23 10 10 8 2 23 15 8 -	7 6 5 3 2 8 4 4 1	10 6 5 3 2 11 7 4 -	7 3  10 7 3 
25	MISSOURI	1,227	196	349	141	99	37	19	20	16
26 27 28 29 30 31 32 33 34 35 36	MALE FEMALE NEGRO	719 508 912 539 373 311 179 132 4 1	62 44 92 54 38 14 8 6	218 131 254 160 94 93 58 35 2	77 64 112 61 51 29 16 13	55 44 77 38 39 22 17 5	22 15 27 16 11 9 5 4 1	8 11 14 7 7 7 5 1 1 4	8 12 17 8 9 3 	10 6 12 7 5 4 3 1
37	MONTANA	222	26	65	16	17	5	7	5	3
38 39 40 41 42 43 44 45 46 47 48	MALE FEMALE  NEGRO	127 95 191 109 82 3 3 - 28 15	12 14 25 11 14 1 1 - -	37 28 58 34 24 - - 7	12 4 15 11 4 - - 1	7 10 14 5 9 - - - 3 2	3 2 4 3 1 - - 1	4 3 6 4 2 - - 1	1 4 5 1 4	1 22 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
49	NEBRA SKA	368	39	123	43	20	15	4	В	10
50 51 52 53 54 55 56 57 58 59 60	MALE FEMALE NEGRO	229 139 338 207 131 22 18 4 8 4	24 15 37 23 14 2 1 1	79 44 119 76 43 4 3 1	28 15 41 26 15 1 1 - 1	13 7 19 12 7 1 1	9 12 7 5 2 2 - 1 1	2 2 3 1 1 1 - -	5 37 4 3 1 1	559541 - 1111
61	NEVADA	163	11	59	14	10	7	2	3	-
62 63 64 65 66 67 68 69 70 71 72	MALE FEMALE NEGRO OTHER RACES MALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE	101 62 141 87 54 19 13 6 3	7 4 10 6 4 - - - 1	37 22 48 32 16 11 5 6	7 7 13 6 7 1 1 -	8 2 10 8 2 - -	4 3 7 4 3	2 2	3 1 1 2 2 2 2	7111111111

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MON THS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	,
536	34	23	19	612	64	40	27	22	12	12	5	7	6	. 4	5	1
292 244 520 280 240 16 12 4 - -	20 14 32 19 13 1 - 1	10 13 22 9 13 1 - - -	10 9 18 10 8 1 - 1	332 280 592 318 274 19 14 5	35 29 55 29 26 4 2 2 5 4 1	23 17 37 20 17 2 2 - 1	15 12 24 14 10 1 1 - 2	17 5 21 17 4 - - 1	8 4 11 8 3 1 - - 1	9 3 10 7 3 - - 2 2	4 1 5 4 1 - - -	4 3 7 4 3 - -	4 2 6 4 2 - - -	1 3 4 1 3 - -	3 2 5 3 2 - -	5 6 7
698	52	25	18	793	90	69	55	40	25	22	16	9	. 9	14	15	13
409 289 274 160 114 424 249 175	27 25 15 10 5 37 17 20	11 14 9 4 5 16 7 9	12 65 2 3 10 3 -	459 334 303 176 127 490 283 207	56 34 23 16 7 66 39 27 1	34 35 15 7 8 54 27 27	29 26 10 4 6 45 25 20 -	21 19 9 8 1 31 13 18 -	13 12 9 6 3 15 6 9 1	8 14 8 3 5 14 5 9 -	10 6 7 4 3 9 6 3	3 6 2 1 1 7 2 5 -	3 6 4 2 2 5 1 4 -	8 6 1 1 13 8 5	7 8 3 - 3 12 7 5 -	14 15 16 17 18 19 20 21 22 23 24
787	49	29	22	887	83	64	48.	39	22	20	12	- 14	11	g	18	25
460 327 605 351 254 179 108 71 3	26 23 38 22 16 10 4 6	16 13 21 13 8 8 3 5	9 13 17 7 10 5 2 3	511 376 681 393 288 202 117 85 4	50 33 32 34 18 31 16 15	39 25 43 27 16 21 12 9	35 13 33 24 9 15 11 4	19 20 25 13 12 14 6 8	14 8 13 9 4 9 5 4	13 7 14 10 4 6 3 3	11 10 9 1 2 2 2 - -	8 6 12 6 6 2 2 - -	3 8 9 3 6 2 - 2	6 3 5 3 2 4 3 1 -	10 8 15 8 7 3 2 1 -	26 27 28 29 30 31 32 33 34 35 36
144	10	5	3	162	15	11	12	9	4	3	2	1	3	-		37
77 67 129 70 59 1 1 - 14 6	6 4 9 6 3 - - 1	2352311111	21321	87 75 146 80 66 1 1 - 15 6	9 6 13 8 5 - - 2 1	8 3 8 5 3 1 1 - 2 2	8 4 8 5 3  4 3 1	7 26 6 - - - 3 1 2	3 1 2 1 1 2 2 -	2 1 2 1 1 1 1 -	1 1 2 1 1	1 - 1 1 	1 2 3 1 2		1.1 1.1 1.1 1.1	38 39 40 41 42 43 44 45 46 47 48
262	15	9	9	295	17	16	9	10	5	. 1	5	. 5	3	1	1	49
165 97 247 154 93 12 10 2 3	9 6 15 9 6 - - - -	72972	36936	184 111 280 173 107 12 10 2 3 1	9 8 13 6 7 3 3 - 1	12 4 14 10 4 2 2	727552222	8 2 8 7 1 1 1	325321111	- 1 - - - - 1	3 2 3 1 2 1 1 -	2 3 4 1 3 - - 1 1	1 2 3 1 2	11 1	1 - - 1 - 1 - -	50 51 52 53 54 55 56 57 58 59 60
106	4	1	2	113	15	14	В	4	2	2	1	-	-	. 2	2	61
66 40 91 57 34 14 . 8 6	2242211111	1 1	2 2	70 43 98 61 37 14 8 6	10 5 13 9 4 1 1 - 1	6 8 13 6 7 - - 1	6 6 4 2 2 2 -	3 1 3 2 1 1 1	1 1 1 1 1 1 1 1	1 1 2 1 1 - -	1 1		-	1 1 2 1 1 - - -	2 - 2	62 63 64 65 66 67 68 69 70 71

Table 2-9. Deaths Under 1 Year, by Age, Race,

=	AREA, RACE, AND SEX	TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	I DAY	2 Days	3 DAYS	4 Days	5 Days	6 DAYS
ı	NEW HAMPSHIRE	191	20	73	17	12	6	2	3	4
2 3 4 5 6 7	MALE WHITE MALE FEMALE FEMALE FEMALE	105 86 188 104 84 2	12 8 20 12 8	37 36 73 37 36	11 6 17 11 6	6 12 6 6	3 3 5 3 2	1 1 2 1 1	2 1 3 2 1	2 2 4 2 2
8 10 11 12	MALE OTHER RACES	1 1 1 1	1111	-	: 	, 1111	- 1 1	1111	1111	111111
13	NEW JERSEY	1,603	132	562	155	93	49	30	34	17
14 15 16 17 18 19 20 21 22 23 24	MALE—— FEMALE—  WHITE——  NEGRO———  NEGRO———  OTHER RACES—  MALE—— FEMALE—  FEMALE—— FEMALE—— FEMALE——	930 673 1,068 637 431 516 280 236 19	76 56 99 57 42 32 18 14 1	330 232 385 230 155 173 97 76 4 3	92 63 100 66 34 54 26 28 1	56 37 70 40 30 22 16 6 1	26 23 33 19 14 15 6 9	20 10 21 13 8 8 6 2 1	17 17 18 7 11 15 9 6 1	7 10 9 3 6 8 4 4
25	. NEW MEXICO	419	28	98	49	21	11	16	5	3
26 27 28 29 30 31 32 33 34 35	MALE FEMALE NEGRO OTHER RACES	234 185 332 185 147 20 13 7 67 36 31	20 8 24 17 7 2 2 1	562 422 86 51 35 5 3 2 7 2 5	32 17 43 28 15 2 2 - 4 2	8 13 15 6 9 1 - 1 5 2	4 7 10 3 7 - - 1 1	11 5 15 10 5	3242211	12312 - 1 - 1 - 1
37	NEW YDRK	4,068	387	1,326	391	270	142	86	51	31
38 39 40 41 42 43 44 45 46 47	MALE FENALE  MALE NEGRO	2,348 1,720 2,886 1,667 1,219 1,147 663 484 35 18	235 152 265 162 103 121 72 49 1 1	774 552 930 545 385 386 225 161 10 4	219 172 290 156 134 98 61 37 3	156 114 225 129 96 44 26 18 1	88 54 108 68 40 32 18 14 2 2	48 387 33 24 29 15 14	35 16 35 24 11 16 11 5	17 14 22 11 11 8 5
49	NORTH CAROLINA	1,854	. 162	588	191	121	55	29	24	23
50° 51 52 53 54 55 56 57 58 59 60	MALE—— FEMALE——  NEGRO————————————————————————————————————	1,018 836 1,065 592 473 758 412 346 31 14	85 77 107 56 51 52 26 26 3 3	.328 260 339 195 144 243 131 112 6 2	104 87 112 59 53 76 43 33 3	76 45 79 48 31 42 28 14 -	29 26 36 22 14 18 7 11 1	16 13 19 12 7 10 4 6	21 3 18 16 2 6 5 1	9 14 13 5 8 10 4 6
61	NORTH DAKOTA	159	21	49	7	10	2	2	2	2
62 63 64 65 66 67 68 69 70 71	MALE FEMALE NEGRO MALE OTHER RACES MALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE FEMALE	85 74 140 80 60 1 1 - 18 4	13 8 20 12 8 1 1 - -	23 26 42 20 22 - - 7 3	5 2 7 5 2	5 5 9 5 4 	1 1 2 1 1 1	1 1 2 1 1	2 1 1 1 1 1 1 1 1 1	2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
137	5	4		146	16	. 11	5	4	3	1	2	-	2	-	1	1
74 63 136 74 62 	2352311111	2 2 2	1111111111111	78 68 145 78 67 - - 1 1	7 9 16 7 9 - - -	7 4 10 7 3 1 - 1	5 5 5 1 1 1 1 1 1	44	331311111	1 1	1 1 2 1 1 - -	1111111111	2 - 2 2		1   1 1  	2 3 4 5 6 7 8 9 10 11
1,072	72	38	26	1,208	96	72	65	43	31	22	12	17	n	14	12	13
624 448 735 435 300 327 182 145 10 7	33 39 56 24 32 13 7 6 3 2	25 13 22 15 7 16 10 6 	18 8 17 13 4 9 5 4	700 508 830 487 343 365 204 161 13 9	53 43 51 32 19 43 19 24 2	42 30 41 22 19 30 20 10	41 24 45 28 17 19 12 7	25 18 24 15 9 19 10 9	19 12 21 17 4 10 2 8	14 8 14 11 3 7 3 4 1	84761523	898359541:1	83963881111	6 8 10 5 5 3 1 1	66853413	14 15 16 17 18 19 20 21 22 23 24
231	22	8	4	265	31	15	27	25	18	9	8	5	5	4	7	25
135 96 200 118 82 11 8 3 20 9	11 11 14 8 6 3 2 1 5	5 3 5 3 1 1 - 2 1	13312	152 113 222 130 92 15 11 4 28 11	21 10 26 17 9 1 1 - 4 3	8 7 10 3 7 - - 5	17 10 18 11 7 - 9 6	7 18 17 5 12 1 - 1 7 2	8 10 15 7 8 1 - 1 2	7253211 331	5 3 5 3 2 1 1 2 2 2	233112	IIIIII	2 2 2 1 1 2 1 1	34422312	26 27 28 29 30 31 32 33 34 35 36
2,684	170	100	85	3,039	277	198	135	89	75	63	41	43	32	37	39	37
1,572 1,112 1,932 1,128 804 734 433 301 18 11	84 86 115 57 58 52 26 26 3	53 47 70 39 31 30 14 16	49 36 59 31 28 26 18 8 -	1,758 1,281 2,176 1,255 921 842 491 351 21 12	154 123 180 103 77 94 50 44 3	111 87 133 75 58 64 35 29 1	75 60 103 62 41 31 13 18 1	55 34 67 39 28 20 15 5 2	44 31 48 29 19 25 14 11 2	42 21 45 29 16 17 13 4 1	20 21 26 13 13 15 7 8 -	26 17 31 17 14 11 8 3 1	18 14 19 12 7 11 5 6 2	20 17 30 16 14 7 4 3	25 14 28 17 11 10 8 2	38 39 40 41 42 43 44 45 46 47
1,193	45	38	35	1,331	135	117	71	48	32	32	27	20	12	19	10	49
668 525 723 413 310 457 248 209 13 7	38 27 43 28 15 21 10 11	19 19 19 11 8 19 6 11	20 15 18 9 9 17 11 6	745 586 803 461 342 514 277 237 14 7	64 71 58 32 26 68 30 38 9 2	70 47 60 33 27 56 37 19 1	44 27 33 18 15 37 25 12 1	24 24 27 13 14 18 9 9	13 19 21 7 14 10 5 5	11 21 16 4 12 15 7 8 1	15 12 11 5 6 15 9 6 1	11 9 13 7 6 7 4 3	9355-743	7 12 11 4 7 8 3 5	55734321	50 51 52 53 54 55 56 57 58 59 60
95	8	2	7	112	12	5	9	8	4	1	3	1	- ]	. 1	3	ė1
52 43 85 47 38 1 1 - 9 4 5	35835111-11	1	5 2 7 5 2	60 52 101 55 46 1 1 10 4	8 4 11 8 3 1	3 2 5 3 2	1 8 7 1 6 2 - 2 - 2	50551113	1 2 - 1	1 1 1	213221	1 1 1		1 1 1		62 63 64 65 66 67 68 69 70 71 72

Table 2-9. Deaths Under 1 Year, by Age, Race,

		·				rable 2		115 OHGO		- 2 5	
		AREA, RACE, AND SEX	TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	I DAY	2 DAYS	3 Days	4 DAYS	5 DAYS	6 DAYS
1		OHIO	2,788	258	923	267	165	77	71	53	32
2 3 4 5	WHI TE		1,641 1,147 2,214 1,310	145 113 221	541 382 709	162 105 226	109 56 134	48 29 60	41 30 55 34	31 22 45 28	21 11 25 16
6		MALE Female	904	126 95	423 286	134 92	90 44	34 26	21	17	9
7 8	NEGRO	MALE	570 329	34 17	213 118	41 28	31 19	17 14	16 7	8 3	7 5
9 10	D.TUED	RACES	241	17	95	13	12	3	è	5	2
11 12	UINEK	MALE FEMALE	4 2 2	3 2 1	1	- -	=	-	2	1	=
13		OKLAHOMA	664	. 66	196	74	52	18	9	7	5
14		MALE	390	36	125	42	31	9	8	2 5	3
15 16	WHITE		274 546	30 58	71 152	32 62	21 47	17	1 9	6	3 2 5 3
17 18		MALE Female	324 222	32 26	95 57	35 27	28 19	9 8	6 1	2 4 1	3
10	NEGRO		90 47	5	39 25	9	4 2	i	-		2
21		FEMALE	43	4	14	5	2	1	- 1	ī	-
20 21 22 23 24	UINEK	RACESFEMALE	28 19 9	3 3 -	5 5 -	3 3 -	1 1 -	- - -	-	1	11
25		OREGON	466	64	124	40	23	16	12	7	7
26 27		MALE	269	37	69	25	14	11	6	2	5
27 28	WHITE-	FEMALE	197 440	. 27 59	55 115	15 40	9 22	5 16	6 12	5	2 7
28 29		MALE	252	34	65	25	13 [	11	6 (	6 2	2 7 5 2
30 31	NEGRO-		188 20	25 4 2 2 1 1	50 7	15	9 1	5 -	6	4	
32 33		. MALE Female	13 7	2	3 4		1	<u> </u>		ī	
34	OTHER	RACES	6	ĩ	2		-		$\tilde{z}$	= =	
35 36		FEMALE	4 2		1 1	-	-	=	-	=	-
37		PENNSYLVANI A	2,612	261	928	238	152	67	53	36	29
38	•	MALE	1,512	132	547	150	90	39	34	27	15
39 40	WHITE-	FEMALE-	1,100 2,087	129 225	381 736	88 198	62 124	28 46	19 40	9 28	15 14 22 11
41 42		· MALE Female	1,221 866	118 107	439 297	124 74	124 73 51	28 18	40 28 12	26 23 5	11
43 44	NEGRO-		509	36	184	40	27	21	11	8	11 6 3
44		MALE FEMALE	281 228	14 22	104 80	26 14	16 11	11 10	4	4	3 3
46 47	OTHER	RACES	16 10	-	8	-	1	<u> </u>	2 2	-	3 1 1
48		FEMALE	6		4	-	-	-	-	-	-
49	-	RHODE ISLAND	209	24	85	14	17	6	4	3	3
50 51		MAL E	134	16	57	5	10	3	3	3	1
52	WHI TE-	FEMAL E	75 194	23	28 76	9 14	7 16	3 6	1 4	3	1 2 2
53 54		MALE FEMALE	120 74	15 8	48 28	5 9	9	3	3	3	1 1
55	NEGRO-		13	1	8	-	- [	-1		-1	1 1 -
56 57		MALE Female	12 . 1 2	<u> </u>	8 		- 1			2	ĩ
58 59	OTHER	RACES MALE	2 2	-	1 1	-1	1 1	-	<u>-                                    </u>		3
60		FEMALE	-	-	-	- ]	-	- ]		-	- 1
61		SOUTH CAROLINA	1,111	87	313	141	60	34	13	9	12
62 63		MAL E Femal E	598 513	52 35	183 130	79 62	35 25	20 14	7 6	5	5 4
65	WHITE-	MALE	529 292	46 30	147 88	78 44	34 19	23 14	9 4	4 3	6
66 67	NEGRO-	FEMALE—	237 580	16 41	59 165	34 62	15	9	5 4	1 5	6 4 2 6 4
68	.,	MALE	304	22	94	34	16	6	3	2	4
69 70	OTHER	RACES	276 2	19	71 I	28 1	10	5 -	1 -	3	2
71 72		MAL E Femal E	2	-	1	i	-	-	-	<u>-</u>	
		FEMALC [	- 11	- 1	- 1	- 1	- 1	- 1	-,	- 1	- 1

and Sex: United States and Each State, 1973-Con.

UNDER 7 DAYS	7-13 Days	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 HONTHS	3 Months	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MOŅTHS	10 MONTHS	11 MONTHS	
1,846	127	70	48	2,091	204	129	101	65	36	37	35	22	19	21	28	1
1,098 748 1,475 885 590 367 211 156 4	75 52 100 57 43 27 18 9	33 37 51 22 29 19 11 8	29 19 38 23 15 10 6 4 -	1,235 856 1,664 987 677 423 246 177 4 2	116 88 152 87 65 52 29 23	78 51 99 62 37 30 16 14	55 46 85 49 36 16 6 10	41 24 53 34 19 12 7 5 -	23 13 30 18 12 6 5 1	20 17. 31 16 15 6 4 2 -	23 12 30 18 12 5 5	16 6 14 10 4 8 6 2	7 12 16 5 11 3 2 1	11 10 16 9 7 5 2 3 -	16 12 24 15 9 • 4 1 3 -	2 3 4 5 6 7 8 9 10 11
427	19	12	14	472	40	36	33	. 22	20	- 15	9	5	4	. 3	. 5	13
256 171 356 212 144 59 32 27 12	13 6 19 13 6 - - -	6 6 12 6 6 - -	7 7 13 7 6 1 -	282 190 400 238 162 60 32 28 12 12	22 18 32 18 14 7 3 4 1	26 10 26 19 7 7 5 2 3 2	17 16 27 16 11 4 1 3 2	9 13 17 8 9 2 -1 1 3 -	13 7 14 10 4 6 3	7 8 11 5 6 2 1 1 2 1	4 5 7 4 3 1 - 1 1	233 - 311 - 11 -	2 2 2 2 1 1 2 1 1	2 1 3 2 1	4 1 4 3 1 - 1 1 1 - 1	14 15 16 17 18 19 20 21 22 23 24
293	17	11	10	331	29	27	25	7	16	14	2	4	. 4	3	4	25
169 124 277 161 116 13 6 7 3 2	10 7 16 9 7 1 1 - -	7 4 11 7 4 - - -	6 4 10 6 4 - -	192 139 314 183 131 14 7 7 3 2	20 9 26 17 9 3 3	16 11 25 14 11 1 1	13 12 22 11 11 2 2 - 1	25725	7 9 16 7 9 - - -	8 6 14 8 6 - - -	1 1 2 1 1 1	31321	31431	2 1 3 2 1	2 2 4 2 2	26 27 28 29 30 31 32 33 34 35
1.764	137	44	43	1,98B	149	127	80	61	. 49	44	24	21	23	20	26	37
1.034 730 1.419 844 575 333 182 151 12 8	86 51 109 67 42 26 17 9 2 2	20 24 37 17 20 7 3 4 -	21 22 36 17 19 7 4 3	1,161 827 1,601 945 656 373 206 167 14	81 68 115 63 52 34 18 16	73 54 88 53 35 20 17 2	45 35 61 32 29 19 13 6 - -	36 25 49 31 18 12 5 7	29 20 42 23 19 7 6 1	26 18 38 24 14 6 2 4	13 11 18 9 9 6 4 2	9 12 18 8 10 3 1 2	13 10 21 13 8 2	10 10 14 6 8 6 4 2	16 10 22 14 8 4 2 2	38 39 40 41 42 43 44 45 46 47
156	3	3	5	167	9	8	. 13	3	-	-	1	_	2	4	2	49
98 58 144 87 57 10 9 1 2 2	12312	21321	415541	105 62 155 94 61 10 9 1 2	729722	4 4 7 3 4 1 1	9 4 11 7 4 2 2 - -	213321		1111111111	1 1	11111111111	1221111111	4 - 4	2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50 51 52 53 54 55 56 57 58 59 60
669	34	28	24	755	103	67	43	34	28	22	17	11	12	8	11	61
389 280 347 206 141 320 181 139 2 2	15 19 16 9 7 18 6 12 - -	12 16 19 7 12 9 5	12 12 13 5 8 11 7 4	428 327 395 227 168 358 199 159 2 2	52 51 34 19 15 69 33 36	31 36 - 27 11 16 40 20 20	20 23 15 8 7 28 12 16	13 21 7 2 5 27 11 16	18 10 10 6 4 18 12 6	10 12 10 7 3 12 3	9 8 11 4 7 6 5 1	56633523111	57422835111	264-4422	56633523	62 63 64 65 66 67 68 69 70 71

Table 2-9. Deaths Under 1 Year, by Age, Race,

_										
	AREA, RACE, AND SEX	TOTAL, UNDER 1 YEAR	UNDER I HOUR	1-23 Hours	I Day	2 Days	3 Days	4 Days	5 Days	6 DAYS
1	SOUTH DAKOTA	197	'23	52	20	16	9	4	. 3	2
2 3 4 5	MALE FEMALE MALE	112 85 150 87	9 14 21 8	34 18 46 30	12 8 18 11 7	12 4 11 10	6 3 7 4	1 3 4 1	3 1 1	2 1 1 1
6 7 8 9 10	FEMALE NEGRO	63 2 2 - 45 23	13 1 1 -	16 - - - 6 4	- - 2 1	1 1 1 - 4	- - 2 2	1	2 2 2	- 1 1
12	FEMALE	1,311	1 120	. 389	145	3. 78	49	∸ 26	21	22
14	MAL E	748	65 55	221 168	94 51	48 30	· 30	17 9	10 11	14 8
15 16 17 18 19 20	FEMALE NEGRO MALE MALE FEMALE MALE	563 909 519 390 401 228	89 51 38 31 14	261 145 116 127 75	109 67 42 36 27	57 34 23 21 14	29 18 11 20 12	18 12 6 8	17 9 8 4 1	17 11 6 5
21 22 23 24	OTHER RACES	173 1 1 -	17 - - -	52 1 1	9 - -	-	8 - - -	3 - -	3 -	2 1 -
25	TEXAS	4,026	267	1,280	400	302	154	76	71	64
26 27 28 29 30 31	MALE FEMAL E WHI TE	2,329 1,697 3,095 1,803 1,292	153 114 220 128 92	762 518 1.002 599 403	214 186 331 182 149	186 116 242 154 88	90 64 120 72 48	42 34 65 38 27	36 35 56 26 30	38 26 42 25 17 21 12 9
31 32 33 34 35 36	NEGRO	915 518 397 16 8	46 25 21 1 -	270 158 112 8 5	68 32 36 1 -	60 32 28 - -	31 16 15 3 2 1	11 4 7 -	15 10 5 - -	21 12 9 1 1
37	UTAH	354	40	77	34	28	19	9	4	4
38 39 40 41 42 43	MALE FEMALE MALE MALE FEMALE FEMALE	203 151 337 194 143 5	23 17 38 22 16 1	44 33 75 44 31	18 16 33 17 16	20 8 28 20 8 -	9 10 17 9 8 -	7 2 9 7 2	3 1 4 3 1	3 1 4 3 1
44 45 46 47 48	MALE PEMALE OTHER RACES	1 4 12 8 4	1 1 1	1 1 1	1	-	2 - 2	11113	-	11111
49	VERMONT	109	10	28	9	5	8	-	3	1
50 51 52 53 54 55	MALE HHITE	63 46 109 63 46	3 7 10 3 7 -	14 14 28 14 14	6 3 6 3	4 1 5 4 1	5 3 8 5 3		2 1 3 2 1	1 1 1
57 58 59 60	OTHER RACES MALE FEMALE	111	1 1 1		111	- - -	1111	11 2	=======================================	1111
61	VIRGINIA	1,316	142	431	120	<del>9</del> 0	41	32	20	17
62 63 64 65 66 67 68	MAL E FEMALE WHITE	737 579 874 503 371 435 230	82 60 88 46 42 52 35	250 181 295 181 114 135 69	67 53 83 46 37 37 21	62 28 72 53 19 18	24 17 28 17 11 13 7	14 18 27 14 13	10 10 16 9 7 4	10 7 6 3 3 11 7
69 70 71 72	OTHER RACES MALE FEMALE	205 7 4 3	35 17 2 1	66 1 - 1	16 - - -	9 - - -	6  	5 -	3	4 - -

<del></del>		o States				l	ı			1	<del></del>				I	=
UNDER 7 DAYS	7-13 0AYS	14-20 Days	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	MONTHS	MONTHS	6 MONTHS	7 MONTHS	MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
129	7	3	. 5	144	12	7	6	4	3	4	3	7	5	. 1	1	1
79 50 109 66 43 2 2 - 18 11	4 3 7 4 3 - -	1 2 2 1 1 - - 1	2 3 3 3 1 2 2 1 1	86 58 121 72 49 2 2 - 21 12	57725 532	5 2 5 4 1 2 1 1	3 3 3 2 1 3 1 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 1 1 1 2 1 1	1 3 1 2 - 1 1	1 2 2 1 1 - - 1	43422 321	2311-1-422	1 1	1 	2 3 4 5 6 7 8 9 10 11 12
850	59	29	28	966	84	71	54	39	21	14	11	17	8	15	11	13
499 351 597 347 250 252 151 101 1	29 30 48 23 25 11 6 5	19 10 19 12 7 10 7 3	19 9 17 12 5 11 7 4	566 400 681 394 287 284 171 113 1	42 42 57 28 29 27 14 13	38 33 40 23 17 31 15 16	30 24 34 20 14 20 10 10	22 17 31 18 13 8 4 4	8 13 14 7 7 7 1 6	77945532	56844312	12 5 11 7 4 65 1	44523321	69 11 5 6 4 13 -	8 3 8 7 1 3 1 2 -	14 15 16 17 18 19 20 21 22 23 24
2,614	169	97	93	2,973	272	183	145	96	81,	67	45	44	43	45	32	25
1,521 1,093 2,078 1,224 854 522 289 233 14 8	95 74 131 72 59 38 23 15	58 39 67 42 25 30 16 14 -	60 33 62 41 21 31 19 12	1,734 1,239 2,338 1,379 959 621 347 274 14 8	164 108 203 121 82 69 43 26	100 83 126 72 54 57 28 29	81 64 97 56 41 47 25 22 1	52 44 71 35 36 25 17 8	44 37 62 32 30 19 12 7	36 31 51 27 24 16 9 7	25 20 34 17 17 11 8 3 -	27 17 27 20 7 16 7 9 1	21 22 33 17 16 10 4 6	27 18 30 15 15 15 12 3	18 14 23 12 11 9 6 3 -	26 27 28 29 30 31 32 33 34 35 36
215	26	7	4	252	27	18	16	9	8	8	3	. 4	7	2	-	37
127 88 208 125 83 2 - 2 5 2	14 12 23 12 11 1 - 2	3 4 7 3 4	2 2 4 2 2	146 106 242 142 100 3 1 2 7	12 15 26 12 14 1	11 7 18 11 7 - -	11 5 14 9 5 - - 2 2	54954	4 4 7 3 4 - - 1 1	6 2 7 5 2 - - 1 1	2 1 3 2 1	1 3 1 2 1	34624	2   2 2   2   1   1   1   1   1   1   1	1111111111	38 39 40 41 42 43 44 45 46 47
64	10	1	3	78	9	3	7	· 2	, 5	-	_	1	2	ı	1	49
34 30 64 34 30 	4 6 10 4 6 - - -	1	1 2 3 1 2	40 38 78 40 38 	7 2 9 7 2	1 2 3 1 2	52752	1 1 2 1	5   5 5 1   1   1   1	111111111111111111111111111111111111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1	1 1	1 1	50 51 52 53 54 55 56 57 58 59 60
893	42	35	29	999	84	60	47	39	20	25	15	10	5	3	9	61
519 374 615 369 246 275 149 126 3	21 21 27 18 9 15 3 12	18 17 21 10 11 14 8 6 - -	14 15 20 9 11 8 4 4 1	572 427 683 406 277 312 164 148 4 2	42 49 23 26 33 18 15 2	38 22 37 23 14 23 15 8	22 25 26 11 15 21 11 10	19 20 20 8 12 19 11 8 -	9 11 9 4 5 11 5 6 -	11 14 20 9 11 5 2 3	9 6 8 6 2 6 2 4 1 1	4 6 9 4 5 1 -	4 1 4 3 1 1 1 -	2 1 3 2 1	5 4 6 4 2 3 1 2 -	62 63 64 65 66 67 68 69 70 71

Table 2-9. Deaths Under 1 Year, by Age, Race,

===	AREA, RACE, AND SEX	TOTAL. UNDER 1 YEAR	UNDER 1 HOUR	1-23 Hours	I DAY	2 Days	3 Days	4 DAYS	5 Days	6 Days
. 1	WASHINGTON	782	55	224	64	56	30	17	12	8
2 3 4 5 6 7 8 9 10 11 12	#ALE FEMALE NEGRO	455 327 689 402 287 46 30 16 47 23 24	39 16 48 35 13 2 2 - 5 2	128 96 196 112 84 16 12 4 12 4 8	41 23 58 36 22 5 5	28 47 25 27 2 5 1	15 15 29 14 15 1 1	6 11 16 5 11 1 1	9 3 11 8 3 - 1	35835111111
13	WEST VIRGINIA	524	41	184	64	36	11	6	5	1
14 15 16 17 18 19 20 21 22 23 24	MALE—— FEMALE—  MALE—— FEMALE—  NEGRO————————————————————————————————————	313 211 486 291 195 37 21 16 1	22 19 38 20 18 3 2 1	109 75 168 100 68 15 8 7 1	38, 26 62 36 26 2 2	18 18 34 17 17 17 1 2 1	7 4 11 7 4	4 2 6 4 2 	415411111	- 1 1 1 - 1
25	WI SCONSIN	906	121	259	77	49	30	15	14	16
26 27 28 29 30 31 32 33 34 35 36	MALE—— FEMALE—  WHI TE  MALE—— FEMALE—  FEMALE—  OTHER RACES—  MALE—— FEMALE—  FEMALE—  FEMALE—  FEMALE——	548 958 802 486 316 91 56 35 13 6	74 47 114 70 44 7 4 3 -	159 100 231 142 89 27 16 11 1	43 34 70 38 32 6 4 2 1	33 16 45 31 14 3 2 1	15 15 28 13 15 2 2	10 5 13 8 5 1 1 1	10 4 11 8 3 2 1	7914.68 2211
37	MADMING	112	13	44	9	2	6	1	2	-
38 39 40 41 42 43 44 45 46 47 48	MALE FEMALE NEGRO	58 54 108 56 52 2 1 1 2	. 3 10 13 3 10 	25 19 44 25 19 - - -	6 3 7 5 2 1 1 1	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	516551	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ווווווווווווווווווווווווווווווווווווווו

	A. OIIIO	d Didici	una i		10, 101		· ·	-		·			<del></del>	,		=
UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	MONTHS	7 Months	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	,
466	40	31	16	553	60	46	46	22	16	11	5	6	8	5	4	1
269 197 413 238 175 32 23 9 21 8	24 16 36 22 14 1 1 - 3	18 13 29 17 12 - - - 2 1	10 6 11 7 4 4 2 2 1	321 232 489 284 205 37 26 11 27 11	35 52 52 29 23 2 1 1 6 5	31 15 41 29 12 1 - 1 4 2	26 20 38 22 16 4 2 2 4 2	15 7 19 12 7 1 1 1 - 2 2	7 9 14 7 7 - - 2	6 5 10 6 4 - - 1 1	2 3 4 2 2 1 1 -	3 6 3 3 - - -	35835	32532	31 32 11 11 11	2 3 4 5 6 7 8 9 10 11
348	20	5	11	384	33	30	24	16	10	8	5	9	. 2	2	1	13
202 146 325 188 137 22 13 9	13 7 18 12 6 2 1 1	23523-1	7 4 11 7 4 - -	224 160 359 209 150 24 14 10 1	20 13 29 16 13 4 4	24 6 26 22 4 4 2 2	15 9 23 15 8 1 - 1	7 9 16 7 9  	6 4 10 6 4 - - -	53.8 5 3	2 3 3 2 1 2 2	63 77 52 22 11 	1 1 2 1 1 - - -	2 2 2	1 1 1 	14 15 16 17 18 19 20 21 22 23 24
581	38	24	17	660	60	55	36	25	17	8	10	10	9	8	8:	25
351 230 526 316 210 51 32 19 4 3	26 12 35 23 12 3 3 -	14 10 21 12 9 3 2 1	5 12 16 5 11 1 - 1 -	396 264 598 356 242 58 37 21 4	35 25 48 31 17 11 4 7	34 21 46 28 18 7 5 2 2	24 12 31 22 9 5 2 3 -	15 10 24 15 9 1 -	12 55 13 8 5 3 3 - 1 1	5363322	5 5 7 4 3 1 1 - 2	7 3 8 5 3 1 1 - 1	6 3 7 5 2 1 1 - 1	53853	4 4 6 4 2 1 - 1 1	
77	5	4	1	87	8	3	4	3	-	3	2	-	1	-	1	37
42 35 75 41 34 1 1	3 2	2 2 4 2 2	1 1	47 40 85 46 39 1 1 -	4 4 7 4 3 1 - 1 -	3 -2 2 2 	3 1 4 3 1	3 3	-	3 3 - 3 - - - -	1 1 2 1 1		1 1		1 1	38 39 40 41 42 43 44 45 46 47 48

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973

	<u> </u>	y Age a		101 11				,10						
AREA, AGE, AND COLOR		TOTAL	JAN.	FEB.	MAR.	APR.	МАЧ	JUNE	JULY	AUG.	SEPT.	ост.	NOV.	DEC.
UNITED STATES						:								
BOTH SEXES														
UNDER 1 YEAR		55,581	5,204	4,517	4,693	4, 537	4,574	4,353	4,789	4,664	4,534	4,621	4,466	4,629
	WHITE ALL OTHER	40,239 15,342	3,703 1,501	3,186 1,331	3,426 1,267	3,288 1,249	3,356 1,218	3,178 1,175	3,479	3,408 1,256	3,264 1,270	3,337	3,259 1,207	3,355 1,274
UNDER 28 DAYS		40,664	3,467 2,586	3,076	3, 352 2, 505	3,331 2,497	3,480 2,583	3,356 2,486	3,808 2,801	3,665 2,717	3,477	3,375 2,486	3, 133 2, 340	3,144 2,377
UNDER 7 DAYS	ALL OTHER	10,463	881	2+279 797	847	834	897 3,119	870 2,981	1,007	948 3+246	933	889	793	767 2•731
	WHITE ALL OTHER	35,859 26,703 9,156	2,289 760	2,701 1,994 707	2,966 2,225 741	2,224 729	2,324 795	2,217 764	2,478 887	2,402 844	2,250 806	2,160 779	2,065 688	2,075 656
UNDER 1 HOUR	WHITE	5,054 3,828 1,226	432 331 101	344 249 95	437 319 118	440 336 104	436 329 107	408 310 98	456 353 103	451 341 110	436 319 117	437 334 103	374 297 77	403 310 93
1-23 HOURS	WHITE	17,589 12,822 4,767	1,523 1,099 424	1,339 983 356	1,439 1,069 370	1,443 1,049 394	1,599 1,176 423	1,508 1,096 412	1,643 1,181 462	1,551 1,103 448	1,468 1,097 371	1,432 1,037 395	1,334 967 367	1,310 965 345
1 DAY	WHITE	5,448 4,120 1,328	454 353 101	413 314 99	495 380 115	419 337 82	462 357 105	423 313 110	517 387 130	523 403 120	463 324 139	444 325 119	415 314 101	420 313 107
2 DAYS	WHITE	3,552 2,788 764	292 239 53	305 235 70	273 209 64	286 230 56	287 224 63	287 230 57	329 257 72	311 238 73	324 244 80	282 210 72	283 227 56	293 245 48
3 DAYS	WHITE	1,726 1,290 436	138 111 27	117 80 37	141 109 32	149 113 36	140 102 38	143 106 37	175 129 46	163 127 36	156 114 42	135 94 41	145 111 34	124 94 30
4 DAYS	WHITE	1,034 790 244	89 69 20	74 56 18	74 60 14	86 64 22	88 69 19	83 60 23	111 73 38	96 72 24	91 66 25	91 75 16	70 55 15	81 71 10
5 DAYS	WHITE	828 618 210	65 47 18	62 47 15	66 46 20	74 57 17	52 31 21	78 65 13	79 59 20	88 70 18	66 48 18	61 43 18	77 56 21	60 49 11
6 DAYS	WHITE	628 447 181	56 40 16	47 30 17	41 33 8	56 38 18	55 36 19	51 37 14	55 39 16	63 48 15	52 38 14	57 42 15	55 38 17	40 28 12
7-13 DAYS	WHITE	2,424 1,818	195 146	168 131	199 146	178 133	185 134	188 130	227 164	231 183	236 174	229 181	180 134	208 162
14-20 DAYS	ALL OTHER	606 1,311 938	49 114 81	37 119 85	53 110 80	45 99 72	51 115 80	58 97 75	63 120 93	48 99 73	107 71	48 113 77	107 76	46 111 75
21-27 DAYS	ALL OTHER	373 1,070 742	33 109 70	34 88 69	30 77 54	27 101 68	35 61 45	22 90 64	27 96 66	26 89 59	36 78 49	36 94 68	31 93 65	36 94 65
28-59 DAYS	ALL OTHER	328 3,791	39 426	372	23 333	33 282	16 289	26 268	30 293	30 263	29 291	26 32I	28 315	29 338
	WHITE ALL OTHER	2,512 1,279	288 138	209 163	229 104	181 101	204 85	193 75	190 103	187 76	194 97	209 112	215 100	213 125
2 MONTHS	WHITE	2,908 1,937 971	338 202 136	255 157 98	285 200 85	266 175 91	178 127 51	182 122 60	140 96 44	208 146 62	216 146 70	241 170 71	299 203 96	300 193 107
3 MONTHS	WHITE	2, 141 1, 444	268 169	204 130	205 147	180 127	172 111	119 85	120 79	124	148	180 127	194 137	227 144
4 MONTHS	ALL OTHER	697	99	74	58 130	53 121	61	34 92	41 87	39 92	45 71	53 122	139	83 174
4 MUX INS	WHITE	982 493	169 109 60	162 106 56	88 42	74 47	76 40	68 24	65 22	56 36	50 21	91 31	81 58	118 56
5 MONTHS	WHITE	1.079 726 353	119 86 33	129 77 52	87 51 36	85 59 26	67 51 16	75 45 30	80 56 24	56 36 20	75 56 19	88 59 29	104 74 30	114 76 38
6 MONTHS		865	111	94	79	66	70	64	63	51	50	55	62	100
=	ALL OTHER	589 276	67 44	30	54 25	42 24	49 21	40 24	46 17	14	20	11	48 14	68 32
7 MONTHS	WHITE	670 453 217	81 45 36	49 35 14	63 41 22	53 31 22	63 48 15	50 34 16	56 41 15	41 28 13	45 29 16	49 34 15	52 37 15	68 50 18
8 MONTHS	WHITE	541 368	71 46	63 44	51 36	42 27	38 29	32 20	28 21	48 31	36 26	42 21	46 37	44 30
9 MONTHS	ALL OTHER	173 486	25 56	19 37	15 31	15 41	9 34	12 42	7 45	17 45	10 39	49	31	14 36
	WHITE ALL OTHER	351 135	34 22	31 6	22 9	29 12	29 5	- 34 8	33 12	31 14	26 13	33 16	22 9	27 9
10 MONTHS	WHITE	478 328 150	48 33 15	41 28 13	38 25 13	39 23 16	34 26 8	38 27 11	36 26 10	36 27 9	44 31 13	47 29 18	40 28 12	37 25 12
11 MONTHS	WHITE	483 348	50 38	35 26	39 28	31 23	33 23	35 24	33 25	35 27	42 29	52 34	51 37	47 34
	ALL OTHER	135	12	9	11	8	10	lii	l É	В	13	18	14	13

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973—Con.

by Age and Sex for the United States: 1973-Con.														
AREA, AGE, AND COLOR		TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	вст.	NOV.	DEC.
UNITED STATESCON-												-		
MALE														
UNDER I YEAR	i 	31,986	3,014	2,614	2,701	2,593	2,690	2,540	2,705	2,646	2,614	2,663	2,511	2,695
	WHITE	23,414 8,572	2,185 829	1,863 751	2+001 700	1,898 695	1,991 699	1+856 684	1,995 710	1,953 693	1,895 719	1,947 716	1,862 649	1,96B 727
UNDER 28 DAYS	WHITE	23,535 17,647 5,888	2,021 1,533 488	1,823 1,349 474		1,930 1,464 466	2.042 1.532 510	1,944 1,444 500	2,168 1,618 550	2,100 1,563 537	2,006 1,480 526	1,983 1,480 503	1,765 1,340 425	1,831 1,390 441
UNDER 7 DAYS		20,868	1,797	1,615		1,706	1,851	1,730	1,925	1,868	1,766	1,726	1,564	1,603
UNDER 1 HOUR	WHITE	15,671 5,197 2,832	1,370 427 254	1,189 426 196	1.309 408 244	1•304 402 240	1,383 468 247	1,286 444 222	1,438 487 233	1,393 475 271	1,311 455 239	1,282 444 255	1,187 377 205	1,219 384 226
1-23 HOURS	WHITE ALL OTHER	2, 148 684	204 50	145 51	179 65	182 58	186 61	165 57	179 54	204 67	172 67	195 6D	162 43	175 51
1-23 HBURS	WHITE	10,321 7,579 2,742	879 646 233	815 596 219	824 623 201	866 637 229	966 709 257	879 640 239	958 696 262	918 658 260	867 655 212	845 614 231	748 547 201	756 558 198
1 DAY	WHITE	3, 153 2, 406	274 212	248 185	300 233	226 189	268 212	248 189	298 228	287 229	265 180	260 192	234 179	245 178
2 DAYS	ALL OTHER	747 2,129	62 179	63 177	67 176	37 176	56 170	59 174	70 191	58 174	85 183	68 166	55 170	67 193
3 DAYS	WHITE	1,680 449 1,007	146 33 90	136 41 74	137 39 85	143 33 84	131 39 85	137 37 70	153 38 94	130 44 92	142 41 92	131 35 78	135 35 86	159 34 77
	WHITE	766 241	71 19	52 22	67 18	65 19	65 20	51 19	72 22	74 18	68 24	54 24	68 18	59 18
4 DAYS	. WHITE	601 481 120	50 41 9	40 31 9	38 30 8	46 37 9	55 44 11	59 43 16	70 48 22	52 40 12	55 44 11	51 46 5	40 37 3	45 40 5
5 DAYS	WHITE	480 363	39 28	34 25	33 25	42 33	32 17	50 40	49 39	45 35	35 27	36 27	49 37	36 30
6 DAYS	ALL OTHER	117 345	11 32	9 31	8 17	9 26	15 28	10 28	10 32	10 29	8 30	9 35	12 32	6 25
	WHITE	248 97	22 10	19 12	. 15 2	18 8	19 9	21 7	23 9	23 6	23 7	23 12	22 10	20 5
7-13 DAYS	WHITE	1,362 1,047	97 73	97 77	105 76	106 80	99 81	105 74	133 97	129 101	137 100	135 111	100 81	119 96
14-20 DAYS	ALL OTHER WHITE	315 712 518	24 73 53	20 65 45	29 55 40	26 56 38	18 60 44	31 54 44	36 58 47	28 54 39	37 63 44	24 65 46	19 52 40	23 57 38
21-27 DAYS	ALL DTHER	194 593	20 54	20 46	15 45	1B 62	35 35	10 55	11 52	15 49	19 40	19 57	12 49	19 52
	WHITE ALL DTHER	411 182	37 17	38	29 16	42 20	24 8	40 15	36 16	30 19	25 15	41 16	32 17	37 15
28-59 DAYS	WHITE	2,121 1,438	247 173	198 115	189 134	160 104	166 119	156 113	153 103	155 112	155 104	182 118	173 123	187 120
a hantus	ALL OTHER	683	74	83	55	56	47	43	50	43	51	64	50	67
2 MONTHS	WHITE	1,699 1,149 550	195 121 74	154 99 55	166 123 43	151 98 53	104 73 31	118 78 40	81 57 24	118 85 33	133 92 41	133 97 36	163 110 53	183 116 67
3 MONTHS		1,231	157	123	118	100	103	88	67	69	90	93	113	130
	WHITE	853 378	100 57	80 43	89 29	69 31	70 33	50 18	45 22	52 17	63 27	66 27	81 32	88 42
4 MONTHS	WHITE	829 553	104 68	84 56	73 47	66 43	70 43	53 40	40 28	54 33	40 32	65 49	79 47	101 67
5 MONTHS	ALL OTHER	276	36	28	26	23	27	13	12	21	8	16	32	34
3 UNI (1/2	WHITE	597 412 185	63 45 18	62 38 24	52 32 20	42 29 13	37 27 19	45 26 19	53 42 11	24 16 8	46 35 11	45 31 14	62 43 19	66 48 18
6 MONTH:		499	63	52	45	34	43	42	36	25	29	28	40	62
	WHITE	336 163	37 26	38 14	30 15	19 15	28 15	25 17	25   11	17 8	15 14	22 6	33   7	47 15
7 MONTHS	WHITE	387 268	46 27	30 23	41 25	30 16	43 35	31 20	29 20	24 19	24 17	24 18	29 22	36 26
8 MONTHS	ALL OTHER	119 317	19 41	7 34	16 37	14 23	8 26	11	· 9	5	7	6	7	10
a muy in 2	WHITE	217 100	27 14	26 8	25 12	17	20	B 9	16 12 4	26 18 8	18 11 7	25 13 12	25 20 5	29 20 9
9 MONTHS		251	24	22	19	20	15	23	24	22	26	27	10	19
	WHITE	185 66	14 10	18	14	15 5	13	21	20 4	17 5	16 10	16 11	8   2	13 6
10 HONTHS	WHITE	258 167	27 19	19	18 13	21 12	21 15	22 15	22 13	15	25 16	29 20	18 12	21 12
11 MONTUC	ALL OTHER	91	8	8	5	9	6	7	9	6	9	9	6	9
11 MONTHS	WHITE	262 189 73	26 21 5	13 10 3	21 15 6	16 12 4	20 16 4	21 16 5	16 12 4	14 12 2	. 22 . 14 . 8	29 17 12	34 23 11	30 21 9
	···•·· •	,,	- •	- 1	٠,	• •	• •	- '	• •	-	٠,	'	'	•

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973—Con.

		·											
AREA, AGE, AND COLOR	TOTAL	.MAL	FEB.	MAR.	APR.	МАУ	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATESCON.													
FEMALE													
UNDER 1 YEAR	23, 595	2,190	1,903	1,992	1,944	1,884	1,813	2,084	2,018	1,920	1,958	1,955	1,934
WHITE	16,825	1,518	1,323		1,390	1,365	1,322	1,484		1,369	1,390	1,397	1+387
ALL OTHER UNDER 28 DAYS	6,770 17,129	1,446	1,253		554 1,401	519 1,438	1,412	1,640	1,565	551 1,471	568 1,392	558 1,368	547 1,313
ALL OTHER	12,554 4,575	1,053	930 323	379	1,033 368	1,051 387	1+042 370	1+183 457	1,154	1,064 407	1,006 386	1,000 368	987 326
UNDER 7 DAYS	14,991 11,032 3,959	1,252 919 333	1,086 805 281	916 333	1,247 920 327	1,268 941 327	1,251 931 320	1,440 1,040 400	1,378 1,009 369	1,290 939 351	1,213 878 335	1+189 878 311	1,128 856 272
UNDER 1 HOUR	2,222 1,680 542	178 127 51	148 104 44	193 140 53	200 154 46	189 143 46	186 145 41	223 174 49	180 137 43	197 147 50	182 139 43	169 135 34	177 135 42
1-23 HOURS	7, 268 5, 243 2, 025	644 453 191	524 387 137	615 446 169	577 412 165	633 467 166	629 456 173	685 485 200	633 445 188	601 442 159	587 423 164	586 420 166	554 407 147
. 1 DAY	2,295 1,714 581	180 141 39	165 129 36	195 147 48	193 148 45	194 145 49	175 124 51	219 159 60	236 174 62	198 144 54	184 133 51	181 135 46	175 135 40
2 DAYS	1,423 1,108	113 93	128 99	97 72	110 87	117 93	113 93	138 104	137 108	141 102	116 79	113 92	100 86
3 DAYS	315 719 524	20 48 40	29 43 28	25 56 42	23 65 48	24 55 37	20 73 55	34 81 57	29 71 53	39 64 46	37 57 40	21 59 43	14 47 35
ALL OTHER 4 DAYSWHITE	195 433 309	8 39 28	15 34 25	14 36 30	17 40 27	18 33 25	18 24 17	24 41 25	18 44 32	18 36 22	17 40 29	16 30 18	12 36 31
5 DAYS	124 348 255	11 26 19	9 28 22	6 33 21	13 32 24	8 20 14	7 28 25	16 30 20	12 43 35	14 31 21	11 25 I6	12 28 19	5 24 19
6 DAYS	93 283 199	7 24 18	6 16 11	12 24 18	8 30 20	6 27 17	3 23 16	10 23 16	8 34 25	10 22 15	9 22 19	9 23 16	5 15 8
7-13 DAYS	1,062	6 98	71	6	10	10	7	7	9	7	3	7	7
WHITE ALL OTHER	771 291	73 25	54 17	94 70 24	72 53 19	86 53 33	83 56 27	94 67 27	102 82 20	99 74 25	94 70 24	80 53 27	89 66 23
14-20 DAYS	599 420 179	41 28 13	54 40 14	55 40 15	43 34 9	55 36 19	43 31 12	62 46 16	45 34 11	44 27 17	48 31 17	55 36 19	54 37 17
21-27 DAYS	477 331 146	55 33 22	42 31 11	32 25 7	39 26 13	29 21 B	35 24 11	44 30 14	40 29 11	38 24 14	37 27 10	44 33 11	42 28 14
28-59 DAYS	1,670 1,074	179 115	174 94	144 95	122	123 85	112 80	140 87	108 75	136	139 91	142 92	151 93
ALL OTHER	596	64	80	49	45	38	32	53	33	46	48	50	56
HITE	1, 209 788 421	143 81 62	101 58 43	119 77 42	115 77 · 38	74 54 20	64 44 20	59 39 20	90 ° 61 29	83 54 29	108 73 35	136 93 43	117 77 40
3 MONTHS	910 591	111 69	81 50	87 58	80 58	69 41	51 35	53 34	55 33	58 40	87 61	81 56	97 56
ALL OTHER	319 646	42 65	. 31 78	29 57	22 55	28 46	16 39	19 47	22 38	18 31	26 57	25 60	41 73
WHITEALL OTHER	429 217	41 24	50 28	41 16	31 24	33 13	28 11	37 10	23 15	18 13	42 15	34 26	51 22
5 MONTHS	482 314 168	56 41 15	67 39 28	35 19 16	43 30 13	30 24 6	30 19 11	27 14 13	32 20 12	29 21 8	43 28 15	42 31 11	48 28 20
6 MONTHS	366 253	4B 30	42 26	34 24	32 23	2 <b>7</b> 21	22 15	27 21	26 20	21 15	27	22 15	38 21
ALL OTHER 7 MONTHS	283	18 35	16 19	10 22	9 23	6 20	7 · 19	6 27	6 17	6 21	5 25	7 23	17 32
WHITE ALL OTHER	185 98	18 17	1.2 7	16 6	15 8	13 7	14 5	21 6	9 8	12	16	15 8	24
B MONTHS	224 151 73	30 19 11	29 18 11	14 11 3	19 10 9	12 9 3	15 12 3	12 9 3	22 13 9	18 15 3	17 8 9	21 17 4	15 10 5
9 MONTHS	235 166	32 20 12	15 13	12 8	21 14	19 16	19 13	21 13	23 14	13 10	22 17	21 14	17 14
LO MONTHS	220	21	22	4 20	7 18	13	6 16	8 14	9 21	19	5 18	7 22	ie 3
ALL OTHER	161	14 7	17 5	12 8	11 7	11 2	12	13	18	15	9	16	13
11 MONTHSALL OTHER-	221 159 62	24 17 7	22 16 6	18 13 5	15 11 4	13 7 6	14 8 6	17 13 4	21 15 6	20 15 5	23 17 6	17 14 3	17 13 4

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

		ige dia	DON 10	1 1110				5 COII	· ====					
AREA, AGE, AND COLOR		TOTAL	_NAL	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ост.	NDV.	DEC.
UNDER 1 YEAR	MHITE ALL OTHER WHITE ALL OTHER	1,314 680 634 890 501 389	143 63 80 72 40 32	133 65 68 71 44 27	107 61 46 72 42 30	100 53 47 68 39 29	92 53 39 72 44 28	107 64 43 81 51 30	100 53 47 80 43 37	104 51 53 72 34 38	109 57 52 85 46 39	112 53 59 83 42 41	102 51 51 72 40 32	105 56 49 62 36 26
ALASKA UNDER 1 YEAR UNDER 28 DAYS	WHITE ALL OTHER ALL OTHER	131 85 46 90 65 25	12 9 3 9 7 2	12 7 5 6 4 2	17 9 8 13 9	12 6 6 7 5	14 11 3 8 7	5 - 4 1 5 4	11 5 6 7 5 2	8 6 2 6 4 2	8 6 2 6 4 2	9 6 3 6 4 2	8 7 1 6 5	15 9 6 11 7 4
UNDER 1 YEAR	WHITE ALL OTHER WHITE ALL OTHER	584 454 130 391 322 69	52 40 12 28 23 5	46 34 12 26 22 4	51 41 10 30 26 4	39 34 5 24 22 2	38 28 19 27 21 6	44 35 9 33 27 6	50 35 15 36 28	51 41 10 41 36 5	47 35 12 29 24 5	50 41 9 38 30 8	54 43 11 34 29	62 47 15 45 34 11
UNDER 1 YEAR	WHITE	658 418 240 485 321 164	61 37 24 40 27 13	58 40 18 36 26 10	47 31 16 35 26	58 37 21 41 26 15	61 45 16 46 37 9	48 31 17 37 24 13	45 27 18 40 22 18	53 35 18 37 26	56 32 24 44 25 19	72 40 32 56 34 22	52 31 21 42 25 17	47 32 15 31 23 8
UNDER 1 YEAR————————————————————————————————————	WHITE	4,333 3,515 818 3,058 2,503 555	414 343 71 266 216 50	338 267 71 239 194 45	356 286 70 243 195 48	342 281 61 249 214 35	342 283 59 244 203 41	320 256 64 248 196 52	362 283 79 281 225 56	387 317 70 281 235 46	363 297 66 265 217 48	382 305 77 254 206 48	373 304 69 255 208 47	354 293 61 233 194 -39
UNDER 1 YEAR	WHITE ALL OTHER WHITE ALL OTHER	642 587 55 465 427 38	52 48 4 38 36 2	53 48 5 36 34 2	61 55 6 47 42 5	52 45 7 36 30 6	66 61 5 46 43 3	63 57 6 52 48 4	50 48 2 38 37	56 51 5 40 37 3	47 40 7 33 28 5	47 44 3 32 29 3	43 39 4 35 32 3	52 51 1 32 31 1
UNDER 1 YEAR	WHITE	551 440 111 415 340 75	61 50 11 45 38 7	38 30 8 28 23 5	48 31 17 41 26 15	36 29 7 28 22 6	40 30 10 33 25 8	46 39 7 40 34 6	42 38 4 36 32 4	52 36 16 42 32 10	42 33 9 30 26 4	46 38 8 18 16 2	59 52 7 48 42 6	41 84 7 26 24 2
UNDER 1 YEAR	WHITE	131 87 44 108 70 38	14 10 4 11 8 3	8 3 5 7 2 5	10 7 3 9 7 2	8 5 3 8 5 3	13 12 1 9 8 1	8 7 1 5 4	13 6 7 12 6	9 7 2 7 5	10 4 6 8 3 5	16 13 3 15 13	11 6 3 6 4 2	11 5 6 11 5 6
UNDER 28 DAYS	WHITE	276 36 240 208 27 181	26 2 24 16 -	29 1 28 23 1 22	15 3 12 11 2 9	22 4 18 18 4 14	20 2 18 14 2 12	30 8 22 22 22 7 15	21 4 17 18 3 15	19 19 18 -	24 2 22 17 2 15	22 2 20 18 1	27 3 24 18 2 16	21 5 16 15 3 12
UNDER 28 DAYS	WHITE	2,047 1,295 752 1,467 964 503	192 124 68 121 85 36	165 94 71 107 77 30	136 89 47 96 69 27	146 85 61 108 59 49	163 107 56 129 87 42	172 109 63 125 85 40	186 126 60 145 103 42	170 105 65 131 81 50	190 117 73 141 86 55	163 97 66 126 69	170 116 54 116 83 33	194 126 68 122 80 42
UNDER 1 YEAR	WHITE——— ALL OTHER— WHITE——— ALL OTHER—	1,628 866 762 1,091 633 458	168 85 83 94 56 38	126 54 72 73 44 29	150 86 64 100 60 40	125 64 61 82 50 32	133 62 71 93 45 48	121 75 46 90 58 32	136 85 51 108 66 42	130 64 66 102 53 49	151 82 69 111 62 49	153 87 66 92 53 39	116 63 53 78 47 31	119 59 60 68 39 29

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

AREA, AGE, AND COLOR		TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DCT.	NOV.	DEC.
HAWAII	, w. w.								-					
UNDER 1 YEAR	WHITE	207 53	17	14 2	19	26 5	14 5	15 2	18 4	25 9	16	15 2	11	17
UNDER 28 DAYS	ALL OTHER-	154 168	13	12 12	17 14	21 22	9 12	13 10	14	16 20	8	13	7	11 14
ONDER 20 DRIG	WHITE	45	4 9	2	2	4	4	1	14	8	16 8	12 1	9 2 7	5
IDAHD	ALL OTHER	123	9	10	12	18	8	9	10	12	8	11	,	9
UNDER 1 YEAR	WHITE	247 239	18 18	21 19	31 31	24 23	21 21	18 18	16 15	16 16	18 18	20 19	22 21	22 20
UNDER 28 DAYS		182	10	2 16	25	1 20	12	14	13	11	14	1 14	1 17	2 16
	WHITE ALL OTHER	177	10	15 1	25	19 1	12	14	12	11	14	13 1	17	15 1
ILLINOIS													ĺ	
UNDER 1 YEAR		3,410	323	248	258	323	294	272	298	283	293	287	264	267
	WHITE	2,197 1,213	210 113	150 98	178 80	191 132	183 111	177 95	182 116	193 90	183 110	195 92	179 85	176 91
UNDER 28 DAYS	WHITE	2,550 1,690	225 146	188 115	195 139	253 151	220 137	218 143	248 156	214 149	225	205 150	175	184
	ALL OTHER	860	79	79	56	102	83	75	92	65	149 76	55	127 46	128 56
INDIANA														
UNDER 1 YEAR		1,536 1,258	142 116	106 88	133 110	142 122	127 107	122 93	132 112	135	104	135	126	132
UNDER 28 DAYS	ALL OTHER-	278 1, 150	26 104	18 71	23 95	20 110	29 97	29 84	20	116	80 24 79	106 29	103 23	105 27
DRUCK 25 DRIS	WHITE	953	84	58	61	96	78	64	112 94	121 105	61	99 86	84 73	94 73
7014	ALL OTHER	197	20	13	14	14	19	20	18	16	18	13	11	21
IOWA ·														
UNDER 1 YEAR	HHITE	619 598	52 50	53 49	49 47	63 62	69 58	45 45	58 55	50 49	52 50	45 42	48 48	44 43
UNDER 28 DAYS	ALL OTHER	21 473	2 42	4 39	2 36	1 51	2 43	- 36	3 47	1 39	2 42	38 38	30	1 30
	WHITE	458 15	41	36 3	34 2	50 1	42 1	36	45 2	38 1	41 1	36 2	30	29 1
KANSAS						•			!					_
UNDER 1 YEAR		498	54	40	35	37	50	24	58	44	45	31	36	44
	WHITE	433 65	50 4	32 8	27 8	31 6	42 8	20 4	53 5	40	39 6	26 5	32	41
UNDER 28 DAYS	WHITE	375 335	33 30	30 26	22 19	32 29	39 32	17 15	50 47	38 35	38	23	25	28 27
	ALL OTHER	40	30	4	3	· 3	7	2	3	3	34 4	19 4	22 3	1
KENTUCKY						1								
UNDER 1 YEAR	WHITE	903	78	82	85	78	65	67	86	68	69	76	69	80
	ALL OTHER	791 112	71 7	70 12	71 14	67 11	55 10	62 5	74 12	60 8	60 9	67 9	62 7	72 8
UNDER 28 DAYS	WHITE	666 586	59 54	48 43	56 46	51 44	57 47	49 45	66 56	60 53	55 49	61 53	52 48	52 48
	ALL OTHER	80	5	5	10	7	10	4	10	7	6	8	4	4
LOUISIANA												i		
UNDER 1 YEAR	WHITE	1,368 687	118 44	114 60	121 61	120 73	123 71	110 48	117 64	95 49	126 56	103 47	112 67	199 47
UNDER 28 DAYS	ALL OTHER	681 1,015	74 66	54 81	60 90	47 87	52 97	62 75	53 104	46 74	70 105	56 88	45 81	62 67
•	WHITE	546 469	28 38	46 35	52 38	56 31	58 39	36 39	57 47	38 36	47 58	43 45	50 31	35 32
MAINE					5					30		77	31	32
UNDER 1 YEAR		755					]							
UNICK I TEAR	WHITE	255 254	· 19	26 26	20 20	22 22	24 23	16 16	20 20	15 15	22 22	21 21	28 28	22 22
UNDER 28 DAYS	ALL OTHER	182	14	19	15	17	1 16	10	15	13	17	13	18	15 15
	WHITE	181	14	19	15	17	15 1	10	15	13	17	13	18	15
MARYLAND				ļ	]	ļ	ł	ļ				ſ		
UNDER 1 YEAR		834	75	65	67	83	78	67	73	67	76	62	69	52
	WHITE	537 297	50 25	44 21	42 25	56 27	54 24	46 21	38 35	46 21	44 32	40 22	46 23	52 31 21
UNDER 28 DAYS	WHITE	602 390	38 27	48 33	47 30	27 59 42	62 43	51 34	57 28	52 39	54 31	45 25	51 34	38 24
•	ALL OTHER	212	11	15	17	17	19	17	29	13	23	20	17	14
MASSACHUSETTS							-				}		ľ	
UNDER 1 YEAR	WHITE	1,106	102 86	88 75	88 72	97	93	104	103	98	92	87	75	79
HNDED 20 DAVC	ALL OTHER	139	16	75 13	73 15	83 14	85 8	92 12	91 12	89	79 13	81	64 11	ሉ <b>ஏ</b> 10
UNDER 28 DAYS	WHITE	855 746	80 67	63 56	67 52	75 64	69 63	81 71	87 77	82 74	80 70	64	54 47	53 45
	ALL OTHER	109	13	7	. 15	11	6	10	10	8	10	4	7	ŝ

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

	age and	DOX 10	, ine	<u> </u>		.5. 101		· 					
AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
MICHIGAN													
UNDER 1 YEAR	2,569 1,761	227 148	214 130	214 150	214 143	227 153	209 145	238 161	237 166	193 141	224 154	192 134	180 136
UNDER 28 DAYS	808 1,915	79 157	84 156	64 164	71 153	74 171	64 158	77 190	71 192	52 156	70 161	58 133	44 124
WHITE	1,341 574	108 49	98 58	115 49	109 44	1 14 57	114 44	131 59	131 61	113 43	118 43	90 43	100 24
MINNESOTA	] ]												i
UNDER 1 YEAR	816 777	79 76	68 62	60 54	85 82	85 82	55 51	71 68	72 70	59 59	52 48	59 57	71 68 3
UNDER 28 DAYS	612	3 59 58	6 41 39	6 47	3 68	68	4 37 35	3 53 52	54 53	 50 50	4 40 38	43 43	3 52 50
ALL OTHER	592 20	1	2	42 5	5 99	66	2	1	1	- -	2	43	2
MISSISSIPPI			-										
UNDER 1 YEAR	1,157 394	123	107 38	95 27	89 32	82 34	81 30	79 13	92 32	84 34	115 39	97 36	113 35
UNDER 28 DAYS	763 1 793 303	79 74 33	69 67 30	68 63 21	57 51 21	48 65 27	51 67 27	66 56 9	60 70 25	50 67 29	76 86 31	61 65 27	78 62 23
ALL OTHER		41	97	42	30	36	40	47	45	38	55	38	39
MISSOURI													
UNDER 1 YEAR	1,227 912 315	98 74 24	99 73 26	101 81 20	91 71 20	107 80 27	104 73 31	111 78 33	115 88 27	. 70 . 32	95 72 23	100 76 24	104 76 28
UNDER 28 DAYSWHITE	887 681	68 56	65 49	63 50	63 50	82 61	89 64	86 63	82 69	82 60	63 49	76 60	68 50
ALL GTHER	206	12	16	13	13	21	25	23	13	22	14	16	18
MONTANA UNDER 1 YEAR	200												
WHITE ALL OTHER	222 191 31	13 11 2	9 8 1	25 19 6	22 18 4	16 16	25 23 2	26 20 6	15 13 2	10 8	15 14 1	27 26 1	19 15 4
UNDER 28 DAYS	162 146	7	8	19 14	22 18	13 13	17 17	20 17	1 <u>1</u>	2 7 6	6	20 20	12 12
ALL OTHER	16	<u> </u> -	1	5	4		-	3	2	ī			-
NEBRASKA UNDER 1 YEAR													
MHITE	368 338 30	38 35 3	24 23 1	31 29 2	35 32	17 15	27 26	39 35	40 39	30 26	27 25 2	32 28	28 25
UNDER 28 DAYS	295 280	31 30	22 21	25 23	26 26	13 13	1 26 25	4 31 28	1 37 36	4 26 23	19 17	4 21 21	3 18 17
ALL OTHER	15	1	1	2		==	î	3	1	3	ž	-=	ĩ
NEVADA UNDER 1 YEAR	163	11	10	13	18	16	16	18	8	4	22	10	17
WHITE ALL OTHER	141	10	9	10	16	14	9	18	8	9	20	8 2	16 1
UNDER 28 DAYS	113	7 6	6 5 1	6 5	14 13	12 10	13 7	15 15	8 8	1 2 1 1	12 12	7 6	11 10
ALL OTHER	15	1	1	1	1	2	6	-	-	1	-	1	1
NEW HAMPSHIRE	,,,		18								_ ,		
UNDER 1 YEAR	191 188 3	12 12	18	16 16	15 14 1	18 18	13 13 -	11 11	21 20 1	14 13 1	16 16	16 16	21 21 -
UNDER 28 DAYS	146 145	9 9	14 .14	10 10	8	17 17	11 11	10 10	17 16	8 8	13 13	9	20 20
ALL OTHER	1	-	1	-		-	-	-	1	-	-	-	-
NEW JERSEY UNDER 1 YEAR	1,603	165	130	138	119	134	148	147	125	112	120	131	134
WHITEALL OTHER-	1+068 535	105	90 40	100 38	80 39	88 46	97 51	104 43	83 42	76 36	79 41	77 54	89 45
UNDER 28 DAYS	1.208 830	122 78	95 67	96 75	86 60	101 71	115 77	121 84	110 74	86 60	92 60	91 59	93 65
ALL OTHER NEW MEXICO	378	<del>44</del>	28	21	26	30	38	37	36	26	32	32	28
UNDER 1 YEAR	419	41	37.	30	28	27	32	30	28	39	49	44	34
WHITE ALL OTHER	332 87	37 4	33 4	24 6	20 8	17 10	29 3	25 5	22 6	32 7	36 13	33 11	24 10
UNDER 20 DAYS	265 222	22 21	19 18	20 16	18 15	18 15	23 20	20 18	20 16	26	29 22	32 26	18 13
ALL OTHER New York	43	1	1	4	Έ	3	3	2	4	4	7	6	5
UNDER 1 YEAR	4,068	381	329	351	312	339	330	359	321	345	330	337	334
WHITE ALL OTHER	2,886 1,182	253 128	246 83	244 107	228   84	240 99	228 102	247 112	227 94	250 95	249 B1	238 99	236 98
UNDER 28 DAYS	3,039 2,176	272 187	232 177	257 177	224 171	258 186	257 170	279 200	258 183	263 191	259 195	234 166	246 173
ALL OTHER	863 I	l 85 l	55	. 80	53	72	87	79	75	72	64	68	73

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	МДҮ	JUNE	JULY	AUG.	SEPT.	OCT.	NDV.	nec.
NORTH CAROLINA													
UNDER 1 YEAR	1,854	177	162	152	167	137	145	154	129	150	138	162	181
WHITE ALL OTHER-		101 76	85 77	93 59	98 69	83 54	84 61	89 65	66 63	87 63	85 53	101 61	93 88
UNDER 28 DAYS		96 60	103 60	103 62	118 75	105 67	111 70	131 78	113 57	110 63	109 67	109 71	123 73
ALL OTHER-	- 528	36	43	41	43	38	41	53	56	47	42	38	50
NORTH DAKOTA													
UNDER 1 YEAR	- 159 - 140	18 16	12 9	14 13	9 8	11 9	16 15	17 16	12 10	9	11 10	14 12	16 15
UNDER 28 DAYS	- 19	2	3	1	1	2	1	I.	2	2	1	2	1
WHITE		14 12	5 4	9	8 7	7	11 11	12 12	7 6	9 7 2 6 5	8 7	11 9	12 12
ALL OTHER-	- 11	2	1	-	1	2	-	-	1	1	1	2	-
DHIO											!		
UNDER 1 YEARWHITE	- 2,788 - 2,214	262 208	202 146	246 193	242 196	237 188	216 174	222 175	239 196	217 172	236 192	204 164	265 210
ALL OTHER-	- 574	54	56	53	46	49	42	47	43	45	44	40	55
UNDER 28 DAYSWHITE	- 2,091 - 1,664	189 154	130 93	174 137	177 143	197 157	173 140	172 133	185 152	168 131	182 152	153 121	191 151
ALL OTHER-	- 427	35	37	37	34	40	33	39	33	37	30	32	40
DKLAHDMA													
UNDER 1 YEAR	- 664 - 546	51 42	45 34	58 49	59 47	50 43	40 34	74 65	60 48	55 44	41 33	65 51	66 56
ALL OTHER- UNDER 28 DAYS	- 118	9	11	9	12	7	٠ 6	9	12	11	В	14	10
WHITE		35 31	30 24	37 34	40 34	36 32	28 24	57 50	44 39	44 35 9	35 28	42 32	44 37
ALL OTHER-	- 72	4	. 6	3	6	4	. 4	. 7	5	9	7	10	7
OREGON -													
UNDER 1 YEAR	- 466 - 440	48 48	31 39	46 42	39 37	39 38	40 36	46 45	31 30	27	39 34	45 44	35 31
ALL OTHER-	- 26	37	1 19	4 33	2 26	1	4	1	,	25 2	5	1	4
WHITE		37	18	30	24	25 25	34 31	32 32	23 22 1	18 18	28 25	29 28	27 24
ALL DTHER-	- 17	· -	1	3	2	_	3	-	1	-	3	1	3
PENNSYLVANIA			•										
UNDER 1 YEAR	- 2,612 - 2,087	232 182	214 178	244 193	196 151	189 149	212 169	229 181	217 169	242 200	229 174	229 181	179 160
UNDER 28 DAYS		50 171	36 146	51 183	45 165	40 147	43 162	48 187	48 175	42 186	55	48	19
WHITE ALL OTHER-	- 1,601	137	124	146 37	127	115	131	147	141	157	163 122	172 136	131 118
•	-   301	34	46	3,	20	32	31	40	34	29	41	36	13
RHODE ISLAND													
UNDER 1 YEAR	- 209 - 194	18 13	18 16	15 15	18 17	16 16	19 19	14 14	19 14	19 18	24 24	16 15	13 13
UNDER 28 DAYS	- 15 - 167	5 16	2 12	11	1 17	- 12	14	13	5 18	1 15	22	1 9	8
WHITE .' ALL OTHER-	- 155	12	11	11	16 1	12	14	13	13	14	22	9	8
SOUTH CAROLINA	**		*	_	-	_	_	_	_	1	-	_	_
UNDER 1 YEAR	1									[			
WHITE	- 1,111 - 529	110 53	86 35	116 57	84 43	95 46	72 45	86 50	86 39	86 46	89 42	99 39	102 34
ALL OTHER-	- 582 - 755	57 61	51 52	59 71	41 57	49 69	27 56	36 64	47 65	40 64	47 63	60 66	68 67
WHITE ALL OTHER-		36 25	23 29	38 33	31 26	37 32	36 20	42 22	2B 37	36 28	32 31	30 36	26 41
SOUTH DAKDTA		"							٠,		21		
UNDER 1 YEAR	- 197			,,									
WHITE	- 150	22 18	10 9	14 13	17 11	13 10	11 9	23 18	21 15	14 10	29 17	8 7	15 13
UNDER 28 DAYS	144	18	1 6	1 9	6 10	3 12	. 9	5 18	6 15	4 10	12 22	1 5	2 10
WHITEALL OTHER-		16 2	6	9 -	9	9	9 -	14	13	8 2	14 8	5	9
TENNESSEE										_	_		_
JNDER 1 YEAR			120									445	
WHITE		120 82	128 93	120 80	107 79	109 78	83 53	106 75	111 73	91. 61	103 76	119 85	114 74
INDER 28 DAYS	- 402 - 966	38 77	35 87	40 85	28 81	31 87	30 65	31 83	38 90	30 73	27 76	34 91	40 71
WHITE ALL OTHER-		53 24	66 21	57 28	61 20	63 24	44 21	59 24	62 28	48 25	58	63 28	47 24
TEXAS	205	''	-1	-"	20	-7		47	20	62	18	د°	47
					1						ļ	1	
JNDER 1 YEAR	4,026 3,095	387 294	338 250	341 266	279 216	332 251	319 243	338 261	366 292	376 297	319 241	280 222	351 262
ALL OTHER-		93 247	88 240	75 254	63 206	81 250	76 250	77 269	74 297	79 290	78 238	58 196	89 236
JNDER 28 DAYS													

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

*	<u> </u>		_==										
AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DCT.	. עמא	DEC.
<b>НАТ</b> И				}			:						
UNDER 1 YEAR	354	31	33	39	21	25	36	34	27	28	29	28	23
WHITE	337	26	31	39	21	23	36	32	23	28	28	28	22
UNDER 28 DAYS	17 252	5 18	2 26	28	14	2 18	25	2 24	17	21	1 23	22	1
WHITE	242	15	25	28	<b>1</b> 4	16	25	23	14	21	23	22	16 16
ALL OTHER	10	3	1	-	- 1	2	-	1	. 3	] -		-	-
VERMONT	( (			l			] ]			Į Į			
	ĺĺ	[	.	[					· ·	٠,			
UNDER 1 YEARWHITE	109	12	11	10 10	4	8 8	7 7	7 7	10	9 9	10	10 10	11
ALL OTHER	} 102	12	11	10		-	iI		10	i - i	10	-	11
UNDER 28 DAYS	78	8	7	8	4	7	5	6	7	6	.7	5	8
· WHITE	[ 78 [	8	7	8	4	7	5	6	7	.6	7	- 5	В
ALL OTHER	-	i ~ !	_	.	_	_	} '-}	-	_	[ - [	-	_	
VIRGINIA	{						-		Į	ii	' {		
UNDER I YEAR	1,316	123	98	117	120	104	86	109	. 115	92	122	109	121
WHITE ALL OTHER	874   442	82 41	66 32	83	77 43	70 34	54 32	71 38	71 44	62   30	83 ( 39 (	6I	94
UNDER 28 DAYS	999	93	74	83	93	83	71	87	90	76	92	48 ' 72	27 .85
WHITE	683	66	52	60	63	55	42	56	56	52	68	41	72
ALL OTHER	316	27	22	23	30	28	29	31	34	. 24	24	31	13
<b>WASHINGTON</b>	i ' i						j j						
UNDER 1 YEAR	782	79	75	51	57	70	65	69	77	54	61	- 54	70
WHI TE	689	73	70	42	53	60	57	58	. 63	48	57	48	60
UNDER 28 DAYS	93	_6	5	9 34	4	10	8	11	14	6	4	6	10
WHITE	553 489	52 48	51 48	28	39 37	53 44	51 44	48 41	53 45	36 32	4B 46	35 t 29	53 47
ALL OTHER	64	4	3	6	2	9	7	7	8	4	2	-6	6
WEST VIRGINIA	ĺĺ	<b>i</b> i	j				)				1		
UNDER 1 YEAR	524	43	56	56	52	47	31	45	42	35	42 )	34	41
WHITE	486	40 1	51	55	43	46	31	40	40	31	39	31	39
UNDER 28 DAYS	38 384	3 29	5 32	1 45	. 9	1	26	5 39	2 30	22	3	3	2
WHITE	359	26	29	44	38 31	34 33	26	35	29	21	59 (	26 25 (	31 31
ALL OTHER	25	3	3	. 1	7	1	-	4	1	1	1	3	
WISCONSIN		[ [	[				ļ				Į	l	
UNDER 1 YEAR	906	]]	ا م	65	71	83	78	78	86	72		42	77
WHITE	802	82 71	80 76	57	61	74	71)	70	79	72 57	72	62 53	. 77
ALL OTHER	104	111	4	8	10	9	7	8	7	15	12	9	4
UNDER 28 DAYS	660 598	49 41	58 55	47 44	49 42	· 65 59	59   56	60 54	70 66	60 51	43 37	44 38	56 55
ALL OTHER	62	78	33	3	77	. 6	3	6	4	9	<sup>2</sup> 6	36	1
WYOMI NG							1					Ì	
UNDER 1 YEAR	112	8	10	11	12	10.	13	14	7	6	. 8	8	- 5
WHITE	. 108	8	. 8	îî	12	9	13	14	7	6	8	7 )	5
UNDER 28 DAYS	87	5	2	-	10	1	10		-	- [	- 6	. 1	
WHITE	85	3	6 5	ا و	10	8	10	11 11	6	5 5	6	- 7	4
ALL OTHER	ا عُوّا	[ - ]	ĩ	- ]		-	~_	72		1	<u> </u>	ĭ	
		1 1	1										

Table 2-11. Infant Mortality Rates for 65 Selected Causes: United States, 1968-73

[Rates are deaths under 1 year per 100,000 live births. rths. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	1973 <sup>1</sup>	1972 <sup>1,2</sup>	1971 <sup>1</sup>	1970 <sup>1</sup>	1969	1968
All causeg	1,771.8	1,847.0	1,911.7	2,001.1	2,085.2	2,178.
Diarrheal diseases	20.7	19.5	20,0	20.4	23.1	26.
Diarrheal diseases	*0.2	*0.1	*0.4	*0.2	*0.3	26.
Minuping coughing toughts 533	2.9	2.9	3.6	3.3	3.9	ŭ.
Tetamis	*0.1	-	*0.1	*0.2	*0.2	*o.
Septicemia	25.7	25.2	23.3	23.2	21.1	22.
Viral diseases		_				١ _
Viral diseases	6.9	6.7	7.6	7.3	7.5	7.
Congenital syphilis	*0.3 5.1	*0.1 6.0	*0.2 5.4	*0.3 6.2	0.6 6.8	*0. 7.
Weligment recoleges, including recoleges of lumphatic and hometopoietic ticones	4.3	. 4.5	4.3	4.4	4.5	4.
Benign neoplasms and neoplasms of unspecified nature210-239	1.5	1.7	2.1	2.0	1.9	2.
Diseases of thymns gland254	0.6	0.7	0.8	1.3	0.8	1.
Cystic fibrosis	2.5	2.8	3.0	3,1	3.5	3. 4.
Diseases of the blood and blood-forming organs————————————————————————————————————	7.5 15.7	6.7 15.8	6.1 14.9	3,8 15,7	4.4 15.3	15
menuagatas——————————————————————————————————	13.3	15.0	12.8	15.0	13.3	13
Acute upper respiratory infections	3.9	4.7	S.2	5.7	6.4	8 15
Bronchitis and bronchiolitis466,490,491 Influenza and pneumonia	7.6 113.5	11.6 132.9	14.6 151.9	15.7 168.9	15.9 198.3	225
Toffuenssere	1.7	1.0	1.2	2,2	3.5	3
Pneumonia	111.9	131.1	150.7	166.7	194.8	222
Other chronic interstitial gneumonia	1.2	0.7	0.7	0.6	0.5	0.
All ather dispesses of regrinators grators	16.8	15.9	17.0	18.0	16.6	16.
Hernia and intestinal obstruction 550-553,560 Gastritis, ducdentitis, enteritis, and collitis of nominfectious origin 550-553,561,563	15.2	15.0	14.6	16.8	17.7	18.
Gastritis, duodenitis, enteritis, and collits of nominfectious origin	1.6	1.4	1.3	1.1	1.6	1.
Other diseases of digestive system	20.7	11.0	п.8	11.3	12.0	11.
Googenital excomplies	285.4	290.3	299.8	301.7	314.1	315
Anencephalus740	25.0	26.1	25.9	26.9	26.6	27.
Spina bifida	14.2	16.1	17.9	18.0	19.0	21.
Congenital hydrocephalus	14.0 10.8	15.2 10.3	14.7 12.3	15.1 11.6	17.0 12.8	15. 12.
	106.9	113.2	112.5	119.0	123.8	124.
Other congenital anomalies of circulatory system	20.5	16.4	22.1	19.8	18.9	21.
Congenital anomalies of respiratory system748	18.3	13.6	13.0	11.8	14.0	12.
	14.8	19.1	20.0	19.3	22.0	23.
Congenital anomalies of genitourinary system	10.3	11.1	10.5	10.0	11.3	11.
Congenital anomalies of gentcorring system	9.7	8.6	10.2	10.0	9.5	9.
Idease (19.5)  Other congenital syndromes affecting multiple systems 759.0-759.2, 759.4-759.9	3.0 31.7	3.1 31.4	3.2 30.4	3.6 30.0	5.8 29.4	27.
Other and unspecified congenital annualise	6.2	6.1	7.1	6.8	6.0	5
Certain causes of mortality in early infancy	968.8	1,035.3	1 079 8	1,157.1	1,196.0	1,248
Character at more and continued name discass in mother	*0.3	*0.1	*0.2	*0.3	*0.5	1,550
515	اتما	9.8	10.6	12.3	13.4	13
Svph1116	*0.0	-	*0.1	s.0*	*0.1	*0.
Syphilis	4.6	5.1	5.9	7.1	6.9	6.
Withell # 1   1   1   1   1   1   1   1   1   1	*0.3	*0.5	*0.5	*0.4	0.6	0.
All other maternal conditions unrelated to pregnancy761.2,761.4-761.7,761.9	4.2	4.2	4.0	4.6	5.7	5, 
Toxenia of pregnancy	4.4	4.1	5,2	5.3	4,9	6.
MRECEDAL RICETURE AND INCREDENIM INDECTION(65)	6.1 14.3	6.0 17.1	6.5 14.8	7.5 18.0	6,7 24,1	7 20
TJ 681-11+ 1-1	,,,,,		4.8	6.6	10.6	6.
Difficult labor764-768		5.01	2.00	11.5	13.4	14
Difficult labor	4.1 10.2	5.0 12.0	10.0	11.0		
Mith mention of birth injury (.03)	4.1 10.2 110.1	12.0	122.5	131.7	147.8	
With mention of birth injury (.03)————————————————————————————————————	4.1 10.2 110.1 42.0	12.0 109.6 50.5	122.5 52.7	131.7 61.1	70.0	73.
Mith mention of birth injury (.03)————————————————————————————————————	4.1 10.2 110.1 42.0 9.4	12.0 109.6 50.5 12.1	122.5 52.7 11.5	131.7 61.1 12.2	70.0 13.7	159. 73. 11.
Mifficult labor————————————————————————————————————	4.1 10.2 110.1 42.0 9.4 59.0	12.0 109.6 50.5 12.1	122.5 52.7 11.5 56.9	131.7 61.1 12.2 57.6	70.0 13.7 47.0	73. 11. 58.
### ### ##############################	4.1 10.2 110.1 42.0 9.4 59.0 11.9	12.0 109.6 50.5 12.1 54.7 15.3	122.5 52.7 11.5 56.9 17.9	131.7 61.1 12.2 57.6 22.2	70.0 13.7 47.0 24.7	73 11 58 27
### All other complications of pregnancy and childbirth	4.1 10.2 110.1 42.0 9.4 59.0	12.0 109.6 50.5 12.1	122.5 52.7 11.5 56.9	131.7 61.1 12.2 57.6 22.2 142.1	70.0 13.7 47.0	73 11 58 27 130
### Prictical Liber	4.1 10.2 110.1 42.0 9.4 59.0 11.9 142.4 130.4	12.0 109.6 50.5 12.1 54.7 15.3 143.8 131.0	122.5 52.7 11.5 56.9 17.9 140.6 127.0	131.7 61.1 12.2 57.6 22.2 142.1 119.5	70.0 13.7 47.0 24.7 133.5 114.4	73 11 58 27 130 106
Mith mention of birth injury (.0.3)   Without mention of birth injury (.4,9)   Without mention of birth injury (.4,9)   Without mention of birth injury (.4,9)   Without mention of pregnancy and childbirth	4.1 10.2 110.1 42.0 9.4 59.0 11.9 142.4 130.4	12.0 109.6 50.5 12.1 54.7 15.3 143.8 131.0	122,5 52,7 11.5 56,9 17,9 140,6 127,0	131.7 61.1 12.2 57.6 22.2 142.1 119.5	70.0 13.7 47.0 24.7 133.5 114.4	73 11 58 27 130 106
Mith mention of birth injury (.0.3)   Without mention of birth injury (.4,9)   Without mention of birth injury (.4,9)   Without mention of birth injury (.4,9)   Without mention of pregnancy and childbirth	4.1 10.2 110.1 42.0 9.4 59.0 11.9 142.4 130.4	12.0 109.6 50.5 12.1 54.7 15.3 143.8 131.0	122.5 52.7 11.5 56.9 17.9 140.6 127.0	131.7 61.1 12.2 57.6 22.2 142.1 119.5	70.0 13.7 47.0 24.7 133.5 114.4	73 11 58 27 130 106
Hifficult labor	4.1 10.2 110.1 42.0 9.4 59.0 11.9 142.4 130.4	12.0 109.6 50.5 12.1 54.7 15.3 143.8 131.0 205.7	122.5 52.7 11.5 56.9 17.9 140.6 127.0 230.2	131.7 61.1 12.2 57.6 22.2 142.1 119.5 252.9 20.4	70.0 13.7 47.0 24.7 133.5 114.4 266.3 22.3	73 11 58 27 130 106 292 21
### ##################################	4.1 10.2 110.1 42.0 9.4 59.0 11.9 142.4 130.4 171.5 20.5 171.2 **0.0 14.4	12.0 109.6 50.5 12.1 54.7 15.3 143.8 131.0 205.7 20.9 191.2 **(0.1)	122.5 52.7 11.5 56.9 17.9 140.6 127.0 230.2 19.4 207.7 *0.1	131.7 61.1 12.2 57.6 22.2 142.1 119.5 252.9 20.4 234.6 *0.1	70.0 13.7 47.0 24.7 135.5 114.4 266.3 22.3 248.5 *0.1 12.0	73 11. 58 27 130 106 292 21 269 *0
Mith mention of birth injury (.03)   Without mention of birth injury (.4,.9)   .	4.1 10.2 110.1 42.0 9.4 59.0 11.9 142.4 130.4 171.5 20.5 171.2 *0.0	12.0 109.6 50.5 12.1 54.7 15.3 143.8 131.0 205.7 20.9 191.2	122.5 52.7 11.5 56.9 17.9 140.6 127.0 230.2 19.4 207.7 *0.1	131.7 61.1 12.2 57.6 22.2 142.1 119.5 252.9 20.4 234.6 *0.1	70.0 13.7 47.0 24.7 133.5 114.4 266.3 22.3 248.5 *0.1	73 11. 58 27 130 106 292 21 269 *0
Mith mention of birth injury (.03]   Without mention of birth injury (.4,.9)	4.1 10.2 110.1 42.0 9.4 59.0 11.9 142.4 130.4 171.5 20.5 171.2 *0.0 14.4 51.6	12.0 109.6 50.5 12.1 154.7 15.3 143.8 151.0 205.7 20.9 191.2 *0.1 13.7 49.7	122.5 52.7 11.5 56.9 140.6 127.0 230.2 19.4 207.7 *0.1 11.3 44.6	131.7 61.1 12.2 57.6 22.2 142.1 119.5 252.9 20.4 234.6 *0.1 13.2 46.0	70.0 13.7 47.0 24.7 135.5 114.4 266.3 22.3 248.5 *0.1 12.0 46.2	73 11. 58 27 130 106 292 21. 269 *0 12. 36
Mith mention of birth injury (.03)   Without mention of birth injury (.4,.9)   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.4,769.5,769.9   .769.0-769.2,769.2,	4.1 10.2 110.1 42.0 9.4 59.0 11.9 142.4 130.4 171.5 20.5 171.2 *0.0 14.4 51.6 51.6	12.0 109.6 50.5 12.1 54.7 15.3 143.8 131.0 205.7 20.9 191.2 *0.1 116.4 54.8	122.5 52.7 11.5 56.9 140.6 127.0 230.2 19.4 207.7 *0.1 11.3 44.6	131.7 61.1 12.2 57.6 22.2 142.1 119.5 252.9 20.4 234.6 *0.1 13.2 46.0	70.0 13.7 47.0 24.7 133.5 114.4 266.3 22.3 249.5 *0.1 12.0 46.2	73 111 58 27 130 106 292 21 269 *0 12 36
High continuous cont	4.1 10.2 110.1 42.0 9.4 59.0 11.9 142.4 130.4 171.5 20.5 171.2 *0.0 14.4 51.6	12.0 109.6 \$0.55 12.1 54.7 15.3 143.8 131.0 205.7 20.9 191.2 *0.1 116.4 54.8 16.6	122.5 52.7 11.5 56.9 17.9 140.6 127.0 230.2 19.4 207.7 *0.1 11.3 44.6	131.7 61.1 12.2 57.6 22.2 142.1 119.5 252.9 20.4 234.6 40.1 13.2 46.0 94.2 61.5	70.0 15.7 47.0 24.7 133.5 114.4 266.3 22.3 248.5 *0.1 12.0 46.2 89.1 67.4 21.3	73 111 58 270 106 292 211 269 *0 12 36
Mith mention of birth injury (.03)   Without mention of birth injury (.4,.9)   Without mention of birth injury (.4,.9)   Without mention of birth injury (.4,.9)   Without mention of birth injury (.4,.9)   Without mention of pregnancy and childbirth   .769.0-769.2,769.4,769.5,769.9   Conditions of placentz   .770.1   Without mention of cause   .771   Without mention of cause   .771   Without mention of cause   .772   Without mention of cause   .774,775   Willing membrane disease   .776,1   Without mention of cause   .776,1   Without mention of membrane disease   .776,2   .776,2   .776,2   .776,2   .776,2   .776,2   .776,2   .776,3	4.1 10.2 110.1 42.0 9.4 59.0 11.9 142.4 171.5 20.5 171.2 *0.0 14.4.1 55.9 15.5 10.7	12.0 109.6 \$0.5 12.1; 54.7 15.3 143.8 151.0 205.7 205.7 191.2 *0.1 13.7 49.7 116.4 54.8 16.6 12.5	122.5 52.7 11.5 56.9 17.9 140.6 127.0 230.2 19.4 207.7 *0.1 11.3 44.6 65.3 100.8	131.7 61.1 12.2; 57.6 22.2 142.1 119.5 252.9 20.4 234.6 *0.1 15.2; 46.0 94.2 61.5 16.9	70.0 15.7 47.0 24.7 133.5 114.4 266.3 22.3 248.5 *0.1 12.0 46.2 89.1 67.4 21.3 17.2	73 11 58 27 1300 1006 292 21 269 *0 12 36 84 72 22
High continuous cont	4.1 10.2 110.1 42.0 9.4 59.0 11.9 142.4 130.4 171.5 20.5 171.2 *0.0 14.4 51.6	12.0 109.6 \$0.55 12.1 54.7 15.3 143.8 131.0 205.7 20.9 191.2 *0.1 116.4 54.8 16.6	122.5 52.7 11.5 56.9 17.9 140.6 127.0 230.2 19.4 207.7 *0.1 11.3 44.6	131.7 61.1 12.2 57.6 22.2 142.1 119.5 252.9 20.4 234.6 40.1 13.2 46.0 94.2 61.5	70.0 15.7 47.0 24.7 133.5 114.4 266.3 22.3 248.5 *0.1 12.0 46.2 89.1 67.4 21.3	73 11. 58 27 130 106 292 21 269 *0 12 36

<sup>&</sup>lt;sup>1</sup>Excludes deaths of nonresidents of United States.
<sup>2</sup>Deaths based on 50-percent sample.

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,
[Numbers after causes of death are category numbers of the Eighth Revision

	CAUSE OF DEATH AND AGE	TOTAL	JANUARY	FEBRUARY	MARCH
1	UNDER 1 YEARALL CAUSES	55,581	5,204	4,517	4,693
2	DIARRHEAL DISEASES	648	67	51	44
3	DIARRHEAL DISEASES	5 90	1 7	- 9	15
5	TETANUS	3	1 82	59	
•		805			- 61
7 8	VIRAL DISEASES	216	25 l	18	15
9 10	OTHER INFECTIVE AND PARASITIC DISEASES—————————————————————————————————	160	15	18	12
11	HEMATOPOIETIC TISSUES	134 48	12 6	10	11 4
12	DISEASES OF THYMUS GLAND254 CYSTIC FIBROSIS273.0	20	1	-	3
13 14	CYSTIC FIBROSIS273.0	77 236	7 26	12   23	7
15 16	273-0   DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	492 417	44	32 25	43 42
		1			
17 18	ACUTE UPPER RESPIRATORY INFECTIONS	121 237	24 45	8 29	14 24
19 20	INFLUENZA AND PNEUMONIA	3,562 52	528	467	336
21	PNEUMONI A	3,510	21 507	16 451	332
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA517	38	3	-	3
23 24	ALL OTHER DISEASES OF RESPIRATORY SYSTEM————492,493,500-516,518,519 HERNIA AND INTESTINAL OBSTRUCTION—————550-553,560	526 477	52 50	46	49
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS			41	42
26	ORIGIN535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	49 335	2 35	35	5 28
27	CONGENITAL ANOMALIES	8,953	787	719	798
28 29	ANENCEPHALUS740   SPINA BIFIDA741	784     445	53   33	60 37	72   49
30	CCNGENITAL HYDROCEPHALUS742	439	39	34	40
31 32	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743,744 CONGENITAL ANOMALIES OF HEART746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	338 3,354	39 295	16 275	31 319
33		642	70	54	55
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM————————————————————————————————————	573	46	43	35
35 36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM752,753	465 324	48 25	40 30	33   21
37 38	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM754-756	305 95	35 11	21 13	26
39	UIBER CUNGENTIAL SYNDRUMES AFFECTING MULTIPLE	994	Į į	Į.	l
40	SYSTEMS	195	78 15	79 17	95 16
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778	30,391	2,586	2,258	2,486
42 43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY761	287	27	33	31
44 45	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	1 143	- 16	14	- 15
46 47		10			
**	YO PREGNANCY761.7.761.9	133	11	19	16
48	TOXEMIA OF PREGNANCY762	139	1C	14	13
49 50	HATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763 DIFFICULT LABOR764-768	190 448	14 39	16 38	17 41
51 52	DIFFICULT LABOR————————————————————————————————————	128 320	11	14	12
	'	320	28	24	29
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH769.0-769.2,769.4,769.5,769.9	3,455	264	235	302
54 55	CONDITIONS OF PLACENTA	1,318 295	91 25	107 20	84
56	BIRTH INJURY WITHOUT MENTION OF CAUSE772	1,852	147	120	24 143
57 58	CHILDBIRTH————————————————————————————————————	374 L 4,467	: 40 376	34 308	25 320
59	RESPIRATORY DISTRESS SYNDROME776.2	4,091	354	304	334
60	ASPHYXIA OF NEWBORN, UNSPECIFIED776.9	5,380	493	417	466
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE776.0,776.3,776.4	644	59	39	54
62 63	POSTMATURITY778-1	5,369 1	481 -	413	481
64 65	CLASSIFIABLE 776.0,776.3,776.4  IMPATURITY, UNQUALIFIED 778.1  PERCARMAGIC DISEASE OF NEWBORN 778.2  ALL OTHER CONDITIONS OF NEWBORN 778.9	453 I•619	40 124	30 122	37 113
66	SYMPTOMS AND ILL-DEFINED CONDITIONS	4,208	406	399	356
67	ACCIDENTSE800-6949	1,691	171	124	134
68	ART   ART   ART   ART	485	62	37	36
69 70	OTHER ACCIDENTAL CAUSES	336   870	33 76	31 56	33 65
71	HOMICIDE———————————————————————————————————	161	24	14	21
72	ALL CTHER CAUSESRESIDUAL I	1,472	145 1	112 1	124

From 65 Selected Causes, by Month: United States, 1973

APRIL	МАЧ	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
4,537	4,574	4,353	4,789	4,664	4.534	4.621	4,466	4+62
43	49	47	56	55 1 4	61	54 -	49	. 7
9 - 55	10 - 60	8 - 57	1 - 77	4 1 75	5	7 -	. 6	•
19	14	19	18	21 3	65 23°	67 16	63	: 1
16	2 14	6	16	3 10	. 13	· 10	9	1
18 9	8 2	15 6	10	16 5	12 3	8 4	5 2	٠.
3 3	2 6	2 9	. 2	1 3	- 7	3 5 20 45	1 2	1 2
3 15 53 34	16 38 27	18 35 32	16 39 38	16 36 33	19   44   35	20 45 37	28 43 40	, , , , , , , , , , , , , , , , , , ,
6 13	8 10	5 16	7 12	5 6	· 6	8	16 18	] 2 34
322 2	234	172	218	194	207	19 254 4	289 I	
320	234	172 3	218	194	206	. 250 , 5	288 4	33
46 41	38 33	33 39	32 38	53 38	29 48	52 36	49 36	4
25	5 22	3 39	2 20	5 27	. 6 25	7 27	. 2 20	3
701 63	727 80	728 .66 29	776 79 41	744 65 32	687 61	785 61	730 64	77
44 34 19 254	36 41 28	29 50 36	41 35 33 259	32 26 20 290	36 25 34	33 37 26 302	35 41 33	77 6 4 3 2 30
254 63	261 44	265 36	259 52	290 62	251 56	302 52	281 52	30 4
44 38 17	48 33	46 39	54 52	- 56 45	43 28	49 36	52 31	· 5
24 11	35 23 9	26 30 8	39 30 5	27 21 7	24 23 4	36 28 28 7	23 20 8	. 2
76 14	73 16	80 17	80 17	82 11	· 86	100 26	78 12	8
2,502	2,696	2,558	2,866 1	2,742	2.616	2,501 1	2,317	Z+26 2
21	28	2 30 1	16	2 <u>1</u>	18	24	16	
10	14 3	13	8 -	7	10 -	16 1	5 3	1
11	11 9	15 16	11	7	8 9	10	8 5	1
19 14 37 12	14 37 12	16 33 8	16 34 14	18 44 11	27 29 5	13 37 7	11 44 15	1 1 3
25	25	25	20	33	24	30	. 29	. 2
289 112	341 118 30 129	310 103 24 142	315 140 22 178	302 139 25 189	285 108 36	298 98 27 153	276 102 23 150	23 11 2 15
289 112 17 162 32	30 129 33	24 142 25	22 178 37	25 189 35	36 176 27	27 153 32	23 150 27	. 2 15 2
358 299	407 338	25 399 308	420 430	410 346	399 365	357 337	347 342	2 36 33
466	485	454	492	442	472	446	372	37:
51 467 1	57 497 -	62 458 -	57 505 -	66 490 -	46 430 -	50 434 -	. 368 -	5 34
35 121	39 133	35 141	45 147	47 160	43 146	35 149	40 142	2 12
333 139	314 122	269 133	275 133	274 149	323 144	354 157	420 142	48 14
38 27 74 11	38 30	30 26	46 27	38 25	41 21	34 33	38 25 79 9	. 4
74 11 113	38 30 54 10	30 26 77 13 88	13 13 113	25 86 13 130	41 21 82 13 125	34 33 90 8 132	79 9 151	47 25 71 12 136

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, [Numbers after causes of death are category numbers of the Eighth Revision

=	CAUSE DF DEATH AND AGE	TOTAL	JANUARY	FEBRUARY	MARCH
1	UNDER 28 DAYS-ALL CAUSES	40,664	3,467	3,076	3,352
2	DIARRHEAL DISEASES009 WHIDEPING COUGH	274	16	14	17
. 3 4	MHOCPING COUGH	-	1	- 1	7
5	HIDEPTON COUGH	1	-	-	
6		585	57	32	45
7 8	VIRAL DISEASES	· 69	5	4	5
9	OTHER INFECTIVE AND PARASITIC DISEASESREMAINDER OF OOG-136	53	4	4	3
10 11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	26 23	2 3	3 2	1 3
12	DISEASES OF THYMUS GLAND	2	_	_	_
13	CYSTIC FIBROSIS	17	2	1 10	3
14 15		124 183	13	10 11	10 I 12
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	42	8	3	8
17	ACUTE UPPER RESPIRATORY INFECTIONS 460-465  BRONCHITIS AND BRONCHIGLITIS 466,490,491  INFLUENZA AND PNEUMONIA 470-474,480-486  INFLUENZA - 470-474  PNEUMONIA 480-486	. 6	2	1	-
18 19	BRUNCHITIS AND BRUNCHIGHTIS	23 975	105	3 94	2 80
20 21	1NFLUENZA	4 971	1 104	1 93	1 79
			107	,,	[]
22 23	OTHER CHRONIC INTERSTITIAL PNEUMONIA-517 ALL CTHER DISEASES OF RESPIRATORY SYSTEM492,493,500-516,518,519	13 130		- 6	1 12
24 25	HERNIA AND INTESTINAL OBSTRUCTION	373	37	33	28
26	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	31 164	1 21	3 18	2 13
27	CONGENITAL ANOMALIES740-759	6,142	496	486	544
28 29	CONGENITAL ANOMALIES740-759 ANENCEPHALUS740 SPINA BIFIDA741 CCNGENITAL HYDROCEPHALUS742	771	52	60	69
30	CENGENITAL HYDROCEPHALUS742	261 227	14 22	21 19	25 23
31 32	DITHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743.744	228 2,055	26 156	9 168	25 192
33	CONGENITAL ANOMALIES OF HEART746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM747	420	48	30	32
34	CCNGENITAL ANOMALIES OF RESPIRATORY SYSTEM748	428	33	35	27
35 36	CCNGENITAL ANOMALIES OF RESPIRATORY SYSTEM 748 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM 749-751 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM 752,753	252 261	24 19	22 21	23 16
37	CONGENTIAL ANDMALIES OF MUSCULUSKELETAL SYSTEM	255	27	18	22
38 39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE	44	7	2	•
40	SYSTEMS759.0-759.2,759.4-759.9 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES745,757,758	797 143	58 10	67 14	75 11
41 42	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-760-769.2,769.4-772,774-778 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-760	30,137 8	2,561	2,239 -	2,469
43 44	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY761	283 1	27	32	31
45	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	141	16	13	15
46 47		9	_	7	-
••	TO PREGNANCY	132	11	19	16
48	TOXEMIA OF PREGNANCY———————————————————————————————————	138	10	14	13
49 50	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763	188 444	14	16 38	17 41
51	WITH MENTION OF RIPTH INJURY (.C. 3)	128	11	14	12
52	WITHOUT MENTION OF BIRTH INJURY (.44.9)——————————————————————————————————	316	27	24	29
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	3.443	264	235	302
54	CONDITIONS OF PLACENTA	1,312	90	106	84
55 56	CONDITIONS OF PLACENTA	293 1,838	25 142	20 128	24 143
57	HEMOLYTIC DISEASE OF NENBORN774,775	370	39	34	25
58 59	HEMOLYTIC DISEASE OF NENBORN	4,409 4,024	374 350	301 301	316 327
60	ASPHYXIA OF NEVRORN- UNSPECIFIED	5,364	491	417	465
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE			, ,	
62	CLASSIFIABLE 776.0,176.3,776.4  IMMATURITY, UNQUALIFIED 777 PCSTRATURITY 778.1	633 5,339	58 477	39 408	50 481
63	PCSTMATURITY————————————————————————————————————	1	39	· <del>-</del>	- 1
64 65	HEMORRHAGIC DISEASE OF NEWBORN	451 1,599	123	30 120	37 112
66	SYMPTOMS AND ILL-DEFINED CONDITIONS	615 180	54 17	57 16	47 13
67 68	TANKALAYINN AND THEORYTON OF COOR OR OTHER OR HEST SAMEINS			_	•
69	CBSTRUCTION OR SUFFOCATION	67 29	8 3	6 5	3 1
70	OTHER ACCIDENTAL CAUSESE800-E910,E914-E949	84 36	6	, 5	9
72	ALL CTHER CAUSESRESIDUAL	423	34	30	29
		•		•	•

From 65 Selected Causes, by Month: United States, 1973-Con. International Classification of Diseases, Adapted, 1965]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
3.331	3,480	3,356	3,808	3,665	3,477	3,375	3,133	3,144	1
24	22	19	27 - -	28	32 -	<del>3</del> 2 -	21	722	2   3
39	46	39	61	2 1 60	- 1 - 54	1 - 50	- 49	, _ 53	2 3 4 5 6
7 1 8	4 2 5	5	7 1 11	6 3 5	13 - 3	5 - 4	5 - 1	3 1 4	8 9
3 3	3 1	3 4	1 -	2 3	4	<u> </u>	2	_ 2	10 11
- 4 16 5	- 3 6 11 2	- 1 10 16 2	1  13 18 2	. 1 9 21 6	- 13 25 1	- 3 11 15 3	- 1 12 15 1	1 2 13 14 1	12 13 14 15 16
2 83 - 83	74	- 2 62 - 62	1 80 - 80	- 2 67 - 67	1 3 86 - 86	- 2 81 1 80	1 1 81 	1 1 82 - 82	17 18 19 20 21
13 30	- 9 26	2 10 33	2 11 29	3 19 31	2 9 37	_ 13 30	2 8 32	1 11 27	22 23 24
3 13	5 11	1 17	1 12	3 14	4 15	13	1 8	. 2	25 26
497 62 31 15 14 162 42	489 76 12 22 17 153 25	498 66 17 29 25 166 26	572 77 27 18 23 184 34	539 65 23 13 190 45	483 61 23 11 25 161 43	525 61 19 15 13 179	479 63 21 20 21 168 31	534 59 28 20 17 176 33	27 28 29 30 31 32 33
31 17 14 24	35 21 31 19 4	33 17 21 23 3	44 30 28 29 3	44 29 24 17 2	32 13 19 19	36 17 26 23 3	34 16 16 15 2	44 23 26 19 3	34 35 36 37 38
63 13	61 13	59 13	65 10	68 6	65 9	82 20	62 10	72 14	39 40
2,483 1 21  10	2,671 1 28 - 14 3	2,540 2 30 1 13 1	2,840 1 16 - 8	2,720 1 21 - 7 1	2, 594 - 18 - 10	2,481 1 23 - 15	2,300 - 16 - 5 3	2,239 20 15	41 42 43 44 45 46
11	11	15	8	. 13	8	7	8	5	47
19 14 37 12 25	9 14 37 12 25	16 16 32 . 8 24	11 15 34 14 20	7 18 43 11 32	8 27 29 5 24	10 13 37 7 30	5 10 44 15 29	16 14 34 7 27	48 49 50 51 52
288 112 16 162 30 357 290	338 118 30 128 33 397 397	306 103 24 142 25 395 305	314 139 22 176 36 413 422	302 138 25 188 35 405 343	284 108 36 176 27 391 356	297 97 26 153 32 354 331	275 102 23 149 27 345 337	238 115 22 151 27 361 326	53 54 55 56 57 58 59
464	485	453	491	440	470	444	370	374	60
51 465 1 34 121	57 494 - 39	62 454 - 35	57 504 - 45	64 485 - 47	46 429 - 43	48 432 - 35	50 365 - 40	51 345 - . 27	61 62 63 64 65
121 44 11	127 51 10	140 53 12	144 54 17	158 56 21	146 42 13	148 40 15	142 53 20	118 64 15	65 66 67
2 3 6 5 36	3 2 5 1 28	4 2 6 1 24	8 3 6 5 42	9 2 10 3 40	7 1 5 1 41	5 2 8 - 42	6 2 12 2 2 38		68 69 70 71 72

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth Revision

		fumpers am	er causes of death are	category numbers of	the Figure resistor
	CAUSE OF DEATH AND AGE	TOTAL	JANUARY	FEBPUARY	MARCH
1	28 DAYS TO 11 MONTHSALL CAUSES	14,917	1,737	1,441	1,341
2	DIARRHEAL DISEASES009 WHOOPING COUGH033	374	51	37	27
3	WHOOPING COUGH	5	1	-	14
5	MEN INGOCOCCAL INFECTIONS	. 81	6	8	-
6		220	25	27	16
7 B	VIRAL DISEASES	147	20	14	10
9	OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	107	1.5	1 14	9
10	MALIGNANT NEOPLASMS: INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES140-209	108	10	7	10
11	HEMATOPOIETIC TISSUES	25	3	1	1
12 13	DISEASES OF THYMUS GLAND254 CYSTIC FIBROSIS273.0	18	1	.=	3
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289 MENINGITIS320	60 112	13	11 13	4
15 16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	309 375	35 36	21 22	31 34
17					
1.8	ACUTE UPPER RESPIRATORY INFECTIONS	115 214	22 45	7 26	14 22
19 20	INFLUENZA AND PNEUMUNIA470-474, 480-486 INFLUENZA470-474	2 <sub>1</sub> 587 48	423 20	373 15	256 3
21	PNEUMONIA480-486	2,539	403	358	253
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA	25	3	-	2
23 24	HERNIA AND INTESTINAL OBSTRUCTION	396 104	43 13	40 8	37 14
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN535,561,563	18	1	1	3
26	OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	171	14	17	15
27	CONGENITAL ANOMALIES740-759	2,811	291	233	254
28 29	ANENCEPHALUS	13 184	1 19	16	3 24
30 31	CONGENITAL HYDROCEPHALUS	212	17	15	17
32	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743.744 CCNGENITAL ANOMALIES OF HEART746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM747	110 1,299	13 139	107	127
33		222	22	24	23
34 35	CONGENITAL ANGUALIES OF RESPIRATORY SYSTEM	145	13	.8	.8
36	CINGENTIAL ANUMALIES OF RESTIRATORY SYSTEM	213 63	24	18   9	10
37 38	DCMM'S DISEASE	50 51	8 4	3 11	4 2
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS759.0-759.2.759.4-759.9		ļ .		20
40	SYSTEMS759.0-759.2,759.4-759.9 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-745,757,758	197 52	20 5	12 3	5
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778	254	25	19	17
42 43	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER————————————————————————————————————	1			-1
44.	SYPHILIS	-1	] [	<u>.</u>	=
45 46	CHRONIC CIRCULATORY AND GENTIOURINARY DISEASES IN MOTHER —	2 1		<u>.</u>	
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY761.7,761.9	1	:	_	_ [
48	TOXEMIA OF PREGNANCY762		]	_	-1
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763	1 2		<u>-</u>	<b>_</b> _
50 · 51	DIFFICULT LABOR	4	1 1	-	5
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	. 4	1	-	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND				i
54	CHILDBIRTH 769.0-769.2,769.4,769.5,769.9  CRODITIONS OF PLACENTA-7710.  CENDITIONS OF UMBILICAL CORD 7711  BIRTH INJURY MITHOUT MENTION OF CAUSE 7712  HEMOLYTIC DISEASE OF NEMBORN 774,775	12	-	- i	<b>=</b>
55 56	CCNDITIONS OF UMBILICAL CORD771 BIRTH INJURY WITHOUT MENTION OF CAUSE772	2 14		-	-
57	HEMOLYTIC DISEASE OF NEMBORN774,775	4	1	-[	71
58 59	HYALINE MEMBRANE DISEASE——————————————————————————————————	58 67	2 6	7 3	4 7
60	ASPHYXIA OF NEWBORN, UNSPECIFIED	16	2	_	í
61	ALL OTHER ANDXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE		[ ]	-	<u> </u>
62	CLASSIFIABLE776.0,776.3,776.4 IMPATURITY, UNQUALIFIED777	11 30	14	5	2
63 64	POSTMATURITY	2		=	_
65	ALL OTHER CONDITIONS OF NEWBORN778.0,778.3,778.9	20	i	2	1
66 67	SYMPTOMS AND ILL-DEFINED CONDITIONS 780-796 ACCIDENTS E800-E949	3,593	352	342	311
68	TNHALATIAN AND INGESTION OF FOOD OR OTHER ORIECT CAUSING	1,511	154	108	121
69	GBSTRUCTION OR SUFFOCATION— — E911,E912 ACCIDENTAL MECHANICAL SUFFOCATION — E913 OTHER ACCIDENTAL CAUSES — E800-E910,E914-E949 HOMICIDE — E960-E978	418 307	54 30	31 26	33 32
70 71	OTHER ACCIDENTAL CAUSES	786	70	51	56
72	ALL CTHER CAUSES———————————————————————————————————	125 1,049	18 111	9 82	17 95
	······································		<del></del>	<u> </u>	

From 65 Selected Causes, by Month: United States, 1973-Con. International Classification of Diseases, Adapted, 1965]

APRIL	MAY	JUNE	JULY	AUGUSŤ	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1,206	1,094	997	981	999	1,057	1.246	1,333	1, 485	
19	27	28	29	27 1	29 1	22	28	50 1	1
8 16	10 - 14	7 - 18	1 - 16	1 2 - 15	4 I 11	6 - 17	6 -	9 - 31	
12	10	14	11	15	10	11	10	10	
15	9 5	5 12	5	5 14	10 8	6	8 5	13 9 1	1
6	1 2	2 2 8	1	1	3	3	1	1 9	
3 3 11 37 29	2 3 10 27 25	8 19 30	1 5 3 21 36	1 2 7 15 27	: 7 6 19 34	3 2 9 30 34	16 28 39	12 26 29	1 1
6 11	8 10	5 14	7 11	5 4 127	5 9	8 17	15 17	.13 28 259 3	
239 2 237	160 160	110 110	138 - 138	127	121 1 120	17 173 3 170	208 1 207	254 3 256	1 1 2 2
3 33 11	3 29 7	1 23 6	2 21 9	1 34 7	2 20 11	5 39 6	2 41 4	1 36 8	2
1 12	11	2 22	. 1 8	· 2 13	2 10	2 14	1 12	2 23	
204 1	23B 4 24	230	204 2	205	204	260	251 1	237 1	2223
13 19 5 92	· 19 11 108	12 21 11 99	- 14 17 10 75	9 13 7 100	13 14 9	14 22 13 123	14 21 12 113 21	1 12 17 6 126	3
, 21 13 21	19   13   12	10 13	18 10 22 11	17 12 16	13 11 15	21 13 19	18 15	13	
3 - 2	4 4 5	13 22 5 7 5	11 1 2	3 4 5	5 4 2	2 5 4	7 5 6	. 3 5 3	3
13	12 3	21	15 7	14 5	21 7	· 18	- 16 2	15 4	3
19	25	18	26 -	22	22	20	17	24 1	4
-		=	- -	- -	-	. <del>.</del> 1	- ' -	2 -	4 4 4 4 4
-	-	-		-	-	-	- -	. 1	i
-	-	, <del>-</del>	- 1	-	1 -	- -	· _	- -	4 4
-	=	1 1	= =	1 1	=	-	-	1	4 5 5 5
1	3 - - 1	<u>4</u> -	. 1	- 1	1_	1 1 1	. 1	- 1 - 4	5
1 1 2 1	_	- - - 4 3	1 - 2 1 7	1 - 1 - 5	- - -		. 1	-	5
9	10 2		8		8 9	3 6	2 5	5	
2	-   -	1 -	1	· 2	2	2	2 2 3		6
2 1	3 - - 6	4 - - 1	1  - 3	2 5 - - 2	1 - -	2 -2 - - 1	- - -	- - 3	6 6 6 6
289 128	263 112	216 ,121	221 116	218 128	281 131	314 142	367 122	419 128	6
1						29 31 82 8	32 23 67		
36 24 68 6 77	35 20 49 9 75	26 24 71 12 64	38 24 54 8 71	29 23 76 10	34 20 77 12 84	82 8 90	67 7 113	41 22 65 9 97	6 6 7 7

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are Technical

-					ALL INF	ANTS UNDER 1	YEAR
	CAUSE OF DEATH		ALL COUNTIES		METRO	OLITAN COUN	TIES
		TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1	ALL CAUSES———————————————————————————————————	55,581	31,499	24,082	36,220	26,857	9,363
2	DIARRHEAL DISEASES	648 5	342 3	306 2	370 3	291 2	79 1
5	MENINGOCOCCAL INFECTIONS	90 : 3 805 :	50 1 444	40 2 361	53 2 516	42 1 1 392	11 1 124
7	VIRAL DISEASES	216	111	105	133	95	38
8 9 10	CONGENITAL SYPHILIS———————————————————————————————————	160	8 75	1 85	5 83	5 61	22
11	HEMATOPOIETIC TISSUES140-209 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	134 48	76 28	58 20	93 32	68 23	25 9
12 13	DISEASES OF THYMUS GLAND	20 77	15 38	5 39	13 48	10 31	3 17
14 15	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	236 492	122 283	114 209	150 333	101 251	49 82
16 17	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS	417 121	243 69	174 52	289 70	217 57	72 13
18 19	ACUTE UPPER RESPIRATORY INFECTIONS	237 3•562 52	127 1,921	110 1,641 35	144 2,168 20	108 1,643 13	36 525 7
20 21	l '	3,510	17 1,904	1,606	2,148	1,630	518
22 23 24	OTHER CHRONIC INTERSTITIAL PNEUMONIA	38 526 477	16 288 289	22 238 188	24 313 332	12 233 251	12 80 81
25 26	GASTRITIS, DUDDENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-542,562,564-577	49 335	25 202	24 133	28 235	20 180	8 55
27 28	CONGENITAL ANOMALIES	8•953 784	4, 932 440	4,021 344	5,970 552	4,250 381	1,720 171
29 30	SPINA BIFIDA741 CCNGENITAL HYDROCEPHALUS742	445 439	205 250	240 189	254 295	166 213	88 82
31 32 33	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743,744 CONGENITAL ANOMALIES OF HEART746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM747	338 3,354 642	178 1,779 387	160 1•575 255	215 2,205 453	153 1,540 343	62 665 110
34 35	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM748	573 465	337 23 <b>7</b>	236 228	402 273	293 195	109 78
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM752,753 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM754-756	324 305 95	199 159 58	125 146 37	219 189 68	166 132 51	53 57 17
38 39	DOWN'S DISEASE759.3 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS759.0-759.2,759.4-759.9 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES745,757,758	994	590	404	722	522	200
40 41		195 30+391	113	12,911	123 19,987	95 14,869	28 5,118
42 43	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	9 287	5 156	4 131	4 176	2 128	2 48
44 45 46	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778   CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER760   OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY761   SYPHILIS761.0   OTABETES MELLITUS761.1   RUBELLA761.3	1 143 10	1 74 6	69 4	1 79 6	56 5	23 1
47	TO PREGNANCY761.7,761.9	133	75	58	90	<b>6</b> 6	24
48 49	TOXEMIA OF PREGNANCY762 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763	139 190	79 123	60 67	84 140	63 106	21 34
50 51 52	DIFFICULT LABOR————————————————————————————————————	448 128 320	232 68 164	216 60 156	253 74 179	185 57 128	68 17 51
53							
54 55	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	3,455 1,318 295	1,979 690 156	1,476 628 139	2,269 831 177	1,679 582 129	590 249 48
56 57	BIRTH INJURY WITHOUT NEWTION OF CAUSE772 HEMOLYTIC DISEASE OF NEWBORN	1.852 374	1,098 191	754 183	1+298 239	954 160	344 79
58 59	HYALINE MEMBRANE DISEASE——————————————————————————————————	4,467 4,091	2,536 2,392	1,931 1,699	2,934 2,733	2,169 2,038	765 695
60 61	ASPHYXIA OF NEWBORN, UNSPECIFIED———————————————————————————————————	-5,380	3, 155	2,225	3,591	2,713	878
62 63	CLASSIFIABLE 776.0, 776.3, 776.4	644 5,369	387 3,009	257 2,360 -	447 3,296 1	345 2,460 1	10Z 836
64 65	HEMORRHAGIC DISEASE OF NEWBORN778.2 ALL OTHER CONDITIONS OF NEWBORN778.0,778.3,778.9	453 1,619	282 1,009	171 610	322 1,192	246 909	76 203
66 67 68	SYMPTOMS AND ILL-DEFINED CONDITIONS	4,208 1,691	2•433 854	1:775 837	2,733 980	2,071 680	662 300
	CBSTRUCTION OR SUFFOCATION————————————————————————————————————	485 336 870	277 141	208 195 434	282 167	217 100 363	65 67
71 72	OTHER ACCIDENTAL CAUSES	161 1,472	436 111 913	50	531 125 988	103 790	168 22 198

Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1973

those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Appendix]

Appendix	<del></del>					WRITE IN	ANTS UNDER 1	YEAR				〒
NONMETR	OPOLITAN COU	NTIES		ALL COUNTIES		I	POLITAN COUN		NONMETR	OPOLITAN COL	INTIES	1
TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	
. 19,361	41642	14,719	40,239	20,729	19,510	25,428	17, 241	8.187	14,811	3,488	11,323	1
278 2 37 1	51 1 8	227 1 29 1	364 5 72 . –	194 3 38	170 2 34	228 3 40	168 2 31	60 1 5	136 2 32 	26 1 7	110 1 25	4 5
289 83 4	52 16 3	237 67 1	557 162 4	286 78 4	271 84	355 99 :3	250 65 3	105 34	202 63 1	36 13 1 7	166 50	7 8
77 41 16	14 8 5	63 33 11	102 116 41	52 65 23	50 51 18	60 81 27	45 59 19	15 22 8	. 42 . 35 14	7 6 4	35 29 10	10 11
7 29 86 159	5 7 21 32 26	2 22 65 127 102	14 70 163 . 318	12 34 79 175 174	2 36 84 143 149	7 44 103 219 218	7 27 64 153 155	17 39 66 63	7 26 60 99 105	5 7 15 22 19	2 19 45 77 86	13 14 15
51 93 1,394 32 1,362	12 19 278 4 274	39 74 1.116 28 1.088	78 169 2,249 30 2,219	40 88 1,112 10 1,102	38 81 1,137 20 1,117	45 101 1,362 14 1,348	35 73 932 9	10 28 430 5 425	33 68 887 16 871	5 15 180 1 179	28 53 707 15 692	17 18 19 20 21
14 213 145	4 55 38	10 158 107	32 357 381	12 173 218	20 184 163	20 202 258	9 135 186	11 67 72	12 155 123	3 38 32	9 117 91	22 23 24
21 100	5 22	16 78	23 217	· 13 120	10 97	15 146	10 101	5 45	8 71	3 19	5 52	25 26
2+983 232 191 144 123 1+149 189	682 59 39 37 25 239	2,301 173 152 107 98 910	7,458 716 404 354 289 2,749	3,875 391 178 187 148 1,356 304	3,583 325 226 167 141 1,393	4,872 497 229 231 183 1,768	3,288 334 146 157 126 1,158	1,584 163 83 74 57 610	2,586 219 175 123 106 981 162	587 57 32 30 22 198	1,999 162 143 93 84 783 123	29 30 31
171 192 105 116 27	44 42 33 27 7	127 150 72 89 20	449 364 280 259 79	261 169 168 128 47	208 195 112 131 32	318 208 190 161 55	22 0 13 6 13 8 10 6 40	98 72 52 55 15	151 156 90 98 24	41 33 30 22 7	110 123 69 76 17	34 35 36
272 72	68 18	204 54	813 155	45B 80	355 75	576 91	398 64	178 27	237 64	60 16	177 48	39 40
10,404 5 111 - 64 4	2,611 3 28 - 18	7•793 2 83 - 46 3	22,104 8 236 1 122 10	11+328 4 115 1 60	10,776 4 121 - 62 4	13,868 3 139 1 67 6	9,355 1 91 1 44 5	4,513 2 48 - 23 1	8,236 5 97 - 55 4	1,973 3 24 - 16	6,263 2 73 - 39 3	44 45
43 55 50 195 54 141	9 16 17 47 11 36	34 39 33 148 43	103 97 136 356 98 258	48 47 82 165 44 121	55 50 54 191 54 137	65 54 99 194 54 140	41 33 68 130 38 92	24 21 31 64 16 48	38 43 37 162 44 118	7 14 14 35 6 29	31 29 23 127 38 89	48 49
1,186 487 118 554 135 1,533 1,358	300 108 27 144 31 367 354	886 379 91 410 110 1,166 1,004	2,543 1,049 237 1,308 326 3,539 3,098	1,307 516 115 683 160 1,834 1,615	1,236 533 122 625 166 1,705 1,483	1,617 656 141 871 205 2,210 1,958	1,092 430 96 572 132 1,520 1,327	525 226 45 299 73 690 631	926 393 96 437 121 1,329 1,140	215 86 19 111 28 314 288	711 307 77 326 93 1,015	57
1,789	442	1,347	3,788	1,940	1,848	2,411	1,633	778	1,377	307	1,070	60
197 2,073 131	42 549 - 36	155 1,524 - 95	439 3,580 1 324	234 1,750 1 185	205 1,830 - 139	288 2 <sub>1</sub> 089 1 221	199 1 <sub>1</sub> 373 1 158	89 716  63	151 1•491 - 103	35 377 - 27	116 1,114 - 76	63
427 1,475 711	100 362 174	327 1+113 537	1,039 2,644 1,151	575 1,405 530	464 1,239 621	711 1,703 659	499 1, 158 408	212 545 251	328 941 492	76 247 122	252 694 370	66 67
203 169 339 36 484	60 41 73 8 123	143 128 266 28 361	326 229 596 99 966	170 88 272 61 537	156 141 324 38 429	184 116 359 72 618	131 58 219 55 448	53 58 140 17 170	142 113 237 27 348	39 30 53 6 89	103 83 184 21 259	68 69 70

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are Technical

_							Tecument
					ALL OTHER	INFANTS UNDE	R 1 YEAR
	CAUSE OF DEATH	,	ALL COUNTIES		METRO	POLITAN COUN	TIES
		TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1	ALL CAUSES	15,342	10,770	4,572	10,792	9,616	1,176
2	DIARRHEAL DISEASES	284	148	136	142	123	19
4	MHOIDPING COUGH	18	12	6	13	11	ž
5 6	TETANUS	248	1 158	90 90	161	142	19
7	VIRAL DISEASES	54 5	33 4	21	34	30 2	4
10	OTHER INFECTIVE AND PARASITIC DISEASESREMAINDER OF DOO-136 HALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND	58	23	35	23	16	7
11	HEMATOPOIETIC TISSUES140-209 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	18 7	11 5	7 2	12 5	9 4	3 1
12	DISEASES OF THYMUS GLAND254 CYSTIC FIBROSIS273.0	6	3	3	6	3	3
13 14	CYSTIC FIBROSIS	7 73	43	3 30	47	4 37	10
15 16	MENINGITIS320 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	174 94	108 69	66 25	114 71	98 62	16 9
17	ACUTE UPPER RESPIRATORY INFECTIONS	43	29	14	25	22	3
18	ROUTE OFFER RESTAURI INTEGRATION 400-503  BRONCHITIS AND BRONCHIOLITIS466,499,491  INFLUENZA AND PREUMONIA470-474,480-486  INFLUENZA470-474  PNEUMONIA480-486	1.313	39 809	29 504	43 806	35 711	8 95
20 21	INFLUENZA	1,291	7 802	15 489	800	707	93
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA517 ALL OTHER DISEASES OF RESPIRATORY SYSTEM492,493,500-516,518,519	. 6	4 115	2	4 111	3 98	1
23 24	ALL UIHER DISEASES UP RESPIRATORY SYSTEM	169 96	71	54 25	74	65	13
25 26	ORIGIN535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	26 118	12 82	14 36	13 89	10 79	10
27 28	CONGENITAL ANOMALIES740-759	1,495 68	1,057 49	438 19	1,098 55	962 47	136
29 30	ANENCEPHALUS	41 85	27 63	14 22	25 64	20 56	5
31 32	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743,744	49 605	30 423	19 182	32 437	27 382	5 55
33	OTHER CONGENITAL ANDMALIES OF CIRCULATORY SYSTEM747	115	B3	32	88	78	10
34 35	CCNGENITAL ANOMALIES OF RESPIRATORY SYSTEM748 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM749-751	104	76 68	28 33	84 65	73 59	11
36	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM————————————————————————————————————	44 46	31 31	13 15	29 28	28 26	1 2
38 39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE	16	11	5	13	11	2
40	SYSTEMS	181 40	132 33	49 7	146 32	124 31	22 1
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778	8.287	6,152	2,135	6,119	5,514	605
42 43 44	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER————————————————————————————————————	51	1 41	10	37	37	=
45 46	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	21	14	7	12	12	=
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY761.2,761.4-761.7,761.9	30	27	3	25	25	_
48	TOVELLE OF OBSCRIANCE	42	32	10	30	30	_
49 50	WITCHUL ANTCHANTUM AND THITHADADTIM INFECTION 7/3	54 92	41 67	13 25	41 59	38 55	3 4
51 52	DIFFICULT LABOR————————————————————————————————————	30 62	24 43	6 19	20 39	19 36	1 3
53			672		450	587	, ,
54 55	CONDITIONS OF PLACENTA	912 269 58	174 41	24C 95 17	652 175 36	152 33	65 23 3
56 57	BIRTH INJURY WITHOUT MENTION OF CAUSE	544 48	415 31	129 17	427 34	382 28	45
58 59	ALL UTHER COMPLICATIONS OF PREGNARCY AND CHILDBIRTH—769.0-769.2,769.4,769.5,769.9 CONDITIONS OF PLACENTA—771 BIRTH INJURY WITHOUT MENTION OF CAUSE—772 HEMOLYTIC DISEASE OF NEWBORN—774,7775 HYALINE MEMBER AND DISEASE—776.1 RESPIRATORY DISTRESS SYNDROME—776.2	928 993	702 777	226 216	724 775	649 711	75 64
60	ASPHYXIA OF NEWBORN, UNSPECIFIED776.9	1,592	1,215	377	1.180	1,080	100
61	ALL OTHER ANGULE AND UVROVIC CONDITIONS NOT SESSUAGE	205	153	52	159	146	13
62 63	CLASSIFIABLE 7776.0,776.3,776.4  IMMATURITY, UNQUALIFIED 778.1  HEMORRHAGIC DISEASE OF NEWBORN 778.2	1,789	1,259	530	1,207	1,087	120
64 65	HEMORRHAGIC DISEASE OF NEWBORN778.2 ALL OTHER CONDITIONS OF NEWBORN778.0,778.3,778.9	129 580	97 434	32 146	101 481	88 410	13 71
66	SYMPTOMS' AND ILL-DEFINED CONDITIONS	1,564	1,028	536	1,030	913	117
67 68	ACCIDENTSE800-E949	540	324	216	321	272	49
69	OBSTRUCTION OR SUFFOCATION————————————————————————————————————	159 107	107 53	52 54	98 51	86   42	12 9
71	HOMICIDE E960-E978	274 62	164 50	110 12	172 53	144 48	28 5
72	ALL LINEK CAUSESRESIDUAL !	506 li	376	130	370 [	342	28

Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1973-Con.

those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Appendix

	<del></del>				·	ALL INFA	NTS UNDER 28	DAYS			
NCNMETRO	OPOĻITAN COU	NTIES		LL COUNTIES		METRI	OPOLITAN COUN	TIES	NONMETRO	POLITAN COU	INT I ES
OTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL.	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN- Places	BALANCE OF AREA
4,550	1,154	3,396	40,664	23,233	17,431	26,731	19,816	6,915	13,933	3,417	10,516
142	25	117	274	165	109	193	146	47 -	81	19	62
5 1 87	1 16	1 71	9 1 585	7 1 323	2 - 262	6 1 381	5 1 287	1 - 94	204	2 - 36	168
20 3 35	3 2 7	17 1 28	69 8 53	36 7 28	33 1 25	47 5 29	31 5 22	16 - 7	22 3 24	5 2 6	17 1 18
6	2 1	4	26 23	15 14	11 9	16 17	11 11	5 6	10	. 4	6
3 26 60	- - 6	- 3 20	2 17 124	2 9 60	- 8 64	1 8 77	1 6 50	- 2 27	1 9 47	1 3 10	6 37
23	10 7	50 16	183 42	111 25	72 17	130 25	99 22	31	53 17	12	41 14
18 25 507	7 4 98	11 21 409	6 23 975	3 12 544	3 11 431	4   11 611	3 8 468	1 3 143	2 12 364	- 4 76	2 8 288
16 491 2	3 95 1	13 396	971 13	3 541 5	1 430 B	607 7	3 465 4	142	364	76	288 5
58   22	17 6	41 16	130 373	78 227	52 146	73 263	59 200	14 63	57 110	19 27	38 83
13 29	2 3	11 26	31 164	16 113	15 51	19 123	13 102	21	1.2 ) 41	3 11	30 30
397 13 16 21	95 2 7 7	302 11 9 14	6,142 771 261 227	3,402 437 121 128	2,740 334 140 99	4,113 545 146 152	2-944 378 97	1,169 167 49	2,029 226 115	458 59 24	1,571 167 91
17 168 27	3 41 5	14 127 22	228 2,055 420	117 1,089 250	111 966 170	138 1,342 298	110   98   942   228	42 40 400 70	75 90 713 122	18 19 147 22	57 71 566 100
20 36	3 9	17 27	428 252	247 117	181 <sup>.</sup> 135	292 145	21.2 99	80 46	136 107	35 18	101 89
15 18 3	3 5 -	12 13 3	261 255 44	163 137 23	98 118 21	183 159 30	138 114 21	45 45 9	78 96 14	25 23 2	53 73 12
35    8	8 2	27 6	797 143	485 88	312 55	587 96	431 76	156 20	210 47	54 12	156 35
2,168 - 14	638 - 4	1,530 - 10	30₁137 8 283	17+329 4 154	12,808 4 129	19.812 3 175	14,735 1 127	5,077 2 48	10,325 5 108	2,594 3 27	7,731 2 81
- 9 -	2	7 -	141 9	1 73 5	68 4	1 79 5	1 56 4	22 1	62 4	17	45 3
5	2	3 10	132	75 78	57 60	90 83	66 62	24	42   55	. 9	33 <u>.</u> 39
13 33 10	2 3 12 5	10 21 5	188 444 128	122 229 68	215 60	139 250 74	105 182 57	34 68 17	49 194 54	17 47 11	32 147 43
23	7	16	316	161	155	176	125	51	140	36	104
260 94 22 117	85 22 8 33	175 72 14 84	3,443 1,312 293 1,838	1,971 687 155 1,092	1,472 625 138 746	2,258 828 176 1,292	1,671 580 128 950	587   248   .48   342	1,185 484 117 546	300 107 27 142	885 377 90 404
14 204 218	3 53 66	11 151 152	370 4,409 4,024	190 2,502 2,346	180 1,907 1,678	237 2,893 2,681	159 2,141 1,995	78 752 686	133 1,516 1,343	31 361 351	102 1,155 992
41.2	135	277	5,364	3,146	2,218	3,580	2,704	876	1.784	442	1,342
582 - 28	7 172 - 9	39 410 - 19	633 5,339 1 451	382 2,990 1 281	251 2,349 - 170	439 3•275 1 321	340 2,443 1	99 832 - 76	194 2,064 - 130	42 547 - 36	152 1,517 - 94
99 534	24	75 419	1,599	999 S	600 284	1,181	245 901 282	. 280	418   248	98 49	320 199
219    61	52   21	167 40	180    67	92 34	88 33	101    31	70	7	79     36	22 10	. 57 26
56 102 9 136	11   20   2   34	45 82 7 102	29 84 36 423	12 46 22 256	17 38 14 167	12 58 23 268	8 38 18 213	4 20 5 55	17 26 13 155	4 8 4 43	13 18 9 112

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for [Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are Tachnical

==					WHITE IN	ANTS UNDER	28 DAYS
	CAUSE OF DEATH		ALL COUNTIES		METRO	OLITAN COUN	TIES
	·	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1	ALL CAUSES	30,201	15,581	14,620	19,075	12,944	6,131
2	DIARRHEAL DISEASES	160	94	66	115	82	33
3 4 5	MHOIDING COUGH	8	6	2	5	- 4	ī
6		413	209	204	263	184	79
7 8 9	VIRAL DISEASES	58	27	31	38 3	23	15
10	MALIGNANT NEOPLASMS: INCLUDING NEOPLASMS OF LYMPHATIC AND	40 23	20	20 10	23 13	18	4
11	HEMATOPOIETIC TISSUES140-209 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	19	11	8	14	9	5
12	DISEASES OF THYNUS GLAND254 CYSTIC FIBROSIS	1 15 97	1 8	7	7	5	2
14 15 16	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	134 26	45 77 11	52 57 15	59 93 14	36 67 11	23 26 3
17		3	1	2	1	1	_
18 19	ACUTE UPPER RESPIRATORY INFECTIONS	665	329	336	399	276	123
20 21		662	2 327	335	3 396	2 274	122
22 23 24	OTHER CHRONIC INTERSTITIAL PNEUMONIA————————————————————————————————————	12 96	5 50	7 46	7 46	4 35	3 11
25	UK161N	306 17	178 10	128	211 11	153 7	56
26 27	OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	98 5•217	2.729	32   2,488	3,409	58 2,317	16
28 29	CONGENITAL ANDMALIES	703 238	388 106	315 132	490 133	331 86	159 47
30 31	I DIHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND FYE743.744 i	191 198	100 98	100	123 116	84 81	39 35
32 33	CONGENITAL ANOMALIES OF HEART746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM747	1,721 347	851 193	870   154	1,099 237	723   172	376 65
34 35	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	354 202	196 83	158 119	235 112	163 69	72 43
36 37	CONGENITAL ANOMALIES OF DISESTIVE STSTEM 752,753 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM 754-756 OCHN'S DISEASE 759-3	232 221	142 112	90 109	163 136	118 93	45 43
38 39	I OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE	40 657	377	19 280	28 467	19 328	139
40	SYSTEMS————759.Q-759.2,759.4-759.9 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES————745,757,758	113	62	51	70	50	20
41 42	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769,2,769,4-772,774-778	21,926	11,226	10,700	13,746	9,269	4,477
43 44 45	SYPHILIS — 761.0	232 1 120	113 1 59	61	138 1 67	90 1 44	48 
46 47		9	] [3]	4	5	4	1
	TO PREGNANCY761.7,761.9	102	48	54	65	41	24
48 49	TOXEMIA OF PREGNANCY762 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763	96 135	46 81	50 54	53 98	32 67	21 31
50 51 52	DIFFICULT LABOR	354 98 256	164 44 120	190 54 136	193 54 139	129 38 91	64 16 48
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND	2,0	120	150	139		, <b>*</b> *
54	CHILDBIRTH	2,533 1,046	1,301 514	1,232 532	1,608 654	1,086 429	522 225
55 56	CONDITIONS OF PEACENTA 771  CONDITIONS OF UNBILICAL CORD 771  BIRTH INJURY WITHOUT MENTION OF CAUSE 7772	235 1,296	114 677	121 619	140 865	95 568	45 297
57 58 59	CUMDITIONS OF OMBILICAL CURD	323 3,498	159 1.813	164 1+685	203	131 1,505	72 678
60	ASPHYXIA OF NEWBORN: UNSPECIFIED776.9	3,048 3,777	1,582 1,935	1,466	2,404	1,297	623 776
61	ALL OTHER AMOVIC AND HYDRYTC CONDITIONS NOT ELSEUBEDE	432	230	202	282	195	87
62 63 64	CLASSIFIABLE 776.0,776.3,776.4  IMMATURITY UNQUALIFIED 778.1  HEMORRHAGIC DISEASE OF NEWBORN 778.2  ALL OTHER CONDITIONS OF NEWBORN 778.9	3,564 1 323	1,741 1 184	1.823	2,079 1 220	1,366 1 157	713
65		1.026	568	458	703	493	210
66 67 68	SYMPTOMS AND ILL-DEFINED CONDITIONS	375 129	202 60	173 69	234 70	170 43	64 27
69	OBSTRUCTION OR SUFFOCATIONE911,E912 ACCIDENTAL MECHANICAL SUFFOCATIONE913	50 14	22 5	28 9	22	16 Z	6
70 71	OBSTRUCTION OR SUFFOCATION — — — — — — — — — — — — — — — — — — —	65 26	33 13	32 13	42 14	25 10	17
72	ALL CTHER CAUSESRESIDUAL	319	179	140	200	146	54

Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1973-Con.

those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Appendix;

						ALL OTHER I	NFANTS UNDER	28 DAYS				Ī
NCNMETR	OPOLITAN COU	NT1 ES		ALL COUNTIES		METR	DPOLITAN COUN	TIES	NONMETR	OPOLITAN COU	NTIES	]
TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL.	URBAN PLACES	BALANCE OF AREA	
11,126	2,637	8,489	10,463	7,652	2,811	7,656	6,872	784	21807	780	2.027	. ,
45	12	33	114	71	43	78	64	14 -	36	7 -	29	-   3
3   - 150	2 - 25	1 - 125	1 1 172	1 1 114	- - 58	1 1 1 118	1 1 103	- - 15	- - 54	11	- 43	.  •
20 - 17	4 - 2	16 - 15	11 5 13	9 4 8	2 1 5	9 2 6	8 2 4	1 - 2	2 3 7	1 2 4	1 1 3	, j e
10	4 2	6	3	2 3	1	3 3	2 2	1	-	-	-	10
1 8	1 3	_ 5	1 2	1	_ 1	1 1	1 1	-	_	_	- <u>.</u>	12
38 41 12	9 10 -	29 31 12	27 49 16	15 34 14	12 15 2	18 37 11	14 32 11	4 5 -	9 12 5	1 2 3	8 10 2	15
2 9 266	- 4 53	2 5 213	3 8 310	2 4 215	1 4 95	3 5 212	2 4 192	1 1 20	- 3 98	23	3 75	1,9
266	53	213	309	1 214	95	211	1 191	20 20	- 98	23	75	
5 50 95	1 15 25	- 4 35 70	1 34 67	28 49	1 6 18	27 52	24 47	-   3 5	1 } 7 15	4 2	1 3 13	23
6 24	3 8	3 16	14 66	6 47	8 19	8 49	6 44	2 5	17	] - 3	6 14	
1+808   213   105	412 57 20	1,396 156 85	925 68 23	673 49 15	252 19 8	704 55 13	627 47 11	77 8 2	221 13 10	46 2 4	175 11 6	28
68 82 622	16 17 128	52 65 494	36 30 334	28 19 238	8 11 96	29 22 243	26 17 219	5 24	7 8 91	2 2 19	5 6 72	30 31 32
110	33	89 86	73 74	57 51	16 23	61 57	56 49	. 5	12	1 2	11	34
90 69 85 12	14 24 19 2	76 45 66 10	50 29 34	34 21 25 2	16 8 9 2	33 20 23 2	30 20 21 2	3 - 2 -	17 9 11 2	4 1 4 -	13 8 7 2	36 37
190 43	49 12	141 31	140 30	108 26	32 4	120 26	103 26	17	20 4	5 -	15 4	39
8,180	1,957	6,223	8,211	6,103 1	2,108	6,066	5.466 1	600	2+145	637	1,508	42
94     -   53	23 - 15 1	71 - 36 3	51 - 21	41 - 14	10 7	37 12	37 12		14 - 9	2	10 7	44
37	7	30	30	27	3	25	25	[	5	2	3	1
43 37 161	14 14 35	29 23 126	42 53 90	32 41 65	10 12 25	30 41 57	30 38 53	3 4 1	12 12 33	2 3 12	10 9 21	48 49 50
117	· 6	38 88	30 60	24 41	19	20 37	19 34	1 3	10 23	3 12 5 7	21 5 16	49 50 51 52
925 392	215 85 19	710 307 76	910 266	670 173 41	240 93 17	650 174	585 151 33	65 23 3	260 92 22	85 22 8	175 70 14 82	53 54 55 56 57
95     431   120   1-315	109 28 308	322 92 1,007	58 542 47 911	415 31 689	127 16 222	36 427 34 710	382 28 636	45 6 74	115 13 201	33 3 53	82 10 148	[ 57
1,215	285 307	843 1,066	976 1,587	764 1,211	212 376	761 1,176	698 1+076	100	215	66 135	149 276	59
150 1,485	35 375	115 1,110	201 1,775	152 1,249	49 526	157 1,196	145 1,077	12	44 579	7 172	37 407	
103 323	27 75	76 248	128 573	- 97 431	31 142	101 478	- 88 408	13 70	27 95	9. 23	18 72	61 62 63 64 65
141	32 17	109 42	240 51	129 32	111 19	133 31	112 27	21	107 20	17 5	90 15	66
28 8 23 12 119	6   3   8	22 5 15	17 15 19 10	12 7 13 9	5 8 6 1	9 6 16	8 6 13	1 - 3	8 9 3	4 1 - 1	4 8 3 - 26	68 69 70 71 72
119	8 3 33	86	10 104	77	1 27	16 9 68	13 8 67	3. 1 1	3 1 36	1 10	26	71 72

Table 2-14. Deaths Under 1 Year From 65 Selected

Numbers after causes of death are category numbers of the Eighth

			[Nu	umbers afte	er causes o	f death are	category n	umbers of	the Eighth
-	CAUSE OF DEATH, COLOR, AND SEX	TDTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	DAY	2 Days	3 DAYS	4 DAYS	5 DAYS
1	TOTAL, BOTH SEXESALL CAUSES	55,581	5,054	17,589	5,448	3,552	1,726	1.034	828
2 3	DIARRHEAL DISEASES	648 5 90	- -	2 - -	6	12 1	15 - -	21 - 1	18
5 6	TETANUS	805	11	- 68	- 53	61	48	39	45
7 8 9 10	VIRAL DISEASES	216 9 160	- - 4 2	4 5 8 6	4 1 1	3 3	2 1 2 2	2 4	3 - 1
11   12	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	48 20	6	10	1	1	2	1 _	1
13 14 15 16	DISEASES OF THYMUS GLAND	77 236 492 417	3	2 26 3 11	11 10 4	1 21 18 5	17 16 3	2 5 16 1	2 3 5 3
17 18 19 20	ACUTE UPPER RESPIRATORY INFECTIONS	121 237 3,562 52 3,510	 26  26	- 3 159 - 159	126 126	2 93 - 93	1 58 - 58	2 30 	 34  34
22 23 24 25	OTHER CHRONIC INTERSTITIAL PNEUMONIA————————————————————————————————————	38 526 477	8 37	3 43 169	1 14 64	1 10 44	1 7 12	1 3 7	- 6 4
26	OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	49 335	4	- 13	1 9	- 15	2 12	4 10	3 10
27 28 29 30 31 32 33	CONGENITAL ANOMALIES	8,953 784 445 439 338 3,354	939 252 32 69 36 64	1+857 336 57 77 85 341 50	584 53 21 14 22 242 43	544 36 10 7 17 313 51	357 19 11 6 9 203	220 21 2 3 9 121 21	195 10 6 1 5 101 20
34 35 36 37 38 39	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM————————————————————————————————————	573 465 324 305 95	77 12 44 71 10	212 35 146 120 15	50 17 26 18 2	14 28 5 14 1	12 27 1 8 2	3 12 5 4 2	4 20 2 6 2
40	SYSTEMS759.0-759.2.759.4-759.9 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES745,757.758	994 195	224 36	329 54	67 9	41 7	19 7	14 3	15 3
41 42 43 44 45 46 47	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769-2,7769-4-772,774-778 CHRONIC CIRCULATORY AND SENITOURINARY DISEASES IN MOTHER — 760 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY — 761 SYPHILIS — 761.0 DIABETES MELLITUS — 761.1 RUBELLA — 761.3 ALL OTHER MATERNAL CONDITIONS UNRELATED	30,391 9 287 1 143 10	3.909 I 49 1 10 3	15,030 6 137 65 1	4,453 1 41 - 25 2	2+637 17 15	1,107 5 - 3	627 3 - 3	452  8  6 1
48	TO PREGNANCY761.2,761.4-761.7,761.9	133 139	35 37	71 49	14 22	2 14	2	- 4	1 2
49 50 51 52	TOXEMIA OF PREGNANCY———————————————————————————————————	190 448 128 320	69 119 7 112	82 198 66 132	16 51 17 34	9 38 15 23	14 10 4	6 5 3 2	5 3 2
53 54 55 56 57 58	ALL DTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH 769.0-769.2,769.4,769.5,769.9 CONDITIONS OF PLACENTA-770 CONDITIONS OF UMBILICAL CORD 771 BIRTH INJURY HITHOUT HENTION OF CAUSE 772 HENOLYTIC DISEASE OF NEMBORN 774,775 HYALINE MEMBRANE DISEASE 776.1 RESPIRATORY DISTRESS SYNDROME 776.2	3,455 1,318 295 1,852 374 4,467 4,091	691 428 105 58 74 56 157	2.008 673 122 580 171 1.614 1.843	346 124 29 354 36 1,102	184 43 23 287 38 728 482	75 18 5 147 15 277 185	31 4 3 72 12 143 108	29 5 - 58 5 98 74
60 61	ASPHYXIA OF NEWBORN, UNSPECIFIED———————————————————————————————————	5,380 644	695 64	3,039 225	698 144	339 80	154 38	96 20	71 9
62 63 64 65	CLASSIFIABLE 776.0,776.3,776.4  IMMATURITY UNQUALIFIED 777.7  POSTMATURITY 778.1  HEMORRHAGIC DISEASE OF NEWBORN 778.2  ALL OTHER CONDITIONS OF NEWBORN 778.2	5,369 1 453 1,619	1+077 1 8 220	3,355 - 109 819	409  89 173	186 - 66 103	80  36 56	55 - 31 34	39 - 18 31
66 67	SYMPTOMS AND ILL-DEFINED CONDITIONS 780-794 ACCIDENTS	4.208 1.691		106 13	39 11	90 12	17 5	14 4	16 7
69 70 71 72	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING  OBSTRUCTION OR SUFFOCATION  ACCIDENTAL MECHANICAL SUFFOCATION  OTHER ACCIDENTAL CAUSES  F800-E910,E914-E949  ALL CTHER CAUSES  RESON-E978  ALL CTHER CAUSES	485 336 870 161 1+472	1 7 18 24	5 2 6 - 48	2  9 4 46	7 1 4 1 35	5 - 1 36	2 2 2 2 18	5 2 20

Causes, by Age, Color, and Sex: United States, 1973
Revision International Classification of Diseases, Adapted, 1965]

Revision.	. Internatio	onal Classi	fication of	Diseases,	Adapted, 1	.965]		<u> </u>	<del></del>								
6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	ZI-27 DAYS	UNDER 28 Days	28-59 DAYS	2 MONTHS	3 HONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11. HONTHS	
628	35.859	2,424	1,311	1,070	40,664	3,791	2,908	2,141	1,475	1,079	865	670	541	486	478	483	1
10	84	91 -	46	53	274 -	. 88 1	6D 2	44 1	32 1	40	30	19	22	20	9 -	10	2
1 1 34	4 1 359	1 - 139	1 - 47	3	9 1	12 1	12 1	8 -	13	5	7	8 -	7	1	5 - 8	3	2 3 4 5 6
э	21	24	15	40 9	585 69	75 37	. 36 19	33 20	11	18 8,	16 13	8 4	7	3 8	12	6 8	7
ĩ	7 23	9	13	8	53	24	10	13	11	10	4	1 7	8	6	10	. 4	8'
1 -	18 21	4 1	3 -	1	26 23	8	14 5	7 5	8 3	- 6	g 1	9 -	10 1	12 3	10 3	13	10 11
2 4	1 11 90	- 3 19	- 2 9	1 1 6	2 17 124	2 8 27	4 5 12	8 12 15	3 12 11	1 6 7	. <b>-</b> 5 8	1 5	- 4 5	3 3	- 2 9	- 2 10	12 13 14
10	78 31	34 5	47 2	24 4	183 42	60 55	53 45	36 46	27 37	27 29	35 36	15 29	16 20	16 26	13 28	11 24	15 16
1 2 21	1 10	1 2 151	3 4	1 7	6 23	23 29	25 35	23 39	11 29 275	10 22	12 12	9	3 7	5 9	3 14	5 9	17 18
21	547 - 547	149	128 2 126	149 - 149	975 4 971	667 5 662	561 3 558	419 7 412	275 7 26B	183 4 179	126 7 119	92 6 86	77 2 75	54 - 54	60 4 56	73 3 70	19 20 21
- 2	7 91 339	-10 16	3 16 12	1 13 6	13 130 373	6 107 30	7 77 15	3 51 15	4 37 11	3 42 6	27 6	16 5	1 9 4	12 3	- 10 4	1 B 5	22 23 24
7 8	17 81	5 43	6 24	. 16	31 164	10 45	2 25	_ 18	1 24	2 11	1 4	1 8	1 13	. <b>-</b>	7	7	25 26
132 • 10	4,828 737	677 22	347 7	290 5	.6,142 771	787 6	484	355 4	272 3	199	186	149	106	102	87	84	27 28
5 3 3	144 180 186	43 24 20	32 12 10	42 11 12	261 227 228	61 57 28	25 35 15	22 22 15	11 14 9	16 21 13	12 15 6	12 8 5	8 7 6	8 8 4	6 13 4	3 12 5	29 30 31
77	1,462 243	325 93	150 49	118 35	2.055 420	331 82	232 41	168 26	147 23	84 10	88 18	73 8	49 4	52 3	38 3	37 4	32 33
1 5	373 156	25 46	14 28	16 22	428 252	43 50	39 18	27 17	13 16	7 23	3 3	4 18	. 1 13	5 16	2 12	1 10	34 35
3 -	230 244 34	16 4 5	9 4 2	6 3 3	261 255 44	25 13 7	12 10 10	9 7 5	- 7 7	3 4 6	3 2 4	5 1 3	3 1 7	2 -	1 2 -	I 1 2	36 37 38
9 2	718 121	43 11	24 6	12 5	797 143	65 19	39 8	28 5	18 4	10 2	10 5	11 1	4 3	3 -	4 2	5 3	39 40
350 -	28,565	1.011	373	188	30,137 8	138 1	53	22	13	11	7. -	6	1,		=	1	41 42
1 1	261 1 128	13 - 8	7 - 3	2 - 2	283 1 141	1 - 1	1 - -	1 - 1		1 1 1	<u>-</u>	1 - -	=	=	-	=	41 42 43 44 45
_	7 125	2	- 4	-	132	_	1 _	-		, ,	-	1	-	-	-	_	46 47
2	132	4	2	_ !	138	_	1	_	_	-	-	-	-		_	· _	48
5 2	182 435 123	3 7 4	- 2 1	3 -	188 444 128	1	_ 2 _	2 -	-	1	-	-	-	-	-	-	49 50 51
3	312	3	1	-	316	1	2	-	-	1	_	-	-	-	- [	-	52
17	3,381 1,296	47 10	10 4	5 2	3,443 1,312	7 1	4	1 2	- - -	- 1	- 1	 1	=	-	= -	=	53 54
2 59 5	289 1,615 356	3 144 11	1 47 2	32 1	293 1,838 370	1 6 2	1 4 -		2 1	-	- 1	-	_	_	_	- - -	54 55 56 57 58
77	4,084 3,744	219 180	84 63	22 37	4,409 4,024	39 33	12 13	2 8	5	3	1 2	_ 2	1 -	1 -	=	1	58 59
46	5,138 586	139 23	55 14	32 10	5,364 633	9 7	5	1	-	1	- - <u>-</u>	-	-	- 1	-	-	60 61
24	5,225 1	76 -	26 -	12	5,339 1	20	3 .	1 -	2 -	3	. 1	1 - -	<u>-</u> ,		-	- - -	62 63 64
16 23	373 1,459	56 76	15 41	7 23	451 1,599	2 8	4	2	3	1	1	- 1	-	-	-	· -	64 65
12 5	286 65	69 26	109 44	151 45	615 180	1,023 243	937 214	607 185	384 129	226 127	136 117	108 105	60 108	41 86	35 93	36 104	66 67
2 1 2 1 19	26 7 32 27 246	7 6 13 3 78	15 9 20 2 55	19 7 19 4 44	67 29 84 36 423	85 55 103 12 269	76 54 84 25 170	58 54 73 17 139	36 31 62 10 97	40 18 69 7 70	31 33 53 13 64	28 18 59 8 54	27 21 60 6 36	14 11 61 9 53	8 11 74 11 45	15 1 88 7 52	68 69 70 71 72

Table 2-14. Deaths Under 1 Year From 65 Selected
[Numbers after causes of death are category numbers of the Eighth

	· · · · · · · · · · · · · · · · · · ·		LNu	mbers afte	er causes o	f death are	category i	umbers of	the Eighth
	CAUSE OF DEATH. COLOR. AND SEX	TOTAL UNDER '1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 Days	3 DAYS	4 DAYS	5 DAYS
1	TUTAL+ MALEALL CAUSES		2,832	10,321	3,153	Z,129	1,007	601	480
2 3 4	DIARRHEAL DI SEASES	370 2 55	1111	2 - -	4 - -	7 - 1	6 -	7-1	9
6		469	8	38	33	38	25	24	26
7 8 9 10	VIRAL DISEASES	134 4 85 68	- - 2 1	2 2 5 4	3 1 1 2	1 2 2	1 1 1	1 - 3	2
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	18	ã	2	Ĩ	-	1	-	
12 13 14 15 16	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	12 37 139 277 242	- 2 - 2	2 13 2 7	- 7 6 -	- 14 8 3	- 2 7 9	1 4 9 1	2 2 3 -
17 18 19 20 21	ACUTE UPPER RESPIRATORY INFECTIONS	74 146 2,019 29	- 18 -	- 2 94 -	72 72	- 2 58	- 32 -	2 15	- 18
22 23 24 25	OTHER CHRONIC INTERSTITIAL PNEUMONIA————————————————————————————————————	1.990 27 295 286	18 - 4 22	94 3 20 106	72 1 8 32	58  6 21	32 1 4 8	15 1 - 3	18 5 4
26	ORIGIN535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	23 189	- 1	_ 8	· _	_ 10	2 8	2 7	1 5
27 28 29 30 31 32 33	CONGENITAL ANDMALIES — 740-759 ANENCEPHALUS — 740 SPINA BIFIDA — 741 CCNGENITAL HYDROCEPHALUS — 742 OTHER CONGENITAL ANDMALIES OF CENTRAL NERVOUS SYSTEM AND EYE — 743,744 CONGENITAL ANDMALIES OF HEART — 746 OTHER CONGENITAL ANDMALIES OF CIRCULATORY SYSTEM — 747	4,870 345 189 239 165 1,881 364	484 89 12 40 16 42 7	1+C69 170 25 45 40 192 23	348 26 10 9 12 163 30	350 20 4 3 8 227 33	202 9 5 3 3 124	136 10 2 3 4 74	107 2 2 2 1 2 58
34 35 36 37 38 39	CCNGENITAL ANDHALIES OF RESPIRATORY SYSTEM— 749 CCNGENITAL ANDHALIES OF DIGESTIVE SYSTEM— 749-751 CCNGENITAL ANDHALIES OF GENITOURINARY SYSTEM— 752.753 CONGENITAL ANDHALIES OF HUSCULOSKELETAL SYSTEM— 754-756 DOWN'S DISEASE— 759-3 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS— 759.0-759.2,759.4-759. OTHER AND UNSPECIFIED CONGENITAL ANDHALIES— 745,757,758	357 258 220 168 47	44 6 32 35 5	141 22 107 70 8	28 8 14 10 1	8 - 17 - 4 - 6 - 1	7 12 1 4 1	3 5 5 3 - 8	2 17 2 -
41 42 43 44 45 46 47	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER——760 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY———761.0 SYPHILIS————761.0 DIABETES MELLITUS———761.1 RUBELLA————761.3 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY————761.2,761.4-761.7,761.9	114 17,736 6 157 1 81 7	24 2,233 1 31 1 6 3	28 8.836 3 75 - 39 -	2,571 1 23 - 13 2	11-555 11-555 10-	665 - 2 - 1	366 - i - 1	2 264 5 
48 49 50 51	TOXEMIA OF PREGNANCY———————————————————————————————————	68 75 111 263 69	21 17 41 68 3	36 21 49 119 31	8 16 10 29 12	1 11 4 22 9	1 1 - 10 7	2 3 4 3	1 2 2 2
52 53 54 55 56 57 58 59	### ALL OTHER COMPLICATIONS OF PREGNANCY AND  CHILDBIRTH————————————————————————————————————	1,930 749 159 1,094 200 2,772 2,596	374 249 59 31 37 104	1,130 383 66 351 95 982 1,176	17 196 62 9 207 19 698 526	99 27 17 178 19 447 902	45 11 3 86 10 175	1 19 3 2 36 6 96 66	13 2 - 32 3 64 47
6D 61	ASPHYXIA OF NEWBORN, UNSPECIFIED776.9	3,142 356	425 36	1,808	376 ·	185	93	55	39
62 63 64 65	CLASSIFIABLE 776.0,776.3,776.4  IMMATURITY, UNQUALIFIED 778.1  PCSTMATURITY 778.1  HEMORRHAGIC DISEASE OF NEWBORN 778.2  ALL OTHER CONDITIONS OF NEWBORN 778.2	2.977 - 259 890	590 - 4 129	1,923 67 461	196  48 82	36 98 43 56	28 40 - 22 28	11 28 15 19	5 22 11 18
	SYMPTOMS AND ILL-DEFINED CONDITIONS	2,500 974	26 4	64	24 5	22 8	7 2	9 2	13
69 70 71 72	OBSTRUCTION OR SUFFOCATION	282 197 495 81 854	1 3 13 9	3 2 4 - 31	1 4 2 28	4 1 3 	2 20	1 1 1 6	3 1 - 15

Causes, by Age, Color, and Sex: United States, 1973-Con.
Revision International Classification of Diseases, Adapted, 1965]

Revision	Internation	onai Classi	ncation of	Lineases,	Adapted, 1	.965]											
6 DAYS	UNDER 7 Days	7-13 DAYS	14-2D DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MDNTHS	
345	20.868	1,362	712	593	23,535	2.121	1,699	1,231	829	597	499	387	317	251	258	262	1
8 -	43 -	48 -	26	28	145 -	50	36 1 7	31 -	16 1	23	19	15 -	. 14	11	. 4	6	2 3 4 5
21	2 - 213	- 80	1 - 24	2 - 25	5 - 342	6 - 40	7 - 21	4 - 18	9	3  11	12	6 - 3	5 - 6	1 - 3	5 	1 - 2	5
1 - 1	11 3 15	13	10 - 5	4 1 5	38 4 28	25 14	13 - 7	16 - 5	8 - 7	5  4	6	2 - 5	5	3 - 3	6 - 4	7	7 8 9
-	10	3	3	-	16 8	3 -	5 4	3 2	6	5	5 1	. <del>i</del>	2	4 1	5 1	7 -	10 11
2 3	- 9 52	3 -	_ 2 5	1 3	1 14 69	6 14	3 - 8	4 5 8	3 3 8	1 3 4 16		- 1 3	3	- 3	- 5	- - 7	12 13 14
5	42 17	17 4	29 1	17 3	105 25	32 27	31 28	22 29	15 31	14	19	8 15	9 10	7 13	6 19	4 12	15 16
1 13 -	1 7 320 - 320	1 80 1 79	1 2 76 2 74	1 91 - 91	2 11 567 3 564	18 17 353 2 351	13 18 348 2 346	11 20 243 5 238	6 21 146 1 145	8 14 95 3 92	3 9 70 6 64	2 6 55 3 52	3 5 49 1 48	3 8 25 - 25	1 10 30 2 28	4 7 38 1 37	17 18 19 20 21
-	6 47 196	2 5 9	1 10 6	1 7 4	10 69 215	5 54 20	5 46 12	2 29 9	2 20 9	1 24 4	17 3	- 8 5	1 7 3	10 2	7 2	1 4 2	22 23 24
4 8	9 51	2 16	2 13	1 7	14 87	7 34	_ 15	- 10	_ 15	- 6	1 2	1 4	7	- 4	_ 2	_ 3	25 26
63 4	2,759 330	369 8	168	152 3	3,448 341	417	241	181 2	128 2	95 - 5	95	77 - 5	50 -	50 - 3	47 - 5	41 - 2	27 28
3 1 - 32 9	63 105 85 912 148	24 13 11 173 51	15 4 7 82 22	13 6 8 65 19	115 128 111 1,232 240	26 29 15 178 53	8 16 7 119 18	9 14 5 80 13	4 7 4 66 11	10 8 39 5	5 3 2 48 10	33 6	2 3 4 23 2	5 1 26 2	8 2 20 2	10 2 17 2	27 28 29 30 31 32 33
1 3 -	234 90 165 131	17 28 9	8 16 3	12 12 4 1	271 146 181 135	23 28 14 6	19 9 8	18 12 7	9 8 -	4 13 2 3 3	2 12 3 2	4 8 3	1 6 1	4 7 1 1	1 6 - 1	1 3 - 1	34 35 36 37 38
5	16 409	2 2 23	1 2 6	2 6	22 444	3 30	9 7 14	5 2 11	5 5	2	- 5	1 1 6	3 )3	- -	- 2	1	39
191	71 16,681	8 596	208	103	82 17,588	12 79	7 30	3 12	3	9	3	3	2 1	2	-	1 -	40
1	5 149 1 75	3 -	- 1 1 1	1	5 154 1 80	1 1 ~ 1	- 1 -	1 1 1	- - -	1 1 1 1	1111	1 -	1111	11.11	-	-	42 43 44 45
-	67	3 -		1 -	67	-	1		-	-	-		-	-	-	<u>-</u>	46
1	70 107	2 2 3	2	- 1	74 110	-	1 -	_ 1	<u>-</u>	<u>-</u>	. · _	_	-	-	-	=	48 49
2 1 1	256 68 188	3 1 2	1	1 1 1	260 69 191	1 7	2 - 2	- -	- -	1	-	-	-	111	-	=	50 51 52
B -	1+884 737 156	27 5 1	6 2 1	4 1 -	1,921 745 158	5 1 1	4 1 -	- 1	1.1.1	-	1	1	-		=	=	53 54 55
33 2 45 45	954 191 2,544 2,377	93 6 132	24 1 49 38	13 1 14	1,084 199 2,739	22 21	2 - 6 5	1 1 - 5	2 - -	- 2 3	1 - 1	1 1 1	- 1	1	-	- - -	54 55 56 57 58 59
26	3,007	122 78	36	22 14	2,559 3,135	3	2	1	] 2 -	1	1 -	-	-		-	-	60
5 7 -	321 2,904	12 37	10 11	6 5 	349 2,957	12 	1 2 -	ī	_ 1 -	- 3 -	,_ 1 -	1 - -	- -	1	<u>-</u>	=	61 62 63 64 65
5 11	215 804	35 38	5 21	4 17	259 880	3	3	- 1	- - 3	-		Ξ,	-	-	-	=	
7	172 34	38 16	65 22	83 27	358 99	604 127	572 125	375 104	225 79	128 75	82 73	60 62	40 68	23 44	15 58	18 60	66 67
- - - 15	13 5 16 16 145	4 5 7 1 46	7 3 12 1 31	10 5 12 3 24	34 18 47 21 246	42 28 57 7 162	46 33 46 9 101	33 32 39 11 77	27 19 33 4 54	28 10 37 4 45	18 20 35 8 32	17 12 33 5 34	15 14 39 3 19	8 4 32 2 29	6 46 2 23	8 1 51 5 32	68 69 70 71 72

Table 2-14. Deaths Under 1 Year From 65 Selected
[Numbers after causes of death are category numbers of the Eighth

_	CAUSE OF DEATH, COLOR, AND SEX	TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 Days	3 Days	4 DAYS	5 DAYS
1	TOTAL, FEMALE-ALL CAUSES	23,595	2,222	7,268	2,295	1,423	719	433	348
2 3 4 5 6	DIARRHEAL DISEASES       -009         MHIGDFING COUGH       -033         MEN INGOCOCCAL INFECTIONS       -036         TETANUS       -037         SEPTICEMIA       -038         VIRAL DISEASES       -040-079	278 3 35 3 3 336	- - 3	- - - 30 2	2 1 20	5 - - 23	9 - - 23	14 - 15	9 
8 10 11	CONGENITAL SYPHILIS	5 75 66 30	- 2 3	3 3 2 8	1	1	1	- 1	1
12 13 14 15	DISEASES OF THYMUS GLAND————————————————————————————————————	8 40 97 215	- - 1 -	- 13 1	1 - 4 4	- 1 7 10	- 10 . 7	- 1 1 7	- - 1 2
16 17 18 19 20 21	MENINGITIS - 320 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS - 321-389 ACUTE UPPER RESPIRATORY INFECTIONS - 460-465 BRONCHITIS AND BRONCHIOLITIS - 466,490,491 INFLUENZA AND PNEUMONIA - 470-474,480-486 INFLUENZA - 470-474 PNEUMONIA - 480-486	47 91 1,543 23 1,520	1 - 8 - 8	4 1 65 - 65	54  54  54	2 - 35 - 35	1 26 -	- 15 - 15	16 16
22 23 24 25	DTHER CHRONIC INTERSTITIAL PNEUMONIA	11 231 191	- 4 15	23 63	- 6 32	1 4 23	- 3 4	3 4	i
26	ORIGIN	26 146	3	5	1 5	5	4	3	5
27 28 29 30 31 32 33	CONGENTAL ANOMALIES — 740-759 ANENCEPHALUS — 740 SPINA BIFIDA — 741 CCNGENITAL HYDROCEPHALUS — 742 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE 743,7744 CCNGENITAL ANOMALIES OF HEART 746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM 747	4,083 439 256 - 200 173 1,473 278	455 163 20 29 20 22 5	788 166 32 32 45 149 27	236 27 11 5 10 79 13	194 16 6 4 9 86 18	155 10 6 3 6 79 14	84 11 - 5 47 5	88 4 7 3 43
34 35 36 37 38 39	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM748 CONGENITAL ANOMALIES OF GESTIVE SYSTEM749-751 CCNGENITAL ANOMALIES OF GENITOURINARY SYSTEM752,753 CCNGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM754-756 DCHN'S DISEASE	216 207 104 137 48	33 6 12 36 5	71 13 39 50 7	22 9 12 8 1	6 11 1 8 -	5 15 - 4 1	7 1 2	2 3 -6 2
40 41 42 43 44 45	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES745,757,758  CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	81 12+655 3 130  62	12 1,676 18 - 4	26 6•194 3 62 - 26	3 1,882 18 - 12	1.082 6	3 442 3 2	261 2 2	1 188 
46 47	RUBELLA 761.3 ALL OTHER MATERNAL CONDITIONS UNRELATED TD PREGNANCY 761.2, 761.4-761.7, 761.9	65	14	1 35	6	1	1	~ 1	1
48 49 50 51 52	TOXENIA OF PREGNANCY762 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763 DIFFICULT LABOR764-768 WITH MENTION OF BIRTH INJURY (.03) WITHOUT MENTION OF BIRTH INJURY (.4+.9)	64 79 185 59 126	20 28 51 4 47	28 33 79 35 44	6 6 22 5 17	3 5 16 6 10	1 4 3 1	2 3 1 1	1 3 1 2
53 54 55 56 57 58 59	ALL OTHER COMPLICATIONS OF PREGNANCY AND  CHILDBIRTH	1,525 569 136 758 174 1,695 1,495	317 179 46 27 37 19 53	878 290 56 229 76 632 667	150 62 20 147 17 404 292	85 16 6 109 19 281 180	30 7 2 61 5 102 74	12 1 1 36 6 47 42	16 3  26 2 34 27
60 61	ASPHYXIA OF NEWBORN, UNSPECIFIED776.9 ALL OTHER ANDXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE		270	1,231	322	154	61	41	32
62 63 64 65	CLASSIFIABLE	288 2•392 1 194 729	28 487 1 4 91	98 1,432 - 42 358	71 213 - 41 91	44 88 - 23 47	10 40 - 14 28	9 27 16 15	17 7 13
66 67	SYMPTOMS AND ILL-DEFINED CONDITIONS	1,708 717	26 4	42 4	15 6	8	10 3	5 2	3 3
	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING   CESTRUCTION OR SUFFOCATION	i	- - 4 5	2 2 17	1 - 5 2 18	3 - 1 1	3 - 1 16	1 1 1 1 12	2 1

Causes, by Age, Color, and Sex: United States, 1973-Con.

Kearsion	Internati	onal Class	incation of	Diseases,	Adapted, 1	1900]				-							
6 DAYS	UNDER 7 DAYS	7-13 DAYS	1420 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 Mon ths	3 MONTHS	4 MONTHS	5 HONTHS	6 MONTHS	7 MONTHS	8 PONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
283	14,991	1,062	599	477	17,129	1,670	1,209	910	646	482	366	283	224	235	220	221	1
2 -	41 - 2	43 1	20 	25 - 1	129 - 4	38 1 6	24 1 5	13 1 4	16 - 4	17 - 2	11 - 4	4 - 2	8 - 2	9	5 -	4 - 2	2 3 4 5
13	1 146	- 59	23	15	1 243	1 35	1 15	15	3	7	- 4 7	- 5 2	3	5	2	- 4 1	6
-	10 4 8	11 -	5 - 8	5 - 3	31 4 25	12 	6 - 3	4 - 8	3 1 4	3 - 6	-	2	5	3	6	3	8 9
1	8 14	1	1 -	1	10 15	5 4	9	3	2 3	-		2	8 -	8 2	5 2	6 -	10
1 5 -	1 2 38 36 14	- 10 17 1	- 4 18 1	1 3 7 1	1 3 55 78 17	2 2 13 28 28	1 5 4 22 17	7 7 14 17	9 3 12 6	3 3 11 15	3 1 13 17	- 2 7 14	1 2 7 10	3 - 9 13	2 4 7 9	2 3 7 12	12 13 14 15 16
1 8  8	227 227 227	1 1 71 1 70	2 2 52 52	1 6 58 - 58	4 12 408 1 407	5 12 314 3 311	12 17 213 1 212	12 19 176 2 174	5 8 129 6. 123	2 8 88 1 87	- 3 56 1 55	2 3 37 3 34	2 28 1 27	2 1 29 - 29	2 4 30 2 28	1 2 35 2 33	17 18 19 20 21
- - 2	1 44 143	- 5 7	2 6 6	- 6 2	3 61 158	1 53 10	2 31 3	1 22 6	2 17 2	. 2 18 2	10 3	- 8 -	- 2 1	2	- 3 2	- 4 3	22 23 24
3 -	8 30	3 27	4 11	· 2	17 77	3 11	2 10	- 8	1 9	2 5	- 2	4	1 6	5	5	- 4	25 26
69 6 2 2 3 45 4	2,069 407 81 75 101 550	308 14 19 11 9 152 42	179 7 17 8 3 68	138 2 29 5 4 53 16	2,694 430 146 99 117 823 180	370 6 35 28 13 153 29	243 - 17 19 8 113 23	174 2 13 8 10 88 19	144 1 7 7 5 81	104 - 11 11 5 45	91 - 7 12 4 40 8	72 - 7 2 1 40 2	56 - 6 4 2 26 2	52 - 5 3 3 26 1	40 1 5 2 18	43 - 1 2 3 20 2	27 28 29 30 31 32 33
2 1 -	139 66 65 113	8 18 7 2	6 12 6 3	4 10 2 2	157 106 80 120 22	20 22 11 7 4	20 9 4 1	9 5 2 2 3	4 8 - 3	3 10 1 1 3	1 8 - - 4	- 10 2 - 2	7 2 1 4	1 9 - 1	1 6 1 - 1	7 1 -	34 35 36 37 38
4 -	309 50	20 3	18 4	6	353 61	35 7	25 1	17 .2	13 1	8 1	5 2	5 1	1	3 -	2 2	4 2	39 40
159 - - - -	11.884 3 112 - 53	415 - 10 - 5 2	165 - 6 - 2	85 1 - 1	12,549 3 129 - 61 3	59 - - - -	23 - - - - -	10 - 1 - 1	5		3 -	3 - - - -	- - - -	-	 	1 - - - -	41 42 43 44 45 46
_	58	3	4		65	-	-	-	-		- -	- -	-	-	-	-	47 48
1 - 3 1 2	62 75 179 55 124	2 1 4 3 1	1 1 -	2 -	64 78 184 59 125	- - - -	-	1 -	-	1 1	=	-	- - -	-	-	 - -	49 50 51 52
9 1 26 26 21 21 32	1,497 559 133 661 165 1,540	20 5 2 51 5 87 58	4 2 - 23 1 35 25	1 1 - 19 - 8 15	1,522 567 135 754 171 1,670 1,465	2 - - 2 2 17 12	- 1 2 - 6 8	1 1 - - 2 3	- - 1 - 3	-	1 1	- - - - - 2	-		- - - - -	- - - - - - 1	53 54 55 56 57 58
20	2,131 265	61 11	19 4	18	2,229 284	6 3	3	-	-	_	-	-	-	-	- -	- -	60 61
17 - 11 12	2,321 1 158 655	39 21 38	15 10 20	7 - 3 6	2,382 1 192 719	8 - 2 5	1 - - 1	- - 1	1 - -	- - 1	- - 1	1	=	=	= =	· -	61 62 63 64 65
5	114 31	31 10	44 22	68 18	257 81	419 116	365 89	232 81	159 50	98 52	54 44	48 43	20 40	18 42	20 35	18 44	66 67
2 1 2 1 4	13 2 16 11 101	3 1 6 2 32	8 6 8 1 24	9 2 7 1 20	33 11 37 15 177	43 27 46 5 107	30 21 38 16 69	25 22 34 6 62	9 12 29 6 43	12 8 32 3 25	13 13 18 5 32	11 6 26 3 20	12 7 21 3 17	6 7 29 7 24	2 5 28 9 22	7 - 37 2 20	68 69 70 71 72

Table 2-14. Deaths Under 1 Year From 65 Selected
[Numbers after causes of death are category numbers of the Eighth

=		<u></u>		ILLIVEZ D AZIC					
	CAUSE OF DEATH, COLOR, AND SEX	TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 Days	3 Days	4 DAYS	5 DAYS
1	WHITE, BOTH SEXES—ALL CAUSES———————————————————————————————————	40+239	3,828	12,822	4,120	2,788	1,290	790	618
2	DIARRHEAL DI SEASES	364	-	1	5	6	6	16	10
3 4	MHOCPING COUGH	5 72	_	=	- 1	- 1		ĩ	_ []
5	TETANUS037	i -I	l –	. <del>.</del>	- 1	_		_	-
_	SETTICENTA	557	9	46	38	47	36	30	30
7 8	VIRAL DISEASES	162	_	4	4	3	2 -	2	3
9 10	OTHER INFECTIVE AND PARASITIC DISEASESREMAINDER OF COC-136	102	3	В	1	2	1	2	1
-	HEMATOPOIETIC TISSUES	116	2	4	3	2	2	-	1
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	41	6	7	1	1	2	-	- 1
12 13	DISEASES OF THYMUS GLAND	14 70	l <u>-</u> 1	- 2	1	- 1	- 2	- i	
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	163	2	21	10	18	11	5	ĩ
15 16	MENINGITIS320 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	318 323	3	2 6	6 3	12	12	14	3
17		78	_	_	_	_			
18 19	ACUTE UPPER RESPIRATORY INFECTIONS	169		. 2	-	. 2	i	2	<u> </u>
20	INFLUENZA	2,249 30	21 	113	85	67	42 -	23	24
21	PNEUMONIA	2,219	21	113	85	67	42	23	24
22 23 24	OTHER CHRONIC INTERSTITIAL PNEUMONIA	. 32 357 381	- 6 31	3 37 143	10 56	1 8 36	1 3 10	1 1 5	5
25 26	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM-520-534,536,537,540-543,562,564-577	23 217	- 3	- 6	- 8	- 9	- 4	4	3
					_	_			
27 28	CONGENITAL ANOHALIES	7•458 716	823 226	1,580 305	481 48	471 35	293 19	193 20	161
29 30	SPINA BIFIDA741	404	29	50	20	10	11	2	5
31	UTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743.744	354 289	60 30	65 75	12 21	6 14	4 6	2 8	1 3
32 33	CONGENITAL ANOMALIES OF HEART 746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM 7747	2,749 527	52 11	283 37	197 33	271 41	172 25	105 20	87 15
34		469	67					i	
35	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM748 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM749-751	364	11	176 30	40 14	12 24	6 18	11	15
36 37	CONGENITAL ANDMALIES OF DIGESTIVE SYSTEM749-751 CONGENITAL ANDMALIES OF GENITOURINARY SYSTEM754-756 CONGENITAL ANDMALIES OF MUSCULOSKELETAL SYSTEM754-756 DOWN'S DISEASE759,3	280 259	40 63	131 104	22 14	5 12	1 8	2	2 5
38 39	OTHER CONGENITAL SYNDROMES AFFECTING HULTIPLE	79	10	13	2	ī	ž	Ž	Z
ı	SYSTEMS759.0-759.2,759.4-759.9 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES745,757,758	813	193	270	51	36	16	13	13
. 40		155	31	41	7	4	5	2	3
41 42	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER761 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	22+104	2.852	10 <sub>1</sub> 737	3,340	2,042	821	454	334
43 44	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY761	236	39	117	31	15	4	2	6
45	SYPHILIS	122	1 6	58	21	14	3	2	5
46 47	RUBELLA761.3 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	10	3	1	2	-	-	-	1
	TO PREGNANCY761.2,761.4-761.7,761.9	103	29.	58	8	1	1	-	~
48 49	TOXEMIA OF PREGNANCY	97	23	34	17	8	1	4	1
50	DIFFICULT LABOR764-768	136 356	46 95	61 152	12 48	7 27	11	5 5	41
51 52	HITH MENTION OF BIRTH INJURY (.03)	98 258	5 90	48 104	16 32	9	8	3 2	3
53	ALL STHER COMPLICATIONS OF PRECNANCY AND				]		-	-	- 1
- 1	CHILDBIRTH769.0-769.2,769.4,769.5,769.9	2,543	523	1,444	269	142	54	22	19
54 55	CONDITIONS OF UMBILICAL CORD771	1,049 237	358 83	533 97	89 26	33 18	15	3 2	3
56 57	BIRTH INJURY WITHOUT MENTION OF CAUSE772	1,308 326	42 67	382 153	270 28	217 32	108 11	50 10	40 5
58 59	CHILDBIRTH 769.0-769.2,769.4,769.5,769.9 CONDITIONS OF PLACENTA 771 BIRTH INJURY MITHOUT MENTION OF CAUSE 772 HEMOLYTIC DISEASE OF NEWBORN 776.1 HYALINE MEMBRANE DISEASE 776.1 RESPIRATORY DISTRESS SYNDROME 776.2	3,539	32	1,258	896	595	228	111	80
	ASPHYXIA OF NEWBORN. UNSPECIFIED776.9	3.098	110	1,397	622	385	131	87	58
60	All other annyic and hydryic countrious not elseubere	3,788	481	2,167	478	246	105	62	50
	CLASSIFIABLE————————————————————————————————————	439	46	137	100	58	29	16	6
62 63	PCSTNATURITY TOWNS AND THE POST OF THE POS	3,580 1	758 1	2,215	280 -	131	50 -	32	21
64	HEMORRHAGIC DISEASE OF NEMBORN778.2 ALL OTHER CONDITIONS OF NEMBORN:778.0,778.3,778.9	324 1•039	8 139	77 507	6C	48	29	22	16
			1		114	80	41	21	25
66 67	SYMPTORS AND ILL-DEFINED CONDITIONS	2,644 1,151	25 8	58 9	19	16 12	9 3	11 2	8 5
401	TRUMPATTON AND INCECTION OF FOOD OD OTHER ODJECT CAMETHE	326	_	4	1	7	3	_	4
69	ACCIDENTAL MECHANICAL SUFFOCATION	229	1	~		1	- [	-	-
쓅	RESTRUCTION OR SUFFOCATION	596 99	12	5	5	1	- ī	2 2	1
72	ALL OTHER CAUSESRESIDUAL	966	22	32	38	29	27	14	17

Causes, by Age, Color, and Sex: United States, 1973-Con.

Revision International Classification of Diseases, Adapted, 1965]

Kearbion	internati	onal Class	ification of	Diseases,	Acapteu,	าลดอไ									n.v		_
6 DAYS	UNDER 7 Days	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 2B DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 PONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
447	26,703	1,818	938	742	30,201	2,512	1,937	1,444	982	726	589	453	368	351	328	348	1
5 -	49 	57	27	27	160	45 1	31 2	21 1	16 1	23	11	14	15	16	7	5	2 3 4 5
1 - 24	4 - 260	1 - 92	31	3 - 30	8 - 413	10 - 47	22	. <u></u> 19	10 - 6	5 - 15	6 - 11	7 - 4	6 - 7	. 1 - 2	5	3  6	5
2 -	20 2	20 _	10	8 1	58 3	26 -	11	14	7	5	11	3	4	7	10	6	7 8
l 1	19 15 17	6 4 1	3 -	1 1	40 23 19	15 7 4	11 5	7 5 4	5 6 2	8 -	7	. 5 8 -	. 4 .9 1	11 3	7 10 2	1 11 -	9 10 11
ī	1 9	_ 3	- 2	_ 1	1 15	1 6	2 5	6 10	3 12	1 5	_ 5	1	- 4	- 3	- 2	- 2	12 13
4 8 1	72 58 19	15 23 4	5 38 1	5 15 2	97 134 26	17 36 40	8 33 36	10 20 35	6 14 34	13 21	21 29	2 9 21	11 19	2 11 22	9 22	5 7 18	14 15 16
- 1 15	- 8 390	_ 1 107	2 2 84	1 4 84	3 15 665	15 22 424	16 26 360	15 27 257	8 22 172	6 16 97	2 8 72	3 6 46	2 4 45	3 6 28	1 11 33	4 6 50	17 18 19
15	390	106	2 82	84	3 662	3 421	1 359	253	169	1 96	69	4 42	44	28	29	3 47	20 21
- - 1	6 70 283	2 8 11	3 10 8	1 8 4	12 96 306	6 69 16	4 50 12	3 42 13	3 21 6	27 5	20 6	8 4	- 5 4	8 -	- 6 4	1 5 5	22 23 24
4 4	11 45	3 26	1 18	2 9	17 98	4 31	- 14,	- 15	. 1 16	1 7	3	5	9	- 6	7	6	25 26
105 9	4,107 671	591 21	280 6	239 5	5•217 703	637 6	366	288 4	208	163	150	124	84 - 7	83 - 7	71 - 6	67	27 28
3 1 2 61 11	130 151 159 1,228 193	40 21 18 281 84	28 10 9 119 43	40 9 12 93 27	238 191 198 1,721 347	54 44 22 269 69	23 26 14 175 35	21 20 10 136 17	10 12 8 107	13 15 12 67 10	73 11	11 5 4 61 8	5 5 40 3	8 4 4D 3	9 2 32 2	3 10 5 28 3	27 28 29 30 31 32 33
1 4	305 127	23 39	12 20	14	354 202	33 33	27 13	24 13	. 13 . 15	6 16	3 17	3 15	1 10	2 13	2 10	1 7	34 35 36
3 -	206 211 32	14 3 5	7 4 2	5 3 1	232 221 40	22 9 4	6 6 9	5 6 3	- 5 4	3 4 6	2 2 3	5 1 3	2 1 5	1 2 -	1 1	1 1 2	36 37 38
7 2	599 95	34 8	15 5	9 5	657 113	55 17	28 4	24 5	10 2	9 2	\$ 5	8 -	3 2	3 -	4 2	3 3	39 40
243	20,823	722	258	123	21 <sub>1</sub> 926 7	92 1	41	16 - 1	9 -	6 -	6 -	4 - 1	1 - -	2 - -	=	1 -	41 42
=	214 1 109	7	6 - 3	1	232 1 120	1	1 -	1	=	=	=	=	-	-		=	43 44 45 46
_	7 97	2	3	_	102	-	-	_	_	_	-	1	_	-	-	-	47
2	90 131 345	4 2 7	2 - 2	2	96 135 354	- - 1	1 - 1	1	=	=	=		=	-	=	=	48 49 50
1 2	93 252	3	1 1	=	98 256	1	1	=	-	=	-	-	-	-	=	-	51 52
11	2,484 1,035	36 6	8	5 2	2,533 1,046	5 -	4 -	1 2	<u> </u>	=	1	-		=	=	=======================================	53 54
1 42 5	231 1,151 311	93 9	1 31 2	21	235 1,296 323	1 5 1	1 4 -	1	1 2	-	1 -	=	_	-	=	=	54 55 56 57 58 59
50 60	3,250 2,850	168 136	63 43	17 19	3,498 3,048	26 26	11 7	7	4	2	1 2	1	-	-	-	. 1	
27 5	3,616	101	13	. 23 5	3,777 432	3	2	-	-	1	-	1		1	-	_ _	61
13	3,500 1 268	44 40	16	6	3,564 1 323	10	3	1 - -	1 -	-	-	-		-	=	-	61 62 63 64 65
15	942 156	45	73	102	1,026 375	629 150	605 145	400 126	236 83	1 149 91	83 82	66 75	33 76	25 66	19 56	24 74	66 67
1	48 20	16	12	13	129 50	150 47	145 50	124 37	25	26	21 25	- 20	21 17	12	3 8	14	
2 1 12	26 26 20 191	2 9 1 58	14 2 43	16 3 27	14 65 26 319	38 65 6 156	34 61 13 106	33 54 12 75	19 39 8 66	16 49 5 43	36 8 40	15 40 5 33	38 2 21	45 6 36	45 5 33	59 3 38	68 69 70 71 72

Table 2-14. Deaths Under 1 Year From 65 Selected
[Numbers after causes of death are category numbers of the Eighth

MOSTE, NALE—RAL CRUSES				Γνα	mbers afte	r causes o	i ueam are	Category	HOINDOLD OF	сто жевини
DIABNES   DISCRETE		CAUSE OF DEATH, COLOR, AND SEX	UNDER	1					4 DAYS	
VINEAU DISEASES   VINEAU STATES   VINEAU STA	1		23,414	2,148	7,579	2,406	1,680	766	481	363
VINEAU DISEASES   VINEAU STATES   VINEAU STA	2	DIARRHEAL DISEASES		-			5	1	6	5
VINEAU DISEASES   VINEAU STATES   VINEAU STA	4	MENINGOCOCCAL INFECTIONS		=	=	=	1		1	= =
VINEAU DISEASES   VINEAU STATES   VINEAU STA	6	SEPTICEMIA	325	6	29	23	28	18	20	18
	7		100	_	2	3	1	1	1	,
	8	CONGENITAL SYPHILIS———————————————————————————————————	3		1	1		_	~	
The property of the company of the	10	MALIGNANT NEUPLASMS, INCLUDING NEUPLASMS OF LYMPHATIC AND	4					1	- 4	
10   15   15   15   15   15   15   15	11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239					-	1		1
10   15   15   15   15   15   15   15	12	DISFASES OF THYMUS GLAND254	8	_	_	_	ي ا	_	~	
10   10   10   10   10   10   10   10	13	DISEASES OF THE BLOOD AND BLOOD-ECONING DOCANS		-		- 7	- 12		-	
17 ACUTE UPPER RESPETATORY INFECTIONS— 460-460-50 130	15	MENINGI (15320	183	-				6	8	
The Commit Interstitual Presentation   1			1 1	2	5	_	-	1	1	-
The Commit Interstitual Presentation   1		ACUTE UPPER RESPIRATORY INFECTIONS		-	ī	-	- 2		- 2	
The Commit Interstitual Presentation   1	19	INFLUENZA AND PNEUMONIA		14		45		24		15
Concentral Ammalies of Centrollary System		PNEUMONI A		14	68	45	42	24	10	15
Concentral Ammalies of Centrollary System		OTHER CHRONIC INTERSTITIAL PNEUMONIA517		-		_	_	1	1	-
Concentral Ammalies of Centrollary System		ALL OTHER DISEASES OF RESPIRATORY SYSTEM—————492,493,500-516,518,519 HERNIA AND INTESTINAL DESTRUCTION—————550-553,560					•		2	1 1
Concentral Ammalies of Centrollary System		GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS	1 1	•	30			•		
UNIFIC CUNGENTIAL ANOMALIES OF CIRCULATORY SYSTEM —	26	OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577		1	5	4	4	2		
UNIFIC CUNGENTIAL ANOMALIES OF CIRCULATORY SYSTEM —		CONGENITAL ANOMALIES740-759		420	517	295	307	164	122	85
UNIFIC CUNGENTIAL ANOMALIES OF CIRCULATORY SYSTEM —		ANENCEPHALUS740 SPINA RIFIDA751						9		2 2
UNIFIC CUNGENTIAL ANOMALIES OF CIRCULATORY SYSTEM —	30	CONGENITAL HYDROCEPHALUS	194	35	39	7	3	2	2	1
CENSERITAL ANDMALIES OF RESPIPATION SYSTEM — — — — — — — — — — — — — — — — — — —	. 32	CONGENITAL ANOMALIES OF HEART746	1,574	32	166	135	200	104	67	50
UTION CONTROL OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECURATION OF SECURATION OF SECURATION OF SECURATION OF SECURATION OF SECURATION OF SECULATIONS OF SECURATION OF SECURA			1		17		29	16	15	6
UTION CONTROL OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECURATION OF SECURATION OF SECURATION OF SECURATION OF SECURATION OF SECURATION OF SECULATIONS OF SECURATION OF SECURA		CONGENITAL ANDMALIES OF RESPIRATORY SYSTEM						3		12
UTION CONTROL OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF PREGNANCY  TO ENERLA OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECULATIONS OF SECURATION OF SECURATION OF SECURATION OF SECURATION OF SECURATION OF SECURATION OF SECULATIONS OF SECURATION OF SECURA	36	CONGENITAL ANDMALIES OF GENITOURINARY SYSTEM752,753			97	12	4	i	4	
SYSTERS OTHER AND UNSPECIFIED CONGENITAL ANDMALIES -759,0-759,2,759,4-759,8 0 THER AND UNSPECIFIED CONGENITAL ANDMALIES -761,757,77578 0 TO STATE OF MORTALITY IN EARLY INFANCY—760-769,2,769,4-772,774-778 0 THE CAUSES OF MORTALITY IN EARLY INFANCY—760-769,2,769,4-772,774-778 0 THE RAY SENIAL CONDITIONS AND BENTYOURNEARY DISCRESS IN MOTHER—761,0 0 THE RAY SENIAL CONDITIONS UNRELATED TO PRECNANCY—761,1 0 TABLE SERVING CONDITIONS UNRELATED TO PRECNANCY—761,1 0 TO PRECNANCY—761,1 0 TO PRECNANCY—761,2,761,4-761,7,761,9 0 MATERNAL AND INTRAPARTUM INFECTION—763,0 0 TO PRECNANCY—764,769,0-769,2,769,4,769,5,769,9 0 HIT HENTION OF BIRTH INJURY (.4,-9)—769,0-769,2,769,4,769,5,769,9 0 HIT HENTION OF BIRTH INJURY INFECTION—771,1 0 TO PRECNANCY—771,1 0 TO PRECNANCY—771,1 0 TO PRECNANCY—771,1 0 TO PRECNANCY—159,0-769,0-769,2,769,4,769,5,769,9 0 HIT HENTION OF BIRTH INJURY INFECTION—771,1 0 TO PRECNANCY—771,1 0 TO PRECNANCY—771,1 0 TO PRECNANCY—159,0-769,0-	38	DCHN'S DISEASE759.3					î	i	-	
\$\frac{1}{2}\$ CERTAIN CAUSES OF MORTALITY IN FARLY INFANCY—760-769,2,769,4—772,774-770 \$\frac{1}{2}\$ CHICKING CIRCULATORY AND BENTYURINAWAY DISSASES IN MOTHER—761.0 \$\frac{1}{4}\$ OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY \\ \$\frac{7}{6}\$ TOLL TOLL TOLL TOLL TOLL TOLL TOLL TOL				117		25	13	8	8	6
CIRCUIT CORPUTIONS UNRELATED TO PREGNANCY—— 761.0   1   1   2   4   30   11   10   1   1   4   5   5   1   10   1   1   4   5   5   1   10   1   1   1   1   1   1   1	40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES745,757,758	93	22	22	5	2	3	2	2
TOLER MATERNAL CUNDITIONS UNRELATED  TO PREGRANCY————————————————————————————————————		CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778				1,945	1,211	506	280	201
TOLER MATERNAL CUNDITIONS UNRELATED  TO PREGRANCY————————————————————————————————————	43	OTHER NATERNAL CONDITIONS UNRELATED TO PREGNANCY	126	24	60	18	10	1	1	4
TOLER MATERNAL CUNDITIONS UNRELATED  TO PREGRANCY————————————————————————————————————	45	CIABETES MELLITUS761.1	72	4			10	ī	1	
## TOXEMIA OF PREGNANCY		RUBELLA761.3  ALL OTHER MATERNAL CONDITIONS UNRELATED	7	3	-	2	-	-	-	1
SITH MENTION OF BIRTH INJURY (.03)		TO PREGNANCY761.2,761.4-761.7,761.9	46	16	24	5	-	-	-	-
SITH MENTION OF BIRTH INJURY (.03)		TOXEMIA OF PREGNANCY762						1		
ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	50	DIFFICULT LABOR764-768	215	57	93	26	17		. 4	2
CHILDBIRTH————————————————————————————————————		WITHOUT MENTION OF BIRTH INJURY (.4,.9)			69				1	
RESPIRATORY DISTRESS STAUROME	53	ALL OTHER COMPLICATIONS OF PREGNANCY AND								
RESPIRATORY DISTRESS STAUROME	54	CHILDBIRTH769.0-769.2,769.4,769.5,769.9	1,429							
RESPIRATORY DISTRESS STAUROME		CCNDITIONS OF UMBILICAL CORD	128	47	53	7	15	2	1	-
RESPIRATORY DISTRESS STAUROME	57	HEMOLYTIC DISEASE OF NEWBORN774,775	180	35	86	17	16	8 [	5	3
61 ALL OTHER ANOXIC AND HYPOXIC CUNDITIONS NOT ELSEMHERE CLASSIFIABLE————————————————————————————————————		RESPIRATORY DISTRESS SYNDROME776.2	2,210							
61 ALL OTHER ANOXIC AND HYPOXIC CUNDITIONS NOT ELSEMHERE CLASSIFIABLE————————————————————————————————————	60	ASPHYXIA DE NEWBORN. HINSPECIFIED776.9	2.243	295	1.315	258	136	63	31	29
66 SYMPTOMS AND ILL—DEFINED CONDITIONS————————————————————————————————————		ALL DYNED ANOVIC AND UVDOVIC COMPITTONS NOT ELSENHEDE				j				
66 SYMPTOMS AND ILL—DEFINED CONDITIONS————————————————————————————————————		IPMATURITY, UNQUALIFIED777						26	21	
66 SYMPTOMS AND ILL—DEFINED CONDITIONS————————————————————————————————————		PUSIMATURITY778.1 HEMORRHAGIC DISEASE OF NEWBORN778.2						20		10
68 INHALIATION AND INSESTION OF FOOD OR OTHER OBJECT CAUSING  CBSTRUCTION OR SUFFOCATION————————————————————————————————————		ALL OTHER CONDITIONS OF NEWBORN778.0,778.3,778.9	582	79	29B	53	42	23	14	15
68 INHALIATION AND INSESTION OF FOOD OR OTHER OBJECT CAUSING  CBSTRUCTION OR SUFFOCATION————————————————————————————————————	66 67	SYMPTOMS AND ILL-DEFINED CONDITIONS								
Control of the Change   Cont	6B I	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING	ŀ II				_	1	_	
70 OTHER ACCIDENTAL CAUSES	69	ACCIDENTAL MECHANICAL SUFFOCATIONE913				-		-	- [	
72 ALL CTHER CAUSES	70	OTHER ACCIDENTAL CAUSES	l 53 ll	3	3	2	3			
	72	ALL CTHER CAUSESRESIDUAL	556							

Causes, by Age, Color, and Sex: United States, 1973-Con.
Revision International Classification of Diseases, Adapted, 1965]

Revision	Internatio	onal Classi	fication of	Diseases,	Adapted, 1	965]							,				
6 DAYS	UNDER 7 8AYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 Days	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 FCNTHS	9 MONTHS	10 MONTHS	11 MONTHS	
248	15,671	1,047	518	411	17.647	1,438	1,149	853	553	412	336	268	217	185	167	189	1
4 -	25	29	17	16	87	. 31	20 1	15	7 1	11	ε -	11	9. -	9	2		2
-	2 -			2 -	4 -	5 -	. 4	2 -	- 8	3 -	2	5	4	1	4 1	1 -	2 3 4 5 6
14	156 11	54 10	15 7	16 3	241 31	25 18	13 9	10 13	. 4 5	10	7 5	2 1	5	2	4	5	7
1 - 1	2 14	3	3	1 4	3 24	9	- 5	4	- 4	3	1	4	1.	- 2	· 3	1	8 9
=	8 7	3 1	3 -	-	14 8	· 2	4 4	2 1		4 -	1	7	. 1	3 1	5	. <u>6</u>	10 11
- 1	- 7	- 3	- 2. 3	<u>-</u>	- 12	4	1 -	3 5	3	1 2	2	1	3	- - 2	- - 1,	- - 3	12 13 14
3 3 1	40 30 10	8 11 3	26 -	2 11 2	53 78 15	9 18 20	5 19 23	5 14 22	5 7 30	1 8 10	6 15 15	2 4 11	1 7 10	6 12	4 15	3 10	15 16
-	- 6	-	1	- 1	1 8	13 14	10 13	7 13	.15	. 10	2 7	. 4	2 2	2 5	1 7	3 4.	17 18 19
9	227	59 1 58	53 2 51	53 - 53	392 3 389	235 2 233	229 1 228	152 3 149	68 1 87	56 1 55	39 3 36	28 2 26	29 1 28	15 - 15	17 2 15	26 1 25	20 21
-	5 36 163	2 4 6	1 8 5	1 6 2	9 54 176	5 39 11	3 31 9	2 25 8	1 11 5	1 17 3	- 12 3	- 3 4	- 4 3	· 7	3 2	1 4 2	22 23 24
2 4	5 27	2 6	1 12	- 3	8 48	3 24	- 6	- 7	- 10	5	-	_ 3	4	- 3	_ 2	- 3	25 26
51	2,361	329	129	130	2,949	331	184	148	101	84	77	. 68	41	38	36	33	27 28
2	296 55 89	8 22 11	12 2	3 12 5	307 101 107	23 21	8 15	2 9 13	2 3 6	4 8	4 2	5 3	2	2 5	5 5	2 8	28 29 30
27	71 781 120	10 156 48	6 62 20	8 55 15	95 1,054 203	11 143 41	7 86 16	66 8	3 50 10	7 36 5	1 41 - 5	3 29 6	21 1	1 20 2	1 16 1	12 1	31 32 33
1 3	196 73	15 24	7 11	11 9	229 117	16 20	17 5	16 9	9.7	4 9	2 11	3 8	1 5	1 5	1 5	1 3	34 35
3	149 113 14	7 2 2	1 2	3 1 1	161 117 19	13 5 2	5 6 6	3 4 1	- 3 4	2 3 3	2 2 -	3 1 1	1 2	1 1 -	=	1	36 37 38
3 2	344 60	18 6	3 1	6	371 68	25 11	10	10 3	2 2	2	4 3	6	2	_ =	2 -	1 1	39 40
137	12,282	440	143	69	12,934 4	56 1	22	10		5 -	. 3	2	1 - -	. z	=	-	41 42
=	118 1 66	3 - 3	1 1	1 - 1	123 1 71	1 - 1	-		-		] =	1 -	-		] -		43 44 45
-	6	-		_	6 45	_	1	_	-	_		1	_	-		_	46 47
1	45 49	2	2	_	53	_	1		_	-	-	-	-			_	48
2	79 209 56	1 3 1	1	1 -	81 213 57	1 -	1 -	1 -	=	=	=	-				=	49 50 51
i	153	2	1	-	156	1	1	-	-	-	· -	_	-	-	· -	_	52
4	1,394 589	20 4	4 2	4	1,422 596	3 -	4 -		=	=	-	-	-	-	-	-	53 54 55 56 57 58 59
25	125 680 172	58 5	1 15 1	7 1	127 760 179	1 3 -	- 2 -	- 1	2	1 -	1 -	_	_	_	-		56 57
25 2 36 35	172 2,034 1,837	101 100	40 23	13 11	2,188 1,971	13 19	5 2	5	. 2	. 1	1	=	-	-		=	1
17	2,144	5B	26	10	2,238	2	1	1	-	1		-	-	1	-	-	60
3	208 1,951	10 24 +	6	2 2 -	229 1,983 -	8 -	2	ī	1	1 -	-	-	-	_		] =	61 62 63 64 65
3 5	160 529	24 26	2 10	4 12	190 577	- 2	2	=	1	=	_	=	_ =		_	=	1
6	96 27	25 10	47 16	48 22	218 75	385 88	381 87	262 74	137 53	86 · 51	52 49	36 45	21 51	13 36	33	12 45	66 67
=	12 2	3	6	8 5	29 9	27 18	29 22 36 7	23 19	20 10	20 9 22 3 30	11	13 11	13 12 26 2 11	7 3 26	2 4 27	8 1 24	68 69 70 71 72
10	13 11 111	1 6 1 38	9 1 24	5 9 2 17	37 15 190	43 4 89	36 7 59	19 32 7 42	10 23 2 36	30	14 24 5 20	11 21 3 22	11	26 2 21	27 1 15	21	71 72

Table 2-14. Deaths Under 1 Year From 65 Selected
[Numbers after causes of death are category numbers of the Eighth

_					EL CAUSES U				
	CAUSE OF DEATH, COLOR, AND SEX	TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 Days	3 Days	4 Days	5 DAYS
1	WHITE+ FEMALEALL CAUSES		1,680	5,243	1,714	1,108	524	309	255
2 3	DIARRHEAL DISEASES009 WHOOPING COUGH	152 3	<u>-</u>	_	2	1	5	10	5
4	MENINGOCOCCAL INFECTIONS	29	=		1_	-	-	-	
6		232	3	17	15	19	18	10	12
7	VIRAL DISEASES	62	=	2	1_	2	1 -	1	1 1
9 10	OTHER INFECTIVE AND PARASITIC DISEASESREMAINDER OF OCO-136 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND	41	1	3	-	-	~	-	1
11	HEMATOPOIETIC TISSUES	57 24	3	1 5	1 -	1 1	1 1	-	1 -
12 13	DISEASES OF THYMUS GLAND	6 38		_	1	- 1	-	- I	-
14 15	I MFN INGITIS	70 135	1 -	12	3 2	6	8 6	1 6	
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-385	130	1	1	3	ĭ	-	2	3
17 18	ACUTE UPPER RESPIRATORY INFECTIONS	25 67	_	- 1	_	-	ī	-	<u>-  </u>
19 20	INFLUENZA AND PNEUMONIA	943 10	7 -	45	40	25	18	13	9
21 22		933	7	45	40	25	18	13	9
23 24	OTHER CHRONIC INTERSTITIAL PNEUMONIA	10 147 155	2 13	21 53	4 30	1 4 18	1 2	1 3	1 -
25 26	GASTRITIS, DUDDENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN— 535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM——520-534,536,537,540-543,562,564-577	12 101	- 2	- 1	- 4	5	_ 2	2 1	2 3
27	CONGENITAL ANDHALIES740-759	3,368	403	663	186	164	129	71	76
28 29	ANENCEPHALUS740 SPINA BIFIDA741	405 236	151 19	151 29	24 11	16 6	10 6	10	7 3
30 31	CCNGENITAL HYDROCEPHALUS742 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743,744	160 150	25 19	26 39	5 9	3 8	2 5	- 4	- z
32 33	CONGENITAL ANOMALIES	1+175 228	20 5	117 20	62 9	71 12	68 9	38 5	37 9
34 35	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM 749-751 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM 749-751 CONGENITAL ANOMALIES OF GENTTOURINARY SYSTEM 752,753 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM 754-756 OGHN'S DISEASE 759.3	169 160	26 5	60 12	15 7	5	3 11	- 6	=
36 37	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	89 116	11	34	10 5	1	-	-1	3
39	OGHN'S DISEASE	40	32 5	43 7	1	8 -	ĭ	1 2	2
40	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	378 62	76 9	106 19	26 2	23 2	8 2	5	7
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778	9,063	1,209	4,378	1,395	631	315	174	133
42 43 44	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760—769.2,769.4—772,774—778 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER — 760 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY————761 SYPHILIS———761.1 RUBELLA——761.1	110	15	3 57	13	5	3	1	2
45 46	CIABETES MELLITUS761.1	50 3	2	22	10	4	2	ī	2
47	TO PREGNANCY	57	13	1 34	3	1	1	_	_
48		43	12	19	4	2	_	z	1
49 50	TGXEMIA OF PREGNANCY	54 141	18 38	24 59	22	10	3	1	2
51 52	WITH MENTION OF BIRTH INJURY (.O3)	41 100	2 36	24 35	5 17	7	2	ĩ	1
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	1,114	235	635	115	61	21	7	9
54 55	CONDITIONS OF PLACENTA	452 109	147 36	227 44	50 15	12	6 2	i [	2
56 57	BIRTH INJURY WITHOUT MENTION OF CAUSE772 HEMOLYTIC DISEASE OF NEWBORN774,775	540 146	21 32	158 67	112	81 16	42 3	23 5	17
58 59	CHILDBIRTH 769.0-769.2,769.4,769.5,769.9 CUNDITIONS OF PLACENTA 770 CONDITIONS OF PLACENTA 771 BIRTH INJURY MITHOUT MENTION OF CAUSE 772 HEMOLYTIC DISEASE OF NEWBORN 774.775 HYALINE MEMBERANE DISEASE 776.1 RESPIRATORY DISTRESS SYNDROME 776.2	1,329 1,096	9 33	491 501	329 206	230 143	86 49	29 36	28 20
60 61	ASPHYXIA OF NEWBORN, UNSPECIFIED776.9	1,545	186	852	220	110	42	31	21
62	ALL UIHER ANUXIC AND HYPDXIC CONDITIONS NOT ELSEWHERE  CLASSIFIABLE 776.0,776.3,776.4  IMMATURITY, UNQUALIFIED 778.1  HEMORRHAGIC DISEASE OF NEWBORN 778.2  ALL:OTHER CONDITIONS OF NEWBORN 778.2	205 1,584	21 341	64 936	51 154	36 63	7 24	6	3 10
63 64	PGSTMATURITY778.1 HEMORRHAGIC DISEASE OF NEWBORN7.78.2	1 134	1 4	32	24	17	9	11	
65		457	60	209	61	38	18	7	10
66 67 68	SYMPTORS AND ILL-DEFINED CONDITIONS	1+034 464	13 4	23 3	8 4	2 4	3	1	1 1
69	CBSTRUCTION OR SUFFICATION	124 97	_	1 -	1	3	1 _	- 1	1
70 71	OTHER ACCIDENTAL CAUSES	243 46	4 3	·2	3 2	1		1	=
72	ALL CTHER CAUSESRESIDUAL	410	14	14	12	13	11	9	5

Causes, by Age, Color, and Sex: United States, 1973-Con.

Hevision	Internation	onal Classi	fication of	Diseases,	Adapted, 1	965]											
6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 Days	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	e MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
199	11,032	771	420	331	12,554	1,074	788	591	429	314	253	185	151	166	161	159	1
1 - 1	24 - 2	28  1	10 	11 - 1	73 - 4	14 1 5	11 1 3	6 1 3	9 - 2	12 - 2	3	3 - 2	. 6	7 -	5	3 - 2	23456
10	_ 104	38	16	14	172	22	9	9	2	5	4	2	2	=======================================		4	5
1 - -	9 - 5	10 - 5	3 - 4	5 - 2	27 - 16	8 - 6	2 - 1	1 - 3	2 1 1	4	6 - -	2 - 1	1 - 3	4 - 2	6 - 4	1 - -	7 8 9
1 -	7 10	1 -	Ξ	1 1	9 11	5 4	7	3 3	- 2	4	3 -	1 -	7 -	8 2	5 1	5 -	10 11
- 1 5	1 2 32 28	- 7 12	- 2 12	- 1 3 4	1 3 44 56	1 2 8 18	1 5 3 14	3 5 5 6	- 9 1 7	- 3 3 5	 3  6	- - - 5	- 1 1 4	 3  5	2 3 5	- 2 2 4	12 13 14 15 16
	9 - 2	1 _ 1	1	1	11 2 7	20	13	13	3	11	14	10		10 1	7	8	i .
6	163 163	48 - 48	31 - 31	3 31 - 31	273 - 273	8 189 1 188	13 131 - 131	14 105 1 104	7 84 2 82	41 - 41	1 33 - 33	18 2 16	16 - 16	1 13 - 13	4 16 2 14	2 24 2 22	17 18 19 20 21
- 1	1 34 120	- 4 5	2 2 3	2 2	3 42 130	1 30 5	1 19 3	1 17 5	2 10 1	2 10 2	- 8 3	5	- 1 1	1 -	- 3 2	1 3	22 23 24
2 -	6 18	1 20	6	2 6	9 50	17	- 8	8	1 6	1 2	_ 2	_ 2	- 5	- 3	5	3	25 26
54 6 1 2 34	1,746 375 75 62 88 447	262 13 18 10 8 125 36	151 6 16 8 3 57 23	109 2 - 28 4 4 38 12	2, 268 396 137 84 103 667	306 6 31 23 11 126 28	182 - 15 11 7 89 19	140 2 12 7 6 70	107 1 7 6 5 57	79  9 7 5 31	73 - 7 7 4 32 6	56 - 6 2 1 32 2	43 - 5 4 1 19 2	45 5 3 20 1	35 - 1 4 1 16 1	34 1 2 3 16	27 28 29 30 31 32 33
1	109 54 57 98 18	6 15 7 1	5 9 5	3 7 2` 2	125 85 71 104 21	17 13 9 4 2	10 8 1 - 3	8 4 2 2 2	4 8  2	2 7 1 1 3	1 6 - - 3	- 7 2 - 2	- 5 1 1	1 8 - 1	1 5 1 1	- 4 1 - 1	34 35 36 37 38
4	255 35	16 2	12	3 4	286 45	30 6	18 L	14 2		7	5 2	2	1 I	3 -	2 2	2 2	39 40
106 - - -	8,541 3 96  43	282 - 8 - 4	115 - 5 - 2	54 - - -	8,992 3 109 - 49	36 - - -	19 - - -	6 - 1 - 1	3 -	· 1	3	2 - 1	11111	1111	11111	1 - - -	41 42 43 44 45 46
-	1 52	2	3	- -	3 57	-   -	· -	-	-	-	-	-	- -	-	<u>-</u>		46 47
1 1 1	41 52 136 37 99	2 1 4 3 1	- 1 1	1 - -	43 54 141 41 100	1111	1111		1111	- - -	-	- - -	1111	1111	1111	- - -	48 49 50 51 52
7 1 17 17 14 25	1.090 446 106 471 139 1.216 1.013	16 2 2 35 4 67 36	4 1 - 16 1 23 20	1 1 - 14 - 4 8	1,111 450 108 536 144 1,310	2 - 2 1 13 7	12 65	1 1	- - 1 - 2	- - - -	1 1	- - - - 1	111111		111111	- - - 1	53 54 55 56 57 58 59
10	1,472	43	11	13	1,539	4	2	-	-	_	-	-	_	-	-	-	60
1 10 - 5 10	189 1,549 1 108 413	7 20 - 16 19	4 10 - 7 12	3 2 - 2 5	203 1,581 1 133 449	1 2 - 1 3	1 1 - 1	- - - - 1	-	- - - 1	- - - 1	- - - 1	1 1 1 1	1	-	11111	61 62 63 64 65
4 3	58 21	19 6	26 14	54 13	157 54	244 62	224 58	138 50	99 30	63 40	31 33	30 30	12 25	12 30	12 23	12 29	66 67
1 2 1 2	8  13 9 80	2 1 3 - 20	6 3 5 1 19	5 1 7 1 10	21 5 28 11 129	20 20 22 2 67	21 12 25 6 47	14 14 22 5 33	5 9 16 6 30	6 7 27 2 13	10 11 12 3 20	7 4 19 2 11	8 5 12 - 10	5 6 19 4 15	1 4 18 4	6 - 23 1 17	68 69 70 71 72

Table 2-14. Deaths Under 1 Year From 65 Selected
[Numbers after causes of death are category numbers of the Eighth

				mhers atte			CHECROY !		CAST THE STATE OF
_	CAUSE OF DEATH, COLOR, AND SEX	TOTAL UNDER 1 YEAR	UNDER L HOUR	1-23 HOURS	I Day	2 Days	3 Days	4 DAYS	5 DAYS
1		15,342	1,226	4,767	1,328	764	436	244	210
2	DTARRHEAL DISEASES	284	-	1	<u>1</u>	6	9	5	8
4	MENINGOCOCCAL INFECTIONS	18	[ -	_	1		-	-	
5	TETANUS	3 248	- 2	- 22	15	14	12	9	15
7	VIDAL DISEASES	54	_	_ [	1		_	_	_
8	VIRAL DISEASES	5 58	- 1	4	-		1	- 2	- 1
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES ——————————————————————————————————	18 7	-	2 3	-	1	-	- 1	-
11	DENIGN NEDFLASHS AND NEOFLASHS OF UNSPECIFIED NATURE	1 1	_	]	_			•	
12 13	DISEASES OF THYMUS CLAND	7	] [		= =		=	ī	
14 15	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	73 174	1 -	5 1	1 4	3 6	6	- 2	2
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	94	-	5	i	4	ż	_ =	_ [
17	ACUTE UPPER RESPIRATORY INFECTIONS	43		-	-	-	-	· _	- [
18 19	INFLLENZA AND PNEUMONIA	68 1,313	5	1 46	41	26	16	7	10
20 21	INFLUENZA	22 1•291	5	- 46	- 41	_ 26	16	7	10
			] [	40		20		'	
22 23 24 25	OTHER CHRONIC INTERSTITIAL PNEUMONIA 517 ALL CTHER DISEASES OF RESPIRATORY SYSTEM 492,493,500-516,518,519 HERNIA AND INTESTINAL OBSTRUCTION 550-553,560 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS URIGIN 535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM 520-534,536,537,540-543,562,564-577	169 96	2 6	- 6 26	1 4 8	2 8	4 2	Z 2	1 3
26	ORIGIN	26 118	- 1	7	1 1	- 6	2 B	4	~ 5
27	CONGENITAL ANOMALIES	1,495	116	277	103	73	64	27	34
28 29	SPINA BIFIDA741	68 41	26 3	31 7	5 1	1 -	-	1 -	i
30 31	CCNGENITAL HYDROCEPHALUS742 OTHER CONGENITAL ANDMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743,744	85 49	9 6	12 10	2 1	1 3	2 3	1	2
32	CONGENITAL ANOMALIES OF HEART	605	12	58	45	42	31	16	14
33		115	I	13	10	10	8	1	2
34 35	CONGENITAL ANDMALIES OF RESPIRATORY SYSTEM	104 101	10	36 5	10 3	2 4	6	1	3
36	CENGENITAL ANOMALIES OF GENITOURINARY SYSTEM752,753	44	4	15	4	[	<u> </u>	1	=
37 38	CINGENITAL ANDMALIES OF RESPIRATORY SYSTEM	46 16	8 -	16 2	4	2 -	-	2 -	-
39	NYUCD CONCENTTAL CYNDONEC ACCECTING MINTING	181	31	59	16	5	3	1	2
40	SYSTEMS———————————————————————————————————	40	5	13	2	3	ž	ī	=
41		8,287	1,057	4, 293	1,113	595	286	173	118
42 43	CHRCNIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER————————————————————————————————————	1 51	10	- 20	1 10	- 2	ī	- 1	- 2
44	SYPHILIS761.0	i - I	i - '	'	) <i>-</i>	i - i	-	'	
45 46	CHRIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778 CHRCNIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER——760 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY——761. SYPHILIS————761.1 RUBELLA———761.3	21	4	7	4	1 -	-	1 -	1
47	ALL OTHER MATERNAL CONDITIONS UNRELATED	30	6	13	6	1	ī.	_	1
48	TOXEMIA OF PREGNANCY———————————————————————————————————	42 54	14 23	15 21	5 4	6 2	1	- 1	1
49 50	DIFFICULT LABOR764-768	92	24	46	3	11	3	-	1
51 52	WITHOUT MENTION OF BIRTH INJURY (.03)	30 62	22	18 28	1 2	6   5	2	-	- 1
53	ALL GIUSO CONDITEATIONS OF DESCHANCY AND		]						
	CHILDBIRTH————————————————————————————————————	912	168	564	77	42	21	9	10
54 55	CONDITIONS OF UMBILICAL CORD771	269 58	70 22	140 25	35 3	10 5	3 1	1	2
56 57		544 48	16	198 18	64 B	70	39 4	22 2	18
58	HEMOLYTIC DISEASE OF NEWBORN774,775 HYALINE MEMBRANE DISEASE776.1 RESPIRATORY DISTRESS SYNDROME776.2	928	24	356	206	133	49	32	18
59	ASPHYXIA OF NEWBORN, UNSPECIFIED776.9	993	47	446	196	97	54	21	16
60 61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE	1.592	214	872	550	93	49	34	21
62	CLASSIFIABLE	205 1.789	18 319	88 1,140	44 129	22 55	9 30	4 23	3 18
63	PQSTMATURITY778.1	[ - [	-	-	-	- [	- (	-	~
64 65	HEMORRHAGIC DISEASE OF NEWBORN778.2 ALL OTHER CONDITIONS OF NEWBORN778.0,778.3,778.9	129 580	81	32 312	29 59	18 23	7 15	9 13	2 6
66		1,564	27	48	20	14	В	3	8
67	SYMPTOMS AND ILL-DEFINED CONDITIONS	540		4	5		2	ž	ž
68	CBSTRUCTION OR SUFFOCATIONE911, E912	159	-	1	1	-	2	-	1
69 70	CBSTRUCTION OR SUFFOCATION — — — — — — — — — — — — — — — — — — —	107 274		2 1	4	=	=	2	ī
71. 72	HONICIDE	62 506	6 2	_ 16	1	- 6	- [	- 4	3
12 1	RESIDUAL	ا مربد ا	٠ 4 ا	10	• 1		7	7 (	2

Causes, by Age, Color, and Sex: United States, 1973-Con.

6 DAYS	UNDER 7 Days	7-13 Days	14-20 Days	21-27 DAYS	UNDER 28 Days	28-59 DAYS	2 Months	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 PGNTHS	9 MONTHS	10 MONTHS	11 MONTHS	
181	9,156	606	373	328	10,463	1,279	971	697	493	353	276	217	173	135	150.	135	
1.5	35 ~	34	19	26 -	114	43	29 -	23	16	17	19	5	7	4 -	2	5	
10	1 99	47	1 16	- 10	1 1 172	2 1 28	5 1 14	3 - 14	3 - 2	- - 3	· 1 - 5	1 - 4	1 - 2	1	3	- -	
1	1 5	4	5	1	11 5	u -	8 -	6	4	3	2 -	. 1	3	1 -	2	2	
-	4 3 4	1 ~	6 - -	2 - -	13 3 4	9 1 -	3	6 2 1	6 2 1	3 1	1	2 1 -	1	1	3 - 1	2	
ī	~ 2	-	-	1 _	1 2	1 2	. z	2 2		_ 1	-	-	- 1	- -1	- -		Ι,
2	18 20 12	4 11 1	4 9 1	1 9 2	27 49 16	10 24 15	4 20 9	5 16 11	5 13 3	3 14 8	2 14 7	3 6 8	3 5 . 1	1 5 4	5 4 6	5 4 6	i į
1	1 2	1	1 2	_ 3	3 8	8 7	9	8 12	3 7	4 6	1 4	1 3	1 3	2 3	2	1 3	1
6 6	157 157	44 1 43	44 - 44	65 - 65	310 1 309	243 2 241	201 2 199	162 3 159	103 4 99	86 3 83	54 4 50	46 2 44	32 1 31	26 - 26	· 27 _ 27	23 _ 23	2 2
- 1	1 21 56	- 2 5	- 6 4	- 5 2	1 34 67	- 38 14	3 27 3	- 9 2	1 16 5	- 15 1	· - 7	- 8 1	1 4 -	- 4 3	- 4 -	3	2 2 2
3	6 36	2 17	5 6	1 7	14 66	6 14	2 11	- 3	- 8	1 4	1	1 3	1 4	- 3	<u>-</u>	- 1	2:
27 1	721 66	86 1	67 1	51 -	925 68	150	118	67 -	64	36 -	36	25	22	19	16 -	17 	2
1 2 2 1 16 2	14 29 27 234 50	3   3   2   44   9	4 2 1 31 6	2 2 - 25 8	23 36 30 334 73	7 13 6 62 13	2 9 1 57 6	1 2 5 32 9	1 2 1 40 4	3 6 1 17	1 6 1 15 7	1 3 1 12	1 2 1 9	1 - - 12 -	- 4 2 6 1	- 2 - 9 1	3 3
ī	68 29	2 7	2 8	2 6	74 50	10 17	12 5	3 4	- 1	1 7	·   -   3	1 3	- 3	3	- 2	- 3	34
=	24 33 2	2	2 -	1 2	29 34 4	3 4 3	6 4 1	4 1 2	- 2 3	-	1 1	=	1 2			=	31 31
2 -	119 26	9 3	9 1	3 -	140 30	10 2	11 4	4	8 2	1 -	1 -	3	1 1	=	=	2 -	39 40
107	7,742	289	115	65	8,211 1	46 - -	12	6 -	4 -	5 - -	1	2 -	=)	-	-]	_	4 4
1	19	2 - 1	1 - -	1 1	51 - 21	=	=	- - -	-	= = = = = = = = = = = = = = = = = = = =	-	=	111	-	-	=	4:
-	28	1	1	-	30	-	-	{	-		-		-	-	-	_	47
2	42 51 90	1	=	1	42 53 90		-	- 1 -		- - 1			-		=	· -	48 49 50
1 1	30 60	-	=	-	30 60	-	1	-	-	1	=	-	=	-=		-	51 52
6 1 17	897 261	11 4	2	<u>-</u> ]	910 266	2	- 1	<u>-</u> ]	<u>-</u> ]	=	-	1	-	-	-]	<del>-</del> -	53 54
	897 261 58 464 45 834 894	51 2 51 44	16	11	58 542 47	1 1	-	- - 1 - 2	=	= =	- - -	-	=	<u>-</u> -	=	-	53 54 55 56 57 58 59
16 17	- 1	ſ	21 20	5 18	911 976	13 7	6		1	1	-	1	-	-	-	=	ı
19	1,522 189 1,725	38 6 32	18 1 10	9 5 8	201 1,775	3 4 10	2 - -	<u>-</u>	-	- 2	- 1	-	-	-	- -	-	61
1 11 8 8	105 517	16	6	1 6	128 573	1 3	- - 1		- - 2	-	=			- - -	- -	- -	62 63 64 65
2 2	130	25 10	36 14	49 10	240 51	394 93	332 69	207 61	148 46	77 36	53 35	42 30	27 32	16 20	16 37	12	66
1	6 5 6	,	3 5 6		17		1		11		10	8	. 6	i i	5 3 29		
1 - 7	6 7 55	4 4 2 20	6 - 12	6 1 3 1 17	15 19 10 104	38 17 38 6 113	26 20 23 12 64	21 21 19 5 64	12 23 2 31	14 2 20 2 27	8 17 5 24	19 3 21	22 4 15	2 16 3 17	29 6 12	1 29 4 14	70 71 72

Table 2-14. Deaths Under 1 Year From 65 Selected
[Numbers after causes of death are category numbers of the Eighth

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL UNDER I YEAR	UNDER 1 HOUR	1-23 HOURS	I DAY	2 Days	3 DAYS	DAYS	5 DAYS
1	ALL OTHER. MALEALL CAUSES	8,572	684	2,742	747	449	241	120	117
2	DIARRHEAL DISEASES	158	-	1	1	2	5	1	4
3 4	UTAKKREAL DISASES	12	_	_	_		-	_	1
5	TETANUS	144	- 2	- 9		10		~	
_	35F11CH1A	]	[	, ,		10	· '	*	•
8	VIRAL DISEASES	34	-	1			_	_	-
9 10	MALIGNANT NEOPLASMS: INCLUDING NEOPLASMS OF LYMPHATIC AND	24	-	-	-		-	1	-
11	HEMATOPOIETIC TISSUES	1	-	1 -	-	1 -		<b>-</b>	1
12 13	DISEASES OF THYMUS GLAND	4 5		-	_	-	-1	- 1	- 1
14	DISCASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289 MENINGITIS320	46	1	4	_	2	4	_	1
15 16	DTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	94	1 -	2	2 -	4 3	3 2	1 -	
17		21	_		_	_ [	_ [		_
18	ACUTE UPPER RESPIRATORY INFECTIONS	44	<del>-</del>	1	= =				51
19 20	INFLUENZA AND PNEUMONIA	713	4	26	27	16	8	5 <b>→</b>	3
21	PNEUMONIA	704	4	26	27	16	8	5	3
22 23 24 25	OTHER CHRONIC INTERSTITIAL PNEUMONIA517 ALL OTHER DISEASES OF RESPIRATORY SYSTEM492,493,500-516,518,519 HERNIA AND INTESTINAL OBSTRUCTION550-553,560	5 85 60	- - 4	- 4 16	1 2 6	- 2 3	2 -	- 1	1 3
26	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN535,561,563 OTHER OISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	12 73		- 3	<u>-</u>	- 6	2	- 2	3
27		780	64	152	53	43	30	14	22
28	CONGENITAL ANDMALIES	34	14	16	2	1	32	**	
29 30	SPINA BIFIDA741 CCNGENITAL HYDROCEPHALUS742	21 45	2 5	4 6	1 2	-	- i	ī	
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743,744 CCNGENITAL ANOMALIES OF HEART746	26	5	4	- 1	2	2	-	1
32 33	CTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM747	307 65	10 1	26 6	28 6	27 4	20	7 1	8 5
34		57	3	25	3	1	4	1	1
35	CENGENITAL ANOMALIES OF RESPIRATORY SYSTEM 748 CENGENITAL ANOMALIES OF DIGESTIVE SYSTEM 749-751 CENGENITAL ANOMALIES OF GENITOURINARY SYSTEM 752,753 CENGENITAL ANOMALIES OF HUSCULOSKELETAL SYSTEM 754-756 DEWN'S DISEASE 759-3	54	-	4	1	ž	5	-	5
36 37	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM752,753	29 25	3 4	10 9	2	2	-[	1 2	-
38 39	OCWN'S DISEASE759.3  OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE	8	-	2	- [	- 1	-	-1	-
	SYSTEMS———————————————————————————————————	88	15	34	6	4	2	- 1	2
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES745.757,758	21	2	6	1	-	1	1	-
41 42	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778	4,695	590	2,477	626 1	344	159	86	63
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY761	31	7	15	5	1	ī	7	ī
44 45	SYPHILIS761.0	9	2	3	- 2		- 1	-	7
46	CHRCHIC CIRCULATORY AND GENTIOURINARY DISSASES IN MOTHER	-	_ [	]	- [	-	-	-	2
47	ALL OTHER MATERNAL CONDITIONS UNRELATED  TO PREGNANCY	22	5	12	3	1	1	-	
48	TOXEMIA OF PREGNANCY762	21	6	6	3	5	-	-	1
49 50		29 48	13 11	12 26	2 3	1	2	_	<u> </u>
51 52	WITHOUT MENTION OF BIRTH INJURY (.03)	12 36	11	7 19	1 2	3 2	1 1		
53	ALL DTHER COMPLICATIONS OF PREGNANCY AND				- 1	-	- 1	_	_
1	CHILDBIRTH769.0-769.2, 769.4, 769.5, 769.9	501	86	321	42	18	12	4	3
54 55	CHILDBIRTH 769.0-769.2,769.4,769.5,769.9 CCNDITIONS OF PLACENTA 771 CCNDITIONS OF UMBILICAL CORD 771	152 31	38 12	77 13	23	6 2	2	1	1
56	BIRTH INJURY WITHOUT MENTION OF CAUSE772	326	10	127	49	42	20	9	9
57 58	CENTITIONS OF UNBILICAL CURVO	20 562	2 14	215	2 131	3 82	33	1 14	12
59		594	27	280	110	60	29	15	9
60 61	ASPHYXIA OF NEWBORN, UNSPECIFIED	899	130	493	118	49	30	24	10
62	CLASSIFIABLE776.0,776.3,776.4	122 981	11 173	54 644	24 70	14 30	6 14	1 7	2 11
63	PCSTMATURITY778.1	- 1	1,3	-	- !	- 1	- 1		-
64 65	ALL OTHER ANDRIC AND HYPIXIC CONDITIONS NOT ELSEWHERE  CLASSIFIABLE 776.0,776.3,776.4  IMMATURITY, UNOUALIFIED 778.1  PCSTMATURITY 778.1  HEMORRHAGIC DISEASE OF NEWBORN 778.2  ALL OTHER CONDITIONS OF NEWBORN 778.9	69 308	- 50	22 163	12 29	12 14	2 5	4 5	1 3
66		890	14	29	13	8	i	2	6
	SYMPTOMS AND ILL-DEFINED CONDITIONS	287	]	23	13	-	- 1	í	- [
68	TARACATION AND INSESTION OF FOOD OR OTHER DBJECT CAUSING CBSTRUCTION OR SUFFOCATION	80	-	_ ]	1	-	<b>-</b> ∤	- [	-
70	OTHER ACCIDENTAL CAUSESE913	65 142	=	2	- 2	=	_	1	=
71	OTHER ACCIDENTAL CAUSES	28	4	- 1	1	-		-	
16	RESIDUAL	298	1	13	2	5	4	1	3

Causes, by Age, Color, and Sex: United States, 1973-Con.

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 Days	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MENTHS	9 Months	10 MONTHS	11 MONTHS	
97	5,197	315	194	182	5, 888	693	550	378	276	185	163	119	100	66	91	73	1
4 -	1 <u>6</u>	19	9	12	58 -	19	16	16	9 - 1	12 - -	11 - 1	4 -	5	2	2 - 1	4 -	2 3 4
7	- 57	 26	1 9	- 9	1 - 101	1 - 15	3 - 8	2 - 8	1	- 1	- 5	1 - 1	1 - 1	- - 1	2	<u>-</u>	5
-	- 1 1	3	3 - 2	1 - 1	7 1 4	7 - 5	4 - 2	3 - 1	. 3 . 3	2 - 1	1 - 3	1 1	2 - 2	- - 1	2 - 1	2 -	7 8 9
-	2	-	-	-	2	1	1	1	-	· 1	1 -		=	1 -	=	1 -	
- 1	_ 2			<u>1</u>	1 2 16 27	 2	2	1 -	_	1	-	=	=	· -	- 4	-	12 13
2	2 12 12 7	1 6 1	2 3 1	1 6 I	16 27 10	5 14 7	3 12 5	3 8 7	3 8 1	3 8 4	1 7 4	1 4 4	2 2 -	1 1 1	2 4	4 1 2	14 15 16
1  4	1 1 93	_ 1 21	- 1 23	 - 38	1 3 175	5 3 118	3 5 119	4 7 91	1 6 58	3 4 39	1 2 31	2 27	1 3 20	1 3 10	- 3 13	1 · 3 12	17 18 19
4	93	21	23	38	175	118	1 118	2 89	58	2 37	3 28	1 26	20	10	13	-	20 21
-	1 11 33	- 1 3	- 2 1	1 2	1 15 39	15 9	2 15 3	- 4 1	1 9 4	7 1	- 5 -	- 5 1	1 3 -	- 3 2	- 4 -	=	22 23 24
2 4	4 24	_ 10	1 1	1 4	6 39	4 10	- 9	_ 3	5	_ 1	1	I 1	3	1	- -	<del>-</del> -	25 26
12 1 1	398 34 8	40 - 2	39 - 3	22 _ 1	499 34 14	86 - 3	57 - -	33 - -	27 - 1	11 - 1	18 - 1	9 - -	9 -	12 - 1	11 - -	8	27 28
1 - 5 2	16 14 131 28	2 1 17	2 1 20	1 - 10	21 16 178	8 4 35	1 - 33	1 1 14	i 1 16	1 3	1 1 7	3 1 4	2 - 2 1	- 6	3 1 4	2 - 5	28 29 30 31 32 33
	38	3 2	2 1	1	37 42	12 7	2	5 2	1 -	-	5 - 1		_ :		-	1 -	34
1111	17 16 18 2	4 2 - -	5 1 -	3 1 - 1	29 20 18 3	8 1 1 1	4 3 3 1	3 4 1 1	1 1	- - -	, 1 -	<b>!</b>	1 - - 1	2 - -	1 - 1	-	35 36 37 38
2	65 11	5 2	3	=	73 14	5 1	4 4	1 -	3	-	1	-	1		-	-	39 40
54 -	4,399 1 31	156	65 -	34 -	4,654 1	23	8 -	2 -	2 -	4	1 - -	1	-	Ξ	-	Ξ	41 42
1	- 9	-		=	31 - 9	- -	=	_ 	- - -	=		1111	-	1 1 1	1111	- -	41 42 43 44 45 46
-	22	- -	-	<u>-</u>	22	_	- -	-	-	_	-	-	-	_	_	_ :	47
111	21 28 47	- 1 -	=		21 29 47	- -	- - 1	-	=		-		-	-	=	- -	48 49 50 51
1	12 35	-	Ξ	-	12 35	=	- 1	<del>-</del>	-	-	=	-	_	_	-	=	51 52
4	490 148 31	7	2 -	_	499 149	2 1 -	- 1		<u>-</u>	-	=	_ 1	=	=		=	53 54
- 8 - 9 10	274 19 510 540	1 - 35 1 31 22	9 - 9 15	- - 1	31 324 20 551 588	1 - 9	- - 1 3	1 - -	-	- - - 1 1	-		-	-		- - - - -	53 54 55 56 57 58 59
10 9	540 863	22	15 10	11 4	588 897	1	3 1	- -	-	1 -	-	- -	-	-	-	ł	59 60
	113 953 			4 3	120 974	2 4	- - -	<u>-</u>	=	- 2	- 1	-	-	<u>-</u>	-	i	
1 4 - 2 6	55 275	2 13 - 11 12	1 5 - 3 11	- - 5	. 69 303	- 1	- - 1	- 1	- - 2	=	-	1 1 1		=	- -	- - - -	61 62 63 64 65
1 -	74 7	13 6	18 6	35 5	140 24	219 39	191 38	113 30	88 26	42 24	30 24	24 17	19 17	10 .8	8 25		66 67
- - - - 5	1 3 3 5 34	1 4 1 - 8	1 2 3 7	2 - 3 1 7	5 9 10 6 56	15 10 14 3 73	17 11 10 2 42	10 13 7 4 35	7 9 10 2 18	8 1 15 1 1	7 6 11 3 12	4 1 12 2 12	2 2 13 1 B	1 1 6  8	4 2 19 1 8	- 15 3 11	68 69 70 71 72

Table 2-14. Deaths Under 1 Year From 65 Selected
[Numbers after causes of death are category numbers of the Eighth

			[Nu	ımbers aft	er causes o	of death are	category	numbers of	the Eighth
	CAUSE OF DEATH, COLOR, AND SEX	TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 Hours	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	ALL OTHER, FEMALE—ALL CAUSES	6,770	542	2.025	581	315	195	124	93
2	DIARRHEAL DISEASES	126	-	-	-	4	4	4	4
3	MENINGOCOCCAL INFECTIONS	- 6			-	_	-	1	7 7
5	TETANUS037 SEPTICEMIA	3 104	_ <u>-</u> .	13	- 5	- [	5	5	 7
7									'
В	VIRAL DISEASES	20 4		3			1	-	1
9 10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND	34	1	-	-	-	ı	1	-
11	HEMATOPOIETIC TISSUES ——————————————————————————————————	9 6	-	1 3	-	2	-	1	-
12	DISEASES OF THYMUS GLAND	2	-	-	-	-	-	-	-
13 14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	2 27	-	1	1	ĩ	2		7
15 16	MENINGITIS	80 45	_	1 3	2 1	2	1	1	i
				3	*	1	_	_	_
17 18	ACUTE UPPER RESPIRATORY INFECTIONS	22 24		_	] [	_		_	[
19 20	INFLUENZA AND PNEUMONIA	600 13	ı L	20	14	10	8 -	2	7
21	PNEUMONIA480-486	587	1	20	14	10	. 8	2	7
22 23	OTHER CHRONIC INTERSTITIAL PNEUMONIA	1 84	- 2	- 2	_ 2	<b>-</b>	- 2	- 2	-
24 25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS	36	2	10	2	5	2 -	1	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	14 45		4	1	=	2	2	2
27 28	CONGENITAL ANOMALIES	715 34	52 12	125 15	50 3	30	26	13	12
29	SPINA BIFIDA	20	1	3		-	_	ī	1 1
30 31	CIMER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743.744	40 23	4 1	6 6	1	I	1	- i	- 1
32 33	CCNGENITAL ANOMALIES OF HEART746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM747	298 50	2	32 7	17	15	1 <u>1</u>	9	6
34			_		]	°.		-	-
35	CCNGENITAL ANOMALIES OF RESPIRATORY SYSTEM	47 47	7	11 1	7 2	1 2	2	- 1	Ž
36 37	CCNGENITAL ANUMALIES OF GENITOURINARY SYSTEM752,753 CCNGENITAL ANUMALIES OF MUSCULOSKELETAL SYSTEM754-756	15 21	1 4	5 7	2		-	_	ī
38 39	DCWN'S DISEASE759.3  OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE	8	-	-		-	-	-	
40	SYSTEMS	93 19	16 3	25 7	1¢ 1	1 3	1 1	1	
41	CERTAIN CAUSES GF MORTALITY IN EARLY INFANCY-760-769.2,769.4-772,774-778	3.592	467	1,816	487	251	127	87	55
42 43	CHRCNIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER————————————————————————————————————	20	3	- 5	- 5	- 1		- 1	ī
44 45	SYPHILIS761.0	-	-	_	-				
46	CHRCHIC CIRCULATORY AND GENTIOURINARY DISEASES IN MOTHER — 760  OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY — 761  SYPHILIS — 761-1  RUBELLA — 761-3	12 -	2 -	4	2	1 -	_	<u> </u>	_ [
47	ALL UIHER MAIERNAL CUMBITIONS UNRELATED TO PREGNANCY	8	1	1	3	_	-	-	1
48 49	TOXEMIA OF PREGNANCY	21 25	8	9	2	1	1	ī	- 1
50	DIFFICULT LABOR	44	13	20		6	1	- 1	1
51 52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	18 26	2 11	11 9	-	3	<u>-</u>	- -	ĩ
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—————————————————769.0-769.2,769.4,769.5,769.9	411	82	243	35	24	9	5	7
54 55	CHILOBIRTH————————————————————————————————————	117	32	63	12	4	Í	<u> </u>	1
56	BIRTH INJURY WITHOUT MENTION OF CAUSE772	27 218	10	12 71	1 35	3 28	19	13	ا و
57 58	BIRTH INJURY WITHOUT MENTION OF CAUSE	28 366	5 10	9 141	6 75	3 51	2 16	1 18	6
59	RESPIRATORY DISTRESS SYNDROME776.2  ASPHYXIA OF NEWBORN, UNSPECIFIED776.9	399	20	166	86	37	25	6	7
60 61	ALL OTHER ANDYLE AND HYDRYLE CONDITIONS NOT ELSEWHERE	693 83	84	379 34	102	8	19	10 3	11
62 63	CLASSIFIABLE 776.0,776.3,776.4  IMMATURITY, UNQUALIFIED 778.1  PCSTMATURITY 778.1  HEMORRHAGIC DISEASE OF NEMBORN 718.2	808	146	496	55	25	16	16	7
64	HEMORRHAGIC DISEASE OF NEWBORN778.2 ALL OTHER CONDITIONS OF NEWBORN778.9	60 272	- - 31	10 149	17 30	6	5 10	5	1 3
66	SYMPTOMS AND ILL-DEFINED CONDITIONS	674	13	ŀ	7		l	- I	1
67	ACCIDENTSE800-E949	253	-	19 1	2	6	7 2	1	2 2
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING CBSTRUCTION OR SUFFOCATION————————————————————————————————————	79	_	1	_	_	2	_	1
69 70	CBSTRUCTION OR SUFFOCATION	42 132	-	=	- 2		-1	1	=
71 72	HOMICIDE———————————————————————————————————	34	2	-	-	-1	-	= [	-
''	ALL LINEK CAUSES	208	1	3	6	1	5	3	-

Causes, by Age, Color, and Sex: United States, 1973-Con.

Revision, International Classification of Diseases, Adapted, 1965]

6 Days	UNDER 7 Days	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 Days	2 MONTHS	3 MONTHS	4 MONTHS	MONTHS	6 MONTHS	7 MONTHS	8 MCNTHS	9 MONTHS	10 MONTHS	11 MONTHS	
84	3,959	291	179	146	4,575	596	421	319	217	168	113	98	73	69	59	62	ı
1 -	17 -	15 -	10 -	14 -	56 -	24 -	13	7 -	7	5 -	B	1 -	2 -	2 -	_ -	1_	2 3 4 5
1 3	1 42	21	7	_ _	· 1 71	1 1 13	2 1 6	1 - 6	2 - 1	- 2	-	- 3	- 1	=	1		5 6
1 - -	1 4 3	1 - 1	2 - 4	- - 1	4 4 9	4 - 4	4 - 2	3 - 5	1 - 3	1 - 2	1 -	- - 1	1 - 2	1 - 1	· - - 2	- - 3	7 8 9
-	1 4	-	-	- -	1 4	-	2	1	2	-	=	1	1	=		1	10 11
-	_	<u>-</u>			-	1 _	-	1 2	- -	_ 		_ [	-		-	<u> </u>	12 13
-	6 8 5	3 5 -	2 6 -	- 3 1	11 22 6	5 10 8	1 8 4	2 B 4	2 5 2	- 6 4	1 7 3	2 2 4	. I 3	- 4 3	1 2 2	1 3 4	14 15 16
1	- 1	1	1	3	2 5	3 4	6	4 5	2	1 2	2	1	-	. 1	2 -	-	17 18
2 - 2	64 64	23 1 22	2 <u>1</u> 21	27 _ 27	135 1 134	125 2 123	82 1 81	71 1 70	45 4 41	47 1 46	23 1 22	19 1 18	12 1 11	16 - 16	14	11	19 20 21
- 1	10 23	 1 2	- 4 3	. <del>-</del>	19 28	23 5	12	- 5 1	7 1	- 8 -	2	3 -	_ I _	1	- - -	- 3 -	22 23 24
1	2 12	2 7	4 5	- 3	8 27	2 4	2	- -	- 3	1 3	-	_ 2	1 1	_ z	<u>-</u>	<u>-</u>	25 26
15 - 1	323 32	46 1	26 1	29 - 1	426 34 9	64 -	61	34	37 -	25 -	18	16 - 1	13 -	7 -	5 - -	9 -	27 28
1 11	13 13 103 22	1 1 27 6	1 - 11 4	1 - 15 4	15 14 156 36	4 5 2 27 1	2 8 1 24 4	1 1 4 18 4	1 - 24 3	2 4 - 14 -	5 - 8 2	8	1 1 7	- - 6	1 1 2 -	4	30 31 32 33
ī	30 12	- 3	1 3	1 3	32 21	3	10 1	1 1	٠.5	1 3	2	_ 3	_ 2	<u>.</u>	-		34 35
=	15 -	1	1 -	- 1	9 16 1	2 3 2	3 1 -	- 1	1 2	-	- L	- 1	1 - 1	- -	· -	_ =	36 37 38
-	54 15	4 1	6	3 -	67 16	5 1	7	3	5 1	1 -	-	. 3 1	.=	=	_	2	39 40
53 - -	3,343 - 16	133 - 2	50 - 1	31 1	3,557 20	23 - -	<del>4</del> - -	4 	2 ' - -	1 - -		<u>1</u> _	=	- -	=	-	41 42 43
-	10	1	-	_ 1 _	12	- -	-	- -	• =	-	1	- - -	. =	_ _ 	<u>-</u>	-	43 44 45 46
-	6	ì	1	-	8	-		_	_	-		-	-	-	-	-	47
2	21 23 43	-	- -	1	21 24 43	-	-		=	. <u></u> 1		- l	- -	<u>-</u>	- -	=	48 49 50
1	18 25	<del>-</del> .	<b>-</b> -		18 25	-	<del>-</del>	· <u>-</u>	-	- 1		=	-	-		=	51 52
2  !	407 113 27	4 3 	- ( 1	- - 5	411 117 27		· -	-	- 1	-					 	<u>-</u>	53 54
2 - I 9 - 7	27 190 26 324	16 1 20 22	- 7 - 12 5	5 - 4	27 218 27 360	- 1 4 5		- - 2 1	- -	1 - 1 - 1	1111	=	- - -	-	=	- - - - -	53 54 55 56 57 58 59
7 16	324 354 659	22 18	5 8	7 5	388 690	5 2	3	1 -	1 -	-	1	1 -		-	_ [	-	59 60
- 7 - 6	76 772	4 19	- 5 - 3	1	81 801	2	<u>-</u>		. <u>.</u>	<u>-</u>		<u>-</u>	- - -	<u>.</u>	_		
- 6 2	- 50 242	 5 19	- 3 8	5 1 1	- 59 270	1 2	- - -	-	-	-	-	- - -	- -	-	= [	- - -	61 62 63 64 65
1 2	56 10	12 4	18 8	14 5	100 27	175 54	141 31	94 31	60 20	35 12	23 11	18 13	8 15	6 12	8 12	6 15	66 67
1 - - 2	5 2 3 2 21	1  3 2 12	2 3 - 5	4 1 - - 10	12 6 9 4 48	23 7 24 3 40	9 9 13 10 22	11 8 12 1 29	. 4 3 13 -	6 1 5 1 12	3 2 6 2 12	4 2 7 1 9	4 2 9 3 7	1 1 10 3 9	1 10 5 4	1 - 14 1 3	68 69 70 71 72

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

ALL COUNTS OF DEATH	_					TED STATES		numbers of t	
NAME   NAME		CAUSE OF DEATH	TOTAL	Ų	NDER 28 DAY	s	28 0	AYS-11 MONT	HS
Oleranial Diseases			UNDER	TOTAL	WHITE		TOTAL	WHITE	
THE PROPERTY CONTRIBUTION   1	1	ALL CAUSES	55,581	40,664	30.201	10+463	14,917	10,038	4,879
STEPLINGS		DIARRHEAL DISEASES		274	160	114	374	204	170
Total Disputation   Tota	4	MENINGOCOCCAL INFECTIONS036	90		8 -		81 2	64	
0   THE INFECTIVE AND PARASITIC DISEASES—— FRANCOCK 100—200   13   100   20   23   100   90   110   100	6				413		1	144	
10 MALSONAT REGRESSES, INCLUDIOS MEDERANS OF LYMPHATIC AND BESTER MEDIASS AND MEDIASS OF LYMPHATIC AND BESTER MEDIASS AND MEDIAS OF LYMPHATIC AND BESTER MEDIASS OF MARKET GLAND	8	VIRAL DISEASES	9	8	3	5	1	1	-
10   DESCRIPTION FOR RECORD AND RECORDANCE ORGANS   22   19   4   22   22   3   3   15   15   15   15   15   15	10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES		1 1					
10 DIMEN DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS— 321—399 11 ALTUTE UPPER RESPIRATION SINECTIONS		BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239							
10 DIMEN DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS— 321—399 11 ALTUTE UPPER RESPIRATION SINECTIONS	13	DISEASES OF THYMUS GLAND254 CYSTIC FIBROSIS273.0	77	17	15	2	60	55	5
17   ALC   THE PROPER RESPIRATION Y INSECTIONS   464-649,049,049   327   28   15   8   214   154   640   6	15	HENINGITIS	492	183	134	49	309	184	125
22   DIMER CHROWIC INTERSTITIAL PRIBMONIA   492,493,500-516,5119,519   526   139   96   34   396   261   135   258   139   96   34   396   261   135   258   139   96   34   396   261   135   258   139   96   34   396   261   135   258   135   310   36   67   104   75   29   370   373   336   67   104   75   29   370   373   336   67   104   75   29   370   373   336   67   104   75   29   370   373   336   67   104   75   29   370   373   336   67   104   75   29   370   373   370   37							ĺ		
22   DIMER CHROWIC INTERSTITIAL PRIBMONIA   492,493,500-516,5119,519   526   139   96   34   396   261   135   258   139   96   34   396   261   135   258   139   96   34   396   261   135   258   139   96   34   396   261   135   258   135   310   36   67   104   75   29   370   373   336   67   104   75   29   370   373   336   67   104   75   29   370   373   336   67   104   75   29   370   373   336   67   104   75   29   370   373   336   67   104   75   29   370   373   370   37	19	BRONCHITIS AND BRONCHIOLITIS	237	23	15	8	214	154	60
23 ALL CTHER DISCASES OF RESPIRATORY SYSTEM — 492,493,500-516,510,1019 526 130 99 34 306 2261 135		INFLUENZA					48	27	
1   1   1   1   1   1   1   1   1   1		OTHER CHRONIC INTERSTITIAL PNEUMONIA							
1   1   1   1   1   1   1   1   1   1	24	HERNIA AND INTESTINAL OBSTRUCTION							
CCREENTIAL MORALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744 338 227 191 36 112 163 49 CITHER CONCENTIAL ANDMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744 338 227 191 36 1129 1129 119 CITHER CONCENTIAL ANDMALIES OF CIRCULATORY SYSTEM ——747 642 242 34 37 37 222 110 22 22 CONCENTIAL ANDMALIES OF AREPITALITYS SYSTEM ——749,748 57 34 22 354 74 145 115 30 27 22 CENTRAL THROUGH THE OF AREPITALITYS SYSTEM ——749,748 57 34 22 354 74 145 115 30 27 22 CENTRAL THROUGH THE OF AREPITALITYS SYSTEM ——749,748 57 34 22 354 74 145 115 30 31 120 115 30 120 115 30 115	26	ORIGIN535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577							
CCREENTIAL MORALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744 338 227 191 36 112 163 49 CITHER CONCENTIAL ANDMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744 338 227 191 36 1129 1129 119 CITHER CONCENTIAL ANDMALIES OF CIRCULATORY SYSTEM ——747 642 242 34 37 37 222 110 22 22 CONCENTIAL ANDMALIES OF AREPITALITYS SYSTEM ——749,748 57 34 22 354 74 145 115 30 27 22 CENTRAL THROUGH THE OF AREPITALITYS SYSTEM ——749,748 57 34 22 354 74 145 115 30 27 22 CENTRAL THROUGH THE OF AREPITALITYS SYSTEM ——749,748 57 34 22 354 74 145 115 30 31 120 115 30 120 115 30 115		CONGENITAL ANOMALIES740-759 ANENCEPHALUS740-759							570
THER CONCENTIAL ANGMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—7-42-744 336 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-67 37 OTHER CONCENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-67 38 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-67 39 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-67 30 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-67 30 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-67 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-67 32 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-67 33 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-67 34 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 35 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 36 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 37 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 38 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 39 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 30 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 30 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 30 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 30 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 30 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUSY SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUS SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUS SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUS SYSTEM — 7-64-755 31 CROSENTIAL ANGMALIES OF CHEVALOUS SYSTEM — 7-6	29	CCMGENITAL WVDDOCEDUALNC	445	261	238	23	184	166	
CONGENITAL AMOMALIES OF RESPIRATORY SYSTEM — 7-48	32	CTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743,7744 CONGENITAL ANOMALIES OF HEART746	3,354	2.055	1,721	334	1 +299	1,028	19 271
CCMGENITAL AMOMALIES OF GENITURE NATE STEEM 7794-7755 305 255 221 34 50 38 12 20 12 34 50 38 12 20 20 12 34 50 38 12 20 20 12 34 50 38 12 20 20 12 34 50 38 12 20 20 12 34 50 38 12 20 20 12 34 50 38 12 20 20 12 34 50 38 12 20 20 12 34 50 38 12 20 20 12 34 50 38 12 20 20 12 34 50 38 12 20 20 20 20 20 20 20 20 20 20 20 20 20		<b> </b>						1	
OTHER CONCENTTAL SYNDROMES AFFECTING MULTIPLE   T59.0-759.2,759.4-759.9   994   797   657   140   197   156   41   197	36	CCRGENITAL ANOMALIES OF DIGESTIVE SYSTEM749-751 CCNGENITAL ANOMALIES OF GENITOURINARY SYSTEM752,753		252	202	50	213	162	51
SYSTEMS	38	CONGENITAL ANDMALIES OF MUSCULOSKELETAL SYSTEM					50	38	
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778 CIRCONIC CIRCULATORY AND GENTIOURINARY DISEASES IN MOTHER—760 OTHER MATERNAL CONDITIONS UNRELATED ID RECHAMCY—761.1 TOTAL THE MATERNAL CONDITIONS UNPELATED TOTAL THE MATERNAL CONDITIONS UNPELATED TO PREGNANCY—761.2,761.4-761.7761.5 TO PREGNANCY—761.2,761.4-761.7761.5 TO PREGNANCY—763 TO PREGNANCY—763 TO PREGNANCY—763 TO PREGNANCY—763 TO PREGNANCY—763 TO PREGNANCY—763 TO PREGNANCY—763 TO PREGNANCY—764-768 TO PREGNANCY—764-768 TO PREGNANCY—764-768 TO PREGNANCY—764-768 TO PREGNANCY—764-768 TO PREGNANCY—764-768 TO PREGNANCY—764-769.2-769.4-769.5-769.9 TO PREGNANCY—769.0-769.2-769.4-769.5-769.9 TO PREGNANCY—769.0-769.2-769.2-769.4-769.5-769.9 TO PREGNANCY—769.0-769.2-769.2-769.4-769.5-769.9 TO PREGNANCY—769.0-769.2-769.2-769.4-769.5-769.9 TO PREGNANCY—769.0-769.2-769.2-769.4-769.5-769.9 TO PREGNANCY—769.2-769.2-769.2-769.2-769.4-769.5-769.9 TO PREGNANCY—769.2-769		SYSTEMS759.0-759.2,759.4-759.9  OTHER AND UNSPECIFIED CONGENITAL ANDHALIES							
CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER————————————————————————————————————		CERTAIN CAUSES OF MORTALITY IN EARLY INCANSY 7/0-7/0 2 7/0 4-772 774-770					1	ì	
ALL OTHER MATERIAL CUMDITIONS OWNELATED  TO PREGNANCY	43	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	287	283	232		1 4		-
ALL OTHER MATERIAL CUMDITIONS OWNELATED  TO PREGNANCY	45	OTABETES MELLITUS	143	141	120	21	2		=
TGXEMIA OF PREGNANCY  MATERNAL ANTEPARTUM AND INTPAPARTUM INFECTION————————————————————————————————————		ALL UINER MAIERNAL CUNDITIONS UNRELATED	i i	[ [	-	30	1	ł	_
MITH MENTION OF BIRTH INJURY (.03)   128   128   316   256   60   4   7   2   2   2   3   3   3   3   3   3   3		TGXEMIA OF PREGNANCY				42		,	-
ALL DTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH 769.0-769.2,769.4,769.5,769.9 CCNDITIONS OF PLACENTA 769.0-769.2,769.4,769.5,769.9 CCNDITIONS OF PLACENTA 769.0-769.2,769.4,769.5,769.9 CCNDITIONS OF PLACENTA 769.0-769.2,769.4,769.5,769.9 CCNDITIONS OF HUBILICAL CORD 7710 CONDITIONS OF HUBILICAL CORD 7711 CONDITIONS OF HUBILICAL CORD 7712 CONDITIONS OF HUBILICAL CORD 7712 CONDITIONS OF HUBILICAL CORD 7712 CONDITIONS OF HUBILICAL CORD 7712 CONDITIONS OF HUBILICAL CORD 7712 CONDITIONS OF HUBILICAL CORD 7712 CONDITIONS OF HUBILICAL CORD 7712 CONDITIONS OF HUBILICAL CORD 7712 CONDITIONS OF HUBILICAL CORD 7712 CONDITIONS OF HUBILICAL CORD 7712 CONDITIONS OF HUBILICAL CORD 7712 CONDITIONS OF HUBILICAL CORD 7713 CON	50	MAIEMAL ANIEPAKIUM AND INIPAPARTUM INFECTION763 DIFFICULT LABOR764-768 WITH MENTION OF BIOTH IN MICH I. C 33	448	444	354	90			1 2
CHILDBIRTH		WITHOUT MENTION OF BIRTH INJURY (.4, .9)					4	z	ž
STANDARD   STANDARD		ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH——————————————————————769.0-769.2,769.4,769.5,769.9	3,455	3,443	2,533	910	12	10	2
STANDARD   STANDARD	55	CCNDITIONS OF PLACENTA—————770 CCNDITIONS OF UMBILICAL CORD———771	295	293	235	58	6 2	3 2	
ASPHYXIA OF NEWBORN, UNSPECIFIED———————————————————————————————————	57	HEMPLYTIC DISEASE OF NEWBORN774,775	374	370	323	47	4	3	2 1
62 IMPATURITY, UNQUALIFIED———————————————————————————————————									
62 IMPATURITY, UNQUALIFIED———————————————————————————————————		ASPHYXIA OF NEWBORN, UNSPECIFIED776.9 ALL OTHER ANDXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE	- 11	5,364	3,777	1,587	16	11	5
66 SYMPTGMS AND ILL-DEFINED CONDITIONS		LHASSIFIABLE 776.0,776.3,776.4	5+369	5+339	3,564				4 14
66 SYMPTGMS AND ILL-DEFINED CONDITIONS	64	HEMORRHAGIC DISEASE OF NEWBORN	453	451	323				
			4-208	615	375	240	3,593	2,269	
69 ACCIDENTAL MECHANICAL SUFFOCATION————————————————————————————————————	401			-	-			1,022	489
71   HOMICIDE	69 70	ACCIDENTAL MECHANICAL SUFFOCATION	336	29	14	15	307	215	92
	71 72	HOMICIDE — — — — — — — — — — — — — — — — — — —	161	36	26	10	125	73	52

From 65 Selected Causes, by Color: United States and Each State, 1973

Revision International Classification of Diseases, Adapted, 1965]

		ALABAÑA					ALASKA		<u>-</u>			ARIZONA			Ī
TOTAL,	UNDER 2	8 DAYS	28 DAYS-1	1 MONTHS	TOTAL.	UNDER 2	8 DAYS	28 CAYS-1	LI MONTHS	TOTAL,	UNDER 2	28 DAYS	28 DAYS-1	L1 MONTHS	1
TOTAL, UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	AL1. OTHER	TOTAL, UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	
1,314	501	389	179	245	131	65	25	20	21	584	322	69	132	61	1
31 -	5 -	12	=	14 - -	1 1	- 1		1 1	=	14 - 1	5 -	1 -	4	4	·I 3
19	6	9	3	. 1	2	ī	ī	= -	<u>-</u>	- 17	. 11	- 4	2		5 6
6 9	<u>1</u> -	- - 2	3	2 - 4		-	=		- -	7 - 6	1 2	- -	5 - 2	1 - 2	8
6   1	1	1_	3 1	1 -	-	-	- 1	-	<u>-</u>	- -		<u>-</u>	1 1	-	10 11
-   4   6	- - 5	- - 1	- 3 1 3	- 1 1			2	- - -	<u>-</u>	- 2 1 6	- 1	-	- 2 -	- -	12 13 14 15
14	5 <sup>1</sup> 2 1	1	5	8 1	2 1 -	- -	2 1 -	<u>-</u>	- - -	6 5	3 -	-	1 2	2	15
5 4 1C5	11	- 16	2 3 25 1 24	3 1 53 2	- 2 12	- - 1	2 - -	- 2 2	- - 7	1 5 29	- 1 8	- - 3	- 2 8	1 2 10	18
102	ıī	16		51	12	1	- 2	2	7	1 28	8	3	1 7	10	1
1 10 14	- ( 5	1 3	1 3 4	6 2	- ( 1,	= =	- 1	-	1	4	1 5	- - -	2	1	22 23 24
1	1	ī	1 2	=	-	-	-	-	=	- 4	1	<u>-</u>	1	2	1
161 9 5	70 8 1	31 1 -	33 - 4	27 _ _	15 - 1	8 - -	-	4 - 1	3 - -	105 3 2 5	57 2 2	11 1 -	31 - -	6	27 28 29 30
12 11 72 3	7 6 24 3	1 2 12	3 1 22	1 2 14	1 8	1 - 6	-	- 1	_ _ 1	5   1 36 13	3 14 12	1 1 3	1 14 1	- 5	30 31 32 33
4 14	- 4	3 5	ī	1 4	1		-	- 1	1	12 4	5 4	-	7	=	34 35
6 5 4	4 3 2	2 1 -	1	- - 2	1	1 -	-	= = = = = = = = = = = = = = = = = = = =	-	6 6 1	3 3 1	. 1	2 2 -	1 - -	36 37 38
14 2	7	4 -	1	2 1	2	-	-	<u>1</u>	1 -	15 1	7	4 -	4 -	<u>-</u>	39 40
662	379 - 4	279 - 1	1 -	. <u>3</u>	70	52 -	17 - -	- -	1 - -	270 - 2	219 - 1	48 - 1	3 - -	-	41 42 43
3	3	-		-	1-1-1	- - -	=		-	2	1	1	- 1	<u>-</u>	44 45 46
1	-	1	-	-	÷.	-	-	-	-		_	-	-	-	47
7. 3 10 3	4 2 3 1 2	3 1 7 2 5	1 1 1 1 1	-	- [	- - -	-	- - -	-	1 6 8 3	1 5 5 1 4	1 2 2	 1	- -	48 49 50 51 52
7	2	5	-	-	-	-	-	-	Ξ	5	4	-	ī	=	52
53 27 5	28 15 2	25 11 3	111	1	9 I 1	5 - -	4 1 1	-	1	26 15 3 32	23 11 2 27 -	3 4 1	<u>-</u>	<u>-</u> -	53 54 55
53 27 5 45 9 110 76	28 15 2 21 8 76 51	25 11 3 24 1 34 23		2	9 1 3 3 13	5 - - 2 3 11 12	4 1 1 1 - 2 2	-	-	46	40	3 4 1 5 - 5 4	- - - 1	- - - - -	53 54 55 56 57 58 59
76 114	51 72	23 42	, ,	2	15	12 8	2 1	-	1	18 47	13 35	4 12	1 -	- -	59 60
162 - 11 17	4 75  7 7	4 86 - 4 10	1	-	12.	7	- 5 - -	- - - -	. =	13 30 -	8 26 - 12 10	5 4 -	- - - -	- - -	61 62 63 64 65
				ſ	12.	- - 4			· -	13 10	i	1	1		1
158 58	9	25 2	51 21	73 32	8.	2	-	5	1 5	59 25	í	<u>1</u>	42 15	12 9	66 67
13 15 30 2 23	1 2 - 2	1 1 - - 4	3 5 13 1 6	8 9 15 1 11	2 - 6 -	- - - 1	- - - 1	1 - 2 - 2	1 - 4 - 3	6 3 16 3 14	- - 1 1 1	 - - 1	4 2 9 1 7	2 1 6 1 5	68 69 70 71 72
23		4	6	11		1	1	2	3	14	į į	. 1	7	5	7

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,
[Numbers after causes of death are category numbers of the Eighth

=			Numbers after c	ARKANSAS		
	CAUSE OF DEATH	TOTAL	UNDER 28	B DAYS	28 DAYS-1	L MONTHS
		UNDER 1 YEAR	WHITE	ALL OTHER	WH! TE	ALL OTHER
1	ALL CAUSES	658	321	164	97	76
2	DIARRHEAL DISEASES	7	1	1	. 1	4
4 5	MENINGOCOCCAL INFECTIONS	2	1 -	= =	1	_
6 7		12	5	5	2	-
8	VIRAL DISEASES	2	-	-	1 2	
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPDIETIC TISSUES——————————————————————————————————	1	_	_	1	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239  DISEASES OF THYMUS GLAND254	_	-	_		-
13	CYSTIC FIBROSIS273.0	- 2	-		- 1	-
15 16	MENINGITIS	9	3 -	- 1	2 4	1
17 18	ACUTE UPPER RESPIRATORY INFECTIONS	- 2	<u>-</u>	-	- 1	
19	ACUTE UPPER RESPIRATORY INFECTIONS	39 2	4	4	15 1	1 16 1
21		37	4	- 4	14	15
22 23 24	OTHER CHRONIC INTERSTITIAL PNEUMONIA	- 4 7	-	1	3	<del>-</del>
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN535,561,563		4	2	_	1
26	OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	1	-	-	_	1
27 28 29	CONGENITAL ANDMALIES 740-759 ANENCEPHALUS 740 SPINA BIFIDA 741 CONGENITAL HYDROCEPHALUS 742	95 7	49 5	18	18	10
30 31	CONGENITAL HYDROCEPHALUS————————————————————————————————————	2   7	3 4	1 1	1 3	-
32	CONGENITAL ANOMALIES OF HEART————————————————————————————————————	32	13	4	10	5
34	CCNGENITAL ANGMALIES OF RESPIRATORY SYSTEM	8	3	3	1	1
35 36 37	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	7 2	3 2	1 -	2 -	1 -
38 39	I OTHER CONGENITAL SYNDROMES AFFECTING MINITIPLE	6	1	2 -	- [	-
40	SYSTEMS759.0-759.2,759.4-759.9 OTHER AND UNSPECIFIED CONGENITAL ANDMALIES745,757,758	12	8 -	2	1 _	1
41		367	241	123	3	-
42 43 44	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769_2,7769_4-772,774-778	3	3	-	<del>-</del>	-
45 46	DIABETES MELLITUS	3	3	-		
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY 761.4-761.7,761.9	-	_	_	_	_
48 49	TOXEMIA OF PREGNANCY———————————————————————————————————	-	- I	- [	-	-
50 51	DIFFICULT LABOR————————————————————————————————————	- 51	4		-	=
52		4	4	-	-	-
53 54	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	38 11	29 11	9	<u>-</u>	-
55 56	CONDITIONS OF PLACENTA	1 16	-	1 7	- 1	=
57 58	HEMOLYTIC DISEASE OF NEWBORN774,775 HYALINE MEMBRANE DISEASE776.1	6	4 46	2 18	2	-
59 60	ASPHYXIA OF NEWBORN, UNSPECIFIED776.9	37	26	11	-	-
61	ALL OTHER MARYIC AND HADRIC CONDITIONS NOT ELSEWHERE	73	48	24	1	[]
62 63	CLASSIFIABLE 776.0,776.3,776.4  IMMATURITY UNQUALIFIED 778.1  HEMORRHAGIC DISEASE OF NEWBORN 778.2  ALL OTHER CONDITIONS OF NEWBORN 778.9	68 -	40	28		
64 65	HEMORRHAGIC DISEASE OF NEWBORN778.2 ALL OTHER CONDITIONS OF NEWBORN778.0,778.3,778.9	7 31	2 15	5 15	ĩ	-
66 67	SYMPTOMS AND ILL-DEFINED CONDITIONS	46 25	6	6	18 16	16
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING CBSTRUCTION OR SUFFOCATIONE912 ACCIDENTAL MECHANICAL SUFFOCATIONE913	8	ב ב	1	6	1
69 70	ACCIDENTAL MECHANICAL SUFFOCATIONE913 OTHER ACCIDENTAL CAUSES	9	1	<u> </u>	6 4	3 3
72	### ACCIDENTAL CAUSES ###################################	1 27	5	- z	-	1 12

From 65 Selected Causes, by Color: United States and Each State, 1973—Con. Revision International Classification of Diseases, Adapted, 1965]

	CA	LIFORNIA					COLORADO				. (	CONNECTIC	UT _		T
TOTAL.	UNDER 28	DAYS	28 DAYS-1	1 MONTHS	TOTAL,	UNDER 2	8 DAYS	28 DAYS-1	1 MONTHS	TOTAL,	UNDER	28 DAYS	28 DAYS-	11 MONTHS	1
UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	1
4,333	2,503	555	1,012	263	642	427	38	160	17	551	340	75	100	36	5
62 1	25	8 -	26 1	3 -	8 - 2	3 -	-	4	1 -	4	-	1_	2	1	1
9 - 50	29		5 - 9	3 - 3	2 14	=	Ξ	2 6	_ _ 1	- 9	6	<u> </u>	- 2	1	
21	7	3 -	8 -	3 -	· 5	2 -	-	3	<u>-</u>	2	1 -	<u>-</u>	1_	-	-
7 16	1 _		6	2	- 2 4	1 1	- 1	1	1	-	_	-	-	-	1
4	] 2  -	1,	1		- [	-	_	-	-	-	-	- 1	~	=	-
2 - 23 34 43	9 13 1	1 2	2 - 9 15 37	- 4 4 5	2 - 5 3 4	- 4 1	- - - 1	2 - 1 2 2	-	2 1 2 7	1 1 1	 - 1	1 - - 7	-	
13 24	- 1	<u> </u>	12 18	1 5	1 2	-	-	1 2	-	_	-			_	-
311 4 307	59 1 58	16 16	171 2 169	65 1 64	41 1 40	11	1	. 27 1 26	2 - 2	25 - 25	3 - 3	. 6 -	12 - 12	4 - 4	
4 47 48	1 8 37	- 4 3	3 27 5	- 8 3	- 3 4	- - 3	<u></u>	- 2 1	• =	- 11 4	- 2 2	- - 2	- 5 -	- 4 -	
4 24	3 11	3	1 6		- 4	_ 2	- -	- 2		- 2	1	=	- 1	_	
861 89	532 81	69 7	218 1	42 -	106 7	68 7	2 -	34 -	2	104 13	68 13	7	22 -	7	
27 33 26 323 61	18 15 15 173 49	1 1 - 28 7	7 14 10 105 20	1 3 1 17 5	6 5 1 45 10	3 2 - 26 5	- - 1	3 3 1 17 4	- - 1	9 4 4 34 7	1 2 2 19	1 - 2 2 1	7 1 - 10 2	1 3	1
89	53 10	10	20 12	6 2	9	5	. 1	3	-	8 4	7 2	1	- 1		
25 41 22 14	33 14 8	2 - 1	6 7 2	1 3	2 3 2 1	3 2 1	=======================================	= = = = = = = = = = = = = = = = = = = =	=	3 4 2	3 4	• =	- -		
75 16	52 11	10	11 3	· 2	15	13	=	2 -	-	9 3	8 2	-	1 -	- 1	
2,144	1,687	427 -	23	7	347	312	. 29	6	-	299	240	57 -	2	_	
24 1 5	19 1 5	5 - -	-	-	5 - 3	5 - 3	- =	· -	=	1 1	1 - 1	- -		=	
18	13	5	_	-	- 2	- 2		· -	-	-			-   -	-	
10 25	5 22	5 2	- 1		1 .	2 3 6	- 1	· <u>-</u>	Ξ	1 3	1 2		-		
10 25 41 11 30	22 32 8 24	5 2 9 3 6	= =	- - -	2 4 6 3 3	6 3 3	:		Ξ	3 5 - 5	3 - 3	1 2 - 2	- -	· -	
246 87 22 157 26 364 334	196 74	48 13	2 -	-	29 11 1	25 9	4 2	- -	=	35 11	31 10	4 -	1	-	l
157 26	74 20 119 23 286 272	48 13 2 37 3 67 50	- 1	- - - 5 2	31	9 1 27 4 61 59	2 - 3 - 1 3	- - 1 - 1	-	11 1 13 3 38 35	10 1 8 3	- 5 - 2 5	- - - 1	-	
	286 272	67 50	4 10	5 2	63 65	61 59	3	3		38 35	36 29	2 5		_	1
292 76	222	68 19	2 1	   -	42 17	39 13	3		- -	49 6	39 6	10	-	-	1
76 245 40	56 193 - 33	52 - 7	= =	=	49 - 4	13 44  3 11	4 - 1 3	1 - -		· 63	46	17 - 2	- - -	-	
40 155	33 113	40	2	-	14	[ ]		-	-	27	18	9	-	-	- 1
327 106	26 11	5 2	230 77	66 16	51 20	6 3	1	36 15	8	52 9	6 2		33 4	12 3	
25 11 70 26 122	3 1 7 4 35	2 - 2	18 9 50 19 69	4 1 11 3 16	7 4 9 4 10	2 1 - - 2	. 1 - - 1	4 2 9 - 4 7	1 -	- 9 3 15	- 2 1 5	- - -	- 4 2 6	- 3 - 4	

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

_			Numbers after Ca	DELAWARE		
	CAUSE OF DEATH	TOTAL,	UNDER 28	DAYS	28 DAYS-11	MONTHS
		UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES	131	70	38	17	6
2	DIARRHEAL DISEASES	=	- 1	-	-	-
4 5	MENINGGCOCCAL INFECTIONS036 TETANUS037	1 -		<u>-</u> ]	1 -	5
6	SEPTICEMIA	1	1	-	-	7
8	VIRAL DISEASES	<u>-  </u>	-	=	5	-
10	MELIGNANI NEUFLASIS, INCLUDING NEUFLASIS UF EINFRALIC AND	_	_	_	_	-1
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	-		-	-	-
12 13	DISEASES OF THYMUS GLAND	-	_	_	-	=
14 15	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	1	-	_	1	=
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	-	-		_	_ [
17 18 19	BRONCHITIS AND BRONCHIOLITIS	- 2	Ξ.	-	- 1	
20 21	ACUTE UPPER RESPIRATORY INFECTIONS	- 2	_	-	- 1	1
22	OTHER CHRONIC INTERCTITY IN PREHIMONIA	_ [	_	_		<u>_</u>
23 24	HERNIA AND INTESTINAL DESTRUCTION————————————————————————————————————	_ 1	-	-	- 1	
25	GASTRITIS, DUDDENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS GRIGIN535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	-	_		_	-
26 27		16	9	1	4	2
28 29	CONGENITAL ANOMALIES	1	<u>i</u>	= =	1	-
30 31	! OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS \$Y\$1EM AND EYE/43+/44 !	2	[ <u>-</u> ]	<del>-</del>	2 -	5
32 33	CCNGENITAL ANOMALIES OF HEART746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM747	3 2	3 1	1	1	
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM————————————————————————————————————	1	<u>-</u>	_		1
35 36 37	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	2	1			1 -
38 39		-[	- 1	-	-	-
40	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS———————————————————————————————————	1 2	1 2	-	-	<b>I</b>
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778	93	58	35	-	-1
42 43 44	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2.769.4-772.774-778	2	2	<u> </u>	-	= 1
45 46	DIABETES MELLITUS	2	2	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY761.2,761.4-761.7,761.9	_		_	_	_ [
48	TOYERTA OF ORICHANCY	-	_	_	-	_
49 50	TOZENIA UP PREDMARCT  NATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION  01FFICULT LABOR  764-768	2 -	1 -	1 -	1 1 1	-
51 52	MATERNAL ANTERARTUM AND INTRAPARTUM INFECTION	-	[ -	Ī	-	-
53	ALL OTHER COUNTESTAND OF REPORTED AND	11	8	3		
54 55	ALL UMER COMPLICATIONS OF PRESNARCY AND CHILDBIRTH	4	ž 1	2	- 1	=
56 57	BIRTH INJURY WITHOUT MENTION OF CAUSE772	11 2	8 1	3 1	1 1	=
58 59	PESPIRATORY DISTRESS SYNDROME776.2	19	15 5	4	-	=
60	ASPHYXIA OF NEWBORN, UNSPECIFIED776.9	17	8	9	-	-
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	1 14	1 4	_ 10	-	-
62 63 64	CLASSIFIABLE 776.0,776.3,776.4  IMMATURITY, UNQUALIFIED 778.1  POSTMATURITY 778.1  HEMORRHAGIC DISEASE OF NEMBORN 778.2  ALL OTHER CONDITIONS OF NEMBORN 778.9	14 - 1	-	10 - 1	-	-1
65	ALL OTHER CONDITIONS OF NEWBORN778.0,778.3,778.9	2	2	-	-	-
66 67	SYMPTOMS AND ILL-DEFINED CONDITIONS	10 2	1 -	2 -	4 2	3
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING COSTRUCTION OR SUFFOCATION————————————————————————————————————	-	_	-	ا س	-
69 70	ALL DENTS	2	-	- [	2	]
71 72	ALL OTHER CAUSES———————————————————————————————————	9	[	= 1	2	=1

## SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1973—Con. Revision International Classification of Diseases, Adapted, 1965]

	DISTRIC	T OF COLUM	1BIA			•	FLORIDA					GEORGIA			T
TOTAL,	R WHITE ALL WHITE AL			MONTHS	TOTAL.	UNDER 2	28 DAYS	28 DAYS-1	1 MONTHS	TOTAL,	UNDER 2	28 DAYS	28 DAYS-	LI MONTHS	-
UNDER 1 YEAR	WHITE		WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	-
276	27	181	9	59	2,047	964	503	331	249	1,628	633	458	233	304	,
2	-	1 -	=	1 -	28	7	8 -	6	7	26	=	6	3 -	17	<u>'</u>
1 1	=	- - 1	] <u> </u>	1 - -	3 - 30	- - 13	- - 8	2 - 3	1 - 6	5  30	111	- 11	- 4 - 3		-1
=	-	-	-	_	3 1 9	-	ī	2	1	9	2	- 1	3	4	
2	-	1 -	-	1	9	1	_ 1	4	4	7	2	-	- 1	5 1	1
-		- -	-	-	1	I	<u>-</u>	_	-	ĺ ĺ	ĺ	-	_	-	1
-	-	<u>-</u>	- - 1	-	2 10 12	- 2 5	- 1 1	2 2 3	- 5 3	2 4 19	1	1 - 4	1	-	1 1
1 2	-	1	-	1	10	1	-	5	4	10	3	_	8	2	ī
5	1	3	1	-	5 12 146	1 24	- 15	2 6 52	3 5 55	3 9 189	- 17	- 12	1 6 56	2 3 104	1
5	1	3	ī	Ξ	144	24	15	1 51	1 54	3 186	17	12	- 56	3 101	1 2
3 2	- 2	1	- -	2	16 10	- - 7	1 2	- 6 . 1	9	- 15 7	3	- 1 2 3	- 4 1	- 6 	2 2
-		-	<u>-</u>	-	1 18	- 5	- 4	- 8	1 1	3 7		2 1	- 3	1 2	2
30 3	7	11 3	4	8 -	340 22	178 18	47 4	82	33	231 16	99 16	54	54	24	.   2
1 1	- 1 -	_ :			28 23 10	9 9	1 2	14 10 2	1 3	14 15 11	8 6 5	2 2	4	4	2 3
14	5	1 2 1	2 -	5	138 18	72 8	19 3	30	17 4	86 23	31 10	3 18 6	2 26 4	11 3	3:3:
2	-	1 -	-	1 ~	21 19	13 9	4	4 7	2	8 11	2 2 2 2	4 2	2 5	- 2	3: 3:
2 - -	1 - -	-	-	1 - -	13 10 2	7 6 2	3 - -	2 2 -	1 2 -	6 7 3	1 1	2 2 5 -	1 1 1	1 - 1	3
3		2 1	_ 2	<u>1</u>	26 10	16 4	<del>4</del> 2	4	2 -	27 4	13 2	9 1	4	1	1
176	17	157	1 -	1 -	1,100	692	399 -	4	5	825 1	475 1	344 -	1	5	
<u>-</u>	=	1 - -	-	<del>-</del> -	8 -	7	1 -	=======================================	=	2 - 1	2 - 1	<u>-</u>	-]	=	4:
1	<u>-</u>	- 1	-	-	- 4	- 3	- 1	-	-	1	1	-	-	-	4
_ []	<u> </u>	-	-	-				-	-			-	-	-	F .
3	- -	3 -	- -	1 1 1	7 11 15 8 7	2 7 13 7 6	5 4 2 1 1	-	- - -	2 5 17 7	2 2 9 2 7	3 8 5	- - -	- -	48 49 50 51 52
						1				10		3	-	-	
19 3 -	=	16 3 ~	- -	1 - -	122 38 12 79 9 159 135	76 28 9 43 5 118 88	46 9 2	- 1 1 - 1 1	1 -	121 30 8 42	71 18 4 21 7 82 80	50 12 4	-	- - -	53 54 55 56 57 58
3 - 9 - 14 18	1 4 3	3 + 8 - 9	- 1		79 9 159	43 5 118	2 35 4 38 46	1 1	- - 2 -	42 10 120 128	21 7 82	12 4 21 3 37	-	-	56 51
18 15	3 _	15 15	-	-	135	117	46 65	1	-	128 146	80 82	48 63	-	1	l
- 11	- 7	4 66	-	-	21 226	12 129	9	-	· · · · · · · · · · · · · · · · · · ·	14 130	6 70	7 59	ľ	1 1 -	
4 73 - 3 14	7 - - 2	66 - 3 12	-	- - -	14 62	3 35	11 25	-	- - - 2	6 43	3 15	3 26	-	- 2	61 61 61 64
38	-	3	2	<b>33</b> 5	159 68	11 2	8 2	72	68	97	6	10	32 37	49 50	1
<u>.   </u>	_	- 1	-	_ [				40 11	24 5	93	1	2	- 1		
5 1 3 3	- - -	1 1	-	4 1 2 3	19 10 39 8 50	2 - - 14	1 1 - 2 3	11 6 23 3 22	5 16 3 11	25 20 48 4 26	3 - 2	2 - 5	10 7 20 1	14 11 25 3 8	68 69 70 71 71

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,
[Numbers after causes of death are category numbers of the Eighth

		[	Numbers after ca	uses of death ar	e category numbe	ers of the Eighth
	·			HAWAII		
	CAUSE OF DEATH	TOTAL+	UNDER 2	B DAYS	28 DAYS-11	L MONTHS
		UNDER 1 YEAR	WHETE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES	207	45	123	8	31
2	DIARRHEAL DISEASES	2 -	1 -	1 _	=	-
3 4 5	MENINGOCOCCAL INFECTIONS		-	-	-	<u> </u>
6	SEPTICEMIA038	2	-	2	-	-
8	VIRAL DISEASES	1 -	1 -	=	=1	= 1
10	OTHER INFECTIVE AND PARASITIC DISEASES—————————————————————————————————	1	_	-	-	1
11		_	_	-	_	-
13	DISEASES OF THYMUS GLAND	- 1	-	- 1	-	1
15 16	MENINGITIS320 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE DRGANS321-389	3   1	-	1 -	1	1 1
17 18	ACUTE UPPER RESPIRATORY INFECTIONS	_	-	-	_	-
19	INFLUENZA AND PNEUMONIA	8 -		1 -	1 -	6
21		8	-	1	1	6
22 23	OTHER CHRONIC INTERSTITIAL PNEUMONIA	- 2 1	-	1	1	- - 1
24 25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF MONINFECTIOUS  ORIGIN535,561,563	-	_	_	_	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	1	-	-	1	70
27 28	CONGENITAL ANOMALIES 740-759 AMENCEPHALUS 740 SPINA BIFIDA 741 CONGENITAL HYDROCEPHALUS 742 742	41 4 1	5	23	3	10
29 30	SPINA BIFIDA	1		1	-	=
31 32 33	CONGENITAL ANOMALIES OF HEART————————————————————————————————————	15 5	2 1	5 4	i -	7
34 35	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	4 3	- [	3 1	1 -	ī
36 37	CCMSENITAL ANOMALIES OF GENITOURINARY SYSTEM 752-753 CCMSENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM 754-756 DCMN'S DISEASE5759-3	1 -		1 -	=	= [
38 39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE	1 4	1	- 3		-
40	SYSTEMS—————759.0-759.2,759.4-759.9 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES————745,757,758	i	-	ĩ	-	-
41 42	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN NOTHER760	123	38	85	-	-
43 44	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER —	1 -		1 <u>1</u>	-	=
45 46	CIABETES MELLITUS761.1 RUBELLA761.3	=	-	-	- 1	=
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	1	-	1	-	-
48 49	TOXEMIA OF PREGNANCY	=			-	-
50 51	TOXEMIA OF PREGNANCY———————————————————————————————————	1 -	1 -	-	-	
52 53	WITHOUT MENTION OF BIRTH INJURY (.49)	1	1	-	-	-
54	CHILDBIRTH769.0-769.2, 769.4, 769.5, 769.9	14 6	2 2	12 4	-	-
55 56	CONDITIONS OF UMBILICAL CORD—————————————————————771 BIRTH INJURY WITHOUT MENTION OF CAUSE———————772	2 8	1 1	1 7	-	-
57 58	CONDITIONS OF PLACENTA	3 11	3	3 8	-	-
59	RESPIRATORY DISTRESS SYNDROME	12 16	4	12	-	-
60 61		3	1	2	_	-
62 63	IMMATURITY, UNQUALIFIED777 PCSTMATURITY778.1	35	12 -	23	-	-
64 65	ALL UTHER ANUXLE AND HYPOXIC CONDITIONS NOT ELSEWHERE 776.0,776.3,776.4  IMMATURITY, UNQUALIFIED 778.1  PCSTMATURITY 778.1  HENORRHAGIC DISEASE OF NEWBORN 778.2  ALL OTHER CONDITIONS OF NEWBORN 778.9	2 9	1 6	1 3		-
66 67	SYMPTOMS AND ILL-DEFINED CONDITIONS	11 4	] [	4 1	1 -	6 3
	TABLE ATTOM AND INSCRITON OF FROD OR OTHER OR LECT CANCING	<u>.</u>	-	-	-	-
69 70	HALAILUN AND INCESTION OF FOUND OR OTHER OSSET CAUSING   OBSTRUCTION OR SUFFOCATION	4	-	1	- [	3
/l 72	ALL OTHER CAUSESRESIDUAL	5	[ - ]	<del>-</del>	٦ ا	ī

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision International Classification of Diseases, Adapted, 1965]

***************************************		IDAHO		-			ILLINOIS					INDIANA		
TOTAL.	R WHITE ALL WHITE A			L MONTHS	TOTAL,	UNDER 2	28 DAYS	28 DAYS-1	I MONTHS	TOTAL	UNDER 2	28 DAYS	28 DAYS-	L1 MONTHS
UNDER L YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	TOTAL, UNDER 1 YEAR	-WHITE	ALL OTHER	WHITE	ALL OTHER
247	177	5	62	3	3,410	1,690	068	507	353	1,536	953	197	305	81
1	1	=		, <u>-</u>	29	7	6	8.	8 -	12	6		. 3	3
1 - -	1	=	[ -	-	4 30	- - 15	- - 5	2 - 8	2 - 2	- - 23	11	- - 4	-	- 2
1_	<u> </u>	_	1		11	2	- - -	7	2	5	2	1	· 2	_
₩	-	-	=	] =	5	2	-	1	2.	4	3		, ī	=
1 -	-	=	-	=	8	1	1	-	1 -	1 2	1	-	1	-
- 1		-	- - 1	=	6 - 7	- 3 6	1 - 2	3 - -	2 - 2	1 5 4	1 3 5	_ -	1 4	- -
 4	-	=	4	=	21 11	6	2 2 1	8 8	5 1	13 10	5	1	5 8	2
1			1 -		3 14	- 2	- 1	2 7	1 4	- 4 8	-[	_ 1	4 5	- 2
15 1 14	7 - 7	=	7 7	. 1 1	213 - 213	39 - 39	34 - 34	87 - 8 <b>7</b>	53 - 53	101 2 99	26 26	4 - 4	5 44 2 42	2 27 - 27
3	- 1		- 2	<u>-</u>	_ 23	- 3	_	- 13	7	2	1 4	- -	1 9	-
9	2 -	-	1	- '	25	14	· 4 ·_	4	3	18	. 13	2	3	-
-	-	_		•	2 28	1 6	10	. 8	1 4	12	3	2	7	-
42 1 -	30 1 -	=	12	<u>-</u>	493 52 16	252 44 9	90 8 3	114 - 3	37 - 1	255 29 18	169 28 13	10 1 -	65 - 5	11
4 1 17	4 1 13	=	- 4	- - -	31 13 177	14 9 74	2 - 34	11 4 52	4 17	7 11 95	4 7 53	- - 6	3 4 28	- - 8
a 1	1		4	-	43 25	iī 17	11 5	17	4	11	7	-	4	· -
3 1	- 1		3	-	29 [	15 16	2 4	3 7 2	5 2	16 15 10	10 6 6	-	4 9 3	2
1	1 1		- -	-	24 14 2	10 1	3 -	1	Ξ.	. 13 2	13	-	ī	-
-	3 -	-	1 -	<del>-</del>	50 17	27 5	13 5	6 7	-	20 8	15 6	2 1	3	
134	129	5 -	- -	-	1,977	1,288	677 -	5	. 7 -	860 -	681 -	163	15	1 -
=	=	- 1 -	- - -	=	17 a	10 3	6 - 4	1 1	<del>-</del>	6 - 3	6 3	=	=	- -
_	-	-	- -	-	1 8	1 6	. ~		-	3	- 3	<u>-</u>	_	
1	1 -	_	-	_	7	6	1	-	-	6	5	1	· -	-
- 2 1	2 1		-	<del>-</del>	24 5	3 20 4 16	4 4 1	=	=	3 17 3	3 16 3	1	-	- -
1	1		-	-	19	į	3		-	14	13	1	-	1
13 8 3	1.3 6 3	2	-	-	219 86 12	140 68 9 77	78 18 3.	1 - -	-	91 39 10	66 34 8 43 7	23 3 2	2 2 -	
8 7 1 22 22	3 7 1 22	- - -	-	=	121 26 217	77 19 170	3. 43 7	1 - -	- - 3	51 8 150	43 7 126	2 8 1 18	- - - 5	- 1
	22 21	1	- [	-	245	167	75	2	1	100	79	19	2	-
16 6 29	15	1	-	-	29	362 18	277 11 75	-		160	113	45 3	2 1 1	-
29 2 2	29 - 1	- 1	- - -	<u>-</u> .	241 - 25	166 - 21	- 4	. =	- - -	174 - 5	141 - 4	32 - 1	=1	-
2 22	2	-	20	-	60 177	32 13	27 9	99	1 56	28 90	22 9	6	- 63	
9	1		8	1	69	5	1	40	23	48	5	2	36	15
1 2 6 1 8	- 1	- - -	1 2 5 - 4	=	23 7 39 2	2 3 1 29	1	12 6 22	9 1 13 1 129	11 15 22 5 36	2 2 1 1 9	1	12 18 2 19	2 1 2 2 4
1 B	1 1 3	=	-	- 1	2 251	1 29	16	77	1 29	5 36	1 9	4	2 19	2 4

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,
[Numbers after causes of death are category numbers of the Eighth

_				ICWA		
	CAUSE OF DEATH	TOTAL,	UNDER 2	B DAYS	28 DAYS-1	I MONTHS
		UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES	619	458	15	140	6
2	DIARRHEAL DISEASES	4	2 _	1	1	=
5	NENTINGCOCCAL INFECTIONS	7	5	=]	ī	1
7 8 9	VIRAL DISEASES	3 - 2	1 2	-	2	=
10 11	HALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPDIETIC TISSUES	2	=	-	2	=
12 13 14	DISEASES OF THYMUS GLAND ————————————————————————————————————	- - 2		-[	2	-
15 16	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	10 2	2 5 -	=	5 2	-1
17 18 19	ACUYE UPPER RESPIRATORY INFECTIONS	- 2 33	-	-	2 25	-
20 21		33	8	-	25	-
22 23 24 25	OTHER CHRONIC INTERSTITIAL PNEUMONIA	- 8 7	5 7	-	3	-
26	ORIGIN535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	1 5	1 4	-	1	-
27 28 29	CONGENITAL ANOMALIES	97 7 3	65 7 3	3 -	29	
30 31 32 33	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743-7144 CONGENITAL ANOMALIES OF FERTH	2 7 38 8	1 6 21 5	- - - 1	1 1 17 2	-
34 35 36	CUNGENITAL ANOMALIES OF RESPIRATORY SYSTEM	6 5 3	5 2 2		1 3 1	1 1
37 38 39	CCNGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM754-756 DCHN'S DISEASE759.3 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS759.0-759.2,759.4-759.9	3 - 13	3 - 10	- 2	1	-
40 41	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES745,757,758	346	334	10	2	-
42 43 44	CHRONIC CIRCULATORY AND GENIFOURINARY DISEASES IN MOTHER — — — — 760 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY — — 761.0 SYPHILIS — — 761.0 DIABETES MELLITUS — — 761.1 RUBELLA — — 761.3	6	6	-	2	=
45 46 47	UIABETES MELLITUS	-	-	-	-	-
48 49		2	1	-	1	-
50 51 52	TOXEMIA OF PREGNANCY 762 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION 763 DIFFICULT LABOR 764-768 WITH MENTION OF BIRTH INJURY (.03) WITHOUT MENTION OF BIRTH INJURY (.4,.9)	- <del>-</del>	4	=	-	
53 54		40	40	_	-	-
55 56 57	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	18   4   13   5	18 4 13 5	=1	-	
58 59	HYALINE MEMBRANE DISEASE 776.1 RESPIRATORY DISTRESS SYNDROME 776.2	61 41	59 39	1 2	1	
60	ASPHYXIA OF NEWBORN, UNSPECIFIED	4B 5	46 5	2   -	-	-
62 63 64 65	CLASSIFIABLE 776.0,776.3,776.4  IMMATURITY, UNQUALIFIED 778.1  PCSYMATURITY 778.1  HEMORRHAGIC DISEASE OF NEWBORN 778.2  ALL OTHER CONDITIONS OF NEWBORN 778.9	70 - 7 20	67 - 6 19	3 1 1	-	-
66 67	SYMPTGMS AND ILL-DEFINED CONDITIONS	60 19	8 6	- 1	49	3 2
40	INDALATION AND INCECTION OF FOOD OF OTHER OF FECT CANCING	4	2	_	1	1
70 71 72	CBSTRUCTION OR SUFFOCATION	11 8	3	=	5	

From 65 Selected Causes, by Color: United States and Each State, 1973—Con. Revision International Classification of Diseases, Adapted, 1965]

		KANSAS					KENTUCKY					LOUISIAN	Α		Γ
TOTAL.	UNDER 2	8 DAYS	28 DAYS-1	1 MONTHS	TOTAL.	UNDER 2	8 DAYS	28 DAYS-1	1 MONTHS	TOTAL,	UNDER :	8 DAYS	28 DAYS-	L1 MONTHS	1
UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	AL L OTHER	
498	335	40	98	-25	903	586	80	205	32	.1,368	546	469	141	212	
6	1 -	1 - 1	5 -		8 - 3	2	Ξ	3	3 	16	1	3 - -	4	8	١.
- 6	5	=	- 1	-	24	- 18	- 2	3 - 4	3  - -	· 29	7	10	1 - 4	1 - 8	. !
- - 1	- -	-	- - 1	-	1 1 2	- - 1	1	1 - 1	- - -	1 1 3	-	- 1	1 2	1	
1	_	1 1	1	-	2	-	=	2	-	4	2	-	2	<u>.</u>	
- 1	<u>-</u>	-	 1 1		- 2	- - 2.	=	- 2 3	-	4 2	1 1	- 3	1	3	
1 2 4 3	- 1 	-	1 3 3	1	2 6 6 4	2 2 1	<del>-</del>	3 4 3	1 -	2 10 20 13	1 3 1	3 3 1	1 1 2 2 5	12 6	1
- 5 49 2	- 14	 - 2	- 3 24	- 2 9	3 3 72	- - 18	- - 3	2 3 47	1 - 4	5 2 102	- - 12	1 1 13	2 1 19	2 - 58	1 1
2 47	14.	2	2 22	9	72 1 71	18	3	1 46	4	1 101	12	13	19	1 57	2
- 4 3	 1 3		- 3 -	- 1	- 12 7	- 3 6	- - 1	- 9 -	111	2 29 11	- 2 5	- 5 5	2 6 1	16 -	2 2 2
-	- 2	-			- 5	- 3	=	_ 2	, :	2 19	- 2	. 1	_ 6	1 4	2
84 8 1	57 6 1	6 -	19 2	2 -	154 16 15	104 16 12	4 -	43 - 3	3 - -	205 19	91 17	48 2 2	35 . –	31_	2
2 24	3 2 15	- - 3	- 1 - 5	-	9 7 52	6 5 27	- - - 2	3 1 21	1	8 8 12	5 1 8	3	1 - 1	4 2	2 2 3 3 3
6	3	1	2	1 - -	9 8	3	- 1	6	2 -	87 11 7	25 4 6	21 4	27 1	14 2 -	
4 7 9 2	3 7 2	11	4 2 ~	-	10 1 3	. 8 1 3	-	1 2 - -	-	17 8 8	6 6 5	1 3 2 1	3 - 1	5 - 1	3 3 3
1 12	9	- 2	1 -	1	19	15	-	4	-	2 16	7	7	1	1 2	3 4
283	2 248	32	2	1	5 479	412	1 63	2	- 2	· 2	1 408	1 355	4	- 5	ı
2	- 2 - 1				9 - 4	8 -	- - -	1 -	1	4 - 3	3 - 2	1 -	-	=	4 4 4 4 4
-	- 1	-	-	-	2	2	-	- 1	-	1	-	1 - -	-	=	4
. 11	1 - 4	- 1	<u>-</u>	-	!		-	_	-	1	ł : l	4 3	=	=	
1 1 4 1 3	4 1 3	1 - -	- - -	-	3 7 5 2	3 6 4 2	1 1 -	- - - -	- - -	8 4 14 3 11	1 9 3 6	4 3 5 - 5	- - -	=======================================	4 5 5 5
28 13	28 13	· _	<u>-</u>	<u>.</u>	65 24	58 23	8 1		-	73 29	37	36 11	<u>:</u>	_	53
28 13 2 12 3 71 37	1 9 3 61 33	1 2 - 10 4	- 1 - -	(1111	24 5 24 11 66 62	58 23 5 19 10 61 51	1 5 1 4 10	- - - - 1	- - - 1	29 4 72 14 122 92	37 18 2 23 11 80 57	36 11 2 49 1 42 33	- - - 2 - 1	- - - 1	5. 5. 5. 5. 5. 5. 5. 5.
- 1,	I	(				1		i	i		l !		1		
43	39	3	- -	1 -	84	73	11	-	-	116	75	41 11	-	-	6
' 3 50 - 5 8	39 - 5 7	11 - - -	- - - 1	- - -	90 - 4 19	4 71 - 3 16	19 - - 3	- - -	_ _ . <u>1</u>	15 142 - 16 47	64 - 10 10	11 75 - 6 35	-  -  -  1	3 - - 1	6 6 6
20 18	1 1	-	13 13	6	58 30	6 4	3 1	36 24	13 1	31 39	2	3 2	11 17	15 20	6
			1	ì				7			l	· _	,		
6 6 -	1 - - 1	- -	4 4 5 - 5	1 2 1 -	10 6 14 3 17	1 - 3 - 4	1 - - 1 1	6 11 1	1 - 1 3	12 8 19 9 34	- - - 7	1 1 2 5	6 4 7 2 10	6 3 11 . 5 12	7:

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,
[Numbers after causes of death are category numbers of the Eighth

=			Numbers after ca	MAINE	- Lategory number	are of the English
ļ	CAUSE OF DEATH		UNDER 2	B DAYS	28 DAYS-1	1 MONTHS
		TOTAL, UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES	255	181	1	73	-
2	DIARRHEAL DISEASES	2	<u>-</u> [	_	2	-
3 4 5	DIARRHEAL DISEASES	-1	-	-	=	-
6 ; 7	SEPTICEHIA	1	1	_	-	-
8 9 10	CONGENITAL SYPHILIS	-	=	=	-	=
11	HEMATOPOIETIC TISSUES	1	1	-	-	-
12 13 14	DISEASES OF THYMUS GLAND	1	=	=	1	-
15 16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	2	-	-	2	=
17 18	ACUTE UPPER RESPIRATORY INFECTIONS	1	1	-	-	-
19 20 21	INFLUENZA AND PNEUMONIA	12 - 12	1	=	11	3
22		-	-	_	3	-
23 24 25	OTHER CHRONIC INTERSTITIAL PNEUMONIA	2	2 2	-	-	-
26	ORIGIN535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	1	-	-[	ī	-
27 28	CDNGENITAL ANDMALIES         740-759           AMENCEPHALUS         740           SPINA BIFIDA         741           CCNGENITAL HYDROCEPHALUS         742	48 8	27 7	-	21	-
29 30 31	I OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743+744 I	3 4 2	2	=	ž	]
32 33	CONGENITAL ANOMALIES OF HEART————————————————————————————————————	13	- 8	=	-	=
34 35 36	CCNGENITAL ANOMALIES OF RESPIRATORY SYSTEM	1 3 3	2	=	1 1 2	=1
37 38	CONGENITAL ANDMALIES OF MUSCULOSKELETAL SYSTEM754-756 DCHN'S DISEASE759-3	5	1	-	ĩ	=
39 40	OTHER COMERNITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS759.0-759.2,759.4-759.9 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES759.0-759.2,757.758	4	2 -	-	2 1	-
41 42		144	143	1_	 	-
43 44	CHRINIC CIRCULATORY AND GENTIOURINARY DISEASES IN MOTHER — 760  OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY — 761  SYPHILIS — 761-1  RUBELLA — 761-3	· 2	2		-	=
45 46 47	ALL OTHER MATERNAL CONDITIONS UNRELATED	2	2	=	-	-
48	TO PREGNANCY	- 1	-	-	-	-
49 50	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763	1 4	1	-	-	-
51 52	WITH MENTION OF BIRTH INJURY (.O3)	3	3	-	-	=
53 54	ALL DIMER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	13 11	13 11	-	=	- ]
55 56	CENDITIONS OF UMBILICAL CORD	2	2 3	-	-	-
· 57 58 59	HEMOLYTIC DISEASE OF NEWBORN776.1 HYALINE MEMBRANE DISEASE776.1	20 10	19 10	1	-]	- 1
60	ALL ETHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH 769.0-769.2,769.4,769.5,769.9 CONDITIONS OF PLACENTA 770 BITTH INJURY MITHOUT MENTION OF CAUSE 7712 HEMOLYTIC DISEASE OF NEMBORN 774,175 HYALINE MEMBRANDE DISEASE 776.1 RESPIRATORY DISTRESS SYNDROME 776.2  ASPHYXIA OF NEWBORN, UNSPECIFIED 776.9 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE	38	38	-	-	-
61 62	ALL UIMER ARUXIC AND HYPUXIC CUNDITIONS NOT ELSEMBERE CLASSIFIABLE———————776.0,776.3,776.4 IMMATURITY, UNQUALIFIED—————7777	1 32	1 32	- 1	-	-
63 64 65	CLASSIFIABLE — — — — — — — — — — — — — — — — — — —	- 1 5	1 5	-		=
66	SYMPTOMS AND ILL-DEFINED CONDITIONS780-796	24	2	-	22	-
67 68	ACCIDENTS E800-E949 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING CBSTRUCTION OR SUFFOCATION E911-F912	5   2	-	-	5 2	-
69 70	ACCIDENTS E800-E949  INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING  CBSTRUCTION OR SUFFOCATION F911,E912  ACCIDENTAL MECHANICAL SUFFOCATION F914-E949  HOMICIDE F910-E910,E914-E949  ALL OTHER ACCIDENTAL CAUSES RESIDUAL	1 2		-	1 2	-
71 72	ALL OTHER CAUSES	4	[	=1	3	51

From 65 Selected Causes, by Color: United States and Each State, 1973—Con. Revision. International Classification of Diseases, Adapted, 1965]

_	MARYLAND UNDER 28 DAYS 28 DAYS-11 MON					MAS	SACHUSETTS	:				MICHIGAN		
TOTAL,	UNDER 2	B DAYS	28 DAYS-1	L MONTHS	TOTAL,	UNDER 2	B DAYS	28 DAYS-1	1 MONTHS	TOTAL,	UNDER 2	8 DAYS	28 DAYS-1	I' MONTHS
UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE :	ALL OTHER	HHITE	ALL OTHER
834	390	212	147	85	1,106	746	109	221	30	. 2,569	1+341	574	.420	234
8 -	2 -	5 -	1 -	<u>-</u>	10 -	5 - -	3	1 -	1 - -	16 1 1	5 - -	4	. 1 . 1	1
13	3		- 3	- - 3	11	В В	-	2	ī	25	12	- 9	3	1
4	2	1 -	=	1 - -	. 5 - -	-		5 - -	-	10 - 5	' 2 - 2	- - 1	6 - 1	2 - 1
2 ~	-		2 -	_	4 2	. 1 . 1	-	3 1	-	7 3	2 -	_ =	4 3	<u>1</u>
- 5 2	2		- 2	- 1	- 1 1z	- - 4	- - - -	- 1 7	- - 1	1 11	- - 5	- - 3	1 - 3 9	
2 10 6	2 1 -	2	4 6	3 -	9 9	1	-	3 8	2 -	20 14	9	=	6	2 7
3 3 25 2	1 - 2	- 2	2 2 12	 1 9	3 4 86	- 16	- - 3	3 4 55	- - 12	5 9 125	- - 19	1 10	6 62	1 2 34
2 23	2	2	10	. 9	86	16	. 3	55	12	124	19	10	61	
 4 8	1 3	- - 1	2 2	1 2	27 11	7	- - 2	1 21 2	2 -	4 18 26	1 3 17	- 2 . 6	. 2 9 1	4
1 10	] =	1 3	- 4	_ 3	- 6	3	=	2	_ 1	. 15	. 6	4	3	2
120 14 6	58 12 3	19 2 -	37 - 3	6 -	191 23 8	129 20 5	2	52 1 3	3 - -	408 39 25	234 36 11	46 2 1	94 1 11	34 - 2
6 1 39 10	3 2 1 17	1 - 5	3 - 14	- - 3	12 8 70	6 6 43	2 - 1	4 2 25	- 1	13 19 149	6 9 89	1 2 11	11 5 5 36 7	1 3 13
11	8 1	1 - 1	8 2 1	1 1	18 10 4	16 6 3	-	2 2 1	2 -	23 27 20	10 11 3	5 4 3	. 7	5 5
4 5 3	5	1	1	-	4 6 2	3	- <u>i</u>	2 2	-	11 15 2	9 10 1	1 4 -	1 1	1 - -
18 3	6	7 -1	4 1	1 -	· 23 3	15 2	1	7	-	57 8	34 5	11 1	9 2	3 -
47c	303	165	1 -	1 -	646	549	94	3 -	<u>-</u>	1,463	984 - 10	472 - 5	5	2
11 - 2	B -	2 - -	1 -		8 - 5	7 - 4	1	=	=	4	3	1	111	- - -
9	7	2	-	-	3	3	_	-	-	11	7	4	_	<u>.</u> -
3 3 2	1 2 2 2	2 1 1	=	=	3 4 5 3	3 1 5	- 3 -	-	- - -	5 9 20 7	3 9 13 5	7 2	-	- - -
2	2 -	1	=	=	2	3 2	=	=	=	13	8	5		_
62 19 4	45 12 4	17 7	=	=	72 39 4	56 34 3	16 5 1 5	= = = = = = = = = = = = = = = = = = = =	=	190 70 21	136 53 14 58	54 17 7	-	- -
19 4 39 5 63 52	12 4 25 3 47 30	14 2 16 21	-	-	39 11 102 77	34 11 92	8	- - 2 1		81 15 200 207	58 14 140 136	23 1 60 66	- 4	- - - - - 1
52 62	30	21	-	1 -	94	72 82	12	-	-	252	150	102	_	_
11 92 - 2	8 55 -	3 37 -	=		17 125 -	13 103 -	4 22 -		-	28 265 —	19 184	. <del>79</del>	1	1 - -
39	20	2 19	-	=	6 40	- 5 28	1 12		1	16 69	13 32	3 37	-	ł
e5 25	2	6	42 14	33	36 16	8 2	-	24 13 5	1	251 71 23	16 5	11 2 1	124 42	100 22 4
7 5 13 4 26	1 - 4	- 1 -	5 5	6 3	6 3 7 -	- 2 - 4	- - -	3 5 -	- 2	12 36 7	1 3	1 1	17 4 21 3	4 7 11 3 12
26	4	2	10	10	16	4	1 -	10	1 2	53	11 18	] 2	21	12

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

			Numbers after ca	MINNESCTA		
	CAUSE OF DEATH	TOTAL,	UNDER 2	B DAYS	28 DAYS-11	L MONTHS
		UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES	816	592	20	185	19
2 3	DIARRHEAL DISEASES       — 009         NHOOPING COUGH       — 033         MENINGOCOCCAL INFECTIONS       — 036         TETANUS       — 037         SEPTICEMIA       — 038	9	7 -	-	1	1
4 5 6	MENINGOCOCCAL INFECTIONS	11	- - 9	-	2	
7 8 9	VIRAL DISEASES	6 - 2	<u> </u>	- -	5 1	-
10 11	HALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	1	1	-	-	-
12 13	DISEASES OF THYMUS GLAND		~ -		-	-
14 15 16	OTSEASES OF THE BLOOD AND BLOOD-FURMING DEGANS280-289 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	6 7	3 4 2	=	2 4	1
17 18	ACUTE UPPER RESPIRATORY INFECTIONS	1 2	<u>.</u>	- [	. 1	-[
19 20	ACUTE UPPER RESPIRATORY INFECTIONS 460-465 BRONCHITIS AND BRONCHIULITIS 466,490,491 INFLUENZA AND PNEUMONIA 470-479,480-486 INFLUENZA 470-474 PNEUMONIA 480-486	41 2	9 -	-	28 1 27	4
21 22		39	-	-	-	_ {
23 24 25	OTHER CHRONIC INTERSTITIAL PNEUMONIA517 ALL OTHER DISEASES OF RESPIRATORY SYSTEM492,493,500-516,518,519 HERNIA AND INTESTINAL OBSTRUCTION550-553,560 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS	16 11	4 10	=	12 1	-
26	ORIGIN535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	- 4	ī	-1	- 3	7
27 28	CONGENITAL ANOMALIES740-759 ANENCEPHALUS740 SPINA BIFTDA741	154 18	106 16	5 1	4 <u>1</u>	2
29 30 31	CCNGENITAL HYDROCEPHALUS742	8 10 5	4 5 4	=	4	1 1
32 33	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743,744 CCNGENITAL ANOMALIES OF HEART746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM747	47 13	29 11	1 1	17	-
34 35	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM————————————————————————————————————	12	4 4	1	7 2	-
36 37 38	CCNGENITAL ANOMALIES OF GENITOURINARY SYSTEM 752,753  CCNGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM 754-756  DCWN'S DISEASE 759-3	6	8 6 2	=	$\frac{1}{2}$	-
39 40	OTHER CONCENTIAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	14	12	-	2	- [
41	CERTAIN CAUSES OF HORTALITY IN FAMILY INCANSES	437	411	14	12	
42 43 44	CHRONIC CIRCULATORY AND GENITURINARY DISEASES IN MOTHER ————————————————————————————————————	8	8	-	-	
45 46 47	DIABETES MELLITUS761-1 RUBELLA761-3 ALL OTHER MATERNAL CONDITIONS UNRELATED	-	6 -	-	-	-
	TO PREGNANCY761.7,761.9	2	z	-	-	- [
48 49 50	TOXEMIA OF PREGNANCY	3 4 10	3 4 10	-		=
51 52	WITHOUT MENTION OF BIRTH INJURY (.03)	2 8	2 8	=	-	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	53	50	2	1	<b>-</b>
54 55 56	CHILDBIRTH — 769.0-769.2,769.4,769.5,769.9  CONDITIONS OF PLACENTA — 770  CONDITIONS OF UMBILICAL CORD — 771  BIRTH INJURY WITHOUT MENTION OF CAUSE — 772	21 8 27	21 7 24	- - 1	- 1 2	
57 58	HEMOLYTIC DISEASE OF NEWBORN774,1775 HYALINE MEMBRANE DISEASE776.1 RESPIRATORY DISTRESS SYNDROME776.2	7 85	80	3	2	-
59 60	RESPIRATORY DISTRESS SYNDROME	42   59	40 56	1 2	1	-
61	ALL OTHER ANDXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE 776.0,776.3,776.4	14	12	-	2	_
62 63 64	CLASSIFIABLE— 776.0,776.4 IMMATURITY, UNQUALIFIED— 778.1 POSTMATURITY— 778.1 HEMORRHAGIC DISEASE OF NEWBORN 778.2 ALL OTHER CONDITIONS OF NEWBORN 778.9	65 - 7	61 7	2 -	2 -	-
65		24   63	2i 13	3	43	- 6
67	SYMFTCHS AND ILL-DEFINED CONDITIONS	17	3	-	11	3
69 70	THACATION AND INDESTION   FOUN OR THER DESC! CAUSING	3   5   9	1 2	-	2 3 6	1 1
71 72	HOMICIOEE960-E978 ALL CTHER CAUSESRESIDUAL	22	5	-	15	÷

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision International Classification of Diseases, Adapted, 1965]

	MISSISSIPPI UNDER 28 DAYS 28 DAYS-11 MON'				1		MISSOURI					MONTANA		
TOTAL .	UNDER 28	B DAYS	28 DAYS-1	L MONTHS	TOTAL.	UNDER 2	28 DAYS	28 DAYS-1	1 MONTHS	TOTAL.	UNDER 2	28 DAYS	28 DAYS-1	.1 MONTHS
UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
1,157	303	490	91	273	1,227	681	206	231	109	222	146	16	45	15
21	1 -	3 ~	3 -	14 -	14	2 -	3 -	4 -	5 -	1	1 -	-	-	_
1 1 30	- - 5	12	1 2	1 11	2 - 30	- - 22	- - 4	1 - 3	1 - 1	1 1	- 1	=	1 - -	=
3	1 -			2	5 -		` <u>1</u>	3 -	1_	1 -		-	1 -	=
8	-	1	_	7 -	5 6	1	-	3	1 -	1 -	_	-	1	-
-	-	_		-	i	_	-	ĭ	-	-	-	-	-	_
3 8	1	2		2 4 3 5	3	1	1	3	- 1	1 1 4	1	= =	- 2	
7 10	=	1	3 5	j ·	14 12	1	3 2	5 7	4 2	3	-	Ξ	3	_
5 3 104	- 5	1 19	_ _ 15	5 2 65 3	1 3 76	11	- - 5	1 2 39	1 21	1 4 13	1 3	<u></u>	1 2 4 -	- 6
101	5	19	15	62	1 75	11	- 5	1 38	21	12	3	· -	- 4	. 1 5
-   8 9	2 3	1 1 3	1 2	- 4 1	9 6	- 2	- - 1	6 3	3	3	- 3	-	- 2 -	1
5 4		1 2	1	3 2	- -		-	- 4		1	1	_	-	· <u>-</u>
119	49	32	18	20	208	132	15	44	17	44	26	4	12	2
4 8 8	3 4 2	1	3	1 2 1	17 8 11	16 6 2	-	1 2 8	- 1	1 2 2 2	1		- 1 1	1
6 55 8	1 23 4	3 14 3	1 7 1	11	8 85 19	5 49 9	- 8 1	3 17 6	11 3	21 4	1 11 2	1 2 1	- 8 1	- -
5 7	2	3 2	2	- 2 1	7 6	6	1	- 2	=	3	3	-	-	
3 5 1	4 -	1	=	1 - 1	8 10 1	7 9 1	1	1 -	-	1 2 -	1 2 -	, -	<u>-</u>	=
8	4	2	1	1	26	17 1	4	3	2 -	5 -	4	-	1	-
607	228	374	3	2	642	474	165	1	2	111	101	9	1 -	=
- 8 - 5	5	3	-	=	1 -	1 -	- 1	-	- -	5 - 4	5 - 4	- -	-	=
-	-	-	_	-	-	-	_	-	-	-	- '	-	-	_
2	1	1	-   -	<del>-</del>	2	1	1	-	_	1	1	_		_
11 1	6 - 6	- 5 1	-	-	5 8 6 2	4 8 6 2	1 -	- - -	-	- 1 -	1			_ _ _
10	6	4	-	-	2		-	-	-	1	1	-	-	-
51 23	12 10	39 13		=	79 22	55 17 8 20 5 97	23 5 1 9 2 24 15		1 -	19 5 -	17 5 -	1 - -	1 - -	
51 23 6 37 7 97	12 10 - 15 6 51 40	39 13 6 21 1 44 35	2	1	79 22 9 29 8 121 65	20 5	9 2		1	3 - 27 10	2 - 25	- 1 - 2 2	- - -	=
1	ł	1			1 1	l					8			Ξ
81 17	32	49 13	1	- -	140 13 102	99	41 4	i	_	12	11	1 -	-	-
17 159 - 11 20	3 28 - 4 13	13 130 - 7 7	- -	1 - -	102 - 10 28	72 6 22	4 29 - 4 6	1 - -	- - -	24 - 1 2	22 - 1	- 2 - -	- - -	- - - -
	I	1						53		2 13 9	1 1		9	- 3 -
124 49	3 1	L	14 17 5	78 28 7	92 52	15 4 3	4 - -	29 8	20 19	i i	3		. 6	
14 15 20 - 28	1 - 4	1 1 1 - 6	5 4 8 - 4	7 10 11 - 14	18 12 22 2 33	3 - 1 - 12	- - 1	9 12 - 13	7 3 9 1 8	5 2 2 - 6	1 2	- - - 2	3 2 1 	- - - 2
28	1 4	6	4	14	33	12		13	8	] - [	2	2	-	2

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

=			Numbers atter ca	NEBRASKA	category number	ers of the Eighth
	CAUSE OF DEATH		UNDER 2	8 DAYS	28 DAYS-1	1 MONTHS
		TOTAL, UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES	368	280	15	58	15
2	DIARRHEAL DISEASES	1	=	=	1	-
4 5 6	DIARRHEAL DISEASES	1 3	- 2	=	1	
7	VIRAL DISEASES	3	1_	-	2	=
9 10 11	OTHER INFECTIVE AND PARASITIC DISEASES——————REMAINDER OF 000-136 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES——————————————————————————————————	1 - -	-	-	1 - -	-
12 13		-	-	_	اء	=
14 15 16	DISEASES OF THYMUS GLAND	2 3 3	2	_ _	2 3	1
17 18		-	-	=	-	
19 20 21	ACUTE UPPER RESPIRATORY INFECTIONS	17 - 17	6	-	8	3 - 3
22 23	OTHER CHRONIC INTERSTITIAL PNEUMONIA517 ALL OTHER DISEASES OF RESPIRATORY SYSTEM492,493,500-516,518,519 HERNIA AND INTESTINAL OBSTRUCTION550-553,560	-	-	-	- 3	-
24 25	GASTRITIS, DUCCIENTIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS	- 6	3	1	2	-
26 27	OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577  CONGENITAL ANOMALIES740-759	61	48	-	13	-
28 29 30	CONGENITAL ANOMALIES	3	3		-	=
31 32 33	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743,744 CONGENITAL ANOMALIES OF HEART746 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM747	18	2 14	=	2 4 2	7
34 35		8	5	- -	3	-
36 37 38	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	1	1	=	-	1
39 40	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	4	4 3	_	-	-
41 42	CENTATU CHICEG OF HOOTAL YOU THE FARLY THE MEY 7/0 7/0 2 7/0 / 772 77/ 770	217	204	12	<u>-</u>	1
43 44 45	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER————————————————————————————————————	3	2	1	-	=
46 47	RUBELLA———————————————————————————————————	-	-	-		*
48		-	-	-]	-	-
49 50 51 52	1025MIA UP PREGNANLY	3 8 1 7	3 8 1 7		=	-
53		48	47	1	_	_
54 55 56	CONDITIONS OF PLACENTA————————————————————————————————————	17   2   8	17 2 7	- 1	-	=
57 58 59	ALL DIHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	1 33 30	1 31 25	2	-	1
60 61	ASPHYXIA OF NEWBORN, UNSPECIFIED776.9	30	30	-	-	-
62 63	CLASSIFIABLE————————————————————————————————————	2 19	17	=	-	-
64 65	HEMORRHAGIC DISEASE OF NENBORN778.2 ALL OTHER CONDITIONS OF NENBORN778.0,778.3,778.9	2 10	10	1	=	-
66 67 68	SYMPTOMS AND ILL-DEFINED CONDITIONS	18 14	6	=	11	4 2
69 70	CBSTRUCTION OR SUFFOCATION	6 5 3	1 -	-	4 4 3	1 1
71 72	HOMICIOE — — — — — — — — — — — — — — — — — — —	2	1 5	-	2	1 2

From 65 Selected Causes, by Color: United States and Each State, 1973—Con. Revision. International Classification of Diseases, Adapted, 1965]

NEVADA  UNDER 28 DAYS 28 DAYS-11 MO UNDER					NE	W HAMPSHIRE				1	NEW JERSE	Y		
OTAL,	UNDER 2	8 DAYS	28 DAYS-	L1 MONTHS	TOTAL	UNDER	28 DAYS	28 DAYS-1	1 MONTHS	TOTAL,	UNDER	28 DAYS	28 DAYS-	L1 MONTHS
INDER Year	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
163	98	15	43	7	191	145	1	43	2	. 1,603	830	378	- 238	157
2	-	1	1 -	1_	1 -	-	-	1	_	20	7	1 -	6	6
- 2	- 2	1 1	- -	111	- - 2	- 2		-	-	1 - 22	11	- 6	1 - 4	1
-	-	- -	- -	-	1	-	<u>-</u>	1 -	-	7 -4	1 -		2	. 4
-	- -	-	-	-	-	_	-	-	- -	2 5	1 3		1	- 2
-	1		_	-	-	_	_			1 1	-	_	! ! 1	-
-	1	] =	- -	=	1 1	-		1 1 -		12 9	3	1 1 2	2 3	 5
1		-	1	· -	<u>-</u>				=	-		-	· -	_ 1
7	1 -	- -	6	- - -	12 - 12	5 - 5	-	7	• • •	107	18 - 18	6 - 6	46 - 46	· 37
-	- 2	_	_ - 3	_	7	_	=		-	- 16	-	1	- 8.	- 3
2	2	_	_	-	-	_	-	-		14 2	1	3 1	1	3 -
18	- 6	- 1	- 9	_ _ 2	1 34	25	-	1	-	245	142	2 34	54	15
3 1 1	3	=	- 1	ī	34) 51 1 1 1 7	25 5 - 1	-	1		19 15 11	142 14 6 6	.1	54 1 8 3 1	
1 6 3	1 1	=	- 4 3	- 1	1 7 1	1 3 -	-	- 4 ·1		102 7	7 56 3	1 13 1	1 25 3	_ B
_ 2	-	_ 1	_ 1	<u>-</u>	<u></u>	3	- -	1 -	=	6 15 11	5	1 2	- 4	- 4
=	-	=	_ _ _	- - - -	1 1 2	1 -	=	- 2	=	11 19 2	B 14 1	1 2 -	2 3 -	1
1	1	<u>-</u>	-	-	7 3	7 3	-	-	<u>-</u>	24 5	14 3	6 1	4	1
<b>52</b>	78 -	14	=	- - -	109 1	108	· <u>1</u>	-	=	921 1	607 - 6	307 - 1	6	. 1
-	=	=	_ -				-	-	. =	- <del>7</del> - 6	6	1	-	- <u>-</u>
-	_	_	-	_	-	_	_	-	_	1	-	1	-	-
1	1	-	-		<u> </u>			-	<u>-</u>	3 6 12	2 4 5	. 1 2 . 7	-	, <u> </u>
-	1 1 1	- -	-		- -	, 1	-	- -	- - -	6 12 3 9	5 1 4	2 5	-	- - -
10	7:	3 1	-	-	16 2	16 2			_	88 31	71 21 5	17 9	-	1 -
10 5 1 5 3 19	7 4 1 5 3 15 12	3 1 - - 4			16 2 1 11 2 17	16 2 1 11 2 17	11111	-	- - - - -	9 49 19 105 - 142	78 102	4 28 2 26 39	- 1 - 1	- -
- 11		_	l		I 1	1 .	i	-						=
15 2	14 2	1 -	-	<del>-</del> -	18 2 18	17 2		-	- -	189	121	10	1	-
2 16 - 1 2	2 12 - 2	- 4 - 1	- - -		18 - 4 3	2 18: - 4 3	1111	- -	- - -	-20 168  , 12 , 60	107 - 9 30	61 - 3 30	1:  	- - -
2 17 7	2 2 2	- -	12 5	3	19 4	3 - 1	-	18	1	127	12 3	7 3	58 24	- 50 15
	1	-			I I			2	1 -	45 12	2			
1 1. 5 - 3	1 1 - - 1	- - - -	5 - 1	- - - 1	- 1 3 - 5	1 3	1 - 1 - 1	1 1 2	1 -	6 27 - 26	1 - 3	- 3 - 2	7 3 14 - 11	3 9 - 10

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

=		L	Numbers after ca	NEW MEXICO	s category number	ars of the Eighth
	CAUSE OF DEATH	1	UNDER 2	8 DAYS	28 DAYS-11	L MONTHS
	-	TOTAL, UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
ı	ALL CAUSES	419	222	43	110	44
2	DIARRHEAL DISEASES	13	1 _	z	5	5
4 5 6	##NOTING COCCAL INFECTIONS	1 - 6	- 3	-	1	- 2
7	VIRAL DISEASES — 040-079 CONGENTIAL SYPHILIS —	1	_	1	_	
8 9 10	OTHER INFECTIVE AND PARASITIC DISEASESREMAINDER OF 000-136 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND	4	2	-	1	1
11	HEMATOPOIETIC TISSUES	2	-	-	2 -	
12 13	DISEASES OF THYMUS GLAND	-	<u>-</u>	=	=	1
14 15 16	DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS320	1 5 4	_ 	-	2 2	3 2
17 18		- 3	-	-	- 3	
19 20	ACUTE UPPER RESPIRATORY INFECTIONS	29 	6	1 -	19	3
21 22	OTHER CHRONIC INTERSTITIAL DISHMONTA	-	-		19	3
23 24 25	ALL CTHER DISEASES OF RESPIRATORY SYSTEM492,493,500-516,518,519 HERNIA AND INTESTINAL OBSTRUCTION550-553,560 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS	7	- 4	z -	3 -	Z 
26	ORIGIN	- 5	2	-	- 2	ī
27 28	CONGENITAL ANDMALIES	79	45 6	5 -	22	7
29 30 31	I OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYF743.744 1	1   5   1   1   1   1   1   1   1   1	- 2 1	- 1	2	
32 33	CCNGENITAL ANOMALIES OF HEART————————————————————————————————————	30 10	14 3	2 -	11 5	3 2
34 35	CCNGENITAL ANOMALIES OF RESPIRATORY SYSTEM748 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM749-751	3 3	3 2	-	-	ĩ
36 37 38	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM752,753 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM754-756 DOWN'S DISEASE759.3	-   3 2	2	1	-	-
39 40	OTHER CONSENITAL SYNDRUMES AFFECTING MULTIPLE SYSTEMS	15	12	_	2	1
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778	182	153	29	-	-
42 43 44	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER760   OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY761   SYPHILIS761.0   DIABETES MELLITUS761.0   RUBELLA761.3	2	2	=		-
45 46 47	DIABETES MELLITUS761.1 RUBELLA	- 1	- 1	-		
41	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY761.2,761.4-761.7,761.9	1	1	-	-	-
48 49 50	TCXEMIA OF PREGNANCY762 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763 DIFFIGUIT LABOR764-768	-	- - 5	- - 2	=	
51 52	TCXEMIA OF PREGNANCY -762  MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763  DIFFIGULT LABOR-764-768  WITH MENTION OF BIRTH INJURY (-0-3)-  WITHOUT MENTION OF BIRTH INJURY (-4,-9)	i	5	1	-	=
53	AND ADVEN AGENT OF THE OF THE OWNER AND	12	10	2	_	_
54 55 56	CONDITIONS OF PLACENTA	4 3 17	3 2 16	1 1 1	-	=
57 58	ALL UNDERTH COMPETCATIONS OF PREGNARCY AND CHILDBIRTH 769.0-769.2,769.4,769.5,769.9 CRODITIONS OF PLACENTA-770 CENDITIONS OF UMBILICAL CORD-771 BIRTH INJURY WITHOUT MENTION OF CAUSE-772 HEMOLYTIC DISEASE OF NEWBORN-774,775 HYALINE MEMBERANE DISEASE-776.1 RESPIRATORY DISTRESS SYNDROME 776.2	1 28	1 25	3	-	51
59 60	ASPHYXIA OF NEWBORN, UNSPECIFIED——————————————————————776.9 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE	43   23	36   17	7	-	_
61 62	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE 776.0,776.3,776.4 IMMATURITY. UNGUALIFIED 777	5 26	3 25	2	_	- [
63 64 65	CLASSIFTABLE 776.0,776.3,776.4  IMMATURITY UNQUALIFIED 778.1  HEMORRHAGIC DISEASE OF NEWBORN 778.2  ALL OTHER CONDITIONS OF NEWBORN 778.0,778.9	-	- 3	3	<u>-</u>	-
66	SYMPTOMS AND ILL-DEFINED CONDITIONS	5 36	5	-	25	8
67 68		23   10	I _	-	16	6 Z
69 70	CBSTRUCTION OR SUFFOCATION	4    9	1	-	3 5	1 3
72	ALL GTHER CAUSES	13	2	2	6	3

## SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1973—Con. Revision International Classification of Diseases, Adapted, 1965]

		NEW YORK				NOF	RTH CAROLIN	IA .			N	ORTH DAKO	TA	
TOTAL.	UNDER 2	B DAYS	28 DAYS-1	1 MONTHS	TOTAL.	UNDER 2	28 DAYS	28 DAYS-1	1 MONTHS	TOTAL,	UNDER	28 DAYS	28 DAYS-	11 MONTHS
UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
4,068	2,176	863	710	319	1,854	803	528	262	261	159	101	11	39	6
32 6	10	B 	10 - 6	4 - 1	22 1 5	2 - -	4 - -	6 1 4	10 - 1	3   3	1 - -	- - -	2	-
62 6	32	14 1	13 1	- 3 -	21 11	8	8	2	- 3 7	1 1	2	_	1	_
3 6	1 2	2	3	<u>-</u>	7	1	3	1	2	-	-	-	-	=
6	1 -	Ξ	5 3	=	6 3		ī	5 1	1	-	-	=	-	-
1 5 20 35 39	10 10 10	1 3 3	1 4 5 16 31	- 2 6 7	1 3 20 12	- - 3 1	- 1 4 3	1 1 9 7	- 1 4 1	3	1	-	1 1	- 1 - -
5 19 251 - 251	- 47 - 47	- 27 - 27	14 104 104	1 5 73 - 73	2: 7: 94 1 93	- 1 14 - 14	- 1 8 - 8	- 1 30 1 29	2 4 42 - 42	- 2 14 - 14	1 1	- - - -	- 1 10 - 10	-
4 28 35	1 1	- 5 4	2 12 9	1 8	1 14 13	1 6	- - 3	1 5 2	- 8 2	2	- 2	<u>-</u>	-	- -
35 1 24	21 1 9	- 5	- 7	3	1 1 15	- 2	1 5	- 4	- 4	-	-	- -	_ 	<u>.</u>
1	362 53	78 4	185	49	269 21 24	137 18	39 3	58	35 - 2	27	13	1	11 - -	2
674 57 22 26 32 250 58	12 8 14 102 32	1 3 1 31 9	7 11 16 90 10	2 4 1 27 7	24 14 11 101 14	16 3 6 47 7	- 3 3 15 2	6 6 2 26 3	2 - 13 2		2 - 5 -	] =	- 6 1	. <u>.</u>
47 35 16 17 8	25 14 12 14 3	6 2 2 1 1	14 18 2 1	2 1 - 1 1	11 18 10 8	7 5 4 4	2 7 2 1	2 2 2 2	- 4 2 1 1	- 4 1 1	- 3 - -	-	1 1 -	- - 1
89 17	64 9	10 7	12 1	3 -	28 8	16 4	1 -	6 1	5 3	2 3	1 2		1_	-
2,323 15 - 6	1,607 - 11 - 5	692 - 4 - 1	16 - - -	8 - - -	1,037 1 8 - 4 1	607 1 5 - 2	426 - 3 - 2	4 -	- - - -	87 - 1 -	77 - - -	10 - 1 - 1	-	` -
5	6	3	-	- -	1	1 2	1	-	- -	-	- -	- -	- -	-
7 10 23 6 17	4 7 17 4	3 3 5 2 3	= =	- 1 - 1	10 3 15 4 11	8 - 8 2 6	2 3 7 2 5	1	- - -	-	-	=	-	-
240 85 18 147	154 69 14 111	86 16 4 35	- - - 1	-	114 36 8 57	64 25 8 38	49 11 - 19	1	- - - - - -	11 3 1 4	10 3 1 4	- =		- - - - -
18 147 31 295 404	26 221 279	4 68 121	1 6 3	- 1	15 105 140	38 12 80 86	3 25 53	1	=	17 17	15 17	2	-	
392 42	277 26	113 16	1 -	1 -	200 21 229	112 12 112	88 9	- 1	· -	9	7	_	1	-
42 415 1 33 165	260 1 23 107	16 148 - 10 56	2 - - 2	5 - -	229 - 7 68	112 - 3 33	116 - 3 35	1 -	- - -	17 - 3 3	14 - 2 3	1	_	-
314 67	28 5	16	166 42	104 19	183 51	6 3	13 3	66 24	98 21	11 4	2 -	_		1
21 12 · 34 10	- I	_ <u>1</u>	12 10 20	9 - 10	12 7	1 1 1 2 8	. 2	2 6 16 1 25	8 - 13	1 1 2	=	- - -	- 1 2 - 1	- - -
10 87	4 2 18	- 2	20 5 46	3 21	32 4 51	2 8	- 5	1 25	1 13	ī	-		-	] =

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,
[Numbers after causes of death are category numbers of the Eighth

=		[	Numbers after ca	uses of death are	category numbe	rs of the Eighth
				0110		
	CAUSE DF DEATH	TOTAL.	UNDER 28	DAYS	28 DAYS-11	MONTHS
		UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES	2,788	1,664	427	550	147
2 3	DIARRHEAL DISEASES	31	10	9	8 -	<u> </u>
5	MENINGOCOCCAL INFECTIONS	2	-		2	= [
7	l i	38	25	-1	, ,	1
8	VIRAL DISEASES	- 3	-	-	3	=
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	5 2	2 1	-	2 1	1
12 13	DISEASES OF THYMUS GLAND254 CYSTIC FIBROSIS273-0 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	-   5	-	-	- 5	
14 15 16	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	17 25 32	6 9 2	1 3	8 8 22	2 5 8
17		26 17	-	2	12 12	12
18 19 20	ACUTE UPPER RESPIRATORY INFECTIONS	189   1	1 36 1	12	111	30
21		168	35	12	111	30
22 *23 24 25	OTHER CHRONIC INTERSTITIAL PNEUMONIA	2 31 14	1 4 10	1	21 3	6 -
26	ORIGIN535,561,563 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	1 10	- 3	2	2	i 3
27 28	CUNGENITAL ANOMALIES	467 38	304 35	25 2	125	13
29 30	CUNGENITAL ANOMALIES - 740-759 ANENCEPHALUS	23   19	13 10	=	10	3
31 32 33	OTHER CONCENTIAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743,744 CGNGENITAL ANOMALIES OF HEART746 OTHER CONCENTIAL ANOMALIES OF CIRCULATORY SYSTEM747	14 184 23	10 105 12	1 15 1	3 57 10	<u>-</u>
34 35	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	33 20	23	3	6	1
36 37	CONGENITAL ANUMALIES OF DISCUSSIVE STSTEM	15 18	12 16	i	2	- 1
38 39	OTHER CONGENITAL SYNDROHES AFFECTING HULTIPLE	4	1	-	3	-
40	SYSTEMS759.2,759.4-759.9 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES745,757,758	10	51 B	-	13	-
41 42	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769-2,769-4-772,774-778 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	1,590	1,209	359	18	<u> </u>
43 44 45	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER — — — 760 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY — — 761.0 SYPHILIS — — — — — — — — — 761.1 RUBELLA — — 761.3	19	17	2	3	=
46 47	I ALL DTHER MATERNAL CONDITIONS UNRELATED I	-[]	-	-	-	~
48	TO PREGNANCY761.2, 761.4-761.7, 761.9  TOXEMIA OF PREGNANCY762	8	6	2		
49 50	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763	14 28	12 25	2 1	- 1	- 1
51 52	WITH MENTION OF BIRTH INJURY (.03)	5 23	20	ī	ī	ī
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—————————————————————————————————769.0-769.2,769.4,769.5,769.9	220	180	39	ı	-
54 55 56	CONDITIONS OF PLACENIA	94 15 72	76 15 54 i	18	=1	=
57 58	ALL OTHER COMPLICATIONS OF PREGNARCY AND CHILDBERTH	21 174	21 135	35	- 3	1
59	RESPIRATORY DISTRESS SYNDROME	226	203	71	7	-
60 61		30	19	10	1	-
62 63	ALL OTHER ANDXIC AND HYPUXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE————————————————————————————————————	275	198	73	2	2
64 65	ALL OTHER CONDITIONS OF NEWBORN778.0,778.3,778.9	29 93	19 65	10 25	3	
66 67	SYMPTOMS AND ILL-DEFINED CONDITIONS	143 67	16 4	5 1	93 54	29 8
68 69	CBSTRUCTION OR SUFFOCATIONE911, E912	20 11	1 -	=	16 11	3
70 71	OTHER ACCIDENTAL CAUSES — — — — — — — — — — — — — — — — — —	36 8	3	1	27 4	5 1
7Z I	ALL OTHER CAUSES	56	191	3	25	12

From 65 Selected Causes, by Color: United States and Each State, 1973—Con. Revision: International Classification of Diseases, Adapted, 1965]

	O	KLAHDMA					OREGON				Pf	ENNSYLVAN	IA	
TOTAL	UNDER 28	DAYS	28 DAYS-1	1 MONTHS	TÖTAL.	UNDER 2	28 DAYS	28 DAYS-I	1 MONTHS	TOTAL,	UNDER 2	28 DAYS	28 DAYS-1	L1 MONTHS
JNDER L YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER I YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
664	400	72	146	46	466	314	17	126	9	2,612	1,601	387	486	138
10	5 -	=	3 -	2 -	2		-	2	-	18	5	, <b>3</b>	8 -	2
<u>1</u>	=	=	- - 2	1	1 - 5	-	-	. <u>1</u>	-	5 - 34	2 17	- - 7	 	- - 1
11 7	7	1 -	3	2	1	-	_	_	1	10	3	_	6	1
- 2	- 1		ī	=	-	-	Ξ	_	-	4	1	_	. 3	_
2	<u> </u>	٠ -	1 -	=	-1	-			-	12 1	3	-	8 1	<u>1</u>
- 4	_ 2	-	_ 2			-	. <u>-</u>	- 2	- 1	-	-	-	- 4	-
2 7	2	] =	4	- 2	2 1 5	1 4	Ξ	ĩ		8 21	3 5	1 2	3 11	1 3 2
8 1	1 _	_	6	1 _	3	_	-	3	-	20	2		16	2 -
3 45	12	1	2 23	1 9	3 B	 4	=	3 4	. =	11 124	1 37	· -	10 66	_ 14
1. 44	12	ī	23	8	7	4	=	1 3	-	124	37	7	66	14
- 5	] -	=		- 1	1 5 4	1,	<u>-</u>	- 4	=	4 22	2 5	2	2 13	2
7 -	°	-	1 -		1	3	· -	1	-	18	13	_	1 -	
4	2,	-	2	-	-		-		-	12	254	30	9 126	1 16
98 8 7	59 8 4	3 -	29 - 2	7	92 6 6	67 6 5		24 - 1	1 - -	426 42 17	41 6	1 4	. 7	_
4 9	5	ī	3 3	-	3 5 37	1 4 24		2 1 13	-	23 15	11 7 80	. i - 9	8 7 66	3 1 5
37 8	19	1 -	15 2	2	9	6	Ξ	3	_	160 20	13	2	5	-
11 1	9 -	=	2 - -	1	8 2 4	5 1 3	-	1 1	1 -	25 27 19	- 17 14 12	2 3 1	7 7 5	2 · 3 1
- 2 1		=	1 1	- -	6	6	<u>.</u> ,_	ļ. <u>-</u> ļ	-	14 5	10	î -	3 4	=
6	5	1		- 1	4 2	4 2	-	_	· <u>-</u>	- 53 6	37 5	6	. 9	1 -
4 357	284	66	5	2	231	213	17	1	_	1,526	1,196	325	4	1
2	2	=	-	=	_ 2 _	2	1 1 1	-		14.	14	-		
1	1	-	= =	-	1 -	1			-	9 -	. 9	-	_	
1	1	-	_	-	1	1	-	-	-	5	. 5	-	_	_
4 4	4 3	_ 1	=		, 1 1	1 1 3	Ξ	-	_	. 7 5	6 4	1 1		
4 4 1 3	4 3 4 1 3	=	-	-	1 1 3 -	3	- - -	-		5 27 9 18	24 7 17	1 3 2 1	-	· -
41 0 7 22 4 54 51	33 6 6 17 4 41 43	7 2 1 4 - 11 5	1 -	- - - - 1	38 12 3 9 - 29 33	35 12 3 9	3	- - - 1		148 93 16	120 83 14 63 17 152 159	28 10 2	- - - 2 1	- - - - -
22 4	17	4	1 1 2	_	9	9	_	· -	-	93 16 83 19 203 202	63	10 2 20 2 49 41	-	=
54 51	41 43	11 5	1 2	1	29 33	- 29 30	5	1	-=	203	152 159	49 41	ł	ī
66	52	i	-	-	48	43	5	-	-	308	256	51	. 1	-
14 62 - 5 9	10 47 - 5 7	15 - - 2	- - -	-	2 35 -	2 30 - 4 9	- 5 - - 2		- - -	35 241 - 22 103	28 169	7 72 - 5	-	1 1
5 9	5 7	2	=	_ =	- 4 11	4 9		-	=	22 103	17 70	5 33	-	_
48 22	4 2	1	35 13	9	79 10	· 10	_ _	62 8	7	179 64	16 7	5 -	94 46	64 11
	11	1	1				- -		<u>-</u>					
4 4 14 1 19	2 - 6	1 - - -	2 2 9 - 12	1 2 3 1	2 1 7 1 11	2 - 1 3	- - -	7 7 8	- 1	17 15 32 11 74	4 1 2 2 2 22	- - - 4	10 11 25 3 39	3 3 5 6 9

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,
[Numbers after causes of death are category numbers of the Eighth

-			Numbers after ca	RHODE ISLAND		
	CAUSE OF DEATH	TOTAL,	UNDER 2	B DAYS	28 DAYS-1	I MONTHS
		UNDER 1 YEAR	WHITE	ALC OTHER	WHITE	ALL OTHER
1	ALL CAUSES	209	155	12	39	3
2	DTARRHEAL DISEASES       -009         WHOOPING COUGH       -033         MENINGGÇOCCAL INFECTIONS       -036         TETANUS       -037         SEPTICEMIA       -038	-	-	-	-	
4 5	MENINGQCCCAL INFECTIONS	-	<u>-</u>	<b>-</b>		-
6	SEPTICEMIA	3	2	-	1	~
8 9	VIRAL DISEASES	2		=	1	=
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES140-209	-	_	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE210-239	-	-	-	-]	-
13 14	DISEASES OF THYMUS GLAND — — 254 CYSTIC FIBROSIS — — 273.0 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS — — 260-289 MENINGITIS — — 320	1	-	<u> </u>	1	
15 16	MENINGITIS320 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	1 -	-	-	1 -	-
17 18	ACUTE UPPER RESPIRATORY INFECTIONS	-		-	-	-
19 20	ACUTE UPPER RESPIRATORY INFECTIONS	7	4		2	ĩ
21	1 ,	7	4	-	2	1
22 23	OTHER CHRONIC INTERSTITIAL PNEUMONIA————————————————————————————————————	-11	-	-[		-
24 25	GASTRITS, DUDDENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS  ORIGIN 535,561,563	-	Z .	1	1	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	2	2	-	-	-
27 28 29	CONGENITAL ANOMALIES	45 8	35 7	1 -	9	-1
30 31	CENGENITAL HYDROCEPHALUS — 742 OTHER CONCENTAL AND SYSTEM AND SYST	- 1	1	=	[-	=
32 33	OTHER CONGENITAL ANDMALIES OF CENTRAL NERVOUS SYSTEM AND EYE743,744 CCNGENITAL ANDMALIES OF HEART746 OTHER CONGENITAL ANDMALIES OF CIRCULATORY SYSTEM747	11 3	10 2	-	î	=
34 35	CONGENITAL ANGMALIES OF RESPIRATORY SYSTEM	5	5	-	-	-
36 37	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM————————————————————————————————————	2	3 2 1			
38 39	UTHER CONGENITAL SYNDROMES AFFECTING MOUTTPLE	-11	=	-	-	-
40	SYSTEMS759.2,759.4-759.9 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES745,757,758	-	-	-	-	-
41 42	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769.2,769.4-772,774-778 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER760	116	106	10	-	-
43 44 45	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER——760 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY——761-761.0 SYPHILIS——761.0 DIABETES MELLITUS——761.1 RUBELLA—761.3	1	1	=	-	=
46 47			-	=	-	=
	TO PREGNANCY761.2,761.4-761.7,761.9	-	-	-	-	-
48 49 50	TOXEMIA OF PREGNANCY———————————————————————————————————	<u> </u>	1	=	-	-
51 52	DIFFICULT LABOR	<u>-</u> ]	-	=	31	=
53	ALL DIVER COMPLICATIONS OF DECOMMEN AND	.			İ	
54 55	CHILDBIRTH	16 13 3	13 13 3	3	=1	-
56 57	CLUBTITION OF UMBILITATE CHOOSE	6	5	1 -	-[	
58 59	HYALINE MEMBRANE: DISEASE776.1 RESPIRATORY DISTRESS SYNOROME776.2	17	17 9	=	<u> </u>	=
60 61	ASPHYXIA OF NEWBORN, UNSPECIFIED776.9 ALL GTHER ANDXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE	16	14	2	-	-
62	CLASSIFIABLE————————————————————————————————————	2 25	2 22	3		=
63 64 65	PUSHMALUKI IY	3 3	3	-	]	# #
66	SYMPTOMS AND ILL-DEFINED CONDITIONS	22	2	_	18	2
67	INUALATION AND INCECTION OF FOOD OF OTHER PROJECT CALLSING	3	-	-	3	-
69	ACCIDENTAL MECHANICAL SUFFOCATION————————————————————————————————————	1	=	-	1	ب <u>د</u> د
71 72	CBSTRUCTION OR SUFFOCATION	. 1	-		1 1	-
	Indopped I	-11	-1	1	- 1	~ 1

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision. International Classification of Diseases, Adapted, 1965]

	sou	TH CAROLIN	A			St	OUTH DAKOTA	\				TENNESSE	<u> </u>		T
TOTAL,	UNDER 2	8 DAYS	28 DAYS-1	1 MONTHS	TOTAL,	UNDER	28 DAYS	28 DAYS-1	1 MONTHS	TOTAL,	UNDER	28 DAYS	28 DAYS-	11 MONTHS	1
UNDER 1 YEAR	WHITE	ALL OTHER	HHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	
1.111	395	360	134	222	197	121	23	29	24	1,311	681	285	228	117	1
20 1	1 -	3 - -	2 1	14 - -	2 - 2	=	-	2 -	<u>-</u> -	16 - 3	2 -	5 -	5  2	4 - 1	3
15	2	7	- 5	1	2	ī	- 1	-	=	22	12	- 6	- 2	2	5
5 - 2	- 1	1 - -	2 - -	2 - 1	1 - 3	1 - -	-	-	- - 3	6 - 8	· 1	1 -	3 - 3	1 - 1	7 8 9
4 -	1 -	_	. 2	1 -	1 1	-	-	1 1	-	1 -	_	_	1	- -	10 11
- - 6	- - 1		=	- - 2	-     -     -	<u>-</u>	Ξ.	- -	1 -	- 2		-	- 2	-,	12 13
13	- -	<u> </u>	2 1	B 4	1	1	=	1 -	=	12 14	2 3 1	2 ~	1 4 9	3	14 15 16
2 5 84	- - 8	12	2 2 15	3 49	- - 15		- - 2	- - 3	-  8	6 4 58	- 16	- - 5	4 3 27	2 1 10	18
5 75 3	- 8 1	12	1 14	4 45 1	- 15	2	2	3	- 8 -	2. 56 3	15	- 5 -	1 26	10	1
17 4	2 -	1 2	5 1	10 1	4 1	2	=	1	. 2	10 11	1 - 5	3	2 7 1	3 2	22 23 24
2 8	1	2	1 2	- 3	=		- 1	-	=	6 8	2 3	3 2	- 3	1	25 26
131 13 16	72 12 6	18 1 1	29 - 8	12-	35 3 1	25 3 1	2 - -	- -	2 -	191 14 14	110 14 12	21 - -	50 - 2	10	27 28 29 30
4 9 44	1 6 19	1 B	2 2 12	1 5	3 1 2 2 7 5	2 2 5	-		- 1	9 6 78	6 4 34	1 1 9	2 1 27	- 8	31 32
10   6 8	7 3 4	2 3	- 1	1 1 -		3 1 3	1 -	1 - 2	1 - -	12 11 12	8 7 5	1 2	4 j 2 j 5	1	33 34 35
6	2 2 -	1	1	2	2 5 1 2 1	1	1	1	-	3 5 4	. 4	1 1 1	1 - 2	- -	36 37 38
12	9	1_	1	1 -	4 -	3 -	=	1 -	=	18 5	9 5	4	4	1 -	39 40
587 -	294 -	287	2	4 - -	104	86	18	-	-	726 1	497	221 1	7 -	1_	41 42
4  3	3 - 2	1 - 1	-	-	2 - 2	1	1			4 4 -	3 - 3	1 - 1	-	<u>-</u>	44 45 46
1	1	-	-	-	-	-	-	_	-	-	_	-	-	_	47
3 1 6 2 4	- 5 2 3	3 1 1 -	-		1 1 2 1 1	1 1 2 1	- - -	111111111111111111111111111111111111111	-	3 2 16 5 11	1 - 14 5 9	2 1 2 - 2	- - -	1 - -	48 49 50 51 52
2 4	3	ī	_	-	1	1	=	Ξ.	Ξ	1	5	- 2	-	-	51 52
77 30	45 15 4	32 15 2	- -		9 4 2	.7	2	-	-	97 18 4 49 8 135 68	65 15 3	32 3	-	<u>-</u>	53 54 55
77 30 6 24 5 70	45 15 4 12 4 41 44	32 15 2 12 1 28 26	-	- - - 1	9 4 2 5 - 25 12	.7 4 2 5 - 21 10	2 - - - 4 2		-	49 8 135	65 15 3 31 8 87 48	32 3 1 18 - 43	- - - 5		53 54 55 56 57 58 59
72 106	44 52	26 54	1 -	-	· 12	10 11	2 5	-	- 	68 110	48 76	20 33	1	<del>-</del>	59 60
13 127 10 33	8 48 - 4	3 78 - 6 24	1	- - -	1 16 - 1 7	1 14 - - 6	- 2 - 1 1	-	· - - -	17 153 - 13 28	11 108 - 8 19	6 44	- 1	-	61 62 63 64 65
	l i	ł .	-		1 1	1 6					1	- 5 9	1 - - -		
115 52	-	21 2	29 22	61 28	12 5	1	-	6 2	5 2	110 57	10 5	7	46 30	- 47 18	66 67
1B 16 1B 4 26	- - 1 3	1 1 -	6 7 9 2 7	12 8 8 1 16	- 3 2 1 6	- 1 - 1		2 - 1 3	2 - 2	24 12 21 4 29	2 - 3 1 6	1 2 1 1 4	13 7 10 1 15	8 3 7	66 67 68 69 70 71
26	] j	] =	7	16	6	[	=	3	2	29	6	4	15	4	72

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

_			Numbers after ca	uses of death are	category numbe	rs of the Eighth
_				TEXAS		
	CAUSE OF DEATH	TOTAL.	UNDER 2	B DAYS	28 DAYS-11	MONTHS
		UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES	4,026	2,338	635	757	296
2	DIARRHEAL DISEASES	78   1	16	9 -	37 1	16
4	WHIGH   COUGH	11   2	1 -	1	7	2
6	SEPTICEMI A	63	33	10	15	2
7 8 9	VIRAL DISEASES	2	2	1	10	- 4
10 11	OTHER INFECTIVE AND PARASITIC DISEASES—————REMAINDER OF 000-136 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPDIETIC TISSUES——————————————————————————————————	6	1 2	=	4 5	1
12	DISEASES OF THYNUS GLAND254 CYSTIC FIBROSIS273.0 DISEASES OF THE BLOOD AND BLOOD-FORMING OPGANS-280-280 MENINGITIS320	2	ı	_	1	-
13 14	CYSTIC FIBROSIS273.0 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	7 14 53	3 5 14	1 8	3 4 18	1 4 13
15 16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	33	4	2	24	3
17 18	ACUTE UPPER RESPIRATORY INFECTIONS	8 19	1 2	-	4	3 7
19 20	INFLUENZA AND PNEUMDNIA	313   4	74	40 1	141	58
21	, , , , , , , , , , , , , , , , , , ,	309	74	. 39	138	58
22 23 24	OTHER CHRONIC INTERSTITIAL PNEUMONIA	22 35	12 23	1 6.	4 5	5 1
25 26	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN535,761,763 OTHER DISEASES OF DIGESTIVE SYSTEM520-534,536,537,540-543,562,564-577	7 28	1 9	3 7	1 9	2 3
27	CONGENITAL ANOMALIES	600	377	50	139	34
28 29 30	CONCENTAL INVOCACEDIALIE	46 28 36	42 18 10	- 5	9	1 7
31 32	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE	20 215	13 137	1 9	4 56	2 13
33	1	44	24	3	13	4
34 35	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	39 26 24	30 11 16	2	12 5	i
36 37 38	CONGENITAL ANUMALIES OF RESPIRATION'S SYSTEM	23 10	20	2	5	i
39	OTHER CONSENTIAL SYNDROHES AFFECTING MULTIPLE SYSTEMS	76	45	13	16	2
40	OTHER AND UNSPECIFIED CONGENITAL ANDMALIES745,757,758  CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY760-769-2,769-4-772,774-778	13 2,128	1,659	460	2	1 2
41 42 43	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER760	25	21	3	1	
44	SYPHILIS	- 12	 11	1	7	-
46 47	ALL OTHER MAYERNAL CONDITIONS UNRELATED	1	-	-	1	
48	TO PREGNANCY	12	10	2	_	-
49 50	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763	14 23	8 19	6 4	_	-
51 52	DIFFICULT LABOR————————————————————————————————————	6 17	5 14	3	Ī.	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	209	165	44	-	~
54 55	CONDITIONS OF PLACENTA	81 24	65 19	16 5	- 1	111
56 57	BIRTH INJURY WITHOUT MENTION OF CAUSE	146 24	114 22 336	31 2 75	-	2
58 59	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH — — — — — — — — — — — — — — — — — — —	414 286	229	55	î	î
60 61	ASPHYXIA OF NEWBORN, UNSPECIFIED776.9 ALL OTHER ANOXIC AND HYPDXIC CONDITIONS NOT ELSEWHERE	353	286	67	-	-
62	CLASSIFIABLE————————————————————————————————————	39 340	30 232	106	z	-
63 64	POSTMATURITY	34 102	27 74	7 28	]	=
65 66		235	47	16	114	58
67 68	SYMPTOMS AND ILL-DEFINED CONDITIONS	190	13	10	126	41
69	CESTRUCTION OR SUFFOCATION————————————————————————————————————	61 38 91	8 -	3	34 30	13
71 72	ACCIDENTAL MECHANICAL SUPFOLATION	16 108	2 26	1/8	62 9 50	23 5 24

From 65 Selected Causes, by Color: United States and Each State, 1973—Con. Revision International Classification of Diseases, Adapted, 1965]

		HATU				.*	VERMONT			-		VIRGIN1A	-	
TOTAL.	UNDER 2	B DAYS	28 DAYS-1	1 HONTHS	TOTAL,	UNDER 2	ZYAG B	28 DAYS-1	1 MONTHS	TOTAL,	UNDER	28 DAYS	28 DAYS-	L1 MONTHS
TOTAL, UNDER L YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
354	242	10	95	7	109	. 78	_	31		1,316	683	316	191	126
7	3	=	3	1_	-	· <u>-</u>	=	` =	<u>-</u>	10	2	2	4	2
- - 4	- 3	=	- 1	=	- 3	-	· =	- - 1	=	2 - 24	- 7	- - 6	1 - 3	1 8
1	1	_	_	_		-	_	-	-	1 -	_	_	1	_
1	=	=	1	Ξ	-	-	=	-	-	5	1	1	1	2
1	ī	_ -	1 -	_	-	_	-	_		-	-		3	<u>1</u>
- - 2	- - 1	=	-	- - -	-	_		i -		- 2 5	3	=	2 1	
6 7	3 -	=	3 7	-	ľ =	] =	-		_	13 5	3 -		5 2	3
- 2	=	=	- 1	1	1_	_	-	1 -		_ 		-	3	- 1
5 - 5	2 - 2	=	2 - 2	1 1	- - - 4	3		1	. <u>.</u>	74 1 73	14 - 14	11	26 1 25	23 - 23
- 1		_			-	_		-		2 11	_ 3	_ 3	. 2 . 3	- 2
6	5	-	i	-	2	. 2	-	_	-	19	10	. 2		. 1
5	1	1	3	=	-	_	_		-	6	-	-	2	4
77 3 5	46 2 2 3	2	27 1 2	2 - 1	28 3 2 1	18 3 -	- -	10 - . 2	-	202 16 14	122 12 5 3	30 4 -	40 - 8	10
7 1 24	17	1 - 1	3	1	1 -1	1 -7	- -	- 4		7 5 79	3 3 45	1 1 12	2 1 18	1 - 4
11	7	-	4	-	/ 11 1	1	-		-	11	В	1	2	
5 7 1	2 5 -	=	3 2 1	=	3 1 1	2 - 1	-	1 1 -		7 13 6	7 4	2 2 1.	2	2
1	] =	-	1	=	-	=	_	_	-	6	5 -	· _ =	ī	. 1
10 2	7	<u>-</u>	3 1	-	1	2 1	- -	2 -	-	30 7	21 5	6 -	2	1
174	170	4	_		49	49 -	-			748 1	506 1	238	1 -	, <u>3</u>
2 - 1	2 - 1	-	=			=	, <u>-</u>	- - -		8 - 4	5 - 3	3 - 1	1 -	
1	- 1	-	_	- -	-		_ _	_		- 4	2	2	_	-
1	\ <u>-</u>	-	_	-	-	_	-	-	_	1 _	· _			_
3 2 2	3 1 1	1 1 1	-	-	- - - -	- - -	- - -	-	-	3 10 2 8	2 8 2 6	1 2 - 2	=	,- -
-		-	-	-			-	7	-	1				
24 11	24 11	-	=		3 4 1 4 - 3 12	3 4	=	=	=	89 28 7 31 7 86 109	62 14 7 23 7 65 80	2T 14	•	- - 1 - - 1
24 11 10 1 40 15	24 11 1 10 1 47 15	-	- - - - -	-	4	3 4 1 4 - 3 12	_ 			31 7	23 7	7	-	1
		1 -				1					1	l .	1	1
19	18	1 -	-	_	4 2	4 2		-	- -		74 15 101	l .	I	1
27 - 5 6	26 - 5 6	1 -	=	-	2 12 - 3 1	2 12 - 3 1		1 1 1	- - - -	25 156 - 12 51	101 - 10 32	9 55 - 2 18	- - - 1	1 - - - - - 44 9
	Į.	ļ.	1	1		1		1			l I		1	
36 10	3	1 -	30 9	2 -	14 2	1		. 1	. :	1	. 1		21	. 9
2 2 6	1 - 2	=	2 2 5 -	=	2 - - - 6	1	_ _ _	- - 4	 - -	8 2 21 3 26	1 3	- - 1 7	7 - 14 2 10	1 2 6 -
- 8	2	- - 2	- 4	] [	-	2	· -	- 4	] =	3 26	] 3	1 7	10	. 6

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

-				WA SHINGTON		
	CAUSE OF DEATH	TOTAL.	UNDER 2	8 DAYS	· 28 DAYS-1	MONTHS
		UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES	782	489	64	200	29
2 3	DIARRHEAL DISEASES	5 -	2 -	1 -	2	
5	MENINGOCOCCAL INFECTIONS	2		-	2 -	‡
7		11	10	-	1	1
8	VIRAL DISEASES	- 1	1	-	2 -	1
10 11	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEHATOPOIETIC TISSUES——————————————————————————————————	2	-	-	2	4
12	DISEASES OF THYMUS GLAND254	_	_ [		_	]
13 14 15	CYSTIC FIBROSIS273_0 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289 MENINGITIS320	2 2	- 2	-	2 -	
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS321-389	2	- [	ī	3 1	=
17 18	ACUTE UPPER RESPIRATORY INFECTIONS	-	- 1	- 1	2	1
19 20 21	INFLUENZA AND PNEUMONIA	40	6 -	1 -	29	<b>4</b>
22		39	6 2	1	28	1
23 24	OTHER CHRONIC INTERSTITIAL PNEUMONIA517 ALL OTHER DISEASES OF RESPIRATORY SYSTEM492,493,500-516,518,519 HERNIA AND INTESTINAL OBSTRUCTION550-553,560 GASTRITIS, DUDDENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS	7	. 8	_	5 2	]
25 26	GASTRITIS, DUDDENTIS, ENTERTIS, AND COLITIS OF NONINFECTIOUS ORIGIN.———————————————————————————————————	-		_	-	_
27		151	2 98	9	4 3B	آ
28 29	CONGENITAL ANOMALIES	10 7	9 2	1	4	1
30 31 32	UTHER CUNGENITAL ANDMALTES OF CENTRAL NERVOUS SYSTEM AND EYE743.744	4 4	2	-	2	1
33	CONGENITAL ANOMALIES OF HEART————————————————————————————————————	. 65	35 4	-	22 4	3 1
34 35 36	CCNGENITAL ANOMALIES OF RESPIRATORY SYSTEM748 CONSENITAL ANOMALIES OF DIGESTIVE SYSTEM749-751	6 9	4 6	- 2	Z 	1
37 38	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	10 7	9 5	-	2	1
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS———————————————————————————————————	17	16	_		]
40 41		390	2 339	48	1 2	-
42 43	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER——————————760 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY——————————761	- 4	333	1	-	1
44 45 46	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760—769,2,769,4—772,774—778 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER————————————————————————————————————	3	- 2	- 1	=	=
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	- I	-	_	-	]
48	TOXEMIA OF PREGNANCY762	2	2	-	<b>~</b>	_
49 50 51	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION763 DIFFICULT LABOR764-768 WITH MENTION OF BIRTH INJURY (.03)	1 6 2	1 6 2		-	1
52	_ ·	4	4	-		=[
53 54	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	40	38	2	-	_
55 56	CCNOITIONS OF UMBILICAL CORD————————————————————————————————————	21 4 26	16 4 22	5  4		Ē
57 58	CHILDBIRTH 769.0-769.2,769.4,769.5,769.9  CONDITIONS OF PLACENTA— 770  CONDITIONS OF UNBILICAL CORD— 770  BIRTH INJURY WITHOUT MENTION OF CAUSE 772  HENOLYTIC DISEASE OF NEMBORN— 774,775  HYALINE MENBRANE DISEASE 776.2  RESPIRATORY DISTRESS SYNDROME 776.2	4 50	4 45	5	-	=
59 60	RESPIRATORY DISTRESS SYNDRONE	89   66	78 58	8 8	Z	1
61	ALL STHER ANDLE AND HADDLE CONDITIONS NOT ELSEWHEDE	5	58 5	-	_	]
62 63	CLASSIFTABLE————————————————————————————————————	55 -	44	11		=
64 65	ALL OTHER CONDITIONS OF NEWBORN778.0,778.3,778.9	5 12	5 8	- 4	-	=
66 67	SYMPTOMS AND,ILL-DEFINED CONDITIONS	96 17	8 1	1 _	77 14	10 2
6B 69	I INHALATION AND INCESTICAL OF FOOD OP OTHER ORIGIN CALLSTON	2	1	بـ	1	]
70 71	DESTRUCTION OR SUFFOCATION	3 12 6	- - 1	-1	3 10 4	2
72	ALL CTHER CAUSES	15	ž j	2	8	2

From 65 Selected Causes, by Color: United States and Each State, 1973-Con.

Revision International Classification of Diseases, Adapted, 1965]

	WES	T VIRGINI	<b>A</b>			W	ISCONSIN					WYOMING		<u></u>
OTAL,	UNDER 2	8 DAYS	28 DAYS-1	1 MONTHS	TOTAL,	UNDER 2	8 DAYS	28 0AYS-1	1 MONTHS	TOTAL:	UNDER 2	8 DAYS	28 DAYS-1	.1 HONTHS
NDER Year	WHITE .	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER	UNDER 1 YEAR	WHITE	ALL OTHER	WHITE	ALL OTHER
524	359	25	127	13	906	598	62	204	42	112	85	. 2	23	2
3	-	-	2 -	1 -	1b	3	1 1	5 -	2 -	-	=		=	-
1 - 9	5	- 1	1 - 3	1 1 1	3. - 10	1 - 8	Ξ	2 - 2	=	- - 2	- 1	=		-
4	2 -	_	2 -	-	2	-	-	2	=	-	=	- -	=	- -
2	1	- -	1 - -	-	3	2	-	1 -	-	1	1			_
-	_	- -	_	-	2 -	2	-	- -	_	_	_	=		-
1 2 2	1 1		-	1 1	2 4 5	1 1	- 1	1 3 2	- 1	1 - 1	1 -		-	_
3	-	- - -	1	1 -	7 3 5	-	-	3	- - -	-	_	_	-	
3 40 1	15	] =	3 22 1	3	38 1	5	3 -	24 24	6 1 5	8 - 8	<u> </u>	- -	8 - 8	-
39	15	- -	21	3 -	37	5	3 -	24	1		<u> </u>	-	_	- - 1
2	ī	=	1	-	10 9	8	=	5 1	2 -	2 1	=	-	1	_
1	=	=	ī	-	1 6	1 2	1	2 45	ī	15	-	-	3	-
98 5 4	45 4 3	3 1 -	37	3 -	173 18 8	117 15 5	10 2 - 1	1 3	1 - -	1 - 2	1 -	=	-	-
8 2 40	2 1 19	=	6 1 18	- 3	8 8 56	5 5 35	_ 2	2 3 19	=	2 5	2 3	- -	- 2 1	-
4	2	<u>-</u>	2	-	12 17 12	9	1	2 3 5	- - 1	1 2 1	2	=	-	_
8 2 1	5 1	Ī	3 1 -	-	9 4·	6 8 1 1	111	1 3 2	-	111	-	=	=	-
8	4	1	3	_	3 17	15 1	1	1	=	1 -	1	_		<u>-</u>
303	281	20	1	1	1 474	423	46	4	1	73	70	2 _	1	-
3	3	- -	-	1	5	4	1 - -	-	- -	-		-	=	
-	3	=		_	1	1 3	1		- -	_	-	-	- -	-
3	3	_	l								_	<u>-</u>	=	-
3 - 6 1 5	5 - 5	1 1	-		7 8 2 6	5 8 2 6	2 -	- - -	11-11	1 1	1 - 1	=	=	-
											6		_	_
13	12	<u>i</u>	-	<u>-</u>	32 5	31 5	1 -	-	-	2 -	2 - 3 1 19		=	
38 13 3 15 3 22 36	34 12 3 15 3 19	4 1 - - 2 3	- - - - 1	111111111111111111111111111111111111111	69 32 5 44 8 53 44	64 31 5 39 8 49	5 1 5 - 4 6	2	-	6 2 - 4 1 20 9	1 19 9	1 1	-	
72	66	6	-	-	63	54	.9	-	-	10	9	-	1.	_
6 71 - 1 11	6 68 - 1 10	2 - - 1	-	- 1 - -	12 81 - 11 32	11 75 - 10 24	1 6 - 1 5	- - - - 2	- - - 1	18   2	18 - - 2	-	- - -	=
1	l .	<u> </u>	i	=				1				1		1
29 11	3	=	26 9	1	81 33	4 5	ī	60 20	17 7	6 2	1 -	=	5 2	-
3 2 6	1 - - 3	- - - 1	3 1 5 - 11	- 1 -	8 9 16 2 21	1 1 3 1	- 1 -	7 6 7 - 11	2 5 1 2	2 -		- - - -	2	
16			1 11	1	2 21	8	=	111	1 2			] =		

## Section 3. Fetal Mortality

Table		Page
3-1.	Minimum period of gestation for which fetal-death registration is required and fetal deaths by period of gestation: United States and each State, 1973	3-3
3-2.	Fetal deaths and fetal-death ratios by color: United States, 1942-73	3-4
3-3.	Number and percent distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1973	3-4
3-4.	Fetal deaths and fetal-death ratios, by legitimacy status, age of mother, and color: Total of 40 reporting areas, 1973	3-5
3-5.	Fetal deaths and fetal-death rates, by plurality of birth, color, and sex: United States, 1973	3-5
3-6.	Fetal deaths by period of gestation and color, and fetal-death ratios by color, for metropolitan and nonmetropolitan counties in the United States and each geographic division; and for population-size groups in the United States:	3-6
3-7.	Fetal-death ratios by color: United States, each division and State, 1969-73	3-8
3-8.	Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1973	3-9
3-9.	Fetal deaths by month and color: United States and each State, 1973	3-12
3-10.	Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1973	3-16
3-11.	Fetal deaths by age of mother and color: United States and each State, 1973	3-18
3-12.	Fetal deaths by total-birth order and color: United States and each State, 1973	3-22
3-13.	Fetal deaths by attendant, gestation group, and color: United States and each State, 1973	3-26
3-14.	Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1973	3-29
3-15.	Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1973	3-30
3-16.	Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1973	3-31
3-17.	Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1973	3-34

Table 3-1. Minimum Period of Gestation for Which Fetal-Death Registration Is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1973

[Data are by place of occurrence and include fetal deaths for nonresidents]

							Per	iod of g	estation	1			·	
Area	Minimum period of gestation for which fetal-death registration is required	Total fetal deaths	Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	Not stated
United States	•••	61,069	15,776	4,446	4,841	4,280	3,942	5,011	2,045	5,323	3,347	2,373	1,511	8,176
AlabamaArizonaArizonaArizonaArizonaArikansasArikansas	Advanced to 5th month (20 weeks) 20 weeks or more <sup>2</sup> After 20 weeks All periods of gestation <sup>6</sup> Advanced to 20th week <sup>5</sup>	935 60 375 408 2,982	2  2 *4 18	7 2 3 10 57	96 10 23 41 232	98 6 30 44 322	100 7 32 51 304	109 7 62 44 423	42 7 21. 24 138	63 8 72 26 508	200 5 30 104 175	9 5 27 5 274	5 21 1 175	204 3 52 54 358
Colorado	All periods of gestation <sup>6</sup> 20 Weeks or more 20 Weeks or more After 5th month 20 Weeks or more	501 390 85 299 1,439	- 6 11	11. 1 - 8 23	126 41 3 32 72	74 36 7 33 79	61 42 8 29 114	65 53 10 54 127	23 25 6 13 31	60 64 18 47 99	20 50 14 11 39	87 23 1 17 54	13 2 2 9 41	11. 53 16 40 749
Georgia	All periods of gestation All periods of gestation After 20 weeks 20 weeks or more 20 weeks or more	5,344 512 126 2,155 929	43,577 458 - 17 3	346 191 1 51 10	278 108 20 223 42	164 27 10 237 57	158 27 8 219 57	133 26 6 329 78	72 6 2 100 33	104 28 13 373 91	207 5 11 119 54	29 12 4 163 54	11 4 - 118 42	285 20 51 206 408
Iowa	20 weeks or more Weight in excess of 350 grams 20 weeks or more After 20 weeks All periods of gestation	372 366 705 846 202	1 2 2 5 47	5 12 9 10	32 45 43 41 10	38 46 69 62 13	46 40 77 51 . 13	59 40 94 77 10	15 20 29 28 7	73 53 106 101 22	26 24 38 37 7	40 37 48 58 13	29 31 34 26 5	13 23 153 371 85
Maryland	20 weeks or more 20 weeks or more Advanced through 20th week After 20 weeks All periods of gestation	559 789 1,673 496 2,430	1 2 19 1 41,002	1 8 28 1 267	56 40 114 45 187	70 60 153 45 129	67 62 176 42 89	82 74 216 59 129	27 14 86 31 30	96 80 271 95 155	34 19 99 38 32	51 44 135 37 55	28 25 107 34 44	46 361 269 68 311
Missouri	After 20 weeks After 20 weeks Advanced to 20th week After 20 weeks Advanced to 20 weeks	806 106 250 112 85	8 - 1 1	· 5 1 7 1	49 5 24 9 5	67 12 28 4 2	70 7 23 7 5	106 13 37 9 7	29 5 12 4 3	100 20 54 15 9	40 6 12 5 2	59 7 20 7 3	40 3 20 9	233 27 12 43 47
New Jersey	20 weeks or more After 20 weeks All periods of gestation After 20 weeks Advanced to 20 weeks	1,152 212 12,362 1,294 90	11 1 46,719 8 1	27 2 901 21 -	88 20 597 116 9	121 21 467 149 13	92 18 369 170 8	150 28 447 207 8	52 13 161 60 4	166 27 457 223 17	53 45 150 77 5	76 11 211 123 12	47 3 133 77 3	269 23 1,751 55 10
Chio	All periods of gestation After 16 weeks	1,796 469 619 4,363 228	8 2 4170 9 101	28 6 63 1,767 17	131. 51. 67 970 9	156 48 49 325 13	158 41 39 235 17	255 78 56 274 15	71 15 15 159 7	246 52 53 241 15	92 29 17 355 7	109 33 24 92 4	73 29 15 25 1	489 105 51 11 22
South CarolinaSouth Dakota	20 weeks or more 20 weeks or more 20 weeks or more	792 117 962 2,632 230	11 3 4 -	16 4 13 - -	66 7 89 277 12	83 11 91 375 20	83 9 120 331 15	105 23 154 344 20	37 5 48 332 7	122 22 176 287 28	50 10 47 566 7	58 5 74 69 13	37 8 61 29 10	124 10 85 22 98
Vermont	20 weeks or more <sup>9</sup> All periods of gestation 20 weeks or more Advanced to 5th month <sup>10</sup> After 20 weeks After 20 weeks	75 5,871 435 390 589 54	43,974 1 1 -	490 5 4 2 3	10 271 24 32 60 3	8 170 36 27 68 7	6 105 43 35 71 6	11 137 42 65 69 5	4 71 20 16 53 2	15 107 68 78 92 9	2 197 16 23 131 5	12 28 30 38 36 7	.6 16 22 27 7 3	1 305 128 44 - 3

Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Further specifies that certificates for fetal deaths of less than 20 weeks of gestation may be filed although registration is not mandatory.

The abortions are not limited by legislation to those described as "induced." It is believed, therefore, that most spontaneous abortions occurring in this State are also reported on this form rather than on fetal death certificates. The introduction of this confidential form resulted in more complete reporting of all terminations of pregnancies.

4For areas which report fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Total.	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas		-		<u> </u>	3
Georgia	3,577	17	669	2,129	762
Hawaii	58	-	4	12	42
Maine	7	-	1	1	5
Mississippi	1,002	36	124	443	399
New York	6,719	114	1,119	3,513	1,973
Oregon	170	1	14	68	87
Virginia	3,974	23	905	2,122	924

For explanation of the deletion of Colorado from this list for 1973, see footnote 6.

"Further stipulated that "when the length of gestation is not determinable the following criteria may be used: A, weight of 400 grams or more; B, crown-heel length of 28 centimaters or more. If both of the above criteria are met the fetus should be registered as a fetal death."

Although fetal deaths for all, periods of gestation continue to be required for Colorado, only 11 fetal deaths under 20 weeks gestation are shown. This underscount is attributable to the fact that Colorado did not intend to forward any copies of fetal-death certificates for periods of gestation under 20 weeks to the National Center for Health Statistics for data year 1973. As a result the percentage of all fetal deaths under 20 weeks gestation decreased from 65 percent for 1972 to 2 percent for 1973.

As the continual co

That most of these more controls occurred before 20 weeks of gestation. The inclusion of these moreticities, should not affect appreciably the data shown for fetal deaths of 20 weeks or more gestation.

Further specifies that "if the gestation period is unknown but the fetus weighs 400 grams or more, a fetal death certificate must be filed."

Further specifies that "if the gestation period is unknown but the fetus weighs 400 grams or more, a fetal death certificate must be filed."

Further specifies that "if the gestation period is unknown, but the fetus weighs 400 grams or more, or 15 ounces fetal weight or more, shall be reported. However, no reports of fetal deaths under 20 weeks gestation or under specified weights were received from Vermont for the first 6 months of 1975 by the National Center for Health Statistics.

10 Turther specifies "or total length of 10 inches."

Table 3-2. Fetal Deaths and Fetal-Death Ratios by Color: United States, 1942-73

[Fetal deaths for 1969-73 include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. For earlier years, gestational age not stated is included. Ratios per 1,000 live births in specified group]

•		Number			Ratio	
Year	Totel	White	All other	Total	White	All other
19731	70.700	07.477	10.070	30.0	10.0	
1972 <sup>1</sup>	38,309	27,433	10,876	12.2	10.8	18.6
1971	41,380	29,611	11,769	12.7	11.2	19.5
19701	47,818	34,308	13,510	13.4	11.8	21.2
1969	52,961	38,481	14,490	14.2	12.4	22.6
1969	50,749	37,091	13,658	14.1	12.4	22.5
1968	55,293	40,206	15,087	15.8	13.8	25,6
1967	54,934	39,500	15,434	15.6	13.5	
1956	56,637					25.8
2286 1965		40,627	16,010	15.7	15.6	26.1
1964	60,859	43,530	17,329	16.2	13.9	27.8
1704	65,931	47,345	18,586	16.4	14.1	28.2
1963 <sup>2</sup>	64,640	45,495	17,075	15.8	13.7	26,5
1962 <sup>2</sup>	66,421	47,326	17,128	15.9	13.9	26.7
961	68,767	50,728				
1960	68,480		18,039	16.1	14.1	27.0
D959	68,613	50,894 50,911	17,586 17,702	16.1 16.2	14.1 14.2	26.8 27.3
•	00,010	30,311	11,106	16.2	14.4	21,1
L958	69,355	51.,969	17,386	16.5	14.5	27.5
1957	69,561	52,591	16,970	16.3	14.5	26.6
1956	6B,659	51,865	16,794	16.5	14.6	27.2
1955	69,153	52,411	16,742	17.1	15,2	20.4
1954	70,109	53,532	16,577	17.5	15.5	28.9
1953						
1952	69,393	53,252	16,141	17.8	15.9	29.6
	70,447	53,541	16,906	18.3	16.1	32.2
<u>1950</u>	70,569	54,071	16,498	19.8	16.7	32.1
	68,262	52,319	15,943	19.2	17.1	32,5
1949	70,584	54,114	16,470	19.8	17.5	34.6
1948	72,838	56,232	16,606	20.6	18.3	36.5
1947	77,917	07.070	75.515		l	<u></u>
1946		61,072	16,845	21.1	18.7	39,6
1945	74,849	59,494	15,355	22.8	20.4	40.9
1944	65,513	51,242	14,271	23.9	21.4	42,0
	68,374			24.5		
1945	71,873			24.5		
1942	72,017	]		25.6	l	

Table 3-3. Number and Percent Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1973

The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, [Includes only fetal deaths to residents of those areas in the United States which report all periods of gestation.

	Period of gestation <sup>1</sup>									
Age of mother		Numb	er	Percent						
	Total.	Under 20 weeks	20 weeks and over	Not stated	Total.	Under 20 weeks	20 weeks and over	Not stated		
Total	20,782	12,699	5,582	2,501	100.0	100.0	100.0	100.0		
Under 15 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years	124 3,365 5,962 5,731 3,119 1,677 715	71 2,033 5,604 3,545 1,912 1,025 449 60	34 970 1,697 1,499 772 437 154	19 362 661 687 435 215 112	0.6 16.2 28.7 27.6 15.0 8.1 3.4	0.6 16.0 28.4 27.9 15.1 8.1 3.5 0.5	0.6 17.4 30.4 26.9 13.8 7.8 2.8	0.6 14.5 26.4 27.5 17.4 8.6 4.0		

Period of gestation reported in menths allocated to gestation intervals in weeks as shown in the Technical Appendix.

<sup>&</sup>lt;sup>1</sup>Excludes fetal deaths among nonresidents of the United States.
<sup>2</sup>Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 3-4. Fetal Deaths and Fetal-Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 40 Reporting

Areas, 1973

Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births in specified group. For list of States reporting legitimacy status, see Technical Appendix

has all making and colors		Hun	ber '		Ratio	
Age of mother and color	Total	Legitimate <sup>1</sup>	Illegitimate	Total	Legitimate <sup>1</sup>	Blegitimat
Total	26,427	21,041.	5,386	12.6	11.6	19.
nder 15 years	231 5,708	39 3,247	192 2,461	25.0 13.5	24.9 11.5	25. 17.
0-24 years	7,757 6,220 3,569 2,054	6,299 5,632 3,222 1,801	1,458 588 347 253	10.4 10.8 15.1 24.8	9.5 10.3 14.3 23.3	18. 21. 29. 47.
O years and over	888	801	97	. 39.7	38.8	51.
Wbite	18,511.	16,710	1,801	10.9	10.5	17.
inder 15 years	69 3,444	26 2,587	41. 857	20.2 11.7	21.2	19. 16.
0-24 years	5,439 4.866	4,98B 4,653	451 213	9.0	8.7 9.5	14.
5-29 years	2,663	2,537	126	13.3	13.0	27.
0 years and over	1,412 618	1,329	83 30	21.2 35.4	20.6 35.1	39. 42.
All other	7,916	4,331	3,585	19.7	18.7	21.
nder 15 years	162	11	151	27.9	44.2	27.
5-19 years	2,264 2,318	1,311 979	1,604 1,007 375	17.5   17.0   18.3	16.3 14.9 17.0	18. 20. 23.
0-34 years	1,354 906	685	. 221	25.0	23.5	31.
55-59 years	642 270	472 215	170 57	40.1 55.0	57.1 54.5	52 56

<sup>&</sup>lt;sup>1</sup>Includes legitimacy not stated.

Table 3-5. Fetal Deaths and Fetal-Death Rates, by Plurality of Birth, Color, and Sex: United States, 1973
[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Rates per 1,000 live births and fetal deaths in specified group]

		Numb	per		Rate <sup>1</sup>			
Plurality of birth and color	Total	Male	Female	Sex not stated	Total	Male	Female	
Total	38,309	19,422	17,246	1,641	12.1	12,5	11.6	
Fetal deaths in single deliveriesFetal deaths in twin deliveries	35,773 2,466 70	18,092 1,287 43	16,135 1,088 23	1,546 91 4	11.5 41.6 69.0	8, 11, 8 44.9 92.0	11.1 38.3 46.7	
White	27,433	13,784	12,488	1,161	10.6	10.9	10.4	
Fetal deaths in single deliveries———————————————————————————————————	25,546 1,824 63	12,805 941 38	11,640 827 21	1,101 56 4	10.1 39.4 78.0	10.3 41.7 103.3	9.9 37.1 53.5	
All other	10,876	5,638	4,758	480	18.2	19.5	17.0	
Fetal deaths in single deliveries———————————————————————————————————	10,227 642 7	5,287 346 5	4,495 261 2	445 35	17.5 49.5 34.0	18.6 56.7 48.5	16.4 42.4 19.4	

<sup>&</sup>lt;sup>1</sup>Figures for sex not stated are distributed.

Table 3-6. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Non-metropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1973

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

				Fetal deaths			
Area and color				Period of	gestation <sup>1</sup>		Fetal-death ratios
	To	otal	20-23 Weeks	24-27 weeks	28 weeks and over	Not stated	120103
United States-		38,309	4,834	4,273	23,476	5,726	12,2
	e other	27,433 10,876	3,126 1,708	2,885 1,388	17,392 6,084	4,030 1,696	10.8 18.6
Urban places	·	21,444 13,872	2,873 1,564	2,509 1,489	12,984 8,831	3,078	12,5
	other	7,572	1,309	1,020	4,153	1,988 1,090	10,7 18,1
White	e other	16,865 13,561 5,304	1,961 1,562 399	1,764 1,396 368	10,492 8,561 1,931	2,649 2,042 606	11.8 10.8 19.8
Metropolitan counties	e	25,424 17,749	3,476 2,119	2,962 1,931	15,386 11,234	3,600 2,465	12.1 10.6
Urban places	other	7,675 18,561 11,753	1,357 2,559	1,031 2,189	4,152 11,213	1,135 2,600	17,8 12,6
Balance of areaBalance of area	other	6,808	1,348 1,211 917	1,267 922 773	7,500 3,713 4,173	1,638 962 1,000	10.7 18.0 10.8
	e other	5,996 867	771 146	664 109	3,734 439	627 173	10.3 16.8
Normetropolitan counties	e other	12,885 9,684	1,358 1,007	1,311 954	8,090 6,158	2,126 1,565	12.6 11.1
Urban places	e	3,201 2,883 2,119	351 314 216	357 320 222	1,932 1,771 1,331	561. 478 350	20.6 12.3 10.9
Balance of area	other	764 10,002	98 1,044	98 991	440 6,319	128 1,648	19.1 12.6
All	e other	7,565 2,437	791 253	732 259	4,827 1,492	1,215 433	11.2 21.1
New England	•	1,540	117	130	803	490	9.9
Metropolitan counties		1,395 155 1,177	104 13 79	113 17 100	737 66 582	431 59 41.6	9,5 14,3 10,3
	e other	1,039 138 363	68 11 38	86 14 30	523 59 221	562 54	10.0 14,1
	e other	546 17	36 2	27 3	214 7	74 69 5	8,6 8,5 16,3
Middle Atlantic		6,865	1,536	916	3,943	470	14.1
Whit Metropolitan counties	e other	4,997 1,868 5,775	966 570	645 271	3,059 884	327 143	12,5 21,1
- White -All	e other	3,990 1,785	1,344 783 561	766 510 256	3,288 2,451 837	377 246 131	14.6 12.8 21.2
Normetropolitan counties	e other	1,090 1,007 83	192 183 9	150 136 15	655 608 47	93 81 12	11.8 11.4 18.9
East North Central		7,038	590	675	4,394	1,379	11.4
·	other	5,247 1,791	392 198	448 227	3,320 1.074	1,087	10.2 17.6
, rra	ther	5,237 3,546 1,691	475 281 194	525 307 218	3,310 2,291	927 667	11.5 9.9
Nommetropolitan counties		1,801	115	150 141	1,019 1,084 1,029	260 452 420	17,5 10,9 10,7
West North Central	other	2,428	374	9	55	32	18.4
White		2,082	189	245	1,609	303	10,2 9,7
Metropolitan counties	other	346 1,209 948	25 109 87	45 137 99	219 779 616	57 184 146	16,2 10,2 9,3
Normetropolitan counties	other	261 1,219 1,134	22 105 102	38 108 101	163 630	38 176	16.3 10.2
All o	ther	85	3	7	774 56	157	10.0 16.1
South Atlantic		7,077	918	786	4,189	1,184	14.2
Metropolitan counties	ther	4,113 2,964 5,770	495 423 530	424 362 422	2,551 1,638 2,092	643 541 726	11.6 20,2 13.6
	ther	2,161 1,609 3,307	283 247 388	225 197 364	1,245 847 2,097	408 318 458	11,2 19.3 14.8
	ther	1,952	212 176	199 165	1,306	235 223	12.2 21.4

Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Table 3-6. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Non-metropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1973-Con.

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

	,		Fetal deaths	······································		
Area and color			Period of	gestation <sup>1</sup>		Petal-death ratios
	Total	20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
East South Central	3,433	411	376	2,141	505	15.4
White Netropolitan counties	2,021	216	205	1,282	318	12.6
	1,412	195	171	859	187	23.0
	1,230	175	166	742	147	13.7
WhiteAll other	702	84	86	452	100	11.2
	528	91.	80	310	47	19.1
Nonmetropolitan counties	2,203	256	210	1,399	358	16.7
	1,319	132	119	850	218	13.4
	884	104	91	549	140	26.1
West South Central	4,271	394	530	2,815	532	12.2
White	2,939	275	352	2,057	255	10.7
	1,332	119	1.78	758	277	17.6
	2,759	269	368	1,810	312	11.9
White Nomastropolitan counties	1,893	180	237	1,347	129	10.4
	866	89	131	463	183	17.4
	1,512	125	162	1,005	220	12.7
WhiteAll other	1,046	95	115	71.0	126	11.2
	466	30	47	295	94	18.0
Mountain	1,683	216	179	984	304	10.1
White All other Metropolitan counties	1,464	189	156	841	278 :	9.8
	219	27	23	143	26	13.8
	955	130	113	572	140	10.1
White	863	113	. 100	515	135	9.9
	92	17	13	57	5	13.3
	728	86	66	412	164	10.2
WhiteAll other	601	76	56	326	143	9.6
	127	10	10	86	21	14.1
Pacific	3,974	438	436	2,598	502	20.0
White Metropolitan counties	3,185	300	342	2,155	368	9.5
	789	138	94	443	1 <u>14</u>	12.4
	3,312	365	365	2.211	371	9.9
White Normetropolitan counties	2,607	240	281	1,814	272	9.3
	705	125	84	397	99	12.6
	662	73	7).	387	131	10.5
WhiteAll other	578	60	. 61.	341	116	10.4
	84	13	10	46	15	11.4

hand of meantation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Table 3-7. Fetal-Death Ratios by Color: United States, Each Division and State, 1969-73

[Fetal deaths for 1969-73] include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

	]	1973 <sup>1</sup>	p. Aster	IBK IEKIC	ates rate	Daseu on	a irequen	29 01 1688	tuan 201		1970 <sup>1</sup>			1969	<del></del>
Division and State	Total	White	All other	Total.	White	All other	Total.	White	All other	Total.	White	ALL	Total.	White	A11
United States	12.2											other			other
	12.2	10.8	18.6	12.7	11.2	19.5	13.4	11.9	21.2	14.2	12.4	9.53	14.1	12.4	22.5
Geographic divisions: New England	9.9	9.5	14.3	10.0	9.7	14.6	11.8	11.4	17.1	12.2	11.8	17.9	11.6	11.1	18.1
Middle Atlantic	14.1	12.5 10.2	21.1 17.6	14.0 12.1	12.4 10.7	21.5 19.3	15.1 12.9	12.2 11.8	29.4 19.0	18.3 13.0	15.1 11.8	33.9 20.2	17.2	15.2 11.7	27,9
West North Central	10.2	9.7	16.2	20.9	10.3	16.7	11.6	131	16.8	11.7	11.1	18.3	13.0 11.8	11.3	20,9 18.8
South AtlanticEast South Central	14.2 15.4	11.6 12.6	20.2 23.0	14.7 15.8	12.2 12.9	20.7 23.4	15.2 16.2	12.7 13.4	215	15.7 16.0	13.3 13.4	21.7	15.5 16.8	12.8 13.1	22.5 27.0
West South Central	12.2	10.7	17.6	12.6	10.9	18.8	13.1	11.5	19.2	13.4	11.8	19.6	13.7	11.6	22.3
Pacific	10.1 10.0	9.8 9.5	13.8 12.4	12.0 10.4	11.5 9.8	17.3 13.7	12.0 10.9	11.5 10.2	16.3 15.3	12.3 11.3	12.0 10.6	15.8 15.0	13.3	12.8 11.0	18.8 15.6
New England: Maine <sup>2</sup>														,	
New Hampshire	7.3 7.4	7.3 7.4	*4.5 *9.4	6.8 9.9	6.9 9.9	*7.5	9.7	9.8	*13.2 *7.1	9.0 11.4	8.9 11.6	*3.6.7	6.9 12.4	12.6	*14.4
Vermont————————————————————————————————————	11.7 10.5	11.5	*21.3 14.9	11.4	11.5	-	15.3	14.9	*105.3	14.1	14.2	-	18.8	18.8	*27.B
Rhode Island	8.9	8.2	*17.3	10.1 9.7	9.9 8.9	12.9 *21.2	12.2 11.5	11.9 11.4	16.2 *14.0	12.5 12.9	12.0 12.6	20.2 *17.8	11.4	10.8	20,7 *23,3
Connecticut	10.5	10.1	13.7	11.0	10.2	16.4	12.3	11.6	18.4	12.4	11.9	16.5	11.8	11.4	15.4
Middle Atlantic:	13.2	12.3	16.8	13.8	12.4	19.3	14.2	10.3	30,4	20.1	35.0	70.7			
New Jersev	12.1	11.0	16.6	12.1	10.8	17.2	14.8	12.7	23.6	15.4	15.8 13.6	38.3 23.4	19.2 13.2	16.9 11.5	29.8 21.2
Pennsylvania	16.6	15.7	35.7	15.4	13.1	30.8	16.9	14.5	32.3	17.2	14.9	32.8	16.5	14.7	29,3
Ohig	11.0	10.1	16.8	11.9	10.9	18.3	12.5	11.8	16.9	13.0	12.1	19.4	12.6	11.5	20.5
IndianaIllinois	11.0 12.5	9.8	21.1 18.7	12.2 13.0	11.2 10.9	20.5 19.8	12.8 14.3	11.8 12.4	21.9	13.0 14.1	12.1	21.7	13.0	12.0	22.4
MichiganWisconsin	11.6	10.5	16.2	1,2.0	10.3	19.2	12.6	13.5	17.8	12.4	12.4 11.1	20.8	13.6 13.2	11.9	20.5 8.13
Wisconsin	9.4	9.1	13.0	10.2	9.5	18.6	11.1	10.9	14.8	11.1	1.0.4	22.0	11.7	21,3	18.1
West North Central:		ا م	70.6	ا ۾ ا	ا م								[		
IONE	9.1 9.6	9,0 9,4	10.6 *13.5	9.5	9.3	13.0 *12.1	10.3	10.1 11.3	16.3 *12.4	10.8 10.4	10.6 10.4	17.1 *11.0	10.8 10.5	10.6	18.0 20.5
MissouriNorth Dakota	11.3	10.1	17.0	11.6	10.4	17.3	12.8	11.7	16.7	13.3	12.1	19.3	13.0	11.9	19.2
South Dakota	8.8 10.7	8.1 9.6	*16.2 17.4	10.5 13.6	10.3 12.8	*12.6 19.5	12.4 12.4	12.7 11.4	*8.6 19.8	12.2 13.4	12.2 12.1	*12.9 23.8	14.0	13.8	*16.8
NebraskaKansas	10.3 11.2	9.9	16.5 17.5	10.7	10.6	*13.1	11.9	11.3	21.3	10.9	10.4	19.7	11.9	10,1	16.4 15.3
South Atlantic:		[]	71.5		11.0	19.9	11.4	10.8	17.6	11.4	11.0	15.7	12.7	12,1	20.2
Delaware	10.5	8.7	16,2	10.4	9.0	15.8	14.8	12.3	24.2	13.5	12.9	15.8	12.7	10.5	8048
Maryland	11.6	30.0 22.7	16.0 17.5	12.4 16.7	10.6 15.8	17.6 16.9	13.8	11.9 17.2	19.5 19.3	13.0	11.4	18.0	13.4	11.7	18.8
District of Columbia	15.6	12.9	24.3	17.5	14.7	26.6	15.6	14.7	23.0	1.7.5 17.7	12.7 15.1	18.0 26.9	21.0 16.9	15.9 14.2	21.8 26.5
West Virginia	13.8 14.9	13.7 12.3	*16.3	14.8	14.4	22.0	13.9	13.6	20.9	15.9	15.4	26.2	15.1	14,9	17.8
South Carolina	16.0	118	20.6	14.6 16.0	12.3 11.7	19.9 22.9	15.4 15.3	12.4 11.7	22.5 21.3	16.0 15.4	13.3 12,7	22.5	16.4 15.3	13.1 11.7	24.5 24.0
Georgia <sup>2</sup>	14.1 15.0	10.9	20.3	14.1 15.8	11.2 11.4	19.5 20.9	15.7 14.3	12.1 12.5	23.2 19.7	15.9 15.2	13.1 12.9	21.9	15,4	12.8	20.9
East South Central:									- E.'	13.2	12.9	22.4	14.2	11.9	21.1
Kentucky	12.8 13.8	12.0 12.6	20.7	12.5 13.7	11.9 12.2	17.6 18.8	13.3	12.8 12.9	18.4	13.4	12.9	18.9	12.0	11.8	14.2
Alabama	15.7	11.9	22.8	16.7	13.0	23.7	14.4 16.3	12.9	20.1	15.4	13.6 12.7	22.2 24.2	15.6 17.3	12.8 13.2	26.0 25.5
Mississippi <sup>2</sup>	20.7	14.9	25.9	Z1.5	16.0	27.5	22.2	16.1	28.7	23.2	15.3	31.9	24.0	16,2	32,0
West South Central:	12.2	9.9	18.8	12.5	10.0	20,1	13.9	11.7	20.3	14.6	11.7	23.2	ا ، ، ،		
Louisiana	12.5	9.1	17.7	13.1	9.2	19,8	14.1	10.5	20.0	13.2	9.5	19.2	14.2	9.9	22.9 23.2
Texas	12.1	11.3	14.4 17.8	11.5 12.6	10.6 11.4	15.6 18.8	12.1 12.9	11.0 11.8	17.3 16.6	11.7 13.6	11,1 12,5	14.7 20.0	11.8 15.7	10.5 12.3	19.4 21.9
Mountain: Montana	9.3	8.2	,	اا ، ا	,, ,					[	ايا	}			
Idaho	9.3	8.2	18.4 *32.3	11.2 11.3	10.3	19.4 *16.0	10.4 10.5	10.2	*12.0 *19.7	10.1	10.5 10.1	*16.8 *8.7	11.5 10.1	11.5 9.8	*11.1 *21.3
Wyoming	9.4	9.5	*6.5	10.8	10.4	*20.1	11.8	10.4	*44.4	12.6	12.6	*13.8	16.2	14.9	*39.7
New Mexico	10.2	9.5	14.3 13.9	15.8 12.3	15.2 11.1	25.2 19.1	15.6 11.9	15.5	18.0	16.5	15.4 11.2	31,2 13.9	18.7 13.4	17.8 12.9	34,8 16,5
Arizona	9.7	9.4	11.6	10.7	10.3	12.7	11.0	10.3	14.7	10.4	10.4	10.6	12.0	11.3	15.9
Nevada	7.8 13.3	7.7 12.6	*10.9 16.4	9.6	9.6	*11.0 21.6	9.6	9.7	*9.2 18.4	11.1 12.8	11.0 12.2	*13.7 17.2	9.8	9,7 9.6	*12.0 *13.7
Pacific:					Ì			1							
Washington	9.1	9.0	9.3 *12.2	8.7 13.3	8.4 13.1	12.9 15.6	10.3	9.8	16.7	10.5	10.1	16.3	10.8	10.6	13.5
California	9.7	9.3	12.2	10.0	9.6	12.4	10.6	12.0	*13.2 14.7	12.8	12.6	17.1 14.6	13.5	13.3	17.2 15.6
Alaska	9.2	9.8 17.9	*8.1 15.3	8.7	6.2 21.6	14.9	8.2	7.9	*9.1	11.7[]	12.1	10.5	9.6[[	7.6	16.7
		-13	اد.ت	#- U.S.	61.0	18.5	19.6	22.4	18.4	18.1	22.3	16.4	16.2	17.1	15.9

<sup>&</sup>lt;sup>1</sup>Excludes fetal deaths among nonresidents of the United States.

<sup>2</sup>This State requires reporting of all fetal deaths regardless of period of gestation.

<sup>3</sup>Copies of certificates for fetal deaths under 20 weeks gestation for 1973 were not forwarded by Colorado to the National Center for Health Statistics.

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1973

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Unit of residence is defined as the county or county equivalent of which the mother was a resident. Data by place of residence exclude deaths occurring in the United States to nonresidents; however, data by place of occurrence include deaths to nonresidents.

	All.	Fetal. deaths of	Total	Fetal.		Fetal deaths of interstate nonresidents by State of residence												
State of commones deaths	occurring in	residents occurring in county of residence	fetal deaths of non- residents of county	deaths of intra- state non- residents	Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
United States	38,406	30,501.	7,905	6,692	1,116	34	3	15	53	17	4	11.	6	4	21	18	1	14
AlaskaAlaskaArizonaArkansas	926 58 370 378 2,907	707 55 332 283 2,649	219 3 38 95 258	1,93 3 21 75 238	26 7 22 19		1 : 1 1 1		- - - -		- - - 1		1 - - -	1	99	7 - - -	- - -	1111
Colorado	484 389 85 285 1,405	319 339 75 193 1,231	165 50 10 92 174	149 45 4 - 154	15 5 6 92 17	1. - - 2	1 - -		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 -	-			- - 		3	-	-
Georgia	1,238 250 125 2,087 916	797 237 99 1,860 781	441 13 26 227 185	390 9 22 202 154	51 1 4 25 31	1.6 - - -	ı <b>.</b>		2		-	- - - -	- - - -	-	8	• • • • • • • • • • • • • • • • • • • •		- - - -
Iowa	371 359 691 832 109	262 276 467 575 93	109 83 224 257 16	90 57 194 245 14	19 26 30 12 2	-	1 - 1 - 1		1	- - - -	- - -	-	-	-			-	- - - -
Maryland	557 779 1,626 494 913	393 585 1,325 338 616	164 194 301 156 297	137 162 286 133 270	27 32 14 23 27	1 1 1	1111	1	- - - 5	- - - 1		- 3 - -	1. - - -	3 - - - -	1	-	-	- - 1 -
Missouri	793 105 242 110 83	525 79 179 101 65	268 26 63 9 18	221 23 48 5 6	47 3 15 4 12	- - - -	1 1 1	1 1 1 1	3 - - -	3	- 1 -	-	-		- 1		- - - -	ī 1
New Jersey New Hexico New York North Carolina North Dakota	1,114 209 3,173 1,265 89	923 173 2,844 990 66	191 36 329 275 23	1.75 28 289 254 16	18 8 39 21 7	-	1111	6 -	- 1 -	- 1 - -		- - 4 -	- - -	- - -	1:	- - 1	-	- - -
Ohio	1,760 461 347 2,587 110	1,419 371 263 2,089 88	341 90 84 498 22	302 82 62 419 11	38 8 22 78 11	-	2		1	1 5 -	-	- - 1 3	- - 4 -	-	1		- - - -	- 6 -
South Carolina South Dakots Tennessee Texas Utah	765 110 945 2,632 230	630 64 677 2,183	135 46 268 449 39	119 39 193 343 23	. 16 7 75 33 15	1 - 2	-	1 5	28 12	ī	- - 1		-	-		5	-	- - - 2
Vermont	74 1,117 429 365 587 50	59 565 366 250 459	135 128	11 508 51 99 115	4 44 12 36 13	-		1.1		2	-	-	- - -	- - - -	1 1 1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-	- 3 - -

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1973-Con.

[See headnote at beginning of table]

	<u></u>					Fetal	deaths o	f inters	tate non	resident	s by Sta	te of re	sidence-	-Con.					
State of occurrence	mı.	Ind.	Iowa	Kens.	Ky.	La.	Maine	Mo.	Mass.	Mich.	Minn.	Miss.	Md.	Mont.	Nebr.	Nev.	N.H.	N.J.	New Mex.
United States	47	37	21	26	24	12	7	94	10	26	16	35	29	4	8	8	15	63	1
AlabamaAlaskaAlaskaArizona	-	-	- - - 1	11111		-	1 1 1 1	-		1		2	1	-	1111	-	11111	11711	
Colorado	1 - - 1	- - -	111	2	-	1 - - 1	- - 1	- 2 78	1111	- - 1	-		-	-	1	11111		- 2 - 3	
Georgia	- - - 5	- 15	- - 2	- - 1	- - - - 4	-		- - -	- - -	- - - 8	- - - -	-	- - 2 1	- 3 -		1111	-	1	
Iowa Kansas Kentucky	-	- 12 -	: 1 1	:-	- - - -	- - - -		-	1	11111	2 -	9	3 18 - -	-	1 2 -	1111	2	11111	
Maryland			- - 4		- - -	- - - 6	- 1 - -		-  - -	2	- - - 	- - -			-	1111	12	1	
Missouri	22 - - -	1 1 1 1	1 8 -	19 2 -	- - -	- - -	- - - 5	- - -	- - - 2	1	-	-					1111	11111	
New Jersey New Mexico New Moxico New York North Carolina North Dakota	1111	- 1	11111	1	-	-	-	-	-	2	- - - - 4	-	- - -	-	-	-	-	13 -	
Ohio	1111	8	1 1 1	2	9 1 - -		•	- - 7 -	-	8	1 - -	-	1	-	-	1111		41	
South CarolinaSouth Dekota		1	2	- - - -	- - 5 -	- - - 4	-	-	-	- - - -	- 2 -	- 19 1	-		3	- - - 3	1111	2	
Vermont			2	-	- - 5	-	- - -	- 6 - 1	-	1 - - 5	- - - 7	- - 1	-	1	- - 1	1	1	1	

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1973-Con.

[See headnote at beginning of table]

							[See	headnot	e at beg	inning o	f table]									
			•			Feta	1 death	s of in	terstate	nonresi.	dents by	State o	f reside	nceCon						Non- resi-
State of occurrence	n.y.	N.C.	N. Dak.	Ohio	Okle.	Oreg.	Fa.	R.I.	s.c.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	dents of United States
United States	30	33	3	57	31	6	33	10	34	11	23	20	4	9	46	14	32	18	7	97
Alabama Alagka Arizona Arizona Arizona California		1111	-	- - - 1	- - 16 -	11111	1111	1111	11711	- - -	4	1		11111	11111	 1 - 1	1111	1 11 11	1	10 - 2
Colorado	- 3 - 1	ī - -		1 - - 2	-	1 - -	2		1	- - - -	- -	2 1 - -	. 1	1111	14	-	-		1 - - -	1 3
Georgia	2 - - - -	3 - - -		- - - 9	- - 1	1111			19 - - 1	 	2 - 1 -	1 - -		, , , , , ,	1 - - 1	- 1 -	-	- 2 1	- - - -	- 3 - -
Iowa	-	2	1 -	- 3 -	- 4 - -		- <b></b> -	. 1 1 1	-	1. - - -	- 8 - -	- - 2	1111		2	- - -	2	.1111	-	
Maryland	1 1 1 -	- - -	-	1 1 -	1111	, <b>.</b>	3 1 - -	10 - - -	- - - -	- - 4	- - - 2	3		3 1 1 7	7 -	-	10 - - - -	- 2 12	- 1 -	- 1 -
Missouri	-	- - -	- - - -	1 - -	1. - - -	1111	1 1 1 1		-	- 3 - -	- - -	1	1111	- 1 - 1 5	1111	- 1 -	· -	1 1 1 1	1	-
New Jersey  New Mexico  New York  North Carolina  North Dakata	9		- - 1	- 1 - -	1	1111	7 - 10 - -	1 1 1 1	1 9	- - - 3	- - 4	ī - -	ī - -		. 1	- 1 - -			-	1 -
Ohio	1 - - 6	-	-	15		:::	2	- - -		-	-	1		1	- 1 -	- 9 -	7 - 2 -		1111	1. - 1. -
South Carolina	- - -	8 3 -	1 -	- 1 - -	- - 8,		- - -	- - - -	1	 - -	-	1 - - :::	: - : :	1 1	10 -	- - - -		-	- - - 4	- - 73 1
Vermont	-	16  - -		20 - -	11111	115111	2 5 1		- 2 - - -	-	2			1 1 7	- - 4 -	- - 	11 	1111:17	-	-

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1973 [Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Feta	deaths inclu	de only the	se with st	ated or pre	sumed perio	d of gestat	ion of 20 v	veeks or mo	ге; вее Тес	hnical Apper	zdiz]		
AREA AND COLOR	TOTAL	_NAL	FEB.	MAR.	APR.	МАЧ	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES	38,309	3,276	2.909	3.141	3,115	3. 195	3.229	3.455	3.407	3+325	3.230	3.072	2.955
WHITE ALL OTHER	27,433 10,876	2,377 899	2,120 789	2,248 893	2,278 837	2,257 938	2,282 947	2,445 1,010	2,389 1,018	2,370 955	2,321 909	2+182 890	2, 164 791
ALABAMA	934	78	69	85	64	777	78	77	97	80	76	81	72
WHITE All other	462 472	32 46	37 32	41 44	33 31	42 35	41 37	38 39	46 51	43 37	31 45	40 41	38 34
ALASKA	61	5	6	5	2	7	5	2	7	4	6	5	7
WHITE All OTHER-	44 17	5 -	5 1	5	. 1	5 2	2	- 2	4 3	4	5 1	2	6
ARIZONA	368	38	24	28	30	28	36	37	28	39	30	30	20
WHITE All OTHER	298 70	29	21 3	25 3	26 4	22 6	29 7	25 12	19 9	32 7	26 4	26 4	18 2
ARKAN SA S	409	38	37	33	27	38	31	33	39	29	41	28	35
WHITE ALL OTHER	247 162	30 8	22 15	21 12	15 12	23 15	21 10	20 13	20 19	18 11	24 17	16 12	17 18
CALI FORNIA	2,904	233	219	256	236	232	231	273	281	242	235	246	220
WHITE ALL OTHER-	2,358 546	182 51	181 38	210 46	197 · 39	- 189 43	187 44	228 45	214 67	198 44	201 34	190 56	181 39
COLORADO	472	47	56	39	45	41	34	33	43	27	37	35	35
WHITE	438	41	53	34	43	39	34	32	37	26	36	29	34
ALL OTHER	34 395	33	3 30	33	2 38	2	22	1 51	6 32	1 24	1 33	6 38	30
WHITE	334	26	27	29	34	24	16	43	27	21	26	35	26 4
ALL OTHER	61	7	3	4	4	7	6	8	5	3	7	3	
WHITE	85 56	6	3	9 5	10	2	6 5	3	10	2	11	13	7
ALL OTHER	29	1	1	4	4	2	1	1	5	-	4	3	4 3
DISTRICT OF COLUMBIA	197	18	9	19	20 5	13	17	18	10	16	17	17	23
ALL OTHER	32 165	18	9	3 16	15	2 11	3 14	3 15	10	3 13	4 13	2 15	7 16
FLORIDA	1,406	108	100	102	106	95	121	142	121	141	144	113	113
WHITE ALL OTHER	866 540	70 38	67 33	65 37	70 36	60 35	73 48	80 62	72 49	83 58	84 60	65 48	77 36
GEORGIA	1,205	113	98	86	93	92	95	101	109	110	116	104	88
WHITE ALL OTHER	608 597	57 56	50 48	49 37	50 43	48 44	49 46	51 50	51 58	60 50	60 56	44 60	39 49
HAWAII	247	19	16	28	13	22	14	22	19	24	22	25	23
WHITE ALL OTHER-	77 170	4 15	5 11	13 15	3 10	6 16	6 8	6 16	9 10	2 22	8 14	7 18	8 15

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1973—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Feta	l deaths incl	ide only the	se with st	ated or pre	sumed perio	od of gestat	ion of 20 t	veeks or mo	ге; вее Тес	hnical Appe	ndix		
AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ост.	NOV.	DEC.
IDAHO	135	13	13	14	. 7	11	16	. 12	. 9	15	10	9	6
WHITE ALL OTHER	123 12	13	11 2	14	. 5 2	10 1	13 3	12	9	14 1	10	7 2	5 1
ILLINGIS	2,109	165	156	168	171	. 186	170	180	213	193	183	164	140
WHITE	1,366 743	110 55	104 52	112 76	99 72	120 66	103 67	121 59	142 71	126 67	132 51	109 55	88 52
INDIANA	922	89	65	66	61	71	88	98	82	78	64	· '92	68
WHITE ALL OTHER-	734 188	69 20	56 9	51 15	51 10	60 11	65 23	73 25	67 15	58 20	53 11	81 11	50 18
TOWA————————————————————————————————————	373	15	20	40	37	27	38	43	30	29	34	22	38
WHITEALL OTHER-	357 16	14	20 ~	39 1	36 1	25 27,	36 2	42 1	27 3	29 -	33 1	2 <u>2</u> _	34 4
KANSAS	359	25	26	29	25	33	26	43	30	43	. 26	25	28
WHITE	310 49	20 5	25 1	24 5	22 3	30 3	20 6	38 5	25 5	39 4	24 2	20 5	23 5
KENTUCKY	685	69	49	56	54	73	64	58	65	47	53	46	51
WHITE	582 103	55 14	38 11	51 5	48 6	54 19	55 9	47 11	56 9	40 7	50 3	41 5	47 4
LOUI STANA	832	68	77	51	44	. <sub>75</sub>	64	61	81	102	70	70	69
WHITE ALL OTHER	366 466	29 39	47 30	16 35	24 20	25 50	25 39	22 39	32 49	49 53	32 38	33 37	32 37
MAINE	114	11	10	10	11	. 11	5	. 2	14	7	16	3	12
WHITEALL OTHER	113 1	11	10	10 -	10 1	11_	5 -	2 -	. 14	7	16 -	3 -	12
MARYL AND	624	52	49	51	52	50	41	53	54	53	57	61	51
WHITE ALL OTHER	397 227	36 16	32 17	37 14	36 16	29 21	26 15	35 18	33 21	32 21	28 29	42 19	31 20
MASSACHUSETTS	757	52	63	70	82	65	68	60	64	51	53	69	60
WHITE	681 76	47 5	51 12	57 13	76 6	52 13	67 1	56 <b>4</b>	59 5	48 3	49 4	59 10	. 60
MICHIGAN	1,637	144	127	126	156	128	142	157	137	140	120	122	138
WHITE	1,201 436	102 42	96 31	96 30	131 25	87 41	85 57	124 33	105 32	96 44	89 31	91 31	99 39
MINNESOTA	487	40	38	24	36	37	46	48	52	48	43	46	29
WHITE	465 22	38 2	36 2	23 1	. 33 3	34 3	45 1	42 6	51 1	46 2	42 1	46 -	29 -
MISSISSIPPI	921	73	81	72	61	95	82	76	68	73	99	65	56
WHITE ALL OTHER	345 576	33 40	2B 53	35 37	31 50	39 56	25 57	24 52	20 48	32 41	32 67	26 39	20 36

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1973—Con. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix.

g. u.	at deading incid		OSC WILL BU	tica or pre	buinca peri	ou or goddin	1011 02 100	WCCKB OF INC	10, 500 100	micai Appe	IKITAS-		
AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	ост.	NOV.	DEC.
MISSOURI	775	71	50	58	, 51	69	78	69	82 .	67	49	60	71
WHITE ALL OTHER	578 197	57 14	36 14	46 12	34 17	57 12	60 18	45 24	59 23	54 13	36 13	39 21	55 16
MONTANA	106	9	8	10	10	6	13	10	5	6	8	16	5
WHITE ALL OTHER-	84 22	7 2	6 2	7	8 2	6 -	10 3	9 1	4 1	5 1	5 3	14 2	3 2
NEBRASKA	235	20	23	24	15	19	19	17	16	23	17	20	22
WHITE ALL OTHER	211 24	15 5	21 2	21 3	14 1	19 -	17 2	17	15 1	19 4	15 2	16 4	22
NEVADA	114	11	7	10	10	11	13	9	1ò	11	9	8	5
HHITE	91 23	9 2	6 1	8 2	8 2	10 1	8 5	8 1	8	7 4	8	7 1	4 1
NEW HAMPSHIRE	86	7	7	4	-12	6	6	8	7	11	9	4	5
WHITE ALL OTHER-	85 1	7	7 -	<b>4</b>	12 -	5 1	6	8 _	7 -	11	9 -	4 -	5 ~
NEW JERSEY	1,161	102	105	93	75	109	99	113	96	98	92	92	87
WHITE ALL OTHER-	839 322	72 30	64 41	73 20	53 22	72 37	73 26	72 41	70 2 <del>6</del>	77 21	74 18	71 21	68 19
NEW MEXICO	213	29	17	17	23	14	15	23	14	19	17	12	13
WHITEALL OTHER	166 47	25 4	14 3	10 7	18 5	10 4	12 3	17 6	8 6	16 3	17	7 5	12 1
NEW YORK	3,163	285	247	277	248	277	291	255	279	266	251	245	242
WHITE ALL OTHER	2•341 822	228 57	191 56	196 81	185 63	190 87	225 66	179 76	208 71	198 68	173 78	178 67	190 52
NORTH CAROLINA	1,277	108	93	93	82	107	111	120	103	128	118	101	113
WHITE	724 553	66 42	52 41	54 39	46 36	64 43	63 48	64 56	59 44	67 61	71 47	63 38	55 58
NORTH DAKOTA	85	6	В	5	9	9	12	1	10	7	6	3	9
WHITE ALL OTHER	73 12	6 -	6 2	5 	6 3	9	11 1	1 -	9 1	6 1	4 2	1 2	9 ~
OHIO	1,778	160	112	127	137	159	170	158	159	140	154	148	154
WHITE ALL OTHER	1,414 364	132 28	87 25	97 30	108 29	125 34	140 30	124 34	123 36	109 31	125 29	115 33	129 25
OKLAHOMA	484	40	21	31	43	29	33	49	42	<b>4</b> B	56	44	48
WHITE ALL OTHER	380 104	32 8	16 5	22 9	28 15	26 3	23 10	40 9	31 11	40 8	47 9	34 10	41 7
OREGON	331	30	<b>3</b> 2	46	38	•24	25	22	28	23	24	22	17
WHITE ALL OTHER-	313 18	30	30 2	43 3	35 3	21 3	25 -	20 2	25 3	23	24	21 1	16 1

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1973-Con.

AREA AND COLDR	al deaths inclu	JAN.	FEB.	MAR.	APR.	HAY	JUNE	JULY	AUG.	SEPT.	вст.	NOV.	DEC.
PENNSYL VANIA	2,541	212	187	224	205	210	213	218	220	210	224	228	190
WHITE	1,817	142	138	155	139	159	149	167	161	157 53	153	161	136 54
ALL OTHER	724 109	70	49 13	69 5	66 10	51 5	64	51	59 6	11	71	67 25	6
WHITE	94	10	12	4	6	2	8	4	6	11	3	22 3	6
ALL OTHER	15 783	70	1 58	60	4 65	3 65	61	75	81	65	1 59	55	69
SOUTH CAROLINA	352	36	25	28	31	29	26	41	35	30	26	17	28
ALL OTHER	431	34	33	32 9	34	36	35	34	46	35 13	33	38 13	41 7
SOUTH DAKOTA	114 88	14	6 5	6	10	. 8	13 7	9	3	10	7	12	6
ALL OTHER	26	5	í	3	ž	-	6	2	-	3	2	1	1
TENNES SEE	893	84	64	83	69	78 53	82 62	83 55	79 56	79 46	77 55	55 44	60 42
WHITE ALL OTHER	632 261	66 18	43 21	62 21	46 21	25	20	28	23	33	22	ii	18
TEXAS	2,546	221	193	203	212	202	216	255	222	226	231	166	199
WHITE ALL OTHER	1+946 600	185 36	153 40	147 56	165 47	153 49	160 56	183 72	154 68	168 58	187 44	126 40	165 34
UTAH	218	22	14	16	27	21	12	14	15	<b>2</b> 5	14	22	16
WHITE	209 9	21 1	14 -	13 3	26 1	21	12	14 -	13 2	25	14 -	20 2	. 16
VERMONT	79	9	6	10	11	2	3	14	4	3	5	7	5
WHITE	78 1	9 -	6	10 -	11	2 -	2 1	14 -	4 -	3 -	5 -	. 7	5 
VIRGINIA	1,119	91	84	95	112	83	88	126	. <b>91</b>	89	87	91	82
WHITE	716 403	55 36	59 25	54 41	72 40	52 31	54 34	81 45	58 33	53 36	58 29	58 33	62 20
WASHINGTON	431	31	38	38	42	28	. 37	31	42	41	34	34	35
WHITE	. 393 38	26 5	35 3	37 1	39 3	24 4	32 5	28 3	40 2	36 5	32 2	31 3	33 2
WEST VIRGINIA	381	33	23	42	30	48	25	37	35	34	30	22	22
WHITE	362 19	32 1	23 -	41 1	28 2	46 2	23 2	35 2	32 3	32 2	28 2	20 2	22 -
WISCONSIN	592	44	48	. 37	57	61	43	43	60	58	46	46	49
WHITE ALL OTHER	532 60	38 6	<b>44</b> 4	36 1	54 3	53 8	36 7	37 6	54 6	52 6	40 6	44 2	44 5
муакт NG	57	3	4	4	11	3	2	9	3	7	2	4	5
WHITE ALL OTHER	55 2	3 -	3	4	11	3 -	2 -	9 ~	3 -	7 -	1	4 -	5 -

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1973

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths. For the District of Columbia and the States of Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin, however, the fetal death certificate provides total-birth order information only for previous live births and fetal deaths of 20 weeks or more gestation; see Technical Appendix]

the letat death certificate provides total-birth order into						al-birth ord		., 550 1001	TORE PROPERTY	
Age of mother, color, and sex of child	Total.	1.	2	. 3	4	5	6	7	8 and over	Not stated
Total	38,309	13,864	7,859	4,938	2,997	1,924	1,182	836	1,660	5,040
Under 15 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years	297 7,791 11,282 9,376 5,314 2,991 1,136	260 5,398 4,810 2,348 735 229 79 5	13 1,306 3,077 2,338 803 251 67 4	1 303 1,463 1,766 946 341 91 7	76 589 1,039 762 408 110	- 12 247 590 591 344 120 20	6 79 279 396 310 103 9	3 31, 157 263 267 107 8	1, 14 138 437 643 383 44	23 686 952 721 381 198 76 12
Male	19,422	7,097	3,932	2,497	1,498	972	605	418	885	1,518
Under 15 years 15-19 years 20-24 years 25-29 years 30-34 years 30-34 years 40-44 years	1.55 4,038 5,669 4,634 2,734 1,540 600 52	136 2,798 2,429 1,164 400 120 48 2	7 674 1,521 1,143 413 133 38 3	158 779 869 468 170 48	37 293 505 399 199 60 5	5 11.6 299 292 183 69	1 45 136 204 159 57 3	18 85 132 133 41 3	1, 6 73 235 346 203 21	12 362 462 360 191 91 36
Female Under 15 years	17,246	6,303	3,557	2,210	1,349	856	524	372	725	1,350
Uncer 15 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years	129 3,441 5,129 4,306 2,340 1,345 492 64	113 2,412 2,219 1,108 315 103 31	6 565 1,423 1,069 355 112 26	1 132 656 809 452 161 37	37 264 479 319 196 46	6 116 269 264 140 49	4 30 126 176 139 44 5	3 11, 64 119 116 55	7 60 190 279 167 22	9 282 423 322 170 99 37 8
Sex not stated	1,641	464	370	231.	150	96	53	46	50	181.
Under 15 years	15 312 484 436 240 106 44 6	11 168 162 76 20 6	- 67 133 126 35 6 3	12 69 88 46 10 6	2 32 55 44 13 4	15 22 35 21 2	1 4 17 16 12 2	2 8 12 12 11 1.	1 5 12 18 13 1	2 42 67 39 20 8 3
White	27,433	10,079	5,818	3,691	2,194	1,359	780	538	91.0	2,064
Under 15 years————————————————————————————————————	93 4,760 8,102 7,436 4,028 2,121 803 90	78 3,481 3,719 1,965 587 180 66	689 2,248 1,973 654 198 48	1. 132 964 1,467 780 271 73	28 349 794 597 327 87 12	5 131 397 452 261 97 16	1 33 165 285 212 77 7	1 13 80 173 192 75	5 62 232 346 231 34	10 423 640 533 268 134 49 7
Male	13,784	5,125	2,681	1,864	1,087	676	394	276	475	1,006
Under 15 years  15-19 years  20-24 years  25-29 years  30-34 years  35-39 years  40-44 years  45-49 years	35 2,462 4,044 3,640 2,057 1,093 414 39	30 1,790 1,890 970 312 93 39	365 1,090 956 333 108 25	76: 504: 724: 383: 137: 38: 2	12 1.71 379 314 158 48 5	3 56 197 226 132 57 5	17 79 146 108 43	6 45 89 107 27 2	1 28 124 188 117 17	216 309 262 130 62 20 3
Female	12,488	4,632	2,663	1,650	994	620	354	233	403	939
Under 15 years	51 2,128 3,728 5,441 1,785 949 359 47	43 1,582 1,708 928 261 82 27	3 293 1,066 905 290 85 20	1 52 412 670 356 126 32	- 16 158 373 247 157 36 7	2 70 185 199 114 40	1. 14. 76 131. 94. 33.	1. 7 51. 77 76 40 1.	3 30 102 149 102 17	4 181 290 243 122 66 29
Sex not stated	1,161	322	274	177	113	63	32	29	32	119
Under 15 years————————————————————————————————————	7 1.70 330 355 186 79 30	5 109 121 67 14 5	51 92 112 51 5 3	- 48 48 73 41 8 3	20 42 36 12 3	5 15 27 15	- 2 10 8 10 1	- 4 7 9 8	1 4 6 9	2 26 41 28 16 6
All other	10,876	3,785	2,041	. 1,247	803	565	402	298	750	985
Under 15 years	204 3,031 3,180 1,940 1,286 870 333 32	182 1,917 1,091 383 148 49 13	9 61.7 829 365 149 53 19	171 519 299 166 70 18	- 48 240 245 165 81 23	7 116 193 139 83 23 4	5 46 114 111 98 26 2	2 18 77 90 75 32	1 9 76 205 297 152 10	13 263 312 196 113 64 27 5

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1973-Con.

[See headnote at beginning of table]

		ĺ			Tot	al-birth ord	er			
Age of mother, color, and sex of child	Total	1	2	- 3	4	5	6	7	8 and over	Not state
All otherCon.			-							
Male	5,638	1,972	1,051	633	411	296	211	142	410	512
nder 15 years	120	106	6	· _	_	_	_	_	-	i .
5-19 years	1,576	1,008	309	83	25	3	1		1	14
0-24 years	1,625	539	431	275	122	60	28	12	5	1.5
5-29 years	994	194	187	145	126	102	57	40	45	/ . s
0-34 years	677	88	80	85	85	66	58	43	111	i e
5-39 years	447	27	25	33	41	Š1	51.	32	158	1 2
0-44 years	186	9 9	13	10	12	12	14	3.4	86	1 :
5-49 years	13	i		2	-	2.	5	1	4	
Female	4,758	1,671	894	560	855	236	170	139	322	43
nder 15 years	78	70	3	_		_	_	_		*
5-19 years	1,313	830	272	80	21	4	3	2	1 -	1 14
0-24 years	1,401	511	357	224	106	46	16	4	4	l ī
5-29 years	865	160	164	139	106	84	50	33	30	T
0-34 years	555	54	65	76	72	65	45	42	68	
6-39 years	396	l zil	27	35	39	26	45	40	130	
0-44 years	133	- <u>Α</u>	A	-5	10	9	n l	15	65	
5-49 years	17	i	-	ĭ	ī	ž		3	5	
Sex not stated	480	142	96	54	37	33	21,	17	18	•
nder 15 years	6	6	_	_		-		_	-	
5-19 · years	142	79	36	8	2		1	-	-	1:
0-24 years	154	41	41	20	12	10	2	2	-	1
5-29 years	81	ا و ا	14	15	13	7	71	4	1	1 3
0-34 years	54	اءً ا	4	5	8	l al	ia	ŝ	1 5	
5-39 years	27	l ĭI	ĩ	5	ำ	, s	2	. 3		I
0-44 years	اندة	[]	- 1	ξ,	์ î	9	รีเ	3	1 1	l
5-49 years		. []		11	-	١٠٠١	- }	3	1 :	l

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1973
[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

	<u> </u>	<u> </u>			-				
				,	AGE OF MOTH	ER			
AREA AND COLOR	TOTAL	UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES	38,309	297	7,791	11,282	9,376	5.314	2,991	1,136	122
WHITEALL OTHER	27,433 10,876	93 204	4.760 3,031	8,102 3,180	7,436 1,940	4,028 1,286	2,121 870	803 333	90 32
ALABAHA	934	14	250	274	173	107	74	39	3
WHITE	462 472	3 11	105 145	149 125	116 57	44 63	30 44	15 24	3
ALASKA~~~~~	61	-	5	23	15	14	2	2	-
WHITE ALL OTHER	44 17	=	3 2	18 5	12 3	8 6	2 -	1 1	=
ARI ZONA	368	1	54	123	86	54	40	9	1
MHITE	298 70	1 -	41 13	93 30	77 9	47 7	30 10	ß 1	1
ARKANSAS	409	5	108	148	76	41	19	11	1
WHITE ALL OTHER	247 162	- 5	56 52	102 46	52 24	22 19	10 9	4 7	1 -
CALI FORNTA	2,904	15	513	870	767	412	229	92	6
WHITE ALL OTHER	2+358 546	8 7	368 145	714 156	670 97	339 73	185 44	71 21	3
COLORADO	472	1	89	150	122	72	29	8	1
WHITE ALL OTHER	438 34	1 -	84 5	139 11	115 7	63 9	27 2	8 -	1
CONN ECTICUT	395	5	51	94	124	73	32	13	3
WHITE ALL OTHER	334 61 :	3 2	36 13	75 19	112 12	64 9	27 5	12 1	3
DELAWARE	85	-	14	31	15	19	3	z	1
MHITE ALL OTHER	56 29	-	8 6	17 14	10 5	18 1	2 1	1 1	ī
DISTRICT OF COLUMBIA	197	. 2	49	56	44	32	12	z	-
WHITE ALL OTHER	32 165	2	4 45	5 51	8 36	11 21	2 10	2 -	=
FLORI DA	1,406	22	363	389	318	174	107	32	1
WHITE ALL OTHER	866 540	7 15	185 178	275 114	216 102	107 67	56 51	20 12	ī
GEORGI A	1,205	11	311	360	255	163	70	34	1
WHITE———— ALL OTHER—	608 597	1 10	121 190	186 174	165 90	· 86 77	34 36	15 19	1
HAHAI I	247	2	52	89	55	30	14	5	-
WHITE	77 170	_ z	15 37	34 55	16 39	9 21	12 12	1 4	=

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1973—Con. [Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

					AGE OF MOTH	ER			
AREA AND COLOR	TOTAL	UNDER 15 YEARS	15-19 YEÀRS	20-24 Years	25-29 Years	30-34 Years	35-39 YEARS	4D-44 YEARS	45-49 YEARS
IOAHO	135	1	22	46	31	21	13	1	-
WHITEALL OTHER-	123 12	1 -	20 2	42 4	28 3	20 1	11 2	1 -	
ILLI NOI S	2,109	19	400	579	551	294	182	77	7
WHITE ALL OTHER	1,366 743	4 15	197 203	372 207	403 148	208 86	123 59	53 24	6.1
INDIANA	922	9	213	296	202	108	69	22	3
WHITE ALL OTHER	734 188	3 6	158 55	238 58	177 25	90 18	49 20	17 5	2 1
10WAAWD1	373	1	54	112	98	57	27	13	1
WHITE ALL OTHER	357 16	1 -	69 . 4	108 4	94 4	54 3	26 1	13	-
KANSA S	359	1	88	103	93	42	28	4	-
WHITEALL OTHER	310 49	1 -	67 21	90 13	85 8	37 5	27 1	3	=
KENTUCKY	685	5	152	2 02	157	86	<b>6</b> B	14	1
WHITE	582 103	2 3	123 29	168 34	146 11	71 15	59 9	12 2	1_
LOUI STANA	832	6	177	244	171	· 125	78	27	4
WHITE	366 466	1 5	68 109	104 140	80 83	61 64	-34 44	8 19	2 2
MAINE	114	-	18	36	26	22	9	2	1
HHITE	113 1	-	18	. 36	26 -	22 -	8 1	2 -	1 -
MAR YLAND	624	3	125	174	171	101	32	16	2
WHITEALL OTHER	397 227	3	54 71	110 64	126 45	76 25	20 12	10 6	1
HASSACHUSETTS	757	2	116	211	201	128	76	17	6
WHITE ALL OTHER	681 76	1 1	102 14	191 20	176 25	116 12	72 4	17	6 -
MICHIGAN	1,637	11	353	479	373	241	119	54	7
MHITE ALL OTHER	1,201 436	2 9	. 112	343 136	303 70	192 49	79 40	37 17	4 3
MINNE SOTA	487	1	73	129	149	80	33	21	ı
MHITE ALL OTHER	465 22	1	9 iš	122 7	149 -	73 7	31 2	21	1 -
MISSISSIPPI	921	16	242	277	187	90	76	31	2
WHITE ALL OTHER	345 576	3 13	61 181	125 152	99 88	36 54	14 62	6 25	1 1

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1973—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

			<u> </u>		AGE OF MOTH				
AREA AND COLOR	TOTAL	UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
HISSOURI	775	9	165	214	174	104	77	29	3
WHITE- ALL OT		1 8	117 48	165 49	142 32	72 32	56 21	23 6	2 1
MONTANA	106	_	18	39	26	10	9	3	1
WHITE- ALL OT		<u> </u>	12 6	36 3	20 6	7 3	7 2	1 2	1 1
NESRA SKA	235	-	44	88	57	28	. 11	5	2
WHITE- ALL DT			39 5	80 8	52 5	25 3	10 1	4	1 1
NEVADA		_	26	27	32	15	12	z	-
WHITE-		= -	21 5	21 6	27 5	13 2	B 4	1 1	=
NEW HAMPSHIRE	<del></del> 86	1	18	29	22	9	6	1	-
WHITE ALL OT		1 -	18	28 1	22	9 -	6 -	1 -	 -
NEW JERSEY	1,161	7	178	282	367	189	90	42	6
WHITE ALL OTI	839 ER 322	2 5	99 79	188 94	300 67	150 39	64 26	32 10	4 2
NEW MEXICO	213	1	42	66	53	21	28	2	
WHITE- ALL OTH		ī	32 10	58 8	42 11	16 5	16 12	2 -	=
NEW YORK-	3, 163	11	398	902	967	501	275	98	11
MHITE- ALL OT		3 8	242 156	654 248	766 201	390 111	203 72	74 24	9
NORTH CAROLINA	1,277	12	311	400	292	162	74	25	í
WHITE ALL OTH	724 ER- 553	3 9	152 159	227 173	193 99	105 57	35 39	9 16	ĭ
NORTH DAKOTA	85	-	15	22	20	10	14	4	-
WHITE ALL OTH	73 ER 12	-	11 4	18 4	18 2	8 2	14	4	<b>1</b>
OHIO	1,778	10	33В	567	431	247	138	44	3
WHITE ALL OTH	1,414 ER 364	5 5	235 103	454 113	364 67	204 43	112 26	37 7	3 ~
OKLAHOMA	484	-	110	164	101	64	32	10	3
MHITE ALL OTH		<u>-</u>	90 20	1 33 31	79 22	50 14	21 11	4 6	3 -
OREGON	331	2	64	108	94	38	16	7	z
WHITE ALL OTH	313 R 18	2 -	57 7	102	92 2	35 3	16	7	<u>ż</u>

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1973—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

PRISTLY WARTA									
AREA AND COLOR	TOTAL		15-19 YEARS	20-24 YEARS					45-49 YEARS
PENNSYLVANIA	. 2,541	36	577	701	574	371	191	82	9
				476 225			153 38		7 2
RHODE ISLAND	109	-	22	35	26	15	7	4.	-
							7 -	4 -	-
SOUTH CAROLINA	783	9	200	227	177	90	`56	23	.1
							. 21 35		
SOUTH DAKOTA	114	-	20	. 32	29	17	9	7	ļ -
MHITEALL OTHER-									- -
TENNESSFE	893	7	208	252	219	107	72	25	3
									1 2
	2,546	28	545	747	548	347	221	99	11
									11
UTAH	218		31	. 68	58	30	21	9	1
						30		_	1 -
VERHONT	79	2		21	22	12	4		1
					22	12	<del>4</del> -	2 -	<u>1</u>
VIRGINIA	1,119	. 6	260	378	236	140	71	24	4
									2 2
WASHINGTON	431	2	65	123	144	58	25	12	2
WHITE ALL OTHER							21 4		2 -
WEST VIRGINIA	381	1	91	112	80	40	. 39	15	3
ALL OTHER		1 1				40 -		15	.3
HI SCONS IN	592		115	159	155	98	50	13	2
			98 17	137 22	145 10			13	2 -
NAGNING	57	-	13	24	12	5 ·	2	1	-
WHITEALL OTHER	55 2		13	24	10 2	5 	2	1 -	- =

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1973

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths. For the District of Columbia and the States of Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin, however, the fetal-death certificate provides total-birth order information only for previous live births and fetal deaths of 20 weeks or more gestation; see Technical Appendix]

					TOTAL-B	IRTH ORDER			<u> </u>	
AREA AND COLOR	TOTAL	1	z	3	4	5	6	7	8 AND OVER	NOT STATED
UNITED STATES	38,309	13,864	7,859	4, 938	2.997	1.924	1+182	836	1,660	3,049
WHITE ALL OTHER		10.079 3.785	5,818 2,041	3,691 1,247	2,194 803	1,359 565	760 402	538 298	910 750	2+064 985
ALABAMA	934	377	162	106	70	35	32	30	71	51
WHITEALL OTHER	462 472	199 178	81 81	65 41	38 32	18 17	14 18	13 17	9 62	25 26
ALASKA	61	22	15	6	7	7	_	1	2	1
WHITE ALL OTHER		15 7	13 2	6 -	6 1	3 4		1_	- 2	ī
ARTZONA	368	121	70	56	39	29	11	8	26	a
WHITEALE OTHER	298 70	100 21	56 14	45 11	34 5	23 6	8 3	7	17 9	8
ARKANSAS	409	152	100	49	27	19	14	11	29	9
WHITEALL OTHER		92 60	63 37	37 12	14 13	13 5	7 7	6 5	8 21	7 2
CALIFORNIA	2,904	1,226	663	352	199	121	70	52	98	123
WHITE All other-	2,358 546	986 240	546 117	295 57	165 34	107 14	58 12	36 16	80 18	85 38
COLORADO	472	174	105	77	39	24	11	12	11	19
WHITE		168 6	99 6	72 5	29 10	22 2	10 1	12	10 1	16 3
CONNECT ICUT	395	119	75	60	33	13	10	4	. 11	70
WHITEALL OTHER	334 61	98 21	67 8	50 10	27 6	13	8 2	2 2	7 4	62 8
DELAWARE	85	26	12	10	8	6	5	2	٠	16
WHITE All other		14 12	11	6 4	6 2	3 3	3 2	2 -	ī	11 5
DISTRICT OF COLUMBIA	197	82	50	24	14	8	4	1	6	8
WHITE All other	32 165	13 69	6 44	17 17	4 10	1 7	- 4	ī	1 5	ā
FLORIDA	1,406	488	254	151	89	59	34	30	53	248
WHITE ALL OTHER	866 540	322 166	168 86	106 45	. 62 27	27 32	17 17	13 17	14 39	137 111
GEORG1A	1,205	478	226	144	85	69	46	26	64	65
WHITE	608 597	240 238	125 101	82 62	35 50	36 33	24 22	12 16	18 46	36 29
HAWAI I	247	123	33	39	22	15	4	2	4	5
WHITEALL OTHER	77 170	37 86	17 16	13 26	7 15	3 12	- 4	- 2	4	รี

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1973-Con.

[See headnote at beginning of table]

	[Se	e headnote at b	eginning of	table						
					TOTAL-8	IRTH CRDER				
AREA AND COLOR .	TOTAL	1	2	3	4	5	6	7	B AND OVER	NOT Stated
IOAHO	135	56	18	18	15	10	В	2	1	7
WHITE ALL OTHER	123 12	52 4	16 2	18 _	12 3	8 2	8 -	1 1	1 -	7
ILLINOIS	2,109	720	428	304	189	115	82	43	131	97
WHITE ALL OTHER-→	1,366 743	484 236	278 150	190 114	130 59	73 42	53 29	30 13	67 64	61 36
INDIANA	922	262	147	113	59	43	23	23	32	220
MHITE All OTHER	734 188	219 43	130 17	90 23	53 6	35 8	17 6	· 15	18 14	157 63
10HA	373	127	85	61	45	20	9	4	18	4
WHITE ALL OTHER	357 16	120	83 2	59 2	42 3	20	7 2	<del>4</del> -	18 -	<u> </u>
KANSAS	359	143	88	50	28	16	7	13	8	6
WHITE ALL OTHER	310 49	126	76 12	41 9	25 3	14 2	5 2	12 1	7 1	4 2
KENTUCKY	685	261	143	80	65	37	23	27	30	19
WHITE ALL OTHER	582 103	226 35	122 21	67 13	54 11	32 5	20 3	20 7	26 4	15 4
LOUISIANA	832	219	131	83	61	47	20	21	47	203
WHITE ALL OTHER	366 466	117 102	77 54	47 36	32 29	26 21	9 11	13 8	11 36	34 169
MAINE	114	35	29	17	11	4	4	1	4	9
WHITEALL OTHER	113 1	35	29 -	17 -	. 11	4 -	<del>4</del> -	1	3 1	9
MARYL AND	624	273	147	72	45	25	16	12	14	20
HHITE ALL OTHER	397 227	169 104	99 48	51 21	32 13	13 12	10 6	6	8	9 11
MASSACHUSETTS	757	219	127	72	47	31	11	9	21	220
HHITE All OTHER-	681 76	206 13	113 14	68 4	44 3	31 -	9 2	9 -	18 3	183 37
MICHIGAN	1,637	619	345	230	149	92	58	36	62	46
WHITEALL OTHER-	1,201 436	466 153	252 93	169 61	110 39	69 23	37 21	27 9	35 27	36 10
MINNESOTA	487	175	101	73	36	25	14	11	27	25
HHITE ALL OTHER	465 22	167 8	99 2	72 1	33 3	23 2	13	11	24 3	23 2
	921	328	182	107	60	46	39	33	102	24
WHITE ALL OTHER	345 576	130 198	89 93	56 51	23 37	14 · 32	†1 28	5 28	9 93	8 16

-----

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1973 - Con.

[See headnote at beginning of table]

	[Se	e headnote at be	eginning o	f tablel						
					TOTAL-B	IRTH CROER				
AREA AND COLOR	TOTAL	1	2	3	4	5	6	7	8 AND OVER	NOT STATED
MI SSOURI	775	282	145	89	57	47	18	25	40	72
WHITEALL OTHER	578 197	218 64	111 34	65 24	38 19	37 10	14 4	12 13	23 17	60 12
MONT AN A	106	42	20	15	9	2	5	4	6	3
WHITEALL OTHER	84 22	36 6	18 2	10 5	6	1 1	4 1	3 1	3 3	3 -
NEBRASKA	235	98	45	4D	22	12	1	7	3	7
WHITEALL OTHER-	211 24	90 8	44 1	35 5	15 7	11 1	1 -	6 1	3	6 1
NEVADA	114	38	34	15	10	8	1	2	2	4
WHITE All other	91 23	31 7	26 8	15 -	9 1	5 3	ī	1 1	- 2	<u> </u>
NEW HAMPSHIRE	86	22	13	8	7	2	1	-	1	32
WHITE ALL OTHER-	85 1	22	13	B	7_	2	1	-	1 -	31 1
NEW JERSEY	1,161	369	261	159	94	51	39	17	43	128
WHITEALL OTHER-	839 322	265 104	195 66	124 35	66 28	38 13	24 15	13 4	23 20	91 37
NEW MEXICO	213	75	43	25	18	9	6	6	11	20
WHITE	166 47	64 11	33 10	22 3	15 3	7 2	5 1	4 2	3 8	13 7
NEW YORK	3,163	765	672	445	279	192	83	80	161	546
WHITE ALL OTHER-	2,341 822	607 158	505 147	334 111	208 71	138 54	55 28	58 22	74 27	362 184
NORTH CAROLINA	1,277	524	296	178	102	57	43	23	46	8
WHITE	724 553	309 215	182 114	1 <b>0</b> 9 69	58 44	28 29	16 27	7 16	11 35	‡
NORTH DAKOTA	85	. 27	23	8	6	1	5	4	9	2
WHITE ALL OTHER	73 12	24 3	17 6	7 1	6	1	5 ~	4	8 1	1
OHIG	1,778	589	367	233	119	103	61	36	68	202
WHITE	1,414 364	473 116	286 81	182 51	95 24	85 18	45 16	25 11	53 15	170 32
OKLAHOMA	484	163	96	50	35	21	19	7	15	78
WHITE ALL OTHER	380 104	137 · 26	78 18	40 10	28 7	14 7	15 4	3 4	5 10	60 18
OREGON	331	110	75	39	30	10	10	5	6	46
WHITE ALL OTHER	313 18	99 11	71	38 1	30	9	9	5	6	46

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1973-Con.

[See headnote at beginning of table]

	Sec	e headnote at be	glnning of	table]						
					TOTAL-B	IRTH ORDER	-		-	
AREA AND COLOR	TOTAL	1	2	3	4	5	6	7	8 AND OVER	NOT STATED
PENNSYLVANIA	2,541	989	534	381	221	131	87	46	82	70
WHITE ALL OTHER	1,817 724	699 290	364 170	286 95	173 48	87 44	63 24	35 11	58 24	52 18
RHODE 1SLAND	109	41	27	11	6	6	4	2	. 4	5
WHITE ALL OTHER	94 15	. 32	24 3	11	6. -	5 1	3	2 -	6 1	5 -
SOUTH CAROLINA	783	297	160	96	62	40	29	16	43	40
WHITE ALL OTHER	352 431	152 145	86 74	48 48	25 37	13 27	6 23	4 12	6 37	12 28
SOUTH DAKOTA	114	33	22	. 16	13	6	4	. 1	8	5
WHITE ALL OTHER	88 26	28 5	21 1	. 12 4	10 3	. 5 1	2 2	3 4	5 3	2 3
TENNESSEE	893	373	190	120	58	45	27	12	27	41
WHITE ALL OTHER	632 261	262 111	144 46	97 23	45 13	28 17	13 14	· 5	-7 20	31 10
TEXAS	2,546	1,107	511	303	183	125	82	'56	160	19
WHITEALL OTHER	1,946 600	830 277	400 111	237 66	143 40	98 27	. 61 21	42 14	122 38	13 6
UTAH	218	45	30	32	20	10	9	7	12	53
WHITE All Other	209 9	43 2	27 3	30 2	20	10	9 -	7	11 1	52 1
VFRMONT	79	33	. 15	8	5	5	2	2	. 3	. 6
WHITE ALL OTHER	78 1	33	14 1	8 -	<b>5</b> .	. 5 -	2 -	2	. 3	6 -
VIRGINIA	1,119	416	242	151	87	47	43	23	31	79
WHITE ALL OTHER	716 403	272 144	160 82	94 57	51 <b>36</b>	28 19	32 11	11 12	14 17	54 25
WASHI NGTON	431	164	99	43	25	19	13	13	19	36
WHITE ALL OTHER	393 38	152 12	93 6	40 3	24 1	17 2	11 2	12 1	15 4	29 7
WEST VIRGINIA	381	145	79	- 49	35	20	14	7	18	14
WHITE ALL OTHER	362 19	135 10	76 3	45 4	35 -	20 _	14	7 -	17 . 1	13 1
WISCONSIN	592	265	115	66	44	37	18	13	25	9
WHITE ALL OTHER	532 60	240 25	106 9	61 5	40 4	33 4	· 15	9 4	22 3	6 3
HAGHING	57	27	. 9	4	8	3	-3	· -	2	1
WHITE ALL OTHER	55 2	25 2	9 -	4	8 -	3 -	· 3		2 -	1

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1973 [Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV]

Fetal deaths include o		FETAL DEAT	HS IN GROUP			FETAL DEA	THS_OF 20-2		1	IIIFETAL D	EATHS OF 28	HEEKS
AREA AND COLOR		!	ATTENDANT <sup>2</sup>				ATTENDÂNT <sup>2</sup>				ATTENDANT <sup>2</sup>	
AREA AND COLOR	TOTAL	IN .	NOT IN HO	SPITAL	TOTAL	IN .	NOT IN HO	SPITAL	TOTAL	IN _	NOT IN HO	SPITAL
		HOSPITAL	PHYSICIAN	MIDWIFE		HDSPITALS	PHYSICIAN	HIOWIFE		HOSPITAL	PHYSICIAN	MIDWIFE
UNITED STATES	38,309	37,452	391	123	9,107	8,864	138	15	23,476	23,063	167	89
WHITE ALL OTHER	27,433 10,876	26,976 10,476	233 158	12 111	6+011 3+096	5,866 2,998	95 43	14	17.392 6.084	17,207 5,856	86 81	80
ALABAMA	934 462 472	874 452 422	7 3 4	39 - 39	199 95 104	186 92 94	3 2 1	8 - 8	532 266 266	494 261 233	3 - 3	25 25
ALASKA	61 44 17	57 43 14	1 1	1 - 1	18 14 4	17 14 3	=	=	40 28 12	38 27 11	1 1 -	1 1
ARIZONA	368 298 70	363 295 68	1 - 1	2 2 -	52 41 11	52 41 11	=	=	265 218 47	260 215 45	1 1	2 2
ARKANSASWHITEALL OTHER	409 247 162	396 242 154	3 1 2	1 1	92 57 35	91 57 34	<u> </u>	=	275 156 119	266 154 112	2  2	1 1
CALIFORNIA	2,904 2,358 546	2,856 2,317 539	12 9 3	=	555 428 127	546 421 125	4 3 1	=	1,994 1,660 334	1,976 1,646 330	6 4 2	111
COLORADC	472 438 34	459 426 33	9 9 -	1 1 -	191 175 16	182 167 15	6 6 -	-	276 258 18	272 254 18	3 3 ~	1 1 -
CONNECTICUT	395 334 61	388 328 60	7 6 1	=	80 69 11	78 67 11	2 2 -	=	262 224 38	258 220 38	4 4	1 1 -
DELAWARE	85 56 29	83 54 29	- - -	=	12 10 2	12 10 2	- - -	- -	58 35 23	56 33 23		111
DISTRICT OF COLUMBIA	197 32 165	192 31 161	4 - 4	- -	· 49 7 42	49 7 42	= =	- -	123 18 105	119 117 102	3 - 3	111
FEORIDA	1,406 866 540	1,371 851 520	16 9 7	8 - 8	155 109 46	147 104 43	4 3 1	2 2 2	510 332 178	500 329 171	4 3 1	4 - 4
GEORGIA	1,205 608 597	1,120 579 541	12 . 2 . 10	, 5 , 1 4	431 192 239	399 178 221	5 - 5	= =	672 362 310	626 351 275	6 2 4	5 1 4
HAMAII	247 77 170	244 77 167	3 - 3	- -	131 42 89	128 42 86	3 - 3	=	109 33 76	109 33 76	=	=
IDAHO	135 123 12	132 120 12	2 2 -	1 1 -	35 31 4	33 29 4	2 2 -	=	50 43 7	50 43 7	=	1 = =
ILLINOISALL OTHER	2,109 1,366 743	2,086 1,351 735	19 11 8	-	460 267 193	451 260 191	9 7 2	= =	1,438 947 491	1,433 945 488	5 2 3	-
INDIANA	922 734 188	903 716 187	10 9 1	=	113 98 15	106 91 15	3 3 -	=	403 341 62	399 337 62	3 3 	=
IOWA	373 357 16	369 354 15	4, 3 1	- -	72 69 <sup>-</sup> 3	70 68 2	2 1 1	= =	287 275 12	286 274 12	1 1 -	=
KANSASWHITEALL OTHER	359 310 49.	355 306 49	4 4 -	=	87 74 13	86 73 13	1 1	=	242 212 30	240 210 30	2 2 -	] =
KENTUCKY WHITE ALL OTHER	685 582 103	672 572 100	9 6 3	1 1 -	108 86 22	106 84 22	1 1 	- :	426 360 66	419 355 64	4 2 2	1 1
COUTSTANA	83 <u>7</u> 366 466	793 356 437	21 5 16	= =	107 48 59	95 46 49	6 1 5	-	363 196 167	357 194 163	5 2 3	= =
MAINE	114 113 1	112 111 1	2 2 -	- - -	23 23	22 22 -	1 1 -	= =	79 78 1	79 78 1		=

SER FOOTHOTES AT END OF TABLE.

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1973-Con. [Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV]

	ALI	L FETAL DEAT		s	GROUP I	IFETAL DEA GESTAT	THS DF 20-2 10N <sup>1</sup>	7 WEEKS	GROUP	IIIFETAL I GESTATION		WEEKS
AREA AND COLOR			ATTENDANT				ATTENDANT <sup>2</sup> .	_		1	ATTENDANT <sup>2</sup>	
ANEX MID COLOR	TOTAL	IN	NOT IN HO	SPITAL	TOTAL	IN	NOT IN HO	SPITAL	TOTAL	IN	NOT IN HO	SPITAL
		HOSPITAL	PHYSICIAN	MIOWIFE		HOSPITAL	PHYSICIAN	MIDWIFE		HOSPITAL	PHYSICIAN	MIDWIFE
MARYLANDWHITEALL OTHER	624 397 227	615 393 222	6 3 3		137 80 57	133 79 54	3 1 2	-	427 284 143	424 283 141	2 1 1	- -
MASSACHUSETTSWHITEALL OTHER	757 681 76	742 667 75	8 -7 1	-	98 86 12	94 82 12	4	· -	310 289 21	305 285 . 20	2 1 1	=
MICHIGANWHITEALL OTHER	1,637 1,201 436	1,621 1,190 431	13 10 3	-	267 166 101	260 161 99	4 4 -	= =	1,100 819 281	1,096 816 280	4 3 1	· -
MINNESOTA WHITE ALL OTHER	487 465 22	480 459 21	3 2 1	=	90 88 2	88 86 2	1 1 -	=	334 318 16	332 316 16	1 1 -	-
MISSISSIPPI	921 345 576	880 340 540	12 4 8	27 1 26	309 133 176	299 129 170	4 - -	4  4	540 187 353	515 187 328	6 - 6	19 - 19
MISSOURIWHITEALL OTHER	775 578 197	764 567 197	6 6	- -	119 78 41	116 75 41	3 3 -	=	436 316 120	432 312 120	1 1 -	ļ. Ξ
MONTANA	106 84 22	106 84 22	·	-	18 15 3	18 15 3	=	· -	60 44 16	60 44 16	-	- -
NEBRASKA WHITE ALL OTHER	235 211 24	233 210 23	2 1 1	- -	49 43 6	49 43 6	=	- -	174 159 15	179 158 15	1 1 -	-
NEVADA	114 91 23	111 88 23	- -	- -	16 11 5	15 10 5	- - -		54 41 13	53 40 13	-	- - -
NEW HAMPSHIRE	86 85 1	85 84	1 1 -	=	6 6 -	6 6	- - -		35 35 -	35 35	-	- -
NEW JERSEY	1,161 839 322	1+143 825 318	8 5 3	=	235 159 76	228 154 74	5 3 2	=	658 502 156	654 499 155	1 1 -	-
NEW MEXICOWHITE	213 166 47	208 163 45	. 2 2 -	=	41 33 8	41 33 8	- - -	- -	148 111 37	144 109 35	1 1 -	-
NEW YORK	3,163 2,341 822	3,132 2,323 809	22 11 11		1,056 786 270	1,042 776 266	11 8 3	=	1,920 1,418 502	1,906 1,413 493	9 1 8	-
NORTH CAROLINA	1,277 724 553	1,237 716 521	25 4 21	9 - 9	270 129 141	259 128 131	8 - 8	- -	949 573 376	925 568 357	14 3 11	8 - 8
NORTH DAKOTA	85 73 12	82 70 12	3 3 ~	- -	21 21 -	21 21 -	_ _ _	=	56 48 8	55 47 8	1 1.	= =
OHIO  WHITE ALL OTHER-	1,778 1,414 364	1,755 1,399 356	12 8 4	=	297 200 97	291 197 94	4 2 2	=	991 792 199	986 788 198	3 2 1	=
GKLAHOMA	484 380 104	471 369 102	3 3 -	=	84 69 15	82 68 14	- - -	=	295 232 63	291 228 63	1 1 -	=
DREGONWHI TEALL OTHER	331 313 18	325 308 17	5 4 1	=	107 100 7	106 100 6	1 - 1	=	211 202 9	207 198 9	4 4	=
PENNSYLVANIA	2,541 1,817 724	2+481 1,768 713	44 37 7	=	1,161 666 495	1,139 645 494	19 18 1	- - -	1,365 1,139 226	1,327 1,111 216	25 19 6	=
RHODE ISLAND	109 94 15	109 94 15	=	-	23 17 6	23 17 6	= =	=	60 54 6	60 54 6	= -	=
SOUTH CARCLINA	783 352 431	747 347 400	10 3 7	17 1 16	156 66 90	153 64 89	1 1 -	-	508 246 262	487 244 243	5 1 4	12 1 11
SOUTH DAKOTA	114 88 26	112 87	2 1 1		21 16 5	21 16 5	=	=	80 62 18	79 62 17	1 1	=

SEE FOOTNOTES AT END OF TABLE.

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1973-Con.

	ALI	FETAL DEAT		s	GROUP I	IFETAL DEA GESTAT	THS OF 20-2 ION 1	7 WEEKS	GROUP :	IIIFETAL D GESTATION		WEEKS
AREA AND COLOR			ATTENDANT <sup>2</sup>				ATTENDANT <sup>2</sup>				ATTENDANT≥	
	TOTAL	in	NOT IN HO	SPITAL	TOTAL	IN	NOT IN HO	SPITAL	TOTAL	IN	NOT IN HO	SPITAL
		HOSPITALS	PHYSICIAN	HIDWIFE		HDSPITAL	PHYSICIAN	MIDWIFE		HOSPITAL	PHYSICIAN	MIOWIFE
TENNESSEE	893 632 261	886 630 256	5 1 4	-	171 107 64	171 107 64	- - -	= =	643 469 174	639 469 170	4 - 4	=
TEXAS	2,546 1,946 600	2,487 1,909 578	15 8 7	11 4 7	641 453 188	627 445 182	7 4 3	1 1 -	1,882 1,473 409	1,839 1,446 393	6 2 4	10 3 7
WHITE ALL OTHER	218 209 9	210 201 9	6 6 -	=	29 27 2	29 27 2	- - -	= -	93 89 4	90 86 4	2 2 -	1 1 1
VERHONTWHI TE ALL OTHER	79 78 1	77 76 1	1 1 -	= =	17 16 1	16 15 1	=	=	57 57	56 56 -	1 1	] =
VIRGINIA	1.119 716 403	1,087 705 382	21 10 11	=	439 276 163	428 270 158	8 6 2	-	658 428 230	637 423 214	13 4 9	=======================================
WASHINGTONWHITE WHITE ALL OTHER	431 393 38	423 386 37	3 3 -		63 58 5	61 57 4	1 1 -	=	244 232 12	240 228 12	1 1 -	=======================================
WHITE ALL OTHER	381 362 19	375 356 19	2 2 -	=	55 50 5	53 48 5	1 1 -	-	284 273 11	283 272 11	1 1 -	-
WHITE ALL OTHER	592 532 60	586 526 60	5 5 -	=	128 109 19	126 107 19	. 1	=	462 421 41	458 417 41	4 4 -	1 1 1
HYOMING	57 - 55 2	57 55 2	=	-	13 12 1	13 12 1	=		38 37 1	38 37 1	= =	

<sup>1</sup>Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

<sup>2</sup>Petal deaths attended by other and not specified persons are not shown separately but are included in "Total."

<sup>3</sup>Includes all fetal deaths in hospitals or institutions and fetal deaths attended by physicians in clinics.

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1973

Ferni deaths inc						· · · · · · · · · · · · · · · · · · ·		weight <sup>1</sup>				***	•
Flurality of birth, color, and sex	Total.	500 grams or less	501- 1,000 grams	1,001 1,500 grems	1,501- 2,000 grams	2,001- 2,500 grems	2,501- 3,000 grams	3,001- 3,500 grams	3,501. 4,000 grams	4,001_ 4,500 grams	4,501. 5,000 grams	5,001 grams or more	Not stated
Total	38,309	3,675	6,871	4,038	3,712	3,716	3,560	3,399	2,074	791	366	243	5,864
Fetal deaths in single deliveries———————————————————————————————————	35,773 2,466 70	3,144 519 12	6,292 558 21	3,752 279 7	3,421 282 9	3,474 236 6	3,409 150 1.	3,348 50 1.	2,063 11.	785 6	364 2	240 3 -	5,481 370 13
Male	19,422	1,896	3,662	2,045	-1,942	1,899	1,785	1,683	1,161	452	226	157	2,514
Fetal deaths in single deliveries	18,092 1,287 43	1,619 267 10	3,350 302 10	1,909 131 5	1,778 158 6	1, <i>77</i> 1 123 5	1,706 79 -	1,646 37	1,156 5 -	452 -	225 1 -	155 2 -	2,325 182 7
Female	17,246	1,503	3,078	1,960	1,734	1,799	1,768	1,70B	970	338	1.39	84	2,225
Fetal deaths in single deliveries	16,135 1,088 23	1,279 222 2	2,818 249 11	1,813 145 2	1,608 123 3	1,686 112 1	1,696 71 1	1,694 13 1	904 6 -	332 6 -	138 1 -	83 1 -	2,084 139 2
Sex not stated	1,641	276	131.	33	36	18	7	. 6	3	1	1	2	1,125
Fetal deaths in single deliveries Fetal deaths in twin deliveries	1,546 91 . 4	246 30 -	124 7 -	30 3 -	35 1 -	17 1 -	7 -	8 - -	3 - -	1 -	1. - -	- 5	1,072 49 4
White	27,433	2,412	4,447	2,854	2,629	2,699	2,665	2,610	1,666	604	261	160	4,426
Fetal deaths in single deliveries Fetal deaths in twin deliveries	25,546 1,824 63	2,032 369 11	4,045 385 17	2,641 207 6	2,404 217 8	2,506 187 6	2,545 119 1	2,566 43 1.	. 1,655 11 -	600 4 -	261	157 3 -	4,134 279 13
Male	13,784	1,224	2,397	1,425	1,378	1,389	1,304	1,274	912	338	162	109	1,872
Fetal deaths in single deliveries Fetal deaths in twin deliveries	12,805 941 38	1,024 190 10	2,183 208 6	1,324 96 5	1,260 113 5	1,290 94 5	1,241 63 -	1,241 33 -	907 5 -	338 - -	162 - -	107 2	1,728 137 7
Female	12,488	1,037	1,980	1,407	1,229	1,296	1,357	1,353	751	.266	. 99	50	1,683
Fetal deaths in single deliveries Fetal deaths in twin deliveries Fetal deaths in other plural deliveries	11,640 827 21	877 159 1	1,796 173 11	1,29B 106 1	1,123 103 3	1,203 92 1	1,300 56 1	1,322 10 1	745 6 -	262 4 -	99  	49 1	1,566 . 115 2
Sex not stated	1,161	151	70	22	22	14	4	3	3	-	-	ı	871
Fetal deaths in single deliveries Fetal deaths in twin deliveries Fetal deaths in other plural deliveries	1,101 56 4	131 20 -	66 4 -	19 3 -	21 1	13 1	.4 - -	3 - -	3 	_ 	- - -	1	840 27 4
All other	10,876	1,263	2,424	1,184	1,083	1,017	895	789	408	187	105	83	1,438
Fetal deaths in single deliveries	10,227 642 7	1,132 150 1	2,247 173 4	1,111 72 1	1,017 65 1	968 49 	864 31	782 7 -	408 - -	185 2 -	103 2 -	83 - -	1,347 91
Male	5,638	. 672	1,265	620	564	510	481	409	249	114	64	48	642
Fetal deaths in single deliveries Fetal deaths in twin deliveries	5,287 346 5	595 77 -	1,167 94 4	585 35	518 45 1	481 29 -	465 16 -	405 4 -	249 - -	134	63 1 -	48 	597 45 -
Female	4,758	466	1,098	553	505	503	411	375	159	. 72	40	34	542
Fetal deaths in single deliveries	4,495 261 2	402 63 1	1,022 76	515 37 1	485 20	483 20	396 15	372 3 -	159	70 2 -	39 1 -	34 - -	518 24 -
Sex not stated	480	125	61	11.	14	4	3	· 5	-	1	1	1	254
Fetal deaths in single deliveriesFetal deaths in twin deliveries	445 35	115 10 -	58 3 -	u -	14 - -	4 - -	3 - -	5 - -		1 -	1 -	1	232

<sup>&</sup>lt;sup>1</sup>Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1973

	<del></del> 1	1		· -						
Manual the second second second second					Peri	od of gestati	on <sup>1</sup>			
Flurality of birth, color, and sex	Total.	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Total	38,309	4,834	4,273	3,931	5,001	2,023	5,317	3,321	3,893	5,726
Fetal deaths in single deliveries	35,775 2,466 70	4,432 393 9	3,851. 404 18	3,623 295 13	4,696 299 6	1,880 142 1	4,960 346 11	3,155 163 3	3,776 106 1	5,400 318 8
Male	19,422	2,317	2,188	2,039	2,547	1,056	2,727	1,702	i,882	2,964
Fetal deaths in single deliveries	18,092 1,287 43	2,090 222 5	1,972 204 12	1,874 158 7	2,387 156 4	985 70 1	2,539 180 8	1,614 86 2	1,822 59 1	2,809 152 3
Penale	17,245	1,671	1,751	1,740	2,349	942	2,548,	1,602	1,974	2,669
Fetal deaths in single deliveries	16,135 1,088 23	1,522 147 2	1,566 179 6	1,606 128 6	2,212 156 1	872 70 -	2,393 153 2	1,528 73 1	1,930 44	2,506 158 S
Sex not stated	1,641	845	334	152	1.05	25	42	17	27	93
Fetal deaths in single deliveries Fetal deaths in twin deliveries Fetal deaths in other plural deliveries	1,546 91 4	820 24 2	313 21 -	143 9	97 7 1	23 2 -	28 13 1	13 4 -	24 3 -	85 8
White	27,433	3,126	2,885	2,697	3,585	1,497	4,028	2,479	3,106	4,030
Fetal deaths in single deliveries Fetal deaths in twin deliveries Fetal deaths in other plural deliveries	25,546 1,824 63	2,858 260 8	2,577 290 18	2,466 221 10	3,354 226 5	1,383 114 -	5,727 291 10	2,365 111 3	3,022 83 1	3,794 228 8
Male	13,784	1,487	1,470	1,380	1,829	765	2,042	1,252	1,470	2,089
Fetal deaths in single deliveries	12,805 941 38	1,332 150 5	1,311 147 12	1,264 112 4	1,708 117 4	712 53	1,883 152 7	1,195 55 2	1,426 43 1	1,974 112 3
Femal.e	12,488	1,080	1,159	1,195	1,677	716	1,955	1,217	1,613	1,876
Fetal deaths in single deliveries	11,640 827 21	976 103 1	1,025 128 6	1,088 101 6	1,574 103	656 60 -	1,823 130 2	1,163 53 1	1,576 37	1,759 112 5
Sex not stated	1,161	559	256	122	79	16	31.	10	23	65
Fetal deaths in single deliveries	1,101 56 4	550 7 2	241 15 -	114 8 -	72 6 1.	15 1	21 9 1	7 3 -	20 3 -	61. 4
All other	10,876	1,708	1,388	1,234	1,416	526	1,289	842	777	1,695
Fetal deaths in single deliveriesFetal deaths in twin deliveriesFetal deaths in other plural deliveries	10,227 642 7	1,574 133 1	1,274 114 -	1,157 74 3	1,342 73 1	497 28 1	1,233 55 1	790 52 -	754 23	1,606
Male	5,638	830	718	659	718	291.	685	450	412	675
Fetal deaths in single deliveries	5,287 346 5	758 72 -	661. 57 -	610 45 3	679 39	273 17 1	656 28 1	419 31 -	396 16	835 40
Female	4,758	591.	592	545	672	226	593	385	361.	793
Fetal deaths in single deliveries———————————————————————————————————	4,495 261 2	546 44 1	541 51 -	51.8 27 -	638 33 1	21.6 10	570 23	365 20	354. 7	747 46
Sex not stated	480	287	78	30	26	9	. 11	7	4	28
Fetal deaths in single deliveries	44S 85	270 17 -	72 6 -	29 1 -	25 1 	8 1 ~	7 4 	6 1 -	4	24 4

Period of gestation reported in months allocated to gestation intervals in weeks as shown in Technical Appendix.

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1973

g our sound	nicione only	diose with	stated or	ргевищес	period o	gestation	or 20 Meek	s or more; se	e Technic	al Appendi	<u> </u>	====	
ANTA COLOR AND COV	-b				<del> </del>		BIRTH	MEICHT,		,	, — —		<del></del> -
AREA, GOLOR, AND SEX	TOTAL	500 GRAMS OR LESS	501- 1,000 GRAMS	1,001- 1,500 GRAMS	1.501- 2.000 GRAMS	2.001- 2.500 GRAMS	2,501- 3,000 GRAMS	3,001- 3,500 GRAMS	3,501~ 4,000 GRAMS	4,001- 4,500 GRAMS	4,501- 5,000 GRAMS	5,001 GRAMS DR MORE	NOT STATED
UNITED STATES	38,309	3,675	6,871	4,038	3,712	3,716	3,560	3.399	2,074	791	366	243	5,864
WHITEALL OTHER	27,433 10,876	2,412 1,263	4,447 2,424	2,854 1,184	2,629 1,083	2,699 1,017	2+665 895	2,610 789	1+666 408	604 187	261 105	160 83	4,426 1,438
MALEWHITEALL OTHER	19,422 13,784 5,638	1,896 1,224 672	3,662 2,397 1,265	2,045 1,425 620	1,942 1,378 564	1.899 1.389 510	1.785 1.304 481	1.683 1.274 409	1,161 912 249	452 338 114	226 162 64	157 109 48	2,514 1,872 642
FEMALE	17,246 12,488 4,758	1,503 1,037 466	3,078 1,980 1,098	1,960 1,407 553	1,734 1,229 505	1,799 1,296 503	1,768 1,357 411	1,708 1,333 375	910 751 159	338 266 72	139 99 40	84 50 34	2,225 1,683 542
SEX NOT STATED	1,641 1,161 480	276 151 125	131 70 61	33 22 11	36 22 14	18 14 4	7 4 3	8 3 5	3 3 -	1	1	2 1 1	1,125 871 254
ALABAMA	934 462 472	57 33 24	197 103 94	89 48 41	111 48 63	103 56 47	82 38 44	75 42 33	48 ( 25 23 (	21 11 10	15 6 9	10 2 8	126 50 76
ALASKA WHITE ALL OTHER	61 44 17	7 7 -	6 6 -	5 4 1	7 4 3	11 9 2	4 3 1	5 3 2	2 1 1	1 1 -	- - -	_	· 13 6 7
ARIZONA	368 298 70	20 14 6	57 44 13	45 39 6	44 34 10	40 32 8	50 43 7	32 26 6	24 21 3	11 10 1	5 4 1	2 2 -	38 29 9
ARKANSAS	409 247 162	22 12 10	76 43 33	61 39 22	44 24 20	33 15 18	34 18 16	49 34 15	26 18 8	6 3 3	4 2 2	3 2 2 1	51 37 14
CALIFORNIA	2,904 2,358 546	189 147 42	603 465 138	325 265 60	320 257 63	325 265 60	336 289 48	310 243 47	193 175 18	61 52 9	35 28 7	22 18 4	185 135 50
WHITE ALL OTHER	472 438 34	61 54 7	70 63 7	33 27 6	35 33 2	34 33 I	38 36 2	19 18 1	11 10 1	6 6 ~	2 2 -	<u>-</u>	163 156 7
CONNECTICUT	395 334 61	32 25 7	77 69 8	48 41 7	39 32 7	51 43 8	45 39 6	41 34 7	23 22 1	4 3 1	3 2 1	1 1	31 23 8
DELAWARE	85 56 29	4 3 1	10 7 3	10 7 3	8 6 2	14 9 5	9 6 3	9 4 5	4	4 2 2	- {	-\ -\	13 8 5
DISTRICT OF COLUMBIA WHITE	197 32 165	15 2 13	49 7 42	25 2 23	25 5 20	22 6 16	24 5 19	14	7 1 6	1 1 -	2 2	<u>-</u> {	13 3 10
FLORIDA	1,406 866 540	79 49 30	262 159 103	163 101 62	145 90 55	135 93 42	118 74 44	121 87 34	55 36 19	27 14 13	13 9 4	4 1 3	284 153 131
GEORGIAWHITEALL OTHER	1,205 608 597	137 65 72	229 80 149	125 77 48	113 55 58	94 47 47	106 60 46	108 68 40	37 16 21	28 16 12	9 2 7	7 1 6	212 121 91
HAHAII	247 77 170	92 24 68	39 17 22	10 2 8	18 4 14	16 3 13	10 3 7	9 1 8	9 7 2	1	- -	-	43 15 28
IDAHO HHITE ALL OTHER ALL	135 123 12	7 7	16 13 3	16 15 1	4 2 2	10 8 2	8 7 1	6 5 1	3 2 1	3	3	-	59 58 1
ILLINOIS	2,109 1,366 743	189 123 66	472 257 215	261 159 102	202 126 76	233 151 82	210 148 62	187 133 54	145 110 35	42 30 12	26 17	12	130 106 24
INDIANA	922 734 188	48 36 12	118 89 29	76 60 16	74 58 16	70 60 10	65 48 17	90 82 8	46 40 6	26 20 6	9 6 3	11 10	289 225 64
YOHA WHITE ALL OTHER	373 357 16	39 39 -	49 47 2	43 40 3	43 38 5	37 35 2	44 44 -	46 45 1	27 26	7 6	8 7 1	5	25 25
KANSAS	359 310 49	40 34 6	67 56 11	53 45 8	29 28	29 26 3	46 38 8	33 28 5	24 21 3	15	3	2 2	18 14 4
KENTUCKY	685 582 103	52 44 8	120 91 29	80 62 18	71 64 7	81 74 7	60 51 9	64 53 11	45 41 4	17 16 1	B 8 -	1 1	86 77 9

<sup>&</sup>lt;sup>1</sup>Equivalents of the gram weights in terms of pounds and cances are shown in the Technical Appendix

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1973-Con.

, Great weaths	morage only	LIVAC WITH B	EXECUTOR P	a cauneu	her ion OI	Registing (		weight	- Tecinica	Appendix	<u> </u>		
AREA, COLOR, AND SEX	TOTAL	500 GRAMS OR LESS	501- 1,000 GRAMS	1,001- 1,500 GRAMS	1.501- 2.000 GRAMS	2,001- 2,500 GRAMS	2,501- 3,000 GRAMS	3,001~ 3,500 GRAMS	3,501~ 4,000 GRAMS	4,001- 4,500 GRAMS	4,501~ 5,000 GRAMS	5,001 GRAMS OR MORE	NOT STATED
LOUISIANA	832 366 466	29 16 13	164 65 99	118 45 73	87 34 53	80 39 41	83 35 48	82 38 44	45 28 17	19 9 10	12 5 7	5 3 2	108 49 59
MAINE WHITE ALL OTHER-	114 113 1	7 7 -	10 10	15 15 -	9 —	13 13	10 10	12 12 -	3 3 -	5 5 	2 2	1 1	27 26 1
MARYLAND-WHITEALL OTHER	624 397 227	64 43 21	150 78 72	82 46 36	67 43 24	80 54 26	57 43 14	42 35 7	28 21 7	15 10 5	5 4 1	4 3 1	30 17 13
MASSACHUSETTS	757 681 76	61 56 5	156 135 21	106 98 8	107 97 10	73 69 4	43 42 1	58 54 4	30 27 3	16 16 -	4 3 1	1 1	102 83 19
MICHIGAN . WHITEALL OTHER	1,637 1,201 436	133 95 38	286 181 105	178 126 52	175 126 49	164 117 47	125 96 29	153 124 29	106 83 23	45 34 11	15 9 6	10 6 4	247 204 43
MINNESOTA	487 465 22	38 37 1	83 79 4	36 34 2	42 38 4	36 33 3	50 49 1	42 41 1	38 37 1	13 13 -	4 4 	ا تا تا	102 97 5
MISSISSIPPI	921 345 576	84 28 56	126 39 87	75 20 55	68 25 43	81 30 51	72 20 52	79 28 51	46 25 21	20 4 16	9 3 6	9 2 7	252 121 131
MISSOURI WHITE ALL OTHER	775 578 197	42 31 11	120 79 41	81 51 30	74 54 20	63 42 21	75 54 21	71 55 16	32 25 7	16 14 2	4 4 -	4 2 2	193 167 26
MONTANA	106 84 22	7 6 1	22 20 2	7 7 -	7 3 4	10 9 1	10 6 4	13 9 4	4 2 2	1 1	-	111	25 21 4
NEBRASKA	235 211 24	22 21 1	46 39 7	22 22 -	20 15 5	20 19 1	30 28 2	32 29 3	11 10 1	6 5 1	2 2	111	24 21 3
NEVADA WHITE ALL OTHER	114 91 23	7 6 1	16 10 6	12 10 2	8 7 1	9 6 3	13 10 3	. 12 8 4	2 2 -	3 3 -	1 1	111	31 29 2
NEW HAMPSHIRE	86 65 1	5 4 1	4 4 -	8 8 -	3	10 10 -	3 3 -	5 5 -	3 3 ~	1 1 -	1 - 1	111	44 44
NEW JERSEY	1,161 839 322	107 81 26	223 146 77	134 98 36	113 84 29	93 67 26	111 87 24	118 91 27	70 49 21	17 16 1	3 3 -	11 8 3	161 109 52
NEW MEXICO	213 166 47	9 6 3	33 28 5	21 18 3	25 21 4	27 18 9	22 17 5	17 10 7	14 9 5	10 7 3	3 3 -	111	32 29 3
NEW YORK	3,163 2,341 822	301 229 72	469 305 164	263 181 82	268 185 83	241 162 79	237 175 62	214 163 51	122 95 27	41 29 12	15 10 5	18 12 6	974 795 179
NORTH CAROLINAWHITEALL GTHER	1,277 724 553	105 47 58	269 141 128	148 78 70	146 88 58	155 82 73	131 83 48	124 73 51	86 64 22	. 23 . 14 9	17 11 6	9 6 3	64 37 27
NORTH DAKOTA	85 73 12	13 12 1	10 8 2	5 5	9 7 2	9 9 -	8 7 1	8 8 	2 1 1	2 1 1	3 3 -	1 - 1	15 12 3
OHIO	1,778 1,414 364	144 104 40	297 199 98	168 138 30	169 132 37	167 135 32	154 130 24	146 126 20	103 89 14	30 25 5	16 12 4	12 10 2	372 314 58
OKLAHOMA***********************************	484 380 104	37 33 4	83 62 21	49 94 15	54 42 12	40 31 9	52 43 9	39 28 11	31 27 4	11 7 4	3 2 1	7 5 2	78 66 12
OREGON	331 313 18	36 32 4	<del>44</del> 42 2	26 23 3	24 23 1	33 31 2	26 23 3	20 18 2	8 8 	5 5 -		1 1 -	108 107 1
PENNSYLVANIA	2,541 1,817 724	768 409 359	460 299 161	· 237 189 48	165 126 39	202 173 29	217 182 35	172 152 20	115 105 10	41 36 5	17 15 2	13 9 4	134 122 12
RHODE ISLAND	109 94 15	13 8 5	23 19 4	16 15 1	14 13 1	9	4 3 1	10 9 1	4 4 -		1 - I	1 -	15 14 1
SOUTH CAROLINAWHITEALL OTHER	783 352 431	59 28 31	125 58 67	65 38 27	77 42 35	62 31 31	70 27 43	83 44 39	36 21 15	12 7 5	9 3 6	5 2 3	180 51 129

Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1973-Con.

·			<u>-</u>										
-					-		BIRTH	WEIGHT					
AREA, COLOR, AND SEX	TOTAL	500 GRAMS OR LESS	501- 1,000 GRAMS	1,001- 1,500 GRAMS	1,501~ 2,000 GRAMS	2,001- 2,500 GRAMS	2,501- 3,000 GRAMS	3.001- 3.500 GRAMS	3,501- 4,000 GRAMS	4,001- 4,500 GRAMS	4,501- 5,000 GRAMS	· 5:001 GRAMS OR MORE	NOT STATED
SOUTH DAKOTA	114 88 26	13 10 3	11 9 2	12 6 6	13 10 3	12 10 2	12 8 4	7 5 2	8 8 —	4 4 -	Ē	=	22 18 4
TENNESSEE	893 632 261	71 49 22	186 116 70	102 65 37	114 83 31	83 57 26	100 74 26	90 70 20	50 45 5	22 16 6	11 5 6	8 4 4	56 48 8
TEXAS WHITE ALL DTHER	2,546 1,946 600	164 120 44	521 347 174	300 225 75	277 218 59	319 246 73	290 236 54	268 209 59	179 151 28	65 55 10	38 35 3	25 21 4	100 83 17
UTAH	218 209 9	6 6 -	16 14 2	10 10 -	11 10 1	7 6 1	14 14 -	14 13 1	7 7 -	1 1 -	1 1 -	2 2 -	129 125 4
VERMONT	79 78 1	6	. 9 8 1	6 6 -	6 6 -	9 9 -	15 15 -	7 7 -	3 3 -	- -	2 2 -	1 1 -	15 15
VIRGINIA	1,119 716 403	147 85 62	161 89 72	108 61 47	98 61 37	107 69 38	98 65 33	78 61 17	55 39 16	20 14 6	6 3 3	7 1 6	234 168 66
WASHINGTON	431 393 38	19 18 1	59 51 8	53 48 5	37 33 4	40 37 3	32 29 3	42 40 2	25 24 1	9 9 -	5 5 -	2 2 -	108 97 11
WEST VIRGINIAWHITEALL OTHER	381 362 19	22 20 2	61 54 7	31 30 1	36 34 2	46 43 3	36 36 -	44 42 2	31 31 -	5 5 -	5 5 -	1 1 -	63 61 2
WISCONSINWHITEALL OTHER	592 532 60	43 38 5	101 87 14	69 64 5	53 46 7	73 63 10	68 63 5	75 73 2	42 38 4	28 24 4	.7 .7 	3 3 -	30 26 4
HYOMINGALL OTHER	57 55 2	3 3 -	10 10 -	7 7 -	4 3 1	5 5 -	3 3	4 4 -	6 6 -	4	1 1 -	- - -	10 9 1

Liquivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1973

					PERIOD	OF GESTATION	1			
AREA, COLOR, AND SEX	TOTAL	20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED
UNITED STATES	38,309	4,834	4,273	3,931	5,001	2,023	5,317	3,321	3,883	5,726
WHITE	27,433	3,126	2,885	2,697	3,585	1,497	4,028	2,479	3,106	4+030
ALL OTHER	10,876	1,708	1,388	1,234	1,416	5 <b>26</b>	1,289	842	777	1+696
MALE	19,422	2,317	2,188	2,039	2,547	1,056	2,727	1,702	1,882	2+964
White	13,784	1,487	1,470	1,380	1,829	765	2,042	1,252	1,470	2+089
All other	5,638	630	718	659	718	291	685	450	412	875
FEMALE	17,246	1,671	1,751	1,740	2,349	942	2,548	1,602	1,974	2,669
WHITE	12,488	1,08D	1,159	1,195	1,677	716	1,955	1,217	1,613	1,876
ALL OTHER	4,758	591	592	545	672	226	593	385	361	793
SEX NOT STATED	1,641	846	334	152	105	25	42	17	27	93
	1,161	559	256	122	79	16	31	10	23	65
	480	287	78	30	26	9	11	7	4	28
ALABANA	934	97	102	103	108	42	63	201	15	203
	462	45	50	49	56	15	41	92	13	101
	472	52	52	54	52	27	22	109	2	102
ALASKA	61	11	7	7	7	7	8	5	6	3
	44	9	5	6	6	2	6	4	4	2
	17	2	2	1	1	5	2	1	2	1
ARTZONA	368	22	30	33	62	20	74	30	46	51
	298	18	23	26	48	16	64	25	39	39
	70	4	7	7	14	4	10	5	7	12
ARKANSASWHITEALL OTHER	409	41	51	58	50	22	33	101	11	42
	247	24	33	32	24	13	20	61	6	34
	162	17	18	26	26	9	13	40	5	8
GALIFORNIA	2,904	234	321	300	421	139	508	176	450	355
	2,358	175	253	231	346	118	429	146	390	270
	546	59	68	69	75	21	79	30	60	85
COLORADO	472 438 34	120 111 9	71 64 7	60 51 9	64 62 2	24 23 1	59 55 4	20 20 -	49 47 2	5 5
CONNECTICUT	395	45 <sup>-</sup>	35	42	56	25	64	50	25	53
	334	40	29	33	47	23	54	44	23	41
	61	5	6	9	9	2	10	6	2	12
DELAWARE	85 56 29	· 4 4 -	8 6 2	8 5 3	11 7 4	6 3 3	16 10 6	14 7 7	3 3	15 11 4
DISTRICT OF COLUMBIA WHITE ALL OTHER-	197	23	26	24	34	11	27	8	19	25
	32	3	4	4	6	2	3		3	7
	165	20	22	20	. 28	9	24	8	16	18
FLORIDAWHITEALL OTHER	1,406	71	84	115	127	32	99	42	95	741
	866	43	66	67	70	23	64	36	72	425
	540	28	18	48	57	9	35	6	23	316
GEORGIA	1,205	273	158	136	134	71	96	195	40	102
	608	126	66	60	74	33	62	107	26	54
	597	147	92	76	60	38	34	- 88	14	48
HAWAII	247	104	27	28	26	6	28	5	16	7
	77	32	10	8	8	1	9	1	6	2
	170	72	17	20	18	5	19	4	10	5
IDAHG	135	23	12	9	9	3	13	11	5	50
	123	22	9	8	8	3	11	9	4	49
	12	1	3	1	1	-	2	2	1	1
ILLINOIS WHITE ALL OTHER-	2,109	221	239	224	330	100	379	121	284	211
	1,366	127	140	130	222	66	249	73	207	152
	743	94	99	94	108	34	130	48	77	59
INDIANA	922	51	62	53	78	31	94	53	94	406
	734	44	54	43	61	27	81	47	82	295
	188	7	8 j	10	17	4	13	6	12	111
IOMA WHITE ALL OTHER	373 357 16	34 33 1	38 36 2	.46 43 3	60 55 5	15 15 -	71 71 -	27 27	68 64 4	14 13
KANSASHHITEALL OTHER-	359	42	45	37	38	20	55	24	68	30
	310	35	39	32	36	16	47	21	60	24
	49	7	6	5	2	4	8	3	8	6
KENTUCKY WHITE ALL OTHER	685	43	65	78	92	30	106	38	82	151
	582	32	54	66	76	26	93	28	71	136
	103	11	11	12	16	4	13	10	11	15

Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1973-Con.

				****	PERIOD	OF GESTATION	1			
AREA, COLUR, AND SEX	TOTAL	20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED
LOUISTANA	832	42	65	54	78	28	102	37	64	362
	366	23	25	32	35	12	68	20	29	122
	466	19	40	22	43	16	34	17	35	240
MAINE WHITE ALL OTHER	114	10	13	15	10	6	22	- 8	18	12
	113	10	13	15	10	6	21	8	18	12
	1	-	-	-	-	-	1	-	-	-
MARYLAND	624	59	78	73	95	29	112	37	81	60
	397	37	43	36	66	21	75	25	61	33
	227	22	35	37	29	8	37	12	20	27
MASSACHUSETTS	757	40	. 58	58	72	14	81	17	68	349
	681	35	51	53	66	12	80	15	63	306
	. 76	5	7	5	6	2	1	2	5	43
MICHIGAN	1,637	115	152	175	218	87	273	102	245	270
	1,201	70	96	124	159	64	206	80	186	216
	436	- 45	56	51	59	23	67	22	59	54
HINNESOTA	487	44	46	41	58	33	91	40	71	63
	465	44	44	40	53	32	85	40	68	59
	22	-	2	1	5	1	6	-	3	4
HISSISSIPPI	921	186	123	85	131	29	160	34	101	72
	345	89	44	24	44	9	51	11	48	25
	576	97	79	61	87	20	109	23	53	47
MISSOURI	775	52	· 67	72	105	31	93	. 40	95	220
	578	40	38	50	73	22	64	31	76	184
	197	12	29	22	32	0	29	9	19	36
MONTANA	106	5	13	6	13	4	20	7	10	28
	84	4	11	5	12	3	14	5	5	25
	22	1	2	1	1	· 1	6	2	5	3
NEBRASKA	235	23	26	22	37	11	56	11	37	12
	211	20	23	18	36	11	50	11	33	9
	24	3	3	4	1	-	6	-	4	3
NEVADA	114 91 23	11 6 5	5 5 -	8 5 3	10 ) 10 -	4 3 1	13 9 4	5 3 2	14 11 3	44 39 5
NEW HAMPSHIRE	86 85 1	5 5 -	1 1 -	6 6 -	6 6 -	4 4 -	11 11 -	3	5 5 -	45 44 · 1
NEW JERSEY	1,161	109	126	97	158	52	173	56	122	268
	839	75	84	70	122	40	121	48	101	178
	322	34	42	27	36	12	52	8	21	90
NEW MEXICO	213	20	21	21	. 27	13	25	45	17	24
	166	15	18	17	21	10	17	33	13	22
	47	5	3	4	6	3	8	12	4	2
NEW YORK	3,163	584	472	367	442	160	455	150	346	187
	2,341	446	340	265	307	124	335	117	270	137
	822	138	132	102	135	36	120	33	76	50
NORTH CAROLINA	1,277	119	151	164	210	69	226	80	200	58
	724	53	76	90	120	35	147	49	132	22
	553	66	75	74	90	34	79	31	68	36
NORTH DAKOTA	85 73 12	9 9	12 - 12 -	7 - 6 1	10 9 1	. 4 2 2	17 16 1	4 2 2	14 13 1	8 4 4
OHIO	1,778	143	154	164	236	72	245	91	183	490
	1,414	96	104	125	187	60	198	76	146	422
	364	47	50	39	49	12	47	15	37	68
OKLAHOMA	484	34	50	43	81	19	52	36	64	105
	380	26	43	· 29	65	15	40	31	52	79
	104	8	7	14	16	4	12	5	12	26
OREGON	331	62.	45	39	51	13	53	17	38	13
	313	59	41	36	50	13	51	16	36	11
	18	3	4	3	1	-	2	1	2	2
PENNSYLVANIA	2,541	843	318	227	270	159	242	349	118	15
	1,817	445	221	170	211	132	206	310	110	12
	724	398	97	57	. 59	. 27	36	39	8	3
RHODE ISLAND	109	8	15	16	14 :	7	12	7	4	26
	94	6	11	15	12	7	12	4	4	23
	15	2	4	1	2	-	-	3	-	3
SOUTH CAROLINA	783	70	86	86	1.05	37	126	57	97	119
	352	25	41	33	48	16	57	33	59	40
	431	45	45	53	57	21	69	24	38	79

Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1973-Con.

					PER100	OF GESTATION	2	,		
AREA, COLOR, AND SEX	TOTAL	20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED
SOUTH DAKOTA	114	10	11	9	21	5	22	10	13	13
	88	8	8	7	16	3	17	9	10	10
	26	2	3	2	5	2	5	1	3	3
TENNESSEE	893	85	86	117	148	47	166	44	121	79
	632	50	57	72	108	31	119	34	105	56
	261	35	29	45	40	16	47	10	16	23
TÉXAS	2,546	277	364	317	339	310	284	535	97	23
	1,946	202	251	236	254	245	234	426	78	20
	600	75	113	81	85	65	50	109	19	3
WHITEALL OTHER	218	11	18	11	18	7	27	7	23	96
	209	10	17	11	17	7	25	6	23	93
	9	1	1	-	1	-	2	1	-	3
VERNONT	79 78 1	9 8 1	8 8 -	7 7 -	12 12 -	4 4 -	15 15 -	2 2 -	17 17	5 5
VIRGINIAWHITEALL OTHER	1,119	271	168	106	135	70	104	195	48	22
	716	178	98	62	74	46	78	125	43	12
	403	93	70	44	61	24	26	70	5	10
WASHINGTON	431	27	36	44	44	20	86	16	52	124
	393	25	33	38	42	18	86	16	50	103
	38	2	3	6	2	2	-	-	2	21
WEST VIRGINIA	381	28	27	34	66	17	75	25	67	42
	362	26	24	29	64	17	73	24	66	39
	19	2	3	5	2	-	2	1	1	3
WISCONSINWHITEALL OTHER	592 532 60	60 55 5	68 54 14	72 70 2	69 59- 10	52 46 6	94 88 6	128 113 15	47 45 2	2 2 -
WYOMING	57 55 2	4 3 1	9 9 -	7 7 -	5 5 -	2 2 -	9 8 1	. 5 	10 10 -	6 6 -

<sup>&</sup>lt;sup>1</sup>Teriod of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

## Section 4. Accident Mortality

4-2. Deaths from motor vehicle accidents, by person injured, age, race, and sex:  United States, 1973	<b>Table</b>	Page
4-3. Deaths from motor vehicle accidents, by person injured, color, and sex: United States and each State, 1973	4-1.	4-2
United States and each State, 1973	4-2.	4-4
4-1.  4-5. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1973	4-3.	4-12
color, and sex: United States, 1973	4-4.	4-17
sex: United States, 1973 4-33 4-7. Deaths from nontransport accidents, by place of accident, color, and sex:	4-5.	4-21
	4-6.	4-32
	4-7.	4-36

4-1

Table 4-1. Deaths From Motor Vehicle Accidents, by Person Injured, Cause of Death, Color, and Sex: United States, 1973

[Includes each three-digit category from E810 to E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

			digit si	ibcategory i	umbers							
		:					Person in	jured				
Eighth Revision number	Cause of death, color, and sex	Total deaths	Driver of motor vehicle other than motorcycle	Passenger in motor webicle other than motorcycle	Motor- cyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal- drawn vehicle	Pedal cyclist	Pedes- trian	Other specified persons	Un- specified person
			(.0)	(.1)	(.2)	(.3)	(.4)	(,5)	(a.)	(.7)	(8)	(e,)
E810-E819	Motor vehicle traffic accidents	54,347	17,386	10,342	1,931	282	2	20	890	9,043	53	14,398
	Male Female WhiteMale Female All otherMale Female	39,052 15,295 33,587 13,368 5,465 1,927	14,171 3,215 12,472 2,930 1,699 285	5,354 4,988 4,466 4,292 889 696	1,891 40 1,791 39 100	136 146 131 140 -5 6	1 1 1	9 11. 8 11. 1.	703 187 620 176 83 11	6,313 2,730 4,829 2,225 1,484 505	45 8 42 8 3	10,429 3,969 9,227 3,546 1,202 423
E810	Involving collision with train————————————————————————————————————	1,194 843 351 762 310 81 41	555 418 115 376 109 42 6	251 111 120 97 100 14 20	24 24  24 	5 3 2 3 2	-	-	1	2 1 1 1 -	1	397 285 112 260 97 25 15
E811	Involving collision with streetcer	- - - -	111111	1 - 1 - 1 - 1	1	1111111	111111	111111111111111111111111111111111111111	111111	111111	1117711	*******
E912	Involving collision with another motor vehicle	20,521 13,824 6,697 12,267 6,042 1,557 655	8,783 6,871 1,912 6,085 1,755 786 157	5,771 2,520 3,251 2,115 2,869 405 382	1,188 1,163 25 1,098 25 65	197 90 107 85 103 5 4	1	1111111	1 1 1	42 34 8 31 7 5	7 6 1 4 1 2	4,531 3,140 1,391 2,849 1,280 291
E813	Involving collision with other vehicle	1,003 768 215 699 203 69 12	221211	1	2 2 - 2		111111	14 5 9 4 9	877 694 183 612 173 82	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		105 84 21 78 19 6 2
E814	Involving collision with pedestrian  Male Female WhiteMale Female All otherMale Female	8,991 6,274 2,717 4,795 2,216 1,479 501	1 1 - -	35 I 35 I 15 I 16 I 16 I 16 I 16 I 16 I 16 I 1	2 - 1 - 1	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	1	1	2 2 -	8,978 6,262 2,716 4,784 2,215 1,478 501	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 1 1
E815	Other accidents involving collisions——————————————————————————————————	5,883 4,703 1,180 4,166 1,037 537 143	2,919 2,503 416 2,214 382 289 34	1,421 904 517 773 430 131 87	289 283 6 267 6 16	29 19 10 19 8 - 2	111111	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1	3 1 2 1	31, 26 5 26 5	1,189 967 222 866 204 101 18
E816	Woncollision accident due to loss of control	8,944 7,086 1,858 6,114 1,574 972 284	4,609 3,939 670 3,414 594 525 76	2,167 1,576 791 1,109 634 267 157	360 353 7 337 6 16	35 19 16 19 16	1	1	7 5 2 4 1 1	6 5 1 3 2 1	6 5 1 4 1 1	1,753 1,363 570 1,223 322 160 48
E81.7	Noncollision accident while boarding or alighting— Male Female White	15 9 6 8 6	2 2	7 4 3 3 5 1	-	-	7	, , , , ,	-		1 1 1	5 3 2 3 2
E318	Other noncollision accidents	814 607 207 534 172 73 35	62 58 8 48 5 8	282 : 175 : 107 : 153 : 89 : 22 : 18	21 20 1 20 1 -	11 3 8 3 8	- - - -	1	1	10 9 1 8 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	424 340 84 298 68 42 16
E819	Of unspecified nature————————————————————————————————————	6,982 4,918 2,064 4,242 1,808 676 256	475 379 96 330 85 49	459 261 198 213 166 48 32	45 44 1 42 1 2	5 2 3 2	- - - - - -	1	1	-	4	5,992 4,226 1,766 3,649 1,553 577 213

Table 4-1. Deaths From Motor Vehicle Accidents, by Person Injured, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category from E810 to E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

							Person in	jured.		•		
Eighth Revision number	Cause of death, color, and sex	Total deaths	Driver of motor wehicle other than motorcycle	Passenger in motor yehicle other than motorcycle	Motor- cyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal- drawn vehicle	Pedal cyclist	Pedes- trian	Other specified persons	Un- specified person
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(8.)	(e,)
E820-E823	Motor vehicle nontraffic accidents	1,164	107	65	74	3	-	-	7	584	3	321
ļ	Male Female White	889 275 783 243 106 32	98 9 92 8 6 1	41 24 38 20 3 4	71. 3 69 3 2	3 - 3 - -	- - - -	- - - - -	4 3 3 1 1	398 186 339 169 59 17	3 - 3 - -	271 50 236 40 35 10
E820	Involving collision with moving object	639 453 1.86 394 169 59	17 16 16 1	5 4 1 4 1	16 16  18 	1 1 - - -		- - - - -	6 3 3 2 3 1	553 376 177 320 160 56 17	-	41. 57 4 35 4 2
F821.	Involving collision with stationary object	83 71 12 66 11 5	22 19 3 17 3 2	4  4 	17 15 2 13 2 2	1 1 - -	- - - -		- - - - -	5 2 3 2 3	- - - - -	34 30 4 29 3 1
E822	While boarding or alighting	9 3 6 3 6	- - - - -	1 1 - - -	- - - -	- - - -	- - - -	-	- - - -	1 - 1 - -		7 2 5 2 5 -
E923	Of other and unspecified nature	433 362 71. 320 57 42 14	68 63 5 5 4 4	55 32 23 29 19 3	41 40 1. 40 1 -	1 1 - -	-	- - - - -	1 1 - 1 -	25 20 5 17 5 3	3 3 - 3 - -	239 202 37 1.70 28 32 9

Table 4-2. Deaths From Motor Vehicle Accidents, by Person

[Deaths are those assigned to category numbers E310-E323 of the Eighth Revision International Classifi-

	Person injured, race, and sex	Total	Under I year	1 year	z years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	All motor vehicle accidents(ESID-ES23)	55,511	326	381	449	432	410	7.,998	2,006	2,118	9,309
23456789	Male  Female  White  White  Female  Female  Male  Female  Other races-Male  Female	39,941 15,570 34,370 13,611 4,808 1,627 763 332	171 155 150 119 16 29 5	211 170 163 134 44 32 4	249 200 200 156 43 40 6 4	273 159 194 124 69 31 10 4	254 1.56 161 1.21. 70 30 3	1,158 840 888 654 242 162 28 24	1,232 774 973 609 246 145 13	1,432 686 1,242 610 172 70 18 6	6,922 2,387 6,350 2,181 460 167 112 39
10 11 12 13 14 15 16 17	Driver of motor vehicle other than motorcycle (.0)	17,493 14,269 3,224 12,564 2,938 1,469 239 216 47	1 1 - 1 - - -	22 2 1 1 1 1	-	22121111	2 1 1 1 -	7 6 1 6 1	7 6 1 4 1 1	40 37 3 54 3 2	2,574 2,110 464 1,943 439 131 22 36
19 20 21 22 23 24 25 26 27	Passenger in motor vehicle other than motorcycle (.1)	10,407 5,395 5,012 4,504 4,312 744 580 147 120	228 121 107 105 84 12 21 4 2	132 67 65 48 50 16 12 3	147 72 75 62 60 8 14 2 1	1.54 68 66 53 50 12 15 3	1.06 51 55 35 47 16 6 - 2	747 379 369 303 291 64 68 12	440 234 206 200 172 28 29 6	605 353 252 295 225 49 26 9	2,433 1,472 961 1,334 885 111 76 27 20
28 29 30 31 32 33 34 35 36	Motorcyclist (.2)  Male	2,005 1,962 43 1,860 42 92 1	-		1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	111111111111111111111111111111111111111	n n	104 97 7 94 7 3	621 611 10 590 10 15
37 38 39 40 41 42 43 44 45	Passenger on notorcycle (.3)	285 139 146 134 140 5 4 - 2	-	-	3 2 1 2 1	1	2 1 1 1 -	64.24.21.11	10 9 1 9	28 19 9 18 9 1	111 57 54 54 54 54
46 47 48 49 50 51 52 53 54	Male	2 1 1 1 1 - -	- - - - - - -	-	-	-	1111111	111111111	1   1   1   1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111111111111111111111111111111111111
55 56 57 58 59 60 61 62 63	Rider of emimal or occupant of animal-drawn vehicle (.5)	20 9 11 8 11 1 - -	-	-	-	-	1111	1	1	12. 4 8 3 8 1	1
64 65 66 67 68 69 70 71 72	Pedal cyclist (.6)	897 707 190 623 179 76 11 8	-	1 1 - 1	4 3 1 3 1 - -	5 5 2 2 1	13 12 1. 9 1. 3	23 21. 2 15 2 5 -	176 134 42 117 39 17 3	371 297 74 267 68 27 6 3	168 132 36 121 36 11
73 74 75 76 77 78 79 80 81	Pedestrian (.7)	9,627 6,711 2,916 5,168 2,394 1,358 444 185 78	14 10 5 7 1 2	196 117 79 91 62 25 16 1	238 137 101 108 74 27 24 2	233 168 65 116 50 46 13 6	230 160 70 112 47 46 20 2	911 586 325 430 240 145 75 11	1,128 710 418 528 315 176 94 6	552 359 193 290 162 67 27 2	722 518 204 439 1.76 65 21 14
82 83 84 85 86 87 88 89	Other specified persons (.8)	56 48 8 45 8 5	-	-	-	-	-		4 3 1 2 1	13 12 1 12 1 1	10 7 3 6 3 1

Injured, Age, Race, and Sex: United States, 1973

eation of I			1965. No	mbers aft	er person 45-49	injured ar	re fourth-	60-64	65-69	mbersj 70-74	75-79	80-84	85-89	90-94	95-99	100	Not	_
20-24 years	25-29 years	30-34 years	years	years	years	years	years	years	years	years	years	years	years	years	years	end over	stated	
8,723	5,113	3,507	2,738	2,655	2,741	2,703	2,433	2,339	2,038	1,854	1,588 969	1,053	294	109 75	8	1	29	2
6,986 1,737 6,112 1,491 716 189 158 57	4,023 1,090 3,419 926 493 122 111 42	2,692 815 2,269 670 364 119 59 26	2,060 678 1,674 556 341 102 45 20	1,922 733 1,562 625 322 83 38 25	1,967 774 1,655 65B 290 99 22 17	1,904 799 1,553 683 314 99 37 17	1,702 731 1,462 655 213 70 27 6	1,536 803 1,287 740 216 59 33	1,281 1 757 1,083 690 176 53 22 14	1,118 736 983 685 122 47 13	619 890 592 64 19 15	410 602 396 32 12 9	154 1227 149 16 5	34 72 31 2 3 1	4 4 3 1 -	1	8 14 6 6 2 1	3 4 5 6 7 8 9
3,212 2,763 449 2,440 405 276 34 47	2,115 1,740 375 1,494 531 202 35 44	1,477 1,215 262 1,037 233 157 24 21 5	1,164 947 217 798 193 134 21 15	1,092 859 233 723 206 129 20 7	1,140 904 236 785 203 111 29 8	1,016 803 213 701 189 94 21 8	984 785 199 696 184 79 14 10	807 623 184 547 174 69 9 7	644 491 153 444 147 44 5 3	497 380 117 338 115 39 2	391. 314. 177. 297. 75. 15. 2	218 189 29 181 28 5 1. 3	83 74 9 73 9 1 -	23 .21 2 2 - -	1111111		2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 11 12 13 14 15 16 17 18
1,531 974 557 799 467 148 70 27	720 426 294 333 242 76 41 17	443 238 205 192 162 37 36 9	358 169 189 118 134 40 46 11	371 168 203 124 161 37 29 7	390 158 232 129 194 28 31 1	408 170 258 118 193 48 36 4	359 117 222 95 200 - 15 22	375 124 251 102 229 19 21 3	348 126 222 106 205 16 14 4 3	315 106 209 92 194 13 14	277 83 194 74 163 9 8	185 51, 134 49 126 1 7	100 40 60 37 56 2 4 1	17 4 13 4 12 - 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		4 3 1 - 3 1	19 20 21 22 23 24 25 26 27
575 565 10 541, 10 20	308 304 280 3 24 1.	172 167 5 153 5 14 -	98 95 3 83 3 12 -	46 45 1 43 1. 2 -	21 20 19 1	21 20 - 1	12 12	881811111	2 1 1 1 -	4-4-1	1		1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111		1111111	28 29 30 31 32 33 34 35 36
70 32 38 31 37 1 - 1	27 10 17 10 17 - -	8 - 7 - 1	12 1 11 1 9 -	7 2 5 2 3 - 1 1	4 3 1 3 1 	1 1 - 1 - - -	1			111111			,			1111111111	111111111	37 38 39 40 41 42 43 44 45
		1 1	-	1	1		14,11411	11111111			11111111			111111111111111111111111111111111111111		1111111		46 47 48 49 50 51 52 53 54
2 1 1 1 1	11111111			-	1	1		111111111		, 11	1	1		-	1111111		,	55 56 57 58 59 60 61 62 63
44 52 12 30 12 1 -	27 21 6 20 6 1 -	9 7 2 5 2 1 -	8 6 2 4 2 2 2	10 9 1 6 1 2 -	945351	11 8 3 7 2 1 1	8 4 4 3 	651312	9 9 7 2	99 -6 -2 -1	1	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	141111111111111111111111111111111111111	111111111111111111111111111111111111111	111111111		-	64 65 66 67 68 69 70 71 72
613 484 129 364 85 85 25 25 26	421 330 91 248 65 65 17 17	351 273 76 198 51 63 21 12 6	358 282 76 193 57 80 15 9	404 309 95 209 74 88 19 12 2	439 351. 108 242 86 82 21. 7	501 372 129 257 100 103 27 12	445 347 98 264 81 75 14 8	528 389 139 289 122 83 17 17	517 336 181 258 152 70 24 8 5	554 338 216 290 198 41 17 7	51.6 31.6 200 278 190 27 6 11	418 260 158 236 156 19 1 5	182 125 57 115 56 10 1	47 31 16 28 15 2 . 1	3 1 3	1	15 12 3 9 2 2 1 1	73 74 75 76 77 78 79 80 81
55:5:3:::	77	1	2	] ]	1	2 1 1 1 - -	5 5 - 4 - 1	2 -	111111111111111111111111111111111111111	1 1 - - - -	1		. 1 4 4 1 1 1 7 7 7 4	1		* 1 1 1 1 1 1 1	-	82 83 84 85 86 87 88 89

Table 4-2. Deaths From Motor Vehicle Accidents, by Person [Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classift-

	[De:	ths are tho	se assigned	i to catego	ory numbe	rs E810-F	2823 of the	Eighth R	evision Inl	ternations	i Classifi-
	_ Ferson injured, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	All motor vehicle accidentsCon.	·							-		
1	•	14 710	0.7	50	57	£7	57	304	229	393	2,669
2	Unspecified person (.9)	14,719 10,700	83 45	24 26	35	57 29	29	162	124	254	2,015
4	Female WhiteMale	4,019 9,463	38 41.	SJ.	22 25	28 20	28 23	142 130	105 101	139 229	654 1,863
5	Fgmale NegroMale	3,586 1,040	28 3	22 3	20 8	2 <u>4</u> 9	24 5	1.1.9 28	60 ' 23	127 22	597 123
7	Female Other racesMale	34B 197	6	4	2 2	3	4 1	19 4	19	11 3	48 29
9	Female	85	4			ī	-	5	6	ĭ	9
10	Motor vehicle traffic accidents(E810-E819)	54,347	318	273	383	404	378	1,756	1,947	2,063	9,175
11.	Male	39,052	168	150	218	254	236	1,026	1,195	1,385	6,807
12 13	Female WhiteMale	15,295 33,587	150 148	123 111	165 177	150 181	142 163	730 780	752 946	678 1,202	2,368 6,240
14 15	Femele NegroMule	13,368 4,716	116 15	97 35	124	117 64	110 70	564 220	589 239	604 166	2,162 456
16	Female	1,603	28	25	36 38 5	29	28	146	143	69	167
17 18	Other racesMale Female	749 324	5 6	4 3	5	9	3 4	26 20	50 10	17 5	111 39
19	Driver of motor vehicle other than motorcycle (.0)	17,386	1	1	-	1	2	5	7	37	2,561
21 20	Male Female	14,171 3,215	1 - 1	1 -	-	1	1	1	6 1	34 3	2,098 463
22 23	WhiteMale Fomele	12,472 2,930	1	1	_	1	1	4 1	4 1	31 3	1,931 438
24 25	NegroMale Female	1,484 238	-	-	-	_	_	_	1	3 2	131 22
26 27	Other racesMale Female	215 47	-	-	-	-	-		1 -	1	36 3
28	Passenger in motor vehicle other than motorcycle (.1)	10,342	227	129	143	131	1.05	735	434	600	
29	Male	5,354	121	67	72	66	51.	377	230	348	2,419 1,463
30 31	Female White <u>Male</u>	4,988 4,466	106 105	62 48	71 62	65 51.	54 35	358 301.	204 196	252 291	956 1,325
32 33	Female NegroMale	4,292 741	83 12	48 16	57 8	50 12	46 16	284 64	170 28	225 48	860 111
34 35	Fmale Other racesMale	576 147	21 4	11 3	13 2	14 3	6	65 12	29 6	26 9	76 27
36	Female	120	2	3	ī	ī.	2	9	ន័	ĭ	20
37	Motorcyclist (.2)	1,931	-	-	-	-	-	_	9	99 93	597 587
3B 39	Female	1,891 40	-[	-	-	-	1	-	-	6	10
40 41.	WhiteMale Female	1,791 39	-	-	-	-			9 -	901	566 10
42 43	NegroMale Female	90 1		-	- [	-	-	- 1		3	15
44 45	Other races—Male Female	10	-	-	-	-	<u>-</u>	-	-		6
46	Passenger on motorcycle (.3)	282		_	3	1.	1	5	9	28	110
47 48	Male Fommle	136 146	<u>-</u>	-	2	ĩ	1	3 2	8	19	56
49	WhiteMale	131	-	-	2	1	-	3	1 8	18	54 53
50 51	Female NegroMale	140 5	-		1 -	-	-	2	1 -	9 1	54 3
52 53	Female Other racesMale	4	-			-	-	- 1		] [	1
54	Fenale	. 2	-	-	-			_		-	
55 56	Occupant of streetcar (.4)	2	-	-	-	-	-	-	-	-	-
57	Fenale	1	-	-		-	-	-	] [	] [	[ ]
58 59	WhiteMale Female	1	-[		_	-	_	1	-		
60 61.	NegroMale Female	=	-	:	<u> </u>	=!	_			:	<u> </u>
62 63	Other races-Male Female	-	-	_	-	_	_	<u>-</u>		-	-1
- 1	Rider of animal or occupant of animal-drawn vehicle (.5)	30	[ [			-		-	[,	1	, ,
64 65	Male	30 9	-	-		-	_	- [	1.	12 4	1
65 67	Femele WhiteMele	11. 8	-	[]		-	-1	i	1	8	1
68 69	Female NegroMale	11	:	-	<u>:</u>	<u>:</u> i		-	<u> </u>	8 1	1
70 71	Female Other racesMale	_[	-	-	-	-	-1	-		[ ]	-
72	Female	-	-	-	-	-	-	-	-	-	-
73 74	Fedal cyclist (.6)	890 703	-	1	4 3	4	13 19	22	175	369	168
75	Fenale	187	-		3	4	12 1	20 2	132 41	29£ 73	132 36
76 77	White	620 1.76	:	1	3	- S	9 1	15 2	115 38	266 67	121 36
78 79	NegroMele Femele	75 11	:	-1	-1	1	ಕ -	4	17. 3	27 6	11
80 81	Other races-Male Female	8	-	-[	-1	1	<u>-</u>	1		3	
82	Pedestrian (,7)	9,043	9	94	180	216	207	706	1,091	536	698
83	Male	6,313	2	59	110	157	146	474	689	346	497
84 85	Female WhiteMale	2,730 4,829	7 2	35 42	70 86	59 107	61 98	232 335	402 515	190 279	201 419
86 87	Female NegroMale	2,225 1,308	5 ~	27 16	45 23	44 45	39 46	160 130	300 171	160 65	173
88 89	Female Other races	432 176	2	16 8 1	23	45 13 5	20 20	66 9	93 3	65 26 2	64 21 14 7
90 l	Female	73	ı _İ	-1	z	2	ž	6	9	4	7

Injured, Age, Race, and Sex: United States, 1973-Con.

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	60-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2,671 2,130 541 1,901 464 1.75 60 54	1,488 1,185 303 1,027 262 125 29 33 13	1.,045 790 255 662 210 92 57 16 8	738 558 180 475 150 100 4	724 529 195 454 179 64 14 11 2	735 546 189 473 166 67 19 6	742 528 214 440 197 67 14 13	839 431, 208 566 167 43 19 2	613 385 228 336 214 43 12 6	518 318 200 267 185 44 10 7 5	474 280 194 252 178 27 14 1	395 248 147 234 143 12 3 2	229 140 69 133 86 7 3	81. 54 27 51. 27 3	21. 18 3 18 2 - 1	31 8 1 1 1 1		8 4 4 3 4 1	123456789
8,612	5,050	3,438	2,694	2,613	2,699	2,643	2,386	2,283	1,997	1,816	1.,568	1,030	437	105	7	1	29	10
8,884 1,728 6,018 1,483 708 169 158 56	3,963 1,087 3,366 923 487 122 110 42	2,631 807 2,213 663 359 118 59 26	2,023 671 1,648 550 330 101 45	1,885 728 1,529 620 319 83 37 25	1,933 766 1,625 651 287 99 21	1,855 788 1,508 673 310 98 37	1,661 725 1,423 650 211 69 27	1,488 795 1,247 733 212 59 29	1,254 743 1,059 676 178 53 22 14	1,089 727 956 676 120 47 13	955 613 878 587 62 18 15	634 396 593 382 32 12 9	288 149 271 144 16 5 1	71 32 68 29 2 3 1	4 3 3 2 1 -	1 - 1 - -	1 1	11 12 13 14 15 16 17 18
3,195 2,747 448 2,424 404 276 34 47	2,103 1,729 374 1,484 330 201 35 44 9	1,466 1,204 262 1,027 233 156 24 21	1,158 943 215 795 192 133 20 15	1,086 853 233 717 206 129 20 7	1,133 898 235 780 202 110 29 8	1,010 797 213 695 189 94 21 8	978 779 199 690 184 79 14 10	801 617 184 543 174 68 9 6	641 488 153 441 147 44 5	492 376 116 334 114 39 2 3	589 513 76 296 74 15 2	216 198 28 180 27 5 1	83 74 9 73 9 1 -	23 21 2 21 2 2 	-		22 2 1 1 1 1	19 20 21 22 23 24 25 26 27
1,520 965 555 792 465 146 70 27	719 425 294 332 242 76 41 17	458 256 202 180 159 37 36 9	357 168 189 117 134 40 46 11	370 1.67 203 123 1.61 37 29 7	569 157 252 128 194 28 51. 1	407 170 237 118 193 48 35 4	359 116 222 94 200 15 22	575 122 251 100 229 19 21 3	345 124 221 104 204 16 14 4	315 106 209 92 194 13 14	277 65 194 74 183 9 8	165 51 134 49 126 1 7 7	100 40 60 37 56 2 4	16 3 13 3 12	1 1 - -	11111111	3 1 - 3 1	28 29 30 31 32 33 34 35 36
564 554 10 531 10 19	296 293 3 270 2 23 1	161 157 4 143 4 14	95 92 3 80 3 12	43 42 1 40 1 2	20 19 1 18 1 1 - -	21 21 20 1	11 11 - - -	7 7 7 - -	2 1 1 1 1 1	4	1	1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	1111111	1111	37 36 39 40 41 42 43 44 45
70 32 38 31 37 1	27 10 17 10 17 -	8 - 8, - 7 - 1. -	12 1 11 1 9 - 2	7 2 5 2 3 - 1	4 3 1 3 1	1 1 - 1. -	1	-		-	1111111	-	-	1	-			46 47 48 49 50 51 52 53
	1	1 - 1	-	-	1 1 1 -	-	111111111111111111111111111111111111111	1	-	-	-	-	-	-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-	55 56 57 58 59 60 61 62 63
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-	-	- - - - - -	1 1 - 1 - -	1 - 1 - - - -	-	-	- - - - -	-	1 1 - - - -	1 1 - 1 - - -	- - - - - -		-	. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	64 65 66 67 68 69 70 71 72
44 32 12 30 12 1	27 21 6 20 6 1 -	9 7 2 5 2 1 -	8 6 2 2 2 -	10 9 1 6 1 2 -	9 4 5 5 5 1 -	11 8 3 7 2 1 1 -	7 4 3 2 - 1	6 5 1 3 1 2	9 9 - 7 - 2	9 9 - 6 - 2 1	66 - 5 - 1	2 2	1 1 1 	-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1111111	-	73 74 75 76 77 78 79 80 81
589 464 125 345 92 94 25 25	409 31.8 91. 238 65 63 17 17	331 255 76 183 49 60 21 12 6	341 268 73 188 54 73 15 9	385 293 92 196 71 66 19 11	420 316 104 230 82 60 21 6	465 341 124 229 95 100 27 12 2	417 324 93 243 77 73 13 8	497 363 134 266 117 82 17 15	486 317 169 241 140 68 24 8	530 322 208 276 190 39 17 7	503 307 196 269 196 27 6 11	400 254 146 230 144 19 1 5	175 120 55 110 54 10 1	44 30 14 27 13 2 1	\$ 3 1 3 - - 1	1	15 12 3 9 2 2 1 1	82 83 84 85 86 87 88 89 90

Table 4-2. Deaths From Motor Vehicle Accidents, by Person [Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classiff-

=	į.	1	se assigne	a to categ	OI y HULLING	15 2010-1	2023 01 (1)	E Eighth R	evision in	ter national	
	Ferson injured, race, and sex	Totel.	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Motor vehicle traffic accidentsCon.										
1,	Other specified persons (.8)	53	_	-	-	_	_	-	4	13	1.0
2	Male Female	45 8	_	-		=	_	-	3	12 1	7 3
5	WhiteMale Female	42 8		-	-	-	-	-	2 1	12 1	6 3
6 7	NegroMale Female	3	_	-	-	-	-	-	1.	- 1	1
9	Other races—Male Female	_	_	-	-	-	=	-		- 1	- 1
10	Unspecified person (.9)	14,398	81	48	53	51.	50	283	219	369	2,611
11 12	Male Female	10,429 3,969	44 37	22 26	31. 22	25 26	26 24	148 135	117 102	233 136	1,967 644
13 14	White Male Frmale	9,227 3,546	40 28 3	19 22 3	24 20 5	19 23 6	20 22 5	122 115	96 78	212 125 19	1,819 587 120
14 15 16 17	Negro	1,009 341 193	5	4	2	S	2	22 15	21 18	11.	48
18	Female	82	1 4	-	2	ī	1 -	4 5	6	2	28 9
19	Motor vehicle nontraffic accidents(E820-E925)	1,164	8	1.08	66	28	32	242	59	55	134
20 21	Male Female	889 275	3 5	61. 47	31 35	19 9	18 14	132 110	37 22	47	115 19
22 23	WhiteKale Female	783 243	3 5 2 3 1	52 37	23 32	13 7	18 11	108 90	27 20	40 6	110 19
24 25	NegroMale Fomale	92 24	1 1	9	7 2	5 2	2	22 16	7 2	6 1	4
26 27	Other races—Male F <i>e</i> male	1 <u>4</u> 8	ī	ī	1 1	1	ī	2 4	3 -	1	1
28	Driver of motor vehicle other than motorcycle (.0)	107	_	1	_	1	_	2	_	3	13
29 30	Molc Female	98 9		1	-	1. -	-	2 -	[]	3 -	12 1
31 32 33	White Male Female	92 8	] [	1 -	-	1	-	2	-	5 ~	12
34	NegroMale Female	5 1		-	-	_	-	-	-	-	_ [
35 36	Other races—Male——— Female——	-	-	-	-	-	-	-	-	-	
37 38	Passenger in motor vehicle other than motorcycle (.1)	65 41	1	3	4	3 2	1	12 2	6	5 5	14
39 40	Female	24 38	1	3	4	1 2	ī	10	4 2 4	- 4	9 5 9
41 42	Female NegroMale	20 3	1 -	2 -	3 -	_	1	2 7 -	z	ĩ	5
45 44	Fenale Other racesMale	4		1	1	1	-	3 -			
45	Female Motorcyclist (,2)		-	-	-	-	-	-	-	-	-
46 47 48	Motorcyclist (.2)	7 <u>4</u> 71 3	-	_	-	-	-	-	5 5	5 4	24 24
. 49 50	White	69	]	-	=	=	-	-	ž	1 4	24
51 52	Negro	2	1 =1	-	_	-	-	=	=	=	31
53 54	Other racesMale Female			<u>-</u>	-			-	-	-	-
55	Passenger on motorcycle (.3)	3		-	_	_	1	1	1	٦.	1
56 57	Mele Female	3 -	} <u>-</u>	-	_	-	1	1 -	1 -		1
58 59	WhiteMale Female	3 -		<del>-</del>	-	-	- T	1 -	1		1
60 61. 62	NegroMale   Female   Other racesMalo	-	-	-	-	-		-	-	-[	-
63	Penale	-	-	-	-	-		-	-	-]	
64 65	Occupant of streetcar (.4)	-		-	<u>-</u>	- [	<u>-</u>	-1	-	-1	-
66 67	Fenzle WhiteMale	<u> </u>		-	-1	-]	-	اءَ	-1	-	-
68 69	Female NegroMale		-	-	-	-[	-	-	-	- [	-
70 71	Female Other racesMale	-		-	-	-	- ]	-	-[		-
72	Female	-	-	-	-	-	-	-	-	~	-
73 74 75	Rider of animal or occupant of animal-drawn vehicle (_5)	-	-	-	-	-	-	-	-	<u>-</u>	-1
76	Female	-	-	-	-	-	-	<u> </u>	-	-	=[
77 78 79	. Female Negro	] =	] -	-	-	-	-	-	-	-	-
80 81,	other races—Male Female			-	-	-		-	-	-	-
BZ	Pedal cyclist (.6)	7	_	_ [	_]	1	1	1	3	2	~
B3 64	Male Female	4 3		-	-	1		ì	2	1	-
65 66	White	3 3	]	-			=]		2	i	
B7 B8	NegroFemale	i -	-	-	3	i	-	i	-	-	-
89 90	Other races—Wale Female		=	-	-]	= 1	=}	]	3		
	·	•	•	•		-,	-,	1	-1	-1	

injured, Age, Race, and Sex: United States, 1973-Con.

cation of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35 <b>-3</b> 9 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-7 <u>4</u> years	75-79 years	80–84 years	85~89 years	90-94 years	95-99 years	100 and over	Not stated
5. 5	6 6 1 6 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11111111	1 1	1	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	55 - 4 - 1 - 1 - 1 - 1	2 2 - 2 - 1 - 1		1	1	1111111		1	111111111	1.1.1.1.1.1.1	
2,623 2,084 539 1,859 462 171 60 54 17	1,463 1,161 302 1,006 261 123 28 32 13	1,023 770 253 663 209 91 36 16 8	725 545 178 465 156 70 18 10	711 518 193 444 177 63 14 11 2	721 535 186 462 164 67 18 6	725 516 209 437 192 66 14 13 3	629 421 208 376 187 43 19 2 2	597 372 225 326 212 41, 12 5	514 315 199 265 184 43 10 7 5	465 271 194 243 178 27 14 1 2	390 244 146 232 143 100 2 2 2	226 138 88 131 85 7 3	77 53 24 50 24 3	19 16 3 16 2 - 1	211111111111111111111111111111111111111		8 4 4 3 4 1
102 9 94 8 8 -	60 3 53 3 6	61 8 56 7 5	37 7 26 6 11 1	37 5 33 5 3 5	34 8 30 7 3 -	49 11 45 10 4 1	41. 6 39 5 2 1	48 8 40 7 4 -	27 14 24 14 3 -	29 9 27 9 2	14 6 12 5 2 1	9 14 9 14	6565	4 2	1 1 -		-
17 16 1 16 1	12 11 10 1	11 11 10 1	64 23 11 1	6	7 6 1 5 1 -	6	6 -	6 6 4	3 3 - 3 - - -	54 14 1	2 1 1 1	2 1 1 1 -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111	111111111		- - - -
11 9 2 7 2 2	1	52525111	1	1	1	1 - - - 1 -	1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 2 1 2 1 -	111111111111	11111111111	111111111	-	1	1	31111111	:
11 11 11 11 11 11 11 11 11 11 11 11 11	12 11 12 12 12 12 12 12 12 12 12 12 12 1	11 10 1 10 1	90181111	3 - 3 4	1	-	1 1.  	1				111111111111111111111111111111111111111		-	-	111111	
-	1111111	111111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	-	-	-	-	-			-	· -	-		1	-
-	1111111		1111111	-	-	-		- -	-		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	- - - - - -	-			
-	1111111111	1 1 1	1111111		- - - -	- - - - -	-	-	-	111111111			: : : :		-	1111111	
-	111111111111111111111111111111111111111	-	1111111	-	-	-	1	-	-	1	-	-	- - - - -	-	-	1141111	

Table 4-2. Deaths From Motor Vehicle Accidents, by Person Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classifi-

	Person injured, race, and sex	Total.	Under 1 year	I. year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Motor vehicle nontraffic accidentsCon.										
1 2 3 4 5 6 7 8	Redestrian (.7)   Male   Male   Male   Remale   White   Remale	584 398 186 339 169 50 12	5 2 3 1 2 1	102 58 44 49 35 9	58 27 31 22 29 4 1	17 11 6 9 6 1	23 14 9 14 8	205 11.2 93 95 80 15 9	37 21 16 13 15 5 1	16 13 3 11 2 2 1	24 21 3 20 3
9 10 11 12 13 14 15 16 17 18	Female	3 3	1 	1	1	1 11111111	1	4 11111121			1 1111111111111111111111111111111111111
19 20 21 22 23 24 25 26 27	Unspecified person (.9)  Male Female White	321 271 50 236 40 31, 7 4 3	2 1 1 - - 1	2212111	4 4 1 - 3	64 2 1 1 3 1	73432	21 14 7 8 3 6 4	10 7 3 5 2 2 1	24 21 3 17 2 3 -	58 48 10 44 10 3

Injured, Age, Race, and Sex: United States, 1973-Con.

cation of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	85-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 <b>-</b> 99 <b>y</b> ears	100 end over	Not stated	
24 20 4 19 3	12 12 10 -	20 18 2 15 2 3	17 14 3 7 5	19 16 3 13 2 2	19 15 4 12 4 2	36 31 5 28 5	28 23 5 21. 4 2	31 26 5 23 5 1 - 2	31. 19 12 17 12 2	24 16 8 14 8 2	13 9 4 9	18 6 12 6 12 -	F 5 2 5 2 1 1 1	3 1 2 1 2	,		111111	1. 2. 3. 4. 5. 6. 7. 8.
1	1		22121111	•	1 1111111111				1 1111111	1 1111111			1 1111111	1 11111111		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1111111	9 10 11 12 13 14 15 16 17 18
48 46 2 42 2 4	25 24 1 21 1 2	22 20 2 19 1 1	15 13 2 10 2 3	13 11 2 10 2 1 - -	14 11 3 11 2 - -	17 12 5 11 5.	10 10 - 10 - - - -	16 15 10 2 10 11	4 5 1 2 1 1	0010111111	5 4 1 2 - 2 1	5 2 1 2 1 · · · ·	4 3 3 	22121111	1 1 - -	1111111	1111111111	19 20 21 22 23 24 25 26 27

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1973

[Deaths are those assigned to category numbers E310–E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

						Person	injured				
Area, color, and sex	Total. deaths	Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motor- cyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal- drawn vehicle	Pedal cyclist	Pedestrían	Other specified persons	Unspecified person
		(c.)	(.1)	(s.)	(.3)	(.4)	(.5)	(.6)	(.7)	(a,)	(e.)
United States	55,511	17,493	10,407	2,005	285	2	20	897	9,627	56	14,719
Male Femele White	39,941 15,570 34,370 13,611 5,571 1,959	14,269 3,224 12,564 2,938 1,705 296	5,395 5,012 4,504 4,312 891 700	1,962 43 1,860 42 102	139 146 134 140 5 6	1 1 1 -	9 11 8 11 1	707 190 623 179 84 11	6,711 2,916 5,168 2,394 1,543 522	48 8 45 8 3	10,700 4,019 9,463 3,586 1,237 433
Alabama	1,399 1,060 339 781 272 279 67	461 578 83 298 72 80	245 137 108 103 87 34 21	38 38 - 34 - 4	3 1 2 1 2	- - - -	1	12 12 8 -4	4.7	11111	427 329 99 239 79 00 19
Alaske	72 50 22 38 16 12 6	4 3 1 2 1	7 4 3 5 2 1	2 2 - 2	111111111111111111111111111111111111111	-	1	1 1 - - -	5 4 1 1 1 3	1	53 36 17 29 12 7 5
Arizona Male Female White	692 639 253 485 192 154 61	342 275 67 235 61 40 6	216 113 103 86 75 27 28	40 39 1 39 1	4 3 1 5 1	-	1111	13 9 4 8 4 1	172 123 49 75 33 48 16	1 1 -	104 76 28 38 17 38 11
Arkansas	676 473 203 390 156 83 47	44 35 8 34 7 2	48 22 26 19 15 3	991911	111111	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7 2 2 2 3	81 59 22 41 13 18 9	* 1 1 1 1 1 1 1	497 342 145 205 119 57 26
California Male Female White Male Female All other Male Female Female Female Male Male Male Male Male Male Male M	5,189 3,749 1,440 3,408 1,288 341 152	1,681 1,345 536 1,238 305 107 51	1,088 576 512 512 449 64 69	340 328 12 311 12 17	51 32 19 32 19	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1 1 1	113 91 22 83 21 8	922 647 275 564 241 83 34	11 9 2 9 2	982 721 261 659 239 62 25
Colorado	663 477 186 464 177 13	88 70 18 68 16 2 2	56 27 29 26 28 1 1	19 19 19	3 1 2 1 2	11111	-	9 7 2 6 2 1	92 66 26 26 27	1	395 287 108 280 102 7 6
Connecticut	550 416 134 384 129 32 5	166 145 23 131 22 12 1	86 53 33 47 30 6 3	42 41 1 40 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1	111111111111111111111111111111111111111	7 6 1 6 1 -	103 71 32 64 32 7	1 4 4 1 4 4 4	144 102 42 96 41 6
Delaware	125 97 28 81 25 16	42 33 9 30 8 3	25 15 10 12 9 3	6 6 5 1	- - -	111111	-	2 1 1 1	21 21 15 6	1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	28 20 8 17 7 3 1
District of Columbia	99 71 28 17 8 54 20	23 20 3 6 3 14 -	16 9 7 2 3 7 4	3 3 1 2	- - - - -			2 1 - - 1	28 20 8 3 	1114411	27 10 9 5 2 13
Florida	2,579 1,763 816 1,453 698 310	831 614 217 526 190 88 27	509 244 265 191 226 53 39	100 100 - 95 - 5	10 3 7 3 6 -	-	52 3 2 3	64 52 12 45 11 7	543 369 174 260 141 109 33	11111	517 379 158 331 121 48 17

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1973-Con.

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

						Person	injured				
Area, color, and sex	Total deaths	Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motor- eyelist	Passenger on motorcycle	Occupent of streetcar	Hider of animal or occupant of animal- drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
	•	(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(8.)	(e.)
Georgia	1,810 1,350 460 1,011 367 339 93	848 698 150 542 136 156	41.7 228 1.89 1.70 14.6 58 43	82 79 3 73 3 6	13 8 3 8 3 -	- - - -	11111	22 19 3 13 2 6	290 205 85 121 53 84 32	4 3 1 3 1 -	136 110 26 81, 23 29 3
Hawaii	1.35 91. 44 32 1.5 59 29	54 41 13 15 7 26 6	35 20 15 6 2 14 13	1 1 - 1	-	- - - - -		3 3 - 1 - 2	21. 10. 5. 3. 6. 7	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	21. 15 6 4 3 11. 3
Idaho	320 208 112 198 105 10	25 21 4 21 3 -	16 8 8 7 7 1 1	1 1 - -	- - - - -	- - - - -		2 2 - 2 - -	30 17 13 14 12 3	- - - -	246 1.59 87 1.53 83 6
Tilinois	2,469 1,753 716 1,560 654 193 62	439 355 84 312 78 43 6	306 155 151 122 131 33 20	55 53 2 50 2 3	8 1 7 1 7	-		36 31 5 28 5	41.3 286 127 226 109 60 18	2 2 - 2	1,210 670 340 619 322 51 18
Indians	1,569 1,084 485 1,030 469 54	232 189 43 182 43 7	142 67 75 60 69 7	18 17 1 15 1 2	9 3 6	- - - - -	2 1 1 1 1 1	20 14 6 13 6	180 131 49 121 44 10	2 2 1 - 1	964 680 304 634 299 26 5
Male	853 61.7 236 61.2 233 5	427 354 73 351 73 3	208 99 109 97 108 2	50 50 - 50 - -	5 4 1 4 -	- - - -	1 1 - 1	11. 7 4 7 4 -	6B 43 25 43 25 -	1 1 1	82 60 22 60 21 
Male Female White	648 460 188 437 179 23	210 174 36 169 36 5	128 63 65 58 62 5	23 23 22 - 22 -	4 3 1 3 1	- - - -		4 3 1 3 1	59 43 15 40 14 3	- - - -	221 151 70 142 65 9 5
Kentucky	1,128 827 301. 770 262 57 19	464 390 74 367 67 23	289 155 134 145 129 10 5	50 30 - 29 1	4 4 3 3	- - - - -	111111111111111111111111111111111111111	17 15 · 2 13 2 2	186 133 53 120 48 13	. <del>-</del> - - - -	134 100 34 93 35 7
Louisiana Male  Male  Yhite Male  Female  All other Male  Female	1,132 639 293 560 216 279	206 173 33 127 28 46 5	70 56 44 38	26 26 - 24 - 2	1 1 1	- - - - -	1 1 - - -	13 10 3 9 2 1	123 55 72 34	- - - - -	590 435 145 292 113 153 32
Male	256 167 69 163 68 4	85 69 16 68 15 1	28 19	11. 10 1 10 1 -	-	-	• • •	6 4 2 4 2 -	24 18 23	- - - -	45 32 13 30 13 2
Maryland	854 617 237 492 183 125	259 215 44 176 38 39 6	56 17	22 22 17 5	1 2 1	-	1 1 - 1	14 13 1 11 1 2	59 93 40		197 141 56 122 45 19

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1973-Con.

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

		<del>1=</del>	fourth-digi	t subcatego	ry numbers						
Area, color, and sex	Total deaths	Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motor- cyclist	Fassenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(a.)	(.7)	(8.)	(e,)
Massachusetts	1,043 754 289 728 280 26 9	387 511. 76 302 72 9	247 145 102 143 99 2	59 59 - 57 - 2	85858 1	-	1111111	16 12 4 12 4	253 168 67 154 66 12	1711111	73 56 17 55 16 1
Michigen	2,282 1,606 676 1,441 609 185	829 664 165 602 151 62 14	432 199 233 172 203 27 30	130 127 3 120 3 7	28 13 13 13 13 -	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 - - -	67 56 11 51 11 5	579 254 125 207 112 47 13	8818114	415 299 126 272 116 17 10
Minnesota	1,048 732 316 708 305 24 11	41.7 34.7 70 339 69 8	244 111, 133 104 129 7	44 - 44 - -	6 2 4 2 4	111111	1 1 1 1 1	18 13 5 13 5	170 110 60 103 56 7	2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	147 103 44 101 42 2 2
Mississippi	933 710 223 452 152 258 71	369 323 46 221 40 102 6	184 109 75 62 53 47 22	28 27 1 27 1	4 1 3 1 3		1111111	8 5 3 2 2 2	137 103 34 50 13 53 21	7 4 4 7 7 7 7 1	203 142 61 88 40 54 21
Missouri Male	1,453 1,049 404 974 369 75	652 540 112 515 107 25 5	369 186 183 176 168 10	49 49 - 47 - 2	7 5 2 5 2	- - - - - - - - - - - - - - - - - - -		13 10 3 10 2 -	189 139 50 115 45 24 5	1 1 -	1.73 119 54 105 45 14
Montana Male Male Female Male Male Male Male Male Male Male M	320 245 75 211 60 34 15	161 133 28 118 26 15 2	78 45 33 35 23 10 10	12 11 11 11	111111	1 1 1 1 1	1111111	53232	39 34 5 29 3 5 2	111111	25 18 6 15 5 4
Nebraska	425 312 113 304 109 8	216 175 41 173 40 2	69 48 41 47 39 1 2	20 19 1 19 1				5 5 4 1.	53 44 19 42 18 2	11111	32 21 11 19 11 2
Neyada	212 150 62 134 57 16	54 44 10 42 10 2	30 11 19 9 18 2		3 5 - 2 - 1		1	2 2 2 -	36 26 10 21 7 5	111666	87 68 21 60 20 6
New Hampshire	144 104 40 104 38 - 2	42 51 11 31 10 -	50 15 15 15 14 -	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2 1 1 1 -	-	1 1 1	2 2 1 2 1 1 1	27 23 4 23 4	1	32 24 8 24 8
Mele Male White Fenale Fenale All other Fenale Fenale	1,321 926 395 790 341 136 54	547 446 101 394 91 52	278 143 135 122 114 21	45 45 - 39 - 6	5 2 3 2 3	-	-	29 21 8 20 8 1	326 208 118 160 107 48 11	1 1 1 1 1 1	91 6L 30 53 19 8 12
New Mexico	571 438 133 328 98 110 35	225 189 34 157 31 32 3	128 77 51 58 35 19	21 19 2 18 2	2 1 1 - 1 1	-	-	7 6 1 6 1	118 93 25 54 15 39	, , , , , , , , , , , , , , , , , , , ,	72 53 19 35 13 18 6

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1973-Con.

[Deaths are those assigned to category numbers E310-E323 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

			TOTAL TIES		<u></u>	Person	injured				
Area, color, and sex	Total. deaths	Briver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motor- cyclist	Passenger on motorcycle	Occupant of streetcar	Rider of snimal or occupant of animal- drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(a.)	(.7)	(.8)	(e.)
New York	3,083 2,159 924 1,867 826 292 98	729 596 133 519 123 77	492 229 263 198 236 31 27	62 61. 1 57 1. 4	14 7 7 6 6 1	1 - 1 - -	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	75 60 15 55 15 5	902 607 295 477 249 130 46	8 7 1 5 1 2	800 592 208 550 194 42
North Garoling	1,879 1,402 477 949 341 453	797 644 153 475 124 171, 29	464 280 164 173 131 107 53	66 66 - 59 - 7	7 2 5 2 5 -	1 1 1 1 1	1	25 16 9 12 7 4 2	356 266 90 141 51 125	3 2 1 2	160 125 35 87 22 38 13
North Dakota	219 163 56 148 49 15	109 92 17 66 1s 6	64 34 30 29 28 5 2	13 13 - 13 -	1 1 - 1		1	1	19 13 6 9 4 4 2	1 1 -	11. 9 2 9 1 -
Ohio	2,340 1,685 655 1,540 605 145	484 405 79 363 75 42	330 176 154 157 139 19	73 70 3 67 3 -	7 3 4 3 4 -		1 - 1 -	35 29 6 28 6	378 249 129 202 114 47 15	3 3 - 3	1,029 750 279 717 263 33 16
Oklahoma	787 548 239 468 215 80 24	48 38 10 36 9 2	36 13 23 13 22 -	4 4 2 - 2	1 3 - 1		-	5 4 1 2 1	118 83 35 65 31 18		575 405 170 549 152 56 18
Oregon	861 451 210 437 200 14 10	175 133 42 131 39 2	102 52 50 48 48 4	21. 20 1 20 1 -	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1	10 7 3 7 3	97 66 31 62 30 4 1	-	253 171 82 167 78 4 4
Pennsylvania Male Female	2,549 1,857 692 1,708 625 149 67	498 415 83 372 74 43 9	321 151 170 125 147 26 23	70 - 67 3 64 3 3	9 5 4 5 4	- 1	1 1 1	36 29 7 25 7	523 367 156 321, 135 46	3 - 3 -	1,088 819 269 792 255 27 14
Rhode Island Male Female White Female Male White Male Female All other Male Female Female Female Female Female Male Female Female Female Male Male Male Male Male Male Male M	154 118 36 107 34 11 2	22 20 21 19 2 1	16 14 2 11 1 3	33	3 8 3 -	- - - - -	- - - - -	1 1 1	30 21 9 20 9 1	- - - -	79 59 20 53 19 6
South Carolina	968 724 244 465 163 259 81	336 284 52 192 42 92	201. 122 79 92 57 40 22	23 22 1 21 1 1	1 1 1 -	1 1	- - - - -	18 15 3 8 1 7 2	175 123 52 47 21 76 31	-	214 158 56 115 40 43 16
South Dakota	268 194 74 159 57 35	131 115- 1.6 98 14 17 2	77 36 41 26 34 10	12 12 - 11 - 1	1 1 - 1 -	-	- - - - - -	5 4 1. 4 1 -	24 16 8 10 4 6	-	18 10 8 9 4 1
Tennessee	1,433 1,063 570 926 315 137	632 530 102 476 93 52	361 190 171 162 139 28 32	86 83 3 80 2 3	11 6 5 6 4	-	-	16 14 2 12 2 2	197 150 47 111 43 39	-	130 90 40 77 32 13 8

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1973-Con.

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

			-			Person	injured				
Area, color, and sex	Total deaths	Driver of motor vehicle other than motorcycle	Pessenger in motor vehicle other than motorcycle	Motor- cyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal- drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(8.)	(e.)
Texas Male Female White	3,650 2,596 1,054 2,250 929 346 125	1,592 1,296 296 1,152 271 144 25	972 497 475 423 414 74 61	122 120 2 110 2 10	18 6 12 5 12 1	1	2 1 1 1	42 33 9 29 9 4	578 403 175 314 145 89 30	1 1 -	322 238 64 214 75 24
Utah	358 243 115 230 109 13	151 123 28 117 27 6	106 49 57 45 53 4 4	20 20 20 -	413 13	1	-	3 2 1 2 1	45 27 18 24 17 3	1	28 20 8 20 8
Vermont Male  Female White	123 93 30 91 29 2	26 20 6 19 6 1	13 7 6 6 5 1 1	5 5 3 	111111	-	1	5 3 2 3 2	28 17 11 17 11	111111	48 43 5 43 5
Virginia Male Female White	1,259 925 313 695 239 230 74	164 133 31, 111, 28, 22, 3	134 67 67 54 52 13	19 - - -	73 4 5 4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	17 14 3 12 3 2	210 160 50 103 33 57 17	1	606 520 158 392 119 136 30
Washington	870 587 283 545 266 42	224 172 52 161 50 11 2	151 73 78 60 75 5	22 22 22 -	4 1 3 1 2		111111	15 7 8 7 8	124 75 49 68 45 7	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	320 237 93 218 66 19 7
West Virginia	469 345 124 330 118 15 6	36 32 4 32 4 -	16 7 9 7 8 -	881811	1	-	111111	1. 1. -	75 50 25 48 24 2 1	111111	338 252 86 220 82 13 4
Wisconsin	1,155 843 512 816 299 27 13	491 406 85 398 83 8 82	261 125 136 123 131 2 5	49 49 - 49 -	8 2 6 2 6 1 1		, , , , , ,	37 28 9 26 9 2	147 105 42 96 37 9	4	158 124 34 118 53 6
Wyoming Male Male Franche White Male All other Male All other Penale Pen	157 111 46 99 42 12 4	20 16 4 15 3 1	9 3 6 2 6 1 -	2 2	- - - - - -	3 - 1 - 1 - 1 - 1	111111		24 16 8 12 7 4		102 74 28 69 26 6

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1973

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Hevision number	ch three-digit category and selected four-digit subcategori	Total	Under 1 year	l year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E850-E859	Accidental poisoning by drugs and medicaments	2,444 1,526	12	46 26	23	16	5 2 3	102	23 13	829 634	863 584	394 . 160	233 87	-
	Female White	918 1,222 751 304 167	7 2 5 3 2	20 17 14 9 6	15 5 14 3 1	9 6 7 1 2	3 2 2 -	54 32 42 16 12	10 9 6 4 4	195 512 129 122 66	279 455 222 129 57	254 141 221 19 13	146 73 131 14 15	- - -
Easo	By antibiotics and other enti-infectives	21 13 8 5 5 8 3	-	1 1 -	1 - - 1	1		4 3 1 1 2	1	3 2 1 - 2 1	2 1 1 1 -	7 4 3 1 3	4 2 2 1 1 2	
ο,	Fenicillin, any	1 1 1 - 1	-	1		1113111	- - - -	1 1 1 -	111111	111111	- - - - -	- - - - -	. 111	
.19	All other antibiotics and anti-infectives	20 12 8 4 5 8 3	-	1	1 - - 1	1 1 - - 1	-	3 2 1 - 1 2	1	3 2 1 - 2	2 1 1 1 1	7. 4 3 1 5	4 2 1 1 2	-
E851.	By hormones and synthetic substitutes———————————————————————————————————	23 9 14 6 11 3 3		, , , , , , , , ,	111111		- - - - -			-	4 3 1 1 2 -	7 1 6 1 6 -	12 5 7 4 1 8	111/2111
٠6	Progentogens	1 1 1	-	11111	111111	111111	- - - - -	-			1 - 1 - 3.			
.05, .79	All other hormones and synthetic substitutes	22 9 13 6 10 3 3		111111	1 1 1 1 1 1		- -	-		111111	5 5 1 - 2	7 1 8 1 6	12 5 7 4 4 1	
X852	By primarily systemic and hematologic agents	44 24 20 17 18 7 2	2 2 1 1	9 6 3 4 1 2 2	2 . 2	1 - 1 - -	   	14 8 6 5 4 3	1	313131	52323	954342-	12 8 4 6 4 2	
E953	By analgesics and entipyretics	827 635 192 480 133 155 59	6 1 5 - 4 1	14 9 5 6 4 3	13 3 10 1 9 2	2 1 1 - -	2 - 2 - 2	37 14 23 8 20 6 3	3 1 2 1 - 2	362 298 64 234 39 64 25	339 275 64 198 42 77 22	64 36 28 30 22 6	22 11, 11 9 10 2	-
,1	Salicylates and congeners	95 48 47 40 38 8	5 1 4 - 3 1	12 7 5 6 4 1	6 1 6 1 6 1 1	1 1 - -	2 - 2	26 9 17 7 15 2 2	1 1 - - -	4 1 3  1 1 2	22 12 10 8 9 4 1	27 15 12 15 9 -	15 10 5 9 4 1	
B,~S.,D,	All other analgesics and antipyretics	732 587 145 440 95 147 50	1 1 1 - 1 - 1	2 2 - 2 - 2	7 3 4 1 3 2 1	1 - 1 - 1	- - - - -	11 5 6 1 5 4	2 - 2 - 2	358 297 61 234 38 63 23	81.7 263 54 190 33 78 21	37 21 16 15 13 6 3	7 1 6 - 6 1	
E854	By other sedatives end hypnotics	596 341 255 202 210 59 45	3 1 2 - 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 -	2 1 1 1 -	-	6 3 3 2 2 1	7 4 3 1 2 3 1	210 148 62 117 39 31 23	201 124 77 103 59 21 18	121. 47 74 45 78 2	51 15 36 14 35 1	-

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1973—Con.
[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number Under 5 years 25**-44** years Not stated Cause of death, color, and sex Total years and year years years years over By other sedatives and hypnotics--Con. o. 35 10 25 10 24 Barbiturates----362 179 183 163 149 16 34 107 92 38 54 37 54 1 Male----Female---64 43 58 28 Female--2 6 16 6 15 ĩ Female--.1-.9 All other sedatives and hypnotics-234 162 72 119 61 43 11 103 16 5 11 4 11 1 83 61 22 46 20 15 29 9 20 8 19 1 Male-84 19 Female--59 11 25 White Male-Female---Female. 139 62 77 51 69 11 8 E855 ic drugs-Male----Female----Male----21 10 11, autonomic nervous system and psychoth 16 9 7 6 6 3 1 50 25 25 20 22 5 3 8 2 3 Female--All other Male ī Female-87 40 47 34 45 6 .ı Tranquilizers-1 1 13 31 17 14 14 15 3 Male----Female--Male----11 21, 10 21 White Female--All oth -Male-1 Female-.0,.2-.9 All other autonomic nervous psychotherapeutic drugs---nervous system and 52 22 30 17 24 5 13 7 6 4 5 3 1 31211 19 8 11 6 9 Male-Female--Male----Female--White 1 Male---£856 By other central nervous system depressents and stimulants-36 18 12 11 1 - 1 - - -Male----22 14 20 12 2 Female-6 11 5 1 White Male----Female--All other -Male-Female-21. 14 7 12 .4 Amphetamine----Male----Female----Male----White Female--All other Female-All other central nervous system depressants and stimulants-----.0-.3,.8,.9 15 Male---Female----Male-----Female-----Male-----All other 1 Penale E857 By cardiovascular drugs-123 46 77 38 64 8 13 22 Male Female----White Female-Male---All other Fenale-E858 By gastrointestinal drugs-Male----Female----Male-----Female----6 3 5 Male---All other-Female-E859 245 145 100 122 By other and unspecified drugs and medican 626 371 211 164 47 142 35 22 12 121, 41, 80, 38, 77, 3, 13 5 8 4 6 1 2 29 11 18 10 17 1 Male 255 320 224 51 Female--Whit Male-87 23 13 All other Male Female-31 Accidental poisoning by other solid and liquid substances-----E860-E869 1.239 28 ю 159 471 187 Male-828 30 18 125 232 130 293 5 11 3 7 120 173 89 59 31 57 123 51 7 Female-34 102 26 23 17 15 6 15 178 235 155 411 10 7 4 11 6 White Male 659 330 169 61 Female-All other Male 58 23

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	l year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E860	By alcohol	333 234 99 151 67 83 32	-		- - - - -	- - -	-		4 2 2 2 2 1 -	20 16 4 8 3 8	113 86 27 53 14 53 13	180 116 62 79 47 39 15	16 12 4 9 2 3 2	
E961	By cleansing and polishing egents	10 5 5 2 3 3		6 3 1 1 2 2	11111	- - -		6 3 3 1 2 2	1 1 - - 1	- - - - - -	1 1 1	2 1 1 1	-	-
E863	By disinfectants    Male    Female    White    All other	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1111	111111	11111	11111	-	1	1 1 - 1 - -	1 1 - - -	11111	111111	-	-
E863	By paints and varnishes	1 1 - -	11111	111111	1	111111	11111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11111	111111		- - - - -
E864	By petroleum products and other solvents	41 35 8 23 4 10 4	2 1 1 - 1	12 9 8 4 1 5 2	1 1 - -	111111	1	16 11 5 6 1 5	6 5 1 2 1 3	4 4 4 	2 2 -	9 9 7 - 2	4 2 2 2 2	-
12365	By pesticides, fertilizers, or plant foods	32 25 7 15 6 10	1	5 4 1 1 3	3 - 3	1		10 8 2 4 1 4	33 5	5 2 3 1 3	5 5 - - -	4  2  2	5 3 2 3 2	- - - - -
E866	By heavy metals and their funes	21 17 4 13 2 4 2		2 1 1 -	1 1	1	1111111	4 2 2 1 1	111111	2 2 1 - 1	3 3 - 2 - 1	9 8 1 7 - 1	3 2 1 2 1	- - - -
E867	By corrosives and caustics not elsewhere classifiable	15 9 6 7 1 2 5	1	1 1 - - 1		1	1	3 1 2 - 1 2		1	1. 1. - - -	5323	5 2 3 1 1	-
18968	By noxicus foodstuffs and poisonous plants	3 3 - - -		-	1 1 - 1 - -	11111	- - - -	1 1 - -	1		1 1 - - -	- - - -		-
E869	By other and unspecified solid and liquid substances	781. 499 282 442 247 57 35	-	2 - 2 - 1	3 2 1 1 2	-	1 1 - 1 -	6 3 3 1 2 2	7 5 2 5 1	126 99 27 87 20 12	226 134 92 109 74 25 18	262 150 112 136 107 14 5	154 108 46 104 43 43	-
E870-E877	Accidental poisoning by gases and vapors	1,652 1,217 435 1,042 352 175 83	22 13 9 11 3 2 6	5 1 4 1 1	7 1 4 1 3	1	4 - 3 - 1	29 12 22 5 7	71 43 28 37 26 6 2	338 155 294 95 44 38	464 369 95 306 85 63 10	393 100 258 81 35	211 144 67 124 60 20	1 1 - 1
E870	By gas distributed by pipeline	108 78 30 60 23 18	-	1 - 1	3; 2 1, 2; 1,	-	-	4 3 1 3 1	6 5 1 5 1	25 21 4 16 4 5	20 16 4 12 3 4	23 15 8 12 5 3	30 18 12 12 9 6 3	:

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1973-Con.

[includes each three-digit category and selected four-digit subcategories from E350 to E377 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	l year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E871	By liquefied petroleum gas distributed in mobile containers————————————————————————————————————	25 21. 4	1	. 1	- -	-	1 1	2 2	1	8 8	9 6 3	2 1 1 1	3 3 1	
	WhiteMale Female All other	18 4 3 -	1 - -	1	- - -	-	-	2 -	1	8 - -	4 3 2	1 -	3	111
E872	By other utility gases Male Fenale White	12 9 3 8 3 1	11111	111111	111111	111111	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1111111	1111111	1	2 1 1 1	6 4 2 4 2	3 2 1 2 1	11111
R873	By motor vehicle exhaust gas	792 580 21,2 503 171 77 41	3 1 2 1 1	1111111	1 1	11111111		4 2 2 1 2 1	16 7 9 7 8	248 166 82 141 56 25 26	269 212 56 183 50 29 6	194 147 47 129 40 18	62 46 16 43 16 3	* * * * * * * * * * * * * * * * * * * *
E874	By carbon monoxide from incomplete combustion of domestic fuels	127 81. 46 67 39 14 7	1 1 1 -	3 3 - 2 - 1	2 2 1 - 1		1 1	7 7 5 - 2	13 6 7 4 7 2	27 14 13 12 11 2 2	19 13 6 10 6 3	29 21. 8 19 6 2	31 19 12 16 9 3	1
<b>B675</b>	By other carbon monoxide	330 241 89 200 71 41 18	2 1 1 1 - 1	1 - 1	111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		3 1 1 1	17 13 4 10 4 3	84 59 25 50 15 9	77 21 63 18	82 59 23 50 19 9	46 32 14 26 14 6	-
18976	By other gases and vapors  Male Female Female All other Female Female	225 180 45 161 36 19	14 8 6 7 2 1 4	1111	2 2 1 - 1	1 1 - -	2 2 - 1 - 1	19 12 7 9 2 3 5	17 11 6 11 5 1	74 66 8 63 8 3	36 5 27 5	45 36 9 34 7 2 2	29 19 10 17 9 2 1	1 1
E877	By unspecified gases and vapora	33 27 6 25 5 2	1 1 - 1 -	1 1 - - -	-	- - - -	- - - -	2 2 2 - 2	1	4 3 1 3 1	7 7 6 	12 10 2 9 1 1	7 5 2 5 2	-

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973

[includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965,
Numbers after places of accident are special fifth-digit subcategory codes]

Place of accident Place Eighth Revision number Other Place Total. deaths Mine Cause of death, color, and sex Indus for Street Public buildspeci-fied places dent Home<sup>1</sup> Farm recrea-tion or sport end highwe and quarry trial ineti. ing (o) (1) (2) (3) (4) (5) (6) (7) (8)(9) E850-E859 Accidental poisoning by drugs and medicaments 2,444 1,118 35 99 31 73 1,083 1,526 918 1,222 751 663 420 515 Male-1 672 28 22 Female--446 552 365 120 81 20 63 20 16 9 18 16 47 -Male-----Female--Whit 346 304 1,67 148 74 All other -Male---Female--E850 By antibiotics and other anti-infectives 16 9 21 13 8 5 5 9 3 Male----Female--Female---Female---Male----Female---All of Penicillin, any .0 Male-Female--Male---ī Whit Female-All, of Female-20 12 16 Male-Female---Male----84583 Female--Male----All ot Female-23 9 14 6 11 3 Male-Fenale--Whit -Male---Female--Male----Female---Male---Female-Whil Male--Female. All oth -Male .0-.5, .7-.9 All other hormones and synthetic substitute 16 6 Male-Female---Male----Female---Male----13 6 10 3 3 10 All other Female--E852 By primarily systemic and hematologic ager 44 24 Male-16 11, 11 10 Female--20 17 18 7 2 White Female----Male-----Female---41 36 5 By analgesics and antipyretics-43 36 7 827 635 192 480 133 155 59 19 17 292 Male. 246 71 Female-Male---2 12 White 30 4 6 3 189 50 57 21 218 25 5 11 71 74 31 Female-A11 of Female .ı Salicylates and congene 95 48 51 27 24 25 42 19 Male 47 40 38 Female-25 13 18 6 5 Whit Male-Female-20 2 4 Male Female--.0,.2-.9 and antipyretics 732 19 17 40 35 11 43 36 7 30 4 6 3 Male----Female--Male----273 79 205 587 145 440 95 147 50 219 47 164 30 55 17 2 12 5 24 5 11 White Female-Male---Female-E854 other sedatives and hypnotics 596 341 313 155 4 3 1 2 27 21 6 20 12 10 2 8 2 2 231, 144 87 105 72 39 15 Malle---158 139 129 16 29 255 262 210 Female-Male---Female. 59 | 45 | **Female** 

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con-

[includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965.

Numbers after places of accident are special fifth-digit subcategory codes]

	Numbers after places of ac	Excent are	special i	II (II - III git	Subcate	-	Place of	accident		<u></u>		
Eighth Revision number	Cause of death, color, and sex	Total deaths	Home <sup>1</sup>	Ferm <sup>2</sup>	Mine and quarry	Indus- trial place	Place for recrea- tion or sport	Street and highway	Public build- ing	Resi- dent insti- tution	Other speci- fied places	Place not speci- fied
			(0)	(1)	(2)	(3)	(4)	(s)	(6)	(7)	(8)	(9)
.0	By other sedatives and hymotics—Con.  Barbiturates  Male  Female  White  Finale  Finale	362 179 183 163 149	219 102 117 93 94	111	=======================================			3 2 1 2	17 12 5 12 5	6 5 1 5	7 6 1 5 1	110 52 58 46 48
	All other-wolle Female	16 34	9 23	1	=	=	-	ī	-	-	ī	10
.1*.9	All other sedatives and hymotics	234 162 72 119 61 43	94 53 41 46 35 7	1		1 - 1 - 1 - 1	1 1 - 1	1 - - 1	10 9 1 8 1 1	1111111	5 4 1 3 1 1	121. 92 29 59 24 33 5
18855	By autonomic nervous system and psychotherapeutic drugs	139 62 77 51 69 11 8	74 51. 43 29 38 2	11111		-	-	1 1 - - -	3 2 1 - 1 2	4 3 2 1 1	5321 1 2 1	52 22 30 18 28 4
.1	Tranquilizers	87 40 47 34 45 6 2	46 20 26 19 25 1	11111		-	-	1 1 -	1 1 1 -	4 3 1 2 1 1	4 3 1 1 2 -	30 12 16 11 17 1
.0, -2-, 9	All other autonomic nervous system and psychotherapeutic drugs	52 22 30 17 24 5	28 11 17 10 15 1	1111	-	-		-	1 1 - 1 - 1 - 1 - 1		1	22 10 12 7 11 3
<b>E856</b>	By other central nervous system depressants and stimulants	36 22 14 20 12 2	19 12 7 10 7 2	-	-	-	- - - -	- - -	3 2 1 2 1	1177111	2 2	12 6 6 6 4
<b>.4</b>	Amphetomine	21. 14 7 12 6 2	11. 7 4 5 4 2	- - - -	- - - -				2 1 1 1 1	111111	2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 1
.03,.8,.9	All other central nervous system depressants and stimulants	15 8 7 8 6	8 5 3 5 3	-	-	-	-	-	1 1	-		6 2 4 2 3 1
£857	By, cardiovascular drugs	123 46 77 38 64 8	4 - 4 - -	- - - - -	-		-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 1 1 -	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	117 45 72 37 60 6 12
E458.	By gustrointestinal drugs	95695-1	4 2 2 2 1 -	- - - -	-	-	-	1 1 1 7 1		11111	I I	4
E859	By other and unspecified drugs and medicuments	626 371 255 320 224 51 31	282 165 117 146 103 19	<u> </u>	-	-	2 2 2	4	7 16 7	6 5 1 4 1 1	10 5 5 5	169 121, 140 106

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965.

Numbers after places of accident are special fifth-digit subcategory codes]

					:		Place of	accident				<del></del>
Eighth Revision number	Cause of death, color, and sex	Total deaths	Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Indus- trial place	Place for recrea- tion or sport	Street and highway	Public build- ing	Resi- dent insti- tution	Other speci- fied places	Place not speci- fied
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E050-E069	Accidental poisoning by other solid and liquid substances	1,239	508	7	-	8	3	22	36	17	42	596
	Male Female White	828 411 659 330 169 81	290 218 226 181 64 37	6 1 4 1 2	1 1 1 1 1 1	7 1 5 1 2	3 1 - 2	18 4 10 4 8 -	29 7 25 4 4 3	14 3 12 1 2 2	32 10 26 6 6	429 167 350 132 79 35
<b>E</b> 360	By alcohol	333 234 99 151 67 83 32	142 91 51, 61 38 30			1 1 - 1	1 1 - - 1	3 3 - 1 - 2	11 10 1 10 1	4 4 3 1	10 7 3 5 1 2 2	161 117 44 70 27 47 17
E961.	By cleansing and polishing agents	10 5 5 2 3 3	9 5 4 2 2 3 8			- 1		• • • • • • • • • • • • • • • • • • • •				1
E862	By disinfectants	2 2 - 2	1111	11111		1	111111	11111111111		1 1 - 1	11111	-
E862	By paints and varnishes	1	1	-		-	111111	-	11111	-	11111	-
E664	By petroleum products and other solvents	41 33 8 25 4 10	20 15 5 11 2 4 3	1	11111	3 2 1 1 1		2 1 1 1 1 1	1 1 - - 1	1		15 12 1 9 - 3
19865	By pesticides, fertilizers, or plant foods	32 25 7 15 6 10	12 8 4 6 4 2	2 2 - 2		2 2 - 2			1	-	5 5 2 4	11. 8 3 4 2 4
E366	By heavy metals and their fumes————————————————————————————————————	21 17 4 13 2 4 2	8 6 2 5 1 1	- - -	- - -	-	-		-	1	1 1 - 1 -	11 9 2 6 1 3
<b>E967</b>	By corrosives and caustics not elsewhere classifiable	15 9 6 7 1 2 5	10 6 4 4 1 2	-	- - - -	-	-	-	1	1 1 - -	-	3 2 1 2 -
K868	By noxious foodstuffs and poisonous plants	3 3 - 3	1 1 - 1	1 1 - 1 -	- - - -	-	-	- - - - -		-	- - - - -	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
18869	By other and unspecified solid and liquid substances	781 499 282 442 247 57	305 157 148 135 133 22 15	3 2 1 2 1	-	1.	2 2 1 - 1 - 1	17 14 3 9 5 5	23 17 6 14 3 3	9 7 2 6 1 1	26 19 7 17 5 2 2	395 280 115 258 101 22 14

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes

Eighth Revision number Resi-dent insti-Place not speci-fied Other Street for Public build-Cause of death, color, and sex speci-fied and pwdgin tion of quarry place ing tution places sport (o) (1) (2) (3) (5) (7) (4)(6) (a) (9) E870-E877 Accidental poisoning by gases and vapors-1,652 147 130 37 96 25 14 12 Male 1,217 479 66 173 314 125 263 100 51 25 40 10 35 7 5 3 435 ,042 352 175 83 193 410 164 69 29 45 150 33 23 12 Female-10 56 9 10 Whit Male 13 7 1 7 6 2 Female -Male--Female-E870 108 78 30 60 23 18 7 By gas distributed by pipeline-2 14 10 4 4 5 6 63 58 25 47 20 11 5 3 Male-Female--Male----**2** ī ī -3 ----White Female. -Male All oth E871 liquefied petroleum gas distributed in mobile 25 21 Male---Female---Male---18 4 3 Whit Female-Male All oth Female E872 By other utility gase 12 9 3 8 3 1 Malemale. Female Male--Female Male---1 All oth Female. 126 92 34 82 22 10 124 92 32 76 25 16 7 E873 vehicle exhaust 792 298 219 79 198 71 21 12 5 7 5 7 11 6 5 5 25 19 6 14 3 5 146 107 39 90 29 17 10 580 212 503 171 Male-Female-Male---Female---Male----All oth 77 41 Female E874 By carbon monoxide from incomplete combustion of do stic 127 81, 46 67 39 14 7 17 11 6 11 6 98 61 37 47 Male-Female-Male---White Female. Female E875 330 241 23 21 2 16 1 3 177 127 50 110 40 17 99 67 32 51 26 16 Male Female-89 White Male\_ 200 41 18 Female 30 30 30 225 180 61 47 14 43 11 4 3 10 93 28 28 28 28 29 6 14 14 Male-45 161 36 19 Female-13 White Mole. Female-33 27 11 9 2 9 2 Mele-Female---25 5 2 2 Whit Female-Mole---Female-R880-R887 ntal falls 16,506 119 346 45 616 475 814 4,774 8,307 8,199 7,348 7,718 959 481 2,153 2,621 1,930 2,499 223 122 3,231 3,738 37 Male-105 338 477 370 918 672 142 577 133 95 139 374 130 103 9 105 333 102 37 Female--14 95 13 10 289 8 49 White Female--Male---Female-3,452 398 286 39 51. 103 75 28 69 27 1,505 888 617 747 574 141 1,196 667 529 560 493 107 36 E880 Fall on or from stairs or step 11 7 4 3 3 4 1 28 19 9 15 8 4 58 42 16 33 15 9 96 69 27 60 24 9 211111 Male Female-Male-Female-Male-ALL other

Female

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973—Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965.

Numbers after places of accident are special fifth-digit subcategory codes]

	The state of the s	1	11								<del>.</del>	====
					·······		Place of	accident	1			
Eighth Revision mmber	Cause of death, color, and sex	Total deaths	Home <sup>1</sup>	Ferm <sup>2</sup>	Mine and quarry	Indus- trial place	Flace for recrea- tion or sport	Street and highway	Public build- ing	Resi- dent insti- tution	Other speci- fied places	Place not speci- fied
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E981.	Fall on or from ladder or scaffolding	406 384 22 363 21 31	173 156 17 144 17 12	7 7 - 7 -	111111	90 90 - 85 - 5	1 1 - -	7 6 1 6 -	31 30 1 26 1 4	881811 1	54 53 1 49 1 4	40 38 2 32 2 6
E882	Fall from or out of building or other structure	734 626 108 515 79 111 29	299 228 71 177 46 51 25	19 18 1 18 1	1111	80 77 3 65 3 12	8 8 6 2	35 34 1 25 1 9	72 65 7 60 7 5	33 24 9 21 8 3	127 116 11 100 9 16	61. 56 5 43 4 13
K883	Fall into hole or other opening in surface	183 170 13 145 12 25 1	18 12 6 11 5 1	9 8 1 7 1 1	4 - 4 -	30 30 29 1	5 5 4 1	8 4 4 1 4 3	24 23 1 19 1 4	66 - 6	61. 60 1. 50 1. 10	18 18 - 14 - 4
kse4	Other falls from one level to another	1,442 924 51B 807 464 117 54	436 235 201 195 170 40 31	46 39 7 32 6 7	1 1 1 -	69 69 54 - 15	15 10 5 10 5 -	45 41 4 38 4 3	58 50 8 45 7 5	397 171 226 161 213 10 13	246 213 33 194 29 19	129 96 .33 78 29 .18
E885	Fall on same level from slipping, stumbling, or tripping	838 279 359 258 344 21 15	357 139 218 134 209 5	2 2 2	1	5 5 4 -	4 3 1 2 1 1	54 36 18 33 17 3	15 6 9 5 1	1,32 46 86 43 84 3	25 17 8 12 8 5	43 24 19 22 16 2
<b>12866</b>	Fall on same level from collision with or pushing or shoving by another person————————————————————————————————————	24 17 7 15 6 2 1	3 1 2 1 1	- - - - -	-	1	1 1 - 1 -	4 2 2 1 2	7 6 1 5 1 1	7 5 2 5 2	1	1 1 - 1
E687	Other and unspecified falls  Nale Female White	11,574 5,019 6,555 4,508 6,218 511 337	4,487 1,793 2,694 1,611 2,511 182	30 26 4 24 4 2	1 1 - 1 -	67 64 3 51 3 13	9 8 1 7 1	452 347 105 267 99 80 6	165 115 50 104 49 11	1,735 644 1,091 625 1,057 19	242 170 72 138 70 52 2	4,386 1,851 2,535 1,680 2,424 171 111
E690-E699	Accidents caused by Fires and Flames	5,503 3,895 2,608 2,870 1,910 1,025 698	5,470 3,117 2,353 2,240 1,735 977 618	40 37 3 32 3 5	-	94 93 1 81 1 12	1 - 1 -	19 18 1 17 1	184 156 28 138 25 18 3	95 40 74 51 21	156 135 21 107 18 28 3	244 160 181 95 63 65
18890	By conflagration in private dwelling	4,286 2,484 1,802 1,768 1,318 716 484	4,273 2,474 1,799 1,759 1,315 715 484	- 1 - 1 - 1	-	-		-	-	-	13 10 3 9 3 1	-
E891	By conflagration in other building or structure	269 221 48 183 39 38 9	12 11 9 1 2	8 7 1 6 1	-	23 22 1 16 1 6	-	-	130 104 26 94 23 10	46 34 12 24 7 10 5	39 36 3 29 5 7	11 7 4 5 3 2
E892	By conflagration not in building or structure————————————————————————————————————	62 54 8 49 8	85353 	10 10 9 -	-	4 4 -	-	. B 7 1 6 1	3	1 1 1	20 18 2 16 2 2	8 7 1 6 1

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973—Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted,
Numbers after places of accident are special fifth-digit subcategory codes]

							Place of	accident				
Eighth Revision number	Cause of death, color, and sex	Total deaths	Home <sup>1</sup>	Ferm <sup>2</sup>	Mine and quarry	Indus- trial place	Place for recrea- tion or sport	Street and highway	Public build- ing	Resi- dent insti- tution	Other speci- fied places	Place not speci- fied
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E893	By ignition of clothing Male Female WhiteMale Fall otherMale Female Female	517 224 293 162 218 62 75	422 150 272 104 202 46 70	9 8 1 8 1 -	1 1 1 1	5.51 15 1 1 1		1 - 1 -	7 7 4 - 3	29 21 8 19 7 2 1	15 13 2 10 2 3	29 19 10 11 6 8
E894 -	By ignition of highly inflammable material Male Female White	254 203 51 166 37 37	151 109 42 85 31 24	4 4 -		46 46  42 - 4		3 3 -	15 14 1 12 1 2	3 1 2 2 1	15 12 3 8 3 4	17 14 3 12 2 3
E895	Ey controlled fire in private dwelling	76 37 39 23 27 14 12	76 37 39 23 27 14 12	11111	1111	1 1 1 1	111111	-	1111	1111	11111	7 4 7 1 7 1 1
<b>E896</b>	By controlled fire in other building or structure	11 9 2 7 1 2 1	2 1 - - 1	3 2 1 1 1	-	3 3		-	115711	1 1 - -	11111	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
E997	By controlled fire not in building or structure	25 18 7 14 7 4	14 9 5 9 5 -	1	- - - -	1 1			1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 6 1 4 1 2	1 1 1
E398	By other specified fires or fluxes	414 290 124 231 109 59 15	301. 204 97 165 86 39	: :	- - - - -	3	1	1 1 - -	21. 20 1. 17 1. 3	39 26 13 21 10 5 3	20 18 2 15 1 3	26 16 10 9 10
12399	By unspecified fire	589 355 234 267 146 88 88	211 117 94 81 65 36 29	5 5 - 4 - 1	- - - - -	9 9 - 8 - 1		6 6 - - -	7 7 - 7 -	16 12 4 9 4 3 -	27 22 5 16 3 6 2	309 177 131 136 74 41, 57
ES00-E909	Accidents due to natural and environmental factors————————————————————————————————————	1,348 1,002 346 741 265 261 81	173 112 61 80 51 32 10	128 105 23 92 22 13	2 - 2 -	1B 4	33 27 6 26 6 1	89 70 19 50 16 20 3	32 27 5 18 3 9	9 4 5 3 3 1 2	183	638 454 184 306 126 148 58
E900	Excessive heat	181 118 63 100 50 18 13	15 10 5 9 3 1 2	33	1	6 6 5 1	22 2 1 2 1 1	9 6 3 5 2 1	33 2 1	3 2 1 1 1	15 11 4 11 4	124 74 50 62 40 12 10
E901.	Excessive cold	581. 298 83 159 53 139	55 43 12 21 9 22 3	15 12 3 7 3 5	1	4 4 3 - 1	1 1 - 1	24 19 6 7 4 11. 2	6 5 1 1 1	6242212	59 53 6 36 17	210 159 51 80 29 79 22
E902	High and low air pressure	13 9 4 8 1	-		- - - - -	-	1111		1111111	111111	8 7 1 6	5282115

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Numbers after places of accident are special fifth-digit subcategory codes]

		T	li									
	·					· -	Place of	&ccident				
Eighth Revision number	Cause of death, color, and sex	Total deaths	Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Indus- trial place	Place for recrea- tion or sport	Street and highway	Public build- ing	Resi- dent insti- tution	Other speci- fied places	Place not speci- fied
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(a)	(9)
E903	Effects of travel and motion	11111	11111	111111			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1	111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111	
E904	Hunger, thirst, exposure, and neglect	240 183 57 124 41 59	11. 8 3 4 3	4 3 1 2 1 1	1111	11111111	2 2 1 1	4 4 -	1 1 - - 1	1 1 1 1	27 23 4 15 3 8	191, 142 49 98 34 44
E905	Bites and stings of venomous animals and insects	49 40 9 38 6 2 3	8318111	11 10 1 9 1 1	1111111		1 1 1 -	3 3 - -	1	1 1 1 1 1 7 1	7 7 7 -	23 16 7 15 4 1
2063	Other accidents caused by animals	164 120 44 112 42 8 2	20 11 9 10 8 1	71 55 16 53 15 2 1	: 1	3 3 -	15 11 4 11 4 - -	6 1 4 1 1	4 3 1 3 1	-	22 17 5 16 5	25 15 8 12 8 3
E907	Lightning	124 110 14 93 14 17	13 8 5 5 5 5 -	22 21 1 18 1 3	- - - - -	4 4 - 2 - 2	11 12 - -	8 - 6 - 2	10 8 2 6 2 2	- - - - -	40 34 6 30 6 4 -	16 16 - 15 - 1
E90B	Gataclysm	193 122 71 105 58 17	56 29 27 28 23 1	2 1 1 1 -	- - - - -	5 1 4 - 2 1 2	-	35 26 9 21 9 5	6 5 1 4 - 1	-	43 30 13 29 12 1	46 30 16 22 11 8 5
E909	Accidents due to other natural and environmental factors	3 2 1 2 1	- - - - - -			- - - -	1		1	-	1 1 - 1 -	-
E910-E929	Other accidents	21,936 17,631 4,305 14,253 3,450 3,378 855	4,374 3,080 1,294 2,522 1,040 558 254	1,453 1,363 90 1,228 67 135 3	201 193 8 173 5 20 3	1,426 1,408 18 1,209 16 199 2	354 84 279 50 85 14	594 543 51 460 45 83 8	555 452 103 379 90 73 13	357 195 162 175 146 20 16	5,760 5,136 624 3,988 485 1,148 139	4,697 1,891 3,840 1,488 1,057 403
E910	Accidental drowning and submersion————————————————————————————————————	7,152 5,983 1,169 4,471 932 1,512 237	789 483 306 404 259 79 47	262 231 31 166 30 65	57 52 5 41 2 11 3	44 42 2 30 2 12	341, 283 58 208 44 75	47 41 6 28 6 13	99 82 17 51 14 31 3	28 19 9 14 9 5	4,316 3,775 541 2,803 414 972 127	1,169 975 194 726 152 249 42
.0	In recreational activities	2,210 1,994 216 1,461 163 533 53	49 40 9 35 6 5	96 93 3 66 3 27	34 31 3 25 1 6 2	7 7 5 - 2	126 108 18 83 16 25	8 8 5 3	28 26 2 13 1 13	3 - 2 - 1	1,713 1,552 161 1,142 118 410 43	146 126 20 85 18 41 2
.9	Other and unspecified	4,942 5,989 953 3,010 769 979 184	740 443 297 369 253 74 44	166 138 28 100 27 38 1	23 21 2 16 1 5	37 35 2 25 2 10	215 175 40 125 28 50	39 33 6 23 6 10	71 56 15 38 13 18 2	25 16 9 12 9 4	2,603 2,223 380 1,661 296 562 84	1,023 849 174 641 134 208 40

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973—Con.

[includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965.

Numbers after places of accident are special fifth-digit subcategory codes]

	Numbers after places of ac	cident are	special f	ifth-digit	subcate	ory code	s]					
						2	Place of	accident				
Eighth Revision number	Ceuse of death, color, and sex	Total deaths	Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Indus- trial place	Place for recrea- tion or sport	Street and highway	Public build- ing	Resi- dent insti- tution	Other speci- fied places	Piace not speci- fied
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(a)
E911	Inhalation and ingestion of food causing obstruction or suffocation  Male Femmle White	2,210 1,313 897 1,091 731 222 166	465 268 197 209 158 59	1 1	1 1 - - -	8 8 7 - 1	5 4 1 4 1	11 8 3 7 2 1	134 89 46 85 45 3	205 101 104 96 96 5	46 37 9 30 8 7	1,334 797 537 651 421 146 116
E91S	Inhalation and ingestion of other object causing obstruction or suffocation	803 467 336 369 260 98 76	91 54 37 38 32 16 5	1 1	7 1 1 1 1 1	3313111	1 1 1	6 4 2 4 2	2 1 1 1	11 7 4 7 3	5 4 1 3 1	684 393 291 312 221 81 70
E913	Accidental mechanical suffocation	1,109 930 279 690 221 140 58	531 361 170 295 131 66 39	49 43 6 42 6 1	16 15 1 13 1 2	79 76 3 58 3 18	2 2 - 2	18 17 1 15 - 2 1	10 8 2 6 1 2	21. 7 14 3 11. 4 3	102 93 9 84 6 9 1	261 208 73 172 60 36 13
<b>.0</b>	In bed or cradle	287 152 135 106 97 46 38	209 108 101 74 74 34 27	- - - - - -		-	- - - - -	-	-	8 3 5 1 3 2 2	5 3 2 3 1	27
.9	Other and unspecified	822 678 144 584 124 94 20	322 253 69 221 57 32	49 43 6 42 6 1	16 15 1 13 1 2	79 76 3 58 3 18	2 2	18 17 1 15 - 2 1	8 2 6 1 2	13 4 9 2 8 2 1	97 90 7 81 7 9	216 170 46 144 41 26 5
<b>R914</b>	Foreign body accidentally entering eye and adnexa	•	-	- - - - -			-		-	-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11111
<b>1531.5</b>	Foreign bodies accidentally entering other orifices————————————————————————————————————	61. 36 25 30 20 6	9 1 8 1 6	- - - - -	- - - - -	-		1 1 - 1	-	3 1 2 1 2	1111	49 33 15 27 12 6 3
E916	Struck accidentally by falling objects	1,196 1,134 62 997 53 137	244 215 29 188 25 27 4	117 114 3 107 5 7	48 48 	270 269 1 246 23	2	86 61 5 71 4 10	34 5 30 3 4	6 4 2 4 2	256 9 219	107 6 80 5
E917	Striking against or struck accidentally by objects	882 775 107 689 93 86	160 107 53 93 49 14	171 160 11. 149 11 11	12 11 11 11 -	185 185 - 165 - 20	25 23 2 20 2 3	52 47 5 44 3 3 2	39 7 35 6 4	22 13 9 12 7 1 2	139 129 11 103 8 19 3	70 62 8 51 6 11 2
E91B	Caught accidentally in or between objects	598 575 23 500 19 75	40 34 6 30 5 4	13e 130 8 120 8 10	26 22 19 - 3	252 221 1 184 1, 37	1 1 -	23 23 23 -	23 1	4 1 3 1 2	73 73 66 7	51 47 4 37 2 10 2
E919	Overexertion and strenuous movements	5 1 4 1	- 1 - 1 - 1 - 1 - 1	1	- - - -		-	-		1111	2 2 1 1	3 2 1 2

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973—Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965.

Numbers after places of accident are special fifth-digit subcategory codes]

	Numbers after places of ac		opocial I		, Justales	-	Place of	accident				
Eighth Revision number	Cause of death, color, and sex	Total. deaths	Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Indus- trial place	Place for recrea- tion or sport	Street and highway	Public build- ing	Hesi- dent insti- tution	Other speci- fied places	Place not speci- fied
			(0)	(1)	(5)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
19920	Accident caused by cutting or piercing instrument————————————————————————————————————	133 99 34 72 22 27 12	60 39 21 30 13 9	9 6 3 5 3 1		17 16 1 12 1 4	111111	55 - 5 - 1 -	6 3 3 3 1 2	111111	15 14 1 9 1 5	21 16 5 8 3 8
٥.	Powered hand tool	7 6 1 5 1	2 1 1 1	1	111111	11111	1111111	1	111111		2 2 1 1 - 1	1 1 - - -
J	Other hand tools	18 12 6 7 4 5	9 7 2 5 2 2	2 1 1 1	1 1 1 1 1 1	111111	11111	1	2 - 2	111111	1	4 3 1 2 3
,2	Other machinery	18 18 - 13 - 5	5 5 - 3 -	2 - 2 - 1 -	1111111	10 10 - 6 - 4		-	11111		2 2 1 1 1 1	1 1 - - -
.8	Other	67 48 19 36 13 12 6	38 24 14 17 8 7 6	3 2 - 2 1		5515111	-	3 1 1 -	4 3 1 3 1 -	1 1 1 1	7 6 1 4 1 2	7 6 1 4 1. 2
.9	Unspecified  Male Female Female All other-Male Female	23 15 8 11. 4 4	8 4 4 2 -	1 1 1		2 1 1 1		· 1	-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 - 2 -	B 5 3 2 1 3 2
k921	Accident caused by explosion of gressure vessel	73 67 6 54 6 13	14 9 5 9 5	4 4 2 - 2		24 23 1 17 1 6		1	9 9 1 <b>9</b> 1 • •	1 1 1 1	10 10 9 1	11 11 8 - 3
٥,	Boiler	19 16 3 13 3	8 5 5 5 7 7	1 1 - - 1	1 1 3 4 1 1 4	4	-	-	1 1 1	-	- - -	55 - 5 - 2 -
ч	Gas cylinder	14 14 - 11. - 3	1 1 - - -	-	- - - - -	5 5 - 3 - 2	- - - - -		2 2 - 2 -		4 4 - 3 - 1	2 2
.8	Other Male Female White	40 37 3 30 3 7	5 3 2 3 2	3 5 - 2 - 1	-	15 14 1 10 1 4	· -	1	6 	- 1 - 1	6 6 - -	4 4 - 3 - 1
<b>2922</b>	Accident caused by firearm missle	2,618 2,269 349 1,754 254 515	1,089 891 198 686 147 205 51	146 140 6 128 4 12 2	2 2 - 2	14 14 - 13 - 1	10 10 - 8 - 2	111 98 13 69 10 29 3	61 59 2 46 1 13	6 4 2 2 2 2	342 327 15 284 11 43 4	837 724 113 516 79 208 34

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973—Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965.

Numbers after places of accident are special fifth-digit subcategory codes]

	Numbers after places of ac		- Special I		- Dabbatte	===	Place of	accident				
Eighth Revision number	Cause of desth, color, and sex	Total deaths	Home <sup>1</sup>	Fazm <sup>2</sup>	Mine and quarry	Indus- trial place	Place for recrea- tion or sport	Street and highway	Public build- ing	Resi- dent insti- tution	Other speci- fied places	Place not speci- fied
			(0)	(1)	(2)	(3)	(4)	(5)	(e)	(7)	(8)	(9)
.0	Accident caused by firearm missle-Con.  Accidentally self-inflicted	516 481 35 397 28 84 7	276 254 22 207 17 47	24 24 - 21 - 3	1111111	1611111	1 1 1 1	21 21 14	10 10 8 2	221111	67 64 3 53 3 11	115 105 10 92 8 13 2
.9	Other and unspecified	2,102 1,788 314 1,357 226 431 88	81.5 637 176 479 130 158 46	122 116 6 107 4 9 2	2 2	14 14 - 13 - 1	9 9 7 - 2	90 77 13 55 10 22 3	51 49 2 38 1 11 1	4 2 1 2 1	275 263 12 231 8 32 4	72Z 619 103 424 71 195 32
E925	Accident caused by explosive material Male Female Mrite All other Male Female Female Female Female Female Male Female Male Femal	512 414 98 358 76 56 22	1.97 1.24 73 100 56 24 17	12 11 11 1 1 -	. 5 1 5 1	129 123 6 110 5 13		6 6 4 7 2	30 33 6 29 5 4 1	111111	73 69 4 60 4 9	50 43 7 39 4 4 3
.o	Fireworks	5 4 1 4 1 -	1 1 - 1	-	1 1 1 1	1	111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111111	111111	2 1 1 1	1
,1	Blasting material Male Female White	21 17 4 17 3	1	1 1 - 1 -	2 2 -	7 3 4 3 5	1111111	1 1 - 1 -	1 1 - -	11:1:11	3313111	5 5 5 7 1
.2	Explosive gas	234 181 53 155 46 26 8	110 70 40 56 34 14 6	6 6 - 6 -	3 2 1 2 1 -	34 34 30 4	1 1 1 1 1 1 1	1 1 - - 1	22 18 4 17 3 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	36 33 31 3 2	22 17 5 13 4 4
.8	Other	65 60 5 51. 5 9	16 15 3 12 3 3	2 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	19 19 17 2	1	1	4 3 1 2 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15 15 12 3	8 6 7
.9	Unspecified	187 152 35 151 22 21	67 37 30 50 19 7 11	3 3 7 7 7 7	1 1 1 -	68 66 2 59 2 7	-	3 3 - 2 - 1	12 11 2 2 2 -		17 17 13 4	16 14 2 14
E924	Accident caused by hot substance, corrosive liquid, and steam	279 1.68 111. 129 83 39 28	173 90 83 68 63 22 20	1 - 1 -	4 4 3 1	34 34 28 -	-	1	12 7 5 6 5	17 11 6 10 5 1	11 8 3 5 1 3 2	26 12 14 7 9 5
E925	Accident caused by electric current———————————————————————————————————	1,149 1,085 64 1,018 56 67 8	303 258 45 242 39 16 6	72 72 71 - 71	7 7  7  	174 174 - 161 - 13	6 - 6 -	92 91 1 85 1 6	42 40 2 37 2 3	8 6 6 -	166 162 4 150 4 12	281 269 12 253 10 16 2
٥.	Home wiring and appliance	232 193 39 183 33 10 6	232 193 39 183 33 10	-	-		-	-	-	1 1 1 1 1	1 1 1 1 1 1 1 1 1	1 1 1 1 1

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965.

Numbers after places of accident are special fifth-digit subcategory codes]

							Place of	accident				
Eighth Revision number	Cause of death, color, and sex	Total deaths	Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Indus- trial places	Place for recrea- tion or sport	Street and highway	Public build- ing	Resi- dent insti- tution	Other speci- fied places	Place not speci- fied
			(0)	(1)	(z)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
.ı	Accident caused by electric currentCon.  Industrial wiring and appliance	181.	-	_	7	. 174	_	_	_	_	-	_
	Multe   Female   WhiteMale   Female   All otherMale	. 181 168 -			7 - 7 -	174 - 161 - 13	- - -	· -			-	- - - -
.8	Other	564 549 15	71 65 6	72 72 72	' - - - -	- - -	6 6	92 91 1	42 40 2	- 6 6	166 162 4	109 107 2
	WhiteMale Female All otherMale Female	. 515 14 34 1	59 6 6	71. 1	-	-	6 - -	85 1 6 -	37 2 3 -	6 - - -	150 4 12 -	101 1 6 1
.9	Unspecified	172 162 10 152 9	-				-	-	11111		-	172 162 10 152 9 10
E926	Accident caused by radiation————————————————————————————————————	1	-	-	- - -		- - -	-		-	-	1 -
	WhiteMale Female All otherMale Female	-	- - -	-	- - -	= =	- - -	=	-	-	-	- - -
.0	Nonionizing	-	-	1	-	- - -	- - - -	-	1	-	-	-
.1	Female	- - -		-	-	- -	- - -	· -	-	-	-	- - - -
	White	-	-	-	1 1 1	-	-		- - -	- - -	- -	- - -
E927	Vehicle accidents not elsewhere classifiable	171 158 13 142 13 16	85858	7 7 7 -	12 12 11 1	33 33 28 - 5	18 17 1 14 1 3	25 22 3 20 3 2	3 3 3	1 1 - - -	45 40 5 37 5 3	19 18 1 16 1
19928	Machinery accidents not elsewhere classifiable	884 853 31 775 30 78	74. 71. 3 68 3	447 426 21 403 21 23	9 9 - 8 -	125 124 1 100 1 24	5 5 - 4 -	50 50 - 46 - 4	9 9 - 6 - 3	1 1 1	87 83 4 71 4 12	77 75 2 70 1 5
E929	Female  Other and unspecified accidents	2,100 1,400 700 1,110 581 290 119	127 70 57 58 46 12 11	15 15 - 15 - 2		65 63 2 47 2 16	7 7 7 - 7	59 47 12 37 12 10	20 14 6 13 5 1	- 26 19 7 17 7 2	63 55 8 48 7 7	1,713 1,305 608 865 502 240 106

<sup>&</sup>lt;sup>1</sup>Including home premises and any nominatitutional place of residence.

<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.

Table 4-6. Deaths From Nontransport Accidents, by Place [Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification

	Place of accident, race, and sex	Total	Under 1 year	l year	2-3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	All nontransport accidents (B850-E929)	51.,628	1,304	850	1,301	434	3,889	1,566	2,013	3,869
2 3 4 5 6 7 8 9	Male Female White	34,406 17,222 28,135 14,776 5,698 2,267 573 179	768 536 509 324 247 196 12	493 357 358 251 125 98 10 8	810 491 638 344 155 151 17	266 168 210 114 55 54 1	2,337 1,552 1,715 1,033 562 479 40 40	1,089 477 805 354 262 118 22 5	1,565 448 1,170 343 379 97 16	3,348 S41 2,734 422 560 104 54 14
10 11 12 13 14 15 16 17	Home	19,284 10,981 8,303 8,863 6,988 1,971 1,248 147 67	705 410 295 259 179 145 108 6	553 311 242 216 165 91 72 4 5	784 464 320 340 207 114 106 10	250 133 117 98 75 34 42 1	2,292 1,318 974 913 626 384 328 21 20	609 357 252 257 176 95 76	566 383 183 304 143 76 30 3 3	780 586 192 485 140 95 39 6
19 20 21 22 23 24 25 26 27	Farm <sup>2</sup> (1) Male	1,769 1,631 138 1,465 133 148 4 18	1 - 1 - - - -	25 17 8 15 8 1. -	42 50 12 30 12 -	21 14 7 14 7 -	89 61 28 59 28 1	113 94 19 84 19 8	146 125 21 102 21 22 1	194 180 14 157 12 23 2
28 29 30 31 32 33 34 35 36	Mine and quarry (2)	217 208 9 188 6 17 3	-	-	-	-	1111111111	8 6 2 3 3	862412211	31 29 2 26 2 3
37 38 39 40 41 42 43 44 45	Industrial place (3)	1,972 1,930 42 1,653 57 253 5 24	-	-	5 4 1 4 1	-	54 14 1	12 9 8 8 -	26 22 4 19 4 3	151 145 6 124 5 19 1
46 47 48 49 50 51 52 53	Place for recreation or sport (4)  Male	529 443 86 348 71 88 12 7	1 1 - 1 - -	10 7 3 6 3 1 -	25 21. 4 17 4 4	8 7 1 4 - 3 1 -	44 35 9 27 8 8	47 31 16 24 14 6 1	76 59 17 47 13 11 3 1	128 111 17 97 14 23 3
55 56 57 58 59 60 61 62 63	Street and highway (5)	1,522 1,264 258 1,029 221 211 35 24 2	7 2 5 1 3 1 1	5 2 3 2 1 - 2	8 5 3 4 3 1	2 1 1 1 1 -	22 10 12 8 8 2 3 -	31 23 0 16 7 7 1	35 31 4 26 2 5 2	150 125 25 112 22 12 13 3
64 65 66 67 68 69 70 71 72	Public building (6)  Male  White	1,431 1,153 278 991 251 140 24 22	1	4 1 3 1 2 - 1	16 10 6 10 5 - -	8 7 1 7 1 -	29 19 10 19 8  1	30 24 6 18 4 4 2	65 49 16 35 14 13 2	142 123 10 95 16 26 2 2
73 74 75 76 77 78 79 80 81	Resident institution (7)	2,897 1,254 1,643 1,167 1,560 74 76 13	5 2 3 1 2 1 1	1	1 - 1		7 2 5 1 3 1 2	11. 7 4 5 3 2 1	12 4 8 3 7 1	30 20 10 18 9 1
82 83 84 85 86 87 88 89 90	Other specified places (8)	7,285 6,388 897 5,046 723 1,198 162 144	23 15 8 11 6 3 2 1	85 53 32 45 28 5 4 3	209 154 55 136 51 15 4 3	79 61 18 51, 13 10 5	396 283 1.13 243 98 33 15 7	456 361 95 250 72 102 21 9	670 565 105 407 70 149 32 9	1,410 1,500 110 1,049 86 228 20 23

<sup>&</sup>lt;sup>1</sup>Including home premises and any noninstitutional place of residence.
<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.

#### SECTION 4 - ACCIDENT MORTALITY

of Accident, Age, Race, and Sex: United States, 1973

of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
3,526	2,653	1,968	1,907	2,103	2,417	2,601	2,640	2,775	2,560	2,629	3,165	3,656 	3,263	1,792	477	96	43
5,013 513 2,426 362 530 137 57	2,250 403 1,768 307 418 85 64	1,632 336 1,277 251 316 75 39	1,519 388 1,182 297 306 81 31	1,630 473 1,263 357 324 106 43	1,825 592 1,435 503 355 85 35 4	1,935 666 1,573 556 337 102 25	1,965 677 1,642 612 299 63 22	1,964 811, 1,650 699 286 104 28	1,645 915 1,419 797 205 113 21	1,517 1,112 1,300 961 188 146 29	1,551 1,614 1,400 1,494 134 113 17	1,536 2,120 1,422 2,002 99 113 15	1,251 2,012 1,182 1,927 61 78 8	617 1,175 582 1,129 31 43	159 318 146 305 11 11 2	25 71 21 59 4 11	35 8 23 5 11 3
918 661 237 552 174 111 62 18	767 573 194 451 145 113 45 9	543 381 162 287 127 88 31 6	572 377 195 278 160 93 33 6	727 490 247 366 187 106 56 8	895 568 327 440 271 120 54 8 2	993 603 390 474 333 128 55 3	1,013 625 388 518 355 105 32 2	1,135 723 412 604 360 112 50 7	1,168 658 510 565 439 83 67 10	1,172 619 553 507 470 99 80 13	1,362 626 736 559 673 60 60 7	1,524 606 918 547 847 53 69 6	1,363 508 855 478 813 28 39 2	673 234 439 216 416 14 21 4 2	168 62 106 55 100 6 4 1	37 8 29 5 22 3 7	7 3 4 1 2 2 1 2 1 2 1 2 1 - 1 1 - 1 1
106 99 7 88 6 11 1	94 90 4 75 4 10	80 75 5 5 7 7	61 60 1 55 1	91. 87 4 74 3 10 - 3	99 92 7 86 7 6	97 94 3 85 3 9	131 124 7 116 7 7	125 123 2 115 2 7	108 105 3 100 3 5	93 89 4 79 3 10	68 65 3 63 1 1	45 42 3 41 3 1	21 18 3 15 3 -	55 15 1 1 1 1	1	-	2 1 2 2 1 2 1 2 1 2 1 2
27 26 1 23 1 2	19 18 - 17	18 18 17 1	21 21 -	14 14 12 2	16 16 - 16	19 19 - 18 - 1	14 14 - 11 - 2	19 17 2 17 1	-	2 2 - 2	1 1 - 1	1		-	-	-	
262 258 4 225 4 51.	221 218 3 197 2 19 1	187 186 1 163 1 20	191 187 4 185 4 30	163 162 1 139 - 18 1	189 187 2 155 1 29 1	199 195 4 165 4 28	168 166 2 143 1 25	127 126 1 103 1 22	38 35 3 28 3 6	23 21, 2 19 2 2	7 6 1 4 1 2 -	3		-	-	-	3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
49 45 4 31 2 13 2	37 35 2 26 2 8	21 18 3 13 5	31 27 4 21 2 5 1 1	17 17 13 - 3 -	14 11 3 10 5	19 17 2 15 1 2	12 10 2 8 2	10 8 2 9 2	8	4 3 1 2 1	5 4 1 4 1 -	6 4 2 4 2	-	1	-	-	- 4 4 4 5 5 5 5 5 5
160 139 21 114 12 22 9 3	118 111 7 85 4 25 2 1 1	104 93 11 71 9 19 2 3	62 76 6 54 4 21 2	94 84 10 61 8 19 2	86 76 10 59 9 16 1	96 87 9 70 7 15 2 2	90 81 94 8 16 1	101 86 15 69 14 14 1	75 60 15 50 15 8 - 2	69 50 19 47 17 3 2	80 50 30 46 28 4 2	66 40 26 36 26 2	43 52 11 32 11	18 9 9 8 9	2 1 1 1 - -	-	
126 112 14 97 11 14 3	100 89 11 76 9 12 1 1	74 62 12 45 9 16 3	81 71 10 60 9 9 1	67 77 10 64 7 10 3 3	105 90 15 78 14 11 1	116 99 17 93 16 3 1	114 95 19 86 18 8	90 75 15 70 14 3 1 2	63 45 18 40 17 5 1	60 42 18 38 18 3 -	57 39 18 37 17 1 1	48 24 24 22 24 2 -	50 13 17 13 17 -	11 3 8 3 8 -	2 1 1 1 1 -	1	1 6 1 6 1 6 - 6 - 7 - 7
32 27 5 19 3 7 2	}	34 25 9 20 9 5	24 17 7 14 5 3 1	40 30 10 26 6 2 4 2	48 39 10 53 9 5	49 35 16 29 12 3 2 1	82 43 39 36 36 3 1	91 53 38 49 36 4 2	133 76 57 72 47 4 10	214 105 109 98 99 6 9	373 173 200 167 192 5 7	572 200 372 194 364 4 8 2	596 203 393 198 380 4 12	389 1.53 256 1.29 249 4 7	104 34 70 32 69 1 1	19 4 15 3 13 1 2	1 7 1 7 7 7 7 7 7 7 7 7 7 8 8 8 8 8 8 8
907 848 59 681 42 149 17	604 555 49 438 41 97 8 20	401. 370 31, 292, 19 67 10 11, 2	557 297 40 257 30 55 10	525 290 33 217 28 67 5	325 294 31. 214 28 73 3	323 269 34 234 30 49 3 6	304 278 26 233 25 37 1 8	259 213 26 175 19 34 7	1.78 1.57 21 134 19 20 2	136 105 31 87 28 13 3	105 79 26 66 25 10 1	75 53 22 49 22 4	53 25 28 21 25 4 3	22 10 12 7 12 3	6 3 3 2 3 1	1	14 8 12 8 9 8 1 8 3 8 1 8

### SECTION 4 - ACCIDENT MORTALITY

## Table 4-6. Deaths From Nontransport Accidents, by Place

Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification

_				<del> </del>						
	Place of accident, race, and sex	Total.	Under 1. year	1 year	2-3 yearş	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1 2 3 4 5 6 7 8	Flace not specified (9)  Male Female White	14,722 9,154 5,568 7,365 4,786 1,598 698 171 64	338 223 236 132 97	167 102 65 73 44 27 18 2	211. 122: 89: 97: 60: 21. 21: 4:8:	66 43 23 35 17 8 6	1,005 605 400 441 253 153 129 11 18	249 177 72 140 54 35 16 2	409 321 88 223 69 97 17 1 2	873 727 146 581 108 130 33 16 5

of Accident, Age, Race, and Sex: United States, 1973-Con.

of Diseases, iAdapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	65-89 years	90-94 years	95-99 years	100 and over	Not stated	
939 778 161 595 107 170 41 12	658 555 123 382 91 130 27 23 5	506 404 102 304 69 88 29, 12	507 386 121 287 82 85 33 14 6	547 389 158 291 118 67 35 11	640 453 187 344 161 94 24 15	690 499 191 390 150 101 38 8 3	712 527 185 427 160 93 24 7	838 540 298 440 250 90 42 10	789 501 288 422 254 74 33 5	856 481 375 421 323 51 51 9	1,107 508 599 454 554 50 42 4	1,316 563 753 526 714 32 37 5	1,157 452 705 425 678 22 24 5	673 223 450 214 434 9 15	194 57 137 55 131 2	39 12 27 12 24 - 2	18 16 2 10 2 5	2 3 4 5

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1973

-					it subcategor	Place of	accident		···		
Area, color, und sex	Total deaths	Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
-		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
United States	51,628	19,284	1,769	21.7	1,972	529	1,522	1,431	2,897	7,285	14,722
Male	34,406 17,222 28,135 14,776 6,271 2,446	10,981 8,303 8,863 6,988 2,118 1,315	1,631 138 1,465 133 166 5	208 9 188 6 20 3	1,930 42 1,653 37 277 5	443 86 348 71 95 15	1,264 258 1,029 221 235 37	1,153 278 991 251 162 27	1,254 1,843 1,167 1,560 87 83	6,388 897 5,046 723 1,342 174	9,154 5,558 7,385 4,786 1,769 782
Alabana Malc Malc Female Male Male Male Male Female All other Male Female Female Male Male Male Male Male Male Male M	1,113 775 338 471, 228 304 110	338 188 150 103 90 85	33 32 1 25 1 7	2 2 1 - 1 - 1	37 36 1 30 1 6	4 3 1 1 - 2	28 23 5 20 3 3 2	10 9 1 6 1 3	21. 13 8 10 6 3 2	142 129 13 78 10 51	498 340 158 197 116 143 42
Alaska	200 152 48 79 17 73 31	28 21 7 6 1 15 6	- 1 - 1 - 1 - 1 - 1		3 3 - 2 - 1	1	4 4 2 2	2 1 1 1	1117117	30 25 5 14 4 11 1	153 99 55 55 11 43 24
Arizona	570 441 129 354 111 87 18	218 144 74 127 68 17	n n	661611	34 34 31 31	10 9 1 8 1	21 19 2 14 1 5	20 19 1 15 1 4	19 15 4 11 4 4 4	92 85 7 59 5 86 2	139 93 40 72 31 27 9
Arkansas	661 449 212 328 169 121 43	173 99 74 67 58 32	27 24 3 22 3 2	32 1 1 1	21 21 17 4	1	65 1 5 1	6 5 1 4 1	17 8 9 8 9	83 76 7 54 5 22 2	324 208 116 149 92 59 24
California	5,054 3,325 1,729 2,689 1,555 436 174	2,409 1,375 1,054 1,173 921 202 113	59 54 5 5 5 5 4 -	4 5 1 3 1	112 109 5 103 3 6	45 41 4 32 4 9	172 143 29 127 24 18 5	201, 166 35 147 31 18	411 189 222 181 213 8	792 690 102 604 91 86	849 555 294 469 262 86 32
Colorado	576 380 196 368 189 12 7	171 100 71 96 70 4	23 18 5 18 5 - -	66   6   1	26 26 - 26 -	3 3 3 7	14 12 2 12 2 2	18 16 2 16 2 -	44 12 32 12 32	90 80 10 78 10 2	181 107 74 101 69 6
Connecticut	51.7 326 191 293 181 53 10	218 126 92 108 85 18	7 6 1 5 1	-	16 15 1 15 -	4 4 3 1	15 12 3 12 2 -	14 11 3 10 3 1	37 16 21 16 21	56 56 10 48 9 8	140 80 00 75 59 5
Delaware	147 100 47 91 39 19	44 22 22 19 17 5	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		4. 4. 4.	2 5 2 3 1 2 H	4 3 1 3 1	2 2 2 2 1	4.	27 24 3 21 3 3	55 43 12 31, 10 12 2
District of Columbia	235 156 79 33 40 123	94 59 35 11 15 48 20	- - - - -	1 1 - - - 1	3811181	111111111111111111111111111111111111111	6 6 1 1 6 1	3 2 1 1 1	17 9 8 6 3 3	33 28 5 5 3 23 23	78 45 20 10 18 38 12
Florida Male Female White	2,118 1,424 694 1,060 570 364 124	815 470 543 564 278 106 65	36 35 1 20 1 15	10 ( 9 1 5: 1 4:	79 79 - 67 - 12	35 28 5 17 4 11	85 56 9 40 7 16 2	80 61 19 53 17 8	94 35 59 33 57 2	459 397 72 252 49 135 23	449 264 185 209 156 55 23

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1973-Con.

					it subcategor	Place of	accident		<del></del>		
Area, color, and sex	Total deaths	Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(a)	(7)	(8)	(e)
Georgia Male Female White	1,486 1,046 440 666 307 380 133	659 398 261 262 183 136 78	56 52 4 31 3 21	1	66 64 2 37 2 27	9 6 3 4 2 2	62 53 9 51 4 22 5	33 26 7 14 7	48 23 25 22 24 1	246 221 25 135 15 86 10	306 202 104 130 67 72 37
Malc Female White	138 109 29 25 11 84 18	47 31 16 6 8 25 8	2 2 1 1	1 1 - - 1	18 13 - - 13	111111	66 - 1 5 1	6 5 1 1 - 4	9 5 4 4 2 1 2	36 35 1 10 - 25 1	18 11 7 2 1 9 6
Idaho	216 150 66 144 66 6	58 33 25 32 25 1	16 14 2 14 2 -	, 11111111	7 7 7 7	2 2 2 - 2	3 1 2 1	2 1 1 1 -	12 6 6 6 6	50 44 6 41 6	66 43 23 41 23 2
Illinois	2,289 1,601 688 1,297 588 304 100	850 529 331, 405 271 124 60	85 79 6 79 6 -	13 13 12 1	135 131 4 106 5 25	39 34 5 27 4 7	76 61 15 44 10 17 5	91 72 19 58 16 14 5	98 51, 47 43 42 9 5	343 297 46 237 38 60 8	549 334 215 286 198 48
Indiana	1,218 813 405 740 381 73 24	416 260 156 227 143 33	56 53 3 51 3 2	991	63 62 1 58 1 4	13 11 2 10 2 1	37 33 4 31 4 2	36 31 5 29 5 8	45 14 31 14 28	118 107 11 99 9 8 2	425 233 192 212 186 21 6
Idwa Male Female White Female Female Female Female	744 495 249 484 246 11 3	200 115 65 113 83 2	86 84 2 84 2 - -	3 3 3 - - -	19 19 - 18	13 11. 2 10 2 1	12 10 2 10 2 10	25 16 9 16 9	30 16 14 16 14 -	93 74 19 72 19 2	263 147 116 142 115 5
Kansas	621. 386 235 357 228 29 7	182 96 86 90 84 6	56 49 7 49 7 -	3 3 - 5 -	16 16 - 15 1	5 4 1 3 1	15 10 5 8 5 2	16 13 3 12 3 1	41 16 25 15 25 1	71 59 12 50 11 9	216 120 96 112 92 8
Kentucky	992 663 309 621 293 62 16	352 203 149 177 138 26 11	81. 74 7 70 7 4	20 20 20 - 20 -	44 43 1 43 1	7 5 2 4 2 1	32 28 4 28 4	20 18 2 18 2	45 24 21 23 20 1	110 91 19 79 19 12	281 177 104 159 100 18
Male	1,147 813 334 500 212 313 122	315 189 126 108 70 81 56	21 20 1 13 1 7	1 1 - - 1	48 48 - 35 - 13	9 6 3 3 3 5	23 21 2 10 11 2	29 26 3 22 3 4	29 18 11 17 9 1 2	245 215 30 131 21 84 9	427 269 158 161 105 108 53
Maine	264 172 92 171 91 1	112 59 53 58 53 1	6 6 -	-	7 7 7 7	3 2 1 2 1 -	7 6 1 6 1	8 7 1 7 1	8 1 7 1 7	46 43 3 43 3	67 41, 26 41 25
Maryland	791 509 282 394 225 115	315 160 155 123 124 37 31	25 24 1 21 1 3	1 1 1 -	26 25 1 19 1 6	5 2 1 1 1	51 23 6 16 7 7	16 14 2 13 -	46 24 22 21 18 3	143 126 17 89 16 37	1.85 11.0 75 90 57 20 18
Massachusetts	1,465 879 586 836 570 43	568 289 279 276 274 13	-	1	44 44 - 43 - 1.	12 8 4 8 3	38 29 29 5 -	46 35 11. 35 11.	168 69 99 67 98 2	171. 148 25 134 22 14 1	417 256 161 243 153 13

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1973-Con.

			spe	cial fifth-dig	lt subcategor					<del></del>	
						Place of	eccident				
Area, color, and sex	Total deaths	Hone <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(5)	(3)	(4)	(5)	(e)	(7)	(a)	(9)
Michigan	2,041 1,367 674 1,129 581 238 93	725 436 289 336 230 100 59	44 42 2 41 2 1	7 7 - 7 - -	60 59 1 56 1 3	28 25 3 19 3	67 53 14 43 12 10 2	52 43 9 36 8 7	69 26 43 25 40 1 3	224 197 27 157 18 40 9	765 479 286 409 267 70 19
Minnesota Male Female White	922 643 279 622 274 21 5	316 194 122 184 120 10 2	60 56 - 4 56 4 -	7 7 - 7 -	18 17 1 17 1	7 7 7 	27 21 6 18 6	23 18 5 16 5 2	58 32 36 32 36	111 105 6 104 6 1	285 186 99 181 96 5 3
Mississimi Male Male Male Male Mississimi Mite Male Mite Male Male Male All other Male Female Male Male Male Male Male Male Male M	864 628 236 336 117 292	285 171 114 84 44 87 70	40 38 2 20 - 18	-	32 32 21 11	3311331	23 21 2 13 1 8 1	14 11 3 10 1 1 2	11. 56. 46. 4	108 98 10 47 5 51 5	248 249 99 137 60 112 39
Missouri	1,320 657 463 726 407 131 56	566 320 246 259 212 61 34	85 82 3 79 3	6 6 5 - 1	51. 48. 3. 41. 3. 7.	ច ភ <u>។</u> 5 <u>។</u>	34 31. 3 26 3 5	29 21 8 16 8 3	11A 55 63 53 60 2	122 112 10 85 8 8 27 2	503 177 126 155 109 22 17
Montana	247 163 84 150 78 13	94 54 40 50 38 4 2	18 18 - 17 - 1	1	12 12 - 11 - 1	1118111	7 4 3 4 3 -	2 2	14 8 6 8 6 -	35 31 4 30 3	64 33 31 28 28 5 5
Nebraska	419 276 143 266 138 10 5	161 97 64 93 62 4 2	52 45 7 44 7 1	5 1 2 1 2	10 10 - 10 - - -	4 3 3 1	14 12 2 10 2 2	9 8 1 7 1 1	53 31 22 31	34 28 6 27 6 1	79 50 29 49 26 1 3
Nevada Male  Fenale White	150 110 40 103 38 7 2	51 34 17 32 15 2 2	1 1 - -	-	5 5 - 5 -	2 2 - 2	5 4 1 4 1	4 - 4 -	111111	27 22 5 20 5 2	55 38 17 35 17 3
New Hampshire	194 109 85 107 85 2	77 34 43 32 43 2	3	1 1	3 3 - 3 - -	5 4 1 4 1 -	422221	11 9 2 9 2 -	20 6 14 6 14 -	28 24 4 24 4 -	45 26 19 26 19
New Jersey	1,394 877 517 683 434 194	588 301 297 249 242 52 45	<b>ភ</b> ភរភ ! រ !	1	66 66 - 50 - 16	6 5 1 5 1	45 39 6 28 5 11 1	43 35 8 30 7 5	95 35 60 27 55 8 5	171 149 22 105 17 44 5	374 241 133 183 107 58 26
New Mexico	366 283 85 222 71 61 12	95 67 28 54 24 13	6 1 3 1 2	3 3 3 -	20 20 18 - 2	12 11 1 9 1 2	15 10 5 7 3 3	6 5 1 5 1 -	7 5 2 4 2 1	63 53 10 40 8 13 2	141 104 37 79 31 25 6
New York	5,211 1,945 1,266 1,683 1,129 262 137	1,063 540 523 479 471 61 52	41. 37 4 34 4 5	4 - 4 - -	100 98 2 83 2 15 -	31 27 4 22 3 5	75 56 19 49 18 7 1	62 46 16 43 15 3	237 97 140 89 133 8 7	348 299 49 242 38 57	1,250 741 509 636 445 103 64
North Carolina	1,534 1,080 454 728 320 352 134	514 325 189 220 124 105 65	78 76 2 45 1 31	1 1 - - -	65 64 1 47 1.	20 17 3 14 2 3 1	30 26 4 21 3 5 1	35 32 3 25 3 7	28 16 12 13 10 3 2	190 174 16 114 13 60 3	573 349 224 225 163 121 61

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1973-Con.

	1	<u> </u>	spe	cial fifth-dig	it subcategor	y codesj					
		Place of accident									
Area, color, and sex	Total deaths	Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(z)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
North Dakote	140 104 36 93 30 11 6	49 33 16 30 13 3	18 17 1 16 1	1 1	1	. 3 2 1 1 - 1	10 9 1 8 1 1	4 3 1 3 1	17 7 10 7 10	20 16 4 14 2 2 2	17 15 2 13 . 2 2
Chio	2,350 1,434 916 1,228 835 206 81	976 536 440 444 390 92 50	65 52 11 51 11 1	7 7 7 - - -	. 94 92 2 80 2 12	25 19 6 13 6 6	61. 47 14 38 13 9	79 64 15 50 13 14 2	163 55 108 51 103 4 5	251 214 37 189 34 25 3	631 348 283 305 263 43 20
Oklahoma	796 534 262 475 224 59 38	242 148 94 132 80 16 14	50 46 4 44 44 2 2	2 2 -	38 38 - 36 - 2	4 5 1 2 1	17 14 3 13 3 1	27 21 5 19 5 2 1	51 16 15 15 15 1	86 74 12 65 11 9	299 172 127 147 105 25 22
Oregon	581 410 171 392 168 18	211 119 92 113 91 6	21 18 3 18 3	1	30 30 30 -	9 8 1 2 -	24 23 1 23 1 - -	9 7 2 6 2 1	21 23 20 23 1	135 120 15 112 11 8 2	99 63 36 63 36 -
Pennsylvania	2,573 1,633 940 1,408 844 225 96	984 519 465 414 402 105 63	78 71 7 69 7 2	16 15 1 15 1	99 97 2 84 1 13	14 13 10 1 3	108 88 20 74 18 14 2	66 52 14 44 12 8	94 53 41 48 40 5	306 267 39 245 30 22	808 458 350 405 332 53 18
Rhode Island	234. 119 115 111 115 8	101 46 55 46 55 -	-		5 5 4 1	2 1 1 1	1.1 8 3 7 5 1	86262	38 9 - 24 9 24 -	21 15 6 11 6 4	53 29 24 27 24 2
South Carolina	918 648 270 368 164 280 106	526 202 124 120 68 82 56	25 25 14 11	5 5 1 1 5 7	52 50 2 19 11 2	8 6 2 4 2 2	20 17 5 9 3 8	24 20 4 16 3 4	21 9 12 8 11 1	131 117 14 60 6 57 8	328 219 109 118 71, 101 38
South Dakota	218 160 58 131 50 29	74 46 28 41 22 5 6	29 27 2 26 2 1	111	8 8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 - 2	15 11 2 10 2 1	3121	24 11 13 10 12 1	35 33 2 21 2 12	. 30 21 9 13 8 8
Tennessee	1,108 745 363 608 296 137 67	487 263 224 212 180 51 44	65 60 5 55 5	33 - 2 - 1	40 39 1 32 1 7	5 5 - 4 - 1	36 28 8 23 7 5	37 30 7 23 6 7 1	56 21 35 20 32 1 3	142 132 10 102 7 30	237 164 73 135 58 29 15
Texas	3,083 2,107 976 1,748 810 359 166	1,077 588 489 485 597 103 92	105 95 10 85 9 10	9 7 2 5 - 2 2	164 157 7 154 6 23	62 55 7 40 4 15	89 74 14 61 12 13 2	70 59 11 56 10 3	172 57 115 51 107 6 8	581. 519 62 415 48 104	755 496 259 416 217 80 42
Utah	205 197 88 189 86 8	83 48 35 46 35 2	11 9 2 9 2 -	មិន មេខា មាន	1a 17 1 17 1 -	2 2	9 8 1 7 1 1	10 .8 2 .8 2 	22 13 9 13 8	53 48 5 46 5 2	72 39 33 36 32 3
Vermont	153 89 44 89 44 -	38 21 17 21 - 17 -	11 9 2 9 2	1 1 1 1 1 1	5	-		7 5 2 5 2	6 4 2 4 2 -	18 17 1 17 1 1	48 28 20 28 20 -

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1973-Con.

			spe	ciai iliui-dig	it subcategor	y codesj					
						Place of	accident				
Area, color, and sex	Total deaths	Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public brilding	Resident institution	Other specified places	Place not specified
		(0)	(1)	(z)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Virginia Male  Male Fenale WhiteMale All otherMale Female	1,409 922 487 661 374 261 113	584 328 256 228 194 100 62	43 37 6 32 6 5	19 18 1 16 1	54 51. 3 44 3 7	2 2 - 1 - 1	35 27 6 17 6 10	34 29 5 19 5 10	87 33 54 30 48 3 6	180 151 29 109 20 42 9	373 246 127 163 91 83 36
Washington	866 597 269 546 251, 51,	353 193 140 176 130 17	20 18 2 19 2	2 2 - 2	46 46 - 44 - 2	8 5 3 2 2 1.	28 26 2 24 2 2	39 31 8 24 7 7	73 31 42 29 42 2	169 148 21 134 18 14 3	148 97 51 92 48 5
West Virginia	565 424 141 404 126 20 15	167 109 58 100 52 9	38 38 38	22 22 22 - 22	28 28 - 27 - I -	1 1 - -	12 11 12 -	II. 9 2 9 2	65 15 15 1	61. 52 9 49 7 3	219 149 70 142 64 7 6
Wisconsin	1,015 672 343 653 332 19	387 217 170 207 165 10 5	68 60 60 8	6   	42 40 2 40 2 -	36 23 8 28 6 - 2	25 23 2 22 22 2 1	26 17 9 17 8 -	78 36 42 36 42	128 112 16 109 14 3 2	219 133 86 128 85 5
Wyoming Male Female White Male Female All other-Male Female	150 69 41 85 38 4 3	40 26 14 25 13 1	651312	2 2 - 2 -	3 3 - 3 -	2 2 2 - -	6 5 6 - -	3 3 - 3 - -	7 2 5 2 5 -	23 20 20 2 1	38 19 19 19 17

<sup>&</sup>lt;sup>1</sup>Including home premises end any nominstitutional place of residence.
<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.

# Section 5. Life Tables

		Page
Explan	nation of the columns of the life table	5-2
Tables		
5-1.	Abridged life tables by color and sex: United States, 1973	5-4
5-2.	Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1973	5-7
5-3.	Expectation of life at single years of age, by color and sex: United States, 1973	5-8
5-4.	Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1973	5-9
5-5.	Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-73	5-11

## Explanation of the Columns of the Life Table

Column 1—Age interval (x to x + n).—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2-Proportion dying  $(_n q_x)$ .—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for males in the age interval 20-25, the proportion dying is 0.0111—out of every 1,000 males alive and exactly 20 years old at the beginning of the period 11 will die before reaching their 25th birthday. In other words, the  $_n q_x$  values represent probabilities that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 3-Number surviving  $(l_x)$ .—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The  $l_x$  values are computed from the  $_nq_x$  values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus out of 100,000 male babics born alive, 98,022 will complete the first year of life and enter the second; 97,674 will begin the sixth year; 96,405 will reach age 20; and 13,662 will live to age 85.

Column 4—Number dying  $({}_{n}d_{x})$ .—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 males born alive, 1,978 die in the first year of life, 348 in the succeeding 4 years, 1,068 in the 5-year period between exact ages 20 and 25, and 13,662 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6-Stationary population ( $_{\rm n}L_{\rm x}$  and  $T_{\rm x}$ ).—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual

left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for males in the age interval 20-25 is 479,389. This means that in a stationary population of males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 479,389 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,808,611 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,756,651.

Column 7—Average remaining lifetime  $(e_x)$ .—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 479,389 for males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 96,405 (column 3) who reached the 20th birthday out of 100,000 males born alive. The corresponding figure (4,808,611) in column 6 is

the total number of years lived after attaining age 20 by the 96,405 reaching that age. This number of years divided by the number of persons (4,808,611 divided by 96,405) gives 49.9 years as the average remaining lifetime of males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus in observing that the average remaining lifetime of white persons is greater than for those in the all other category, one should not conclude that the oldest ages reached by

white persons necessarily exceed those attained by the most long-lived of the all other group. The difference in the average length of life results from the fact that a greater proportion of all other persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among white persons than among all other persons; yet the average length of life remaining at age 65 is nearly the same for both groups.

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1973

. AGE INTERVAL	PROPORTION DYING	0F 100,000 I		STATIONARY (	POPULATION	AVERAGE REMAIN- ING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING UF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE Interval	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL
.(1)	. (2)	(3)	(4)	(5)	(6)	(7)
. X to X + D	<sub>R</sub> P <sub>R</sub>	I <sub>x</sub>	nd <sub>x</sub>	$_{n}L_{_{\mathbf{X}}}$	$ au_{\mathtt{x}}$	2 <sub>x</sub>
TOTAL.		-				
0-1	0.0176	100,000	1.763	98,436	7,134,067	71.3
	-0032	98,237	312	392,201	7,035,631	71.6
	-0021	97,925	203	489,077	6,643,430	67.8
	-0020	97,722	198	488,163	6,154,353	63.9
15-20	.0056	97,524	544	486,372	5,666,190	58.1
	.0073	96,980	710	483,157	5,179,818	53.4
	.0072	96,270	688	479,654	4,696,661	48.8
	.0083	95,582	789	476,029	4,217,007	44.1
35-40	.0117	94,793	1,109	471,376	3,740,978	39.5
	.0176	93,684	1,651	464,587	3,269,602	34.9
	.0278	92,033	2,559	454,233	2,805,015	30.5
	.0408	89,474	3,655	438,772	2,350,782	26.3
55-60	.0638	85,819	5,472	416,170	1,912,010	22.3
	.0929	80,347	7,466	383,968	1,495,840	18.6
	.1314	72,881	9,577	341,370	1,111,872	15.3
	.1948	63,304	12,334	286,576	770,502	12.2
75-80	.2885	50,970	14,707	218,708	483,926	9.5
	.3914	36,263	14,192	145,115	265,218	7.3
	1.0000	22,071	22,071	120,103	120,103	5.4
MALE  0-1 1-5 10-15	0.0198	100,000	1.978	98+241	6,756,651	67.6
	.0035	98,022	348	391,259	6,658,410	67.9
	.0024	97,674	236	487-740	6,267,151	64.2
	.0026	97,438	251	486-640	5,779,411	59.3
15-20	.0080	97,187	782	484,160	5,292,771	54.5
	.0111	96,405	1,068	479,389	4,808,611	49.9
	.0103	95,337	983	474,222	4,329,222	45.4
	.0111	94,354	1,047	469,259	3,855,000	40.9
35-40	.0151	93,307	1,411	463,244	3,385,741	36.3
	.0225	91,896	2,066	454,698	2,922,497	31.8
	.0360	89,830	3,238	441,672	2,467,799	27.5
	.0538	86,592	4,656	422,019	2,026,127	23.4
55-60	.0854	81,936	6,996	393,097	1,604,108	19.6
	.1266	74,940	9,490	351,961	1,211,011	16.2
	.1795	65,450	11,750	298,605	859,050	13.1
	.2564	53,700	13,771	234,454	560,445	10.4
75-80	-3610	39+929	14,416	163,517	325,991	8.2
	-4645	25+513	11,851	96,792	162,474	6.4
	1-0000	13+662	13,662	65,682	65,682	4.8
FEHALE  0-1	0.0154	100+000	1,536	98,641	7,527,880	75.3
	.0028	98+464	275	393,190	7,429,239	75.5
	.0017	98+189	169	490,482	7,036,049	71.7
	.0015	98+020	143	489,761	6,545,567	66.8
15-20	.0031	97,877	299	488,685.	6,055,806	61.9
	.0036	97,578	352	487,040	5,567,121	57.1
	.0040	97,226	393	485,191	5,080,081	52.3
	.0055	96,833	532	482,909	4,594,890	47.5
35-40	-0084	96,301	812	479,607	4,111,981	42.7
	-0130	95,489	1,238	474,555	3,632,374	38.0
	-0200	94,251	1,888	466,843	3,157,819	33.5
	-0287	92,363	2,652	455,552	2,690,976	29.1
55-60	.0436	89,711	3,911	439,370	2,235,424	24.9
	.0625	85,800	5,361	416,373	1,796,054	20.9
	.0910	80,439	7,321	384,903	1,379,681	17.2
	.1468	73,118	10,735	340,102	994,778	13.6
75-80	•2366	62,383	14,762	276,405	654,676	10.5
	•3450	47,621	16,429	196,873	378,271	7.9
	1•0000	31,192	31,192	181,398	181,398	5.8

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1973–Con.

AGE INTERVAL	PROPORTION DYING	OF 100,000	BORN ALIVE	STATIONARY	POPULAT ION	AVERAGE REMAIN- ING LIFETIME	
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUDSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL	
(11	(2)	(3)	(4)	(5)	(6)	(7)	
X to X + n	ng <sub>x</sub>	l <sub>x</sub>	$_{\rm fl}d_{\rm X}$	<sub>n</sub> L <sub>x</sub>	T <sub>x</sub>	ě <sub>x</sub>	
WHITE	-			.*	•		
0-1	0.0155	100,000	1,550	98,611	7,216,607	72.2	
	.0029	98,450	281	393,136	7,117,996	72.3	
	.0019	98,169	191	490,331	6,724,860	68.5	
	.0019	97,978	189	489,464	6,234,529	63.6	
15-20	•0054	97,789	527	487,730	5,745,065	58.7	
	•0065	97,262	632	484,745	5,257,335	54.1	
	•0060	96,630	584	481,699	4,772,590	49.4	
	•0068	96,046	655	478,669	4,290,891	44.7	
35-40	•0097	95,391	929	474,797	3,812,222	40.)	
	•0152	94,462	1,439	468,993	3,337,425	35.3	
	•0249	93,023	2,317	459,767	2,868,432	30.8	
	•0375	90,706	3,403	445,542	2,408,664	26.6	
55-60	.0601	87,303	5,250	424,158	1,963,123	22.5	
	.0890	82,053	7,301	392,965	1,538,965	18.8	
	.1279	74,752	9,558	350,860	1,146,000	15.3	
	.1887	65,194	12,305	296,210	795,140	12.2	
75-80	_2875	52,889	15.205	227+144	498,930	9.4	
	_3965	37,684	14.941	150+307	271,786	7.2	
	1_0000	22,743	22.743	121+479	121,479	5.3	
WHITE, MALE	0.0175	100.000	1.754	98•425 ·	6,842,189	68.4	
1-5	-0032	98,246	313	392,252	6,743,764	68.6	
	-0023	97,933	221	489,076	6,351,512	64.9	
	-0024	97,712	237	488,043	5,862,436	60.0	
15-20	.0078	97,475	761	485,643	5,374,393	55.1	
	.0099	96,714	956	481,191	4,888,750	50.5	
	.0086	95,758	826	476,704	4,407,559	46.0	
	.0091	94,932	864	472,590	3,930,855	41.4	
35-40	.0125	94.068	1,179	467,604	3,458,265	36.8	
	.0195	92.889	1,815	460,272	2,990,661	32.2	
	.0325	91.074	2,963	448,558	2,530,389	27.8	
	.0499	88.111	4,393	430,257	2,081,831	23.6	
55-60	.0814	83,718	6,812	402,493	1,651,574	19.7	
	.1228	76,906	9,447	361,948	1,249,081	16.2	
	.1769	67,459	11,935	308,271	887,133	13.2	
	.2524	55,524	14,014	243,082	578,862	10.4	
75-80	.3616	41.510	15.011	169,970	335,780	8.1	
	.4718	26.499	12.503	100,005	165,810	6.3	
	1.0000	13,996	13.996	65,805	65,805	4.7	
WHITE, FEMALE 0-1	0.0133	100,000	1,334	98,808	7,607,651	76.1	
	.0025	98,666	246	394,076	7,508,843	76.1	
	.0016	98,420	160	491,664	7,114,767	72.3	
	.0014	98,260	138	490,973	6,623,103	67.4	
15-20	.0029	98,122	284	489,939	6,132,130	62.5	
	.0031	97,838	305	488,445	5,642,191	57.7	
	.0034	97,533	336	486,857	5,153,746	52.8	
	.0046	97,197	444	484,938	4,666,889	48.0	
35×40	.0070	96,753	678	482,187	4,181,951	43.2	
	.0110	96,075	1,060	477,917	3,699,764	38.5	
	.0177	95,015	1,677	471,168	3,221,847	33.9	
	.0259	93,338	2,414	460,995	2,750,679	29.5	
55-60	.0402	90,924	3,658	446,073	2,289,684	25.2	
	.0583	87,266	5,091	424,436	1,843,611	21.1	
	.0866	82,175	7,120	394,165	1,419,175	17.3	
	.1396	75,055	10,476	350,530	1,025,010	13.7	
75-80	.2348	64.579	15-166	286,504	674,480	10.4	
	.3490	49.413	17-245	203,799	387,976	7.9	
	1.0000	32.168	32-168	184,177	184,177	5.7	

Table 5-1. Abridged Life Tables by Color and Sex: United States 1973 - Con.

AGE INTERVAL	PROPORTION AGE INTERVAL DYING OF 100,000 BORN ALIVE STATIONARY POPULATION							
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING DF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL		
(1)	(2)	(3)	(4)	(5)	(6)	(7)		
x to x + n	n T <sub>ix</sub>	1,	<sub>n</sub> ď <sub>x</sub>	$_{n}L_{x}$	$T_{\mathbf{x}}$	ë <sub>x</sub>		
ALL OTHER								
0-1	0-0276	100,000	2,757	97,616	6,590,158	65.9		
	-0048	97,243	470	387,800	6,492,542	66.8		
	-0027	96,773	264	483,142	6,104,742	63.1		
	-0026	96,509	249	481,979	5,621,600	58.2		
15-20	.0067	96,260	647	479,849	5,139,621	53.4		
	.0125	95,613	1,198	475,229	4,659,772	48.7		
	.0152	94,415	1,435	468,638	4,184,543	44.3		
	.0182	92,980	1,690	460,883	3,715,905	40.0		
35-40	. 0254	91,290	2,314	450,997	3,255,022	35.7		
	. 0348	88,976	3,099	437,503	2,804,025	31.5		
	. 0512	85,877	4,398	419,010	2,366,522	27.6		
	. 0694	81,479	5,655	393,971	1,947,512	23.9		
55-60	.0988	75+824	7,492	361,057	1,553,541	20.5		
	.1286	68+332	8,790	320,149	1,192,484	17.5		
	.1633	59+542	9,720	273,643	872,335	14.7		
	2581	49+822	12,860	216,686	598,692	12.0		
75-80	.3013	36,962	11,135	156,682	382,006	10.3		
	.3287	25,827	8,489	107,414	225,324	8.7		
	1.0000	17,338	17,338	117,910	117,910	6.8		
ALL OTHER, MALE	0.0304	100,000	3,040	97,368	6,186,532	61.9		
1-5	.0054	96,960	525	386,526	6+089+164	62.8		
	.0033	96,435	316	481,325	5+702+638	59.1		
	.0034	96,119	326	479,868	5+221+313	54.3		
15-20	.0095	95,793	908	476,941	4,741,445	49.5		
	.0191	94,885	1,810	470,123	4,264,504	44.9		
	.0235	93,075	2,186	469,068	3,794,381	40.8		
	.0260	90,889	2,363	448,775	3,334,313	36.7		
35-40	-0347	88,526	3.074	435,364	2,885,538	32.6		
	-0453	85,452	3.873	418,035	2,450,174	28.7		
	-0657	81,579	5.357	395,230	2,032,139	24.9		
	-0883	76,222	6.733	365,069	1,636,909	21.5		
55-60	-1252. -1614 -2029	69+489 60+790 50+979	8,699 9,811 10,342 11,961	326,382 280,014 229,168 172,633	1,271,840 945,458 665,444 436,276	18.3 15.6 13.1 10.7		
75-85 AND OVER	-2943 -3541 -3815 1.0000	40,637 28,676 18,521 11,456	10,155 7,065 11,456	117,474 74,373 71,796	263,643 146,169 71,796	9.2 7.9 6.3		
ALL OTHER, FEMALE  0-1	0.0247 •0043 •0022	100,000 97,534 97,119	. 2,466 415 211 171	97,871 389,105 485,005	7,006,271 -6,908,400 6,519,295 6,034,290	70-1 70-8 67-1 62-3		
15-20	.0018 .0040 .0066 .0081	96,908 96,737 96,352 95,716 94,945	385 636 771 1,091	484,139 482,818 480,270 476,772 472,160	5,550,151 5,067,333 4,587,063 4,110,291	57.4 52.6 47.9 43.3		
35-40	.0176	93,854	1,652	465,388	3,638,131	38.8		
	.0260	92,202	2,395	455,307	3,172,743	34.4		
	.0386	89,807	3,466	440,868	2,717,436	30.3		
	.0525	86,341	4,533	420,984	2,276,568	26.4		
55-60	-0753	81,808	6,161	394,257	1,855,584	22.7		
	-0996	75,647	7,538	359,716	1,461,327	19.3		
	-1302	68,109	8,868	318,691	1,101,611	16.2		
	-2256	59,241	13,367	262,951	782,920	13.2		
75-80	-2585	45,874	11,857	199,732	519,969	11.3		
	-2904	34,017	9,877	145,025	320,237	9.4		
	1-0000	24,140	24,140	175,212	175,212	7.3		

Table 5-2. Number of Survivors at Single Years of Age, Out of 100,000 Born Alive, by Color and Sex: United States, 1973

### PART   SEED   PART			TOTAL			WHITE		· ·	ALL OTHER	
1	AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
1	0				100,000					
10			97.895		98.348		98,572			97,360
17.00	3		97,807			98,056	98,508	96,931	96,620	97,250
Column	4	97,978	97,735	98,234	98,218	97,990	98,462			97,181
5	5	97,925	97,674	98,189	98,169	97,933	98,420			97, 119
10		97,864							96,320	97,056
						97,806				97, 007
1	B	97,778					98,313			
12	9	97,748	97,464	98,045	98,003	97,736	98,285	96,540	96,153	96,936
12								04 500		04 505
12	10	97,722		98,020	97,978	97,712				
1.	11		91,412	91,991	97,954	97,089	98+291			
1.	12	97,009	91,380			97,619	98-189			
	14			97.916		97.559				
	15			97.877	97.789	97,475				
17				97,829	97,710			96+172		
22   94,000   94,000   94,000   97,170   97,192   97,101   97,102   94,101   95,613   94,502   94,202   94,007   94,202   94,207   94,202   94,007   94,202   94,007   94,002   94,007   94,002   94,007	17			97,773		97,227	98,022	96,065		
22   94,000   94,000   94,000   97,170   97,192   97,101   97,102   94,101   95,613   94,502   94,202   94,007   94,202   94,207   94,202   94,007   94,202   94,007   94,002   94,007   94,002   94,007	18	97, 232	96,774	97,711	97,502	97,068		95,938		
22   94,000   94,000   94,000   97,170   97,192   97,101   97,102   94,101   95,613   94,502   94,202   94,007   94,202   94,207   94,202   94,007   94,202   94,007   94,002   94,007   94,002   94,007	19	97,109				96,895	97,900	95,788	95,139	96,450
22				`				1		<b>.</b>
22	20		96,405	97,578	97.262		97,838	95,613		96,352
22				97,510						
99. 582	ZZ	96.703		7/1441						
99. 582	24	90,558	0E EEV	91,310	90.881		97, 696			
99. 582	25	96-270	95_337	97.226	06-620	95.758				
99. 582	26	96-131	95-132	97-152	96-510		97.470		92.656	95.575
99. 582	27	95,994	94,934	97,077	96,393	95,414	97,405	93+863	92,224	95,430
99. 582	28	95,859	94,740	97,000	96,278	95,252	97,339	93,576	91,783	95,278
99. 582	29	95,722	94,548	96,919			97,270			95,117
40————————————————————————————————————		]			ì - i					
40————————————————————————————————————	30	95,582	94,354	96,833	96,046	94,932			90,889	94,945
40————————————————————————————————————	31	95+438	94,158	96+142	95,926		97,120	92,671	901440	94,760
40————————————————————————————————————	32	95,289	93,752	96-530	95,802		91,038		99,527	
40————————————————————————————————————	34	94.969	93,536	96-425			461 951		89.042	
40————————————————————————————————————	36	94.793	93.307	96.301			96.753	91,290		93.854
40————————————————————————————————————	36			96 - 165				90.884	87,974	
40————————————————————————————————————	37			96.017					87,387	93,271
40————————————————————————————————————	36	94,178	92,520	95,856			96+382	89,984	86,768	92,941
40————————————————————————————————————	39	93, 940	92,219	95,680	94,679	93,163	96,235	89+493	86,122	92, 585
1			1	45 154						
42————————————————————————————————————	12						96,075			92,202
1, 127	41	93,498	91,770	727202						
1, 127	63	93,103	90.770	94-812		92+200	95,110	87-248	83.273	91,322
1, 127	46	92,426	90.323		93, 371		95-270	B6=590	82.458	
1, 127	45		89,830	94,251	93,023	91.074	95,015	85,877	81,579	89,807
1, 127	46		89,285		92,637	90,583	94,733	85,105	80,630	
99, 062 87,338 92,794 91,244 88,801 93,724 82,455 77,401 87,114 550 89,474 86,592 92,363 90,706 88,411 93,338 81,477 76,222 86,341 550 88,484 88,840 85,798 91,906 90,132 87,372 92,927 80,463 77,000 85,333 52 88,181 84,949 91,419 89,513 86,478 92,407 79,402 73,730 89,602 91,419 89,513 86,478 92,407 79,402 73,730 89,602 91,419 89,513 86,478 92,407 79,402 73,730 89,602 91,419 89,513 86,478 92,407 79,402 73,730 89,602 91,419 89,513 86,478 92,407 79,402 73,730 89,602 91,419 89,513 86,478 92,407 79,402 73,730 89,602 91,419 89,513 86,478 92,407 79,402 73,730 89,602 91,419 89,513 86,478 92,407 79,402 73,730 89,602 91,419 89,513 86,478 92,407 19,402 73,730 89,602 91,419 89,513 80,478 92,407 19,402 73,730 89,602 91,419 89,513 80,478 92,407 19,402 73,730 89,602 91,419 89,513 89,513 89,513 89,513 89,513 89,513 89,513 89,513 89,514 89,510 89,711 87,303 83,718 90,924 75,824 69,499 81,808 89,751 89,800 82,777 89,404 88,808 71,522 64,460 78,295 99 81,598 89,702 81,598 89,702 81,598 89,702 81,598 89,702 81,598 89,702 81,599 81,598 89,702 8	47			93,578	92,211				79,613	
50         89,474         86,592         92,363         90,706         88,111         93,338         81,479         76,222         86,341           51         88,849         85,788         91,906         90,132         87,372         92,027         80,463         75,000         85,533           52         88,181         84,949         91,419         89,185         86,578         92,482         77,402         77,402         77,402         77,3730         86,593           55         86,819         81,936         99,711         83,866         87,715         97,924         77,102         69,499         81,003           56         81,938         81,936         89,711         81,300         89,622         77,102         69,499         81,008           57         7         83,866         79,411         88,310         86,414         82,566         90,301         74,466         67,895         80,707           59         81,598         86,610         87,522         84,393         79,946         88,102         89,922         73,031         66,425         79,015         73,238         89,803         74,903         88,102         69,952         62,464         71,522         64,460         <	48				91,746					87,851
51		90,062	87,338	92,794	91.244	88,801	93+724	82,455	77,4D1	B/,114
51	EO	00 676	D4 502	02 262	00 704	00 777	02 220	01 670	74.222	94.241
51	51		85.798	91.906		97-372	92-927			
51	52			91,419	89-515	86.578	92.487	79,402		
51	53			90,896			92.012	78+284	72,399	83,791
51	54	86+677			88,112	84,766	91 • 493	77,095	70,989	82,835
51	55			89,711				75,824	691489	81,808
50	56						90,301	74,468	67,895	80,707
60         80,347         74,940         89,800         82,053         76,906         87,266         68,332         60,790         T5,647           61         79,016         73,238         84,854         80,763         75,227         86,375         64,657         59,890         74,237           63         77,602         71,435         83,846         79,388         73,442         85,423         64,926         56,949         74,723           64         10,107         69,533         82,775         77,928         71,551         84,468         63,153         54,974         71,240           64         17,533         67,537         81,660         76,383         69,556         83,327         61,355         52,982         69,686           65         17,821         67,450         74,752         67,459         82,175         59,542         50,979         68,109           67         30         69,342         61,018         77,821         71,226         62,270         79,455         55,915         46,980         66,530           69         40,433         56,223         74,816         67,313         58,077         75,055         49,822         40,637         59,241	57			88,310						
60         80,347         74,940         89,800         82,053         76,906         87,266         68,332         60,790         T5,647           61         79,016         73,238         84,854         80,763         75,227         86,375         64,657         59,890         74,237           63         77,602         71,435         83,846         79,388         73,442         85,423         64,926         56,949         74,723           64         10,107         69,533         82,775         77,928         71,551         84,468         63,153         54,974         71,240           64         17,533         67,537         81,660         76,383         69,556         83,327         61,355         52,982         69,686           65         17,821         67,450         74,752         67,459         82,175         59,542         50,979         68,109           67         30         69,342         61,018         77,821         71,226         62,270         79,455         55,915         46,980         66,530           69         40,433         56,223         74,816         67,313         58,077         75,055         49,822         40,637         59,241	50	U∠v ((L g1 . soo	1 40+0+T	01,020				11.522		
61         79,016         79,238         84,854         80,763         75,227         86,375         66,657         58,890         74,237           62         77,602         71,435         83,846         79,388         73,442         85,423         64,926         56,948         72,763           63         76,107         69,533         82,775         77,928         71,551         84,468         63,153         56,974         71,240           64         74,533         67,537         81,640         76,383         69,556         83,327         61,355         52,982         69,686           65         71,152         63,276         79,169         73,034         65,263         80,947         57,732         49,800         66,530           67         40,42         61,018         77,621         71,226         62,970         79,635         55,915         46,883         66,530         66,530         66,530         66,530         67,439         58,672         76,378         69,322         60,582         78,225         54,037         44,954         63,246         66,530         67,313         58,099         76,773         48,389         66,530         67,332         56,137         48,980         66,530 <td>J,</td> <td>01,329</td> <td>  10,540</td> <td>001003</td> <td>1</td> <td>• •</td> <td>60 4105</td> <td>051352</td> <td>05,1071</td> <td>101771</td>	J,	01,329	10,540	001003	1	• •	60 4105	051352	05,1071	101771
61         79,016         79,238         84,854         80,763         75,227         86,375         66,657         58,890         74,237           62         77,602         71,435         83,846         79,388         73,442         85,423         64,926         56,948         72,763           63         76,107         69,533         82,775         77,928         71,551         84,468         63,153         56,974         71,240           64         74,533         67,537         81,640         76,383         69,556         83,327         61,355         52,982         69,686           65         71,152         63,276         79,169         73,034         65,263         80,947         57,732         49,800         66,530           67         40,42         61,018         77,621         71,226         62,970         79,635         55,915         46,883         66,530         66,530         66,530         66,530         67,439         58,672         76,378         69,322         60,582         78,225         54,037         44,954         63,246         66,530         67,313         58,099         76,773         48,389         66,530         67,332         56,137         48,980         66,530 <td>60</td> <td>80.347</td> <td>74.940</td> <td>85.800</td> <td>82.053</td> <td>76.906</td> <td>87.266</td> <td>68.332</td> <td>60,790</td> <td>75,647</td>	60	80.347	74.940	85.800	82.053	76.906	87.266	68.332	60,790	75,647
63————————————————————————————————————	61			84,854				66-657	58₁890	74,237
63————————————————————————————————————	62	77,602	71,435	83,846	79,388	73.442	85,423	64,926	56,948	72,763
64————————————————————————————————————	·-	76,107	69,533	82,775	77,928	71,551	84+4CB	63,153	54,974	71,240
65————————————————————————————————————		74,533	67,537	81,640	76,383	69,556	83,327	61,355	52,982	
65	11				74,752	67,459	82,175	59,542	50,979	68, 109
68————————————————————————————————————	60	71, 152				65,263	80+947			66,530
69	6/			7( 370	71,226		79,635			64,734
70         63,304         53,700         73,118         65,194         55,524         75,055         49,822         40,637         59,241           71         61,064         51,082         71,282         62,971         52,867         73,282         47,418         38,312         56,828           72         58,715         48,389         69,306         60,644         50,137         71,377         44,845         35,898         54,175           73         50,253         45,627         67,174         58,199         47,334         69,312         42,179         33,445         51,380           74         53,671         42,803         64,870         55,617         44,457         67,053         39,525         31,020         48,579           75         50,970         39,929         62,383         52,889         41,510         64,579         36,962         28,676         45,677           76         48,160         37,020         59,717         50,022         38,508         61,888         34,527         26,439         43,309           78         42,290         31,186         53,908         47,036         35,474         58,996         32,219         24,311         40,877	60									61, 277
71 —         61,064         51,082         71,282         62,971         52,867         73,282         47,418         38,312         56,828           72 —         58,715         48,389         69,306         60,644         50,187         71,377         44,845         35,888         54,175           73 —         56,253         45,627         67,174         58,199         47,334         69,312         42,179         33,445         51,380           74 —         53,671         42,803         64,870         55,617         64,577         67,053         39,525         31,020         48,579           75 —         50,970         39,929         62,383         52,889         41,510         64,579         36,962         28,676         45,687           76 —         46,160         37,020         59,717         50,022         38,508         61,888         34,527         26,439         43,309           78 —         42,290         31,186         53,908         43,961         32,439         55,931         30,016         22,290         38,543           79 —         39,282         28,315         50,811         40,832         29,436         52,726         27,890         20,360         36,265 <td>07</td> <td>02:450</td> <td>201233</td> <td>141970</td> <td>01,313</td> <td>20+044</td> <td>101163</td> <td>32,022</td> <td>  72,1040  </td> <td>041312</td>	07	02:450	201233	141970	01,313	20+044	101163	32,022	72,1040	041312
71 —         61,064         51,082         71,282         62,971         52,867         73,282         47,418         38,312         56,828           72 —         58,715         48,389         69,306         60,644         50,187         71,377         44,845         35,888         54,175           73 —         56,253         45,627         67,174         58,199         47,334         69,312         42,179         33,445         51,380           74 —         53,671         42,803         64,870         55,617         64,577         67,053         39,525         31,020         48,579           75 —         50,970         39,929         62,383         52,889         41,510         64,579         36,962         28,676         45,687           76 —         46,160         37,020         59,717         50,022         38,508         61,888         34,527         26,439         43,309           78 —         42,290         31,186         53,908         43,961         32,439         55,931         30,016         22,290         38,543           79 —         39,282         28,315         50,811         40,832         29,436         52,726         27,890         20,360         36,265 <td>70</td> <td>63.304</td> <td>53.700</td> <td>73-118</td> <td>46, 194</td> <td>55.524</td> <td>75-055</td> <td>49.822</td> <td>40.637</td> <td>59.241</td>	70	63.304	53.700	73-118	46, 194	55.524	75-055	49.822	40.637	59.241
72         56,715         48,389         69,306         60,644         50,137         71,377         44,845         35,898         54,175           73         56,253         45,627         67,174         58,199         47,334         69,312         42,179         33,445         51,380           74         53,671         42,803         64,870         55,617         44,457         67,053         39,925         31,020         48,579           75         50,970         39,929         62,383         52,889         41,510         64,577         36,962         28,676         45,874           76         48,160         37,020         59,717         50,022         38,508         61,886         34,527         26,439         43,309           78         42,290         31,186         53,908         43,961         32,439         55,931         30,016         22,290         36,543           79         39,282         28,315         50,811         40,832         29,436         52,726         27,890         20,360         36,265           80         33,264         22,811         44,365         34,549         23,663         46,023         23,831         16,781         31,796	71		51,082	71,282		52,867	73,282	47,419	38,312	56,828
73	73	58,715	48,389	69,306	60+644	50,137	71,377	44,845	35,898	54,175
74         53,671         42,803         64,870         55,617         44,457         67,053         39,525         31,020         48,579           75         50,970         39,929         62,383         52,889         41,510         64,579         36,962         28,676         45,676         76,681         76,681         76,703         39,528         28,676         45,677         45,679         36,762         28,676         45,679         45,679         45,679         45,679         45,679         45,679         43,309         47,036         35,474         58,996         32,219         24,313         40,877           78         42,290         31,186         53,908         43,961         32,439         55,931         30,016         22,220         36,565           79         39,282         28,315         50,811         40,832         29,436         52,726         27,890         20,360         36,265           80         39,282         36,263         25,513         47,621         37,684         26,499         49,413         25,827         18,521         34,017           81         30,314         20,241         44,365         34,549         23,663         46,023         23,811         16,781 </td <td>73</td> <td>56, 253</td> <td>45,627</td> <td>67,174</td> <td>58+199</td> <td>47,334</td> <td>69,312</td> <td>42,179</td> <td></td> <td></td>	73	56, 253	45,627	67,174	58+199	47,334	69,312	42,179		
75	74	53,671	42,803	64,870	55,617	44,457	67,053	39,525		
80	75			62,383				36,962		
80	76	48,160		59,717			61,888	34,527	26,439	
80	79	45-259		56+885					29,313	
80	70		30 315				224731 52.724			20 y 24 2 36 - 36 E
82		391202	20,313	204011	40.832	27,436	221120	[ 514030.	504200	209 203
82	B0	36, 263	25,513	47,621	37.684	26.499	49,413	25,827	18,521	
82	B1	33,264	22,811	44,365			46,023	23,831	16,781	31,796
83	82	30,314	20,241	41,069		20,962	42,582	21,926	15,162	29,629
84	03	27,445	17,836	37,758	28,445	18.429	39,114	20,160	13,700	
85	84				25,531	16,096	35,637	18,601		
	85	22,071	13,662	31.192	22,743	r3,996	32,168	17,338	11,456	24,140
			اا		·	,		<u> </u>	· · · · · · · · · · · · · · · · · · ·	

Table 5-3. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1973

		TOTAL		or rigo, b	WHITE		ALL DTHER			
AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	
0	71.3 71.6 70.7 69.8 68.8 67.8 66.9	67.6 67.0 67.0 66.1 65.1 64.2 63.2	75.3 75.5 74.5 73.6 72.6 71.7 70.7	72.2 72.3 71.4 70.4 69.5 68.5 67.5	68.4 68.6 67.7 66.8 65.8 64.9 63.9	76.1 76.1 75.2 74.2 73.3 72.3 71.3	65-9 66-8 65-9 65-0 64-0 63-1	61.9 62.8 61.9 61.0 60.1 59.1 58.2	70.1 70.8 70.0 69.0 68.1 67.1 66.2 65.2	
10	65.9 64.9 64.0	62.3 61.3 60.3	69.7 68.7 67.8	66.6 65.6 64.6	63.9 62.9 62.0 61.0	70.3 69.4 68.4	61.2 60.2 59.2 58.2	56.3 55.3 54.3	64.2 63.3	
11	62-0 61-0 60-0 59-1 58-1 57-1 56-2 55-3 54-3	59.3 58.3 57.3 56.4 55.4 54.5 53.5 52.6 51.7 50.8	65.8 64.8 63.8 62.8 61.9 60.9 59.9 59.0	62.6 61.7 60.7 59.7 58.7 57.8 56.9 55.9 55.9	59.0 58.0 57.1 56.1 55.1 54.2 53.3 52.4 51.5.	66.4 65.4 64.5 63.5 62.5 61.5 60.6 59.6	57.3 56.3 55.3 54.4 53.4 52.4 51.5 50.6 49.6	53.3 52.4 51.4 50.4 49.5 48.6 47.6 46.7 45.8	62.3 61.3 59.3 58.3 57.4 56.4 55.5 54.5	
20	53.4 52.5 51.6 50.6 49.7 48.8 47.9 46.9 46.0	49.9 49.0 48.1 47.2 46.3 45.4 44.5 43.6 42.7 41.8	57.1 56.1 55.1 54.2 53.2 52.3 51.3 50.3 49.4	54.1 53.1 52.2 51.3 50.3 49.4 48.5 47.5 46.6	50.5 49.6 48.7 47.8 46.9 46.0 45.1 44.2 43.3	57.7 56.7 55.7 54.8 53.8 52.8 51.9 50.9 49.0	48.7 47.8 46.9 46.1 45.2 44.3 43.4 42.6 41.7	44.9 44.1 43.2 42.4 41.6 40.8 39.9 39.1 38.3	52.6 51.7 50.7 49.9 47.9 47.0 46.1 45.1	
30	44-1 43-2 42-3 41-3 40-4 39-5 38-5 37-6 36-7 35-8	40.9 39.9 39.0 38.1 37.2 36.3 35.4 34.5 33.6	47-5 46-5 45-5 44-6 43-6 42-7 41-8 40-8 39-9 39-0	44.7 43.7 42.8 41.8 40.9 40.0 39.0 38.1 37.2 36.2	41.4 40.5 39.5 38.6 37.7 36.8 35.8 34.9 34.0	48-0 47-1 46-1 45-1 44-2 43-2 42-3 41-3 40-4	40.0 39.1 38.2 37.4 36.5 35.7 34.8 34.0 33.2	36.7 35.9 35.0 34.2 33.4 32.6 31.8 31.0 30.2	43.3 42.4 41.5 40.6 39.8 38.8 37.9 37.0 36.1	
40	34.9 34.0 33.1 32.2 31.3 30.5 29.6 28.8 27.9	31.8 30.9 30.0 29.2 28.3 27.5 26.6 25.8 25.0	38.0 37.1 36.2 35.3 34.4 33.5 32.6 31.7 30.9	35-3 34-4 33-5 32-6 31-7 30-8 30-0 29-1 28-2 27-4	32.2 31.3 30.4 29.5 28.6 27.8 26.9 26.1 25.3 24.4	38.5 37.6 36.7 35.7 34.9 33.9 32.1 31.2 30.3	31.5 30.7 29.9 29.1 28.3 27.6 26.8 26.1 25.3 24.6	28.7 27.9 27.1 26.4 25.6 24.9 24.2 23.5 22.8 22.1	34.4 33.6 32.7 31.9 31.1 30.3 29.5 28.7 27.9	
50	26.3 25.5 24.6 23.8 23.1 22.3 21.5 20.8 20.0	23.4 22.6 21.8 21.1 20.3 19.6 18.9 18.2 17.5	29.1 28.3 27.4 26.6 25.7 24.9 24.1 23.3 22.5	26-6 25-7 24-9 24-1 23-3 22-5 21-7 21-0 20-2 19-5	23.6 22.8 22.0 21.2 20.5 19.7 19.0 18.3 17.6	29.5 28.6 27.7 26.9 26.0 25,2 24.4 23.5 22.7 21.9	23.9 23.2 22.5 21.8 21.1 20.5 19.9 19.2 18.6 18.0	21-5 20-8 20-2 19-5 18-9 18-3 17-7 17-2 16-6	26.4 25.6 24.9 24.1 23.4 22.7 22.0 21.3 20.0	
60	18.6 17.9 17.2 16.6 15.9 15.3 14.6 14.0 13.4	16.2 15.5 14.9 14.3 13.7 13.1 12.6 12.0 11.5	20.9 20.2 19.4 18.6 17.9 17.2 16.4 15.7 15.0	18.8 18.0 17.4 16.7 16.0 15.3 14.7 14.0 13.4	16.2 15.6 15.0 14.3 13.7 13.2 12.6 12.0 11.5	21.1 20.3 19.6 18.8 18.0 17.3 16.5 15.8 15.1	17.5 16.9 16.3 15.8 15.2 14.7 14.1 13.5 13.0	15.6 15.0 14.5 14.0 13.5 13.1 12.6 12.1 11.6	19.3 18.7 18.0 17.4 16.8 16.2 15.5 14.9 14.3	
70	12.2 11.6 11.0 10.5 10.0 9.5 9.0 8.6 8.1 7.7	10.4 9.9 9.5 9.0 8.6 8.2 7.8 7.4 7.0	13.6 12.9 12.3 11.1 10.5 9.9 9.4 8.9	12.2 11.6 11.0 10.5 9.9 9.4 8.9 8.5 8.0 7.6	10_4 9.9 9_4 9.0 8.5 8.1 7-7 7-3 6.9	13.7 13.0 12.3 11.7 11.0 10.4 9.9 9.3 8.8	12.0 11.6 11.2 10.9 10.6 10.3 10.0 9.7 9.4 9.0	10.7 10.4 10.0 9.7 9.5 9.2 8.9 8.7 8.4	13.2 12.8 12.4 12.0 11.7 11.3 11.0 10.6 10.2	
80	7.3 6.9 6.6 6.2 5.8 5.4	6.4 6.1 5.8 5.5 5.1 4.8	7.9 7.5 7.1 6.6 6.2 5.8	7.2 6.8 6.4 6.1 5.7 5.3	6.3 5.9 5.6 5.3 5.0 4.7	7.9 7.4 7.0 6.5 6.1 5.7	8.7 8.4 8.1 7.7 7.3 6.8	7.9 7.6 7.4 7.1 6.8 6.3	9-4 9-0 8-6 8-2 7-8 7-3	

Table 5-4. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1973

[Alaska and Hawaii included beginning in 1959. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for "All other, male" and "All other, female" cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding "All other" population]

However, in no case did the Negro p		<del></del>	<del></del>		RS OUT OF 100	·	VE ( <i>i</i> <sub>x</sub> )		·
AGE. COLOR. AND SEX	1973 <sup>1</sup>	1972 <sup>1,2</sup>	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE	100,000	100,000	100,000	100+000	100,000	100,000	100,000	100,000	100,000
10	98, 246 97, 933 97, 712 97, 775 96, 714 95, 758 94, 932 94, 068	98, 176 97, 853 97, 633 97, 395 96, 660 95, 733 94, 934 94, 089	97,408 97,015 96,758 96,503 95,908 95,106 94,401 93,589	96,931 96,403 96,069 95,728 95,104 94,294 93,489 92,543	95,188 94,150 93,601 93,629 92,293 91,241 90,692 88,713	93,768 91,738 90,810 90,074 88,904 87,371 85,707 83,812	91,975 88,842 87,530 86,546 84,997 83,061 80,888 78,441	87,674 82,972 81,519 80,549 79,116 77,047 74,810 72,108	86,655 80,864 79,109 78,037 76,376 73,907 71,219 68,245
40	92,889 91,074 88,111 83,718 76,906 67,459 55,524 41,510 26,499 13,996	92, 935 91, 095 88, 082 83, 540 76, 627 67, 009 54, 995 40, 835 26, 037 13, 683	92, 427 90, 533 87, 424 82, 463 75, 485 65, 834 53, 825 40, 207 25, 993 13, 065	91,173 89,002 85,601 80,496 73,172 63,541 51,735 38,104 24,005 12,015	86.880 84.285 80.521 75.156 67.787 58.305 46.739 23.404 19.860 9.013	81,457 78,345 74,288 68,981 61,933 52,964 41,880 29,471 17,221 7,572	75,733 72,696 69,107 64,574 58,498 50,663 40,873 29,205 17,655 8,154	68,848 65,115 60,741 55,622 48,987 40,862 31,527 21,585 12,160 5,145	64,954 61,369 57,274 52,491 46,452 39,245 30,640 21,387 12,266 5,252
ALL OTHER, MALE  0	100,000 96,960 96,435 96,119 95,793 94,885 93,075 90,889 88,526	100,000 96,814 96,313 96,037 95,743 94,748 92,791 90,623 88,107	100,000 95,301 94,570 94,234 93,874 93,108 91,825 90,270 88,331	100,000 94,911 93,921 93,453 92,965 91,941 90,285 88,327 85,940	100,000 91,696 89,920 89,211 88,417 86,770 84,055 80,865	100,000 91,268 88,412 87,311 86,152 83,621 79,516 75,083	100,000 89,499 85,195 83,768 82,332 79,057 74,540 70,344	100,000 78,065 68,569 66,377 64,478 61,426 57,736 54,073 49,865	100,000 74,674 64,385 61,730 59,667 56,733 53,285 49,867
40	85,452 81,579 76,222 69,489 60,790 50,979 40,637 22,675 18,921 11,456	84,870 80,761 75,204 68,444 59,789 50,182 39,738 28,252 18,277 11,293	85,744 82,075 77,239 70,351 61,669 51,392 39,914 29,064 19,994 11,620	82,832 78,686 72,891 65,122 55,535 45,198 35,018 25,472 16,904 9,898	72,830 67,514 60,766 52,867 44,370 35,912 27,688 19,765 12,352 6,492	64,710 58,432 51,748 44,436 36,790 29,314 21,741 14,419 8,239 3,660	61,353 56,589 51,880 46,581 40,506 34,042 26,923 18,854 11,615 5,605	45,414 40,563 35,427 29,754 23,750 17,806 12,295 7,494 3,894 1,747	42,989 39,230 34,766 29,987 24,194 19,015 13,829 8,892 4,831 2,030
WHITE, FINALE  O	100,000 98,666 98,420 98,260 98,122 97,838 97,533 97,197 96,753	100,000 98,630 98,378 98,214 98,073 97,788 97,474 97,135	100,000 98,036 97,709 97,575 97,375 97,135 96,844 96,499 96,026	100,000 97,645 97,199 96,960 96,756 96,454 96,072 95,605 94,977	100,000 96,211 95,309 94,890 94,534 93,584 93,228 92,320 91,211	100+000 95+037 93+216 92+466 91+894 90+939 89+524 87+524 87+524	100,000 93,608 90,721 89,564 88,712 87,281 85,163 82,740 80,206	100,000 89,774 85,349 83,979 83,093 81,750 79,865 77,676	100,000 88,939 83,426 81,723 80,680 78,978 76,588 73,887 70,971
40	96, 075 95, 015 93, 338 90, 924 87, 266 82, 175 75, 055 64, 579 49, 413 32, 168	95, 987 94, 894 93, 184 90, 759 87, 110 82, 014 74, 644 63, 860 48, 782 31, 545	95, 326 94, 228 92, 522 89, 967, 386, 339 80, 739 72, 507 60, 461 44, 676 26, 046	94.080 92.725 90.685 87.699 83.279 76.773 67.545 54.397 38.026 21.348	89.805 87.920 85.267 81.520 76.200 68.701 58.363 44.685 26.882 14.487	84,256 81,780 78,572 74,371 68,462 60,499 49,932 37,024 23,053 10,937	77,624 74,871 71,547 67,323 61,704 54,299 44,638 32,777 20,492 9,909	72, 425 69, 341 65, 629 61, 053 54, 900 47, 086 37, 482 26, 569 15, 929 7, 152	67,935 64,677 61,005 56,509 50,752 43,806 35,206 25,362 15,349 7,149
ALL OTHER, FEMALE  0 1	100,000 97,534 97,119 90,908 96,737 96,352 95,716 94,945 93,854	100,000 97,380 96,952 96,742 96,561 96,180 95,542 94,704 93,551	100,000 96,172 95,543 95,265 95,057 94,660 94,005 93,070	100,000 95,913 95,055 94,679 94,343 93,544 92,336 90,799 88,805	100.000 93.318 91.710 91.932 90.323 88.505 85.561 83.147 75.879	100,000 92,796 90,185 89,201 88,088 85,078 81,067 76,816 72,192	100.000 91.251 87.149 85.607 83.954 80.154 75.359 70.633	100,000 81,493 72,768 70,508 68,218 64,764 61,430 58,281 54,595	100,000 78,525 68,056 65,111 62,384 59,053 55,795 52,773 49,567
40	92, 202 89, 807 86, 341 81, 808 75, 647 68, 109 59, 241 45, 874 34, 017 24, 140	91,873 89,376 85,904 81,368 75,314 67,663 58,429 45,831 34,436 24,258	89,676 86,793 82,979 77,362 69,941 60,825 51,274 40,540 30,315	86,052 82,257 77,007 70,196 61,758 52,358 42,612 32,981 23,712	75,908 71,061 64,886 57,419 49,102 40,718 32,579 24,668 17,157	67,271 61,365 54,920 47,074 38,761 30,852 23,341 16,576 10,822 6,033	61,130 56,230 50,780 44,742 37,954 31,044 24,107 17,216 11,151 5,972	50,568 45,947 40,886 35,415 28,908 22,302 15,871 10,657 6,324 3,029	46,146 42,279 37,681 33,124 27,524 21,995 16,140 11,066 6,708 3,567

See footnotes at end of table.

Table 5-4. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1973—Con.

[See headnote at beginning of table]

	<u> </u>		<del></del> -	FOACE NIMBED	OF YEARS OF L	TEE DEMAINING	(8.)		
AGE, COLOR, AND SEX	1973 <sup>1</sup>	1972 <sup>1,2</sup>	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE: MALE	68.4	68.3	67.55	66.31	62-81	59.12	56.34	50.23	48.23
1	68.6 64.9	68.5 64.7	68.34 64.61	67.41 63.77	64-98 61-68	62.04 59.38	60.24 58.31	56.26 55.37	54.61 54.43
15	60.0 55.1	59.9 55.0	59.78 54.93	58.98 54.18	57.03 52.33	54.96 50.39	54.15 49.74	51.32 46.91	50.59 46.25
20	59.5 46.0	50.4 45.9	50.25 45.65	49.52 44.93	47.76 43.28	46.02 41.78	45.60 41.60	42.71 38.79	42.19 38.52
10	41.4	41.3	40.97 36.31	40-29	38.80	37.54	37.65	34.87	34-88
	36.8	36.6		35_68	34.36	33.33	33.74	31-08	31.29
45	32•2 27•8	32•0 27•6	31.73 27.34	31.17 26.87	30.03 25.87	29-22 25-28	29,86 26,00	27.43 23.86	27-7 <del>4</del> 24-21
55	23.6 19.7	23.5 19.6	23.22 19.45	22.83 19.11	21.96 18.34	21.51 17.97	22.22 18.59	20.39 17.03	20.76 17.42
60	16.2	16.1	16.01 12.97	15.76	15.05	14.72	15.25	13.9B	14-35
70	13.2 10.4 8.1	13.1 10.4	10.29	12.75 10.07	12.07 9.42 7.17	11.77 9.20	12.21 9.51 7.30	11.25 8.83	11.51 9.03 6.84
80	6.3	8.1 6.3	7.92 5.89	7.77 5.88	5.38	7.02 5.26	5.47	6.75 5.09	6484 5410 3481
85	4.7	4.7	4-34	4.35	4.02	3.99	4.06	3.86	3.81
ALL OTHER, MALE			61.48	58.91	52.33	47.55	17.16	2 25	
0	61.9 62.8	61.5 62.5	63.50	61.06	56.C5	51.08	47.14 51.63	34.05 42.53	3Z - 54 42 - 46
10	59.1 54.3	58.8 54.0	59.98 55.19	57.69 52.96	59.13 48.54	48.69 44.27	50.18 45.99	44.25 40.65	45.06 41.90
	49.5 44.9	49.1 44.6	50.39 45.78	48-23 43.73	43.95 39.74	39-83 35-95	41.75 38.36	36.77 33.46	38-26 35-11
15	40-8	40.5	41.38	39.49	35.94	32.67	35.54	30.44	32.21
	36.7 32.6	36.4 32.4	37.05 32.81	35.31 31.21	32-25 28-67	29-45 26-39	32.51 29.54	27.33 24.42	32.21 29.25 26.16
4D	28.7 24.9	28.5 24.8	28.72 24.89	27-29 23-59	25.23 22.02	23.36 20.59	26.53 23.55	21.57 18.85	23.12 20.09
55	21.5 18.3	21.4 18.3	21.28 18.11	20.25 17.36	19.18 16.67	17.92 15.46	20.47 17.50	16.21 13.82	17.34 14.69
60	15.6	15.6	15.29	14.91	14.38	13.15	14.74	11.67	12.62 10.38
70	13.1 10.7	13.1 10.8	12.84 10.61	12.75 10.74	12-18 10-06	10-87 6-78	12.07 9.58	9.74 8.00	( B.33
80	9.2 7.9	9.3 8.0	8.93 6.87	6.83 7.07	8.09 6.46	6.99 5.42	7.61 5.83	6.58 5.53	6.60 5.12
85	6.3	6.4	5.08	5.38	5.08	4.30	4.53	4.48	4.04
WHITE, FEMALE	76.1	75.9	74.19	72.03	67.29	62.67	58.53	53.62	51.08
1	76.1	75.9	74.68	72.77 69.09	68.93	64.93	61.51	58.69	56.39
10	76.1 72.3 67.4	72.1 67.2	70.92 66.05	64.26	65.57 60.85	62 <b>.</b> 17 57 <b>.</b> 65	59.43 55.17	57.67 53.57	56.03 52.15 47.79
15	62.5 57.7	62.3 57.5	61-15 56-29	59.39 54.56	56.07 51.38	53.00 48.52	50.67 46.46	49.12 44.88	47.79
30	52.8 48.0	52.7 47.9	51.45 46.63	49.77 45.00	46.78 42.21	44.25 39.99	42.55 38.72	40.88 36.96	40.05
	43.2	43.1	41.84	40-28	37.70	35.73	34.86	33.09	36,42 32,82
40	38-5	38.4	37.13	35-64	33.25	31.52	30.94	29.26	29.17
50	33.9 29.5	33.8 29.3	32.53 28.08	31.12 26.76	28.90 24.72	27.39 23.41	26.98 23.12	25.45 21.74	25.51 21.89
55	29.5 25.2 21.1 17.3	25.1 21.0	23.81 19.69	22.58 18.64	20.73 17.00	19.60 16.05	19.40 15.93	18.18 14.92	18.43 15.23
70	17.3 13.7	21.0 17.1 13.6	15.88 12.38	15.00 11.68	13.56 10.50	12.81 9.98	12.75 9.94	11-97 9-38	12.23 9.59
75	10.4	10.4	9.28	8.87	7.92	7.56	7-62	7-20	7.33
85	7.9 5.7	7.8 5.7	6.67 4.66	6.59 4.83	5-88 4-34	5.63 4.24	5.70 4.24	5.35 4.06	5.50 4.10
ALL GTHER+ FEMALE		:					·		<u> </u>
1	70.1 70.8	69.9 70.8	66 - 47 68 - 10.	62.70 64.37	55.51 58.47	49.51 52.33	46.92 50.39	37.67 45.15	35.04 43.54
10	67.1	67.1	64.54	60.93	55.47	49.81	48.70	46.42	46.04
16	62.3 57.4	62.2 57.3	59.72 54.85	56.17 51.36	50.83 46.22	45.33 40.87	44.54 40.36	42.84 39.18	43.02 39.79
25	52.6 47.9	52.5 47.9	50.07 45.40	46•77 42•35	42.14 38.31	37•22 33•93	37.15 34.35	36.14 32.97	36+89 33+90
30	43.3 38.8	43.3 38.8	40.83 36.41	38.02 33.82	34.52 30.83	30.67 27.47	31.48 28.58	29.61 26.44	30.70 27.52
40	34.4 30.3	34.4 30.3	32.16 28.14	29.82 26.07	27.31 24.00	24.30 21.39	25.60 22.61	23.34 20.43	24.37 21.36
50	26.4	26.4	24.31	22.67	21.04	18.60	19.76	17.65	18.67
60	22.7 19.3	22.8 19.4	20.89 17.83	19.62 16.95	18.44 16.14	16.27 14.22	17.09 14.69	14.98 12.78	15.88 13.60
79	16.2 13.2	16.3 13.5	15.12 12.46	14.54 12.29	13.95 11.81	12.24 10.38	12.41 10.25	10.82 9.22	11.38 9.62
75	11.3	11.5	10.10	10-15	9.80	8,62	8.37	7.55	7.90
85	9.4 7.3	9.4 7.4	7.66 5.44	8-15 6-15	8.00 6.38	6.90 5.48	6.58 5.22	6.05 5.09	6.48 5.10

 $<sup>^{1}\</sup>mathrm{Excludes}$  deaths of nonresidents of the United States.  $^{2}\mathrm{Deaths}$  based on a 50-percent sample.

Table 5-5. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-73

[Estimates based on life table values shown in table 5-4]

		TOTAL		ie values snown	WHITE		ALL OTHER		
AREA AND YEAR	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MAL E	FEMALE	BOTH SEXES	MALE	FEMALE
UNITED STATES	71.3	67.6	75.3	72.2	68.4	76.1	65.9	61.9	70.1
1973.1.2 19721.2 19711	71.1 71.1 70.9 70.4	67.4 67.4 67.1 66.8	75.1 75.0 74.8 74.3	72.0 72.0 71.7 71.3	68.3 68.3 68.0 67.8	75.9 75.8 75.6 75.1	65.6 65.6 65.3 64.3	61.5 61.6 61.3 60.5	69.9 69.7 69.4 68.4
1967	70.2	66.6	74.0	71.1	67.5	74.9	63.7	60.1	67.5
	70.5	67.0	74.2	71.3	67.8	75.1	64.6	61.1	68.2
	70.1	66.7	73.8	71.0	67.6	74.7	64.0	60.7	67.4
	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
	70.2	66.9	73.7	71.0	67.7	74.6	64.1	61.1	67.2
1963 <sup>3</sup>	69.9	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
	69.9	66.8	73.2	70.7	67.5	74.2	63.9	61.3	,66.5
1958	69.6	66.6	72.9	70.5	67.4	73.9	63.4	61.0	65.8
	69.5	66.4	72.7	70.3	67.2	73.7	63.0	60.7	65.5
	69.7	66.7	72.9	70.5	67.5	73.9	63.6	61.3	66.1
	69.6	66.7	72.8	70.5	67.4	73.7	63.7	61.4	66.1
	69.6	66.7	72.8	70.5	67.5	73.7	63.4	61.1	65.9
1952	68.8	66.0	72.0	69.7	66.8	73.0	62.0	59.7	64.5
	68.6	65.8	71.6	69.5	66.6	72.6	61.4	59.1	63.8
	68.4	65.6	71.4	69.3	66.5	72.4	61.2	59.2	63.4
	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
	66.2	64.7	67.9	67.3	45.9	69.4	56.6	55.4	58.2
	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938	63.5	61.9	65.3	65.0	63.2	66-8	52.9	51.7	54.3
	60.0	58.0	62.4	61.4	59.3	63-8	50.3	48.3	52.5
	58.5	56.6	60.6	59.8	58.0	61-9	49.0	47.0	51.4
	61.7	59.9	63.9	62.9	61.0	65-0	53.1	51.3	55.2
	61.1	59.3	63.3	62.4	60.5	64-6	51.8	50.2	53.7
1932	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
	59.7	58.1	61.6	61.4	59.7	63.5	48.1	47.3	49.2
	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
	60.4	59.0	62.1	-62.0	60.5	63.9	48.2	47.6	48.9
	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925	59.0 59.7 57.2 59.6 60.8	57.6 58.1 56.1 58.4 60.0	60.6 61.5 58.5 61.0 61.8	60.7 61.4 58.3 60.4 61.8	59.3 59.8 57.1 59.1 60.8	62.4 63.4 59.6 61.9 62.9	45.7 46.6 48.3 52.4 51.5		46.7 47.8 48.9 53.0 51.3
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915 1914	54.5 54.2 52.5 53.5 52.6	52.5 52.3 50.3 51.5 50.9	56.8 56.8 55.0 55.9 54.4	55.1 54.9 53.0 53.9 53.0	53.1 52.7 50.8 51.9 51.3	57.5 57.5 55.7 56.2 54.9	38.9 38.9 38.4 37.9 36.4	37.5 37.1 36.7 35.9 34.6	40.5 40.8 40.3 40.0 38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29-6	33.1
	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29-1	32.7
	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31-7	34.6
	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32-9	36.4
	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32-2	35.3
	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32-5	33.5

LExcludes deaths of nonresidents of the United States.

Deaths based on a 50-percent sample.

Figures by color exclude data for residents of New Jersey; see Technical Appendix.

# Section 6. Technical Appendix

·	Page		$\mathbf{Page}$
Sources of data Death and fetal-death statistics	6-3 6-3	Mortality by month and date of death	6-18
Standard certificates	6-3		
		Quality of data	6-19
History	6-5	Completeness of registration	6-19
•		Massachusetts data	6-19
Classification of data	6-6	Quality control procedures	6-19
Classification by occurrence and		Estimates of errors arising from	
residence	6-6	50-percent sample for 1972	6-20
Geographic classification	6-7		
Age	6-8	Computation of rates and other meas-	
Race and color	6-8	ures	6-20
Fetal deaths	6-9	Population bases	6-20
Cause of death	6-12	Age-adjusted death rates	6-21
Maternal deaths	6-18		
Report of autopsy	6-18	Symbols used in tables	6-21
Figures			
6-A. Standard Certificate of Death - Standard Certificate of Fetal Death	 eath		6-4 6-5
Population tables			
6-1. Population of birth- and dear States, 1900-1973	th-regi	stration States, 1900-1932, and United	6-22
6-2. Estimates of total resident popersex: July 1, 1973		of the United States, by age, race, and	6-23
		by age, for the United States, each divi- and Virgin Islands: July 1, 1973	6-24

### **SECTION 6 - TECHNICAL APPENDIX**

#### SOURCES OF DATA

#### Death and fetal-death statistics

Mortality statistics for 1973 are again, as for all previous years except 1972, based on information from all death records received by the National Center for Health Statistics (NCHS). The records are furnished by all States, the District of Columbia, and the independent registration areas of New York City and New Orleans. Mortality statistics for 1972 were based on information obtained from a 50-percent sample of death records instead of from all records. The reduction to a 50-percent sample resulted from personnel and budgetary restrictions and was in effect only for 1972. Fetal-death statistics for 1973 were based, as always, on all fetal-death records received.

Although the United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, and Guam in the statistical tabulations, in this report *United States* refers only to the aggregate of the 50 States and the District of Columbia.

Death statistics for Puerto Rico, the Virgin Islands, and Guam were not included for 1972 but have been restored in this 1973 report. The Virgin Islands was admitted to the "registration area" for deaths in 1924; Puerto Rico, in 1932; and Guam, in 1970. Tabulations for Puerto Rico and the Virgin Islands have been regularly shown in the annual volumes from the year of their admission through 1971, except for the years 1967 through 1969. Tabulations for Guam have been included only for the years 1970 and 1971. Information for 1972 for these three areas is published in the respective annual vital statistics reports of the Department of Health of the Commonwealth of Puerto Rico, the Department of Health of the Virgin Islands, and the Department of Public Health and Social Services of the Government of Guam.

Another change from procedures for prior years, begun for 1971 and continued for 1972 and 1973, is that tabulations of deaths are based on information from two sources. Before 1971 tabulations of deaths and fetal deaths were based solely on information obtained from copies of the original certificates. The information from these copies was edited, classified, and tabulated. For 1960 and for each year-thereafter through 1970 all mortality information taken from

these records has been transferred by NCHS to magnetic tape for computer processing.

However, beginning with 1971 mortality tabulations, except those for cause of death and fetal deaths, are based on information derived from computer tapes of data coded by an increasing number of States and provided to NCHS through the Cooperative Health Statistics System. The year in which utilization of State-coded data was begun is shown below for each of the nine States now furnishing such data.

1973
Colorado
Michigan
New York (except New York City)
1972
Maine
Missouri
New Hampshire
Rhode Island
Vermont
1971
Florida

For the remaining 41 States, the District of Columbia, and the independent registration areas of New York City and New Orleans, mortality statistics for 1973, including cause-of-death and fetal-death statistics, are again based on information obtained directly from copies of the original certificates received from the registration offices. The registration cities for 1973 were New Orleans and New York City (five boroughs).

#### Standard certificates

Standard certificates of death and fetal death, issued by the Public Health Service, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared shortly before the formation of the

registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting

or in some cases have been dropped when their usefulness appeared to be limited.

New revisions of the standard certificates of death and fetal death have been recommended for State use beginning January 1, 1968. These standard certificates are shown in figures 6-A and 6-B. The certificate of death shown in figure 6-A is for use by either a physician or a medical examiner or coroner.

Two other forms of the Standard Certificate of Death are available; they are similar to the one shown except that the section on certification is designed for the physician's signature on one while the other is

#### FIGURE 6-A

FORM APPROVED BUDGET BUREAU NO. 68-	R1901	٦	IAN, MEDICAL EXAI U.S. STANI	DARD		U S GO	VERHMENT PR	INTING OFFICE 1967 OF—24f-6
TYPE, OR PRINT IN	LOCAL FILE NUMBER	CER	RTIFICATE	OF DEAT	Н		STATE FILE	NUMBER
PERMANENT INK SEE HANDBOOK FOR	DECEASED—NAME	FIRST	WIDDLE	LAST	SEX	DATE OF DE	HTA	TH, DAY, YEAR I
INSTRUCTIONS	,				1.	l.		
	RACE WHITE, NEGRO, AMERICAN INDI	AN, AGE—LAST UNDER	I YEAR UNDER 1 D	V DATE OF	BIRTH (MONTH, DA	Y, COUNTY O	PEATH	··
:	EIC. (SPECIFY)	BIRTHDAY (YEARS) MOS		MIN. YEAR I		",	OLA!!	
	I. CITY, TOWN, OR LOCATION OF E	5a. 5b.	CITY LIMITS HOSPITAL	6. OR OTHER INSTIT	THE PLANT	74.		
	CIT, TOWN, OR LOCATION OF L	( SPECIFY	YES OR NO	OK OTHER INSTIT	UTION—NAME II	r NOI IN EITHER, G	IVE SIREEL AN	D NUMBER I
	76.	Jr.	7d.					
DECEASED	STATE OF BIRTH ( IF NOT IN U.S.A.,	NAME CITIZEN OF WHAT COL	JNTRY MARRIED, WIDOWE	NEVER MARRIED, DIVORCED ( SPEC		3 SPOUSE (IF WIF	E, GIVE MAID	EN NAME)
USUAL RESIDENCE	8.	9.	10.	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	n.			
	SOCIAL SECURITY NUMBER	USUAL OCCUPATION I	GIVE KIND OF WORK DON	E DURING MOST OF	KIND OF BUSIN	IESS OR INDUSTR	ry	
INSTITUTION, GIVE	10	13a	ETIKED I		13h			
	RESIDENCE—STATE COU	7007	TOWN, OR LOCATION	·	INSIDE CITT LIM	TS STREET AND	NUMBER	
PARENTE	14n. 14b.	140			I SPECIFY YES ON	NO 1		
	FATHER—NAME FIRST	MIDDLE	la!	MOTHER—M	IAIDEN NAME	FIRST	MIDDLE	LAST
PARENTS	71601	MIDDLE			- 3 •			
,	INFORMANTNAME		le.	16.				
,	INFORMANINAME		MAILING	ADDRESS	(STREET OR R.F.D	. ND., CITY OR TO	WN, STATE, ZI	P)
, Z	17a.		17b.					APPROXIMATE INTERVAL
S S	PART I. DEATH WAS O	AUSED BY:	[ENTER ON	LY ONE CAUSE PE	R LINE FOR (a), (b)	, AND (c)		BETWEEN ONSET AND DEA
1 VOBIL C MENTILON	IB. IMM	DIATE CAUSE						
58	[a]							
	_	TO, OR AS A CONSEQUENCE OF:	4					
	CONDITIONS, IF ANY, WHICH GAVE RISE TO IMMEDIATE CAUSE (D), STATING THE UNDER-							
<u>.</u>	STATING THE UNDER-	TO, OR AS A CONSEQUENCE OF:						
CAUSE	(e)							
	PART II. OTHER SIGNIFICANT CO	INDITIONS: CONDITIONS CONTR	NATURE OF BUT NO	T RELATED TO CAUSE	GIVEN IN PART I (0)		UTOPSY res or not	IF YES WERE HINDINGS CO
						19		OF DEATH
	ACCIDENT, SUICIDE, HOMICIDE,	DATE OF INJURY (MONTH,	DAY, YEAR HOUR	HOW I	NJURY OCCURRE	D CENTER NATURE	וו צאטנאו זם	Y PART I OR PART II, ITEM 18 )
į.	OR UNDETERMINED (SPECIFY) 200.	20Ь.	2D¢.	M., 20d.				
	INJURY AT WORK   PLACE O	F INJURY AT HOME, FARM, STREET			REEF OR R.F.D. NO.,	CITY OF TOWN, ST	ATE 2	
		DG., ETC. ESPECIFY I	20_					
i	20e.   20i.	DAY YEAR MONTH	20g.	1457 FAM 1	/HER LEINE S. I	in form were sure :	wel se :-: -	
	CERTIFICATION— MONIM PHYSICIAN: 1 ATTENDED THE	DAY YEAR MONTH	DAY YEAR	AND LAST SAW HIMA MONTH DAY	Y YEAR 80	ID/OID NOT VIEW I DY AFTER DEATH,	HE DEATH C	CCURRED AT THE PLACE, ON THE DATE, AND, TO THE BE OF MY KNOWLEDGE, D M, TO THE CAUSE(S) STATE
	21a. DECEASED FROM	21b.		21c.	216		21e.	M. TO THE CAUSE(SI STATE
	CERTIFICATION—MEDICAL EXAMILE EXAMINATION OF THE BODY AND/OR THE BEATH OCCURRED ON THE DATE AND DU	IER OR CORONER: ON THE BASI E INVESTIGATION, IN MY OPINION	IS OF THE HOUR OF	DEATH TH	E DECEDENT WAS PRO MONTH	DAY BAY	YEAR	HOUR
CERTIFIER	22o.	F TO THE CAUSE(S) STATED.		M. 22b	<u> </u>			ı
•	CERTIFIER—NAME IMPE OR PRINTI		SIGNATURE			DEGREE OR TITLE	į	IE SIGNED (MONIH, DAY, YEAR)
	230. MAILING ADDRESS—CERTIFIER		STREET OR R.F.D. NO.		CITY OR TOWN		STATE	ZIF
	23d.							•H
5	BURIAL, CREMATION, REMOVAL	CÉMETERY OR CREM	ATORY—NAME	ro	CATION	CITY OR 1	OWN	STATE
	(SPECIFY)	246.		240				
	DATE (MONTH, DAY, YEAR		IAME AND ADDRESS		, NO., CITY OR TO	YN, STATE, ZIP I		
BURIAL	arrid (Marrin, Brit, 100							
BURIAL	24d.	250.						
BURIAL		250.	REGISTRAR—SIGNA	TÜRE .		DATE R	ECEIVED BY	LOCAL, REGISTRAR

designed for the medical examiner's or coroner's signature.

#### HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and in-

cluding the census of 1900, but because of the time interval between the occurrence of a death and census enumeration, these reports were inaccurate and incomplete.

In 1880 the U.S. Bureau of the Census established a national "registration area" for deaths. This original area consisted of two States—Massachusetts and New Jersey—the District of Columbia, and several large cities having efficient systems for the registration of deaths; by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities

#### FIGURE 6-B

JOBA	N APPROVED GET BUREAU NO. 68-1	1902										
5000	DEI BURLAU 1101 08-1	" <del>""</del>		コ		NDARD			Γ			•
TYP	E, OR PRINT IN	LOCAL FILE I	UMBER	CERTIF	ICATE O	F FET	AL D	EATH	•	STATE F	ILE NUMSER	
	RMANENT INK EE HANDBOOK FOR 1	FETUSNAME	FIRST	м	IIDDLE	L	A\$T	Ţ	ATE OF DELIVE	₹ (жомπ, 1	DAY, YEAR	1 HOUR
STATIST	IHSTRUCTSONS	•						١,	_			26
		SEX	THIS DELIVERY	-SINGLE, TWIN, TRIP	IET. ETC. IF N	OT SINGLE D	ELIVERY	BORN FIRST, SEC	OND, COUNTY	OF DELIVERY		
HEALTH	TETUE	-	(SPECIFY)		THIRD	ETC. ISPECIFY	,	•				
<u>Ş</u>	FETUS	3. CITY, TOWN, OR LOCATIO	4.	IV Tarrette env au	46. MITS   HOSPITAL —			HE NOT IN	SO. HOSPITAL, GIVE ST	BEST AND MILES		
		CIT, IOWN, OR LOCATIO	N OF DELIVER	(SPECIFY YES OR		NAME		(	· ···Oariixi, Gite ai	REE! AND NOME		
CENTER FOR	,	5b.		5c.	5d.							
Ž	1	MOTHER-MAIDEN NAME	rı	RST MI	DOLE	LAST	LIVERY)	T TIME OF THIS I	STATE OF B	IRTH (IFN	OT IN U.S.A	., NAME COUNTRY)
	MOTHER	6a.					6b.		6t.			
₹		RESIDENCE—STATE	cou	NTY	CITY, TOWN	, OR LOCAT		NSIDE CITY LIA PECIFY YES OR I	ITS STREET AND	NUMBER		
NATIONAL		?a.	76.		76.		7		70	•		
¥		FATHER - NAME	FIRST	MIDDL		LAST	AGE (A		PE- STATE OF B	RTH UF NO	A.2.U MI TC	, NAME COUNTRY)
l	FATHER	. 8a.					LIVERY I					
SERVICE		9. PART I. FETAL DEATH W	AS CAUSED B	V-	IFNTFD C	NIY ONE CA	ISE PEP 1	INE FOR (a), (	6) AND fell			SPECIFY FETAL OR
á.			IMMEDIATE CAUSE		įen c	, IL -, Al		On (0), (	-,, niv (4)			MATERNAL
		FETAL DI MATERNAL [O CONDITION DIRECTLY [O						-				
HEALTH		· · · · · · · · · · · · · · · · · · ·		CONSEQUENCE OF:					-			
	CAUSE	FETAL AND/OR MA- TERNAL COMDITIONS, IF ANY, GIVING 2155 TO THE IMMEDIATE CAUSE IOI, STARING THE UN- DIRLYING CAUSE LAST										
ğ		IOI, STATING THE UN-	DUE TO, OR AS A	A CONSEQUENCE OF:			•					1
Ž,		PART II. OTHER SIGNIFIC	ANT CONDITI	ONS OF FETUS OR	MOTHER: CONDI	IIONS CON-	FETUS DI	O BEFORE LABOR	, DURING LABOR OR	AUTOPSY	IF YES,	WERE FINDINGS CONSID
١٥		TRIBUTING TO PETAL DEATH BUT	NOT RELATED TO	CAUSE GIVEN IN PART	l (a)		DELIVERY	, UNKNOWN { SF	ECIFY )	SPECIFY YES DI	ROI ERED IN	DETERMINING CAUSE O
WELFARE PUBLIC 68 REVISION	,	CERTIFY THAT THIS DELIVERY OF	CURRED ON THE	DATE STATED ABOVE AND	THE FETUS WAS BOR	N DEAD   DAT	ia. E signe	D IMONTH.	DAY, YEAR)	1 la. ATTENDANT —	11b.	, MIDWIFE, OTHER
968 F		17a. SIGNATURE				126.				IZc. (SPECIFY)		
	CERTIFIER	CERTIFIER—MAILING ADDR	55	(STREET OR R.F.D. NO	D., CITY OR TOWN, S	IATE, ZIP)		AUTHOR	IZED OFFICIAL	(IF DELIVERY	NOT ATTEN	DED BY PHYSICIAN)
ξ.		12d.						II. SIGNA	<b>NTURE</b>			
ž O	1	BURIAL, CREMATION, OR	EMOVAL	CEMETERY OR CREA	MATORY—NAME			<u> </u>	OCATION	(CITY C	R TOWN, S	TATE I
Ĭ		(SPECIFY) 14a.		146.				١,	€c.			
EDUCAT		DATE . (MONTH, DAY, Y	(AR)	FUNERAL HOME—	NAME AND ADDRE	22		(STREET OR R.	F.D, NO., CITY OIL 1	OWN, STATE, ZIF	')	
	BURIAL	14d.		150.								
НЕАЦТН,		FUNERAL DIRECTOR—SIGN	ATURE	1.7.	REGISTRA	R—SIGNATUR	E			DATE		BY LOCAL REGISTRAR
£											MONTH	DÂY YEAR
ö	,	15b.		CONFIDENTIAL	16e.	M EAR **	EDIC 4.	AND ME	ITH HEE CA	16b.		
Ę		RACE—FATHER	<del></del>	EDUCATION—SPEC					OUS DELIVERIES		OTHER	CHILDREN
EPARTMENT	FATHER	WHITE, NEGRO, AMERICAN INDIA	N, EIC.	ELEMENTARY	HIGH SCHOOL	COLLEGE	ÁR	E NOW LIVING	G WERE M	ORN ALIVE-N	OW WER	F ROPN DEAD LEFTAL
ž	TATTICK.	(SPECIFY)	. 18	1 0,1,2,3,4, 92 4 1	( 1,1,3, QE 4 )	1 1,2,3,4, 0R S	190	1.	DEAD 196.	•	CEPTI 196	AT ANY TIME AFTER CON
ŭ	ì	RACE—MOTHER		EDUCATION-SPEC			ED D.	ATE OF LAST	LIVE BIRTH	DATE	OF LAST	FETAL DEATH
8		WHITE, NEGRO, AMERICAN INDIA	N, ETC.	ELEMENTARY ( 0,1,2,3,4, OR 2 )	HIGH SCHOOL 1 1,2,3, Ot 4 I	COLLEGE 1 1,2,1,4, GE 5	+ 1	HINDM	DAY YEAR		HTMOM	DAY YEAR
<u> </u>	MOTHER	70.	2	1.		J	22			22b.		
-	AULTIPLE BIRTHS	MENSES BEGAN	TH, DAY, YEAR)	1ST, 2D, ETC, (SPECI	ANCY PRENATAL C	ARE BEGAN P	RENATAL IF NON 16, SO STA	ir A19112 IOIYT	NUMBER LEGITAM.	ATE (SPECIFY NO)	BIRTH V	VEIGHT
62 Et	NIER STATE FILE IUMBER FOR MATE(S)	23.	PREGNANCY	24a.	RIBE OR WRITE "NO			ES TO FETUS	D.			CRIBE OR WRITE "NONE"
	IVE BIRTH(S)	27.		, pesc	, ON WRITE NOT	2B.	,,					
¥5.−75 π		COMPLICATIONS NOT RELATE	D TO PREGNAN	ICY I DESC	RIBE OR WAITE "NON		IGENITAL	MALFORMATIO	NS OR ANOMALI	S OF FETUS	( DES	CRIRE OR WRITE "HONE"
	FETAL DEATH(5)	29. COMPLICATIONS OF LABOR			THE OR WAITE "NO	30.		•				
		31.		. DESC	.niuc UK WAIIE NO!	"						GPO . 1967 OF-241-662

included in this expanding area, but the figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were poorly enforced. The growth of the registration area is indicated in table 6-1.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If the reporting cities located in nonregistration States are excluded, the population coverage of the death-registration States is much lower, only 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922 statistics of fetal deaths have been published each year for the birth-registration area.

Table 6-1 presents for each year through 1932 the estimated midyear population of the United States and the estimated midyear population of the States included in the registration system. Both registration areas included the entire United States for the first time in 1933.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas. However, beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area omits data for registration cities located in nonregistration States and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has advantages in that more reliable population estimates are available for the registration States than for the registration areas:

Rates for the expanding group of deathregistration States are approximations of rates for the entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as the original registration States or the registration States in 1920.

#### CLASSIFICATION OF DATA

The principal value of vital statistics data is realized through the presentation of rates which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The general rules used in the classification of geographic and personal items for deaths and fetal deaths are set forth in two *Vital Statistics Instruction Manuals*, Part 3, "Classification and Encoder Instructions for Live Births and Fetal-Death Records, 1973," and Part 4, "Demographic Classification and Encoder Instructions for Death Records, 1973."

The classification of certain important items is discussed on the following pages.

#### Classification by occurrence and residence

Tabulations for the United States and specified geographic areas in this report are by place of residence unless stated as by place of occurrence. Before 1970 resident mortality statistics for the United States included all deaths occurring in the 50 States and the District of Columbia, with deaths of "non-residents of the United States" assigned to place of death. "Deaths of nonresidents of the United States" refers to deaths that occur in the United States to nonresident aliens, nationals residing abroad, and residents of Puerto Rico, the Virgin Islands, and other possessions of the United States.

Tables by place of occurrence, on the other hand, include both deaths to residents and to nonresidents of the United States. Consequently for each year during 1970-73, the total number of deaths in the United States by place of occurrence is somewhat greater

than the total by place of residence. For 1973 this difference amounts to 2,123 deaths.

Mortality statistics by place of occurrence are shown in tables 1-10, 1-19, 1-20, 1-30, 3-1, 3-8, 7-1, and 7-7.

Except for the years 1964 and 1965, deaths to nonresidents of the United States occurring in the United States have been treated as deaths to residents of the exact place of occurrence, which in most instances was an urban area. In 1964 and 1965 deaths occurring in the United States to nonresidents of the United States were allocated as deaths to residents of the balance of the county in which they occurred.

Residence error.—Results of a 1960 study show that the classification of residence information on the death certificates corresponded closely to the residence classification of the census records for the decedents whose records were matched.<sup>1</sup>

A comparison of the results of this study of deaths with those for a previous matched record study of births<sup>2</sup> shows that considerable improvement in the quality of residence data had taken place since 1950. The results were the same—an overstatement of events in urban areas by NCHS compared with the U.S. Bureau of the Census classification. The magnitude of the difference was substantially less for deaths in 1960 than it was for births in 1950. Two factors contribute to this difference in magnitude. First, addition in 1956 of an item asking if residence is inside or outside city limits on the standard certificate aided in properly allocating the residence of persons living near cities but outside the corporate limits. The second factor is that there is more likelihood of movement for hospital utilization for births than for deaths.

#### Geographic classification

The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the two instruction manuals referred to previously.

The geographic codes assigned by the National Center for Health Statistics during data reduction of source information on birth, death, and fetal death records are given in *Vital Statistics Instruction Manual*, Part 8, "Vital Records Geographic Classification, 1970."

For 1973 there is also available upon request an unpublished computer listing of the geographic codes contained in the computer tapes. The 13-digit codes in this listing are not the same codes as the five-digit codes for the State-city or State-balance of county in the above-mentioned manual entitled "Vital Records Geographic Classification, 1970." Instead each of these 13-digit codes is a conversion of the two five-digit codes into a combination code for the State-county-city (seven-digits), together with codes for "population size," SMSA's and MSEA's, and metropolitan and nonmetropolitan counties. This listing for 1973 is the same as that used for 1970-72. It is planned to use it also for each of the remaining years in this decade.

Standard metropolitan statistical areas.—Except in the New England States, a standard metropolitan statistical area (SMSA) is a county or a group of contiguous counties containing at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1970 census. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to specified criteria, they are essentially metropolitan in character and are socially and economically integrated with the central city or cities.<sup>3</sup>

In New England the U.S. Office of Management and Budget uses towns and cities rather than counties as geographic components of SMSA's. The National Center for Health Statistics cannot use the SMSA classification for these States because its data are not coded to identify all towns. Instead the metropolitan State economic area (MSEA) established by the U.S. Bureau of the Census, which is made up of county units, is used.<sup>4</sup>

For tables in this report numbered 7-4 and 7-8 the SMSA's and their component counties are those established by the U.S. Office of Management and

<sup>&</sup>lt;sup>1</sup>National Center for Health Statistics: Comparison of the classification of place of residence on death certificates and matching census records, United States, May-August 1960. Vital and Health Statistics. PHS Pub. No. 1000-Series 2-No. 30. Public Health Service. Washington. U.S. Government Printing Office, Jan. 1969.

<sup>&</sup>lt;sup>2</sup>National Vital Statistics Division: Matched record comparison of birth certificate and census information, United States, 1950, Vital Statistics—Special Reports, Vol. 47, No. 12. Public Health Service. Washington, D.C. Mar. 1962.

<sup>&</sup>lt;sup>3</sup> For a more complete discussion, see U.S. Bureau of the Gensus, U.S. Gensus of Population, 1970, Number of Inhabitants, Final Report, PC(1)-A1, United States Summary, Washington, U.S. Government Printing Office, 1971, and U.S. Bureau of the Budget, Standard Metropolitan Statistical Areas, Washington, U.S. Government Printing Office, 1967.

<sup>&</sup>lt;sup>4</sup> For discussion of MSEA's, see U.S. Bureau of the Census, State Economic Areas, Washington, U.S. Government Printing Office, 1951, and the first reference cited in footnote 3.

Budget as of 1970 (except in the New England States) and used by the U.S. Bureau of the Census.

Tables numbered 1-18 and 2-8, however, are limited to the 50 largest SMSA's and MSEA's (in the New England States) established by the Office of Management and Budget for 1973. These 50 largest units and their component counties for 1973 are the same as those for 1971 and 1972.

But the list of 50 largest units for 1971-73 differs from the list for 1970. Moreover the county components for some of the SMSA's and MSEA's that appear on both lists are different for 1971-73 from the components for 1970.

As a result, sometimes the number of deaths shown for the same-named SMSA or MSEA in tables 7-4 and 7-8 based on units established for 1970 will differ from the number of deaths shown in tables 1-18 and 2-8 based on units established for 1971-73.

Standard consolidated areas.—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.<sup>5</sup>

Metropolitan and nonmetropolitan counties.— Counties included in SMSA's or in New England MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

Population-size groups (formerly "urban" and "rural" areas).—Vital Statistics data for cities and certain other urban places in 1973 are classified according to the population enumerated in the 1970 Census of Population. In this report "Population-size groups" refers to two groups, "Urban places" and "Balance of area." "Urban places" consists of the following places:

- 1. Each incorporated city and other urban places of 10,000 inhabitants or more.
- 2. Each town in New England and each township in New Jersey and Pennsylvania that had no incorporated municipality as a subdivision and had either 25,000 inhabitants or more or a population of 10,000 to 25,000 and a density of 1,500 persons or more per square mile.
- 3. Each county in States other than the New England States, New Jersey, and Pennsylvania that had no incorporated municipality within its boundary and had a density of 1,500 persons or more per square mile. (Arlington County, Vir-

ginia, is the only county classified as urban under this rule.)

"Balance of area" consists of all other places.

Before 1964 places were classified as "urban" or "rural." The Technical Appendixes for earlier years discuss the previous classification system.

#### Age

The age recorded on the death record is the age at last birthday. With respect to the computation of death rates, the age classification used by the U.S. Bureau of the Census is also based on the age of the person in completed years.

#### Race and color

Deaths in the United States in 1973 are classified by race for vital statistics into white, Negro, Indian, Chinese, Japanese, and other races.

The category "white" includes in addition to persons reported as "white," those reported as Mexican, Puerto Rican, Cuban, and all other Caucasians. The category Indian includes "American," "Alaskan," "Canadian," "Eskimo," and "Aleut." If the racial entry on the death certificate indicates a mixture of Hawaiian and any other race, the entry is coded to Hawaiian. If the race is given as a mixture of white and any other race, the entry is coded to the appropriate other race. If a mixture of races other than white is given (except Hawaiian), the entry is coded to the first race listed. This procedure for coding the first race listed has been in use for each year of the period 1969-73. Prior to 1969 if the entry for race was a mixture of Negro and any other race, except Hawaiian, the entry was coded to Negro.

Most of the tables in this report, however, do not show data for this extended classification by race. In some tables the divisions are "white," "Negro," and "other." In other tables where the main purpose is to isolate the major group, the classifications are simply "white" and "all other."

Race not stated.—For 1973 the number of death records for which the race was not stated was 6,877 or 0.3 percent of the total deaths. Death records with race entry not stated were assigned to a racial designation as follows: If the preceding record was coded white, the code assignment is made to white; if the code is other than white, the assignment is made to Negro. For years prior to 1964 all records with race not stated were assigned to white except records of residents of New Jersey for 1962-64.

<sup>&</sup>lt;sup>5</sup>See footnote 3.

New Jersey, 1962-64.—The State of New Jersey omitted the race item from its certificates of live birth, death, and fetal death in use in the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without the race item was used for most of 1962 as well as 1963. Therefore figures by race or color for 1962 and 1963 exclude New Jersey. For 1964, 6.8 percent of the death records in use for residents of New Jersey did not contain the race item.

Adjustments made in vital statistics to take into account the omission of the race item in New Jersey for part of the certificates filed during 1962-64 are described in the Technical Appendix of Vital Statistics of the United States for each of these data years.

#### Fetal deaths

In May 1950 the World Health Organization recommended for adoption for international use the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles." The term "fetal death" was defined on an all-inclusive basis to end confusion arising from usage of such terms as still-birth, abortion, and miscarriage.

Shortly thereafter this definition of fetal death was adopted by the National Center for Health Statistics as the nationally recommended standard for registration purposes. Previously the nationally recommended definition had been "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth." The new definition has been adopted by about half the States. In most other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.<sup>7</sup>

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths) Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths) Group II
28 completed weeks of gestation and over (late fetal deaths) Group III
Gestation period not classifiable in groups I, II, and III Group IV

Until 1939 the nationally recommended procedure for registration of fetal death required the filing of both a live-birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949, 1955, 1956, and 1968 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.—State requirements for registration of fetal deaths vary. The majority of States require registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation required by each State for death registration. There is substantial evidence that not all fetal deaths for which registration is required are reported.<sup>8</sup>

Underregistration is more of a problem near the lower limit for States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimating the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true.

In order to maximize the comparability of data by year and by State, most of the tables in Section 3 are based on fetal deaths occurring at gestations of 20 weeks or more. These tables also include fetal deaths of not stated or unknown gestation for those States

<sup>&</sup>lt;sup>6</sup>National Office of Vital Statistics: International Recommendations on Definitions of Live Birth and Fetal Death. PHS Pub. No. 39. Public Health Service. Washington. U.S. Government Printing Office, Oct. 1950.

<sup>&</sup>lt;sup>7</sup>For definitions used by the States, see National Center for Health Statistics, State Definitions of Live Births, Fetal Deaths, and Gestation Periods at Which Fetal Deaths Are Registered, Public Health Service, Washington, D.C., May 1966.

<sup>&</sup>lt;sup>8</sup>Unpublished fetal mortality data contained in a thesis for Harvard School of Public Health, Apr. 1962, by Carl L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

requiring registration at 20 weeks or more only. Before 1969 all fetal deaths of unknown gestation were included. Beginning with 1969 fetal deaths of not stated gestation were excluded for States requiring registration of all products of conception, unless there was evidence, such as high birth weight, that those fetuses were of 20 weeks or more gestation.

The data in table 3-3 include only fetal deaths to residents of those areas in the United States which report all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York, Oregon, and Virginia. However, Arkansas, Colorado, and Georgia are excluded from this table.

Arkansas has had a form for confidential reporting of abortions beginning with data year 1971. The abortions reported on this form are not limited by legislation to those described as "induced." It is believed, therefore, that most spontaneous abortions occurring in this State are also reported on this form rather than on fetal-death certificates. The introduction of this confidential form resulted in more complete reporting of all terminations of pregnancies.

Although fetal deaths for all periods of gestation continue to be required for Colorado, only 11 fetal deaths under 20 weeks gestation are shown. This undercount is attributable to the fact that Colorado did not intend to forward any copies of fetal-death certificates for periods of gestation under 20 weeks to the National Center for Health Statistics for data year 1973. As a result the percentage of all fetal deaths under 20 weeks gestation decreased from 65 percent for 1972 to 2 percent for 1973.

A total of 2,716 deaths that should have been classified by NCHS as abortions have been erroneously included among the 5,344 fetal deaths reported for Georgia in table 3-1. It is believed that most of these abortions occurred before 20 weeks of gestation. The inclusion of these abortions, therefore, should not affect appreciably the data shown for fetal deaths of 20 weeks or more gestation.

Some liveborn infants who die shortly after birth, particularly those born prematurely who die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States lacking a precise definition of fetal deaths.

Massachusetts.—Figures for 1967 exclude approximately 100 fetal deaths recorded in Worcester County, Massachusetts, primarily to residents of the city of Worcester. Figures for 1966 and those for 1963 exclude approximately 300 fetal deaths that were recorded in Boston, to residents of Suffolk County, for the most part. Microfilm copies of these records were not received by NCHS, and as a result numbers of fetal deaths for these cities and counties

and for the State are understated. The fetal-death ratio for the State is understated by about 8 percent for 1967, and by about 23 percent for 1966.

Period of gestation.—The period of gestation is the number of completed weeks elapsed between the first day of the last menstrual period and the date of delivery, irrespective of whether the product of conception was liveborn or born without evidence of life. The first day of the last normal menstrual period (LMP) is used as the initial date since it can be more accurately determined than the date of conception, which usually occurs 2 weeks after LMP. When the period of gestation is reported in months on the certificate, it is allocated to gestation intervals in weeks as follows:

1-3 months to under 16 weeks

4 months to 16-19 weeks

5 months to 20-23 weeks

6 months to 24-27 weeks

7 months to 28-31 weeks

8 months to 32-35 weeks

9 months to 40 weeks

10 months and over to 43 weeks and over

With the adoption of the 1968 revision of the fetal-death certificate and the increased use of the first day of LMP by the reporting areas, the errors in reporting length of gestation have been minimized. The proportion of fetal deaths assigned to gestation of 36 and 40 weeks has diminished, while the proportion of gestations of 37-39 weeks and 41 weeks and gestation length not stated has increased. In 1973 the areas using LMP were as follows:

Alaska	Maine	North Dakota
Arizona	Maryland	Ohio
California	Massachusetts	Oklahoma
Colorado	Michigan	Oregon
District of	Minnesota	Rhode Island
Columbia	Mississippi	South Carolina
Florida	Missouri	South Dakota
Hawaii	Montana	Tennessee
Illinois	Nebraska	Utah
Indiana	Nevada	Vermont
Iowa	New Hampshire	Washington
Kansas	New Jersey	West Virginia
Kentucky	New York	Wyoming
Louisiana	North Carolina	, 0

Birth weight.—In practically all registration areas birth weight is reported in terms of pounds and ounces rather than in grams. However, the metric system has been used in tabulating and presenting the statistics to facilitate comparison with other data published in the United States. The equivalents of the gram intervals in pounds and ounces are as follows:

```
500 grams or less = 1 lb. 1 oz. or less
  501 - 1,000 \text{ grams}
                            1 lb. 2 oz. - 2 lb. 3 oz.
1,001 - 1,500 grams
                            2 lb. 4 oz. - 3 lb. 4 oz.
1,501 - 2,000 grams
                            3 lb. 5 oz. - 4 lb. 6 oz.
2,001 - 2,500 grams
                           4 lb. 7 oz. - 5 lb. 8 oz.
2,501 - 3,000 grams
                           5 lb. 9 oz. - 6 lb. 9 oz.
3,001 - 3,500 grams
                            6 lb. 10 oz. - 7 lb. 11 oz.
3,501 - 4,000 grams
                           7 lb. 12 oz. - 8 lb. 13 oz.
4,001 - 4,500 grams =
                           8 lb. 14 oz. - 9 lb. 14 oz.
4,501 - 5,000 \text{ grams} = 9 \text{ lb. } 15 \text{ oz.} - 11 \text{ lb. } 0 \text{ oz.}
5,001 grams or more = 11 lb. 1 oz. or more
```

Race and color.—The race of the fetus is ordinarily classified to the race of the parents. If the parents are of different races, the following rules apply: (1) When only one parent is white, the fetus is assigned the other parent's race. (2) When neither parent is white, the fetus is assigned the father's race with one exception: If the mother is Hawaiian or Part-Hawaiian, the fetus is classified as Hawaiian.

When the race of only one parent is missing or ill-defined, the race of the other determines that of the fetus. When race of both parents is missing, the race of the fetus is allocated to the specific race of the fetus on the preceding record.

Total-birth order.—The number of a birth or a fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had including the birth being recorded. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

In the 1956 and 1968 revisions of the Standard Certificate of Fetal Death, the item on previous fetal loss included all fetal deaths regardless of gestation period. The majority of States have adopted this change on their certificates of birth and of fetal death. In these States the proportion of mothers of first liveborn children reported as having had a previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for years before 1956.

The following registration States requested information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of live birth and fetal death in use during 1973.

Alaska	Maine	Ohio
Arizona	Maryland	Oklahoma
Arkansas	Massachusetts	Oregon
Colorado	Michigan	Pennsylvania
Connecticut	Minnesota	Rhode Island
Delaware	Mississippi	South Carolina
Florida	Missouri	South Dakota
Georgia	Montana	Utah
Hawaii	Nebraska	Vermont
Illinois	Nevada	Virginia
Indiana	New Hampshire	Washington
Iowa	New Jersey	West Virginia
Kansas	New York	Wyoming
Kentucky	North Carolina	. 0
Louisiana	North Dakota	

The total number of fetal deaths shown in tables 3-10 and 3-12 is limited to those with stated or presumed period of gestation of 20 weeks or more. The determination, however, of the total-birth order for these fetal deaths is based on the number of previous live births and fetal deaths for all periods of gestation, except for those live births and fetal deaths occurring to residents of the District of Columbia and the following seven States: Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin. The fetal-death certificates of these States provide total-birth order information only for previous live births and fetal deaths of 20 weeks or more gestation.

Thus the total-birth order for the District of Columbia and these seven States is based on fewer fetal deaths than would be the case if their fetal-death certificates had requested the number of previous fetal deaths for all periods of gestation, as do the certificates used by the other 43 States. It follows, therefore, that the total-birth order given in table 3-12 for these 43 States is not strictly comparable with that given for the District of Columbia and the remaining seven States.

Legitimacy status.—Tabulations with legitimacy as a characteristic include only States which provided for reporting this item on their certificates of live birth and fetal death in 1973. These States are as follows:

Alabama	Hawaii	Minnesota
Alaska	Illinois	Mississippi
Arizona	Indiana	Missouri
Colorado	Iowa	Nebraska
Delaware	Kansas	Nevada
District of	Kentucky	New Hampshire
Columbia-	Louisiana	New Jersey
Florida	Maine	North Carolina
Georgia-	Michigan	North Dakota

Oklahoma South Dakota Washington
Oregon Tennessee West Virginia
Pennsylvania Texas Wisconsin
Rhode Island Utah Wyoming
South Carolina Virginia

There are no quantitative data on the characteristics of unwed mothers who may misreport legitimacy status of the fetus or who fail to register fetal deaths. Underregistration may be greater in the illegitimate group than in the legitimate.

Age of mother.—The fetal-death certificate asks for the mother's "age (at time of delivery)," and the ages are edited in NCHS for upper and lower limits. When mothers are reported to be below 10 years of age or age 50 years and above, the age of the mother is considered not stated and is assigned as follows: Age on all fetal-death records with age of mother not stated is allocated according to the age appearing on the record previously processed for a mother of identical color and having the same total-birth order (total of fetal deaths and live births).

#### Cause of death

Beginning with data year 1968 the cause-of-death statistics published by the National Center for Health Statistics have been classified in accordance with the Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA),9 which is based on the 1965 Revision of the International Classification of Diseases (ICD). 10 The ICDA gives greater detail and specificity in some categories than is provided by the Eighth Revision of the ICD. Complete correspondence between these two classifications was maintained at the three-digit level, but new four-digit subdivisions were created in various parts of the ICDA. Where necessary, existing four-digit subdivisions are renumbered to accommodate the additional subcategories in logical sequence. In the ICDA, subdivisions which do not correspond exactly with the ICD are identified by asterisks. In this report the four-digit subcategory numbers which differ from those in the ICD are also shown with asterisks.

In addition to specifying that the Classification be used, the World Health Organization recommended special lists for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the List of 150 Causes for Tabulation of Morbidity and Mortality; List B, the List of 50 Causes for Tabulation of Mortality; and List P, the List of 100 Causes for Tabulation of Perinatal Morbidity and Mortality. The recommended tabulation lists have been modified for use in the National Center for Health Statistics.

The Each-Cause List is made up of each three-digit category of the Detailed List to which deaths may be assigned and each four-digit subcategory of the ICDA to which deaths may be assigned. For category 412 the fourth digits .1, .2, .3, and .4 are used instead of the fourth digits .0 and .9 which appear in the ICDA. The each-cause table (1-23) does not show the fourth-digit subcategories provided for Motor vehicle accidents (E810-E823). However, these subcategories, which identify persons injured, are shown in the accident tables (Section 4). Special fifth-digit subcategories are also used in the accident tables to identify place of accident when deaths from non-transport accidents are shown.

The List of 281 Selected Causes of Death is an extension of List A designed so that with one exception the original groups can be obtained by combining titles. The individual titles in List A for Certain causes of mortality in early infancy are shown as one group title in tables using the List of 281 Selected Causes. The individual categories are shown in tables using the List of 65 Selected Causes of Infant Death, which was created by extending some titles in List P and by combining others. Titles in List P not shown in this list may be found in the each-cause table with the exception of causes of death in List P that are applicable only to fetal deaths.

The List of 69 Selected Causes of Death is an extension of List B; however, certain causes of low frequency in the United States are not shown separately. These causes are Cholera, Typhoid fever, Plague, Diphtheria, Smallpox, Typhus and other rickettsioses, and Malaria.

The List of 34 Selected Causes of Death for Detailed Geographic Areas was created by combining titles in the List of 69 Selected Causes.

These lists were designed to be as comparable as possible to the NCHS lists most recently in use under the Seventh Revision. In several instances this could not be done. No attempt will be made here to enumerate these changes. However, the following changes

<sup>&</sup>lt;sup>9</sup>National Center for Health Statistics: Eighth Revision International Classification of Diseases, Adapted for Use in the United States. PHS Pub. No. 1693. Public Health Service. Washington. U.S. Government Printing Office. 1967.

<sup>&</sup>lt;sup>10</sup>World Health Organization: Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Based on the Recommendations of the Eighth Revision Conference, 1965. Geneva. World Health Organization, 1967.

are especially worth noting. The group title Major cardiovascular diseases (ICDA Nos. 390-448) includes all of the titles in "Section VII. Diseases of the circulatory system" of the Eighth Revision except the following one: Diseases of veins and lymphatics and other diseases of circulatory system (ICDA Nos. 450-458).

The most nearly comparable group title in the Seventh Revision is Diseases of cardiovascular system (ICD Nos. 330-334, 400-468).

Both of these group titles include the first and third leading causes of death-Diseases of heart (ICDA Nos. 390-398, 402, 404, 410-429) and Cerebrovascular diseases (ICDA Nos. 430-438). They also both include Diseases of arteries, arterioles, and capillaries (ICDA Nos. 440-448). The comparable title in the Seventh Revision for these latter diseases is Diseases of arteries (ICD Nos. 450-456). But the group title Diseases of cardiovascular system (ICD Nos. 330-334, 400-468) in the Seventh Revision includes also the title Diseases of veins and other diseases of circulatory system (ICD Nos. 460-468). These diseases of veins and other diseases of circulatory system (assigned by the Eighth Revision to ICDA Nos. 450-458) are not included, however, under the Eighth Revision group title Major cardiovascular diseases (ICDA Nos. 390-448).

Effect of decennial list revisions.—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the first five revisions, the continuity in the mortality trends is not considered a problem of great concern. Van Buren described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death. 11 Dunn and Shackley measured the change in mortality statistics by cause due to the Fifth Revision. 12 This was done by coding mortality records for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in

evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

Sixth Revision.—The Sixth Revision of the International Lists of Diseases and Causes of Death was adopted by the World Health Organization in July 1948 and used for mortality data in the United States from 1949 through 1957. This revision represented a more sweeping change than any previous revision. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for coding morbidity as well as mortality records.

In addition to the expanded scope of the Sixth Revision of the International Classification, there was a major change in the method of selection of the cause of death for primary tabulation. A large proportion of death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, making it necessary to select the one cause to which the death will be assigned. The method of selection has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death for international use. The form of medical certification in the Standard Certificate of Death is shown in figure 6-A. It is designed to facilitate the selection of the underlying cause of death when two or more causes are recorded. In general if the certification is completed properly, the underlying cause of death entered by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs markedly from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

Comparability between the Sixth and Fifth Revisions.—In order to maintain a time series of mortality rates for comparable causes, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 be coded according to both the Sixth and Fifth Revisions. In the United States, 1950 mortality data were used for the dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided

<sup>&</sup>lt;sup>11</sup>U.S. Bureau of the Census: Some things you can't prove by mortality statistics, by G. H. Van Buren. *Vital Statistics—* Special Reports, Vol. 12, No. 13. Washington, D.C., Jan. 1940.

<sup>&</sup>lt;sup>12</sup>U.S. Bureau of the Census: Comparison of cause-of-death assignments by the 1929 and 1938 Revisions of the International Lists, deaths in the United States, 1940, by H. L. Dunn and W. Shackley. *Vital Statistics—Special Reports*, Vol. 19, No. 14. Washington, D.C., June 1944.

by the number of deaths assigned to that cause using the Fifth Revision. 13, 14

Seventh Revision.—Beginning with 1955 the decennial conferences for revision of the International Lists are held in years ending in 5 rather than later in the decade as had been done previously. This is to make possible the use of the revised classification for mortality data beginning with years ending in 8. The new cycle provides time to assess the effect of new provisions and variations in interpretation before the next census. Thus stable mortality data will be available for use with the population figures from the decennial census.

Changes in the Seventh Revision were held to a minimum because of the relatively short experience with the Sixth Revision. In compliance with a recommendation of the Expert Committee on Health Statistics, the changes were limited to essential ones and amendments of errors and inconsistencies. Provisions previously contained in an addendum15 were integrated into the manual. 16 Since these provisions had been used with the Sixth Revision, they did not represent classification changes. The only change made in three-digit categories consisted of rewording a few titles. In a few cases the rewording included redefining morbid conditions classifiable to these categories and transferring certain terms from one category to another. The three-digit categories which were affected are listed in Section 1, Volume 1, of Vital Statistics of the United States, 1958. There were also a number of changes in four-digit subcategories, consisting mostly of the addition of subdivisions to provide more detailed classification of malignant neoplasms of specified sites. The three-digit categories for

13 National Center for Health Statistics: Comparability of mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics*—Special Reports. Vol. 51, No. 2. Public Health Service. Washington, D.C., Dec. 1963.

<sup>14</sup>National Center for Health Statistics: Comparability ratios based on mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 3. Public Health Service. Washington, D.C., Feb. 1964.

15 World Health Organization: Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Addendum 1, Supplementary Interpretations and Instructions for Coding Causes of Death. Geneva. World Health Organization, 1953.

<sup>16</sup>World Health Organization: Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Based on the Recommendations of the Seventh Revision Conference, 1955. Geneva. World Health Organization, 1957.

which there were additions, deletions, or changes in the four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for selecting the cause of death for primary mortality classification were recast for use with the Seventh Revision to simplify them and to organize them from the viewpoint of the coder making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause starting the train of events leading directly to death. In recasting the rules, some interpretations were modified—mainly those involving selecting of the underlying cause for improperly completed certifications. In adapting coding procedures to reporting practices in the United States, some additional changes in interpretations were made.

In the majority of cases, application of the rules for the Sixth Revision and those for the Seventh resulted in the same code assignment. There were some differences in individual assignments affecting a number of categories. Many of these individual assignments were compensatory and resulted in no detectable discontinuity of trends for various causes of death; the comparability of a number of categories was affected to a limited extent.

Comparability between the Seventh and Sixth Revisions.—In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified using both the Sixth and Seventh Revisions. The comparability ratios for selected causes and a discussion of the results of this study are published in "Comparability of Mortality Statistics for the Sixth and Seventh Revisions, United States, 1958."

Eighth Revision.—The Eighth Revision contains major modifications in several sections of the lists. Also, the international rules for selecting the underlying cause have been simplified. In addition, changes have been introduced in the special rules and decisions which adapt the coding procedures to reporting practices in the United States.

The Detailed List of the Eighth Revision consists of 671 categories of diseases and morbid conditions, 182 categories for classification of the external cause of injury, and 187 categories for characterization of injuries according to the nature of the lesion. These

<sup>&</sup>lt;sup>17</sup>National Center for Health Statistics: Comparability of mortality statistics for the Sixth and Seventh Revisions, United States, 1958, by M. M. Faust and A. B. Dolman. Vital Statistics—Special Reports, Vol. 51, No. 4. Public Health Service. Washington, D.C., Mar. 1965.

detailed categories are designated by three-digit numbers. There are also four-digit subcategories in the ICDA that provide further specificity or more information regarding etiology or manifestations of the disease. The Classification is arranged in 17 main sections, or chapters. The important changes are summarized for each of these sections in the introduction to the ICDA, pages xxiv-xxviii. Following are some of the many changes made:

Infective and parasitic diseases.—In the Seventh Revision, list titles for diarrheal conditions were scattered over several sections of the Classification. In the Eighth Revision all the Seventh Revision subdivisions for these conditions, including those for infants, are brought together under one category, Diarrheal diseases (009).

Diseases of the nervous system and sense organs.—Vascular lesions affecting central nervous system (330-334) in the Seventh Revision has been transferred in the Eighth Revision to Section VII, Diseases of the circulatory system, where they appear as Cerebrovascular diseases (430-438).

Certain causes of perinatal morbidity and mortality.—This section represents an integration of Section XV (Certain diseases of early infancy) and Classification of causes of stillbirth (Y30-Y39) in the Seventh Revision. The age qualifications used in previous revisions to classify the same conditions in or outside this section have been deleted. For example, Pneumonia of newborn (763) of the Seventh Revision is no longer in this section. Instead, it is included in the Eighth Revision with Pneumonia (480-486), to which pneumonias are assigned without regard to age.

Accidents, poisonings, and violence.—A new subsection (E980-E989) has been introduced for the classification of deaths where it was not possible for the certifier to determine whether the injuries were accidentally or purposely inflicted.

Comparability between the Eighth and Seventh Revisions.—In order to measure the degree of discontinuity in cause-of-death statistics resulting from the introduction of the Eighth Revision, provisional estimates of selected comparability ratios based on dual coding of a stratified sample of 1966 death certificates by the Seventh and Eighth Revisions of the International Classification of Diseases were computed. These ratios appear in the Monthly Vital Statistics Report of the National Center for Health Statistics, Volume 17, Number 8, Supplement; and in Comparability of mortality statistics for the Seventh and Eighth Revisions of the International Classifi-

cation of Diseases, United States, Vital and Health Statistics, Series 2, No. 66, DHEW Pub. No. (HRA) 76-1340.

Coding in 1973.—The National Center for Health Statistics usually prepares for its cause-of-death coding clerks an instruction manual which contains decisions and interpretations that apply each year. These manuals are revised annually chiefly to bring coding procedures into alignment with new developments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate inconsistencies in coding procedures. The significant coding changes for 1973 are concerned with the "sudden infant death syndrome" (SIDS).

SIDS, frequently called "crib death" or "cot death," has been defined as the sudden and unexpected death of a previously healthy infant (usually between 1 and 6 months of age) which remains unexplained after careful post mortem studies. SIDS almost always occurs during sleep periods. This phenomenon seldom occurs in an infant under 1 month or over 1 year of age. There are no specific symptoms identifiable with SIDS. Therefore SIDS cannot be predicted, even by a physician, and in the light of present knowledge SIDS cannot be prevented. An autopsy usually reveals congestion and edema of the lungs and minor inflammatory changes in the respiratory system. In about 85 percent of the cases intrathoracic petechial hemorrhages are found. However, evidence of a conventionally accepted lethal lesion(s) is lacking. Because of these characteristic features, experts and researchers in the field consider SIDS a clearly identifiable distinctive entity even though the cause and mechanism of death remain unknown.

Estimates of the number of SIDS deaths vary, but the figure most commonly quoted by researchers is about 10,000. Efforts to obtain accurate data on the incidence of SIDS have been hampered by a number of factors. Among these are

- 1. The failure of a number of physicians, coroners, and medical examiners to diagnose and/or report SIDS as the cause of death,
- 2. The lack of uniformity in the terminology used to describe SIDS,
- 3. The absence of a category in the Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA), which identifies SIDS,

<sup>&</sup>lt;sup>18</sup>National Center for Health Statistics: Vital statistics, instructions for classifying the underlying cause of death, 1973. NCHS Instruction Manual, Part 2a. Public Health Service. Rockville, Md., 1973.

- 4. The reluctance on the part of certifiers to report conditions that they feel may be regarded as unacceptable by vital statistics offices, and
- 5. The reporting of conditions, including incidental autopsy findings, that were in fact unrelated to death on the certificates of death for infants who actually died from SIDS.

NCHS has modified the ICDA and the procedures for classifying information recorded on the death certificate to facilitate the identification and analysis of data related to known and suspected cases of SIDS.

Three fourth-digit subdivisions have been created under ICDA category 795 (Sudden death). These subdivisions together with the inclusion terms are as follows:

\*795.0 Sudden infant death syndrome, under 1 year of age
Acute fatal infant syndrome
Cause unknown
Cot or crib death
Died without sign of disease, so stated
Found dead (in bed, cot, cradle, crib, etc.) (infant)
Infant found in bed
Other unknown and unspecified causes, so stated
SDII, SID, SIDS, SUD, SUDI, SUID
Sudden death (in infancy) (infant) (syndrome)
(unattended) (unexpected) (unexplained)
Undetermined (cause) (in infancy) (infant)
Unexpected death (in infancy) (infant)
Unexplained death (in infancy) (infant)
Unknown (cause)

\*795.1 Sudden death syndrome, 1 year of age

The same terms listed under \*795.0 when age is 1

year

\*795.2 All other sudden deaths, age 2 years and over
Died suddenly Fell dead
Dropped dead Sudden death

It should be noted that two of the above subdivisions (i.e., \*795.0 and \*795.1) include several terms that were previously included under ICDA categories 796.2, Found dead (cause unknown), 796.3, Died without sign of disease, and 796.9, Other unknown and unspecified causes. The decision to include these terms in the categories that have been created for Sudden infant death syndrome, under 1 year of age, and Sudden death syndrome, 1 year of age, was made after consultation with experts in the field. This decision was based on conclusions drawn from a recent study that relatively few infant deaths that were not sudden and unexpected are certified as found dead, "died without sign of disease," or other unknown and unspecified causes.

The third subdivision (i.e., \*795.2) does not include terms previously classifiable to ICDA cate-

gories 796.2, 796.3, or 796.9. Coders should continue to classify these terms to categories 796.2, 796.3, and 796.9 if the decedent was 2 years of age or over.

A distinction has been made between Sudden infant death syndrome, under 1 year of age, and Sudden death syndrome, 1 year of age (but less than 2), because there is some difference of opinion about whether SIDS does in fact occur at ages 1 year and above. National data for 1973, the first year NCHS used the new coding rules, show 3,264 and 75 deaths coded to categories \*795.0 and \*795.1, respectively.

Apparently, some vital statistics offices have, perhaps unintentionally, created the impression that SIDS is not an acceptable cause of death. This is unfortunate since it is important that SIDS be cited officially as the cause of death when the certifier believes this to be the case. This diagnosis as well as other terms that are being used to describe SIDS should be accepted as a valid cause of death without querying the certifier. Past experience has shown that some certifiers are reluctant to use terminology that they have reason to believe will be queried by vital statistics offices.

Other significant coding changes during the Eighth Revision.—Beginning with 1969 a special four-digit subcategory Chronic obstructive lung disease (\*519.3) has been added to obtain the number of certificates on which medical certifiers have entered this more general term rather than a more specific diagnosis of chronic bronchitis, emphysema, or asthma. The number of certificates assigned to (\*519.3) increased from 2,704 for 1969 to 11,334 for 1973. It is necessary to add together the number of deaths assigned to this new four-digit category and the number of deaths assigned to Bronchitis, emphysema, and asthma (ICDA Nos. 490-493) to obtain a measure of mortality from all chronic obstructive lung diseases.

To provide that deaths would not be assigned to Chronic obstructive lung disease (\*519.3) if a more specific diagnosis such as chronic bronchitis, emphysema, or asthma also appeared on the death certificate, the coding procedures were updated for 1971 and 1972 data years in accordance with the linkages below:

\*519.3 Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema

Excludes conditions in \*519.3 with conditions in:

490 Bronchitis (491)(Chronic bronchitis)

491 (Chronic bronchitis) (491)

492 (Emphysema)(492)

493 (Asthma)(493)

But the limitation imposed by these linkage provisions did not alter the upward trend in the number of

deaths assigned to Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (\*519.3). The number of deaths assigned to (\*519.3) increased from 6,321 for 1971 to 11,334 for 1973.

Under the Eighth Revision of the ICDA, deaths assigned to "chronic obstructive lung disease," or "chronic obstructive pulmonary disease," were assigned to Other diseases of lung (ICDA No. 519.2). Despite the transfer of these deaths from this category to the new category Chronic obstructive lung disease (\*No. 519.3), the number of deaths assigned to Other diseases of lung (ICDA No. 519.2) also continued to increase—from 1,306 deaths for 1969 to 1,845 for 1973.

Also beginning with 1971 a special four-digit subcategory (\*E854.8) has been added to identify "Acute narcotism, not otherwise specified," whether or not the circumstances were undetermined. Also, a preference will be given to Drug dependence (ICDA No. 304) when a statement of drug dependence or a synonymous term appears on the certificate with mention of poisoning by certain addictive drugs.

In addition, beginning with 1971, the term cerebral sclerosis (general) is classified to Generalized ischemic cerebrovascular disease (ICDA No. 437) rather than to Other demyelinating diseases of central nervous system (ICDA No. 341). As a result of this transfer the number of deaths assigned to this latter category decreased from 569 for 1970 to 96 for 1971.

Since 1968 the use of an automated system for obtaining the underlying cause requires special coding procedures in NCHS. (See Quality Control Procedures under Quality of Data.) The automated system was designed to assign the underlying cause according to the international rules just as if a manual process were to be used.

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and completeness. The medical certification of death can be made only by a qualified person, usually a physician, a medical examiner, or a coroner. Therefore the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the medical attendant to make the proper diagnosis and by the care with which he completes the death certificate.

The quality of the basic data reported on the death certificate is of fundamental importance in the interpretation of cause-of-death statistics. A pilot

study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956. A representative sample of certificates was selected for particular causes of death. Questionnaires were sent to the physicians who had signed the certificates asking for the diagnostic methods and pertinent findings on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy, and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. It was concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death. 19

In a later follow-back study conducted by NCHS, a national sample of deaths occurring in July and August 1960 was selected from the 10-percent Current Mortality Sample. A questionnaire was sent to the physician, coroner, or medical examiner signing the death certificate and to the hospitals and others suggested by the medical examiner as possible added sources of diagnostic information. Eighty-seven percent of the medical certifiers returned a questionnaire with some kind of response. Of those returned, 14 percent contained no useful information. The forms were reviewed by two cardiologists to determine whether or not the cause of death assigned was supported by the diagnostic information provided by the certifier. The results showed that "for cardiovascularrenal diseases as a whole, it is estimated that 70 to 75 percent of the deaths so classified may be considered as a reasonable inference or better."20

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Eighth Revision category numbers 780-792, 795, and 796, which are the rubrics for symptoms and ill-defined conditions. While there are cases for which it is not possible to determine the causes of death, this proportion indicates the care and consideration given to the certification by attending physicians. It may also be used as a rough measure of the specificity

<sup>&</sup>lt;sup>19</sup> For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by I. M. Moriyama and others, *Am. J. Pub. Health*, Vol. 48, No. 10, pp. 1376-1387.

<sup>&</sup>lt;sup>20</sup>Moriyama, I. M., and others: Evaluations of Diagnostic Information Supporting Medical Certification of Cardiovascular Disease Deaths. Paper presented at a meeting of the American Public Health Association, Kansas City, Mo., Nov. 13, 1963.

of the medical diagnosis made by the physicians in various areas and to a small degree the extent to which autopsies are performed and their findings used in determining the underlying cause of death entered on the death certificate. In 1973, 1.5 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.4 to 7.2 percent.

Ranking causes of death.—The causes included in the List of 69 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. Two group titles, Major cardiovascular diseases and Symptoms and ill-defined conditions, are not ranked. In addition, category titles that begin with the words "Other" or "All other" are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of Tuberculosis, all forms, its component parts (in this case, Tuberculosis of respiratory system and Tuberculosis, other forms) are not ranked.

#### Maternal deaths

Maternal deaths are those for which the certifying physician has designated a maternal condition as the underlying cause of death. The maternal conditions are those assigned to Complications of pregnancy, childbirth, and the puerperium (630-678).

#### Report of autopsy

Prior to 1972 the last year for which autopsy data were tabulated was 1958. Again for 1973, as for 1972, all registration States and cities requested information on the death certificate as to whether autopsies were performed. For 1973 autopsies were reported, however, on only 369,655 death certificates (18.7 percent of the total, table 1-28). All but nine registration areas (New York City and Alabama, Delaware, Georgia, Idaho, Massachusetts, Pennsylvania, Texas, and Virginia) also requested for 1973 information on nearly all their certificates as to whether the autopsy findings were used in determining the causes of death.

The distribution of deaths for which autopsies were performed according to the entry for the item "autopsy findings used" was as shown in the table below.

Data presented in table 1-29 on "findings used" refer not to all deaths for which autopsies were performed (369,655) but only to those for which information on "findings used" was also requested on the

Entry for item "autopsy findings used"	Number	Percent
All autopsies	369,655	100.0
Autopsy findings used	207,283	56.0
Autopsy findings not used	15,388	4.1
Item not checked	62,283	16.8
Item not on certificate	84,701	22.9

certificates (284,954 deaths for which autopsies were performed).

For only eight of the cause-of-death categories shown in table 1-29 were autopsies reported as performed for 50 percent or more of all deaths: Bacillary dysentery and amebiasis; Meningococcal infections; Meningitis; Abortions; Other complications of pregnancy, childbirth, and the puerperium; Congenital anomalies; Homicide; and Other external causes.

There were nine other categories for which 40 percent or more death certificates reported autopsies. Autopsies were reported for only 11.6 percent of the major cardiovascular diseases. Among all causes other than the major cardiovascular group, autopsies were reported for 26.6 percent of all deaths.

#### Mortality by month and date of death

Deaths by month have been regularly tabulated and published in the annual report for each year beginning with data year 1900. For 1973 deaths by month are shown in this report in tables 1-20, 1-21, 1-24, 1-30, 2-10, 2-12, and 3-9.

Death rates by month reflect most clearly the influence of the respiratory diseases. Again for 1973, as for each year since the early 1920's, when the summer peak of mortality was eliminated, the curve of mortality falls to a low during the summer months, and reaches a peak during the winter months. The curve by month for the number of deaths from influenza and pneumonia for 1973 parallels quite closely the curve by month for the number of deaths from all causes. By far the greatest number of deaths from influenza and pneumonia occurred in January for 1973 (table 1-24).

The year 1972 was the first data year for which not only month of death but also date of death were published (table 1-30). Unpublished data for selected causes, by date of death, however, for 1962 are available in NCHS.

Number of deaths by date of death in this report are shown for 1973 for the total number of deaths and for the number of deaths for the following three causes, for which the greatest general interest in date of occurrence of death has been expressed: Motor vehicle accidents, Suicide, and Homicide.

These data in table 1-30 show the frequency distribution of deaths for the selected causes by day of week. They also make it possible to identify holidays with peak numbers of deaths from specified causes.

#### QUALITY OF DATA

#### Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent although the method used in testing completeness was subject to considerable error. It is believed that in the past death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.<sup>21</sup> A similar situation may exist in other States.

As stated above, reporting requirements for fetal deaths vary from State to State, and registration is probably incomplete in all areas.

#### Massachusetts data

The 1964 statistics for deaths exclude approximately 6,000 events registered in Massachusetts,

primarily to residents of the State. Microfilm copies of these records were not received by NCHS. Figures for the United States and the New England Division are also somewhat affected.

#### Quality control procedures

Demographic items on the death certificates.—As indicated above, for 1973 the mortality data for these items were obtained from two sources: (1) microfilm images of the original certificates furnished by 41 States, the District of Columbia, New Orleans, and New York City; and (2) records on data tape furnished by the remaining nine States. For the 41 States, the District of Columbia, New Orleans, and New York City, that send only microfilm images of the original certificates, the demographic items on a 10-percent sample of the certificates were dependently verified. For the six States (Florida, Maine, Missouri, New Hampshire, Rhode Island, and Vermont) that furnished records on data tape prior to 1973 the demographic items on a 10-percent sample of the records were independently verified. For the three States (Michigan, Colorado, and New York, exclusive of New York City) that furnished records on data tape for the first time for 1973, the demographic items were independently verified for a 50percent sample for the first 3 months, and for a 10-percent sample for the last 9 months of 1973.

Except for cause-of-death coding discussed below, the above-mentioned verification procedures involve controlling two types of error (coding and entering into the data record tape) at the same time, and the error rates are a combined measure of both types. While it may be assumed that the entering errors are randomly distributed across all items on the record, this assumption cannot be made as readily for coding errors. Systematic errors in coding infrequent events may escape detection during sample verification. This type of error is partially controlled by reverifying randomly selected lots from each operator's work.

Medical items on the death certificate.—The "Automated Classification of Medical Entities" (ACME), a computer system for assigning the underlying cause of death which was introduced in 1968, was used for assigning the 1973 underlying causes of death.<sup>22</sup> The ACME rules for coding conditions are very specific, fewer in number, and far less compli-

<sup>&</sup>lt;sup>21</sup>Tennessee Department of Public Health: Results of survey of death-registration completeness. *The Spotlight*, Jan. 1954.

<sup>&</sup>lt;sup>22</sup>Automated Classification of Medical Entities (ACME) for Selection of Causes of Death. Unpublished paper presented at the annual meeting of the American Public Health Association, Houston, Tex., Oct. 1970.

cated than the international rules for selecting the underlying cause of death.<sup>23</sup>

The coder produces condition codes which the ACME computer program matches against decision tables to select the underlying cause of death for each record according to the international rules. These decision tables serve two primary purposes. They provide a comprehensive guide for the relationship between conditions classifiable to different categories in ICDA when applying rules of selection and modification, and they also provide decisions used when the underlying cause is assigned by the ACME system. The tables were developed from the decisions and conclusions employed by NCHS in arriving at the underlying causes of death. Relationships between medical conditions involve varying or contradictory opinions. Therefore further refinements of the decision tables will be required periodically.

The decision table instruction manual for 1970-71<sup>24</sup> was again used for 1973.

Medical items were coded for 100 percent of death records. The medical items on a 10-percent sample of the records were dependently verified.

For cause-of-death coding, systematic errors in coding infrequent events are controlled by listing the rare and impossible codes from the computer and reverifying the cause-of-death assignment.

Demographic items on fetal-death certificates.— As stated above, fetal-death certificates for 1973 are based on all fetal-death records received. Moreover the coding and entering on data tape of fetal-death records was verified completely because of their relatively small number. (Again for 1973, as for prior years, medical items on the fetal-death certificates were not coded.)

Other control procedures.—After completing coding and entering on data tape, record counts are balanced against control totals for each shipment of records from a registration area. Impossible codes are selected out during the editing processes on the computer and are either corrected by reference to the source record or adjusted by arbitrary code assignment. All subsequent operations in tabulating and in table preparation are verified either during the computer processing or by statistical clerks.

## Estimates of errors arising from 50-percent sample for 1972

Death statistics for 1972 in this report (excluding fetal-death statistics) are based on a 50-percent sample of all deaths occurring in the 50 States and the District of Columbia.

A description of the sample design and a table of the percent errors of the estimated numbers of deaths by size of estimate and total deaths in the area are shown in the Technical Appendix of *Vital Statistics* of the United States, Volume II, Part A, 1972.

## COMPUTATION OF RATES AND OTHER MEASURES

#### Population bases

The death rates shown in this report were computed on the basis of population statistics published or made available by the U.S. Bureau of the Census. Rates for 1940, 1950, 1960, and 1970 are based on the populations enumerated as of April 1 in the censuses of those years. Rates for all other years are based on the estimated midyear (July 1) population for the respective years.

Population estimates for 1973.—Estimates of the total resident population of the United States by age, race, and sex in 1973 are published by the Bureau of the Census in Current Population Reports, Series P-25, Number 519, and are shown in table 6-2. Total estimated populations for States shown in table 6-3 are published in Series P-25, Number 518; populations by broad age groups were prepared by the Bureau of the Census for NCHS and do not appear in the P-25 Series.

The populations of the 50 largest SMSA's and their component counties were obtained from the Bureau of the Census for July 1, 1973, as shown in selected reports from Series P-26.

Population estimates for 1971.—The rates by age, color, and sex in Section 1 of Vital Statistics of the United States, 1971, were based on provisional estimates of the 1971 population; but the life table values for 1971 in Section 5 were based on revised estimates of the 1971 population. These revised estimates are also shown in table 2 of the reference cited above for 1973 populations (Current Population Reports, Series P-25, No. 519, Washington, D.C., 1974). These revised estimates differed considerably from the provisional estimates for a number of age-color-sex groups. Table 6-4 of the report for 1971 shows, for example, that the revised estimates are 7

<sup>&</sup>lt;sup>23</sup>National Center for Health Statistics: Vital statistics, instructions for classifying the underlying cause of death, 1973. *NCIIS Instruction Manual*, Part 2a. Public Health Service. Rockville, Md., 1973.

<sup>&</sup>lt;sup>24</sup>National Center for Health Statistics: Vital statistics, ICDA Eighth Revision decision tables for classifying underlying causes of death, 1970-1971. NCHS Instruction Manual, Part 2a. Public Health Service. Rockville, Md., 1972.

to 25 percent lower than the provisional estimates for persons other than white in the youngest (under 10 years) and oldest (80 years and over) age groups. The limited number of statistics for 1971 shown in this report are based on the revised populations. Also available in NCHS is a set of unpublished trend tables for which the rates for 1971 are based on the revised population. These tables include age-color-sex-cause specific death rates for both the List of 69 Selected Causes of Death and the List of 281 Selected Causes of Death.

Population estimates for 1961-69.—Comparison of revised populations for 1969 (and several earlier years since 1960) with the provisional populations which were used to calculate annual death rates for these same age, color, and sex groups indicated a similar problem. Caution should be exercised in utilizing death rates published in Section 1 and life expectancy values in Section 5 of the 1969 and other volumes until such time as revised rates are published.

Rates and ratios based on live births.—Infant, neonatal, and maternal mortality rates, and fetal-death rates and ratios are computed on the basis of the estimated number of live births instead of the estimated population under 1 year of age.

New Jersey.—As indicated previously, data by race or color are not available for New Jersey for 1962 and 1963. Therefore for 1962 and 1963 the National Center for Health Statistics estimated a population by age, color, and sex excluding New Jersey for rates shown by color. The methodology used

to estimate the revised population excluding New Jersey is discussed in the technical appendixes of the 1962 and 1963 reports.

#### Age-adjusted death rates

Age-adjusted death rates shown in this report are computed by using the distribution in 10-year age intervals of the enumerated population of the United States in 1940 as the standard population. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was like that of the United States in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare age-adjusted death rates directly with crude rates shown in other tables.

#### SYMBOLS USED IN TABLES

Data not available	
Category not applicable	
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of	
reliability or precision	*

Table 6-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1973

[Population enumerated as of April 1 for 1940, 1950, 1960, and 1970 and estimated as of July 1 for all other years]

	United States <sup>1</sup>			United	States <sup>1</sup>	Birth-reg Sta		Death-registration States	
Year	Population including Armed Forces abroad	Population residing in area	Year	Population including Armed Forces abroad	Population residing in area	Rumber of States <sup>2</sup>	Fogulation residing in area	Number of States <sup>8</sup>	Population residing in area
1973	210,404,000	209,851,000	1935	127,362,000	127,250,232				
1972	208,842,000	208,230,000	1954	126,485,000	126,373,773	•••			,,,
1971	207,045,000	206,212,000	1935	125,690,000	125,578,763		1		i :::
1970	204,270,000	203,211,926	1932	124,949,000	124,840,471	47	118,903,899	47	118,903,639
1969	203,216,000	201,921,000	1931	124,149,000	124,039,648	46	117,455,229	47	118,148,987
T303	203,216,000	201,921,000	1931	124,149,000	124,000,010	10	111,400,625	**	220,240,50.
1968	201,166,000	199,861,000	1930	123,188,000	123,076,741	46	116,544,946	47	117,238,278
1967	199,118,000	197,863,000	1929		121,769,939	46	115,31.7,450	46	1.15,317,450
1966	196,842,000	195,857,000	1928		120,501,115	44	113,636,160	44	113,636,160
1965	194,583,000	193,818,000	1927		119,038,062	40	104,320,830	42	107,084,532
1964	192,119,000	191,371,000	1926		117,399,225	35	90,400,590	41	103,822,683
1965	189,417,000	188,658,000	1925		115 021 062	33	88,294,564	40	102,031,555
1962	186,656,000	185,890,000		l	115,631,963			39	
1961	183,756,000	183,057,000	1924		114,113,463	33	87,000,295		99,318,098
1960	180,007,000	179,323,175	1923		111,949,945	30	BL,072,123	38	96,788,197
1959	177,264,000	176,513,000	1922		110,054,778 108,541,489	30 27	79,560,746 70,807,090	37 34	92,702,901
1958	174,141,000	173,320,000	1					, ,	' '
1957	171,274,000	170,371,000	1920		106,466,420	23	63,597,307	34	86,079,262
1956	168,221,000	167,306,000	1919	1.05,063,000	104,512,110	22	61,212,076	33-	83,157,981
1955	165,275,000	164,308,000	1918	104,550,000	103,202,801	20	55,153,782	30	79,008,412
1954	162,391,000	161,164,000	1917	103,414,000	103,265,913	20	55,197,952	27	70,234,770
	1 1	' '	1916		101,965,984	11	32,944,013	26	66,971,177
1955	1.59,565,000	158,242,000							
1952	156,954,000	155,687,000	1915		100,549,013	1.0	51,096,697	24	61,894,847
1951	154,287,000	153,310,000	1914		99,117,567	•••		24	60,963,309
1.950	151,132,000	150,697,361	1915		97,226,814	•••		23	58,186,740
1949	149,188,000	148,665,000	1912		95,331,300			52	54,847,700
1948	146,631,000	146,093,000	1911		93,867,814	***		22	53,929,644
1947	144,126,000	145,446,000		Ì	l				
1946	141,389,000	140,054,000	1910		92,406,536	•••	•••	20	47,470,437
1945	139,928,000	132,481,000	1909		90,491,525	•••	•••	18	44,223,513
1944	138,397,000	132,885,000	1908		68,708,976	***	•••	17	38,034,759
1943	136,739,000	154,245,000	1907		87,000,271	***	•••	15	34,552,837
1942	134,860,000	133,920,000	1906		85,436,556	•••	•••	15	33,782,283
1941	133,402,000	133,121,000	1905		83,819,666			10	21,767,380
1940	131,820,000	131,669,275	1904		82,164,974		( :::	10	21,332,076
1959	131,028,000	130,879,718	1903		60,632,152	***	l :::	10	20,943,222
1958			1902		79,160,196			10	20,582,007
	129,969,000	129,824,939	1901		77,585,128			10	20,237,453
1937	128,961,000	128,824,829	1900		76,094,134	•••	· :::	10	19,965,446
1936	128,181,000	128,053,180	1300	}	76,094,134	***	• • • •	10	13,303,400

Source: The populations in this table were published by the U.S. Bureau of the Census, unless otherwise specified, in Current Population Reports, Series P-25. The numbers of these reports together with the years for which data were furnished are shown below:

Year for which data were furnished	Series P-25 number	Year for which data were furnished	Series P-25 number	Year for which data were furnished	Series P-25 number
1971-73	519 CP 441 416 385	1968	321	1920-29	VSR <sup>b</sup> 499 and VSR <sup>b</sup> VSR <sup>b</sup>

<sup>&</sup>lt;sup>2</sup>U.S. Bureau of the Census, U.S. Census of Population: 1970, Number of Inhabitants, Final Report PC (1)-A 1, United States Summary, 1971.

b National Office of Vital Statistics, Vital Statistics Rates in the United States, 1900-1940, 1947.

<sup>&</sup>lt;sup>1</sup>Alaska included beginning 1959 and Havali, 1960.

<sup>2</sup>The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

Table 6-2. Estimates of Total Resident Population of the United States, by Age, Race, and Sex: July 1, 1973
[Figures include Armed Forces stationed in the United States and exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

					iot add to to							
		Total			White All other							
Age Bot	Detil		20			Total			Negro			
	sexes	" II Male	Female	Both seales	Male	Female	Both sexes	Male	Female	Both , sexes	Male	Female
All ages	209,851,000	102,229,000	107,622,000	183,049,000	89,424,000	93,625,000	26,802,000	12,805,000	13,996,000	23,801,000	11,337,000	12,464,000
Under 1 years	3,079,000 13,635,000 18,105,000 20,478,000 20,478,000 15,476,000 15,476,000 11,217,000 11,519,000	1,574,000 6,957,000 9,227,000 10,638,000 10,360,000 8,963,000 7,656,000 6,384,000 5,462,000 5,621,000	1,504,000 6,678,000 8,878,000 10,240,000 10,118,000 9,120,000 7,819,000 6,595,000 5,755,000 5,755,000	2,571,000 11,402,000 15,209,000 17,677,000 17,482,000 15,655,000 13,606,000 11,340,000 10,128,000	1,318,000 5,835,000 7,774,000 9,032,000 8,868,000 7,803,000 6,793,000 4,831,000 4,831,000	1,253,000 5,566,000 7,435,000 8,645,000 8,614,000 7,832,000 6,913,000 5,708,000 4,986,000 5,140,000 5,475,000	508,000 2,233,000 2,896,000 5,201,000 2,996,000 2,448,000 1,870,000 1,400,000 1,591,000	257,000 1,121,000 1,453,000 1,606,000 1,492,000 1,160,000 863,000 651,000 653,000 604,000	251,000 1,112,000 1,443,000 1,595,000 1,505,000 1,288,000 1,006,000 886,000 769,000 758,000	452,000 1,999,000 2,597,000 2,997,000 2,997,000 1,600,000 1,995,000 1,224,000 1,226,000	228,000 1,005,000 1,302,000 1,456,000 1,341,000 741,000 635,000 551,000 550,000	224,000 996,000 1,295,000 1,448,000 1,356,000 1,130,000 860,000 673,000 656,000
80-54 years	11,987,000 10,164,000 9,104,000 7,612,000 5,605,000 5,916,000 2,567,000 1,630,000	5,701,000 5,701,000 4,854,000 4,245,000 3,383,000 2,367,000 1,559,000 947,000 545,000	5,17,000 6,147,000 5,310,000 4,859,000 4,229,000 3,238,000 2,357,000 1,619,000 1,085,000	10,635,000 10,626,000 9,228,000 8,216,000 6,860,000 5,130,000 5,612,000 2,365,000 1,490,000	5,130,000 4,419,000 5,885,000 5,049,000 2,152,000 1,428,000 493,000	5,496,000 4,809,000 4,381,000 3,811,000 2,979,000 2,185,000 1,500,000 987,000	1,302,000 936,000 888,000 751,000 474,000 303,000 202,000 140,000	\$71,000 \$71,000 \$35,000 \$10,000 \$34,000 \$216,000 \$151,000 \$2,000 \$5,000	697,000 651,000 501,000 478,000 417,000 259,000 172,000 120,000 88,000	1,04,000 846,000 813,000 691,000 420,000 268,000 180,000 125,000	530,000 508,000 390,000 368,000 300,000 187,000 114,000 71,000 45,000	515,000 586,000 456,000 445,000 391,000 233,000 153,000 109,000 80,000

Source: U.S. Bureau of Census: Current Population Reports, Series P-25, No. 519.

Table 6-3. Estimates of Total Resident Population by Age, for the United States, Each Division and State, Guam, Puerto Rico, and Virgin Islands: July 1, 1973

[Figures include Armed Forces stationed in each area, and exclude Armed Forces stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	Total.	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States1	209,851,000	16,714,000	59,462,000	69,273,000	43,074,000	21,329,000
Geographic divisions:  New England- Middle Atlantic- East North Central- West North Central- South Atlantic- East South Central West South Central West South Central West South Central- Pacific-	12,151,000	895,000	3,396,000	3,956,000	2,582,000	1,322,000
	57,528,000	2,749,000	10,144,000	12,108,000	8,481,000	4,044,000
	40,897,000	3,331,000	11,906,000	13,407,000	8,297,000	3,957,000
	16,704,000	1,282,000	4,501,000	5,297,000	3,338,000	1,984,000
	32,459,000	2,617,000	9,113,000	10,862,000	6,558,000	3,306,000
	13,288,000	1,129,000	3,847,000	4,317,000	2,630,000	1,368,000
	20,257,000	1,763,000	5,900,000	6,701,000	3,996,000	1,992,000
	9,149,000	814,000	2,756,000	3,080,000	1,721,000	778,000
	27,417,000	2,125,000	7,598,000	9,545,000	5,570,000	2,577,000
New England:  Maine	1,028,000	82,000	296,000	319,000	210,000	121,600
	791,000	63,000	225,000	262,000	156,000	84,000
	464,000	39,000	137,000	152,000	87,000	59,000
	5,818,000	418,000	1,614,000	1,902,000	1,232,000	652,000
	973,000	71,000	263,000	315,000	216,000	109,000
	3,076,000	222,000	861,000	1,006,000	681,000	308,000
Middle Atlantic: New York————————————————————————————————————	18,265,000	1,350,000	4,875,000	6,015,000	4,037,000	1,987,000
	7,361,000	542,000	2,036,000	2,374,000	1,675,000	734,000
	11,902,000	857,000	3,233,000	3,719,000	2,769,000	1,323,000
East North Central: Onto	10,731,000	874,000	3,096,000	3,518,000	2,205,000	1,037,000
	5,316,000	444,000	1,550,000	1,757,000	1,052,000	513,000
	11,236,000	901,000	3,175,000	3,685,000	2,351,000	1,125,000
	9,044,000	762,000	2,719,000	2,992,000	1,784,000	787,000
	4,569,000	350,000	1,368,000	1,455,000	905,000	495,000
West North Central:  Winnesota  Iowa  Nissouri  North Dakota  South Dakota  Nebraska  Kansas	3,897,000	305,000	1,170,000	1,260,000	736,000	425,000
	2,904,000	219,000	835,000	899,000	594,000	367,000
	4,757,000	364,000	1,320,000	1,512,000	977,000	583,000
	640,000	50,000	195,000	198,000	127,000	70,000
	685,000	54,000	206,000	203,000	138,000	83,000
	1,542,000	120,000	441,000	489,000	304,000	183,000
	2,279,000	170,000	634,000	736,000	462,000	277,000
South Atlantic:  Delaware Mavyland- District of Columbia- Virginia- West Virginia- North Carolina- South Carolina- Georgia- Florida-	576,000 4,070,000 746,000 4,811,000 1,784,000 5,273,000 2,726,000 4,786,000 7,678,000	46,000 314,000 58,000 385,000 143,000 444,000 245,000 431,000 553,000	171,000 1,192,000 188,000 1,380,000 488,000 1,505,000 824,000 1,405,000 1,960,000	197,000 1,415,000 280,000 1,693,000 557,000 1,823,000 934,000 1,652,000 2,515,000	114,000 824,000 148,000 956,000 402,000 1,045,000 512,000 896,000 1,661,000	47,000 320,000 71,000 308,000 204,000 456,000 212,000 402,000
East South Central: Kentucky————————————————————————————————————	3,342,000	277,000	959,000	1,086,000	666,000	755,000
	4,126,000	333,000	1,149,000	1,390,000	841,000	414,000
	3,539,000	303,000	1,036,000	1,140,000	704,000	757,000
	2,281,000	21.6,000	703,000	701,000	419,000	242,000
West South Central: Arkansas	2,037,000	167,000	569,000	625,000	419,000	258,900
	3,764,000	340,000	1,177,000	1,220,000	698,000	329,000
	2,663,000	209,000	724,000	860,000	548,000	321,000
	11,794,000	1,052,000	3,430,000	3,996,000	2,231,000	1,034,000
Momtain: Montana  Idaho  Wyoning  Colorado  Arizona  Utah  Hevada	721,000 770,000 353,000 2,437,000 1,106,000 2,058,000 1,157,000 548,000	57,000 69,000 30,000 199,000 103,000 127,000 45,000	217,000 252,000 104,000 711,000 559,000 507,000 369,000 157,000	228,000 242,000 116,000 878,000 565,000 673,000 384,000	147,000 152,000 72,000 449,000 198,000 538,000 191,000	71,000 74,000 32,000 200,000 82,000 196,000 85,000
Pacific: Washington	3,429,000	264,000	969,000	1,162,000	699,000	344,000
	2,225,000	167,000	612,000	731,000	470,000	245,000
	20,601,000	1,585,000	5,662,000	7,217,000	4,209,000	1,929,000
	330,000	35,000	110,000	131,000	45,000	8,000
	832,000	74,000	245,000	304,000	157,000	51,00
Puerto Rico	100,000 2,951,000 82,600					

<sup>&</sup>lt;sup>1</sup>Excludes Guam, Puerto Rico, and Virgin Islands.

Source: U.S. Burenu of the Census: Current Population Reports, Series P-25, Nos. 518 and 603, and official records.