

§ 180.122

Commodity	Parts per million
Peanut	1.0
Pea, dry, seed	1.0
Pea, field, vines	1.0
Pecan	0.1
Potato	0.1
Rapeseed, seed	0.2
Rice, grain	1.0
Soybean	0.1
Soybean, hay	1.0
Sunflower, seed	0.2
Sweet potato, roots	0.1
Walnut	0.1
Wheat	1.0

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. [Reserved]

(e) Revoked tolerances subject to the channel of trade provisions. The following table lists commodities for which methyl parathion use was unlawful after December 31, 1999, and the revoked tolerances. Commodities with residues of methyl parathion resulting from lawful use are subject to the channels of trade provisions of section 408(1)(5) of the FFDCA.

Commodity	Parts per million
Apple	1
Artichoke, globe	1
Beet, garden, tops	1
Beet (with or without tops)	1
Broccoli	1
Brussels sprouts	1
Carrot, roots	1
Cauliflower	1
Celery	1
Cherry	1
Collards	1
Grape	1
Kale	1
Kohlrabi	1
Lettuce	1
Mustard greens	1
Nectarine	1
Peach	1
Pear	1
Plum, prune, fresh	1
Rutabagas (with or without tops)	1
Rutabaga tops	1
Spinach	1
Tomato	1
Trefoil, forage	1.25
Trefoil, hay	5
Turnip (with or without tops)	1
Turnip, greens	1
Vegetable, brassica, leafy, group 5	1
Vetch	1

[66 FR 1245, Jan. 5, 2001, as amended at 66 FR 38955, July 26, 2001; 67 FR 38603, June 5, 2002; 72 FR 35666, June 29, 2007]

40 CFR Ch. I (7-1-07 Edition)

§ 180.122 Parathion; tolerances for residues.

(a) General. Tolerances are established for residues of the insecticide parathion (O, O-Diethyl-O-p-nitrophenyl thiophosphate) in or on the following raw agricultural commodities:

Commodity	Parts per million	Expiration/Revocation Date
Alfalfa, forage	1.25	12/31/05
Alfalfa, hay	5.0	12/31/05
Barley	1.0	12/31/05
Corn	1.0	12/31/05
Corn, forage	1.0	12/31/05
Cotton, undelinted seed	0.75	12/31/05
Rapeseed, seed	0.2	12/31/05
Sorghum	0.1	12/31/05
Sorghum, forage	3.0	12/31/05
Sorghum, grain, stover	3.0	12/31/05
Soybean	0.1	12/31/05
Soybean, hay	1.0	12/31/05
Sunflower, seed	0.2	12/31/05
Wheat	1.0	12/31/05

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. [Reserved]

[67 FR 38603, June 5, 2002]

§ 180.123 Inorganic bromide residues resulting from fumigation with methyl bromide; tolerances for residues.

(a) General. (1) Tolerances are established for residues of inorganic bromides (calculated as Br) in or on the following food commodities which have been fumigated with the antimicrobial agent and insecticide methyl bromide after harvest (with the exception of strawberry):

Commodity	Parts per million
Alfalfa, hay, postharvest	50.0
Almond, postharvest	200.0
Apple, postharvest	5.0
Apricot, postharvest	20.0
Artichoke, jerusalem, postharvest	30.0
Asparagus, postharvest	100.0
Avocado, postharvest	75.0
Barley, grain, postharvest	50.0
Bean, lima, postharvest	50.0
Bean, postharvest	50.0
Bean, snap, succulent, postharvest	50.0
Bean, succulent, postharvest	50.0
Beet, garden, roots, postharvest	30.0
Beet, sugar, roots, postharvest	30.0
Blueberry, postharvest	20.0
Butternut, postharvest	200.0

Environmental Protection Agency

§ 180.123

Commodity	Parts per million
Cabbage, postharvest	50.0
Cantaloupe, postharvest	20.0
Carrot, roots, postharvest	30.0
Cashew, postharvest	200.0
Cherry, sweet, postharvest	20.0
Cherry, tart, postharvest	20
Chestnut, postharvest	200.0
Cippolini, bulb, postharvest	50.0
Citron, citrus, postharvest	30.0
Cacao bean, roasted bean, postharvest	50.0
Coconut, copra, postharvest	100.0
Coffee, bean, green, postharvest	75.0
Corn, field, grain, postharvest	50.0
Corn, pop, postharvest	240.0
Corn, sweet, kernel plus cob with husks removed, postharvest	50.0
Cotton, undelinted seed, postharvest	200.0
Cucumber, postharvest	30.0
Cumin, seed, postharvest	100.0
Eggplant, postharvest	20.0
Garlic, postharvest	50.0
Ginger, roots, postharvest	100.0
Grapefruit, postharvest	30.0
Grape, postharvest	20.0
Hazelnut, postharvest	200.0
Horseradish, postharvest	30.0
Kumquat, postharvest	30.0
Lemon, postharvest	30.0
Lime, postharvest	30.0
Mango, postharvest	20.0
Melon, honeydew, postharvest	20.0
Muskmelon, postharvest	20.0
Nectarine, postharvest	20.0
Nut, brazil, postharvest	200.0
Nut, hickory, postharvest	200.0
Nut, macadamia, postharvest	200.0
Oat, postharvest	50.0
Okra, postharvest	30.0
Onion, bulb, postharvest	20.0
Onion, green, postharvest	20.0
Orange, postharvest	30.0
Papaya, postharvest	20.0
Parsnip, roots, postharvest	30.0
Peach, postharvest	20.0
Peanut, postharvest	200.0
Pear, postharvest	5.0
Pea, blackeyed, postharvest	50.0
Pea, postharvest	50.0
Pecan, postharvest	200.0
Pepper, postharvest	30.0
Pimento, postharvest	30.0
Pineapple, postharvest	20.0
Pistachio, postharvest	200.0
Plum, postharvest	20.0
Pomegranate, postharvest	100.0
Potato, postharvest	75.0
Pumpkin, postharvest	20.0
Quince, postharvest	5.0
Radish, postharvest	30.0
Rice, grain, postharvest	50.0
Rutabaga, roots, postharvest	30.0
Rutabaga, tops, postharvest	30.0
Rye, grain, postharvest	50.0
Salsify, roots, postharvest	30.0
Sorghum, grain, grain, postharvest	50.0
Soybean, postharvest	200.0
Squash, summer, postharvest	30.0
Squash, winter, postharvest	20.0
Squash, zucchini, postharvest	20.0
Strawberry, postharvest	60.0
Sweet potato, postharvest	75.0
Tangerine, postharvest	30.0
Timothy, hay, postharvest	50.0

Commodity	Parts per million
Tomato, postharvest	20.0
Turnip, roots, postharvest	30.0
Walnut, postharvest	200.0
Watermelon, postharvest	20.0
Wheat	50.0

(2) Inorganic bromide may be present as a residue in certain processed food in accordance with the following conditions:

(i) When inorganic bromide residues are present as a result of fumigation of the processed food with methyl bromide or from such fumigation in addition to the authorized use of methyl bromide on the source raw agricultural commodity, as provided for in this part, the total residues of inorganic bromides (calculated as Br) shall not exceed the following levels:

(A) 400 parts per million in or on egg, dried and herb, processed and spice.

(B) 325 parts per million in or on cheese, parmesan and cheese, roquefort cheese.

(C) 250 parts per million in or on tomato, concentrated products and fig, dried fruit.

(D) 125 parts per million in or on processed food other than those listed above.

(ii) When inorganic bromide residues are present in malt beverage, fermented in accordance with 21 CFR 172.730(a)(2), the amount shall not exceed 25 parts per million (calculated as Br).

(iii) Where tolerances are established on both the raw agricultural commodities and processed food made therefrom, the total residues of inorganic bromides in or on the processed food shall not be greater than those designated in paragraph (a)(2) of this section, unless a higher level is established elsewhere in this part.

(3) Tolerances are established for residues of inorganic bromides (calculated as Br) as follows:

(i) 400 parts per million for residues in or on dog food, resulting from fumigation with methyl bromide.

(ii) 125 parts per million for residues in or on processed commodities for animal feedstuffs from barley, corn, grain sorghum, oat, rice, rye and wheat, resulting directly from fumigation with methyl bromide or from carryover and

§ 180.123a

40 CFR Ch. I (7-1-07 Edition)

concentration of residues of inorganic bromides from fumigation of the grains with methyl bromide.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* A tolerance with regional registration, as defined in §180.1(n), is established for residues of inorganic bromides (calculated as Br) in or on the following food commodity grown in soil fumigated with methyl bromide.

Commodity	Parts per million
Ginger, roots, postharvest	100

(d) *Indirect or inadvertent residues.* [Reserved]

[71 FR 74812, Dec. 13, 2006]

§ 180.123a Inorganic bromide residues in peanut hay and peanut hulls; statement of policy.

(a) Investigations by the Food and Drug Administration show that peanut hay and peanut shells have been used as feed for meat and dairy animals. While many growers now harvest peanuts with combines and leave the hay on the ground to be incorporated into the soil, some growers follow the practice of curing peanuts on the vines in a stack and save the hay for animal feed. Peanut shells or hulls have been used to a minor extent as roughage for cattle feed. It has been established that the feeding to cattle of peanut hay and peanut hulls containing residues of inorganic bromides will contribute considerable residues of inorganic bromides to the meat and milk.

(b) There are no tolerances for inorganic bromides in meat and milk to cover residues from use of such peanut hulls as animal feed. Peanut hulls containing residues of inorganic bromides from the use of methyl bromide are unsuitable as an ingredient in the feed of meat and dairy animals and should not be represented, sold, or used for that purpose.

[58 FR 65555, Dec. 15, 1993]

§ 180.127 Piperonyl butoxide; tolerances for residues.

(a) *General.* (1) Tolerances for residues of the insecticide piperonyl butoxide [(butyl carbityl)(6-propyl

piperonyl)ether] are established in or on the following food commodities:

Commodity	Parts per million
Almond, postharvest	8
Apple, postharvest	8
Barley, postharvest	20
Bean, postharvest	8
Birdseed, mixtures, postharvest	20
Blackberry, postharvest	8
Blueberry, postharvest	8
Boysenberry, postharvest	8
Buckwheat, grain, postharvest	20
Cattle, fat	0.1
Cattle, meat byproducts	0.1
Cattle, meat	0.1
Cherry, sweet, postharvest	8
Cherry, tart, postharvest	8
Cocoa bean, roasted bean, postharvest	8
Coconut, copra, postharvest	8
Corn, field, grain, postharvest	20
Corn, pop, postharvest	20
Cotton, undelinted seed, postharvest	8
Crabapple, postharvest	8
Currant, postharvest	8
Dewberry, postharvest	8
Egg	1
Fig, postharvest	8
Flax, seed, postharvest	8
Goat, fat	0.1
Goat, meat byproducts	0.1
Goat, meat	0.1
Gooseberry, postharvest	8
Grape, postharvest	8
Guava, postharvest	8
Hog, fat	0.1
Hog, meat byproducts	0.1
Hog, meat	0.1
Horse, fat	0.1
Horse, meat byproducts	0.1
Horse, meat	0.1
Loganberry, postharvest	8
Mango, postharvest	8
Milk, fat	0.25
Muskmelon, postharvest	8
Oat, postharvest	8
Orange, postharvest	8
Peach, postharvest	8
Peanut, postharvest	8
Pea, postharvest	8
Pear, postharvest	8
Pineapple, postharvest	8
Plum, prune, fresh, postharvest	8
Potato, postharvest	0.25
Poultry, fat	3
Poultry, meat byproducts	3
Poultry, meat	3
Raspberry, postharvest	8
Rice, postharvest	20
Rye, postharvest	20
Sheep, fat	0.1
Sheep, meat byproducts	0.1
Sheep, meat	0.1
Sorghum, grain, postharvest	8
Sweet potato, postharvest	0.25
Tomato, postharvest	8
Walnut, postharvest	8
Wheat, postharvest	20

(2) Piperonyl butoxide may be safely used in accordance with the following prescribed conditions: