Sections Affected, which appears in the Finding Aids section of the printed volume and on GPO Access.

§ 180.243 Propazine; tolerances for residues.

Tolerances are established for negligible residues (N) of the herbicide propazine (2-chloro-4,6-bis(isopropylamino)-*s*-triazine in or on the following raw agricultural commodities:

Commodity	Parts per million
Sorghum, forage	0.25(N)
Sorghum, grain	0.25(N)
Sorghum, grain, stover	0.25(N)
Sorghum, sweet	0.25(N)

[43 FR 29121, July 6, 1978]

§ 180.245 Streptomycin; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the fungicide streptomycin in or on the following food commodity:

Commodity	Parts per million
Pome, fruit	0.25

(2) Tolerances are established for residues of the fungicide streptomycin from treatment of seedling plants before transplanting in or on the following food commodities:

Commodity	Parts per million
Celery	0.25
Pepper	0.25
Tomato	0.25

(3) Tolerances are established for residues of the fungicide streptomycin from treatment of seed pieces in or on the following food commodity:

Commodity	Parts per million
Potato	0.25

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[68 FR 39440, July 1, 2003]

§ 180.249 Alachlor; tolerances for residues.

Tolerances are established for the combined residues of the herbicide alachlor (2-chloro-2′,6′-diethyl-*N*-(methoxymethyl) acetanilide) and its metabolites (calculated as alachlor) in or on the following raw agricultural commodities:

Commodity	Parts per million
Bean, dry, seed	0.1
Bean, forage	0.2
Bean, hay	0.2
Bean, lima, succulent	0.1
Cattle, fat	0.02
Cattle, meat byproducts	0.02
Cattle, meat	0.02
Corn, forage	0.2
Corn, grain	0.2
Corn, stover	0.2
Corn, sweet, kernel plus cob with husks removed	0.05
Egg	0.02
Goat, fat	0.02
Goat, meat byproducts	0.02
Goat, meat	0.02
Hog, fat	0.02
Hog, meat byproducts	0.02
Hog, meat	0.02
Horse, fat	0.02
Horse, meat byproducts	0.02
Horse, meat	0.02
Milk	0.02
Peanut	0.05
Poultry, fat	0.02
Poultry, meat byproducts	0.02
Poultry, meat	0.02
Sheep, fat	0.02
Sheep, meat byproducts	0.02
Sheep, meat	0.02
Sorghum, forage	2.0
Sorghum, grain (milo)	0.1
Sorghum, grain, stover	1.0
Soybean	0.2

[48 FR 5921, Feb. 9, 1983, as amended at 54 FR 20125, May 10, 1989; 59 FR 39466, Aug. 3, 1994; 60 FR 28345, May 31, 1995; 70 FR 44492, Aug. 3, 2005]

§ 180.252 Tetrachlorvinphos; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the insecticide tetrachlorvinphos (2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate) in or on the following food commodities:

Commodity	Parts per million
Cattle, fat	1.5
Egg	0.1
Goat, fat	0.5
Hog, fat	1.5
Horse, fat	0.5

Commodity	Parts per million
Milk, fat (reflecting negligible residues in whole milk)	0.5
Poultry, fat	0.75

(2) Tetrachlorvinphos may be safely used in accordance with the following prescribed conditions:

(i) It is used in the feed of beef, dairy cattle, and horse at a rate of 0.00015 pound (0.07 gram) and swine at the rate of 0.00011 pound (0.05 gram) per 100 pounds of body weight per day.

(ii) It is used for control of fecal flies in manure of treated cattle, horse, and swine.

(iii) To assure safe use of the pesticide, the label and labeling of the pesticide formulation shall conform to the label and labeling registered by the United States Environmental Protection Agency.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[64 FR 39053, July 21, 1999, as amended at 65 FR 33697, May 24, 2000; 67 FR 49616, July 31, 2002]

§ 180.253 Methomyl; tolerances for residues.

(a) *General.* Tolerances are established for residues of the insecticide methomyl (*S*-methyl *N*-[(methylcarbamoyl)oxy] thioacetimidate) in or on the food commodities as follows:

Commodity	Parts per million
Alfalfa	10
Apple	1
Asparagus	2
Avocado	2
Barley, grain	1
Barley, hay	10
Barley, straw	10
Bean, dry, seed	0.1(N)
Bean, forage	10
Bean, succulent	2
Beet, garden, tops	6
Blueberry	6
Broccoli	3
Brussels sprouts	2
Cabbage	5
Cabbage, chinese	5
Cauliflower	2
Celery	3
Collards	6
Corn, forage	10

Commodity	Parts per million
Corn, fresh (inc sweet, kernel plus cob with husks removed)	0.1(N)
Corn, grain (inc pop)	0.1(N)
Corn, stover	10
Cotton, undelinted seed	0.1(N)
Cucurbits	0.2(N)
Dandelion, leaves	6
Endive	5
Grapefruit	2
Grape	5
Grass, Bermuda	10
Grass, Bermuda, hay (dried and dehydrated)	40
Hop, dried cones[1]	12
Kale	6
Leek	3.0
Lemon	2
Lentil, seed	0.1
Lettuce	5
Mint, hay	2
Mustard greens	6
Nectarine	5
Oat, forage	10
Oat, grain	1
Oat, hay	10
Oat, straw	10
Onion, green	3
Orange, sweet	2
Parsley, leaves	6
Peach	5
Peanut	0.1(N)
Pea	5
Pea, vines	10
Pecan	0.1
Pepper	2
Pomegranate	0.2(N)
Rye, forage	10
Rye, grain	1
Rye, straw	10
Sorghum, forage	1
Sorghum, grain	0.2(N)
Soybean	0.2(N)
Soybean, forage	10
Spinach	6
Strawberry	2
Swiss chard	6
Tangerine	2
Tomato	1
Turnip, greens	6
Vegetable, brassica, leafy, group 5	6.0
Vegetable, fruiting	0.2(N)
Vegetables, leafy [exc. beet (tops), broccoli, Brussels sprouts, cabbage, cabbage, Chinese, cauliflower, celery, collards, dandelions, endive (escarole), kale, lettuce, mustard greens, parsley, spinach, Swiss chard, turnip, greens (tops), and watercress]	0.2(N)
Vegetable, root	0.2(N)
Watercress	6
Wheat, forage	10
Wheat, grain	1
Wheat, hay	10
Wheat, straw	10

[1]There are no U.S. registrations for use of methomyl on hop, dried cone, as of February 14, 1990.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* Tolerances with regional registration, as defined in §180.1(n), are established for residues of methomyl in or on the following food commodities: