

§ 180.506

Commodity	Parts per million
Cattle, fat	0.010
Cattle, liver	0.050
Cattle, meat	0.003
Cattle, meat byproducts, except liver	0.020
Goat, fat	0.010
Goat, liver	0.050
Goat, meat	0.003
Goat, meat byproducts, except liver	0.020
Horse, fat	0.010
Horse, liver	0.050
Horse, meat	0.003
Horse, meat byproducts, except liver	0.020
Milk	0.003
Sheep, fat	0.010
Sheep, liver	0.050
Sheep, meat	0.003
Sheep, meat byproducts, except liver	0.020

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect and inadvertent residues. [Reserved]

[71 FR 18649, Apr. 12, 2006]

§ 180.506 Cyclanilide; tolerances for residues.

(a) General. Tolerances are established for residues of the plant growth regulator, cyclanilide, [1-(2,4-dichlorophenylaminocarbonyl)-cyclopropane carboxylic acid] determined as 2,4-dichloroaniline (calculated as cyclanilide) in or on the following food commodities and processed feed:

Commodity	Parts Per Million
Cattle, fat	0.10
Cattle, meat	0.02
Cattle, meat byproducts, except kidney	0.2
Cattle, kidney	2.0
Cotton, undelinted seed	0.60
Cotton, gin byproducts	25.0
Goat, fat	0.10
Goat, meat	0.02
Goat, meat byproducts, except kidney	0.20
Goat, kidney	2.0
Horse, fat	0.10
Horse, meat	0.02
Horse, meat byproducts, except kidney	0.20
Horse, kidney	2.0
Hog, fat	0.10
Hog, meat	0.02
Hog, meat byproducts, except kidney	0.20
Hog, kidney	2.0
Milk	0.04
Sheep, fat	0.10
Sheep, meat	0.20
Sheep, meat byproducts, except kidney	0.20
Sheep, kidney	2.0

(b) Section 18 emergency exemptions. [Reserved]

40 CFR Ch. I (7-1-07 Edition)

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. [Reserved]

[62 FR 28355, May 23, 1997; 62 FR 34182, June 25, 1997]

§ 180.507 Azoxystrobin; tolerances for residues.

(a) General. (1) Tolerances are established for residues of the fungicide, azoxystrobin, [methyl(E)-2-(6-(2-cyanophenoxy)pyrimidin-4-yloxy)phenyl]-3-methoxyacrylate] and the Z-isomer of azoxystrobin, [methyl(Z)-2-(6-(2-cyanophenoxy)pyrimidin-4-yloxy)phenyl]-3 methoxyacrylate] in or on the following food commodities and processed food:

Commodity	Parts per million
Acerola	2.0
Almond, hulls	4.0
Artichoke, globe	4.0
Asparagus	0.04
Atemoya	2.0
Avocado	2.0
Banana (pre-harvest and post harvest)	2.0
(of which not more than 0.1 is contained in the pulp)	
Barley, bran	0.2
Barley, grain	0.1
Barley, hay	15.0
Barley, straw	4.0
Biriba	2.0
Brassica, head and stem, subgroup 5A	3.0
Brassica, leafy greens, subgroup 5B	25
Bushberry subgroup 13B	3.0
Caneberry subgroup 13A	5.0
Canistel	2.0
Canola, seed	1.0
Citrus, dried pulp	20.0
Citrus, oil	40.0
Cherimoya	2.0
Coriander, leaves	30.0
Corn, field, forage	12.0
Corn, field, grain	0.05
Corn, field, refined oil	0.3
Corn, field, stover	25.0
Corn, pop, grain	0.05
Corn, pop, stover	25.0
Corn, sweet, forage	12.0
Corn, sweet, kernel plus cob with husks removed	0.05
Corn, sweet, stover	25.0
Cotton, gin byproducts	0.02
Cotton, undelinted seed	0.02
Crambe, seed	0.5
Cranberry	0.50
Cucurbits	0.3
Custard apple	2.0
Feijoa	2.0
Flax, seed	0.5
Fruit, citrus, group 10	10.0
Fruit, stone	1.5
Grain, aspirated fractions	10
Grain, aspirated fractions	30.0
Grape	1.0

Environmental Protection Agency

§ 180.507

Commodity	Parts per million
Grass, forage ¹	15
Grass, hay ¹	20
Guava	2.0
Herb Subgroup 19A, dried leaves	260
Herb Subgroup 19A, fresh leaves	50
Hop, dried cones	20.0
llama	2.0
Jaboticaba	2.0
Jackfruit	2.0
Juneberry	3.0
Lingonberry	3.0
Longan	2.0
Loquat	2.0
Lychee	2.0
Mango	2.0
Mustard, field, seed	0.5
Mustard, Indian, seed	0.5
Mustard, seed	0.5
Nut, tree, group 14	0.02
Okra	2.0
Onion, dry bulb	1.0
Onion, green	7.5
Passionfruit	2.0
Pawpaw	2.0
Papaya	2.0
Pea and bean, dried shelled, except soybean, subgroup 6C	0.5
Pea and bean, succulent shelled, subgroup 6B	0.5
Peanut	0.2
Peanut, refined oil	0.6
Peanut, hay	15.0
Pecan	0.01
Peppermint, tops	30
Persimmon	2.0
Pistachio	0.50
Potato	0.03
Pulasan	2.0
Rambutan	2.0
Rapeseed, Indian	0.5
Rapeseed, seed	0.5
Rice, grain	5.0
Rice, hulls	20
Rice, straw	12
Safflower, seed	0.5
Salal	3.0
Sapodilla	2.0
Sapote, black	2.0
Sapote, mamey	2.0
Sapote, white	2.0
Soursop	2.0
Soybean, hay	55.0
Soybean, hulls	1.0
Soybean, seed	0.5
Spanish lime	2.0
Spearmint, tops	30
Spice Subgroup 19B, except black pepper	38
Star apple	2.0
Starfruit	2.0
Strawberry	10
Sugar apple	2.0
Sunflower, seed	0.5
Tamarind	2.0
Tomato	0.2
Tomato, paste	0.6
Turnip, greens	25
Vegetable, foliage of legume, group 7	30.0
Vegetable, fruiting, group 8, except tomato	2.0
Vegetable, leafy, except brassica, group 4	30.0
Vegetable, leaves of root and tuber, group 2	50.0
Vegetable, legume, edible podded, subgroup, except soybean	3.0
Vegetable, root, subgroup 1A	0.5
Vegetable, tuberous and corm, subgroup 1C	0.03

Commodity	Parts per million
Watercress	3.0
Wax jambu	2.0
Wheat, bran	0.20
Wheat, grain	0.10
Wheat, hay	15
Wheat, straw	4.0

(2) Tolerances are established for residues of the fungicide, azoxystrobin [methyl(E)-2-(2-(6-(2-cyanophenoxy)pyrimidin-4-yloxy)phenyl)-3-methoxyacrylate] in or on the following food commodities.

Commodity	Parts per million
Cattle, fat	0.03
Cattle, meat	0.01
Cattle, meat byproducts	0.07
Goat, fat	0.03
Goat, meat	0.01
Goat, meat byproducts	0.07
Hog, fat	0.010
Hog, meat	0.01
Hog, meat byproducts	0.010
Horse, fat	0.03
Horse, meat	0.01
Horse, meat byproducts	0.07
Milk	0.006
Sheep, fat	0.03
Sheep, meat	0.01
Sheep, meat byproducts	0.07

(b) *Section 18 emergency exemptions.* Time-limited tolerances are established for the combined residues of the fungicide, azoxystrobin, [methyl (E)-2-(2-(6-(2-cyanophenoxy)pyrimidin-4-yloxy)phenyl)-3-methoxyacrylate) and the Z isomer of azoxystrobin, [methyl (Z)-2-(2-(6-(2-cyanophenoxy)pyrimidin-4-yloxy)phenyl)-3-methoxyacrylate] in connection with use of the pesticide under section 18 emergency exemptions granted by EPA. The tolerances are specified in the following table. The tolerances expire and will be revoked by EPA on the date specified in the table.

Commodity	Parts per million	Expiration/revocation date
Brassica, head and stem, subgroup 5A	30	12/31/06
Rice, wild	5.0	12/31/09
Safflower, seed	1.0	6/30/08

(c) *Tolerances with regional registration.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[62 FR 32235, June 13, 1997]

§ 180.509

40 CFR Ch. I (7-1-07 Edition)

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 180.507, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and on GPO Access.

§ 180.509 Mefenpyr-diethyl; tolerance for residues.

(a) *General.* Tolerances are established for residues of the herbicide safener mefenpyr-diethyl (1-(2,4-dichlorophenyl)-4,5-dihydro-5-methyl-1H-pyrazole-3,5-dicarboxylic acid, diethyl ester) and its 2,4-dichlorophenyl-pyrazoline metabolites at a rate of 0.0267 pound safener per acre per growing season in or on following commodities:

Commodity	Parts per million
Barley, grain	0.05
Barley, hay	0.2
Barley, straw	0.5
Cattle, meat byproducts	0.1
Goat, meat byproducts	0.1
Hog, meat byproducts	0.1
Horse, meat byproducts	0.1
Sheep, meat byproducts	0.1
Wheat, forage	0.2
Wheat, grain	0.05
Wheat, hay	0.2
Wheat, straw	0.5

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[68 FR 23046, Apr. 30, 2003]

§ 180.510 Pyriproxyfen; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the insecticide pyriproxyfen 2-[1-methyl-2-(4-phenoxyphenoxy)ethoxy]pyridine in or on the following food commodities:

Commodity	Parts per million
Acerola	0.10
Almond, hulls	2.0
Apple, wet pomace	0.8
Atemoya	0.20
Avocado	1.0
Biriba	0.20
Brassica, head and stem, subgroup 5A	0.70
Brassica, leafy greens, subgroup 5B	2.0
Bushberry subgroup 13B	1.0
Canistel	1.0
Cherimoya	0.20
Citrus, oil	20
Citrus, dried pulp	2.0

Commodity	Parts per million
Citrus hybrids	0.30
Cotton, gin byproducts	2.0
Cotton, undelinted seed	0.05
Custard apple	0.20
Feijoa	0.10
Fig	0.30
Fig, dried	1.0
Fruit, citrus	0.3
Fruit, pome	0.2
Fruit, stone, group 12	1.0
Grape	2.5
Grass, forage, fodder, and hay, group 17, forage	0.70
Grass, forage, fodder, and hay, group 17, hay	1.1
Guava	0.10
llama	0.20
Jaboticaba	0.10
Juneberry	1.0
Lingonberry	1.0
Loganberry	0.30
Lychee	0.30
Mango	1.0
Nut, tree, group 14	0.02
Okra	0.02
Olive	1.0
Olive, oil	2.0
Onion, dry bulb	0.15
Papaya	1.0
Passionfruit	0.10
Pistachio	0.02
Pulasan	0.30
Rambutan	0.30
Salal	1.0
Sapodilla	1.0
Sapote, black	1.0
Sapote, mamey	1.0
Soursop	0.20
Spanish lime	0.30
Star apple	1.0
Starfruit	0.10
Strawberry	0.30
Sugar apple	0.20
Vegetable, cucurbit, group 9	0.10
Vegetable, fruiting, group 8	0.2
Vegetable, legume, group 6	0.20
Walnut	0.02
Wax jambu	0.10
White sapote	0.30

(2) A tolerance of 0.10 parts per million is established for all foods as a result of the proposed use of NYLAR in food handling establishments where food and food products are held, prepared, processed or served. Application is limited to space, general surface, spot, and/or crack and crevice treatment in food handling establishments where food and food products are held, processed, prepared and served. Space and general surface application may be used only when the facility is not in operation provided exposed food is covered or removed from the area being treated prior to application. Spot, and/or crack and crevice treatment may be used while the facility is in operation