practice, the following pesticide chemicals are exempt from the requirement of a tolerance:

- (1) [Reserved]
- $\begin{tabular}{ll} (2) & N-Octylbicyclo(2,2,1)$-5-heptene-$2,3$-dicarboximide. \end{tabular}$
 - (3) Petroleum oils.
 - (4) Piperonyl butoxide.
 - (5) [Reserved]
 - (6) Pyrethrum and pyrethrins.
 - (7) Rotenone or derris or cube roots.
 - (8) Sabadilla.
- (b) These pesticides are not exempted from the requirement of a tolerance

when applied to a crop at the time of or after harvest.

[69 FR 23117, Apr. 28, 2004]

§180.910 Inert ingredients used preand post-harvest; exemptions from the requirement of a tolerance.

Residues of the following materials are exempted from the requirement of a tolerance when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops or to raw agricultural commodities after harvest:

Inert ingredients	Limits	Uses
Acetic acid		Catalyst
Acetic anhydride		Solvent, cosolvent
Acetone		Do.
Alkanoic and alkenoic acids, mono- and diesters of $\alpha\text{-hydro-}\omega\text{-hydroxypoly}$ (oxyethylene) with molecular weight (in amu) range of 200 to		Emulsifiers
6,000.		Confestants related adjunctors of sourfastants
Alkyl (C ₈ -C ₂₄) benzenesulfonic acid and its ammonium, calcium, magnesium, potassium, sodium, and zinc salts.		Surfactants, related adjuvants of surfactants
α -Alkyl (C ₉ -C ₁₈ - ω -hydroxypoly(oxyethylene) with poly(oxyethylene) content of 2-30 moles.		Solvent, cosolvent, surfactant, and related adjuvants of surfactants
α-(p-Alkylphenyl)-ω-hydroxypoly(oxyethylene) produced by the condensation of 1 mole of		Surfactants, related adjuvants of surfactants
alkylphenol (alkyl is a mixture of propylene tetramer and pentamer isomers and averages C_{13}) with 6 moles of ethylene oxide.		
α -Alkyl (C_6 - C_{14})- ω -hydroxypoly(oxypropylene) block copolymer with polyoxyethylene; polyoxypropylene content is 1-3 moles;		Do.
polyoxyphopylene content is 4-12 moles; average molecular weight (in amu) is approximately 635.		
α-alkyl (C ₁₂ -C ₁₅)-ω-hydroxypoly (oxypropylene) poly (oxyethylene) copolymers (where the poly (oxypropylene) content is 3–60 moles	Not more than 20% of pes- ticide formulations	Surfactant
and the poly (oxyethylene) content is 5–80 moles).		
Alkyl (C ₈ -C ₁₈) sulfate and its ammonium, calcium, isopropylamine, magnesium, potassium, sodium, and zinc salts.		Surfactants.
Aluminum hydroxide		Diluent, carrier
Aluminum oxide		Diluent
Aluminum stearate		Surfactant
Ammonium bicarbonate		Surfactant, suspending agent, dispersing agent
Ammonium carbamate		Synergist in aluminum phosphide formulations Intensifier when used with ammonium nitrate as a dessicant or defoliant. Fire suppressant
		in aluminum phosphide and magnesium phosphide formulations
Ammonium hydroxide		Solvent, cosolvent, neutralizer, solubilizing agent
Ammonium stearate		Surfactant
Ammonium sulfate		Solid diluent, carrier
Ammonium thiosulfate		Intensifier when used with ammonium nitrate as desiccant or defoliant
Amyl acetate		Solvent, cosolvent, attractant
Ascorbyl palmitate		Preservative
Attapulgite-type clay		Solid diluent, carrier, thickener
Bacillus thuringiensis fermentation solids and/or solubles.		Diluent, carrier
Bentonite		Solid diluent, carrier
Benzoic acid	l	Preservative for formulation

0.04% or less by weight of the total pesticide formulation.	Uses Surfactants, related adjuvants of surfactants Surfactants, related adjuvants of surfactants Surfactants, related adjuvants of surfactants In-can preservative
0.04% or less by weight of the total pesticide formu-	Surfactants, related adjuvants of surfactants Surfactants, related adjuvants of surfactants
0.04% or less by weight of the total pesticide formu-	Surfactants, related adjuvants of surfactants
0.04% or less by weight of the total pesticide formu-	·
the total pesticide formu-	In-can proconvativo
	,
	Propellant Solvent, cosolvent
	Antioxidant
	Do.
	Surfactants related adjuvants of surfactants
	Solid dilupat corrier
	Solid diluent carrier Do.
	Do.
	Stabilizer
	Solid diluent, carrier
	Do.
	Sanitizing and bleaching agent Solid diluent, carrier
	Coating agent
	Solid diluent, carrier Do.
Minimum molecular weight (in amu): 100,000.	Thickener
Not more than 5.0% of pesticide formulation.	Evaporation retardant
Food Chemical Codex.	Carrier
	Solid diluent and carrier
	Solvent, cosolvent Disintegrant, solid diluent, carrier, and thick ener
Not more than 0.2% in silica, hydrated silica.	Flocculating agent in the manufacture of silica hydrated silica for use as a solid diluent, car rier
	Solid diluent carrier
For aerosol pesticide formu- lations used for insect control in food- and feed- handling establishments	Surfactants, related adjuvants of surfactants Aerosol propellant
Not more than 0.02% of pesticide formulation.	Antioxidant
	Propellant
	Surfactants, related adjuvants of surfactants
	Surfactants, related adjuvants of surfactants
	the total pesticide formulation. Minimum molecular weight (in amu): 100,000. Mot more than 5.0% of pesticide formulation. Meets specifications in the Food Chemical Codex. Not more than 0.2% in silica, hydrated silica. For aerosol pesticide formulations used for insect control in food- and feed-handling establishments and animals. Not more than 0.02% of pesticide formulation.

Inert ingredients	Limits	Uses
α -(o,p-Dinonylphenyl)- ω -hydroxypoly (oxy-		Do.
ethylene) produced by condensation of 1 mole		
of dinonylphenol (nonyl group is a propylene		
trimer isomer) with an average of 4-14 or 140-		
160 moles of ethylene oxide. Dipropylene glycol		Solvent, cosolvent
Disodium phosphate		Anticaking agent, conditioning agent
Disodium zinc ethylenediaminetetraacetate		Sequestrant
dihydride.		Coquestian
Dodecylbenzenesulfonic acid, amine salts		Release rate regulator in pheromone formula-
or (a Dodgovlahonyl) or hydrovypoly (ovy		tion
 α-(p-Dodecylphenyl)-ω-hydroxypoly (oxy- ethylene) produced by the condensation of 1 		Surfactants, related, adjuvants of surfactants
mole of dodecylphenol (dodecyl group is a		
propylene tetramer isomer) with an average of		
4-14 or 30-70 moles of ethylene oxide; if a		
blend of products is used, the average num-		
ber of moles of ethylene oxide reacted to		
produce any product that is a component of		
the blend shall be in the range of 4-14 or 30-		
70.		0 11 11 1
Dolomite Epoxidized linseed oil		Solid diluent, carrier Surfactants, related adjuvants of surfactants
Epoxidized inseed oil		Do.
Ethyl acetate		Solvent, cosolvent
Ethyl alcohol		Do.
Ethyl esters of fatty acids derived from edible		Solvent, cosolvent
fats and oils. Ethyl maltol (CAS Reg. No.4940–11–8)	Not more than 0.2 % of the	Odor masking agent
Ethylene oxide adducts of 2,4,7,9-tetramethyl-5-	pesticide formulation.	Surfactants, related adjuvants of surfactants
decynediol, the ethylene oxide content aver-		,
ages 3.5, 10, or 30 moles.		
Ethylenediaminetetraacetic acid	3% of pesticide formulation	Sequestrant
Ethylenediaminetetraacetic acid, tetrasodium	5% of pesticide formulation	Sequestrant
salt. 2-Ethyl-1-hexanol	Not more than 2.5% of pes-	Solvent, adjuvant of surfactants
	ticide formulation.	L
Fatty acids, conforming to 21 CFR 172.860		Binder, defoaming agent, lubricant
FD&C Blue No. 1	Not more than 0.2% of pes- ticide formulation.	Dye
FD&C Red No. 40 (CAS Reg. No. 25956-17-6)	Not to exceed 0.002% by	Dye, coloring agent
conforming to 21 CFR 74.340.	weight of pesticide formu-	bye, coloring agent
	lation.	
Ferric sulfate		Solid diluent, carrier
Furcelleran		Thickener
D-glucopyranose, oligomeric, C ₁₀₋₁₆ -alkyl		Surfactant
glycosides (CAS Reg. No. 110615–47–9).		Carulaities dispersing agent
Glycerides, edible fats and oils derived from plants and animals, reaction products with su-		Emulsifier, dispersing agent
crose (CAS Reg. Nos. 100403–38–1,		
100403-41-6, 100403-39-2, 100403-40-5).		
Glycerol mono-, di-, and triacetate		Solvent, cosolvent
Glyceryl monostearate		Emulsifier
Granite		Do.
Graphite		Solid diluent, carrier
Gum arabic (acacia)		Surfactant, suspending agent, dispersing agent
Gypsum		Solid diluent, carrier
Hexamethylenetetramine	For use in citrus washing	Preservative
	solutions only at not more	
	than 1%. Not more than 0.4% of the	Odorant, alerting agent
2-havan-1-ol (27)- (CAS Pag No 028-06-1)		Odorani, alenting agent
3-hexen-1-ol, (3Z)- (CAS Reg. No. 928-96-1)		
	pesticide formulation.	Solvent, cosolvent
n-Hexyl alcohol (CAS Reg. No. 111–27–3)	pesticide formulation.	Solvent, cosolvent Solvent, neutralizer
3-hexen-1-ol, (3Z)- (CAS Reg. No. 928-96-1) n-Hexyl alcohol (CAS Reg. No. 111–27–3) Hydrochloric acid Hydroxyethylidine diphosphonic acid (HEDP)	pesticide formulation.	Solvent, cosolvent Solvent, neutralizer Stabilizer, chelator
n-Hexyl alcohol (CAS Reg. No. 111–27–3)	pesticide formulation. For use in antimicrobial pesticide formulations at	Solvent, neutralizer
n-Hexyl alcohol (CAS Reg. No. 111–27–3) Hydrochloric acid	pesticide formulation. For use in antimicrobial pesticide formulations at not more than 1 percent.	Solvent, neutralizer Stabilizer, chelator
n-Hexyl alcohol (CAS Reg. No. 111–27–3) Hydrochloric acid Hydroxyethylidine diphosphonic acid (HEDP) (CAS Reg. No. 2809–21–4).	pesticide formulation. For use in antimicrobial pesticide formulations at not more than 1 percent.	Solvent, neutralizer Stabilizer, chelator Solid diluent, carrier
n-Hexyl alcohol (CAS Reg. No. 111–27–3) Hydrochloric acid	Pesticide formulation. For use in antimicrobial pesticide formulations at not more than 1 percent.	Solvent, neutralizer Stabilizer, chelator Solid diluent, carrier Solvent
n-Hexyl alcohol (CAS Reg. No. 111–27–3) Hydrochloric acid	Pesticide formulation. For use in antimicrobial pesticide formulations at not more than 1 percent.	Solvent, neutralizer Stabilizer, chelator Solid diluent, carrier Solvent Solid diluent, carrier
n-Hexyl alcohol (CAS Reg. No. 111–27–3) Hydrochloric acid	Pesticide formulation. For use in antimicrobial pesticide formulations at not more than 1 percent.	Solvent, neutralizer Stabilizer, chelator Solid diluent, carrier Solvent

Inert ingredients	Limits	Uses
Lactic acid, 2-ethylhexyl ester, (2S)- (CAS Reg. No. 186817–80–1).		Solvent
actic acid, n-propyl ester, (S); (CAS Reg. No.		Solvent
53651-69-7). Lauryl alcoholα- α-Lauryl-ω-hydroxypoly(oxyethylene), average		Surfactant Emulsifier
molecular weight (in amu) of 600. α-Lauryl-ω-hydroxypoly(oxyethylene) sulfate, so-		Surfactants, related adjuvants of surfactants
dium salt; the poly(oxyethylene) content is 3-4 moles.		
Lignin (CAS Reg. No. 9005–53–2) Lignin, alkali (CAS Reg. No. 8068–05–1)		Surfactant, related adjuvants of surfactants Do.
Lignin, alkali, oxidized, sodium salt (CAS Reg. No. 68201–23–0).		Do.
Lignin alkali reaction products with disodium sul- fite and formaldehyde (CAS Reg. No. 105859–97–0).		Do.
Lignin alkali reaction products with formaldehyde and sodium bisulfite (CAS Reg. No. 68512-		Do.
35–6).		De
Lignosulfonic acid (CAS Reg. No. 8062–15–5) Lignosulfonic acid, ammonium calcium salt (CAS Reg. No. 12710–04–2).		Do. Do.
Lignosulfonic acid, ammonium magnesium salt (CAS Reg. No. 123175–37–1).		Do.
Lignosulfonic acid, ammonium salt (CAS Reg. No. 8061–53–8).		Do.
Lignosulfonic acid, ammonium sodium salt (CAS Reg. No. 166798–73–8).		Do.
Lignosulfonic acid, calcium magnesium salt (CAS Reg. No. 55598–86–2). Lignosulfonic acid, calcium salt (CAS Reg. No.		Do.
8061–52–7). Lignosulfonic acid, calcium sodium salt (CAS		Do.
Reg. No. 37325–33–0). Lignosulfonic acid, ethoxylated, sodium salt		Do.
(CAS Reg. No. 68611–14–3). Lignosulfonic acid, magnesium salt (CAS Reg.		Do.
No. 8061–54–9). Lignosulfonic acid, potassium salt (CAS Reg.		Do.
No. 37314-65-1). Lignosulfonic acid, sodium salt (CAS Reg. No. 8061-51-6).		Do.
Lignosulfonic acid, sodium salt, oxidized (CAS Reg. No. 68855–41–4).		Do.
Lignosulfonic acid, sodium salt, polymer with formaldehyde and phenol (CAS Reg. No.		Do.
37207-89-9). Lignosulfonic acid, sodium salt, sulfomethylated (CAS Reg. No. 68512-34-5).		Do.
Lignosulfonic acid, zinc salt (CAS Reg. No. 57866–49–6).		Do.
d-Limonene (CAS Reg. No. 5989–27–5)		Solvent, fragrance
Magnesium carbonate Magnesium chloride		Anticaking agent, conditioning agent Safener
Magnesium lime		Solid diluent, carrier
Vagnesium oxide		Do.
Magnesium silicate		Do.
Magnesium stearate		Surfactant
Magnesium sulfate		Solid diluent, carrier, safener
Manganous oxide		Solid diluent, carrier
Methyl alcohol		Solvent
Methyl <i>n</i> -amyl ketone (CAS Reg. No. 110–43–0)		Solvent, cosolvent
Methylated silicones Methyl esters of fatty acids derived from edible fats and oils.		Antifoaming agent Solvent, cosolvent
Methyl esters of higher fatty acids conforming to 21 CFR 573.640.		Antidusting agent, surfactant
Methyl isobutyl ketone		Solvent Solid diluent, carrier
Mineral oil, U.S.P., or conforming to 21 CFR		Diluent, carrier, and solvent
172.878 or 178.3620(a) (CAS Reg. No. 8012– 95–1).		

Inert ingredients	Limits	Uses
Monoammonium phosphate	No more than 3.75% by weight in formulation.	Postharvest fumigation in formulation with alu- minum phosphide
$\label{eq:mono-controlled} \begin{array}{llllllllllllllllllllllllllllllllllll$		Surfactants, related adjuvants of surfactants Solid diluent, carrier
Nonyl, decyl, and undecyl glycoside mixture with a mixture of nonyl, decyl, and undecyl		Surfactant.
oligosaccharides and related reaction prod-		
ucts (primarily decanol and undecanol) pro- duced as an aqueous-based liquid (50 to 65%		
solids) from the reaction of primary alcohols		
(containing 15 to 20% secondary alcohol isomers) in a ratio of 20% C ₉ , 40% C ₁₀ , and 40%		
C_{11} with carbohydrates (average glucose to		
alkyl chain ratio 1.3 to 1.8). α-(p-Nonylphenyl)-ω-hydroxypoly(oxyethylene)		Surfactante related adjuvante of surfactante
mixture of dihydrogen phosphate and		Surfactants, related adjuvants of surfactants
monohydrogen phosphate esters and the cor-		
responding ammonium, calcium, magnesium, monoethanolamine, potassium, sodium, and		
zinc salts of the phosphate esters; the nonyl		
group is a propylene trimer isomer and the poly(oxyethylene) content averages 4-14		
moles or 30 moles.		D-
α-(p-Nonylphenyl)-ω-hydroxypoly(oxyethylene) produced by the condensation of 1 mole of		Do.
nonylphenol (nonyl group is a propylene		
trimer isomer) with an average of 4-14 or 30- 90 moles of ethylene oxide; if a blend of prod-		
ucts is used, the average number of moles of		
ethylene oxide reacted to produce any prod- uct that is a component of the blend shall be		
in the range of 4-14 or 30-90.		_
α-(p-Nonylphenyl)-ω-hydroxypoly(oxyethylene) sulfate, ammonium, calcium, magnesium, po-		Do.
tassium, sodium, and zinc salts; the nonyl		
group is a propylene trimer isomer and the poly(oxyethylene) content averages 4 moles.		
1-Octanal (CAS Reg. No. 124–13–0)	Not more than 0.2% of the	Odor masking agent
Octyl and decyl glucosides mixture with a mix-	pesticide formulation	Surfactants, related adjuvants of surfactants
ture of octyl and decyloligosaccharides and		Curaciano, related adjuvanto or curacianto
related reaction products (primarily n- decanol) produced as an aqueous-based liq-		
uid (68-72% solids) from the reaction of		
straight chain alcohols ($C_8(45\%)$, C_{10} (55%)) with anhydrous glucose.		
Oleic acid		Diluent
Oleic acid diester of α-hydro-ω-hydroxypoly (oxyethylene); the poly(oxyethylene) having		Surfactants, related adjuvants of surfactants
average molecular weight (in amu) 400.		
α-Oleoyl-ω-hydroxypoly(oxyethylene), average molecular weight (in amu) of 600.		Emulsifier
Oleyl alcohol (CAS Reg. No. 143–28–2	15%	Cosolvent
Oxalic acid	No more oxalic acid should be used than is nec-	Calcium chelating hard water inhibitor
	essary to chelate calcium	
	and in no case should	
	more than 2 lb oxalic acid per acre be used.	
Palmitic acid		Diluent
Pentaerythritol ester of maleic anhydride modi- fied wood rosin.		Plasticizer
Petrolatum, conforming to 21 CFR 172.880		Coating agent
Petroleum hydrocarbons, light odorless conforming to 21 CFR 172.884.		Solvent, diluent.
Petroleum hydrocarbons, synthetic isoparaffinic,		Do.
conforming to 21 CFR 172.882. Petroleum naphtha, conforming to 21 CFR		Component of coating agent
172.250(d).		
Petroleum wax, conforming to 21 CFR 172.886(d).		Coating agent
Phosphoric acid		Buffer Binder, carrier, and coating agent
177.1520(c).	I	I

Inert ingredients	Limits	Uses
Polyethylene glycol[α-hydro-ω-hydroxypoly(oxyethylene)]; mean molecular weight (in amu) 194 to 9,500 conforms to 21 CFR 178.3750.		Surfactants, related adjuvants of surfactants
Polyglycerol esters of fatty acids conforming to 21 CFR 172.854.		Surfactants, related adjuvants of surfactants
Polyglyceryl phthalate ester of coconut oil fatty acids.		Do.
Poly(methylene- <i>p-tert</i> -butylphenoxy)- poly(oxyethylene) ethanol; the poly(oxyethylene) content averages 4-12 moles.		Coating agent
Poly(methylene- <i>p</i> -nonylphenoxy)poly (oxyethylene) ethanol; the poly(oxyethylene) content averages 4-12 moles.		Coating agent
Poly(oxy-1,2-ethanediyl), α -(carboxymethyl)- α -(nonylphenoxy) produced by the condensation of 1 mole of nonylphenol (nonyl group is a propylene trimer isomer) with an average of 4-		Surfactant
14 or 30-90 moles of ethylene oxide. The molecular weight (in amu) ranges are 454-894 and 1598-4238.		
Polyoxyethylene (20) sorbitan monostearate [Poly[oxy(methyl-1,2-ethanediyl)], α-[2-bis(2-hydroxyethyl)amino]propyl]-ω-hydroxy,-ether with α-hydro-ω-hydroxypoly(oxy-1,2-ethanediyl) (1:2), mono-C ₁₂₋₁₆ alkyl ethers, (CAS Reg. No. 176022–82–5).	Not to exceed 15% in the formulated product; only for use with glyphosate.	Surfactants, related adjuvants of surfactants Surfactant
Polysorbate 65, conforming to 21 CFR 172.838		Emulsifier
Potassium aluminum silicate Potassium hydroxide		Solid diluent, carrier Neutralizer
Potassium phosphate		Buffer
Potassium sulfate		Solid diluent
Propane		Propellant
n-Propanol		Solvent, cosolvent
2-Propenoic acid, 2-methyl-, polymer with ethyl 2-propenoate and methyl 2-methyl-2- propenoate, ammonium salt (CAS Registra- tion No. 55989–05–4), minimum number aver- age molecular weight (in amu), 18,900.		Encapsulating agent, dispensers, resins, fibers and beads
Propylene glycol		Solvent, cosolvent.
Propylene glycol alginate (as defined in 21 CFR 172.858).		Defoaming agent
Propyl gallatePropyl p-hydroxybenzoate		Antioxidant Preservative for formulations
Pyrophyllite		Solid diluent, carrier
Rhizobium inoculants (e.g. Sinorhizobium,		All leguminous food commodities
Bradyrhizobium & Rhizobium). Rosin, partially dimerized (as defined in 21 CFR 172.615).		Surfactants, related adjuvants of surfactants
Rosin, partially hydrogenated (as defined in 21 CFR 172.615).		Do.
Rosin, wood		Do. Binder, emulsifier, anticaking agent
Sand		Solid diluent, carrier Surfactant
averages 5 moles. Shellac, bleached; refined, food grade, arsenic and rosin-free.		Coating agent
SoapstoneSodium acid pyrophosphate		Solid diluent Surfactant, suspending agent, dispersing agent, buffer
Sodium α -olefinsulfonate (sodium C_{14} - C_{16}) (Olefin sulfonate).		Surfactants, related adjuvants of surfactants
Sodium aluminum silicateSodium diisobutylnaphthalenesulfonate		Solid diluent, carrier Surfactants, related adjuvants of surfactants
Sodium dioctylsulfosuccinate		Do.
Sodium dodecylphenoxybenzenedisulfonate		Do.
Sodium hexametaphosphate		Surfactant, emulsifier, wetting agent, suspending agent, dispersing agent, buffer
Sodium hydroxideSodium isopropylisohexylnaphthalenesulfonate		Neutralizer Surfactants, related adjuvants of surfactants

Inert ingredients	Limits	Uses
Sodium lauryl glyceryl ether sulfonate		Do.
Sodium metasilicate		Surfactants, emulsifiers, wetting agents, dispersing agents, buffer
Sodium monoalkyl and dialkyl (C_s - C_{16}) phenoxybenzenedisulfonate mixtures containing not less than 70% of the monoalkylated product.		Surfactants, related adjuvants of surfactants
Sodium mono- and dimethyl naphthalenesulfonates, molecular weight (in amu) 245-260.		Do.
Sodium mono-, di-, and tributyl naphthalenesulfonates.		Do.
Sodium mono-, di-, and triisopropyl naphthalenesulfonate.		Do.
Sodium N-oleoyl-N-methyltaurine		Do.
Sodium salt of sulfated oleic acid		Surfactants, related adjuvants of surfactants
Sodium silicate		Surfactant, emulsifier, wetting agent, stabilizer, inhibitor
Sodium starch glycolate (CAS Reg. No. 9063–38–1).	Granular and tableted prod- ucts only; not to exceed 8% of the formulated product.	Disintegrant
Sodium sulfate		Solid diluent, carrier Stabilizer
Sodium tripolyphosphate		Buffer, surfactant, suspending agent, dispersing agent, anticaking agent, conditioning agent
Sorbic acid (CAS Reg. No. 110-44-1)		Preservative for formulations
Sorbitan fatty acid esters (fatty acids limited to C_{12} , C_{14} , C_{16} , and C_{18} containing minor amounts of associated fatty acids) and their derivatives; the poly(oxyethylene) content averages 5-20 moles.		Surfactants, related adjuvants or surfactants.
Soybean flour	Expires May 24, 2005	Surfactant
Soybean oil-derived fatty acids		Solvent, cosolvent
Sperm oil conforming to 21 CFR 172.210		Coating agent
Stearic acid		Diluent
$\alpha\textsc{-Stearoyl-}\omega\textsc{-hydroxypoly(oxyethylene)}, average molecular weight (in amu) of 600.$		Emulsifier
α-Stearoyl-ω-hydroxypoly(oxyethylene); the poly(oxyethylene) content averages either 8, 9, or 40 moles; if a blend of products is used, the average number of moles ethylene oxide reacted to produce any product that is a com- ponent of the blend shall be either 8, 9, or 40.		Surfactants, related adjuvants of surfactants
Sucrose octaacetate		Adhesive Surfactant, related adjuvants of surfactants
oxidized (CAS Reg. No. 68514-09-0). Sulfuric acid (CAS Reg. No.7664-93-9)	Not to exceed 10% of the pesticide formulation; non-aerosol formulations only.	pH Control agent
Synthetic paraffin and its succinic derivatives conforming to 21 CFR 172.275.		Carrier, binder, and carrying agent
Synthetic petroleum wax, conforming to 21 CFR 172.888.		Binder, carrier, and coating agent
Talc		Solid diluent, carriers
Tall oil; fatty acids not less than 58%, rosin acids not more than 44%, unsaponifiables not more than 8%.		Surfactants, related adjuvants of surfactants
Tartrazine		Dye
Terpenes and terpenoids, turpentine oil, alphapinene fraction, polymd. (CAS Reg. No. 70750–57–1).		Surfactants, related adjuvants of surfactants
1,1,1,2-Tetrafluoroethane, (CAS Reg. No. 811–97–2).		Aerosol propellant
Tetrahydrofurfuryl alcohol	l	Solvent cosolvent

Inert ingredients	Limits	Uses
α -[p -(1,1,3,3-Tetramethylbutyl)phenyl]- ω -hydroxypoly(oxyethylene) produced by the condensation of 1 mole of p -(1,1,3,3-tetramethylbutyl)phenol with a range of 1-14 or 30-70 moles of ethylene oxide: if a blend of products is used, the average range number of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range of 1-14 or 30-70.		Surfactants, related adjuvants of surfactants
2,4,7,9-Tetramethyl-5-decyn-4, 7-diol	Not more than 2.5% of pes- ticide formulation.	Surfactants, related adjuvants of surfactants
Tetrasodium pyrophosphate		Anticaking agent, conditioning agent Dechlorinator, reducing agent
Thiosulfuric acid, disodium salt, pentahydrate. (CAS Reg. No. 10102–17–7).		Do.
Tricalcium phosphate		Surfactant, suspending agent, dispersing agent, anticaking agent, conditioning agent
Tridecylpoly(oxyethylene) acetate, sodium salt; where the ethylene oxide content averages 6-7 moles.		Surfactants, related adjuvants of surfactants
Trisodium phosphate		Surfactant, emulsifier, wetting agent
Vermiculite		Solid diluent, carrier.
Walnut shells		Leaching inhibitor, binder for water-dispersible aggregates, sticker and suspension stabilizer
Wintergreen oil		Attractant
Wood flour	Derived from wood free of chemical preservatives.	Solid diluent and carrier
Xanthan gum-modified, produced by the reaction of xanthan gum and glyoxal (maximum 0.3% by weight).	Not more than 0.5% of pesticide formulation.	Surfactant
Xylene meeting the specifications listed in 21 CFR 172.884(b)(4).	In pesticide formulations for grain storage only.	Solvent, cosolvent
Zeolite (hydrated alkali aluminum silicate)		Solid diluent, carrier
Zinc oxide		Coating agent
Zinc sulfate (basic and monohydrate)		Do.
Zinc sulfate (basic and monohydrate)		Solid diluent, carrier

[69 FR 23117, Apr. 28, 2004, as amended at 69 FR 33578, June 16, 2004; 69 FR 34949, June 23, 2004; 69 FR 40786, July 7, 2004; 69 FR 47025, Aug. 4, 2004; 69 FR 58304, 58314, Sept. 30, 2004; 70 FR 28443, 28451, May 18, 2005; 70 FR 31364, June 1, 2005; 70 FR 37692, June 30, 2005; 70 FR 38786, July 6, 2005; 70 FR 43311, July 27, 2005; 70 FR 44496, Aug. 3, 2005; 70 FR 51628, Aug. 31, 2005; 70 FR 5286, Sept. 14, 2005; 70 FR 55296, Sept. 21, 2005; 70 FR 55733, Sept. 23, 2005; 70 FR 67910, Nov. 9, 2005; 71 FR 14414, Mar. 22, 2006; 71 FR 30810, May 31, 2006; 71 FR 43660, Aug. 2, 2006; 71 FR 45421, Aug. 9, 2006]

EFFECTIVE DATE NOTE 1: At 71 FR 45414, Aug. 9, 2006, in §180.910 the table was amended by revising the entry for Tetrahydrofurfuryl alcohol, effective Feb. 9, 2008. For the convenience of the user, the revised text is set forth as follows:

$\$\,180.910$ $\,$ Inert ingredients used pre- and post-harvest; exemptions from the requirement of a tolerance.

Inert ingredients
Limits
Uses

Tetrahydrofurfuryl alcohol (THFA) (CAS Reg. No 97–99–4)
Expires February 9, 2008
Solvent/cosolvent

EFFECTIVE DATE NOTE 2: At 71 FR 45421, Aug. 9, 2006, in §180.910 the table was amended by removing the following entries, effective Aug. 9, 2008:

a. $\alpha\text{-Alkyl}$ (C9-C18-w-hydroxypoly(oxyethylene) with poly(oxyethylene) content of 2-30 moles.

b. α -(p-Alkylphenyl)- ω -hydroxypoly(oxyethylene) produced by the condensation of 1 mole of alkylphenol (alkyl is a mixture of propylene tetramer and pentamer isomers and averages C_{13}) with 6 moles of ethylene oxide.