

§ 134.180

- (3) Designed limits for each mode of operation, including—
(i) Draft;
(ii) Air gap;
(iii) Wave height;
(iv) Wave period;
(v) Wind;
(vi) Current;
(vii) Temperatures; and
(viii) Other environmental factors.
- (4) The heaviest loads allowable on deck.
- (5) Information on the use of any special cross-flooding fittings and on the location of valves that may require closure to prevent progressive flooding.
- (6) Guidance on preparing the vessel for heavy weather and on what to do when heavy weather is forecast, including when critical decisions or acts—such as leaving the area and heading for a harbor of safe refuge, or evacuating the vessel—should be accomplished.
- (7) Guidance on operating the vessel while changing mode and while preparing the vessel to make a move, and information on how to avoid structural damage from shifting loads during heavy weather.
- (8) Information on inherent operational limitations for each mode and on changing modes, including pre-loading instructions.
- (9) Guidance on the proper procedures for discovering the flooding of a normally buoyant leg or leg pad, precautionary information concerning the effects on stability of flooded legs, and what to do upon discovering the flooding of a normally buoyant leg or leg pad.
- (10) A description, a diagram, operating guidance for the bilge system, and an alternative method of dewatering.
- (11) A general arrangement diagram showing the locations of—
(i) Watertight and weathertight compartments;
- (ii) Openings in the hull and structure;
(iii) Vents and closures;
(iv) Shutdowns for mechanical and electrical emergencies, and for emergencies affecting ventilation;
(v) Alarms for flooding and for too-high and too-low levels;
(vi) Fire and gas detectors; and
(vii) Access to different compartments and decks.
- (12) A list of shutdown locations for emergencies and guidance on restarting mechanical and electrical equipment and equipment for ventilation after shutdowns.
- (13) A diagram of the hazardous locations (if applicable).
- (14) A diagram of the emergency-power system.
- (15) Stability information setting forth the maximum allowable height of the center of gravity in relation to draft data, displacement, and other applicable parameters unique to the design of the unit to determine compliance with the intact and damage stability criteria, under §§ 174.250 and 174.255 of this chapter.
- (16) Curves of form as required under § 170.075(a)(3) of this chapter.

§ 134.180 Piping for fire-main suction.

- (a) Except as provided by paragraph (b) of this section, suction lines must comply with § 132.110 of this subchapter.
- (b) Suction lines that extend below the main deck outside the hull plating and that supply the fire pump with the liftboat in the elevated mode must be metallic, unless they comply with § 56.60-25(c) of this chapter for vital fresh-water and salt-water service, except that they may be of unlimited length.

PARTS 135-139 [RESERVED]

INDEX

SUBCHAPTER L—OFFSHORE SUPPLY VESSELS

EDITORIAL NOTE: This listing is provided for informational purposes only. It is compiled and kept current by the U.S. Coast Guard, Department of Homeland Security. This index is updated as of October 1, 2006.

Part, subpart, or section

A

| | |
|---|---|
| Abandon-ship training and drills..... | 131.530 |
| Accommodation, definition | 125.160 |
| Added provisions for liftboats | Part 134 |
| Added requirements for fixed independent and portable tanks | 132.370 |
| Additional equipment and requirements for Offshore Supply Vessels/ OSVs..... | 133.07 |
| Alternative midperiod examination | 126.530 |
| Anchors and chains..... | 130.240 |
| Alarm for fixed gaseous fire extinguishing system..... | 131.815 |
| Alternative standards | 129.120 |
| Anniversary date, definition..... | 125.160 |
| Anti-exposure suit, definition..... | 125.160 |
| Apparatus, and inflated rescue boats..... | 131.580 |
| Applicability..... | 125.100, 129.110, 130.400, 134.100, 174.005 |
| Applicability to OSVs of less than 100 gross tons | 175.115 |
| Approval series, definition..... | 125.160 |
| Approved, definition | 125.160 |
| Approved work vests of unicellular plastic foam..... | 131.710 |
| Automation of unattended machinery spaces..... | Part 130 Subpart D |

B

| | |
|---|------------|
| Basic safety | 129.220 |
| Batteries-general | 129.350 |
| Battery categories | 129.353 |
| Large | 129.353(a) |
| Small | 129.353(b) |
| Battery installations | 129.356 |
| Large | 129.356(a) |
| Small | 129.356(b) |
| Bilge systems..... | 128.440 |
| Branch circuits for lighting on OSVs of 100 gross tons or more..... | 129.420 |
| Branch lines of fire extinguishing system | 131.820 |
| Bulkhead deck, definition..... | 125.160 |

C

| | |
|---|---------|
| Cable and wiring | 129.340 |
| Carriage of flammable or combustible liquid cargoes in bulk | 125.110 |
| Carriage of noxious liquid substances in bulk | 125.120 |
| Carriage of offshore workers..... | 126.170 |
| Carriage of passengers | 126.180 |

46 CFR Ch. I (10-1-06 Edition)

| | |
|---|--------------------|
| Carriage of packaged hazardous materials | 125.130 |
| Carriage of portable and semiportable fire extinguishers..... | Table 132.220 |
| Certificate of Inspection/COI | Part 126 Subpart B |
| Certificate of proficiency..... | 131.410 |
| Charts and nautical publications..... | 130.330 |
| Class II vital systems-materials | 128.210 |
| Class II non-vital systems-materials and pressure design | 128.220 |
| Classification..... | 132.210 |
| Coast Guard District Commander/District Commander, definition..... | 125.160 |
| Combustible liquid, definition | 125.160 |
| Compass..... | 130.340 |
| Commandant, definition | 125.160 |
| Commanding Officer Marine Safety Center, definition | 125.160 |
| Communications | 133.60 |
| Distress flares | 133.60(b) |
| Emergency Position Indicating Radio Beacon/EPIRB alternative | 133.60(d) |
| EPIRB and Search and Rescue Transponder/SART..... | 133.60(a) |
| Onboard communications and alarm systems..... | 133.60(c) |
| Communications system..... | 130.440 |
| Compliance with provisions of COI | 131.925 |
| Controls | 130.420 |
| Controls of fire extinguishing system..... | 131.825 |
| Construction and arrangements..... | Part 127 |
| Construction and arrangement of quarters for crew members and accommodations for offshore workers | 127.280 |
| Construction of windows, visibility, and operability of coverings..... | Part 127 |
| Subpart D | |
| Crane, definition | 125.160 |
| Cranes | 126.130 |
| Crew, definition | 125.160 |

D

| | |
|---|---------------------------------------|
| Deadweight, definition..... | 125.160 |
| Definition of terms used: | 125.160 |
| Accommodations..... | 127.260-280 |
| Anti-exposure suit | 125.160 |
| Approval series | 125.160 |
| Approved..... | 131.710 |
| Bulkhead deck | 174.190, 174.210 |
| Coast Guard District Commander/District Commander | 125.160 |
| Coastwise | 131.510, 131.620 |
| Combustible liquid | 125.110, 129.520, 132.120(j), 132.320 |
| Commandant..... | 125.160 |
| Commanding Officer Marine Safety Center..... | 125.160 |
| Crane..... | 126.130, 126.430 |
| Crew | 127.280, 131.310, Part 131 Subpart D |
| Deadweight | 125.160 |
| Embarkation ladder..... | 133.110 |
| Embarkation station | 133.160 |
| Flammable liquid | 125.160 |
| Float-free launching..... | 125.160, 133.105, 133.130 |
| Gas-free..... | 125.160 |
| Hazardous material..... | 125.130 |
| Immersion suit | 131.875 |
| Inflated appliance | 125.160 |
| International voyage | 125.160 |
| Jacking system..... | 134.150 |

Subchapter L Index

| | |
|--|--|
| Launching appliance or launching arrangement | 133.145 |
| Length | 125.160 |
| Lifejacket..... | 131.580, 131.875, 133.70 |
| Liftboat..... | Part 134 |
| Marine evacuation system..... | 125.160 |
| Marine inspector..... | 125.160 |
| Muster station | 133.110 |
| Novel lifesaving appliance or arrangement..... | 133.40-45 |
| Noxious Liquid Substance/NLS | 125.120 |
| Ocean | 125.160 |
| Officer in Charge Marine Inspection/OCMI | 125.160 |
| Offshore Supply Vessel/OSV | 125.160 |
| Offshore worker | 126.170, 127.280, 133.135, 133.140 |
| Quarters..... | 127.280 |
| Rescue boat..... | 131.580, 131.855, 133.135, 133.140, 133.160 |
| Restricted service | 125.160 |
| Seagoing condition | 125.160 |
| Survival craft | Part 131 Subpart D, 133.105-110, 133.150-153 |
| Description | 126.220 |
| Design, installation, and maintenance | 129.200 |
| Design of equipment for cooking and heating | 130.220 |
| Design requirements for specific systems..... | Part 128 Subpart D |
| Display of license..... | 131.955 |
| Display of plans | 131.945 |
| Display of stability letter..... | 131.930 |
| Distribution panels and switchboards | 129.330 |
| Draft and loadline markings..... | 131.510 |
| Drafts..... | 131.220 |
| Dry-docking | 126.140 |
| Dual-voltage generators | 129.326 |

E

| | |
|---|--------------------|
| Electrical installations | Part 129 |
| Electrical systems | Part 129 Subpart E |
| Electronic position-fixing device..... | 130.320 |
| Embarkation: | |
| Ladder, definition | 125.160 |
| Station, definition | 125.160 |
| Emergency instructions | 131.330, 133.80 |
| Emergency instructions..... | 133.80(b) |
| General | 133.80(a) |
| Emergency lighting | 129.440, 131.840 |
| Emergency lighting and power | 131.525 |
| Emergency Position Indicating Radio Beacon (EPIRB) | 131.890, 133.60 |
| Engine-order telegraphs on OSVs of 100 gross tons or more | 129.560 |
| Entries in official logbooks | 131.630 |
| Equipment and systems | 128.110 |
| Equipment grounding | 129.370 |
| Equipment installed although not required..... | 132.340 |
| Equivalents | 125.170, 133.09 |
| Evaluation, testing and approval of lifesaving appliances and arrangements..... | 133.40 |
| Exemptions | 133.20 |
| Exhaust systems | 128.320 |
| Existing offshore supply vessel | 125.160 |

46 CFR Ch. I (10-1-06 Edition)

F

| | |
|--|--------------------|
| Fire alarms | 130.470 |
| Fire axes | 132.360 |
| Fire dampers..... | 131.899 |
| Fire-extinguishing equipment | 126.450 |
| Firefighting equipment | 131.590 |
| Firefighting training and drills..... | 131.535 |
| Fire hoses and axes..... | 131.880 |
| Fire hose stations | 131.830 |
| Fire main | Part 132 Subpart A |
| Fire monitors..... | 132.330 |
| Fire-Protection Equipment..... | Part 132 |
| Fire pumps..... | 132.120 |
| Fire stations | 132.130 |
| Fixed fire extinguishing systems for paint lockers | 132.310 |
| Flammable liquid, definition..... | 125.160 |
| Float-free launching, definition | 125.160 |
| Freeboard markings..... | 134.160 |
| Fuel..... | 128.310 |

G

| | |
|--|--------------------|
| Gas-free, definition | 125.160 |
| General.... Part 125, Part 126 Subpart A, 127.100, Part 128 Subpart A, 129.100, 130.410, 131.800, 132.100, Part 133 Subpart A | |
| General alarm | 129.530 |
| General alarm bell | 131.810 |
| General alarm bell, switch..... | 131.805 |
| General fire protection | 127.220 |
| General provisions for electrical installations | Part 129 Subpart A |
| General requirements | Part 129 Subpart B |
| Generators and motors | 129.320 |
| Grid-cooler installations | 128.430 |
| Guards in dangerous places..... | 127.330 |

H

| | |
|---|---------|
| Hatches and other openings | 131.520 |
| Hazardous areas..... | 129.520 |
| Hazardous material, definition | 125.160 |
| Helicopter landing decks | 132.320 |
| How to obtain or renew..... | 126.230 |
| Hulls | 131.210 |
| Hydraulic or pneumatic power and control materials and pressure de- sign | 128.240 |

I

| | |
|---|-----------------------------|
| Immersion suit, definition..... | 125.160 |
| Incorporation by reference | 125.180 |
| Inflatable appliance, defintion..... | 125.160 |
| Inflatable liferafts and inflatable buoyant apparatus | 131.865 |
| Inflated appliance, definition | 125.160 |
| Initial inspection | 134.110 |
| Inspection after accident | 126.110 |
| Inspection and certification..... | Part 126 |
| Inspection for Certification | Part 126 Subpart D, 134.120 |
| Inspector not limited..... | 126.100 |

Subchapter L Index

| | |
|---|---------|
| Installation..... | 132.220 |
| Instructions for shift of steering gear | 131.845 |
| International voyage, definition..... | 125.160 |

J

| | |
|----------------------------------|---------|
| Jacking system, definition | 125.160 |
|----------------------------------|---------|

K

| | |
|---------------------------------|---------|
| Keel-cooler installations | 128.420 |
|---------------------------------|---------|

L

| | |
|--|--------------------|
| Launching appliance or launching arrangement, definition | 125.160 |
| Launching stations..... | 133.120 |
| Length, definition..... | 125.160 |
| Level of manning | 131.920 |
| Lifeboats and rescue boats..... | 131.855 |
| Lifeboat winches..... | 129.510 |
| Life floats and buoyant apparatus..... | 131.870 |
| Lifejacket, definition..... | 125.160 |
| Lifejackets, immersion suits, and ring life buoys | 131.875 |
| Lifesaving equipment..... | 126.440, Part 133 |
| Lifesaving systems..... | 125.150, Part 133 |
| Liftboat: Definition | 125.160 |
| Jacking systems | 134.150 |
| Lighting fixtures | 129.410 |
| Lighting systems | Part 129 Subpart D |
| Line-throwing appliance..... | 133.170 |
| Additional equipment..... | 133.170(c) |
| General | 133.170(a) |
| Initial inspection..... | 133.45 |
| Stowage | 133.170(b) |
| Liquid mud systems..... | 128.450 |
| List of crew members and offshore workers | 131.310 |
| Loadlines | 125.140 |
| Loadlines and decklines..... | 131.230 |
| Location of accommodations and pilot house | 127.270 |
| Logs | Part 131 Subpart F |
| Logbooks and records | 131.610 |
| Lookouts and watches | 131.980 |

M

| | |
|---|--------------------|
| Machinery alarms..... | 130.450 |
| Main and auxiliary machinery..... | Part 128 Subpart C |
| Maintenance | 131.545 |
| Maintenance of falls | 131.550 |
| Major conversion, definition..... | 125.160 |
| Manning and supervision | 131.420 |
| Marine engineering: equipment and systems | Part 128 |
| Marine-engineering systems..... | 126.470 |
| Marine evacuation system: Arrangements..... | 133.145(a) |
| Definition | 125.160 |
| Launching arrangements..... | 133.145 |
| Stowage | 133.145(b) |
| Stowage of associated liferafts | 133.145(c) |

46 CFR Ch. I (10-1-06 Edition)

| | |
|---|--|
| Marine inspector, definition | 125.160 |
| Marine sanitation device | 131.940 |
| Markings for fire equipment and emergency equipment | Part 131 Subpart H |
| Markings on vessels | Part 131 Subpart B |
| Materials and pressure design..... | Part 128 Subpart B |
| Matters that must be logged..... | 131.620 |
| Means of escape | 127.240 |
| Minimum number of ring lifebuoys..... | Table 133.70 |
| Miscellaneous | Part 131 Subpart I, Part 132 Subpart C |
| Miscellaneous equipment and systems | Part 130 Subpart B |
| Monthly tests and inspections..... | 131.565 |
| Multiple generators | 129.323 |
| Muster station, definition..... | 125.160 |

N

| | |
|---|--------------------|
| Navigational equipment..... | Part 130 Subpart C |
| Navigational lighting | 129.430 |
| New construction..... | 134.130 |
| New offshore supply vessel, definition..... | 125.160 |
| Notice and records | 131.110 |
| Notice of casualty and records of voyage | Part 131 Subpart A |
| Notices to mariners and aids to navigation..... | 131.910 |
| Novel lifesaving appliance, definition | 125.160 |
| Noxious liquid substance/NLS, definition..... | 125.160 |

O

| | |
|--|----------|
| Ocean, definition..... | 125.160 |
| Officer in Charge Marine Inspection/OCMI, definition | 125.160 |
| Offshore supply vessel/OSV: | |
| Definition | 125.160 |
| Offshore worker, definition..... | 125.160 |
| Operability of window coverings..... | 127.440 |
| Operating instructions | 133.90 |
| Operating manual | 134.170 |
| Operational readiness | 131.540 |
| Operations..... | Part 131 |
| Overcurrent protection..... | 129.380 |

P

| | |
|---|--------------------|
| Particular construction and arrangements | Part 127 Subpart B |
| Penetrations of hulls and watertight bulkheads: materials and pressure and design..... | 128.230 |
| Periodic sanitary inspections | 131.515 |
| Periodic servicing of hydrostatic-release units | 131.585 |
| Period of validity..... | 126.250 |
| Permit to proceed to another port for repairs | 126.120 |
| Personal lifesaving appliances | 133.70 |
| Immersion suits or anti-exposure suits..... | 133.70(c) |
| Lifebuoys | 133.70(a) |
| Lifejacket, immersion suit, and anti-exposure suit containers | 133.70(d) |
| Lifejackets | 133.70(b) |
| Persons allowed in pilothouse and on navigational bridge..... | 131.915 |
| Pilothouse control | 130.430 |
| Piping | 132.110 |
| Piping for fire-main suction | 134.180 |
| Placard on lifesaving signals and helicopter recovery..... | 131.950 |

Subchapter L Index

| | |
|--|-----------------------------|
| Placement of machinery alarms | 130.460 |
| Plan approval | Part 127 Subpart A, 128.120 |
| Plans | 126.330 |
| Plans and specifications required for new construction | 127.110 |
| Automation | 127.110(f) |
| Electrical engineering | 127.110(e) |
| General | 127.110(a) |
| Hull structure | 127.110(b) |
| Marine engineering | 127.110(d) |
| Subdivision and stability | 127.110(c) |
| Portable and semiportable fire extinguishers | Part 132 Subpart B |
| Portable fire extinguishers | 131.835 |
| Portable lighting | 129.450 |
| Posting | 126.240 |
| Power for cooking and heating | 129.550 |
| Power sources | 129.310 |
| Power sources and distribution systems | Part 129 Subpart C |
| Power sources for OSVs of 100 gross tons or more | 129.315 |
| Preparations for emergencies | Part 131 Subpart C |
| Prerequisite to re-issuance of COI | 126.410 |
| Prevention of oil pollution | 131.935 |
| Procedure for submittal of plans | 127.120 |
| Propulsion control | 130.120 |
| Protection from refrigerants | 130.230 |
| Protection from wet and corrosive environments | 129.210 |

Q

| | |
|-----------------------------|---------|
| Quarterly inspections | 131.570 |
| Quarters, definition | 125.160 |

R

| | |
|---|--------------------|
| Radar | 130.310 |
| Radio installations | 129.395 |
| Radiotelegraph and radiotelephone | 130.210 |
| Rails and guards | Part 127 Subpart C |
| Recommended placard for emergency instructions | 131.340 |
| Fire | 131.340(c) |
| “Man overboard” | 131.340(b) |
| Rough weather at sea, crossing of hazardous bars, or flooding | 131.340(a) |
| Re-inspection | Part 126 Subpart E |
| Relationship to international standards | 133.03 |
| Remote stopping systems | 131.896 |
| Remote stopping-systems on OSVs of 100 gross tons or more | 129.540 |
| Repairs and alterations | 126.150 |
| Rescue boat embarkation, launching and recovery arrangements | 133.160 |
| Rescue boat: Definition | 125.160, 133.135 |
| Responsibilities of licensed or certificated individuals | 131.360 |
| Restricted service,definition | 125.160 |
| Right of appeal | 125.190 |
| Rigid liferafts | 131.860 |
| Rudder orders | 131.850 |

S

| | |
|---|---------|
| Safety-glazing materials | 127.410 |
| Safety orientation for offshore workers | 131.320 |
| Scope | 126.430 |

46 CFR Ch. I (10-1-06 Edition)

| | |
|--|--------------------|
| Seagoing condition, definition..... | 125.160 |
| Search and Rescue Transponder (SART)..... | 131.890, 133.60 |
| Searchlights..... | 131.975 |
| Semiconductor-rectifier systems..... | 129.360 |
| Servicing of inflatable liferafts, inflatable lifejackets, inflatable buoyant apparatus, and inflated rescue boats | 131.580 |
| Shipboard inspections..... | 131.740 |
| Shipboard stowage..... | 131.730 |
| Ship's service refrigeration systems..... | 128.410 |
| Shore power | 129.390 |
| Sounding of whistle | 131.965 |
| Spare charges..... | 132.230 |
| Spare parts and repair equipment | 131.555 |
| Specific tests and inspections..... | 126.350 |
| Station bill | 131.350 |
| Statutory penalties | 131.905 |
| Steering gear, whistle, and means of communication | 131.505 |
| Steering on OSVs of less than 100 gross tons | 130.130 |
| Steering on OSVs of 100 gross tons or more..... | 130.140 |
| Storm rails | 127.320 |
| Stowage of rescue boats..... | 133.140 |
| Stowage of semiportable fire extinguishers..... | 132.240 |
| Stowage of survival craft..... | 133.130 |
| Additional lifefloat stowage | 133.130(c) |
| Additional liferaft stowage..... | 133.130(b) |
| General | 133.130(a) |
| Strength..... | 127.420 |
| Structural standards | 127.210, 134.140 |
| Subdivision and stability..... | 127.230 |
| Sufficiency and supervision of crew of survival craft | Part 131 Subpart D |
| Survival craft: Definition | 125.160, 133.105 |
| Survival craft and rescue boat equipment..... | 133.175 |
| Survival craft equipment..... | Table 133.175 |
| Survival craft launching and recovery arrangements: General | 133.150 |
| Using falls and a winch..... | 133.153 |
| Survival craft muster and embarkation arrangements | 133.110 |
| System grounding..... | 129.375 |

T

Tables:

| | |
|---|--------------------|
| Carriage of portable and semiportable fire extinguishers..... | Table 132.220 |
| Minimum number of ring lifebuoys..... | Table 133.70 |
| Survival craft equipment..... | Table 133.175 |
| Tests of semiportable and fixed fire-extinguishing systems | Table 132.350 |
| Typical portable and semiportable fire extinguishers | Table 132.210 |
| Tanks for dry bulk cargo..... | 126.460 |
| Temporary certificate | 126.260 |
| Tests and inspections of fire-extinguishing equipment | 132.350 |
| Tests and inspections of lifesaving equipment and arrangements | 133.45 |
| Initial inspection | 133.45(a) |
| Other inspections | 133.45(c) |
| Reinspections..... | 133.45(b) |
| Tests, drills, and inspections | Part 131 Subpart E |
| Test procedure and operations manual | 130.480 |
| Tests and inspections during repairs or alterations, or during riveting, welding, burning, or other hot work..... | 126.160 |
| Tests of semiportable and fixed fire-extinguishing systems..... | Table 132.350 |

Subchapter L Index

Typical portable and semiportable fire extinguishers Table 132.210

U

| | |
|------------------------------------|---------|
| Unauthorized lighting..... | 131.970 |
| Underwater survey, definition..... | 125.160 |
| Use | 131.720 |
| Use of auto-pilot | 131.960 |

V

| | |
|---|--------------------|
| Ventilation for accommodations | 127.260 |
| Ventilation for enclosed spaces | 127.250 |
| Verification of compliance with applicable stability requirements | 131.513 |
| Vessel control | Part 130 Subpart A |
| Vessel control, and various equipment and systems..... | Part 130 |
| Vital systems..... | 128.130 |

46 CFR Ch. I (10-1-06 Edition)

W

| | |
|--|--------------------|
| Watertight doors and watertight hatches..... | 131.893 |
| Weekly tests and inspections..... | 131.560 |
| When made..... | 126.420, 126.510 |
| When required..... | 126.210 |
| Where rails required | 127.310 |
| Work vests | Part 131 Subpart G |

Y

| | |
|------------------------------------|---------|
| Yearly inspections and repair..... | 131.575 |
|------------------------------------|---------|