

## Office of Transportation, USDA

## § 3300.43

period, it shall submit a request for renewal to the Administrator 90 days before expiration of the existing approval. The request for renewal shall contain the same type of information as required in the original application, that is, the information called for in § 3300.19 of subpart C.

### § 3300.28 Response to application for renewal of approval.

The Administrator will, within 30 days of receipt of application and any relevant information required, advise the applicant whether or not approval is renewed. A renewal is good for 5 years.

### § 3300.31 Termination of approval.

An approved testing station may at any time withdraw as an approved testing station by written notice to the Administrator. Similarly, the Administrator may suspend or terminate for cause the approved status of a testing station by written notice to the organization, setting forth the reasons for such action. Examples of causes for suspension or termination of approval of a testing station would be a change in equipment or operations at the station which would render the station incapable of performing tests according to the standards in the ATP, or non-compliance of the station with pertinent portions of this rule.

## Subpart D—Procedures for Separate Testing of Mechanical Refrigerating Appliances

### § 3300.34 General.

ATP, Annex 1, Appendix 2, paragraph 41, provides that approval of mechanically refrigerated equipment may be done on the basis of separate testing of the mechanical refrigerating appliance.

### § 3300.37 Testing of a mechanical refrigerating appliance.

For separate testing of a mechanical refrigerating appliance, the following shall pertain:

(a) The calibrated-box method shall be used, as set forth in ARI Standard 1110, Standard for Mechanical Refrigeration Units, of the Air-Conditioning and Refrigeration Institute.

(b) The appliance shall be rated according to the class, or classes, of service for which the appliance is intended, with classes being defined as in ATP, Annex 1, paragraph 3.

(c) A report of each test shall be completed on a form corresponding to the pertinent test report model prescribed in ATP, Annex 1, Appendix 2. Report forms may be obtained by a request to the ATP manager.

## Subpart E—Approval of Testing Laboratories

### § 3300.40 General.

Any public or private organization incorporated or chartered under the laws of, and with principal office in, the United States may apply to have one or more of its facilities in the United States designated as a U.S. ATP testing laboratory.

### § 3300.43 Application for approval.

An application by an officer of the organization shall be submitted to the Administrator for each facility for which approval is sought. Copies of the Form, Application for Approval as a U.S. ATP Testing Laboratory, may be obtained by a request to the ATP manager. The following information must be supplied in the application:

(a) A statement that the organization is incorporated or chartered under the laws of, and that it has its principal office in, the United States, including the address and telephone number of the principal office.

(b) The address and telephone number of the testing laboratory, and name and title of person in charge of the laboratory.

(c) A summary of the experience at the facility which would indicate a capability to conduct tests of mechanical refrigerating appliances according to subpart D of this rule.

(d) A general description of the laboratory, including drawings on letter size (8½ × 11 inches) paper to show the floor plan and cross-section of the test chamber, basic dimensions, location of heat exchangers and instruments, and any other pertinent information.

(e) A statement that the ATP manager or other representative of the Administrator may, before a decision is

## § 3300.46

made concerning the application, observe a test at the laboratory of a mechanical refrigerating appliance for a Class "C" mechanically refrigerated container or trailer, with Class "C" as defined in ATP, Annex 1, paragraph 3.

(f) A statement that the laboratory will maintain records of basic data developed in each test conducted under this rule, such records to be available for review by the ATP manager or other representative of the Administrator, upon request. The record for each test shall be maintained for a period of three years.

(g) A statement that the organization will advise the ATP manager as soon as practicable of its intent to conduct a test under this rule and that it will, as soon as possible, advise when a firm test has been set so that the ATP manager or other representative of the Administrator may observe the test.

(h) A statement that the organization will send to the ATP manager a copy of each test report for an appliance tested at the laboratory according to this rule, within 30 days after completion of the test.

(i) A statement that, should any significant change occur in the facility with respect to structure or test equipment as a result of redesign or other cause during the period of approval, the organization will so advise the ATP manager within 30 days after such change.

(j) Any other pertinent information.

## § 3300.46 Response to application for approval.

The Administrator will, within 30 days of receipt of an application and any relevant information required, advise the applicant whether or not the facility is approved as a testing laboratory. Approval is for a 5-year period from date of approval.

## § 3300.49 Application for renewal of approval.

If an organization wishes to have an approval renewed at the end of a 5-year period, it shall submit a request for renewal to the Administrator 90 days before expiration of the existing approval. The request for renewal shall contain the same type of information as required in the original application,

## 7 CFR Ch. XXXIII (1-1-01 Edition)

that is, the information called for in § 3300.43 of subpart E.

## § 3300.52 Response to application for renewal of approval.

The Administrator will, within 30 days of receipt of application and any relevant information required, advise the applicant whether or not approval is renewed. A renewal extends the period of approval for 5 years.

## § 3300.55 Termination of approval.

An approved testing laboratory may at any time withdraw as an approved testing laboratory by written notice to the Administrator. Similarly, the Administrator may suspend or terminate for cause the approved status of a testing laboratory by written notice to the organization, setting forth the reasons for such action. Examples of causes for suspension or termination of approval would be a change in equipment or operations at the laboratory which would render it incapable of performing tests according to the standards in the ATP, or noncompliance of the laboratory with pertinent portions of this rule.

## Subpart F—Certification of New Equipment

### § 3300.58 General.

The following shall apply for certification of new equipment:

(a) Domestic owners are eligible to receive U.S. ATP certificates for equipment produced or assembled in the United States or in a foreign country.

(b) Foreign owners are eligible to receive U.S. ATP certificates only for equipment produced or assembled in the United States.

(c) For equipment manufactured (i.e., produced or assembled) in the United States:

(1) When the complete unit of equipment is tested, the test shall be performed in a U.S. ATP testing station.

(2) When the mechanical refrigerating appliance and the insulated body are tested separately, such tests shall be performed in approved testing facilities in the United States or in test facilities located in, and approved by, a foreign country which is a Contracting Party.