TDMS No. 20008 - 03

Test Type: CHRONIC Route: DOSED FEED Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Milk thistle extract

CAS Number: 84604-20-6

Date Report Requested: 10/09/2008

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI

F1_R2

C Number:	C20008
Lock Date:	06/29/2006
Cage Range:	ALL
Date Range:	ALL
Reasons For Removal:	ALL
Removal Date Range:	ALL
Treatment Groups:	Include ALL
Study Gender:	Both
TDMSE Version:	2.0.0

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS

Date Report Requested: 10/09/2008

ABRIDGED) (a) Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI

TDMS No. 20008 - 03	P05: INCIDENCE

Test Type: CHRONIC Route: DOSED FEED

Species/Strain: RATS/F 344/N

FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Disposition Summary					
Animals Initially in Study Early Deaths	50	50	50	50	
Moribund Sacrifice Natural Death	10 4	12 2	12 3	9 3	
Survivors Terminal Sacrifice Animals Examined Microscopically	36 50	36 50	35 50	38 50	
ALIMENTARY SYSTEM					
Esophagus	(50)	(50)	(50)	(49)	
Intestine Large, Cecum	(49)	(49)	(49)	(47)	
Intestine Large, Colon	(46)	(48)	(47)	(47)	
Hemangioma	1 (2%)	(= =)		(
Intestine Large, Rectum	(47)	(50)	(47)	(46)	
Sarcoma, Metastatic, Pancreas	(10)	(40)	1 (2%)	(40)	
Intestine Small, Duodenum	(48)	(48)	(48)	(49)	
Intestine Small, Ileum	(47)	(47)	(48)	(48)	
Intestine Small, Jejunum	(46)	(48)	(47)	(47)	
Sarcoma Stromal Liver	(50)	1 (2%)	(50)	(50)	
Cholangioma	(50) 1 (2%)	(50)	(50)	(50)	
Hepatocellular Adenoma	3 (6%)	5 (10%)	3 (6%)	2 (4%)	
Hepatocellular Adenoma, Multiple	5 (078)	1 (2%)	2 (4%)	1 (2%)	
Mesentery	(3)	(2)	(6)	(6)	
Oral Mucosa	(0)	(0)	(1)	(0)	
Pancreas	(50)	(50)	(50)	(50)	
Sarcoma	()	()	1 (2%)	()	
Acinus, Adenoma	2 (4%)	1 (2%)	<u> </u>		
Salivary Glands	(48)	(50)	(50)	(50)	
Myoepithelioma	. /	1 (2%)	. /		
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Stomach, Glandular	(50)	(50)	(49)	(50)	
Tongue	(1)	(1)	(0)	(0)	
Squamous Cell Papilloma	1 (100%)				

MS No. 20008 - 03 st Type: CHRONIC ute: DOSED FEED ecies/Strain: RATS/F 344/N	P05: INCIDENCE R	Date Report Requested: 10/09/2008 Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI			
FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
CARDIOVASCULAR SYSTEM					
Heart	(50)	(50)	(50)	(50)	
Schwannoma Malignant	1 (2%)	2 (4%)	(00)	(00)	
Schwannoma Nos		, , , , , , , , , , , , , , , , , , ,		1 (2%)	
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Adenoma	2 (4%)	· · ·	. ,		
Adrenal Medulla	(50)	(49)	(50)	(50)	
Pheochromocytoma Benign	5 (10%)	10 (20%)	5 (10%)	4 (8%)	
Pheochromocytoma Complex	1 (2%)				
Pheochromocytoma Malignant			1 (2%)	1 (2%)	
Bilateral, Pheochromocytoma Benign				2 (4%)	
Islets, Pancreatic	(50)	(50)	(50)	(50)	
Adenoma	3 (6%)	3 (6%)	1 (2%)	3 (6%)	
Carcinoma	1 (2%)				
Parathyroid Gland	(50)	(49)	(49)	(47)	
Pituitary Gland	(50)	(50)	(50)	(50)	
Pars Distalis, Adenoma	13 (26%)	15 (30%)	8 (16%)	11 (22%)	
Pars Distalis, Carcinoma			1 (2%)		
Thyroid Gland	(48)	(49)	(50)	(49)	
C-cell, Adenoma	5 (10%)	6 (12%)	2 (4%)	7 (14%)	
C-cell, Carcinoma	1 (2%)	1 (2%)	2 (4%)	1 (2%)	
Follicular Cell, Adenoma		2 (4%)			
GENERAL BODY SYSTEM					
Tissue NOS	(1)	(1)	(1)	(2)	
Fibrosarcoma	· · /	. /	1 (100%)		
Thoracic, Paraganglioma	1 (100%)				
GENITAL SYSTEM					
Epididymis	(50)	(50)	(50)	(50)	
Preputial Gland	(50)	(49)	(50)	(50)	
Adenoma	1 (2%)	6 (12%)	2 (4%)	3 (6%)	
Carcinoma	2 (4%)	3 (6%)	- (,	1 (2%)	

TDMS No. 20	- 8000	03
-------------	--------	----

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS ABRIDGED) (a)

Date Report Requested: 10/09/2008

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344/N

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI

FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Prostate Seminal Vesicle Testes Bilateral, Interstitial Cell, Adenoma Interstitial Cell, Adenoma	(50) (50) (50) 43 (86%) 3 (6%)	(50) (50) (50) 36 (72%) 8 (16%)	(50) (50) (50) 31 (62%) 10 (20%)	(50) (50) (50) 32 (64%) 12 (24%)	
HEMATOPOIETIC SYSTEM					
Bone Marrow Lymph Node Lymph Node, Mandibular Lymph Node, Mesenteric Spleen Thymus Thymoma Benign	(48) (10) (1) (50) (50) (41)	(50) (11) (1) (50) (50) (42)	(50) (18) (1) (50) (50) (46) 1 (2%)	(49) (6) (3) (50) (50) (42)	
NTEGUMENTARY SYSTEM					
Mammary Gland Fibroadenoma Skin Basal Cell Adenoma	(49) (50)	(49) 1 (2%) (50) 1 (2%)	(48) 1 (2%) (50) 1 (2%)	(49) 2 (4%) (50)	
Basal Cell Carcinoma Keratoacanthoma Keratoacanthoma, Multiple	1 (2%) 3 (6%) 1 (2%)	1 (2%)	2 (4%)	3 (6%)	
Neural Crest Tumor Sarcoma Schwannoma Malignant Squamous Cell Carcinoma	1 (2%)	1 (2%) 1 (2%)	1 (2%)		
Squamous Cell Papilloma Prepuce, Squamous Cell Carcinoma Subcutaneous Tissue, Fibroma Subcutaneous Tissue, Fibrosarcoma	1 (2%) 3 (6%)	7 (14%) 1 (2%)	1 (2%) 2 (4%)	1 (2%)	
Subcutaneous Tissue, Lipoma Subcutaneous Tissue, Neural Crest Tumor, Malignant	1 (2%) 1 (2%)				
Subcutaneous Tissue, Sarcoma	1 (2%)				

MS No. 20008 - 03 st Type: CHRONIC ute: DOSED FEED ecies/Strain: RATS/F 344/N	P05: INCIDENCE F	Date Report Requested: 10/09/2008 Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI			
FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
MUSCULOSKELETAL SYSTEM					
Bone	(50)	(50)	(50)	(50)	
Osteoma Skeletal Muscle Lipoma	1 (2%) (1)	(4) 1 (25%)	(0)	(0)	
NERVOUS SYSTEM					
Brain Astrocytoma Malignant	(50)	(50)	(50) 1 (2%)	(50)	
Granular Cell Tumor Benign Spinal Cord Oligodendroglioma Malignant	(8)	1 (2%) (5) 1 (20%)	(2)	(5)	
RESPIRATORY SYSTEM					
Lung Alveolar/Bronchiolar Adenoma Alveolar/Bronchiolar Carcinoma Nose Leiomyosarcoma	(50) 1 (2%) (50)	(50) 2 (4%) 1 (2%) (50) 1 (2%)	(50) 2 (4%) (50)	(50) 2 (4%) 1 (2%) (50)	
SPECIAL SENSES SYSTEM					
Eye Harderian Gland Zymbal's Gland Adenoma	(48) (50) (0)	(48) (50) (1)	(48) (50) (0)	(49) (50) (1) 1 (100%)	
URINARY SYSTEM					
Kidney	(50)	(50)	(48)	(50)	
Renal Tubule, Carcinoma Urinary Bladder	(50)	(50)	(50)	1 (2%) (50)	

SYSTEMIC LESIONS

MS No. 20008 - 03 st Type: CHRONIC ute: DOSED FEED ecies/Strain: RATS/F 344/N	P05: INCIDENCE R	Date Report Requested: 10/09/2008 Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI			
FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Multiple Organs Histiocytic Sarcoma	*(50) 3 (6%)	*(50) 1 (2%)	*(50)	*(50)	
Leukemia Mononuclear Mesothelioma Malignant	17 (34%)	17 (34%) 1 (2%)	17 (34%) 1 (2%)	16 (32%)	

a - Number of animals examined microscopically at site and number of animals with lesion

* Number of animals with any tissue examined microscopically

TDMS No. 20008 - 03
Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS

Date Report Requested: 10/09/2008

ABRIDGED) (a) Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI

FISCHER 344 RATS MALE	0 PPM	12500 PPM	25000 PPM	50000 PPM
Fumor Summary for Males				
Total Animals with Primary Neoplasms (b)	50	49	49	50
Total Primary Neoplasms	125	140	100	108
Total Animals with Benign Neoplasms	50	49	45	48
Total Benign Neoplasms	95	108	73	86
Total Animals with Malignant Neoplasms	26	26	25	20
Total Malignant Neoplasms	30	31	27	21
Total Animals with Metastatic Neoplasms	1	1	1	
Total Metastatic Neoplasms	2	1	1	
Total Animals with Malignant Neoplasms Uncertain Primary Site				
Total Animals with Neoplasms Uncertain-Benign or Malignant		1		1
Total Uncertain Neoplasms		1		1

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion b - Primary tumors: all tumors except metastatic tumors

TDMS No. 20008 - 03 Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS

Date Report Requested: 10/09/2008

ABRIDGED) (a) Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI

FISCHER 344 RATS FEMALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Disposition Summary					
Animals Initially in Study	50	50	50	50	
Early Deaths Moribund Sacrifice	6	9	14	8	
Natural Death Survivors	6	5	2	5	
Natural Death		1			
Terminal Sacrifice Animals Examined Microscopically	38 50	35 50	34 50	37 50	
		00			
ALIMENTARY SYSTEM					
Intestine Large, Cecum	(43)	(48)	(49)	(49)	
Intestine Large, Colon Liver	(44) (50)	(45) (50)	(48) (49)	(46) (50)	
Hepatocellular Adenoma	2 (4%)	1 (2%)	3 (6%)	(50)	
Mesentery	(10)	(10)	(4)	(8)	
Osteosarcoma, Metastatic, Bone		1 (10%)			
Oral Mucosa	(0)	(0)	(1)	(0)	
Pancreas	(48)	(48)	(49)	(49)	
Salivary Glands	(50)	(50)	(50)	(50)	
Stomach, Forestomach Stomach, Glandular	(49) (49)	(48) (47)	(49) (49)	(50) (49)	
Tongue	(43)	(1)	(1)	(0)	
CARDIOVASCULAR SYSTEM					
Heart	(50)	(50)	(50)	(50)	
Schwannoma Malignant			1 (2%)		
ENDOCRINE SYSTEM					
Adrenal Cortex	(48)	(48)	(49)	(50)	
Adenoma	(40)	1 (2%)	(40)	(50)	
Adrenal Medulla	(48)	(48)	(48)	(50)	
Pheochromocytoma Benign	1 (2%)	1 (2%)	4 (8%)	1 (2%)	

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS

ABRIDGED) (a)

Date Report Requested: 10/09/2008

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI

TDMS No. 20008 - 03

Test Type: CHRONIC Route: DOSED FEED

Species/Strain: RATS/F 344/N

FISCHER 344 RATS FEMALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Pheochromocytoma Complex	1 (2%)				
Islets, Pancreatic	(48)	(48)	(49)	(49)	
Adenoma	(40)	(40)	3 (6%)	(10)	
Parathyroid Gland Pituitary Gland	(49) (50)	(48) (50)	(47) (50)	(49) (50)	
Pars Distalis, Adenoma	20 (40%)	20 (40%)	18 (36%)	28 (56%)	
Pars Distalis, Carcinoma	1 (2%)	20 (4070)	10 (3070)	20 (30 %)	
Thyroid Gland	(47)	(49)	(49)	(50)	
C-cell, Adenoma	2 (4%)	3 (6%)	6 (12%)	2 (4%)	
C-cell, Carcinoma		3 (6%)	1 (2%)	2 (4%)	
Follicular Cell, Carcinoma	1 (2%)				
GENERAL BODY SYSTEM					
Tissue NOS	(0)	(0)	(3)	(0)	
Alveolar/Bronchiolar Carcinoma,			1 (33%)		
Metastatic, Lung			4 (222)		
Fat, Mediastinum, Rhabdomyosarcoma, Metastatic, Skeletal Muscle			1 (33%)		
GENITAL SYSTEM					
Clitoral Gland	(50)	(49)	(50)	(50)	
Adenoma	11 (22%)	8 (16%)	4 (8%)	5 (10%)	
Carcinoma	3 (6%)	5 (10%)	1 (2%)	1 (2%)	
Bilateral, Adenoma				1 (2%)	
Ovary	(50)	(49)	(50)	(50)	
Granulosa Cell Tumor Benign	- (1 (2%)			
Granulosa Cell Tumor Malignant	2 (4%)			1 (20/)	
Tubulostromal Adenoma Uterus	(50)	(49)	(50)	1 (2%) (50)	
Adenoma	1 (2%)	(43)	(00)	(50)	
Polyp Stromal	9 (18%)	12 (24%)	15 (30%)	16 (32%)	
Polyp Stromal, Multiple		(,	1 (2%)		
Bilateral, Polyp Stromal	1 (2%)		V V		
Vagina	(2)	(2)	(3)	(5)	

HEMATOPOIETIC SYSTEM

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS

ABRIDGED) (a)

Date Report Requested: 10/09/2008

Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI

TDMS No. 20008 - 03

Test Type: CHRONIC Route: DOSED FEED

Species/Strain: RATS/F 344/N

FISCHER 344 RATS FEMALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
Bone Marrow Lymph Node Deep Cervical, Carcinoma, Metastatic,	(49) (9)	(50) (8)	(50) (5)	(50) (8) 1 (13%)	
Thyroid Gland Mediastinal, Rhabdomyosarcoma, Metastatic, Skeletal Muscle			1 (20%)	1 (1376)	
Lymph Node, Mandibular Lymph Node, Mesenteric	(1) (49)	(3) (48)	(2) (50)	(2) (50)	
Spleen Capsule, Granulosa Cell Tumor Malignant, Metastatic, Ovary	(49) 1 (2%)	(50)	(50)	(49)	
Thymus Carcinoma, Metastatic, Thyroid Gland	(50)	(49)	(48)	(49) 1 (2%)	
NTEGUMENTARY SYSTEM					
Mammary Gland Adenoma Adenoma, Multiple	(50)	(50)	(50)	(50) 1 (2%) 1 (2%)	
Carcinoma Carcinoma Carcinoma, Multiple	3 (6%) 1 (2%)	1 (2%)	2 (4%)	3 (6%)	
Fibroadenoma Fibroadenoma, Multiple Skin Basal Cell Adenoma Keratoacanthoma	24 (48%) 4 (8%) (50)	20 (40%) 7 (14%) (50) 1 (2%) 1 (2%)	14 (28%) 3 (6%) (50) 1 (2%) 1 (2%)	15 (30%) 3 (6%) (50)	
Epidermis, Squamous Cell Carcinoma Subcutaneous Tissue, Fibroma Subcutaneous Tissue, Fibrosarcoma	1 (2%) 1 (2%) 1 (2%)	2 (4%)	1 (2%)	2 (4%)	
MUSCULOSKELETAL SYSTEM					
Bone Hemangioma	(50)	(50)	(50) 1 (2%)	(50)	
Osteosarcoma Skeletal Muscle Head, Rhabdomyosarcoma	(1)	2 (4%) (0)	(1) 1 (100%)	(0)	

DMS No. 20008 - 03 est Type: CHRONIC pute: DOSED FEED pecies/Strain: RATS/F 344/N	P05: INCIDENCE F	Milk this	S BY ANATOMIC SITE OGED) (a) stle extract er: 84604-20-6	(SYSTEMIC LESIONS	Date Report Requested: 10/09/2008 Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI
FISCHER 344 RATS FEMALE	0 PPM	12500 PPM	25000 PPM	50000 PPM	
NERVOUS SYSTEM					
Brain Astrocytoma Malignant Oligodendroglioma Malignant Rhabdomyosarcoma, Metastatic, Skeletal Muscle	(50) 1 (2%)	(50)	(50) 2 (4%) 1 (2%)	(50)	
RESPIRATORY SYSTEM					
Lung Alveolar/Bronchiolar Adenoma Alveolar/Bronchiolar Carcinoma Alveolar/Bronchiolar Carcinoma, Multiple Carcinoma, Metastatic, Thyroid Gland	(50) 1 (2%)	(50)	(49) 2 (4%) 1 (2%)	(50) 1 (2%) 1 (2%)	
Granular Cell Tumor Malignant, Metastatic, Ovary Osteosarcoma, Metastatic, Bone Rhabdomyosarcoma, Metastatic, Skeletal Muscle	1 (2%)	1 (2%)	1 (2%)	(<i>2</i> ,0)	
Nose Trachea Carcinoma, Metastatic, Thyroid Gland	(50) (50)	(50) (50)	(49) (50)	(50) (50) 1 (2%)	
SPECIAL SENSES SYSTEM					
Eye Harderian Gland Zymbal's Gland Carcinoma Rhabdomyosarcoma, Metastatic, Skeletal Muscle	(48) (50) (0)	(48) (49) (1) 1 (100%)	(49) (50) (2) 1 (50%) 1 (50%)	(50) (50) (0)	
URINARY SYSTEM					
Kidney Renal Tubule, Adenoma Urinary Bladder	(48) (50)	(49) (49)	(49) 1 (2%) (50)	(48) (50)	

P05: INCIDENCE R	Date Report Requested: 10/09/2008 Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI			
0 PPM	12500 PPM	25000 PPM	50000 PPM	
*/50)	*(50)	*(50)	*(50)	
*(50)	*(50)	*(50) 1 (2%)	*(50) 1 (2%)	
		ABRID Milk this CAS Numbe 0 PPM 12500 PPM	ABRIDGED) (a) Milk thistle extract CAS Number: 84604-20-6 0 PPM 12500 PPM 25000 PPM *(50) *(50) *(50)	Milk thistle extract CAS Number: 84604-20-6 0 PPM 12500 PPM 25000 PPM 50000 PPM *(50) *(50) *(50) *(50) *(50) *(50) *(50) *(50)

a - Number of animals examined microscopically at site and number of animals with lesion

* Number of animals with any tissue examined microscopically

TDMS No. 20008 - 03
Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/F 344/N

P05: INCIDENCE RATES OF NEOPLASMS BY ANATOMIC SITE (SYSTEMIC LESIONS

Date Report Requested: 10/09/2008

ABRIDGED) (a) Milk thistle extract

CAS Number: 84604-20-6

Time Report Requested: 11:00:55 First Dose M/F: 03/04/03 / 03/04/03 Lab: SRI

			50000 PPM
46	48	46	44
99	99	102	93
39	42	41	43
76	76	77	77
18	20	23	16
23	23	24	16
1	2	2	1
2	4	6	4
	99 39 76 18 23 1	9999394276761820232312	9999102394241767677182023232324122

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion b - Primary tumors: all tumors except metastatic tumors