

## Conversion Table of New ICD-9-CM Codes, October 2008

The National Center for Health Statistics (NCHS) and the Centers for Medicare & Medicaid Services (CMS), have issued new diagnosis and procedure codes for the International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM) every year since 1986. New code assignments are the result of year-long efforts of the ICD-9-CM Coordination and Maintenance Committee, which is sponsored jointly by NCHS and CMS. The effective date for new codes is the same every year, October 1.

The Conversion Table for new ICD-9-CM Codes is provided to assist users in data retrieval. For each new code the table shows the date it became effective and its previously assigned code equivalent. The code equivalents were used for reporting diagnosis and procedure information up to the time the new codes were issued.

### Diagnosis Codes

Current Code(s) Assignment	Effective October 1	Previous Code(s) Assignment
005.81	1995	005.8
005.89	1995	005.8
007.4	1997	007.8
007.5	2000	007.8
008.00-008.09	1992	008.0
008.43-008.47	1992	008.49
008.61-008.69	1992	008.6
031.2	1997	031.8
038.10-038.11	1997	038.1
<b>038.12</b>	<b>2008</b>	<b>038.11 &amp; V09.0</b>
038.19	1997	038.1

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
040.41	2007	771.89
040.42	2007	872.10-872.12; 872.71-872.79; 872.9; 873.1; 873.30-873.39; 873.50-873.59; 873.70-873.79; 873.9; 874.10-874.12; 874.3; 874.5; 874.9; 875.1; 876.1; 877.1; 878.1; 878.3; 878.5; 878.7; 878.9; 879.1; 879.3; 879.5; 879.7; 879.9; 880.10-880.19; 881.10-881.19; 882.1; 883.1; 884.1; 885.1; 886.1; 887.1; 887.3; 887.5; 887.7; 890.1; 891.1; 892.1; 893.1; 894.1
040.82	2002	040.89
041.00-041.03	1992	041.0
041.04	1992	041.0
041.04#	1997	041.04
041.05	1992	041.0
041.09	1992	041.0
041.10-041.19	1992	041.1
<b>041.12</b>	<b>2008</b>	<b>041.11 &amp; V09.0</b>
041.81-041.85	1992	041.8
041.86	1995	041.84
041.89	1992	041.8
042	1994	042.0-042.2, 042.9, 043.0-043.3, 043.9, 044.0, 044.9 (codes deleted)
042.0-042.9	1986	279.19
043.0-043.9	1986	279.19
044.0-044.9	1986	279.19
<b>046.11; 046.19</b>	<b>2008</b>	<b>046.1</b>
<b>046.71-046.72; 046.79</b>	<b>2008</b>	<b>046.8</b>
<b>051.01-051.02</b>	<b>2008</b>	<b>051.0</b>

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
052.2	2006	052.7
053.14	2006	053.19
054.74	2006	054.79
058.10-058.12	2007	057.8
058.21; 058.29	2007	054.3
058.81-058.82; 058.89	2007	054.9
<b>059.00</b>	<b>2008</b>	<b>046.8</b>
<b>059.01</b>	<b>2008</b>	<b>057.8</b>
<b>059.09</b>	<b>2008</b>	<b>046.8</b>
<b>059.10-059.12; 059.19</b>	<b>2008</b>	<b>046.8</b>
<b>059.20-059.22</b>	<b>2008</b>	<b>078.89</b>
<b>059.8-059.9</b>	<b>2008</b>	<b>057.8</b>
066.4	2002	066.3
066.40-066.42; 066.49	2004	066.4
070.20-070.21	1991	070.2
070.22	1994	070.20
070.23	1994	070.21
070.30-070.31	1991	070.3
070.32	1994	070.30
070.33	1994	070.31
070.41-070.43	1991	070.4
070.44	1994	070.41
070.49	1991	070.4
070.51-070.53	1991	070.5
070.54	1994	070.51
070.59	1991	070.5
070.70	2004	070.51
070.71	2004	070.41
077.98-077.99	1993	077.9
078.10-078.11	1993	078.1
<b>078.12</b>	<b>2008</b>	<b>078.19</b>

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
078.19	1993	078.1
078.88	1993	078.89
079.4	1993	079.8
079.50-079.53, 079.59	1993	079.8
079.6	1996	079.89
079.81	1995	079.89
079.82	2003	079.89
079.83	2007	079.89
079.88-079.89	1993	079.8
079.98-079.99	1993	079.9
082.40-082.41, 082.49	2000	082.8
088.81	1989	088.8
088.82	1993	088.89
088.89	1989	088.8
099.40-099.49	1992	099.4
099.50-099.59	1992	078.89
112.84-112.85	1992	112.89
114.4-114.5	1993	114.3
<b>136.21; 136.29</b>	<b>2008</b>	<b>136.2</b>
176.0-176.9	1991	173.0-173.9
<b>199.2</b>	<b>2008</b>	<b>996.80-996.87; 996.89</b>
200.30-200.38	2007	202.80-202.88
200.40-200.48	2007	202.80-202.88
200.50-200.58	2007	202.80-202.88
200.60-200.68	2007	200.00-200.08
200.70-200.78	2007	200.00-200.08
202.70-202.78	2007	202.10-202.18

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

Current Code(s) Assignment	Effective October 1	Previous Code(s) Assignment
203.00	1991	203.0
203.01	1991	V10.79
<b>203.02</b>	<b>2008</b>	<b>203.00</b>
203.10	1991	203.1
203.11	1991	V10.79
<b>203.12</b>	<b>2008</b>	<b>203.10</b>
203.80	1991	203.8
203.81	1991	V10.79
<b>203.82</b>	<b>2008</b>	<b>203.80</b>
204.00	1991	204.0
204.01	1991	V10.61
<b>204.02</b>	<b>2008</b>	<b>204.00</b>
204.10	1991	204.1
204.11	1991	V10.61
<b>204.12</b>	<b>2008</b>	<b>204.10</b>
204.20	1991	204.2
204.21	1991	V10.61
<b>204.22</b>	<b>2008</b>	<b>204.20</b>
204.80	1991	204.8
204.81	1991	V10.61
<b>204.82</b>	<b>2008</b>	<b>204.80</b>
204.90	1991	204.9
204.91	1991	V10.61
<b>204.92</b>	<b>2008</b>	<b>204.90</b>
205.00	1991	205.0
205.01	1991	V10.62
<b>205.02</b>	<b>2008</b>	<b>205.00</b>
205.10	1991	205.1
205.11	1991	V10.62
<b>205.12</b>	<b>2008</b>	<b>205.10</b>
205.20	1991	205.2
205.21	1991	V10.62
<b>205.22</b>	<b>2008</b>	<b>205.20</b>
205.30	1991	205.3
205.31	1991	V10.62
<b>205.32</b>	<b>2008</b>	<b>205.30</b>
205.80	1991	205.8

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

Current Code(s) Assignment	Effective October 1	Previous Code(s) Assignment
205.81	1991	V10.62
<b>205.82</b>	<b>2008</b>	<b>205.80</b>
205.90	1991	205.9
205.91	1991	V10.62
<b>205.92</b>	<b>2008</b>	<b>205.90</b>
206.00	1991	206.0
206.01	1991	V10.63
<b>206.02</b>	<b>2008</b>	<b>206.00</b>
206.10	1991	206.1
206.11	1991	V10.63
<b>206.12</b>	<b>2008</b>	<b>206.10</b>
206.20	1991	206.2
206.21	1991	V10.63
<b>206.22</b>	<b>2008</b>	<b>206.20</b>
206.80	1991	206.8
206.81	1991	V10.63
<b>206.82</b>	<b>2008</b>	<b>206.80</b>
206.90	1991	206.9
206.91	1991	V10.63
<b>206.92</b>	<b>2008</b>	<b>206.90</b>
207.00	1991	207.0
207.01	1991	V10.69
<b>207.02</b>	<b>2008</b>	<b>207.00</b>
207.10	1991	207.1
207.11	1991	V10.69
<b>207.12</b>	<b>2008</b>	<b>207.10</b>
207.20	1991	207.2
207.21	1991	V10.69
<b>207.22</b>	<b>2008</b>	<b>207.20</b>
207.80	1991	207.8
207.81	1991	V10.69
<b>207.82</b>	<b>2008</b>	<b>207.80</b>
208.00	1991	208.0
208.01	1991	V10.60
<b>208.02</b>	<b>2008</b>	<b>208.00</b>
208.10	1991	208.1

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
208.11	1991	V10.60
<b>208.12</b>	<b>2008</b>	<b>208.10</b>
208.20	1991	208.2
208.21	1991	V10.60
<b>208.22</b>	<b>2008</b>	<b>208.20</b>
208.80	1991	208.8
208.81	1991	V10.60
<b>208.82</b>	<b>2008</b>	<b>208.80</b>
208.90	1991	208.9
208.91	1991	V10.60
<b>208.92</b>	<b>2008</b>	<b>208.90</b>
<b>209.00</b>	<b>2008</b>	<b>152.9</b>
<b>209.01</b>	<b>2008</b>	<b>152.0</b>
<b>209.02</b>	<b>2008</b>	<b>152.1</b>
<b>209.03</b>	<b>2008</b>	<b>152.2</b>
<b>209.10</b>	<b>2008</b>	<b>153.9</b>
<b>209.11</b>	<b>2008</b>	<b>153.5</b>
<b>209.12</b>	<b>2008</b>	<b>153.4</b>
<b>209.13</b>	<b>2008</b>	<b>153.6</b>
<b>209.14</b>	<b>2008</b>	<b>153.1</b>
<b>209.15</b>	<b>2008</b>	<b>153.2</b>
<b>209.16</b>	<b>2008</b>	<b>153.3</b>
<b>209.17</b>	<b>2008</b>	<b>154.1</b>
<b>209.20</b>	<b>2008</b>	<b>199.1</b>
<b>209.21</b>	<b>2008</b>	<b>162.2-162.9</b>
<b>209.22</b>	<b>2008</b>	<b>164.0</b>
<b>209.23</b>	<b>2008</b>	<b>151.0-151.9</b>
<b>209.24</b>	<b>2008</b>	<b>189.0-189.1</b>
<b>209.25-209.27; 209.29</b>	<b>2008</b>	<b>199.1</b>
<b>209.30</b>	<b>2008</b>	<b>199.0-199.1</b>
<b>209.40-209.43</b>	<b>2008</b>	<b>211.2</b>
<b>209.50-209.56</b>	<b>2008</b>	<b>211.3</b>
<b>209.57</b>	<b>2008</b>	<b>211.4</b>
<b>209.60</b>	<b>2008</b>	<b>199.0</b>
<b>209.61</b>	<b>2008</b>	<b>212.3</b>
<b>209.62</b>	<b>2008</b>	<b>212.6</b>
<b>209.63</b>	<b>2008</b>	<b>211.1</b>
<b>209.64</b>	<b>2008</b>	<b>223.0-223.1</b>

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
<b>209.65-209.67; 209.69</b>	<b>2008</b>	<b>229.8</b>
233.30-233.32; 233.39	2007	233.3
237.70-237.72	1990	237.7
238.71-238.76	2006	238.7
<b>238.77</b>	<b>2008</b>	<b>996.80-996.89</b>
238.79	2006	238.7
<b>249.00</b>	<b>2008</b>	<b>250.00; 251.8</b>
<b>249.01</b>	<b>2008</b>	<b>250.02; 251.8</b>
<b>249.10</b>	<b>2008</b>	<b>250.10; 251.8</b>
<b>249.11</b>	<b>2008</b>	<b>250. 12; 251.8</b>
<b>249.20</b>	<b>2008</b>	<b>250. 20; 251.8</b>
<b>249.21</b>	<b>2008</b>	<b>250. 22; 251.8</b>
<b>249.30</b>	<b>2008</b>	<b>250. 30; 251.8</b>
<b>249.31</b>	<b>2008</b>	<b>250. 32; 251.8</b>
<b>249.40</b>	<b>2008</b>	<b>250. 40; 251.8</b>
<b>249.41</b>	<b>2008</b>	<b>250. 42; 251.8</b>
<b>249.50</b>	<b>2008</b>	<b>250. 50; 251.8</b>
<b>249.51</b>	<b>2008</b>	<b>250. 52; 251.8</b>
<b>249.60</b>	<b>2008</b>	<b>250. 60; 251.8</b>
<b>249.61</b>	<b>2008</b>	<b>250. 62; 251.8</b>
<b>249.70</b>	<b>2008</b>	<b>250. 70; 251.8</b>
<b>249.71</b>	<b>2008</b>	<b>250. 72; 251.8</b>
<b>249.80</b>	<b>2008</b>	<b>250. 80; 251.8</b>
<b>249.81</b>	<b>2008</b>	<b>250. 82; 251.8</b>
<b>249.90</b>	<b>2008</b>	<b>250. 90; 251.8</b>
<b>249.91</b>	<b>2008</b>	<b>250. 92; 251.8</b>
250.02	1993	250.90
250.03	1993	250.91
250.12	1993	250.10
250.13	1993	250.11
250.22	1993	250.20
250.23	1993	250.21
250.32	1993	250.30
250.33	1993	250.31

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October



<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
250.42	1993	250.40
250.43	1993	250.41
250.52	1993	250.50
250.53	1993	250.51
250.62	1993	250.60
250.63	1993	250.61
250.72	1993	250.70
250.73	1993	250.71
250.82	1993	250.80
250.83	1993	250.81
250.92	1993	250.90
250.93	1993	250.91
252.00-252.02; 252.08	2004	252.0
255.10-255.14	2003	255.1
255.41-255.42	2007	255.4
256.31-256.39	2001	256.3
258.01	2007	258.0
258.02	2007	258.0; 193
258.03	2007	258.0
259.5	2005	257.8
<b>259.50-259.52</b>	<b>2008</b>	<b>259.5</b>
273.4	2004	277.6
275.40-275.42	1997	275.4
275.49	1997	275.4
<b>275.5</b>	<b>2008</b>	<b>275.49</b>
276.50-276.52	2005	276.5
277.02-277.03; 277.09	2002	277.00
277.30-277.31	2006	277.3
277.39	2006	277.3

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
277.7	2001	277.8
277.81-277.84; 277.89	2003	277.8
277.85	2004	277.89
277.86	2004	277.89
277.87	2004	277.89; 758.89
278.00-278.01	1995	278.0
278.02	2005	278.00
<b>279.50-279.53</b>	<b>2008</b>	<b>996.80-996.89</b>
282.41-282.42; 282.49	2003	282.4
282.64	2003	282.63
282.68	2003	282.69
283.10-283.11, 283.19	1993	283.1
284.01	2006	284.0
284.09	2006	284.0
284.1	2006	284.8
284.2	2006	284.8; 285.8
284.81; 284.89	2007	284.8
285.21-285.22, 285.29	2000	285.8
287.30-287.33, 287.39	2005	287.3
288.00-288.04	2006	288.0
288.09	2006	288.0
288.4	2006	288.0
288.50-288.51	2006	288.0; 288.8
288.59	2006	288.0
288.60-288.65	2006	288.8
288.66	2007	288.69
288.69	2006	288.8
289.52	2003	289.59
289.53	2006	288.0
289.81-289.82	2003	289.8

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
289.83	2006	289.89
<b>289.84</b>	<b>2008</b>	<b>287.4</b>
289.89	2003	289.8
291.81	1996	291.8
291.82	2005	291.89
291.89	1996	291.8
292.85	2005	292.89
293.84	1996	293.89
294.10-294.11	2000	294.1
300.82	1996	300.81
305.1	1994	305.10, 305.11, 305.12, 305.13 (codes deleted)
312.81-312.82, 312.89	1994	312.8
315.32	1996	315.39
315.34	2007	315.31; 315.39
320.81-320.89	1992	320.8
323.01-323.02	2006	323.0
323.41-323.42	2006	323.4
323.51-323.52	2006	323.5
323.61-323.63	2006	323.6
323.71-323.72	2006	323.7
323.81-323.82	2006	323.8
327.00	2005	780.51; 780.52
327.01	2005	780.51; 780.52
327.02	2005	307.41
327.09	2005	780.51; 780.52
327.10-327.14	2005	780.53; 780.54

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
327.15	2005	307.43
327.19	2005	780.53; 780.54
327.20-327.27	2005	780.57
327.29	2005	780.51; 780.53; 780.57
327.30-327.37; 327.39	2005	307.45
327.40-327.44; 327.49	2005	780.59
327.51	2005	780.58
327.52	2005	729.82
327.53	2005	306.8
327.59	2005	780.58
327.8	2005	780.50
331.11; 331.19	2003	331.1
331.5	2007	331.3
331.82	2003	331.89
331.83	2006	310.1
333.71-333.72	2006	333.7
333.79	2006	333.7
333.85	2006	333.82
333.92-333.93	1994	333.99
333.94	2006	333.99
<b>337.00-337.01; 337.09</b>	<b>2008</b>	<b>337.0</b>
337.20-337.22, 337.29	1993	337.9
337.3	1998	337.9
338.0	2006	Code to Pain, by site or 348.8
338.11-338.12	2006	Code to Pain, by site
338.18-338.19	2006	Code to Pain, by site
338.21-338.22	2006	Code to Pain, by site
338.28-338.29	2006	Code to Pain, by site
338.3-338.4	2006	Code to Pain, by site
<b>339.00-339.02</b>	<b>2008</b>	<b>346.20-346.21</b>
<b>339.03-339.04</b>	<b>2008</b>	<b>346.90-346.91</b>
<b>339.05; 339.09</b>	<b>2008</b>	<b>784.0</b>
<b>339.10-339.12</b>	<b>2008</b>	<b>307.81</b>
<b>339.20-339.22</b>	<b>2008</b>	<b>784.0</b>

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
<b>339.3</b>	<b>2008</b>	<b>784.0</b>
<b>339.41</b>	<b>2008</b>	<b>346.90-346.91</b>
<b>339.42-339.44</b>	<b>2008</b>	<b>784.0</b>
<b>339.81-339.85; 339.89</b>	<b>2008</b>	<b>784.0</b>
341.20	2006	323.9
341.21	2006	323.8
341.22	2006	323.9
342.00-342.02	1994	342.0
342.10-342.12	1994	342.1
342.80-342.82	1994	342.9
342.90-342.92	1994	342.9
344.00-344.04, 344.09	1994	344.0
344.30-344.32	1994	344.3
344.40-344.42	1994	344.4
344.81, 344.89	1993	344.8
345.00-345.01	1989	345.0
345.10-345.11	1989	345.1
345.40-345.41	1989	345.4
345.50-345.51	1989	345.5
345.60-345.61	1989	345.6
345.70-345.71	1989	345.7
345.80-345.81	1989	345.8
345.90-345.91	1989	345.9
346.00-346.01	1992	346.0
<b>346.02-346.03</b>	<b>2008</b>	<b>346.01</b>
346.10-346.11	1992	346.1
<b>346.12-346.13</b>	<b>2008</b>	<b>346.11</b>
346.20-346.21	1992	346.2
<b>346.22-346.23</b>	<b>2008</b>	<b>346.21</b>
<b>346.30-346.33</b>	<b>2008</b>	<b>346.80-346.81</b>
<b>346.40-346.43</b>	<b>2008</b>	<b>625.4</b>
<b>346.50-346.53</b>	<b>2008</b>	<b>346.00-346.01</b>
<b>346.60-346.63</b>	<b>2008</b>	<b>346.00-346.01</b>
<b>346.70-346.73</b>	<b>2008</b>	<b>346.90-346.91</b>

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
346.80-346.81	1992	346.8
<b>346.82</b>	<b>2008</b>	<b>346.80</b>
<b>346.83</b>	<b>2008</b>	<b>346.81</b>
346.90-346.91	1992	346.9
<b>346.92</b>	<b>2008</b>	<b>346.90</b>
<b>346.93</b>	<b>2008</b>	<b>346.91</b>
347.00-347.01	2004	347
347.10-347.11	2004	347
348.30-348.31; 348.39	2003	348.3
<b>349.31; 349.39</b>	<b>2008</b>	<b>998.2</b>
355.71	1993	354.4
355.79	1993	355.7
357.81-357.82, 357.89	2002	357.8
358.00-358.01	2003	358.0
359.21-359.24; 359.29	2007	359.2
359.81, 359.89	2002	359.8
362.03-362.07	2005	362.02
<b>362.20; 362.22-362.27</b>	<b>2008</b>	<b>362.21</b>
364.81; 364.89	2007	364.8
<b>364.82</b>	<b>2008</b>	<b>364.89</b>
365.83	2002	365.89
371.82	1992	371.89
<b>372.34</b>	<b>2008</b>	<b>372.51</b>
372.81, 372.89	2000	372.8
374.87	1990	374.89

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
377.43	2006	377.49
379.60-379.63	2006	379.99
380.03	2004	733.99
388.45	2007	315.32
389.05-389.06	2007	389.0
389.13	2007	389.12
389.17	2007	389.11
389.20-389.22	2007	389.2
389.15-389.16	2006	389.18
403.00-403.01	1989	403.0
403.10-403.11	1989	403.1
403.90-403.91	1989	403.9
404.00-404.03	1989	404.0
404.10-404.13	1989	404.1
404.90-404.93	1989	404.9
410.00-410.02	1989	410.0
410.10-410.12	1989	410.1
410.20-410.22	1989	410.2
410.30-410.32	1989	410.3
410.40-410.42	1989	410.4
410.50-410.52	1989	410.5
410.60-410.62	1989	410.6
410.70-410.72	1989	410.7
410.80-410.82	1989	410.8
410.90-410.92	1989	410.9
411.81	1989	410.9
411.89	1989	411.8
414.00-414.01	1994	414.0
414.02-414.03	1994	996.03
414.04-414.05	1996	414.00

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
414.06	2002	414.00
414.07	2003	414.06
414.12	2002	414.11
414.2	2007	414.00-414.07
<b>414.3</b>	<b>2008</b>	<b>414.00-414.07</b>
415.11	1995	997.3 & 415.1
415.12	2007	415.19
415.19	1995	415.1
423.3	2007	423.9
426.82	2005	794.31
428.20-428.23	2002	428.0
428.30-428.33	2002	428.0
428.40-428.43	2002	428.0
429.71	1989	410.0-410.9
429.79	1989	410.0-410.9
429.83	2006	429.89
433.00-433.01	1993	433.0
433.10-433.11	1993	433.1
433.20-433.21	1993	433.2
433.30-433.31	1993	433.3
433.80-433.81	1993	433.8
433.90-433.91	1993	433.9
434.00-434.01	1993	434.0
434.10-434.11	1993	434.1
434.90-434.91	1993	434.9
435.3	1995	435.0 & 435.1
437.7	1992	780.9
438.0	1997	294.9 & 438
438.10	1997	784.5 & 438

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October



<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
438.11	1997	784.3 & 438
438.12	1997	784.5 & 438
438.19	1997	784.5 & 438
438.20	1997	342.90 & 438
438.21	1997	342.91 & 438
438.22	1997	342.92 & 438
438.30	1997	344.40 & 438
438.31	1997	344.41 & 438
438.32	1997	344.42 & 438
438.40	1997	344.30 & 438
438.41	1997	344.31 & 438
438.42	1997	344.32 & 438
438.50-438.52	1997	344.89 & 438
438.53	1998	438.50
438.6-438.7	2002	438.89
438.81	1997	784.69 & 438
438.82	1997	787.2 & 438
438.83-438.85	2002	438.89
438.89	1997	438
438.9	1997	438
440.20-440.22	1992	440.2
440.23	1993	440.20 & 707.1 or 707.8 or 707.9
440.24	1993	440.20 & 785.4
440.29	1993	440.20
440.30-440.32	1994	996.1
440.4	2007	440.20-440.29; 440.30-440.32
441.00-441.03	1994	441.0
441.6	1993	441.1 & 441.3
441.7	1993	441.2 & 441.4
443.21	2002	442.81
443.22	2002	442.2
443.23	2002	442.1
443.24	2002	442.89
443.29	2002	442.89
443.82	2005	443.89

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
445.01-445.02	2002	440.29
445.81	2002	440.1
445.89	2002	440.8
446.20-446.21, 446.29	1990	446.2
449	2007	038.0-038.9
451.82-451.84	1993	451.89
453.40-453.42	2004	453.8
454.8	2002	454.9
458.2	1995	997.9 & 458.9
458.21; 458.29	2003	458.2
458.8	1997	458.9
459.10-459.13; 459.19	2002	459.1
459.30-459.33; 459.39	2002	459.89
464.00-464.01	2001	464.0
464.50-464.51	2001	464.0
466.11	1996	466.1
466.19	1996	466.1
474.0#	1997	474.0
474.00-474.02	1997	474.0
477.1	2000	477.8
477.2	2004	477.8
478.11	2006	478.1
478.19	2006	478.1
480.3	2003	480.8

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
482.30-482.39	1992	482.3
482.40-482.41; 482.49	1998	482.4
<b>482.42</b>	<b>2008</b>	<b>482.41 &amp; V09.0</b>
482.81-482.83	1992	482.8
482.84	1997	482.83
482.89	1992	482.8
483.0	1992	483
483.1	1996	078.88 & 484.8
483.8	1992	483
488	2007	487.0-487.8
491.20-491.21	1991	491.2
491.22	2004	491.21
493.20	1989	493.90
493.21	1989	493.91
493.02	2000	493.00
493.12	2000	493.10
493.22	2000	493.20
493.81	2003	519.1
493.82	2003	493.90-493.91
493.92	2000	493.90
494.0-494.1	2000	494
<b>511.81</b>	<b>2008</b>	<b>197.2</b>
<b>511.89</b>	<b>2008</b>	<b>511.8</b>
512.1	1994	997.3
517.3	2003	282.62
518.6	1997	518.89
518.7	2006	997.3
518.81	1987	799.1
518.82-518.89	1987	518.8

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
518.83	1998	518.81
518.84	1998	518.81
519.00-519.02; 519.09	1998	519.0
519.11	2006	519.1
519.19	2006	519.1
521.00-521.05; 521.09	2001	521.0
521.06	2004	521.09
521.07	2004	521.09
521.08	2004	521.09
521.10-521.15	2004	521.1
521.20-521.25	2004	521.2
521.30-521.35	2004	521.3
521.40-521.45	2004	521.4
521.81	2006	873.63; 873.73
521.89	2006	521.8
523.00-523.01	2006	523.0
523.10-523.11	2006	523.1
523.20-523.25	2004	523.2
523.30-523.33	2006	523.3
523.40-523.42	2006	523.4
524.00-524.06; 524.09	1992	524.0
524.07	2004	524.09
524.10-524.12; 524.19	1992	524.1
524.20-524.29	2004	524.2
524.30-524.37; 524.39	2004	524.3
524.50-524.57; 524.59	2004	524.5
524.60-524.63; 524.69	1991	524.6
524.64	2004	524.69
524.70-524.74; 524.79	1992	524.8
524.75-524.76	2004	524.79
524.81-524.82; 524.89	2004	524.8
525.10-525.13; 525.19	2001	525.1
525.20-525.26	2004	525.2
525.40-525.44	2005	525.10
525.50-525.54	2005	525.10

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
525.60-525.67; 525.69	2006	525.8
525.71-525.73; 525.79	2007	525.8
526.61-526.63; 526.69	2006	526.8
528.00-528.02; 528.09	2006	528.0
528.71-528.72; 528.79	2004	528.7
530.10-530.11; 530.19	1993	530.1
530.12	2001	530.10
<b>530.13</b>	<b>2008</b>	<b>530.19</b>
530.20-530.21	2003	530.2
530.81	1993	530.1
530.82-530.84	1993	530.8
530.85	2003	530.2
530.86	2004	997.4
530.87	2004	997.4
530.89	1993	530.8
535.00-535.01	1991	535.0
535.10-535.11	1991	535.1
535.20-535.21	1991	535.2
535.30-535.31	1991	535.3
535.40-535.41	1991	535.4
535.50-535.51	1991	535.5
535.60-535.61	1991	535.6
<b>535.70</b>	<b>2008</b>	<b>535.40</b>
<b>535.71</b>	<b>2008</b>	<b>535.41</b>
536.3	1994	536.8
536.40-536.42, 536.49	1998	997.4
537.82	1990	537.89
537.83	1991	537.82
537.84	2002	531.00
538	2006	558.9
556.0-556.6	1994	556
556.8-556.9	1994	556

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
558.3	2000	558.9
<b>558.41-558.42</b>	<b>2008</b>	<b>558.9</b>
562.02	1991	562.00
562.03	1991	562.01
562.12	1991	562.10
562.13	1991	562.11
564.00-564.09	2001	564.0
564.81	1998	564.8
564.89	1998	564.8
567.21-567.23, 567.29	2005	567.2
567.31	2005	728.89
567.38	2005	567.2
567.39	2005	567.9
567.81-567.82, 567.89	2005	567.8
569.43	2007	565.0
<b>569.44</b>	<b>2008</b>	<b>569.49</b>
569.60-569.61	1995	569.6
569.62	1998	569.69
569.69	1995	569.6
569.84	1990	557.1
569.85	1991	569.84
569.86	2002	569.82
<b>571.42</b>	<b>2008</b>	<b>571.49</b>
574.60	1996	574.00 & 574.30
574.61	1996	574.01 & 574.31
574.70	1996	574.10 & 574.40
574.71	1996	574.11 & 574.41
574.80	1996	574.00 & 574.10 574.30 & 574.40
574.81	1996	574.01 & 574.11 574.31 & 574.41
574.90	1996	574.20 & 574.50
574.91	1996	574.21 & 574.51

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
575.10-575.11	1996	575.1
575.12	1996	575.0 & 575.1
585.1-585.6, 585.9	2005	585
588.81	2004	588.8
588.89	2004	588.8
593.70-593.73	1994	593.7
596.51-596.53	1992	596.5
596.54	1992	344.61
596.55-596.59	1992	596.5
599.60	2005	599.6
599.69	2005	599.6
<b>599.70-599.72</b>	<b>2008</b>	<b>599.7</b>
599.81-599.89	1992	599.8
600.0-600.3, 600.9	2000	600
600.00-600.01	2003	600.0
600.10-600.11	2003	600.1
600.20-600.21	2003	600.2
600.90-600.91	2003	600.9
602.3	2001	602.8
607.85	2003	607.89
608.20-608.24	2006	608.2
608.82	2001	608.83
608.87	2001	608.89
<b>611.81</b>	<b>2008</b>	<b>611.8</b>
<b>611.82</b>	<b>2008</b>	<b>757.6</b>
<b>611.83; 611.89</b>	<b>2008</b>	<b>611.8</b>
<b>612.0-612.1</b>	<b>2008</b>	<b>611.8</b>

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
616.81; 616.89	2006	616.8
618.00-618.05; 618.09	2004	618.0
618.81-618.83	2004	618.8
618.84	2006	618.1
618.89	2004	618.8
621.30-621.33	2004	621.3
622.10-622.12	2004	622.1
624.01-624.02; 624.09	2007	624.0
<b>625.70</b>	<b>2008</b>	<b>625.8</b>
<b>625.71</b>	<b>2008</b>	<b>616.10</b>
<b>625.79</b>	<b>2008</b>	<b>625.8</b>
629.20-629.23	2004	629.8
629.29	2006	629.20
629.81	2006	629.9
629.89	2006	629.8 ** Note correction from 2006 table
633.00-633.01	2002	633.0
633.10-633.11	2002	633.1
633.20-633.21	2002	633.2
633.80-633.81	2002	633.8
633.90-633.91	2002	633.9
645.00-645.01, 645.03	1991	645.0-645.1, 645.3***
645.10-645.11, 645.13	2000	645.00-645.01, 645.03
645.20-645.21, 645.23	2000	645.00-645.01, 645.03
649.00-649.04	2006	648.40-648.44
649.10-649.14	2006	646.10-646.14
649.20-649.24	2006	V23.89
649.30	2006	641.30; 648.90; 666.30
649.31	2006	641.31; 648.91
649.32	2006	648.92; 666.32
649.33	2006	641.33; 648.93
649.34	2006	648.94; 666.34

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October



<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
649.40-649.44	2006	648.90-648.94
649.50-649.51	2006	641.90-641.91
649.53	2006	641.93
649.60-649.64	2006	646.80-646.84
<b>649.70-649.71; 649.73</b>	<b>2008</b>	<b>654.50-654.51; 654.53 654.60-654.61; 654.63</b>
651.30-651.31, 651.33	1989	651.00-651.01, 651.03
651.40-651.41, 651.43	1989	651.10-651.11, 651.13
651.50-651.51, 651.53	1989	651.20-651.21, 651.23
651.60-651.61, 651.63	1989	651.80-651.81, 651.83
651.70-651.71, 651.73	2005	651.8
654.20-654.21, 654.23	1990	654.2, 654.9
654.90-654.94	1990	654.2, 654.9
655.70-655.71	1997	655.8
655.73	1997	655.8
657.00-657.01, 657.03	1991	657.0-657.1, 657.3***
659.60, 659.61, 659.63	1992	659.80-659.81, 659.83
659.70, 659.71, 659.73	1998	656.30, 656.31, 656.33
664.60	2007	664.20
664.61	2007	664.21
664.64	2007	664.24
665.10, 665.11	1992	665.10, 665.11, 665.12, 665.14 Note: The title for the subcategory, 665.1 has been changed, making the fifth-digit subclassification, 665.12 and 665.14 invalid.
670.00, 670.02, 670.04	1991	670.0-670.1, 670.3***
672.00, 672.02, 672.04	1991	672.0-672.1, 672.3***
674.50-674.54	2003	674.80; 674.82; 674.84

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
677	1994	None
<b>678.00-678.01; 678.03</b>	<b>2008</b>	<b>656.80-656.81; 656.83</b>
<b>678.10-678.11; 678.13</b>	<b>2008</b>	<b>653.7</b>
<b>679.00-679.04</b>	<b>2008</b>	<b>656.00-656.01; 656.03</b>
<b>679.10-679.14</b>	<b>2008</b>	<b>656.80-656.81; 656.83</b>
		<b>653.00-656.01; 656.03</b>
686.00-686.01	1997	686.0
686.09	1997	686.0
690.10	1995	690
690.11	1995	691.8 & 704.8
690.12	1995	691.8
690.18	1995	690
690.8	1995	690
692.72-692.74	1992	692.79
692.75	2000	692.79
692.76-692.77	2001	692.71
692.82-692.83	1992	692.89
692.84	2004	692.89
<b>695.10-695.15; 695.19</b>	<b>2008</b>	<b>695.1</b>
<b>695.50-695.59</b>	<b>2008</b>	<b>695.1</b>
702.0-702.8	1991	702
702.11, 702.19	1994	702.1
704.02	1993	704.09
705.21-705.22	2004	780.8
707.00-707.07; 707.09	2004	707.0
707.10-707.15; 707.19	2000	707.1
<b>707.20-707.25</b>	<b>2008</b>	<b>707.00-707.07; 707.09</b>
709.00-709.01; 709.09	1994	709.0
710.5	1992	288.3, 729.1

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
718.70-718.79	2001	718.80-718.89
719.7	2003	719.70; 719.75-719.79 (codes deleted)
727.83	2000	727.89
728.86	1995	729.4
728.87	2003	728.9
728.88	2003	728.89
729.71-729.73; 729.79	2006	729.9
<b>729.90-729.92; 729.99</b>	<b>2008</b>	<b>729.9</b>
731.3	2006	733.99
733.10-733.16, 733.19	1993	733.1
733.45	2007	733.49
733.93	2001	733.16
733.94	2001	733.19
733.95	2001	733.19
<b>733.96-733.98</b>	<b>2008</b>	<b>733.95</b>
738.10-738.19	1992	738.1
747.60-747.64, 747.69	1993	747.6
747.82	1993	747.89
747.83	2002	747.89; 747.9
752.51-752.52	1996	752.5
752.61-752.63	1996	752.6
752.64-752.65	1996	752.8
752.69	1996	752.8
752.81; 752.89	2003	752.8
753.10-753.17; 753.19	1990	753.1
753.20-753.23; 753.29	1996	753.2
756.70-756.71	1997	756.7
756.79	1997	756.7

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
758.31-758.33; 758.39	2004	758.3
758.81	1996	758.8
758.89	1996	758.9
759.81-759.82	1989	759.8
759.83	1994	759.89
759.89	1989	759.8
<b>760.61-760.64</b>	<b>2008</b>	<b>760.6</b>
760.75	1991	760.79
760.76	1994	760.79
760.77-760.78	2005	760.79
763.81-763.83, 763.89	1998	763.8
763.84	2005	770.1
764.00-764.09	1988	764.0
764.10-764.19	1988	764.1
764.20-764.29	1988	764.2
764.90-764.99	1988	764.9
765.00-765.09	1988	765.0
765.10-765.19	1988	765.1
765.20-765.24	2002	765.00-765.09
765.25-765.29	2002	765.10-765.19
766.21-766.22	2003	766.2
767.11, 767.19	2003	767.1
768.7	2006	768.9
770.10-770.18	2005	770.1
770.81-770.84; 770.89	2002	770.8
770.85-770.86	2005	770.1
770.87	2006	770.89
770.88	2006	768.9
771.81-771.83; 771.89	2002	771.8

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
772.10-772.14	2001	772.1
775.81	2006	775.8
775.89	2006	775.8
<b>777.50-777.53</b>	<b>2008</b>	<b>777.5</b>
779.7	2001	772.1
779.81-779.82	2002	779.8
779.83	2003	779.89
779.84	2005	None (omit code)
779.85	2006	779.89
779.89	2002	779.8
780.01-780.02	1992	780.0
780.03	1993	780.01
780.09	1992	780.0
780.31	1997	780.3
780.32	2006	780.39
780.39	1997	780.3
780.57	1992	780.51, 780.53
780.58	2004	780.59
<b>780.60-780.61</b>	<b>2008</b>	<b>780.6</b>
<b>780.62</b>	<b>2008</b>	<b>998.89; 998.59</b>
<b>780.63</b>	<b>2008</b>	<b>999.9</b>
<b>780.64</b>	<b>2008</b>	<b>780.99</b>
<b>780.65</b>	<b>2008</b>	<b>780.99</b>
780.71	1998	780.7
<b>780.72</b>	<b>2008</b>	<b>344.00</b>
780.79	1998	780.7
780.91-780.92	2002	780.9
780.93-780.94	2003	780.99
780.95	2005	780.99
780.96	2006	780.99
780.97	2006	780.99
780.99	2002	780.9

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
781.8	1994	781.9
781.91-781.92	2000	781.9
781.93	2002	723.5
781.94	2003	781.99
781.99	2000	781.9
783.21	2000	783.2
783.22	2000	783.4
783.40-783.43	2000	783.4
783.7	2000	783.4
784.91	2006	473.9
784.99	2006	784.9
785.52	2003	785.59
786.03	1998	786.09
786.04	1998	786.09
786.05	1998	786.09
786.06	1998	786.09
786.07	1998	786.09
787.01-787.03	1994	787.0
787.20-787.24; 787.29	2007	787.2
787.91	1995	558.9
787.99	1995	787.9
788.20-788.21, 788.29	1993	788.2
788.30-788.37; 788.39	1992	788.3
788.38	2004	788.39
788.41-788.43	1993	788.4
788.61-788.62	1993	788.6
788.63	2003	788.69
788.64-788.65	2006	788.69
788.69	1993	788.6
<b>788.91</b>	<b>2008</b>	<b>788.39</b>

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
<b>788.99</b>	<b>2008</b>	<b>788.9</b>
789.00-789.07, 789.09	1994	789.0
789.30-789.37, 789.39	1994	789.3
789.40-789.47, 789.49	1994	789.4
789.51	2007	197.6
789.59	2007	789.5
789.60-789.67, 789.69	1994	789.6
790.01, 790.09	2000	790.0
790.21-790.22, 790.29	2003	790.2
790.91	1993	790.9
790.92	1993	286.9
790.93	1993	790.9
790.94	1997	790.99
790.95	2004	790.99
790.99	1993	790.9
792.5	2000	792.9
793.80-793.81;793.89	2001	793.8
793.91; 793.99	2006	793.9
795.00-795.02; 795.09	2002	795.0
795.03	2004	622.1
795.04	2004	622.1
795.05	2004	795.09
795.06	2006	795.04
<b>795.07</b>	<b>2008</b>	<b>795.09</b>
795.08	2004	795.09
<b>795.10-795.16</b>	<b>2008</b>	<b>795.1# (Conditions at 795.1 now coded to 796.9)</b>
<b>795.18-795.19</b>	<b>2008</b>	<b>795.1# (Conditions at 795.1 now coded to 796.9)</b>
795.31; 795.39	2002	795.3
795.71	1994	795.8 (code deleted)
795.79	1994	795.7
795.8	1986	795.7
795.81-795.82	2006	796.9
795.89	2006	796.9

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
796.5	1997	796.9
796.6	2004	796.9
<b>796.70-796.79</b>	<b>2008</b>	<b>795.1 (Conditions at 795.1 now coded to 796.9)</b>
799.01-799.02	2005	799.0
799.81	2003	799.8
799.89	2003	799.8
813.45	2002	813.42
823.40-823.42	2002	823.80-823.82
840.7	2001	840.8
850.11-850.12	2003	850.1
864.05	1992	864.09
864.15	1992	864.19
909.5	1994	909.9
922.31-922.33	1996	922.3
925.1-925.2	1993	925
958.90-958.93; 958.99	2006	958.8
959.0#	1997	959.0
959.01	1997	854.00
959.09	1997	959.0
959.11-959.14, 959.19	2003	959.1
965.61	1998	965.6
965.69	1998	965.6
989.81-989.84	1995	989.8
989.89	1995	989.8
995.20-995.23	2006	995.2
995.27; 995.29	2006	995.2

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October



Current Code(s) Assignment	Effective October 1	Previous Code(s) Assignment
995.50-995.55; 995.59	1996	995.5
995.60-995.69	1993	995.0
995.7	2000	None
995.80	1996	995.81
995.81#	1996	995.81
995.82-995.85	1996	995.81
995.86	1998	995.89
995.90-995.94	2002	038.0-038.9
996.04	1994	996.09
996.40-996.47, 996.49	2005	996.4
996.51-996.59	1987	996.5
996.55	1998	996.52
996.56	1998	996.59
996.57	2003	996.59
996.60-996.69	1989	996.6
996.68	1998	996.69
996.70-996.79	1989	996.7
996.80-996.84	1987	996.8
996.85	1990	996.89
996.86	1987	996.8
996.87	2000	996.89
996.89	1987	996.8
997.00-997.01	1995	997.0
997.02	1995	997.9 & 430-434, 436
997.09	1995	997.0
<b>997.31; 997.39</b>	<b>2008</b>	<b>997.3</b>
997.71	2001	997.4
997.72	2001	997.5
997.79	2001	997.2
997.91	1995	997.9
997.99	1995	997.9
998.11-998.12	1996	998.1
998.13	1996	998.89
<b>998.30</b>	<b>2008</b>	<b>998.32</b>
<b>998.33</b>	<b>2008</b>	<b>998.32</b>
998.31-998.32	2002	998.3

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
998.51; 998.59	1996	998.5
998.81-998.82	1994	998.8
998.83	1996	998.89
998.89	1994	998.8
999.31	2007	999.3; 996.60-996.69
999.39	2007	999.3
<b>999.81-999.82; 999.88</b>	<b>2008</b>	<b>999.9</b>
<b>999.89</b>	<b>2008</b>	<b>999.8</b>
V01.71; V01.79	2004	V01.7
V01.81; V01.89	2002	V01.8
V01.82	2003	V01.89
V01.83- V01.84	2004	V01.89
V02.51-V02.52; V02.59	1998	V02.5
<b>V02.53-V02.54</b>	<b>2008</b>	<b>V02.59</b>
V02.60-V02.62; V02.69	1997	V02.6
V03.81-V03.82, V03.89	1994	V03.8
V04.81-V04.82, V04.89	2003	V04.8
V05.3-V05.4	1993	V05.8
V06.5-V06.6	1994	V06.8
V07.31, V07.39	1994	V07.3
V07.4	1992	V07.8
<b>V07.51-V07.52; V07.59</b>	<b>2008</b>	<b>V07.8</b>
V08	1994	044.9, 795.8 (codes deleted)
V09.0-V09.91	1993	None
V10.48	1998	V10.49
V10.53	2001	V10.59
V12.00-V12.03, V12.09	1994	V12.0

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
<b>V12.04</b>	<b>2008</b>	<b>V12.09</b>
V12.40-V12.41	1997	V12.4
V12.42	2005	V12.49
V12.49	1997	V12.4
V12.50-V12.52	1995	V12.5
V12.53-V12.54	2007	V12.59
V12.59	1995	V12.5
V12.60-V12.61; V12.69	2005	V12.6
V12.70-V12.72; V12.79	1994	V12.7
V13.00-V13.01, V13.09	1994	V13.0
V13.02-V13.03	2005	V13.09
V13.21	2002	V13.2
V13.22	2007	V13.29
V13.29	2002	V13.2
<b>V13.51-V13.52; V13.59</b>	<b>2008</b>	<b>V13.5</b>
V13.61	1998	V13.6
V13.69	1998	V13.6
V15.01-V15.09	2000	V15.0
<b>V15.21- V15.22; V15.29</b>	<b>2008</b>	<b>V15.2</b>
V15.41-V15.42	1996	V15.4
V15.49	1996	V15.4
<b>V15.51; V15.59</b>	<b>2008</b>	<b>V15.5</b>
V15.82	1994	305.13 (code deleted)
V15.84-V15.86	1995	V15.89
V15.87	2003	V15.89
V15.88	2005	V15.49
V16.40-V16.43; V16.49	1997	V16.4
V16.51	1998	V16.5
V16.52	2007	V16.59
V16.59	1998	V16.5
V17.41; V17.49	2007	V17.4
V17.81; V17.89	2005	V17.8

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
V18.11; V18.19	2007	V18.1
V18.51; V18.59	2006	V18.5
V18.61; V18.69	1998	V18.6
V18.9	2005	V19.8
V21.30-V21.35	2000	None
V23.41; V23.49	2002	V23.4
V23.7	1989	V23.8
V23.81-V23.84; V23.89	1998	V23.8
<b>V23.85-V23.86</b>	<b>2008</b>	<b>V23.89</b>
V25.03	2003	V25.01
V25.04	2007	V25.09
V25.43	1992	V25.49
V25.5	1992	V25.8
V26.21-V26.22, V26.29	2000	V26.2
V26.31-V26.33	2005	V26.3
V26.34-V26.35	2006	V26.31
V26.39	2006	V26.32
V26.41; V26.49	2007	V26.4
V26.51-V26.52	1998	None
V26.81; V26.89	2007	V26.8
V28.6	1997	V28.8
<b>V28.81-V28.82; V28.89</b>	<b>2008</b>	<b>V28.8</b>
V29.0-V29.1	1992	V71.8
V29.2	1994	V29.8
V29.3	1998	V29.8
V29.8	1992	V71.8
V29.9	1992	V71.9
V30.00-V30.01	1989	V30.0
V31.00-V31.01	1989	V31.0
V32.00-V32.01	1989	V32.0
V33.00-V33.01	1989	V33.0
V34.00-V34.01	1989	V34.0

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
V35.00-V35.01	1989	V35.0
V36.00-V36.01	1989	V36.0
V37.00-V37.01	1989	V37.0
V39.00-V39.01	1989	V39.0
V42.81-V42.83	1997	V42.8
V42.84	2000	V42.89
V42.89	1997	V42.8
V43.21-V43.22	2003	V43.2
V43.60-V43.66, V43.69	1994	V43.6
V43.81-V43.82	1995	V43.8
V43.83	1998	V43.89
V43.89	1995	V43.8
V44.50-V44.52; V44.59	1998	V44.5
V45.00	1994	V45.89
V45.01	1994	V45.0
V45.02; V45.09	1994	V45.89
<b>V45.11</b>	<b>2008</b>	<b>V45.1</b>
<b>V45.12</b>	<b>2008</b>	<b>V15.81</b>
V45.51	1994	V45.5
V45.52; V45.59	1994	V45.89
V45.61; V45.69	1997	V45.6
V45.71	1997	611.8
V45.72	1997	569.89
V45.73	1997	593.89
V45.74	2000	593.89, 596.8
V45.75	2000	V45.89
V45.76	2000	518.89
V45.77	2000	602.8, 607.89, 608.89, 620.8, 621.8, 622.8
V45.78	2000	360.89
V45.79	2000	255.8, 289.59, 388.8, 569.49, 577.8, V45.89
V45.82	1994	V45.89

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
V45.83	1995	V45.89
V45.84	2001	None
V45.85	2003	V45.89
V45.86	2006	V45.89
<b>V45.87-V45.88</b>	<b>2008</b>	<b>V45.89</b>
V46.11-V46.12	2004	V46.1
V46.13-V46.14	2005	V46.11
V46.2	2002	V46.8
<b>V46.3</b>	<b>2008</b>	<b>V46.9</b>
V49.60-V49.67	1994	V49.5
V49.70-V49.77	1994	V49.5
V49.81	2000	None
V49.82	2001	None
V49.83	2004	None
V49.84	2005	V49.89
V49.85	2007	369.00-369.9 with 389.00-389.9
V49.89	2000	V49.8
V50.41-V50.42, V50.49	1994	V50.8
<b>V51.0; V51.8</b>	<b>2008</b>	<b>V51</b>
V53.01-V53.02	1997	V53.0
V53.09	1997	V53.0
V53.31-V53.32; V53.39	1994	V53.9
V53.90-V53.91; V53.99	2003	V53.9
V54.01-V54.02, V54.09	2003	V54.0
V54.10-V54.17; V54.19	2002	V54.8
V54.20-V54.27; V54.29	2002	V54.8
V54.81; V54.89	2002	V54.8
V56.1	1995	V58.89
V56.1#	1998	V56.1
V56.2	1998	V56.1
V56.31-V56.32	2000	V56.8

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
V57.21-V57.22	1994	V57.2
V58.11	2005	V58.1
V58.12	2005	140-208;230-239
V58.30-V58.32	2006	V58.3
V58.41	1994	V58.4
V58.42	2002	V58.49
V58.43	2002	V58.49
V58.44	2004	V58.71-V58.78
V58.49	1994	V58.4
V58.61	1995	V67.51
V58.62	1998	V58.69
V58.63-V58.65	2003	V58.69
V58.66-V58.67	2004	V58.69
V58.69	1995	V67.51
V58.71-V58.78	2002	V58.49
V58.81	1994	V58.8
V58.82	1995	V58.89
V58.83	2000	V58.89
V58.89	1994	V58.8
V59.01-V59.02	1995	V59.0
V59.09	1995	V59.0
V59.6	1995	V59.8
V59.70-V59.74	2005	V59.8
<b>V61.01-V61.06; V61.09</b>	<b>2008</b>	<b>V61.0</b>
V61.10-V61.12	1996	V61.1
V61.22	1996	V61.21
<b>V62.21-V62.22; V62.29</b>	<b>2008</b>	<b>V62.2</b>
V62.83	1996	V65.49
V62.84	2005	V62.89
V64.00 -V64.05	2005	V64.0
V64.06	2005	V64.2

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
V64.07 -V64.09	2005	V64.0
V64.4	1997	None
V64.41-V64.43	2003	V64.4
V65.11, V65.19	2003	V65.1
V65.40-V65.45	1994	V65.4
V65.46	2003	V65.49
V65.49	1994	V65.4
V66.7	1996	None
V67.00-V67.01; V67.09	2000	V67.0
V68.01; V68.09	2007	V68.0
V69.0-V69.3	1994	None
V69.4	2004	V69.8
V69.5	2005	V69.8
V69.8-V69.9	1994	None
V71.81	2000	V71.8
V71.82-V71.83	2002	V71.89
V71.89	2000	V71.8
V72.11	2006	V72.1
V72.12	2007	V72.19
V72.19	2006	V72.1
V72.31-V72.32	2004	V72.3
V72.40-V72.41	2004	V72.4
V72.42	2005	V22.0-V22.1
V72.81-V72.85	1993	V72.8
V72.86	2005	V72.83
V73.81	2007	V73.89
V73.88-V73.89	1993	V73.8
V73.98-V73.99	1993	V73.9
V76.10-V76.12	1997	V76.1
V76.19	1997	V76.1
V76.44	1998	V76.49

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October



<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
V76.45	1998	V76.49
V76.46-V76.47	2000	V76.49
V76.50-V76.52	2000	V76.49
V76.81, V76.89	2000	V76.8
V77.91, V77.99	2000	V77.9
V82.71	2006	V26.31
V82.79	2006	V26.32
V82.81, V82.89	2000	V82.8
V83.01-V83.02	2001	None
V83.81	2002	None
V83.89	2002	V19.8
V84.01-V84.04	2004	None
V84.09	2004	None
V84.8	2004	None
V84.81;V84.89	2007	V84.8
V85.0	2005	None
V85.1	2005	None
V85.21-V85.25	2005	None
V85.30-V85.39	2005	None
V85.4	2005	None
V85.51-V85.54	2006	None
V86.0-V86.1	2006	None
<b>V87.01; V87.09</b>	<b>2008</b>	<b>V15.89</b>
<b>V87.11-V87.12; V87.19</b>	<b>2008</b>	<b>V15.89</b>
<b>V87.2</b>	<b>2008</b>	<b>V15.89</b>
<b>V87.31; V87.39</b>	<b>2008</b>	<b>V15.89</b>
<b>V87.41-V87.42; V87.49</b>	<b>2008</b>	<b>V15.89</b>
<b>V88.01-V88.03</b>	<b>2008</b>	<b>V45.77</b>
<b>V89.01</b>	<b>2008</b>	<b>658.00-658.01; 658.03</b>
<b>V89.02</b>	<b>2008</b>	<b>657.00-657.01; 657.03</b>

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
<b>V89.03</b>	<b>2008</b>	<b>655.00-655.01; 655.03 655.10-655.11; 655.13 655.20-655.21; 655.23</b>
<b>V89.04</b>	<b>2008</b>	<b>656.50-656.51; 656.53 656.60-656.61; 656.63</b>
<b>V89.05</b>	<b>2008</b>	<b>654.50-654.51; 654.53 654.60-654.61; 654.63 644.10-644.11; 644.13</b>
<b>V89.09</b>	<b>2008</b>	<b>655.80-655.81; 655.83 656.80-656.81; 656.83</b>
E854.8	1995	E858.8
E869.4	1994	E869.8
E880.1	1995	E884.9
E884.3-E884.4	1995	E884.2
E884.5-E884.6	1995	E884.9
E885.0	2002	E885.9
E885.1-E885.4, E885.9	2000	E885
E888.0	2001	E920
E888.1	2001	E888
E888.8-E888.9	2001	E888
E906.5	1995	E906.3
E908.0-E908.4	1995	E908
E908.8-E908.9	1995	E908
E909.0-E909.4	1995	E909
E909.8-E909.9	1995	E909
E917.3	2001	E917.9
E917.4	2001	E917.9
E917.5	2001	E886.0
E917.6	2001	E917.1

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
E917.7	2001	E888
E917.8	2001	E888
E920.5	1995	E920.4
E922.4	1997	E917.9
E922.5	2002	E922.8
E924.2	1995	E924.0
<b>E927.0-E927.4</b>	<b>2008</b>	<b>E927</b>
<b>E927.8-E927.9</b>	<b>2008</b>	<b>E927</b>
E928.3	2000	E928.8
E928.4	2003	E928.8
E928.5	2003	E928.8
E928.6	2007	E928.8
E933.6-E933.7	2007	E933.8
E955.6	1997	E955.9
E955.7	2002	E955.4
E967.2	1996	E967.0
E967.3	1996	None
E967.4-E967.8	1996	E967.1
E968.5	1995	E968.8
E968.6	1997	E968.8
E968.7	2000	E968.8
E985.6	1997	E985.4
E985.7	2002	E985.4
E979.0-E979.9	2002	E960.0-E966; E968.0-E968.9
E999.0	2002	E999
E999.1	2002	E969

# Code title restated  
2008  
\*\*\*Amended 10/02/2004

Conversion Table of New ICD-9-CM Codes, October

### Procedure Codes

Current Code(s) Assignment	Effective October 1	Previous Code(s) Assignment
00.01	2002	99.99
00.02	2002	99.99
00.03	2002	99.99
00.09	2002	99.99
00.10	2002	99.25
00.11	2002	99.19
00.12	2002	93.98
00.13	2002	99.29
00.14	2002	99.21
00.15	2003	99.28
00.16	2004	None
00.17	2004	99.29
00.18	2005	99.29
00.19	2007	99.29
00.21	2004	88.71
00.22	2004	88.73
00.23	2004	88.77
00.24	2004	88.72
00.25	2004	88.75
00.28	2004	88.79
00.29	2004	88.79
00.31	2004	None
00.32	2004	None
00.33	2004	None
00.34	2004	None
00.35	2004	None
00.39	2004	None
00.40	2005	None
00.41	2005	None
00.42	2005	None
00.43	2005	None
00.44	2006	None
00.45	2005	None
00.46	2005	None
00.47	2005	None
00.48	2005	None
<b>00.49</b>	<b>2008</b>	<b>39.97</b>
00.50	2002	37.80-37.87 and 37.70-37.74, 37.76

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
00.51	2002	37.94
00.52	2002	None
00.53	2002	37.80-37.87
00.54	2002	37.96
00.55	2002	39.90
00.56	2006	89.63
00.57	2006	37.79
<b>00.58</b>	<b>2008</b>	<b>89.61</b>
<b>00.59</b>	<b>2008</b>	<b>89.69</b>
00.61	2004	39.50
00.62	2004	39.50
00.63	2004	00.55, 39.90
00.64	2004	00.55, 39.90
00.65	2004	00.55, 39.90
00.66	2005	36.01 (deleted), 36.02 (deleted), 36.05 (deleted)
<b>00.67</b>	<b>2008</b>	<b>89.61</b>
<b>00.68</b>	<b>2008</b>	<b>89.61</b>
<b>00.69</b>	<b>2008</b>	<b>89.62</b>
00.70	2005	81.53
00.71	2005	81.53
00.72	2005	81.53
00.73	2005	81.53
00.74	2005	None
00.75	2005	None
00.76	2005	None
00.77	2006	None
00.80	2005	81.55
00.81	2005	81.55
00.82	2005	81.55
00.83	2005	81.55
00.84	2005	81.55
00.85	2006	81.51
00.86	2006	81.52
00.87	2006	81.52
00.91	2004	None
00.92	2004	None
00.93	2004	None
00.94	2007	None
01.10	2007	01.18
01.16	2007	01.18

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
01.17	2007	01.18
01.26	2005	None
01.27	2005	None
01.28	2006	01.26
02.96	1992	89.19
03.90	1987	03.99 (Insertion of Catheter)
05.25	1995	39.7
07.83	2007	07.81
07.84	2007	07.82
07.95	2007	07.92
07.98	2007	07.99
11.75	1989	11.79
11.76	1989	11.62
13.90	2006	13.9 (code deleted)
13.91	2006	13.9 (code deleted)
<b>17.11</b>	<b>2008</b>	<b>53.03</b>
<b>17.12</b>	<b>2008</b>	<b>53.04</b>
<b>17.13</b>	<b>2008</b>	<b>53.05</b>
<b>17.21</b>	<b>2008</b>	<b>53.14</b>
<b>17.22</b>	<b>2008</b>	<b>53.15</b>
<b>17.23</b>	<b>2008</b>	<b>53.16</b>
<b>17.24</b>	<b>2008</b>	<b>53.17</b>
<b>17.31</b>	<b>2008</b>	<b>45.71</b>
<b>17.32</b>	<b>2008</b>	<b>45.72</b>
<b>17.33</b>	<b>2008</b>	<b>45.73</b>
<b>17.34</b>	<b>2008</b>	<b>45.74</b>
<b>17.35</b>	<b>2008</b>	<b>45.75</b>
<b>17.36</b>	<b>2008</b>	<b>45.76</b>
<b>17.39</b>	<b>2008</b>	<b>45.79</b>
<b>17.41</b>	<b>2008</b>	<b>None</b>
<b>17.42</b>	<b>2008</b>	<b>None</b>
<b>17.43</b>	<b>2008</b>	<b>None</b>

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
<b>17.44</b>	<b>2008</b>	<b>None</b>
<b>17.45</b>	<b>2008</b>	<b>None</b>
<b>17.49</b>	<b>2008</b>	<b>None</b>
20.96-20.98	1986	20.95
22.12	1988	22.11
26.12	1988	26.11
27.64	2004	27.69
29.31	1991	83.02
29.32	1991	29.3
29.33	1991	29.3
29.39	1991	29.3
31.45	1988	31.43- 31.44
31.95	1989	31.75
32.01	1989	32.0
32.09	1989	32.0
32.20	2007	32.29
32.22	1995	32.29, 32.9
32.23	2006	32.29
32.24	2006	32.29
32.25	2006	32.29
32.26	2006	32.29
32.28	1989	32.29
32.30	2007	32.3 (code deleted)
32.39	2007	32.3 (code deleted)
32.41	2007	32.4 (code deleted)
32.49	2007	32.4 (code deleted)
32.50	2007	32.5 (code deleted)
32.59	2007	32.5 (code deleted)
33.20	2007	33.28
33.27	1987	33.22 + 33.27
33.28	1987	33.27
33.29	1987	33.28- 33.29

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
33.50	1995	33.5
33.51	1995	33.5
33.52	1995	33.5
33.6	1990	33.5 + 37.5
33.71	2006	33.22, 96.05
<b>33.72</b>	<b>2008</b>	<b>33.22</b>
33.78	2006	33.22, 96.05
33.79	2006	33.22, 96.05
34.05	1994	34.99
34.06	2007	34.04
34.20	2007	34.24
34.52	2007	34.51
35.55	2006	35.53
35.84	1988	35.82
35.96	1986	35.03
36.00-36.03	1986	36.0
36.04	1986	39.97
36.05	1986	36.01 <sup>*</sup> , 36.02
		*Before October 1986 contents of current code 36.05 would have been assigned to 36.0.
36.05	1987	36.01
36.06	1995	36.01, 36.02, 36.03, 36.05
36.07	2002	36.06
36.09	1986	36.0
36.09	1991	36.00 (Code deleted)
36.17	1996	36.19
36.31	1998	36.3
36.32	1998	36.3
36.33	2006	36.32
36.34	2006	36.32
36.39	1998	36.3
37.20	2006	37.26
37.26-37.27	1988	37.29
37.28	2001	88.72
37.34	1988	37.33
37.35	1997	37.33



<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
<b>37.36</b>	<b>2008</b>	<b>37.33</b>
37.41	2005	37.99
37.49	2005	37.99
37.51	2003	37.5
37.52	2003	37.62
37.53	2003	37.63
37.54	2003	37.63
<b>37.55</b>	<b>2008</b>	<b>37.64</b>
<b>37.60</b>	<b>2008</b>	<b>37.65</b>
37.65	1995	37.62
37.66	1995	37.62
37.67	1998	37.4
37.68	2004	37.62
37.70 (Leads Only)	1987 (Leads/Device)	37.70
37.71- 37.72 (Leads Only)	1987 (Leads/Device)	37.74
37.73 (Leads Only)	1987 (Leads/Device)	37.73
37.74 (Leads Only)	1987 (Leads/Device)	37.76
37.75 (Leads Only)	1987 (Leads/Device)	37.89
37.76 (Leads Only)	1987 (Leads/Device)	37.81
37.77 (Leads Only)	1987 (Leads/Device)	37.83-37.84
37.78	1987	37.71-37.72
37.79	1987	86.09
37.80-37.87	1992	89.49 (Code deleted, this procedure is included in the code for pacemaker insertion/replacement)
37.80 (Device only)	1987 (Leads/Device)	37.73-37.77
37.81 (Device only)	1987 (Leads/Device)	37.73-37.77
37.82 (Device only)	1987 (Leads/Device)	37.73-37.77
37.83 (Device only)	1987 (Leads/Device)	37.73-37.77
37.85-37.87	1987	37.85
37.89	1987	37.86+37.89
37.90	2004	37.99
37.94-37.98	1986	37.99
38.22	1986	38.29
<b>38.23</b>	<b>2008</b>	<b>00.21-00.29</b>
38.44 (Abdominal Aorta Only)	1986	38.44 (Entire Aorta)
38.45 (Thoracic Aorta Added)	1986	38.44-38.45
38.95	1989	38.93

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
39.28	1991	39.29
39.50	1995	39.59
39.65	1988	39.61
39.66	1990	39.65
39.71	2000	39.52
39.72	2002	39.79
39.73	2005	39.79
39.74	2006	38.01, 38.02
39.79	2000	39.52
39.90	1996	39.50
41.00-41.03	1988	41.0
41.04	1994	99.79
41.05	1997	None
41.06	1997	None
41.07	2000	41.04
41.08	2000	41.05
41.09	2000	41.01
42.25	1988	42.24
42.33	1989	42.32, 42.39
42.33	1990	42.91
43.11	1989	43.1
43.19	1989	43.1, 43.2
43.41	1989	43.41, 43.49
44.21	1986	44.2
44.22	1986	44.99
44.29	1986	44.2
44.32	2001	44.39
44.38	2004	44.39
44.43	1989	43.49, 45.32
44.44	1989	38.86
44.49	1989	43.0
44.67	2004	44.66
44.68	2004	44.69
44.93-44.94	1986	44.99
44.95	2004	44.69
44.96	2004	44.69

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
44.97	2004	44.99
44.98	2004	44.99
45.16	1988	45.14 (45.15 before 1987)
45.30	1989	45.31, 45.32
45.42	1988	45.41
45.43	1989	45.49
45.75	1988	48.66 (Code deleted; Hartmann resection added)
<b>45.81</b>	<b>2008</b>	<b>45.8 (code deleted)</b>
<b>45.82</b>	<b>2008</b>	<b>45.8 (code deleted)</b>
<b>45.83</b>	<b>2008</b>	<b>45.8 (code deleted)</b>
45.95	1987	45.93
46.13	1992	46.12 (Code deleted)
46.32	1989	46.39
46.85	1989	46.99
46.97	2000	46.99
47.01	1996	47.0
47.09	1996	47.0
47.11	1996	47.1
47.19	1996	47.1
48.36	1995	45.42
<b>48.40</b>	<b>2008</b>	<b>48.49</b>
<b>48.42</b>	<b>2008</b>	<b>48.49</b>
<b>48.43</b>	<b>2008</b>	<b>48.49</b>
<b>48.50</b>	<b>2008</b>	<b>48.5 (code deleted)</b>
<b>48.51</b>	<b>2008</b>	<b>48.5 (code deleted)</b>
<b>48.52</b>	<b>2008</b>	<b>48.5 (code deleted)</b>
<b>48.59</b>	<b>2008</b>	<b>48.5 (code deleted)</b>
49.31	1989	49.3
49.39	1989	49.3
49.75	2002	49.79
49.76	2002	49.79
50.13	2007	50.11
50.14	2007	50.19

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
50.23	2006	50.29
50.24	2006	50.29
50.25	2006	50.29
50.26	2006	50.29
51.10	1989	51.97
51.11	1989	51.11, 51.97
51.14	1989	51.12
51.15	1989	51.97
51.21	1996	51.22, 51.23
51.22	1991	51.21 (Code deleted), 51.22
51.23	1991	51.22
51.24	1996	51.22, 51.23
51.64	1989	51.69
51.84-51.88	1989	51.97
51.97	1986	52.91, 51.99, or 51.82
51.98	1986	51.99
52.13	1989	51.97, 52.91
52.14	1989	52.11
52.21	1989	52.2
52.22	1989	52.2
52.84	1996	99.29
52.85	1996	99.29
52.86	1996	99.29
52.93	1989	52.93 +52.91
52.94	1989	52.09
52.97	1989	52.91
52.98	1989	52.91
52.99	1989	52.93, 52.94, 52.99
<b>53.42</b>	<b>2008</b>	<b>53.41</b>
<b>53.43</b>	<b>2008</b>	<b>53.49</b>
<b>53.62</b>	<b>2008</b>	<b>53.61</b>
<b>53.63</b>	<b>2008</b>	<b>53.69</b>
<b>53.71</b>	<b>2008</b>	<b>53.7 (code deleted)</b>
<b>53.72</b>	<b>2008</b>	<b>53.7 (code deleted)</b>
<b>53.75</b>	<b>2008</b>	<b>53.7 (code deleted)</b>
<b>53.83</b>	<b>2008</b>	<b>53.80</b>

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
<b>53.84</b>	<b>2008</b>	<b>53.80</b>
54.24	1987	54.23
54.25	1993	54.98
54.51	1996	54.5
54.59	1996	54.5
55.03-55.04	1986	55.02
55.32	2006	55.39
55.33	2006	55.39
55.34	2006	55.39
55.35	2006	55.39
56.33-56.34	1987	56.33
56.35	1987	45.12
57.17-57.18	1989	57.21
57.22	1989	57.22, 57.82
58.31	1990	58.3
58.39	1990	58.3
58.93	1986	57.99
59.03	1996	59.02
59.12	1996	59.11
59.72	1995	59.79
59.96	1986	59.95
60.21	1995	60.2
60.29	1995	60.2
60.95	1991	60.99
60.96	2000	60.29
60.97	2000	60.29
64.97	1986	64.95
65.01	1996	65.0
65.09	1996	65.0
65.13	1996	65.12
65.14	1996	65.19

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
65.23	1996	65.21
65.24	1996	65.22
65.25	1996	65.29
65.31	1996	65.3
65.39	1996	65.3
65.41	1996	65.4
65.49	1996	65.4
65.53	1996	65.51
65.54	1996	65.52
65.63	1996	65.61
65.64	1996	65.62
65.74	1996	65.71
65.75	1996	65.72
65.76	1996	65.73
65.81	1996	65.8
65.89	1996	65.8
66.01	1992	66.0
66.02	1992	66.73
67.51	2001	67.5
67.59	2001	67.5
68.15	1987	68.14
68.16	1987	68.13
68.23	1996	68.29
68.31	2003	68.3
68.39	2003	68.3
68.41	2006	68.4 (code deleted)
68.49	2006	68.4 (code deleted)
68.51	1996	68.5
68.59	1996	68.5
68.61	2006	68.6 (code deleted)
68.69	2006	68.6 (code deleted)
68.71	2006	68.7 (code deleted)
68.79	2006	68.7 (deleted)
68.9	1992	68.4
70.53	2007	70.50
70.54	2007	70.51

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
70.55	2007	70.52
70.63	2007	70.61
70.64	2007	70.62
70.78	2007	70.77
70.93	2007	70.92
70.94	2007	None
70.95	2007	None
74.3	1992	69.11(Code deleted)
75.37	1998	99.29
75.38	2001	75.34
77.56	1989	77.89, 78.49, 81.18
77.57	1989	77.89, 80.48, 81.18, 83.85
77.58	1989	77.59, 81.18
78.10	1991	78.40
78.11	1991	78.41
78.12	1991	78.42
78.13	1991	78.43
78.14	1991	78.44
78.15	1991	78.45
78.16	1991	78.46
78.17	1991	78.47
78.18	1991	78.48
78.19	1991	78.49
78.20	1991	78.10, 78.20, 78.30
78.21	1991	78.11, 78.31
78.22	1991	78.12, 78.22, 78.32
78.23	1991	78.13, 78.23, 78.33
78.24	1991	78.14, 78.34
78.25	1991	78.15, 78.25, 78.35
78.27	1991	78.17, 78.27, 78.37
78.28	1991	78.18,78.38
78.29	1991	78.11,78.16,78.19, 78.29, 78.39
78.39	1991	78.31
78.90*	1987	78.40
78.91*	1987	78.41
78.92*	1987	78.42

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
78.93*	1987	78.43
78.94*	1987	78.44
78.95*	1987	78.45
78.96*	1987	78.46
78.97*	1987	78.47
78.98*	1987	78.48
78.99*	1987	78.49

\*Codes 78.90-78.99 were retitled as "Insertion of bone growth stimulator" in October 1987; the previous contents of codes 78.90-78.99 were reassigned to codes 78.40-78.49.

80.50-80.59	1986	80.5
<b>80.53</b>	<b>2008</b>	<b>03.99</b>
<b>80.54</b>	<b>2008</b>	<b>03.99</b>
81.03	1989	81.02
81.04-81.05	1989	81.03, 81.04, 81.05
81.06-81.07	1989	81.06, 81.07
81.08	1989	81.06, 81.07, 81.08
81.09	1989	81.08
81.18	2005	81.99
81.30	2001	81.09
81.31	2001	81.09
81.32	2001	81.09
81.33	2001	81.09
81.34	2001	81.09
81.35	2001	81.09
81.36	2001	81.09
81.37	2001	81.09
81.38	2001	81.09
81.39	2001	81.09
81.40	1989	81.69
81.51	1989	81.51,81.59
81.52	1989	81.61,81.62,81.63,81.64
81.53	1989	81.51,81.59,81.61,81.62, 81.63, 81.64
81.54-81.55	1989	81.41
81.56	1989	81.48
81.57	1989	81.31,81.39
81.59	1989	81.39
81.61*	2002	81.00-81.08, 81.30-81.39

\* Code 81.61 was deleted effective 10/01/2005



<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
81.62	2003	None
81.63	2003	None
81.64	2003	None
81.65	2004	78.49
81.66	2004	78.49
81.72	1989	81.79
81.73-81.74	1989	81.86
81.75	1989	81.87
81.79	1989	81.79, 81.87
81.80	1989	81.81
81.97	1992	81.59
84.51	2002	None
84.52	2002	None
84.53	2004	78.30, 78.32-78.35, 78.37-78.39
84.54	2004	78.30, 78.32-78.35, 78.37-78.39
84.55	2004	None
84.56	2005	None
84.57	2005	None
84.58	2005	84.59
84.59	2004	None
84.60	2004	80.51
84.61	2004	80.51
84.62	2004	80.51
84.63	2004	80.51
84.64	2004	80.51
84.65	2004	80.51
84.66	2004	80.51
84.67	2004	80.51
84.68	2004	80.51
84.69	2004	80.51
84.71	2005	None
84.72	2005	None
84.73	2005	None
84.80	2007	84.58 (code deleted)
84.81	2007	78.59
84.82	2007	84.59
84.83	2007	78.59
84.84	2007	84.59
84.85	2007	78.59

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
<b>85.70</b>	<b>2008</b>	<b>85.7 (code deleted)</b>
<b>85.71</b>	<b>2008</b>	<b>85.7 (code deleted)</b>
<b>85.72</b>	<b>2008</b>	<b>85.7 (code deleted)</b>
<b>85.73</b>	<b>2008</b>	<b>85.7 (code deleted)</b>
<b>85.74</b>	<b>2008</b>	<b>85.7 (code deleted)</b>
<b>85.75</b>	<b>2008</b>	<b>85.7 (code deleted)</b>
<b>85.76</b>	<b>2008</b>	<b>85.7 (code deleted)</b>
<b>85.79</b>	<b>2008</b>	<b>85.7 (code deleted)</b>
85.95	1987	85.99
85.96	1987	85.99
86.06	1987	86.09
86.07	1990	86.09
86.27	1986	86.22-86.23
86.28	1988	86.22
86.67	1998	86.65
86.93	1987	86.89
86.94	2004	02.93, 03.93, 04.92
86.95	2004	02.93, 03.93, 04.92
86.96	2004	02.93, 03.93, 04.92
86.97	2005	86.94
86.98	2005	86.95
88.59	2007	88.90
88.90	1986	88.39
88.91	1986	89.15
88.92	1986	89.39
88.93	1986	89.15
88.94	1986	89.39
88.95	1986	89.29
88.96	2002	88.91-88.97
88.97	1989	88.99
88.98	1989	88.90
88.99	1986	89.39
89.10	1989	89.15
89.17-89.18	1988	89.15
89.19	1989	89.15
89.49	2004	89.59

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
89.50	1991	89.54
89.60	2002	89.65
92.20	2005	92.28
92.3	1995	01.59, 04.07, 07.63, 07.68
92.30	1998	92.3
92.31	1998	92.3
92.32	1998	92.3
92.33	1998	92.3
92.39	1998	92.3
92.41	2007	92.25
93.90	1988	93.92
94.61-94.69	1989	94.25
96.29	1998	96.39
96.6	1986	96.35
96.70	1991	93.92 (Code deleted)
96.71	1991	93.92 (Code deleted)
96.72	1991	93.92 (Code deleted)
97.05	1989	51.97
97.44	2001	37.64
98.51-98.52	1989	59.96 (Code deleted)
98.59	1989	59.96 (Code deleted)
99.00	1995	99.02
99.10	1998	99.29
99.15	1986	99.29
99.20	1998	99.29
99.28	1994	99.25
99.71-99.79*	1988	99.07
99.75	2000	99.29
99.76	2002	99.79

\*Codes 99.71-99.79 were deleted in October 1987; their contents were not transferred elsewhere. In the October 1988 revision, codes 99.71-99.79 were reclassified as "Therapeutic apheresis".

<b>Current Code(s) Assignment</b>	<b>Effective October 1</b>	<b>Previous Code(s) Assignment</b>
99.77	2002	None
99.78	2004	99.71
99.85	1987	93.35
99.86	1987	93.39
99.88	1988	99.83