

References

- Andreasen, A. (1995). *Marketing social change: Changing behavior to promote health, social development, and the environment*. San Francisco: Jossey-Bass.
- Backer, T.E., Rogers, E.M., & Sopory, P. (1992). *Designing health communication campaigns: What works*. Thousand Oaks, CA: Sage.
- Baker, D.W. (2006). [Literacy and Cognitive Measures Both Associated with Mortality]. Unpublished raw data.
- Baker, D.W., Gazmararian, J.A., Williams, M.V., Scott, T., Parker, R.M., Green, D., et al. (2002). Functional health literacy and the risk of hospital admission among Medicare managed care enrollees. *American Journal of Public Health, 92*(8), 1278-83.
- Baker, D.W., Parker, R.M., Williams, M.V., & Clark, W.S. (1998). Health literacy and the risk of hospitalization. *Journal of General Internal Medicine, 13*(12), 791-798.
- Baker, D.W., Parker, R.M., Williams, M.V., Clark, W.S., & Nurss, J. (1997). The relationship of patient reading ability to self-reported health and use of health services. *American Journal of Public Health, 87*(6), 1027-1030.
- Baker, D.W., Parker, R.M., Williams, M.V., Coates, W.C., & Pitkin, K. (1996). Use and effectiveness of interpreters in an emergency department. *JAMA, 275*(10), 783-788.
- Baker, D.W., Wolf, M.S., Feinglass, J., Thompson, J.A., Gazmararian, J.A., & Huang, J. (2007). Health literacy and mortality among elderly persons. *Archives of Internal Medicine, 167*(14), 1503-1509.
- Berkman, N.D., DeWalt, D.A., Pignone, M.P., Sheridan, S.L., Lohr, K.N., Lux, L., et al. (2004). *Literacy and Health Outcomes*. Evidence Report/Technology Assessment No. 87 (Prepared by RTI International-University of North Carolina Evidence-based Practice Center). Rockville, MD: Agency for Healthcare Research and Quality.
- Bradshaw, M., Tomany-Korman, S.C., & Flores, G. (in press). Language barriers to prescriptions for patients with limited English proficiency: A survey of pharmacies. *Pediatrics*.
- Brown, S. C., & Park, D. C. (2003). Theoretical models of cognitive aging and implications for translational research in medicine. *The Gerontologist, 43*, Special Issue I, 57-67.
- Centers for Disease Control and Prevention. (2001). *CDCsynergy* [CD-ROM]. Atlanta, GA.

- Cooper, L.A., Beach, M.C., & Clever, S.L. (2005). Participatory decision-making in the medical encounter and its relationship to patient literacy. In *Understanding Health Literacy*. Schwartzberg JG, VanGeest JB, Wang CC, Editors. AMA Press, 141-154.
- David, R.A. & Rhee, M. (1998). The impact of language as a barrier to effective health care in an underserved urban Hispanic community. *Mount Sinai Journal of Medicine*, 65, 393-397.
- Davis, T.C., Holcombe, R.F., Berkel, H.J., Pramanik, S., & Divers, S.G. (1998). Informed consent for clinical trials: a comparative study of standard versus simplified forms. *Journal of the National Cancer Institute*, 90(9), 668-674.
- Davis, T.C., Wolf, M.S., Bass III, P.F., Middlebrooks, M., Kennen, E., Baker, D.W., et al. (2006). Low Literacy Impairs Comprehension of Prescription Drug Warning Labels. *Journal of General Internal Medicine*, 21(8), 847-851.
- DeWalt, D.A., Malone, R.M., Bryant, M.E., Kosnar, M.C., Corr, K.E., Rothman, R.L., et al. (2006). A heart failure self-management program for patients of all literacy levels: A randomized, controlled trial. *BMC Health Services Research*, 6, 30.
- Ebdon, P., Bhatt, A., Carey, O.J., & Harrison, B. (1988). The bilingual consultation. *Lancet*, 13, 347.
- Eva, K.W., Cunningham, J.P.W., Reiter, H.I., Keane, D.R., & Norman, G.R. (2004). How can I know what I don't know? Poor self assessment in a well-defined domain. *Advances in Health Sciences Education*, 9, 211-224.
- Fang, M., Machtlinger, E.L., Wang, F., & Schillinger, D. (2006). Health literacy and anticoagulation-related outcomes among patients taking warfarin. *Journal of General Internal Medicine*, 21(8), 841-846.
- Farrelly, M.C., Davis, K.C., Haviland, L., Messeri, P., & Healton, C.G. (2005). Evidence of a dose-response relationship between "truth" anti-smoking ads and youth smoking prevalence. *American Journal of Public Health*, 95, 425-431.
- Flores, G. (2003). Providing culturally competent pediatric care: Integrating pediatricians, institutions, families, and communities into the process. *Journal of Pediatrics*, 143(1), 1-2.
- Flores, G., Abreu, M., Olivar, M.A., & Kastner, B. (1998). Access barriers to health care for Latino children. *Archives of Pediatrics and Adolescent Medicine*, 152, 1119-1125.
- Freeman, H. (2006). Patient navigation: A community centered approach to reducing cancer mortality. *Journal of Cancer Education*, 21(1), S11-S14.

- Gustafson, D.H., Hawkins, R., Boberg, E., Pingree, S., Serlin, R.E., Graziano, F., & Chan, C.L. (1999). Impact of a patient-centered, computer-based health information/support system. *American Journal of Preventive Medicine*, 16(1), 1-9.
- Haven, J., Burns, A., Herring, D., & Britten, P. (2006). MyPyramid.gov provides consumers with practical nutrition information at their fingertips. *Journal of Nutrition Education and Behavior*, 38, S153-154.
- Hayes, B.K., Hulleat, L.A., & Keil, F.C. (2004). Mechanisms Underlying the Illusion of Explanatory Depth. Manuscript submitted for publication.
- Hentges, E.J. (2006). Development of the MyPyramid food guidance system. *Journal of Nutrition Education and Behavior*, 38, S77.
- Hibbard, J.H., Greene, J., & Tusler, M. (2005). *Screening Medicare Beneficiaries for Health Literacy: Is a Short Screening Test Feasible?* (Publication I.D. 2005-08). Washington, DC: AARP Public Policy Institute.
- Hibbard, J.H., Greene, J., & Tusler, M. (2006). *An Assessment of Beneficiary Knowledge of Medicare Coverage Options and the Prescription Drug Benefit* (Publication I.D. 2006-12). Washington, DC: AARP Public Policy Institute.
- Hibbard, J.H., Mahoney, E.R., Stockard, J., & Tusler, M. (2005). Development and testing of a short form of the patient activation measure. *Health Services Research*, 40, 1918-1930.
- Hibbard, J.H., Peters, E.M., Dixon, A., & Tusler, M. (2007). Consumer competencies and the use of comparative quality information: It isn't just about literacy. *Medical Care Research and Review*, 64(4), 379-394.
- Hibbard, J.H., Stockard, J., Mahoney, E.R., & Tusler, M. (2004). Development of the Patient Activation Measure (PAM): Conceptualizing and measuring activation in patients and consumers. *Health Services Research*, 39, 1005-1026.
- Hibbard, J.H. & Tusler, M. (2007). Assessing activation stage and employing a 'Next Steps' approach to supporting patient self-management. *Journal of Ambulatory Care Management*, 30(1), 2-8.
- Huhman, M., Potter, L.D., Wong, F.L., Banspach, S.W., Duke, J.C., & Heitzer, C.D. (2005). Effects of a mass media campaign to increase physical activity among children: Year-1 results of the VERB campaign. *Pediatrics*, 116, 277-284.
- Inagaki, K. & Hatano, G. (2002). *Young children's naïve thinking about the biological world*. Hove: Psychology Press.
- Institute of Medicine. (2004). *Health Literacy: A Prescription to End Confusion*. Washington, DC: National Academies Press.

- Jibala-Weiss, M.L., Volk, R.J., Friedman, L.C., Granchi, T.S., Neff, N.E., Spann, S.J., Robinson, E.K., Noriaki, A., & Beck, J.R. (2006). Preliminary testing of a just-in-time, user-defined values clarification exercise to aid lower literate women in making informed breast cancer treatment decisions. *Health Expectations*, 9(3), 218.
- Juan, W.Y., Gerrior, S., & Hiza, H. (2006). MyPyramid Tracker assesses food consumption, physical activity, and energy balance status interactively. *Journal of Nutrition Education and Behavior*, 38, S155-157.
- Katz, E. & Lazarsfeld, P.F. (1955). *Personal influence: The part played by people in the flow of mass communication*. NY: The Free Press.
- Kline, K.N. (2003). Popular media and health: Images, effects, and institutions. In T.L. Thompson, A.M. Dorsey, K.L. Miller, & R. Parrott (Eds.), *Handbook of health communication* (pp.557-582). Mahwah, NJ: Lawrence Erlbaum Associates.
- Koyani, S.J., Balley, R.W., & Nall, J.R. (2006). *Research-Based Web Design and Usability Guidelines*. National Cancer Institute. Washington, DC: U.S. Department of Health and Human Services.
- Kripalani, S., Henderson, L., Chui, E.Y., Robertson, R., Kolm, P., & Jacobson, T.A. (2006). Predictors of Medication Self-management Skill in Low-literacy Population. *Journal of General Internal Medicine*, 21(8), 852-856.
- Kriz, S. & Hegarty, M. (2004). Constructing and revising mental models of a mechanical system: The role of domain knowledge in understanding external visualizations. In K. Forbus, D. Gentner, & T. Reiger (Eds.), *Proceedings of the 26th Annual Conference of the Cognitive Science Society*. Mahwah, NJ: Lawrence Erlbaum Associates.
- Kutner, M., Greenberg, E., Jin, Y., & Paulsen, C. (2006). *The Health Literacy of America's Adults: Results from the 2003 National Assessment of Adult Literacy*. Washington, DC: National Center for Education Statistics.
- Launer, J. (1978). Taking medical histories through interpreters: practice in a Nigerian outpatient department. *British Medical Journal*, 2, 934-935.
- Lynch, P. & Horton, S. (2002). *Web Style Guide* (2nd ed.). Retrieved November 20, 2006, from <http://www.webstyleguide.com>
- Maibach, E., & Parrott, R.L. (Eds.). (1995). *Designing health messages: Approaches from communication theory and public health practice*. Thousand Oaks, CA: Sage.
- McCombs, M. & Shaw, D. (1973). The agenda-setting function of the mass media. *Public Opinion Quarterly*, 37, 62-75.

- Mills, C. & Keil, F.C. (2004). Knowing the limits of one's understanding: The development of an awareness of an illusion of explanatory depth. *Journal of Experimental Child Psychology*, 87, 1-32.
- Mosen, D., Schmittdiel, J., Hibbard, J.H., Sobel, D., Remmers, C., & Bellows, J. (2007). Is patient activation associated with outcomes of care for adults with chronic conditions? *Journal of Ambulatory Care Management*, 30(1), 21-29.
- National Cancer Institute. (2001). *Making Health Communication Programs Work*. Bethesda, MD.
- National Institute of Deafness and Other Communication Disorders. (2006). Mission statement. Retrieved May 18, 2007, from <http://www.nidcd.nih.gov/about/learn/mission.asp>
- Neuhauser, L. (2001). Participatory design for better interactive health communication: A statewide model in the U.S.A. *Electronic Journal of Communication/La Revue Electronique de Communication*, 11 (numbers 3 and 4).
- Neuhauser, L., Constantine, W.L., Constantine, N.A., Sokal-Gutierrez, K., Obarski, S.K., Clayton, L., et al. (2007). Promoting prenatal and early childhood health: Evaluation of a statewide materials-based intervention for parents. *American Journal of Public Health*, 97(10), 1803-1807.
- Neuhauser, L. & Kreps, G.L. (2003). Rethinking communication in the e-health era. *Journal of Health Psychology*, 8(1), 7-23.
- Neuhauser, L., Rothschild, B., & Rodriguez, F. (2007). MyPyramid.gov: Assessment of literacy, cultural, and linguistic factors in the USDA Food Pyramid Website. *Journal of Nutrition Education and Behavior*, 39(4), 219-225.
- Nielsen, J. (2000). *Designing Web Usability*. Indianapolis: New Riders Publishing.
- Oluwole, S.F., Ali, A.O., Adu, A., Blane, B.P., Barlow, B., Oropeza, R., et al. (2003). Impact of a cancer screening program on breast cancer stage at diagnosis in a medically underserved urban community. *Journal of the American College of Surgeons*, 196(2), 180-188.
- Paasche-Orlow, M.K., Schillinger, D., Green, S.M., & Wagner, E.H. (2006). How healthcare systems can begin to address the challenge of limited literacy. *Journal of General Internal Medicine*, 21(8):884-887.
- Reardon, K.K. & Rogers, E.M. (1988). Interpersonal versus mass media communication: A false dichotomy. *Human Communication Research*, 15 (2), 284-303.
- Rogers, E.M. (1983). *Diffusion of innovations* (3rd ed.). NY: The Free Press.

- Rozenblit, L.R. & Keil, F.C. (2002). The misunderstood limits of folkscience: An illusion of explanatory depth. *Cognitive Science*, 26, 521-562.
- Rudd, R.E. & Anderson, J.E. (2007). *The Health Literacy Environment of Hospitals and Health Centers. Partners for Action: Making Your Healthcare Facility Literacy-Friendly*. Cambridge, MA: National Center for the Study of Adult Learning and Literacy.
- Rudd, R., Kirsch, I.S., Yamamoto, K. (2004). *Literacy and Health in America*. Princeton, NJ: Center for Global Assessment, Policy Information Center, Research and Development, Educational Testing Services.
- Rudd, R.E., Soricone, L., & Santos, M. (2006a). *Health Literacy Study Circles+: Skills for Chronic Disease Management*. Boston, MA: National Center for the Study of Adult Learning and Literacy.
- Rudd, R.E., Soricone, L., & Santos, M. (2006b). *Health Literacy Study Circles+: Skills for Health Care Access and Navigation*. Boston, MA: National Center for the Study of Adult Learning and Literacy.
- Rudd, R.E., Soricone, L., & Santos, M. (2007). *Health Literacy Study Circles+: Skills for Disease Prevention and Screening*. Boston, MA: National Center for the Study of Adult Learning and Literacy.
- Saba, G., Wong, S.T., Schillinger, D., Fernandez, A., Somkin, C.P., Wilson, C., et al. (2006). Shared decision making and the experience of partnership in primary care. *Annals of Family Medicine*, 4(1), 54-62.
- Schillinger, D., Bindman, A., Stewart, A., Wang, F., & Piette, J. (2004). Health literacy and the quality of physician-patient interpersonal communication. *Patient Education and Counseling*, 3, 315-323.
- Schillinger, D., Hammer, H., & Wang, F. (in press). Seeing in 3-D: Examining the reach of diabetes self-management support strategies in a public healthcare system. *Health Education and Behavior*.
- Schillinger, D., Machtinger, E., Wang, F., Rodriguez, M., & Bindman, A. (2006). The importance of establishing regimen concordance in preventing medication errors in anticoagulant care. *Journal of Health Communication*, 11(6), 555-67.
- Schillinger, D., Wang, F., Grumbach, K., Daher, C., Palacios, J., Diaz-Sullivan, G., et al. (2002). Association of health literacy with diabetes outcomes. *JAMA*, 288, 475-482.
- Sentell, T.L. & Halpin, H.A. (2006). Importance of Adult Literacy in Understanding Health Disparities. *Journal of General Internal Medicine*, 21(8), 862-866.
- Siegel, M., & Doner, L., (1998). *Marketing Public Health: Strategies to promote social change*. Gaithersburg, MD: Aspen.

- Sigelman, C.K., Rinehart, C.S., Sorongon, AG., Bridges, L.J., & Wirtz, P.W. (2004). Teaching a coherent theory of drug action to elementary school children. *Health Education Research*, 19, 501-513.
- Simons, D.J. & Keil, F.C. (1995). An abstract to concrete shift in the development of biological thought: The insides story. *Cognition*, 56, 129-163.
- Skurnik, I., Yoon, C., Park, D., & Schwarz, N. (2005). How warnings about false claims become recommendations. *Journal of Consumer Research*, 31, 713-734.
- Sudore, R.L., et al., (in press). An advance directive redesigned to meet the literacy level of most adults: A randomized trial. *Patient Education and Counseling*.
- Sudore, R.L., Landefeld, C.S., Williams, B., Barnes, D., Lindquist, K., & Schillinger, D. (2006). Use of a modified informed consent process among vulnerable patients: A descriptive study. *Journal of General Internal Medicine*, 21(8), 867-873.
- Sudore, R.L., Yaffe, K., Satterfield, S., Harris, T., Mehta, K., Simonsick, E., et al. (2006). Limited literacy and mortality in the elderly: The health, aging, and body composition study. *Journal of General Internal Medicine*, 21(8), 806-812.
- Taub, H.A., Baker, M.T., & Sturr, J.F. (1986). Effects of readability, patient age, and education. *Journal of the American Geriatrics Society*, 34, 601-606.
- Tichenor, P.J., Donohu, G.A., & Olien, G.N. (1970). Mass media flow and differential growth in knowledge. *Public Opinion Quarterly*, 34(2), 158-170.
- Tichenor, P.J., Donohue, G.A., & Olien, C.N. (1980). *Community conflict and the press*. Newbury Park, CA: Sage.
- United States Department of Health and Human Services, Office of Disease Prevention and Health Promotion (2006a). *Quick Guide to health literacy*. Accessed 8/1/06 from <http://www.health.gov/communication/literacy/quickguide/>
- United States Department of Health and Human Services, website on usability (2006b). Accessed 8/25/06 from <http://www.usability.gov>
- Vaiana, M.E. & McGlynn, E.A. (2002). What cognitive science tells us about the design of reports for consumers. *Medical Care Research and Review*, 59(1), 3-35.
- Weiss, B.D., Francis, L., Senf, J.H., Heist, K., & Hargraves, R. (2006). Literacy education as treatment for depression in patients with limited literacy and depression: A randomized controlled trial. *Journal of General Internal Medicine*, 21(8), 823-828.
- Wolf, M.S., Gazmararian, J.A., & Baker, D.W. (2005). Health literacy and functional health status among older adults. *Archives of Internal Medicine*, 165(17), 1946-1952.

- Zarcadoolas, C., Blanco, M., & Boyer, J.F. (2002). Unweaving the Web: An exploratory study of low-literate adults' navigation skills on the World Wide Web. *Journal of Health Communication*, 7(4), 309-224.
- Zarcadoolas, C., Pleasant, A., & Greer, D.S. (2006). *Advancing Health Literacy: A framework for understanding and action*. San Francisco, CA: Jossey-Bass.