



National Marine Fisheries Service, Northwest Region
7600 Sand Point Way NE, Seattle, WA 98115
www.nwr.noaa.gov



PUBLIC NOTICE

For Information Contact:
Yvonne deReynier (206) 526-6140
Mark Helvey (562) 980-4000

NMFS-SEA-05-12
FOR IMMEDIATE RELEASE
December 27, 2005

PACIFIC COAST GROUND FISH FISHERY **Commercial Trip Limits for 2006** **Proposed Rule for Management Measures in 2006** **Lingcod Stock is Rebuilt**

The National Marine Fisheries Service (NMFS) is providing commercial trip limits that will be effective at 0001 hours (local time) January 1, 2006. These commercial trip limits have not changed since being announced in the last public notice, dated November 30, 2005, and are provided as a courtesy only.

Additionally, NMFS is proposing a rule to implement revisions to the 2006 commercial and recreational groundfish fishery specifications and management measures, which are intended to be effective March 1, 2006. That rule is proposing changes to current groundfish management measures for March through December 2006. These changes were recommended by the Pacific Fishery Management Council (Pacific Council), in consultation with Pacific Coast Treaty Indian Tribes and the States of Washington, Oregon, and California, at its October 31-November 4, 2005, meeting in San Diego, CA. The changes being proposed include: (1) adjustments to the limited entry fixed gear and open access sablefish daily trip limit (DTL) fishery north of 36° N. lat., (2) adjustments to limited entry trawl cumulative limits for sablefish, thornyheads, Dover sole, other flatfish, petrale sole, arrowtooth flounder, slope rockfish, splitnose rockfish, and lingcod, (3) adjustments to limited entry fixed gear and open

access cumulative limits for shelf, shortbelly, and widow rockfish south of 34°27' N. lat. and minor nearshore and black rockfish between 42° N. lat. and 40°10' N. lat., (4) adjustments to the Rockfish Conservation Area (RCA) boundaries, (5) adjustments to Washington, Oregon and California's recreational groundfish fisheries, (6) establishment of limited entry trawl, limited entry fixed gear, and open access trip limits for Pacific cod and spiny dogfish, (7) adjustments to the tribal management measures for Pacific cod, spiny dogfish and thornyheads, and (8) clarification of the non-groundfish trawl RCA. NMFS also proposes to revise the 2006 darkblotched rockfish OY, at the request of the Pacific Council, and under the authority of the Magnuson-Stevens Fishery Conservation and Management Act.

Finally, NMFS announces that the coastwide lingcod stock is no longer considered overfished and is fully rebuilt. For a more detailed description of this proposed rule or information on how to comment on this proposed rule, see the notice published in the Federal Register on December 19, 2005. The proposed rule is also available on our website (www.nwr.noaa.gov) on the groundfish regulations page.

Visit the NMFS Northwest Region website for current groundfish management regulations, VMS information, and RCA boundary coordinates and maps.

<http://www.nwr.noaa.gov>

Join our email list to receive public notices electronically
by sending an email to: westcoastgroundfish@noaa.gov

For more information contact: NMFS Northwest Region at 206-526-6140 or visit our website at <http://www.nwr.noaa.gov>, click on “Pacific Coast Groundfish;” NMFS Southwest Region at 562-980-4000; Washington Department of Fish and Wildlife at 360-249-4628; Oregon Department of Fish and Wildlife at 541-867-4741; or the California Department of Fish and Game at 707-441-5797 (Eureka), 510-581-7358 (Belmont), 562-342-7184 (Los Alamitos), 858-546-7167 (La Jolla).

Any discrepancies between this public notice and the *Federal Register* will be resolved in favor of the *Federal Register*.

👉 Trip limit tables, effective January 1, 2006, are provided below. 👈

Table 3 (North) to Part 660, Subpart G -- 2005-2006 Trip Limits for Limited Entry Trawl Gear North of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

112005

	JAN	FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{6/} :							
North of 40°10' N. lat.	75 fm - modified 200 fm ^{7/}		100 fm - 200 fm		shoreline - 250 fm		
Selective flatfish trawl gear is required shoreward of the RCA; all trawl gear (large footrope, selective flatfish trawl, and small footrope trawl gear) is permitted seaward of the RCA. Midwater trawl gear is permitted only for vessels participating in the primary whiting season.							
See § 660.370 and § 660.381 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.390-660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and Cordell Banks).							
State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California.							
1 Minor slope rockfish^{2/} & Darkblotched rockfish	2,000 lb/ month		4,000 lb/ 2 months				CLOSED
2 Pacific ocean perch	1,500 lb/ month		3,000 lb/ 2 months				
3 DTS complex							
4 Sablefish							
5 large & small footrope gear	7,000 lb/ month	9,500 lb/ 2 months	17,000 lb/ 2 months	18,000 lb/ 2 months		11,000 lb/ 2 months	
6 selective flatfish trawl gear	2,500 lb/ month	10,000 lb/ 2 months		15,000 lb/ 2 months		11,000 lb/ 2 months	
7 multiple bottom trawl gear ^{8/}	2,500 lb/ month	9,500 lb/ 2 months	10,000 lb/ 2 months	15,000 lb/ 2 months		11,000 lb/ 2 months	
8 Longspine thornyhead							
9 large & small footrope gear	7,500 lb/ month	15,000 lb/ 2 months	23,000 lb/ 2 months			7,000 lb/ 2 months	
10 selective flatfish trawl gear	1,500 lb/ month	1,000 lb/ 2 months		8,000 lb/ 2 months		7,000 lb/ 2 months	
11 multiple bottom trawl gear ^{8/}	1,500 lb/ month	1,000 lb/ 2 months		8,000 lb/ 2 months		7,000 lb/ 2 months	
12 Shortspine thornyhead							
13 large & small footrope gear	2,000 lb/ month	3,500 lb/ 2 months	4,900 lb/ 2 months	5,200 lb/ 2 months		3,500 lb/ 2 months	
14 selective flatfish trawl gear	1,500 lb/ month	1,000 lb/ 2 months	3,000 lb/ 2 months	4,000 lb/ 2 months		3,500 lb/ 2 months	
15 multiple bottom trawl gear ^{8/}	1,500 lb/ month	1,000 lb/ 2 months	3,000 lb/ 2 months	4,000 lb/ 2 months		3,500 lb/ 2 months	
16 Dover sole							
17 large & small footrope gear	25,000 lb/ month	69,000 lb/ 2 months	30,000 lb/ 2 months		35,000 lb/ 2 months	20,000 lb/ 2 months	
18 selective flatfish trawl gear	10,000 lb/ month	35,000 lb/ 2 months	35,000 lb/ 2 months			20,000 lb/ 2 months	
19 multiple bottom trawl gear ^{8/}	10,000 lb/ month	35,000 lb/ 2 months	30,000 lb/ 2 months		35,000 lb/ 2 months	20,000 lb/ 2 months	

TABLE 3 (North)

Table 3 (North). Continued

20	Flatfish (except Dover sole)					
21	Other flatfish ^{3/} , English sole & Petrale sole					
22	large & small footrope gear for Other flatfish ^{3/} & English sole	55,000 lb/ month	110,000 lb/ 2 months, no more than 42,000 lb/ 2 months of which may be petrale sole.	110,000 lb/ 2 months, no more than 40,000 lb/ 2 months of which may be petrale sole.	30,000 lb/ 2 months, no more than 2,000 lb/ 2 months of which may be petrale sole.	30,000 lb/ 2 months, retention of petrale sole is prohibited.
23	large & small footrope gear for Petrale sole	30,000 lb/ month				
24	selective flatfish trawl gear	Other flatfish ^{3/} and English sole: 45,000 lb/ month Petrale sole: 12,500 lb/ month	100,000 lb/ 2 months, no more than 35,000 lb/ 2 months of which may be petrale sole.	90,000 lb/ 2 months, no more than 35,000 lb/ 2 months of which may be petrale sole.	30,000 lb/ 2 months, no more than 2,000 lb/ 2 months of which may be petrale sole.	30,000 lb/ 2 months, retention of petrale sole is prohibited.
25	multiple bottom trawl gear ^{8/}	Other flatfish ^{3/} and English sole: 45,000 lb/ month Petrale sole: 12,500 lb/ month	100,000 lb/ 2 months, no more than 35,000 lb/ 2 months of which may be petrale sole.	90,000 lb/ 2 months, no more than 35,000 lb/ 2 months of which may be petrale sole.	30,000 lb/ 2 months, no more than 2,000 lb/ 2 months of which may be petrale sole.	30,000 lb/ 2 months, retention of petrale sole is prohibited.
26	Arrowtooth flounder					
27	large & small footrope gear	50,000 lb/ month	150,000 lb/ 2 months		50,000 lb/ 2 months	
28	selective flatfish trawl gear	40,000 lb/ month	70,000 lb/ 2 months		50,000 lb/ 2 months	
29	multiple bottom trawl gear ^{8/}	40,000 lb/ month	70,000 lb/ 2 months		50,000 lb/ 2 months	
30	Whiting					
31	midwater trawl	Before the primary whiting season: CLOSED -- During the primary season: mid-water trawl permitted in the RCA. See §660.373 for season and trip limit details. -- After the primary whiting season: CLOSED				
32	large & small footrope gear	Before the primary whiting season: 20,000 lb/trip -- During the primary season: 10,000 lb/trip -- After the primary whiting season: 10,000 lb/trip				
33	Minor shelf rockfish ^{1/}, Shortbelly, Widow & Yelloweye rockfish					
34	midwater trawl for Widow rockfish	Before the primary whiting season: CLOSED -- During primary whiting season: In trips of at least 10,000 lb of whiting, combined widow and yellowtail limit of 500 lb/ trip, cumulative widow limit of 1,500 lb/ month. Mid-water trawl permitted in the RCA. See §660.373 for primary whiting season and trip limit details. -- After the primary whiting season: CLOSED				
35	large & small footrope gear	150 lb/ month	300 lb/ 2 months			
36	selective flatfish trawl gear	300 lb/ month	1,000 lb/ month, no more than 200 lb/ month of which may be yelloweye rockfish		300 lb/ month	
37	multiple bottom trawl gear ^{8/}	300 lb/ month	300 lb/ 2 months, no more than 200 lb/ month of which may be yelloweye rockfish		300 lb/ month	

TABLE 3 (North) cont

Table 3 (North). Continued

38	Canary rockfish				
39	large & small footrope gear	CLOSED			
40	selective flatfish trawl gear	100 lb/ month	300 lb/ month	100 lb/ month	
41	multiple bottom trawl gear ^{8/}	CLOSED			
42	Yellowtail				
43	midwater trawl	Before the primary whiting season: CLOSED -- During primary whiting season: In trips of at least 10,000 lb of whiting: combined widow and yellowtail limit of 500 lb/ trip, cumulative yellowtail limit of 2,000 lb/ month. Mid-water trawl permitted in the RCA. See §660.373 for primary whiting season and trip limit details. -- After the primary whiting season: CLOSED			
44	large & small footrope gear	150 lb/ month	300 lb/ 2 months		
45	selective flatfish trawl gear	1,000 lb/ month	2,000 lb/ 2 months		
46	multiple bottom trawl gear ^{8/}	150 lb/ month	300 lb/ 2 months		
47	Minor nearshore rockfish & Black rockfish				
48	large & small footrope gear	CLOSED			
49	selective flatfish trawl gear	300 lb/ month			
50	multiple bottom trawl gear ^{8/}	CLOSED			
51	Lingcod ^{4/}				
52	large & small footrope gear	600 lb/ month	500 lb/ 2 months		
53	selective flatfish trawl gear	600 lb/ month	800 lb/ 2 months	1,000 lb/ 2 months	800 lb/ 2 months
54	multiple bottom trawl gear ^{8/}	600 lb/ month	500 lb/ 2 months		
55	Other Fish ^{5/} & Pacific cod	Not limited			

TABLE 3 (North) cont

1/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish.

2/ Splitnose rockfish is included in the trip limits for minor slope rockfish.

3/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.

4/ The minimum size limit for lingcod is 24 inches (61 cm) total length.

5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."

6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

7/ The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA.

8/ If a vessel has both selective flatfish gear and large or small footrope gear on board during a cumulative limit period (either simultaneously or successively), the most restrictive cumulative limit for any gear on board during the cumulative limit period applies for the entire cumulative limit period.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 3 (South) to Part 660, Subpart G -- 2005-2006 Trip Limits for Limited Entry Trawl Gear South of 40°10' N. Lat.
Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

112005

	JAN	FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA) ^{6/}:							
40°10' - 38° N. lat.	75 fm - 150 fm		100 fm - 200 fm	100 fm - 150 fm		shoreline - 250 fm	
38° - 36° N. lat.	75 fm - 150 fm		100 fm - 150 fm			shoreline - 200 fm	
36° - 34°27' N. lat.	75 fm - 150 fm		100 fm - 150 fm			50 fm - 200 fm	
South of 34°27' N. lat.	75 fm - 150 fm along the mainland coast; shoreline - 150 fm around islands		100 fm - 150 fm along the mainland coast; shoreline - 150 fm around islands			50 fm - 200 fm along the mainland coast; shoreline 200 fm around islands	

Small footrope gear is required shoreward of the RCA; all trawl gear (large footrope, midwater trawl, and small footrope gear) is permitted seaward of the RCA.

See § 660.370 and § 660.381 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions.
See §§ 660.390-660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and Cordell Banks).

State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California.

1 Minor slope rockfish ^{2/} & Darkblotched rockfish									
2	40°10' - 38° N. lat.	4,000 lb/ month	4,000 lb/ 2 months	8,000 lb/ 2 months	20,000 lb/ 2 months	8,000 lb/ 2 months	6,000 lb/ 2 months	CLOSED	
3	South of 38° N. lat.	20,000 lb/ month	40,000 lb/ 2 months						
4 Splitnose									
5	40°10' - 38° N. lat.	4,000 lb/ month	4,000 lb/ 2 months	8,000 lb/ 2 months	20,000 lb/ 2 months	8,000 lb/ 2 months	6,000 lb/ 2 months	CLOSED	
6	South of 38° N. lat.	20,000 lb/ month	40,000 lb/ 2 months						
7 DTS complex									
8	Sablefish	8,500 lb/ month	14,000 lb/ 2 months		16,000 lb/ 2 months		9,000 lb/ 2 months		
9	Longspine thornyhead	9,500 lb / month	19,000 lb / 2 months					11,000 lb/ 2 months	
10	Shortspine thornyhead	2,450 lb/ month	4,200 lb/ 2 months		4,600 lb/ 2 months		3,500 lb/ 2 months		
11	Dover sole	25,000 lb/ month	50,000 lb/ 2 months	40,000 lb/ 2 months			30,000 lb/ 2 months		
12 Flatfish (except Dover sole)									
13 Other flatfish ^{3/} & English sole									
14	40°10' - 38° N. lat.	55,000 lb/ month	Other flatfish, English sole & Petrale sole: 110,000 lb/ 2 months, no more than 42,000 lb/ 2 months of which may be petrale sole. South of 38° N. lat. during October, retention of petrale sole is prohibited.					30,000 lb/ 2 months	
15	South of 38° N. lat.							40,000 lb/ 2 months	
16	Petrale sole	30,000 lb/ month						2,000 lb/ 2 months	CLOSED

TABLE 3 (South)

Table 3 (South). Continued

17	Arrowtooth flounder				
18	40°10' - 38° N. lat.	5,000 lb/ month	10,000 lb/ 2 months		10,000 lb/ 2 months
19	South of 38° N. lat.				5,000 lb/ 2 months
20	Whiting				
21	midwater trawl	Before the primary whiting season: CLOSED -- During the primary season: mid-water trawl permitted in the RCA. See §660.373 for season and trip limit details. -- After the primary whiting season: CLOSED			
22	large & small footrope gear	Before the primary whiting season: 20,000 lb/trip -- During the primary season: 10,000 lb/trip -- After the primary whiting season: 10,000 lb/trip			
23	Minor shelf rockfish^{1/}, Chilipepper, Shortbelly, Widow, & Yelloweye rockfish				
24	large footrope or midwater trawl for Minor shelf rockfish & Shortbelly	300 lb/ month			
25	large footrope or midwater trawl for Chilipepper	1,000 lb/ month	2,000 lb/ 2 months	12,000 lb/ 2 months	8,000 lb/ 2 months
26	large footrope or midwater trawl for Widow & Yelloweye	CLOSED			
27	small footrope trawl	300 lb/ month			
28	Bocaccio				
29	large footrope or midwater trawl	150 lb/ month	300 lb/ 2 months		
30	small footrope trawl	CLOSED			
31	Canary rockfish				
32	large footrope or midwater trawl	CLOSED			
33	small footrope trawl	100 lb/ month	300 lb/ month	100 lb/ month	
34	Cowcod	CLOSED			
35	Minor nearshore rockfish & Black rockfish				
36	large footrope or midwater trawl	CLOSED			
37	small footrope trawl	300 lb/ month			
38	Lingcod^{4/}				
39	large footrope or midwater trawl	600 lb/ month	500 lb/ 2 months		
40	small footrope trawl	600 lb/ month	800 lb/ 2 months	1,000 lb/ 2 months	800 lb/ 2 months
41	Other Fish^{5/} & Cabezon	Not limited			

TABLE 3 (South) cont'

1/ Yellowtail is included in the trip limits for minor shelf rockfish.

2/ POP is included in the trip limits for minor slope rockfish

3/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.

4/ The minimum size limit for lingcod is 24 inches (61 cm) total length.

5/ Other fish are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling. Pacific cod is included in the trip limits for "other fish."

6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

7/ The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 4 (North) to Part 660, Subpart G -- 2005-2006 Trip Limits for Limited Entry Fixed Gear North of 40°10' N. Lat.
Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

112005

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{6/}:						
North of 46°16' N. lat.	shoreline - 100 fm					
46°16' N. lat. - 40°10' N. lat.	30 fm - 100 fm					
See § 660.370 and § 660.382 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.390-660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and Cordell Banks).						
State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California.						
1 Minor slope rockfish^{2/} & Darkblotched rockfish	4,000 lb/ 2 months					
2 Pacific ocean perch	1,800 lb/ 2 months					
3 Sablefish	300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months	300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 3,600 lb/ 2 months			500 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 9,000 lb/ 2 months	
4 Longspine thornyhead	10,000 lb/ 2 months					
5 Shortspine thornyhead	2,000 lb/ 2 months					
6 Dover sole	5,000 lb/ month					
7 Arrowtooth flounder	South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to 1 lb (0.45 kg) of weight per line are not subject to the RCAs.					
8 Petrale sole						
9 English sole						
10 Other flatfish^{1/}						
11 Whiting	10,000 lb/ trip					
12 Minor shelf rockfish^{2/}, Shortbelly, Widow, & Yellowtail rockfish	200 lb/ month					
13 Canary rockfish	CLOSED					
14 Yelloweye rockfish	CLOSED					
15 Minor nearshore rockfish & Black rockfish						
16 North of 42° N. lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}					
17 42° - 40°10' N. lat.	6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}		6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}		
18 Lingcod^{4/}	CLOSED		800 lb/ 2 months		CLOSED	
19 Other fish^{5/} & Pacific cod	Not limited					

TABLE 4 (North)

1/ "Other flatfish" are defined at § 660.302 and include butter sole, curffin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.
 2/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish.
 3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
 4/ The minimum size limit for lingcod is 24 inches (61 cm) total length.
 5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."
 6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.
To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 4 (South) to Part 660, Subpart G -- 2005-2006 Trip Limits for Limited Entry Fixed Gear South of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

112005

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{5/} :							
40°10' - 34°27' N. lat.		30 fm - 150 fm		20 fm - 150 fm		30 fm - 150 fm	
South of 34°27' N. lat.		60 fm - 150 fm (also applies around islands)					
<p>See § 660.370 and § 660.382 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.390-660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and Cordell Banks).</p>							
State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California.							
1	Minor slope rockfish^{2/} & Darkblotched rockfish	40,000 lb/ 2 months					
2	Splitnose	40,000 lb/ 2 months					
3	Sablefish						
4	40°10' - 36° N. lat.	300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months	300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 3,600 lb/ 2 months			500 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 9,000 lb/ 2 months	
5	South of 36° N. lat.	350 lb/ day, or 1 landing per week of up to 1,050 lb					
6	Longspine thornyhead	10,000 lb / 2 months					
7	Shortspine thornyhead	2,000 lb/ 2 months					
8	Dover sole	5,000 lb/ month					
9	Arrowtooth flounder	When fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to 1 lb (0.45 kg) of weight per line are not subject to the RCAs.					
10	Petrале sole						
11	English sole						
12	Other flatfish^{1/}						
13	Whiting	10,000 lb/ trip					
14	Minor shelf rockfish^{2/}, Shortbelly, & Widow rockfish						
15	40°10' - 34°27' N. lat.	300 lb/ 2 months	CLOSED	200 lb/ 2 months		300 lb/ 2 months	
16	South of 34°27' N. lat.	3,000 lb/ 2 months		2,000 lb/ 2 months	3,000 lb/ 2 months		
17	Chilipepper rockfish	2,000 lb/ 2 months, this opportunity only available seaward of the nontrawl RCA					
18	Canary rockfish	CLOSED					
19	Yelloweye rockfish	CLOSED					
20	Cowcod	CLOSED					
21	Bocaccio						
22	40°10' - 34°27' N. lat.	200 lb/ 2 months	CLOSED	100 lb/ 2 months	300 lb/ 2 months		
23	South of 34°27' N. lat.	300 lb/ 2 months		300 lb/ 2 months			
24	Minor nearshore rockfish & Black rockfish						
25	Shallow nearshore	300 lb/ 2 months	CLOSED	500 lb/ 2 months	600 lb/ 2 months	500 lb/ 2 months	300 lb/ 2 months
26	Deeper nearshore						
27	40°10' - 34°27' N. lat.	500 lb/ 2 months	CLOSED	500 lb/ 2 months		400 lb/ 2 months	500 lb/ 2 months
28	South of 34°27' N. lat.			600 lb/ 2 months			400 lb/ 2 months
29	California scorpionfish	300 lb/ 2 months	CLOSED	300 lb/ 2 months	400 lb/ 2 months		300 lb/ 2 months

TABLE 4 (South)

Table 4 (South). Continued

30	Lingcod ^{3/}	CLOSED	800 lb/ 2 months	CLOSED	
31	Other fish ^{4/} & Cabezon	Not limited			

1/ "Other flatfish" are defined at § 660.302 and include butter sole, curffin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.

2/ POP is included in the trip limits for minor slope rockfish. Yellowtail is included in the trip limits for minor shelf rockfish.

3/ The minimum size limit for lingcod is 24 inches (61 cm) total length.

4/ "Other fish" are defined at § 660.302 and include sharks, skates, rattfish, morids, grenadiers, and kelp greenling.

Pacific cod is included in the trip limits for "other fish."

5/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 5 (North) to Part 660, Subpart G -- 2005-2006 Trip Limits for Open Access Gears North of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

112005

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{6/} :							
North of 46°16' N. lat.		shoreline - 100 fm					
46°16' N. lat. - 40°10' N. lat.		30 fm - 100 fm					
<p>See § 660.370 and § 660.383 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.390-660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and Cordell Banks).</p>							
State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California.							
1	Minor slope rockfish ^{1/} & Darkblotched rockfish	Per trip, no more than 25% of weight of the sablefish landed					
2	Pacific ocean perch	100 lb/ month					
3	Sablefish	300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months	300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 3,600 lb/ 2 months			500 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 9,000 lb/ 2 months	
4	Thornyheads	CLOSED					
5	Dover sole	3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to 1 lb (0.45 kg) of weight per line are not subject to the RCAs.					
6	Arrowtooth flounder						
7	Petrale sole						
8	English sole						
9	Other flatfish ^{2/}						
10	Whiting	300 lb/ month					
11	Minor shelf rockfish ^{1/} , Shortbelly, Widow, & Yellowtail rockfish	200 lb/ month					
12	Canary rockfish	CLOSED					
13	Yelloweye rockfish	CLOSED					
14	Minor nearshore rockfish & Black rockfish						
15	North of 42° N. lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}					
16	42° - 40°10' N. lat.	6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}			6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}	
17	Lingcod ^{4/}	CLOSED		300 lb/ month		CLOSED	
18	Other Fish ^{5/} & Pacific cod	Not limited					
19	PINK SHRIMP NON-GROUNDFISH TRAWL (not subject to RCAs)						
20	North	<p>Effective April 1 - October 31: groundfish 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.</p>					

TABLE 5 (North)

Table 5 (North). Continued

21	SALMON TROLL	
22	North	

Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and yellowtail rockfish, and not in addition to that limit. All groundfish species are subject to the open access limits, seasons and RCA restrictions listed in the table above.

- 1/ Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for minor shelf rockfish. Splitnose rockfish is included in the trip limits for minor slope rockfish.
- 2/ "Other flatfish" are defined at § 660.302 and include butter sole, curffin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.
- 3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
- 4/ The size limit for lingcod is 24 inches (61 cm) total length.
- 5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."
- 6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 5 (South) to Part 660, Subpart G -- 2005-2006 Trip Limits for Open Access Gears South of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read § 660.301 - § 660.390 before using this table

112005

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)^{5/} :							
40°10' - 34°27' N. lat.		30 fm - 150 fm		20 fm - 150 fm		30 fm - 150 fm	
South of 34°27' N. lat.		60 fm - 150 fm (also applies around islands)					
<p align="center">See § 660.370 and § 660.383 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.390-660.394 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and Cordell Banks).</p>							
<p align="center">State trip limits may be more restrictive than federal trip limits, particularly in waters off Oregon and California.</p>							
1	Minor slope rockfish^{1/} & Darkblotched rockfish						
2	40°10' - 38° N. lat.	Per trip, no more than 25% of weight of the sablefish landed					
3	South of 38° N. lat.	10,000 lb/ 2 months					
4	Splitnose	200 lb/ month					
5	Sablefish						
6	40°10' - 36° N. lat.	300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 5,000 lb/ 2 months	300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 3,600 lb/ 2 months			500 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 9,000 lb/ 2 months	
7	South of 36° N. lat.	350 lb/ day, or 1 landing per week of up to 1,050 lb					
8	Thornyheads						
9	40°10' - 34°27' N. lat.	CLOSED					
10	South of 34°27' N. lat.	50 lb/ day, no more than 1,000 lb/ 2 months					
11	Dover sole	3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. When fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to 1 lb of weight per line are not subject to the RCAs.					
12	Arrowtooth flounder						
13	Petrale sole						
14	English sole						
15	Other flatfish^{2/}						
16	Whiting	300 lb/ month					
17	Minor shelf rockfish^{1/}, Shortbelly, Widow & Chilipepper rockfish						
18	40°10' - 34°27' N. lat.	300 lb/ 2 months	CLOSED	200 lb/ 2 months		300 lb/ 2 months	
19	South of 34°27' N. lat.	750 lb/ 2 months		500 lb/ 2 months	750 lb/ 2 months		
20	Canary rockfish	CLOSED					
21	Yelloweye rockfish	CLOSED					
22	Cowcod	CLOSED					
23	Bocaccio						
24	40°10' - 34°27' N. lat.	200 lb/ 2 months	CLOSED	100 lb/ 2 months		200 lb/ 2 months	
25	South of 34°27' N. lat.	100 lb/ 2 months		100 lb/ 2 months			
26	Minor nearshore rockfish & Black rockfish						
27	Shallow nearshore	300 lb/ 2 months	CLOSED	500 lb/ 2 months	600 lb/ 2 months	500 lb/ 2 months	300 lb/ 2 months
28	Deeper nearshore						
29	40°10' - 34°27' N. lat.	500 lb/ 2 months	CLOSED	500 lb/ 2 months		400 lb/ 2 months	500 lb/ 2 months
30	South of 34°27' N. lat.			600 lb/ 2 months			
31	California scorpionfish	300 lb/ 2 months	CLOSED	300 lb/ 2 months	400 lb/ 2 months		300 lb/ 2 months

TABLE 5 (South)

Table 5 (South). Continued

32	Lingcod ^{3/}	CLOSED	300 lb/ month, when nearshore open	CLOSED
33	Other Fish ^{4/} & Cabezon	Not limited		
34	PINK SHRIMP NON-GROUNDFISH TRAWL GEAR (not subject to RCAs)			
35	South	<p>Effective April 1 - October 31: Groundfish 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/ month (minimum 24 inch size limit); sablefish 2,000 lb/ month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.</p>		
36	RIDGEBACK PRAWN AND, SOUTH OF 38°57.50' N. LAT., CA HALIBUT AND SEA CUCUMBER NON-GROUNDFISH TRAWL			
37	NON-GROUNDFISH TRAWL Rockfish Conservation Area (RCA) for CA Halibut and Sea Cucumber:			
38	40°10' - 38° N. lat.	75 fm - modified 200 fm ^{7/}	100 fm - 200 fm	100 fm - 150 fm
39	38° - 34°27' N. lat.	75 fm - 150 fm	100 fm - 150 fm	
40	South of 34°27' N. lat.	75 fm - 150 fm along the mainland coast; shoreline - 150 fm around islands	100 fm - 150 fm along the mainland coast; shoreline - 150 fm around islands	
41	NON-GROUNDFISH TRAWL Rockfish Conservation Area (RCA) for Ridgeback Prawn:			
42	40°10' - 38° N. lat.	75 fm - modified 200 fm ^{7/}	100 fm - 200 fm	100 fm - 150 fm
43	38° - 34°27' N. lat.	75 fm - 150 fm	100 fm - 150 fm	
44	South of 34°27' N. lat.	100 fm - 150 fm along the mainland coast; shoreline - 150 fm around islands		
45	<p>Groundfish 300 lb/trip. Trip limits in this table also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38°57'30" N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, starry flounder, rock sole, curlfin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 31).</p>			

TABLE 5 (South) cont

1/ Yellowtail rockfish is included in the trip limits for minor shelf rockfish and POP is included in the trip limits for minor slope rockfish.

2/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.

3/ The size limit for lingcod is 24 inches (61 cm) total length.

4/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling. Pacific cod is included in the trip limits for "other fish."

5/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

6/ The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.