

**Supplemental Materials #1: Rates and Trends for the Top 15 Cancer Sites By Sex and Race/Ethnicity for 1992-1999**  
**SEER Cancer Incidence, 1992-1999**  
**Top 15 Male Cancer Incidence Sites**  
**Age-Adjusted Rates and Annual Percentage Change (APC)**

All Races			Whites			Blacks		
	<u>Rate</u>	<u>APC</u>		<u>Rate</u>	<u>APC</u>		<u>Rate</u>	<u>APC</u>
All Sites	570.5	-2.3*	All Sites	568.2	-2.4*	All Sites	703.6	-2.7*
Prostate	178.9	-4.2*	Prostate	172.9	-4.7*	Prostate	275.3	-3.5*
Lung and Bronchus	84.5	-2.5*	Lung and Bronchus	82.9	-2.5*	Lung and Bronchus	124.1	-2.8*
Colon and Rectum	64.6	-1.0*	Colon and Rectum	64.4	-1.1*	Colon and Rectum	70.7	-1.1
Urinary Bladder	35.5	-0.6*	Urinary Bladder	38.9	-0.6*	Oral Cavity and Pharynx	21.9	-3.4*
Non-Hodgkin Lymphoma	23.7	-0.6	Non-Hodgkin Lymphoma	24.6	-0.8	Stomach	19.6	-2.9
Melanomas of the Skin	19.5	2.9*	Melanoma of the Skin	22.4	2.9*	Urinary Bladder	19.6	-0.1
Oral Cavity and Pharynx	17.0	-2.6*	Leukemia	16.9	-2.0*	Non-Hodgkin Lymphoma	19.0	-0.8
Leukemia	16.0	-1.7*	Oral Cavity and Pharynx	16.7	-2.7*	Pancreas	17.6	-2.1*
Kidney and Renal Pelvis	14.8	0.5	Kidney and Renal Pelvis	15.1	0.5	Kidney and Renal Pelvis	17.1	0.2
Stomach	13.5	-2.1*	Pancreas	12.2	-0.5	Myeloma	13.1	-1.5
Pancreas	12.5	-0.7	Stomach	11.7	-2.3*	Esophagus	12.9	-7.1*
Liver and Intrahepatic Bile Duct	8.1	3.8*	Brain and Other Nervous System	8.5	-0.6	Larynx	12.9	-4.2*
Brain and Other Nervous System	7.7	-0.7	Esophagus	7.1	1.9*	Leukemia	12.6	-1.7
Esophagus	7.5	0.6	Liver and Intrahepatic Bile Duct	6.4	3.9*	Liver and Intrahepatic Bile Duct	9.6	2.6
Larynx	7.5	-3.5*	Testis	5.9	1.1	Other Non-Epithelial Skin	7.5	-11.1*

  

Hispanics#			American Indian or Alaskan Natives			Asian or Pacific Islanders		
	<u>Rate</u>	<u>APC</u>		<u>Rate</u>	<u>APC</u>		<u>Rate</u>	<u>APC</u>
All Sites	393.1	-2.8*	All Sites	277.7	-2.1	All Sites	408.9	-1.1*
Prostate	127.6	-3.4*	Prostate	60.7	-5.7	Prostate	107.2	-3.1*
Lung and Bronchus	44.1	-4.0*	Lung and Bronchus	51.4	-3.3	Lung and Bronchus	63.8	-0.8
Colon and Rectum	43.9	-0.3	Colon and Rectum	40.7	0.3	Colon and Rectum	58.7	0.0
Non-Hodgkin Lymphoma	17.9	-3.2	Kidney and Renal Pelvis	15.6	~	Stomach	24.9	-2.7*
Stomach	17.6	-2.7	Stomach	13.9	~	Liver and Intrahepatic Bile Duct	21.1	2.5*
Urinary Bladder	16.7	-3.0*	Oral Cavity and Pharynx	13.0	~	Non-Hodgkin Lymphoma	17.0	1.1
Kidney and Renal Pelvis	13.0	0.0	Liver and Intrahepatic Bile Duct	8.1	~	Urinary Bladder	16.7	0.4
Liver and Intrahepatic Bile Duct	11.6	1.1	Pancreas	8.0	~	Oral Cavity and Pharynx	13.5	-0.7
Leukemia	11.0	-1.4	Non-Hodgkin Lymphoma	7.8	~	Pancreas	11.3	-2.8
Oral Cavity and Pharynx	10.3	-3.3*	Urinary Bladder	6.6	~	Leukemia	10.1	1.3
Pancreas	9.7	-3.4	Leukemia	5.3	~	Kidney and Renal Pelvis	9.0	1.5
Esophagus	5.5	-1.8	Esophagus	4.9	~	Esophagus	5.6	2.5
Brain and Other Nervous System	5.4	-0.1	Myeloma	3.6	~	Myeloma	4.4	-1.3
Testis	3.4	1.5	Brain and Other Nervous System	3.2	~	Brain and Other Nervous System	4.3	-0.8
Hodgkin Lymphoma	2.8	0.6	Testis	2.6	~	Thyroid	3.9	0.0

Rates are per 100,000 and age-adjusted to the 2000 U.S. standard by 5-year age groups.

~ Statistic could not be calculated.

^ Statistic not displayed due to less than 25 cases.

\* The APC is significantly different from zero (p<0.05).

# Hispanics are not mutually exclusive from Whites, Blacks, Asian or Pacific Islanders, and American Indians or Alaskan Natives.

Data Source - SEER 11 ( San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey and Los Angeles ).

American Indians/Alaskan Natives also include cases diagnosed in Alaska.

Incidence data for Hispanics does not include cases from Detroit or Hawaii.