

6.0 REFERENCES

- Bagley, D., K.A. Booman, L.H. Bruner, P.L. Casterton, J. Demetrulias, J.E. Heinze, J.D. Innis, W.C. McCormick, D.J. Neun, A.S. Rothenstein, and R.I. Sedlak. 1994. The SDA alternatives program phase III: Comparison of *in vitro* data with animal eye irritation data on solvents, surfactants, oxidizing agents, and prototype cleaning products. *J. Toxicol.-Cutan. Ocul.* 13: 127-155.
- Balls, M., P.A. Botham, L.H. Bruner, and H. Spielmann. 1995. The EC/HO international validation study on alternatives to the Draize eye irritation test for classification and labelling of chemicals. *Toxicol. In Vitro* 9: 871-929.
- Brantom P.G., L.H. Bruner, M. Chamberlain, O. DeSilva, J. Dupuis, L.K. Earl, D.P. Lovell, W.J.W. Pape, M. Uttley, D.M. Bagley, F.W. Baker, M. Bracher, P. Courtellemont, I. Declercq, S. Freeman, W. Steiling, A.P. Walker, G.J. Carr, N. Dami, G. Thomas, J. Harbell, P.A. Jones, U. Pfannenbecker, J.A. Southee, M. Tchong, H. Argembeaux, D. Castelli, R. Clothier, D.J. Esdaile, H. Itigaki, K. Jung, Y. Kasai, H. Kojima, U. Kristen, M. Larnicol, R.W. Lewis, K. Marenus, O. Moreno, A. Peterson, E.S. Rasmussen, C. Robles, and M. Stern. 1997. A summary report of the COLIPA international validation study on alternatives to the Draize rabbit eye irritation test. *Toxicol. In Vitro* 11: 141-179.
- Clemedson, C, E. McFarlane-Abdulla, M. Andersson, F.A. Barile, M.C. Calleja, C. Chesné, R. Clothier, M. Cottin, R. Curren, E. Daniel-Szolgay, P. Dierickx, M. Ferro, G. Fiskesjö, L. Garza-Ocanas, M.J. Gómez-Lechón, M. Gülден, B. Isomaa, J. Janus, P. Judge, A. Kahru, R.B. Kemp, G. Kerszman, U. Kristen, M. Kunimoto, S. Kärenlampi, K. Lavrijisen, L. Lewan, H. Lilius, T. Ohno, G. Persoone, R. Roguet, L. Romert, T. Sawyer, H. Seibert, R. Shrivastava, A. Stamatati, N. Tanaka, O. Torres Alanis, J.-U. Voss, S. Wakuri, E. Walum, X. Wang, F. Zucco, and B. Ekwall. 1996. MEIC evaluation of acute systemic toxicity. Part I. Methodology of 68 *in vitro* toxicity assays used to test the first 30 reference chemicals. *ATLA* 24 (Suppl. 1): 249-272.
- Curren, R., L. Bruner, A. Goldberg, and E. Walum. 1998. 13th meeting of the Scientific Group on Methodologies for the Safety Evaluation of Chemicals (SGOMSEC): Validation and acute toxicity testing. *Environ. Health Persp.* 106: (Suppl. 2). 419-425.
- Dickson, F.M., J.N. Lawrence, and D.J. Benford. 1993. Surfactant-induced cytotoxicity in cultures of human keratinocytes and a commercially available cell line (3T3). *Toxicol. In Vitro* 7:381-384.
- Eagle, H. and G.E. Foley. 1956. The cytotoxic action of carcinolytic agents in tissue culture. *Am. J. Med.* 21: 739-745.
- Ekwall, B., F.A. Barile, A. Castano, C. Clemedson, R.H. Clothier, P. Dierickx, Ba. Ekwall, M. Ferro, G. Fiskesjö, L. Garza-Ocanas, M.J. Gómez-Lechón, M. Gülден, T. Hall, B. Isomaa, A. Kahru, G. Kerszman, U. Kristen, M. Kunimoto, S. Kärenlampi, L. Lewan, A. Loukianov, T. Ohno, G. Persoone, L. Romert, T.W. Sawyer, H. Segner, R. Shrivastava, A. Stamatati, N. Tanaka, M. Valentino, E. Walum, and F. Zucco. 1998. MEIC evaluation of acute systemic toxicity. Part VI. Prediction of human toxicity by rodent LD50 values and results from 61 *in vitro* tests. *ATLA* 26 (Suppl. 2): 617-658.
- Ekwall, B., B. Ekwall, and M. Sjostrom. 2000. MEIC evaluation of acute systemic toxicity: Part VIII. Multivariate partial least squares evaluation, including the selection of a battery cell line tests with a good prediction of human acute lethal peak blood concentrations for 50 chemicals. *ATLA* 28 (Suppl. 1): 201-234.

Garle, M., J.H. Fentem, and J.R. Fry. 1994. *In vitro* cytotoxicity tests for the prediction of acute toxicity *in vivo*. *Toxicol. In Vitro* 8: 1303-1312.

Gettings, S.D., D.M. Bagley, M. Chudkowski, J.L. Demetruvias, L.C. Dipasquale, C.L. Galli, R. Gay, K.L. Hintze, J. Janus, K.D. Marenus, M.J. Muscatiello, W.J.W. Pape, K.J. Renskers, M.T. Roddy, and R. Schnetzinger. 1992. Development of potential alternatives to the Draize eye test - The CTFA evaluation of alternatives program - Phase II - Review of materials and methods. *ATLA* 20: 164-171.

Gettings, S.D., D.M. Bagley, J.L. Demetruvias, L.C. Dipasquale, K.L. Hintze, M.G. Rozen, J.J. Teal, S.L. Weise, M. Chudkowski, K.D. Marenus, W.J.W. Pape, M.T. Roddy, R. Schnetzinger, P.M. Silber, S.M. Glaza, and P.J. Kurtz. 1991. The CTFA evaluation alternatives program: An evaluation of *in vitro* alternatives to the Draize primary eye irritation test. (Phase I) Hydro-alcoholic Formulations; (Part 2) Data analysis and biological significance. *In Vitro Toxicol.* 4: 247-288.

Gettings, S.D., L.C. Dipasquale, D.M. Bagley, P.L. Casterton, M. Chudkowski, R.D. Curren, J.L. Demetruvias, P.I. Feder, C.L. Galli, R. Gay, S.M. Glaza, K.L. Hintze, J. Janus, P.J. Kurtz, R.A. Lordo, K.D. Marenus, J. Moral, M. Muscatiello, W.J.W. Pape, K.J. Renskers, M.T. Roddy, and M.G. Rozen. 1994a. The CTFA evaluation of alternatives program: An evaluation of *in vitro* alternatives to the Draize primary eye irritation test. (Phase II) Oil/water emulsions. *Food Chem. Toxicol.* 32: 943-976.

Gettings, S.D., K.L. Hintze, D.M. Bagley, P.L. Casterton, M. Chudkowski, R.D. Curren, J.L. Demetruvias, L.C. Dipasquale, L.K. Earl, P.I. Feder, C.L. Galli, R. Gay, S.M. Glaza, V.C. Gordon, J. Janus, P.J. Kurtz, R.A. Lordo, K.D. Marenus, J. Moral, W.J.W. Pape, K.J. Renskers, L.A. Rheins, M.T. Roddy, M.G. Rozen, J.P. Tedeschi, and J. Zyracki. 1994b. The CTFA evaluation of alternatives program: Phase III (surfactant-based formulations). World Congress on Alternatives and Animal Use in the Life Sciences, Baltimore, Maryland, USA, Nov. 14-19, 1993. *In Vitro Toxicol.* 7 (2): 166.

Gettings, S.D., R.A. Lordo, K.L. Hintze, D.M. Bagley, P.L. Casterton, M. Chudkowski, R.D. Curren, J.L. Demetruvias, L.C. Dipasquale, L.K. Earl, P.I. Feder, C.L. Galli, S.M. Glaza, V.C. Gordon, J. Janus, P.J. Kurtz, K.D. Marenus, J. Moral, W.J. Pape, K.J. Renskers, L.A. Rheins, M.T. Roddy, M.G. Rozen, J.P. Tedeschi, J. Zyracki. 1996. The CFTA evaluation of alternatives program: An evaluation of *in vitro* alternatives to the Draize Primary Eye Irritation Test. (Phase III) Surfactant-based Formulations. *Food Chem. Toxicol.* 34:79-117.

Halle, W. 1998. Toxizitätsprüfungen in Zellkulturen für eine Vorhersage der akuten Toxizität (LD₅₀) zur Einsparung von Tierversuchen. *Life Sciences/ Lebenswissenschaften*, Volume 1, 94 pp., Jülich: Forschungszentrum Jülich.

Halle, W. and H. Spielmann. 1992. Two procedures for the prediction of acute toxicity (LD₅₀) from cytotoxicity data. *ATLA* 20: 40-49.

Harbell, J. W., S. W. Koontz, R.W. Lewis, D. Lovell and D. Acosta. 1997. IRAG working group 4. Cell cytotoxicity assays. Interagency Regulatory Alternatives Group. *Food Chem. Toxicol.* 35:79-126.

Klaassen, C.D. and D.L. Eaton. 1991. Principles of toxicology. In: *Casarett and Doull's Toxicology: The Science of Poisons*, 4th Edition. M.O. Amdur, J. Doull, and C.D. Klaassen, [Eds.], pp. 16-17. Pergamon Press, Inc., New York.

NIEHS (National Institute of Environmental Health Sciences). 2001. Report of the international workshop on *in vitro* methods for assessing acute systemic toxicity. NIH Publication 01-4499. NIEHS, Research Triangle Park, North Carolina.

OECD (Organisation for Economic Co-operation and Development). 1998a. Harmonized Integrated Hazard Classification System for Human Health and Environmental Effects of Chemical Substances as Endorsed by the 28th Joint Meeting of the Chemicals Committee and the Working Party on Chemicals in November 1998, Part 2, p.11. OECD, Paris. <http://www.oecd.org/ehs/class/HCL6.htm>.

OECD (Organisation for Economic Co-operation and Development). 1998b. OECD Guideline for Testing of Chemicals. 425. Acute Oral Toxicity - Up-and-Down Procedure. OECD, Paris. Updated in 2000: <http://www.oecd.org/ehs/test/testlist.htm>.

OECD (Organisation for Economic Co-operation and Development). 1996. OECD Guideline for Testing of Chemicals. 423. Acute Oral Toxicity - Acute Toxic Class Method. OECD, Paris. Updated in 2000: <http://www.oecd.org/ehs/test/testlist.htm>.

OECD (Organisation for Economic Co-operation and Development). 1992. OECD Guideline for Testing of Chemicals. 420. Acute Oral Toxicity - Fixed Dose Method. OECD, Paris. Updated in 2000: <http://www.oecd.org/ehs/test/testlist.htm>.

Ohno, T., M. Asakura, T. Awogi et al. 1998a. Validation study on five cytotoxicity assays by JSAAE. I. Overview of the study and analyses of variations of ED₅₀ values. AATEX 5: 1-38.

Ohno, T., Y. Futamura, A. Harihara et al. 1998b. Validation study on five cytotoxicity assays by JSAAE. VI. Details of the LDH release assay. AATEX 5: 99-118.

Ohno, T., Y. Futamura, A. Harihara et al. 1998c. Validation study on five cytotoxicity assays by JSAAE. VIII. Details of the neutral red uptake assay. AATEX 5: 131-145.

Phillips, J.C., W.B. Gibson, J. Yam, C.L. Alden, and G.C. Hard. 1990. Survey of the QSAR and *in vitro* approaches for developing non-animal methods to supersede the *in vivo* LD₅₀ test. Food Chem. Toxicol. 28: 375-394.

Pomerat, C.M. and C.D. Leake. 1954. Short term cultures for drug assays: general considerations. Ann. New York Acad. Sci. 58: 1110-1128.

Riddell, R.J., D.S. Panacer, S.M. Wilde, R.H. Clothier, and M. Balls. 1986. The importance of exposure period and cell type in *in vitro* cytotoxicity tests. ATLA 14: 86-92.

Seibert, H., M. Balls, J.H. Fentem, V. Bianchi, R.H. Clothier, P.J. Dierickx, B. Ekwall, M.J. Garle, M.J. Gómez-Lechón, L. Gribaldo, M. Gülden, M. Liebsch, E. Rasmussen, R. Roguet, R. Shrivastava, and E. Walum. 1996. Acute toxicity testing *in vitro* and the classification and labeling of chemicals: The report and recommendations of ECVAM Workshop 16. ATLA 24: 499-510.

Sina, J.F., D.M. Galer, R.G. Sussman, P.D. Gautheron, E.V. Sargent, B. Leong, P.V. Shah, R.D. Curren, and K. Miller. 1995. A collaborative evaluation of seven alternatives to the Draize eye irritation test using pharmaceutical intermediates. Fundam. Appl. Toxicol. 26: 20-31.

Smith, C.G., J.E. Grady, and J.I. Northam. 1963. Relationship between cytotoxicity *in vitro* and whole animal toxicity. Cancer Chemoth. Rep. 30: 9-12.

Spielmann, H., M. Balls, J. Dupuis, W.J.W. Pape, G. Pechovitch, O. De Silva, H.-G. Holzhütter, R. Clothier, P. Desolle, F. Gerberick, M. Liebsch, W.W. Lovell, T. Maurer, U. Pfannenbecker, J.M. Potthast,

M. Csato, D. Sladowski, W. Steiling, and P. Brantom. 1998a. EU/COLIPA "*In vitro* phototoxicity" validation study, results of phase II (blind trial), part 1: the 3T3 NRU phototoxicity test. *Toxicol. In Vitro* 12: 305-327.

Spielmann, H., M. Balls, J. Dupuis, W.J.W. Pape, O. De Silva, H.-G. Holzhütter, F. Gerberick, M. Liebsch, W.W. Lovell, and U. Pfannenbecker. 1998b. A study on the phototoxic potential of UV filter chemicals from Annex VII of EU Directive 76/768/EEC in the 3T3 NRU *in vitro* phototoxicity test. *ATLA* 26: 679-705.

Spielmann, H., E. Genschow, M. Liebsch, and W. Halle. 1999. Determination of the starting dose for acute oral toxicity (LD₅₀) testing in the up and down procedure (UDP) from cytotoxicity data. *ATLA* 27: 957-966.

Spielmann, H., S. Gerner, S. Kalweit, R. Moog, T. Wirnsberger, K. Krauser, R. Kreiling, H. Kreuzer, N.P. Luepke, H.G. Miltenburger, N. Müller, P. Murmann, W. Pape, B. Siegmund, J. Spengler, W. Steiling, and F.J. Wiebel. 1991. Interlaboratory assessment of alternatives to the Draize eye irritation test in Germany. *Toxicol. In Vitro* 5: 539-542.

Spielmann H., S. Kalweit, M. Liebsch, T. Wirnsberger, I. Gerner, E. Bertram-Neis, K. Krauser, R. Kreiling, H.G. Miltenburger, W. Pape, and W. Steiling. 1993. Validation study of alternatives to the Draize eye irritation test in Germany: Cytotoxicity testing and HET-CAM test with 136 industrial chemicals. *Toxicol. In Vitro* 7 (4): 505-510.

Spielmann, H., M. Liebsch, S. Kalweit, F. Moldenhauer, T. Wirnsberger, H.G. Holzhütter, B. Schneider, S. Glaser, I. Gerner, W.J.W. Pape, R. Kreiling, K. Krauser, H.G. Miltenburger, W. Steiling, N.P. Luepke, N. Müller, H. Kreuzer, P. Mürmann, J. Spengler, E. Bertram-Neis, B. Siegemund, and F.J. Wiebel. 1996. Results of a validation study in Germany on two *in vitro* alternatives to the Draize eye irritation test, the HET-CAM test and the 3T3 NRU cytotoxicity test. *ATLA* 24: 741-858.

Triglia, D., P.T. Wegener, J. Harbell, K. Wallace, D. Matheson, and C. Shopsis. 1989. Interlaboratory validation study of the keratinocyte neutral red bioassay from Clonetics Corporation. In *Alternative Methods in Toxicology*, Volume 7. A.M. Goldberg, ed., pp. 357-365. Mary Ann Liebert, Inc., New York.

Willshaw, A., L. J. Moore, and M. Balls. 1994. *In vitro* alternatives for the detection of photoirritant chemicals - the EEC COLIPA trial. *Toxicol. In Vitro* 8: 723-725.