
Public Use Data Tape Documentation

nchs

Allergy Skin Testing Tape Number 5309

National Health and Nutrition Examination Survey, 1976-80


U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES • Public Health Service • National Center for Health Statistics



Public Use Data Tape Documentation

Allergy Skin testing Tape Number 5309

National Health and Nutrition Examination Survey, 1976-80



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service
National Center for Health Statistics

Hyattsville, Maryland August 1986

ALLERGY SKIN TESTING, NHANES II

Documentation for Public Use Data Tape

Catalog Number 5309

Allergy Skin Testing, Ages 6-74 Years

This data tape contains demographic and allergy skin testing data for persons 6 through 74 years of age examined in the second National Health and Nutrition Examination Survey (NHANES II), conducted in 1976-1980 by the National Center for Health Statistics, U.S. Public Health Service.

Peter J. Gergen, Lee Annest, Clyde Rippy and Shirley Gray were responsible for the data compilation and technical review necessary to assemble this tape and construct the documentation. Special advice concerning allergy testing was provided by Paul Turkeltaub, M.D., and assistence in data preparation was given by Chuck Roberts, Chris Wolf and Jim Mossiman, Bureau of Biologics, Food and Drug Administration. Preparation of drafts and final copy was accomplished by Sandra Payne and Carol Alexander.

NCHS PUBLIC USE TAPES

Public use data tapes from the National Center for Health Statistics (NCHS) for all NHANES II components will be released as soon as the data have been compiled and documented. NHANES II data tapes are available for purchase from:

National Technical Information Service (NTIS) 5285 Port Royal Road Springfield, Virginia 22161

(703) 487-4650

A list of NCHS public use data tapes that can be purchased from NTIS can be obtained from:

Scientific and Technical Information Branch National Center for Health Statistics Center Building, Room 1-57 3700 East-West Highway Hyattsville, Maryland 20782

(301) 436-8500

USE OF NCHS DATA TAPES

The National Center for Health Statistics requests the cooperation of recipients of data tapes in certain actions related to their use.

Any publication based on the data should acknowledge NCHS as the original source. It should include a disclaimer which credits the authors for any analyses, interpretations, or conclusions, and not NCHS, which is responsible only for the data.

Users who wish to publish a technical description of the data should make a reasonable effort to insure that the description is consistent with that published by NCHS. This does not mean, however, that NCHS will review such descriptions.

NCHS would appreciate receiving reprints of journal articles or other publications based upon findings from the NHANES II survey. Please send them to the address below.

The data tapes have been carefully edited. Some of the continuous data items have extremely high or low values. It has been verified that the values appear that way on the original interview documents; that is, it has been verified that the values have not resulted from incorrect keypunching. Within each data tape numerous consistency checks have been performed. However, due to the large volume of data collected in the survey, it is likely that a small number of errors or discrepancies remain undetected. NCHS would like to be informed if any such errors are detected so that errata sheets can be issued to previous purchasers and corrections made to a new data tape, if appropriate. Please contact:

Division of Health Examination Statistics
National Center for Health Statistics
Center Building, Room 2-58
3700 East-West Highway
Hyattsville, Maryland 20782
(301) 436-7068

CONTENTS

			Page
I.	Nati	onal Health and Nutrition Examination Survey (NHANES II)	
	Α.	History and Scope	1
	B.	Sample Design and Recommendations for Analysis	2
II.	<u> Alle</u>	ergy Skin Testing, Ages 6-74 Years	
	A.	Description	4
	В.	Demographic Data Collection	4
	c.	Allergy Skin Testing Data Collection	5
	D.	Data Editing	5
III.	Tape	Characteristics and Description	
	A.	Tape Characteristics	6
	В.	Index to Tape Positions	7
		1. Demographic Section	7
		2. Sample Weight Section	11
		3. Allergy Skin Testing Data Section	11
	C.	Use of Special Terms	12
	D.	Tape Description	
		1. Demographic Data	13
		2. Allergy Skin Testing Data	39
IV.	Deta	iled Notes	75
٧.	<u>Appe</u>	<u>ndix</u>	
	A.	Data Collection Techniques and Content	95
	В.	Allergy Test	101
VI.	Refe	rences	106

I. NATIONAL HEALTH AND NUTRITION EXAMINATION SURVEY (NHANES II)

A. HISTORY AND SCOPE

- 1. Description of Survey: NHANES II was one of a series of population based surveys conducted by the National Center for Health Statistics to help determine the health status of the Nation. Data were collected through response to questionnaires on medical history, food consumption, and health-related behavior. Data also were collected through direct medical examination. The tape documented here contains data from the demographic and allergy testing parts of the survey for persons 6 through 74 years of age. A detailed description of the design, content, questionnaires, and operation of NHANES II is provided in the following report: Plan and Operation of the Second National Health and Nutrition Examination Survey, 1976-1980, DHHS Pub. No. (PHS) 81-1317, Vital and Health Statistics Series 1, No. 15, Public Health Service, available at cost from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. The stock number is 017-022-00752-5. One copy is provided with the documentation herein, and a general summary of the data collection techniques and content is given in the Appendix.
- 2. Target Population: NHANES II was conducted on a nationwide probability sample of approximately 28,000 persons 6 months through 74 years of age from the civilian, noninstitutionalized population of the United States. The survey started in February 1976 and was completed in February 1980. The NHANES II sample was selected so that certain population groups thought to be at high risk of malnutrition (persons with low incomes, preschool children, and the elderly) were oversampled. Adjusted sampling weights were then computed for 76 age, sex, and race categories to inflate the sample in such a manner as to closely reflect the estimated civilian, noninstitutionalized U.S. population 6 months through 74 years of age at the midpoint of the survey (March 1, 1978).

B. SAMPLE DESIGN AND RECOMMENDATIONS FOR ANALYSIS

NHANES II uses a multistage sample designed to represent the civilian, noninstitutionalized population of the United States, 6 months through 74 years of age. Since the sample is not a simple random one and certain population groups were oversampled, it is necessary to incorporate the person's sample weight for proper analysis of the data. The sample weight is a composite of the individual selection probability, adjustments for nonresponse, and poststratification adjustments.

NHANES II provides information on 20,322 individuals who were both interviewed and examined, and on another 4,954 individuals who were interviewed but not examined, in the age range 6 months through 74 years of age. In addition to the general examination components, several more detailed examinations were performed on subsamples of the population. Therefore, instead of there being one sample weight per person, there are several sample weights for each person. For a person not selected for a particular subsample, the associated subsample weight is zero. When analyzing the special subsamples, the analyst must be careful to select the appropriate sampling weight from the weights found in tape locations 282-317. For a more complete description of how the sample weights are calculated, see the detailed note section of this documentation. This file contains data on all 16,204 examined persons 6 through 74 years of age.

The NHANES II data were collected using a complex sample design involving both clustering and stratification. Because of the complex design and the ratio adjustments applied to the sample weights, the direct application of standard statistical analysis methods for variance estimation and hypothesis testing may be very misleading. The modification of statistical analysis procedures to incorporate the effects of complex survey designs is an important area of research;

however, the current methodologies appropriate for the analysis of data from such surveys have not been made readily available in the standard packaged statistical software.

There are computer programs available which provide the capability of variance estimation for complex sample designs. The balanced repeated replication approach 1 is utilized in &REPERR &PSALMS to calculate the variance-covariance matrix. Both routines are available within the OSIRIS IV library. SURREGR3 and SUPERCARP4 are programs that calculate the variance-covariance matrix using the linearization approach 5 (Taylor series expansion). Another program, SESUDAAN, 6 calculates variances and design effects. SURREGR and SESUDAAN are special procedures for the SAS package, which is available from SAS Institute, Box 8000, Carey, N.C., 27511.

In order to provide the user with the capability of estimating the complex sample variances in the NHANES II data using the above procedures, Strata and Pseudo Primary Sampling Unit (PSU) codes have been provided on all data tapes in positions 324-326. These variables and the sample weights are necessary for the calculation of variances.

Even though the overall number of examined persons in this survey is quite large for statistical inference purposes, subclass analyses can lead to estimators that are unstable, particularly estimates of variances. Consequently, analyses of subclasses require that the user pay particular attention to the coefficient of variation for the estimates of means, proportions and totals. In addition, small sample sizes, or a small number of PSU's used in the variance calculations, may produce unstable estimates of the variances using the above computer programs.

An NCHS publication discusses these issues and describes analytic strategies for examining various hypotheses for the first National Health and Nutrition Examination Survey (NHANES I), which used a similar type of complex sample design.⁷

II. ALLERGY SKIN TESTING, AGES 6-74 YEARS

A. DESCRIPTION

This data tape contains demographic and allergy skin testing data for all examined persons 6 through 74 years of age. Skin tests were given to determine the number of positive reactions to eight allergens, one diluent and one histamine. For positive reactions, the type and size of the reaction were recorded.

B. DEMOGRAPHIC DATA COLLECTION

An advance letter, announcing the forthcoming arrival of an interviewer from the U.S. Bureau of the Census, was mailed to each household that fell into the NHANES II probability sample. The interviewer subsequently visited the household to ascertain its composition, select the sample person(s), and administer demographic and medical history questionnaires. Demographic information relating to the household, the housing unit, and each sample person 6 through 11 years of age was obtained from an available and competent household respondent. (In contrast, the preferred respondent for the medical information for persons 12 through 74 years of age was the actual sample person, with proxy response accepted when the sample person was not available.)

C. ALLERGY SKIN TESTING DATA COLLECTION

Allergy skin testing was conducted at the time of the medical examination. Skin tests were given to sample persons ages 6 through 74 years who consented - see Appendix B for details. The examiner was instructed to record the length and width of the wheal and of the flare at 10 minutes (first reading) and 20 minutes (second reading) after innoculation with the allergen. The "wheal" is distinguished as a raised area in the middle of the reaction and the "flare" is the reddish area, or erythema, around the wheal. Sometimes there can be a wheal without a flare and vise versa. Skin tests were conducted under standardized conditions with care for the stability of the allergens throughout the four-year survey period.

Tape users are referred to a NCHS publication which examined reactivity found in this study and problems associated with the data collection for further details--Series 11-No. 235 <u>Percutaneous Immediate Hypersensitivity to Eight Selected Allergens in the Civilian Noninstitutionalized Population Ages 6-74 Years, United States, 1976-80.</u>

Another NCHS publication describes the complete operational protocol including a copy of the allergy skin testing recording form used during the survey.

D. DATA EDITING

Preliminary editing of the allergy testing forms was done by the Bureau of Biologics, Food and Drug Administration, which then delivered the data to NCHS on punched cards. NCHS personnel verified and corrected, to the extent possible, problematic data and did further edits for consistency, completeness, and accuracy of the data against microfilm records of the original questionnaire where needed.

III. TAPE CHARACTERISTICS AND DESCRIPTION

A. TAPE CHARACTERISTICS

Title: Allergy Skin Testing, Ages 6-74 Years

Catalog Number: 5309

Data Set Name: HEHANES2.DU530901

Record Length: 700

Blocksize: 3500

Density: 1600 BPI

Number of Records: 16,204

Number of Reels: 1

Recording Mode: Fixed Block, EBCDIC

Channel: 9 Track

Created by: Division of Health Examination Statistics

National Center for Health Statistics

Hyattsville, Maryland

B. INDEX TO TAPE POSITIONS

1. <u>Demographic Section</u>	Tape Positions
a. Residence Data	
Sample Sequence Number. Catalog Number (5371-for Demographic Data only). Unused position. Size of place. SMSA-not SMSA. Unused positions. Type of living quarters. Land usage. If rural, asked does this place have 10 acres or more? If 10 acres or more, asked if in the last 12 months did sales of farm produce and livestock amount to \$50 or	6- 9 10 11 12 13-23 24
more? If less than 10 acres, asked if in the last 12 months did sales of farm produce and live stock amount to \$250 or more? Unused position. Total number of persons in household. Total number of sample persons in household.	. 29 . 30-31
Unused position. Family relationship. Examination status. Family unit number. Unused positions. Age-years (at interview). Unused positions. Date of birth-month. Date of birth-year. Sex Race. In what State was he/she born? Is he/she married, widowed, divorced, separated or never married? National origin or ancestry. Education level. Grade completed. What was he/she doing during most of the past 12 months? What was he/she doing? Did he/she work at a job or business at any time during the past three months? Did he/she work full or part-time when working?	35 36 37-41 42-46 47-48 49-50 51-52 53-54 55 56 57-58 59 60-61 62-63 64 65 66

Demographic Section (Cont.)

	Sample Person Data (Cont.)	Tape	Positions
	Was he/she working within last two weeks not counting work around the house?	• • •	, 69
	a job or business?		70 71
	Which - looking for work or on layoff from a job?		72 73-75 76-78
	Was he/she in private company or business or working for individual for wages, salary or commission?		79
	Did he/she ever serve in the armed forces of the U.S.? When did he/she serve?	• • •	. 8 0 8 1
	Unused positions	• • •	82-90
c.	Household Data		
	How many rooms are in this? Count the kitchen, but not the bath		91 92
	Do you have complete kitchen facilities in your living quarters, that is a kitchen sink with piped water, a refrigerator and a range or cookstove? (Asked only of	•••	. 32
	unrelated household members.)	•••	93
	this house? Do you have access to a range or cookstove?		94 95
	Do you have access to a refrigerator?	• • •	96
	Do you have access to a sink with piped water? Is there piped water in this house (these living		97 98
	quarters)? Is there both hot and cold water? Are these kitchen facilities used by anyone not	• • •	99
	living in this household?	• • •	100
	What is the main type of heating system you have? Do you have air conditioning?		101-102 103
	How many motor vehicles are owned or regularly used for transportation by members of your family?	•••	104
	members living here?	•••	105 106
	Which of these income groups represents your total combined family income for the past 12 months?		107-108

Demographic Section (Cont.)

Household Data (Cont.)	Tape Positions
During the past 12 months, how much money did you and all members of your family receive in wages or salaries before deductions (under \$7,000	
	109-112
only)?Social security or railroad retirement?	113
Unused position	114
If yes, how much?	115-118 119
Unused position	120
If yes, how much?	121-124
Unemployment compensation or workmen's compensation?	125
Unused position	126 127-130
Government employee pension or private pensions?	
Unused position	132
If yes, how much?	133-136
Dividends, interest or rent?	137 138
If yes, how much?	
Net income from their own business (nonfarm),	
professional practice, or partnership?	143
Unused position	144
Net income from a farm?	149-140
Unused position	150
If yes, how much?	151-154
Veteran's payments?	
Unused position	
Alimony, child support or other support from	137 100
persons not in household?	161
Unused position	162
If yes, how much?	
Unused position	
If yes, how much?	169-172
Total amount	173-176
Check Item B - Food stamps available	177
stamp program?	178
Are you buying food stamps now?	179
What is the main reason you are not participating	• • •
in the program?Are you certified for commodity distribution program?	180
hie you certified for commounty distribution program!	181

Demographic Section (Cont.)

	Household Data (Cont.)	Tape Positions
	Are you receiving commodity foods now for your family?. Why aren't you participating in the program?. Date of exam Age in years (at examination). Unused positions. Race-sex recode for sample persons. Farm, nonfarm recode for sample person. Interview status. Region. Poverty index. Unused positions.	183 184-189 190-191 192-205 206 207 208 209
d.	Head of Household Data Age in years Unused positions. Date of birth-month Date of birth-year Sex Race In what State was he/she born? Is he/she married, widowed, divorced, separated or never married? National origin or ancestry? Education level Grade completed What was he/she doing most of the past 12 months? What was he/she doing? Did he/she work at job or business during past	249-250 251-252 253-254 255 256 257-258 259 260-261 262-263 264 265
	three months? Did he/she work full or part-time when working? Did he/she work at any time the last two weeks not counting work around the house? Even though he/she did not work, does he/she have a job or business? Was he/she looking for work or on layoff from a job? Which - looking for work or on layoff from a job? Type of industry or business	268 269 270 271 272
	What kind of work was he/she doing?	276-278 279 280

2.	Sample Weight Section	<u>Tape</u>	Positions
	Examined final weight Medical history interview final weight Glucose Tolerance Test final examined	• • • •	282-287 288-293
	weightLead final examined weight	• • • •	294-299 300-305
	Carboxyhemoglobin final examined weight		306-311
	Bile acids final examined weight		312-317
	Unused positions		318-323 324-325
	Pseudo PSU code		324-325
	Poverty Non-Poverty Segments		327
	Unused positions	• • • •	328-400
_	Allower Chin Tooking Data Continu		
٥.	Allergy Skin Testing Data Section		
	Catalog Number	• • •	401-404
	Dummy Records Flag	• • •	405 406-408
	Examiner Number		409-410
	Allergen Manufacturer	• • •	411
	Unused positions	• • •	412-413
	House Dust		414-439
	Alternaria		440-465
	Cat		466-491 492-517
	Ragweed		518-543
	Qak		544-569
	Rye GrassBermuda Grass		570-595 596-621
	Control (Diluent)	• • •	622-647
	Histamine		648-673
	Unused position	• • •	674
	Allergens		
	House Dust	•••	675-676
	AlternariaCat		677-678
	Dog		679-6 80 681- 682
	Ragweed	•••	683-684
	Oak		685-686
	Rye Grass Bermuda Grass		687- 688 689- 690
	Diluent		691-692
	Histamine	•••	693-694

C. USE OF SPECIAL TERMS

For the demographic data, the term "blank, but applicable", is used to indicate a data item that was to have a response for a sample person but for which no usable data were provided. This includes unanswered data fields, as well as those containing impossible entries: i.e., out-of-range or inconsistent with other entries. The term "blank" refers to data items where the sample person was not supposed to respond to the question.

The notation "see detailed note" is intended to refer the user to the section Detailed Notes. In this section, a comprehensive description of the field is given.

TAPE DESCRIPTION

1. DEMOGRAPHIC DATA

TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
RESIDENCE DATA IN POSITIONS 001-034	
POS. 001-005 SAMPLE SEQUENCE NUMBER	•
00037-27796	16,204
POS. 006-009 CATALOG NUMBER	•
5371	16,204
POS. 010 UNUSED POSITION	
POS. 011 SIZE OF PLACE (SEE DETAILED NOTE)	
1=URBANIZED AREA WITH 3,000,000 OR MORE. 2=URBANIZED AREA 1,000,000 TO 2,999,999. 3=URBANIZED AREA WITH 250,000 TO 999,999. 4=URBANIZED AREA UNDER 250,000. 5=URBAN PLACE 25,000 OR MORE OUTSIDE URBANIZED AREA. 6=URBAN PLACE 10,000-24,999 OUTSIDE URBANIZED AREA. 7=URBAN PLACE 2,500-9,999 OUTSIDE URBANIZED AREA. 8=RURAL	2,030 2,053 1,997 1,487 758 753 1,257 5,869
POS. 012 SMSA-NOT SMSA (SEE DETAILED NOTE)	
1=IN SMSA, IN CENTRAL CITY	4,465 4,566 7,173
POS. 013-023 UNUSED POSITIONS	

		CONTROL
	024 TYPE OF LIVING QUARTERS (QUES. 7)	
	1=HOUSING UNIT	16.023 181
POS.	025 LAND USAGE (QUES. 9)	
	1=URBAN2=RURAL	10,360 5,844
POS.	026 IF RURAL, ASKED DOES THIS PLACE HAVE 10 ACRES OR MORE? (QUES. 11A)	
	1=YES	1,304 4,540
	9=NOT APPLICABLE	
POS.	O27 IF 10 ACRES OR MORE, ASKED IF IN THE PAST 12 MONTHS DID SALES OF FARM PRODUCTS AMOUNT TO \$50 OR MORE? (QUES. 11B)	
	1=YES2=NO	770 534
	9=NOT APPLICABLE	
POS.	O28 IF LESS THAN 10 ACRES, ASKED IF IN THE PAST 12 MONTHS DID SALES OF FARM PRODUCTS AMOUNT TO \$250 OR MORE? (QUES. 11C)	
	1=YES 2=NO 9=NOT APPLICABLE	4,392
POS.	029 UNUSED POSITION	
POS.	030-031 TOTAL NUMBER OF PERSONS IN HOUSEHOLD	
	01-15 AS GIVEN	16,204

TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROI COUNTS
POS. 032-033 TOTAL NUMBER OF SAMPLE PERSONS IN FAMILY 01-06 AS GIVEN	15 204
U1-U6 AS GIVEN	16,204
POS. 034 UNUSED POSITION	
SAMPLE PERSON DATA IN POSITIONS 035-081	
POS. 035 FAMILY RELATIONSHIP	
1=HEAD, ONE PERSON LIVING ALONE OR WITH NON-RELATIVES. 2=HEAD, TWO OR MORE RELATED PERSONS IN FAMILY. 3=WIFE. 4=CHILD. 5=OTHER RELATIVE. 6=FOSTER CHILD. 7=HUSBAND.	4,969 3,869 4,574 573 26
POS. 036 EXAMINATION STATUS	
1=EXAMINED2=NOT EXAMINED	16,204 0
POS. 037-041 FAMILY UNIT SEQUENCE NUMBER (SEE DETAILED NOTE)	
00001-21050 AS GIVEN	. 16,204
POS. 042-046 UNUSED POSITIONS	
POS. 047-048 AGE-ENTES AT INTERVIEW (QUES. 3)	
06-11 YEARS	1,725 14,479

	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
POS.	049-050 UNUSED POSITIONS	
POS.	051-052 DATE OF BIRTH-MONTH (QUES. 2)	
	O1-12 MONTHS	16,204 0
POS.	053-054 DATE OF BIRTH-YEAR (QUES. 2)	
	01-73 YEARS	16,204 0
POS.	055 SEX (QUES. 4)	
	1=MALE	7,840 8,364
POS.	056 RACE (QUES. 5) (SEE DETAILED NOTE)	
	1=WHITE2=BLACK3=OTHER	2.040
POS.	057-058 IN WHAT STATE WAS HE/SHE BORN? (QUES. 6) (SEE DETAILED NOTE)	
	01-9788=BLANK, BUT APPPLICABLE	16,022 182
POS.	O59 IS HE/SHE NOW MARRIED, WIDOWED, DIVORCED, SEPARATED, OR NEVER MARRIED? (QUES. 7)	
	1=UNDER 17. 2=MARRIED. 3=WIDOWED. 4=DIVORCED. 5=SEPARATED. 6=NEVER MARRIED. 8=BLANK, BUT APPLICABLE.	3,393 8,196 1,151 658 332 2,437 37

TAPE POSITION, ITEM DESCRIPTION	, AND CODES	CONTROL COUNTS
POS. 060-061 NATIONAL ORIGIN OR ANCEST	RY (QUES. 8)	
O1=COUNTRIES OF CENTRAL OR SOUTH A O2=CHICANO O3=CUBAN O4=MEXICAN O5=MEXICANO O6=MEXICAN-AMERICAN O7=PUERTO RICAN O8=OTHER SPANISH O9=OTHER EUROPEAN, SUCH AS GERMAN, 10=BLACK, NEGRO OR AFRO-AMERICAN 11=AMERICAN INDIAN OR ALASKAN NATI 12=ASIAN OR PACIFIC ISLANDER SUCH KOREAN, PHILIPPINO, SAMOAN 13=ANOTHER GROUP NOT LISTED 88=BLANK, BUT APPLICABLE	FRENCH, ENGLISH, IRISH VE AS CHINESE, JAPANESE,	88 25 82 175 53 260 138 73 11,701 1,970 199 281 824 335
POS. 062-063 WHAT WAS THE HIGHEST GRADINE HE/SHE HAS EVER ATTENDED?		
OO=NONE (REGARDLESS OF AGE) 21-28=ELEMENTARY GRADES (1-8) 31-34=HIGH SCHOOL (1-4) 41-45=COLLEGE (1-5+) 88=BLANK, BUT APPLICABLE		233 4,811 7,297 3,719 144
POS. 064 DID HE/SHE FINISH THE GRADE YE	EAR? (QUES. 9B)	
1=YES		10,215 5,471 285 233

		•
	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
	O65 WHAT WAS HE/SHE DOING DURING MOST OF THE PAST 12 MONTHS? (QUES. 10A)	
-	1=WORKING. 2=KEEPING HOUSE. 3=SOMETHING ELSE. 8=BLANK, BUT APPLICABLE. BLANK.	6,667 3,372 2,721 51 3,393
POS.	066 WHAT WAS HE/SHE DOING? (QUES. 10B)	
	1=LAYOFF. 2=RETIRED. 3=STUDENT. 4=ILL. 5=STAYING HOME. 6=LOOKING FOR WORK. 7=UNABLE TO WORK. 8=BLANK, BUT APPLICABLE 0=OTHER. BLANK.	27 1,179 966 61 96 98 225 51 69 13,432
POS.	O67 DID HE/SHE WORK AT A JOB OR BUSINESS AT ANY TIME DURING THE PAST THREE MONTHS? (QUES. 10C)	
	1=YES	1,095 4,998 51 10,060
POS_	068 WHEN HE/SHE WAS WORKING, DID HE/SHE USUALLY WORK FULL OR PART TIME? (QUES. 10D)	
	1=FULL TIME	6,188 1,574 51 8,391

TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
POS. 069 DID HE/SHE WORK AT ANY TIME LAST WEEK OR THE WEEK BEFORE NOT COUNTING WORK AROUND THE HOUSE? (QUES. 11A)	
1=YES2=NO8=BLANK, BUT APPLICABLEBLANK	. 873 . 51
POS. 070 EVEN THOUGH HE/SHE DID NOT WORK DURING THAT TIME, DOES HE/SHE HAVE A JOB OR BUSINESS? (QUES. 11B)	
1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK	5,484 51
POS. 071 WAS HE/SHE LOOKING FOR WORK OR ON LAYOFF FROM A JOB? (QUES. 11C)	
1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK	5,325 51
POS. 072 WHICH-LOOKING FOR WORK OR ON LAYOFF FROM A JOB? (QUES. 11D)	
1=LOOKING	91 31 51
POS. 073-075 WHAT KIND OF INDUSTRY OR BUSINESS IS THIS? (QUES. 12B) (SEE DETAILED NOTE)	
017-998 (LAST DIGIT 7,8,9) 000=BLANK, BUT APPLICABLE BLANK	118

	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
POS.	076-078 WHAT KIND OF WORK WAS HE/SHE DOING? (QUES. 12C) (SEE DETAILED NOTE) 001-992=0CCUPATION (LAST DIGIT 0-6) 000=BLANK, BUT APPLICABLE. BLANK.	7,690 129 8,385
POS.	O79 WAS HE/SHE AN EMPLOYEE OF A PRIVATE COMPANY, BUSINESS, OR INDIVIDUAL FOR WAGES, SALARY, OR COMMISSION? (QUES. 12E)	
	1=PRIVATE. 2=A FEDERAL GOVT EMPLOYEE. 3=A STATE GOVT EMPLOYEE. 4=A LOCAL GOVT EMPLOYEE. 5=INCORPORATED-OWN. 6=SELF EMPLOYED (OR FARM). 7=WORKING WITHOUT PAY IN FAMILY BUSINESS OR FARM. 8=NEVER WORKED. 0=BLANK, BUT APPLICABLE. BLANK.	5,361 277 443 647 139 775 61 38 78 8,385
POS.	OBO DID HE/SHE EVER SERVE IN THE ARMED FORCES OF THE UNITED STATES? (QUES. 13A)	0.040
	1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK	2,243 10,336 232 3,393
POS.	O81 WHEN DID HE/SHE SERVE? (QUES. 13B)	
	1=VIETNAM. 2=KOREAN WAR. 3=WORLD WAR II. 4=WORLD WAR I. 5=POST VIETNAM. 6=OTHER SERVICE. 8=BLANK, BUT APPLICABLE. 9=DO NOT KNOW. BLANK.	551 283 1,101 3 10 271 232 24 13,729

	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
1	HQUSEHOLD DATA IN POSITIONS 091-212	
POS.	. 091 HOW MANY ROOMS ARE IN THIS? COUNT THE KITCHEN, BUT NOT THE BATHROOM. (QUES. 14A)	
	O=BLANK, BUT APPLICABLE	15.078
POS.	092 HOW MANY BEDROOMS ARE IN THIS? (QUES. 14B)	
	0-7 BEDROOMS - MORE THAN 7 BEDROOMS CODED AS 7	16,204
POS.	O93 ASKED ONLY OF UNRELATED HOUSEHOLD MEMBERS. DO YOU HAVE COMPLETE KITCHEN FACILITIES IN YOUR LIVING QUARTERS, THAT IS, A KITCHEN SINK WITH PIPED WATER, A REFRIGERATOR AND A RANGE OR COOKSTOVE? (QUES. 14C)	
	1=YES	179 0
POS.	O94 DO YOU (HAVE/HAVE ACCESS TO) COMPLETE KITCHEN FACILITIES IN THIS HOUSE, THAT IS, A KITCHEN SINK WITH PIPED WATER, A REFIGERATOR AND A RANGE OR COOKSTOVE? (QUES. 15A)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK.	15,758 251 60 135
POS.	O95 DO YOU (HAVE/HAVE ACCESS TO) A RANGE OR COOKSTOVE? (QUES. 15B)	
	1=YES	143 108 60 15,893

			_			•		CODES .	CONTROL COUNTS
POS.		YOU UES.		/HAVE	AÇCESS	TO) A	REFR	IGERATOR?	
	2=N0 8=BLANK	, BUT	APPL	CABLE		• • • • • •		••••••	172 79 60 15,893
POS.			(HAVE, 15B)	/HAVE	ACCESS	TO) A	SINK	WITH PIPED WATER?	
	2=NO 8=BLANK	BUT	APPL	CABLE				······································	98 153 60 15,893
POS.	098 IS QU	THER ARTER	E PIPE S)? (D WAT	TER IN 1	THIS HO	DUSĖ	(THESE LIVING	
	2=NO 8=BLANK	BUT	APPL	CABLE		• • • • • •			25 128 60 15,991
POS.	099 IS	THER	E BOTH	нот	AND CO	_D WATE	R?	(QUES. 15D)	
	2=NO 8=BLANK	, BUT	APPPL	ICABI	Ε	• • • • • •			114 9 60 16,021
POS.	100 AR	E THE	SE KIT	TCHEN IS HO	FACILI JSEHOLD	TIES US ? (QUE	SED B	Y ANYONE NOT 5E)	
	2=NO 8=BLANK	, BUT	APPPI	I CABI	E				256 15,502 60 386

	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
POS.	101-102 WHAT IS THE MAIN TYPE OF HEATING SYSTEM YOU HAVE? (QUES. 16)	
	11=STEAM OR HOT WATER SYSTEM. 12=CENTRAL WARM AIR FURNACE WITH DUCTS TO INDIVIDUAL ROOM OR CENTRAL HEAT PUMP (FORCED AIR). 13=BUILT IN ELECTRIC UNITS (PERMANENTLY INSTALLED IN WALL, CEILING, OR BASEBOARD). 14=FLOOR, WALL OR PIPELESS FURNACE. 15=CIRCULATING, RADIANT OR ROOM HEATERS, WITH FLUE OR VENT, BURNING GAS, OIL OR KEROSENE. 16=CIRCULATING, RADIANT, OR ROOM HEATERS (NOT PORTABLE) WITHOUT FLUE OR VENT BURNING GAS, OIL, OR KEROSENE. 17=FIREPLACE OR STOVES BURNING COAL, WOOD, OR COKE. 18=PORTABLE ROOM HEATERS OF ANY KIND. 19=SOME OTHER TYPE. 20=NONE, UNIT IS NOT HEATED. 88=BLANK, BUT APPLICABLE.	2,606 7,908 952 1,316 1,370 625 571 321 213 216 106
POS.	103 DO YOU HAVE AIR CONDITIONING? (QUES. 17) 1=YES, INDIVIDUAL ROOM UNIT. 2=YES, CENTRAL AIR CONDITIONING	4,918 3,006 8,201 79
POS.	104 HOW MANY MOTOR VEHICLES ARE OWNED OR REGULARLY USED FOR TRANSPORTATION BY MEMBERS OF YOUR FAMILY? (QUES. 18) 0=NONE. 1-8 VEHICLES (MORE THAN 8 CODED AS 8) 9=BLANK, BUT APPLICABLE.	14,320
POS.	105 IS ANY LANGUAGE OTHER THAN ENGLISH FREQUENTLY SPOKEN BY FAMILY MEMBERS LIVING HERE? (QUES. 19A) 1=YES	1,630 14,500 74

	TAP		CONTROL COUNTS
POS.	106 W	HAT LANGUAGE(S)? (QUES. 19B)	
	1=ITAL 2=FRENG 3=POLIS 4=RUSS 5=SPANS 6=CHING 7=OTHER 8=BLANG	AN. IAN. CH. SH. ISH. ISE R LANGUAGE K, BUT APPLICABLE APPLICABLE	82 103 205 52 18 801 35 321 87 4,500
POS.	107-108	WHICH OF THESE INCOME GROUPS REPRESENTS YOUR TOTAL COMBINED FAMILY INCOME FOR THE PAST 12 MONTHS? (QUES. 20) (SEE DETAILED NOTES)	
	12=\$ 1, 13=\$ 2, 14=\$ 3, 15=\$ 4, 16=\$ 5, 17=\$ 6, 18=\$ 7, 19=\$10, 20=\$15, 21=\$20, 22=\$25,	000-\$14,999 000-\$19,999 000-\$24,999	188 314 598 690 663 596 447 2,831 3,105 2,403 1,670 2,070 629
POS.	109-112	DURING THE PAST 12 MONTHS, HOW MUCH MONEY DID YOU AND ALL MEMBERS OF YOUR FAMILY RECEIVE IN WAGES OR SALARIES BEFORE DEDUCTIONS? (QUES. 21)	
	0000-69 8888=BL BLANK	ANK, BUT APPLICABLE	3,350 775 2,079

	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
POS.	. 113 SOCIAL SECURITY OR RAILROAD RETIREMENT? (QUES. 22A)	
	1=YES2=NO8=BLANK, BUT APPLICABLEBLANK	. 1,906 . 548
POS.	114 UNUSED POSITION	
POS.	115-118 IF YES, HOW MUCH?	
	OO38-6828=AMOUNT	629
POS.	119 WELFARE PAYMENTS OR OTHER PUBLIC ASSISTANCE? (QUES. 22B)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE	2,749 542
POS.	120 UNUSED POSITION	
POS.	121-124 IF YES, HOW MUCH?	
	O012-6800=AMOUNT 8888=BLANK, BUT APPLICABLE BLANK	570
POS.	125 UNEMPLOYMENT COMPENSATION OR WORKMEN'S COMPENSATION (QUES. 22C)	
	1=YES2=NO8=BLANK, BUT APPLICABLEBLANK.	3,332 541

	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
POS.	126 UNUSED POSITION	
POS.	127-130 IF YES, HOW MUCH?	
	OO15-5640=AMOUNT	574
POS.	131 GOVERNMENT EMPLOYEE PENSION OR PRIVATE PENSIONS? (QUES. 22D)	
	1=YES 2=NO	254 3,327 544 12,079
POS.	132 UNUSED POSITION	
POS.	133-136 IF YES, HOW MUCH?	
	OO36-6000=AMOUNT	565
POS.	137 DIVIDENDS, INTEREST, OR RENT? (QUES. 22E)	
	1=YES	3,128 550 12,079
POS.	138 UNUSED POSITION	
POS.	139-142 IF YES, HOW MUCH?	
	OOO1-5200=AMOUNT	411 586 15,207

	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTRO
POS.	143 NET INCOME FROM THEIR OWN NONFARM BUSINESS, PROFESSIONAL PRACTICE, OR PARTNERSHIP? (QUES. 22F)	
	1=YES 2=NO 3=LOSS 8=BLANK, BUT APPLICABLE BLANK	3,426 14 548
POS.	144 UNUSED POSITION	
POS.	145-148 IF YES, HOW MUCH? 0001-6800=AMOUNT 8888=BLANK, BUT APPLICABLE BLANK.	578
POS.	149 NET INCOME FROM A FARM? (QUES. 22G) 1=YES	25 549
POS.	150 UNUSED POSITION	
POS.	151-154 IF YES, HOW MUCH? 0000-6500=AMOUNT 8888=BLANK, BUT APPLICABLE BLANK	108 574 15,522
POS.	155 VETERAN'S PAYMENTS? (QUES. 22H) 1=YES	218 3,363 544 12,079

	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
	156 UNUSED POSITION	
POS.	157-160 IF YES, HOW MUCH?	
	0060-6000=AMOUNT	206 556 15,442
POS.	161 ALIMONY, CHILD SUPPORT, OR CONTRIBUTIONS FROM PERSONS NOT LIVING IN HOUSEHOLD? (QUES. 221)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE	233 3,346 546 12,079
POS.	162 UNUSED POSITION	
POS.	163-166 IF YES, HOW MUCH?	
	0020-6900=AMOUNT	558
POS.	167 ANY OTHER INCOME? (QUES. 22J)	
	1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK	
POS.	168 UNUSED POSITION	
POS.	169-172 IF YES, HOW MUCH?	
	0003-6403=AMOUNT	166 553 15,485

	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
	173-176 TOTAL AMOUNT (QUES. 21 & 22)	3,207 918 12,079
POS.	177 CHECK ITEM B 2=FOOD STAMPS AVAILABLE	
POS.	178 ARE YOU CERTIFIED TO PARTICIPATE IN THE FOOD STAMP PROGRAM? (QUES. 23A) 1=YES	13,817 4
POS.	179 ARE YOU BUYING FOOD STAMPS NOW? (QUES. 23B) 1=YES, REGULARLY	66 327 27
	180 WHAT IS THE MAIN REASON YOU AREN'T PARTICIPATING IN THE PROGRAM? (QUES. 23C) 1=NO NEED	49 74 11 22 147 51 15,850

	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
POS.	181 ARE YOU CERTIFIED FOR THE COMMODITY DISTRIBUTION PROGRAM? (QUES. 24A)	
	1 = YES. 2 = NO. 9 = DO NOT KNOW. BLANK.	
POS.	182 ARE YOU RECEIVING COMMODITY FOODS NOW FOR YOUR FAMILY? (QUES. 24B)	
	1=YES, REGULARLY. 2=YES, OCCASIONALLY. 3=NO. BLANK.	8
POS.	183 WHY AREN'T YOU PARTICIPATING IN THE PROGRAM? (QUES. 24C)	
	1=NO NEED	3 1 1 3 16,196
POS.	184-185 CONTROL RECORD - DATE OF EXAM MONTH	
	01-12	16,204
POS.	186-187 CONTROL RECORD - DATE OF EXAM DAY 01-31	16,204
POS.	188-189 CONTROL RECORD - DATE OF EXAM YEAR 76-80.	16 204
		10,207

TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
POS. 190-191 AGE IN YEARS (AT EXAMINATION)	
06-75 YEARS	. 16,204
POS. 192-205 UNUSED POSITIONS	
POS. 206 RACE SEX RECODE FOR SAMPLE PERSON (SEE DETAILED NOTE FOR POS. 056)	
1=MALE, WHITE. 2=MALE, BLACK. 3=MALE, OTHER. 4=FEMALE, WHITE. 5=FEMALE, BLACK. 6=FEMALE, OTHER.	942 172 7,115 1,098
POS. 207 FARM, NON-FARM RECODE FOR SAMPLE PERSON (SEE DETAILED NOTE)	•
1=FARM2=NON-FARM	918 15,286
POS. 208 INTERVIEW STATUS	
1=INTERVIEWED	16,204
POS. 209 REGION (SEE DETAILED NOTES)	
1=NORTHEAST 2=MI DWEST 3=SOUTH 4=WEST.	4,332 4,362
POS. 210-212 POVERTY INDEX (X.XX) (SEE DETAILED NOTES)	
OO1-880 AS GIVEN	15,573 631
POS. 213-246 UNUSED POSITIONS	

TAPE POSITION, ITEM DESCRIPTION, AND CODES	COUNTS
HEAD OF HOUSEHOLD DATA IN POSITIONS 247-281	
POS. 247-248 AGE YEARS AT INTERVIEW (QUES. 3)	16 204
POS. 249-250 UNUSED POSITIONS	. 10,204
POS. 251-252 DATE OF BIRTH-MONTH (QUES. 2)	
01-12 MONTH	. 16,162
POS. 253-254 DATE OF BIRTH-YEAR 00-99 YEAR	. 16,188 . 16
POS. 255 SEX (QUES. 4) 1=MALE	. 13,037 . 3,167
POS. 256 RACE (QUES. 5) (SEE DETAILED NOTE FOR POS. 056) 1=WHITE. 2=BLACK.	2,038
POS. 257-258 IN WHAT STATE WAS HE/SHE BORN? (QUES. 6) (SEE DETAILED NOTE FOR POS. 057-058)	. 317
01-9788=BLANK, BUT APPLICABLE	. 16,066 . 138

TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
POS. 259 IS HE/SHE NOW MARRIED, WIDOWED, DIVORCED, SEPARATED, OR NEVER MARRIED? (QUES. 7)	
1=UNDER 17. 2=MARRIED. 3=WIDOWED. 4=DIVORCED. 5=SEPARATED. 6=NEVER MARRIED. 8=BLANK, BUT APPLICABLE	3 11,949 1,396 1,011 571 1,240
POS. 260-261 NATIONAL ORIGIN OR ANCESTRY? (QUES. 8)	
O1=COUNTRIES OF CENTRAL OR SOUTH AMERICA O2=CHICANO. O3=CUBAN. O4=MEXICAN. O5=MEXICANO. O6=MEXICAN-AMERICAN. O7=PUERTO RICAN. O8=OTHER SPANISH. O9=OTHER EUROPEAN, SUCH AS GERMAN, FRENCH, ENGLISH, IRISH. 10=BLACK, NEGRO OR AFRO-AMERICAN. 11=AMERICAN INDIAN OR ALASKAN NATIVE. 12=ASIAN OR PACIFIC ISLANDER SUCH AS CHINESE, JAPANESE, KOREAN, PHILIPPINO, SAMOAN. 13=ANOTHER GROUP NOT LISTED. 88=BLANK, BUT APPLICABLE.	
POS. 262-263 WHAT WAS THE HIGHEST GRADE OR YEAR OF SCHOOL HE/SHE HAS EVER ATTENDED (QUES. 9A)	
OO=NONE (REGARDLESS OF AGE). 21-28=ELEMENTARY GRADES (1-8). 31-34=HIGH SCHOOL (1-4). 41-45=COLLEGE (1-5+). 88=BLANK, BUT APPLICABLE.	125 3,441 7,637 4,845 156
POS. 264 DID HE/SHE FINISH THE GRADE YEAR? (QUES. 9B)	
1=YES	12,027 3,719 333 125

TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL
POS. 265 WHAT WAS HE/SHE DOING MOST OF THE PAST 12 MONTHS (QUES. 10A)	?
1=WORKING 2=KEEPING HOUSE 3=SOMETHING ELSE 8=BLANK, BUT APPLICABLE BLANK	1,443 3,405 55
POS. 266 WHAT WAS HE/SHE DOING? (QUES. 10B)	
1=LAYOFF. 2=RETIRED. 3=STUDENT. 4=ILL. 5=STAYING HOME. 6=LOOKING FOR WORK. 7=UNABLE TO WORK. 8=BLANK, BUT APPLICABLE. 0=OTHER. BLANK.	2,121 410 126 94 109 402 55
POS. 267 DID HE/SHE WORK AT A JOB OR BUSINESS DURING THE PAST THREE MONTHS? (QUES. 10C)	
1=YES	4,201 55 11,301
FULL OR PART TIME? (QUES. 10D)	K
1=FULL TIME2=PART TIME8=BLANK, BUT APPLICABLEBLANK.	1,137

	TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
POS.	269 DID HE/SHE WORK AT ANY TIME LAST WEEK OR THE WEEK BEFORE NOT COUNTING WORK AROUND THE HOUSE? (QUES. 11A)	
	1=YES2=NO	913 55
POS.	270 EVEN THOUGH HE/SHE DID NOT WORK DURING THAT TIME DOES HE/SHE HAVE A JOB OR BUSINESS? (QUES. 11B)	
	1=YES	503 4,611 55 11,035
POS.	271 WAS HE/SHE LOOKING FOR WORK OR ON LAYOFF FROM A JOB? (QUES: 11C)	
POS.	1=YES	531 4,583 55 11,035
	(QUES. 11D) 1=LOOKING. 2=LAYOFF 3=BOTH 8=BLANK, BUT APPLICABLE BLANK.	125 37 55
POS.	273-275 WHAT KIND OF INDUSTRY OR BUSINESS IS THIS? (QUES. 12B) (SEE DETAILED NOTES)	
	O17-998 (LAST DIGIT 7,8,9)	11,838 222 4,144

TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL
POS. 276-278 WHAT KIND OF WORK WAS HE/SHE DOING? (QUES. 120 (SEE DETAILED NOTE)	:)
001-992=OCCUPATION (LAST DIGIT 0-6)	. 231
POS. 279 WAS HE/SHE AN EMPLOYEE OF A PRIVATE COMPANY, BUSINESS, OR INDIVIDUAL FOR WAGES, SALARY, OR COMMISSION? (QUES. 12E)	
1=PRIVATE 2=A FEDERAL GOVT EMPLOYEE 3=A STATE GOVT EMPLOYEE 4=A LOCAL GOVT EMPLOYEE 5=INCORPORATED-OWN 6=SELF-EMPLOYED (OR FARM) 7=WORKING WITHOUT PAY IN FAMILY BUSINESS OR FARM. 8=NEVER WORKED. 0=BLANK, BUT APPLICABLE BLANK.	554 614 866 321 1,488 10 11
POS. 280 DID HE/SHE EVER SERVE IN THE ARMED FORCES OF THE UNITED STATES? (QUES. 13A)	
1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK	. 10,198 . 174
POS. 281 WHEN DID HE/SHE SERVE? (QUES. 13B)	
1=VIETNAM. 2=KOREAN WAR. 3=WORLD WAR II. 4=WORLD WAR I. 5=POST VIETNAM. 6=OTHER SERVICE. 8=BLANK, BUT APPLICABLE. 9=DO NOT KNOW.	1,111 2,357 47 112 856 174 68

		POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
		SAMPLE WEIGHT DATA, POSITIONS 282-317	
		(SEE DETAILED NOTE FOR POS. 282-317)	
POS.	282-287	EXAMINED FINAL WEIGHT	
	002000-0	079634	16,204
POS.	288-293	MEDICAL HISTORY INTERVIEW FINAL WEIGHT	
	001468-0	771 969	16,204
POS.	294-299	GLUCOSE TOLERANCE TEST FINAL EXAMINED WEIGHT	
	003502-0 000000	84477	5,903 10,301
POS.	300-305	LEAD FINAL EXAMINED WEIGHT	
	004398-0 000000	84115	8,170 8,034
POS.	306-311	CARBOXYHEMOGLOBIN FINAL EXAMINED WEIGHT	
	003785-1 000000	10759	8,167 8,037
POS.	312-317	BILE ACIDS FINAL EXAMINED WEIGHT	
	003519-00 000000.	87673	4,089 12,115
POS.	318-323	UNUSED POSITIONS	

TAPE POSITION, ITEM DESCRIPTION, AND CODES	CONTROL COUNTS
POS. 324-325 STRATA	
01-32	16,204
POS. 326 PSEUDO PRIMARY SAMPLING UNITS	
1 OR 2	16,204
POS. 327 POVERTY/NON-POVERTY SEGMENTS (SEE DETAILED NOTE)	
1 = Non-Poverty 2 = Poverty	7,853 8,351
POS. 328-400 UNUSED POSITIONS	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
401-404	CATALOG NUMBER: 5309	16,204	Allergy Testing	
405	Dummy Records Flag		Ages 6-74 years (See Detailed Note)	
	1 - Yes 2 - No	193 16,011		
406-408	Unused Positions			
409-410	Examiner Number		(See Detailed Note)	
	1-79 88 - Blank, but applicable 91	15,887 316 1		-39-
411	Nelco versus Greer Antigen	•	(See Detailed Note)	
	 Nelco-Dual Use Stands Greer-Dual Use Stands Nelco-Single Use Stands Greer-Single Use Stands 	2,964 3,024 9,032 1,184		
412-413	Unused Positions			
	House Dust-First Reading			
414-415	Wheal Length (mm)			
	00 01-15 88 - Blank, but applicable	14,284 1,244 676		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
416-417	Wheal Width (mm)			-
	00 01-12 88 - Blank, but applicable	14,284 1,244 676		
418	Confluent			
	1 - Yes 2 - No 8 - Blank, but applicable	75 15,405 724		-40-
419-420	Flare Length (mm)			Ť
	00 01-76 88 - Blank, but applicable	14,252 1,259 693		
421-422	Flare Width (mm)			
	00 01-60 88 - Blank, but applicable	14,251 1,251 702		
423-424	Minutes			
	4-8 Minutes 10 Minutes 13-14 Minutes 88 - Blank, but applicable	9 15,536 2 657		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
419-420	Flare Length (mm)			
	00 01-76 88 - Blank, but applicable	14,252 1,259 693		
421-422	Flare Width (mm)			
	00 01-60 88 - Blank, but applicable	14,251 1,251 702		-41-
423-424	Minutes	•		
	4-8 Minutes 10 Minutes 13-14 Minutes 88 - Blank, but applicable	9 15,536 2 657		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
425-426	Test Results		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,964 240		
	House Dust-Second Reading			
427-428	Wheal Length (mm)			
	00 01-15 88 - Blank, but applicable	14,063 1,432 709		-42-
429-430	Wheal Width (mm)			
	00 01-14 88 - Blank, but applicable	14,063 1,432 709		
431	Confluent	,		
	1 - Yes 2 - No 8 - Blank, but applicable	64 15,342 798		
432-433	Flare Length (mm)			
	00 01-62 88 - Blank, but applicable	13,999 1,473 732	,	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
434-435	Flare Width (mm)		
	00 01-55 88 - Blank, but applicable	13,999 1,468 737	
436-437	Minutes		
	13 Minutes 20 Minutes 30 Minutes 88 - Blank, but applicable	1 15,520 2 681	
438-439	Test Results		(See Detailed Note)
	10-20 88 - Blank, but applicable	15,946 258	
	Alternaria-First Reading		
440-441	Wheal Length (mm)		
	00 01-27 88 - Blank, but applicable	14,983 565 656	
442-443	Wheal Width (mm)		
	00 01-15 88 - Blank, but applicable	14,983 565 656	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
444	Confluent		·	 -
	1 - Yes 2 - No 8 - Blank, but applicable	37 15,481 686		
445-446	Flare Length (mm)			
	00 01-56 88 - Blank, but applicable	14,977 562 665		-44-
447-448	Flare Width (mm)			
	00 01-53 88 - Blank, but applicable	. 14,977 562 665		
449-450	Minutes			
	4-8 Minutes 10 Minutes 13 Minutes 88 - Blank, but applicable	4 15,547 2 651		
451-452	Test Results		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,961 243		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	•
	Alternaria-Second Reading			
453-454	Wheal Length (mm)	•		
	00 01-20 88 - Blank, but applicable	14,854 685 665		
455-456	Wheal Width (mm)			
	00 01-15 88 - Blank, but applicable	14,854 685 665		-45-
457	Confluent			
	1 - Yes 2 - No 8 - Blank, but applicable	41 15,429 734		
458-459	Flare Length (mm)			
	00 01-60 88 - Blank, but applicable	14,838 684 682		
460-461	Flare Width (mm)			
	00 01-55 88 - Blank, but applicable	14,838 682 684		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
462-463	Minutes			
-	15 Minutes 20 Minutes 30 Minutes 88 - Blank, but applicable	1 15,544 1 658		
464-465	Test Results		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,960 244		-46-
	Cat-First Reading			
466-467	Wheal Length (mm)	•		
	00 01-15 88 - Blank, but applicable	15,000 487 717		
468-469	Wheal Width (mm)			
	00 01-20 88 - Blank, but applicable	15,000 487 717		
470	Confluent			
	1 - Yes 2 - No 8 - Blank, but applicable	32 . 15,428 744		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
471-472	Flare Length (mm)			
	00 01-65 88 - Blank, but applicable	15,025 . 441 . 738		
473-474	Flare Width (mm)			
	00 01-52 88 - Blank, but applicable	15,024 441 739		-47-
475-476	Minutes			
	4-8 Minutes 10 Minutes 13 Minutes 88 - Blank, but applicable	6 15,484 1 713		
477-478	Test Results		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,954 250		
	Cat-Second Reading			
479-480	Wheal Length (mm)			
	00 01-15 88 - Blank, but applicable	14,887 578 739	•	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
481-482	Wheal Width (mm)			
	00 01-12 88 - Blank, but applicable	14,887 578 739		
483	Confluent			
	1 - Yes 2 - No 8 - Blank, but applicable	32 15,389 783		-48-
484-485	Flare Length (mm)			
	00 01-55 88 - Blank, but applicable	14,886 561 757		
486-487	Flare Width (mm)			
	00 01-41 88 - Blank, but applicable	14,885 560 759		
488-489	Minutes			
	20 Minutes 30 Minutes 88 - Blank, but applicable	15,477 1 726		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
490-491	Test Results		(See Detailed Note)	
•	10-20 88 - Blank, but applicable	15,946 258		
	Dog-First Reading		•	
492-493	Wheal Length (mm)			
	00 01-15 88 - Blank, but applicable	14,987 502 715		-49-
494-495	Wheal Width (mm)			
	00 01-15 88 - Blank, but applicable	14,987 502 715	,	
496	Confluent			
	1 - Yes 2 - No 8 - Blank, but applicable	37 15,421 746	٠.	
497-498	Flare Length (mm)			
	00 01-40 88 - Blank, but applicable	15,006 455 743		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	· · ·
499-500	Flare Width (mm)			
	00 01-42 88 - Blank, but applicable	15,006 453 745		
501-502	Minutes			
	4-8 Minutes 10 Minutes 13 Minutes 88 - Blank, but applicable	6 · 15,488 1 709		-50-
503-504	Test Results 10-20 88 - Blank, but applicable	15,949 255	(See Detailed Note)	
	Dog-Second Reading		٠.	
505-506	Wheal Length (mm)		,	
	00 01-15 88 - Blank, but applicable	14,858 597 749		
507-508	Wheal Width (mm)			
	00 01-15 88 - Blank, but applicable	14,858 596 750		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
509	Confluent			
	1 - Yes 2 - No 8 - Blank, but applicable	39 15,359 806		
510-511	Flare Length (mm)			
	00 01-40 88 - Blank, but applicable	14,860 576 768		-51-
512-513	Flare Width (mm)			
	00 01-40 88 - Blank, but applicable	. 14,860 575 769		
514-515	Minutes			
	20 Minutes 30 Minutes 88 - Blank, but applicable	15,471 1 732	•	
516-517	Test Results		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,931 273		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Ragweed-First Reading			
518-519	Wheal Length (mm)			
	00 01-31 88 - Blank, but applicable	13,843 1,644 717		
520-521	Wheal Width (mm)			-52
	00 01-23 88 - Blank, but applicable	13,843 1,644 717	\	2-
522	Confluent	•		
	1 - Yes 2 - No 8 - Blank, but applicable	125 15,276 803		
523-524	Flare Length (mm)			
	00 01-74 88 - Blank, but applicable	13,830 1,612 762		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
525-526	Flare Width (mm)		·.	
	00 01-66 88 - Blank, but applicable	13,830 1,600 774		
527-528	Minutes			
	4-8 Minutes 10 Minutes 13-14 Minutes 88 - Blank, but applicable	11 15,487 2 704		- 53-
529-530	Test Results		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,958 246		
	Ragweed-Second Reading			
531-532	Wheal Length (mm)			
	00 01-30 88 - Blank, but applicable	13,506 1,926 772		
533-534	Wheal Width (mm)			
	00 01-30 88 - Blank, but applicable	13,506 1,925 773		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
535	Confluent		
	1 - Yes 2 - No 8 - Blank, but applicable	153 15,078 973	
536-537	Flare Length (mm)		(See Detailed Note)
	00 01-72 88 - Blank, but applicable 99 - Greater than 100 mm	13,501 1,898 803 2	, 1
538-539	Flare Width (mm)		
	00 01-70 88 - Blank, but applicable	13,501 1,877 826	
540-541	Minutes		
	20 Minutes 30 Minutes 88 - Blank, but applicable	15,453 2 749	
542-543	Test Results		(See Detailed Note)
	10-20 88 - Blank, but applicable	. 15,919 285	,

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Oak-First Reading		•	
544-545	Wheal Length (mm)			
	00 01-22 88 - Blank, but applicable	14,615 919 670		
546-547	Wheal Width (mm)			
	00 01-20 88 - Blank, but applicable	14,615 919 670		-55-
548	Confluent			
	1 - Yes 2 - No 8 - Blank, but applicable	110 15,383 711	٠.	
549-550	Flare Length (mm)		•	
	00 01-59 88 - Blank, but applicable	14,620 884 700		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA . SOURCE OR NOTES	_
551-552	Flare Width (mm) 00 01-65 88 - Blank, but applicable	14,619 883 702	•	
553-554	Minutes		,	
	4-8 Minutes 10 Minutes 13-15 Minutes 88 - Blank, but applicable	7 15,540 2 655		-56-
555-556	Test Results		(See Detailed Note)	9
	10-20 88 - Blank, but applicable	15,956 248	•	
	Oak-Second Reading			
557-558	Wheal Length (mm)			
	00 01-22 88 - Blank, but applicable	14,448 1,036 720	•	
559-560	Wheal Width (mm)			
	00 01-23 88 - Blank, but applicable	14,448 1,036 720		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
561	Confluent			
	1 - Yes 2 - No 8 - Blank, but applicable	136 15,273 795		
562-563	Flare Length (mm)			
·	00 01-78 88 - Blank, but applicable	14,416 1,052 736		-57-
564-565	Flare Width (mm)			
	00 : 01-64 88 - Blank, but applicable	14,416 1,049 739		
566-567	Minutes			
	15 Minutes 20 Minutes 30-35 Minutes 88 - Blank, but applicable	1 15,511 2 690		,
568-569	Test Results		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,928 276		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Rye Grass-First Reading			
570-571	Wheal Length (mm)			
·	00 01-35 88 - Blank, but applicable	14,056 1,461 687		
572-573	Wheal Width (mm)			
	00 01-34 88 - Blank, but applicable	14,056 1,458 690		-58-
574	Confluent	2		
	1 - Yes 2 - No 8 - Blank, but applicable	201 15,248 755		
575-576	Flare Length (mm)			
	00 01-74 88 - Blank, but applicable	14,098 1,393 713	·	•

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
577-578	Flare Width (mm)			
	00 01-66 88 - Blank, but applicable	14,098 1,362 744		
579-580	Minutes			
	4-8 Minutes 10 Minutes 12-13 Minutes 88 - Blank, but applicable	8 15,527 2 667		-59-
581-582	Test Results;		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,945 259		
	Rye Grass-Second Reading			
583-584	Wheal Length (mm)			
	00 01-35 88 - Blank, but applicable	13,739 1,736 729		
585-586	Wheal Width (mm)			
	00 01-43 88 - Blank, but applicable	13,739 1,734 731		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
587	Confluent		
	1 - Yes 2 - No 8 - Blank, but applicable	246 15,070 888	•
588-589	Flare Length (mm)		(See Detailed Note)
	00 01-85 88 - Blank, but applicable 99 - Greater than 100 mm	13,795 1,648 759 2	
590-591	Flare Width (mm)		
	00 01-87 88 - Blank, but applicable	13,793 1,601 810	
592-593	Minutes		
	15 Minutes 20 Minutes 30 Minutes 88 - Blank, but applicable	15,498 1 704	
594-595	Test Results	•	(See Detailed Note)
	10-20 88 - Blank, but applicable	15,915 289	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
	Bermuda Grass-First Reading	·		
596-597	Wheal Length (mm)		•	,
	00 01-30 88 - Blank, but applicable	14,830 706 668		
598-599	Wheal Width (mm)			<u> </u>
	00 01-25 88 - Blank, but applicable	14,830 706 668		-61-
600	Confluent			
	1 - Yes 2 - No 8 - Blank, but applicable	114 15,389 701		
601-602	Flare Length (mm)			
	00 01-60 88 - Blank, but applicable	14,829 693 682		•

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES
603-604	Flare Width (mm)		•
	00 01-64 88 - Blank, but applicable	14,828 689 687	
605-606	Minutes		
,	4-8 Minutes 10 Minutes 13 Minutes 88 - Blank, but applicable	4 15,544 1 655	ì
607-608	Test Results		(See Detailed Note)
	10-20 88 - Blank, but applicable	15,957 247	
	Bermuda Grass-Second Reading		
609-610	Wheal Length (mm)		
	00 01-30 88 - Blank, but applicable	14,625 884 695	
611-612	Wheal Width (mm)		
	00 01-25 88 - Blank, but applicable	14,625 883 696	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
613	Confluent		•	
·	1 - Yes 2 - No 8 - Blank, but applicable	140 15,307 757		
614-615	Flare Length (mm)			
	00 01-72 88 - Blank, but applicable	14,643 857 704		-63-
ы́16-617	Flare Width (mm)			•
	00 01-64 88 - Blank, but applicable	14,644 850 710		
618-619	Minutes			
	20 Minutes 30 Minutes 88 - Blank, but applicable	15,526 1 677	·	•
620-621	Test Results		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,942 262		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	-
	Control (diluent)-First Reading			
622-623	Wheal Length (mm)			
	00 01-09 88 - Blank, but applicable	15,466 66 672		
624-625	Wheal Width (mm)			-64-
	00 01-10 88 - Blank, but applicable	15,466 65 673		4
626	Confluent		•	
	1 - Yes 2 - No 8 - Blank, but applicable	7 15,527 670		
627-628	Flare Length (mm)			
	00 02-40 88 - Blank, but applicable	15,465 69 670		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
629-630	Flare Width (mm)	···		
	00 01-45 88 - Blank, but applicable	15,465 69 670		
631-632	Minutes			
	4-8 Minutes 10 Minutes 13 Minutes 88 - Blank, but applicable	4 15,535 1 664		-65-
633-634	Test Results		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,950 254		
	Control (diluent)-Second Reading			
635-636	Wheal Length (mm)			
	00 01-08 88 - Blank, but applicable	15,425 97 682		
637-638	Wheal Width (mm)	•		
	00 01-10 88 - Blank, but applicable	15,427 97 680		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
639	Confluent			
	1 - Yes 2 - No 8 - Blank, but applicable	10 15,506 688		
640-641	Flare Length (mm)			
	00 01-42 88 - Blank, but applicable	15,419 103 682		-66-
642-643	Flare Width (mm)			
	00 01-39 88 - Blank, but applicable	15,419 103 682		
644-645	Minutes			
	20 Minutes 30 Minutes 88 - Blank, but applicable	15,535 1 668		
646-647	Test Results		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,953 251	,	

TAPE POSITI O NS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANEȘ-II DATA SOURCE OR NOTES	
	Histamine-First Reading			
648-649	Wheal Length (mm)			
	00 01-35 88 - Blank, but applicable	4,423 10,463 1,318		
650-651	Wheal Width (mm)			-67-
	00 01-39 88 - Blank, but applicable	4,424 10,462 1,318		7-
652	Confluent			•
	1 - Yes 2 - No 8 - Blank, but applicable	114 14,435 1,655		
653-654	Flare Length (mm)			
	00 01-75 88 - Blank, but applicable	4,831 9,895 1,478		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL	NHANES-II DATA SOURCE OR NOTES	
655-656	Flare Width (mm)			
	00 01-82 88 - Blank, but applicable	4,832 9,833 1,539		
657-658	Minutes			
	2-9 Minutes 10 Minutes 11-14 Minutes 88 - Blank, but applicable	12 15,176 5 1,011		-68-
659-660	Test Results	•	(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,891 313		
	Histamine-Second Reading			
661-662	Wheal Length (mm)	·		
	00 01-33 88 - Blank, but applicable	4,263 10,093 1,848		
663-664	Wheal Width (mm)			
	00 01-38 88 - Blank, but applicable	4,249 10,095 1,860		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
665	Confluent			—
	1 - Yes 2 - No 8 - Blank, but applicable	99 13,279 2,826		
666-667	Flare Length (mm)			
	00 01-79 88 - Blank, but applicable 95	4,715 9,532 1,956 1		-69-
668-669	Flare Width (mm)		,	•
	00 (01-65 88 - Blank, but applicable	4,708 9,497 1,999		
670-671	Minutes			
	10-19 Minutes 20 Minutes 30 Minutes 88 - Blank, but applicable	5 14,854 1 1,344		
672-673	Test Results		(See Detailed Note)	
	10-20 88 - Blank, but applicable	15,565 639		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES-II DATA SOURCE OR NOTES	
674	Unused Position	16,204		
675	House Dust - First Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 - Yes 0 - Other	3 16,201		
676	House Dust - Second Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	-7
	1 - Yes 0 - Other	4 16,200		-70-
677	Alternaria - First Reading - NUMBER WITH VALID. TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 - Yes 0 - Other	3 16,201		
678	Alternaria - Second Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 - Yes 0 - Other	3 16,201		

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES II DATA SOURCE OR NOTES	
679	Cat - First Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 - Yes 0 - Other	2 16,202		
680	Cat - Second Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	-7
	1 - Yes 0 - Other	4 16,200		1
681	Dog - First Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 -Yes 0 - Other	3 16,201		
682	Dog - Second Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 - Yes 0 - Other	7 16,197		
683	Ragweed - First Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 - Yes 0 - Other	6 16,198	,	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES II DATA SOURCE OR NOTES
684	Ragweed - Second reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)
	1 - Yes 0 - Other	6 16,198	
685	Oak - First Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)
	1 - Yes 0 - Other	5 16,199	
686	Oak - Second Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)
	1 - Yes 0 - Other	7 16,197	
687	Rye Grass - First Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)
	1 - Yes 0 - Other	4 16,200	•
688	Rye Grass - Second Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)
	1 - Yes 0 - Other	3 16,201	

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES II DATA SOURCE OR NOTES	
689	Bermuda Grass - First Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 - Yes 0 - Other	5 16,199		
690 ⁻	Bermuda Grass - Second Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 - Yes 0 - Other	16,199		-73-
691	Diluent - First Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 - Yes 0 - Other	3 16,201		
692	Diluent - Second Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 - Yes 0 - Other	6 16,198		
693	Histamine - First Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)	
	1 - Yes 0 - Other	204 16,000		

AGES 6-74 YEARS

TAPE POSITIONS	ITEM DESCRIPTION AND CODES	CONTROL COUNTS	NHANES II DATA SOURCE OR NOTES
694	Histamine - Second Reading - NUMBER WITH VALID TEST CODES BUT ALL MEASUREMENTS MISSING		(See Detailed Note)
	1 - Yes 0 - Other	340 15,864	
695-700	Unused positions		

TV. DETAILED NOTES

TAPE POSITION 11

Size of Place

Size of place classification was derived from the 1970 decennial census of the population. According to the definition used in the 1970 census, the urban population comprised all persons living in (a) places of 2,500 inhabitants or more incorporated as cities, boroughs (except Alaska), villages and towns (except towns in New York, New England States, and Wisconsin), but excluding those persons living in the rural portions of extended cities; (b) unincorporated places of 2,500 inhabitants or more; and (c) other territories included in urbanized areas. The remaining population was classified as rural.

Urban areas are further classified by population size for places within urbanized areas and other places outside urbanized areas.

TAPE POSITION 12

SMSA-Not SMSA

Except in New England, a Standard Metropolitan Statistical Area is basically a county or a group of contiguous counties which contains at least one city of 50,000 inhabitants or more, or "twin cities" with a combined population of at least 50,000. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to the 1970 census, they are socially and economically integrated with the central city. Each SMSA must include at least one central city, and the complete title of an SMSA identifies the central city or cities. In New England, SMSA's consist of towns and cities, rather than counties.

TAPE POSITIONS 37-41

Family Unit Number

All related sample persons in the same family unit have the same computer-generated family unit code. This will enable analysis of individual family units.

TAPE POSITIONS 56, 206, AND 256

Race

The race of the respondent was marked by observation. The interviewers were instructed to assume that the race of all related persons was the same as the respondent unless otherwise learned. The race categories were "White", "Black" or "Other". If the appropriate category could not be marked by observation, then race was asked. Interviewers were instructed to record persons who responded with something other than White or Black, such as Japanese, Chinese, American Indian, Korean, Hindu, Eskimo, etc. as "Other" and to include Mexicans, Puerto Ricans and other persons of Latin American descent in "White" unless definitely Black, American Indian, or of other nonwhite race.

TAPE POSITIONS 57-58 AND 257-258

United States

Name of Place	<u>Code</u>
Alabama. Alaska. Arizona. Arkansas. California. Colorado. Connecticut. Delaware.	01 02 04 05 06 08 09
District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana	11 12 13 15 16 17 18
Iowa. Kansas. Kentucky. Louisiana. Maine. Maryland. Massachusetts. Michigan	19 20 21 22 23 24 25 26
Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire	27 28 29 30 31 32 33
New Jersey. New Mexico. New York. North Carolina. North Dakota. Ohio. Oklahoma.	34 35 36 37 38 39 40
Oregon Pennsylvania Rhode Island South Carolina South Dakota Tennessee Texas	41 42 44 45 46 47 48

TAPE POSITIONS 57-58 AND 257-258 (cont.)

Name of Place	Code
Utah Vermont Virginia Washington West Virginia Wisconsin Wyoming	50 51 53 54 55
MJU::::9+++++++++++++++++++++++++++++++++	5 0

Outlying Areas of the United States

Name of Place	Code	Description
American Samoa	60	U.S. territory in the Pacific
Canal Zone	61	Territory in Panama leased by U.S.
Canton and Enderbury Island	62	Under common US-UK administration
Guam	66	U.S. territory in the Pacific
Johnston Atoll		U.S. territory in the Pacific, includes Sand Island
Midway Islands	71	U.S. territory in the Pacific
Puerto Rico	72	Commonwealth associated with the U.S.
Swan Islands	74	U.S. territory in the Carribean
Trust Territories of the Pacific Islands	75	U.S. administered, includes Caroline, Mariana, and Marshall Island groups
U.S. Miscellaneous Carribean Islands	76	Includes Navassa Islands, Quito Sueno Bank, Roncador Cay, Serrana Bank, Serranilla Bank
U.S. Miscellaneous Pacific Islands	77	Includes Kingman Reef, Howland, Baker and Jarvis Islands, Palmyra Atoll
Virgin Islands	78	U.S. territory in the Carribean
Wake Island	79	U.S. territory in the Pacific

<u>Outside</u> of <u>United States</u>

North America	91
South America	92
Europe	93
Africa	94
Asia	95
Australasia	96
Pacific Islands	97

TAPE POSITIONS 73-75, 76-78, 273-275 AND 276-278

Industry and Occupation Codes

Occupation may be defined as the principal job or business. For this survey, the principal job or business of a respondent is defined in one of the following ways: if the person worked during the two week interview period or had a job or business, the question concerning occupation (or work) applies to the job during that period. If the respondent held more than one job, the question is directed to the one at which the most time was spent. It refers to the one considered most important when equal time is spent at each job. A person who has not begun work at a new job, is looking for work, or is on layoff from work is questioned about the last full-time civilian job. A full-time job is defined as one at which the person spent 35 or more hours per week and which lasted two consecutive weeks or more. A person who has a job but has not yet reported to it or a person who has never had a job or business is classified as a "new worker".

The 1970 census of population Alphabetical Index of Industries and Occupations was used in the coding of both the industry and occupation (Library of Congress Number 74-612012, for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. Stock Number 0301-2283).

TAPE POSITIONS 107-108

Family Income Group

The respondent was handed a card with twelve income ranges listed as Group A to Group L and asked "Which of these income groups represents your total combined family income for the past 12 months, that is, yours, your ...'s, etc? Include income from all sources such as wages, salaries, social security or retirement benefits, help from relatives, rent from property and so forth."

If the respondent answered Group A through G, that is with an income less than \$7,000, then questions 21 and 22 detailing exact sources and amounts of income were asked; otherwise, these questions were skipped.

No effort was made to reconcile amounts reported in detailed questions 21 and 22 with the categorical response to the family income group question. During the survey time period no adjustments to the income groups or \$7,000 value were made to account for inflation.

TAPE POSITION 207

Farm, non-farm

This position contains a recode, which combines data on land use (position 25), size (position 26), and amount of sales of farm produce and livestock (positions 27 and 28).

Code 1: Farm: Rural land (coded 2 in position 25) which consisted of 10 or more acres (coded 1 in position 26) with crop sales of \$50 or more (coded 1 in position 27).

OR

Rural land (coded 2 in position 25) with crop sales of \$250 or more (coded 1 in position 28).

Code 2: Non-farm: All other rural land (coded 2 in position 25) as well as land classified as urban (coded 1 in position 25).

TAPE POSITION 209

Region

The United States was divided into four broad geographic regions of approximately equal population. Those regions, which deviate somewhat from the groups used by the Bureau of Census, are as follows:

Region	States Included
Northeast .	Maine, Vermont, New Hampshire, Massachusetts, Connecticut, Rhode Island, New York, New Jersey, and Pennsylvania
South	Delaware, Maryland, District of Columbia, West Virginia, Virginia, Kentucky, Tennessee, North Carolina, South Carolina, Georgia, Florida, Alabama, Mississippi, Louisiana, and Arkansas
Midwest	Ohio, Illinois, Indiana, Michigan, Wisconsin, Minnesota, Iowa, Missouri
West .	Washington, Oregon, California, Nevada, New Mexico, Arizona, Texas, Oklahoma, Kansas, Nebraska, North Dakota, South Dakota, Idaho, Utah, Colorado, Montana, Wyoming, Alaska, Hawaii

TAPE POSITIONS 210-212

Poverty Index

Income status was determined by the Poverty Income Ratio (PIR). Poverty statistics published in the Bureau of the Census reports¹⁰⁻¹⁴ were based on the poverty index developed by the Social Security Administration (SSA) in 1964. (For a detailed discussion of the SSA poverty standards, see references 15 and 16.) Modifications in the definition of poverty were adopted in 1969.¹⁷ The standard data series in poverty for statistical use by all executive departments and establishments has been established.¹⁸

The two components of the PIR are the total income of the household (numerator: the median of the income group for incomes \$7,000 and above; the sum of the component parts of the income questions for incomes under \$7,000) and a multiple of the total income necessary to maintain a family with given characteristics on a nutritionally adequate food plan 9-13 (denominator). The dollar value of the denominator of the PIR is constructed from a food plan (economy plan) necessary to maintain minimum recommended daily nutritional requirements. The economy plan is designated by the U.S. Department of Agriculture for "emergency or temporary use when funds are low."

For families of three or more persons, the poverty level was set at three times the cost of the economy food plan. For smaller families and persons living alone, the cost of the economy food plan was adjusted by the relatively higher fixed expenses of these smaller households.

The denominator or poverty income cutoff adjusts the family poverty income maintenance requirements by the family size, the sex of the family head, the age of the family head in families with one or two members, and the place of residence (farm, nonfarm). Annual revisions

of the poverty income cutoffs are based on the changes in the average cost of living as reflected in the Consumer Price Index.

As shown in the tables, the annual income considered to be the poverty level increases as the family size increases. A family with any combination of characteristics and with the same income as shown in the table has been designated as having a PIR or poverty level of 1.0. The same family with twice the income found in the table would have a PIR of 2.0. Ratios of less than 1.0 can be described as "below poverty" and ratios greater than or equal to 1.0, as "at or above poverty".

Poverty thresholds are computed on a national basis only. No attempt has been made to adjust these thresholds for regional, State, or other variations in the cost of living (except for the farm, nonfarm difference). None of the noncash public welfare benefits such as food stamp bonuses are included in the income of the low income families receiving these benefits. PIR has been adjusted by year (see tables) and accounts in some part for inflation.

A. WEIGHTED AVERAGE TIRESHOLDS--TOVERTY CUMPITS IN 1976, BY SIZE OF FAMILY AND SEX OF HEW, BY FARM-MONFARM RESIDENCE

SIZE OF FAMILY UNIT			NONTARM			FAM	
	(SYTIM) LULYT -	JUTAL (DOLLAIS)	MALE HEAD (DULLARS)	FEMALE HEAD (DOLLARS)	TOTAL (DULLARS)	MALE HEAD (DOLLALS)	LEATE ITA
1 person (unrelated individual) 14 to 64 years		2 644 2 959 2 730	3 016 3 069 2 758	2 788 2 840 2 722	2 438 2 542 2 322	2 532 2 605 2 344	2 348 2 413 2 313
2 persons	3 688 3 906 3 417	3 711 3 526 3 445	3 721 3 846 3 447	3 660 3 733 3 428	3 128 3 267 2 928	3 133 · 3 271 2 928	3 033 3 159 2 922
3 persons 4 persons 5 persons 6 persons 7 persons or more	4 515 5 786 6 838 7 706 9 505	4 54U 5 815 6 876 7 760 9 589	4 565 5 818 6 844 7 766 9 522	4 414 5 790 6 799 7 709 9 375	3 858 4 950 5 870 6 555 8 072	3 864 4 955 5 871 6 584 8 068	3 754 4 810 5 847 6 667 8 428

B. WEIGHTED AVERAGE TIRES DIDS--TOVERTY OUTOFFS IN 1977, BY SIZE OF FAMILY AND SEX OF HEAD, BY FARM-NONFARM RESIDENCE

SITE OF FAMILY UNIT		NONFARM			FARM		
	TOTAL (DOLLARS)	TOTAL (DULARS)	MALE HEAD (DULLARS)	FEWLE HEAD (DOLLARS)	TOTAL (DOLLARS)	MALE HEAD (DOLLARS)	FEALE HEY (DOLLARS)
1 person (unrelated individual) 14 to 64 years		3 075 3 152 2 906	3 214 3 267 2 936	2 969 3 023 2 893	2 588 2 709 2 475	2 672 2 776 2 495	2 198 2 563
2 persons	3 928 4 054 3 637	3 951 4 072 3 666	3 961 4 095 3 670	3 907 3 981 3 646	3 318 3 466 3 128	3 525 3 474 3 131	3 176 3 278 3 079
5 persons	4 806 6 157 7 279 8 208 10 137	4 833 6 191 7 320 8 261 10 216	4 860 6 195 7 329 8 268 10 249	4 708 6 162 7 238 8 197 9 995	4 093 5 273 6 247 7 026 8 708	4 110 5 274 6 247 7 026 8 706	3 893 5 213 6 237 7 040 8 738

C. WEIGHTED AVERAGE THRESHOLDS--POVERTY CUTOFIS IN 1978, BY SIZE OF FAMILY AND SEX OF HEAD, BY FARM-NONLARM RESIDENCE

SIZE OF EWILY UNIT		•	PUNFARM		FARM		
	· TUTAL	TOT/L	MALE HEAD	FE-WLE HEAD	JUTAL	MALE HEAD	FEIGLE HE W
	(DOLLARS)	(IX)LLARS)	(POLLARS)	(DOLLARS)	(WILLARS)	(DOLLARS)	(DULLARS)
1 person (unrelated individual) 14 to 64 years 65 years and over 2 persons Head 14 to 64 years Head 65 years and over	3 302	3 311	3 460	3 196	2 795	2 899	2 650
	3 386	3 392	3 516	3 253	2 913	2 937	2 764
	3 116	3 127	3 159	3 118	2 661	2 655	2 650
	4 225	4 249	4 258	4 206	3 578	3 582	3 457
	4 363	4 383	4 407	4 296	3 731	3 737	- 3 614
	3 917	3 944	3 948	3 923	3 352	3 354	3 313
5 persons	5 178	5 201	5 231	5 065	4 413	4 430	4 216
	6 628	6 662	6 645	6 632	5 661	5 683	5 622
	7 833	7 880	7 888	7 806	6 714	6 714	6 700
	8 825	8 891	8 895	8 852	7 541	7 543	7 462
	10 926	11 002	11 038	10 765	9 373	9 386	8 613

D. WHIGHTED AVERAGE THRESHOLDS--POVERTY CUTOFFS IN 1979, BY SIZE AND TYPE OF FAMILY AND FARM-MONFARM RESIDENCE

SIZE OF FAMILY UNIT			NONFARM		FARM		
	TOTAL (DOLLARS)	TOTAL (DOLLARS)	FAILURES ATTH FEMALE INLIDE, NO HISTAND FRESENT ¹ (DULLARS)	ALL OTHER FAMILIES ² (DULLARS)	IUTAL (DOLLARS)	FAMILIES WITH FEMALE HHLDR, MO HUSEA'D PRESENT! (DOLLARS)	ALL OTHE FAMILIES (DOLLAS
1 person (unrelated individual) 15 to 64 years		3 669 3 778 3 479	3 469 3 619 3 556	3 855 3 912 3 515	3 138 3 254 2 963	5 CO1 3 076 2 945	3 23: 3 30: 2 9:3
2 persons	4 858	4 725 • 4 878 4 390	4 669 4 762 4 362	4 737 4 905 4 594	3 987 4 156 3 730	3 917 4 027 3 686	3.931 - 4.161 5.731
5 persons	7 386 8 736 9 849	5 784 7 412 8 775 9 914 12 280	5 624 7 391 8 690 9 843 12 037	5 820 7 416 8 785 9 922 12 322	4 917 6 329 7 492 8 424 10 533	4 650 6 261 7 509 8 309 10 178	4 915 6 333 7 493 8 425 10 347

¹ INCLUDES FEMALE LARGLATED INDIVIDUALS.
21 NOTICE MALE LARGLATED INDIVIDUALS.

E. KERGITED ANDOGE THRESHOLDS--POVERTY OUTUFFS IN 1980, BY SIZE AND TYPE OF ENGLY, BY EARN-MINIMAN RESIDENCE

SIZE OF FAMILY UNIT		MONFARM			Fases		
	IOTAL (IOLL-RS)	IUTAL (LOLLARS)	FAMILIES WITH FRALE HOLER, NO INSEASO FRESENT ¹ (DUEL/RS)	ALL OTHER FAMILIES ² (DULLARS)	10TAL (LOLL-VIS)	FAMILIES ATTO FEWLE HADA, AD HUSEWO FRESENT (DULLARS)	ALL UTILL FAMILIES (DULLARS
1 person (unrelated individual) 15 to 64 years	4 184 4 286 3 941	4 190 4 290 3 949	4 037 4 109 3 938	4 379 4 441 3 990	3 539 3 693 3 259	3 392 3 492 3 3-17	3 660 3 773 3 392
2 persons	5 338 5 518 4 954	5 363 5 537 4 983	5 316 5 415 4 946	5 373 5 568 4 988	4 502 4 714 4 233	4 3C2 4 497 4 185	4 513 4 721 4 237
3 persons	6 539 8 395 9 923 11 215 13 885	6 565 8 414 9 966 11 269 13 955	6 386 8 382 9 878 11 227 13 767	6 608 8 418 9 976 11 274 13 986	5 573 7 170 8 472 9 613 11 915	5 271 7 152 8 373 9 168 12 133	5 587 7 170 8 474 9 625 11 885

¹INCLUDES FE-VALL UNRELATED INDIVIDUALS.
²INCLUDES MALE UNRELATED INDIVIDUALS.

TAPE POSITIONS 292-317

Sample Weights

A multistage estimation procedure was used to calculate the various NHANES II subsample sample weights that are necessary to use in any analysis of the data. The procedure has three basic components:

- 1) inflation by reciprocals of the probabilities of selection,
- 2) adjustment for nonresponse, and 3) poststratification ratio adjustment by age-sex-race. A brief description of each component is as follows:

Inflation by reciprocals of the sampling probabilities. Since the survey utilized a three-stage sample design, there were three probabilities of selection: 1) the probability of selecting the PSU, 2) the probability of selecting a segment and housing unit, and 3) the probability of selecting a sample person.

Adjustment for nonresponse. Estimates from the NHANES II data were adjusted to account for sample persons who were not examined. The estimates were inflated by a multiplication factor calculated within five selected income groups, three age groups, four regions, and standard metropolitan statistical area (SMSA) or non-SMSA. The numerator of these factors was the sum of the weights for persons resulting from the reciprocal of the probability of selection, and the denominator was the sum of the weights for examined persons also resulting from the reciprocals of the sampling probabilities.

Poststratification by age-sex-race. The estimates were ratio adjusted within each of 76 age-sex-race cells to an independent estimate, provided by the U.S. Bureau of the Census, of the population of each cell as of March 1, 1978, (approximate mid-point of the survey). The ratio adjustment was a multiplication factor of which the numerator was the U.S. population and the denominator

was the sum of the weights adjusted for nonresponse for examined persons. This ratio estimation process makes the sample more closely representative of the civilian, noninstitutionalized population of the U.S.

Potential bias of nonresponse. Usually a sizeable number of sample persons who initially are willing to complete the household information and some of the medical history questionnaire subsequently will not participate in the examination. This creates the potential for bias if these persons differ from other sample persons with respect to the variables being studied. Intense efforts were undertaken during NHANES II to develop and implement standard procedures and inducements that would reduce the number of nonrespondents and thereby reduce the potential for bias.

The user needs to be aware of and should explore the potential bias for nonresponse in any analysis of the NHANES II data.

TAPE POSITION 405

The term "Dummy Record" refers to a tape record for a respondent who was included in the sample but for whom no allergy test data was received.

Although demographic data are available for all respondents, positions

405-694 are filled with 8's for all dummy records.

TAPE POSITION 411

The allergens used in this study were purchased from two different manufacturers—Nelco and Greer. In single use stands only allergens of one manufacturer were used. In dual use stands, even numbered sample persons received Greer allergens and odd numbered sample persons received Nelco allergens.

The comparability of the two batteries of allergens used in this study are fully discussed in Series 11-No. 235--Percutaneous Immediate Hypersensitivity to Eight Selected Allergens in the Civilian Noninstitutionalized Population Ages 6-74 Years: United States, 1976-1980. In summary, the Greer allergens were found to have increased rates of reaction for house dust, oak, and bermuda grass. The Nelco allergen was found to have a higher rate of reactivity for dogs. No differences in reactivity were found for alternaria, cat, ragweed, and rye grass.

TAPE POSITIONS 425-526, 438-439, 451-452, 464-465, 477-478, 490-491, 503-504, 516-517, 529-530, 542-543, 555-556, 568-569, 581-582, 594-595, 607-608, 620-621, 633-634, 646-647, 659-660, 672-673

Test Result Codes and Definitions:

<u>Code</u>	Definition
10	No Reaction
11	Erythema between 5 and 21 mm in diameterno wheal
12	Erythema larger than 21 mm in diameterno wheal
13	Wheal without erythema
14	Wheal and erythema
15	Test not givenhistory of allergies, history of
	previous allergy testing, history of previous
	allergy shots, or on allergy medicine
16	.Test not givenno histamine
17	Test not givenno reason recorded
18	Test not givenpatient refusal, allergic to
	aspirn, patient ill, dermatitis on arms, etc.
19	No reaction at 20 minutes, data imputedno
	reaction to the allergen was recorded at the 10
	minute reading but no data was recorded for the 20
	minutes reading. We imputed the data for no
	reaction at 20 minutes
20	<pre>£rythema between 1 and 4 mm in diameterno wheal</pre>
88	Blank but applicable

TAPE POSITIONS 675-694

A small number of records were found to have a valid test code indicating a reaction to the particular allergen but no measurements for either the wheal or flair were recorded. The measurement fields for these reactions were coded with an eight indicating blank but applicable.

V. APPENDIX A

DATA COLLECTION TECHNIQUES AND CONTENT

The plan developed with respect to the content of NHANES II called for the following:

A. QUESTIONNAIRES COMPLETED IN THE HOUSEHOLD

 Household questionnaire: This questionnaire included for each household member items on family relationships and certain demographic variables such as age, sex, race, education, occupation, and veteran status. Also obtained were information on selected housing characteristics, family income, and an indication of the family's participation in food stamp programs.

2. Medical history questionnaires:

- The questionnaire included items on birth weight, prematurity, congenital conditions, medication, neurological conditions, lead poisoning, accidents, hospital care, disability, diarrhea, pica, vision, and a variety of chronic conditions. In addition, data were collected on allergies, kidney and bladder disease, anemia, speech and hearing, lung and chest conditions and participation in food programs.
- b. For each sample person 12-74 years of age
 The questionnaire included items on medication, hospital care, tuberculosis, a variety of acute and chronic diseases, tobacco usage, physical activity, weight, height, vision disability, eating and gastrointestinal problems, and participation in food programs. Detailed data were collected on anemia, diabetes, respiratory conditions, hearing and speech, liver and gallbladder conditions, kidney and bladder disease, allergies, hypertension, cardiovascular conditions, stroke and arthritis (stressing middle and upper back and neck problems).

B. QUESTIONNAIRES ADMINISTERED IN THE MOBILE EXAMINATION CENTER

1. Dietary Questionnaires

- a. <u>For each examined person</u>, a 24-Hour Recall was administered by trained dietary interviewers. Specific and quantitative detail of every food or drink consumed during the previous day was recorded and calculated, thus providing estimates of calories, protein, carbohydrates, fat, unsaturated fats, cholesterol, and specific vitamins and minerals consumed.
- b. For each examined person, a Food Frequency questionnaire was administered to ascertain usual patterns of food consumption. Daily and/or weekly consumption of foods within 26 subgroups were recorded. In addition, data were collected on usual vitamin-mineral supplement usage.
- c. For each person 12-74 years of age, a Dietary Supplement form was self-administered and reviewed. This form provided information on special diets, recent medications and barriers to purchasing groceries or eating foods; it does not provide information on vitamin/mineral or other supplements to the diet.
- 2. Health History Supplement, for persons 12 through 74 years of age, included questions on cardiovascular and respiratory conditions, kidney and bladder disease, and arthritis in addition to those asked in the household Medical History. Also included were questions on pesticide exposure, smoking for persons 12 through 17 years of age, and a menstrual and pregnancy history for females.
- 3. <u>Medications/Vitamin Usage form</u> collected information on the past week's usage of any medicines, vitamins or minerals for all examined persons.
- 4. <u>Behavior Questionnaire</u> elicited data on behavior which may be associated with coronary heart disease for examined persons 25 through 74 years of age.

C. EXAMINATION BY PHYSICIAN

A physician performed and recorded the results of a medical examination giving special attention to specified findings related to nutrition, to hearing, to the thyroid gland, and to the cardiovascular, respiratory, neurological and musculoskeletal systems.

D. SPECIAL CLINICAL PROCEDURES AND TESTS

A specially trained health technician carried out the following on examined persons in the designated age ranges:

- 1. Spirometry trials of examined persons 6 through 24 years of age were digitized and recorded on magnetic tape. Various pulmonary function indicators such as FVC (forced vital capacity), FEV₁ (forced expiratory volume in one second), and peak flow rate were subsequently derived from these data.
- 2. <u>Electrocardiograms</u> were made on examined persons 25 through 74 years of age. Electrocardiographic signals were digitized and recorded on magnetic tape, providing normative data on amplitude, duration, interval and axis measurements and permitting interpretations of heart disease according to the Minnesota classification code.
- 3. <u>Body Measurements</u> were made on all examinees and included standing height or recumbent length, depending on age; body weight; triceps and subscapular skinfolds; and several other anthropometric measurements.
- 4. Pure tone audiometry tests were carried out on examined persons between the ages of 4 and 19 years, permitting determination of threshold levels of hearing for frequencies of 500, 1000, 2000, and 4000 Hertz for right and left ears.
- Speech recording, involving use of tape recording of the subject's repetition of specially developed sentences, was carried out on examined persons between the ages of 4 and 6 years, permitting interpretations as an indication of problems with articulation and language development.

6. Allergy tests, involving skin tests (prick test) with eight common allergens (house dust, alternaria, cat fur, dog fur, ragweed, oak, rye grass, and Bermuda grass). The tests were made on examined persons between the ages of 6 and 74 years, to obtain degrees of skin reaction.

E. X-RAYS

For examined persons 25 through 74 years of age, two x-rays were made. No x-rays were taken of pregnant women and no lumbar x-rays were taken on women under 50 years of age.

- X-rays of the cervical and lumbar spine were taken to provide evidence of osteoarthritis and degenerative disc disease, and an
- 2. X-ray of the chest was taken to be used in the diagnosis of respiratory diseases and to serve as a measure of left ventricular enlargement.

F. URINE TESTS

Tests as follows were performed on casual samples of urine:

- N-Multistix tests for qualitative protein, glucose, ketones, bilirubin, blood, urobilinogen, pH, and bacteriuria (nitrite test) were done for examined persons 6 through 74 years of age.
- Urinary sediments, including red cells, white cells, and casts, were measured for a subsample of examined adults 20 through 74 years of age.
- 3. Gonorrhea cultures of urinary sediments were performed for male and female examined persons 12 through 40 years of age. However, of those females who received the Glucose Tolerance Test (GTT), only those 20 through 24 years had the gonorrhea test performed.
- 4. Analyses for pesticide residue and metabolite levels were carried out on a subsample of examined persons 12 through 74 years of age, including measures of the body burdens from exposure to alkyl phosphate residues and metabolites, carbamate residues, phenolic compound residues and malathion metabolites.

G. TESTS ON BLOOD SAMPLES

Samples of blood provide a broad range of information related to health and nutrition. The particular tests performed varied with the specific target condition and age group as described on page 39 of the Series 1, No. 15 program description.⁸

Glucose tolerance test (GTT)

This test involved collection of blood specimens while in a fasting state as well as at one and two hours after glucose challenge. The test was performed on a subsample of examined adults 20 through 74 years of age to provide estimates of the prevalence of diabetes.

2. Tests related to liver function

- a. A post-prandial liver bile acid test was performed to measure the ability of the liver to remove bile acids from the blood. This involved consumption of a food preparation, which induces eventual addition of bile acids to the blood via contraction of the gallbladder, and subsequent collection of blood specimens.
- Liver biochemistries performed include bilirubin, SGOT, and alkaline phosphatase tests.

3. Anemia-related laboratory tests

The tests made to characterize anemia consisted of protoporphyrin, iron, total iron binding capacity (TIBC), zinc, copper, red cell folates, serum folates, serum ferritin, B_{12} , and the determination of abnormal hemoglobin.

4. Other nutritional biochemistries

These tests included albumin, Vitamin A, and Vitamin C.

5. Serum lipids

Because of their important relevance to cardiovascular disease, determinations were made of cholesterol, triglycerides, and high density lipoprotein (HDL).

6. Biochemistries for body burden from environmental exposures Determinations were made of body burden levels of lead and

Determinations were made of body burden levels of lead and pesticide residues and metabolites. Tests were also performed for carboxyhemoglobin which reflects environmental exposure to carbon monoxide and the individual's smoking habits.

7. <u>Hematology</u>

The hematology included determinations of hemoglobin, hematocrit, red blood cell count, white blood cell count and differential leukocyte analysis, and red blood cell morphology and hemoglobin phenotyping.

8. Kidney function

The only quantitative test for kidney function performed on blood samples was the serum creatinine test.

9. Syphilis

The serology determinations for syphilis included qualitative and quantitative ART, a FTA-ABS and MHA-TP.

APPENDIX B

ALLERGY TEST

Equipment

Sponge wipes Needles, 25 gauge, %" Allergens

Alternaria

Bermuda grass

Cat

Dog

House dust

Mixed long and short ragweed

Oak

Perennial rye grass

Histamine base

Phosphate buffered saline (control)

General

The allergy test administered by the health technicians is designed so that constitutional reactions that would necessitate the use of emergency medical procedures will be kept to a minimum. The allergens most likely to cause constitutional reactions are cat, dog, and to a lesser extent ragweed.

Procedure

1. Before testing

Ask the examinee whether or not he:

- Has ever had even a small positive reaction to a skin test for cat, dog, or ragweed.
- Has a history of allergy to cat, dog, or ragweed.

Write in the examinee's age on the right side of box c, "Sex."

Questions 22-24 on the Medical History for ages 6 months to 11 years and questions 58-60 on the Medical History for ages 12-74 years pertain to the examinee's allergy history.

If there is no indication that the examinee is allergic to cats, dogs, or ragweed or that he is highly sensitive to certain other types of materials, then administrately the tests according to the instructions in this charge is allergic to the instructions in this charge.

administer the tests according to the instructions in this chapter.

If the examinee has a history of allergy to cats, dogs, or ragweed, has had a

positive reaction to any one of the three, or is known according to the Medical History to be a highly sensitive person, do the allergy test as usual with the following exception. DO NOT administer the cat, dog, or ragweed allergens.

After the 10-minute reading ask the physician to review the examinee's allergy history along with the results of the 10-minute reading for the allergens administered. The physician will decide whether to proceed with the cat, dog, and ragweed testing in total or in part based on either of the following:

- The history of allergy to cats, dogs, and ragweed and the overall sensitivity of the person based on the appropriate items in the medical history.
- The reactions at 10 minutes to the other allergens administered:
 - If less than three of the other allergens show positive reactions, (codes 12, 13, 14) then cat, dog, and ragweed allergens should be administered in the regular fashion in the other arm. (A HISTAMINE REACTION 15 NOT TO BE COUNTED AS A POSITIVE).
 - If three or more of the other allergens show positive reactions (12, 13, 14) then cat and dog allergens will not be administered. Ragweed may be administered in the other arm, but with caution. If a wheal (the flat, edematous elevation of the skin) of at least 6 mm in diameter appears, wipe the site immediately and make a reading. Record the time the reading was made under "Minutes" if the reading was made before 10 minutes after the allergen was applied. Read again at 20 minutes even though the wheal area was wiped. If a wheal of at least 6 mm in diameter does not appear before 10 minutes after application, do the usual 10-minute and 20-minute readings.

2. Administration of the allergy test

- a. Sponge the inside of either forearm with alcohol and let the arm air-dry.
- b. Use a black marking pen to mark 10 dots, two rows of five each, for the skin pricks. Avoid the vascular areas near the elbows and wrists.
- c. Put a drop of allergen solution next to each dot until all ten solutions have been used. Use small drops of allergens so that they won't run.
- d. Prick the skin under the drops by lifting the skin lightly with a 25 gauge BD needle.
- e. Set the timer for the 10-minute reading as soon as the first prick is made.
- f. When the timer goes off at 10 minutes, immediately reset it for the 20-minute reading and then read the reactions and record the results of the readings for the allergens administered according to the instructions in the next section.
- g. 20 minutes after the first prick read the reactions and record the results for all the allergens administered.
- 3. Reading the reactions and recording the results

For all tests administered complete the Allergy Testing form, Deck No. 309, as follows:

- a. First Reading
 - (1) Time

Normally the first reading is taken 10 minutes after first prick is made. However, in the case of an extreme reaction, safety precautions, the

examinee's needing to leave the exam center, or some other reason, measurements of reactions may have to be done at a time other than the standard time of 10 minutes after the prick. If there is a deviation from 10 minutes, record the time of the reading under "Minutes" and record the reason why across the bottom of the form.

(2) Recording results

- (a) For each allergen whose wheal at 10 minutes is 6 inm or more in diameter record the wheal's exact measurements under "Wheal Length" and "Wheal Width." Check under "Confluent" whether or not the reaction from the allergen has run into that of any other allergen. Record also the exact measurements of the flare or eighthema (area of redness) surrounding the wheal under. Flare Length" and "Flare Width." Write in under "Test Results" the code that best describes the reaction from that allergen according to the code definitions given at the bottom of the Allergy Testing form. Blot the test areas after the 10-minute reading.
- (b) For each allergen whose wheal at 10 minutes is less than 6 mm in diameter, record whether the reaction is confluent or not, measure and record the wheal and flare length and width, and write in the code number which best describes the test results.
- (c) Erythema boundary The distinguishing of the erythema boundary is easy in most cases. Wiping with an alcohol sponge will help in the determination.

 In the case of a dark skinned person the boundary is harder to determine. A bright light will help with this problem. Either a 75 watt incandescent or fluorescent bulb can be used. Bright sunlight will help if a lamp is not available. In all cases, before reading wipe with an alcohol sponge.

b. Second Reading

(1) Time

Normally the second reading is taken 20 minutes after the first prick is made. However, in the case of extreme reaction, safety precautions, an examinee's needing to leave the exam center, or some other reason, measurements of reactions may have to be done at a time other than the standard time of 20 minutes after the prick. If there is a deviation from 20 minutes, record the time of the reading under "Minutes" and record the reason why across the bottom of the form.

(2) Recording results

Measure the length and width of each wheal and flare and record the measurements in the appropriate spaces. Also, record whether or not the reaction was confluent with another reaction. Write in the appropriate test result according to the codes at the bottom of the form. If there is no reaction for an allergen, leave every space blank except the space for "Test Results;" record "10" in that space.

c. After the second reading

(1) Wipe the arm clean with alcohol.

(2) Check on the form whether the test was satisfactory or unsatisfactory. If it was unsatisfactory, give reason why.

(3) Don't let the examinee leave the examination center before 30 minutes after the administration of the allergens.

d. Physician's report of findings

In transferring the results of the allergy test to the report of findings use the following translations to make the test result codes correspond to the codes from the "Notes on Tests and Procedures."

Allergy form test result code	Report of findings code
test result code	code
10, 20	0
11	1
12	2
13	3 -
14	4
15-18	5
19	6

Emergency Procedure

Generalized reactions to the skin tests are not expected. However, if one does occur it may be sudden and sometimes serious.

Do not wait for full development of an adverse reaction. If the examinee says he feels funny, faint, dizzy, or weak that is the signal to immediately notify the physician who will take appropriate action.

The recommended treatment is indicated below and has been excerpted from an article by Sheldon C. Siegel, M.D., as a contribution to "Current Pediatric Therapy."

"At the first sign of an impending anaphylactic reaction, the following drugs should be promptly administered and the described additional measures taken as indicated:

Epinephrine 1:1000, 0.3 to 0.5ml, should be administered either subcutaneously or intramuscularly. If no response is noted within 5 minutes, the dose may be repeated. In the event of severe shock with vascular collapse, 1 ml of 1:1000 epinephrine diluted in 10 ml of saline solution should be administered by slow intravenous injection.

"If the anaphylaxis has been caused by a therapeutic agent injected into an extremity, a tourniquet should be placed proximal to the site to delay absorption, and an additional 0.25 ml of epinephrine injected directly into the previous injection site.

"The administration of epinephrine should be followed immediately by an intramuscular or intravenous injection of an antihistaminic such as diphenhydramine (Benadryl). The dose for an older child should be comparable to that for an adult, 50 mg; for an infant or younger child, use 1 mg/kg, not exceeding 50 mg per dose or 150 mg per day.

"Oxygen administered promptly will minimize the development of hypoxia, which may in itself contribute to vascular collapse and cerebral edema. Vigilance must be kept at all times to make certain the patient has adequate ventilation. Excess secretions should be removed by suction. If the airway becomes completely obstructed by angioedema, intubation or tracheostomy may be necessary."

Antigen Care

The test antigens should always be refrigerated to maintain their stability. To assure stability throughout a stand the following should be followed:

- 1. Since 4 fresh vials of each antigen are provided at the beginning of each stand, discard all opened vials midway through the stand and replace with fresh vials which have been refrigerated since the beginning of the stand. At the end of each stand, discard all opened and unopened vials of antigen.
- 2. During an examination session antigen vials should be kept in special containers at a temperature of between 2° and 4°C.
- 3. After the last session of each day and after the first session of a split session day, antigens are to be replaced in the refrigerator. Again, the ideal temperature is 2° to 4°C.

VI. REFERENCES

- National Center for Health Statistics: Replication: An approach to the Analysis of Data from Complex Surveys, by P.J. McCarthy. <u>Vital</u> and Health Statistics. Series 2, No. 14. DHEW Pub. No. (PHS) 79-1269. Public Health Service. Washington, D.C. U.S. Government Printing Office, 1966.
- Survey Research Center Computer Support Group, <u>OSIRIS IV User's</u> <u>Manual</u>, Institute for Social Research, University of Michigan, Ann Arbor, Michigan, 1979.
- 3 Holt, M. M.: SURREGR: Standard Errors of Regression Coefficients from Sample Survey Data. Research Triangle Institute, Research Triangle Park, N.C., 1977. (Revised April 1982 by B. V. Shah)
- 4 Hidiroglou, M. A., Fuller, W. A., Hickman, R. D.: SUPER CARP.
 Survey Section, Statistical Laboratory, Iowa State University, Ames,
 Iowa. Sixth Edition. October, 1980.
- Woodruff, R. S.: A Sample Method for Approximating the Variance of a Complicated Estimate. <u>Journal of the American Statistical</u> Association, 66:411-414, 1971.
- Shah, B.V.: SESUDAAN: Standard Errors Program for Computing of Standardized Rates from Sample Survey Data. Research Triangle Institute, Research Triangle Park, N.C., RTI/5250/00-01S, April, 1981.
- National Center for Health Statistics: A Statistical Methodology for Analyzing Data from a Complex Survey: The First National Health and Nutrition Examination Survey, by J. R. Landis, J. M. Lepkowski, S. A. Stehouwer, and S. A. Eklund. <u>Vital and Health Statistics</u>. Series 2, NO. 92. DHHS Pub. No. (PHS) 82-1366. Public Health Service. Washington, D.C. U.S. Government Printing Office, September, 1982.

- 8 National Center for Health Statistics: Percutaneous Immediate Hypersensitivity to Eight Selected Allergens in the Civilian Noninstitutionalized Population Ages 6-74 Years: United States, 1976-1980. Series 11, No. 235. DHHS Pub. No. (PHS) 86-1685. Public Health Service. Washington, D.C. U.S. Government Printing Office. In Publication.
- ⁹ National Center for Health Statistics: Plan and Operation of the Second National Health and Nutrition Examination Survey, 1976-1980, by A. McDowell, A. Engel, J. T. Massey and K. Maurer. <u>Vital and Health Statistics</u>. Series 1, No. 15. DHHS Pub. No. (PHS) 81-1317. Public Health Service. Washington, D.C. U.S. Government Printing Office, July, 1981.
- 10 U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1976 (Advance Report). <u>Current Population Reports</u>. Series P-60, No. 107. U.S. Government Printing Office, Washington, D.C., 1977.
- U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1977 (Advance Report). <u>Current Population Reports</u>. Series P-60, No. 116. U.S. Government Printing Office, Washington, D.C., 1978.
- 12 U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1978 (Advance Report).

 <u>Current Population Reports</u>. Series P-60, No. 120. U.S. Government Printing Office, Washington, D.C., 1979.
- 13 U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1979 (Advance Report). Current Population Reports. Series P-60, No. 125. U.S. Government Printing Office, Washington, D.C., 1980.

- 14 U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1980 (Advance Data from the March, 1981 <u>Current Population Survey</u>). <u>Current Population</u> <u>Reports</u>. Series P-60, No. 127. U.S. Government Printing Office, Washington, D.C., 1981.
- 15 Orshansky, M.: Counting the Poor: Another Look at the Poverty Profile. Social Security Bulletin. Vol. 28, No. 1. U.S. Government Printing Office, Washington, D.C., January, 1965.
- Orshansky, M.: Who's Who Among the Poor: A Demographic View of Poverty. <u>Social Security Bulletin</u>. Vol. 28, No. 7. U.S. Government Printing Office, Washington, D.C., July, 1965.
- 17U.S. Bureau of the Census: Special Studies. <u>Current Population</u>
 <u>Reports. Series P-23, No. 28. U.S. Government Printing Office,</u>
 Washington, D.C., August 12, 1969.
- 18 Circular No. A-46, Transmitted Memorandum No. 9, Executive Office of the President, Bureau of the Budget, August 29, 1969, and Exhibit L (rev.).

:- --