ALLERGAN



2525 Dupont Drive, P.O. Box 19534, Irvine, California, USA 92623-9534 Telephone: (714) 246-4500 Website: www.allergan.com

Timothy G. Terrell, DVM, PhD, DACVP Vice President, Drug Safety Evaluation Allergan, Inc. 2525 Dupont Drive RD2-2A Irvine, CA 92612

March 31, 2006

Dr. William S. Stokes NICEATM Director NIEHS P.O. Box 12233 MD EC-17 Research Triangle Park, NC 27709

RE: Nomination To Hold a Workshop on Alternative Methods to Replace the Mouse LD₅₀ Assay for Botulinum Toxin Potency Testing: Request for Comments, Nominations of Experts, and Submission of In Vivo and In Vitro Data, Federal Register, 71(18):4603, January 27, 2006.

Dear Dr. Stokes:

Pursuant to the request from NICEATM and ICCVAM for information on activities directed at the development of alternatives the mouse LD_{50} assay for botulinum toxin potency testing, I am providing the enclosed information.

Allergan supports the concept of a workshop to discuss alternative methods and approaches that might address the 3 R's for testing botulinum toxin for potency and product release. We have had internal R&D efforts focused on development and assessment of approaches to address each of the areas, reduction, refinement and replacement of the use of animals for botulinum potency testing for more than a decade. Significant progress has been achieved; however, the ultimate goal of replacement of the mouse LD_{50} assay with a non-animal alternative assay has not yet been met. This remains a goal of the company with ongoing efforts focused on research on alternative assay methods.

ICCVAM has requested data from mouse LD_{50} botulinum toxin potency testing and ex vivo and in vitro test methods used for potency testing. The types of data requested include raw data, protocols, test results and study reports. Unfortunately, because of the proprietary nature of that type of data, Allergan is not able to share it with the committee.

Allergan would like to support and contribute to the efforts by NICEATM and ICCVAM in the investigation of alternative test methods. Included with this submission are:

- Nominations of scientific experts who might participate in any future workshop
- Selected Literature References
- Compact Disc containing electronic files of all submitted material

As I mentioned in our discussion earlier this month, Allergan representatives including myself will be willing to give a presentation to the committee via webcast during your planning discussions if it is the wish of ICCVAM.

I will serve as the primary contact for future communications. In addition, I would most definitely like to participate in any future workshop on this topic should it occur. Correspondence can be sent by mail, fax or e-mail.

Sincerely yours, Timoty G. Terrell

NOMINATION OF SCIENTIFIC EXPERTS

Lance L. Simpson, PhD Professor of Medicine, Biochemistry and Molecular Pharmacology Thomas Jefferson University 1020 Locust Street Room 314 Jefferson Alumni Hall Philadelphia, PA 19107-6799

K. Roger Aoki, PhD Vice President, Neurotoxins Allergan, Inc. 2525 Dupont Drive RD3-3A Irvine, CA 92612

Leonard Smith, PhD Chief, Department of Immunology and Molecular Biology Division of Toxinology and Aerobiology United States Army Medical Research Institute of Infectious Diseases (USSAMRIID) Fort Dietrich, MD 21702-5011

Prof. J. Oliver Dolly International Centre for Neurotherapeutics Research & Engineering Building Dublin City University Dublin 9 Ireland

Eric A. Johnson, ScD Professor, Department of Food Microbiology & Toxicology Food Research Institute University of Wisconsin-Madison 1925 Willow Drive Madison, WI 53706-1187

SELECTED REFERENCES

Mechanism of Action and Pharmacology

- 1. Simpson LL (2004): Identification of the Major Steps in Botulinum Toxin Action. Ann. Rev. Pharmacol. Toxicol. 44:167-93.
- 2. Dressler D and Saberi FA (2003): Botulinum Toxin: Mechanisms of Action. Eur. Neurol. 53:3-9.
- 3. Schantz EJ and Johnson EA (1992): Properties and Use of Botulinum Toxin and other Microbial Neurotoxins in Medicine. Microbiol. Rev. 56(1):80-99.
- 4. Brin MF and Aoki KR (2002): Botulinum Toxin Type A: Pharmacology. In: Mayer NH, ed. Spasticity: Etiology, Evaluation, Management and the Role of Botulinum Toxin, pp 110-24.
- 5. Aoki KR (2004): Pharmacology of Botulinum Neurotoxins. Oper. Tech. Otolaryngol. Head Neck Surg. 15(2):81-5.
- 6. Aoki KR (2004): Botulinum Toxin: A Successful Therapeutic Protein. Current Medicinal Chem. 11(23):3085-92.

Botulinum Toxin Assays

- 7. Notermans S and Nagel J (1989): Assays for Botulinum and Tetanus Toxins. In: Botulinum Neurotoxin and Tetanus Toxin, Academic Press, Inc, pp 319-31
- 8. Schantz EJ and Kautter DA (1978): Microbiological Methods: Standardized Assay for Clostridium botulinum Toxins. J Assoc. Off. Anal. Chem. 61(1):96-9.
- 9. Pearce LB, Borodic GE, First ER and MacCallum RD (1994): Measurement of Botulinum Toxin activity: Evaluation of the Lethality Assay. Toxicol. Appl. Pharmacol. 128(1):69-77.
- 10. McLellan K, Gaines Das RE, Ekong TAN and Sesardic D (1996): Therapeutic Botulinum Type A Toxin: Factors Affecting Potency. Toxicon 34(9):975-85.
- Sesardic D, Leung T, and Gaines Das R (2003): Role for standards in assays for botulinum toxins: International collaborative study of three preparations of botulinum type A toxin. Biologicals 31(4):265-76.
- 12. Aoki KR (2001): A comparison of the safety margins of botulinum neurotoxin serotypes A, B, and F in mice. Toxicon 39(12):1815-1820.
- 13. Aoki KR (2002): Botulinum neurotoxin serotypes A and B preparations have different safety margins in preclinical models of muscle weakening efficacy and systemic safety. Toxicon 40(7):923-28.
- Cichon JV Jr, McCaffrey TV, Litchy WJ and Knops JL (1995): The effect of botulinum toxin type A injection on compound muscle action potential in an in vivo rat model. Laryngoscope 105(2):144-8.

- 15. Sesardic D, McLellan K, Ekong TAN and Gaines Das R (1996): Refinement and validation of an alternative bioassay for potency testing of therapeutic Botulinum Type A Toxin. Pharmacol. Toxicol. 78(5):283-8.
- 16. Liu Y, Jones RGA and Sesardic D: Development and use of the mouse phrenic nerve hemidiaphragm assay for botulinum type A toxin. ABS-50a presented at: Basic and Therapeutic Aspects of Botulinum and Tetanus Toxins International Conference (Toxins 2005), June 23-25, 2005, Denver, CO.
- Ekong TAN, Feavers IM and Sesardic D (1997): Recombinant SNAP-25 is an effective substrate for Clostridium botulinum type A toxin endopeptidase activity in vitro. Microbiology 143:3337-3347.
- 18. Gaines Das RE, Heath AB, Martin H and Sesardic D (1999): Validation of in vitro Assays for Botulinum Toxin: A case study. Dev Biol. Stand. 101:267-76.
- 19. Welch MJ, Purkiss JR and Foster KA (2000): Sensitivity of embryonic rat dorsal root ganglia neurons to Clostridium botulinum neurotoxins. Toxicon 38(2):245-58.
- Purkiss JR, Friis LM, Doward S and Quinn CP (2001): Clostridium botulinum neurotoxins act with a wide range of potencies on SH-SY5Y human neuroblastoma cells. NeuroToxicology 22:447-53.
- 21. Keller JE, Cai F and Neale EA (2003): Uptake of botulinum neurotoxin into cultured neurons. Biochemistry 43:526-32.
- 22. Williams D, Steward LE, Gilmore MA, Okawa Y, Webber JA and Aoki KR: GFP-SNAP25 fluorescence release assay of BoNT proteolytic activity. ABS-83 presented at: Basic and Therapeutic Aspects of Botulinum and Tetanus Toxins International Conference (Toxins 2005), June 23-25, 2005, Denver, CO.
- 23. Gilmore MA, Williams D, Steward LE, Okawa Y, Webber JA, Verhagen MF and Aoki KR: A coupled FRET-fluorescence polarization assay of BoNT proteolytic activity with a fully recombinant substrate. ABS-35 presented at: Basic and Therapeutic Aspects of Botulinum and Tetanus Toxins International Conference (Toxins 2005), June 23-25, 2005, Denver, CO.
- 24. Steward LE, Fernandez-Salas E, Garay PE, Malik S, Lewis RO and Aoki R: A sensitive cellbased fluorescence resonance energy transfer (FRET) assay for botulinum neurotoxins. ABS-76 presented at: Basic and Therapeutic Aspects of Botulinum and Tetanus Toxins International Conference (Toxins 2005), June 23-25, 2005, Denver, CO.
- 25. Fernandez-Salas E, Garay PE, Iverson C, Malik SZ, Steward LE and Aoki KR: Identification of FGFR3 as a putative receptor for botulinum neurotoxin type A uptake in neuronal cells. ABS-29 presented at: Basic and Therapeutic Aspects of Botulinum and Tetanus Toxins International Conference (Toxins 2005), June 23-25, 2005, Denver, CO.
- 26. Ferracci G, Miquelis R, Kozaki S, Seagars M and Leveque C (2005): Synaptic vesicle chips to assay botulinum neurotoxins. Biochem. J. 391:659-66.

- 27. Maruta T, Doimbek BZ, Aoki KR and Atassi MZ (2006): Inhibition by human sera of botulinum neurotoxin-A binding to synaptosomes: A new assay for blocking and non-blocking antibodies. J. Neurosci. Meth. (In press).
- 28. Dong M, Yeh F, Tepp WH, Dean C, Johnson EA, Janz R, Chapman ER (2006): SV2 is the protein receptor for Botulinum Neurotoxin A. Sciencexpress, (on line), 16 March 2006.
- 29. Mahrhold S, Rummel A, Bigalke H, Davletov B and Binz T (2006): The synaptic vesicle protein 2C mediates the uptake of botulinum neurotoxin A into phrenic nerves. FEBS 580:2011-14.