

Table A-1

NUMBER OF INCIDENCE CASES, 1991-95By Primary Cancer Site, Race and Sex  
SEER Geographic Areas

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral & Pharynx	13,742	9,303	4,439	11,260	7,536	3,724	1,439	1,050	389
Esophagus	5,088	3,702	1,386	3,960	2,862	1,098	873	626	247
Stomach	10,098	6,279	3,819	7,350	4,608	2,742	1,225	763	462
Colon & Rectum	63,067	31,820	31,247	53,279	26,810	26,469	5,353	2,559	2,794
Colon	46,070	22,274	23,796	38,903	18,780	20,123	4,151	1,906	2,245
Rectum	16,997	9,546	7,451	14,376	8,030	6,346	1,202	653	549
Liver & Intrahep	4,865	3,246	1,619	3,305	2,170	1,135	523	367	156
Pancreas	12,433	5,978	6,455	10,186	4,861	5,325	1,429	670	759
Larynx	5,220	4,181	1,039	4,320	3,454	866	688	553	135
Lung & Bronchus	76,687	45,257	31,430	64,629	37,469	27,160	7,889	5,109	2,780
Melanomas of skin	17,334	9,542	7,792	16,324	9,027	7,297	95	52	43
Breast	81,005	520	80,485	69,522	427	69,095	6,472	56	6,416
Cervix uteri	5,952	-	5,952	4,444	-	4,444	833	-	833
Corp & Uter, NOS	15,361	-	15,361	13,438	-	13,438	904	-	904
Ovary	10,791	-	10,791	9,381	-	9,381	691	-	691
Prostate	94,289	94,289	-	77,489	77,489	-	9,864	9,864	-
Testis	3,333	3,333	-	3,056	3,056	-	69	69	-
Urinary bladder	23,333	17,165	6,168	21,283	15,719	5,564	1,031	674	357
Kidney & Renal pel	12,165	7,462	4,703	10,346	6,318	4,028	1,153	711	442
Brain & Oth Nerv	7,788	4,366	3,422	6,927	3,887	3,040	435	225	210
Thyroid	6,983	1,853	5,130	5,773	1,582	4,191	380	92	288
Hodgkin's disease	3,577	1,936	1,641	3,097	1,676	1,421	335	181	154
Non-Hodgkin's lymph	21,674	12,203	9,471	18,708	10,444	8,264	1,485	941	544
Multiple myeloma	6,213	3,284	2,929	4,863	2,581	2,282	987	490	497
Leukemias	13,821	7,774	6,047	11,900	6,742	5,158	962	509	453
Acute lymph	1,613	933	680	1,336	786	550	118	58	60
Chronic lymph	4,171	2,426	1,745	3,731	2,181	1,550	256	147	109
Acute myeloid	3,614	1,864	1,750	3,077	1,609	1,468	256	113	143
Chronic myeloid	1,977	1,127	850	1,662	940	722	165	97	68
All others	2,446	1,424	1,022	2,094	1,226	868	167	94	73
All Sites	554,731	294,753	259,978	468,099	246,404	221,695	48,910	27,600	21,310

Source: SEER Program.

Table A-2

NUMBER OF DEATHS, 1991-95By Primary Cancer Site, Race and Sex  
United States

Site	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Oral & Pharynx	40,599	26,897	13,702	33,321	21,521	11,800	6,323	4,695	1,628
Esophagus	52,439	39,414	13,025	42,039	31,719	10,320	9,707	7,145	2,562
Stomach	68,919	40,851	28,068	54,707	32,548	22,159	11,271	6,622	4,649
Colon & Rectum	286,214	141,376	144,838	251,212	124,610	126,602	30,886	14,583	16,303
Colon	246,981	120,183	126,798	216,705	105,952	110,753	26,955	12,504	14,451
Rectum	39,233	21,193	18,040	34,507	18,658	15,849	3,931	2,079	1,852
Liver & Intrahep	50,079	30,455	19,624	40,701	24,432	16,269	6,186	3,858	2,328
Pancreas	131,646	63,459	68,187	113,965	55,125	58,840	15,573	7,252	8,321
Larynx	19,751	15,610	4,141	15,997	12,594	3,403	3,581	2,877	704
Lung & Bronchus	738,594	459,024	279,570	651,620	400,235	251,385	77,684	52,846	24,838
Melanomas of skin	33,314	20,601	12,713	32,630	20,299	12,331	544	229	315
Breast	219,333	1,647	217,686	191,376	1,392	189,984	25,169	239	24,930
Cervix uteri	22,842	-	22,842	17,120	-	17,120	5,012	-	5,012
Corp & Uter, NOS	30,486	-	30,486	25,570	-	25,570	4,536	-	4,536
Ovary	65,920	-	65,920	59,861	-	59,861	5,113	-	5,113
Prostate	172,042	172,042	-	142,653	142,653	-	27,680	27,680	-
Testis	1,758	1,758	-	1,632	1,632	-	92	92	-
Urinary bladder	54,326	36,601	17,725	49,627	33,993	15,634	4,249	2,324	1,925
Kidney & Renal pel	52,851	32,046	20,805	47,502	28,840	18,662	4,626	2,759	1,867
Brain & Oth Nerv	60,261	32,652	27,609	56,027	30,418	25,609	3,462	1,813	1,649
Thyroid	5,451	2,026	3,425	4,809	1,841	2,968	452	134	318
Hodgkin's disease	7,709	4,349	3,360	6,818	3,807	3,011	810	481	329
Non-Hodgkin's lymph	104,315	53,872	50,443	96,259	49,467	46,792	6,523	3,545	2,978
Multiple myeloma	48,539	24,496	24,043	39,883	20,312	19,571	8,078	3,866	4,212
Leukemias	98,382	54,158	44,224	88,524	48,814	39,710	8,276	4,458	3,818
Acute lymph	7,033	3,996	3,037	6,197	3,524	2,673	636	362	274
Chronic lymph	20,389	11,761	8,628	18,596	10,694	7,902	1,722	1,026	696
Acute myeloid	28,213	15,128	13,085	25,485	13,757	11,728	2,139	1,051	1,088
Chronic myeloid	11,479	6,358	5,121	10,050	5,590	4,460	1,226	654	572
All others	31,268	16,915	14,353	28,196	15,249	12,947	2,553	1,365	1,188
All Sites	2,637,792	1,388,608	1,249,184	2,300,575	1,203,781	1,096,794	296,696	163,038	133,658

Source: NCHS public use tape.

Table A-3

SEER Recode for Primary Site based on ICD-O-2

Primary Site	Site/Type	Excluding Type
-----		
Buccal cavity and pharynx		
Lip	C000:C009	M-9590:9989
Tongue	C019:C029	M-9590:9989
Salivary glands	C079:C089	M-9590:9989
Floor of mouth	C040:C049	M-9590:9989
Gum and other mouth	C030:C039,C050:C059,C060:C069	M-9590:9989
Nasopharynx	C110:C119	M-9590:9989
Tonsil	C090:C099	M-9590:9989
Oropharynx	C100:C109	M-9590:9989
Hypopharynx	C129,C130:C139,C141	M-9590:9989
Other buccal cavity and pharynx	C140,C142:C148	M-9590:9989
-----		
Digestive system		
Esophagus	C150:C159	M-9590:9989
Stomach	C160:C169	M-9590:9989
Small intestine	C170:C179	M-9590:9989
Colon excluding rectum		
Cecum	C180	M-9590:9989
Appendix	C181	M-9590:9989
Ascending colon	C182	M-9590:9989
Hepatic flexure	C183	M-9590:9989
Transverse colon	C184	M-9590:9989
Splenic flexure	C185	M-9590:9989
Descending colon	C186	M-9590:9989
Sigmoid colon	C187	M-9590:9989
Large intestine, NOS	C188:C189,C260	M-9590:9989
Rectum and rectosigmoid		
Rectosigmoid junction	C199	M-9590:9989
Rectum	C209	M-9590:9989
Anus, anal canal and anorectum	C210:C212,C218	M-9590:9989
Liver and intrahepatic bile duct		
Liver	C220	M-9590:9989
Intrahepatic bile duct	C221	M-9590:9989
Gallbladder	C239	M-9590:9989
Other biliary	C240:C249	M-9590:9989
Pancreas	C250:C259	M-9590:9989
Retroperitoneum	C480	M-9590:9989
Peritoneum,omentum and mesentery	C481:C482	M-9590:9989
Other digestive organs	C268:C269,C488	M-9590:9989
-----		
Respiratory system		
Nasal cavity, middle ear and accessory sinuses	C300:C301,C310:C319	M-9590:9989
Larynx	C320:C329	M-9590:9989
Lung and bronchus	C340:C349	M-9590:9989
Pleura	C384	M-9590:9989
Trachea, mediastinum and other respiratory organs	C339,C381:C383,C388,C390,C398,C399	M-9590:9989
-----		

Source: NCHS public use tape.

Table A-3 - continued

SEER Recode for Primary Site based on ICD-O-2

Primary Site	Site/Type	Excluding Type
Bones and joints	C400:C419	M-9590:9989
Soft tissue (including heart)	C380,C470:C479,C490:C499	M-9590:9989
Skin (excluding basal and squamous) Melanomas -- skin Other non-epithelial skin	C440:C449 (types 872:879) C440:C449	M-8000:8004, 8010:8012, 8070:8076, 8090:8096, 8720:8790, 9590:9989
Breast	C500:C509	M-9590:9989
Female genital system Cervix Corpus Uterus, NOS Ovary Vagina Vulva Other female genital organs	C530:C539 C540:C549 C559 C569 C529 C510:C519 C570:C589	M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989
Male genital system Prostate Testis Penis Other male genital organs	C619 C620:C629 C600:C609 C630:C639	M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989
Urinary system Urinary bladder Kidney and renal pelvis Ureter Other urinary organs	C670:C679 C649,C659 C669 C680:C689	M-9590:9989 M-9590:9989 M-9590:9989 M-9590:9989
Eye and orbit	C690:C699	M-9590:9989
Brain and other nervous system Brain  Other nervous system	C710:C719  C710:C719 (type 953), C700:C709,C720:C729	M-9530:9539, 9590:9989  M-9590:9989
Endocrine system Thyroid Other endocrine (including thymus)	C739 C379,C740:C749,C750:C759	M-9590:9989 M-9590:9989

Source: NCHS public use tape.

Table A-3 - continued

SEER Recode for Primary Site based on ICD-O-2

Primary Site	Site/Type	Excluding Type
Lymphomas		
Hodgkin's disease	types 9650:9667	
Nodal	C024,C098,C099,C111,C142,C379, C422,C770:C779	
Extranodal	for all other sites	
Non-Hodgkin's lymphomas	types 9590:9595,9670:9717	
Nodal	C024,C098,C099,C111,C142,C379, C422,C770:C779	
Extranodal	for all other sites	
Multiple myeloma	types 9731:9732	
Leukemias		
Lymphocytic		
Acute lymphocytic	type 9821,9828	
Chronic lymphocytic	type 9823	
Other lymphocytic	types 9820,9822,9824,9825,9826	
Granulocytic (myeloid)		
Acute granulocytic	type 9861,9867,9871-9874	
Chronic granulocytic	type 9863,9868	
Other granulocytic	types 9860,9862,9864,9866	
Monocytic		
Acute monocytic	type 9891	
Chronic monocytic	type 9893	
Other monocytic	types 9890,9892,9894	
Other		
Other acute	types 9801,9841	
Other chronic	types 9803,9842	
Aleukemic, subleukemic and NOS	types 9800,9802,9804,9827, 9830,9840,9850,9870,9880, 9900,9910,9930:9941	
Ill-defined and unspecified sites	types 9720:9723,9740,9741, 9760:9764,9950:9989 C760:C768,C809 (types 8000:9589) C420:C424 (types 8000:9589) C770:C779 (types 8000:9589)	
Invalid site	Site or histology code not within valid range or site code not found in this table.	

Source: NCHS public use tape.

Table A-4

## SEER Site Groupings for ICD-9 NCHS Mortality Data

Underlying Cause of Death	ICD-9 codes
Buccal cavity and pharynx	
Lip	140.0-140.9
Tongue	141.0-141.9
Salivary glands	142.0-142.9
Floor of mouth	144.0-144.9
Gum and other mouth	143.0-143.9,145.0-145.6,145.8-145.9
Nasopharynx	147.0-147.9
Tonsil	146.0-146.2
Oropharynx	146.3-146.9
Hypopharynx	148.0-148.9
Other buccal cavity and pharynx	149.0-149.9
Digestive system	
Esophagus	150.0-150.9
Stomach	151.0-151.9
Small intestine	152.0-152.9
Colon excluding rectum	153.0-153.9,159.0
Rectum and rectosigmoid	154.0-154.1
Anus, anal canal and anorectum	154.2-154.3,154.8
Liver and intrahepatic bile duct	
Liver	155.0,155.2
Intrahepatic bile duct	155.1
Gallbladder	156.0
Other biliary	156.1-156.9
Pancreas	157.0-157.9
Retroperitoneum	158.0
Peritoneum, omentum and mesentery	158.8-158.9
Other digestive organs	159.8-159.9
Respiratory system	
Nasal cavity, middle ear and accessory sinuses	160.0-160.9
Larynx	161.0-161.9
Lung and bronchus	162.2-162.9
Pleura	163.0-163.9
Trachea, mediastinum and other respiratory organs	162.0,164.2-165.9
Bones and joints	170.0-170.9
Soft tissue (including heart)	171.0-171.9,164.1
Skin	
Melanomas -- skin	172.0-172.9
Other non-epithelial skin	173.0-173.9
Breast	174.0-174.9,175._
Female genital system	
Cervix	180.0-180.9
Corpus	182.0-182.1,182.8
Uterus, NOS	179._
Ovary	183.0
Vagina	184.0
Vulva	184.1-184.4
Other female genital organs	181._,183.2-183.9,184.8,184.9

Table A-4 - continued

## SEER Site Groupings for ICD-9 NCHS Mortality Data

Underlying Cause of Death	ICD-9 codes
Male genital system	
Prostate	185._
Testis	186.0-186.9
Penis	187.1-187.4
Other male genital organs	187.5-187.9
Urinary system	
Urinary bladder	188.0-188.9
Kidney and renal pelvis	189.0,189.1
Ureter	189.2
Other urinary organs	189.3-189.4,189.8-189.9
Eye and orbit	190.0-190.9
Brain and other nervous system	
Brain	191.0-191.9
Other nervous system	192.0-192.3,192.8-192.9
Endocrine system	
Thyroid	193._
Other endocrine (including thymus)	164.0,194.0-194.9
Lymphomas	
Hodgkin's disease	201.0-201.9
Non-Hodgkin's lymphomas	200.0-200.8,202.0-202.2, 202.8-202.9
Multiple myeloma	203.0,203.2-203.8
Leukemias	
Lymphocytic	
Acute lymphocytic	204.0
Chronic lymphocytic	204.1
Other lymphocytic	204.2-204.9
Granulocytic (myeloid)	
Acute myeloid	205.0
Chronic myeloid	205.1
Other myeloid	205.2-205.9
Monocytic	
Acute monocytic	206.0
Chronic monocytic	206.1
Other monocytic	206.2-206.9
Other	
Other acute	207.0,208.0
Other chronic	207.1,208.1
Aleukemic, subleukemic and NOS	202.4,203.1,207.2,207.8,208.2-208.9
Ill-defined and unspecified sites	159.1,195.0-195.8,196.0-196.9, 199.0-199.1,202.3,202.5-202.6

Table A-5

ANNUAL POPULATIONS AVERAGED OVER 1991-95

By State, Race and Sex

State	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Total U.S.	257,634,937	125,852,600	131,782,337	214,579,476	105,275,025	109,304,451	32,134,164	15,235,054	16,899,111
Alabama	4,172,131	2,002,720	2,169,411	3,064,403	1,490,250	1,574,153	1,066,821	492,926	573,895
Alaska	591,633	312,113	279,520	451,743	241,227	210,516	24,547	13,207	11,340
Arizona	3,988,056	1,972,037	2,016,019	3,552,217	1,756,624	1,795,593	132,161	68,075	64,086
Arkansas	2,426,718	1,171,815	1,254,903	2,010,635	977,901	1,032,733	388,589	180,773	207,816
California	31,075,666	15,560,399	15,515,267	25,045,663	12,604,868	12,440,796	2,360,300	1,166,193	1,194,107
Colorado	3,562,257	1,767,102	1,795,155	3,302,581	1,637,916	1,664,666	152,476	77,891	74,586
Connecticut	3,276,962	1,589,758	1,687,204	2,914,995	1,415,892	1,499,103	291,528	138,712	152,817
Delaware	698,766	340,003	358,764	559,806	273,908	285,898	125,071	59,406	65,666
Dist. of Columbia	576,550	269,876	306,674	186,490	91,451	95,039	373,055	170,431	202,624
Florida	13,733,273	6,659,342	7,073,930	11,503,846	5,591,973	5,911,873	1,984,230	950,534	1,033,696
Georgia	6,914,059	3,362,904	3,551,155	4,883,560	2,409,536	2,474,024	1,913,996	896,073	1,017,924
Hawaii	1,157,852	587,424	570,428	315,947	168,749	147,199	33,099	19,147	13,953
Idaho	1,102,070	549,843	552,226	1,070,271	533,925	536,346	5,189	2,895	2,293
Illinois	11,661,304	5,678,400	5,982,904	9,537,221	4,674,283	4,862,937	1,765,241	827,727	937,514
Indiana	5,701,662	2,771,617	2,930,045	5,186,165	2,527,196	2,658,970	457,946	216,150	241,796
Iowa	2,819,530	1,370,514	1,449,017	2,728,718	1,324,971	1,403,747	52,190	26,305	25,885
Kansas	2,530,091	1,244,374	1,285,717	2,319,467	1,139,140	1,180,327	150,496	75,674	74,821
Kentucky	3,788,846	1,838,047	1,950,799	3,489,265	1,695,271	1,793,995	272,669	129,849	142,820
Louisiana	4,291,552	2,067,731	2,223,821	2,875,776	1,404,232	1,471,543	1,348,908	630,369	718,539
Maine	1,237,342	603,291	634,051	1,218,427	593,647	624,780	5,370	3,156	2,214
Maryland	4,952,032	2,406,565	2,545,467	3,484,380	1,711,985	1,772,395	1,286,718	606,638	680,080
Massachusetts	6,025,544	2,900,904	3,124,640	5,481,292	2,635,705	2,845,587	356,071	172,660	183,411
Michigan	9,452,360	4,598,939	4,853,421	7,932,749	3,883,093	4,049,656	1,339,383	627,048	712,335
Minnesota	4,523,238	2,225,036	2,298,202	4,261,651	2,094,473	2,167,177	111,522	57,260	54,263
Mississippi	2,641,481	1,266,286	1,375,194	1,665,442	811,781	853,660	951,953	442,864	509,089

Source: NCI estimates based on Census Bureau population data.



Table A-5 - continued

ANNUAL POPULATIONS AVERAGED OVER 1991-95

By State, Race and Sex

State	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Missouri	5,234,665	2,529,329	2,705,336	4,590,944	2,227,658	2,363,286	574,535	267,804	306,730
Montana	839,915	417,479	422,436	781,197	388,526	392,672	2,849	1,656	1,192
Nebraska	1,615,023	789,368	825,655	1,524,128	745,024	779,104	61,146	29,990	31,156
Nevada	1,400,660	713,664	686,995	1,223,751	626,601	597,151	99,106	50,316	48,790
New Hampshire	1,125,690	552,320	573,371	1,105,838	542,229	563,609	7,130	3,900	3,230
New Jersey	7,858,709	3,804,754	4,053,954	6,387,428	3,100,305	3,287,123	1,116,457	530,399	586,058
New Mexico	1,619,992	798,436	821,556	1,414,351	698,237	716,114	37,833	19,642	18,191
New York	18,138,753	8,721,342	9,417,411	14,100,530	6,812,359	7,288,170	3,142,721	1,461,099	1,681,623
North Carolina	6,967,022	3,383,378	3,583,644	5,264,148	2,581,558	2,682,590	1,548,335	726,566	821,769
North Dakota	637,539	318,018	319,521	601,764	300,101	301,662	3,938	2,263	1,674
Ohio	11,043,993	5,334,636	5,709,357	9,697,708	4,700,420	4,997,288	1,218,612	571,562	647,050
Oklahoma	3,227,390	1,575,071	1,652,319	2,683,581	1,309,848	1,373,733	246,702	120,186	126,517
Oregon	3,036,314	1,497,130	1,539,184	2,857,585	1,408,483	1,449,102	52,361	27,154	25,206
Pennsylvania	12,017,262	5,774,549	6,242,713	10,696,539	5,151,788	5,544,751	1,140,569	533,953	606,616
Rhode Island	998,820	480,278	518,542	929,090	445,654	483,436	45,077	22,463	22,614
South Carolina	3,617,720	1,750,131	1,867,589	2,494,268	1,224,836	1,269,432	1,089,087	509,280	579,807
South Dakota	716,526	353,346	363,180	654,952	322,809	332,143	4,001	2,449	1,552
Tennessee	5,096,998	2,459,322	2,637,676	4,218,764	2,049,270	2,169,494	828,099	385,714	442,385
Texas	18,072,978	8,914,641	9,158,337	15,384,353	7,612,161	7,772,192	2,194,058	1,057,260	1,136,798
Utah	1,861,491	926,350	935,141	1,779,135	884,752	894,383	14,403	8,266	6,137
Vermont	575,997	282,984	293,014	567,009	278,398	288,612	2,816	1,540	1,277
Virginia	6,462,758	3,169,865	3,292,893	4,996,761	2,466,484	2,530,277	1,256,173	602,370	653,803
Washington	5,244,760	2,606,379	2,638,381	4,719,683	2,346,231	2,373,452	171,185	90,837	80,348
West Virginia	1,814,466	873,963	940,503	1,746,627	842,140	904,487	56,849	26,628	30,221
Wisconsin	5,039,215	2,472,990	2,566,225	4,664,964	2,292,109	2,372,855	266,658	127,660	138,999
Wyoming	469,308	235,838	233,470	451,665	227,045	224,620	3,932	2,135	1,797

Source: NCI estimates based on Census Bureau population data.

Table A-6

ANNUAL POPULATIONS AVERAGED OVER 1991-95

By SEER Registry, Race and Sex

Area	All Races			Whites			Blacks		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
Total	24,413,201	11,963,336	12,449,865	19,395,315	9,553,494	9,841,821	2,710,796	1,286,235	1,424,561
San Francisco-Oakland SMSA	3,791,316	1,869,058	1,922,258	2,624,738	1,307,813	1,316,925	446,253	215,332	230,920
Connecticut	3,276,962	1,589,758	1,687,204	2,914,995	1,415,892	1,499,103	291,528	138,712	152,817
Metropolitan Detroit	3,927,295	1,886,353	2,040,942	2,888,886	1,407,790	1,481,096	958,899	439,465	519,434
Hawaii	1,157,852	587,424	570,428	315,947	168,749	147,199	33,099	19,147	13,953
Iowa	2,819,530	1,370,514	1,449,017	2,728,718	1,324,971	1,403,747	52,190	26,305	25,885
New Mexico	1,619,992	798,436	821,556	1,414,351	698,237	716,114	37,833	19,642	18,191
Seattle-Puget Sound	3,609,198	1,793,556	1,815,642	3,172,083	1,577,608	1,594,475	152,089	80,238	71,851
Utah	1,861,491	926,350	935,141	1,779,135	884,752	894,383	14,403	8,266	6,137
Metropolitan Atlanta	2,349,564	1,141,887	1,207,677	1,556,461	767,681	788,780	724,501	339,129	385,372

Source: NCI estimates based on Census Bureau population data.

Table A-7

Standard Million Populations, By Age

<u>Age</u>	<u>United States Standard Million Population, 1970</u>	<u>World Standard Million Population</u>
All Ages	1,000,000	1,000,000
<5	84,416	120,000
5-9	98,204	100,000
10-14	102,304	90,000
15-19	93,845	90,000
20-24	80,561	80,000
25-29	66,320	80,000
30-34	56,249	60,000
35-39	54,656	60,000
40-44	58,958	60,000
45-49	59,622	60,000
50-54	54,643	50,000
55-59	49,077	40,000
60-64	42,403	40,000
65-69	34,406	30,000
70-74	26,789	20,000
75-79	18,871	10,000
80-84	11,241	5,000
85+	7,435	5,000

Sources: U.S. Bureau of the Census, Census of Population 1970.

Muir C, Waterhouse J, Mack T, Powell J, Whelan S. Cancer Incidence In Five Continents, Volume V, pg. 792.

Table A-8  
ALL SITES (Invasive)

SEER FOLLOW-UP RATES\* FOR CASES DIAGNOSED 1973-1994  
By Registry, Sex, and Age

	Males				Females			
	All Ages	00-19	20-64	65+	All Ages	00-19	20-64	65+
<u>FOLLOWED INTO 1994</u>								
REGISTRY								
Standard 9 registries	98.79	93.37	97.76	99.63	97.55	90.17	95.92	99.26
San Francisco-Oakland	98.53	92.17	97.49	99.50	97.23	88.72	95.29	99.26
Connecticut	97.85	91.41	96.04	99.15	95.83	86.89	93.05	98.30
Metropolitan Detroit	99.08	94.02	98.36	99.74	97.53	91.03	96.12	99.11
Hawaii	99.21	95.20	98.67	99.69	98.46	92.54	97.78	99.54
Iowa	99.82	97.70	99.60	99.98	99.71	96.09	99.47	99.96
New Mexico	99.19	93.28	98.53	99.77	98.58	90.91	97.79	99.67
Seattle-Puget Sound	99.06	94.93	98.16	99.77	97.93	90.26	96.48	99.52
Utah	97.44	88.48	95.05	99.40	96.23	85.73	93.88	99.42
Metropolitan Atlanta	98.51	92.38	97.39	99.85	97.26	90.09	95.52	99.73
<u>FOLLOWED INTO 1995</u>								
REGISTRY								
Standard 9 registries	98.21	91.05	96.63	99.47	96.44	87.35	94.04	98.91
San Francisco-Oakland	97.77	89.11	96.14	99.25	95.61	83.73	92.55	98.76
Connecticut	96.80	91.41	93.87	98.82	93.97	86.75	89.72	97.64
Metropolitan Detroit	98.83	91.93	97.94	99.66	96.86	89.06	95.11	98.83
Hawaii	98.77	93.25	97.80	99.60	97.59	89.47	96.42	99.39
Iowa	99.73	96.61	99.40	99.96	99.57	94.93	99.18	99.92
New Mexico	98.79	91.80	97.71	99.68	97.73	88.44	96.50	99.34
Seattle-Puget Sound	98.52	91.65	97.07	99.65	97.06	87.04	94.95	99.34
Utah	96.53	82.36	93.43	99.19	95.13	78.89	92.22	99.28
Metropolitan Atlanta	97.43	89.58	95.59	99.55	95.28	86.92	92.58	99.04

\* Represents the percentage of first primaries diagnosed 1973-1994 and followed into the specified year.