

Auckland, New Zealand 6-8 March 2007

1 Background

- 1.1 The twenty first meeting of the Informal South Pacific Air Traffic Services Co-ordinating Group (ISPACG) was hosted by Airways New Zealand (Airways) and held at the Heritage Auckland, New Zealand from Tuesday 6 to Thursday 8 March 2007.
- 1.2 Mr Geoff deBazin, Operations Manager, Oceanic, Airways New Zealand and Mr David Maynard, Support Manager, International Airspace and Procedures, Oakland ARTCC of the Federal Aviation Authority (FAA) served as Co-chairs of the meeting. Joanne Kendall, Administration Manager, Auckland, Airways New Zealand provided secretariat services for the meeting.
- 1.3 The meeting was attended by participants representing South Pacific Air Traffic Service Providers (ATSP), International Civil Aviation Organization (ICAO), International Air Transport Association (IATA), International Federation of Air Line Pilots' Associations (IFALPA), regulatory authorities, airlines, communications service providers, airline and equipment manufacturers, as well as military personnel. A list of participants is included in Appendix C to this report.
- 1.4 Geoff deBazin opened the meeting by welcoming everyone to Auckland. He was pleased to see so many representatives attending the meeting, in particular first time delegates from Papua New Guinea and for a second year delegates from Chile. Due to the current political situation it was unfortunate that there was unable to be representation from Fiji.

Geoff advised the meeting that during the night Paul Radford, Manager Oceanic Systems Development for Airways had been admitted to hospital. He would keep the meeting posted on Paul's condition and had conveyed the groups thoughts to Paul and his wife, Wendy.

An invitation was extended to all the ISPACG delegates inviting them to join Airways New Zealand and Air New Zealand who were co-hosting a cocktail function on Prince's Wharf that evening.

- David Maynard thanked everyone for their attendance and noted that the ISPACG family was growing. He hoped the meeting would be fruitful and encouraged everyone to participate fully during the next 2½ days so as to achieve the best outcomes for the group.
- 1.6 The meeting reviewed and accepted the proposed Agenda (WP-01) tabled by the Co-chairs.

Agenda Item 1	Review and approve Agenda
Agenda Item 2	Updates from ATS Providers
Agenda Item 3	Review relevant work conducted since the last meeting
Agenda Item 4	Review progress on Open Action Items
Agenda Item 5	Identify future work programs
Agenda Item 6	Review and establish terms of reference for working groups/task
-	forces
Agenda Item 7	Other business



Geoff deBazin remarked that the Agenda was extensive and that items would need to be prioritized, however he stressed the importance for everyone to express their views.

1.7 All documentation relating to ISPACG/21 can be found at http://www.airways.co.nz/ispacg21/ including copies of the 27 working papers and 20 information papers.

Working Paper	Title	Presented By
WP-01	Agenda	Co-Chairs
WP-02	Datalink Guidance Material	ICAO
WP-03	UAL870 16Jan07	United Airlines
WP-04	Truncation of Flight Plans by ATSUs	Airservices
WP-05	Australian ADS-B Update	Airservices
WP-06	ZOA Weather Deviation	FAA
WP-07	10Min Longitudinal Separation without Mandatory MNT	FAA
WP-08	ATS Route Realignment	FAA
WP-09	South Pacific DARP Procedures	FAA
WP-10	Implementation of UPRs in the South Pacific	FAA
WP-11	ISPACG Planning Team Report	ISPACG/PT
WP-12	Status on Funding for Continuation of CRA Activities	FAA
WP-13		
	Workshop	
WP-14	Review of ISPACG/20 Open Action Items	Co-Chairs
WP-15	Sydney Flow Management	Airservices
WP-16	SPR Standards For Datalink	FAA
WP-17	Application of Strategic Lateral Offset Procedures (SLOP)	FAA
WP-18	Strategic Laterally Offset Tracks	Airbus
WP-19	RNP	CAA NZ
WP-20	Optimum Arrival Trial AA April 2007	Airways
WP-21	Transfer of 50NM Separation Between Multiple ATSUs	Airservices
WP-22	AIDC Performance Monitoring	Airservices
WP-23	Use of J for A380-800 in ICAO Flight Plan Field 9	Airways
WP-24	DARP Feedback Reporting Process	IATA
WP-25	Variation in True Airspeed	Airways
WP-26	Update to Capacity Enhancement Table	Airservices
WP-27	Use of ADS-C Met Data by Bureau of Meteorology	Airservices

Information Paper	Title	Presented By
IP-01	APANPIRG/17 Update	ICAO
IP-02	Amendment 44 to Annex 11	ICAO
IP-03	Flight Plan Study Group	ICAO
IP-04	Regional Approach to Contingency Plan	ICAO
IP-05	Guidance On A380-800 Wake Vortex Aspects	ICAO
IP-06	Amendment Proposals To Incorporate RCP	ICAO
IP-07	AIDC Review Task Force Meeting	ICAO
IP-08	Implementation of 30/30	Airservices
IP-09	Oakland FIR 30/30 Trial Anomalies	FAA
IP-10	Oakland FIR 30/30 Trial Characteristics	FAA
IP-11	ISPACG Inputs to ICAO Flight Plan Study Group	FAA
IP-12	ATS Datalink Gateways	FAA



IP-13	"Rule of 11" Implementation in Auckland Oceanic	Airways
IP-14	Reduction of HF Congestion	Airways
IP-15	Funding of Safety Monitoring	ICAO
IP-16	Manual On Performance Based Navigation	ICAO
IP-17	A Guide for Implementing DARP	Airways
IP-18	Implementation of AIDC with Oakland	Airservices
IP-19	ADS-C Oceanic ITP	FAA
IP-20	ZOA 30/30 Expansion	FAA

2 Updates from Air Traffic Service Providers (ATSP)

2.1 Airservices Australia (ASA)

Adam Watkin from Brisbane Centre gave an overview of the past year, commencing with a brief description of the ASA restructure which will see the company split into 3 groups: Upper Airspace Services (UAS), formerly Oceanic; East Coast Services; and Regional Services. AIDC has been completed with Oakland and AIDC performance monitoring continues. Increased gates are giving more flexibility for YMML – KLAX UPRs and additional UPRs are under discussion. "Full" implementation of ADS-B has been delayed – currently there are 6 ground stations with an additional 6 coming on line in the 3rd quarter of 2007. Poor Data Link performance was experienced during 2006, however improvements were seen towards the end of the year. This in part was due to several new operators and aircraft types.

2.2 Federal Aviation Authority (FAA)

David Maynard from Oakland Centre advised that blanket approval for DARPing between the Auckland and Oakland FIRs had been given and that the ISPACG Planning Team are actively working to expand the capability to Tahiti and Nadi FIRs, as well as implementing it through Brisbane. Oakland are unable to use reduced separation standards within the Honolulu Control Facility Boundary - work is in progress but could take a further 6 months to complete. There are no restrictions on UPRs through the South Pacific, Oakland 30/30 trials are progressing well and a reciprocal agreement has been made with Auckland for AIDC status. Oakland RFE trials have commenced and seen average savings of 16 minutes and 4600lbs of fuel on 16 flights sampled between LAX-HKG. Oceanic Tailored Arrivals are also being trialed into San Francisco from Honolulu on United Airlines – this is being done in a non busy environment and trials are going well form all perspectives. The Anchorage transition to Ocean21 occurred on 1 March 2007 in ZAN Sectors 10 and 11 - use of Ocean21 in Sectors 9, 68 and 69 is pending an Airspace Review. The FAA withdrew services from Kwajalein Tower some time ago, however in late 2006 the US Army reopened the Tower and are currently undertaking a cost analysis study with the view to opening approach control.

2.3 Civil Aviation of Tahiti (SEAC)

Jean-Pierre Faubladier head of ANS in Tahiti gave the meeting an update on the implementation of TIARE. The contractor is THALES ATM and contract notification is expected in March 2007 with preliminary contractor visits to define the parameters of the project, etc occurring between March-October 2007. Delivery, implementation, training and safety studies should occur throughout 2008 with commissioning scheduled for December 2008 when it is envisaged that Tahiti will be on the same playing field as its neighbouring FIRs. Training should be completed by mid 2009 and ADS-B development by the end of 2009.

2.4 Direccion General de Aeronautica Civil de Chile (DGAC Chile)

Jose Carrasco, Head of the Oceanic Control Centre, gave a brief history from 2004 as an AMS communications centre, controlled by sectors of the Santiago Center (Airspace Class E), to 2005 and being an Oceanic HF dedicated sector of the Santiago Center (Airspace Class



"A"), to 1 January 2007 when it became an Oceanic Control Centre with administrative independence and the ability to develop its own technologies and LOAs. There are 9 ATCs and 3 Informatics Engineers who have a close collaboration with users and partners. There are 3 HFs and no airways (free flights). In 2007 Chile plan to continue developing software, put in place new LOAs as an ACC, make CPDLC operational (free text), develop tools to match Tahiti and New Zealand to get electronics messages, and to become an active member of ISPACG.

2.5 Airways New Zealand (Airways)

Allan London, Oceanic Customer Services Specialist, advised that in the past year 4 software upgrades had occurred with added controller HMI. AIDC 2.0 was now in place with Oakland and Santiago and the LOA with Santiago would be finalised later this week. He noted that the only FIR Airways didn't have AIDC with was Melbourne. The Rule of 11 had been extended and a blanket agreement for DARP flights between Oakland and Auckland entered into. On 15 February 2007 RNav procedures into Auckland changed as a fuel saving measure for airlines. ATOP training was recently completed in Anchorage for the FAA Oceanic implementation transition and Airways have been chairing the ISPACG HF Working Group for HF congestion in South Pacific.

2.6 Civil Aviation Authority Papua New Guinea (CAA PNG)

Tars Bola, Manager (ATS Operations), conveyed his pleasure at once again being involved with ISPACG – the last time PNG attended an ISPACG meeting was 12-13 years ago and he hoped that PNG would participate more actively in the Group from now on. Tars reported that PNG were involved in a capability project with Airways who were assisting with upskilling PNG ATCs in upper airspace management – there are 7 ATC units in PNG, with the main one being in Port Moresby. A major airspace resectorisation project was currently underway and they were working with ASA on an ADS-B and AIS Publication system.

3 Review Relevant Work Conducted Since The Last Meeting

3.1 Report on relevant outcomes from APANPIRG/17 (ICAO)

ICAO highlighted the Conclusions and Decisions from the Report of APANPIRG/17 (August 2006), noting that APANPIRG/17 had raised a total of 55 new Conclusions and Decisions for regional action. Relevant matters from APANPIRG/17 were discussed by the meeting (ref. IP-01) with special thanks for the significant contributions made by Adam Watkin, Paul Radford and Bob Hansen for work done with the AIDC Task Force.

3.2 Amendment 44 to Annex 11 (ICAO)

ICAO referred the participants to the information contained in ICAO State Letter Ref.: AN 13/13.1-06/32 – Adoption of Amendment 44 to Annex 11 (effective November 2006), highlighting the new and revised standards, as well as guidance material, on the concept of acceptable level of safety. The recommended practice that air traffic control units be equipped with devices that record background communication and the aural environment at air traffic controller work stations was also highlighted.

3.3 **RCPAmendment (ICAO)**

ICAO provided a status update on amendments to enable Required Communication Performance (RCP). ICAO State Letter SP 52/4-06/41 – Recommendations of the first meeting of the Operational Data Link Panel (OPLINK/1) included proposed amendments to Annexes 2, 4, 6, 10, 11, 15, the PANS-ABC (Doc 8400) and the PANS-ATM (Doc 4444) to enable RCP has been issued for comments.



3.4 **Datalink Guidance Material (ICAO)**


In recognising the lack of suitable guidance material in relation to the procurement, deployment and implementation of integrated data link systems (including AFN, ADS, CPDLC and AIDC), the APANPIRG Regional Airspace Safety Monitoring Advisory Group (RASMAG) had commenced work towards drafting suitable regional guidance material in this respect.

ICAO provided a copy of the draft *Asia/Pacific Guidance Material for ADS/CPDLC/AIDC Ground Systems Procurement and Implementation* to the meeting for review. Any feedback should be provided to the ICAO Regional Office by the end of April 2007 to enable incorporation during the next RASMAG meeting in June.

3.5 Performance Based Navigation Manual (ICAO)

In order to address the lack of global harmonization resulting from the differing required navigation performance (RNP) and area navigation (RNAV) naming conventions and proliferation of navigation specifications, ICAO, with the assistance of the RNP Special Operational Requirements Study Group (RNPSORSG), commenced work to ensure a common global understanding of RNP/RNAV and the relationship between RNP and RNAV system functionality.

The RNPSORSG agreed on the need to specify future applications of performance based navigation <u>without</u> a requirement for on-board performance monitoring and alerting, to be designated as **RNAV**, and applications <u>with</u> a requirement for on-board performance monitoring and alerting, to be designated as **RNP**, as follows:



As well as the harmonized navigation specifications, some new navigation specifications were developed for terminal area and approach applications. Work was complete on navigation specifications for RNAV 10 (RNP 10), RNP 4, RNAV 5, RNAV 1, Basic RNP 1, RNP Approach and RNP AR Approach.

A copy of the *PBN Manual Working Draft 4.1* (250+ pages) that had been prepared by RNPSORG was made available to the meeting for review. ICAO PBN Workshops have tentatively been planned for the Asia/Pacific region from 10-14 September 2007 at the Regional Office (Bangkok) and 17-21 September 2007 in New Delhi, India. Invitation letters would be issued in due course and States were urged to participate in the workshops.

3.6 **UAL870 16 January 2007 (United)**

On 16 January 2007 a United Airlines Boeing 747-400 operating as UAL870 from Sydney to San Francisco declared a Mayday via CPDLC in the vicinity of Nuku Alofa. The B747-400



was operating within the Auckland Oceanic airspace when a forward cargo fire warning alert was received. The flight crew took appropriate action to extinguish the alert by activating the cargo fire suppression (firing the bottles). After co-ordinating with company dispatch and maintenance via sitcom voice, a decision was made to divert to Pago Pago, however unknown to the company the flight crew had initiated a CPDLC message to Auckland which was a Mayday position report. All datalink and Satvoice communication was lost shortly thereafter and the flight landed at Faleolo – not Pago Pago after further discussion with Auckland via HF. The issue being that there was no communication between ATC and United Operations until after the aircraft had landed.

ICAO and CAA NZ referred the meeting to Annex 11, Section 5.5, Information to the Operator. 5.5.1 states "When an area control or a flight information centre decides that an aircraft is in the uncertainty or the alert phase, it shall, when practicable, advise the operator prior to notifying the rescue coordination centre." 5.5.2 states "All information notified to the rescue coordination centre by an area control or a flight information centre shall, whenever practicable, also be communicated, without delay, to the operator."

IATA offered to assist ATSUs with generic contact details but reminded the meeting that the information is only useful if it is kept up to date. IATA undertook to take this matter via the RCG as a safety issue that needs addressing rather than a procedure and will keep the meeting updated. ICAO will in turn ensure that the information is sent out to the various ATSUs.

Boeing have reviewed datalink emergency procedures in the NAT for emergency indication/activation and concluded that the language in the FOM does not cover this situation. The recommendation from the meeting is for a Boeing to work with the NAT and raise an RFC with IPACG at the May 2007 meeting in Anchorage.

3.7 Weather Deviations (FAA)

FAA reported that they have looked in depth at data recordings and other gathered information and discovered that a large number of lateral deviation event reports were received by the Ocean21 system and in some cases could not be described as other than an aircraft maneuvering off track without having requested a deviation, or that a deviation report had been sent before receiving a clearance from the ATC.

ICAO Doc 4444, Par 15.2.3.2.1 states that the pilot should notify ATC and request clearance to deviate from track, advising, when possible, the extent of the deviation expected. If unable to comply with the ATC Clearance, "advise ATC of intentions and execute the procedures detailed in para 15.2.3.3."

The Ocean21 System processing is that upon the initiation of an AFN Connection, Ocean21 will establish the following ADS Contracts: Periodic Contract (PRR, Earth Ref, Met, Air Ref.) and Event Contract (Waypoint Change, Lateral Deviation).

The meeting was advised that there is very little trouble getting weather deviation clearances and that the captain has the authority to deviate if seen as necessary. However the crews need to be reminded to call for clearance first, then deviate if necessary, and file appropriate paperwork..

3.8 10 Minute Longitudinal Separation without Mandatory MNT (FAA)

On 27 January 2006 Oakland Center received approval from ICAO to apply 10 minutes longitudinal separation without mandatory Mach Number assignments. In a continuing effort to harmonize global ATM, ANSPs are invited to consider implementing 10-minute longitudinal separation without the mandatory assignment of MNT.



The FAA are currently doing a Safety Analysis which should be completed by the end of 2007. Airways advised of their intention to go through due process in the Auckland FIR in the near future. ASA have been doing this for approximately 10 years with RNP10 aircraft. PNG and Tahiti agreed that it was something they could look at in the future. ICAO advised the meeting that they would be prepared to support the Group with this work and an Action Item was generated to look at other ways it could be implemented for other ANSPs.

3.9 **Report on FIT/14 Meeting (FIT Chair)**

The FIT/14 meeting took place 5-6 March prior to ISPACG/21 commencing and generally operators and ATSUs appear happy with the way things have progressed throughout the year. A number of upgrades had been conducted by SITA and Imarsat, with AIRINC to follow suit later in the year. It was noted however that over the last 10 years most of the bandwidth has been consumed and we are now in a position where this needs to be monitored closely and managed accordingly.

Each of the Stakeholders gave a brief overview of the past year, followed by systems performance and problem reports being discussed. Mike Meza, Director – Aviation Services, Iridium Satellite LLC, gave a presentation about the Iridium system. GES backup issues, SATVOICE trials and FOM RFCs were discussed by the meeting. At the close of the meeting 6 Action Items were classified as "Open".

3.10 Report on ISPACG Planning Team Activities (Kevin Chamness, FAA)

The ISPACG Planning Team was commissioned at ISPACG/20 to prioritize and develop action plans for multiple issues that were felt not to be being actively being addressed by the full ISPACG. The Planning Team met for the first time in August 2006 where its Terms of Reference were ratified, prioritisations developed and delegated to various members of the group and action plans created. The group has subsequently met via telephone conference several times to update the status of their delegated items. Ian Varcoe, Air New Zealand, and Andrew Tiede, ICAO, both thanked ISPACG for initiating the Planning Team and for the work they had done thus far.

3.11 DARP Feedback Reporting Process (IATA)

With the expansion of Dynamic Airborne Re-routing Procedures (DARP) within the Pacific, there needs to be an associated feedback reporting system formalised between the Airlines and ATSUs to quantify and document all benefits and detriments arising from DARP Operations. Considerable co-ordination work is already under way to implement AIDC between the Pacific ATM Centres however for such a programme to succeed, in addition to the AOC documentation, there needs to be an associated application of timeliness and record keeping to readily quantify the benefits of DARP introduction.

A generic DARP Performance Reporting form was tabled and the meeting concluded that the Comments column be removed and a column indicating Fuel Savings be added. The form can be sent to ICAO and ATSUs as a means of gathering data for consolidation. Everyone agreed that there are savings to be had no matter how small, regardless of the direction being flown, and the time of the year. ANSPs have the capability via the flight plan dispatcher to access this information, and all airlines, not just those attending ISPACG, need to be made aware of the form and its importance.

3.12 Implementing DARP – A Guide For Pilots, AOCs and ATSUs (Airways)

Airways has been tasked by the ISPACG Planning Team to create a training briefing for AOCs and pilots that outlines the DARP procedures. The draft paper presented as guidance material describes the process to follow when an airborne aircraft requests DARP or diversion



and its adoption will allow pilots, AOCs and ATSUs to follow a set procedure using correct message sets. The meeting was invited to review, adopt and promulgate the procedures (ref IP-17 ATT).

4 Review Progress on Open Action Items

4.1 The meeting reviewed and revised the ISPACG/20 Open Action Items as per WP-14 (see Appendix A).

AI 16-1 Funding for Continuation of Central Reporting Agency (CRA) Activities (Ref IP-15)

ICAO updated the meeting in relation to the highlights of the first meeting of the Regional Airspace Safety Monitoring Committees Task Force (RASMC/TF/1), held in February 2007, and called for by APANPIRG/17 to address regional issues in regard to the funding of safety monitoring activities. The following actions arose from RASMC/TF/1 and are to be reported back on at the next RASMC/TF meeting in June 2007:

Action 1	Prepare and Implement Cost Sharing Agreements
Action 2	Develop and Provide a Generic Agreement
Action 3	Investigate Options for Payments to Third Parties
Action 4	Facilitate Support for the CRA Service
Action 5	Prepare and Implement Cost Sharing Agreements

The CRA Japan noted for the ISPACG/21 meeting that for IPACG FIT, FAA and JCAB have shared the FIT CRA responsibility since February 2001. The FAA provides funding for CRA activities for Oakland and Anchorage FIRs and that FAA contracts with Boeing for this activity. JCAB contracts with ATCA Japan to prepare funding for CRA activities in Fukuoka FIR. That is to say FAA and JCAB share the role of IPACG FIT CRA in providing funds for their own FIRs. FAA CRA, Boeing and JCAB CRA and ATCA Japan work together and report back to IPACG FIT in a combined document.

RASMC/TF/1 Conclusion 17/48 - Funding of Pacific RMA & CRA

In recognizing that the United States/FAA was the current service provider of CRA and RMA services for the Pacific Region (with the exception of CRA services for Japan), it was acknowledged that:

- a) FAA would remain the interim service provider for the Pacific Region until more formal arrangements have been made, and
- b) Pacific States using these FAA services commit to reimburse the FAA for those CRA and RMA services rendered effective 30 June 2007.

Note: The FAA will be formally notifying each of these individual states that if reimbursement agreements are not in place by 30 June 2007, these services are at risk of being suspended.

(Ref WP-12) The FAA presented a paper outlining the status on funding for continuation of Central Reporting Agency (CRA) Activities. The paper concluded that a multi-lateral cost sharing arrangement for CRA activities was desirable, but recognized that Boeing was unable to administratively accommodate a large number of individual agreements and required a collective approach. The FAA proposed to fund half (\$40,000) of the CRA funding requirement in 2007, and accepted an action to "investigate whether it could facilitate, collect and consolidate fees on behalf of all participating States of the Asia Pacific Region to support the CRA service provided by Boeing, and for the United States to report on the matter to RASMAG/7 prior to June 2007."



The meeting was asked to review and consider the recommendations of the RASMC/TF, and be prepared to adopt the approach to cost sharing of CRA activities pending the outcome of the RASMAG/7 in June.

AI 16-4 ATM Contingency Plans (Ref IP-04/ATT)

ICAO reported on the outcome of ICAO Special Implementation Project (SIP) – Contingency Plan approved by the ICAO Council for 2006 pursuant to APANPIRG Conclusion 16/15. The draft National ATM Contingency Plans of Jakarta and Ujung Pandang FIRs, which were prepared as a result of the 2006 ICAO Special Implementation Project, were adopted by APANPIRG/17 Conclusion 17/11 as a model for Asia/Pacific States in the preparation of national ATM contingency plans. David Moore, ICAO, is heading up the Special Implementation Project and the template created for Indonesia will be one that everyone in the region can use.

Airways reported that in a catastrophic event the Oceanic Centre had a contingency platform in Christchurch which would take approximately 6 hours to have fully operational – the interim would be to move to a TIBA situation, however a specific plan to manage that 6 hour interim period is currently under consideration. The domestic contingency was currently being moved from Ohakea to Auckland into a completely stand alone building with separate facilities at the Operations Centre site. The OCS Simulator is also being moved into the MTCC Building which and will be available as an operational platform should a localized event take the main and reserve platforms out of operation. Emergency Plans for Air Operations in the Tahiti and Fiji FIRs in the event of them suffering a natural disaster have been implemented. Geoff deBazin informed the meeting that contingency documentation should be completed by the end of 2007.

Airservices noted that they are unable to receive 100% of all flights in the NZ FIR however they are attempting to provide a better service than TIBA. Brisbane and Melbourne operate a two centre policy with a limited service being available within 48 hours, and normal service within 72 hours.

Domestically the FAAs contingency is referred to as 'ATC0' and in a catastrophic event would take 24 hours to be 70% operational. ATC0 table top exercises are undertaken and airspace diversement plans would be to surrounding centres. FAA are working proactively to ensure plans are in place and are effective. The creation of one emergency ATC site is being closely looked at because of the Ocean21 centre requirement to have one contingency centre.

AI 16-6 Review Need for Regional Implementation of 2nm Strategic Lateral Offset Procedures (SLOP) (Ref WP-18)

Airbus reported that very accurate navigation systems and widespread GPS use has improved aviation safety, but has also increased the risk of head-on collisions, because aircraft now navigate extremely accurately, two such collisions appear to have occurred within 11 years, resulting in the loss of three airliners. Existing recommended procedural track offset safety mitigations are not working, and are unlikely to work in the future. It is recommended that the charts and AIPs be amended so as to laterally offset opposite-direction tracks, so as to dependably mitigate this risk.

Capitan Stu Julian, IFALPA, is attending the IFALPA conference in Dubrovnik next week and the feeling is that this will become IFALPA policy by end of month. Brad Cornell, Boeing, indicated that Airbus had asked Boeing to support the proposal and that he would be recommending Boeing review their procedures. Steve Kelly, Air NZ, suggest putting SLOP on charts and asking Jepperson to also include them. Andrew Tiede, ICAO, said AIP Supplements and other current documentation are not as effective as enroute charts which is



where they need to be for crew. David Oliver, Qantas, support Airbus and agreed with Geoff deBazin to include in AIPs, not supplements. Kevin Chamness, FAA, said there needs to be standardisation across all ANSPs and will present a paper on information sharing and that ISPACG standardize approach. David Maynard, FAA, recommended all States to add to AIPs where appropriate and for ISPACG/PT2 to discuss how this should be applied and where it should be documented within ICAO documentation.

(Ref WP-17)

FAA provided information on the application of Strategic Lateral Offset Procedures (SLOP) within US-controlled oceanic airspace stating that the FAA is currently in the process of correlating published SLOP information to ensure harmonized application throughout US-controlled oceanic/international airspace, and is interested in other States' application of SLOP - particularly in relation to oceanic over flight of radar-covered airspace. The meeting was asked to pay particular attention to procedures described in ICAO Doc 4444, Chapter 15; Procedures Related to Emergencies, Communications Failure and Contingencies and in Annex 2, Chapter 3, and questioned the need to suggest an amendment to Annex 2, para 3.6.2.1.1.

ICAO advised that the amendment process requires a formal proposal, then review. If contentious it is forwarded to all parties for further discussion. Doc4444 needs to come from ISPACG States not the members proposing the amendment. Mention in PANS Ops may also be appropriate. There should not be a problem adding a note to Annex 2 on behalf of the ISPACG States in an effort to progress this item, however ICAO advised that it should be done sooner rather than later and not to leave this action until the next ISPACG meeting. It was agreed that the meeting hand this action item over to the Planning Team to draft a proposal, with guidance from ICAO, and forward their recommendations to ISPACG members via email for comment.

AI 16-7 Aircraft Loss of Communications Procedures

ICAO advised the meeting that the amendment proposal (APAC 03/10) in relation to lost communication procedures in the oceanic airspace had been approved and a State Letter had been transmitted to this effect, enabling use of the procedure. Doc 7030 would be updated in due course. The meeting recognized that this was a long-standing issue and appreciated the effort by all and deemed this Action Item be closed.

AI 16-8 Implementation of 30/30 (Ref IP-08)

As a means to provide an indication of the frequency of usage of 30/30 Airservices developed a methodology which involved analyzing ADS-C data and determining the frequency of the uplinking of ADS-C periodic contracts with a reduced ADS-C reporting rate. ADS-C reports received while this reporting rate was in effect were plotted. The use of the 30/30 separation minima is still not very common (7 occurrences during December 2006, and 8 during January 2007) however, data indicates that in the Tasman/Coral Sea airspaces, the primary use of this separation standard is for the application of longitudinal separation. A number of occurrences of 30NM lateral separation or "climb throughs" have also been observed.

(Ref IP-09, IP-10)

As part of the operational trial the FAA has formed a 30/30 Scrutiny Group to evaluate the performance of the various components of the system supporting the reduced separation minima. Three operators participating in the operational-trial are ANZ, QFA, and UAL who account for approximately 23 flights per day in OC3 airspace. The principle city pairs for these operators include: Los Angeles/San Francisco (KLAX/KSFO) to/from Sydney/(YSSY), Brisbane/(YBBN), Melbourne/(YMML), and KLAX/KSFO to/from Auckland/ (NZAA), Christchurch/(NZCH).



The outstanding concern is the continuity of service with the Perth GES station. United asked if Yamaguchi was a reasonable alternative to Perth and asked that SITA not shut this off until the Perth station is working properly. SITA are looking at co-ordinating fixes with other scheduled work in the 2nd ½ of 2007. The FAA will then review putting procedures back on line. Perth could be used for climbs and decents – it will still provide benefits although not to the same extent. Bob Tegeder, FAA, reiterated that this was not just a problem for ATC. When data link is lost while doing weather deviations it becomes a safety problem.

Airways reported that staff are required to make a brief log entry when using the 30/30 standard. This is approximately 3-5 entries per month and although not high they appear to be used in the North East airspace rather than other areas of the New Zealand FIR.

AI 16-13 Application of "Rule of 11" in Oceanic Airspace (Ref IP-13)

Airways has utilized the "Rule of 11" for some years using "radar" as the source to confirm the time interval over the common point but has looked to expand use of the procedure as detailed in ICAO DOC 4444 and 7030 to areas outside radar coverage. Over the last two years the occurrences of aircrew failing to revise their estimates have decreased and, as a consequence, on 31st August 2006 the "Rule of 11" expansion was implemented to allow controllers to apply this separation standard between aircraft crossing the same waypoint outside radar coverage.

AI 17-1a Implementation of 50nm Lateral Separation in RNP Airspace

Tahiti reported its plans to implement 50NM lateral separation in Sept 2006 had encountered problems and not yet been implemented. Implementation is due 1 May 2007 pending safety studies, or alternatively the end of 2008.

AI 17-1b Implementation of 50nm Longitudinal Separation in RNP Airspace (Ref WP-21)

Airservices identified some of the implementation issues and felt that they provided a starting point for further discussion, rather than the adoption of 'final procedures'. Airservices felt that two distinct scenarios need to be considered:

- 1. Aircraft transferring from an ADS-C environment to a voice surveillance environment; and,
- 2. Aircraft transferring from a voice surveillance environment to an ADS-C environment.

The meeting is invited to note the pending implementation of RNP airspace within the Port Moresby FIR; and discuss the draft proposed procedures for the transfer of 50RNAV in order to develop procedures that can be implemented and used operationally.

AI 17-2 User Preferred Routes (Ref WP-10)

FAA advised that although initial trials indicate savings can be achieved, it is yet to be determined that a total UPR environment in the Central East Pacific will maintain the efficiency levels afforded by the current ATS route structure. A study has been commissioned to determine the feasibility of changing the current CEP ATS Route structure into some sort of Flexible Route system which would allow airspace operators to take advantage of changing upper wind patterns yet still maintain the current CEP efficiency levels. Initial data from this study should be available in October 2007.

Airservices reported that full expansion of UPRs with the airspace to the east of Australia has been delayed until a Flight Plan Conflict Function (FPCF) is introduced in Version 52 of the Eurocat software.



AI 17-5 ADS-B Implementation (Ref WP-05)

Airservices reported that final project implementation has been delayed due to problems experienced by the communication service provider in installing the necessary hardware to permit duplicated (independent) data paths between the ADS-B site and the air traffic service centres. The delay has resulted in a revision to the ground station implementation schedule, the analysis of refresher training needs for controllers, and may result in a revision of the transition strategy outlined in the ADS-B Implementation Phase Safety Case.

In December 2006, following a feasibility study, Airservices CEO approved a project to install a replacement NDB, ADS-B ground station and VHF receiver/transmitter on Lord Howe Island.

(Ref IP-19)

Kevin Chamness reported that the FAA are conducting a concept analysis for an Oceanic In-Trail Climb/Descent Procedures (ITP). ADS-C ITP will have a smaller longitudinal separation minima (e.g. 10-15 nm) than standard oceanic rules with aircraft at intermediate flight levels and will be a controller initiated procedure with the ATC responsible for ensuring separation with all aircraft, assisted by Ocean21 conflict probe.

Moving forward the concept analysis and initial procedures need to be completed, followed by estimates for Controller workload effect on ADS-C ITP and Oceanic benefits in ZOA, ZAN, and ZNY. A safety assessment and hazard analysis must then be completed before seeking ICAO approval and developing a plan for ADS-C ITP implementation. Progress on these matters will be tracked by the ISPACG/PT and reported on at the next meeting. A new action Item, 21-2 ADS-C In Trail Procedures, was opened

AI 17-6 Oceanic Safety Performance Requirements (SPR) Standards for Datalink (Ref WP-16)

Tom Kraft, FAA, advised the meeting that the final review and consultation (FRAC) of the Oceanic SPR Standard started on 12 February 2007. He invited the meeting to review the Standard against the criteria provided in the FANS Operations Manual (FOM) and submit comments to RTCA SC-189/EUROCAE WG-53 by 6 April 2007. Approval and publication would follow the satisfactory resolution of all comments at its meeting 10-13 April 2007 with a view to publishing around May 2007.

The meeting was also invited to consider the Oceanic SPR Standard within the terms of reference for the ISPACG Data Link Working Group, and its relevance to the FOM and the data collection criteria for the FANS Interoperability Team (FIT).

AI 17-9 Pre Departure Clearances (PDC)

Kevin Bethwaite, Airways, spoke on the operational concept of Automated Pre Departure Clearances (PDC) i.e. the delivery of standard clearances for departing aircraft via data link *in lieu of* full ATC clearance via RTF, to reduce RTF congestion at key airports and for suitably equipped aircraft, specified airlines/operators on departures from Auckland, Wellington, Christchurch. PDC criteria is automatically generated by SkyLine and sent via AFTN to airline host computer on selected routing. Software should be ready in the 3rd or 4th quarter of 2007.

The benefit of PDC reduces: the potential for communication errors between a pilot and controller; channel load (RTF congestion); ground delays; pilot flight deck workload; and controller workload.



The constraints of PDC are: a reduction of voice-induced situational awareness for pilots; and reduced dialogue flexibility in the case of non-routine communication.

AI 17-11 AIDC (Ref WP-04)

Since AIDC had been implemented a number of instances of flight plans not being truncated correctly had been reported. Airservices reminded the meeting of the importance of ensuring that flight plans are truncated correctly to prevent the potential for downstream ATSUs to hold erroneous flight plan information. ATSUs were also asked to ensure that appropriate procedures exist for dealing with the truncation of flight plans and that appropriate staff training is conducted to ensure that controllers and assistants have the required knowledge and understanding to deal with the truncation of flight plans.

(Ref IP-07)

ICAO informed the meeting that the ATS Interfacility Data Communication Review Task Force Meeting (AIDC/TF) was held during February 2007 and had been convened under the terms of APANPIRG/17 primarily for the purpose of updating the Asia/Pacific Regional Interface Control Document for ATS Interfacility Ground/Ground Data Communications (AIDC ICD). The AIDC/TF expressed their thanks for the mature and comprehensive nature of the presentations from ISPACG – their assistance had been invaluable in preparing the draft Asia/Pacific ICD Version 3 - a copy of which was provided to the meeting for review. Andrew Tiede, FAA, asked that any feedback be given to him as quickly as possible, and prior to June 2007, to ensure the provision of a final Version 3 document to APANPIRG/18 in early September 2007 for adoption as updated regional guidance material.

(Ref WP-22)

Airservices reported that whilst no formal AIDC monitoring programme had yet been implemented, some ad hoc statistical analysis had been conducted. Several observations from the analysis were made and the meeting was asked to consider the filtering of "rogue messages", individual monitoring of performance for each ATSU, and the inclusion of LRMS as an "unsuccessful delivery" for possible inclusion in any future update to the "Guidance Material for End-to-End Safety and Performance Monitoring of Air Traffic Service (ATS) Data link systems in the Asia Pacific Region" document. It was agreed that Andrew Tiede, ICAO, would present these findings to RASMAG on behalf of Airservices in June 2007.

AI 17-12 Monitor Terminal Procedures (Ref WP-15)

Airservices provided an overview of the Pre Tactical Flow (PTF) trials during September 2006 that involved arrivals into Sydney between 0600-0700 local. The purpose of the trial was to minimise holding and/or extended vectoring during the arrival phase and absorb any required delays in the enroute phase of flight by issuing an RTA (Required Time of Arrival) to the aircraft. Even though local weather conditions at Sydney resulted in a lower landing rate than anticipated savings of 60,000kg of fuel were made during the two week trials along with average cruise time absorption for aircraft of 8-12 minutes. The new sequencing tool "ALOFT" (ATM Long-Range Optimal Flow Tool) will operate during the non-daylight savings period commencing 24 March 2007 and is expected to result in further savings to the airline industry. Adam Watkin, Airservices, undertook to ensure airline operators had contact details for those running the trials so that further discussion could take place on concerns about holding patterns, Trans Tasman arrivals, etc.

(Ref WP-20)

Kevin Bethwaite, Airways, reported that focus over the last two years had switched to fuel burn from the historic runway capacity and online performance drivers. Following good results from within Oceanic Airways are now looking to improve in the terminal area and are about to embark on Optimum Arrival Trials NZAA which would involve Air NZ and Qantas



747 datalink capable flights. A NOTAM would be issued stating the intent to afford priority, with operational instructions issued to ATC staff and pilots, as well as a new temp map for use on radar to depict the tracks being flown. He confirmed that much data had already been collected on fuel burn in the arrival phase and that this would be compared with the same during trials. Records concerning flight nav accuracy both adhering to track and meeting ETAs over all points would also be kept, along with the trial effects on other traffic. Airways will be seeking feedback from pilots and controllers alike and welcomed the opportunity to data share information with Craig Roberts, Thales Australia, who are developing trials into Melbourne.

Geoff deBazin confirmed the need to monitor terminal procedures – it is a long and complicated path the group are heading down which will have significant change and benefits to all parties concerned. Good consultation processes need to be put in place and communication lines need to be open for everyone to contribute.

AI 18-1 ATS Data Link Gateways (Ref IP-12)

Tom Kraft, FAA, reported work has progressed within RTCA SC-189/EUROCAE WG-53 and that the ISPACG Datalink Working Group have been co-ordinating with the ICAO ATN Accommodation Drafting Group (ADG). The final review of the FANS 1/A – ATN Interoperability Standard has been completed with the initial release of this standard planned for approval and publication by RTCA/EUROCAE in April/May 2007. The standard includes an interoperability solution for an ATN-based ground system to provide continental data link services to FANS 1/A aircraft. It was agreed that this Action Item be closed and that future updates be provided to ISPACG via the Data Link Working Group.

AI 19-1 Flight Plan Issues (Ref IP-03)

Andrew Tiede, ICAO, reported on the Fourth Meeting of the Flight Plan Study Group (FPLSG/4), held at ICAO Headquarters in Montreal, November 2006. Seven members and nine advisers from seven States (Australia, Canada, France, Japan, Singapore, United Kingdom and United States) and two international organizations (Eurocontrol, IBAC) attended the meeting.

In order to support the realisation of the Global ATM Operational Concept, as described in Doc 9854, FPLSG/4 agreed to develop a concept document for the future flight planning system noting the importance that the future flight plan fit into the aeronautical information management system, and provide information on trajectory intent to support the notion of user preferred trajectories as envisaged in the ATM operational concept. A proposal that individual flight plans be filed for each aircraft in a formation and that global interoperability and seamlessness, as envisaged by the ATM operational concept, be emphasized. The first full draft of the concept document will be prepared for consideration by the next FPLSG meeting 23 April 2007.

Concern was raised by Airservices as to the extent of the changes being made and their effect on AIDC, to which it was suggested Adam Watkin speak urgently to Ken Erinburg from Australia for Adam to take the lead and forward the discussion outcomes to ISPACG ANSPs so that they in turn can follow up via the FAA, The meeting also asked for Andrew Tiede to relay their concerns to ICAO and the FPL Study Group.

Gene Cameron, United Airlines, advised that he is the only airline representative in the FPLSG and that he is happy to take any concerns forward on behalf of ISPACG members. It was agreed that Adam Watkin for Airservices, and Steve Kelly for Air NZ, feed any issues they have to Gene, and for them all to stay in the loop on progress and outcomes.



(Ref IP-11)

The meeting was reminded that during the ISPACG/20 the FAA provided an overview of activities and plans of the ICAO Flight Plan Study Group (FPLSG). ISPACG participants were then requested to review ICAO Doc 9858, Global Air Traffic Operational Concept, and to identify inputs for the FPLSG. Thus far, no inputs have been received by the US member of the FPLSG. Geoff deBazin agreed that ISPACG had had the opportunity to have input into this forum and that as a group they had not treated the situation ideally.

ICAO noted that neither ISPACG nor IATA were terribly well represented at the FPLSG meetings and encouraged everyone at ISPACG/21 to be aware of the FPLSG and the intended changes, stating that documentation would only be changed once so there was an urgency and need to ensure the changes were right for all parties concerned.

AI 19-3 Letter of Agreement

Chile requested continued participation with ISPACG and asked for the meeting's endorsement for them to become a full member of ISPACG. This was agreed to by the meeting and a Letter of Agreement will be drafted for circulation and signature of the various parties concerned.

AI 19-7 HF Pre-flight and Selcal Checks

The meeting agreed to close this Action Item and merge with AI 20-4, Reduction of HF Congestion).

AI 20-1 Civil Military

Grant Wearing, RNZAF, Liaison & Co-operation, Mike Underwood, RNZAF, Standards ???, and Simon Rouke RNZN joined the meeting to discuss civil military co-ordination matters.

Len Wicks, CAA NZ, commenced discussions by requesting adequate notice of military operations, excluding acts of war, be given to ANSPs. With today's technology aircraft are not always flying fixed routes so it is essential that the appropriate positioning for military exercises is passed on ATSUs and that the 90 day promulgation period, which can be reduced in emergency situations, is adhered to. He referred to a recent event whereby only 1 days notice was given of live firing in the middle of the Trans Tasman route system and advice was sent to the Australian NOTAM adviser, but not to CAA or Airways New Zealand. It is important that such information is sent via the NZ CAA, not Brisbane Centre, who in turn send out a standard format notice to the ANSPs.

Simon Rouke, Royal NZ Navy, replied by saying on the whole New Zealand ships must do live firing in promulgated areas. The most likely situation for high sea firing is when a defect or improvement is needed and the ship is required to be operationally ready at all possible times. Guidance for firing outside designated areas is the same for both New Zealand and Australia i.e. 24m from land and 10NM for any published air route. The RNZN would prefer that in promulgated and gazetted areas NOTAMs are issued, although they are aware that approved military training areas are not exclusive to the Navy. The RNZN expect civilian aircraft to stay clear of an active military area however on the high sea it is the Navy's responsibility to hold fire until flights have passed.

Discussion took place around the specific nature of NOTAMs and how best for ATSUs to treat military areas. CAA NZs preference would be for Airways to treat is area as protected airspace. The RNZN undertook to produce a procedure covering these situations that will be clear to both ships and aircraft alike.



Geoff deBazin thanked the RNZAF and RNZN for their contribution to the meeting and was pleased with the relationship that exists between ATSUs and the forces. He said co-operation between both was important so as to avoid disruption to either party and the service they provided. He was sure that from this discussion everyone has gained a better understanding of each parties responsibilities and that there will be significant benefits that will flow on from this and ongoing discussions.

AI 20-2 Review of ATS Route Catalogue by States (Ref WP-08)

The FAA's ATS Route Realignment Proposal illustrated that ATS routes around Hawaii and Northwest of Guam could provide average savings in excess of 20NM. Oakland Center will work with adjacent ANSPs to develop an action plan, co-ordinating proposed changes with ICAO, while ensuring no adverse effects are caused by the ATS Route changes.

Changes to the Honolulu airspace and CEP current waypoints tied to Honolulu boundary changes have meant additional work which needs to go through the SMS process. Therefore no fixed implementation date has been set.

AI 20-3 Resolve Oakland Problems with AFN Logon

David Maynard of the FAA reminded the meeting of a number of joint papers presented at the Honolulu FIT meeting which indicated numerous aircraft logging onto the Oakland system while they were still on the ground. This is causing issues with the automation system and running up additional charges. He proposed that an RFC for the FOM be prepared advising that airlines not log on until they reach 10,000 feet. The meeting was in agreement with this noting that consistency was the desirable outcome.

AI 20-4 Identify Methods to Reduce HF Congestion (Ref IP-14)

The ISPACG/HF Working Group, consisting of representatives from ARINC, Airports Fiji, Airservices and Airways, met in July 2006 - Tahiti have since joined the group. As a way to address variations in the level and standard of service provided to airline operators all members entered into a Memorandum of Understanding (MOU) effective 8 March 2007. A customer survey will be generated for airlines in June 2007 and the results will provide information for a baseline and enabling the group to set up Key Performance Indicators (KPIs) which can be developed and included into the MOU.

The question was asked if Annex 10 states that HF preflight and SELCAL checks 'should' or 'shall' be done. Andrew Tiede, ICAO, suggested that any changes to the Annex be by way of a Supplement, rather than an Amendment. He will discuss this further with Allan London, Airways, while David Maynard will speak to AIRINC on the subject.

AI 20-5 Address Problems with SATCOM

SATCOM is a top priority for the airlines however in Paul Radford's absence Airways undertook to have this paper forwarded to the group by 1 April 2007. It was agreed to keep the Action Item alive and for Paul Radford to report back at the next meeting.

AI 20-6 Establish Planning Team to Address Future Work

The meeting agreed that this should no longer be an Open Action Item but a Standing Report to which the ISPACG Planning Team prioritize and develop action plans for multiple issues that are not actively being addressed by the full ISPACG (Ref WP-11).

AI 20-7 Investigate Internet ISPACG Forum or Interactive Bulletin Pagee

Although agreed to be a good concept as a medium for communication the Yahoo site that FAA established is only used sporadically and not always for its intended purpose. It was agreed that the FAA close the internet forum page and in turn this Action Item.



AI 20-8 Add "Review Relevant Route Requirements in Asia/Pacific ATS Route Catalogue" and "Civil Military Co-ordination" as Standing Action Items This has been completed (Ref AI 20-1 and AI 20-2). Item closed.

AI 20-9 Recommend ICAO Asia Pacific Office Reconvene AIDC Task Force This has been completed (Ref AI 17-11). Item closed.

5 Identify Future Work Programmes

5.1 Review and Update Capacity Enhancements Table

Airservices provided the meeting with an updated Capacity Enhancements Table (Ref WP-26) while the meeting agreed that the Co-chairs could update the remainder of the table off line on behalf of the group.

5.2 Outcome of 2006 IOAC Performance Workshops

(Ref WP-13) Kevin Chamness, FAA, gave a summation of the two day Performance Metrics Workshop from the 2006 IOAC Conference and outlined the proposed next steps for the development of performance metrics for ISPACG and other regional groups. The principle outcomes to measure efficiency by are:

Efficiency - *Perfect Trajectory vs. Actual Flown Trajectory*Predictability - *Filed trajectory vs. Actual Flown Trajectory*Operations Cost - *Oceanic service provision costs and investments*Safety Trends- *relevant to oceanic airspace*

The meeting agreed Kevin's proposal to draft a predictability metric for the South Pacific which he will present to ISPACG/22.

5.3 **Guidance on A380 Wake Vortex** (Ref IP-05)

ICAO presented guidance to States in regard to the horizontal and vertical wake turbulence spacing criteria for the A380-800. This guidance was developed by an ad hoc group of experts under the auspices of the FAA, Eurocontrol, the Joint Aviation Authorities (JAA) and the manufacturer and was promulgated via ICAO State letter Ref: T3/4.4-AP099/06 (ATM) transmitted on 10 October 2006.

(Ref WP-23)

Airways intention is to modify its Oceanic Control System (OCS) and Domestic system (Skyline) to enable them to accept any Flight Plans filed with the letter "J" for a wake turbulence designator in the ICAO flight plan. The "J" designator will not be used for any purpose in the OCS; the software change will be done simply to avoid manual processing. This work will be completed in time to be available for the software release scheduled in conjunction with the 7 June 2007 AIRAC date.

Adam Watkin, Airservices, voiced concern about the changes, stating that the likes of Brisbane and Nadi can't accept 'J' in their systems and to his knowledge no such changes have been planned. FAA similarly noted that upgrades to their system had not been discussed, while Tahiti advised it was something they would look at in 2008 when their new system came on line. Geoff deBazin urged consideration on this topic and advised that Airways would co-ordinate with the various ANSPs.



Andrew Tiede, ICAO, said it appeared that ICAO had made a unilateral decision without the consideration of others. He undertook to check this with ICAO Head Quarters and report back to the group.

5.4 **RNP Discussion** (Ref WP-19)

Len Wicks, CAA NZ, reported that the Protected Airspace Concept was recently discussed by the ICAO Separation and Airspace Safety Panel (SASP) and it was apparent that there are inconsistencies in the ICAO Doc 4444 references supporting this concept, which form the basis of automated conflict probe ATM systems used in the Pacific.

A draft definition of the protected airspace concept for consideration by SASP was tabled for the meeting. As were suggested draft PANS ATM amendments which take in to account the application of protected airspace by automated ATM systems, and the differences between procedural route systems and automated ATM systems. ISPACG participants were invited to comment on the proposed draft amendments in WP-19 noting the yellow highlighted areas of recommended change. Comments should be forwarded to Len Wicks, CAA NZ, within four weeks so that he can present them to the next SASP.

5.5 **Variation in Speed** (Ref WP-25)

In light of the reduced longitudinal separation standards currently employed in the South Pacific Airways New Zealand proposed that the maximum variation that aircrew can employ without advising ATC, be reduced. Over the last decade the use of CPDLC and ADS has allowed a significant reduction in the longitudinal separation standards applied between aircraft on the same track, with frequent use now made of both the 50nm and 30nm longitudinal standard. During the same time period the variation in speed that pilots are permitted to undertake without advising ATC, has not reduced in proportion and has remained at 5 %.

Following discussions it was obvious that there was a significant difference of understanding when it came to how information was used by operators and ATC. Geoff deBazin suggested that all parties go back and look closely at the documentation so as to gain a better understanding of its intention. ISPACG/PT2 would take this up and a team would be developed to investigate the documentation, progress the issue report to ISPACG/22. He also asked that ICAO clarify the wording in Annex 2 and to advise whether or not this was a region specific condition and how best to progress any change.

Review and Establish Terms of Reference for Working Groups/Task ForcesThere were no new Working Groups or Task Forces.

7 Other Business

7.1 Use of ADS-C Meteorological Data by the Bureau of Meteorology (Ref WP-27)

Adam Watkin, Airservices, on behalf of the ISPACG/PT, reported that the increasingly widespread use of ADS-C has the potential to provide meteorological offices with continually updated wind and temperature information from a wide variety of locations. This could result in an improvement to the wind and trajectory modeling, with corresponding improvements to the wind information used by airlines and ATSUs. He advised that until recently, TAAATS was not able to request meteorological data in ADS contracts, however this functionality was now available, and the capability to forward such information to the Bureau of Meteorology was also expected to be available in the near future. Many of the benefits to airlines will



result from improvements to the forecasting ability of Met agencies, with more accurate weather forecasts and improved products and diagnostics meaning improved flight operations, improved safety and operational cost savings.

From the findings above the Planning Team will progress this as an action item and report further at ISPACG/22.

7.2 **Honolulu Volmet**

David Maynard, FAA, reported that Honolulu Flight Service were having hardware problems and that the HF Volmet was working at reduced power therefore reduced coverage. It would take between 4-6 months to correct the problem and he wanted to assure the meeting that the FAA were aware of the impact this was having on operators.

Airline operators confirmed they all relied on information from volmet and that there were still numerous older planes in operation that continued to use volmet. ICAO confirmed that there were no plans to dispose of Volmet and that in fact an extra station was proposed for Japan. AIRINC confirmed that they could supply the information to the FAA, however there would be a charge for this, which could in turn speed up the equipment fix in Honolulu.

It was requested David Maynard take this as an Action Item to the next OWG.

8 Closing

- 8.1 SEAC Tahiti were happy to announce they will host FIT/15 and ISPACG/22 in Tahiti at the end of February, or beginning of March 2008.
- 8.2 Closing remarks from David Maynard focused on the adoption of the Planning Team and the important work that had been done to facilitate work throughout the year. He thanked the ISPACG members for their open and robust discussion over the past 3 days and Airways NZ for hosting ISPACG/21.

Geoff deBazin also thanked everyone for their attendance and participation, particularly ICAO and IATA for their contribution. He felt that ISPACG continued to make significant progress because it is well established, its members interact well and speak their mind – long may it continue.

Appendices:

- A Open Action Items
- B Updated Capacity Enhancement Table
- C Participant List



No.	Action Item	Last Status Update	Action Officer(s)	Action Pending	Target Date
16-1	Funding for Continuation of Central Reporting Agency (CRA) Activities	The FAA reported that a multi-lateral cost sharing arrangement for CRA activities was desirable, but recognized	Kevin Chamness, FAA	Draft update referencing WP-12 at ISPACG/PT2	9 March 2007
		that Boeing was unable to administratively accommodate a large number of individual agreements and required a collective approach.	All Pacific States	Prepare to commit to the reimbursement of FAA for CRA and RMA services.	30 June 2007
		The FAA proposed to fund half (\$40,000) of the CRA funding requirement in 2007 and accepted an action to "investigate whether it could facilitate, collect and consolidate fees on behalf of all participating States of the Asia Pacific Region to support the CRA service provided by Boeing, and for the United States to report matter to RASMAG/7 prior to June 2007."	FAA	Formally present each of the individual states with a CRA and RMS reimbursement agreement.	30June 2007
16-2	Strategic Planning	The meeting reviewed and updated the table of CNS/ATM technologies and enhancements.	All ATS Providers Airlines	Standing Action Item	Ongoing
16-4	ATM Contingency Plans	Individual States to review contingency arrangements.	All ATS Providers	ATM Contingency Plans to be kept up to date and reviewed periodically.	Ongoing
		ICAO has a special implementation project that should provide a model for States.	All ATS Providers	ATS providers to report on any progress regarding contingency plans at future meetings.	Ongoing



No.	Action Item	Last Status Update	Action Officer(s)	Action Pending	Target Date
16-5	Report on FANS Interoperability Team Activities	The meeting was provided with an overview of FIT/14 including discussions on GES backup issues, SATVOICE trials and FOM RFCs. Mike Meza, Director – Aviation Services, Iridium Satellite LLC, spoke to the meeting about the Iridium system.	Brad Cornell, FIT Chair	Standing Action Item	Ongoing
6-6	Review Need for Regional Implementation of 2nm Strategic Lateral Offset Procedures	ISPACG, with guidance from ICAO, are to standardise procedures relating to the regional implementation of 2nm Strategic Lateral Offset Procedures	ISPACG/PT ISPACG/PT	Keep up to date with IFALPA Conference outcome. Consider how SLOP should be administered and recorded, and how ANSPs are to uniformly document the process in their AIPs. Develop a draft document showing the direction to be taken and report back to ISPACG members via email. Formulate changes for Annex 2	Feb 2007 March 2007
			David Maynard, FAA	Take draft document to IPACG in May seeking their endorsement of the ISPACG position.	May 2007
			All States	Add procedures to AIPs and Jepperson documentation.	



No.	Action Item	Last Status Update	Action Officer(s)	Action Pending	Target Date
16-7	Aircraft Loss of Communications Procedures	ICAO advised the meeting that the amendment proposal (APAC 03/10) in relation to lost communication procedures in the oceanic airspace had been approved and a State Letter had been transmitted to this effect, enabling use of the procedure. Doc 7030 would be updated in due course.	Andrew Tiede, ICAO	The meeting recognized that this was a long-standing issue and appreciated the effort by all. Item Closed	
16-8	Implementation of 30/30	Airservices provides information on the frequency of application of the 30/30NM separation minima in the Tasman and Coral Sea airspaces. FAA presents a summary of anomalies discovered during the operational trial of 30/30 standards (30/30) in the Oakland Oceanic Flight Information Region. This information was prepared for the Oceanic Separation Reduction Working Group (OSRWG) Scrutiny Group, which was formed to evaluate performance of various components of the system	FAA Airservices Airways	FAA 30/30 Scrutiny Group to continue operational trials and evaluate the performance of the various components of the system supporting the reduced separation minima. Airservices to continue analysing ADS-C data and working on a post implementation review of 30/30. Airways will have a post implementation review completed within the next few months.	
		supporting the reduced separation minima.			
16-13	Application of "Rule of 11" in Oceanic Airspace	On 31 August 2006 the "Rule of 11" expansion was implemented in the Auckland Oceanic FIR to allow controllers to apply this separation standard between aircraft crossing the same waypoint outside radar coverage.	Allan London, Airways	Item Closed	



Action Item	Last Status Update	Action Officer(s)	Action Pending	Target Date
Implementation of 50nm Lateral Separation in RNP Airspace	Tahiti reported its plans to implement 50NM lateral separation in Sept 2006 had encountered problems and not yet been implemented. Implementation is due 1 May 2007 pending safety studies, or alternatively the end of 2008.	SEAC	Report progress to ISPACG/22	1 May 2007
Implementation of 50nm Longitudinal Separation in RNP Airspace	Airservices advised of the pending implementation of RNP airspace within the Port Moresby FIR; and discussed the draft proposed procedures for the transfer of 50RNAV in order to develop procedures that can be implemented and used operationally. Implementation in the Tahiti FIR is due 1 May 2007 pending safety studies, or alternatively the end of 2008.	Adam Watkin, Airservices Jean-Pierre Faubladier, SEAC	Working Group will continue and report back to meeting. Report progress to ISPACG/22	End 2008 1 May 2007
UPRs	FAA are conducting a feasibility study using Flexible Tracks in the CEP (target completion Oct07). Airservices are due to starting trialling in the Port Moresby FIR mid Apr07. Airways NZ support UPRS throughout the Pacific and have a blanket approval.	FAA Airservices Airways NZ	Report progress to ISPACG/22 Report progress to ISPACG/22 Report progress to ISPACG/22	Feb 2008
	Implementation of 50nm Lateral Separation in RNP Airspace Implementation of 50nm Longitudinal Separation in RNP Airspace	Implementation of 50nm Lateral Separation in RNP Airspace Tahiti reported its plans to implement 50NM lateral separation in Sept 2006 had encountered problems and not yet been implemented. Implementation is due 1 May 2007 pending safety studies, or alternatively the end of 2008. Implementation of 50nm Longitudinal Separation in RNP Airspace Airservices advised of the pending implementation of RNP airspace within the Port Moresby FIR; and discussed the draft proposed procedures for the transfer of 50RNAV in order to develop procedures that can be implemented and used operationally. Implementation in the Tahiti FIR is due 1 May 2007 pending safety studies, or alternatively the end of 2008. UPRS FAA are conducting a feasibility study using Flexible Tracks in the CEP (target completion Oct07). Airservices are due to starting trialling in the Port Moresby FIR mid Apr07.	Implementation of 50nm Lateral Separation in RNP Airspace Tahiti reported its plans to implement 50NM lateral separation in Sept 2006 had encountered problems and not yet been implemented. Implementation is due 1 May 2007 pending safety studies, or alternatively the end of 2008. Adam Watkin, Airservices implementation of RNP airspace within the Port Moresby FIR; and discussed the draft proposed procedures for the transfer of 50RNAV in order to develop procedures that can be implemented and used operationally. Implementation in the Tahiti FIR is due 1 May 2007 pending safety studies, or alternatively the end of 2008. UPRS FAA are conducting a feasibility study using Flexible Tracks in the CEP (target completion Octo7). Airservices are due to starting trialling in the Port Moresby FIR mid Apr07. Airways NZ support UPRS throughout the Pacific and have a blanket approval	Implementation of 50nm Lateral Separation in RNP Airspace Tahlit reported its plans to implement 50NM lateral separation in Sept 2006 had encountered problems and not yet been implemented. Implementation is due 1 May 2007 pending safety studies, or alternatively the end of 2008. Airservices advised of the pending implementation of RNP airspace within the Port Moresby FIR: and discussed the draft proposed procedures for the transfer of 50RNAV in order to develop procedures that can be implemented and used operationally. FAA are conducting a feasibility study using Flexible Tracks in the CEP (target completion Octo7). Airservices are due to starting trialling in the Port Moresby FIR mid Apr07. Airways NZ support UPRS throughout the Pacific and have a blanket approval



No.	Action Item	Last Status Update	Action Officer(s)	Action Pending	Target Date
17-5	ADS-B Implementation	ADS-B implementation has been delayed due to problems installing the necessary hardware to permit duplicated (independent) data paths between the ADS-B site and the air traffic services centres. A replacement NDB, ADS-B ground station and VHF receiver/ transmitter have been approved for installation on Lord Howe Island.	Airservices	Provide further update on planned oceanic applications to ISPACG/22	Feb 2008
17-6	Oceanic Safety Performance Requirements (SPR) Standards for Data Link	Final review and consultation started on 12 February 2007 with all comments needed by 6 April 2007. Approval and publication would follow at the RTCA SC-189/EUROCAE WG-53 meeting on 10-13 April 2007, with publishing expected in May 2007.	ISPACG Datalink Working Group	Close Action Item. Future updates on Oceanic SPR Standards to be provided to ISPACG via the Data Link Working Group.	
17-9	Pre Departure Clearances (PDC)	Airways reported on the benefits and constraints of PDC and advised software would be ready Q3 or Q4 2007.	Airways	Report progress to ISPACG/22	Feb 2008



No.	Action Item	Last Status Update	Action Officer(s)	Action Pending	Target Date
17-11	AIDC	Airservices reported that since AIDC had been implemented a number of instances of flight plans not being truncated correctly had been reported.	ATSUs	Ensure controllers and assistants have the required knowledge and understanding to deal with the truncation of flight plans.	
		ICAO presented the Asia/Pacific Regional Interface Control Document for ATS Interfacility Ground/Ground Data Communications (AIDC ICD) Version 3.	ISPACG Participants	Review and comments to Andrew Tiede, ICAO, before June 2007.	May 2007
		Airservices reported that whilst no formal AIDC monitoring programme had yet been implemented, some ad hoc statistical analysis had been conducted, and several observations made.	Andrew Tiede, ICAO	Present findings and questions to RASMAG on behalf of Airservices.	June 2007
		ISPACG/21 Co-chairs recommended closing Al 17-11 but continuing work via the Planning Team up to the expansion of AIDC and testing activities.	ISPACG/PT	Add implementation of AIDC version 3 to capacity enhancement table. Report progress to ISPACG/22.	



No.	Action Item	Last Status Update	Action Officer(s)	Action Pending	Target Date
17-12	Monitor Terminal Procedures	Airservices Pre Tactical Flow (PTF) trials on arrivals into Sydney between 0600- 0700 local commenced September 2006, with the new sequencing tool "ALOFT" (ATM Long-Range Optimal	ISPACG Participants Airservices	Encouraged to share information arising from trials relating to fuel burn and optimum arrivals. Report to ISPACG/22 on trial findings	Feb 2008
		Flow Tool) being trialed during 0600- 0700 starting 24 March 2007. Airways Optimum Arrival Trials NZAA to	Airways		
		commence on Air NZ and QF 747 datalink capable flights into AA Terminal in April 2007.			
18-1	ATS Data Link Gateways	FAA reported that the final review of the FANS 1/A – ATN Interoperability Standard has been completed with the initial release planned for approval and publication by RTCA/EUROCAE in April/May 2007	ISPACG Datalink WG	Future updates be provided to ISPACG via the Data Link Working Group. Close Action Item	
19-1	Flight Plan Issues	ICAO reported on the Fourth Meeting of the Flight Plan Study Group (FPLSG/4), held November 2006 and advised of the first full draft of the Global ATM	Adam Watkin, Airservices / Steve Kelly, Air NZ	Identify issues and concerns relating to changes proposed by FPLSG.	1 April 2007
		Operational Concept being prepared for consideration by FPLSG on 23 April 2007.	G Cameron, United/ Andrew Tiede, ICAO	Table concerns at FPLSG/5 on behalf of ISPACG participants.	23 April 2007



No.	Action Item	Last Status Update	Action Officer(s)	Action Pending	Target Date
19-3	Letter of Agreement	The meeting agreed to Chile's request to become full members of ISPACG.	Co-chairs	Update and add appropriate signatories from Chile to the LOA and circulate for sign off.	
19-7	HF Pre-flight and Selcal Checks	Meeting agreed to merge this Action Item with AI 20-4 Reduction in HF Congestion.		Action Item Closed	
20-1	Civil Military Co-ordination	Royal New Zealand Air Force and Royal New Zealand Navy joined the meeting for an open discussion on promulgation periods and adequate notice of military operations in high sea situations.	RNZN via Airways	RNZN will produce a procedure for all ships that clearly identifies actions for aircraft/ships operating in military exercise areas.	
20-2	Review of ATS Route Catalogue by States	ATS Route Realignment Proposal around Hawaii and Northwest of Guam could provide average savings in excess of 20NM. Oakland Center will work with adjacent ANSPs to develop an action plan, co-ordinating proposed changes with ICAO, while ensuring no adverse effects are caused by the ATS Route changes.	FAA	Update at ISPACG/22	
20-3	Resolve Oakland Problems with AFN Logon	Numerous aircraft are logging onto the Oakland system while they were still on the ground. This is causing issues with the automation system and running up additional charges.	Bob Hansen, FAA	Prepare an RFC for to amend FOM and provide standardization. Report outcome at ISPACG/22	



No.	Action Item	Last Status Update	Action Officer(s)	Action Pending	Target Date
20-4	Identify Methods to Reduce HF Congestion	The ISPACG/HF Working Group was formed in July 2006 to address SP6 HF network congestion as well as variations in the level and standard of service provided to airline operators. All members entered into a MOU effective 8 March 2007.	ISPACG/HF WG	Generate customer survey for airlines. Produce KPIs for inclusion into the MOU. Report back to ISPACG/22 on progress.	June 2007 Feb 2008
20-5	Address Problems with SATCOM	Working group to address problems and developed terms of reference.	Paul Radford, Airways	Forward paper to ISPACG participants by 1 April 07 and report on progress at next meeting	1 April 2007 Feb 2008
20-6	Establish a planning team to establish working groups to progress future work	The ISPACG Planning Team met for the first time in August 2006 (ISPACG/PT-1) to ratify terms of reference, develop a prioritization mechanism, and discuss issues delegated to the group at ISPACG/20.	ISPACG/PT	Close as Action Item and include in future ISPACG Standing Reports.	
		The group have subsequently met via telephone conference several times and will formally meet again on 9 March for ISPACG/PT2.			
20-7	Investigate the possibility of an Internet ISPACG forum or interactive bulletin page	FAA opened a Yahoo account as a means of communication for ISPACG participants and Working Groups to exchange information via a bulletin board. Its use to date has been sporadic and the meeting agreed to close the account and dissolve this concept for communication.	FAA	Close Yahoo account and internet forum page. Action Item Closed	



No.	Action Item	Last Status Update	Action Officer(s)	Action Pending	Target Date
20-8	Add "Review of relevant route requirements in the Asia/Pacific ATS Route Catalogue" and "Civil Military Coordination" as standing agenda items	This has been completed (Ref Al 20-1 and Al 20-2).		Action Item Closed	
20-9	Recommend ICAO Asia Pacific Office Reconvene the AIDC Task Force	A recommendation was made to ICAO to reconvene the AIDC Task Force for the purpose of finalizing the format of the FAN and FCN messages in the AIDC ICD, as well as updating the AIDC ICD in accordance with these and any other changes required (Ref AI 17-11).		AIDC Task Force reconvened. Action Item Closed.	
21-1	10 Minute Longitudinal Separation Without Mandatory MNT	In a continuing effort to harmonise global ATM, ANSPs are invited to consider implementing 10 minute longitudinal separation without the mandatory assignment of MNT.	FAA All ANSPs	Conduct a Safety Analysis. Report back to ISPACG/22 on ways this could be implemented within the various FIRs.	Dec 2007 Feb 2008
21-2	ADS-C In Trail Procedure	The FAA are conducting a concept analysis for an Oceanic In-Trail Climb/Descent Procedures (ITP).	ISPACG/PT	Progress is to be tracked via the Planning Team and reported back to ISPACG.	



CAPACITY ENHANCEMENT	ACTION WITH	ESTIMATED COMPLETION DATE	DATE COMPLETED	NOTES
Implement RVSM in De	omestic Airspace			
Australia	Airservices		Feb-02	
Fiji	AFL		Feb-00	
New Zealand	Airways		Feb-00	
PNG	CAA of PNG		Feb-02	
Solomon Islands	Airservices		Feb-02	
Tahiti	SEAC Tahiti		Feb-00	Up to F410
United States	FAA		Jan-05	Feb 2000 (PAC oceanic)
Implement RNP10				
Australia	Airservices		2000	
Fiji	AFL		Aug-03	
New Zealand	Airways		Dec-98	
PNG	CAA of PNG	Oct 07		Airservices
Solomon Islands	Airservices		Dec-98	F245 - F600
Tahiti	SEAC Tahiti	Mar 06		F245 - F600
United States	FAA		Dec-98	
Implement RNP4				
Australia	Airservices		20 Jan 05	
Fiji	AFL		Jan-05	
New Zealand	Airways		20 Jan 05	
PNG	CAA of PNG	Dec 10		
Solomon Islands	Airservices	TBD	20 Jan 05	
Tahiti	SEAC Tahiti	TBD		
United States	FAA		13 Mar 07	All Oakland Sectors



CAPACITY ENHANCEMENT	ACTION WITH	ESTIMATED COMPLETION DATE	DATE COMPLETED	NOTES
Implement 50NM Late	ral Separation			
Australia	Airservices		Dec-98	
Fiji	AFL		Aug-03	
New Zealand	Airways		Dec-98	
PNG	CAA of PNG	Dec 08		
Solomon Islands	Airservices		Dec-98	
Tahiti	SEAC Tahiti	Dec 06		
United States	FAA		Dec-98	
Implement 50NM Long	gitudinal Separation			
Australia	Airservices		Jul-00	
Fiji	AFL		Aug-03	ADS aircraft only
New Zealand	Airways		Jul-00	ADS aircraft only
PNG	CAA of PNG	Dec 08		
Solomon Islands	Airservices		Jul-01	
Tahiti	SEAC Tahiti	TBD		
United States	FAA		17 Oct 05	
Implement 30NM Late	ral Separation			
Australia	Airservices		20 Jan 05	Brisbane eastern oceanic airspace
Fiji	AFL		Jan-05	
New Zealand	Airways		20 Jan 05	
PNG	CAA of PNG	Dec 10		
Solomon Islands	Airservices		20 Jan 05	
Tahiti	SEAC Tahiti	TBD		
United States	FAA		13 Mar 07	All Oakland Sectors



CAPACITY ENHANCEMENT	ACTION WITH	ESTIMATED COMPLETION DATE	DATE COMPLETED	NOTES
Implement 30NM Longi	itudinal Separation			
Australia	Airservices		20 Jan 05	Brisbane eastern oceanic airspace
Fiji	AFL		Jan-05	
New Zealand	Airways		20 Jan 05	
PNG	CAA of PNG	Dec 10		
Solomon Islands	Airservices		20 Jan 05	
Tahiti	SEAC Tahiti	TBD		
United States	FAA		13 Mar 07	All Oakland Sectors
Implement UPRs				
Australia	Airservices			Partial implementation YSSY/YBBN/YMML- KLAX/KSFO. UPRs between PHNL-YSSY, New Zealand/New Caledonia-Japan are pending.
Fiji	AFL			Has UPR capability for Datalink aircraft.
New Zealand	Airways			Has UPR capability
PNG	CAA of PNG	Oct 07		
Solomon Islands	Airservices			Partial implementation YSSY/YBBN/YMML- KLAX/KSFO
Tahiti	SEAC Tahiti			Partial implementation YSSY/NZAA-KLAX
United States	FAA			Partial implementation North America to South Pacific.
Implement UPR DARP				
Australia	Airservices	TBD		
Fiji	AFL	TBD		
New Zealand	Airways		Jun 06	DARPing available within the NZZO FIR.
PNG	CAA of PNG	Dec 09		
Solomon Islands	Airservices	TBD		



CAPACITY ENHANCEMENT	ACTION WITH	ESTIMATED COMPLETION DATE	DATE COMPLETED	NOTES
Tahiti	SEAC Tahiti	TBD		
United States	FAA		Jun 06	DARPing available between NZZO and KZAK
Application of Tactical	Lateral Offsets for Clim	b & Descent		
Australia	Airservices	N/A		
Fiji	AFL	N/A		
New Zealand	Airways		Completed	
PNG	CAA of PNG	N/A		
Solomon Islands	Airservices	N/A		
Tahiti	SEAC Tahiti	N/A		
United States	FAA		Dec-98	
Implement AIDC Messa	aging with Neighbouring	FIRS for Co-ordination		
Australia	Airservices		Jun 06	
Fiji	AFL		Jun 05	NZZO in Jun 05, KZAK to go, Partial with YBBB
New Zealand	Airways		Feb 06	
PNG	CAA of PNG	Dec 09		
Solomon Islands	Airservices		2005	
Tahiti	SEAC Tahiti	May-03	May-03	Partial with NZZO - ABI message 2005
United States	FAA		Partial implementation	Partial with Japan Mar 99, NZZO Dec 02, ZAN Oct. 05
Implementation of AID	C Version 2			
Australia	Airservices	Jun 07		Block levels
Fiji	AFL	TBD		
New Zealand	Airways	Mar 06		KZAK. Available for all FIRs
PNG	CAA of PNG	Dec 10		
Solomon Islands	Airservices	Jun 07		
Tahiti	SEAC Tahiti	Early 2006		
United States	FAA	Mid 2006		NZZO



CAPACITY ENHANCEMENT	ACTION WITH	ESTIMATED COMPLETION DATE	DATE COMPLETED	NOTES
Introduce an Integrate	d ATC System Including	g ADS-C/CPDLC		
Australia	Airservices		Jan-00	
Fiji	AFL		Jan-01	
New Zealand	Airways		Jul-00	
PNG	CAA of PNG	TBD		
Solomon Islands	Airservices		Jan-00	
Tahiti	SEAC Tahiti		1999	
United States	FAA		17 Oct 05	
Implement ADS-B				
Australia	Airservices	TBD		5 ground stations operational. 6 more expected in Q3 2007
Fiji	AFL	TBD		
New Zealand	Airways	TBD		Considering implementation in areas of inadequate radar coverage only
PNG	CAA of PNG	TBD		
Solomon Islands	Airservices	TBD		
Tahiti	SEAC Tahiti	TBD		Study completed
United States	FAA	TBD		Jan 01 - Anchorage FIR only,



CAPACITY ENHANCEMENT	ACTION WITH	ESTIMATED COMPLETION DATE	DATE COMPLETED	NOTES
Terminal Procedures				
Australia	Airservices	TBD		Conducting tailored arrival trials – Phase I completed Sept 04. Terminal procedures included in ATM Strategic Plan. New sequencing tool – ALOFT.
Fiji	AFL	TBD		
New Zealand	Airways	TBD		RNP terminal project in place. Optimum Arrival Trial NZAA Apr Jun 07
PNG	CAA of PNG	TBD		•
Solomon Islands	Airservices	TBD		
Tahiti	SEAC Tahiti	Mid 2007		NPA GNSS SID and STARS
United States	FAA	TBD		Developing criteria, aircraft qualification and approval guidance, tailored arrivals trial SFO – Phase I complete, Phase II underway, GATI waypoint traffic mgmt trial in planning



NAME	TITLE	COMPANY	CITY / COUNTRY	CONTACTS
Adam Watkin	Air Traffic Controller	Airservices Australia	Brisbane, QLD 4009 Australia	Phone: 61 7 3866 3421 Fax: 61 7 3866 3257 Email: adam.watkin@airservicesaustralia.com
Allan London	Oceanic Customer Service Specialist	Airways New Zealand	Auckland 2150 New Zealand	Phone: 64 9 275 3109 Fax: 64 9 275 3106 Email: allan.london@airways.co.nz
Andrew Tiede	Regional Officer, Air Traffic Management	International Civil Aviation Organisation	Bangkok 10900 Thailand	Phone: 66 2 537 8189 Fax: 66 2 537 8199 Email: atiede@bangkok.icao.int
Bernadette Sirimai	Senior Check Controller	Civil Aviation Authority	Boroko, NCD Papua New Guinea	Phone: 675 324 4810 Fax: 675 325 4094 Email: bsirimai@caa.com.pg
Brad Cornell	Engineer	Boeing Commercial Airplanes	Lake Stevens, WA 98258 USA	Phone: 1 425 280 5603 Fax: Email: bradley.d.cornell@boeing.com
Bryan Pawson	ATS Operations Specialist	Airways New Zealand	Christchurch New Zealand	Phone: 64 3 358 1554 Fax: 64 3 358 6856 Email: bryan.pawson@airways.co.nz
Craig Roberts	ATM Operational Specialist	Thales Australia	Richmond, VIC 3121 Australia	Phone: 61 3 9425 7834 Fax: 61 3 9429 5711 Email: craig.roberts@thalesatm.com
Dario Retamal	Air Traffic Management Consultant	Direccion General de Aeronautica Civil de Chile	Santiago Chile	Phone: 562 439 2186 Fax: 562 439 2454 Email: dretamal@dgac.cl
David Maynard (Co-Chair)	Support Manager, Airspace & Procedures	Federal Aviation Authority	Fremont, CA 94536 USA	Phone: 1 510 745 3543 Fax: 1 510 745 3573 Email: david.maynard@faa.gov
David Oliver	GM Flight Technical	Qantas	Mascot, NSW 2020 Australia	Phone: 61 2 9691 1158 Fax: 61 2 9691 1615 Email: doliver@qantas.com.au
Gary Dennison	Assistant Director	IATA	Singapore 068896 Singapore	Phone: 65 6239 7263 Fax: 65 6536 6267 Email: dennisong@iata.org
Garry Hood	Air Traffic Services Manager - Auckland	Airways New Zealand	Auckland 2150 New Zealand	Phone: 64 9 256 8721 Fax: 64 9 275 3106 Email: garry.hood@airways.co.nz
Gene Cameron	Manager Global Support - Flight Dispatch	United Air Lines	Applegate, CA 95703 USA	Phone: 1 530 878 8791 Fax: 1 530 878 8791 Email: gene.cameron@united.com
Geoff deBazin (Co-Chair)	Oceanic Operations Manager	Airways New Zealand	Auckland 2150 New Zealand	Phone: 64 9 256 8072 Fax: 64 9 275 3106 Email: geoff.debazin@airways.co.nz
Geoff Ross	Air Traffic Controller	Airservices Australia	Brisbane, QLD 4009 Australia	Phone: 61 7 3866 3421 Fax: 61 7 3866 3257 Email: geoff.ross@airservicesaustralia.com
Gordon Sandell	Associate Technical Fellow	Boeing Commercial Airplanes	Seattle, WA 98124 USA	Phone: 1 425 342 4906 Fax: Email: Gordon.r.sandell@boeing.com
Graham Rennie	Manager Flight Dispatch Planning & Aeronautical Operational Policy	Qantas	Mascot, NSW 2020 Australia	Phone: 61 2 9691 1157 Fax: 61 2 9691 1385 Email: grennie@qantas.com.au
lan Varcoe	Captain	Air New Zealand	Auckland New Zealand	Phone: 64 9 376 2314 Fax: Email: i.varcoe@ihug.co.nz
Jean Pierre Carle	Pilot	Air Tahiti Nui	Tahiti French Polynesia	Phone: 689 769 152 Fax: Email: marjpc@mail.pf
Jean-Michel Prost- Boucle	Chef Subdivision ETUDES	Civil Aviation of Tahiti SEAC.PF/DGAC	Tahiti French Polynesia	Phone: 689 861 295 Fax: 686 861 049 Email: prost-boucle_jean-michel@seac.pf
Jean-Pierre Faubladier	Head of Air Navigation Service	Civil Aviation of Tahiti SEAC.PF/DGAC	Tahiti French Polynesia	Phone: 689 861 021 Fax: 686 861 029 Email: faubladier_jean-pierre@seac.pf
Joanne Kendall	Administration Manager Auckland	Airways New Zealand	Auckland 2150 New Zealand	Phone: 64 9 256 8714 Fax: 64 9 275 3106 Email: joanne.kendall@airways.co.nz
John Brown	Lead Systems Engineer, Flight Deck ATM	Boeing Commercial Airplanes	Seattle, WA 98124-2207 USA	Phone: 1 425 266 0787 Fax: 1 425 294 1944 Email: john.a.brown@boeing.com



NAME	TITLE	COMPANY	CITY / COUNTRY	(CONTACTS
Jose Carrasco	Head of Oceanic	Direccion General de	Santiago	Phone: 562 290 4	
	Control Centre	Aeronautica Civil de Chile	Chile	Fax: 562 439 2	
					w@dgac.cl
Kathleen Kearns	Manager, AIRCOM	SITA	Springfield, VA 22153	Phone: 1 703 49	
	CNS Services North America		USA	Fax: 1 703 49° Email: Kathleen.	i 0662 Kearns@sita.aero
Kelly Lovatt	Systems Development	Airways New Zealand	Auckland 2150	Phone: 64 9 275	
Kelly Lovali	Specialist	All ways New Zealand	New Zealand	Fax: 64 9 275	
	oposiano:		Trom Zodiana		tt@airways.co.cnz
Kevin Bethwaite	Design Team	Airways New Zealand	Christchurch	Phone: 64 3 358	
	Coordinator - RNP		New Zealand	Fax: 64 3 358	
	Project				nwaite@airways.co.nz
Kevin Chamness	Manager, Oceanic	Federal Aviation Authority	Washington DC	Phone: 1 202 385	
	Service Improvements		USA 20591	Fax: 1 202 493 Email: kevin.cha	mness@faa.gov
Len Wicks	Aeronautical Services	Civil Aviation Authority of	Wellington 5040	Phone: 64 4 560	
Lon Wicks	Officer - ATS	New Zealand	New Zealand	Fax: 64 4 569	
					aa.govt.nz
Mark Shepherd	Captain/Fleet Support	Air New Zealand	Auckland 1020	Phone: 64 9 256	3961
	Technical		New Zealand	Fax:	
	1		110111 0000		pherd@airnz.co.nz
Matthew Bouttell	Principal Navigation	Qantas	NSW 2020	Phone: 61 2 969	
	Analyst		Australia	Fax: 61 2 969° Email: mbouttell	
Michael Ostapiej	Director, Pacific	ARINC	Livermore, CA 94551	Phone: 1 925 519	@qantas.com.au p 3983
Wilchael Ostapiej	Region	AMINO	USA	Fax: 1 925 294	
	1 togion				@arinc.com
Phil Irvine	Senior Operations	Airservices Australia	Eagle Farm, QLD 4009	Phone: 61 7 3866	5 3338
	Specialist		Australia	Fax: 61 7 3866	
					@airservicesaustralia.com
Raphaël Uyttewaal	Flight Operation	Air Caledonie	Noumea 98 800	Phone: 687 262 6	
	Department	International	New Caledonia	Fax: 687 265 4 Email: Carine.m	190 Illiard@aircalin.nc
Robert Hansen	Automation Specialist	Federal Aviation Authority	Fremont, CA 94536	Phone: 1 510 745	
Robert Hansen	Automation Specialist	r ederal Aviation Admonty	USA	Fax: 1 510 74	
			00/1		en@faa.gov
Robert Tegeder	Aviation Safety	Federal Aviation Authority	Washington DC 20591	Phone: 1 202 385	
· ·	Inspector		USA	Fax: 1 202 385	
					.Tegeder@faa.gov
Steve Kelly	Navigation Services	Air New Zealand	Auckland	Phone: 64 9 256	
	Manager		New Zealand	Fax: 64 9 255 Email: steve.kell	
Stu Julian	Captain	IFALPA	Auckland	Phone: 64 272 7	y@airnz.co.nz
Stu Julian	Саріані	IIALIA	New Zealand	Fax: 64 9 255	
					Pifalpa.org
Sylvain Laviolette	Customer Support	SITA	Montreal, Quebec H3A	Phone: 1514 982	2 3524
	Specialist		1G1	Fax: 1 514 982	2 3597
	1		Canada		violette@sita.aero
Tars Bola	Manager (ATS	Civil Aviation	Boroko, NCD	Phone: 675 324 4	
	Operations)	Authorityealand	Papua New Guinea	Fax: 675 325 (Email: tbola@ca	
Thomas Kraft	Chief Scientific &	Federal Aviation Authority	Renton, WA 98057-114N	Email: tbola@ca	
momas Krait	Technical Advisor for	r cucrai Aviation Authority	USA	Fax: 1 425 917	
	Aeronautical			Email: tom.kraft	
	Communications				Ţ
Toby Farmer	Aeronautical Services	Civil Aviation Authority of	Wellington 5040	Phone: 64 4 560	
	Officer	New Zealand	New Zealand	Fax: 64 4 569	
Tahu Cuman I	Telecommunications	IEAL DA	Combont NCW 2002		caa.govt.nz
Toby Gursanscky	Captain	IFALPA	Contarf, NSW 2093 Australia	Phone: 61 2 9948 Fax:	5 /532
			กนอแสแส		ky@bigpond.com
William Cobb	Chief, Flight Plans	USAF	Scott AFB, IL 62221	Phone: 1 618 229	
	51.101, 1 light 1 land	- 3. "	USA	Fax: 1 618 229	
					bb@scott.af.mil
Yoshiro Nakatsuji	Director, FIT-CRA	ATCA Japan	Tokyo 144-0041	Phone: 81 3747	
-	Japan		Japan	Fax: 81 3747 0	
				Email: naka@a	caj.or.jp