


# ISO-NE Daily Report

Report for 11/01/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24    | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|--------------|
| CONNECTICUT  | 55.50 | 57.45 | 54.12 | 53.03 | 53.03 | 53.03 | 56.46 | 53.59 | 62.37 | 67.07 | 68.54 | 68.57 | 62.38 | 58.42 | 54.64 | 55.95 | 63.98 | 75.54 | 72.74 | 68.37 | 65.88 | 60.43 | 57.79 | 57.45   | 61 / 64      |
| NEMASSBOST   | 53.53 | 55.41 | 52.2  | 51.15 | 51.15 | 51.15 | 54.45 | 51.68 | 60.14 | 64.67 | 66.1  | 66.13 | 60.13 | 56.31 | 52.67 | 53.94 | 61.68 | 72.84 | 70    | 65.85 | 63.47 | 58.23 | 55.74 | 55.41   | 59 / 61      |
| NEWHAMPSHIRE | 53.34 | 55.22 | 52.02 | 50.97 | 50.97 | 50.99 | 54.26 | 51.49 | 59.92 | 64.44 | 65.86 | 65.89 | 59.57 | 56.11 | 52.48 | 53.75 | 61.01 | 71.84 | 65.18 | 63    | 61.23 | 56.49 | 55.54 | 55.22   | 58 / 60      |
| MAINE        | 52.36 | 54.21 | 51.06 | 50.04 | 50.04 | 51.35 | 53.13 | 50.54 | 58.12 | 62.07 | 63.34 | 63.14 | 57.87 | 55.07 | 51.50 | 52.75 | 58.79 | 67.24 | 61.29 | 59.98 | 58.35 | 54.67 | 54.36 | 54.07   | 56 / 58      |
| INTERNAL_HUB | 54.09 | 55.99 | 52.74 | 51.68 | 51.68 | 55.02 | 52.22 | 60.77 | 65.35 | 66.79 | 66.82 | 60.78 | 56.91 | 53.23 | 54.51 | 62.35 | 73.63 | 70.93 | 66.66 | 64.22 | 58.91 | 56.32 | 55.99 | 59 / 62 |              |
| DA Load (GW) | 9.9   | 10.1  | 10.3  | 10.2  | 10.1  | 10.0  | 10.1  | 11.4  | 12.5  | 13.3  | 13.4  | 13.3  | 13.3  | 13.4  | 13.2  | 13.2  | 13.1  | 13.5  | 14.3  | 14.0  | 13.7  | 12.9  | 12.0  | 10.8    |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 61.22 | 70.59 | 56.49 | 49.19 | 51.05 | 57.23 | 51.35 | 49.84 | 50.03 | 52.73 | 56.00 | 55.79 | 53.02 | 50.82 | 47.71 | 49.68 | 53.40 | 73.87 | 98.16 | 73.95 | 58.44 | 68.57 | 62.03 | 52.49 | 58 / 60      |
| NEMASSBOST       | 59.74 | 68.16 | 54.62 | 48.31 | 50.28 | 56.23 | 50.17 | 48.69 | 48.88 | 50.74 | 53.45 | 53    | 50.67 | 48.83 | 46.23 | 48.02 | 50.79 | 69.89 | 93.2  | 69.93 | 55.37 | 64.92 | 59.39 | 50.62 | 56 / 57      |
| NEWHAMPSHIRE     | 59.43 | 67.59 | 54.14 | 47.88 | 49.85 | 55.79 | 49.72 | 48.27 | 48.45 | 50.39 | 53.05 | 52.5  | 50.14 | 48.33 | 45.63 | 47.41 | 60.3  | 59.53 | 66.92 | 57.16 | 52.91 | 55.82 | 51.09 | 49.88 | 53 / 52      |
| MAINE            | 58.37 | 65.57 | 52.31 | 46.35 | 48.33 | 58.00 | 48.04 | 46.43 | 46.76 | 48.59 | 51.10 | 49.97 | 47.71 | 46.12 | 43.48 | 45.19 | 48.10 | 51.97 | 51.51 | 48.47 | 49.68 | 49.15 | 44.90 | 47.00 | 51 / 48      |
| INTERNAL_HUB     | 60.17 | 69.09 | 55.48 | 48.9  | 50.87 | 56.86 | 50.65 | 49.06 | 49.19 | 51.3  | 54.19 | 53.81 | 51.34 | 49.39 | 46.57 | 48.38 | 51.46 | 71    | 94.46 | 71.02 | 56.17 | 66    | 60.18 | 51.22 | 57 / 58      |
| Forecast         | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0 / 0        |
| (RT) - (DA Load) | 1.15  | 1.08  | 1.11  | 1.18  | 1.28  | 1.31  | 1.48  | 0.90  | 0.59  | 0.35  | 0.55  | 0.62  | 0.44  | 0.08  | 0.00  | -0.03 | 0.25  | 0.63  | 0.90  | 0.87  | 0.68  | 0.83  | 0.81  | 1.11  |              |




# ISO-NE Daily Report

Report for 11/02/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 52.52 | 52.53 | 49.64 | 51.19 | 50.28 | 49.64 | 52.07 | 51.71 | 54.58 | 56.05 | 58.70 | 59.23 | 55.51 | 52.18 | 52.34 | 53.65 | 67.72 | 76.61 | 75.45 | 70.81 | 66.36 | 57.52 | 56.54 | 52.52 | 57 / 60      |
| NEMASSBOST   | 50.65 | 50.66 | 47.87 | 49.37 | 48.49 | 47.87 | 50.21 | 49.86 | 52.64 | 54.05 | 56.61 | 57.12 | 53.53 | 50.31 | 50.46 | 51.74 | 65.31 | 73.88 | 72.76 | 68.27 | 63.98 | 55.47 | 54.52 | 50.65 | 55 / 58      |
| NEWHAMPSHIRE | 50.35 | 50.36 | 47.59 | 49.08 | 48.2  | 47.59 | 49.91 | 49.57 | 52.32 | 53.73 | 56.27 | 56.78 | 53.21 | 50.01 | 50.16 | 51.43 | 64.92 | 73.45 | 72.33 | 67.87 | 63.6  | 55.15 | 54.2  | 50.35 | 55 / 58      |
| MAINE        | 49.36 | 49.37 | 46.66 | 48.12 | 47.25 | 46.66 | 48.93 | 48.60 | 51.30 | 52.68 | 55.17 | 55.67 | 52.17 | 49.02 | 49.17 | 50.42 | 63.31 | 71.94 | 70.58 | 66.53 | 62.33 | 54.06 | 53.09 | 49.36 | 54 / 57      |
| INTERNAL_HUB | 51.18 | 51.2  | 48.38 | 49.89 | 49    | 48.38 | 50.74 | 50.39 | 53.19 | 54.62 | 57.21 | 57.73 | 54.1  | 50.84 | 51    | 52.29 | 66    | 74.67 | 73.53 | 69    | 64.66 | 56.06 | 55.1  | 51.18 | 56 / 59      |
| DA Load (GW) | 10.4  | 10.4  | 9.5   | 9.9   | 10.0  | 10.3  | 9.8   | 10.0  | 10.9  | 12.0  | 12.7  | 13.0  | 13.0  | 12.9  | 12.5  | 12.3  | 12.7  | 13.6  | 14.6  | 14.7  | 14.6  | 14.0  | 13.1  | 11.9  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 51.55 | 48.01 | 48.00 | 47.35 | 47.75 | 48.87 | 55.14 | 59.94 | 81.95 | 63.91 | 53.61 | 53.81 | 53.56 | 52.64 | 53.01 | 53.57 | 78.64 | 94.80 | 97.32 | 77.46 | 74.40 | 61.60 | 51.99 | 47.37 | 61 / 66      |
| NEMASSBOST       | 50.48 | 47.24 | 47.26 | 46.41 | 47.03 | 48.31 | 54.1  | 58.65 | 79.41 | 61.62 | 51.36 | 51.33 | 51.15 | 50.36 | 50.55 | 51.12 | 74.8  | 89.39 | 92.62 | 73.5  | 70.78 | 58.57 | 50.13 | 46.16 | 58 / 63      |
| NEWHAMPSHIRE     | 49.8  | 46.7  | 46.76 | 45.9  | 46.54 | 47.83 | 53.72 | 58.63 | 79.4  | 61.47 | 51.08 | 51.08 | 50.85 | 49.95 | 50.14 | 50.76 | 72.77 | 89.13 | 71.04 | 63.38 | 61.18 | 50.25 | 48.03 | 45.38 | 56 / 60      |
| MAINE            | 47.75 | 45.15 | 45.03 | 44.23 | 45.04 | 48.00 | 51.98 | 56.82 | 75.09 | 59.10 | 49.27 | 49.06 | 48.98 | 47.85 | 47.54 | 48.50 | 67.42 | 81.82 | 57.31 | 55.66 | 54.17 | 44.36 | 45.13 | 43.16 | 54 / 56      |
| INTERNAL_HUB     | 50.94 | 47.7  | 47.75 | 46.98 | 47.52 | 48.67 | 54.61 | 59.23 | 80.3  | 62.37 | 52.15 | 52.23 | 52.03 | 51.2  | 51.45 | 51.97 | 76.06 | 90.9  | 94.02 | 74.59 | 71.9  | 59.59 | 50.79 | 46.61 | 59 / 64      |
| Forecast         | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0 / 0        |
| (RT) - (DA Load) | 0.71  | 0.59  | 1.33  | 1.07  | 0.91  | 0.84  | 1.18  | 1.61  | 1.59  | 1.28  | 1.17  | 0.93  | 0.88  | 0.86  | 1.04  | 1.09  | 0.97  | 1.15  | 1.82  | 1.70  | 1.35  | 1.20  | 1.03  | 1.01  |              |




# ISO-NE Daily Report

Report for 11/03/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 50.12 | 46.55 | 46.77 | 46.55 | 51.02 | 52.96 | 67.93 | 63.04 | 66.98 | 66.38 | 72.05 | 67.90 | 60.31 | 57.10 | 52.94 | 57.57 | 78.00 | 88.21 | 75.53 | 63.88 | 61.16 | 59.79 | 52.00 | 50.36 | 61 / 65      |
| NEMASSBOST   | 48.32 | 44.89 | 45.09 | 44.89 | 49.2  | 51.07 | 65.47 | 60.77 | 61.65 | 62.92 | 63.88 | 60.29 | 58.12 | 55.02 | 51.01 | 55.48 | 72.82 | 85.06 | 72.81 | 61.56 | 58.94 | 57.61 | 50.13 | 48.56 | 58 / 62      |
| NEWHAMPSHIRE | 47.96 | 44.55 | 44.75 | 44.55 | 48.82 | 50.68 | 62.53 | 60.3  | 61.68 | 62.62 | 64.35 | 60.72 | 57.28 | 54.59 | 50.62 | 55.05 | 72.68 | 84.41 | 72.25 | 61.09 | 58.48 | 55.42 | 49.75 | 48.19 | 57 / 61      |
| MAINE        | 46.82 | 43.49 | 43.69 | 43.49 | 47.66 | 49.47 | 59.72 | 58.86 | 59.67 | 60.64 | 60.70 | 58.32 | 55.69 | 53.27 | 49.39 | 53.73 | 69.24 | 81.66 | 69.31 | 59.61 | 57.08 | 53.16 | 48.56 | 47.05 | 55 / 59      |
| INTERNAL_HUB | 48.84 | 45.36 | 45.57 | 45.36 | 49.72 | 51.61 | 66.26 | 61.42 | 63.63 | 64.08 | 67.09 | 63.28 | 58.76 | 55.61 | 51.57 | 56.08 | 74.68 | 85.96 | 73.59 | 62.23 | 59.58 | 58.3  | 50.67 | 49.08 | 59 / 63      |
| DA Load (GW) | 10.1  | 10.2  | 10.2  | 10.1  | 10.5  | 11.1  | 13.4  | 14.9  | 14.9  | 15.0  | 14.8  | 14.9  | 14.8  | 14.7  | 14.6  | 14.6  | 15.0  | 15.8  | 16.1  | 15.9  | 15.1  | 13.9  | 12.6  | 10.7  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18   | HE19   | HE20   | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 46.43 | 46.42 | 46.92 | 47.42 | 52.29 | 53.52 | 77.94 | 71.55 | 63.44 | 62.91 | 86.84 | 65.15 | 63.22 | 78.66 | 58.77 | 60.60 | 89.90 | 191.22 | 126.79 | 123.42 | 72.58 | 63.44 | 48.98 | 46.51 | 73 / 83      |
| NEMASSBOST       | 45.7  | 45.68 | 46.12 | 46.67 | 51.52 | 52.12 | 74.54 | 67.56 | 59.31 | 59.13 | 82.63 | 61.33 | 59.21 | 74.2  | 55.31 | 56.95 | 83.94 | 178.76 | 120.35 | 117.98 | 68.72 | 60.23 | 47.27 | 45.26 | 69 / 78      |
| NEWHAMPSHIRE     | 44.84 | 44.9  | 45.38 | 45.93 | 50.8  | 51.68 | 74.14 | 67.45 | 58.94 | 58.58 | 67.19 | 58.31 | 58.04 | 62.53 | 55.23 | 57.01 | 84.04 | 179.08 | 119.94 | 84.49  | 67.29 | 57.57 | 47.06 | 45.06 | 66 / 74      |
| MAINE            | 42.65 | 42.59 | 43.06 | 43.58 | 48.74 | 48.00 | 69.37 | 63.44 | 56.28 | 55.99 | 57.15 | 54.12 | 54.39 | 53.88 | 52.38 | 54.13 | 77.59 | 158.55 | 107.62 | 62.86  | 61.72 | 53.20 | 44.83 | 42.75 | 62 / 67      |
| INTERNAL_HUB     | 46.01 | 46.09 | 46.6  | 47.15 | 52.04 | 52.74 | 75.7  | 68.9  | 60.68 | 60.37 | 84.04 | 62.53 | 60.48 | 75.69 | 56.41 | 58.1  | 85.69 | 182.26 | 122.09 | 119.84 | 69.91 | 61.38 | 47.91 | 45.79 | 70 / 80      |
| Forecast         | 11.15 | 10.77 | 10.63 | 10.66 | 11.05 | 12.30 | 14.46 | 15.86 | 16.13 | 16.21 | 16.24 | 16.22 | 16.02 | 15.94 | 15.78 | 15.82 | 16.85 | 18.03  | 17.76  | 17.25  | 16.41 | 15.19 | 13.58 | 12.12 | 15 / 16      |
| (RT) - (DA Load) | 1.12  | 1.26  | 1.39  | 1.55  | 1.57  | 1.60  | 1.27  | 1.00  | 1.25  | 1.24  | 1.59  | 1.40  | 1.31  | 1.25  | 1.18  | 1.21  | 1.67  | 2.09   | 1.59   | 1.19   | 1.06  | 0.98  | 0.72  | 1.43  |              |




# ISO-NE Daily Report

Report for 11/04/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 46.45 | 45.98 | 46.05 | 46.58 | 44.80 | 48.42 | 69.21 | 70.10 | 69.96 | 69.89 | 75.03 | 72.53 | 70.46 | 69.43 | 67.67 | 68.16 | 82.26 | 92.51 | 80.97 | 75.93 | 73.04 | 70.80 | 58.41 | 50.11 | 65 / 73      |
| NEMASSBOST   | 44.82 | 44.37 | 41.72 | 41.09 | 43.24 | 46.73 | 66.79 | 65.55 | 67.52 | 67.44 | 72.41 | 70    | 68    | 67    | 65.3  | 65.78 | 79.39 | 89.28 | 78.14 | 72.88 | 70.49 | 60.78 | 56.36 | 48.36 | 62 / 70      |
| NEWHAMPSHIRE | 44.44 | 43.98 | 40.53 | 39.4  | 42.86 | 46.32 | 66.22 | 65.35 | 66.94 | 66.86 | 71.79 | 69.4  | 67.42 | 66.42 | 64.74 | 65.22 | 78.71 | 88.52 | 77.49 | 72.33 | 69.88 | 61.57 | 55.88 | 47.94 | 62 / 69      |
| MAINE        | 43.23 | 42.78 | 38.72 | 37.20 | 41.57 | 44.91 | 63.44 | 62.09 | 63.74 | 63.68 | 67.88 | 65.71 | 63.73 | 62.89 | 61.41 | 61.82 | 74.29 | 83.40 | 72.82 | 68.81 | 66.63 | 57.78 | 53.45 | 46.63 | 59 / 66      |
| INTERNAL_HUB | 45.3  | 44.84 | 43.74 | 43.76 | 43.7  | 47.22 | 67.51 | 67.2  | 68.24 | 68.16 | 73.18 | 70.75 | 68.72 | 67.71 | 66    | 66.48 | 80.24 | 90.24 | 78.98 | 73.84 | 71.24 | 64.85 | 56.96 | 48.87 | 63 / 71      |
| DA Load (GW) | 10.2  | 10.3  | 10.3  | 10.2  | 10.4  | 10.3  | 13.2  | 14.1  | 14.2  | 14.3  | 14.2  | 14.3  | 14.1  | 13.9  | 13.8  | 13.9  | 15.0  | 15.8  | 15.4  | 14.7  | 13.9  | 13.2  | 11.8  | 10.4  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 50.35 | 49.44 | 48.38 | 47.87 | 48.17 | 51.67 | 58.10 | 65.82 | 65.46 | 61.53 | 64.84 | 78.24 | 93.88 | 98.61 | 87.24 | 54.63 | 69.71 | 65.31 | 66.81 | 72.85 | 63.16 | 68.80 | 53.99 | 50.88 | 64 / 71      |
| NEMASSBOST       | 49.26 | 48.43 | 47.37 | 46.86 | 47.26 | 50.46 | 55.93 | 62.89 | 62.24 | 58.91 | 61.51 | 73.63 | 88.27 | 92.89 | 82.04 | 51.87 | 66.14 | 61.01 | 62.61 | 67.82 | 59.2  | 62.31 | 51.35 | 49.32 | 61 / 67      |
| NEWHAMPSHIRE     | 49.27 | 48.53 | 47.48 | 47.01 | 47.47 | 50.76 | 56.32 | 63.47 | 62.68 | 59.33 | 61.78 | 73.7  | 88.33 | 93.1  | 82.17 | 52.11 | 66.66 | 61.02 | 62.8  | 67.96 | 59.39 | 62.65 | 51.46 | 49.59 | 61 / 67      |
| MAINE            | 47.10 | 46.77 | 45.77 | 45.43 | 45.95 | 88.00 | 54.48 | 60.87 | 59.85 | 57.34 | 59.27 | 69.28 | 81.81 | 85.65 | 76.52 | 50.28 | 63.72 | 57.80 | 60.12 | 63.39 | 56.13 | 58.41 | 49.75 | 48.31 | 60 / 63      |
| INTERNAL_HUB     | 49.89 | 49.07 | 48.02 | 47.5  | 47.84 | 51.1  | 56.7  | 63.88 | 63.27 | 59.71 | 62.5  | 74.94 | 89.83 | 94.48 | 83.55 | 52.69 | 67.18 | 62.23 | 63.81 | 69.38 | 60.44 | 64.69 | 52.38 | 50.07 | 62 / 68      |
| Forecast         | 11.24 | 10.71 | 10.50 | 10.48 | 10.81 | 12.01 | 14.15 | 15.39 | 15.72 | 15.87 | 15.45 | 15.43 | 15.32 | 15.22 | 14.95 | 14.88 | 15.74 | 17.10 | 17.01 | 16.57 | 15.82 | 14.60 | 13.16 | 11.87 | 14 / 16      |
| (RT) - (DA Load) | 1.40  | 1.20  | 1.19  | 1.25  | 1.28  | 2.02  | 0.69  | 0.79  | 1.06  | 1.07  | 1.23  | 1.14  | 1.30  | 1.55  | 1.52  | 1.30  | 1.04  | 1.43  | 1.65  | 1.86  | 1.84  | 1.38  | 1.26  | 1.59  |              |




# ISO-NE Daily Report

Report for 11/05/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 53.63 | 50.20 | 48.00 | 47.83 | 50.01 | 55.94 | 71.42 | 67.61 | 72.45 | 75.00 | 74.68 | 73.08 | 73.05 | 71.17 | 65.33 | 67.13 | 82.15 | 93.38 | 84.00 | 75.53 | 69.57 | 62.93 | 56.09 | 55.97 | 67 / 73      |
| NEMASSBOST   | 51.67 | 48.37 | 46.25 | 46.08 | 48.19 | 53.9  | 68.82 | 65.15 | 66.05 | 65.53 | 71.59 | 70.4  | 70.38 | 68.57 | 62.53 | 64.66 | 79.16 | 89.98 | 72.87 | 72.76 | 67.01 | 60.62 | 54.04 | 53.93 | 63 / 69      |
| NEWHAMPSHIRE | 51.26 | 47.98 | 45.88 | 45.71 | 47.8  | 53.47 | 68.26 | 64.62 | 66.16 | 64.13 | 65.8  | 69.05 | 69.39 | 67.59 | 61.74 | 63.74 | 78.52 | 89.34 | 74.35 | 72.16 | 66.37 | 59.54 | 53.61 | 53.5  | 62 / 68      |
| MAINE        | 49.47 | 46.49 | 44.45 | 44.29 | 46.31 | 51.72 | 64.66 | 62.34 | 62.41 | 59.78 | 60.81 | 65.00 | 64.79 | 63.52 | 59.25 | 61.03 | 72.21 | 79.98 | 67.75 | 67.94 | 63.14 | 57.24 | 51.94 | 51.83 | 59 / 64      |
| INTERNAL_HUB | 52.26 | 48.92 | 46.78 | 46.61 | 48.73 | 54.51 | 69.6  | 65.89 | 68.51 | 69.41 | 72.76 | 71.23 | 71.2  | 69.37 | 63.44 | 65.42 | 80.06 | 91    | 77.22 | 73.59 | 67.79 | 61.34 | 54.66 | 54.54 | 64 / 70      |
| DA Load (GW) | 9.6   | 9.8   | 9.7   | 9.6   | 9.8   | 9.8   | 12.0  | 14.3  | 14.4  | 14.4  | 14.6  | 14.7  | 14.5  | 14.4  | 14.5  | 16.0  | 16.6  | 16.0  | 15.6  | 14.8  | 13.9  | 11.9  | 9.6   |       |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18   | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 63.24 | 55.92 | 52.87 | 52.64 | 55.52 | 70.35 | 68.34 | 55.18 | 55.00 | 58.37 | 68.98 | 58.60 | 63.67 | 62.54 | 59.81 | 57.15 | 78.72 | 100.28 | 76.89 | 75.43 | 63.47 | 55.08 | 50.11 | 49.90 | 63 / 65      |
| NEMASSBOST       | 62.04 | 54.83 | 51.96 | 51.79 | 54.57 | 69.05 | 65.64 | 52.53 | 52.34 | 54.78 | 60.84 | 55.57 | 60.27 | 59.32 | 56.54 | 54.6  | 74.65 | 95.17  | 73.05 | 71.79 | 60.43 | 52.81 | 48.61 | 49.2  | 60 / 61      |
| NEWHAMPSHIRE     | 62.11 | 54.83 | 51.99 | 51.83 | 54.67 | 69.06 | 65.61 | 52.93 | 52.74 | 55.21 | 62.12 | 56.14 | 60.87 | 59.86 | 56.88 | 54.85 | 74.69 | 95.08  | 73.02 | 71.78 | 60.7  | 52.74 | 48.52 | 49.15 | 60 / 62      |
| MAINE            | 59.54 | 52.83 | 50.28 | 50.13 | 52.96 | 88.00 | 62.23 | 50.91 | 50.48 | 52.54 | 58.03 | 53.61 | 57.89 | 56.89 | 53.64 | 52.01 | 69.88 | 88.06  | 68.17 | 67.41 | 57.18 | 49.78 | 46.40 | 47.50 | 58 / 58      |
| INTERNAL_HUB     | 62.73 | 55.55 | 52.63 | 52.44 | 55.25 | 69.79 | 66.63 | 53.44 | 53.3  | 56.03 | 63.95 | 56.44 | 61.26 | 60.25 | 57.53 | 55.25 | 75.64 | 96.17  | 73.89 | 72.63 | 61.22 | 53.46 | 49.07 | 49.46 | 61 / 62      |
| Forecast         | 11.03 | 10.56 | 10.35 | 10.33 | 10.67 | 11.87 | 13.83 | 14.94 | 15.33 | 15.49 | 15.51 | 15.50 | 15.47 | 15.44 | 15.33 | 15.37 | 16.23 | 17.48  | 17.24 | 16.64 | 15.74 | 14.50 | 13.06 | 11.88 | 14 / 16      |
| (RT) - (DA Load) | 1.85  | 1.59  | 1.47  | 1.52  | 1.60  | 2.31  | 1.63  | 0.41  | 0.65  | 0.88  | 0.94  | 0.81  | 0.95  | 0.94  | 0.88  | 0.83  | 0.24  | 0.74   | 1.12  | 0.86  | 0.87  | 0.56  | 0.95  | 2.22  |              |




# ISO-NE Daily Report

Report for 11/06/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 52.99 | 52.06 | 50.66 | 50.28 | 51.66 | 55.15 | 66.65 | 68.22 | 70.54 | 72.98 | 74.26 | 73.41 | 69.07 | 66.00 | 64.27 | 64.99 | 76.45 | 85.31 | 75.62 | 69.24 | 67.18 | 64.78 | 56.27 | 53.72 | 65 / 70      |
| NEMASSBOST   | 50.99 | 50.09 | 48.74 | 48.38 | 49.7  | 53.06 | 64.11 | 65.63 | 67.86 | 70.21 | 71.44 | 70.62 | 66.44 | 63.48 | 61.82 | 62.51 | 73.53 | 82.05 | 72.7  | 66.58 | 64.61 | 62.32 | 54.13 | 51.68 | 62 / 67      |
| NEWHAMPSHIRE | 50.65 | 49.76 | 48.42 | 48.06 | 49.37 | 52.71 | 63.68 | 65.2  | 67.41 | 69.74 | 70.96 | 70.15 | 66    | 63.06 | 61.4  | 62.09 | 73.04 | 84.29 | 75.93 | 66.14 | 64.18 | 61.91 | 53.78 | 51.34 | 62 / 67      |
| MAINE        | 48.99 | 48.13 | 46.84 | 46.49 | 47.76 | 50.99 | 61.59 | 62.58 | 64.51 | 66.50 | 67.26 | 66.72 | 63.26 | 60.70 | 59.18 | 59.84 | 69.79 | 77.51 | 69.96 | 63.69 | 61.86 | 59.61 | 52.02 | 49.67 | 59 / 64      |
| INTERNAL_HUB | 51.6  | 50.69 | 49.33 | 48.96 | 50.29 | 53.7  | 64.88 | 66.42 | 68.67 | 71.05 | 72.3  | 71.47 | 67.24 | 64.25 | 62.56 | 63.26 | 74.42 | 83.04 | 73.59 | 67.39 | 65.4  | 63.07 | 54.78 | 52.3  | 63 / 68      |
| DA Load (GW) | 10.1  | 9.9   | 9.8   | 9.8   | 9.9   | 10.8  | 12.7  | 14.1  | 14.3  | 14.4  | 14.4  | 14.4  | 14.5  | 14.4  | 14.3  | 14.3  | 15.8  | 16.5  | 15.6  | 15.4  | 14.6  | 13.6  | 11.8  | 10.2  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 53.25 | 51.43 | 51.67 | 49.79 | 49.80 | 50.42 | 55.91 | 66.81 | 74.17 | 79.84 | 72.57 | 74.63 | 73.62 | 80.61 | 75.75 | 80.03 | 85.63 | 83.82 | 93.79 | 73.95 | 74.59 | 57.63 | 53.79 | 51.31 | 67 / 75      |
| NEMASSBOST       | 52.4  | 51.14 | 51.34 | 49.46 | 49.46 | 49.61 | 54.71 | 64.15 | 70.69 | 75.78 | 68.84 | 70.59 | 69.64 | 76.36 | 72    | 76    | 81.43 | 79.59 | 88.65 | 70.34 | 70.87 | 55.24 | 52.39 | 50.77 | 65 / 71      |
| NEWHAMPSHIRE     | 52.27 | 51.06 | 51.35 | 49.49 | 49.4  | 49.68 | 54.91 | 64.73 | 71.21 | 76.23 | 69.18 | 70.86 | 69.81 | 76.32 | 72.1  | 76.17 | 81.61 | 79.74 | 88.58 | 70.46 | 71.1  | 55.44 | 52.46 | 50.71 | 65 / 72      |
| MAINE            | 50.35 | 49.19 | 49.50 | 47.74 | 47.60 | 88.00 | 52.92 | 61.71 | 67.91 | 72.05 | 65.31 | 66.43 | 65.17 | 70.49 | 67.60 | 70.95 | 76.00 | 74.53 | 81.20 | 66.21 | 67.02 | 53.76 | 51.03 | 49.20 | 63 / 67      |
| INTERNAL_HUB     | 52.81 | 51.48 | 51.75 | 49.85 | 49.79 | 50.03 | 55.14 | 64.97 | 71.71 | 76.83 | 69.75 | 71.57 | 70.61 | 77.38 | 72.88 | 76.96 | 82.28 | 80.36 | 89.71 | 71.1  | 71.8  | 55.89 | 52.88 | 51.06 | 65 / 72      |
| Forecast         | 10.89 | 10.35 | 10.07 | 10.02 | 10.34 | 11.50 | 13.63 | 14.87 | 15.30 | 15.58 | 15.90 | 15.88 | 15.77 | 15.70 | 15.46 | 15.45 | 16.46 | 17.63 | 17.29 | 16.63 | 15.74 | 14.54 | 13.05 | 11.79 | 14 / 16      |
| (RT) - (DA Load) | 1.13  | 1.14  | 1.31  | 1.25  | 1.25  | 1.31  | 0.87  | 0.65  | 0.89  | 1.15  | 1.31  | 1.45  | 1.34  | 1.41  | 1.36  | 1.49  | 0.81  | 0.98  | 1.65  | 1.22  | 1.25  | 1.04  | 1.33  | 2.02  |              |




# ISO-NE Daily Report

Report for 11/07/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 52.96 | 50.10 | 49.65 | 49.45 | 49.45 | 53.07 | 62.32 | 68.52 | 67.56 | 70.78 | 73.19 | 71.91 | 65.66 | 64.09 | 61.95 | 61.95 | 75.53 | 86.22 | 72.80 | 73.02 | 67.00 | 64.94 | 58.05 | 57.18 | 64 / 69      |
| NEMASSBOST   | 50.95 | 48.19 | 47.76 | 47.57 | 47.57 | 51.05 | 59.93 | 65.91 | 64.98 | 68.08 | 70.39 | 69.16 | 63.14 | 61.63 | 59.57 | 59.57 | 72.64 | 82.92 | 69.99 | 70.23 | 64.43 | 62.46 | 55.83 | 55    | 61 / 66      |
| NEWHAMPSHIRE | 50.68 | 47.94 | 47.52 | 47.33 | 47.33 | 50.78 | 59.62 | 65.56 | 64.64 | 67.72 | 70.03 | 68.8  | 62.82 | 61.31 | 59.26 | 59.26 | 72.26 | 85.15 | 69.63 | 69.87 | 64.1  | 62.14 | 55.55 | 54.72 | 61 / 66      |
| MAINE        | 48.89 | 46.25 | 45.84 | 45.65 | 45.65 | 48.99 | 57.50 | 63.10 | 62.23 | 65.02 | 67.04 | 65.91 | 60.58 | 59.12 | 57.15 | 57.15 | 69.08 | 77.49 | 67.14 | 66.50 | 61.82 | 59.94 | 53.58 | 52.78 | 59 / 63      |
| INTERNAL_HUB | 51.57 | 48.78 | 48.35 | 48.16 | 48.16 | 51.68 | 60.67 | 66.72 | 65.78 | 68.92 | 71.26 | 70.01 | 63.93 | 62.39 | 60.31 | 60.31 | 73.54 | 83.95 | 70.87 | 71.09 | 65.23 | 63.23 | 56.52 | 55.68 | 62 / 67      |
| DA Load (GW) | 10.9  | 10.4  | 10.3  | 10.2  | 10.3  | 11.2  | 12.6  | 14.0  | 14.7  | 14.8  | 14.8  | 14.7  | 14.6  | 14.4  | 14.2  | 14.1  | 15.5  | 16.2  | 15.7  | 14.5  | 14.1  | 13.1  | 11.7  | 9.9   |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 51.38 | 49.94 | 49.78 | 48.94 | 49.38 | 51.57 | 70.22 | 61.12 | 68.65 | 58.86 | 57.72 | 63.17 | 70.04 | 70.94 | 61.37 | 58.23 | 59.40 | 64.23 | 57.40 | 58.56 | 55.52 | 52.61 | 43.71 | 44.97 | 57 / 60      |
| NEMASSBOST       | 50.61 | 49.72 | 49.49 | 48.53 | 49.15 | 50.94 | 68.9  | 58.68 | 65.78 | 56.49 | 55.45 | 60.59 | 66.68 | 67.3  | 58.28 | 55.63 | 57.21 | 60.75 | 54.75 | 56.12 | 53.55 | 50.99 | 42.4  | 44.42 | 56 / 58      |
| NEWHAMPSHIRE     | 50.6  | 49.63 | 49.42 | 48.43 | 49.1  | 51    | 68.8  | 58.99 | 65.94 | 56.57 | 55.26 | 60.4  | 66.2  | 66.75 | 57.95 | 55.29 | 56.7  | 60.32 | 54.27 | 55.72 | 53.16 | 50.53 | 41.96 | 43.85 | 55 / 57      |
| MAINE            | 48.55 | 47.73 | 47.30 | 46.27 | 47.13 | 88.00 | 65.64 | 56.48 | 62.50 | 54.22 | 51.99 | 57.04 | 62.27 | 62.57 | 55.09 | 52.84 | 54.08 | 57.03 | 51.37 | 52.45 | 50.32 | 48.50 | 40.41 | 42.81 | 54 / 54      |
| INTERNAL_HUB     | 51.05 | 50.02 | 49.88 | 48.91 | 49.44 | 51.3  | 69.31 | 59.38 | 66.62 | 57.17 | 56.02 | 61.26 | 67.57 | 68.3  | 59.1  | 56.3  | 57.72 | 61.57 | 55.33 | 56.78 | 54.14 | 51.47 | 42.75 | 44.5  | 56 / 58      |
| Forecast         | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0 / 0        |
| (RT) - (DA Load) | 0.94  | 0.99  | 1.11  | 1.07  | 1.00  | 1.12  | 0.70  | 0.54  | 0.36  | 0.55  | 0.80  | 0.92  | 0.87  | 1.01  | 1.09  | 1.12  | 0.49  | 0.55  | 0.66  | 1.18  | 0.79  | 0.88  | 1.22  | 1.89  |              |




# ISO-NE Daily Report

Report for 11/08/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 53.02 | 50.85 | 49.94 | 48.84 | 48.84 | 49.94 | 53.03 | 54.81 | 59.94 | 67.55 | 68.21 | 67.44 | 64.13 | 59.64 | 57.18 | 57.87 | 66.58 | 75.62 | 73.49 | 69.22 | 63.00 | 59.65 | 56.15 | 53.02 | 59 / 64      |
| NEMASSBOST   | 51.01 | 48.93 | 48.05 | 46.99 | 46.99 | 48.05 | 51.02 | 52.73 | 57.68 | 65    | 65.63 | 64.9  | 61.71 | 57.37 | 55.01 | 55.68 | 64.04 | 72.74 | 70.71 | 66.6  | 60.62 | 57.4  | 54.03 | 51.01 | 57 / 61      |
| NEWHAMPSHIRE | 50.81 | 48.74 | 47.86 | 46.81 | 46.81 | 47.86 | 50.82 | 52.53 | 57.45 | 64.75 | 65.38 | 64.64 | 61.47 | 57.15 | 54.79 | 55.46 | 63.79 | 72.45 | 70.42 | 66.34 | 60.38 | 57.17 | 53.82 | 50.81 | 57 / 61      |
| MAINE        | 48.85 | 46.86 | 46.02 | 45.00 | 45.00 | 46.02 | 48.84 | 50.50 | 55.24 | 62.10 | 62.65 | 62.01 | 59.07 | 54.93 | 52.67 | 53.31 | 61.19 | 68.00 | 66.18 | 63.29 | 58.04 | 54.97 | 51.74 | 48.85 | 55 / 58      |
| INTERNAL_HUB | 51.65 | 49.55 | 48.66 | 47.58 | 47.58 | 48.66 | 51.66 | 53.4  | 58.4  | 65.81 | 66.46 | 65.71 | 62.48 | 58.1  | 55.7  | 56.38 | 64.85 | 73.66 | 71.59 | 67.44 | 61.38 | 58.12 | 54.7  | 51.65 | 58 / 62      |
| DA Load (GW) | 10.1  | 9.9   | 9.9   | 9.9   | 9.9   | 9.8   | 10.3  | 11.1  | 12.0  | 12.5  | 12.8  | 12.8  | 12.5  | 12.4  | 12.3  | 13.5  | 14.5  | 14.0  | 13.4  | 13.0  | 12.2  | 10.9  | 10.0  |       |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 48.40 | 48.03 | 41.37 | 39.12 | 42.02 | 47.86 | 44.85 | 50.89 | 64.55 | 76.49 | 64.12 | 69.01 | 76.53 | 78.93 | 78.08 | 74.13 | 76.35 | 82.31 | 70.48 | 66.98 | 63.74 | 53.65 | 48.14 | 48.17 | 61 / 68      |
| NEMASSBOST       | 47.94 | 47.59 | 40.97 | 38.84 | 41.73 | 47.52 | 44.28 | 49.82 | 62.57 | 73.81 | 61.82 | 66.21 | 73.56 | 75.34 | 74.6  | 71    | 73.95 | 79.34 | 68    | 64.67 | 61.54 | 52.27 | 47.17 | 48.02 | 59 / 66      |
| NEWHAMPSHIRE     | 47.21 | 46.81 | 40.31 | 38.21 | 41.06 | 46.79 | 43.68 | 49.12 | 61.41 | 72.21 | 60.63 | 64.87 | 72.13 | 73.8  | 73.2  | 69.8  | 72.31 | 77.5  | 66.33 | 63.41 | 60.34 | 51.45 | 46.35 | 47.33 | 58 / 65      |
| MAINE            | 45.84 | 45.27 | 38.79 | 36.66 | 39.55 | 88.00 | 42.42 | 47.50 | 58.24 | 67.26 | 58.13 | 61.44 | 67.74 | 68.62 | 68.63 | 65.82 | 68.46 | 73.01 | 63.27 | 60.29 | 57.33 | 49.60 | 44.70 | 46.36 | 57 / 61      |
| INTERNAL_HUB     | 48.04 | 47.74 | 41.15 | 39.01 | 41.89 | 47.67 | 44.45 | 50.03 | 62.91 | 74.27 | 62.26 | 66.75 | 74.1  | 76.03 | 75.2  | 71.58 | 74.25 | 79.67 | 68.26 | 65.05 | 61.97 | 52.57 | 47.36 | 47.98 | 59 / 66      |
| Forecast         | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0 / 0        |
| (RT) - (DA Load) | 0.99  | 0.93  | 0.93  | 1.05  | 0.90  | 1.06  | 0.94  | 0.62  | 0.87  | 1.23  | 1.20  | 1.34  | 1.29  | 1.43  | 1.49  | 1.64  | 1.33  | 1.13  | 1.29  | 1.31  | 1.11  | 1.15  | 1.42  | 1.40  |              |






# ISO-NE Daily Report

Report for 11/09/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 52.11 | 47.79 | 47.79 | 47.21 | 46.94 | 47.79 | 48.42 | 48.66 | 56.55 | 59.09 | 57.00 | 57.28 | 59.91 | 56.36 | 55.17 | 57.87 | 74.00 | 85.22 | 76.39 | 72.17 | 68.92 | 63.09 | 56.20 | 52.95 | 58 / 63      |
| NEMASSBOST   | 50.14 | 45.98 | 45.98 | 45.43 | 45.17 | 45.98 | 46.59 | 46.82 | 54.42 | 56.86 | 54.84 | 55.11 | 57.65 | 54.23 | 53.08 | 55.68 | 71.21 | 82    | 73.12 | 69.45 | 66.32 | 60.71 | 54.08 | 50.95 | 56 / 60      |
| NEWHAMPSHIRE | 49.96 | 45.82 | 45.82 | 45.26 | 45    | 45.82 | 46.42 | 46.65 | 54.22 | 56.65 | 54.64 | 54.91 | 57.44 | 54.03 | 52.88 | 55.48 | 70.95 | 81.7  | 72.84 | 69.2  | 66.08 | 60.49 | 53.89 | 50.76 | 56 / 60      |
| MAINE        | 47.87 | 43.90 | 43.90 | 43.37 | 43.13 | 43.90 | 44.49 | 44.71 | 51.95 | 54.29 | 52.36 | 52.62 | 55.04 | 51.77 | 50.67 | 53.16 | 67.37 | 77.75 | 69.78 | 66.06 | 63.32 | 57.96 | 51.64 | 48.65 | 53 / 58      |
| INTERNAL_HUB | 50.77 | 46.56 | 46.56 | 46    | 45.74 | 46.56 | 47.18 | 47.41 | 55.1  | 57.57 | 55.53 | 55.81 | 58.37 | 54.91 | 53.75 | 56.38 | 72.1  | 83.03 | 74.01 | 70.32 | 67.16 | 61.47 | 54.76 | 51.59 | 57 / 61      |
| DA Load (GW) | 9.6   | 9.6   | 9.3   | 9.1   | 9.2   | 9.2   | 9.5   | 10.1  | 10.7  | 11.7  | 12.3  | 12.4  | 12.2  | 12.1  | 11.9  | 12.2  | 13.6  | 14.5  | 14.6  | 13.9  | 13.6  | 12.5  | 11.1  | 10.3  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 48.65 | 45.67 | 44.10 | 43.65 | 42.78 | 44.22 | 44.24 | 51.29 | 55.08 | 56.28 | 51.44 | 51.80 | 62.37 | 61.60 | 60.19 | 52.31 | 59.20 | 65.53 | 60.57 | 58.86 | 55.17 | 51.11 | 48.94 | 31.87 | 52 / 56      |
| NEMASSBOST       | 48.43 | 45.4  | 43.77 | 43.28 | 42.46 | 43.85 | 43.96 | 50.75 | 54.47 | 55.91 | 50.82 | 51.18 | 60.81 | 59.85 | 58.56 | 51.15 | 57.28 | 63    | 58.33 | 56.61 | 53.2  | 49.48 | 47.86 | 31.44 | 51 / 55      |
| NEWHAMPSHIRE     | 47.75 | 44.73 | 43.13 | 42.66 | 41.88 | 43.24 | 43.46 | 50.35 | 53.86 | 55.1  | 50.04 | 50.29 | 59.8  | 58.81 | 57.58 | 50.44 | 56.33 | 61.68 | 57.33 | 55.66 | 52.48 | 48.69 | 46.97 | 30.91 | 50 / 54      |
| MAINE            | 46.76 | 43.75 | 42.07 | 41.55 | 40.94 | 48.00 | 42.81 | 49.67 | 52.50 | 53.97 | 49.28 | 49.56 | 58.00 | 57.09 | 56.00 | 49.48 | 53.81 | 58.64 | 55.35 | 53.78 | 50.46 | 46.74 | 45.28 | 29.91 | 51 / 52      |
| INTERNAL_HUB     | 48.49 | 45.54 | 43.92 | 43.45 | 42.62 | 44.02 | 44.04 | 50.88 | 54.57 | 55.89 | 50.88 | 51.28 | 61.22 | 60.28 | 58.99 | 51.43 | 57.76 | 63.5  | 58.75 | 57.15 | 53.72 | 49.89 | 48.07 | 31.52 | 51 / 55      |
| Forecast         | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0 / 0        |
| (RT) - (DA Load) | 1.10  | 1.07  | 1.26  | 1.35  | 1.29  | 1.43  | 1.13  | 1.04  | 1.12  | 0.99  | 0.69  | 0.76  | 1.04  | 1.03  | 1.15  | 0.88  | 0.71  | 1.13  | 0.97  | 1.10  | 0.83  | 0.89  | 1.09  | 0.84  |              |




# ISO-NE Daily Report

Report for 11/10/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 48.50 | 47.84 | 46.06 | 47.06 | 48.03 | 52.89 | 62.57 | 69.29 | 70.72 | 71.86 | 68.14 | 68.13 | 69.69 | 69.81 | 76.04 | 66.05 | 81.00 | 98.59 | 83.37 | 77.62 | 77.76 | 64.52 | 54.82 | 53.21 | 66 / 73      |
| NEMASSBOST   | 46.74 | 46.1  | 44.39 | 45.35 | 46.28 | 50.97 | 60.3  | 66.77 | 67.34 | 67.36 | 65.66 | 65.66 | 67.16 | 65.21 | 63.04 | 61.4  | 78.07 | 95.03 | 80.34 | 72.74 | 72.74 | 59.71 | 52.83 | 51.27 | 62 / 69      |
| NEWHAMPSHIRE | 46.51 | 45.87 | 44.17 | 45.13 | 46.05 | 50.72 | 60    | 66.44 | 66.76 | 66.46 | 65.34 | 65.34 | 66.83 | 64.27 | 61.98 | 60.42 | 77.67 | 94.55 | 79.94 | 71.85 | 71.78 | 58.74 | 52.57 | 51.02 | 62 / 68      |
| MAINE        | 44.52 | 43.91 | 42.28 | 43.20 | 44.08 | 48.54 | 57.43 | 63.16 | 63.14 | 62.91 | 62.36 | 62.41 | 63.25 | 60.98 | 56.52 | 57.45 | 71.03 | 83.87 | 74.43 | 66.66 | 66.48 | 55.73 | 50.32 | 48.84 | 58 / 64      |
| INTERNAL_HUB | 47.3  | 46.65 | 44.91 | 45.89 | 46.83 | 51.57 | 61.02 | 67.56 | 68.46 | 68.93 | 66.43 | 66.43 | 67.95 | 66.83 | 67.23 | 63.05 | 78.98 | 96.14 | 81.28 | 74.47 | 74.5  | 61.43 | 53.45 | 51.88 | 63 / 70      |
| DA Load (GW) | 9.9   | 9.8   | 9.7   | 9.6   | 9.9   | 10.5  | 13.2  | 14.0  | 14.4  | 14.5  | 15.1  | 15.0  | 14.6  | 14.3  | 13.9  | 14.2  | 16.0  | 16.3  | 16.2  | 15.4  | 14.6  | 14.1  | 12.4  | 10.9  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 42.32 | 47.46 | 39.22 | 37.44 | 42.55 | 31.42 | 51.53 | 54.53 | 56.05 | 56.70 | 55.88 | 60.81 | 75.36 | 83.04 | 81.61 | 64.30 | 62.43 | 64.10 | 76.62 | 90.27 | 86.86 | 55.94 | 49.59 | 49.80 | 59 / 67      |
| NEMASSBOST       | 41.58 | 46.43 | 38.42 | 36.49 | 41.39 | 30.21 | 49.25 | 51.87 | 53.03 | 53.48 | 52.83 | 57.45 | 59.89 | 56.21 | 54.03 | 53.62 | 59.26 | 60.47 | 67.31 | 65.81 | 58.09 | 50.4  | 47.05 | 47.6  | 51 / 56      |
| NEWHAMPSHIRE     | 40.92 | 45.78 | 37.88 | 35.91 | 40.73 | 29.7  | 48.47 | 51.37 | 52.35 | 52.79 | 52.17 | 56.81 | 61.4  | 59.83 | 57.93 | 54.61 | 58.76 | 59.83 | 67.33 | 68.31 | 61.71 | 50.49 | 46.72 | 47.39 | 52 / 57      |
| MAINE            | 39.59 | 44.26 | 36.63 | 34.80 | 39.47 | 28.00 | 46.94 | 49.77 | 50.55 | 50.74 | 50.15 | 54.52 | 56.24 | 53.00 | 51.18 | 51.21 | 56.68 | 57.31 | 62.98 | 61.01 | 53.68 | 47.68 | 44.85 | 46.07 | 51 / 53      |
| INTERNAL_HUB     | 41.83 | 46.84 | 38.74 | 36.75 | 41.65 | 30.46 | 49.54 | 52.31 | 53.51 | 54.03 | 53.26 | 58.08 | 65.99 | 66.56 | 64.61 | 57.33 | 59.78 | 61.04 | 69.94 | 74.73 | 69.05 | 52.02 | 47.61 | 48.09 | 54 / 60      |
| Forecast         | 10.45 | 10.09 | 9.93  | 9.98  | 10.33 | 11.49 | 13.54 | 14.87 | 15.38 | 15.54 | 15.61 | 15.51 | 15.40 | 15.36 | 15.17 | 15.16 | 16.20 | 17.51 | 17.33 | 16.84 | 16.15 | 14.98 | 13.44 | 12.12 | 14 / 16      |
| (RT) - (DA Load) | 0.91  | 0.95  | 1.15  | 1.09  | 1.08  | 1.29  | 0.20  | 0.63  | 0.68  | 0.73  | 0.27  | 0.43  | 0.77  | 1.00  | 1.32  | 1.03  | 0.19  | 1.11  | 1.13  | 1.38  | 1.49  | 0.85  | 1.09  | 1.41  |              |




# ISO-NE Daily Report

## Report for 11/11/2008

Price Color Codes: <=0 >=100 >=200


### Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 52.74 | 48.69 | 46.01 | 47.13 | 51.37 | 55.24 | 62.67 | 66.00 | 68.25 | 71.01 | 69.68 | 65.41 | 64.40 | 61.53 | 59.72 | 61.24 | 76.32 | 91.77 | 77.20 | 72.74 | 73.75 | 62.41 | 54.32 | 52.74 | 63 / 68      |
| NEMASSBOST   | 50.91 | 47    | 44.41 | 45.5  | 49.59 | 53.32 | 60.27 | 62.73 | 65.32 | 68.38 | 66.69 | 62.83 | 62.12 | 59.2  | 57.35 | 59    | 72.68 | 87.98 | 72.7  | 69.16 | 71.19 | 60.24 | 52.42 | 50.91 | 60 / 66      |
| NEWHAMPSHIRE | 50.63 | 46.74 | 44.16 | 45.24 | 49.31 | 53.02 | 59.93 | 62.37 | 64.95 | 68    | 66.31 | 62.48 | 61.77 | 58.87 | 57.03 | 58.67 | 72.27 | 87.49 | 72.28 | 68.77 | 70.79 | 59.91 | 52.2  | 50.65 | 60 / 65      |
| MAINE        | 48.55 | 44.82 | 42.35 | 43.38 | 47.29 | 50.85 | 57.46 | 59.80 | 62.27 | 64.94 | 63.36 | 59.90 | 59.23 | 56.45 | 54.69 | 56.25 | 68.78 | 82.45 | 69.16 | 65.70 | 67.39 | 57.44 | 53.83 | 50.00 | 58 / 63      |
| INTERNAL_HUB | 51.47 | 47.52 | 44.9  | 46    | 50.14 | 53.91 | 60.93 | 63.42 | 66.04 | 69.14 | 67.43 | 63.52 | 62.8  | 59.85 | 57.99 | 59.65 | 73.48 | 88.95 | 73.51 | 69.93 | 71.98 | 60.91 | 53.01 | 51.47 | 61 / 66      |
| DA Load (GW) | 10.7  | 10.4  | 10.2  | 10.2  | 10.3  | 11.1  | 13.3  | 14.9  | 15.0  | 14.9  | 15.1  | 15.1  | 14.9  | 14.9  | 14.6  | 14.6  | 16.1  | 16.8  | 16.4  | 15.7  | 14.7  | 14.1  | 12.3  | 10.8  |              |



### Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 54.13 | 52.67 | 42.80 | 44.26 | 56.15 | 57.00 | 50.79 | 55.69 | 60.29 | 69.06 | 62.77 | 61.59 | 61.45 | 59.24 | 59.45 | 63.00 | 77.09 | 84.64 | 73.60 | 72.45 | 75.47 | 58.72 | 49.77 | 46.96 | 60 / 65      |
| NEMASSBOST       | 51.74 | 50.61 | 41.12 | 42.49 | 53.86 | 53.82 | 48.37 | 53.1  | 57.22 | 64.53 | 59.08 | 58.22 | 58.19 | 56.54 | 56.9  | 59.89 | 74.14 | 80.38 | 69.86 | 69.25 | 71.84 | 56.44 | 48.5  | 45.41 | 58 / 62      |
| NEWHAMPSHIRE     | 51.41 | 50.24 | 40.8  | 42.17 | 53.53 | 53.75 | 48.02 | 52.82 | 56.73 | 64.15 | 58.5  | 57.61 | 57.75 | 56.12 | 56.46 | 59.53 | 73.38 | 79.59 | 69.2  | 68.3  | 71.21 | 56.24 | 48.41 | 45.35 | 57 / 62      |
| MAINE            | 49.59 | 48.50 | 39.27 | 40.56 | 51.59 | 88.00 | 46.55 | 51.31 | 54.98 | 61.85 | 56.48 | 55.52 | 55.50 | 53.96 | 54.41 | 57.67 | 71.17 | 76.27 | 66.93 | 65.95 | 68.09 | 55.00 | 48.59 | 45.24 | 57 / 60      |
| INTERNAL_HUB     | 52.3  | 51.13 | 41.56 | 42.91 | 54.4  | 54.49 | 48.69 | 53.34 | 57.56 | 65.23 | 59.58 | 58.61 | 58.56 | 56.75 | 57.09 | 60.25 | 74.47 | 80.94 | 70.32 | 69.71 | 72.47 | 56.81 | 48.68 | 45.75 | 58 / 63      |
| Forecast         | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0 / 0        |
| (RT) - (DA Load) | 1.15  | 1.00  | 1.15  | 1.20  | 1.12  | 1.27  | 0.04  | -0.43 | 0.14  | 0.59  | 0.55  | 0.49  | 0.52  | 0.46  | 0.72  | 0.90  | 0.46  | 0.91  | 1.06  | 1.19  | 1.40  | 0.89  | 1.32  | 1.67  |              |




# ISO-NE Daily Report

## Report for 11/12/2008

Price Color Codes: <=0 >=100 >=200


### Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 55.60 | 54.49 | 52.87 | 52.87 | 52.87 | 57.93 | 66.94 | 77.66 | 80.72 | 80.93 | 80.82 | 76.88 | 70.09 | 77.43 | 67.67 | 67.97 | 75.41 | 95.72 | 89.73 | 78.18 | 73.00 | 65.54 | 57.93 | 54.40 | 69 / 76      |
| NEMASSBOST   | 53.56 | 52.5  | 50.94 | 50.94 | 50.94 | 55.81 | 64.49 | 68.9  | 69.89 | 67.2  | 67.03 | 65.59 | 65.22 | 64.76 | 62.37 | 63.06 | 72.65 | 92.23 | 78.69 | 74.01 | 70.33 | 63.14 | 55.81 | 52.41 | 64 / 69      |
| NEWHAMPSHIRE | 53.25 | 52.2  | 50.64 | 50.64 | 50.64 | 55.49 | 64.12 | 69.53 | 70.85 | 66.15 | 64.03 | 62.99 | 64.24 | 61.8  | 61.27 | 62.05 | 72.23 | 91.7  | 76.37 | 73.8  | 69.92 | 62.77 | 55.49 | 52.11 | 63 / 68      |
| MAINE        | 51.10 | 50.09 | 48.59 | 48.59 | 48.59 | 53.45 | 61.53 | 65.58 | 66.39 | 62.65 | 61.65 | 60.63 | 61.69 | 59.52 | 58.85 | 59.60 | 68.67 | 85.76 | 71.85 | 69.17 | 66.16 | 60.15 | 53.24 | 50.00 | 60 / 64      |
| INTERNAL_HUB | 54.13 | 53.06 | 51.48 | 51.48 | 51.48 | 56.4  | 65.18 | 72.23 | 74.25 | 72.13 | 71.25 | 69.13 | 66.7  | 68.74 | 64    | 64.47 | 73.42 | 93.2  | 81.61 | 75.4  | 71.09 | 63.81 | 56.41 | 52.97 | 66 / 71      |
| DA Load (GW) | 10.6  | 10.6  | 10.4  | 10.4  | 10.5  | 10.8  | 13.7  | 14.4  | 14.6  | 15.0  | 14.9  | 14.6  | 14.5  | 14.1  | 14.2  | 14.3  | 16.1  | 16.7  | 16.1  | 15.6  | 15.0  | 13.5  | 11.7  | 10.5  |              |



### Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 54.54 | 55.48 | 51.19 | 50.75 | 51.27 | 52.61 | 75.89 | 74.87 | 69.59 | 64.51 | 69.02 | 69.46 | 66.16 | 60.83 | 58.26 | 59.28 | 79.37 | 78.81 | 94.63 | 76.15 | 80.19 | 74.60 | 57.75 | 50.96 | 66 / 71      |
| NEMASSBOST       | 53.07 | 54.34 | 50.65 | 50.1  | 50.58 | 51.62 | 72.89 | 68.67 | 65.74 | 60.96 | 64.84 | 65.54 | 63.29 | 58.37 | 56.32 | 57.37 | 75.76 | 73.16 | 88.99 | 72.11 | 76.86 | 71    | 55.85 | 49.98 | 63 / 67      |
| NEWHAMPSHIRE     | 52.89 | 54.26 | 50.43 | 49.93 | 50.28 | 51.32 | 72.42 | 68.64 | 65.38 | 60.43 | 64.18 | 64.74 | 62.53 | 57.66 | 55.63 | 56.7  | 74.37 | 71.63 | 87.2  | 70.95 | 75.68 | 69.77 | 55.33 | 49.43 | 62 / 66      |
| MAINE            | 52.57 | 53.97 | 50.21 | 49.78 | 49.91 | 88.00 | 70.56 | 65.11 | 62.77 | 58.58 | 61.73 | 61.86 | 59.92 | 55.17 | 53.56 | 54.79 | 70.68 | 68.06 | 80.61 | 67.94 | 71.64 | 65.79 | 54.23 | 48.52 | 61 / 63      |
| INTERNAL_HUB     | 53.62 | 54.97 | 51.1  | 50.55 | 51.05 | 52.09 | 73.92 | 70.64 | 66.79 | 61.93 | 66.09 | 66.77 | 64.25 | 59.23 | 56.86 | 57.9  | 76.65 | 75.72 | 90.34 | 73.1  | 77.81 | 72.09 | 56.49 | 50.37 | 64 / 68      |
| Forecast         | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0 / 0        |
| (RT) - (DA Load) | 1.24  | 1.11  | 1.14  | 1.15  | 1.12  | 1.58  | 0.69  | 1.05  | 1.04  | 0.60  | 0.73  | 1.10  | 0.97  | 1.27  | 1.07  | 1.11  | 0.48  | 1.18  | 1.66  | 1.70  | 1.52  | 1.95  | 2.13  | 2.10  |              |




# ISO-NE Daily Report

Report for 11/13/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 51.22 | 51.13 | 48.71 | 48.71 | 52.28 | 53.04 | 64.87 | 67.09 | 68.74 | 69.94 | 70.95 | 70.87 | 69.37 | 65.99 | 65.29 | 65.69 | 78.44 | 94.00 | 75.66 | 69.22 | 70.99 | 59.58 | 52.27 | 51.15 | 64 / 70      |
| NEMASSBOST   | 49.37 | 49.28 | 46.95 | 46.95 | 50.4  | 51.13 | 62.52 | 64.67 | 66.26 | 67.42 | 68.39 | 68.31 | 66.87 | 63.6  | 62.93 | 63.31 | 73.6  | 90.62 | 72.91 | 66.72 | 66.7  | 57.43 | 50.39 | 49.31 | 62 / 67      |
| NEWHAMPSHIRE | 49.06 | 48.98 | 46.66 | 46.66 | 50.08 | 50.81 | 62.18 | 64.27 | 65.85 | 67    | 67.97 | 67.88 | 66.45 | 63.2  | 62.56 | 62.92 | 73.49 | 90.07 | 72.46 | 66.3  | 66.58 | 57.08 | 50.07 | 49    | 61 / 67      |
| MAINE        | 47.21 | 47.12 | 44.89 | 44.89 | 48.19 | 48.89 | 59.77 | 61.83 | 63.35 | 64.42 | 64.95 | 64.67 | 63.78 | 60.80 | 60.16 | 60.53 | 69.58 | 83.81 | 69.20 | 63.55 | 63.28 | 54.92 | 48.18 | 47.15 | 59 / 64      |
| INTERNAL_HUB | 49.84 | 49.76 | 47.4  | 47.4  | 50.88 | 51.62 | 63.12 | 65.29 | 66.94 | 68.11 | 69.09 | 69.01 | 67.55 | 64.25 | 63.57 | 63.92 | 75.22 | 91.49 | 73.62 | 67.36 | 68.12 | 57.99 | 50.87 | 49.78 | 62 / 68      |
| DA Load (GW) | 11.3  | 10.9  | 10.5  | 10.5  | 11.0  | 11.4  | 13.7  | 14.7  | 14.8  | 15.0  | 14.9  | 14.7  | 14.7  | 14.8  | 14.5  | 14.5  | 15.6  | 16.3  | 16.2  | 15.7  | 14.7  | 13.6  | 11.9  | 10.8  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 49.64 | 50.81 | 48.11 | 48.32 | 49.76 | 49.75 | 59.51 | 80.12 | 77.68 | 66.06 | 62.51 | 65.52 | 68.30 | 65.04 | 62.39 | 61.15 | 70.29 | 74.79 | 68.34 | 69.76 | 75.87 | 60.40 | 51.85 | 49.15 | 62 / 68      |
| NEMASSBOST       | 48.43 | 49.72 | 47.11 | 47.4  | 49    | 48.66 | 57.57 | 76.47 | 73.99 | 63.11 | 60.04 | 62.38 | 64.72 | 61.67 | 59.24 | 57.97 | 66.36 | 69.92 | 64.19 | 66.15 | 71.62 | 57.52 | 50.38 | 48.33 | 59 / 64      |
| NEWHAMPSHIRE     | 47.91 | 49.26 | 46.63 | 46.93 | 48.62 | 48.36 | 57.31 | 76.06 | 73.47 | 62.49 | 59.37 | 61.55 | 64.05 | 61.13 | 58.8  | 57.6  | 65.56 | 68.81 | 63.25 | 65.13 | 71.03 | 56.79 | 49.92 | 47.68 | 59 / 63      |
| MAINE            | 46.70 | 47.85 | 45.28 | 45.63 | 47.67 | 88.00 | 55.74 | 72.07 | 69.60 | 60.47 | 57.58 | 58.87 | 60.78 | 58.39 | 56.32 | 55.37 | 62.28 | 64.51 | 60.40 | 61.99 | 67.07 | 54.66 | 49.29 | 46.52 | 58 / 61      |
| INTERNAL_HUB     | 48.97 | 50.32 | 47.65 | 47.93 | 49.52 | 49.16 | 58.26 | 77.57 | 74.98 | 63.85 | 60.7  | 63.18 | 65.63 | 62.51 | 60.01 | 58.71 | 67.15 | 70.87 | 65    | 66.91 | 72.64 | 58.34 | 50.86 | 48.75 | 60 / 65      |
| Forecast         | 11.61 | 11.19 | 10.93 | 10.93 | 11.24 | 12.38 | 14.42 | 15.62 | 15.86 | 15.99 | 16.16 | 16.18 | 16.03 | 16.02 | 15.97 | 16.12 | 17.25 | 18.19 | 17.90 | 17.28 | 16.38 | 15.16 | 13.57 | 12.17 | 15 / 16      |
| (RT) - (DA Load) | 0.88  | 1.01  | 1.17  | 1.17  | 1.01  | 1.44  | 0.83  | 0.97  | 1.14  | 1.08  | 1.20  | 1.39  | 1.41  | 1.31  | 1.54  | 1.80  | 1.67  | 1.63  | 1.45  | 1.44  | 1.68  | 1.51  | 1.81  | 2.02  |              |




# ISO-NE Daily Report

Report for 11/14/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 49.59 | 49.59 | 46.94 | 46.88 | 47.91 | 50.61 | 56.15 | 67.72 | 71.28 | 69.07 | 72.88 | 70.91 | 70.74 | 66.03 | 64.10 | 60.96 | 80.04 | 90.18 | 79.36 | 78.09 | 70.81 | 57.55 | 52.18 | 50.52 | 63 / 70      |
| NEMASSBOST   | 47.84 | 47.84 | 45.28 | 45.22 | 46.22 | 48.82 | 54.18 | 57.5  | 59.97 | 59.95 | 60.59 | 59.36 | 57.8  | 57.05 | 56    | 55.82 | 62.2  | 72.92 | 63.06 | 57.41 | 58.16 | 55.2  | 50.33 | 48.73 | 55 / 59      |
| NEWHAMPSHIRE | 47.44 | 47.44 | 44.91 | 44.85 | 45.84 | 48.42 | 54.6  | 58.39 | 61    | 60.62 | 61.78 | 60.44 | 59.14 | 57.82 | 56.56 | 55.87 | 62.56 | 70.48 | 64.87 | 60.02 | 59.43 | 54.8  | 49.92 | 48.33 | 56 / 60      |
| MAINE        | 45.69 | 45.69 | 43.25 | 43.19 | 44.15 | 46.63 | 51.74 | 54.74 | 57.07 | 57.11 | 57.65 | 56.48 | 54.96 | 54.33 | 53.35 | 53.24 | 58.42 | 66.97 | 59.91 | 54.41 | 55.31 | 52.72 | 48.08 | 46.55 | 53 / 56      |
| INTERNAL_HUB | 48.28 | 48.28 | 45.7  | 45.64 | 46.65 | 49.28 | 54.58 | 61.58 | 64.51 | 63.53 | 65.55 | 64.01 | 63.07 | 60.58 | 59.17 | 57.69 | 66.09 | 71.67 | 69.76 | 66.07 | 63.3  | 55.86 | 50.8  | 49.19 | 58 / 63      |
| DA Load (GW) | 10.7  | 10.8  | 10.3  | 10.3  | 10.4  | 10.5  | 13.4  | 14.9  | 14.7  | 15.1  | 15.0  | 15.0  | 14.6  | 14.7  | 14.5  | 14.6  | 15.6  | 16.4  | 15.8  | 14.9  | 14.5  | 13.7  | 11.8  | 10.0  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 47.61 | 47.52 | 43.65 | 40.31 | 46.15 | 48.19 | 47.81 | 52.03 | 57.78 | 53.42 | 57.00 | 62.05 | 63.25 | 67.14 | 53.83 | 53.57 | 61.79 | 72.48 | 69.55 | 61.26 | 55.22 | 52.27 | 49.71 | 50.21 | 55 / 59      |
| NEMASSBOST       | 46.91 | 46.91 | 43.17 | 39.94 | 45.64 | 47.26 | 46.49 | 49.83 | 54.81 | 51.01 | 54.16 | 58.3  | 59.2  | 61.93 | 50.91 | 50.8  | 57.83 | 59.68 | 56.39 | 56.82 | 52.01 | 49.48 | 47.85 | 49.13 | 52 / 54      |
| NEWHAMPSHIRE     | 46.31 | 46.36 | 42.58 | 39.34 | 45.02 | 46.77 | 46.21 | 49.65 | 54.62 | 50.51 | 53.51 | 57.5  | 58.5  | 61.45 | 50.43 | 50.21 | 56.74 | 58.48 | 55.41 | 55.84 | 51.2  | 48.63 | 47.05 | 48.3  | 51 / 54      |
| MAINE            | 45.17 | 45.19 | 41.47 | 38.25 | 43.84 | 48.00 | 45.19 | 48.04 | 52.68 | 49.07 | 51.72 | 54.97 | 55.78 | 57.74 | 48.59 | 48.51 | 53.91 | 55.26 | 52.79 | 53.09 | 49.19 | 46.66 | 45.96 | 47.28 | 51 / 51      |
| INTERNAL_HUB     | 47.38 | 47.43 | 43.58 | 40.29 | 46.11 | 47.76 | 46.92 | 50.35 | 55.54 | 51.57 | 54.79 | 59.13 | 60    | 62.57 | 51.52 | 51.37 | 58.26 | 58.81 | 55.42 | 57.52 | 52.74 | 50.18 | 48.32 | 49.44 | 52 / 55      |
| Forecast         | 11.32 | 10.83 | 10.55 | 10.48 | 10.75 | 11.78 | 13.78 | 15.05 | 15.44 | 15.59 | 15.87 | 15.86 | 15.75 | 15.68 | 15.55 | 15.53 | 16.30 | 17.08 | 16.70 | 16.02 | 15.25 | 14.32 | 13.10 | 11.84 | 14 / 16      |
| (RT) - (DA Load) | 1.12  | 0.89  | 1.12  | 1.08  | 1.22  | 1.47  | 0.78  | -0.05 | 0.55  | 0.40  | 0.70  | 0.83  | 1.02  | 0.83  | 0.82  | 0.83  | 0.65  | 0.60  | 0.83  | 0.94  | 0.64  | 0.58  | 1.21  | 1.84  |              |




# ISO-NE Daily Report

Report for 11/15/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 50.19 | 45.59 | 47.33 | 45.59 | 46.18 | 45.74 | 51.22 | 52.58 | 55.58 | 57.53 | 59.78 | 60.38 | 58.85 | 54.53 | 53.07 | 54.52 | 65.87 | 75.50 | 63.45 | 57.69 | 57.36 | 55.66 | 51.71 | 48.47 | 55 / 58      |
| NEMASSBOST   | 48.42 | 43.97 | 45.65 | 43.97 | 44.54 | 44.12 | 49.4  | 50.72 | 53.61 | 55.49 | 57.66 | 58.24 | 56.76 | 52.59 | 51.18 | 52.59 | 63.54 | 72.84 | 61.2  | 55.65 | 55.33 | 53.69 | 49.88 | 46.75 | 53 / 56      |
| NEWHAMPSHIRE | 47.93 | 43.54 | 45.2  | 43.54 | 44.1  | 43.68 | 48.91 | 50.21 | 53.08 | 54.94 | 57.09 | 57.65 | 56.2  | 52.07 | 50.67 | 52.07 | 62.9  | 72.12 | 60.59 | 55.09 | 54.78 | 53.15 | 49.38 | 46.29 | 52 / 56      |
| MAINE        | 46.23 | 41.99 | 43.59 | 41.99 | 42.53 | 42.13 | 47.17 | 48.42 | 51.19 | 52.98 | 55.05 | 55.60 | 54.20 | 50.21 | 48.86 | 50.21 | 60.04 | 66.77 | 58.44 | 53.13 | 52.83 | 51.26 | 47.63 | 44.64 | 50 / 54      |
| INTERNAL_HUB | 48.86 | 44.38 | 46.07 | 44.38 | 44.95 | 44.53 | 49.86 | 51.18 | 54.11 | 56    | 58.19 | 58.77 | 57.29 | 53.08 | 51.65 | 53.08 | 64.12 | 73.51 | 61.77 | 56.16 | 55.84 | 54.18 | 50.34 | 47.18 | 53 / 57      |
| DA Load (GW) | 10.1  | 9.9   | 10.0  | 9.9   | 9.9   | 9.9   | 9.9   | 10.5  | 12.3  | 13.2  | 13.3  | 13.4  | 13.2  | 12.9  | 12.7  | 12.8  | 13.7  | 14.4  | 14.0  | 13.7  | 13.0  | 11.7  | 10.6  | 9.7   |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18   | HE19   | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 52.89 | 46.74 | 47.29 | 49.34 | 52.36 | 50.59 | 55.17 | 54.78 | 63.54 | 66.52 | 79.32 | 90.60 | 98.40 | 77.98 | 66.38 | 59.49 | 80.79 | 124.70 | 101.53 | 62.94 | 67.14 | 84.02 | 62.71 | 47.80 | 68 / 78      |
| NEMASSBOST       | 51.65 | 45.66 | 46.11 | 47.92 | 50.61 | 49.05 | 53.55 | 52.72 | 60.19 | 62.7  | 74.38 | 84.29 | 91.58 | 73.07 | 62.09 | 55.88 | 67.79 | 71.08  | 64.18  | 58.88 | 63.16 | 79.64 | 60.34 | 46.84 | 61 / 68      |
| NEWHAMPSHIRE     | 50.77 | 44.93 | 45.39 | 47.19 | 49.91 | 48.39 | 52.68 | 51.81 | 59.1  | 61.29 | 72.51 | 82.25 | 89.38 | 71.47 | 60.76 | 54.75 | 66.03 | 68.79  | 62.13  | 57.3  | 61.35 | 77.34 | 58.49 | 45.42 | 60 / 66      |
| MAINE            | 49.27 | 43.50 | 43.80 | 45.43 | 47.98 | 88.00 | 51.00 | 49.86 | 55.76 | 57.85 | 67.34 | 75.58 | 81.50 | 66.47 | 57.17 | 52.38 | 61.07 | 62.76  | 57.13  | 53.60 | 56.91 | 70.01 | 54.25 | 42.68 | 58 / 61      |
| INTERNAL_HUB     | 52.09 | 46.07 | 46.62 | 48.52 | 51.35 | 49.67 | 54.03 | 53.3  | 61.05 | 63.65 | 75.54 | 85.68 | 93.1  | 74.2  | 63.12 | 56.74 | 68.85 | 72.31  | 65.19  | 59.74 | 64.08 | 80.7  | 60.8  | 47.01 | 62 / 69      |
| Forecast         | 10.98 | 10.39 | 10.09 | 9.95  | 10.02 | 10.41 | 11.18 | 12.13 | 13.30 | 14.08 | 14.46 | 14.56 | 14.48 | 14.28 | 14.08 | 14.12 | 15.01 | 15.95  | 15.62  | 15.02 | 14.35 | 13.53 | 12.51 | 11.44 | 13 / 14      |
| (RT) - (DA Load) | 1.05  | 0.95  | 0.98  | 0.97  | 1.02  | 1.20  | 1.12  | 1.41  | 0.86  | 0.84  | 1.26  | 1.44  | 1.53  | 1.69  | 1.71  | 1.60  | 1.60  | 1.59   | 1.68   | 1.46  | 1.54  | 2.03  | 2.05  | 1.97  |              |




# ISO-NE Daily Report

Report for 11/16/2008

Price Color Codes: ≤0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 51.45 | 48.40 | 46.00 | 45.66 | 45.47 | 46.00 | 41.86 | 48.05 | 51.99 | 52.49 | 52.93 | 54.35 | 54.62 | 53.06 | 52.93 | 52.76 | 72.81 | 88.24 | 84.40 | 73.57 | 67.96 | 57.42 | 52.18 | 52.75 | 56 / 61      |
| NEMASSBOST   | 49.57 | 46.63 | 44.32 | 43.99 | 43.81 | 44.32 | 40.33 | 46.3  | 50.09 | 50.57 | 51    | 52.37 | 52.63 | 51.13 | 51    | 50.83 | 62.14 | 72.97 | 68.83 | 60.88 | 58.2  | 55.32 | 50.27 | 50.83 | 52 / 55      |
| NEWHAMPSHIRE | 48.99 | 46.09 | 43.8  | 43.47 | 43.29 | 43.8  | 39.86 | 45.76 | 49.5  | 49.98 | 50.4  | 51.75 | 52.01 | 50.53 | 50.4  | 50.23 | 62.78 | 74.16 | 69.12 | 61.87 | 58.76 | 54.67 | 49.68 | 50.23 | 52 / 55      |
| MAINE        | 47.32 | 44.51 | 42.31 | 41.99 | 41.82 | 42.31 | 38.50 | 44.19 | 47.81 | 48.27 | 48.68 | 49.98 | 50.24 | 48.80 | 48.68 | 48.51 | 59.12 | 67.71 | 64.96 | 57.87 | 55.39 | 52.81 | 47.99 | 48.52 | 50 / 53      |
| INTERNAL_HUB | 50.04 | 47.07 | 44.74 | 44.4  | 44.22 | 44.74 | 40.71 | 46.73 | 50.56 | 51.05 | 51.48 | 52.86 | 53.13 | 51.61 | 51.48 | 51.31 | 66.36 | 79.12 | 72.51 | 65.99 | 62.05 | 55.84 | 50.74 | 51.3  | 53 / 57      |
| DA Load (GW) | 9.9   | 10.2  | 9.9   | 9.9   | 9.8   | 9.8   | 9.6   | 9.9   | 11.0  | 12.0  | 12.8  | 13.1  | 13.1  | 12.6  | 12.4  | 12.7  | 14.5  | 15.1  | 15.0  | 14.5  | 14.1  | 12.9  | 11.3  | 10.4  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 47.71 | 50.16 | 46.48 | 33.56 | 22.91 | 46.79 | 41.80 | 49.58 | 51.61 | 48.01 | 51.55 | 53.17 | 52.75 | 54.77 | 54.87 | 54.29 | 74.31 | 73.61 | 73.47 | 72.90 | 55.66 | 53.43 | 51.57 | 0.00  | 51 / 58      |
| NEMASSBOST       | 46.85 | 49.13 | 45.54 | 32.92 | 22.56 | 46.01 | 41.04 | 48.67 | 49.98 | 46.16 | 48.94 | 50.25 | 49.93 | 51.42 | 51.46 | 51.13 | 69.41 | 67.62 | 68.48 | 67.52 | 51.97 | 50.61 | 49.27 | 0     | 48 / 55      |
| NEWHAMPSHIRE     | 45.62 | 48.06 | 44.63 | 32.2  | 22.04 | 45.02 | 40.19 | 47.74 | 49.09 | 45.24 | 48    | 49.23 | 48.85 | 50.42 | 50.52 | 50.18 | 67.69 | 65.95 | 66.64 | 65.75 | 50.84 | 49.42 | 48.15 | 0     | 47 / 53      |
| MAINE            | 43.47 | 46.03 | 42.70 | 30.83 | 21.15 | 48.00 | 38.67 | 46.04 | 47.57 | 44.06 | 46.63 | 47.57 | 47.10 | 48.50 | 48.59 | 48.18 | 63.05 | 60.41 | 61.50 | 60.03 | 47.72 | 46.70 | 45.72 | 0.00  | 47 / 51      |
| INTERNAL_HUB     | 47.05 | 49.47 | 45.91 | 33.17 | 22.72 | 46.35 | 41.28 | 48.9  | 50.29 | 46.52 | 49.56 | 50.99 | 50.67 | 52.3  | 52.34 | 51.95 | 70.63 | 68.94 | 69.59 | 68.78 | 52.84 | 51.33 | 49.91 | 0     | 49 / 55      |
| Forecast         | 10.68 | 10.13 | 9.77  | 9.61  | 9.60  | 9.85  | 10.32 | 11.07 | 12.16 | 13.01 | 13.10 | 13.47 | 13.66 | 13.66 | 13.63 | 13.89 | 15.02 | 16.13 | 15.99 | 15.65 | 14.98 | 13.89 | 12.64 | 11.59 | 13 / 14      |
| (RT) - (DA Load) | 1.14  | 0.94  | 1.12  | 0.99  | 0.99  | 1.13  | 1.20  | 1.15  | 0.72  | 0.69  | 0.31  | 0.37  | 0.46  | 0.96  | 1.17  | 1.10  | 0.65  | 1.32  | 1.22  | 1.23  | 0.94  | 1.10  | 1.51  | 1.35  |              |






# ISO-NE Daily Report

## Report for 11/17/2008

Price Color Codes: ≤0 >=100 >=200


### Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18   | HE19  | HE20  | HE21  | HE22  | HE23  | HE24    | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|---------|--------------|
| CONNECTICUT  | 41.54 | 41.54 | 41.54 | 41.57 | 42.52 | 50.17 | 60.53 | 76.97 | 81.40 | 87.13 | 90.46 | 86.89 | 79.30 | 77.32 | 75.74 | 78.76 | 89.05 | 102.27 | 99.92 | 87.83 | 90.30 | 73.52 | 53.43 | 50.89   | 71 / 83      |
| NEMASSBOST   | 39.94 | 39.94 | 39.94 | 39.96 | 40.88 | 48.24 | 58.19 | 59.43 | 58.07 | 58.1  | 57.23 | 56.63 | 56.59 | 55.33 | 52.51 | 63.43 | 73.15 | 68.92  | 60.2  | 57.29 | 53.28 | 51.37 | 48.93 | 54 / 59 |              |
| NEWHAMPSHIRE | 39.4  | 39.4  | 39.4  | 39.42 | 40.32 | 47.58 | 57.4  | 61.08 | 60.68 | 61.65 | 62.18 | 60.9  | 59.17 | 58.82 | 57.54 | 55.72 | 66.32 | 76.41  | 72.56 | 63.48 | 61.5  | 55.49 | 50.67 | 48.26   | 56 / 62      |
| MAINE        | 38.00 | 38.00 | 38.00 | 38.01 | 38.89 | 45.89 | 55.36 | 56.16 | 54.72 | 54.63 | 54.54 | 53.78 | 53.38 | 53.39 | 52.20 | 49.38 | 59.79 | 68.95  | 64.87 | 56.65 | 53.76 | 50.24 | 48.86 | 46.54   | 51 / 55      |
| INTERNAL_HUB | 40.34 | 40.34 | 40.34 | 40.36 | 41.29 | 48.71 | 58.76 | 66.63 | 67.81 | 70.34 | 71.79 | 69.75 | 66.1  | 65.21 | 63.82 | 63.58 | 74.14 | 85.31  | 81.93 | 71.81 | 71.27 | 61.71 | 51.87 | 49.41   | 61 / 69      |
| DA Load (GW) | 10.5  | 10.4  | 10.4  | 10.5  | 10.6  | 11.2  | 13.4  | 14.5  | 14.8  | 14.8  | 14.8  | 14.8  | 14.8  | 14.6  | 14.5  | 14.7  | 16.1  | 17.1   | 16.5  | 16.2  | 15.3  | 14.4  | 12.8  | 10.9    |              |



### Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 14.49 | 10.65 | 39.76 | 31.09 | 6.11  | 45.75 | 64.85 | 81.13 | 60.42 | 67.25 | 64.42 | 60.47 | 57.58 | 55.32 | 55.07 | 54.81 | 81.70 | 69.96 | 69.36 | 68.16 | 63.32 | 62.70 | 50.42 | 45.17 | 53 / 64      |
| NEMASSBOST       | 13.98 | 10.28 | 38.42 | 29.9  | 5.92  | 44.31 | 61.12 | 75.07 | 55.93 | 62.32 | 59.58 | 56.35 | 53.92 | 51.82 | 51.63 | 51.61 | 76.45 | 63.81 | 63.85 | 63    | 58.5  | 57.86 | 47.49 | 43.08 | 50 / 59      |
| NEWHAMPSHIRE     | 13.66 | 10.05 | 37.6  | 29.34 | 5.8   | 43.46 | 60.35 | 74.37 | 55.44 | 61.57 | 58.82 | 55.55 | 53.24 | 51.22 | 51.06 | 51.03 | 75.54 | 63.09 | 63.08 | 62.43 | 57.96 | 57.23 | 46.95 | 42.65 | 49 / 59      |
| MAINE            | 12.86 | 9.47  | 35.54 | 27.72 | 5.52  | 48.00 | 57.60 | 70.57 | 52.82 | 58.85 | 56.14 | 53.24 | 51.51 | 49.17 | 49.27 | 49.68 | 73.45 | 60.67 | 60.20 | 59.83 | 55.22 | 54.23 | 45.43 | 41.54 | 49 / 56      |
| INTERNAL_HUB     | 14.15 | 10.41 | 38.9  | 30.32 | 5.98  | 44.75 | 62.12 | 76.77 | 57.16 | 63.67 | 60.88 | 57.49 | 54.95 | 52.8  | 52.58 | 52.48 | 77.78 | 65.07 | 65.07 | 64.18 | 59.74 | 59.22 | 48.32 | 43.73 | 51 / 61      |
| Forecast         | 10.84 | 10.50 | 10.37 | 10.42 | 10.80 | 12.00 | 14.13 | 15.40 | 15.81 | 15.94 | 16.07 | 16.01 | 15.88 | 15.77 | 15.67 | 15.75 | 16.81 | 17.95 | 17.80 | 17.36 | 16.68 | 15.52 | 13.94 | 12.56 | 15 / 16      |
| (RT) - (DA Load) | 0.91  | 0.81  | 0.69  | 0.54  | 0.60  | 1.00  | 0.70  | 0.89  | 0.89  | 1.00  | 1.13  | 1.07  | 0.93  | 1.02  | 1.03  | 0.88  | 0.76  | 1.10  | 1.58  | 1.33  | 1.49  | 1.32  | 1.28  | 1.92  |              |




# ISO-NE Daily Report

Report for 11/18/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 52.91 | 50.21 | 48.99 | 49.63 | 50.21 | 52.01 | 67.41 | 72.01 | 71.57 | 71.16 | 71.64 | 70.50 | 66.91 | 65.81 | 64.65 | 64.29 | 76.80 | 93.72 | 79.39 | 69.70 | 70.40 | 66.64 | 59.57 | 58.61 | 65 / 71      |
| NEMASSBOST   | 50.72 | 48.13 | 46.96 | 47.57 | 48.13 | 49.86 | 64.6  | 68.34 | 67.93 | 67.52 | 67.99 | 66.87 | 64.14 | 63.09 | 61.97 | 61.63 | 73.02 | 89.53 | 75.56 | 66.29 | 67.49 | 63.11 | 57.11 | 56.19 | 62 / 68      |
| NEWHAMPSHIRE | 50    | 47.45 | 46.3  | 46.9  | 47.45 | 49.15 | 63.68 | 67.49 | 67.14 | 66.68 | 67.15 | 66.05 | 63.23 | 62.2  | 61.1  | 60.76 | 72.09 | 88.31 | 74.54 | 65.41 | 66.54 | 62.35 | 56.3  | 55.39 | 61 / 67      |
| MAINE        | 48.14 | 45.68 | 44.57 | 45.15 | 45.68 | 47.32 | 61.29 | 64.90 | 64.51 | 64.12 | 64.57 | 63.51 | 60.93 | 59.94 | 58.87 | 58.55 | 68.98 | 79.98 | 70.90 | 62.95 | 64.05 | 59.88 | 54.20 | 53.33 | 59 / 64      |
| INTERNAL_HUB | 51.28 | 48.66 | 47.48 | 48.1  | 48.66 | 50.4  | 65.31 | 69.4  | 68.98 | 68.58 | 69.05 | 67.93 | 64.84 | 63.78 | 62.65 | 62.31 | 74.1  | 90.54 | 76.45 | 67.07 | 68.23 | 64.15 | 57.73 | 56.8  | 63 / 68      |
| DA Load (GW) | 11.0  | 11.0  | 10.8  | 10.8  | 11.0  | 11.6  | 13.8  | 15.2  | 15.6  | 15.6  | 15.5  | 15.3  | 15.1  | 15.1  | 14.9  | 15.0  | 16.5  | 16.7  | 17.0  | 16.8  | 15.9  | 14.8  | 12.4  | 11.0  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 55.83 | 56.47 | 49.01 | 48.53 | 56.61 | 50.10 | 72.81 | 73.46 | 67.67 | 63.02 | 66.50 | 68.53 | 64.59 | 60.76 | 62.30 | 61.89 | 73.94 | 87.89 | 83.82 | 72.54 | 82.17 | 82.47 | 61.84 | 60.53 | 66 / 71      |
| NEMASSBOST       | 53.63 | 54.39 | 47.4  | 47.05 | 54.93 | 48.61 | 69.66 | 68.93 | 63.69 | 59.28 | 62.05 | 63.84 | 60.29 | 57.36 | 58.55 | 58.44 | 69.79 | 81.55 | 77.73 | 67.45 | 76.07 | 75.69 | 57.99 | 58.09 | 62 / 66      |
| NEWHAMPSHIRE     | 53.1  | 53.91 | 46.98 | 46.64 | 54.58 | 48.16 | 68.84 | 68.23 | 63.13 | 58.71 | 61.41 | 63.1  | 59.68 | 56.71 | 58.02 | 57.9  | 68.98 | 80.28 | 76.74 | 66.72 | 75.14 | 74.93 | 57.38 | 57.37 | 62 / 65      |
| MAINE            | 51.54 | 52.20 | 45.59 | 45.38 | 53.25 | 88.00 | 66.17 | 65.36 | 61.13 | 57.01 | 58.88 | 60.40 | 57.20 | 54.42 | 55.82 | 56.11 | 66.34 | 74.88 | 72.38 | 63.23 | 70.94 | 70.60 | 55.83 | 55.98 | 61 / 63      |
| INTERNAL_HUB     | 54.46 | 55.23 | 48.07 | 47.65 | 55.62 | 49.14 | 70.61 | 70.24 | 64.86 | 60.37 | 63.33 | 65.18 | 61.53 | 58.27 | 59.59 | 59.35 | 70.79 | 82.84 | 79.02 | 68.62 | 77.63 | 77.57 | 59.07 | 58.86 | 63 / 67      |
| Forecast         | 11.87 | 11.46 | 11.27 | 11.32 | 11.74 | 12.98 | 15.23 | 16.49 | 16.68 | 16.30 | 16.34 | 16.24 | 16.08 | 16.00 | 15.93 | 16.25 | 17.45 | 18.79 | 18.57 | 17.98 | 17.27 | 16.13 | 14.57 | 13.17 | 15 / 17      |
| (RT) - (DA Load) | 1.30  | 1.08  | 1.14  | 1.17  | 1.25  | 1.35  | 1.10  | 0.80  | 0.60  | 0.61  | 0.74  | 0.84  | 0.90  | 0.89  | 0.99  | 1.09  | 0.85  | 2.02  | 1.65  | 1.37  | 1.54  | 1.59  | 2.31  | 2.55  |              |




# ISO-NE Daily Report

## Report for 11/19/2008

Price Color Codes: <=0 >=100 >=200


### Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18   | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 55.55 | 53.54 | 53.03 | 52.72 | 53.54 | 58.05 | 77.70 | 76.54 | 76.37 | 76.18 | 75.45 | 75.55 | 72.69 | 68.82 | 68.73 | 69.46 | 90.27 | 103.54 | 95.55 | 87.25 | 82.20 | 71.90 | 61.72 | 60.25 | 72 / 78      |
| NEMASSBOST   | 53.01 | 51.09 | 50.6  | 50.31 | 51.09 | 55.39 | 74.14 | 71.58 | 72.68 | 72.01 | 71.83 | 69.78 | 68.11 | 65.67 | 65.58 | 66.28 | 76.01 | 92.42  | 77.53 | 70.82 | 70.44 | 65.69 | 58.9  | 57.49 | 66 / 71      |
| NEWHAMPSHIRE | 52.28 | 50.39 | 49.91 | 49.62 | 50.39 | 54.63 | 73.12 | 70.84 | 71.72 | 71.14 | 70.75 | 67.48 | 66.45 | 64.77 | 64.68 | 65.37 | 75.27 | 91.09  | 77    | 71.92 | 70.82 | 65.28 | 58.09 | 56.7  | 65 / 70      |
| MAINE        | 50.29 | 48.47 | 48.01 | 47.73 | 48.47 | 52.55 | 70.18 | 67.88 | 68.96 | 68.10 | 67.82 | 65.15 | 64.04 | 62.31 | 62.22 | 62.89 | 71.72 | 82.60  | 72.30 | 66.90 | 66.60 | 62.09 | 55.88 | 54.54 | 62 / 67      |
| INTERNAL_HUB | 53.66 | 51.72 | 51.22 | 50.92 | 51.72 | 56.07 | 75.05 | 73.13 | 73.66 | 73.21 | 72.78 | 71.67 | 69.5  | 66.48 | 66.39 | 67.09 | 78.09 | 93.46  | 80.02 | 77.26 | 74.96 | 67.83 | 59.62 | 58.19 | 67 / 73      |
| DA Load (GW) | 12.1  | 11.8  | 11.4  | 11.4  | 11.9  | 12.0  | 13.8  | 15.2  | 15.1  | 15.1  | 14.9  | 14.9  | 14.6  | 14.4  | 14.4  | 15.9  | 16.6  | 16.7   | 15.7  | 15.1  | 14.3  | 12.3  | 11.3  |       |              |



### Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17   | HE18   | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 57.66 | 59.92 | 62.14 | 63.06 | 63.64 | 69.15 | 85.35 | 74.18 | 79.27 | 87.64 | 83.11 | 84.45 | 76.81 | 76.57 | 78.33 | 80.79 | 103.35 | 166.69 | 81.20 | 94.44 | 92.79 | 73.08 | 63.72 | 61.66 | 80 / 87      |
| NEMASSBOST       | 55.66 | 58.01 | 60.28 | 61    | 61.1  | 66.01 | 80.72 | 69.33 | 74    | 80.33 | 76.13 | 77.82 | 71.17 | 71.1  | 72.44 | 74.41 | 95.22  | 154.14 | 75.42 | 87.61 | 85.07 | 67.51 | 60.32 | 59.33 | 75 / 81      |
| NEWHAMPSHIRE     | 55.33 | 57.83 | 59.89 | 60.57 | 60.76 | 65.37 | 79.7  | 68.5  | 73.19 | 79.29 | 75.06 | 76.85 | 70.31 | 70.24 | 71.57 | 73.65 | 93.87  | 152.18 | 74.41 | 86.39 | 84.27 | 66.64 | 59.77 | 58.78 | 74 / 80      |
| MAINE            | 53.91 | 56.19 | 58.33 | 58.97 | 58.87 | 88.00 | 74.74 | 65.16 | 69.62 | 73.51 | 69.35 | 71.68 | 66.09 | 66.30 | 67.59 | 69.61 | 87.17  | 138.97 | 70.02 | 80.23 | 78.45 | 62.57 | 57.97 | 57.38 | 71 / 75      |
| INTERNAL_HUB     | 56.41 | 58.82 | 61.13 | 61.91 | 62.1  | 67.07 | 82.05 | 70.7  | 75.54 | 82.36 | 78.03 | 79.64 | 72.7  | 72.64 | 74.08 | 76.13 | 97.2   | 157.17 | 76.82 | 89.27 | 87.07 | 69.06 | 61.24 | 60.04 | 76 / 82      |
| Forecast         | 12.44 | 12.02 | 11.84 | 11.87 | 12.25 | 13.45 | 15.65 | 16.77 | 16.91 | 16.88 | 16.89 | 16.78 | 16.55 | 16.44 | 16.33 | 16.43 | 17.52  | 18.86  | 18.76 | 18.33 | 17.65 | 16.50 | 14.98 | 13.53 | 16 / 17      |
| (RT) - (DA Load) | 0.86  | 0.92  | 1.22  | 1.20  | 1.12  | 1.67  | 1.84  | 1.56  | 1.83  | 2.00  | 2.09  | 2.13  | 2.11  | 1.98  | 2.14  | 2.25  | 2.04   | 2.67   | 2.46  | 3.05  | 2.90  | 2.57  | 2.89  | 2.53  |              |




# ISO-NE Daily Report

Report for 11/20/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18   | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 62.57 | 58.65 | 57.76 | 57.81 | 58.90 | 62.90 | 79.51 | 78.92 | 79.34 | 75.54 | 79.00 | 80.50 | 74.02 | 70.00 | 69.10 | 69.10 | 91.51 | 103.93 | 98.67 | 93.77 | 82.04 | 71.80 | 64.04 | 62.92 | 74 / 80      |
| NEMASSBOST   | 59.66 | 55.93 | 55.08 | 55.13 | 56.17 | 59.99 | 72.88 | 71.63 | 72.39 | 70.11 | 68.65 | 66.61 | 63.48 | 62.67 | 62.04 | 61.73 | 73.71 | 90.76  | 78.7  | 71.55 | 68.91 | 65.88 | 61.06 | 60    | 66 / 69      |
| NEWHAMPSHIRE | 58.84 | 55.16 | 54.32 | 54.36 | 55.39 | 59.15 | 71.85 | 70.98 | 71.69 | 69.46 | 67.66 | 65.64 | 62.56 | 61.78 | 61.15 | 60.85 | 72.63 | 89.46  | 77.53 | 70.48 | 67.91 | 65.3  | 60.22 | 59.17 | 65 / 68      |
| MAINE        | 56.60 | 53.06 | 52.26 | 52.30 | 53.29 | 56.91 | 69.07 | 67.88 | 68.60 | 66.47 | 65.01 | 63.01 | 60.09 | 59.37 | 58.77 | 58.48 | 69.64 | 82.39  | 74.00 | 67.57 | 65.21 | 62.44 | 57.93 | 56.92 | 62 / 65      |
| INTERNAL_HUB | 60.44 | 56.66 | 55.8  | 55.85 | 56.9  | 60.77 | 73.84 | 73.52 | 74.19 | 71.9  | 69.57 | 67.52 | 64.34 | 63.51 | 62.86 | 62.56 | 74.73 | 91.98  | 79.79 | 72.56 | 69.85 | 67.66 | 61.86 | 60.78 | 67 / 71      |
| DA Load (GW) | 12.3  | 12.3  | 12.2  | 12.2  | 12.6  | 12.7  | 14.7  | 15.8  | 15.9  | 15.9  | 15.9  | 15.8  | 15.7  | 15.5  | 15.5  | 16.6  | 17.2  | 16.8   | 16.3  | 16.2  | 15.1  | 13.0  | 11.5  |       |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 62.27 | 56.98 | 56.37 | 58.84 | 60.43 | 63.95 | 98.76 | 81.37 | 85.61 | 72.41 | 75.39 | 71.52 | 63.95 | 65.17 | 67.84 | 76.88 | 87.37 | 77.78 | 86.38 | 86.18 | 88.17 | 75.23 | 69.60 | 66.74 | 73 / 77      |
| NEMASSBOST       | 60.13 | 55.26 | 54.81 | 56.98 | 58.53 | 61.7  | 94.33 | 76.65 | 80.24 | 67.9  | 70.92 | 67.59 | 61.08 | 62.05 | 64.09 | 72.06 | 82.19 | 73.17 | 80.03 | 79.52 | 81.68 | 69.87 | 65.32 | 63.38 | 69 / 72      |
| NEWHAMPSHIRE     | 59.69 | 54.86 | 54.47 | 56.64 | 58.17 | 61.17 | 93.27 | 75.94 | 79.27 | 67.1  | 69.97 | 66.79 | 60.28 | 61.33 | 63.32 | 71.03 | 80.86 | 72.05 | 78.89 | 78.53 | 80.89 | 69.3  | 64.88 | 62.76 | 68 / 71      |
| MAINE            | 58.11 | 53.21 | 52.84 | 54.73 | 56.31 | 88.00 | 87.66 | 72.35 | 75.04 | 64.54 | 66.76 | 63.63 | 58.09 | 59.06 | 60.96 | 67.32 | 76.54 | 68.10 | 73.22 | 72.68 | 76.34 | 65.45 | 62.76 | 60.91 | 66 / 68      |
| INTERNAL_HUB     | 60.99 | 56.08 | 55.63 | 57.92 | 59.49 | 62.56 | 95.59 | 78.14 | 81.92 | 69.29 | 72.31 | 68.72 | 61.88 | 62.93 | 65.16 | 73.42 | 83.58 | 74.38 | 81.7  | 81.34 | 83.54 | 71.5  | 66.82 | 64.73 | 70 / 74      |
| Forecast         | 12.44 | 12.02 | 11.84 | 11.87 | 12.25 | 13.45 | 15.65 | 16.77 | 16.91 | 16.88 | 16.89 | 16.78 | 16.55 | 16.44 | 16.33 | 16.43 | 17.52 | 18.86 | 18.76 | 18.33 | 17.65 | 16.50 | 14.98 | 13.53 | 16 / 17      |
| (RT) - (DA Load) | 1.27  | 1.14  | 1.30  | 1.32  | 1.24  | 1.33  | 1.27  | 1.29  | 1.38  | 1.43  | 1.40  | 1.28  | 1.04  | 1.09  | 1.00  | 1.13  | 1.20  | 1.83  | 2.21  | 2.21  | 1.68  | 1.63  | 2.03  | 2.44  |              |




# ISO-NE Daily Report

Report for 11/21/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18   | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 62.00 | 60.89 | 60.64 | 61.18 | 61.63 | 66.92 | 77.88 | 82.15 | 79.92 | 78.38 | 75.92 | 76.81 | 71.33 | 68.34 | 68.14 | 68.04 | 88.56 | 102.17 | 82.29 | 87.40 | 79.69 | 71.78 | 67.92 | 66.48 | 74 / 78      |
| NEMASSBOST   | 58.98 | 57.92 | 57.68 | 58.19 | 58.63 | 63.65 | 74.09 | 78.15 | 76.02 | 74.55 | 72.22 | 73.06 | 67.85 | 65    | 64.82 | 64.72 | 79.67 | 97.22  | 78.28 | 73.59 | 71.89 | 68.28 | 64.61 | 63.24 | 69 / 73      |
| NEWHAMPSHIRE | 58.13 | 57.09 | 56.85 | 57.36 | 57.79 | 62.74 | 73.29 | 77.03 | 74.93 | 73.49 | 71.18 | 72.01 | 66.88 | 64.07 | 63.89 | 63.8  | 79.3  | 95.82  | 77.16 | 74.14 | 71.52 | 67.3  | 63.68 | 62.34 | 68 / 72      |
| MAINE        | 55.79 | 54.79 | 54.57 | 55.05 | 55.46 | 60.22 | 70.00 | 73.47 | 71.61 | 70.33 | 68.15 | 68.79 | 64.19 | 61.49 | 61.32 | 61.23 | 74.76 | 86.12  | 73.65 | 69.32 | 67.75 | 64.37 | 61.12 | 59.83 | 65 / 69      |
| INTERNAL_HUB | 59.83 | 58.76 | 58.52 | 59.04 | 59.48 | 64.57 | 75.12 | 79.28 | 77.12 | 75.64 | 73.26 | 74.12 | 68.84 | 65.94 | 65.76 | 65.66 | 82.93 | 98.62  | 79.42 | 79.04 | 74.73 | 69.27 | 65.55 | 64.16 | 71 / 75      |
| DA Load (GW) | 12.5  | 12.2  | 12.1  | 11.9  | 12.4  | 12.4  | 15.0  | 15.5  | 15.8  | 15.6  | 15.6  | 15.2  | 15.3  | 15.1  | 15.0  | 15.0  | 16.3  | 16.9   | 16.9  | 16.0  | 15.7  | 14.7  | 12.6  | 11.3  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load


|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 61.16 | 65.04 | 67.05 | 67.75 | 74.48 | 79.88 | 94.24 | 90.90 | 92.85 | 86.76 | 75.35 | 77.06 | 71.55 | 68.38 | 68.34 | 68.05 | 80.99 | 88.29 | 82.50 | 85.55 | 85.65 | 71.72 | 87.35 | 74.66 | 78 / 80      |
| NEMASSBOST       | 59    | 62.61 | 64.26 | 64.86 | 71.34 | 76.39 | 90.15 | 86.24 | 86.81 | 80.56 | 70.45 | 71.67 | 66.9  | 64.61 | 64.99 | 64.92 | 76.65 | 82.36 | 76.64 | 79.27 | 79.89 | 67.71 | 84    | 72.61 | 74 / 75      |
| NEWHAMPSHIRE     | 58.36 | 62    | 63.7  | 64.3  | 70.77 | 75.58 | 88.86 | 85.37 | 85.87 | 79.72 | 69.54 | 70.68 | 66.09 | 63.9  | 64.31 | 64.29 | 75.47 | 80.88 | 75.43 | 78.15 | 78.87 | 66.87 | 82.43 | 70.94 | 73 / 74      |
| MAINE            | 56.85 | 60.05 | 61.78 | 62.41 | 68.40 | 88.00 | 81.50 | 81.01 | 80.25 | 74.20 | 65.57 | 66.50 | 62.92 | 61.55 | 62.36 | 62.74 | 63.19 | 75.54 | 70.77 | 73.31 | 74.87 | 64.09 | 78.21 | 68.56 | 69 / 70      |
| INTERNAL_HUB     | 60    | 63.76 | 65.55 | 66.18 | 72.75 | 77.63 | 91.31 | 87.72 | 88.74 | 82.57 | 71.99 | 73.28 | 68.28 | 65.75 | 66.06 | 65.9  | 77.83 | 83.82 | 78.2  | 81.04 | 81.53 | 68.87 | 84.88 | 73.23 | 75 / 77      |
| Forecast         | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0.00  | 0 / 0        |
| (RT) - (DA Load) | 1.09  | 1.34  | 1.35  | 1.56  | 1.48  | 1.67  | 0.83  | 1.38  | 1.28  | 1.46  | 1.48  | 1.66  | 1.29  | 1.30  | 1.32  | 1.43  | 1.35  | 1.84  | 1.62  | 1.97  | 1.64  | 1.75  | 2.60  | 2.73  |              |



# ISO-NE Daily Report


Report for 11/22/2008

Price Color Codes:




## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 66.18 | 64.95 | 64.37 | 63.77 | 63.33 | 65.72 | 71.86 | 64.73 | 72.42 | 76.77 | 78.97 | 76.78 | 76.14 | 68.35 | 66.98 | 65.69 | 79.57 | 92.28 | 82.83 | 77.46 | 73.35 | 72.87 | 70.61 | 66.35 | 72 / 75      |
| NEMASSBOST   | 62.82 | 61.66 | 61.11 | 60.53 | 60.12 | 62.38 | 68.21 | 61.81 | 69.31 | 73.55 | 75.69 | 73.55 | 72.93 | 65.33 | 64    | 62.75 | 75.53 | 87.61 | 77.11 | 72.94 | 69.62 | 69.17 | 67.03 | 62.98 | 68 / 71      |
| NEWHAMPSHIRE | 61.92 | 60.78 | 60.23 | 59.66 | 59.26 | 61.49 | 67.24 | 60.93 | 68.32 | 72.5  | 74.61 | 72.5  | 71.89 | 64.4  | 63.09 | 61.85 | 74.45 | 86.36 | 76.26 | 72    | 68.63 | 68.18 | 66.07 | 62.08 | 67 / 70      |
| MAINE        | 59.37 | 58.27 | 57.75 | 57.20 | 56.82 | 58.95 | 64.47 | 58.42 | 65.51 | 69.52 | 71.54 | 69.52 | 68.94 | 61.75 | 60.49 | 59.31 | 71.21 | 80.39 | 72.82 | 68.91 | 65.80 | 65.37 | 63.34 | 59.52 | 64 / 67      |
| INTERNAL_HUB | 63.77 | 62.59 | 62.03 | 61.45 | 61.03 | 63.33 | 69.25 | 62.74 | 70.35 | 74.66 | 76.83 | 74.66 | 74.03 | 66.32 | 64.97 | 63.7  | 76.68 | 88.94 | 78.98 | 74.32 | 70.68 | 70.22 | 68.04 | 63.93 | 69 / 72      |
| DA Load (GW) | 12.4  | 12.1  | 11.9  | 11.8  | 12.0  | 11.7  | 12.2  | 12.9  | 13.8  | 14.6  | 14.7  | 14.6  | 14.1  | 13.7  | 13.6  | 13.6  | 15.6  | 16.4  | 16.1  | 15.5  | 14.9  | 13.7  | 12.1  | 11.6  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18   | HE19  | HE20  | HE21  | HE22  | HE23   | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|--------|-------|--------------|
| CONNECTICUT      | 61.21 | 64.01 | 68.58 | 63.24 | 63.92 | 71.49 | 78.15 | 84.83 | 82.66 | 89.64 | 91.10 | 83.36 | 86.64 | 85.26 | 89.29 | 76.07 | 91.99 | 103.94 | 91.49 | 89.89 | 89.46 | 83.63 | 100.25 | 93.46 | 83 / 89      |
| NEMASSBOST       | 60.01 | 62.34 | 66.27 | 61.37 | 62.22 | 69.08 | 75.65 | 81.96 | 78.7  | 84.7  | 85.59 | 78.9  | 82.49 | 81.1  | 84.94 | 72.94 | 87    | 97.75  | 85.49 | 84.32 | 84.5  | 79.14 | 95.59  | 90.38 | 79 / 84      |
| NEWHAMPSHIRE     | 58.66 | 61.17 | 65.21 | 60.4  | 61.27 | 67.98 | 74.43 | 80.65 | 76.92 | 82.78 | 83.69 | 77.24 | 80.69 | 79.44 | 83.43 | 71.79 | 85.13 | 95.67  | 83.73 | 82.63 | 82.63 | 77.39 | 93.31  | 88.22 | 77 / 82      |
| MAINE            | 56.71 | 58.94 | 62.85 | 58.57 | 59.59 | 88.00 | 72.14 | 78.15 | 72.37 | 77.22 | 77.85 | 72.07 | 75.12 | 74.05 | 78.18 | 68.51 | 79.95 | 88.83  | 77.83 | 77.04 | 76.51 | 72.16 | 88.66  | 85.51 | 74 / 77      |
| INTERNAL_HUB     | 60.55 | 63.11 | 67.29 | 62.23 | 63.03 | 70.01 | 76.5  | 82.84 | 79.71 | 85.96 | 86.96 | 80.03 | 83.51 | 82.16 | 86.06 | 73.73 | 88.1  | 98.89  | 86.62 | 85.52 | 85.67 | 80.26 | 96.86  | 91.28 | 80 / 85      |
| Forecast         | 13.05 | 12.55 | 12.31 | 12.22 | 12.43 | 12.84 | 13.64 | 14.39 | 15.36 | 15.96 | 16.33 | 16.19 | 15.81 | 15.51 | 15.32 | 15.55 | 16.68 | 17.89  | 17.74 | 17.21 | 16.59 | 15.86 | 14.84  | 13.85 | 15 / 16      |
| (RT) - (DA Load) | 1.16  | 1.25  | 1.43  | 1.46  | 1.35  | 1.60  | 1.47  | 1.68  | 1.85  | 1.73  | 1.78  | 1.83  | 2.18  | 2.27  | 2.24  | 2.38  | 1.71  | 1.96   | 2.00  | 2.12  | 2.13  | 2.50  | 2.98   | 2.37  |              |




# ISO-NE Daily Report

Report for 11/23/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 67.36 | 64.45 | 63.41 | 63.05 | 62.36 | 63.19 | 68.35 | 66.22 | 67.35 | 69.59 | 70.30 | 68.23 | 64.99 | 62.31 | 60.92 | 62.70 | 80.35 | 96.73 | 84.59 | 79.36 | 74.79 | 70.76 | 65.77 | 62.53 | 69 / 72      |
| NEMASSBOST   | 63.84 | 61.09 | 60.1  | 59.76 | 59.11 | 59.89 | 64.78 | 62.76 | 63.84 | 65.96 | 66.62 | 64.67 | 61.59 | 59.05 | 57.74 | 59.43 | 76.13 | 91.68 | 80.15 | 75.19 | 70.88 | 67.06 | 62.33 | 59.27 | 66 / 68      |
| NEWHAMPSHIRE | 62.91 | 60.2  | 59.22 | 58.89 | 58.24 | 59.02 | 63.84 | 61.85 | 62.9  | 65    | 65.65 | 63.72 | 60.69 | 58.19 | 56.89 | 58.56 | 75.02 | 90.34 | 78.98 | 74.08 | 69.85 | 66.09 | 61.42 | 58.4  | 65 / 67      |
| MAINE        | 60.25 | 57.65 | 56.72 | 56.40 | 55.78 | 56.52 | 61.14 | 59.23 | 60.25 | 62.25 | 62.88 | 61.03 | 58.13 | 55.73 | 54.49 | 56.08 | 71.84 | 86.50 | 75.62 | 70.93 | 66.90 | 63.29 | 58.83 | 55.93 | 62 / 64      |
| INTERNAL_HUB | 64.85 | 62.05 | 61.05 | 60.7  | 60.04 | 60.84 | 65.8  | 63.75 | 64.84 | 67    | 67.67 | 65.68 | 62.56 | 59.98 | 58.64 | 60.36 | 77.34 | 93.12 | 81.42 | 76.38 | 72    | 68.12 | 63.31 | 60.2  | 67 / 69      |
| DA Load (GW) | 12.2  | 12.0  | 11.9  | 11.8  | 11.8  | 11.7  | 11.9  | 12.3  | 12.8  | 13.8  | 14.0  | 13.9  | 13.8  | 13.3  | 13.2  | 13.3  | 15.3  | 15.9  | 15.7  | 15.4  | 14.5  | 13.8  | 12.5  | 11.5  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17   | HE18   | HE19   | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 65.58 | 70.95 | 85.75 | 70.82 | 75.13 | 80.18 | 81.89 | 98.65 | 67.20 | 73.70 | 83.20 | 74.74 | 70.11 | 68.88 | 71.28 | 73.45 | 138.12 | 147.59 | 104.80 | 79.14 | 71.82 | 66.61 | 68.26 | 67.49 | 81 / 85      |
| NEMASSBOST       | 63.84 | 69.47 | 83.23 | 68.59 | 72.86 | 77.86 | 78.84 | 94.19 | 64.55 | 70.63 | 79.52 | 72.09 | 67.99 | 66.85 | 69.23 | 71.1  | 132.94 | 140.69 | 99.72  | 75.42 | 69.1  | 64.24 | 66.02 | 66.28 | 79 / 82      |
| NEWHAMPSHIRE     | 62.47 | 68.27 | 81.82 | 67.58 | 71.79 | 76.68 | 77.39 | 92.67 | 63.61 | 69.56 | 78.38 | 71.23 | 67.18 | 66.07 | 68.41 | 70.34 | 131.71 | 139.28 | 98.89  | 74.71 | 68.3  | 63.44 | 65.17 | 65.33 | 78 / 81      |
| MAINE            | 61.06 | 66.59 | 79.44 | 66.00 | 70.10 | 88.00 | 74.50 | 88.77 | 61.48 | 66.71 | 75.25 | 69.33 | 65.51 | 64.25 | 66.50 | 68.57 | 127.82 | 133.44 | 94.82  | 71.68 | 65.53 | 60.71 | 63.35 | 64.50 | 76 / 78      |
| INTERNAL_HUB     | 64.45 | 70.15 | 84.29 | 69.46 | 73.73 | 78.69 | 79.78 | 95.62 | 65.32 | 71.42 | 80.47 | 72.8  | 68.57 | 67.5  | 69.91 | 71.85 | 134.18 | 142.18 | 100.92 | 76.33 | 69.76 | 64.84 | 66.68 | 66.73 | 79 / 82      |
| Forecast         | 13.11 | 12.61 | 12.37 | 12.24 | 12.37 | 12.63 | 13.21 | 13.72 | 14.59 | 15.12 | 15.55 | 15.58 | 15.47 | 15.20 | 15.07 | 15.22 | 16.50  | 18.00  | 17.90  | 17.45 | 16.79 | 15.71 | 14.44 | 13.34 | 15 / 16      |
| (RT) - (DA Load) | 1.33  | 1.45  | 1.46  | 1.30  | 1.25  | 1.50  | 1.66  | 1.94  | 2.05  | 1.57  | 1.68  | 1.83  | 1.87  | 2.19  | 2.12  | 2.32  | 1.66   | 2.30   | 2.45   | 2.27  | 2.51  | 2.08  | 2.06  | 1.93  |              |




# ISO-NE Daily Report

Report for 11/24/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 59.27 | 58.33 | 58.33 | 58.33 | 59.93 | 65.69 | 79.22 | 79.90 | 82.85 | 78.79 | 77.55 | 77.07 | 73.67 | 69.39 | 66.82 | 68.23 | 88.00 | 98.26 | 88.23 | 87.35 | 76.34 | 71.35 | 66.14 | 59.37 | 73 / 78      |
| NEMASSBOST   | 56.16 | 55.27 | 55.27 | 55.27 | 56.79 | 62.25 | 75.06 | 75.71 | 78.51 | 74.66 | 73.48 | 73.03 | 69.81 | 65.75 | 63.32 | 64.66 | 76.03 | 92.16 | 75.71 | 73.15 | 71    | 67.6  | 62.67 | 56.26 | 68 / 72      |
| NEWHAMPSHIRE | 55.31 | 54.43 | 54.43 | 54.43 | 55.93 | 61.3  | 73.92 | 74.56 | 77.32 | 73.52 | 72.37 | 71.92 | 68.75 | 64.76 | 62.35 | 63.67 | 76.09 | 91.13 | 75.85 | 73.63 | 70.14 | 66.58 | 61.72 | 55.41 | 67 / 72      |
| MAINE        | 52.91 | 52.07 | 52.07 | 52.07 | 53.50 | 58.64 | 70.71 | 71.32 | 73.80 | 70.33 | 69.22 | 68.80 | 65.76 | 61.94 | 59.65 | 60.91 | 71.41 | 82.43 | 71.05 | 68.62 | 66.85 | 63.69 | 59.04 | 53.00 | 64 / 68      |
| INTERNAL_HUB | 57.06 | 56.15 | 56.15 | 56.15 | 57.7  | 63.24 | 76.26 | 76.92 | 79.76 | 75.85 | 74.65 | 74.2  | 70.92 | 66.8  | 64.33 | 65.69 | 80.63 | 93.75 | 80.55 | 78.75 | 72.75 | 68.68 | 63.68 | 57.16 | 69 / 74      |
| DA Load (GW) | 12.1  | 12.0  | 11.7  | 11.7  | 11.9  | 12.2  | 14.2  | 14.9  | 15.0  | 15.0  | 15.3  | 14.7  | 14.7  | 14.9  | 14.9  | 14.8  | 16.6  | 17.4  | 16.9  | 15.8  | 15.6  | 14.3  | 12.6  | 11.6  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 69.44 | 71.73 | 70.22 | 67.54 | 74.55 | 76.49 | 95.71 | 89.48 | 91.28 | 89.35 | 73.71 | 74.83 | 68.90 | 77.04 | 71.09 | 71.76 | 84.66 | 84.65 | 83.07 | 82.87 | 78.46 | 69.94 | 72.14 | 60.21 | 77 / 79      |
| NEMASSBOST       | 68.11 | 70.11 | 68.55 | 66.17 | 72.94 | 74.54 | 91.42 | 84.24 | 85    | 82.7  | 69.07 | 71.25 | 66.04 | 73.57 | 67.91 | 68.69 | 80.09 | 79.06 | 77.45 | 77.79 | 74.14 | 66.89 | 69.89 | 59.42 | 74 / 75      |
| NEWHAMPSHIRE     | 67.31 | 69.64 | 68.13 | 65.8  | 72.62 | 74.1  | 90.64 | 83.79 | 84.85 | 82.53 | 68.66 | 70.45 | 65.23 | 72.78 | 66.9  | 67.68 | 78.7  | 77.67 | 76.23 | 76.64 | 73.16 | 66.24 | 69.38 | 59.01 | 73 / 74      |
| MAINE            | 66.44 | 68.62 | 67.09 | 65.17 | 71.91 | 88.00 | 88.46 | 80.49 | 81.31 | 78.16 | 65.50 | 66.99 | 61.70 | 69.40 | 64.20 | 64.81 | 74.14 | 72.78 | 71.43 | 71.74 | 69.02 | 63.80 | 67.45 | 58.93 | 71 / 70      |
| INTERNAL_HUB     | 68.8  | 71.04 | 69.5  | 66.99 | 73.85 | 75.36 | 92.48 | 85.64 | 86.85 | 84.79 | 70.55 | 72.38 | 66.97 | 74.62 | 68.83 | 69.53 | 81.21 | 80.37 | 78.87 | 79.11 | 75.31 | 67.77 | 70.65 | 59.79 | 75 / 76      |
| Forecast         | 11.97 | 11.48 | 11.23 | 11.18 | 11.47 | 12.60 | 14.80 | 16.14 | 16.55 | 16.67 | 16.77 | 16.74 | 16.62 | 16.60 | 16.51 | 16.65 | 17.81 | 18.72 | 18.45 | 17.91 | 17.10 | 15.93 | 14.32 | 12.79 | 15 / 17      |
| (RT) - (DA Load) | 1.22  | 1.42  | 1.57  | 1.58  | 1.63  | 1.75  | 1.55  | 2.01  | 2.11  | 2.05  | 1.70  | 2.10  | 1.91  | 1.60  | 1.50  | 1.83  | 1.27  | 1.39  | 1.76  | 2.26  | 1.62  | 1.63  | 1.65  | 1.39  |              |






# ISO-NE Daily Report

Report for 11/25/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 56.00 | 54.73 | 53.24 | 52.47 | 53.63 | 57.77 | 72.50 | 76.98 | 76.98 | 72.79 | 70.92 | 70.22 | 69.64 | 67.46 | 66.74 | 67.11 | 80.87 | 94.44 | 83.26 | 80.33 | 72.30 | 67.42 | 63.71 | 57.11 | 68 / 74      |
| NEMASSBOST   | 53.16 | 51.96 | 50.54 | 49.81 | 50.91 | 54.81 | 68.83 | 73.07 | 73.07 | 69.1  | 67.32 | 66.66 | 66.11 | 64.04 | 63.36 | 63.71 | 73.49 | 88.3  | 73.13 | 72.91 | 68.64 | 64    | 60.48 | 54.22 | 64 / 69      |
| NEWHAMPSHIRE | 52.44 | 51.25 | 49.85 | 49.13 | 50.22 | 54.17 | 67.89 | 72.08 | 72.08 | 68.16 | 66.4  | 65.76 | 65.21 | 63.16 | 62.5  | 62.84 | 73.03 | 87.08 | 73.1  | 71.45 | 67.7  | 63.13 | 59.65 | 53.48 | 63 / 68      |
| MAINE        | 50.31 | 49.17 | 47.83 | 47.14 | 48.18 | 56.64 | 65.13 | 69.15 | 69.15 | 65.39 | 63.71 | 63.08 | 62.56 | 60.60 | 59.96 | 60.29 | 69.45 | 80.55 | 69.04 | 67.51 | 64.95 | 60.56 | 57.23 | 51.31 | 61 / 65      |
| INTERNAL_HUB | 54    | 52.78 | 51.34 | 50.59 | 51.71 | 55.68 | 69.91 | 74.22 | 74.22 | 70.19 | 68.38 | 67.71 | 67.15 | 65.05 | 64.36 | 64.71 | 76.16 | 89.66 | 77    | 75.63 | 69.72 | 65.01 | 61.43 | 55.07 | 65 / 71      |
| DA Load (GW) | 11.4  | 11.3  | 11.1  | 11.1  | 11.3  | 11.3  | 13.6  | 14.3  | 14.6  | 14.6  | 15.0  | 15.1  | 14.9  | 14.8  | 14.7  | 16.6  | 16.9  | 16.7  | 15.8  | 15.4  | 14.1  | 12.4  | 11.1  |       |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 57.05 | 63.23 | 54.52 | 54.27 | 59.39 | 51.94 | 65.56 | 79.50 | 69.49 | 83.06 | 79.34 | 67.62 | 70.24 | 75.41 | 66.42 | 70.33 | 75.80 | 71.45 | 73.42 | 77.59 | 72.15 | 61.72 | 54.87 | 34.33 | 66 / 72      |
| NEMASSBOST       | 56.78 | 62.9  | 54.28 | 54.04 | 59.01 | 51.43 | 64.11 | 76.66 | 67.31 | 79.87 | 76.33 | 65.62 | 68.06 | 73.32 | 65.21 | 69    | 73.98 | 68.74 | 70.25 | 74.52 | 69.52 | 59.84 | 53.96 | 34.22 | 65 / 70      |
| NEWHAMPSHIRE     | 56.55 | 62.95 | 54.33 | 54.09 | 59.11 | 51.29 | 63.88 | 76.38 | 66.8  | 79.34 | 75.78 | 65.05 | 67.43 | 72.6  | 64.58 | 68.33 | 73.06 | 67.93 | 69.51 | 73.66 | 68.77 | 59.22 | 53.3  | 33.82 | 64 / 69      |
| MAINE            | 56.80 | 62.84 | 54.26 | 54.02 | 59.02 | 88.00 | 62.15 | 73.40 | 63.91 | 75.74 | 72.15 | 62.05 | 64.27 | 69.41 | 62.24 | 65.86 | 70.33 | 64.90 | 66.51 | 70.24 | 65.55 | 56.76 | 51.86 | 33.43 | 64 / 66      |
| INTERNAL_HUB     | 57.14 | 63.45 | 54.79 | 54.53 | 59.61 | 51.81 | 64.65 | 77.59 | 67.98 | 80.91 | 77.32 | 66.23 | 68.72 | 74.05 | 65.63 | 69.37 | 74.29 | 69.1  | 70.77 | 75.11 | 70.06 | 60.28 | 54.16 | 34.24 | 65 / 70      |
| Forecast         | 11.83 | 11.39 | 11.18 | 11.17 | 11.52 | 12.67 | 14.82 | 16.15 | 16.43 | 16.50 | 16.48 | 16.37 | 16.17 | 16.13 | 16.02 | 16.16 | 17.31 | 18.30 | 18.09 | 17.63 | 16.98 | 15.83 | 14.28 | 12.87 | 15 / 17      |
| (RT) - (DA Load) | 1.15  | 1.27  | 1.28  | 1.25  | 1.32  | 1.64  | 0.89  | 1.57  | 1.71  | 1.98  | 1.79  | 1.67  | 1.71  | 1.72  | 1.69  | 1.83  | 0.83  | 1.12  | 1.08  | 1.49  | 1.20  | 1.43  | 1.65  | 1.81  |              |




# ISO-NE Daily Report

Report for 11/26/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 51.16 | 48.63 | 45.67 | 45.67 | 47.81 | 53.84 | 68.28 | 71.58 | 71.70 | 72.87 | 74.32 | 70.60 | 68.99 | 65.72 | 61.23 | 63.91 | 74.00 | 85.54 | 76.76 | 72.41 | 68.59 | 63.91 | 61.74 | 56.70 | 64 / 70      |
| NEMASSBOST   | 48.61 | 46.2  | 43.39 | 43.39 | 45.42 | 51.15 | 64.87 | 68.01 | 68.12 | 69.23 | 70.61 | 67.08 | 65.54 | 62.44 | 58.17 | 60.71 | 70.31 | 81.28 | 72.93 | 68.79 | 65.17 | 60.71 | 58.65 | 53.86 | 61 / 67      |
| NEWHAMPSHIRE | 48.03 | 45.65 | 42.87 | 42.87 | 44.88 | 50.54 | 64.09 | 67.19 | 67.3  | 68.4  | 69.76 | 66.27 | 64.76 | 61.69 | 57.47 | 59.99 | 69.46 | 80.3  | 72.06 | 67.97 | 64.39 | 59.99 | 57.95 | 53.22 | 60 / 66      |
| MAINE        | 46.16 | 43.88 | 41.21 | 41.21 | 43.14 | 48.58 | 61.60 | 64.53 | 64.61 | 65.45 | 66.28 | 63.62 | 62.24 | 59.30 | 55.24 | 57.66 | 66.28 | 75.65 | 68.86 | 65.34 | 61.90 | 57.67 | 55.71 | 51.16 | 58 / 63      |
| INTERNAL_HUB | 49.37 | 46.92 | 44.07 | 44.07 | 46.13 | 51.95 | 65.88 | 69.07 | 69.18 | 70.31 | 71.71 | 68.13 | 66.57 | 63.42 | 59.08 | 61.66 | 71.41 | 82.55 | 74.07 | 69.87 | 66.18 | 61.66 | 59.57 | 54.71 | 62 / 68      |
| DA Load (GW) | 11.7  | 11.1  | 11.0  | 11.0  | 11.1  | 11.5  | 13.6  | 15.0  | 15.2  | 15.1  | 15.0  | 15.1  | 15.0  | 14.9  | 14.9  | 15.0  | 16.3  | 16.8  | 16.3  | 16.1  | 15.4  | 14.1  | 12.9  | 11.2  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 43.54 | 43.65 | 42.49 | 42.04 | 45.96 | 38.05 | 58.06 | 63.01 | 68.07 | 60.19 | 63.02 | 61.05 | 58.71 | 58.71 | 57.51 | 56.52 | 62.03 | 60.15 | 64.15 | 63.78 | 62.84 | 58.06 | 53.27 | 54.68 | 56 / 61      |
| NEMASSBOST       | 43.05 | 43.33 | 42.19 | 41.75 | 45.66 | 37.51 | 56.62 | 61.03 | 65.79 | 58.56 | 61.15 | 59.35 | 57.33 | 57.23 | 56.35 | 55.47 | 61.04 | 58.24 | 62.21 | 61.95 | 60.91 | 56.73 | 52.66 | 54.9  | 55 / 59      |
| NEWHAMPSHIRE     | 42.63 | 42.92 | 41.8  | 41.43 | 45.31 | 37.18 | 56.22 | 60.43 | 65.13 | 57.97 | 60.64 | 59.04 | 56.95 | 56.93 | 56.07 | 55.12 | 60.52 | 57.75 | 61.61 | 61.33 | 60.35 | 55.92 | 51.71 | 54.05 | 54 / 59      |
| MAINE            | 41.89 | 42.01 | 40.89 | 40.63 | 44.53 | 38.00 | 55.16 | 58.60 | 62.83 | 56.34 | 59.11 | 57.13 | 54.90 | 54.73 | 54.33 | 53.78 | 58.87 | 56.27 | 59.60 | 59.28 | 58.66 | 53.73 | 49.84 | 52.92 | 55 / 57      |
| INTERNAL_HUB     | 43.23 | 43.49 | 42.36 | 41.93 | 45.83 | 37.67 | 56.93 | 61.44 | 66.28 | 58.87 | 61.53 | 59.68 | 57.57 | 57.55 | 56.61 | 55.69 | 61.15 | 58.49 | 62.51 | 62.3  | 61.4  | 57.07 | 52.87 | 54.86 | 55 / 59      |
| Forecast         | 11.83 | 11.39 | 11.18 | 11.17 | 11.52 | 12.67 | 14.82 | 16.15 | 16.43 | 16.50 | 16.48 | 16.37 | 16.17 | 16.13 | 16.02 | 16.16 | 17.31 | 18.30 | 18.09 | 17.63 | 16.98 | 15.83 | 14.28 | 12.87 | 15 / 17      |
| (RT) - (DA Load) | 0.92  | 0.92  | 0.89  | 1.09  | 0.99  | 1.23  | 0.73  | 0.62  | 0.93  | 1.20  | 1.37  | 1.18  | 1.13  | 1.10  | 0.91  | 0.79  | 0.66  | 1.03  | 1.30  | 0.97  | 1.02  | 1.46  | 1.26  | 1.64  |              |




# ISO-NE Daily Report

## Report for 11/27/2008

Price Color Codes: <=0 >=100 >=200


### Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 53.65 | 49.33 | 45.95 | 43.46 | 45.32 | 50.69 | 53.65 | 53.65 | 64.38 | 67.90 | 70.07 | 69.01 | 61.40 | 54.35 | 52.18 | 50.83 | 58.08 | 66.49 | 61.32 | 59.07 | 56.71 | 55.28 | 50.77 | 49.12 | 56 / 59      |
| NEMASSBOST   | 51.21 | 47.09 | 43.86 | 41.49 | 43.25 | 48.38 | 51.21 | 51.21 | 61.45 | 64.82 | 66.88 | 65.87 | 58.61 | 51.88 | 49.8  | 48.52 | 55.44 | 63.46 | 58.53 | 56.39 | 54.13 | 52.77 | 48.46 | 46.89 | 53 / 57      |
| NEWHAMPSHIRE | 50.61 | 46.53 | 43.34 | 41    | 42.75 | 47.81 | 50.61 | 50.61 | 60.73 | 64.06 | 66.1  | 65.1  | 57.93 | 51.27 | 49.22 | 47.95 | 54.79 | 62.72 | 57.85 | 55.73 | 53.5  | 52.15 | 47.9  | 46.34 | 53 / 56      |
| MAINE        | 48.68 | 44.76 | 41.69 | 39.44 | 41.12 | 45.99 | 48.68 | 48.68 | 58.42 | 61.61 | 63.58 | 62.62 | 55.72 | 49.31 | 47.34 | 46.12 | 52.70 | 60.33 | 55.64 | 53.60 | 51.46 | 50.16 | 46.07 | 44.57 | 51 / 54      |
| INTERNAL_HUB | 51.94 | 47.76 | 44.49 | 42.08 | 43.88 | 49.08 | 51.94 | 51.94 | 62.34 | 65.75 | 67.84 | 66.82 | 59.45 | 52.62 | 50.52 | 49.21 | 56.24 | 64.38 | 59.37 | 57.2  | 54.91 | 53.53 | 49.16 | 47.56 | 54 / 58      |
| DA Load (GW) | 11.0  | 10.7  | 10.3  | 10.2  | 10.4  | 10.6  | 10.9  | 11.5  | 12.9  | 13.6  | 13.8  | 13.8  | 13.1  | 12.3  | 11.8  | 12.0  | 12.8  | 13.3  | 13.3  | 13.1  | 12.7  | 11.8  | 11.3  | 10.1  |              |



### Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 58.07 | 54.46 | 38.75 | 49.00 | 51.64 | 52.98 | 60.35 | 55.49 | 63.28 | 66.66 | 63.76 | 59.94 | 61.61 | 48.75 | 45.78 | 45.24 | 55.71 | 55.89 | 57.61 | 54.05 | 56.60 | 65.65 | 59.59 | 55.29 | 56 / 57      |
| NEMASSBOST       | 58.09 | 54.74 | 39.19 | 49.29 | 51.87 | 53.64 | 60.87 | 55.25 | 63.06 | 65.95 | 63.26 | 59.46 | 60.94 | 48.6  | 45.41 | 44.9  | 55.59 | 55.76 | 57.18 | 54.04 | 56.44 | 65.16 | 59.15 | 55.41 | 56 / 57      |
| NEWHAMPSHIRE     | 57.36 | 54.13 | 38.69 | 48.7  | 51.3  | 53.12 | 60.3  | 54.57 | 62.55 | 65.3  | 62.58 | 58.73 | 60.19 | 47.84 | 44.69 | 44.15 | 54.7  | 54.85 | 56.29 | 53.15 | 55.55 | 64.03 | 58.3  | 54.63 | 55 / 56      |
| MAINE            | 55.92 | 53.14 | 38.04 | 47.90 | 50.38 | 53.88 | 60.94 | 53.88 | 61.21 | 63.72 | 61.20 | 57.23 | 58.34 | 46.60 | 43.65 | 43.48 | 54.04 | 53.96 | 55.12 | 52.24 | 54.76 | 62.58 | 57.48 | 53.79 | 55 / 55      |
| INTERNAL_HUB     | 58.18 | 54.76 | 39.13 | 49.25 | 51.88 | 53.53 | 60.77 | 55.27 | 62.98 | 65.98 | 63.2  | 59.4  | 60.96 | 48.51 | 45.36 | 44.84 | 55.46 | 55.65 | 57.18 | 53.91 | 56.38 | 65.2  | 59.19 | 55.33 | 56 / 57      |
| Forecast         | 12.04 | 11.39 | 11.04 | 10.91 | 11.01 | 11.43 | 12.19 | 13.17 | 14.48 | 15.52 | 16.10 | 16.29 | 15.78 | 14.83 | 14.00 | 13.64 | 14.10 | 13.74 | 13.76 | 13.74 | 13.70 | 13.34 | 12.57 | 11.70 | 13 / 14      |
| (RT) - (DA Load) | 1.23  | 1.05  | 1.14  | 1.04  | 0.96  | 1.19  | 1.14  | 1.37  | 1.12  | 1.24  | 1.37  | 1.44  | 1.76  | 1.77  | 1.52  | 1.00  | 0.77  | 0.61  | 0.60  | 0.83  | 1.18  | 1.68  | 1.51  | 1.88  |              |




# ISO-NE Daily Report

Report for 11/28/2008

Price Color Codes: <=0 >=100 >=200


## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 46.55 | 42.94 | 45.03 | 43.37 | 45.03 | 49.97 | 53.20 | 53.32 | 57.01 | 59.01 | 64.83 | 63.93 | 59.05 | 57.14 | 56.70 | 56.15 | 69.96 | 79.28 | 71.04 | 66.05 | 62.80 | 56.96 | 53.32 | 49.17 | 57 / 62      |
| NEMASSBOST   | 44.66 | 41.19 | 43.2  | 41.61 | 43.2  | 47.94 | 51.03 | 51.15 | 54.69 | 56.61 | 62.19 | 61.33 | 56.65 | 54.81 | 54.4  | 53.87 | 67.12 | 76.04 | 68.15 | 63.36 | 60.25 | 54.64 | 51.15 | 47.17 | 54 / 59      |
| NEWHAMPSHIRE | 44.15 | 40.72 | 42.7  | 41.13 | 42.7  | 47.39 | 50.45 | 50.56 | 54.06 | 55.96 | 61.48 | 60.62 | 56    | 54.19 | 53.77 | 53.25 | 66.35 | 75.17 | 67.37 | 62.64 | 59.55 | 54.01 | 50.56 | 46.62 | 54 / 58      |
| MAINE        | 42.53 | 39.23 | 41.14 | 39.62 | 41.14 | 45.66 | 48.60 | 48.71 | 52.08 | 53.91 | 59.23 | 58.40 | 53.95 | 52.20 | 51.80 | 51.30 | 63.92 | 72.40 | 64.90 | 60.34 | 57.37 | 52.04 | 48.71 | 44.92 | 52 / 56      |
| INTERNAL_HUB | 45.22 | 41.71 | 43.74 | 42.13 | 43.74 | 48.54 | 51.67 | 51.79 | 55.37 | 57.32 | 62.97 | 62.1  | 57.35 | 55.5  | 55.08 | 54.54 | 67.96 | 77    | 69    | 64.16 | 61    | 55.33 | 51.79 | 47.76 | 55 / 60      |
| DA Load (GW) | 10.3  | 10.3  | 10.3  | 10.3  | 10.3  | 10.4  | 11.4  | 12.7  | 13.5  | 13.9  | 14.1  | 14.2  | 14.1  | 13.5  | 13.4  | 13.3  | 14.8  | 15.9  | 15.3  | 14.7  | 14.1  | 13.5  | 12.6  | 11.0  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 49.23 | 49.14 | 56.27 | 50.86 | 53.85 | 82.39 | 47.98 | 43.64 | 52.71 | 61.40 | 62.07 | 56.06 | 52.96 | 50.78 | 47.77 | 49.73 | 66.07 | 58.07 | 58.36 | 63.94 | 56.98 | 52.94 | 51.24 | 49.36 | 55 / 55      |
| NEMASSBOST       | 49.2  | 49.24 | 56.02 | 50.86 | 54.16 | 82.76 | 47.91 | 43.1  | 52.17 | 60.34 | 60.91 | 55.65 | 52.89 | 50.58 | 47.33 | 49.32 | 65.29 | 56.9  | 57.46 | 62.46 | 55.86 | 52.14 | 50.65 | 49.28 | 55 / 55      |
| NEWHAMPSHIRE     | 48.63 | 48.73 | 55.56 | 50.43 | 53.79 | 82.06 | 47.46 | 42.44 | 51.59 | 59.79 | 60.46 | 55.16 | 52.28 | 49.92 | 46.72 | 48.74 | 64.63 | 56.44 | 56.89 | 61.88 | 55.25 | 51.33 | 50.07 | 48.62 | 54 / 54      |
| MAINE            | 47.83 | 47.98 | 54.41 | 49.57 | 53.42 | 88.00 | 46.91 | 41.21 | 50.62 | 58.40 | 59.01 | 54.11 | 51.35 | 48.90 | 45.77 | 47.84 | 62.96 | 55.45 | 55.54 | 59.83 | 53.51 | 49.49 | 49.03 | 47.40 | 53 / 53      |
| INTERNAL_HUB     | 49.21 | 49.24 | 56.23 | 50.97 | 54.2  | 82.77 | 47.99 | 43.26 | 52.28 | 60.65 | 61.27 | 55.78 | 52.88 | 50.57 | 47.38 | 49.35 | 65.42 | 57.06 | 57.58 | 62.8  | 56.15 | 52.34 | 50.82 | 49.34 | 55 / 55      |
| Forecast         | 11.00 | 10.67 | 10.49 | 10.48 | 10.72 | 11.42 | 12.42 | 13.28 | 14.16 | 14.80 | 15.10 | 15.20 | 15.01 | 14.91 | 14.75 | 14.91 | 16.09 | 16.99 | 16.62 | 16.16 | 15.56 | 14.78 | 13.77 | 12.59 | 14 / 15      |
| (RT) - (DA Load) | 0.95  | 1.12  | 1.23  | 1.27  | 1.45  | 1.48  | 1.20  | 0.88  | 0.63  | 0.87  | 1.00  | 0.99  | 0.94  | 1.12  | 0.93  | 1.08  | 0.77  | 0.62  | 0.99  | 1.17  | 1.21  | 1.06  | 0.95  | 1.48  |              |




# ISO-NE Daily Report

Report for 11/29/2008

Price Color Codes: <=0 >=100 >=200

## Day-Ahead Prices and Cleared Load

|              | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT  | 50.00 | 41.28 | 42.00 | 43.45 | 43.63 | 42.27 | 50.11 | 50.36 | 55.51 | 58.37 | 58.71 | 58.38 | 54.61 | 51.78 | 50.26 | 50.85 | 68.82 | 75.32 | 66.44 | 64.61 | 58.61 | 58.61 | 53.07 | 50.36 | 54 / 58      |
| NEMASSBOST   | 48.33 | 39.91 | 40.59 | 42    | 42.17 | 40.86 | 48.44 | 48.68 | 53.66 | 56.42 | 56.76 | 56.43 | 52.79 | 50.06 | 48.59 | 49.15 | 66.52 | 72.8  | 64.22 | 62.45 | 56.65 | 56.65 | 51.3  | 48.68 | 52 / 56      |
| NEWHAMPSHIRE | 47.76 | 39.43 | 40.11 | 41.5  | 41.67 | 40.37 | 47.86 | 48.1  | 53.02 | 55.75 | 56.08 | 55.76 | 52.16 | 49.46 | 48.01 | 48.57 | 65.73 | 71.94 | 63.46 | 61.71 | 55.98 | 55.98 | 50.69 | 48.1  | 52 / 56      |
| MAINE        | 46.17 | 38.12 | 38.78 | 40.12 | 40.29 | 39.03 | 46.27 | 46.50 | 51.26 | 53.90 | 54.22 | 53.90 | 50.43 | 47.82 | 46.41 | 46.95 | 63.55 | 69.55 | 61.35 | 59.66 | 54.12 | 54.12 | 49.00 | 46.50 | 50 / 54      |
| INTERNAL_HUB | 48.82 | 40.31 | 41.01 | 42.43 | 42.6  | 41.27 | 48.93 | 49.17 | 54.2  | 56.99 | 57.33 | 57    | 53.32 | 50.57 | 49.08 | 49.65 | 67.2  | 73.54 | 64.87 | 63.08 | 57.23 | 57.23 | 51.82 | 49.17 | 53 / 57      |
| DA Load (GW) | 11.2  | 10.9  | 10.8  | 10.7  | 10.8  | 10.8  | 11.1  | 11.6  | 13.2  | 13.8  | 14.2  | 13.9  | 13.5  | 13.1  | 12.8  | 13.0  | 14.4  | 15.5  | 15.0  | 14.3  | 14.1  | 13.4  | 12.5  | 11.3  |              |



## Preliminary Real-Time Prices with Forecasted and Actual System Load

|                  | HE1   | HE2   | HE3   | HE4   | HE5   | HE6   | HE7   | HE8   | HE9   | HE10  | HE11  | HE12  | HE13  | HE14  | HE15  | HE16  | HE17  | HE18  | HE19  | HE20  | HE21  | HE22  | HE23  | HE24  | avg all/peak |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| CONNECTICUT      | 42.99 | 38.06 | 39.65 | 45.18 | 50.31 | 41.18 | 41.58 | 50.12 | 50.70 | 50.99 | 49.76 | 50.55 | 50.62 | 50.57 | 47.13 | 49.61 | 61.75 | 59.15 | 60.19 | 61.66 | 57.78 | 57.05 | 55.48 | 53.04 | 51 / 54      |
| NEMASSBOST       | 42.93 | 38.1  | 39.61 | 45.08 | 50.13 | 41.24 | 41.68 | 50.05 | 50.35 | 50.76 | 49.21 | 49.9  | 49.77 | 49.58 | 46.41 | 49.12 | 60.99 | 58.02 | 59.18 | 60.52 | 56.67 | 56.37 | 55.16 | 53.25 | 50 / 53      |
| NEWHAMPSHIRE     | 42.38 | 37.69 | 39.21 | 44.63 | 49.73 | 40.85 | 41.14 | 49.31 | 49.81 | 50.15 | 48.63 | 49.34 | 49.02 | 48.83 | 45.61 | 48.23 | 60.11 | 57.24 | 58.37 | 59.72 | 55.92 | 55.42 | 54.26 | 52.5  | 50 / 52      |
| MAINE            | 41.34 | 36.75 | 38.26 | 43.75 | 48.86 | 88.00 | 40.12 | 47.75 | 48.76 | 49.16 | 47.62 | 48.30 | 48.04 | 47.89 | 44.77 | 47.47 | 58.66 | 55.82 | 57.13 | 57.48 | 54.22 | 53.84 | 53.28 | 51.29 | 50 / 51      |
| INTERNAL_HUB     | 43.03 | 38.19 | 39.71 | 45.2  | 50.32 | 41.32 | 41.74 | 50.11 | 50.46 | 50.83 | 49.38 | 50.15 | 50.07 | 49.94 | 46.65 | 49.26 | 61.21 | 58.3  | 59.42 | 60.89 | 57.03 | 56.66 | 55.38 | 53.33 | 50 / 53      |
| Forecast         | 11.58 | 11.16 | 10.97 | 10.93 | 11.10 | 11.55 | 12.10 | 12.85 | 13.96 | 14.68 | 14.87 | 14.81 | 14.53 | 14.22 | 14.00 | 14.20 | 15.39 | 16.57 | 16.37 | 15.92 | 15.34 | 14.57 | 13.63 | 12.61 | 14 / 15      |
| (RT) - (DA Load) | 0.79  | 1.09  | 0.98  | 0.71  | 0.84  | 0.97  | 1.13  | 1.08  | 0.32  | 0.36  | 0.20  | 0.45  | 0.74  | 1.01  | 1.21  | 1.18  | 1.01  | 0.93  | 1.17  | 1.56  | 1.29  | 1.34  | 1.27  | 1.45  |              |

