UNITED STATES ARMY ILS - STANDARD INSTRUMENT APPROACH PROCEDURE

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

			TERM	IINAL ROU	ITES							MISSED A	APPROA	СН	
FROM			ТС)		COURSE /	AND DISTA	NCE	ALTITUDE	ILS: AT TI	HE DH	LOC	:	1	MILES AFTER
												OR AT			DME FIX.
										ADDITION	AL FLIGH	T DATA:			
1. PT SIDE OF CO	URSE			FT WIT	'HIN	MILES OF				(IAF)					
2.															
3. FAC: FAF	:					DIST FA	F TO MAP:		THLD:						
4. MIN. ALT:															
5. DIST TO THLD FR	OM OM:		MM:	IM:	150 H	HAT:	100 HAT:	0	GS ANT:						
6. MIN GS INCPT:						OM	:I	MM:	IM:						
7. GS ANGLE:	TCH:														
8. MSA FROM:							MINIMUMS			MAG	VAR:		EPOCH	<u>YEAR:</u>	
TAKEOFF: STAN	IDARD	SEE	FAA FORM 8	260 21 500			ALTERNA		A ILS:			LO	<u></u>		
CATEGORY ====>		A			B	FURT		C			D	LO	<u>.</u>	E	
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA		HAT/HAA	DH / MDA	VIS	HAT/HAA	DH / ME		HAT/HAA
S-ILS															
S-LOC															
CIRCLING															
	, , , , , , , , , , , , , , , , , , , ,			1	1	1	1	1		1	1	1			
NOTES:													<u> </u>		
NOTEO.															
CITY AND STATE			ELEVATION: T				FACILITY		PROCEDURE	NO. / AMDT	NO. / EF	FECTIVE D	ATE:	SUP:	
			AIRPORT NA	ME:			IDENTIFIE	:R:					ŀ	AMDT:	
														DATED:	
FAA FORM 8260	_ 11 / Eah	ruany	1995 (comr	utor gon	orated)							PAGE		OF	PAGES
		iuaiy		uter yell	sialeu)							IAUL		<u> </u>	17.020

ALL AFFECTED PROCEDURES REVIEWED?	COORDINATES OF FACILITIES	REQUIRED EFFEC	REQUIRED EFFECTIVE DATE			
YES NO						
	FLIGHT CHECKED BY					
NAME:		FIFO	DATE:			
NAME:	DEVELOPED BY	FIFO	DATE:			
		FIFO	DATE.			
	APPROVED BY					
NAME:		UNIT	DATE:			
CHANGES:						
REASONS:						