


Figure 10.1. Percentage of adults aged 18 years and older who reported ever being tested for HIV: United States, 1997-2001




DATA SOURCE: Sample Adult Core component of the 1997-2001 National Health Interview Surveys. The estimate for the year 2001 was based on data collected from January-March.

NOTES: The analysis excluded those with unknown HIV test status. Brackets indicate 95% confidence intervals (CI).

- ! In early 2001, 31.9% of U.S. adults reported having ever been tested for human immunodeficiency virus (HIV) (95% CI = 30.6%-33.2%).
- ! The annual percentages of adults who reported ever having an HIV test were 31.8% (95% CI = 31.1%-32.5%) in 1997, 30.2% (95% CI = 29.5% - 30.9%) in 1998, 32.3% (95% CI = 31.6%-33.0%) in 1999, and 32.2% (95% CI = 31.5% - 32.9%) in 2000.

Figure 10.2. Percentage of adults aged 18 years and older who had ever been tested for HIV, by sex and age group: United States, 2000




DATA SOURCE: Sample Adult Core component of the 2000 National Health Interview Survey.

NOTES: The analysis excluded 2,250 adults with unknown HIV test status. Brackets indicate 95% confidence intervals (CI).

- ! For both sexes combined, the percentage of people who ever had an HIV test was highest in adults aged 25-34 years (51.2%, 95% CI = 49.7%-52.6%) and lowest in adults aged 65 years and older (8.9%, 95% CI = 8.1%-9.6%).
- ! For adults aged 18-34 years, women were more likely than men to have ever had an HIV test, whereas for adults aged 45 and over, women were less likely than men to have ever had an HIV test.

Figure 10.3. Age-sex-adjusted percentage of adults aged 18 years and older who had ever been tested for HIV, by race/ethnicity: United States, 2000



DATA SOURCE: Sample Adult Core component of the 2000 National Health Interview Survey.

NOTES: The analysis excluded 2,250 adults with unknown HIV test status. Brackets indicate 95% confidence intervals.

! Of the three racial/ethnic groups, non-Hispanic blacks were most likely to have ever had an HIV test. The age-sex-adjusted percentages of people who ever had an HIV test were 30.3% for non-Hispanic whites, 30.1% for Hispanics, and 44.9% for non-Hispanic blacks.

Data tables for figures 10.1-10.3:

Figure 10.1. Percentage of adults aged 18 years and older who reported ever being tested for HIV: United States, 1997-2001

Year	Percent	95% Confidence interval
1997	31.8	31.1-32.5
1998	30.2	29.5-30.9
1999	32.3	31.6-33.0
2000	32.2	31.5-32.9
2001 (Jan-Mar)	31.9	30.6-33.2

Figure 10.2. Percentage of adults aged 18 years and older who had ever been tested for HIV, by sex and age group: United States, 2000

Age and Sex	Percent	95% Confidence interval
18-24 years		
Total	34.2	32.0-36.4
Men	24.7	22.0-27.3
Women	43.5	40.6-46.5
25-34 years		
Total	51.2	49.7-52.6
Men	42.7	40.5-45.0
Women	59.2	57.2-61.2
35-44 years		
Total	42.2	40.8-43.6
Men	40.7	38.6-42.9
Women	43.6	41.8-45.5

Figure 10.2. Percentage of adults aged 18 years and older who had ever been tested for HIV, by sex and age group: United States, 2000 - Continued

Age and Sex	Percent	95% Confidence interval
45-64 years		
Total	24.5	23.5-25.5
Men	27.4	25.9-28.9
Women	21.6	20.4-22.9
65 years and older		
Total	8.9	8.1-9.6
Men	12.1	10.6-13.7
Women	6.5	5.6-7.3

Figure 10.3. Age-sex-adjusted percentage of adults aged 18 years and older who had ever been tested for HIV, by race/ethnicity: United States, 2000

Race/Ethnicity	Percent	95% Confidence interval
Hispanic	30.1	28.4-31.8
Non-Hispanic white	30.3	29.6-31.1
Non-Hispanic black	44.9	42.8-47.0