TOXICOLOGICAL PROFILE FOR ENDOSULFAN

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Agency for Toxic Substances and Disease Registry

September 2000

ENDOSULFAN

DISCLAIMER

The use of company or product name(s) is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry.

ENDOSULFAN iii

UPDATE STATEMENT

Toxicological profiles are revised and republished as necessary, but no less than once every three years. For information regarding the update status of previously released profiles, contact ATSDR at:

Agency for Toxic Substances and Disease Registry Division of Toxicology/Toxicology Information Branch 1600 Clifton Road NE, E-29 Atlanta, Georgia 30333

FOREWORD

This toxicological profile is prepared in accordance with guidelines* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for the hazardous substance described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a hazardous substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a public health statement that describes, in nontechnical language, a substance's relevant toxicological properties. Following the public health statement is information concerning levels of significant human exposure and, where known, significant health effects. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to protection of public health are identified by ATSDR and EPA.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a hazardous substance to ascertain the levels of significant human exposure for the substance and the associated acute, subacute, and chronic health effects;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, subacute, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staff of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

Jeffrey P. Koplan, M.D., M.P.H.

Administrator

Agency for Toxic Substances and Disease Registry

*Legislative Background

The toxicological profiles are developed in response to the Superfund Amendments and Reauthorization Act (SARA) of 1986 (Public Law 99-499) which amended the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA or Superfund). This public law directed ATSDR to prepare toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. The availability of the revised priority list of 275 hazardous substances was announced in the *Federal Register* on November 17, 1997 (62 FR 61332). For prior versions of the list of substances, see *Federal Register* notices dated April 29, 1996 (61 FR 18744); April 17, 1987 (52 FR 12866); October 20, 1988 (53 FR 41280); October 26, 1989 (54 FR 43619); October 17,1990 (55 FR 42067); October 17, 1991 (56 FR 52166); October 28, 1992 (57 FR 48801); and February 28, 1994 (59 FR 9486). Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list.

ENDOSULFAN vii

QUICK REFERENCE FOR HEALTH CARE PROVIDERS

Toxicological Profiles are a unique compilation of toxicological information on a given hazardous substance. Each profile reflects a comprehensive and extensive evaluation, summary, and interpretation of available toxicologic and epidemiologic information on a substance. Health care providers treating patients potentially exposed to hazardous substances will find the following information helpful for fast answers to often-asked questions.

Primary Chapters/Sections of Interest

Chapter 1: Public Health Statement: The Public Health Statement can be a useful tool for educating patients about possible exposure to a hazardous substance. It explains a substance's relevant toxicologic properties in a nontechnical, question-and-answer format, and it includes a review of the general health effects observed following exposure.

Chapter 2: Health Effects: Specific health effects of a given hazardous compound are reported by *route of exposure*, by *type of health effect* (death, systemic, immunologic, reproductive), and by *length of exposure* (acute, intermediate, and chronic). In addition, both human and animal studies are reported in this section.

NOTE: Not all health effects reported in this section are necessarily observed in the clinical setting. Please refer to the Public Health Statement to identify general health effects observed following exposure.

Pediatrics: Four new sections have been added to each Toxicological Profile to address child health issues:

Section 1.6 How Can (Chemical X) Affect Children?

Section 1.7 How Can Families Reduce the Risk of Exposure to (Chemical X)?

Section 2.7 Children's Susceptibility

Section 5.6 Exposures of Children

Other Sections of Interest:

Section 2.8 Biomarkers of Exposure and Effect Section 2.11 Methods for Reducing Toxic Effects

ATSDR Information Center

Phone: 1-888-42-ATSDR or (404) 639-6357 **Fax:** (404) 639-6359

The following additional material can be ordered through the ATSDR Information Center:

Case Studies in Environmental Medicine: Taking an Exposure History—The importance of taking an exposure history and how to conduct one are described, and an example of a thorough exposure history is provided. Other case studies of interest include Reproductive and Developmental Hazards; Skin Lesions and Environmental Exposures; Cholinesterase-Inhibiting Pesticide Toxicity; and numerous chemical-specific case studies.

ENDOSULFAN viii

Managing Hazardous Materials Incidents is a three-volume set of recommendations for on-scene (prehospital) and hospital medical management of patients exposed during a hazardous materials incident. Volumes I and II are planning guides to assist first responders and hospital emergency department personnel in planning for incidents that involve hazardous materials. Volume III—Medical Management Guidelines for Acute Chemical Exposures—is a guide for health care professionals treating patients exposed to hazardous materials.

Fact Sheets (ToxFAQs) provide answers to frequently asked questions about toxic substances.

Other Agencies and Organizations

The National Center for Environmental Health (NCEH) focuses on preventing or controlling disease, injury, and disability related to the interactions between people and their environment outside the workplace. Contact: NCEH, Mailstop F-29, 4770 Buford Highway, NE, Atlanta, GA 30341-3724 • Phone: 770-488-7000 • FAX: 770-488-7015.

The National Institute for Occupational Safety and Health (NIOSH) conducts research on occupational diseases and injuries, responds to requests for assistance by investigating problems of health and safety in the workplace, recommends standards to the Occupational Safety and Health Administration (OSHA) and the Mine Safety and Health Administration (MSHA), and trains professionals in occupational safety and health. Contact: NIOSH, 200 Independence Avenue, SW, Washington, DC 20201 • Phone: 800-356-4674 or NIOSH Technical Information Branch, Robert A. Taft Laboratory, Mailstop C-19, 4676 Columbia Parkway, Cincinnati, OH 45226-1998 • Phone: 800-35-NIOSH.

The National Institute of Environmental Health Sciences (NIEHS) is the principal federal agency for biomedical research on the effects of chemical, physical, and biologic environmental agents on human health and well-being. Contact: NIEHS, PO Box 12233, 104 T.W. Alexander Drive, Research Triangle Park, NC 27709 • Phone: 919-541-3212.

Referrals

The Association of Occupational and Environmental Clinics (AOEC) has developed a network of clinics in the United States to provide expertise in occupational and environmental issues. Contact:

AOEC, 1010 Vermont Avenue, NW, #513, Washington, DC 20005 • Phone: 202-347-4976 •

FAX: 202-347-4950 • e-mail: aoec@dgs.dgsys.com • AOEC Clinic Director: http://occ-env-med.mc.duke.edu/oem/aoec.htm.

The American College of Occupational and Environmental Medicine (ACOEM) is an association of physicians and other health care providers specializing in the field of occupational and environmental medicine. Contact: ACOEM, 55 West Seegers Road, Arlington Heights, IL 60005 • Phone: 847-228-6850 • FAX: 847-228-1856.

ENDOSULFAN i

CONTRIBUTORS

CHEMICAL MANAGER(S)/AUTHORS(S):

Lori L. Miller, M.P.H. ATSDR, Division of Toxicology, Atlanta, GA

Daniel Gefell, M.S. Syracuse Research Corporation, North Syracuse, NY

Armando Avallone, B.S. Syracuse Research Corporation, North Syracuse, NY

Fernando Llados, Ph.D. Syracuse Research Corporation, North Syracuse, NY

THE PROFILE HAS UNDERGONE THE FOLLOWING ATSDR INTERNAL REVIEWS:

- 1. Health Effects Review. The Health Effects Review Committee examines the health effects chapter of each profile for consistency and accuracy in interpreting health effects and classifying end points.
- 2. Minimal Risk Level Review. The Minimal Risk Level Workgroup considers issues relevant to substance-specific minimal risk levels (MRLs), reviews the health effects database of each profile, and makes recommendations for derivation of MRLs.
- 3. Data Needs Review. The Research Implementation Branch reviews data needs sections to assure consistency across profiles and adherence to instructions in the Guidance.

ENDOSULFAN x

PEER REVIEW

A peer review panel was assembled for endosulfan. The panel consisted of the following members:

- 1. Dr. Joel Coats, Professor, Iowa State University, Department of Entomology, Ames, Iowa;
- 2. Dr. Syed GhiasUddin, Consultant, Toxicologist, Indiana Department of Environmental Management, Indianapolis, Indiana; and
- 3. Dr. Melvin Reuber, Consultant, Columbia, Maryland.

These experts collectively have knowledge of endosulfan's physical and chemical properties, toxico-kinetics, key health end points, mechanisms of action, human and animal exposure, and quantification of risk to humans. All reviewers were selected in conformity with the conditions for peer review specified in Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

Scientists from the Agency for Toxic Substances and Disease Registry (ATSDR) have reviewed the peer reviewers' comments and determined which comments will be included in the profile. A listing of the peer reviewers' comments not incorporated in the profile, with a brief explanation of the rationale for their exclusion, exists as part of the administrative record for this compound. A list of databases reviewed and a list of unpublished documents cited are also included in the administrative record.

The citation of the peer review panel should not be understood to imply its approval of the profile's final content. The responsibility for the content of this profile lies with the ATSDR.

ENDOSULFAN xiii

CONTENTS

FOREW	OKD	• • • • • • • • •		V
QUICK 1	REFERE	NCE FOR	HEALTH CARE PROVIDERS	vii
CONTRI	BUTOR	S		ix
PEER RI	EVIEW .			xi
LIST OF	TABLE	S		xix
1 PUBI	IC HEA	LTH STAT	rement	1
1.1			ULFAN?	
1.2			TO ENDOSULFAN WHEN IT ENTERS THE ENVIRONMENT?	
1.3			E EXPOSED TO ENDOSULFAN?	
1.4			SULFAN ENTER AND LEAVE MY BODY?	
1.5	HOW C	AN ENDO	SULFAN AFFECT MY HEALTH?	4
1.6			SULFAN AFFECT CHILDREN?	
1.7	HOW C	AN FAMI	LIES REDUCE THE RISK OF EXPOSURE TO ENDOSULFAN? \dots	6
1.8			DICAL TEST TO DETERMINE WHETHER I HAVE BEEN	
	EXPOS	ED TO EN	DOSULFAN?	7
1.9			ENDATIONS HAS THE FEDERAL GOVERNMENT MADE TO	
			N HEALTH?	
1.10	WHERE	E CAN I GI	ET MORE INFORMATION?	9
2 11541	THEE	ECTC		11
2. HEAI				
2.1			HEALTH EFFECTS BY ROUTE OF EXPOSURE	
2.2	2.2.1		Exposure	
	2.2.1	2.2.1.1	Death	
		2.2.1.2	Systemic Effects	
		2.2.1.3	Immunological and Lymphoreticular Effects	
		2.2.1.4	Neurological Effects	
		2.2.1.5	Reproductive Effects	
		2.2.1.6	Developmental Effects	
		2.2.1.7	Genotoxic Effects	21
		2.2.1.8	Cancer	22
	2.2.2	Oral Expo	osure	22
		2.2.2.1	Death	22
		2.2.2.2	Systemic Effects	
		2.2.2.3	Immunological and Lymphoreticular Effects	
		2.2.2.4	Neurological Effects	
		2.2.2.5	Reproductive Effects	
		2.2.2.6	Developmental Effects	
		2.2.2.7	Genotoxic Effects	
		2.2.2.8	Cancer	
	2.2.3	Dermal Ex	xposure	81

ENDOSULFAN xiv

			2.2.3.1	Death	. 81
			2.2.3.2	Systemic Effects	. 82
			2.2.3.3	Immunological and Lymphoreticular Effects	. 91
			2.2.3.4	Neurological Effects	. 92
			2.2.3.5	Reproductive Effects	. 93
			2.2.3.6	Developmental Effects	. 94
			2.2.3.7	Genotoxic Effects	. 94
			2.2.3.8	Cancer	. 94
	2.3	TOXICO	OKINETIO	CS	. 94
		2.3.1	Absorption	on	. 95
			2.3.1.1	Inhalation Exposure	. 95
			2.3.1.2	Oral Exposure	. 95
			2.3.1.3	Dermal Exposure	. 96
		2.3.2	Distributi	ion	. 97
			2.3.2.1	Inhalation Exposure	. 98
			2.3.2.2	Oral Exposure	. 98
			2.3.2.3	Dermal Exposure	101
			2.3.2.4	Other Routes of Exposure	102
		2.3.3		sm	102
		2.3.4		on and Excretion	105
			2.3.4.1	Inhalation Exposure	
			2.3.4.2	Oral Exposure	105
			2.3.4.3	Dermal Exposure	
			2.3.4.4	Other Routes of Exposure	108
		2.3.5		gically based Pharmacokinetic (PBPK)/Pharmacodynamic	
) (EGII)		dels	
	2.4			OF ACTION	111
		2.4.1		okinetic Mechanisms	111
		2.4.2		sms of Toxicity	111
	2.5	2.4.3		o-Human Extrapolations	115
	2.5			PUBLIC HEALTH	115
	2.6			SRUPTION	137
	2.7			SCEPTIBILITY	141
	2.8				145
		2.8.1		ers Used to Identify or Quantify Exposure to Endosulfan	
	2.0	2.8.2		ers Used to Characterize Effects Caused by Endosulfan	
	2.9			THAT ARE UNUSUALLY SUSCEPTIBLE	
				REDUCING TOXIC EFFECTS	
	2.11	2.11.1		REDUCING TOXIC EFFECTS	
		2.11.1		g Body Burden	
		2.11.2		g with the Mechanism of Action for Toxic Effects	
	2 12			THE DATABASE	153
	2.12	2.12.1		Information on Health Effects of Endosulfan	
		2.12.1		ntion of Data Needs	
		2.12.3	Ongoing	Studies	10/
3.	CHEN	MICAL A	AND PHY	SICAL INFORMATION	169
٠.	3.1			NTITY	
	3.2			CHEMICAL PROPERTIES	

ENDOSULFAN xv

4.	PROI	DUCTION, IMPORT/EXPORT, USE, AND DISPOSAL	181
	4.1	PRODUCTION	181
	4.2	IMPORT/EXPORT	182
	4.3	USE	183
	4.4	DISPOSAL	
5.	POTE	ENTIAL FOR HUMAN EXPOSURE	187
	5.1	OVERVIEW	
	5.2	RELEASES TO THE ENVIRONMENT	
	0.2	5.2.1 Air	
		5.2.2 Water	
		5.2.3 Soil	
	5.3	ENVIRONMENTAL FATE	
	5.5	5.3.1 Transport and Partitioning	
		5.3.2 Transformation and Degradation	
		5.3.2.1 Air	
		5.3.2.2 Water	
		5.3.2.3 Sediment and Soil	
	5.4	LEVELS MONITORED OR ESTIMATED IN THE ENVIRONMENT	
	J. ⊤	5.4.1 Air	
		5.4.2 Water	
		5.4.3 Sediment and Soil	
		5.4.4 Other Environmental Media	
	5.5	GENERAL POPULATION AND OCCUPATIONAL EXPOSURE	
	5.6	EXPOSURES OF CHILDREN	
	5.7	POPULATIONS WITH POTENTIALLY HIGH EXPOSURES	
	5.8	ADEQUACY OF THE DATABASE	
	5.6	5.8.1 Identification of Data Needs	
		5.8.2 Ongoing Studies	
		5.6.2 Oligoling Studies	211
6	ΔΝΔ	LYTICAL METHODS	213
0.	6.1	BIOLOGICAL SAMPLES	
	6.2	ENVIRONMENTAL SAMPLES	
	6.3	ADEQUACY OF THE DATABASE	
	0.3	6.3.1 Identification of Data Needs	
		6.3.2 Ongoing Studies	
		0.5.2 Oligoling studies	<i>22</i> 4
7	DECI	ULATIONS AND ADVISORIES	225
1.	KEU	ULATIONS AND ADVISORIES	223
0	DEEL	ERENCES	225
٥.	KELL	ENCES	233
٥	CI O	SSARY	279
9.	GLO	55AK1	219
۸ 1	DDENII	DICES	
ΑJ	rreini	JICES	
	٨	ATSDR MINIMAL RISK LEVELS AND WORKSHEETS	A 1
	A.	A I SUK IMINIMAL KISK LEVELS AND WUKKSHEEIS	A-I
	D	USER'S GUIDE	D 1
	B.	USER S GUIDE	D-1
	C	ACDONVMS ADDDEVIATIONS AND SYMPOLS	C^{-1}
	C.	ACRONYMS, ABBREVIATIONS, AND SYMBOLS	U-1

ENDOSULFAN xvii

LIST OF FIGURES

2-1	Levels of Significant Exposure to Endosulfan—Inhalation	. 16
2-2	Levels of Significant Exposure to Endosulfan—Oral	. 49
2-3	Proposed Metabolic Pathway for Endosulfan	103
2-4	Conceptual Representation of a Physiologically Based Pharmacokinetic (PBPK) Model for a Hypothetical Chemical Substance	110
2-5	Existing Information on Health Effects of Endosulfan	155
5-1	Frequency of NPL Sites with Endosulfan Contamination	188

ENDOSULFAN xix

LIST OF TABLES

2-1	Levels of Significant Exposure to Endosulfan—Inhalation	. 14
2-2	Levels of Significant Exposure to Endosulfan—Oral	. 27
2-3	Levels of Significant Exposure to Endosulfan—Dermal	. 83
2-4	Genotoxicity of Endosulfan In Vivo	131
2-5	Genotoxicity of Endosulfan In Vitro	132
3-1	Chemical Identity of Endosulfan	170
3-2	Chemical Identity of α-Endosulfan	171
3-3	Chemical Identity of β-Endosulfan	172
3-4	Chemical Identity of Endosulfan Sulfate	173
3-5	Physical and Chemical Properties of Endosulfan	174
3-6	Physical and Chemical Properties of α-Endosulfan	176
3-7	Physical and Chemical Properties of β-Endosulfan	177
3-8	Physical and Chemical Properties of Endosulfan Sulfate	179
6-1	Analytical Methods for Determining Endosulfan in Biological Samples	215
6-2	Analytical Methods for Determining Endosulfan in Environmental Samples	219
7-1	Regulations and Guidelines Applicable to Endosulfan	226