

8. REFERENCES

- *ACGIH. 1989. Threshold limit values and biological exposure indices for 1989-1990. American Conference of Governmental Industrial Hygienists, Cincinnati, OH, 41.
- Albrecht WN. 1987. Central nervous system toxicity of some common environmental residues in the mouse. *J Toxicol Environ Health* 21(4):405-421.
- *Alpert JR. 1982. Acute toxicity studies with 1,2,3-trichloropropane. Report to Shell Oil Co. OTS 0515726. [Unpublished study]
- *Atkinson R. 1987. A structure-activity relationship for the estimation of rate constants for the gas-phase reactions of OH radicals with organic compounds. *J Chem Kinet* 19:799-828.
- *Baier JH, Lykins BW Jr., Fronk CA, et al. 1987. Using reverse osmosis to remove agricultural chemicals from groundwater. *Am Water Works Assoc J* 79(8):55-60.
- *Barnes D, Bellin J, DeRosa C, et al. 1988. Reference dose (RfD) description and use in health risk assessments. Volume I, Appendix A: Integrated risk information system supportive documentation. Washington, DC; US Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.
- *Burka L. 1990a. Personal communication (telephone conversation) from Dr. L. Burka, Staff Scientist, National Toxicology Program, Division of Toxicology Research and Testing, to Stephen J. Bosch, Syracuse Research Corporation. March 12, 1990.
- *Burka L. 1990b. Memo to Dr. Terri Damstra on ATSDR document on 1,2,3-trichloropropane. March 29, 1990.
- *CAS. 1989. Chemical Abstracts Service, American Chemical Society, Chemical Abstracts Registry File. [Database] September 8, 1989.
- *CHEMLINE. 1989. National Library of Medicine Chemline [Database].
- *Christos T, Forshey DR, Hartstein AM. 1977. Coal mine combustion products: Ingredients of conveyor belts. *U.S. Bur Mines Rep Invest*, (RI):8235
- *Clark DG. 1977. Acute toxicity, skin and eye irritancy and skin sensitizing potential of 1,2,3-trichloropropane. Report to Shell Oil Co. OTS 0515731. [Unpublished study]

8. REFERENCES

- CLPSD. 1989. Contract Laboratory Program Statistical Database. Viar and Company, Alexandria, VA, July 12, 1989.
- *Cohen SZ, Eiden C, Lorber MN. 1986. Monitoring ground water for pesticides. In: Garner WY et al., ed. ACS Symp Ser, Washington, DC. 315:170-196.
- *Cohen SZ, Eiden C, Lorber MN. 1987. Monitoring ground water for pesticides in the U.S.A. *Schriftenr Ver Wasser-, Bodenlufthyg* 68:265-294.
- *DeWalle FB, Chian ESK. 1978. Presence of trace organics in the Delaware River and their discharge by municipal and industrial sources. *Proc Ind Waste Conf* 32:908-919.
- *Dilling WL. 1977. Interphase transfer process. II. Evaporation rates of chloromethanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions. Comparisons with theoretical predictions. *Environ Sci Technol* 11:405-409.
- *Dix KM. 1979. Toxicity of fine chemicals: preliminary studies for the detection of testicular changes in rats. Report to Shell Oil Co. OTS 0510352. [Unpublished study]
- *Dreisch FA, Munson TO. 1983. Purge-and-trap analysis using fused silica capillary column gas chromatography-mass spectrometry. *J Chromatogr Sci* 21(3):111-118.
- Drew RT, Patel JM, Lin FN. 1978. Changes in serum enzymes in rats after inhalation of organic solvents singly and in combination. *Toxicol Appl Pharmacol* 45(3):809-819.
- *Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15(1):30-38.
- *Ellerstein SM, Bertozzi ER. 1982. Polysulfides. In: Kirk-Othmer encyclopedia of chemical technology. 3rd ed. New York, NY: John Wiley and Sons, 11:814-815.
- *EPA. 1984. GC/MS analysis of organics in drinking water concentrates and advanced waste treatment concentrates. Vol. 2. Computer-printed tabulations of compound identification results for large-volume concentrates. Columbus Labs, Health Effects Research Lab, Columbus, OH. EPA/600/i-84-020B. NTIS PB85-128239.
- *EPA. 1985. Exposure analysis modeling system: reference manual for EXAMS II. U.S. Environmental Protection Agency, Environmental Research Lab, Athens, GA. EPA/600/3-85/038.

8. REFERENCES

- *EPA. 1986a. Method for the determination of organic compounds in finished drinking water and raw source water. Method Nos. 502.1, 524.1 and 524.2. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, OH.
- *EPA. 1986b. Test method for evaluating solid waste, physical/chemical methods, SW-846, Methods No. 5030 and 8010. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC.
- *EPA. 1987. Health and environmental effects document for trichloropropanes. Prepared by the Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, U.S. Environmental Protection Agency, Cincinnati, OH for the Office of Solid Waste and Emergency Response.
- *EPA. 1988a. List of halogenated organic compounds regulated under 268.32. 40 CFR 268, Appendix III. July 1, 1988.
- *EPA. 1988b. PC Gems CLOGP3 (Octanol/Water Partition Coefficient). Graphical Exposure Modeling Systems. U.S. Environmental Protection Agency, Washington, DC.
- *EPA. 1988c. Measurement of hydrolysis rate constants for evaluation of hazardous waste land disposal: Volume 3. Data on 70 chemicals. U.S. Environmental Protection Agency, Washington, DC. NTIS PB88-234 042/AS. EPA/600/S3-88/028.
- *EPA. 1989a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. Washington, DC. EPA 600/8-88-066F.
- *EPA. 1989b. CIS computer printout: 1977 Non-confidential production data from TSCA inventory. OPTS, CID, U.S. Environmental Protection Agency, Washington, DC. September 1, 1989.
- *Gangal SV. 1980. Fluorinated ethylene-propylene copolymers. In: Kirk-Othmer Encyclopedia of Chemical Technology. 3rd ed. New York, NY: John Wiley and Sons, 11:24-25.
- *Gushow TS, Quast JF. 1984. 1,2,3-Trichloropropane: Acute inhalation toxicity evaluation in male rats and mice. Report to Dow Chemical Co. OTS 0510175. [Unpublished study]
- *Hardin BD, Bond GP, Sikov MR, et al. 1981. Testing of selected workplace chemicals for teratogenic potential. *Stand J Work Environ Health* 7(Suppl 4):66-75.
- *Hawley GG. 1981. The condensed chemical dictionary. 10th ed. New York, NY: Van Nostrand Reinhold Co., 1043.

8. REFERENCES

- *Haworth S, Lawlor T, Mortelmas K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. Environ Mutagen Supplement 5(1):3-142.
- *Ho JSY. 1989. A sequential analysis for volatile organics in water by purge-and-trap capillary column gas chromatography with photoionization and electrolytic conductivity detectors in a series. J Chromatogr Sci 27:91-98.
- *HSDB. 1989. Hazardous Substance Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. Profile No. 1340. September 8, 1989.
- *IRIS. 1991. Integrated Risk Information System (IRIS). Online. Cincinnati, OH: Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, U.S. Environmental Protection Agency.
- *Ivanetich KM, Lucas S, Marsh JA, et al. 1978. Organic compounds: Their interaction with and degradation of hepatic microsomal drug -- Metabolizing enzymes in vitro. Drug Metab Dispos 6(3):218-225.
- *Jacobs LW, Zabik MJ. 1983. Importance of sludge-borne organic chemicals for land application programs. Sixth annual Madison waste conference municipal and industrial waste, September 14-15, 1983. 418-426.
- *Jensen S, Lange R, Berge G, et al. 1975. Chemistry of EDC-tar and its biological significance in the sea. Proc. R. Soc. London, Ser B, 189(1096):33-46.
- *Johannsen FR, Levinskas GJ, Rusch GM, et al. 1988. Evaluation of the subchronic and reproductive effects of a series of chlorinated propanes in the rat. I. Toxicity of the 1,2,3-trichloropropane. J Toxicol Environ Health 25(3):299-315.
- *Kawasaki M. 1980. Experience with the test scheme under the chemical control law of Japan: An approach to structure-activity correlations. Ecotox Environ Safety 4:444-454.
- *Keith LH, Garrison AW, Allen FR, et al. 1976. Identification of organic compounds in drinking water from thirteen U.S. cities. In: Keith LH, ed. Ident Anal Organic Pollut Water. Ann Arbor, MI: Ann Arbor press, 329-373.
- *Lopez-Avila V, Heath N, Hu A. 1987. Determination of purgeable halocarbons and aromatics by photoionization and Hall electrolytic conductivity detectors connected in series. J Chromatogr Sci 25(8):356-363.
- *Lykins BW Jr., Baier JH. 1985. Removal of agricultural contaminants from ground water. U.S. Environmental Protection Agency, Washington, DC. EPA/600/D-85/136.

8. REFERENCES

- *Lyman WJ, Reehl WF, Rosenblatt DH. 1982. Handbook of chemical property estimation methods. Environmental behavior of organic compounds. New York, NY: McGraw-Hill Book Co., 4-9, 5-5, 15-9 to 15-31.
- *MacKay D, Bobra A, Chan DW, et al. 1982. Vapor pressure correlations for low-volatility environmental chemicals. Environ Sci Technol 16:645-649.
- *Mahmood NA, Burka LT, Cunningham ML. 1988. Metabolism and mutagenicity of 1,2,3-trichloropropane. Pharmacologist. 30:A8.
- *Matsui S, Murakami T, Sasaki T, et al. 1975. Activated sludge degradability of organic substances in the waste water of the Kashima petroleum and petrochemical industrial complex in Japan. Prog Water Technol 7:645-659.
- *McNeill WC Jr. 1979. Trichloroethylene. In: Kirk-Othmer encyclopedia of chemical technology, 3rd ed. New York, NY: John Wiley and Sons, 5:745.
- *McOmie WA, Barnes TR. 1949. Acute and subacute toxicity of 1,2,3-trichloropropane in mice and rabbits. Fed Proc 8:319.
- *Miller RR, Quast JF, Gushow TS. 1986a. 1,2,3-Trichloropropane: 2-Week vapor inhalation study in rats and mice. Report to Dow Chemical Co. OTS 0517050. [Unpublished study]
- Miller RR, Quast JF, Momany-Pfruender JJ. 1986b. 1,2,3-Trichloropropane: 2-Week vapor inhalation study to determine the no-adverse-effect level in rats and mice. Report to Dow Chemical Co. OTS 0517055. [Unpublished study]
- Moody DE, James JL, Clawson GA, et al. 1981. Correlation among the changes in hepatic microsomal components after intoxication with alkyl halides and other hepatotoxins. Mol Pharmacol 20(3):685-693.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *NATICH. 1988. National Air Toxics Information Clearinghouse. July 1988.
- *NIOSH. 1975. NIOSH Analytical Method 1,2,3-Trichloropropane S126. National Institute for Occupational Safety and Health, Rockville, MD.
- *NIOSH. 1981. Trichloropropanes. Report 4. Report to National Institute for Occupational Safety and Health, Cincinnati, OH by Franklin Research Center, Silver Springs, MD.

8. REFERENCES

- *NIOSH. 1987. Manual of analytical methods. Vol. 1, 3rd ed. U.S. Department of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, Cincinnati, OH.
- *NIOSH. 1989. National Occupational Exposure Survey (NOES) as of March 29, 1989. National Institute for Occupational Safety and Health. Cincinnati, OH.
- *NTP. 1983a. Final report. 120-Day toxicity gavage study of 1,2,3-trichloropropane in Fischer 344 rats. Report to the National Toxicology Program by Hazelton Laboratories, [Unpublished study]
- *NTP. 1983b. Final report. 120-Day gavage toxicity study in B6C3F1 mice. 1,2,3-Trichloropropane. Report to the National Toxicology Program by Hazelton Laboratories. [Unpublished study]
- *NTP. 1991. National Toxicology Program -- technical report series no. 384. Toxicology and carcinogenesis studies of 1,2,3-trichloropropane (CAS no. 96-18-4) in F344/N rats and B6C3F1 mice (gavage studies). Research triangle Park, NC: Department of Health and Human Services, National Institute of Health. NTH publ. no. 91-2839.
- *Oki DS, Giambelluca TW. 1987. DBCP, EDB, and TCP contamination of ground water in Hawaii. Ground Water 25:693-702.
- Olson KS. 1975. Results of range finding toxicological tests on 1,2,3-trichloropropane. Report to Dow Chemical Company. OTS 0510177. [Unpublished study]
- *OSHA. 1989. U.S. Department of Labor. Occupational Safety and Health Administration. Air contaminants; final rule. 29 CFR 1910. Federal Register 54:2955 (January 19, 1989).
- Pinkerton MN, Schwebel RL. 1975. Acute toxicological properties and industrial handling hazards of crude 1,2,3-trichloropropane. Report to Dow Chemical Company. OTS 0510173. [Unpublished study]
- Pullin TG, Schwebel RL. 1958. Acute toxicological properties and industrial handling hazards of 1,2,3-trichloropropane, crude. Report to Dow Chemical Company. OTS 0510174. [Unpublished study]
- *Ramus TL, Hein SJ, Thomas LC. 1984. Determinations of chlorinated hydrocarbons by gas chromatography using response factor calibration. 3 Chromatogr 314:243-251.
- *Ratpan F, Plaurnann H. 1988. Mutagenicity of halogenated propanes and their methylated derivatives. Environ Mol Mutagen 12(2):253-260.

8. REFERENCES

- *Riddick JA, Bunger WB, Sakano TK. 1986. Organic solvents: Physical properties and methods of purification. Techniques of chemistry. 4th ed. New York, NY: Wiley-Interscience, 524.
- *Roberts TR, Stoydin G. 1976. The degradation of (Z)- and (E)-,1,3-dichloropropenes and 1,2-dichloropropane in soil. Pestic Sci 7:325-335.
- *Robinson M, McKean DL, Condie LW et al. 1989. 1,2,3-Trichloropropane (TCP) induced heart and liver toxicity. Toxicologist 9:278.
- *RTECS. 1989. Registry of Toxic Effects of Chemical Substances on-line database. U.S. Department of Health and Human Service, Public Health Service, Center for Disease Control, National Institute of Occupational Safety and Health, Research Triangle Park, NC. September 8, 1989.
- *Ruth JH. 1986. Odor thresholds and irritation levels of several chemical substances. A review. Am Ind Hyg Assoc J 47:A142-A151.
- *Saito-Suzuki R, Teramoto S, Shirasu Y. 1982. Dominant-lethal studies in rats with 1,2-dibromo-3-chloropropane and its structurally related compounds. Mutat Res 101(4):321-328.
- *Salmon AG, Jones RB, Mackrodt WC. 1981. Microsomal dechlorination of chloroethanes: Structure-reactivity relationships. Xenobiotica. 11(11):723-734.
- *Silverman L, Schulte HF, First MW. 1946. Further studies on sensory response to certain industrial solvent vapors. J Ind Hyg Toxicol 28: 262-266.
- *Silverstein RM, Bassler GC, Merrill TC. 1974. Spectrometric identification of organic compounds. 3rd ed. New York, NY: John Wiley and Sons, 239.
- *Sipes IG, Carter DE, Volp RF. 1982. Pharmacokinetics of xenobiotics: 1,2,3-Trichloropropane. Study performed for N.I.E.H.S. under Contract No. N01-ES-8-2130. [Unpublished study]
- *Smyth HF, Carpenter CP, Weil CS, et al. 1962. Range-finding toxicity data: List VI. Ind Hyg J 23:95-107.
- *SRI. 1989. 1989 Directory of chemical producers. United States of America. Standard Research International, Menlo Park, CA. 1042,
- *Stolzenberg SJ, Hine CH. 1980. Mutagenicity of 2- and 3- carbon halogenated compounds in the Salmonella/mammalian-microsome test. Environ Mutagen 2(1):59-66.

8. REFERENCES

- *STORET. 1989. STORET database. U.S. Environmental Protection Agency, Washington, D.C. September 13, 1989.
- *Stutz DR, Janusz SJ. 1988. Hazardous materials injuries. A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation. p. 300-301.
- *Swarm RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio and water solubility. Res Rev 85:17-28.
- *Tabak HK, Quave SA, Mashin CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. J Water Pollut Contr Fed 53:1503-1517.
- *Tonogai Y, Ito Y, Ogawa S, et al. 1986. Determination of dibromochloropropane and related fumigants in citrus fruit. J Food Prot 49(11):909-913.
- Tsulaya VR, Bonashevskaya TI, Zykova VV. 1977. [Toxicological characteristics of some chlorinated hydrocarbons.] Gig Sanit 8:50-53. (Russian)
- *Union Carbide Company. 1958. Range finding tests on 1,2,3-trichloropropane. OTS 0515585. [Unpublished study]
- *Van Dyke RA, Wineman CG. 1971. Enzymic dechlorination. Dechlorination of chloroethanes and propanes in vitro. Biochem Pharmacol 20(2):463-470.
- *View Database. 1989. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA, September 25, 1989.
- *Villeneuve DC, Chu I, Secours VE, et al. 1985. Results of a go-day toxicity study on 1,2,3- and 1,1,2-trichloropropane administered via the drinking water. Sci Total Environ 47:421-426.
- *Volp RF, Sipes IG, Falcoz DE, et al. 1984. Disposition of 1,2,3-trichloropropane in the Fischer-344 rat: Conventional and physiological pharmacokinetics. Toxicol Appl Pharmacol 75(1):8-17.
- *Von Der Hude W, Scheutwinkel M, Gramlich U, et al. 1987. Genotoxicity of three-carbon compounds evaluated in the SCE test In vitro. Environ Mutagen 9(4):401-410.
- *Wakeham SG, Goodwin JT, Davis AC. 1983. Distributions and fate of volatile organic compounds in Narragansett Bay, Rhode Island. Can J Fish Aquat Sci 40:304-321.

8. REFERENCES

*Weast RC. 1985. CRC handbook of chemistry and physics. 66th ed. Boca Raton, FL: CRC Press, Inc., C-444.

*Weber GL, Sipes IG. 1988. Investigations into the role of biotransformation in the covalent binding of 1,2,3-trichloropropane (TCP) to hepatic protein and DNA. Toxicologist. 8:51.

*Williams PH. 1949. Chlorine compounds, organic. In: Kirk-Othmer encyclopedia of chemical technology. 1st ed. Kirk RE, Othmer DF, ed. New York, NY: Interscience Encyclopedia, Inc., 3:775-776, 838.

Wright WH, Schaffer JM. 1932. Critical anthelmintic tests of chlorinated alkyl hydrocarbons and a correlation between the anthelmintic efficacy, chemical structure and physical properties. Am J Hyg 16:325-428.

8. REFERENCES

*Weast RC. 1985. CRC handbook of chemistry and physics. 66th ed. Boca Raton, FL: CRC Press, Inc., C-444.

*Weber GL, Sipes IG. 1988. Investigations into the role of biotransformation in the covalent binding of 1,2,3-trichloropropane (TCP) to hepatic protein and DNA. Toxicologist. 8:51.

*Williams PH. 1949. Chlorine compounds, organic. In: Kirk-Othmer encyclopedia of chemical technology. 1st ed. Kirk RE, Othmer DF, ed. New York, NY: Interscience Encyclopedia, Inc., 3:775-776, 838.

Wright WH, Schaffer JM. 1932. Critical anthelmintic tests of chlorinated alkyl hydrocarbons and a correlation between the anthelmintic efficacy, chemical structure and physical properties. Am J Hyg 16:325-428.