

9. REFERENCES

- *Abukutsa MO, Chweya JA, Mochoge BO, et al. 1993. Effect of nitrogen sources and storage on thiocyanate content of kale (*Brassica oleracea* var. *Acephala*) leaves. *Discov Innov* 5(4):367-371.
- ACGIH. 1995. 1995-1996 Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- ACGIH. 2001a. Cyanogen. Documentation of the threshold limit values for chemical substances. 7th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- ACGIH. 2001b. Cyanogen chloride. Documentation of the threshold limit values for chemical substances. 7th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- ACGIH. 2001c. Hydrogen cyanide and cyanide salts. Documentation of the threshold limit values for chemical substances. 7th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *ACGIH. 2003. Cyanide. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *Adams DJ, Takeda K, Umbach JA. 1985. Inhibitors of calcium buffering depress evoked transmitter release at the squid giant synapse. *J Physiol* 369:145-159.
- *Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27:532-537.
- *Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- Agar NS, Harley JD. 1972. Erythrocytic methaemoglobin reductases of various mammalian species. *Experientia* 28:1248-1249.
- *Agarwal PK, Kumari R. 2003. Nitroprusside in critically ill patients with aortic stenosis. *N Engl J Med* 349:811-813.
- *Agency for Toxic Substance and Disease Registry. 1989a. Health assessment for ALSCO Anaconda National priorities list. Atlanta, GA: U.S. Agency for Toxic Substance and Disease Registry. PB90100330.
- *Agency for Toxic Substances and Disease Registry. 1989b. Decision guide for identifying substance-specific data needs related to toxicological profiles. Atlanta, GA: Agency for Toxic Substances and Disease Registry, Division of Toxicology.

* Cited in text

9. REFERENCES

*Agency for Toxic Substances and Disease Registry. 1998. Public health assessment for MRI Corporation Tampa, Hillsborough County, Florida CERCLIS no. FLD088787585. July 28, 1998. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry. PB98159841.

*Agency for Toxic Substances and Disease Registry. 1999a. Public health assessment for Greenwood Chemical Company, Greenwood, Albemarle County, Virginia, Region 3. Atlanta, GA: Virginia State Department of Health, Agency for Toxic Substances and Disease Registry. PB99132987.

*Agency for Toxic Substances and Disease Registry. 1999b. Public health assessment for Byron Salvage Yard (a/k/a Byron Johnson) Byron, Ogle County, Illinois CERCLIS no. ILD010236230. May 20, 1999. Atlanta, GA: Department of Health and Human Services, Agency for Toxic Substances and Disease Registry. PB99149239.

*Agency for Toxic Substances and Disease Registry/Centers for Disease Control and Prevention. 1990. Subcommittee report on biological indicators of organ damage. Atlanta, GA: Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention.

*Agrawal V, Cherian L, Gupta VK. 1991. Extraction spectrophotometric method for the determination of hydrogen cyanide in environmental samples using 4-aminosalicylic acid. Int J Environ Anal Chem 45:235-244.

*Ahmed AE, Farooqui MYH. 1982. Comparative toxicities of aliphatic nitriles. Toxicol Lett 12:157-163.

*Aitken PG, Braitman DJ. 1989. The effects of cyanide on neural and synaptic function in hippocampal slices. Neurotoxicology 10:239-248.

*Aitken D, West D, Smith F, et al. 1977. Cyanide toxicity following nitroprusside-induced hypotension. Can Anaesth Soc J 24:651-660.

*Akcil A, Mudder T. 2003. Microbial destruction of cyanide wastes in gold mining: Process review. Biotechnol Lett 25:445-450.

Alarie Y. 2002. Toxicity of fire smoke. Crit Rev Toxicol 32(4):259-289.

*Aletor VA. 1993. Cyanide in garri. 1. Distribution of total, bound and free hydrocyanic acid in commercial garri, and the effect of fermentation time on residual cyanide content. Int J Food Sci Nutr 44(4):281-287.

Alexander K, Baskin SI. 1987. Mechanistic studies of guinea-pig liver rhodanese [Abstract]. Fed Proc 46:954.

*Allen DG, Smith GL. 1985. Intracellular calcium in metabolically depleted ferret ventricular muscle during exposure to cyanide and its removal. J Physiol 269:1-92.

*Altman PL, Dittmer DS, eds. 1974. Biological handbooks: Biology data book. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.

Aminlari M, Li A, Kunanithy V, et al. 2002. Rhodanese distribution in porcine (*Sus scrofa*) tissues. Comp Biochem Physiol B 132(2):309-313.

9. REFERENCES

*Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *J Appl Toxicol* 3:272-290.

*AMRL. 1971. The acute toxicity of brief exposures to hydrogen fluoride, hydrogen chloride, nitrogen dioxide, and hydrogen cyanide singly and in combination with carbon monoxide. Wright-Patterson Air Force Base, OH: Aerospace Medical Research Laboratory. AD751442.

*Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically-based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives*. New York, NY: Marcel Dekker Inc., 9-25.

*Andersen ME, Clewell HJ III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87:185-205.

*Andrews JM, Sweeney ES, Grey TC, et al. 1989. The biohazard potential of cyanide poisoning during postmortem examination. *J Forensic Sci* 34:1280-1284.

*Ansell M, Lewis FAS. 1970. A review of cyanide concentrations found in human organs: A survey of literature concerning cyanide metabolism, normal, non-fatal, and fatal body cyanide levels. *J Forensic Med* 17:148-155.

*APHA. 1992. Cyanide (4500-CN)/thiocyanate. Standard methods for the examination of water and wastewater, 18th edition. Washington, DC: American Public Health Association.

Arai M, Imai H, Koumura T, et al. 1999. Mitochondrial phospholipid hydroperoxide glutathione peroxidase plays a major role in preventing oxidative injury to cells. *J Biol Chem* 274:4924-4933.

*Ardelt BK, Borowitz JL, Isom GE. 1989. Brain lipid peroxidation and antioxidant protectant mechanisms following acute cyanide intoxication. *Toxicology* 56:147-154.

*Ardelt BK, Borowitz JL, Maduh EU, et al. 1994. Cyanide-induced lipid peroxidation in different organs: Subcellular distribution and hydroperoxide generation in neuronal cells. *Toxicology* 89(2):127-137.

*Arun P, Moffett JR, Ives JA, et al. 2005. Rapid sodium cyanide depletion in cell culture media: Outgassing of hydrogen cyanide at physiological pH. *Anal Biochem* 339(2):282-289.

*ASTM. 1994a. Standard test methods for thiocyanate in water. Annual book of ASTM standards. Vol. 11.02 Water(II). Philadelphia, PA: American Association for the Testing of Materials, 136-139.

*ASTM. 1994b. Standard test methods for cyanide in water- Automated method for total cyanide, dissociable cyanide and thiocyanate. Annual book of ASTM standards. Vol. 11.02 Water(II). Philadelphia, PA: American Association for the Testing of Materials, 102-111.

ASTM. 1994c. Standard test methods for cyanide in water. Annual book of ASTM standards. Vol. 11.02 Water(II). Philadelphia, PA: American Association for the Testing of Materials, 79-95.

9. REFERENCES

- *ASTM. 1999. Standard test methods for cyanides in water. In: Allen RF, Baldini NC, Donofrio PE, et al., eds. 1999 Annual book of ASTM standards. Section 11. Water and environmental technology. 11.02. West Conshohocken, PA: American Society for Testing and Materials, 78-96.
- *Atkinson R. 1989. In: Lide DR JR., ed. Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. New York, NY: American Chemical Society. American Institute of Standards and Technology, 191, 198.
- Backofen U, Matysik F, Werner G. 1996. Determination of cyanide in microsamples by means of capillary flow injection analysis with amperometric detection. *Fresenius J Anal Chem* 356:271-273.
- *Baker RR, Proctor CJ. 1990. The origins and properties on environmental tobacco smoke. *Environ Int* 16:231-245.
- *Ballantyne B. 1983a. The influence of exposure route and species on the acute lethal toxicity and tissue concentrations of cyanide. In: Hayes AW, Schnell RC, Miya TS, eds. Developments in the science and practice of toxicology. New York, NY: Elsevier Science Publishers, 583-586.
- *Ballantyne B. 1983b. Acute systemic toxicity of cyanides by topical application to the eye. *J Toxicol Cutan Ocular Toxicol* 2:119-129.
- *Ballantyne B. 1983c. Artifacts in the definition of toxicity by cyanides and cyanogens. *Fundam Appl Toxicol* 3:400-408.
- Ballantyne B. 1987a. Hydrogen cyanide as a product of combustion and a factor in morbidity and mortality from fires. In: Ballantyne B, Marrs TC, eds. Clinical and experimental toxicology of cyanides. Bristol, UK: IOP Publishing Limited, 248-291.
- Ballantyne B. 1987b. Toxicology of cyanide. In: Ballantyne B, Marrs TC, eds. Clinical and experimental toxicology of cyanides. Bristol, UK: IOP Publishing Limited, 41-126.
- *Ballantyne B. 1988. Toxicology and hazard evaluation of cyanide fumigation powders. *Clin Toxicol* 26:325-335.
- *Ballantyne B. 1994. Acute percutaneous systemic toxicity of cyanides. *J Toxicol Cutaneous Ocul Toxicol* 13(3):249-262.
- Ballantyne G, Bright J, Swanston DW, et al. 1972. Toxicity and distribution of free cyanides given intramuscularly. *Med Sci Law* 12:209-219.
- *Banerjee KK, Muthu PM. 1994. Effect of cigarette smoking on thyroid hormone homeostasis. *Indian J Med Res* 99:74-76.
- Banerjee KK, Bishayee A, Marimuthu P. 1997. Evaluation of cyanide exposure and its effect on thyroid function of workers in a cable industry. *J Occup Environ Med* 39(3):258-260.
- *Barber TR, Lutes CC, Doorn MRJ, et al. 2003. Aquatic ecological risks due to cyanide releases from biomass burning. *Chemosphere* 50:343-348.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessment. *Regul Toxicol Pharmacol* 8:471-486.

9. REFERENCES

- *Basheer S, Kut O, Prenosil J, et al. 1992. Kinetics of enzymatic degradation of cyanide. *Biotech Bioeng* 39:629-634.
- Baskin SI. 2001. The pharmacology and toxicology of cyanide and its derivatives. In: Young CA, Twidwell LG, Anderson CG, eds. *Cyanide: Social, industrial and economic aspects*. Warrendale, PA: TMS (The Minerals, Metals and Materials Society).
- Baskin S, Kirby S. 1990. Effect of sodium tetrathionate on cyanide conversion to thiocyanate by enzymatic and non-enzymatic mechanisms [Abstract]. *Toxicologist* 10:326.
- *Baskin SI, Nealley EW, Lempka JC. 1996. Cyanide toxicity in mice pretreated with diethylamine nitric oxide complex. *Hum Exp Toxicol* 15(1):13-18.
- *Baskin SI, Porter DW, Rockwood GA, et al. 1999. *In vitro* and *in vivo* comparison of sulfur donors as antidotes to acute cyanide intoxication. *J Appl Toxicol* 19:173-183.
- *Baskin SI, Wilkerson G, Blitstein AG, et al. 1987. Cardiac effects of cyanide. In: Ballantyne B, Marrs TC, eds. *Clinical and experimental toxicology of cyanides*. Bristol: IOP Publishing Limited, 62-79.
- *Bass NH. 1968. Pathogenesis of myelin lesions in experimental cyanide encephalopathy. *Neurology* 18:167-177.
- *Basu TK. 1983. High-dose ascorbic acid decreases detoxification of cyanide derived from amygdalin (laetile): Studies in guinea pigs. *Can J Physiol Pharmacol* 61:1426-1430.
- *Baud FJ, Borron SW, Bavoux E, et al. 1996. Relation between plasma lactate and blood cyanide concentrations in acute cyanide poisoning. *Br Med J* 312:26-27.
- *Baud FJ, Borron SW, Megarbane B, et al. 2002. Value of lactic acidosis in the assessment of the severity of acute cyanide poisoning. *Crit Care Med* 30(9):2044-2050.
- Beasley DMG, Glass WI. 1998. Cyanide poisoning: Pathophysiology and treatment recommendations. *Occup Med* 48(7):427-431.
- *Bedding ND, McIntyre AE, Perry R, et al. 1982. Organic contaminants in the aquatic environment. I. Sources and occurrence. *Sci Total Environ* 25:143-167.
- *Belly RT, Goodhue CT. 1976. A radiorespirometric technique for measuring the biodegradation of specific components in a complex effluent. In: Sharpley JM, Kaplan AM, eds. *Proceedings of the 3rd international biodegradation symposium, 1975*. Barking, England: Applied Science, 1103-1107.
- *Benabid MAS, Decrops M, Remy C. 1987. ^{31}P nuclear magnetic resonance *in vivo* spectroscopy of the metabolic changes induced in the awake rat brain during KCN intoxication and its reversal by hydroxocobalamin. *J Neurochem* 48:804-808.
- *Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. *Endometriosis: Advanced management and surgical techniques*. New York, NY: Springer-Verlag.
- *Berlin C. 1977. Cyanide poisoning--A challenge. *Arch Intern Med* 137:993-994.

9. REFERENCES

- Bernaudin M, Nouvelot A, MacKenzie ET, et al. 1998. Selective neuronal vulnerability and specific glial reactions in hippocampal and neocortical organotypic cultures submitted to ischemia. *Exp Neurol* 150:30-39.
- *Betts PM, Rinder DF, Fleeker JR. 1979. Thiocyanate utilization by an Arthobacter. *Can J Microbiol* 25:1277-1282.
- Bhatt HR, Linnell JC. 1987. The role of rhodanese in cyanide detoxification: Its possible use in acute cyanide poisoning in man. In: Ballantyne B, Marrs TC, eds. *Clinical and experimental toxicology of cyanides*. Bristol, UK: IOP Publishing Limited, 440-450.
- *Bhattacharya R. 1995. Therapeutic efficacy of sodium nitrite and 4-dimethylaminophenol or hydroxylamine co-administration against cyanide poisoning in rats. *Hum Exp Toxicol* 14:29-33.
- *Bhattacharya R, Lakshmana Rao PV. 1997. Cyanide induced DNA fragmentation in mammalian cell cultures. *Toxicology* 123:207-215.
- *Bhattacharya R, Lakshmana Rao PV. 2001. Pharmacological interventions of cyanide-induced cytotoxicity and DNA damage in isolated rat thymocytes and their protective efficacy in vivo. *Toxicol Lett* 119:59-70.
- *Bhattacharya R, Vijayaraghavan R. 2002. Promising role of α -ketoglutarate in protecting against the lethal effects of cyanide. *Hum Exp Toxicol* 21:297-303.
- *Bhattacharya R, Jeevaratnam K, Raza SK, et al. 1991. Cyanide antagonism in a rodent model. *Arch Toxicol Suppl* 14:231-235.
- *Bhattacharya R, Jeevaratnam K, Raza SK, et al. 1993. Protection against cyanide poisoning by the co-administration of sodium nitrite and hydroxylamine in rats. *Hum Exp Toxicol* 12:33-36.
- *Bhattacharya R, Kumar P, Sachan AS, et al. 1994. Cyanide induced changes in dynamic pulmonary mechanics in rats. *Indian J Physiol Pharmacol* 38(4):281-284.
- Bhattacharya R, Kumar D, Sugendran K, et al. 2001. Acute toxicity studies of α -ketoglutarate: A promising antidote for cyanide poisoning. *J Appl Toxicol* 21:495-499.
- Bhattacharya R, Lakshmana Rao PV, Vijayaraghavan R. 2002. In vitro and in vivo attenuation of experimental cyanide poisoning by α -ketoglutarate. *Toxicol Lett* 128:185-195.
- *Bible B, Chong C. 1975. Correlation of temperature and rainfall with thiocyanate ion content in roots of radishes grown on two soil types. *Hort Sci* 10(5):484-485.
- *Bible BB, Ju H-K, Chong C. 1980. Influence of cultivar, season, irrigation and date of planting on thiocyanate ion content in cabbages. *J Amer Soc Hort Sci* 105(1):88-91.
- *Birky MM, Clarke FB. 1981. Inhalation of toxic products from fires. *Bull NY Acad Med* 57:997-1013.
- Bismuth C, Borron SW, Baud FJ, et al. 2004. Chemical weapons: Documented use and compounds on the horizon. *Toxicol Lett* 149:11-18.

9. REFERENCES

- *Blakley RL, Coop IE. 1949. The metabolism and toxicity of cyanides and cyanogenic glycosides in sheep. II. Detoxication of hydrocyanic acid. NZ J Sci Technol 31A(3):1-16.
- *Blanc P, Hogan M, Mallin K, et al. 1985. Cyanide intoxication among silver-reclaiming workers. J Am Med Assoc 253:367-371.
- Blumer C, Haas D. 2000. Mechanism, regulation, and ecological role of bacterial cyanide biosynthesis. Arch Microbiol 173(3):170-177.
- *Bolstad-Johnson DM, Burgess JL, Crutchfield CD, et al. 2000. Characterization of firefighter exposures during fire overhaul. Am Ind Hyg Assoc J 61:636-641.
- *Bonsall JL. 1984. Survival without sequelae following exposure to 500 mg/m³ of hydrogen cyanide. Hum Toxicol 3:57-60.
- Borak J. 1995. Pharmacologic mechanism of antidotes in cyanide and nitrile poisoning. J Occup Environ Med 37:793-794.
- Borgohain R, Singh AK, Radhakrishna H, et al. 1995. Case report: Delayed onset generalised dystonia after cyanide poisoning. Clin Neurol Neurosurg 97:213-215.
- *Borowitz JL, Born GS, Isom GE. 1988. Potentiation of evoked adrenal catecholamine release by cyanide: Possible role of calcium. Toxicology 50:37-45.
- Borowitz JL, Gunasekar PG, Isom GE. 1997. Hydrogen cyanide generation by μ -opiate receptor activation: Possible neuromodulatory role of endogenous cyanide. Brain Res 768:294-300.
- Borowitz JL, Rathinavelu A, Kanthasamy A, et al. 1994. Accumulation of labeled cyanide in neuronal tissue. Toxicol Appl Pharmacol 129:80-85.
- *Bottoms SF, Kuhnert BR, Kuhnert PM, et al. 1982. Maternal passive smoking and fetal serum thiocyanate levels. Am J Obstet Gynecol 144(7):787-791.
- *Boucabeille C, Bories A, Ollivier P. 1994a. Degradation of thiocyanate by a bacterial coculture. Biotechnol Lett 16(4):425-430.
- *Boucabeille C, Bories A, Ollivier P, et al. 1994b. Microbial degradation of metal complexed cyanides and thiocyanate from mining wastewaters. Environ Poll 84(1):59-67.
- *Boxer GE, Rickards JC. 1952. Studies on the metabolism of the carbon of cyanide and thiocyanate. Arch Biochem Biophys 36:7-26.
- Brancaccio A, Cutruzzola F, Allocatelli CT, et al. 1994. Structural factors governing azide and cyanide binding to mammalian metmyoglobins. J Biol Chem 269:13843-13853.
- *Brandt-Rauf PW, Fallon LF Jr, Tarantini T, et al. 1988. Health hazards of fire fighters exposure assessment. Br J Ind Med 45:606-612.
- *Breen PH, Isserles SA, Tabac E, et al. 1996. Protective effect of stroma-free methemoglobin during cyanide poisoning in dogs. Anesthesiology 85:558-564.

9. REFERENCES

- Brierley JB. 1975. Comparison between effects of profound arterial hypotension, hypoxia, and cyanide on the brain of *Macaca mulatta*. *Adv Neurol* 10:213-221.
- *Brierley JB, Brown AW, Calverley J. 1976. Cyanide intoxication in the rat: Physiological and neuropathological aspects. *J Neurol Neurosurg Psychiatry* 39:129-140.
- Brierley JB, Prior PF, Calverley J, et al. 1977. Cyanide intoxication in *Macaca mulatta*: Physiological and neuropathological aspects. *J Neurol Sci* 31:133-157.
- *Bright JE, Marrs TC. 1987. Effect of p-aminopropiophenone (PAPP), a cyanide antidote, on cyanide given by intravenous infusion. *Hum Toxicol* 6:133-137.
- Bright JE, Marrs TC. 1988. Pharmacokinetics of intravenous potassium cyanide. *Hum Toxicol* 7:183-186.
- Brimer L, Rosling H. 1993. Microdiffusion method with solid state detection of cyanogenic glycosides from cassava in human urine. *Food Chem Toxicol* 31(8):599-603.
- *Bromley J, Hughes BGM, Leong DCS, et al. 2005. Life-threatening interaction between complementary medicines: Cyanide toxicity following ingestion of amygdalin and vitamin C. *Ann Pharmacother* 39:1566-1569.
- *Brown PD, Morra MJ. 1991. Ion chromatographic determination of SCN in soils. *J Agric Food Chem* 39:1226-1228.
- *Brown PD, Morra MJ. 1993. Fate of ionic thiocyanate (SCN-) in soil. *J Agric Food Chem* 41(6):978-982.
- *Brown PD, Morra MJ, McCaffrey JP, et al. 1991. Allelochemicals produced during glucosinolate degradation in soil. *J Chem Ecol* 17(10):2021-2034.
- *Brown PN, Jayson GG, Wilkinson MC. 1986. Determination of cyanogen and cyanogen chloride using gas chromatography with a flame ionization detector. *Chromatographia* 21:161-164.
- Brueske PJ. 1997. ED management of cyanide poisoning. *J Emerg Nurs* 23:569-573.
- *Budavari S, ed. 1989. Merck index: An encyclopedia of chemicals, drugs, and biologicals. 11th ed. Rahway, NJ: Merck & Co., Inc.
- *Burrows GE, Liu DHW, Way JL. 1973. Effect of oxygen on cyanide intoxication: V. Physiologic effects. *J Pharmacol Exp Ther* 184:739-748.
- Buzaleh AM, Vazquez EB, Batlle AMC. 1989. Cyanide intoxication--I. An oral chronic animal model. *Gen Pharmacol* 20:323-327.
- Bywood PT, Johnson SM. 2000. Dendrite loss is a characteristic early indicator of toxin-induced neurodegeneration in rat midbrain slices. *Exp Neurol* 161(1):306-316.
- Calafat AM, Stanfill SB. 2002. Rapid quantitation of cyanide in whole blood by automated headspace gas chromatography. *J Chromatogr B Analyt Technol Biomed Life Sci* 772:131-137.

9. REFERENCES

- *Cancho B, Ventura F, Galceran MT. 2000. Simultaneous determination of cyanogen chloride and cyanogen bromide in treated water at sub- $\mu\text{g}/\text{L}$ levels by a new solid-phase microextraction–gas chromatographic–electron-capture detection method. *J Chromatogr A* 897:307-315.
- *Cannon EP, Leung P, Hawkins A, et al. 1994. Antagonism of cyanide intoxication with murine carrier erythrocytes containing bovine rhodanese and sodium thiosulfate. *J Toxicol Environ Health* 41(3):267-274.
- *Cardeal ZL, Pradeau D, Hamon M. 1993. Determination of HCN by headspace gas chromatography using an improved method of standardization. *Chromatographia* 37(11-12):613-617.
- *Carella F, Grassi MP, Savoiodro M, et al. 1988. Dystonic-parkinsonian syndrome after cyanide poisoning: Clinical and MRI findings. *J Neurol Neurosurg Psychiatry* 51:1345-1348.
- Carelli V, Ross-Cisneros FN, Sadun AA. 2002. Optic nerve degeneration and mitochondrial dysfunction: Genetic and acquired optic neuropathies. *Neurochem Int* 40:573-584.
- Carini R, Autelli R, Bellomo G, et al. 1995. Sodium-mediated cell swelling is associated with irreversible damage in isolated hepatocytes exposed to hypoxia or mitochondrial toxins. *Biochem Biophys Res Commun* 206(1):180-185.
- *Carini R, Bellomo G, Grazia De Cesaris M, et al. 1997. Glycine protects against hepatocyte killing by KCN or hypoxia by preventing intracellular NA^+ overload in the rat. *Hepatology* 26(1):107-112.
- *Carlson DG, Daxenbichler ME, Van Etten CH, et al. 1985. Glucosinolates in radish cultivars. *J Am Soc Hort Sci* 110(5):634-638.
- *Carlson DG, Daxenbichler ME, Van Etten CH, et al. 1987. Glucosinolates in cruciferous vegetables: broccoli, sprouts, cauliflower, collards, kale, mustard greens, and kohlrabi. *J Am Soc Hort Sci* 112(1):173-178.
- *Carotti AA, Kaiser ER. 1972. Concentrations of twenty gaseous chemical species in the flue gas of a municipal incinerator. *J Air Pollut Control Assoc* 22:224-253.
- Cassel GE. 1995. Estimation of the convulsive effect of cyanide in rats. *Pharmacol Toxicol* 77:259-263.
- *Cassel GE, Koch M, Tiger G. 1995. The effects of cyanide on the extracellular levels of dopamine, 3,4,-dihydroxyphenylacetic acid, homovanillic acid, 5-hydroxyindoleacetic acid and inositol phospholipid breakdown in the brain. *Neurotoxicology* 16(1):73-82.
- *Cassel GE, Persson S-A, Stenstrom A. 1994. Effects of cyanide *in vitro* and the activity of monoamine oxidase in striatal tissue from rat and pig. *Biochem Pharmacol* 47(3):499-504.
- CELDs. 1994. Computer-aided Environmental Legislative Data systems. Urbana, IL: United States Army Corps of Engineers Environmental Technical Information Systems University of Illinois.
- *CEPA. 1997. Public health goal for cyanide in drinking water. California Environmental Protection Agency. www.oehha.ca.gov/water/phg/cyan_c.pdf. June 17, 2004.
- Chance B, Erecinska M. 1971. Flow flash kinetics of the cytochrome 3-oxygen reaction in coupled and uncoupled mitochondria using the liquid dye laser. *Biochem Biophys* 143(2):675-687.

9. REFERENCES

- *Chand K, Dixit ML, Arora SK. 1992. Yield and quality of forage sorghum as affected by phosphorus fertilization. *J Indian Soc Soil Sci* 40(2):302-306.
- *Chandra H, Gupta BN, Ghargava SK, et al. 1980. Chronic cyanide exposure: A biochemical and industrial hygiene study. *J Anal Toxicol* 4:161-165.
- *Chandra H, Gupta BN, Mathur N. 1988. Threshold limit value of cyanide: A reappraisal in Indian context. *Indian J Environ Protection* 8:170-174.
- *Chao KF, Liu SH, Lin-Shiau SY. 1996. Suppression of potassium currents by cyanide on the mouse motor nerve terminals. *Neurosci Lett* 203:105-108.
- Chapatwala KD, Babu GRV, Vijaya OK, et al. 1998. Biodegradation of cyanides, cyanates and thiocyanates to ammonia and carbon dioxide by immobilized cells of *Pseudomonas putida*. *J Ind Microbiol Biotechnol* 20(1):28-33.
- *Chapatwala KD, Babu GRV, Wolfram JH. 1993. Screening of encapsulated microbial cells for the degradation of inorganic cyanides. *J Ind Microbiol* 11(2):69-72.
- Chatgtopadhyay B, Gangopadhyay P, Janee Alam S. 2000. Long term effect of cyanide fumes from exposure on ventilatory pulmonary function among the workers of a metal tempering plant. *Biomedicine* 20(3):207-218.
- *Chattaraj S, Das A. 1991. Indirect determination of free cyanide in industrial waste effluent by atomic absorption spectrometry. *Analyst (London)* 116(7):739-741.
- *Chattaraj S, Das AK. 1992. Indirect determination of thiocyanate in biological fluids using atomic absorption spectrometry. *Spectrochica Acta* 47(5):675-680.
- Chaturvedi AK, Sanders DC, Endecott BR, et al. 1995. Exposures to carbon monoxide, hydrogen cyanide and their mixtures: Interrelationship between gas exposure concentration, time to incapacitation, carboxyhemoglobin and blood cyanide in rats. *J Appl Toxicol* 15(5):357-363.
- Chaturvedi AK, Smith DR, Canfield DV. 2001. Blood carbon monoxide and hydrogen cyanide concentrations in the fatalities of fire and non-fire associated civil aviation accidents, 1991-1998. *Forensic Sci Int* 121:183-188.
- *Chen KK, Rose CL. 1952. Nitrite and thiosulfate therapy in cyanide poisoning. *J Am Med Assoc* 149:113-119.
- *Chen S-H, Wu S-M, Kou H-S, et al. 1994. Electron-capture gas chromatographic determination of cyanide, iodide, nitrite, sulfide and thiocyanate anions by phase-transfer-catalyzed derivatization with pentafluorobenzyl bromide. *J Anal Toxicol* 18(2):81-85.
- *Chen Y, Pederson LL, Lefcoe NM. 1990. Exposure to environmental tobacco smoke (ETS) and serum thiocyanate level in infants. *Arch Environ Health* 45(3):163-167.
- *Chepiga TA, Morton MJ, Murphy PA, et al. 2000. A comparison of the mainstream smoke chemistry and mutagenicity of a representative sample of the U.S. cigarette market with two Kentucky reference cigarettes (K1R4F and K1R5F). *Food Chem Toxicol* 38:949-962.

9. REFERENCES

- *Cherian MA, Richmond I. 2000. Fatal methane and cyanide poisoning as a result of handling industrial fish: A case report and review of the literature. *J Clin Pathol* 53:794-795.
- *Cherryholmes KL, Cornils WJ, McDonald DB, et al. 1985. Biological degradation of complex iron cyanides in natural aquatic systems. In: Cardwell RD, Purdy R, Bahner RC, eds. *Aquatic toxicology and hazard assessment seventh symposium*. ASTM STP 854. Philadelphia, PA: American Society for Testing and Material, 502-511.
- *Chin RG, Calderon Y. 2000. Acute cyanide poisoning: A case report. *J Emerg Med* 18:441-445.
- *Chinaka S, Takayama N, Michigami Y, et al. 1998. Simultaneous determination of cyanide and thiocyanate in blood by ion chromatography with fluorescence and ultraviolet detection. *J Chromatogr B Biomed Sci Appl* 713:353-359.
- *Chinaka S, Tanaka S, Takayama N, et al. 2001. High-sensitivity analysis of cyanide by capillary electrophoresis with fluorescence detection. *Anal Sci* 17:649-652.
- *Choi W, Han S. 2002. Effects of melatonin on KCN-induced neurodegeneration in mice. *Int J Neurosci* 112(2):187-194.
- Chou Y. 1998. Corticosterone exacerbates cyanide-induced cell death in hippocampal cultures: Role of astrocytes. *Neurochem Int* 32:219-226.
- *Cicerone RJ, Zellner R. 1983. The atmospheric chemistry of hydrogen cyanide (HCN). *J Geophys Res* 88:10689-10696.
- *Clewel HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1:111-113.
- *Cliff J, Lundquist P, Rosling H, et al. 1986. Thyroid function in a cassava-eating population affected by epidemic spastic paraparesis. *Acta Endocrinol (Copenh)* 113:523-528.
- CLPSD. 1989. Contract Laboratory Program Statistical Database. July 12, 1989.
- CMR. 1982. Chemical profile: Hydrogen cyanide. *Chemical Marketing Reporter*, October 11, 1982, 62.
- CMR. 1990. Chemical profile: Hydrogen cyanide. *Chemical Marketing Reporter*, June 18, 1990, 54.
- *CMR. 1993. Chemical profile: Hydrogen cyanide. *Chemical Marketing Reporter*, May 24, 1993.
- *CMR. 2001. Chemical profile: Hydrogen cyanide. *Chemical Market Reporter*, November 6, 2001. <http://www.the-innovation-group.com/chemprofile.htm>. June 14, 2004.
- Cohrssen B. 2001. Cyanides and nitriles. In: Bingham E, Cohrssen B, Powell CH, eds. *Patty's toxicology*. John Wiley and Sons, Inc. http://www.mrw.interscience.wiley.com/pattys/tox/articles/tox061/sec1_1.html. May 28, 2004.

9. REFERENCES

- *Colborn T, Clement C. 1992. Chemically induced alterations in sexual and functional development. The Wildlife/Human Connection. In: Advances in modern environmental toxicology. Volume XXI. Princeton, NJ: Princeton Scientific Publishing Co.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.
- Collins JF, Alexeef GV, Lewis DC, et al. 2004. Development of acute inhalation reference exposure levels (RELs) to protect the public from predictable excursions of airborne toxicants. *J Appl Toxicol* 24(2):155-166.
- Cook TM. 1996. Plasma lactate and blood cyanide in acute cyanide poisoning: Confounding factors should have been considered. *Br Med J* 312:1039.
- Cooper M, Powers K, Rusnack R, et al. 1998. Cyanide ingestion: Preventing the cascade. *Dimens Crit Care Nurs* 17:83-90.
- *Cotton FA, Wilkinson G. 1980. Advanced inorganic chemistry. A comprehensive text. 4th ed. New York: John Wiley and Sons, 367-369.
- CRISP. 1990. Crisp Data Base, National Institutes of Health. July, 1990.
- Criteria Group for Occupational Standards. 2001. Consensus report for hydrogen cyanide, sodium cyanide and potassium cyanide. In: Montelius J, ed. Scientific basis for Swedish occupational standards XXII. Stockholm, Sweden: National Institute for Working Life, 43-59.
- *Croen LA, Shaw GM, Sanbonmatsu L, et al. 1997. Maternal residential proximity to hazardous waste sites and risk for selected congenital malformations. *Epidemiology* 8:347-354.
- *Crutzen PJ, Andreae M. 1990. Biomass burning in the tropics: Impact on atmospheric chemistry and biogeochemical cycles. *Science* 250:1669-1678.
- *Crutzen PJ, Carmichael GR. 1993. Modeling the influence of fires on atmospheric chemistry. In: Crutzen PJ, Goldammer JG, eds. Fire in the environment: The ecological, atmospheric and climatic importance of vegetation fires. John Wiley and Sons, Ltd., 89-105.
- *Cruz M, Kaiser A, Rowxhat PG, et al. 1974. Absorption and transformation of HCN on the surface of copper and calcium montmorillonite. *Clays Clay Mineral* 22:417-425.
- *Cruz-Landeira A, Lopez-Rivadulla M, Concheiro-Carro L, et al. 2000. A new spectrophotometric method for the toxicological diagnosis of cyanide poisoning. *J Anal Toxicol* 24(4):266-270.
- *Csikal NJ, Barnard AJ, Jr. 1983. Determination of total cyanide in thiocyanate containing wastewaters. *Anal Chem* 55:1677-1682.
- Cummings TF. 2004. In depth review: The treatment of cyanide poisoning. *Occup Med* 54(2):82-85.
- *Curry SC. 1992. Hydrogen cyanide and inorganic cyanide salts. In: Sullivan JB, Krieger GR, eds. Hazardous materials toxicology: Clinical principles of environmental health. Baltimore, MD: Williams & Wilkins, 698-710.

9. REFERENCES

- *Curry SC, Carlton MW, Raschke RA. 1997. Prevention of fetal and maternal cyanide toxicity from nitroprusside with coinfusion of sodium thiosulfate in gravid ewes. *Anesth Analg* 84:1121-1126.
- *Dahl AR. 1989. The cyanide-metabolizing enzyme rhodanese in rat nasal respiratory and olfactory mucosa. *Toxicol Lett* 45:199-205.
- Daly MD, Jones JFX. 1998. Respiratory modulation of carotid and aortic body reflex left ventricular inotropic responses in the cat. *J Physiol* 509:895-907.
- Davey GP, Clark JB. 1996. Threshold effects and control of oxidative phosphorylation in nonsynaptic rat brain mitochondria. *J Neurochem* 66:1617-1624.
- Davey GP, Canevari L, Clark JB. 1997. Threshold effects in synaptosomal and nonsynaptic mitochondria from hippocampal CA1 and paramedian neocortex brain regions. *J Neurochem* 69:2564-2570.
- Dawson R, Felheim R, Nguyen S. 1995. Mechanism of sodium nitroprusside-mediated inhibition of aromatic amino acid decarboxylase activity. *Pharmacology* 50:74-85.
- *Daya S, Walker RB, Anoopkumar-Dukie S. 2000. Cyanide-induced free radical production and lipid peroxidation in rat brain homogenate is reduced by aspirin. *Metab Brain Dis* 15:203-210.
- *De Flora S. 1981. Study of 106 organic and inorganic compounds in the *Salmonella*/microsome test. *Carcinogenesis* 2:283-298.
- *De Flora S, Camoirano A, Zanacchi P, et al. 1984. Mutagenicity testing with TA97 and TA102 of 30 DNA-damaging compounds, negative with other *Salmonella* strains. *Mutat Res* 134:159-165.
- *Delange F, Ermans AM. 1971. Role of a dietary goitrogen in the etiology of endemic goiter on Idjwi Island. *Am J Clin Nutr* 24:1354-1360.
- De Lorenzo RA. 1999. Cyanide: The deadly terror weapon that every EMS provider must know about. *JEMS* 24(10):54-58, 60-61, 64-65.
- *Devlin DJ, Mills JW, Smith RP. 1989a. Histochemical localization of rhodanese activity in rat liver and skeletal muscle. *Toxicol Appl Pharmacol* 97:247-255.
- *Devlin DJ, Smith RP, Thron CD. 1989b. Cyanide metabolism in the isolated, perfused, bloodless hindlimbs or liver of the rat. *Toxicol Appl Pharmacol* 98:338-349.
- Dierickx PJ. 2003. Evidence for delayed cytotoxicity effects following exposure of rat hepatoma-derived Fa32 cells: Implications for predicting human acute toxicity. *Toxicol in Vitro* 17:797-801.
- Dirikolu L, Hughes C, Harkins D, et al. 2003. The toxicokinetics of cyanide and mandelonitrile in the horse and their relevance to the mare reproductive loss syndrome. *Toxicol Mech Methods* 13:199-211.
- Djerad A, Monier C, Houzé P, et al. 2001. Effects of respiratory acidosis and alkalosis on the distribution of cyanide into the rat brain. *Toxicol Sci* 61(2):273-282.
- Djuric D, Raicevic P, Konstantinovic I. 1962. Excretion of thiocyanates in urine of smokers. *Arch Environ Health* 5:12-15.

9. REFERENCES

- D'Mello GD. 1987. Neuropathological and behavioural sequelae of acute cyanide toxicosis in animal species. In: Ballantyne B, Marrs TC, eds. Clinical and experimental toxicology of cyanides. Bristol, UK: IOP Publishing Limited, 156-183.
- *DOA. 1976. Estimates of the toxicity of hydrocyanic acid vapors in man. Aberdeen Proving Ground, MD: Department of the Army. EBTR76023. ADA028501.
- *Dodds C, McKnight C. 1985. Cyanide toxicity after immersion and the hazards of dicobalt edetate. Br Med J 291:785-786.
- *Dodds RG, Penney DG, Sutariya BB. 1992. Cardiovascular, metabolic and neurologic effects of carbon monoxide and cyanide in the rat. Toxicol Lett 61(2-3):243-254.
- *Doherty PA, Ferm VH, Smith RP. 1982. Congenital malformations induced by infusion of sodium cyanide in the Golden hamster. Toxicol Appl Pharmacol 64:456-464.
- *Doherty PA, Smith RP, Ferm VH. 1983. Comparison of the teratogenic potential of two aliphatic nitriles in hamsters: Succinonitrile and tetramethylsuccinonitrile. Fundam Appl Toxicol 3:41-48.
- *Dolzine TW, Esposito GG, Rinehart DS. 1982. Determination of hydrogen cyanide in air by ion chromatography. Anal Chem 54:470-473.
- do Nascimento PC, Bohrer D, Carvalho LM. 1998. Cyanide determination in biological fluids using a microdiffusion method with a flow system and polarographic detection. Analyst 123(5):1151-1154.
- Dorea JG. 2004. Maternal thiocyanate and thyroid status during breast feeding. J Am Coll Nutr 23(2):97-101.
- Dou Y, Olson JS, Wilkinson AJ, et al. 1996. Mechanism of hydrogen cyanide binding to myoglobin. Biochemistry 35:7107-7113.
- Downing JEG. 1997. Transient block of respiratory chain by cyanide triggers NADPH-diaphorase activity (a marker for nitric oxide synthase) in Dunning rat prostatic epithelium. Cancer Lett 121:91-97.
- *Drawbaugh RB, Marrs TC. 1987. Interspecies differences in rhodanese (thiosulfate sulfurtransferase, EC 2.8.1.1) activity in liver, kidney and plasma. Comp Biochem Physiol 86B:307-310.
- *Drikas M, Routley BI. 1988. Spectrophotometric method for the determination of total cyanide in wastewater samples. Analyst 113:1273-1276.
- *Drinker P. 1932. Hydrocyanic acid gas poisoning by absorption through the skin. J Ind Hyg 14:1-2.
- *Dudley HC, Sweeney TR, Miller JW. 1942. Toxicology of acrylonitrile (vinyl cyanide). II: Studies of effects of daily inhalation. J Ind Hyg Toxicol 24:255-258.
- Duboudin C, Ciffroy P, Magaud H. 2004. Acute-to-chronic species sensitivity distribution extrapolation. Environ Toxicol Chem 23(7):1774-1785.
- *Dufour DL. 1988. Dietary cyanide intake and serum thiocyanate levels in Tukanoan Indians in Northwest Amazonia. Am J Phys Anthropol 75:205.

9. REFERENCES

*Dumas P, Gingras G, LeBlanc A. 2005. Isotope dilution-mass spectrometry determination of blood cyanide by headspace gas chromatography. *J Anal Toxicol* 29(1):71-75.

*Egekeze JO, Oehme FW. 1979. Direct potentiometric method for the determination of cyanide in biological materials. *J Anal Toxicol* 3:119-124.

*El Ghawabi SH, Gaafar MA, El-Saharti AA, et al. 1975. Chronic cyanide exposure: A clinical, radioisotope, and laboratory study. *Br J Ind Med* 32:215-219.

*Ellenhorn MJ, Barceloux DG. 1997. Respiratory toxicology: Cyanide poisoning. In: Ellenhorn MJ, Barceloux DG, eds. *Ellenhorn's medical toxicology: Diagnosis and treatment of human poisoning*. New York, NY: Elsevier Science Publishing Company, Inc., 1476-1482.

Engel RR, Delpy DT, Parker D. 1979. The effect of topical potassium cyanide on transcutaneous gas measurements. *Birth Defects* 15:117-121.

EPA. 1971. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.

EPA. 1973. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136.3.

EPA. 1974. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 424 Subpart B.

*EPA. 1975a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 424 Subpart D.

*EPA. 1975b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 185.3600.

EPA. 1976. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.3.

EPA. 1978a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.

EPA. 1978b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 152.175.

*EPA. 1978c. Reviews of the environmental effects of pollutants. V. Cyanide. Cincinnati, OH: U.S. Environmental Protection Agency Health Effects Research Laboratory, Office of Research and Development. PB289920.

*EPA. 1978d. Method 335.3. Cyanide, total (colorimetric, automated UV). Cincinnati, OH: U.S. Environmental Protection Agency. National Environmental Methods Index. <http://www.nemi.gov>. August 30, 2004.

*EPA. 1979. Cyanides. In: Water-related environmental fate of 129 priority pollutants. Vol. 1. Washington, DC: U.S. Environmental Protection Agency, Office of Water Planning and Standards, Office of Water and Waste Management. EPA440479029a. PB80204373. 12-1-12-12.

*EPA. 1980a. Water quality criteria documents: Availability. U.S. Environmental Protection Agency. Fed Regist 45:79318-79379.

EPA. 1980b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.

9. REFERENCES

*EPA. 1980c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264 App. 1.

EPA. 1980d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 265 App. 1.

*EPA. 1980e. Method 335.2. Cyanide, total (titrimetric; spectrophotometric). Cincinnati, OH: U.S. Environmental Protection Agency. National Environmental Methods Index. www.nemi.gov. August 30, 2004.

EPA. 1981a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403.12.

EPA. 1981b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.

*EPA. 1981c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.

EPA. 1981d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, App V.

*EPA. 1981e. Exposure and risk assessment for cyanide. Washington, DC: U.S. Environmental Protection Agency. Office of Water. EPA440485008. PB85220572.

EPA. 1982a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 415.

EPA. 1982b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 420.

EPA. 1982c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 423, App A.

EPA. 1982d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 465.

EPA. 1982e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264.316.

EPA. 1982f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 712.30.

*EPA. 1983a. Methods for chemical analysis of water and wastes. Method 335.2. Cyanide, total. Cincinnati, OH: Environmental Monitoring and Support Laboratory, U.S. Environmental Protection Agency.

EPA. 1983b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.489.

EPA. 1983c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122.

EPA. 1983d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 433, Subpart A.

EPA. 1983e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 439.

EPA. 1983f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 467.

9. REFERENCES

*EPA. 1984a. Health effects assessment for cyanide. Washington, DC: U.S. Environmental Protection Agency. EPA540186011.

EPA. 1984b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403.7.

EPA. 1984c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403, App. E.

EPA. 1984d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 421.

EPA. 1984e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 461, Subpart G.

EPA. 1984f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, App IX.

EPA. 1984g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 300, App C.

*EPA. 1985a. Ambient water quality for cyanide - 1984. Washington, DC: Office of Water Regulations and Standards, Criteria and Standards Division. EPA440584028. PB85227460.

EPA. 1985b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 123.45.

EPA. 1985c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 421.

EPA. 1985d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 471.

EPA. 1985e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.

EPA. 1985f. Physical and chemical properties and categorization of RCRA wastes according to volatility. Springfield, VA: U.S. Environmental Protection Agency. PB85204527.

EPA. 1986a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3.

EPA. 1986b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.

*EPA. 1987a. Extremely hazardous substances list and threshold planning quantities: Emergency planning and release notification requirements. U.S. Environmental Protection Agency. Fed Regist 52:13378-13410.

EPA. 1987b. List (Phase 1) of hazardous constituents for ground-water monitoring. U.S. Environmental Protection Agency. Fed Regist 52:25942-25953.

EPA. 1987c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.32.

EPA. 1987d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.

EPA. 1987e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, App IX.

9. REFERENCES

EPA. 1987f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355, App. A.

EPA. 1987g. Drinking water criteria document for cyanide. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.

EPA. 1988a. Environmental Protection Agency. Calcium cyanide: Tolerances for residues. Code of Federal Regulations. 40 CFR 180.125.

EPA. 1988b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, App. VIII.

*EPA. 1988c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.43.

EPA. 1988d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.

EPA. 1989a. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA600888066F.

EPA. 1989b. Land disposal restrictions for third scheduled wastes: Proposed rule. U.S. Environmental Protection Agency. Fed Regist 54:48515-48518.

EPA. 1989c. Reportable quantity adjustments: Delisting of ammonium thiosulfate. U.S. Environmental Protection Agency. Fed Regist 54:33426-33484.

*EPA. 1990a. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600890066A

EPA. 1990b. Summary review of health effects associated with hydrogen cyanide: Health issue assessment. Research Triangle Park, NC: Environmental Criteria and Assessment Office, U.S. Environmental Protection Agency. EPA600890002F.

EPA. 1990c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.617.

EPA. 1990d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.667.

EPA. 1990e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122.26.

EPA. 1990f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.3.

EPA. 1990g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 300.915.

*EPA. 1991a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.

EPA. 1991b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258, App II.

EPA. 1991c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266, App VII.

9. REFERENCES

EPA. 1992a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.3.

EPA. 1992b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.

EPA. 1992c. Method 9010A. Total and amenable cyanide. Test methods for evaluating solid waste, physical/chemical methods, SW-846. 3rd edition. Washington, DC: U.S. Environmental Protection Agency.

EPA. 1992d. Method 9013. Cyanide extraction procedure for solids and oils. Test methods for evaluating solid waste, physical/chemical methods, SW-846. 3rd edition. Washington, DC: U.S. Environmental Protection Agency.

*EPA. 1992e. Drinking water criteria document for cyanide. Washington, DC: U.S. Environmental Protection Agency. PB92173319.

*EPA. 1992f. U.S. Environmental Protection Agency. Fed Regist 57:26248.

EPA. 1993a. U.S. Environmental Protection Agency. Fed Regist 58:20802.

EPA. 1993b. U.S. Environmental Protection Agency. Fed Regist 58:65622.

EPA. 1993c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.37.

EPA. 1993d. U.S. Environmental Protection Agency. Fed Regist 58:48092.

EPA. 1993e. U.S. Environmental Protection Agency. Fed Regist 58:54702.

EPA. 1993f. U.S. Environmental Protection Agency. Fed Regist 58:4836.

*EPA. 1993g. Toxic Chemical Release Inventory Reporting Form R and Instructions. Revised 1992 Version. Washington, DC: U.S. Environmental Protection Agency. Office of Pollution Prevention and Toxics.

*EPA. 1993h. Methods for the determination of inorganic substances in environmental samples. U.S. Environmental Protection Agency, Office of Research and Development. EPA600R93100.

EPA. 1994a. U.S. Environmental Protection Agency. Fed Regist 59:5504.

EPA. 1994b. U.S. Environmental Protection Agency. Fed Regist 59:6332.

*EPA. 1994c. Technical report: Treatment of cyanide heap leaches and tailings. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste. EPA530R94037. PB94201837.

EPA. 1995. Drinking water regulations and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water.

*EPA. 1996. Method 9012A. Total and amenable cyanide (automated colorimetric, with off-line distillation). Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste Methods Team.

9. REFERENCES

*EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.

*EPA. 1998. Status of pesticides in registration reregistration and special review (Rainbow report). Washington, DC: U.S. Environmental Protection Agency, Special Review and Reregistration Division, Office of Pesticide Programs.

*EPA. 1999. A review of contaminant occurrence in public water systems. Washington, DC: U.S. Environmental Protection Agency. EPA816R99006.

*EPA. 2001. Consolidated list of chemicals subject to the Emergency Planning and Community Right-to-Know Act (EPCRA) and Section 112(r) of the Clean Air Act. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. EPA550B01003.

*EPA. 2004a. Drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency. EPA 822R04005.

<http://www.epa.gov/waterscience/drinking/standards/dwstandards.pdf>. June 06, 2004.

*EPA. 2004b. Chemical accident prevention provisions: List of substances. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 68.130.
<http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004c. Chemical accident prevention provisions: Table of toxic endpoints. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 68, Appendix A.
<http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004d. Designation, reportable quantities, and notification: Designation of hazardous substance. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
<http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004e. Emergency planning and notification: The list of extremely hazardous substances and their threshold planning quantities. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355, Appendix A. <http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004f. Identification and listing of hazardous waste: Hazardous constituents. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, Appendix VIII.
<http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004g. National primary drinking water regulations: Maximum contaminant levels for inorganic contaminants. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.62. <http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004h. National primary water regulations: Public notification. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.32.
<http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004i. Pesticide programs: Pesticides classified for restricted use. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 152.175.
<http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

9. REFERENCES

*EPA. 2004j. Programs and activities: Hazardous air pollutants. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 42 USC 7412.
<http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004k. Reportable quantities of hazardous substances designated pursuant to Section 311 of the Clean Water Act. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3. <http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004l. Standards for the management of specific hazardous wastes and specific types of hazardous waste management facilities: Reference air concentrations. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266, Appendix IV.
<http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004m. Tolerances and exemptions from tolerances for pesticide chemicals in food: Hydrogen cyanide; tolerances for residues. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.130. <http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004n. Tolerances and exemptions from tolerances for pesticide chemicals in food: Inert ingredients used pre-harvest; exemptions from the requirement of a tolerance. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.920.
<http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004o. Tolerances and exemptions from tolerances for pesticide chemicals in food: Tolerances for related pesticide chemicals. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.3. <http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004p. Toxic chemical release reporting: Community right-to-know: Chemicals and chemical categories to which this part applies. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65. <http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004q. Toxic chemical release inventory reporting forms and instructions: Revised 2003 version: Section 313 of the emergency planning and community right-to-know act (title III of the superfund amendments and reauthorization act of 1986). U.S. Environmental Protection Agency. EPA260B04001.

*EPA. 2004r. Toxic Substances Control Act: Chemical information rules: Chemical lists and reporting periods. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 712.30. <http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004s. Toxic Substances Control Act: Health and safety data reporting: Substances and listed mixtures to which this subpart applies. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 716.120. <http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2004t. Water programs: Designation of hazardous substances. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
<http://www.epa.gov/epahome/cfr40.htm>. June 06, 2004.

*EPA. 2005a. Chemical accident prevention provisions: List of substances. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 68.130.
<http://www.epa.gov/epahome/cfr40.htm>. September 07, 2005.

9. REFERENCES

*EPA. 2005b. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency. Office of Environmental Information. EPA260B05001.

Erkkila K, Suomalainen L, Wikstrom M, et al. 2003. Chemical anoxia delays germ cell apoptosis in the human testis. *Biol Reprod* 69:617-626.

*Ermans AM, Delange F, Van Der Velden M, et al. 1972. Possible role of cyanide and thiocyanate in the etiology of endemic cretinism. *Adv Exp Med Biol* 30:455-486.

*Ermans AM, Nbulamoko NM, Delange F, et al., eds. 1980. Role of cassava in the etiology of endemic goitre and cretinism. Ottawa, Canada: International Development Research Centre, 1-182.

Evans EF, Klinke R. 1982. The effects of intra cochlear cyanide and tetrodotoxin on the properties of single cochlear nerve fibres in the cat. *J Physiol* 331:385-408.

Eybl V, Kotyzová D, Míčková V, et al. 2000. Changes in organ distribution of cadmium, lead and manganese caused by cyanide in mice. *Biologia (Bratislava)* 8:33-38.

*Fairley A, Linton EC, Wild FE. 1934. The absorption of hydrocyanic acid vapour through the skin with notes on other matters relating to acute cyanide poisoning. *J Hyg* 34:283-294.

*Farm Chemicals Handbook. 1994. Directory of chemicals. Willoughby, OH: Meister Publishing Co., C1-C3.

*Farooqui MYH, Ahmed AE. 1982. Molecular interaction of acrylonitrile and potassium cyanide with rat blood. *Chem Biol Interact* 38:145-159.

*FAS. 2005. Chemical agent fact sheet—Cyanide. Federation of American Scientists. <http://www.fas.org/resource/08262005180731.pdf>. October 03, 2005.

Fass U, Panickar K, Williams K, et al. 2004. The role of glutathione in nitric oxide toxicity of SN56 cholinergic neuron-like cells. *Brain Res* 1005:90-100.

*FDA. 2003. Part 175—Indirect food additives—adhesives and components of coatings: Adhesives. Washington, DC: Food and Drug Administration. 21 CFR 175.105. <http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200321>. June 06, 2003.

*FDA. 2004. Part 175—Indirect food additives—adhesives and components of coatings: Adhesives. Washington, DC: Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105. <http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200321>. June 06, 2004.

*Fechter LD, Chen G, Johnson DL. 2002. Potentiation of noise-induced hearing loss by low concentrations of hydrogen cyanide in rats. *Toxicol Sci* 66(1):131-138.

*FEDRIP. 2005. Federal Research in Progress. September 2005.

*Feldman JM, Feldman MD. 1990. Sequelae of attempted suicide by cyanide ingestion: A case report. *Int J Psychiatry Med* 20(2):173-179.

9. REFERENCES

- *Feldstein M, Klendshoj NC. 1954. The determination of cyanide in biologic fluids by microdiffusion analysis. *J Lab Clin Med* 44:166-170.
- *Felshcer D, Wulfmeyer M. 1998. A new specific method to detect cyanide in body fluids, especially whole blood, by fluorimetry. *J Anal Toxicol* 22(5):363-366.
- *Ferguson HC. 1962. Dilution of dose and acute oral toxicity. *Toxicol Appl Pharmacol* 4:759-762.
- Ferrari LA, Arado MG, Giannuzzi L, et al. 2001. Hydrogen cyanide and carbon monoxide in blood of convicted dead in a polyurethane combustion: A proposition for the data analysis. *Forensic Sci Int* 121:140-143.
- *Fielding M, Packham RF. 1977. Organic compounds in drinking water and public health. *J Inst Water Eng Sci* 31:353-375.
- *Fields S. 2001. Tarnishing the earth: Gold mining's dirty secret. *Environ Health Perspect* 109:A474-A481.
- *FIFRA. 2004. Federal Insecticide, Fungicide, and Rodenticide Act (as amended through P.L. 108-199, January 23, 2004). United States Code. 7 U.S.C. 136 et seq.
<http://www.epa.gov/opp00001/regulating/fifra.pdf>. June 15, 2004.
- *Finck PA. 1969. Postmortem distribution studies of cyanide: Report of three cases. *Med Ann Dist Columbia* 38:357-358.
- Fogg AG, Alonso RM. 1987. Oxidative amperometric flow injection determination of cyanide at an electrochemically pre-treated glassy carbon electrode. *Analyst* 112:1071-1072.
- *Fomon SJ. 1966. Body composition of the infant: Part I: The male reference infant. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35:1169-1175.
- *Fonong T. 1987. Enzyme method for the spectrophotometric determination of micro-amounts of cyanide. *Analyst* 112:1033-1035.
- Forslund T, Sundqvist T. 1995. Nitric oxide reduces hydrogen peroxide production from human polymorphonuclear neutrophils. *Eur J Clin Invest* 25:9-14.
- Fowles JR, Alexeef GV, Dodge D. 1999. The use of benchmark dose methodology with acute inhalation lethality data. *Regul Toxicol Pharmacol* 29(3):262-278.
- Fox MA, Tran NL, Groopman JD. 2004. Toxicological resources for cumulative risk: An example with hazardous air pollutants. *Regul Toxicol Pharmacol* 40(3):305-311.
- *Frakes RA, Sharma RP, Willhite CC. 1985. Developmental toxicity of the canogenic glycoside linamarin in the Golden Hamster. *Teratology* 31:241-246.
- *Frakes RA, Sharma RP, Willhite CC, et al. 1986a. Effect of cyanogenic glycosides and protein content in cassava diets on hamster prenatal development. *Fundam Appl Toxicol* 7:191-198.

9. REFERENCES

- *Frakes RA, Sharma RP, Willhite CC, et al. 1986b. Comparative metabolism of linamarin and amygdalin in hamsters. *Food Chem Toxicol* 24(5):417-420.
- *Franchini KG, Krieger EM. 1993. Cardiovascular responses of conscious rats to carotid body chemoreceptor stimulation by intravenous KCN. *J Auton Nerv Syst* 42(1):63-69.
- Franchini KG, Oliveira VLL, Krieger EM. 1997. Hemodynamics of chemoreflex activation in unanesthetized rats. *Hypertension* 30:699-703.
- Franchini KG, Moreira ED, Ida F, et al. 1996. Alterations in the cardiovascular control by the chemoreflex and the baroreflex in the old rats. *Am J Physiol* 270:R310-R313.
- *Frank SN, Bard AJ. 1977. Heterogeneous photocatalyst oxidation of cyanide ion in aqueous solutions at titanium dioxide powder. *J Amer Chem Soc* 99(1):303-304.
- Frank L, Price LT, Whitney PL. 1996. Possible mechanism for late gestational development of the antioxidant enzymes in the fetal rat lung. *Biol Neonate* 70:116-127.
- *Frankenberg L. 1980. Enzyme therapy in cyanide poisoning: Effect of rhodanese and sulfur compounds. *Arch Toxicol* 45(4):315-323.
- *Friedman MA, Staub J. 1976. Inhibition of mouse testicular DNA synthesis by mutagens and carcinogens as a potential simple mammalian assay for mutagenesis. *Mutat Res* 37:67-76.
- *Fritz B, Lorenz K, Steinert W, et al. 1982. Laboratory kinetic investigation of the tropospheric oxidation of selected industrial emissions. *EUR* 7624:192-202.
- FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. Chemical Communication Subcommittee, Federal-State Toxicology and Regulatory Alliance Committee.
- *Fueller WH. 1985. Cyanides in the environment with particular attention to the soil. In: Van Zyl D, ed. *Cyanide and the environment: Proceedings of a conference Tucson, Arizona December 11-14, 1984:* Volume 1. Fort Collins, CO: Colorado State University, 19-46.
- *Fukayama H, Nasu M, Murakami S, et al. 1992. Examination of antithyroid effects of smoking products in cultured thyroid follicles: Only thiocyanate is a potent antithyroid agent. *Acta Endocrinol (Copenh)* 127(6):520-525.
- *Gaffney JS, Streit GE, Spall WD, et al. 1987. Beyond acid rain: Do soluble oxidants and organic toxins interact with SO₂ and NO_x to increase ecosystem effects? *Environ Sci Technol* 21:519-523.
- Gajendragad MR, Gopalakrishna S, Ravikumar SB. 1992. Pathology of the brain in acute hydrocyanic acid poisoning in sheep. *Indian Vet J* 69(3):206-210.
- *Gamoh K, Imamichi S. 1991. Postcolumn liquid chromatographic method for the determination of cyanide with fluorimetric detection. *Anal Chim Acta* 251(102):255-259.
- *Ganczarczyk JJ. 1979. Second-stage activated sludge treatment of coke plant effluents. *Water Res* 13(4):337-342.

9. REFERENCES

- *Ganjeloo A, Isom GE, Morgan RL, et al. 1980. Fluorometric determination of cyanide in biological fluids with p-benzoquinone. *Toxicol Appl Pharm* 55:103-107.
- *Gaudy AF, Gaudy ET, Feng YJ, et al. 1982. Treatment of cyanide waste by the extended aeration process. *J Water Pollut Control Fed* 54:153-164.
- Ger J, Chung HM, Yang GY, et al. 1988. A clinical survey of cyanide poisoning in Taiwan [Abstract]. *Vet Hum Toxicol* 30:377.
- *Gerhart JM. 1986. Ninety-day oral toxicity study of copper cyanide (CuCN) in Sprague-Dawley Rats. Chicago, IL: The Dynamac Corporation. IITRI Project No. L06183, Study No. 3.
- *Gerhart JM. 1987. Ninety-day oral toxicity study of copper silver cyanide [KAg(CN)2] in Sprague-Dawley rats. Chicago, IL: The Dynamac Corporation. IITRI Project No. L06183, Study No. 4.
- *Gettler AO, Baine JO. 1938. The toxicology of cyanide. *Am J Med Sci* 195:182-198.
- *Gettler AO, St. George AV. 1934. Cyanide poisoning. *Am J Clin Pathol* 4:429-437.
- *Gibson QH, Greenwood C. 1963. Reactions of cytochrome oxidase of oxygen and carbon monoxide. *Biochem J* 86:541-554.
- Gill JR, Marker E, Stajic M. 2004. Suicide by cyanide: 17 deaths. *J Forensic Sci* 49(4):826-828.
- *Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- *Goldfrank LR, Flomenbaum NE, Lewin NA, et al. 1998. Cyanide and hydrogen sulfide. In: Goldfrank's toxicologic emergencies. 6th ed. Stamford, CT: Appleton & Lange, 1569-1585.
- Gomez G, Aparicio MA, Willhite CC. 1988. Relationship between dietary cassava cyanide levels and broiler performance. *Nutr Rep Int* 37(1):103-107.
- *Goodhart GL. 1994. Patient treated with antidote kit and hyperbaric oxygen survives cyanide poisoning. *South Med J* 87(8):814-816.
- Gosselin RE, Hodge HC, Smith RP, et al. 1976. Clinical toxicology of commercial products: Acute poisoning. 4th ed. Baltimore, MD: The Williams & Williams Co., 105-112.
- *Gosselin RE, Smith RP, Hodge HC, et al. 1984. Cyanide. In: Tracy TM, ed. Clinical toxicology of commercial products. 5th ed. Baltimore: Williams & Wilkins, III123-III130.
- Graeme KA, Curry SC, Bikin DS, et al. 1999. The lack of transplacental movement of the cyanide antidote thiosulfate in gravid ewes. *Anesth Analg* 89:1448-1452.
- *Grandas F, Artieda J, Obeso JA. 1989. Clinical and CT scan findings in a case of cyanide intoxication. *Mov Disord* 4:188-193.
- *Gray BH, Porvaznik M, Lee LH. 1986. Cyanide stimulation of tri-n-butyltin mediated hemolysis. *J Appl Toxicol* 6:263-269.

9. REFERENCES

*Great Lakes Water Quality Board. 1983. An inventory of chemical substances identified in the Great Lakes ecosystem. Vol. 1. Windsor, Ontario: Great Lakes Water Quality Board, 195.

*Greer JJ, Carter JE. 1995. Effects of cyanide on the neural mechanisms controlling breathing in the neonatal rat in vitro. *Neurotoxicology* 16(2):211-216.

*Greim H. 1990. Toxicological evaluation of emission from modern municipal waste incinerators. *Chemosphere* 20:317-331.

*Grosse DW. 1986. Treatment technologies for hazardous wastes part IV. A review of alternative treatment processes for metal-bearing hazardous waste streams. *J Air Pollut Control Assoc* 36:603-614.

*Guerin MR, Higgins CE, Jenkins RA. 1987. Measuring environmental emissions from tobacco combustion: Sidestream cigarette smoke literature review. *Atmos Environ* 21(2):291-297.

*Gunasekar PG, Sun PW, Kanthasamy AG, et al. 1996. Cyanide-induced neurotoxicity involves nitric oxide and reactive oxygen species generation after N-methyl-D-aspartate receptor activation. *J Pharmacol Exp Ther* 277:150-155.

*Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.

*Hall AH, Doutre WH, Ludden T, et al. 1987. Nitrite/thiosulfate treated acute cyanide poisoning: Estimated kinetics after antidote. *Clin Toxicol* 25(1&2):121-133.

Hansch C, Leo A, Hoekman D. 1995. In: Heller SR, ed. Exploring QSAR: Hydrophobic, electronic, and steric constants. Washington DC: American Chemical Society, 3.

Hansen BA, Dekker EE. 1976. Inactivation of bovine liver 2-keto-4-hydroxyglutarate aldolase by cyanide in the presence of aldehydes. *Biochemistry* 15:2912-2917.

*Hantson P, N'Geye P, Laforge M, et al. 1996. Suicide attempt by ingestion of potassium ferricyanide. *J Toxicol Clin Toxicol* 34:471-473.

*Hargis KM, Tillery MI, Ettinger HJ, et al. 1986. Industrial hygiene study of a true in-situ oil shale retorting facility. *Am Ind Hyg Assoc J* 47:455-464.

Hathway DE. 2000. Toxic action/toxicity. *Biol Rev Cambridge Phil Soc* 75(1):95-127.

*Hartung R. 1982. Cyanides and nitriles. In: Clayton GD, Clayton FE, eds. *Patty's industrial hygiene and toxicology*. Vol. IIC, 3rd ed. New York, NY: John Wiley and Sons, 4845-4900.

*Hauth JC, Hauth J, Drawbaugh RB, et al. 1984. Passive smoking and thiocyanate concentrations in pregnant women and newborns. *Obstet Gynecol* 63(4):519-522

*Hawley GG. 1981. The condensed chemical dictionary. 10th ed. New York, NY: Van Nostrand Reinhold Co., 106, 180-181, 275, 294-295, 542, 847-848, 924, 937-938, 1108.

Haxhiu MA, Erokwu B, van Lunteren E, et al. 1993. Central and spinal effects of sodium cyanide on respiratory activity. *J Appl Physiol* 74(2):574-579.

9. REFERENCES

*Haymaker W, Ginzler AM, Ferguson RL. 1952. Residual neuropathological effects of cyanide poisoning: A study of the central nervous system of 23 dogs exposed to cyanide compounds. *Mil Surg* 3:231-246.

*HazDat. 2005. HazDat Database: ATSDR's Hazardous Substance Release and Health Effects Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry. www.atsdr.cdc.gov/hazdat.html. September 15, 2005.

HECS. 1991. Cyanide. Healthy environments and consumer safety. www.hc-sc.gc.ca/hecs-sesc/water/pdf/dwg/cyanide.pdf. June 3, 2004.

*Henderson L, Wolfreys A, Fedyk J, et al. 1998. The ability of the Comet assay to discriminate between genotoxins and cytotoxins. *Mutagenesis* 13:89-94.

*Henny CJ, Hallock RJ, Hill EF. 1994. Cyanide and migratory birds at gold mines in Nevada, USA. *Ecotoxicology* 3(1):45-58.

Henretig FM, Cieslak TJ, Eitzen EM. 2002. Biological and chemical terrorism. *J Pediatr* 141:311-326.

*Hertting GO, Kraupp E, Schnetz E, et al. 1960. [Investigation about the consequences of a chronic administration of acutely toxic doses of sodium cyanide to dogs.] *Acta Pharmacol Toxicol* 17:27-43. (German)

*Heuser SG, Scudmore KA. 1969. Determination of fumigant residues in cereals and other foodstuffs: A multidetection scheme for gas chromatography of solvent extract. *J Sci Food Agric* 20:566-572.

*Higgins TE, Desher DP. 1988. Metal finishing and processing. *J Water Pollut Control Fed* 60:904-909.

*Higgins EA, Fiorca V, Thomas AA, et al. 1972. Acute toxicity of brief exposures to HF, HCl, NO₂ and HCN with and without CO. *Fire Technol* 8:120-130.

Him YH, Foo M, Terry R. 1982. Cyanide encephalopathy following therapy with sodium nitroprusside. *Arch Pathol Lab Med* 106:392-393.

*Himwich WA, Saunders JP. 1948. Enzymatic conversion of cyanide to thiocyanate. *Am J Physiol* 153:348-354.

*Hirano A, Levine S, Zimmerman HM. 1967. Experimental cyanide encephalopathy: Electron microscopic observations of early lesions in white matter. *J Neuropathol Exp Neurol* 26:200-213.

*Hirano A, Levine S, Zimmerman HM. 1968. Remyelination in the central nervous system after cyanide intoxication. *J Neuropathol Exp Neurol* 27:234-245.

*Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.

*Homan ER. 1987. Reactions, processes, and materials with potential for cyanide exposure. In: Ballantyne B, Marrs TC, eds. *Clinical and experimental toxicology of cyanides*. Bristol: IOP Publishing Limited, 1-21.

9. REFERENCES

- *Honig DH, Hockridge ME, Gould RM, et al. 1983. Determination of cyanide in soybeans and soybean products. *J Agric Food Chem* 31:272-275.
- *Howard JW, Hanzal RF. 1955. Chronic toxicity for rats of food treated with hydrogen cyanide. *Agric and Food Chem* 3:325-329.
- Howd RA, Brown JP, Morry DW, et al. 2000. Development of California public health goals (PHGs) for chemicals in drinking water. *J Appl Toxicol* 20:365-380.
- *Howlett WP, Brubaker GR, Mlingi N, et al. 1990. Konzo, an epidemic upper motor neuron disease studied in Tanzania. *Brain* 113:223-235.
- *HSDB. 2004. Cyanide. Hazardous Substances Data Bank. National Library of Medicine. <http://toxnet.nlm.nih.gov>. June 06, 2004.
- Hshieh F. 1999. Predicting heats of combustion and lower flammability limits of organosilicon compounds. *Fire Mater* 23:79-89.
- *Huang J, Niknahad H, Khan S, et al. 1998. Hepatocyte-catalysed detoxification of cyanide by L- and D-cysteine. *Biochem Pharmacol* 55:1983-1990.
- *Huiatt JL. 1985. Cyanide from mineral processing: Problems and research needs. In: Van Zyl D ed. *Cyanide and Environment: Proceedings of a conference Tucson, Arizona December 11-14, 1984: Volume 1*. Fort Collins, CO: Colorado State University, 65-81.
- *Hume AS, Mozigo JR, McIntyre B, et al. 1995. Antidotal efficacy of alpha-ketoglutaric acid and sodium thiosulfate in cyanide poisoning. *Clin Toxicol* 33(6):721-724.
- *IARC. 2004. Overall evaluations of carcinogenicity to humans: As evaluated in IARC Monographs volumes 1-82 (at total of 900 agents, mixtures and exposures). Lyon, France: International Agency for Research on Cancer. <http://www-cie.iarc.fr/monoeval/crthall.html>. February 15, 2005.
- *Ibrahim MZ, Briscoe PB, Bayliss OB, et al. 1963. The relationship between enzyme activity and neuroglia in the prodromal and demyelinating stages of cyanide encephalopathy in the rat. *J Neurol Neurosurg Psychiatry* 26:479-486.
- *Ikegaya H, Iwase H, Hatanaka K, et al. 2001. Diagnosis of cyanide intoxication by measurement of cytochrome c oxidase activity. *Toxicol Lett* 119:117-123.
- Inoue M, Imanaga I. 1998. Activation of Ca^{2+} -dependent K^+ channels by cyanide in guinea pig adrenal chromaffin cells. *Am J Physiol* 274:C105-C111.
- Inoue M, Sakamoto Y, Yano A, et al. 1997. Cyanide suppression of inwardly rectifying K^+ channels in guinea pig chromaffin cells involves dephosphorylation. *Am J Physiol Cell Physiol* 273:C137-C147.
- IPCS. 2004. Poisons information monograph: Cyanides. International Programme Chemical Safety. www.inchem.org/documents/pims/chemical/pimg003.htm. May 24, 2004.
- *IPCS/CEC. 1993. IPCS/CEC evaluation of antidotes series. Volume 2. Antidotes for poisoning by cyanide. International Program on Chemical Safety/Commission of the European Communities. <http://www.inchem.org/documents/antidote/antidote/ant02.htm>. June 16, 2004.

9. REFERENCES

- *IRIS. 2004. Cyanide compounds. Integrated risk information system. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/iris/subst/> June 06, 2004.
- *IRPTC. 1985. Treatment and disposal methods for waste chemicals. International register of potentially toxic chemicals. Geneva, Switzerland: United Nations Environmental Programme.
- Ishii A, Seno H, Watanabe-Suzuki K, et al. 1998. Determination of cyanide in whole blood by capillary gas chromatography with cryogenic oven trapping. *Anal Chem* 70:4873-4876.
- *Isom GE, Borowitz JL. 1995. Modification of cyanide toxicodynamics: Mechanistic based antidote development. *Toxicol Lett* 82/83:795-799.
- *Isom GE, Way JL. 1973. Cyanide intoxication: Protection with cobaltous chloride. *Toxicol Appl Pharmacol* 24:449-456.
- *Isom GE, Way JL. 1974. Effect of oxygen on cyanide intoxication. VI. Reactivation of cyanide-inhibited glucose metabolism. *J Pharmacol Exp Ther* 189:235-243.
- *Isom GE, Burrows GE, Way JL. 1982. Effect of oxygen on the antagonism of cyanide intoxication-cytochrome oxidase, *in vivo*. *Toxicol Appl Pharmacol* 65:250-256.
- *Isom GE, Liu DHW, Way JL. 1975. Effect of sublethal doses of cyanide on glucose catabolism. *Biochem Pharmacol* 24:871-875.
- Iwahashi H, Takahasi Y. 2000. Bioassay for chemical toxicity using yeast *Saccharomyces cerevisiae*. *Water Sci Technol* 42:269-276.
- *Jacangelo JG, Patania NL, Reagan KM, et al. 1989. Ozonation: Assessing its role in the formation and control of disinfection by-products. *J Am Water Works Assoc* 81:74-84.
- *Jackson LC. 1988. Behavioral effects of chronic sublethal dietary cyanide in an animal model: Implications for humans consuming cassava (*Manihot esculenta*). *Hum Biol* 60:597-614.
- Jackson LC, Chandler JP, Jackson RT. 1986. Inhibition and adaptation of red cell glucose-6-phosphate dehydrogenase (G6PD) *in vivo* to chronic sublethal dietary cyanide in an animal model. *Hum Biol* 58:67-77.
- *Jaramillo M, DeZafra RL, Barrett J, et al. 1989. Measurements of stratospheric hydrogen cyanide and McMurdo Station, Antarctica: Further evidence of winter stratospheric subsidence? *J Geophys Res* 94:16,773-16,777.
- *Jarvis MJ. 1989. Application of biochemical intake markers to passive smoking measurement and risk estimation. *Mutat Res* 222:101-110.
- *Jenks WR. 1979. Cyanides. In: Grayson, M, ed. *Kirk-Othmer encyclopedia of chemical technology*. New York, NY: John Wiley and Sons, Inc., 307-334.
- *Jensen JN, Tuan Y-J. 1993. Chemical oxidation of thiocyanate ion by ozone. *Ozone Sci Eng* 15(4):343-360.

9. REFERENCES

- *Jiang S, Liu Z, Zhuang X. 1998. Effect of procaine hydrochloride on cyanide intoxication and its effect on neuronal calcium in mice. *Toxicol Appl Pharmacol* 150(1):32-36.
- Johanning RJ, Zaske DE, Tschida SJ, et al. 1995. A retrospective study of sodium nitroprusside use and assessment of the potential risk of cyanide poisoning. *Pharmacotherapy* 15(6):773-777.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Res* 190:3-16.
- Johnson JD, Isom GE. 1985. The oxidative disposition of potassium cyanide in mice. *Toxicology* 37:215-224.
- *Johnson JD, Conroy WG, Burris KD, et al. 1987a. Peroxidation of brain lipids following cyanide intoxication in mice. *Toxicology* 46:21-28.
- Johnson JD, Conroy WG, Isom GE. 1987b. Effect of pentobarbital on cyanide-induced tremors in mice and calcium accumulation in PC12 cells. *Biochem Pharmacol* 36:1747-1749.
- *Johnson JD, Meisenheimer TL, Isom GE. 1986. Cyanide-induced neurotoxicity: Role of neuronal calcium. *Toxicol Appl Pharmacol* 84:464-469.
- *Johnson CA, Leinz RW, Grimes DJ, et al. 2002. Photochemical changes in cyanide speciation in drainage from a precious metal ore heap. *Environ Sci Technol* 36:840-845.
- *Jones DA. 1998. Why are so many food plants cyanogenic? *Phytochemistry* 47:155-162.
- Jones DP. 1995. Mitochondrial dysfunction during anoxia and acute cell injury. *Biochim Biophys Acta* 1271:29-33.
- *Jones DC, Gunasekar PG, Borowitz JL, et al. 2000. Dopamine-induced apoptosis is mediated by oxidative stress and is enhanced by cyanide in differentiated PC12 cells. *J Neurochem* 74:2296-2304.
- *Jones DC, Prabhakaran K, Li L, et al. 2003. Cyanide enhancement of dopamine-induced apoptosis in mesencephalic cells involves mitochondrial dysfunction and oxidative stress. *Neurotoxicology* 24:333-342.
- Kadushin FS, Bronstein AC, Riddle MW, et al. 1988. Cyanide induced parkinsonism: Neuropsychological and radiological findings [Abstract]. *Vet Hum Toxicol* 30:359.
- Kage S, Nagata T, Kudo K. 1996. Determination of cyanide and thiocyanate in blood by gas chromatography and gas chromatography - mass spectrometry. *J Chromatogr B Biomed Appl* 675:27-32.
- Kales SN, Christiani DC. 2004. Acute chemical emergencies. *N Engl J Med* 350:800-808.
- Kales SN, Dinklage D, Dickey J, et al. 1997. Paranoid psychosis after exposure to cyanide. *Arch Environ Health* 52(3):245-246.
- *Kamalu BP. 1993. Pathological changes in growing dogs fed on a balanced cassava (*Manihot esculenta* Crantz) diet. *Br J Nutr* 69(3):921-934.

9. REFERENCES

- Kamendulis LM, Zhang H, Wang Y, et al. 2002. Morphological transformation and oxidative stress induced by cyanide in Syrian hamster embryo (SHE) cells. *Toxicol Sci* 68(2):437-443.
- *Kampe S, Iffland R, Korenkov M, et al. 2000. Survival from a lethal blood concentration of cyanide with associated alcohol intoxication. *Anaesthesia* 55:1189-1191.
- *Kanthasamy AG, Ardelt B, Malave A, et al. 1997. Reactive oxygen species generated by cyanide mediate toxicity in rat pheochromocytoma cells. *Toxicol Lett* 93:47-54.
- *Kanthasamy AG, Borowitz JL, Isom GE. 1991b. Cyanide-induced increases in plasma catecholamines: Relationship to acute toxicity. *Neurotoxicology* 12:777-784.
- *Kanthasamy AG, Borowitz JL, Pavlakovic G, et al. 1994. Dopaminergic neurotoxicity of cyanide: neurochemical, histological, and behavioral characterization. *Toxicol Appl Pharmacol* 126(1):156-163.
- *Kanthasamy AG, Maduh EU, Peoples RW, et al. 1991a. Calcium mediation of cyanide-induced catecholamine release: Implications for neurotoxicity. *Toxicol Appl Pharmacol* 110:275-282.
- *Kaplin AI, Snyder SH, Linden DJ. 1996. Reduced nicotinamide adenine dinucleotide-selective stimulation of inositol 1,4,5-trisphosphate receptors mediates hypoxic mobilization of calcium. *J Neurosci* 16(6):2002-2011.
- *Karmarkar S. 2002. Anion-exchange chromatography of metal cyanide complexes with gradient separation and direct UV detection. *J Chromatogr A* 956:229-235.
- *Karube I, Yano K, Sasaki S, et al. 1998. Biosensors for environmental monitoring. *Ann NY Acad Sci* 864:23-36.
- *Kasamo K, Okuhata Y, Satoh R, et al. 1993. Chronological changes of MRI findings on striatal damage after acute cyanide intoxication: Pathogenesis of the damage and its selectivity, and prevention for neurological sequelae: A case report. *Eur Arch Psychiatry Clin Neurosci* 243(2):71-74.
- *Katayama Y, Narahara Y, Inoue Y, et al. 1992. A thiocyanate hydrolase of *Thiobacillus thioparus*. A novel enzyme catalyzing the formation of carbonyl sulfide from thiocyanate. *J Biol Chem* 267(13):9170-9175.
- *Katayama Y, Kanagawa T, Kuraishi H. 1993. Emission of carbonyl sulfide by *Thiobacillus thioparus* grown with thiocyanate in pure and mixed cultures. *FEMS Microbiol Lett* 114 (2):223-228.
- *Kato T, Kameyama M, Nakamura S, et al. 1985. Cyanide metabolism in motor neuron disease. *Acta Neurol Scand* 72:151-156.
- Katsumata Y, Sato K, Yada S, et al. 1983. Kinetic analysis of anaerobic metabolism in rats during acute cyanide poisoning. *Life Sci* 33:151-155.
- Kazim R, Whittington RA, Sun LS. 1996. Sodium nitroprusside metabolism in children. *Anesth Analg* 82:1301-1302.
- *Keith LH. 1991. Sampling water matrices. *Environmental sampling and analysis: A practical guide*. Chelsea, MI: Lewis Publishers, 31-40.

9. REFERENCES

- *Kelly DP, Harrison AP. 1989. Genus Thiobacillus. In: Staley JT, Bryant MP, Pfennig N, et al., eds. Bergey's manual of systemic bacteriology. Vol. 3. Baltimore, MD: Williams & Wilkins, 1842-1858.
- *Keniston RC, Cabellon S, Yarbrough KS. 1987. Pyridoxal 5'-phosphate as an antidote for cyanide, spermine, gentamicin, and dopamine toxicity: An in vivo rat study. *Toxicol Appl Pharmacol* 88:433-441.
- Kevan SD, Dixon DG. 1996. Effects of age and coion (K^+ and Na^+) on the toxicity of thiocyanate to rainbow trout (*Oncorhynchus mykiss*) during pulse or continuous exposure. *Ecotoxicol Environ Saf* 35:288-293.
- *Khandekar JD, Edelman H. 1979. Studies of amygdalin (laetile) toxicity in rodents. *J Am Med Assoc* 242:169-171.
- Khot UN, Novaro GM, Popovic ZB, et al. 2003. Nitroprusside in critically ill patients with left ventricular dysfunction and aortic stenosis. *N Engl J Med* 348:1756-1763.
- Kiang JG, Smallridge RC. 1994. Sodium cyanide increases cytosolic free calcium: Evidence for activation of the reversed mode of the Na^+/Ca^{2+} exchanger and Ca^{2+} mobilization from inositol trisphosphate-insensitive pools. *Toxicol Appl Pharmacol* 127(2):173-181.
- Kiang JG, Ding XZ, McClain DE. 1998. Overexpression of HSP-70 attenuates increases in $[Ca^{2+}]$; and protects human epidermoid A-431 cells after chemical hypoxia. *Toxicol Appl Pharmacol* 149(2):185-194.
- *Kiang JG, Warke VG, Tsokos GC. 2003. NaCN-induced chemical hypoxia is associated with altered gene expression. *Mol Cell Biochem* 254:211-216.
- Kim E, Little JC, Chiu N, et al. 2001. Inhalation exposure to volatile chemicals in drinking water. *Environ Carcinog Ecotoxicol* C19(2):387-413.
- Kim YM, Harrad S, Harrison RM. 2002. Levels and sources of personal inhalation exposure to volatile organic compounds. *Environ Sci Technol* 36:5405-5410.
- Kirk M, Kulig K, Rumack BH. 1989. Methemoglobin and cyanide kinetics in smoke inhalation [Abstract]. *Vet Hum Toxicol* 31:353.
- *Kirk RL, Stenhouse NS. 1953. Ability to smell solutions of potassium cyanide. *Nature* 171:698-699.
- *Kiuchi Y, Inagaki M, Izumi J, et al. 1992. Effect of local cyanide perfusion on rat striatal extracellular dopamine and its metabolites as studied by in vivo brain microdialysis. *Neurosci Lett* 147:193-196.
- *Klecka GM, Landi LP, Bodner KM. 1985. Evaluation of the OECD activated sludge, respiration inhibition test. *Chemosphere* 14:1239-1251.
- *Klimmek R, Roddewig C, Fladerer H, et al. 1983. Effects of 4-dimethylaminophenol, Co_2EDTA , or $NaNO_2$ on cerebral blood flow and sinus blood homeostasis of dogs in connection with acute cyanide poisoning. *Toxicology* 26:143-154.
- *Knowles CJ. 1988. Cyanide utilisation and degradation by microorganisms. In: Cyanide compounds in biology. Chichester: John Wiley and Sons, 3-15.

9. REFERENCES

- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29:4430-4433.
- Kong Z, Vanrolleghem P, Willems P, et al. 1996. Simultaneous determination of inhibition kinetics of carbon oxidation and nitrification with a respirometer. *Water Res* 30(4):825-836.
- Konstantinou IK, Albanis TA. 2004. Worldwide occurrence and effects of antifouling paint booster biocides in the aquatic environment: A review. *Environ Int* 30:235-248.
- *Kopfler FC, Melton RG, Mullaney JL, et al. 1977. Human exposure to water pollutants. *Adv Environ Sci Technol* 8:419-433.
- Kopp S, Kisling G, Paulson D, et al. 1989. Cardiac actions of cadmium, potassium cyanide and carbonyl cyanide m-chlorophenylhydrazone [Abstract]. *FASEB J* 3:A-251.
- *Korte F, Coulston F. 1995. Comment: From single-substance evaluation to ecological process concept: The dilemma of processing gold with cyanide. *Ecotoxicol Environ Saf* 32:96-101.
- Korte F, Coulston F. 1998. Commentary: Some considerations on the impact on ecological chemical principles in practice with emphasis on gold mining and cyanide. *Ecotoxicol Environ Saf* 41:119-129.
- Korte F, Spiteller M, Coulston F. 2000. Commentary: The cyanide leaching gold recovery process is a nonsustainable technology with unacceptable impacts on ecosystems and humans: The disaster in Romania. *Ecotoxicol Environ Saf* 46(3):241-245.
- *Koyama K, Yoshida A, Takeda A, et al. 1997. Abnormal cyanide metabolism in uraemic patients. *Nephrol Dial Transplant* 12:1622-1628.
- *Krasner SW, McGuire MJ, Jacangelo JG, et al. 1989. The occurrence of disinfection by-products in U.S. drinking water. *J Am Water Works Assoc* 81:41-53.
- *Krieble VK, McNally JG. 1929. The hydrolysis of hydrogen cyanide by acids. *J Am Chem Soc* 51:3368-3375.
- *Krieble VK, Peiker AL. 1933. The hydrolysis of hydrogen cyanide by acids II. *J Am Chem Soc* 55:2326-2331.
- *Kreutler PA, Varbanov V, Goodman W, et al. 1978. Interactions of protein deficiency, cyanide, and thiocyanate on thyroid function in neonatal and adult rats. *Am J Clin Nutr* 31:282-289.
- *Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: Hayes W, ed. *Principles and methods of toxicology*. 3rd edition. New York, NY: Raven Press, Ltd.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- *Kruszyna R, Kruszyna H, Smith RP. 1982. Comparison of hydroxylamine, 4-dimethylaminophenol and nitrite protection against cyanide poisoning in mice. *Arch Toxicol* 49:191-202.

9. REFERENCES

- *Kuban V. 1992. Gas permeation and preconcentration in the flow-injection determination of acid-available cyanide in waste water. *Anal Chim Acta* 259(1):45-52.
- *Kubo T, Urano K, Utsumi H. 2002. Mutagenicity characteristics of 255 environmental chemicals. *J Health Sci* 48(6):545-554.
- *Kumar P, Das M, Kumar A. 1992. Health status of workers engaged in heat treatment (case hardening) plant and electroplating at cyanide bath. *Indian J Environ Prot* 12(3):179-183.
- *Kunz DA, Nagappan O, Silva-Avalos J, et al. 1992. Utilization of cyanide as a nitrogenous substrate by *Pseudomonas fluorescens* NCIMB 11764: Evidence for multiple pathways of metabolic conversion. *Appl Environ Microbiol* 58(6):2022-2029.
- *Kushi A, Matsumoto T, Yoshida D. 1983. Mutagen from the gaseous phase of protein pyrolyzate. *Agric Biol Chem* 47:1979-1982.
- *Laforge M, Buneaux F, Houeto P, et al. 1994. A rapid spectrophotometric blood cyanide determination applicable to emergency toxicology. *J Anal Toxicol* 18:173-175.
- *Laforge M, Gourlain H, Fompeydie D, et al. 1999. Ferrocyanide ingestion may cause false positives in cyanide determination. *J Toxicol Clin Toxicol* 37(3):337-340.
- *Lam KK, Lau FL. 2000. An incident of hydrogen cyanide poisoning. *Am J Emerg Med* 18:172-175.
- *Lambat Z, Conrad N, Anoopkumar-Dukie S, et al. 2000. An investigation into the neuroprotective properties of ibuprofen. *Metab Brain Dis* 15(4):249-256.
- Lambert W, Meyer E, De Leenheer A. 1995. Cyanide and sodium azide intoxication. *Ann Emerg Med* 26:392.
- *Landahl HD, Herrmann RG. 1950. Retention of vapors and gases in the human nose and lung. *Arch Ind Hyg Occup Med* 1:36-45.
- Lang CJG. 2000. The use of neuroimaging techniques for clinical detection of neurotoxicity: A review. *Neurotoxicology* 21:847-856.
- *Lasch EE, El Shawa R. 1981. Multiple cases of cyanide poisoning by apricot kernels in children from Gaza. *Pediatrics* 68:5-7.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- Leng G, Lewalter J. 2002. Polymorphism of glutathione S-transferases and susceptibility to acrylonitrile and dimethylsulfate in cases of intoxication. *Toxicol Lett* 134:209-217.
- *Lessell S. 1971. Experimental cyanide optic neuropathy. *Arch Ophthalmol* 86:194-204.
- *Leung H. 1993. Physiologically-based pharmacokinetic modeling. In: Ballantine B, Marro T, Turner T, eds. *General and applied toxicology*. Vol. I. New York, NY: Stockton Press, 153-164.

9. REFERENCES

- *Levin BC, Paabo M, Gurman JL, et al. 1987. Effect of exposure to single or multiple combinations of the predominant toxic gases and low oxygen atmospheres produced in fires. *Fundam Appl Toxicol* 9:236-250.
- *Levin BC, Rechani PR, Gurman JL, et al. 1990. Analysis of carboxyhemoglobin and cyanide in blood from victims of the Dupont Plaza Hotel fire in Puerto Rico. *J Forensic Sci* 35(1):151-168.
- *Levine S. 1969. Experimental cyanide encephalopathy: Gradients of susceptibility in the corpus callosum. *J Neuropathol Exp Neurol* 26:214-222.
- *Levine S, Stypulkowski W. 1959a. Experimental cyanide encephalopathy. *Arch Pathol* 67:306-323.
- *Levine S, Stypulkowski W. 1959b. Effect of ischemia on cyanide encephalopathy. *Neurology* 9:407-411.
- *Lewis TR, Anger WK, Te Vault RK. 1984. Toxicity evaluation of sub-chronic exposures to cyanogen in monkeys and rats. *J Environ Pathol Toxicol Oncol* 5:151-163.
- Li W, Palmer G. 1993. Spectroscopic characterization of the interaction of azide and thiocyanate with the binuclear center of cytochrome oxidase: Evidence for multiple ligand sites. *Biochemistry* 32(7):1833-1843.
- *Li HZ, Bai G, Sun RM, et al. 1993. Determination of thiocyanate metabolite of sodium nitroprusside in serum by spectrophotometry. *Yaoxue Xuebao* 28(11):854-858.
- *Li L, Prabhakaran K, Mills EM, et al. 2005. Enhancement of cyanide-induced mitochondrial dysfunction and cortical cell necrosis by uncoupling protein-2. *Toxicol Sci* 86(1):116-124.
- Li L, Prabhakaran K, Shou Y, et al. 2002. Oxidative stress and cyclooxygenase-2 induction mediate cyanide-induced apoptosis of cortical cells. *Toxicol Appl Pharmacol* 185:55-63.
- *Lide DR, ed. 1990. CRC handbook of chemistry and physics. 72nd ed. Boca Raton, FL: CRC Press, Inc.
- Lide DR, ed. 2000. CRC handbook of chemistry and physics. 81st ed. Boca Raton, FL: CRC Press, Inc.
- *Lide DR, ed. 2005. CRC handbook of chemistry and physics. 86th ed. Boca Raton, FL: CRC Press, Inc., 4-49.
- *Liebowitz D, Schwartz H. 1948. Cyanide poisoning: Report of a case with recovery. *Am J Clin Pathol* 18:965-970.
- *Linden CH, Lovejoy Jr. FH. 1998. Poisoning and drug overdose. In: Fauci AS, Braunwald E, Isselbacher KJ, eds. *Harrison's principles of internal medicine*. New York: McGraw-Hill Health Professions Division.
- *Litovitz TL, Larkin RF, Myers RA. 1983. Cyanide poisoning treated with hyperbaric oxygen. *Am J Emerg Med* 1:94-101.

9. REFERENCES

- *Liu X, Yun Z. 1993. High-performance liquid chromatographic determination of thiocyanate anions by derivatization with pentafluorobenzyl bromide. *J Chromatogr A* 653:348-353.
- *Livingston AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4:301-324.
- Lo SC, Agar NS. 1999. NADH-methemoglobin reductase activity in the erythrocytes of newborn and adult mammals. *Experientia* 42:1264-1265.
- *Lobert JM, Warnatz J. 1993. Emission from the combustion process in vegetation. In: Crutzen PJ, Goldammer JG, eds. *Fire in the environment: the ecological, atmospheric and climatic importance of vegetation fires*. Chichester, England: John Wiley and Sons, Ltd., 15-37.
- *Logue BA, Kirschten NP, Petrikovics I, et al. 2005. Determination of the cyanide metabolite 2-aminothiazoline-4-carboxylic acid in urine and plasma by gas chromatography-mass spectrometry. *J Chromatogr B Anal Technol Biomed Life Sci* 819(2):237-244.
- *Lowe J, Sullivan JB, Jr. 1992. Fumigants. In: Sullivan JB, Krieger GR, eds. *Hazardous materials toxicology, clinical principles of 1992*. Baltimore: Williams and Wilkins, 1053-1062.
- Lu Q, Collins GE, Evans T, et al. 2004. Vapor and liquid phase detection of cyanide on a microchip. *Electrophoresis* 25:116-122.
- *Lucas AD. 1992. Health hazards associated with the cyanotype printing process. *J Environ Pathol Toxicol Oncol* 11(1):18-20.
- *Lucas AD, Salisbury SA. 1992. Industrial hygiene survey in a university art department. *J Environ Pathol Toxicol Oncol* 11(1):21-27.
- *Ludzack FJ, Moore WA, Krieger HL, et al. 1951. Effect of cyanide on biochemical oxidation in sewage and polluted water. *Sewage Ind Wastes* 23:1298-1307.
- Lundquist P. 1992. Determination of cyanide and thiocyanate in humans. Linkoping University Medical Dissertations no. 355.
- *Lundquist P, Sorbo B. 1989. Rapid determination of toxic cyanide concentrations in blood. *Clin Chem* 35:617-619.
- Lundquist P, Rammer L, Sorbo B. 1989. The role of hydrogen cyanide and carbon monoxide in fire casualties: A prospective study. *Forensic Sci Int* 43:9-14.
- Lv J, Zhang Z, Li J, et al. 2005. A micro-chemiluminescence determination of cyanide in whole blood. *Forensic Sci Int* 148(1):15-19.
- *Lyman, W. 1982. Atmospheric residence time. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods: Environmental behavior of organic compounds*. New York, NY: McGraw Hill Book Company, 10-2-10-33.
- *Ma H, Liu J. 1992. Flow-injection determination of cyanide by detecting an intermediate of the pyridine-barbituric acid chromogenic reaction. *Anal Chim Acta* 261(1-2):247-252.

9. REFERENCES

- Macey PM, Richard CA, Rector DM, et al. 2000. State influences on ventral medullary surface and physiological responses to sodium cyanide challenges. *J Appl Physiol* 89:1919-1927.
- *Maduh EU, Baskin SI. 1994. Protein kinase C modulation of rhodanese catalyzed conversion of cyanide to thiocyanate. *Res Comm Mol Pathol Pharmacol* 86(2):155-173.
- *Maduh EU, Borowitz JL, Isom GE. 1990a. Cyanide-induced alteration of cytosolic pH: Involvement of cellular hydrogen ion handling processes. *Toxicol Appl Pharmacol* 106:201-208.
- *Maduh EU, Johnson JD, Ardelte BK, et al. 1988. Cyanide-induced neurotoxicity: Mechanisms of attenuation by chlorpromazine. *Toxicol Appl Pharmacol* 96:60-67.
- *Maduh EU, Nealley EW, Song H, et al. 1995. A protein kinase C inhibitor attenuates cyanide toxicity in vivo. *Toxicology* 100:129-137.
- *Maduh EU, Turek JJ, Borowitz JL, et al. 1990b. Cyanide-induced neurotoxicity: Calcium mediation of morphological changes in neuronal cells. *Toxicol Appl Pharmacol* 103:214-221.
- *Madungwe L, Zaranyika MF, Gurira RC. 1991. Reversed-phase liquid chromatographic determination of cyanide as 1-benzoyl-1,2-dihydroquinaldonitrile. *Anal Chim Acta* 251:109-114.
- *Maharaj DS, Walker RB, Glass BD, et al. 2003. 6-Hydroxymelatonin protects against cyanide induced oxidative stress in rat brain homogenates. *J Chem Neuroanat* 26:103-107.
- *Makene WJ, Wilson J. 1972. Biochemical studies in Tanzanian patients with ataxic tropical neuropathy. *J Neurol Neurosurg Psychiatry* 35:31-33.
- *Malaney GW, Sheets WD, Quillin R. 1959. Toxic effects of metallic ions on sewage microorganisms. *Sewage Ind Wastes* 31:1909-1915.
- Malenfant A, Shirey T, Young CC. 1996. Thiocyanate interference in nova stat profile analyses. *Clin Chem* 42:483.
- *Maliszewski TF, Bass DE. 1955. True and apparent thiocyanate in body fluids of smokers and nonsmokers. *J Appl Physiol* 8:289-291.
- Malone KE, Koepsell TD, Daling JR, et al. 1987. Chronic lymphocytic leukemia in relation to toxic substance exposure [Abstract]. *Am J Epidemiol* 126:763.
- Manitoba Environment. 1996. Ambient air quality guidelines for hydrogen cyanide: CAS74-90-8. Manitoba Environment. MIC9701427.
- *Mannaioni G, Vannacci A, Marzocca C, et al. 2002. Acute cyanide intoxication treated with a combination of hydroxycobalamin, sodium nitrite, and sodium thiosulfate. *Clin Toxicol* 40:181-183.
- Maragos WF, Zhu J, Chesnut MD, et al. 2002. Mitochondrial toxin inhibition of [³H]dopamine uptake into rat striatal synaptosomes. *Biochem Pharmacol* 63(8):1499-1505.
- *Martin-Bermudez R, Maestre-Romero A, Goni-Belzunegui MV, et al. 1997. Venous blood arteriolization and multiple organ failure after cyanide poisoning. *Intensive Care Med* 23:1286.

9. REFERENCES

- Maseda C, Matsubara K, Shiono H. 1989. Improved gas chromatography with electron-capture detection using a reaction pre-column for the determination of blood cyanide: A higher content in the left ventricle of fire victims. *J Chromatogr* 82:319-327.
- Mathangi DC, Namasivayam A. 2000. Effect of chronic cyanide intoxication on memory in albino rats. *Food Chem Toxicol* 38:51-55.
- *Mathangi DC, Namasivayam A. 2004a. Calcium ions: Its role in cyanide neurotoxicity. *Food Chem Toxicol* 42:359-361.
- *Mathangi DC, Namasivayam A. 2004b. Protective effect of diltiazem on cyanide-induced neurotoxicity in Wistar strain rats. *Food Chem Toxicol* 42:605-608.
- *Matijak-Schaper M, Alarie Y. 1982. Toxicity of carbon monoxide, hydrogen cyanide and low oxygen. *J Combust Toxicol* 9:21-61.
- *Matsumoto M, Inagaki M, Kiuchi Y, et al. 1993. Role of calcium ions in dopamine release induced by sodium cyanide perfusion in rat striatum. *Neuropharmacol* 32(7):681-688.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74:135-149.
- McElhatton PR, Garbis H, Schaefer C. 2001. Industrial and environmental chemicals. In: Schaefer C, ed. *Drugs during pregnancy and lactation: Handbook of prescription drugs and comparative risk assessment: With undated information on recreational drugs*. Amsterdam: Elsevier.
- McGregor D, Anderson D. 1999. DNA damage and repair in mammalian cells *in vitro* and *in vivo* as indicators of exposure to carcinogens. *IARC Sci Publ* 146:309-313.
- *McGuinn WD, Baxter L, Pei L, et al. 1994. Antagonism of the lethal effects of cyanide by a synthetic water-soluble cobalt(III) porphyrin compound. *Fundam Appl Toxicol* 23(1):76-80.
- McMahon T, Birnbaum L. 1990. Age-related changes in biotransformation and toxicity of potassium cyanide (KCN) in male C57BL/6N mice [Abstract]. In: Proceedings of the 29th Annual Meeting of the Society of Toxicology. Miami Beach, FL: Society of Toxicology.
- *McMillan DE, Svoboda AC. 1982. The role of erythrocytes in cyanide detoxification. *J Pharmacol Exp Ther* 221:37-42.
- *McNerney JM, Schrenk HH. 1960. The acute toxicity of cyanogen. *Am Ind Hyg Assoc J* 21:121-124.
- Meeussen JCL, Temminghoff EJM, Keizer MG, et al. 1989. Spectrophotometric determination of total cyanide, iron-cyanide complexes, free cyanide and thiocyanate in water by a continuous-flow system. *Analyst (London)* 114:959-963.
- *Mengel K, Kramer W, Isert B, et al. 1989. Thiosulphate and hydroxocobalamin prophylaxis in progressive cyanide poisoning in guinea-pigs. *Toxicology* 54:335-342.
- *Menton RG, Reid FM, Niemuth NA, et al. 1996. Efficacy of p-aminopropiophenone in preventing cyanide intoxication. 1996 Medical defense bioscience review: Proceedings 12-16 May. Aberdeen Proving Ground, MD: United States Army Medical Research Institute of Chemical Defense.

9. REFERENCES

- *Menton RG, Reid FM, Olson CT, et al. 1997. Comparative efficacy of three methemoglobin formers in delaying effects of infused sodium cyanide. *Int J Toxicol* 16:151-164.
- *Meranger JC, Lo B. 1992. Selected anions and trace elements in Canadian drinking water supplies. *Prepr Pap Natl Meet Am Chem Soc Div Environ Chem* 32(2):31-37.
- *Meriläinen J, Lampinen J. 2004. EILATox-Oregon Workshop: Blind study evaluation of Vitotox test with genotoxic and cytotoxic sample library. *J Appl Toxicol* 24(5):327-332.
- Meyer S, Baghai A, Sailer N-L, et al. 2005. Lactic acidosis caused by sodium nitroprusside in a newborn with congenital heart disease. *Eur J Pediatr* 164(4):253-254.
- *Meyers PR, Rawlings DE, Woods DR, et al. 1993. Isolation and characterization of a cyanide dihydratase from *Bacillus pumilus* C1. *J Bacteriol* 175(19):6105-6112.
- *Michigami Y, Fujii K, Ueda K, et al. 1992. Determination of thiocyanate in human saliva and urine by ion chromatography. *Analyst (U.K.)* 117(12):1855-1858.
- *Mills EM, Gunasekar PG, Li L, et al. 1999. Differential susceptibility of brain areas to cyanide involves different modes of cell death. *Toxicol Appl Pharmacol* 156(1):6-16.
- Mills EM, Gunasekar PG, Pavlakovic G, et al. 1996. Cyanide-induced apoptosis and oxidative stress in differentiated PC12 cells. *J Neurochem* 67:1039-1046.
- *Minami K. 1982. Volatilization of sulfur from paddy soils. *Jpn Agric Res Q* 15:167-171.
- *Minami K, Fukushi S. 1981. Volatilization of carbonyl sulfide from paddy soils treated with sulfur-containing substances. *Soil Sci Plant Nutr* 27:339-345.
- *Ministry of Health, Mozambique. 1984. Mantakassa: An epidemic of spastic paraparesis associated with chronic cyanide intoxication in a cassava staple area of Mozambique. 1. Epidemiology and clinical and laboratory findings in patients. *Bull WHO* 62:477-484.
- MIS. 1990. Management Information System. Atlanta, GA: Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch. September 24, 1990.
- *Miura Y, Koh T. 1991. Determination of thiocyanate in human urine samples by suppressed ion chromatography. *Anal Sci 7(Suppl Proc Int Congr Anal Sci, 1991, Pt 1)*:167-170.
- *Mlingi N, Poulter NH, Rosling H. 1992. An outbreak of acute intoxications from consumption of insufficiently processed cassava in Tanzania. *Nutr Res* 12(6):677-687.
- *Mlingi N, Vassey VD, Swai A BM, et al. 1993. Determinants of cyanide exposure from cassava in a konzo-affected population in northern Tanzania. *Int J Food Sci Nutr* 44(2):137-144.
- Mokhlesi B, Leikin JB, Murray P, et al. 2003. Adult toxicology in critical care. Part II: Specific poisonings. *Chest* 123:897-922.

9. REFERENCES

- *Monekosso GL, Wilson J. 1966. Plasma thiocyanate and vitamin B12 in Nigerian patients with degenerative neurological disease. *Lancet* 14:1062-1064.
- *Money GL. 1958. Endemic neuropathies in the Epe district of southern Nigeria. *West Africa Med J* 7:58-62.
- *Moore SJ, Norris JD, Ho IK, et al. 1986. The efficacy of ketoglutaric acid in the antagonism of cyanide intoxication. *Toxicol Appl Pharmacol* 82:40-44.
- Morawetz JS. 2005. Tales of acute risk assessment: Health effects made out of whole cloth. *Am J Ind Med* 47(4):370-375.
- *Morgan RL, Way JL. 1980. Fluorometric determination of cyanide in biological fluids with pyridoxal. *J Anal Toxicol* 4:78-81.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5:485-527.
- *Mudder TI, Botz M. 2000. A global perspective of cyanide. Minerals Resources Forum. United Nations Environment Programme. www.mineralresourcesforum.org/Initiatives/cyanides/docs/mudder.pdf. June 11, 2004.
- *Mudder TI, Whitlock JL. 1984. Biological treatment of cyanidation waste waters. *Minerals Metallurgical Processing* 1:161-165.
- Muehlbauer PA, Schuler MJ. 2003. Measuring the mitotic index in chemically-treated human lymphocyte cultures by flow cytometry. *Mutat Res* 537:117-130.
- *Munro NB, Talmage SS, Griffin GD, et al. 1999. The sources, fate, and toxicity of chemical warfare agent degradation products. *Environ Health Perspect* 107(12):933-974.
- *Mushett CW, Kelley KL, Boxer GE, et al. 1952. Antidotal efficacy of vitamin B12 (hydroxocobalamin) in experimental cyanide poisoning. *Proc Soc Exp Biol Med* 81:234-247.
- Musshoff F, Padosch S, Steinborn S, et al. 2004. Fatal blood and tissue concentrations of more than 200 drugs. *Forensic Sci Int* 142(2-3):161-210.
- Mutlu GM, Leikin JB, Oh K, et al. 2002. An unresponsive biochemistry professor in the bathtub. *Chest* 122:1073-1076.
- *Myers VB. 1983. Remedial activities at the Miami Drum site, Florida. In: National conference on management of uncontrolled hazardous waste sites. Silver Springs, MD: Hazardous Materials Control Research Institute, 354-357.
- *Myers KM, Fiskum G, Liu Y, et al. 1995. Bcl-2 protects neural cells from cyanide/aglycemia-induced lipid oxidation, mitochondrial injury, and loss of viability. *J Neurochem* 65:2432-2440.
- Nakatani T, Kosugi Y, Mori A, et al. 1993. Changes in the parameters of oxygen metabolism in a clinical course recovering from potassium cyanide. *Am J Emerg Med* 11(3):213-217.
- NAS. 1980. Drinking water and health. Vol. 3. Washington, DC: National Academy of Science.

9. REFERENCES

- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- NATICH. 1992. National Air Toxics Information Clearinghouse, Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency.
- *Nielsen P, Dresow B, Fischer R, et al. 1990. Bioavailability of iron and cyanide from oral potassium ferric hexacyanoferrate (II) in humans. *Arch Toxicol* 64:420-422.
- *Niknahad H, Ghelichkhani E. 2002. Antagonism of cyanide poisoning by dihydroxyacetone. *Toxicol Lett* 132:95-100.
- Niknahad H, O'Brien PJ. 1996a. Antidotal effect of dihydroxyacetone against cyanide toxicity *in vivo*. *Toxicol Appl Pharmacol* 138:186-191.
- Niknahad H, O'Brien PJ. 1996b. Involvement of nitric oxide in nitroprusside-induced hepatocyte cytotoxicity. *Biochem Pharmacol* 51:1031-1039.
- *Niknahad H, Khan S, Sood C, et al. 1994. Prevention of cyanide induced cytotoxicity by nutrients in isolated rat hepatocytes. *Toxicol Appl Pharmacol* 128(128):271-279.
- *Nikolelis DP, Siontorou CG, Andreou VG. 1997. Biosensors based on bilayer lipid membranes for automated continuous monitoring or rapid screening of environmental pollutants. *Laboratory Robotics and Automation* 9:285-295.
- *Nikolic SD, Milosavljevic EB, Nelson JH. 1992. Flow injection amperometric determination of cyanide on a modified silver electrode. *Analyst (London)* 117(1):47-50.
- *NIOSH. 1976. Health hazard evaluation report. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health. No. 74-129-268.
- *NIOSH. 1978. Health hazard evaluation report. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health. No. 77-88-457.
- *NIOSH. 1982. In-depth survey report of American Airlines plating facility. Cincinnati, OH: National Institute for Occupational Safety and Health. PB83187799.
- NIOSH. 1986a. National Institute for Occupational Safety and Health. Morbidity and Mortality Weekly Supplement 35:19S.
- *NIOSH. 1986b. Progress toward developing a monitoring method for hydrogen cyanide in air. Cincinnati, OH: National Institute for Occupational Safety and Health, Division of Physical Sciences and Engineering, Method Research Branch. PB86236171.
- *NIOSH. 1989a. HCN and salts. Manual of analytical methods. 3rd edition, third supplement. Cincinnati, OH: National Institute of Occupational Safety and Health. PB90162470, 7904-1-7904-4.

9. REFERENCES

- *NIOSH. 1989b. Hydrogen cyanide. Manual of analytical methods. 3rd edition, third supplement. Cincinnati, OH: National Institute of Occupational Safety and Health. PB90162470. 6010-1-6010-4.
- NIOSH. 1990. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. U.S. Department of Health and Human Services. DHHS (NIOSH) publication No. 90-117.
- *NIOSH. 1992. NIOSH recommendations for occupational safety and health. Compendium of policy documents and statements. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Services, Centers for Disease Control, National Institute for Occupational Safety and Health, Division of Standards Development and Technology Transfer.
- NIOSH. 2004. Cyanide compounds. NIOSH pocket guide to chemical hazards. Washington, DC: National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/npg/npg.html>. June 06, 2004.
- *NIOSH. 2005. Cyanide compounds. NIOSH pocket guide to chemical hazards. Washington, DC: National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/npg/npg.html>. September 07, 2005.
- Nishizawa K, Inoue O, Saito Y, et al. 1994. Protective effects of Kamikihi-to, a traditional Chinese medicine against cerebral ischemia, hypoxia and anoxia in mice and gerbils. *Jpn J Pharmacol* 64:717-177.
- *Nolte KB, Dasgupta A. 1996. Prevention of occupational cyanide exposure in autopsy prosector. *J Forensic Sci* 41(1):146-147.
- Nonomura M. 1987. Indirect determination of cyanide compounds by ion chromatography with conductivity measurement. *Anal Chem* 59:2073-2076.
- *Norris JC, Moore SJ, Hume AS. 1986. Synergistic lethality induced by the combination of carbon monoxide and cyanide. *Toxicology* 40:121-129.
- *NRC. 1993. Pesticides in the diets of infants and children. Washington, DC: National Academy Press. National Research Council.
- NRC/NAS. 1993. Telecommunication regarding compilation of current EEGLs and CEGLs. Washington, DC: National Research Council/National Academy of Sciences.
- NTP. 1990. Chemical status report produced from NTP chemtrack system. National Toxicology Program, Division of Toxicology Research and Testing.
- *NTP. 1993. Technical Report on toxicity studies of sodium cyanide (CAS No. 143-33-9) administered in drinking water to F344/N rats and B6C3F₁ mice. Research Triangle Park, NC: National Toxicology Program, U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NIH Publication 94-3386. NTP TOX 37.
- *NYSDOH. 2005. The facts about cyanides. Technical information. New York State Department of Health. http://www.health.state.ny.us/nysdoh/bt/chemical_terrorism/docs/cyanide_tech.pdf. September 05, 2005.

9. REFERENCES

- *Obidoa O, Obasi SC. 1991. Coumarin compounds in cassava diets: 2 health implications of scopoletin in gari. *Plant Foods Hum Nutr* 41:283-289.
- *O'Brien GM, Mbome L, Taylor AJ, et al. 1992. Variations in cyanogen content of cassava during village processing in Cameroon. *Food Chem* 44(2):131-136.
- *Odoul M, Fouillet B, Nouri B, et al. 1994. Specific determination of cyanide in blood by headspace gas chromatography. *J Anal Toxicol* 18(4):205-207.
- Odunuga OO, Adenuga GA. 1997. Sodium nitrite alone protects the brain microsomal Ca^{2+} -ATPase against potassium cyanide-induced neurotoxicity in rats. *Biosci Rep* 17(6):543-546.
- Oehmichen M, Ochs U, Meissner C. 2001. Regional potassium distribution in the brain in forensic relevant types of intoxication: Preliminary morphometric evaluation using a histochemical method. *Neurotoxicology* 22:99-107.
- *O'Flaherty EJ, Thomas WC. 1982. The cardiotoxicity of hydrogen cyanide as a component of polymer pyrolysis smokes. *Toxicol Appl Pharmacol* 63:373-381.
- *Ohio River Valley Water Sanitation Commission. 1982. Assessment of the water quality conditions: Ohio River mainstem 1980-81. Cincinnati, OH: Ohio River Valley Water Sanitation Commission.
- Ohno T. 1989. Spectrophotometric determination of total cyanide in surface waters following ultraviolet-induced photodecomposition. *Analyst (London)* 114:857-858.
- *Ohya T, Kanno S. 1987. Formation of cyanogen chloride during the chlorination of water containing aromatic compounds and ammonium ion. *J Pharm Sci* 76(11)S128.
- *Ojo O, Deane R. 2002. Effects of cassava processing methods on antinutritional components and health status of children. *J Sci Food Agric* 82:252-257.
- *Okafor PN, Okorowkwo CO, Maduagwu EN. 2002. Occupational and dietary exposures of humans to cyanide poisoning from large-scale cassava processing and ingestion of cassava foods. *Food Chem Toxicol* 40(7):1001-1005.
- *Okoh PN. 1983. Excretion of ^{14}C -labeled cyanide in rats exposed to chronic intake of potassium cyanide. *Toxicol Appl Pharmacol* 70:335-339.
- Okolie NP. 2002. Hypocholesterolemic and hypertriglycerolemic effects of chronic cyanide intoxication in rabbits. *Global Journal of Pure and Applied Sciences* 8(4):489-493.
- *Okolie NP, Iroanya CU. 2003. Some histological and biochemical evidence for mitigation of cyanide-induced tissue lesions by antioxidant vitamin administration in rabbits. *Food Chem Toxicol* 41:463-469.
- *Okolie NP, Osagie AU. 1999. Liver and kidney lesions and associated enzyme changes induced in rabbits by chronic cyanide exposure. *Food Chem Toxicol* 37:745-750.
- *Okolie NP, Osagie AU. 2000. Differential effects of chronic cyanide intoxication on heart, lung and pancreatic tissues. *Food Chem Toxicol* 38:543-548.

9. REFERENCES

- *Olea F, Parras P. 1992. Determination of serum levels of dietary thiocyanate. *J Anal Toxicol* 16(4):258-260.
- *Olea-Serano MF, Ruiz-Lopez MD, Justica-Palomares H. 1988. Determination of SCN- in vegetables by gas-chromatography in relation to endemic goiter. *J Anal Toxicol* 12:307-309.
- Oluwole OSA, Onabolu AO, Sowunmi A. 2002. Exposure to cyanide following a meal of cassava food. *Toxicol Lett* 135:19-23.
- *Onabolu AO, Oluwole OSA, Rosling H, et al. 2002. Processing factors affecting the level of residual cyanohydrins in *gari*. *J Sci Food Agric* 82:966-969.
- *Opresko DM, Young RA, Faust RA, et al. 1998. Chemical warfare agents: Estimating oral reference doses. *Rev Environ Contam Toxicol* 156:1-183.
- OSHA. 1974. U.S. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910. 119, App. A.
- OSHA. 1989. Air contaminants: Final rule. Occupational Safety and Health Administration. Fed Regist 54:2332-2925.
- *OSHA. 1992. Air contaminants. Occupational Safety and Health Administration, Department of Labor. Fed Regist 57:2602-2660.
- *OSHA. 2004a. Air contaminants. Occupational safety and health standards for shipyard employment. Washington, DC: Occupational Safety and Health Administration. Code of Federal regulations. 29 CFR 1915.1000.
http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10286. June 06, 2004.
- *OSHA. 2004b. Appendix A. Occupational safety and health standards. List of highly hazardous chemicals, toxics, and reactives. Washington, DC: Occupational Safety and Health Administration. Code of Federal regulations. 29 CFR 1910.119, App A.
http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9761. June 06, 2004.
- *OSHA. 2004c. Appendix A. Safety and health regulations for construction: Gases, vapors, fumes, dusts, and mists. Washington, DC: Occupational Safety and Health Administration. Code of Federal regulations. 29 CFR 1926.55, App A.
http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10629. June 06, 2004.
- *OSHA. 2004d. Table Z-1: Limits for air contaminants. Occupational safety and health standards. Washington, DC: Occupational Safety and Health Administration. Code of Federal regulations. 29 CFR 1910.1000.
http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9992. June 06, 2004.
- Osterloh JD, Hall AH. 1997. Hydroxocobalamin analysis and pharmacokinetics. *J Toxicol Clin Toxicol* 35:409-415.

9. REFERENCES

- *Osuntokun BO. 1968. An ataxic neuropathy in Nigeria: A clinical, biochemical and electrophysiological study. *Brain* 91:215-248.
- *Osuntokun BO. 1972. Chronic cyanide neurotoxicity and neuropathy in Nigerians. *Plant Foods Hum Nutr* 2:215-266.
- *Osuntokun BO. 1973. A toxic neuropathy associated with high cassava diets in West Africa. In: Nestel B, MacIntyre R, eds. *Chronic cassava toxicity: Proceedings of an interdisciplinary workshop* London, England, 29-30 January 1973. Ottawa, Canada: International Development Research Centre, 127-138.
- *Osuntokun BO. 1980. A degenerative neuropathy with blindness and chronic cyanide intoxication of dietary origin: The evidence in the Nigerians. In: Smith RL, Bababunmi EA, eds. *Toxicology in the tropics*. London: Taylor and Francis, 16-52.
- *Osuntokun BO, Monekosso GL, Wilson J. 1969. Relationship of a degenerative tropical neuropathy to diet report of a field survey. *Br Med J* 1:547-550.
- *OTA. 1990. *Neurotoxicity: Identifying and controlling poisons of the nervous system*. Washington, DC: Office of Technology Assessment. OTABA438.
- *Oudjehani K, Zagury GJ, Deschênes L. 2002. Natural attenuation potential of cyanide via microbial activity in mine tailings. *Appl Microbiol Biotechnol* 58:409-415.
- Owasoyo JO, Iramain CA. 1980. Acetylcholinesterase activity in rat brain: Effect of acute cyanide intoxication. *Toxicol Lett* 6:1-3.
- *Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 222-238.
- *Painter RB, Howard R. 1982. The HeLa DNA-synthesis inhibition test as a rapid screen for mutagenic carcinogens. *Mutat Res* 92:427-437.
- *Palmer IS, Olson OE. 1979. Partial prevention by cyanide of selenium poisoning in rats. *Biochem Biophys Res Comm* 90:1379-1386.
- Panda M, Robinson NC. 1995. Kinetics of mechanism for the binding of HCN to cytochrome c oxidase. *Biochemistry* 34:10009-10018.
- Park Y, Devlin TM, Jones DP. 1992. Protective effect of the dimer of 16,16-diMePGB1 against KCN-induced mitochondrial failure in hepatocytes. *Am J Physiol* 263(2 Pt 1):C405-C411.
- *Paruchuri YL, Shivaraman N, Kumaran P. 1990. Microbial transformation of thiocyanate. *Environ Pollut* 68:15-28.
- *Pastorino JG, Wilhelm TJ, Glascott PA Jr., et al. 1995. Dexamethasone induces resistance to the lethal consequences of electron transport inhibition in cultured hepatocytes. *Arch Biochem Biophys* 318(1):175-181.
- *Patel MN, Ardel B, Yim GKW, et al. 1991. Cyanide induces Ca^{2+} -dependent and independent release of glutamate from mouse brain slices. *Neurosci Lett* 131:42-44.

9. REFERENCES

- *Patel MN, Yim GKW, Isom GE. 1992. Blockade of N-methyl-D-aspartate receptors prevents cyanide-induced neuronal injury in primary hippocampal cultures. *Toxicol Appl Pharmacol* 115:124-129.
- *Patel MN, Yim GK, Isom GE. 1993. N-Methyl-D-aspartate receptors mediate cyanide-induced cytotoxicity in hippocampal cultures. *Neurotoxicology* 14(1):35-40.
- Pavlakovic G, Rathinavelu A, Isom GE. 1994. MK-801 prevents cyanide-induced changes of FOS levels in rat brain. *Neurochem Res* 19(10):1289-1294.
- *Pazdernik T, Cross R, Nelson S, et al. 1994. Is there an energy conservation system in brain that protects against the consequences of energy depletion? *Neurochem Res* 19(11):1393-1400.
- Pazdernik TL, Nelson SR, Cross R, et al. 1996. Chemical-induced seizures: Free radicals as a final common pathway. 1996 Medical Defense Bioscience Review: Proceedings 12-16 May. Aberdeen Proving Ground, MD: United States Army Medical Research Institute of Chemical Defense.
- Pearce LL, Bominaar EL, Hill BC, et al. 2003. Reversal of cyanide inhibition of cytochrome c oxidase by the auxiliary substrate nitric oxide. An endogenous antidote to cyanide poisoning? *J Biol Chem* 278:52139-52145.
- *Peden NR, Taha A, McSorley PD, et al. 1986. Industrial exposure to hydrogen cyanide: Implications for treatment. *Br Med J* 293:538.
- *Persson SA, Cassel G, Sellstrom A. 1985. Acute cyanide intoxication and central transmitter systems. *Fund Appl Toxicol* 5:5150-5159.
- Pery-Man N, Houeto P, Coirault C, et al. 1996. Hydroxocobalamin vs cobalt toxicity on rat cardiac and diaphragmatic muscles. *Intensive Care Med* 22:108-115.
- *Pesce LD. 1993. Cyanides. Kirk-Othmer encyclopedia of chemical technology. New York, NY: John Wiley and Sons, Inc. <http://www.mrw.interscience.wiley.com/kirk/articles/cyanpesc.a01/abstract.html>. June 14, 2004.
- *Petrikovics I, Cannon EP, McGuinn WD. 1995. Cyanide antagonism with carrier erythrocytes and organic thiosulfonates. *Fundam Appl Toxicol* 24:86-93.
- Petrikovics I, Pei L, McGuinn WD, et al. 1994. Encapsulation of Rhodanese and organic thiosulfonates by mouse erythrocytes. *Fundam Appl Toxicol* 23:70-75.
- *Pettersen JC, Cohen SD. 1993. The effects of cyanide on brain mitochondrial cytochrome oxidase and respiratory activities. *J Appl Toxicol* 13(1):9-14.
- *Pettet AEJ, Mills EV. 1954. Biological treatment of cyanides with and without sewage. *J Appl Chem* 4:434-444.
- *Pettigrew AR, Fell GS. 1972. Simplified colorimetric determination of thiocyanate in biological fluid and its application of investigation of toxic amblyopias. *Clin Chem* 18:996-1000.
- *Pettigrew AR, Fell GS. 1973. Microdiffusion method for estimation of cyanide in whole blood and its application to the study of conversion of cyanide to thiocyanate. *Clin Chem* 19:466-471.

9. REFERENCES

- *Philbrick DJ, Hopkins JB, Hill DC, et al. 1979. Effects of prolonged cyanide and thiocyanate feeding in rats. *J Toxicol Environ Health* 5:579-592.
- *Poitras BJ, Keller WC, Elves RG. 1988. Estimation of chemical hazards in breast milk. *Aviat Space Environ Med* 59:A87-A92.
- *Porter DW, Nealley EW, Baskin SI. 1996. In vivo detoxification of cyanide by cystathionase γ -lyase. *Biochem Pharmacol* 52:941-944.
- *Potter AL. 1950. The successful treatment of two recent cases of cyanide poisoning. *Br J Ind Med* 7:125-130.
- Potter J, Smith RL, Api AM. 2001. Urinary thiocyanate levels as a biomarker for the generation of inorganic cyanide from benzyl cyanide in the rat. *Food Chem Toxicol* 39:141-146.
- *Prabhakaran K, Li L, Borowitz JL, et al. 2002. Cyanide induces different modes of death in cortical and mesencephalon cells. *J Pharmacol Exp Ther* 303:510-519.
- Prabhakaran K, Li L, Borowitz JL, et al. 2004. Caspase inhibition switches the mode of cell death induced by cyanide by enhancing reactive oxygen species generation and PARP-1 activation. *Toxicol Appl Pharmacol* 195:194-202.
- *Prahakaran K, Li L, Mills EM, et al. 2005. Up-regulation of uncoupling protein 2 by cyanide is linked with cytotoxicity in mesencephalic cells. *J Pharmacol Exp Ther* 314(3):1338-1345.
- *Pre J, Vassy R. 1992. Plasma thiocyanate and cigarette-smoking status. *Med Sci Res* 20(18):671-672.
- *Pre J, Vassy R. 1993. Cigarette smoking and serum levels of alpha-1 fetoprotein carcinoembryonic antigen cancer antigens 125 and 19-9 neurone-specific enolase. *Med Sci Res* 21(12):445-446.
- Prickaerts J, Blokland A, Bothmer J, et al. 1998. Acute effects of acetyl-L-carnitine on sodium cyanide-induced behavioral and biochemical deficits. *Neurochem Int* 33(5):435-443.
- *Pritsos CA. 1996. Mitochondrial dysfunction and energy depletion from subchronic peroral exposure to cyanide using the Wistar rat as a mammalian model. *Toxic Subst Mech* 15(3):219-229.
- *Przybylo HJ, Stevenson GW, Schanbacher P, et al. 1995. Sodium nitroprusside metabolism in children during hypothermic cardiopulmonary bypass. *Anesth Analg* 81:952-956.
- *Purser DA. 1984. A bioassay model for testing the incapacitating effects of exposure to combustion product atmospheres using cynomolgus monkeys. *J Fire Sci* 2:20-36.
- *Purser DA, Grimshaw P, Berrill KR. 1984. Intoxication by cyanide in fires: A study in monkeys using polyacrylonitrile. *Arch Environ Health* 39:394-400.
- *Rachinger J, Fellner FA, Stieglbauer K. 2002. MR changes after acute cyanide intoxication. *AJNR Am J Neuroradiol* 23:1398-1401.
- *Raef SF, Characklis WG, Kessick MA, et al. 1977a. Fate of cyanide and related compounds in aerobic microbial systems--II. Microbial degradation. *Water Res* 11:485-492.

9. REFERENCES

- *Raef SF, Characklis WG, Kessick MA, et al. 1977b. Fate of cyanide and related compounds in aerobic microbial systems. I. Chemical reaction with substrate and physical removal. *Water Res* 11:477-483.
- *Randell EW, St. Louis P. 1996. Interference in glucose and other clinical chemistry assays by thiocyanate and cyanide in a patient treated with nitroprusside. *Clin Chem* 42:449-453.
- Rauws AG, Olling M, Timmerman A. 1982. The pharmacokinetics of amygdalin. *Arch of Toxicol* 49:311-319.
- Rauws AG, Olling M, Timmerman A. 1983. The pharmacokinetics of prunasin, a metabolite of amygdalin. *J Toxicol Clin Toxicol* 19(8):851-856.
- *Rawlings GD, Samfield M. 1979. Textile plant waste water toxicity. *Environ Sci Technol* 13:160-164.
- *Raybuck SA. 1992. Microbes and microbial enzymes for cyanide degradation. *Biodegradation* 3(1):3-18.
- *Richards DJ, Shieh WK. 1989. Anoxic-oxic activated-sludge treatment of cyanides and phenols. *Biotechnol Bioeng* 33:32-38.
- *Rieders F. 1971. Noxious gases and vapors. I: Carbon monoxide, cyanides, methemoglobin, and sulfhemoglobin. In: DePalma JR, ed. *Drill's pharmacology in medicine*. 4th ed. New York, NY: McGraw-Hill Book Company, 1180-1205.
- Riordan M, Rylance G, Berry K. 2002. Poisoning in children 5: Rare and dangerous poisons. *Arch Dis Child* 87(5):407-410.
- *Riudavets MA, Aronica-Pollak P, Troncoso JC. 2005. Pseudolaminar necrosis in cyanide intoxication: A neuropathology case report. *Am J Forensic Med Pathol* 26(2):189-191.
- *Robinson CP, Baskin SI, Franz DR. 1985a. The mechanisms of action of cyanide on the rabbit aorta. *J Appl Toxicol* 5:372-377.
- *Robinson CP, Baskin SI, Visnich N Jr., et al. 1985b. The effects of cyanide and its interactions with norepinephrine on isolated aorta strips from the rabbit, dog, and ferret. *Toxicology* 35:59-72.
- *Rocklin RD, Johnson DL. 1983. Determination of cyanide, sulfide, iodide, and bromide by ion chromatography with electrochemical detection. *Anal Chem* 55:4-7.
- *Rockwood GA, Armstrong KR, Baskin SI. 2003. Species comparison of methemoglobin reductase. *Exper Biol and Med* 228(1):79-83.
- Rodriguez M, Sanders CA, Greenbaum E. 2002. Biosensors for rapid monitoring of primary-source drinking water using naturally occurring photosynthesis. *Biosensors Bioelectronics* 17(10):843-849.
- *Rohmann SO, Miller RL, Scott EA, et al. 1985. Tracing a river's toxic pollution: A case study of the Hudson. In: McCook AS, ed. New York, NY: Inform, Inc., Inform report no. 154.
- *Rosenberg NL, Myers JA, Martin WRW. 1989. Cyanide-induced parkinsonism clinical MRI and 6 fluorodopa Fd positron emission tomography pet studies. *Neurology* 39:142-144.

9. REFERENCES

- *Rosenow F, Herholz K, Lanfermann H, et al. 1995. Neurological sequelae of cyanide intoxication - the patterns of clinical, magnetic resonance imaging, and positron emission tomography findings. *Ann Neurol* 38:825-828.
- *Rosentreter JJ, Skogerboe RK. 1992. A method development for the routine analytical monitoring of aqueous cyanide species. *Water Sci Technol* 26(1-2):255-262.
- *Rosling H. 1988. Cassava toxicity and food security. A report for UNICEF African household food security programme. 2nd ed. Uppsala, Sweden: Tryck kontakt, 1-40.
- Roy P, Kulkarni AP. 1999. Co-oxidation of acrylonitrile by soybean lipoxygenase and partially purified human lung lipoxygenase. *Xenobiotica* 29(5):511-531.
- *Rubio R, Sanz J, Rauret G. 1987. Determination of cyanide using a microdiffusion technique and potentiometric measurement. *Analyst* 112:1705-1708.
- *Rutkowski JV, Roebuck BD, Smith RP. 1985. Effects of protein-free diet and food deprivation on hepatic rhodanese activity, serum proteins and acute cyanide lethality in mice. *J Nutr* 115:132-137.
- Sadun AA. 2002. Mitochondrial optic neuropathies. *J Neurol Neurosurg Psychiatry* 72:424-426.
- *Saincher A, Swirsky N, Tenenbein M. 1994. Cyanide overdose: Survival with fatal blood concentration without antidotal therapy. *J Emerg Med* 12(4):555-557.
- *Saito S, Tsukamoto S, Kanegae T, et al. 2000. Influence of L-cysteine and hydroxocobalamin on cyanide distribution in rats. *Nihon Univ J Med* 42(4):215-228.
- *Sakaida I, Thomas AP, Farber JL. 1992. Phospholipid metabolism and intracellular Ca²⁺ homeostasis in cultured rat hepatocytes intoxicated with cyanide. *Am J Physiol* 263(3 Pt 1):C684-C690.
- Salkowski AA, Penney DG. 1995. Metabolic, cardiovascular, and neurologic aspects of acute cyanide poisoning in the rat. *Toxicol Lett* 75:19-27.
- *Sandberg CG. 1967. A case of chronic poisoning with potassium cyanide? *Acta Med Scand* 181:233-236.
- Sandhu JK, Birnboim HC. 1997. Mutagenicity and cytotoxicity of reactive oxygen and nitrogen species in the MN-11 murine tumor cell line. *Mutat Res* 379:241-252.
- *Sano A, Takezawa M, Takitani S. 1989. Spectrofluorometric determination of cyanide in blood and urine with naphthalene-2,3-dialdehyde and taurine. *Anal Chim Acta* 225:351-358.
- *Sano A, Takimoto N, Takitani S. 1992. High-performance liquid chromatographic determination of cyanide in human red blood cells by pre-column fluorescence derivitization. *J Chromatogr* 582:131-135.
- Sauer SW, Keim ME. 2001. Hydroxocobalamin: Improved public health readiness for cyanide disasters. *Ann Emerg Med* 37:635-641.
- Sax NI, ed. 1984. Dangerous properties of industrial materials. 6th ed. New York, NY: Van Nostrand Reinhold Co., 825.

9. REFERENCES

- *Sax NI, Lewis RD, eds. 1987. Hawley's condensed chemical dictionary. 11th ed. New York, NY: Van Nostrand Reinhold Company, 203, 954, 1057.
- *Scharf BA, Fricke RF, Baskin SI. 1992. Comparison of methemoglobin formers in protection against the toxic effects of cyanide. *Gen Pharmacol* 23(1):19-25.
- Scheers EM, Ekwall B, Dierickx PJ. 2001. In vitro long-term cytotoxicity testing of 27 MEIC chemicals on Hep G2 cells and comparison with acute human toxicity data. *Toxicol in Vitro* 15:153-161.
- *Schneider JF, Westley J. 1969. Metabolic interrelations of sulfur in proteins, thiosulfate, and cystine. *J Biol Chem* 244:5735-5744.
- *Schubert J, Brill WA. 1968. Antagonism of experimental cyanide toxicity in relation to the in vivo activity of cytochrome oxidase. *J Pharmacol Exp Ther* 162:352-359.
- *Schwartz C, Morgan RL, Way LM, et al. 1979. Antagonism of cyanide intoxication with sodium pyruvate. *Toxicol Appl Pharmacol* 50:437-441.
- *Scott JS. 1985. An overview of cyanide treatment methods for gold mill effluents. In: Van Zyl D ed. Cyanide and Environment: Proceedings of a conference Tucson, Arizona December 11-14, 1984: Volume 1. Fort Collins, CO: Colorado State University, 307-330.
- *Scrivner NC, Bennett KE, Pease RA, et al. 1986. Chemical fate of injected wastes. *Ground Water Monit Rev* 6:53-58.
- *Seigler DS. 1991. Cyanide and cyanogenic glycosides. In: Rosenthal GA, Berenbaum MR, eds. Herbivores: Their interaction with secondary plant metabolites. New York, NY: Academic Press, 35-77.
- Seigneur C, Constantinou E, Levin L. 1996. Multipathway health risk assessment of power plant water discharges. *Water Air Soil Pollut* 90:55-64.
- Seltzer MD. 1998. Continuous air monitoring using inductively coupled plasma atomic emission spectrometry: Correction of spectral interferences arising from CN emission. *Appl Spectrosc* 52(2):195-199.
- Senda T, Matsuno K, Mita S. 2000. The suppression of potassium cyanide-induced mortality by the increase of extracellular acetylcholine level in the brain. *Can J Physiol Pharmacol* 78:645-648.
- *Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. Handbook of physiology: Endocrinology V. Washington, DC: American Physiological Society.
- Seto Y. 1995. Oxidative conversion of thiocyanate to cyanide by oxyhemoglobin during acid denaturation. *Arch Biochem Biophys* 321:245-254.
- Seto Y. 1996. Stability and spontaneous production of blood cyanide during heating. *J Forensic Sci* 41(3):465-468.
- *Seto Y, Tsunoda N, Ohta H, et al. 1993. Determination of blood cyanide by headspace gas chromatography with nitrogen phosphorus detection and using a megabore capillary column. *Anal Chim Acta* 276:247-259.

9. REFERENCES

- Sexton K, Adgate JL, Ramachandran G, et al. 2004. Comparison of personal, indoor, and outdoor exposures to hazardous air pollutants in three urban communities. *Environ Sci Technol* 38:423-430.
- Shan D, Mousty C, Cosnier S. 2004. Subnanomolar cyanide detection at polyphenol oxidase/clay biosensors. *Anal Chem* 76:178-183
- *Sheehy M, Way JL. 1968. Effect of oxygen on cyanide intoxication. III. Mithridate. *J Pharmacol Exp Ther* 161:163-168.
- *Shifrin NS, Beck BD, Gauthier TD, et al. 1996. Chemistry, toxicology, and human health risk of cyanide compounds in soils at former manufactured gas plant sites. *Regul Toxicol Pharmacol* 23:106-116.
- *Shine NB. 1971. Fluohmic process for hydrogen cyanide. *Chem Eng Prog* 67(2):52-57.
- *Shivaraman N, Kumaran P, Pandey RA, et al. 1985. Microbial degradation of thiocyanate, phenol and cyanide in a completely mixed aeration system. *Environ Pollut Ser A* 39:141-150.
- Shou Y, Gunasekar PG, Borowitz JL, et al. 2000. Cyanide-induced apoptosis involves oxidative-stress-activated NF- κ B in cortical neurons. *Toxicol Appl Pharmacol* 164:196-205.
- *Shou Y, Li N, Borowitz JL, et al. 2002. NF- κ B-mediated up-regulation of Bcl-X_S and Bax contributes to cytochrome *c* release in cyanide-induced apoptosis. *J Neurochem* 81(4):842-852.
- *Shou Y, Li L, Prabhakaran K, et al. 2003. p38 Mitogen-activated protein kinase regulates Bax translocation in cyanide-induced apoptosis. *Toxicol Sci* 75(1):99-107.
- *Shou Y, Li L, Prabhakaran K, et al. 2004. Calcineurin-mediated Bad translocation regulates cyanide-induced neuronal apoptosis. *Biochem J* 379(Pt 3):805-813.
- Shvets-Teneta-Gurii TB, Dubinin AG, Alexandrov VI, et al. 1998. Fast glycolytic oscillations induced by potassium cyanide in the brain of behaving rats (potentiometric recording). *Bioelectrochem Bioenerg* 47:143-149.
- *Silva-Avalos J, Richmond MG, Nagappan O, et al. 1990. Degradation of the metal-cyano complex tetracyanonickelate (II) by cyanide-utilizing bacterial isolates. *Microbiol* 56:3664-3670.
- *Sine C, ed. 2004. Crop protection handbook 2004. Willoughby, OH: Meister Media Worldwide, C272.
- *Singh JD. 1981. The teratogenic effects of dietary cassava on the pregnant albino rat: A preliminary report. *Teratology* 24:289-291.
- *Singh BM, Coles N, Lewis P, et al. 1989. The metabolic effects of fatal cyanide poisoning. *Postgrad Med J* 65:923-925.
- *Sipe EK, Trienski TL, Porter JM. 2001. Cyanide toxicity in the surgical intensive care unit: A case report. *Am Surg* 67:684-686.
- *Sittig, M, ed. 1980. Pesticide manufacturing and toxic materials control encyclopedia. Park Ridge, NJ: Noyes Data Corporation, 452.

9. REFERENCES

- Sittig, M. 1994. World-wide limits for toxic and hazardous chemicals in air, water and soil. Park Ridge, NJ: Noyes Publications. 43, 151, 225-229, 426-427, 629-630, 671-672.
- Skelton LA, Ormerod MG, Titley J, et al. 1999. A novel class of lipophilic quinazoline-based folic acid analogues: Cytotoxic agents with a folate-independent locus. *Br J Cancer* 79:1692-1701.
- *Sklarew DS, Hayes DJ. 1984. Trace nitrogen-containing species in the offgas from 2 oil shale retorting processes. *Environ Sci Technol* 18:600-603.
- *Smith RP. 1996. Toxic responses of the blood. In: Wonsiewicz MJ, Sheinis LA, eds. Casarett & Doull's toxicology: The basic science of poisons. 5th ed. New York, NY: McGraw-Hill, 335-354.
- *Smith RM, Martell AE. 1976. Critical stability constants: Volume 4: Inorganic complexes. New York, NY: Plenum Press, 26-27.
- Smith ADM, Duckett S, Waters AH. 1963. Neuropathological changes in chronic cyanide intoxication. *Nature* 200:179-181.
- *Smyth HF, Carpenter CP, Weil CS, et al. 1969. Range-finding toxicity data: List VII. *Am Ind Hyg Assoc J* 30:470-476.
- *Snodgrass WR. 1996. Clinical toxicology. In: Wonsiewicz MJ, Sheinis LA, eds. Casarett & Doull's toxicology: The basic science of poisons. 5th ed. New York, NY: McGraw-Hill, 969-986.
- Snyder JW, Pastorino JG, Thomas AP, et al. 1993. ATP synthase activity is required for fructose to protect cultured hepatocytes from the toxicity of cyanide. *Am J Physiol Cell Physiol* 264(3):C709-C714.
- Sono M, Ledbetter AP, McMillan K, et al. 1999. Essential thiol requirement to restore pterin- or substrate-binding capability and to regenerate native enzyme-type high-spin heme spectra in the *Escherichia coli*-expressed tetrahydrobiopterin-free oxygenase domain of neuronal nitric oxide synthase. *Biochemistry* 38:15853-15862.
- *Soto-Blanco B, Gorniak SL. 2003. Milk transfer of cyanide and thiocyanate: Cyanide exposure by lactation in goats. *Vet Res* 34:213-220.
- *Soto-Blanco B, Gorniak SL, Kimura ET. 2001a. Physiopathological effects of the administration of chronic cyanide to growing goats - a model for ingestion of cyanogenic plants. *Vet Res Commun* 25:379-389.
- *Soto-Blanco B, Marioka PC, Górnjak SL. 2002a. Effects of long term low-dose cyanide administration to rats. *Ecotoxicol Environ Saf* 53(1):37-41.
- *Soto-Blanco B, Maiorka PC, Górnjak SL. 2002b. Neuropathologic study of long term cyanide administration to goats. *Food Chem Toxicol* 40:1693-1698.
- Soto-Blanco B, Sousa AB, Manzano H, et al. 2001b. Controversies in toxicology: Does prolonged cyanide exposure have a diabetogenic effect? *Vet Hum Toxicol* 43(2):106-108.
- *Sousa AB, Manzano H, Soto-Blanco B, et al. 2003. Toxicokinetics of cyanide in rats, pigs and goats after oral dosing with potassium cyanide. *Arch Toxicol* 77:330-334.

9. REFERENCES

*Sousa AB, Soto-Blanco B, Guerra JL, et al. 2002. Does prolonged oral exposure to cyanide promote hepatotoxicity and nephrotoxicity? *Toxicology* 174:87-95.

SRI. 1990. 1990 Directory of chemical producers. Menlo Park, CA: SRI International, 547, 924, 958.

SRI. 1994. 1994 Directory of chemical producers. Menlo Park, CA: SRI International, 463, 534, 684, 871, 873, 901.

*SRI. 1995. 1995 Directory of chemical producers. Menlo Park, CA: SRI International.

SRI. 2003. 2003 Directory of chemical producers. Menlo Park, CA: SRI International.

SRI. 2004. 2004 Directory of chemical producers. Menlo Park, CA: SRI Consulting, 862.

*SRI. 2005. 2005 Directory of chemical producers. Menlo Park, CA: SRI International.

*Stadelmann W. 1976. Content of hydrocyanic acid in stone fruit juices. *Fluess Obst* 43:45-47.

*Stafford DA, Callely AG. 1969. The utilization of thiocyanate by a heterotrophic bacterium. *J Gen Microbiol* 55:285-289.

*Stannard JN, Horecker BL. 1948. The in vitro inhibition of cytochrome oxidase by azide and cyanide. *J Biol Chem* 172:599-608.

*Storer RD, McKelvey TW, Kraynak AR, et al. 1996. Revalidation of the in vitro alkaline elution/rat hepatocyte assay for DNA damage: Improved criteria for assessment of cytotoxicity and genotoxicity and results for 81 compounds. *Mutat Res* 368:59-101.

Streicher E. 1951. Toxicity of colchicine, di-isopropyl fluorophosphate, intocostrin, and potassium cyanide in mice at 4 degrees C. *Proc Soc Exp Biol Med* 76:536-538.

Strugala GJ, Elbers R. 1984. Metabolism of amygdalin and prunasin in the isolated perfused rat liver. *Naunyn-Schmiedeberg's Arch Pharmacol.* 325(Suppl.):R23.

*Sturm CD, Frisella WA, Yoon KW. 1993. Attenuation of potassium cyanide-mediated neuronal cell death by adenosine. *J Neurosurg* 79(1):111-115.

*Stutz DR, Janusz SJ. 1988. Hazardous materials injuries: A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation.

*Suchard JR, Wallace KL, Gerkin RD. 1998. Acute cyanide toxicity caused by apricot kernel ingestion. *Ann Emerg Med* 32(6):742-744.

Sun P, Borowitz JL, Kanthasamy AG, et al. 1995. Antagonism of cyanide toxicity by isosorbide dinitrate: Possible role of nitric oxide. *Toxicology* 104:105-111.

*Swain E, LI CP, Poulton JE. 1992. Development of the potential for cyanogenesis in maturing black cherry (*Prunus serotina Ehrh.*) fruits. *Plant Physiol* 98(4):1423-1428.

9. REFERENCES

- *Sylvester DM, Hayton WL, Morgan RL, et al. 1983. Effects of thiosulfate on cyanide pharmacokinetics in dogs. *Toxicol Appl Pharmacol* 69:265-271.
- *Sylvester DM, Holmes RK, Sander C, et al. 1982. Interference of thiosulfate with potentiometric analysis of cyanide in blood and its elimination. *Toxicol Appl Pharmacol* 65:116-121.
- *Symington IS, Anderson RA, Oliver JS, et al. 1987. Cyanide exposure in fires. *Lancet* 2:91-92.
- *Tadic V. 1992. The in vivo effects of cyanide and its antidotes on rat brain cytochrome oxidase activity. *Toxicology* 76(1):9-67.
- ten Berge WF, Zwart A, Appelman LM. 1986. Concentration-time mortality response relationship of irritant and systemically acting vapours and gases. *J Hazard Mater* 13:301-309.
- *Ternay AL Jr, Brzezinska E, Sorokin V, et al. 2000. Organosulfur compounds as pre-exposure therapy for threat agents. *J Appl Toxicol* 20(Suppl 1):S31-S34.
- *Tewe OO, Maner JH. 1980. Cyanide, protein and iodine interactions in the performance, metabolism and pathology of pigs. *Res Vet Sci* 29:271-276.
- *Tewe OO, Maner JH. 1981a. Long-term and carry-over effect of dietary inorganic cyanide (KCN) in the life cycle performance and metabolism of rats. *Toxicol Appl Pharmacol* 58:1-7.
- *Tewe OO, Maner JH. 1981b. Performance and pathophysiological changes in pregnant pigs fed cassava diets containing different levels of cyanide. *Res Vet Sci* 30:147-151.
- *Tewe OO, Maner JH. 1982. Cyanide, protein and iodine interactions in the performance and metabolism of rats. *J Environ Pathol Toxicol Oncol* 6:69-77.
- Thier R, Lewalter J, Bolt HM. 2000. Species differences in acrylonitrile metabolism and toxicity between experimental animals and humans based on observations in human accidental poisonings. *Arch Toxicol* 74:184-189.
- Thilly CH, Swennen B, Bourdoux P, et al. 1993. The epidemiology of iodine-deficiency disorders in relation to goitrogenic factors and thyroid-stimulating-hormone regulation. *Am J Clin Nutr* 57(2 Suppl):267S-270S.
- Thomas RG. 1982. Volatilization from water. In: Lyman WJ, Reehl, WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods: Environmental behavior of organic compounds*. New York, NY: McGraw-Hill Book Co., 15-16.
- *Thomas AO, Lester JN. 1993. The microbial remediation of former gasworks sites. A review. *Environ Technol* 14(1):1-24.
- *Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. *Chemically induced alterations in sexual and functional development: The wildlife/human connection*. Princeton, NJ: Princeton Scientific Publishing, 365-394.
- *Thomas TA, Brooks JW. 1970. Accidental cyanide poisoning. *Anaesthesia* 25:110-114.

9. REFERENCES

- *Thompson RW, Valentine HL, Valentine WM. 2003. Cytotoxic mechanisms of hydrosulfide anion and cyanide anion in primary rat hepatocyte cultures. *Toxicology* 188:149-159.
- Tiwary RK. 2001. Environmental impact of coal mining on water regime and its management. *Water Air Soil Pollut* 132(1-2):185-199.
- Toida T, Togawa T, Tanabe S, et al. 1984. Determination of cyanide and thiocyanate in blood plasma and red cells by high-performance liquid chromatography with fluorometric detection. *J Chromatogr* 308:133-141.
- *Tominaga MY, Midio AF. 1991. Modified method for the determination of thiocyanate in urine by ion-exchange chromatography and spectrophotometry. *Rev Farm Bioquim Univ Sao Paulo* 27(1):100-105.
- Tomoda A, Hashimoto K. 1991. The determination of cyanide in water and biological tissues by methemoglobin. *J Hazard Mater* 28:241-249.
- *Tomoda A, Nagai K, Hashimoto K. 1992. A simple and convenient method for the determination of cyanide in bloods and water by methemoglobin. *Int Congr Ser - Excerpta Med* 991:789-791.
- Tor-Agbede J, Palmer VS, Lasarev MR, et al. 1999. Bioactivation of cyanide to cyanate in sulfur amino acid deficiency: Relevance to neurological disease in humans subsisting on cassava. *Toxicol Sci* 50(2):228-235.
- Tor-Agbede J, Palmer VS, Sabri M, et al. 1998. Dietary deficiency of cystine and methionine in rats alters thiol homeostasis required for cyanide detoxification. *J Toxicol Environ Health A* 55:583-595.
- *Tracqui A, Raul JS, Geraut A, et al. 2002. Determination of blood cyanide by HPLC-MS. *J Anal Toxicol* 26(3):144-148.
- *Trapp WG. 1970. Massive cyanide poisoning with recovery: A boxing-day story. *Can Med Assoc J* 102:517.
- Trenholm A. 1998. Identification of PICs in hazardous waste combustion emissions. *Waste Manage* 18:485-492.
- *TRI88. 1990. Toxic Chemical Release Inventory 1988. Bethesda, MD: National Library of Medicine, National Toxicology Information Program.
- *TRI03. 2005. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access, Offices of Environmental Information, U.S. Environmental Protection Agency. Toxics Release Inventory. <http://www.epa.gov/triexplorer/>. September 14, 2005.
- Troup CM, Ballantyne B. 1987. Analysis of cyanide in biological fluids and tissues. In: Ballantyne B, Marrs TC, eds. *Clinical and experimental toxicology of cyanides*. Bristol, UK: IOP Publishing Limited, 22-40.
- *Tsuge K, Kataoka M, Seto Y. 2000. Cyanide and thiocyanate levels in blood and saliva of health adult volunteers. *J Health Sci* 46(5):343-350.

9. REFERENCES

- Tsuge K, Kataoka M, Seto Y. 2001. Rapid determination of cyanide and azide in beverages by microdiffusion spectrophotometric method. *J Anal Toxicol* 25(4):228-236.
- *Tucker SP, Carson GA. 1985. Deactivation of hazardous chemical wastes. *Environ Sci Technol* 19:215-220.
- Tung A, Lynch J, McDade WA. 1997. A new biological assay for measuring cyanide in blood. *Anesth Analg* 85:1045-1051.
- Twardok LE, Burton DT, Gardner HS, et al. 1997. The use of nontraditional assays in an integrated environmental assessment of contaminated ground water. *Environ Toxicol Chem* 16(9):1816-1820.
- *Tylleskar T, Banea M, Bikangi N, et al. 1992. Cassava cyanogens and konzo, an upper motoneuron disease found in Africa [erratum in *Lancet* 1992 Feb 15;339(8790):440]. *Lancet* 339(8787):208-211.
- *Tylleskar T, Legue FD, Peterson S, et al. 1994. Konzo in the Central African Republic. *Neurology* 44(5):959-61.
- *Uitti RJ, Rajput AH, Ashenhurst EM, et al. 1985. Cyanide-induced parkinsonism: A clinicopathologic report. *Neurology* 35:921-925.
- *Ukhun ME, Dibie EN. 1989. Cyanide content of cassava mash and gari flour and influence of water activity (a_w) during storage. *Bull Environ Contam Toxicol* 42:548-552.
- UN. 1985. Treatment and disposal methods for waste chemicals. International Register of Potentially Toxic Chemicals. Geneva, Switzerland: United Nations Environment Programme, 118-122.
- *USAMRICD. 1994. A comparison of the treatment of cyanide poisoning in the Cynomolgus monkey with sodium nitrite or 4-dimethylaminophenol (4-DMAP), with and without sodium thiosulfate. Aberdeen Proving Ground, MD: U.S. Army Medical Research Institute of Chemical Defense. USAMRICDTR9401. ADA284920.
- *U.S. Army. 1989. Review of reactions of chemical agents in water. Final report. Fort Detrick, MD: U.S. Army Medical Research and Development Command. ADA213287, 51-52.
- *USDOC. 2003. U.S. Trade quick-reference tables: December 2003. Office of Trade and Economic Analysis, International Trade Administration. U.S. Department of Commerce. <http://www.ita.doc.gov/td/industry/otea/Trade-Detail/Latest-December>. June 2004.
- *USDOC. 2004. U.S. imports for consumption: 2004 and 2004 year-to-date. Office of Trade and Economic Analysis, International Trade Administration. U.S. Department of Commerce. <http://www.ita.doc.gov/td/industry/otea/Trade-Detail/>. September 5, 2005.
- *USGS. 1985. Cyanide, colorimetric, barbituric acid, automated-segmented flow. Denver, CO: U.S. Geological Survey. <http://reports.er.usgs.gov/reports>. June 16, 2004.
- *Valade MP. 1952. [Central nervous system lesions in chronic experimental poisoning with gaseous hydrocyanic acid]. *Bull Acad Natl Med (Paris)* 136:280-285. (French)
- *Valenzuela R, Court J, Godoy J. 1992. Delayed cyanide induced dystonia. *J Neurol Neurosurg Psychiatry* 55(3):198-199.

9. REFERENCES

- *Van Buuren JH, Zuurendonk PF, Van Gelder BF, et al. 1972. Biochemical and biophysical studies on Cytochrome aa₃ V. binding of cyanide to cytochrome aa₃. *Biochim Biophys Acta* 256 (2):243-257.
- *VanderLaan WP, Bissell A. 1946. Effects of propylthiouracil and of potassium thiocyanate on the uptake of iodine by the thyroid gland of the rat. *Endocrinology* 39:157-160.
- *van Heijst AN, Maes RA, Mtanda AT, et al. 1994. Chronic cyanide poisoning in relation to blindness and tropical neuropathy. *Clin Toxicol* 32(5):549-556.
- *Van Middlesworth L. 1986. Potential metabolic significance of blood thiocyanate. *Endocrinol Exp* 20:17-22.
- *Venkataramani ES, Ahlert RC, Corbo P. 1984. Biological treatment of landfill leachates. *CRC Crit Rev Environ Control* 14:333-376.
- Vesey CJ. 1987. Nitroprusside cyanogenesis. In: Ballantyne B, Marrs TC, eds. *Clinical and experimental toxicology of cyanides*. Bristol, UK: IOP Publishing Limited, 184-208.
- *Vesey CJ, Cole PV, Simpson PJ. 1976. Cyanide and thiocyanate concentrations following sodium nitroprusside infusion in man. *Br J Anaesth* 48(7):651-660.
- Vick JA, Froehlich HL. 1985. Studies of cyanide poisoning. *Arch Int Pharmacodyn* 273:314-322.
- *Vick JA, Von Bredow JD. 1996. Effectiveness of intramuscularly administered cyanide antidotes on methemoglobin formation and survival. *J Appl Toxicol* 16(6):509-516.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238:476-483.
- *Vock EH, Lutz WK, Hormes P, et al. 1998. Discrimination between genotoxicity and cytotoxicity in the induction of DNA double-strand breaks in cells treated with etoposide, melphalan, cisplatin, potassium cyanide, Triton X-100, and gamma-irradiation. *Mutat Res* 413:83-94.
- *Vogel SN, Sultan TR, Ten Eyck RP. 1981. Cyanide poisoning. *Clin Toxicol* 18:367-383.
- *Volodrich M, Kyzlink V. 1992. Cyanogenesis in canned stone fruits. *J Food Sci* 57(1):161-162, 189.
- *Waage H, Silsand T, Urdal P, et al. 1992. Discrimination of smoking status by thiocyanate and cotinine in serum, and carbon monoxide in expired air. *Int J Epidemiol* 21(3):488-493.
- *Walton DC, Witherspoon MG. 1926. Skin absorption of certain gases. *J Pharmacol Exp Ther* 26:315-324.
- *Watanabe-Suzuki K, Ishii A, Suzuki O. 2002. Cryogenic oven-trapping gas chromatography for analysis of volatile organic compounds in body fluids. *Anal Bioanal Chem* 373:75-80.
- *Way JL. 1984. Cyanide intoxication and its mechanism of antagonism. *Ann Rev Pharmacol Toxicol* 24:451-481.

9. REFERENCES

- *Way JL, Burrows G. 1976. Cyanide intoxication: Protection with chlorpromazine. *Toxicol Appl Pharmacol* 36:93-97.
- *Way JL, End E, Sheehy MH, et al. 1972. Effect of oxygen on cyanide intoxication IV. Hyperbaric oxygen. *Toxicol App Pharmacol* 22:415-421.
- *Way JL, Gibbon SL, Sheehy M. 1966. Cyanide intoxication: Protection with oxygen. *Science* 152:210-211.
- Weast RC, ed. 1985. CRC handbook of chemistry and physics. 66th ed. Boca Raton, FL: CRC Press, Inc., B-82, B-93, B-95, B-100, B-127, B-142.
- *Weil ED, Sandler SR. 1997. Sulfur compounds. Kirk-Othmer encyclopedia of chemical technology. http://www.mrw.interscience.wiley.com/kirk/articles/sulfweil.a01/sect1_11-fs.html. June 15, 2004.
- *Weinberg HS, Cook SJ. 2002. Segmented flow injection, UV digestion, and amperometric detection for the determination of total cyanide in wastewater treatment plant effluents. *Anal Chem* 74:6055-6063.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- Westley AM, Westley J. 1989. Voltammetric determination of cyanide and thiocyanate in small biological samples. *Anal Biochem* 181:190-194.
- *Weuffen W, Franzke C, Thurkow B. 1984. Forschrittsbericht: Zur alimentären aufnahme, analytic und biologischen bedeutung des thiocyanats. *Die Nahrung* 28:341-355.
- *Wexler J, Whittenberger JL, Dumke PR. 1947. The effect of cyanide on the electrocardiogram of man. *Am Heart J* 34:163-173.
- *White JM, Jones DD, Huang D, et al. 1988. Conversion of cyanide to formate and ammonia by a pseudomonad obtained from industrial wastewater. *J Indust Microbiol* 3:263-272.
- WHO. 1984. Guidelines for drinking-water quality. Geneva, Switzerland: World Health Organization.
- *WHO. 1992. Technical Report Series 828. Evaluation of certain food additives and naturally occurring toxicants. Thirty-ninth report of the Joint FAO/WHO Expert Committee on food additives. Geneva, Switzerland: World Health Organization.
- *WHO. 1996. Cyanide. Guidelines for drinking-water quality. Volume 2. Health criteria and other supporting information. Geneva, Switzerland: World Health Organization.
http://www.who.int/water_sanitation_health/dwq/en/2edvol2p2b.pdf. June 06, 2004.
- *WHO. 2000. Air quality guidelines. 2nd ed. Geneva, Switzerland: World Health Organization.
<http://www.euro.who.int/Document/AIQ/AirQualRepMtg.pdf>. February 15, 2005.
- *WHO. 2004a. Guidelines for drinking-water quality. 3rd ed. Geneva, Switzerland: World Health Organization. http://www.who.int/water_sanitation_health/dwq/gdwq3/en/index.html. August 31, 2005.
- *WHO. 2004b. Hydrogen cyanide and cyanides: Human health aspects. Geneva, Switzerland: World Heath Organization, 1-67.

9. REFERENCES

- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise. Volume II: The elements Part A. New York, NY: Academic Press.
- *Wiegand GH, Tremelling M. 1972. The kinetics and mechanism of the decomposition of potassium cyanide in aqueous alkaline medium. Hydrolysis of the simplest nitrile. *J Org Chem* 37(6):914-916.
- Willhite CC. 1981. Malformations induced by inhalation of acetonitrile vapors in the Golden hamster [Abstract]. *Teratology* 23:69A.
- *Willhite CC. 1982. Congenital malformations induced by laetrile. *Science* 215:1513-1515.
- *Willhite CC, Smith RP. 1981. The role of cyanide liberation in the acute toxicity of aliphatic nitriles. *Toxicol Appl Pharmacol* 59:589-602.
- *Wilson J. 1965. Leber's hereditary optic atrophy: A possible defect of cyanide metabolism. *Clin Sci* 29:505-515.
- *Wilson J. 1983. Cyanide in human disease: A review of clinical and laboratory evidence. *Fundam Appl Toxicol* 3:397-399.
- *Wilson MT, Antonini G, Malatesta F, et al. 1994. Probing the oxygen binding site of cytochrome c oxidase by cyanide. *J Biol Chem* 269(39):24114-24119.
- *Windholz M, ed. 1983. The Merck index. 10th ed. Rahway, NJ: Merck and Co. Inc., 229, 385, 696, 1100, 1104, 1233.
- Wing DA, Patel HC, Baskin SI. 1992. The effect of picrylsulphonic acid on in vitro conversion of cyanide to thiocyanate by 3-mercaptopropryl sulphurtransferase and rhodanese. *Toxicol In Vitro* 6(6):597-603.
- Wolterink AFWM, Jonker AB, Kengen SWM, et al. 2002. *Pseudomonas chloritidismutans* sp. nov., a non-denitrifying, chloride-reducing bacterium. *Int J Syst Evol Microbiol* 52:2183-2190.
- *Wood JL, Cooley SL. 1956. Detoxication of cyanide by cystine. *J Biol Chem* 218:449-457.
- *Worthing CR, ed. 1987. The pesticide manual. 8th ed. Thornton Heath, UK: British Crop Protection Council, 467.
- Wurzburg H. 1996. Treatment of cyanide poisoning in an industrial setting. *Vet Hum Toxicol* 38(1):44-47.
- Xia Z, Jin S, Zhou Y, et al. 1999. Analysis of 541 cases of occupational acute chemical injuries in a large petrochemical company in China. *Int J Occup Environ Health* 5(4):262-266.
- *Xie Y, Reckhow DA. 1993. A rapid and simple analytical method for cyanogen chloride and cyanogen bromide in drinking water. *Water Res* 27(3):507-511.
- *Xu J, Xin M, Takeuchi T, et al. 1993. Determination of oxidizable inorganic anions by reversed-phase ion-pair chromatography with amperometric detection. *Anal Chim Acta* 276(2):261-264.

9. REFERENCES

- *Yamamoto H. 1989. Hyperammonemia, increased brain neutral and aromatic amino acid levels, and encephalopathy induced by cyanide in mice. *Toxicol Appl Pharmacol* 99:415-420.
- *Yamamoto H. 1995a. A hypothesis for cyanide-induced tonic seizures with supporting evidence. *Toxicology* 95:19-26.
- Yamamoto H. 1995b. Effect of atropine on cyanide-induced acute lethality in mice. *Toxicol Lett* 80:29-33.
- *Yamamoto H, Mohanan PV. 2002. Melatonin attenuates brain mitochondria DNA damage induced by potassium cyanide in vivo and in vitro. *Toxicology* 179:29-36.
- *Yamamoto H, Tang H. 1996a. Effect of carbetapentane or melatonin on cyanide-induced neurotoxicity in mice. *J Hyg Chem* 42(6):487-491.
- *Yamamoto H, Tang H. 1996b. Preventive effect of melatonin against cyanide-induced seizures and lipid peroxidation in mice. *Neurosci Lett* 207:89-92.
- *Yamamoto H, Tang H. 1996c. Antagonistic effect of melatonin against cyanide-induced seizures and acute lethality in mice. *Toxicol Lett* 87:19-24.
- *Yamamoto H, Tang H. 1998. Effects of 2-amino-7-phosphonoheptanoic acid, melatonin or N^G-nitro-L-arginine on cyanide or N-methyl-D-aspartate-induced neurotoxicity in rat cortical cells. *Toxicol Lett* 94:13-18.
- *Yamamoto K, Yamamoto Y, Hattori H, et al. 1982. Effects of routes of administration on the cyanide concentration distribution in the various organs of cyanide-intoxicated rats. *Tohoku J Exp Med* 137:73-78.
- *Yamanaka S, Takaku S, Takaesu Y, et al. 1991. Validity of salivary thiocyanate as an indicator of cyanide exposure from smoking. *Bull Tokyo Dental Coll* 32(4):157-163.
- *Yang X, Shang C. 2005. Quantification of aqueous cyanogen chloride and cyanogen bromide in environmental samples by MIMS. *Water Res* 39(9):1709-1718.
- Yang A, Cardona DL, Barile FA. 2002. Subacute cytotoxicity testing with cultured human lung cells. *Toxicol in Vitro* 16:33-39.
- *Yen D, Tsai J, Wang LM, et al. 1995. The clinical experience of acute cyanide poisoning. *Am J Emerg Med* 13(5):524-528.
- Yeoh MJ, Braitberg G. 2002. Carbon monoxide, ethanol and cyanide poisoning in smoke inhalation fatalities. *J Toxicol Clin Toxicol* 40:659-660.
- Yi Y, Theis TL, Young TC. 2002. The effect of chlorination on organocyanide compounds. *Water Environ Res* 74(1):51-56.
- *Yoo KP, Lee SY, Lee WH. 1986. Ionization and Henry's law constants for volatile, weak electrolyte water pollutants. *Korean J Chem Eng* 3:67-72.

9. REFERENCES

- *Youatt JB. 1954. Studies on the metabolism of *Thiobacillus thiocyanoxidans*. J Gen Microbiol 11:139-149.
- *Young DR. 1978. Priority pollutants in municipal wastewaters. In: Annual Report South California Coastal Water Research Project. LA Jolla, CA: University of California, 103-112.
- Yu X, Trapp S, Zhou P, et al. 2004. Metabolism of cyanide by Chinese vegetation. Chemosphere 56:121-126.
- *Zagury GJ, Oudjehani K, Deschenes L. 2004. Characterization and availability of cyanide in solid mine tailings from gold extraction plants. Sci Total Environ 320:211-224.
- *Zaknun JJ, Stieglbauer K, Trenkler J, et al. 2005. Cyanide-induced akinetic rigid syndrome: Clinical, MRI, FDG-PET, β -CIT and HMPAO SPECT findings. Parkinsonism Relat Disord 11(25):125-129.
- *Zhang C, Zheng H, Ouyang J, et al. 2005. Cyanide distribution in human tissue, determined by GC/ECD/HS. Anal Lett 38:247-256.
- Zhang J, Tan Z, Tran ND. 2000. Chemical hypoxia-ischemia induces apoptosis in cerebromicrovascular endothelial cells. Brain Res 877:134-140.
- Zhang JG, Tirmenstein MA, Nicholls-Grzemski FA, et al. 2001. Mitochondrial electron transport inhibitors cause lipid peroxidation-dependent and -independent cell death: Protective role of antioxidants. Arch Biochem Biophys 393:87-96.
- Zhu Z, Fang Z. 1987. Spectrophotometric determination of total cyanide in waste waters in a flow-injection system with gas-diffusion separation and pre-concentration. Anal Chim Acta 198:25-36.
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12:29-34.