TOXICOLOGICAL PROFILE FOR ALPHA-, BETA-, GAMMA-, AND DELTA-HEXACHLOROCYCLOHEXANE

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Agency for Toxic Substances and Disease Registry

HEXACHLOROCYCLOHEXANE

DISCLAIMER

The use of company or product name(s) is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry.

UPDATE STATEMENT

A Toxicological Profile for Hexachlorocyclohexane, Draft for Public Comment was released in September 2003. This edition supersedes any previously released draft or final profile.

Toxicological profiles are revised and republished as necessary. For information regarding the update status of previously released profiles, contact ATSDR at:

Agency for Toxic Substances and Disease Registry
Division of Toxicology/Toxicology Information Branch
1600 Clifton Road NE
Mailstop F-32
Atlanta, Georgia 30333

FOREWORD

This toxicological profile is prepared in accordance with guidelines* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for the hazardous substance described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a hazardous substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a public health statement that describes, in nontechnical language, a substance's relevant toxicological properties. Following the public health statement is information concerning levels of significant human exposure and, where known, significant health effects. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to protection of public health are identified by ATSDR and EPA.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a hazardous substance to ascertain the levels of significant human exposure for the substance and the associated acute, subacute, and chronic health effects;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, subacute, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staff of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

Julie Louise Gerberding M.D

Agency for Toxic Substances and Disease Registry

*Legislative Background

The toxicological profiles are developed in response to the Superfund Amendments and Reauthorization Act (SARA) of 1986 (Public Law 99-499) which amended the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA or Superfund). This public law directed ATSDR to prepare toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. The availability of the revised priority list of 275 hazardous substances was announced in the *Federal Register* on November 7, 2003 (68 FR 63098). For prior versions of the list of substances, see *Federal Register* notices dated April 17, 1987 (52 FR 12866); October 20, 1988 (53 FR 41280); October 26, 1989 (54 FR 43619); October 17,1990 (55 FR 42067); October 17, 1991 (56 FR 52166); October 28, 1992 (57 FR 48801); February 28, 1994 (59 FR 9486); April 29, 1996 (61 FR 18744); November 17, 1997 (62 FR 61332); October 21, 1999(64 FR 56792) and October 25, 2001 (66 FR 54014). Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list.

QUICK REFERENCE FOR HEALTH CARE PROVIDERS

Toxicological Profiles are a unique compilation of toxicological information on a given hazardous substance. Each profile reflects a comprehensive and extensive evaluation, summary, and interpretation of available toxicologic and epidemiologic information on a substance. Health care providers treating patients potentially exposed to hazardous substances will find the following information helpful for fast answers to often-asked questions.

Primary Chapters/Sections of Interest

- **Chapter 1: Public Health Statement**: The Public Health Statement can be a useful tool for educating patients about possible exposure to a hazardous substance. It explains a substance's relevant toxicologic properties in a nontechnical, question-and-answer format, and it includes a review of the general health effects observed following exposure.
- **Chapter 2: Relevance to Public Health**: The Relevance to Public Health Section evaluates, interprets, and assesses the significance of toxicity data to human health.
- **Chapter 3: Health Effects**: Specific health effects of a given hazardous compound are reported by type of health effect (death, systemic, immunologic, reproductive), by route of exposure, and by length of exposure (acute, intermediate, and chronic). In addition, both human and animal studies are reported in this section.

NOTE: Not all health effects reported in this section are necessarily observed in the clinical setting. Please refer to the Public Health Statement to identify general health effects observed following exposure.

Pediatrics: Four new sections have been added to each Toxicological Profile to address child health issues:

Section 1.6 How Can (Chemical X) Affect Children?

Section 1.7 How Can Families Reduce the Risk of Exposure to (Chemical X)?

Section 3.7 Children's Susceptibility

Section 6.6 Exposures of Children

Other Sections of Interest:

Section 3.8 Biomarkers of Exposure and Effect Section 3.11 Methods for Reducing Toxic Effects

ATSDR Information Center

Phone: 1-888-42-ATSDR or (404) 498-0110 **Fax:** (770) 488-4178

The following additional material can be ordered through the ATSDR Information Center:

Case Studies in Environmental Medicine: Taking an Exposure History—The importance of taking an exposure history and how to conduct one are described, and an example of a thorough exposure history is provided. Other case studies of interest include Reproductive and Developmental

HEXACHLOROCYCLOHEXANE

Hazards; Skin Lesions and Environmental Exposures; Cholinesterase-Inhibiting Pesticide Toxicity; and numerous chemical-specific case studies.

viii

Managing Hazardous Materials Incidents is a three-volume set of recommendations for on-scene (prehospital) and hospital medical management of patients exposed during a hazardous materials incident. Volumes I and II are planning guides to assist first responders and hospital emergency department personnel in planning for incidents that involve hazardous materials. Volume III—

Medical Management Guidelines for Acute Chemical Exposures—is a guide for health care professionals treating patients exposed to hazardous materials.

Fact Sheets (ToxFAQs) provide answers to frequently asked questions about toxic substances.

Other Agencies and Organizations

The National Center for Environmental Health (NCEH) focuses on preventing or controlling disease, injury, and disability related to the interactions between people and their environment outside the workplace. Contact: NCEH, Mailstop F-29, 4770 Buford Highway, NE, Atlanta, GA 30341-3724 • Phone: 770-488-7000 • FAX: 770-488-7015.

The National Institute for Occupational Safety and Health (NIOSH) conducts research on occupational diseases and injuries, responds to requests for assistance by investigating problems of health and safety in the workplace, recommends standards to the Occupational Safety and Health Administration (OSHA) and the Mine Safety and Health Administration (MSHA), and trains professionals in occupational safety and health. Contact: NIOSH, 200 Independence Avenue, SW, Washington, DC 20201 • Phone: 800-356-4674 or NIOSH Technical Information Branch, Robert A. Taft Laboratory, Mailstop C-19, 4676 Columbia Parkway, Cincinnati, OH 45226-1998 • Phone: 800-35-NIOSH.

The National Institute of Environmental Health Sciences (NIEHS) is the principal federal agency for biomedical research on the effects of chemical, physical, and biologic environmental agents on human health and well-being. Contact: NIEHS, PO Box 12233, 104 T.W. Alexander Drive, Research Triangle Park, NC 27709 • Phone: 919-541-3212.

Referrals

The Association of Occupational and Environmental Clinics (AOEC) has developed a network of clinics in the United States to provide expertise in occupational and environmental issues. Contact:

AOEC, 1010 Vermont Avenue, NW, #513, Washington, DC 20005 • Phone: 202-347-4976
• FAX: 202-347-4950 • e-mail: AOEC@AOEC.ORG • Web Page: http://www.aoec.org/.

The American College of Occupational and Environmental Medicine (ACOEM) is an association of physicians and other health care providers specializing in the field of occupational and environmental medicine. Contact: ACOEM, 25 Northwest Point Boulevard, Suite 700, Elk Grove Village, IL 60007-1030 • Phone: 847-818-1800 • FAX: 847-818-9266.

CONTRIBUTORS

CHEMICAL MANAGER(S)/AUTHOR(S):

Alfred Dorsey, DVM Jewell Wilson, PhD Annette Ashizawa, PhD ATSDR, Division of Toxicology, Atlanta, GA

Stephen Bosch, BS Mario Citra, PhD Antonio Quinones-Rivera, PhD Michael Lumpkin, PhD Jennifer Rhoades, BA Fernando Llados, PhD Syracuse Research Corporation, North Syracuse, NY

THE PROFILE HAS UNDERGONE THE FOLLOWING ATSDR INTERNAL REVIEWS:

- 1. Health Effects Review. The Health Effects Review Committee examines the health effects chapter of each profile for consistency and accuracy in interpreting health effects and classifying end points.
- 2. Minimal Risk Level Review. The Minimal Risk Level Workgroup considers issues relevant to substance-specific Minimal Risk Levels (MRLs), reviews the health effects database of each profile, and makes recommendations for derivation of MRLs.
- 3. Data Needs Review. The Research Implementation Branch reviews data needs sections to assure consistency across profiles and adherence to instructions in the Guidance.
- 4. Green Border Review. Green Border review assures the consistency with ATSDR policy.

PEER REVIEW

A peer review panel was assembled for hexachlorocyclohexane. The panel consisted of the following members:

- 1. C. Clifford Conaway, Ph.D., DABT, Associate Research Scientist, Institute for Cancer Prevention, Valhalla, NY 10595
- 2. Lucio Costa, Ph.D., Professor, Department of Environmental Health, University of Washington, Seattle, WA 98195
- 3. Raghubir Sharma, Ph.D., Fred C. Davidson Distinguished Chair in Toxicology, Department of Physiology and Pharmacology, University of Georgia, Athens, GA 30602

These experts collectively have knowledge of hexachlorocyclohexane 's physical and chemical properties, toxicokinetics, key health end points, mechanisms of action, human and animal exposure, and quantification of risk to humans. All reviewers were selected in conformity with the conditions for peer review specified in Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

Scientists from the Agency for Toxic Substances and Disease Registry (ATSDR) have reviewed the peer reviewers' comments and determined which comments will be included in the profile. A listing of the peer reviewers' comments not incorporated in the profile, with a brief explanation of the rationale for their exclusion, exists as part of the administrative record for this compound.

The citation of the peer review panel should not be understood to imply its approval of the profile's final content. The responsibility for the content of this profile lies with the ATSDR.

CONTENTS

D	ISCL	AIMER		ii
			EMENT	
			ENCE FOR HEALTH CARE PROVIDERS.	
			S	
			DO	
			ES	
LI	S1 C)F TABLE	ES	X1X
1	ΡIJ	RLIC HEA	ALTH STATEMENT	1
	1.1		T IS HEXACHLOROCYCLOHEXANE?	
	1.2		Γ HAPPENS TO HEXACHLOROCYCLOHEXANE WHEN IT ENTERS THE	1
	1.4		RONMENT?	2
	1.3		MIGHT I BE EXPOSED TO HEXACHLOROCYCLOHEXANE?	
	1.3		CAN HEXACHLOROCYCLOHEXANE ENTER AND LEAVE MY BODY?	
			CAN HEXACHLOROCYCLOHEXANE AFFECT MY HEALTH?	
	1.5		CAN HEXACHLOROCYCLOHEXANE AFFECT MY HEALTH?	
	1.6			3
	1.7		CAN FAMILIES REDUCE THE RISK OF EXPOSURE TO	_
	1.0	HEXA	ACHLOROCYCLOHEXANE?	6
	1.8		ERE A MEDICAL TEST TO DETERMINE WHETHER I HAVE BEEN EXPOSE	
			EXACHLOROCYCLOHEXANE?	7
	1.9		T RECOMMENDATIONS HAS THE FEDERAL GOVERNMENT MADE TO	
			ECT HUMAN HEALTH?	
	1.10	WHE	RE CAN I GET MORE INFORMATION?	8
2	DEI	EVANCI	E TO PUBLIC HEALTH	11
	2.1		GROUND AND ENVIRONMENTAL EXPOSURES TO	1 1
	2.1			11
	2.2		ACHLOROCYCLOHEXANE IN THE UNITED STATES	
	2.2		MARY OF HEALTH EFFECTS	
	2.3	MINII	MAL RISK LEVELS	16
3	HE	ATTH EE	FECTS	27
	3.1		ODUCTION	
	3.2		USSION OF HEALTH EFFECTS BY ROUTE OF EXPOSURE	
			alation Exposurealation Exposure	
	3.2			
		3.2.1.1	Death	
		3.2.1.2	Systemic Effects	
		3.2.1.3	Immunological and Lymphoreticular Effects	
		3.2.1.4	Neurological Effects	
		3.2.1.5	Reproductive Effects	
		3.2.1.6	Developmental Effects	
		3.2.1.7	Cancer	
	3.2		l Exposure	
		3.2.2.1	Death	39
		3.2.2.2	Systemic Effects	78

3.2.2.3	Immunological and Lymphoreticular Effects	86
3.2.2.4	Neurological Effects	87
3.2.2.5	Reproductive Effects	92
3.2.2.6	Developmental Effects	96
3.2.2.7	Cancer	99
3.2.3 Derm	nal Exposure	102
3.2.3.1	Death	103
3.2.3.2	Systemic Effects	
3.2.3.3	Immunological and Lymphoreticular Effects	111
	Neurological Effects	
3.2.3.5	Reproductive Effects	112
3.2.3.6	Developmental Effects	112
3.2.3.7	Cancer	113
3.3 GENOT	OXICITY	113
3.4 TOXIC	OKINETICS	115
3.4.1 Abso	rption	115
3.4.1.1	Înhalation Exposure	115
3.4.1.2	Oral Exposure	
3.4.1.3	Dermal Exposure	
3.4.2 Distr	ibution	
3.4.2.1	Inhalation Exposure	
3.4.2.2	Oral Exposure	
3.4.2.3	Dermal Exposure	
3.4.3 Meta	bolism	
	nation and Excretion	
3.4.4.1	Inhalation Exposure	
3.4.4.2	Oral Exposure	
	Dermal Exposure	
	iologically Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD) Models	
3.5 MECH	ANISMS OF ACTION	135
3.5.1 Phari	nacokinetic Mechanisms	135
	nanisms of Toxicity	
	nal-to-Human Extrapolations	
	ITIES MEDIATED THROUGH THE NEUROENDOCRINE AXIS	
	REN'S SUSCEPTIBILITY	
	RKERS OF EXPOSURE AND EFFECT	
	arkers Used to Identify or Quantify Exposure to Hexachlorocyclohexane	
	arkers Used to Characterize Effects Caused by Hexachlorocyclohexane	
	ACTIONS WITH OTHER CHEMICALS	
	ATIONS THAT ARE UNUSUALLY SUSCEPTIBLE	
	ODS FOR REDUCING TOXIC EFFECTS	
	ducing Peak Absorption Following Exposure	
	Educing Body Burden	
3.11.3 Int	terfering with the Mechanism of Action for Toxic Effects	153
	JACY OF THE DATABASE	
	isting Information on Health Effects of Hexachlorocyclohexane	
	entification of Data Needs	
	ngoing Studies	169

4. CHEMICAL AND PHYSICAL INFORMATION	173
4.1 CHEMICAL IDENTITY	173
4.2 PHYSICAL AND CHEMICAL PROPERTIES	173
5. PRODUCTION, IMPORT/EXPORT, USE, AND DISPOSAL	177
5.1 PRODUCTION	
5.2 IMPORT/EXPORT	
5.3 USE	
5.4 DISPOSAL	
6. POTENTIAL FOR HUMAN EXPOSURE	183
6.1 OVERVIEW	
6.2 RELEASES TO THE ENVIRONMENT	
6.2.1 Air	
6.2.2 Water	
6.2.3 Soil	
6.3 ENVIRONMENTAL FATE	
6.3.1 Transport and Partitioning	
6.3.2 Transformation and Degradation	
6.3.2.1 Air	
6.3.2.2 Water	196
6.3.2.3 Sediment and Soil	
6.4 LEVELS MONITORED OR ESTIMATED IN THE ENVIRONMENT	199
6.4.1 Air	200
6.4.2 Water	
6.4.3 Sediment and Soil	
6.4.4 Other Environmental Media	
6.5 GENERAL POPULATION AND OCCUPATIONAL EXPOSURE	206
6.6 EXPOSURES OF CHILDREN	210
6.7 POPULATIONS WITH POTENTIALLY HIGH EXPOSURES	215
6.8 ADEQUACY OF THE DATABASE	216
6.8.1 Identification of Data Needs	
6.8.2 Ongoing Studies	
7. ANALYTICAL METHODS	221
7.1 BIOLOGICAL MATERIALS	
7.2 ENVIRONMENTAL SAMPLES	225
7.3 ADEQUACY OF THE DATABASE	
7.3.1 Identification of Data Needs	
7.3.2 Ongoing Studies	
8. REGULATIONS AND ADVISORIES	237
9. REFERENCES	245
10 GLOSSARY	319

HEXACHLOROCYCLOHEXANE xvi

APPENDICES

A.	ATSDR MINIMAL RISK LEVELS AND WORKSHEETS	. A- 1
В.	USER'S GUIDE	.B-1
C.	ACRONYMS, ABBREVIATIONS, AND SYMBOLS	. C-1
D.	INDEX	.D-1

LIST OF FIGURES

3-1.	Levels of Significant Exposure to Gamma-Hexachlorocyclohexane (Lindane)—Inhalation	32
3-2.	Levels of Significant Exposure to Gamma-Hexachlorocyclohexane (Lindane)—Oral	55
3-3.	Levels of Significant Exposure to Alpha-, Beta-, Delta-, and Technical-Grade HCH—Oral	74
3-4.	The Proposed Metabolism of Hexachlorocyclohexane	125
3-5.	Conceptual Representation of a Physiologically Based Pharmacokinetic (PBPK) Model for a Hypothetical Chemical Substance	132
3-6.	Structure of the PBPK Model for γ-HCH	133
3-7.	Existing Information on Health Effects of α-, β-, γ-, and δ-HCH	156
6-1.	Frequency of NPL Sites with α-Hexachlorocyclohexane Contamination	184
6-2.	Frequency of NPL Sites with β-Hexachlorocyclohexane Contamination	185
6-3.	Frequency of NPL Sites with γ-Hexachlorocyclohexane Contamination	186
6-4.	Frequency of NPL Sites with δ-Hexachlorocyclohexane Contamination	187

LIST OF TABLES

2-1.	MRL Values for Hexachlorocyclohexane (HCH)	19
3-1.	Levels of Significant Exposure to Gamma-Hexachlorocyclohexane (Lindane)—Inhalation	30
3-2.	Levels of Significant Exposure to Gamma-Hexachlorocyclohexane (Lindane)—Oral	40
3-3.	Levels of Significant Exposure to Alpha-, Beta-, Delta-, and Tech-Grade HCH—Oral	59
3-4.	Levels of Significant Exposure to Gamma-Hexachlorocyclohexane (Lindane)—Dermal	104
3-5.	Levels of Significant Exposure to Technical-Grade Hexachlorocyclohexane—Dermal	106
3-6.	Genotoxicity of Hexachlorocyclohexane Isomers In Vivo.	116
3-7.	Genotoxicity of Hexachlorocyclohexane Isomers In Vitro	117
3-8.	Parameters for a PBPK Model for γ-Hexachlorocyclohexane in Rats	134
3-9.	Ongoing Studies on Hexachlorocyclohexane Health Effects	170
4- 1.	Chemical Identity of Hexachlorocyclohexane Isomers	174
4-2.	Physical and Chemical Properties of Hexachlorocyclohexane Isomers	176
5-1.	Facilities that Produce, Process, or Use Hexachlorocyclohexane	178
6-1.	Releases to the Environment from Facilities that Produce, Process, or Use Hexachlorocyclohexane	189
6-2.	Ten-year Study on the Occurrence of HCH in 234 Ready-to-eat Food Items in the United States	204
6-3.	Average Daily Intake (AVDI, ng/kg/day) of γ-HCH in Eight Population Groups	207
6-4.	Geometric Mean and Percentiles of the Serum Concentration (ng/g) of β-HCH in the U.S. Population	211
7-1.	Analytical Methods for Determining Hexachlorocyclohexane in Biological Samples	222
7-2.	Analytical Methods for Determining Hexachlorocyclohexane in Environmental Samples	226
8-1.	Regulations and Guidelines Applicable to Hexachlorocyclohexane and Hexachlorocyclohexane Isomers	238