

**8. REFERENCES**

- \*ACGIH. 1989. Threshold limit values and biological exposure indices for 1989-1990. American Conference of Governmental Industrial Hygienists. Cincinnati, OH, 14.
- Altshuller, AP. 1965. Reactivity of organic substances in atmospheric photooxidation reactions. Environ Health Ser PHS Publ No 999-AP-14.
- \*Altshuller AP, Cohen IR. 1964. Atmospheric photooxidation of the ethylene nitric oxide system. Int J Air Water Pollut 8:611-632.
- \*Altshuller AP, Kopczynski SL, Lonneman WA, et al. 1970. A technique for measuring photochemical reactions in atmospheric samples. Environ Sci Technol 4:503-506.
- \*Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. J Appl Toxicol 3:272-290.
- \*Arce GT, Vincent DR, Cunningham MJ, et al. 1989. The in vitro and in vivo genotoxicity of 1,3-butadiene and metabolites. Haskell Laboratory for Toxicology and Industrial Medicine, E.I. Du Pont de Nemours and Company, Inc.
- \*Atkinson R. 1985. Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds under atmospheric conditions. Chem Rev 85:69-201.
- \*Atkinson R, Aschmann SM. 1984. Rate constants for the reaction of the hydroxyl radicals with a series of alkenes and dialkenes at 295± K. International Journal of Chemical Kinetics 16:1175-1186.
- \*Atkinson R, Carter WPL. 1984. Kinetics and mechanisms of gas-phase reactions of ozone with organic compounds under atmospheric conditions. Chem Rev 84:437-470.
- \*Atkinson R, Pitts JN Jr. 1977. Absolute rate constants for the reaction of oxygen(3P) atoms with allene, 1,3-butadiene, and vinyl methyl ether over the temperature range 297-439 K. J Chem Phys 67:2492-2495.
- \*Atkinson R, Perry RA, Pitts JN Jr. 1977. Absolute rate constants for the reaction of hydroxyl radicals with allene 1,3-butadiene and 3-methyl-1-butene over the temperature range 299-424 K. J Chem Phys 67:3170-3174.

---

\*Cited in text.

## 8. REFERENCES

- \*Atkinson R, Darnall KR, Lloyd AC, et al. 1979. Kinetics and mechanisms of the reactions of the hydroxyl radical with organic compounds in the gas phase. *Adv Photochem* 11:375-488.
- \*Atkinson R, Aschmann SM, Winer AM, et al. 1984. Kinetics of the gas-phase reactions of NO<sub>3</sub> radicals with a series of dialkenes, cycloalkenes, and monoterpenes at 295±1 K. *Environ Sci Technol* 18:370-375.
- \*Barnes D, Bellen J, DeRosa C, et al. 1988. Reference dose (RfD): description and use in health risk assessments. Volume I, Appendix A: Integrated risk information system supportive documentation. Washington, DC; U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.
- \*Bartle KD, Bergstedt L, Novotny M, et al. 1969. Tobacco chemistry II. Analysis of the gas phase of tobacco smoke by gas chromatography-mass spectrometry. *J Chromatogr* 45:256-263.
- \*Biemer JJ. 1983. The preleukemic syndrome. *Ann Clin Lab Sci* 13:156-162.
- \*Blomberg L, Widmark G. 1975. Separation of fresh tobacco on a packed polar gas chromatographic column prior to on-line analysis by gas chromatography-mass spectrometry using a non-polar capillary column. *J Chromatogr* 106:59-71.
- \*Bolt HM, Schmiedel G, Filser JG, et al. 1983. Biological activation of 1,3-butadiene to vinyl oxirane by rat liver microsomes and expiration of the reactive metabolite by exposed rats. *J Cancer Res Clin Oncol* 106(2):112-116.
- \*Bolt HM, Filser JG, Stormer F. 1984. Inhalation pharmacokinetics based on gas uptake studies. V. Comparative pharmacokinetics of ethylene and 1,3-butadiene in rats. *Arch Toxicol* 55(4):213-218.
- \*Bond JA, Dahl AR, Henderson RF, et al. 1986. Species differences in the disposition of inhaled butadiene. *Toxicol Appl Pharmacol* 84(3):617-627.
- \*Bond JA, Dahl AR, Henderson RF, et al. 1987. Species differences in the distribution of inhaled butadiene in tissues. *Am Ind Hyg Assoc J* 48(10):867-872.
- \*Bond JA, Martin OS, Birnbaum LS, et al. 1988. Metabolism of 1,3-butadiene by lung and liver microsomes of rats and mice repeatedly exposed by inhalation to 1,3-butadiene. *Toxicol Lett* 44:143-151.
- Brodzinsky R, Singh HB. 1982. Volatile organic chemicals in the atmosphere: An assessment of available data. Menlo Park, VA: Atmospheric Science Center, SRI International.

## 8. REFERENCES

- \*Bronstein and Currance. 1988. Emergency care for hazardous materials exposure. Washington, DC: The C.V. Mosby Company, 155-156.
- \*Brunnemann KD, Kagan MR, Cox JE, et al. 1990. Analysis of 1,3-butadiene and other selected gas-phase components in cigarette mainstream and sidestream smoke by gas chromatography-mass selective detection. *Carcinogenesis* 11:1863-1868.
- Burroughs GE. 1979. NIOSH Health Hazard Evaluation Determination. Piper Aircraft Corporation, Vero Beach, FL. Report No. 78-110-585. NTIS PB80-196-702.
- Carassiti V, Bignozzi CA, Chiorboli C, et al. 1980. Photochemical oxidation of the butadiene-nitrogen oxides-acrolein system. *Proc 1st European Symp Phys Chem Behav Atmos Pollut*, 221-225.
- Carey PM. 1987. Air toxics emissions from motor vehicles. EPA/AA/TSSS/PA-86. NTIS PB88-115001.
- \*Carpenter CP, Shaffer CB, Weil CS, et al. 1944. Studies on the inhalation of 1,3-butadiene; with a comparison of its narcotic effect with benzol, toluol, and styrene, and a note on the elimination of styrene by the human. *J Ind Hyg Toxicol* 26(3):69-78.
- \*CAS. 1989. Chemical Abstracts Service, Chemical Abstracts Registry File [Database]. September 8, 1989.
- \*Case RAM, Hosker ME. 1954. Tumor of the urinary bladder as an occupational disease in the rubber industry in England and Wales. *Br J Prev Sot Med* 8:39-50.
- \*Checkoway H, Williams TM. 1982. A hematology survey of workers at a styrene-butadiene synthetic rubber manufacturing plant. *Am Ind Hyg Assoc J* 43(3):164-169.
- \*Chemical and Engineering News. 1976. Key Chemicals Profile Butadiene. May 10, 12.
- \*Chemical and Engineering News. 1977. Key Chemicals Profile Butadiene. November 7, 14.
- \*Chemical and Engineering News. 1978. Key Chemicals Profile Butadiene. November 20, 15.
- \*Chemical and Engineering News. 1979. Key Chemicals Profile Butadiene. November 19, 19.

## 8. REFERENCES

- \*Chemical and Engineering News. 1980. Key Chemicals Profile Butadiene. November 17, 18.
- \*Chemical and Engineering News. 1981. Key Chemicals Profile Butadiene. November 30, 14.
- \*Chemical and Engineering News. 1982. Key Chemicals Profile Butadiene. November 22, 21.
- \*Chemical and Engineering News. 1983. Key Chemicals Profile Butadiene. October 24, 15.
- \*Chemical and Engineering News. 1985. Key Chemicals Profile Butadiene. March 25, 25.
- \*Chemical and Engineering News. 1986. Key Chemicals Profile Butadiene. June 9, 15.
- \*Chemical Marketing Reporter. 1980. Chemical Profile: 1,3-Butadiene. March 17, 54.
- \*Chemical Marketing Reporter. 1988. Chemical Profile: 1,3-Butadiene. April 11, 56-58.
- \*Chemline. 1989. National Library of Medicine Chemline [Database]. September 5, 1989.
- CLPSD. 1989. Contract Laboratory Program Statistical Database. Viar and Company, Alexandria, VA. June 12, 1989.
- \*CMA. 1991. Written communication (February 15) to ATSDR regarding comments on the draft toxicological profile for butadiene. Chemical Manufacturers Association, Washington, D.C.
- Cote IL and Bayard SP. 1990. Cancer risk assessment of 1,3-butadiene. Environ Health Perspect 86:149-153.
- \*Crouch CN, Pullinger DH, Gaunt IF. 1979. Inhalation toxicity studies with 1,3-butadiene:2. 3 Month toxicity study in rats. Am Ind Hyg Assoc J 40(9):796-802.
- \*Cunningham MJ, Choy WN, Arce GT, et al. 1986. In vivo sister chromatid exchange and micronucleus induction studies with 1,3-butadiene in B6C3F1 mice and Sprague-Dawley rats. Mutagenesis 1(6):449-452.

## 8. REFERENCES

- Dahl AR, Bechtold WE, Bond JA, et al. n.d. Species differences in the metabolism and disposition of inhaled 1,3-butadiene and isoprene. Inhalation Toxicology Research Institute, Lovelace Biomedical and Environmental Research Institute, Albuquerque, NM. [unpublished study.]
- \*Dahl AR, Bechtold WE, Bond JA, et al. 1990. Species differences in the metabolism and disposition of inhaled 1,3-butadiene and isoprene. Environ Health Perspect 86:65-69.
- \*Dahl AR, Sun JD, Birnbaum LS, et al. 1991. Toxicokinetics of inhaled 1,3-butadiene in monkeys: comparison to toxicokinetics in rats and mice. Toxicol Appl Pharmacol 110:9-19.
- \*Darnall RR, Lloyd AC, Winer AM, et al. 1976. Reactivity scale for atmospheric hydrocarbons based on reaction with hydroxyl radicals. Environ Sci Technol 10:692-696.
- \*Daubert TE, Danner RP. 1985. Data compilation tables of properties of pure compounds. American Institute of Chemical Engineers, 450.
- \*Debont JAM, Attwood MM, Primrose SB. 1979. Epoxidation of short-chain alkenes in mycobacterium E20: The involvement of a specific mono-oxygenase. FEMS Microbiol Lett 6:183-188.
- \*de Meester C. 1988. Genotoxic properties of 1,3-Butadiene. Mutat Res 195(104):273-281.
- \*de Meester C, Poncelet F, Roberfroid M, et al. 1978. Mutagenicity of butadiene and butadiene monoxide. Biochem Biophys Res Commun 80:298-305.
- \*de Meester C, Poncelet F, Roberfroid M, et al. 1980. The mutagenicity of butadiene towards Salmonella typhimurium. Toxicol Lett 6:125-130.
- \*Deutschmann S, Laib RJ. 1989. Concentration-dependent depletion of non-protein sulfhydryl (NPSH) content in lung, heart and liver tissue of rats and mice after acute inhalation exposure to butadiene. Toxicol Lett 45(2-3):175-183.
- \*Dimitrades B, Sturm GP, Wesson TC, et al. 1975. Development and utility of reactivity scales from smog chamber data. RI 8023. Pittsburgh, PA: U.S. Bureau of Mines.
- \*Divine BJ. 1989. An update on mortality among workers at a butadiene facility - preliminary results. Report by Texaco Inc., Houston, TX.
- \*Divine BJ. 1990. An update on mortality among workers at a 1,3-butadiene facility - preliminary results. Environ Health Perspect 86:119-128.

## 8. REFERENCES

- \*Downs TD, Crane MW, Kim KW. 1987. Mortality among workers at a butadiene facility. *Am J Ind Med* 12(3):311-329.
- Duverger M, Lambotte M, Malvoisin E, et al. 1981. Metabolic activation and mutagenicity of 4 vinylic monomers (vinyl chloride, styrene, acrylonitrile, butadiene). *Toxicol Eur Res* 3(3):131-140.
- \*Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes Ecosystem. *Env Sci Tech* 15:30-38.
- \*Ellenhorn MJ, Barceloux DG. 1988. Medical toxicology: Diagnosis and treatment of human poisoning. Amsterdam: Elsevier Biomedical Press BV.
- \*EPA. 1978. U.S. Environmental Protection Agency. Interim primary drinking water regulations. *Federal Register* 43:29135-29150.
- EPA. 1981a. Chemical hazard information profile draft report. 1,3-Butadiene. Washington, D.C.: Office of Toxic Substances, Office of Pesticides and Toxic Substances, U.S. Environmental Protection Agency.
- EPA. 1981b. Health and environmental effects profile on 1,3-butadiene. Cincinnati, OH: Environmental Criteria and Assessment Office.
- \*EPA. 1982. Environmental Protection Agency. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: Environmental Monitoring and Support Laboratory. EPA 600/14-82-057.
- EPA. 1984. Hepatocyte primary culture/DNA repair test of butadiene feedstock. Houston, TX: Gulf Oil Chemicals Company.
- \*EPA. 1985a. Mutagenicity and carcinogenicity assessment of 1,3-butadiene. Washington, D.C.. Office of Health and Environmental Assessment, Office of Research and Development, U.S. Environmental Protection Agency. EPA-600/8-85-004 F.
- \*EPA. 1985b. Assessment of 1,3-butadiene as a potentially toxic air pollutant. *Federal Register* 50(197):41466.
- EPA. 1985c. Results from phase I of ongoing multi-phased research program on 1,3-butadiene. Washington, D.C. Chemical Manufacturers Association.
- \*EPA. 1986. Environmental Protection Agency. Methods for the determination of organic compounds in finished drinking water and raw source water. Cincinnati, OH: Physical and Chemical Methods Branch.
- \*EPA. 1987. Extremely hazardous substances list and threshold planning quantities; Emergency planning and release notification requirements. *Federal Register* 52(77):13378-13410.

## 8. REFERENCES

- \*EPA. 1988a. Environmental Protection Agency. Guidelines establishing test procedures for the analysis of pollutants. 40 CFR 1:36, 249-267.
- \*EPA 1988b. Environmental Protection Agency. Protection of environment. CFR 40 (part 355):182-191.
- \*EPA. 1989a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. Washington, DC. EPA 600/8-88-066F.
- \*EPA. 1989b. Environmental Protection Agency. Coordinated list of chemicals data base: 106-99-0, 1,3-butadiene.
- EPA. 1989c. Health and environmental effects document for 1,3-butadiene. Cincinnati, OH: Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, U.S. Environmental Protection Agency.
- Esmen N. 1979. Retrospective industrial hygiene surveys. Am Ind Hyg Assoc J 40:58-65.
- \*Ewing BB, Chian ESK, Cook JC, et al. 1977. Monitoring to detect previously unrecognized pollutants in surface waters - Appendix: Organic analysis data. Washington, DC: U.S. Environmental Protection Agency. EPA 560/6-77-015. Appendix: EPA 560/6-77-015A.
- Farley FF. 1977. Photochemical reactivity classification of hydrocarbons and other organic compounds. In: Dimitriadis B, ed. Inter Conf Photochemical Oxidant Pollut Control. Research Triangle Park, NC: U.S. Environmental Protection Agency, 713-727. EPA 600/3-77-001B.
- \*Fasen JM, Roberts DR, Ungers LJ, et al. 1990. Occupational exposure of workers to 1,3-butadiene. Environ Health Perspec 86:11-18.
- \*Filser JG, Bolt HM. 1984. Inhalation pharmacokinetics based on gas uptake studies. VI. Comparative evaluation of ethylene oxide and butadiene monoxide as exhaled reactive metabolites of ethylene and 1,3-butadiene in rats. Arch Toxicol 55(4):219-223.
- \*Fox AJ, Lindars DC, Owen R. 1974. A survey of occupational cancer in the rubber and cablemaking industries: Results of five-year analysis, 1967-71. Br J Ind Med 31:140-151.
- \*Gaffney JS, Levine SZ. 1979. Predicting gas phase organic molecule reaction rates using linear free-energy correlations. I. Oxygen O(<sup>3</sup>P) and hydroxyl addition and abstraction reactions. Int J Chem Kinet 11:1197-1209.

## 8. REFERENCES

- \*Gay BW Jr, Bufalini JJ. 1971. Nitric acid and the nitrogen balance of irradiated hydrocarbons in the presence of oxides of nitrogen. *Environ Sci Technol* 5:422-425.
- Gibson JE, Starr TB. 1988. Opportunities for improving techniques for interspecies extrapolation in the risk assessment process. *Environ Health Perspect* 77:99-105.
- Gold LS, Stone TH, Bernstein L. 1989. Summary of carcinogenic potency and positivity for 492 rodent carcinogens in the carcinogenic potency database. *Environ Health Perspect* 79:259-272.
- \*Graedel TE, Hawkins DT, Clayton LD. 1986. Atmospheric chemical compounds, sources, occurrence and bioassay. New York, NY: Academic Press, 144, 511, 587-588, 599, 605, 619.
- Guesten H, Filby WG, Schoof S. 1981. Prediction of hydroxyl radical reaction rates with organic compounds in the gas phase. *Atmos Environ* 15:1763-1765.
- \*Guicherit R, Schulting FL. 1985. The occurrence of organic chemicals in the atmosphere of the Netherlands. *Sci Total Environ* 43:193-219.
- \*Hackett PL, Sikov MR, Mast TJ, et al. 1987a. Inhalation developmental toxicology studies of 1,3-butadiene in the rat: Final report. Report to the National Institute of Environmental Health Sciences, National Toxicology Program by Pacific Northwest Laboratory, Richland, WA. ISS PNL-6414; DE88004186.
- \*Hackett PL, Sikov MR, Mast TJ, et al. 1987b. Inhalation developmental toxicology studies: Teratology study of 1,3-butadiene in mice. National Toxicology Program PNL-6412.
- \*Hackett PL, McClanahan BJ, Brown MG, et al. 1988a. Sperm-head morphology study in B6C3F1 mice following inhalation exposure to 1,3-butadiene: final technical report. Report to National Institute of Environmental Health Sciences, National Toxicology Program by Pacific Northwest Laboratory, Richland, WA. PNL-6459; DE88008620.
- \*Hackett PL, Mast TJ, Brown MG, et al. 1988b. Dominant lethal study in CD-1 mice following inhalation exposure to 1,3-butadiene: final technical report. ISS PNL-6545; DE88010185.
- Hampson RF. 1980. Chemical kinetic and photochemical data sheets for atmospheric reactions. Washington, DC: U.S. Department of Transportation. FAA-EE-80-17.
- Hampson RF Jr, Garvin D. 1977. Reaction rate and photochemical data for atmospheric chemistry-1977.



## 8. REFERENCES

- Hann RW Jr, Jensen PA. 1977. Water quality characteristics of hazardous materials. Texas A & M University: College Station Environmental Engineering Division.
- \*Hansch C, Leo AJ. 1985. Medchem project. Issue No. 26. Claremont, CA: Pomona College.
- Hattis D, Wasson J. 1987. Pharmacokinetic/mechanism-based analysis of the carcinogenic risk of butadiene. Report to National Institute for Occupational Safety and Health, Rockville, MD, by Massachusetts Institute of Technology, Cambridge, MA. NTIS PB88-202817.
- \*Hayano S, Jang HL, Furuya K, et al. 1985. Formation of hazardous substances and mutagenicity of PAH produced during the combustion process in a diesel engine. Atmos Environ 19:1009-1015.
- \*Hendricks WD, Schultz GR. 1986. A sampling and analytical method for monitoring low ppm air concentrations of 1,3-butadiene. Appl Ind Hyg 4:186-190.
- \*Heuss JM, Glasson WA. 1968. Hydrocarbon reactivity and eye irritation. Environ Sci Technol 2:1109-1116.
- \*Hine J, Mookerjee PK. 1975. The intrinsic hydrophilic character of organic compounds. Correlations in terms of structural contributions. J Org Chem 40:292-298.
- Hodson J. 1988. The estimation of the photodegradation of organic compounds by hydroxyl radical reaction rate constants obtained from nuclear magnetic resonance spectroscopy chemical shift data. Chemosphere 17:2339-2348.
- \*Hou CT, Patel R, Laskin AI, et al. 1979. Microbial oxidation of gaseous hydrocarbons: Epoxidation of C<sub>2</sub> to C<sub>4</sub> n-alkenes by methylotrophic bacteria. Appl Environ Microbiol 38:127-134.
- \*Hou CT, Patel RN, Laskin AI, et al. 1980. Microbial oxidation of gaseous hydrocarbons: Oxidation of lower n-alkenes and n-alkanes by resting cell suspensions of various methylotrophic bacteria, and the effect of methane metabolites. FEMS Microbiol Lett 9:267-270.
- \*Hou CT, Patel R, Laskin AI, et al. 1983. Epoxidation of short-chain alkenes by resting-cell suspensions of propane-grown bacteria. Appl Environ Microbiol 46:171-177.
- \*HSDB. 1989. Hazardous Substance Data Bank [Database]. National Library of Medicine. September 8, 1989.

## 8 . REFERENCES

- \*Huff JE, Melnick RL, Solleveld HA, et al. 1985. Multiple organ carcinogenicity of 1,3-butadiene in B6C3F<sub>1</sub> mice after 60 weeks of inhalation exposure. *Science* 227(4686):548-549.
- \*Hughes TW, Tierney DR, Khan ZS. 1987. Measuring fugitive emissions from petrochemical plants. *Chem Eng Prog* 75:35-39.
- \*IARC. 1986. IARC monographs on the evaluation of carcinogenic risk of chemicals to humans. Vol. 39: 1,3-Butadiene. World Health Organization, Lyon, France, 155-179.
- \*IRAC. 1987. IARC monographs on the evaluation of carcinogenic risks to humans. Supplement 7: Overall evaluations of carcinogenicity: An updating of IARC monographs volumes 1-42. World Health Organization, Lyon, France, 136-137.
- Illing HPA, Shillaker RO. 1985. 1,3-Butadiene and related compounds. London, United Kingdom: H.M. Stationery Office.
- \*IRIS. 1991. Integrated Risk Information System. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH. December 5, 1991.
- Irons RD. 1988. Studies on the mechanisms of chemically induced leukemia/lymphoma. *CIIT Activities* 8(1):2-8.
- Irons RD. 1989. Studies on the mechanism of butadiene-induced leukemogenesis: The potential role of endogenous murine leukemia virus. Chemical Industry Institute of Toxicology, Research Triangle Park, NC.
- \*Irons RD, Smith CN, Stillman WS, et al. 1986a. Macrocytic-megaloblastic anemia in male B6C3F<sub>1</sub> mice following chronic exposure to 1,3-butadiene. *Toxicol Appl Pharmacol* 83(1):95-100.
- \*Irons RD, Smith CN, Stillman WS, et al. 1986b. Macrocytic-megaloblastic anemia in male NIH Swiss mice following repeated exposure to 1,3-butadiene. *Toxicol Appl Pharmacol* 85(3):450-455.
- \*Irons RD, Stillman WS, Cloyd MW. 1987a. Selective activation of endogenous ecotropic retrovirus in hematopoietic tissues of B6C3F<sub>1</sub> mice during the preleukemic phase of 1,3-butadiene exposure. *Virology* 161(2):457-462.
- \*Irons RD, Oshiiura M, Barrett JC. 1987b. Chromosome aberrations in mouse bone marrow cells following in vivo exposure to 1,3-butadiene. *Carcinogenesis (Lond)* 8(11):1711-1714.

## 8. REFERENCES

- \*Irons RD, Cathro HP, Stillman WS, et al. 1989. Susceptibility to 1,3-butadiene-induced leukemogenesis correlates with endogenous ecotropic retroviral background in the mouse. *Toxicol Appl Pharmacol* 101:170-176.
- \*Irvine LFH. 1981. 1,3-Butadiene: Inhalation teratogenicity study in the rat: final report. Harrogate, England: Hazleton Laboratories Europe Ltd. OTS Submission, Microfiche No. 050 545.
- Jaber HM, Mabey WR, Liv AT, et al. 1984. Data acquisition for environmental transport and fate screening. Menlo Park, CA: SRI International, 312 p. EPA 600/6-84-009. NTIS PB84-243906.
- \*Japar SM, Wu CH, Niki H. 1974. Rate constants for the reaction of ozone with olefins in the gas phase. *J Phys Chem* 78:2318-2320.
- \*Jauhar PP, Henika PR, Macgregor JT, et al. 1988. 1,3-Butadiene: Induction of micronucleated erythrocytes in the peripheral blood of B6C3F<sub>1</sub> mice exposed by inhalation for 13 weeks. *Mutat Res* 209(3-4):171-176.
- \*Jellito B, Vangala RR, Laib RJ. 1989. Species differences in DNA damage by butadiene: role of diepoxybutane. *Arch Toxicol Suppl* 13:246-249.
- \*Jones B, Harris RL. 1983. Calculation of time-weighted average concentrations: A computer mapping application. *Am Ind Hyg Assoc J* 44:795-801.
- \*Junk GA, Ford CS. 1980. A review of organic emissions from selected combustion processes. *Chemosphere* 9:187-230.
- \*Katzman H, Libby WF. 1975. Hydrocarbon emissions from jet engines operated at simulated high-altitude supersonic flight conditions. *Atmos Environ* 9:839-842.
- \*Kirshenbaum I. 1978. Butadiene. In: Stannden A, ed. *Kirk-Othmer encyclopedia of chemical technology*, Vol. 4, 3rd ed. New York, NY: John Wiley and Sons, Inc., 313-337.
- \*Kopczynski SL, Lonneman WA, Sutterfield FD, et al. 1972. Photochemistry of atmospheric samples in Los Angeles. *Environ Sci Technol* 6:342-347.
- Korth MW. 1963. Dynamic irradiation chamber tests of automotive exhaust. Cincinnati, OH: U.S. Department of Health, Education, and Welfare. U.S. DHEW-999-AP-5.
- \*Kraybill HF. 1980. Evaluation of public health aspects of carcinogenic/mutagenic biorefractories in drinking water. *Prev Med* 9:212-218.

## 8. REFERENCES

- \*Kreiling R, Laib RJ, Bolt HM. 1986a. Alkylation of nuclear proteins and DNA after exposure of rats and mice to carbon-14 1,3-butadiene. *Toxicol Lett (Amst)* 30(2):131-136.
- \*Kreiling R, Laib RJ, Filser JG, et al. 1986b. Species differences in butadiene metabolism between mice and rats evaluated by inhalation pharmacokinetics. *Arch Toxicol* 58(4):235-238.
- \*Kreiling R, Laib RJ, Filser JG, et al. 1987. Inhalation pharmacokinetics of 1,2-epoxybutene-3 reveal species differences between rats and mice sensitive to butadiene-induced carcinogenesis. *Arch Toxicol* 61(1):7-11.
- \*Kreiling R, Laib RF, Bolt HM. 1988. Depletion of hepatic non-protein sulfhydryl content during exposure of rats and mice to butadiene. *Toxicol Lett* 41(3):209-214.
- Laib RJ, Kreiling R, Vangala RR. 1987. Analysis of DNA-interactions of carcinogenic xenobiotics: A way to evaluate the reactive principles in metabolism and toxicity. *J Cancer Res Clin Oncol* 113:S18.
- \*Laib RJ, Filser JG, Kreiling R. 1988. Species differences in butadiene metabolism between mouse and rat. *Ann NY Acad Sci* 534:663-670.
- \*Laib RJ, Filser JG, Kreiling R. 1990. Inhalation pharmacokinetics of 1,3-butadiene and 1,2-epoxybutene-3 in rats and mice. *Environ Health Perspect* 86: 57-63.
- \*Leiderman LJ, Stillman WS, Shah RS, et al. 1986. Altered hematopoietic stem cell development in male B6C3F<sub>1</sub> mice following exposure to 1,3-butadiene. *Exp Molecul Path* 44(1):50-56.
- Linnet MS, Stewart WF, Van Natta ML, et al. 1987. Comparison of methods for determining occupational exposure in a case-control interview study of chronic lymphocytic leukemia. *J Occup Med* 29(2):136-141.
- Lloyd AC, Darnall KR, Winer AM, et al. 1976. Relative rate constants for reaction of the hydroxyl radical with series of alkanes, alkenes, and aromatic hydrocarbons. *J Phys Chem* 80:789-794.
- Loeser E. 1985. European research activities on butadiene. *Ann Meet Proc Int Inst Synth Rubber Prod* 26(II-2).
- \*Lofroth G, Burton RM, Forehand L, et al. 1989. Characterization of environmental tobacco smoke. *Environ Sci Technol* 23:610-614.
- \*Lonneman WA, Namie GR, Bufalini JJ. 1979. Hydrocarbons in Houston air. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA 600/3-79-018, 36.

## 8. REFERENCES

- \*Loprieno N, Presciuttini S, Sbrana I, et al. 1978. Mutagenicity of industrial compounds. VII. Styrene and styrene oxide: II. Point mutations, chromosomes aberrations and DNA repair induction analyses. *Stand J Work Environ Health* 4:169-178.
- \*Louw CW, Richards JF, Faure PK. 1977. The determination of volatile organic compounds in city air by gas chromatography combined with standard addition, selective subtraction, infrared spectrometry and mass spectrometry. *Atmos Environ* 11:703-717.
- \*Lunsford RA. 1987. Comments on sampling and analytical method for monitoring low-ppm air concentrations of 1,3-butadiene. *Appl Ind Hyg* 2:93-94.
- \*Lunsford RA, Gagnon YT. 1987. Use of a back-flushable pre-column to maintain the performance of an aluminium oxide porous-layer open-tubular fused silica column for the determination of 1,3-butadiene in air. *Journal of High Resolution Chromatography and Chromatography Communication* 10:102-104.
- \*Lyman WJ, Reehl WF, Rosenblatt DH. 1982. Handbook of chemical property estimation methods. New York, NY: McGraw Hill Book Co. Chapters 4, 5 and 15.
- \*Maldotti A, Chiorboli C, Bignozzi CA, et al. 1980. Photooxidation of 1,3-butadiene containing systems: Rate constant determination for the reaction of acrolein with  $\cdot\text{OH}$  radicals. *Int J Chem Kinet* 12:905-913.
- \*Malvoisin E, Lhoest G, Poncelet F, et al. 1979. Identification and quantitation of 1,2-epoxybutene-3 as the primary metabolite of 1,3-butadiene. *J Chromatog* 178(2):419-425.
- \*Malvoisin E, Roberfroid M. 1982. Hepatic microsomal metabolism of 1,3-butadiene. *Xenobiotica* 12(2):137-144.
- Maronpot RR. 1987. Ovarian toxicity and carcinogenicity in eight recent national toxicology program studies. *Environ Health Perspec* 73:125-130.
- \*Matanoski G, Schwartz L. 1987. Mortality of workers in styrene-butadiene polymer production. *J. Occup Med* 29:675-680.
- \*Matanoski GM, Schwartz L, Sperrazza J, et al. 1982. Mortality of workers in the styrene-butadiene rubber polymer manufacturing industry. Baltimore, MD: Johns Hopkins University School of Hygiene and Public Health.
- \*Matanoski GM, Santos-Burgoa C, Schwartz L. 1988. Mortality of a cohort of workers in the styrene-butadiene polymer manufacturing industry 1943-1982. (final report prepared under contract to International Institute of Synthetic Rubber Producers, Inc.). The Johns Hopkins University, School of Hygiene and Public Health, Baltimore, Maryland.

## 8. REFERENCES

- \*Matanoski GM, Santos-Burgoa C, Zeger SL, et al. 1989a. Epidemiologic data related to health effects of 1,3-butadiene. In: Mohn U, ed. Assessment of inhalation hazards: Integration and extrapolation using diverse data. New York, NY: Springer-Verlag, 201-214.
- \*Matanoski GM, Santos-Burgoa C, Zeger SL, et al. 1989b. Nested case-control study of lymphopoietic cancers in workers in the styrene-butadiene polymer manufacturing industry (final report prepared under contract to International Institute of Synthetic Rubber Producers, Inc.). The Johns Hopkins University, School of Hygiene and Public Health, Baltimore, Maryland.
- \*MCA. 1974. Chemical safety data sheet SD-55. Properties and essential information for safe handling and use of butadiene. Washington, DC: Manufacturing Chem Assoc.
- \*McAuliffe C. 1966. Solubility in water of paraffin, cycloparaffin, olefin, acetylene, cycloolefin and aromatic hydrocarbons. *J Phys Chem* 70:1267-1275.
- \*McMichael AJ, Spirtas R, Kupper LL. 1974. An epidemiologic study of mortality within a cohort of rubber workers, 1964-1972. *J Occup Med* 16:458-464.
- \*McMichael AJ, Spirtas R, Kupper LL, et al. 1975. Solvent exposure and leukemia among rubber workers: An epidemiologic study. *J Occup Med* 17:234-239.
- \*McMichael AJ, Spirtas R, Gamble JF, et al. 1976. Mortality among rubber workers. Relationship to specific jobs. *J Occup Med* 18(3):178-185.
- \*McNeal TP, Breder CV. 1987. Headspace gas chromatographic determination of residual 1,3-butadiene in rubber-modified plastics and its migration from plastic containers into selected foods. *J Assoc Off Anal Chem* 70:18-21.
- Meinhardt TJ, Young RJ, Hartle RW. 1978. Epidemiologic investigations of styrene-butadiene rubber production and reinforced plastics production. *Stand J Work Environ Health* 4:240-246.
- \*Meinhardt TJ, Lemen RA, Crandall MS, et al. 1982. Environmental epidemiologic investigation of the styrene-butadiene rubber industry. *Stand J Work Environ Health* 8:250-259.
- Melnick RL, Huff JE, Haseman JK, et al. 1988. Chronic toxicity results and ongoing studies of 1,3-butadiene by the National Toxicology Program. *Ann N Y Acad Sci* 534:648-662.

## 8. REFERENCES

- \*Melnick R, Huff J, Miller R. 1989. Toxicology and carcinogenicity of 1,3-butadiene. In: Mohn U, ed. Assessment of inhalation hazards: Integration and extrapolation using diverse data. New York, NY: Springer-Verlag, 177-188.
- Melnick RL, Huff JE, Bird MG, et al. 1990. Symposium overview: Toxicology, carcinogenesis, and human health aspects of 1,3-butadiene. Environ Health Perspect 86:3-5.
- \*Melnick RL, Huff JE, Roycroft JH, et al. 1990. Inhalation toxicology and carcinogenicity of 1,3-butadiene in B6C3F<sub>1</sub> mice following 65 weeks of exposure. Environ Health Perspect 86:27-36.
- \*Miller LM. 1978. Investigation of selected potential environmental contaminants: Butadiene and its oligomers. Philadelphia, PA: Franklin Research Center. EPA 560/2-78-008.
- \*Miller RA, Boorman GA. 1989. Morphology of neoplastic lesions induced by 1,3-butadiene in B6C3F<sub>1</sub> mice. Prepared by Battelle Pacific Northwest Laboratories, Richland, Washington, for National Toxicology Program, Research Triangle Park, NC.
- \*Mulcahy MFR, Nelson PF, Smith MY, et al. 1976. Smog forming hydrocarbons in urban air. In: Proc. Symp. Workshop Session: Occurrence Control Photochem Pollut. Paper No. 1V.
- \*Mullins JA. 1990. Industrial emissions of 1,3-butadiene. Environ Health Perspec 86:9-10.
- \*NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- \*NATICH. 1988. National Air Toxics Information Clearinghouse. Database report of state, local and EPA air toxics activities. Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency, Research Triangle Park, NC.
- \*Neligan RE. 1962. Hydrocarbons in the Los Angeles atmosphere. Arch Environ Health. 5:581-591.
- \*Niki H, Maker PD, Savage CM, et al. 1983. Atmospheric ozone-olefin reactions. Environ Sci Technol 17:312A-322A.
- NIOSH. 1976. Proceedings of NIOSH styrene-butadiene briefing. Cincinnati, OH: U.S. DHEW. NTIS PB77-129.

## 8. REFERENCES

- \*NIOSH. 1987. NIOSH manual of analytical methods, 3rd ed, 2nd supp. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health. NIOSH Publication No. 87-117.
- \*NIOSH. 1988. NIOSH recommendations for safety and health standards. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health.
- \*NIOSH. 1989. National Occupational Exposure Survey (NOES). Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health.
- \*Nip WS, Singleton DL, Cvetanovic RJ. 1979. Temperature dependence of rate constants for reaction of oxygen atoms, O(3P) with allene and 1,3-butadiene. Can J Chem 57:949-952.
- \*Norppa H, Sorsa M, Vainio H. 1980. Chromosomal aberrations in bone marrow of Chinese hamsters exposed to styrene and ethanol. Toxicol Lett 5:241-244.
- \*NTP. 1984. NTP technical report on the toxicology and carcinogenesis studies of 1,3-butadiene in B6C3F1 mice. National Toxicology Program. Research Triangle Park, NC. NTP TR 288. NTP-83-071. NIH Pub. No. 84-2544.
- \*NTP. 1991. National Toxicology Program- -technical report series no. 434. Toxicology and carcinogenesis studies of 1,3-butadiene (CAS No. 106-99-0) in B6C3F1 mice (inhalation studies). Board Draft. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NIH publication no. 92-3165.
- \*OSHA. 1989. U.S. Department of Labor. Occupational Safety and Health Administration. Air contaminants. Final rule. Federal Register 54(12):2926.
- \*OSHA. 1990. U.S. Department of Labor. Occupational Safety and Health Administration. Occupational exposure to 1,3-butadiene. Proposed rule. Federal Register 55 (155):32736
- \*Owen PE, Glaister JR, Gaunt IF, et al. 1987. Inhalation toxicity studies with 1,3-butadiene: 3. two year toxicity/carcinogenicity study in rats. Am Ind Hyg Assoc J 48(5):407-413.
- \*Pacific Environmental Services, Inc. 1987. Toxic air pollutant/source crosswalk-a screening tool for locating possible sources emitting toxic air pollutants. Washington, DC: U.S. Environmental Protection Agency, EPA 450/4-87-023A.



## 8. REFERENCES

Parsons TB, Wilkins GE. 1976. Biological effects and environmental aspects of 1,3-butadiene. U.S. EPA Contract 68-01-3249, NTIS PB-253 982.

\*Patel RN, Hou CT, Laskin AI, et al. 1979. Microbial oxidation of gaseous hydrocarbons. II. Hydroxylation of alkanes and epoxidation of alkenes by cell-free particulate fractions of methane-utilizing bacteria. *J. Bacteriol* 139:675-679.

\*Patel RN, Hou CT, Laskin AI. 1982a. Oxidation of gaseous hydrocarbons and related compounds by methanotrophic organisms. In: *Developments in industrial microbiology*, Vol. 23, 187-205.

\*Patel RN, Hou CR, Laskin AI, et al. 1982b. Microbial oxidation of hydrocarbons: Properties of a soluble methane monooxygenase from a facultative methane utilizing organism Methlobacterium sp. Strain CRL-26. *Appl Environ Microbiol* 44:1130-1137.

\*Pohlova H, Rossner P, Sram RJ. 1985. Cytogenetic analysis of human peripheral blood lymphocytes in culture exposed in vitro to styrene and styrene oxide. *J Hyg Epidem Microbiol Immunol* 29:269-274.

Poncelet F, De Meester C, Duverger-van Bogaert M, et al. 1980. Influence of experimental factors on the mutagenicity of vinyl monomers. *Arch Toxicol* 4:63-66.

Reinhardt CF. 1987. Meeting new challenges in industrial toxicology. *J Toxicol Sci* 12(2):235-241.

\*Rigby LJ. 1981. The collection and identification of toxic volatiles from plastics under thermal stress. *Ann Occup Hyg* 24:331-346.

Rosenthal SL, 1985. The reproductive effects assessment group's report on the mutagenicity of 1,3-butadiene and its reactive metabolites. *Environ Mutagen* 7(6):933-945.

\*Sabourin PJ, Burka LT, Dahl AR, et al. 1991. Species differences in metabolism of inhaled butadiene [Abstract]. *Toxicologist* 11(1):88.

\*Sandmeyer EE. 1981. Aliphatic hydrocarbons: Butadiene. In: Clayton GD, Clayton FE, ed. *Patty's industrial hygiene and toxicology*, 3rd revised ed. New York, NY: John Wiley and Sons, Vol. 2B.

SANSS. 1989. Structure and Nomenclature Search System [Database]. September 5, 1989.

Santodonato J, Bosch S, Meylan W, et al. 1985. Monograph on human exposure to chemicals in the workplace: 1,3-Butadiene. Report to National Toxicology Program by Syracuse Research Corporation, Syracuse, NY.

## 8. REFERENCES

- \*Sax NI, Lewis RJ. 1987. Hawley's condensed chemical dictionary, 11th ed. New York, NY: Van Nostrand Reinhold Co, 177.
- \*Schmidt U, Loeser E. 1985. Species differences in the formation of butadiene monoxide from 1,3-butadiene. Arch Toxicol 57:222-225.
- \*Schmidt U, Loeser E. 1986. Epoxidation of 1,3-butadiene in liver and lung tissue of mouse, rat, monkey and man. Adv Exp Med Biol 197:951-957.
- \*Seila RL, Arnsts RR, Buchanan, JW. 1984. Atmospheric volatile hydrocarbon composition at five remote sites in northwestern North Carolina. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA 600/D-84-092. NTIS PB84-117930.
- Serenbetz H. 1983. Review of 1,3-butadiene, its toxicity profile, risk in the workplace, and regulatory considerations. Ann Meet Proc Int Inst Synth Rubber Prod 24(6):1-25.
- \*Shah JJ, Heyerdahl EK. 1988. National ambient volatile organic compound (VOCS) database update. EPA 600/3-88-010, 54.
- \*Sharief Y, Brown AM, Backer LC, et al. 1986. Sister chromatid exchange and chromosome aberration analyses in mice after in vivo exposure to acrylonitrile, styrene, or butadiene monoxide. Environ Mutagen 8:439-448.
- \*Shugaev BB, Yaroslavl BS. 1969. Concentrations of hydrocarbons in tissues as a measure of toxicity. Arch Environ Health 18:878-882.
- \*Sigsby JE Jr, Tejada S, Ray W, et al. 1987. Volatile organic compound emissions from 46 in-use passenger cars. Environ Sci Technol 21:466-475.
- Singh HB, Jaber HM, Davenport JE. 1984. Reactivity/volatility classification of selected organic chemicals: Existing data. Menlo Park, CA: SRI International. EPA 600/3-84-082. NTIS PB85-232883.
- \*Solleveld HA, Miller RA, Banas DA, et al. 1988. Primary cardiac hemangiosarcomas induced by 1,3-butadiene in B6C3F<sub>1</sub> hybrid mice. Toxicol Pathol 16(1):46-52.
- \*SRI. 1991. 1991 Directory of Chemical Producers, U.S.A. Menlo Park, CA: Stanford Research Institute, 503.
- \*Startin JR, Gilbert J. 1984. Single ion monitoring of butadiene in plastics and foods by coupled mass spectrometry - automatic head-space gas chromatography. J Chromatogr 294:427-430.
- \*State of Kentucky. 1986. New or modified sources emitting toxic air pollutants. Department for Environmental Protection. 401 KAR 63:022.

## 8. REFERENCES

- Steere NV, ed. 1968. Safety in the chemical laboratory. XLVI. Hazardous chemicals data. J Chem Educ 45(3):4199-4205.
- \*Stephens ER, Burleson FR. 1967. Analysis of the atmosphere for light hydrocarbons. J Air Pollut Control Assoc 17:147-153.
- \*Stephens ER, Burleson FR. 1969. Distribution of light hydrocarbons in ambient air. J Air Pollut Control Assoc 19:929-936.
- \*Stump FD, Dropkin DL. 1985. Gas chromatographic method for quantitative determination of C<sub>2</sub> to C<sub>13</sub> hydrocarbons in roadway vehicle emissions. Anal Chem 57:2629-2634.
- \*Stump F, Tejada S, Ray W, et al. 1989. The influence of ambient temperature on tailpipe emissions from 1984-1987 model year light-duty gasoline motor vehicles. Atmos Environ 23:307-320.
- \*Stutz and Janusz. 1988. Hazardous materials injuries (a handbook for pre-hospital care). Beltsville, MD: Bradford Communication Corp, 300-301.
- \*Sun JD, Dahl AR, Bond JA, et al. 1989a. Metabolism of inhaled butadiene in monkeys: Comparison to rodents. Exp Pathol 37:133-135.
- \*Sun JD, Dahl AR, Bond JA, et al. 1989b. Characterization of hemoglobin adduct formation in mice and rats after administration of carbon-14 butadiene or carbon-14 isoprene. Toxicol Appl Pharmacol 100:86-95.
- \*Swarm RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. Res Rev 85:17-28.
- \*Texas Air Control Board. 1990. Written communication to Bill Henriques, Agency for Toxic Substances and Disease Registry, regarding 1,3-butadiene concentrations in air. Texas Air Control Board, Austin, TX.
- \*Thorm NS, Agg AR. 1975. The breakdown of synthetic organic compounds in biological processes. Proc R Soc Lon B 189:347-357.
- \*Thurmond LM, Lauer LD, House RV, et al. 1986. Effect of short-term inhalation exposure to 1,3-butadiene on murine immune functions. Toxicol Appl Pharmacol 86(2):170-179.
- Tice RR. 1988. The cytogenetic evaluation of in vivo genotoxic and cytotoxic activity using rodent somatic cells. Cell Biol Toxicol 4(4):475-486.

## 8. REFERENCES

- \*Tice RR, Boucher R, Luke CA, et al. 1987. Comparative cytogenetic analysis of bone marrow damage induced in male B6C3F<sub>1</sub> mice by multiple exposure to gaseous 1,3-butadiene. *Environ Mutagen* 9(3):235-250.
- \*TRI. 1989. The toxics release inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- \*Turnbull D, Rodricks JV, Brett SN. 1988. Assessment of the potential risk to workers from exposure to butadiene. ENVIRON Corporation, Washington, DC.
- \*USITC. 1988. Synthetic organic chemicals: U.S. production and sales 1987. Publication No. 2118. Washington, DC: U.S. International Trade Commission, 2-2 to 2-7.
- \*USITC. 1989. Synthetic organic chemicals: U.S. production and sales 1988. Publication No. 2219. Washington, DC: U.S. International Trade Commission, 2-2 to 2-7.
- \*Van Duuren BL, Nelson N, Orris L, et al. 1963. Carcinogenicity of epoxides, lactones, and peroxy compounds. *J Natl Cancer Inst* 31:41-55.
- \*VanGinkel CG, Welten HGJ, Debont JAM. 1987. Oxidation of gaseous and volatile hydrocarbons by selected alkene-utilizing bacteria. *Appl Environ Microbiol* 53:2903-2907.
- \*Verschueren K. 1983. Handbook of environmental data on organic chemicals. New York, NY: Van Nostrand Reinhold Co., 296-297.
- \*Victorin K, Stahlberg M. 1988. A method for studying the mutagenicity of some gaseous compounds in Salmonella typhimurium. *Environ Mol Mutagen* 11(1):65-77.
- \*View Database. 1989. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA. November 8, 1989.
- \*Watabe T, Isobe M, Sawahata T, et al. 1978. Metabolism and mutagenicity of styrene. *Stand J Work Environ Health* 4(2):142-155.
- \*Watkinson RJ, Somerville HJ. 1976. The microbial utilization of butadiene. In: 3rd Proc Int Biodegradation Symp, 1975, 35-42.
- \*Weast RC, Astle MJ, Beyer WH. 1988. CRC handbook of chemistry and physics, 69th ed. Boca Raton, FL: CRC Press, Inc., C-161.
- Wilson RH. 1944. Health hazards encountered in the manufacture of synthetic rubber. *J Am Med Assoc* 124(11):701-703.

## 8. REFERENCES

- Wilson RH, McCormick WE. 1954. Toxicity of plastics and rubber, elastomers and monomers. *Ind Med Surg* 23:479.
- \*Windholz M, Budavari S, Blumetti RF, et al. 1983. *The Merck Index*. Rahway, NJ, Merck and Co., Inc, 209.
- Wooder MF. 1986. 1,3-Butadiene - an overview. *Ann Meet Proc -Int Inst Synth Rubber Prod* 27(III-5).
- Yanagihara S, Shimada I, Shinoyama E, et al. 1977. Photochemical reactivities of hydrocarbons. *Proc 4th Int Clean Air Congr*, 472-477.
- \*Zhou XT, Li LR, Cui MY, et al. 1986. Cytogenetic monitoring of petrochemical workers [Abstract]. *Environ Mutagen* 8(6):96.

