820 Payment Order/Remittance Advice

Functional Group ID= $\mathbf{R}\mathbf{A}$

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Payment Order/Remittance Advice Transaction Set (820) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to make a payment, send a remittance advice, or make a payment and send a remittance advice. This transaction set can be an order to a financial institution to make a payment to a payee. It can also be a remittance advice identifying the detail needed to perform cash application to the payee's accounts receivable system. The remittance advice can go directly from payer to payee, through a financial institution, or through a third party agent.

Heading:

M	Pos. <u>No.</u> 010	Seg. ID ST	Name Transaction Set Header	Req. Des. M	Max.Use	Loop Repeat	Notes and Comments
M	020	BPR	Beginning Segment for Payment Order/Remittance Advice	M	1		
	050	REF	Reference Numbers	O	>1		
			LOOP ID - N1			>1	
	070	N1	Name	O	1		c1
	085	N1	Name	O	1		
	088	N2	Additional Name Information	O	1		

Detail:

Pos. <u>No.</u>	Seg. <u>ID</u>	<u>Name</u>	Req. <u>Des.</u>	Max.Use	Loop <u>Repeat</u>	Notes and Comments
		LOOP ID - ENT			>1	
010	ENT	Entity	0	1		n1, c2
		LOOP ID - DED			>1	
287	DED	Deductions	O	1		n2

Summary:

	Pos.	Seg.		Req.		Loop	Notes and
	<u>No.</u>	ID	<u>Name</u>	Des.	Max.Use	Repeat	Comments
M	010	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

- **1.** The ENT loop is for vendor payments.
- **2.** The DED loop is for child support payments.

Transaction Set Comments

- 1. The N1 loop allows for name/address information for the payer and payee which would be utilized to address remittance(s) for delivery.
- **2.** ENT09 may contain the payee's accounts receivable customer number.

Segment: ST Transaction Set Header

Position: 010

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose:

To indicate the start of a transaction set and to assign a control number

Syntax Notes:

Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the

interchange partners to select the appropriate transaction set definition (e.g., 810

selects the Invoice Transaction Set).

Comments:

Ref.	Data			
Des.	Element	<u>Name</u>	\ttr	<u>ibutes</u>
ST01	143	Transaction Set Identifier Code	M	ID 3/3
		Code uniquely identifying a Transaction Set		
		820 X12.4 Payment Order/Remittance Advice		
ST02	329	Transaction Set Control Number	M	AN 4/9
		, ,		ion set
	Des. ST01	Des. Element ST01 143	Des. Element Name Ame ST01 143 Transaction Set Identifier Code 1 Code uniquely identifying a Transaction Set 820 X12.4 Payment Order/Remittance Advice ST02 329 Transaction Set Control Number 1 Identifying control number that must be unique within the trans-	ST01 143 Transaction Set Identifier Code Code uniquely identifying a Transaction Set 820 X12.4 Payment Order/Remittance Advice

Segment: **BPR** Beginning Segment for Payment Order/Remittance Advice

Position: 020

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose:

(1) To indicate the beginning of a PaymentOrder/Remittance Advice Transaction Set and total payment amount or (2) to enable related transfer of funds and/or information from payer to payee to occur

Syntax Notes:

- 1 If either BPR06 or BPR07 is present, then the other is required.
- 2 If BPR08 is present, then BPR09 is required.
- **3** If either BPR12 or BPR13 is present, then the other is required.
- 4 If BPR14 is present, then BPR15 is required.
- 5 If either BPR18 or BPR19 is present, then the other is required.
- **6** If BPR20 is present, then BPR21 is required.

Semantic Notes:

- 1 BPR02 specifies the payment amount.
- When using this transaction set to initiate a payment, BPR06 through BPR16 may be required, depending on the conventions of the specific financial channel being used. BPR06 and BPR07 relate to the originating depository financial institution (ODFI).
- 3 BPR08 is a code identifying the type of bank account or other financial asset.
- 4 BPR12 and BPR13 relate to the receiving depository financial institution (RDFI).
- 5 BPR14 is a code identifying the type of bank account or other financial asset.
- **6** BPR15 is the account number of the receiving company to be debited or credited with the payment order.
- 7 BPR16 is the date the originating company intends for the transaction to be settled (i.e., Payment Effective Date).
- **8** BPR17 is a code identifying the business reason for this payment.
- **9** BPR18, BPR19, BPR20 and BPR21, if used, identify a third bank identification number and account to be used for return items only.
- 10 BPR20 is a code identifying the type of bank account or other financial asset.

Comments:

BPR09 is the account of the company originating the payment. This account may be debited or credited depending on the type of payment order.

Data Element Summary

	Ref.	Data		•		
	Des.	Element	<u>Name</u>		Attr	<u>ibutes</u>
M	BPR01	305	Transaction Handle	ing Code	M	ID 1/2
			Code designating th	e action to be taken by all parties		
			FMS recommends u	ise of code C - Payment Accompanies Re	emitta	nce Advice.
			C	Payment Accompanies Remittance Adv	vice	
M	BPR02	782	Monetary Amount		M	R 1/15
			Monetary amount			
				through the ACH system cannot exceed		
			Any amount not inc	luding a decimal will be assumed to be a	whol	e dollar
			amount.			
M	BPR03	478	Credit/Debit Flag		M	ID 1/1
			_	ether amount is a credit or debit		
			C	Credit		
M	BPR04	591	Payment Method (M	ID 3/3
			• •	e method for the movement of payment i	nstruc	tions
	DDD05	010	ACH	Automated Clearing House (ACH)	_	TD 1/10
	BPR05	812	Payment Format C		O	ID 1/10
				e payment format to be used	D) (4	CIT.
			CCD	Cash Concentration/Disbursement (CC	, ,	CH)
	DDD04	= 0.6	CTX	Corporate Trade Exchange (CTX) (AC		TD 0/0
	BPR06	506	(DFI) ID Number	•	X	ID 2/2
				e type of identification number of Deposi	tory F	inancial
			Institution (DFI)		C1	1 D: :/ (0
			01	ABA Transit Routing Number Including	g Che	ck Digits (9

CS3050 (003050) 3 December 12, 2003

			digits)		
	BPR07	507	(DFI) Identification Number	\mathbf{X}	AN 3/12
			Depository Financial Institution (DFI) identification number		
			Value in this position will be the Austin Financial Center's 9-	digit	RTN.
	BPR08	569	Account Number Qualifier	Ŏ	ID 1/3
			Code indicating the type of account		
			Z Mutually Defined		
	BPR09	508	Account Number	X	AN 1/35
			Account number assigned		
			Agency Location Code (ALC) (8 digits) of paying agency.		
X	BPR10	509	Originating Company Identifier	0	AN 10/10
			A unique identifier designating the company initiating the fur	nds tr	ransfer
			instructions. The first character is one-digit ANSI identification		
			designation (ICD) followed by the nine-digit identification nu		
			be an IRS employer identification number (EIN), data univer		
			system (DUNS), or a user assigned number; the ICD for an E	IN is	1, DUNS is
			3, user assigned number is 9		
X	BPR11	510	Originating Company Supplemental Code	O	AN 9/9
			A code defined between the originating company and the originating	ginati	ing
			depository financial institution (ODFI) that uniquely identifie	s the	company
			initiating the transfer instructions		
	BPR12	506	(DFI) ID Number Qualifier	\mathbf{X}	ID 2/2
			Code identifying the type of identification number of Deposit	ory I	Financial
			Institution (DFI)		
			01 ABA Transit Routing Number Including	g Che	eck Digits (9
			digits)		
	BPR13	507	(DFI) Identification Number	\mathbf{X}	AN 3/12
			Depository Financial Institution (DFI) identification number		
			Value in this position will be the receiving Financial Institution	on's 9	9-digit RTN.
	BPR14	569	Account Number Qualifier	O	ID 1/3
			Code indicating the type of account		
			DA Demand Deposit		
			SG Savings		
	BPR15	508	Account Number	X	AN 1/35
			Account number assigned		
			Value in this position will be the payee's account number at the	ne ab	ove Financial
			Institution.		
	BPR16	373	Date	O	DT 6/6
			Date (YYMMDD)		
			Settlement date - mandatory for FMS use.		
	BPR17	1048	Business Function Code	O	ID 1/3
			Code identifying the business reason for this payment		
			PCS Payment of Child Support		
X	BPR18	506	(DFI) ID Number Qualifier	X	ID 2/2
			Code identifying the type of identification number of Deposit	ory I	inancial
			Institution (DFI)		
T 7	D DD 40		Refer to 003050 Data Element Dictionary for acceptable code		
X	BPR19	507	(DFI) Identification Number	X	AN 3/12
T 7	DDD40	= <0	Depository Financial Institution (DFI) identification number	•	ID 1/2
X	BPR20	569	Account Number Qualifier	O	ID 1/3
			Code indicating the type of account		
T 7	DDD **	= 00	Refer to 003050 Data Element Dictionary for acceptable code		
X	BPR21	508	Account Number	X	AN 1/35
			A accust number assigned		

Account number assigned

REF Reference Numbers **Segment:**

Position:

Loop:

Heading Optional Level: Usage: >1

Max Use:

Purpose: To specify identifying numbers. 1 At least one of REF02 or REF03 is required.

Syntax Notes: Semantic Notes:

Comments:

	Ref.	Data		
	Des.	Element	<u>Name</u>	<u>Attributes</u>
\mathbf{M}	REF01	128	Reference Number Qualifier	\overline{M} ID $2/2$
			Code qualifying the Reference Number.	
			This data field indicates a payment schedule number will follow	ow.
			72 Schedule Reference Number	
			Identifies a number for a program sched	lule (for example,
			a logic type of network) or working sch	edule to complete
			a specific task or set of tasks	
	REF02	127	Reference Number	X AN 1/30
			Reference number or identification number as defined for a p	particular
			Transaction Set, or as specified by the Reference Number Qu	ualifier.
			This data field is the scheduled number submitted by the age	ncy authorizing
			the payment. This number should appear in the 4th and/or 5	th nodes of the
			data set name of the payment file transmitted to AFC.	
X	REF03	352	Description	X AN 1/80
			A free-form description to clarify the related data elements a	nd their content

Segment: N1 Name

Position: 070

Loop: N1 Optional

Level: Heading Usage: Optional

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

If either N103 or N104 is present, then the other is required.

Semantic Notes: Comments:

1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

2 N105 and N106 further define the type of entity in N101.

	Ref.	Data	·				
	Des.	Element	<u>Name</u>	Attr	<u>ributes</u>		
M	N101	98	Entity Identifier Code	M	ID 2/2		
			Code identifying an organizational entity, a physical location	, or a	n individual		
			PE Payee				
	N102	93	Name	\mathbf{X}	AN 1/35		
			Free-form name				
			Payee's name - the recipient of the Federal payment.				
	N103	66	Identification Code Qualifier	X	ID 1/2		
			Code designating the system/method of code structure used for	or Ide	entification		
			Code (67)				
			Per TFM Bulletin 95-10 use FI to indicate the following num	ber is	s the		
			Taxpayer Identification Number (TIN).				
			FI Federal Taxpayer's Identification Numb	er			
	N104	67	Identification Code	\mathbf{X}	AN 2/20		
			Code identifying a party or other code				
			Nine (9) digit TIN.				
\mathbf{X}	N105	706	Entity Relationship Code	O	ID 2/2		
			Code describing entity relationship				
			Refer to 003050 Data Element Dictionary for acceptable code	e valu	ies.		
\mathbf{X}	N106	98	Entity Identifier Code	O	ID 2/2		
			Code identifying an organizational entity, a physical location	, or a	n individual		
			Refer to 003050 Data Element Dictionary for acceptable code	e valu	ies.		
			· · · · · · · · · · · · · · · · · · ·				

Segment: N1 Name

Position: 085

Loop: N1 Optional

Level: Heading Usage: Optional

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

If either N103 or N104 is present, then the other is required.

Semantic Notes: Comments:

s: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must

provide a key to the table maintained by the transaction processing party.

2 N105 and N106 further define the type of entity in N101.

	Ref.	Data	·		
	Des.	Element	<u>Name</u>	Attr	<u>ributes</u>
M	N101	98	Entity Identifier Code	M	ID 2/2
			Code identifying an organizational entity, a physical location PR Payer	, or a	n individual
	N102	93	Name	\mathbf{X}	AN 1/35
			Free-form name		
			The FPA ID (up to 4 characters) and Treas 220 (to indicate the center). This field will be used for batching and will appear (company name) of the ACH batch header record.		
	N103	66	Identification Code Qualifier	X	ID 1/2
			Code designating the system/method of code structure used for Code (67) FI Federal Taxpayer's Identification Number		entification
	N104	67	Identification Code	\mathbf{X}	AN 2/20
			Code identifying a party or other code		
			Payroll Provider's FEIN.		
X	N105	706	Entity Relationship Code	0	ID 2/2
			Code describing entity relationship		
			Refer to 003050 Data Element Dictionary for acceptable code	e valu	ies.
X	N106	98	Entity Identifier Code	O	ID 2/2
			Code identifying an organizational entity, a physical location,	, or a	n individual
			Refer to 003050 Data Element Dictionary for acceptable code		

N2 Additional Name Information **Segment:**

Position: 088

N1 Optional

Loop: Level: Heading Optional Usage:

Max Use:

Purpose: To specify additional names or those longer than 35 characters in length

Syntax Notes: Semantic Notes: Comments:

	Ref.	Data			
	Des.	Element	<u>Name</u>	<u>Attri</u>	<u>butes</u>
\mathbf{M}	N201	93	Name	M	AN 1/35
			Free-form name		
			Name of Payroll Provider		
	N202	93	Name	0	AN 1/35
			Free-form name		
			Telephone Number of Payroll Provider		

Segment: ENT Entity

Position: 010

Loop: ENT Optional

Level: Detail
Usage: Optional
Max Use: 1

Purpose: To designate the entities which are parties to a transaction and specify a reference

meaningful to those entities

Syntax Notes: 1 If any of ENT02 ENT03 or ENT04 is present, then all are required.

- 2 If any of ENT05 ENT06 or ENT07 is present, then all are required.
- 3 If either ENT08 or ENT09 is present, then the other is required.

Semantic Notes: Comments:

- 1 This segment allows for the grouping of data by entity/entities at or within a master/masters. A master (e.g., an organization) can be comprised of numerous subgroups (e.g., entities). This master may send grouped data to another master (e.g., an organization) which is comprised of one or more entities. Groupings are as follows:
 - (1) Single/Single: Only ENT01 is necessary, because there is a single entity (the sending master) communicating with a single entity (the receiving master).
 - (2) Single/Multiple: ENT05, ENT06, and ENT07 would be used to identify the entities within the receiving master. The sending master is a single entity, so no other data elements need be used.
 - (3) Multiple/Single: ENT02, ENT03, and ENT04 would be used to identify the entities within the sending master. The receiving master is a single entity, so no other data elements need be used.
 - (4) Multiple/Multiple: ENT02, ENT03, and ENT04 would be used to identify the entities within the sending master. ENT05, ENT06, and ENT07 would be used to identify the entities within the receiving master.

This segment also allows for the transmission of a unique reference number that is meaningful between the entities.

	Ref.	Data			
	Des.	Element	<u>Name</u>	Attı	<u>ributes</u>
	ENT01	554	Assigned Number	\mathbf{o}	N0 1/6
			Number assigned for differentiation within a transaction set		
			Assigned by agency authorizing payment.		
X	ENT02	98	Entity Identifier Code	X	ID 2/2
			Code identifying an organizational entity, a physical location	, or a	n individual
			Refer to 003050 Data Element Dictionary for acceptable code	e valu	ies.
X	ENT03	66	Identification Code Qualifier	\mathbf{X}	ID 1/2
			Code designating the system/method of code structure used for	or Ide	entification
			Code (67)		
			Refer to 003050 Data Element Dictionary for acceptable code	e valu	ies.
X	ENT04	67	Identification Code	\mathbf{X}	AN 2/20
			Code identifying a party or other code		
X	ENT05	98	Entity Identifier Code	\mathbf{X}	ID 2/2
			Code identifying an organizational entity, a physical location	, or a	n individual
			Refer to 003050 Data Element Dictionary for acceptable code	e valu	ies.
X	ENT06	66	Identification Code Qualifier	\mathbf{X}	ID 1/2
			Code designating the system/method of code structure used for	or Ide	entification
			Code (67)		
			Refer to 003050 Data Element Dictionary for acceptable code	e valu	ies.
X	ENT07	67	Identification Code	\mathbf{X}	AN 2/20
			Code identifying a party or other code		
X	ENT08	128	Reference Number Qualifier	\mathbf{X}	ID 2/2
			Code qualifying the Reference Number.		
			Refer to 003050 Data Element Dictionary for acceptable code	e valu	ies.
X	ENT09	127	Reference Number	\mathbf{X}	AN 1/30

Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.

Segment: **DED** Deductions

Position: 287

Loop: DED Optional

Level: Detail
Usage: Optional
Max Use: 1

Purpose:

To specify payment related information for child support payment deductions

Syntax Notes: Semantic Notes:

1 DED02 is the code indicating the case identifier.

- **2** DED03 is the pay date.
- 3 DED04 is the payment amount.
- 4 DED05 is the social security number of the absent parent.
- 5 DED06 indicates if the obligor has family medical insurance coverage available through their employer. A "Y" indicates medical coverage is available; an "N" indicates there is no coverage.
- 6 DED07 is the name of the absent parent. The absent parent's name contains the first seven letters of the obligor's last name followed by the first three letters of the obligor's first name. A comma must be used to separate the last name from the first name of the absent parent when the last name is less than seven characters.
- 7 DED08 contains the Federal Information Process Standard (FIPS) Code. The FIPS code is 5 characters when indicating both the state and county codes. It is seven characters when indicating state, county and local codes.
- **8** DED09 identifies to the child support enforcement agency that an individual's employment has terminated. A "Y" is used if the employee has been terminated otherwise the field is not used. DED04 may contain zero if this field is used.

Comments:

	Ref.	Data	2 444 214114		
	Des.	Element	<u>Name</u>	<u>Attr</u>	<u>ributes</u>
\mathbf{M}	DED01	1511	Type of Deduction	M	ID 2/2
			Code specifying type of deduction being withheld from an en CS Child Support	nploy	ee's pay
\mathbf{M}	DED02	127	Reference Number	M	AN 1/30
			Reference number or identification number as defined for a p	articı	ılar
			Transaction Set, or as specified by the Reference Number Qu	alifie	er.
			Case identifier assigned by the Child Support Enforcement en	itity.	
\mathbf{M}	DED03	373	Date	M	DT 6/6
			Date (YYMMDD)		
			Pay Date.		
\mathbf{M}	DED04	610	Amount	M	N2 1/15
			Monetary amount		
			Amount withheld assumes 2 decimal points.		
M	DED05	127	Reference Number	M	AN 1/30
			Reference number or identification number as defined for a p	articı	ılar
			Transaction Set, or as specified by the Reference Number Qu	alifie	er.
			Non-custodial parent (employee) SSN.		
\mathbf{M}	DED06	1073	Yes/No Condition or Response Code	M	ID 1/1
			Code indicating a Yes or No condition or response		
			N No		
			Y Yes		
	DED07	93	Name	O	AN 1/35
			Free-form name		
			Non-custodial parent (employee) name: First seven (7) letters		
			first three (3) letters of the first name (maximum of 10 charac		
	DED08	127	Reference Number	0	AN 1/30
			Reference number or identification number as defined for a p		
			Transaction Set, or as specified by the Reference Number Qu	alifie	er.
			Federal Information Processing Standard (FIPS) code.		

DED09 1073 Yes/No Condition or Response Code
Code indicating a Yes or No condition or response

O ID 1/1

N No Y Yes Segment: ${\bf SE}$ Transaction Set Trailer

Position: 010

Loop:

Level: Summary Usage: Mandatory

Max Use: 1

Purpose: To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments).

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

	Ref.	Data	·		
	Des.	Element	<u>Name</u>	Attr	ributes
M	SE01	96	Number of Included Segments	\mathbf{M}	N0 1/10
			Total number of segments included in a transaction set inclusegments	ıding S	ST and SE
M	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the t functional group assigned by the originator for a transaction		AN 4/9 tion set