

## 8. REFERENCES

- \*Abbas SA. 1989. Sub-microdetermination of antimony(III) and antimony(V) in natural and polluted waters and total antimony in biological materials by flameless AAS following extractive separation with N-p-methoxyphenyl-2-furylacrylohydroxamic acid. *Anal Lett* 22:237-256.
- Abdel-Mequid M, Habib YA, Abdallah A, et al. 1967. The effect of antibilharzial antimonial compounds on the percentage of oxygen saturation of blood. *J Egypt Med Assoc* 50:369-374.
- \*ACGIH. 1989. Threshold limit values and biological exposure indices for 1989-1990. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.
- \*Acquire. 1989. Acquire database. September 7, 1989.
- \*Ainsworth N. 1988. Distribution and biological effects of antimony in contaminated grassland. Dissertation.
- \*Andreae MO. 1983. The determination of the chemical species of some of the "hydride elements" (arsenic, antimony, tin and germanium) in seawater: Methodology and results. *NATO Conf* 4 9:1-19.
- \*Andreae MO, Froelich PN Jr. 1984. Arsenic, antimony, germanium biogeochemistry in the Baltic Sea. *Tellus Ser B* 36B:101-117.
- \*Andreae MO, Byrd JT, Froehlich PN Jr. 1983. Arsenic, antimony, germanium, and tin in the Tejo estuary, Portugal: Modeling a polluted estuary. *Environ Sci Technol* 17:731-737.
- \*Andresen B, Salbu B. 1982; Determination of trace elements in seawater using magnesium hydroxide scavenger as preconcentration agent. *Radiochim Radioanal Lett* 52:19-27.
- \*Angrisani M, Lampa E, Lisa M, et al. 1988. Vasomotor reactivity and postnatal exposure to antimony trichloride. *Curr Ther Res* 43:153-159.
- \*Anonymous. 1977. Arsenic, selenium and antimony in urine and air analytical method by hydride generation and atomic absorption spectroscopy. *Health Lab Sci* 14:53-58.
- \*APHA. 1972. Methods of air sampling and analysis. Washington, DC: American Public Health Association, 285-289.

---

\* Cited in text

## 8. REFERENCES

- \*Apte SC, Howard AG. 1986. Determination of dissolved inorganic antimony(V) and antimony(III) species in natural waters by hydride generation atomic absorption spectrometry. *J Anal At Spectrom* 1:221-225.
- \*Arimoto R, Duce RA. 1987. Air-sea transfer of trace elements. *Adv Chem Ser* 216:131-150.
- \*Auguston JH. 1976. Soldiers' water vessels as a lead source. *Ann Occup Hyg* 19:169-171.
- \*Aulenbach DB, Meyer MA, Beckwith E, et al. 1987. Removal of heavy metals in POTW. *Environ Prog* 6:91-98.
- \*Austin LS, Millward GE. 1988. Simulated effects of tropospheric emissions on the global antimony cycle. *Atmos Environ* 22:1395-140.3
- Avento JM, Touval I. 1980. Flame retardants (antimony). In: Kirk-Othmer encyclopedia of chemical technology. Vol. 10, 3rd ed. New York, NY: John Wiley and Sons, Inc., 355-356.
- \*Ayhan M, Krajewski W, Krueger J. 1982. Possibility of the formation of arsine and stibine during the simultaneous melting of lead-antimony and leadcalcium battery scrap. *Erzmetall* 35:155-158.
- \*Barnes D, Bellen J, DeRosa C, et al. 1988. Reference dose (RfD): description and use in health risk assessments. Volume I, Appendix A: Integrated risk information system supportive documentation. Washington, DC; US Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.
- Basinger MA, Jones MM. 1981. Structural requirements for chelate antidotal efficacy in acute antimony(III) intoxication. *Res Commun Chem Pathol Pharmacol* 32:355-363.
- \*Bauer CF, Andren AW. 1988. Variability of particulate trace element emissions from the Columbia coal-fired power plant, Portage, Wisconsin. *sci Total Environ* 68:251-266.
- \*Beijer K, Jernelov A. 1986. Sources, transport and transformation of metals in the environment. In: Friberg L, Norberg JF, Urik VB, ed. Handbook on the toxicology of metals. 2nd ed. New York, NY: Elsevier, 68-83.
- \*Belyaeva AP. 1967. [The effect of antimony on reproduction.] *Gig Truda Prof Zabol* 11:32. [Russian]
- Berman JD, Gallalee JF, Gallalee JV. 1988. Pharmacokinetics of pentavalent antimony (Pentostam) in hamsters. *Am J Trop Med Hyg* 39:41-45.

**8. REFERENCES**

\*Bio/dynamics. 1985. A three month inhalation toxicity study of antimony trioxide in the rat followed by a recovery period. Prepared by Bio/dynamics, Inc., E. Millstone, NJ for the Antimony Oxide Industry Association, Washington, DC.

\*Bio/dynamics. 1990. A one year inhalation toxicity study of antimony trioxide in the rat (with a one year recovery period). Prepared by Bio/dynamics, Inc., E. Millstone, NJ for the Antimony Oxide Industry Association, Washington, DC.

\*Bodek I, Lyman WJ, Reehl RF, et al. 1988. Environmental inorganic chemistry properties processes and estimation methods. New York, NY: Pergamon Press, 7.1-1 to 7.1-5.

\*Bradley WR, Frederick WG 1941. The toxicity of antimony--animal studies. Ind Med 10:15-22.

\*Brannon JM, Patrick WH Jr. 1985. Fixation and mobilization of antimony in sediments. Environ Pollut Ser B 9:197-126.

\*Braun H, Maul S, Vogg H. 1983. [Heavy metals in the gas phase - selected examples for emission and environmental impact measurements.] Kornforschungszentrum Karlsruhe GmbH, Laboratorium fur Isotpoentechnik, Karlsruhe, Germany. (German)

\*Brieger H, Semisch CW III, Stasney J, et al. 1954. Industrial antimony poisoning. Ind Med Surg 23:521-523.

\*Bromberger-Barnea B, Stephens NL. 1965. Effects of antimony on myocardial performance in isolated and intact canine hearts. Am Ind Hyg Assoc J 26:404-408.

\*Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. St. Louis, MO: The C.V. Mosby Company, 40, 103-104, 109-110, 123-124, 127-128; 165-166.

\*Buddenmeier RW, Hunt JR. 1988. Transport of colloidal contaminants in groundwater: Radionuclide migration at the Nevada Test Site. Appl Geochem 1:535-548.

\*Burroughs GE, Horan J. 1981. Health hazard evaluation report no. HHE-80-023-804. Becton-Dickinson Company, Columbus, Nebraska. Hazard Evaluations and Technical Assistance Branch, Division of Surveillance, Hazard Evaluations and Field Studies, National Institute for Occupational Safety and Health, Cincinnati, OH.

## 8. REFERENCES

\*Callahan MA, Slimak MW, Gabel NW, et al. 1978. Water-related environmental fate of 129 priority pollutants. Vol. 1. Washington, DC: Office of Water Planning and Standards, U.S. Environmental Protection Agency.

EPA 440/4-79-029a, 5-1 to 5-8.

\*Carapella SC Jr. 1978. Antimony and antimony alloys. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 3, 3rd ed. New York, NY: John Wiley and Sons, Inc., 96-105.

\*Cassady ME, Etchison B. 1976. Walk-through survey of Chemetron Corporation Inorganic Chemicals Division. Cincinnati, OH: Industrial Hygiene Section, Division of Surveillance, Hazard Evaluations, and Field Studies, National Institute for Occupational Safety and Health.

\*Caste BC, Meyers J, DiPaolo JA. 1979. Enhancement of viral transformation for evaluation of the carcinogenic or mutagenic potential of inorganic metal salts. *Cancer Res* 39:193-198.

\*Chulay JD, Fleckenstein L, Smith DH. 1988. Pharmacokinetics of antimony during treatment of visceral leishmaniasis with sodium stibogluconate or meglumine antimoniate. *Trans Royal Soc Tropical Med* 82:69-72.

\*CLPSD. 1989. Contract Laboratory Program Statistical Database. Viar and Company, Alexandria, VA. Waiting for hardcopy.

\*Cole H, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Runoff Program* 56:898-908.

\*Cooper DA, Pendergrass EP, Vorwald AJ, et al. 1968. Pneumoconiosis among workers in an antimony industry. *Am J Roentgenol Rad Ther Nuclear Med* 103:495-508.

\*Costantini S, Giordano R, Rizzica M, et al. 1985. Applicability of anodic-stripping voltammetry and graphite furnace atomic-absorption spectrometry to the determination of antimony in biological matrixes: A comparative study. *Analyst* 110:1355-1359.

\*Cotton M, Logan ME. 1966. Effects of antimony on the cardiovascular system and intestinal smooth muscle. *J Pharmacol Exp Ther* 151:7-22.

\*Cotton FA, Wilkinson G. 1966. Advanced inorganic chemistry. A comprehensive text. New York, NY: Interscience Publishers, 498-503.

\*Craig AB Jr., Vandervort R, Burton DJ, et al. 1981. Environmental and occupational protection in the secondary lead industry. DHHS (NIOSH) Publ ISS 81-114, 360-398.

## 8. REFERENCES

- \*Crecelius EA, Johnson CJ, Hofer GC. 1974. Contamination of soils near a copper smelter by arsenic, antimony and lead. *Water Soil Pollut* 3:337-342.
- \*Crecelius EA, Bothner MH, Carpenter R. 1975. Geochemistries of arsenic, antimony, mercury, and related elements in sediments of Puget Sound. *Environ Sci Technol* 9:325-333.
- \*Cunningham WC. 1987. Radiochemical determination of arsenic, chromium, molybdenum, antimony and selenium in foods. *J Radioanal Nucl Chem* 113:423-430.
- \*Cyr F, Mehra MC, Mallet VN. 1987. Leaching of a chemical contaminants from a municipal landfill site. *Bull Environ Contam Toxicol* 38:775-782.
- \*Dams R, Vandecasteele C, Desmet B, et al. 1988. Element concentrations in the air of an indoor shooting range. *Sci Total Environ* 77:1-14.
- \*Dancaster CP, Duckworth WC, Matthews REP. 1966. Stokes-Adams attacks following sodium antimonygluconate (Triostam). *S Afr Med J* 40:1029-1030.
- Dean JA. 1985. Langes handbook of chemistry. 13th ed. New York, NY: McGraw-Hill, 4-21 to 2-23.
- \*De Doncker K, Dumarey R, Dams R, et al. 1983. Determination of antimony in atmospheric particulate matter by hydride generation and atomic absorption spectrometry. *Anal Chim Acta* 153:33-40.
- Delaune RD, Smith CJ. 1985. Release of nutrients and metals following oxidation of freshwater and saline sediment. *J Environ Qual* 14:164-168.
- \*Demanze C, Rugroff L, Karleskind A. 1984. [Determination of metals in cosmetic and body hygiene products.] *Parfums Cosmet Aromes* 58:69-70, 73-74, 76, 78. (French).
- \*Dernehl CU, Nau CA, Sweets HH. 1945. Animal studies on the toxicity of inhaled antimony trioxide. *J Ind Hyg Toxicol* 27:256-262.
- \*Donaldson H. 1976. Industrial hygiene survey of Texas Smelting and Refining Division of National Lead Industries, Laredo, Texas. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health.
- Donaldson H, Gentry S. 1975. II. Air sampling industrial hygiene survey: The Harshaw Chemical Company, Gloucester City, New Jersey. Cincinnati, OH: Department of Health, Education and Welfare, Division of Surveillance, Hazard Evaluations, and Field Studies, National Institute for Occupational Safety and Health.

## 8. REFERENCES

\*Dorea JG, Merchan-Hamann E, Ryan DE, et al. 1989. Retention of antimony in hair during leishmaniasis treatment. *Clin Chim Acta* 179:341-345.

Drummond GS, Kappas A. 1981. Potent heme-degrading action of antimony and antimony-containing parasiticidal agents. *J Exp Med* 153:245-256.

\*Dunn JT. 1928. A curious case of antimony poisoning. *Analyst* 53:532-533.

\*Dutkiewicz VA, Parekh PP, Husain L. 1987. An evaluation of regional elemental signatures relevant to the northeastern United States. *Atmos Environ* 21:1033-1044.

\*Eckel WP, Jacob TA. 1988. Ambient levels of 24 dissolved metals in U.S. surface and grounds waters. Presented before the Division of Environmental Chemistry, American Chemical Society, Los Angeles, CA, September 25-30, 1988. Preprint of extended abstract. Alexandria, VA: Viar and Company, 371-372.

\*Eckel WP, Langley WD. 1988. A background-based ranking technique for assessment of elemental enrichment in soils at hazardous waste sites. In: *Proceedings of the 9th Superfund '88 National Conference*, Washington, DC, November 28-30, 1988, 282-285.

\*Edel J, Marafante E, Sabbioni E, et al. 1983. Metabolic behaviour of inorganic forms of antimony in the rat. *Proc Heavy Metal Environ Int Conf* 1:574-577.

\*Ellenhorn MJ, Barceloux DG. 1988. *Medical toxicology. Diagnosis and treatment of human poisoning*. New York, NY: Elsevier, 1012.

\*EPA. 1980. U.S. Environmental Protection Agency. Ambient water quality criteria for antimony. Prepared for Office of Water Regulations and Standards Criteria Division, Washington, DC. EPA 440/5-80-020.

\*EPA. 1981. U.S. Environmental Protection Agency. Treatability manual. Volume I. EPA 600/2-82-00la, 1.4.7-1 to 1.4.7-5.

\*EPA. 1983a. U.S. Environmental Protection Agency. Antimony metal, antimony trioxide, and antimony sulfide response to the Interagency Testing Committee. *Federal Register* 48:717-725.

\*EPA. 1983b. U.S. Environmental Protection Agency. Methods for chemical analysis of water and wastes. Environmental Monitoring and Support Laboratory, Cincinnati, OH. EPA 600/4-79-020, 204.1-1 to 204.1-2; 204.2-1 to 204.2-2; Metals-20 to Metals-29.

\*EPA. 1985. U.S. Environmental Protection Agency. 40 CFR Parts 117 and 302: List of hazardous substances and reportable quantities. *Federal Register* 50(65):13476.

**8. REFERENCES**

EPA. 1986. U.S. Environmental Protection Agency. Test methods for evaluating solid waste. 3rd ed. SW 846, Vol. 1A, 3005.1 to 3005-4; 3050-1 to 3050-6; THREE-1 to THREE-7.

\*EPA. 1986. U.S. Environmental Protection Agency. 40 CFR Parts 117 and 302: List of hazardous substances and reportable quantities. Federal Register 51(188):34541.

\*EPA. 1987. U.S. Environmental Protection Agency. 40 CFR Parts 117 and 302: List of hazardous substances and reportable quantities. Federal Register 52(50):8168.

\*EPA. 1988. U.S. Environmental Protection Agency. Analysis of clean water act effluent guidelines pollutants. Summary of the chemicals regulated by industrial point source category. 40 CFR Parts 400-475.

\*EPA. 1989a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. Washington, DC. EPA 600/a-88-066F.

\*EPA. 1989b. U.S. Environmental Protection Agency. Integrated Risk Information System (IRIS). Online. Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.

EPA. 1989. Written communication (October 16) to Sanju Diwan, Clement Associates, Fairfax, VA. regarding chemicals contained in the database: Coordinated List of Chemicals. Risk Analysis Branch, U.S. Environmental Protection Agency, Washington, DC.

\*Federal Research in Progress. 1989. Dialog file 265/266. Dialog Information Services, Inc. Online: September 1989.

\*Fellicetti SW, Thomas RG, McClellan RO. 1974a. Retention of inhaled antimony-124 in the beagle dog as a function of temperature of aerosol formation. *Health Phys* 26:525-531.

\*Fellicetti SW, Thomas RG, McClellan RO. 1974b. Metabolism of two valence states of inhaled antimony in hamsters. *Am Ind Hyg Assoc J* 35:292-300.

\*Fergusson JE, Forbes EA, Schroeder RJ, et al. 1986. The elemental composition and sources of house dust and street dust. *Sci Total Environ* 50:217-221.

\*Fleming AJ. 1982. The toxicity of antimony trioxide. Sponsored by E.I. Du Pont de Nemours and Co., Wilmington DE. OTS215027.

**8. REFERENCES**

\*Foster RB. 1989. Antimony mobility in soil using soil TLC. Prepared by Springborn Life Sciences, Inc., Wareham, MA for the Antimony Oxide Industry Association, Washington, DC.

\*Freedman LD, Doak GO, Long GG. 1978. Antimony compounds. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 3, 3rd ed. New York, NY: John Wiley and Sons, Inc, 105-128.

\*FSTRAC. 1988. Federal State Toxicology and Regulatory Alliance Committee. Summary of state and federal drinking water standards and guidelines. March 1988.

\*Gellhorn A, van Dyke HB. 1946. The correlation between distribution of antimony in tissues and chemotherapeutic effect in experimental leishmaniasis. *J Pharmacol Exp Ther* 88:162-172.

\*Gellhorn A, Tupikova NA, van Dyke HB. 1946. The tissue distribution and excretion of four organic antimonials after single or repeated administration to normal hamsters. *J Pharmacol Exp Ther* 87:169-180.

\*Gerber GB, Maes J, Eykens B. 1982. Transfer of antimony and arsenic to the developing organism. *Arch Toxicol* 49:159-168.

\*Gerhardsson L, Brune D, Nordberg GF, et al. 1982. Antimony in lung, liver and kidney tissue from deceased smelter workers. *Stand J Work Environ Health* 8:201-208.

\*Gerritse RG, Vriesema R, Dalenberg JW, et al. 1982. Effect of sewage sludge on trace element mobility in soils. *J Environ Qual* 11:359-364.

Ghaleb HA, Shoeb HA, el-Gawhary N, et al. 1979. Acute toxicity studies of some new organic trivalent antimonials. *J Egypt Med Assoc* 62:45-62.

\*Gillain G, Brihaye C. 1985. A routine speciation method for a pollution survey of coastal seawater. *Oceanol Acta* 8:231-235.

\*Gladney ES, Gordon GE. 1978. Coal combustion: Source of toxic elements in urban air. *J Environ Sci Health* A13:481-491.

Gladney ES, Perrin DR, Robinson RD, et al. 1984. Multitechnique determination of elemental concentrations in NBS Urban Air Particulate SRM 1648 and evaluation of its use for quality assurance. *J Radioanal Nucl Chem* 83:379-386.

\*Goodwin LG, Page JE. 1943. A study of the excretion of organic antimonials using a polarographic procedure. *Biochem J* 37:198-209.

## 8. REFERENCES

- Gordon GE, Sheffield AE. 1986. Variability of compositions of particles released by coal-fired power plants. ACS Symp Ser 319:23-308.
- Greenburg RR, Zoller WH, Gordon GE. 1978. Composition and size distribution of particles released in refuse incinerators. Environ Sci Technol 12:566-573.
- \*Gross P, Brown JHU, Hatch TF. 1952. Experimental endogenous lipoid pneumonia. Am J Pathol 28:211-221.
- \*Gross P, Brown JHU, Westrick ML, et al. 1955. Toxicological study of calcium halophosphate phosphors and antimony trioxide. I. Acute and chronic toxicity and some pharmacologic aspects. Arch Ind Health 11:473-478.
- \*Groth DH, Stettler LE, Burg JR, et al. 1986. Carcinogenic effects of antimony trioxide and antimony ore concentrate in rats. J Toxicol Environ Health 18:607-626.
- \*Gudzovskij GA. 1983. Antimony, alloys and compounds. Encyclo Occup Health Safety 1:176-178.
- \*Haddad IM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Company, 964-965, 1029.
- \*Hansen ID, Fisher HL. 1980. Elemental distribution in coal fly ash particles. Environ Sci Technol 14:1111-1117.
- \*Harris JW. 1956. Studies on the mechanism of drug-induced hemolytic anemia. J Lab Clin Med 47:760-775.
- \*Hasanen E, Pohjola V, Hahkala M. 1986. Emissions from power plants fueled by peat, coal, natural gas and oil. Sci Total Environ 54:29-51.
- \*Hay DJ, Finkelstein A, Klicius R. 1986. The national incinerator testing and evaluation program two-stage incinerator combustion tests. Chemosphere 15:1201-1212.
- Henderson A, Jolliffe D. 1985. Cardiac effects of sodium stibogluconate. Br J Clin Pharmacol 19:73-77.
- \*Herbst KA, Rose G, Hanusch K, et al. 1985. Antimony and antimony compounds. In: Wllmann's encyclopedia of industrial chemistry. Vol. A3, 5th ed. Free Republic of Germany: VCH Vereage gesellschaft Weinheim, 55-76.
- \*Herrera CE, Kirmeyer HJ, Hoyt BP. 1982. Seattle distribution system corrosion control study: Volume III: Potential for drinking water contamination from tin/antimony solder. U.S. Environmental Protection Agency, Washington, DC. EPA 600/2-82-013. NTIS PB82-231242.

## 8. REFERENCES

- \*Hewitt PJ. 1988. Accumulation of metals in the tissues of occupationally exposed workers. Environ Geochem Health 10:113-116.
- \*Hillamo R, Pacyna JM, Bartonova A. 1988. Characterization of aerosols during long-range transport episodes of air pollution to Norway. J Aerosol Sci 19:1257-1261.
- \*Hiraoka N. 1986. The toxicity and organ-distribution of antimony after chronic administration to rats. J Kyoto Prefect Univ Med 95:997-1017.
- \*Honey M. 1960. The effects of sodium antimony tartrate on the myocardium. Br Heart J 22:601-616.
- \*Hopper JF, Barrie LA. 1988. Regional and background aerosol trace elemental composition observed in eastern Canada. Tellus Ser B 40B:446-462.
- \*Horton JR, Gawroski CL, Newton PE, et al. 1986. Evaluation of the acute toxicity, irritation, sensitization, and subchronic dermal toxicity of antimony thioantimonate lubricant. NTIS/AD-A166 873/O.
- \*Houpt K, Zgoda JC, Stahlbaum CC. 1984. Use of taste repellants and emetics to prevent accidental poisoning of dogs. Am J Vet Res 45:1501-1503.
- \*HSDB. 1989. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. September 8, 1989.
- \*ICRP. 1981. International Commission on Radiological Protection. Limits of intakes of radionuclides by workers. Metabolic data for antimony. Annals of the ICRP. ICRP Publication 30, part 3.
- \*Ives JA, Doughty PA, Casuccio GS. 1984. Superfund and fugitive dust - an air quality study. Proc Air Pollut Contr Assoc 6:84-100.
- Iyengar GV, Kasperek K, Feinendegen LE. 1982. Determination of cobalt, copper, iron, mercury, manganese, antimony, selenium, and zinc in milk samples. Sci Total Environ 24:267-274.
- \*Iyengar GV, Tanner JT, Wolf WR, et al. 1987. Preparation of a mixed human diet material for the determination of nutrient elements, selected toxic elements and organic nutrients: A preliminary report. Sci Total Environ 61:235-252.
- \*Iyengar GV, Kasperek K, Feinendegen LE. 1978. Determination of certain selected bulk and trace elements in bovine liver matrix using neutron activation analysis. Phys Med Biol 23:66-77.

## 8. REFERENCES

- \*Johnson DL, Davis BL, Dzubay TG, et al. 1984. Chemical and physical analyses of Houston aerosol for interlaboratory comparison of source apportionment procedures. *Atmos Environ* 18:1539-1553.
- \*Joliffe DS. 1985. Nephrotoxicity of pentavalent antimonials. *Lancet* 1:584. Jones W, Gamble J. 1984. Epidemiological-environmental study of lead acid battery workers. I. Environmental study of five lead acid battery plants. *Environ Res* 35:1-10.
- \*Kanematsu N, Hara M, Kada T. 1980. Ret assay and mutagenicity studies on metal compounds. *Mutat Res* 77:109-116.
- \*Kanisawa M, Schroeder HA. 1969. Life term studies on the effects of trace elements on spontaneous tumors in mice and rats. *Cancer Res* 29:892-895.
- \*Katayama Y, Ishida N. 1987. Determination of antimony in nail and hair by thermal neutron activation analysis. *Radioisotopes* 36:103-107.
- \*Kempton S, Sterritt RM, Lester JN. 1983. Factors affecting the fate and behavior of toxic elements in the activated sludge process. *Environ Pollut Ser A* 32~51-78.
- \*Kimbrough DE, Wakakuwa JR. 1989. Acid digestion for sediments, sludges, soils, and soil wastes. A proposed alternative to EPA SW 846 Method 3050. *Environ Sci Technol* 23:898-900.
- \*King LD. 1988. Retention of metals by several soils of the southeastern United States. *J Environ Qual* 17:239-246.
- \*Kowalczyk GS, Gordon GE, Rheingrover SW. 1982. Identification of atmospheric particulate sources in Washington, D.C. using chemical element balances. *Environ Sci Technol* 16:79-90.
- \*Landsberger S, Jervis RE, Kajrys G, et al. 1983. Characterization of trace elemental pollutants in urban snow using proton induced x-ray emission and instrumental neutron activation analysis. *Int J Environ Anal Chem* 16:95-130.
- \*Lantzy RJ, Mackenzie FT. 1979. Atmospheric trace metals: Global cycles and assessment of man's impact. *Geochem Cosmochim Acta* 43:511-525.
- Lee RE Jr., Crist HL, Riley AE, et al. 1975. Concentration and size of trace metal emissions from a power plant, a steel plant and a cotton gin. *Environ Sci Technol* 9:643-647.

## 8. REFERENCES

- \*Lippincott SW, Ellerbrook LD, Rhee M, et al. 1947. A study of the distribution and fate of antimony when used as tartar emetic and foudin in the treatment of American soldiers with schistosomiasis japonica. *J Clin Invest* 26:370-378.
- \*Llewellyn TO. 1988. Antimony. Preprint from the Bureau of Mines Mineral Yearbook. Pittsburgh, PA: Bureau of Mines, U.S. Department of the Interior, 1-8.
- \*Ludersdorf R, Fuchs A, Mayer P, et al. 1987. Biological assessment of exposure to antimony and lead in the glass-producing industry. *Int Arch Occup Environ Health* 59:469-474.
- \*Maher W. 1986. Measurement of total antimony in marine organisms and waters by stibine generation and atomic absorption spectrometry. *Anal Lett* 19:295-305.
- \*Mansour MM, Rasoul AAA, Schulert AR. 1967. Anti-bilharzial antimony drugs. *Nature* 214:819-820.
- \*Mansour SE, Reese HH. 1965. Experimental antimony toxicity on lower motor neurons and muscles of mice. *Exp Parasitology* 16:148-157.
- \*Markham MC, Hannan MC, Liu L, et al. 1958. Photochemical properties of antimony trioxide. *J Phys Chem* 62:989-992,
- \*Marmo E, Matera MG, Acampora R, et al. 1987. Prenatal and postnatal metal exposure: Effect on vasomotor reactivity development of pups. *Curr Ther Res* 42:823-838.
- \*Martinson JP. 1988. Biotransformation of antimony oxide in natural sediments under aerobic and anaerobic conditions. Prepared by Springborn Life Sciences, Inc., Wareham, MA for the Antimony Oxide Industry Association, Washington, DC.
- \*Maxfield D, Rodriguez JM, Buettner M, et al. 1974. Heavy metal pollution in the sediments of the Coeur d'Alene River delta. *Environ Pollut* 7:1-6.
- \*Metzger M, Braun H. 1989. Striping voltammetric determination of traces of antimony(III) and antimony(V) in natural waters after selective extraction. *Anal Chim Acta* 189:263-275.
- \*Milford JB, Davidson CL. 1985. The sizes of particulate trace elements in the atmosphere--a review. *Air Pollut Contr Assoc* 35:1249-1257.
- \*Miller MH. 1973. Antimony. U.S. Geological Survey Professional Paper 820. Alexandria VA: U.S. Geological Survey, 45-50.

**8. REFERENCES**

- \*Minear RA, Ball RO, Church RL. 1981. Database for influent heavy metals in publicly owned treatment works. Prepared for Municipal Environmental Research laboratory, U.S. Environmental Protection Agency, Cincinnati, OH. EPA 600/52-81-220, 1-5.
- \*Mok WM, Wai CM. 1987. Simultaneous extraction of trivalent and pentavalent antimony and arsenic species in natural waters for neutron activation analysis. *Anal Chem* 59:233-236.
- \*Mok WM, Wai CM. 1988. Determination of arsenic and antimony in biological materials by solvent extraction and neutron activation. *Talanta* 35:183-186.
- \*Mok WM, Wai CM. 1990. Distribution and mobilization of arsenic and antimony species in the Coeur d'Alene River, Idaho. *Environ Sci Technol* 24:102-108.
- \*Molokhia A, Lilley JD. 1986. Unusual levels of trace elements in dental filling materials. An investigation by neutron activation analysis. *Acta Pharmacol Toxicol Suppl* 59:56-59.
- \*Mueller J. 1985. Atmospheric pathways of heavy metals. *Proc Heavy Metal Environ Int Conf* 1:214-216.
- \*Mumma RO, Raupach DC, Waldman JP, et al. 1984. National survey of elements and other constituents in municipal sewage sludge. *Arch Environ Contam Toxicol* 13:75-83.
- \*Muramatsu Y, Parr RM. 1988. Concentrations of some trace elements in hair, liver and kidney from autopsy subjects - Relationship between hair and internal organs. *Sci Total Environ* 76:29-40.
- \*Murrell NE. 1987. Impact of metallic solders on water quality. *Proc Am Water Works Assoc* 1987(Pt. 1):39-43.
- \*Myers RC, Homan ER, Well CS, et al. 1978. Antimony trioxide range-finding toxicity studies. Carnegie-Mellon Institute of Research, Carnegie-Mellon University, Pittsburgh, PA, sponsored by Union Carbide. OTS206062.
- \*NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- \*NATICH. 1988. National Air Toxics Information Clearinghouse. NATICH database report on state, local and EPA air toxics activity. U.S. Environmental Protection Agency, Research Triangle Park, NC. July 1988.
- \*Nightingale HI. 1987. Water quality beneath urban runoff water management basins. *Water Resource Bull* 23:197-205.

**8. REFERENCES**

\*NIOSH. 1981. Occupational health guidelines for chemical hazards. U.S. Department of Health and Human Services. National Institute for Occupational Safety and Health.

\*NIOSH. 1985. Elements in blood or tissue. Cincinnati, OH: Division of Physical Sciences and Engineering, National Institute for Occupational Safety and Health, 8005-1 to 8005-S.

NIOSH. 1987. Manual of analytical methods: Method 6008. Cincinnati, OH: Division of Physical Sciences and Engineering, National Institute for Occupational Safety and Health, 6008-1 to 6008-4.

\*NIOSH. 1989. National Occupational Exposure Survey (NOES). National Institute for Occupational Safety and Health, Washington, DC. March 29, 1989.

\*NIOSH: 1990. NIOSH pocket guide to chemical hazards. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Washington, DC.

\*Nriagu JO. 1989. A global assessment of natural sources of atmospheric trace metals. *Nature* 338:47-49.

\*NTP. 1990. National Toxicology Program. Technical report on the toxicity studies of antimony potassium tartrate in F344/N rats, and B6C3F1 mice (dosed water and intraperitoneal injection studies). Draft (NTPTOX 11). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health.

\*Ohmori S, Tsuji H, Kusaka Y, et al. 1981. Radioactivation analysis of hair. A means of biological monitoring of the environment. *J Radioanal Chem* 63:269-282.

\*Olmez I, Gulovali MC, Gordon GE. 1978. Trace substances in human saliva. *Environ Health* 7:231-240.

Olmez I, Kotra JP, Lowery S, et al. 1985. Airborne lead and trace elements in an indoor shooting range: A study of the DC National Guard Armory Pistol Range. *Environ Toxicol Chem* 4:447-452.

\*OSHA. 1989. U.S. Department of Labor. Occupational Safety and Health Administration. OSHA occupational standards permissible exposure limits. 29 CFR 1910.1000. *Federal Register* 54:2924.

\*Pacyna JM. 1984. Estimation of the atmospheric emissions of trace elements from anthropogenic sources in Europe. *Atmos Environ* 18:41-50.

\*Pacyna JM, Semb A, Hanssen JE. 1984. Emission and long-range transport of trace elements in Europe. *Tellus Ser B* 36B:163-178.

## 8. REFERENCES

- \*Pandey AK, Kumar M, Thakur CP. 1988. EGG changes in prolonged treatment of kalaazar with antimony compounds [letter]. *J Assoc Physicians India* 36:398-399.
- Papastefanou C, Manolopoulou M, Sawidis T. 1988. Lichens and mosses: Biological monitors of radioactive fallout from the Chernobyl Reactor accident. *J Environ Radioactivity* 9:199-207.
- \*Parris GE, Brinckman FE. 1975. Reactions which relate to the environmental mobility of arsenic and antimony. I. Quaternization of trimethylarsine and trimethylstibine. *J Org Chem* 40:3801-3803.
- \*Parris GE, Brinckman FE. 1976. Reactions which relate to environmental mobility of arsenic and antimony. II. Oxidation of trimethylarsine and trimethylstilbene. *Environ Sci Technol* 10:1128-1134.
- \*Paton GR, Allison AC. 1972. Chromosome damage in human cell cultures induced by metal salts. *Mutat Res* 16:332-336.
- \*Pattenden NJ, Branson JR, Fisher EMR. 1982. Trace element measurements in wet and dry deposition and airborne particulate at an urban site. *Deposition Atmos Pollut Proc Colloq* 173-184.
- \*Plunkert PA. 1982. Antimony. In: Minerals handbook. Pittsburgh, PA: Bureau of Mines, U.S. Department of the Interior, 93-101.
- \*Potkonjak V, Pavlovich M. 1983. Antimoniosis: A particular form of pneumoconiosis. I. Etiology, clinical and x-ray findings. *Int Arch Occup Environ Health* 51:199-207.
- \*Potkonjak V, Vishnjich V. 1983. Antimoniosis: A particular form of pneumoconiosis. II. Experimental investigation. *Int Arch Occup Environ Health* 51:299-303.
- \*Pradeau D, Petiot J, Bissery V, et al. 1988. Study on the transfer of inorganic elements from glass to solvents in pharmaceutical use. *Int Pharm J* 2:209-215.
- \*Price NH, Yates WG, Allen SD. 1979. Toxicity evaluation for establishing IDLH values. Prepared for National Institute for Occupational Safety and Health, Cincinnati, OH. PB87-229498.
- \*Ragaini RC, Ralston HR, Roberts N. 1977. Environmental trace metal contamination in Kellogg, Idaho near a lead smelting complex. *Environ Sci Technol* 11:773-781.

## 8. REFERENCES

- \*Rai D, Zachara JM, Schwab AP, et al. 1984. Chemical attenuation rates, coefficients, and constants in leachate migration. Volume 1: A critical review. Electric Power Research Institute Publication EPRI EA-3356.
- \*Rawlings GD. 1980. Analysis of priority pollutants at a primary aluminum production facility. Environ Inter 3:321-325.
- \*Rees PH, Keating MI, Kager PA, et al. 1980. Renal clearance of pentavalent antimony (sodium stibogluconate). Lancet 2:226-229.
- \*RBnes LE. 1953. Antimony poisoning in industry. Arch Ind Hyg 7:99-108.
- \*Rossi F, Acampora R, Vacca C, et al. 1987. Prenatal and postnatal antimony exposure in rats: Effect on vasomotor reactivity development of pups. Teratogen Carcinogen Mutagen 7:491-496.
- \*Rossmann R. 1988. Estimation of trace metal storage in Lake St. Clair postsettlement sediments using composite samples. J Great Lakes Res 14:66-75.
- \*Rugemalila JB. 1980. Fatal stibocaptate toxicity. East Afr Med J 57:720-722.
- \*Sabbioni E, Goetz L, Springer A, et al. 1983. Trace metals from coal-fired power plants: Derivation of an average data base for assessment studies of the situation in the European communities. Sci Total Environ 29:213-227.
- Sabbioni E, Goetz L, Bignoli G. 1984. Health and environmental implications of trace metals released from coal-fired power plants: An assessment study of the situation in the European community. Sci Total Environ 40:141-154.
- \*Salisbury SA. 1980. Health hazard evaluation no ME-79-075-784 at St. Clair Rubber Company, Marysville, Michigan. Cincinnati, OH: Hazard Evaluations and Technical Assistance Branch, Division of Surveillance Hazard Evaluations, and Field Studies, National Institute for Occupational Safety and Health.
- \*Schroeder HA, Mitchener M, Balassa JJ, et al. 1968. Zirconium, niobium, antimony, and fluorine in mice: Effects on growth, survival and tissue levels. J Nutr 95:95-101.
- \*Schroeder HA, Mitchener M, Nason AP. 1970. Zirconium, niobium, antimony, vanadium and lead in rats: Life-time studies. J Nutr 100:59-68.
- \*Shacklette HT, Boerngen JG. 1984. Element concentration in soils and other surficial materials of the conterminous United States. US Geological Survey Professional Paper 1270. Alexandria VA: U.S. Geological Survey.

**8. REFERENCES**

- \*Small M, Germani MS, Small AM, et al. 1981. Airborne plume study of emissions from the processing of copper ores in southeastern Arizona. Environ Sci Technol 15:293-299.
- \*Smyth HF, Carpenter CP. 1948. Further experience with the range finding test in the industrial toxicology laboratory. J Ind Hyg Toxicol 30:63-68.
- \*Smyth HF Jr, Thompson WL. 1945. The single dose and subacute-toxicity of antimony oxide ( $Sb_2O_3$ ). Mellon Institute of Industrial Research, University of Pittsburgh. OTS206062.
- \*Stevenson CJ. 1965. Antimony spots. Transactions of the St. John's Hospital Dermatology Society, 51:40-42.
- \*Stoessel RP, Michaelis W. 1986. Wet and dry deposition of heavy metals. In: Proceedings of the 2nd Environmental Contamination International Conference, 85-88.
- \*Strohal P, Huljer D, Lubic S, et al. 1975. Antimony in the coastal marine environment, North Adriatic. Estuarine Coastal Marine Sci 3:119-123.
- \*Sturgeon RE, Willie SN, Berman SS. 1985. Preconcentration of selenium and antimony from seawater for determination by graphite furnace atomic absorption spectrometry. Anal Chem 57:6-9.
- \*Stutz DR, Janusz SJ. 1988. Hazardous materials injuries: A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation, 206-207.
- \*Sumino K, Hayakawa K, Shibata T, et al. 1975. Heavy metals in normal Japanese tissues. Arch Environ Health 30:487-494.
- \*Sunagawa S. 1981. Experimental studies on antimony poisoning. Igaku kenkyu 51:129-142.
- \*Sutker BJ. 1988. Fire retardants. In: Ullmann's encyclopedia of industrial chemistry. Vol. All, 5th ed. Free Republic of Germany: VCH Vereage gesellschaft Weinheim, 136-137.
- \*Swellengrebel NH, Sterman MM. 1961. Animal parasites in man. Princeton, N J : D. Van Nostrand Co., Inc, 178-180.
- \*Takagi Y, Matsuda S, Imai S, et al. 1986. Trace elements in human hair: An international comparison. Bull Environ Contam Toxicol 36:793-800.
- \*Takagi Y, Matsuda S, Imai Y, et al. 1988. Survey of trace elements in human nails: An international comparison. Bull Environ Contam Toxicol 41:690-695.

**8. REFERENCES**

- \*Tanner JT, Friedman MH. 1977. Neutron activation analysis for trace elements in foods. *J Radioanal Chem* 37:529.
- \*Taylor PJ. 1966. Acute intoxication from antimony trichloride. *Br J Ind Med* 23:318-321.
- \*Thomas RG, Felicetti SW, Lucchino RV, et al. 1973. Retention patterns of antimony in mice following inhalation of particles formed at different temperatures. *Proc Exp Biol Med* 144:544-550.
- \*TRI. 1989. Toxics Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- \*Trnovsky M, Oxer JP, Rudy RJ, et al. 1988. Site remediation of heavy metals contaminated soils and groundwater at a former battery reclamation site in Florida. In: *Proceedings of the Hazardous Waste: Detection, Control, and Treatment World Conference*, Vol Pt. B, 1581-1590.
- \*Tu AS, Sivak A. 1984. Evaluation of antimony thioantimonate in three in vitro short-term assays. NTIS/AD-A150 348/1.
- \*U.S. Bureau of Mines. 1989a. Antimony in the 1st quarter of 1989. Mineral Industry Series. U.S. Bureau of Mines, Pittsburgh, PA. May 26, 1989.
- \*U.S. Bureau of Mines. 1989b. Antimony in the 2nd quarter of 1989. Mineral Industry Series. U.S. Bureau of Mines, Pittsburgh, PA. August 23, 1989.
- \*van der Sloot HA, Wijkstra J, Van Dalen A, et al. 1982. Leaching of trace elements from coal solid waste. Netherlands Energy Research Foundation, ECN, Petten. ECN-120.
- \*Vandecasteele C, Vermeir G, Dams R. 1988. Element concentrations in the air of an indoor shooting range. *Environ Technol Lett* 9:1287-1294.
- \*View Database. 1989. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA.
- \*Vong RJ, Larson TV, Zoller WH. 1988. A multivariate chemical classification of rainwater samples. *Chemom Intell Lab Syst* 3:99-109.
- \*Von Guten HR, Kull TP. 1986. Infiltration of inorganic compounds from the Glatt River, Switzerland, into a groundwater aquifer. *Water Air Soil Pollut.*
- \*Warren CJ, Dudas M.J. 1988. Leaching behavior of selected trace elements in chemically weathered alkaline fly ash. *Sci Total Environ* 76:229-246.

## 8. REFERENCES

- \*Watt WD. 1980. Chronic inhalation toxicity of antimony trioxide: Validation of the T.L.V.-progress report-summary of results. OTS206195.
- \*Watt WD. 1983. Chronic inhalation toxicity of antimony trioxide: Validation of the threshold limit value. Dissertation, Wayne State University.
- \*Weast RC. 1988. Handbook of chemistry and physics. 69th ed. Boca Raton, FL: CRC Press, B-8, B-72 to B-73.
- \*Webber MD, Shamess A. 1987. Heavy metal concentrations in Halton Region soils: An assessment for future municipal sludge utilization. Can J Soil Sci 67:893-903.
- \*Wiersema JM, Wright L, Rogers B, et al. 1984. Human exposure to potentially toxic elements through ambient air in Texas. Proc Air Pollut Contr Assoc 1:84-1.2.
- \*Wil Research Laboratories, Inc. 1979. Acute eye irritation study in rabbits with antimony oxide. Sponsored by PPG Industries Inc., Pittsburgh, PA.
- \*Willetts P, Anderson RA, Farmer JG, et al. 1982. Inorganic elements in the tracheas of fire fatalities. Fire Mater 6:32-37.
- \*Windholz M, ed. 1983. The Merck index. 10th ed. Rahway, NJ: Merck and co.
- Woessner WM, Shapley. 1985. Effects of U.S. antimony's disposal ponds on an alluvial aquifer and Prospect Creek, western Montana.
- \*Wang LCK, Winston JM, Hagensen J, et al. 1979. Study of carcinogenicity and toxicity of inhaled antimony trioxide, antimony ore concentrate and thallic oxide in rats. Prepared for National Institute for Occupational Safety and Health, Cincinnati, OH, U.S. Department of Health. OTS0511065.
- \*Yocom JE. 1983. Industrial sources of metals. NeuroToxicology 4:91-102.
- \*Young M. 1979a. Walk-through survey report of General Battery and Ceramic Corporation, Dallas, Texas. Cincinnati, OH: Division of Surveillance, Hazard Evaluations, and Field Studies, Industry-wide Studies Branch, Industrial Hygiene Section, National Institute for Occupational Safety and Health.
- \*Young M. 1979b. Walk-through survey report of Standard Industries, Inc. (Reliable Battery Company), San Antonio, Texas. Cincinnati, OH: Division of Surveillance, Hazard Evaluations, and Field Studies, Industry-wide Studies Branch, Industrial Hygiene Section, National Institute for Occupational Safety and Health.

**8. REFERENCES**

\*Young M, Beaumont J, Brown D, et al. 1979. Walk-through survey report of Electric Storage Battery, Inc., Dallas, Texas. Cincinnati, OH: Division of Surveillance, Hazard Evaluations, and Field Studies, Industry-wide Studies Branch, Industrial Hygiene Section, National Institute for Occupational Safety and Health.

\*Zaki MH, Shookhoff HB, Sterman M, et al. 1964. Astiban in schistosomiasis mansoni: A controlled therapeutic trial in a nonendemic area. Am J Trop Med Hyg 13:803-810.

\*Zhang J, Billiet J, Dams R. 1985. Elemental composition and source investigation of particulates suspended in the air of an iron foundry. sci Total Environ 41:13-28.

\*Zikovsky L, Badillo M. 1987. An indirect study of air pollution by neutron activation analysis of snow. J Radioanal Nucl Chem 114:147-153.